

ภาคผนวก ก4  
ผลการติดตามตรวจสอบระดับเสียงโดยทั่วไป


---

## ANALYSIS REPORT

**CUSTOMER NAME** : LABIX COMPANY LIMITED  
**ADDRESS** : 105/13 MOO 2, TUNGSUKLA, SRIRACHA, CHONBURI 20230.  
 TEL. 0 3835 1317 EXT. 5392 FAX 0 3835 1320  
**MEASURING PLACE** : บ้านทุ่ง  
**MEASURING TYPE** : AMBIENT (NOISE) **RECEIVED DATE** : MAY 8-15, 2018  
**MEASURING DATE** : MAY 8-15, 2018 **ANALYTICAL DATE** : MAY 8-15, 2018  
**MEASURING TIME** : \* **ANALYSIS NO.** : PAL430-PAL436/2018  
**MEASURING EQUIPMENT** : INTEGRATED SOUND LEVEL METER **WORK NO.** : EMA4663/2017  
**MEASURED BY** : MR WISANU SUVANNARACH **REPORT NO.** : F03307/2018

TIME*	RESULT																				
	บ้านทุ่ง																				
	MAY 8-9, 2018			MAY 9-10, 2018			MAY 10-11, 2018			MAY 11-12, 2018			MAY 12-13, 2018			MAY 13-14, 2018			MAY 14-15, 2018		
	PAL430/2018			PAL431/2018			PAL432/2018			PAL433/2018			PAL434/2018			PAL435/2018			PAL436/2018		
	L <sub>Aeq 1 hour</sub>	L <sub>A90</sub>	L <sub>Amax</sub>	L <sub>Aeq 1 hour</sub>	L <sub>A90</sub>	L <sub>Amax</sub>	L <sub>Aeq 1 hour</sub>	L <sub>A90</sub>	L <sub>Amax</sub>	L <sub>Aeq 1 hour</sub>	L <sub>A90</sub>	L <sub>Amax</sub>	L <sub>Aeq 1 hour</sub>	L <sub>A90</sub>	L <sub>Amax</sub>	L <sub>Aeq 1 hour</sub>	L <sub>A90</sub>	L <sub>Amax</sub>	L <sub>Aeq 1 hour</sub>	L <sub>A90</sub>	L <sub>Amax</sub>
07:00-08:00 HOUR	54.5	53.3	69.0	54.0	52.7	72.4	54.4	52.5	75.1	54.7	53.0	68.2	53.9	52.3	69.9	52.9	52.0	67.9	54.5	52.4	76.3
08:00-09:00 HOUR	55.2	54.2	65.8	54.1	53.2	62.5	56.1	53.2	76.2	54.7	53.2	69.8	53.9	52.5	71.7	54.0	52.3	79.1	53.6	52.4	70.2
09:00-10:00 HOUR	55.7	54.5	76.8	54.5	53.5	67.9	56.2	53.3	80.1	54.9	53.2	71.6	53.8	52.9	68.2	53.0	52.0	64.8	56.9	53.9	77.7
10:00-11:00 HOUR	55.1	54.1	68.9	54.7	53.5	70.5	55.1	54.1	72.9	54.8	53.3	66.0	54.5	52.9	69.8	53.9	51.9	63.7	55.3	53.9	76.5
11:00-12:00 HOUR	54.7	54.0	64.6	57.1	53.7	77.5	55.1	54.1	74.9	54.3	53.1	67.8	55.4	54.3	67.5	54.5	53.7	59.9	54.8	53.6	65.3
12:00-13:00 HOUR	54.8	53.7	63.2	54.6	53.8	67.5	56.6	54.2	76.0	57.7	52.6	77.4	55.5	54.5	72.1	54.9	54.2	63.7	56.3	54.6	75.4
13:00-14:00 HOUR	54.5	53.3	72.9	55.1	54.3	65.8	55.7	53.4	76.1	55.8	53.7	72.9	56.9	53.3	77.4	58.4	54.0	77.8	57.7	54.1	79.5
14:00-15:00 HOUR	55.8	53.3	75.1	55.5	54.0	75.8	54.2	52.4	74.1	55.0	53.7	71.6	54.1	52.5	74.9	54.5	53.2	71.8	65.0	54.1	89.8
15:00-16:00 HOUR	55.6	53.3	75.7	55.2	54.3	68.9	54.2	52.4	76.7	54.9	53.1	69.4	53.6	52.4	70.7	53.1	51.6	70.5	55.1	53.1	73.9
16:00-17:00 HOUR	55.9	53.2	79.5	54.9	54.0	69.1	54.6	52.7	76.0	57.2	53.7	68.1	53.8	52.3	71.6	53.4	52.3	71.7	54.6	52.4	75.1
17:00-18:00 HOUR	53.9	52.8	73.0	54.8	53.5	71.7	54.8	53.1	73.4	54.6	53.5	66.9	54.8	52.6	76.4	53.5	52.7	69.7	54.1	52.5	65.9
18:00-19:00 HOUR	54.6	53.1	76.9	56.3	53.2	77.2	55.3	52.9	75.1	56.0	53.8	66.0	56.4	52.1	80.9	55.4	53.0	74.9	56.7	52.9	82.5
19:00-20:00 HOUR	53.9	53.0	66.8	54.2	53.1	67.5	53.1	52.4	65.9	56.5	55.7	66.8	53.6	52.6	67.2	56.2	53.3	81.6	53.2	52.5	64.1
20:00-21:00 HOUR	53.7	52.9	71.2	53.9	53.1	64.0	53.1	52.4	63.2	55.5	53.8	60.7	52.9	52.2	66.0	53.1	52.3	62.2	53.0	52.5	61.2
21:00-22:00 HOUR	53.4	52.7	63.4	53.6	52.9	61.3	52.9	52.3	59.1	53.1	52.5	59.8	52.7	52.1	61.2	52.9	52.3	62.7	52.7	52.2	63.5
22:00-23:00 HOUR	53.6	52.9	63.6	53.5	52.9	60.0	52.9	52.4	59.4	53.0	52.5	69.1	52.8	52.1	62.6	52.7	52.0	58.9	52.7	52.2	58.6
23:00-00:00 HOUR	53.4	52.7	58.5	54.0	52.9	65.6	53.0	52.6	60.8	53.1	52.6	59.6	52.6	52.1	60.2	53.1	52.6	61.7	52.5	52.1	61.2
00:00-01:00 HOUR	53.9	52.6	59.9	53.0	52.5	56.8	52.8	52.4	59.5	52.8	52.4	57.8	52.7	52.0	62.3	52.5	51.9	59.4	52.7	52.3	57.4
01:00-02:00 HOUR	53.3	52.7	58.3	53.2	52.6	67.0	52.6	52.2	57.2	53.5	52.7	62.8	52.5	51.9	56.9	52.4	51.9	58.0	52.7	52.3	58.8
02:00-03:00 HOUR	52.7	52.1	59.2	52.9	52.4	65.4	52.8	52.3	61.3	53.6	53.0	60.2	52.5	52.0	57.9	52.5	52.0	57.3	53.1	52.5	60.2
03:00-04:00 HOUR	52.9	52.3	60.2	53.0	52.4	62.2	53.0	52.4	59.5	53.0	52.4	60.1	52.4	51.9	61.4	52.6	52.2	57.7	53.2	52.4	62.4
04:00-05:00 HOUR	54.2	52.6	75.2	54.2	52.7	76.0	54.1	52.5	76.1	55.0	52.8	78.2	54.0	52.3	74.4	56.3	52.5	81.6	53.5	52.9	62.7
05:00-06:00 HOUR	57.2	52.9	78.3	55.6	52.8	79.0	55.8	53.1	78.5	56.2	52.9	77.4	55.4	52.3	78.2	58.5	52.9	83.0	57.4	53.3	81.2
06:00-07:00 HOUR	54.7	52.9	82.8	53.6	52.6	71.7	53.6	52.8	69.0	54.0	52.7	73.1	53.2	52.3	67.7	54.1	53.1	70.8	54.2	53.1	71.3
L <sub>Aeq 24 hours</sub>	54.6			54.5			54.4			55.0			54.1			54.5			56.2		
L <sub>Adn</sub>	60.7			60.3			60.2			60.6			59.9			60.9			60.9		
UNIT	dB(A)																				

  
 (MR SILA BANJONGJAIKUK)  
 TECHNICAL MANAGEMENT  
 MAY 24, 2018

  
 (MISS NANTIDA BOONSAI)  
 LABORATORY SUPERVISOR  
 MAY 24, 2018


- DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL.
- REPORTED ANALYSIS REFERS TO SUBMITTED SAMPLE ONLY.

## ANALYSIS REPORT

**CUSTOMER NAME** : LABIX COMPANY LIMITED  
**ADDRESS** : 105/13 MOO 2, TUNGSUKLA, SRIRACHA, CHONBURI 20230.  
 TEL. 0 3835 1317 EXT. 5392 FAX 0 3835 1320  
**MEASURING PLACE** : ริมรั้วโครงการด้านทิศตะวันตก  
**MEASURING TYPE** : AMBIENT (NOISE) **RECEIVED DATE** : MAY 8-15, 2018  
**MEASURING DATE** : MAY 8-15, 2018 **ANALYTICAL DATE** : MAY 8-15, 2018  
**MEASURING TIME** : \* **ANALYSIS NO.** : PAL553-PAL559/2018  
**MEASURING EQUIPMENT** : INTEGRATED SOUND LEVEL METER **WORK NO.** : EMA4663/2017  
**MEASURED BY** : MR WISANU SUVANNARACH **REPORT NO.** : F03308/2018

TIME*	RESULT																				
	ริมรั้วโครงการด้านทิศตะวันตก																				
	MAY 8-9, 2018			MAY 9-10, 2018			MAY 10-11, 2018			MAY 11-12, 2018			MAY 12-13, 2018			MAY 13-14, 2018			MAY 14-15, 2018		
	PAL553/2018			PAL554/2018			PAL555/2018			PAL556/2018			PAL557/2018			PAL558/2018			PAL559/2018		
	L <sub>Aeq</sub> 1 hour	L <sub>ASO</sub>	L <sub>Amax</sub>	L <sub>Aeq</sub> 1 hour	L <sub>ASO</sub>	L <sub>Amax</sub>	L <sub>Aeq</sub> 1 hour	L <sub>ASO</sub>	L <sub>Amax</sub>	L <sub>Aeq</sub> 1 hour	L <sub>ASO</sub>	L <sub>Amax</sub>	L <sub>Aeq</sub> 1 hour	L <sub>ASO</sub>	L <sub>Amax</sub>	L <sub>Aeq</sub> 1 hour	L <sub>ASO</sub>	L <sub>Amax</sub>	L <sub>Aeq</sub> 1 hour	L <sub>ASO</sub>	L <sub>Amax</sub>
07:00-08:00 HOUR	61.2	60.0	76.3	61.8	60.5	81.6	61.0	59.9	68.6	60.9	59.9	67.0	61.2	60.1	79.4	60.6	59.8	67.1	60.8	60.0	70.1
08:00-09:00 HOUR	60.8	59.6	68.2	60.8	59.6	70.5	60.3	59.2	64.6	60.4	59.3	69.9	60.0	59.1	69.4	59.9	59.0	69.3	60.2	59.2	68.4
09:00-10:00 HOUR	60.9	59.7	70.3	60.4	59.1	73.3	60.0	58.8	69.1	60.6	59.6	71.1	60.1	59.3	68.4	59.7	58.8	66.6	60.6	59.7	73.7
10:00-11:00 HOUR	60.5	59.5	69.2	60.2	58.7	70.1	60.0	58.8	66.5	60.7	59.6	74.2	60.2	59.3	65.2	60.2	59.2	67.6	60.8	59.9	68.4
11:00-12:00 HOUR	60.6	59.4	65.6	59.9	58.6	65.6	60.0	58.6	66.6	60.5	59.5	66.5	60.6	59.7	65.1	60.2	59.2	69.6	60.5	59.5	80.6
12:00-13:00 HOUR	61.3	59.5	89.2	59.7	58.4	72.3	60.3	58.7	76.9	61.9	59.9	76.4	60.5	59.3	77.7	60.1	59.0	70.7	60.8	59.4	80.0
13:00-14:00 HOUR	60.6	59.3	71.3	60.2	58.5	79.2	61.0	59.6	75.5	61.5	60.4	67.6	62.0	59.8	79.4	61.1	58.9	80.4	61.0	59.5	78.6
14:00-15:00 HOUR	60.7	59.7	69.1	60.0	58.5	69.9	61.8	60.6	66.1	61.5	60.3	74.3	61.8	60.5	66.7	60.8	59.8	65.4	60.1	58.8	72.4
15:00-16:00 HOUR	60.5	59.1	87.4	59.9	58.5	67.9	61.0	60.0	69.8	61.3	60.4	65.6	61.7	60.5	67.0	60.7	59.6	65.7	60.4	59.4	71.8
16:00-17:00 HOUR	60.8	59.0	73.9	60.0	58.7	69.0	60.6	59.6	65.7	62.8	61.7	72.8	61.6	60.4	71.9	60.0	59.0	67.1	60.6	59.6	68.5
17:00-18:00 HOUR	62.4	59.2	75.0	60.7	59.0	76.6	61.1	60.1	75.7	61.8	60.9	71.6	60.5	59.6	66.1	59.8	58.7	65.1	61.8	60.5	75.8
18:00-19:00 HOUR	60.8	59.7	74.3	60.7	59.5	69.9	61.7	60.6	68.4	61.7	60.6	66.3	61.2	60.3	66.7	60.3	59.3	74.8	62.4	61.4	68.0
19:00-20:00 HOUR	61.1	60.0	71.5	60.9	59.8	69.5	61.7	60.7	70.9	61.8	60.9	66.7	61.0	60.2	66.6	60.8	59.2	78.5	62.1	61.0	76.1
20:00-21:00 HOUR	61.3	60.3	66.3	61.1	60.1	66.9	61.4	60.3	65.6	61.9	60.7	66.5	61.3	60.5	65.2	60.7	59.8	67.8	61.5	60.5	65.9
21:00-22:00 HOUR	61.1	60.2	64.6	60.7	59.8	67.3	62.2	61.1	65.5	61.6	60.7	66.0	61.5	60.6	67.9	60.9	60.1	66.7	61.4	60.5	66.6
22:00-23:00 HOUR	61.1	60.2	65.3	60.7	59.8	69.9	62.9	61.7	67.3	61.6	60.8	67.2	61.7	60.6	65.6	61.0	60.1	67.1	61.5	60.5	66.2
23:00-00:00 HOUR	61.3	60.4	64.7	60.9	59.9	69.1	62.9	60.8	68.1	61.7	60.9	65.3	61.1	60.4	67.5	61.0	60.2	71.2	61.9	61.0	66.3
00:00-01:00 HOUR	61.2	60.1	85.1	60.9	60.0	75.4	61.3	60.3	66.4	62.0	61.0	65.6	61.0	60.3	64.9	61.2	60.3	69.2	61.8	60.9	66.8
01:00-02:00 HOUR	61.1	60.2	65.0	61.1	60.3	65.6	61.1	60.2	65.2	61.7	60.9	65.0	61.3	60.6	65.1	61.2	60.3	65.0	62.0	61.1	66.4
02:00-03:00 HOUR	61.3	60.5	65.0	61.0	60.2	66.1	61.1	60.1	65.1	61.1	60.2	64.9	61.2	60.5	64.9	61.0	60.0	65.2	61.8	60.9	66.7
03:00-04:00 HOUR	61.2	60.4	66.8	61.1	60.1	66.3	61.1	60.3	65.2	61.7	60.7	65.9	61.2	60.5	65.5	61.2	60.3	66.6	61.5	60.5	67.0
04:00-05:00 HOUR	61.3	60.4	65.6	61.5	60.5	67.3	61.7	60.8	67.3	62.0	61.1	74.7	61.2	60.6	65.7	61.2	60.3	65.4	61.5	60.7	65.5
05:00-06:00 HOUR	61.3	60.3	65.5	61.7	60.8	75.3	61.0	60.1	66.0	62.0	61.3	65.7	61.3	60.6	66.3	61.3	60.4	65.3	60.5	59.3	70.7
06:00-07:00 HOUR	61.7	60.6	73.4	61.8	61.0	68.0	61.1	60.2	70.6	62.3	61.4	65.1	61.1	60.5	65.8	60.9	60.1	66.9	60.3	59.1	67.7
L <sub>Aeq</sub> 24 hours	61.1			60.8			61.3			61.6			61.1			60.7			61.2		
L <sub>Adn</sub>	67.7			67.5			68.0			68.2			67.6			67.4			67.8		
UNIT	dB(A)																				

  
 (MR SILA BANJONGJAIKUK)  
 TECHNICAL MANAGEMENT  
 MAY 24, 2018

  
 (MISS NANTIDA BOONSAI)  
 LABORATORY SUPERVISOR  
 MAY 24, 2018

- DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL.
- REPORTED ANALYSIS REFERS TO SUBMITTED SAMPLE ONLY.