

ภาคผนวก ก5

ผลการติดตามตรวจสอบระดับเสียงในสถานประกอบการ

ผลการติดตามตรวจสอบระดับเสียงแบบพื้นที่

ANALYSIS REPORT

CUSTOMER NAME : LABIX COMPANY LIMITED
ADDRESS : 105/13 MOO 2, TUNGSUKLA, SRIRACHA, CHONBURI 20230
 TEL. 0 3835 1317 EXT. 5392 FAX 0 3835 1320
MEASURING PLACE : LABIX COMPANY LIMITED
MEASURING TYPE : WORKPLACE (NOISE) **RECEIVED DATE** : MARCH 21, 2018
MEASURING DATE : MARCH 21, 2018 **ANALYTICAL DATE** : MARCH 21, 2018
MEASURING TIME : * **ANALYSIS NO.** : PAG958-PAG960/2018
MEASURING EQUIPMENT : INTEGRATED SOUND LEVEL METER **WORK NO.** : EMA4664/2017
MEASURED BY : MR PIYANAT SRIPHOOROT **REPORT NO.** : F01640/2018

ANALYSIS NO.	MEASURING SITE	TIME *	RESULT	
			L _{Aeq} 8 hours	L _{Amax}
PAG958/2018	GAS COMPRESSOR 1 (K-58101)	08:40-16:40 HOUR	82.3	83.7
PAG959/2018	GAS COMPRESSOR 2 (K-58301)	08:45-16:45 HOUR	88.2	91.3
PAG960/2018	PUMP STATION (ระหว่าง P-58601A/B)	08:50-16:50 HOUR	86.1	89.5
UNIT			dB(A)	



(MR AEKARAT PATACAMIN)
TECHNICAL MANAGEMENT

APRIL 4, 2018



(MISS NANTIDA BOONSAI)
LABORATORY SUPERVISOR

APRIL 4, 2018


- DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL.
- REPORTED ANALYSIS REFERS TO SUBMITTED SAMPLE ONLY.

ANALYSIS REPORT

CUSTOMER NAME : LABIX COMPANY LIMITED
ADDRESS : 105/13 MOO 2, TUNGSUKLA, SRIRACHA, CHONBURI 20230
 TEL. 0 3835 1317 EXT. 5392 FAX 0 3835 1320
MEASURING PLACE : LABIX COMPANY LIMITED
MEASURING TYPE : WORKPLACE (NOISE) **RECEIVED DATE** : MAY 10, 2018
MEASURING DATE : MAY 10, 2018 **ANALYTICAL DATE** : MAY 10, 2018
MEASURING TIME : * **ANALYSIS NO.** : PAL205, PAL207/2018
MEASURING EQUIPMENT : INTEGRATED SOUND LEVEL METER **WORK NO.** : EMA4663/2017
MEASURED BY : MR KHWANCHAI PHONTHUK **REPORT NO.** : F02511/2018

ANALYSIS NO.	MEASURING SITE	TIME *	RESULT	
			L _{Aeq 8 hours}	L _{Amax}
PAL205/2018	GAS COMPRESSOR 1 (K-58101)	08:35-16:35 HOUR	80.1	92.5
PAL207/2018	PUMP STATION (ระหว่าง P-58601A/B)	08:42-16:42 HOUR	83.2	104.7
UNIT			dB(A)	


 (MR AEKARAT PATAAMIN)
 TECHNICAL MANAGEMENT
 MAY 21, 2018


 (MISS NANTIDA BOONSAI)
 LABORATORY SUPERVISOR
 MAY 21, 2018

- DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL.
- REPORTED ANALYSIS REFERS TO SUBMITTED SAMPLE ONLY.



ANALYSIS REPORT

CUSTOMER NAME : LABIX COMPANY LIMITED
ADDRESS : 105/13 MOO 2, TUNGSUKLA, SRIRACHA, CHONBURI 20230.
TEL. 0 3835 1317 EXT. 5392 FAX 0 3835 1320
MEASURING PLACE : LABIX COMPANY LIMITED
MEASURING TYPE : WORKPLACE (NOISE) **RECEIVED DATE** : MAY 30, 2018
MEASURING DATE : MAY 30, 2018 **ANALYTICAL DATE** : MAY 30, 2018
MEASURING TIME : 08:12-16:12 HOUR **ANALYSIS NO.** : PAP726/2018
MEASURING EQUIPMENT : INTEGRATED SOUND LEVEL METER **WORK NO.** : EMA3365/2018
MEASURED BY : MR PIYANAT SRIPHOOROT **REPORT NO.** : F03502/2018

ANALYSIS NO.	MEASURING SITE	TIME *	RESULT	
			L _{Aeq 8 hours}	L _{Amax}
PAP726/2018	GAS COMPRESSOR 2 (K-58301)	08:12-16:12 HOUR	82.6	86.0
UNIT			dB(A)	

(MR AEKARAT PATACAMIN)
TECHNICAL MANAGEMENT

JUNE 8, 2018

(MISS NANTIDA BOONSAI)
LABORATORY SUPERVISOR

JUNE 8, 2018

- DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL.
- REPORTED ANALYSIS REFERS TO SUBMITTED SAMPLE ONLY.

ผลการติดตามตรวจสอบระดับเสียงแบบแยกความถี่

ANALYSIS REPORT

CUSTOMER NAME : LABIX COMPANY LIMITED
ADDRESS : 105/13 MOO 2, TUNGSUKLA, SRIRACHA, CHONBURI 20230
 TEL. 0 3835 1317 EXT. 5392 FAX 0 3835 1320
MEASURING PLACE : LABIX COMPANY LIMITED
MEASURING TYPE : WORKPLACE (NOISE) **RECEIVED DATE** : MARCH 21, 2018
MEASURING DATE : MARCH 21, 2018 **ANALYTICAL DATE** : MARCH 21, 2018
MEASURING TIME : 08:42-16:42 HOUR **ANALYSIS NO.** : PAG961/2018
MEASURING EQUIPMENT : INTEGRATED SOUND LEVEL METER **WORK NO.** : EMA4664/2017
MEASURED BY : MR PIYANAT SRIPHOOROT **REPORT NO.** : F01638/2018

TIME	RESULT												
	พื้นที่ส่วนการผลิต (ระหว่าง K-58101 กับ K-58301)												
	PAG961/2018												
	L _{Aeq} 1 hour	L _{Amax}	FREQUENCY										
16 Hz			31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1 kHz	2 kHz	4 kHz	8 kHz	16 kHz	
08:42-09:42 HOUR	75.6	84.7	18.5	31.3	43.9	49.8	60.4	62.5	65.3	67.3	59.6	47.8	28.4
09:42-10:42 HOUR	75.4	78.2	18.8	31.4	44.0	49.5	61.2	63.7	65.4	66.5	58.6	46.3	24.7
10:42-11:42 HOUR	75.3	77.3	19.1	32.0	44.0	49.3	61.2	65.3	64.6	66.2	58.7	46.1	24.7
11:42-12:42 HOUR	75.6	78.9	20.5	33.1	44.5	49.4	61.2	66.0	64.6	66.4	58.7	46.0	25.3
12:42-13:42 HOUR	76.7	105.0	18.7	31.3	43.9	49.5	61.2	64.8	65.6	67.2	64.1	49.9	27.8
13:42-14:42 HOUR	75.6	78.2	20.4	31.7	43.9	49.3	62.7	66.5	64.4	66.2	58.7	45.9	25.3
14:42-15:42 HOUR	75.5	77.2	21.1	32.7	44.3	49.7	62.3	65.9	64.9	66.1	58.6	45.9	25.8
15:42-16:42 HOUR	75.4	77.2	20.5	32.5	44.3	49.6	61.7	65.2	64.6	66.4	59.0	46.0	25.4
L _{Aeq} 8 hours	75.7	-	19.8	32.0	44.1	49.5	61.5	65.1	64.9	66.6	60.0	47.0	26.1
MAX OF L _{Amax}	-	105.0	-	-	-	-	-	-	-	-	-	-	-
UNIT	dB(A)												



(MR AEKARAT PATAAMIN)

TECHNICAL MANAGEMENT

APRIL 4, 2018



(MISS NANTIDA BOONSAI)

LABORATORY SUPERVISOR

APRIL 4, 2018


- DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL.
- REPORTED ANALYSIS REFERS TO SUBMITTED SAMPLE ONLY.

ANALYSIS REPORT

CUSTOMER NAME : LABIX COMPANY LIMITED
ADDRESS : 105/13 MOO 2, TUNGSUKLA, SRIRACHA, CHONBURI 20230
 TEL. 0 3835 1317 EXT. 5392 FAX 0 3835 1320
MEASURING PLACE : LABIX COMPANY LIMITED
MEASURING TYPE : WORKPLACE (NOISE) **RECEIVED DATE** : MAY 10, 2018
MEASURING DATE : MAY 10, 2018 **ANALYTICAL DATE** : MAY 10, 2018
MEASURING TIME : 08:32-16:32 HOUR **ANALYSIS NO.** : PAL204/2018
MEASURING EQUIPMENT : INTEGRATED SOUND LEVEL METER **WORK NO.** : EMA4663/2017
MEASURED BY : MR KHWANCHAI PHONTHUK **REPORT NO.** : F02441/2018

TIME	RESULT												
	พื้นที่ส่วนการผลิต (ระหว่าง K-58101 กับ K-58301)												
	PAL204/2018												
	L _{Aeq 1 hour}	L _{Amax}	FREQUENCY										
16 Hz			31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1 kHz	2 kHz	4 kHz	8 kHz	16 kHz	
08:32-09:32 HOUR	77.3	79.9	18.6	31.7	47.6	51.8	55.4	64.2	68.0	68.1	61.0	47.7	26.1
19:32-10:32 HOUR	77.3	79.7	18.4	31.7	48.2	51.7	54.5	63.8	67.8	67.7	60.6	47.4	25.8
10:32-11:32 HOUR	76.9	81.0	19.1	31.5	48.2	51.7	54.6	65.2	66.9	67.6	60.4	47.7	26.6
11:32-12:32 HOUR	77.0	79.3	18.8	31.7	48.6	51.9	54.7	66.6	66.1	68.4	60.4	47.4	26.4
12:32-13:32 HOUR	77.1	80.4	18.0	31.8	48.3	51.1	55.0	64.9	66.3	68.8	61.1	47.8	25.6
13:32-14:32 HOUR	77.1	80.4	17.4	31.0	48.1	51.0	55.2	64.6	66.0	68.4	61.2	47.6	24.9
14:32-15:32 HOUR	76.9	79.3	17.6	31.1	48.1	50.9	54.7	66.5	66.0	68.2	61.2	47.5	25.6
15:32-16:32 HOUR	76.9	79.9	18.1	31.5	47.6	51.1	55.0	64.8	66.2	68.2	60.9	47.3	25.3
L _{Aeq 8 hours}	77.1	-	18.3	31.5	48.1	51.4	54.9	65.2	66.7	68.2	60.9	47.6	25.8
MAX OF L _{Amax}	-	81.0	-	-	-	-	-	-	-	-	-	-	-
UNIT	dB(A)												


 (MR AEKARAT PATACAMIN)
 TECHNICAL MANAGEMENT
 MAY 21, 2018


 (MISS NANTIDA BOONSAI)
 LABORATORY SUPERVISOR
 MAY 21, 2018

- DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL.
- REPORTED ANALYSIS REFERS TO SUBMITTED SAMPLE ONLY.

ผลการติดตามตรวจสอบระดับเสียงแบบติดตัวบุคคล

ANALYSIS REPORT

CUSTOMER NAME : LABIX COMPANY LIMITED

ADDRESS : 105/13 MOO 2, TUNGSUKLA, SRIRACHA, CHONBURI 20230.
TEL. 0 3835 1317 EXT. 5392 FAX 0 3835 1320

MEASURING PLACE : LABIX COMPANY LIMITED

MEASURING TYPE : WORKPLACE (NOISE) **RECEIVED DATE** : APRIL 29, 2018

MEASURING DATE : APRIL 29, 2018 **ANALYTICAL DATE** : APRIL 29, 2018


MEASURING TIME : * **ANALYSIS NO.** : PAJ873/2018

MEASURING EQUIPMENT : NOISE DOSE METER **WORK NO.** : EMA2641/2018

MEASURED BY : MISS SUPAWADEE INYASRI **REPORT NO.** : F02276/2018

ANALYSIS NO.	MEASURING SITE	TIME*	RESULT		
			TWA	L _{Amax}	DOSE
PAJ873/2018	MFOP-LABIC-C (นายปริชา ปานทอง)	07:00-19:00 HOUR	79.5	107.8	28.6
UNIT			dB(A)		%


.....
(MR AEKARAT PATACAMIN)
TECHNICAL MANAGEMENT
MAY 9, 2018



.....
(MISS NANTIDA BOONSAI)
LABORATORY SUPERVISOR
MAY 9, 2018


- DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL.
- REPORTED ANALYSIS REFERS TO SUBMITTED SAMPLE ONLY.

ANALYSIS REPORT

CUSTOMER NAME : LABIX COMPANY LIMITED
ADDRESS : 105/13 MOO 2, TUNGSUKLA, SRIRACHA, CHONBURI 20230
 TEL. 0 3835 1317 EXT. 5392 FAX 0 3835 1320
MEASURING PLACE : LABIX COMPANY LIMITED
MEASURING TYPE : WORKPLACE (NOISE) **RECEIVED DATE** : MAY 10, 2018
MEASURING DATE : MAY 10, 2018 **ANALYTICAL DATE** : MAY 10, 2018
MEASURING TIME : * **ANALYSIS NO.** : PAL203/2018
MEASURING EQUIPMENT : NOISE DOSE METER **WORK NO.** : EMA4663/2017
MEASURED BY : MR KHWANCHAI PHONTHUK **REPORT NO.** : F02440/2018

ANALYSIS NO.	MEASURING SITE	TIME*	RESULT		
			TWA	L _{Amax}	DOSE
PAL203/2018	LABIX PROCESS AREA (ZONE 1) (นายฉรงค์ ปานแสงทอง)	08:30-20:30 HOUR	80.8	109.9	38.4
	UNIT		dB(A)		%


 (MR AEKARAT PATACAMIN)
 TECHNICAL MANAGEMENT
 MAY 21, 2018


 (MISS NANTIDA BOONSAI)
 LABORATORY SUPERVISOR
 MAY 21, 2018

- DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL.
- REPORTED ANALYSIS REFERS TO SUBMITTED SAMPLE ONLY.