

เอกสารแนบ

11

ผลตรวจสอบคุณภาพพนักงาน

วันที่ 5 มีนาคม พ.ศ. 2563

เรื่อง : การตรวจสุขภาพประจำปี 2563

เรียน : กรรมการผู้จัดการ บริษัท ศิลาอ่างหิน จำกัด

ทางโรงพยาบาลพุทธิชา ขอขอบพระคุณเป็นอย่างสูงที่ได้รับความไว้วางใจจากท่านในการตรวจสุขภาพประจำปีของพนักงานใน  
หน่วยงานของท่านเมื่อวันที่ 19 มกราคม พ.ศ. 2563 ที่ผ่านมา ซึ่งได้รับความร่วมมืออย่างดียิ่งจากพนักงานทุกท่านในการตรวจครั้งนี้  
ทางโรงพยาบาลขอสรุปรายละเอียดการตรวจสุขภาพในครั้งนี้อย่างย่อต่อไปนี้

จำนวนพนักงานที่เข้ารับการตรวจในครั้งนี้

ทั้งหมด	19	คน
เข้ารับการตรวจ	19	คน
ไม่เข้ารับการตรวจ	0	คน

รายการตรวจ

ตรวจร่างกายทั่วไปโดยแพทย์  
ตรวจเอกซเรย์ทรวงอก คีจิตอล  
ตรวจความสมบูรณ์ของเม็ดเลือด  
ตรวจหาระดับน้ำตาลในเลือด  
ตรวจการทำงานของไต  
ตรวจการทำงานของตับ  
ตรวจสมรรถภาพการทำงานของปอด  
ตรวจสมรรถภาพการได้ยิน

บริษัท สีลาอ่าห็น จำกัด

รายละเอียดการตรวจ (Description)	จำนวนผู้รับการตรวจ (Total)	ปกติ (Normal)	ผิดปกติ (Abnormal)	% ผิดปกติ (%Abnormal)
ตรวจร่างกายทั่วไปโดยแพทย์	19	8	11	57.89
ตรวจเอกซเรย์ทรวงอก (ดิจิตอล)	19	17	2	10.53
ตรวจความสมบูรณ์ของเม็ดเลือด	19	18	1	5.26
ตรวจระดับน้ำตาลในเลือด	19	14	5	26.32
ตรวจการทำงานของไต				
BUN	19	19	0	0.00
Creatinine	19	19	0	0.00
ตรวจการทำงานของตับ				
SGOT	19	14	5	26.32
SGPT	19	15	4	21.05
Alkaline phosphatase	19	19	0	0.00
ตรวจสมรรถภาพการทำงานของปอด	19	16	3	15.79
ตรวจสมรรถภาพการไคยีน	12	8	2	16.67
			เต้าระวัง 2	16.67

คณะทำงาน

แพทย์อาชีวเวชศาสตร์

รังสีแพทย์

แพทย์ผู้ตรวจ

แพทย์ผู้ตรวจ

แพทย์ผู้ตรวจ

แพทย์ผู้ตรวจ

แพทย์ผู้ตรวจ

พยาบาลอาชีวอนามัย

เทคนิคการแพทย์

เทคนิคการแพทย์


นักรังสีเทคนิค

เจ้าหน้าที่ความปลอดภัยทางรังสีระดับ 2

ขอขอบพระคุณ


แพทย์อาชีวเวชศาสตร์





# ตรวจสอบสภาพการไถน

จำนวนพนักงาน



หนังสือรับรองผลการตรวจวิเคราะห์ทางห้องปฏิบัติการ

# ANALYSIS REPORT

## Data Provided by Customer

Customer Name : ห้างหุ้นส่วนจำกัด โรงโม่หินอุตสาหกรรมชัยสามง่าม (บริษัท ศิลาอ่างหิน จำกัด รับช่วงการทำเหมือง) โครงการเหมืองหิน  
อุตสาหกรรมชนิดหินปูน เพื่ออุตสาหกรรมก่อสร้าง ประทานบัตรที่ 21097/16069  
Address : ตำบลอ่างหิน และตำบลทุ่งหลวง อำเภอปากท่อ จังหวัดราชบุรี Report No. : M640013  
Sampling By : Sampling Team of Mine Engineering Consultant Co.,Ltd. Sampling Date : 14-17 July 2021  
Station : บ้านดอยดิน (UTM 47P 0579660 E, 1488524 N.) Sampling Method : High Volume Air Sampler

## Data Provided by Laboratory

Sample Type : อากาศ Received Date : 19 July 2021  
Analytical Date : 19-25 July 2021 Report Date : 25 July 2021

Model of Equipment : TISH/Thermo Scientific  
Certified Date : 27 January 2021

Model of Traceability : TE-5025A/2262  
Expiration Date : 27 January 2022

Parameter	Sampling Date	Analytical Method	Result (mg/m <sup>3</sup> )	Standard <sup>1)</sup> (mg/m <sup>3</sup> )
TSP	14-15/07/2021	US.EPA 40 CFR 50, Appendix B	0.053	0.330
	15-16/07/2021	US.EPA 40 CFR 50, Appendix B	0.052	
	16-17/07/2021	US.EPA 40 CFR 50, Appendix B	0.057	
PM-10	14-15/07/2021	US.EPA 40 CFR 50, Appendix J	0.021	0.120
	15-16/07/2021	US.EPA 40 CFR 50, Appendix J	0.021	
	16-17/07/2021	US.EPA 40 CFR 50, Appendix J	0.025	

Note : <sup>1)</sup> ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 24 (พ.ศ. 2547) เรื่อง กำหนดมาตรฐานคุณภาพอากาศในบรรยากาศโดยทั่วไป  
TSP: ฝุ่นละอองรวม เฉลี่ย 24 ชั่วโมง  
PM-10: ฝุ่นละอองขนาดเล็กกว่า 10 ไมครอน เฉลี่ย 24 ชั่วโมง

Reviewed signatory

Approved signatory

Reported results refer to submitted sample(s) only.

Do not copy partial of this analysis report without official approval.

MEC-FM-45 Rev.03 22-09-2563

# ANALYSIS REPORT

## Data Provided by Customer

Customer Name : ห้างหุ้นส่วนจำกัด โรงโม่หินอุตสาหกรรมทรัพยากรสามง่าม (บริษัท ศิลาอ่างหิน จำกัด รับช่วงการทำเหมือง) โครงการเหมืองหิน  
อุตสาหกรรมชนิดหินปูน เพื่ออุตสาหกรรมก่อสร้าง ประทานบัตรที่ 21097/16069  
Address : ตำบลอ่างหิน และตำบลทุ่งหลวง อำเภอปากท่อ จังหวัดราชบุรี Report No. : M640013  
Sampling By : Sampling Team of Mine Engineering Consultant Co.,Ltd. Sampling Date : 14-17 July 2021  
Station : บ้านเขาถ้ำกู่ธร (UTM 47P 0576485 E, 1491440 N.) Sampling Method : High Volume Air Sampler

## Data Provided by Laboratory

Sample Type : อากาศ Received Date : 19 July 2021  
Analytical Date : 19-25 July 2021 Report Date : 25 July 2021

Model of Equipment : TISH/Thermo Scientific

Model of Traceability : TE-5025A/2262

Certified Date : 27 January 2021

Expiration Date : 27 January 2022

Parameter	Sampling Date	Analytical Method	Result (mg/m <sup>3</sup> )	Standard <sup>1)</sup> (mg/m <sup>3</sup> )
TSP	14-15/07/2021	US.EPA 40 CFR 50, Appendix B	0.045	0.330
	15-16/07/2021	US.EPA 40 CFR 50, Appendix B	0.050	
	16-17/07/2021	US.EPA 40 CFR 50, Appendix B	0.056	
PM-10	14-15/07/2021	US.EPA 40 CFR 50, Appendix J	0.019	0.120
	15-16/07/2021	US.EPA 40 CFR 50, Appendix J	0.022	
	16-17/07/2021	US.EPA 40 CFR 50, Appendix J	0.028	

Note : <sup>1)</sup> ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 24 (พ.ศ. 2547) เรื่อง กำหนดมาตรฐานคุณภาพอากาศในบรรยากาศโดยทั่วไป  
TSP: ฝุ่นละอองรวม เฉลี่ย 24 ชั่วโมง  
PM-10: ฝุ่นละอองขนาดเล็กกว่า 10 ไมครอน เฉลี่ย 24 ชั่วโมง

Reviewed signatory

Approved signatory

Reported results refer to submitted sample(s) only.

Do not copy partial of this analysis report without official approval.

MEC-FM-45 Rev.03 22-09-2563



# ANALYSIS REPORT

## Data Provided by Customer

Customer Name : ห้างหุ้นส่วนจำกัด โรงโม่หินอุตสาหกรรมทรัพยากรสามง่าม (บริษัท ศิลาอ่างหิน จำกัด รับช่วงการทำเหมือง) โครงการเหมืองหิน  
อุตสาหกรรมชนิดหินปูน เพื่ออุตสาหกรรมก่อสร้าง ประทานบัตรที่ 21097/16069  
Address : ตำบลอ่างหิน และตำบลทุ่งหลวง อำเภอปากท่อ จังหวัดราชบุรี Report No. : M640013  
Sampling By : Sampling Team of Mine Engineering Consultant Co.,Ltd. Sampling Date : 14-17 July 2021  
Station : บ้านท่าล้อ (UTM 47P 0576482 E, 1490691 N.) Sampling Method : High Volume Air Sampler

## Data Provided by Laboratory

Sample Type : อากาศ Received Date : 19 July 2021  
Analytical Date : 19-25 July 2021 Report Date : 25 July 2021

Model of Equipment : TISH/Thermo Scientific  
Certified Date : 27 January 2021

Model of Traceability : TE-5025A/2262  
Expiration Date : 27 January 2022

Parameter	Sampling Date	Analytical Method	Result (mg/m <sup>3</sup> )	Standard <sup>1)</sup> (mg/m <sup>3</sup> )
TSP	14-15/07/2021	US.EPA 40 CFR 50, Appendix B	0.048	0.330
	15-16/07/2021	US.EPA 40 CFR 50, Appendix B	0.056	
	16-17/07/2021	US.EPA 40 CFR 50, Appendix B	0.042	
PM-10	14-15/07/2021	US.EPA 40 CFR 50, Appendix J	0.023	0.120
	15-16/07/2021	US.EPA 40 CFR 50, Appendix J	0.026	
	16-17/07/2021	US.EPA 40 CFR 50, Appendix J	0.021	

Note : <sup>1)</sup> ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 24 (พ.ศ. 2547) เรื่อง กำหนดมาตรฐานคุณภาพอากาศในบรรยากาศโดยทั่วไป  
TSP: ฝุ่นละอองรวม เฉลี่ย 24 ชั่วโมง  
PM-10: ฝุ่นละอองขนาดเล็กกว่า 10 ไมครอน เฉลี่ย 24 ชั่วโมง

Reviewed signatory

Approved signatory

Reported results refer to submitted sample(s) only.

Do not copy partial of this analysis report without official approval.

MEC-FM-45 Rev.03 22-09-2563

# ANALYSIS REPORT

## Data Provided by Customer

Customer Name : ห้างหุ้นส่วนจำกัด โรงโม่หินอุตสาหกรรมทรัพยากรสามง่าม (บริษัท ศิลาอ่างหิน จำกัด รับช่วงการทำเหมือง) โครงการเหมืองหิน  
อุตสาหกรรมชนิดหินปูน เพื่ออุตสาหกรรมก่อสร้าง ประทานบัตรที่ 21097/16069  
Address : ตำบลอ่างหิน และตำบลทุ่งหลวง อำเภอปากท่อ จังหวัดราชบุรี Report No. : M640013  
Sampling By : Sampling Team of Mine Engineering Consultant Co.,Ltd. Sampling Date : 14-17 July 2021  
Station : สำนักงานโรงโม่หินสหศิลาภัณฑ์ราชบุรี Sampling Method : High Volume Air Sampler  
(UTM 47P 0576542 E, 1489090 N.)

## Data Provided by Laboratory

Sample Type : อากาศ Received Date : 19 July 2021  
Analytical Date : 19-25 July 2021 Report Date : 25 July 2021

Model of Equipment : TISH/Thermo Scientific  
Certified Date : 27 January 2021

Model of Traceability : TE-5025A/2262  
Expiration Date : 27 January 2022

Parameter	Sampling Date	Analytical Method	Result (mg/m <sup>3</sup> )	Standard <sup>1)</sup> (mg/m <sup>3</sup> )
TSP	14-15/07/2021	US.EPA 40 CFR 50, Appendix B	0.207	0.330
	15-16/07/2021	US.EPA 40 CFR 50, Appendix B	0.165	
	16-17/07/2021	US.EPA 40 CFR 50, Appendix B	0.190	
PM-10	14-15/07/2021	US.EPA 40 CFR 50, Appendix J	0.093	0.120
	15-16/07/2021	US.EPA 40 CFR 50, Appendix J	0.079	
	16-17/07/2021	US.EPA 40 CFR 50, Appendix J	0.091	

Note : <sup>1)</sup> ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 24 (พ.ศ. 2547) เรื่อง กำหนดมาตรฐานคุณภาพอากาศในบรรยากาศโดยทั่วไป  
TSP: ฝุ่นละอองรวม เฉลี่ย 24 ชั่วโมง  
PM-10: ฝุ่นละอองขนาดเล็กกว่า 10 ไมครอน เฉลี่ย 24 ชั่วโมง

Reviewed signatory

Approved signatory

Reported results refer to submitted sample(s) only.

Do not copy partial of this analysis report without official approval.

MEC-FM-45 Rev.03 22-09-2563



# ANALYSIS REPORT

## Data Provided by Customer

Customer Name : ห้างหุ้นส่วนจำกัด โรงโม่หินอุดมทรัพย์เขาสามง่าม (บริษัท ศิลาอ่างหิน จำกัด รับช่วงการทำเหมือง) โครงการเหมืองหิน  
อุตสาหกรรมชนิดหินปูน เพื่ออุตสาหกรรมก่อสร้าง ประทานบัตรที่ 21097/16069  
Address : ตำบลอ่างหิน และตำบลทุ่งหลวง อำเภอปากท่อ จังหวัดราชบุรี Report No. : M640013  
Sampling By : Sampling Team of Mine Engineering Consultant Co.,Ltd. Sampling Date : 14-17 July 2021  
Station : บ้านดอยดิน (UTM 47P 0579660 E, 1488524 N.) Sampling Method : Sound Level Meter

## Data Provided by Laboratory

Sample Type : ระดับเสียง Received Date : 19 July 2021  
Report Date : 25 July 2021

Model of Equipment : ACO 6226

Model of Traceability : CA-12B/U2040047

Reference of level (dB(A)): 110 dB/1,000 Hz

Calibrated Date : 10 March 2021

Measurement of Reading (dB(A)) : 108.40 dB/999.95 Hz

Certificate No : Cal 010-0321-0342

Time	Equivalent Sound Pressure Level (dB(A))					
	14-15 July 2021		15-16 July 2021		16-17 July 2021	
	Leq 24 hrs.	Lmax	Leq 24 hrs.	Lmax	Leq 24 hrs.	Lmax
12.00-13.00	56.7	89.7	54.6	76.4	53.7	73.7
13.00-14.00	58.2	75.9	56.2	82.0	52.4	74.5
14.00-15.00	54.4	73.3	54.2	83.3	52.7	70.0
15.00-16.00	54.9	69.3	53.9	84.3	53.9	78.5
16.00-17.00	53.1	70.6	57.7	85.8	54.2	73.8
17.00-18.00	53.6	79.2	54.8	74.9	55.6	82.6
18.00-19.00	54.8	73.7	54.0	81.9	58.7	75.3
19.00-20.00	53.3	76.3	51.7	75.5	58.2	88.6
20.00-21.00	51.8	73.1	56.4	86.1	58.2	86.3
21.00-22.00	50.6	66.5	52.0	67.0	55.6	83.0
22.00-23.00	56.4	88.3	51.5	59.1	57.5	87.7
23.00-00.00	51.9	59.4	52.8	81.8	57.6	85.1
00.00-01.00	53.0	81.0	48.5	57.0	48.6	55.4
01.00-02.00	50.8	60.2	49.5	57.2	48.8	57.3
02.00-03.00	51.4	58.4	49.6	71.9	49.1	60.5
03.00-04.00	49.4	61.5	49.0	68.5	48.7	58.5
04.00-05.00	48.3	73.4	54.5	86.9	49.1	58.9
05.00-06.00	50.3	69.7	53.3	84.7	54.1	81.2
06.00-07.00	52.3	79.9	56.2	79.9	55.4	79.9
07.00-08.00	52.0	77.1	54.6	73.3	57.2	85.2
08.00-09.00	51.5	71.8	55.9	78.0	62.2	89.8
09.00-10.00	55.2	85.4	63.3	81.2	52.2	70.3
10.00-11.00	54.9	75.8	54.2	72.4	60.9	85.2
11.00-12.00	55.3	82.7	66.5	87.7	54.2	75.1
Average 24 hrs.	53.7	-	57.1	-	56.1	-
Maximum	-	89.7	-	87.7	-	89.8
Standard <sup>1)</sup>	70.0	115.0	70.0	115.0	70.0	115.0

Note : <sup>1)</sup> ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่อง กำหนดมาตรฐานระดับเสียงโดยทั่วไป

Reviewed signatory

Approved signatory

Reported results refer to submitted sample(s) only.

Do not copy partial of this analysis report without official approval.

MEC-FM-45 Rev.03 22-09-2563



# ANALYSIS REPORT

## Data Provided by Customer

Customer Name : ห้างหุ้นส่วนจำกัด โรงโม่หินอุตสาหกรรมทรัพยากรสามง่าม (บริษัท ศิลาอ่างหิน จำกัด รับช่วงการทำเหมือง) โครงการเหมืองหิน  
อุตสาหกรรมชนิดหินปูน เพื่ออุตสาหกรรมก่อสร้าง ประทานบัตรที่ 21097/16069  
Address : ตำบลอ่างหิน และตำบลทุ่งหลวง อำเภอปากท่อ จังหวัดราชบุรี Report No. : M640013  
Sampling By : Sampling Team of Mine Engineering Consultant Co.,Ltd. Sampling Date : 14-17 July 2021  
Station : บ้านเขาถ้ำกฤษ (UTM 47P 0576485 E, 1491440 N.) Sampling Method : Sound Level Meter

## Data Provided by Laboratory

Sample Type : ระดับเสียง Received Date : 19 July 2021  
Report Date : 25 July 2021

Model of Equipment : ACO 6226

Model of Traceability : CA-12B/U2040047

Reference of level (dB(A)): 110 dB/1,000 Hz

Calibrated Date : 10 March 2021

Measurement of Reading (dB(A)) : 108.40 dB/999.95 Hz

Certificate No : Cal 010-0321-0342

Time	Equivalent Sound Pressure Level (dB(A))					
	14-15 July 2021		15-16 July 2021		16-17 July 2021	
	Leq 24 hrs.	Lmax	Leq 24 hrs.	Lmax	Leq 24 hrs.	Lmax
11.00-12.00	64.2	91.1	65.3	91.1	65.3	95.1
12.00-13.00	65.2	95.6	64.6	87.5	61.7	81.8
13.00-14.00	63.5	87.5	64.6	86.0	63.0	89.1
14.00-15.00	66.1	93.1	64.5	92.1	62.0	83.0
15.00-16.00	67.1	96.7	63.1	86.9	61.5	83.9
16.00-17.00	64.7	90.4	65.6	89.2	62.7	91.9
17.00-18.00	67.8	97.5	63.4	87.6	63.3	91.4
18.00-19.00	62.6	87.2	62.3	86.0	63.0	90.0
19.00-20.00	64.1	94.9	75.8	104.0	64.3	93.2
20.00-21.00	60.8	93.9	68.9	98.7	58.7	86.6
21.00-22.00	56.7	81.1	54.8	81.1	54.2	74.0
22.00-23.00	57.7	79.0	54.5	80.0	58.2	92.9
23.00-00.00	61.2	90.8	58.1	78.3	50.8	81.5
00.00-01.00	59.1	89.0	51.4	74.7	57.2	91.0
01.00-02.00	55.7	78.7	58.2	91.4	50.3	76.1
02.00-03.00	50.8	76.3	46.0	65.6	46.9	69.4
03.00-04.00	48.4	69.5	52.0	80.7	75.8	105.0
04.00-05.00	54.4	76.8	49.8	71.4	50.8	79.3
05.00-06.00	60.3	90.6	55.1	76.2	55.8	76.8
06.00-07.00	66.5	90.3	60.8	87.8	62.2	87.7
07.00-08.00	66.3	91.4	63.4	88.6	67.6	93.3
08.00-09.00	68.3	96.4	62.2	85.1	65.5	84.3
09.00-10.00	63.0	79.1	63.1	85.2	64.5	89.0
10.00-11.00	64.3	89.3	62.2	85.3	64.4	83.7
Average 24 hrs.	63.8	-	65.2	-	65.0	-
Maximum	-	97.5	-	104.0	-	105.0
Standard <sup>1)</sup>	70.0	115.0	70.0	115.0	70.0	115.0

Note : <sup>1)</sup> ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่อง กำหนดมาตรฐานระดับเสียงโดยทั่วไป

Reviewed signatory

Approved signatory

Reported results refer to submitted sample(s) only.

Do not copy partial of this analysis report without official approval.

MEC-FM-45 Rev.03 22-09-2563



# ANALYSIS REPORT

## Data Provided by Customer

Customer Name : ห้างหุ้นส่วนจำกัด โรงโม่หินอุตสาหกรรมทรัพยากรสามง่าม (บริษัท ศิลาอ่างหิน จำกัด รับช่วงการทำเหมือง) โครงการเหมืองหิน  
อุตสาหกรรมชนิดหินปูน เพื่ออุตสาหกรรมก่อสร้าง ประทานบัตรที่ 21097/16069  
Address : ตำบลอ่างหิน และตำบลทุ่งหลวง อำเภอปากท่อ จังหวัดราชบุรี Report No. : M640013  
Sampling By : Sampling Team of Mine Engineering Consultant Co.,Ltd. Sampling Date : 14-17 July 2021  
Station : บ้านท่าล้อ (UTM 47P 0576482 E, 1490691 N.) Sampling Method : Sound Level Meter

## Data Provided by Laboratory

Sample Type : ระดับเสียง Received Date : 19 July 2021  
Report Date : 25 July 2021

Model of Equipment : ACO 6226

Model of Traceability : CA-12B/U2040047

Reference of level (dB(A)): 110 dB/1,000 Hz

Calibrated Date : 10 March 2021

Measurement of Reading (dB(A)) : 108.40 dB/999.95 Hz

Certificate No : Cal 010-0321-0342

Time	Equivalent Sound Pressure Level (dB(A))					
	14-15 July 2021		15-16 July 2021		16-17 July 2021	
	Leq 24 hrs.	Lmax	Leq 24 hrs.	Lmax	Leq 24 hrs.	Lmax
12.00-13.00	48.1	74.8	49.3	85.2	48.0	74.2
13.00-14.00	49.1	75.4	56.4	84.0	52.4	80.6
14.00-15.00	49.8	73.1	47.7	67.4	54.0	76.8
15.00-16.00	50.0	70.9	53.4	78.7	53.8	77.5
16.00-17.00	50.0	70.0	52.0	76.2	49.8	70.5
17.00-18.00	48.7	69.1	51.1	75.5	52.0	81.7
18.00-19.00	53.4	77.0	55.6	72.1	54.5	67.4
19.00-20.00	54.1	70.4	54.2	75.1	53.1	67.0
20.00-21.00	52.4	76.1	51.6	66.1	50.0	66.1
21.00-22.00	50.5	73.1	50.7	73.9	49.5	68.9
22.00-23.00	49.0	60.9	48.4	68.4	49.4	77.7
23.00-00.00	49.5	67.6	48.8	54.6	49.4	61.2
00.00-01.00	49.3	63.4	47.1	64.6	47.7	67.8
01.00-02.00	49.4	65.2	49.6	77.7	51.3	80.3
02.00-03.00	48.4	68.3	46.4	67.4	47.8	65.3
03.00-04.00	49.1	59.8	48.9	68.5	46.7	64.6
04.00-05.00	50.7	67.7	51.0	68.1	51.7	84.8
05.00-06.00	55.1	73.6	53.7	77.4	52.9	68.6
06.00-07.00	55.5	80.2	53.7	82.5	52.9	73.8
07.00-08.00	54.4	91.2	57.2	87.1	62.3	102.0
08.00-09.00	52.0	72.1	54.4	88.0	54.4	83.9
09.00-10.00	54.4	92.0	54.4	81.5	59.3	83.2
10.00-11.00	49.5	79.8	59.8	94.6	57.4	92.2
11.00-12.00	54.9	89.7	48.8	72.4	49.1	78.8
Average 24 hrs.	51.8	-	53.3	-	54.1	-
Maximum	-	92.0	-	94.6	-	102.0
Standard <sup>1)</sup>	70.0	115.0	70.0	115.0	70.0	115.0

Note : <sup>1)</sup> ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่อง กำหนดมาตรฐานระดับเสียงโดยทั่วไป

Reviewed signatory

Approved signatory

Reported results refer to submitted sample(s) only.

Do not copy partial of this analysis report without official approval.

MEC-FM-45 Rev.03 22-09-2563



# ANALYSIS REPORT

## Data Provided by Customer

Customer Name : ห้างหุ้นส่วนจำกัด โรงโม่หินอุตสาหกรรมไทยสามง่าม (บริษัท ศิลาอ่างหิน จำกัด รับช่วงการทำเหมือง) โครงการเหมืองหิน  
อุตสาหกรรมชนิดหินปูน เพื่ออุตสาหกรรมก่อสร้าง ประทานบัตรที่ 21097/16069  
Address : ตำบลอ่างหิน และตำบลทุ่งหลวง อำเภอปากท่อ จังหวัดราชบุรี Report No. : M640013  
Sampling By : Sampling Team of Mine Engineering Consultant Co.,Ltd. Sampling Date : 14-17 July 2021  
Station : สำนักงานโรงโม่หินสหศิลากัญท์ราชบุรี Sampling Method : Sound Level Meter  
(UTM 47P 0576542 E, 1489090 N.)

## Data Provided by Laboratory

Sample Type : ระดับเสียง Received Date : 19 July 2021  
Report Date : 25 July 2021

Model of Equipment : ACO 6226

Model of Traceability : CA-12B/U2040047

Reference of level (dB(A)): 110 dB/1,000 Hz

Calibrated Date : 10 March 2021

Measurement of Reading (dB(A)) : 108.40 dB/999.95 Hz

Certificate No : Cal 010-0321-0342

Time	Equivalent Sound Pressure Level (dB(A))					
	14-15 July 2021		15-16 July 2021		16-17 July 2021	
	Leq 24 hrs.	Lmax	Leq 24 hrs.	Lmax	Leq 24 hrs.	Lmax
10.00-11.00	65.6	89.5	66.9	88.4	62.5	83.9
11.00-12.00	64.5	86.4	67.2	87.5	64.7	86.6
12.00-13.00	63.8	89.5	67.3	88.8	60.1	75.3
13.00-14.00	65.5	83.8	67.1	90.0	61.0	80.6
14.00-15.00	65.2	89.8	67.6	85.6	63.6	97.7
15.00-16.00	65.1	88.6	67.3	94.5	60.9	80.6
16.00-17.00	62.4	87.9	64.9	93.6	62.6	88.4
17.00-18.00	60.5	78.3	63.5	100.8	60.2	78.6
18.00-19.00	62.1	83.5	61.0	78.7	63.2	94.9
19.00-20.00	62.9	90.4	65.4	97.8	60.3	82.9
20.00-21.00	56.3	70.2	56.3	73.1	56.2	67.2
21.00-22.00	56.2	76.5	56.1	71.8	56.2	81.1
22.00-23.00	56.3	76.5	56.3	76.8	56.2	76.1
23.00-00.00	56.0	69.2	55.7	68.0	56.3	70.4
00.00-01.00	55.7	66.5	55.8	70.7	55.5	62.2
01.00-02.00	56.0	71.5	55.7	63.4	56.2	79.5
02.00-03.00	56.2	74.0	56.8	78.8	55.6	69.1
03.00-04.00	58.4	73.8	61.0	79.9	55.8	67.6
04.00-05.00	61.3	85.0	60.5	82.0	62.0	88.0
05.00-06.00	64.6	88.9	62.9	86.7	66.3	91.1
06.00-07.00	65.7	86.1	64.0	87.0	67.4	85.2
07.00-08.00	65.3	89.6	62.4	88.8	68.1	90.3
08.00-09.00	65.3	89.9	63.3	88.6	67.3	91.1
09.00-10.00	65.0	87.2	61.5	86.3	68.5	88.0
Average 24 hrs.	62.9	-	63.7	-	63.2	-
Maximum	-	90.4	-	100.8	-	97.7
Standard <sup>1)</sup>	70.0	115.0	70.0	115.0	70.0	115.0

Note : <sup>1)</sup> ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่อง กำหนดมาตรฐานระดับเสียงโดยทั่วไป

Reviewed signatory

Approved signatory

Reported results refer to submitted sample(s) only.

Do not copy partial of this analysis report without official approval.

MEC-FM-45 Rev.03 22-09-2563

# ANALYSIS REPORT

## Data Provided by Customer

Customer Name : ห้างหุ้นส่วนจำกัด โรงโม่หินอุดมทรัพย์เขาสามง่าม (บริษัท ศิลาอ่างหิน จำกัด รับช่วงการทำเหมือง) โครงการเหมืองหิน  
อุตสาหกรรมชนิดหินปูน เพื่ออุตสาหกรรมก่อสร้าง ประทานบัตรที่ 21097/16069  
Address : ตำบลอ่างหิน และตำบลทุ่งหลวง อำเภอปากท่อ จังหวัดราชบุรี Report No. : M640013  
Sampling By : Sampling Team of Mine Engineering Consultant Co.,Ltd. Sampling Date : 14 July 2021  
Station : วัดถ้ำยอดทอง (UTM 47P 0577655 E, 1489840 N.)  
Sampling Method : Ground Vibration Recorder

## Data Provided by Laboratory

Sample Type : ความสั่นสะเทือน Received Date : 17 July 2021  
Report Date : 25 July 2021

Parameter	TRANSVERSE	VERTICAL	LONGITUDINAL
Result			
Frequency ; Hz	N/A	N/A	N/A
Peak Particle Velocity ; mm/sec	<0.130	<0.130	<0.130
Peak Displacement ; mm	0.000	0.000	0.000
Peak Sound Pressure Level ; pa.(L)	<0.500		
Standard <sup>1)</sup>			
Peak Particle Velocity ; mm/sec	-	-	-
Peak Displacement ; mm	-	-	-
Measured Instrument	Brand	Model	
	Instantel	Minimate Blaster	

Note : <sup>1)</sup> ประกาศกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม เรื่อง กำหนดมาตรฐานควบคุมระดับเสียงและความสั่นสะเทือนจากการทำเหมืองหิน  
ดีทิมพ์ในราชกิจจานุเบกษา เล่ม 122 ตอนที่ 125 ง ลงวันที่ 29 ธันวาคม 2548  
N/A หมายถึง Frequency < 1 Hz, Velocity <0.130 mm/sec และ Displacement < 0 mm  
เวลาระเบิดเหมือง 16.21 น.

Reviewed signatory

Approved signatory

Reported results refer to submitted sample(s) only.

Do not copy partial of this analysis report without official approval.

MEC-FM-45 Rev.03 22-09-2563



# ANALYSIS REPORT

## Data Provided by Customer

Customer Name : ห้างหุ้นส่วนจำกัด โรงโม่หินอุดมทรัพย์เขาสามง่าม (บริษัท ศิลาอ่างหิน จำกัด รับช่วงการทำเหมือง) โครงการเหมืองหิน  
อุตสาหกรรมชนิดหินปูน เพื่ออุตสาหกรรมก่อสร้าง ประทานบัตรที่ 21097/16069  
Address : ตำบลอ่างหิน และตำบลทุ่งหลวง อำเภอปากท่อ จังหวัดราชบุรี Report No. : M640013  
Sampling By : Sampling Team of Mine Engineering Consultant Co.,Ltd. Sampling Date : 22-25 October 2021  
Station : บ้านดอยดิน (UTM 47P 0579660 E, 1488524 N.) Sampling Method : High Volume Air Sampler

## Data Provided by Laboratory

Sample Type : อากาศ Received Date : 26 October 2021  
Analytical Date : 26 October – 1 November 2021 Report Date : 1 November 2021

Model of Equipment : TISH/Thermo Scientific

Model of Traceability : TE-5025A/2262

Certified Date : 27 January 2021

Expiration Date : 27 January 2022

Parameter	Sampling Date	Analytical Method	Result (mg/m <sup>3</sup> )	Standard <sup>1)</sup> (mg/m <sup>3</sup> )
TSP	22-23/10/2021	US.EPA 40 CFR 50, Appendix B	0.045	0.330
	23-24/10/2021	US.EPA 40 CFR 50, Appendix B	0.039	
	24-25/10/2021	US.EPA 40 CFR 50, Appendix B	0.041	
PM-10	22-23/10/2021	US.EPA 40 CFR 50, Appendix J	0.019	0.120
	23-24/10/2021	US.EPA 40 CFR 50, Appendix J	0.015	
	24-25/10/2021	US.EPA 40 CFR 50, Appendix J	0.017	

Note : <sup>1)</sup> ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 24 (พ.ศ. 2547) เรื่อง กำหนดมาตรฐานคุณภาพอากาศในบรรยากาศโดยทั่วไป  
TSP: ฝุ่นละอองรวม เฉลี่ย 24 ชั่วโมง  
PM-10: ฝุ่นละอองขนาดเล็กกว่า 10 ไมครอน เฉลี่ย 24 ชั่วโมง

Reviewed signatory

Approved signatory

Reported results refer to submitted sample(s) only.

Do not copy partial of this analysis report without official approval.

MEC-FM-45 Rev.03 22-09-2563

# ANALYSIS REPORT

## Data Provided by Customer

Customer Name : ห้างหุ้นส่วนจำกัด โรงโม่หินอุตสาหกรรมทรัพยากรสามง่าม (บริษัท ศิลาอ่างหิน จำกัด รับช่วงการทำเหมือง) โครงการเหมืองหิน  
อุตสาหกรรมชนิดหินปูน เพื่ออุตสาหกรรมก่อสร้าง ประทานบัตรที่ 21097/16069  
Address : ตำบลอ่างหิน และตำบลทุ่งหลวง อำเภอปากท่อ จังหวัดราชบุรี Report No. : M640013  
Sampling By : Sampling Team of Mine Engineering Consultant Co.,Ltd. Sampling Date : 22-25 October 2021  
Station : บ้านเขาถ้ำกฤษ (UTM 47P 0576485 E, 1491440 N.) Sampling Method : High Volume Air Sampler

## Data Provided by Laboratory

Sample Type : อากาศ Received Date : 26 October 2021  
Analytical Date : 26 October – 1 November 2021 Report Date : 1 November 2021

Model of Equipment : TISH/Thermo Scientific

Model of Traceability : TE-5025A/2262

Certified Date : 27 January 2021

Expiration Date : 27 January 2022

Parameter	Sampling Date	Analytical Method	Result (mg/m <sup>3</sup> )	Standard <sup>1)</sup> (mg/m <sup>3</sup> )
TSP	22-23/10/2021	US.EPA 40 CFR 50, Appendix B	0.037	0.330
	23-24/10/2021	US.EPA 40 CFR 50, Appendix B	0.041	
	24-25/10/2021	US.EPA 40 CFR 50, Appendix B	0.045	
PM-10	22-23/10/2021	US.EPA 40 CFR 50, Appendix J	0.015	0.120
	23-24/10/2021	US.EPA 40 CFR 50, Appendix J	0.018	
	24-25/10/2021	US.EPA 40 CFR 50, Appendix J	0.021	

Note : <sup>1)</sup> ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 24 (พ.ศ. 2547) เรื่อง กำหนดมาตรฐานคุณภาพอากาศในบรรยากาศโดยทั่วไป  
TSP: ฝุ่นละอองรวม เฉลี่ย 24 ชั่วโมง  
PM-10: ฝุ่นละอองขนาดเล็กกว่า 10 ไมครอน เฉลี่ย 24 ชั่วโมง

Reviewed signatory

Approved signatory

Reported results refer to submitted sample(s) only.

Do not copy partial of this analysis report without official approval.

MEC-FM-45 Rev.03 22-09-2563

# ANALYSIS REPORT

## Data Provided by Customer

Customer Name : ห้างหุ้นส่วนจำกัด โรงโม่หินอุดมทรัพย์เขาสามง่าม (บริษัท ศิลาอ่างหิน จำกัด รับช่วงการทำเหมือง) โครงการเหมืองหิน  
อุตสาหกรรมชนิดหินปูน เพื่ออุตสาหกรรมก่อสร้าง ประทานบัตรที่ 21097/16069  
Address : ตำบลอ่างหิน และตำบลทุ่งหลวง อำเภอปากท่อ จังหวัดราชบุรี Report No. : M640013  
Sampling By : Sampling Team of Mine Engineering Consultant Co.,Ltd. Sampling Date : 22-25 October 2021  
Station : บ้านท่าล้อ (UTM 47P 0576482 E, 1490691 N.) Sampling Method : High Volume Air Sampler

## Data Provided by Laboratory

Sample Type : อากาศ Received Date : 26 October 2021  
Analytical Date : 26 October – 1 November 2021 Report Date : 1 November 2021

Model of Equipment : TISH/Thermo Scientific

Model of Traceability : TE-5025A/2262

Certified Date : 27 January 2021

Expiration Date : 27 January 2022

Parameter	Sampling Date	Analytical Method	Result (mg/m <sup>3</sup> )	Standard <sup>1)</sup> (mg/m <sup>3</sup> )
TSP	22-23/10/2021	US.EPA 40 CFR 50, Appendix B	0.053	0.330
	23-24/10/2021	US.EPA 40 CFR 50, Appendix B	0.043	
	24-25/10/2021	US.EPA 40 CFR 50, Appendix B	0.041	
PM-10	22-23/10/2021	US.EPA 40 CFR 50, Appendix J	0.025	0.120
	23-24/10/2021	US.EPA 40 CFR 50, Appendix J	0.019	
	24-25/10/2021	US.EPA 40 CFR 50, Appendix J	0.021	

Note : <sup>1)</sup> ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 24 (พ.ศ. 2547) เรื่อง กำหนดมาตรฐานคุณภาพอากาศในบรรยากาศโดยทั่วไป  
TSP: ฝุ่นละอองรวม เฉลี่ย 24 ชั่วโมง  
PM-10: ฝุ่นละอองขนาดเล็กกว่า 10 ไมครอน เฉลี่ย 24 ชั่วโมง

Reviewed signatory

Approved signatory

Reported results refer to submitted sample(s) only.

Do not copy partial of this analysis report without official approval.

MEC-FM-45 Rev.03 22-09-2563



# ANALYSIS REPORT

## Data Provided by Customer

Customer Name : ห้างหุ้นส่วนจำกัด โรงโม่หินอุตสาหกรรมชัยสามง่าม (บริษัท ศิล่างหิน จำกัด รับช่วงการทำเหมือง) โครงการเหมืองหิน  
อุตสาหกรรมชนิดหินปูน เพื่ออุตสาหกรรมก่อสร้าง ประทานบัตรที่ 21097/16069  
Address : ตำบลอ่างหิน และตำบลทุ่งหลวง อำเภอปากท่อ จังหวัดราชบุรี Report No. : M640013  
Sampling By : Sampling Team of Mine Engineering Consultant Co.,Ltd. Sampling Date : 22-25 October 2021  
Station : สำนักงานโรงโม่หินสหศิลาภัณฑ์ราชบุรี Sampling Method : High Volume Air Sampler  
(UTM 47P 0576542 E, 1489090 N.)

## Data Provided by Laboratory

Sample Type : อากาศ Received Date : 26 October 2021  
Analytical Date : 26 October – 1 November 2021 Report Date : 1 November 2021

Model of Equipment : TISH/Thermo Scientific

Model of Traceability : TE-5025A/2262

Certified Date : 27 January 2021

Expiration Date : 27 January 2022

Parameter	Sampling Date	Analytical Method	Result (mg/m <sup>3</sup> )	Standard <sup>1)</sup> (mg/m <sup>3</sup> )
TSP	22-23/10/2021	US.EPA 40 CFR 50, Appendix B	0.188	0.330
	23-24/10/2021	US.EPA 40 CFR 50, Appendix B	0.172	
	24-25/10/2021	US.EPA 40 CFR 50, Appendix B	0.185	
PM-10	22-23/10/2021	US.EPA 40 CFR 50, Appendix J	0.088	0.120
	23-24/10/2021	US.EPA 40 CFR 50, Appendix J	0.079	
	24-25/10/2021	US.EPA 40 CFR 50, Appendix J	0.082	

Note : <sup>1)</sup> ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 24 (พ.ศ. 2547) เรื่อง กำหนดมาตรฐานคุณภาพอากาศในบรรยากาศโดยทั่วไป  
TSP: ฝุ่นละอองรวม เฉลี่ย 24 ชั่วโมง  
PM-10: ฝุ่นละอองขนาดเล็กกว่า 10 ไมครอน เฉลี่ย 24 ชั่วโมง

Reviewed signatory

Approved signatory

Reported results refer to submitted sample(s) only.

Do not copy partial of this analysis report without official approval.

MEC-FM-45 Rev.03 22-09-2563



# ANALYSIS REPORT

## Data Provided by Customer

Customer Name : ห้างหุ้นส่วนจำกัด โรงโม่หินอุดมทรัพย์เขาสามง่าม (บริษัท ศิลาอ่างหิน จำกัด รับช่วงการทำเหมือง) โครงการเหมืองหิน  
อุตสาหกรรมชนิดหินปูน เพื่ออุตสาหกรรมก่อสร้าง ประทานบัตรที่ 21097/16069  
Address : ตำบลอ่างหิน และตำบลทุ่งหลวง อำเภอปากท่อ จังหวัดราชบุรี Report No. : M640013  
Sampling By : Sampling Team of Mine Engineering Consultant Co.,Ltd. Sampling Date : 22-25 October 2021  
Station : บ้านดอยดิน (UTM 47P 0579660 E, 1488524 N.) Sampling Method : Sound Level Meter

## Data Provided by Laboratory

Sample Type : ระดับเสียง Received Date : 26 October 2021  
Report Date : 1 November 2021

Model of Equipment : ACO 6226

Model of Traceability : CA-12B/U2040047

Reference of level (dB(A)): 110 dB/1,000 Hz

Calibrated Date : 10 March 2021

Measurement of Reading (dB(A)) : 108.40 dB/999.95 Hz

Certificate No : Cal 010-0321-0342

Time	Equivalent Sound Pressure Level (dB(A))					
	22-23 October 2021		23-24 October 2021		24-25 October 2021	
	Leq 24 hrs.	Lmax	Leq 24 hrs.	Lmax	Leq 24 hrs.	Lmax
14.00-15.00	54.3	80.6	57.0	81.7	56.2	77.3
15.00-16.00	55.0	80.4	57.2	79.6	54.8	77.7
16.00-17.00	56.5	84.4	55.8	77.6	55.5	75.5
17.00-18.00	56.9	81.0	55.6	81.0	55.6	79.1
18.00-19.00	56.7	76.2	56.9	82.0	56.3	79.5
19.00-20.00	58.3	79.5	57.2	79.8	56.7	81.9
20.00-21.00	58.1	79.7	57.4	81.5	58.5	81.2
21.00-22.00	58.2	81.0	57.7	82.2	57.4	81.4
22.00-23.00	55.4	74.2	57.1	81.5	56.8	78.1
23.00-00.00	54.2	68.2	55.0	72.6	56.9	80.1
00.00-01.00	56.5	74.8	55.3	72.8	57.3	83.4
01.00-02.00	56.3	70.7	57.0	79.6	56.5	71.5
02.00-03.00	54.5	73.1	55.4	72.9	54.5	65.9
03.00-04.00	53.7	66.5	53.6	68.7	53.8	65.5
04.00-05.00	55.1	67.5	54.1	72.3	54.2	67.2
05.00-06.00	54.0	67.9	54.6	73.8	54.6	69.7
06.00-07.00	54.3	78.1	56.8	82.6	55.0	68.2
07.00-08.00	55.0	78.3	55.8	80.9	56.2	79.6
08.00-09.00	58.6	84.4	56.8	81.0	56.8	80.2
09.00-10.00	59.7	86.3	57.1	82.5	56.9	77.8
10.00-11.00	58.5	85.3	57.6	80.7	58.6	81.2
11.00-12.00	57.7	82.8	58.4	78.7	56.1	77.2
12.00-13.00	56.6	80.5	56.3	77.4	57.1	81.8
13.00-14.00	56.9	80.9	61.0	84.4	56.0	81.1
Average 24 hrs.	56.6	-	56.8	-	56.4	-
Maximum	-	86.3	-	84.4	-	83.4
Standard <sup>1)</sup>	70.0	115.0	70.0	115.0	70.0	115.0

Note : <sup>1)</sup> ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่อง กำหนดมาตรฐานระดับเสียงโดยทั่วไป

Reviewed signatory

Approved signatory

Reported results refer to submitted sample(s) only.

Do not copy partial of this analysis report without official approval.

MEC-FM-45 Rev.03 22-09-2563



# ANALYSIS REPORT

## Data Provided by Customer

Customer Name : ห้างหุ้นส่วนจำกัด โรงโม่หินอุตสาหกรรมไทยสามง่าม (บริษัท ศิลปอ่างหิน จำกัด รับช่วงการทำเหมือง) โครงการเหมืองหิน  
อุตสาหกรรมชนิดหินปูน เพื่ออุตสาหกรรมก่อสร้าง ประทานบัตรที่ 21097/16069  
Address : ตำบลอ่างหิน และตำบลทุ่งหลวง อำเภอปากท่อ จังหวัดราชบุรี Report No. : M640013  
Sampling By : Sampling Team of Mine Engineering Consultant Co.,Ltd. Sampling Date : 22-25 October 2021  
Station : บ้านเขาถ้ำกุ่ม (UTM 47P 0576485 E, 1491440 N.) Sampling Method : Sound Level Meter

## Data Provided by Laboratory

Sample Type : ระดับเสียง Received Date : 26 October 2021  
Report Date : 1 November 2021

Model of Equipment : ACO 6226

Model of Traceability : CA-12B/U2040047

Reference of level (dB(A)): 110 dB/1,000 Hz

Calibrated Date : 10 March 2021

Measurement of Reading (dB(A)) : 108.40 dB/999.95 Hz

Certificate No : Cal 010-0321-0342

Time	Equivalent Sound Pressure Level (dB(A))					
	22-23 October 2021		23-24 October 2021		24-25 October 2021	
	Leq 24 hrs.	Lmax	Leq 24 hrs.	Lmax	Leq 24 hrs.	Lmax
12.00-13.00	62.3	88.5	61.8	86.5	61.6	86.1
13.00-14.00	61.9	90.1	63.1	89.5	60.9	86.9
14.00-15.00	62.3	86.2	61.2	86.0	60.9	84.2
15.00-16.00	63.1	87.4	61.7	85.7	60.2	82.5
16.00-17.00	62.9	87.3	61.2	84.1	59.2	83.0
17.00-18.00	63.0	88.0	61.1	84.2	59.2	84.2
18.00-19.00	63.2	88.5	60.5	82.7	60.1	86.8
19.00-20.00	60.0	83.4	60.2	83.7	59.4	84.2
20.00-21.00	59.8	85.5	61.7	85.3	59.3	85.5
21.00-22.00	58.4	83.9	59.2	81.9	56.4	79.8
22.00-23.00	54.9	77.8	54.0	75.6	54.5	74.8
23.00-00.00	55.1	76.4	52.4	75.6	56.1	82.6
00.00-01.00	55.7	82.3	52.9	76.2	53.0	77.7
01.00-02.00	53.0	76.8	51.0	75.1	54.8	84.0
02.00-03.00	52.8	77.5	54.2	82.5	53.2	79.2
03.00-04.00	52.1	75.1	50.2	74.7	51.8	75.5
04.00-05.00	52.4	74.6	51.2	76.4	58.0	84.9
05.00-06.00	53.6	78.5	52.0	73.7	55.7	82.5
06.00-07.00	57.7	81.5	57.5	81.2	55.8	77.5
07.00-08.00	63.0	86.4	60.9	85.3	60.8	83.7
08.00-09.00	63.7	87.5	62.6	87.0	63.4	87.2
09.00-10.00	64.5	89.8	62.0	86.2	62.8	84.8
10.00-11.00	61.8	84.8	62.2	84.1	63.6	86.2
11.00-12.00	61.9	86.6	60.9	84.7	62.9	84.0
Average 24 hrs.	60.7	-	59.8	-	59.7	-
Maximum	-	90.1	-	89.5	-	87.2
Standard <sup>1)</sup>	70.0	115.0	70.0	115.0	70.0	115.0

Note : <sup>1)</sup> ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่อง กำหนดมาตรฐานระดับเสียงโดยทั่วไป

Reviewed signatory

Approved signatory

Reported results refer to submitted sample(s) only.

Do not copy partial of this analysis report without official approval.

MEC-FM-45 Rev.03 22-09-2563



# ANALYSIS REPORT

## Data Provided by Customer

Customer Name : ห้างหุ้นส่วนจำกัด โรงโม่หินอุตสาหกรรมไทยสามง่าม (บริษัท ศิลาอ่างหิน จำกัด รับช่วงการทำเหมือง) โครงการเหมืองหิน  
อุตสาหกรรมชนิดหินปูน เพื่ออุตสาหกรรมก่อสร้าง ประทานบัตรที่ 21097/16069  
Address : ตำบลอ่างหิน และตำบลทุ่งหลวง อำเภอปากท่อ จังหวัดราชบุรี Report No. : M640013  
Sampling By : Sampling Team of Mine Engineering Consultant Co.,Ltd. Sampling Date : 22-25 October 2021  
Station : บ้านท่าล้อ (UTM 47P 0576482 E, 1490691 N.) Sampling Method : Sound Level Meter

## Data Provided by Laboratory

Sample Type : ระดับเสียง Received Date : 26 October 2021  
Report Date : 1 November 2021

Model of Equipment : ACO 6226

Model of Traceability : CA-12B/U2040047

Reference of level (dB(A)): 110 dB/1,000 Hz

Calibrated Date : 10 March 2021

Measurement of Reading (dB(A)) : 108.40 dB/999.95 Hz

Certificate No : Cal 010-0321-0342

Time	Equivalent Sound Pressure Level (dB(A))					
	22-23 October 2021		23-24 October 2021		24-25 October 2021	
	Leq 24 hrs.	Lmax	Leq 24 hrs.	Lmax	Leq 24 hrs.	Lmax
12.00-13.00	51.1	78.2	51.8	81.1	49.5	74.9
13.00-14.00	51.5	75.5	54.7	80.3	52.6	77.0
14.00-15.00	53.7	79.4	49.7	70.7	54.3	79.9
15.00-16.00	53.0	74.8	52.9	75.4	53.7	75.7
16.00-17.00	51.5	73.1	51.9	76.2	52.4	77.6
17.00-18.00	50.7	73.5	50.9	73.9	52.6	79.8
18.00-19.00	52.8	73.6	54.2	71.8	55.2	72.0
19.00-20.00	53.2	68.9	53.6	70.5	54.0	69.9
20.00-21.00	52.6	72.5	51.7	67.0	52.2	64.6
21.00-22.00	51.4	71.7	50.7	74.8	51.2	74.0
22.00-23.00	50.1	59.1	49.3	67.0	50.1	70.6
23.00-00.00	49.7	63.0	48.8	57.8	49.5	63.4
00.00-01.00	49.2	62.6	47.9	62.4	48.2	64.0
01.00-02.00	49.1	64.5	48.7	70.9	49.8	73.1
02.00-03.00	48.4	63.7	47.5	64.4	47.9	62.0
03.00-04.00	48.4	62.8	48.5	65.6	47.4	64.4
04.00-05.00	49.5	64.8	50.6	66.3	50.7	76.1
05.00-06.00	53.3	73.4	53.2	78.4	51.3	68.4
06.00-07.00	53.9	76.9	54.6	82.9	53.2	75.3
07.00-08.00	53.6	83.3	55.5	80.4	59.4	89.7
08.00-09.00	52.8	74.6	55.0	84.3	56.7	86.2
09.00-10.00	54.0	86.9	54.2	77.1	58.3	80.4
10.00-11.00	53.0	81.5	56.5	82.6	56.3	84.9
11.00-12.00	55.5	84.0	51.6	75.7	52.1	81.4
Average 24 hrs.	52.2	-	52.6	-	53.6	-
Maximum	-	86.9	-	84.3	-	89.7
Standard <sup>1)</sup>	70.0	115.0	70.0	115.0	70.0	115.0

Note : <sup>1)</sup> ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่อง กำหนดมาตรฐานระดับเสียงโดยทั่วไป

Reviewed signatory

Approved signatory

Reported results refer to submitted sample(s) only.

Do not copy partial of this analysis report without official approval.

MEC-FM-45 Rev.03 22-09-2563



# ANALYSIS REPORT

## Data Provided by Customer

Customer Name : ห้างหุ้นส่วนจำกัด โรงโม่หินอุตสาหกรรมทรัพยากรสามง่าม (บริษัท ศิลาอ่างหิน จำกัด รับช่วงการทำเหมือง) โครงการเหมืองหิน  
อุตสาหกรรมชนิดหินปูน เพื่ออุตสาหกรรมก่อสร้าง ประทานบัตรที่ 21097/16069  
Address : ตำบลอ่างหิน และตำบลทุ่งหลวง อำเภอปากท่อ จังหวัดราชบุรี Report No. : M640013  
Sampling By : Sampling Team of Mine Engineering Consultant Co.,Ltd. Sampling Date : 22-25 October 2021  
Station : สำนักงานโรงโม่หินสหสิริลักษณ์ราชบุรี Sampling Method : Sound Level Meter  
(UTM 47P 0576542 E, 1489090 N.)

## Data Provided by Laboratory

Sample Type : ระดับเสียง Received Date : 26 October 2021  
Report Date : 1 November 2021

Model of Equipment : ACO 6226

Model of Traceability : CA-12B/U2040047

Reference of level (dB(A)): 110 dB/1,000 Hz

Calibrated Date : 10 March 2021

Measurement of Reading (dB(A)) : 108.40 dB/999.95 Hz

Certificate No : Cal 010-0321-0342

Time	Equivalent Sound Pressure Level (dB(A))					
	22-23 October 2021		23-24 October 2021		24-25 October 2021	
	Leq 24 hrs.	Lmax	Leq 24 hrs.	Lmax	Leq 24 hrs.	Lmax
12.00-13.00	63.4	88.2	65.3	87.9	62.1	83.0
13.00-14.00	62.5	84.9	64.8	85.8	62.9	85.4
14.00-15.00	64.1	88.6	65.4	88.3	61.0	81.8
15.00-16.00	63.9	85.5	65.3	90.2	61.9	84.1
16.00-17.00	63.9	88.9	66.0	82.2	63.0	91.3
17.00-18.00	64.0	86.1	64.7	89.4	63.0	80.3
18.00-19.00	62.8	87.0	64.4	88.1	62.9	87.8
19.00-20.00	61.5	80.2	63.1	95.6	61.6	81.4
20.00-21.00	62.3	84.0	60.9	81.8	62.7	91.3
21.00-22.00	62.3	86.2	64.8	93.4	61.0	85.0
22.00-23.00	60.6	82.9	59.2	79.5	59.6	78.7
23.00-00.00	57.8	78.2	58.8	79.4	58.3	81.6
00.00-01.00	58.0	78.3	57.5	78.6	57.8	79.6
01.00-02.00	57.3	75.4	57.4	75.2	58.2	75.1
02.00-03.00	56.4	71.1	56.7	70.8	56.6	68.8
03.00-04.00	56.3	73.0	56.5	70.8	57.2	78.9
04.00-05.00	56.4	74.7	56.5	74.3	56.3	69.5
05.00-06.00	57.7	72.4	58.6	74.1	56.3	68.8
06.00-07.00	59.0	77.8	58.4	75.8	59.6	79.6
07.00-08.00	60.3	80.1	60.0	81.0	61.5	80.2
08.00-09.00	62.5	81.9	61.6	83.6	63.3	81.0
09.00-10.00	63.5	86.4	62.8	86.2	64.0	83.8
10.00-11.00	64.0	89.4	63.7	88.5	64.0	86.8
11.00-12.00	64.6	87.3	61.3	85.0	64.2	86.3
Average 24 hrs.	61.9	-	62.5	-	61.5	-
Maximum	-	89.4	-	95.6	-	91.3
Standard <sup>1)</sup>	70.0	115.0	70.0	115.0	70.0	115.0

Note : <sup>1)</sup> ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่อง กำหนดมาตรฐานระดับเสียงโดยทั่วไป

Reviewed signatory

Approved signatory

Reported results refer to submitted sample(s) only.

Do not copy partial of this analysis report without official approval.

MEC-FM-45 Rev.03 22-09-2563

# ANALYSIS REPORT

## Data Provided by Customer

Customer Name : ห้างหุ้นส่วนจำกัด โรงโม่หินอุตสาหกรรมทรัพย์เขาสามง่าม (บริษัท ศิลาอ่างหิน จำกัด รับช่วงการทำเหมือง) โครงการเหมืองหิน  
อุตสาหกรรมชนิดหินปูน เพื่ออุตสาหกรรมก่อสร้าง ประทานบัตรที่ 21097/16069  
Address : ตำบลอ่างหิน และตำบลทุ่งหลวง อำเภอปากท่อ จังหวัดราชบุรี Report No. : M640013  
Sampling By : Sampling Team of Mine Engineering Consultant Co.,Ltd. Sampling Date : 23 October 2021  
Station : วัดถ้ำยอดทอง (UTM 47P 0577655 E, 1489840 N.)  
Sampling Method : Ground Vibration Recorder

## Data Provided by Laboratory

Sample Type : ความสั่นสะเทือน Received Date : 26 October 2021  
Report Date : 1 November 2021

Parameter	TRANSVERSE	VERTICAL	LONGITUDINAL
Result			
Frequency ; Hz	N/A	N/A	N/A
Peak Particle Velocity ; mm/sec	<0.130	<0.130	<0.130
Peak Displacement ; mm	0.000	0.000	0.000
Peak Sound Pressure Level ; pa.(L)	<0.500		
Standard <sup>1)</sup>			
Peak Particle Velocity ; mm/sec	-	-	-
Peak Displacement ; mm	-	-	-
Measured Instrument	Brand	Model	
	Instantel	Minimate Blaster	

Note : <sup>1)</sup> ประกาศกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม เรื่อง กำหนดมาตรฐานควบคุมระดับเสียงและความสั่นสะเทือนจากการทำเหมืองหิน  
ดีทิมพ์ในราชกิจจานุเบกษา เล่ม 122 ตอนที่ 125 ง ลงวันที่ 29 ธันวาคม 2548  
N/A หมายถึง Frequency < 1 Hz, Velocity <0.130 mm/sec และ Displacement < 0 mm  
เวลาระเบิดเหมือง 16.34 น.

Reviewed signatory

Approved signatory

Reported results refer to submitted sample(s) only.

Do not copy partial of this analysis report without official approval.

MEC-FM-45 Rev.03 22-09-2563

เอกสารแนบ

13

เอกสารสอบเทียบเครื่องมือ





# Certificate of Calibration

## Calibration Certification Information

Cal. Date: January 27, 2021      Rootsmeter S/N: 438320      Ta: 294 °K  
Operator: Jim Tisch      Pa: 754.4 mm Hg  
Calibration Model #: TE-5025A      Calibrator S/N: 2262

Run	Vol. Init (m3)	Vol. Final (m3)	ΔVol. (m3)	ΔTime (min)	ΔP (mm Hg)	ΔH (in H2O)
1	1	2	1	1.4230	3.2	2.00
2	3	4	1	1.0100	6.4	4.00
3	5	6	1	0.9040	8.0	5.00
4	7	8	1	0.8600	8.8	5.50
5	9	10	1	0.7120	12.8	8.00

## Data Tabulation

Vstd (m3)	Qstd (x-axis)	$\sqrt{\Delta H \left( \frac{Pa}{Pstd} \right) \left( \frac{Tstd}{Ta} \right)}$ (y-axis)	Va	Qa (x-axis)	$\sqrt{\Delta H \left( \frac{Ta}{Pa} \right)}$ (y-axis)
1.0018	0.7040	1.4185	0.9958	0.6998	0.8829
0.9976	0.9877	2.0061	0.9915	0.9817	1.2486
0.9954	1.1012	2.2429	0.9894	1.0945	1.3959
0.9944	1.1562	2.3524	0.9883	1.1492	1.4641
0.9890	1.3891	2.8371	0.9830	1.3807	1.7657
QSTD	m=	2.06996	QA	m=	1.29618
	b=	-0.03860		b=	-0.02402
	r=	1.00000		r=	1.00000

## Calculations

Vstd=	$\Delta Vol((Pa-\Delta P)/Pstd)(Tstd/Ta)$	Va=	$\Delta Vol((Pa-\Delta P)/Pa)$
Qstd=	$Vstd/\Delta Time$	Qa=	$Va/\Delta Time$
For subsequent flow rate calculations:			
Qstd=	$1/m \left( \left( \sqrt{\Delta H \left( \frac{Pa}{Pstd} \right) \left( \frac{Tstd}{Ta} \right)} \right) - b \right)$	Qa=	$1/m \left( \left( \sqrt{\Delta H \left( \frac{Ta}{Pa} \right)} \right) - b \right)$

## Standard Conditions

Tstd:	298.15 °K
Pstd:	760 mm Hg
Key	
ΔH:	calibrator manometer reading (in H2O)
ΔP:	rootsmeter manometer reading (mm Hg)
Ta:	actual absolute temperature (°K)
Pa:	actual barometric pressure (mm Hg)
b:	intercept
m:	slope

## RECALIBRATION

US EPA recommends annual recalibration per 1998 40 Code of Federal Regulations Part 50 to 51, Appendix B to Part 50, Reference Method for the Determination of Suspended Particulate Matter in the Atmosphere, 9.2.17, page 30

## ***Certificate of Calibration***

**Certificate No.:** Cal 010-0321-0342

**Order No:** 040321-1

**Customer:**



**Date of calibration:** 2021-03-10  
**Date of issue:** 2021-03-10  
**Instrument Calibrated:** Sound Calibrator  
**Manufacturer:** Quest  
**Type:** CA-12B  
**Serial no:** U2040047

### **Calibration and verification performed:**

The performed tests refer to the sections 5.2, 5.3 and 5.5 in IEC 60942 (2003): Electro-acoustics - Sound Calibrators. The calibrator has been tested as described in Annex B of the same standard.

### **Preconditioning:**

The equipment was preconditioned for more than 12 hours at the specified calibration temperature and humidity.

### **Instruments and Program:**

A complete list of instruments, hardware and software, that has been used for this calibration is separately available from the calibration laboratory.

### **Equipment standards used:**

- Sound measuring equipment calibration unit 483B S/N31083
- Digital multimeter Keysight S/N HP34401A
- Ultra low distortion function generator stanford SRS DS360 S/N123625
- Acoustic sound calibrator class 0 Nor1253 S/N32941
- Reference microphone condenser G.R.A.S. 40AU-1 S/N309231
- System software Nor1504A

### **Traceability**

The measured values are traceable to following the ISO/IEC 17025 laboratories:

Sound Pressure Level: NCL, Norway

Reference microphone: NCL, Norway

Voltage: TPA, Thailand

Frequency: TPA, Thailand



**Certificate No.:** Cal 010-0321-0342

**Order No.:** 030321-1

Environmental conditions:	Pressure:	Temperature:	Relative humidity:
Reference conditions:	101.325 kPa	23.0 °C	50 %RH
Measurement conditions:	100.89 ± 0.01 kPa	23.5 ± 1.1 °C	55.9 ± 2.2 %RH

### 1. Sound pressure level

Specified sound pressure level (dB)	Measured sound pressure level (dB)	Deviated value (dB)	Uncertainty (dB)	Tolerance limit IEC60942:2003 Class 2
Reference microphone 40AU S/N 309231				
110	108.40	-1.60	± 0.1	± 0.75

### 2. Frequency

Specified Frequency (Hz)	Measured Frequency (Hz)	Deviated value (%)	Uncertainty (Hz)	Tolerance limit IEC60942:2003 Class 2
Reference microphone 40AU S/N 309231				
1000.00at 94Hz	999.95	-0.05	± 0.1	± 2.0%

### 3. Total distortion

Specified sound pressure level (dB)	Measured Distortion (%)	Uncertainty (%)	Tolerance limit IEC60942:2003 Class 2
Reference microphone 40AU S/N 309231			
94.00	0.60	± 0.3	± 4.0%

The reported expanded uncertainty is based upon a standard uncertainty multiplied by a coverage factor  $k = 2$ , providing a level of confidence of approximately 95%

Calibrated By:.



Checked By:.



**Date of calibration** : 2021-03-10

**Date of issue** : 2021-03-10

This certificate of calibration is issued by a laboratory accredited by Norwegian Accreditation (NA). NA is one of the signatories to the EA Multilateral Agreement for mutual recognition of calibration certificates (European Co-operation for Accreditation). The accreditation states that the laboratory meets the NA requirements concerning competence and calibration system for all the calibrations contained in the accreditation. It also states that the laboratory has a satisfactory quality assurance system and traceability to accredited or national calibration laboratories. This certificate may not be reproduced other than in full.



**CLC**  
Accredited  
ISO/IEC 17025

# CALIBRATION LABORATORY Co., LTD.

2/10-11,14,55 Soi Prasert Manukit 29 Yeak 4, Prasert Manukit Rd., Ladphrao, Bangkok 10230

Tel. 02-578-0353-4 Fax: 02-578-2672 www.cal-laboratory.com E-mail:sale@cal-laboratory.com



NSC-TISI-TIS 17025  
CALIBRATION 0059  
CLC

## CERTIFICATE OF CALIBRATION

### FOR

NOMENCLATURE : VIBRATION METER  
MANUFACTURER : INSTANTEL  
MODEL / TYPE : MINIMATE PLUS  
SERIAL NO. : BG19474  
CLID. NO. : 252002211  
JOB CONTROL NO. : 201111099958

CUSTOMER :



DATE OF RECEIVED : 11 November 2020


DATE OF ISSUED : 13 November 2020

Report of calibration screening must not be taken in part. Except complete. Without the approval of the Calibration Laboratory Co., Ltd.

Calibrated By :



Approved By :



Authorized Signatory

13 November 2020

This Calibration Certificate documents the traceability to national standards, which realize the units of measurement according to the International System of Units (SI)

Certificate No. Q20099958

F3-011-04/01-12

page 1 of 3



@clccalibration



## REPORT OF CALIBRATION FOR

NOMENCLATURE : VIBRATION METER  
MANUFACTURER : INSTANTEL  
MODEL / TYPE : MINIMATE PLUS  
SERIAL NO. : BG19474  
DATE OF CALIBRATION : 12 November 2020

### ENVIRONMENT CONDITIONS :

Temperature :  $(23 \pm 2) ^\circ\text{C}$

Relative Humidity :  $(55 \pm 15) \% \text{RH}$

### PROCEDURE USED :

This instrument was calibrated under procedure No. **WI-305-127** according to **ISO 16063-21** as calibration guideline. The calibration was performed by calibrated by comparison method and standard equipments maintained by the Calibration Laboratory Co., Ltd.

### REFERENCE STANDARD USED :

1. Digital Multimeter, Agilent Technologies Model 34401A S/N. US36044686.
2. High Resolution Programmable Timer/Counter, Philips Model PM6680 S/N. SM578573.
3. Accelerometer with Precision Conditioning Amplifier, Bruel & Kjaer Model 8305, 2650 S/N. 705491, 701615.

### TRACEABILITY :

1. The measurements are traceable to International System of Units (SI), through National Institute of Metrology (Thailand) Certificate No. EE-0097-20, Due Date 14 June 2021.
2. The measurements are traceable to International System of Units (SI), through Aeronautical Radio of Thailand Ltd. Certificate No. 07-0079/19, Due Date 21 November 2020.
3. The measurements are traceable to International System of Units (SI), through National Institute of Metrology (Thailand) Certificate No. AV-0044-20, Due Date 17 September 2021.

### UNCERTAINTY :

The reported expanded uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor  $k = 2,00$  which for a normal distribution corresponds to a coverage probability of approximately 95 %. It has been evaluated according to the "Evaluation of the Uncertainty of Measurement in Calibration (EA-4/02 M:2013)"

Certificate No. Q20099958

F3-011-04/01-12

page 2 of 3



@clccalibration

**CONDITION OF CALIBRATION ITEM : GOOD**

**MEASUREMENT RESULTS : ( X ) without adjustment ( ) adjustment**

## CALIBRATION DATA

### 1. ACCELERATION RESULT

Test point		Mode	STD Reading	DUC Reading	Correction	Uncertainty
( g )	( frequency )		( g )	( g )	( g )	± ( % of rdg. )
1	160 Hz	peak	1.00	0.99	+0.01	1.3
2	160 Hz		2.00	1.99	+0.01	1.0
3	160 Hz		3.00	2.98	+0.02	1.0
4	160 Hz		4.00	3.97	+0.03	1.0
5	160 Hz		5.00	4.96	+0.04	1.0

### 2. VELOCITY RESULT

Test point		Mode	STD Reading	DUC Reading	Correction	Uncertainty
( mm/s )	( frequency )		( mm/s )	( mm/s )	( mm/s )	± ( % of rdg. )
10	160 Hz	peak	10.0	10.1	-0.1	1.4
20	160 Hz		20.0	19.9	+0.1	1.0
30	160 Hz		30.0	29.7	+0.3	1.0
40	160 Hz		40.0	39.6	+0.4	1.0
50	160 Hz		50.0	49.5	+0.5	1.0

### 3. DISPLACEMENT RESULT

Test point		Mode	STD Reading	DUC Reading	Correction	Uncertainty
( mm )	( frequency )		( mm )	( mm )	( mm )	± ( % of rdg. )
0.01	160 Hz	peak	0.010	0.010	0.000	5.9
0.02	160 Hz		0.020	0.020	0.000	3.9
0.03	160 Hz		0.030	0.029	+0.001	2.2
0.04	160 Hz		0.040	0.039	+0.001	1.3
0.05	160 Hz		0.050	0.049	+0.001	1.1

**This report is valid for the above stated instrument/s only.**

**### End of Certificate ###**

**Certificate No. Q20099958**

**F3-011-04/01-12**





## CERTIFICATE OF CALIBRATION

### FOR

NOMENCLATURE : VIBRATION METER  
MANUFACTURER : INSTANTEL  
MODEL / TYPE : MICROMATE  
SERIAL NO. : UM16191  
CLID. NO. : 252002212  
JOB CONTROL NO. : 201111099959

CUSTOMER :



DATE OF RECEIVED : 11 November 2020

DATE OF ISSUED : 13 November 2020

Report of calibration screening must not be taken in part. Except complete. Without the approval of the Calibration Laboratory Co., Ltd.

Calibrated By :



Approved By :

Authorized Signatory  
13 November 2020



This Calibration Certificate documents the traceability to national standards, which realize the units of measurement according to the International System of Units (SI)

Certificate No. Q20099959

F3-011-04/01-12

page 1 of 3



@clccalibratio

## REPORT OF CALIBRATION

### FOR

NOMENCLATURE : VIBRATION METER  
MANUFACTURER : INSTANTEL  
MODEL / TYPE : MICROMATE  
SERIAL NO. : UM16191  
DATE OF CALIBRATION : 12 November 2020

#### ENVIRONMENT CONDITIONS :

Temperature :  $(23 \pm 2) ^\circ\text{C}$

Relative Humidity :  $(55 \pm 15) \% \text{RH}$

#### PROCEDURE USED :

This instrument was calibrated under procedure No. **WI-305-127** according to **ISO 16063-21** as calibration guideline. The calibration was performed by calibrated by comparison method and standard equipments maintained by the Calibration Laboratory Co., Ltd.

#### REFERENCE STANDARD USED :

1. Digital Multimeter, Agilent Technologies Model 34401A S/N. US36044686.
2. High Resolution Programmable Timer/Counter, Philips Model PM6680 S/N. SM578573.
3. Accelerometer with Precision Conditioning Amplifier, Bruel & Kjaer Model 8305, 2650 S/N. 705491, 701615.

#### TRACEABILITY :

1. The measurements are traceable to International System of Units (SI), through National Institute of Metrology (Thailand) Certificate No. EE-0097-20, Due Date 14 June 2021.
2. The measurements are traceable to International System of Units (SI), through Aeronautical Radio of Thailand Ltd. Certificate No. 07-0079/19, Due Date 21 November 2020.
3. The measurements are traceable to International System of Units (SI), through National Institute of Metrology (Thailand) Certificate No. AV-0044-20, Due Date 17 September 2021.

#### UNCERTAINTY :

The reported expanded uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor  $k = 2,00$  which for a normal distribution corresponds to a coverage probability of approximately 95 %. It has been evaluated according to the "Evaluation of the Uncertainty of Measurement in Calibration (EA-4/02 M:2013)"

Certificate No. Q20099959

F3-011-04/01-12

page 2 of 3







**CLC**  
Accredited  
ISO/IEC 17025

# CALIBRATION LABORATORY Co., LTD.

2/10-11,14, 55 Soi Prasert Manukit 29 Yeak 4, Prasert Manukit Rd., Ladphrao, Bangkok 10230

Tel. 02-578-0353-4 Fax: 02-578-2672 www.cal-laboratory.com E-mail:sale@cal-laboratory.com



NSC-TISI-TIS 17025  
CALIBRATION 0059  
CLC

**CONDITION OF CALIBRATION ITEM : GOOD**

**MEASUREMENT RESULTS : ( X ) without adjustment ( ) adjustment**

## CALIBRATION DATA

### 1. ACCELERATION RESULT

Test point		Mode	STD Reading ( g )	DUC Reading ( g )	Correction ( g )	Uncertainty $\pm$ ( % of rdg. )
( g )	( frequency )					
1	160 Hz	peak	1.000	0.982	+0.018	1.1
2	160 Hz		2.000	1.975	+0.025	1.0
3	160 Hz		3.000	2.971	+0.029	1.0
4	160 Hz		4.000	3.965	+0.035	1.0
5	160 Hz		5.000	4.955	+0.045	1.0

### 2. VELOCITY RESULT

Test point		Mode	STD Reading ( mm/s )	DUC Reading ( mm/s )	Correction ( mm/s )	Uncertainty $\pm$ ( % of rdg. )
( mm/s )	( frequency )					
10	160 Hz	peak	10.000	9.975	+0.025	1.1
20	160 Hz		20.000	19.960	+0.040	1.0
30	160 Hz		30.000	29.950	+0.050	1.0
40	160 Hz		40.000	39.911	+0.089	1.0
50	160 Hz		50.000	49.902	+0.098	1.0

### 3. DISPLACEMENT RESULT

Test point		Mode	STD Reading ( mm )	DUC Reading ( mm )	Correction ( mm )	Uncertainty $\pm$ ( % of rdg. )
( mm )	( frequency )					
0.01	160 Hz	peak	0.010	0.010	0.000	5.9
0.02	160 Hz		0.020	0.019	+0.001	3.1
0.03	160 Hz		0.030	0.029	+0.001	2.2
0.04	160 Hz		0.040	0.039	+0.001	1.3
0.05	160 Hz		0.050	0.049	+0.001	1.1

**This report is valid for the above stated instrument/s only.**

**### End of Certificate ###**

Certificate No. Q20099959

F3-011-04/01-12

page 3 of 3



@clccalibration

## Service Report

Work Order Number	Activity Code	Billing Type	Requested Start Date	Model	Serial Number
WO-01211857	Planned Maintenance	Contract	19/03/2564 7:30 น.	ICPN0790011	079S18071903
Service Representative Name	Contract Number	Expiry Date	Equipment ID	System ID	
Hiransuk, Duang	SC-0035504886	30/04/2023	N/A	N/A	
UDI Number					
N/A					
Equipment Location			Bill To Name		
Customer Contact	Phone Number	Fax Number	Email	Purchase Order	

Work Description		
Preventive maintenance Avio200 Cleaning all instrument Cleaning torch, injector, Spray chamber, Neb Replace O-ring and PM Kit Alignment torch Run performance test		
Start Date	End Date	Work Description
07/05/2021	07/05/2021	
07/05/2021	07/05/2021	

Tools Used					
Quantity	Calibrated Tool	Description	Serial Number	Last Calibration Date	Next Calibration Date
*** No Calibrated Tools Used ***					

Material Used				
Part Number	Part Description	Note	Lot/Serial Number	Quantity
*** No Parts Used ***				

Labour Details			
Part Number	Part Description	Start Date	Quantity
SV000013	Preventative maintenance	07/05/2021	6.5
SV000002	Service Travel	07/05/2021	2

Work Complete		Customer Signature	Technician Signature
Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>
PM/OQ/IPV Left with Customer			
Yes	<input checked="" type="checkbox"/>		



Terms & Conditions
<p>Customer Acknowledgment of receipt of the above repair / replacement.</p> <p>Special Terms and Conditions: This is not an invoice.</p> <p>Taxes will be applied to your invoice if applicable.</p>

# MAINTENANCE AND IPV TEST CERTIFICATE MODEL

## Avio 200

Customer :		Date Tested:	May 7, 2021
Address :		Recommendation Recertification	
		Period	6 Months
		Recertification Due:	November 8, 2021
		Date Last Certified:	November 10, 2020
User Name:		Visit Number:	1 of 2
Phone:		PerkinElmer Phone:	02-719-6420 ext 206
E - Mail :	PerkinElmer Fax:	02-318-5597	

CONFIGURATION TESTED		
MODEL	SERIAL NUMBER	SOFTWARE
Avio 200	079S18071903	Syngistix for ICP 3.0
TESTED EQUIPMENT	CALIBRATION NUMBER	EXPIRATION
IPV Method		
TEST STANDARD USED	PART NUMBER	EXPIRATION DATE
Multielement Standard	N069-1579	May 30,2022
Instrument Cal. STD4	N930-0221	June 30, 2021
CUSTOMER SUPPLIED	COMMENTS	CUSTOMER INITIALS
2 % HNO3		
10 % HNO3		

**MAINTENANCE AND IPV TEST CERTIFICATE MODEL****Avio 200****SERIAL NUMBER:** 079S18071903**DATE TESTED:**May 7, 2021**1. MECHANICAL CHECKS**

A. Inspect and clean all fans and filters.

☐ OK

B. Inspect and replace as necessary, all torch components including the RF coil.

☐ OK

C. Inspect all tubing for sign of clacking or leaking.

☐ OK

D. Adjust water and gas pressure regulator settings.

☐ OK

E. Inspect and leak check pneumatics drawers.

☐ OK

F. Clean the exterior of the instrument.

☐ OK**2. OPTICAL CHECKS**

A. Inspect and clean all optical components.

☐ OK

B. As required, check and replace all purgefilters.

☐ OK

C. Recheck optical alignment.

☐ OK**3. COOLING SYSTEM CHECKS**

A. Perform preventive maintenance on chiller.

☐ OK

B. Flush out the chiller every year.

☐ OK**4. PERFORMANCE CHECKS**

A. Torch View Alignment.

☐ OK

B. Wavelength Calibration.

☐ OK

# MAINTENANCE AND IPV TEST CERTIFICATE MODEL

## Avio 200

SERIAL NUMBER: 079S18071903		DATE TESTED: May 7, 2021	
PARAMETER	SPECIFICATION		FINAL VALUE
Spectral Resolution : UV			
As	193.696 nm	≤ 0.009 nm	0.00752 nm
Ni	231.604 nm	≤ 0.011 nm	0.00907 nm
Ni	341.476 nm	≤ 0.015 nm	0.01248 nm
Spectral Resolution : VIS			
Ba	455.403 nm	≤ 0.020 nm	0.01717 nm
Precision			
Zn	206.200 nm	% RSD ≤ 1.0 %	0.28 %
Mg	280.271 nm	% RSD ≤ 1.0 %	0.62 %
Mg	285.213 nm	% RSD ≤ 1.0 %	0.28 %
Ba	455.403 nm	% RSD ≤ 1.0 %	0.32 %
Detection Limits : Axial			
Tl	190.801 nm	3(sd)	0.72 ppb
As	193.696 nm	3(sd)	1.53 ppb
Se	196.026 nm	3(sd)	0.70
Pb	220.353 nm	3(sd)	0.32 ppb
Detection Limits : Radial			
As	193.696 nm	3(sd)	17.19 ppb
Zn	213.857 nm	3(sd)	0.18 ppb
Mn	257.610 nm	3(sd)	0.05 ppb
La	379.478 nm	3(sd)	0.05 ppb
Ba	455.403 nm	3(sd)	0.01 ppb
Ba	493.408 nm	3(sd)	0.01 ppb
BEC : Axial (IB X 1000)/(IS-IB)			
Mn	257.610 nm	≤ 30 ppb	0.33 ppb
BEC : Radial (IB X 1000)/(IS-IB)			
Mn	257.610 nm	≤ 30 ppb	0.84 ppb

**MAINTENANCE AND IPV TEST CERTIFICATE MODEL****Avio 200****SERIAL NUMBER:** 079S18071903**DATE TESTED:** May 7, 2021**Remarks :**Test all pass

This is to certify that the above tests have been performed and the configuration tested



meets



does not meet

the PerkinElmer Specifications listed on this certificate.

This certificate does not modify PerkinElmer's standard terms and condition of sale,  
including warranty terms.

**Service Department PerkinElmer Ltd.**

Customer Service Engineer: \_\_\_\_\_

(



)

Service Engineer



# PerkinElmer Pure

Atomic Spectroscopy Standard



## Certificate of Analysis

**PerkinElmer Number:** N0691579

**Description:** Optima Family Multi-Element Standard

**Matrix:** 2% HNO<sub>3</sub>

**Lot Number:** 3-56MJX1

**Certification Date:** NOV - - 2020

**Expiration Date:** MAY 30 2022

\* Instrumental Analysis using OPTIMA 7300 DV ICP Spectrometer:

Analyte	Labeled	Measured	SRM	Analyte	Labeled	Measured	SRM
As	50.0 µg/mL	49.5 µg/mL	3103a*	Ni	10.0 µg/mL	9.93 µg/mL	3136*
K	50.0 µg/mL	49.8 µg/mL	3141a*	Sr	10.0 µg/mL	9.97 µg/mL	3153a*
La	10.0 µg/mL	9.97 µg/mL	3127a*	Zn	10.0 µg/mL	10.0 µg/mL	3168a*
Li	10.0 µg/mL	9.94 µg/mL	3129a*	Ba	1.00 µg/mL	1.00 µg/mL	3104a*
Mn	10.0 µg/mL	9.99 µg/mL	3132*	Mg	1.00 µg/mL	1.00 µg/mL	3131a*

\* - indicates NIST SRM

† - indicates CRM (when NIST SRM is not available)

Reference Multi: Lot# 2-183MJ, 2-84MJ, 2-01MJ, 2-37YJ

Refer to side 2 for details of certification.

Balances are calibrated with weight sets traceable to NIST.

We guarantee that our PerkinElmer Pure Atomic Spectroscopy Standards are stable and accurate to  $\pm 0.5\%$  of certified concentration until the expiration date, provided the standards are kept tightly capped and stored under normal laboratory conditions. This value is the sum of cumulative errors associated with the analytical determinations, pipetting, and diluting to final volume. For these solutions we use high purity acids, ASTM Type I water (18 megohm double deionized), and leached, triple-rinsed bottles. All glassware used is class A.



Certifying Officer: \_\_\_\_\_

**PerkinElmer®**

**PerkinElmer, Inc.**

U.S.A. Tel: 1-203-925-4600

U.S.A. Toll Free: 1-800-762-4000

# PerkinElmer Pure

Atomic Spectroscopy Standard



## Certificate of Analysis

**PerkinElmer Number:** N9300221  
**Description:** Instrument Calibration Standard 4  
**Matrix:** 5% HNO<sub>3</sub>  
**Lot Number:** 51-162CRY1

**Certification Date:** DEC - - 2019  
**Expiration Date:** JUN 30 2021

### \* Instrumental Analysis using OPTIMA 7300 DV ICP Spectrometer:

Analyte	Labeled	Measured	SRM	Analyte	Labeled	Measured	SRM
As	100 µg/mL	101 µg/mL	3103a*	Pb	50.0 µg/mL	50.8 µg/mL	3128*
Tl	100 µg/mL	101 µg/mL	3158*	Se	50.0 µg/mL	50.7 µg/mL	3149*
Cd	50.0 µg/mL	50.8 µg/mL	3108*				

\* - indicates NIST SRM

† - indicates CRM (when NIST SRM is not available)

Reference Multi: Lot# 1-177YJ, 4-33MKB

Refer to side 2 for details of certification.

Balances are calibrated with weight sets traceable to NIST.

We guarantee that our PerkinElmer Pure Atomic Spectroscopy Standards are stable and accurate to ±0.5% of certified concentration until the expiration date, provided the standards are kept tightly capped and stored under normal laboratory conditions. This value is the sum of cumulative errors associated with the analytical determinations, pipetting, and diluting to final volume. For these solutions we use high purity acids, ASTM Type I water (18 megohm double deionized), and leached, triple-rinsed bottles. All glassware used is class A.



Certifying Officer: \_\_\_\_\_

PerkinElmer®

PerkinElmer, Inc.

U.S.A. Tel: 1-203-925-4600  
U.S.A. Toll Free: 1-800-762-4000

# CERTIFICATE OF COMPLETION

This is to certify that

**Duang Hiransuk**

has completed the course

**ICP Solid State RF Generator**

17 May 2019

---

Date

Vinny Maharaj - Sr. Manager Service  
Training

---

Certified by



# CERTIFICATE OF COMPLETION

This is to certify that

**Duang Hiransuk**

has completed the course

**ICP Basic Theory/Operation/Software**

15 May 2019

---

Date

Vinny Maharaj - Sr. Manager Service  
Training

---

Certified by



## Certificate of Calibration

Equipment:	SPECTROPHOTOMETER	Certificate No.:	C06210350
Model:	723C	Issued Date:	07 August 2021
Serial No. (or ID.):	2C41301043 (MEC-LAB11)	Job No.:	KSPR2110828
Manufacturer:	KWF	Page:	1 of 2
Condition:	In Condition		

Customer:



Environment Condition:	Temperature	25.5	°C	±	0.3	°C
	Humidity	57.9	%RH	±	1.1	%RH

Calibration Place:



Calibration By:

Calibration Date: 06 August 2021

The Method used: In house method, SPCC-WI-24, base on ASTM E 275-08 and ASTM E 387-04

Traceability: This certificate is traceable to the CRM maintained by National Institute of Standards and Technology (NIST) through Starna Scientific Limited.

The standard for Wavelength Certificate No. 80284 and 80285

The standard for Photometric Certificate No. 80301



Person in charge

Authorized signatory

This certificate is issued the units of measurement according to the International System of Units (SI). It provides traceability of measurement to international or national standard or other recognized national standard laboratories.

The measurement uncertainty stated is the expanded uncertainty which is obtained from the standard uncertainty multiplied by the coverage factor (k=2) to provide a level of confidence of approximately 95%. It is determined in accordance with the Guide to Expression of Uncertainty in Measurement (GUM).

These results may be affected by deviations from specified conditions. The results relate only to the items tested, calibrated or sampled. The report shall not be reproduced except in full without approval of SPC RT Co., Ltd.

### Calibration Results:

#### Without Adjustment

Wavelength Accuracy (nm), The spectral bandwidth of Std at 4 nm and UUC at 4 nm

Standard Wavelength	Unit Under Calibration	Correction	Uncertainty
361.26	361.1	0.16	0.13
418.48	418.5	-0.02	0.13
536.90	536.7	0.20	0.13
513.70	513.7	0.00	0.13
528.72	528.8	-0.08	0.13

#### Photometric Accuracy (Absorbance)

Wavelength	Standard absorbance	Unit Under Calibration	Correction	Uncertainty
420 nm	0.0000	0.000	0.0000	0.0045
	0.5773	0.579	-0.0017	0.0053
	0.7193	0.721	-0.0017	0.0045
	1.0407	1.040	0.0007	0.0045
440 nm	0.0000	0.000	0.0000	0.0045
	0.5607	0.562	-0.0013	0.0055
	0.7054	0.707	-0.0016	0.0045
	1.0199	1.020	-0.0001	0.0045
465 nm	0.0000	0.000	0.0000	0.0045
	0.5216	0.523	-0.0014	0.0050
	0.6647	0.667	-0.0023	0.0045
	0.9589	0.960	-0.0011	0.0045
546.1 nm	0.0000	0.000	0.0000	0.0045
	0.5187	0.520	-0.0013	0.0049
	0.6903	0.691	-0.0007	0.0045
	0.9958	0.995	0.0008	0.0045
590 nm	0.0000	0.000	0.0000	0.0045
	0.5523	0.553	-0.0007	0.0048
	0.7553	0.754	0.0013	0.0045
	1.0772	1.074	0.0032	0.0045
635 nm	0.0000	0.000	0.0000	0.0045
	0.5599	0.561	-0.0011	0.0045
	0.7417	0.741	0.0007	0.0045
	1.0478	1.046	0.0018	0.0045

The End of Certificate





# CALIBRATION LABORATORY Co., LTD.

2/10-11,14,55 Soi Prasert Manukit 29 Yaek 4, Prasert Manukit Rd., Ladphrao, Bangkok 10230  
Tel. 02-578-0353-4 Fax: 02-578-2672 www.cal-laboratory.com E-mail:sale@cal-laboratory.com



## CERTIFICATE OF CALIBRATION

### FOR

NOMENCLATURE : pH METER  
MANUFACTURER : EUTECH INSTRUMENTS  
MODEL / TYPE : pH 700  
SERIAL NO. : 983068/2863187/983068[MEC-LAB06]  
CLID. NO. : 372100306  
JOB CONTROL NO. : 210803071302

CUSTOMER :



DATE OF RECEIVED : 03 August 2021

DATE OF ISSUED : 19 August 2021

Report of calibration screening must not be taken in part. Except complete. Without the approval of the Calibration Laboratory Co., Ltd.

Calibrated By :



Approved By :



Authorized Signatory

19 August 2021

This Calibration Certificate documents the traceability to national standards, which realize the units of measurement according to the International System of Units (SI)

Certificate No. Q21071302

F3-011-04/01-12

page 1 of 4



@clccalibration

## REPORT OF CALIBRATION FOR

**NOMENCLATURE** : pH METER  
**MANUFACTURER** : EUTECH INSTRUMENTS  
**MODEL / TYPE** : pH 700  
**SERIAL NO.** : 983068/2863187/983068[MEC-LAB06]  
**LOCATION SITE** : LABORAOTORY  
**DATE OF CALIBRATION** : 05 August 2021

---

### ENVIRONMENT CONDITIONS :

Temperature : 25°C to 26°C

Relative Humidity : 50% to 55%

### PROCEDURE USED :

This instrument was calibrated under procedure No. **CLC-CPCH-01, CLC-CPTH-03.**

The calibration was performed by direct measurement with Certified Reference Material (CRM) and comparison with Micro Calibration Bath, Precision Thermometer and IPRT which maintained by the Calibration Laboratory Co., Ltd.

### REFERENCE STANDARD USED :

1. pH Standard Solution, TRM CODE TRM-S-2003, TRM CODE TRM-S-2007.
2. pH Buffer Standard, Reagecon Product No. 1070525C.
3. Micro Calibration Bath, Kambic Model OBM-LT S/N. 18015718.
4. Precision Thermometer, Wika Model CTH 7000 S/N. 017747/20.
5. IPRT, Wika Model CTP5000-450-D S/N. PO00036374-1-10-14.

Certificate No. Q21071302

F3-011-04/01-12

page 2 of 4





# CALIBRATION LABORATORY Co., LTD.

2/10-11,14,55 Soi Prasert Manukit 29 Yaek 4, Prasert Manukit Rd., Ladphrao, Bangkok 10230

Tel. 02-578-0353-4 Fax: 02-578-2672 www.cal-laboratory.com E-mail:sale@cal-laboratory.com



## TRACEABILITY :

1. The measurements are traceable to International System of Units (SI) , through National Institute of Metrology (Thailand).  
Lot Number. 160221 , 180121. Due Date 14 June 2022.
2. The measurements are traceable to International System of Units (SI) , through Reagecon Diagnostics Ltd.  
Lot No. 725C21A1 , Due Date 28 January 2023.
3. The measurements are traceable to International System of Units (SI) , through Calibration Laboratory Co., Ltd.  
Certificate No. Q21011994, Due Date 12 February 2022.
4. The measurements are traceable to International System of Units (SI) , through Thailand Institute of Scientific and Technological Research (TISTR). Certificate No. PSL-T 1134/63, Due Date 02 December 2021.
5. The measurements are traceable to International System of Units (SI) , through National Institute of Metrology (Thailand).  
Certificate No. TT-0013-21, Due Date 03 February 2022.

## UNCERTAINTY :

The reported expanded uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor complies with the table which for a normal distribution corresponds to a coverage probability of approximately 95 %.

It has been evaluated according to the "Evaluation of the Uncertainty of Measurement in Calibration (EA-4/02 M:2013)"

Certificate No. Q21071302

F3-011-04/01-12

page 3 of 4



@clccalibration



## CONDITION OF CALIBRATION ITEM : GOOD

## MEASUREMENT RESULTS : ( X ) without adjustment ( ) adjustment

The table in the following gives the calibration results and associated measurement uncertainties of pH meter.

### CALIBRATION DATA

#### 1. pH METER RESULT @ 25 °C

Standard pH Buffer Solution (pH)	pH Meter Reading (pH)	pH Meter Reading (mV)	Correction (pH)	Uncertainty of pH Measurement ( $\pm$ pH)	k Factor
4.000	4.00	129.6	0.000	0.012	2,20
7.000	7.00	-49.5	0.000	0.012	2,00
10.007	10.01	-218	-0.003	0.015	2,05

Note. The Scope of Accredited ANAB Certificate No. ACDM-2814 Version 007 Page 2,3 of 57

#### 2. TEMPERATURE RESULT [ THERMISTOR ]

Immersion depth (mm)	Actual Temperature ( °C )	DUC Reading ( °C )	Correction ( °C )	Uncertainty $\pm$ ( °C )
100	25.00	25.0	0.00	0.13

Note. Probe  $\varnothing$  4 mm

Materials : Metal Sheath.

The reported uncertainty is based on a standard uncertainty multiplied by coverage factor of  $k = 2,00$ .

The Scope of Accredited ANAB Certificate No. ACDM-2814 Version 007 Page 46 of 57

**This report is valid for the above stated instrument/s only.**

### End of Certificate ###

Certificate No. Q21071302

F3-011-04/01-12

page 4 of 4





# CALIBRATION LABORATORY Co., LTD.

2/10-11,14,55 Soi Prasert Manukit 29 Yaek 4, Prasert Manukit Rd., Ladphrao, Bangkok 10230  
Tel. 02-578-0353-4 Fax: 02-578-2672 www.cal-laboratory.com E-mail:sale@cal-laboratory.com



Supplement to Calibration Certificate No. Q21071300

## CERTIFICATE OF CALIBRATION

### FOR

NOMENCLATURE : ELECTRONIC BALANCE  
MANUFACTURER : METTLER TOLEDO  
MODEL / TYPE : AB204-S  
SERIAL NO. : 1123163290[MEC-LAB02]  
CLID. NO. : 362101622  
JOB CONTROL NO. : 210803071300

CUSTOMER :



DATE OF RECEIVED : 03 August 2021

DATE OF ISSUED : 31 August 2021

Report of calibration screening must not be taken in part. Except complete. Without the approval of the Calibration Laboratory Co., Ltd.

Calibrated By :



Approved By :

Authorized Signatory

31 August 2021



This Calibration Certificate documents the traceability to national standards, which realize the units of measurement according to the International System of Units ( SI )

Certificate No. Q21071300A1

F3-012-04/01-12

page 1 of 3



@clccalibration



**CLC**  
Accredited  
ISO/IEC 17025

# CALIBRATION LABORATORY Co., LTD.

2/10-11,14,55 Soi Prasert Manukit 29 Yaek 4, Prasert Manukit Rd., Ladphrao, Bangkok 10230  
Tel. 02-578-0353-4 Fax: 02-578-2672 www.cal-laboratory.com E-mail:sale@cal-laboratory.com



Supplement to Calibration Certificate No. Q21071300

## REPORT OF CALIBRATION

### FOR

NOMENCLATURE	:	ELECTRONIC BALANCE
MANUFACTURER	:	METTLER TOLEDO
MODEL / TYPE	:	AB204-S
SERIAL NO.	:	1123163290[MEC-LAB02]
LOCATION SITE	:	LABORAOTORY
DATE OF CALIBRATION	:	05 August 2021



#### ENVIRONMENT CONDITIONS :

Temperature : 26 °C to 27 °C

Relative Humidity : 52 % to 54 %

#### PROCEDURE USED :

This instrument was calibrated under procedure No. CLC-CPMB-01 based on EURAMET/cg-18/Version 4.0 (11/2015).  
The calibration was performed by Comparison with Weight Set which maintained by the Calibration Laboratory Co., Ltd.

#### REFERENCE STANDARD USED :

Weight Set, Mettler Toledo Class E2 S/N. 158850.

#### TRACEABILITY :

The measurements are traceable to International System of Units (SI), through National Institute of Metrology (Thailand).  
Certificate No. MM-0182-19, Due Date 16 December 2021.

#### UNCERTAINTY :

The reported expanded uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor complies with the table which for a normal distribution corresponds to a coverage probability of approximately 95%. It has been evaluated according to the "Evaluation of the Uncertainty of Measurement in Calibration (EA-4/02 M:2013)"

Certificate No. Q21071300A1

F3-012-04/01-12

page 2 of 3



@clccalibration





**CLC**  
Accredited  
ISO/IEC 17025

# CALIBRATION LABORATORY CO., LTD.

2/10-11,14,55 Soi Prasert Manukit 29 Yaek 4, Prasert Manukit Rd., Ladphrao, Bangkok 10230  
Tel, 02-578-0353-4 Fax: 02-578-2672 www.cal-laboratory.com E-mail:sale@cal-laboratory.com



Supplement to Calibration Certificate No. Q21071300

**CONDITION OF CALIBRATION ITEM : GOOD**

**MEASUREMENT RESULTS : ( X ) without adjustment ( ) adjustment**

## CALIBRATION DATA



### 1. Error of indications

Nominal Test Value ( g )	Conventional mass ( g )	Display Value ( g )	Error of Balance ( g )	Uncertainty $\pm$ ( mg )	Coverage factor k
Unload	0.0000	0.0000	0.0000	0.06	2,00
0.0010	0.0010	0.0010	0.0000	0.06	2,00
0.0100	0.0100	0.0100	0.0000	0.06	2,00
0.1000	0.1000	0.1000	0.0000	0.06	2,00
1.0000	1.0000	1.0000	0.0000	0.06	2,00
5.0000	5.0000	5.0000	0.0000	0.06	2,00
10.0000	10.0000	10.0000	0.0000	0.07	2,00
50.0000	50.0000	50.0000	0.0000	0.08	2,00
100.0000	100.0000	100.0000	0.0000	0.12	2,00
150.0000	150.0000	150.0000	0.0000	0.24	2,00
200.0000	199.9997	200.0000	+0.0003	0.24	2,00

### 2. Repeatability of indications

Nominal Test Value ( g )	Standard Deviation of Reading ( g )
200.0000	0.00000

### 3. Effect of eccentric application of a load on the indication

<input type="checkbox"/>		<input checked="" type="checkbox"/>				
Nominal Test Value ( g )	Display Value ( g )					Maximum Difference of Center Value ( g )
	Position 1	Position 2	Position 3	Position 4	Position 5	
50.0000	50.0000	50.0000	50.0000	50.0000	50.0000	0.0000

Note. The Scope of Accredited ANAB Certificate No. ACDM-2814 Version 008 Page 41 of 54

**This report is valid for the above stated instrument/s only.**

### End of Certificate ###

Certificate No. Q21071300A1

F3-012-04/01-12

page 3 of 3





# CALIBRATION LABORATORY Co., LTD.

2/10-11,14,55 Soi Prasert Manukit 29 Yaek 4, Prasert Manukit Rd., Ladphrao, Bangkok 10230  
Tel. 02-578-0353-4 Fax: 02-578-2672 www.cal-laboratory.com E-mail:sale@cal-laboratory.com



Supplement to Calibration Certificate No. Q21071299

## CERTIFICATE OF CALIBRATION

### FOR

NOMENCLATURE : ELECTRONIC BALANCE  
MANUFACTURER : SARTORIUS  
MODEL / TYPE : AZ214  
SERIAL NO. : 28092281[MEC-LAB01]  
CLID. NO. : 362101621  
JOB CONTROL NO. : 210803071299

CUSTOMER :



DATE OF RECEIVED : 03 August 2021

DATE OF ISSUED : 31 August 2021

Report of calibration screening must not be taken in part. Except complete. Without the approval of the Calibration Laboratory Co., Ltd.

Calibrated By :



Approved By :

Authorized Signatory

31 August 2021



This Calibration Certificate documents the traceability to national standards, which realize the units of measurement according to the International System of Units (SI)

Certificate No. Q21071299A1

F3-012-04/01-12

page 1 of 3



@clccalibration



CLC  
Accredited  
ISO/IEC 17025

# CALIBRATION LABORATORY Co., LTD.

2/10-11,14,55 Soi Prasert Manukit 29 Yaek 4, Prasert Manukit Rd., Ladphrao, Bangkok 10230

Tel: 02-578-0353-4 Fax: 02-578-2672 www.cal-laboratory.com E-mail:sale@cal-laboratory.com



31 AUG 2021

Supplement to Calibration Certificate No. Q21071299

## REPORT OF CALIBRATION

### FOR

NOMENCLATURE : ELECTRONIC BALANCE  
MANUFACTURER : SARTORIUS  
MODEL / TYPE : AZ214  
SERIAL NO. : 28092281[MEC-LAB01]  
LOCATION SITE : LABORAOTORY  
DATE OF CALIBRATION : 05 August 2021

#### ENVIRONMENT CONDITIONS :

Temperature : 26 °C to 27 °C

Relative Humidity : 52 % to 54 %

#### PROCEDURE USED :

This instrument was calibrated under procedure No. CLC-CPMB-01 based on EURAMET/cg-18/Version 4.0 (11/2015).

The calibration was performed by Comparison with Weight Set which maintained by the Calibration Laboratory Co., Ltd.

#### REFERENCE STANDARD USED :

Weight Set, Mettler Toledo Class E2 S/N. 158850.

#### TRACEABILITY :

The measurements are traceable to International System of Units (SI), through National Institute of Metrology (Thailand).

Certificate No. MM-0182-19, Due Date 16 December 2021.

#### UNCERTAINTY :

The reported expanded uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor complies with the table which for a normal distribution corresponds to a coverage probability of approximately 95%. It has been evaluated according to the "Evaluation of the Uncertainty of Measurement in Calibration (EA-4/02 M:2013)"

Certificate No. Q21071299A1

F3-012-04/01-12

page 2 of 3



@clccalibration



31 AUG 2021

Supplement to Calibration Certificate No. Q21071299

**CONDITION OF CALIBRATION ITEM : GOOD**

**MEASUREMENT RESULTS : ( X ) without adjustment ( ) adjustment**

## CALIBRATION DATA



### 1. Error of indications

Nominal Test Value ( g )	Conventional mass ( g )	Display Value ( g )	Error of Balance ( g )	Uncertainty $\pm$ ( mg )	Coverage factor k
Unload	0.0000	0.0000	0.0000	0.06	2,00
0.0010	0.0010	0.0010	0.0000	0.06	2,00
0.0100	0.0100	0.0100	0.0000	0.06	2,00
0.1000	0.1000	0.1000	0.0000	0.06	2,00
1.0000	1.0000	1.0000	0.0000	0.06	2,00
5.0000	5.0000	5.0000	0.0000	0.06	2,00
10.0000	10.0000	10.0000	0.0000	0.07	2,00
50.0000	50.0000	50.0000	0.0000	0.08	2,00
100.0000	100.0000	100.0000	0.0000	0.12	2,00
150.0000	150.0000	150.0000	0.0000	0.24	2,00
200.0000	199.9997	200.0000	+0.0003	0.24	2,00

### 2. Repeatability of indications

Nominal Test Value ( g )	Standard Deviation of Reading ( g )
200.0000	0.00000

### 3. Effect of eccentric application of a load on the indication

<div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  </div> <div style="text-align: center;"> <input checked="" type="checkbox"/> </div> <div style="text-align: center;">  </div> </div>						
Nominal Test Value ( g )	Display Value ( g )					Maximum Difference of Center Value ( g )
	Position 1	Position 2	Position 3	Position 4	Position 5	
50.0000	50.0000	49.9999	50.0001	50.0001	49.9999	0.0001

Note. The Scope of Accredited ANAB Certificate No. ACDM-2814 Version 008 Page 41 of 54

**This report is valid for the above stated instrument/s only.**

### End of Certificate ###

Certificate No. Q21071299A1

F3-012-04/01-12

page 3 of 3



# เอกสารแนบ 14

เอกสารอนุญาตขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์

ที่ อก ๐๓๑๐/(๑) ๗ ๕ ๕



กรมโรงงานอุตสาหกรรม  
ถนนพระรามที่ ๖ เขตราชเทวี  
กรุงเทพมหานคร ๑๐๔๐๐

๑๕ มกราคม ๒๕๖๒

เรื่อง ขันทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

เรียน กรรมการผู้จัดการ บริษัท ไมน์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด

อ้างถึง ๑. คำขอขึ้นทะเบียน/ต่ออายุหนังสืออนุญาตขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

ลงวันที่ ๓๑ ตุลาคม ๒๕๖๑

๒. หนังสือบริษัท ไมน์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด ที่

ลงวันที่ ๓๑ ตุลาคม ๒๕๖๑

สิ่งที่ส่งมาด้วย เอกสารแนบท้ายหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

บริษัท ไมน์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด จำนวน ๑ แผ่น

ตามหนังสือที่อ้างถึง ๑ และ ๒ บริษัท ไมน์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด ขอขึ้นทะเบียน  
ห้องปฏิบัติการวิเคราะห์เอกชน พร้อมรายชื่อผู้ควบคุมดูแลห้องปฏิบัติการวิเคราะห์ เจ้าหน้าที่ประจำ  
ห้องปฏิบัติการวิเคราะห์ และรายการสารมลพิษที่จะทำการวิเคราะห์ ต่อกรมโรงงานอุตสาหกรรม นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว ให้บริษัท ไมน์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด  
ขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน มีเลขทะเบียน

สถานที่ตั้งเลขที่

โดยมีองค์ประกอบดังนี้

ก. ผู้ควบคุมดูแลห้องปฏิบัติการวิเคราะห์

ทะเบียนเลขที่

ข. เจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์

๑)

ทะเบียนเลขที่

๒)

ทะเบียนเลขที่

๓)

ทะเบียนเลขที่

๔)

ทะเบียนเลขที่

๕)

ทะเบียนเลขที่

๖)

ทะเบียนเลขที่

๗)

ทะเบียนเลขที่

๘)

ทะเบียนเลขที่

ค. สารมลพิษที่เห็นชอบให้วิเคราะห์ในน้ำเสีย จำนวน ๒๑ รายการ ตามสิ่งที่ส่งมาด้วย

/หนังสือฉบับนี้...



หนังสือฉบับนี้มีอายุครั้งละ ๓ ปี นับจากวันที่กรมโรงงานอุตสาหกรรมออกหนังสือ  
หากประสงค์จะต่ออายุหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน ให้ยื่นคำขอต่ออายุพร้อม  
เอกสารประกอบคำขอต่อกรมโรงงานอุตสาหกรรมภายใน ๓๐ วัน ก่อนวันสิ้นอายุของหนังสือรับขึ้น  
ทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน ซึ่งคำขอต่ออายุดังกล่าวขอรับได้ที่กรมโรงงานอุตสาหกรรม  
จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ



(นายบรรจง สุกรีทา)

รองอธิบดี ปฏิบัติราชการแทน

อธิบดีกรมโรงงานอุตสาหกรรม

กองวิจัยและเตือนภัยมลพิษโรงงาน

กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษและทะเบียนห้องปฏิบัติการ

โทร. ๐ ๒๒๐๒ ๔๑๔๖-๗    ๐ ๒๒๐๒ ๔๐๐๒

โทรสาร ๐ ๒๓๕๔ ๓๒๐๘    ๐ ๒๓๕๔ ๓๔๑๕

เอกสารแนบท้ายหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

บริษัท ไมน์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด เลขทะเบียน ว-๒๘๓

ที่ อก ๐๓๑๐/(๑) ๗ ๕ ๕ ลงวันที่ ๑๕ มกราคม ๒๕๖๒

สารมลพิษที่เห็นชอบให้วิเคราะห์ จำนวน 21 รายการ

น้ำเสีย จำนวน 21 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Arsenic	Digestion, Inductively Coupled Plasma Method
2	Barium	Digestion, Inductively Coupled Plasma Method
3	Biochemical Oxygen Demand	5-Day BOD Test, Azide Modification Method
4	Cadmium	Digestion, Inductively Coupled Plasma Method
5	Chemical Oxygen Demand	Closed Reflux, Titrimetric Method
6	Copper	Digestion, Inductively Coupled Plasma Method
7	Free Chlorine	Iodometric Method
8	Hexavalent Chromium	Filtration, Colorimetric Method
9	Lead	Digestion, Inductively Coupled Plasma Method
10	Manganese	Digestion, Inductively Coupled Plasma Method
11	Mercury	Digestion, Inductively Coupled Plasma Method
12	Nickel	Digestion, Inductively Coupled Plasma Method
13	Oil & Grease	Liquid-Liquid, Partition-Gravimetric Method
14	pH	Electrometric Method
15	Selenium	Digestion, Inductively Coupled Plasma Method
16	Sulfide	Iodometric Method
17	Temperature	Laboratory and Field Methods
18	Total Dissolved Solids	Dried at 180 °C
19	Total Suspended Solids	Dried at 103-105 °C
20	Trivalent Chromium	Digestion, Inductively Coupled Plasma Method; Filtration, Colorimetric Method; Calculation
21	Zinc	Digestion, Inductively Coupled Plasma Method

เอกสารอ้างอิง

APHA, AWWA, WEF. **Standard Methods for the Examination of Water and Wastewater**. 23<sup>rd</sup> ed. Washington, DC: APHA, 2017.

  
(นางริกาญจน์ จิตรสกุลไชย)  
ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ  
และทะเบียนห้องปฏิบัติการ



ใบรับรองเลขที่ 20T095/1073

## ใบรับรองห้องปฏิบัติการ

อาศัยอำนาจตามความในพระราชบัญญัติการมาตรฐานแห่งชาติ พ.ศ. ๒๕๕๑

เลขาธิการสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม

ออกใบรับรองฉบับนี้ให้

**บริษัท ไมน์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด**

มีห้องปฏิบัติการตั้งอยู่เลขที่

๒/๑๑๕ ซอยรังสิต-นครนายก ๓๔/๑ ถนนรังสิต-นครนายก

ตำบลประชาธิปัตย์ อำเภอธัญบุรี จังหวัดปทุมธานี

ได้รับการรับรองความสามารถห้องปฏิบัติการทดสอบ

ตามมาตรฐานเลขที่ มอก. 17025-2561 (ISO/IEC 17025 : 2017)

ข้อกำหนดทั่วไปว่าด้วยความสามารถห้องปฏิบัติการทดสอบและสอบเทียบ

**หมายเลขการรับรองที่ ทดสอบ ๐๖๒๓**

โดยมีสาขาการรับรองตามรายละเอียดแนบท้ายใบรับรอง

ตั้งแต่วันที่ ๑๘ พฤษภาคม พ.ศ. ๒๕๖๓

ถึง วันที่ ๑๗ พฤษภาคม พ.ศ. ๒๕๖๖

ออกให้ ณ วันที่ ๑๗ ก.ย. ๒๕๖๓

**(นายวีระกิตต์ รันทกิจธนวัชร)**

**รองเลขาธิการ ปฏิบัติราชการแทน**

**เลขาธิการสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม**



รายละเอียดแนบท้ายใบรับรองห้องปฏิบัติการทดสอบ

ใบรับรองเลขที่ 20T095/1073

ชื่อห้องปฏิบัติการ  
ที่อยู่

บริษัท ไมน์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด  
เลขที่ 2/115 ซอยรังสิต-นครนายก 34/1 ถนนรังสิต-นครนายก ตำบลประชาธิปัตย์  
อำเภอธัญบุรี จังหวัดปทุมธานี

หมายเลขการรับรองที่

ทดสอบ 0623

สถานภาพห้องปฏิบัติการ

☒ ถาวร ☐ นอกสถานที่ ☐ชั่วคราว ☐เคลื่อนที่

สาขาการทดสอบ	รายการทดสอบ	วิธีทดสอบ
<p>สาขาสิ่งแวดล้อม</p> <p>1. น้ำ (water)</p>	<ul style="list-style-type: none"> <li>- Cadmium 0.002 mg/l to 5 mg/l</li> <li>- Chromium 0.01 mg/l to 5 mg/l</li> <li>- Copper 0.01 mg/l to 5 mg/l</li> <li>- Iron 0.01 mg/l to 5 mg/l</li> <li>- Lead 0.01 mg/l to 5 mg/l</li> <li>- Manganese 0.01 mg/l to 5 mg/l</li> <li>- Nickel 0.002 mg/l to 5 mg/l</li> <li>- Zinc 0.01 mg/l to 5 mg/l</li> <li>- pH 2.0 to 10.0</li> <li>- Total suspended solids (TSS) 5.0 mg/l to 2 000 mg/l</li> </ul>	<ul style="list-style-type: none"> <li>- Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23<sup>rd</sup> edition, 2017, part 3120 B, and part 3030 F</li> <li>- Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23<sup>rd</sup> edition, 2017, part 4500-H<sup>+</sup> B</li> <li>- Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23<sup>rd</sup> edition, 2017, part 2540 D</li> </ul>



รายละเอียดแนบท้ายใบรับรองห้องปฏิบัติการทดสอบ  
ใบรับรองเลขที่ 20T095/1073

หมายเลขการรับรองที่  
สถานภาพห้องปฏิบัติการ

ทดสอบ 0623

☒ ถาวร    ☐ นอกสถานที่    ☐ชั่วคราว    ☐เคลื่อนที่

สาขาการทดสอบ	รายการทดสอบ	วิธีทดสอบ
<p>สาขาสิ่งแวดล้อม</p> <p>1. น้ำ (ต่อ) (water)</p> <p>2. น้ำเสีย (wastewater)</p>	<ul style="list-style-type: none"> <li>- Total dissolved solids (TDS) 10 mg/l to 2 000 mg/l</li> <li>- Total Solids 10 mg/l to 2 000 mg/l</li> <li>- Total hardness 1 mg/l to 2 000 mg/l (expressed as CaCO<sub>3</sub>)</li> <li>- Cadmium 0.002 mg/l to 10 mg/l</li> <li>- Chromium 0.01 mg/l to 10 mg/l</li> <li>- Copper 0.01 mg/l to 10 mg/l</li> <li>- Lead 0.01 mg/l to 10 mg/l</li> <li>- Manganese 0.01 mg/l to 10 mg/l</li> <li>- Nickel 0.002 mg/l to 10 mg/l</li> <li>- Zinc 0.01 mg/l to 10 mg/l</li> <li>- pH 2.0 to 10.0</li> </ul>	<ul style="list-style-type: none"> <li>- Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23<sup>rd</sup> edition, 2017, part 2540 C</li> <li>- Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23<sup>rd</sup> edition, 2017, part 2340 B</li> <li>- Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23<sup>rd</sup> edition, 2017, part 2340 C</li> <li>- Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23<sup>rd</sup> edition, 2017, part 3120 B, and part 3030 F</li> <li>- Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23<sup>rd</sup> edition, 2017, part 4500-H<sup>+</sup> B</li> </ul>



รายละเอียดแนบท้ายใบรับรองห้องปฏิบัติการทดสอบ  
ใบรับรองเลขที่ 20T095/1073

หมายเลขการรับรองที่  
สถานภาพห้องปฏิบัติการ

ทดสอบ 0623

☒ ถาวร    ☐ นอกสถานที่    ☐ชั่วคราว    ☐เคลื่อนที่

สาขาการทดสอบ	รายการทดสอบ	วิธีทดสอบ
<p>สาขาสิ่งแวดล้อม</p> <p>2. น้ำเสีย (ต่อ) (wastewater)</p>	<ul style="list-style-type: none"> <li>- Total suspended solids (TSS) 5.0 mg/l to 10 000 mg/l</li> <li>- Total dissolved solids (TDS) 10 mg/l to 10 000 mg/l</li> <li>- Chemical oxygen demand (COD) 40 mg/l to 4 000 mg/l</li> </ul>	<ul style="list-style-type: none"> <li>Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23<sup>rd</sup> edition, 2017, part 2540 D</li> <li>- Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23<sup>rd</sup> edition, 2017, part 2540 C</li> <li>- Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23<sup>rd</sup> edition, 2017, part 5220 C</li> </ul>

ออกให้ ณ วันที่ ๑๗ ก.ย. ๒๕๖๓



(นายวีระกิตติ์ รันทกิจธนวัชร)

รองเลขาธิการ ปฏิบัติราชการแทน

เลขาธิการสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม