

ANALYSIS REPORT

CUSTOMER NAME : SUPALAI LOFT TALAT PHLU STATION JURISTIC PERSON
ADDRESS : 599 RATCHADAPISEK ROAD (THAPRA-TAKSIN) BUKKHALO THON BURI BANGKOK 10600
CONTACT INFORMATION : TEL : 09 2594 4789 e-mail : adul.poongkong@th.knightfrank.com
SAMPLING SOURCE : SUPALAI LOFT TALAT PHLU STATION
SAMPLE TYPE : EFFLUENT
SAMPLING DATE : JANUARY 27, 2022
SAMPLING TIME : 12:00 HOUR
SAMPLING METHOD : GRAB
SAMPLING BY : MR APHISIT HEUANGSAVANH
ANALYZED BY : MISS PORNPIMOL WAENTHONG

RECEIVED DATE : JANUARY 27, 2022
ANALYTICAL DATE : JANUARY 27 - FEBRUARY 2, 2022
REPORT NO. : 2022-U008755
WORK NO. : 2021-007369
ANALYSIS NO. : T22AB486-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	DETECTION LIMIT
			ไม่พิกษาถึงกอนระบามสุทท ระบามนำสาราระกะ T22AB486-0001	
pH ^c	-	ELECTROMETRIC METHOD AT SITE (SM:4500-H ⁺ B)	7.3 (31°C)	-
BIOCHEMICAL OXYGEN DEMAND ^c	mg/L	AZIDE MODIFICATION METHOD (SM: 4500-O C AND 5210 B)	25.4	2.0
SUSPENDED SOLIDS ^a	mg/L	SUSPENDED SOLIDS DRIED AT 103-105 °C (SM: 2540 D)	15.6	5.0
TOTAL DISSOLVED SOLIDS ^b	mg/L	IN-HOUSE METHOD: UAE.TP.WAO.007 (TOTAL DISSOLVED SOLIDS DRIED AT 103-105 °C); SM 2540 C	338	25
SETTLEABLE SOLIDS ^c	mL/L	IMHOFF CONE (SM: 2540 F)	< 0.1	0.1
SULPHIDE ^c	mg/L	IODOMETRIC METHOD (SM: 4500-S ²⁻ F)	ND	0.50
TOTAL KJELDAHL NITROGEN ^b	mg/L	IN-HOUSE METHOD: UAE.TP.WAS.001 (KJELDAHL METHOD); SM: 4500-Norg C	35.7	1.5
FAT, OIL AND GREASE ^a	mg/L	LIQUID-LIQUID, PARTITION-GRAVIMETRIC METHOD (SM: 5520 B)	ND	3
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			YELLOW/TURBID YELLOW	

^a : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

^b : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

^c : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

IN-HOUSE : BASED ON STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.

ND : NON-DETECTABLE.

(MRS PIYAPAT SUTTAMANUTWONG)
LABORATORY SUPERVISOR

FEBRUARY 9, 2022



ANALYSIS REPORT

CUSTOMER NAME : SUPALAI LOFT TALAT PHLU STATION JURISTIC PERSON

ADDRESS : 599 RATCHADAPISEK ROAD (THAPRA-TAKSIN) BUKKHALO THON BURI BANGKOK 10600

CONTACT INFORMATION : TEL : 09 2594 4789 e-mail : adul.poongkong@th.knightfrank.com

SAMPLING SOURCE : SUPALAI LOFT TALAT PHLU STATION

SAMPLE TYPE : EFFLUENT

SAMPLING DATE : FEBRUARY 11, 2022

SAMPLING TIME : 13:30 HOUR

SAMPLING METHOD : GRAB

SAMPLING BY : MR MANIT PANCHOT

ANALYZED BY : MISS PORNPIMOL WAENTHONG

RECEIVED DATE : FEBRUARY 11, 2022

ANALYTICAL DATE : FEBRUARY 11-21, 2022

REPORT NO. : 2022-U013425

WORK NO. : 2021-007369

ANALYSIS NO. : T22AC537-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	DETECTION LIMIT
			ไม่พิกษาทั้งก่อนระบายสู่ท่อ ระบายน้ำสาธารณะ T22AC537-0001	
pH ^a	-	ELECTROMETRIC METHOD AT SITE (SM:4500-H ⁺ B)	7.4 (32°C)	-
BIOCHEMICAL OXYGEN DEMAND ^c	mg/L	AZIDE MODIFICATION METHOD (SM: 4500-O C AND 5210 B)	5.3	2.0
SUSPENDED SOLIDS ^a	mg/L	SUSPENDED SOLIDS DRIED AT 103-105 °C (SM: 2540 D)	10.8	5.0
TOTAL DISSOLVED SOLIDS ^b	mg/L	IN-HOUSE METHOD: UAE.TP.WAO.007 (TOTAL DISSOLVED SOLIDS DRIED AT 103-105 °C); SM 2540 C	380	25
SETTLABLE SOLIDS ^c	mL/L	IMHOFF CONE (SM: 2540 F)	< 0.1	0.1
SULPHIDE ^c	mg/L	IODOMETRIC METHOD (SM: 4500-S ²⁻ F)	ND	0.50
TOTAL KJELDAHL NITROGEN ^b	mg/L	IN-HOUSE METHOD: UAE.TP.WAS.001 (KJELDAHL METHOD); SM: 4500-Norg C	47.6	1.5
FAT, OIL AND GREASE ^a	mg/L	LIQUID-LIQUID, PARTITION-GRAVIMETRIC METHOD (SM: 5520 B)	ND	3
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			YELLOW/TURBID YELLOW	

^a : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

^b : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

^c : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

IN-HOUSE : BASED ON STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.

ND : NON-DETECTABLE.

(MRS PIYAPAT SUTTAMANUTWONG)
LABORATORY SUPERVISOR

FEBRUARY 25, 2022



ANALYSIS REPORT

CUSTOMER NAME : SUPALAI LOFT TALAT PHLU STATION JURISTIC PERSON
ADDRESS : 599 RATCHADAPISEK ROAD (THAPRA-TAKSIN) BUKKHALO THON BURI BANGKOK 10600
CONTACT INFORMATION : TEL : 09 2594 4789 e-mail : adul.poongkong@th.knightfrank.com
SAMPLING SOURCE : SUPALAI LOFT TALAT PHLU STATION
SAMPLE TYPE : EFFLUENT
SAMPLING DATE : MARCH 18, 2022
SAMPLING TIME : 13:55 HOUR
SAMPLING METHOD : GRAB
SAMPLING BY : MR PHATSAWUT THOSAKOON
ANALYZED BY : MISS PORNPIMOL WAENTHONG

RECEIVED DATE : MARCH 18, 2022
ANALYTICAL DATE : MARCH 18-25, 2022
REPORT NO. : 2022-U023844
WORK NO. : 2021-007369
ANALYSIS NO. : T22AF292-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	DETECTION LIMIT
			มอพักน้ำทั้งก่อนระบายสู่ท่อ ระบายน้ำสาธารณะ T22AF292-0001	
pH ^a	-	ELECTROMETRIC METHOD AT SITE (SM:4500-H ⁺ B)	7.1 (34°C)	-
BIOCHEMICAL OXYGEN DEMAND ^c	mg/L	AZIDE MODIFICATION METHOD (SM: 4500-O C AND 5210 B)	42.8	2.0
SUSPENDED SOLIDS ^a	mg/L	SUSPENDED SOLIDS DRIED AT 103-105 °C (SM: 2540 D)	16.5	5.0
TOTAL DISSOLVED SOLIDS ^b	mg/L	IN-HOUSE METHOD: UAE.TP.WAO.007 (TOTAL DISSOLVED SOLIDS DRIED AT 103-105 °C); SM 2540 C	374	25
SETTLABLE SOLIDS ^c	mL/L	IMHOFF CONE (SM: 2540 F)	< 0.1	0.1
SULPHIDE ^c	mg/L	IODOMETRIC METHOD (SM: 4500-S ²⁻ F)	ND	0.50
TOTAL KJELDAHL NITROGEN ^b	mg/L	IN-HOUSE METHOD: UAE.TP.WAS.001 (KJELDAHL METHOD); SM: 4500-Norg C	23.2	1.5
FAT, OIL AND GREASE ^a	mg/L	LIQUID-LIQUID, PARTITION-GRAVIMETRIC METHOD (SM: 5520 B)	ND	3
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			YELLOW/TURBID YELLOW	

^a : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

^b : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

^c : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

IN-HOUSE : BASED ON STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.

ND : NON-DETECTABLE.

(MRS PIYAPAT SUTTAMANUTWONG)
LABORATORY SUPERVISOR

APRIL 1, 2022



ANALYSIS REPORT

CUSTOMER NAME : SUPALAI LOFT TALAT PHLU STATION JURISTIC PERSON
ADDRESS : 599 RATCHADAPISEK ROAD (THAPRA-TAKSIN) BUKKHALO THON BURI BANGKOK 10600
CONTACT INFORMATION : TEL : 09 2594 4789 e-mail : adul.poongkong@th.knightfrank.com
SAMPLING SOURCE : SUPALAI LOFT TALAT PHLU STATION
SAMPLE TYPE : EFFLUENT
SAMPLING DATE : APRIL 21, 2022
SAMPLING TIME : 13:20 HOUR
SAMPLING METHOD : GRAB
SAMPLING BY : MR ACHITA SAENGJAN
ANALYZED BY : MISS PORNPIMOL WAENTHONG

RECEIVED DATE : APRIL 21, 2022
ANALYTICAL DATE : APRIL 21-28, 2022
REPORT NO. : 2022-U031821
WORK NO. : 2021-007369
ANALYSIS NO. : T22AH465-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	DETECTION LIMIT
			บ่อพักน้ำทิ้ง ก่อนระบายสู่ ท่อระบายน้ำสาธารณะ T22AH465-0001	
pH ^a	-	ELECTROMETRIC METHOD AT SITE (SM:4500-H ⁺ B)	6.7 (34°C)	-
BIOCHEMICAL OXYGEN DEMAND ^c	mg/L	AZIDE MODIFICATION METHOD (SM: 4500-O C AND 5210 B)	60.4	2.0
SUSPENDED SOLIDS ^a	mg/L	SUSPENDED SOLIDS DRIED AT 103-105 °C (SM: 2540 D)	16.6	5.0
TOTAL DISSOLVED SOLIDS ^b	mg/L	IN-HOUSE METHOD: UAE.TP.WAO.007 (TOTAL DISSOLVED SOLIDS DRIED AT 103-105 °C); SM 2540 C	362	25
SETTLABLE SOLIDS ^c	mL/L	IMHOFF CONE (SM: 2540 F)	0.2	0.1
SULPHIDE ^c	mg/L	IODOMETRIC METHOD (SM: 4500-S ²⁻ F)	ND	0.50
TOTAL KJELDAHL NITROGEN ^b	mg/L	IN-HOUSE METHOD: UAE.TP.WAS.001 (KJELDAHL METHOD); SM: 4500-Norg C	14.1	1.5
FAT, OIL AND GREASE ^a	mg/L	LIQUID-LIQUID, PARTITION-GRAVIMETRIC METHOD (SM: 5520 B)	ND	3
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			YELLOW/CLEAR BROWN	

^a : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

^b : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

^c : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

IN-HOUSE : BASED ON STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.

ND : NON-DETECTABLE.

(MRS PIYAPAT SUTTAMANUTWONG)
LABORATORY SUPERVISOR

MAY 6, 2022



ANALYSIS REPORT

CUSTOMER NAME : SUPALAI LOFT TALAT PHLU STATION JURISTIC PERSON
ADDRESS : 599 RATCHADAPISEK ROAD (THAPRA-TAKSIN) BUKKHALO THON BURI BANGKOK 10600
CONTACT INFORMATION : TEL : 09 2594 4789 e-mail : adul.poongkong@th.knightfrank.com
SAMPLING SOURCE : SUPALAI LOFT TALAT PHLU STATION
SAMPLE TYPE : EFFLUENT
SAMPLING DATE : MAY 10, 2022
SAMPLING TIME : 13:20 HOUR
SAMPLING METHOD : GRAB
SAMPLING BY : MR ACHITA SAENGJAN
ANALYZED BY : MISS KALLAYA SOMPHONG

RECEIVED DATE : MAY 10, 2022
ANALYTICAL DATE : MAY 10-19, 2022
REPORT NO. : 2022-U038379
WORK NO. : 2021-007369
ANALYSIS NO. : T22AI766-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	DETECTION LIMIT
			บ่อพักน้ำทิ้ง ก่อนระบายสู่ ท่อระบายน้ำสาธารณะ T22AI766-0001	
pH ^c	-	ELECTROMETRIC METHOD AT SITE (SM:4500-H ⁺ B)	7.0 (32°C)	-
BIOCHEMICAL OXYGEN DEMAND ^c	mg/L	AZIDE MODIFICATION METHOD (SM: 4500-O C AND 5210 B)	39.4	2.0
SUSPENDED SOLIDS ^a	mg/L	SUSPENDED SOLIDS DRIED AT 103-105 °C (SM: 2540 D)	21.9	5.0
TOTAL DISSOLVED SOLIDS ^b	mg/L	IN-HOUSE METHOD: UAE.TP.WAO.007 (TOTAL DISSOLVED SOLIDS DRIED AT 103-105 °C); SM 2540 C	356	25
SETTLEABLE SOLIDS ^c	mL/L	IMHOFF CONE (SM: 2540 F)	< 0.1	0.1
SULPHIDE ^c	mg/L	IODOMETRIC METHOD (SM: 4500-S ²⁻ F)	ND	0.50
TOTAL KJELDAHL NITROGEN ^b	mg/L	IN-HOUSE METHOD: UAE.TP.WAS.001 (KJELDAHL METHOD); SM: 4500-Norg C	10.6	1.5
FAT, OIL AND GREASE ^a	mg/L	LIQUID-LIQUID, PARTITION-GRAVIMETRIC METHOD (SM: 5520 B)	ND	3
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			YELLOW/TURBID BROWN	

^a : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

^b : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

^c : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

IN-HOUSE : BASED ON STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.

ND : NON-DETECTABLE.

(MRS PIYAPAT SUTTAMANUTWONG)
LABORATORY SUPERVISOR

MAY 25, 2022



ANALYSIS REPORT

CUSTOMER NAME : SUPALAI LOFT TALAT PHLU STATION JURISTIC PERSON
ADDRESS : 599 RATCHADAPISEK ROAD (THAPRA-TAKSIN) BUKKHALO THON BURI BANGKOK 10600
CONTACT INFORMATION : TEL : 09 2594 4789 e-mail : adul.poongkong@th.knightfrank.com
SAMPLING SOURCE : SUPALAI LOFT TALAT PHLU STATION
SAMPLE TYPE : EFFLUENT
SAMPLING DATE : JUNE 6, 2022
SAMPLING TIME : 13:45 HOUR
SAMPLING METHOD : GRAB
SAMPLING BY : MR PIPAT TUNTANAKUL
ANALYZED BY : MISS KALLAYA SOMPHONG

RECEIVED DATE : JUNE 6, 2022
ANALYTICAL DATE : JUNE 6-13, 2022
REPORT NO. : 2022-U046434
WORK NO. : 2021-007369
ANALYSIS NO. : T22AK756-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	DETECTION LIMIT
			บอพักน้ำทิ้ง ก่อนระบายสู่ ท่อระบายน้ำสาธารณะ T22AK756-0001	
pH ^c	-	ELECTROMETRIC METHOD AT SITE (SM:4500-H ⁺ B)	6.8 (34°C)	-
BIOCHEMICAL OXYGEN DEMAND ^c	mg/L	AZIDE MODIFICATION METHOD (SM: 4500-O C AND 5210 B)	77.8	2.0
SUSPENDED SOLIDS ^a	mg/L	SUSPENDED SOLIDS DRIED AT 103-105 °C (SM: 2540 D)	20.9	5.0
TOTAL DISSOLVED SOLIDS ^b	mg/L	IN-HOUSE METHOD: UAE.TP.WAO.007 (TOTAL DISSOLVED SOLIDS DRIED AT 103-105 °C); SM 2540 C	364	25
SETTLEABLE SOLIDS ^c	mL/L	IMHOFF CONE (SM: 2540 F)	< 0.1	0.1
SULPHIDE ^b	mg/L	IODOMETRIC METHOD (SM: 4500-S ²⁻ F)	< 0.50	0.50
TOTAL KJELDAHL NITROGEN ^b	mg/L	IN-HOUSE METHOD: UAE.TP.WAS.001 (KJELDAHL METHOD); SM: 4500-Norg C	13.3	1.5
FAT, OIL AND GREASE ^a	mg/L	LIQUID-LIQUID, PARTITION-GRAVIMETRIC METHOD (SM: 5520 B)	ND	3
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			YELLOW/TURBID BROWN	

^a : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

^b : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

^c : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

IN-HOUSE : BASED ON STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.

ND : NON-DETECTABLE.

(MRS PIYAPAT SUTTAMANUTWONG)
LABORATORY SUPERVISOR

JUNE 20, 2022

