

รายงานผลการตรวจวัดคุณภาพน้ำทิ้ง
เดือนกุมภาพันธ์ พ.ศ.2565

ANALYSIS REPORT

PROJECT NAME : การตรวจวัดคุณภาพสิ่งแวดล้อม และการตรวจสอบการปฏิบัติตามมาตรฐานการป้องกันและแก้ไขผลกระทบสิ่งแวดล้อม
โครงการ GRANDE CENTRE POINT HOTEL RATCHADAMRI ประจำปี 2565

CUSTOMER NAME : L&H HOTEL MANAGEMENT COMPANY LIMITED

ADDRESS : 153/2 SOI MAHATLEK LUANG 1 RATCHADAMRI ROAD LUMPHINI PATHUM WAN BANGKOK 10330

CONTACT INFORMATION : TEL : 08 1926 3779 e-mail : pornchai.k@gcphotels.com

SAMPLING SOURCE : GRANDE CENTRE POINT HOTEL RATCHADAMRI

SAMPLE TYPE : WASTEWATER

SAMPLING DATE : FEBRUARY 2, 2022

SAMPLING TIME : 14:40 HOUR

SAMPLING METHOD : GRAB, GRAB AND STERILE TECHNIQUE

SAMPLING BY : MR WEERAYUT MOKKAEW

ANALYZED BY : MISS AMONRAT PUTTALEE

RECEIVED DATE : FEBRUARY 2, 2022

ANALYTICAL DATE : FEBRUARY 2-9, 2022

REPORT NO. : 2022-U010307

WORK NO. : 2021-006040

ANALYSIS NO. : T22AB850-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	DETECTION LIMIT
			บอกรับสภาพน้ำ T22AB850-0001	
pH ^a	-	ELECTROMETRIC METHOD AT SITE (SM:4500-H ⁺ B)	7.2 (30°C)	-
BIOCHEMICAL OXYGEN DEMAND ^c	mg/L	AZIDE MODIFICATION METHOD (SM: 4500-O C AND 5210 B)	125	2.0
SUSPENDED SOLIDS ^a	mg/L	SUSPENDED SOLIDS DRIED AT 103-105 °C (SM: 2540 D)	907	5.0
TOTAL DISSOLVED SOLIDS ^b	mg/L	IN-HOUSE METHOD: UAE.TP.WAO.007 (TOTAL DISSOLVED SOLIDS DRIED AT 103-105 °C); SM 2540 C	341	25
TOTAL KJELDAHL NITROGEN ^b	mg/L	IN-HOUSE METHOD: UAE.TP.WAS.001 (KJELDAHL METHOD); SM: 4500-Norg C	87.8	1.5
SULPHIDE ^c	mg/L	IODOMETRIC METHOD (SM: 4500-S ²⁻ F)	1.53	0.50
FAT, OIL AND GREASE ^a	mg/L	LIQUID-LIQUID, PARTITION-GRAVIMETRIC METHOD (SM: 5520 B)	72	3
MICROBIOLOGY				
COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221 B)	>160,000	1.8
SAMPLE CONDITION				
WATER'S COLOUR/TURBID			YELLOW/TURBID	
SEDIMENT			BLACK	

^a : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

^b : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

^c : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

IN-HOUSE : BASED ON STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.

Piyapat S.

(MRS PIYAPAT SUTTAMANUTWONG)
LABORATORY SUPERVISOR

FEBRUARY 15, 2022



ANALYSIS REPORT

PROJECT NAME : การตรวจวัดคุณภาพสิ่งแวดล้อม และการตรวจสอบการปฏิบัติตามมาตรการป้องกันและแก้ไขผลกระทบสิ่งแวดล้อม
โครงการ GRANDE CENTRE POINT HOTEL RATCHADAMRI ประจำปี 2565

CUSTOMER NAME : L&H HOTEL MANAGEMENT COMPANY LIMITED

ADDRESS : 153/2 SOI MAHATLEK LUANG 1 RATCHADAMRI ROAD LUMPHINI PATHUM WAN BANGKOK 10330

CONTACT INFORMATION : TEL : 08 1926 3779 e-mail : pornchai.k@gcphotels.com

SAMPLING SOURCE : GRANDE CENTRE POINT HOTEL RATCHADAMRI

SAMPLE TYPE : EFFLUENT

SAMPLING DATE : FEBRUARY 2, 2022

SAMPLING TIME : 14:35 HOUR

SAMPLING METHOD : GRAB, GRAB AND STERILE TECHNIQUE

SAMPLING BY : MR WEERAYUT MOKKAEW

ANALYZED BY : MISS AMONRAT PUTTALEE

RECEIVED DATE : FEBRUARY 2, 2022

ANALYTICAL DATE : FEBRUARY 2-9, 2022

REPORT NO. : 2022-U010308

WORK NO. : 2021-006040

ANALYSIS NO. : T22AB850-0002

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			ข้อมูลน้ำทิ้ง T22AB850-0002		
pH ^a	-	ELECTROMETRIC METHOD AT SITE (SM:4500-H ⁺ B)	6.8 (29°C)	5-9	-
BIOCHEMICAL OXYGEN DEMAND ^c	mg/L	AZIDE MODIFICATION METHOD (SM: 4500-O C AND 5210 B)	22.9	≤ 20	2.0
SUSPENDED SOLIDS ^a	mg/L	SUSPENDED SOLIDS DRIED AT 103-105 °C (SM: 2540 D)	26.0	≤ 30	5.0
TOTAL DISSOLVED SOLIDS ^b	mg/L	IN-HOUSE METHOD: UAE.TP.WAO.007 (TOTAL DISSOLVED SOLIDS DRIED AT 103-105 °C); SM 2540 C	338	500*	25
SETTLEABLE SOLIDS ^c	mL/L	IMHOFF CONE (SM: 2540 F)	< 0.1	≤ 0.5	0.1
SULPHIDE ^c	mg/L	IODOMETRIC METHOD (SM: 4500-S ²⁻ F)	ND	≤ 1.0	0.50
TOTAL KJELDAHL NITROGEN ^b	mg/L	IN-HOUSE METHOD: UAE.TP.WAS.001 (KJELDAHL METHOD); SM: 4500-Norg C	9.6	≤ 35	1.5
FAT, OIL AND GREASE ^a	mg/L	LIQUID-LIQUID, PARTITION-GRAVIMETRIC METHOD (SM: 5520 B)	ND	≤ 20	3
RESIDUAL CHLORINE ^c	mg/L Cl ₂	MODIFIED DPD COLOURIMETRIC METHOD (AT SITE)	0.1	-	0.1



PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			บ่อสูบน้ำทิ้ง T22AB850-0002		
MICROBIOLOGY					
COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221 B)	>160,000	-	1.8
SAMPLE CONDITION					
WATER'S COLOUR/TURBID			YELLOW/CLEAR		
SEDIMENT			YELLOW		

^a : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

^b : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

^c : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

IN-HOUSE : BASED ON STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.

REGULATORY STANDARD : RANGE OR MAXIMUM PERMITTED VALUE FOR BUILDING EFFLUENT STANDARDS CLASS A, NOTIFICATION OF THE
MINISTRY OF RESOURCES AND ENVIRONMENT, PUBLISHED IN THE ROYAL GOVERNMENT GAZETTE, VOL 122,
PART 125 D, DATED DECEMBER 29, 2005.

500* : PERMITTED EXCESS VALUE TO TOTAL DISSOLVED SOLIDS OF ACTUAL TAP WATER USED
(TOTAL DISSOLVED SOLIDS STANDARD VALUE OF TAP WATER QUALITY IS 1,000 mg/L).

ND : NON-DETECTABLE.

Piyapat S.

(MRS PIYAPAT SUTTAMANUTWONG)
LABORATORY SUPERVISOR

FEBRUARY 15, 2022

ANALYSIS REPORT

PROJECT NAME : การตรวจวัดคุณภาพสิ่งแวดล้อม และการตรวจสอบการปฏิบัติตามมาตรฐานการป้องกันและแก้ไขผลกระทบสิ่งแวดล้อม
โครงการ GRANDE CENTRE POINT HOTEL RATCHADAMRI ประจำปี 2565

CUSTOMER NAME : L&H HOTEL MANAGEMENT COMPANY LIMITED

ADDRESS : 153/2 SOI MAHATLEK LUANG 1 RATCHADAMRI ROAD LUMPHINI PATHUM WAN BANGKOK 10330

CONTACT INFORMATION : TEL : 08 1926 3779 e-mail : pornchai.k@gcphotels.com

SAMPLING SOURCE : GRANDE CENTRE POINT HOTEL RATCHADAMRI

SAMPLE TYPE : WATER SAMPLE FROM SWIMMING POOL

SAMPLING DATE : FEBRUARY 2, 2022

SAMPLING TIME : 14:30 HOUR

SAMPLING METHOD ^c : GRAB AND STERILE TECHNIQUE

SAMPLING BY ^c : MR WEERAYUT MOKKAEW

ANALYZED BY : MISS ITSARIYAPORN BUATIB

RECEIVED DATE : FEBRUARY 2, 2022

ANALYTICAL DATE : FEBRUARY 2-8, 2022

REPORT NO. : 2022-U010309

WORK NO. : 2021-006040

ANALYSIS NO. : T22AB850-0003

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL T22AB850-0003		
MICROBIOLOGY					
COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221 B)	< 1.1	< 10	1.1
<i>E. coli</i> ^b	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: 9221 D AND F)	ABSENCE	ABSENCE	-
STANDARD PLATE COUNT ^b	CFU/mL	STANDARD PLATE COUNT (SM: 9215 B)	8	-	-
SAMPLE CONDITION					
WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR		

^a : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

^b : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

^c : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRIEMENTAL TO HEALTH, B.E. 2530 (1987).



(MISS CHAWEEVAN BOONLA)
LABORATORY SUPERVISOR

FEBRUARY 15, 2022

