

ภาคผนวก ซ

อัตราการผลิตและปริมาณการใช้ ClO_2

ใบบันทึก ClO ₂ Detector (ppm.) ประจำเดือนพฤษภาคม 2565				
วันเดือนปี	ชั้นที่1	ชั้นที่2	ชั้นที่3	ชั้นที่4
1/5/2565	Shutdown	Shutdown	Shutdown	Shutdown
2/5/2565	Shutdown	Shutdown	Shutdown	Shutdown
3/5/2565	Shutdown	Shutdown	Shutdown	Shutdown
4/5/2565	Shutdown	Shutdown	Shutdown	Shutdown
5/5/2565	Shutdown	Shutdown	Shutdown	Shutdown
6/5/2565	0.00	0.00	0.00	0.00
7/5/2565	0.01	0.00	0.00	0.00
8/5/2565	0.01	0.00	0.00	0.00
9/5/2565	0.01	0.00	0.00	0.00
10/5/2565	0.01	0.01	0.00	0.00
11/5/2565	0.01	0.00	0.00	0.00
12/5/2565	Shutdown	Shutdown	Shutdown	Shutdown
13/5/2565	Shutdown	Shutdown	Shutdown	Shutdown
14/5/2565	Shutdown	Shutdown	Shutdown	Shutdown
15/5/2565	Shutdown	Shutdown	Shutdown	Shutdown
16/5/2565	Shutdown	Shutdown	Shutdown	Shutdown
17/5/2565	Shutdown	Shutdown	Shutdown	Shutdown
18/5/2565	Shutdown	Shutdown	Shutdown	Shutdown
19/5/2565	Shutdown	Shutdown	Shutdown	Shutdown
20/5/2565	0.00	0.00	0.00	0.00
21/5/2565	0.00	0.00	0.00	0.00
22/5/2565	0.00	0.00	0.00	0.00
23/5/2565	0.01	0.00	0.00	0.00
24/5/2565	0.01	0.00	0.00	0.00
25/5/2565	0.00	0.00	0.00	0.00
26/5/2565	0.01	0.01	0.01	0.00
27/5/2565	0.01	0.06	0.00	0.00
28/5/2565	0.01	0.00	0.00	0.00
29/5/2565	0.01	0.00	0.00	0.00
30/5/2565	0.01	0.00	0.01	0.00
31/5/2565	0.01	0.00	0.00	0.00
รวม	0.13	0.08	0.02	0.00
เฉลี่ย	0.01	0.00	0.00	0.00

ใบบันทึก ClO ₂ Detector (ppm.) ประจำเดือนมิถุนายน 2565				
วันเดือนปี	ชั้นที่1	ชั้นที่2	ชั้นที่3	ชั้นที่4
1/6/2565	0.00	0.00	0.00	0.00
2/6/2565	0.01	0.00	0.00	0.00
3/6/2565	0.00	0.00	0.00	0.00
4/6/2565	0.01	0.01	0.00	0.00
5/6/2565	0.01	0.01	0.01	0.00
6/6/2565	0.01	0.06	0.01	0.00
7/6/2565	0.01	0.01	0.01	0.00
8/6/2565	0.00	0.00	0.00	0.00
9/6/2565	0.00	0.00	0.00	0.00
10/6/2565	0.00	0.00	0.00	0.00
11/6/2565	0.00	0.00	0.00	0.00
12/6/2565	0.00	0.00	0.00	0.00
13/6/2565	0.00	0.00	0.00	0.00
14/6/2565	0.01	0.00	0.00	0.00
15/6/2565	0.00	0.00	0.00	0.00
16/6/2565	0.01	0.00	0.00	0.00
17/6/2565	0.01	0.01	0.00	0.00
18/6/2565	0.01	0.00	0.00	0.00
19/6/2565	0.01	0.01	0.00	0.00
20/6/2565	0.02	0.03	0.00	0.00
21/6/2565	0.01	0.01	0.00	0.00
22/6/2565	0.01	0.01	0.00	0.00
23/6/2565	0.01	0.01	0.00	0.00
24/6/2565	Shutdown	Shutdown	Shutdown	Shutdown
25/6/2565	Shutdown	Shutdown	Shutdown	Shutdown
26/6/2565	Shutdown	Shutdown	Shutdown	Shutdown
27/6/2565	Shutdown	Shutdown	Shutdown	Shutdown
28/6/2565	0.01	0.00	0.00	0.00
29/6/2565	0.00	0.00	0.00	0.00
30/6/2565	0.00	0.00	0.00	0.00
รวม	0.16	0.17	0.03	0.00
เฉลี่ย	0.01	0.01	0.00	0.00

อัตราการผลิตและปริมาณการใช้คลอรีนไดออกไซด์ (ClO₂) เดือนพฤษภาคม พ.ศ. 2565

วัน/เดือน/ปี	ClO ₂ (Ton/Days)	ปริมาณการใช้ ClO ₂ ที่ฟอกเยื่อ (TON)
1/5/2565	Major Shutdown	Major Shutdown
2/5/2565	Major Shutdown	Major Shutdown
3/5/2565	Major Shutdown	Major Shutdown
4/5/2565	Major Shutdown	Major Shutdown
5/5/2565	Major Shutdown	Major Shutdown
6/5/2565	Major Shutdown	Major Shutdown
7/5/2565	0.3	0.38
8/5/2565	6.2	0.98
9/5/2565	0.78	2.55
10/5/2565	0.66	1.32
11/5/2565	0.43	1.46
12/5/2565	Major Shutdown	Major Shutdown
13/5/2565	Major Shutdown	Major Shutdown
14/5/2565	Major Shutdown	Major Shutdown
15/5/2565	Major Shutdown	Major Shutdown
16/5/2565	Major Shutdown	Major Shutdown
17/5/2565	Major Shutdown	Major Shutdown
18/5/2565	Major Shutdown	Major Shutdown
19/5/2565	Major Shutdown	Major Shutdown
20/5/2565	0.81	1.14
21/5/2565	1.17	2.62
22/5/2565	0.59	1.64
23/5/2565	0.54	3.12
24/5/2565	0.87	2.77
25/5/2565	0.56	3.66
26/5/2565	0.63	3.94
27/5/2565	0.67	4.41
28/5/2565	0.53	3.22
29/5/2565	0.7	3.78
30/5/2565	0.74	2.7
31/5/2565	0.89	3.92
รวม	17.07	43.61

อัตราการผลิตและปริมาณการใช้คลอรีนไดออกไซด์ (ClO₂) เดือนมิถุนายน พ.ศ. 2565

วัน/เดือน/ปี	ClO ₂ (Ton/Days)	ปริมาณการใช้ ClO ₂ ที่ฟอกเยื่อ (TON)
1/4/2565	Major Shutdown	Major Shutdown
2/4/2565	Major Shutdown	Major Shutdown
3/4/2565	Major Shutdown	Major Shutdown
4/4/2565	Major Shutdown	Major Shutdown
5/4/2565	Major Shutdown	Major Shutdown
6/4/2565	Major Shutdown	Major Shutdown
7/4/2565	Major Shutdown	Major Shutdown
8/4/2565	Major Shutdown	Major Shutdown
9/4/2565	Major Shutdown	Major Shutdown
10/4/2565	Major Shutdown	Major Shutdown
11/4/2565	Major Shutdown	Major Shutdown
12/4/2565	Major Shutdown	Major Shutdown
13/4/2565	Major Shutdown	Major Shutdown
14/4/2565	Major Shutdown	Major Shutdown
15/4/2565	Major Shutdown	Major Shutdown
16/4/2565	Major Shutdown	Major Shutdown
17/4/2565	Major Shutdown	Major Shutdown
18/4/2565	Major Shutdown	Major Shutdown
19/4/2565	Major Shutdown	Major Shutdown
20/4/2565	Major Shutdown	Major Shutdown
21/4/2565	Major Shutdown	Major Shutdown
22/4/2565	Major Shutdown	Major Shutdown
23/4/2565	Major Shutdown	Major Shutdown
24/4/2565	Major Shutdown	Major Shutdown
25/4/2565	Major Shutdown	Major Shutdown
26/4/2565	Major Shutdown	Major Shutdown
27/4/2565	Major Shutdown	Major Shutdown
28/4/2565	Major Shutdown	Major Shutdown
29/4/2565	Major Shutdown	Major Shutdown
30/4/2565	Major Shutdown	Major Shutdown
รวม	-	-

อัตราการผลิตและปริมาณการใช้คลอรีนไดออกไซด์ (ClO₂) เดือนมีนาคม พ.ศ. 2565

วัน/เดือน/ปี	ClO ₂ (Ton/Days)	ปริมาณการใช้ ClO ₂ ที่ฟอกเชื้อ (TON)
1/3/2565	Major Shutdown	Major Shutdown
2/3/2565	Major Shutdown	Major Shutdown
3/3/2565	Major Shutdown	Major Shutdown
4/3/2565	Major Shutdown	Major Shutdown
5/3/2565	Major Shutdown	Major Shutdown
6/3/2565	Major Shutdown	Major Shutdown
7/3/2565	Major Shutdown	Major Shutdown
8/3/2565	Major Shutdown	Major Shutdown
9/3/2565	Major Shutdown	Major Shutdown
10/3/2565	Major Shutdown	Major Shutdown
11/3/2565	Major Shutdown	Major Shutdown
12/3/2565	Major Shutdown	Major Shutdown
13/3/2565	Major Shutdown	Major Shutdown
14/3/2565	Major Shutdown	Major Shutdown
15/3/2565	Major Shutdown	Major Shutdown
16/3/2565	Major Shutdown	Major Shutdown
17/3/2565	Major Shutdown	Major Shutdown
18/3/2565	Major Shutdown	Major Shutdown
19/3/2565	Major Shutdown	Major Shutdown
20/3/2565	Major Shutdown	Major Shutdown
21/3/2565	Major Shutdown	Major Shutdown
22/3/2565	Major Shutdown	Major Shutdown
23/3/2565	Major Shutdown	Major Shutdown
24/3/2565	Major Shutdown	Major Shutdown
25/3/2565	Major Shutdown	Major Shutdown
26/3/2565	Major Shutdown	Major Shutdown
27/3/2565	Major Shutdown	Major Shutdown
28/3/2565	Major Shutdown	Major Shutdown
29/3/2565	Major Shutdown	Major Shutdown
30/3/2565	Major Shutdown	Major Shutdown
31/3/2565	Major Shutdown	Major Shutdown
รวม	-	-

อัตราการผลิตและปริมาณการใช้คลอรีนไดออกไซด์ (ClO₂) เดือนกุมภาพันธ์ พ.ศ. 2565

วัน/เดือน/ปี	ClO ₂ (Ton/Days)	ปริมาณการใช้ ClO ₂ ที่ฟอกเชื้อ (TON)
1/2/2565	Major Shutdown	Major Shutdown
2/2/2565	Major Shutdown	Major Shutdown
3/2/2565	Major Shutdown	Major Shutdown
4/2/2565	Major Shutdown	Major Shutdown
5/2/2565	Major Shutdown	Major Shutdown
6/2/2565	Major Shutdown	Major Shutdown
7/2/2565	Major Shutdown	Major Shutdown
8/2/2565	Major Shutdown	Major Shutdown
9/2/2565	Major Shutdown	Major Shutdown
10/2/2565	Major Shutdown	Major Shutdown
11/2/2565	Major Shutdown	Major Shutdown
12/2/2565	Major Shutdown	Major Shutdown
13/2/2565	Major Shutdown	Major Shutdown
14/2/2565	Major Shutdown	Major Shutdown
15/2/2565	Major Shutdown	Major Shutdown
16/2/2565	Major Shutdown	Major Shutdown
17/2/2565	Major Shutdown	Major Shutdown
18/2/2565	Major Shutdown	Major Shutdown
19/2/2565	Major Shutdown	Major Shutdown
20/2/2565	Major Shutdown	Major Shutdown
21/2/2565	Major Shutdown	Major Shutdown
22/2/2565	Major Shutdown	Major Shutdown
23/2/2565	Major Shutdown	Major Shutdown
24/2/2565	Major Shutdown	Major Shutdown
25/2/2565	Major Shutdown	Major Shutdown
26/2/2565	Major Shutdown	Major Shutdown
27/2/2565	Major Shutdown	Major Shutdown
28/2/2565	Major Shutdown	Major Shutdown
รวม	-	-

อัตราการเกิดและปริมาณการใช้คลอรีนไดออกไซด์ (ClO₂) เดือนกรกฎาคม พ.ศ. 2565

วัน/เดือน/ปี	ClO ₂ (Ton/Days)	ปริมาณการใช้ ClO ₂ ที่ฟอกเยื่อ (TON)
1/1/2565	Major Shutdown	Major Shutdown
2/1/2565	Major Shutdown	Major Shutdown
3/1/2565	Major Shutdown	Major Shutdown
4/1/2565	Major Shutdown	Major Shutdown
5/1/2565	Major Shutdown	Major Shutdown
6/1/2565	Major Shutdown	Major Shutdown
7/1/2565	Major Shutdown	Major Shutdown
8/1/2565	Major Shutdown	Major Shutdown
9/1/2565	Major Shutdown	Major Shutdown
10/1/2565	Major Shutdown	Major Shutdown
11/1/2565	Major Shutdown	Major Shutdown
12/1/2565	Major Shutdown	Major Shutdown
13/1/2565	Major Shutdown	Major Shutdown
14/1/2565	Major Shutdown	Major Shutdown
15/1/2565	Major Shutdown	Major Shutdown
16/1/2565	Major Shutdown	Major Shutdown
17/1/2565	Major Shutdown	Major Shutdown
18/1/2565	Major Shutdown	Major Shutdown
19/1/2565	Major Shutdown	Major Shutdown
20/1/2565	Major Shutdown	Major Shutdown
21/1/2565	Major Shutdown	Major Shutdown
22/1/2565	Major Shutdown	Major Shutdown
23/1/2565	Major Shutdown	Major Shutdown
24/1/2565	Major Shutdown	Major Shutdown
25/1/2565	Major Shutdown	Major Shutdown
26/1/2565	Major Shutdown	Major Shutdown
27/1/2565	Major Shutdown	Major Shutdown
28/1/2565	Major Shutdown	Major Shutdown
29/1/2565	Major Shutdown	Major Shutdown
30/1/2565	Major Shutdown	Major Shutdown
31/1/2565	Major Shutdown	Major Shutdown
รวม	-	-

อัตราการเกิดและปริมาณการใช้คลอรีนไดออกไซด์ (ClO₂) เดือนมิถุนายน พ.ศ. 2565

วัน/เดือน/ปี	ClO ₂ (Ton/Days)	ปริมาณการใช้ ClO ₂ ที่ฟอกเยื่อ (TON)
1/6/2565	0.73	3.81
2/6/2565	0.61	4.16
3/6/2565	0.55	3.61
4/6/2565	0.66	3.88
5/6/2565	0.57	3.71
6/6/2565	0.61	3.32
7/6/2565	0.54	3.6
8/6/2565	0.7	3.9
9/6/2565	0.59	3.81
10/6/2565	0.66	3.7
11/6/2565	0.57	3.76
12/6/2565	0.71	3.63
13/6/2565	0.69	3.64
14/6/2565	0.64	3.69
15/6/2565	0.41	3.61
16/6/2565	0.65	3.98
17/6/2565	0.67	4.09
18/6/2565	0.56	3.76
19/6/2565	0.68	3.73
20/6/2565	0.61	3.3
21/6/2565	0.6	3.8
22/6/2565	0.59	3.5
23/6/2565	0.48	3.62
24/6/2565	Shutdown	Shutdown
25/6/2565	Shutdown	Shutdown
26/6/2565	Shutdown	Shutdown
27/6/2565	Shutdown	Shutdown
28/6/2565	0.48	11.25
29/6/2565	1.18	2.56
30/6/2565	0.79	3.45
รวม	16.53	102.87