

เอกสารแนบ ข

เอกสารประกอบการปฏิบัติตามมาตรการฯ



- เอกสารแนบ ข1 สำเนาการจัดส่งรายงานฯ ต่อหน่วยงานที่เกี่ยวข้อง
- เอกสารแนบ ข2 เอกสารบำรุงรักษาระบบหล่อเย็น
- เอกสารแนบ ข3 เอกสารแสดงบุคคลากรสิ่งแวดล้อมประจำโรงงาน
- เอกสารแนบ ข4 เอกสารอนุญาตก่อสร้างสถานีสูบน้ำจากแม่น้ำเจ้าพระยา
- เอกสารแนบ ข5 ผลการตรวจวัดคุณภาพอากาศที่ระบายออกจากปล่องระบายด้วยระบบติดตามตรวจวัดมลพิษทางอากาศจากอุตสาหกรรมอย่างต่อเนื่อง (CEMs)
- เอกสารแนบ ข6 ผลการตรวจสอบสภาพพนักงาน ประจำปี 2564
- เอกสารแนบ ข7 แผนผังแสดงเส้นระดับเสียง (Noise Contour)
- เอกสารแนบ ข8 แผนการขุดลอกตะกอนของโครงการ
- เอกสารแนบ ข9 เอกสารการจัดการของเสีย
- เอกสารแนบ ข10 เอกสารแสดงพนักงานในพื้นที่จังหวัดอ่างทอง
- เอกสารแนบ ข11 เอกสารแสดงรายละเอียดกิจกรรมมวลชนสัมพันธ์
- เอกสารแนบ ข12 ขั้นตอนรับเรื่องร้องเรียน
- เอกสารแนบ ข13 ผลการสำรวจสภาพเศรษฐกิจ สังคม ประจำปี 2564
- เอกสารแนบ ข14 เอกสารแต่งตั้งคณะกรรมการติดตามตรวจสอบผลกระทบสิ่งแวดล้อม (EIA Monitoring Committee)
- เอกสารแนบ ข15 รายงานการประชุมคณะกรรมการฯ ครั้งที่ 1/2565
- เอกสารแนบ ข16 นโยบายด้านความปลอดภัยประจำบริษัท
- เอกสารแนบ ข17 เอกสารแต่งตั้งคณะกรรมการด้านอาชีวอนามัยและความปลอดภัย

เอกสารแนบ ข

เอกสารประกอบการปฏิบัติตามมาตรการฯ



- เอกสารแนบ ข18 เอกสารแสดงการอบรมพนักงานและกิจกรรมความปลอดภัย
- เอกสารแนบ ข19 แผนการดำเนินงานด้านความปลอดภัย
- เอกสารแนบ ข20 คู่มือความปลอดภัยสำหรับพนักงาน
- เอกสารแนบ ข21 ทะเบียนความเสี่ยง
- เอกสารแนบ ข22 แผนปฏิบัติการฉุกเฉิน
- เอกสารแนบ ข23 เอกสารแสดงการฝึกซ้อมแผนปฏิบัติการฉุกเฉิน
- เอกสารแนบ ข24 เอกสารแสดงการบำรุงรักษา Gas Detector
- เอกสารแนบ ข25 เอกสารแสดงการตรวจสอบอุปกรณ์ป้องกันอัคคีภัยต่าง ๆ
- เอกสารแนบ ข26 เอกสารแสดงการตรวจสอบซ่อมบำรุงหม้อไอน้ำ
- เอกสารแนบ ข27 เอกสารการตรวจสอบระบบไฟฟ้า และตรวจสอบสถานที่ใช้ก๊าซธรรมชาติ

เอกสารแนบ ข1

สำเนาการจัดส่งรายงานฯ ต่อหน่วยงานที่เกี่ยวข้อง

๕ ๒๒ ๐๐๘/๒๕

วันที่ ๒๕ เดือน มิถุนายน พ.ศ. ๒๕๖๕

เรื่อง นำส่งรายงานผลการปฏิบัติงานและการป้องกันและลดผลกระทบสิ่งแวดล้อมและมาตรการจัดการสิ่งแวดล้อม
สิ่งแวดล้อม โดยทางอีเมลไปรษณีย์ไปรษณีย์ และดำเนินการจัดทำเอกสารตามสัญญาจ้างจ้าง ๒๕๖๔

เรียน ผู้จัดการสำนักงานคณะกรรมการกำกับและส่งเสริมการประกอบธุรกิจ

- สิ่งที่ส่งมาด้วย 1. รายงานผลการปฏิบัติงานและการป้องกันและลดผลกระทบสิ่งแวดล้อม และมาตรการจัดการ
สิ่งแวดล้อม โดยทางอีเมลไปรษณีย์ไปรษณีย์ และดำเนินการจัดทำเอกสารตามสัญญาจ้างจ้าง ๒๕๖๔ จำนวน ๑ ฉบับ
2. CD - ROM จำนวน ๑ ฉบับ

เนื่องด้วยบริษัท บีกริม เพาเวอร์ จำกัด (มหาชน) ๑ จำกัด มีผู้ถือหุ้น [REDACTED] ได้
ดำเนินการตามสัญญาจ้างกำกับและลดผลกระทบสิ่งแวดล้อม และมาตรการจัดการสิ่งแวดล้อมและมาตรการจัดการ
สิ่งแวดล้อม โดยทางอีเมลไปรษณีย์ไปรษณีย์ และดำเนินการจัดทำเอกสารตามสัญญาจ้างจ้าง ๒๕๖๔
ฉบับที่ [REDACTED] โดยนำส่งผลการปฏิบัติงานและการป้องกันและลดผลกระทบสิ่งแวดล้อมและมาตรการจัดการ
สิ่งแวดล้อม โดยทางอีเมลไปรษณีย์ไปรษณีย์ และดำเนินการจัดทำเอกสารตามสัญญาจ้างจ้าง ๒๕๖๔

จึงเรียนมาเพื่อโปรดทราบและพิจารณา

ขอแสดงความนับถือ


ได้รับเอกสารเรียบร้อยแล้ว

วันที่ 25/6/2565

เจ้าหน้าที่ควบคุมและติดตามสิ่งแวดล้อม

สำเนา

๕ ๒๒ ๐๐๘/๒๕



วันที่ 31 เดือน มิถุนายน พ.ศ. ๒๕๖๕

เรื่อง นำส่งรายงานผลการปฏิบัติงานและการป้องกันและลดผลกระทบสิ่งแวดล้อมและมาตรการจัดการ
สิ่งแวดล้อม โดยทางอีเมลไปรษณีย์ไปรษณีย์ และดำเนินการจัดทำเอกสารตามสัญญาจ้างจ้าง ๒๕๖๔

เรียน ผู้จัดการสำนักงานคณะกรรมการกำกับและส่งเสริมการประกอบธุรกิจ

- สิ่งที่ส่งมาด้วย 1. รายงานผลการปฏิบัติงานและการป้องกันและลดผลกระทบสิ่งแวดล้อม และมาตรการจัดการ
สิ่งแวดล้อม โดยทางอีเมลไปรษณีย์ไปรษณีย์ และดำเนินการจัดทำเอกสารตามสัญญาจ้างจ้าง ๒๕๖๔ จำนวน ๑ ฉบับ

เนื่องด้วยบริษัท บีกริม เพาเวอร์ จำกัด (มหาชน) ๑ จำกัด มีผู้ถือหุ้น [REDACTED] ได้
ดำเนินการตามสัญญาจ้างกำกับและลดผลกระทบสิ่งแวดล้อม และมาตรการจัดการสิ่งแวดล้อมและมาตรการจัดการ
สิ่งแวดล้อม โดยทางอีเมลไปรษณีย์ไปรษณีย์ และดำเนินการจัดทำเอกสารตามสัญญาจ้างจ้าง ๒๕๖๔
ฉบับที่ [REDACTED] โดยนำส่งผลการปฏิบัติงานและการป้องกันและลดผลกระทบสิ่งแวดล้อมและมาตรการจัดการ
สิ่งแวดล้อม โดยทางอีเมลไปรษณีย์ไปรษณีย์ และดำเนินการจัดทำเอกสารตามสัญญาจ้างจ้าง ๒๕๖๔

จึงเรียนมาเพื่อโปรดทราบและพิจารณา

ขอแสดงความนับถือ



เจ้าหน้าที่ควบคุมและติดตามสิ่งแวดล้อม

ที่ ๐๙๐๖๖๖๖

วันที่ ๑๑ กุมภาพันธ์ ๒๕๖๔

เรื่อง นำส่งรายงานผลการปฏิบัติงานและผลการดำเนินงานและผลประกอบการไตรมาสที่ ๑ ประจำปี ๒๕๖๔ ของ บริษัท บี.กริม เพาเวอร์ (ประเทศไทย) จำกัด

เรียน คุณสุภาวดี นิลรัตน์ ผู้จัดการ

สิ่งที่ส่งมาด้วย 1. รายงานผลการปฏิบัติงานและผลการดำเนินงานและผลประกอบการไตรมาสที่ ๑ ประจำปี ๒๕๖๔ ของ บริษัท บี.กริม เพาเวอร์ (ประเทศไทย) จำกัด

เนื่องด้วยวันที่ ๑๑ กุมภาพันธ์ ๒๕๖๔ (ภาคหน้า) ๑. บริษัท บี.กริม เพาเวอร์ (ประเทศไทย) จำกัด นำส่งรายงานผลการปฏิบัติงานและผลการดำเนินงานและผลประกอบการไตรมาสที่ ๑ ประจำปี ๒๕๖๔ ของ บริษัท บี.กริม เพาเวอร์ (ประเทศไทย) จำกัด

ในนามของ บริษัท บี.กริม เพาเวอร์ (ประเทศไทย)

คุณสุภาวดี นิลรัตน์

ได้รับเอกสารโดยผู้รับ
ชื่อ...
วันที่...

เจ้าพนักงานควบคุมและป้องกันโรค

ที่ ๐๙๐๖๖๖๖

วันที่ ๑๑ กุมภาพันธ์ ๒๕๖๔

เรื่อง นำส่งรายงานผลการปฏิบัติงานและผลการดำเนินงานและผลประกอบการไตรมาสที่ ๑ ประจำปี ๒๕๖๔ ของ บริษัท บี.กริม เพาเวอร์ (ประเทศไทย) จำกัด

เรียน คุณสุภาวดี นิลรัตน์ ผู้จัดการ

สิ่งที่ส่งมาด้วย 1. รายงานผลการปฏิบัติงานและผลการดำเนินงานและผลประกอบการไตรมาสที่ ๑ ประจำปี ๒๕๖๔ ของ บริษัท บี.กริม เพาเวอร์ (ประเทศไทย) จำกัด

เนื่องด้วยวันที่ ๑๑ กุมภาพันธ์ ๒๕๖๔ (ภาคหน้า) ๑. บริษัท บี.กริม เพาเวอร์ (ประเทศไทย) จำกัด นำส่งรายงานผลการปฏิบัติงานและผลการดำเนินงานและผลประกอบการไตรมาสที่ ๑ ประจำปี ๒๕๖๔ ของ บริษัท บี.กริม เพาเวอร์ (ประเทศไทย) จำกัด

ในนามของ บริษัท บี.กริม เพาเวอร์ (ประเทศไทย)

คุณสุภาวดี นิลรัตน์

ได้รับเอกสารโดยผู้รับ
ชื่อ...
วันที่...

เจ้าพนักงานควบคุมและป้องกันโรค

เอกสารแนบ ข2

เอกสารบำรุงรักษาระบบหล่อเย็น

WU JIANG
SINCE 1978

B. Green power (Angthong) T.Ltd.

PM-ME-001 Rev. 01
Page: 1 Out: 1

Maintenance Inspection Form

Apply to: Chiller compressor 2 monthly inspection

Maintenance Type: Preventive Maintenance

Site: B. Green power (Angthong) T.Ltd. Location: Chiller building
System: Chiller Sub-System: Chiller

Equipment Code:
☒ 0004011 Chiller (200 kW) (Preventive)
☐ 0004000 Chiller (200 kW) (Preventive)

Inspection Plan:
 1. System Status Required:
☐ Required shutdown ☐ During
 2. Equipment Status Required:
☐ Required shutdown ☐ During

CTA Number: 11/1/2017
 WIS Number: 0001010001
 Date: 18/1/2017

Item	Description	Criteria	Date record	Remark
1	Record oil supply temperature		55.5	
2	Record evaporator pressure		55.5 kg/cm ²	
3	Record condenser pressure		61.5 kg/cm ²	
4	Record differential oil pressure		0	
5	Record oil level pressure		0	
6	Record oil level in chiller oil pump		1/2 full	
7	Record refrigerant level		1/2 full	
8	Check operation of safety valve		-	
9	Check oil return operation		-	
10	Check auto heater and thermostat operation		-	
11	Verify compressor and evaporator water flow		-	
12	Look at leak and repair leak as needed		1/2 full	
13	Check valve working		1/2 full	

Notes: Stand by run 2757 hr
oil leak sight glass

Checked By: [Signature] Approved By: [Signature]
 Date: 18/1/2017 Date: [Signature]

WU JIANG
SINCE 1978

B. Green power (Angthong) T.Ltd.

PM-ME-001 Rev. 01
Page: 1 Out: 1

Maintenance Inspection Form

Apply to: Chiller compressor 2 monthly inspection

Maintenance Type: Preventive Maintenance

Site: B. Green power (Angthong) T.Ltd. Location: Chiller building
System: Chiller Sub-System: Chiller

Equipment Code:
☒ 0004011 Chiller (200 kW) (Preventive)
☒ 0004000 Chiller (200 kW) (Preventive)

Inspection Plan:
 1. System Status Required:
☐ Required shutdown ☐ During
 2. Equipment Status Required:
☐ Required shutdown ☐ During

CTA Number: 11/1/2017
 WIS Number: 0001010001
 Date: 18/1/2017

Item	Description	Criteria	Date record	Remark
1	Record oil supply temperature		55.5	
2	Record evaporator pressure		55.5 kg/cm ²	
3	Record condenser pressure		61.5 kg/cm ²	
4	Record differential oil pressure		0	
5	Record oil level pressure		0	
6	Record oil level in chiller oil pump		1/2 full	
7	Record refrigerant level		1/2 full	
8	Check operation of safety valve		-	
9	Check oil return operation		-	
10	Check auto heater and thermostat operation		-	
11	Verify compressor and evaporator water flow		-	
12	Look at leak and repair leak as needed		1/2 full	
13	Check valve working		1/2 full	

Notes: run 1307 hr

Checked By: [Signature] Approved By: [Signature]
 Date: 18/1/2017 Date: [Signature]

Job Order No: 199

ANGTHONG POWER CO., LTD.

Job Order No: 09901

Permit to Work (GENERAL PERMIT TO WORK)

Location: Chiller building (200 kW) (Preventive)

Equipment Code: 0004011 Chiller (200 kW) (Preventive)
 0004000 Chiller (200 kW) (Preventive)

Inspection Plan:
☐ Required shutdown ☐ During
☐ Required shutdown ☐ During

CTA Number: 11/1/2017
 WIS Number: 0001010001
 Date: 18/1/2017

Item	Description	Criteria	Date record	Remark
1	Record oil supply temperature		55.5	
2	Record evaporator pressure		55.5 kg/cm ²	
3	Record condenser pressure		61.5 kg/cm ²	
4	Record differential oil pressure		0	
5	Record oil level pressure		0	
6	Record oil level in chiller oil pump		1/2 full	
7	Record refrigerant level		1/2 full	
8	Check operation of safety valve		-	
9	Check oil return operation		-	
10	Check auto heater and thermostat operation		-	
11	Verify compressor and evaporator water flow		-	
12	Look at leak and repair leak as needed		1/2 full	
13	Check valve working		1/2 full	

Notes: Stand by run 2757 hr
oil leak sight glass

Checked By: [Signature] Approved By: [Signature]
 Date: 18/1/2017 Date: [Signature]

Job Order No: 199

ANGTHONG POWER CO., LTD.

Job Order No: 09902

Permit to Work (GENERAL PERMIT TO WORK)

Location: Chiller building (200 kW) (Preventive)

Equipment Code: 0004011 Chiller (200 kW) (Preventive)
 0004000 Chiller (200 kW) (Preventive)

Inspection Plan:
☐ Required shutdown ☐ During
☐ Required shutdown ☐ During

CTA Number: 11/1/2017
 WIS Number: 0001010001
 Date: 18/1/2017

Item	Description	Criteria	Date record	Remark
1	Record oil supply temperature		55.5	
2	Record evaporator pressure		55.5 kg/cm ²	
3	Record condenser pressure		61.5 kg/cm ²	
4	Record differential oil pressure		0	
5	Record oil level pressure		0	
6	Record oil level in chiller oil pump		1/2 full	
7	Record refrigerant level		1/2 full	
8	Check operation of safety valve		-	
9	Check oil return operation		-	
10	Check auto heater and thermostat operation		-	
11	Verify compressor and evaporator water flow		-	
12	Look at leak and repair leak as needed		1/2 full	
13	Check valve working		1/2 full	

Notes: run 1307 hr

Checked By: [Signature] Approved By: [Signature]
 Date: 18/1/2017 Date: [Signature]

		B Green power (Anghong) S.Ltd.		04-05-2017 Rev. 01 Page 1 of 1																																																																						
Maintenance Inspection Form																																																																										
Apply to: Chiller compressor 3 monthly inspection																																																																										
Maintenance Type: Preventive Maintenance																																																																										
Site: B Green power (Anghong) S.Ltd.		Location: Chiller building																																																																								
System: Chiller		Sub-system: Chiller																																																																								
Inspected By:																																																																										
<input checked="" type="checkbox"/> Inspected system, including oil level monitoring <input type="checkbox"/> Inspected system, including oil level monitoring																																																																										
Inspection Date:		Date: 25/04/2017																																																																								
1. System Status Required:		2. Equipment Status Required:																																																																								
<input type="checkbox"/> Required status: <input type="checkbox"/> Warning		<input type="checkbox"/> Required status: <input type="checkbox"/> Warning																																																																								
<table border="1"> <thead> <tr> <th>No.</th> <th>Description</th> <th>Criteria</th> <th>Observed</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Inspect oil level (compressor)</td> <td></td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>Inspect compressor pressure</td> <td></td> <td></td> <td></td> </tr> <tr> <td>3</td> <td>Inspect condenser coil (pressure)</td> <td></td> <td></td> <td></td> </tr> <tr> <td>4</td> <td>Inspect evaporator coil (pressure)</td> <td></td> <td></td> <td></td> </tr> <tr> <td>5</td> <td>Inspect oil level (compressor)</td> <td></td> <td></td> <td></td> </tr> <tr> <td>6</td> <td>Inspect oil level in chiller oil tank</td> <td></td> <td></td> <td></td> </tr> <tr> <td>7</td> <td>Inspect refrigerant level</td> <td></td> <td></td> <td></td> </tr> <tr> <td>8</td> <td>Check condenser coil water flow</td> <td></td> <td></td> <td></td> </tr> <tr> <td>9</td> <td>Check oil level (compressor)</td> <td></td> <td></td> <td></td> </tr> <tr> <td>10</td> <td>Check water level and the float switch</td> <td></td> <td></td> <td></td> </tr> <tr> <td>11</td> <td>Check condenser and evaporator water flow</td> <td></td> <td></td> <td></td> </tr> <tr> <td>12</td> <td>Check oil level (compressor)</td> <td></td> <td></td> <td></td> </tr> <tr> <td>13</td> <td>Check oil level (compressor)</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>					No.	Description	Criteria	Observed	Remark	1	Inspect oil level (compressor)				2	Inspect compressor pressure				3	Inspect condenser coil (pressure)				4	Inspect evaporator coil (pressure)				5	Inspect oil level (compressor)				6	Inspect oil level in chiller oil tank				7	Inspect refrigerant level				8	Check condenser coil water flow				9	Check oil level (compressor)				10	Check water level and the float switch				11	Check condenser and evaporator water flow				12	Check oil level (compressor)				13	Check oil level (compressor)			
No.	Description	Criteria	Observed	Remark																																																																						
1	Inspect oil level (compressor)																																																																									
2	Inspect compressor pressure																																																																									
3	Inspect condenser coil (pressure)																																																																									
4	Inspect evaporator coil (pressure)																																																																									
5	Inspect oil level (compressor)																																																																									
6	Inspect oil level in chiller oil tank																																																																									
7	Inspect refrigerant level																																																																									
8	Check condenser coil water flow																																																																									
9	Check oil level (compressor)																																																																									
10	Check water level and the float switch																																																																									
11	Check condenser and evaporator water flow																																																																									
12	Check oil level (compressor)																																																																									
13	Check oil level (compressor)																																																																									
Note: <i>Stand by</i>																																																																										
Checked By:		Approved By:																																																																								
Date:		Date:																																																																								

		B Green power (Anghong) S.Ltd.		04-05-2017 Rev. 01 Page 1 of 1																																																																																																														
Maintenance Inspection Form																																																																																																																		
Apply to: Chiller compressor yearly inspection																																																																																																																		
Maintenance Type: Preventive Maintenance																																																																																																																		
Site: B Green power (Anghong) S.Ltd.		Location: Chiller building																																																																																																																
System: Chiller		Sub-system: Chiller																																																																																																																
Inspected By:																																																																																																																		
<input checked="" type="checkbox"/> Inspected system, including oil level monitoring <input type="checkbox"/> Inspected system, including oil level monitoring																																																																																																																		
Inspection Date:		Date: 25/04/2017																																																																																																																
1. System Status Required:		2. Equipment Status Required:																																																																																																																
<input type="checkbox"/> Required status: <input type="checkbox"/> Warning		<input type="checkbox"/> Required status: <input type="checkbox"/> Warning																																																																																																																
<table border="1"> <thead> <tr> <th>No.</th> <th>Description</th> <th>Criteria</th> <th>Observed</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Inspect oil level (compressor)</td> <td></td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>Inspect compressor pressure</td> <td></td> <td></td> <td></td> </tr> <tr> <td>3</td> <td>Inspect condenser coil (pressure)</td> <td></td> <td></td> <td></td> </tr> <tr> <td>4</td> <td>Inspect evaporator coil (pressure)</td> <td></td> <td></td> <td></td> </tr> <tr> <td>5</td> <td>Inspect oil level (compressor)</td> <td></td> <td></td> <td></td> </tr> <tr> <td>6</td> <td>Inspect oil level in chiller oil tank</td> <td></td> <td></td> <td></td> </tr> <tr> <td>7</td> <td>Inspect refrigerant level</td> <td></td> <td></td> <td></td> </tr> <tr> <td>8</td> <td>Check condenser coil water flow</td> <td></td> <td></td> <td></td> </tr> <tr> <td>9</td> <td>Check oil level (compressor)</td> <td></td> <td></td> <td></td> </tr> <tr> <td>10</td> <td>Check water level and the float switch</td> <td></td> <td></td> <td></td> </tr> <tr> <td>11</td> <td>Check condenser and evaporator water flow</td> <td></td> <td></td> <td></td> </tr> <tr> <td>12</td> <td>Check oil level (compressor)</td> <td></td> <td></td> <td></td> </tr> <tr> <td>13</td> <td>Check oil level (compressor)</td> <td></td> <td></td> <td></td> </tr> <tr> <td>14</td> <td>Check oil level (compressor)</td> <td></td> <td></td> <td></td> </tr> <tr> <td>15</td> <td>Check oil level (compressor)</td> <td></td> <td></td> <td></td> </tr> <tr> <td>16</td> <td>Check oil level (compressor)</td> <td></td> <td></td> <td></td> </tr> <tr> <td>17</td> <td>Check oil level (compressor)</td> <td></td> <td></td> <td></td> </tr> <tr> <td>18</td> <td>Check oil level (compressor)</td> <td></td> <td></td> <td></td> </tr> <tr> <td>19</td> <td>Check oil level (compressor)</td> <td></td> <td></td> <td></td> </tr> <tr> <td>20</td> <td>Check oil level (compressor)</td> <td></td> <td></td> <td></td> </tr> <tr> <td>21</td> <td>Check oil level (compressor)</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>					No.	Description	Criteria	Observed	Remark	1	Inspect oil level (compressor)				2	Inspect compressor pressure				3	Inspect condenser coil (pressure)				4	Inspect evaporator coil (pressure)				5	Inspect oil level (compressor)				6	Inspect oil level in chiller oil tank				7	Inspect refrigerant level				8	Check condenser coil water flow				9	Check oil level (compressor)				10	Check water level and the float switch				11	Check condenser and evaporator water flow				12	Check oil level (compressor)				13	Check oil level (compressor)				14	Check oil level (compressor)				15	Check oil level (compressor)				16	Check oil level (compressor)				17	Check oil level (compressor)				18	Check oil level (compressor)				19	Check oil level (compressor)				20	Check oil level (compressor)				21	Check oil level (compressor)			
No.	Description	Criteria	Observed	Remark																																																																																																														
1	Inspect oil level (compressor)																																																																																																																	
2	Inspect compressor pressure																																																																																																																	
3	Inspect condenser coil (pressure)																																																																																																																	
4	Inspect evaporator coil (pressure)																																																																																																																	
5	Inspect oil level (compressor)																																																																																																																	
6	Inspect oil level in chiller oil tank																																																																																																																	
7	Inspect refrigerant level																																																																																																																	
8	Check condenser coil water flow																																																																																																																	
9	Check oil level (compressor)																																																																																																																	
10	Check water level and the float switch																																																																																																																	
11	Check condenser and evaporator water flow																																																																																																																	
12	Check oil level (compressor)																																																																																																																	
13	Check oil level (compressor)																																																																																																																	
14	Check oil level (compressor)																																																																																																																	
15	Check oil level (compressor)																																																																																																																	
16	Check oil level (compressor)																																																																																																																	
17	Check oil level (compressor)																																																																																																																	
18	Check oil level (compressor)																																																																																																																	
19	Check oil level (compressor)																																																																																																																	
20	Check oil level (compressor)																																																																																																																	
21	Check oil level (compressor)																																																																																																																	
Note: <i>Stand by</i>																																																																																																																		
Note: <i>Clean condenser on April 25th by</i>																																																																																																																		
Checked By:		Approved By:																																																																																																																
Date:		Date:																																																																																																																

		B Green power (Anghong) S.Ltd.		04-05-2017 Rev. 01 Page 1 of 1																																																																																																														
Maintenance Inspection Form																																																																																																																		
Apply to: Chiller compressor yearly inspection																																																																																																																		
Maintenance Type: Preventive Maintenance																																																																																																																		
Site: B Green power (Anghong) S.Ltd.		Location: Chiller building																																																																																																																
System: Chiller		Sub-system: Chiller																																																																																																																
Inspected By:																																																																																																																		
<input checked="" type="checkbox"/> Inspected system, including oil level monitoring <input type="checkbox"/> Inspected system, including oil level monitoring																																																																																																																		
Inspection Date:		Date: 25/04/2017																																																																																																																
1. System Status Required:		2. Equipment Status Required:																																																																																																																
<input type="checkbox"/> Required status: <input type="checkbox"/> Warning		<input type="checkbox"/> Required status: <input type="checkbox"/> Warning																																																																																																																
<table border="1"> <thead> <tr> <th>No.</th> <th>Description</th> <th>Criteria</th> <th>Observed</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Inspect oil level (compressor)</td> <td></td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>Inspect compressor pressure</td> <td></td> <td></td> <td></td> </tr> <tr> <td>3</td> <td>Inspect condenser coil (pressure)</td> <td></td> <td></td> <td></td> </tr> <tr> <td>4</td> <td>Inspect evaporator coil (pressure)</td> <td></td> <td></td> <td></td> </tr> <tr> <td>5</td> <td>Inspect oil level (compressor)</td> <td></td> <td></td> <td></td> </tr> <tr> <td>6</td> <td>Inspect oil level in chiller oil tank</td> <td></td> <td></td> <td></td> </tr> <tr> <td>7</td> <td>Inspect refrigerant level</td> <td></td> <td></td> <td></td> </tr> <tr> <td>8</td> <td>Check condenser coil water flow</td> <td></td> <td></td> <td></td> </tr> <tr> <td>9</td> <td>Check oil level (compressor)</td> <td></td> <td></td> <td></td> </tr> <tr> <td>10</td> <td>Check water level and the float switch</td> <td></td> <td></td> <td></td> </tr> <tr> <td>11</td> <td>Check condenser and evaporator water flow</td> <td></td> <td></td> <td></td> </tr> <tr> <td>12</td> <td>Check oil level (compressor)</td> <td></td> <td></td> <td></td> </tr> <tr> <td>13</td> <td>Check oil level (compressor)</td> <td></td> <td></td> <td></td> </tr> <tr> <td>14</td> <td>Check oil level (compressor)</td> <td></td> <td></td> <td></td> </tr> <tr> <td>15</td> <td>Check oil level (compressor)</td> <td></td> <td></td> <td></td> </tr> <tr> <td>16</td> <td>Check oil level (compressor)</td> <td></td> <td></td> <td></td> </tr> <tr> <td>17</td> <td>Check oil level (compressor)</td> <td></td> <td></td> <td></td> </tr> <tr> <td>18</td> <td>Check oil level (compressor)</td> <td></td> <td></td> <td></td> </tr> <tr> <td>19</td> <td>Check oil level (compressor)</td> <td></td> <td></td> <td></td> </tr> <tr> <td>20</td> <td>Check oil level (compressor)</td> <td></td> <td></td> <td></td> </tr> <tr> <td>21</td> <td>Check oil level (compressor)</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>					No.	Description	Criteria	Observed	Remark	1	Inspect oil level (compressor)				2	Inspect compressor pressure				3	Inspect condenser coil (pressure)				4	Inspect evaporator coil (pressure)				5	Inspect oil level (compressor)				6	Inspect oil level in chiller oil tank				7	Inspect refrigerant level				8	Check condenser coil water flow				9	Check oil level (compressor)				10	Check water level and the float switch				11	Check condenser and evaporator water flow				12	Check oil level (compressor)				13	Check oil level (compressor)				14	Check oil level (compressor)				15	Check oil level (compressor)				16	Check oil level (compressor)				17	Check oil level (compressor)				18	Check oil level (compressor)				19	Check oil level (compressor)				20	Check oil level (compressor)				21	Check oil level (compressor)			
No.	Description	Criteria	Observed	Remark																																																																																																														
1	Inspect oil level (compressor)																																																																																																																	
2	Inspect compressor pressure																																																																																																																	
3	Inspect condenser coil (pressure)																																																																																																																	
4	Inspect evaporator coil (pressure)																																																																																																																	
5	Inspect oil level (compressor)																																																																																																																	
6	Inspect oil level in chiller oil tank																																																																																																																	
7	Inspect refrigerant level																																																																																																																	
8	Check condenser coil water flow																																																																																																																	
9	Check oil level (compressor)																																																																																																																	
10	Check water level and the float switch																																																																																																																	
11	Check condenser and evaporator water flow																																																																																																																	
12	Check oil level (compressor)																																																																																																																	
13	Check oil level (compressor)																																																																																																																	
14	Check oil level (compressor)																																																																																																																	
15	Check oil level (compressor)																																																																																																																	
16	Check oil level (compressor)																																																																																																																	
17	Check oil level (compressor)																																																																																																																	
18	Check oil level (compressor)																																																																																																																	
19	Check oil level (compressor)																																																																																																																	
20	Check oil level (compressor)																																																																																																																	
21	Check oil level (compressor)																																																																																																																	
Note: <i>Clean Condenser 2326m Report on April.</i>																																																																																																																		
Checked By:		Approved By:																																																																																																																
Date:		Date:																																																																																																																

เอกสารแนบ ข3

เอกสารแสดงบุคคลากรสิ่งแวดล้อมประจำโรงงาน

ที่ อภ ๐๓๓๗/ ๘ ๕ ๕๖



กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท
เขตราชเทวี กรุงเทพฯ ๑๐๔๐๐

๒๒ กันยายน ๒๕๖๕

เรื่อง หนังสือรับแจ้งการมีบุคลากรด้านสิ่งแวดล้อมประจำโรงงาน

เรียน ผู้รับใบอนุญาตประกอบกิจการโรงงาน บริษัท บี.กริม เพาเวอร์ (อ่างทอง) จำกัด

อ้างถึง หนังสือบริษัท บี.กริม เพาเวอร์ (อ่างทอง) จำกัด ที่ อภ ๐๕๖/๖๔ ลงวันที่ ๑๖ สิงหาคม ๒๕๖๔

ตามหนังสือที่อ้างถึง บริษัท บี.กริม เพาเวอร์ (อ่างทอง) จำกัด แจ้งการเปลี่ยนชื่อบริษัท จากเดิม บริษัท อ่างทอง เพาเวอร์ จำกัด เป็น บริษัท บี.กริม เพาเวอร์ (อ่างทอง) จำกัด ทะเบียนโรงงานเลขที่ ๓-๘๘(๒)-๘๐/๕๗ อภ ประกอบกิจการผลิตพลังงานไฟฟ้า ตั้งอยู่ ณ [REDACTED] อำเภอไชโย จังหวัดอ่างทอง โทรศัพท์ [REDACTED]

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว รับแจ้งการเปลี่ยนแปลงชื่อบริษัทเป็นที่เรียบร้อยแล้ว และให้ท่านยื่นคำขอแจ้งการมีบุคลากรด้านสิ่งแวดล้อมประจำโรงงานครั้งต่อไป ภายในวันที่ ๑๑ กุมภาพันธ์ ๒๕๖๖ โดยมีบุคลากรด้านสิ่งแวดล้อมประจำโรงงาน ดังนี้

ผู้จัดการสิ่งแวดล้อม			นายฉวีรักษ์ วรจันต์		
ลำดับ	ผู้ควบคุมระบบบำบัด	เลขทะเบียน	มลพิษน้ำ	มลพิษอากาศ	มลพิษกากอุตสาหกรรม
๑	[REDACTED]			✓	
ลำดับ	ผู้ปฏิบัติงานประจำระบบบำบัด		มลพิษน้ำ	มลพิษอากาศ	มลพิษกากอุตสาหกรรม
๑	[REDACTED]			✓	

หมายเหตุ ๑. การแจ้งการมี/ยกเลิก/เพิ่มเติม/เปลี่ยนแปลง บุคลากรด้านสิ่งแวดล้อมประจำโรงงาน ต้องส่งหนังสือฉบับนี้ด้วย

๒. ยกเลิกหนังสือรับแจ้งการมีบุคลากรด้านสิ่งแวดล้อมประจำโรงงาน ที่ อภ ๐๓๓๗/๓๓๔ ลงวันที่ ๕ มกราคม ๒๕๖๔

จึงเรียนมาเพื่อโปรดทราบ

ขอแสดงความนับถือ



อธิบดีกรมโรงงานอุตสาหกรรม
ผู้อำนวยการกองส่งเสริมและส่งเสริมสิ่งแวดล้อมโรงงาน
ปฏิบัติราชการแทนอธิบดีกรมโรงงานอุตสาหกรรม

กองส่งเสริมเทคโนโลยีสิ่งแวดล้อมโรงงาน


กลุ่มกำกับบุคลากรด้านสิ่งแวดล้อมประจำโรงงาน

โทร. ๐ ๒๒๐๒ ๓๔๖๑ โทรสาร ๐ ๒๒๐๒ ๔๔๗๐

ไปรษณีย์อิเล็กทรอนิกส์ sarabangk@diw.mail.go.th

เอกสารแนบ ข4

เอกสารอนุญาตก่อสร้างสถานีสูบน้ำจากแม่น้ำเจ้าพระยา



unabhängige, also keine

[illegible]

2010
 2011
 2012
 2013
 2014
 2015
 2016
 2017
 2018
 2019
 2020
 2021
 2022
 2023
 2024
 2025
 2026
 2027
 2028
 2029
 2030
 2031
 2032
 2033
 2034
 2035
 2036
 2037
 2038
 2039
 2040
 2041
 2042
 2043
 2044
 2045
 2046
 2047
 2048
 2049
 2050
 2051
 2052
 2053
 2054
 2055
 2056
 2057
 2058
 2059
 2060
 2061
 2062
 2063
 2064
 2065
 2066
 2067
 2068
 2069
 2070
 2071
 2072
 2073
 2074
 2075
 2076
 2077
 2078
 2079
 2080
 2081
 2082
 2083
 2084
 2085
 2086
 2087
 2088
 2089
 2090
 2091
 2092
 2093
 2094
 2095
 2096
 2097
 2098
 2099
 2100
 2101
 2102
 2103
 2104
 2105
 2106
 2107
 2108
 2109
 2110
 2111
 2112
 2113
 2114
 2115
 2116
 2117
 2118
 2119
 2120
 2121
 2122
 2123
 2124
 2125
 2126
 2127
 2128
 2129
 2130
 2131
 2132
 2133
 2134
 2135
 2136
 2137
 2138
 2139
 2140
 2141
 2142
 2143
 2144
 2145
 2146
 2147
 2148
 2149
 2150
 2151
 2152
 2153
 2154
 2155
 2156
 2157
 2158
 2159
 2160
 2161
 2162
 2163
 2164
 2165
 2166
 2167
 2168
 2169
 2170
 2171
 2172
 2173
 2174
 2175
 2176
 2177
 2178
 2179
 2180
 2181
 2182
 2183
 2184
 2185
 2186
 2187
 2188
 2189
 2190
 2191
 2192
 2193
 2194
 2195
 2196
 2197
 2198
 2199
 2200
 2201
 2202
 2203
 2204
 2205
 2206
 2207
 2208
 2209
 2210
 2211
 2212
 2213
 2214
 2215
 2216
 2217
 2218
 2219
 2220
 2221
 2222
 2223
 2224
 2225
 2226
 2227
 2228
 2229
 2230
 2231
 2232
 2233
 2234
 2235
 2236
 2237
 2238
 2239
 2240
 2241
 2242
 2243
 2244
 2245
 2246
 2247
 2248
 2249
 2250
 2251
 2252
 2253
 2254
 2255
 2256
 2257
 2258
 2259
 2260
 2261
 2262
 2263
 2264
 2265
 2266
 2267
 2268
 2269
 2270
 2271
 2272
 2273
 2274
 2275
 2276
 2277
 2278
 2279
 2280
 2281
 2282
 2283
 2284
 2285
 2286
 2287
 2288
 2289
 2290
 2291
 2292
 2293
 2294
 2295
 2296
 2297
 2298
 2299
 2300
 2301
 2302
 2303
 2304
 2305
 2306
 2307
 2308
 2309
 2310
 2311
 2312
 2313
 2314
 2315
 2316
 2317
 2318
 2319
 2320
 2321
 2322
 2323
 2324
 2325
 2326
 2327
 2328
 2329
 2330
 2331
 2332
 2333
 2334
 2335
 2336
 2337
 2338
 2339
 2340
 2341
 2342
 2343
 2344
 2345
 2346
 2347
 2348
 2349
 2350
 2351
 2352
 2353
 2354
 2355
 2356
 2357
 2358
 2359
 2360
 2361
 2362
 2363
 2364
 2365
 2366
 2367
 2368
 2369
 2370
 2371
 2372
 2373
 2374
 2375
 2376
 2377
 2378
 2379
 2380
 2381
 2382
 2383
 2384
 2385
 2386
 2387
 2388
 2389
 2390
 2391
 2392
 2393
 2394
 2395
 2396
 2397
 2398
 2399
 2400
 2401
 2402
 2403
 2404
 2405
 2406
 2407
 2408
 2409
 2410
 2411
 2412
 2413
 2414
 2415
 2416
 2417
 2418
 2419
 2420
 2421
 2422
 2423
 2424
 2425
 2426
 2427
 2428
 2429
 2430
 2431
 2432
 2433
 2434
 2435
 2436
 2437
 2438
 2439
 2440
 2441
 2442
 2443
 2444
 2445
 2446
 2447
 2448
 2449
 2450
 2451
 2452
 2453
 2454
 2455
 2456
 2457
 2458
 2459
 2460
 2461
 2462
 2463
 2464

เมื่อใช้วิธีนี้แล้วจะได้สมการที่ ๑ ในรูปของ $\frac{1}{x}$ และ $\frac{1}{y}$ แทนที่ x และ y ในสมการที่ ๒
จะได้สมการที่ ๓ และเมื่อแก้สมการที่ ๓ แล้วจะได้ค่าของ $\frac{1}{x}$ และ $\frac{1}{y}$ แทนที่ x และ y ในสมการที่ ๑
จะได้ค่าของ x และ y แทนที่ x และ y ในสมการที่ ๑

- [illegible]

Chrysomelids (Coleoptera: Chrysomelidae) are the most diverse and ecologically important group of beetles in the world. They are found in all major biomes and are known for their diverse feeding habits, including herbivory, predation, and parasitism. This paper reviews the current knowledge of the biology, ecology, and evolution of chrysomelids, with a focus on their role in ecosystems and their interactions with other organisms. The review covers the following topics:

19. *Journal of the American Medical Association*, 283:2667-2672 (2000)

เอกสารแนบ ข5

ผลการตรวจวัดคุณภาพอากาศที่ระบายออกจากปล่องระบายด้วย
ระบบติดตามตรวจวัดมลพิษทางอากาศจากอุตสาหกรรมอย่างต่อเนื่อง (CEMs)

[illegible]

Date & Time	reps@1.25000% 0.00	reps@1.50000% 0.00	reps@1.75000% 0.00	reps@2.00000% 0.00	reps@2.25000% 0.00
1997/03/22 15:30	0.00	45.28	2.03	2.24	1.21
1997/03/22 16:30	0.00	35.25	2.13	2.24	1.21
1997/03/22 17:30	0.00	36.08	2.32	2.32	1.32
1997/03/22 18:30	0.00	35.03	2.30	2.30	1.30
1997/03/22 19:30	0.00	36.30	2.28	2.28	1.28
1997/03/22 20:30	0.00	36.03	2.05	2.05	1.05
1997/03/22 21:30	0.00	37.78	1.68	1.68	1.08
1997/03/22 22:30	0.00	38.13	1.58	1.58	1.02
1997/03/22 23:30	0.00	38.13	2.08	2.08	1.08
1997/03/23 00:30	0.00	34.08	1.83	1.83	1.03
1997/03/23 01:30	0.00	34.32	2.02	2.02	1.02
1997/03/23 02:30	0.00	34.05	1.91	1.91	1.11
1997/03/23 03:30	0.00	35.08	1.88	1.88	1.10
1997/03/23 04:30	0.00	34.28	2.02	2.02	1.02
1997/03/23 05:30	0.00	35.62	1.88	1.88	1.15
1997/03/23 06:30	0.00	34.75	1.78	1.78	1.17
1997/03/23 07:30	0.00	35.28	1.72	1.72	1.12
1997/03/23 08:30	0.00	35.28	1.88	1.88	1.08
1997/03/23 09:30	0.00	35.98	2.13	2.13	1.03
1997/03/23 10:30	0.00	36.30	1.84	1.84	1.14
1997/03/23 11:30	0.00	34.90	2.22	2.22	1.22
1997/03/23 12:30	0.00	35.02	2.28	2.28	1.08
1997/03/23 13:30	0.00	34.13	1.94	1.94	1.13
1997/03/23 14:30	0.00	36.63	2.15	2.15	1.08
1997/03/23 15:30	0.00	42.00	2.18	2.18	1.27
1997/03/23 16:30	0.00	36.19	2.18	2.18	1.08
1997/03/23 17:30	0.00	36.02	2.41	2.41	1.22
1997/03/23 18:30	0.00	37.08	2.43	2.43	1.18
1997/03/23 19:30	0.00	37.13	2.27	2.27	1.27
1997/03/23 20:30	0.00	36.20	2.03	2.03	1.08
1997/03/23 21:30	0.00	36.10	2.01	2.01	1.01
1997/03/23 22:30	0.00	43.15	2.08	2.08	1.02
1997/03/23 23:30	0.00	35.29	2.07	2.07	1.08
1997/03/24 00:30	0.00	36.10	1.72	1.72	1.47
1997/03/24 01:30	0.00	35.02	1.88	1.88	1.23
1997/03/24 02:30	0.00	35.41	2.08	2.08	1.08
1997/03/24 03:30	0.00	36.44	2.28	2.28	1.18
1997/03/24 04:30	0.00	36.03	2.03	2.03	1.13
1997/03/24 05:30	0.00	36.19	1.96	1.96	1.16
1997/03/24 06:30	0.00	34.27	2.08	2.08	1.14
1997/03/24 07:30	0.00	35.85	2.02	2.02	1.12
1997/03/24 08:30	0.00	35.44	1.88	1.88	1.03
1997/03/24 09:30	0.00	36.30	1.75	1.75	1.18
1997/03/24 10:30	0.00	35.37	1.80	1.80	1.05
1997/03/24 11:30	0.00	35.77	1.83	1.83	1.04
1997/03/24 12:30	0.00	37.13	1.95	1.95	1.04
1997/03/24 13:30	0.00	36.02	2.29	2.29	1.29
1997/03/24 14:30	0.00	36.25	2.14	2.14	1.20
1997/03/24 15:30	0.00	36.32	2.34	2.34	1.28

[illegible]

Date & Time	HRRST_0000Z	HRRST_0600Z	HRRST_1200Z	HRRST_1800Z
15/7/2022 19:30	0.08	30.25	30.25	30.25
15/7/2022 20:30	0.08	30.25	30.25	30.25
15/7/2022 21:30	0.08	30.45	30.71	31.1
15/7/2022 22:30	0.08	30.95	31.78	32.0
15/7/2022 23:30	0.08	30.55	31.78	32.0
16/7/2022 00:30	0.08	30.43	31.73	31.8
16/7/2022 01:30	0.08	30.11	31.00	31.7
16/7/2022 02:30	0.08	30.06	30.91	31.6
16/7/2022 03:30	0.08	30.44	30.71	31.7
16/7/2022 04:30	0.08	30.50	30.86	31.7
16/7/2022 05:30	0.08	30.40	30.65	31.65
16/7/2022 06:30	0.08	30.13	30.88	31.71
16/7/2022 07:30	0.08	30.00	30.26	31.71
16/7/2022 08:30	0.08	30.40	30.89	31.30
16/7/2022 09:30	0.08	30.47	30.98	31.0
16/7/2022 10:30	0.08	30.73	30.88	31.36
16/7/2022 11:30	0.08	30.94	30.98	31.36
16/7/2022 12:30	0.08	30.04	31.05	31.44
16/7/2022 13:30	0.08	30.19	31.14	31.5
16/7/2022 14:30	0.08	30.08	31.05	31.5
16/7/2022 15:30	0.08	30.07	30.71	31.4
16/7/2022 16:30	0.08	31.00	30.73	31.44
16/7/2022 17:30	0.08	30.77	30.73	31.0
16/7/2022 18:30	0.08	30.68	31.11	31.04
16/7/2022 19:30	0.08	30.93	30.86	31.06
16/7/2022 20:30	0.08	30.67	30.97	31.09
16/7/2022 21:30	0.08	30.39	31.74	31.36
16/7/2022 22:30	0.08	30.69	30.88	31.67
16/7/2022 23:30	0.08	30.67	30.88	31.60
17/7/2022 00:30	0.08	30.19	30.73	31.15
17/7/2022 01:30	0.08	30.40	30.78	31.08
17/7/2022 02:30	0.08	30.78	31.78	31.08
17/7/2022 03:30	0.08	30.17	30.60	31.03
17/7/2022 04:30	0.08	30.48	30.70	31.07
17/7/2022 05:30	0.08	30.40	30.60	31.04
17/7/2022 06:30	0.08	30.40	30.60	31.05
17/7/2022 07:30	0.08	30.00	30.68	31.05
17/7/2022 08:30	0.08	30.10	30.71	31.10
17/7/2022 09:30	0.08	30.10	30.71	31.10
17/7/2022 10:30	0.08	30.10	30.71	31.10
17/7/2022 11:30	0.08	30.00	30.70	31.07
17/7/2022 12:30	0.08	30.00	30.68	31.01
17/7/2022 13:30	0.08	30.15	31.11	31.20
17/7/2022 14:30	Maintenance	Maintenance	Maintenance	Maintenance
17/7/2022 15:30	Maintenance	Maintenance	Maintenance	Maintenance
17/7/2022 16:30	Maintenance	Maintenance	Maintenance	Maintenance
17/7/2022 17:30	Maintenance	Maintenance	Maintenance	Maintenance
17/7/2022 18:30	Maintenance	Maintenance	Maintenance	Maintenance
17/7/2022 19:30	0.08	31.13	31.08	31.08
17/7/2022 20:30	0.08	31.13	31.08	31.08
17/7/2022 21:30	0.08	31.40	31.30	31.30

Date & Time	HRS011_10000%	HRS011_10000%	HRS011_10000%	HRS011_10000%
	PH0	PH0	PH0	PH0
1/18/2002 21:00	0.00	34.80	1.72	1.81
1/18/2002 22:00	0.00	34.80	1.63	1.58
1/18/2002 00:00	0.00	34.80	1.81	1.87
1/18/2002 01:00	0.00	34.80	2.14	1.82
1/18/2002 02:00	0.00	31.80	2.29	1.88
1/18/2002 03:00	0.00	34.82	1.87	1.88
1/18/2002 04:00	0.00	36.16	1.86	1.78
1/18/2002 05:00	0.00	35.75	2.05	1.89
1/18/2002 06:00	0.00	36.86	1.89	1.73
1/18/2002 07:00	0.00	35.72	1.80	1.70
1/18/2002 08:00	0.00	36.46	1.68	2.03
1/18/2002 09:00	0.00	35.35	1.80	1.87
1/18/2002 10:00	0.00	36.25	1.46	1.72
1/18/2002 11:00	0.00	35.42	1.40	1.75
1/18/2002 12:00	0.00	37.89	1.83	1.89
1/18/2002 13:00	0.00	35.02	2.47	1.35
1/18/2002 14:00	0.00	36.43	2.21	1.23
1/18/2002 15:00	0.00	36.54	2.30	1.14
1/18/2002 16:00	0.00	36.14	2.17	1.07
1/18/2002 17:00	0.00	36.76	2.86	1.00
1/18/2002 18:00	0.00	36.43	2.00	1.00
1/18/2002 19:00	0.00	36.47	1.13	1.10
1/18/2002 20:00	0.00	35.80	2.34	1.14
1/18/2002 21:00	0.00	40.05	2.32	1.10
1/18/2002 22:00	0.00	35.30	2.35	1.84
1/18/2002 23:00	0.00	36.26	1.78	1.88
1/19/2002 00:00	0.00	37.30	1.80	1.74
1/19/2002 01:00	0.00	36.89	2.11	1.86
1/19/2002 02:00	0.00	36.74	2.82	1.70
1/19/2002 03:00	0.00	37.40	2.84	1.84
1/19/2002 04:00	0.00	37.10	1.82	1.84
1/19/2002 05:00	0.00	36.80	1.82	1.86
1/19/2002 06:00	0.00	37.30	1.80	1.85
1/19/2002 07:00	0.00	37.10	1.89	1.87
1/19/2002 08:00	0.00	36.82	1.86	2.00
1/19/2002 09:00	0.00	36.75	1.80	1.87
1/19/2002 10:00	0.00	36.80	1.84	1.80
1/19/2002 11:00	0.00	36.71	1.81	1.72
1/19/2002 12:00	0.00	36.10	1.84	1.71
1/19/2002 13:00	0.00	36.10	2.30	1.76
1/19/2002 14:00	0.00	36.31	1.86	1.15
1/19/2002 15:00	0.00	36.12	1.12	2.05
1/19/2002 16:00	0.00	36.40	0.87	1.08
1/19/2002 17:00	0.00	36.80	0.89	1.00
1/19/2002 18:00	0.00	36.14	1.87	1.04
1/19/2002 19:00	0.87	36.81	2.83	1.04
1/19/2002 20:00	2.43	36.80	3.28	0.80
1/19/2002 21:00	3.40	37.00	1.02	1.11
1/19/2002 22:00	3.16	38.80	3.88	1.87
1/19/2002 23:00	4.31	34.90	3.58	1.50
1/19/2002 00:00	1.12	31.82	3.80	1.80

[illegible]

Date & Time	-RSDT1_10000%	-RSDT2_10000%	-RSDT3_10000%	-RSDT4_10000%
20081020010400	0.00	0.00	0.00	0.00
20081020010600	0.00	0.00	2.80	1.71
20081020010800	0.00	0.00	1.88	1.56
20081020011000	0.00	0.00	1.87	1.62
20081020011200	0.00	0.00	1.84	1.60
20081020011400	0.00	0.00	1.85	1.75
20081020011600	0.00	0.00	1.87	1.71
20081020011800	0.00	0.00	1.85	1.80
20081020012000	0.00	0.00	1.81	1.69
20081020012200	0.00	0.00	2.47	1.42
20081020012400	0.00	0.00	0.00	1.16
20081020012600	0.00	0.00	3.77	1.35
20081020012800	0.00	0.00	2.43	2.28
20081020013000	0.00	0.00	3.85	2.18
20081020013200	0.00	0.00	3.45	1.18
20081020013400	0.00	0.00	3.60	1.20
20081020013600	0.00	0.00	3.10	1.16
20081020013800	0.00	0.00	3.84	1.05
20081020014000	0.00	0.00	3.20	1.15
20081020014200	0.00	0.00	3.18	1.08
20081020014400	0.00	0.00	2.77	1.21
20081020014600	0.00	0.00	3.48	1.05
20081020014800	0.00	0.00	3.54	1.20
20081020015000	0.00	0.00	3.51	1.06
20081020015200	0.00	0.00	2.72	1.75
20081020015400	0.00	0.00	3.10	1.75
20081020015600	0.00	0.00	3.52	1.75
20081020015800	0.00	0.00	3.09	1.63
20081020020000	0.00	0.00	3.85	1.80
20081020020200	0.00	0.00	3.33	1.60
20081020020400	0.00	0.00	3.40	1.50
20081020020600	0.00	0.00	3.40	1.44
20081020020800	0.00	0.00	3.35	1.30
20081020021000	0.00	0.00	3.40	1.41
20081020021200	0.00	0.00	2.80	1.07
20081020021400	0.00	0.00	3.40	1.08
20081020021600	0.00	0.00	3.14	1.60
20081020021800	0.00	0.00	3.66	1.03
20081020022000	0.00	0.00	3.82	1.20
20081020022200	0.00	0.00	3.44	1.31
20081020022400	0.00	0.00	3.42	1.20
20081020022600	0.00	0.00	3.34	1.05
20081020022800	0.00	0.00	3.74	1.60
20081020023000	0.00	0.00	3.80	1.54
20081020023200	0.00	0.00	3.85	1.47
20081020023400	0.00	0.00	3.43	1.44
20081020023600	0.00	0.00	3.50	1.54
20081020023800	0.00	0.00	3.40	1.42
20081020024000	0.00	0.00	3.71	1.80
20081020024200	0.00	0.00	3.10	1.50
20081020024400	0.00	0.00	3.20	1.70

Date & Time	HRRST1_20000%	HRRST1_20000%	HRRST1_20000%	HRRST1_20000%
	gms	gms	gms	mgals
2407/2002 07:30	0.00	21.00	2.11	1.01
2407/2002 08:00	0.00	31.77	3.08	1.60
2407/2002 08:30	0.00	31.39	3.04	1.58
2407/2002 09:00	0.00	31.35	3.03	1.60
2407/2002 09:30	0.00	31.08	3.00	1.65
2407/2002 10:00	0.00	36.68	3.18	1.58
2407/2002 10:30	0.00	40.00	2.47	1.00
2407/2002 11:00	0.00	36.78	2.40	1.08
2407/2002 11:30	0.00	34.20	2.30	2.17
2407/2002 12:00	0.00	36.38	2.30	1.04
2407/2002 12:30	0.00	33.50	2.25	1.20
2407/2002 13:00	0.00	36.60	2.31	1.30
2407/2002 13:30	0.00	34.00	2.32	1.20
2407/2002 14:00	0.00	30.40	2.01	1.34
2407/2002 14:30	Shut down	Shut down	Shut down	Shut down
2407/2002 15:00	0.00	0.00	0.00	0.00
2407/2002 15:30	0.00	0.00	0.00	0.00
2407/2002 16:00	0.00	0.00	0.00	0.00
2407/2002 16:30	0.00	0.00	0.00	0.00
2407/2002 17:00	0.00	0.00	0.00	0.00
2407/2002 17:30	0.00	0.00	0.00	0.00
2407/2002 18:00	0.00	0.00	0.00	0.00
2407/2002 18:30	0.00	0.00	0.00	0.00
2407/2002 19:00	0.00	0.00	0.00	0.00
2407/2002 19:30	0.00	0.00	0.00	0.00
2407/2002 20:00	0.00	0.00	0.00	0.00
2407/2002 20:30	0.00	0.00	0.00	0.00
2407/2002 21:00	0.00	0.00	0.00	0.00
2407/2002 21:30	0.00	0.00	0.00	0.00
2407/2002 22:00	0.00	0.00	0.00	0.00
2407/2002 22:30	0.00	0.00	0.00	0.00
2407/2002 23:00	0.00	0.00	0.00	0.00
2407/2002 23:30	0.00	0.00	0.00	0.00
2407/2002 00:00	0.00	0.00	0.00	0.00
2407/2002 00:30	0.00	0.00	0.00	0.00
2407/2002 01:00	0.00	0.00	0.00	0.00
2407/2002 01:30	0.00	0.00	0.00	0.00
2407/2002 02:00	0.00	0.00	0.00	0.00
2407/2002 02:30	0.00	0.00	0.00	0.00
2407/2002 03:00	0.00	0.00	0.00	0.00
2407/2002 03:30	0.00	0.00	0.00	0.00
2407/2002 04:00	0.00	0.00	0.00	0.00
2407/2002 04:30	0.00	0.00	0.00	0.00
2407/2002 05:00	0.00	0.00	0.00	0.00
2407/2002 05:30	0.00	0.00	0.00	0.00
2407/2002 06:00	0.00	0.00	0.00	0.00
2407/2002 06:30	0.00	0.00	0.00	0.00
2407/2002 07:00	0.00	0.00	0.00	0.00
2407/2002 07:30	0.00	0.00	0.00	0.00
2407/2002 08:00	0.00	0.00	0.00	0.00
2407/2002 08:30	0.00	0.00	0.00	0.00
2407/2002 09:00	0.00	0.00	0.00	0.00
2407/2002 09:30	0.00	0.00	0.00	0.00
2407/2002 10:00	0.00	0.00	0.00	0.00
2407/2002 10:30	0.00	0.00	0.00	0.00
2407/2002 11:00	0.00	0.00	0.00	0.00
2407/2002 11:30	0.00	0.00	0.00	0.00
2407/2002 12:00	0.00	0.00	0.00	0.00
2407/2002 12:30	0.00	0.00	0.00	0.00
2407/2002 13:00	0.00	0.00	0.00	0.00
2407/2002 13:30	0.00	0.00	0.00	0.00
2407/2002 14:00	0.00	0.00	0.00	0.00
2407/2002 14:30	0.00	0.00	0.00	0.00
2407/2002 15:00	0.00	0.00	0.00	0.00
2407/2002 15:30	0.00	0.00	0.00	0.00

[illegible]

Date & Time	retest1_10000%	retest1_10000%	retest1_10000%	retest1_10000%
06/05/2012 14:30	0.00	0.00	0.00	0.00
06/05/2012 15:30	0.00	0.00	0.00	0.00
06/05/2012 16:30	0.00	0.00	0.00	0.00
06/05/2012 17:30	0.00	23.19	2.28	8.42
06/05/2012 18:30	0.00	45.07	3.17	1.09
06/05/2012 19:30	0.00	43.00	3.19	1.50
06/05/2012 20:30	0.00	41.24	2.88	1.81
06/05/2012 21:30	0.00	43.13	2.68	1.50
06/05/2012 22:30	0.00	38.19	2.44	1.47
06/05/2012 23:30	0.00	30.56	2.11	1.26
06/05/2012 00:30	0.00	30.88	2.08	2.98
06/05/2012 01:30	0.00	32.40	2.04	1.24
06/05/2012 02:30	0.00	30.19	2.07	1.93
06/05/2012 03:30	0.00	30.07	2.08	1.48
06/05/2012 04:30	0.00	31.00	2.00	1.40
06/05/2012 05:30	0.00	31.58	2.08	1.85
06/05/2012 06:30	0.00	31.40	2.08	1.46
06/05/2012 07:30	0.00	30.68	2.11	1.50
06/05/2012 08:30	0.00	30.25	2.15	1.50
06/05/2012 09:30	0.00	37.65	1.88	1.50
06/05/2012 10:30	0.00	0.00	0.00	0.00
06/05/2012 11:30	0.00	0.00	0.00	0.00
06/05/2012 12:30	0.00	0.00	0.00	0.00
06/05/2012 13:30	0.00	0.00	0.00	0.00
06/05/2012 14:30	0.00	0.00	0.00	0.00
06/05/2012 15:30	0.00	36.08	2.52	8.64
06/05/2012 16:30	0.00	43.00	3.25	1.51
06/05/2012 17:30	0.00	38.00	2.47	1.42
06/05/2012 18:30	0.00	37.48	2.20	1.40
06/05/2012 19:30	0.00	38.88	2.30	1.30
06/05/2012 20:30	0.00	30.58	2.21	1.20
06/05/2012 21:30	0.00	36.30	2.08	1.48
06/05/2012 22:30	0.00	34.34	2.20	2.00
06/05/2012 23:30	0.00	34.50	2.08	1.40
06/05/2012 00:30	0.00	34.96	2.17	1.81
06/05/2012 01:30	0.00	34.19	2.20	1.00
06/05/2012 02:30	0.00	36.80	2.11	1.50
06/05/2012 03:30	0.00	41.00	2.18	1.20
06/05/2012 04:30	0.00	40.00	2.30	1.20
06/05/2012 05:30	0.00	43.30	2.20	1.40
06/05/2012 06:30	0.00	40.10	2.28	1.00
06/05/2012 07:30	0.00	30.20	1.94	0.91
06/05/2012 08:30	0.00	0.00	0.00	0.00
06/05/2012 09:30	0.00	0.00	0.00	0.00
06/05/2012 10:30	0.00	0.00	0.00	0.00
06/05/2012 11:30	0.00	0.00	0.00	0.00
06/05/2012 12:30	0.00	0.00	0.00	0.00
06/05/2012 13:30	0.00	0.00	0.00	0.00
06/05/2012 14:30	0.00	0.00	0.00	0.00
06/05/2012 15:30	0.00	0.00	0.00	0.00
06/05/2012 16:30	0.00	0.00	0.00	0.00
06/05/2012 17:30	0.00	0.00	0.00	0.00
06/05/2012 18:30	0.00	0.00	0.00	0.00
06/05/2012 19:30	0.00	0.00	0.00	0.00
06/05/2012 20:30	0.00	0.00	0.00	0.00
06/05/2012 21:30	0.00	0.00	0.00	0.00
06/05/2012 22:30	0.00	0.00	0.00	0.00
06/05/2012 23:30	0.00	0.00	0.00	0.00
06/05/2012 00:30	0.00	0.00	0.00	0.00
06/05/2012 01:30	0.00	0.00	0.00	0.00
06/05/2012 02:30	0.00	0.00	0.00	0.00
06/05/2012 03:30	0.00	0.00	0.00	0.00
06/05/2012 04:30	0.00	0.00	0.00	0.00
06/05/2012 05:30	0.00	0.00	0.00	0.00
06/05/2012 06:30	0.00	0.00	0.00	0.00
06/05/2012 07:30	0.00	0.00	0.00	0.00
06/05/2012 08:30	0.00	0.00	0.00	0.00
06/05/2012 09:30	0.00	0.00	0.00	0.00
06/05/2012 10:30	0.00	0.00	0.00	0.00
06/05/2012 11:30	0.00	0.00	0.00	0.00
06/05/2012 12:30	0.00	0.00	0.00	0.00
06/05/2012 13:30	0.00	0.00	0.00	0.00
06/05/2012 14:30	0.00	0.00	0.00	0.00
06/05/2012 15:30	0.00	0.00	0.00	0.00
06/05/2012 16:30	0.00	0.00	0.00	0.00
06/05/2012 17:30	0.00	0.00	0.00	0.00
06/05/2012 18:30	0.00	0.00	0.00	0.00
06/05/2012 19:30	0.00	0.00	0.00	0.00
06/05/2012 20:30	0.00	0.00	0.00	0.00
06/05/2012 21:30	0.00	0.00	0.00	0.00
06/05/2012 22:30	0.00	0.00	0.00	0.00
06/05/2012 23:30	0.00	0.00	0.00	0.00
06/05/2012 00:30	0.00	0.00	0.00	0.00
06/05/2012 01:30	0.00	0.00	0.00	0.00
06/05/2012 02:30	0.00	0.00	0.00	0.00
06/05/2012 03:30	0.00	0.00	0.00	0.00
06/05/2012 04:30	0.00	0.00	0.00	0.00
06/05/2012 05:30	0.00	0.00	0.00	0.00
06/05/2012 06:30	0.00	0.00	0.00	0.00
06/05/2012 07:30	0.00	0.00	0.00	0.00
06/05/2012 08:30	0.00	0.00	0.00	0.00
06/05/2012 09:30	0.00	0.00	0.00	0.00
06/05/2012 10:30	0.00	0.00	0.00	0.00
06/05/2012 11:30	0.00	0.00	0.00	0.00
06/05/2012 12:30	0.00	0.00	0.00	0.00
06/05/2012 13:30	0.00	0.00	0.00	0.00
06/05/2012 14:30	0.00	0.00	0.00	0.00
06/05/2012 15:30	0.00	0.00	0.00	0.00
06/05/2012 16:30	0.00	0.00	0.00	0.00
06/05/2012 17:30	0.00	0.00	0.00	0.00
06/05/2012 18:30	0.00	0.00	0.00	0.00
06/05/2012 19:30	0.00	0.00	0.00	0.00
06/05/2012 20:30	0.00	0.00	0.00	0.00
06/05/2012 21:30	0.00	0.00	0.00	0.00
06/05/2012 22:30	0.00	0.00	0.00	0.00
06/05/2012 23:30	0.00	0.00	0.00	0.00
06/05/2012 00:30	0.00	0.00	0.00	0.00
06/05/2012 01:30	0.00	0.00	0.00	0.00
06/05/2012 02:30	0.00	0.00	0.00	0.00
06/05/2012 03:30	0.00	0.00	0.00	0.00
06/05/2012 04:30	0.00	0.00	0.00	0.00
06/05/2012 05:30	0.00	0.00	0.00	0.00
06/05/2012 06:30	0.00	0.00	0.00	0.00
06/05/2012 07:30	0.00	0.00	0.00	0.00
06/05/2012 08:30	0.00	0.00	0.00	0.00
06/05/2012 09:30	0.00	0.00	0.00	0.00
06/05/2012 10:30	0.00	0.00	0.00	0.00
06/05/2012 11:30	0.00	0.00	0.00	0.00
06/05/2012 12:30	0.00	0.00	0.00	0.00
06/05/2012 13:30	0.00	0.00	0.00	0.00
06/05/2012 14:30	0.00	0.00	0.00	0.00
06/05/2012 15:30	0.00	0.00	0.00	0.00
06/05/2012 16:30	0.00	0.00	0.00	0.00
06/05/2012 17:30	0.00	0.00	0.00	0.00
06/05/2012 18:30	0.00	0.00	0.00	0.00
06/05/2012 19:30	0.00	0.00	0.00	0.00
06/05/2012 20:30	0.00	0.00	0.00	0.00
06/05/2012 21:30	0.00	0.00	0.00	0.00
06/05/2012 22:30	0.00	0.00	0.00	0.00
06/05/2012 23:30	0.00	0.00	0.00	0.00
06/05/2012 00:30	0.00	0.00	0.00	0.00
06/05/2012 01:30	0.00	0.00	0.00	0.00
06/05/2012 02:30	0.00	0.00	0.00	0.00
06/05/2012 03:30	0.00	0.00	0.00	0.00
06/05/2012 04:30	0.00	0.00	0.00	0.00
06/05/2012 05:30	0.00	0.00	0.00	0.00
06/05/2012 06:30	0.00	0.00	0.00	0.00
06/05/2012 07:30	0.00	0.00	0.00	0.00
06/05/2012 08:30	0.00	0.00	0.00	0.00
06/05/2012 09:30	0.00	0.00	0.00	0.00
06/05/2012 10:30	0.00	0.00	0.00	0.00
06/05/2012 11:30	0.00	0.00	0.00	0.00
06/05/2012 12:30	0.00	0.00	0.00	0.00
06/05/2012 13:30	0.00	0.00	0.00	0.00
06/05/2012 14:30	0.00	0.00	0.00	0.00
06/05/2012 15:30	0.00	0.00	0.00	0.00
06/05/2012 16:30	0.00	0.00	0.00	0.00
06/05/2012 17:30	0.00	0.00	0.00	0.00
06/05/2012 18:30	0.00	0.00	0.00	0.00
06/05/2012 19:30	0.00	0.00	0.00	0.00
06/05/2012 20:30	0.00	0.00	0.00	0.00
06/05/2012 21:30	0.00	0.00	0.00	0.00
06/05/2012 22:30	0.00	0.00	0.00	0.00
06/05/2012 23:30	0.00	0.00	0.00	0.00
06/05/2012 00:30	0.00	0.00	0.00	0.00
06/05/2012 01:30	0.00	0.00	0.00	0.00
06/05/2012 02:30	0.00	0.00	0.00	0.00
06/05/2012 03:30	0.00	0.00	0.00	0.00
06/05/2012 04:30	0.00	0.00	0.00	0.00
06/05/2012 05:30	0.00	0.00	0.00	0.00
06/05/2012 06:30	0.00	0.00	0.00	0.00
06/05/2012 07:30	0.00	0.00	0.00	0.00
06/05/2012 08:30	0.00	0.00	0.00	0.00
06/05/2012 09:30	0.00	0.00	0.00	0.00
06/05/2012 10:30	0.00	0.00	0.00	0.00
06/05/2012 11:30	0.00	0.00	0.00	0.00
06/05/2012 12:30	0.00	0.00	0.00	0.00
06/05/2012 13:30	0.00	0.00	0.00	0.00
06/05/2012 14:30	0.00	0.00	0.00	0.00
06/05/2012 15:30	0.00	0.00	0.00	0.00
06/05/2012 16:30	0.00	0.00	0.00	0.00
06/05/2012 17:30	0.00	0.00	0.00	0.00
06/05/2012 18:30	0.00	0.00	0.00	0.00
06/05/2012 19:30	0.00	0.00	0.00	0.00
06/05/2012 20:30	0.00	0.00	0.00	0.00
06/05/2012 21:30	0.00	0.00	0.00	0.00
06/05/2012 22:30	0.00	0.00	0.00	0.00
06/05/2012 23:30	0.00	0.00	0.00	0.00
06/05/2012 00:30	0.00	0.00	0.00	0.00
06/05/2012 01:30	0.00	0.00	0.00	0.00
06/05/2012 02:30	0.00	0.00	0.00	0.00
06/05/2012 03:30	0.00	0.00	0.00	0.00
06/05/2012 04:30	0.00	0.00	0.00	0.00
06/05/2012 05:30	0.00	0.00	0.00	0.00
06/05/2012 06:30	0.00	0.00	0.00	0.00
06/05/2012 07:30	0.00	0.00	0.00	0.00
06/05/2012 08:30	0.00	0.00	0.00	0.00
06/05/2012 09:30	0.00	0.00	0.00	0.00
06/05/2012 10:30	0.00	0.00	0.00	0.00
06/05/2012 11:30	0.00	0.00	0.00	0.00
06/05/2012 12:30	0.00	0.00	0.00	0.00
06/05/2012 13:30	0.00	0.00	0.00	0.00
06/05/2012 14:30	0.00	0.00	0.00	0.00
06/05/2012 15:30	0.00	0.00	0.00	0.00
06/05/2012 16:30	0.00	0.00	0.00	0.00
06/05/2012 17:30	0.00	0.00	0.00	0.00
06/05/2012 18:30	0.00	0.00	0.00	0.00
06/05/2012 19:30	0.00	0.00	0.00	0.00
06/05/2012 20:30	0.00	0.00	0.00	0.00
06/05/2012 21:30	0.00	0.00	0.00	0.00
06/05/2012 22:30	0.00	0.00	0.00	0.00
06/05/2012 23:				

Date & Time	-RSDT1_50000%	-RSDT1_100000%	-RSDT1_200000%	-RSDT1_300000%
3/15/2002 07:00	0.00	28.85	2.34	0.28
3/15/2002 08:00	0.00	42.78	1.88	1.71
3/15/2002 09:00	0.00	36.75	3.51	1.33
3/15/2002 10:00	0.00	36.50	2.47	1.50
3/15/2002 11:00	0.00	34.30	2.37	1.30
3/15/2002 12:00	0.00	36.78	2.52	1.49
3/15/2002 13:00	0.00	41.17	2.41	1.85
3/15/2002 14:00	0.00	36.86	2.45	2.77
3/15/2002 15:00	0.00	36.77	2.35	1.84
3/15/2002 16:00	0.00	40.88	2.40	1.77
3/15/2002 17:00	0.00	42.97	2.47	1.65
3/15/2002 18:00	0.00	36.80	2.38	1.80
3/15/2002 19:00	0.00	36.51	2.38	1.80
3/15/2002 20:00	0.00	36.81	2.30	1.80
3/15/2002 21:00	0.00	40.12	2.30	1.74
3/15/2002 22:00	0.00	36.70	2.23	1.77
3/15/2002 23:00	0.00	36.25	2.20	1.80
3/16/2002 00:00	0.00	37.44	2.22	2.25
3/16/2002 01:00	0.00	37.82	1.43	2.17
3/16/2002 02:00	0.00	36.26	2.45	2.43
3/16/2002 03:00	0.00	36.74	2.47	2.48
3/16/2002 04:00	0.00	36.46	2.45	2.48
3/16/2002 05:00	0.00	36.31	2.25	2.67
3/16/2002 06:00	0.00	36.23	2.30	2.52
3/16/2002 07:00	0.00	36.10	2.45	2.50
3/16/2002 08:00	0.00	36.37	2.42	2.45
3/16/2002 09:00	0.00	36.37	2.45	2.39
3/16/2002 10:00	0.00	36.80	2.47	2.08
3/16/2002 11:00	0.00	40.72	2.86	1.88
3/16/2002 12:00	0.00	41.50	2.42	1.98
3/16/2002 13:00	0.00	42.45	2.45	2.10
3/16/2002 14:00	0.00	36.44	2.35	2.30
3/16/2002 15:00	0.00	36.84	2.37	2.18
3/16/2002 16:00	0.00	36.80	2.41	1.95
3/16/2002 17:00	0.00	41.89	2.44	1.86
3/16/2002 18:00	0.00	36.84	2.34	1.43
3/16/2002 19:00	0.00	36.21	2.25	1.54
3/16/2002 20:00	0.00	36.32	2.32	1.80
3/16/2002 21:00	0.00	36.71	2.25	1.61
3/16/2002 22:00	0.00	36.47	2.31	1.40
3/16/2002 23:00	0.00	37.30	2.11	1.35
3/16/2002 00:00	0.00	37.17	2.36	1.60
3/16/2002 01:00	0.00	37.83	2.40	2.12
3/16/2002 02:00	0.00	37.88	2.48	2.20
3/16/2002 03:00	0.00	37.81	2.44	2.41
3/16/2002 04:00	0.00	37.42	2.43	2.49
3/16/2002 05:00	0.00	37.80	2.45	2.30
3/16/2002 06:00	0.00	37.86	2.40	2.38
3/16/2002 07:00	0.00	40.75	2.42	2.15
3/16/2002 08:00	0.00	36.78	2.47	2.17
3/16/2002 09:00	0.00	36.31	2.41	1.90

Date & Time	HRRST1_2000(%)	HRRST1_2000(%)	HRRST1_2000(%)	HRRST1_2000(%)
	0001	0001	0001	0001
08/05/2022 11:30	24.02	24.02	2.28	1.52
08/05/2022 11:40	2.08	24.02	2.28	1.48
08/05/2022 11:50	2.08	24.02	2.28	1.52
08/05/2022 12:00	2.08	24.02	2.28	1.52
08/05/2022 12:10	2.08	24.02	2.28	1.52
08/05/2022 12:20	2.08	24.02	2.28	1.52
08/05/2022 12:30	2.08	24.02	2.28	1.52
08/05/2022 12:40	2.08	24.02	2.28	1.52
08/05/2022 12:50	2.08	24.02	2.28	1.52
08/05/2022 13:00	2.08	24.02	2.28	1.52
08/05/2022 13:10	2.08	24.02	2.28	1.52
08/05/2022 13:20	2.08	24.02	2.28	1.52
08/05/2022 13:30	2.08	24.02	2.28	1.52
08/05/2022 13:40	2.08	24.02	2.28	1.52
08/05/2022 13:50	2.08	24.02	2.28	1.52
08/05/2022 14:00	2.08	24.02	2.28	1.52
08/05/2022 14:10	2.08	24.02	2.28	1.52
08/05/2022 14:20	2.08	24.02	2.28	1.52
08/05/2022 14:30	2.08	24.02	2.28	1.52
08/05/2022 14:40	2.08	24.02	2.28	1.52
08/05/2022 14:50	2.08	24.02	2.28	1.52
08/05/2022 15:00	2.08	24.02	2.28	1.52
08/05/2022 15:10	2.08	24.02	2.28	1.52
08/05/2022 15:20	2.08	24.02	2.28	1.52
08/05/2022 15:30	2.08	24.02	2.28	1.52
08/05/2022 15:40	2.08	24.02	2.28	1.52
08/05/2022 15:50	2.08	24.02	2.28	1.52
08/05/2022 16:00	2.08	24.02	2.28	1.52
08/05/2022 16:10	2.08	24.02	2.28	1.52
08/05/2022 16:20	2.08	24.02	2.28	1.52
08/05/2022 16:30	2.08	24.02	2.28	1.52
08/05/2022 16:40	2.08	24.02	2.28	1.52
08/05/2022 16:50	2.08	24.02	2.28	1.52
08/05/2022 17:00	2.08	24.02	2.28	1.52
08/05/2022 17:10	2.08	24.02	2.28	1.52
08/05/2022 17:20	2.08	24.02	2.28	1.52
08/05/2022 17:30	2.08	24.02	2.28	1.52
08/05/2022 17:40	2.08	24.02	2.28	1.52
08/05/2022 17:50	2.08	24.02	2.28	1.52
08/05/2022 18:00	2.08	24.02	2.28	1.52
08/05/2022 18:10	2.08	24.02	2.28	1.52
08/05/2022 18:20	2.08	24.02	2.28	1.52
08/05/2022 18:30	2.08	24.02	2.28	1.52
08/05/2022 18:40	2.08	24.02	2.28	1.52
08/05/2022 18:50	2.08	24.02	2.28	1.52
08/05/2022 19:00	2.08	24.02	2.28	1.52
08/05/2022 19:10	2.08	24.02	2.28	1.52
08/05/2022 19:20	2.08	24.02	2.28	1.52
08/05/2022 19:30	2.08	24.02	2.28	1.52
08/05/2022 19:40	2.08	24.02	2.28	1.52
08/05/2022 19:50	2.08	24.02	2.28	1.52
08/05/2022 20:00	2.08	24.02	2.28	1.52
08/05/2022 20:10	2.08	24.02	2.28	1.52
08/05/2022 20:20	2.08	24.02	2.28	1.52
08/05/2022 20:30	2.08	24.02	2.28	1.52
08/05/2022 20:40	2.08	24.02	2.28	1.52
08/05/2022 20:50	2.08	24.02	2.28	1.52
08/05/2022 21:00	2.08	24.02	2.28	1.52
08/05/2022 21:10	2.08	24.02	2.28	1.52
08/05/2022 21:20	2.08	24.02	2.28	1.52
08/05/2022 21:30	2.08	24.02	2.28	1.52
08/05/2022 21:40	2.08	24.02	2.28	1.52
08/05/2022 21:50	2.08	24.02	2.28	1.52

[illegible][illegible][illegible]

Date & Time	H95N1_2009%	H95N1_2009%	H95N1_2009%	H95N1_2009%
2009/02/02 10:30	0.08	38.40	2.79	1.36
2009/02/02 11:30	0.08	34.20	2.74	1.36
2009/02/02 12:30	0.08	33.40	2.70	1.27
2009/02/02 13:30	0.08	33.30	2.64	1.28
2009/02/02 14:30	0.08	33.47	2.55	1.31
2009/02/02 15:30	0.08	33.48	2.51	1.28
2009/02/02 16:30	0.08	33.09	2.50	1.30
2009/02/02 17:30	0.08	34.35	2.61	1.30
2009/02/02 18:30	0.08	34.00	2.38	1.30
2009/02/02 19:30	0.08	37.02	2.44	1.33
2009/02/02 20:30	0.08	36.77	2.27	1.37
2009/02/02 21:30	0.08	43.68	2.68	1.39
2009/02/02 22:30	0.08	41.77	2.62	1.31
2009/02/02 23:30	0.08	36.90	2.68	1.50
27/09/2002 00:30	0.08	35.00	2.47	1.75
27/09/2002 01:30	0.08	36.07	2.53	1.77
27/09/2002 02:30	0.08	30.92	2.61	1.77
27/09/2002 03:30	0.08	36.35	2.47	1.76
27/09/2002 04:30	0.08	36.70	2.45	1.64
27/09/2002 05:30	0.08	36.20	2.47	1.70
27/09/2002 06:30	0.08	36.48	2.41	1.63
27/09/2002 07:30	0.08	36.02	2.44	1.65
27/09/2002 08:30	0.08	36.78	2.38	1.50
27/09/2002 09:30	0.08	34.50	2.30	1.78
27/09/2002 10:30	0.08	33.66	2.38	1.78
27/09/2002 11:30	0.08	33.08	2.24	1.57
27/09/2002 12:30	0.08	33.00	2.20	1.58
27/09/2002 13:30	0.08	34.09	2.43	1.50
27/09/2002 14:30	0.08	36.38	2.48	2.00
27/09/2002 15:30	0.08	34.47	2.40	1.71
27/09/2002 16:30	0.08	36.40	2.58	1.81
27/09/2002 17:30	0.08	35.13	2.51	1.50
27/09/2002 18:30	0.08	35.68	2.44	1.33
27/09/2002 19:30	0.08	35.90	2.50	1.50
27/09/2002 20:30	0.08	36.67	2.73	1.50
27/09/2002 21:30	0.08	37.35	2.75	1.55
27/09/2002 22:30	0.08	37.58	2.68	1.34
27/09/2002 23:30	0.08	37.19	2.60	1.50
28/09/2002 00:30	0.08	36.00	2.48	1.74
28/09/2002 01:30	0.08	36.87	2.57	1.78
28/09/2002 02:30	0.08	35.13	2.78	1.80
28/09/2002 03:30	0.08	35.08	2.58	1.80
28/09/2002 04:30	0.08	35.00	2.68	1.84
28/09/2002 05:30	0.08	36.88	2.80	1.88
28/09/2002 06:30	0.08	36.00	2.51	1.83
28/09/2002 07:30	0.08	41.16	2.47	1.86
28/09/2002 08:30	0.08	36.24	2.43	1.42
28/09/2002 09:30	0.08	36.08	2.38	1.34
28/09/2002 10:30	0.08	34.90	2.48	1.71
28/09/2002 11:30	0.08	34.73	2.38	1.78
28/09/2002 12:30	0.08	34.08	2.51	1.30

Date & Time	HYBRID - 10000%	HYBRID - 10000%	HYBRID - 10000%	HYBRID - 10000%
	PHN	PHN	PHN	PHN
1/1/1/2002 10:00	0.00	0.00	0.00	0.00
1/1/1/2002 10:05	0.00	0.00	0.00	0.00
1/1/1/2002 10:10	0.00	0.00	0.00	0.00
1/1/1/2002 10:15	0.00	0.00	0.00	0.00
1/1/1/2002 10:20	0.00	0.00	0.00	0.00
1/1/1/2002 10:25	0.00	0.00	0.00	0.00
1/1/1/2002 10:30	0.00	0.00	0.00	0.00
1/1/1/2002 10:35	0.00	0.00	0.00	0.00
1/1/1/2002 10:40	0.00	0.00	0.00	0.00
1/1/1/2002 10:45	0.00	0.00	0.00	0.00
1/1/1/2002 10:50	0.00	0.00	0.00	0.00
1/1/1/2002 10:55	0.00	0.00	0.00	0.00
1/1/1/2002 11:00	0.00	0.00	0.00	0.00
1/1/1/2002 11:05	0.00	0.00	0.00	0.00
1/1/1/2002 11:10	0.00	0.00	0.00	0.00
1/1/1/2002 11:15	0.00	0.00	0.00	0.00
1/1/1/2002 11:20	0.00	0.00	0.00	0.00
1/1/1/2002 11:25	0.00	0.00	0.00	0.00
1/1/1/2002 11:30	0.00	0.00	0.00	0.00
1/1/1/2002 11:35	0.00	0.00	0.00	0.00
1/1/1/2002 11:40	1.10	10.80	0.87	2.10
1/1/1/2002 11:45	Maintenance	Maintenance	Maintenance	Maintenance
1/1/1/2002 11:50	0.00	-41.84	0.10	2.00
1/1/1/2002 11:55	0.00	36.50	0.17	1.80
1/1/1/2002 12:00	0.00	-41.42	0.87	1.50
1/1/1/2002 12:05	1.10	34.81	0.10	-1.20
1/1/1/2002 12:10	0.14	-46.51	0.80	0.10
1/1/1/2002 12:15	0.10	38.96	0.10	-1.21
1/1/1/2002 12:20	0.00	0.00	0.00	0.00
1/1/1/2002 12:25	0.00	0.00	0.00	0.00
1/1/1/2002 12:30	0.00	0.00	0.00	0.00
1/1/1/2002 12:35	0.00	0.00	0.00	0.00
1/1/1/2002 12:40	Maintenance	Maintenance	Maintenance	Maintenance
1/1/1/2002 12:45	Maintenance	Maintenance	Maintenance	Maintenance
1/1/1/2002 12:50	Maintenance	Maintenance	Maintenance	Maintenance
1/1/1/2002 12:55	Maintenance	Maintenance	Maintenance	Maintenance
1/1/1/2002 13:00	Maintenance	Maintenance	Maintenance	Maintenance
1/1/1/2002 13:05	Maintenance	Maintenance	Maintenance	Maintenance
1/1/1/2002 13:10	Maintenance	Maintenance	Maintenance	Maintenance
1/1/1/2002 13:15	Maintenance	Maintenance	Maintenance	Maintenance
1/1/1/2002 13:20	Maintenance	Maintenance	Maintenance	Maintenance
1/1/1/2002 13:25	Maintenance	Maintenance	Maintenance	Maintenance
1/1/1/2002 13:30	Maintenance	Maintenance	Maintenance	Maintenance
1/1/1/2002 13:35	Maintenance	Maintenance	Maintenance	Maintenance
1/1/1/2002 13:40	Maintenance	Maintenance	Maintenance	Maintenance
1/1/1/2002 13:45	Maintenance	Maintenance	Maintenance	Maintenance
1/1/1/2002 13:50	0.10	-41.80	0.80	0.20
1/1/1/2002 13:55	0.10	38.20	0.85	0.10
1/1/1/2002 14:00	0.14	-41.44	0.11	0.24
1/1/1/2002 14:05	0.87	47.10	0.80	1.88
1/1/1/2002 14:10	0.83	45.10	1.43	1.80
1/1/1/2002 14:15	0.62	46.80	1.48	0.66
1/1/1/2002 14:20	1.10	50.82	0.21	0.20
1/1/1/2002 14:25	0.60	4.06	0.80	0.00
1/1/1/2002 14:30	0.00	0.00	0.00	0.00
1/1/1/2002 14:35	0.00	0.00	0.00	0.00

[illegible]

Date & Time	-HRS@10000%	-HRS@10000%	-HRS@10000%	-HRS@10000%
23/01/2002 04:00	0.00	0.00	0.00	0.00
23/01/2002 05:00	0.00	0.00	0.00	0.00
23/01/2002 06:00	0.00	0.00	0.00	0.00
23/01/2002 07:00	0.00	0.00	0.00	0.00
23/01/2002 08:00	0.00	0.00	0.00	0.00
23/01/2002 09:00	0.00	0.00	0.00	0.00
23/01/2002 10:00	0.00	0.00	0.00	0.00
23/01/2002 11:00	0.00	0.00	0.00	0.00
23/01/2002 12:00	0.00	0.00	0.00	0.00
23/01/2002 13:00	Start up	Start up	Start up	Start up
23/01/2002 14:00	0.00	0.00	0.00	0.00
23/01/2002 15:00	0.00	0.00	0.00	0.00
23/01/2002 16:00	0.00	0.00	0.00	0.00
23/01/2002 17:00	0.00	0.00	0.00	0.00
23/01/2002 18:00	0.00	0.00	0.00	0.00
23/01/2002 19:00	0.00	0.00	0.00	0.00
23/01/2002 20:00	0.00	0.00	0.00	0.00
23/01/2002 21:00	0.00	0.00	0.00	0.00
23/01/2002 22:00	0.00	0.00	0.00	0.00
23/01/2002 23:00	0.00	0.00	0.00	0.00
24/01/2002 00:00	0.00	0.00	0.00	0.00
24/01/2002 01:00	0.00	0.00	0.00	0.00
24/01/2002 02:00	0.00	0.00	0.00	0.00
24/01/2002 03:00	0.00	0.00	0.00	0.00
24/01/2002 04:00	0.00	0.00	0.00	0.00
24/01/2002 05:00	0.00	0.00	0.00	0.00
24/01/2002 06:00	0.00	0.00	0.00	0.00
24/01/2002 07:00	0.00	0.00	0.00	0.00
24/01/2002 08:00	0.00	0.00	0.00	0.00
24/01/2002 09:00	0.00	0.00	0.00	0.00
24/01/2002 10:00	0.00	0.00	0.00	0.00
24/01/2002 11:00	0.00	0.00	0.00	0.00
24/01/2002 12:00	0.00	0.00	0.00	0.00
24/01/2002 13:00	0.00	0.00	0.00	0.00
24/01/2002 14:00	0.00	0.00	0.00	0.00
24/01/2002 15:00	0.00	0.00	0.00	0.00
24/01/2002 16:00	0.00	0.00	0.00	0.00
24/01/2002 17:00	0.00	0.00	0.00	0.00
24/01/2002 18:00	0.00	0.00	0.00	0.00
24/01/2002 19:00	0.00	0.00	0.00	0.00
24/01/2002 20:00	0.00	0.00	0.00	0.00
24/01/2002 21:00	0.00	0.00	0.00	0.00
24/01/2002 22:00	0.00	0.00	0.00	0.00
24/01/2002 23:00	0.00	0.00	0.00	0.00
25/01/2002 00:00	0.00	0.00	0.00	0.00
25/01/2002 01:00	0.00	0.00	0.00	0.00
25/01/2002 02:00	0.00	0.00	0.00	0.00
25/01/2002 03:00	0.00	0.00	0.00	0.00
25/01/2002 04:00	0.00	0.00	0.00	0.00
25/01/2002 05:00	0.00	0.00	0.00	0.00
25/01/2002 06:00	0.00	0.00	0.00	0.00
25/01/2002 07:00	0.00	0.00	0.00	0.00
25/01/2002 08:00	0.00	0.00	0.00	0.00
25/01/2002 09:00	0.00	0.00	0.00	0.00
25/01/2002 10:00	0.00	0.00	0.00	0.00
25/01/2002 11:00	0.00	0.00	0.00	0.00
25/01/2002 12:00	0.00	0.00	0.00	0.00
25/01/2002 13:00	0.00	0.00	0.00	0.00
25/01/2002 14:00	0.00	0.00	0.00	0.00
25/01/2002 15:00	0.00	0.00	0.00	0.00
25/01/2002 16:00	0.00	0.00	0.00	0.00
25/01/2002 17:00	0.00	0.00	0.00	0.00
25/01/2002 18:00	0.00	0.00	0.00	0.00
25/01/2002 19:00	0.00	0.00	0.00	0.00
25/01/2002 20:00	0.00	0.00	0.00	0.00
25/01/2002 21:00	0.00	0.00	0.00	0.00
25/01/2002 22:00	0.00	0.00	0.00	0.00
25/01/2002 23:00	0.00	0.00	0.00	0.00
26/01/2002 00:00	0.00	0.00	0.00	0.00
26/01/2002 01:00	0.00	0.00	0.00	0.00
26/01/2002 02:00	0.00	0.00	0.00	0.00
26/01/2002 03:00	0.00	0.00	0.00	0.00
26/01/2002 04:00	0.00	0.00	0.00	0.00
26/01/2002 05:00	0.00	0.00	0.00	0.00
26/01/2002 06:00	0.00	0.00	0.00	0.00
26/01/2002 07:00	0.00	0.00	0.00	0.00
26/01/2002 08:00	0.00	0.00	0.00	0.00
26/01/2002 09:00	0.00	0.00	0.00	0.00
26/01/2002 10:00	0.00	0.00	0.00	0.00
26/01/2002 11:00	0.00	0.00	0.00	0.00
26/01/2002 12:00	0.00	0.00	0.00	0.00
26/01/2002 13:00	0.00	0.00	0.00	0.00
26/01/2002 14:00	0.00	0.00	0.00	0.00
26/01/2002 15:00	0.00	0.00	0.00	0.00
26/01/2002 16:00	0.00	0.00	0.00	0.00
26/01/2002 17:00	0.00	0.00	0.00	0.00
26/01/2002 18:00	0.00	0.00	0.00	0.00
26/01/2002 19:00	0.00	0.00	0.00	0.00
26/01/2002 20:00	0.00	0.00	0.00	0.00
26/01/2002 21:00	0.00	0.00	0.00	0.00
26/01/2002 22:00	0.00	0.00	0.00	0.00
26/01/2002 23:00	0.00	0.00	0.00	0.00
27/01/2002 00:00	0.00	0.00	0.00	0.00
27/01/2002 01:00	0.00	0.00	0.00	0.00
27/01/2002 02:00	0.00	0.00	0.00	0.00
27/01/2002 03:00	0.00	0.00	0.00	0.00
27/01/2002 04:00	0.00	0.00	0.00	0.00
27/01/2002 05:00	0.00	0.00	0.00	0.00
27/01/2002 06:00	0.00	0.00	0.00	0.00
27/01/2002 07:00	0.00	0.00	0.00	0.00
27/01/2002 08:00	0.00	0.00	0.00	0.00
27/01/2002 09:00	0.00	0.00	0.00	0.00
27/01/2002 10:00	0.00	0.00	0.00	0.00
27/01/2002 11:00	0.00	0.00	0.00	0.00
27/01/2002 12:00	0.00	0.00	0.00	0.00
27/01/2002 13:00	0.00	0.00	0.00	0.00
27/01/2002 14:00	0.00	0.00	0.00	0.00
27/01/2002 15:00	0.00	0.00	0.00	0.00
27/01/2002 16:00	0.00	0.00	0.00	0.00
27/01/2002 17:00	0.00	0.00	0.00	0.00
27/01/2002 18:00	0.00	0.00	0.00	0.00
27/01/2002 19:00	0.00	0.00	0.00	0.00
27/01/2002 20:00	0.00	0.00	0.00	0.00
27/01/2002 21:00	0.00	0.00	0.00	0.00
27/01/2002 22:00	0.00	0.00	0.00	0.00
27/01/2002 23:00	0.00	0.00	0.00	0.00
28/01/2002 00:00	0.00	0.00	0.00	0.00
28/01/2002 01:00	0.00	0.00	0.00	0.00
28/01/2002 02:00	0.00	0.00	0.00	0.00
28/01/2002 03:00	0.00	0.00	0.00	0.00
28/01/2002 04:00	0.00	0.00	0.00	0.00
28/01/2002 05:00	0.00	0.00	0.00	0.00
28/01/2002 06:00	0.00	0.00	0.00	0.00
28/01/2002 07:00	0.00	0.00	0.00	0.00
28/01/2002 08:00	0.00	0.00	0.00	0.00
28/01/2002 09:00	0.00	0.00	0.00	0.00
28/01/2002 10:00	0.00	0.00	0.00	0.00
28/01/2002 11:00	0.00	0.00	0.00	0.00
28/01/2002 12:00	0.00	0.00	0.00	0.00
28/01/2002 13:00	0.00	0.00	0.00	0.00
28/01/2002 14:00	0.00	0.00	0.00	0.00
28/01/2002 15:00	0.00	0.00	0.00	0.00
28/01/2002 16:00	0.00	0.00	0.00	0.00
28/01/2002 17:00	0.00	0.00	0.00	0.00
28/01/2002 18:00	0.00	0.00	0.00	0.00
28/01/2002 19:00	0.00	0.00	0.00	0.00
28/01/2002 20:00	0.00	0.00	0.00	0.00
28/01/2002 21:00	0.00	0.00	0.00	0.00
28/01/2002 22:00	0.00	0.00	0.00	0.00
28/01/2002 23:00	0.00	0.00	0.00	0.00
29/01/2002 00:00	0.00	0.00	0.00	0.00
29/01/2002 01:00	0.00	0.00	0.00	0.00
29/01/2002 02:00	0.00	0.00	0.00	0.00
29/01/2002 03:00	0.00	0.00	0.00	0.00
29/01/2002 04:00	0.00	0.00	0.00	0.00
29/01/2002 05:00	0.00	0.00	0.00	0.00
29/01/2002 06:00	0.00	0.00	0.00	0.00
29/01/2002 07:00	0.00	0.00	0.00	0.00
29/01/2002 08:00	0.00	0.00	0.00	0.00
29/01/2002 09:00	0.00	0.00	0.00	0.00
29/01/2002 10:00	0.00	0.00	0.00	0.00
29/01/2002 11:00	0.00	0.00	0.00	0.00
29/01/2002 12:00	0.00	0.00	0.00	0.00
29/01/2002 13:00	0.00	0.00	0.00	0.00
29/01/2002 14:00	0.00	0.00	0.00	0.00
29/01/2002 15:00	0.00	0.00	0.00	0.00
29/01/2002 16:00	0.00	0.00	0.00	0.00
29/01/2002 17:00	0.00	0.00	0.00	0.00
29/01/2002 18:00	0.00	0.00	0.00	0.00
29/01/2002 19:00	0.00	0.00	0.00	0.00
29/01/2002 20:00	0.00	0.00	0.00	0.00
29/01/2002 21:00	0.00	0.00	0.00	0.00
29/01/2002 22:00	0.00	0.00	0.00	0.00
29/01/2002 23:00	0.00	0.00	0.00	0.00
30/01/2002 00:00	0.00	0.00	0.00	0.00
30/01/2002 01:00	0.00	0.00	0.00	0.00
30/01/2002 02:00	0.00	0.00	0.00	0.00
30/01/2002 03:00	0.00	0.00	0.00	0.00
30/01/2002 04:00	0.00	0.00	0.00	0.00
30/01/2002 05:00	0.00	0.00	0.00	0.00
30/01/2002 06:00	0.00	0.00	0.00	0.00
30/01/2002 07:00	0.00	0.00	0.00	0.00
30/01/2002 08:00	0.00	0.00	0.00	0.00
30/01/2002 09:00	0.00	0.00	0.00	0.00
30/01/2002 10:00	0.00	0.00	0.00	0.00
30/01/2002 11:00	0.00	0.00	0.00	0.00
30/01/2002 12:00	0.00	0.00	0.00	0.00
30/01/2002 13:00	0.00	0.00	0.00	0.00
30/01/2002 14:00	0.00	0.00	0.00	0.00
30/01/2002 15:00	0.00	0.00	0.00	0.00
30/01/2002 16:00	0.00	0.00	0.00	0.00
30/01/2002 17:00	0.00	0.00	0.00	0.00
30/01/2002 18:00	0.00	0.00	0.00	0.00
30/01/2002 19:00	0.00	0.00	0.00	0.00
30/01/2002 20:00	0.00	0.00	0.00	0.00
30/01/2002 21:00	0.00	0.00	0.00	0.00
30/01/2002 22:00	0.00	0.00	0.00	0.00
30/01/2002 23:00	0.00	0.00	0.00	0.00
31/01/2002 00:00	0.00	0.00	0.00	0.00
31/01/2002 01:00	0.00	0.00	0.00	0.00
31/01/2002 02:00	0.00	0.00	0.00	0.00
31/01/2002 03:00	0.00	0.00	0.00	0.00
31/01/2002 04:00	0.00	0.00	0.00	0.00
31/01/2002 05:00	0.00	0.00	0.00	0.00
31/01/2002 06:00	0.00	0.00	0.00	0.00
31/01/2002 07:00	0.00	0.00	0.00	0.00
31/01/2002 08:00	0.00	0.00	0.00	0.00
31/01/2002 09:00	0.00	0.00	0.00	0.00
31/01/2002 10:00	0.00	0.00	0.00	0.00
31/01/2002 11:00	0.00	0.00	0.00	0.00
31/01/2002 12:00	0.00	0.00	0.00	0.00
31/01/2002 13:00	0.00	0.00	0.00	0.00

[illegible]

[illegible]

Date & Time	referred_loading	referred_loading	referred_loading	referred_loading
11/04/2012 11:30	0.00	0.00	0.00	0.00
11/04/2012 14:30	0.00	35.10	0.00	0.00
11/04/2012 16:30	0.00	35.00	0.00	0.00
11/04/2012 18:30	0.00	36.34	0.00	0.00
11/04/2012 17:30	0.00	36.69	0.00	0.00
11/08/2012 16:30	0.00	35.12	0.00	0.00
11/04/2012 18:30	0.00	36.85	0.00	0.00
11/04/2012 20:30	0.00	37.24	0.00	0.00
11/04/2012 21:30	0.00	36.78	0.00	0.00
11/04/2012 22:30	0.00	37.43	0.00	0.00
11/04/2012 23:30	0.00	38.43	0.00	0.00
12/04/2012 00:30	0.00	0.00	0.00	0.00
12/04/2012 01:30	0.00	0.00	0.00	0.00
12/04/2012 02:30	0.00	0.00	0.00	0.00
12/08/2012 03:30	0.00	0.00	0.00	0.00
12/04/2012 04:30	0.00	0.00	0.00	0.00
12/04/2012 05:30	0.00	0.00	0.00	0.00
12/04/2012 06:30	0.00	0.00	0.00	0.00
12/04/2012 07:30	0.00	0.00	0.00	0.00
12/04/2012 08:30	0.00	0.00	0.00	0.00
12/04/2012 09:30	0.00	0.00	0.00	0.00
12/04/2012 10:30	0.00	0.00	0.00	0.00
12/04/2012 11:30	0.00	0.00	0.00	0.00
12/04/2012 12:30	0.00	0.00	0.00	0.00
12/04/2012 13:30	0.00	0.00	0.00	0.00
12/04/2012 14:30	0.00	0.00	0.00	0.00
12/04/2012 15:30	0.00	0.00	0.00	0.00
12/04/2012 16:30	0.00	0.00	0.00	0.00
12/04/2012 17:30	0.00	0.00	0.00	0.00
12/04/2012 18:30	0.00	0.00	0.00	0.00
12/04/2012 19:30	0.00	0.00	0.00	0.00
12/04/2012 20:30	0.00	0.00	0.00	0.00
12/04/2012 21:30	0.00	0.00	0.00	0.00
12/04/2012 22:30	0.00	0.00	0.00	0.00
12/04/2012 23:30	0.00	0.00	0.00	0.00
13/04/2012 00:30	0.00	0.00	0.00	0.00
13/04/2012 01:30	0.00	0.00	0.00	0.00
13/04/2012 02:30	0.00	0.00	0.00	0.00
13/04/2012 03:30	0.00	0.00	0.00	0.00
13/04/2012 04:30	0.00	0.00	0.00	0.00
13/04/2012 05:30	0.00	0.00	0.00	0.00
13/04/2012 06:30	0.00	0.00	0.00	0.00
13/04/2012 07:30	0.00	0.00	0.00	0.00
13/04/2012 08:30	0.00	0.00	0.00	0.00
13/04/2012 09:30	0.00	0.00	0.00	0.00
13/04/2012 10:30	0.00	0.00	0.00	0.00
13/04/2012 11:30	0.00	0.00	0.00	0.00
13/04/2012 12:30	0.00	0.00	0.00	0.00
13/04/2012 13:30	0.00	0.00	0.00	0.00
13/04/2012 14:30	0.00	0.00	0.00	0.00
13/04/2012 15:30	0.00	0.00	0.00	0.00

Date & Time	WSPR-1, 100%	WSPR-10, 100%	WSPR-100, 100%	WSPR-1, 100%
12/04/2022 17:00	0.00	0.00	0.00	0.00
12/04/2022 17:05	0.00	20.30	4.21	0.00
12/04/2022 17:10	0.00	50.10	1.81	2.00
12/04/2022 17:15	0.00	90.81	0.00	2.17
12/04/2022 17:20	0.00	34.81	0.00	3.19
12/04/2022 17:25	0.00	33.80	0.00	2.20
12/04/2022 17:30	0.00	37.31	1.84	3.14
12/04/2022 17:35	0.00	4.00	0.00	0.00
12/04/2022 17:40	0.00	3.00	0.00	0.00
12/04/2022 17:45	0.00	0.00	0.00	0.00
12/04/2022 17:50	0.00	0.00	0.00	0.00
12/04/2022 17:55	0.00	0.00	0.00	0.00
12/04/2022 18:00	0.00	0.00	0.00	0.00
12/04/2022 18:05	0.00	0.00	0.00	0.00
12/04/2022 18:10	0.00	0.00	0.00	0.00
12/04/2022 18:15	0.00	0.00	0.00	0.00
12/04/2022 18:20	0.00	0.00	0.00	0.00
12/04/2022 18:25	0.00	0.00	0.00	0.00
12/04/2022 18:30	0.00	0.00	0.00	0.00
12/04/2022 18:35	0.00	0.00	0.00	0.00
12/04/2022 18:40	0.00	0.00	0.00	0.00
12/04/2022 18:45	0.00	0.00	0.00	0.00
12/04/2022 18:50	0.00	0.00	0.00	0.00
12/04/2022 18:55	0.00	0.00	0.00	0.00
12/04/2022 19:00	0.00	0.00	0.00	0.00
12/04/2022 19:05	0.00	0.00	0.00	0.00
12/04/2022 19:10	0.00	0.00	0.00	0.00
12/04/2022 19:15	0.00	0.00	0.00	0.00
12/04/2022 19:20	0.00	0.00	0.00	0.00
12/04/2022 19:25	0.00	0.00	0.00	0.00
12/04/2022 19:30	0.00	0.00	0.00	0.00
12/04/2022 19:35	0.00	0.00	0.00	0.00
12/04/2022 19:40	0.00	0.00	0.00	0.00
12/04/2022 19:45	0.00	0.00	0.00	0.00
12/04/2022 19:50	0.00	0.00	0.00	0.00
12/04/2022 19:55	0.00	0.00	0.00	0.00
12/04/2022 20:00	0.00	0.00	0.00	0.00
12/04/2022 20:05	0.00	0.00	0.00	0.00
12/04/2022 20:10	0.00	0.00	0.00	0.00
12/04/2022 20:15	0.00	0.00	0.00	0.00
12/04/2022 20:20	0.00	0.00	0.00	0.00
12/04/2022 20:25	0.00	0.00	0.00	0.00
12/04/2022 20:30	0.00	0.00	0.00	0.00
12/04/2022 20:35	0.00	0.00	0.00	0.00
12/04/2022 20:40	0.00	0.00	0.00	0.00
12/04/2022 20:45	0.00	0.00	0.00	0.00
12/04/2022 20:50	0.00	0.00	0.00	0.00
12/04/2022 20:55	0.00	0.00	0.00	0.00
12/04/2022 21:00	0.00	0.00	0.00	0.00
12/04/2022 21:05	0.00	0.00	0.00	0.00
12/04/2022 21:10	0.00	0.00	0.00	0.00
12/04/2022 21:15	0.00	0.00	0.00	0.00
12/04/2022 21:20	0.00	0.00	0.00	0.00
12/04/2022 21:25	0.00	0.00	0.00	0.00
12/04/2022 21:30	0.00	0.00	0.00	0.00
12/04/2022 21:35	0.00	0.00	0.00	0.00
12/04/2022 21:40	0.00	0.00	0.00	0.00
12/04/2022 21:45	0.00	0.00	0.00	0.00
12/04/2022 21:50	0.00	0.00	0.00	0.00
12/04/2022 21:55	0.00	0.00	0.00	0.00
12/04/2022 22:00	0.00	0.00	0.00	0.00
12/04/2022 22:05	0.00	0.00	0.00	0.00
12/04/2022 22:10	0.00	0.00	0.00	0.00
12/04/2022 22:15	0.00	0.00	0.00	0.00
12/04/2022 22:20	0.00	0.00	0.00	0.00

[illegible]

Date & Time	HR0101_20090901	HR0102_20090901	HR0103_20090901	HR0104_20090901
21/09/2009 07:00	0.00	0.00	0.00	0.00
21/09/2009 07:05	0.00	40.57	1.52	2.43
21/09/2009 07:10	0.00	30.35	1.88	2.43
21/09/2009 07:15	0.00	30.89	1.24	2.43
21/09/2009 07:20	0.00	40.87	1.31	2.43
21/09/2009 07:25	0.00	40.80	1.60	2.43
21/09/2009 07:30	0.00	38.87	1.88	2.43
21/09/2009 07:35	0.00	45.21	1.38	2.39
21/09/2009 07:40	0.00	38.38	0.97	2.43
21/09/2009 07:45	0.00	36.50	0.38	2.39
21/09/2009 07:50	0.00	36.99	0.38	2.43
21/09/2009 07:55	0.00	37.85	0.87	2.39
21/09/2009 08:00	0.00	40.84	1.83	2.37
21/09/2009 08:05	0.24	41.82	1.85	2.39
21/09/2009 08:10	0.08	8.84	1.33	2.37
21/09/2009 08:15	0.00	5.30	6.84	2.12
21/09/2009 08:20	Maintenance	Maintenance	Maintenance	Maintenance
21/09/2009 08:25	1.35	44.70	2.20	2.34
21/09/2009 08:30	0.00	40.82	0.85	2.39
21/09/2009 08:35	0.30	41.47	0.73	2.35
21/09/2009 08:40	0.00	41.22	0.87	2.29
21/09/2009 08:45	0.00	38.18	1.52	2.39
21/09/2009 08:50	0.00	41.80	1.45	2.39
21/09/2009 08:55	0.00	41.81	1.38	2.48
21/09/2009 09:00	0.00	36.52	1.87	2.40
21/09/2009 09:05	0.10	38.43	1.80	2.48
21/09/2009 09:10	0.02	37.31	0.43	2.47
21/09/2009 09:15	0.00	38.71	0.88	2.48
21/09/2009 09:20	0.30	36.11	0.85	2.45
21/09/2009 09:25	0.00	37.80	0.70	2.47
21/09/2009 09:30	0.05	48.31	1.76	2.48
21/09/2009 09:35	0.00	43.77	1.81	2.39
21/09/2009 09:40	0.00	30.37	0.85	2.39
21/09/2009 09:45	0.00	27.48	0.85	2.39
21/09/2009 09:50	0.00	38.45	0.81	2.40
21/09/2009 09:55	0.00	38.40	0.91	2.39
21/09/2009 10:00	0.00	37.20	1.12	2.39
21/09/2009 10:05	0.00	38.83	1.88	2.44
21/09/2009 10:10	0.00	38.71	0.89	2.45
21/09/2009 10:15	0.00	36.83	1.54	2.39
21/09/2009 10:20	0.00	37.84	1.71	2.37
21/09/2009 10:25	0.02	38.84	1.85	2.39
21/09/2009 10:30	1.31	42.49	2.39	2.39
21/09/2009 10:35	1.34	41.95	2.40	2.02
21/09/2009 10:40	0.85	40.95	2.87	2.27
21/09/2009 10:45	2.11	41.47	2.89	2.12
21/09/2009 10:50	2.39	41.80	2.88	2.30
21/09/2009 10:55	0.99	46.81	1.92	2.37
21/09/2009 11:00	0.60	40.78	1.88	2.44
21/09/2009 11:05	0.27	41.37	1.82	2.34
21/09/2009 11:10	0.00	39.31	1.32	2.39

Date & Time	revised_2002 (%)	revised_2002 (%)	revised_2002 (%)	revised_2002 (%)
05/05/2002 14:30	0.00	0.00	0.00	0.00
05/05/2002 15:30	0.00	77.22	0.00	1.42
05/05/2002 16:30	0.00	36.30	0.00	1.20
05/05/2002 17:30	0.00	56.13	0.00	1.14
05/05/2002 18:30	0.00	44.60	0.00	1.08
05/05/2002 19:30	0.00	30.78	0.00	1.28
05/05/2002 20:30	0.00	37.12	0.00	1.30
05/05/2002 21:30	0.00	35.86	0.00	1.28
05/05/2002 22:30	0.00	33.75	0.00	1.07
05/05/2002 23:30	0.00	34.30	0.00	1.03
06/05/2002 00:30	0.00	32.07	0.00	1.12
06/05/2002 01:30	0.00	32.98	0.00	1.13
06/05/2002 02:30	0.00	32.60	0.00	1.14
06/05/2002 03:30	0.00	30.68	0.00	1.14
06/05/2002 04:30	0.11	30.20	0.00	1.18
06/05/2002 05:30	0.40	30.18	0.00	1.14
06/05/2002 06:30	0.00	30.58	0.00	1.13
06/05/2002 07:30	0.12	33.11	0.00	1.05
06/05/2002 08:30	0.00	30.02	0.00	1.04
06/05/2002 09:30	0.00	29.60	0.00	1.00
06/05/2002 10:30	0.00	34.00	0.00	0.94
06/05/2002 11:30	0.00	32.57	0.00	1.13
06/05/2002 12:30	0.00	36.60	0.00	1.00
06/05/2002 13:30	0.00	36.70	0.00	1.07
06/05/2002 14:30	0.00	36.30	0.00	1.03
06/05/2002 15:30	0.00	36.20	0.00	1.00
06/05/2002 16:30	0.00	35.14	0.00	1.21
06/05/2002 17:30	0.00	34.72	0.00	1.17
06/05/2002 18:30	0.00	30.66	0.00	1.06
06/05/2002 19:30	0.00	21.63	0.00	1.03
06/05/2002 20:30	0.14	20.77	0.00	1.06
06/05/2002 21:30	0.04	21.77	0.00	1.04
06/05/2002 22:30	0.00	20.24	0.00	1.08
06/05/2002 23:30	0.00	35.08	0.00	1.06
06/05/2002 00:30	0.00	37.34	0.00	1.08
06/05/2002 01:30	0.00	35.13	0.00	1.13
06/05/2002 02:30	0.01	36.83	0.00	1.18
06/05/2002 03:30	0.00	35.00	0.00	1.18
06/05/2002 04:30	0.00	36.08	0.00	1.16
06/05/2002 05:30	0.00	35.18	0.00	1.20
06/05/2002 06:30	0.00	36.36	0.00	1.21
06/05/2002 07:30	0.00	35.09	0.00	1.17
06/05/2002 08:30	0.00	36.16	0.00	1.07

Date & Time	WSPR-10000%	WSPR-10000%	WSPR-10000%	WSPR-10000%
21/05/2022 07:00	0.00	0.00	0.00	0.00
21/05/2022 08:00	0.00	0.00	1.15	1.00
21/05/2022 09:00	0.00	0.00	1.51	1.15
21/05/2022 10:00	0.00	0.00	1.88	2.00
21/05/2022 11:00	0.35	0.00	2.75	2.75
21/05/2022 12:00	0.00	0.00	1.31	2.00
21/05/2022 13:00	0.07	0.00	1.84	2.00
21/05/2022 14:00	0.43	0.00	1.80	2.00
21/05/2022 15:00	0.00	0.00	1.55	2.00
21/05/2022 16:00	0.00	0.00	1.80	2.00
21/05/2022 17:00	0.11	0.00	1.70	2.00
21/05/2022 18:00	0.42	0.00	1.72	1.80
21/05/2022 19:00	0.00	0.00	1.41	2.00
21/05/2022 20:00	0.07	0.00	1.81	2.00
21/05/2022 21:00	0.46	0.00	1.80	2.00
21/05/2022 22:00	0.18	0.00	1.70	2.00
21/05/2022 23:00	0.00	0.00	2.41	1.80
22/05/2022 00:00	0.00	0.00	0.00	0.00
22/05/2022 01:00	0.00	0.00	0.00	0.00
22/05/2022 02:00	0.00	0.00	0.00	0.00
22/05/2022 03:00	0.00	0.00	0.00	0.00
22/05/2022 04:00	0.00	0.00	0.00	0.00
22/05/2022 05:00	0.00	0.00	0.00	0.00
22/05/2022 06:00	0.00	0.00	0.00	0.00
22/05/2022 07:00	0.00	0.00	0.00	0.00
22/05/2022 08:00	0.00	0.00	0.00	0.00
22/05/2022 09:00	0.00	0.00	0.00	0.00
22/05/2022 10:00	0.00	0.00	0.00	0.00
22/05/2022 11:00	0.00	0.00	0.00	0.00
22/05/2022 12:00	0.00	0.00	0.00	0.00
22/05/2022 13:00	0.00	0.00	0.00	0.00
22/05/2022 14:00	0.00	0.00	0.00	0.00
22/05/2022 15:00	0.00	0.00	0.00	0.00
22/05/2022 16:00	0.00	0.00	0.00	0.00
22/05/2022 17:00	0.00	0.00	0.00	0.00
22/05/2022 18:00	0.00	0.00	0.00	0.00
22/05/2022 19:00	0.00	0.00	0.00	0.00
22/05/2022 20:00	0.00	0.00	0.00	0.00
22/05/2022 21:00	0.00	0.00	0.00	0.00
22/05/2022 22:00	0.00	0.00	0.00	0.00
22/05/2022 23:00	0.00	0.00	0.00	0.00
23/05/2022 00:00	0.00	0.00	0.00	0.00
23/05/2022 01:00	0.00	0.00	0.00	0.00
23/05/2022 02:00	0.00	0.00	0.00	0.00
23/05/2022 03:00	0.00	0.00	0.00	0.00
23/05/2022 04:00	0.00	0.00	0.00	0.00
23/05/2022 05:00	0.00	0.00	0.00	0.00
23/05/2022 06:00	0.00	0.00	0.00	0.00
23/05/2022 07:00	0.00	0.00	0.00	0.00
23/05/2022 08:00	0.00	0.00	0.00	0.00
23/05/2022 09:00	0.00	0.00	0.00	0.00
23/05/2022 10:00	0.00	0.00	0.00	0.00
23/05/2022 11:00	0.00	0.00	0.00	0.00
23/05/2022 12:00	0.00	0.00	0.00	0.00
23/05/2022 13:00	0.00	0.00	0.00	0.00
23/05/2022 14:00	0.00	0.00	0.00	0.00
23/05/2022 15:00	0.00	0.00	0.00	0.00
23/05/2022 16:00	0.00	0.00	0.00	0.00
23/05/2022 17:00	0.00	0.00	0.00	0.00
23/05/2022 18:00	0.00	0.00	0.00	0.00
23/05/2022 19:00	0.00	0.00	0.00	0.00
23/05/2022 20:00	0.00	0.00	0.00	0.00
23/05/2022 21:00	0.00	0.00	0.00	0.00
23/05/2022 22:00	0.00	0.00	0.00	0.00
23/05/2022 23:00	0.00	0.00	0.00	0.00

[illegible]