

ภาคผนวก ค

ใบรายงานผลวิเคราะห์



Analysis / Test Report

TESTING

No.0009

Lot ID: 2275067

Date Received : Jul 05, 2022

Date Reported : Jul 15, 2022

Report Number : 2368084-1

Client : Dcondo Campus Resort Juristic Person Condominium
222 Moo 1, Suthep Rd., T. Suthep, A. Maung, Chiang Mai Thailand 50200

P/O :

Project Name :

Project Location :

Page 1 of 1

| | |
|--------------------------------|---|
| Sample Number | 2275067-1 |
| Sampled Date | Jul 04, 2022 9:20 AM |
| Sample Description | ระบบบำบัดน้ำเสีย / จุดปล่อยน้ำก่อนออกสู่สาธารณะ |
| Date Analysis Commenced | Jul 06, 2022 |
| Condition of Sample | Contained in one amber glass bottle and four plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA) |

| Analyte | Unit | LOD | LOQ (LOR) | Result | Guideline / Specification | Method | Testing Location |
|--|---------|------|-----------|--------|---------------------------|---------------------------------------|------------------|
| Water Testing | | | | | | | |
| BOD (5 days at 20 degree C) * | mg/L | - | 2 | 6 | ≤20 | Based on APHA (2017), 5210 (B) | Bangkok |
| Oil & Grease | mg/L | - | 3 | <3 | ≤20 | Based on APHA (2017), 5520 B | Bangkok |
| pH at 25 degree C | | - | - | 7.3 | 5.0-9.0 | Based on APHA (2017), 4500-H (B) | Bangkok |
| Settleable Solid * | mL/L/hr | - | 0.1 | <0.1 | ≤0.5 | Based on APHA (2017), 2540 F | Bangkok |
| Sulfide * | mg/L | - | 0.5 | <0.5 | ≤1 | Based on APHA (2017), 4500-S2(C), (F) | Bangkok |
| Total Dissolved Solids Dried at 103-105 degree C | mg/L | - | 5 | 288 | (1) | Based on APHA (2017), 2540 C | Bangkok |
| Total Kjeldahl Nitrogen as N * | mg/L | 0.15 | 1.0 | 12.6 | ≤35 | Based on APHA (2017), 4500-Norg (C) | Bangkok |
| Total Suspended Solids Dried at 103-105 degree C | mg/L | - | 5 | 27 | ≤30 | Based on APHA (2017), 2540 D | Bangkok |

Guideline : Notification of Ministry of Natural Resources and Environment November, 7, B.E. 2548 on Effluent Control Standard from Types and Sized of Buildings, Type A.

(1) : The values are in addition to the Total Dissolved Solids of the water used not more than 500 mg/L.

Sampled By : Chaloamkiat Amornriserm

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Nant Somb

Nanthawadee Somboon
Specialist 1



Analysis / Test Report

TESTING
No.0009

Client : Dcondo Campus Resort Juristic Person Condominium
222 Moo 1, Suthep Rd., T. Suthep, A. Maung, Chiang Mai Thailand 50200

P/O :

Project Name :

Project Location :

Lot ID: 2275067

Date Received : Jul 05, 2022

Date Reported : Jul 15, 2022

Report Number : 2368085-1

Page 1 of 1

| | |
|--------------------------------|--|
| Sample Number | 2275067-2 |
| Sampled Date | Jul 04, 2022 9:00 AM |
| Sample Description | สระว่ายน้ำ |
| Date Analysis Commenced | Jul 05, 2022 |
| Condition of Sample | Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA) |

| Analyte | Unit | LOD | LOQ (LOR) | Result | Method | Testing Location |
|--------------------------------|-----------|-----|-----------|--------------|---------------------|------------------|
| Microbiological Testing | | | | | | |
| Fecal Coliform | in 100 mL | - | - | Not Detected | APHA (2017), 9221 E | Bangkok |
| Total Coliform | MPN/100mL | - | - | <1.1 | APHA (2017), 9221 B | Bangkok |

Sampled By : Chaloamkiat Amornriserm

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Approved by

Sithichok T.

Sithichok Thongnguen
Scientist (3)

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Accreditation No. 1031/47

Analysis / Test Report

Client : Dcondo Campus Resort Juristic Person Condominium
222 Moo 1, Suthep Rd., T. Suthep, A. Maung, Chiang Mai Thailand 50200

P/O :

Project Name :

Project Location :

Lot ID: 2275067

Date Received : Jul 05, 2022

Date Reported : Jul 15, 2022

Report Number : 2368086-1

Page 1 of 1

Sample Number 2275067-3
Sampled Date Jul 04, 2022 9:05 AM
Sample Description น้ำดี
Location อาคาร C
Date Analysis Commenced Jul 05, 2022
Condition of Sample Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

| Analyte | Unit | LOD | LOQ (LOR) | Result | Method | Testing Location |
|--------------------------------|-----------|-----|-----------|--------------|---------------------|------------------|
| Microbiological Testing | | | | | | |
| <i>Escherichia coli</i> | in 100 mL | - | - | Not Detected | APHA (2017), 9221 F | Bangkok |

Sampled By : Chaloamkiat Amornsrirerm

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sithichok T.

Sithichok Thongnguen
Scientist (3)

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Accreditation No. 1031/47

Analysis / Test Report

Client : Dcondo Campus Resort Juristic Person Condominium
222 Moo 1, Suthep Rd., T. Suthep, A. Maung, Chiang Mai Thailand 50200

P/O :

Project Name :

Project Location :

Lot ID: 2275067

Date Received : Jul 05, 2022

Date Reported : Jul 15, 2022

Report Number : 2368087-1

Page 1 of 1

Sample Number 2275067-4
Sampled Date Jul 04, 2022 9:10 AM
Sample Description น้ำดี
Location อาคาร B
Date Analysis Commenced Jul 05, 2022
Condition of Sample Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

| Analyte | Unit | LOD | LOQ (LOR) | Result | Method | Testing Location |
|--------------------------------|-----------|-----|-----------|--------------|---------------------|------------------|
| Microbiological Testing | | | | | | |
| <i>Escherichia coli</i> | in 100 mL | - | - | Not Detected | APHA (2017), 9221 F | Bangkok |

Sampled By : Chaloamkiat Amornsrirerm

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sithichok T.

Sithichok Thongnguen
Scientist (3)

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Accreditation No. 1031/47

Analysis / Test Report

Client : Dcondo Campus Resort Juristic Person Condominium
222 Moo 1, Suthep Rd., T. Suthep, A. Maung, Chiang Mai Thailand 50200

P/O :

Project Name :

Project Location :

Lot ID: 2275067

Date Received : Jul 05, 2022

Date Reported : Jul 15, 2022

Report Number : 2368088-1

Page 1 of 1

Sample Number 2275067-5
Sampled Date Jul 04, 2022 9:15 AM
Sample Description น้ำดี
Location อาคาร A
Date Analysis Commenced Jul 05, 2022
Condition of Sample Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

| Analyte | Unit | LOD | LOQ (LOR) | Result | Method | Testing Location |
|--------------------------------|-----------|-----|-----------|--------------|---------------------|------------------|
| Microbiological Testing | | | | | | |
| <i>Escherichia coli</i> | in 100 mL | - | - | Not Detected | APHA (2017), 9221 F | Bangkok |

Sampled By : Chaloamkiat Amornsrirerm

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sithichok T.

Sithichok Thongnguen
Scientist (3)

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Dcondo Campus Resort Juristic Person Condominium
222 Moo 1, Suthep Rd., T. Suthep, A. Maung, Chiang Mai Thailand 50200

P/O :

Project Name :

Project Location:

TESTING

No.0009

Lot ID: 2287230

Date Received : Aug 02, 2022

Date Reported : Aug 08, 2022

Report Number : 2376772-1

Page 1 of 1

| | |
|--------------------------------|---|
| Sample Number | 2287230-1 |
| Sampled Date | Aug 01, 2022 10:30 AM |
| Sample Description | ระบบบำบัดน้ำเสีย / จุดปล่อยน้ำก่อนออกสู่สาธารณะ |
| Date Analysis Commenced | Aug 03, 2022 |
| Condition of Sample | Contained in one amber glass bottle and four plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA) |

| Analyte | Unit | LOD | LOQ (LOR) | Result | Guideline / Specification | Method | Testing Location |
|--|---------|------|-----------|--------|---------------------------|---------------------------------------|------------------|
| Water Testing | | | | | | | |
| BOD (5 days at 20 degree C) * | mg/L | - | 2 | 56 | ≤20 | Based on APHA (2017), 5210 (B) | Bangkok |
| Oil & Grease | mg/L | - | 3 | 5 | ≤20 | Based on APHA (2017), 5520 B | Bangkok |
| pH at 25 degree C | | - | - | 7.5 | 5.0-9.0 | Based on APHA (2017), 4500-H (B) | Bangkok |
| Settleable Solid * | mL/L/hr | - | 0.1 | 1.0 | ≤0.5 | Based on APHA (2017), 2540 F | Bangkok |
| Sulfide * | mg/L | - | 0.5 | <0.5 | ≤1 | Based on APHA (2017), 4500-S2(C), (F) | Bangkok |
| Total Dissolved Solids Dried at 103-105 degree C | mg/L | - | 5 | 256 | (1) | Based on APHA (2017), 2540 C | Bangkok |
| Total Kjeldahl Nitrogen as N * | mg/L | 0.15 | 1.0 | 28.6 | ≤35 | Based on APHA (2017), 4500-Norg (C) | Bangkok |
| Total Suspended Solids Dried at 103-105 degree C | mg/L | - | 5 | 83 | ≤30 | Based on APHA (2017), 2540 D | Bangkok |

Guideline : Notification of Ministry of Natural Resources and Environment November, 7, B.E. 2548 on Effluent Control Standard from Types and Sized of Buildings, Type A.

(1) : The values are in addition to the Total Dissolved Solids of the water used not more than 500 mg/L.

Sampled By : Chaloamkiat Amornriserm

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Siriluk P.

Siriluk Puengpang
Supervisor



Analysis / Test Report

TESTING

No.0009

Lot ID: 2287230

Date Received : Aug 02, 2022

Date Reported : Aug 08, 2022

Report Number : 2376772-2

Client : Dcondo Campus Resort Juristic Person Condominium
222 Moo 1, Suthep Rd., T. Suthep, A. Maung, Chiang Mai Thailand 50200

P/O :

Project Name :

Project Location :

Page 1 of 1

Sample Number 2287230-2
Sampled Date Aug 01, 2022 10:25 AM
Sample Description สระว่ายน้ำ
Date Analysis Commenced Aug 02, 2022
Condition of Sample Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

| Analyte | Unit | LOD | LOQ (LOR) | Result | Guideline / Specification | Method | Testing Location |
|--------------------------------|-----------|-----|-----------|--------------|---------------------------|---------------------|------------------|
| Microbiological Testing | | | | | | | |
| Fecal Coliform | in 100 mL | - | - | Not Detected | Not Detected | APHA (2017), 9221 E | Bangkok |
| Total Coliform | MPN/100mL | - | - | <1.1 | <10 | APHA (2017), 9221 B | Bangkok |

Guideline : คำแนะนำของคณะกรรมการสาธารณสุข ฉบับที่ 1/2550 เรื่อง การควบคุมการประกอบกิจการสรวายน้ำ หรือกิจการอื่น ๆ ในทำนองเดียวกัน

Sampled By : Chaloamkiat Amornsrirerm

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Tuanjai Thangklang
Manager



Analysis / Test Report

TESTING

No.0009

Lot ID: 22103038

Date Received : Sep 06, 2022

Date Reported : Sep 12, 2022

Report Number : 2409944-1

Client : Dcondo Campus Resort Juristic Person Condominium
222 Moo 1, Suthep Rd., T. Suthep, A. Maung, Chiang Mai Thailand 50200

P/O :

Project Name :

Project Location:

Page 1 of 2

| | |
|--------------------------------|---|
| Sample Number | 22103038-1 |
| Sampled Date | Sep 05, 2022 10:10 AM |
| Sample Description | ระบบบำบัดน้ำเสีย / จุดปล่อยน้ำก่อนออกสู่สาธารณะ |
| Date Analysis Commenced | Sep 07, 2022 |
| Condition of Sample | Contained in four plastic bottles and one amber glass bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA) |

| Analyte | Unit | LOD | LOQ (LOR) | Result | Guideline / Specification | Method | Testing Location |
|--|---------|------|-----------|--------|---------------------------|---------------------------------------|------------------|
| Water Testing | | | | | | | |
| BOD (5 days at 20 degree C) * | mg/L | - | 2 | 16 | ≤20 | Based on APHA (2017), 5210 (B) | Bangkok |
| Oil & Grease | mg/L | - | 3 | <3 | ≤20 | Based on APHA (2017), 5520 B | Bangkok |
| pH at 25 degree C | | - | - | 7.1 | 5.0-9.0 | Based on APHA (2017), 4500-H (B) | Bangkok |
| Settleable Solid * | mL/L/hr | - | 0.1 | <0.1 | ≤0.5 | Based on APHA (2017), 2540 F | Bangkok |
| Sulfide * | mg/L | - | 0.5 | <0.5 | ≤1 | Based on APHA (2017), 4500-S2(C), (F) | Bangkok |
| Total Dissolved Solids Dried at 103-105 degree C | mg/L | - | 5 | 340 | (1) | Based on APHA (2017), 2540 C | Bangkok |
| Total Kjeldahl Nitrogen as N * | mg/L | 0.15 | 1.0 | 11.1 | ≤35 | Based on APHA (2017), 4500-Norg (C) | Bangkok |
| Total Suspended Solids Dried at 103-105 degree C | mg/L | - | 5 | 29 | ≤30 | Based on APHA (2017), 2540 D | Bangkok |

Guideline : Notification of Ministry of Natural Resources and Environment November, 7, B.E. 2548 on Effluent Control Standard from Types and Sized of Buildings, Type A.

(1) : The values are in addition to the Total Dissolved Solids of the water used not more than 500 mg/L.

Sampled By : Takdanai Ubonsr

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Tuanjai Thangklang
Manager



Analysis / Test Report

Client : Dcondo Campus Resort Juristic Person Condominium
222 Moo 1, Suthep Rd., T. Suthep, A. Maung, Chiang Mai Thailand 50200

P/O :

Project Name :

Project Location:

TESTING

No.0009

Lot ID: 22103038

Date Received : Sep 06, 2022

Date Reported : Sep 12, 2022

Report Number : 2409944-1

Page 2 of 2

| | |
|--------------------------------|--|
| Sample Number | 22103038-2 |
| Sampled Date | Sep 05, 2022 10:00 AM |
| Sample Description | สระว่ายน้ำ |
| Date Analysis Commenced | Sep 06, 2022 |
| Condition of Sample | Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA) |

| Analyte | Unit | LOD | LOQ (LOR) | Result | Guideline / Specification | Method | Testing Location |
|--------------------------------|-----------|-----|-----------|--------------|---------------------------|---------------------|------------------|
| Microbiological Testing | | | | | | | |
| Fecal Coliform | in 100 mL | - | - | Not Detected | Not Detected | APHA (2017), 9221 E | Bangkok |
| Total Coliform | MPN/100mL | - | - | <1.1 | <10 | APHA (2017), 9221 B | Bangkok |

Guideline : คำแนะนำของคณะกรรมการสาธารณสุข ฉบับที่ 1/2550 เรื่อง การควบคุมการประกอบกิจการสระว่ายน้ำ หรือกิจการอื่น ๆ ในทำนองเดียวกัน

Sampled By : Takdanai Ubonsr

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Tuanjai Thangklang
Manager



Analysis / Test Report

Client : Dcondo Campus Resort Juristic Person Condominium
222 Moo 1, Suthep Rd., T. Suthep, A. Maung, Chiang Mai Thailand 50200

P/O :

Project Name :

Project Location:

TESTING

No.0009

Lot ID: 22115187

Date Received : Oct 04, 2022

Date Reported : Oct 12, 2022

Report Number : 2461623-1

Page 1 of 1

| | |
|--------------------------------|---|
| Sample Number | 22115187-1 |
| Sampled Date | Oct 03, 2022 10:45 AM |
| Sample Description | ระบบบำบัดน้ำเสีย / จุดปล่อยน้ำก่อนออกสู่สาธารณะ |
| Date Analysis Commenced | Oct 05, 2022 |
| Condition of Sample | Contained in one amber glass bottle and four plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA) |

| Analyte | Unit | LOD | LOQ (LOR) | Result | Guideline / Specification | Method | Testing Location |
|--|---------|------|-----------|--------|---------------------------|---------------------------------------|------------------|
| Water Testing | | | | | | | |
| BOD (5 days at 20 degree C) * | mg/L | - | 2 | 6 | ≤20 | Based on APHA (2017), 5210 (B) | Bangkok |
| Oil & Grease | mg/L | - | 3 | <3 | ≤20 | Based on APHA (2017), 5520 B | Bangkok |
| pH at 25 degree C | | - | - | 7.4 | 5.0-9.0 | Based on APHA (2017), 4500-H (B) | Bangkok |
| Settleable Solid * | mL/L/hr | - | 0.1 | <0.1 | ≤0.5 | Based on APHA (2017), 2540 F | Bangkok |
| Sulfide * | mg/L | - | 0.5 | <0.5 | ≤1 | Based on APHA (2017), 4500-S2(C), (F) | Bangkok |
| Total Dissolved Solids Dried at 103-105 degree C | mg/L | - | 5 | 276 | (1) | Based on APHA (2017), 2540 C | Bangkok |
| Total Kjeldahl Nitrogen as N * | mg/L | 0.15 | 1.0 | 4.1 | ≤35 | Based on APHA (2017), 4500-Norg (C) | Bangkok |
| Total Suspended Solids Dried at 103-105 degree C | mg/L | - | 5 | 8 | ≤30 | Based on APHA (2017), 2540 D | Bangkok |

Guideline : Notification of Ministry of Natural Resources and Environment November, 7, B.E. 2548 on Effluent Control Standard from Types and Sized of Buildings, Type A.

(1) : The values are in addition to the Total Dissolved Solids of the water used not more than 500 mg/L.

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Narin Saiseng
Supervisor



Analysis / Test Report

Client : Dcondo Campus Resort Juristic Person Condominium
222 Moo 1, Suthep Rd., T. Suthep, A. Maung, Chiang Mai Thailand 50200

P/O :

Project Name :

Project Location :

TESTING

No.0009

Lot ID: 22115187

Date Received : Oct 04, 2022

Date Reported : Oct 14, 2022

Report Number : 2461624-1

Page 1 of 1

Sample Number 22115187-2
Sampled Date Oct 03, 2022 10:55 AM
Sample Description สระว่ายน้ำ
Date Analysis Commenced Oct 04, 2022
Condition of Sample Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

| Analyte | Unit | LOD | LOQ (LOR) | Result | Guideline / Specification | Method | Testing Location |
|--------------------------------|-----------|-----|-----------|--------------|---------------------------|---------------------|------------------|
| Microbiological Testing | | | | | | | |
| Fecal Coliform | in 100 mL | - | - | Not Detected | Not Detected | APHA (2017), 9221 E | Bangkok |
| Total Coliform | MPN/100mL | - | - | <1.1 | <10 | APHA (2017), 9221 B | Bangkok |

Guideline : คำแนะนำของคณะกรรมการสาธารณสุข ฉบับที่ 1/2550 เรื่อง การควบคุมการประกอบกิจการสรวว่ายน้ำ หรือกิจการอื่น ๆ ในทำนองเดียวกัน

Sampled By : Tanakorn Insuta

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sithichok T.

Sithichok Thongnguen
Scientist (3)



Accreditation No. 1031/47

Analysis / Test Report

Client : Dcondo Campus Resort Juristic Person Condominium
222 Moo 1, Suthep Rd., T. Suthep, A. Maung, Chiang Mai Thailand 50200

P/O :

Project Name :

Project Location :

Lot ID: 22115187

Date Received : Oct 04, 2022

Date Reported : Oct 14, 2022

Report Number : 2461625-1

Page 1 of 1

| | |
|--------------------------------|--|
| Sample Number | 22115187-3 |
| Sampled Date | Oct 03, 2022 10:57 AM |
| Sample Description | น้ำดี |
| Location | อาคาร C |
| Date Analysis Commenced | Oct 04, 2022 |
| Condition of Sample | Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA) |

| Analyte | Unit | LOD | LOQ (LOR) | Result | Method | Testing Location |
|--------------------------------|-----------|-----|-----------|--------------|---------------------|------------------|
| Microbiological Testing | | | | | | |
| <i>Escherichia coli</i> | in 100 mL | - | - | Not Detected | APHA (2017), 9221 F | Bangkok |

Sampled By : Tanakorn Insuta

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sithichok T.

Sithichok Thongnguen
Scientist (3)

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Accreditation No. 1031/47

Analysis / Test Report

Client : Dcondo Campus Resort Juristic Person Condominium
222 Moo 1, Suthep Rd., T. Suthep, A. Maung, Chiang Mai Thailand 50200

P/O :

Project Name :

Project Location :

Lot ID: 22115187

Date Received : Oct 04, 2022

Date Reported : Oct 14, 2022

Report Number : 2461626-1

Page 1 of 1

| | |
|--------------------------------|--|
| Sample Number | 22115187-4 |
| Sampled Date | Oct 03, 2022 11:00 AM |
| Sample Description | น้ำดี |
| Location | อาคาร B |
| Date Analysis Commenced | Oct 04, 2022 |
| Condition of Sample | Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA) |

| Analyte | Unit | LOD | LOQ (LOR) | Result | Method | Testing Location |
|--------------------------------|-----------|-----|-----------|--------------|---------------------|------------------|
| Microbiological Testing | | | | | | |
| <i>Escherichia coli</i> | in 100 mL | - | - | Not Detected | APHA (2017), 9221 F | Bangkok |

Sampled By : Tanakorn Insuta

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sithichok T.

Sithichok Thongnguen
Scientist (3)

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Accreditation No. 1031/47

Analysis / Test Report

Client : Dcondo Campus Resort Juristic Person Condominium
222 Moo 1, Suthep Rd., T. Suthep, A. Maung, Chiang Mai Thailand 50200

P/O :

Project Name :

Project Location :

Lot ID: 22115187

Date Received : Oct 04, 2022

Date Reported : Oct 14, 2022

Report Number : 2461627-1

Page 1 of 1

| | |
|--------------------------------|--|
| Sample Number | 22115187-5 |
| Sampled Date | Oct 03, 2022 11:05 AM |
| Sample Description | น้ำดี |
| Location | อาคาร A |
| Date Analysis Commenced | Oct 04, 2022 |
| Condition of Sample | Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA) |

| Analyte | Unit | LOD | LOQ (LOR) | Result | Method | Testing Location |
|--------------------------------|-----------|-----|-----------|--------------|---------------------|------------------|
| Microbiological Testing | | | | | | |
| <i>Escherichia coli</i> | in 100 mL | - | - | Not Detected | APHA (2017), 9221 F | Bangkok |

Sampled By : Tanakorn Insuta

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sithichok T.

Sithichok Thongnguen
Scientist (3)

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Dcondo Campus Resort Juristic Person Condominium
222 Moo 1, Suthep Rd., T. Suthep, A. Maung, Chiang Mai Thailand 50200

P/O :

Project Name :

Project Location:

TESTING

No.0009

Lot ID: 22127698

Date Received : Nov 08, 2022

Date Reported : Nov 15, 2022

Report Number : 2491427-1

Page 1 of 1

| | |
|--------------------------------|---|
| Sample Number | 22127698-1 |
| Sampled Date | Nov 07, 2022 9:20 AM |
| Sample Description | ระบบบำบัดน้ำเสีย / จุดปล่อยน้ำก่อนออกสู่สาธารณะ |
| Date Analysis Commenced | Nov 09, 2022 |
| Condition of Sample | Contained in one amber glass bottle and four plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA) |

| Analyte | Unit | LOD | LOQ (LOR) | Result | Guideline / Specification | Method | Testing Location |
|--|---------|------|-----------|--------|---------------------------|---------------------------------------|------------------|
| Water Testing | | | | | | | |
| BOD (5 days at 20 degree C) * | mg/L | - | 2 | 12 | ≤20 | Based on APHA (2017), 5210 (B) | Bangkok |
| Oil & Grease | mg/L | - | 3 | <3 | ≤20 | Based on APHA (2017), 5520 B | Bangkok |
| pH at 25 degree C | | - | - | 7.9 | 5.0-9.0 | Based on APHA (2017), 4500-H (B) | Bangkok |
| Settleable Solid * | mL/L/hr | - | 0.1 | <0.1 | ≤0.5 | Based on APHA (2017), 2540 F | Bangkok |
| Sulfide * | mg/L | - | 0.5 | <0.5 | ≤1 | Based on APHA (2017), 4500-S2(C), (F) | Bangkok |
| Total Dissolved Solids Dried at 103-105 degree C | mg/L | - | 5 | 360 | (1) | Based on APHA (2017), 2540 C | Bangkok |
| Total Kjeldahl Nitrogen as N * | mg/L | 0.15 | 1.0 | 16.5 | ≤35 | Based on APHA (2017), 4500-Norg (C) | Bangkok |
| Total Suspended Solids Dried at 103-105 degree C | mg/L | - | 5 | 18 | ≤30 | Based on APHA (2017), 2540 D | Bangkok |

Guideline : Notification of Ministry of Natural Resources and Environment November, 7, B.E. 2548 on Effluent Control Standard from Types and Sized of Buildings, Type A.

(1) : The values are in addition to the Total Dissolved Solids of the water used not more than 500 mg/L.

Sampled By : Chaloamkiat Amornriserm

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Narin Saiseng
Supervisor



Analysis / Test Report

Client : Dcondo Campus Resort Juristic Person Condominium
222 Moo 1, Suthep Rd., T. Suthep, A. Maung, Chiang Mai Thailand 50200

P/O :

Project Name :

Project Location:

TESTING

No.0009

Lot ID: 22127698

Date Received : Nov 08, 2022

Date Reported : Nov 14, 2022

Report Number : 2491428-1

Page 1 of 1

Sample Number 22127698-2
Sampled Date Nov 07, 2022 9:10 AM
Sample Description สระว่ายน้ำ
Date Analysis Commenced Nov 08, 2022
Condition of Sample Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

| Analyte | Unit | LOD | LOQ (LOR) | Result | Guideline / Specification | Method | Testing Location |
|--------------------------------|-----------|-----|-----------|--------------|---------------------------|---------------------|------------------|
| Microbiological Testing | | | | | | | |
| Fecal Coliform | in 100 mL | - | - | Not Detected | Not Detected | APHA (2017), 9221 E | Bangkok |
| Total Coliform | MPN/100mL | - | - | <1.1 | <2.2 | APHA (2017), 9221 B | Bangkok |

Guideline : คำแนะนำของคณะกรรมการสาธารณสุข ฉบับที่ 1/2550 เรื่อง การควบคุมการประกอบกิจการสระว่ายน้ำ หรือกิจการอื่น ๆ ในทำนองเดียวกัน

Sampled By : Chaloomkiat Amornriserm

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Tuanjai Thangklang
Manager



Analysis / Test Report

Client : Dcondo Campus Resort Juristic Person Condominium
222 Moo 1, Suthep Rd., T. Suthep, A. Maung, Chiang Mai Thailand 50200

P/O :

Project Name :

Project Location :

TESTING

No.0009

Lot ID: 22138908

Date Received : Dec 07, 2022

Date Reported : Dec 13, 2022

Report Number : 2519421-1

Page 1 of 2

| | |
|--------------------------------|---|
| Sample Number | 22138908-1 |
| Sampled Date | Dec 06, 2022 9:25 AM |
| Sample Description | ระบบบำบัดน้ำเสีย / จุดปล่อยน้ำก่อนออกสู่สาธารณะ |
| Date Analysis Commenced | Dec 08, 2022 |
| Condition of Sample | Contained in one amber glass bottle and four plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA) |

| Analyte | Unit | LOD | LOQ (LOR) | Result | Guideline / Specification | Method | Testing Location |
|--|---------|------|-----------|--------|---------------------------|---|------------------|
| Water Testing | | | | | | | |
| BOD (5 days at 20 degree C) * | mg/L | - | 2 | 3 | ≤20 | Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 5210 B, 4500 - O (C) | Bangkok |
| Oil & Grease | mg/L | - | 3 | 3 | ≤20 | Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 5520 B | Bangkok |
| pH at 25 degree C | | - | - | 8.2 | 5.0-9.0 | Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500 - H (B) | Bangkok |
| Settleable Solid * | mL/L/hr | - | 0.1 | 0.4 | ≤0.5 | Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 F | Bangkok |
| Sulfide * | mg/L | - | 0.5 | <0.5 | ≤1 | Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500-S2 (C, F) | Bangkok |
| Total Dissolved Solids Dried at 103-105 degree C | mg/L | - | 5 | 456 | (1) | Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 C | Bangkok |
| Total Kjeldahl Nitrogen as N * | mg/L | 0.15 | 1.0 | 11.2 | ≤35 | Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500-Norg (C) | Bangkok |
| Total Suspended Solids Dried at 103-105 degree C | mg/L | - | 5 | 29 | ≤30 | Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D | Bangkok |

Guideline : Notification of Ministry of Natural Resources and Environment November, 7, B.E. 2548 on Effluent Control Standard from Types and Sized of Buildings, Type A.

(1) : The values are in addition to the Total Dissolved Solids of the water used not more than 500 mg/L.

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Siriluk P.

Siriluk Puengpang
Supervisor



Analysis / Test Report

Client : Dcondo Campus Resort Juristic Person Condominium
222 Moo 1, Suthep Rd., T. Suthep, A. Maung, Chiang Mai Thailand 50200

P/O :

Project Name :

Project Location:

TESTING

No.0009

Lot ID: 22138908

Date Received : Dec 07, 2022

Date Reported : Dec 13, 2022

Report Number : 2519421-1

Page 2 of 2

Sampling By : Takdanai Ubonsr ทะเบียนเลขที่ ว-204-จ-8591

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Siriluk P.

Siriluk Puenggang
Supervisor

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Dcondo Campus Resort Juristic Person Condominium
222 Moo 1, Suthep Rd., T. Suthep, A. Maung, Chiang Mai Thailand 50200

P/O :

Project Name :

Project Location:

TESTING

No.0009

Lot ID: 22138908

Date Received : Dec 07, 2022

Date Reported : Dec 13, 2022

Report Number : 2519422-1

Page 1 of 1

Sample Number 22138908-2
Sampled Date Dec 06, 2022 9:30 AM
Sample Description สระว่ายน้ำ
Date Analysis Commenced Dec 07, 2022
Condition of Sample Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

| Analyte | Unit | LOD | LOQ (LOR) | Result | Guideline / Specification | Method | Testing Location |
|--------------------------------|-----------|-----|-----------|--------------|---------------------------|--|------------------|
| Microbiological Testing | | | | | | | |
| Fecal Coliform | in 100 mL | - | - | Not Detected | Not Detected | Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 9221 B, E | Bangkok |
| Total Coliform | MPN/100mL | - | - | <1.1 | <10 | Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 9221 B | Bangkok |

Guideline : คำแนะนำของคณะกรรมการสาธารณสุข ฉบับที่ 1/2550 เรื่อง การควบคุมการประกอบกิจการสระว่ายน้ำ หรือกิจการอื่น ๆ ในทำนองเดียวกัน

Sampling By : Takdanai Ubonsr ทะเบียนเลขที่ ว-204-จ-8591

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Tuanjai Thangklang
Manager

ภาคผนวก ง

กฎหมายที่เกี่ยวข้อง

ประกาศกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม

เรื่อง กำหนดมาตรฐานควบคุมการระบายน้ำทิ้ง

จากอาคารบางประเภทและบางขนาด

โดยที่ได้มีการปฏิรูประบบราชการโดยให้มีการจัดตั้งกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อมขึ้นมา และให้โอนภารกิจของกระทรวงวิทยาศาสตร์ เทคโนโลยีและสิ่งแวดล้อม ในส่วนที่เกี่ยวข้องกับพระราชบัญญัติส่งเสริมและรักษาคุณภาพสิ่งแวดล้อมแห่งชาติ พ.ศ. ๒๕๓๕ ไปเป็นของกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม ประกอบกับเป็นการสมควรให้คณะกรรมการควบคุมมลพิษ เป็นผู้พิจารณาเห็นชอบกับวิธีการตรวจหาค่ามาตรฐานการระบายน้ำทิ้ง นอกเหนือจากวิธีการที่กำหนดไว้ แทนกรมควบคุมมลพิษ จึงสมควรแก้ไขปรับปรุงประกาศกระทรวงวิทยาศาสตร์ เทคโนโลยีและสิ่งแวดล้อม เรื่อง กำหนดมาตรฐานควบคุมการระบายน้ำทิ้งจากอาคารบางประเภทและบางขนาด

อาศัยอำนาจตามความในมาตรา ๕๕ แห่งพระราชบัญญัติส่งเสริมและรักษาคุณภาพสิ่งแวดล้อมแห่งชาติ พ.ศ. ๒๕๓๕ แก้ไขโดยมาตรา ๑๑๔ แห่งพระราชกฤษฎีกาแก้ไขบทบัญญัติให้สอดคล้องกับการโอนอำนาจหน้าที่ของส่วนราชการ ให้เป็นไปตามพระราชบัญญัติปรับปรุงกระทรวง ทบวง กรม พ.ศ. ๒๕๔๕ พ.ศ. ๒๕๔๕ อันเป็นพระราชบัญญัติที่มีบทบัญญัติบางประการเกี่ยวกับการจำกัดสิทธิและเสรีภาพของบุคคล ซึ่งมาตรา ๒๕ ประกอบกับมาตรา ๓๕ มาตรา ๔๘ มาตรา ๕๐ และมาตรา ๕๑ ของรัฐธรรมนูญแห่งราชอาณาจักรไทยบัญญัติให้กระทำได้ โดยอาศัยอำนาจตามบทบัญญัติแห่งกฎหมาย รัฐมนตรีว่าการกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม โดยคำแนะนำของคณะกรรมการควบคุมมลพิษ และโดยความเห็นชอบของคณะกรรมการสิ่งแวดล้อมแห่งชาติ จึงออกประกาศไว้ ดังต่อไปนี้

ข้อ ๑ ให้ยกเลิกประกาศกระทรวงวิทยาศาสตร์ เทคโนโลยีและสิ่งแวดล้อม เรื่อง กำหนดมาตรฐานควบคุมการระบายน้ำทิ้งจากอาคารบางประเภทและบางขนาด ลงวันที่ ๑๐ มกราคม พ.ศ. ๒๕๓๗

ข้อ ๒ ในประกาศนี้

“อาคาร” หมายความว่า อาคารที่ก่อสร้างขึ้น ไม่ว่าจะมิลักษณะเป็นอาคารหลังเดียว หรือเป็นกลุ่มของอาคารซึ่งตั้งอยู่ภายในพื้นที่ซึ่งเป็นบริเวณเดียวกัน และไม่ว่าจะมีท่อระบายน้ำท่อเดียว หรือมีหลายท่อที่เชื่อมติดต่อกันระหว่างอาคารหรือไม่ก็ตาม ซึ่งได้แก่

(๑) อาคารชุด ตามกฎหมายว่าด้วยอาคารชุด

(๒) โรงแรม ตามกฎหมายว่าด้วยโรงแรม

- (๓) หอพัก ตามกฎหมายว่าด้วยหอพัก
- (๔) สถานบริการประเภทสถานอาบน้ำ นวดหรืออบตัว ซึ่งมีผู้ให้บริการแก่ลูกค้า ตามกฎหมายว่าด้วยสถานบริการ
- (๕) โรงพยาบาลของทางราชการหรือสถานพยาบาล ตามกฎหมายว่าด้วยสถานพยาบาล
- (๖) อาคารโรงเรียนเอกชน ตามกฎหมายว่าด้วยโรงเรียนเอกชน โรงเรียนของทางราชการ อาคารสถาบันอุดมศึกษาของเอกชน ตามกฎหมายว่าด้วยสถาบันอุดมศึกษาของเอกชนและสถาบันอุดมศึกษาของทางราชการ
- (๗) อาคารที่ทำการของทางราชการ รัฐวิสาหกิจ หรือองค์การระหว่างประเทศและของเอกชน
- (๘) อาคารของศูนย์การค้าหรือห้างสรรพสินค้า
- (๙) ตลาด ตามกฎหมายว่าด้วยการสาธารณสุข แต่ไม่รวมถึง ท่าเทียบเรือประมง สะพานปลา หรือกิจการแพปลา
- (๑๐) กัฏดาการหรือร้านอาหาร
- “น้ำทิ้ง” หมายความว่า น้ำเสียที่ผ่านระบบบำบัดน้ำเสียแล้วจนเป็นไปตามมาตรฐานควบคุมการระบายน้ำทิ้งตามที่กำหนดไว้ในประกาศนี้
- ข้อ ๓ ให้แบ่งประเภทของอาคารตามข้อ ๒ ออกเป็น ๕ ประเภท คือ
- (๑) อาคารประเภท ก.
- (๒) อาคารประเภท ข.
- (๓) อาคารประเภท ค.
- (๔) อาคารประเภท ง.
- (๕) อาคารประเภท จ.
- ข้อ ๔ อาคารประเภท ก. หมายความว่า อาคารดังต่อไปนี้
- (๑) อาคารชุดที่มีจำนวนห้องสำหรับใช้เป็นที่อยู่อาศัยรวมกันทุกชั้นของอาคาร หรือกลุ่มของอาคาร ตั้งแต่ ๕๐๐ ห้องนอนขึ้นไป
- (๒) โรงแรมที่มีจำนวนห้องสำหรับใช้เป็นห้องพักรวมกันทุกชั้นของอาคาร หรือกลุ่มของอาคาร ตั้งแต่ ๒๐๐ ห้องขึ้นไป
- (๓) โรงพยาบาลของทางราชการ รัฐวิสาหกิจหรือสถานพยาบาล ตามกฎหมายว่าด้วยสถานพยาบาล ที่มีเตียงสำหรับผู้ป่วยไว้ค้างคืนรวมกันทุกชั้นของอาคารหรือกลุ่มของอาคารตั้งแต่ ๓๐ เตียงขึ้นไป

(๔) อาคารโรงเรียนเอกชน โรงเรียนของทางราชการ สถาบันอุดมศึกษาของเอกชน หรือสถาบันอุดมศึกษาของทางราชการที่มีพื้นที่ใช้สอยรวมกันทุกชั้นของอาคารหรือกลุ่มของอาคารตั้งแต่ ๒๕,๐๐๐ ตารางเมตรขึ้นไป

(๕) อาคารที่ทำการของทางราชการ รัฐวิสาหกิจ องค์การระหว่างประเทศ หรือของเอกชน ที่มีพื้นที่ใช้สอยรวมกันทุกชั้นของอาคารหรือกลุ่มของอาคารตั้งแต่ ๕๕,๐๐๐ ตารางเมตรขึ้นไป

(๖) อาคารของศูนย์การค้าหรือห้างสรรพสินค้าที่มีพื้นที่ใช้สอยรวมกันทุกชั้นของอาคารหรือกลุ่มของอาคารตั้งแต่ ๒๕,๐๐๐ ตารางเมตรขึ้นไป

(๗) ตลาดที่มีพื้นที่ใช้สอยรวมกันทุกชั้นของอาคารหรือกลุ่มของอาคารตั้งแต่ ๒,๕๐๐ ตารางเมตรขึ้นไป

(๘) กภัตตาคารหรือร้านอาหารที่มีพื้นที่ให้บริการรวมกันทุกชั้นของอาคารหรือกลุ่มของอาคารตั้งแต่ ๒,๕๐๐ ตารางเมตรขึ้นไป

ข้อ ๕ อาคารประเภท ข. หมายความว่า อาคารดังต่อไปนี้

(๑) อาคารชุดที่มีจำนวนห้องสำหรับใช้เป็นที่อยู่อาศัยรวมกันทุกชั้นของอาคาร หรือกลุ่มของอาคารตั้งแต่ ๑๐๐ ห้องนอน แต่ไม่ถึง ๕๐๐ ห้องนอน

(๒) โรงแรมที่มีจำนวนห้องสำหรับใช้เป็นห้องพักรวมกันทุกชั้นของอาคาร หรือกลุ่มของอาคารตั้งแต่ ๖๐ ห้อง แต่ไม่ถึง ๒๐๐ ห้อง

(๓) หอพักที่มีจำนวนห้องสำหรับใช้เป็นที่อยู่อาศัยรวมกันทุกชั้นของอาคาร หรือกลุ่มของอาคารตั้งแต่ ๒๕๐ ห้องขึ้นไป

(๔) สถานบริการที่มีพื้นที่ใช้สอยรวมกันทุกชั้นของอาคาร หรือกลุ่มของอาคารตั้งแต่ ๕,๐๐๐ ตารางเมตรขึ้นไป

(๕) โรงพยาบาลของทางราชการ รัฐวิสาหกิจ หรือสถานพยาบาล ตามกฎหมายว่าด้วยสถานพยาบาล ที่มีเตียงสำหรับผู้ป่วยไว้ค้างคืนรวมกันทุกชั้นของอาคารหรือกลุ่มของอาคารตั้งแต่ ๑๐ เตียง แต่ไม่ถึง ๓๐ เตียง

(๖) อาคารโรงเรียนเอกชน โรงเรียนของทางราชการ สถาบันอุดมศึกษาของเอกชน หรือสถาบันอุดมศึกษาของทางราชการที่มีพื้นที่ใช้สอยรวมกันทุกชั้นของอาคารหรือกลุ่มของอาคารตั้งแต่ ๕,๐๐๐ ตารางเมตร แต่ไม่ถึง ๒๕,๐๐๐ ตารางเมตร

(๓) อาคารที่ทำการของทางราชการ รัฐวิสาหกิจ องค์การระหว่างประเทศ หรือของเอกชน ที่มีพื้นที่ใช้สอยรวมกันทุกชั้นของอาคารหรือกลุ่มของอาคารตั้งแต่ ๑๐,๐๐๐ ตารางเมตร แต่ไม่ถึง ๕๕,๐๐๐ ตารางเมตร

(๔) อาคารของศูนย์การค้าหรือห้างสรรพสินค้าที่มีพื้นที่ใช้สอยรวมกันทุกชั้นของอาคารหรือกลุ่มของอาคารตั้งแต่ ๕,๐๐๐ ตารางเมตร แต่ไม่ถึง ๒๕,๐๐๐ ตารางเมตร

(๕) ตลาดที่มีพื้นที่ใช้สอยรวมกันทุกชั้นของอาคารหรือกลุ่มของอาคารตั้งแต่ ๑,๕๐๐ ตารางเมตร แต่ไม่ถึง ๒,๕๐๐ ตารางเมตร

(๑๐) กัดดาการหรือร้านอาหารที่มีพื้นที่ให้บริการรวมกันทุกชั้นของอาคารหรือกลุ่มของอาคาร ตั้งแต่ ๕๐๐ ตารางเมตร แต่ไม่ถึง ๒,๕๐๐ ตารางเมตร

ข้อ ๖ อาคารประเภท ก. หมายความว่า อาคารดังต่อไปนี้

(๑) อาคารชุดที่มีจำนวนห้องสำหรับใช้เป็นที่อยู่อาศัยรวมกันทุกชั้นของอาคาร หรือกลุ่มของอาคาร ไม่ถึง ๑๐๐ ห้องนอน

(๒) โรงแรมที่มีจำนวนห้องสำหรับใช้เป็นห้องพักรวมกันทุกชั้นของอาคาร หรือกลุ่มของอาคาร ไม่ถึง ๖๐ ห้อง

(๓) หอพักที่มีจำนวนห้องสำหรับใช้เป็นที่อยู่อาศัยรวมกันทุกชั้นของอาคาร หรือกลุ่มของอาคาร ตั้งแต่ ๕๐ ห้อง แต่ไม่ถึง ๒๕๐ ห้อง

(๔) สถานบริการที่มีพื้นที่ใช้สอยรวมกันทุกชั้นของอาคาร หรือกลุ่มของอาคารตั้งแต่ ๑,๐๐๐ ตารางเมตร แต่ไม่ถึง ๕,๐๐๐ ตารางเมตร

(๕) อาคารที่ทำการของทางราชการ รัฐวิสาหกิจ องค์การระหว่างประเทศ หรือของเอกชน ที่มีพื้นที่ใช้สอยรวมกันทุกชั้นของอาคารหรือกลุ่มของอาคารตั้งแต่ ๕,๐๐๐ ตารางเมตร แต่ไม่ถึง ๑๐,๐๐๐ ตารางเมตร

(๖) ตลาดที่มีพื้นที่ใช้สอยรวมกันทุกชั้นของอาคารหรือกลุ่มของอาคารตั้งแต่ ๑,๐๐๐ ตารางเมตร แต่ไม่ถึง ๑,๕๐๐ ตารางเมตร

(๗) กัดดาการหรือร้านอาหารที่มีพื้นที่ให้บริการรวมกันทุกชั้นของอาคาร หรือกลุ่มของอาคาร ตั้งแต่ ๒๕๐ ตารางเมตร แต่ไม่ถึง ๕๐๐ ตารางเมตร

ข้อ ๗ อาคารประเภท ง. หมายความว่า อาคารดังต่อไปนี้

(๑) หอพักที่มีจำนวนห้องสำหรับใช้เป็นที่อยู่อาศัยรวมกันทุกชั้นของอาคาร หรือกลุ่มของอาคาร ตั้งแต่ ๑๐ ห้อง แต่ไม่ถึง ๕๐ ห้อง

(๒) ตลาดที่มีพื้นที่ใช้สอยรวมกันทุกชั้นของอาคาร หรือกลุ่มของอาคารตั้งแต่ ๕๐๐ ตารางเมตร แต่ไม่ถึง ๑,๐๐๐ ตารางเมตร

(๓) กัฏาคารหรือร้านอาหารที่มีพื้นที่ให้บริการรวมกันทุกชั้นของอาคาร หรือกลุ่มของอาคาร ตั้งแต่ ๑๐๐ ตารางเมตร แต่ไม่ถึง ๒๕๐ ตารางเมตร

ข้อ ๘ อาคารประเภท จ. หมายความว่า กัฏาคารหรือร้านอาหารที่มีพื้นที่ให้บริการรวมกันทุกชั้นไม่ถึง ๑๐๐ ตารางเมตร

ข้อ ๙ มาตรฐานควบคุมการระบายน้ำทิ้งจากอาคาร ประเภท ก. ต้องมีค่าดังต่อไปนี้

(๑) ความเป็นกรดและด่าง (PH) ต้องมีค่าระหว่าง ๕-๙

(๒) บีโอดี (BOD) ต้องมีค่าไม่เกิน ๒๐ มิลลิกรัมต่อลิตร

(๓) สารแขวนลอย (Suspended Solids) ต้องมีค่าไม่เกิน ๓๐ มิลลิกรัมต่อลิตร

(๔) ซัลไฟด์ (Sulfide) ต้องมีค่าไม่เกิน ๑.๐ มิลลิกรัมต่อลิตร

(๕) สารที่ละลายได้ทั้งหมด (Total Dissolved Solids) ต้องมีค่าเพิ่มขึ้นจากปริมาณสารละลายในน้ำใช้ตามปกติไม่เกิน ๕๐๐ มิลลิกรัมต่อลิตร

(๖) ตะกอนหนัก (Settleable Solids) ต้องมีค่าไม่เกิน ๐.๕ มิลลิกรัมต่อลิตร

(๗) น้ำมันและไขมัน (Fat Oil and Grease) ต้องมีค่าไม่เกิน ๒๐ มิลลิกรัมต่อลิตร

(๘) ทีเคเอ็น (TKN) ต้องมีค่าไม่เกิน ๓๕ มิลลิกรัมต่อลิตร

ข้อ ๑๐ มาตรฐานควบคุมการระบายน้ำทิ้งจากอาคาร ประเภท ข. ต้องเป็นไปตามข้อ ๙ เว้นแต่

(๑) บีโอดี ต้องมีค่าไม่เกิน ๓๐ มิลลิกรัมต่อลิตร

(๒) สารแขวนลอย ต้องมีค่าไม่เกิน ๔๐ มิลลิกรัมต่อลิตร

ข้อ ๑๑ มาตรฐานควบคุมการระบายน้ำทิ้งจากอาคาร ประเภท ค. ต้องเป็นไปตามข้อ ๙ เว้นแต่

(๑) บีโอดี ต้องมีค่าไม่เกิน ๔๐ มิลลิกรัมต่อลิตร

(๒) สารแขวนลอย ต้องมีค่าไม่เกิน ๕๐ มิลลิกรัมต่อลิตร

(๓) ซัลไฟด์ ต้องมีค่าไม่เกิน ๓.๐ มิลลิกรัมต่อลิตร

(๔) ค่าทีเคเอ็น ต้องมีค่าไม่เกิน ๔๐ มิลลิกรัมต่อลิตร

ข้อ ๑๒ มาตรฐานควบคุมการระบายน้ำทิ้งจากอาคาร ประเภท ง. ต้องเป็นไปตามข้อ ๘
เว้นแต่

(๑) บีโอดี ต้องมีค่าไม่เกิน ๕๐ มิลลิกรัมต่อลิตร

(๒) สารแขวนลอย ต้องมีค่าไม่เกิน ๕๐ มิลลิกรัมต่อลิตร

(๓) ซัลไฟด์ ต้องมีค่าไม่เกิน ๔.๐ มิลลิกรัมต่อลิตร

(๔) ค่าทีเคเอ็น ต้องมีค่าไม่เกิน ๔๐ มิลลิกรัมต่อลิตร

ข้อ ๑๓ มาตรฐานควบคุมการระบายน้ำทิ้งจากอาคาร ประเภท จ. ต้องมีค่าดังต่อไปนี้

(๑) ความเป็นกรดและด่างต้องมีค่าระหว่าง ๕-๙

(๒) บีโอดี ต้องมีค่าไม่เกิน ๒๐๐ มิลลิกรัมต่อลิตร

(๓) สารแขวนลอย ต้องมีค่าไม่เกิน ๖๐ มิลลิกรัมต่อลิตร

(๔) น้ำมันและไขมัน ต้องมีค่าไม่เกิน ๑๐๐ มิลลิกรัมต่อลิตร

ข้อ ๑๔ การตรวจสอบมาตรฐานการระบายน้ำทิ้งจากอาคาร ให้ใช้วิธีการดังต่อไปนี้

(๑) การตรวจสอบค่าความเป็นกรดและด่างให้กระทำโดยใช้เครื่องวัดความเป็นกรดและด่าง
ของน้ำ (PH Meter)

(๒) การตรวจสอบค่าบีโอดีให้กระทำโดยใช้วิธีการอะไซด์โมดิฟิเคชัน (Azide Modification)
ที่อุณหภูมิ ๒๐ องศาเซลเซียส เป็นเวลา ๕ วัน ติดต่อกันหรือวิธีการอื่นที่คณะกรรมการควบคุมมลพิษ
ให้ความเห็นชอบ

(๓) การตรวจสอบค่าสารแขวนลอยให้กระทำโดยใช้วิธีการกรองผ่านกระดาษกรองใยแก้ว
(Glass Fibre Filter Disc)

(๔) การตรวจสอบค่าซัลไฟด์ให้กระทำโดยใช้วิธีการไตเตรท (Titrate)

(๕) การตรวจสอบค่าสารที่ละลายได้ทั้งหมดให้กระทำโดยใช้วิธีการระเหยแห้งระหว่างอุณหภูมิ
๑๐๓ องศาเซลเซียส ถึงอุณหภูมิ ๑๐๕ องศาเซลเซียส ในเวลา ๑ ชั่วโมง

(๖) การตรวจสอบค่าตะกอนหนักให้กระทำโดยใช้วิธีการกรวยอิมฮอฟฟ์ (Imhoff cone)
ขนาดบรรจุ ๑,๐๐๐ ลูกบาศก์เซนติเมตร ในเวลา ๑ ชั่วโมง

(๓) การตรวจสอบค่าน้ำมันและไขมันให้กระทำโดยใช้วิธีการสกัดด้วยตัวทำละลาย แล้วแยกหาน้ำหนักของน้ำมันและไขมัน

(๔) การตรวจสอบค่าที่เคเอ็นให้กระทำโดยใช้วิธีการเจลดาคัล (Kjeldahl)

ข้อ ๑๕ การคิดคำนวณพื้นที่ใช้สอย จำนวนอาคารและจำนวนห้องของอาคาร หรือกลุ่มของอาคาร ให้เป็นไปตามวิธีการที่คณะกรรมการควบคุมมลพิษกำหนด โดยประกาศในราชกิจจานุเบกษา

ข้อ ๑๖ วิธีการเก็บตัวอย่างน้ำ ความถี่ และระยะเวลาในการเก็บตัวอย่างน้ำ ให้เป็นไปตามที่คณะกรรมการควบคุมมลพิษกำหนด โดยประกาศในราชกิจจานุเบกษา

ข้อ ๑๗ ประกาศนี้ให้ใช้บังคับตั้งแต่วันถัดจากวันประกาศในราชกิจจานุเบกษาเป็นต้นไป

ประกาศ ณ วันที่ ๗ พฤศจิกายน พ.ศ. ๒๕๔๘

ยงยุทธ ดิยะไพรัช

รัฐมนตรีว่าการกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม

คำแนะนำของคณะกรรมการสาธารณสุข

ฉบับที่ 1 / 2550

เรื่อง การควบคุมการประกอบกิจการสระว่ายน้ำ หรือกิจการอื่นๆ ในทำนองเดียวกัน

การประกอบกิจการสระว่ายน้ำ หรือกิจการอื่นๆ ในทำนองเดียวกัน เป็นกิจการที่
ถูกควบคุมในลักษณะที่เป็นกิจการที่เป็นอันตรายต่อสุขภาพ ตามมาตรา 31 แห่งพระราชบัญญัติการ
สาธารณสุข พ.ศ. 2535 ซึ่งการประกอบกิจการนี้เป็นแหล่งที่ผู้ใช้บริการเข้ามาชุมนุมอยู่ร่วมกันใน
สระว่ายน้ำ สวนน้ำ สวนสนุกที่มีลักษณะเช่นเดียวกับสระว่ายน้ำ อันอาจก่อให้เกิดผลกระทบต่อ
สุขภาพของประชาชน เนื่องจากการก่อสร้างสระว่ายน้ำ หรือกิจการอื่นๆ ในทำนองเดียวกันเพิ่ม
มากขึ้น ทั้งสโมสร สมาคม สถานศึกษา สวนสนุก และชุมชนในท้องถิ่นทั่วไป ซึ่งถ้าสระว่ายน้ำ
เหล่านี้ขาดการดูแลและบำรุงรักษาตามหลักสุขาภิบาล การอนามัยสิ่งแวดล้อม การดูแลคุณภาพน้ำ
รวมทั้งมาตรการด้านความปลอดภัยอย่างถูกต้อง สระว่ายน้ำอาจกลายเป็นแหล่งแพร่เชื้อโรคต่างๆ
ได้ เช่น โรคเยื่อตาอักเสบ หูอักเสบ โรคผิวหนัง โรคระบบทางเดินหายใจ โรคระบบทางเดิน
อาหาร รวมทั้งโรคไม่ติดเชื้อมีผลมาจากการใช้สารเคมี เช่น อาการผิวหนังเนื่องจากแพ้
สารเคมี อาการเจ็บคอ ไอ แน่นหน้าอก อาการคลื่นไส้อาเจียน เนื่องจากแพ้สารเคมี นอกจากนั้น
ยังรวมถึงอุบัติเหตุต่างๆ ด้วย


อาศัยอำนาจตามความในมาตรา 10(3) แห่งพระราชบัญญัติการสาธารณสุข พ.ศ.
2535 คณะกรรมการสาธารณสุขจึงได้มีมติในคราวการประชุมครั้งที่ 43-3/2549 เมื่อวันที่ 27
มิถุนายน 2549 เห็นชอบให้ออกคำแนะนำแก่ราชการส่วนท้องถิ่นในการออกข้อกำหนดท้องถิ่น
เกี่ยวกับหลักเกณฑ์ในการควบคุมกำกับดูแลการประกอบกิจการสระว่ายน้ำหรือกิจการอื่นๆ ใน
ทำนองเดียวกัน ดังต่อไปนี้

ข้อ 1 กรณีที่ในเขตราชการส่วนท้องถิ่นใด มีการประกอบกิจการสระว่ายน้ำและ
กิจการอื่นๆ ในทำนองเดียวกัน ราชการส่วนท้องถิ่นนั้นอาจออกข้อกำหนดของท้องถิ่นกำหนดให้
กิจการดังกล่าว เป็นกิจการที่ต้องควบคุมในท้องถิ่นนั้นได้ ตามมาตรา 32 (1) แห่งพระราชบัญญัติ
การสาธารณสุข พ.ศ. 2535

ข้อ 2 เพื่อประโยชน์ในการควบคุมหรือกำกับดูแลสถานประกอบการระบายน้ำหรือกิจการอื่นๆ ในทำนองเดียวกัน ราชการส่วนท้องถิ่นอาจพิจารณาออกข้อกำหนดของท้องถิ่น กำหนดหลักเกณฑ์ และเงื่อนไขทั่วไป ให้ผู้ดำเนินการปฏิบัติเกี่ยวกับสภาพหรือคุณลักษณะของสถานที่ที่ใช้ในการประกอบการ และมาตรการป้องกันอันตรายต่อสุขภาพ ตามมาตรา 32(2) แห่งพระราชบัญญัติการสาธารณสุข พ.ศ. 2535 ตามหลักเกณฑ์ด้านคุณลักษณะในการควบคุมการประกอบการระบายน้ำหรือกิจการอื่นๆ ในทำนองเดียวกันที่แนบมาพร้อมนี้

ข้อ 3 กรณีที่ราชการส่วนท้องถิ่นได้ออกข้อกำหนดของท้องถิ่นว่าด้วยการประกอบการระบายน้ำหรือกิจการอื่นๆ ในทำนองเดียวกัน ควรจัดให้มีการประชาสัมพันธ์ และประชุมชี้แจงข้อกำหนดของท้องถิ่นดังกล่าวเพื่อให้ผู้ประกอบการได้ทราบโดยทั่วกันด้วย ทั้งนี้ เพื่อประโยชน์ในการบังคับใช้ต่อไป

ให้ไว้ ณ วันที่ 20 มกราคม 2550



(นายปราชญ์ บุญขวงค์วิโรจน์)

ปลัดกระทรวงสาธารณสุข

หลักเกณฑ์ด้านสุขลักษณะ

ในการควบคุมการประกอบกิจการสระว่ายน้ำ หรือกิจการอื่นๆในทำนองเดียวกัน

คำแนะนำนี้ให้ใช้กับกิจการสระว่ายน้ำที่เป็นบริการสาธารณะ(Public swimming pool) เช่น กิจการสระว่ายน้ำที่ให้บริการแก่ประชาชนโดยทั่วไป ซึ่งรวมถึงสระว่ายน้ำที่เป็นสวนน้ำ สวนสนุก ที่มีลักษณะเช่นเดียวกับสระว่ายน้ำที่ให้บริการในลักษณะเพื่อการค้า และสระว่ายน้ำที่เปิดให้บริการสาธารณะที่มีใช้การค้าแต่เพื่อสวัสดิการ เช่น สระว่ายน้ำที่ราชการส่วนท้องถิ่นจัดไว้เพื่อสาธารณะประโยชน์ รวมทั้ง สระว่ายน้ำที่เป็นของสโมสรของโรงงานที่บริการเฉพาะพนักงาน หรือหน่วยงานองค์กรที่บริการในกลุ่มเฉพาะ ยกเว้นสระว่ายน้ำส่วนบุคคลหรือที่มีได้ให้บริการแก่สาธารณะ

1. สถานที่ตั้ง

1.1 สถานที่ตั้ง ควรห่างจากแหล่งซึ่งอาจทำให้เกิดการปนเปื้อนน้ำในสระว่ายน้ำ เช่น สถานที่เลี้ยงสัตว์ สถานที่ทิ้งหรือรวบรวมมูลฝอย เป็นต้น

1.2 ควรมีรั้วหรือกำแพงเพื่อสุขอนามัยและความปลอดภัยของผู้ใช้บริการ และเพื่อป้องกันไม่ให้บุคคลภายนอกที่ไม่ได้รับอนุญาตไปใช้สระว่ายน้ำ ในช่วงที่ไม่เปิดให้บริการ รวมทั้งป้องกันสัตว์เข้ามาในบริเวณสระว่ายน้ำ

1.3 สถานที่ตั้งและบริเวณของสระว่ายน้ำ รวมทั้งระบบสาธารณูปโภคต้องอยู่ในที่น้ำท่วมไม่ถึง พื้นดินแข็งแรงไม่ทรุดง่าย อยู่ในบริเวณที่มีไฟฟ้า และน้ำประปาเพียงพอ มีทางเข้าออกสะดวก

2. สระว่ายน้ำและอาคารประกอบ

2.1 โครงสร้างสระว่ายน้ำ ควรสร้างด้วยคอนกรีตเสริมเหล็ก หรือวัสดุที่มีความมั่นคงแข็งแรง น้ำซึมไม่ได้ ผนังเรียบ อยู่ในสภาพดี และทำความสะอาดง่าย

2.2 ต้องมีรางระบายน้ำล้นมีฝาปิดรอบสระว่ายน้ำ มีความกว้าง 30-40 เซนติเมตร ไม่เป็นสนิม แข็งแรง ทำความสะอาดง่าย อยู่ในสภาพดี และไม่มีน้ำล้นออกจากราง

2.3 ต้องมีอุปกรณ์ เครื่องมือสำหรับใช้ทำความสะอาดสระว่ายน้ำ ได้แก่ เครื่องดูดตะกอน แปรงขัดสระชนิดลวดทองเหลืองและพลาสติก รวมทั้งตะแกรงข้อนวัสดุแขวนลอย

2.4 ต้องมีที่ว่างสำหรับใช้เป็นทางเดินรอบสระว่ายน้ำ มีความกว้างไม่น้อยกว่า 1.20 เมตร ไม่ลื่น ไม่มีน้ำขัง ทำความสะอาดง่าย

2.5 กรณีที่สระว่ายน้ำได้มีการใช้ระบบการไหลเวียนน้ำเป็นแบบระบบสกินเมอร์ ควรต้องมีข้อกำหนดเกี่ยวกับการป้องกันอันตรายจากระบบนี้ด้วย

2.6 ความลึกของน้ำ มีป้ายบอกความลึกหรือเลขบอกระดับความลึกที่สามารถมองเห็นได้ชัดเจน ในกรณีที่สระว่ายน้ำนั้นมีความลึกตั้งแต่ 1.5 เมตรขึ้นไป โดยมีตัวเลขแสดงความลึกเป็นระยะๆ อย่างน้อย 3 ระยะ

2.7 ต้องจัดให้มีแสงสว่างเพียงพอทั่วบริเวณสระว่ายน้ำ เพื่อให้มองเห็นได้ชัดเจน ในกรณีที่มีการเปิดใช้สระในเวลากลางคืน

2.8 อาคารประกอบทำด้วยวัสดุมั่นคงแข็งแรง พื้นเรียบ ไม่ลื่น ไม่ดูดซึมน้ำ ทำความสะอาดง่าย พื้นลาดเอียงเล็กน้อยเพื่อการระบายน้ำที่ดี

2.9 พื้น ควรทำด้วยวัสดุแข็งแรง เรียบ ไม่ดูดซึมน้ำ ทำความสะอาดง่าย ไม่ลื่น อยู่ในสภาพดี

2.10 จัดให้มีห้องเปลี่ยนเสื้อผ้า ตู้เก็บสิ่งของ ที่วางหรือเก็บรองเท้า สำหรับผู้ให้บริการในบริเวณทางเข้าสระว่ายน้ำ และมีจำนวนเพียงพอ

2.11 จัดให้มีอ่างล้างมือ บริเวณล้างตัวก่อนลงสระ และที่ล้างเท้า ทางเข้าบริเวณสระว่ายน้ำ และเดิมคลอรีนลงในที่ล้างเท้าเพื่อป้องกันการติดเชื้อ

2.12 มีการรักษาความสะอาดรอบอาคารประกอบและพื้นที่โดยรอบอย่างสม่ำเสมอ

2.13 ดูแลมิให้มีการนำสัตว์เลี้ยงทุกชนิดเข้าไปในบริเวณสระว่ายน้ำ หรืออาคารประกอบ

3. ข้อปฏิบัติสำหรับผู้ประกอบกิจการ

3.1 จัดให้มีผู้ควบคุมดูแล ซึ่งผ่านการฝึกอบรมการดูแลคุณภาพน้ำในสระว่ายน้ำตามหลักสุขาภิบาลสิ่งแวดล้อม เพื่อให้มีความรู้เกี่ยวกับการควบคุมคุณภาพน้ำ และการดูแลรักษาสระว่ายน้ำ

3.2 ต้องมีเจ้าหน้าที่ความปลอดภัยประจำสระ (Life guard) อย่างน้อย 1 คน ต่อผู้ให้บริการไม่เกิน 100 คน กรณีที่เกิน 100 คน เศษของ 100 คน ให้คิดเป็น 100 คน และต้องเป็นผู้ที่มีความชำนาญในการว่ายน้ำและผ่านการอบรมการช่วยชีวิตคนจมน้ำ สามารถให้การปฐมพยาบาลได้ โดยต้องอยู่ประจำสระว่ายน้ำตลอดเวลาที่เปิดบริการ

3.3 ต้องมีการจัดการและควบคุมคุณภาพน้ำให้อยู่ในเกณฑ์มาตรฐาน ดังนี้

3.3.1 ค่าความเป็นกรด-ด่าง (pH) 7.2 – 8.4

3.3.2 คลอรีนอิสระ (Free chlorine) 0.6– 1.0 ส่วนในล้านส่วน

3.3.3 คลอรีนที่รวมกับสารอื่น (Combined chlorine) 0.5 -1.0 ส่วนในล้านส่วน

3.3.4 ค่าความเป็นด่าง (Alkalinity) 80 – 100 ส่วนในล้านส่วน

3.3.5 ความกระด้าง (Calcium hardness) 250 -600 ส่วนในล้านส่วน

3.3.6 กรดไซยานูริก (Cyanuric acid) 30-60 ส่วนในล้านส่วน

3.3.7 คลอไรด์ (Chloride) ไม่เกิน 600 ส่วนในล้านส่วน

- 3.3.8 แอมโมเนีย (Ammonia) ไม่เกิน 20 ส่วนในล้านส่วน
- 3.3.9 ไนเตรท (Nitrate) ไม่เกิน 50 ส่วนในล้านส่วน
- 3.3.10 โคลิฟอร์มทั้งหมด (Total Coliform Bacteria) น้อยกว่า 10 ต่อ น้ำ 100 มิลลิลิตร โดยวิธีเอ็มพีเอ็น (Most Probable Numbers) ในอัตราส่วน 100 มิลลิลิตร
- 3.3.11 ตรวจไม่พบฟีคัลโคลิฟอร์ม (Fecal coliform)
- 3.3.12 ตรวจไม่พบจุลินทรีย์หรือตัวบ่งชี้จุลินทรีย์ที่ทำให้เกิดโรค

(ได้แก่ *Escherichia coli* *Staphylococcus aureus* *Pseudomonas aeruginosa*)

3.4 จัดให้มีการเก็บตัวอย่างเพื่อตรวจวิเคราะห์คุณภาพน้ำ ตามเกณฑ์มาตรฐานดังนี้

3.4.1 การเก็บตัวอย่างต้องทำอย่างน้อย 2 จุด โดยเก็บจากส่วนลึกและส่วนตื้น ขณะที่มิใช่ใช้สระว่ายน้ำมากที่สุด

3.4.2 ตรวจวิเคราะห์ปริมาณคลอรีนอิสระคงเหลือ และค่าความเป็นกรด-ด่าง อย่างน้อยวันละ 2 ครั้ง ก่อนเปิดและหลังปิดบริการ หากมิใช่ใช้บริการเป็นจำนวนมาก หรือเป็นวันที่มีแสงแดดจัดควรตรวจสอบปริมาณคลอรีน และค่าความเป็นกรด-ด่างในระหว่างวันด้วย กรณีใช้คลอรีนชนิดกรดไตรคลอโรไอโซไซยานูริก ต้องตรวจหาค่ากรดไซยานูริกด้วย

3.4.3 ตรวจวิเคราะห์ปริมาณ โคลิฟอร์มทั้งหมด (Total Coliform Bacteria) และฟีคัลโคลิฟอร์ม (Fecal coliform) อย่างน้อยเดือนละ 1 ครั้ง

3.4.4 ตรวจวิเคราะห์คุณภาพน้ำทางเคมี และชีวภาพ ตามเกณฑ์มาตรฐานตามที่กำหนดในข้อ 3.3 ครบทุกข้อมูล อย่างน้อยปีละ 1 ครั้ง เพื่อประกอบการพิจารณาขอหรือต่อใบอนุญาต

3.5 จัดหาเครื่องมือสำหรับตรวจวิเคราะห์คุณภาพน้ำไว้ประจำ รวมทั้งบันทึกผลการตรวจวิเคราะห์ และข้อมูลอื่นที่จำเป็น ดังนี้

3.5.1 เครื่องมือที่ใช้ตรวจวิเคราะห์ปริมาณคลอรีน ต้องสามารถตรวจวิเคราะห์ได้ในช่วง 0.2 – 2 ส่วนในล้านส่วน

3.5.2 เครื่องมือที่ใช้ตรวจวิเคราะห์ค่าความเป็นกรด-ด่าง ต้องสามารถตรวจวัดได้ อย่างน้อยช่วง 3-9 และสามารถอ่านค่าได้ช่วงละ 1

3.5.3 มีการบันทึกข้อมูลจำนวนผู้ใช้สระว่ายน้ำในแต่ละวัน แยกเพศและอายุ ระยะเวลาที่ใช้สระว่ายน้ำ

3.6 ต้องจัดให้มีป้ายแสดงข้อปฏิบัติสำหรับผู้ใช้บริการติดไว้ในบริเวณสระว่ายน้ำ ให้มองเห็นชัดเจน และควรมีข้อความอย่างน้อยดังนี้

3.6.1 ต้องสวมชุดว่ายน้ำที่สะอาด

3.6.2 ต้องชำระล้างร่างกายก่อนลงสระทุกครั้ง

3.6.3 ผู้ที่เป็นโรคตาแดง โรคผิวหนัง เป็นหวัด ไข้หวัดใหญ่ หรือโรคติดต่ออื่นๆ ห้ามลงเล่นในสระว่ายน้ำ

3.6.4 ห้ามนำสัตว์เลี้ยงเข้ามาในบริเวณสระว่ายน้ำ

3.6.5 ห้ามปัสสาวะ บ้วนน้ำลาย หรือส่งน้ำมูลลงในน้ำ

3.6.6 ห้ามทำสระว่ายน้ำสกปรก

3.6.7 จำนวนผู้ให้บริการมากที่สุด ที่สระว่ายน้ำสามารถรองรับได้

3.6.8 วิธีการปฐมพยาบาลช่วยคนจมน้ำ

3.7 ต้องดูแลบำรุงรักษาเครื่องกรองน้ำตามระยะเวลาที่สมควรเพื่อให้ทำงานได้เต็มประสิทธิภาพ

4. การจัดการเกี่ยวกับสารเคมี

4.1 สถานที่เก็บสารเคมี ต้องมีป้ายระบุว่า “สถานที่เก็บสารเคมีอันตราย” และ “ห้ามเข้า” มีการระบายอากาศดี และมีการป้องกันน้ำซึมเข้าภาชนะบรรจุสารเคมี และมีการจัดเก็บสารเคมีเป็นไปตามกฎหมายที่เกี่ยวข้อง

4.2 สารเคมีที่ใช้ต้องมีฉลากระบุชื่อสารเคมี ส่วนผสม หรือส่วนประกอบที่เป็นอันตราย วิธีการใช้ และวิธีการปฐมพยาบาลในกรณีฉุกเฉิน หรือตามที่กฎหมายอื่นกำหนด

4.3 ในการใช้สารเคมีต้องปฏิบัติตามที่ระบุไว้ในฉลาก และไม่นำสารเคมีหมดอายุมาใช้ ในกรณีที่ไม่มีระบบการเติมสารเคมีแบบอัตโนมัติให้เติมสารเคมีลงในสระว่ายน้ำในขณะที่ปิดบริการแล้ว

4.4 สถานที่ทำงานที่เกี่ยวข้องกับการใช้สารเคมี ต้องมีแสงสว่างเพียงพอ เพื่อป้องกันการเกิดอุบัติเหตุอันเนื่องจากพนักงานไม่สามารถมองเห็นสิ่งต่าง ๆ ได้อย่างชัดเจน ตามมาตรฐานแสงสว่างในบริเวณต่างๆ ควรเป็นดังนี้

- ห้องสูบจ่ายสารเคมีไม่น้อยกว่า 100 ลักซ์
- ห้องเครื่องกรองน้ำ ไม่น้อยกว่า 50 ลักซ์
- ห้องหรือสถานที่เก็บสารเคมีไม่น้อยกว่า 50 ลักซ์

4.5 ต้องมีมาตรการในการป้องกันการสัมผัสสารเคมีของพนักงาน เช่น กำหนดขั้นตอนการทำงานที่ปลอดภัย จัดหาอุปกรณ์ป้องกันอันตรายส่วนบุคคลที่เหมาะสมให้พนักงาน รวมทั้งประเมินการสัมผัสสารเคมีอันตรายของพนักงานที่ทำหน้าที่เติมสารเคมี และมีผลไว้ให้เจ้าหน้าที่ตรวจสอบอย่างน้อยปีละหนึ่งครั้ง

4.6 ในขณะทำงานกับสารเคมี ให้ผู้ปฏิบัติงานสวมอุปกรณ์ป้องกันอันตรายส่วนบุคคลที่เหมาะสม เช่น สวมหน้ากาก และสวมถุงมือในขณะปฏิบัติเกี่ยวกับสารเคมี เป็นต้น

4.7 ห้ามสูบบุหรี่ ดื่มเครื่องดื่มหรือรับประทานอาหารในห้องจัดเก็บสารเคมี

4.8 ดูแลความสะอาดอย่างสม่ำเสมอ หากสารเคมีหกแล้วไหล ต้องทำความสะอาดทันที

5. การจัดการสิ่งปฏิกูล น้ำเสีย และมูลฝอย

5.1. จัดให้มีห้องน้ำ ห้องส้วม และการบำบัดสิ่งปฏิกูลดังนี้

5.1.1 มีห้องน้ำ ห้องส้วมแยกจากกัน โดยมีแบบและจำนวนตามที่กำหนดใน

กฎหมายว่าด้วยการควบคุมอาคารและกฎหมายอื่นที่เกี่ยวข้อง

5.1.2 ลักษณะของห้องส้วม การบำบัด และการกำจัดสิ่งปฏิกูลต้องถูกต้องตามหลัก

สุขาภิบาล

5.1.3 ต้องดูแลรักษาความสะอาดของห้องน้ำและห้องส้วมเป็นประจำทุกวันที่เปิด

ให้บริการ

5.1.4 ภายในห้องน้ำควรมีวัสดุอุปกรณ์ตามความจำเป็นและเหมาะสม

5.2 มีการบำบัดน้ำเสียให้มีคุณภาพได้มาตรฐานก่อนระบายสู่ท่อระบายน้ำสาธารณะ ซึ่ง

ส่วนประกอบของระบบการจัดการน้ำเสีย ประกอบด้วย

5.2.1 ตะแกรงคัดมูลฝอย สำหรับคัดเศษมูลฝอยจากน้ำเสีย

5.2.2 ระบบรวบรวมน้ำเสีย น้ำจากส่วนต่างๆของอาคารไหลมารวมกันที่ถังรวบรวมน้ำเพื่อรอการบำบัด น้ำที่ล้นออกจากบ่อรวบรวมนี้จะไหลเข้าสู่บ่อบำบัด

5.2.4 ระบบบำบัดน้ำเสียต้องมีวิธีการบำบัดน้ำเสียที่เหมาะสม ไม่ก่อให้เกิดเหตุเดือดร้อนรำคาญและเป็นอันตรายต่อสุขภาพของชุมชน

5.2.5 รางระบายน้ำทิ้ง รางหรือท่อสำหรับระบายน้ำทิ้ง ควรมีตะแกรงวางปิดรางเพื่อกรองเศษผงต่างๆ และป้องกันหนู นอกจากนี้ทางเปิดของท่อระบายน้ำออกสู่ท่อสาธารณะควรมีตะแกรงปิดเพื่อป้องกันหนูด้วย

5.3 จัดให้มีการจัดการมูลฝอยดังนี้

5.3.1 ควรมีการคัดแยกมูลฝอยและมีภาชนะรองรับมูลฝอยแยกตามประเภท

5.3.2 มีภาชนะรองรับมูลฝอยที่เพียงพอตามหลักสุขาภิบาล

5.3.3 ล้างทำความสะอาดภาชนะรองรับมูลฝอยและบริเวณที่วางภาชนะอยู่เสมอ

5.3.4 รวบรวมมูลฝอยจากภาชนะรองรับมูลฝอยไปยังที่พักรวบรวมมูลฝอย หรือนำไปกำจัดทุกวัน โดยเฉพาะมูลฝอยที่เน่าเสียได้ง่าย

5.3.5 กำจัดมูลฝอยด้วยวิธีที่ถูกต้องตามหลักสุขาภิบาล และเป็นไปตามข้อกำหนดท้องถิ่น

5.3.6 ดูแลมิให้เกิดการทิ้งมูลฝอยเกลื่อนกลาดภายในสถานประกอบกิจการและบริเวณโดยรอบ

6. การสุขาภิบาลอาหารและน้ำดื่ม

6.1 ในกรณีมีการจำหน่ายอาหาร ต้องปฏิบัติตามหลักสุขาภิบาลอาหาร และตามข้อกำหนดของท้องถิ่น

6.2 ต้องมีน้ำดื่มที่ได้คุณภาพตามมาตรฐานน้ำดื่มไว้บริการอย่างเพียงพอ

6.3 ลักษณะการนำน้ำมาดื่ม ต้องไม่ก่อให้เกิดความสกปรกหรือการปนเปื้อน เช่น ใช้ระบบน้ำกด ใช้แก้วส่วนตัว ใช้แก้วกระดาษที่ใช้ครั้งเดียวแล้วทิ้ง และใช้แก้วส่วนกลางที่ใช้ดื่มเพียงครั้งเดียว แล้วนำไปล้างทำความสะอาดก่อนนำมาใช้ใหม่ เป็นต้น ทั้งนี้ให้จัดทำป้ายหรือมีข้อความการปฏิบัติไว้ด้วย

7. การป้องกันควบคุมสัตว์และแมลงนำโรค

7.1 ภายในสถานประกอบกิจการ ไม่ควรมีหนู แมลงวัน และแมลงสาบ

7.2 ต้องมีการป้องกัน ควบคุม กำจัดสัตว์และแมลงนำโรคโดยเฉพาะหนู แมลงวัน และแมลงสาบอย่างถูกต้องตามหลักสุขาภิบาล

8. การดูแลสุขภาพและความปลอดภัย

8.1 ต้องกำหนดให้มีผู้ดูแลด้วย กรณีที่นำเด็กอายุต่ำกว่า 10 ปี ที่ยังว่ายน้ำไม่เป็นและผู้สูงอายุที่ไม่สามารถดูแลตัวเองได้มาใช้บริการสระว่ายน้ำ

8.2 จัดให้มีอุปกรณ์ช่วยชีวิต ดังนี้

8.2.1 โฟมช่วยชีวิต อย่างน้อย 2 อัน

8.2.2 ห่วงชูชีพ ขนาดเส้นผ่าศูนย์กลางภายใน 15 นิ้ว หรือทุ่นลอย ผูกไว้กับเชือกยาวไม่น้อยกว่าความกว้างของสระว่ายน้ำ อย่างน้อย 2 อัน

8.2.3 ไม้ช่วยชีวิต หรือวัตถุอื่นใด มีความยาวไม่น้อยกว่า 3.5 เมตร น้ำหนักเบาอย่างน้อย 1 อัน และต้องวางไว้ที่ปลายตู้ส่วนลึกของสระว่ายน้ำ

8.2.4 เครื่องช่วยหายใจ สำหรับผู้ใหญ่ และสำหรับเด็ก อย่างละ 1 ชุด

8.2.5 ห้องปฐมพยาบาลพร้อมชุดปฐมพยาบาลที่พร้อมใช้งานได้ตลอดเวลาไว้ประจำสระว่ายน้ำและอยู่ในบริเวณที่ใกล้ที่สุด

8.3 มีอุปกรณ์สื่อสารที่สามารถติดต่อบุคคลหรือสถานที่สำคัญๆ เช่น โรงพยาบาล และสถานีตำรวจ เพื่อขอความช่วยเหลือเมื่อเกิดเหตุฉุกเฉินต่างๆ เช่น เพลิงไหม้ หรือมีคนจมน้ำ และต้องปิดประกาศหมายเลขโทรศัพท์ของสถานที่ดังกล่าวไว้ในที่เห็นได้ชัดเจนและเป็นข้อมูลปัจจุบันอยู่เสมอ

9. เหตุรำคาญ

มีการควบคุมมิให้เกิดเหตุรำคาญ ซึ่งมาจากกิจกรรมการดำเนินการต่างๆ

ภาคผนวก จ

ใบรับรองการสอบเทียบเครื่องมือ

รายการเครื่องมือที่ใช้ในการวิเคราะห์ / ทดสอบ

| Sample Name | Parameter | Equipment Name | ID No. | Calibrated Date | Next Cal | Freq. Calibrate (Months) |
|-------------|----------------------------------|--------------------------------|------------|-----------------|-----------|--------------------------|
| Water Lab | pH at 25 °C | pH meter | BKK_EN0072 | 12-Sep-22 | 12-Mar-24 | 18 |
| Water Lab | Settleable Solids | Chamber (Cold Room) | BKK_EN0167 | 30-Jun-22 | 30-Dec-23 | 18 |
| Water Lab | Sulfide | Burette | BKK_EN0171 | 30-Aug-22 | 1-Mar-24 | 18 |
| Water Lab | Sulfide | Chamber (Cold Room) | BKK_EN0167 | 30-Jun-22 | 30-Dec-23 | 18 |
| Water Lab | Oil & Grease | Electronic Top-Loading Balance | BKK_EN0002 | 25-Feb-22 | 25-Feb-23 | 12 |
| Water Lab | Oil & Grease | Water Bath | BKK_EN0148 | 31-Jan-22 | 1-Aug-23 | 18 |
| Water Lab | Total Dissolved Solids 103-105°C | Electronic Top-Loading Balance | BKK_EN0002 | 25-Feb-22 | 25-Feb-23 | 12 |
| Water Lab | Total Dissolved Solids 103-105°C | Oven | BKK_EN0009 | 2-Sep-21 | 3-Mar-23 | 18 |
| Water Lab | BOD | DO Meter | BKK_EN0017 | 24-May-22 | 24-Nov-23 | 18 |
| Water Lab | BOD | Incubator | BKK_EN0005 | 4-Oct-21 | 4-Apr-23 | 18 |
| Water Lab | BOD | Burette | BKK_EN0171 | 30-Aug-22 | 1-Mar-24 | 18 |
| Water Lab | Total Kjeldahl Nitrogen | Digestion Unit | BKK_EN0141 | 4-Aug-21 | 2-Feb-23 | 18 |
| Water Lab | Total Kjeldahl Nitrogen | Discrete analyzer | BKK_EN0037 | 30-Jun-22 | 30-Jun-23 | 12 |
| Water Lab | Total Suspended Solids | Electronic Top-Loading Balance | BKK_EN0002 | 25-Feb-22 | 25-Feb-23 | 12 |
| Water Lab | Total Suspended Solids | Oven | BKK_EN0007 | 1-Dec-21 | 1-Jun-23 | 18 |
| Water Lab | Total Coliform | Autoclave | BKK_ML0037 | 21-Jan-22 | 22-Jul-23 | 18 |
| Water Lab | Total Coliform | Incubator | BKK_ML0010 | 21-Jan-22 | 22-Jul-23 | 18 |
| Water Lab | Total Coliform | Hot Air Oven | BKK_ML0013 | 21-Nov-22 | 21-May-24 | 18 |
| Water Lab | Fecal Coliform | Autoclave | BKK_ML0037 | 21-Jan-22 | 22-Jul-23 | 18 |
| Water Lab | Fecal Coliform | Incubator | BKK_ML0010 | 21-Jan-22 | 22-Jul-23 | 18 |
| Water Lab | Fecal Coliform | Hot Air Oven | BKK_ML0013 | 21-Nov-22 | 21-May-24 | 18 |
| Water Lab | Fecal Coliform | Water Bath | BKK_ML0056 | 20-May-22 | 20-May-23 | 12 |
| Water Lab | pH at 25 °C | pH meter | BKK_EN0072 | 26-Mar-21 | 24-Sep-22 | 18 |
| Water Lab | Ammonia Nitrogen | Discrete analyzer | BKK_EN0037 | 28-Jun-21 | 28-Jun-22 | 12 |
| Water Lab | Calcium Hardness | Burette | BKK_EN0171 | 30-Mar-21 | 28-Sep-22 | 18 |
| Water Lab | Residual Free Chlorine | Chlorine Meter | BKK_LG0042 | 28-Jan-22 | 28-Jan-23 | 12 |
| Water Lab | Nitrate | Ion Chromatography | BKK_EN0069 | 12-Jan-22 | 12-Jan-23 | 12 |
| Water Lab | Chloride | Ion Chromatography | BKK_EN0069 | 12-Jan-22 | 12-Jan-23 | 12 |
| Water Lab | <i>Staphylococcus aureus</i> | Autoclave | BKK_ML0043 | 1-Dec-21 | 1-Jun-23 | 18 |
| Water Lab | <i>Staphylococcus aureus</i> | Incubator | BKK_ML0010 | 21-Jan-22 | 22-Jul-23 | 18 |
| Water Lab | <i>Staphylococcus aureus</i> | Hot Air Oven | BKK_ML0013 | 7-Jun-21 | 6-Dec-22 | 18 |
| Water Lab | <i>Pseudomonas aeruginosa</i> | Autoclave | BKK_ML0043 | 1-Dec-21 | 1-Jun-23 | 18 |
| Water Lab | <i>Pseudomonas aeruginosa</i> | Incubator | BKK_ML0010 | 21-Jan-22 | 22-Jul-23 | 18 |
| Water Lab | <i>Pseudomonas aeruginosa</i> | Hot Air Oven | BKK_ML0013 | 7-Jun-21 | 6-Dec-22 | 18 |
| Water Lab | <i>Escherichia coli</i> | Autoclave | BKK_ML0043 | 1-Dec-21 | 1-Jun-23 | 18 |
| Water Lab | <i>Escherichia coli</i> | Incubator | BKK_ML0010 | 21-Jan-22 | 22-Jul-23 | 18 |
| Water Lab | <i>Escherichia coli</i> | Hot Air Oven | BKK_ML0013 | 7-Jun-21 | 6-Dec-22 | 18 |
| Water Lab | <i>Escherichia coli</i> | Water Bath | BKK_ML0052 | 21-Feb-22 | 21-Feb-23 | 12 |
| Water Lab | Residual Chlorine | Ion Selective Electrode | BKK_EN0102 | 11-Mar-21 | 9-Sep-22 | 18 |
| Water Lab | Cyanuric acid | Spectrophotometer | SGK_CL0038 | 24-Jan-22 | 24-Jan-23 | 12 |



TECHNOLOGY PROMOTION ASSOCIATION (THAILAND-JAPAN)
CORPORATE SERVICES 3: EQUIPMENT CALIBRATION AND TESTING SERVICES
534/4 PATTANAKARN ROAD SOI 18, SUANLUANG, SUANLUANG BANGKOK 10250
TEL. 0-2717-3000-27 FAX. 0-2719-9484



Cert.No.: 22CH1222

Page.: 1 of 2

Certificate of Calibration

| | |
|-------------------------|---|
| Equipment : | pH Meter |
| Manufacturer : | Mettler Toledo |
| Model : | Seven Compact S220 |
| Serial No. : | B520948426 |
| ID No. : | BKK_EN0072 |
| Condition As-Received: | Used Item |
| Received Date : | 09 September 2022 |
| Calibration Date : | 12 September 2022 |
| Reference : | 2209-0312DSC-1 |
| Submitted by : | ALS Laboratory Group (Thailand) Co.,Ltd. 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand |
| Ambient Temperature : | (25 ± 2.5) °C |
| Relative Humidity : | (50 ± 15) % |
| Calibration Procedure : | In - house method : - CP-CH5 by direct measurement with standard voltage calibrator and direct measurement with certified reference material (CRM) |

| | |
|----------------|-----------|
| REVIEW BY | Sinluk P. |
| APPROVED BY | KL AL |
| NEXT CAL. DATE | 12/03/24 |

Calibrated by : Warakorn Lerngagtrakul

Approved by :

Malee

Approved Signatory

- (☒) Malee Butkruea
(☐) Saithip Meangmai
(☐) Warakorn Lerngagtrakul

Issue Date : 15 September 2022

The Uncertainties are for a confidence probability of approximately 95%

This certificate may not be reproduced other than in full, except with the prior written
Approval of the head of Corporate Services 3 : Equipment Calibration and Testing Services.



Cert. No.: 22CH1222

Page.: 2 of 2

Condition of this calibration result

1. Reference Standard Instrument : -

| <u>Instrument</u> | <u>Serial No.</u> | <u>ID No.</u> | <u>Cert. No.</u> | <u>Due Date</u> |
|--------------------------------|-------------------|---------------|------------------|-----------------|
| 1) Document Process Calibrator | 54030049 | 130RC116 | 22E2769 | 24 Aug 2023 |

This certification is traceable to the International System of Unit maintained at:-

- Traceable to National Institute of Metrology (Thailand), NIMT

2. Certified Reference Materials : The measurement results are traceable to SI through CPA chem Ltd.,
ANSI-ASQ National Accreditation Board, Accredited No. AR-1835

| <u>Buffer Solution</u> | <u>Manufacturer</u> | <u>Lot No.</u> | <u>Exp. date</u> |
|------------------------|---------------------|----------------|------------------|
| pH 4.008 | CPA chem | 823320 | 20 June 2024 |
| pH 6.985 | CPA chem | 794122 | 14 Feb 2023 |
| pH 10.008 | CPA chem | 823323 | 20 June 2023 |

3. This certificate is valid only to the item calibrated on date and place of calibration.

Calibration Results**Function : mV Measurement****Performing standard curve by Fluke at pH (4,7,10)**

| Unit Under Calibration | Nominal Value | Standard Voltage Input | Actual Reading | | Uncertainty of Measurement (\pm mV) | Coverage factor <i>k</i> |
|------------------------------|---------------|------------------------|----------------|--------|---|-----------------------------|
| | pH | mV | mV | pH | | |
| pH Meter S/N.: B520948426 | 4.000 | 177.48 | 177.4 | 4.000 | 0.058 | 2.00 |
| | 7.000 | 0.00 | 0.0 | 7.000 | 0.058 | 2.00 |
| | 10.000 | -177.48 | -177.5 | 10.000 | 0.058 | 2.00 |

Function : pH Measurement**Performing three buffers standard curve by using buffer nominal pH (4,7,10)**

| Unit Under Calibration | Standard pH Buffer Solution | Actual pH Reading | Actual mV Reading (mV) | Uncertainty of pH measurement (\pm) | Coverage factor <i>k</i> |
|-------------------------------------|-----------------------------|-------------------|---------------------------|--|-----------------------------|
| pH Electrode S/N.: PCE-86-EX1001 | 4.008 | 3.999 | 153.9 | 0.0055 | 2.09 |
| | 6.985 | 7.017 | -13.7 | 0.0084 | 2.00 |
| | 10.008 | 9.996 | -179.0 | 0.0078 | 2.06 |

The reported uncertainty of measurement was based on a standard uncertainty multiplied by a coverage factor *k*, providing a level of confidence of approximately 95 %.

-o0o-

Malu.

a 1126274



Metrological Center

SCI ECO Services Company Limited

33/2 Moo 3, T.Banpa, A.Kaengkhoi, Saraburi 18110, Thailand.

Saraburi Tel : +66 3627 3096 Fax : +66 3627 3100

Bangkok Tel : +668 9205 6851 , +669 8247 2360

Website : www.scieco.co.th

E-Mail : calibrate@scg.co.th



Certificate No. T221644

Page 1 of 4

Certificate of Calibration

Equipment : Chamber (Cold Room)

Manufacturer : KOLDTECH

Model : KM 320

Serial No. : TBN-1012061/05

Customer Code : BKK_EN0167

ID No. : T2463A3

Customer : ALS Laboratory Group (Thailand) Co.,Ltd.

104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan,

Khet Suan Luang, Bangkok 10250



Customer Location : Environmental Laboratory

Date of Receipt : 27 June 2022

Calibrated By : Sujjar Naknakred (Site Calibration Manager)

Approved By :  / Boonchai Suriyawong (Site Calibration Manager)

Date of Issue : 04 JUL 2022

| | |
|----------------|---|
| REVIEW BY |  |
| APPROVED BY |  |
| NEXT CAL. DATE | 30/12/23 |

The uncertainties are for a confidence probability of approximately 95%.

This Certificate is issued in accordance with the conditions of accreditation granted by the Thai Laboratory Accreditation Scheme which has assessed the measurement capability of the laboratory and its traceability to recognized national standards and to the units of measurement realized at the corresponding national standard laboratory. This certificate may not be reproduced other than in full except with the prior written approval of the Metrological Center.

Certificate No. T221644

Page 2 of 4

Calibration Report

Equipment : Chamber (Cold Room)
Date of Calibration : 30 June - 1 July 2022
Environment : Temperature : 18.9-23.7 °C
Line Voltage : 222.9-226.5 V
Relative Humidity : 55 - 65 %RH

Condition of this results of calibration :

1. This equipment was calibrated by insert nine standard thermocouples type T into its chamber , the other one standard thermocouples type T use for ambient temperature measurement . The calibration was done in according to WI-T20 (based on ASTM E145-94 (Reapproved 2001) and AS2853-1986).
All data show below were final values and the initial data from customer request . The temperature scale used was based on ITS - 90 .

2. Reference Standard Instrument :

| Instrument | Model | Instrument No. | Certificate No. | Due Date |
|-------------|--------|----------------|-----------------|--------------|
| TC | TYPE T | TN161-TN170 | T210009 | 30 July 2022 |
| TC | TYPE T | TN171-TN180 | T210009 | 30 July 2022 |
| DATA LOGGER | 34970A | T149 | T210009 | 30 July 2022 |

3. This certificate is traceable to :

National Institute of Metrology (Thailand) through Metrological Center (NSC-TISI-TIS 17025 CALIBRATION 0244.)

4. Condition of calibrated item : good

Equipment Description :

Time Constant 3 Hour - Minute At 3 °C
Fresh Air Damper ☐ Open ☐ Min ☐ Medium ☐ Max
☐ Close
☒ Not Available

5. Adjustment :

() without adjustment


(X) after adjustment

Approved By. 

Certificate No. T221644

Page 3 of 4

Calibration Report



C = Centre , F = Centre of Face , A = Corner , E = Centre of Edge

| | | |
|-----|---|-------|
| 1C | = | TN161 |
| 2A | = | TN162 |
| 3A | = | TN163 |
| 4F | = | TN164 |
| 5A | = | TN165 |
| 6A | = | TN166 |
| 7F | = | TN167 |
| 8F | = | TN168 |
| 9A | = | TN169 |
| 10A | = | TN170 |

| | | |
|-----|---|-------|
| 11F | = | TN171 |
| 12F | = | TN172 |
| 13A | = | TN173 |
| 14A | = | TN174 |
| 15F | = | TN175 |
| 16E | = | TN176 |

Approved By. 

Certificate No. T221644

Page 4 of 4

Calibration Report

Measurement Results:

| Average Standard Reading at each position (°C) | | | | | | | | | | |
|--|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Calibration Point | TN161 | TN162 | TN163 | TN164 | TN165 | TN166 | TN167 | TN168 | TN169 | TN170 |
| 3 | 2.71 | 2.82 | 2.75 | 2.89 | 2.95 | 3.68 | 3.02 | 2.96 | 3.03 | 2.85 |
| | TN171 | TN172 | TN173 | TN174 | TN175 | TN176 | | | | |
| | 2.97 | 3.02 | 2.89 | 3.04 | 2.97 | 3.33 | | | | |

| Chamber (Cold Room) | | | Temperature Distribution | | | | |
|-----------------------|--------------|---------|--------------------------|------------------|-----------------|--------------------|-----------------|
| Setting (°C) | Reading (°C) | | Average (°C) | Stability (± °C) | Uniformity (°C) | Uncertainty (± °C) | Coverage |
| | Min , Max | Average | | | | | Factor <i>k</i> |
| 3.0 | 2.9 , 4.0 | 3.2 | 2.99 | 1.05 | 1.30 | 1.66 | 2.00 |

* The quoted uncertainty exclude " uniformity "

The calibration result apply only the above calibrated item.

The result of test was found accurate as shown on date and place of test only.

The reported expanded uncertainty is based on a standard uncertainty multiplied by a coverage factor *k* which for a t-distribution, providing a level of confidence of approximately 95 % .

Approved By. 



TECHNOLOGY PROMOTION ASSOCIATION (THAILAND-JAPAN)
CORPORATE SERVICES 3: EQUIPMENT CALIBRATION AND TESTING SERVICES
534/4 PATTANAKARN ROAD SOI 18, SUANLUANG, SUANLUANG BANGKOK 10250
TEL. 0-2717-3000-27 FAX. 0-2719-9484



Cert.No.: 22CG3154

Page.: 1 of 2

Certificate of Calibration

| | |
|-------------------------|--|
| Equipment : | Burette |
| Capacity : | 50 mL |
| Serial No. : | - |
| ID. No. : | BKK_EN0171 |
| Manufacturer : | Witeg |
| Made in : | Germany |
| Submitted by : | ALS Laboratory Group (Thailand) Co.,Ltd. 104 Phatthanakan 40, Phatthanakan Rd. Khwaeng Phatthanakan, Khet Suan Luang Bangkok 10250 Thailand |
| Ambient Temperature : | (20 ± 2.5) °C |
| Relative Humidity : | (50 ± 10) % |
| Barometric Pressure : | 759 mmHg |
| Calibration Procedure : | ASTM E 542 - 01 |
| Calibrated by : | Panward Pramklam |

| | |
|----------------|-------------------|
| REVIEW BY | <u>Sin'luk P.</u> |
| APPROVED BY | <u>KLAL</u> |
| NEXT CAL. DATE | <u>29/03/2024</u> |

Approved by :

Approved Signatory

- () Pornthippa Tameyakul
() Malee Butkruea
(☒) Ponpan Paipim
() Srisuda Khamtha

Issue Date :

31 August 2022

The Uncertainties are for a confidence probability of approximately 95%

This certificate may not be reproduced other than in full, except with the prior written
Approval of the head of Corporate Services 3 : Equipment Calibration and Testing Services.

A 0044607



Equipment : Burette
Received Date : 26 August 2022
Condition As-Received : Used Item
Calibration Date : 30 August 2022
Reference : 2208-0918DSC-2

Cert.No.: 22CG3154

Page.: 2 of 2

Condition of this result of calibration

1. Reference Standard Instruments :

| <u>Instruments</u> | <u>Model</u> | <u>Serial No.</u> | <u>ID. No.</u> | <u>Certificate No.</u> | <u>Traceability</u> | <u>Due date</u> |
|----------------------|--------------|-------------------|----------------|------------------------|---------------------|-----------------|
| 1) Balance | AE200S | N03679 | 140RC001 | 21MM429 | NIMT | 22 Sep 2022 |
| 2) Thermo-Hygrograph | THDX-CE | 00016540 | 140EC001 | 22H1243 | NIST,NIMT | 09 June 2023 |
| 3) Thermometer | - | 1594592 | 140EC010 | 22I181 | NIMT | 10 Feb 2023 |

This certification is traceable to SI Unit

2. The certificate is valid only to the item calibrated on date and place of calibration.
3. True value is converted to true volume at the standard temperature of 20 °C

Calibration result :

| Nominal capacity (mL) | Reading (mL) | Uncertainty (± mL) | k Factor |
|------------------------------------|---------------------------|---------------------------------|---------------------|
| 50 | 49.9959 | 0.010 | 2.00 |

Remark mL = cm³

The reported uncertainty of measurement was based on a standard uncertainty multiplied by a coverage factor k , providing a level of confidence of approximately 95 %.

-o0o-

a 1123908



Certificate of Calibration

Represent to Certificate of Calibration ,PTC/07/22071


| | | | |
|------------------|-----------------|------------|------------|
| Certificate No.: | PTC/07/22071 | Page: | 1 of 2 |
| Equipment: | Digital Balance | Condition: | Normal |
| Manufacturer: | Sartorius | Serial No: | 26207042 |
| Model: | MSE224-100-DU | ID No: | BKK_EN0002 |
| Type of Balance: | Single interval | | |



Customer: ALS Laboratory Group (Thailand) Co.,Ltd.
104 Phatthanakarn 40 Phatthanakarn Rd.,
khwaeng Phatthanakarn, Khet Suan Luang, Bangkok 10250.

Environment Condition: Temperature 21.5 °C \pm 0.7 °C
Humidity 61.8 %RH \pm 4.7 %RH
Air density 1.19 kg/m³

Calibration Place: ALS Laboratory Group (Thailand) Co.,Ltd.
104 Phatthanakarn 40 Phatthanakarn Rd.,
khwaeng Phatthanakarn, Khet Suan Luang, Bangkok 10250.



The Method used: In house method, PTC-WI-07, base on Euramet cg. 18

Traceability: This certificate is traceable to the SI Units through Thai Calibration Service Co.,Ltd.
, NSC-ONSC Accreditation No.: Calibration 0189

Date Received: February 25, 2022

Calibration Date: February 25, 2022

Issued Date: March 01, 2022

Calibration By: Mr. Rungroje Metakul



PENTA CALIBRATION CO.,LTD

(Mr.Kriangsak Kalasri)

Reviewed by

Approved By :

(Mr. Keattisak Kerdto)

Laboratory Manager

This certificate is issued the units of measurement according to the International System of Units (SI). It provides traceability of measurement to international or national standard or other recognised national standard laboratories.

The measurement uncertainty stated is the expanded uncertainty which is obtained from the standard uncertainty multiplied by the coverage factor ($k=2$) to provide a level of confidence of approximately 95%. It is determined in accordance with the Guide to Expression of Uncertainty in Measurement (GUM). The effect that the results relate only to the items calibrated.

This calibration certificate shall not be reproduced except in full only, without written approval from penta calibration co., ltd



Represent to Certificate of Calibration ,PTC/07/22071

Certificate No.: PTC/07/22071



Page: 2 of 2

Measurement Results:

Without Adjustment :

Function Calibration: Non Adjustment

Eccentric Error: Weight to be 1/3 ,1/2 or of Maximum capacity



Eccentricity test 100 (g)

| Position (g) | | | | |
|--------------------|---------|---------|--------|---------|
| 1 | 2 | 3 | 4 | 5 |
| 0.0000 | -0.0002 | -0.0001 | 0.0001 | -0.0001 |
| Maximum deviation: | | | 0.0002 | |

Repeatability Test : Weight to be $1/2 \leq L_1 \leq$ Maximum capacity

Determination of the standard deviation of weighing balance., Readability 0.0001 (g)

| Nominal test value (g) | Standard Deviation |
|------------------------|--------------------|
| 200 | 0.00005 |

Error of indication : from nominal value., Readability 0.0001 (g)

| Nominal Value (g) | Conventional Mass (g) | Indication (g) | Correction of Balance (g) | Uncertainty (g) | k |
|-------------------|-----------------------|----------------|---------------------------|-----------------|------|
| 0 | 0.00000 | 0.0000 | 0.0000 | 0.00016 | 2.52 |
| 0.1 | 0.10000 | 0.1000 | 0.0000 | 0.00017 | 2.20 |
| 0.5 | 0.50000 | 0.5000 | 0.0000 | 0.00016 | 2.28 |
| 1 | 1.00001 | 1.0000 | 0.0000 | 0.00016 | 2.28 |
| 2 | 2.00001 | 2.0000 | 0.0000 | 0.00016 | 2.28 |
| 5 | 5.00001 | 5.0000 | 0.0000 | 0.00016 | 2.28 |
| 10 | 10.00002 | 10.0000 | 0.0000 | 0.00016 | 2.28 |
| 20 | 20.00002 | 20.0000 | 0.0000 | 0.00016 | 2.23 |
| 50 | 50.00001 | 50.0000 | 0.0000 | 0.00017 | 2.15 |
| 100 | 100.00002 | 99.9999 | 0.0001 | 0.00020 | 2.06 |
| 120 | 120.00004 | 120.0000 | 0.0000 | 0.00023 | 2.03 |
| 150 | 150.00003 | 150.0000 | 0.0000 | 0.00026 | 2.00 |
| 200 | 200.00003 | 199.9999 | 0.0001 | 0.00030 | 2.00 |

Note: Weight of adjust - (g)

The End of Certificate



Metrological Center

SCI ECO Services Company Limited

33/2 Moo 3, T.Banpa, A.Kaengkhoi, Saraburi 18110, Thailand.

Saraburi Tel : +66 3627 3096 Fax : +66 3627 3100

Bangkok Tel : +668 9205 6851 , +669 8247 2360

Website : www.scieco.co.th

E-Mail : calibrate@scg.co.th



Certificate No. T220139

Page 1 of 3

Certificate of Calibration

Equipment : Liquid Bath (Water)

Manufacturer : MEMMERT

Model : WNB29

Serial No. : L611.0135

Customer Code : BKK_EN0148

ID No. : T6455A4

Customer : ALS Laboratory Group (Thailand) Co.,Ltd.

104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan,

Khet Suan Luang, Bangkok 10250


Customer Location : ORGANIC PREPARATION LAB

Date of Receipt : 26 January 2022

Calibrated By : Watcharapon Sangtong (Technician)

Approved By :  / Sujjar Naknakred (Site Calibration Manager)

Date of Issue : 08 FEB 2022



The uncertainties are for a confidence probability of approximately 95%.

This Certificate is issued in accordance with the conditions of accreditation granted by the Thai Laboratory Accreditation Scheme which has assessed the measurement capability of the laboratory and its traceability to recognized national standards and to the units of measurement realized at the corresponding national standard laboratory. This certificate may not be reproduced other than in full except with the prior written approval of the Metrological Center.

Certificate No. T220139

Page 2 of 3

Calibration Report

Equipment : Liquid Bath (Water)
Date of Calibration : 31 January 2022
Environment : Temperature : 22.4-23.9 °C
Line Voltage : 221.4-225.4 V
Relative Humidity : 55 - 65 %RH

Condition of this results of calibration :

1. This equipment was calibrated by insert five resistance thermometer detectors into its water bath , the other one thermocouple type T use for ambient temperature measurement . The calibration was done in according to WI-T36 (based on ASTM E715-80 (Reapproved 2001)).

All data show below were final values and the initial data from customer request . The temperature scale used was based on ITS - 90 .

2. Reference Standard Instrument :

| Instrument | Model | Instrument No. | Certificate No. | Due Date |
|-------------|---------|----------------|-----------------|-----------------|
| RTD | 100 OHM | M34 (CH1-CH5) | T210115 | 2 February 2022 |
| DATA LOGGER | 34970A | T47 | T210115 | 2 February 2022 |

3. This certificate is traceable to :

National Institute of Metrology (Thailand) through Metrological Center (NSC-TISI-TIS 17025 CALIBRATION 0244.)

4. Condition of calibrated item : good

Equipment Description :

Time Constant 1 Hour - Minute At 60 °C

5. Adjustment :

(X) without adjustment


() after adjustment

Approved By. 

Certificate No. T220139

Page 3 of 3

Calibration Report



- D = Medium level : 8 cm.
 - UUC's medium : Water
 - Working standards are located at 2.5 cm. away from each corner and walls.
- Working space dimension : 62 × 41 × 14 (W×L×H)

Measurement Results:

| Calibration Point | Average Standard Reading at each position (°C) | | | | |
|-------------------|--|-------|-------|-------|-------|
| | CH-1 | CH-2 | CH-3 | CH-4 | CH-5 |
| 60 | 59.95 | 60.04 | 60.12 | 60.01 | 59.89 |
| 85 | 85.17 | 84.89 | 85.34 | 84.78 | 84.93 |
| 95 | 93.46 | 93.14 | 93.81 | 93.05 | 93.28 |

| Liquid Bath (Water) | | | Temperature Distribution | | | |
|-----------------------|--------------|---------|--------------------------|----------------------|-----------------------|-----------------------------|
| Setting (°C) | Reading (°C) | | Stability (± °C) | Uniformity (± °C) | Uncertainty (± °C) | Coverage Factor <i>k</i> |
| | Min , Max | Average | | | | |
| 61.0 | 60.9 , 61 | 61.0 | 0.10 | 0.19 | 0.25 | 2.00 |
| 86.0 | 85.9 , 86.1 | 86.0 | 0.12 | 0.39 | 0.32 | 2.06 |
| 95.0 | 94.8 , 95.1 | 94.9 | 0.14 | 0.51 | 0.38 | 2.11 |

* The quoted uncertainty exclude "uniformity"

The calibration result apply only the above calibrated item.

The result of test was found accurate as shown on date and place of test only.

The reported expanded uncertainty is based on a standard uncertainty multiplied by a coverage factor *k* which for a t-distribution, providing a level of confidence of approximately 95 % .

Approved By. 



TECHNOLOGY PROMOTION ASSOCIATION (THAILAND-JAPAN)
CORPORATE SERVICES 3: EQUIPMENT CALIBRATION AND TESTING SERVICES
534/4 PATTANAKARN ROAD SOI 18, SUANLUANG, SUANLUANG BANGKOK 10250
TEL. 0-2717-3000-27 FAX. 0-2719-9484



Cert. No.: 21TM1629

Page.: 1 of 3

Certificate of Calibration

Equipment : Hot Air Oven

Manufacturer : Memmert

Model : UFE 500

Serial No. : G511.0314


ID No. : BKK_EN0009

Submitted by : ALS Laboratory Group (Thailand) Co.,Ltd.
104 Phatthanakan 40, Phatthanakan Rd.,
Kwaeng Suan Luang, Khet Suan Luang,
Bangkok 10250

Location : Oven Room

Received Order : 2 September 2021
Calibration Date : 2 September 2021
Ambient Temperature : (26 ± 10) °C
Relative Humidity : (50 ± 30) %

Calibrated by : Man Pattanapongpaiboon



Approved by :

Malee

Approved Signatory

- (☒) Pornthippa Tameyakul
(☒) Malee Butkruea
(☐) Suwit Imjai

Issue Date :

14 September 2021

The Uncertainties are for a confidence probability of approximately 95%

This certificate may not be reproduced other than in full, except with the prior written
Approval of the head of Corporate Services 3 : Equipment Calibration and Testing Services.

A 0031775



Equipment : Hot Air Oven
 Condition As-Received : Used Item
 Reference : 2109-0004OC-1

Cert. No.: 21TM1629

Page.: 2 of 3

Procedure Used :-

Calibration were conducted using calibration procedure CP-OT02 according to direct measurement method with Data Acquisition which connected with Resistance Temperature Detector (RTD).

The temperature scale used was based on ITS-90.

Condition of this result of calibration

1. Reference standard instrument:-

| <u>Instrument</u> | <u>Model</u> | <u>Serial No.</u> | <u>Cert. No.</u> | <u>Due Date</u> |
|----------------------|--------------|-------------------|------------------|-----------------|
| 1) Data Acquisition | 34972A | MY57013711 | 21LM7 | 16 Jun 2022 |


2. This certificate is valid only to the item calibrated on date and place of calibration.

3. This certification is traceable to the International System of Unit.

Result of Calibration :- (*) Without Adjustment

Function of UUC* : Temperature Source

Fresh air setting : Close



| Environment during calibration | | |
|--------------------------------|-----------|----------|
| | Beginning | Finished |
| Temp. (°C) | 25 | 25 |
| REL.Humid. (%) | 56 | 58 |
| AC Supply (Volt) | 221 | 222 |

| Position : | Ref. Std. ID No.: |
|------------|-------------------|
| 1 | 18-18RTD-01 |
| 2 | 18-18RTD-02 |
| 3 | 18-18RTD-03 |
| 4 | 18-18RTD-04 |
| 5 | 18-18RTD-05 |
| 6 | 18-18RTD-06 |
| 7 | 18-18RTD-07 |
| 8 | 18-18RTD-08 |
| 9 (ref.) | 18-18RTD-09 |

Probe Installation Details :

a = 5.0 cm
 b = 5.0 cm
 c = 5.0 cm

Dimension of Chamber :

D = 0.40 m
 W = 0.56 m
 H = 0.48 m
 Capacity = 0.11 m³

Malu



Equipment : Hot Air Oven
Condition As-Received : Used Item
Reference : 2109-0004OC-1
Result of Calibration :- (*) Without Adjustment
Function of UUC* : Temperature Source
Fresh air setting : Close

Cert. No.: 21TM1629

Page.: 3 of 3

| Calibration Point (°C) | UUC* Setting (°C) | UUC* Reading (°C) | Temperature stability (± °C) | Temperature uniformity (°C) | Overall Variation (°C) | Uncertainty (± °C) | Coverage Factor <i>k</i> |
|-----------------------------|------------------------|------------------------|-----------------------------------|----------------------------------|-----------------------------|-------------------------|-----------------------------|
| 60.0 | 60.0 | 60.0 | 0.047 | 0.32 | 0.52 | 0.42 | 2 |
| 95.0 | 95.0 | 95.0 | 0.034 | 0.51 | 0.83 | 0.42 | 2 |
| 103.0 | 103.0 | 103.0 | 0.053 | 0.57 | 1.0 | 0.42 | 2 |
| 104.0 | 104.0 | 104.0 | 0.095 | 0.62 | 1.1 | 0.43 | 2 |

| Calibration Point (°C) | Measured Temperature (°C) | | | | | | | | |
|-----------------------------|-----------------------------|---------|---------|---------|---------|---------|---------|---------|----------|
| | Position | | | | | | | | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 (ref.) |
| 60.0 | 59.912 | 59.968 | 59.859 | 59.772 | 60.200 | 60.076 | 60.203 | 60.120 | 60.067 |
| 95.0 | 94.767 | 94.809 | 94.720 | 94.582 | 95.347 | 95.025 | 95.098 | 95.016 | 94.879 |
| 103.0 | 102.814 | 102.866 | 102.712 | 102.555 | 103.482 | 103.204 | 103.288 | 103.190 | 102.976 |
| 104.0 | 103.742 | 103.794 | 103.643 | 103.484 | 104.486 | 104.180 | 104.265 | 104.154 | 103.924 |

Average* : The average of 30 values in each position.

Temperature stability : One-half of the greatest maximum difference of measured temperature at any one sensor.

Temperature uniformity : The maximum difference of measured temperatures at any sensors and the measured temperature at the reference location which are observed at the same time or at as close an observation time as possible to determine the temperature pattern or homogeneity within the chamber under steady-state conditions.

Overall Variation : The Difference of the maximum and minimum measured temperatures throughout observation.

UUC* : Unit Under Calibration

Note : The reported uncertainty of measurement was included stability and excluded uniformity .

The reported uncertainty of measurement was based on a standard uncertainty multiplied by a coverage factor *k*, providing a level of confidence of approximately 95 %.

-o0o-

Malu .



TECHNOLOGY PROMOTION ASSOCIATION (THAILAND-JAPAN)
CORPORATE SERVICES 3 : EQUIPMENT CALIBRATION AND TESTING SERVICES

534/4 PATTANAKARN ROAD SOI 18, SUANLUANG, SUANLUANG BANGKOK 10250

TEL. 0-2717-3000 FAX. 0-2719-9484

Cert.No.: 22TW122

Page.: 1 of 2

Certificate of Testing

Equipment : DO Meter
Manufacturer : YSI
Model : 5000-230V
Serial No. : 09J101147
ID No. : BKK_EN0017
Received Date : 20 May 2022
Test Date : 24 May 2022
Reference : 2205-0638DSC-8
Submitted by :

ALS Laboratory Group (Thailand) Co.,Ltd.
104 Phatthanakan 40, Phatthanakan Rd.,
Khwaeng Phatthanakan, Khet Suan Luang,
Bangkok 10250 Thailand

Laboratory Condition : Temperature (25 ± 5) °C
Humidity (50 ± 20) %
Test Procedure : In - house method : CP-CH9
by Comparison Technique with Azide Modification Method

Tested by : Warakorn Lerngagtrakul

Approved by :

Malee

Approved Signatory

- (☒) Malee Butkruea
(☐) Saithip Meangmai
(☐) Warakorn Lerngagtrakul

Issue Date : 31 May 2022

| | |
|----------------|-------------------|
| REVIEW BY | <i>Siriluk P.</i> |
| APPROVED BY | <i>K. An</i> |
| NEXT CAL. DATE | <i>24/11/23</i> |



Cert.No.: 22TW122

Page.: 2 of 2

Condition of this result of calibration

1. Reference Standard Instruments :

This certification is traceable to the International System of Unit through the reference standards laboratory of Industrial Calibration Center, Technology Promotion Association (Thailand-Japan).

| <u>Instruments</u> | <u>Serial No.</u> | <u>ID No.</u> | <u>Certificate No.</u> | <u>Due Date</u> |
|--------------------|-------------------|---------------|------------------------|-----------------|
| 1) Burette | - | 130BU10 | 21CG1389 | 25 Mar 2023 |
| 2) Balance | 1126143764 | 140RC004 | 21MM430 | 21 Sep 2022 |

2. Standard Material :-

| <u>Material</u> | <u>Manufacturer</u> | <u>Lot.No.</u> | <u>Assay</u> |
|---------------------------------|---------------------|----------------|--------------|
| Sodium Thiosulfate pentahydrate | Merck | AM1763316 | 100.2% |

Result : Dissolved Oxygen Meter Adjustment With Air 100 %

Dissolved Oxygen Probe No.: 16K100498

| Titration Method (Azide Modification Method) (mg/L) | DO Meter Reading (mg/L) | Standard Deviation (mg/L) |
|--|--|--------------------------------------|
| 8.12 | 8.13 | 0.015 |

This report was certified only for the instrument we tested. It is allowable to use for study the system efficiency, The environmental impact control and present to organization it may concerned. Intend to use for advertising and referral purpose is prohibited. This report may not be reproduced other in full, without written approval of the laboratory

-o0o-

Malu

a 1110482



TECHNOLOGY PROMOTION ASSOCIATION (THAILAND-JAPAN)
CORPORATE SERVICES 3: EQUIPMENT CALIBRATION AND TESTING SERVICES
534/4 PATTANAKARN ROAD SOI 18, SUANLUANG, SUANLUANG BANGKOK 10250
TEL. 0-2717-3000-27 FAX. 0-2719-9484



Cert. No.: 22LM83

Page.: 1 of 2

Certificate of Calibration

Equipment : DO Meter with Sensor

Manufacturer : YSI

Model : 5000-230V

Serial No. : 09J 101147

ID No. : BKK_EN0017

Submitted by : ALS Laboratory Group (Thailand) Co.,Ltd.
104 Phatthanakan 40, Phatthanakan Rd.,
Khwaeng Phatthanakan, Khet Suan Luang,
Bangkok 10250 Thailand

Location : TPA On Site Calibration Laboratory

Received Order : 20 May 2022

Calibrated Date : 30 May 2022

Ambient Temperature : (26 ± 10) °C

Relative Humidity : (50 ± 30) %

AC Line Voltage : (220 ± 22) V

Calibrated by : Tawatchai Pama

Approved by :

Malee

Approved Signatory

- () Pornthippa Tameyakul
(✓) Malee Butkruea
() Suwit Imjai

Issue Date : 31 May 2022

The Uncertainties are for a confidence probability of approximately 95%

This certificate may not be reproduced other than in full, except with the prior written
Approval of the head of Corporate Services 3 : Equipment Calibration and Testing Services.

A 0039957



Equipment : DO Meter with Sensor
Condition As-Received : Used Item
Reference : 2205-0638DSC-10

Cert. No.: 22LM83

Page.: 2 of 2

Procedure Used :-

Calibration were conducted using in-house calibration procedure CP-OT01 according to comparison with Industrial Platinum Resistance Thermometer (IPRT) into Temperature Bath.

The temperature scale used was based on ITS-90.

Condition of this result of calibration

1. Reference standard instrument:-

| <u>Instrument</u> | <u>Model</u> | <u>Serial No.</u> | <u>Cert. No.</u> | <u>Due Date</u> |
|------------------------|--------------|-------------------|------------------|-----------------|
| 1) Digital Thermometer | 1502A | A09204 | 2218 | 04 Jan 2023 |

2. This certificate is valid only to the item calibrated on date and place of calibration.

3. This certification is traceable to the International System of Unit.

Result of Calibration :- (*) Without Adjustment

Function : Temperature measurement.

This instrument was connected with thermistor sensor , ID No.: 16K100498

| <u>Calibration Point</u> (°C) | <u>Immersion Depth</u> (mm) | <u>Standard Temperature</u> (°C) | <u>UUC* Reading</u> (°C) | <u>Error</u> (°C) | <u>Uncertainty</u> (± °C) | <u>Coverage Factor</u> <i>k</i> |
|------------------------------------|----------------------------------|---------------------------------------|-------------------------------|------------------------|--------------------------------|------------------------------------|
| 20.00 | 60 | 20.003 | 20.01 | 0.007 | 0.15 | 2.00 |

UUC* : Unit Under Calibration

The reported uncertainty of measurement was based on a standard uncertainty multiplied by a coverage factor *k*, providing a level of confidence of approximately 95 %.

-o0o-

Malu -



Metrological Center

SCI ECO Services Company Limited

33/2 Moo 3, T.Banpa, A.Kaengkhoi, Saraburi 18110, Thailand.

Saraburi Tel : +66 3627 3096 Fax : +66 3627 3100

Bangkok Tel : +668 9205 6851 , +669 8247 2360

Website : www.scieco.co.th E-Mail : calibrate@scg.co.th



Certificate No. T212123

Page 1 of 3

Certificate of Calibration

Equipment : Chamber (Incubator)

Manufacturer : SHEL LAB

Model : 2020-2E

Serial No. : 802899

Customer Code : BKK_EN0005

ID No. : T7499A0

Customer : ALS Laboratory Group (Thailand) Co.,Ltd.

104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan,

Khet Suan Luang, Bangkok 10250

Customer Location : Wet Chemistry Lab2

Date of Receipt : 1 October 2021

Calibrated By : Sujjar Naknakred (Site Calibration Manager)

Approved By :  /Boonchai Suriyawong (Site Calibration Manager)

Date of Issue : 07 OCT 2021

| | |
|----------------|------------|
| REVIEW BY | Sin'luk P. |
| APPROVED BY | LL AL |
| NEXT CAL. DATE | 4/4/23 |

The uncertainties are for a confidence probability of approximately 95%.

This Certificate is issued in accordance with the conditions of accreditation granted by the Thai Laboratory Accreditation Scheme which has assessed the measurement capability of the laboratory and its traceability to recognized national standards and to the units of measurement realized at the corresponding national standard laboratory. This certificate may not be reproduced other than in full except with the prior written approval of the Metrological Center.

Certificate No. T212123

Page 2 of 3

Calibration Report

Equipment : Chamber (Incubator)
Date of Calibration : 4-5 October 2021
Environment : Temperature : 23.8-24.9 °C
Line Voltage : 227.5-231.1 V
Relative Humidity : 55 - 65 %RH

Condition of this results of calibration :

1. This equipment was calibrated by insert nine resistance thermometer detectors into its chamber , the other one resistance thermometer detector use for ambient temperature measurement . The calibration was done in according to WI-T20 (based on ASTM E145-94 (Reapproved 2001) and AS2853-1986).

All data show below were final values and the initial data from customer request . The temperature scale used was based on ITS - 90 .

2. Reference Standard Instrument :

| Instrument | Model | Instrument No. | Certificate No. | Due Date |
|-------------|---------|----------------|-----------------|-----------------|
| RTD | 100 ohm | 29-(CH1-10) | T210118 | 2 February 2022 |
| DATA LOGGER | 34970A | T47 | T210118 | 2 February 2022 |

3. This certificate is traceable to :

National Institute of Metrology (Thailand) through Metrological Center (NSC-TISI-TIS 17025 CALIBRATION 0244.)

4. Condition of calibrated item : good

Equipment Description :

Time Constant 2 Hour 20 Minute At 20 °C
Fresh Air Damper ☐ Open ☐ Min ☐ Medium ☐ Max
☐ Close
☒ Not Available

5. Adjustment :

() without adjustment

(X) after adjustment


Approved By.



Certificate No. T212123

Page 3 of 3

Calibration Report



Remark :

Internal Dimensions of Chamber : W (Width) = 70 cm. , H (Height) = 130 cm. and D (Depth) = 55 cm.
 Size of Installed Standard sensor number 29-CH1 to number 29-CH8 : a = 5 cm. ,b = 5 cm. and c = 5 cm.
 Size of Installed Standard sensor number 29-CH9 : W/2 = 70 cm./2 , H/2 = 130 cm./2 and D/2 = 55cm./2

Measurement Results

| Average Standard Reading at each position (°C) | | | | | | | | | |
|--|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| Calibration Point | 29-CH1 | 29-CH2 | 29-CH3 | 29-CH4 | 29-CH5 | 29-CH6 | 29-CH7 | 29-CH8 | 29-CH9 |
| 20 | 20.04 | 20.06 | 20.19 | 19.86 | 19.68 | 20.08 | 20.12 | 19.80 | 20.07 |
| 25 | 24.99 | 25.06 | 25.18 | 24.89 | 24.74 | 25.12 | 25.16 | 24.80 | 25.10 |

| Chamber (Incubator) | | | Temperature Distribution | | | |
|-----------------------|----------------|---------|--------------------------|-------------------|----------------------|--------------------------|
| Setting (°C) | Reading (°C) | | Stability (± °C) | Uniformity (°C) | Uncertainty (± °C) | Coverage Factor <i>k</i> |
| | Min , Max | Average | | | | |
| 20.0 | - | 20.0 | 0.05 | 1.01 | 0.38 | 2.00 |
| 25.0 | - | 25.0 | 0.07 | 0.96 | 0.38 | 2.00 |

* The quoted uncertainty exclude "uniformity"

The calibration result apply only the above calibrated item.

The result of test was found accurate as shown on date and place of test only.

The reported expanded uncertainty is based on a standard uncertainty multiplied by a coverage factor *k* which for a t-distribution, providing a level of confidence of approximately 95 % .

Approved By. 



Metrological Center

SCI ECO Services Company Limited

33/2 Moo 3, T.Banpa, A.Kaengkhoi, Saraburi 18110

Telephone : +66 2 586 5792-4 Fax : +66 2 586 5109

Website : www.scieco.co.th

E-Mail : calibrate@scg.co.th

Certificate No. T211711

Page 1 of 5

Certificate of Calibration

Equipment : Digestion Unit

Manufacturer : Environmental Express

Model : AIM 600 Block

Serial No. : 5146000105

Customer Code : BKK_EN0141

ID No. : T5666A3

Customer : ALS Laboratory Group (Thailand) Co.,Ltd.

104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan,
Khet Suan Luang, Bangkok 10250


Customer Location : Environmental Laboratory

Date of Receipt : 30 July 2021

Calibrated By : Sujjar Naknakred (Site Calibration Manager)

Approved By :  / Boonchai Suriyawong (Site Calibration Manager)

Date of Issue : 09 AUG 2021



The uncertainties are for a confidence probability of approximately 95%.

This Certificate is issued in accordance with the conditions of accreditation granted by the Thai Laboratory Accreditation Scheme which has assessed the measurement capability of the laboratory and its traceability to recognized national standards and to the units of measurement realized at the corresponding national standard laboratory. This certificate may not be reproduced other than in full except with the prior written approval of the Metrological Center.



Metrological Center

SCI ECO Services Company Limited

33/2 Moo 3, T.Banpa, A.Kaengkhoi, Saraburi 18110

Telephone : +66 2 586 5792-4 Fax : +66 2 586 5109

Website : www.scieco.co.th

E-Mail : calibrate@scg.co.th

Certificate No. T211711

Page 2 of 5

Calibration Report

Equipment : Digestion Unit
Date of Calibration : 4-5 August 2021
Environment : Temperature : 21.1 - 21.8 °C
Line Voltage : 221.4 - 225.1 V
Relative Humidity : 55 - 65 %RH

Condition of this results of calibration :

1. This equipment was calibrated by insert four standard thermocouples type S into its chamber , the other one thermocouple type T use for ambient temperature measurement . The calibration was done in according to WI-T10.

2. Reference Standard Instrument :

| Instrument | Model | Instrument No. | Certificate No. | Due Date |
|-------------|--------|-------------------|-----------------|-----------------|
| TC | Type S | M20A1-(CH17-CH20) | T210011 | 14 January 2022 |
| DATA LOGGER | 34970A | T149 | T210011 | 14 January 2022 |

3. This certificate is traceable to :

National Institute of Metrology (Thailand) through Metrological Center (NSC-TISI-TIS 17025 CALIBRATION 0244.)

4. Condition of calibrated item : good

Equipment Description :

Time Constant - Hour 51 Minute At 380 °C
Fresh Air Damper ☐ Open ☐ Min ☐ Medium ☐ Max
☐ Close
☒ Not Available

5. Adjustment :

(X) without adjustment


() after adjustment

Approved By. _____

Certificate No. T211711

Page 3 of 5

Calibration Report



Measurement Results

| Cal. Point | Setting | Reading | STD. | Position of Standards at Block | | | | | | | | | |
|------------|---------|---------|----------------|--------------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| (°C) | (°C) | (°C) | Reading | Hole1 | Hole2 | Hole3 | Hole4 | Hole5 | Hole6 | Hole7 | Hole8 | Hole9 | Hole10 |
| | | | | M20A1-CH17 | M20A1-CH18 | M20A1-CH19 | M20A1-CH20 | M20A1-CH17 | M20A1-CH18 | M20A1-CH19 | M20A1-CH20 | M20A1-CH17 | M20A1-CH18 |
| 380 | 374 | 374 | Max °C | 378.8 | 379.5 | 382.0 | 383.3 | 381.8 | 382.3 | 383.3 | 382.8 | 379.5 | 381.1 |
| | | | Min °C | 378.2 | 378.8 | 381.4 | 382.7 | 381.5 | 382.0 | 382.9 | 382.5 | 379.2 | 380.6 |
| | | | Average °C | 378.5 | 379.2 | 381.7 | 383.0 | 381.7 | 382.1 | 383.1 | 382.6 | 379.3 | 380.8 |
| | | | Stability ± °C | 0.3 | 0.3 | 0.3 | 0.3 | 0.1 | 0.2 | 0.2 | 0.1 | 0.1 | 0.2 |


| Cal. Point | Setting | Reading | STD. | Position of Standards at Block | | | | | | | | | |
|------------|---------|---------|----------------|--------------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| (°C) | (°C) | (°C) | Reading | Hole11 | Hole12 | Hole13 | Hole14 | Hole15 | Hole16 | Hole17 | Hole18 | Hole19 | Hole20 |
| | | | | M20A1-CH19 | M20A1-CH20 | M20A1-CH17 | M20A1-CH18 | M20A1-CH19 | M20A1-CH20 | M20A1-CH17 | M20A1-CH18 | M20A1-CH19 | M20A1-CH20 |
| 380 | 374 | 374 | Max °C | 382.9 | 380.0 | 382.9 | 378.7 | 379.8 | 380.3 | 383.0 | 383.4 | 383.0 | 381.6 |
| | | | Min °C | 382.5 | 379.5 | 382.7 | 378.4 | 379.6 | 380.1 | 382.8 | 383.1 | 382.7 | 381.3 |
| | | | Average °C | 382.7 | 379.7 | 382.8 | 378.5 | 379.7 | 380.2 | 382.9 | 383.3 | 382.9 | 381.4 |
| | | | Stability ± °C | 0.2 | 0.3 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |

Approved By. 

Certificate No. T211711

Page 4 of 5

Calibration Report



Measurement Results

| Cal. Point | Setting | Reading | STD. | Position of Standards at Block | | | | | | | | | |
|------------|---------|---------|----------------|--------------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| (°C) | (°C) | (°C) | Reading | Hole21 | Hole22 | Hole23 | Hole24 | Hole25 | Hole26 | Hole27 | Hole28 | Hole29 | Hole30 |
| | | | | M20A1-CH17 | M20A1-CH18 | M20A1-CH19 | M20A1-CH20 | M20A1-CH17 | M20A1-CH18 | M20A1-CH19 | M20A1-CH20 | M20A1-CH17 | M20A1-CH18 |
| 380 | 374 | 374 | Max °C | 379.0 | 380.1 | 383.4 | 383.4 | 380.4 | 380.7 | 381.9 | 382.0 | 380.8 | 379.7 |
| | | | Min °C | 378.7 | 379.7 | 382.6 | 383.1 | 380.1 | 380.5 | 381.7 | 381.7 | 380.5 | 379.2 |
| | | | Average °C | 378.8 | 379.9 | 383.0 | 383.2 | 380.3 | 380.6 | 381.8 | 381.9 | 380.6 | 379.5 |
| | | | Stability ± °C | 0.1 | 0.2 | 0.4 | 0.2 | 0.1 | 0.1 | 0.1 | 0.1 | 0.2 | 0.3 |


| Cal. Point | Setting | Reading | STD. | Position of Standards at Block | | | | | | | | | |
|------------|---------|---------|----------------|--------------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| (°C) | (°C) | (°C) | Reading | Hole31 | Hole32 | Hole33 | Hole34 | Hole35 | Hole36 | Hole37 | Hole38 | Hole39 | Hole40 |
| | | | | M20A1-CH19 | M20A1-CH20 | M20A1-CH17 | M20A1-CH18 | M20A1-CH19 | M20A1-CH20 | M20A1-CH17 | M20A1-CH18 | M20A1-CH19 | M20A1-CH20 |
| 380 | 374 | 374 | Max °C | 379.3 | 379.4 | 380.3 | 381.7 | 382.6 | 383.2 | 382.6 | 382.7 | 383.0 | 381.6 |
| | | | Min °C | 378.7 | 378.5 | 380.1 | 381.5 | 382.3 | 382.9 | 382.3 | 382.5 | 382.8 | 381.3 |
| | | | Average °C | 379.0 | 379.0 | 380.2 | 381.6 | 382.4 | 383.1 | 382.5 | 382.6 | 382.9 | 381.4 |
| | | | Stability ± °C | 0.3 | 0.5 | 0.1 | 0.1 | 0.1 | 0.2 | 0.1 | 0.1 | 0.1 | 0.1 |

Approved By. 

Certificate No. T211711

Page 5 of 5

Calibration Report



Measurement Results

| Cal. Point | Setting | Reading | STD. | Position of Standards at Block | | | | | | | | | |
|------------|---------|---------|----------------|--------------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| (°C) | (°C) | (°C) | Reading | Hole41 | Hole42 | Hole43 | Hole44 | Hole45 | Hole46 | Hole47 | Hole48 | Hole49 | Hole50 |
| | | | | M20A1-CH17 | M20A1-CH18 | M20A1-CH19 | M20A1-CH20 | M20A1-CH17 | M20A1-CH18 | M20A1-CH19 | M20A1-CH20 | M20A1-CH17 | M20A1-CH18 |
| 380 | 374 | 374 | Max °C | 378.9 | 378.6 | 381.0 | 382.3 | 381.8 | 383.2 | 382.4 | 382.2 | 383.0 | 382.4 |
| | | | Min °C | 378.6 | 378.4 | 380.7 | 382.1 | 381.5 | 383.0 | 382.2 | 382.0 | 382.7 | 382.0 |
| | | | Average °C | 378.8 | 378.5 | 380.8 | 382.2 | 381.6 | 383.1 | 382.3 | 382.1 | 382.8 | 382.2 |
| | | | Stability ± °C | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.2 | 0.2 |

 The expanded uncertainty of temperature measurement was $\pm 1.73^{\circ}\text{C}$

The calibration result apply only the above calibrated item.

The result of test was found accurate as shown on date and place of test only.

 The reported expanded uncertainty is based on a standard uncertainty multiplied by a coverage factor $k=2$, providing a level of confidence of approximately 95 %.

Approved By.





บริษัท ดับเบิล เอส ไดแอกโนสติกส์ จำกัด
DOUBLE S DIAGNOSTICS CO., LTD.

4 ซอยอุดมสุข 14 แขวงบางนา เขตบางนา กรุงเทพมหานคร 10260 โทรศัพท์: (02) 747-7009 โทรสาร: (02) 747-7008
4 Soi Udomsuk 14, Bangna, Bangkok 10260 Tel. (02) 747-7009 Fax: (02) 747-7008

Maintenance Plan YEAR : 2022

| เดือน | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|-------|-----|-----|-----|-----|-----|----------|-----|-----|-----|-----|-----|-----|
| รวม | | | | | | ph ck | | | | | | |

Periodical maintenance check list for Konelab

| | 6M | 12M | Note! |
|---|-------------------------------------|-------------------------------------|-------|
| 1.Diluent-wash tubing change | <input type="checkbox"/> | <input checked="" type="checkbox"/> | |
| 2.ISE tubing change | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | |
| 3.Syringe check/change | | <input checked="" type="checkbox"/> | |
| 4.Dispensing check/ change | | <input checked="" type="checkbox"/> | |
| 5.Waste tubing change when necessary | | <input checked="" type="checkbox"/> | |
| 6.Lamp check/change | <input type="checkbox"/> | <input checked="" type="checkbox"/> | |
| 7.Mixer paddle/paddle change(not Konelab20) | | <input checked="" type="checkbox"/> | |
| 8.ISE needles check/change | | <input checked="" type="checkbox"/> | |
| 9.Pump tubing check/ chance | <input type="checkbox"/> | <input checked="" type="checkbox"/> | |
| 10.Broken/worn out part check /change | | <input checked="" type="checkbox"/> | |
| 11.Peristaltic pump check /cleaning/ lubrication | <input type="checkbox"/> | <input checked="" type="checkbox"/> | |
| 12.Heating check | | <input checked="" type="checkbox"/> | |
| 13.Cooling check | | <input checked="" type="checkbox"/> | |
| 14.Dispenser mechanic check/adjustment | <input type="checkbox"/> | <input checked="" type="checkbox"/> | |
| 15.Cuvette transfer mechanic check/adjustment | <input type="checkbox"/> | <input checked="" type="checkbox"/> | |
| 16.Dispenser movement check/adjustment | <input type="checkbox"/> | <input checked="" type="checkbox"/> | |
| 17.Sample/reagent register check/adjustment | <input type="checkbox"/> | <input checked="" type="checkbox"/> | |
| 18.Dispensing tubing tightness check | <input type="checkbox"/> | <input checked="" type="checkbox"/> | |
| 19.Photometer and optics cleaning/check/adjustment | <input type="checkbox"/> | <input checked="" type="checkbox"/> | |
| 20.Workstation PC cleaning if necessary | <input type="checkbox"/> | <input checked="" type="checkbox"/> | |
| 21.Mechanic cleaning/lubrication | <input type="checkbox"/> | <input checked="" type="checkbox"/> | |
| 22.Instrument cleaning if necessary | <input type="checkbox"/> | <input checked="" type="checkbox"/> | |
| 23.Complete analyzer testing with waterblank/QC or sample | <input type="checkbox"/> | <input checked="" type="checkbox"/> | |
| 24.Test parameters/Adjustment/config. Save to USB key | <input type="checkbox"/> | <input checked="" type="checkbox"/> | |
| 25.UPS Test | <input type="checkbox"/> | <input checked="" type="checkbox"/> | |

Place: ALS LAB Instrument: K20 Aquakem 250

Date/Time: 30-6-65 Serial no: 22781

Service done by: Install date:

Signature of customer: Date/Time: 30/6/22



TECHNOLOGY PROMOTION ASSOCIATION (THAILAND-JAPAN)
CORPORATE SERVICES 3: EQUIPMENT CALIBRATION AND TESTING SERVICES
534/4 PATTANAKARN ROAD SOI 18, SUANLUANG, SUANLUANG BANGKOK 10250
TEL. 0-2717-3000-27 FAX. 0-2719-9484



Cert. No.: 21TM2189

Page.: 1 of 3

Certificate of Calibration

Equipment : Hot Air Oven

Manufacturer : Memmert

Model : UFE 500

Serial No. : G511.1574

ID No. : BKK_EN0007

Submitted by : ALS Laboratory Group (Thailand) Co.,Ltd.
104 Phatthanakan 40, Phatthanakan Rd.,
Khwaeng Phatthanakan, Khet Suan Luang,
Bangkok 10250 Thailand

Location : Oven Room

Received Order : 1 December 2021

Calibration Date : 1 December 2021

Ambient Temperature : (26 ± 10) °C

Relative Humidity : (50 ± 30) %

Calibrated by : Khit Ruttanaprapachai

Approved by :

Malee

Approved Signatory

(☐) Pornthippa Tameyakul

(☒) Malee Butkruea

(☐) Suwit Imjai

Issue Date : 7 December 2021

The Uncertainties are for a confidence probability of approximately 95%

This certificate may not be reproduced other than in full, except with the prior written
Approval of the head of Corporate Services 3 : Equipment Calibration and Testing Services.

A 0032815



Equipment : Hot Air Oven
 Condition As-Received : Used Item
 Reference : 2112-0002OC-1

Cert. No.: 21TM2189

Page.: 2 of 3

Procedure Used :-

Calibration were conducted using calibration procedure CP-OT02 according to direct measurement method with Data Acquisition which connected with Resistance Temperature Detector (RTD) and Thermocouple Type T.

The temperature scale used was based on ITS-90.

Condition of this result of calibration

1. Reference standard instrument:-

| Instrument | Model | Serial No. | Cert. No. | Due Date |
|----------------------|--------|------------|-----------|-------------|
| 1) Data Acquisition | 34970A | MY44060450 | 21LM4/1 | 06 Mar 2022 |


2. This certificate is valid only to the item calibrated on date and place of calibration.

3. This certification is traceable to the International System of Unit.

Result of Calibration :- (*) Without Adjustment

Function of UUC* : Temperature Source

Fresh air setting : Close



| Environment during calibration | | |
|--------------------------------|-----------|----------|
| | Beginning | Finished |
| Temp. (°C) | 25 | 25 |
| REL.Humid. (%) | 51 | 53 |
| AC Supply (Volt) | 221 | 222 |

Ref. Std. ID No.: @ Calibration Point

| Position : | (104) °C | (121,175,180) °C |
|------------|-------------|--------------------|
| 1 | 19-14RTD-01 | 19-14TC-01 |
| 2 | 19-14RTD-02 | 19-14TC-02 |
| 3 | 19-14RTD-03 | 19-14TC-03 |
| 4 | 19-14RTD-04 | 19-14TC-04 |
| 5 | 19-14RTD-05 | 19-14TC-05 |
| 6 | 19-14RTD-06 | 19-14TC-06 |
| 7 | 21-14RTD-07 | 19-14TC-07 |
| 8 | 19-14RTD-08 | 19-14TC-08 |
| 9 (ref.) | 19-14RTD-09 | 19-14TC-09 |

Probe Installation Details : **Dimension of Chamber :**

| | | | | | |
|-----|-----|----|------------|------|----------------|
| a = | 5.0 | cm | D = | 0.40 | m |
| b = | 5.0 | cm | W = | 0.56 | m |
| c = | 5.0 | cm | H = | 0.48 | m |
| | | | Capacity = | 0.11 | m ³ |

Malu



Equipment : Hot Air Oven
Condition As-Received : Used Item
Reference : 2112-0002OC-1
Result of Calibration :- (*) Without Adjustment
Function of UUC* : Temperature Source
Fresh air setting : Close

Cert. No.: 21TM2189

Page.: 3 of 3

| Calibration Point (°C) | UUC* Setting (°C) | UUC* Reading (°C) | Temperature stability (± °C) | Temperature uniformity (°C) | Overall Variation (°C) | Uncertainty (± °C) | Coverage Factor <i>k</i> |
|-----------------------------|------------------------|------------------------|-----------------------------------|----------------------------------|-----------------------------|-------------------------|-----------------------------|
| 104.0 | 104.0 | 104.0 | 0.059 | 0.52 | 0.59 | 0.45 | 2 |
| 121.0 | 121.0 | 121.0 | 0.11 | 0.75 | 1.2 | 1.1 | 2 |
| 175.0 | 175.0 | 175.0 | 0.13 | 0.90 | 1.6 | 1.1 | 2 |
| 180.0 | 180.0 | 180.0 | 0.13 | 0.93 | 1.6 | 1.1 | 2 |

| Calibration Point (°C) | Measured Temperature (°C) | | | | | | | | |
|-----------------------------|-----------------------------|---------|---------|---------|---------|---------|---------|---------|----------|
| | Position | | | | | | | | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 (ref.) |
| 104.0 | 104.265 | 104.229 | 104.080 | 103.922 | 104.390 | 104.304 | 104.284 | 103.994 | 103.909 |
| 121.0 | 120.838 | 120.519 | 120.661 | 120.524 | 121.162 | 120.855 | 120.703 | 120.126 | 120.726 |
| 175.0 | 175.021 | 174.603 | 174.848 | 174.652 | 175.830 | 175.321 | 175.411 | 174.440 | 175.222 |
| 180.0 | 179.792 | 179.374 | 179.575 | 179.376 | 180.643 | 180.081 | 180.174 | 179.217 | 180.014 |

Average* : The average of 30 values in each position.

Temperature stability : One-half of the greatest maximum difference of measured temperature at any one sensor.

Temperature uniformity : The maximum difference of measured temperatures at any sensors and the measured temperature at the reference location which are observed at the same time or at as close an observation time as possible to determine the temperature pattern or homogeneity within the chamber under steady-state conditions.

Overall Variation : The Difference of the maximum and minimum measured temperatures throughout observation.

UUC* : Unit Under Calibration

Note : The reported uncertainty of measurement was included stability and excluded uniformity .

The reported uncertainty of measurement was based on a standard uncertainty multiplied by a coverage factor *k*, providing a level of confidence of approximately 95 %.

-o0o-

Malu.



TECHNOLOGY PROMOTION ASSOCIATION (THAILAND-JAPAN)
CORPORATE SERVICES 3: EQUIPMENT CALIBRATION AND TESTING SERVICES
534/4 PATTANAKARN ROAD SOI 18, SUANLUANG, SUANLUANG BANGKOK 10250
TEL. 0-2717-3000-27 FAX. 0-2719-9484



Cert. No.: 22TM101

Page.: 1 of 3

Certificate of Calibration

| | |
|-----------------------|--|
| Equipment : | Autoclave |
| Manufacturer : | Sanyo |
| Model : | MLS-3781 |
| Serial No. : | 830167 |
| ID No. : | BKK_ML0037 |
| Submitted by : | ALS Laboratory Group (Thailand) Co.,Ltd. 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand |
| Location : | Media Preparation Room |
| Received Order : | 21 January 2022 |
| Calibration Date : | 21 January 2022 |
| Ambient Temperature : | (26 ± 10) °C |
| Relative Humidity : | (50 ± 30) % |
| Calibrated by : | Krisda Malee |

| | |
|----------------|--------------|
| REVIEW BY | Sithichok T. |
| APPROVED BY | |
| NEXT CAL. DATE | 22/07/23 |

Approved by :

Malee

Approved Signatory

- (☒) Pornthippa Tameyakul
(☒) Malee Butkruea
(☐) Suwit Imjai

Issue Date :

3 February 2022

The Uncertainties are for a confidence probability of approximately 95%

This certificate may not be reproduced other than in full, except with the prior written
Approval of the head of Corporate Services 3 : Equipment Calibration and Testing Services.

A 0037379



Equipment : Autoclave
Condition As-Received : Used Item
Reference : 2201-0616OC-3

Cert. No.: 22TM101

Page.: 2 of 3

Procedure Used :-

Calibration were conducted using in-house calibration procedure CP-OT03 according to direct measurement method with Data Acquisition which connected with Thermocouple Type T

The temperature scale used was based on ITS-90.

Condition of this result of calibration

1. Reference standard instrument:-

| <u>Instrument</u> | <u>Model</u> | <u>Serial No.</u> | <u>Cert. No.</u> | <u>Due Date</u> |
|----------------------|--------------|-------------------|------------------|-----------------|
| 1) Data Acquisition | 34972A | MY57013711 | 21LM7 | 16 Jun 2022 |

2. This certificate is valid only to the item calibrated on date and place of calibration.

3. This certification is traceable to the International System of Unit.

4. This result of calibration covers laboratory autoclaves for the sterilization of goods and material which could be infected with organisms categorized as Hazard Group 1, 2 and 3**


(** = Categorization of pathogens according to hazard and categories of containment, second edition, 1990)

It does not cover autoclaves for use with material infect with organisms in Hazard Group 4, for which complete containment and sterilization of infected condensate is considered to be essential.

This result of calibration does not apply to sterilizers or disinfectors used for medical, dental, pharmaceutical or veterinary purposes which are directly concerned with patient care, or those used for fabrics subjected to sterilization which are required to be dry at the end of cycle.

Result of Calibration :- (*) Without Adjustment

Function of UUC* : Temperature Source



| | Environmental | | |
|--------------------------|---------------|-----------|----------|
| | (°C) | (%R.H.) | (Volt) |
| Beginning of Calibration | 27 | 57 | 220 |
| Finished of Calibration | 26 | 59 | 221 |

| <u>Position</u> | <u>Description</u> | <u>Ref. Std. ID No.:</u> |
|-----------------|--------------------|--------------------------|
| 1 = | Center of chamber | 18-18TC-01 |
| 2 = | Temperature sensor | 18-18TC-02 |
| 3 = | Exhaust port | 18-18TC-03 |

Malu



Equipment : Autoclave
Condition As-Received : Used Item
Reference : 2201-0616OC-3

Cert. No.: 22TM101

Page.: 3 of 3

Result of Calibration :- (*) Without Adjustment

Operating parameter Set : Temperature = 108 °C
Sterilization period = 15 minute

| UUC* Setting (°C) | UUC* Reading (°C) | Position | Average* Standard Reading (°C) | Stability (± °C) | Pressure Reading (MPa) | Uncertainty (± °C) | Coverage Factor <i>k</i> |
|---------------------------|---------------------------|----------|--|-----------------------|--------------------------------|-------------------------|--------------------------------|
| 108 | 108 | 1 | 108.044 | 0.29 | 0.040 | 0.94 | 2 |
| | | 2 | 108.133 | | | | |
| | | 3 | 108.142 | | | | |

Operating parameter Set : Temperature = 121 °C
Sterilization period = 15 minute

| UUC* Setting (°C) | UUC* Reading (°C) | Position | Average* Standard Reading (°C) | Stability (± °C) | Pressure Reading (MPa) | Uncertainty (± °C) | Coverage Factor <i>k</i> |
|---------------------------|---------------------------|----------|--|-----------------------|--------------------------------|-------------------------|--------------------------------|
| 121 | 121 | 1 | 121.082 | 0.21 | 0.11 | 0.91 | 2 |
| | | 2 | 121.068 | | | | |
| | | 3 | 121.128 | | | | |

Average* : The average of 30 values in each position.

Stability : One-half of the greatest maximum difference of measured temperature at any one probe.

UUC* : Unit Under Calibration

Note : The reported uncertainty of measurement was included stability and excluded uniformity .

The reported uncertainty of measurement was based on a standard uncertainty multiplied by a coverage factor *k*, providing a level of confidence of approximately 95 %.

-o0o-

Mahu.



TECHNOLOGY PROMOTION ASSOCIATION (THAILAND-JAPAN)
CORPORATE SERVICES 3: EQUIPMENT CALIBRATION AND TESTING SERVICES
534/4 PATTANAKARN ROAD SOI 18, SUANLUANG, SUANLUANG BANGKOK 10250
TEL. 0-2717-3000-27 FAX. 0-2719-9484



Cert. No.: 22TM102

Page.: 1 of 3

Certificate of Calibration

Equipment : Incubator
Manufacturer : SHEL-LAB
Model : 1915A
Serial No. : 0200599
ID No. : BKK_ML0010

| | |
|----------------|--------------|
| REVIEW BY | Sithichok T. |
| APPROVED BY | [Signature] |
| NEXT CAL. DATE | 22/07/23 |

Submitted by : ALS Laboratory Group (Thailand) Co.,Ltd.
104 Phatthanakan 40, Phatthanakan Rd.,
Khwaeng Phatthanakan, Khet Suan Luang,
Bangkok 10250 Thailand

Location : Incubation & Micrological Reading

Received Order : 21 January 2022

Calibration Date : 21 January 2022

Ambient Temperature : $(26 \pm 10) ^\circ\text{C}$

Relative Humidity : $(50 \pm 30) \%$

Calibrated by : Krisda Malee

Approved by :

Malee

Approved Signatory

(☒) Pornthippa Tameyakul

(☒) Malee Butkruea

() Suwit Imjai

Issue Date : 3 February 2022

The Uncertainties are for a confidence probability of approximately 95%

This certificate may not be reproduced other than in full, except with the prior written
Approval of the head of Corporate Services 3 : Equipment Calibration and Testing Services.

A 0037377



Equipment : Incubator
Condition As-Received : Used Item
Reference : 2201-0616OC-1

Cert. No.: 22TM102

Page.: 2 of 3

Procedure Used :-

Calibration were conducted using calibration procedure CP-OT02 according to direct measurement method with Data Acquisition which connected with Resistance Temperature Detector (RTD).

The temperature scale used was based on ITS-90.

Condition of this result of calibration

1. Reference standard instrument:-

| Instrument | Model | Serial No. | Cert. No. | Due Date |
|----------------------|--------|------------|-----------|-------------|
| 1) Data Acquisition | 34972A | MY57013711 | 21LM7 | 16 Jun 2022 |


2. This certificate is valid only to the item calibrated on date and place of calibration.

3. This certification is traceable to the International System of Unit.

Result of Calibration :- (*) Without Adjustment

Function of UUC* : Temperature Source

Fresh air setting : Close



| Environment during calibration | | |
|--------------------------------|-----------|----------|
| | Beginning | Finished |
| Temp. (°C) | 26 | 25 |
| REL.Humid. (%) | 53 | 54 |
| AC Supply (Volt) | 220 | 221 |

| Position : | Ref. Std. ID No.: |
|------------|-------------------|
| 1 | 18-18RTD-01 |
| 2 | 18-18RTD-02 |
| 3 | 18-18RTD-03 |
| 4 | 18-18RTD-04 |
| 5 | 18-18RTD-05 |
| 6 | 18-18RTD-06 |
| 7 | 18-18RTD-07 |
| 8 | 18-18RTD-08 |
| 9 (ref.) | 18-18RTD-09 |

Probe Installation Details :

a = 10 cm
b = 10 cm
c = 10 cm

Dimension of Chamber :

D = 0.90 m
W = 0.75 m
H = 1.2 m
Capacity = 0.81 m³

Maku .



Equipment : Incubator
Condition As-Received : Used Item
Reference : 2201-0616OC-1
Result of Calibration :- (*) Without Adjustment
Function of UUC* : Temperature Source
Fresh air setting : Close

Cert. No.: 22TM102

Page.: 3 of 3

| Calibration Point (°C) | UUC* Setting (°C) | UUC* Reading (°C) | Temperature stability (± °C) | Temperature uniformity (°C) | Overall Variation (°C) | Uncertainty (± °C) | Coverage Factor <i>k</i> |
|-----------------------------|------------------------|------------------------|-----------------------------------|----------------------------------|-----------------------------|-------------------------|-----------------------------|
| 35.0 | 35.0 | 35.0 | 0.043 | 0.41 | 0.42 | 0.30 | 2 |

| Calibration Point (°C) | Measured Temperature (°C) | | | | | | | | |
|-----------------------------|-----------------------------|--------|--------|--------|--------|--------|--------|--------|----------|
| | Position | | | | | | | | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 (ref.) |
| 35.0 | 34.801 | 34.868 | 34.862 | 35.012 | 35.040 | 35.010 | 35.084 | 35.040 | 35.178 |

Average* : The average of 30 values in each position.

Temperature stability : One-half of the greatest maximum difference of measured temperature at any one sensor.

Temperature uniformity : The maximum difference of measured temperatures at any sensors and the measured temperature at the reference location which are observed at the same time or at as close an observation time as possible to determine the temperature pattern or homogeneity within the chamber under steady-state conditions.

Overall Variation : The Difference of the maximum and minimum measured temperatures throughout observation.

UUC* : Unit Under Calibration

Note : The reported uncertainty of measurement was included stability and excluded uniformity .

The reported uncertainty of measurement was based on a standard uncertainty multiplied by a coverage factor *k*, providing a level of confidence of approximately 95 %.

-o0o-

Malu.



TECHNOLOGY PROMOTION ASSOCIATION (THAILAND-JAPAN)
CORPORATE SERVICES 3: EQUIPMENT CALIBRATION AND TESTING SERVICES
534/4 PATTANAKARN ROAD SOI 18, SUANLUANG, SUANLUANG BANGKOK 10250
TEL. 0-2717-3000-27 FAX. 0-2719-9484



Cert. No.: 22TM1571

Page : 1 of 3

Certificate of Calibration

Equipment : Hot Air Oven

Manufacturer : Binder

Model : ED 240/E2

Serial No. : 00-15533

ID No. : BKK_ML0013

Submitted by : ALS Laboratory Group (Thailand) Co.,Ltd.
104 Phatthanakan 40, Phatthanakan Rd.,
Khwaeng Phatthanakan, Khet Suan Luang,
Bangkok 10250 Thailand

Location : Media Preparation Room

Received Order : 21 November 2022

Calibration Date : 21 November 2022

Ambient Temperature : (26 ± 10) °C

Relative Humidity : (50 ± 30) %

Calibrated by : Krisda Malee

Approved by :

Malee

Approved Signatory

() Pornthippa Tameyakul

(✓) Malee Butkruea

() Suwit Imjai

Issue Date : 29 November 2022

The Uncertainties are for a confidence probability of approximately 95%

This certificate may not be reproduced other than in full, except with the prior written
Approval of the head of Corporate Services 3 : Equipment Calibration and Testing Services.

A 0048150



Equipment : Hot Air Oven
 Condition As-Received : Used Item
 Reference : 2211-0623OC-1

Cert. No.: 22TM1571

Page : 2 of 3

Procedure Used :-

Calibration were conducted using calibration procedure CP-OT02 according to direct measurement method with Data Acquisition which connected with Thermocouple Type T.

The temperature scale used was based on ITS-90.

Condition of this result of calibration

1. Reference standard instrument:-

| Instrument | Model | Serial No. | Cert. No. | Due Date |
|----------------------|--------|------------|-----------|-------------|
| 1) Data Acquisition | 34970A | MY44067817 | 22LM121 | 22 Aug 2023 |


2. This certificate is valid only to the item calibrated on date and place of calibration.

3. This certification is traceable to the International System of Unit.

Result of Calibration :- (*) After Adjustment

Function of UUC* : Temperature Source

Fresh air setting : Not Available



| Environment during calibration | | |
|--------------------------------|-----------|----------|
| | Beginning | Finished |
| Temp. (°C) | 26 | 26 |
| REL.Humid. (%) | 53 | 55 |
| AC Supply (Volt) | 219 | 220 |

| Position : | Ref. Std. ID No.: |
|------------|-------------------|
| 1 | 21-15TC-01 |
| 2 | 21-15TC-02 |
| 3 | 21-15TC-03 |
| 4 | 21-15TC-04 |
| 5 | 21-15TC-05 |
| 6 | 21-15TC-06 |
| 7 | 21-15TC-07 |
| 8 | 21-15TC-08 |
| 9 (ref.) | 21-15TC-09 |

Probe Installation Details :

a = 5.0 cm
 b = 5.0 cm
 c = 5.0 cm

Dimension of Chamber :

D = 0.50 m
 W = 0.80 m
 H = 0.60 m
 Capacity = 0.24 m³

Malu.



Equipment : Hot Air Oven
Condition As-Received : Used Item
Reference : 2211-0623OC-1
Result of Calibration :- (*) After Adjustment
Function of UUC* : Temperature Source
Fresh air setting : Not Available

Cert. No.: 22TM1571

Page : 3 of 3

| Calibration Point (°C) | UUC* Setting (°C) | UUC* Reading (°C) | Temperature stability (± °C) | Temperature uniformity (°C) | Overall Variation (°C) | Uncertainty (± °C) | Coverage Factor <i>k</i> |
|-----------------------------|------------------------|------------------------|-----------------------------------|----------------------------------|-----------------------------|-------------------------|-----------------------------|
| 180 | 180 | 180 | 0.70 | 1.5 | 2.9 | 1.4 | 2 |

| Calibration Point (°C) | Measured Temperature (°C) | | | | | | | | |
|-----------------------------|-----------------------------|---------|---------|---------|---------|---------|---------|---------|----------|
| | Position | | | | | | | | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 (ref.) |
| 180 | 179.520 | 180.585 | 178.855 | 179.482 | 178.827 | 179.938 | 179.074 | 180.199 | 180.068 |

Average* : The average of 30 values in each position.

Temperature stability : One-half of the greatest maximum difference of measured temperature at any one sensor.

Temperature uniformity : The maximum difference of measured temperatures at any sensors and the measured temperature at the reference location which are observed at the same time or at as close an observation time as possible to determine the temperature pattern or homogeneity within the chamber under steady-state conditions.

Overall Variation : The Difference of the maximum and minimum measured temperatures throughout observation.

UUC* : Unit Under Calibration

Note : The reported uncertainty of measurement was included stability and excluded uniformity .

The reported uncertainty of measurement was based on a standard uncertainty multiplied by a coverage factor *k*, providing a level of confidence of approximately 95 %.

-o0o-

Malu



TECHNOLOGY PROMOTION ASSOCIATION (THAILAND-JAPAN)
CORPORATE SERVICES 3: EQUIPMENT CALIBRATION AND TESTING SERVICES
534/4 PATTANAKARN ROAD SOI 18, SUANLUANG, SUANLUANG BANGKOK 10250
TEL. 0-2717-3000-27 FAX. 0-2719-9484



Cert. No.: 22TM677

Page.: 1 of 3

Certificate of Calibration

Equipment : Water Bath
Manufacturer : Memmert
Model : WNE 45
Serial No. : L712.0429
ID No. : BKK_ML0056
Submitted by : ALS Laboratory Group (Thailand) Co.,Ltd.
104 Phatthanakan 40, Phatthanakan Rd.,
Khwaeng Phatthanakan, Khet Suan Luang ,
Bangkok 10250 Thailand
Location : Incubator & Microbiological Reading
Received Order : 20 May 2022
Calibration Date : 20 May 2022
Ambient Temperature : (26 ± 10) °C
Relative Humidity : (50 ± 30) %

Calibrated by : Preecha Hlahib

Approved by :


Approved Signatory

- () Pornthippa Tameyakul
() Malee Butkruea
(☒) Suwit Imjai

Issue Date : 24 May 2022

The Uncertainties are for a confidence probability of approximately 95%

This certificate may not be reproduced other than in full, except with the prior written
Approval of the head of Corporate Services 3 : Equipment Calibration and Testing Services.

A 0041433



Equipment : Water Bath
Condition As-Received : Used Item
Reference : 2205-0404OC-1

Cert. No.: 22TM677

Page.: 2 of 3

Procedure Used :-

Calibration were conducted using in-house calibration procedure CP-OT04 according to direct measurement method with Data Acquisition which connected with Industrial Platinum Resistance Thermometer (IPRT).

The temperature scale used was based on ITS-90.

Condition of this result of calibration

1. Reference standard instrument:-

Instrument

Model

Serial No.

Cert. No.

Due Date

1) Data Acquisition

34972A

MY57013823

22LM24

26 Feb 2023


2. This certificate is valid only to the item calibrated on date and place of calibration.

3. This certification is traceable to the International System of Unit.

Result of Calibration :- (*) Without Adjustment

Function of UUC* : Temperature Source

| | Environmental | | AC Voltage Supply (Volt) |
|--------------------------|---------------|-----------|-------------------------------|
| | (°C) | (%R.H.) | |
| Beginning of Calibration | 24 | 47 | 220 |
| Finished of Calibration | 24 | 52 | 221 |



Front

| Position : | Ref. Std. S/N.: |
|------------|--------------------|
| 1 | 4804539-006 |
| 2 | 4804539-007 |
| 3 | 4804539-008 |
| 4 | 4804539-009 |
| 5(ref.) | 4804539-010 |

Signature



Equipment : Water Bath
Condition As-Received : Used Item
Reference : 2205-0404OC-1
Result of Calibration :- (*) Without Adjustment
Function of UUC* : Temperature Source

Cert. No.: 22TM677

Page.: 3 of 3

| Calibration point (°C) | UUC* Setting (°C) | UUC* Reading (°C) | Average* Standard Reading (°C) | | | | |
|--------------------------------|---------------------------|---------------------------|----------------------------------|--------|--------|--------|----------|
| | | | Position | | | | |
| | | | 1 | 2 | 3 | 4 | 5 (ref.) |
| 44.5 | 44.4 | 44.4 | 44.539 | 44.497 | 44.476 | 44.506 | 44.507 |

| Calibration point (°C) | Uniformity (°C) | Stability (± °C) | Uncertainty (± °C) | Coverage Factor <i>k</i> |
|--------------------------------|----------------------|-----------------------|-------------------------|--------------------------------|
| 44.5 | 0.068 | 0.030 | 0.15 | 2 |

Average* : The average of 30 values in each position.

Uniformity : The maximum difference of measured temperatures at any sensors and the measured temperature at the reference location which are observed at the same time or at as close an observation time as possible to determine the temperature pattern or homogeneity within the chamber under steady-state conditions.

Stability : One-half of the greatest maximum difference of measured temperature at any one probe.

UUC* : Unit Under Calibration

Note : The reported uncertainty of measurement was included stability and excluded uniformity.

The reported uncertainty of measurement was based on a standard uncertainty multiplied by a coverage factor *k*, providing a level of confidence of approximately 95 %.

-o0o-

Unit



TECHNOLOGY PROMOTION ASSOCIATION (THAILAND-JAPAN)
CORPORATE SERVICES 3: EQUIPMENT CALIBRATION AND TESTING SERVICES
534/4 PATTANAKARN ROAD SOI 18, SUANLUANG, SUANLUANG BANGKOK 10250
TEL. 0-2717-3000-27 FAX. 0-2719-9484



Cert.No.: 21CH452
Page.: 1 of 3

Certificate of Calibration

| | |
|-------------------------|---|
| Equipment : | pH Meter |
| Manufacturer : | Mettler Toledo |
| Model : | SevenCompact S220 |
| Serial No. : | B520948426 |
| ID No. : | BKK_EN0072 |
| Condition As-Received: | Used Item |
| Received Date : | 24 March 2021 |
| Calibration Date : | 26 March 2021 |
| Reference : | 2103-1008DSC-1 |
| Submitted by : | ALS Laboratory Group (Thailand) Co.,Ltd. 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand |
| Ambient Temperature : | (25 ± 2.5) °C |
| Relative Humidity : | (50 ± 15) % |
| Calibration Procedure : | In - house method : - CP-CH5 by direct measurement with standard voltage calibrator and direct measurement with certified reference material (CRM) - CP-CH8 by comparison with standard thermometer |

| | |
|----------------|------------|
| REVIEW BY | Siriluk P. |
| APPROVED BY | KL AL |
| NEXT CAL. DATE | 24/9/22 |

Calibrated by : Warakorn Lernagatrakul

Approved by :

Malee

Approved Signatory

- (☒) Malee Butkruea
() Saithip Meangmai
() Warakorn Lernagatrakul

Issue Date : 31 March 2021

The Uncertainties are for a confidence probability of approximately 95%

This certificate may not be reproduced other than in full, except with the prior written
Approval of the head of Corporate Services 3 : Equipment Calibration and Testing Services.

A 0026590



Cert.No.: 21CH452

Page.: 2 of 3

Condition of this calibration result

1. Reference Standard Instrument : -

| <u>Instrument</u> | <u>Serial No.</u> | <u>ID No.</u> | <u>Cert. No.</u> | <u>Due Date</u> |
|--------------------------------|-------------------|---------------|------------------|-----------------|
| 1) Document Process Calibrator | 1385032 | 130RC022 | 20E4213 | 24 Nov 2021 |
| 2) Ref. Standard Thermometer | 4982054 | 110RC044 | 20I1233 | 15 Oct 2021 |

This certification is traceable to the International System of Unit maintained at:-
- Traceable to National Institute of Metrology (Thailand), NIMT

2. Certified Reference Materials : The measurement results are traceable to SI through CPA chem Ltd.,
ANSI-ASQ National Accreditation Board, Accredited No. AR-1835

| <u>Buffer Solution</u> | <u>Manufacturer</u> | <u>Lot No.</u> | <u>Exp. date</u> |
|------------------------|---------------------|----------------|------------------|
| pH 4.008 | CPA chem | 706694 | 06 Sep 2022 |
| pH 6.985 | CPA chem | 722285 | 19 Dec 2021 |
| pH 10.012 | CPA chem | 722287 | 19 Dec 2021 |

3. This certificate is valid only to the item calibrated on date and place of calibration.

Calibration Results

Function : mV Measurement

Performing standard curve by Fluke at pH (4,7,10)

| Unit Under Calibration | Nominal Value | Standard Voltage Input | Actual Reading | | Uncertainty of Measurement (±mV) | Coverage factor k |
|------------------------------|---------------|------------------------|----------------|--------|---------------------------------------|----------------------|
| | pH | mV | mV | pH | | |
| pH Meter S/N.: B520948426 | 4.000 | 177.48 | 177.4 | 4.000 | 0.058 | 2.00 |
| | 7.000 | 0.00 | -0.1 | 7.000 | 0.058 | 2.00 |
| | 10.000 | -177.48 | -177.5 | 10.000 | 0.058 | 2.00 |

Malu.



Cert.No.: 21CH452

Page.: 3 of 3

Calibration Results**Function : pH Measurement**

Performing three buffers standard curve by using buffer nominal pH (4,7,10)

| Unit Under Calibration | Standard pH Buffer Solution | Actual pH Reading | Actual mV Reading (mV) | Uncertainty of pH measurement (\pm) | Coverage factor k |
|-------------------------------|-----------------------------|-------------------|--------------------------|---|---------------------|
| pH Electrode S/N.: 9265091 | 4.008 | 4.010 | 150.3 | 0.0048 | 2.05 |
| | 6.985 | 6.989 | -22.5 | 0.0077 | 2.00 |
| | 10.012 | 10.011 | -193.7 | 0.013 | 2.00 |

Function : Temperature Measurement**(*) Without adjustment**

This equipment was connected with Temperature Probe;

- Model : InLab Expert Pro-ISM
- Serial No. : 9265091

Dimension of probe;

- Length : 120 mm.
- Diameter : 12 mm.
- Immersion Depth : 100 mm.

| Calibration Point ($^{\circ}\text{C}$) | Standard Temperature ($^{\circ}\text{C}$) | UUC* Reading ($^{\circ}\text{C}$) | Error ($^{\circ}\text{C}$) | Uncertainty of measurement (\pm $^{\circ}\text{C}$) | Coverage factor k |
|--|---|-------------------------------------|------------------------------|---|---------------------|
| 25.0 | 25.003 | 25.2 | 0.197 | 0.20 | 2.00 |

Remark : - UUC* = Unit Under Calibration

The reported uncertainty of measurement was based on a standard uncertainty multiplied by a coverage factor k , providing a level of confidence of approximately 95 %.

-o0o-

Malu.



บริษัท ดับเบิล เอส ไดแอกโนสติกส์ จำกัด
DOUBLE S DIAGNOSTICS CO., LTD.

4 ซอยอุดมสุข 14 แขวงบางนา เขตบางนา กรุงเทพฯ 10260 โทรศัพท์: (02) 747-7009 โทรสาร: (02) 747-7008
4 Soi Udomsuk 14, Bangna, Bangkok 10260 Tel. (02) 747-7009 Fax: (02) 747-7008

Maintenance Plan YEAR : 2021

| เดือน | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|-------|-----|-----|-----|-----|-----|----------------|-----|-----|-----|-----|-----|----------------|
| รวม | | | | | | 10/10/21 OK | | | | | | 10/10/21 OK |

Periodical maintenance check list for Konelab

| | 6M | 12M | Note! |
|---|-------------------------------------|-------------------------------------|-------|
| 1.Diluent-wash tubing change | <input type="checkbox"/> | <input checked="" type="checkbox"/> | |
| 2.ISE tubing change | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | |
| 3.Syringe check/change | | <input checked="" type="checkbox"/> | |
| 4.Dispensing check/ change | | <input checked="" type="checkbox"/> | |
| 5.Waste tubing change when necessary | | <input checked="" type="checkbox"/> | |
| 6.Lamp check/change | <input type="checkbox"/> | <input checked="" type="checkbox"/> | |
| 7.Mixer paddle/paddle change(not Konelab20) | | <input checked="" type="checkbox"/> | |
| 8.ISE needles check/change | | <input checked="" type="checkbox"/> | |
| 9.Pump tubing check/ chance | <input type="checkbox"/> | <input checked="" type="checkbox"/> | |
| 10.Broken/worn out part check /change | | <input checked="" type="checkbox"/> | |
| 11.Peristaltic pump check /cleaning/ lubrication | <input type="checkbox"/> | <input checked="" type="checkbox"/> | |
| 12.Heating check | | <input checked="" type="checkbox"/> | |
| 13.Cooling check | | <input checked="" type="checkbox"/> | |
| 14.Dispenser mechanic check/adjustment | <input type="checkbox"/> | <input checked="" type="checkbox"/> | |
| 15.Cuvette transfer mechanic check/adjustment | <input type="checkbox"/> | <input checked="" type="checkbox"/> | |
| 16.Dispenser movement check/adjustment | <input type="checkbox"/> | <input checked="" type="checkbox"/> | |
| 17.Sample/reagent register check/adjustment | <input type="checkbox"/> | <input checked="" type="checkbox"/> | |
| 18.Dispensing tubing tightness check | <input type="checkbox"/> | <input checked="" type="checkbox"/> | |
| 19.Photometer and optics cleaning/check/adjustment | <input type="checkbox"/> | <input checked="" type="checkbox"/> | |
| 20.Workstation PC cleaning if necessary | <input type="checkbox"/> | <input checked="" type="checkbox"/> | |
| 21.Mechanic cleaning/lubrication | <input type="checkbox"/> | <input checked="" type="checkbox"/> | |
| 22.Instrument cleaning if necessary | <input type="checkbox"/> | <input checked="" type="checkbox"/> | |
| 23.Complete analyzer testing with waterblank/QC or sample | <input type="checkbox"/> | <input checked="" type="checkbox"/> | |
| 24.Test parameters/Adjustment/config. Save to USB key | <input type="checkbox"/> | <input checked="" type="checkbox"/> | |
| 25.UPS Test | <input type="checkbox"/> | <input checked="" type="checkbox"/> | |

Place: ALS Lab Instrument: Aquakem 950
Date/Time: 28-06-21 Serial no: 22781
Service done by: [Signature] Install date:
Signature of customer: [Signature] Date/Time: 28/6/21



TECHNOLOGY PROMOTION ASSOCIATION (THAILAND-JAPAN)
CORPORATE SERVICES 3: EQUIPMENT CALIBRATION AND TESTING SERVICES
534/4 PATTANAKARN ROAD SOI 18, SUANLUANG, SUANLUANG BANGKOK 10250
TEL. 0-2717-3000-27 FAX. 0-2719-9484



Cert.No.: 21CG1446

Page.: 1 of 2

Certificate of Calibration

| | |
|-------------------------|--|
| Equipment : | Burette |
| Capacity : | 50 mL |
| Serial No. : | - |
| ID. No. : | BKK_EN0171 |
| Manufacturer : | Witeg |
| Made in : | Germany |
| Submitted by : | ALS Laboratory Group (Thailand) Co.,Ltd. 104 Phatthanakan 40, Phatthanakan Rd. Khwaeng Phatthanakan, Khet Suan Luang Bangkok 10250 Thailand |
| Ambient Temperature : | (20 ± 2.5) °C |
| Relative Humidity : | (50 ± 10) % |
| Barometric Pressure : | 755 mmHg |
| Calibration Procedure : | ASTM E 542 - 01 |
| Calibrated by : | Sa-ngeunkam Wongsu |



Approved by :

Malee

Approved Signatory

- () Pornthippa Tameyakul
(☒) Malee Butkruea
() Ponpan Paipim
() Srisuda Khamtha

Issue Date :

31 March 2021

The Uncertainties are for a confidence probability of approximately 95%

This certificate may not be reproduced other than in full, except with the prior written
Approval of the head of Corporate Services 3 : Equipment Calibration and Testing Services.

A 0026589



Equipment : Burette
Received Date : 24 March 2021
Condition As-Received : Used Item
Calibration Date : 30 March 2021
Reference : 2103-1008DSC-5

Cert.No.: 21CG1446

Page.: 2 of 2

Condition of this result of calibration

1. Reference Standard Instruments :

| <u>Instruments</u> | <u>Model</u> | <u>Serial No.</u> | <u>ID. No.</u> | <u>Certificate No.</u> | <u>Traceability</u> | <u>Due date</u> |
|----------------------|--------------|-------------------|----------------|------------------------|---------------------|-----------------|
| 1) Balance | XP205 | B134206712 | 140RC007 | 21MM181 | NIMT | 02 Mar 2022 |
| 2) Thermo-Hygrograph | TH 803 | 09153022 | 140EC004 | 20H1434 | NIST,NIMT | 19 June 2021 |
| 3) Thermometer | | 1594592 | 140EC010 | 20I1191 | NIMT | 08 Oct 2021 |

This certification is traceable to SI Unit

2. The certificate is valid only to the item calibrated on date and place of calibration.
3. True value is converted to true volume at the standard temperature of 20 °C

Calibration result :

| Nominal capacity (mL) | Reading (mL) | Uncertainty (\pm mL) | k Factor |
|----------------------------|-------------------|-----------------------------|-------------|
| 50 | 50.0041 | 0.011 | 2.00 |

Remark mL = cm³

The reported uncertainty of measurement was based on a standard uncertainty multiplied by a coverage factor k , providing a level of confidence of approximately 95 %.

-o0o-

Malu.

HACH COMPANY

C/O AB Sciex (Thailand) Limited, Building D Room No. D3 11, 3rd Floor, No. 735/4, Srinakarin Road, Pattanakarn, Suanluang, Bangkok
 | Phone +66 (02) 026-3529 Ext. 0 | Fax +66(02) 026-3572 | www.sea.hach.com

LABX 2200107

Test Report

| | | | | | |
|-------------------------|---|---|-------------------|---|------------|
| Customers | : | ALS Laboratory Group (Thailand) Co., Ltd. | | | |
| Equipment | : | Chlorine Meter | Manufacturer | : | HACH |
| Controller Model | : | DR300 | ID No. | : | BKK_LG0042 |
| Controller Serial No. | : | 20040A001722 | Sensor Serial No. | : | - |
| Date of test | : | 28/01/2022 | Period | : | - |
| Environment temperature | : | 25.0 °C | Humidity | : | 58.0 %RH |

ResultsInstrument Checked

| Item | Characteristic | Before | After | Remark |
|------|------------------------------|--|--|--------|
| 1 | Visual Inspect | <input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail | <input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail | |
| 2 | Power Supply (4.5 – 6.5 VDC) | 6.0 VDC | 6.0 VDC | |
| 3 | Display Check | <input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail | <input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail | |
| 4 | Keyboard Check | <input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail | <input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail | |
| 5 | Function System Program | <input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail | <input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail | |

Warning and Error Checked

| Item | Event | Before | After |
|------|------------|---|---|
| 6 | Error list | <input checked="" type="checkbox"/> None <input type="checkbox"/> Appear _____ | <input checked="" type="checkbox"/> None <input type="checkbox"/> Appear _____ |

Check with Standard

| Item | Characteristic | Before | After | Remark |
|------|--|-----------|-----------|--------|
| | DPD-CHLORINE-LR | | | |
| 7 | Blank (0.00 mg/l) | 0.00 mg/l | 0.00 mg/l | |
| 8 | Standard Cl2 No. 1 (0.25 ± 0.09 mg/l) | 0.22 mg/l | 0.24 mg/l | |
| 9 | Standard Cl2 No. 2 (0.94 ± 0.10 mg/l) | 0.89 mg/l | 0.90 mg/l | |
| 10 | Standard Cl2 No. 3 (1.72 ± 0.14 mg/l) | 1.63 mg/l | 1.67 mg/l | |
| | DPD-CHLORINE-HR | | | |
| 11 | Blank (0.0 mg/l) | 0.0 mg/l | 0.0 mg/l | |
| 12 | Standard Cl2 No. 1 (2.2 ± 0.2 mg/l) | 2.1 mg/l | 2.2 mg/l | |
| 13 | Standard Cl2 No. 2 (4.1 ± 0.3 mg/l) | 3.9 mg/l | 4.0 mg/l | |
| 14 | Standard Cl2 No. 3 (7.0 ± 0.6 mg/l) | 6.9 mg/l | 7.0 mg/l | |

| | |
|----------------|----------------------|
| REVIEW BY | <u>Chayathron P.</u> |
| APPROVED BY | <u>[Signature]</u> |
| NEXT CAL. DATE | <u>28/1/23</u> |



HACH COMPANY

C/O AB Sciex (Thailand) Limited, Building D Room No. D3 11, 3rd Floor, No. 735/4, Srinakarin Road, Pattanakarn, Suanluang, Bangkok
| Phone +66 (02) 026-3529 Ext. 0 | Fax +66(02) 026-3572 | www.sea.hach.com

LABX 2200107

Summary of checked

- ☒ The instrument can work normally and efficiently. (เครื่องมือวัดสามารถทำงานได้ปกติและมีประสิทธิภาพ)
☐ The instrument can work but it's requiring to maintenance. (เครื่องมือวัดสามารถทำงานได้แต่ต้องบำรุงรักษา)
☐ The instrument could not work it's requiring to repair. (เครื่องมือวัดไม่สามารถทำงานได้และต้องการซ่อมบำรุง)

Remark:

Standard Equipment Used

| Equipment | Equipment I.D. | | |
|-----------------------------------|----------------|----------|----------------------|
| Standard Chlorine DPD-CHLORINE-LR | Lot No. | A0197 | Exp date : Jul-22 |
| Standard Chlorine DPD-CHLORINE-HR | Lot No. | A0164 | Exp date : Jun-22 |
| Digital multi meter | S/N : | 21190066 | Due date : 19-Mar-22 |
| Thermo hygrometer | S/N : | 45146347 | Due date : 30-Jul-22 |

Test By : WILAILAK S.

(Miss Wilailak Sawangpun)

Service Engineer

Approved by :

S. Suanun

(Mr. Suanun Sartyangkool)

Position :

Assistant Service Division Manager





| | |
|----------------|----------------|
| REVIEW BY | Autcharawan S. |
| APPROVED BY | Sarasat M. |
| NEXT CAL. DATE | 12 / Jan / 23 |
| | 12 / Jan / 22 |

Certificate of Calibration

ICS-2100: Anion (ID#659)

This certificate is to verify that instrument below are calibrated

by Archemica Lab Co., Ltd.

ICS-2100 S/N: 15010977

AS-HV S/N: 5450A36659

For

ALS Laboratory Group (Thailand) Co., Ltd.



Operator Signature: _____

Date: Jan 12, 2022

(Mr.Thitipong Piromkripuk)

Applications Chemist



TECHNOLOGY PROMOTION ASSOCIATION (THAILAND-JAPAN)

CALIBRATION AND TESTING EQUIPMENT SERVICES

534/4 PATTANAKARN ROAD SOI 18, SUANLUANG, SUANLUANG BANGKOK 10250

TEL. 0-2717-3000-24 FAX. 0-2719-9484

Cert. No.: 21TM2188

Page.: 1 of 3

Certificate of Calibration

Equipment : Autoclave

Manufacturer : AES Laboratory

Model : Masterclave 528

Serial No. : 34677152

ID No. : BKK_ML0043

Submitted by : ALS Laboratory Group (Thailand) Co.,Ltd.
104 Phatthanakan 40, Phatthanakan Rd.,
Khwaeng Phatthanakan, Khet Suan Luang,
Bangkok 10250 Thailand

Location : Media Preparation Room

Received Order : 1 December 2021

Calibration Date : 1 December 2021

Ambient Temperature : (26 ± 10) °C

Relative Humidity : (50 ± 30) %

Calibrated by : Khit Ruttanaprapachai

| | |
|----------------|-------------|
| REVIEW BY | Sithichokt. |
| APPROVED BY | |
| NEXT CAL. DATE | 01/06/23 |

Approved by :

Approved Signatory

- () Pornthippa Tameyakul
() Malee Butkruea
() Suwit Imjai

Issue Date :

7 December 2021

The Uncertainties are for a confidence probability of approximately 95%.

This certificate may not be reproduced other than in full, except with the prior written approval of the head of Calibration and Testing Equipment Services.

A 0007203



Equipment : Autoclave
Condition As-Received : Used Item
Reference : 2112-0002OC-2

Cert. No.: 21TM2188

Page.: 2 of 3

Procedure Used :-

Calibration were conducted using in-house calibration procedure CP-OT03 according to direct measurement method with Data Acquisition which connected with Thermocouple Type T

The temperature scale used was based on ITS-90.

Condition of this result of calibration

1. Reference standard instrument:-

| <u>Instrument</u> | <u>Model</u> | <u>Serial No.</u> | <u>Cert. No.</u> | <u>Due Date</u> |
|----------------------|--------------|-------------------|------------------|-----------------|
| 1) Data Acquisition | 34970A | MY44060450 | 21LM4/1 | 06 Mar 2022 |

2. This certificate is valid only to the item calibrated on date and place of calibration.

3. This certification is traceable to the International System of Unit.

4. This result of calibration covers laboratory autoclaves for the sterilization of goods and material which could be infected with organisms categorized as Hazard Group 1, 2 and 3**


(** = Categorization of pathogens according to hazard and categories of containment, second edition, 1990)

It does not cover autoclaves for use with material infect with organisms in Hazard Group 4, for which complete containment and sterilization of infected condensate is considered to be essential.

This result of calibration does not apply to sterilizers or disinfectors used for medical, dental, pharmaceutical or veterinary purposes which are directly concerned with patient care, or those used for fabrics subjected to sterilization which are required to be dry at the end of cycle.

Result of Calibration :- (*) Without Adjustment

Function of UUC* : Temperature Source



| | Environmental | | |
|--------------------------|---------------|-----------|----------|
| | (°C) | (%R.H.) | (Volt) |
| Beginning of Calibration | 24 | 51 | 220 |
| Finished of Calibration | 25 | 53 | 221 |

| <u>Position</u> | <u>Description</u> | <u>Ref. Std. ID No.:</u> |
|-----------------|--------------------|--------------------------|
| 1 = | Center of chamber | 19-14TC-01 |
| 2 = | Temperature sensor | 19-14TC-02 |
| 3 = | Exhaust port | 19-14TC-03 |

Malu



Equipment : Autoclave
Condition As-Received : Used Item
Reference : 2112-0002OC-2

Cert. No.: 21TM2188

Page.: 3 of 3

Result of Calibration :- (*) Without Adjustment

Operating parameter Set : Temperature = 121.0 °C

Sterilization period = 15 minute

| UUC* Setting (°C) | UUC* Reading (°C) | Position | Average* Standard Reading (°C) | Stability (± °C) | Pressure Reading (bar) | Uncertainty (± °C) | Coverage Factor <i>k</i> |
|---------------------------|---------------------------|----------|--|-----------------------|--------------------------------|-------------------------|--------------------------------|
| 121.0 | 120.7 | 1 | 120.792 | 0.078 | 1.1 | 0.75 | 2 |
| | | 2 | 120.674 | | | | |
| | | 3 | 120.815 | | | | |

Average* : The average of 30 values in each position.

Stability : One-half of the greatest maximum difference of measured temperature at any one probe.

UUC* : Unit Under Calibration

Note : The reported uncertainty of measurement was included stability and excluded uniformity .

The reported uncertainty of measurement was based on a standard uncertainty multiplied by a coverage factor *k*, providing a level of confidence of approximately 95 %.

-o0o-

Malu.



TECHNOLOGY PROMOTION ASSOCIATION (THAILAND-JAPAN)
CORPORATE SERVICES 3: EQUIPMENT CALIBRATION AND TESTING SERVICES
534/4 PATTANAKARN ROAD SOI 18, SUANLUANG, SUANLUANG BANGKOK 10250
TEL. 0-2717-3000-27 FAX. 0-2719-9484



Cert. No.: 21TM1101

Page.: 1 of 3

Certificate of Calibration

Equipment : Hot Air Oven

Manufacturer : Binder

Model : ED240/E2

Serial No. : 00-15533

ID No. : BKK_ML0013

Submitted by : ALS Laboratory Group (Thailand) Co.,Ltd.
104 Phatthanakan 40, Phatthanakan Rd.,
Khwaeng Phatthanakan, Khet Suan Luang,
Bangkok 10250 Thailand

Location : Media Preparation Room

Received Order : 7 June 2021

Calibration Date : 7 June 2021

Ambient Temperature : (26 ± 10) °C

Relative Humidity : (50 ± 30) %

Calibrated by : Preecha Hlahib

Approved by :

Malee

Approved Signatory

() Pornthippa Tameyakul

(☒) Malee Butkruea

() Suwit Imjai

Issue Date : 21 June 2021

The Uncertainties are for a confidence probability of approximately 95%

This certificate may not be reproduced other than in full, except with the prior written
Approval of the head of Corporate Services 3 : Equipment Calibration and Testing Services.

A 0029135



Equipment : Hot Air Oven
Condition As-Received : Used Item
Reference : 2106-0101OC-2

Cert. No.: 21TM1101

Page.: 2 of 3

Procedure Used :-

Calibration were conducted using calibration procedure CP-OT02 according to direct measurement method with Data Acquisition which connected with Thermocouple Type T.

The temperature scale used was based on ITS-90.

Condition of this result of calibration

1. Reference standard instrument:-

| Instrument | Model | Serial No. | Cert. No. | Due Date |
|----------------------|--------|------------|-----------|-------------|
| 1) Data Acquisition | 34972A | MY57013823 | 21LM3 | 26 Feb 2022 |


2. This certificate is valid only to the item calibrated on date and place of calibration.

3. This certification is traceable to the International System of Unit.

Result of Calibration :- (*) Without Adjustment

Function of UUC* : Temperature Source

Fresh air setting : Close



| Environment during calibration | | |
|--------------------------------|-----------|----------|
| | Beginning | Finished |
| Temp. (°C) | 26 | 27 |
| REL.Humid. (%) | 65 | 72 |
| AC Supply (Volt) | 220 | 222 |

| Position : | Ref. Std. ID No.: |
|------------|-------------------|
| 1 | 19-17TC-01 |
| 2 | 19-17TC-02 |
| 3 | 19-17TC-03 |
| 4 | 19-17TC-04 |
| 5 | 19-17TC-05 |
| 6 | 19-17TC-06 |
| 7 | 19-17TC-07 |
| 8 | 19-17TC-08 |
| 9 (ref.) | 19-17TC-09 |

Probe Installation Details :

a = 5.0 cm
b = 5.0 cm
c = 5.0 cm

Dimension of Chamber :

D = 0.50 m
W = 0.80 m
H = 0.60 m
Capacity = 0.24 m³

make .



Equipment : Hot Air Oven
Condition As-Received : Used Item
Reference : 2106-0101OC-2
Result of Calibration :- (*) Without Adjustment
Function of UUC* : Temperature Source

Cert. No.: 21TM1101
Page.: 3 of 3

| Calibration Point (°C) | UUC* Setting (°C) | UUC* Reading (°C) | Temperature stability (± °C) | Temperature uniformity (°C) | Overall Variation (°C) | Uncertainty (± °C) | Coverage Factor <i>k</i> |
|-----------------------------|------------------------|------------------------|-----------------------------------|----------------------------------|-----------------------------|-------------------------|-----------------------------|
| 180 | 180 | 180 | 0.67 | 2.4 | 3.3 | 1.5 | 2 |

| Calibration Point (°C) | Measured Temperature (°C) | | | | | | | | |
|-----------------------------|-----------------------------|---------|---------|---------|---------|---------|---------|---------|----------|
| | Position | | | | | | | | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 (ref.) |
| 180 | 179.315 | 181.249 | 178.684 | 180.035 | 179.941 | 180.511 | 178.429 | 180.268 | 179.065 |

Average* : The average of 30 values in each position.

Temperature stability : One-half of the greatest maximum difference of measured temperature at any one sensor.

Temperature uniformity : The maximum difference of measured temperatures at any sensors and the measured temperature at the reference location which are observed at the same time or at as close an observation time as possible to determine the temperature pattern or homogeneity within the chamber under steady-state conditions.

Overall Variation : The Difference of the maximum and minimum measured temperatures throughout observation.

UUC* : Unit Under Calibration

Note : The reported uncertainty of measurement was included stability and excluded uniformity .

The reported uncertainty of measurement was based on a standard uncertainty multiplied by a coverage factor *k*, providing a level of confidence of approximately 95 %.

-o0o-

Maku




TECHNOLOGY PROMOTION ASSOCIATION (THAILAND-JAPAN)
CORPORATE SERVICES 3: EQUIPMENT CALIBRATION AND TESTING SERVICES
534/4 PATTANAKARN ROAD SOI 18, SUANLUANG, SUANLUANG BANGKOK 10250
TEL. 0-2717-3000-27 FAX. 0-2719-9484



Cert. No.: 22TM453

Page.: 1 of 3

Certificate of Calibration

| | |
|--------------------------|--|
| Equipment : | Water Bath |
| Manufacturer : | Memmert |
| Model : | WB 45 |
| Serial No. : | I704.0285 |
| ID No. : | BKK_ML0052 |
| Submitted by : | ALS Laboratory Group (Thailand) Co.,Ltd. 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand |
| Location : | Incubation & Microbiological Reading |
| Received Order : | 21 February 2022 |
| Calibration Date : | 21 February 2022 |
| Ambient Temperature : | (26 ± 10) °C |
| Relative Humidity : | (50 ± 30) % |
| Calibrated by : | Prawit Sodavitchit |
| Approved by : |  Approved Signatory |
| () Pornthippa Tameyakul | |
| (/) Malee Butkruea | |
| () Suwit Imjai | |

Issue Date : 25 February 2022

The Uncertainties are for a confidence probability of approximately 95%

This certificate may not be reproduced other than in full, except with the prior written
Approval of the head of Corporate Services 3 : Equipment Calibration and Testing Services.



Equipment : Water Bath
Condition As-Received : Used Item
Reference : 2202-0615OC-2

Cert. No.: 22TM453

Page.: 2 of 3

Procedure Used :-

Calibration were conducted using in-house calibration procedure CP-OT04 according to direct measurement method with Data Acquisition which connected with Industrial Platinum Resistance Thermometer (IPRT).

The temperature scale used was based on ITS-90.

Condition of this result of calibration

1. Reference standard instrument:-

| <u>Instrument</u> | <u>Model</u> | <u>Serial No.</u> | <u>Cert. No.</u> | <u>Due Date</u> |
|----------------------|--------------|-------------------|------------------|-----------------|
| 1) Data Acquisition | 34970A | MY44035217 | 21LM30 | 23 Dec 2022 |


2. This certificate is valid only to the item calibrated on date and place of calibration.

3. This certification is traceable to the International System of Unit.

Result of Calibration :- (*) Without Adjustment

Function of UUC* : Temperature Source

| | Environmental | | AC Voltage Supply |
|--------------------------|---------------|-----------|-------------------|
| | (°C) | (%R.H.) | (Volt) |
| Beginning of Calibration | 25 | 51 | 220 |
| Finished of Calibration | 25 | 50 | 220 |



Front

| Position : | Ref. Std. S/N.: |
|------------|--------------------|
| 1 | N37P300726 |
| 2 | N37P300727 |
| 3 | N37P300728 |
| 4 | N37P300729 |
| 5(ref.) | N37P300730 |

Malu



Equipment : Water Bath
Condition As-Received : Used Item
Reference : 2202-0615OC-2
Result of Calibration :- (*) Without Adjustment
Function of UUC* : Temperature Source

Cert. No.: 22TM453

Page.: 3 of 3

| Calibration point (°C) | UUC* Setting (°C) | UUC* Reading (°C) | Average* Standard Reading (°C) | | | | |
|--------------------------------|---------------------------|---------------------------|----------------------------------|--------|--------|--------|----------|
| | | | Position | | | | |
| | | | 1 | 2 | 3 | 4 | 5 (ref.) |
| 44.5 | 45.1 | 45.1 | 44.503 | 44.454 | 44.497 | 44.519 | 44.476 |

| Calibration point (°C) | Uniformity (°C) | Stability (± °C) | Uncertainty (± °C) | Coverage Factor <i>k</i> |
|--------------------------------|----------------------|-----------------------|-------------------------|--------------------------------|
| 44.5 | 0.13 | 0.063 | 0.15 | 2 |

Average* : The average of 30 values in each position.

Uniformity : The maximum difference of measured temperatures at any sensors and the measured temperature at the reference location which are observed at the same time or at as close an observation time as possible to determine the temperature pattern or homogeneity within the chamber under steady-state conditions.

Stability : One-half of the greatest maximum difference of measured temperature at any one probe.

UUC* : Unit Under Calibration

Note : The reported uncertainty of measurement was included stability and excluded uniformity.

The reported uncertainty of measurement was based on a standard uncertainty multiplied by a coverage factor *k*, providing a level of confidence of approximately 95 %.

-o0o-

Malu



TECHNOLOGY PROMOTION ASSOCIATION (THAILAND-JAPAN)
CORPORATE SERVICES 3: EQUIPMENT CALIBRATION AND TESTING SERVICES
534/4 PATTANAKARN ROAD SOI 18, SUANLUANG, SUANLUANG, BANGKOK 10250
TEL. 0-2717-3000-24 FAX. 0-2719-9484



Certificate of Calibration

Certificate No. : 21E818

Page : 1 of 2

Equipment : pH Meter
Manufacturer: Thermo Orion
Model : EA940
Serial No.: 6983
ID No.: BKK_EN0102
Condition As-Received: Used Item
Received Date: 05 March 2021
Calibration Date: 11 March 2021
Reference: 2103-0265DSC
Ambient Temperature: (23 ± 2) °C
Relative Humidity: (50 ± 10) %

This certificate may not be reproduced other than in full,
except with the prior written approval of the head of
Corporate Services 3: Equipment Calibration and Testing Services.

Submitted by: ALS Laboratory Group (Thailand) Co.,Ltd.

104 Phatthanakan 40, Phatthanakan Rd.,
Khwaeng Phatthanakan, Khet Suan Luang,
Bangkok 10250 Thailand

Procedure used: Calibration were conducted using in-house calibration Procedure CP-E17 According to direct measurement method with Multi-Product Calibrator.

Condition of this result of calibration

1. Reference standards instruments :


| <u>Instrument</u> | <u>Model</u> | <u>Serial No.</u> | <u>Certificate No.</u> | <u>Due Date</u> |
|-----------------------------|--------------|-------------------|------------------------|-----------------|
| 1) Multi-Product Calibrator | 5500A | 6440007 | 20E1574 | 07 May 2021 |

2. This result of calibration was made on requested at the point specified by customer.

3. The certificate is valid only to the item calibrated on date and place of calibration.

4. This Certification is traceable to the International System of Unit maintained at:-

-National Institute of Metrology Thailand (NIMT)



Calibrated by : Pongsagorn Boonyaporn
Issue Date : 12 March 2021

Approved Signatory :

- ☐ Phalinee Prabpaipal
☒ Nuntawat Khamchai
☐ Pornthippa Tameyakul



Cert. No.: 21E818

Page.: 2 of 2

Result of calibration :- (*) Without adjustment () After adjustment

Function: DC voltage measurement

Range:

Autorange

Channel : 1

| <u>Standard Value</u> | <u>UUC* Reading</u> | <u>Error</u> | <u>Uncertainty</u> |
|-----------------------|---------------------|--------------|--------------------|
| (mV) | (mV) | (mV) | ($\pm \mu V$) |
| -200.0000 | -200.1 | -0.1 | 72 |
| -100.0000 | -100.1 | -0.1 | 65 |
| 0.0000 | -0.1 | -0.1 | 58 |
| 100.0000 | 99.9 | -0.1 | 65 |
| 200.0000 | 199.9 | -0.1 | 72 |

Function: DC voltage measurement

Range:

Autorange

Channel : 2

| <u>Standard Value</u> | <u>UUC* Reading</u> | <u>Error</u> | <u>Uncertainty</u> |
|-----------------------|---------------------|--------------|--------------------|
| (mV) | (mV) | (mV) | ($\pm \mu V$) |
| -200.0000 | -200.2 | -0.2 | 72 |
| -100.0000 | -100.2 | -0.2 | 65 |
| 0.0000 | -0.2 | -0.2 | 58 |
| 100.0000 | 99.9 | -0.1 | 65 |
| 200.0000 | 199.9 | -0.1 | 72 |

The reported uncertainty of measurement was based on a standard uncertainty multiplied by a coverage factor $k = 2$, providing a level of confidence of approximately 95 %

UUC* = Unit Under Calibration.

-o0o-



TECHNOLOGY PROMOTION ASSOCIATION (THAILAND-JAPAN)
CORPORATE SERVICES 3: EQUIPMENT CALIBRATION AND TESTING SERVICES
534/4 PATTANAKARN ROAD SOI 18, SUANLUANG, SUANLUANG BANGKOK 10250
TEL. 0-2717-3000-27 FAX. 0-2719-9484



Cert.No.: 22CHO32

Page.: 1 of 3

Certificate of Calibration

Equipment : UV-VIS Spectrophotometer
Manufacturer : Hach
Model : DR 3900
Serial No. : 1687645
ID No. : SGK_CL0038
Condition As-Received: Used Item
Received Date : 24 January 2022
Calibration Date : 24 January 2022
Reference : 2201-0617OC-1
Submitted by : ALS Laboratory Group (Thailand) Co.,Ltd.
Songkhla Branch
114/1 Moo 8, Kanjanavanij Rd., Banphru, Hatyai,
Songkhla 90250 , Thailand
Calibration Place : Chemistry Room
Ambient Temperature : (24.9 - 25.2) °C (On-Site)
Relative Humidity : (39.2 - 45.2) % (On-Site)
Calibration Procedure : In - house method :
CP-OCH4 based on ASTM E 275-01
Calibrated by : Kunchit Promprat

| | |
|----------------|------------|
| REVIEW BY | Ananta B. |
| APPROVED BY | Kanitta B. |
| NEXT CAL. DATE | 24/1/23 |

Approved by :

Malee

Approved Signatory

- (☒) Malee Butkruea
(☐) Saithip Meangmai
(☐) Warakorn Lerngagtrakul

Issue Date :

7 February 2022

The Uncertainties are for a confidence probability of approximately 95%

This certificate may not be reproduced other than in full, except with the prior written
Approval of the head of Corporate Services 3 : Equipment Calibration and Testing Services.

A 0037403



Cert. No. : 22CHO32

Page : 2 of 3

Condition of calibration result

1. Reference Standard Material :

| <u>Material</u> | <u>Serial No.</u> | <u>Certificate No.</u> | <u>Due date</u> |
|----------------------------|-------------------|------------------------|-----------------|
| 1. Absorbance Standard set | 8331 | 86623 | 08 Sep 2022 |
| 2. Wavelength Standard set | 29829 | 94776 | 02 Sep 2023 |
| 3. Wavelength Standard set | 29829 | 94777 | 02 Sep 2023 |

2. This certificate is valid only to the item calibrated on date and place of calibration.

3. This certificate is traceable to the International System of Unit maintained at :

- National Physical Laboratory (NPL), The United Kingdom of Great Britain and Northern Ireland
- National Institute of Standards and Technology (NIST), The United States of America

4. Spectral BandWidth : 5 nm

Scan Speed : - nm/min

Calibration Results : without adjustment

Wavelength Accuracy

| Certified Values of Reference Material (nm) | UUC Reading (nm) | Uncertainty of Measurement (\pm nm) | Coverage Factor <i>k</i> |
|--|-------------------------------|---|---|
| 418.40 | 418 | 0.59 | 2.00 |
| 479.88 | 480 | 0.59 | 2.00 |
| 513.75 | 514 | 0.59 | 2.00 |
| 537.00 | 536 | 0.59 | 2.00 |
| 638.00 | 638 | 0.59 | 2.00 |
| 747.61 | 748 | 0.59 | 2.00 |
| 807.04 | 807 | 0.59 | 2.00 |

Malu.



Cert. No. : 22CHO32

Page : 3 of 3

Calibration Results : without adjustment**Photometric Accuracy**

| Wavelength (nm) | Certified Values of Reference Material (Abs) | UUC Reading (Abs) | Uncertainty of Measurement (\pm Abs) | Coverage Factor <i>k</i> |
|--------------------|--|------------------------|--|--------------------------------|
| 420.0 | Zero | 0.000 | 0.0028 | 2.00 |
| | 0.5723 | 0.572 | 0.0033 | 2.00 |
| | 0.7522 | 0.751 | 0.0031 | 2.00 |
| | 1.0907 | 1.090 | 0.0033 | 2.00 |
| 440.0 | Zero | 0.000 | 0.0028 | 2.00 |
| | 0.5616 | 0.560 | 0.0034 | 2.00 |
| | 0.7345 | 0.732 | 0.0032 | 2.00 |
| | 1.0646 | 1.063 | 0.0033 | 2.00 |
| 465.0 | Zero | 0.000 | 0.0028 | 2.00 |
| | 0.5118 | 0.514 | 0.0034 | 2.00 |
| | 0.6773 | 0.679 | 0.0031 | 2.00 |
| | 0.9809 | 0.984 | 0.0033 | 2.00 |
| 546.1 | Zero | 0.000 | 0.0028 | 2.00 |
| | 0.5228 | 0.522 | 0.0030 | 2.00 |
| | 0.6861 | 0.684 | 0.0030 | 2.00 |
| | 0.9941 | 0.993 | 0.0030 | 2.00 |
| 590.0 | Zero | 0.000 | 0.0028 | 2.00 |
| | 0.5546 | 0.552 | 0.0029 | 2.00 |
| | 0.7159 | 0.712 | 0.0030 | 2.00 |
| | 1.0369 | 1.033 | 0.0030 | 2.00 |
| 635.0 | Zero | 0.000 | 0.0028 | 2.00 |
| | 0.5401 | 0.538 | 0.0029 | 2.00 |
| | 0.6835 | 0.680 | 0.0029 | 2.00 |
| | 0.9889 | 0.986 | 0.0030 | 2.00 |

Remark

- Each individual filter is measured against the empty filter holder (blank) used to zero the spectrophotometer

The reported uncertainty of measurement was based on a standard uncertainty multiplied by a coverage factor *k* , providing a level of confidence of approximately 95 %.

Malu

-o0o-

a 1093314

ภาคผนวก ฉ

สำเนาหนังสือใบอนุญาตขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

ที่ อก ๐๓๑๐(๑)/ ๑๐๖๙



กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ เขตราชเทวี
กรุงเทพมหานคร ๑๐๕๐๐

๒๘ มกราคม ๒๕๖๕

เรื่อง ต่ออายุหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

เรียน กรรมการผู้จัดการ บริษัท เอแอลเอส แลบบอราทอรี กรุ๊ป (ประเทศไทย) จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารมลพิษของห้องปฏิบัติการวิเคราะห์เอกชน
ลงวันที่ ๓๐ กรกฎาคม ๒๕๖๓

- สิ่งที่ส่งมาด้วย ๑. รายชื่อผู้ควบคุมดูแลห้องปฏิบัติการวิเคราะห์ จำนวน ๑ แผ่น
๒. รายชื่อเจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์ จำนวน ๕ แผ่น
๓. ขอบข่ายสารมลพิษที่ได้รับขึ้นทะเบียนจากกรมโรงงานอุตสาหกรรม จำนวน ๓๑ แผ่น

ตามหนังสือที่อ้างถึง บริษัท เอแอลเอส แลบบอราทอรี กรุ๊ป (ประเทศไทย) จำกัด ขอต่ออายุ
หนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน เลขทะเบียน ว-๒๐๔ สถานที่ตั้งเลขที่ ๑๐๔
ซอยพัฒนาการ ๔๐ ถนนพัฒนาการ แขวงพัฒนาการ เขตสวนหลวง กรุงเทพมหานคร
ต่อกรมโรงงานอุตสาหกรรม นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว ให้บริษัท เอแอลเอส แลบบอราทอรี กรุ๊ป (ประเทศไทย)
จำกัด ต่ออายุหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน โดยมีองค์ประกอบดังนี้

- ก. ผู้ควบคุมดูแลห้องปฏิบัติการวิเคราะห์ จำนวน ๖ ราย ตามสิ่งที่ส่งมาด้วย ๑
ข. เจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์ จำนวน ๑๖๒ ราย ตามสิ่งที่ส่งมาด้วย ๒
ค. ขอบข่ายสารมลพิษที่ได้รับขึ้นทะเบียนให้วิเคราะห์ในน้ำเสีย จำนวน ๕๙ รายการ น้ำใต้ดิน
จำนวน ๑๒๖ รายการ อากาศเสีย ๑๖ รายการ สิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว จำนวน ๓๕ รายการ และดิน
จำนวน ๑๒๕ รายการ รวมทั้งสิ้นจำนวน ๓๖๑ รายการ ตามสิ่งที่ส่งมาด้วย ๓

หนังสือฉบับนี้จะหมดอายุในวันที่ ๒ กันยายน ๒๕๖๖ หากประสงค์จะต่ออายุหนังสือ
รับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน ให้ยื่นคำขอต่ออายุพร้อมเอกสารประกอบคำขอ
ต่อกรมโรงงานอุตสาหกรรม ภายใน ๓๐ วัน ก่อนวันสิ้นอายุของหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์
เอกชน ซึ่งคำขอต่ออายุดังกล่าวขอรับได้ที่กรมโรงงานอุตสาหกรรม

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ

(นายศิริระ จันทรเจต)

นักวิทยาศาสตร์ชำนาญการพิเศษ รักษาการแทน
ผู้อำนวยการกองวิจัยและเตือนภัยมลพิษโรงงาน
ปฏิบัติราชการแทนอธิบดีกรมโรงงานอุตสาหกรรม

กองวิจัยและเตือนภัยมลพิษโรงงาน

กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษและทะเบียนห้องปฏิบัติการ

โทร. ๐ ๒๒๐๒ ๔๑๔๖ ๐ ๒๒๐๒ ๔๐๐๒

โทรสาร ๐ ๒๓๕๔ ๓๒๐๘ ๐ ๒๓๕๔ ๓๔๑๕

เอกสารแนบท้ายหนังสือรับต่ออายุขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

บริษัท เอแอลเอส แลบบอราทอรี กรุ๊ป (ประเทศไทย) จำกัด

เลขทะเบียน ว-๒๐๔

ที่ อก ๐๓๑๐(๑)/

ลงวันที่ ๒๘ มกราคม ๒๕๖๕

ก. ผู้ควบคุมดูแลห้องปฏิบัติการวิเคราะห์ จำนวน ๖ ราย

- | | |
|------------------------------|----------------------------|
| ๑) นางสาวยุพาพร จันทร์เปล่ง | ทะเบียนเลขที่ ว-๒๐๔-ค-๔๗๐๐ |
| ๒) นางสาวชนัญ โภมารกุล ณ นคร | ทะเบียนเลขที่ ว-๒๐๔-ค-๔๗๐๑ |
| ๓) นายศรายุทธ จิตรานนท์ | ทะเบียนเลขที่ ว-๒๐๔-ค-๔๗๐๒ |
| ๔) นางสาวกนกกร เอนก | ทะเบียนเลขที่ ว-๒๐๔-ค-๖๑๑๑ |
| ๕) นายสุริยา สอนแก้ว | ทะเบียนเลขที่ ว-๒๐๔-ค-๖๑๑๒ |
| ๖) นายวิชาญ ชูณหะวัณ | ทะเบียนเลขที่ ว-๒๐๔-ค-๖๑๑๓ |



(นายศิริระ จันทร์เจิด)

นักวิทยาศาสตร์ชำนาญการพิเศษ รักษาการแทน

ผู้อำนวยการกองวิจัยและเตือนภัยมลพิษโรงงาน

ปฏิบัติราชการแทนอธิบดีกรมโรงงานอุตสาหกรรม

เอกสารแนบท้ายหนังสือรับต่ออายุขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

บริษัท เอแอลเอส แลบบอราทอรี กรุ๊ป (ประเทศไทย) จำกัด

เลขทะเบียน ว-๒๐๔

ที่ ออก ๐๓๑๐(๑)/ ๑๐๖๙

ลงวันที่ ๒๘ มกราคม ๒๕๖๕

ข. เจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์ จำนวน ๑๖๒ ราย

| | |
|--|----------------------------|
| ๑) นางสาวจินดา ไชจุลธรรม | ทะเบียนเลขที่ ว-๒๐๔-จ-๔๗๐๘ |
| ๒) นางสาวสาวิตรี น้อยแสงี่ยม | ทะเบียนเลขที่ ว-๒๐๔-จ-๔๗๐๙ |
| ๓) นางสาวชนัญฎาญจน์ อัมขม | ทะเบียนเลขที่ ว-๒๐๔-จ-๔๗๑๐ |
| ๔) นางสาวนรินทร์ สายเส็ง | ทะเบียนเลขที่ ว-๒๐๔-จ-๔๗๑๕ |
| ๕) นางสาวนันทวดี สมบูรณ์ | ทะเบียนเลขที่ ว-๒๐๔-จ-๔๗๑๖ |
| ๖) นางสาวศรัณยา เฉลิมธำรงค์ | ทะเบียนเลขที่ ว-๒๐๔-จ-๔๗๑๗ |
| ๗) นางสาวสรารัศมี มงคลจิรวุฒิ | ทะเบียนเลขที่ ว-๒๐๔-จ-๔๗๑๙ |
| ๘) นางสาวศิริลักษณ์ พึ่งแพง | ทะเบียนเลขที่ ว-๒๐๔-จ-๔๗๒๐ |
| ๙) นายณพพงศ์ จันทรพันธุ์ | ทะเบียนเลขที่ ว-๒๐๔-จ-๕๔๐๘ |
| ๑๐) นายนรเศรษฐ์ โกมลาลัย | ทะเบียนเลขที่ ว-๒๐๔-จ-๕๔๑๑ |
| ๑๑) นายธันวา จริยา | ทะเบียนเลขที่ ว-๒๐๔-จ-๕๔๑๔ |
| ๑๒) นางสาวเกศรินทร์ แก้วมัน | ทะเบียนเลขที่ ว-๒๐๔-จ-๕๔๑๖ |
| ๑๓) นางสาวสุวิมล ชัยเรืองวุฒิ | ทะเบียนเลขที่ ว-๒๐๔-จ-๕๔๑๗ |
| ๑๔) นางสาวสุชาดา ธรรมถาวร | ทะเบียนเลขที่ ว-๒๐๔-จ-๕๔๒๑ |
| ๑๕) นางสาวเบมิกา ชัยเดชธนกุล | ทะเบียนเลขที่ ว-๒๐๔-จ-๕๔๒๓ |
| ๑๖) นางสาวศศิธร หมูสวัสดิ์ | ทะเบียนเลขที่ ว-๒๐๔-จ-๕๔๒๔ |
| ๑๗) นางสาวเสาวลักษณ์ ภู่นาอำพร | ทะเบียนเลขที่ ว-๒๐๔-จ-๕๔๒๕ |
| ๑๘) นายอภิสิทธิ์ สิงหา | ทะเบียนเลขที่ ว-๒๐๔-จ-๕๔๒๖ |
| ๑๙) นายศักดิ์สิทธิ์ ไพศาลพิสุทธ์ | ทะเบียนเลขที่ ว-๒๐๔-จ-๕๔๒๗ |
| ๒๐) ว่าที่ร้อยตรีหญิง พรรณิภา ขำเจริญ | ทะเบียนเลขที่ ว-๒๐๔-จ-๕๔๒๘ |
| ๒๑) นางจิตดา คำภูแก้ว | ทะเบียนเลขที่ ว-๒๐๔-จ-๕๔๓๑ |
| ๒๒) นางสาวอรรวรรณ รักยง | ทะเบียนเลขที่ ว-๒๐๔-จ-๖๑๑๕ |
| ๒๓) นางสาวนพรัตน์ แยมกรานต์ | ทะเบียนเลขที่ ว-๒๐๔-จ-๖๑๑๙ |
| ๒๔) นายจุลเดช วารินทร์ | ทะเบียนเลขที่ ว-๒๐๔-จ-๖๑๒๐ |
| ๒๕) นางสาวดาญรัตน์ ร้องคำ | ทะเบียนเลขที่ ว-๒๐๔-จ-๖๑๒๑ |
| ๒๖) นายนคร สุขเจริญ | ทะเบียนเลขที่ ว-๒๐๔-จ-๖๑๒๒ |
| ๒๗) นายบัญชา นามเขตต์ | ทะเบียนเลขที่ ว-๒๐๔-จ-๖๑๒๓ |
| ๒๘) นายพรมมี ศรีปัดเนตร | ทะเบียนเลขที่ ว-๒๐๔-จ-๖๑๒๕ |
| ๒๙) นายอุทิศ อุ่นสม | ทะเบียนเลขที่ ว-๒๐๔-จ-๖๑๒๖ |
| ๓๐) ว่าที่ร้อยตรี เฉลิมเกียรติ อมรศรีเสริม | ทะเบียนเลขที่ ว-๒๐๔-จ-๖๑๒๘ |
| ๓๑) นางสาววริยา สร้างนา | ทะเบียนเลขที่ ว-๒๐๔-จ-๖๑๒๙ |
| ๓๒) นายอนุพงศ์ รัตนศรีประเสริฐ | ทะเบียนเลขที่ ว-๒๐๔-จ-๖๑๓๐ |
| ๓๓) นางสาวจุฑารัตน์ โอนสันเทียะ | ทะเบียนเลขที่ ว-๒๐๔-จ-๖๑๔๒ |
| ๓๔) นางสาวจรรวรรณ พิมพ์อริกฤติยา | ทะเบียนเลขที่ ว-๒๐๔-จ-๗๐๗๖ |

(นายศิระ จันทรเจ็ด)

๓๕) นางสาวปรังค์ทิพย์...

นักวิทยาศาสตร์ชำนาญการพิเศษ รักษาการแทน

ผู้อำนวยการกองวิจัยและเตือนภัยมลพิษโรงงาน

สำนักงานสิ่งแวดล้อมและเฝ้าระวังมลพิษ

| | |
|--------------------------------------|----------------------------|
| ๓๕) นางสาวปรางค์ทิพย์ กิจไพศาลศักดิ์ | ทะเบียนเลขที่ ว-๒๐๔-จ-๗๐๗๙ |
| ๓๖) นางสาวเตือนใจ ทางกลาง | ทะเบียนเลขที่ ว-๒๐๔-จ-๗๐๘๐ |
| ๓๗) นางสาวจิราพร ศิริเวช | ทะเบียนเลขที่ ว-๒๐๔-จ-๗๐๘๑ |
| ๓๘) นายวรกร ผูกרך | ทะเบียนเลขที่ ว-๒๐๔-จ-๗๐๘๓ |
| ๓๙) นายทอง วิริยะสทกิจ | ทะเบียนเลขที่ ว-๒๐๔-จ-๗๐๘๔ |
| ๔๐) นายธนิต เจนจบ | ทะเบียนเลขที่ ว-๒๐๔-จ-๗๐๘๕ |
| ๔๑) นายคณิศร ขำเพชร | ทะเบียนเลขที่ ว-๒๐๔-จ-๗๐๘๖ |
| ๔๒) นายอรรคพล นิยมวิทยาพันธ์ | ทะเบียนเลขที่ ว-๒๐๔-จ-๗๐๘๗ |
| ๔๓) นายภูวิช พรหมสะอาด | ทะเบียนเลขที่ ว-๒๐๔-จ-๗๐๘๘ |
| ๔๔) นายธนเดช โภคาพิพัฒน์ | ทะเบียนเลขที่ ว-๒๐๔-จ-๗๐๘๙ |
| ๔๕) นายชวฤทธิ์ วงษ์จันทร์ | ทะเบียนเลขที่ ว-๒๐๔-จ-๗๐๙๐ |
| ๔๖) นายอาทิตย์ ศรีแสน | ทะเบียนเลขที่ ว-๒๐๔-จ-๗๐๙๑ |
| ๔๗) นายเจษฎินทร์ คงศักดิ์ไทย | ทะเบียนเลขที่ ว-๒๐๔-จ-๗๐๙๒ |
| ๔๘) นายจรัส บุญยั้ง | ทะเบียนเลขที่ ว-๒๐๔-จ-๗๐๙๕ |
| ๔๙) นายธนาณัติ เอนก | ทะเบียนเลขที่ ว-๒๐๔-จ-๗๐๙๖ |
| ๕๐) นายอภิวัฒน์ ทุมหนู | ทะเบียนเลขที่ ว-๒๐๔-จ-๗๐๙๗ |
| ๕๑) นางสาวสุภาขวัญ มาก | ทะเบียนเลขที่ ว-๒๐๔-จ-๗๐๙๘ |
| ๕๒) นางสาวหัตพร ขวาลสมบูรณ์ | ทะเบียนเลขที่ ว-๒๐๔-จ-๗๑๐๐ |
| ๕๓) นางสาวธิดิมา บุญเพ็ง | ทะเบียนเลขที่ ว-๒๐๔-จ-๗๑๐๑ |
| ๕๔) นางสาวกนกอร เข้มเพ็ชร | ทะเบียนเลขที่ ว-๒๐๔-จ-๗๑๐๒ |
| ๕๕) นางสาวพัชรียา หงษ์สมดี | ทะเบียนเลขที่ ว-๒๐๔-จ-๗๑๐๓ |
| ๕๖) นางสาวภาวนิดา สุรวงศ์ตระกูล | ทะเบียนเลขที่ ว-๒๐๔-จ-๗๑๐๔ |
| ๕๗) นางสาวภาณุมาศ นามวัฒน์ | ทะเบียนเลขที่ ว-๒๐๔-จ-๗๑๐๕ |
| ๕๘) นางสาวอุไรรัตน์ ทิงสร้างแป้น | ทะเบียนเลขที่ ว-๒๐๔-จ-๗๑๐๖ |
| ๕๙) นายธีรวัฒน์ ปวงสุข | ทะเบียนเลขที่ ว-๒๐๔-จ-๗๑๐๗ |
| ๖๐) นายอิทธิพล ยะโส | ทะเบียนเลขที่ ว-๒๐๔-จ-๗๑๐๘ |
| ๖๑) นายประพจน์ วรรณชูชัย | ทะเบียนเลขที่ ว-๒๐๔-จ-๗๑๐๙ |
| ๖๒) นายชยธร พวงทิพย์ | ทะเบียนเลขที่ ว-๒๐๔-จ-๗๑๑๐ |
| ๖๓) นางสาวกนกวรรณ จันทบาล | ทะเบียนเลขที่ ว-๒๐๔-จ-๗๑๑๑ |
| ๖๔) นางสาวเกษร หลักบุญ | ทะเบียนเลขที่ ว-๒๐๔-จ-๗๑๑๒ |
| ๖๕) นายสิทธิโชค ธงเงิน | ทะเบียนเลขที่ ว-๒๐๔-จ-๗๑๑๓ |
| ๖๖) นางศิวารณ ใจบุญ | ทะเบียนเลขที่ ว-๒๐๔-จ-๗๕๐๕ |
| ๖๗) นางสาวพรรณธิดา พุ่มคง | ทะเบียนเลขที่ ว-๒๐๔-จ-๗๕๐๘ |
| ๖๘) นางสาวศรณีย์ ยิ่งดี | ทะเบียนเลขที่ ว-๒๐๔-จ-๗๕๐๙ |
| ๖๙) นายนวกัทร ศรีวิริยะ | ทะเบียนเลขที่ ว-๒๐๔-จ-๗๕๑๐ |
| ๗๐) นายสุวิชา ทองอ่อน | ทะเบียนเลขที่ ว-๒๐๔-จ-๗๕๑๑ |
| ๗๑) นายวิญญู บุญตะนัย | ทะเบียนเลขที่ ว-๒๐๔-จ-๗๕๑๓ |

(นายศิระ จันทรเจ็ด)

นักวิทยาศาสตร์ชำนาญการพิเศษ รักษาการแทน

ผู้อำนวยการกองวิจัยและเตือนภัยมลพิษโรงงาน

บริษัท ปูนซิเมนต์ไทย จำกัด (มหาชน)

๗๒) นายสมบูรณ์...

๑๐๙) นายนนทชัย...

| | |
|-------------------------------|----------------------------|
| ๑๐๙) นายพนนพชัย อุปถัมภ์ | ทะเบียนเลขที่ ว-๒๐๔-จ-๘๕๙๔ |
| ๑๑๐) นายนิรุฬพล คุณสุทธิ | ทะเบียนเลขที่ ว-๒๐๔-จ-๘๕๙๕ |
| ๑๑๑) นายนิพนธ์วัฒน์ สาริน | ทะเบียนเลขที่ ว-๒๐๔-จ-๘๕๙๖ |
| ๑๑๒) นายปิยะนัฐ พลมะศรี | ทะเบียนเลขที่ ว-๒๐๔-จ-๘๕๙๗ |
| ๑๑๓) นายพงศ์สิริ โสมเขียว | ทะเบียนเลขที่ ว-๒๐๔-จ-๘๕๙๘ |
| ๑๑๔) นายพีรพัฒน์ กำคำ | ทะเบียนเลขที่ ว-๒๐๔-จ-๘๕๙๙ |
| ๑๑๕) นายภาณุพงศ์ มานิตย์ | ทะเบียนเลขที่ ว-๒๐๔-จ-๘๖๐๐ |
| ๑๑๖) นายมงคล ผลาทิพย์ | ทะเบียนเลขที่ ว-๒๐๔-จ-๘๖๐๑ |
| ๑๑๗) นายมนูรินทร์ พูลศิริ | ทะเบียนเลขที่ ว-๒๐๔-จ-๘๖๐๒ |
| ๑๑๘) นายสิรินันท์ ทองอ้น | ทะเบียนเลขที่ ว-๒๐๔-จ-๘๖๐๓ |
| ๑๑๙) นายอเนชา ทนสมัย | ทะเบียนเลขที่ ว-๒๐๔-จ-๘๖๐๔ |
| ๑๒๐) นายอดิศักดิ์ ผมไผ | ทะเบียนเลขที่ ว-๒๐๔-จ-๘๖๐๕ |
| ๑๒๑) นายอนันตชัย วิสม | ทะเบียนเลขที่ ว-๒๐๔-จ-๘๖๐๖ |
| ๑๒๒) นายณัฐดนัย เจือละออง | ทะเบียนเลขที่ ว-๒๐๔-จ-๘๖๐๗ |
| ๑๒๓) นายวรวิธ คีนิก | ทะเบียนเลขที่ ว-๒๐๔-จ-๘๖๐๘ |
| ๑๒๔) นายแสงตะวัน นະະะสัต | ทะเบียนเลขที่ ว-๒๐๔-จ-๘๖๐๙ |
| ๑๒๕) นายยุทธพงศ์ รัตนะ | ทะเบียนเลขที่ ว-๒๐๔-จ-๘๖๑๐ |
| ๑๒๖) นายชัยวุฒิ ไชยชนะ | ทะเบียนเลขที่ ว-๒๐๔-จ-๘๖๑๑ |
| ๑๒๗) นายวิศรุต ศรีธรรมมา | ทะเบียนเลขที่ ว-๒๐๔-จ-๘๖๑๒ |
| ๑๒๘) นายพนนทกร เผือกผ่อง | ทะเบียนเลขที่ ว-๒๐๔-จ-๘๖๑๓ |
| ๑๒๙) นายกำชัย สุทธะ | ทะเบียนเลขที่ ว-๒๐๔-จ-๘๖๑๔ |
| ๑๓๐) นางสาวณัฐภรณ์ รักทะเล | ทะเบียนเลขที่ ว-๒๐๔-จ-๙๒๑๙ |
| ๑๓๑) นางสาวประภาภรณ์ บุตรพรม | ทะเบียนเลขที่ ว-๒๐๔-จ-๙๒๒๐ |
| ๑๓๒) นางสาวนิลาวัลย์ นามพรม | ทะเบียนเลขที่ ว-๒๐๔-จ-๙๒๒๑ |
| ๑๓๓) นางสาวพัชรินทร์ แสนสร้อย | ทะเบียนเลขที่ ว-๒๐๔-จ-๙๒๒๒ |
| ๑๓๔) นายไพโรจน์ เปี่ยมพิมาย | ทะเบียนเลขที่ ว-๒๐๔-จ-๙๒๒๓ |
| ๑๓๕) นางสาวศุภมาศ ทองมาก | ทะเบียนเลขที่ ว-๒๐๔-จ-๙๒๒๔ |
| ๑๓๖) นางสาวลลิตา จิตรสว่าง | ทะเบียนเลขที่ ว-๒๐๔-จ-๙๒๒๕ |
| ๑๓๗) นางสาวชไมพร เสิกภูเขียว | ทะเบียนเลขที่ ว-๒๐๔-จ-๙๒๒๖ |
| ๑๓๘) นางสาวกฤติมาพร คำมีแก่น | ทะเบียนเลขที่ ว-๒๐๔-จ-๙๒๒๗ |
| ๑๓๙) นางสาวสกลรัตน์ ภาควม | ทะเบียนเลขที่ ว-๒๐๔-จ-๙๒๒๘ |
| ๑๔๐) นางสาวกาญจนา คงคุณ | ทะเบียนเลขที่ ว-๒๐๔-จ-๙๒๒๙ |
| ๑๔๑) นางสาวไพรินทร์ ศรีรูป | ทะเบียนเลขที่ ว-๒๐๔-จ-๙๒๓๐ |
| ๑๔๒) นางสาวทิพนันดา ฝอยปัญญา | ทะเบียนเลขที่ ว-๒๐๔-จ-๙๒๓๑ |
| ๑๔๓) นางสาวสาธิตา ปานทอง | ทะเบียนเลขที่ ว-๒๐๔-จ-๙๒๓๒ |
| ๑๔๔) นางสาวอริสา ทองนวล | ทะเบียนเลขที่ ว-๒๐๔-จ-๙๒๓๓ |
| ๑๔๕) นางสาวอรรษา คำคลอง | ทะเบียนเลขที่ ว-๒๐๔-จ-๙๒๓๔ |

(นายศิริ จันทรเจ็ด)

นักวิทยาศาสตร์ชำนาญการพิเศษ รักษาการแทน

ผู้อำนวยการกองวิจัยและเตือนภัยมลพิษโรงงาน

๑๔๖) นางสาวบุษดาภรณ์...

| | |
|---------------------------------|----------------------------|
| ๑๔๖) นางสาวชุตตาภรณ์ สุนทรสนาน | ทะเบียนเลขที่ ว-๒๐๔-จ-๙๒๓๕ |
| ๑๔๗) นางสาวสุภารัตน์ นนท์ประสาท | ทะเบียนเลขที่ ว-๒๐๔-จ-๙๒๓๖ |
| ๑๔๘) นางสาวรัชนิกร เนียมกลาง | ทะเบียนเลขที่ ว-๒๐๔-จ-๙๒๓๗ |
| ๑๔๙) นางสาวกัญญารัตน์ ศรีนิลทา | ทะเบียนเลขที่ ว-๒๐๔-จ-๙๒๓๘ |
| ๑๕๐) นางสาวอัญชลี คำจันทร์ | ทะเบียนเลขที่ ว-๒๐๔-จ-๙๒๓๙ |
| ๑๕๑) นายบุญฤทธิ์ เอี่ยมเทศ | ทะเบียนเลขที่ ว-๒๐๔-จ-๙๒๔๐ |
| ๑๕๒) นายศิริวัฒน์ พานิชย์ | ทะเบียนเลขที่ ว-๒๐๔-จ-๙๒๔๑ |
| ๑๕๓) นางสาวศุภรดา ปันมยุรา | ทะเบียนเลขที่ ว-๒๐๔-จ-๙๒๔๒ |
| ๑๕๔) นางสาวพาฤดี คุณนาน | ทะเบียนเลขที่ ว-๒๐๔-จ-๙๒๔๓ |
| ๑๕๕) นางสาวจิราเจต พองดา | ทะเบียนเลขที่ ว-๒๐๔-จ-๙๒๔๔ |
| ๑๕๖) นางสาวกนกภรณ์ อุระ | ทะเบียนเลขที่ ว-๒๐๔-จ-๙๒๔๕ |
| ๑๕๗) นางสาวอารยา มีชัย | ทะเบียนเลขที่ ว-๒๐๔-จ-๙๒๔๖ |
| ๑๕๘) นางสาวจิตสุภา ประเทืองสุข | ทะเบียนเลขที่ ว-๒๐๔-จ-๙๒๔๗ |
| ๑๕๙) นางสาวอริสา วิริยขันติธรรม | ทะเบียนเลขที่ ว-๒๐๔-จ-๙๒๔๘ |
| ๑๖๐) นางสาววิษุตา นาคผจญ | ทะเบียนเลขที่ ว-๒๐๔-จ-๙๒๔๙ |
| ๑๖๑) นางสาวพนิดา ยอดอินทร์ | ทะเบียนเลขที่ ว-๒๐๔-จ-๙๒๕๐ |
| ๑๖๒) นางสาวนันทิยา จันทะลุน | ทะเบียนเลขที่ ว-๒๐๔-จ-๙๒๕๑ |



(นายศิริระ จันทรเจต)

นักวิทยาศาสตร์ชำนาญการพิเศษ รักษาการแทน

ผู้อำนวยการกองวิจัยและเตือนภัยมลพิษโรงงาน

ปฏิบัติราชการแทนอธิบดีกรมโรงงานอุตสาหกรรม

เอกสารแนบท้ายหนังสือรับต่ออายุขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

บริษัท เอแอลเอส แลบบอราทอรี กรุ๊ป (ประเทศไทย) จำกัด

เลขทะเบียน ว-๒๐๔

ที่ อก ๐๓๑๐(๑)/ ๑๐๖๕

ลงวันที่ ๒๘ มกราคม ๒๕๖๕

ขอขยายสารมลพิษที่ได้รับขึ้นทะเบียนจากกรมโรงงานอุตสาหกรรม จำนวน ๓๖๑ รายการ

น้ำเสีย จำนวน 59 รายการ

| ลำดับที่ | สารมลพิษ | วิธีวิเคราะห์ |
|----------|------------------------------|---|
| 1 | Aldicarb | High-Performance Liquid Chromatographic Method ^[4] |
| 2 | Aldicarb Sulfone | High-Performance Liquid Chromatographic Method ^[4] |
| 3 | Aldicarb Sulfoxide | High-Performance Liquid Chromatographic Method ^[4] |
| 4 | Aldrin | Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] |
| 5 | Arsenic | 1) Digestion, Inductively Coupled Plasma Method ^[4] 2) Digestion, Inductively Coupled Plasma/ Mass Spectrometric Method ^[4] |
| 6 | Barium | 1) Digestion, Inductively Coupled Plasma Method ^[4] 2) Digestion, Inductively Coupled Plasma/ Mass Spectrometric Method ^[4] |
| 7 | α -BHC | Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] |
| 8 | β -BHC | Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] |
| 9 | δ -BHC | Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] |
| 10 | γ -BHC | Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] |
| 11 | Biochemical Oxygen Demand | 1) 5-Day BOD Test, Azide Modification Method ^[4] 2) 5-Day BOD Test, Membrane Electrode Method ^[4] |
| 12 | Carbaryl | High-Performance Liquid Chromatographic Method ^[4] |
| 13 | Carbofuran | High-Performance Liquid Chromatographic Method ^[4] |
| 14 | Cadmium | 1) Digestion, Inductively Coupled Plasma Method ^[4] 2) Digestion, Inductively Coupled Plasma/ Mass Spectrometric Method ^[4] |
| 15 | Chemical Oxygen Demand | 1) Closed Reflux, Colorimetric Method ^[4] 2) Closed Reflux, Titrimetric Method ^[4] |
| 16 | Chlordane | Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] |
| 17 | Chromium | 1) Digestion, Inductively Coupled Plasma Method ^[4] 2) Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[4] |
| 18 | Color | ADMI Weighted-Ordinate Spectrophotometric Method |

(นางริกาญจน์ จัตรสกุลวิไล)

19 Copper...

ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ

และทะเบียนห้องปฏิบัติการ

| ลำดับที่ | สารมลพิษ | วิธีวิเคราะห์ |
|----------|---------------------|---|
| 19 | Copper | 1) Digestion, Inductively Coupled Plasma Method ^[4] 2) Digestion, Inductively Coupled Plasma/ Mass Spectrometric Method ^[4] |
| 20 | Cyanide | Distillation, Colorimetric Method ^[4] |
| 21 | 2,4'-DDD | Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] |
| 22 | 4,4'-DDD | Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] |
| 23 | 2,4'-DDE | Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] |
| 24 | 4,4'-DDE | Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] |
| 25 | 2,4'-DDT | Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] |
| 26 | 4,4'-DDT | Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] |
| 27 | Dieldrin | Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] |
| 28 | Endosulfan Sulfate | Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] |
| 29 | Endosulfan I | Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] |
| 30 | Endosulfan II | Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] |
| 31 | Endrin | Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] |
| 32 | Endrin Aldehyde | Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] |
| 33 | Formaldehyde | Distillation, Colorimetric Method ^[3] |
| 34 | Free Chlorine | 1) DPD Ferrous Titrimetric Method ^[4] 2) Iodometric Method ^[4] |
| 35 | Heptachlor | Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] |
| 36 | Heptachlor epoxide | Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] |
| 37 | Hexavalent Chromium | Filtration, Colorimetric Method ^[4] |
| 38 | 3-Hydroxycarbofuran | High-Performance Liquid Chromatographic Method ^[4] |
| 39 | Lead | 1) Digestion, Inductively Coupled Plasma Method ^[4] 2) Digestion, Inductively Coupled Plasma/ Mass Spectrometric Method ^[4] |
| 40 | Manganese | 1) Digestion, Inductively Coupled Plasma Method ^[4] 2) Digestion, Inductively Coupled Plasma/ Mass Spectrometric Method ^[4] |
| 41 | Mercury | 1) Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[4] 2) Digestion, Inductively Coupled Plasma/Mass spectrometric Method ^[4] |
| 42 | Methiocarb | High-Performance Liquid Chromatographic Method ^[4] |
| 43 | Methoxychlor | Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] |

วิมล

44 Methomyl...

(นางริกาญจน์ ฉัตรสกุลวิไล)

ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ

กรมส่งเสริมการค้าระหว่างประเทศ

| ลำดับที่ | สารมลพิษ | วิธีวิเคราะห์ |
|----------|-------------------------|---|
| 44 | Methomyl | High-Performance Liquid Chromatographic Method ^[4] |
| 45 | Nickel | 1) Digestion, Inductively Coupled Plasma Method ^[4] 2) Digestion, Inductively Coupled Plasma/ Mass Spectrometric Method ^[4] |
| 46 | Oil & Grease | 1) Liquid-Liquid, Partition-Gravimetric Method ^[4] 2) Soxhlet Extraction Method ^[4] |
| 47 | Oxamyl | High-Performance Liquid Chromatographic Method ^[4] |
| 48 | Propoxur | High-Performance Liquid Chromatographic Method ^[4] |
| 49 | pH | Electrometric Method ^[4] |
| 50 | Phenols | 1) Distillation, Chloroform Extraction Method ^[4] 2) Distillation, Direct Photometric Method ^[4] |
| 51 | Selenium | 1) Digestion, Inductively Coupled Plasma Method ^[4] 2) Digestion, Inductively Coupled Plasma/ Mass Spectrometric Method ^[4] |
| 52 | Sulfide | Iodometric Method ^[4] |
| 53 | Temperature | Laboratory and Field Methods ^[4] |
| 54 | Total Dissolved Solids | Dried at 180 °C ^[4] |
| 55 | Total Kjeldahl Nitrogen | Semi-Micro Kjeldahl Method ^[4] |
| 56 | Total Suspended Solids | Dried at 103-105 °C ^[4] |
| 57 | Toxaphene | Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] |
| 58 | Trivalent Chromium | 1) Digestion, Inductively Coupled Plasma Method; Colorimetric Method; Calculation ^[4] 2) Digestion, Inductively Coupled Plasma/ Mass Spectrometric Method; Colorimetric Method; Calculation ^[4] |
| 59 | Zinc | 1) Digestion, Inductively Coupled Plasma Method ^[4] 2) Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[4] |

น้ำใต้ดิน จำนวน 126 รายการ

| ลำดับที่ | สารมลพิษ | วิธีวิเคราะห์ |
|----------|--------------|--|
| 1 | Acenaphthene | Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 2 | Acetone | Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4] |

วิมล

3 Aldrin...

(นางริภาญจน์ ฉัตรสกุลวิไล)

ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ
และทะเบียนห้องปฏิบัติการ

| ลำดับที่ | สารมลพิษ | วิธีวิเคราะห์ |
|----------|-------------------------|---|
| 3 | Aldrin | Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 4 | Anthracene | Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 5 | Antimony | 1) Digestion, Inductively Coupled Plasma Method ^[4] 2) Digestion, Inductively Coupled Plasma/ Mass Spectrometric Method ^[4] |
| 6 | Arsenic | 1) Digestion, Inductively Coupled Plasma Method ^[4] 2) Digestion, Inductively Coupled Plasma/ Mass Spectrometric Method ^[4] |
| 7 | Atrazine | Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 8 | Barium | 1) Digestion, Inductively Coupled Plasma Method ^[4] 2) Digestion, Inductively Coupled Plasma/ Mass Spectrometric Method ^[4] |
| 9 | Benz(a)anthracene | Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 10 | Benzene | Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 11 | Benzo(b)fluoranthene | Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 12 | Benzo(k)fluoranthene | Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 13 | Benzoic Acid | Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 14 | Benzo(a)pyrene | Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 15 | Benzo[g,h,i]perylene | Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 16 | Beryllium | 1) Digestion, Inductively Coupled Plasma Method ^[4] 2) Digestion, Inductively Coupled Plasma/ Mass Spectrometric Method ^[4] |
| 17 | Bis(2-chloroethyl)ether | Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4] |


วิธีทาง

18 Bis(2-ethylhexyl)phthalate...

(นางริกาญจน์ ฉัตรสกุลวิไล)

ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ
และทะเบียนห้องปฏิบัติการ

| ลำดับที่ | สารมลพิษ | วิธีวิเคราะห์ |
|----------|----------------------------|---|
| 18 | Bis(2-ethylhexyl)phthalate | Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 19 | Bromodichloromethane | Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 20 | Bromoform | Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 21 | Butanol | Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4] Equilibrium Headspace, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 22 | Butyl Benzyl Phthalate | Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 23 | Cadmium | 1) Digestion, Inductively Coupled Plasma Method ^[4] 2) Digestion, Inductively Coupled Plasma/ Mass Spectrometric Method ^[4] |
| 24 | Carbazole | Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 25 | Carbon Disulfide | Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 26 | Carbon tetrachloride | Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 27 | Chlordane | Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 28 | p-Chloroaniline | Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 29 | Chlorobenzene | Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 30 | Chlorodibromomethane | Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 31 | Chloroform | Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 32 | 2-Chlorophenol | Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 33 | Chromium | 1) Digestion, Inductively Coupled Plasma Method ^[4] 2) Digestion, Inductively Coupled Plasma/ Mass Spectrometric Method ^[4] |




34 Chromium (III)...

(นางริกาญจน์ จิตรสกุลไธ)

ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ

| ลำดับที่ | สารมลพิษ | วิธีวิเคราะห์ |
|----------|----------------------------|--|
| 51 | cis-1,2-Dichloroethylene | Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 52 | trans-1,2-Dichloroethylene | Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 53 | 2,4-Dichlorophenol | Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 54 | 1,2-Dichloropropane | Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 55 | 1,3-Dichloropropane | Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 56 | 1,3-Dichloropropene | Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 57 | Dieldrin | Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 58 | Diethyl Phthalate | Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 59 | 2,4-Dimethylphenol | Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 60 | 2,4-Dinitrophenol | Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 61 | 2,4-Dinitrotoluene | Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 62 | 2,6-Dinitrotoluene | Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 63 | Di-n-Octyl Phthalate | Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 64 | Endosulfan | Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 65 | Endrin | Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 66 | Ethylbenzene | Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 67 | Fluoranthene | Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4] |



(นางริกาญจน์ นัตถกุลวิไล)

ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ
และทะเบียนห้องปฏิบัติการ

68 Fluorene...

| ลำดับที่ | สารมลพิษ | วิธีวิเคราะห์ |
|----------|---------------------------|---|
| 68 | Fluorene | Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 69 | Heptachlor | Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 70 | Heptachlor epoxide | Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 71 | Hexachlorobenzene | Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 72 | Hexachloro-1,3-butadiene | Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 73 | n-Hexane | Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 74 | α -HCH | Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 75 | β -HCH | Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 76 | γ -HCH | Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 77 | Hexachlorocyclopentadiene | Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 78 | Hexachloroethane | Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 79 | Indeno(1,2,3-cd)pyrene | Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 80 | Isophorone | Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 81 | Lead | 1) Digestion, Inductively Coupled Plasma Method ^[4] 2) Digestion, Inductively Coupled Plasma/ Mass Spectrometric Method ^[4] |
| 82 | Manganese | 1) Digestion, Inductively Coupled Plasma Method ^[4] 2) Digestion, Inductively Coupled Plasma/ Mass Spectrometric Method ^[4] |
| 83 | Mercury | 1) Cold Vapor Atomic Absorption Spectrometric Method ^[4] 2) Digestion, Inductively Coupled Plasma/ Mass Spectrometric Method ^[4] |

รศ.ดร.วิมล

84 Methanol...

(นางริกาญจน์ ฉัตรสกุลวิไล)

ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ

และหน่วยงานที่เกี่ยวข้อง

| ลำดับที่ | สารมลพิษ | วิธีวิเคราะห์ |
|----------|---|---|
| 84 | Methanol | 1) Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4] 2) Equilibrium Headspace, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 85 | Methoxychlor | Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 86 | Methyl Bromide | Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 87 | Methylene Chloride | Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 88 | 2-Methylphenol | Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 89 | 2-Methylnaphthalene | Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 90 | Methyl tert-Butyl Ether | Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 91 | Naphthalene | Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 92 | Nickel | 1) Digestion, Inductively Coupled Plasma Method ^[4] 2) Digestion, Inductively Coupled Plasma/ Mass Spectrometric Method ^[4] |
| 93 | Nitrobenzene | Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 94 | N-Nitrosodiphenylamine | Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 95 | N-Nitrosodi-n-Propylamine | Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 96 | Polychlorinated Biphenyls - PCB 1016 - PCB 1221 - PCB 1232 - PCB 1242 - PCB 1248 - PCB 1254 - PCB 1260 | Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4] |

วิมล

97 Pentachlorophenol...

(นางริกาญจน์ ฉัตรสกุลวิไล)

ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ

และทะเบียนห้องปฏิบัติการ

| ลำดับที่ | สารมลพิษ | วิธีวิเคราะห์ |
|----------|---|--|
| 97 | Pentachlorophenol | Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 98 | pH | Electrometric Method ^[4] |
| 99 | Phenanthrene | Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 100 | Phenol | 1) Distillation, Direct Photometric Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 101 | Pyrene | Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 102 | Selenium | 1) Digestion, Inductively Coupled Plasma Method ^[4] 2) Digestion, Inductively Coupled Plasma/ Mass Spectrometric Method ^[4] |
| 103 | Silver | 1) Digestion, Inductively Coupled Plasma Method ^[4] 2) Digestion, Inductively Coupled Plasma/ Mass Spectrometric Method ^[4] |
| 104 | Styrene | Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 105 | 1,1,2,2-Tetrachloroethane | Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 106 | Tetrachloroethylene | Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 107 | Toluene | Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 108 | Toxaphene | Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 109 | TPH (C ₅ -C ₈) | Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,24] |
| 110 | TPH (C _{>8} -C ₁₆) | Solvent Extraction, Gas Chromatographic Method ^[9,21] |
| 111 | TPH (C _{>16} -C ₃₅) | Solvent Extraction, Gas Chromatographic Method ^[9,21] |
| 112 | 1,2,4-Trichlorobenzene | Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 113 | 1,1,1-Trichloroethane | Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4] |

วิมล

114 1,1,2-Trichloroethane...

| ลำดับที่ | สารมลพิษ | วิธีวิเคราะห์ |
|----------|------------------------|---|
| 114 | 1,1,2-Trichloroethane | Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 115 | Trichloroethylene | Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 116 | 2,4,5-Trichlorophenol | Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 117 | 2,4,6-Trichlorophenol | Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 118 | 1,3,5-Trimethylbenzene | Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 119 | Vanadium | 1) Digestion, Inductively Coupled Plasma Method ^[4] 2) Digestion, Inductively Coupled Plasma/ Mass Spectrometric Method ^[4] |
| 120 | Vinyl Acetate | Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 121 | Vinyl Chloride | Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 122 | m-Xylene | Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 123 | o-Xylene | Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 124 | p-Xylene | Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 125 | Xylene (Total) | Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4] |
| 126 | Zinc | 1) Digestion, Inductively Coupled Plasma Method ^[4] 2) Digestion, Inductively Coupled Plasma/ Mass Spectrometric Method ^[4] |

อากาศเสีย (ปล่อยระบาย) จำนวน 16 รายการ

| ลำดับที่ | สารมลพิษ | วิธีวิเคราะห์ |
|----------|----------|--|
| 1 | Antimony | Isokinetic, Digestion, Inductively Coupled Plasma Method ^[5] |
| 2 | Arsenic | Isokinetic, Digestion, Inductively Coupled Plasma Method ^[5] |

วิทย์

3 Carbon Monoxide...

(นางริภาญจน์ ฉัตรสกุลวิไล)

ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ

และหน่วยงานที่เกี่ยวข้อง

| ลำดับที่ | สารมลพิษ | วิธีวิเคราะห์ |
|----------|-----------------------------|--|
| 3 | Carbon Monoxide | 1) Sampling Bag Non-Dispersive Infrared Method ^[5] 2) Non-Dispersive Infrared Method ^[5] 3) Instrumental Analyzer Method ^[5] |
| 4 | Chlorine | 1) Absorption Sampling, Ion Chromatographic Method ^[5] 2) Isokinetic Sampling, Ion Chromatographic Method ^[5] |
| 5 | Copper | Isokinetic, Digestion, Inductively Coupled Plasma Method ^[5] |
| 6 | Dioxins | Isokinetic Sampling, Analysis by ISO/IEC 17025 Accredited Laboratory or Analysis by Department of Industrial Works Registered Laboratory (Dioxins/Furans Analysis Approved) ^[5] |
| 7 | Hydrogen Chloride | 1) Absorption Sampling, Ion Chromatographic Method ^[5] 2) Isokinetic Sampling, Ion Chromatographic Method ^[5] |
| 8 | Hydrogen Sulfide | Absorption Sampling, Iodometric Method ^[5] |
| 9 | Lead | Isokinetic, Digestion, Inductively Coupled Plasma Method ^[5] |
| 10 | Mercury | 1) Isokinetic Sampling, Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[5] 2) Isokinetic, Digestion, Inductively Coupled Plasma Method ^[5] |
| 11 | Opacity | Ringelmann's Method ^[2] |
| 12 | Oxides of Nitrogen | 1) Absorption Sampling, Phenoldisulfonic Acid Method ^[5] 2) Chemiluminescence Method ^[5] 3) Instrumental Analyzer Method ^[5] |
| 13 | Sulfur Dioxide | 1) Absorption Sampling, Barium-Thorin Titrimetric Method ^[5] 2) UV Fluorescence Method ^[5] 3) Instrumental Analyzer Method ^[5] |
| 14 | Sulfuric Acid | Isokinetic Sampling, Barium-Thorin Titrimetric Method ^[5] |
| 15 | Total Suspended Particulate | Isokinetic Sampling, Gravimetric Method ^[5] |
| 16 | Xylene | Adsorption Sampling, Gas Chromatographic Method ^[5] |

วิมล

สิ่งปลูก...

(นางริกาญจน์ ฉัตรสกุลวิไล)

ผู้อำนวยการกลุ่มมาตรฐานวิชาการวิเคราะห์ทดสอบมลพิษ

สิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว จำนวน 35 รายการ

| ลำดับที่ | สารมลพิษ | วิธีวิเคราะห์ |
|----------|-----------|--|
| 1 | Aldrin | 1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[1,9,25] 2) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 3) Automated Soxhlet Extraction, Gas Chromatographic Method ^[22,31] |
| 2 | Antimony | 1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,15] 2) Waste Extraction, Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[1,6,16] 3) Digestion, Inductively Coupled Plasma Method ^[7,15] 4) Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[7,16] |
| 3 | Arsenic | 1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,15] 2) Waste Extraction, Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[1,6,16] 3) Digestion, Inductively Coupled Plasma Method ^[7,15] 4) Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[7,16] |
| 4 | Barium | 1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,15] 2) Waste Extraction, Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[1,6,16] 3) Digestion, Inductively Coupled Plasma Method ^[7,15] 4) Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[7,16] |
| 5 | Beryllium | 1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,15] 2) Waste Extraction, Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[1,6,16] 3) Digestion, Inductively Coupled Plasma Method ^[7,15] 4) Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[7,16] |



6 Cadmium...

(นางริกาญจน์ จิตรสกุลใจ)

ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ

และทะเบียนห้องปฏิบัติการ

| ลำดับที่ | สารมลพิษ | วิธีวิเคราะห์ |
|----------|----------------|---|
| 6 | Cadmium | 1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,15] 2) Waste Extraction, Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[1,6,16] 3) Digestion, Inductively Coupled Plasma Method ^[7,15] 4) Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[7,16] |
| 7 | Chlordane | 1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[1,19,25] 2) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 3) Automated Soxhlet Extraction, Gas Chromatographic Method ^[22,31] |
| 8 | Chromium | 1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,15] 2) Waste Extraction, Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[1,6,16] 3) Digestion, Inductively Coupled Plasma Method ^[7,15] 4) Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[7,16] |
| 9 | Chromium (III) | 1) Waste Extraction, Digestion, Inductively Coupled Plasma Method; Waste Extraction, Colorimetric Method; Calculation Method ^[1,6,15,17] 2) Waste Extraction, Digestion, Inductively Coupled Plasma/Mass Spectrometric Method; Waste Extraction, Colorimetric Method; Calculation Method ^[1,6,16,17] 3) Digestion, Inductively Coupled Plasma Method; Alkaline Digestion, Colorimetric Method; Calculation Method ^[7,8,15,17] 4) Digestion, Inductively Coupled Plasma/Mass Spectrometric Method; Alkaline Digestion, Colorimetric Method; Calculation Method ^[7,8, 16,17] |
| 10 | Chromium (VI) | 1) Waste Extraction, Colorimetric Method ^[1,6,17] 2) Alkaline Digestion, Colorimetric Method ^[8,17] |



(นางริกาญจน์ ฉัตรสกุลวิไล)

ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ

.....เรียน...../.....

11 Cobalt...

| ลำดับที่ | สารมลพิษ | วิธีวิเคราะห์ |
|----------|----------|--|
| 11 | Cobalt | 1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,15] 2) Waste Extraction, Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[1,6,16] 3) Digestion, Inductively Coupled Plasma Method ^[7,15] 4) Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[7,16] |
| 12 | Copper | 1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,15] 2) Waste Extraction, Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[1,6,16] 3) Digestion, Inductively Coupled Plasma Method ^[7,15] 4) Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[7,16] |
| 13 | 2,4-D | 1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[1,9,25] 2) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 3) Automated Soxhlet Extraction, Gas Chromatographic Method ^[22,31] |
| 14 | DDD | 1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[1,9,25] 2) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 3) Automated Soxhlet Extraction, Gas Chromatographic Method ^[22,31] |
| 15 | DDE | 1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[1,9,25] 2) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 3) Automated Soxhlet Extraction, Gas Chromatographic Method ^[22,31] |
| 16 | DDT | 1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[1,9,25] |

จิราพร

2) Soxhlet...

(นางริกาญจน์ ฉัตรสกุลวิไล)

ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ

และทะเบียนห้องปฏิบัติการ

| ลำดับที่ | สารมลพิษ | วิธีวิเคราะห์ |
|----------|------------|--|
| 17 | Dieldrin | 2) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 3) Automated Soxhlet Extraction, Gas Chromatographic Method ^[22,31] 1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[1,9,25] |
| 18 | Endrin | 2) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 3) Automated Soxhlet Extraction, Gas Chromatographic Method ^[22,31] 1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[1,9,25] |
| 19 | Heptachlor | 2) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 3) Automated Soxhlet Extraction, Gas Chromatographic Method ^[22,31] 1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[1,9,25] |
| 20 | Lead | 2) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 3) Automated Soxhlet Extraction, Gas Chromatographic Method ^[22,31] 1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,15] 2) Waste Extraction, Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[1,6,16] 3) Digestion, Inductively Coupled Plasma Method ^[7,15] 4) Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[7,16] |
| 21 | Lindane | 1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[1,9,25] 2) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 3) Automated Soxhlet Extraction, Gas Chromatographic Method ^[22,31] |
| 22 | Mercury | 1) Waste Extraction, Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[1,6,18] |

วิมล

2) Waste Extraction...

(นางริกาญจน์ ฉัตรสกุลวิไล)

ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ

| ลำดับที่ | สารมลพิษ | วิธีวิเคราะห์ |
|----------|--------------|--|
| 23 | Methoxychlor | 2) Waste Extraction, Thermal Decomposition Amalgamation and Atomic Absorption Spectrometric Method ^[1,6,19] 3) Waste Extraction, Digestion, Cold-Vapor Atomic Fluorescence Spectrometric Method ^[1,6,20] 4) Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[18] 5) Thermal Decomposition Amalgamation and Atomic Absorption Spectrometric Method ^[19] 6) Digestion, Cold-Vapor Atomic Fluorescence Spectrometric Method ^[20] |
| 24 | Mirex | 1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[1,9,25] 2) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 3) Automated Soxhlet Extraction, Gas Chromatographic Method ^[22,31] |
| 25 | Molybdenum | 1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[1,9,25] 2) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 3) Automated Soxhlet Extraction, Gas Chromatographic Method ^[22,31] |
| 26 | Nickel | 1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,15] 2) Waste Extraction, Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[1,6,16] 3) Digestion, Inductively Coupled Plasma Method ^[7,15] 4) Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[7,16] 1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,15] 2) Waste Extraction, Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[1,6,16] 3) Digestion, Inductively Coupled Plasma Method ^[7,15] 4) Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[7,16] |

วิมล

27 Polychlorinated...

(นางริกาญจน์ ฉัตรสกุลวิไล)

ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ

| ลำดับที่ | สารมลพิษ | วิธีวิเคราะห์ |
|----------|--|---|
| 27 | <p>Polychlorinated biphenyls (PCBs)</p> <ul style="list-style-type: none"> - Aroclor 1016 - Aroclor 1221 - Aroclor 1232 - Aroclor 1242 - Aroclor 1248 - Aroclor 1254 - Aroclor 1260 - 2-Chlorobiphenyl - 2,3-Dichlorobiphenyl - 2,2',5-Trichlorobiphenyl - 2,4',5-Trichlorobiphenyl - 2,2',3,5'-Tetrachlorobiphenyl - 2,2',5,5'-Tetrachlorobiphenyl - 2,3',4,4'-Tetrachlorobiphenyl - 2,2',3,4,5'-Pentachlorobiphenyl - 2,2',4,5,5'-Pentachlorobiphenyl - 2,3,3',4',6-Pentachlorobiphenyl - 2,2',3,4,4',5'-Hexachlorobiphenyl - 2,2',3,4,5,5'-Hexachlorobiphenyl - 2,2',3,5,5',6-Hexachlorobiphenyl - 2,2',4,4',5,5'-Hexachlorobiphenyl - 2,2',3,3',4,4',5-Heptachlorobiphenyl - 2,2',3,4,4',5,5'-Heptachlorobiphenyl - 2,2',3,4,4',5',6-Heptachlorobiphenyl - 2,2',3,4',5,5',6-Heptachlorobiphenyl - 2,2',3,3',4,4',5,5',6-Nonachlorobiphenyl | <p>1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method^[1,9,23]</p> <p>2) Soxhlet Extraction, Gas Chromatographic Method^[10,23]</p> <p>3) Automated Soxhlet Extraction, Gas Chromatographic Method^[22,31]</p> |

วิมล

(นางริกาญจน์ ฉัตรสกุลวิไล)

ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ

28 Pentachlorophenol...

| ลำดับที่ | สารมลพิษ | วิธีวิเคราะห์ |
|----------|-------------------|--|
| 28 | Pentachlorophenol | 1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[1,9,25] 2) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 3) Automated Soxhlet Extraction, Gas Chromatographic Method ^[22,31] |
| 29 | pH | Electrometric Method ^[29,30] |
| 30 | Selenium | 1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,15] 2) Waste Extraction, Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[1,6,16] 3) Digestion, Inductively Coupled Plasma Method ^[7,15] 4) Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[7,16] |
| 31 | Silver | 1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,15] 2) Waste Extraction, Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[1,6,16] |
| 32 | Thallium | 1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,15] 2) Waste Extraction, Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[1,6,16] 3) Digestion, Inductively Coupled Plasma Method ^[7,15] 4) Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[7,16] |
| 33 | Toxaphene | 1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[1,9,25] 2) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 3) Automated Soxhlet Extraction, Gas Chromatographic Method ^[22,31] |
| 34 | Vanadium | 1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,15] 2) Waste Extraction, Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[1,6,16] 3) Digestion, Inductively Coupled Plasma Method ^[7,15] |

วิมล

(นางริกาญจน์ ฉัตรสกุลวิไล)

ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ

4) Digestion...

| ลำดับที่ | สารมลพิษ | วิธีวิเคราะห์ |
|----------|----------|--|
| 35 | Zinc | 4) Digestion, Inductively Coupled Plasma/ Mass Spectrometric Method ^[7,16] 1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,15] 2) Waste Extraction, Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[1,6,16] 3) Digestion, Inductively Coupled Plasma Method ^[7,15] 4) Digestion, Inductively Coupled Plasma/ Mass Spectrometric Method ^[7,16] |

ดิน จำนวน 125 รายการ

| ลำดับที่ | สารมลพิษ | วิธีวิเคราะห์ |
|----------|--------------|--|
| 1 | Acenaphthene | Automated Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[25,31] |
| 2 | Acetone | Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[14,24] |
| 3 | Aldrin | 1) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 2) Automated Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[25,31] |
| 4 | Anthracene | Automated Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[25,31] |
| 5 | Antimony | 1) Digestion, Inductively Coupled Plasma Method ^[7,15] 2) Digestion, Inductively Coupled Plasma/ Mass Spectrometric Method ^[7,16] |
| 6 | Arsenic | 1) Digestion, Inductively Coupled Plasma Method ^[7,15] 2) Digestion, Inductively Coupled Plasma/ Mass Spectrometric Method ^[7,16] |
| 7 | Atrazine | 1) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 2) Automated Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[25,31] |
| 8 | Barium | 1) Digestion, Inductively Coupled Plasma Method ^[7,15] 2) Digestion, Inductively Coupled Plasma/ Mass Spectrometric Method ^[7,16] |

วิมล

(นางริกาญจน์ ฉัตรสกุลวิไล)

ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ

9 Benz(a)anthracene...

| ลำดับที่ | สารมลพิษ | วิธีวิเคราะห์ |
|----------|----------------------------|---|
| 9 | Benz(a)anthracene | Automated Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[25,31] |
| 10 | Benzene | Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[14,24] |
| 11 | Benzo(b)fluoranthene | Automated Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[25,31] |
| 12 | Benzo(k)fluoranthene | Automated Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[25,31] |
| 13 | Benzoic acid | Automated Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[25,31] |
| 14 | Benzo(a)pyrene | Automated Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[25,31] |
| 15 | Benzo(g,h,i)perylene | Automated Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[25,31] |
| 16 | Beryllium | 1) Digestion, Inductively Coupled Plasma Method ^[7,15] 2) Digestion, Inductively Coupled Plasma/ Mass Spectrometric Method ^[7,16] |
| 17 | Bis(2-chloroethyl)ether | Automated Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[25,31] |
| 18 | Bis(2-ethylhexyl)phthalate | Automated Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[25,31] |
| 19 | Bromodichloromethane | Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[14,24] |
| 20 | Bromoform | Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[14,24] |
| 21 | Butanol | Equilibrium Headspace, Gas Chromatographic/ Mass Spectrometric Method ^[12,24] |
| 22 | Butyl Benzyl Phthalate | Automated Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[25,31] |
| 23 | Cadmium | 1) Digestion, Inductively Coupled Plasma Method ^[7,15] 2) Digestion, Inductively Coupled Plasma/ Mass Spectrometric Method ^[7,16] |
| 24 | Carbazole | Automated Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[25,31] |
| 25 | Carbon Disulfide | Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[14,24] |

วิกรม

26 Carbon tetrachloride...

(นางริกาญจน์ ฉัตรสกุลวิไล)

ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ

| ลำดับที่ | สารมลพิษ | วิธีวิเคราะห์ |
|----------|----------------------|--|
| 26 | Carbon tetrachloride | Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[14,24] |
| 27 | Chlordane | 1) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 2) Automated Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[25,31] |
| 28 | p-Chloroaniline | Automated Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[25,31] |
| 29 | Chlorobenzene | Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[14,24] |
| 30 | Chlorodibromomethane | Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[14,24] |
| 31 | Chloroform | Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[14,24] |
| 32 | 2-Chlorophenol | Automated Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[25,31] |
| 33 | Chromium | 1) Digestion, Inductively Coupled Plasma Method ^[7,15] 2) Digestion, Inductively Coupled Plasma/ Mass Spectrometric Method ^[7,16] |
| 34 | Chromium (III) | 1) Digestion, Inductively Coupled Plasma Method; Alkaline Digestion, Colorimetric Method; Calculation Method ^[7,8,15,17] 2) Digestion, Inductively Coupled Plasma/ Mass Spectrometric Method; Alkaline Digestion, Colorimetric Method; Calculation Method ^[7,8,16,17] |
| 35 | Chromium (VI) | Alkaline Digestion, Colorimetric Method ^[8,17] |
| 36 | Chrysene | Automated Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[25,31] |
| 37 | Cyanide | Extraction, Distillation, Colorimetric Method ^[26,27,28] |
| 38 | 2,4-D | 1) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 2) Automated Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[25,31] |
| 39 | DDD | 1) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 2) Automated Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[25,31] |

วิฑูรย์

(นางวิภาณูจน์ ฉัตรสกุลวิไล)

ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ

40 DDE...

| ลำดับที่ | สารมลพิษ | วิธีวิเคราะห์ |
|----------|----------------------------|---|
| 40 | DDE | 1) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 2) Automated Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25,31] |
| 41 | DDT | 1) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 2) Automated Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25,31] |
| 42 | Dibenz(a,h)anthracene | Automated Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25,31] |
| 43 | Di-n-Butyl Phthalate | Automated Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25,31] |
| 44 | 1,2-Dichlorobenzene | Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[14,24] |
| 45 | 1,3-Dichlorobenzene | Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[14,24] |
| 46 | 1,4-Dichlorobenzene | Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[14,24] |
| 47 | 3,3-Dichlorobenzidine | Automated Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25,31] |
| 48 | 1,1-Dichloroethane | Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[14,24] |
| 49 | 1,2-Dichloroethane | Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[14,24] |
| 50 | 1,1-Dichloroethylene | Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[14,24] |
| 51 | cis-1,2-Dichloroethylene | Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[14,24] |
| 52 | trans-1,2-Dichloroethylene | Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[14,24] |
| 53 | 2,4-Dichlorophenol | Automated Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25,31] |
| 54 | 1,2-Dichloropropane | Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[14,24] |
| 55 | 1,3-Dichloropropane | Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[14,24] |
| 56 | 1,3-Dichloropropene | Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[14,24] |

วิภาณี

(นางริกาญจน์ ฉัตรสกุลวิไล)

57 Dieldrin...

| ลำดับที่ | สารมลพิษ | วิธีวิเคราะห์ |
|----------|----------------------|---|
| 57 | Dieldrin | 1) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 2) Automated Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25,31] |
| 58 | Diethyl Phthalate | Automated Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25,31] |
| 59 | 2,4-Dimethylphenol | Automated Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25,31] |
| 60 | 2,4-Dinitrophenol | Automated Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25,31] |
| 61 | 2,4-Dinitrotoluene | Automated Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25,31] |
| 62 | 2,6-Dinitrotoluene | Automated Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25,31] |
| 63 | Di-n-Octyl Phthalate | Automated Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25,31] |
| 64 | Endosulfan | 1) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 2) Automated Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25,31] |
| 65 | Endrin | 1) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 2) Automated Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25,31] |
| 66 | Ethylbenzene | Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[14,24] |
| 67 | Fluoranthene | Automated Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25,31] |
| 68 | Fluorene | Automated Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25,31] |
| 69 | Heptachlor | 1) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 2) Automated Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25,31] |
| 70 | Heptachlor Epoxide | 1) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 2) Automated Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25,31] |

| ลำดับที่ | สารมลพิษ | วิธีวิเคราะห์ |
|----------|---------------------------|---|
| 71 | Hexachlorobenzene | 1) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 2) Automated Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25,31] |
| 72 | Hexachloro-1,3-butadiene | Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[14,24] |
| 73 | n-Hexane | Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[14,24] |
| 74 | α -HCH | 1) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 2) Automated Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25,31] |
| 75 | β -HCH | 1) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 2) Automated Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25,31] |
| 76 | γ -HCH | 1) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 2) Automated Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25,31] |
| 77 | Hexachlorocyclopentadiene | Automated Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25,31] |
| 78 | Hexachloroethane | Automated Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25,31] |
| 79 | Indeno(1,2,3-cd)pyrene | Automated Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25,31] |
| 80 | Isophorone | Automated Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25,31] |
| 81 | Lead | 1) Digestion, Inductively Coupled Plasma Method ^[7,15] 2) Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[7,16] |
| 82 | Manganese | 1) Digestion, Inductively Coupled Plasma Method ^[7,15] 2) Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[7,16] |
| 83 | Mercury | 1) Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[18] |



(นางริกาญจน์ ฉัตรสุกุลวิไล)

ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ

และหน่วยงานห้องปฏิบัติการ

2) Thermal...

| ลำดับที่ | สารมลพิษ | วิธีวิเคราะห์ |
|----------|--|---|
| 84 | Methanol | 2) Thermal Decomposition, Amalgamation, and Atomic Absorption Spectrophotometry ^[19] 3) Digestion, Cold-Vapor Atomic Fluorescence Spectrometric Method ^[20] Equilibrium Headspace, Gas Chromatographic/Mass Spectrometric Method ^[12,24] |
| 85 | Methoxychlor | 1) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 2) Automated Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25,31] |
| 86 | Methyl Bromide | Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[14,24] |
| 87 | Methylene Chloride | Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[14,24] |
| 88 | 2-methylphenol | Automated Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25,31] |
| 89 | 2-Methylnaphthalene | Automated Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25,31] |
| 90 | Methyl tert-Butyl Ether | Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[14,24] |
| 91 | Naphthalene | Automated Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25,31] |
| 92 | Nickel | 1) Digestion, Inductively Coupled Plasma Method ^[7,15] 2) Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[7,16] |
| 93 | Nitrobenzene | Automated Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25,31] |
| 94 | N-Nitrosodiphenylamine | Automated Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25,31] |
| 95 | N-Nitrosodi-n-propylamine | Automated Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25,31] |
| 96 | Polychlorinated biphenyls (PCBs) - Aroclor 1016 - Aroclor 1221 - Aroclor 1232 | 1) Soxhlet Extraction, Gas Chromatographic Method ^[10,23] 2) Automated Soxhlet Extraction, Gas Chromatographic Method ^[23,32] |

วิฑูรย์

(นางริกาญจน์ ฉัตรสกุลวิไล)

- Aroclor 1242...

| ลำดับที่ | สารมลพิษ | วิธีวิเคราะห์ |
|----------|--|--|
| | <ul style="list-style-type: none"> - Aroclor 1242 - Aroclor 1248 - Aroclor 1254 - Aroclor 1260 - 2-Chlorobiphenyl - 2,2',3,5'-Tetrachlorobiphenyl - 2,2',5,5'-Tetrachlorobiphenyl - 2,3',4,4'-Tetrachlorobiphenyl - 2,2',3,4,5'-Pentachlorobiphenyl - 2,2',4,5,5'-Pentachlorobiphenyl - 2,3,3',4',6-Pentachlorobiphenyl - 2,2',3,4,4',5'-Hexachlorobiphenyl - 2,2',3,4,5,5'-Hexachlorobiphenyl - 2,2',3,5,5',6-Hexachlorobiphenyl - 2,2',4,4',5,5'-Hexachlorobiphenyl - 2,2',3,3',4,4',5-Heptachlorobiphenyl - 2,2',3,4,4',5,5'-Heptachlorobiphenyl - 2,2',3,4,4',5',6-Heptachlorobiphenyl - 2,2',3,4',5,5',6-Heptachlorobiphenyl - 2,2',3,3',4,4',5,5',6-Nonachlorobiphenyl | |
| 97 | Pentachlorophenol | Automated Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25,31] |
| 98 | Phenanthrene | Automated Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25,31] |
| 99 | Phenol | Automated Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25,31] |
| 100 | Pyrene | Automated Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25,31] |

วิกรม

(นางริกาญจน์ ฉัตรสกุลวิไล)

ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ
และทะเบียนห้องปฏิบัติการ

101 Selenium...

| ลำดับที่ | สารมลพิษ | วิธีวิเคราะห์ |
|----------|--|--|
| 101 | Selenium | 1) Digestion, Inductively Coupled Plasma Method ^[7,15] 2) Digestion, Inductively Coupled Plasma/ Mass Spectrometric Method ^[7,16] |
| 102 | Silver | 1) Digestion, Inductively Coupled Plasma Method ^[7,15] 2) Digestion, Inductively Coupled Plasma/ Mass Spectrometric Method ^[7,16] |
| 103 | Styrene | Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[14,24] |
| 104 | 1,1,2,2-Tetrachloroethane | Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[14,24] |
| 105 | Tetrachloroethylene | Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[14,24] |
| 106 | Toluene | Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[14,24] |
| 107 | Toxaphene | 1) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 2) Automated Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[25,31] |
| 108 | TPH (C ₅ -C ₈) | Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[14,24] |
| 109 | TPH (C ₈ - C ₁₆) | 1) Solvent Extraction, Gas Chromatographic Method ^[11,21] 2) Automated Soxhlet Extraction, Gas Chromatographic Method ^[21,31] |
| 110 | TPH (C ₁₆ - C ₃₅) | 1) Solvent Extraction, Gas Chromatographic Method ^[11,21] 2) Automated Soxhlet Extraction, Gas Chromatographic Method ^[21,31] |
| 111 | 1,2,4-Trichlorobenzene | Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[14,24] |
| 112 | 1,1,1-Trichloroethane | Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[14,24] |
| 113 | 1,1,2-Trichloroethane | Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[14,24] |
| 114 | Trichloroethylene | Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[14,24] |
| 115 | 2,4,5-Trichlorophenol | Automated Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[25,31] |

วิมล

116 2,4,6-Trichlorophenol...


(นางริกาญจน์ ฉัตรสกุลวิไล)

ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ

| ลำดับที่ | สารมลพิษ | วิธีวิเคราะห์ |
|----------|------------------------|---|
| 116 | 2,4,6-Trichlorophenol | Automated Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[25,31] |
| 117 | 1,3,5-Trimethylbenzene | Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[14,24] |
| 118 | Vanadium | 1) Digestion, Inductively Coupled Plasma Method ^[7,15] 2) Digestion, Inductively Coupled Plasma/ Mass Spectrometric Method ^[7,16] |
| 119 | Vinyl Acetate | Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[14,24] |
| 120 | Vinyl Chloride | Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[14,24] |
| 121 | m-Xylene | Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[14,24] |
| 122 | o-Xylene | Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[14,24] |
| 123 | p-Xylene | Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[14,24] |
| 124 | Xylene (Total) | Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[14,24] |
| 125 | Zinc | 1) Digestion, Inductively Coupled Plasma Method ^[7,15] 2) Digestion, Inductively Coupled Plasma/ Mass Spectrometric Method ^[7,16] |

เอกสารอ้างอิง

- กระทรวงอุตสาหกรรม. ประกาศกระทรวงอุตสาหกรรม, พ.ศ. 2548. เรื่อง การกำจัดสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว.ราชกิจจานุเบกษา. 25 มกราคม 2549. เล่มที่ 123 ตอนพิเศษ 11ง.
- กระทรวงอุตสาหกรรม. ประกาศกระทรวงอุตสาหกรรม, พ.ศ. 2549. เรื่อง กำหนดค่าปริมาณเขม่าควันที่เจือปนในอากาศที่ระบายออกจากปล่องของหม้อน้ำโรงสีข้าวที่ใช้กลบเป็นเชื้อเพลิง.ราชกิจจานุเบกษา. 4 ธันวาคม 2549. เล่มที่ 123 ตอนพิเศษ 125ง.
- สมาคมวิศวกรรมสิ่งแวดล้อมแห่งประเทศไทย. คู่มือวิเคราะห์น้ำเสีย. พิมพ์ครั้งที่ 4. กรุงเทพฯ: เรือนแก้วการพิมพ์, 2547.
- APHA, AWWA, WEF. Standard Methods for the Examination of Water and Wastewater. 23rd ed. Washington, DC: APHA, 2017.
- United States Environmental Protection Agency. Standards of Performance for New Stationary Sources. 40 CFR 60. Appendix A, 2019.
- United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. SW-846, 1997.



 (นางริกาญจน์ ฉัตรสกุลวิไล)

ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ

7. United States...

7. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Acid Digestion of Sludges and Sediments and Soils. SW-846 Method 3050B**, 1996.
8. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Alkaline Digestion for Hexavalent Chromium. SW-846 Method 3060A**, 1996.
9. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Separatory Funnel Liquid-Liquid Extraction. SW-846 Method 3510C**, 1996.
10. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Soxhlet Extraction. SW-846 Method 3540C**, 1996.
11. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Microscale Solvent Extraction (MSE). SW-846 Method 3570**, 2002.
12. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Volatile Organic Compounds (VOCs) in Various Sample Matrices Using Equilibrium Headspace Analysis. SW-846 Method 5021A**, 2014.
13. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Purge-and-Trap for Aqueous Samples. SW-846 Method 5030B**, 1996.
14. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Closed-System Purge-and-Trap and Extraction for Volatile Organics in Soil and Waste Samples. SW-846 Method 5035**, 1996.
15. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Inductively Coupled Plasma- Atomic Emission Spectrometry. SW-846 Method 6010B**, 1996.
16. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Inductively Coupled Plasma-Mass Spectrometry. SW-846 Method 6020A**, 2007.
17. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Chromium, Hexavalent (Colorimetric). SW-846 Method 7196A**, 1992.
18. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Mercury in Solid or Semisolid Waste (Manual Cold-Vapor Technique). SW-846 Method 7471B**, 2007.
19. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Mercury in Solids and Solutions by Thermal Decomposition, Amalgamation, and Atomic Absorption Spectrophotometry. SW-846 Method 7473**, 2007

20. United States...


 (นางริกาญจน์ ฉัตรสกุลวิไล)
 ผู้อำนวยการกลุ่มมาตรฐานวิชาการวิเคราะห์ทดสอบผลิตภัณฑ์
 และเทคโนโลยีห้องปฏิบัติการ

20. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Mercury in Sediment and Tissue Sample by Atomic Fluorescence Spectrometry. SW-846 Method 7474, 2007.**

21. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Nonhalogenated Organics Using GC/FID. SW-846 Method 8015B, 1996.**

22. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Organochlorine Pesticides by Gas Chromatography. SW-846 Method 8081B, 2007.**

23. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Polychlorinated Biphenyls (PCBs) by Gas Chromatography. SW-846 Method 8082, 1996.**

24. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS). SW-846 Method 8260D, 2018.**

25. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Semivolatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS). SW-846 Method 8270E, 2018.**

26. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Total and Amenable Cyanide: Distillation SW-846 Method 9010B, 1996.**

27. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Cyanide Extraction Procedure for Solids and Oil. SW-846 Method 9013A, 1996.**

28. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Cyanide in Waters and Extracts Using Titrimetric and Manual Spectrophotometric Procedures. SW-846 Method 9014, 2014.**

29. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **pH Electrometric Measurement. SW-846 Method 9040C, 2004.**

30. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Soil and Waste pH. SW-846 Method 9045D, 2004.**

31. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Automated Soxhlet Extraction. SW-846 Method 3541, 1994.**



(นางริกาญจน์ ฉัตรสกุลไชย)

ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ
และทะเบียนห้องปฏิบัติการ



ที่ อก ๐๓๑๐(๓)/ ๖๔๗๐

กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท
เขตราชเทวี กรุงเทพฯ ๑๐๔๐๐

๒๔ มิถุนายน ๒๕๖๕

เรื่อง ขันทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

เรียน กรรมการผู้จัดการ บริษัท เอแอลเอส แลборาทอรี กรุ๊ป (ประเทศไทย) จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารมลพิษของห้องปฏิบัติการวิเคราะห์เอกชน
ลงวันที่ ๒๙ เมษายน ๒๕๖๔

สิ่งที่ส่งมาด้วย เอกสารแนบท้ายหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

บริษัท เอแอลเอส แลборาทอรี กรุ๊ป (ประเทศไทย) จำกัด จำนวน ๒ แผ่น

ตามหนังสือที่อ้างถึง บริษัท เอแอลเอส แลборาทอรี กรุ๊ป (ประเทศไทย) จำกัด ขอขึ้นทะเบียน
ห้องปฏิบัติการวิเคราะห์เอกชน พร้อมรายชื่อผู้ควบคุมดูแลห้องปฏิบัติการวิเคราะห์ เจ้าหน้าที่ประจำ
ห้องปฏิบัติการวิเคราะห์ และรายการสารมลพิษที่จะทำการวิเคราะห์ ต่อกรมโรงงานอุตสาหกรรม นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว ให้บริษัท เอแอลเอส แลборาทอรี กรุ๊ป
(ประเทศไทย) จำกัด ขันทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน มีเลขทะเบียน ว-๓๒๓ สถานที่ตั้งเลขที่
๖๑๖/๑๐ หมู่ที่ ๕ ตำบลแม่น้ำคู่ อำเภอปลวกแดง จังหวัดระยอง โดยมีองค์ประกอบดังนี้

ก. ผู้ควบคุมดูแลห้องปฏิบัติการวิเคราะห์

- | | | |
|--------------------------|---------------|--------------|
| ๑) นายเดช ช้างชน | ทะเบียนเลขที่ | ว-๓๒๓-ค-๙๔๔๒ |
| ๒) นางวิลาวัลย์ บริรักษ์ | ทะเบียนเลขที่ | ว-๓๒๓-ค-๙๔๔๓ |
| ๓) นายสุพจน์ สลามเต๊ะ | ทะเบียนเลขที่ | ว-๓๒๓-ค-๙๔๔๔ |

ข. เจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์

- | | | |
|---------------------------------|---------------|--------------|
| ๑) นางสาวณัฐมล บรรจงกิจ | ทะเบียนเลขที่ | ว-๓๒๓-จ-๙๔๔๕ |
| ๒) นางพจนา สีดา | ทะเบียนเลขที่ | ว-๓๒๓-จ-๙๔๔๖ |
| ๓) นางสาวธนิดา กุลสุริวงศ์ | ทะเบียนเลขที่ | ว-๓๒๓-จ-๙๔๔๗ |
| ๔) นายพิทยา ทองแดง | ทะเบียนเลขที่ | ว-๓๒๓-จ-๙๔๔๘ |
| ๕) นางชลธิชา สุนงค | ทะเบียนเลขที่ | ว-๓๒๓-จ-๙๔๔๙ |
| ๖) ว่าที่ ร.ต.รณชัย ม่วงมา | ทะเบียนเลขที่ | ว-๓๒๓-จ-๙๔๕๐ |
| ๗) นายวรารุณ ทัพพา | ทะเบียนเลขที่ | ว-๓๒๓-จ-๙๔๕๑ |
| ๘) นายศักดิ์รินทร์ จรัสกาย | ทะเบียนเลขที่ | ว-๓๒๓-จ-๙๔๕๒ |
| ๙) นายสุรศักดิ์ สาชิน | ทะเบียนเลขที่ | ว-๓๒๓-จ-๙๔๕๓ |
| ๑๐) นางสาวเพชรคุณ ภาณุตานนท์ | ทะเบียนเลขที่ | ว-๓๒๓-จ-๙๔๕๔ |
| ๑๑) นายสถาพร ถาแก้ว | ทะเบียนเลขที่ | ว-๓๒๓-จ-๙๔๕๕ |
| ๑๒) นายสุทธิดำรงค์ โชคปิตินันท์ | ทะเบียนเลขที่ | ว-๓๒๓-จ-๙๔๕๖ |

| | | |
|----------------------------------|---------------|--------------|
| ๑๓) นายวัลลภ หันไชยเนา | ทะเบียนเลขที่ | ว-๓๒๓-จ-๙๔๕๗ |
| ๑๔) นางสาววนาลี เจริญตระกูล | ทะเบียนเลขที่ | ว-๓๒๓-จ-๙๔๕๘ |
| ๑๕) นางสาวนิตา ผดุงจิตต์ | ทะเบียนเลขที่ | ว-๓๒๓-จ-๙๔๕๙ |
| ๑๖) นายธนะสิทธิ์ วงศ์ไชย | ทะเบียนเลขที่ | ว-๓๒๓-จ-๙๔๖๐ |
| ๑๗) นายชัยนุสรณ์ เลิศนันทกุลชัย | ทะเบียนเลขที่ | ว-๓๒๓-จ-๙๔๖๑ |
| ๑๘) นายสัจจา เพ็ชรแสง | ทะเบียนเลขที่ | ว-๓๒๓-จ-๙๔๖๒ |
| ๑๙) นายกันตภณ มณีสัมพันธ์ | ทะเบียนเลขที่ | ว-๓๒๓-จ-๙๔๖๓ |
| ๒๐) นางสาวจันทนีย์ โกเมนชนะ | ทะเบียนเลขที่ | ว-๓๒๓-จ-๙๔๖๔ |
| ๒๑) นายธารินทร์ อ็อกจินดา | ทะเบียนเลขที่ | ว-๓๒๓-จ-๙๔๖๕ |
| ๒๒) นายศุภณัฐ พิสัยพันธ์ | ทะเบียนเลขที่ | ว-๓๒๓-จ-๙๔๖๖ |
| ๒๓) นายศุภชัย วงศ์สุริยฉาย | ทะเบียนเลขที่ | ว-๓๒๓-จ-๙๔๖๗ |
| ๒๔) นายปฐมพงศ์ กรสวัสดิ์ | ทะเบียนเลขที่ | ว-๓๒๓-จ-๙๔๖๘ |
| ๒๕) นายไสว ตันโพธิ์ | ทะเบียนเลขที่ | ว-๓๒๓-จ-๙๔๖๙ |
| ๒๖) นางสาวกิตติยา สัญญาอริยาภรณ์ | ทะเบียนเลขที่ | ว-๓๒๓-จ-๙๔๗๐ |
| ๒๗) นางสาวเจษฎาพร ศรีบุญเรือง | ทะเบียนเลขที่ | ว-๓๒๓-จ-๙๔๗๑ |
| ๒๘) นางสาวมธุรินทร์ สิงห์เงา | ทะเบียนเลขที่ | ว-๓๒๓-จ-๙๔๗๒ |
| ๒๙) นางสาวธิดารัตน์ ศิริมังคะโร | ทะเบียนเลขที่ | ว-๓๒๓-จ-๙๔๗๓ |
| ๓๐) นายพิพัฒน์ นิภัทร์เศรษฐ์ | ทะเบียนเลขที่ | ว-๓๒๓-จ-๙๔๗๔ |
| ๓๑) นายศิริวิทย์ เรืองสม | ทะเบียนเลขที่ | ว-๓๒๓-จ-๙๔๗๕ |
| ๓๒) นายปารามศ สัตยาคุณ | ทะเบียนเลขที่ | ว-๓๒๓-จ-๙๔๗๖ |
| ๓๓) นายณนุท ธรรมสโร | ทะเบียนเลขที่ | ว-๓๒๓-จ-๙๔๗๗ |
| ๓๔) นางสาวศุภรัตน์ โสจันทร์ | ทะเบียนเลขที่ | ว-๓๒๓-จ-๙๔๗๘ |
| ๓๕) นายพชรกร อินทรเสนา | ทะเบียนเลขที่ | ว-๓๒๓-จ-๙๔๗๙ |
| ๓๖) นายทิวากร เชื้อมาก | ทะเบียนเลขที่ | ว-๓๒๓-จ-๙๔๘๐ |
| ๓๗) นายอนุรักษ ทองขจรศักดิ์ | ทะเบียนเลขที่ | ว-๓๒๓-จ-๙๔๘๑ |
| ๓๘) นายอภิชาติ วิชาส | ทะเบียนเลขที่ | ว-๓๒๓-จ-๙๔๘๒ |
| ๓๙) นายจรัสระวี ศรีรักษา | ทะเบียนเลขที่ | ว-๓๒๓-จ-๙๔๘๓ |
| ๔๐) นายประสานมิตร เชื้อนเพชร | ทะเบียนเลขที่ | ว-๓๒๓-จ-๙๔๘๔ |
| ๔๑) นายภาณุวัฒน์ วังบง | ทะเบียนเลขที่ | ว-๓๒๓-จ-๙๔๘๕ |
| ๔๒) นายสันติ ชัยชนะ | ทะเบียนเลขที่ | ว-๓๒๓-จ-๙๔๘๖ |
| ๔๓) นายสิทธิชัย แก้วเกตุ | ทะเบียนเลขที่ | ว-๓๒๓-จ-๙๔๘๗ |
| ๔๔) นายทินกร กุลชาติ | ทะเบียนเลขที่ | ว-๓๒๓-จ-๙๔๘๘ |

ค. ขอบข่ายสารมลพิษที่ได้รับขึ้นทะเบียนให้วิเคราะห์ในน้ำเสีย จำนวน ๑๔ รายการ
 อากาศเสีย (ปล่องระบาย) จำนวน ๗ รายการ และน้ำใต้ดิน จำนวน ๓ รายการ รวมทั้งสิ้นจำนวน ๒๔ รายการ
 ตามสิ่งที่ส่งมาด้วย

หนังสือฉบับนี้มีอายุ ๓ ปี นับจากวันที่กรมโรงงานอุตสาหกรรมออกหนังสือ หากประสงค์
จะต่ออายุหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน ให้ยื่นคำขอต่ออายุพร้อมเอกสารประกอบ
คำขอต่อกรมโรงงานอุตสาหกรรมภายใน ๓๐ วัน ก่อนวันสิ้นอายุของหนังสือรับขึ้นทะเบียนห้องปฏิบัติการ
วิเคราะห์เอกชน ซึ่งคำขอต่ออายุดังกล่าวขอรับได้ที่กรมโรงงานอุตสาหกรรม

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ



(นางจินดา เตชะศรีนทร์)

ผู้อำนวยการกองวิจัยและเตือนภัยมลพิษโรงงาน
ปฏิบัติราชการแทนอธิบดีกรมโรงงานอุตสาหกรรม

๒๘ มิ.ย. ๒๕๖๔

กองวิจัยและเตือนภัยมลพิษโรงงาน

ศูนย์วิจัยและเตือนภัยมลพิษโรงงานภาคตะวันออก

โทร. ๐ ๓๘๐๕ ๗๒๖๑-๓

ไปรษณีย์อิเล็กทรอนิกส์ eirw@diw.mail.go.th

เอกสารแนบท้ายหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

บริษัท เอแอลเอส แลบบอราทอรี กรุ๊ป (ประเทศไทย) จำกัด เลขทะเบียน ว-๓๒๓

ที่ ออก ๐๓๑๐(๓)/

๖๔๗๐

ลงวันที่

๒๘

มิถุนายน

๒๕๖๔

ขอขยาสารมลพิษที่ได้รับขึ้นทะเบียนจากกรมโรงงานอุตสาหกรรม จำนวน ๒๔ รายการ
น้ำเสีย จำนวน 14 รายการ

| ลำดับที่ | สารมลพิษ | วิธีวิเคราะห์ |
|----------|---------------------------|--|
| 1 | Biochemical Oxygen Demand | 1) 5-Day BOD Test, Membrane Electrode Method ^[2] 2) 5-Day BOD Test, Azide Modification Method ^[2] |
| 2 | Chemical Oxygen Demand | 1) Open Reflux, Titrimetric Method ^[2] 2) Closed Reflux, Colorimetric Method ^[2] 3) Closed Reflux, Titrimetric Method ^[2] |
| 3 | Color | ADMI Weighted – Ordinate Spectrophotometric Method ^[2] |
| 4 | Cyanide | Distillation, Colorimetric Method ^[2] |
| 5 | Formaldehyde | Distillation, Colorimetric Method ^[1] |
| 6 | Free Chlorine | DPD-Ferrous Titrimetric Method ^[2] |
| 7 | Oil and Grease | Liquid-Liquid Partition-Gravimetric Method ^[2] |
| 8 | pH | Electrometric Method ^[2] |
| 9 | Phenols | 1) Distillation, Chloroform Extraction Method ^[2] 2) Distillation, Direct Photometric Method ^[2] |
| 10 | Sulfide | ZnS Precipitation, Iodometric Method ^[2] |
| 11 | Temperature | Laboratory and Field Method ^[2] |
| 12 | Total Dissolved Solids | Dried at 180 °C ^[2] |
| 13 | Total Kjeldahl Nitrogen | Semi-Micro Kjeldahl Method ^[2] |
| 14 | Total Suspended Solids | Dried at 103-105 °C ^[2] |

อากาศเสีย (ปล่อยระบาย) จำนวน 7 รายการ

| ลำดับที่ | สารมลพิษ | วิธีวิเคราะห์ |
|----------|-------------------|--|
| 1 | Carbon Monoxide | 1) Sampling Bag, Non-Dispersive Infrared Method ^[5] 2) Instrumental Analyzer Method ^[8] |
| 2 | Hydrogen Sulfide | Absorption Sampling, Iodometric Method ^[5] |
| 3 | Opacity | Ringelmann's Method ^[3,4] |
| 4 | Oxide of Nitrogen | 1) Absorption Sampling, Phenoldisulfonic Acid Method ^[6] 2) Instrumental Analyzer Method ^[9] |
| 5 | Sulfur Dioxide | 1) Absorption Sampling, Barium-Thorin Titrimetric Method ^[5] 2) Instrumental Analyzer Method ^[10] |

วิภา สัมฤทธิ์

(นางสาววิชุดา สัมฤทธิ์ผล)

ผู้อำนวยการ

ศูนย์วิจัยและเตือนภัยมลพิษโรงงานภาคตะวันออก

Sulfuric Acid...

| ลำดับที่ | สารมลพิษ | วิธีวิเคราะห์ |
|----------|-----------------------------|--|
| 6 | Sulfuric Acid | Isokinetic Sampling, Barium – Thorin Titrimetric Method ^[6] |
| 7 | Total Suspended Particulate | Isokinetic Sampling, Gravimetric Method ^[7] |

น้ำใต้ดิน จำนวน 3 รายการ

| ลำดับที่ | สารมลพิษ | วิธีวิเคราะห์ |
|----------|----------|--|
| 1 | Cyanide | Distillation, Colorimetric Method ^[2] |
| 2 | pH | Electrometric Method ^[2] |
| 3 | Phenols | Distillation, Direct Photometric Method ^[2] |

เอกสารอ้างอิง

1. ธงชัย พรณสวัสดิ์ และวิบูลย์ลักษณ์ วิสุมธิดักดิ์, บรรณาธิการ. (2547) คู่มือวิเคราะห์น้ำเสีย. พิมพ์ครั้งที่ 4. กรุงเทพฯ: สมาคมวิศวกรรมสิ่งแวดล้อมแห่งประเทศไทย.

2. APHA, AWWA, WEF. Standard Methods for the Examination of Water and Wastewater. 23rd ed. Washington, DC : APHA, 2017

3. กระทรวงอุตสาหกรรม. ประกาศกระทรวงอุตสาหกรรม, พ.ศ. 2549. เรื่อง กำหนดค่าปริมาณเขม่าควันที่เจือปนในอากาศที่ระบายออกจากปล่องของหม้อน้ำโรงสีข้าวที่ใช้เกลบเป็นเชื้อเพลิง.

ราชกิจจานุเบกษา. 4 ธันวาคม 2549. เล่มที่ 123 ตอนพิเศษ 125ง.

4. กระทรวงอุตสาหกรรม. ประกาศกระทรวงอุตสาหกรรม, พ.ศ. 2549. เรื่อง กำหนดค่าปริมาณเขม่าควันที่เจือปนในอากาศที่ระบายออกจากปล่องของของหม้อน้ำของโรงงาน.

ราชกิจจานุเบกษา. 4 ธันวาคม 2549. เล่มที่ 123 ตอนพิเศษ 125ง.

5. United States Environmental Protection. Standards of Performance for New Stationary Sources. 40 CFR 60. Appendix A, 2017.

6. United States Environmental Protection. Standards of Performance for New Stationary Sources. 40 CFR 60. Appendix A, 2019.

7. United States Environmental Protection. Standards of Performance for New Stationary Sources. 40 CFR 60. Appendix A, 2020.

8. United States Environmental Protection Agency. Determination of Carbon Monoxide Emissions from Stationary Sources; Instrumental Analyzer Procedure. 40 CFR 60. Appendix A Method 10, 2017.

9. United States Environmental Protection Agency. Determination of Oxide of Nitrogen Emissions from Stationary Sources; Instrumental Analyzer Procedure. 40 CFR 60. Appendix A Method 7E, 2019.

10. United States Environmental Protection Agency. Determination of Sulfur Dioxide Emissions from Stationary Sources; Instrumental Analyzer Procedure. 40 CFR 60. Appendix A Method 6C, 2017.

วิภา สัมฤทธิ์ผล

(นางสาววิชุดา สัมฤทธิ์ผล)

ผู้อำนวยการ

ศูนย์วิจัยและเตือนภัยมลพิษโรงงานภาคตะวันออก

ที่ อก ๐๓๑๐(๕)/ ๑๑๖๑๒



กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ เขตราชเทวี
กรุงเทพมหานคร ๑๐๔๐๐

๑๕ ตุลาคม ๒๕๖๓

เรื่อง ต่ออายุหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

เรียน กรรมการผู้จัดการ บริษัท เอแอลเอส แลบอราทอรี กรุ๊ป (ประเทศไทย) จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารมลพิษของห้องปฏิบัติการวิเคราะห์เอกชน
ลงวันที่ ๑๐ สิงหาคม ๒๕๖๓

สิ่งที่ส่งมาด้วย เอกสารแนบท้ายหนังสือรับต่ออายุขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน
บริษัท เอแอลเอส แลบอราทอรี กรุ๊ป (ประเทศไทย) จำกัด จำนวน ๓ แผ่น

ตามหนังสือที่อ้างถึง บริษัท เอแอลเอส แลบอราทอรี กรุ๊ป (ประเทศไทย) จำกัด ขอต่ออายุ
หนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน เลขทะเบียน ว-๒๖๗ สถานที่ตั้งเลขที่ ๑๑๔/๑ หมู่ที่ ๘
ถนนกาญจนาภิเษก ตำบลบ้านพรุ อำเภอหาดใหญ่ จังหวัดสงขลา ต่อกรมโรงงานอุตสาหกรรม นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว ให้บริษัท เอแอลเอส แลบอราทอรี กรุ๊ป (ประเทศไทย)
จำกัด ต่ออายุหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน โดยมีองค์ประกอบดังนี้

ก. ผู้ควบคุมดูแลห้องปฏิบัติการวิเคราะห์

นางสาวกนิษฐา เหมประสาทพร ทะเบียนเลขที่ ว-๒๖๗-ค-๗๒๙๖

ข. เจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์

๑) นางสาวปรีติยา พงษ์ปาน ทะเบียนเลขที่ ว-๒๖๗-จ-๗๒๙๘

๒) นางสาวสุทธิรักษ์ ทิพย์รัตน์ ทะเบียนเลขที่ ว-๒๖๗-จ-๗๒๙๙

๓) นางสาวนริสา นฤมิตร ทะเบียนเลขที่ ว-๒๖๗-จ-๗๓๐๐

๔) นางสาวขวัญนาถ ภัคดี ทะเบียนเลขที่ ว-๒๖๗-จ-๗๓๐๑

๕) นายวุฒิชัย ทวยเจริญ ทะเบียนเลขที่ ว-๒๖๗-จ-๗๓๐๓

๖) นายยงศิลป์ รังษี ทะเบียนเลขที่ ว-๒๖๗-จ-๗๓๐๔

๗) นางสาวกมลลา บัวสิงห์ ทะเบียนเลขที่ ว-๒๖๗-จ-๗๖๒๑

๘) นายอภิวัฒน์ ฉันทะ ทะเบียนเลขที่ ว-๒๖๗-จ-๗๖๒๒

๙) นายศิริชัย เกลี้ยงเกิด ทะเบียนเลขที่ ว-๒๖๗-จ-๗๖๒๓

๑๐) นายสมศักดิ์ จันทรงค์ ทะเบียนเลขที่ ว-๒๖๗-จ-๘๓๔๑

๑๑) นางสาวพิชญา ศุภรานนท์ ทะเบียนเลขที่ ว-๒๖๗-จ-๘๓๔๒

๑๒) นายปัญญา เกียรติพิรุณรักษ์ ทะเบียนเลขที่ ว-๒๖๗-จ-๘๓๔๓

๑๓) นางสาวชญญา เพชรณิโชติ ทะเบียนเลขที่ ว-๒๖๗-จ-๘๓๔๔

๑๔) นางสาวศศิณิกา สิงห์ภาณุพงศ์ ทะเบียนเลขที่ ว-๒๖๗-จ-๘๓๔๕

๑๕) นางสาวชุติมา สุขสวัสดิ์ ทะเบียนเลขที่ ว-๒๖๗-จ-๘๓๔๖

๑๖) นางสาวจันทิมา คงทน ทะเบียนเลขที่ ว-๒๖๗-จ-๘๓๔๗

๑๗) นางสาวสมฤดี...

๑๗) นางสาวสมฤดี ชูบัว

ทะเบียนเลขที่ ว-๒๖๗-จ-๘๓๔๘

๑๘) นายสรวิวัฒน์ ดีเลิศ

ทะเบียนเลขที่ ว-๒๖๗-จ-๘๓๔๙

ค. ขอบข่ายสารมลพิษที่ได้รับขึ้นทะเบียนให้วิเคราะห์ในน้ำเสีย จำนวน ๒๖ รายการ
อากาศเสีย จำนวน ๑๒ รายการ รวมทั้งสิ้น ๓๘ รายการ ตามสิ่งที่ส่งมาด้วย

หนังสือฉบับนี้จะหมดอายุในวันที่ ๑๖ สิงหาคม ๒๕๖๖ หากประสงค์จะต่ออายุหนังสือรับขึ้น
ทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน ให้ยื่นคำขอต่ออายุพร้อมเอกสารประกอบคำขอต่อกรมโรงงาน
อุตสาหกรรมภายใน ๓๐ วัน ก่อนวันสิ้นอายุของหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน ซึ่งคำขอ
ต่ออายุดังกล่าวขอรับได้ที่กรมโรงงานอุตสาหกรรม

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ



(นางจันทา เดชะศรีนทร์)

ผู้อำนวยการกองวิจัยและเตือนภัยมลพิษโรงงาน
ปฏิบัติการตรวจเฝ้าระวังมลพิษโรงงานอุตสาหกรรม

กองวิจัยและเตือนภัยมลพิษโรงงาน

ศูนย์วิจัยและเตือนภัยมลพิษโรงงานภาคใต้

โทร. ๐ ๗๔๓๒ ๕๐๒๙ - ๓๑

ไปรษณีย์อิเล็กทรอนิกส์ sirw@diw.mail.go.th

เอกสารแนบท้ายหนังสือรับต่ออายุขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน
บริษัท เอแอลเอส แลบบอราทอรี กรุ๊ป (ประเทศไทย) จำกัด เลขทะเบียน ว-๒๖๗
ที่ อก ๐๓๑๐(๕)/ ๑ ๑ ๖ ๑ ๒ ลงวันที่ ๑๕ ตุลาคม ๒๕๖๓

ขอขยายสารมลพิษที่ได้รับการขึ้นทะเบียนจากกรมโรงงานอุตสาหกรรม จำนวน ๓๘ รายการ
น้ำเสีย จำนวน 26 รายการ

| ลำดับที่ | สารมลพิษ | วิธีวิเคราะห์ |
|----------|---------------------------|--|
| 1 | Arsenic | Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[2] |
| 2 | Barium | Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[2] |
| 3 | Biochemical Oxygen Demand | 1) 5-Day BOD Test, Azide Modification Method ^[2] 2) 5-Day BOD Test, Membrane Electrode Method ^[2] |
| 4 | Cadmium | Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[2] |
| 5 | Chemical Oxygen Demand | Closed Reflux, Colorimetric/Titrimetric Method ^[2] |
| 6 | Chromium | Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[2] |
| 7 | Color | ADMI Weighted-Ordinate Spectrophotometric Method ^[2] |
| 8 | Copper | Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[2] |
| 9 | Cyanide | Distillation, Colorimetric Method ^[2] |
| 10 | Formaldehyde | Distillation, Colorimetric Method ^[2] |
| 11 | Free Chlorine | DPD Ferrous Titrimetric Method ^[2] |
| 12 | Hexavalent Chromium | Filtration, Colorimetric Method ^[2] |
| 13 | Lead | Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[2] |
| 14 | Manganese | Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[2] |
| 15 | Mercury | Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[2] |

(นายเนเรศวร์ ตริยงค์)
ผู้อำนวยการศูนย์วิจัยและเตือนภัย
มลพิษโรงงานภาคใต้
16 Nickel...

| ลำดับที่ | สารมลพิษ | วิธีวิเคราะห์ |
|----------|------------------------|--|
| 16 | Nickel | Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[2] |
| 17 | Oil and Grease | Liquid-Liquid, Partition-Gravimetric Method ^[2] |
| 18 | pH | Electrometric Method ^[2] |
| 29 | Phenol | Distillation, Direct Photometric Method ^[2] |
| 20 | Selenium | Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[2] |
| 21 | Sulfide | ZnS Precipitation, Iodometric Method ^[2] |
| 22 | Temperature | Laboratory and Field Methods ^[2] |
| 23 | Total Dissolved Solids | Dried at 180 °C ^[2] |
| 24 | Total Suspended Solids | Dried at 103-105 °C ^[2] |
| 25 | Trivalent Chromium | Digestion, Inductively Coupled Plasma/Mass Spectrometric Method, Colorimetric Method; Calculation ^[2] |
| 26 | Zinc | Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[2] |

อากาศเสีย (ปล่อยระบาย) จำนวน 12 รายการ

| ลำดับที่ | สารมลพิษ | วิธีวิเคราะห์ |
|----------|------------------|---|
| 1 | Antimony | Isokinetic Sampling, Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[3] |
| 2 | Arsenic | Isokinetic Sampling, Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[3] |
| 3 | Carbon Monoxide | Sampling Bag, Non-Dispersive Infrared Method ^[3] |
| 4 | Copper | Isokinetic Sampling, Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[3] |
| 5 | Dioxins | Isokinetic Sampling, Analysis by ISO/IEC 17025 Accredited Laboratory ^[3] |
| 6 | Hydrogen Sulfide | Absorption, Iodometric Method ^[3] |
| 7 | Lead | Isokinetic Sampling, Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[3] |

| ลำดับที่ | สารมลพิษ | วิธีวิเคราะห์ |
|----------|-----------------------------|--|
| 8 | Opacity | Ringelmann's Method ^[1] |
| 9 | Oxides of Nitrogen | Absorption Sampling, Phenoldisulfonic Acid Method ^[3] |
| 10 | Sulfur Dioxide | Absorption Sampling, Barium-Thorin Titrimetric Method ^[3] |
| 11 | Sulfuric Acid | Isokinetic Sampling, Barium-Thorin Titrimetric Method ^[3] |
| 12 | Total Suspended Particulate | Isokinetic Sampling, Gravimetric Method ^[3] |

เอกสารอ้างอิง

1. กระทรวงอุตสาหกรรม. ประกาศกระทรวงอุตสาหกรรม, พ.ศ. 2549. เรื่อง กำหนดค่าปริมาณเขม่าควันที่เจือปนในอากาศที่ระบายออกจากปล่องของหม้อน้ำโรงสีข้าวที่ใช้แก๊สเป็นเชื้อเพลิง. ราชกิจจานุเบกษา. 4 ธันวาคม 2549. เล่มที่ 123 ตอนพิเศษ 125ง.
2. APHA, AWWA, WEF. **Standard Methods for the Examination of Water and Wastewater**. 23rd ed. Washington, DC: APHA, 2017.
3. United States Environmental Protection Agency. **Standards of Performance for New Stationary Sources**. 40 CFR 60. Appendix A, 2013.


 (นายณรงค์ ตรียงค์)
 ผู้อำนวยการศูนย์วิจัยและเตือนภัย
 มลพิษโรงงานภาคใต้



บริษัท เอแอลเอส แล็บอราทอรี กรุ๊ป (ประเทศไทย) จำกัด (สำนักงานใหญ่)
104 ซอยพัฒนาการ 40 ถนนพัฒนาการ
แขวงพัฒนาการ เขตสวนหลวง กรุงเทพฯ 10250



ติดต่อเรา

