

TESTING  
NO.0001

## Analysis/Test Report

Customer Name : บริษัท ราชาโอเวอร์ซีส์ เทรคคิง จำกัด

Address : 50 ซอยสุขุมวิท 19 ถนนสุขุมวิท แขวงคลองเตยเหนือ เขตวัฒนา กรุงเทพมหานคร 10110

Sampling Site : โรงแรมแกรนด์ เมอร์เคียว กรุงเทพ อโศก เรสซิเดนซ์

Sample Type : น้ำเสีย

Sampling by : บริษัท เทสต์ เทค จำกัด

Sampling Method : Grab

Sampling Date : 26/07/2565

Sampling Time : 14:50 น.

Received Date : 27/07/2565

Analytical Date : 27/07 - 02/08/2565

Report Date : 03/08/2565

Report No. : R16653/65

Parameters	Unit	Method	TW15877 /65	มาตรฐาน <sup>a</sup> (อาคารประเภท ข)
			Effluent	
pH	-	SM 2017 (4500-H <sup>+</sup> B)	7.3	5.0 - 9.0
BOD	mg/L	SM 2017 (5210 B, 4500-O C)	18	≤ 30
Total Suspended Solids	mg/L	SM 2017 (2540 D)	20	≤ 40
Total Dissolved Solids	mg/L	Based on SM 2017 (2540 C)	328	500 <sup>xx</sup>
Oil & Grease	mg/L	SM 2017 (5520 D)	< 3.0	≤ 20
Total Kjeldahl Nitrogen	mg/L as N	SM 2017 (4500 N <sub>org</sub> B)	32.9	35.9 ≤ 35
* Sulfide	mg/L as H <sub>2</sub> S	Iodometric	< 0.30	≤ 1.0
* Settleable Solids	mL/L	Volumetric Test	< 0.5	≤ 0.5
Sample Condition		Observation	เหลืองจาง มีตะกอนแขวนลอย	

Remark : 1. SM 2017 : Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 23<sup>rd</sup> ed., 2017

2. Test marked " \* " on this report are not included in scope of Accreditation

3. a : อ้างอิงตามประกาศกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม เรื่อง กำหนดมาตรฐานควบคุมการระบายน้ำทิ้งจากอาคาร  
บางประเภทและบางขนาด ตีพิมพ์ในราชกิจจานุเบกษา เล่มที่ 122 ตอนที่ 125 ง ลงวันที่ 29 ธันวาคม พ.ศ. 2548,  
<sup>xx</sup> เป็นค่าที่เพิ่มจากปริมาณสารละลายในน้ำใช้ตามปกติ

Miss PATPIMOL YOTEE

Analyst

03/08/2565



Miss ORASA YUBUA

Technical Manager

03/08/2565

Reported results refer to the sample as received only.

Test report shall not be reproduced except in full, without written approved of the laboratory.

TESTING  
NO.0001

## Analysis/Test Report

Customer Name : บริษัท ราชาโอเวอร์ซีส์ เทคดิง จำกัด

Address : 50 ซอยสุขุมวิท 19 ถนนสุขุมวิท แขวงคลองเตยเหนือ เขตวัฒนา กรุงเทพมหานคร 10110

Sampling Site : โรงแรมแกรนด์ เมอร์เคียว กรุงเทพ อโศก เรสซิเดนซ์

Sample Type : น้ำประปา

Sampling by : บริษัท เทสท์ เทค จำกัด

Sampling Method : Grab

Sampling Date : 26/07/2565

Sampling Time : 14:40 น.

Received Date : 27/07/2565

Analytical Date : 27/07 - 02/08/2565

Report Date : 03/08/2565

Report No. : R16652/65

Parameters	Unit	Method	TW15876 /65
			น้ำประปา
Total Dissolved Solids	mg/L	Based on SM 2017 (2540 C)	212
Sample Condition		Observation	ใส

Remark : 1. SM 2017 : Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 23<sup>rd</sup> ed., 2017

Miss NARISARA PONGPILA

Analyst

03/08/2565



Miss REWADEE SIRIMONGKOL

Laboratory Management

03/08/2565

Reported results refer to the sample as received only.

Test report shall not be reproduced except in full, without written approved of the laboratory.

## Analysis/Test Report

Customer Name : บริษัท ราชาโอเวอร์ซีส์เทรดดิ้ง จำกัด

Address : 50 ซอยสุขุมวิท 19 ถนนสุขุมวิท แขวงคลองเตยเหนือ เขตวัฒนา กรุงเทพมหานคร 10110

Sampling Site : โรงแรมแกรนด์ เมอร์เคียว กรุงเทพ อโศก เรสซิเดนซ์

Sample Type : น้ำเสีย

Sampling by : บริษัท เทสต์ เทค จำกัด

Sampling Method : Grab

Sampling Date : 09/11/2565

Sampling Time : 14:25 น.

Received Date : 10/11/2565

Analytical Date : 10 - 16/11/2565

Report Date : 18/11/2565


Report No. : R25217/65

Parameters	Unit	Method	TW24150 /65	มาตรฐาน <sup>a</sup> (อาคารประเภท ข)
			Effluent	
pH	-	SM 2017 (4500-H <sup>+</sup> B)	7.3	5.0 - 9.0
BOD	mg/L	SM 2017 (5210 B, 4500-O G)	15	≤ 30
Total Suspended Solids	mg/L	SM 2017 (2540 D)	27	≤ 40
Total Dissolved Solids	mg/L	Based on SM 2017 (2540 C)	262	500 <sup>xx</sup>
Oil & Grease	mg/L	SM 2017 (5520 D)	< 3.0	≤ 20
Total Kjeldahl Nitrogen	mg/L as N	SM 2017 (4500 N <sub>org</sub> B)	34.6	≤ 35
* Sulfide	mg/L as H <sub>2</sub> S	Iodometric	< 0.30	≤ 1.0
* Settleable Solids	mL/L	Volumetric Test	< 0.5	≤ 0.5
Sample Condition		Observation	เหลืองขาว มีตะกอนแขวนลอย	

Remark : 1. SM 2017 : Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 23<sup>rd</sup> ed., 2017

2. Test marked " \* " on this report are not included in scope of Accreditation

3. a : อ้างอิงตามประกาศกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม เรื่อง กำหนดมาตรฐานควบคุมการระบายน้ำทิ้งจากอาคารบางประเภทและบางขนาด ตีพิมพ์ในราชกิจจานุเบกษา เล่มที่ 122 ตอนที่ 125 ง ลงวันที่ 29 ธันวาคม พ.ศ. 2548,

<sup>xx</sup> เป็นค่าที่เพิ่มจากปริมาณสารละลายในน้ำใช้ตามปกติ


Miss KUTTLEEYA HAWHAN

Analyst

18/11/2565



Miss ORASA YUBUA

Technical Manager

18/11/2565

Reported results refer to the sample as received only.

Test report shall not be reproduced except in full, without written approved of the laboratory.

TESTING  
NO.0001

## Analysis/Test Report

Customer Name : บริษัท ราชาโอเวอร์ซีส์ เทรคคิง จำกัด

Address : 50 ซอยสุขุมวิท 19 ถนนสุขุมวิท แขวงคลองเตยเหนือ เขตวัฒนา กรุงเทพมหานคร 10110

Sampling Site : โรงแรมแกรนด์ เมอร์เคียว กรุงเทพฯ อโศก เรสซิเดนซ์

Sample Type : น้ำประปา

Sampling by : บริษัท เทสต์ เทค จำกัด

Sampling Method : Grab

Sampling Date : 09/11/2565

Sampling Time : 14:25 น.

Received Date : 10/11/2565

Analytical Date : 10 - 12/11/2565

Report Date : 14/11/2565

Report No. : R24913/65

Parameters	Unit	Method	TW24149 /65
			น้ำประปา
Total Dissolved Solids	mg/L	Based on SM 2017 (2540 C)	172
Sample Condition		Observation	ใส

Remark : 1. SM 2017 : Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 23<sup>rd</sup> ed., 2017

Miss NARISARA PONGPILA

Analyst

14/11/2565



Miss ORASA YUBUA

Technical Manager

14/11/2565

Reported results refer to the sample as received only.

Test report shall not be reproduced except in full, without written approved of the laboratory.



# Metrological Center

## SCI ECO Services Company Limited

33/2 Moo 3, T.Banpa, A.Kaengkhoi, Saraburi 18110, Thailand.

Saraburi Tel : +66 3627 3096 Fax : +66 3627 3100

Bangkok Tel : +66 2586 5792-4 Fax : +66 2586 5109

Website : www.scieco.co.th E-Mail : calibrate@scg.co.th



Certificate No. T202108

Page 1 of 4

## Certificate of Calibration

**Equipment** : Chamber ( Incubator )

**Manufacturer** : -

**Model** : -

**Serial No.** : -

**Customer Code** : EQL-166

**ID No.** : T1792A4

**Customer** : Test Tech Co.,Ltd

30, 32 Rama II Soi 63, Rama II Rd., Samaedam,

Bangkhunthian Bangkok 10150

**Customer Location** : BOD Room

**Date of Receipt** : 23 September 2020

**Calibrated By** : Watcharapon Sangtong (Technician )

**Approved By** :  / Sujjar Naknakred (Site Calibration Manager)

**Date of Issue** : 02 OCT 2020

The uncertainties are for a confidence probability of approximately 95%.

This Certificate is issued in accordance with the conditions of accreditation granted by the Thai Laboratory Accreditation Scheme which has assessed the measurement capability of the laboratory and its traceability to recognized national standards and to the units of measurement realized at the corresponding national standard laboratory. This certificate may not be reproduced other than in full except with the prior written approval of the Metrological Center.

Certificate No. T202108

Page 2 of 4

## Calibration Report

**Equipment** : Chamber ( Incubator )  
**Date of Calibration** : 28 September 2020  
**Environment** : Temperature : 24.7-25.1 °C  
 Line Voltage : 221.4-230.2 V  
 Relative Humidity : 55 - 65 %RH

### Condition of this results of calibration :

1. This equipment was calibrated by insert 13 resistance thermometer detectors into its chamber , the other one resistance thermometer detector use for ambient temperature measurement . The calibration was done in according to WI-T20 ( based on ASTM E145-94 ( Reapproved 2001) and AS2853-1986 ).

All data show below were final values and the initial data from customer request . The temperature scale used was based on ITS - 90 .

### 2. Reference Standard Instrument :

Instrument	Model	Instrument No.	Certificate No.	Due Date
RTD	100 ohm	29-(CH1-10)	T192677	12 November 2020
RTD	100 ohm	28-(CH1-10)	T192677	12 November 2020
DATA LOGGER	34970A	T151	T192677	12 November 2020

### 3. This certificate is traceable to :

National Institute of Metrology ( Thailand ) through Metrological Center ( NSC-TISI-TIS 17025 CALIBRATION 0244.)

### 4. Condition of calibrated item : good

Equipment Description :

Time Constant 2 Hour - Minute At 20 °C  
 Fresh Air Damper ☐ Open ☐ Min ☐ Medium ☐ Max  
☐ Close  
☒ Not Available

### 5. Adjustment :

( X ) without adjustment


( ) after adjustment

Approved By. 

Certificate No. T202108

Page 3 of 4

## Calibration Report



C = Centre , F = Centre of Face , A = Corner , E = Centre of Edge

1C = 29-CH1	12F = 28-CH2
2A = 29-CH2	13A = 28-CH3
3A = 29-CH3	
4F = 29-CH4	
5A = 29-CH5	
6A = 29-CH6	
7F = 29-CH7	
8F = 29-CH8	
9A = 29-CH9	
10A = 29-CH10	
11F = 28-CH1	

Approved By. 

Certificate No. T202108

Page 4 of 4

## Calibration Report

### Measurement Results :

Average Standard Reading at each position (°C)										
Calibration Point	29-CH1	29-CH2	29-CH3	29-CH4	29-CH5	29-CH6	29-CH7	29-CH8	29-CH9	29-CH10
20	20.52	19.92	20.25	20.11	20.14	20.14	20.06	19.70	20.12	20.08
	28-CH1	28-CH2	28-CH3							
	19.82	20.00	19.79							

Chamber ( Incubator )			Temperature Distribution				
Setting (°C)	Reading (°C)		Average (°C)	Stability (± °C)	Uniformity (°C)	Uncertainty (± °C)	Coverage Factor <i>k</i>
	Min , Max	Average					
20.0	-	20.0	20.05	0.10	0.58	0.39	2.02

\* The Acuoted uncertainty exclude "uniformity"

The calibration result apply only the above calibrated item.

The result of test was found accurate as shown on date and place of test only.

The reported expanded uncertainty is based on a standard uncertainty multiplied by a coverage factor *k* which for a t-distribution, providing a level of confidence of approximately 95 % .

Approved By. \_\_\_\_\_





CERTIFICATE No : 20T2238  
REFERENCE No : 56115-3

PAGE : 1 OF 2

## Certificate of Calibration

EQUIPMENT : INCUBATOR  
MANUFACTURER : MEMMERT  
MODEL : IF160  
SERIAL No : D518.0082  
ID No : EQL-205  
CONDITION AS RECEIVED : USED ITEM  
SUBMITTED BY : TEST TECH CO., LTD.  
30,32 RAMA II SOI 63, RAMA II RD., SAMAEDAM,  
BANGKHUNTHIAN, BANGKOK 10150

CALIBRATED BY : PRASERT D.  
CALIBRATION DATE : 09-Mar-20

APPROVED BY : PONGSAK J.  
ISSUED DATE : 10-Mar-20  
RECEIVED DATE : 09-Mar-20



# QUALITY CALIBRATION CO.,LTD.

235 Petchkasem 63/2 Road, Laksong, Bangkoe, Bangkok 10160

Tel (662) 421-5402, (662) 444-0152-3, Fax (662) 809-4584

CERTIFICATE No : 20T2238

PAGE : 2 OF 2

## Calibration Report

EQUIPMENT : INCUBATOR  
MANUFACTURER : MEMMERT  
MODEL : IF160  
ID No : EQL-205  
RECEIVED DATE : 09-Mar-20  
AMBIENT TEMPERATURE : 27 °C ± 1 °C  
S/N : D518.0082  
CALIBRATION DATE : 09-Mar-20  
RELATIVE HUMIDITY : 53 %RH ± 10 %RH

### CONDITION OF THIS RESULTS OF CALIBRATION


1. THIS INSTRUMENT WAS CALIBRATED ACCORDING TO TLAS G-20 BY COMPARISON WITH CALIBRATED RTD Pt100 UNDER NO LOAD CONDITION. THE TEMPERATURE PROBES WERE PLACED ON NINE POINTS AND LOCATED ONE THERMOMETER PROBE IN EACH OF THE EIGHT CORNERS OF THE CHAMBER AND WAS AWAY FROM THE EACH WALL OF 5 cm TO 10 cm. AND PLACED THE NINTH THERMOMETER PROBE WITHIN 2.5 cm. OF THE GEOMETRIC CENTER OF THE CHAMBER. THE UNIFORMITY WAS MEASURED BETWEEN REFERENCE PROBE AND OTHER PROBES AT THE SAME TIME.

REFERENCE STANDARD INSTRUMENTS :-

INSTRUMENT	MODEL	SERIAL No	CERTIFICATE No	DUE DATE
1) DATA LOGGER WITH RTD	HYDRA 2635A	6635300	19T6773	13-Jul-20

3. THIS RESULT WAS FOUND ACCURATE AS SHOWN ON DATE AND PLACE OF CALIBRATION ONLY.  
4. THIS RESULT EXCLUDE LONG TERM STABILITY OF THE UNIT UNDER CALIBRATION.  
5. THIS CERTIFICATE IS TRACEABLE TO THE INTERNATIONAL SYSTEM OF UNIT MAINTAINED AT:-  
- NATIONAL INSTITUTE OF METROLOGY (THAILAND) THROUGH QUALITY CALIBRATION CO.,LTD.

### RESULT OF CALIBRATION :- WITHOUT ADJUSTMENT



FRONT

#### GENERAL INFORMATION

Overall Ambient Temperature around the Chamber (°C) variation : 1

Overall Line Voltage (V) variation : 5

Instrument Condition : Normal

Chamber Size (W\*L\*H): 56\*40\*72 cm

#### CHAMBER PERFORMANCE

Controller Temperature (°C)	Indicating Temperature (°C)	Average All Locations (±°C)	Temperature Stability (±°C)	Temperature Uniformity (°C)	Overall Variation (°C)
35.0	35.0	35.01	0.04	0.25	0.33
36.0	36.0	36.12	0.04	0.29	0.34
41.5	41.5	41.54	0.03	0.38	0.40

#### TEMPERATURE MEASUREMENT ACCURACY TEST

Controller Temp (°C)	Indicating Temp (°C)	Measured Temperature (°C) at Spread Locations									Uncertainty (± °C)
		#1	#2	#3	#4	Ref. 5	#6	#7	#8	#9	
35.0	35.0	34.87	34.90	34.85	34.88	35.15	35.09	35.10	35.17	35.07	0.25
36.0	36.0	35.96	36.00	35.94	35.97	36.27	36.21	36.23	36.29	36.18	0.25
41.5	41.5	41.37	41.39	41.30	41.37	41.72	41.63	41.68	41.71	41.63	0.36

NOTE 1 : THE UNCERTAINTY OF MEASUREMENT EXCLUDED TEMPERATURE UNIFORMITY OF THE CHAMBER.

NOTE 2: LOCATION 5 WAS REFERENCE LOCATION.

NOTE 3 : THIS CALIBRATION WAS CARRIED OUT AT THE CUSTOMER'S PLACE AT LABORATORY AREA.

THE REPORTED UNCERTAINTY OF MEASUREMENT WAS BASED ON A STANDARD UNCERTAINTY MULTIPLIED BY A COVERAGE FACTOR k =2, PROVIDING A LEVEL OF CONFIDENCE APPROXIMATELY 95%.

END OF CALIBRATION REPORT




CERTIFICATE No : 20T9165  
REFERENCE No : 58577-2

PAGE : 1 OF 2

## Certificate of Calibration

EQUIPMENT : INCUBATOR  
MANUFACTURER : MEMMERT  
MODEL : INB 400  
SERIAL No : E405.0946  
ID No : EQL-087  
CONDITION AS RECEIVED : USED ITEM  
SUBMITTED BY : TEST TECH CO., LTD.  
30,32 RAMA II SOI 63, RAMA II RD., SAMAEDAM,  
BANGKHUNTHIAN, BANGKOK 10150

CALIBRATED BY : PRASERT P.  
CALIBRATION DATE : 14-Sep-20

APPROVED BY :   
PONGSAK J.  
ISSUED DATE : 15-Sep-20  
RECEIVED DATE : 14-Sep-20



# QUALITY CALIBRATION CO.,LTD.

235 Petchkasem 63/2 Road, Laksong, Bangkai, Bangkok 10160

Tel (662) 421-5402, (662) 444-0152-3, Fax (662) 809-4584

CERTIFICATE No : 20T9165

PAGE : 2 OF 2

## Calibration Report

EQUIPMENT : INCUBATOR  
MANUFACTURER : MEMMERT  
MODEL : INB 400  
ID No : EQL-087  
RECEIVED DATE : 14-Sep-20  
AMBIENT TEMPERATURE : 26 °C ± 1 °C  
S/N : E405.0946  
CALIBRATION DATE : 14-Sep-20  
RELATIVE HUMIDITY : 48 %RH ± 10 %RH

### CONDITION OF THIS RESULTS OF CALIBRATION


1. THIS INSTRUMENT WAS CALIBRATED ACCORDING TO TLAS G-20 BY COMPARISON WITH CALIBRATED RTD Pt100 UNDER NO LOAD CONDITION. THE TEMPERATURE PROBES WERE PLACED ON NINE POINTS AND LOCATED ONE THERMOMETER PROBE IN EACH OF THE EIGHT CORNERS OF THE CHAMBER AND WAS AWAY FROM THE EACH WALL OF 5 cm TO 10 cm. AND PLACED THE NINTH THERMOMETER PROBE WITHIN 2.5 cm. OF THE GEOMETRIC CENTER OF THE CHAMBER. THE UNIFORMITY WAS MEASURED BETWEEN REFERENCE PROBE AND OTHER PROBES AT THE SAME TIME.

2. REFERENCE STANDARD INSTRUMENTS :-

INSTRUMENT	MODEL	SERIAL No	CERTIFICATE No	DUE DATE
1) DATA LOGGER WITH RTD	HYDRA 2635A	6635300	20T7221	11-Jul-21

3. THIS RESULT WAS FOUND ACCURATE AS SHOWN ON DATE AND PLACE OF CALIBRATION ONLY.  
4. THIS RESULT EXCLUDE LONG TERM STABILITY OF THE UNIT UNDER CALIBRATION.  
5. THIS CERTIFICATE IS TRACEABLE TO THE INTERNATIONAL SYSTEM OF UNIT MAINTAINED AT:-  
- NATIONAL INSTITUTE OF METROLOGY (THAILAND) THROUGH QUALITY CALIBRATION CO.,LTD.

**RESULT OF CALIBRATION :-** WITHOUT ADJUSTMENT



FRONT

### GENERAL INFORMATION

Overall Ambient Temperature around the Chamber (°C) variation : 4
Overall Line Voltage (V) variation : 6
Instrument Condition : Normal
Chamber Size (W*L*H): 40*33*40 cm

### CHAMBER PERFORMANCE

Controller Temperature (°C)	Indicating Temperature (°C)	Average All Temperature (°C)	Temperature Stability (±°C)	Temperature Uniformity (°C)	Overall Variation (°C)
43.5	43.5	44.11	0.20	0.55	0.99
54.5	54.5	55.10	0.19	0.61	0.95

### TEMPERATURE MEASUREMENT ACCURACY TEST

Controller Temp (°C)	Indicating Temp (°C)	Measured Temperature (°C) at Spread Locations									Uncertainty (± °C)
		#1	#2	#3	#4	Ref. 5	#6	#7	#8	#9	
43.5	43.5	43.92	43.85	43.89	43.81	44.26	44.25	44.49	44.23	44.33	0.36
54.5	54.5	54.91	54.87	54.77	54.82	55.31	55.30	55.48	55.19	55.27	0.36

NOTE 1 : THE UNCERTAINTY OF MEASUREMENT EXCLUDED TEMPERATURE UNIFORMITY OF THE CHAMBER.

NOTE 2 : LOCATION 5 WAS REFERENCE LOCATION.

NOTE 3 : THIS CALIBRATION WAS CARRIED OUT AT THE CUSTOMER'S PLACE AT LABORATORY AREA.

THE REPORTED UNCERTAINTY OF MEASUREMENT WAS BASED ON A STANDARD UNCERTAINTY MULTIPLIED BY A COVERAGE FACTOR k =2, PROVIDING A LEVEL OF CONFIDENCE APPROXIMATELY 95%.

END OF CALIBRATION REPORT

Certificate No. T202102

Page 1 of 3

## Certificate of Calibration

**Equipment** : Chamber ( Oven )**Manufacturer** : Memmert**Model** : UFE 500**Serial No.** : G512.2005**Customer Code** : EQL-161**ID No.** : T6125A3**Customer** : Test Tech Co.,Ltd

30, 32 Rama II Soi 63, Rama II Rd., Samaedam,

Bangkhunthian Bangkok 10150

**Customer Location** : Solids Room 301**Date of Receipt** : 23 September 2020**Calibrated By** : Sujjar Naknakred ( Site Calibration Manager )**Approved By** :  / Boonchai Suriyawong (Site Calibration Manager)**Date of Issue** : 01 OCT 2020

The uncertainties are for a confidence probability of approximately 95%.


This Certificate is issued in accordance with the conditions of accreditation granted by the Thai Laboratory Accreditation Scheme which has assessed the measurement capability of the laboratory and its traceability to recognized national standards and to the units of measurement realized at the corresponding national standard laboratory. This certificate may not be reproduced other than in full except with the prior written approval of the Metrological Center.



Certificate No. T202102

## Calibration Report

Page 3 of 3



**Remark :**

Internal Dimensions of Chamber : W (Width) = 56 cm. , H(Height)=48 cm. and D(Depth)=40 cm.

Size of Installed Standard sensor number 14CH1 to number 14CH8 : a = 5 cm. , b = 5 cm. and c = 5 cm.

Size of Installed Standard sensor number 14CH9 : W/2=56 cm./2 , H/2=48 cm./2 and D/2=40 cm./2

**Measurement Results**

Calibration Point	Average Standard Reading at each position (°C)								
	14CH1	14CH2	14CH3	14CH4	14CH5	14CH6	14CH7	14CH8	14CH9
104	104.60	104.65	103.58	103.56	104.12	104.21	103.79	103.76	104.15
120	120.55	121.15	119.29	119.32	120.01	120.07	119.54	119.54	119.89
140	140.57	141.26	139.07	139.15	140.30	140.05	139.44	139.42	139.66
150	150.59	151.17	148.96	149.04	150.41	150.02	149.37	149.35	149.53
180	180.45	181.89	178.55	178.45	180.87	179.59	179.16	178.89	179.04

Chamber ( Oven )			Temperature Distribution				
Setting (°C)	Reading (°C)		Average (°C)	Stability (± °C)	Uniformity (°C)	Uncertainty (± °C)	Coverage Factor k
	Min , Max	Average					
104.0	-	104.0	104.05	0.11	0.85	0.44	2.00
120.0	-	120.0	119.93	0.18	1.67	0.58	2.00
140.0	-	140.0	139.88	0.15	1.97	0.62	2.00
150.0	-	150.0	149.83	0.16	2.07	0.64	2.00
180.0	-	180.0	179.65	0.25	3.32	0.90	2.00

\* The quoted uncertainty exclude "uniformity"

The calibration result apply only the above calibrated item.

The result of test was found accurate as shown on date and place of test only.

The reported expanded uncertainty is based on a standard uncertainty multiplied by a coverage factor  $k$  which for a t-distribution, providing a level of confidence of approximately 95 % .

Approved By. Tom Am

Certificate No. T202103

Page 1 of 3

## Certificate of Calibration

**Equipment** : Chamber ( Oven )**Manufacturer** : Memmert**Model** : UF 110**Serial No.** : B414.0764**Customer Code** : EQL-169**ID No.** : T1788A4**Customer** : Test Tech Co.,Ltd

30, 32 Rama II Soi 63, Rama II Rd., Samaedam,

Bangkhunthian Bangkok 10150

**Customer Location** : Solids Room 301**Date of Receipt** : 23 September 2020**Calibrated By** : Sujjar Naknakred ( Site Calibration Manager )**Approved By** :  / Boonchai Suriyawong (Site Calibration Manager)**Date of Issue** : 01 OCT 2020

The uncertainties are for a confidence probability of approximately 95%.


This Certificate is issued in accordance with the conditions of accreditation granted by the Thai Laboratory Accreditation Scheme which has assessed the measurement capability of the laboratory and its traceability to recognized national standards and to the units of measurement realized at the corresponding national standard laboratory. This certificate may not be reproduced other than in full except with the prior written approval of the Metrological Center.



Certificate No. T202103

Page 3 of 3

## Calibration Report



**Remark :**

Internal Dimensions of Chamber : W (Width) = 56 cm. , H(Height)=48 cm. and D(Depth)=40 cm.

Size of Installed Standard sensor number 14CH1 to number 14CH8 : a = 5 cm. , b = 5 cm. and c = 5 cm.

Size of Installed Standard sensor number 14CH9 : W/2=56 cm./2 , H/2=48 cm./2 and D/2=40 cm./2

**Measurement Results**

Calibration Point	Average Standard Reading at each position (°C)								
	14CH1	14CH2	14CH3	14CH4	14CH5	14CH6	14CH7	14CH8	14CH9
104	103.65	104.32	103.91	104.40	103.48	103.95	104.10	104.09	104.02
180	178.77	179.87	179.31	180.65	178.91	181.60	180.13	179.65	179.67


Chamber ( Oven )			Temperature Distribution				
Setting (°C)	Reading (°C)		Average (°C)	Stability (±°C)	Uniformity (°C)	Uncertainty (±°C)	Coverage Factor k
	Min , Max	Average					
104.0	103.9 , 104.1	104.0	103.99	0.18	0.79	0.49	2.00
180.0	179.9 , 180.1	180.0	179.84	0.27	2.19	0.72	2.00

\* The quoted uncertainty exclude "uniformity"

The calibration result apply only the above calibrated item.

The result of test was found accurate as shown on date and place of test only.

The reported expanded uncertainty is based on a standard uncertainty multiplied by a coverage factor *k* which for a t-distribution, providing a level of confidence of approximately 95 % .

Approved By. 

ที่ อก ๐๓๑๐(๑)/

๓ ๗ ๕ ๖



กรมโรงงานอุตสาหกรรม

ถนนพระรามที่ ๖ แขวงทุ่งพญาไท

เขตราชเทวี กรุงเทพฯ ๑๐๔๐๐

๒ ๓ มีนาคม ๒๕๖๔

เรื่อง ต่ออายุหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

เรียน กรรมการผู้จัดการ บริษัท เทสต์ เทค จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารมลพิษของห้องปฏิบัติการวิเคราะห์เอกชน  
ลงวันที่ ๒๘ ธันวาคม ๒๕๖๓

สิ่งที่ส่งมาด้วย เอกสารแนบท้ายหนังสือรับต่ออายุขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน  
บริษัท เทสต์ เทค จำกัด จำนวน ๑๔ แผ่น

ตามหนังสือที่อ้างถึง บริษัท เทสต์ เทค จำกัด ขอต่ออายุหนังสือรับขึ้นทะเบียนห้องปฏิบัติการ  
วิเคราะห์เอกชน เลขทะเบียน ว-๒๔๕ สถานที่ตั้งเลขที่ ๓๐,๓๒ ซอยพระรามที่ ๒ ซอย ๖๓ แขวงสามตำ  
เขตบางขุนเทียน กรุงเทพมหานคร ต่อกรมโรงงานอุตสาหกรรม นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว ให้บริษัท เทสต์ เทค จำกัด ต่ออายุหนังสือรับขึ้นทะเบียน  
ห้องปฏิบัติการวิเคราะห์เอกชน โดยมีองค์ประกอบดังนี้

ก. ผู้ควบคุมดูแลห้องปฏิบัติการวิเคราะห์

๑) นางสาวอรษา อยู่บัว

ทะเบียนเลขที่ ว-๒๔๕-ค-๖๑๘๐

๒) นางสาวเรวดี ศิริมงคล

ทะเบียนเลขที่ ว-๒๔๕-ค-๖๓๐๙

ข. เจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์

๑) นางสาวไศยสุธา ใจดีเฉย

ทะเบียนเลขที่ ว-๒๔๕-จ-๖๑๘๕

๒) นายวัฒนา พันธุ์เดช

ทะเบียนเลขที่ ว-๒๔๕-จ-๖๓๑๒

๓) นางสาวอ้อยใจ สระจันทร์

ทะเบียนเลขที่ ว-๒๔๕-จ-๖๓๑๓

๔) นางสาวมาริสา วิเศษสังข์

ทะเบียนเลขที่ ว-๒๔๕-จ-๖๓๑๔

๕) นายณัฐวุฒิ ใจสุภาพ

ทะเบียนเลขที่ ว-๒๔๕-จ-๗๓๓๑

๖) นายกิจติพงษ์ เย็นงาม

ทะเบียนเลขที่ ว-๒๔๕-จ-๗๓๓๒

๗) นายไกรทอง สีซอน

ทะเบียนเลขที่ ว-๒๔๕-จ-๗๓๓๓

๘) นายสุริยา ชื่นบาน

ทะเบียนเลขที่ ว-๒๔๕-จ-๗๓๓๔

๙) นายภาคภูมิ มหาศรัทธา

ทะเบียนเลขที่ ว-๒๔๕-จ-๗๓๓๕

๑๐) นางสาวรัตนรินทร์ ก้องสุรินทร์

ทะเบียนเลขที่ ว-๒๔๕-จ-๗๓๓๖

๑๑) นางสาวนุสรา สุระเวก

ทะเบียนเลขที่ ว-๒๔๕-จ-๗๓๓๗

๑๒) นางสาวนริศรา สอนบุญชู

ทะเบียนเลขที่ ว-๒๔๕-จ-๗๓๓๘

๑๓) นางสาวผ่องอำไพ ยางงาม

ทะเบียนเลขที่ ว-๒๔๕-จ-๗๓๔๐

๑๔) นางสาวนิศาชล อึ้งเกลี้ยง

ทะเบียนเลขที่ ว-๒๔๕-จ-๗๓๔๒

๑๕) นางสาวอังศุมา...


๑๕) นางสาวอังศุมา แสงนวล	ทะเบียนเลขที่ ว-๒๔๕-จ-๗๓๔๓
๑๖) นางสาวนริศรา ผงพิลา	ทะเบียนเลขที่ ว-๒๔๕-จ-๗๓๔๕
๑๗) นางสาวคัทลียา ห้าวหาญ	ทะเบียนเลขที่ ว-๒๔๕-จ-๗๓๔๖
๑๘) นางสาวณัฐฐาพร แซ่อู่	ทะเบียนเลขที่ ว-๒๔๕-จ-๗๓๔๗
๑๙) นางสาวกรรณก ขุนพิทักษ์	ทะเบียนเลขที่ ว-๒๔๕-จ-๗๓๔๘
๒๐) นางสาวดวงหทัย เริ่มวานิชย์	ทะเบียนเลขที่ ว-๒๔๕-จ-๘๙๒๑
๒๑) นางสาวจุไรรัตน์ จงประกอบกิจ	ทะเบียนเลขที่ ว-๒๔๕-จ-๘๙๒๓
๒๒) นางสาวเมธียา เชาชะลอ	ทะเบียนเลขที่ ว-๒๔๕-จ-๘๙๒๖
๒๓) นางสาวกัณฑ์กมล ชะยะ	ทะเบียนเลขที่ ว-๒๔๕-จ-๘๙๒๗
๒๔) นางสาวชนิดา จันท	ทะเบียนเลขที่ ว-๒๔๕-จ-๘๙๒๘
๒๕) นางสาวพรทิพา วัชรรัมย์	ทะเบียนเลขที่ ว-๒๔๕-จ-๘๙๒๙
๒๖) นางสาวปองกานต์ บรรดาศักดิ์	ทะเบียนเลขที่ ว-๒๔๕-จ-๘๙๓๐
๒๗) นายกิตติพิชญ์ ไข่เกตุ	ทะเบียนเลขที่ ว-๒๔๕-จ-๘๙๓๑
๒๘) นายธนพงศ์ นุสโต	ทะเบียนเลขที่ ว-๒๔๕-จ-๘๙๓๒
๒๙) นายวิสิทธิ์ ปรางเล็ก	ทะเบียนเลขที่ ว-๒๔๕-จ-๘๙๓๓
๓๐) นายอานนท์ สาริบุญ	ทะเบียนเลขที่ ว-๒๔๕-จ-๘๙๓๕
๓๑) นางสาวพัทธริญา สุริยะ	ทะเบียนเลขที่ ว-๒๔๕-จ-๘๙๓๖

ค. ขอบข่ายสารมลพิษที่ได้รับขึ้นทะเบียนให้วิเคราะห์ในน้ำเสีย จำนวน ๔๕ รายการ น้ำใต้ดิน จำนวน ๓๓ รายการ สิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว จำนวน ๒๐ รายการ และดิน จำนวน ๑๗ รายการ รวมทั้งสิ้นจำนวน ๑๑๕ รายการ ตามสิ่งที่ส่งมาด้วย

หนังสือฉบับนี้จะหมดอายุในวันที่ ๒๘ มกราคม ๒๕๖๗ หากประสงค์จะต่ออายุหนังสือ รับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน ให้ยื่นคำขอต่ออายุพร้อมเอกสารประกอบคำขอ ต่อกรมโรงงานอุตสาหกรรม ภายใน ๓๐ วัน ก่อนวันสิ้นอายุของหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์ เอกชน ซึ่งคำขอต่ออายุดังกล่าวขอรับได้ที่กรมโรงงานอุตสาหกรรม

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ

  
(นางจันทา เดชะศรีทวี)

ผู้อำนวยการกองวิจัยและเตือนภัยมลพิษโรงงาน  
ปฏิบัติราชการแทนอธิบดีกรมโรงงานอุตสาหกรรม

กองวิจัยและเตือนภัยมลพิษโรงงาน

กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษและทะเบียนห้องปฏิบัติการ

โทร. ๐ ๒๒๐๒ ๔๑๔๖      ๐ ๒๒๐๒ ๔๐๐๒

โทรสาร ๐ ๒๓๕๔ ๓๔๑๕

เอกสารแนบท้ายหนังสือรับต่ออายุขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

บริษัท เทสท์ เทค จำกัด

เลขทะเบียน ว-๒๔๕

ที่ อก ๐๓๑๐(๑)/ ๓๗๕๖

ลงวันที่ ๒๓ มีนาคม ๒๕๖๕

ขอขยายสารมลพิษที่ได้รับขึ้นทะเบียนจากกรมโรงงานอุตสาหกรรม จำนวน ๑๑๕ รายการ

น้ำเสีย จำนวน 45 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Aldrin	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method <sup>[3]</sup>
2	Arsenic	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method <sup>[3]</sup> 2) Digestion, Inductively Coupled Plasma Method <sup>[3]</sup>
3	Barium	1) Digestion, Direct Nitrous Oxide-Acetylene Flame Method <sup>[3]</sup> 2) Digestion, Inductively Coupled Plasma Method <sup>[3]</sup>
4	$\alpha$ -BHC	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method <sup>[3]</sup>
5	$\beta$ -BHC	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method <sup>[3]</sup>
6	$\delta$ -BHC	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method <sup>[3]</sup>
7	$\gamma$ -BHC	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method <sup>[3]</sup>
8	Biochemical Oxygen Demand	1) 5-Day BOD Test, Azide Modification Method <sup>[3]</sup> 2) 5-Day BOD Test, Membrane Electrode Method <sup>[3]</sup>
9	Cadmium	1) Digestion, Direct Air-Acetylene Flame Method <sup>[3]</sup> 2) Digestion, Inductively Coupled Plasma Method <sup>[3]</sup>
10	Chemical Oxygen Demand	1) Open reflux, Titrimetric Method <sup>[3]</sup> 2) Close reflux, Colorimetric Method <sup>[3]</sup> 3) Close reflux, Titrimetric Method <sup>[3]</sup>
11	Chlordane	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>[3]</sup>
12	Chromium	1) Digestion, Direct Air-Acetylene Flame Method <sup>[3]</sup> 2) Digestion, Inductively Coupled Plasma Method <sup>[3]</sup>

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
13	Color	ADMI Weighted-Ordinate Spectrophotometric Method <sup>[3]</sup>
14	Copper	1) Digestion, Direct Air-Acetylene Flame Method <sup>[3]</sup> 2) Digestion, Inductively Coupled Plasma Method <sup>[3]</sup>
15	Cyanide	Distillation, Colorimetric Method <sup>[3]</sup>
16	4,4'-DDD	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method <sup>[3]</sup>
17	4,4'-DDE	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method <sup>[3]</sup>
18	4,4'-DDT	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method <sup>[3]</sup>
19	Dieldrin	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method <sup>[3]</sup>
20	Endosulfan I	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method <sup>[3]</sup>
21	Endosulfan II	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method <sup>[3]</sup>
22	Endosulfan Sulfate	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method <sup>[3]</sup>
23	Endrin	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method <sup>[3]</sup>
24	Endrin Aldehyde	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method <sup>[3]</sup>
25	Formaldehyde	Distillation, Colorimetric Method <sup>[2]</sup>
26	Free Chlorine	1) Iodometric Method <sup>[3]</sup> 2) DPD Colorimetric Method <sup>[3]</sup>
27	Heptachlor	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method <sup>[3]</sup>
28	Heptachlor Epoxide	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method <sup>[3]</sup>

วิภากร

(นางริกาญจน์ ฉัตรสกุลวิไล)

ผู้ชำนาญการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ  
และทะเบียนห้องปฏิบัติการ

29 Hexavalent Chromium...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
29	Hexavalent Chromium	Colorimetric Method <sup>[3]</sup>
30	Lead	1) Digestion, Direct Air-Acetylene Flame Method <sup>[3]</sup> 2) Digestion, Inductively Coupled Plasma Method <sup>[3]</sup>
31	Manganese	1) Digestion, Direct Air-Acetylene Flame Method <sup>[3]</sup> 2) Digestion, Inductively Coupled Plasma Method <sup>[3]</sup>
32	Mercury	Digestion, Cold-Vapor Atomic Absorption Spectrometric Method <sup>[3]</sup>
33	Methoxychlor	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>[3]</sup>
34	Nickel	1) Digestion, Direct Air-Acetylene Flame Method <sup>[3]</sup> 2) Digestion, Inductively Coupled Plasma Method <sup>[3]</sup>
35	Oil & Grease	1) Liquid-Liquid, Partition-Gravimetric Method <sup>[3]</sup> 2) Soxhlet Extraction Method <sup>[3]</sup>
36	pH	Electrometric Method <sup>[3]</sup>
37	Phenols	Distillation, Direct Photometric Method <sup>[3]</sup>
38	Selenium	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method <sup>[3]</sup> 2) Digestion, Inductively Coupled Plasma Method <sup>[3]</sup>
39	Sulfide	1) Iodometric Method <sup>[3]</sup> 2) Methylene blue Method <sup>[3]</sup>
40	Temperature	Laboratory and Field Methods <sup>[3]</sup>
41	Total Dissolved Solids	Dried at 180 °C <sup>[3]</sup>
42	Total Kjeldahl Nitrogen	Macro Kjeldahl Method <sup>[3]</sup>
43	Total Suspended Solids	Dried at 103-105 °C <sup>[3]</sup>
44	Trivalent Chromium	1) Digestion, Direct Air-Acetylene Flame Method; Colorimetric Method; Calculation <sup>[3]</sup> 2) Digestion, Inductively Coupled Plasma Method; Colorimetric Method; Calculation <sup>[3]</sup>
45	Zinc	1) Digestion, Direct Air-Acetylene Flame Method <sup>[3]</sup> 2) Digestion, Inductively Coupled Plasma Method <sup>[3]</sup>

วิมล

(นางริกาญจน์ ฉัตรสกุลวิไล)

ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ

และทะเบียนห้องปฏิบัติการ

น้ำใต้ดิน...

น้ำใต้ดิน จำนวน 33 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Aldrin	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method <sup>[3]</sup>
2	Antimony	Digestion, Inductively Coupled Plasma Method <sup>[3]</sup>
3	Arsenic	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method <sup>[3]</sup> 2) Digestion, Inductively Coupled Plasma Method <sup>[3]</sup>
4	Barium	1) Digestion, Direct Nitrous Oxide-Acetylene Flame Method <sup>[3]</sup> 2) Digestion, Inductively Coupled Plasma Method <sup>[3]</sup>
5	Beryllium	1) Digestion, Direct Nitrous Oxide-Acetylene Flame Method <sup>[3]</sup> 2) Digestion, Inductively Coupled Plasma Method <sup>[3]</sup>
6	Cadmium	1) Digestion, Direct Air-Acetylene Flame Method <sup>[3]</sup> 2) Digestion, Inductively Coupled Plasma Method <sup>[3]</sup>
7	Chlordane	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method <sup>[3]</sup>
8	Chromium	1) Digestion, Direct Air-Acetylene Flame Method <sup>[3]</sup> 2) Digestion, Inductively Coupled Plasma Method <sup>[3]</sup>
9	Chromium (III)	1) Digestion, Direct Air-Acetylene Flame Method; Colorimetric Method; Calculation <sup>[3]</sup> 2) Digestion, Inductively Coupled Plasma Method; Colorimetric Method; Calculation <sup>[3]</sup>
10	Chromium (VI)	Colorimetric Method <sup>[3]</sup>
11	Cyanide	Distillation, Colorimetric Method <sup>[3]</sup>
12	DDD	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method <sup>[3]</sup>
13	DDE	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method <sup>[3]</sup>
14	DDT	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method <sup>[3]</sup>

(นางริกาญจน์ ฉัตรสกุลวิไล)  
ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ  
และทะเบียนห้องปฏิบัติการ

15 Dieldrin...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
15	Dieldrin	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method <sup>[3]</sup>
16	Endosulfan	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method <sup>[3]</sup>
17	Endrin	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method <sup>[3]</sup>
18	Heptachlor	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method <sup>[3]</sup>
19	Heptachlor epoxide	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method <sup>[3]</sup>
20	$\alpha$ -HCH	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method <sup>[3]</sup>
21	$\beta$ -HCH	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method <sup>[3]</sup>
22	$\gamma$ -HCH	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method <sup>[3]</sup>
23	Lead	1) Digestion, Direct Air-Acetylene Flame Method <sup>[3]</sup> 2) Digestion, Inductively Coupled Plasma Method <sup>[3]</sup>
24	Manganese	1) Digestion, Direct Air-Acetylene Flame Method <sup>[3]</sup> 2) Digestion, Inductively Coupled Plasma Method <sup>[3]</sup>
25	Mercury	Digestion, Cold-Vapor Atomic Absorption Spectrometric Method <sup>[3]</sup>
26	Methoxychlor	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method <sup>[3]</sup>
27	Nickel	1) Digestion, Direct Air-Acetylene Flame Method <sup>[3]</sup> 2) Digestion, Inductively Coupled Plasma Method <sup>[3]</sup>
28	pH	Electrometric Method <sup>[3]</sup>
29	Phenol	Distillation, Direct Photometric Method <sup>[3]</sup>
30	Selenium	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method <sup>[3]</sup> 2) Digestion, Inductively Coupled Plasma Method <sup>[3]</sup>

วิมล

(นางริกาญจน์ จัตรสกุลวิไล)

ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ

และทะเบียนสิ่งแวดล้อม

31 Silver...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
31	Silver	1) Digestion, Direct Air-Acetylene Flame Method <sup>[3]</sup>
32	Vanadium	2) Digestion, Inductively Coupled Plasma Method <sup>[3]</sup>
33	Zinc	1) Digestion, Direct Nitrous Oxide-Acetylene Flame Method <sup>[3]</sup>
		2) Digestion, Inductively Coupled Plasma Method <sup>[3]</sup>

สิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว จำนวน 20 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Antimony	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method <sup>[1,4,7]</sup>
		2) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method <sup>[1,4,8]</sup>
		3) Digestion, Inductively Coupled Plasma Method <sup>[5,7]</sup>
		4) Digestion, Flame Atomic Absorption Spectrometric Method <sup>[5,8]</sup>
2	Arsenic	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method <sup>[1,4,7]</sup>
		2) Waste Extraction, Digestion, Hydride Generation/Atomic Absorption Spectrometric Method <sup>[1,4,9]</sup>
		3) Digestion, Inductively Coupled Plasma Method <sup>[5,7]</sup>
		4) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method <sup>[5,9]</sup>
3	Barium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method <sup>[1,4,7]</sup>
		2) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method <sup>[1,4,8]</sup>
		3) Digestion, Inductively Coupled Plasma Method <sup>[5,7]</sup>

*วิภาณี*

(นางริกาญจน์ ฉัตรสกุลวิไล)

ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ

และทะเบียนห้องปฏิบัติการ

4) Digestion...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
4	Beryllium	4) Digestion, Flame Atomic Absorption Spectrometric Method <sup>[5,8]</sup> 1) Waste Extraction, Digestion, Inductively Coupled Plasma Method <sup>[1,4,7]</sup> 2) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method <sup>[1,4,8]</sup> 3) Digestion, Inductively Coupled Plasma Method <sup>[5,7]</sup> 4) Digestion, Flame Atomic Absorption Spectrometric Method <sup>[5,8]</sup>
5	Cadmium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method <sup>[1,4,7]</sup> 2) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method <sup>[1,4,8]</sup> 3) Digestion, Inductively Coupled Plasma Method <sup>[5,7]</sup> 4) Digestion, Flame Atomic Absorption Spectrometric Method <sup>[5,8]</sup>
6	Chromium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method <sup>[1,4,7]</sup> 2) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method <sup>[1,4,8]</sup> 3) Digestion, Inductively Coupled Plasma Method <sup>[5,7]</sup> 4) Digestion, Flame Atomic Absorption Spectrometric Method <sup>[5,8]</sup>
7	Chromium (III)	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method; Waste Extraction, Colorimetric Method; Calculation Method <sup>[1,4,7,10]</sup> 2) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method; Waste Extraction, Colorimetric Method; Calculation Method <sup>[1,4,8,10]</sup>

วิมล


(นางริกาญจน์ ฉัตรสกุลวิไล)

ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ

และทะเบียนห้องปฏิบัติการ

3) Digestion...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
8	Chromium (VI)	3) Digestion, Inductively Coupled Plasma Method; Alkaline Digestion, Colorimetric Method; Calculation Method <sup>[5,6,7,10]</sup> 4) Digestion, Flame Atomic Absorption Spectrometric Method; Alkaline Digestion, Colorimetric Method; Calculation Method <sup>[5,6,8,10]</sup>
9	Cobalt	1) Waste Extraction, Colorimetric Method <sup>[1,10]</sup> 2) Alkaline Digestion, Colorimetric Method <sup>[6,10]</sup>
10	Copper	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method <sup>[1,4,7]</sup> 2) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method <sup>[1,4,8]</sup> 3) Digestion, Inductively Coupled Plasma Method <sup>[5,7]</sup> 4) Digestion, Flame Atomic Absorption Spectrometric Method <sup>[5,8]</sup>
11	Lead	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method <sup>[1,4,7]</sup> 2) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method <sup>[1,4,8]</sup> 3) Digestion, Inductively Coupled Plasma Method <sup>[5,7]</sup> 4) Digestion, Flame Atomic Absorption Spectrometric Method <sup>[5,8]</sup>



(นางริกาญจน์ นัตรสกุลวิไล)

ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ  
และทะเบียนห้องปฏิบัติการ

12 Mercury...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
12	Mercury	1) Waste Extraction, Digestion, Cold-Vapor Atomic Absorption Spectrometric Method <sup>[1,11]</sup> 2) Digestion, Cold-Vapor Atomic Absorption Spectrometric Method <sup>[12]</sup>
13	Molybdenum	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method <sup>[1,4,7]</sup> 2) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method <sup>[1,4,8]</sup> 3) Digestion, Inductively Coupled Plasma Method <sup>[5,7]</sup> 4) Digestion, Flame Atomic Absorption Spectrometric Method <sup>[5,8]</sup>
14	Nickel	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method <sup>[1,4,7]</sup> 2) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method <sup>[1,4,8]</sup> 3) Digestion, Inductively Coupled Plasma Method <sup>[5,7]</sup> 4) Digestion, Flame Atomic Absorption Spectrometric Method <sup>[5,8]</sup>
15	pH	Electrometric Method <sup>[17,18]</sup>
16	Selenium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method <sup>[1,4,7]</sup> 2) Waste Extraction, Digestion, Hydride Generation/Atomic Absorption Spectrometric Method <sup>[1,4,13]</sup> 3) Digestion, Inductively Coupled Plasma Method <sup>[5,7]</sup> 4) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method <sup>[5,13]</sup>
17	Silver	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method <sup>[1,4,7]</sup> 2) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method <sup>[1,4,8]</sup>

วิภา

3) Digestion...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
18	Thallium	3) Digestion, Inductively Coupled Plasma Method <sup>[5,7]</sup> 4) Digestion, Flame Atomic Absorption Spectrometric Method <sup>[5,8]</sup> 1) Waste Extraction, Digestion, Inductively Coupled Plasma Method <sup>[1,4,7]</sup> 2) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method <sup>[1,4,8]</sup> 3) Digestion, Inductively Coupled Plasma Method <sup>[5,7]</sup> 4) Digestion, Flame Atomic Absorption Spectrometric Method <sup>[5,8]</sup>
19	Vanadium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method <sup>[1,4,7]</sup> 2) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method <sup>[1,4,8]</sup> 3) Digestion, Inductively Coupled Plasma Method <sup>[5,7]</sup> 4) Digestion, Flame Atomic Absorption Spectrometric Method <sup>[5,8]</sup>
20	Zinc	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method <sup>[1,4,7]</sup> 2) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method <sup>[1,4,8]</sup> 3) Digestion, Inductively Coupled Plasma Method <sup>[5,7]</sup> 4) Digestion, Flame Atomic Absorption Spectrometric Method <sup>[5,8]</sup>

ดิน จำนวน 17 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Antimony	1) Digestion, Inductively Coupled Plasma Method <sup>[5,7]</sup> 2) Digestion, Flame Atomic Absorption Spectrometric Method <sup>[5,8]</sup>

*วิภาณี*

(นางริภาญจน์ ฉัตรสกุลวิไล)

ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ  
และทะเบียนห้องปฏิบัติการ

2 Arsenic...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
2	Arsenic	1) Digestion, Inductively Coupled Plasma Method <sup>[5,7]</sup> 2) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method <sup>[5,9]</sup>
3	Barium	1) Digestion, Inductively Coupled Plasma Method <sup>[5,7]</sup> 2) Digestion, Flame Atomic Absorption Spectrometric Method <sup>[5,8]</sup>
4	Beryllium	1) Digestion, Inductively Coupled Plasma Method <sup>[5,7]</sup> 2) Digestion, Flame Atomic Absorption Spectrometric Method <sup>[5,8]</sup>
5	Cadmium	1) Digestion, Inductively Coupled Plasma Method <sup>[5,7]</sup> 2) Digestion, Flame Atomic Absorption Spectrometric Method <sup>[5,8]</sup>
6	Chromium	1) Digestion, Inductively Coupled Plasma Method <sup>[5,7]</sup> 2) Digestion, Flame Atomic Absorption Spectrometric Method <sup>[5,8]</sup>
7	Chromium (III)	1) Digestion, Inductively Coupled Plasma Method; Alkaline Digestion, Colorimetric Method; Calculation Method <sup>[5,6,7,10]</sup> 2) Digestion, Flame Atomic Absorption Spectrometric Method; Alkaline Digestion, Colorimetric Method; Calculation Method <sup>[5,6,8,10]</sup>
8	Chromium (VI)	Alkaline Digestion, Colorimetric Method <sup>[6,10]</sup>
9	Cyanide	Extraction, Distillation, Colorimetric Method <sup>[14,15,16]</sup>
10	Lead	1) Digestion, Inductively Coupled Plasma Method <sup>[5,7]</sup> 2) Digestion, Flame Atomic Absorption Spectrometric Method <sup>[5,8]</sup>
11	Manganese	1) Digestion, Inductively Coupled Plasma Method <sup>[5,7]</sup> 2) Digestion, Flame Atomic Absorption Spectrometric Method <sup>[5,8]</sup>
12	Mercury	Digestion, Cold-Vapor Atomic Absorption Spectrometric Method <sup>[12]</sup>

วิภาดา

13 Nickel...

(นางริภาญจน์ ฉัตรสกุลวิไล)

ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ

และทะเบียนห้องปฏิบัติการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
13	Nickel	1) Digestion, Inductively Coupled Plasma Method <sup>[5,7]</sup> 2) Digestion, Flame Atomic Absorption Spectrometric Method <sup>[5,8]</sup>
14	Selenium	1) Digestion, Inductively Coupled Plasma Method <sup>[5,7]</sup> 2) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method <sup>[5,13]</sup>
15	Silver	1) Digestion, Inductively Coupled Plasma Method <sup>[5,7]</sup> 2) Digestion, Flame Atomic Absorption Spectrometric Method <sup>[5,8]</sup>
16	Vanadium	1) Digestion, Inductively Coupled Plasma Method <sup>[5,7]</sup> 2) Digestion, Flame Atomic Absorption Spectrometric Method <sup>[5,8]</sup>
17	Zinc	1) Digestion, Inductively Coupled Plasma Method <sup>[5,7]</sup> 2) Digestion, Flame Atomic Absorption Spectrometric Method <sup>[5,8]</sup>

#### เอกสารอ้างอิง

- กระทรวงอุตสาหกรรม. ประกาศกระทรวงอุตสาหกรรม, พ.ศ. 2548. เรื่อง การกำจัดสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว.ราชกิจจานุเบกษา. 25 มกราคม 2549. เล่มที่ 123 ตอนพิเศษ 11ง.
- สมาคมวิศวกรรมสิ่งแวดล้อมแห่งประเทศไทย. คู่มือวิเคราะห์น้ำเสีย. พิมพ์ครั้งที่ 4. กรุงเทพฯ: เรือนแก้วการพิมพ์, 2547.
- APHA, AWWA, WEF. **Standard Methods for the Examination of Water and Wastewater**. 23<sup>rd</sup> ed. Washington, DC: APHA, 2017.
- United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods**. SW-846, 1997.
- United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Acid Digestion of Sludges and Sediments and Soils**. SW-846 Method 3050B, 1996.
- United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Alkaline Digestion for Hexavalent Chromium**. SW-846 Method 3060A, 1996.

วิมล


7. United States...

(นางริกาญจน์ ฉัตรสกุลวิไล)

ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ

และทะเบียนห้องปฏิบัติการ

7. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Inductively Coupled Plasma-Optical Emission Spectrometry. SW-846 Method 6010C**, 2000.
8. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Flame Atomic Absorption Spectrophotometry. SW-846 Method 7000B**, 2007.
9. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Antimony and Arsenic (Atomic Absorption, Borohydride Reduction). SW-846 Method 7062**, 1994.
10. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Chromium, Hexavalent (Colorimetric). SW-846 Method 7196A**, 1992.
11. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Mercury in Liquid Waste (Manual Cold-Vapor Technique). SW-846 Method 7470A**, 1994.
12. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Mercury in Solid or Semisolid Waste (Manual Cold-Vapor Technique). SW-846 Method 7471A**, 1994.
13. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Selenium (Atomic Absorption, Borohydride Reduction). SW-846 Method 7742**, 1994.
14. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Total and Amenable Cyanide: Distillation. SW-846 Method 9010C**, 2004.
15. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Cyanide Extraction Procedure for Solids and Oil. SW-846 Method 9013A**, 1996.
16. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Cyanide in Waters and Extracts Using Titrimetric and Manual Spectrophotometric Procedures. SW-846 Method 9014**, 2014.




(นางริกาญจน์ ฉัตรสกุลวิไล)  
ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ  
และทะเบียนห้องปฏิบัติการ

17. United States...

17. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. pH Electrometric Measurement. SW-846 Method 9040C, 2004.

18. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Soil and Waste pH. SW-846 Method 9045D, 2004.



(นางริกาญจน์ จัตรสกุลวิไล)

ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ  
และทะเบียนห้องปฏิบัติการ