

Request No. ATR6512005

Report No. 6512-0256 - 6512-0262

TEST REPORT

CUSTOMER : Pinthong Industrial Park Public Company Limited
 ADDRESS : 789 Moo 1 Nong Koh-Laem Chabang Rd., Nongkham, Sriracha Chonburi 20230
 SAMPLE SOURCE : Pinthong Industrial Park (Project 1)
 SAMPLE NAME : วัดเขาคินวนาราม (A1)
 RECEIVED DATE : 06/12/2022 SAMPLE NO. : A65120256 - A65120262
 TESTED DATE : 06/12/2022-16/12/2022 REPORTED DATE : 20/12/2022

PARAMETER*	TEST METHOD	SAMPLING DATE	RESULT	STD ^{/1}	UNIT
Total Suspended Particulate (TSP)	Gravimetric Method	21-22/11/2022	0.063	0.33	mg/m ³
		22-23/11/2022	0.047	0.33	mg/m ³
		23-24/11/2022	0.029	0.33	mg/m ³
		24-25/11/2022	0.025	0.33	mg/m ³
		25-26/11/2022	0.021	0.33	mg/m ³
		26-27/11/2022	0.029	0.33	mg/m ³
		27-28/11/2022	0.031	0.33	mg/m ³

REMARK:^{/1} Notification of The National Environmental Board Volume 24 B.E.2547 (2004) Standard for 24-hr Average.

* Parameter Outside The Scope of The Registration of The Department of Industrial Works.

(Sampling By Mr. Tummarat Photankhum)



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By

(Miss Thanatporn Klinsoyon)

20/12/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
 THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
 WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. ATR6512005

Report No. 6512-0270 - 6512-0276

TEST REPORT

CUSTOMER : Pinthong Industrial Park Public Company Limited
ADDRESS : 789 Moo 1 Nong Koh-Laem Chabang Rd., Nongkham, Sriracha Chonburi 20230
SAMPLE SOURCE : Pinthong Industrial Park (Project 1)
SAMPLE NAME : สำนักงานโครงการนิคมอุตสาหกรรมปิ่นทอง โครงการ 1 (A2)
RECEIVED DATE : 06/12/2022 SAMPLE NO. : A65120270 - A65120276
TESTED DATE : 06/12/2022-16/12/2022 REPORTED DATE : 20/12/2022

PARAMETER*	TEST METHOD	SAMPLING DATE	RESULT	STD ^{/1}	UNIT
Total Suspended Particulate (TSP)	Gravimetric Method	21-22/11/2022	0.067	0.33	mg/m ³
		22-23/11/2022	0.068	0.33	mg/m ³
		23-24/11/2022	0.039	0.33	mg/m ³
		24-25/11/2022	0.045	0.33	mg/m ³
		25-26/11/2022	0.042	0.33	mg/m ³
		26-27/11/2022	0.042	0.33	mg/m ³
		27-28/11/2022	0.032	0.33	mg/m ³

REMARK:

^{/1} Notification of The National Environmental Board Volume 24 B.E.2547 (2004) Standard for 24-hr Average.

* Parameter Outside The Scope of The Registration of The Department of Industrial Works.

(Sampling By Mr. Tummarat Photankhum)



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By

(Miss Thanatporn Klinsoyon)

20/12/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. ATR651200:

Report No. 6512-0284 - 6512-0290

TEST REPORT

CUSTOMER : Pinthong Industrial Park Public Company Limited
 ADDRESS : 789 Moo 1 Nong Koh-Laem Chabang Rd., Nongkham, Sriracha Chonburi 20230
 SAMPLE SOURCE : Pinthong Industrial Park (Project 1)
 SAMPLE NAME : ชุมชนบ้านโนนซาก (A3)
 RECEIVED DATE : 06/12/2022
 TESTED DATE : 06/12/2022-16/12/2022
 SAMPLE NO. : A65120284 - A65120290
 REPORTED DATE : 20/12/2022

PARAMETER*	TEST METHOD	SAMPLING DATE	RESULT	STD ^{/1}	UNIT
Total Suspended Particulate (TSP)	Gravimetric Method	21-22/11/2022	0.095	0.33	mg/m ³
		22-23/11/2022	0.109	0.33	mg/m ³
		23-24/11/2022	0.045	0.33	mg/m ³
		24-25/11/2022	0.104	0.33	mg/m ³
		25-26/11/2022	0.101	0.33	mg/m ³
		26-27/11/2022	0.091	0.33	mg/m ³
		27-28/11/2022	0.095	0.33	mg/m ³

REMARK:

^{/1} Notification of The National Environmental Board Volume 24 B.E.2547 (2004) Standard for 24-hr Average.


* Parameter Outside The Scope of The Registration of The Department of Industrial Works.

(Sampling By Mr. Tummarat Photankhum)



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By



(Miss Thanatporn Klinsoyon)

20/12/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
 THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
 WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. ATR6512005

Report No. 6512-0298 - 6512-0304

TEST REPORT

CUSTOMER : Pinthong Industrial Park Public Company Limited
 ADDRESS : 789 Moo 1 Nong Koh-Laem Chabang Rd., Nongkham, Sriracha Chonburi 20230
 SAMPLE SOURCE : Pinthong Industrial Park (Project 1)
 SAMPLE NAME : ชุมชนบ้านเขาหิน (A4)
 RECEIVED DATE : 06/12/2022 SAMPLE NO. : A65120298 - A65120304
 TESTED DATE : 06/12/2022-16/12/2022 REPORTED DATE : 20/12/2022


PARAMETER*	TEST METHOD	SAMPLING DATE	RESULT	STD ¹	UNIT
Total Suspended Particulate (TSP)	Gravimetric Method	21-22/11/2022	0.079	0.33	mg/m ³
		22-23/11/2022	0.079	0.33	mg/m ³
		23-24/11/2022	0.052	0.33	mg/m ³
		24-25/11/2022	0.057	0.33	mg/m ³
		25-26/11/2022	0.063	0.33	mg/m ³
		26-27/11/2022	0.049	0.33	mg/m ³
		27-28/11/2022	0.117	0.33	mg/m ³

REMARK:

¹ Notification of The National Environmental Board Volume 24 B.E.2547 (2004) Standard for 24-hr Average.* Parameter Outside The Scope of The Registration of The Department of Industrial Works.
(Sampling By Mr. Tummarat Photankhum)

บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By


 (Miss Thanatporn Klinsohon)

20/12/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
 THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
 WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. ATR6512005

Report No. 6512-0249 - 6512-0255

TEST REPORT

CUSTOMER : Pinthong Industrial Park Public Company Limited
 ADDRESS : 789 Moo 1 Nong Koh-Laem Chabang Rd., Nongkham, Sriracha Chonburi 20230
 SAMPLE SOURCE : Pinthong Industrial Park (Project 1)
 SAMPLE NAME : วัดเขาดินวนาราม (A1)
 RECEIVED DATE : 06/12/2022 SAMPLE NO. : A65120249 - A65120255
 TESTED DATE : 06/12/2022-16/12/2022 REPORTED DATE : 20/12/2022

PARAMETER*	TEST METHOD	SAMPLING DATE	RESULT	STD ^{/1}	UNIT
Particulate matter less than or Equal					
10 micrometers (PM 10)	Gravimetric Method	21-22/11/2022	0.023	0.12	mg/m ³
		22-23/11/2022	0.025	0.12	mg/m ³
		23-24/11/2022	0.020	0.12	mg/m ³
		24-25/11/2022	0.015	0.12	mg/m ³
		25-26/11/2022	0.011	0.12	mg/m ³
		26-27/11/2022	0.020	0.12	mg/m ³
		27-28/11/2022	0.023	0.12	mg/m ³

REMARK:

^{/1} Notification of The National Environmental Board Volume 24 B.E.2547 (2004) Standard for 24-hr Average.


* Parameter Outside The Scope of The Registration of The Department of Industrial Works.

(Sampling By Mr. Tummarat Photankhum)



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By



(Miss Thanatporn Klinsopton)

20/12/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
 THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
 WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. ATR6512005

Report No. 6512-0263 - 6512-0269

TEST REPORT

CUSTOMER : Pinthong Industrial Park Public Company Limited
 ADDRESS : 789 Moo 1 Nong Koh-Laem Chabang Rd., Nongkham, Sriracha Chonburi 20230
 SAMPLE SOURCE : Pinthong Industrial Park (Project 1)
 SAMPLE NAME : สำนักงานโครงการนิคมอุตสาหกรรมปิ่นทอง โครงการ 1 (A2)
 RECEIVED DATE : 06/12/2022 SAMPLE NO. : A65120263 - A65120269
 TESTED DATE : 06/12/2022-16/12/2022 REPORTED DATE : 20/12/2022

PARAMETER*	TEST METHOD	SAMPLING DATE	RESULT	STD ^{1/}	UNIT
Particulate matter less than or Equal					
10 micrometers (PM 10)	Gravimetric Method	21-22/11/2022	0.056	0.12	mg/m ³
		22-23/11/2022	0.059	0.12	mg/m ³
		23-24/11/2022	0.033	0.12	mg/m ³
		24-25/11/2022	0.034	0.12	mg/m ³
		25-26/11/2022	0.034	0.12	mg/m ³
		26-27/11/2022	0.035	0.12	mg/m ³
		27-28/11/2022	0.009	0.12	mg/m ³

REMARK:


^{1/} Notification of The National Environmental Board Volume 24 B.E.2547 (2004) Standard for 24-hr Average.

* Parameter Outside The Scope of The Registration of The Department of Industrial Works.

(Sampling By Mr. Tummarat Photankhum)



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By 

(Miss Thanatporn Klinsoyon)

20/12/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
 THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
 WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. ATR6512005

Report No. 6512-0277 - 6512-0283

TEST REPORT

CUSTOMER : Pinthong Industrial Park Public Company Limited
 ADDRESS : 789 Moo 1 Nong Koh-Laem Chabang Rd., Nongkham, Sriracha Chonburi 20230
 SAMPLE SOURCE : Pinthong Industrial Park (Project 1)
 SAMPLE NAME : ชุมชนบ้านในซาก (A3)
 RECEIVED DATE : 06/12/2022 SAMPLE NO. : A65120277 - A65120283
 TESTED DATE : 06/12/2022-16/12/2022 REPORTED DATE : 20/12/2022

PARAMETER*	TEST METHOD	SAMPLING DATE	RESULT	STD ¹	UNIT
Particulate matter less than or Equal					
10 micrometers (PM 10)	Gravimetric Method	21-22/11/2022	0.086	0.12	mg/m ³
		22-23/11/2022	0.072	0.12	mg/m ³
		23-24/11/2022	0.035	0.12	mg/m ³
		24-25/11/2022	0.049	0.12	mg/m ³
		25-26/11/2022	0.050	0.12	mg/m ³
		26-27/11/2022	0.051	0.12	mg/m ³
		27-28/11/2022	0.052	0.12	mg/m ³

REMARK:

¹ Notification of The National Environmental Board Volume 24 B.E.2547 (2004) Standard for 24-hr Average.

* Parameter Outside The Scope of The Registration of The Department of Industrial Works.

(Sampling By Mr. Tummarat Photankhum)



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By

(Miss Thanatporn Klinsopon)

20/12/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
 THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
 WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY



Request No. ATR6512005

Report No. 6512-0291 - 6512-0297

TEST REPORT

CUSTOMER : Pinthong Industrial Park Public Company Limited
 ADDRESS : 789 Moo 1 Nong Koh-Laem Chabang Rd., Nongkham, Sriracha Chonburi 20230
 SAMPLE SOURCE : Pinthong Industrial Park (Project 1)
 SAMPLE NAME : พุ่มชนบ้านเขาหิน (A4)
 RECEIVED DATE : 06/12/2022 SAMPLE NO. : A65120291 - A65120297
 TESTED DATE : 06/12/2022-16/12/2022 REPORTED DATE : 20/12/2022

PARAMETER*	TEST METHOD	SAMPLING DATE	RESULT	STD ¹	UNIT
Particulate matter less than or Equal					
10 micrometers (PM 10)	Gravimetric Method	21-22/11/2022	0.020	0.12	mg/m ³
		22-23/11/2022	0.029	0.12	mg/m ³
		23-24/11/2022	0.018	0.12	mg/m ³
		24-25/11/2022	0.013	0.12	mg/m ³
		25-26/11/2022	0.019	0.12	mg/m ³
		26-27/11/2022	0.024	0.12	mg/m ³
		27-28/11/2022	0.034	0.12	mg/m ³

REMARK:¹ Notification of The National Environmental Board Volume 24 B.E.2547 (2004) Standard for 24-hr Average.

* Parameter Outside The Scope of The Registration of The Department of Industrial Works.

(Sampling By Mr. Tummarat Photankhum)



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By 

(Miss Thanatporn Klinsopon)

20/12/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
 THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
 WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0227 - R6512-0233

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเทรียล ปาร์ค จำกัด (มหาชน)
ADDRESS : 789 ม. 1 ต. สายหนองก้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230
SAMPLE SOURCE : ปันทอง อินดัสเทรียล ปาร์ค (โครงการ 1)
SAMPLE POINT : วัดเขาดินวนาราม (A1)
PARAMETER* : Nitrogen Dioxide
DETERMINATION METHOD : Chemiluminescence
INSTRUMENT : API Model T200 S/N ENOAIT20000109

SAMPLE NO. : 35135-35141
SAMPLING DATE : 21-28/11/2022
RECEIVED DATE : 28/11/2022
REPORTED DATE : 08/12/2022

TIME / DATE	21-22/11/2022	22-23/11/2022	23-24/11/2022	UNIT
09:00 - 10:00 ²	0.004	0.010	0.008	ppm
10:00 - 11:00	0.003	0.003	0.001	ppm
11:00 - 12:00	0.007	<0.001	0.001	ppm
12:00 - 13:00	0.011	0.001	0.003	ppm
13:00 - 14:00	0.018	0.002	0.003	ppm
14:00 - 15:00	0.015	0.002	0.003	ppm
15:00 - 16:00	0.011	0.003	0.003	ppm
16:00 - 17:00	0.007	0.010	0.004	ppm
17:00 - 18:00	0.007	0.006	0.003	ppm
18:00 - 19:00	0.005	0.009	0.001	ppm
19:00 - 20:00	0.015	0.012	0.004	ppm
20:00 - 21:00	0.019	0.003	0.001	ppm
21:00 - 22:00	0.008	0.004	0.001	ppm
22:00 - 23:00	0.004	0.000	0.001	ppm
23:00 - 00:00	0.003	0.003	0.003	ppm
00:00 - 01:00	0.002	0.021	0.004	ppm
01:00 - 02:00	0.004	0.013	0.004	ppm
02:00 - 03:00	0.003	0.014	0.005	ppm
03:00 - 04:00	0.007	0.009	0.001	ppm
04:00 - 05:00	0.011	0.010	0.004	ppm
05:00 - 06:00	0.018	0.013	0.005	ppm
06:00 - 07:00	0.015	0.012	0.004	ppm
07:00 - 08:00	0.012	0.005	0.003	ppm
08:00 - 09:00	0.018	0.015	0.004	ppm
Maximum 1 hr.	0.019	0.021	0.008	ppm
Average 24 hr.	0.009	0.008	0.003	ppm
Standard (1 hr.) ¹	0.17	0.17	0.17	ppm

REMARK : ¹ Notification of The National Environmental Board Volume 33 B.E. 2552 (2009)² Start Time* Parameter Outside The Scope of The Registration of The Department of Industrial Works
(Measurement By Mr. Turnmarut Chommanee)

บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By.....
(MS. THANATPORN KLINSOPON)

08/12/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0227 – R6512-0233

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)
 ADDRESS : 789 ม. 1 ถ. สายหนองก้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230
 SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)
 SAMPLE POINT : วัดเขาดินวนาราม (A1)
 PARAMETER* : Nitrogen Dioxide
 DETERMINATION METHOD : Chemiluminescence
 INSTRUMENT : API Model T200 S/N ENOAIT20000109

SAMPLE NO. : 35135-35141
 SAMPLING DATE : 21-28/11/2022
 RECEIVED DATE : 28/11/2022
 REPORTED DATE : 08/12/2022

TIME / DATE	24-25/11/2022	25-26/11/2022	26-27/11/2022	UNIT
09:00 - 10:00 ²	0.003	0.002	0.008	ppm
10:00 - 11:00	0.001	0.001	0.006	ppm
11:00 - 12:00	<0.001	0.003	0.002	ppm
12:00 - 13:00	0.002	0.003	0.001	ppm
13:00 - 14:00	0.003	0.002	<0.001	ppm
14:00 - 15:00	0.003	0.002	0.001	ppm
15:00 - 16:00	0.002	0.001	0.001	ppm
16:00 - 17:00	0.015	0.001	0.002	ppm
17:00 - 18:00	0.009	0.004	0.005	ppm
18:00 - 19:00	0.006	0.011	0.007	ppm
19:00 - 20:00	0.007	0.009	0.009	ppm
20:00 - 21:00	0.006	0.004	0.007	ppm
21:00 - 22:00	0.010	0.001	0.005	ppm
22:00 - 23:00	0.006	0.000	0.006	ppm
23:00 - 00:00	0.006	0.004	0.003	ppm
00:00 - 01:00	0.006	0.005	0.001	ppm
01:00 - 02:00	0.005	0.001	0.002	ppm
02:00 - 03:00	0.002	0.003	0.000	ppm
03:00 - 04:00	0.001	0.003	0.002	ppm
04:00 - 05:00	0.002	0.004	0.002	ppm
05:00 - 06:00	0.002	0.004	0.003	ppm
06:00 - 07:00	0.003	0.004	0.002	ppm
07:00 - 08:00	0.002	<0.001	<0.001	ppm
08:00 - 09:00	0.004	0.009	0.005	ppm
Maximum 1 hr.	0.015	0.011	0.009	ppm
Average 24 hr.	0.005	0.003	0.003	ppm
Standard (1 hr.) ¹	0.17	0.17	0.17	ppm

REMARK : ¹ Notification of The National Environmental Board Volume 33 B.E. 2552 (2009)² Start Time* Parameter Outside The Scope of The Registration of The Department of Industrial Works
(Measurement By Mr. Tummarat (Thummarat))

บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By.....

(MS. THANATPORN KLINSOPON)

08/12/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY


Request No. LA65-R1207

Report No. R6512-0227 – R6512-0233

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)
 ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230
 SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)
 SAMPLE POINT : วัดเขาดินวนาราม (A1) SAMPLE NO. : 35135-35141
 PARAMETER* : Nitrogen Dioxide SAMPLING DATE : 21-28/11/2022
 DETERMINATION METHOD : Chemiluminescence RECEIVED DATE : 28/11/2022
 INSTRUMENT : API Model T200 S/N ENOAIT20000109 REPORTED DATE : 08/12/2022

TIME / DATE	27-28/11/2022	UNIT
09:00 - 10:00 ²	0.004	ppm
10:00 - 11:00	0.003	ppm
11:00 - 12:00	0.003	ppm
12:00 - 13:00	0.007	ppm
13:00 - 14:00	0.002	ppm
14:00 - 15:00	0.000	ppm
15:00 - 16:00	0.002	ppm
16:00 - 17:00	0.001	ppm
17:00 - 18:00	0.002	ppm
18:00 - 19:00	0.002	ppm
19:00 - 20:00	0.004	ppm
20:00 - 21:00	0.013	ppm
21:00 - 22:00	0.011	ppm
22:00 - 23:00	0.008	ppm
23:00 - 00:00	0.010	ppm
00:00 - 01:00	0.014	ppm
01:00 - 02:00	0.013	ppm
02:00 - 03:00	0.007	ppm
03:00 - 04:00	0.004	ppm
04:00 - 05:00	0.002	ppm
05:00 - 06:00	0.001	ppm
06:00 - 07:00	0.001	ppm
07:00 - 08:00	0.003	ppm
08:00 - 09:00	0.010	ppm
Maximum 1 hr.	0.014	ppm
Average 24 hr.	0.005	ppm
Standard (1 hr.) ¹	0.17	ppm

REMARK : ¹ Notification of The National Environmental Board Volume 33 B.E. 2552 (2009)² Start Time* Parameter Outside The Scope of The Regulation of The Department of Industrial Works
(Measurement By Mr. Tummarat Phomthong)

บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By

(MS. THANATPORN KLINSOPON)

08/12/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207


Report No. R6512-0213 - R6512-0219

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)
 ADDRESS : 789 ม. 1 ถ. สายหนองก้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230
 SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)
 SAMPLE POINT : สำนักงานโครงการนิคมฯ ปิ่นทอง โครงการ 1 (A2)
 PARAMETER* : Nitrogen Dioxide
 DETERMINATION METHOD : Chemiluminescence
 INSTRUMENT : API Model M200E S/N 4084

SAMPLE NO. : 350121-35127
 SAMPLING DATE : 21-28/11/2022
 RECEIVED DATE : 28/11/2022
 REPORTED DATE : 08/12/2022

TIME / DATE	21-22/11/2022	22-23/11/2022	23-24/11/2022	UNIT
09:00 - 10:00 ²	0.010	0.012	0.013	ppm
10:00 - 11:00	0.010	0.007	0.011	ppm
11:00 - 12:00	0.007	0.006	0.008	ppm
12:00 - 13:00	0.005	0.005	0.006	ppm
13:00 - 14:00	0.004	0.004	0.006	ppm
14:00 - 15:00	0.004	0.005	0.007	ppm
15:00 - 16:00	0.004	0.006	0.006	ppm
16:00 - 17:00	0.007	0.005	0.005	ppm
17:00 - 18:00	0.007	0.010	0.008	ppm
18:00 - 19:00	0.015	0.026	0.012	ppm
19:00 - 20:00	0.019	0.020	0.013	ppm
20:00 - 21:00	0.020	0.018	0.009	ppm
21:00 - 22:00	0.016	0.015	0.011	ppm
22:00 - 23:00	0.011	0.017	0.008	ppm
23:00 - 00:00	0.013	0.015	0.007	ppm
00:00 - 01:00	0.013	0.018	0.005	ppm
01:00 - 02:00	0.010	0.017	0.004	ppm
02:00 - 03:00	0.012	0.014	0.004	ppm
03:00 - 04:00	0.012	0.015	0.006	ppm
04:00 - 05:00	0.013	0.014	0.005	ppm
05:00 - 06:00	0.015	0.014	0.005	ppm
06:00 - 07:00	0.012	0.016	0.006	ppm
07:00 - 08:00	0.015	0.016	0.008	ppm
08:00 - 09:00	0.015	0.018	0.010	ppm
Maximum 1 hr.	0.020	0.026	0.013	ppm
Average 24 hr.	0.011	0.013	0.008	ppm
Standard (1 hr.) ¹	0.17	0.17	0.17	ppm

REMARK : ¹ Notification of The National Environmental Board Volume 33 B.E. 2552 (2009)² Start Time* Parameter Outside The Scope of The Registration of The Department of Industrial Works
(Measurement By Mr. Tummarat P. Pansamran)

บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By.....

(MS. THANATPORN KLINSOPON)

08/12/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
 THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
 WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0213 – R6512-0219

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)
 ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230
 SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)
 SAMPLE POINT : สำนักงานโครงการนิคมฯ ปิ่นทอง โครงการ 1 (A2) SAMPLE NO. : 350121-35127
 PARAMETER* : Nitrogen Dioxide SAMPLING DATE : 21-28/11/2022
 DETERMINATION METHOD : Chemiluminescence RECEIVED DATE : 28/11/2022
 INSTRUMENT : API Model M200E S/N 4084 REPORTED DATE : 08/12/2022

TIME / DATE	24-25/11/2022	25-26/11/2022	26-27/11/2022	UNIT
09:00 - 10:00 ²	0.010	0.009	0.008	ppm
10:00 - 11:00	0.010	0.007	0.006	ppm
11:00 - 12:00	0.010	0.006	0.006	ppm
12:00 - 13:00	0.007	0.007	0.004	ppm
13:00 - 14:00	0.005	0.004	0.004	ppm
14:00 - 15:00	0.005	0.004	0.006	ppm
15:00 - 16:00	0.006	0.005	0.007	ppm
16:00 - 17:00	0.010	0.005	0.005	ppm
17:00 - 18:00	0.009	0.012	0.006	ppm
18:00 - 19:00	0.009	0.021	0.011	ppm
19:00 - 20:00	0.008	0.016	0.012	ppm
20:00 - 21:00	0.008	0.014	0.012	ppm
21:00 - 22:00	0.009	0.010	0.010	ppm
22:00 - 23:00	0.010	0.007	0.009	ppm
23:00 - 00:00	0.009	0.007	0.008	ppm
00:00 - 01:00	0.009	0.012	0.008	ppm
01:00 - 02:00	0.006	0.010	0.008	ppm
02:00 - 03:00	0.008	0.008	0.007	ppm
03:00 - 04:00	0.009	0.007	0.006	ppm
04:00 - 05:00	0.009	0.006	0.006	ppm
05:00 - 06:00	0.007	0.006	0.006	ppm
06:00 - 07:00	0.007	0.007	0.006	ppm
07:00 - 08:00	0.009	0.009	0.006	ppm
08:00 - 09:00	0.011	0.009	0.007	ppm
Maximum 1 hr.	0.011	0.021	0.012	ppm
Average 24 hr.	0.008	0.009	0.007	ppm
Standard (1 hr.) ¹	0.17	0.17	0.17	ppm

REMARK : ¹ Notification of The National Environmental Board Volume 33 B.E. 2552 (2009)² Start Time* Parameter Outside The Scope of The Registration of The Department of Industrial Works
(Measurement By Mr. Tummarat Pongmanee)

Approved By.....

(MS. THANATPORN KLINSOPON)

08/12/2022

บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0213 - R6512-0219

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)
ADDRESS : 789 ม. 1 ถ. สายหนองก้อ-แหลมฉิม ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230
SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)
SAMPLE POINT : สำนักงานโครงการนิคมฯ ปิ่นทอง โครงการ 1 (A2)
PARAMETER* : Nitrogen Dioxide
DETERMINATION METHOD : Chemiluminescence
INSTRUMENT : API Model M200E S/N 4084

SAMPLE NO. : 350121-35127
SAMPLING DATE : 21-28/11/2022
RECEIVED DATE : 28/11/2022
REPORTED DATE : 08/12/2022

TIME / DATE	27-28/11/2022	UNIT
09:00 - 10:00 ^{/2}	0.008	ppm
10:00 - 11:00	0.008	ppm
11:00 - 12:00	0.009	ppm
12:00 - 13:00	0.007	ppm
13:00 - 14:00	0.005	ppm
14:00 - 15:00	0.005	ppm
15:00 - 16:00	0.005	ppm
16:00 - 17:00	0.005	ppm
17:00 - 18:00	0.006	ppm
18:00 - 19:00	0.007	ppm
19:00 - 20:00	0.014	ppm
20:00 - 21:00	0.015	ppm
21:00 - 22:00	0.013	ppm
22:00 - 23:00	0.013	ppm
23:00 - 00:00	0.012	ppm
00:00 - 01:00	0.012	ppm
01:00 - 02:00	0.010	ppm
02:00 - 03:00	0.009	ppm
03:00 - 04:00	0.010	ppm
04:00 - 05:00	0.010	ppm
05:00 - 06:00	0.009	ppm
06:00 - 07:00	0.009	ppm
07:00 - 08:00	0.010	ppm
08:00 - 09:00	0.011	ppm
Maximum 1 hr.	0.015	ppm
Average 24 hr.	0.009	ppm
Standard (1 hr.) ^{/1}	0.17	ppm

REMARK : ^{/1} Notification of The National Environmental Board Volume 33 B.E. 2552 (2009)^{/2} Start Time* Parameter Outside The Scope of The Regulation of The Department of Industrial Works
(Measurement By Mr. Tummarat Pongkham)

Approved By.....

(MS. THANATPORN KLINSOPON)

08/12/2022

บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด
REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0199 – R6512-0205

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)
 ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230
 SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)
 SAMPLE POINT : ชุมชนบ้านในซาก (A3) SAMPLE NO. : 35107-35113
 PARAMETER* : Nitrogen Dioxide SAMPLING DATE : 21-28/11/2022
 DETERMINATION METHOD : Chemiluminescence RECEIVED DATE : 28/11/2022
 INSTRUMENT : API Model T200 S/N 7355 REPORTED DATE : 08/12/2022

TIME / DATE	21-22/11/2022	22-23/11/2022	23-24/11/2022	UNIT
10:00 - 11:00 ²	0.012	0.008	0.008	ppm
11:00 - 12:00	0.007	0.005	0.005	ppm
12:00 - 13:00	0.006	0.005	0.005	ppm
13:00 - 14:00	0.005	0.004	0.004	ppm
14:00 - 15:00	0.005	0.005	0.005	ppm
15:00 - 16:00	0.006	0.005	0.005	ppm
16:00 - 17:00	0.006	0.005	0.005	ppm
17:00 - 18:00	0.007	0.008	0.006	ppm
18:00 - 19:00	0.013	0.018	0.008	ppm
19:00 - 20:00	0.017	0.017	0.010	ppm
20:00 - 21:00	0.017	0.015	0.009	ppm
21:00 - 22:00	0.014	0.016	0.010	ppm
22:00 - 23:00	0.011	0.017	0.007	ppm
23:00 - 00:00	0.012	0.017	0.005	ppm
00:00 - 01:00	0.010	0.016	0.005	ppm
01:00 - 02:00	0.009	0.014	0.004	ppm
02:00 - 03:00	0.010	0.010	0.004	ppm
03:00 - 04:00	0.010	0.010	0.004	ppm
04:00 - 05:00	0.008	0.010	0.004	ppm
05:00 - 06:00	0.009	0.011	0.004	ppm
06:00 - 07:00	0.009	0.012	0.005	ppm
07:00 - 08:00	0.011	0.013	0.006	ppm
08:00 - 09:00	0.014	0.015	0.008	ppm
09:00 - 10:00	0.011	0.013	0.009	ppm
Maximum 1 hr.	0.017	0.018	0.010	ppm
Average 24 hr.	0.010	0.011	0.006	ppm
Standard (1 hr.) ¹	0.17	0.17	0.17	ppm

REMARK : ¹ Notification of The National Environmental Board Volume 33 B.E. 2552 (2009)² Start Time* Parameter Outside The Scope of The Responsibility of The Department of Industrial Works
(Measurement By Mr. Tummarat Pongkham)

Approved By.....

(MS. THANATPORN KLINSOPON)

08/12/2022

บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0199 – R6512-0205

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)
 ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230
 SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)
 SAMPLE POINT : ชุมชนบ้านโนนซาก (A3)
 PARAMETER* : Nitrogen Dioxide
 DETERMINATION METHOD : Chemiluminescence
 INSTRUMENT : API Model T200 S/N 7355

SAMPLE NO. : 35107-35113
 SAMPLING DATE : 21-28/11/2022
 RECEIVED DATE : 28/11/2022
 REPORTED DATE : 08/12/2022

TIME / DATE	24-25/11/2022	25-26/11/2022	26-27/11/2022	UNIT
10:00 - 11:00 ²	0.010	0.009	0.009	ppm
11:00 - 12:00	0.010	0.008	0.008	ppm
12:00 - 13:00	0.010	0.008	0.007	ppm
13:00 - 14:00	0.009	0.007	0.007	ppm
14:00 - 15:00	0.010	0.008	0.007	ppm
15:00 - 16:00	0.011	0.008	0.006	ppm
16:00 - 17:00	0.014	0.011	0.006	ppm
17:00 - 18:00	0.011	0.014	0.007	ppm
18:00 - 19:00	0.012	0.021	0.011	ppm
19:00 - 20:00	0.011	0.015	0.012	ppm
20:00 - 21:00	0.010	0.011	0.011	ppm
21:00 - 22:00	0.009	0.010	0.008	ppm
22:00 - 23:00	0.009	0.008	0.007	ppm
23:00 - 00:00	0.008	0.007	0.007	ppm
00:00 - 01:00	0.008	0.007	0.005	ppm
01:00 - 02:00	0.007	0.008	0.005	ppm
02:00 - 03:00	0.006	0.006	0.004	ppm
03:00 - 04:00	0.006	0.005	0.003	ppm
04:00 - 05:00	0.006	0.006	0.004	ppm
05:00 - 06:00	0.006	0.005	0.003	ppm
06:00 - 07:00	0.006	0.005	0.003	ppm
07:00 - 08:00	0.008	0.006	0.003	ppm
08:00 - 09:00	0.010	0.008	0.005	ppm
09:00 - 10:00	0.011	0.009	0.006	ppm
Maximum 1 hr.	0.014	0.021	0.012	ppm
Average 24 hr.	0.009	0.009	0.006	ppm
Standard (1 hr.) ¹	0.17	0.17	0.17	ppm

REMARK : ¹ Notification of The National Environmental Board Volume 33 B.E. 2552 (2009)² Start Time

* Parameter Outside The Scope of The Registration of The Department of Industrial Works
 (Measurement By Mr. Tummarut Khamkhom)



Approved By.....

(MS. THANATPORN KLINSOPON)

08/12/2022

บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด
 REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
 THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
 WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0199 – R6512-0205

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)
 ADDRESS : 789 ม. 1 ต. สาขหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230
 SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)
 SAMPLE POINT : ชุมชนบ้านในซาก (A3)
 PARAMETER* : Nitrogen Dioxide
 DETERMINATION METHOD : Chemiluminescence
 INSTRUMENT : API Model T200 S/N 7355

SAMPLE NO. : 35107-35113
 SAMPLING DATE : 21-28/11/2022
 RECEIVED DATE : 28/11/2022
 REPORTED DATE : 08/12/2022

TIME / DATE	27-28/11/2022	UNIT
10:00 - 11:00 ²	0.008	ppm
11:00 - 12:00	0.007	ppm
12:00 - 13:00	0.006	ppm
13:00 - 14:00	0.007	ppm
14:00 - 15:00	0.006	ppm
15:00 - 16:00	0.005	ppm
16:00 - 17:00	0.007	ppm
17:00 - 18:00	0.011	ppm
18:00 - 19:00	0.011	ppm
19:00 - 20:00	0.013	ppm
20:00 - 21:00	0.013	ppm
21:00 - 22:00	0.011	ppm
22:00 - 23:00	0.010	ppm
23:00 - 00:00	0.009	ppm
00:00 - 01:00	0.008	ppm
01:00 - 02:00	0.007	ppm
02:00 - 03:00	0.006	ppm
03:00 - 04:00	0.006	ppm
04:00 - 05:00	0.007	ppm
05:00 - 06:00	0.005	ppm
06:00 - 07:00	0.005	ppm
07:00 - 08:00	0.006	ppm
08:00 - 09:00	0.008	ppm
09:00 - 10:00	0.009	ppm
Maximum 1 hr.	0.013	ppm
Average 24 hr.	0.008	ppm
Standard (1 hr.) ¹	0.17	ppm

REMARK : ¹ Notification of The National Environmental Board Volume 33 B.E. 2552 (2009)² Start Time* Parameter Outside The Scope of The Registration of The Department of Industrial Works
(Measurement By Mr. Tummarat Kongsomman)

บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By.....

(MS. THANATPORN KLINSOPON)

08/12/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
 THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
 WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0185 – R6512-0191

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)
 ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230
 SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)
 SAMPLE POINT : ชุมชนบ้านเขาหิน (A4)
 PARAMETER* : Nitrogen Dioxide
 DETERMINATION METHOD : Chemiluminescence
 INSTRUMENT : API Model T200 S/N 6756

SAMPLE NO. : 35093-35099
 SAMPLING DATE : 21-28/11/2022
 RECEIVED DATE : 28/11/2022
 REPORTED DATE : 08/12/2022

TIME / DATE	21-22/11/2022	22-23/11/2022	23-24/11/2022	UNIT
09:00 - 10:00 ²	0.010	0.012	0.012	ppm
10:00 - 11:00	0.009	0.010	0.010	ppm
11:00 - 12:00	0.008	0.008	0.009	ppm
12:00 - 13:00	0.007	0.007	0.008	ppm
13:00 - 14:00	0.007	0.006	0.007	ppm
14:00 - 15:00	0.009	0.007	0.007	ppm
15:00 - 16:00	0.010	0.008	0.008	ppm
16:00 - 17:00	0.010	0.011	0.009	ppm
17:00 - 18:00	0.013	0.015	0.012	ppm
18:00 - 19:00	0.016	0.022	0.014	ppm
19:00 - 20:00	0.023	0.017	0.013	ppm
20:00 - 21:00	0.022	0.021	0.008	ppm
21:00 - 22:00	0.016	0.019	0.009	ppm
22:00 - 23:00	0.017	0.020	0.008	ppm
23:00 - 00:00	0.014	0.018	0.007	ppm
00:00 - 01:00	0.012	0.017	0.005	ppm
01:00 - 02:00	0.013	0.014	0.005	ppm
02:00 - 03:00	0.011	0.013	0.005	ppm
03:00 - 04:00	0.010	0.015	0.004	ppm
04:00 - 05:00	0.011	0.014	0.004	ppm
05:00 - 06:00	0.014	0.016	0.005	ppm
06:00 - 07:00	0.016	0.018	0.007	ppm
07:00 - 08:00	0.019	0.017	0.008	ppm
08:00 - 09:00	0.017	0.020	0.010	ppm
Maximum 1 hr.	0.023	0.022	0.014	ppm
Average 24 hr.	0.013	0.014	0.008	ppm
Standard (1 hr.) ¹	0.17	0.17	0.17	ppm

REMARK : ¹ Notification of The National Environmental Board Volume 33 B.E. 2552 (2009)² Start Time* Parameter Outside The Scope of The Registration of The Department of Industrial Works
(Measurement By Mr. Tumman Klinsopon)

Approved By.....

(MS. THANATPORN KLINSOPON)

08/12/2022

บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0185 – R6512-0191

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)
 ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230
 SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)
 SAMPLE POINT : ชุมชนบ้านเขาหิน (A4)
 PARAMETER* : Nitrogen Dioxide
 DETERMINATION METHOD : Chemiluminescence
 INSTRUMENT : API Model T200 S/N 6756

SAMPLE NO. : 35093-35099
 SAMPLING DATE : 21-28/11/2022
 RECEIVED DATE : 28/11/2022
 REPORTED DATE : 08/12/2022

TIME / DATE	24-25/11/2022	25-26/11/2022	26-27/11/2022	UNIT
09:00 - 10:00 ²	0.011	0.008	0.010	ppm
10:00 - 11:00	0.010	0.007	0.009	ppm
11:00 - 12:00	0.009	0.008	0.008	ppm
12:00 - 13:00	0.006	0.008	0.007	ppm
13:00 - 14:00	0.006	0.008	0.007	ppm
14:00 - 15:00	0.005	0.009	0.006	ppm
15:00 - 16:00	0.008	0.012	0.008	ppm
16:00 - 17:00	0.010	0.013	0.011	ppm
17:00 - 18:00	0.009	0.013	0.006	ppm
18:00 - 19:00	0.012	0.018	0.007	ppm
19:00 - 20:00	0.010	0.016	0.014	ppm
20:00 - 21:00	0.010	0.012	0.011	ppm
21:00 - 22:00	0.008	0.008	0.008	ppm
22:00 - 23:00	0.009	0.006	0.011	ppm
23:00 - 00:00	0.009	0.007	0.017	ppm
00:00 - 01:00	0.010	0.010	0.017	ppm
01:00 - 02:00	0.008	0.011	0.020	ppm
02:00 - 03:00	0.008	0.007	0.019	ppm
03:00 - 04:00	0.008	0.008	0.021	ppm
04:00 - 05:00	0.006	0.008	0.021	ppm
05:00 - 06:00	0.005	0.007	0.021	ppm
06:00 - 07:00	0.007	0.007	0.019	ppm
07:00 - 08:00	0.008	0.009	0.019	ppm
08:00 - 09:00	0.012	0.012	0.019	ppm
Maximum 1 hr.	0.012	0.018	0.021	ppm
Average 24 hr.	0.008	0.010	0.013	ppm
Standard (1 hr.) ¹	0.17	0.17	0.17	ppm

REMARK : ¹ Notification of The National Environmental Board Volume 33 B.E. 2552 (2009)² Start Time* Parameter Outside The Scope of The Registration of this Department of Industrial Works
(Measurement By Mr. Tummarat Kongsom)

บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By.....

(MS. THANATPORN KLINSOPON)

08/12/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
 THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
 WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0185 – R6512-0191

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)
 ADDRESS : 789 ม. 1 ต.สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230
 SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)
 SAMPLE POINT : ชุมชนบ้านเขาหิน (A4)
 PARAMETER* : Nitrogen Dioxide
 DETERMINATION METHOD : Chemiluminescence
 INSTRUMENT : API Model T200 S/N 6756

SAMPLE NO. : 35093-35099
 SAMPLING DATE : 21-28/11/2022
 RECEIVED DATE : 28/11/2022
 REPORTED DATE : 08/12/2022

TIME / DATE	27-28/11/2022	UNIT
09:00 - 10:00 ²	0.017	ppm
10:00 - 11:00	0.016	ppm
11:00 - 12:00	0.018	ppm
12:00 - 13:00	0.019	ppm
13:00 - 14:00	0.024	ppm
14:00 - 15:00	0.019	ppm
15:00 - 16:00	0.018	ppm
16:00 - 17:00	0.019	ppm
17:00 - 18:00	0.019	ppm
18:00 - 19:00	0.019	ppm
19:00 - 20:00	0.020	ppm
20:00 - 21:00	0.023	ppm
21:00 - 22:00	0.024	ppm
22:00 - 23:00	0.024	ppm
23:00 - 00:00	0.029	ppm
00:00 - 01:00	0.027	ppm
01:00 - 02:00	0.023	ppm
02:00 - 03:00	0.019	ppm
03:00 - 04:00	0.018	ppm
04:00 - 05:00	0.018	ppm
05:00 - 06:00	0.021	ppm
06:00 - 07:00	0.022	ppm
07:00 - 08:00	0.018	ppm
08:00 - 09:00	0.019	ppm
Maximum 1 hr.	0.029	ppm
Average 24 hr.	0.021	ppm
Standard (1 hr.) ¹	0.17	ppm

REMARK : ¹ Notification of The National Environmental Board Volume 33 B.E. 2552 (2009)² Start Time

* Parameter Outside The Scope of The Registration of The Department of Industrial Works
 (Measurement By Mr. Tummarut Pongkhamrui)



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By.....

(MS. THANATPORN KLINSOPON)

08/12/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
 THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
 WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0220 - R6512-0226

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)
 ADDRESS : 789 ม. 1 ถ. สายหนองก้อ-แหลมอับัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230
 SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)
 SAMPLE POINT : วัดเขาดินวนาราม (A1) SAMPLE NO. : 35128-35134
 PARAMETER* : Sulfur Dioxide SAMPLING DATE : 21-28/11/2022
 DETERMINATION METHOD : UV-Fluorescence RECEIVED DATE : 28/11/2022
 INSTRUMENT : API Model M100E S/N 603 REPORTED DATE : 08/12/2022

TIME / DATE	21-22/11/2022	22-23/11/2022	23-24/11/2022	UNIT
09:00 - 10:00 ^{1/3}	0.026	0.025	0.024	ppm
10:00 - 11:00	0.026	0.027	0.027	ppm
11:00 - 12:00	0.025	0.025	0.026	ppm
12:00 - 13:00	0.025	0.026	0.026	ppm
13:00 - 14:00	0.027	0.026	0.026	ppm
14:00 - 15:00	0.027	0.027	0.026	ppm
15:00 - 16:00	0.027	0.026	0.026	ppm
16:00 - 17:00	0.026	0.027	0.026	ppm
17:00 - 18:00	0.027	0.027	0.027	ppm
18:00 - 19:00	0.021	0.018	0.027	ppm
19:00 - 20:00	0.021	0.017	0.025	ppm
20:00 - 21:00	0.025	0.027	0.025	ppm
21:00 - 22:00	0.025	0.026	0.026	ppm
22:00 - 23:00	0.025	0.026	0.025	ppm
23:00 - 00:00	0.025	0.026	0.024	ppm
00:00 - 01:00	0.025	0.026	0.024	ppm
01:00 - 02:00	0.025	0.026	0.024	ppm
02:00 - 03:00	0.028	0.022	0.026	ppm
03:00 - 04:00	0.026	0.017	0.025	ppm
04:00 - 05:00	0.025	0.026	0.024	ppm
05:00 - 06:00	0.025	0.026	0.024	ppm
06:00 - 07:00	0.025	0.025	0.024	ppm
07:00 - 08:00	0.025	0.025	0.024	ppm
08:00 - 09:00	0.026	0.024	0.024	ppm
Maximum 1 hr.	0.028	0.027	0.027	ppm
Average 24 hr.	0.025	0.025	0.025	ppm
Standard (1 hr.) ^{1/1}	0.30	0.30	0.30	ppm
Standard (Average 24 hr.) ^{1/2}	0.12	0.12	0.12	ppm

REMARK : ^{1/1} Notification of The National Environmental Board Volume 12 B.E. 2538 (1995) and Volume 21 B.E.2544 (2001)^{1/2} Notification of The National Environmental Board Volume 24 B.E. 2547 (2004)^{1/3} Start Time* Parameter Outside The Scope of The Regulation of The Department of Industrial Works
(Measurement By Mr. Tummarat Panakulaporn)

บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By: 

(MS. THANATPORN KLINSOPON)

08/12/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
 THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
 WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0220 -- R6512-0226

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)
 ADDRESS : 789 ม. 1 ต. สายหนองค้อ-แหลมบัว ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230
 SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)
 SAMPLE POINT : วัดเขาดินวนาราม (A1)
 PARAMETER* : Sulfur Dioxide
 DETERMINATION METHOD : UV-Fluorescence
 INSTRUMENT : API Model M100E S/N 603

SAMPLE NO. : 35128-35134
 SAMPLING DATE : 21-28/11/2022
 RECEIVED DATE : 28/11/2022
 REPORTED DATE : 08/12/2022

TIME / DATE	24-25/11/2022	25-26/11/2022	26-27/11/2022	UNIT
09:00 - 10:00 ³	0.024	0.024	0.025	ppm
10:00 - 11:00	0.026	0.026	0.026	ppm
11:00 - 12:00	0.025	0.025	0.024	ppm
12:00 - 13:00	0.025	0.025	0.025	ppm
13:00 - 14:00	0.025	0.025	0.025	ppm
14:00 - 15:00	0.025	0.026	0.025	ppm
15:00 - 16:00	0.025	0.025	0.024	ppm
16:00 - 17:00	0.025	0.025	0.025	ppm
17:00 - 18:00	0.025	0.024	0.025	ppm
18:00 - 19:00	0.026	0.026	0.026	ppm
19:00 - 20:00	0.025	0.023	0.024	ppm
20:00 - 21:00	0.025	0.023	0.024	ppm
21:00 - 22:00	0.025	0.023	0.023	ppm
22:00 - 23:00	0.024	0.024	0.024	ppm
23:00 - 00:00	0.024	0.024	0.025	ppm
00:00 - 01:00	0.023	0.024	0.025	ppm
01:00 - 02:00	0.024	0.024	0.025	ppm
02:00 - 03:00	0.026	0.025	0.026	ppm
03:00 - 04:00	0.023	0.023	0.024	ppm
04:00 - 05:00	0.024	0.024	0.025	ppm
05:00 - 06:00	0.024	0.024	0.025	ppm
06:00 - 07:00	0.023	0.025	0.025	ppm
07:00 - 08:00	0.024	0.025	0.025	ppm
08:00 - 09:00	0.024	0.025	0.025	ppm
Maximum 1 hr.	0.026	0.026	0.026	ppm
Average 24 hr.	0.025	0.024	0.025	ppm
Standard (1 hr.) ¹	0.30	0.30	0.30	ppm
Standard (Average 24 hr.) ²	0.12	0.12	0.12	ppm

REMARK :

¹ Notification of The National Environmental Board Volume 12 B.E. 2538 (1995) and Volume 21 B.E.2544 (2001)² Notification of The National Environmental Board Volume 24 B.E. 2547 (2004)³ Start Time* Parameter Outside The Scope of The Registration of The Department of Industrial Works
(Measurement By Mr. Tummarat Pongkum)

บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By.....

(MS. THANATPORN KLINSOPON)

08/12/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
 THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
 WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0220 – R6512-0226

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)
 ADDRESS : 789 ม. 1 ต. สายหนองค้อ-แหลมอับัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230
 SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)
 SAMPLE POINT : วัดเขาดินวนาราม (A1)
 PARAMETER* : Sulfur Dioxide
 DETERMINATION METHOD : UV-Fluorescence
 INSTRUMENT : API Model M100E S/N 603

SAMPLE NO. : 35128-35134
 SAMPLING DATE : 21-28/11/2022
 RECEIVED DATE : 28/11/2022
 REPORTED DATE : 08/12/2022

TIME / DATE	27-28/11/2022	UNIT
09:00 - 10:00 ³	0.025	ppm
10:00 - 11:00	0.026	ppm
11:00 - 12:00	0.024	ppm
12:00 - 13:00	0.024	ppm
13:00 - 14:00	0.024	ppm
14:00 - 15:00	0.025	ppm
15:00 - 16:00	0.025	ppm
16:00 - 17:00	0.025	ppm
17:00 - 18:00	0.025	ppm
18:00 - 19:00	0.025	ppm
19:00 - 20:00	0.023	ppm
20:00 - 21:00	0.025	ppm
21:00 - 22:00	0.025	ppm
22:00 - 23:00	0.025	ppm
23:00 - 00:00	0.025	ppm
00:00 - 01:00	0.025	ppm
01:00 - 02:00	0.025	ppm
02:00 - 03:00	0.027	ppm
03:00 - 04:00	0.025	ppm
04:00 - 05:00	0.024	ppm
05:00 - 06:00	0.025	ppm
06:00 - 07:00	0.025	ppm
07:00 - 08:00	0.025	ppm
08:00 - 09:00	0.025	ppm
Maximum 1 hr.	0.027	ppm
Average 24 hr.	0.025	ppm
Standard (1 hr.) ¹	0.30	ppm
Standard (Average 24 hr.) ²	0.12	ppm

REMARK :

¹ Notification of The National Environmental Board Volume 12 B.E. 2538 (1995) and Volume 21 B.E.2544 (2001)² Notification of The National Environmental Board Volume 24 B.E. 2547 (2004)³ Start Time* Parameter Outside The Scope of The Registration of The Department of Industrial Works
(Measurement By Mr. Tummarut Pongmanee)

บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By.....

(MS. THANATPORN KLINSOPON)

08/12/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
 THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
 WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0206 – R6512-0212

TEST REPORT


CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)
 ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230
 SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)
 SAMPLE POINT : สำนักงานโครงการนิคมฯ ปิ่นทอง โครงการ 1 (A2)
 PARAMETER* : Sulfur Dioxide
 DETERMINATION METHOD : UV-Fluorescence
 INSTRUMENT : API Model MI00E S/N 3139

SAMPLE NO. : 35114-35120
 SAMPLING DATE : 21-28/11/2022
 RECEIVED DATE : 28/11/2022
 REPORTED DATE : 08/12/2022

TIME / DATE	21-22/11/2022	22-23/11/2022	23-24/11/2022	UNIT
09:00 - 10:00 ³	0.013	0.012	0.009	ppm
10:00 - 11:00	0.015	0.011	0.010	ppm
11:00 - 12:00	0.017	0.011	0.011	ppm
12:00 - 13:00	0.012	0.011	0.010	ppm
13:00 - 14:00	0.011	0.012	0.008	ppm
14:00 - 15:00	0.014	0.012	0.012	ppm
15:00 - 16:00	0.016	0.011	0.011	ppm
16:00 - 17:00	0.015	0.011	0.012	ppm
17:00 - 18:00	0.012	0.014	0.011	ppm
18:00 - 19:00	0.011	0.016	0.011	ppm
19:00 - 20:00	0.010	0.013	0.011	ppm
20:00 - 21:00	0.013	0.012	0.011	ppm
21:00 - 22:00	0.011	0.010	0.011	ppm
22:00 - 23:00	0.012	0.011	0.010	ppm
23:00 - 00:00	0.012	0.011	0.011	ppm
00:00 - 01:00	0.012	0.011	0.010	ppm
01:00 - 02:00	0.011	0.012	0.010	ppm
02:00 - 03:00	0.011	0.012	0.010	ppm
03:00 - 04:00	0.012	0.012	0.010	ppm
04:00 - 05:00	0.012	0.011	0.010	ppm
05:00 - 06:00	0.012	0.011	0.010	ppm
06:00 - 07:00	0.011	0.011	0.010	ppm
07:00 - 08:00	0.012	0.011	0.010	ppm
08:00 - 09:00	0.013	0.010	0.011	ppm
Maximum 1 hr.	0.017	0.016	0.012	ppm
Average 24 hr.	0.012	0.012	0.010	ppm
Standard (1 hr.) ¹	0.30	0.30	0.30	ppm
Standard (Average 24 hr.) ²	0.12	0.12	0.12	ppm

REMARK : ¹ Notification of The National Environmental Board Volume 12 B.E. 2538 (1995) and Volume 21 B.E.2544 (2001)² Notification of The National Environmental Board Volume 24 B.E. 2547 (2004)³ Start Time* Parameter Outside The Scope of The Notification of The Department of Industrial Works
(Measurement By Mr. Tummarat Pitsakul)

บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By. 

(MS. THANATPORN KLINSOPON)

08/12/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
 THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
 WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY


Request No. LA65-R1207

Report No. R6512-0206 – R6512-0212

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)
 ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230
 SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)
 SAMPLE POINT : สำนักงานโครงการนิคมฯ ปิ่นทอง โครงการ 1 (A2) SAMPLE NO. : 35114-35120
 PARAMETER* : Sulfur Dioxide SAMPLING DATE : 21-28/11/2022
 DETERMINATION METHOD : UV-Fluorescence RECEIVED DATE : 28/11/2022
 INSTRUMENT : API Model M100E S/N 3139 REPORTED DATE : 08/12/2022

TIME / DATE	24-25/11/2022	25-26/11/2022	26-27/11/2022	UNIT
09:00 - 10:00 ³	0.010	0.010	0.009	ppm
10:00 - 11:00	0.011	0.009	0.011	ppm
11:00 - 12:00	0.010	0.010	0.010	ppm
12:00 - 13:00	0.010	0.011	0.012	ppm
13:00 - 14:00	0.011	0.010	0.011	ppm
14:00 - 15:00	0.011	0.011	0.012	ppm
15:00 - 16:00	0.011	0.011	0.013	ppm
16:00 - 17:00	0.010	0.011	0.015	ppm
17:00 - 18:00	0.011	0.010	0.009	ppm
18:00 - 19:00	0.011	0.010	0.015	ppm
19:00 - 20:00	0.010	0.010	0.012	ppm
20:00 - 21:00	0.010	0.009	0.014	ppm
21:00 - 22:00	0.009	0.010	0.004	ppm
22:00 - 23:00	0.009	0.010	0.015	ppm
23:00 - 00:00	0.010	0.011	0.018	ppm
00:00 - 01:00	0.010	0.011	0.007	ppm
01:00 - 02:00	0.009	0.010	0.011	ppm
02:00 - 03:00	0.010	0.011	0.011	ppm
03:00 - 04:00	0.010	0.011	0.011	ppm
04:00 - 05:00	0.011	0.010	0.012	ppm
05:00 - 06:00	0.010	0.010	0.012	ppm
06:00 - 07:00	0.009	0.010	0.012	ppm
07:00 - 08:00	0.010	0.010	0.014	ppm
08:00 - 09:00	0.010	0.009	0.014	ppm
Maximum 1 hr.	0.011	0.011	0.018	ppm
Average 24 hr.	0.010	0.010	0.012	ppm
Standard (1 hr.) ¹	0.30	0.30	0.30	ppm
Standard (Average 24 hr.) ²	0.12	0.12	0.12	ppm

REMARK : ¹ Notification of The National Environmental Board Volume 12 B.E. 2538 (1995) and Volume 21 B.E.2544 (2001)² Notification of The National Environmental Board Volume 24 B.E. 2547 (2004)³ Start Time* Parameter Outside The Scope of The Regulation of the Department of Industrial Works
(Measurement By Mr. Tummarit)

บริษัท อีสเทิร์นไทยคอนซัลต์ติ้ง 1992 จำกัด

Approved By.....

(MS. THANATPORN KLINSOPON)

08/12/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
 THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
 WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0206 – R6512-0212

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)
 ADDRESS : 789 ม. 1 อ. สายหนองก้อ-แหลมฉิมบึง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230
 SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)
 SAMPLE POINT : สำนักงานโครงการนิคมฯ ปันทอง โครงการ 1 (A2) SAMPLE NO. : 35114-35120
 PARAMETER* : Sulfur Dioxide SAMPLING DATE : 21-28/11/2022
 DETERMINATION METHOD : UV-Fluorescence RECEIVED DATE : 28/11/2022
 INSTRUMENT : API Model M100E S/N 3139 REPORTED DATE : 08/12/2022

TIME / DATE	27-28/11/2022	UNIT
09:00 - 10:00 ^{/3}	0.014	ppm
10:00 - 11:00	0.015	ppm
11:00 - 12:00	0.013	ppm
12:00 - 13:00	0.008	ppm
13:00 - 14:00	0.010	ppm
14:00 - 15:00	0.004	ppm
15:00 - 16:00	0.013	ppm
16:00 - 17:00	0.011	ppm
17:00 - 18:00	0.011	ppm
18:00 - 19:00	0.009	ppm
19:00 - 20:00	0.010	ppm
20:00 - 21:00	0.012	ppm
21:00 - 22:00	0.017	ppm
22:00 - 23:00	0.015	ppm
23:00 - 00:00	0.014	ppm
00:00 - 01:00	0.014	ppm
01:00 - 02:00	0.010	ppm
02:00 - 03:00	0.010	ppm
03:00 - 04:00	0.016	ppm
04:00 - 05:00	0.010	ppm
05:00 - 06:00	0.010	ppm
06:00 - 07:00	0.012	ppm
07:00 - 08:00	0.016	ppm
08:00 - 09:00	0.013	ppm
Maximum 1 hr.	0.017	ppm
Average 24 hr.	0.012	ppm
Standard (1 hr.) ^{/1}	0.30	ppm
Standard (Average 24 hr.) ^{/2}	0.12	ppm

REMARK : ^{/1} Notification of The National Environmental Board Volume 12 B.E. 2538 (1995) and Volume 21 B.E.2544 (2001)^{/2} Notification of The National Environmental Board Volume 24 B.E. 2547 (2004)^{/3} Start Time* Parameter Outside The Scope of The Registration of The Department of Industrial Works
(Measurement By Mr. Tummarat Intakhamthong)

บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By.....

(MS. THANATPORN KLINSOPON)

08/12/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
 THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
 WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0192 – R6512-0198

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)
ADDRESS : 789 ม. 1 ถ. สายหนองก้อ-แหลมอับัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230
SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)
SAMPLE POINT : ขุมชนบ้านโนนซาก (A3)
PARAMETER* : Sulfur Dioxide
DETERMINATION METHOD : UV-Fluorescence
INSTRUMENT : API Model T100 S/N 5701

SAMPLE NO. : 35100-35106
SAMPLING DATE : 21-28/11/2022
RECEIVED DATE : 28/11/2022
REPORTED DATE : 08/12/2022

TIME / DATE	21-22/11/2022	22-23/11/2022	23-24/11/2022	UNIT
10:00 - 11:00 ³	0.075	0.061	0.059	ppm
11:00 - 12:00	0.074	0.060	0.059	ppm
12:00 - 13:00	0.056	0.059	0.058	ppm
13:00 - 14:00	0.068	0.060	0.059	ppm
14:00 - 15:00	0.061	0.058	0.060	ppm
15:00 - 16:00	0.078	0.057	0.059	ppm
16:00 - 17:00	0.067	0.060	0.060	ppm
17:00 - 18:00	0.082	0.061	0.061	ppm
18:00 - 19:00	0.086	0.063	0.062	ppm
19:00 - 20:00	0.087	0.063	0.062	ppm
20:00 - 21:00	0.087	0.062	0.062	ppm
21:00 - 22:00	0.078	0.062	0.062	ppm
22:00 - 23:00	0.079	0.062	0.061	ppm
23:00 - 00:00	0.079	0.061	0.061	ppm
00:00 - 01:00	0.075	0.061	0.061	ppm
01:00 - 02:00	0.064	0.061	0.061	ppm
02:00 - 03:00	0.062	0.060	0.061	ppm
03:00 - 04:00	0.062	0.060	0.061	ppm
04:00 - 05:00	0.062	0.060	0.060	ppm
05:00 - 06:00	0.062	0.060	0.060	ppm
06:00 - 07:00	0.062	0.060	0.060	ppm
07:00 - 08:00	0.062	0.060	0.060	ppm
08:00 - 09:00	0.062	0.060	0.060	ppm
09:00 - 10:00	0.062	0.059	0.060	ppm
Maximum 1 hr.	0.087	0.063	0.062	ppm
Average 24 hr.	0.070	0.060	0.060	ppm
Standard (1 hr.) ¹	0.30	0.30	0.30	ppm
Standard (Average 24 hr.) ²	0.12	0.12	0.12	ppm

REMARK : ¹ Notification of The National Environmental Board Volume 12 B.E. 2538 (1995) and Volume 21 B.E.2544 (2001)² Notification of The National Environmental Board Volume 24 B.E. 2547 (2004)³ Start Time* Parameter Outside The Scope of The Registration of The Department of Industrial Works
(Measurement By Mr. Tummarat Pichanont)

บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By.....

(MS. THANATPORN KLINSOPON)

08/12/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0192 – R6512-0198

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเทรียล ปาร์ค จำกัด (มหาชน)
ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230
SAMPLE SOURCE : ปันทอง อินดัสเทรียล ปาร์ค (โครงการ 1)
SAMPLE POINT : ชุมชนบ้านโนซาก (A3)
PARAMETER* : Sulfur Dioxide
DETERMINATION METHOD : UV-Fluorescence
INSTRUMENT : API Model T100 S/N 5701

SAMPLE NO. : 35100-35106
SAMPLING DATE : 21-28/11/2022
RECEIVED DATE : 28/11/2022
REPORTED DATE : 08/12/2022

TIME / DATE	24-25/11/2022	25-26/11/2022	26-27/11/2022	UNIT
10:00 - 11:00 ³	0.059	0.063	0.062	ppm
11:00 - 12:00	0.059	0.064	0.062	ppm
12:00 - 13:00	0.059	0.064	0.063	ppm
13:00 - 14:00	0.080	0.064	0.064	ppm
14:00 - 15:00	0.088	0.063	0.067	ppm
15:00 - 16:00	0.087	0.069	0.067	ppm
16:00 - 17:00	0.085	0.070	0.066	ppm
17:00 - 18:00	0.078	0.084	0.067	ppm
18:00 - 19:00	0.076	0.082	0.065	ppm
19:00 - 20:00	0.073	0.066	0.066	ppm
20:00 - 21:00	0.081	0.064	0.065	ppm
21:00 - 22:00	0.078	0.063	0.065	ppm
22:00 - 23:00	0.075	0.063	0.065	ppm
23:00 - 00:00	0.072	0.064	0.066	ppm
00:00 - 01:00	0.072	0.064	0.067	ppm
01:00 - 02:00	0.070	0.064	0.068	ppm
02:00 - 03:00	0.068	0.063	0.066	ppm
03:00 - 04:00	0.069	0.063	0.065	ppm
04:00 - 05:00	0.067	0.063	0.065	ppm
05:00 - 06:00	0.066	0.063	0.065	ppm
06:00 - 07:00	0.067	0.064	0.066	ppm
07:00 - 08:00	0.065	0.064	0.066	ppm
08:00 - 09:00	0.066	0.064	0.065	ppm
09:00 - 10:00	0.066	0.062	0.064	ppm
Maximum 1 hr.	0.088	0.084	0.068	ppm
Average 24 hr.	0.072	0.066	0.065	ppm
Standard (1 hr.) ¹	0.30	0.30	0.30	ppm
Standard (Average 24 hr.) ²	0.12	0.12	0.12	ppm

REMARK : ¹ Notification of The National Environmental Board Volume 12 B.E. 2538 (1995) and Volume 21 B.E.2544 (2001)² Notification of The National Environmental Board Volume 24 B.E. 2547 (2004)³ Start Time* Parameter Outside The Scope of The Registration of The Department of Industrial Works
(Measurement By Mr. Tummarut Pothakhaew)

Approved By.....

(MS. THANATPORN KLINSOPON)

08/12/2022

บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด
REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0192 – R6512-0198

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)
 ADDRESS : 789 ม. 1 ต. สายหนองก้อ-แหลมอับัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230
 SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)
 SAMPLE POINT : ชุมชนบ้านโนนซาก (A3) SAMPLE NO. : 35100-35106
 PARAMETER* : Sulfur Dioxide SAMPLING DATE : 21-28/11/2022
 DETERMINATION METHOD : UV-Fluorescence RECEIVED DATE : 28/11/2022
 INSTRUMENT : API Model T100 S/N 5701 REPORTED DATE : 08/12/2022

TIME / DATE	27-28/11/2022	UNIT
10:00 - 11:00 ^{/3}	0.064	ppm
11:00 - 12:00	0.065	ppm
12:00 - 13:00	0.063	ppm
13:00 - 14:00	0.062	ppm
14:00 - 15:00	0.062	ppm
15:00 - 16:00	0.063	ppm
16:00 - 17:00	0.064	ppm
17:00 - 18:00	0.065	ppm
18:00 - 19:00	0.065	ppm
19:00 - 20:00	0.066	ppm
20:00 - 21:00	0.067	ppm
21:00 - 22:00	0.066	ppm
22:00 - 23:00	0.065	ppm
23:00 - 00:00	0.066	ppm
00:00 - 01:00	0.066	ppm
01:00 - 02:00	0.066	ppm
02:00 - 03:00	0.065	ppm
03:00 - 04:00	0.065	ppm
04:00 - 05:00	0.065	ppm
05:00 - 06:00	0.066	ppm
06:00 - 07:00	0.065	ppm
07:00 - 08:00	0.065	ppm
08:00 - 09:00	0.064	ppm
09:00 - 10:00	0.064	ppm
Maximum 1 hr.	0.067	ppm
Average 24 hr.	0.065	ppm
Standard (1 hr.) ^{/1}	0.30	ppm
Standard (Average 24 hr.) ^{/2}	0.12	ppm

REMARK : ^{/1} Notification of The National Environmental Board Volume 12 B.E. 2538 (1995) and Volume 21 B.E.2544 (2001)^{/2} Notification of The National Environmental Board Volume 24 B.E. 2547 (2004)^{/3} Start Time* Parameter Outside The Scope of The Registration of The Department of Industrial Works
(Measurement By Mr. Tummarut Pitsankum)

บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By.....

(MS. THANATPORN KLINSOPON)

08/12/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
 THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
 WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0178 – R6512-0184

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)
 ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230
 SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)
 SAMPLE POINT : ชุมชนบ้านเขาหิน (A4) SAMPLE NO. : 35086-35092
 PARAMETER* : Sulfur Dioxide SAMPLING DATE : 21-28/11/2022
 DETERMINATION METHOD : UV-Fluorescence RECEIVED DATE : 28/11/2022
 INSTRUMENT : API Model T100 S/N 5702 REPORTED DATE : 08/12/2022

TIME / DATE	21-22/11/2022	22-23/11/2022	23-24/11/2022	UNIT
09:00 - 10:00 ³	0.018	0.014	0.014	ppm
10:00 - 11:00	0.017	0.017	0.015	ppm
11:00 - 12:00	0.014	0.018	0.018	ppm
12:00 - 13:00	0.014	0.030	0.021	ppm
13:00 - 14:00	0.019	0.022	0.023	ppm
14:00 - 15:00	0.027	0.021	0.019	ppm
15:00 - 16:00	0.026	0.026	0.019	ppm
16:00 - 17:00	0.011	0.014	0.011	ppm
17:00 - 18:00	0.020	0.020	0.015	ppm
18:00 - 19:00	0.017	0.004	0.005	ppm
19:00 - 20:00	0.010	0.010	0.013	ppm
20:00 - 21:00	0.010	0.015	0.013	ppm
21:00 - 22:00	0.013	0.010	0.014	ppm
22:00 - 23:00	0.012	0.013	0.014	ppm
23:00 - 00:00	0.014	0.014	0.014	ppm
00:00 - 01:00	0.014	0.014	0.014	ppm
01:00 - 02:00	0.014	0.014	0.014	ppm
02:00 - 03:00	0.014	0.014	0.014	ppm
03:00 - 04:00	0.014	0.014	0.014	ppm
04:00 - 05:00	0.014	0.014	0.014	ppm
05:00 - 06:00	0.014	0.014	0.014	ppm
06:00 - 07:00	0.014	0.014	0.014	ppm
07:00 - 08:00	0.014	0.014	0.014	ppm
08:00 - 09:00	0.014	0.014	0.014	ppm
Maximum 1 hr.	0.027	0.030	0.023	ppm
Average 24 hr.	0.015	0.015	0.015	ppm
Standard (1 hr.) ¹	0.30	0.30	0.30	ppm
Standard (Average 24 hr.) ²	0.12	0.12	0.12	ppm

REMARK : ¹ Notification of The National Environmental Board Volume 12 B.E. 2538 (1995) and Volume 21 B.E.2544 (2001)² Notification of The National Environmental Board Volume 24 B.E. 2547 (2004)³ Start Time* Parameter Outside The Scope of The Registration at The Department of Industrial Works
(Measurement By Mr. Tummaru Pongkarnsri)

บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By.....

(MS. THANATPORN KLINSOPON)

08/12/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
 THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
 WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0178 – R6512-0184

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)
ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230
SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)
SAMPLE POINT : ชุมชนบ้านเขาเติน (A4)
PARAMETER* : Sulfur Dioxide
DETERMINATION METHOD : UV-Fluorescence
INSTRUMENT : API Model T100 S/N 5702

SAMPLE NO. : 35086-35092
SAMPLING DATE : 21-28/11/2022
RECEIVED DATE : 28/11/2022
REPORTED DATE : 08/12/2022

TIME / DATE	24-25/11/2022	25-26/11/2022	26-27/11/2022	UNIT
09:00 - 10:00 ³	0.014	0.014	0.014	ppm
10:00 - 11:00	0.014	0.013	0.015	ppm
11:00 - 12:00	0.014	0.015	0.018	ppm
12:00 - 13:00	0.014	0.022	0.031	ppm
13:00 - 14:00	0.014	0.025	0.023	ppm
14:00 - 15:00	0.016	0.038	0.025	ppm
15:00 - 16:00	0.013	0.020	0.034	ppm
16:00 - 17:00	0.015	0.014	0.010	ppm
17:00 - 18:00	0.013	0.008	0.002	ppm
18:00 - 19:00	0.013	0.017	0.015	ppm
19:00 - 20:00	0.014	0.008	0.024	ppm
20:00 - 21:00	0.013	0.011	0.024	ppm
21:00 - 22:00	0.013	0.016	0.025	ppm
22:00 - 23:00	0.014	0.010	0.022	ppm
23:00 - 00:00	0.014	0.013	0.022	ppm
00:00 - 01:00	0.013	0.014	0.014	ppm
01:00 - 02:00	0.014	0.014	0.018	ppm
02:00 - 03:00	0.013	0.013	0.007	ppm
03:00 - 04:00	0.014	0.014	0.016	ppm
04:00 - 05:00	0.013	0.014	0.016	ppm
05:00 - 06:00	0.014	0.014	0.016	ppm
06:00 - 07:00	0.014	0.014	0.016	ppm
07:00 - 08:00	0.014	0.014	0.016	ppm
08:00 - 09:00	0.014	0.014	0.016	ppm
Maximum 1 hr.	0.016	0.038	0.034	ppm
Average 24 hr.	0.014	0.015	0.018	ppm
Standard (1 hr.) ¹	0.30	0.30	0.30	ppm
Standard (Average 24 hr.) ²	0.12	0.12	0.12	ppm

REMARK : ¹ Notification of The National Environmental Board Volume 12 B.E. 2538 (1995) and Volume 21 B.E.2544 (2001)² Notification of The National Environmental Board Volume 24 B.E. 2547 (2004)³ Start Time* Parameter Outside The Scope of The Registration of The Department of Industrial Works
(Measurement By Mr. Tummarut Chakranon)

บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By.....

(MS. THANATPORN KLINSOPON)

08/12/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0178 - R6512-0184

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)
 ADDRESS : 789 ม. 1 ถ. สายหนองก้อ-แหลมฉิมบึง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230
 SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)
 SAMPLE POINT : ชุมชนบ้านเขาหิน (A4) SAMPLE NO. : 35086-35092
 PARAMETER* : Sulfur Dioxide SAMPLING DATE : 21-28/11/2022
 DETERMINATION METHOD : UV-Fluorescence RECEIVED DATE : 28/11/2022
 INSTRUMENT : API Model T100 S/N 5702 REPORTED DATE : 08/12/2022

TIME / DATE	27-28/11/2022	UNIT
09:00 - 10:00 ³	0.017	ppm
10:00 - 11:00	0.016	ppm
11:00 - 12:00	0.016	ppm
12:00 - 13:00	0.016	ppm
13:00 - 14:00	0.016	ppm
14:00 - 15:00	0.016	ppm
15:00 - 16:00	0.016	ppm
16:00 - 17:00	0.017	ppm
17:00 - 18:00	0.017	ppm
18:00 - 19:00	0.016	ppm
19:00 - 20:00	0.016	ppm
20:00 - 21:00	0.016	ppm
21:00 - 22:00	0.016	ppm
22:00 - 23:00	0.017	ppm
23:00 - 00:00	0.022	ppm
00:00 - 01:00	0.029	ppm
01:00 - 02:00	0.028	ppm
02:00 - 03:00	0.013	ppm
03:00 - 04:00	0.023	ppm
04:00 - 05:00	0.019	ppm
05:00 - 06:00	0.012	ppm
06:00 - 07:00	0.013	ppm
07:00 - 08:00	0.016	ppm
08:00 - 09:00	0.015	ppm
Maximum 1 hr.	0.029	ppm
Average 24 hr.	0.017	ppm
Standard (1 hr.) ¹	0.30	ppm
Standard (Average 24 hr.) ²	0.12	ppm

REMARK : ¹ Notification of The National Environmental Board Volume 12 B.E. 2538 (1995) and Volume 21 B.E.2544 (2001)² Notification of The National Environmental Board Volume 24 B.E. 2547 (2004)³ Start Time* Parameter Outside The Scope of The Registration of The Department of Industrial Works
(Measurement By Mr. Tummarut Pongmanee)

บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By.....

(MS. THANATPORN KLINSOPON)

08/12/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
 THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
 WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

แผนผังทิศทางและความเร็วลม


Request No. LA65-R1207

บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน) (โครงการ 1)

Sample No. 35160

จุดตรวจวัด : วัดเขาดินวนาราม (A1)

วันที่ตรวจวัด : 21-28 พฤศจิกายน 2565



COPY

แผนผังทิศทางและความเร็วลม

Request No. LA65-R1207

บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน) (โครงการ 1)

Sample No. 35160

จุดตรวจวัด : วัดเขาดินวนาราม (A1)

วันที่ตรวจวัด : 21-28 พฤศจิกายน 2565

เวลา	21-22 พฤศจิกายน 2565		22-23 พฤศจิกายน 2565		23-24 พฤศจิกายน 2565		24-25 พฤศจิกายน 2565		25-26 พฤศจิกายน 2565		26-27 พฤศจิกายน 2565		27-28 พฤศจิกายน 2565	
	ความเร็วลม (เมตร/วินาที)	ทิศทางลม	ความเร็วลม (เมตร/วินาที)	ทิศทางลม	ความเร็วลม (เมตร/วินาที)	ทิศทางลม	ความเร็วลม (เมตร/วินาที)	ทิศทางลม	ความเร็วลม (เมตร/วินาที)	ทิศทางลม	ความเร็วลม (เมตร/วินาที)	ทิศทางลม	ความเร็วลม (เมตร/วินาที)	ทิศทางลม
09:00-10:00	0.4	NNE	0.9	NNE	0.9	NNE	0.0	-	0.0	-	0.9	SSE	0.0	-
10:00-11:00	0.9	NNE	1.3	NNE	0.9	NNE	0.0	-	0.0	-	0.9	S	0.0	-
11:00-12:00	1.3	NNE	1.3	NNE	1.3	NNE	0.4	N	0.0	-	1.3	S	0.0	-
12:00-13:00	1.3	NNE	1.3	NNE	0.9	NNE	0.4	N	0.4	NNE	2.2	SSW	0.4	NNE
13:00-14:00	0.9	NNE	1.3	NNE	0.9	NNE	0.9	N	0.4	N	1.3	S	0.9	S
14:00-15:00	1.3	N	0.9	N	1.3	NNE	0.9	N	0.9	S	0.4	S	0.4	S
15:00-16:00	0.4	NNE	0.9	N	0.9	N	0.9	SSW	0.9	S	0.0	-	0.0	-
16:00-17:00	0.0	-	0.4	NNE	0.4	NNE	0.9	S	0.4	N	0.0	-	0.0	-
17:00-18:00	0.0	-	0.0	-	0.0	-	0.4	S	0.4	NNE	0.0	-	0.0	-
18:00-19:00	0.0	-	0.0	-	0.4	N	0.4	S	0.0	-	0.0	-	0.0	-
19:00-20:00	0.0	-	0.0	-	0.4	NNE	0.0	-	0.0	-	0.0	-	0.0	-
20:00-21:00	0.0	-	0.0	-	0.0	-	0.0	-	0.0	-	0.0	-	0.0	-
21:00-22:00	0.0	-	0.0	-	0.0	-	0.4	S	0.0	-	0.0	-	0.0	-
22:00-23:00	0.0	-	0.0	-	0.4	NNE	0.0	-	0.0	-	0.0	-	0.0	-
23:00-00:00	0.0	-	0.0	-	0.4	N	0.0	-	0.0	-	0.0	-	0.0	-
00:00-01:00	0.0	-	0.0	-	0.4	NNE	0.0	-	0.0	-	0.0	-	0.0	-
01:00-02:00	0.0	-	0.0	-	0.0	-	0.0	-	0.0	-	0.0	-	0.0	-
02:00-03:00	0.0	-	0.0	-	0.4	NNE	0.0	-	0.0	-	0.0	-	0.0	-
03:00-04:00	0.0	-	0.0	-	0.0	-	0.0	-	0.0	-	0.0	-	0.0	-
04:00-05:00	0.0	-	0.0	-	0.4	NNE	0.0	-	0.0	-	0.0	-	0.0	-
05:00-06:00	0.0	-	0.0	-	0.4	N	0.4	N	0.0	-	0.0	-	0.0	-
06:00-07:00	0.0	-	0.0	-	0.0	-	0.0	-	0.0	-	0.0	-	0.0	-
07:00-08:00	0.0	-	0.0	-	0.0	-	0.0	-	0.0	-	0.0	-	0.0	-
08:00-09:00	0.4	N	0.0	-	0.0	-	0.0	-	0.4	S	0.0	-	0.0	-

COPY

แผนผังทิศทางและความเร็วลม

Request No. LA65-R1207


บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน) (โครงการ 1)

Sample No. 35159

จุดตรวจวัด : สำนักงานโครงการนิคมฯ ปิ่นทอง โครงการ 1 (A2)

วันที่ตรวจวัด : 21-28 พฤศจิกายน 2565

Calm 40.5 %



■ 0.4-1.9 ■ 2.0-3.9 ■ 4.0-5.9 ■ 6.0-7.9 ■ 8.0-9.9 ■ > 9.9 (m/s)

WD/WS	Percentage of Occurrence of Wind Direct Grouped in Various Wind Speed						Total
	0.4-1.9 m/s	2.0-3.9 m/s	4.0-5.9 m/s	6.0-7.9 m/s	8.0-9.9 m/s	> 9.9 m/s	
N	4.2	0.0	0.0	0.0	0.0	0.0	4.2
NNE	7.1	0.0	0.0	0.0	0.0	0.0	7.1
NE	8.3	2.4	0.0	0.0	0.0	0.0	10.7
ENE	13.1	3.0	0.0	0.0	0.0	0.0	16.1
E	10.1	0.0	0.0	0.0	0.0	0.0	10.1
ESE	4.2	0.0	0.0	0.0	0.0	0.0	4.2
SE	3.0	0.0	0.0	0.0	0.0	0.0	3.0
SSE	0.0	0.0	0.0	0.0	0.0	0.0	0.0
S	0.0	0.0	0.0	0.0	0.0	0.0	0.0
SSW	1.2	0.6	0.0	0.0	0.0	0.0	1.8
SW	0.6	0.0	0.0	0.0	0.0	0.0	0.6
WSW	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WNW	0.0	0.0	0.0	0.0	0.0	0.0	0.0
NW	0.6	0.0	0.0	0.0	0.0	0.0	0.6
NNW	1.2	0.0	0.0	0.0	0.0	0.0	1.2
Calm	40.5						

COPY



แผนผังทิศทางและความเร็วลม

Request No. LA65-R1207

บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน) (โครงการ 1)

Sample No. 35159

จุดตรวจวัด : สำนักงานโครงการนิคมฯ ปันทอง โครงการ 1 (A2)

วันที่ตรวจวัด : 21-28 พฤศจิกายน 2565

เวลา	21-22 พฤศจิกายน 2565		22-23 พฤศจิกายน 2565		23-24 พฤศจิกายน 2565		24-25 พฤศจิกายน 2565		25-26 พฤศจิกายน 2565		26-27 พฤศจิกายน 2565		27-28 พฤศจิกายน 2565	
	ความเร็วลม (เมตร/วินาที)	ทิศทางลม	ความเร็วลม (เมตร/วินาที)	ทิศทางลม	ความเร็วลม (เมตร/วินาที)	ทิศทางลม	ความเร็วลม (เมตร/วินาที)	ทิศทางลม	ความเร็วลม (เมตร/วินาที)	ทิศทางลม	ความเร็วลม (เมตร/วินาที)	ทิศทางลม	ความเร็วลม (เมตร/วินาที)	ทิศทางลม
09:00-10:00	1.3	N	0.4	NE	0.9	NNE	0.4	ENE	0.9	E	0.4	ESE	0.0	-
10:00-11:00	1.3	N	1.3	NE	1.8	NE	0.4	E	0.4	E	0.9	E	0.0	-
11:00-12:00	1.8	NE	2.2	NE	2.2	NE	0.4	E	0.4	ENE	0.9	E	0.0	-
12:00-13:00	2.7	NE	1.8	NE	2.7	ENE	1.3	E	0.9	ENE	1.8	ESE	0.9	E
13:00-14:00	2.7	NE	1.8	NNE	2.2	ENE	1.3	ESE	1.3	E	3.6	SSW	1.3	ENE
14:00-15:00	1.8	NNE	1.8	NE	2.2	ENE	1.3	E	0.9	E	1.8	SE	1.3	E
15:00-16:00	1.8	N	2.2	ENE	2.2	ENE	1.3	E	1.3	SE	0.4	SE	0.4	ESE
16:00-17:00	1.3	NNE	1.3	N	1.3	NNE	1.3	SSW	0.9	SSW	0.0	-	0.4	ENE
17:00-18:00	0.9	NNE	0.9	N	1.3	NE	0.9	SE	1.3	SW	0.4	NE	0.4	E
18:00-19:00	0.9	N	0.4	NW	0.4	NNE	0.9	ESE	0.9	NNW	0.4	NE	0.4	E
19:00-20:00	0.9	NNW	0.9	ENE	0.4	NE	0.4	SE	0.4	NE	0.0	-	0.0	-
20:00-21:00	0.4	N	0.4	ENE	0.9	ENE	0.0	-	0.9	ENE	0.0	-	0.0	-
21:00-22:00	0.4	NNE	0.9	ENE	0.4	ENE	0.4	ESE	0.4	ENE	0.0	-	0.0	-
22:00-23:00	0.0	-	0.0	-	0.4	ENE	0.4	ESE	0.4	ENE	0.0	-	0.0	-
23:00-00:00	0.0	-	0.0	-	0.9	ENE	0.0	-	0.4	E	0.0	-	0.0	-
00:00-01:00	0.0	-	0.0	-	0.4	NNE	0.0	-	0.0	-	0.0	-	0.0	-
01:00-02:00	0.0	-	0.0	-	0.4	NE	0.0	-	0.0	-	0.0	-	0.0	-
02:00-03:00	0.0	-	0.0	-	0.4	NNE	0.0	-	0.0	-	0.0	-	0.0	-
03:00-04:00	0.0	-	0.0	-	0.4	ENE	0.0	-	0.0	-	0.0	-	0.0	-
04:00-05:00	0.0	-	0.0	-	0.4	NE	0.0	-	0.0	-	0.0	-	0.0	-
05:00-06:00	0.0	-	0.0	-	0.4	NE	0.0	-	0.0	-	0.0	-	0.0	-
06:00-07:00	0.0	-	0.0	-	0.4	NNE	0.0	-	0.0	-	0.0	-	0.0	-
07:00-08:00	0.0	-	0.0	-	0.4	ENE	0.4	ENE	0.0	-	0.0	-	0.0	-
08:00-09:00	0.4	NNE	0.4	ENE	0.4	ENE	0.9	E	0.4	ENE	0.0	-	0.4	ENE

COPY

แผนผังทิศทางและความเร็วลม


Request No. LA65-R1207

บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน) (โครงการ 1)

Sample No. 35158

จุดตรวจวัด : ชุมชนบ้านโนนซาก (A3)

วันที่ตรวจวัด : 21-28 พฤศจิกายน 2565



COPY

แผนผังทิศทางและความเร็วลม

Request No. LA65-R1207

บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน) (โครงการ 1)

Sample No. 35158

จุดตรวจวัด : ชุมชนบ้านในซาก (A3)

วันที่ตรวจวัด : 21-28 พฤศจิกายน 2565

เวลา	21-22 พฤศจิกายน 2565		22-23 พฤศจิกายน 2565		23-24 พฤศจิกายน 2565		24-25 พฤศจิกายน 2565		25-26 พฤศจิกายน 2565		26-27 พฤศจิกายน 2565		27-28 พฤศจิกายน 2565	
	ความเร็วลม (เมตร/วินาที)	ทิศทางลม	ความเร็วลม (เมตร/วินาที)	ทิศทางลม	ความเร็วลม (เมตร/วินาที)	ทิศทางลม	ความเร็วลม (เมตร/วินาที)	ทิศทางลม	ความเร็วลม (เมตร/วินาที)	ทิศทางลม	ความเร็วลม (เมตร/วินาที)	ทิศทางลม	ความเร็วลม (เมตร/วินาที)	ทิศทางลม
10:00-11:00	0.0	-	0.0	-	0.0	-	0.4	SSE	0.0	-	0.0	-	0.0	-
11:00-12:00	0.0	-	0.0	-	0.0	-	0.9	SE	0.4	SE	0.0	-	0.0	-
12:00-13:00	0.4	E	0.0	-	0.0	-	0.9	SSE	0.9	SE	0.0	-	0.0	-
13:00-14:00	0.4	N	0.0	-	0.0	-	0.4	SE	0.4	SE	0.0	-	0.0	-
14:00-15:00	0.0	-	0.0	-	0.0	-	0.0	-	0.0	-	0.0	-	0.0	-
15:00-16:00	0.0	-	0.0	-	0.0	-	0.0	-	0.0	-	0.0	-	0.0	-
16:00-17:00	0.0	-	0.0	-	0.0	-	0.0	-	0.0	-	0.0	-	0.0	-
17:00-18:00	0.0	-	0.0	-	0.0	-	0.0	-	0.0	-	0.0	-	0.0	-
18:00-19:00	0.0	-	0.0	-	0.0	-	0.0	-	0.0	-	0.0	-	0.0	-
19:00-20:00	0.0	-	0.0	-	0.0	-	0.4	SE	0.0	-	0.0	-	0.0	-
20:00-21:00	0.0	-	0.0	-	0.0	-	0.0	-	0.0	-	0.0	-	0.0	-
21:00-22:00	0.0	-	0.0	-	0.0	-	0.0	-	0.0	-	0.0	-	0.0	-
22:00-23:00	0.0	-	0.0	-	0.0	-	0.4	ESE	0.4	SE	0.0	-	0.0	-
23:00-00:00	0.0	-	0.0	-	0.0	-	0.9	SE	0.4	SE	0.0	-	0.4	N
00:00-01:00	0.0	-	0.0	-	0.4	SE	0.4	SE	1.3	SE	0.0	-	0.0	-
01:00-02:00	0.0	-	0.0	-	0.4	SSE	0.4	SE	1.3	SE	0.0	-	0.0	-
02:00-03:00	0.0	-	0.4	N	0.9	SE	0.4	SE	1.8	SE	0.0	-	0.0	-
03:00-04:00	0.0	-	0.4	E	1.3	SE	0.9	N	1.8	WSW	0.4	ESE	0.0	-
04:00-05:00	0.0	-	0.0	-	0.9	SSE	0.9	N	2.2	WSW	1.8	ESE	0.0	-
05:00-06:00	0.0	-	0.0	-	1.8	SE	1.3	SE	0.9	SE	1.3	SE	0.4	E
06:00-07:00	0.0	-	0.0	-	0.9	W	0.9	N	0.4	SSE	0.4	SE	0.4	E
07:00-08:00	0.0	-	0.0	-	0.9	SE	0.9	WSW	0.0	-	0.9	ESE	0.0	-
08:00-09:00	0.0	-	0.0	-	0.9	SE	0.0	-	0.0	-	0.9	ESE	0.0	-
09:00-10:00	0.0	-	0.0	-	0.9	S	0.0	-	0.0	-	0.0	-	0.0	-

COPY

แผนผังทิศทางและความเร็วลม


Request No. LA65-R1207

บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน) (โครงการ 1)

Sample No. 35157

จุดตรวจวัด : ชุมชนบ้านเขาหิน (A4)

วันที่ตรวจวัด : 21-28 พฤศจิกายน 2565



COPY

แผนผังทิศทางและความเร็วลม

Request No. LA65-R1207

บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน) (โครงการ 1)

Sample No. 35157

จุดตรวจวัด : ชุมชนบ้านเขาหิน (A4)

วันที่ตรวจวัด : 21-28 พฤศจิกายน 2565

เวลา	21-22 พฤศจิกายน 2565		22-23 พฤศจิกายน 2565		23-24 พฤศจิกายน 2565		24-25 พฤศจิกายน 2565		25-26 พฤศจิกายน 2565		26-27 พฤศจิกายน 2565		27-28 พฤศจิกายน 2565	
	ความเร็วลม (เมตร/วินาที)	ทิศทางลม	ความเร็วลม (เมตร/วินาที)	ทิศทางลม	ความเร็วลม (เมตร/วินาที)	ทิศทางลม	ความเร็วลม (เมตร/วินาที)	ทิศทางลม	ความเร็วลม (เมตร/วินาที)	ทิศทางลม	ความเร็วลม (เมตร/วินาที)	ทิศทางลม	ความเร็วลม (เมตร/วินาที)	ทิศทางลม
09:00-10:00	0.0	-	0.4	NNE	0.4	NNE	0.0	-	1.8	ESE	1.8	SE	0.0	-
10:00-11:00	0.4	N	0.9	N	0.9	NNE	1.3	SE	0.9	ESE	1.8	SE	0.0	-
11:00-12:00	0.9	N	0.9	NNE	0.9	N	0.9	ESE	0.4	E	2.7	SE	0.4	ESE
12:00-13:00	1.3	N	0.9	NNE	0.9	NNE	2.2	ESE	0.9	ESE	3.1	SSE	0.4	ESE
13:00-14:00	0.9	N	0.9	NNE	0.9	NNE	2.7	ESE	1.3	SE	2.7	SW	1.8	ESE
14:00-15:00	0.9	NNE	0.9	NNE	0.9	NNE	2.7	ESE	2.2	ESE	2.2	SW	3.1	ESE
15:00-16:00	0.9	NNE	0.9	NNE	0.9	NNE	3.1	ESE	2.7	SSE	1.3	SE	1.8	SE
16:00-17:00	0.4	N	0.4	N	0.4	N	1.8	SW	1.3	SSE	1.3	SE	0.9	ESE
17:00-18:00	0.4	NNE	0.4	N	0.4	N	2.7	SE	0.9	SSE	0.0	-	1.3	ESE
18:00-19:00	0.0	-	0.0	-	0.0	-	2.2	SE	0.0	-	0.0	-	0.4	ESE
19:00-20:00	0.0	-	0.4	E	0.0	-	1.3	SE	0.4	NNE	0.0	-	0.4	SE
20:00-21:00	0.0	-	0.0	-	0.4	NE	0.9	SE	0.4	NE	0.0	-	0.4	SSE
21:00-22:00	0.0	-	0.0	-	0.0	-	1.8	SE	0.9	ESE	0.0	-	0.0	-
22:00-23:00	0.0	-	0.0	-	0.4	NNE	1.3	SE	1.3	ESE	0.0	-	0.0	-
23:00-00:00	0.0	-	0.0	-	0.4	NNE	0.4	ESE	0.4	ESE	0.0	-	0.0	-
00:00-01:00	0.0	-	0.0	-	0.4	NNE	0.0	-	0.0	-	0.0	-	0.4	SSE
01:00-02:00	0.0	-	0.0	-	0.4	NNE	0.4	ESE	0.0	-	0.0	-	0.0	-
02:00-03:00	0.0	-	0.0	-	0.4	NNE	0.0	-	0.0	-	0.0	-	0.0	-
03:00-04:00	0.0	-	0.0	-	0.4	NNE	0.0	-	0.0	-	0.0	-	0.0	-
04:00-05:00	0.0	-	0.0	-	0.4	N	0.0	-	0.0	-	0.0	-	0.0	-
05:00-06:00	0.0	-	0.0	-	0.4	NNE	0.9	ESE	0.0	-	0.0	-	0.0	-
06:00-07:00	0.0	-	0.0	-	0.4	N	0.0	-	0.0	-	0.0	-	0.0	-
07:00-08:00	0.0	-	0.0	-	0.0	-	0.4	ESE	0.4	SE	0.0	-	0.0	-
08:00-09:00	0.0	-	0.0	-	0.0	-	0.4	ESE	0.4	ESE	0.0	-	0.0	-

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)
ADDRESS : 789 ม. 1 ถ. สายหนองก้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230
SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)
SAMPLE POINT : วัดเขาดินวนาราม (N1)
PARAMETER* : L_{eq} 1 hr., L_{eq} 24 hr., $L_{90\#}$ & $L_{dn\#}$
DETERMINATION METHOD : ISO 1996-1:2016
INSTRUMENT : Integrated Sound Level Meter
S/N 00209072 : Type 2

SAMPLE NO. : 35151
MEASURING DATE : 23-24/11/2022
RECEIVED DATE : 28/11/2022
REPORTED DATE : 08/12/2022


TIME \ DATE	23-24/11/2022 (L_{eq})	23-24/11/2022 ($L_{90\#}$)	UNIT
08:00 - 09:00 ²	53.6	47.6	dB(A)
09:00 - 10:00	51.0	46.8	dB(A)
10:00 - 11:00	52.3	47.6	dB(A)
11:00 - 12:00	53.0	47.8	dB(A)
12:00 - 13:00	64.1	50.7	dB(A)
13:00 - 14:00	63.3	49.6	dB(A)
14:00 - 15:00	52.8	48.8	dB(A)
15:00 - 16:00	57.6	52.4	dB(A)
16:00 - 17:00	64.9	46.5	dB(A)
17:00 - 18:00	61.4	55.2	dB(A)
18:00 - 19:00	54.4	47.9	dB(A)
19:00 - 20:00	46.6	45.0	dB(A)
20:00 - 21:00	47.8	45.4	dB(A)
21:00 - 22:00	46.1	45.1	dB(A)
22:00 - 23:00	50.0	44.4	dB(A)
23:00 - 00:00	45.2	44.5	dB(A)
00:00 - 01:00	47.9	44.5	dB(A)
01:00 - 02:00	45.7	44.5	dB(A)
02:00 - 03:00	45.5	44.5	dB(A)
03:00 - 04:00	60.5	44.7	dB(A)
04:00 - 05:00	62.2	48.9	dB(A)
05:00 - 06:00	56.4	50.6	dB(A)
06:00 - 07:00	54.1	47.0	dB(A)
07:00 - 08:00	60.0	54.1	dB(A)
L_{eq} 24 hr.	58.2	-	dB(A)
$L_{dn\#}$	63.1	-	dB(A)
Standard	70 ¹	-	dB(A)

REMARK : [#] Test Report/Sampling marked 'Not TISI Accredited' in this report are not included in the TISI Accreditation Schedule for our laboratory

¹ Notification of Office of The National Environmental Board Volume 15 B.E. 2540 (1997)

² Start Time

* Parameter Outside The Scope of The Registration of The Department of Industrial Works
(Ms. Thanatporn Klinsoon is Section Head of the Management, Chakrindawat is Technical Management)
(Measurement By Mr. Tummarut Photanavong)



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By: 
(MRS. WANPEN LHAOCHINDAWAT)

08/12/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0243

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)
 ADDRESS : 789 ม. 1 ถ. สายหนองก้อ-แหลมฉิม ช. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230
 SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)
 SAMPLE POINT : วัดเขาคินวนาราม (N1)
 PARAMETER* : ระดับการรบกวน
 DETERMINATION METHOD : ISO 1996-1:2016
 INSTRUMENT : Integrated Sound Level Meter
 S/N 00209072 : Type 2

SAMPLE NO. : 35151
 MEASURING DATE : 23-24/11/2022
 RECEIVED DATE : 28/11/2022
 REPORTED DATE : 08/12/2022

TIME	ระดับเสียง	TIME	ระดับเสียงพื้นฐาน	ระดับเสียง	ระดับการรบกวน
23-24/11/2022	ขณะมีการรบกวน dB(A)	26-27/11/2022	dB(A)	ขณะไม่มีการรบกวน dB(A)	dB(A)
08:00 - 09:00 ²	46.6	08:00 - 09:00 ²	52.3	57.7	-
09:00 - 10:00	44.0	09:00 - 10:00	47.4	52.3	-
10:00 - 11:00	45.3	10:00 - 11:00	48.6	52.6	-
11:00 - 12:00	46.0	11:00 - 12:00	50.4	57.5	-
12:00 - 13:00	57.1	12:00 - 13:00	49.7	63.7	7.4
13:00 - 14:00	56.3	13:00 - 14:00	50.5	64.0	5.8
14:00 - 15:00	45.8	14:00 - 15:00	50.1	54.2	-
15:00 - 16:00	50.6	15:00 - 16:00	52.7	64.1	-
16:00 - 17:00	61.9	16:00 - 17:00	46.4	61.7	15.5
17:00 - 18:00	54.4	17:00 - 18:00	56.5	62.8	-
18:00 - 19:00	53.4	18:00 - 19:00	45.7	47.7	7.7
19:00 - 20:00	39.6	19:00 - 20:00	46.3	48.1	-
20:00 - 21:00	40.8	20:00 - 21:00	45.7	47.6	-
21:00 - 22:00	39.1	21:00 - 22:00	45.4	46.3	-
22:00 - 23:00	43.0	22:00 - 23:00	44.9	50.6	-
23:00 - 00:00	38.2	23:00 - 00:00	45.1	47.8	-
00:00 - 01:00	40.9	00:00 - 01:00	45.2	46.7	-
01:00 - 02:00	38.7	01:00 - 02:00	45.2	46.3	-
02:00 - 03:00	38.5	02:00 - 03:00	45.3	46.3	-
03:00 - 04:00	53.5	03:00 - 04:00	45.4	62.8	8.1
04:00 - 05:00	55.2	04:00 - 05:00	53.0	62.6	2.2
05:00 - 06:00	53.4	05:00 - 06:00	46.1	53.1	7.3
06:00 - 07:00	47.1	06:00 - 07:00	49.6	57.4	-
07:00 - 08:00	53.0	07:00 - 08:00	55.6	62.8	-
มาตรฐานเสียงรบกวน					10 ¹

REMARK :

¹ Notification of Ministry of the Industry B.E. 2548 (2005) and B.E. 2553 (2010)² Start Time

* Parameter Outside The Scope of The Registration of The Department of Industrial Works

(Measurement By Mr. Tungman P. Sankhla)



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By.....

(MRS. WANPEN LHAOCHINDAWAT)

08/12/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

 THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
 WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)
ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230
SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)
SAMPLE POINT : วัดเขาดินวนาราม (N1)
PARAMETER* : L_{eq} 1 hr., L_{eq} 24 hr., $L_{90\#}$ & $L_{dn\#}$
DETERMINATION METHOD : ISO 1996-1:2016
INSTRUMENT : Integrated Sound Level Meter
S/N 00209072 : Type 2

SAMPLE NO. : 35152
MEASURING DATE : 24-25/11/2022
RECEIVED DATE : 28/11/2022
REPORTED DATE : 08/12/2022

TIME \ DATE	24-25/11/2022 (L_{eq})	24-25/11/2022 ($L_{90\#}$)	UNIT
08:00 - 09:00 ^{/2}	61.0	50.6	dB(A)
09:00 - 10:00	55.1	47.3	dB(A)
10:00 - 11:00	61.7	49.0	dB(A)
11:00 - 12:00	58.8	48.8	dB(A)
12:00 - 13:00	53.7	49.3	dB(A)
13:00 - 14:00	53.9	47.4	dB(A)
14:00 - 15:00	57.6	48.9	dB(A)
15:00 - 16:00	59.1	53.0	dB(A)
16:00 - 17:00	52.3	46.7	dB(A)
17:00 - 18:00	48.1	45.2	dB(A)
18:00 - 19:00	48.5	46.2	dB(A)
19:00 - 20:00	51.0	48.3	dB(A)
20:00 - 21:00	50.0	48.8	dB(A)
21:00 - 22:00	46.9	45.1	dB(A)
22:00 - 23:00	49.3	45.0	dB(A)
23:00 - 00:00	48.4	44.7	dB(A)
00:00 - 01:00	45.8	44.9	dB(A)
01:00 - 02:00	48.5	46.2	dB(A)
02:00 - 03:00	47.2	45.9	dB(A)
03:00 - 04:00	46.9	45.6	dB(A)
04:00 - 05:00	60.7	47.8	dB(A)
05:00 - 06:00	56.8	50.6	dB(A)
06:00 - 07:00	52.1	45.9	dB(A)
07:00 - 08:00	58.3	51.7	dB(A)
L_{eq} 24 hr.	55.8	-	dB(A)
$L_{dn\#}$	60.8	-	dB(A)
Standard	70 ^{/1}	-	dB(A)

REMARK : # Test Report/Sampling marked 'Not TISI Accredited' in this report are not included in the TISI Accreditation Schedule for our laboratory

/1 Notification of Office of The National Environmental Board Volume 15 B.E. 2540 (1997)

/2 Start Time

* Parameter Outside The Scope of The Registration of The Department of Industrial Works

(Ms. Thanatporn Klinsoon is Section Head, Mrs. Wanpen Lhaochindawat is Technical Management)

(Measurement By Mr. Tummarut Phonsakum)



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By.....

(MRS. WANPEN LHAOCHINDAWAT)

08/12/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0244

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)
 ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230
 SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)
 SAMPLE POINT : วัดเขาดินวนาราม (N1)
 PARAMETER* : ระดับการรบกวน
 DETERMINATION METHOD : ISO 1996-1:2016
 INSTRUMENT : Integrated Sound Level Meter
 S/N 00209072 : Type 2

SAMPLE NO. : 35152
 MEASURING DATE : 24-25/11/2022
 RECEIVED DATE : 28/11/2022
 REPORTED DATE : 08/12/2022

TIME	ระดับเสียง	TIME	ระดับเสียงพื้นฐาน	ระดับเสียง	ระดับการรบกวน
24-25/11/2022	ขณะมีการรบกวน dB(A)	26-27/11/2022	dB(A)	ขณะไม่มีการรบกวน dB(A)	dB(A)
08:00 - 09:00 ²	58.0	08:00 - 09:00 ²	52.3	57.7	5.7
09:00 - 10:00	52.1	09:00 - 10:00	47.4	52.3	4.7
10:00 - 11:00	61.2	10:00 - 11:00	48.6	52.6	12.6
11:00 - 12:00	51.8	11:00 - 12:00	50.4	57.5	1.4
12:00 - 13:00	46.7	12:00 - 13:00	49.7	63.7	-
13:00 - 14:00	46.9	13:00 - 14:00	50.5	64.0	-
14:00 - 15:00	54.6	14:00 - 15:00	50.1	54.2	4.5
15:00 - 16:00	52.1	15:00 - 16:00	52.7	64.1	-
16:00 - 17:00	45.3	16:00 - 17:00	46.4	61.7	-
17:00 - 18:00	41.1	17:00 - 18:00	56.5	62.8	-
18:00 - 19:00	41.5	18:00 - 19:00	45.7	47.7	-
19:00 - 20:00	48.0	19:00 - 20:00	46.3	48.1	1.7
20:00 - 21:00	45.5	20:00 - 21:00	45.7	47.6	-
21:00 - 22:00	39.9	21:00 - 22:00	45.4	46.3	-
22:00 - 23:00	42.3	22:00 - 23:00	44.9	50.6	-
23:00 - 00:00	41.4	23:00 - 00:00	45.1	47.8	-
00:00 - 01:00	38.8	00:00 - 01:00	45.2	46.7	-
01:00 - 02:00	44.0	01:00 - 02:00	45.2	46.3	-
02:00 - 03:00	40.2	02:00 - 03:00	45.3	46.3	-
03:00 - 04:00	39.9	03:00 - 04:00	45.4	62.8	-
04:00 - 05:00	53.7	04:00 - 05:00	53.0	62.6	0.7
05:00 - 06:00	54.8	05:00 - 06:00	46.1	53.1	8.7
06:00 - 07:00	45.1	06:00 - 07:00	49.6	57.4	-
07:00 - 08:00	51.3	07:00 - 08:00	55.6	62.8	-
มาตรฐานเสียงรบกวน					10 ¹

REMARK :

¹ Notification of Ministry of the Industry B.E. 2548 (2005) and B.E. 2553 (2010)² Start Time

* Parameter Outside The Scope of The Registration of The Department of Industrial Works

(Measurement By Mr. Tumma (Signature))



Approved By.....

(MRS. WANPEN LHAOCHINDAWAT)

08/12/2022

บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)
ADDRESS : 789 ม. 1 ถ. สายหนองล้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230
SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)
SAMPLE POINT : วัดเขาดินวนาราม (N1)
PARAMETER* : L_{eq} 1 hr., L_{eq} 24 hr., $L_{90\#}$ & $L_{dn\#}$
DETERMINATION METHOD : ISO 1996-1:2016
INSTRUMENT : Integrated Sound Level Meter
S/N 00209072 : Type 2

SAMPLE NO. : 35153
MEASURING DATE : 25-26/11/2022
RECEIVED DATE : 28/11/2022
REPORTED DATE : 08/12/2022

TIME \ DATE	25-26/11/2022 (L_{eq})	25-26/11/2022 ($L_{90\#}$)	UNIT
08:00 - 09:00 ^{1/2}	61.5	48.7	dB(A)
09:00 - 10:00	56.5	47.7	dB(A)
10:00 - 11:00	60.3	47.3	dB(A)
11:00 - 12:00	61.4	49.4	dB(A)
12:00 - 13:00	57.8	46.5	dB(A)
13:00 - 14:00	60.1	46.1	dB(A)
14:00 - 15:00	61.2	47.3	dB(A)
15:00 - 16:00	59.3	46.6	dB(A)
16:00 - 17:00	60.5	46.9	dB(A)
17:00 - 18:00	51.4	45.6	dB(A)
18:00 - 19:00	49.6	46.5	dB(A)
19:00 - 20:00	46.8	45.9	dB(A)
20:00 - 21:00	47.5	46.7	dB(A)
21:00 - 22:00	47.0	46.5	dB(A)
22:00 - 23:00	46.8	46.3	dB(A)
23:00 - 00:00	46.4	46.0	dB(A)
00:00 - 01:00	46.4	45.8	dB(A)
01:00 - 02:00	47.7	45.5	dB(A)
02:00 - 03:00	51.2	45.0	dB(A)
03:00 - 04:00	48.8	44.9	dB(A)
04:00 - 05:00	50.4	44.8	dB(A)
05:00 - 06:00	48.2	45.2	dB(A)
06:00 - 07:00	55.0	45.8	dB(A)
07:00 - 08:00	53.6	48.1	dB(A)
L_{eq} 24 hr.	56.5	-	dB(A)
$L_{dn\#}$	58.9	-	dB(A)
Standard	70 ^{1/1}	-	dB(A)

REMARK : ^{1/2} Test Report/Sampling marked 'Not TISI Accredited' in this report are not included in the TISI Accreditation Schedule for our laboratory


^{1/1} Notification of Office of The National Environmental Board Volume 15 B.E. 2540 (1997)

^{1/2} Start Time

* Parameter Outside The Scope of The Registration of The Department of Industrial Works
(Ms. Thanatporn Klinsoon is Section Head, Ms. Wanpen Lhaochindawat is Technical Management)
(Measurement By Mr. Tummarut Phonsakulchai)



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By 
(MRS. WANPEN LHAOCHINDAWAT)

08/12/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0245

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเทรียล ปาร์ค จำกัด (มหาชน)
ADDRESS : 789 ม. 1 ถ. สายหนองก้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230
SAMPLE SOURCE : ปันทอง อินดัสเทรียล ปาร์ค (โครงการ 1)
SAMPLE POINT : วัดเขาดินวนาราม (N1)
PARAMETER* : ระดับการรบกวน
DETERMINATION METHOD : ISO 1996-1:2016
INSTRUMENT : Integrated Sound Level Meter
S/N 00209072 : Type 2

SAMPLE NO. : 35153
MEASURING DATE : 25-26/11/2022
RECEIVED DATE : 28/11/2022
REPORTED DATE : 08/12/2022

TIME 25-26/11/2022	ระดับเสียง ขณะมีการรบกวน dB(A)	TIME 26-27/11/2022	ระดับเสียงพื้นฐาน dB(A)	ระดับเสียง ขณะไม่มีการรบกวน dB(A)	ระดับการรบกวน dB(A)
08:00 - 09:00 ²	59.5	08:00 - 09:00 ²	52.3	57.7	7.2
09:00 - 10:00	54.5	09:00 - 10:00	47.4	52.3	7.1
10:00 - 11:00	59.8	10:00 - 11:00	48.6	52.6	11.2
11:00 - 12:00	59.4	11:00 - 12:00	50.4	57.5	9.0
12:00 - 13:00	50.8	12:00 - 13:00	49.7	63.7	1.1
13:00 - 14:00	53.1	13:00 - 14:00	50.5	64.0	2.6
14:00 - 15:00	60.2	14:00 - 15:00	50.1	54.2	10.1
15:00 - 16:00	52.3	15:00 - 16:00	52.7	64.1	-
16:00 - 17:00	53.5	16:00 - 17:00	46.4	61.7	7.1
17:00 - 18:00	44.4	17:00 - 18:00	56.5	62.8	-
18:00 - 19:00	45.1	18:00 - 19:00	45.7	47.7	-
19:00 - 20:00	39.8	19:00 - 20:00	46.3	48.1	-
20:00 - 21:00	40.5	20:00 - 21:00	45.7	47.6	-
21:00 - 22:00	40.0	21:00 - 22:00	45.4	46.3	-
22:00 - 23:00	39.8	22:00 - 23:00	44.9	50.6	-
23:00 - 00:00	39.4	23:00 - 00:00	45.1	47.8	-
00:00 - 01:00	39.4	00:00 - 01:00	45.2	46.7	-
01:00 - 02:00	40.7	01:00 - 02:00	45.2	46.3	-
02:00 - 03:00	49.7	02:00 - 03:00	45.3	46.3	4.4
03:00 - 04:00	41.8	03:00 - 04:00	45.4	62.8	-
04:00 - 05:00	43.4	04:00 - 05:00	53.0	62.6	-
05:00 - 06:00	41.2	05:00 - 06:00	46.1	53.1	-
06:00 - 07:00	48.0	06:00 - 07:00	49.6	57.4	-
07:00 - 08:00	46.6	07:00 - 08:00	55.6	62.8	-
มาตรฐานเสียงรบกวน					10 ¹

REMARK :

¹ Notification of Ministry of the Industry B.E. 2548 (2005) and B.E. 2553 (2010)² Start Time

* Parameter Outside The Scope of The Registration of The Department of Industrial Works

(Measurement By Mr. Tun-anat Phrasakun)



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By

(MRS. WANPEN LHAOCHINDAWAT)

08/12/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)
ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมปลั่ง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230
SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)
SAMPLE POINT : สำนักงานโครงการนิคมฯปิ่นทอง โครงการ 1 (N2)
PARAMETER* : L_{eq} 1 hr., L_{eq} 24 hr., $L_{90\%}$ & $L_{dn\#}$ SAMPLE NO. : 35154
DETERMINATION METHOD : ISO 1996-1:2016 MEASURING DATE : 23-24/11/2022
INSTRUMENT : Integrated Sound Level Meter RECEIVED DATE : 28/11/2022
S/N 090086 : Type 2 REPORTED DATE : 08/12/2022


TIME \ DATE	23-24/11/2022 (L_{eq})	23-24/11/2022 ($L_{90\%}$)	UNIT
08:00 - 09:00 ^{/2}	60.0	53.3	dB(A)
09:00 - 10:00	58.7	51.4	dB(A)
10:00 - 11:00	59.0	51.5	dB(A)
11:00 - 12:00	59.8	52.0	dB(A)
12:00 - 13:00	59.1	51.6	dB(A)
13:00 - 14:00	57.7	50.5	dB(A)
14:00 - 15:00	59.3	50.6	dB(A)
15:00 - 16:00	58.4	49.8	dB(A)
16:00 - 17:00	60.1	51.3	dB(A)
17:00 - 18:00	63.3	60.0	dB(A)
18:00 - 19:00	59.9	55.0	dB(A)
19:00 - 20:00	60.8	52.5	dB(A)
20:00 - 21:00	58.4	50.1	dB(A)
21:00 - 22:00	53.0	47.2	dB(A)
22:00 - 23:00	54.2	47.3	dB(A)
23:00 - 00:00	51.5	47.1	dB(A)
00:00 - 01:00	51.1	46.9	dB(A)
01:00 - 02:00	50.7	46.7	dB(A)
02:00 - 03:00	50.3	46.6	dB(A)
03:00 - 04:00	49.2	46.0	dB(A)
04:00 - 05:00	55.0	49.8	dB(A)
05:00 - 06:00	58.1	53.4	dB(A)
06:00 - 07:00	64.1	56.5	dB(A)
07:00 - 08:00	64.5	58.8	dB(A)
L_{eq} 24 hr.	59.2	-	dB(A)
$L_{dn\#}$	63.9	-	dB(A)
Standard	70 ^{/1}	-	dB(A)

REMARK : [#] Test Report/Sampling marked 'Not TISI Accredited' in this report are not included in the TISI Accreditation Schedule for our laboratory
^{/1} Notification of Office of The National Environmental Board Volume 15 B.E. 2540 (1997)
^{/2} Start Time

* Parameter Outside The Scope of The Registration of The Department of Industrial Works
(Ms. Thanatporn Klinsoon is Section Head, Mrs. Wanpen Lhaochindawat is Technical Management)
(Measurement By Mr. Tummarut Phumthum)



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By: 
(MRS. WANPEN LHAOCHINDAWAT)

08/12/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0246

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)
 ADDRESS : 789 ม. 1 ต. สายหนองก้อ-แหลมฉ้าง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230
 SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)
 SAMPLE POINT : สำนักงานโครงการนิคมฯปันทอง โครงการ 1 (N2)
 PARAMETER* : ระดับการรบกวน
 DETERMINATION METHOD : ISO 1996-1:2016
 INSTRUMENT : Integrated Sound Level Meter
 S/N 090086 : Type 2

SAMPLE NO. : 35154
 MEASURING DATE : 23-24/11/2022
 RECEIVED DATE : 28/11/2022
 REPORTED DATE : 08/12/2022

TIME	ระดับเสียง	TIME	ระดับเสียงพื้นฐาน	ระดับเสียง	ระดับการรบกวน
23-24/11/2022	ขณะมีการรบกวน dB(A)	26-27/11/2022	dB(A)	ขณะไม่มีการรบกวน dB(A)	dB(A)
08:00 - 09:00 ²	57.0	08:00 - 09:00 ²	49.8	57.3	7.2
09:00 - 10:00	54.2	09:00 - 10:00	48.2	56.7	6.0
10:00 - 11:00	56.0	10:00 - 11:00	49.0	56.5	7.0
11:00 - 12:00	56.8	11:00 - 12:00	51.1	57.0	5.7
12:00 - 13:00	52.1	12:00 - 13:00	52.5	58.9	-
13:00 - 14:00	50.7	13:00 - 14:00	50.3	59.9	0.4
14:00 - 15:00	54.8	14:00 - 15:00	50.1	57.7	4.7
15:00 - 16:00	51.4	15:00 - 16:00	53.2	61.2	-
16:00 - 17:00	53.1	16:00 - 17:00	61.3	64.0	-
17:00 - 18:00	60.3	17:00 - 18:00	52.4	60.0	7.9
18:00 - 19:00	52.9	18:00 - 19:00	51.9	60.1	1.0
19:00 - 20:00	59.3	19:00 - 20:00	49.1	55.3	10.2
20:00 - 21:00	53.9	20:00 - 21:00	50.4	56.5	3.5
21:00 - 22:00	46.0	21:00 - 22:00	54.7	58.5	-
22:00 - 23:00	47.2	22:00 - 23:00	50.5	58.3	-
23:00 - 00:00	44.5	23:00 - 00:00	48.4	56.3	-
00:00 - 01:00	44.1	00:00 - 01:00	48.6	51.8	-
01:00 - 02:00	43.7	01:00 - 02:00	46.7	49.8	-
02:00 - 03:00	43.3	02:00 - 03:00	47.1	49.9	-
03:00 - 04:00	42.2	03:00 - 04:00	51.7	60.9	-
04:00 - 05:00	48.0	04:00 - 05:00	54.3	61.6	-
05:00 - 06:00	51.1	05:00 - 06:00	48.8	58.0	2.3
06:00 - 07:00	61.1	06:00 - 07:00	51.3	61.3	9.8
07:00 - 08:00	64.0	07:00 - 08:00	45.3	56.6	18.7
มาตรฐานเสียงรบกวน					10 ¹

REMARK : ¹ Notification of Ministry of the Industry B.E. 2548 (2005) and B.E. 2553 (2010)² Start Time

* Parameter Outside The Scope of The Registration of The Department of Industrial Works
 (Measurement By Mr. Tummasa Phetphumrue)



Approved By.....

(MRS. WANPEN LHAOCHINDAWAT)

08/12/2022

บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)
ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230
SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)
SAMPLE POINT : สำนักงานโครงการนิคมฯปิ่นทอง โครงการ 1 (N2)
PARAMETER* : L_{eq} 1 hr., L_{eq} 24 hr., $L_{90\%}$ & $L_{dn\#}$
DETERMINATION METHOD : ISO 1996-1:2016
INSTRUMENT : Integrated Sound Level Meter
S/N 090086 : Type 2

SAMPLE NO. : 35155
MEASURING DATE : 24-25/11/2022
RECEIVED DATE : 28/11/2022
REPORTED DATE : 08/12/2022

TIME \ DATE	24-25/11/2022 (L_{eq})	24-25/11/2022 ($L_{90\%}$)	UNIT
08:00 - 09:00 ^{/2}	60.0	53.0	dB(A)
09:00 - 10:00	58.9	51.6	dB(A)
10:00 - 11:00	58.7	51.6	dB(A)
11:00 - 12:00	58.7	51.1	dB(A)
12:00 - 13:00	57.8	49.8	dB(A)
13:00 - 14:00	56.9	50.0	dB(A)
14:00 - 15:00	57.9	51.0	dB(A)
15:00 - 16:00	58.4	51.5	dB(A)
16:00 - 17:00	60.7	54.4	dB(A)
17:00 - 18:00	63.6	61.4	dB(A)
18:00 - 19:00	61.2	56.5	dB(A)
19:00 - 20:00	60.7	53.8	dB(A)
20:00 - 21:00	56.8	53.3	dB(A)
21:00 - 22:00	54.3	49.5	dB(A)
22:00 - 23:00	52.2	47.6	dB(A)
23:00 - 00:00	51.0	47.3	dB(A)
00:00 - 01:00	50.7	46.3	dB(A)
01:00 - 02:00	54.8	51.7	dB(A)
02:00 - 03:00	48.2	46.1	dB(A)
03:00 - 04:00	52.1	47.5	dB(A)
04:00 - 05:00	57.5	51.2	dB(A)
05:00 - 06:00	59.8	54.7	dB(A)
06:00 - 07:00	65.4	59.8	dB(A)
07:00 - 08:00	62.9	56.0	dB(A)
L_{eq} 24 hr.	59.3	-	dB(A)
$L_{dn\#}$	64.9	-	dB(A)
Standard	70 ^{/1}	-	dB(A)

REMARK : [#] Test Report/Sampling marked 'Not TISI Accredited' in this report are not included in the TISI Accreditation Schedule for our laboratory

^{/1} Notification of Office of The National Environmental Board Volume 15 B.E. 2540 (1997)

^{/2} Start Time

* Parameter Outside The Scope of The Registration of The Department of Industrial Works
(Ms. Thanatporn Klinsoon is Section Head, Mrs. Wanpen Lhaochindawat is Technical Management)
(Measurement By Mr. Tummarut Phonsriyong)



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

Approved By.....
(MRS. WANPEN LHAOCHINDAWAT)

08/12/2022

COPY

Request No. LA65-R1207

Report No. R6512-0247

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)
 ADDRESS : 789 ม. 1 ต. สายหนองก่อ-แหลมฉิม ช. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230
 SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)
 SAMPLE POINT : สำนักงานโครงการนิคมฯ ปันทอง โครงการ 1 (N2)
 PARAMETER* : ระดับการรบกวน
 DETERMINATION METHOD : ISO 1996-1:2016
 INSTRUMENT : Integrated Sound Level Meter
 S/N 090086 : Type 2

SAMPLE NO. : 35155
 MEASURING DATE : 24-25/11/2022
 RECEIVED DATE : 28/11/2022
 REPORTED DATE : 08/12/2022

TIME 24-25/11/2022	ระดับเสียง ขณะมีการรบกวน dB(A)	TIME 26-27/11/2022	ระดับเสียงพื้นฐาน dB(A)	ระดับเสียง ขณะไม่มีการรบกวน dB(A)	ระดับการรบกวน dB(A)
08:00 - 09:00 ²	57.0	08:00 - 09:00 ²	49.8	57.3	7.2
09:00 - 10:00	54.4	09:00 - 10:00	48.2	56.7	6.2
10:00 - 11:00	54.2	10:00 - 11:00	49.0	56.5	5.2
11:00 - 12:00	54.2	11:00 - 12:00	51.1	57.0	3.1
12:00 - 13:00	50.8	12:00 - 13:00	52.5	58.9	-
13:00 - 14:00	49.9	13:00 - 14:00	50.3	59.9	-
14:00 - 15:00	50.9	14:00 - 15:00	50.1	57.7	0.8
15:00 - 16:00	51.4	15:00 - 16:00	53.2	61.2	-
16:00 - 17:00	53.7	16:00 - 17:00	61.3	64.0	-
17:00 - 18:00	61.6	17:00 - 18:00	52.4	60.0	9.2
18:00 - 19:00	54.2	18:00 - 19:00	51.9	60.1	2.3
19:00 - 20:00	59.2	19:00 - 20:00	49.1	55.3	10.1
20:00 - 21:00	49.8	20:00 - 21:00	50.4	56.5	-
21:00 - 22:00	47.3	21:00 - 22:00	54.7	58.5	-
22:00 - 23:00	45.2	22:00 - 23:00	50.5	58.3	-
23:00 - 00:00	44.0	23:00 - 00:00	48.4	56.3	-
00:00 - 01:00	43.7	00:00 - 01:00	48.6	51.8	-
01:00 - 02:00	53.3	01:00 - 02:00	46.7	49.8	6.6
02:00 - 03:00	41.2	02:00 - 03:00	47.1	49.9	-
03:00 - 04:00	45.1	03:00 - 04:00	51.7	60.9	-
04:00 - 05:00	50.5	04:00 - 05:00	54.3	61.6	-
05:00 - 06:00	55.3	05:00 - 06:00	48.8	58.0	6.5
06:00 - 07:00	63.4	06:00 - 07:00	51.3	61.3	12.1
07:00 - 08:00	61.4	07:00 - 08:00	45.3	56.6	16.1
มาตรฐานเสียงรบกวน					10 ¹

REMARK :

¹ Notification of Ministry of the Industry B.E. 2548 (2005) and B.E. 2553 (2010)² Start Time

* Parameter Outside The Scope of The Registration of The Department of Industrial Works

(Measurement By Mr. Tunsakorn Phrakha)



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By.....

(MRS. WANPEN LHAOCHINDAWAT)

08/12/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)
ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230
SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)
SAMPLE POINT : สำนักงานโครงการนิคมฯปิ่นทอง โครงการ 1 (N2)
PARAMETER* : L_{eq} 1 hr., L_{eq} 24 hr., $L_{90\%}$ & $L_{dn\%}$
DETERMINATION METHOD : ISO 1996-1:2016
INSTRUMENT : Integrated Sound Level Meter
S/N 090086 : Type 2
SAMPLE NO. : 35156
MEASURING DATE : 25-26/11/2022
RECEIVED DATE : 28/11/2022
REPORTED DATE : 08/12/2022

TIME \ DATE	25-26/11/2022 (L_{eq})	25-26/11/2022 ($L_{90\%}$)	UNIT
08:00 - 09:00 ^{/2}	61.8	52.1	dB(A)
09:00 - 10:00	62.0	50.5	dB(A)
10:00 - 11:00	57.9	50.1	dB(A)
11:00 - 12:00	60.2	50.0	dB(A)
12:00 - 13:00	58.3	50.3	dB(A)
13:00 - 14:00	57.6	50.0	dB(A)
14:00 - 15:00	56.9	49.0	dB(A)
15:00 - 16:00	68.1	59.3	dB(A)
16:00 - 17:00	63.4	59.5	dB(A)
17:00 - 18:00	64.3	60.9	dB(A)
18:00 - 19:00	62.9	54.6	dB(A)
19:00 - 20:00	60.8	54.0	dB(A)
20:00 - 21:00	59.7	56.3	dB(A)
21:00 - 22:00	57.0	53.0	dB(A)
22:00 - 23:00	54.8	52.4	dB(A)
23:00 - 00:00	55.1	52.9	dB(A)
00:00 - 01:00	54.1	51.8	dB(A)
01:00 - 02:00	53.3	51.9	dB(A)
02:00 - 03:00	51.7	49.5	dB(A)
03:00 - 04:00	55.5	50.7	dB(A)
04:00 - 05:00	59.9	55.8	dB(A)
05:00 - 06:00	62.0	53.5	dB(A)
06:00 - 07:00	65.4	58.0	dB(A)
07:00 - 08:00	59.1	51.5	dB(A)
L_{eq} 24 hr.	61.1	-	dB(A)
$L_{dn\%}$	66.2	-	dB(A)
Standard	70 ^{/1}	-	dB(A)

REMARK : [#] Test Report/Sampling marked 'Not TISI Accredited' in this report are not included in the TISI Accreditation Schedule for our laboratory

^{/1} Notification of Office of The National Environmental Board Volume 15 B.E. 2540 (1997)

^{/2} Start Time

* Parameter Outside The Scope of The Regulation of The Department of Industrial Works
(Ms. Thanatporn Klinsoon is Section Chief, Mrs. Wanpen Lhaochindawat is Technical Management)
(Measurement By Mr. Tummarut Photakham)



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By.....
(MRS. WANPEN LHAOCHINDAWAT)

08/12/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0248

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเทรียล ปาร์ค จำกัด (มหาชน)
 ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉิม ช. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230
 SAMPLE SOURCE : ปิ่นทอง อินดัสเทรียล ปาร์ค (โครงการ 1)
 SAMPLE POINT : สำนักงานโครงการนิคมฯปิ่นทอง โครงการ 1 (N2)
 PARAMETER* : ระดับการรบกวน
 DETERMINATION METHOD : ISO 1996-1:2016
 INSTRUMENT : Integrated Sound Level Meter
 S/N 090086 : Type 2


SAMPLE NO. : 35156
 MEASURING DATE : 25-26/11/2022
 RECEIVED DATE : 28/11/2022
 REPORTED DATE : 08/12/2022

TIME	ระดับเสียง	TIME	ระดับเสียงพื้นฐาน	ระดับเสียง	ระดับการรบกวน
25-26/11/2022	ขณะมีการรบกวน dB(A)	26-27/11/2022	dB(A)	ขณะไม่มีการรบกวน dB(A)	dB(A)
08:00 - 09:00 ²	60.3	08:00 - 09:00 ²	49.8	57.3	10.5
09:00 - 10:00	60.5	09:00 - 10:00	48.2	56.7	12.3
10:00 - 11:00	50.9	10:00 - 11:00	49.0	56.5	1.9
11:00 - 12:00	57.2	11:00 - 12:00	51.1	57.0	6.1
12:00 - 13:00	51.3	12:00 - 13:00	52.5	58.9	-
13:00 - 14:00	50.6	13:00 - 14:00	50.3	59.9	0.3
14:00 - 15:00	49.9	14:00 - 15:00	50.1	57.7	-
15:00 - 16:00	67.1	15:00 - 16:00	53.2	61.2	13.9
16:00 - 17:00	56.4	16:00 - 17:00	61.3	64.0	-
17:00 - 18:00	62.3	17:00 - 18:00	52.4	60.0	9.9
18:00 - 19:00	59.9	18:00 - 19:00	51.9	60.1	8.0
19:00 - 20:00	59.3	19:00 - 20:00	49.1	55.3	10.2
20:00 - 21:00	56.7	20:00 - 21:00	50.4	56.5	6.3
21:00 - 22:00	50.0	21:00 - 22:00	54.7	58.5	-
22:00 - 23:00	47.8	22:00 - 23:00	50.5	58.3	-
23:00 - 00:00	48.1	23:00 - 00:00	48.4	56.3	-
00:00 - 01:00	49.6	00:00 - 01:00	48.6	51.8	1.0
01:00 - 02:00	51.3	01:00 - 02:00	46.7	49.8	4.6
02:00 - 03:00	47.2	02:00 - 03:00	47.1	49.9	0.1
03:00 - 04:00	48.5	03:00 - 04:00	51.7	60.9	-
04:00 - 05:00	52.9	04:00 - 05:00	54.3	61.6	-
05:00 - 06:00	60.0	05:00 - 06:00	48.8	58.0	11.2
06:00 - 07:00	63.4	06:00 - 07:00	51.3	61.3	12.1
07:00 - 08:00	56.1	07:00 - 08:00	45.3	56.6	10.8
มาตรฐานเสียงรบกวน					10 ¹

REMARK :

¹ Notification of Ministry of the Industry B.E. 2548 (2005) and B.E. 2553 (2010)² Start Time

* Parameter Outside The Scope of The Regulation of The Department of Industrial Works
 (Measurement By Mr. Tunanant Phonakhaeng)



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By


 (MRS. WANPEN LHAOCHINDAWAT)

08/12/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
 THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
 WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)
ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230
SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)
SAMPLE POINT : บริเวณชุมชนบ้านโนนซาก (N3)
PARAMETER* : L_{eq} 1 hr., L_{eq} 24 hr., $L_{90\%}$ & $L_{dn\%}$
DETERMINATION METHOD : ISO 1996-1:2016
INSTRUMENT : Integrated Sound Level Meter
S/N 090087 : Type 2

SAMPLE NO. : 35148
MEASURING DATE : 23-24/11/2022
RECEIVED DATE : 28/11/2022
REPORTED DATE : 08/12/2022


TIME \ DATE	23-24/11/2022 (L_{eq})	23-24/11/2022 ($L_{90\%}$)	UNIT
08:00 - 09:00 ^{/2}	55.7	49.0	dB(A)
09:00 - 10:00	55.6	49.8	dB(A)
10:00 - 11:00	53.2	48.9	dB(A)
11:00 - 12:00	53.0	48.5	dB(A)
12:00 - 13:00	53.7	48.3	dB(A)
13:00 - 14:00	53.0	48.8	dB(A)
14:00 - 15:00	52.0	48.2	dB(A)
15:00 - 16:00	53.0	48.1	dB(A)
16:00 - 17:00	52.3	48.6	dB(A)
17:00 - 18:00	52.4	48.5	dB(A)
18:00 - 19:00	53.1	48.4	dB(A)
19:00 - 20:00	51.8	48.3	dB(A)
20:00 - 21:00	51.1	48.0	dB(A)
21:00 - 22:00	48.7	47.0	dB(A)
22:00 - 23:00	51.8	46.7	dB(A)
23:00 - 00:00	55.9	46.4	dB(A)
00:00 - 01:00	47.5	46.4	dB(A)
01:00 - 02:00	47.3	46.5	dB(A)
02:00 - 03:00	47.2	46.3	dB(A)
03:00 - 04:00	48.0	46.8	dB(A)
04:00 - 05:00	49.5	47.3	dB(A)
05:00 - 06:00	51.0	47.8	dB(A)
06:00 - 07:00	56.3	49.4	dB(A)
07:00 - 08:00	55.5	49.4	dB(A)
L_{eq} 24 hr.	52.8	-	dB(A)
$L_{dn\%}$	58.6	-	dB(A)
Standard	70 ^{/1}	-	dB(A)

REMARK : * Test Report/Sampling marked 'Not TISI Accredited' in this report are not included in the TISI Accreditation Schedule for our laboratory

^{/1} Notification of Office of The National Environmental Board Volume 15 B.E. 2540 (1997)

^{/2} Start Time

* Parameter Outside The Scope of The Registration of The Department of Industrial Works
(Ms. Thanatporn Klinsoon is Section Chief, Mrs. Wanpen Lhaochindawat is Technical Management)
(Measurement By Mr. Tummarut Photakham)



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By.....
(MRS. WANPEN LHAOCHINDAWAT)

08/12/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0240

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)
ADDRESS : 789 ม. 1 ต. สายหนองค้อ-แหลมฉิมบึง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230
SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)
SAMPLE POINT : บริเวณชุมชนบ้านโนนจาก (N3)
PARAMETER* : ระดับการรบกวน
DETERMINATION METHOD : ISO 1996-1:2016
INSTRUMENT : Integrated Sound Level Meter
S/N 090087 : Type 2
SAMPLE NO. : 35148
MEASURING DATE : 23-24/11/2022
RECEIVED DATE : 28/11/2022
REPORTED DATE : 08/12/2022

TIME	ระดับเสียง	TIME	ระดับเสียงพื้นฐาน	ระดับเสียง	ระดับการรบกวน
23-24/11/2022	ขณะมีการรบกวน dB(A)	26-27/11/2022	dB(A)	ขณะไม่มีการรบกวน dB(A)	dB(A)
08:00 - 09:00 ^{/2}	48.7	08:00 - 09:00 ^{/2}	49.6	57.4	-
09:00 - 10:00	51.1	09:00 - 10:00	49.2	53.3	1.9
10:00 - 11:00	46.2	10:00 - 11:00	49.0	55.1	-
11:00 - 12:00	46.0	11:00 - 12:00	49.1	53.2	-
12:00 - 13:00	46.7	12:00 - 13:00	49.3	52.8	-
13:00 - 14:00	46.0	13:00 - 14:00	48.6	52.5	-
14:00 - 15:00	45.0	14:00 - 15:00	48.9	53.9	-
15:00 - 16:00	46.0	15:00 - 16:00	49.7	53.3	-
16:00 - 17:00	45.3	16:00 - 17:00	49.2	54.2	-
17:00 - 18:00	45.4	17:00 - 18:00	49.2	53.2	-
18:00 - 19:00	46.1	18:00 - 19:00	49.7	52.9	-
19:00 - 20:00	44.8	19:00 - 20:00	48.2	50.5	-
20:00 - 21:00	44.1	20:00 - 21:00	48.1	50.9	-
21:00 - 22:00	41.7	21:00 - 22:00	47.7	51.6	-
22:00 - 23:00	44.8	22:00 - 23:00	47.3	57.3	-
23:00 - 00:00	55.4	23:00 - 00:00	47.1	48.0	8.3
00:00 - 01:00	40.5	00:00 - 01:00	47.1	47.9	-
01:00 - 02:00	40.3	01:00 - 02:00	47.0	48.0	-
02:00 - 03:00	40.2	02:00 - 03:00	47.8	49.7	-
03:00 - 04:00	41.0	03:00 - 04:00	48.1	50.3	-
04:00 - 05:00	42.5	04:00 - 05:00	49.3	53.9	-
05:00 - 06:00	44.0	05:00 - 06:00	50.6	57.7	-
06:00 - 07:00	49.3	06:00 - 07:00	51.0	55.6	-
07:00 - 08:00	48.5	07:00 - 08:00	50.2	55.9	-
มาตรฐานเสียงรบกวน					10 ^{/1}

REMARK :

^{/1} Notification of Ministry of the Industry B.E. 2548 (2005) and B.E. 2553 (2010)

^{/2} Start Time

* Parameter Outside The Scope of The Registration of The Department of Industrial Works

(Measurement By Mr. Tummas Phornkham)



Approved By

(MRS. WANPEN LHAOCHINDAWAT)

บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

08/12/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)
 ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230
 SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)
 SAMPLE POINT : บริเวณชุมชนบ้านโนนซาก (N3)
 PARAMETER* : L_{eq} 1 hr., L_{eq} 24 hr., $L_{90\#}$ & $L_{dn\#}$
 DETERMINATION METHOD : ISO 1996-1:2016
 INSTRUMENT : Integrated Sound Level Meter
 S/N 090087 : Type 2

SAMPLE NO. : 35149
 MEASURING DATE : 24-25/11/2022
 RECEIVED DATE : 28/11/2022
 REPORTED DATE : 08/12/2022


TIME \ DATE	24-25/11/2022 (L_{eq})	24-25/11/2022 ($L_{90\#}$)	UNIT
08:00 - 09:00 ^{/2}	59.4	50.4	dB(A)
09:00 - 10:00	54.1	48.7	dB(A)
10:00 - 11:00	53.2	48.6	dB(A)
11:00 - 12:00	53.9	48.3	dB(A)
12:00 - 13:00	53.4	48.1	dB(A)
13:00 - 14:00	53.0	48.3	dB(A)
14:00 - 15:00	51.4	47.7	dB(A)
15:00 - 16:00	54.3	48.1	dB(A)
16:00 - 17:00	53.4	48.8	dB(A)
17:00 - 18:00	52.9	48.2	dB(A)
18:00 - 19:00	58.0	48.6	dB(A)
19:00 - 20:00	51.7	48.2	dB(A)
20:00 - 21:00	50.7	47.6	dB(A)
21:00 - 22:00	50.3	48.1	dB(A)
22:00 - 23:00	55.1	47.2	dB(A)
23:00 - 00:00	59.3	46.9	dB(A)
00:00 - 01:00	56.0	46.9	dB(A)
01:00 - 02:00	53.2	46.7	dB(A)
02:00 - 03:00	51.6	46.7	dB(A)
03:00 - 04:00	47.9	46.8	dB(A)
04:00 - 05:00	53.5	51.6	dB(A)
05:00 - 06:00	53.9	49.1	dB(A)
06:00 - 07:00	58.8	49.9	dB(A)
07:00 - 08:00	54.0	48.8	dB(A)
L_{eq} 24 hr.	54.8	-	dB(A)
$L_{dn\#}$	61.8	-	dB(A)
Standard	70 ^{/1}	-	dB(A)

REMARK : * Test Report/Sampling marked 'Not TISI Accredited' in this report are not included in the TISI Accreditation Schedule for our laboratory


^{/1} Notification of Office of The National Environmental Board Volume 15 B.E. 2540 (1997)

^{/2} Start Time

* Parameter Outside The Scope of The Registration of The Department of Industrial Works
 (Ms. Thanatporn Klinsoon is Section Head, Mrs. Wanpen Lhaochindawat is Technical Management)
 (Measurement By Mr. Tummarut Phonaschum)



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By: 
 (MRS. WANPEN LHAOCHINDAWAT)

08/12/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
 THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
 WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0241

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)
 ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230
 SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)
 SAMPLE POINT : บริเวณชุมชนบ้านโนนจาก (N3)
 PARAMETER* : ระดับการรบกวน
 DETERMINATION METHOD : ISO 1996-1:2016
 INSTRUMENT : Integrated Sound Level Meter
 S/N 090087 : Type 2

SAMPLE NO. : 35149
 MEASURING DATE : 24-25/11/2022
 RECEIVED DATE : 28/11/2022
 REPORTED DATE : 08/12/2022

TIME 24-25/11/2022	ระดับเสียง ขณะมีการรบกวน dB(A)	TIME 26-27/11/2022	ระดับเสียงพื้นฐาน dB(A)	ระดับเสียง ขณะไม่มีการรบกวน dB(A)	ระดับการรบกวน dB(A)
08:00 - 09:00 ²	54.9	08:00 - 09:00 ²	49.6	57.4	5.3
09:00 - 10:00	47.1	09:00 - 10:00	49.2	53.3	-
10:00 - 11:00	46.2	10:00 - 11:00	49.0	55.1	-
11:00 - 12:00	46.9	11:00 - 12:00	49.1	53.2	-
12:00 - 13:00	46.4	12:00 - 13:00	49.3	52.8	-
13:00 - 14:00	46.0	13:00 - 14:00	48.6	52.5	-
14:00 - 15:00	44.4	14:00 - 15:00	48.9	53.9	-
15:00 - 16:00	47.3	15:00 - 16:00	49.7	53.3	-
16:00 - 17:00	46.4	16:00 - 17:00	49.2	54.2	-
17:00 - 18:00	45.9	17:00 - 18:00	49.2	53.2	-
18:00 - 19:00	56.5	18:00 - 19:00	49.7	52.9	6.8
19:00 - 20:00	44.7	19:00 - 20:00	48.2	50.5	-
20:00 - 21:00	43.7	20:00 - 21:00	48.1	50.9	-
21:00 - 22:00	43.3	21:00 - 22:00	47.7	51.6	-
22:00 - 23:00	48.1	22:00 - 23:00	47.3	57.3	0.8
23:00 - 00:00	58.8	23:00 - 00:00	47.1	48.0	11.7
00:00 - 01:00	55.5	00:00 - 01:00	47.1	47.9	8.4
01:00 - 02:00	51.7	01:00 - 02:00	47.0	48.0	4.7
02:00 - 03:00	47.1	02:00 - 03:00	47.8	49.7	-
03:00 - 04:00	40.9	03:00 - 04:00	48.1	50.3	-
04:00 - 05:00	46.5	04:00 - 05:00	49.3	53.9	-
05:00 - 06:00	46.9	05:00 - 06:00	50.6	57.7	-
06:00 - 07:00	55.8	06:00 - 07:00	51.0	55.6	4.8
07:00 - 08:00	47.0	07:00 - 08:00	50.2	55.9	-
มาตรฐานเสียงรบกวน					10 ¹

REMARK :


¹ Notification of Ministry of the Industry B.E. 2548 (2005) and B.E. 2553 (2010)² Start Time

* Parameter Outside The Scope of The Registration of The Department of Industrial Works

(Measurement By Mr. Tummarat Paitanaporn)



Approved By.....


 (MRS. WANPEN LHAOCHINDAWAT)

08/12/2022

บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด
 REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
 THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
 WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)
 ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมบัว ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230
 SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)
 SAMPLE POINT : บริเวณชุมชนบ้านโนนซาก (N3)
 PARAMETER* : L_{eq} 1 hr., L_{eq} 24 hr., L_{max} & L_{dew} SAMPLE NO. : 35150
 DETERMINATION METHOD : ISO 1996-1:2016 MEASURING DATE : 25-26/11/2022
 INSTRUMENT : Integrated Sound Level Meter RECEIVED DATE : 28/11/2022
 S/N 090087 : Type 2 REPORTED DATE : 08/12/2022

TIME \ DATE	25-26/11/2022 (L_{eq})	25-26/11/2022 (L_{max})	UNIT
08:00 - 09:00 ^{/2}	53.5	49.2	dB(A)
09:00 - 10:00	60.6	53.6	dB(A)
10:00 - 11:00	54.9	48.2	dB(A)
11:00 - 12:00	53.0	47.6	dB(A)
12:00 - 13:00	50.7	46.6	dB(A)
13:00 - 14:00	49.3	46.1	dB(A)
14:00 - 15:00	50.6	46.1	dB(A)
15:00 - 16:00	51.4	46.3	dB(A)
16:00 - 17:00	50.9	46.8	dB(A)
17:00 - 18:00	51.2	48.0	dB(A)
18:00 - 19:00	50.8	48.3	dB(A)
19:00 - 20:00	52.6	47.8	dB(A)
20:00 - 21:00	49.5	48.0	dB(A)
21:00 - 22:00	49.6	47.9	dB(A)
22:00 - 23:00	48.4	46.7	dB(A)
23:00 - 00:00	48.4	47.0	dB(A)
00:00 - 01:00	47.9	47.1	dB(A)
01:00 - 02:00	48.0	47.0	dB(A)
02:00 - 03:00	47.7	46.7	dB(A)
03:00 - 04:00	48.9	46.7	dB(A)
04:00 - 05:00	52.0	47.4	dB(A)
05:00 - 06:00	54.6	48.8	dB(A)
06:00 - 07:00	55.1	49.2	dB(A)
07:00 - 08:00	51.5	46.9	dB(A)
L_{eq} 24 hr.	52.6	-	dB(A)
L_{dew}	57.9	-	dB(A)
Standard	70 ^{/1}	-	dB(A)

REMARK : * Test Report/Sampling marked 'Not TISI Accredited' in this report are not included in the TISI Accreditation Schedule for our laboratory

^{/1} Notification of Office of The National Environmental Board Volume 15 B.E. 2540 (1997)

^{/2} Start Time

* Parameter Outside The Scope of The Registration of The Department of Industrial Works
 (Ms. Thanatporn Klinsoon is Section Chief, Mr. Wanpen Lhaochindawat is Technical Management)
 (Measurement By Mr. Tummarut Phomkham)



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By.....
 (MRS. WANPEN LHAOCHINDAWAT)

08/12/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
 THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
 WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0242

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)
 ADDRESS : 789 ม. 1 ต. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230
 SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)
 SAMPLE POINT : บริเวณชุมชนบ้านโนนขาก (N3)
 PARAMETER* : ระดับการรบกวน
 DETERMINATION METHOD : ISO 1996-1:2016
 INSTRUMENT : Integrated Sound Level Meter
 S/N 090087 : Type 2

SAMPLE NO. : 35150
 MEASURING DATE : 25-26/11/2022
 RECEIVED DATE : 28/11/2022
 REPORTED DATE : 08/12/2022

TIME	ระดับเสียง	TIME	ระดับเสียงพื้นฐาน	ระดับเสียง	ระดับการรบกวน
25-26/11/2022	ขณะมีการรบกวน dB(A)	26-27/11/2022	dB(A)	ขณะไม่มีการรบกวน dB(A)	dB(A)
08:00 - 09:00 ²	46.5	08:00 - 09:00 ²	49.6	57.4	-
09:00 - 10:00	59.6	09:00 - 10:00	49.2	53.3	10.4
10:00 - 11:00	47.9	10:00 - 11:00	49.0	55.1	-
11:00 - 12:00	46.0	11:00 - 12:00	49.1	53.2	-
12:00 - 13:00	43.7	12:00 - 13:00	49.3	52.8	-
13:00 - 14:00	42.3	13:00 - 14:00	48.6	52.5	-
14:00 - 15:00	43.6	14:00 - 15:00	48.9	53.9	-
15:00 - 16:00	44.4	15:00 - 16:00	49.7	53.3	-
16:00 - 17:00	43.9	16:00 - 17:00	49.2	54.2	-
17:00 - 18:00	44.2	17:00 - 18:00	49.2	53.2	-
18:00 - 19:00	43.8	18:00 - 19:00	49.7	52.9	-
19:00 - 20:00	48.1	19:00 - 20:00	48.2	50.5	-
20:00 - 21:00	42.5	20:00 - 21:00	48.1	50.9	-
21:00 - 22:00	42.6	21:00 - 22:00	47.7	51.6	-
22:00 - 23:00	41.4	22:00 - 23:00	47.3	57.3	-
23:00 - 00:00	41.4	23:00 - 00:00	47.1	48.0	-
00:00 - 01:00	40.9	00:00 - 01:00	47.1	47.9	-
01:00 - 02:00	41.0	01:00 - 02:00	47.0	48.0	-
02:00 - 03:00	40.7	02:00 - 03:00	47.8	49.7	-
03:00 - 04:00	41.9	03:00 - 04:00	48.1	50.3	-
04:00 - 05:00	45.0	04:00 - 05:00	49.3	53.9	-
05:00 - 06:00	47.6	05:00 - 06:00	50.6	57.7	-
06:00 - 07:00	48.1	06:00 - 07:00	51.0	55.6	-
07:00 - 08:00	44.5	07:00 - 08:00	50.2	55.9	-
มาตรฐานเสียงรบกวน					10 ¹

REMARK :

¹ Notification of Ministry of the Industry B.E. 2548 (2005) and B.E. 2553 (2010)² Start Time

* Parameter Outside The Scope of The Registration of The Department of Industrial Works

(Measurement By Mr. Tummarat Chotakulchai)



Approved By.....

(MRS. WANPEN LHAOCHINDAWAT)

08/12/2022

บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)
 ADDRESS : 789 ม. 1 ถ. สายหนองก้อ-แหลมดบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230
 SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)
 SAMPLE POINT : บริเวณชุมชนบ้านเขาดิน (N4)
 PARAMETER* : L_{eq} 1 hr., L_{eq} 24 hr., $L_{90\#}$ & $L_{dn\#}$ SAMPLE NO. : 35145
 DETERMINATION METHOD : ISO 1996-1:2016 MEASURING DATE : 23-24/11/2022
 INSTRUMENT : Integrated Sound Level Meter RECEIVED DATE : 28/11/2022
 S/N 01147298 : Type 2 REPORTED DATE : 08/12/2022

TIME \ DATE	23-24/11/2022 (L_{eq})	23-24/11/2022 ($L_{90\#}$)	UNIT
09:20 - 10:20 ^{/2}	56.6	51.0	dB(A)
10:20 - 11:20	56.2	50.8	dB(A)
11:20 - 12:20	57.1	48.9	dB(A)
12:20 - 13:20	54.6	49.1	dB(A)
13:20 - 14:20	55.4	49.9	dB(A)
14:20 - 15:20	55.0	49.8	dB(A)
15:20 - 16:20	55.7	50.8	dB(A)
16:20 - 17:20	57.8	50.5	dB(A)
17:20 - 18:20	57.5	49.4	dB(A)
18:20 - 19:20	56.1	51.2	dB(A)
19:20 - 20:20	56.8	50.8	dB(A)
20:20 - 21:20	54.2	49.4	dB(A)
21:20 - 22:20	52.3	48.5	dB(A)
22:20 - 23:20	51.9	48.3	dB(A)
23:20 - 00:20	50.3	47.6	dB(A)
00:20 - 01:20	52.8	47.6	dB(A)
01:20 - 02:20	50.0	47.9	dB(A)
02:20 - 03:20	51.8	47.7	dB(A)
03:20 - 04:20	49.4	47.8	dB(A)
04:20 - 05:20	55.4	49.2	dB(A)
05:20 - 06:20	56.6	49.6	dB(A)
06:20 - 07:20	57.2	49.3	dB(A)
07:20 - 08:20	58.4	51.3	dB(A)
08:20 - 09:20	55.6	49.0	dB(A)
L_{eq} 24 hr.	55.4	-	dB(A)
$L_{dn\#}$	60.6	-	dB(A)
Standard	70 ^{/1}	-	dB(A)

REMARK : [#] Test Report/Sampling marked 'Not TISI Accredited' in this report are not included in the TISI Accreditation Schedule for our laboratory

^{/1} Notification of Office of The National Environmental Board Volume 15 B.E. 2540 (1997)

^{/2} Start Time

* Parameter Outside The Scope of The Registration of The Department of Industrial Works

(Ms. Thanatporn Klinsoon is Section Head, Mrs. Wanpen Lhaochindawat is Technical Management)

(Measurement By Mr. Tummarut Phetkarn)



Approved By.....
 (MRS. WANPEN LHAOCHINDAWAT)

08/12/2022

บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด
 REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
 THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
 WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0237

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)
 ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230
 SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)
 SAMPLE POINT : บริเวณชุมชนบ้านเขาดิน (N4)
 PARAMETER* : ระดับการรบกวน
 DETERMINATION METHOD : ISO 1996-1:2016
 INSTRUMENT : Integrated Sound Level Meter
 S/N 01147298 : Type 2

SAMPLE NO. : 35145
 MEASURING DATE : 23-24/11/2022
 RECEIVED DATE : 28/11/2022
 REPORTED DATE : 08/12/2022

TIME	ระดับเสียง	TIME	ระดับเสียงพื้นฐาน	ระดับเสียง	ระดับการรบกวน
23-24/11/2022	ขณะมีการรบกวน dB(A)	26-27/11/2022	dB(A)	ขณะไม่มีการรบกวน dB(A)	dB(A)
09:20 - 10:20 ²	49.6	09:20 - 10:20 ²	48.9	56.4	0.7
10:20 - 11:20	49.2	10:20 - 11:20	48.8	56.1	0.4
11:20 - 12:20	50.1	11:20 - 12:20	49.6	57.4	0.5
12:20 - 13:20	47.6	12:20 - 13:20	50.6	57.3	-
13:20 - 14:20	48.4	13:20 - 14:20	51.2	60.1	-
14:20 - 15:20	48.0	14:20 - 15:20	51.4	57.2	-
15:20 - 16:20	48.7	15:20 - 16:20	50.1	56.4	-
16:20 - 17:20	50.8	16:20 - 17:20	50.9	59.4	-
17:20 - 18:20	50.5	17:20 - 18:20	50.0	59.0	0.5
18:20 - 19:20	49.1	18:20 - 19:20	53.1	56.4	-
19:20 - 20:20	49.8	19:20 - 20:20	52.9	55.6	-
20:20 - 21:20	47.2	20:20 - 21:20	48.8	53.4	-
21:20 - 22:20	45.3	21:20 - 22:20	48.5	53.2	-
22:20 - 23:20	47.4	22:20 - 23:20	45.2	50.0	2.2
23:20 - 00:20	43.3	23:20 - 00:20	46.5	50.2	-
00:20 - 01:20	50.8	00:20 - 01:20	45.7	49.3	5.1
01:20 - 02:20	43.0	01:20 - 02:20	45.5	53.3	-
02:20 - 03:20	50.3	02:20 - 03:20	45.2	47.2	5.1
03:20 - 04:20	42.4	03:20 - 04:20	46.5	57.1	-
04:20 - 05:20	53.9	04:20 - 05:20	46.7	50.9	7.2
05:20 - 06:20	49.6	05:20 - 06:20	47.7	60.2	1.9
06:20 - 07:20	50.2	06:20 - 07:20	48.5	57.3	1.7
07:20 - 08:20	51.4	07:20 - 08:20	48.5	58.8	2.9
08:20 - 09:20	48.6	08:20 - 09:20	50.6	57.0	-
มาตรฐานเสียงรบกวน					10 ¹

REMARK :


¹ Notification of Ministry of the Industry B.E. 2548 (2005) and B.E. 2553 (2010)² Start Time

* Parameter Outside The Scope of The Registration of The Department of Industrial Works

(Measurement By Mr. Tumpon Phongkham)



Approved By.....


 (MRS. WANPEN LHAOCHINDAWAT)

08/12/2022

บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY



TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)
ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230
SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)
SAMPLE POINT : บริเวณชุมชนบ้านเขาดิน (N4)
PARAMETER* : L_{eq} 1 hr., L_{eq} 24 hr., $L_{90\%}$ & $L_{dn\%}$ SAMPLE NO. : 35146
DETERMINATION METHOD : ISO 1996-1:2016 MEASURING DATE : 24-25/11/2022
INSTRUMENT : Integrated Sound Level Meter RECEIVED DATE : 28/11/2022
S/N 01147298 : Type 2 REPORTED DATE : 08/12/2022

TIME \ DATE	24-25/11/2022 (L_{eq})	24-25/11/2022 ($L_{90\%}$)	UNIT
09:20 - 10:20 ²	56.3	48.6	dB(A)
10:20 - 11:20	56.4	48.8	dB(A)
11:20 - 12:20	55.6	48.3	dB(A)
12:20 - 13:20	55.2	48.1	dB(A)
13:20 - 14:20	55.2	48.3	dB(A)
14:20 - 15:20	60.3	48.7	dB(A)
15:20 - 16:20	56.6	48.9	dB(A)
16:20 - 17:20	57.7	49.8	dB(A)
17:20 - 18:20	57.3	49.9	dB(A)
18:20 - 19:20	56.1	51.0	dB(A)
19:20 - 20:20	56.0	51.7	dB(A)
20:20 - 21:20	53.3	50.3	dB(A)
21:20 - 22:20	51.2	49.0	dB(A)
22:20 - 23:20	50.3	48.4	dB(A)
23:20 - 00:20	52.4	48.4	dB(A)
00:20 - 01:20	50.5	48.1	dB(A)
01:20 - 02:20	49.8	48.2	dB(A)
02:20 - 03:20	49.7	48.1	dB(A)
03:20 - 04:20	51.9	48.2	dB(A)
04:20 - 05:20	54.9	48.9	dB(A)
05:20 - 06:20	57.0	49.0	dB(A)
06:20 - 07:20	57.7	49.7	dB(A)
07:20 - 08:20	59.9	50.5	dB(A)
08:20 - 09:20	55.4	48.8	dB(A)
L_{eq} 24 hr.	55.8	-	dB(A)
$L_{dn\%}$	60.7	-	dB(A)
Standard	70 ¹	-	dB(A)

REMARK : * Test Report/Sampling marked 'Not TISI Accredited' in this report are not included in the TISI Accreditation Schedule for our laboratory

¹ Notification of Office of The National Environmental Board Volume 15 B.E. 2540 (1997)

² Start Time

* Parameter Outside The Scope of The Registration of The Department of Industrial Works
(Ms. Thanatporn Klinsoon is Section Head, Mrs. Wanpen Lhaochindawat is Technical Management)
(Measurement By Mr. Tummarut Phonasathorn)



Approved By.....
(MRS. WANPEN LHAOCHINDAWAT)

08/12/2022

บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด
REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0238

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)
 ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230
 SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)
 SAMPLE POINT : บริเวณชุมชนบ้านเขาดิน (N4)
 PARAMETER* : ระดับการรบกวน
 DETERMINATION METHOD : ISO 1996-1:2016
 INSTRUMENT : Integrated Sound Level Meter
 S/N 01147298 : Type 2

SAMPLE NO. : 35146
 MEASURING DATE : 24-25/11/2022
 RECEIVED DATE : 28/11/2022
 REPORTED DATE : 08/12/2022

TIME 24-25/11/2022	ระดับเสียง ขณะมีการรบกวน dB(A)	TIME 26-27/11/2022	ระดับเสียงพื้นฐาน dB(A)	ระดับเสียง ขณะไม่มีการรบกวน dB(A)	ระดับการรบกวน dB(A)
09:20 - 10:20 ¹²	49.3	09:20 - 10:20 ¹²	48.9	56.4	0.4
10:20 - 11:20	49.4	10:20 - 11:20	48.8	56.1	0.6
11:20 - 12:20	48.6	11:20 - 12:20	49.6	57.4	-
12:20 - 13:20	48.2	12:20 - 13:20	50.6	57.3	-
13:20 - 14:20	48.2	13:20 - 14:20	51.2	60.1	-
14:20 - 15:20	57.3	14:20 - 15:20	51.4	57.2	5.9
15:20 - 16:20	49.6	15:20 - 16:20	50.1	56.4	-
16:20 - 17:20	50.7	16:20 - 17:20	50.9	59.4	-
17:20 - 18:20	50.3	17:20 - 18:20	50.0	59.0	0.3
18:20 - 19:20	49.1	18:20 - 19:20	53.1	56.4	-
19:20 - 20:20	49.0	19:20 - 20:20	52.9	55.6	-
20:20 - 21:20	46.3	20:20 - 21:20	48.8	53.4	-
21:20 - 22:20	44.2	21:20 - 22:20	48.5	53.2	-
22:20 - 23:20	43.3	22:20 - 23:20	45.2	50.0	-
23:20 - 00:20	47.9	23:20 - 00:20	46.5	50.2	1.4
00:20 - 01:20	43.5	00:20 - 01:20	45.7	49.3	-
01:20 - 02:20	42.8	01:20 - 02:20	45.5	53.3	-
02:20 - 03:20	46.7	02:20 - 03:20	45.2	47.2	1.5
03:20 - 04:20	44.9	03:20 - 04:20	46.5	57.1	-
04:20 - 05:20	52.9	04:20 - 05:20	46.7	50.9	6.2
05:20 - 06:20	50.0	05:20 - 06:20	47.7	60.2	2.3
06:20 - 07:20	50.7	06:20 - 07:20	48.5	57.3	2.2
07:20 - 08:20	52.9	07:20 - 08:20	48.5	58.8	4.4
08:20 - 09:20	48.4	08:20 - 09:20	50.6	57.0	-
มาตรฐานเสียงรบกวน					10 ¹

REMARK :


¹¹ Notification of Ministry of the Industry B.E. 2548 (2005) and B.E. 2553 (2010)¹² Start Time

* Parameter Outside The Scope of The Registration of The Department of Industrial Works

(Measurement By Mr. Tummarut Phattakham)



Approved By.....



(MRS. WANPEN LHAOCHINDAWAT)

08/12/2022

REPORTED FOR THE PURPOSE OF TESTING SAMPLES ONLY
 THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
 WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)
ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉบัง จ. หนองคาย อ. ศรีราชา จ. ชลบุรี 20230
SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)
SAMPLE POINT : บริเวณชุมชนบ้านเขาดิน (N4)
PARAMETER* : L_{eq} 1 hr., L_{eq} 24 hr., $L_{90\#}$ & $L_{dn\#}$
DETERMINATION METHOD : ISO 1996-1:2016
INSTRUMENT : Integrated Sound Level Meter
S/N 01147298 : Type 2

SAMPLE NO. : 35147
MEASURING DATE : 25-26/11/2022
RECEIVED DATE : 28/11/2022
REPORTED DATE : 08/12/2022

TIME \ DATE	25-26/11/2022 (L_{eq})	25-26/11/2022 ($L_{90\#}$)	UNIT
09:20 - 10:20 ^{/2}	56.4	49.2	dB(A)
10:20 - 11:20	55.1	49.8	dB(A)
11:20 - 12:20	55.5	48.2	dB(A)
12:20 - 13:20	56.0	47.9	dB(A)
13:20 - 14:20	56.3	50.4	dB(A)
14:20 - 15:20	56.1	50.4	dB(A)
15:20 - 16:20	60.3	52.7	dB(A)
16:20 - 17:20	61.0	53.3	dB(A)
17:20 - 18:20	60.6	52.2	dB(A)
18:20 - 19:20	59.7	55.6	dB(A)
19:20 - 20:20	59.3	55.3	dB(A)
20:20 - 21:20	56.4	52.9	dB(A)
21:20 - 22:20	53.8	50.2	dB(A)
22:20 - 23:20	51.7	49.2	dB(A)
23:20 - 00:20	52.3	49.3	dB(A)
00:20 - 01:20	51.7	49.4	dB(A)
01:20 - 02:20	54.3	49.5	dB(A)
02:20 - 03:20	52.7	49.2	dB(A)
03:20 - 04:20	55.1	49.0	dB(A)
04:20 - 05:20	51.6	49.4	dB(A)
05:20 - 06:20	58.9	50.3	dB(A)
06:20 - 07:20	57.7	49.9	dB(A)
07:20 - 08:20	59.3	49.8	dB(A)
08:20 - 09:20	58.6	49.3	dB(A)
L_{eq} 24 hr.	57.2	-	dB(A)
$L_{dn\#}$	61.9	-	dB(A)
Standard	70 ^{/1}	-	dB(A)

REMARK : [#] Test Report/Sampling marked 'Not TISI Accredited' in this report are not included in the TISI Accreditation Schedule for our laboratory

^{/1} Notification of Office of The National Environmental Board Volume 15 B.E. 2540 (1997)

^{/2} Start Time

* Parameter Outside The Scope of The Registration of The Department of Industrial Works

(Ms. Thanatporn Klinsoon is Section Head, Mrs. Wanpen Lhaochindawat is Technical Management)

(Measurement By Mr. Tummarut Photachai)



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By: 
(MRS. WANPEN LHAOCHINDAWAT)

08/12/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0239

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)
 ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230
 SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)
 SAMPLE POINT : บริเวณชุมชนบ้านเขาดิน (N4)
 PARAMETER* : ระดับการรบกวน
 DETERMINATION METHOD : ISO 1996-1:2016
 INSTRUMENT : Integrated Sound Level Meter
 S/N 01147298 : Type 2

SAMPLE NO. : 35147
 MEASURING DATE : 25-26/11/2022
 RECEIVED DATE : 28/11/2022
 REPORTED DATE : 08/12/2022


TIME	ระดับเสียง	TIME	ระดับเสียงพื้นฐาน	ระดับเสียง	ระดับการรบกวน
25-26/11/2022	ขณะมีการรบกวน dB(A)	26-27/11/2022	dB(A)	ขณะไม่มีการรบกวน dB(A)	dB(A)
09:20 - 10:20 ¹²	49.4	09:20 - 10:20 ¹²	48.9	56.4	0.5
10:20 - 11:20	48.1	10:20 - 11:20	48.8	56.1	-
11:20 - 12:20	48.5	11:20 - 12:20	49.6	57.4	-
12:20 - 13:20	49.0	12:20 - 13:20	50.6	57.3	-
13:20 - 14:20	49.3	13:20 - 14:20	51.2	60.1	-
14:20 - 15:20	49.1	14:20 - 15:20	51.4	57.2	-
15:20 - 16:20	58.3	15:20 - 16:20	50.1	56.4	8.2
16:20 - 17:20	56.5	16:20 - 17:20	50.9	59.4	5.6
17:20 - 18:20	56.1	17:20 - 18:20	50.0	59.0	6.1
18:20 - 19:20	56.7	18:20 - 19:20	53.1	56.4	3.6
19:20 - 20:20	57.3	19:20 - 20:20	52.9	55.6	4.4
20:20 - 21:20	53.4	20:20 - 21:20	48.8	53.4	4.6
21:20 - 22:20	46.8	21:20 - 22:20	48.5	53.2	-
22:20 - 23:20	47.2	22:20 - 23:20	45.2	50.0	2.0
23:20 - 00:20	47.8	23:20 - 00:20	46.5	50.2	1.3
00:20 - 01:20	47.2	00:20 - 01:20	45.7	49.3	1.5
01:20 - 02:20	47.3	01:20 - 02:20	45.5	53.3	1.8
02:20 - 03:20	51.2	02:20 - 03:20	45.2	47.2	6.0
03:20 - 04:20	48.1	03:20 - 04:20	46.5	57.1	1.6
04:20 - 05:20	44.6	04:20 - 05:20	46.7	50.9	-
05:20 - 06:20	51.9	05:20 - 06:20	47.7	60.2	4.2
06:20 - 07:20	50.7	06:20 - 07:20	48.5	57.3	2.2
07:20 - 08:20	52.3	07:20 - 08:20	48.5	58.8	3.8
08:20 - 09:20	54.1	08:20 - 09:20	50.6	57.0	3.5
มาตรฐานเสียงรบกวน					10 ¹¹

REMARK :

¹¹ Notification of Ministry of the Industry B.E. 2548 (2005) and B.E. 2553 (2010)¹² Start Time

* Parameter Outside The Scope of The Registration of The Department of Industrial Works

(Measurement By Mr. Tummanakhotanatham)



Approved By

(MRS. WANPEN LHAOCHINDAWAT)

08/12/2022

บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด
 REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
 THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
 WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)
ADDRESS : 789 ม. 1 ถ. สายหนองสรวง-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230
SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)
SAMPLE POINT : บริเวณชุมชนบ้านเนินทรายร้า (N5)
PARAMETER* : L_{eq} 1 hr., L_{eq} 24 hr., $L_{90\%}$ & L_{dn}
DETERMINATION METHOD : ISO 1996-1:2016
INSTRUMENT : Integrated Sound Level Meter
S/N 090085 : Type 2

SAMPLE NO. : 35142
MEASURING DATE : 23-24/11/2022
RECEIVED DATE : 28/11/2022
REPORTED DATE : 08/12/2022

TIME \ DATE	23-24/11/2022 (L_{eq})	23-24/11/2022 ($L_{90\%}$)	UNIT
10:10 - 11:10 ^{/2}	46.5	42.6	dB(A)
11:10 - 12:10	53.2	43.5	dB(A)
12:10 - 13:10	50.9	43.2	dB(A)
13:10 - 14:10	47.4	42.8	dB(A)
14:10 - 15:10	46.4	42.6	dB(A)
15:10 - 16:10	52.2	43.3	dB(A)
16:10 - 17:10	48.6	44.3	dB(A)
17:10 - 18:10	51.1	46.2	dB(A)
18:10 - 19:10	47.3	44.8	dB(A)
19:10 - 20:10	50.9	48.0	dB(A)
20:10 - 21:10	48.0	43.8	dB(A)
21:10 - 22:10	52.2	43.3	dB(A)
22:10 - 23:10	45.3	43.3	dB(A)
23:10 - 00:10	44.3	42.8	dB(A)
00:10 - 01:10	43.8	41.9	dB(A)
01:10 - 02:10	43.4	41.9	dB(A)
02:10 - 03:10	41.7	40.6	dB(A)
03:10 - 04:10	45.5	40.4	dB(A)
04:10 - 05:10	47.8	44.3	dB(A)
05:10 - 06:10	50.7	45.2	dB(A)
06:10 - 07:10	51.9	45.4	dB(A)
07:10 - 08:10	50.2	45.2	dB(A)
08:10 - 09:10	46.6	43.3	dB(A)
09:10 - 10:10	47.4	43.5	dB(A)
L_{eq} 24 hr.	49.1	-	dB(A)
L_{dn}	54.2	-	dB(A)
Standard	70 ^{/1}	-	dB(A)

REMARK : # Test Report/Sampling marked 'Not TISI Accredited' in this report are not included in the TISI Accreditation Schedule for our laboratory

^{/1} Notification of Office of The National Environmental Board Volume 15 B.E. 2540 (1997)

^{/2} Start Time

* Parameter Outside The Scope of The Registration of The Department of Industrial Works
(Ms. Thanatporn Klinsoon is Section Head, Mrs. Wanpen Lhaochindawat is Technical Management)
(Measurement By Mr. Tummarut Photakham)



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By.....
(MRS. WANPEN LHAOCHINDAWAT)

08/12/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0234

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)
 ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230
 SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)
 SAMPLE POINT : บริเวณชุมชนบ้านเนินทราย (N5)
 PARAMETER* : ระดับการรบกวน
 DETERMINATION METHOD : ISO 1996-1:2016
 INSTRUMENT : Integrated Sound Level Meter
 S/N 090085 : Type 2

SAMPLE NO. : 35142
 MEASURING DATE : 23-24/11/2022
 RECEIVED DATE : 28/11/2022
 REPORTED DATE : 08/12/2022

TIME	ระดับเสียง	TIME	ระดับเสียงพื้นฐาน	ระดับเสียง	ระดับการรบกวน
23-24/11/2022	ขณะมีการรบกวน dB(A)	26-27/11/2022	dB(A)	ขณะไม่มีการรบกวน dB(A)	dB(A)
10:10 - 11:10 ²	42.0	10:10 - 11:10 ²	39.9	44.9	2.1
11:10 - 12:10	51.7	11:10 - 12:10	43.0	47.0	8.7
12:10 - 13:10	48.9	12:10 - 13:10	41.0	47.1	7.9
13:10 - 14:10	40.4	13:10 - 14:10	42.1	49.2	-
14:10 - 15:10	39.4	14:10 - 15:10	42.9	49.3	-
15:10 - 16:10	45.2	15:10 - 16:10	45.8	54.5	-
16:10 - 17:10	41.6	16:10 - 17:10	48.4	50.8	-
17:10 - 18:10	46.6	17:10 - 18:10	46.0	49.4	0.6
18:10 - 19:10	40.3	18:10 - 19:10	43.6	47.0	-
19:10 - 20:10	49.4	19:10 - 20:10	42.5	45.3	6.9
20:10 - 21:10	41.0	20:10 - 21:10	39.5	47.3	1.5
21:10 - 22:10	51.7	21:10 - 22:10	39.8	42.2	11.9
22:10 - 23:10	38.3	22:10 - 23:10	39.8	44.1	-
23:10 - 00:10	37.3	23:10 - 00:10	40.5	53.9	-
00:10 - 01:10	36.8	00:10 - 01:10	40.0	45.7	-
01:10 - 02:10	36.4	01:10 - 02:10	38.8	52.2	-
02:10 - 03:10	34.7	02:10 - 03:10	39.7	53.1	-
03:10 - 04:10	38.5	03:10 - 04:10	42.6	54.9	-
04:10 - 05:10	40.8	04:10 - 05:10	44.7	50.2	-
05:10 - 06:10	43.7	05:10 - 06:10	42.9	49.4	0.8
06:10 - 07:10	49.9	06:10 - 07:10	42.4	47.6	7.5
07:10 - 08:10	43.2	07:10 - 08:10	45.1	49.6	-
08:10 - 09:10	39.6	08:10 - 09:10	45.4	50.6	-
09:10 - 10:10	40.4	09:10 - 10:10	43.9	47.2	-
มาตรฐานเสียงรบกวน					10 ¹

REMARK :

¹ Notification of Ministry of the Industry B.E. 2548 (2005) and B.E. 2553 (2010)² Start Time

* Parameter Outside The Scope of The Registration of The Department of Industrial Works

(Measurement By Mr. Tummarut P. Prankham)



Approved By.....

(MRS. WANPEN LHAOCHINDAWAT)

08/12/2022

บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด
 REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
 THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
 WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)
 ADDRESS : 789 ม. 1 ถ. สายหนองก้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230
 SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)
 SAMPLE POINT : บริเวณชุมชนบ้านเนินทรายรี (NS)
 PARAMETER* : L_{eq} 1 hr., L_{eq} 24 hr., $L_{90\#}$ & $L_{dn\#}$ SAMPLE NO. : 35143
 DETERMINATION METHOD : ISO 1996-1:2016 MEASURING DATE : 24-25/11/2022
 INSTRUMENT : Integrated Sound Level Meter RECEIVED DATE : 28/11/2022
 S/N 090085 : Type 2 REPORTED DATE : 08/12/2022

TIME \ DATE	24-25/11/2022 (L_{eq})	24-25/11/2022 ($L_{90\#}$)	UNIT
10:10 - 11:10 ^{/2}	47.2	43.3	dB(A)
11:10 - 12:10	46.6	42.8	dB(A)
12:10 - 13:10	46.6	43.0	dB(A)
13:10 - 14:10	47.3	43.6	dB(A)
14:10 - 15:10	53.0	47.9	dB(A)
15:10 - 16:10	49.1	45.6	dB(A)
16:10 - 17:10	52.9	46.9	dB(A)
17:10 - 18:10	49.8	47.2	dB(A)
18:10 - 19:10	54.8	45.5	dB(A)
19:10 - 20:10	49.0	45.0	dB(A)
20:10 - 21:10	46.8	43.9	dB(A)
21:10 - 22:10	45.0	42.6	dB(A)
22:10 - 23:10	45.0	42.2	dB(A)
23:10 - 00:10	43.7	40.6	dB(A)
00:10 - 01:10	41.5	39.9	dB(A)
01:10 - 02:10	42.1	40.6	dB(A)
02:10 - 03:10	41.6	40.4	dB(A)
03:10 - 04:10	55.3	43.4	dB(A)
04:10 - 05:10	47.0	42.5	dB(A)
05:10 - 06:10	56.4	44.9	dB(A)
06:10 - 07:10	51.1	46.6	dB(A)
07:10 - 08:10	48.5	45.1	dB(A)
08:10 - 09:10	46.8	43.1	dB(A)
09:10 - 10:10	49.7	42.3	dB(A)
L_{eq} 24 hr.	50.2	-	dB(A)
$L_{dn\#}$	57.0	-	dB(A)
Standard	70 ^{/1}	-	dB(A)

REMARK : # Test Report/Sampling marked 'Not TISI Accredited' in this report are not included in the TISI Accreditation Schedule for our laboratory


^{/1} Notification of Office of The National Environmental Board Volume 15 B.E. 2540 (1997)

^{/2} Start Time

* Parameter Outside The Scope of The Registration of The Department of Industrial Works
 (Ms. Thanatporn Klinsoon is Section Head, Mrs. Wanpen Lhaochindawat is Technical Management)
 (Measurement By Mr. Tummarut Photanadham)



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By 
 (MRS. WANPEN LHAOCHINDAWAT)

08/12/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
 THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
 WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0235

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)
 ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230
 SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)
 SAMPLE POINT : บริเวณชุมชนบ้านเนินทราย (N5)
 PARAMETER* : ระดับการรบกวน
 DETERMINATION METHOD : ISO 1996-1:2016
 INSTRUMENT : Integrated Sound Level Meter
 S/N 090085 : Type 2

SAMPLE NO. : 35143
 MEASURING DATE : 24-25/11/2022
 RECEIVED DATE : 28/11/2022
 REPORTED DATE : 08/12/2022

TIME	ระดับเสียง	TIME	ระดับเสียงพื้นฐาน	ระดับเสียง	ระดับการรบกวน
24-25/11/2022	ขณะมีการรบกวน dB(A)	26-27/11/2022	dB(A)	ขณะไม่มีการรบกวน dB(A)	dB(A)
10:10 - 11:10 ²	42.7	10:10 - 11:10 ²	39.9	44.9	2.8
11:10 - 12:10	39.6	11:10 - 12:10	43.0	47.0	-
12:10 - 13:10	39.6	12:10 - 13:10	41.0	47.1	-
13:10 - 14:10	40.3	13:10 - 14:10	42.1	49.2	-
14:10 - 15:10	51.0	14:10 - 15:10	42.9	49.3	8.1
15:10 - 16:10	42.1	15:10 - 16:10	45.8	54.5	-
16:10 - 17:10	48.4	16:10 - 17:10	48.4	50.8	0.0
17:10 - 18:10	42.8	17:10 - 18:10	46.0	49.4	-
18:10 - 19:10	54.3	18:10 - 19:10	43.6	47.0	10.7
19:10 - 20:10	47.0	19:10 - 20:10	42.5	45.3	4.5
20:10 - 21:10	39.8	20:10 - 21:10	39.5	47.3	0.3
21:10 - 22:10	42.0	21:10 - 22:10	39.8	42.2	2.2
22:10 - 23:10	38.0	22:10 - 23:10	39.8	44.1	-
23:10 - 00:10	36.7	23:10 - 00:10	40.5	53.9	-
00:10 - 01:10	34.5	00:10 - 01:10	40.0	45.7	-
01:10 - 02:10	35.1	01:10 - 02:10	38.8	52.2	-
02:10 - 03:10	34.6	02:10 - 03:10	39.7	53.1	-
03:10 - 04:10	48.3	03:10 - 04:10	42.6	54.9	5.7
04:10 - 05:10	40.0	04:10 - 05:10	44.7	50.2	-
05:10 - 06:10	55.4	05:10 - 06:10	42.9	49.4	12.5
06:10 - 07:10	49.1	06:10 - 07:10	42.4	47.6	6.7
07:10 - 08:10	41.5	07:10 - 08:10	45.1	49.6	-
08:10 - 09:10	39.8	08:10 - 09:10	45.4	50.6	-
09:10 - 10:10	46.7	09:10 - 10:10	43.9	47.2	2.8
มาตรฐานเสียงรบกวน					10 ¹

REMARK :

¹ Notification of Ministry of the Industry B.E. 2548 (2005) and B.E. 2553 (2010)² Start Time

* Parameter Outside The Scope of The Registration of The Department of Industrial Works

(Measurement By Mr. Tumman - Thongthong)



Approved By.....

(MRS. WANPEN LHAOCHINDAWAT)

08/12/2022

บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด
 REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
 THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
 WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY


TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)
ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉบัง จ. หนองคาย อ. ศรีราชา จ. ชลบุรี 20230
SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)
SAMPLE POINT : บริเวณชุมชนบ้านเนินทราย (N5)
PARAMETER* : L_{eq} 1 hr., L_{eq} 24 hr., $L_{90\%}$ & $L_{dn\#}$
DETERMINATION METHOD : ISO 1996-1:2016
INSTRUMENT : Integrated Sound Level Meter
S/N 090085 : Type 2

SAMPLE NO. : 35144
MEASURING DATE : 25-26/11/2022
RECEIVED DATE : 28/11/2022
REPORTED DATE : 08/12/2022

TIME \ DATE	25-26/11/2022 (L_{eq})	25-26/11/2022 ($L_{90\%}$)	UNIT
10:10 - 11:10 ²	56.3	42.6	dB(A)
11:10 - 12:10	50.6	42.5	dB(A)
12:10 - 13:10	54.3	43.1	dB(A)
13:10 - 14:10	53.5	45.0	dB(A)
14:10 - 15:10	50.3	46.0	dB(A)
15:10 - 16:10	65.6	57.3	dB(A)
16:10 - 17:10	59.3	47.5	dB(A)
17:10 - 18:10	52.1	49.8	dB(A)
18:10 - 19:10	58.6	56.1	dB(A)
19:10 - 20:10	53.6	51.4	dB(A)
20:10 - 21:10	55.4	51.7	dB(A)
21:10 - 22:10	51.1	48.1	dB(A)
22:10 - 23:10	55.4	53.0	dB(A)
23:10 - 00:10	59.1	56.7	dB(A)
00:10 - 01:10	59.2	57.2	dB(A)
01:10 - 02:10	57.5	54.2	dB(A)
02:10 - 03:10	52.5	46.8	dB(A)
03:10 - 04:10	56.7	44.3	dB(A)
04:10 - 05:10	60.3	44.3	dB(A)
05:10 - 06:10	49.7	45.5	dB(A)
06:10 - 07:10	49.7	45.9	dB(A)
07:10 - 08:10	49.7	45.0	dB(A)
08:10 - 09:10	48.4	44.1	dB(A)
09:10 - 10:10	49.6	42.1	dB(A)
L_{eq} 24 hr.	57.0	-	dB(A)
$L_{dn\#}$	63.4	-	dB(A)
Standard	70 ¹	-	dB(A)

REMARK : # Test Report/Sampling marked 'Not TISI Accredited' in this report are not included in the TISI Accreditation Schedule for our laboratory
¹ Notification of Office of The National Environmental Board Volume 15 B.E. 2540 (1997)
² Start Time
 * Parameter Outside The Scope of The Regulation of The Department of Industrial Works
 (Ms. Thanatporn Klinsopon is Section Head, Mrs. Wanpen Lhaochindawat is Technical Management)
 (Measurement By Mr. Tummarut Photakumt)



Approved By: 

(MRS. WANPEN LHAOCHINDAWAT)

08/12/2022

บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด
 REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
 THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
 WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0236

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)
 ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230
 SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)
 SAMPLE POINT : บริเวณชุมชนบ้านเนินทรายขาว (N5)
 PARAMETER* : ระดับการรบกวน
 DETERMINATION METHOD : ISO 1996-1:2016
 INSTRUMENT : Integrated Sound Level Meter
 S/N 090085 : Type 2

SAMPLE NO. : 35144
 MEASURING DATE : 25-26/11/2022
 RECEIVED DATE : 28/11/2022
 REPORTED DATE : 08/12/2022

TIME	ระดับเสียง ขณะมีการรบกวน dB(A)	TIME	ระดับเสียงพื้นฐาน dB(A)	ระดับเสียง ขณะไม่มีการรบกวน dB(A)	ระดับการรบกวน dB(A)
25-26/11/2022		26-27/11/2022			
10:10 - 11:10 ^{1/2}	55.8	10:10 - 11:10 ^{1/2}	39.9	44.9	15.9
11:10 - 12:10	48.6	11:10 - 12:10	43.0	47.0	5.6
12:10 - 13:10	53.3	12:10 - 13:10	41.0	47.1	12.3
13:10 - 14:10	51.5	13:10 - 14:10	42.1	49.2	9.4
14:10 - 15:10	43.3	14:10 - 15:10	42.9	49.3	0.4
15:10 - 16:10	65.1	15:10 - 16:10	45.8	54.5	19.3
16:10 - 17:10	58.8	16:10 - 17:10	48.4	50.8	10.4
17:10 - 18:10	49.1	17:10 - 18:10	46.0	49.4	3.1
18:10 - 19:10	58.1	18:10 - 19:10	43.6	47.0	14.5
19:10 - 20:10	53.1	19:10 - 20:10	42.5	45.3	10.6
20:10 - 21:10	54.9	20:10 - 21:10	39.5	47.3	15.4
21:10 - 22:10	50.6	21:10 - 22:10	39.8	42.2	10.8
22:10 - 23:10	54.9	22:10 - 23:10	39.8	44.1	15.1
23:10 - 00:10	57.6	23:10 - 00:10	40.5	53.9	17.1
00:10 - 01:10	59.2	00:10 - 01:10	40.0	45.7	19.2
01:10 - 02:10	56.0	01:10 - 02:10	38.8	52.2	17.2
02:10 - 03:10	45.5	02:10 - 03:10	39.7	53.1	5.8
03:10 - 04:10	52.2	03:10 - 04:10	42.6	54.9	9.6
04:10 - 05:10	59.8	04:10 - 05:10	44.7	50.2	15.1
05:10 - 06:10	42.7	05:10 - 06:10	42.9	49.4	-
06:10 - 07:10	45.2	06:10 - 07:10	42.4	47.6	2.8
07:10 - 08:10	42.7	07:10 - 08:10	45.1	49.6	-
08:10 - 09:10	41.4	08:10 - 09:10	45.4	50.6	-
09:10 - 10:10	45.1	09:10 - 10:10	43.9	47.2	1.2
มาตรฐานเสียงรบกวน					10 ^{1/1}

REMARK :

^{1/1} Notification of Ministry of the Industry B.E. 2548 (2005) and B.E. 2553 (2010)^{1/2} Start Time

* Parameter Outside The Scope of The Registration of The Department of Industrial Works

(Measurement By Mr. Tummanut Phachanvong)



Approved By.....

(MRS. WANPEN LHAOCHINDAWAT)

08/12/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
 THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
 WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0243 – R6512-0245

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเทรียล ปาร์ค จำกัด (มหาชน)
ADDRESS : 789 ม. 1 ต. สายหนองก่อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230
SAMPLE SOURCE : ปิ่นทอง อินดัสเทรียล ปาร์ค (โครงการ 1)
SAMPLE POINT : วัดเขาดินนาราม (N1)
DETERMINATION METHOD : ISO 1996-1:2016
INSTRUMENT : Integrated Sound Level Meter
S/N 00209072 : Type 2
SAMPLE NO. : 35151-35153
MEASURING DATE : 23-26/11/2022
RECEIVED DATE : 28/11/2022
REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lae	Lmax	Lmin	La05	La10	La50	La90	La95
23/11/2022	08:00	49.7	74.5	61.5	43.7	52.5	52.0	49.0	45.9	45.3
	08:05	54.5	79.3	75.7	47.4	57.8	56.6	52.6	50.0	49.5
	08:10	54.1	78.9	74.4	46.0	57.7	55.7	50.9	48.2	47.8
	08:15	58.3	83.0	78.8	45.7	62.6	61.7	55.5	48.9	48.1
	08:20	57.4	82.1	71.7	47.3	62.1	60.7	55.3	50.8	50.0
	08:25	49.1	73.9	62.9	44.7	52.0	50.7	48.1	46.6	46.3
	08:30	49.4	74.2	59.0	43.6	53.3	52.0	48.2	46.0	45.5
	08:35	53.0	77.7	65.7	44.3	58.8	56.2	49.6	46.8	46.2
	08:40	54.9	79.7	75.1	44.0	56.6	53.0	48.6	46.2	45.8
	08:45	47.8	72.6	56.3	42.6	51.0	50.1	47.0	44.9	44.5
	08:50	49.4	74.2	61.2	43.4	52.2	51.7	48.7	45.6	45.0
	08:55	48.6	73.4	62.4	44.2	51.5	50.2	47.6	46.1	45.8
	09:00	52.0	76.8	65.8	44.9	57.8	56.1	49.1	46.7	46.2
	09:05	53.8	78.6	69.7	45.6	58.7	57.0	51.0	48.0	47.4
	09:10	51.2	75.9	64.6	45.0	55.3	54.1	49.1	46.7	46.3
	09:15	52.4	77.2	63.5	45.1	56.9	55.2	50.6	47.5	46.9
	09:20	50.2	75.0	59.4	45.6	54.8	52.8	48.7	47.0	46.6
	09:25	49.5	74.2	62.1	44.8	53.5	51.6	48.3	46.7	46.4
	09:30	48.6	73.4	60.5	45.2	51.9	50.6	47.6	46.3	46.1
	09:35	49.7	74.4	58.8	44.9	53.1	52.1	48.7	46.7	46.3
	09:40	49.8	74.6	61.7	44.7	54.2	52.7	48.0	46.1	45.7
	09:45	50.0	74.7	58.9	43.6	53.9	52.8	48.9	45.8	45.3
	09:50	52.1	76.9	67.2	45.2	56.1	54.4	50.3	47.2	46.6
	09:55	49.0	73.8	57.3	44.9	52.9	51.4	48.0	46.1	45.8

Request No. LA65-R1207

Report No. R6512-0243 -- R6512-0245

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองก้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : วัดเขาคินวนาราม (N1)

SAMPLE NO. : 35151-35153

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 00209072 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ac}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
23/11/2022	10:00	50.9	75.7	67.0	44.8	54.9	53.7	49.4	46.5	46.1
	10:05	54.8	79.6	72.7	44.3	57.6	56.1	52.5	47.1	46.3
	10:10	53.8	78.6	71.9	44.9	57.7	55.7	50.6	46.4	46.0
	10:15	51.4	76.2	65.8	44.7	54.6	53.2	49.7	46.7	46.1
	10:20	50.3	75.0	57.6	43.9	53.4	52.6	49.7	47.0	46.5
	10:25	51.4	76.2	67.6	44.8	55.1	54.0	49.7	46.9	46.6
	10:30	52.8	77.5	65.7	45.4	55.8	54.7	51.7	48.6	47.7
	10:35	52.2	77.0	60.2	46.0	55.7	54.7	51.4	48.7	48.0
	10:40	51.6	76.4	61.8	45.6	55.1	53.9	50.7	48.2	47.7
	10:45	50.3	75.1	61.8	45.3	53.6	52.7	49.5	47.1	46.6
	10:50	52.4	77.2	63.0	45.8	56.4	54.8	51.3	48.4	47.8
	10:55	52.9	77.6	73.2	45.9	57.3	55.7	50.6	48.2	47.7
	11:00	51.9	76.7	62.8	45.2	55.9	54.7	50.8	47.6	47.1
	11:05	52.9	77.6	62.6	45.7	56.8	55.5	51.6	48.7	48.1
	11:10	52.6	77.4	61.1	45.1	57.0	55.6	51.3	48.0	47.4
	11:15	53.4	78.2	62.6	46.8	57.5	56.1	52.2	49.5	49.0
	11:20	54.2	79.0	75.2	45.8	56.8	55.2	51.1	48.3	47.8
	11:25	50.7	75.5	67.9	45.1	53.1	51.9	48.9	47.0	46.6
	11:30	55.2	79.9	77.2	44.8	53.8	50.1	46.9	45.8	45.6
	11:35	55.2	80.0	73.1	45.5	61.0	56.2	50.8	47.1	46.6
	11:40	51.8	76.6	66.8	45.0	56.8	53.8	49.4	46.6	46.1
	11:45	50.4	75.2	65.0	45.1	53.9	52.6	48.7	46.5	46.2
	11:50	51.2	75.9	61.8	44.4	55.2	54.0	49.8	46.8	46.4
	11:55	53.7	78.4	67.6	46.8	57.3	56.1	52.4	49.8	49.3

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY



Request No. LA65-R1207

Report No. R6512-0243 – R6512-0245

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : วัดเขาดินวนาราม (N1)

SAMPLE NO. : 35151-35153

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 00209072 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ac}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
23/11/2022	12:00	63.2	88.0	90.4	48.5	61.1	59.5	56.2	51.4	50.5
	12:05	59.4	84.1	81.1	49.8	61.3	60.1	56.8	54.2	53.3
	12:10	56.2	81.0	65.0	48.0	59.8	58.7	55.4	52.4	51.5
	12:15	58.9	83.6	77.2	47.6	62.8	60.3	55.6	51.0	50.1
	12:20	58.0	82.8	77.1	44.9	62.5	59.1	52.3	48.3	47.6
	12:25	61.9	86.7	83.5	45.2	66.8	62.8	54.1	49.8	48.7
	12:30	64.6	89.4	81.9	47.2	71.0	68.0	56.3	51.2	50.3
	12:35	66.2	91.0	84.0	47.7	72.4	65.6	54.2	50.9	50.2
	12:40	65.4	90.2	82.8	46.4	71.9	68.2	55.7	49.9	48.8
	12:45	64.9	89.7	89.4	46.2	68.4	64.7	54.5	49.8	48.8
	12:50	66.2	91.0	89.4	45.5	67.9	63.7	52.9	47.0	46.5
	12:55	68.1	92.9	86.9	44.9	75.6	68.1	52.1	47.6	47.1
	13:00	50.5	75.3	58.5	44.6	54.0	52.9	49.6	47.4	47.0
	13:05	53.0	77.8	65.8	46.4	58.8	57.1	50.0	48.0	47.6
	13:10	52.3	77.1	60.5	46.2	55.8	54.8	51.3	49.1	48.5
	13:15	55.0	79.8	78.0	46.4	56.9	55.3	51.3	48.8	48.3
	13:20	65.1	89.9	85.9	48.1	70.7	65.0	53.9	50.7	50.1
	13:25	70.6	95.3	89.7	46.8	77.6	72.6	55.5	50.2	49.4
	13:30	69.3	94.0	88.2	47.9	75.0	71.6	57.1	52.2	51.4
	13:35	59.6	84.3	79.4	48.0	64.2	61.0	55.4	51.3	50.6
	13:40	53.1	77.8	61.9	47.3	56.6	55.4	52.2	49.9	49.4
	13:45	51.9	76.6	61.3	46.2	55.2	54.2	51.1	48.7	48.2
	13:50	51.0	75.7	59.4	46.1	54.1	53.1	50.2	48.0	47.6
	13:55	51.4	76.2	58.8	45.3	54.7	53.6	50.7	48.4	47.8

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0243 – R6512-0245

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมอับัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : วัดเขาดินวนาราม (N1)

DETERMINATION METHOD : ISO 1996-1:2016

INSTRUMENT : Integrated Sound Level Meter

S/N 00209072 : Type 2

SAMPLE NO. : 35151-35153

MEASURING DATE : 23-26/11/2022

RECEIVED DATE : 28/11/2022

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ae}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
23/11/2022	14:00	52.2	77.0	61.7	46.3	55.4	54.4	51.5	48.8	48.1
	14:05	52.8	77.6	60.2	46.4	56.0	55.1	52.2	49.5	48.9
	14:10	52.5	77.3	58.9	46.8	55.3	54.7	52.1	49.6	49.0
	14:15	51.7	76.5	65.3	46.6	54.5	53.8	51.0	48.8	48.3
	14:20	53.0	77.8	66.1	47.0	56.3	55.3	52.1	49.6	49.0
	14:25	52.0	76.8	61.8	45.6	55.4	54.6	51.1	48.0	47.4
	14:30	51.2	76.0	60.2	46.3	54.2	53.2	50.5	48.7	48.3
	14:35	50.5	75.2	60.6	45.0	53.7	52.7	49.5	47.4	46.9
	14:40	52.1	76.9	63.5	46.7	55.8	54.4	50.9	48.9	48.5
	14:45	50.8	75.5	62.5	45.9	53.5	52.6	50.0	48.3	47.7
	14:50	57.0	81.8	75.8	46.2	56.6	54.0	50.3	48.3	47.7
	14:55	53.1	77.9	69.3	46.6	56.2	54.7	51.7	49.5	48.9
	15:00	52.0	76.8	61.9	46.6	55.4	54.2	51.1	49.2	48.7
	15:05	53.7	78.5	62.6	46.9	57.2	56.2	52.9	50.2	49.6
	15:10	54.0	78.7	63.5	46.5	57.2	56.6	53.5	49.1	48.4
	15:15	57.0	81.7	73.0	49.8	60.1	59.0	55.9	53.2	52.5
	15:20	56.9	81.7	66.5	51.6	60.7	59.4	55.7	53.7	53.2
	15:25	57.5	82.3	68.6	51.6	61.3	60.1	56.1	54.0	53.5
	15:30	57.4	82.1	69.6	52.6	60.0	59.1	56.8	55.0	54.7
	15:35	62.4	87.1	74.5	52.1	69.3	67.2	58.2	54.9	54.2
	15:40	61.3	86.1	73.2	51.0	67.8	65.5	57.0	53.7	53.2
	15:45	57.0	81.7	71.0	48.6	62.2	58.5	54.2	51.3	50.7
	15:50	56.1	80.9	71.2	46.8	62.0	58.6	52.4	49.5	48.9
	15:55	49.7	74.5	62.4	44.4	54.3	51.2	48.4	46.9	46.4

Request No. LA65-R1207

Report No. R6512-0243 -- R6512-0245

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองก้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : วัดเขาดินวนาราม (N1)

SAMPLE NO. : 35151-35153

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 00209072 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ac}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
23/11/2022	16:00	50.2	75.0	61.9	45.0	53.3	52.2	49.4	47.5	47.1
	16:05	68.8	93.6	86.5	45.9	75.9	70.6	51.5	47.8	47.3
	16:10	69.7	94.5	88.2	45.8	77.5	71.7	52.3	48.2	47.7
	16:15	66.6	91.3	85.7	45.3	72.3	67.0	51.9	47.3	46.9
	16:20	69.2	93.9	88.9	45.3	75.9	71.5	55.4	47.1	46.6
	16:25	68.1	92.9	90.0	45.0	70.8	63.1	48.8	46.6	46.1
	16:30	49.4	74.2	60.9	45.2	53.1	51.8	48.1	46.5	46.2
	16:35	50.7	75.5	62.7	44.6	56.3	53.9	48.0	46.1	45.8
	16:40	47.9	72.7	58.6	43.0	52.0	50.6	46.5	45.3	45.0
	16:45	49.4	74.1	63.5	43.6	54.8	52.5	46.0	44.7	44.5
	16:50	48.8	73.5	66.4	42.7	52.5	51.1	45.9	44.5	44.3
	16:55	49.7	74.5	62.8	43.1	55.4	52.9	46.0	44.9	44.6
	17:00	54.6	79.3	69.7	44.2	60.6	58.5	49.0	45.1	44.9
	17:05	49.6	74.4	60.7	43.1	54.5	52.9	47.4	45.6	45.2
	17:10	50.8	75.6	66.1	44.8	57.0	53.6	47.0	45.7	45.5
	17:15	49.2	74.0	70.0	45.0	50.5	49.7	46.7	45.8	45.6
	17:20	51.3	76.1	72.5	44.4	56.2	51.9	46.2	45.2	45.0
	17:25	51.3	76.1	68.2	44.6	56.0	51.4	46.2	45.5	45.4
	17:30	61.6	86.4	69.1	45.0	65.8	65.0	60.5	53.2	49.6
	17:35	62.9	87.7	69.1	42.9	66.2	65.6	62.6	56.4	52.0
	17:40	64.5	89.3	70.5	43.5	67.6	67.1	64.4	57.6	52.7
	17:45	65.1	89.9	71.2	44.3	68.2	67.7	64.8	59.1	55.8
	17:50	64.8	89.6	70.6	45.7	67.7	67.2	64.8	58.8	55.2
	17:55	64.9	89.7	78.5	44.7	67.5	67.0	64.7	60.0	57.1

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY



Request No. LA65-R1207

Report No. R6512-0243 – R6512-0245

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : วัดเขาดินวนาราม (N1)

DETERMINATION METHOD : ISO 1996-1:2016

INSTRUMENT : Integrated Sound Level Meter

S/N 00209072 : Type 2

SAMPLE NO. : 35151-35153

MEASURING DATE : 23-26/11/2022

RECEIVED DATE : 28/11/2022

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ae}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
23/11/2022	18:00	64.2	88.9	69.3	44.7	67.4	66.8	64.1	56.1	50.5
	18:05	52.9	77.6	70.1	43.6	60.2	54.5	46.3	44.9	44.7
	18:10	45.5	70.2	52.6	42.8	47.1	46.4	45.2	44.7	44.4
	18:15	45.2	69.9	47.6	43.0	46.3	46.1	45.0	44.4	44.2
	18:20	45.8	70.6	54.9	43.9	48.7	47.0	45.1	44.6	44.5
	18:25	47.4	72.2	58.4	43.2	51.3	48.9	45.8	45.0	44.5
	18:30	48.0	72.8	60.1	44.3	52.9	48.8	45.8	45.1	45.0
	18:35	47.2	72.0	57.1	44.1	50.9	49.0	45.9	45.1	44.9
	18:40	46.7	71.5	59.4	43.2	49.6	46.8	45.4	44.9	44.5
	18:45	45.8	70.5	56.9	43.4	46.7	46.2	45.6	45.0	44.7
	18:50	47.2	72.0	59.4	43.2	49.0	47.5	45.8	44.8	44.5
	18:55	45.4	70.2	47.8	43.9	46.2	46.1	45.4	44.6	44.5
	19:00	46.0	70.8	56.1	43.1	47.5	46.9	45.9	44.8	44.4
	19:05	46.2	71.0	58.7	43.5	48.5	46.7	45.5	44.8	44.5
	19:10	47.3	72.1	59.0	44.2	51.3	48.3	45.7	44.9	44.7
	19:15	48.4	73.1	68.4	43.7	49.6	47.4	45.8	44.9	44.7
	19:20	45.9	70.7	54.7	43.4	47.9	46.7	45.4	44.6	44.4
	19:25	46.0	70.8	55.7	44.0	48.4	47.1	45.4	44.7	44.6
	19:30	45.5	70.3	52.3	43.1	47.2	46.5	45.3	44.6	44.2
	19:35	46.8	71.5	56.7	43.9	49.7	48.9	45.8	45.2	45.0
	19:40	46.3	71.1	54.8	44.4	48.1	46.6	45.8	45.3	45.1
	19:45	46.8	71.5	57.1	43.8	49.4	48.2	46.0	45.2	45.0
	19:50	47.3	72.1	62.2	44.0	50.3	48.3	46.1	45.2	45.0
	19:55	46.2	70.9	48.8	43.7	47.3	47.0	46.1	45.3	45.1

Request No. LA65-R1207

Report No. R6512-0243 – R6512-0245

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ต. สายหนองก่อ-แหลมฉิมบึง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : วัดเขาดินวนาราม (N1)

SAMPLE NO. : 35151-35153

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 00209072 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	Lacq	Lac	Lmax	Lmin	La05	La10	La50	La90	La95
23/11/2022	20:00	48.1	72.9	56.2	44.5	52.2	51.3	46.5	45.4	45.2
	20:05	49.9	74.7	63.9	45.4	54.4	51.0	47.6	46.4	46.2
	20:10	46.7	71.5	52.1	44.1	48.4	47.8	46.4	45.7	45.4
	20:15	47.4	72.1	58.6	44.8	50.3	48.8	46.2	45.5	45.4
	20:20	46.8	71.5	52.2	44.5	48.9	47.8	46.4	45.7	45.5
	20:25	47.7	72.4	62.6	43.9	50.6	47.8	45.8	45.3	45.0
	20:30	46.2	71.0	53.9	44.6	47.9	46.6	45.8	45.4	45.3
	20:35	45.6	70.4	51.1	44.1	46.4	46.1	45.6	45.0	44.9
	20:40	51.6	76.4	73.2	43.9	52.4	50.4	46.4	45.2	45.0
	20:45	47.0	71.8	58.6	44.6	50.6	47.7	45.8	45.2	45.1
	20:50	46.2	70.9	56.6	43.7	47.4	46.7	45.7	45.1	44.9
	20:55	46.0	70.8	51.7	43.9	47.6	46.8	45.8	45.2	44.9
	21:00	46.8	71.6	55.4	44.2	51.0	48.4	45.7	45.0	44.8
	21:05	45.9	70.7	55.4	43.5	46.7	46.4	45.8	45.2	44.9
	21:10	46.1	70.9	49.6	44.9	46.7	46.5	46.1	45.7	45.5
	21:15	45.6	70.4	49.1	43.2	46.5	46.3	45.6	45.0	44.2
	21:20	46.3	71.1	55.0	43.5	48.2	47.2	46.0	45.3	44.6
	21:25	45.7	70.5	47.1	44.3	46.5	46.3	45.8	45.0	44.9
	21:30	46.5	71.2	58.3	43.2	48.4	47.1	45.9	45.2	44.4
	21:35	46.5	71.2	57.0	43.2	49.0	47.2	45.7	45.1	44.8
	21:40	45.8	70.6	54.9	44.1	47.1	46.5	45.6	44.9	44.7
	21:45	46.6	71.4	57.3	43.7	49.3	47.9	45.9	44.9	44.6
	21:50	45.6	70.3	48.7	43.3	46.4	46.2	45.5	44.9	44.6
	21:55	45.7	70.5	49.3	43.6	46.8	46.4	45.6	45.0	44.9

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0243 – R6512-0245

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : วัดเขาดินนาราม (N1)

SAMPLE NO. : 35151-35153

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 00209072 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ae}	L _{max}	L _{min}	La05	La10	La50	La90	La95
23/11/2022	22:00	45.3	70.1	47.8	43.1	46.1	45.9	45.3	44.7	44.6
	22:05	45.3	70.1	57.3	42.7	45.7	45.3	44.8	44.5	44.3
	22:10	45.8	70.5	55.2	43.5	47.9	47.1	45.1	44.7	44.6
	22:15	44.9	69.7	46.6	43.9	45.4	45.3	44.9	44.5	44.4
	22:20	45.1	69.9	52.7	42.6	46.2	45.6	44.9	44.4	44.0
	22:25	45.2	70.0	47.7	43.0	46.0	45.8	45.2	44.7	44.4
	22:30	59.3	84.0	80.7	43.0	46.0	45.6	45.0	44.4	44.1
	22:35	45.2	70.0	51.5	43.9	47.0	46.0	44.9	44.5	44.4
	22:40	45.5	70.3	49.3	43.2	46.5	46.2	45.5	44.5	44.2
	22:45	45.0	69.7	50.8	42.2	46.1	45.8	44.8	44.2	43.9
	22:50	44.8	69.6	54.4	42.3	45.3	45.1	44.6	44.0	43.6
	22:55	44.5	69.2	46.5	43.3	45.0	44.8	44.4	44.1	44.0
	23:00	44.9	69.7	51.0	42.5	46.0	45.6	44.8	44.2	43.9
	23:05	44.8	69.5	51.1	42.2	45.6	45.3	44.7	44.2	43.6
	23:10	44.9	69.6	46.3	42.4	45.6	45.4	44.9	44.3	44.1
	23:15	45.1	69.9	46.6	42.7	45.7	45.6	45.1	44.5	44.3
	23:20	45.4	70.1	56.3	42.8	45.8	45.5	45.0	44.6	44.3
	23:25	44.7	69.5	48.9	42.3	45.5	45.2	44.6	44.1	43.9
	23:30	45.6	70.3	56.3	43.7	46.1	45.7	45.1	44.5	44.4
	23:35	45.3	70.0	51.0	42.9	46.2	45.8	45.2	44.6	44.1
	23:40	45.2	70.0	53.6	43.1	46.0	45.7	45.1	44.6	44.3
	23:45	45.5	70.3	53.5	44.0	46.7	46.2	45.3	44.7	44.6
	23:50	45.2	70.0	54.5	43.4	45.7	45.6	45.2	44.8	44.5
	23:55	45.4	70.1	57.3	43.5	45.9	45.8	45.3	44.8	44.6

Request No. LA65-R1207

Report No. R6512-0243 – R6512-0245

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ต. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : วัดเขาดินวนาราม (N1)

DETERMINATION METHOD : ISO 1996-1:2016

INSTRUMENT : Integrated Sound Level Meter

S/N 00209072 : Type 2

SAMPLE NO. : 35151-35153

MEASURING DATE : 23-26/11/2022

RECEIVED DATE : 28/11/2022

REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lae	Lmax	Lmin	La05	La10	La50	La90	La95
24/11/2022	00:00	45.1	69.8	46.3	43.1	45.8	45.6	45.1	44.5	44.2
	00:05	52.9	77.7	68.5	42.6	59.3	54.2	45.2	44.4	44.3
	00:10	47.1	71.8	68.8	43.9	45.7	45.4	45.0	44.6	44.5
	00:15	49.9	74.7	67.7	42.9	50.8	45.8	45.0	44.5	44.1
	00:20	48.3	73.1	63.0	44.0	53.3	48.6	45.5	44.8	44.7
	00:25	49.2	74.0	63.8	42.9	55.6	53.0	45.5	44.9	44.5
	00:30	45.0	69.7	46.8	42.9	45.9	45.7	45.0	44.3	43.8
	00:35	44.9	69.7	48.0	43.9	45.4	45.3	44.9	44.5	44.4
	00:40	44.7	69.5	47.3	42.5	45.3	45.2	44.7	44.2	43.6
	00:45	45.0	69.8	46.6	42.5	45.6	45.5	45.0	44.5	43.8
	00:50	47.2	72.0	59.9	43.8	52.9	49.5	45.0	44.6	44.4
	00:55	44.8	69.6	46.8	43.0	45.6	45.4	44.9	44.1	43.8
	01:00	44.9	69.7	46.6	42.8	45.5	45.4	45.0	44.5	43.8
	01:05	45.0	69.8	46.1	43.9	45.4	45.3	45.0	44.6	44.5
	01:10	44.8	69.6	47.3	43.5	45.3	45.2	44.8	44.4	44.1
	01:15	44.9	69.7	46.1	43.5	45.4	45.3	45.0	44.5	44.3
	01:20	45.0	69.8	50.5	43.8	45.6	45.5	45.0	44.5	44.4
	01:25	46.1	70.9	63.2	43.9	47.0	45.5	45.1	44.7	44.6
	01:30	45.6	70.4	55.3	42.9	46.0	45.6	45.1	44.6	44.2
	01:35	45.1	69.8	46.5	43.5	45.7	45.6	45.1	44.4	44.3
	01:40	45.0	69.8	50.9	42.0	45.7	45.5	45.1	44.3	43.0
	01:45	45.0	69.7	46.5	43.7	45.5	45.4	45.0	44.5	44.3
	01:50	49.1	73.9	63.2	43.0	56.0	50.6	45.4	44.8	44.6
	01:55	45.0	69.8	47.2	42.7	45.7	45.5	45.1	44.5	44.3

Request No. LA65-R1207

Report No. R6512-0243 – R6512-0245

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : วัดเขาดินวนาราม (N1)

DETERMINATION METHOD : ISO 1996-1:2016

INSTRUMENT : Integrated Sound Level Meter

S/N 00209072 : Type 2

SAMPLE NO. : 35151-35153

MEASURING DATE : 23-26/11/2022

RECEIVED DATE : 28/11/2022

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ae}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
24/11/2022	02:00	45.1	69.9	46.9	43.8	45.7	45.6	45.1	44.6	44.5
	02:05	45.2	70.0	46.5	43.1	45.8	45.7	45.2	44.7	44.3
	02:10	45.1	69.9	46.3	42.2	45.7	45.6	45.2	44.6	44.2
	02:15	45.1	69.9	46.6	43.9	45.7	45.5	45.1	44.7	44.6
	02:20	45.6	70.4	57.2	42.7	46.1	45.8	45.3	44.7	44.3
	02:25	45.9	70.6	59.0	42.7	45.9	45.7	45.2	44.7	44.2
	02:30	46.4	71.2	59.8	42.3	50.3	46.2	45.0	44.4	44.2
	02:35	45.6	70.4	60.2	42.1	46.4	45.7	44.7	44.1	44.0
	02:40	44.5	69.2	46.1	42.3	45.1	44.9	44.5	44.0	43.5
	02:45	46.1	70.9	57.6	43.6	48.7	46.1	45.4	44.4	44.2
	02:50	45.5	70.2	56.2	43.1	45.9	45.6	44.9	44.4	44.3
	02:55	45.0	69.7	46.4	42.4	45.6	45.5	45.0	44.5	43.8
	03:00	45.5	70.3	47.1	44.1	46.2	46.0	45.5	44.9	44.8
	03:05	45.0	69.8	46.6	42.7	45.9	45.7	45.0	44.5	44.1
	03:10	45.0	69.8	49.1	42.5	46.1	45.6	44.9	44.3	44.0
	03:15	45.4	70.2	46.7	43.1	46.0	45.8	45.4	44.9	44.5
	03:20	45.5	70.3	47.0	43.5	46.1	46.0	45.5	45.0	44.6
	03:25	46.6	71.4	56.8	43.8	50.6	47.1	45.7	45.1	45.0
	03:30	45.6	70.4	54.8	42.5	46.3	46.1	45.5	44.7	44.2
	03:35	46.4	71.2	58.6	42.6	48.3	46.5	45.6	44.9	44.7
	03:40	45.5	70.3	57.8	41.8	46.2	45.9	44.6	43.9	43.6
	03:45	45.6	70.4	57.5	41.8	48.5	45.7	44.6	44.1	43.9
	03:50	70.2	95.0	84.0	43.2	76.5	74.9	63.6	44.2	43.9
	03:55	64.2	88.9	82.6	44.0	70.8	67.8	53.0	45.3	44.7

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0243 – R6512-0245

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ต. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : วัดเขาดินนาราม (N1)

SAMPLE NO. : 35151-35153

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 00209072 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ae}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
24/11/2022	04:00	66.8	91.6	84.9	43.6	73.3	71.0	57.9	46.0	44.8
	04:05	49.6	74.4	72.0	42.3	55.3	51.0	44.9	43.9	43.2
	04:10	60.8	85.5	77.9	43.8	67.9	65.0	50.1	44.7	44.5
	04:15	53.9	78.7	72.0	42.2	60.9	55.8	45.4	44.3	44.0
	04:20	44.7	69.5	55.5	42.2	45.4	45.2	44.6	44.0	43.1
	04:25	46.6	71.4	58.1	43.4	52.0	49.7	44.6	44.1	44.0
	04:30	67.2	91.9	83.9	42.2	74.1	68.6	48.1	44.8	44.4
	04:35	67.5	92.3	82.1	42.3	76.3	70.5	46.9	44.2	43.8
	04:40	53.5	78.2	63.3	43.6	59.5	58.4	45.4	44.5	44.3
	04:45	58.1	82.8	65.7	43.7	62.1	60.9	57.2	52.0	47.1
	04:50	59.0	83.8	66.2	45.0	62.2	61.4	58.7	54.2	51.7
	04:55	59.8	84.6	67.0	44.0	63.2	62.5	59.3	54.2	51.0
	05:00	60.6	85.3	67.6	45.9	63.8	63.1	60.1	55.9	54.3
	05:05	60.7	85.5	68.2	44.3	64.2	63.5	60.1	55.3	53.3
	05:10	61.7	86.5	68.6	42.8	65.4	64.7	61.1	56.1	54.0
	05:15	58.4	83.1	76.5	42.7	64.2	62.9	54.5	44.9	44.4
	05:20	52.0	76.7	66.3	43.4	59.1	56.2	45.4	44.2	44.0
	05:25	47.5	72.2	61.1	41.7	53.2	50.2	44.6	44.0	43.7
	05:30	50.0	74.8	66.7	42.1	55.7	51.6	44.8	44.0	43.6
	05:35	50.3	75.1	66.4	43.0	55.9	52.2	45.9	44.8	44.5
	05:40	48.5	73.2	63.3	43.5	54.3	51.2	45.0	44.3	44.2
	05:45	47.9	72.7	60.8	42.4	53.8	50.5	45.2	44.3	43.7
	05:50	49.8	74.6	65.3	42.1	56.4	52.8	45.2	44.4	44.2
	05:55	51.6	76.4	66.4	44.4	58.0	55.1	46.6	45.3	45.1

Request No. LA65-R1207

Report No. R6512-0243 – R6512-0245

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ต. สายหนองก้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : วัดเขาดินวนาราม (N1)

SAMPLE NO. : 35151-35153

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 00209072 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ae}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
24/11/2022	06:00	52.0	76.7	69.1	44.0	56.5	53.7	47.0	45.8	45.4
	06:05	50.0	74.8	66.9	44.4	53.7	50.8	46.9	45.7	45.5
	06:10	51.0	75.8	69.7	44.6	54.4	52.7	48.2	46.5	46.2
	06:15	58.7	83.5	73.8	44.6	66.5	62.6	49.1	46.6	46.2
	06:20	56.1	80.9	72.2	44.8	63.2	59.4	49.1	46.7	46.4
	06:25	51.9	76.6	65.6	44.9	57.7	55.9	47.7	45.9	45.7
	06:30	51.3	76.0	67.5	46.0	56.5	54.1	48.5	47.0	46.7
	06:35	50.0	74.8	62.7	45.5	53.9	52.4	48.7	47.2	46.9
	06:40	49.7	74.5	64.3	45.9	53.4	51.3	47.9	46.8	46.6
	06:45	53.5	78.3	68.4	45.7	59.5	55.4	49.6	47.7	47.4
	06:50	56.6	81.3	72.0	46.8	62.8	59.0	52.0	48.6	48.2
	06:55	56.2	81.0	76.3	45.7	62.3	59.9	51.9	48.0	47.4
	07:00	56.1	80.9	71.8	46.4	62.8	58.4	51.6	48.3	47.7
	07:05	58.7	83.5	71.0	46.9	64.5	62.6	55.2	49.9	49.1
	07:10	60.8	85.6	74.2	46.8	66.5	64.8	57.6	51.2	50.2
	07:15	61.0	85.8	72.6	46.7	66.5	64.9	58.4	52.7	51.1
	07:20	58.3	83.1	78.0	47.4	62.8	61.6	56.5	51.2	50.1
	07:25	59.5	84.3	69.4	51.0	64.1	62.7	57.8	54.3	53.5
	07:30	60.3	85.1	74.6	50.2	64.7	63.4	58.2	53.8	53.2
	07:35	59.7	84.5	68.9	51.6	63.8	62.5	58.5	55.6	54.9
	07:40	61.9	86.7	74.1	55.0	65.7	64.6	60.8	57.7	57.0
	07:45	60.0	84.8	70.3	54.8	62.8	61.8	59.4	57.3	56.9
	07:50	59.5	84.3	76.1	51.7	62.7	61.6	58.1	55.3	54.6
	07:55	61.0	85.8	72.1	49.6	65.8	64.4	59.5	52.2	51.2

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0243 – R6512-0245

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ต. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : วัดเขาดินวนาราม (N1)

SAMPLE NO. : 35151-35153

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 00209072 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ae}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
24/11/2022	08:00	57.5	82.3	70.1	47.1	62.8	61.2	54.8	50.6	49.8
	08:05	60.7	85.5	71.1	47.3	65.6	64.2	58.6	53.8	52.7
	08:10	62.9	87.7	81.2	48.2	66.5	62.2	57.1	53.4	52.3
	08:15	67.2	91.9	94.6	47.3	68.3	63.4	55.8	50.3	49.5
	08:20	65.0	89.8	87.2	46.3	68.1	62.5	54.2	50.3	49.5
	08:25	53.2	78.0	74.4	46.1	56.5	55.3	51.3	48.7	48.2
	08:30	53.6	78.4	73.9	45.5	57.2	55.2	50.4	47.7	47.3
	08:35	57.8	82.5	78.3	45.2	62.1	61.2	55.0	48.4	47.6
	08:40	56.9	81.6	71.2	46.8	61.6	60.2	54.8	50.3	49.5
	08:45	60.3	85.1	78.2	48.8	65.8	63.4	55.9	51.5	50.7
	08:50	53.6	78.3	68.7	46.6	58.0	56.6	51.8	48.8	48.2
	08:55	52.6	77.3	66.0	46.0	56.1	54.6	51.1	48.3	47.7
	09:00	53.8	78.6	68.8	46.3	59.1	57.0	51.3	48.4	47.8
	09:05	52.1	76.9	69.1	44.9	56.9	54.8	49.6	47.2	46.8
	09:10	51.4	76.1	71.5	45.1	55.4	53.4	49.5	47.3	46.9
	09:15	53.8	78.6	72.8	45.0	59.6	56.7	49.2	46.9	46.4
	09:20	57.3	82.1	80.4	45.7	59.6	57.6	51.5	47.9	47.3
	09:25	61.3	86.0	82.0	45.6	63.1	59.4	51.7	48.1	47.4
	09:30	55.9	80.7	76.6	45.3	60.5	57.6	50.2	47.4	46.9
	09:35	52.8	77.6	65.9	45.1	58.8	56.3	49.5	46.7	46.4
	09:40	52.3	77.1	72.2	44.8	57.8	54.5	49.0	46.3	45.9
	09:45	53.4	78.1	77.4	44.4	56.5	53.8	49.2	46.7	46.3
	09:50	52.2	77.0	65.6	45.4	56.6	54.9	50.7	47.7	47.1
	09:55	50.1	74.9	70.9	44.8	52.9	51.8	48.6	46.4	46.1

Request No. LA65-R1207

Report No. R6512-0243 -- R6512-0245

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ต. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : วัดเขาดินวนาราม (N1)

DETERMINATION METHOD : ISO 1996-1:2016

INSTRUMENT : Integrated Sound Level Meter

S/N 00209072 : Type 2

SAMPLE NO. : 35151-35153

MEASURING DATE : 23-26/11/2022

RECEIVED DATE : 28/11/2022

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ae}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
24/11/2022	10:00	50.4	75.1	57.3	44.2	53.4	52.6	49.8	47.4	46.5
	10:05	51.8	76.5	61.6	45.4	55.3	54.4	50.9	47.6	47.1
	10:10	56.1	80.9	79.4	46.5	59.9	56.5	50.8	48.4	47.8
	10:15	59.0	83.8	83.1	45.5	61.8	57.6	50.9	47.5	47.0
	10:20	56.2	81.0	80.8	44.8	58.6	55.0	48.9	46.9	46.6
	10:25	51.9	76.7	69.3	45.4	55.9	54.3	50.0	47.8	47.3
	10:30	59.9	84.7	83.6	46.3	60.8	58.4	53.3	49.7	49.1
	10:35	67.5	92.2	91.3	47.8	59.9	57.2	53.3	50.6	50.1
	10:40	64.8	89.5	87.3	47.3	62.8	59.4	54.1	50.1	49.4
	10:45	54.6	79.4	72.9	46.4	58.7	57.4	53.1	49.0	48.3
	10:50	56.0	80.8	70.8	48.0	59.3	57.6	53.8	50.2	49.7
	10:55	67.2	91.9	91.0	47.5	59.6	56.9	53.0	50.3	49.8
	11:00	61.2	86.0	81.8	46.2	63.5	60.2	52.1	48.6	48.0
	11:05	60.9	85.7	81.4	46.4	63.8	60.2	52.3	49.1	48.5
	11:10	63.1	87.9	85.5	46.8	63.8	60.3	51.7	48.8	48.4
	11:15	64.5	89.2	87.0	47.0	62.5	59.1	53.8	49.8	49.1
	11:20	51.9	76.7	64.5	46.3	55.7	54.1	50.6	48.3	47.8
	11:25	52.8	77.5	64.3	46.4	57.4	56.2	50.7	48.1	47.7
	11:30	48.2	73.0	61.1	45.4	50.4	49.5	47.6	46.6	46.3
	11:35	50.1	74.9	60.0	45.8	53.7	52.2	49.0	47.2	46.8
	11:40	50.6	75.3	62.6	45.1	54.7	52.8	48.8	47.3	47.0
	11:45	53.8	78.6	65.4	46.6	59.6	57.3	50.7	48.8	48.3
	11:50	58.1	82.9	75.2	47.3	62.7	58.8	54.4	50.9	50.0
	11:55	53.5	78.3	62.6	47.0	56.9	55.8	52.7	50.1	49.5



Request No. LA65-R1207

Report No. R6512-0243 – R6512-0245

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ต. สายหนองก่อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : วัดเขาดินวนาราม (N1)

SAMPLE NO. : 35151-35153

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 00209072 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lae	Lmax	Lmin	La05	La10	La50	La90	La95
24/11/2022	12:00	55.3	80.1	67.6	48.9	58.6	57.5	54.4	51.7	51.0
	12:05	58.3	83.1	71.3	49.0	61.5	60.0	57.0	53.9	52.9
	12:10	57.0	81.8	67.8	46.5	61.3	60.0	55.9	50.5	49.0
	12:15	54.5	79.3	67.0	46.5	58.5	57.2	53.0	49.6	48.8
	12:20	51.0	75.8	61.4	45.9	54.5	53.1	49.8	47.8	47.3
	12:25	51.5	76.3	60.9	45.9	54.8	53.7	50.7	48.4	47.9
	12:30	49.4	74.1	58.6	46.3	51.5	50.8	48.9	47.7	47.5
	12:35	52.2	77.0	59.9	45.6	56.6	55.5	50.5	47.3	47.0
	12:40	51.3	76.1	64.9	45.2	56.2	53.1	49.0	46.6	46.2
	12:45	51.0	75.7	66.3	45.4	56.5	54.5	47.7	46.5	46.2
	12:50	48.9	73.6	64.0	45.1	52.2	50.8	47.5	46.2	45.9
	12:55	51.7	76.5	67.0	45.0	55.6	54.6	48.8	46.7	46.3
	13:00	52.6	77.4	75.9	44.5	55.9	54.8	50.4	47.5	47.0
	13:05	51.4	76.2	71.9	45.1	53.6	51.8	49.1	47.0	46.6
	13:10	54.1	78.9	74.6	45.5	54.7	53.2	49.5	47.5	47.1
	13:15	53.5	78.2	70.4	45.6	58.1	55.6	50.7	47.8	47.2
	13:20	58.2	82.9	85.5	45.2	60.4	57.0	52.2	48.5	47.6
	13:25	56.5	81.2	77.7	44.8	61.5	58.5	49.7	46.4	46.0
	13:30	51.5	76.3	76.5	45.1	52.3	50.8	47.8	46.2	45.9
	13:35	48.5	73.3	62.1	44.8	51.3	50.3	47.7	46.2	45.9
	13:40	52.3	77.1	69.2	44.9	56.5	55.5	50.1	47.1	46.6
	13:45	52.8	77.6	71.0	44.8	55.7	54.3	49.9	46.1	45.8
	13:50	52.0	76.8	59.3	46.3	55.7	54.6	51.0	48.9	48.3
	13:55	55.2	80.0	80.8	45.7	57.0	55.3	50.9	48.0	47.4

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0243 – R6512-0245

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)
 ADDRESS : 789 ม. 1 ต. สายหนองค้อ-แหลมปลั่ง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230
 SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)
 SAMPLE POINT : วัดเขาดินวนาราม (N1) SAMPLE NO. : 35151-35153
 DETERMINATION METHOD : ISO 1996-1:2016 MEASURING DATE : 23-26/11/2022
 INSTRUMENT : Integrated Sound Level Meter RECEIVED DATE : 28/11/2022
 S/N 00209072 : Type 2 REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ac}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
24/11/2022	14:00	59.9	84.7	84.4	45.4	61.7	58.0	51.8	48.0	47.4
	14:05	55.5	80.3	73.9	46.5	58.8	57.4	54.0	49.0	48.2
	14:10	59.2	84.0	81.7	46.2	60.9	57.3	52.2	49.0	48.0
	14:15	51.1	75.9	60.3	46.5	53.4	52.7	50.7	48.4	48.0
	14:20	50.2	74.9	63.7	45.3	52.4	51.7	49.7	48.1	47.7
	14:25	50.4	75.2	62.1	45.9	52.8	52.0	49.9	48.1	47.7
	14:30	51.3	76.1	62.6	46.6	54.1	53.4	50.6	48.7	48.3
	14:35	53.5	78.3	66.0	46.7	57.0	55.8	52.6	49.9	49.4
	14:40	57.9	82.7	83.5	47.4	60.4	57.9	53.3	50.2	49.6
	14:45	55.8	80.6	75.6	46.7	60.1	57.9	52.9	49.5	48.8
	14:50	63.6	88.4	84.1	44.9	65.2	60.5	51.9	47.6	47.0
	14:55	59.0	83.8	75.5	46.3	65.1	61.7	54.2	49.4	48.5
	15:00	58.7	83.5	77.3	47.8	63.9	60.4	54.1	50.7	49.9
	15:05	58.6	83.4	77.7	48.2	62.7	59.4	54.9	51.4	50.6
	15:10	54.7	79.5	69.9	48.3	57.9	56.7	53.3	50.7	50.2
	15:15	57.3	82.1	73.5	50.3	61.5	59.7	55.5	52.8	52.1
	15:20	58.8	83.6	68.8	52.7	62.1	61.2	57.9	55.5	54.9
	15:25	58.7	83.5	71.4	52.3	62.5	60.7	57.7	55.2	54.7
	15:30	59.7	84.5	71.8	52.7	64.4	62.7	57.6	55.1	54.6
	15:35	62.4	87.2	89.5	51.8	66.0	63.7	57.4	54.8	54.1
	15:40	58.1	82.8	73.1	50.4	63.1	60.9	55.7	52.7	52.2
	15:45	62.1	86.8	81.3	49.2	67.5	65.4	56.0	52.2	51.4
	15:50	55.9	80.6	72.0	47.7	59.1	56.5	51.9	49.5	49.1
	15:55	57.6	82.4	73.9	47.3	65.5	61.7	50.9	48.8	48.5

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0243 – R6512-0245

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ต. สายหนองก่อ-แหลมอับัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : วัดเขาดินนาราม (N1)

DETERMINATION METHOD : ISO 1996-1:2016

INSTRUMENT : Integrated Sound Level Meter

S/N 00209072 : Type 2

SAMPLE NO. : 35151-35153

MEASURING DATE : 23-26/11/2022

RECEIVED DATE : 28/11/2022

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ae}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
24/11/2022	16:00	55.9	80.6	71.8	47.5	60.5	58.1	51.8	49.3	48.9
	16:05	51.4	76.2	62.4	46.7	55.8	54.2	50.0	48.3	48.0
	16:10	49.8	74.5	58.7	45.7	53.9	51.9	48.6	47.2	46.9
	16:15	51.8	76.6	71.1	45.6	54.9	52.6	48.4	46.7	46.4
	16:20	53.3	78.1	75.1	44.5	57.9	53.2	48.4	46.8	46.4
	16:25	54.7	79.5	73.8	45.1	59.1	56.8	49.0	46.1	45.9
	16:30	48.9	73.6	57.0	43.9	52.9	51.6	47.6	45.4	45.1
	16:35	50.0	74.7	71.2	43.4	54.2	51.4	46.2	45.1	44.9
	16:40	46.6	71.4	61.9	43.1	48.7	47.3	45.8	45.0	44.8
	16:45	51.8	76.6	73.9	44.3	51.5	50.1	47.1	45.5	45.3
	16:50	52.7	77.4	72.7	44.6	57.4	55.7	49.4	46.4	46.0
	16:55	52.6	77.4	67.1	44.3	58.8	55.1	49.0	45.9	45.5
	17:00	50.7	75.5	68.2	44.5	54.3	52.2	47.6	45.7	45.4
	17:05	47.8	72.6	63.4	44.6	50.7	49.6	46.5	45.7	45.6
	17:10	51.5	76.3	74.4	44.7	51.2	50.0	46.8	45.8	45.6
	17:15	49.6	74.4	56.0	44.7	53.7	52.9	47.2	45.6	45.4
	17:20	46.5	71.2	57.3	44.5	49.2	47.3	45.7	45.2	45.1
	17:25	46.5	71.2	56.5	44.1	48.6	47.1	45.7	45.1	44.9
	17:30	46.2	71.0	56.5	42.7	48.8	47.4	45.5	44.7	44.4
	17:35	46.0	70.8	59.1	44.0	48.0	46.7	45.6	44.9	44.7
	17:40	45.5	70.2	52.3	42.6	46.8	46.3	45.4	44.5	44.2
	17:45	48.4	73.1	62.4	42.9	54.1	50.5	45.4	44.5	44.3
	17:50	46.9	71.6	58.0	44.1	50.0	48.1	45.8	44.9	44.7
	17:55	46.2	71.0	52.6	43.2	47.7	47.3	45.9	45.0	44.8

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY





Request No. LA65-R1207

Report No. R6512-0243 – R6512-0245

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : วัดเขาดินวนาราม (N1)

DETERMINATION METHOD : ISO 1996-1:2016

INSTRUMENT : Integrated Sound Level Meter

S/N 00209072 : Type 2

SAMPLE NO. : 35151-35153

MEASURING DATE : 23-26/11/2022

RECEIVED DATE : 28/11/2022

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ae}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
24/11/2022	18:00	49.4	74.2	64.6	43.1	54.1	52.4	46.3	45.1	44.9
	18:05	45.8	70.6	52.4	44.0	48.1	47.1	45.3	44.8	44.7
	18:10	50.2	74.9	77.5	43.2	48.9	48.2	45.4	44.5	44.2
	18:15	47.6	72.3	61.3	43.1	50.4	48.1	45.4	44.7	44.4
	18:20	46.4	71.1	54.5	44.4	48.1	47.6	45.9	45.3	45.1
	18:25	47.6	72.4	60.9	43.5	51.2	48.2	46.0	45.4	45.2
	18:30	45.9	70.7	50.3	43.3	47.4	46.7	45.8	45.0	44.7
	18:35	48.5	73.3	55.2	44.5	51.0	50.6	48.8	45.4	45.2
	18:40	50.3	75.1	55.6	46.5	51.4	51.1	50.2	49.5	49.3
	18:45	50.0	74.7	56.5	46.2	52.5	51.4	49.6	47.5	47.1
	18:50	49.3	74.1	57.8	45.8	51.1	50.6	49.1	47.4	47.0
	18:55	47.6	72.4	55.2	45.5	50.3	49.0	47.0	46.2	46.1
	19:00	47.6	72.4	59.6	45.2	49.2	48.7	47.0	46.3	46.1
	19:05	47.9	72.7	55.8	45.6	49.9	49.1	47.5	46.5	46.3
	19:10	49.7	74.4	57.1	44.4	51.5	50.9	49.5	47.3	46.7
	19:15	49.4	74.1	62.6	44.2	53.8	50.2	47.1	46.1	45.9
	19:20	51.5	76.2	61.9	45.6	54.2	52.4	51.1	46.8	46.4
	19:25	52.0	76.8	58.6	46.7	53.9	52.9	51.6	50.6	50.2
	19:30	50.1	74.9	56.3	45.2	51.9	51.6	50.4	46.4	46.1
	19:35	54.9	79.6	71.9	45.7	56.3	52.7	51.2	50.2	49.9
	19:40	50.4	75.1	53.9	43.7	52.0	51.6	50.5	46.5	45.6
	19:45	51.9	76.6	63.5	45.7	55.4	52.1	50.7	49.5	48.7
	19:50	50.4	75.2	55.9	47.0	51.4	51.1	50.3	49.6	49.4
	19:55	50.8	75.5	58.4	45.5	53.0	51.6	50.3	49.4	49.3

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY



Request No. LA65-R1207

Report No. R6512-0243 – R6512-0245

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : วัดเขาดินวนาราม (N1)

DETERMINATION METHOD : ISO 1996-1:2016

INSTRUMENT : Integrated Sound Level Meter

S/N 00209072 : Type 2

SAMPLE NO. : 35151-35153

MEASURING DATE : 23-26/11/2022

RECEIVED DATE : 28/11/2022

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ae}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
24/11/2022	20:00	50.3	75.0	53.9	46.9	51.2	51.0	50.2	49.5	49.3
	20:05	51.0	75.8	59.4	45.4	54.8	52.0	50.1	49.2	49.0
	20:10	50.0	74.8	55.4	46.0	51.0	50.7	49.9	49.2	49.0
	20:15	51.3	76.0	62.6	46.5	54.9	52.4	50.0	49.2	49.0
	20:20	49.8	74.6	57.8	45.6	50.7	50.5	49.6	48.9	48.8
	20:25	50.1	74.9	55.7	46.9	52.1	51.0	49.9	49.1	48.9
	20:30	50.4	75.2	62.0	46.5	52.2	50.8	49.6	48.9	48.7
	20:35	50.2	74.9	57.1	46.6	52.7	51.3	49.7	48.9	48.7
	20:40	49.5	74.2	53.3	45.6	50.4	50.2	49.4	48.7	48.5
	20:45	49.1	73.9	52.5	44.7	50.0	49.9	49.0	48.4	48.3
	20:50	49.0	73.8	51.1	45.5	49.9	49.7	49.0	48.4	48.2
	20:55	48.2	73.0	51.6	43.5	50.0	49.8	48.6	45.6	44.7
	21:00	47.7	72.5	58.7	43.5	50.7	49.8	46.0	45.2	44.6
	21:05	48.3	73.1	53.1	44.6	50.8	50.5	47.9	45.5	45.4
	21:10	47.5	72.3	52.3	44.8	50.4	50.0	46.2	45.5	45.4
	21:15	49.1	73.9	58.7	44.5	50.9	50.6	49.4	45.3	45.1
	21:20	47.9	72.7	52.0	44.4	50.8	50.5	46.1	45.3	45.2
	21:25	45.2	70.0	46.6	43.2	45.9	45.7	45.2	44.8	44.0
	21:30	45.5	70.2	47.4	44.4	46.2	46.0	45.4	45.0	44.9
	21:35	45.9	70.7	54.7	43.3	48.0	46.7	45.5	45.0	44.4
	21:40	45.6	70.4	52.9	43.1	46.9	46.1	45.4	44.9	44.4
	21:45	45.8	70.5	55.3	44.5	46.7	46.1	45.5	45.0	44.9
	21:50	45.7	70.5	48.8	43.9	46.8	46.3	45.6	45.1	44.8
	21:55	46.5	71.2	56.4	43.6	48.4	46.8	45.9	45.1	44.8

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0243 – R6512-0245

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)
 ADDRESS : 789 ม. 1 ถ. สายหนองก้อ-แหลมอับัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230
 SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)
 SAMPLE POINT : วัดเขาดินวนาราม (N1)
 DETERMINATION METHOD : ISO 1996-1:2016
 INSTRUMENT : Integrated Sound Level Meter
 S/N 00209072 : Type 2

SAMPLE NO. : 35151-35153
 MEASURING DATE : 23-26/11/2022
 RECEIVED DATE : 28/11/2022
 REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ae}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
24/11/2022	22:00	54.9	79.6	70.1	43.5	63.1	57.9	45.8	45.2	44.9
	22:05	49.1	73.9	69.0	43.9	51.9	48.5	45.9	45.2	45.1
	22:10	46.7	71.5	59.8	43.4	47.8	46.7	45.9	45.3	44.2
	22:15	50.0	74.8	67.4	43.5	53.6	48.0	45.8	45.2	45.0
	22:20	45.5	70.3	47.2	43.4	46.2	46.1	45.5	45.0	44.8
	22:25	48.4	73.2	70.4	43.2	47.7	46.4	45.6	45.0	44.9
	22:30	52.7	77.5	73.9	43.0	46.2	45.9	45.4	44.9	44.4
	22:35	45.2	70.0	46.8	43.3	45.8	45.7	45.2	44.7	44.5
	22:40	46.0	70.7	62.9	43.0	46.2	45.9	45.3	44.8	43.9
	22:45	45.5	70.3	46.8	44.3	46.1	45.9	45.5	45.0	44.9
	22:50	45.7	70.5	49.4	43.1	47.0	46.7	45.5	44.9	44.7
	22:55	45.8	70.6	48.5	44.4	47.3	47.0	45.6	45.0	44.9
	23:00	45.8	70.6	48.0	44.1	47.3	47.1	45.5	44.8	44.7
	23:05	45.9	70.6	48.4	44.2	47.4	47.1	45.5	44.8	44.7
	23:10	45.1	69.9	47.3	43.8	45.8	45.7	45.1	44.5	44.4
	23:15	45.5	70.2	52.4	42.8	47.1	46.6	45.1	44.4	44.2
	23:20	45.4	70.2	49.4	44.1	46.3	46.0	45.3	44.8	44.7
	23:25	56.4	81.1	73.4	44.2	62.9	53.0	45.2	44.8	44.7
	23:30	45.8	70.6	48.2	44.0	47.0	46.8	45.6	44.8	44.7
	23:35	45.7	70.5	54.6	44.0	47.0	46.8	45.5	44.8	44.7
	23:40	45.6	70.4	47.8	43.8	46.9	46.7	45.4	44.6	44.5
	23:45	45.5	70.3	49.5	43.7	46.9	46.7	45.2	44.6	44.4
	23:50	45.3	70.0	47.9	43.8	46.7	46.2	45.1	44.5	44.4
	23:55	46.2	71.0	48.5	44.2	47.2	47.0	46.3	45.0	44.8

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0243 – R6512-0245

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมบาลีง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : วัดเขาดินวนาราม (N1)

SAMPLE NO. : 35151-35153

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 00209072 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	Lacq	Lae	Lmax	Lmin	La05	La10	La50	La90	La95
25/11/2022	00:00	45.4	70.2	47.6	44.1	46.6	46.1	45.3	44.8	44.7
	00:05	45.4	70.2	48.0	44.1	46.7	46.3	45.2	44.8	44.7
	00:10	45.2	69.9	46.7	44.0	45.8	45.6	45.1	44.7	44.6
	00:15	45.1	69.8	47.0	44.1	45.6	45.4	45.0	44.7	44.6
	00:20	45.3	70.1	47.6	43.9	46.1	45.9	45.2	44.7	44.6
	00:25	45.5	70.3	50.2	44.1	46.7	46.0	45.3	44.9	44.8
	00:30	47.7	72.5	55.2	44.2	51.9	50.9	46.1	45.0	44.8
	00:35	47.0	71.8	58.2	45.0	48.4	48.0	46.6	45.8	45.7
	00:40	45.7	70.5	50.7	44.4	46.8	46.4	45.6	45.0	44.9
	00:45	45.7	70.4	57.2	44.3	46.1	45.9	45.4	44.9	44.8
	00:50	44.9	69.7	47.6	43.7	45.6	45.4	44.9	44.4	44.3
	00:55	45.2	70.0	51.0	43.9	46.2	45.7	45.1	44.6	44.5
	01:00	46.8	71.6	49.5	44.0	48.2	47.9	46.9	45.1	44.9
	01:05	47.2	71.9	51.4	43.9	48.7	48.5	47.4	44.8	44.6
	01:10	46.7	71.4	53.1	44.0	50.1	49.1	45.5	44.8	44.7
	01:15	49.1	73.9	54.9	44.6	50.8	50.2	49.0	46.7	45.9
	01:20	48.1	72.9	50.7	43.8	49.8	49.6	48.5	44.8	44.6
	01:25	50.5	75.3	67.9	43.6	50.5	49.9	48.7	45.5	45.2
	01:30	48.0	72.8	58.3	43.8	50.0	49.7	48.3	44.7	44.6
	01:35	48.4	73.2	51.4	42.6	50.1	49.9	48.8	44.9	44.6
	01:40	49.2	73.9	51.4	44.0	50.2	50.0	49.1	48.3	48.1
	01:45	49.3	74.0	55.9	45.0	50.3	50.0	49.0	48.3	48.0
	01:50	48.9	73.7	50.6	44.8	49.9	49.7	48.9	48.2	47.9
	01:55	48.5	73.3	50.5	43.3	49.9	49.7	48.7	45.5	45.1

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0243 – R6512-0245

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : วัดเขาดินวนาราม (N1)

SAMPLE NO. : 35151-35153

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 00209072 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ac}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
25/11/2022	02:00	46.2	71.0	51.0	43.0	49.2	48.7	45.2	44.7	44.5
	02:05	48.0	72.8	50.8	42.8	50.0	49.7	48.5	44.9	44.7
	02:10	45.2	70.0	46.8	42.9	45.9	45.8	45.2	44.7	44.1
	02:15	46.1	70.9	59.3	42.8	46.3	45.9	45.3	44.5	43.6
	02:20	47.2	72.0	49.8	43.1	49.0	48.7	47.4	45.2	45.0
	02:25	47.8	72.5	50.9	44.2	49.1	49.0	48.0	45.3	45.1
	02:30	48.3	73.1	50.1	44.9	49.2	49.0	48.3	47.7	47.5
	02:35	48.4	73.1	49.9	44.0	49.3	49.1	48.3	47.6	47.3
	02:40	48.5	73.3	50.0	45.6	49.4	49.2	48.5	47.8	47.7
	02:45	47.3	72.1	50.1	44.4	49.2	48.9	47.5	45.2	45.0
	02:50	45.9	70.6	47.7	44.4	46.8	46.5	45.8	45.3	45.1
	02:55	46.5	71.3	47.9	44.4	47.2	47.1	46.6	45.9	45.4
	03:00	47.6	72.4	58.2	44.2	51.1	47.7	46.8	45.9	45.5
	03:05	46.9	71.7	50.8	45.0	47.6	47.4	46.8	46.3	46.2
	03:10	46.6	71.4	48.1	44.9	47.3	47.1	46.6	46.1	46.0
	03:15	46.6	71.4	49.3	43.7	48.5	48.2	46.7	44.6	44.5
	03:20	45.6	70.4	49.1	44.0	47.4	46.9	45.3	44.8	44.7
	03:25	46.5	71.3	51.8	44.1	48.3	48.0	45.9	44.9	44.7
	03:30	47.5	72.3	49.2	44.7	48.3	48.1	47.5	47.0	46.9
	03:35	48.7	73.5	61.8	44.3	52.2	48.5	47.5	46.9	46.6
	03:40	47.9	72.7	56.9	44.6	51.7	48.7	47.4	45.5	45.3
	03:45	45.9	70.6	64.2	44.2	46.2	45.9	45.4	44.9	44.8
	03:50	45.9	70.7	59.2	44.0	46.1	45.8	45.2	44.7	44.6
	03:55	45.2	70.0	53.4	44.1	45.8	45.6	45.1	44.7	44.6

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0243 – R6512-0245

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองก้อ-แหลมอับัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : วัดเขาคินวนาราม (N1)

SAMPLE NO. : 35151-35153

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 00209072 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ac}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
25/11/2022	04:00	46.2	71.0	56.2	44.2	49.4	46.4	45.5	45.0	44.9
	04:05	45.4	70.2	53.2	44.2	46.1	45.9	45.3	44.9	44.8
	04:10	46.4	71.2	59.0	43.8	49.9	45.8	45.1	44.6	44.5
	04:15	47.5	72.2	62.9	43.8	51.7	47.0	45.2	44.6	44.4
	04:20	46.3	71.1	60.4	43.4	47.0	46.2	45.3	44.7	44.5
	04:25	49.3	74.0	68.8	44.0	54.6	51.5	45.5	44.8	44.6
	04:30	68.4	93.2	84.3	44.0	76.8	70.9	50.3	45.3	45.1
	04:35	67.1	91.9	83.0	44.1	75.6	66.5	46.1	44.9	44.8
	04:40	49.8	74.5	62.0	43.9	56.0	54.2	45.4	44.8	44.7
	04:45	56.8	81.6	65.2	44.2	60.8	59.9	56.0	50.2	46.4
	04:50	57.4	82.1	64.5	46.0	60.5	59.7	57.0	52.9	50.5
	04:55	58.0	82.8	66.6	47.1	61.6	60.7	57.4	51.5	49.0
	05:00	61.0	85.8	69.2	47.5	64.9	64.0	60.2	55.6	53.7
	05:05	63.6	88.4	70.3	45.8	67.0	66.4	63.0	57.7	55.3
	05:10	61.6	86.4	69.3	44.8	65.9	65.2	60.3	51.4	46.1
	05:15	51.5	76.3	74.7	44.4	56.9	54.6	46.2	45.4	45.2
	05:20	47.4	72.1	60.6	44.6	51.6	47.9	45.9	45.3	45.2
	05:25	48.9	73.6	60.6	43.9	55.2	52.2	45.5	44.9	44.7
	05:30	49.2	73.9	63.1	44.2	54.3	52.5	46.0	45.1	45.0
	05:35	47.5	72.2	60.0	44.8	51.6	48.7	46.1	45.5	45.4
	05:40	47.7	72.4	60.9	44.1	52.4	49.8	45.9	45.2	44.9
	05:45	51.2	76.0	74.2	44.5	55.1	52.4	46.0	45.4	45.3
	05:50	49.6	74.3	61.2	44.2	56.3	53.4	45.9	45.2	45.1
	05:55	50.2	74.9	64.7	44.1	56.9	54.3	45.7	44.9	44.8

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0243 – R6512-0245

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมอับัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : วัดเขาคินวนาราม (N1)

DETERMINATION METHOD : ISO 1996-1:2016

INSTRUMENT : Integrated Sound Level Meter

S/N 00209072 : Type 2

SAMPLE NO. : 35151-35153

MEASURING DATE : 23-26/11/2022

RECEIVED DATE : 28/11/2022

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ae}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
25/11/2022	06:00	49.6	74.4	62.0	44.2	55.9	53.1	45.8	45.0	44.9
	06:05	52.0	76.8	70.1	44.3	58.5	56.2	45.9	45.1	45.0
	06:10	56.5	81.2	72.4	44.2	63.2	60.4	48.5	45.2	44.9
	06:15	53.3	78.1	72.2	44.2	57.6	53.0	46.8	45.1	44.8
	06:20	53.1	77.9	72.0	45.0	56.5	53.0	48.1	46.2	45.9
	06:25	49.7	74.5	66.6	44.7	54.4	49.8	46.6	45.7	45.5
	06:30	50.2	75.0	69.2	45.1	53.9	51.0	46.9	45.9	45.7
	06:35	50.4	75.2	68.2	45.0	54.0	50.4	47.0	46.0	45.8
	06:40	53.2	78.0	69.5	45.1	60.0	54.2	47.3	46.1	45.9
	06:45	50.4	75.2	71.0	45.2	53.2	50.4	47.3	46.3	46.1
	06:50	50.0	74.8	65.2	45.1	53.6	52.1	48.8	46.4	46.0
	06:55	50.4	75.1	66.1	45.5	53.4	52.6	49.2	47.5	47.2
	07:00	57.1	81.9	75.0	46.3	64.0	60.4	49.8	48.3	48.0
	07:05	56.8	81.6	73.2	45.7	62.5	59.3	51.7	48.0	47.5
	07:10	60.7	85.5	76.2	46.3	67.6	65.2	53.0	48.5	47.9
	07:15	58.2	83.0	74.4	47.5	64.4	61.6	52.6	49.6	49.1
	07:20	57.3	82.1	69.9	47.7	62.8	61.2	54.7	50.2	49.4
	07:25	57.2	81.9	69.7	48.0	62.4	60.4	54.3	50.7	49.9
	07:30	58.2	83.0	70.7	50.8	63.5	61.9	55.8	53.1	52.5
	07:35	58.5	83.2	68.2	50.9	63.3	61.9	56.6	53.3	52.5
	07:40	58.9	83.7	72.0	50.3	64.0	61.4	56.8	53.4	52.7
	07:45	58.4	83.1	69.8	49.6	63.5	61.7	56.1	53.0	52.4
	07:50	59.1	83.9	70.2	51.4	61.9	60.9	58.5	54.4	53.5
	07:55	57.9	82.6	74.2	47.7	64.1	60.4	54.3	51.3	50.5

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0243 – R6512-0245

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ต. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : วัดเขาดินวนาราม (N1)

SAMPLE NO. : 35151-35153

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 00209072 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ac}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
25/11/2022	08:00	57.9	82.6	75.5	46.7	63.0	60.3	53.8	50.7	49.7
	08:05	55.3	80.1	70.4	46.1	59.8	57.2	52.3	48.8	48.0
	08:10	51.5	76.2	69.0	46.7	54.7	53.7	50.2	48.5	48.1
	08:15	54.9	79.6	79.5	46.4	58.5	55.9	50.3	48.2	47.8
	08:20	55.3	80.1	77.5	45.8	58.5	56.1	50.3	47.9	47.5
	08:25	55.5	80.3	72.9	46.1	60.3	57.1	50.6	48.1	47.6
	08:30	67.8	92.5	92.1	46.4	69.4	64.2	52.5	48.4	47.7
	08:35	58.9	83.7	80.3	46.2	64.0	60.3	52.5	48.7	48.1
	08:40	63.3	88.1	92.1	47.0	65.7	61.5	53.1	49.7	49.2
	08:45	60.7	85.5	82.7	46.5	65.9	61.8	52.6	48.8	48.2
	08:50	65.9	90.6	92.9	45.8	67.4	63.3	50.1	47.3	46.9
	08:55	60.0	84.8	86.9	46.0	60.3	56.2	50.1	47.8	47.4
	09:00	55.9	80.7	82.4	45.9	58.1	55.3	49.8	47.6	47.2
	09:05	51.7	76.4	70.2	45.8	55.4	53.0	49.2	47.6	47.3
	09:10	58.1	82.8	85.5	46.2	59.0	54.9	49.4	47.5	47.2
	09:15	59.5	84.3	87.0	45.3	59.4	55.3	50.1	48.2	47.7
	09:20	51.7	76.5	69.9	46.9	54.8	53.4	50.0	48.4	48.1
	09:25	55.2	76.4	69.0	48.2	60.7	57.8	52.4	49.9	49.6
	09:30	56.0	80.7	75.0	45.1	61.3	59.3	52.1	48.5	47.7
	09:35	59.2	84.0	75.2	45.4	66.9	63.2	49.1	46.6	46.3
	09:40	58.7	83.5	82.6	45.3	65.7	62.6	51.0	46.9	46.4
	09:45	54.7	79.5	74.2	44.9	59.8	57.7	50.1	46.5	46.1
	09:50	54.5	79.2	72.2	44.1	60.7	57.0	48.5	46.2	45.9
	09:55	53.6	78.4	73.2	44.9	58.7	55.7	49.6	46.6	46.2

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY



Request No. LA65-R1207

Report No. R6512-0243 – R6512-0245

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเทรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ต. สายหนองค้อ-แหลมฉิม ช. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเทรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : วัดเขาดินวนาราม (N1)

DETERMINATION METHOD : ISO 1996-1:2016

INSTRUMENT : Integrated Sound Level Meter

S/N 00209072 : Type 2

SAMPLE NO. : 35151-35153

MEASURING DATE : 23-26/11/2022

RECEIVED DATE : 28/11/2022

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ae}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
25/11/2022	10:00	51.2	75.9	70.5	44.6	55.3	53.3	48.2	46.3	46.0
	10:05	54.7	79.5	74.7	45.4	60.3	58.1	49.7	46.9	46.5
	10:10	54.7	79.5	74.3	45.5	59.3	57.1	50.1	47.2	46.8
	10:15	53.5	78.3	73.5	45.8	57.1	54.6	49.3	47.3	46.9
	10:20	61.1	85.8	86.6	45.4	62.9	58.7	50.1	46.9	46.4
	10:25	57.3	82.0	73.0	45.6	63.8	61.1	51.5	47.4	46.9
	10:30	62.3	87.1	84.2	44.9	66.4	62.4	52.5	47.3	46.8
	10:35	61.9	86.7	84.4	46.4	65.9	63.5	54.8	49.3	48.5
	10:40	61.1	85.8	82.3	45.6	67.1	63.7	52.5	47.2	46.9
	10:45	61.9	86.7	84.7	45.2	64.3	58.7	48.5	46.5	46.3
	10:50	58.4	83.2	77.7	45.8	63.8	60.4	51.5	47.2	46.8
	10:55	65.2	90.0	84.7	45.5	66.8	63.0	52.0	47.2	46.6
	11:00	59.0	83.8	76.3	45.5	64.7	62.6	53.9	48.0	47.3
	11:05	63.4	88.2	86.3	45.9	67.6	64.4	55.8	49.1	48.1
	11:10	61.1	85.9	77.8	46.2	66.3	64.6	58.1	51.4	50.0
	11:15	63.8	88.6	85.8	44.9	68.4	64.6	55.3	51.2	50.3
	11:20	59.5	84.2	83.5	47.0	63.6	60.8	53.2	50.4	49.8
	11:25	57.2	82.0	73.8	46.2	62.5	60.7	53.5	50.1	49.5
	11:30	56.3	81.1	75.4	45.3	61.4	59.0	51.5	47.2	46.8
	11:35	64.5	89.3	85.1	45.3	66.5	62.1	53.4	48.2	47.6
	11:40	58.8	83.6	81.9	46.1	62.9	60.4	53.0	48.2	47.5
	11:45	57.8	82.5	82.1	45.4	62.5	60.1	52.7	47.5	46.9
	11:50	58.7	83.5	77.0	46.4	63.4	61.7	54.7	50.2	49.0
	11:55	64.9	89.6	84.5	45.8	70.9	64.2	53.5	48.2	47.6

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0243 – R6512-0245

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : วัดเขาดินวนาราม (N1)

DETERMINATION METHOD : ISO 1996-1:2016

INSTRUMENT : Integrated Sound Level Meter

S/N 00209072 : Type 2

SAMPLE NO. : 35151-35153

MEASURING DATE : 23-26/11/2022

RECEIVED DATE : 28/11/2022

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ae}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
25/11/2022	12:00	65.3	90.0	90.3	45.8	63.8	59.4	50.3	47.3	47.1
	12:05	57.9	82.7	80.0	46.3	62.7	60.1	51.9	48.7	48.0
	12:10	62.7	87.5	86.4	45.5	63.2	58.5	48.5	46.5	46.3
	12:15	48.0	72.7	65.5	44.6	51.2	49.8	46.6	45.9	45.7
	12:20	51.2	76.0	70.1	44.8	57.4	54.2	46.7	45.9	45.7
	12:25	57.2	82.0	72.0	45.0	65.1	62.5	47.4	46.3	46.1
	12:30	50.2	75.0	68.0	44.4	52.8	50.5	47.1	46.2	46.0
	12:35	50.8	75.5	75.1	45.1	52.8	50.3	47.3	46.3	46.1
	12:40	51.5	76.3	71.3	45.2	56.1	53.7	47.2	45.9	45.8
	12:45	49.8	74.6	66.6	44.8	53.8	50.8	46.6	45.8	45.7
	12:50	49.1	73.9	74.4	43.6	49.5	48.0	46.3	45.7	45.4
	12:55	48.1	72.9	58.6	44.7	51.0	49.8	47.3	46.3	46.1
	13:00	49.6	74.4	69.1	44.7	52.3	49.2	46.5	45.6	45.5
	13:05	48.2	72.9	62.7	43.7	52.2	49.1	46.3	45.5	45.2
	13:10	52.4	77.2	67.0	45.1	58.2	55.1	49.1	46.3	46.0
	13:15	51.1	75.9	69.1	44.5	55.5	51.6	46.9	45.6	45.4
	13:20	53.7	78.5	72.0	44.4	60.3	56.7	46.0	45.3	45.2
	13:25	48.5	73.3	68.8	44.2	49.0	47.6	45.8	45.1	44.9
	13:30	55.3	80.0	84.2	43.8	47.8	47.1	45.7	45.1	44.9
	13:35	66.4	91.2	89.1	44.4	72.4	66.7	51.4	46.8	46.1
	13:40	61.8	86.5	88.4	44.9	62.5	59.2	49.5	46.0	45.8
	13:45	66.3	91.0	94.0	44.3	63.5	60.2	51.4	46.5	46.0
	13:50	57.8	82.6	81.3	45.2	62.5	59.7	51.1	46.9	46.3
	13:55	56.3	81.1	75.6	45.8	62.3	59.4	51.5	47.4	47.0

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0243 – R6512-0245

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : วัดเขาดินวนาราม (N1)

SAMPLE NO. : 35151-35153

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 00209072 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ae}	L _{max}	L _{min}	La05	La10	La50	La90	La95
25/11/2022	14:00	62.1	86.8	84.0	44.8	64.3	59.3	49.8	46.8	46.3
	14:05	62.6	87.3	84.5	45.3	64.8	59.8	50.3	47.3	46.8
	14:10	58.4	83.2	77.0	44.4	64.3	61.4	50.9	46.5	46.2
	14:15	57.4	82.1	81.5	45.2	61.1	57.3	49.9	46.7	46.4
	14:20	66.0	90.8	89.9	45.5	64.9	59.4	50.5	46.9	46.4
	14:25	59.4	84.2	81.3	46.1	65.1	62.0	53.4	47.6	47.0
	14:30	59.9	84.7	81.3	45.4	64.9	61.7	52.9	48.7	47.4
	14:35	58.3	83.1	76.2	45.6	64.3	60.6	51.6	47.5	46.7
	14:40	61.9	86.7	86.1	45.4	66.1	63.2	53.3	48.0	47.3
	14:45	58.7	83.5	82.1	45.4	64.3	61.2	50.8	46.9	46.4
	14:50	61.8	86.5	81.7	45.4	66.4	63.8	55.1	48.0	47.1
	14:55	58.7	83.5	78.8	44.6	63.9	61.0	51.9	46.6	45.9
	15:00	56.5	81.3	80.1	44.7	61.9	58.3	48.8	45.9	45.6
	15:05	60.2	85.0	82.5	44.8	64.8	61.5	49.7	46.1	45.8
	15:10	57.2	82.0	76.9	44.6	62.5	59.7	49.4	45.9	45.6
	15:15	60.7	85.5	86.7	44.9	62.5	59.6	49.6	46.2	45.9
	15:20	62.7	87.5	87.7	44.3	66.4	62.1	48.9	45.9	45.6
	15:25	62.7	87.5	88.0	44.2	66.2	62.4	49.9	46.0	45.7
	15:30	60.4	85.2	84.2	45.0	64.9	61.6	49.8	46.3	46.0
	15:35	57.6	82.3	81.1	44.9	61.7	58.8	51.1	47.6	47.0
	15:40	55.8	80.6	78.8	44.9	60.0	57.6	50.8	46.8	46.3
	15:45	57.2	81.9	80.9	45.0	61.7	59.6	51.2	46.7	46.2
	15:50	53.4	78.2	69.9	43.5	59.1	57.2	49.9	45.8	45.5
	15:55	57.1	81.9	74.3	45.8	60.9	59.0	53.2	48.5	47.7

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0243 – R6512-0245

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองก้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : วัดเขาดินวนาราม (N1)

SAMPLE NO. : 35151-35153

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 00209072 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ac}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
25/11/2022	16:00	49.6	74.4	58.8	45.4	52.4	51.5	49.0	47.1	46.6
	16:05	50.4	75.2	61.7	45.1	54.5	53.3	49.0	46.5	46.0
	16:10	51.5	76.3	66.4	44.6	55.7	53.3	48.4	45.9	45.7
	16:15	58.8	83.6	76.9	45.0	65.3	62.7	50.3	46.3	45.9
	16:20	62.1	86.9	85.9	45.1	67.2	64.4	52.3	46.7	46.3
	16:25	60.2	84.9	77.9	45.4	66.4	63.7	54.0	49.1	48.0
	16:30	61.8	86.6	85.5	45.1	67.6	64.2	53.1	47.2	46.6
	16:35	59.0	83.8	78.7	44.6	65.1	61.9	50.6	46.2	45.7
	16:40	65.8	90.6	89.0	45.1	67.5	63.3	52.5	46.6	46.1
	16:45	58.3	83.0	76.9	45.4	64.4	62.3	52.5	47.0	46.5
	16:50	61.3	86.1	82.8	45.1	67.5	64.5	52.0	46.7	46.3
	16:55	61.6	86.4	85.8	45.1	65.6	62.9	52.3	46.8	46.4
	17:00	54.3	79.0	77.5	44.7	58.4	55.0	47.2	45.6	45.5
	17:05	50.2	75.0	64.5	44.0	56.0	51.1	46.4	45.5	45.3
	17:10	49.0	73.7	65.6	44.8	51.9	48.8	46.1	45.5	45.4
	17:15	48.5	73.3	66.9	43.7	49.5	46.8	45.9	45.5	45.3
	17:20	45.9	70.6	52.3	44.8	46.4	46.3	45.8	45.4	45.3
	17:25	53.7	78.4	68.0	45.0	60.6	57.6	47.1	45.6	45.5
	17:30	52.9	77.7	68.5	45.0	59.9	55.0	46.4	45.8	45.7
	17:35	46.6	71.4	52.7	45.3	48.3	47.4	46.3	45.9	45.8
	17:40	50.8	75.5	67.6	45.2	52.7	48.3	46.4	45.9	45.8
	17:45	51.4	76.2	67.9	45.1	55.0	50.3	46.1	45.7	45.6
	17:50	53.2	77.9	68.4	44.1	59.3	52.2	46.2	45.6	45.4
	17:55	52.0	76.7	65.1	44.0	59.7	55.2	46.2	45.7	45.5

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0243 – R6512-0245

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสตรีล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองก้อ-แหลมฉะบับ ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสตรีล ปาร์ค (โครงการ 1)

SAMPLE POINT : วัดเขาคินวนาราม (N1)

SAMPLE NO. : 35151-35153

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 00209072 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lac	Lmax	Lmin	La05	La10	La50	La90	La95
25/11/2022	18:00	48.0	72.8	66.1	44.6	52.2	48.6	46.2	45.7	45.6
	18:05	50.3	75.1	65.2	44.9	55.6	53.9	47.1	45.8	45.7
	18:10	49.8	74.5	64.8	45.1	54.8	49.8	46.4	45.8	45.7
	18:15	47.9	72.7	54.8	45.2	49.5	49.0	47.7	46.5	46.2
	18:20	49.1	73.8	59.9	45.2	51.7	50.2	48.2	46.8	46.3
	18:25	49.3	74.1	59.9	45.0	54.1	51.2	47.9	46.2	45.9
	18:30	52.2	76.9	71.5	45.5	54.2	51.7	48.8	46.9	46.4
	18:35	52.5	77.3	66.9	45.6	59.1	56.6	48.6	47.3	46.9
	18:40	48.0	72.8	52.5	45.2	49.8	49.2	47.8	46.8	46.5
	18:45	48.3	73.1	54.4	44.8	50.6	49.8	48.0	46.6	46.2
	18:50	48.0	72.8	57.7	45.0	49.8	49.2	47.7	46.5	46.1
	18:55	48.7	73.4	57.2	45.0	50.4	49.9	48.5	46.9	46.3
	19:00	47.3	72.1	53.7	44.5	49.9	49.0	46.8	45.8	45.6
	19:05	46.4	71.2	54.6	44.7	47.5	47.1	46.2	45.7	45.6
	19:10	46.8	71.6	56.1	44.8	48.1	47.5	46.4	45.7	45.6
	19:15	46.6	71.4	54.3	45.1	47.7	47.1	46.3	45.8	45.7
	19:20	46.9	71.7	53.1	45.1	48.5	47.8	46.6	46.0	45.9
	19:25	46.6	71.4	51.4	45.3	47.8	47.2	46.4	45.9	45.8
	19:30	47.0	71.8	57.5	45.1	49.6	48.1	46.3	45.8	45.7
	19:35	47.1	71.9	63.2	45.2	49.1	48.0	46.5	45.9	45.8
	19:40	46.8	71.6	53.2	45.5	47.8	47.4	46.7	46.2	46.1
	19:45	46.8	71.6	52.5	45.6	47.7	47.3	46.7	46.3	46.2
	19:50	46.7	71.5	55.8	45.0	47.5	47.1	46.5	46.0	45.9
	19:55	46.9	71.7	54.6	45.3	48.3	47.7	46.6	46.2	46.1

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0243 – R6512-0245

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเทรียล ปาร์ค จำกัด (มหาชน)
 ADDRESS : 789 ม. 1 ถ. สายหนองก้อ-แหลมอับัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230
 SAMPLE SOURCE : ปิ่นทอง อินดัสเทรียล ปาร์ค (โครงการ 1)
 SAMPLE POINT : วัดเขาคินวนาราม (N1) SAMPLE NO. : 35151-35153
 DETERMINATION METHOD : ISO 1996-1:2016 MEASURING DATE : 23-26/11/2022
 INSTRUMENT : Integrated Sound Level Meter RECEIVED DATE : 28/11/2022
 S/N 00209072 : Type 2 REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ac}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
25/11/2022	20:00	47.0	71.7	55.9	45.5	48.0	47.4	46.7	46.2	46.1
	20:05	47.4	72.2	53.9	45.8	48.6	48.1	47.2	46.7	46.5
	20:10	48.1	72.9	56.7	46.1	50.0	49.3	47.6	46.9	46.7
	20:15	47.1	71.9	51.2	45.8	48.1	47.7	47.0	46.5	46.4
	20:20	47.1	71.9	58.2	45.8	48.3	47.7	46.8	46.4	46.3
	20:25	47.2	72.0	57.2	45.8	48.3	47.9	47.0	46.5	46.4
	20:30	47.6	72.3	51.7	45.7	49.0	48.6	47.3	46.5	46.4
	20:35	48.0	72.7	52.2	46.5	48.9	48.6	47.9	47.3	47.2
	20:40	48.0	72.8	52.0	46.8	48.8	48.6	47.9	47.4	47.3
	20:45	48.0	72.8	69.0	46.1	48.5	48.3	47.6	47.0	46.7
	20:50	46.8	71.6	49.4	45.6	47.8	47.5	46.7	46.3	46.1
	20:55	46.8	71.6	50.2	45.7	47.7	47.3	46.7	46.3	46.2
	21:00	47.1	71.9	49.0	46.1	47.7	47.5	47.1	46.7	46.6
	21:05	47.0	71.8	49.2	45.8	47.7	47.6	46.9	46.5	46.4
	21:10	47.1	71.9	50.7	45.7	48.5	47.9	46.9	46.4	46.3
	21:15	47.2	72.0	53.1	45.9	48.2	47.8	47.1	46.6	46.5
	21:20	47.1	71.9	50.2	45.9	47.9	47.6	47.1	46.6	46.5
	21:25	47.2	72.0	49.6	45.9	48.1	47.8	47.1	46.6	46.5
	21:30	47.4	72.2	49.1	46.2	47.9	47.8	47.4	47.0	46.9
	21:35	47.1	71.8	49.5	45.6	47.6	47.5	47.1	46.6	46.5
	21:40	46.9	71.7	52.4	45.7	47.6	47.4	46.8	46.4	46.3
	21:45	46.8	71.6	51.1	45.7	47.6	47.3	46.7	46.4	46.3
	21:50	47.1	71.8	51.3	45.8	47.9	47.6	47.0	46.5	46.3
	21:55	46.5	71.3	50.7	45.2	47.5	47.1	46.4	46.0	45.9

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
 THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
 WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0243 – R6512-0245

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมอับัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : วัดเขาดินวนาราม (N1)

SAMPLE NO. : 35151-35153

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 00209072 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lae	Lmax	Lmin	La05	La10	La50	La90	La95
25/11/2022	22:00	46.6	71.3	52.7	45.3	47.6	47.1	46.4	45.9	45.9
	22:05	46.8	71.6	52.2	45.6	48.1	47.6	46.6	46.2	46.1
	22:10	46.8	71.6	59.1	45.4	47.4	47.0	46.5	46.1	46.0
	22:15	46.7	71.5	58.0	45.4	47.2	46.9	46.4	46.0	45.9
	22:20	46.8	71.6	49.2	45.8	47.4	47.2	46.8	46.4	46.3
	22:25	46.9	71.6	48.6	45.7	47.4	47.3	46.8	46.5	46.4
	22:30	46.8	71.5	52.2	45.8	47.4	47.1	46.7	46.3	46.2
	22:35	46.6	71.4	48.0	45.7	47.0	46.9	46.6	46.3	46.2
	22:40	46.7	71.5	48.2	45.5	47.3	47.1	46.7	46.4	46.2
	22:45	46.7	71.4	49.4	45.7	47.2	47.0	46.6	46.3	46.2
	22:50	47.2	72.0	50.6	46.1	48.0	47.7	47.1	46.7	46.6
	22:55	46.8	71.6	49.4	45.7	47.3	47.2	46.8	46.5	46.4
	23:00	47.1	71.8	50.4	45.9	48.0	47.7	46.9	46.5	46.4
	23:05	46.9	71.7	51.9	45.1	47.9	47.5	46.8	46.4	46.2
	23:10	46.5	71.3	48.2	45.2	47.0	46.9	46.5	46.1	46.0
	23:15	46.2	70.9	48.5	45.2	46.7	46.6	46.1	45.8	45.7
	23:20	46.0	70.8	48.0	44.8	46.5	46.4	46.0	45.6	45.5
	23:25	46.4	71.2	49.0	45.3	47.2	46.8	46.3	46.0	45.9
	23:30	46.4	71.2	51.0	45.2	47.4	46.8	46.3	45.8	45.7
	23:35	46.2	71.0	50.4	45.0	46.8	46.6	46.2	45.8	45.7
	23:40	46.5	71.2	48.9	45.4	47.1	46.9	46.4	46.0	45.9
	23:45	46.2	70.9	48.2	45.0	46.6	46.5	46.1	45.8	45.7
	23:50	46.3	71.1	48.3	45.2	46.8	46.7	46.3	45.9	45.8
	23:55	46.3	71.1	47.9	45.4	46.8	46.7	46.3	46.0	45.9

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0243 -- R6512-0245

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสตเรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองก้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสตเรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : วัดเขาดินวนาราม (N1)

SAMPLE NO. : 35151-35153

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 00209072 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ac}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
26/11/2022	00:00	46.8	71.5	54.0	45.2	49.0	47.8	46.3	45.9	45.8
	00:05	46.4	71.2	49.2	45.0	47.2	47.0	46.3	45.8	45.7
	00:10	46.2	70.9	47.9	45.2	46.6	46.5	46.2	45.8	45.7
	00:15	46.2	71.0	47.2	45.0	46.7	46.6	46.2	45.9	45.7
	00:20	46.1	70.9	48.4	45.1	46.7	46.5	46.1	45.8	45.7
	00:25	46.1	70.8	47.8	45.0	46.6	46.4	46.0	45.7	45.6
	00:30	48.3	73.0	60.4	44.9	53.3	50.7	46.1	45.7	45.6
	00:35	45.9	70.7	47.2	44.7	46.5	46.4	45.9	45.5	45.4
	00:40	46.1	70.8	47.5	45.1	46.6	46.4	46.1	45.7	45.6
	00:45	46.1	70.9	47.3	45.0	46.6	46.5	46.1	45.7	45.6
	00:50	46.3	71.1	52.3	45.0	47.9	46.8	46.1	45.7	45.6
	00:55	46.2	71.0	51.2	44.9	46.8	46.6	46.1	45.8	45.7
	01:00	46.5	71.3	55.5	45.2	47.1	46.6	46.1	45.8	45.7
	01:05	47.8	72.6	58.5	45.1	52.9	49.9	46.1	45.7	45.6
	01:10	46.1	70.8	49.8	45.0	46.7	46.5	46.0	45.6	45.5
	01:15	46.0	70.8	47.3	44.8	46.5	46.4	46.0	45.6	45.5
	01:20	45.8	70.5	46.9	44.8	46.2	46.1	45.8	45.4	45.3
	01:25	46.0	70.8	49.1	45.0	46.8	46.5	45.9	45.6	45.5
	01:30	46.0	70.7	46.9	45.0	46.4	46.3	46.0	45.6	45.5
	01:35	47.0	71.8	53.1	45.1	49.6	48.8	46.3	45.8	45.7
	01:40	46.9	71.6	53.8	44.5	49.5	48.7	46.0	45.5	45.4
	01:45	51.6	76.4	64.5	43.6	58.2	56.0	45.9	45.2	44.9
	01:50	48.3	73.0	58.4	44.3	53.4	51.8	45.9	45.0	44.9
	01:55	49.5	74.3	68.0	43.1	54.6	50.7	45.2	44.7	44.4

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0243 – R6512-0245

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองก่อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : วัดเขาดินวนาราม (N1)

SAMPLE NO. : 35151-35153

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 00209072 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ac}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
26/11/2022	02:00	50.2	75.0	61.7	44.2	56.1	54.5	45.7	45.0	44.9
	02:05	51.6	76.4	65.1	44.3	56.8	55.4	48.3	44.9	44.8
	02:10	51.2	75.9	64.9	43.2	57.3	55.6	46.0	44.7	44.3
	02:15	57.0	81.7	67.1	44.1	62.6	61.6	53.4	45.0	44.8
	02:20	47.6	72.4	64.1	43.1	48.4	46.4	45.4	44.7	44.3
	02:25	45.4	70.2	53.4	44.2	45.7	45.5	45.1	44.8	44.7
	02:30	54.0	78.8	66.4	43.4	60.8	59.3	45.4	45.0	44.8
	02:35	49.8	74.6	63.1	43.4	55.7	53.8	45.6	45.1	45.0
	02:40	45.5	70.2	50.0	44.6	45.9	45.8	45.4	45.1	45.0
	02:45	45.4	70.2	51.4	43.8	45.9	45.7	45.4	45.0	44.8
	02:50	51.8	76.5	65.2	44.2	57.3	56.0	46.0	45.2	45.1
	02:55	45.4	70.1	46.8	43.3	45.9	45.8	45.4	45.0	44.6
	03:00	47.3	72.1	59.2	44.2	51.6	49.1	45.5	45.1	45.0
	03:05	47.8	72.6	67.9	43.8	52.3	48.5	45.5	45.1	45.0
	03:10	47.4	72.2	61.3	43.6	52.1	50.0	45.5	45.1	44.9
	03:15	47.9	72.7	61.7	43.7	53.3	50.5	45.4	45.0	44.8
	03:20	52.9	77.6	70.6	44.1	57.7	50.9	45.4	45.1	44.9
	03:25	53.7	78.4	70.2	43.7	62.1	51.6	45.4	45.0	44.9
	03:30	46.4	71.2	58.0	44.2	49.9	46.1	45.5	45.1	45.0
	03:35	45.5	70.3	57.0	43.7	45.8	45.7	45.3	44.9	44.7
	03:40	44.8	69.6	46.2	43.3	45.2	45.2	44.8	44.5	44.3
	03:45	45.0	69.8	46.4	43.4	45.5	45.4	45.1	44.7	44.5
	03:50	45.1	69.9	47.1	43.6	45.6	45.5	45.1	44.8	44.6
	03:55	48.3	73.1	63.8	43.6	53.3	49.2	45.2	44.8	44.6

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0243 – R6512-0245

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองก้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : วัดเขาดินวนาราม (N1)

DETERMINATION METHOD : ISO 1996-1:2016

INSTRUMENT : Integrated Sound Level Meter

S/N 00209072 : Type 2

SAMPLE NO. : 35151-35153

MEASURING DATE : 23-26/11/2022

RECEIVED DATE : 28/11/2022

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ae}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
26/11/2022	04:00	45.3	70.0	53.4	43.0	46.3	46.0	45.2	44.6	44.0
	04:05	47.0	71.8	63.1	43.4	49.0	46.4	45.1	44.7	44.5
	04:10	47.5	72.3	65.6	43.1	48.7	46.4	45.2	44.6	44.5
	04:15	46.3	71.1	62.4	44.2	46.4	45.7	45.1	44.8	44.7
	04:20	57.3	82.0	73.9	44.2	64.2	56.1	45.2	44.8	44.7
	04:25	55.0	79.8	72.0	44.2	62.0	45.9	45.2	44.8	44.7
	04:30	45.2	70.0	47.0	44.4	45.7	45.6	45.2	44.9	44.8
	04:35	46.7	71.4	59.0	44.3	51.2	46.3	45.3	44.9	44.8
	04:40	45.8	70.6	57.9	43.8	46.2	46.0	45.2	44.8	44.7
	04:45	45.8	70.6	58.7	44.0	46.6	46.1	45.0	44.6	44.5
	04:50	49.1	73.9	58.3	44.4	54.8	53.3	46.1	45.0	44.8
	04:55	46.2	71.0	56.7	44.1	49.0	46.5	45.2	44.7	44.6
	05:00	46.4	71.2	59.2	44.3	50.2	46.0	45.3	45.0	44.9
	05:05	48.3	73.1	58.2	44.4	53.7	52.2	45.5	45.0	44.9
	05:10	47.3	72.0	57.6	44.3	52.2	50.5	45.4	44.9	44.8
	05:15	47.1	71.9	59.0	44.4	52.2	49.2	45.5	45.1	45.0
	05:20	47.1	71.8	59.0	44.2	52.5	48.8	45.4	45.0	44.9
	05:25	47.4	72.2	57.7	44.5	52.6	50.3	45.5	45.1	45.0
	05:30	49.2	74.0	59.3	44.8	55.4	53.3	46.0	45.5	45.4
	05:35	47.4	72.1	58.2	44.5	51.6	49.0	45.9	45.5	45.4
	05:40	48.3	73.0	58.8	44.7	53.7	51.1	46.3	45.7	45.6
	05:45	50.5	75.2	73.9	44.6	54.6	52.5	46.0	45.4	45.2
	05:50	47.6	72.4	58.5	44.4	53.1	51.0	45.5	45.1	45.0
	05:55	49.4	74.2	67.8	44.7	54.2	50.9	45.7	45.2	45.1

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0243 – R6512-0245

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ต. สายหนองก่อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : วัดเขาดินวนาราม (N1)

SAMPLE NO. : 35151-35153

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 00209072 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lae	Lmax	Lmin	La05	La10	La50	La90	La95
26/11/2022	06:00	51.0	75.8	69.1	44.5	56.2	53.0	45.6	45.1	45.0
	06:05	47.6	72.3	58.5	44.6	52.6	49.3	45.6	45.2	45.1
	06:10	50.3	75.1	60.4	44.4	55.9	54.3	46.6	45.6	45.5
	06:15	51.4	76.2	66.0	44.7	57.4	55.8	47.0	45.6	45.5
	06:20	51.0	75.7	65.4	44.0	56.9	55.0	46.4	45.6	45.5
	06:25	50.5	75.3	61.3	44.9	56.4	54.4	47.1	45.7	45.5
	06:30	62.8	87.6	86.7	44.9	64.8	59.6	47.4	45.8	45.6
	06:35	57.0	81.8	71.7	44.7	64.6	61.5	48.6	45.6	45.5
	06:40	52.1	76.9	67.3	45.1	57.9	56.1	47.6	45.9	45.8
	06:45	49.2	73.9	61.4	45.0	53.4	51.8	47.5	46.2	45.9
	06:50	54.0	78.8	70.7	45.6	59.1	56.9	49.3	46.8	46.5
	06:55	53.9	78.7	69.4	45.4	60.2	57.6	48.8	46.6	46.4
	07:00	51.0	75.7	65.7	45.1	56.5	53.9	47.7	46.1	45.9
	07:05	56.6	81.4	73.1	45.1	62.2	57.1	48.2	46.2	46.0
	07:10	54.0	78.8	70.6	44.7	59.8	56.6	48.8	46.4	46.2
	07:15	53.7	78.5	73.1	45.2	58.7	55.7	48.8	46.2	46.0
	07:20	51.6	76.4	66.1	46.7	56.3	53.4	48.6	47.6	47.5
	07:25	51.1	75.9	62.8	45.6	55.4	54.0	49.2	47.0	46.6
	07:30	51.2	76.0	66.6	45.3	56.0	53.8	47.8	46.2	46.0
	07:35	52.9	77.7	75.2	45.6	56.6	53.8	48.9	46.9	46.6
	07:40	53.5	78.3	69.5	46.2	57.7	56.2	52.1	49.0	48.3
	07:45	54.3	79.0	70.0	47.5	58.7	56.9	52.6	49.7	49.2
	07:50	54.7	79.5	68.4	47.9	58.8	56.9	52.9	50.2	49.7
	07:55	54.3	79.1	64.1	48.2	58.0	57.0	53.2	51.1	50.7

Remark : Measurement By Mr. Tummarut Photankhum



Approved By.....

(MRS. WANPEN LHAOCHINDAWAT)

08/12/2022

REPORTED TESTS REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0246 – R6512-0248

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)
 ADDRESS : 789 ม. 1 ถ. สายหนองก้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230
 SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)
 SAMPLE POINT : สำนักงานโครงการนิคมฯ ปันทอง โครงการ 1 (N2)
 DETERMINATION METHOD : ISO 1996-1:2016
 INSTRUMENT : Integrated Sound Level Meter
 S/N 090086 : Type 2

SAMPLE NO. : 35154-35156
 MEASURING DATE : 23-26/11/2022
 RECEIVED DATE : 28/11/2022
 REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ae}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
23/11/2022	08:00	60.1	85.0	70.4	49.7	64.5	63.2	58.5	54.0	52.8
	08:05	62.7	87.6	76.1	52.5	67.1	64.9	60.0	56.0	54.9
	08:10	61.2	86.1	70.5	53.0	65.7	64.3	59.2	55.4	54.7
	08:15	59.4	84.3	71.7	50.9	63.5	62.0	57.6	54.2	52.8
	08:20	59.7	84.6	69.3	49.1	64.4	62.8	57.7	51.7	50.9
	08:25	59.9	84.8	77.2	50.0	64.0	62.2	57.0	52.8	52.0
	08:30	61.8	86.7	83.8	50.9	64.3	62.4	57.8	53.5	52.8
	08:35	58.6	83.5	74.1	49.3	63.4	61.2	56.2	52.5	51.4
	08:40	59.1	84.0	73.1	49.7	63.3	61.4	56.2	52.6	51.9
	08:45	58.7	83.6	73.7	50.0	63.0	61.3	54.9	51.6	51.1
	08:50	59.1	84.0	71.7	49.3	64.4	62.9	56.9	51.3	50.6
	08:55	56.2	81.1	67.4	49.0	60.6	59.0	54.0	51.2	50.6
	09:00	58.6	83.5	72.0	49.6	64.1	62.0	55.1	51.4	50.8
	09:05	57.8	82.7	69.1	49.5	62.5	60.9	56.1	51.7	51.0
	09:10	58.4	83.3	71.0	49.7	63.3	61.7	55.8	51.7	51.1
	09:15	58.3	83.2	71.4	49.1	63.5	60.7	55.5	51.5	50.9
	09:20	58.6	83.5	69.5	49.0	64.3	62.2	55.3	51.4	50.8
	09:25	60.4	85.2	76.3	49.5	66.3	64.1	56.4	51.9	51.0
	09:30	58.5	83.4	72.3	46.8	64.1	61.9	55.1	50.4	49.2
	09:35	58.4	83.3	69.9	48.5	63.9	62.0	54.7	50.5	49.9
	09:40	56.9	81.8	68.2	48.3	61.7	60.5	54.4	50.2	49.6
	09:45	60.3	85.2	74.7	50.1	64.8	63.1	57.2	52.6	52.0
	09:50	58.6	83.5	73.3	49.1	63.9	61.8	54.8	51.0	50.5
	09:55	58.9	83.7	72.7	48.6	63.1	61.3	56.2	51.5	50.6

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0246 – R6512-0248

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)
 ADDRESS : 789 ม. 1 ถ. สายหนองก้อ-แหลมอับัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230
 SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)
 SAMPLE POINT : สำนักงานโครงการนิคมฯ ปันทอง โครงการ 1 (N2) SAMPLE NO. : 35154-35156
 DETERMINATION METHOD : ISO 1996-1:2016 MEASURING DATE : 23-26/11/2022
 INSTRUMENT : Integrated Sound Level Meter RECEIVED DATE : 28/11/2022
 S/N 090086 : Type 2 REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ae}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
23/11/2022	10:00	58.5	83.4	74.4	47.8	64.6	61.1	54.8	50.2	49.5
	10:05	60.5	85.3	77.2	47.8	65.2	63.0	56.2	51.1	50.3
	10:10	60.0	84.9	75.1	49.0	65.0	63.6	56.2	51.4	50.4
	10:15	58.2	83.1	74.8	49.1	63.8	61.4	54.8	51.0	50.4
	10:20	57.9	82.8	72.3	48.4	63.1	61.1	54.7	51.0	50.2
	10:25	60.7	85.6	80.6	50.0	65.3	63.3	57.0	52.7	52.1
	10:30	56.4	81.2	64.7	49.4	61.1	59.9	54.2	50.9	50.4
	10:35	59.8	84.7	71.6	50.6	65.5	63.0	56.3	52.6	52.0
	10:40	59.9	84.7	82.4	49.2	62.8	59.9	54.5	50.8	50.3
	10:45	58.3	83.2	70.5	48.9	63.1	61.5	55.6	51.6	51.0
	10:50	57.0	81.9	70.9	49.2	62.2	60.1	54.5	51.5	50.8
	10:55	58.4	83.3	76.9	49.9	63.5	61.3	54.8	52.2	51.7
	11:00	58.7	83.6	72.1	49.8	63.1	61.6	56.0	52.0	51.5
	11:05	59.4	84.2	74.2	49.1	64.6	63.0	56.6	50.8	50.3
	11:10	59.8	84.7	74.5	49.3	66.1	62.6	54.9	51.9	51.3
	11:15	58.5	83.5	68.4	50.0	63.0	61.9	56.3	52.1	51.5
	11:20	59.8	84.6	78.9	49.6	63.6	60.9	55.2	52.6	52.1
	11:25	63.6	88.4	82.5	50.5	67.6	63.4	56.6	52.3	51.8
	11:30	60.7	85.6	75.9	50.5	66.4	63.6	57.2	52.6	52.1
	11:35	59.1	84.0	72.9	48.5	64.5	62.2	55.3	51.3	50.7
	11:40	58.9	83.7	74.2	48.9	63.6	61.8	55.8	51.5	50.6
	11:45	57.3	82.2	67.1	50.2	61.7	60.4	55.3	52.3	51.9
	11:50	58.6	83.5	71.1	48.5	65.0	61.7	54.7	51.7	51.3
	11:55	60.1	85.0	73.1	50.1	64.7	62.7	57.1	52.6	51.8

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY



Request No. LA65-R1207

Report No. R6512-0246 -- R6512-0248

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : สำนักงานโครงการนิคมฯ ปันทอง โครงการ 1 (N2)

SAMPLE NO. : 35154-35156

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 090086 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ac}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
23/11/2022	12:00	60.6	85.5	76.1	51.1	65.0	63.6	58.0	54.2	53.6
	12:05	58.8	83.7	76.6	49.8	62.6	61.3	56.0	51.7	51.3
	12:10	58.0	82.9	67.9	49.7	63.4	61.6	55.4	52.2	51.5
	12:15	59.0	83.9	70.5	50.1	63.9	62.0	56.8	52.8	51.9
	12:20	58.0	82.9	66.0	48.7	62.8	61.2	56.2	51.4	50.7
	12:25	59.0	83.9	72.7	48.1	63.7	62.3	56.2	50.6	49.8
	12:30	58.5	83.3	70.7	48.1	64.1	62.0	55.2	50.2	49.5
	12:35	58.9	83.8	71.8	47.5	63.2	62.2	57.3	50.7	49.2
	12:40	58.7	83.6	70.8	45.8	63.6	61.4	56.7	49.6	48.2
	12:45	60.4	85.2	75.4	50.1	64.9	62.9	57.2	52.4	51.6
	12:50	60.5	85.4	77.9	48.4	65.5	62.6	55.5	50.8	49.9
	12:55	57.7	82.6	67.6	47.6	63.3	61.9	55.1	50.5	49.8
	13:00	57.4	82.2	76.7	47.7	61.7	60.6	53.0	49.9	49.0
	13:05	59.3	84.2	78.2	47.5	64.0	61.5	54.6	50.7	50.0
	13:10	57.6	82.4	72.5	47.5	63.3	60.2	53.9	49.1	48.6
	13:15	56.3	81.2	67.2	47.4	61.9	59.5	53.0	49.4	48.7
	13:20	58.5	83.4	75.4	49.2	63.0	61.5	55.3	51.6	51.3
	13:25	57.2	82.1	75.7	48.4	62.0	59.6	53.9	50.4	49.8
	13:30	54.7	79.6	70.8	47.5	59.1	57.5	51.9	49.2	48.9
	13:35	58.4	83.3	70.5	49.5	64.2	61.8	55.3	51.4	50.7
	13:40	59.6	84.5	79.6	49.9	65.7	62.5	55.1	51.5	51.1
	13:45	57.0	81.9	71.0	49.6	62.1	59.9	54.1	51.4	50.7
	13:50	57.6	82.5	70.3	48.2	62.8	61.3	53.7	49.5	49.1
	13:55	56.5	81.4	69.7	48.5	61.1	59.5	54.3	50.5	49.9

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0246 – R6512-0248

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองก้อ-แหลมอับัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : สำนักงานโครงการนิคมฯ ปันทอง โครงการ 1 (N2)

DETERMINATION METHOD : ISO 1996-1:2016

INSTRUMENT : Integrated Sound Level Meter

S/N 090086 : Type 2

SAMPLE NO. : 35154-35156

MEASURING DATE : 23-26/11/2022

RECEIVED DATE : 28/11/2022

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ac}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
23/11/2022	14:00	57.0	81.9	69.1	49.0	61.9	60.2	54.8	51.7	50.9
	14:05	59.8	84.6	80.7	49.5	65.1	62.6	54.3	51.2	50.7
	14:10	56.4	81.2	69.4	50.5	60.0	58.8	54.3	52.0	51.5
	14:15	61.4	86.3	78.4	49.0	67.1	63.7	55.2	50.7	50.2
	14:20	55.3	80.2	66.0	48.4	61.0	58.7	52.5	49.6	49.4
	14:25	59.0	83.9	75.9	48.9	63.4	61.3	54.2	50.5	50.2
	14:30	61.5	86.3	75.9	49.9	68.3	65.2	54.5	51.6	51.1
	14:35	58.4	83.3	70.5	49.1	63.6	61.7	54.2	50.9	50.4
	14:40	54.5	79.4	65.9	48.5	59.4	57.8	52.3	49.8	49.5
	14:45	55.2	80.1	67.8	47.2	61.6	59.4	51.2	48.7	48.3
	14:50	57.4	82.2	71.0	46.9	64.0	60.4	51.4	48.4	47.7
	14:55	64.0	88.7	86.1	47.6	63.7	61.0	54.6	50.4	49.2
	15:00	61.1	86.0	74.3	46.8	67.6	65.4	56.7	48.9	48.3
	15:05	55.8	80.7	67.5	46.5	61.5	59.5	52.1	49.3	48.9
	15:10	57.7	82.6	70.9	47.0	64.4	61.1	52.0	48.6	48.2
	15:15	58.4	83.3	73.3	46.4	64.3	61.8	52.7	49.1	48.6
	15:20	57.9	82.8	72.7	47.2	63.4	60.3	53.4	49.2	48.6
	15:25	58.0	82.8	72.1	47.2	62.3	60.7	54.6	49.5	48.8
	15:30	58.8	83.7	74.6	47.9	63.1	59.9	53.7	49.8	49.1
	15:35	57.4	82.3	69.2	47.7	62.2	60.1	55.1	51.0	49.8
	15:40	58.9	83.8	73.9	49.4	63.0	61.3	55.7	51.4	50.7
	15:45	57.2	82.1	71.3	48.0	62.2	60.5	54.6	50.1	49.4
	15:50	57.6	82.5	72.4	47.1	62.4	59.1	52.8	48.6	48.0
	15:55	60.0	84.9	71.9	48.0	65.9	62.6	55.8	50.8	50.0

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0246 – R6512-0248

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)
 ADDRESS : 789 ม. 1 ถ. สายหนองก้อ-แหลมปลั่ง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230
 SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)
 SAMPLE POINT : สำนักงานโครงการนิคมฯ ปันทอง โครงการ 1 (N2)
 DETERMINATION METHOD : ISO 1996-1:2016
 INSTRUMENT : Integrated Sound Level Meter
 S/N 090086 : Type 2

SAMPLE NO. : 35154-35156
 MEASURING DATE : 23-26/11/2022
 RECEIVED DATE : 28/11/2022
 REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ae}	L _{max}	L _{min}	La05	La10	La50	La90	La95
23/11/2022	16:00	58.9	83.7	72.1	49.4	64.2	61.1	56.2	51.9	51.1
	16:05	59.7	84.5	75.0	48.2	65.5	62.8	54.7	50.1	49.4
	16:10	61.5	86.4	80.8	47.6	66.1	63.0	54.1	49.9	49.2
	16:15	60.1	85.0	74.8	47.4	65.9	62.2	55.5	50.2	49.2
	16:20	57.8	82.7	73.6	48.4	61.9	60.6	54.6	50.1	49.7
	16:25	57.2	82.1	69.7	46.6	62.4	60.0	54.2	49.3	47.8
	16:30	57.7	82.6	69.8	48.1	62.7	61.3	55.1	50.5	49.8
	16:35	56.8	81.7	66.5	46.6	62.2	60.0	54.2	50.0	48.9
	16:40	64.1	88.8	85.3	47.0	70.2	64.2	55.8	50.9	50.1
	16:45	59.6	84.5	77.6	48.0	64.6	61.4	55.5	51.6	49.8
	16:50	59.1	84.0	77.0	48.2	63.3	61.4	55.2	51.3	50.6
	16:55	62.3	87.2	81.7	50.0	66.0	64.5	60.1	55.7	54.5
	17:00	65.8	90.5	80.7	54.3	70.2	68.1	60.7	57.2	56.5
	17:05	61.0	85.8	82.2	52.5	65.1	62.7	58.0	54.6	54.1
	17:10	60.1	85.0	74.4	50.3	65.4	63.0	57.5	53.1	52.5
	17:15	58.5	83.4	69.3	48.5	63.2	61.3	56.6	51.8	50.6
	17:20	58.7	83.6	74.0	49.0	62.2	61.1	56.7	52.0	51.1
	17:25	59.9	84.8	72.2	51.2	64.8	62.1	57.5	53.7	53.0
	17:30	60.4	85.3	72.1	52.6	63.7	62.5	59.6	56.8	56.1
	17:35	63.9	88.7	73.6	58.4	66.2	65.0	63.1	61.3	60.8
	17:40	64.9	89.6	74.1	62.0	66.8	65.8	64.3	63.3	63.1
	17:45	65.5	90.2	71.1	63.0	66.9	66.3	65.0	64.1	63.9
	17:50	65.8	90.6	78.3	62.2	68.4	66.8	64.6	63.5	63.2
	17:55	65.3	90.1	74.7	60.3	69.3	67.7	63.9	62.5	62.2

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0246 – R6512-0248

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองก้อ-แหลมฉาง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : สำนักงานโครงการนิคมฯ ปิ่นทอง โครงการ 1 (N2)

SAMPLE NO. : 35154-35156

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 090086 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ae}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
23/11/2022	18:00	62.4	87.3	74.3	57.6	64.4	63.6	61.8	60.0	59.3
	18:05	62.2	87.1	69.9	55.1	66.9	65.0	60.8	58.2	57.7
	18:10	61.9	86.8	79.6	52.9	64.1	62.4	59.0	56.4	55.6
	18:15	58.6	83.5	71.2	52.3	62.1	60.6	57.2	54.5	53.9
	18:20	60.4	85.3	77.3	50.6	63.7	61.6	56.2	53.1	52.5
	18:25	58.7	83.6	71.6	47.3	62.9	61.6	56.8	51.5	50.8
	18:30	58.6	83.5	68.7	49.8	63.9	61.9	56.5	52.6	51.7
	18:35	56.1	80.9	63.6	47.1	60.9	59.3	54.3	50.4	49.5
	18:40	58.2	83.1	69.6	50.2	61.8	60.8	56.9	53.1	52.1
	18:45	58.4	83.3	69.8	49.6	62.3	61.0	57.0	53.4	52.5
	18:50	59.6	84.5	73.0	49.0	63.9	62.7	57.1	51.4	50.8
	18:55	59.2	84.1	68.5	49.5	64.1	62.1	57.5	53.4	52.1
	19:00	60.9	85.8	72.2	49.7	66.0	64.5	57.4	52.7	51.8
	19:05	60.7	85.6	76.3	50.1	64.9	63.0	57.7	53.4	52.4
	19:10	60.5	85.3	73.2	48.7	65.6	64.0	58.2	51.5	50.2
	19:15	63.3	88.2	81.4	49.3	65.9	63.8	58.1	52.5	51.3
	19:20	60.5	85.4	72.2	48.2	64.6	63.4	58.3	52.1	51.3
	19:25	62.6	87.4	78.4	48.5	67.4	64.6	59.4	52.5	51.5
	19:30	61.7	86.6	81.6	47.5	64.1	62.2	55.6	50.0	49.3
	19:35	58.9	83.8	71.8	48.2	64.2	62.3	56.5	51.3	50.1
	19:40	57.8	82.6	68.2	48.5	62.2	61.3	55.6	50.8	50.1
	19:45	57.0	81.9	69.3	47.7	61.6	60.1	54.0	50.1	49.2
	19:50	59.3	84.2	70.1	49.3	64.6	63.2	55.8	51.3	50.8
	19:55	61.8	86.7	73.1	54.0	66.2	64.5	60.2	57.0	56.2

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0246 – R6512-0248

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ต. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : สำนักงานโครงการนิคมฯ ปันทอง โครงการ 1 (N2)

DETERMINATION METHOD : ISO 1996-1:2016

INSTRUMENT : Integrated Sound Level Meter
S/N 090086 : Type 2

SAMPLE NO. : 35154-35156

MEASURING DATE : 23-26/11/2022

RECEIVED DATE : 28/11/2022

REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lae	Lmax	Lmin	La05	La10	La50	La90	La95
23/11/2022	20:00	62.5	87.4	76.9	52.0	67.8	65.6	59.5	56.2	54.6
	20:05	57.0	81.9	64.7	49.7	61.8	60.4	55.1	52.1	51.4
	20:10	63.3	88.2	84.4	47.3	65.3	60.2	53.2	50.1	49.2
	20:15	54.1	78.9	72.0	46.0	59.3	56.3	49.9	47.2	46.8
	20:20	57.5	82.3	74.3	47.2	61.2	59.1	52.3	49.3	48.8
	20:25	60.3	85.2	77.3	46.7	66.5	61.6	53.5	49.1	48.3
	20:30	54.0	78.9	67.2	46.3	59.2	57.2	50.8	47.5	47.2
	20:35	57.2	82.1	75.2	46.3	60.3	57.7	51.5	48.0	47.4
	20:40	53.4	78.2	69.9	46.0	57.6	55.5	49.5	47.1	46.8
	20:45	57.4	82.2	72.0	45.9	64.0	59.5	49.6	47.0	46.8
	20:50	51.9	76.7	64.5	45.9	57.0	53.9	49.5	47.6	47.2
	20:55	53.1	78.0	67.6	46.0	57.9	55.9	50.1	47.0	46.8
	21:00	55.6	80.5	73.6	46.0	59.6	56.2	49.7	47.2	47.0
	21:05	53.3	78.2	70.7	44.9	57.5	55.8	48.0	46.0	45.7
	21:10	50.3	75.2	64.6	44.8	55.5	52.8	47.2	46.0	45.7
	21:15	51.8	76.7	68.3	45.7	54.0	51.6	48.4	46.9	46.7
	21:20	54.2	79.1	72.6	46.3	57.2	53.2	48.3	47.1	46.9
	21:25	50.1	75.0	58.4	47.0	54.0	51.7	48.7	47.7	47.6
	21:30	53.8	78.7	69.4	46.2	59.6	55.6	48.8	47.5	47.2
	21:35	49.6	74.5	59.9	46.2	53.6	51.1	48.3	47.5	47.2
	21:40	49.9	74.8	59.1	46.5	54.5	51.5	48.4	47.3	47.2
	21:45	52.4	77.3	67.6	46.9	57.1	53.7	48.6	47.5	47.4
	21:50	56.2	81.1	71.4	47.1	61.3	57.9	51.8	48.1	47.7
	21:55	51.8	76.7	63.0	46.8	56.1	55.0	49.5	47.6	47.4

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0246 – R6512-0248

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเทรียล ปาร์ค จำกัด (มหาชน)
 ADDRESS : 789 ม. 1 ต. สายหนองก้อ-แหลมฉ้าง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230
 SAMPLE SOURCE : ปันทอง อินดัสเทรียล ปาร์ค (โครงการ 1)
 SAMPLE POINT : สำนักงานโครงการนิคมฯ ปันทอง โครงการ 1 (N2)
 DETERMINATION METHOD : ISO 1996-1:2016
 INSTRUMENT : Integrated Sound Level Meter
 S/N 090086 : Type 2

SAMPLE NO. : 35154-35156
 MEASURING DATE : 23-26/11/2022
 RECEIVED DATE : 28/11/2022
 REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ae}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
23/11/2022	22:00	53.3	78.2	68.3	46.1	59.0	54.4	48.8	47.2	46.9
	22:05	50.0	74.9	59.4	46.3	53.5	52.0	48.8	47.5	47.0
	22:10	51.0	75.8	66.3	46.4	54.7	53.3	48.6	47.2	47.0
	22:15	50.5	75.4	63.4	46.1	54.5	52.4	48.5	47.4	47.2
	22:20	55.8	80.7	73.1	47.0	59.4	57.4	51.8	48.2	47.8
	22:25	49.4	74.3	57.8	46.7	52.5	51.5	48.3	47.3	47.2
	22:30	48.8	73.7	56.7	46.5	51.3	49.4	48.0	47.3	47.1
	22:35	49.3	74.2	61.3	46.4	51.4	50.2	47.9	47.3	47.2
	22:40	62.4	87.3	85.2	46.3	54.2	52.2	47.6	46.8	46.7
	22:45	49.4	74.3	61.6	46.2	52.7	50.5	47.8	47.0	46.8
	22:50	49.9	74.7	61.8	46.6	52.5	50.1	47.6	47.1	47.0
	22:55	49.4	74.3	60.5	46.6	53.4	50.6	47.7	47.2	47.1
	23:00	50.3	75.2	63.9	46.7	55.0	51.6	47.7	47.2	47.1
	23:05	50.5	75.4	64.3	46.5	54.3	51.3	47.7	47.2	47.1
	23:10	52.7	77.6	72.5	46.4	53.7	51.6	48.0	47.2	47.1
	23:15	49.9	74.7	61.1	46.5	54.1	51.3	47.8	47.0	46.9
	23:20	49.8	74.7	60.9	46.4	52.6	50.7	48.4	47.3	47.2
	23:25	48.5	73.4	56.2	46.7	50.1	49.3	48.0	47.2	47.1
	23:30	49.1	74.1	59.8	46.3	53.4	50.6	47.3	46.9	46.8
	23:35	48.8	73.7	60.3	46.1	52.3	49.7	47.2	46.8	46.7
	23:40	56.3	81.2	78.6	46.6	60.9	57.6	49.1	47.4	47.3
	23:45	52.7	77.6	65.1	46.2	58.1	55.7	49.1	47.1	46.9
	23:50	50.6	75.5	60.6	46.5	55.4	53.1	48.8	47.2	47.1
	23:55	51.5	76.4	62.4	46.5	57.9	54.2	48.3	47.2	47.0

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY



Request No. LA65-R1207

Report No. R6512-0246 -- R6512-0248

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเทรียล ปาร์ค จำกัด (มหาชน)
 ADDRESS : 789 ม. 1 ถ. สายหนองก้อ-แหลมฉิมบึง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230
 SAMPLE SOURCE : ปันทอง อินดัสเทรียล ปาร์ค (โครงการ 1)
 SAMPLE POINT : สำนักงานโครงการนิคมฯ ปันทอง โครงการ 1 (N2) SAMPLE NO. : 35154-35156
 DETERMINATION METHOD : ISO 1996-1:2016 MEASURING DATE : 23-26/11/2022
 INSTRUMENT : Integrated Sound Level Meter RECEIVED DATE : 28/11/2022
 S/N 090086 : Type 2 REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lae	Lmax	Lmin	La05	La10	La50	La90	La95
24/11/2022	00:00	52.7	77.6	70.7	46.2	54.7	51.5	47.2	46.8	46.8
	00:05	49.4	74.3	58.2	46.4	54.0	51.7	47.5	47.1	46.9
	00:10	55.5	80.4	71.6	46.6	61.4	56.3	48.6	47.3	47.2
	00:15	52.0	76.9	66.3	46.2	57.7	55.6	47.7	46.8	46.7
	00:20	54.3	79.2	74.1	46.1	57.6	53.6	47.3	46.6	46.5
	00:25	48.3	73.1	57.7	45.6	50.2	49.3	47.6	46.5	46.4
	00:30	48.9	73.8	64.1	45.9	50.8	49.4	47.0	46.6	46.5
	00:35	47.5	72.4	59.2	45.8	48.1	47.4	46.8	46.4	46.3
	00:40	48.8	73.7	59.2	46.1	53.2	49.8	47.1	46.6	46.5
	00:45	47.9	72.7	57.3	46.0	49.0	48.1	47.5	47.1	47.0
	00:50	48.3	73.1	53.0	46.3	50.7	49.6	47.6	47.1	47.0
	00:55	49.9	74.7	61.8	46.1	53.9	50.7	48.0	47.2	47.1
	01:00	49.4	74.3	55.4	47.0	50.9	50.3	49.3	47.7	47.5
	01:05	50.5	75.4	67.3	46.1	53.0	51.2	48.6	46.8	46.6
	01:10	47.4	72.3	54.1	46.0	48.9	48.6	46.8	46.4	46.4
	01:15	48.6	73.5	61.8	45.9	50.4	49.4	48.1	46.4	46.3
	01:20	52.0	76.9	69.7	45.2	55.6	52.3	47.6	46.2	45.9
	01:25	48.2	73.1	58.3	45.8	50.1	49.2	47.3	46.4	46.3
	01:30	48.7	73.6	58.9	46.2	51.2	49.4	47.2	46.6	46.5
	01:35	51.5	76.4	68.0	45.2	54.0	51.5	48.2	46.1	45.8
	01:40	48.7	73.6	58.9	45.6	50.4	49.6	48.4	46.5	46.2
	01:45	48.5	73.4	55.2	46.0	50.1	49.4	48.6	46.6	46.5
	01:50	48.8	73.7	56.9	46.2	51.5	50.2	47.8	47.0	46.8
	01:55	56.3	81.2	75.7	46.6	59.0	55.6	49.1	47.2	47.1

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
 WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0246 -- R6512-0248

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : สำนักงานโครงการนิคมฯ ปิ่นทอง โครงการ 1 (N2)

SAMPLE NO. : 35154-35156

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 090086 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lae	Lmax	Lmin	La05	La10	La50	La90	La95
24/11/2022	02:00	48.9	73.7	52.5	46.6	50.2	49.9	48.9	47.2	47.0
	02:05	49.1	74.0	52.2	47.0	50.3	50.0	49.1	47.7	47.5
	02:10	49.6	74.5	62.1	46.4	52.3	50.5	48.1	47.3	47.0
	02:15	48.6	73.5	54.5	46.1	49.9	49.4	48.7	46.7	46.5
	02:20	48.9	73.8	57.2	45.0	52.2	51.1	48.0	45.8	45.6
	02:25	50.5	75.4	56.0	45.7	54.2	54.0	48.2	46.5	46.4
	02:30	51.2	76.1	60.7	45.8	54.2	53.8	51.6	46.5	46.4
	02:35	52.3	77.2	70.1	46.1	57.5	54.1	47.2	46.6	46.5
	02:40	53.0	77.9	63.9	46.2	57.0	55.6	52.6	47.0	46.8
	02:45	52.2	77.2	66.8	45.2	58.0	56.1	47.3	46.1	45.9
	02:50	47.9	72.8	59.5	44.9	52.1	48.4	46.2	45.6	45.5
	02:55	47.1	72.0	58.3	45.0	48.9	47.4	45.9	45.5	45.4
	03:00	47.6	72.5	60.6	45.0	49.4	48.4	46.1	45.6	45.5
	03:05	47.0	71.9	56.9	45.3	48.7	47.5	46.2	45.8	45.7
	03:10	47.3	72.1	52.3	45.6	49.5	48.5	46.6	46.1	46.0
	03:15	48.2	73.1	59.7	45.5	51.5	49.0	46.8	46.1	46.0
	03:20	48.1	73.0	53.1	45.7	50.5	49.6	47.5	46.5	46.3
	03:25	48.3	73.2	54.4	44.8	51.9	50.9	47.1	45.8	45.6
	03:30	49.9	74.7	66.3	45.0	55.8	49.0	46.3	45.6	45.5
	03:35	52.3	77.2	75.6	44.9	57.0	54.6	48.6	45.6	45.4
	03:40	49.6	74.5	57.8	45.2	53.8	52.0	48.2	46.1	45.9
	03:45	48.2	73.1	56.3	44.9	52.2	50.3	46.9	45.7	45.6
	03:50	48.4	73.2	59.9	45.5	51.1	49.3	47.2	46.3	46.2
	03:55	51.7	76.6	68.6	45.3	53.6	50.3	47.2	46.1	45.9

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0246 – R6512-0248

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเทรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ต. สายหนองก้อ-แหลมฉะบับ ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเทรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : สำนักงานโครงการนิคมฯ ปันทอง โครงการ 1 (N2)

SAMPLE NO. : 35154-35156

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 090086 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ae}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
24/11/2022	04:00	47.6	72.5	55.8	44.7	50.8	49.3	46.5	45.6	45.5
	04:05	52.2	77.1	64.9	46.2	55.1	53.7	50.8	48.4	47.9
	04:10	51.0	75.9	57.5	46.1	54.0	53.2	50.2	48.0	47.5
	04:15	52.4	77.3	63.5	45.1	56.8	54.8	50.6	48.0	47.4
	04:20	56.0	80.9	70.9	45.6	62.1	57.4	51.0	48.3	47.9
	04:25	52.6	77.5	66.2	46.6	55.8	54.6	50.6	48.5	48.0
	04:30	54.7	79.6	60.6	48.3	57.3	56.7	54.2	51.6	50.9
	04:35	55.0	79.9	69.7	48.5	58.9	55.7	52.2	50.2	49.6
	04:40	54.8	79.7	68.3	47.7	60.3	58.1	51.7	49.5	49.1
	04:45	58.6	83.5	75.7	48.0	62.9	59.4	53.2	50.6	50.0
	04:50	58.4	83.3	71.4	50.3	62.9	61.5	56.7	53.1	52.1
	04:55	55.5	80.4	65.8	48.2	60.3	57.9	53.8	50.9	50.3
	05:00	54.6	79.5	65.7	48.3	59.3	57.2	52.7	50.4	49.8
	05:05	55.1	80.0	64.8	48.5	59.9	58.5	53.2	50.8	50.3
	05:10	57.5	82.4	70.3	49.0	63.6	60.5	54.2	51.4	50.8
	05:15	56.2	81.1	67.6	50.0	58.8	57.8	55.1	52.9	52.5
	05:20	57.6	82.4	67.2	51.0	62.1	60.4	55.6	53.3	52.8
	05:25	61.7	86.6	76.6	51.6	67.9	63.1	56.8	53.5	53.0
	05:30	57.0	81.9	67.1	50.9	60.7	59.4	55.5	53.7	53.3
	05:35	58.1	83.0	67.6	52.0	62.1	60.4	56.6	54.5	53.9
	05:40	58.0	82.9	64.5	52.9	61.0	59.9	57.3	55.2	54.7
	05:45	59.8	84.7	70.5	53.0	64.0	62.0	57.7	55.7	55.1
	05:50	58.3	83.2	69.9	51.4	62.4	61.0	56.6	54.4	53.8
	05:55	58.0	82.9	73.0	48.2	62.7	61.4	55.5	51.4	50.4

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0246 – R6512-0248

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ต. สายหนองค้อ-แหลมอับัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : สำนักงานโครงการนิคมฯ ปันทอง โครงการ 1 (N2)

SAMPLE NO. : 35154-35156

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 090086 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lae	Lmax	Lmin	La05	La10	La50	La90	La95
24/11/2022	06:00	56.9	81.7	67.5	47.0	62.2	60.7	54.2	49.8	48.9
	06:05	59.4	84.3	73.8	47.6	64.3	62.3	56.5	50.4	49.8
	06:10	58.8	83.7	67.6	48.0	63.2	62.1	56.9	51.2	50.3
	06:15	64.1	88.9	83.7	49.1	65.3	63.7	58.1	51.9	50.7
	06:20	64.0	88.8	79.8	50.6	67.6	64.7	60.1	55.5	54.1
	06:25	65.9	90.7	82.1	50.5	71.6	67.3	61.4	56.0	54.8
	06:30	60.7	85.6	71.4	49.8	65.2	63.9	59.2	54.3	53.2
	06:35	62.5	87.4	74.0	52.0	66.2	64.8	61.6	56.8	54.8
	06:40	63.2	88.1	79.3	51.3	66.3	65.4	61.6	57.2	56.0
	06:45	68.2	93.1	86.4	54.5	73.3	69.8	63.7	59.7	58.3
	06:50	65.5	90.2	77.4	55.5	69.8	67.8	63.6	59.8	58.6
	06:55	66.6	91.5	80.3	54.0	70.9	68.4	63.5	60.0	59.0
	07:00	64.9	89.6	75.2	55.1	68.0	67.2	63.8	60.5	59.5
	07:05	65.6	90.4	78.9	52.8	69.0	67.5	63.9	60.3	58.5
	07:10	65.5	90.3	77.1	56.1	69.7	68.0	63.8	60.6	59.5
	07:15	65.7	90.5	77.2	55.2	70.8	68.5	63.4	59.4	58.6
	07:20	65.5	90.2	79.4	56.6	68.7	67.3	63.3	60.7	59.9
	07:25	65.0	89.8	73.8	56.4	69.4	67.9	63.3	59.9	59.2
	07:30	65.3	90.1	78.3	54.4	70.1	68.3	62.8	58.3	57.3
	07:35	64.0	88.7	76.4	51.2	69.0	67.3	61.4	56.2	54.8
	07:40	63.3	88.2	81.7	53.1	67.6	65.0	60.5	55.9	54.8
	07:45	62.6	87.5	73.2	53.5	67.4	65.2	61.0	57.6	56.7
	07:50	63.4	88.2	76.6	52.1	68.3	66.2	60.6	55.2	54.5
	07:55	61.2	86.1	72.4	51.2	66.4	64.1	58.9	54.2	53.4

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0246 – R6512-0248

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองก้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : สำนักงานโครงการนิคมฯ ปันทอง โครงการ 1 (N2)

SAMPLE NO. : 35154-35156

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 090086 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lae	Lmax	Lmin	La05	La10	La50	La90	La95
24/11/2022	08:00	62.3	87.1	75.4	53.5	66.2	64.7	60.5	56.0	55.3
	08:05	59.0	83.9	68.6	51.4	63.1	61.7	57.5	53.1	52.6
	08:10	59.8	84.7	71.2	52.1	64.2	62.7	57.5	53.9	53.1
	08:15	59.1	84.0	71.8	50.5	63.3	62.0	56.9	52.6	52.1
	08:20	58.8	83.7	68.5	51.3	63.1	62.1	56.9	53.9	53.1
	08:25	61.0	85.9	77.2	51.0	66.2	63.1	57.6	53.6	53.0
	08:30	61.7	86.6	79.1	49.8	66.2	64.1	56.8	51.8	50.8
	08:35	60.1	85.0	75.1	50.0	64.1	62.4	56.4	51.7	51.1
	08:40	58.8	83.4	70.2	50.0	64.3	62.4	55.1	51.5	51.0
	08:45	57.4	82.3	68.8	50.1	62.0	60.4	55.3	52.4	51.8
	08:50	58.2	83.1	72.3	50.0	62.4	60.7	55.0	51.6	51.2
	08:55	60.7	85.6	73.4	48.8	66.8	63.9	56.6	51.4	50.6
	09:00	58.2	83.2	73.5	49.4	62.6	61.1	55.0	51.6	50.9
	09:05	60.1	84.9	74.5	49.1	65.4	63.3	57.0	51.5	50.9
	09:10	59.8	84.7	72.6	49.7	64.9	63.5	56.2	52.6	52.1
	09:15	57.2	82.1	68.1	48.4	62.8	61.0	53.8	50.5	50.0
	09:20	56.1	81.0	66.7	48.6	61.1	59.6	53.6	49.9	49.5
	09:25	60.5	85.4	74.9	50.5	67.0	63.5	55.7	52.5	51.9
	09:30	57.9	82.8	68.1	49.3	62.4	60.8	56.1	51.4	50.9
	09:35	58.6	83.5	74.4	48.4	63.4	61.7	55.6	50.8	50.0
	09:40	60.6	85.4	72.9	48.8	66.7	63.9	55.7	52.1	51.5
	09:45	58.8	83.7	72.9	50.2	63.8	61.5	54.7	51.9	51.5
	09:50	58.6	83.5	67.9	50.2	63.5	62.5	55.6	51.9	51.5
	09:55	57.9	82.8	68.5	50.1	63.5	62.1	54.6	51.6	51.2

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0246 – R6512-0248

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเทรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ต. สายหนองค้อ-แหลมฉิมบึง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเทรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : สำนักงานโครงการนิคมฯ ปันทอง โครงการ 1 (N2)

SAMPLE NO. : 35154-35156

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 090086 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lae	Lmax	Lmin	La05	La10	La50	La90	La95
24/11/2022	10:00	61.6	86.5	82.3	49.3	66.8	62.9	55.2	51.6	51.1
	10:05	59.0	83.9	73.2	50.3	63.6	62.1	56.7	52.8	51.9
	10:10	56.7	81.6	65.2	51.4	60.8	59.4	55.0	52.7	52.3
	10:15	58.3	83.2	73.2	50.0	63.3	61.8	55.1	52.2	51.6
	10:20	59.1	84.0	73.3	49.9	64.2	62.2	56.4	51.9	51.3
	10:25	60.1	85.0	71.5	49.8	65.5	63.6	56.8	52.7	52.2
	10:30	58.5	83.4	74.7	48.2	63.5	61.2	54.5	50.6	50.1
	10:35	55.0	79.9	70.5	49.1	59.5	58.2	52.7	50.8	50.5
	10:40	59.6	84.5	74.8	49.1	65.7	62.2	53.2	50.4	50.1
	10:45	57.2	82.1	78.7	48.5	61.1	59.8	53.1	50.3	49.9
	10:50	56.9	81.8	68.1	48.1	61.4	59.9	54.8	50.0	49.5
	10:55	58.0	82.9	68.0	49.6	62.6	61.4	56.1	52.3	51.8
	11:00	59.1	84.0	72.1	49.3	64.6	62.0	55.0	51.5	50.6
	11:05	56.2	81.1	69.2	48.3	60.9	59.2	53.7	49.6	49.1
	11:10	58.8	83.6	71.7	47.6	64.6	61.8	55.2	50.8	50.0
	11:15	58.4	83.3	74.3	47.9	63.1	60.5	53.9	49.8	49.1
	11:20	55.6	80.5	67.0	46.9	60.9	59.0	52.6	49.1	48.5
	11:25	56.3	81.2	69.5	47.3	61.9	59.2	53.0	49.9	49.1
	11:30	58.9	83.8	74.1	48.3	63.9	62.3	55.8	51.8	50.7
	11:35	62.1	87.0	77.3	50.9	67.4	64.7	58.5	54.6	53.7
	11:40	58.1	83.0	67.9	49.8	62.9	61.5	56.0	52.0	51.5
	11:45	58.2	83.1	66.6	48.1	63.6	61.7	56.1	51.4	50.5
	11:50	60.4	85.3	85.3	47.6	64.0	62.1	55.1	50.0	49.4
	11:55	57.2	82.1	70.6	46.6	62.5	61.1	53.7	48.4	47.6

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0246 – R6512-0248

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ต. สายหนองค้อ-แหลมกลบึง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : สำนักงานโครงการนิคมฯ ปันทอง โครงการ 1 (N2)

SAMPLE NO. : 35154-35156

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 090086 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lae	Lmax	Lmin	La05	La10	La50	La90	La95
24/11/2022	12:00	55.3	80.2	63.5	46.1	59.9	58.7	53.5	48.0	47.4
	12:05	59.8	84.7	75.1	45.6	65.5	62.7	55.1	48.0	47.2
	12:10	56.9	81.8	66.5	45.6	61.3	60.4	55.4	48.2	47.1
	12:15	55.9	80.8	66.8	45.3	60.8	59.2	53.9	49.5	48.4
	12:20	58.1	83.0	69.9	47.8	63.3	61.6	55.3	50.1	49.0
	12:25	58.1	83.0	71.5	46.7	62.9	60.3	55.3	50.0	49.1
	12:30	58.8	83.7	74.3	46.1	64.1	61.3	54.0	49.0	48.5
	12:35	58.5	83.4	73.5	47.0	63.5	60.8	54.6	49.4	48.7
	12:40	57.6	82.5	69.1	48.1	62.7	60.8	54.7	51.0	50.2
	12:45	56.9	81.8	73.4	49.1	60.9	59.5	54.5	50.7	50.2
	12:50	59.2	84.1	75.6	49.1	63.2	62.0	55.2	51.4	50.8
	12:55	56.1	81.0	66.5	49.1	61.5	59.6	53.1	51.0	50.5
	13:00	58.1	83.0	70.9	48.2	63.0	61.0	54.5	50.2	49.6
	13:05	55.4	80.3	64.2	47.5	59.9	58.5	53.7	50.0	49.3
	13:10	55.4	80.3	75.2	47.8	60.0	58.7	52.6	49.3	48.8
	13:15	57.9	82.8	71.5	48.3	63.3	61.2	53.5	50.2	49.8
	13:20	56.9	81.8	68.0	47.8	62.5	60.9	53.3	49.5	49.1
	13:25	59.4	84.2	74.3	48.0	65.5	61.3	52.5	50.5	49.9
	13:30	55.9	80.7	73.4	48.3	60.9	58.5	52.1	49.9	49.5
	13:35	56.2	81.1	68.4	48.9	61.5	59.8	52.9	50.5	50.1
	13:40	54.1	79.0	61.8	47.9	59.2	57.9	51.6	49.1	48.9
	13:45	56.2	81.1	73.2	48.1	60.0	57.5	52.5	49.7	49.3
	13:50	58.7	83.6	76.1	48.0	64.0	61.4	54.6	50.8	50.2
	13:55	55.4	80.3	71.3	48.5	60.4	58.3	52.1	49.9	49.5

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0246 – R6512-0248

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : สำนักงานโครงการนิคมฯ ปิ่นทอง โครงการ 1 (N2)

SAMPLE NO. : 35154-35156

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 090086 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ae}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
24/11/2022	14:00	58.6	83.5	74.9	48.5	63.0	59.8	53.5	50.3	49.6
	14:05	58.3	83.2	72.6	48.0	64.2	61.7	54.1	49.5	49.1
	14:10	57.4	82.3	75.8	48.7	61.4	59.4	52.7	49.8	49.4
	14:15	54.6	79.5	72.3	47.7	59.0	57.5	51.7	49.1	48.7
	14:20	56.4	81.3	68.8	49.3	62.4	60.7	52.6	50.7	50.4
	14:25	57.8	82.7	70.9	50.5	62.6	60.0	54.7	51.9	51.5
	14:30	58.5	83.4	71.1	50.2	63.6	60.6	55.2	52.0	51.2
	14:35	57.9	82.7	69.1	49.4	63.1	61.5	55.5	51.5	51.0
	14:40	56.0	80.9	70.0	49.0	61.4	59.3	53.3	50.7	50.3
	14:45	54.2	79.0	66.1	49.5	58.6	56.8	52.3	50.8	50.4
	14:50	61.4	86.3	77.9	49.9	66.5	63.0	57.3	52.8	51.9
	14:55	59.1	83.9	78.5	49.0	61.2	59.5	55.1	51.6	51.0
	15:00	58.5	83.4	69.7	49.9	64.3	62.2	55.2	51.7	51.1
	15:05	58.6	83.5	74.1	49.4	64.1	61.5	54.2	51.0	50.6
	15:10	57.7	82.6	71.4	49.3	62.7	60.1	52.6	50.6	50.2
	15:15	59.4	84.3	74.6	49.3	64.6	62.0	54.8	51.6	50.9
	15:20	56.9	81.8	77.7	48.3	61.6	59.8	53.6	50.5	49.8
	15:25	59.0	83.8	72.8	48.5	65.9	62.1	54.8	50.8	50.3
	15:30	58.9	83.8	72.1	49.0	65.0	62.7	54.7	51.3	50.7
	15:35	57.6	82.5	71.4	49.3	61.8	60.5	54.9	51.8	51.3
	15:40	58.8	83.6	73.6	49.7	64.0	61.1	54.8	52.1	51.5
	15:45	59.6	84.5	74.2	50.4	64.2	62.2	56.0	52.8	52.2
	15:50	56.3	81.2	67.9	49.5	61.2	59.5	54.0	51.1	50.8
	15:55	58.0	82.9	69.8	49.0	63.2	61.4	54.9	51.7	50.9

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0246 – R6512-0248

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : สำนักงานโครงการนิคมฯ ปิ่นทอง โครงการ 1 (N2)

SAMPLE NO. : 35154-35156

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 090086 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ae}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
24/11/2022	16:00	57.7	82.6	68.5	49.9	62.7	61.0	55.0	52.0	51.4
	16:05	60.6	85.5	79.1	49.6	63.6	61.7	56.1	52.0	51.5
	16:10	57.9	82.8	66.9	48.5	62.1	61.0	56.6	51.8	50.6
	16:15	60.1	85.0	76.3	48.6	64.7	60.9	54.7	51.2	50.5
	16:20	58.6	83.5	78.6	47.1	62.7	60.8	54.9	50.4	48.9
	16:25	59.5	84.4	76.5	51.8	64.0	61.9	56.7	53.6	53.1
	16:30	61.0	85.9	69.1	52.8	65.1	63.7	59.5	56.0	54.9
	16:35	63.8	88.6	79.7	54.2	68.1	64.4	59.7	56.5	55.9
	16:40	62.4	87.2	74.1	53.6	67.7	64.9	60.0	56.4	55.4
	16:45	61.2	86.1	77.6	50.7	64.8	62.8	58.1	53.2	52.3
	16:50	58.5	83.4	66.9	50.7	62.4	61.3	57.1	54.0	53.5
	16:55	61.9	86.7	79.9	54.2	63.1	62.5	59.9	58.1	57.7
	17:00	63.9	88.7	77.9	58.3	66.7	65.4	62.9	61.4	61.0
	17:05	64.4	89.2	69.5	61.6	66.0	65.4	64.0	62.8	62.5
	17:10	65.8	90.5	73.3	62.5	67.4	66.6	65.1	63.7	63.5
	17:15	66.0	90.9	71.9	62.5	68.3	67.2	65.5	64.4	64.1
	17:20	65.4	90.2	73.3	59.5	66.9	66.3	65.0	63.8	63.5
	17:25	65.9	90.7	77.9	61.3	69.0	66.4	64.6	63.5	63.2
	17:30	63.4	88.3	71.1	58.6	65.9	65.0	62.8	61.1	60.6
	17:35	61.3	86.2	71.8	57.1	63.3	62.5	60.7	58.9	58.3
	17:40	60.1	85.0	66.5	55.5	62.9	62.0	59.5	57.5	57.0
	17:45	58.6	83.5	65.2	51.6	61.5	60.8	57.8	55.4	54.9
	17:50	58.8	83.7	72.2	50.6	63.1	60.8	56.6	52.8	52.3
	17:55	59.2	84.1	74.2	51.8	63.1	61.0	56.4	53.7	53.3

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0246 – R6512-0248

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : สำนักงานโครงการนิคมฯ ปิ่นทอง โครงการ 1 (N2)

SAMPLE NO. : 35154-35156

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 090086 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lae	Lmax	Lmin	La05	La10	La50	La90	La95
24/11/2022	18:00	60.9	85.8	72.2	51.0	65.2	63.4	57.9	54.5	53.6
	18:05	57.7	82.6	67.5	49.4	62.4	60.8	55.6	51.9	51.3
	18:10	57.2	82.1	66.3	49.5	61.9	60.3	55.1	52.1	51.5
	18:15	58.3	83.2	69.0	48.0	63.8	62.0	55.1	51.2	50.6
	18:20	57.2	82.1	67.2	48.6	62.5	60.7	54.6	50.5	50.0
	18:25	57.9	82.7	67.4	48.9	62.2	60.7	56.0	51.8	50.9
	18:30	62.9	87.8	75.3	50.8	67.0	64.8	61.4	58.8	56.3
	18:35	64.1	88.9	84.3	58.8	66.0	64.8	62.8	61.2	60.7
	18:40	62.0	86.9	68.2	55.6	64.3	63.6	61.5	59.3	58.7
	18:45	61.0	85.9	74.1	54.0	63.8	63.0	60.1	57.6	56.6
	18:50	62.2	87.1	78.4	53.5	66.0	63.9	59.4	56.1	55.5
	18:55	64.1	88.8	81.8	53.0	66.1	64.4	59.4	56.2	55.5
	19:00	64.3	89.1	81.3	52.2	69.6	66.3	60.5	56.6	54.6
	19:05	59.9	84.7	71.1	48.7	63.9	62.8	58.1	53.1	51.8
	19:10	58.0	82.9	69.8	49.2	62.8	61.3	55.9	52.0	51.1
	19:15	59.7	84.6	75.0	50.1	64.1	62.1	56.4	53.6	52.9
	19:20	56.1	81.0	64.1	48.5	60.6	59.5	54.6	50.5	50.1
	19:25	60.5	85.4	71.9	50.3	65.6	63.5	57.3	53.2	52.4
	19:30	63.4	88.2	78.4	54.2	67.2	65.1	60.7	57.1	56.5
	19:35	63.3	88.2	78.2	52.9	68.1	66.0	60.3	56.6	55.8
	19:40	60.7	85.6	74.4	49.8	66.0	63.8	56.5	53.0	52.0
	19:45	59.8	84.7	78.3	48.2	62.9	60.7	54.3	51.0	50.4
	19:50	57.8	82.7	71.9	48.7	62.0	60.4	55.0	51.0	50.4
	19:55	56.1	81.0	69.6	47.4	61.8	58.8	52.3	49.5	48.8

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0246 – R6512-0248

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)
 ADDRESS : 789 ม. 1 ต. สายหนองก่อ-แหลมฉบัง ค. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230
 SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)
 SAMPLE POINT : สำนักงานโครงการนิคมฯ ปันทอง โครงการ 1 (N2)
 DETERMINATION METHOD : ISO 1996-1:2016
 INSTRUMENT : Integrated Sound Level Meter
 S/N 090086 : Type 2

SAMPLE NO. : 35154-35156
 MEASURING DATE : 23-26/11/2022
 RECEIVED DATE : 28/11/2022
 REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lae	Lmax	Lmin	La05	La10	La50	La90	La95
24/11/2022	20:00	54.7	79.6	62.3	47.8	59.4	57.9	52.9	49.9	49.2
	20:05	55.2	80.1	75.9	48.1	60.2	56.0	51.4	49.4	49.0
	20:10	56.1	81.0	74.9	47.4	60.4	57.8	51.8	48.8	48.3
	20:15	51.4	76.2	61.6	46.3	57.2	53.8	48.7	47.2	46.9
	20:20	52.7	77.6	63.9	46.1	58.6	56.1	49.3	47.2	47.0
	20:25	56.7	81.6	71.7	47.1	63.4	58.3	51.4	49.3	48.8
	20:30	54.2	79.0	69.4	47.7	58.7	56.9	50.4	48.5	48.4
	20:35	57.2	82.1	65.0	47.8	60.9	60.2	56.7	49.1	48.8
	20:40	59.9	84.8	67.9	55.4	61.6	61.1	59.5	58.1	57.7
	20:45	59.6	84.4	65.1	55.1	61.5	60.9	59.2	57.5	57.1
	20:50	58.4	83.3	65.3	52.2	60.7	59.9	57.9	56.0	55.5
	20:55	57.5	82.4	62.4	51.8	59.7	59.0	57.2	55.2	54.5
	21:00	56.8	81.7	68.9	50.0	59.2	58.1	55.5	53.3	52.5
	21:05	54.8	79.7	61.8	48.9	58.4	57.2	53.9	51.4	50.8
	21:10	52.5	77.4	61.3	47.2	55.5	54.4	51.4	49.2	48.6
	21:15	51.9	76.8	58.9	47.4	55.3	54.1	51.0	48.9	48.6
	21:20	55.3	80.2	67.9	47.5	62.0	58.2	50.4	48.4	48.2
	21:25	56.9	81.8	77.2	47.7	61.0	58.3	52.0	49.1	48.8
	21:30	53.7	78.5	66.9	47.7	58.3	56.3	51.2	49.1	48.7
	21:35	55.9	80.8	73.9	47.8	59.7	56.4	51.6	49.2	48.9
	21:40	50.5	75.4	59.6	47.1	54.4	52.1	49.1	48.0	47.8
	21:45	52.1	77.0	60.1	47.5	56.5	55.5	49.6	48.1	48.0
	21:50	50.6	75.5	62.8	46.4	54.1	52.5	48.6	47.4	47.2
	21:55	54.1	79.0	70.5	47.5	58.3	56.8	50.6	48.4	48.2

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0246 – R6512-0248

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : สำนักงานโครงการนิคมฯ ปิ่นทอง โครงการ 1 (N2)

SAMPLE NO. : 35154-35156

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 090086 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lae	Lmax	Lmin	La05	La10	La50	La90	La95
24/11/2022	22:00	53.8	78.7	71.4	47.6	59.8	54.2	48.9	48.2	48.1
	22:05	50.5	75.4	63.2	47.1	53.4	51.0	48.2	47.7	47.6
	22:10	52.2	77.1	67.6	47.3	57.3	54.6	49.7	47.9	47.7
	22:15	50.7	75.5	64.9	47.4	54.1	51.9	48.6	47.9	47.8
	22:20	49.3	74.2	58.1	47.3	51.5	50.3	48.5	48.0	47.9
	22:25	52.9	77.8	65.0	46.4	57.1	55.8	50.8	48.3	47.9
	22:30	53.6	78.5	65.9	46.6	59.5	56.1	49.1	47.6	47.3
	22:35	49.4	74.3	63.1	46.3	51.1	49.0	47.5	47.0	46.9
	22:40	48.8	73.7	59.3	46.1	52.2	50.0	47.5	46.8	46.6
	22:45	51.4	76.3	67.3	46.1	56.5	53.2	47.5	46.8	46.7
	22:50	56.8	81.7	76.5	46.5	61.5	56.4	48.2	47.3	47.1
	22:55	49.2	74.1	59.6	46.8	51.7	50.0	48.1	47.6	47.5
	23:00	49.4	74.3	58.5	47.2	51.8	50.6	48.6	48.0	47.9
	23:05	49.6	74.5	60.4	46.9	51.9	50.6	48.7	48.0	47.8
	23:10	50.2	75.1	61.6	47.1	54.2	51.1	48.5	47.7	47.6
	23:15	50.6	75.5	63.1	46.1	55.4	52.6	48.1	47.2	47.1
	23:20	52.6	77.5	65.8	46.5	57.3	55.1	49.2	47.2	47.0
	23:25	51.2	76.1	64.5	46.4	56.4	54.1	48.5	47.1	47.0
	23:30	50.1	75.0	60.5	46.6	53.8	51.6	48.4	47.3	47.1
	23:35	49.4	74.3	59.6	46.3	53.3	50.9	47.7	47.2	47.0
	23:40	51.9	76.7	67.3	46.6	56.1	52.7	47.8	47.3	47.2
	23:45	51.1	76.0	65.0	46.6	55.5	53.3	48.1	47.3	47.2
	23:50	49.8	74.7	61.7	45.8	54.7	51.7	47.0	46.3	46.2
	23:55	53.6	78.5	72.7	45.6	58.0	55.0	46.7	46.3	46.2

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0246 – R6512-0248

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองก้อ-แหลมฉ้าง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : สำนักงานโครงการนิคมฯ ปันทอง โครงการ 1 (N2)

SAMPLE NO. : 35154-35156

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 090086 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lae	Lmax	Lmin	La05	La10	La50	La90	La95
25/11/2022	00:00	54.0	78.9	69.4	45.5	58.2	53.0	47.3	46.4	46.2
	00:05	49.0	73.9	63.5	44.9	54.0	49.4	46.3	45.8	45.5
	00:10	54.5	79.3	68.7	45.3	61.2	57.2	46.7	45.8	45.6
	00:15	50.9	75.7	60.1	44.6	56.8	54.7	47.7	45.7	45.6
	00:20	49.6	74.5	56.2	43.4	53.4	52.5	48.6	44.6	44.3
	00:25	47.9	72.7	61.6	44.1	50.7	48.5	45.9	44.9	44.6
	00:30	48.3	73.2	58.2	45.1	50.4	49.5	47.2	46.6	46.1
	00:35	51.2	76.1	72.3	46.7	54.6	52.1	47.7	47.2	47.2
	00:40	48.5	73.4	58.8	46.7	50.9	49.7	47.6	47.2	47.2
	00:45	50.8	75.7	68.9	46.5	53.0	50.9	47.7	47.1	47.0
	00:50	48.6	73.5	58.6	45.6	51.8	49.3	47.4	46.8	46.6
	00:55	48.2	73.1	60.9	46.4	49.7	48.4	47.6	47.1	46.9
	01:00	56.7	81.5	70.2	46.8	61.3	60.5	49.0	47.4	47.3
	01:05	60.1	85.0	62.6	55.1	61.4	61.1	60.0	58.5	58.0
	01:10	57.9	82.7	61.7	50.6	59.9	59.4	57.6	55.6	55.0
	01:15	57.3	82.2	71.1	49.1	59.1	58.0	55.5	53.0	52.4
	01:20	53.8	78.7	60.9	48.1	56.4	55.5	53.2	51.0	50.3
	01:25	52.7	77.6	57.4	47.1	55.0	54.5	52.3	50.0	49.3
	01:30	50.5	75.4	56.8	45.6	53.7	52.8	49.7	47.3	46.8
	01:35	52.6	77.5	66.9	43.4	58.5	54.2	47.7	44.8	44.5
	01:40	49.3	74.2	61.6	44.9	52.3	50.7	47.6	46.0	45.8
	01:45	47.2	72.1	53.7	44.7	50.6	49.5	46.1	45.2	45.0
	01:50	46.9	71.8	53.3	45.4	48.5	47.6	46.4	45.9	45.8
	01:55	47.6	72.5	52.9	46.1	49.1	48.6	47.1	46.6	46.5

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0246 – R6512-0248

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 อ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : สำนักงานโครงการนิคมฯ ปันทอง โครงการ 1 (N2)

SAMPLE NO. : 35154-35156

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 090086 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lae	Lmax	Lmin	La05	La10	La50	La90	La95
25/11/2022	02:00	47.4	72.3	56.3	45.5	49.3	48.1	46.6	46.3	46.1
	02:05	47.1	72.0	56.0	45.5	49.1	47.5	46.5	46.1	46.0
	02:10	50.2	75.1	65.0	45.6	54.3	51.0	46.6	46.1	46.0
	02:15	48.2	73.1	59.9	45.4	54.2	48.9	46.4	46.0	45.8
	02:20	47.9	72.8	59.6	44.4	52.7	49.0	46.3	45.6	45.3
	02:25	48.3	73.2	59.1	45.5	52.7	49.3	46.6	46.2	46.1
	02:30	50.3	75.1	64.7	45.5	54.4	49.3	46.5	46.0	45.9
	02:35	46.4	71.3	47.4	45.7	46.8	46.6	46.3	46.1	46.0
	02:40	46.7	71.6	51.3	45.6	47.2	47.1	46.6	46.2	46.1
	02:45	49.7	74.6	63.2	44.7	53.7	50.8	46.8	46.1	46.0
	02:50	47.3	72.2	54.0	45.1	49.5	48.7	46.5	46.0	45.9
	02:55	46.7	71.6	53.0	45.4	48.1	47.3	46.3	45.9	45.8
	03:00	46.9	71.7	52.5	45.5	48.6	47.7	46.4	46.0	45.9
	03:05	47.3	72.2	55.1	45.5	50.5	49.0	46.3	45.8	45.8
	03:10	49.4	74.3	62.9	45.8	53.4	51.9	47.1	46.3	46.2
	03:15	53.6	78.4	69.2	45.7	59.3	56.0	48.7	46.7	46.5
	03:20	49.0	73.9	59.7	45.5	51.6	49.9	47.6	46.4	46.2
	03:25	48.4	73.3	55.6	45.7	51.4	50.0	47.6	46.5	46.4
	03:30	49.9	74.7	58.7	45.8	53.9	52.3	48.3	46.7	46.5
	03:35	53.6	78.5	69.4	46.0	57.8	53.5	48.9	46.8	46.5
	03:40	51.7	76.6	67.3	45.9	55.1	53.7	49.7	47.4	47.0
	03:45	53.1	78.0	69.1	46.2	55.5	54.3	51.3	48.0	47.4
	03:50	55.2	80.1	63.0	48.8	59.6	57.7	53.8	51.0	50.5
	03:55	55.7	80.6	69.2	46.0	62.0	59.3	51.8	49.1	48.4

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0246 – R6512-0248

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองก้อ-แหลมฉิมบึง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : สำนักงานโครงการนิคมฯ ปันทอง โครงการ 1 (N2)

SAMPLE NO. : 35154-35156

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 090086 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lae	Lmax	Lmin	La05	La10	La50	La90	La95
25/11/2022	04:00	52.8	77.7	63.4	45.3	57.4	55.7	51.2	48.0	47.4
	04:05	54.0	78.8	69.5	45.3	59.3	56.1	50.3	47.4	47.0
	04:10	54.0	78.9	63.3	45.2	61.0	58.3	50.5	47.2	46.7
	04:15	58.0	82.8	69.1	47.2	64.0	62.7	53.6	49.6	49.0
	04:20	60.3	85.2	76.3	47.3	65.3	63.0	56.0	50.2	49.5
	04:25	60.6	85.5	77.3	49.7	65.8	62.9	56.4	53.1	52.5
	04:30	59.4	84.3	73.9	48.0	64.3	62.8	56.2	51.4	50.5
	04:35	53.4	78.3	63.2	47.3	56.8	55.6	52.2	49.5	48.9
	04:40	55.6	80.5	67.7	47.6	60.1	58.6	53.1	50.3	49.8
	04:45	55.1	80.1	65.0	48.7	58.9	57.5	53.7	51.2	50.7
	04:50	58.1	83.0	70.3	50.0	61.3	60.1	56.4	53.2	52.6
	04:55	58.8	83.6	69.2	52.6	62.0	60.8	57.3	55.2	54.7
	05:00	59.0	83.9	65.5	52.8	62.2	61.1	58.3	55.8	55.2
	05:05	59.7	84.6	73.6	53.9	62.4	61.0	58.3	56.4	55.8
	05:10	59.8	84.7	70.2	54.6	62.6	61.5	58.9	57.2	56.7
	05:15	59.4	84.3	67.3	54.3	63.0	61.1	58.6	56.6	56.3
	05:20	59.5	84.3	69.1	53.8	63.3	61.9	58.1	56.2	55.6
	05:25	58.5	83.4	69.7	50.5	62.5	60.8	56.0	53.5	52.9
	05:30	59.3	84.2	76.8	50.6	62.0	60.3	54.8	52.1	51.7
	05:35	58.2	83.1	75.7	49.8	62.3	60.6	56.3	51.9	51.3
	05:40	60.7	85.6	74.0	49.3	66.6	63.7	58.5	52.4	50.9
	05:45	58.9	83.8	71.0	50.4	63.3	62.3	56.6	52.2	51.6
	05:50	61.5	86.4	75.6	50.1	65.4	64.3	59.0	53.1	52.0
	05:55	61.9	86.8	78.0	51.3	65.6	64.7	59.6	54.1	53.3

Request No. LA65-R1207

Report No. R6512-0246 – R6512-0248

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมอับัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : สำนักงานโครงการนิคมฯ ปิ่นทอง โครงการ 1 (N2)

SAMPLE NO. : 35154-35156

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 090086 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lae	Lmax	Lmin	La05	La10	La50	La90	La95
25/11/2022	06:00	63.8	88.6	77.1	51.0	68.3	65.9	61.3	54.9	53.1
	06:05	64.3	89.1	75.6	53.7	69.1	67.4	62.0	57.0	56.2
	06:10	63.6	88.4	77.0	51.9	68.1	66.0	61.7	56.6	54.8
	06:15	62.7	87.6	69.2	53.3	65.8	65.0	62.1	57.9	56.5
	06:20	65.0	89.7	76.7	56.2	69.7	66.9	63.0	59.0	58.1
	06:25	66.8	91.7	82.7	55.7	70.7	68.0	63.5	60.5	59.5
	06:30	64.5	89.3	76.7	53.9	67.5	66.4	63.6	59.8	58.3
	06:35	65.3	90.1	83.9	58.5	68.0	67.0	63.9	61.2	60.6
	06:40	66.5	91.3	79.2	56.8	71.3	69.0	64.0	61.0	60.0
	06:45	66.8	91.7	79.0	58.2	70.4	69.2	65.3	61.5	60.8
	06:50	66.7	91.5	81.1	57.6	70.5	68.7	64.9	61.8	61.0
	06:55	65.9	90.6	79.1	55.4	69.6	67.7	64.1	60.6	59.1
	07:00	66.4	91.3	79.3	56.0	70.3	68.3	64.7	61.0	59.5
	07:05	64.8	89.6	74.3	53.9	70.0	68.4	62.2	57.0	55.6
	07:10	65.5	90.3	82.8	51.6	69.6	66.4	60.4	54.6	53.9
	07:15	63.1	88.0	79.7	53.6	67.1	65.9	61.0	56.4	55.5
	07:20	62.5	87.4	74.7	54.3	66.9	65.0	60.3	57.0	56.2
	07:25	64.0	88.8	77.5	53.6	69.5	67.2	60.5	56.0	55.3
	07:30	61.2	86.1	73.4	52.4	66.1	64.1	59.3	54.5	53.9
	07:35	60.8	85.7	72.9	51.5	65.2	63.8	58.7	54.7	54.0
	07:40	60.2	85.0	73.2	51.8	63.9	62.1	57.3	53.8	53.3
	07:45	58.9	83.7	70.1	51.3	63.0	62.0	57.2	52.9	52.3
	07:50	59.5	84.3	73.7	51.3	63.0	61.7	56.3	52.9	52.3
	07:55	59.9	84.8	71.1	50.9	64.9	63.1	57.7	52.6	52.1

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY



Request No. LA65-R1207

Report No. R6512-0246 – R6512-0248

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ต. สายหนองค้อ-แหลมอับัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : สำนักงานโครงการนิคมฯ ปิ่นทอง โครงการ 1 (N2)

SAMPLE NO. : 35154-35156

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 090086 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lae	Lmax	Lmin	La05	La10	La50	La90	La95
25/11/2022	08:00	58.9	83.8	70.2	51.2	63.4	61.9	56.6	53.0	52.3
	08:05	60.9	85.8	78.0	50.7	64.7	62.4	55.8	52.8	52.2
	08:10	60.4	85.3	72.0	50.3	66.5	64.1	56.5	52.1	51.6
	08:15	57.7	82.6	71.1	49.1	62.6	60.7	55.5	51.1	50.4
	08:20	58.5	83.3	78.7	49.9	64.3	61.2	54.7	51.6	51.0
	08:25	58.4	83.3	68.6	50.0	63.6	61.6	55.6	51.9	51.0
	08:30	57.2	82.1	69.1	49.8	62.9	60.3	53.9	51.1	50.8
	08:35	69.7	94.6	92.4	49.5	67.4	62.8	56.3	52.2	51.7
	08:40	57.5	82.4	71.5	48.8	62.9	61.1	54.5	50.6	50.0
	08:45	60.4	85.3	71.4	51.2	65.1	63.3	58.4	54.8	53.6
	08:50	59.4	84.3	79.9	49.1	64.7	62.8	55.3	51.2	50.6
	08:55	58.6	83.5	70.8	49.2	64.5	62.3	55.1	51.5	50.8
	09:00	60.7	85.6	76.9	49.0	64.9	62.9	56.6	51.0	50.2
	09:05	58.7	83.6	71.3	48.6	64.0	61.8	56.1	51.0	50.3
	09:10	58.4	83.3	68.0	47.0	63.7	62.0	55.5	50.3	49.1
	09:15	60.8	85.7	77.1	49.8	64.7	63.1	57.7	52.1	51.0
	09:20	61.1	86.0	78.3	47.6	65.0	62.2	55.3	50.4	49.8
	09:25	57.6	82.5	68.0	47.7	63.0	61.7	54.2	50.0	49.2
	09:30	57.3	82.1	67.5	47.5	62.9	60.8	54.0	50.1	49.6
	09:35	57.4	82.3	69.2	46.6	63.6	60.6	53.5	48.8	48.1
	09:40	67.4	92.3	89.1	47.4	66.8	64.3	55.9	50.4	49.7
	09:45	66.4	91.3	87.1	48.2	67.8	63.9	55.9	50.8	50.1
	09:50	58.8	83.6	69.9	48.6	63.4	62.0	56.4	50.7	49.9
	09:55	61.7	86.6	79.8	47.7	65.9	61.5	55.1	49.3	48.7

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0246 – R6512-0248

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)
 ADDRESS : 789 ม. 1 ต. สายหนองค้อ-แหลมอับัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230
 SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)
 SAMPLE POINT : สำนักงานโครงการนิคมฯ ปันทอง โครงการ 1 (N2) SAMPLE NO. : 35154-35156
 DETERMINATION METHOD : ISO 1996-1:2016 MEASURING DATE : 23-26/11/2022
 INSTRUMENT : Integrated Sound Level Meter RECEIVED DATE : 28/11/2022
 S/N 090086 : Type 2 REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lae	Lmax	Lmin	La05	La10	La50	La90	La95
25/11/2022	10:00	61.5	86.4	77.8	47.0	66.5	64.1	56.6	49.5	48.6
	10:05	56.4	81.3	69.4	46.8	62.5	60.1	53.0	49.0	48.0
	10:10	59.1	84.1	71.5	48.2	64.5	62.2	55.5	50.7	49.9
	10:15	57.9	82.7	70.8	48.1	62.6	60.8	55.1	50.5	49.9
	10:20	56.5	81.4	74.7	47.2	61.3	59.9	54.2	49.7	48.9
	10:25	55.9	80.8	67.4	46.2	61.0	59.5	53.5	49.3	48.5
	10:30	58.7	83.6	69.3	47.5	64.5	62.4	55.3	50.9	49.8
	10:35	58.0	82.9	75.3	48.1	63.1	61.1	55.8	50.1	49.6
	10:40	56.9	81.8	74.6	48.9	60.6	59.2	54.8	51.4	50.6
	10:45	56.0	80.9	65.0	48.1	61.1	59.3	53.9	50.3	49.7
	10:50	57.2	82.0	68.1	47.1	62.6	60.6	54.2	49.6	48.6
	10:55	57.0	81.9	69.1	46.5	62.7	60.5	54.0	48.8	48.3
	11:00	59.2	84.1	72.8	45.6	64.4	61.6	55.3	48.9	47.2
	11:05	57.0	81.9	69.5	46.5	62.2	60.3	53.6	48.6	47.9
	11:10	60.1	85.0	75.3	49.9	63.3	61.2	56.8	52.7	52.1
	11:15	58.6	83.5	70.0	48.9	63.3	61.8	56.4	52.4	51.1
	11:20	58.7	83.6	72.9	47.2	63.4	61.2	55.4	50.7	49.5
	11:25	59.2	84.1	79.5	44.8	63.0	60.8	54.7	47.7	46.4
	11:30	56.7	81.6	67.2	46.1	61.3	60.0	54.8	49.1	47.9
	11:35	55.9	80.7	64.9	43.6	60.7	59.3	53.9	46.1	44.8
	11:40	66.9	91.8	87.2	46.9	65.0	62.0	54.9	49.6	48.6
	11:45	61.2	86.1	76.3	48.2	65.9	63.4	57.1	51.6	50.7
	11:50	57.9	82.8	68.1	45.3	62.6	61.3	56.1	50.2	49.0
	11:55	55.6	80.5	65.4	45.3	60.2	59.1	54.2	47.1	46.4

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY



Request No. LA65-R1207

Report No. R6512-0246 – R6512-0248

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : สำนักงานโครงการนิคมฯ ปิ่นทอง โครงการ 1 (N2)

DETERMINATION METHOD : ISO 1996-1:2016

INSTRUMENT : Integrated Sound Level Meter

S/N 090086 : Type 2

SAMPLE NO. : 35154-35156

MEASURING DATE : 23-26/11/2022

RECEIVED DATE : 28/11/2022

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ae}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
25/11/2022	12:00	56.9	81.8	65.5	46.9	61.2	60.1	55.6	50.0	48.8
	12:05	61.0	85.9	79.7	46.0	63.2	60.6	54.4	49.7	49.0
	12:10	56.1	81.0	70.4	46.7	61.5	59.8	52.2	48.3	47.9
	12:15	56.7	81.6	70.4	46.1	62.2	59.4	53.4	49.2	48.2
	12:20	57.7	82.6	71.4	46.8	63.5	60.5	53.9	50.0	49.1
	12:25	58.8	83.7	71.4	46.7	66.1	62.6	53.2	49.4	48.6
	12:30	57.7	82.6	66.7	49.4	62.4	61.4	55.5	51.5	51.0
	12:35	62.1	86.9	76.9	48.3	67.3	64.9	57.0	51.8	50.9
	12:40	56.6	81.5	68.5	48.6	60.8	59.9	54.5	51.0	50.1
	12:45	56.7	81.6	71.0	49.5	60.5	59.8	55.0	51.3	50.9
	12:50	57.3	82.2	73.5	47.4	61.9	59.5	54.5	50.4	49.4
	12:55	57.3	82.2	69.0	48.1	62.3	60.8	54.3	49.6	49.1
	13:00	57.9	82.8	71.2	47.6	63.4	61.6	54.5	49.3	48.8
	13:05	57.2	82.0	71.6	47.5	63.2	60.0	53.4	50.3	49.1
	13:10	58.8	83.6	72.7	48.1	64.1	61.5	54.3	50.4	49.9
	13:15	57.9	82.8	70.1	47.1	63.5	61.0	54.7	49.6	48.9
	13:20	56.5	81.4	70.1	48.0	62.3	60.1	52.3	49.3	48.9
	13:25	56.4	81.3	67.6	47.9	61.3	59.5	53.6	50.1	49.6
	13:30	57.5	82.4	69.7	48.6	63.6	60.7	53.5	50.7	50.3
	13:35	54.6	79.5	64.3	48.8	58.8	57.6	52.8	50.2	49.8
	13:40	58.3	83.2	74.9	47.6	63.4	61.2	53.3	49.5	49.0
	13:45	57.8	82.6	71.2	48.6	63.0	61.1	54.7	50.9	50.3
	13:50	57.0	81.9	70.4	47.7	63.0	59.3	51.8	49.3	48.8
	13:55	59.5	84.4	75.6	47.7	64.6	61.2	54.0	49.9	49.3

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY



Request No. LA65-R1207

Report No. R6512-0246 – R6512-0248

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองก้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : สำนักงานโครงการนิคมฯ ปันทอง โครงการ 1 (N2)

DETERMINATION METHOD : ISO 1996-1:2016

INSTRUMENT : Integrated Sound Level Meter

S/N 090086 : Type 2

SAMPLE NO. : 35154-35156

MEASURING DATE : 23-26/11/2022

RECEIVED DATE : 28/11/2022

REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lae	Lmax	Lmin	La05	La10	La50	La90	La95
25/11/2022	14:00	54.2	79.1	69.5	46.1	59.1	57.7	51.6	47.5	47.1
	14:05	57.3	82.2	67.3	48.2	62.4	61.0	54.4	50.6	49.8
	14:10	57.2	82.1	72.1	46.5	62.3	60.4	54.4	49.2	48.4
	14:15	53.6	78.5	67.6	46.3	58.3	56.3	50.5	47.9	47.4
	14:20	58.3	83.2	74.5	47.3	63.4	60.3	52.8	49.2	48.8
	14:25	55.3	80.2	70.1	46.2	60.0	58.4	51.4	48.4	47.9
	14:30	55.8	80.7	68.6	46.2	61.0	59.0	52.5	48.4	47.8
	14:35	56.7	81.6	69.8	47.1	61.9	59.2	52.9	49.2	48.3
	14:40	55.5	80.4	67.7	47.6	60.8	58.8	52.5	49.1	48.6
	14:45	58.9	83.8	75.0	47.9	65.0	60.8	53.3	50.0	49.4
	14:50	59.2	84.1	73.4	47.9	65.8	62.9	53.5	49.8	49.3
	14:55	56.8	81.7	71.9	46.3	62.1	59.1	51.1	48.1	47.7
	15:00	55.1	80.0	65.9	48.2	60.4	58.0	52.6	49.7	49.3
	15:05	57.6	82.5	68.3	49.1	63.4	60.6	55.1	51.0	50.5
	15:10	63.0	87.8	84.0	50.2	64.9	62.5	56.7	52.8	52.3
	15:15	60.9	85.8	77.3	51.1	65.4	63.2	57.7	52.8	52.3
	15:20	70.5	95.4	80.6	57.3	73.1	72.7	70.4	63.0	59.8
	15:25	72.1	97.0	82.1	63.0	74.6	74.2	72.6	64.9	63.9
	15:30	70.9	95.8	82.6	53.0	75.3	75.0	65.1	57.1	55.7
	15:35	71.8	96.7	81.8	62.7	74.3	73.9	72.3	64.6	63.6
	15:40	71.5	96.4	83.2	53.6	75.9	75.6	65.7	57.7	56.3
	15:45	60.5	85.4	71.4	50.9	65.3	63.7	57.8	53.1	52.4
	15:50	61.6	86.5	76.6	50.5	65.9	63.7	57.6	52.5	51.6
	15:55	62.2	87.1	78.0	49.7	67.4	65.0	58.4	54.1	52.8

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0246 – R6512-0248

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเทรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเทรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : สำนักงานโครงการนิคมฯ ปิ่นทอง โครงการ 1 (N2)

SAMPLE NO. : 35154-35156

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 090086 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lae	Lmax	Lmin	La05	La10	La50	La90	La95
25/11/2022	16:00	59.4	84.3	72.2	49.4	64.4	62.5	56.5	52.4	51.5
	16:05	61.9	86.7	75.1	52.3	65.3	64.3	60.3	56.6	55.7
	16:10	64.2	89.0	81.4	55.8	68.5	66.9	60.8	58.2	57.6
	16:15	63.4	88.3	75.6	55.4	68.3	65.4	61.4	57.8	57.2
	16:20	61.8	86.7	72.9	53.7	66.8	64.7	59.7	55.7	55.1
	16:25	61.2	86.1	78.6	52.7	64.5	62.8	58.1	55.3	54.3
	16:30	60.6	85.5	71.6	52.7	65.5	63.4	58.2	55.0	54.3
	16:35	59.6	84.5	73.9	52.3	63.4	62.0	57.6	54.3	53.8
	16:40	61.7	86.6	73.9	52.1	66.5	64.2	59.2	55.1	54.2
	16:45	63.8	88.6	78.7	53.6	66.6	65.3	62.2	58.6	57.3
	16:50	66.2	91.1	69.8	61.6	68.2	67.7	65.8	64.2	63.7
	16:55	67.7	92.6	79.8	62.5	69.1	68.5	67.2	65.8	65.5
	17:00	68.4	93.2	85.5	63.8	69.1	68.3	67.2	66.0	65.6
	17:05	68.0	92.9	85.4	64.1	70.4	68.7	66.5	65.5	65.2
	17:10	67.1	92.0	79.3	62.3	70.0	68.6	66.0	64.5	63.9
	17:15	63.9	88.6	70.9	59.0	66.2	65.4	63.3	61.3	60.8
	17:20	63.1	88.0	75.3	57.5	66.4	64.7	62.1	60.3	59.7
	17:25	64.3	89.1	81.7	54.4	67.9	64.4	59.8	57.0	56.3
	17:30	61.6	86.5	74.8	54.0	66.2	63.9	59.1	56.3	55.6
	17:35	61.0	85.9	72.9	52.7	65.8	63.9	59.2	55.0	54.3
	17:40	61.6	86.5	78.6	51.5	64.8	62.7	58.3	54.2	53.2
	17:45	58.0	82.9	68.0	49.5	63.2	61.7	56.0	52.7	51.9
	17:50	59.1	83.9	68.6	50.5	63.9	62.7	56.5	52.9	52.1
	17:55	60.2	85.1	71.5	49.5	65.2	63.2	57.2	52.8	51.9

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0246 – R6512-0248

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเทรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเทรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : สำนักงานโครงการนิคมฯ ปันทอง โครงการ 1 (N2)

SAMPLE NO. : 35154-35156

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 090086 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lae	Lmax	Lmin	La05	La10	La50	La90	La95
25/11/2022	18:00	59.7	84.6	70.8	50.9	64.4	63.1	58.0	53.4	52.5
	18:05	64.6	89.4	82.1	50.8	69.1	66.5	60.0	54.5	52.8
	18:10	60.9	85.8	69.3	50.8	65.7	64.2	59.2	53.8	52.6
	18:15	63.4	88.2	82.0	51.7	67.9	64.9	59.4	55.2	53.8
	18:20	63.0	87.9	77.5	52.1	67.1	65.6	61.0	55.9	54.8
	18:25	61.1	86.0	71.6	51.0	65.4	64.3	59.6	54.2	53.2
	18:30	60.6	85.5	69.9	51.0	65.0	63.6	59.1	54.7	53.6
	18:35	63.5	88.3	78.0	52.5	68.8	65.7	60.3	55.1	54.3
	18:40	66.8	91.7	83.0	50.0	71.5	66.9	61.2	56.1	54.4
	18:45	64.7	89.5	80.3	51.9	70.7	67.2	60.3	54.9	54.1
	18:50	60.5	85.4	70.1	51.0	65.4	63.6	58.6	53.6	53.0
	18:55	58.5	83.4	69.1	50.6	63.8	61.7	56.2	52.5	51.9
	19:00	60.6	85.5	77.7	49.7	65.4	63.5	57.5	52.0	51.2
	19:05	66.6	91.5	84.4	56.2	70.9	68.3	61.6	58.6	58.1
	19:10	62.6	87.5	73.0	54.9	67.1	65.4	61.0	57.2	56.4
	19:15	62.1	87.0	75.9	50.6	67.7	65.2	58.3	54.0	53.1
	19:20	62.4	87.2	79.8	51.0	67.6	64.6	57.5	53.5	52.7
	19:25	57.4	82.3	65.2	50.5	62.0	60.5	55.7	52.7	52.0
	19:30	57.8	82.7	67.6	51.6	62.1	60.8	56.0	53.3	52.8
	19:35	58.7	83.6	69.9	50.8	63.4	62.0	56.2	52.9	52.4
	19:40	54.7	79.6	62.5	49.8	59.1	57.7	53.1	50.9	50.6
	19:45	58.2	83.1	75.2	49.7	62.3	59.4	53.6	51.4	51.0
	19:50	54.7	79.6	65.4	49.6	59.7	57.2	52.3	50.7	50.4
	19:55	55.3	80.2	66.0	49.6	60.5	58.1	52.8	51.0	50.7

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0246 – R6512-0248

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเทรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองก้อ-แหลมฉะบับ ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเทรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : สำนักงานโครงการนิคมฯ ปิ่นทอง โครงการ 1 (N2)

SAMPLE NO. : 35154-35156

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 090086 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lae	Lmax	Lmin	La05	La10	La50	La90	La95
25/11/2022	20:00	56.8	81.6	72.7	49.8	61.0	59.1	53.7	51.4	51.0
	20:05	58.2	83.1	70.9	50.6	64.1	61.8	54.8	52.5	52.1
	20:10	60.3	85.2	80.2	51.6	65.2	62.7	56.2	52.9	52.4
	20:15	62.8	87.7	68.1	58.3	64.1	63.7	62.6	61.2	60.9
	20:20	62.8	87.6	73.4	58.0	64.2	63.6	62.0	60.4	60.0
	20:25	60.4	85.3	67.6	55.6	62.6	61.7	59.8	58.1	57.7
	20:30	59.1	84.0	69.3	53.3	61.7	60.5	58.1	56.4	55.8
	20:35	60.0	84.9	76.6	52.2	63.3	60.7	56.7	54.6	54.0
	20:40	57.7	82.6	66.4	51.7	62.4	60.7	56.2	54.0	53.5
	20:45	58.3	83.2	73.4	51.8	62.3	60.4	55.8	54.0	53.5
	20:50	57.5	82.4	70.2	51.7	63.0	60.1	54.3	52.8	52.6
	20:55	55.1	80.0	67.6	49.5	59.1	57.0	53.0	51.9	51.5
	21:00	56.8	81.7	70.7	51.7	60.1	58.9	54.3	52.8	52.5
	21:05	56.4	81.3	65.5	51.9	60.9	59.3	54.7	53.2	53.0
	21:10	55.1	80.0	63.4	52.1	58.6	57.0	53.6	52.9	52.8
	21:15	62.4	87.3	86.2	51.9	62.3	59.9	53.8	52.7	52.5
	21:20	54.4	79.2	65.3	50.2	57.8	56.6	53.0	51.6	50.8
	21:25	54.6	79.5	62.8	50.9	58.3	56.6	53.5	52.5	52.0
	21:30	58.6	83.5	75.1	52.0	63.1	60.0	54.2	53.1	53.0
	21:35	55.9	80.8	64.2	52.5	59.2	57.7	54.8	53.6	53.4
	21:40	57.8	82.7	75.7	52.5	60.9	57.9	54.0	53.3	53.2
	21:45	54.6	79.5	63.4	52.2	57.0	55.4	54.0	53.3	53.1
	21:50	54.5	79.4	62.1	52.7	56.8	55.4	53.9	53.4	53.3
	21:55	53.9	78.8	57.6	52.4	54.7	54.3	53.7	53.3	53.2

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0246 – R6512-0248

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : สำนักงานโครงการนิคมฯ ปิ่นทอง โครงการ 1 (N2)

SAMPLE NO. : 35154-35156

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 090086 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ac}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
25/11/2022	22:00	55.5	80.4	69.4	52.4	57.8	56.1	54.0	53.2	53.0
	22:05	55.4	80.3	65.8	52.3	58.9	56.9	53.9	53.1	52.9
	22:10	55.7	80.6	69.1	52.4	59.9	57.1	53.7	53.1	53.0
	22:15	54.5	79.3	71.4	51.9	56.3	55.2	53.6	53.0	52.8
	22:20	54.8	79.7	64.3	52.3	57.5	56.3	54.0	53.1	53.0
	22:25	56.9	81.7	68.2	52.3	62.4	58.8	54.0	53.3	53.1
	22:30	53.3	78.2	62.6	50.0	57.7	55.3	51.6	50.9	50.7
	22:35	54.6	79.5	75.1	50.2	58.3	55.2	51.5	51.1	51.0
	22:40	51.7	76.6	58.4	50.0	52.6	52.2	51.5	51.0	50.9
	22:45	52.9	77.8	58.1	50.9	55.1	54.3	52.2	51.6	51.5
	22:50	53.5	78.3	65.9	51.0	55.2	53.7	52.1	51.6	51.5
	22:55	55.7	80.6	68.0	51.3	60.0	57.4	54.2	52.7	52.5
	23:00	56.1	81.0	70.6	52.0	58.2	57.0	54.6	53.2	53.0
	23:05	56.3	81.1	70.9	51.6	58.6	57.2	53.3	52.4	52.2
	23:10	54.5	79.4	67.6	50.9	57.4	55.9	53.4	52.4	52.2
	23:15	54.7	79.6	64.1	51.8	58.0	56.6	53.5	52.8	52.6
	23:20	55.6	80.5	62.3	52.3	58.9	57.9	54.5	53.4	53.2
	23:25	55.7	80.6	69.7	52.0	59.3	57.3	53.6	53.0	52.8
	23:30	55.7	80.6	67.7	52.3	59.3	58.0	53.9	53.2	53.0
	23:35	54.2	79.1	61.2	52.1	57.8	55.1	53.4	52.9	52.7
	23:40	54.1	79.0	59.9	52.1	57.0	55.5	53.4	52.9	52.7
	23:45	54.2	79.1	64.1	51.8	57.2	55.3	53.2	52.7	52.5
	23:50	55.0	79.8	64.3	52.0	59.3	56.2	53.4	52.7	52.5
	23:55	54.7	79.6	63.8	51.2	58.7	56.0	53.5	52.8	52.6

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0246 – R6512-0248

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเทรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ต. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเทรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : สำนักงานโครงการนิคมฯ ปันทอง โครงการ 1 (N2)

SAMPLE NO. : 35154-35156

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 090086 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lae	Lmax	Lmin	La05	La10	La50	La90	La95
26/11/2022	00:00	57.8	82.6	74.9	51.2	62.0	59.2	53.8	52.8	52.6
	00:05	53.7	78.6	63.6	51.5	56.5	55.0	52.8	52.2	52.1
	00:10	54.3	79.2	69.5	51.2	57.2	54.5	52.4	51.8	51.7
	00:15	52.6	77.5	61.1	50.3	53.3	52.8	52.1	51.7	51.6
	00:20	52.9	77.8	62.3	51.1	54.2	52.8	52.2	51.8	51.6
	00:25	53.3	78.1	60.8	51.0	56.0	54.7	52.4	51.7	51.6
	00:30	53.9	78.7	62.0	50.9	57.2	55.5	52.8	51.7	51.6
	00:35	54.7	79.6	70.0	49.8	57.0	54.9	52.2	51.6	51.5
	00:40	53.1	78.0	64.4	50.6	55.1	53.2	51.9	51.4	51.3
	00:45	54.2	79.1	71.1	50.8	54.9	53.3	52.1	51.6	51.5
	00:50	53.5	78.4	65.0	48.7	56.6	54.6	51.8	51.3	51.0
	00:55	52.2	77.1	61.3	49.5	53.6	52.7	51.7	51.2	51.1
	01:00	51.9	76.8	56.2	50.8	52.7	52.3	51.7	51.3	51.2
	01:05	52.2	77.1	58.4	50.7	53.2	52.8	51.9	51.5	51.3
	01:10	53.0	77.9	60.4	50.3	54.6	53.9	52.5	51.7	51.5
	01:15	53.0	77.9	64.7	51.3	54.2	53.6	52.6	52.1	52.0
	01:20	53.4	78.3	64.2	50.6	54.9	53.7	52.4	52.0	51.9
	01:25	52.9	77.8	59.9	51.1	54.3	53.5	52.5	52.0	51.9
	01:30	55.4	80.3	69.2	50.5	60.5	56.6	52.5	51.4	51.2
	01:35	52.3	77.2	54.0	50.2	53.0	52.8	52.2	51.6	51.4
	01:40	52.9	77.8	57.9	51.6	54.3	53.4	52.6	52.2	52.1
	01:45	52.9	77.8	58.0	51.5	53.7	53.2	52.6	52.2	52.1
	01:50	54.2	79.1	67.1	51.7	58.6	55.6	52.8	52.3	52.2
	01:55	53.7	78.6	61.8	51.5	55.8	54.8	53.0	52.3	52.2

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0246 – R6512-0248

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)
 ADDRESS : 789 ม. 1 ต. สายหนองก้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230
 SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)
 SAMPLE POINT : สำนักงานโครงการนิคมฯ ปิ่นทอง โครงการ 1 (N2)
 DETERMINATION METHOD : ISO 1996-1:2016
 INSTRUMENT : Integrated Sound Level Meter
 S/N 090086 : Type 2

SAMPLE NO. : 35154-35156
 MEASURING DATE : 23-26/11/2022
 RECEIVED DATE : 28/11/2022
 REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ae}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
26/11/2022	02:00	54.5	79.3	70.3	51.4	57.3	54.0	52.5	52.0	51.9
	02:05	52.4	77.3	54.2	50.8	53.0	52.8	52.3	51.9	51.7
	02:10	54.6	79.5	70.1	49.8	55.8	53.6	52.1	51.0	50.6
	02:15	52.9	77.8	66.6	49.5	55.4	53.7	51.2	50.4	50.2
	02:20	50.3	75.2	57.8	48.0	52.1	51.1	50.0	48.7	48.6
	02:25	49.2	74.1	59.2	46.8	52.0	50.9	48.3	47.7	47.5
	02:30	51.7	76.6	66.4	47.4	54.8	53.3	49.8	48.3	48.1
	02:35	49.9	74.8	55.1	47.5	52.2	51.5	49.3	48.1	48.0
	02:40	50.7	75.6	56.4	47.6	53.5	52.4	50.0	48.5	48.3
	02:45	48.9	73.8	55.4	47.0	51.1	50.2	48.3	47.7	47.5
	02:50	50.2	75.1	61.1	47.2	55.3	51.8	48.2	47.8	47.7
	02:55	49.9	74.8	57.8	47.1	53.8	52.5	48.5	47.5	47.5
	03:00	50.0	74.9	60.5	47.1	52.1	51.3	48.9	47.9	47.7
	03:05	51.7	76.6	64.4	46.6	55.6	53.2	49.3	47.8	47.6
	03:10	50.3	75.2	59.7	46.7	53.2	51.9	49.3	48.0	47.7
	03:15	50.7	75.6	59.3	47.3	53.9	52.8	49.6	48.3	48.1
	03:20	52.2	77.1	60.4	47.5	55.3	54.3	51.1	48.7	48.3
	03:25	51.9	76.7	61.3	47.1	54.8	53.5	51.0	49.1	48.6
	03:30	52.7	77.6	60.6	48.0	55.8	54.7	51.7	49.7	49.3
	03:35	57.6	82.5	76.4	47.8	61.3	58.3	52.0	49.8	49.3
	03:40	54.4	79.2	64.6	48.9	58.5	56.2	52.9	51.0	50.6
	03:45	61.2	86.1	78.1	48.8	64.3	60.4	55.6	52.2	51.4
	03:50	57.1	82.0	65.8	50.9	60.1	59.0	56.1	53.7	53.1
	03:55	57.8	82.7	64.8	51.0	61.6	60.4	56.9	54.5	53.9

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
 THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
 WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0246 – R6512-0248

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : สำนักงานโครงการนิคมฯ ปิ่นทอง โครงการ 1 (N2)

SAMPLE NO. : 35154-35156

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 090086 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ae}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
26/11/2022	04:00	59.8	84.7	75.0	52.4	62.2	60.9	57.8	55.5	54.9
	04:05	57.7	82.6	65.5	52.2	60.5	59.7	57.0	54.9	54.2
	04:10	62.5	87.4	80.5	51.4	65.9	63.3	57.3	54.2	53.5
	04:15	58.2	83.1	69.0	52.0	62.0	60.0	57.0	55.1	54.6
	04:20	60.3	85.2	76.4	52.2	63.0	60.6	56.9	55.1	54.6
	04:25	59.4	84.3	69.6	53.1	62.6	61.4	58.4	56.2	55.6
	04:30	59.6	84.5	70.4	54.2	62.8	61.7	58.5	56.4	55.9
	04:35	60.5	85.4	73.6	54.0	63.6	62.3	58.3	56.4	55.8
	04:40	59.7	84.6	67.3	54.1	63.5	62.2	58.5	56.4	56.0
	04:45	61.2	86.1	75.6	53.5	65.6	63.0	58.7	56.5	56.0
	04:50	58.9	83.8	65.1	53.9	61.4	60.4	58.2	56.7	56.2
	04:55	57.9	82.8	64.1	53.2	60.6	59.7	57.3	55.4	54.7
	05:00	57.4	82.2	65.2	50.3	61.0	60.0	56.1	53.4	52.9
	05:05	58.9	83.8	68.7	49.5	63.8	62.7	56.4	53.0	52.1
	05:10	60.5	85.3	73.7	48.9	65.6	63.5	56.3	51.4	50.3
	05:15	56.6	81.5	68.4	49.1	62.8	60.5	52.1	49.9	49.6
	05:20	65.0	89.8	86.2	49.5	66.9	65.1	58.5	53.1	51.8
	05:25	58.8	83.7	76.6	49.8	63.1	62.1	55.6	51.9	51.1
	05:30	63.5	88.3	79.9	49.3	67.6	65.4	58.3	52.8	51.0
	05:35	61.9	86.8	76.6	49.8	66.1	64.7	59.0	52.7	51.8
	05:40	63.2	88.1	78.8	50.2	69.0	65.8	59.1	53.1	51.8
	05:45	61.8	86.6	75.0	51.2	67.1	64.9	59.1	53.6	52.6
	05:50	64.0	88.7	75.0	53.2	68.9	67.1	61.5	57.0	56.1
	05:55	63.8	88.6	80.3	52.1	68.0	66.0	61.0	55.3	54.4

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0246 – R6512-0248

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)
 ADDRESS : 789 ม. 1 อ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230
 SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)
 SAMPLE POINT : สำนักงานโครงการนิคมฯ ปันทอง โครงการ 1 (N2)
 DETERMINATION METHOD : ISO 1996-1:2016
 INSTRUMENT : Integrated Sound Level Meter
 S/N 090086 : Type 2

SAMPLE NO. : 35154-35156
 MEASURING DATE : 23-26/11/2022
 RECEIVED DATE : 28/11/2022
 REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lae	Lmax	Lmin	La05	La10	La50	La90	La95
26/11/2022	06:00	64.0	88.7	77.3	53.4	68.6	66.6	61.7	57.1	55.5
	06:05	63.7	88.5	74.3	53.0	67.9	66.1	62.7	57.8	56.8
	06:10	64.3	89.1	75.5	54.8	68.2	66.8	63.0	58.3	56.9
	06:15	65.3	90.1	75.1	56.2	69.5	68.2	63.8	59.2	58.3
	06:20	68.6	93.5	88.2	54.6	70.4	68.6	63.8	60.2	59.2
	06:25	68.6	93.5	85.9	54.3	72.9	70.4	64.9	60.2	59.0
	06:30	66.5	91.3	80.2	55.0	70.8	68.6	63.3	59.6	58.1
	06:35	66.2	91.1	78.3	55.2	71.0	69.0	64.1	58.7	57.6
	06:40	64.0	88.8	78.6	51.3	68.2	66.7	62.1	55.8	54.8
	06:45	64.1	88.9	77.6	51.2	69.1	67.5	60.8	54.8	54.0
	06:50	59.8	84.7	69.0	48.9	63.9	63.2	58.2	52.8	51.9
	06:55	61.2	86.1	72.3	53.1	65.6	64.0	59.2	55.9	55.1
	07:00	62.0	86.9	78.6	51.9	67.5	64.3	59.6	55.3	54.4
	07:05	60.4	85.3	72.8	50.3	66.0	63.7	56.1	52.5	51.6
	07:10	59.7	84.6	71.6	50.0	64.1	63.0	57.2	52.4	51.6
	07:15	62.8	87.7	83.9	50.0	67.5	63.1	56.3	52.2	51.6
	07:20	58.8	83.7	73.0	49.2	63.5	61.8	55.6	51.0	50.5
	07:25	56.8	81.7	70.9	48.6	61.6	60.0	53.8	50.5	50.0
	07:30	57.4	82.3	73.1	49.3	61.9	60.3	54.6	51.1	50.7
	07:35	59.3	84.2	68.5	48.7	64.9	63.1	56.6	51.2	50.3
	07:40	56.5	81.4	75.7	47.0	60.1	58.5	53.2	49.3	48.9
	07:45	53.3	78.2	60.7	46.3	57.9	56.4	51.8	48.7	48.2
	07:50	57.9	82.7	81.7	46.1	60.0	58.6	52.7	48.8	48.1
	07:55	55.9	80.7	66.5	47.5	60.9	59.3	53.0	50.2	49.2

Remark : Measurement By Mr. Tummarut Photankhum



Approved By.....

(MRS. WANPEN LHAOCHINDAWAT)

08/12/2022

REPORTED BY: REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY



Request No. LA65-R1207

Report No. R6512-0240 – R6512-0242

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองก้อ-แหลมอับัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : ชุมชนบ้านโนนซาก (N3)

DETERMINATION METHOD : ISO 1996-1:2016

INSTRUMENT : Integrated Sound Level Meter

S/N 090087 : Type 2

SAMPLE NO. : 35148-35150

MEASURING DATE : 23-26/11/2022

RECEIVED DATE : 28/11/2022

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ae}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
23/11/2022	08:00	51.8	76.7	68.7	47.0	55.9	54.1	49.5	48.1	47.9
	08:05	59.9	84.7	75.2	47.0	67.2	58.5	50.1	48.3	48.0
	08:10	58.1	83.0	75.3	47.7	59.7	56.1	50.6	48.8	48.5
	08:15	52.7	77.6	65.7	47.4	57.3	55.2	50.5	48.5	48.3
	08:20	52.6	77.5	67.2	47.4	56.2	54.6	51.0	48.7	48.3
	08:25	54.3	79.1	68.7	48.1	58.9	56.5	51.6	49.2	48.9
	08:30	54.2	79.1	70.6	47.7	59.1	56.5	51.2	49.0	48.7
	08:35	55.4	80.3	72.0	48.1	59.3	57.0	51.9	49.3	49.0
	08:40	56.9	81.8	70.4	47.5	61.2	57.7	52.0	49.3	48.7
	08:45	54.4	79.3	68.9	48.0	58.2	56.7	51.9	49.6	49.2
	08:50	56.0	80.9	80.5	48.5	59.9	57.9	52.7	49.9	49.5
	08:55	54.4	79.3	67.5	47.8	58.5	56.8	52.5	49.2	48.7
	09:00	52.8	77.7	62.5	47.8	57.0	55.7	51.2	49.2	48.9
	09:05	54.4	79.3	68.4	48.4	58.5	56.7	52.3	49.9	49.5
	09:10	55.9	80.8	70.5	48.7	60.6	58.4	53.3	50.3	49.9
	09:15	56.5	81.4	73.9	48.5	60.0	58.8	54.0	50.5	49.8
	09:20	55.2	80.1	68.8	48.9	58.8	57.8	53.6	50.5	50.0
	09:25	54.5	79.3	64.4	48.8	58.8	57.3	52.6	50.5	50.0
	09:30	57.8	82.7	79.9	48.8	61.3	58.7	53.6	50.7	50.2
	09:35	58.4	83.2	79.0	48.4	61.6	58.2	53.1	50.5	49.7
	09:40	53.7	78.6	68.1	48.1	57.7	56.1	51.4	49.4	49.0
	09:45	57.7	82.6	77.9	47.6	62.6	59.6	53.4	49.4	48.9
	09:50	51.2	76.1	61.4	46.6	55.2	53.6	49.5	47.9	47.6
	09:55	52.2	77.1	66.5	47.1	56.2	54.8	49.6	48.1	47.9

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0240 – R6512-0242

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเทรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองก้อ-แหลมอับัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเทรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : ชุมชนบ้านโนนซาก (N3)

DETERMINATION METHOD : ISO 1996-1:2016

INSTRUMENT : Integrated Sound Level Meter

S/N 090087 : Type 2

SAMPLE NO. : 35148-35150

MEASURING DATE : 23-26/11/2022

RECEIVED DATE : 28/11/2022

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ac}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
23/11/2022	10:00	54.7	79.6	73.0	47.2	59.4	57.1	51.2	48.7	48.3
	10:05	52.2	77.1	64.3	47.8	56.0	54.4	50.4	48.7	48.5
	10:10	51.9	76.8	65.4	47.6	55.1	53.6	50.2	48.8	48.5
	10:15	53.1	78.0	67.0	47.5	57.4	54.6	50.5	48.7	48.5
	10:20	53.6	78.5	70.2	47.4	58.6	56.3	50.8	48.9	48.6
	10:25	51.9	76.8	62.1	47.4	56.0	54.0	50.6	48.5	48.2
	10:30	54.1	79.0	66.1	47.8	59.1	57.1	51.4	49.5	49.3
	10:35	54.2	79.1	69.1	47.9	57.6	55.6	51.5	49.1	48.8
	10:40	53.2	78.1	66.8	48.1	57.2	55.9	51.6	49.2	49.0
	10:45	53.5	78.4	65.6	48.1	57.1	55.7	51.4	49.3	49.0
	10:50	52.8	77.7	67.0	47.5	56.2	54.9	51.1	48.8	48.5
	10:55	52.1	77.0	61.5	47.2	56.2	54.5	50.8	48.7	48.3
	11:00	52.7	77.6	68.3	47.4	56.7	54.5	50.4	48.8	48.5
	11:05	51.4	76.2	63.6	47.4	55.0	53.3	49.8	48.7	48.5
	11:10	51.0	75.9	65.2	47.4	54.9	53.2	49.3	48.2	48.0
	11:15	51.4	76.2	64.4	47.3	56.8	53.9	48.9	48.1	48.0
	11:20	54.2	79.1	73.2	46.8	59.8	56.3	50.4	48.4	48.0
	11:25	53.5	78.4	73.3	46.3	56.4	53.6	49.3	47.5	47.1
	11:30	52.7	77.6	64.2	47.0	57.8	55.2	50.1	48.6	48.3
	11:35	52.5	77.4	65.1	47.0	57.4	55.1	49.9	48.4	48.0
	11:40	54.3	79.2	70.7	47.4	58.8	56.8	51.4	49.2	48.8
	11:45	51.5	76.4	64.2	47.4	55.5	53.7	49.9	48.3	48.0
	11:50	54.6	79.5	74.4	47.6	59.5	56.6	50.0	48.6	48.4
	11:55	54.5	79.4	72.0	47.5	59.8	56.9	51.2	48.7	48.5

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0240 -- R6512-0242

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : ชุมชนบ้านโนนซาก (N3)

SAMPLE NO. : 35148-35150

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 090087 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lae	Lmax	Lmin	La05	La10	La50	La90	La95
23/11/2022	12:00	59.5	84.4	83.2	47.1	61.6	55.3	49.6	48.3	48.0
	12:05	53.6	78.5	67.7	46.2	59.6	55.8	49.3	47.7	47.4
	12:10	56.5	81.3	72.5	48.3	62.7	58.7	51.6	49.6	49.3
	12:15	50.9	75.7	61.9	46.9	54.3	52.8	49.5	48.0	47.8
	12:20	50.9	75.8	61.7	47.2	54.2	53.0	49.5	48.1	47.9
	12:25	53.0	77.9	67.8	46.4	57.3	54.5	49.7	48.0	47.4
	12:30	51.0	75.9	60.9	47.8	54.6	53.0	49.6	48.5	48.4
	12:35	50.5	75.4	59.2	46.8	54.5	52.9	49.0	48.0	47.8
	12:40	51.8	76.7	67.1	46.6	56.1	54.3	49.6	48.0	47.8
	12:45	50.9	75.8	60.0	47.2	54.6	53.1	49.5	48.3	48.1
	12:50	51.0	75.9	62.5	47.3	55.1	52.8	49.4	48.3	48.1
	12:55	51.3	76.2	64.5	47.8	54.7	52.7	49.8	48.6	48.4
	13:00	53.0	77.9	72.7	46.5	56.2	53.6	49.8	48.0	47.7
	13:05	52.9	77.7	69.1	47.9	57.2	54.9	50.2	48.7	48.5
	13:10	56.6	81.4	76.0	48.1	59.5	56.6	51.1	49.1	48.9
	13:15	52.6	77.5	64.0	48.0	56.6	55.2	51.1	49.3	49.1
	13:20	52.9	77.8	70.6	47.7	57.1	55.0	50.9	48.9	48.7
	13:25	52.4	77.3	64.8	47.9	56.6	54.7	50.5	48.9	48.5
	13:30	51.8	76.7	62.7	47.4	55.3	54.0	50.3	48.8	48.6
	13:35	52.1	77.0	68.3	47.5	56.4	53.7	49.9	48.6	48.4
	13:40	52.6	77.5	70.6	48.0	56.2	54.8	50.3	48.7	48.6
	13:45	52.6	77.5	71.4	48.0	55.5	54.1	50.3	49.0	48.8
	13:50	52.8	77.7	66.9	48.3	56.4	55.0	51.0	49.3	49.1
	13:55	50.2	75.1	60.9	47.0	53.5	52.2	49.0	48.0	47.7

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY



Request No. LA65-R1207

Report No. R6512-0240 – R6512-0242

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองก้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : ชุมชนบ้านโนน خاک (N3)

DETERMINATION METHOD : ISO 1996-1:2016

INSTRUMENT : Integrated Sound Level Meter

S/N 090087 : Type 2

SAMPLE NO. : 35148-35150

MEASURING DATE : 23-26/11/2022

RECEIVED DATE : 28/11/2022

REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lae	Lmax	Lmin	La05	La10	La50	La90	La95
23/11/2022	14:00	49.8	74.7	62.2	46.9	52.9	51.2	48.8	47.7	47.5
	14:05	52.4	77.3	66.8	47.7	56.1	54.8	50.2	48.7	48.5
	14:10	52.3	77.2	64.5	47.3	56.5	54.8	50.2	48.4	48.2
	14:15	52.7	77.6	62.1	47.3	57.4	55.5	50.6	48.7	48.4
	14:20	52.7	77.6	74.9	47.3	54.3	53.0	49.7	48.5	48.3
	14:25	52.7	77.6	67.2	46.5	57.5	55.2	50.3	48.0	47.4
	14:30	52.1	77.0	65.8	47.3	55.9	54.3	50.4	48.5	48.2
	14:35	52.3	77.2	66.4	46.3	57.5	54.6	49.1	47.7	47.3
	14:40	50.1	75.0	58.7	46.6	53.1	51.7	49.1	47.8	47.5
	14:45	51.6	76.5	65.2	46.4	55.9	54.0	50.1	48.2	47.6
	14:50	53.4	78.3	69.9	46.3	58.0	55.4	50.0	47.6	47.2
	14:55	50.9	75.8	63.7	47.3	54.7	52.5	49.4	48.2	48.0
	15:00	52.0	76.9	68.2	46.3	56.4	54.6	49.4	47.7	47.3
	15:05	51.4	76.2	62.9	47.2	54.9	53.7	50.0	48.4	48.2
	15:10	51.0	75.9	66.0	46.4	54.0	52.3	49.0	47.6	47.3
	15:15	50.9	75.8	66.5	46.3	54.0	52.0	48.8	47.7	47.3
	15:20	52.0	76.8	69.9	46.7	56.3	54.0	49.2	47.7	47.5
	15:25	53.0	77.9	66.8	47.0	58.7	56.1	49.4	47.9	47.7
	15:30	50.9	75.8	65.9	47.3	54.7	52.4	49.0	48.2	48.1
	15:35	58.7	83.6	79.8	47.1	61.5	56.2	49.8	48.0	47.8
	15:40	52.1	77.0	63.6	47.0	56.7	55.1	49.5	48.0	47.8
	15:45	52.0	76.9	68.9	47.2	56.7	54.7	49.4	48.1	47.9
	15:50	52.4	77.2	65.8	47.8	56.7	54.8	50.2	48.8	48.6
	15:55	51.9	76.7	63.6	47.0	55.7	54.3	50.0	48.4	48.1

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0240 – R6512-0242

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมอับัง ค. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : ชุมชนบ้านโนนซาก (N3)

DETERMINATION METHOD : ISO 1996-1:2016

INSTRUMENT : Integrated Sound Level Meter

S/N 090087 : Type 2

SAMPLE NO. : 35148-35150

MEASURING DATE : 23-26/11/2022

RECEIVED DATE : 28/11/2022

REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lae	Lmax	Lmin	La05	La10	La50	La90	La95
23/11/2022	16:00	52.3	77.2	65.8	47.5	56.5	54.7	50.0	48.2	48.0
	16:05	51.8	76.7	66.3	47.2	56.0	54.5	49.7	48.3	48.1
	16:10	51.5	76.4	69.3	47.4	54.6	53.2	50.0	48.4	48.1
	16:15	52.9	77.7	68.1	47.2	57.6	54.9	49.6	48.2	47.9
	16:20	51.5	76.4	61.4	47.7	55.3	53.8	50.0	48.6	48.4
	16:25	51.7	76.6	68.1	47.4	55.3	53.3	49.6	48.4	48.2
	16:30	53.1	78.0	68.9	47.8	57.5	55.0	50.8	49.0	48.6
	16:35	52.1	77.0	65.6	47.0	56.6	54.0	49.6	48.0	47.8
	16:40	52.8	77.7	71.1	47.5	55.7	54.0	50.0	48.5	48.3
	16:45	51.2	76.1	64.8	46.8	54.8	53.3	49.1	47.9	47.7
	16:50	52.2	77.1	65.0	47.6	55.9	54.4	50.5	48.7	48.5
	16:55	53.7	78.6	64.0	48.6	58.3	56.3	52.0	50.1	49.8
	17:00	53.0	77.9	67.3	48.0	56.8	55.0	51.2	49.4	49.0
	17:05	52.7	77.6	66.5	47.9	56.3	54.9	51.0	49.3	48.9
	17:10	51.5	76.4	62.9	47.4	55.4	53.5	49.9	48.6	48.4
	17:15	52.3	77.2	72.7	47.4	55.6	53.9	49.7	48.4	48.2
	17:20	51.8	76.7	67.6	47.4	55.6	53.5	49.4	48.4	48.2
	17:25	51.9	76.7	66.8	47.8	55.3	52.7	49.8	48.8	48.6
	17:30	53.0	77.9	69.5	47.2	57.0	53.8	49.7	48.5	48.3
	17:35	51.8	76.7	68.0	47.0	55.6	52.8	49.1	48.0	47.8
	17:40	51.6	76.5	65.6	47.0	55.6	53.2	49.5	48.3	48.0
	17:45	52.1	77.1	69.7	47.1	55.6	53.6	49.8	48.3	48.0
	17:50	54.0	78.9	75.5	46.7	56.6	54.4	49.6	48.0	47.8
	17:55	52.3	77.2	69.0	47.1	56.0	54.1	49.8	48.2	48.0

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY



Request No. LA65-R1207

Report No. R6512-0240 – R6512-0242

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ต. สายหนองก้อ-แหลมอับัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : ชุมชนบ้านในซาก (N3)

DETERMINATION METHOD : ISO 1996-1:2016

INSTRUMENT : Integrated Sound Level Meter

S/N 090087 : Type 2

SAMPLE NO. : 35148-35150

MEASURING DATE : 23-26/11/2022

RECEIVED DATE : 28/11/2022

REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lae	Lmax	Lmin	La05	La10	La50	La90	La95
23/11/2022	18:00	53.9	78.7	71.7	48.1	56.8	54.0	50.0	49.0	48.8
	18:05	50.6	75.5	66.0	46.8	53.8	52.4	49.3	48.0	47.7
	18:10	57.2	82.1	81.2	46.8	54.4	52.3	48.8	47.7	47.5
	18:15	52.7	77.6	72.6	47.4	55.6	53.0	49.1	48.2	48.1
	18:20	53.8	78.7	70.8	47.6	58.7	55.7	50.3	48.6	48.4
	18:25	51.8	76.7	62.7	47.6	55.6	54.3	50.1	48.7	48.4
	18:30	53.6	78.5	71.2	47.7	57.3	54.2	50.0	48.8	48.6
	18:35	54.4	79.2	69.4	47.7	59.9	56.0	49.9	48.6	48.5
	18:40	50.3	75.1	60.4	47.3	53.1	51.5	49.3	48.2	48.0
	18:45	50.9	75.8	66.2	47.3	54.5	52.4	49.3	48.3	48.1
	18:50	51.5	76.4	63.1	47.3	54.6	53.4	49.6	48.3	48.1
	18:55	50.2	75.1	65.9	47.0	52.2	51.1	48.9	47.9	47.7
	19:00	53.3	78.2	74.7	47.1	55.1	52.8	49.2	48.1	47.9
	19:05	53.2	78.1	68.8	46.9	57.6	54.4	49.9	48.3	47.9
	19:10	53.8	78.7	73.7	46.9	57.2	54.6	50.1	48.0	47.7
	19:15	51.1	76.0	69.8	47.0	53.2	52.1	49.4	48.1	47.8
	19:20	50.3	75.2	61.7	47.0	53.0	51.9	49.3	48.1	47.9
	19:25	51.5	76.4	67.6	47.3	54.8	52.8	49.3	48.1	48.0
	19:30	50.9	75.8	64.4	46.5	55.0	53.5	49.0	47.6	47.3
	19:35	50.4	75.3	62.2	46.7	53.7	52.2	48.7	47.8	47.5
	19:40	50.3	75.2	66.4	47.2	53.3	51.6	48.8	48.0	47.8
	19:45	50.1	75.0	61.3	47.5	52.1	50.8	49.0	48.3	48.2
	19:50	52.9	77.7	68.6	48.1	56.2	54.5	51.0	49.4	48.9
	19:55	51.3	76.2	62.0	48.1	54.2	52.8	50.5	49.1	48.9

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0240 – R6512-0242

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองก้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : ชุมชนบ้านโนนซาก (N3)

DETERMINATION METHOD : ISO 1996-1:2016

INSTRUMENT : Integrated Sound Level Meter

S/N 090087 : Type 2

SAMPLE NO. : 35148-35150

MEASURING DATE : 23-26/11/2022

RECEIVED DATE : 28/11/2022

REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lae	Lmax	Lmin	La05	La10	La50	La90	La95
23/11/2022	20:00	52.4	77.3	63.0	48.3	56.2	54.7	50.8	49.0	48.8
	20:05	52.4	77.3	67.6	47.9	56.6	53.3	50.0	48.9	48.7
	20:10	51.3	76.2	66.8	47.6	55.0	53.1	49.9	48.9	48.7
	20:15	49.4	74.3	56.6	47.4	51.0	50.2	48.9	48.2	48.1
	20:20	54.2	79.1	74.0	47.5	57.9	53.1	49.0	48.2	48.1
	20:25	49.5	74.4	61.9	46.2	53.0	51.1	48.2	47.4	47.2
	20:30	50.9	75.8	74.4	47.1	50.7	49.2	48.3	47.7	47.6
	20:35	50.1	75.0	67.3	46.8	52.2	50.0	48.1	47.5	47.4
	20:40	49.1	74.0	60.6	46.3	52.1	50.4	48.0	47.3	47.2
	20:45	48.9	73.7	55.6	46.5	50.7	49.8	48.4	47.6	47.3
	20:50	51.3	76.2	66.4	46.8	54.9	52.7	48.8	47.7	47.5
	20:55	50.4	75.3	65.9	46.7	53.3	51.3	48.5	47.6	47.5
	21:00	49.3	74.2	63.2	46.1	52.4	50.2	47.6	47.0	46.8
	21:05	50.9	75.7	72.5	46.5	53.2	51.6	48.3	47.4	47.2
	21:10	48.6	73.4	64.5	46.2	49.8	48.8	47.6	47.0	46.8
	21:15	47.9	72.8	55.7	45.9	49.4	48.6	47.7	46.7	46.5
	21:20	47.8	72.7	55.7	46.3	48.8	48.4	47.5	47.0	46.9
	21:25	49.4	74.3	63.0	46.4	51.4	49.8	47.9	47.3	47.2
	21:30	48.0	72.9	54.4	46.0	49.5	48.7	47.6	46.9	46.8
	21:35	48.4	73.3	59.5	46.0	50.4	48.8	47.6	46.9	46.8
	21:40	47.9	72.8	54.2	46.3	49.3	48.4	47.6	47.1	47.0
	21:45	48.6	73.4	57.6	46.2	51.6	49.7	47.6	47.1	47.0
	21:50	48.2	73.1	56.8	46.0	50.7	49.4	47.5	46.9	46.8
	21:55	48.0	72.9	56.4	45.7	50.0	48.9	47.2	46.5	46.4

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0240 – R6512-0242

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : ชุมชนบ้านโนนซาก (N3)

DETERMINATION METHOD : ISO 1996-1:2016

INSTRUMENT : Integrated Sound Level Meter

S/N 090087 : Type 2

SAMPLE NO. : 35148-35150

MEASURING DATE : 23-26/11/2022

RECEIVED DATE : 28/11/2022

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ae}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
23/11/2022	22:00	47.3	72.1	52.1	45.7	48.2	47.7	47.0	46.5	46.4
	22:05	51.2	76.0	69.3	45.8	51.1	48.6	47.2	46.6	46.4
	22:10	47.6	72.5	58.3	45.8	48.4	47.9	47.3	46.9	46.7
	22:15	55.0	79.8	72.2	46.1	60.2	51.2	47.7	47.0	46.8
	22:20	50.7	75.6	70.5	46.0	54.3	52.0	47.6	46.9	46.7
	22:25	58.0	82.9	80.9	45.8	51.4	49.3	47.2	46.5	46.4
	22:30	48.6	73.5	58.4	45.9	52.4	49.8	47.5	46.9	46.8
	22:35	47.5	72.4	55.8	45.9	48.1	47.8	47.2	46.7	46.6
	22:40	53.3	78.2	67.7	45.7	58.6	54.6	47.8	46.9	46.7
	22:45	47.1	72.0	51.8	45.6	48.1	47.6	46.9	46.3	46.2
	22:50	48.0	72.9	59.0	46.0	49.6	48.5	47.2	46.7	46.6
	22:55	47.5	72.4	58.8	45.6	48.9	48.0	47.1	46.3	46.2
	23:00	47.4	72.3	52.2	45.9	48.6	48.0	47.1	46.6	46.4
	23:05	47.4	72.2	55.3	45.6	48.6	47.6	46.9	46.4	46.2
	23:10	47.5	72.4	58.1	45.4	49.2	47.9	46.9	46.2	46.1
	23:15	48.3	73.2	64.4	45.6	50.3	48.2	47.0	46.4	46.2
	23:20	47.7	72.6	59.6	45.6	49.6	47.8	46.8	46.3	46.1
	23:25	53.1	78.1	70.7	45.4	59.5	57.0	47.0	46.3	46.1
	23:30	62.4	87.2	78.0	45.5	71.0	65.6	47.2	46.3	46.2
	23:35	63.4	88.2	78.1	45.6	71.6	68.1	47.3	46.5	46.4
	23:40	47.4	72.3	55.8	45.7	48.5	47.7	47.0	46.5	46.3
	23:45	47.7	72.6	54.7	45.5	50.0	48.9	47.1	46.4	46.2
	23:50	47.3	72.1	55.2	45.2	48.3	47.8	47.0	46.4	46.2
	23:55	47.3	72.2	52.6	45.9	47.9	47.7	47.1	46.6	46.5

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0240 – R6512-0242

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองก้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : ชุมชนบ้านโนนซาก (N3)

SAMPLE NO. : 35148-35150

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 090087 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ae}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
24/11/2022	00:00	47.1	72.0	49.6	45.7	47.7	47.6	47.0	46.4	46.3
	00:05	47.0	71.9	48.3	45.5	47.6	47.5	46.9	46.3	46.1
	00:10	47.4	72.3	53.4	45.8	48.7	47.9	47.0	46.4	46.3
	00:15	47.8	72.7	60.1	45.7	49.8	47.9	47.0	46.5	46.3
	00:20	48.5	73.3	62.8	45.5	50.7	48.7	47.0	46.3	46.2
	00:25	47.3	72.2	55.6	45.5	48.4	47.6	46.9	46.3	46.1
	00:30	47.9	72.7	58.6	45.8	49.7	48.8	47.1	46.5	46.4
	00:35	47.4	72.3	56.0	45.9	48.5	47.7	47.0	46.5	46.4
	00:40	48.0	72.9	60.2	45.4	50.9	48.6	47.0	46.4	46.2
	00:45	47.0	71.9	50.2	45.6	47.5	47.4	46.9	46.3	46.2
	00:50	47.6	72.5	57.3	45.7	48.1	47.8	47.2	46.5	46.3
	00:55	47.3	72.1	54.7	45.7	47.9	47.5	47.0	46.5	46.4
	01:00	47.4	72.3	52.5	46.0	47.9	47.8	47.3	46.8	46.6
	01:05	47.1	72.0	51.3	45.4	47.8	47.6	47.0	46.4	46.3
	01:10	47.2	72.1	50.4	45.5	47.8	47.7	47.0	46.4	46.3
	01:15	47.3	72.2	51.5	45.6	48.2	47.7	47.1	46.7	46.6
	01:20	47.7	72.6	58.3	45.5	49.9	48.6	47.0	46.3	46.1
	01:25	47.1	72.0	51.4	45.7	47.8	47.6	46.9	46.3	46.2
	01:30	47.2	72.1	56.0	45.7	47.7	47.5	46.9	46.4	46.3
	01:35	47.4	72.3	57.9	45.7	47.9	47.7	47.1	46.5	46.4
	01:40	47.1	72.0	48.1	45.9	47.6	47.5	47.0	46.5	46.4
	01:45	47.2	72.1	49.1	46.0	47.6	47.5	47.1	46.6	46.5
	01:50	47.5	72.4	55.9	46.0	48.1	47.7	47.1	46.6	46.5
	01:55	47.5	72.4	55.4	45.8	49.0	47.8	47.1	46.6	46.5

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0240 – R6512-0242

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองก้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : ชุมชนบ้านโนนซาก (N3)

SAMPLE NO. : 35148-35150

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 090087 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lae	Lmax	Lmin	La05	La10	La50	La90	La95
24/11/2022	02:00	47.2	72.1	57.3	45.6	47.7	47.4	46.8	46.3	46.2
	02:05	46.9	71.7	50.9	45.4	47.4	47.3	46.7	46.2	46.1
	02:10	47.4	72.3	59.1	45.5	48.6	47.6	46.8	46.3	46.2
	02:15	47.0	71.8	49.5	45.5	47.5	47.3	46.9	46.3	46.2
	02:20	46.9	71.8	52.4	45.5	47.5	47.3	46.8	46.2	46.1
	02:25	47.0	71.9	52.3	45.7	47.6	47.4	46.9	46.3	46.1
	02:30	47.1	72.0	51.3	45.6	47.8	47.5	46.9	46.3	46.2
	02:35	47.2	72.1	54.3	45.7	48.6	47.6	46.8	46.3	46.2
	02:40	48.0	72.8	61.2	45.6	49.7	48.1	46.9	46.3	46.2
	02:45	46.9	71.8	52.0	45.5	47.5	47.3	46.8	46.3	46.1
	02:50	47.2	72.1	54.3	45.5	48.4	47.6	46.8	46.3	46.1
	02:55	47.4	72.3	53.8	45.7	49.4	48.0	47.0	46.5	46.3
	03:00	47.3	72.2	53.4	45.8	48.0	47.7	47.0	46.5	46.4
	03:05	47.3	72.2	53.1	45.8	48.3	47.7	47.1	46.5	46.4
	03:10	48.2	73.1	57.8	46.0	51.0	49.6	47.3	46.7	46.6
	03:15	47.5	72.4	52.8	46.0	48.5	48.0	47.2	46.7	46.6
	03:20	47.5	72.4	52.7	45.7	48.8	48.0	47.2	46.7	46.5
	03:25	48.1	73.0	56.4	46.4	50.2	48.9	47.5	47.0	46.9
	03:30	48.1	72.9	60.7	46.1	50.4	48.7	47.4	46.9	46.7
	03:35	48.0	72.9	54.7	46.1	50.2	48.8	47.5	46.8	46.6
	03:40	50.0	74.9	64.4	46.3	54.5	51.2	47.7	47.0	46.8
	03:45	47.7	72.6	52.8	46.2	48.8	48.3	47.5	47.0	46.8
	03:50	47.9	72.7	55.2	46.1	49.0	48.4	47.5	47.0	46.8
	03:55	47.3	72.2	50.4	45.9	47.9	47.8	47.2	46.6	46.5

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0240 – R6512-0242

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองก้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : ชุมชนบ้านโนนซาก (N3)

SAMPLE NO. : 35148-35150

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 090087 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ae}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
24/11/2022	04:00	47.6	72.5	52.8	46.2	48.7	48.2	47.4	46.7	46.6
	04:05	49.7	74.6	58.7	46.2	53.6	52.3	48.0	46.9	46.8
	04:10	48.9	73.8	58.3	47.0	51.2	50.0	48.3	47.5	47.3
	04:15	49.2	74.1	57.4	46.7	51.6	50.3	48.6	47.6	47.4
	04:20	51.7	76.6	67.5	46.3	55.8	53.0	47.9	47.2	47.0
	04:25	50.7	75.5	69.4	46.4	52.0	49.8	47.9	47.2	47.0
	04:30	49.1	74.0	58.5	46.4	52.5	51.1	48.0	47.1	47.0
	04:35	48.5	73.4	56.3	46.5	50.2	49.5	48.0	47.3	47.1
	04:40	49.1	74.0	57.0	47.0	51.4	50.8	48.3	47.7	47.6
	04:45	48.6	73.5	54.5	46.4	50.2	49.6	48.2	47.5	47.3
	04:50	49.7	74.6	57.6	46.6	53.5	51.8	48.5	47.5	47.3
	04:55	50.0	74.9	61.9	46.7	53.3	51.9	48.5	47.6	47.4
	05:00	48.6	73.5	56.9	46.5	51.0	49.8	47.9	47.2	47.1
	05:05	49.8	74.7	60.8	46.8	53.2	51.9	48.6	47.5	47.4
	05:10	49.3	74.2	57.5	46.5	52.8	50.9	48.2	47.3	47.1
	05:15	51.0	75.9	63.5	46.9	54.4	52.9	48.9	47.7	47.5
	05:20	50.0	74.9	60.6	47.0	53.1	51.7	48.7	47.8	47.6
	05:25	50.0	74.9	63.6	46.8	53.1	51.5	48.4	47.7	47.5
	05:30	51.4	76.3	65.4	46.7	55.5	54.1	49.5	48.2	47.9
	05:35	51.0	75.9	60.0	46.5	54.9	53.6	49.7	47.9	47.6
	05:40	51.9	76.8	65.0	47.2	56.5	54.5	49.6	47.9	47.7
	05:45	50.5	75.4	62.5	46.6	53.7	52.5	49.3	47.8	47.5
	05:50	51.5	76.4	65.0	47.1	55.6	54.0	49.8	47.9	47.7
	05:55	54.2	79.1	74.7	47.0	57.7	54.7	50.0	48.2	47.9

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY



Request No. LA65-R1207

Report No. R6512-0240 – R6512-0242

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : ชุมชนบ้านโนน خاک (N3)

SAMPLE NO. : 35148-35150

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 090087 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lae	Lmax	Lmin	La95	La10	La50	La90	La95
24/11/2022	06:00	52.2	77.1	69.6	46.6	55.7	53.4	49.6	48.1	47.9
	06:05	51.5	76.4	68.5	47.4	54.8	53.4	50.2	48.5	48.3
	06:10	53.3	78.2	66.5	47.7	57.2	55.5	51.3	49.2	48.9
	06:15	55.7	80.6	72.3	48.9	59.7	58.0	52.6	50.1	49.7
	06:20	57.5	82.4	73.8	48.0	62.7	59.6	52.8	50.1	49.4
	06:25	60.3	85.2	74.0	47.5	67.6	63.9	52.5	49.6	49.2
	06:30	59.7	84.5	73.7	48.1	65.7	62.2	53.1	49.9	49.5
	06:35	58.8	83.7	74.2	48.1	66.1	60.9	52.4	49.6	49.2
	06:40	52.7	77.6	68.5	47.8	56.3	54.9	51.2	49.3	48.9
	06:45	53.9	78.8	68.2	47.8	57.5	55.7	52.3	49.3	48.8
	06:50	53.5	78.3	69.0	48.0	56.5	54.9	51.5	49.4	49.1
	06:55	52.9	77.7	65.8	48.2	56.0	54.2	51.4	49.8	49.5
	07:00	55.0	79.9	75.6	48.1	58.1	56.0	52.2	49.9	49.6
	07:05	55.7	80.6	72.8	48.2	58.9	55.9	51.1	49.5	49.2
	07:10	57.3	82.1	77.5	48.1	60.0	56.5	51.8	49.8	49.4
	07:15	58.4	83.3	83.0	48.3	58.8	57.0	52.5	50.0	49.5
	07:20	54.9	79.8	69.8	48.4	59.2	57.3	52.4	49.8	49.4
	07:25	57.6	82.5	75.5	47.8	64.1	61.1	51.9	49.3	48.9
	07:30	53.4	78.3	64.6	47.7	58.3	55.9	51.0	48.9	48.6
	07:35	53.4	78.3	69.9	47.3	57.4	55.3	50.8	49.0	48.7
	07:40	53.5	78.4	61.5	48.5	57.2	56.0	52.0	50.0	49.6
	07:45	53.1	78.0	64.6	47.8	57.7	55.4	51.3	49.2	48.9
	07:50	56.0	80.9	79.5	47.9	58.8	56.6	51.5	49.3	48.9
	07:55	53.5	78.4	71.9	47.1	56.7	54.7	50.0	48.3	48.0

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0240 – R6512-0242

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : ชุมชนบ้านโนน خاک (N3)

SAMPLE NO. : 35148-35150

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 090087 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lae	Lmax	Lmin	La05	La10	La50	La90	La95
24/11/2022	08:00	53.1	78.0	72.9	47.4	56.1	54.7	50.9	48.8	48.5
	08:05	54.2	79.1	73.0	47.3	58.2	56.2	51.0	48.7	48.4
	08:10	53.4	78.3	66.4	47.8	57.2	55.8	51.6	49.1	48.7
	08:15	56.5	81.4	69.5	51.1	61.8	58.7	54.4	53.4	52.8
	08:20	55.5	80.4	67.5	52.8	58.2	56.6	54.4	53.5	53.4
	08:25	58.3	83.2	72.5	47.9	62.3	61.3	55.3	53.1	49.1
	08:30	53.1	78.0	67.5	47.4	57.6	55.5	50.5	48.7	48.3
	08:35	55.4	80.3	71.5	47.4	61.6	57.8	51.1	48.4	48.0
	08:40	53.4	78.3	67.1	47.8	57.8	56.2	51.5	49.1	48.8
	08:45	53.2	78.1	65.5	46.9	57.2	55.5	51.4	48.9	48.4
	08:50	55.4	80.3	71.5	46.6	59.9	57.6	51.9	48.5	48.0
	08:55	68.5	93.4	95.1	47.5	73.9	70.3	56.1	48.9	48.5
	09:00	54.5	79.3	70.3	47.7	58.1	56.3	51.7	49.1	48.7
	09:05	53.7	78.6	67.7	47.4	57.7	56.0	51.4	49.2	48.8
	09:10	54.2	79.1	72.7	47.2	58.8	56.4	51.1	48.6	48.3
	09:15	54.2	79.1	71.4	48.0	58.0	54.9	50.8	49.2	48.9
	09:20	57.4	82.3	74.5	46.7	62.9	59.8	52.0	48.6	48.2
	09:25	53.1	78.0	66.0	48.3	57.0	54.8	51.5	49.6	49.3
	09:30	51.5	76.4	64.0	46.7	56.0	54.0	49.3	47.8	47.5
	09:35	54.3	79.1	68.4	46.7	60.0	57.9	50.3	47.7	47.4
	09:40	54.1	78.9	66.5	47.8	59.1	57.1	51.4	48.9	48.7
	09:45	52.8	77.7	67.9	46.8	56.8	55.3	51.0	48.7	48.0
	09:50	51.8	76.7	67.2	46.9	55.6	54.3	50.0	48.4	48.0
	09:55	54.0	78.9	72.3	47.4	58.5	55.7	50.5	48.6	48.3

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0240 – R6512-0242

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : ชุมชนบ้านโนน خاک (N3)

SAMPLE NO. : 35148-35150

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 090087 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lae	Lmax	Lmin	La05	La10	La50	La90	La95
24/11/2022	10:00	51.3	76.2	63.8	46.7	55.3	53.8	49.3	47.9	47.6
	10:05	53.3	78.2	71.0	47.5	56.7	55.2	50.7	48.8	48.5
	10:10	52.2	77.1	65.3	47.8	55.5	54.4	50.4	48.7	48.5
	10:15	51.6	76.5	66.1	46.7	55.0	53.2	49.6	48.1	47.9
	10:20	51.8	76.7	68.0	46.9	55.3	53.6	49.6	48.1	47.9
	10:25	53.8	78.6	69.6	47.0	57.4	55.6	51.0	48.4	48.0
	10:30	53.0	77.9	67.0	46.7	57.0	55.3	50.7	48.5	48.1
	10:35	53.4	78.3	70.6	47.2	57.2	54.1	50.0	48.4	48.1
	10:40	52.3	77.2	65.2	47.5	56.2	54.0	50.7	48.8	48.5
	10:45	56.3	81.2	74.0	48.6	61.0	57.7	52.0	49.9	49.5
	10:50	54.0	78.9	72.0	46.9	57.9	56.1	51.3	48.7	48.4
	10:55	52.2	77.1	63.9	47.5	56.2	54.3	50.5	48.8	48.4
	11:00	53.4	78.3	68.3	47.7	57.7	55.3	51.2	49.0	48.7
	11:05	52.7	77.6	67.3	46.4	56.8	55.0	49.8	47.7	47.3
	11:10	51.8	76.7	66.2	46.6	55.5	53.5	49.5	47.9	47.6
	11:15	53.5	78.4	64.3	47.6	58.1	56.5	51.3	48.7	48.4
	11:20	52.1	77.1	65.1	47.1	55.9	54.6	50.5	48.5	48.1
	11:25	52.5	77.4	62.5	47.2	55.8	54.8	51.2	48.7	48.4
	11:30	53.5	78.4	69.4	47.4	57.9	55.6	50.7	48.6	48.3
	11:35	52.8	77.7	65.0	46.6	57.6	55.5	50.1	47.9	47.7
	11:40	52.8	77.7	67.3	46.6	57.7	55.9	49.7	47.8	47.6
	11:45	59.7	84.6	82.5	47.5	61.7	57.1	51.2	48.8	48.5
	11:50	51.9	76.8	64.1	47.0	55.7	54.1	50.2	48.2	47.9
	11:55	50.3	75.1	59.4	46.9	53.8	52.3	49.0	47.8	47.6

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0240 – R6512-0242

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : ชุมชนบ้านโนนจาก (N3)

SAMPLE NO. : 35148-35150

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 090087 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lae	Lmax	Lmin	La05	La10	La50	La90	La95
24/11/2022	12:00	51.4	76.3	68.6	46.3	55.5	53.0	48.8	47.6	47.4
	12:05	52.7	77.6	68.2	46.0	56.8	55.1	50.6	47.9	47.4
	12:10	52.7	77.6	69.7	45.8	57.2	54.5	49.3	47.6	47.1
	12:15	51.5	76.4	61.0	46.5	55.5	54.2	49.8	47.8	47.6
	12:20	58.7	83.6	76.1	47.2	62.9	59.7	51.5	48.6	48.3
	12:25	53.3	78.2	69.1	47.5	57.6	54.9	50.5	48.6	48.3
	12:30	50.8	75.6	64.6	46.7	54.1	52.9	49.3	47.8	47.6
	12:35	50.2	75.1	63.7	46.2	54.5	52.2	48.5	47.2	47.0
	12:40	50.7	75.6	62.6	46.5	54.0	52.1	49.3	47.9	47.5
	12:45	54.2	79.1	69.2	47.3	59.4	57.1	50.5	48.4	48.2
	12:50	54.2	79.1	71.1	48.1	57.6	55.8	51.6	49.4	49.0
	12:55	50.9	75.7	67.6	46.3	54.7	52.3	48.9	47.5	47.2
	13:00	51.4	76.2	65.3	46.6	55.8	53.6	49.1	47.8	47.5
	13:05	55.7	80.6	75.5	47.0	58.1	55.3	50.3	48.4	48.1
	13:10	52.1	77.0	68.1	46.6	54.5	53.6	50.1	47.9	47.6
	13:15	51.9	76.8	67.8	47.3	55.4	53.7	49.9	48.4	48.2
	13:20	54.9	79.8	72.9	46.7	58.4	54.8	50.2	48.5	48.1
	13:25	52.5	77.4	67.6	46.8	56.9	54.6	50.4	48.1	47.6
	13:30	53.1	78.0	71.4	47.5	56.0	54.3	50.2	48.6	48.3
	13:35	50.7	75.6	63.0	46.7	54.5	52.4	48.8	47.8	47.6
	13:40	55.3	80.2	73.4	48.0	60.1	57.6	51.4	49.3	49.0
	13:45	51.5	76.4	64.1	47.2	54.7	53.2	50.3	48.6	48.3
	13:50	50.8	75.7	62.9	46.7	54.5	53.4	49.2	47.9	47.7
	13:55	52.6	77.5	68.0	46.8	57.0	54.4	49.8	48.0	47.7

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0240 – R6512-0242

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองก้อ-แหลมอับัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : ชุมชนบ้านโนนซาง (N3)

SAMPLE NO. : 35148-35150

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 090087 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lae	Lmax	Lmin	La05	La10	La50	La90	La95
24/11/2022	14:00	52.6	77.5	69.0	47.3	57.0	55.4	49.6	48.3	48.0
	14:05	49.9	74.7	60.1	46.4	53.3	51.7	48.6	47.4	47.1
	14:10	51.9	76.8	66.0	46.9	56.0	54.1	49.6	48.0	47.7
	14:15	50.9	75.8	65.6	46.5	54.8	53.2	48.8	47.5	47.3
	14:20	51.7	76.6	66.9	46.8	56.1	53.7	49.2	47.8	47.6
	14:25	50.7	75.6	68.4	45.8	53.8	52.5	48.9	47.5	47.3
	14:30	51.3	76.2	62.4	46.9	55.1	53.7	49.8	47.8	47.6
	14:35	51.8	76.7	63.6	46.9	56.1	54.6	49.8	48.0	47.7
	14:40	50.6	75.4	61.3	46.2	55.1	53.1	48.8	47.4	47.1
	14:45	52.7	77.6	69.4	46.6	57.5	55.4	49.4	47.7	47.5
	14:50	50.4	75.3	63.1	46.6	54.6	52.6	48.5	47.6	47.5
	14:55	51.1	76.0	62.3	46.0	55.7	54.0	48.8	47.1	46.8
	15:00	53.7	78.5	71.0	46.9	58.1	56.7	50.1	47.8	47.5
	15:05	51.2	76.0	64.0	47.0	55.1	53.2	49.1	47.8	47.6
	15:10	52.5	77.4	65.6	46.7	57.6	54.6	49.4	47.8	47.6
	15:15	51.4	76.3	68.2	47.0	54.7	52.6	48.7	47.8	47.6
	15:20	54.0	78.9	73.3	46.8	56.8	54.3	49.2	47.8	47.6
	15:25	50.7	75.6	61.5	46.5	55.1	53.2	48.8	47.4	47.2
	15:30	54.9	79.8	74.4	46.9	58.3	55.3	49.6	48.3	48.1
	15:35	50.7	75.6	62.8	46.9	54.7	52.3	49.1	48.2	48.0
	15:40	51.5	76.4	66.2	47.2	55.4	54.1	49.4	48.2	48.0
	15:45	58.5	83.4	74.6	47.4	65.2	61.1	52.5	48.5	48.2
	15:50	55.9	80.7	75.5	46.4	59.2	56.8	51.5	48.1	47.5
	15:55	56.9	81.7	75.2	47.8	62.8	60.4	52.7	49.4	49.0

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY



Request No. LA65-R1207

Report No. R6512-0240 – R6512-0242

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ต. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : จุดบนบ้านในซาก (N3)

DETERMINATION METHOD : ISO 1996-1:2016

INSTRUMENT : Integrated Sound Level Meter

S/N 090087 : Type 2

SAMPLE NO. : 35148-35150

MEASURING DATE : 23-26/11/2022

RECEIVED DATE : 28/11/2022

REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lae	Lmax	Lmin	La05	La10	La50	La90	La95
24/11/2022	16:00	52.5	77.3	70.0	46.7	56.1	54.1	49.8	48.0	47.7
	16:05	51.4	76.3	67.4	47.0	55.6	54.1	49.3	48.0	47.8
	16:10	52.7	77.6	73.6	47.2	57.0	55.2	49.5	48.1	48.0
	16:15	52.2	77.2	64.2	47.1	56.0	54.9	50.6	48.2	48.0
	16:20	56.7	81.6	71.8	47.8	62.8	59.3	51.6	48.8	48.6
	16:25	54.2	79.0	68.7	46.8	59.5	56.7	50.4	48.4	48.2
	16:30	52.7	77.6	64.5	48.2	56.4	55.0	51.2	49.4	49.1
	16:35	51.7	76.6	58.6	48.2	54.3	53.4	51.1	49.7	49.4
	16:40	53.4	78.3	64.2	48.6	57.2	55.8	52.1	50.1	49.7
	16:45	52.9	77.8	74.2	46.6	54.9	53.0	49.8	48.2	47.7
	16:50	54.7	79.6	74.5	47.7	57.9	55.9	51.0	48.7	48.4
	16:55	52.5	77.4	69.4	47.5	56.4	54.5	50.1	48.8	48.5
	17:00	53.0	77.9	68.7	47.0	57.0	54.3	50.0	48.5	48.2
	17:05	55.0	79.9	70.8	47.0	60.1	56.9	50.3	48.5	48.2
	17:10	52.5	77.4	68.4	46.9	56.0	54.0	49.7	48.1	47.8
	17:15	53.5	78.4	71.0	47.1	56.8	54.1	49.6	48.2	48.0
	17:20	51.6	76.5	63.1	46.4	56.5	53.9	49.4	48.0	47.5
	17:25	53.1	78.0	73.2	47.5	54.9	53.8	49.4	48.3	48.2
	17:30	53.2	78.1	75.8	47.2	56.0	53.6	49.4	48.2	48.0
	17:35	50.4	75.3	62.5	46.6	53.9	52.3	48.9	47.8	47.5
	17:40	53.9	78.7	70.5	47.4	58.5	55.0	49.7	48.2	48.0
	17:45	53.9	78.7	72.9	46.9	57.0	54.9	49.8	48.0	47.7
	17:50	51.0	75.9	62.0	47.0	54.3	53.0	49.8	48.3	48.0
	17:55	51.6	76.4	65.8	46.9	54.5	52.6	49.0	47.8	47.6

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY



Request No. LA65-R1207

Report No. R6512-0240 – R6512-0242

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 อ. สายหนองค้อ-แหลมบัว ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : ชุมชนบ้านในซาก (N3)

SAMPLE NO. : 35148-35150

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 090087 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lae	Lmax	Lmin	La05	La10	La50	La90	La95
24/11/2022	18:00	66.7	91.6	84.6	46.7	71.3	62.4	49.9	48.1	47.9
	18:05	52.1	77.1	68.4	46.7	54.9	52.9	49.4	48.1	47.8
	18:10	59.3	84.2	83.4	47.5	55.6	53.0	49.5	48.4	48.2
	18:15	52.4	77.3	67.2	47.0	56.8	53.2	50.1	48.5	48.1
	18:20	52.9	77.8	70.8	46.5	57.5	55.1	50.0	48.4	48.2
	18:25	51.7	76.6	63.7	47.6	55.2	53.7	50.2	48.7	48.6
	18:30	55.7	80.6	76.3	47.7	58.4	54.4	50.6	48.9	48.6
	18:35	52.3	77.2	66.3	47.4	56.0	53.9	50.5	48.8	48.6
	18:40	51.8	76.7	63.4	47.9	55.1	53.6	50.2	49.1	48.7
	18:45	55.3	80.2	78.2	47.9	58.2	55.2	50.3	48.9	48.7
	18:50	52.4	77.3	63.8	48.2	56.2	54.5	50.8	49.1	48.9
	18:55	51.9	76.8	65.0	47.4	56.1	54.3	50.3	48.3	48.0
	19:00	51.7	76.6	65.5	47.0	55.1	53.2	50.3	48.6	48.1
	19:05	50.6	75.5	64.4	47.0	53.3	52.1	49.2	47.8	47.6
	19:10	52.9	77.8	71.0	46.7	55.8	54.1	51.6	48.4	48.0
	19:15	52.0	76.8	71.2	47.0	55.5	52.8	48.8	47.8	47.6
	19:20	50.2	75.1	57.6	46.9	53.5	52.4	49.0	47.8	47.6
	19:25	50.4	75.3	60.0	46.9	53.1	52.0	49.6	48.0	47.8
	19:30	51.9	76.7	62.1	47.7	55.1	54.0	50.7	49.1	48.8
	19:35	51.8	76.7	67.5	47.6	55.0	53.5	50.3	48.9	48.5
	19:40	54.8	79.7	72.1	47.6	59.7	56.7	50.7	48.8	48.6
	19:45	51.2	76.1	62.2	46.9	55.6	53.7	49.1	47.8	47.6
	19:50	50.9	75.7	68.1	46.2	53.4	51.2	48.6	47.8	47.5
	19:55	49.8	74.7	64.2	46.6	52.6	51.1	48.7	47.7	47.5

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY



Request No. LA65-R1207

Report No. R6512-0240 – R6512-0242

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : รุมชนบ้านในซาก (N3)

DETERMINATION METHOD : ISO 1996-1:2016

INSTRUMENT : Integrated Sound Level Meter

S/N 090087 : Type 2

SAMPLE NO. : 35148-35150

MEASURING DATE : 23-26/11/2022

RECEIVED DATE : 28/11/2022

REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lae	Lmax	Lmin	La05	La10	La50	La90	La95
24/11/2022	20:00	51.6	76.5	67.6	46.5	56.1	51.7	48.4	47.6	47.5
	20:05	49.2	74.1	63.0	46.6	51.1	50.0	48.4	47.6	47.4
	20:10	48.6	73.5	59.9	46.5	50.9	49.5	47.9	47.2	47.1
	20:15	53.1	77.9	72.3	46.4	53.8	51.5	48.1	47.2	47.1
	20:20	50.2	75.1	64.0	46.3	54.6	51.1	48.2	47.5	47.3
	20:25	50.6	75.5	66.7	46.4	53.7	51.5	48.5	47.8	47.6
	20:30	50.1	75.0	66.5	46.6	52.3	50.7	48.3	47.5	47.3
	20:35	50.4	75.2	61.8	46.6	54.0	52.2	48.6	47.7	47.5
	20:40	48.9	73.7	57.1	46.5	50.9	49.6	48.2	47.6	47.4
	20:45	49.8	74.7	61.0	46.9	52.3	51.2	48.8	48.0	47.8
	20:50	49.5	74.4	61.7	46.8	51.8	50.6	48.4	47.6	47.5
	20:55	53.2	78.1	71.0	46.9	56.3	52.4	48.7	47.9	47.8
	21:00	51.4	76.3	69.5	46.9	54.7	51.8	48.5	47.7	47.6
	21:05	49.6	74.5	61.3	47.2	52.4	50.7	48.6	48.0	47.9
	21:10	49.2	74.1	55.9	46.8	50.9	50.0	48.8	47.9	47.6
	21:15	49.0	73.9	58.2	46.9	50.7	49.7	48.5	47.9	47.7
	21:20	48.6	73.5	55.7	46.8	49.7	49.2	48.3	47.7	47.5
	21:25	51.6	76.4	69.1	46.6	56.5	54.0	48.9	47.9	47.5
	21:30	48.9	73.8	55.5	47.1	50.1	49.5	48.6	48.0	47.8
	21:35	51.4	76.2	62.5	47.2	54.7	53.1	50.4	48.7	48.4
	21:40	51.6	76.5	60.4	47.4	54.1	53.1	51.0	49.4	49.1
	21:45	51.5	76.4	61.5	46.0	56.0	54.6	49.4	47.7	47.2
	21:50	49.6	74.5	57.9	46.9	52.2	51.0	48.7	47.9	47.7
	21:55	49.0	73.9	58.2	46.7	51.0	49.9	48.3	47.6	47.5

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY



Request No. LA65-R1207

Report No. R6512-0240 -- R6512-0242

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองก้อ-แหลมฉ้าง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : ชุมชนบ้านในซาก (N3)

DETERMINATION METHOD : ISO 1996-1:2016

INSTRUMENT : Integrated Sound Level Meter

S/N 090087 : Type 2

SAMPLE NO. : 35148-35150

MEASURING DATE : 23-26/11/2022

RECEIVED DATE : 28/11/2022

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ae}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
24/11/2022	22:00	48.3	73.2	55.8	46.5	49.1	48.8	48.1	47.3	47.2
	22:05	48.8	73.7	58.6	46.9	50.8	49.6	48.3	47.7	47.6
	22:10	48.5	73.3	56.3	46.5	50.8	49.1	47.9	47.2	47.1
	22:15	48.6	73.5	58.4	46.4	50.4	49.3	48.0	47.2	47.1
	22:20	48.0	72.9	56.0	46.4	48.8	48.5	47.8	47.1	47.0
	22:25	49.1	74.0	62.0	46.4	51.6	49.4	48.1	47.3	47.2
	22:30	49.1	74.1	60.6	45.8	52.0	50.0	47.8	47.2	47.1
	22:35	48.0	72.9	51.5	46.6	48.8	48.5	47.9	47.3	47.2
	22:40	47.7	72.6	53.6	46.1	48.4	48.3	47.6	47.0	46.8
	22:45	48.3	73.2	56.2	46.1	51.1	49.0	47.7	47.1	46.9
	22:50	54.7	79.6	70.0	46.1	62.1	59.4	48.0	47.1	46.9
	22:55	64.6	89.4	84.4	46.2	66.2	57.3	47.9	47.0	46.9
	23:00	65.1	89.9	86.0	46.0	64.7	54.0	47.8	47.0	46.8
	23:05	48.7	73.6	62.9	46.0	50.6	49.0	47.6	46.9	46.7
	23:10	49.0	73.9	67.0	45.6	50.9	48.6	47.6	46.9	46.7
	23:15	60.2	85.1	74.6	46.5	68.6	64.9	48.2	47.3	47.1
	23:20	55.5	80.5	77.3	45.7	58.7	51.7	47.8	46.9	46.7
	23:25	54.4	79.2	77.7	45.8	51.6	48.2	47.3	46.6	46.4
	23:30	56.0	80.9	81.9	45.7	50.0	48.2	47.2	46.6	46.4
	23:35	60.0	84.9	85.1	45.9	52.2	49.2	47.5	46.8	46.6
	23:40	49.6	74.5	70.5	45.7	49.5	48.7	47.6	46.9	46.6
	23:45	57.2	82.1	80.1	45.9	49.0	48.4	47.6	46.9	46.7
	23:50	52.9	77.8	75.0	45.8	52.3	49.7	47.5	46.7	46.5
	23:55	64.8	89.6	84.2	46.1	71.4	68.7	49.0	47.3	47.1

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY



Request No. LA65-R1207

Report No. R6512-0240 – R6512-0242

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองก้อ-แหลมฉ้าง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : ขุมชนบ้านโนนซาก (N3)

SAMPLE NO. : 35148-35150

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 090087 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lae	Lmax	Lmin	La05	La10	La50	La90	La95
25/11/2022	00:00	49.2	74.1	66.2	45.2	49.9	48.8	47.5	46.7	46.6
	00:05	47.6	72.5	56.6	45.5	48.6	48.2	47.2	46.5	46.3
	00:10	56.0	80.8	75.1	46.0	60.3	54.6	47.8	47.0	46.9
	00:15	51.8	76.7	71.6	45.8	50.9	48.7	47.5	46.8	46.6
	00:20	55.1	80.0	80.6	46.2	58.8	50.0	47.6	47.1	46.9
	00:25	65.2	90.0	87.5	45.8	62.3	58.5	47.8	46.7	46.5
	00:30	52.5	77.4	77.1	46.1	52.2	50.7	48.0	47.2	47.0
	00:35	48.2	73.0	61.4	46.3	49.0	48.5	47.6	47.1	46.9
	00:40	47.7	72.6	55.3	45.8	48.6	48.3	47.5	46.7	46.5
	00:45	47.8	72.7	52.4	45.9	48.8	48.4	47.6	46.8	46.6
	00:50	47.7	72.5	49.1	45.8	48.3	48.1	47.6	46.9	46.6
	00:55	47.4	72.3	49.0	46.0	48.1	47.9	47.3	46.8	46.6
	01:00	47.7	72.5	53.3	45.8	48.6	48.2	47.4	46.8	46.6
	01:05	47.4	72.2	50.9	46.0	48.3	47.9	47.1	46.6	46.5
	01:10	48.3	73.2	63.5	45.7	49.2	48.4	47.5	46.7	46.5
	01:15	47.4	72.3	51.0	46.0	48.1	47.9	47.3	46.7	46.5
	01:20	47.8	72.7	56.2	45.9	48.4	48.1	47.5	46.8	46.6
	01:25	48.2	73.1	59.9	45.7	49.3	48.5	47.4	46.7	46.5
	01:30	48.4	73.2	60.6	45.8	49.6	48.2	47.3	46.6	46.5
	01:35	47.6	72.5	54.1	46.2	48.7	48.0	47.3	46.8	46.7
	01:40	58.5	83.4	76.8	46.1	57.0	49.6	47.4	46.8	46.7
	01:45	60.5	85.4	85.8	45.8	48.9	48.1	47.2	46.6	46.5
	01:50	47.6	72.5	59.7	46.0	48.1	47.9	47.3	46.8	46.6
	01:55	50.5	75.4	70.9	45.9	50.2	48.4	47.3	46.6	46.5

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0240 – R6512-0242

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ต. สายหนองก้อ-แหลมฉิมบึง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : ชุมชนบ้านโนนซาก (N3)

SAMPLE NO. : 35148-35150

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 090087 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lae	Lmax	Lmin	La05	La10	La50	La90	La95
25/11/2022	02:00	51.2	76.1	72.0	45.7	48.7	48.3	47.5	46.7	46.5
	02:05	47.9	72.8	56.0	46.1	49.1	48.3	47.5	47.0	46.8
	02:10	49.9	74.8	71.9	45.7	48.3	48.0	47.4	46.7	46.5
	02:15	52.0	76.9	70.6	45.5	50.2	48.6	47.4	46.7	46.5
	02:20	50.1	75.0	71.9	45.8	50.0	48.6	47.2	46.6	46.5
	02:25	47.2	72.1	50.1	45.5	48.0	47.8	47.1	46.5	46.3
	02:30	48.5	73.4	63.6	45.9	49.8	48.7	47.3	46.7	46.6
	02:35	48.1	73.0	58.8	45.8	49.4	48.4	47.4	46.7	46.5
	02:40	59.0	83.9	73.2	46.1	67.2	64.8	47.5	46.8	46.6
	02:45	48.6	73.5	66.9	46.1	48.3	48.0	47.4	46.8	46.6
	02:50	47.8	72.7	56.0	46.0	49.4	48.3	47.4	46.8	46.6
	02:55	47.7	72.6	59.1	45.8	48.7	48.2	47.4	46.6	46.5
	03:00	47.5	72.4	52.1	46.0	48.1	48.0	47.3	46.7	46.6
	03:05	47.6	72.5	54.8	45.8	49.0	48.2	47.2	46.6	46.4
	03:10	47.3	72.2	50.1	45.7	47.9	47.8	47.2	46.6	46.5
	03:15	47.3	72.2	53.0	45.7	48.0	47.8	47.2	46.6	46.4
	03:20	48.1	72.9	57.2	45.8	50.3	49.1	47.4	46.8	46.6
	03:25	47.5	72.4	56.4	45.7	48.3	48.1	47.3	46.6	46.4
	03:30	47.6	72.5	52.4	45.8	49.2	48.3	47.2	46.6	46.4
	03:35	48.0	72.9	58.6	45.9	49.1	48.3	47.5	46.9	46.8
	03:40	47.9	72.8	56.3	45.7	49.0	48.4	47.5	46.9	46.7
	03:45	47.9	72.8	51.6	45.9	49.3	48.5	47.6	46.9	46.7
	03:50	48.7	73.6	66.0	45.8	49.8	48.7	47.5	46.8	46.6
	03:55	49.4	74.3	60.9	45.9	52.4	51.1	48.0	47.0	46.7

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY



Request No. LA65-R1207

Report No. R6512-0240 – R6512-0242

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : ชุมชนบ้านในซาก (N3)

SAMPLE NO. : 35148-35150

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 090087 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ae}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
25/11/2022	04:00	48.7	73.6	61.9	46.4	50.0	49.6	48.3	47.3	47.1
	04:05	52.9	77.7	55.9	48.4	54.9	54.5	52.9	49.8	49.2
	04:10	55.0	79.8	59.2	53.0	56.4	56.1	54.6	53.7	53.6
	04:15	53.6	78.5	63.7	50.3	55.2	54.7	52.9	51.6	51.3
	04:20	54.2	79.1	74.5	49.2	57.5	54.3	51.3	50.3	50.1
	04:25	51.3	76.2	54.7	49.3	52.4	52.1	51.1	50.2	50.0
	04:30	52.2	77.1	62.8	49.5	54.0	53.4	51.7	50.6	50.5
	04:35	50.9	75.7	56.9	48.5	52.5	51.8	50.4	49.6	49.4
	04:40	50.5	75.4	57.5	48.1	52.5	51.7	50.0	49.0	48.8
	04:45	53.8	78.7	68.2	48.2	56.4	55.3	52.3	49.3	49.1
	04:50	56.9	81.7	60.0	54.3	57.8	57.6	56.8	55.4	55.0
	04:55	55.6	80.5	63.2	53.5	56.9	56.6	55.2	54.3	54.1
	05:00	53.7	78.6	62.2	50.8	55.1	54.7	53.4	52.3	52.0
	05:05	51.6	76.5	64.1	47.7	54.0	52.7	50.5	49.0	48.7
	05:10	51.1	76.0	61.6	47.1	54.1	53.2	49.9	48.4	48.1
	05:15	52.3	77.2	62.6	47.8	55.2	54.1	51.5	49.7	49.3
	05:20	52.7	77.6	66.3	48.1	55.7	54.4	51.7	49.7	49.4
	05:25	53.1	78.0	77.1	47.3	56.1	54.2	50.3	48.8	48.6
	05:30	51.9	76.8	69.6	47.0	55.4	53.7	49.9	48.2	47.9
	05:35	51.6	76.4	64.2	46.5	55.5	53.8	49.7	48.2	47.9
	05:40	56.3	81.2	72.1	47.0	62.5	59.1	51.0	48.1	47.9
	05:45	57.2	82.0	73.6	47.2	63.6	59.4	50.5	48.4	48.1
	05:50	56.9	81.7	72.9	47.1	63.0	57.7	51.1	48.3	48.0
	05:55	52.0	76.9	67.9	47.0	56.3	54.7	49.8	48.0	47.8

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0240 – R6512-0242

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : ชุมชนบ้านโนนจาก (N3)

SAMPLE NO. : 35148-35150

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 090087 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ae}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
25/11/2022	06:00	60.0	84.8	75.6	47.0	67.8	63.2	51.1	48.1	47.8
	06:05	60.0	84.8	75.1	47.3	67.3	62.2	52.1	48.8	48.4
	06:10	53.6	78.5	68.5	47.2	57.0	55.2	51.0	48.6	48.1
	06:15	57.9	82.7	69.0	47.2	65.7	62.7	52.2	49.2	48.8
	06:20	62.5	87.4	76.3	47.8	70.4	67.0	52.2	49.2	48.8
	06:25	60.3	85.2	74.5	47.7	67.9	62.8	52.9	49.6	49.2
	06:30	58.6	83.5	75.4	50.5	64.8	59.5	54.0	52.1	51.8
	06:35	58.7	83.6	74.3	48.6	65.1	61.1	53.7	50.7	50.1
	06:40	55.9	80.7	73.4	48.0	60.2	57.9	52.6	50.0	49.5
	06:45	56.1	81.0	72.2	48.8	59.5	57.0	52.8	50.6	50.1
	06:50	59.0	83.9	75.6	49.4	65.3	61.3	53.3	50.8	50.4
	06:55	54.1	79.0	68.5	48.3	58.0	55.9	51.8	49.6	49.3
	07:00	53.3	78.1	68.1	48.6	56.1	54.6	51.5	49.9	49.6
	07:05	53.4	78.2	71.6	47.4	56.4	54.6	50.9	48.4	48.1
	07:10	50.8	75.7	62.7	46.9	53.8	52.5	49.6	48.2	48.0
	07:15	53.8	78.7	68.3	47.2	58.8	55.6	51.0	48.8	48.4
	07:20	54.6	79.5	70.7	47.7	58.1	56.0	51.4	49.3	49.0
	07:25	53.1	78.0	67.0	47.8	57.0	54.7	50.5	48.8	48.6
	07:30	54.4	78.4	69.5	47.2	58.9	56.8	51.6	48.3	48.0
	07:35	53.9	78.8	65.6	47.9	58.2	56.4	52.2	49.7	49.3
	07:40	54.6	79.4	74.0	47.5	58.6	56.1	51.4	49.1	48.8
	07:45	54.6	79.5	74.4	46.2	57.1	55.1	50.5	48.4	48.0
	07:50	55.1	80.0	74.3	46.8	58.0	55.7	50.6	48.3	47.9
	07:55	54.6	79.5	73.0	46.3	58.3	56.5	51.1	47.9	47.6

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY



Request No. LA65-R1207

Report No. R6512-0240 – R6512-0242

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเทรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ต. สายหนองก้อ-แหลมฉิมบึง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเทรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : ชุมชนบ้านโนนซาก (N3)

SAMPLE NO. : 35148-35150

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 090087 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lae	Lmax	Lmin	La05	La10	La50	La90	La95
25/11/2022	08:00	54.5	79.4	67.3	47.4	59.8	58.1	51.9	48.9	48.5
	08:05	51.1	76.0	64.8	46.3	54.6	52.9	49.5	47.8	47.5
	08:10	52.6	77.5	64.2	46.7	56.8	55.2	50.9	48.5	47.8
	08:15	50.2	75.1	59.5	46.3	54.1	52.6	48.8	47.4	47.2
	08:20	52.3	77.2	64.6	46.2	57.3	54.6	49.7	47.4	47.1
	08:25	51.9	76.8	64.8	45.4	56.5	54.6	48.8	46.6	46.2
	08:30	50.7	75.6	65.5	45.6	54.8	53.1	48.3	46.8	46.6
	08:35	50.2	75.2	65.0	45.6	53.9	52.2	48.2	46.8	46.6
	08:40	51.3	76.2	64.3	45.8	55.9	54.0	48.6	47.1	46.7
	08:45	53.2	78.1	70.3	46.6	57.6	55.5	49.6	47.7	47.5
	08:50	57.1	82.0	69.8	52.8	61.7	60.2	54.8	53.8	53.5
	08:55	57.5	82.4	62.8	50.9	61.0	60.0	57.0	53.0	52.2
	09:00	54.6	79.5	59.2	50.0	56.6	56.2	54.5	51.7	51.1
	09:05	61.1	86.0	65.4	49.4	64.7	64.5	60.6	51.0	50.7
	09:10	58.1	83.0	61.4	54.6	60.0	59.6	57.9	55.7	55.4
	09:15	68.9	93.8	79.9	59.6	77.1	73.0	62.5	61.1	60.7
	09:20	62.4	87.3	66.7	50.7	66.0	65.8	61.9	52.3	52.0
	09:25	57.5	82.4	74.9	50.7	59.5	56.9	55.1	52.7	52.2
	09:30	58.1	83.0	79.1	47.9	64.8	61.5	51.7	49.3	48.9
	09:35	52.9	77.8	76.5	47.5	55.3	53.9	49.9	48.5	48.2
	09:40	52.7	77.6	67.2	47.5	56.3	53.3	50.2	48.6	48.3
	09:45	52.1	77.0	64.2	47.6	56.0	54.4	50.5	48.8	48.6
	09:50	52.9	77.8	71.3	46.6	56.3	54.6	49.3	47.9	47.7
	09:55	51.1	76.0	61.6	47.4	54.8	53.1	49.6	48.2	48.0

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0240 – R6512-0242

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : ชุมชนบ้านโนนซาก (N3)

SAMPLE NO. : 35148-35150

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 090087 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lae	Lmax	Lmin	La05	La10	La50	La90	La95
25/11/2022	10:00	52.7	77.6	70.4	46.8	56.1	53.3	49.5	48.0	47.7
	10:05	51.1	76.0	67.1	46.8	54.4	52.7	49.2	47.9	47.7
	10:10	53.6	78.5	65.8	47.0	59.7	56.8	50.1	48.5	48.2
	10:15	56.6	81.4	71.2	47.1	63.2	60.6	51.0	48.5	48.2
	10:20	58.3	83.2	73.4	47.1	65.4	61.9	50.3	48.2	47.9
	10:25	53.6	78.5	67.2	46.5	59.9	56.5	50.0	48.1	47.8
	10:30	57.3	82.2	71.9	47.0	63.7	60.0	49.8	48.3	48.0
	10:35	51.0	75.8	69.3	47.1	54.3	51.9	49.1	48.2	48.0
	10:40	50.5	75.4	65.1	47.1	52.9	51.9	49.4	48.3	48.1
	10:45	51.6	76.5	64.8	47.3	55.5	52.8	49.5	48.4	48.2
	10:50	58.4	83.3	82.2	46.9	60.0	53.7	49.4	48.0	47.8
	10:55	53.2	78.1	69.0	47.4	58.1	54.8	50.0	48.4	48.2
	11:00	51.0	75.9	63.8	47.0	54.2	52.3	48.9	48.0	47.8
	11:05	51.9	76.8	73.5	46.2	54.2	52.4	49.0	47.5	47.2
	11:10	49.5	74.4	57.0	46.2	51.7	50.9	48.9	47.8	47.6
	11:15	50.0	74.9	60.1	46.7	52.4	51.6	49.3	48.1	47.8
	11:20	53.8	78.7	68.3	46.4	59.8	55.7	49.8	47.8	47.4
	11:25	53.2	78.1	72.3	46.1	58.5	55.1	49.0	47.4	47.1
	11:30	56.4	81.3	71.0	46.6	63.3	59.3	50.2	48.0	47.6
	11:35	57.9	82.8	75.9	46.5	61.7	59.7	49.0	47.6	47.4
	11:40	51.1	76.0	69.5	46.3	53.4	52.5	49.2	47.5	47.2
	11:45	49.5	74.4	57.6	46.0	52.0	51.1	48.8	47.3	46.9
	11:50	49.7	74.6	60.3	46.1	52.6	51.4	48.5	47.4	47.1
	11:55	49.9	74.8	72.0	45.6	53.2	51.3	47.7	46.6	46.3

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0240 – R6512-0242

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเทรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ต. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเทรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : ชุมชนบ้านโนนซาก (N3)

SAMPLE NO. : 35148-35150

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 090087 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ac}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
25/11/2022	12:00	52.6	77.5	73.1	45.5	54.2	51.6	48.6	47.2	46.8
	12:05	51.1	76.0	67.4	45.6	55.1	52.1	48.2	46.9	46.5
	12:10	53.6	78.5	71.4	45.5	57.5	52.4	47.9	46.8	46.5
	12:15	49.0	73.9	64.9	45.4	51.1	49.6	47.6	46.8	46.6
	12:20	48.2	73.1	56.4	44.9	50.3	49.4	47.6	46.6	46.3
	12:25	48.9	73.8	59.9	45.3	52.4	50.5	47.6	46.6	46.3
	12:30	53.3	78.1	69.5	45.7	58.9	55.3	48.4	46.8	46.5
	12:35	49.3	74.2	60.7	44.5	51.9	51.1	48.5	46.1	45.8
	12:40	51.0	75.9	65.0	45.0	55.3	53.6	48.9	46.9	46.6
	12:45	48.4	73.3	57.5	44.7	51.6	50.2	47.4	46.3	46.0
	12:50	48.9	73.7	56.7	44.8	51.8	50.7	47.9	46.1	45.8
	12:55	49.2	74.1	62.7	44.6	52.3	50.8	47.6	46.2	46.0
	13:00	48.0	72.9	55.0	44.8	50.6	49.7	47.3	46.1	45.7
	13:05	52.0	76.9	69.7	44.3	56.1	52.6	47.7	46.0	45.7
	13:10	51.9	76.8	70.2	45.0	53.4	51.0	47.6	46.1	45.8
	13:15	48.2	73.0	59.4	45.1	51.1	49.9	47.2	46.1	45.9
	13:20	48.8	73.6	65.6	44.7	51.9	50.1	47.1	45.9	45.6
	13:25	48.9	73.8	62.1	44.7	52.5	50.9	47.5	45.9	45.6
	13:30	47.9	72.8	55.6	44.8	51.0	49.7	46.9	45.8	45.6
	13:35	48.2	73.1	63.6	44.3	51.6	50.1	46.7	45.7	45.5
	13:40	47.5	72.4	54.3	44.8	49.7	48.9	46.9	45.8	45.6
	13:45	49.4	74.3	64.6	45.2	52.2	51.1	48.4	46.6	46.4
	13:50	48.6	73.5	59.9	45.2	50.9	50.1	48.0	46.5	46.2
	13:55	49.7	74.6	58.9	45.5	53.0	51.7	48.6	46.7	46.5

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0240 – R6512-0242

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเทรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเทรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : ชุมชนบ้านโนนซาง (N3)

SAMPLE NO. : 35148-35150

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 090087 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lae	Lmax	Lmin	La05	La10	La50	La90	La95
25/11/2022	14:00	50.1	75.0	63.9	44.7	54.4	51.6	48.1	46.3	45.9
	14:05	48.5	73.4	65.2	45.0	51.7	50.5	47.1	46.1	45.9
	14:10	50.9	75.8	71.2	44.8	51.7	50.4	47.4	45.9	45.7
	14:15	49.1	74.0	64.2	44.9	53.3	50.4	47.0	46.0	45.7
	14:20	50.5	75.4	66.9	45.1	53.7	51.2	47.2	46.1	45.9
	14:25	49.2	74.1	58.8	45.6	52.4	51.1	48.2	46.6	46.3
	14:30	49.4	74.3	56.5	45.8	51.9	50.9	48.8	47.1	46.8
	14:35	50.4	75.3	63.8	44.3	55.1	52.5	48.1	46.2	45.5
	14:40	55.5	80.4	73.3	44.4	62.3	58.9	47.1	45.8	45.5
	14:45	48.2	73.1	61.6	44.1	51.3	49.7	46.6	45.1	44.9
	14:50	48.7	73.6	59.2	44.7	52.6	50.1	46.9	45.9	45.7
	14:55	50.4	75.3	64.3	44.9	54.6	52.7	48.0	46.2	45.9
	15:00	49.5	74.4	60.2	45.5	53.1	51.7	48.0	46.5	46.3
	15:05	50.2	75.1	67.3	45.1	53.9	51.8	47.9	46.3	46.1
	15:10	48.9	73.8	59.8	44.4	52.7	51.2	47.2	45.9	45.7
	15:15	55.3	80.2	73.3	45.0	59.8	55.6	48.0	46.0	45.7
	15:20	51.2	76.1	66.8	45.1	55.1	51.5	47.5	46.4	46.1
	15:25	49.6	74.5	66.4	45.3	52.8	50.9	47.1	46.4	46.2
	15:30	53.8	78.6	69.1	45.3	59.0	55.2	48.5	46.5	46.2
	15:35	50.6	75.4	64.4	45.6	54.4	51.9	47.8	46.6	46.4
	15:40	48.8	73.7	58.3	44.9	51.6	50.3	47.7	46.4	46.1
	15:45	50.9	75.8	66.5	45.0	55.1	53.3	48.0	46.5	46.1
	15:50	50.6	75.5	60.2	45.0	55.2	53.6	48.7	46.2	45.8
	15:55	52.1	77.0	68.8	44.7	56.5	54.2	48.5	46.1	45.8

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0240 – R6512-0242

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : รุมนขนบ้านโนนจาก (N3)

SAMPLE NO. : 35148-35150

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 090087 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ae}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
25/11/2022	16:00	49.9	74.7	62.8	45.2	53.7	51.9	47.6	46.3	46.1
	16:05	52.3	77.2	72.7	45.6	57.7	55.0	48.7	47.0	46.8
	16:10	50.8	75.7	65.8	45.7	53.9	52.5	48.9	47.2	47.0
	16:15	50.3	75.2	67.7	45.5	54.1	52.0	48.2	46.6	46.4
	16:20	52.7	77.6	74.6	45.4	55.6	53.8	48.2	46.6	46.4
	16:25	50.5	75.4	65.3	45.8	54.9	52.9	48.4	46.7	46.5
	16:30	51.9	76.7	67.5	45.9	55.8	52.8	48.7	46.9	46.6
	16:35	49.9	74.7	61.0	45.9	53.8	52.4	48.2	46.9	46.6
	16:40	50.3	75.2	66.3	46.0	53.6	51.9	48.6	47.1	46.9
	16:45	48.8	73.7	62.3	45.5	52.3	50.2	47.5	46.5	46.3
	16:50	51.2	76.1	67.0	45.6	55.6	52.5	48.4	46.8	46.5
	16:55	50.6	75.5	63.4	46.2	54.3	51.8	48.2	47.1	47.0
	17:00	54.2	79.1	73.6	46.5	59.8	54.9	48.4	47.4	47.2
	17:05	53.5	78.3	71.2	46.6	56.2	54.3	49.6	48.0	47.7
	17:10	51.7	76.6	64.9	46.5	56.2	54.0	49.1	47.6	47.3
	17:15	50.5	75.4	71.1	45.9	51.7	50.5	48.2	47.2	47.0
	17:20	48.8	73.7	59.2	46.6	50.7	49.8	48.1	47.5	47.3
	17:25	50.0	74.9	64.1	46.8	52.4	50.6	48.7	47.8	47.6
	17:30	49.8	74.7	58.6	46.3	52.5	51.4	48.9	47.8	47.5
	17:35	51.4	76.3	65.2	47.3	54.0	52.4	49.8	48.5	48.2
	17:40	49.7	74.5	58.4	47.5	51.0	50.4	49.2	48.5	48.3
	17:45	50.6	75.5	65.2	47.2	53.0	51.0	49.1	48.2	48.0
	17:50	49.5	74.3	54.6	47.4	51.2	50.5	49.1	48.2	48.0
	17:55	50.7	75.5	62.0	47.4	54.6	52.4	49.3	48.5	48.2

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0240 – R6512-0242

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองก้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : ชุมชนบ้านโนนซาก (N3)

SAMPLE NO. : 35148-35150

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 090087 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ae}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
25/11/2022	18:00	49.9	74.8	60.3	47.2	52.1	51.1	49.1	48.1	47.9
	18:05	52.4	77.3	68.1	47.2	56.6	54.4	50.1	48.7	48.5
	18:10	50.9	75.8	65.6	47.1	52.8	51.4	49.5	48.4	48.2
	18:15	50.3	75.1	59.4	47.0	52.6	51.4	49.5	48.4	48.2
	18:20	50.4	75.3	60.6	47.1	52.2	51.6	50.0	48.6	48.3
	18:25	50.4	75.3	56.1	47.2	52.5	51.6	50.0	48.7	48.5
	18:30	52.3	77.2	69.0	47.4	54.3	52.4	49.6	48.4	48.2
	18:35	50.1	75.1	63.0	47.0	53.4	51.3	48.9	48.1	47.9
	18:40	49.8	74.7	58.4	46.7	52.8	51.5	48.8	47.8	47.6
	18:45	49.6	74.5	55.6	47.2	51.6	50.8	49.1	48.1	48.0
	18:50	51.8	76.7	69.9	46.7	53.7	51.6	49.4	48.3	48.0
	18:55	50.1	75.0	58.8	46.9	52.4	51.4	49.5	48.2	48.0
	19:00	49.5	74.4	56.3	46.8	52.1	50.9	48.8	47.8	47.6
	19:05	51.9	76.8	69.2	47.9	54.4	52.9	49.8	48.8	48.6
	19:10	49.5	74.4	58.0	46.8	51.7	50.8	48.9	48.0	47.8
	19:15	49.2	74.1	61.1	46.1	51.0	50.1	48.5	47.7	47.5
	19:20	50.8	75.6	66.7	46.4	54.0	51.5	48.5	47.4	47.2
	19:25	49.3	74.2	62.0	46.9	50.9	50.2	48.5	47.8	47.6
	19:30	49.9	74.7	64.8	47.1	52.0	50.5	48.9	48.0	47.9
	19:35	49.5	74.4	58.8	47.2	51.3	50.5	48.9	48.2	48.0
	19:40	49.0	73.9	57.4	46.5	51.7	50.6	48.2	47.4	47.2
	19:45	59.6	84.5	78.4	46.3	65.9	57.4	48.0	47.2	47.0
	19:50	55.0	79.9	74.3	46.4	59.2	56.8	48.5	47.4	47.2
	19:55	48.7	73.6	53.3	46.8	50.1	49.6	48.5	47.6	47.4

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0240 – R6512-0242

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ต. สายหนองค้อ-แหลมอับัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : ชุมชนบ้านในซาก (N3)

SAMPLE NO. : 35148-35150

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 090087 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lae	Lmax	Lmin	La05	La10	La50	La90	La95
25/11/2022	20:00	48.9	73.8	55.7	46.3	50.7	49.8	48.4	47.4	47.2
	20:05	49.2	74.1	60.9	46.5	51.2	50.0	48.3	47.5	47.2
	20:10	48.8	73.7	57.1	46.3	51.1	49.8	48.0	47.2	47.1
	20:15	48.7	73.6	56.1	46.5	50.3	49.5	48.3	47.5	47.2
	20:20	49.0	73.9	53.0	47.2	49.9	49.6	48.8	48.1	48.0
	20:25	48.7	73.6	56.5	46.8	50.1	49.5	48.3	47.6	47.5
	20:30	50.9	75.8	65.6	47.2	55.3	52.5	48.6	48.0	47.9
	20:35	50.1	75.0	61.3	47.2	51.9	50.7	49.3	48.5	48.3
	20:40	49.6	74.5	54.6	47.6	51.0	50.3	49.3	48.7	48.5
	20:45	50.8	75.7	67.2	47.2	52.0	50.8	49.4	48.5	48.2
	20:50	48.9	73.8	54.2	46.9	49.9	49.6	48.7	48.0	47.8
	20:55	49.8	74.6	58.2	47.2	51.3	50.6	49.4	48.5	48.3
	21:00	50.0	74.9	57.3	47.6	51.9	51.0	49.5	48.6	48.4
	21:05	49.7	74.6	61.3	46.9	50.9	50.1	49.2	48.4	48.1
	21:10	49.4	74.3	56.1	47.4	50.7	50.0	49.1	48.5	48.3
	21:15	48.8	73.7	52.8	47.0	50.1	49.6	48.5	47.9	47.8
	21:20	49.0	73.9	61.4	46.6	49.9	49.4	48.4	47.6	47.4
	21:25	49.9	74.8	59.5	47.6	52.0	51.4	49.0	48.3	48.1
	21:30	48.8	73.7	54.6	47.0	50.2	49.6	48.5	47.7	47.5
	21:35	51.0	75.9	67.4	47.1	53.9	51.7	48.9	48.0	47.8
	21:40	52.2	77.1	73.5	47.1	50.5	49.6	48.5	48.0	47.9
	21:45	48.2	73.1	51.5	46.6	48.9	48.6	48.1	47.5	47.4
	21:50	48.5	73.4	56.7	46.1	51.6	49.8	47.6	46.9	46.7
	21:55	47.7	72.6	55.8	45.8	49.3	48.5	47.3	46.6	46.4

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0240 – R6512-0242

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ต. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : ซุมชนบ้านโนนซาก (N3)

DETERMINATION METHOD : ISO 1996-1:2016

INSTRUMENT : Integrated Sound Level Meter

S/N 090087 : Type 2

SAMPLE NO. : 35148-35150

MEASURING DATE : 23-26/11/2022

RECEIVED DATE : 28/11/2022

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ac}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
25/11/2022	22:00	47.8	72.7	55.8	45.9	48.8	48.4	47.4	46.6	46.5
	22:05	47.6	72.5	57.3	45.6	48.6	48.1	47.2	46.5	46.3
	22:10	50.2	75.1	71.1	45.6	53.2	48.9	47.2	46.4	46.2
	22:15	51.0	75.9	67.0	45.6	55.6	55.1	47.2	46.5	46.3
	22:20	48.0	72.9	57.0	45.9	49.9	48.4	47.5	46.7	46.5
	22:25	47.1	72.0	49.9	45.5	47.9	47.6	47.1	46.4	46.2
	22:30	47.6	72.5	53.1	46.0	48.7	48.0	47.3	46.8	46.6
	22:35	47.3	72.1	55.3	45.5	48.1	47.8	47.1	46.3	46.2
	22:40	48.2	73.1	55.0	46.2	49.4	48.7	47.9	47.1	47.0
	22:45	48.3	73.2	56.2	46.5	50.5	48.9	47.7	47.2	47.0
	22:50	47.9	72.8	55.3	46.4	49.0	48.3	47.5	47.0	46.9
	22:55	48.1	72.9	53.4	46.4	49.3	48.8	47.8	47.2	47.0
	23:00	47.9	72.7	58.6	46.2	49.1	48.3	47.5	46.8	46.7
	23:05	48.4	73.3	58.3	46.3	50.6	49.6	47.7	47.2	47.0
	23:10	47.7	72.6	56.2	46.1	48.8	48.1	47.4	46.8	46.7
	23:15	47.6	72.5	54.0	45.7	48.3	48.1	47.5	46.7	46.5
	23:20	48.1	73.0	58.3	46.0	50.5	49.6	47.5	46.7	46.6
	23:25	48.2	73.0	57.1	46.1	50.1	49.1	47.6	46.9	46.7
	23:30	48.1	72.9	52.2	46.2	49.5	49.0	47.7	47.1	47.0
	23:35	51.2	76.1	67.6	46.3	53.2	50.2	48.1	47.2	47.1
	23:40	48.4	73.3	53.1	46.5	50.0	49.3	48.1	47.3	47.1
	23:45	48.2	73.0	56.9	46.1	49.4	48.8	47.8	47.1	46.9
	23:50	47.7	72.6	51.9	45.8	48.4	48.2	47.5	47.0	46.8
	23:55	47.9	72.8	55.8	46.4	48.8	48.3	47.6	47.2	47.0

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0240 – R6512-0242

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเทรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ต. สายหนองก่อ-แหลมอับัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเทรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : ชุมชนบ้านโนนซาก (N3)

SAMPLE NO. : 35148-35150

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 090087 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ae}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
26/11/2022	00:00	48.1	73.0	57.6	46.3	49.0	48.6	47.7	47.1	47.0
	00:05	48.0	72.9	57.2	46.3	48.6	48.3	47.7	47.1	47.0
	00:10	48.2	73.0	59.8	46.1	49.3	48.5	47.6	47.1	47.0
	00:15	48.0	72.9	57.5	46.2	48.9	48.5	47.6	47.0	46.8
	00:20	48.0	72.8	51.7	46.2	48.7	48.5	47.8	47.2	47.1
	00:25	47.6	72.5	51.1	45.9	48.3	48.1	47.6	46.8	46.6
	00:30	47.7	72.6	56.2	46.2	48.7	48.2	47.5	46.9	46.7
	00:35	47.7	72.5	51.5	45.4	48.3	48.1	47.6	46.8	46.6
	00:40	48.0	72.9	56.2	46.2	49.0	48.4	47.7	47.2	47.0
	00:45	48.0	72.9	54.2	45.9	48.7	48.4	47.8	47.2	47.0
	00:50	48.2	73.1	56.4	46.3	50.0	48.9	47.8	47.1	47.0
	00:55	47.7	72.6	53.2	46.2	48.5	48.1	47.6	47.1	46.9
	01:00	47.8	72.7	56.2	45.9	49.1	48.2	47.3	46.8	46.6
	01:05	47.4	72.2	50.5	45.7	48.2	48.0	47.2	46.5	46.4
	01:10	48.0	72.9	52.6	46.4	49.1	48.5	47.8	47.3	47.2
	01:15	47.7	72.6	52.0	46.1	48.4	48.2	47.6	47.0	46.8
	01:20	48.5	73.3	59.2	46.1	50.0	48.7	47.8	47.1	47.0
	01:25	48.3	73.2	60.1	46.2	49.5	48.7	47.8	47.1	46.9
	01:30	47.8	72.7	52.1	46.1	48.6	48.3	47.6	46.9	46.8
	01:35	48.3	73.2	60.8	46.2	49.3	48.7	47.6	47.1	47.0
	01:40	47.9	72.7	59.6	46.1	48.3	48.0	47.5	46.9	46.7
	01:45	47.8	72.7	54.8	46.3	49.2	48.1	47.5	46.9	46.8
	01:50	47.3	72.1	51.5	45.9	48.0	47.8	47.1	46.6	46.5
	01:55	48.5	73.4	58.2	46.4	50.9	49.6	47.9	47.2	47.0

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0240 – R6512-0242

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ต. สายหนองก่อ-แหลมถาบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : ชุมชนบ้านโนนซาก (N3)

SAMPLE NO. : 35148-35150

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 090087 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ae}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
26/11/2022	02:00	47.7	72.6	52.6	46.0	48.9	48.1	47.4	46.9	46.8
	02:05	47.7	72.6	52.7	46.0	48.5	48.2	47.4	46.7	46.6
	02:10	47.9	72.7	57.3	45.7	49.4	48.4	47.3	46.7	46.5
	02:15	47.2	72.1	50.0	45.8	47.8	47.7	47.2	46.5	46.4
	02:20	47.3	72.2	50.8	45.6	48.1	47.8	47.2	46.5	46.3
	02:25	47.8	72.7	54.9	46.1	48.7	48.1	47.4	46.8	46.7
	02:30	47.8	72.7	57.1	45.7	48.4	48.0	47.3	46.7	46.5
	02:35	47.6	72.5	56.8	45.9	48.2	47.9	47.3	46.8	46.7
	02:40	47.7	72.6	55.2	45.8	49.0	48.4	47.2	46.6	46.5
	02:45	48.8	73.6	62.5	45.7	51.8	49.5	47.4	46.6	46.5
	02:50	47.7	72.6	54.9	45.9	49.1	48.3	47.2	46.7	46.6
	02:55	47.4	72.3	55.5	45.9	48.6	48.0	47.1	46.5	46.3
	03:00	48.7	73.6	61.1	45.8	52.8	48.9	47.2	46.6	46.5
	03:05	47.6	72.5	55.9	45.9	48.4	47.8	47.2	46.6	46.5
	03:10	48.2	73.1	60.1	45.8	50.7	49.1	47.3	46.6	46.5
	03:15	48.4	73.3	65.6	45.8	49.6	48.4	47.2	46.5	46.3
	03:20	47.6	72.5	54.1	45.8	48.8	48.2	47.3	46.5	46.4
	03:25	47.5	72.4	54.3	45.9	48.9	48.2	47.2	46.5	46.4
	03:30	52.4	77.3	68.1	46.0	57.7	56.7	47.4	46.7	46.5
	03:35	49.0	73.8	60.0	46.1	52.3	50.1	47.5	46.8	46.7
	03:40	47.5	72.4	52.5	45.9	48.6	48.1	47.2	46.6	46.5
	03:45	48.7	73.6	67.9	46.3	50.3	48.8	47.7	47.0	46.9
	03:50	50.0	74.9	65.0	46.2	52.9	51.2	48.0	47.0	46.9
	03:55	48.3	73.2	53.2	46.2	50.5	49.7	47.7	47.0	46.8

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0240 – R6512-0242

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองก้อ-แหลมถันย้ง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : ชุมชนบ้านในซาก (N3)

SAMPLE NO. : 35148-35150

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 090087 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ae}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
26/11/2022	04:00	48.0	72.9	54.4	46.2	49.6	48.7	47.6	47.0	46.9
	04:05	48.5	73.4	58.0	46.1	50.5	49.1	47.6	46.9	46.8
	04:10	49.0	73.9	59.8	46.3	51.9	50.4	47.8	47.0	46.9
	04:15	48.5	73.4	57.2	46.2	51.3	49.9	47.8	47.0	46.9
	04:20	50.1	75.0	63.8	46.3	53.0	50.9	48.0	47.3	47.1
	04:25	49.2	74.1	60.4	46.5	51.5	50.1	48.1	47.5	47.2
	04:30	49.5	74.4	64.3	46.2	51.7	50.6	48.1	47.3	47.2
	04:35	49.9	74.8	60.0	46.5	53.2	52.0	48.6	47.5	47.3
	04:40	50.1	75.0	60.6	46.3	53.3	52.1	48.8	47.6	47.4
	04:45	51.2	76.1	61.5	46.4	55.1	53.5	49.3	47.6	47.2
	04:50	51.3	76.2	68.2	46.5	55.4	53.6	49.0	47.6	47.4
	04:55	59.4	84.2	74.7	46.5	66.7	58.0	49.6	47.8	47.5
	05:00	57.6	82.5	74.8	47.2	59.2	55.6	50.1	48.3	48.0
	05:05	52.2	77.1	65.2	46.9	56.8	54.7	50.0	48.0	47.8
	05:10	52.1	77.0	66.7	46.9	55.7	54.1	50.5	48.2	47.8
	05:15	53.9	78.7	68.3	47.7	58.5	56.1	51.2	48.8	48.5
	05:20	53.8	78.7	70.2	47.3	58.7	56.1	50.8	48.6	48.3
	05:25	55.0	79.9	71.6	47.7	58.9	56.6	51.5	48.9	48.6
	05:30	56.5	81.4	70.0	47.1	60.8	57.3	51.6	48.9	48.3
	05:35	54.0	78.9	68.5	47.6	57.8	56.3	51.5	49.2	48.8
	05:40	55.6	80.5	80.1	48.1	59.5	57.5	52.3	49.5	49.1
	05:45	54.0	78.9	67.1	47.4	58.1	56.4	52.1	48.8	48.3
	05:50	52.4	77.3	62.1	47.4	56.6	55.3	50.8	48.8	48.5
	05:55	54.0	78.9	68.0	48.0	58.1	56.3	51.9	49.5	49.1

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0240 – R6512-0242

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : ชุมชนบ้านโนนชา (N3)

SAMPLE NO. : 35148-35150

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 090087 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lae	Lmax	Lmin	La05	La10	La50	La90	La95
26/11/2022	06:00	55.4	80.3	70.0	48.2	60.1	57.9	52.8	49.8	49.4
	06:05	56.0	80.9	73.4	48.0	59.5	58.3	53.5	50.0	49.3
	06:10	54.7	79.6	68.3	48.4	58.3	57.3	53.1	50.0	49.5
	06:15	54.0	78.8	63.9	48.3	58.3	56.8	52.1	50.0	49.5
	06:20	57.2	82.1	79.3	48.2	60.7	58.1	53.0	50.1	49.6
	06:25	57.8	82.6	78.4	47.8	61.0	57.6	52.5	49.9	49.1
	06:30	53.1	78.0	67.5	47.5	57.1	55.5	50.8	48.8	48.4
	06:35	53.3	78.2	65.0	47.3	57.6	55.8	51.6	49.1	48.7
	06:40	54.0	78.8	73.4	46.9	58.0	55.5	50.8	48.5	48.2
	06:45	54.0	78.9	73.8	45.6	56.5	54.5	49.9	47.8	47.4
	06:50	54.5	79.4	73.7	46.2	57.4	55.1	50.0	47.7	47.3
	06:55	54.0	78.9	72.4	45.7	57.7	55.9	50.5	47.3	47.0
	07:00	53.9	78.8	66.7	46.8	59.2	57.5	51.3	48.3	47.9
	07:05	50.5	75.4	64.2	45.7	54.0	52.3	48.9	47.2	46.9
	07:10	52.0	76.9	63.6	46.1	56.2	54.6	50.3	47.9	47.2
	07:15	49.7	74.6	59.0	45.8	53.6	52.1	48.3	46.9	46.7
	07:20	51.8	76.7	64.1	45.7	56.8	54.1	49.2	46.9	46.6
	07:25	51.4	76.3	64.3	44.9	56.0	54.1	48.3	46.1	45.7
	07:30	50.2	75.1	65.0	45.1	54.3	52.6	47.8	46.3	46.1
	07:35	49.5	74.5	64.3	44.9	53.2	51.5	47.5	46.1	45.9
	07:40	50.6	75.5	63.6	45.1	55.2	53.3	47.9	46.4	46.0
	07:45	52.5	77.4	69.6	45.9	56.9	54.8	48.9	47.0	46.8
	07:50	50.9	75.8	66.6	45.1	55.0	53.1	48.2	46.5	46.2
	07:55	52.5	77.4	70.2	44.6	57.7	55.5	49.3	46.3	45.8

Remark : Measurement By Mr. Tummarut Photankhum



Approved By.....

(MRS. WANPEN LHAOCHINDAWAT)

08/12/2022

REPORTED BY: [Signature] SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0237 – R6512-0239

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองก้อ-แหลมฉิม ต. หนองขาม อ. สุรินทร์ จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : ชุมชนบ้านเขาคิน (N4)

SAMPLE NO. : 35145-35147

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 01147298 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lae	Lmax	Lmin	La05	La10	La50	La90	La95
23/11/2022	09:20	59.0	83.8	78.5	48.4	64.2	61.2	53.6	50.3	49.9
	09:25	53.4	78.2	68.6	48.3	57.3	54.9	50.8	49.6	49.4
	09:30	53.9	78.7	70.7	48.4	59.0	55.3	50.2	49.3	49.1
	09:35	53.7	78.5	65.7	48.7	59.1	56.6	51.1	49.9	49.7
	09:40	55.6	80.4	73.7	48.5	60.3	56.4	50.5	49.4	49.3
	09:45	54.9	79.7	69.0	48.8	61.3	57.5	50.9	49.6	49.4
	09:50	57.9	82.7	66.2	53.4	60.5	59.5	57.3	56.7	56.5
	09:55	57.7	82.5	71.9	48.5	62.6	60.9	55.1	49.8	49.4
	10:00	55.7	80.5	69.2	48.3	62.4	59.0	51.5	49.4	49.1
	10:05	60.2	85.0	72.0	48.5	66.5	64.8	55.8	50.6	49.9
	10:10	54.4	79.2	68.8	48.6	58.9	56.7	51.7	49.6	49.3
	10:15	55.8	80.6	71.2	48.1	62.3	58.8	50.4	49.0	48.8
	10:20	55.3	80.1	70.3	47.6	61.5	57.9	50.7	49.1	48.8
	10:25	57.3	82.1	70.8	48.3	63.4	60.3	52.8	49.8	49.6
	10:30	58.1	82.9	68.1	53.7	62.0	60.3	56.8	55.4	55.2
	10:35	58.4	83.2	76.1	50.0	60.6	58.6	54.3	52.6	52.3
	10:40	59.3	84.1	74.5	48.9	64.8	61.7	53.6	50.6	50.2
	10:45	52.4	77.2	67.8	47.5	57.0	54.0	49.9	49.1	49.0
	10:50	52.0	76.8	62.1	48.3	55.9	54.2	50.7	49.4	49.1
	10:55	57.5	82.3	75.0	48.9	61.8	60.0	54.4	51.2	50.5
	11:00	52.3	77.1	70.8	47.8	56.8	54.4	50.4	49.1	48.9
	11:05	55.4	80.2	73.5	48.1	62.0	59.5	50.6	48.9	48.7
	11:10	52.0	76.8	63.0	48.3	57.2	54.5	50.0	49.2	49.0
	11:15	55.2	80.0	68.6	48.3	60.5	58.0	52.3	49.4	49.2

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0237 – R6512-0239

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ต. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : จุดชนบ้านเขาหิน (N4)

SAMPLE NO. : 35145-35147

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 01147298 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lae	Lmax	Lmin	La05	La10	La50	La90	La95
23/11/2022	11:20	56.9	81.7	71.0	48.9	63.5	60.2	52.5	50.0	49.7
	11:25	55.4	80.2	72.1	48.1	61.0	58.8	51.7	49.3	49.0
	11:30	59.6	84.4	78.4	47.4	64.3	59.5	50.1	48.3	48.2
	11:35	59.6	84.4	76.3	47.9	65.8	62.1	51.9	49.1	48.9
	11:40	54.9	79.7	72.6	47.8	59.8	57.1	50.9	48.7	48.5
	11:45	56.2	81.0	69.6	48.2	62.6	60.0	50.5	49.0	48.8
	11:50	52.0	76.8	64.6	47.7	56.0	54.7	49.9	48.6	48.5
	11:55	56.3	81.1	72.7	47.6	61.6	58.1	51.2	49.1	48.7
	12:00	55.7	80.5	73.9	47.7	61.1	58.5	51.5	48.8	48.5
	12:05	60.1	84.9	75.5	47.9	67.1	64.7	53.3	49.4	49.0
	12:10	54.5	79.3	71.3	47.5	60.2	58.0	49.9	48.5	48.3
	12:15	56.8	81.6	74.8	46.4	61.8	57.2	50.0	48.2	47.9
	12:20	53.8	78.6	68.9	47.1	59.6	56.6	49.8	48.4	48.2
	12:25	53.8	78.6	65.8	46.5	59.5	57.4	49.4	48.2	48.0
	12:30	55.6	80.4	78.5	47.7	60.8	59.0	50.9	49.0	48.7
	12:35	54.9	79.7	70.2	48.8	59.1	57.2	52.5	49.8	49.5
	12:40	53.5	78.3	64.2	48.1	59.0	56.7	50.9	49.0	48.8
	12:45	57.0	81.8	72.3	48.1	63.7	60.9	52.5	49.7	49.3
	12:50	53.9	78.7	67.7	48.1	59.7	56.8	50.1	49.0	48.8
	12:55	55.5	80.3	71.0	47.8	60.9	58.1	51.0	48.7	48.5
	13:00	53.4	78.2	68.7	47.8	58.5	55.5	50.2	48.8	48.6
	13:05	52.0	76.8	67.1	47.7	56.6	54.6	49.8	48.7	48.6
	13:10	55.3	80.1	69.9	48.5	61.6	57.8	50.9	49.6	49.4
	13:15	54.0	78.8	66.9	48.6	59.0	56.7	51.4	49.9	49.7

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0237 -- R6512-0239

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ต. สายหนองก้อ-แหลมฉาง อ. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : ชุมชนบ้านเขาหิน (N4)

SAMPLE NO. : 35145-35147

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 01147298 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ac}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
23/11/2022	13:20	56.1	80.9	70.5	48.7	60.6	58.6	53.2	50.1	49.7
	13:25	56.3	81.1	70.1	48.4	62.1	59.5	52.2	49.9	49.6
	13:30	54.5	79.3	67.9	48.3	59.6	56.9	51.2	49.8	49.5
	13:35	54.8	79.6	66.1	48.7	59.7	57.7	52.1	50.4	49.9
	13:40	55.4	80.2	67.6	48.9	60.9	58.8	52.5	49.9	49.7
	13:45	58.4	83.2	77.2	49.1	63.1	60.2	52.5	50.5	50.1
	13:50	54.9	79.7	69.1	48.9	61.0	57.5	51.0	49.9	49.7
	13:55	53.6	78.4	69.5	48.4	58.5	55.4	50.4	49.3	49.1
	14:00	54.0	78.8	68.9	48.5	59.4	57.0	50.7	49.6	49.3
	14:05	53.5	78.3	64.6	48.8	58.3	55.9	51.2	49.7	49.6
	14:10	55.2	80.0	68.7	48.3	60.5	58.5	51.4	49.5	49.2
	14:15	55.7	80.5	70.2	48.2	61.1	59.1	52.0	49.9	49.4
	14:20	54.1	78.9	73.3	48.5	58.9	56.6	50.6	49.6	49.4
	14:25	52.4	77.2	63.5	48.7	56.5	54.3	50.8	49.7	49.5
	14:30	55.7	80.5	67.3	48.6	62.4	58.4	52.4	49.8	49.5
	14:35	54.3	79.1	68.9	49.2	59.4	56.7	51.4	50.6	50.5
	14:40	53.8	78.6	67.7	49.6	58.3	54.6	51.1	50.5	50.4
	14:45	55.4	80.2	71.1	49.6	60.2	57.7	51.3	50.4	50.3
	14:50	56.8	81.6	70.9	48.5	62.7	59.7	52.0	50.1	49.6
	14:55	54.0	78.8	67.8	48.1	59.1	56.6	50.1	48.8	48.7
	15:00	54.7	79.5	67.6	48.2	60.9	58.3	50.6	49.2	49.0
	15:05	56.6	81.4	70.9	48.2	62.2	59.2	51.7	49.3	49.1
	15:10	54.4	79.2	69.5	48.6	59.3	57.1	51.0	49.4	49.2
	15:15	55.6	80.4	72.3	48.1	60.7	58.2	51.6	49.6	49.2

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0237 – R6512-0239

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : ชุมชนบ้านเขาดิน (N4)

SAMPLE NO. : 35145-35147

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 01147298 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lae	Lmax	Lmin	La05	La10	La50	La90	La95
23/11/2022	15:20	57.1	81.9	77.0	47.6	61.8	59.3	50.5	48.6	48.4
	15:25	53.4	78.2	65.8	47.9	58.9	56.7	49.9	48.7	48.6
	15:30	54.0	78.8	66.7	47.8	59.7	56.9	50.6	49.0	48.8
	15:35	56.0	80.8	75.1	48.8	60.9	58.8	51.5	49.8	49.6
	15:40	57.4	82.2	68.1	53.4	62.3	60.1	55.2	54.4	54.3
	15:45	56.5	81.3	66.4	52.9	61.0	59.0	54.6	53.8	53.7
	15:50	56.4	81.2	67.7	52.2	60.5	58.8	54.6	53.3	53.0
	15:55	57.5	82.3	72.3	48.3	64.0	60.1	52.6	49.4	49.2
	16:00	55.3	80.1	68.9	47.7	62.0	58.9	51.1	49.0	48.8
	16:05	53.2	78.0	65.8	47.3	59.2	57.0	49.8	48.2	48.0
	16:10	55.7	80.5	73.8	47.5	61.2	58.2	50.0	48.6	48.4
	16:15	53.3	78.1	64.7	47.4	58.5	56.7	50.4	48.5	48.3
	16:20	53.0	77.8	66.8	48.0	57.1	55.5	50.7	49.1	48.8
	16:25	57.1	81.9	73.8	48.6	63.0	60.4	53.1	50.1	49.7
	16:30	55.6	80.4	67.6	48.5	61.2	59.0	52.9	49.9	49.3
	16:35	60.3	85.1	79.7	48.4	64.6	62.5	54.9	50.1	49.5
	16:40	52.8	77.6	68.4	48.2	57.4	55.6	50.1	49.0	48.9
	16:45	55.8	80.6	70.7	47.9	60.9	57.6	51.2	48.8	48.6
	16:50	59.5	84.3	72.1	53.0	65.3	62.5	57.2	54.1	53.7
	16:55	59.2	84.0	76.5	50.9	65.4	63.1	54.5	52.3	52.0
	17:00	58.3	83.1	72.1	48.1	64.0	62.0	54.3	49.6	49.2
	17:05	59.7	84.5	72.8	47.1	66.3	64.2	54.9	49.1	48.5
	17:10	55.8	80.6	69.2	47.6	61.4	59.7	52.2	48.8	48.4
	17:15	59.1	83.9	72.8	48.4	64.6	62.1	56.0	50.8	50.0

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0237 – R6512-0239

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ต. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : ชุมชนบ้านเขาหิน (N4)

SAMPLE NO. : 35145-35147

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 01147298 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ae}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
23/11/2022	17:20	57.6	82.4	74.4	48.0	62.1	59.9	53.3	50.0	49.6
	17:25	55.8	80.6	66.7	48.4	60.4	59.1	53.6	49.6	49.2
	17:30	58.7	83.5	79.7	48.6	63.4	60.1	53.5	50.2	49.7
	17:35	57.6	82.4	72.0	48.6	62.9	60.9	53.5	50.0	49.5
	17:40	56.7	81.5	70.8	48.6	62.2	60.5	53.3	50.1	49.7
	17:45	58.2	83.0	77.6	48.2	61.0	58.3	52.4	49.8	49.4
	17:50	61.3	86.1	82.8	47.9	63.1	60.2	53.7	49.7	49.0
	17:55	57.7	82.5	80.5	47.1	58.8	55.3	49.3	47.9	47.7
	18:00	57.2	82.0	70.8	47.7	63.5	61.4	52.6	49.3	48.8
	18:05	54.7	79.5	66.7	47.3	59.9	57.9	51.4	48.2	48.0
	18:10	55.3	80.1	68.3	47.6	60.6	58.7	51.7	48.9	48.6
	18:15	52.4	77.2	64.1	47.8	57.4	55.2	50.1	48.8	48.6
	18:20	59.2	84.0	77.3	48.8	63.1	60.0	52.0	49.9	49.7
	18:25	53.9	78.7	69.3	49.0	58.1	56.4	51.6	50.0	49.7
	18:30	54.4	79.2	69.9	49.0	59.2	56.8	51.8	50.3	50.0
	18:35	54.7	79.5	67.3	49.9	59.8	57.9	52.0	50.8	50.7
	18:40	53.4	78.2	63.5	49.6	57.3	55.7	52.3	50.8	50.5
	18:45	55.6	80.4	69.7	49.7	61.1	59.1	52.6	50.6	50.4
	18:50	57.5	82.3	72.1	49.5	62.9	60.4	54.0	52.2	51.7
	18:55	55.0	79.8	67.7	50.1	59.1	57.4	53.1	52.0	51.8
	19:00	55.5	80.3	68.9	51.1	58.7	57.3	54.2	52.8	52.4
	19:05	56.9	81.7	70.3	50.1	61.5	59.8	54.6	52.1	51.5
	19:10	57.7	82.5	69.9	49.8	63.7	61.0	53.6	51.2	50.9
	19:15	55.4	80.2	68.7	49.2	60.6	57.7	52.5	50.4	50.1

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0237 – R6512-0239

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : ชุมชนบ้านเขาหิน (N4)

SAMPLE NO. : 35145-35147

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 01147298 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ae}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
23/11/2022	19:20	60.0	84.8	79.6	50.1	64.6	61.4	54.6	52.1	51.7
	19:25	55.9	80.7	69.6	49.1	60.2	58.1	53.9	51.9	51.6
	19:30	53.2	78.0	59.4	48.6	55.5	54.9	52.7	51.3	51.1
	19:35	54.9	79.7	69.9	48.5	58.7	56.9	53.5	51.6	51.2
	19:40	55.6	80.4	68.2	48.6	60.4	58.1	53.4	51.4	51.1
	19:45	56.8	81.6	71.8	47.2	61.7	57.4	52.1	49.4	49.1
	19:50	57.2	82.0	74.3	48.3	62.6	60.3	52.9	49.7	49.4
	19:55	61.2	86.0	80.5	48.4	65.5	59.7	52.4	49.9	49.6
	20:00	54.5	79.3	67.3	49.0	59.5	56.9	52.3	50.1	49.9
	20:05	55.7	80.5	72.9	49.1	59.4	57.6	53.1	50.9	50.5
	20:10	53.8	78.6	63.9	48.9	58.4	56.6	52.2	50.2	49.9
	20:15	54.5	79.3	66.8	48.7	58.7	56.6	52.0	50.1	49.9
	20:20	55.5	80.3	73.8	48.6	59.1	56.6	52.0	49.8	49.6
	20:25	53.7	78.5	64.6	48.5	59.1	56.3	51.7	49.8	49.6
	20:30	51.3	76.1	59.5	48.2	53.7	52.8	50.6	49.5	49.3
	20:35	52.7	77.5	66.9	48.3	55.3	53.3	50.7	49.5	49.3
	20:40	53.1	77.9	67.7	47.9	57.9	54.7	50.6	49.1	48.9
	20:45	53.4	78.2	67.3	48.2	57.8	56.2	51.0	49.7	49.4
	20:50	59.2	84.0	82.6	48.2	64.1	58.4	50.8	49.3	49.1
	20:55	51.9	76.7	61.7	48.1	55.7	53.8	50.7	49.4	49.2
	21:00	52.6	77.4	67.8	48.4	54.9	53.3	50.7	49.6	49.4
	21:05	53.9	78.7	69.6	48.1	59.3	56.0	50.7	49.4	49.2
	21:10	54.3	79.1	68.4	47.6	59.2	55.6	50.5	49.0	48.7
	21:15	52.1	76.9	68.3	47.8	55.2	53.2	49.7	48.9	48.7

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0237 – R6512-0239

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ต. หนองข้อมี-แหลมอับัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : ชุมชนบ้านเขาหิน (N4)

SAMPLE NO. : 35145-35147

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 01147298 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ae}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
23/11/2022	21:20	54.4	79.2	69.6	47.4	60.2	56.0	49.4	48.5	48.2
	21:25	52.6	77.4	65.5	47.8	57.7	54.0	49.9	49.0	48.9
	21:30	51.1	75.9	60.6	47.6	55.1	52.7	50.0	49.0	48.8
	21:35	52.3	77.1	66.1	47.7	56.1	53.2	49.9	48.8	48.5
	21:40	51.2	76.0	61.8	47.7	55.2	52.9	49.7	48.7	48.5
	21:45	53.7	78.5	67.7	48.0	59.8	56.0	50.1	49.0	48.8
	21:50	52.4	77.2	66.7	47.5	56.2	53.5	49.8	48.7	48.5
	21:55	50.9	75.7	61.4	47.2	56.2	52.6	49.1	48.4	48.2
	22:00	54.0	78.8	71.2	47.1	58.4	55.2	48.8	48.0	47.8
	22:05	49.4	74.2	62.5	46.8	51.7	49.7	48.4	47.7	47.5
	22:10	51.1	75.9	65.8	47.1	56.3	53.1	48.8	48.0	47.9
	22:15	52.4	77.2	65.9	47.1	58.3	55.0	48.8	48.1	48.0
	22:20	53.2	78.0	73.9	46.9	56.6	53.3	49.0	47.9	47.7
	22:25	52.4	77.2	70.4	47.0	53.1	50.4	48.5	47.9	47.8
	22:30	53.0	77.8	66.5	46.9	59.2	56.0	49.1	48.1	47.9
	22:35	50.2	75.0	62.0	46.8	51.6	50.9	49.5	48.3	48.0
	22:40	52.9	77.7	65.0	46.9	59.3	55.3	49.8	48.5	48.1
	22:45	49.7	74.5	56.4	47.7	50.9	50.6	49.5	48.7	48.5
	22:50	52.3	77.1	65.6	47.6	56.7	53.7	49.9	48.8	48.6
	22:55	52.9	77.7	72.4	47.7	55.5	53.0	50.1	48.9	48.6
	23:00	51.1	75.9	69.8	47.5	54.1	51.9	49.3	48.4	48.3
	23:05	49.3	74.1	58.0	47.4	51.7	50.1	48.6	48.2	48.0
	23:10	53.6	78.4	75.8	47.1	53.6	50.8	48.7	48.1	48.0
	23:15	48.7	73.5	54.1	46.5	49.8	49.4	48.6	48.1	47.9

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0237 – R6512-0239

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ต. สายหนองค้อ-แหลมอับัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : จุดขนบ้านเขาดิน (N4)

SAMPLE NO. : 35145-35147

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 01147298 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ae}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
23/11/2022	23:20	49.7	74.5	59.5	47.3	52.3	49.8	48.8	48.2	48.0
	23:25	51.2	76.0	65.4	47.1	55.5	51.3	48.8	48.0	47.8
	23:30	48.4	73.2	52.2	47.0	49.3	49.1	48.3	47.8	47.6
	23:35	48.6	73.4	56.6	46.9	49.5	49.0	48.3	47.8	47.7
	23:40	49.1	73.9	63.7	46.8	49.4	48.9	48.3	47.7	47.6
	23:45	49.7	74.5	62.2	46.6	51.8	50.0	48.5	47.6	47.4
	23:50	48.7	73.5	57.5	46.5	49.7	49.2	48.3	47.8	47.6
	23:55	52.7	77.5	68.8	46.9	56.4	51.2	48.2	47.6	47.4
24/11/2022	00:00	48.3	73.1	59.6	46.5	49.3	48.6	47.9	47.2	47.1
	00:05	48.0	72.8	58.1	46.4	48.6	48.3	47.8	47.2	47.1
	00:10	50.9	75.7	65.1	46.5	54.8	51.1	48.2	47.4	47.2
	00:15	53.4	78.2	75.9	46.2	56.2	53.0	48.1	47.3	47.1
	00:20	51.2	76.0	66.1	44.7	55.1	52.2	47.8	47.1	46.9
	00:25	54.4	79.2	76.2	46.1	54.4	50.7	47.7	47.1	46.9
	00:30	51.1	75.9	67.9	46.4	54.5	51.9	48.0	47.2	47.1
	00:35	48.5	73.3	59.7	46.3	50.1	49.3	47.8	47.2	47.1
	00:40	54.9	79.7	74.8	46.6	61.0	53.3	48.3	47.6	47.4
	00:45	58.5	83.3	76.4	46.5	64.2	59.4	48.7	47.5	47.3
	00:50	52.5	77.3	69.7	47.0	56.3	54.9	49.2	48.0	47.8
	00:55	50.2	75.0	59.0	47.1	54.3	53.2	48.6	47.9	47.7
	01:00	50.2	75.0	61.6	47.0	54.5	51.9	48.7	48.1	47.9
	01:05	49.5	74.3	65.7	46.9	51.6	49.7	48.7	47.9	47.7
	01:10	48.9	73.7	55.5	46.9	51.7	50.8	48.3	47.6	47.5
	01:15	49.9	74.7	63.8	46.9	51.5	49.4	48.4	47.9	47.7

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY



Request No. LA65-R1207

Report No. R6512-0237 – R6512-0239

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : ชุมชนบ้านเขาหิน (N4)

SAMPLE NO. : 35145-35147

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 01147298 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ae}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
24/11/2022	01:20	48.8	73.6	56.0	46.7	50.1	49.5	48.5	47.9	47.7
	01:25	48.4	73.2	50.1	47.1	49.1	49.0	48.4	47.9	47.8
	01:30	55.0	79.8	76.1	47.1	51.9	50.5	48.5	47.9	47.7
	01:35	48.8	73.6	57.3	47.0	49.6	49.3	48.6	48.1	47.9
	01:40	48.5	73.3	51.9	47.1	49.2	49.0	48.5	48.0	47.9
	01:45	51.5	76.3	68.9	47.0	53.7	49.6	48.4	47.9	47.7
	01:50	48.4	73.2	50.3	46.8	49.1	48.9	48.4	47.9	47.7
	01:55	48.6	73.4	52.7	47.1	49.6	49.2	48.5	47.9	47.8
	02:00	48.7	73.5	54.1	47.1	49.6	49.3	48.6	48.0	47.9
	02:05	49.6	74.4	62.0	47.0	52.0	49.9	48.7	48.1	48.0
	02:10	48.5	73.3	55.0	47.1	49.3	49.0	48.4	47.8	47.7
	02:15	49.1	73.9	59.8	46.7	51.6	49.1	48.2	47.7	47.6
	02:20	48.0	72.8	52.3	46.7	48.6	48.5	48.0	47.6	47.5
	02:25	56.8	81.6	79.4	46.2	53.8	50.8	48.2	47.5	47.3
	02:30	51.0	75.8	68.2	46.9	51.7	50.4	48.6	47.9	47.7
	02:35	48.6	73.4	52.3	46.9	49.8	49.4	48.5	47.8	47.7
	02:40	49.7	74.5	66.1	46.4	50.8	49.0	48.1	47.6	47.4
	02:45	48.2	73.0	52.4	46.5	49.2	48.8	48.1	47.5	47.3
	02:50	49.4	74.2	60.5	46.6	52.6	49.9	48.1	47.5	47.3
	02:55	49.0	73.8	63.3	46.5	50.2	49.0	48.0	47.5	47.3
	03:00	57.0	81.8	76.4	46.9	56.3	52.3	48.4	47.8	47.6
	03:05	48.8	73.6	52.8	46.9	50.8	50.1	48.4	47.8	47.6
	03:10	48.6	73.4	53.6	46.7	49.8	49.5	48.5	47.8	47.6
	03:15	50.8	75.6	65.5	47.1	52.9	49.9	48.5	47.9	47.7

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0237 – R6512-0239

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ต. สายหนองก้อ-แหลมอับัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : ชุมชนบ้านเขาดิน (N4)

SAMPLE NO. : 35145-35147

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 01147298 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ae}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
24/11/2022	03:20	49.9	74.7	65.5	47.0	51.2	50.4	48.8	47.9	47.7
	03:25	48.6	73.4	54.1	46.7	49.9	49.5	48.4	47.7	47.6
	03:30	49.6	74.4	61.2	46.7	52.5	50.3	48.4	47.6	47.4
	03:35	48.6	73.4	53.7	47.0	49.9	49.6	48.4	47.8	47.6
	03:40	48.9	73.7	52.7	46.9	50.3	50.0	48.6	47.9	47.7
	03:45	49.3	74.1	54.7	47.1	50.8	50.4	49.0	48.0	47.8
	03:50	50.4	75.2	65.1	47.1	52.2	50.1	48.7	48.0	47.8
	03:55	49.4	74.2	63.9	46.7	50.2	49.5	48.5	47.8	47.6
	04:00	51.1	75.9	69.2	47.1	52.2	50.0	48.4	47.9	47.7
	04:05	48.3	73.1	51.8	46.8	49.0	48.8	48.3	47.8	47.7
	04:10	49.1	73.9	58.1	47.0	52.1	49.9	48.3	47.8	47.7
	04:15	48.8	73.6	58.9	46.8	49.4	49.0	48.4	47.8	47.7
	04:20	63.2	88.0	80.8	46.9	64.1	56.9	48.8	47.9	47.7
	04:25	57.4	82.2	79.0	47.5	59.2	54.8	49.3	48.6	48.5
	04:30	48.8	73.6	57.2	47.3	49.5	49.2	48.6	48.1	47.9
	04:35	49.8	74.6	59.9	47.4	53.0	51.4	49.0	48.3	48.2
	04:40	50.3	75.1	62.7	47.2	54.2	50.7	48.9	48.2	48.0
	04:45	49.8	74.6	58.6	47.0	52.5	50.9	49.0	48.3	48.1
	04:50	52.8	77.6	68.5	48.8	56.8	53.7	50.9	50.1	49.7
	04:55	51.4	76.2	58.6	49.6	52.3	51.9	51.1	50.5	50.3
	05:00	56.7	81.5	75.6	49.6	62.8	58.1	51.0	50.3	50.1
	05:05	51.1	75.9	61.8	48.7	54.6	52.7	50.0	49.5	49.3
	05:10	50.5	75.3	61.2	48.6	52.5	50.9	49.9	49.4	49.3
	05:15	50.7	75.5	61.6	48.7	53.0	51.3	50.0	49.5	49.4

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0237 – R6512-0239

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : รุมนขนบ้านเขาดิน (N4)

SAMPLE NO. : 35145-35147

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 01147298 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ac}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
24/11/2022	05:20	57.5	82.3	78.3	48.4	60.4	55.7	49.9	49.2	49.0
	05:25	53.9	78.7	69.9	48.8	59.0	55.0	50.0	49.4	49.3
	05:30	52.0	76.8	66.8	48.7	55.2	53.6	50.0	49.3	49.2
	05:35	52.9	77.7	70.2	49.4	54.7	52.2	50.4	49.9	49.8
	05:40	52.3	77.1	65.9	48.4	57.0	55.1	49.9	49.3	49.2
	05:45	52.5	77.3	62.7	48.1	56.9	55.6	50.6	49.5	49.3
	05:50	61.4	86.2	81.8	48.4	64.2	58.5	50.2	49.2	49.0
	05:55	59.2	84.0	81.1	48.3	58.5	55.8	50.3	49.4	49.2
	06:00	59.0	83.8	79.4	49.0	61.9	58.7	51.3	50.1	49.9
	06:05	56.4	81.2	79.7	49.7	58.4	56.4	51.4	50.5	50.3
	06:10	55.1	79.9	72.0	48.9	60.3	57.0	50.9	50.0	49.8
	06:15	54.3	79.1	71.3	48.4	59.7	57.0	51.0	49.5	49.3
	06:20	55.0	79.8	69.1	48.1	61.3	58.3	50.7	48.9	48.7
	06:25	56.9	81.7	77.3	48.2	61.6	59.5	51.8	49.5	49.2
	06:30	57.2	82.0	71.7	47.7	64.5	61.6	51.2	48.8	48.6
	06:35	56.3	81.1	70.6	48.0	62.7	59.5	51.2	49.0	48.8
	06:40	55.3	80.1	69.9	47.8	62.0	57.9	51.0	49.0	48.6
	06:45	56.6	81.4	72.7	47.8	62.9	60.5	51.7	49.1	48.8
	06:50	56.8	81.6	73.0	47.8	62.7	60.1	51.7	48.9	48.6
	06:55	59.5	84.3	75.8	47.8	65.4	62.7	53.6	49.6	49.1
	07:00	54.0	78.8	63.9	47.8	59.6	57.9	51.3	48.8	48.5
	07:05	58.7	83.5	75.3	47.4	63.8	61.6	53.6	49.6	49.1
	07:10	59.6	84.4	79.7	47.6	63.8	61.4	52.7	49.8	49.3
	07:15	56.0	80.8	69.4	48.6	61.2	59.2	52.9	50.5	49.9

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0237 – R6512-0239

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : ชุมชนบ้านเขาหิน (N4)

SAMPLE NO. : 35145-35147

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 01147298 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ae}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
24/11/2022	07:20	57.6	82.4	70.9	50.2	63.6	61.5	53.8	51.0	50.8
	07:25	59.4	84.2	71.9	50.0	65.1	63.2	56.0	51.2	50.9
	07:30	56.7	81.5	69.4	49.2	62.5	60.5	53.5	50.3	50.1
	07:35	57.6	82.4	70.3	48.5	62.8	61.1	55.2	50.9	50.1
	07:40	61.9	86.7	73.3	55.1	67.3	64.7	59.7	57.2	56.9
	07:45	59.5	84.3	73.4	49.0	64.4	62.2	57.2	50.6	50.2
	07:50	58.7	83.5	73.7	48.3	64.3	62.2	53.4	49.4	49.2
	07:55	58.8	83.6	75.9	48.1	63.6	61.3	54.2	49.3	49.0
	08:00	56.3	81.1	69.4	47.3	62.6	60.3	51.5	48.7	48.4
	08:05	54.3	79.1	69.3	48.0	59.2	56.9	51.2	49.3	49.0
	08:10	57.6	82.4	71.8	48.2	63.7	61.5	53.0	49.5	49.2
	08:15	58.2	83.0	79.1	48.0	63.1	59.6	51.7	49.4	49.1
	08:20	55.6	80.4	73.0	47.6	61.3	58.2	50.3	48.8	48.6
	08:25	55.3	80.1	69.9	48.0	60.5	57.8	51.3	49.5	49.2
	08:30	56.3	81.1	69.0	47.8	62.8	59.8	51.7	49.2	48.9
	08:35	54.8	79.6	68.5	47.3	60.4	58.1	50.9	48.8	48.5
	08:40	55.4	80.2	72.4	46.8	61.0	58.0	50.5	48.6	48.1
	08:45	55.5	80.3	70.3	48.0	61.6	58.2	51.7	49.4	49.1
	08:50	55.0	79.8	71.7	47.5	61.7	58.4	50.2	48.5	48.3
	08:55	54.7	79.5	70.4	47.6	59.7	57.0	50.5	49.2	48.9
	09:00	58.3	83.1	74.1	47.6	64.6	62.0	52.3	49.1	48.7
	09:05	56.1	80.9	69.1	48.1	62.0	59.5	51.9	49.7	49.4
	09:10	52.7	77.5	65.3	47.4	58.6	55.1	49.9	48.6	48.4
	09:15	55.5	80.3	71.4	47.3	61.3	59.1	50.4	48.8	48.5

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0237 – R6512-0239

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ต. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : ชุมชนบ้านเขาคิน (N4)

DETERMINATION METHOD : ISO 1996-1:2016

INSTRUMENT : Integrated Sound Level Meter

S/N 01147298 : Type 2

SAMPLE NO. : 35145-35147

MEASURING DATE : 23-26/11/2022

RECEIVED DATE : 28/11/2022

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ae}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
24/11/2022	09:20	54.6	79.4	68.9	46.1	60.5	57.1	50.4	49.0	48.7
	09:25	51.8	76.6	61.3	47.7	55.8	54.4	50.3	48.8	48.5
	09:30	53.5	78.3	67.4	47.1	59.8	56.4	49.8	48.4	48.1
	09:35	58.2	83.0	78.2	47.8	62.6	59.3	51.6	49.0	48.6
	09:40	52.9	77.7	72.8	46.9	57.7	54.8	49.8	48.5	48.3
	09:45	55.9	80.7	71.7	46.8	60.5	57.7	50.3	48.6	48.3
	09:50	52.8	77.6	69.0	47.0	57.5	54.3	49.3	48.2	48.0
	09:55	60.4	85.2	79.5	47.2	66.1	61.7	49.9	48.2	47.9
	10:00	60.7	85.5	71.9	47.5	67.2	65.5	54.3	49.0	48.6
	10:05	55.8	80.6	71.2	47.1	62.2	59.6	50.3	48.6	48.4
	10:10	53.9	78.7	68.7	47.5	59.5	56.4	50.1	48.8	48.6
	10:15	50.9	75.7	60.7	47.5	54.7	53.2	49.5	48.4	48.2
	10:20	51.4	76.2	67.5	47.6	55.4	52.5	49.4	48.5	48.4
	10:25	54.3	79.1	65.9	47.4	60.4	57.9	50.0	48.9	48.7
	10:30	55.8	80.6	71.4	47.9	62.0	59.2	50.3	48.7	48.5
	10:35	59.6	84.4	77.7	47.2	67.6	61.5	49.3	48.3	48.2
	10:40	56.7	81.5	69.1	47.2	63.6	61.0	51.6	48.9	48.6
	10:45	55.1	79.9	69.0	46.5	62.0	58.2	49.9	48.2	48.0
	10:50	55.6	80.4	69.7	46.5	61.3	58.7	51.4	48.8	47.9
	10:55	54.1	78.9	69.2	47.0	59.9	57.8	50.3	48.2	48.0
	11:00	55.2	80.0	68.3	47.0	61.4	59.0	50.9	48.5	48.1
	11:05	56.5	81.3	72.4	47.1	62.7	59.3	50.3	48.6	48.2
	11:10	55.0	79.8	71.3	46.5	61.1	57.0	49.4	48.2	48.0
	11:15	59.9	84.7	71.3	47.5	65.9	64.5	56.2	50.6	49.7

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0237 – R6512-0239

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเทรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเทรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : ชุมชนบ้านเขาหิน (N4)

SAMPLE NO. : 35145-35147

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 01147298 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ae}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
24/11/2022	11:20	56.1	80.9	72.5	47.0	62.6	59.3	50.7	48.4	48.2
	11:25	55.5	80.3	71.1	46.6	60.9	58.2	51.0	48.4	47.8
	11:30	53.1	77.9	64.5	47.1	57.7	56.1	50.6	48.8	48.5
	11:35	55.6	80.4	69.0	46.9	62.3	58.8	50.1	48.4	48.1
	11:40	53.6	78.4	69.8	46.5	59.1	56.8	49.8	47.8	47.6
	11:45	58.7	83.5	71.2	46.9	65.5	63.3	52.1	48.5	48.1
	11:50	54.9	79.7	66.5	46.6	61.7	59.0	50.2	48.3	47.9
	11:55	55.9	80.7	70.8	46.9	62.6	60.0	50.6	48.2	47.7
	12:00	55.7	80.5	73.4	47.7	61.3	58.5	50.7	48.8	48.6
	12:05	54.7	79.5	72.6	46.8	60.5	57.5	50.1	48.2	47.9
	12:10	50.8	75.6	66.8	46.1	55.2	52.8	48.3	47.3	47.0
	12:15	57.6	82.4	73.1	46.8	65.1	62.4	50.3	48.4	48.1
	12:20	55.5	80.3	74.2	46.3	61.7	57.2	49.2	47.8	47.5
	12:25	55.7	80.5	70.3	46.8	62.5	60.5	50.1	48.1	47.8
	12:30	55.3	80.1	70.2	46.4	61.7	57.8	49.7	47.9	47.6
	12:35	53.7	78.5	65.9	46.6	60.9	57.6	48.8	47.6	47.4
	12:40	54.5	79.3	70.9	46.6	59.9	57.0	50.9	48.0	47.6
	12:45	52.0	76.8	64.9	46.3	57.4	55.0	49.0	47.6	47.3
	12:50	57.5	82.3	71.4	47.0	64.1	61.9	51.0	48.5	48.2
	12:55	54.2	79.0	69.1	46.6	58.9	55.8	49.4	47.9	47.6
	13:00	57.0	81.8	74.5	47.1	62.7	60.5	51.2	48.5	48.2
	13:05	55.4	80.2	69.3	46.8	61.5	59.2	50.6	48.5	48.3
	13:10	54.2	79.0	70.3	47.0	58.3	55.6	50.0	48.4	48.1
	13:15	55.0	79.8	70.3	47.1	61.0	58.1	50.5	48.3	48.0

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0237 – R6512-0239

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองก้อ-แหลมฉิม ช. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : ขุมชนบ้านเขาดิน (N4)

SAMPLE NO. : 35145-35147

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 01147298 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lae	Lmax	Lmin	La05	La10	La50	La90	La95
24/11/2022	13:20	53.4	78.2	67.0	47.0	59.7	56.9	49.3	48.2	48.0
	13:25	55.0	79.8	67.5	47.0	62.0	59.1	49.7	48.1	47.8
	13:30	54.6	79.4	70.5	46.6	60.0	57.9	49.1	48.0	47.8
	13:35	54.3	79.1	68.1	46.4	60.2	56.7	48.8	47.6	47.5
	13:40	57.8	82.6	71.0	47.3	63.4	61.3	53.6	48.6	48.3
	13:45	57.3	82.1	73.5	47.5	63.2	60.5	50.8	48.6	48.4
	13:50	54.1	78.9	68.5	47.4	59.7	57.2	50.2	48.6	48.4
	13:55	54.2	79.0	69.0	46.2	61.4	57.8	48.9	47.6	47.4
	14:00	54.8	79.6	70.0	45.7	60.3	57.4	49.3	47.9	47.6
	14:05	55.1	79.9	69.8	45.5	61.5	58.2	49.6	48.1	47.8
	14:10	53.8	78.6	65.3	47.1	59.6	57.2	50.7	48.4	48.1
	14:15	55.3	80.1	68.0	47.6	61.6	58.5	51.9	49.3	48.9
	14:20	55.0	79.8	68.5	45.9	60.9	58.8	50.5	48.1	47.5
	14:25	51.2	76.0	61.9	46.8	55.9	54.0	49.1	47.8	47.5
	14:30	55.5	80.3	67.7	46.2	60.8	59.4	52.6	48.8	48.3
	14:35	54.3	79.1	70.6	45.6	59.5	56.9	50.1	47.9	47.6
	14:40	54.0	78.8	71.2	45.4	59.4	57.6	49.0	47.6	47.3
	14:45	69.7	94.5	86.3	46.8	78.1	73.8	53.4	48.3	47.8
	14:50	55.5	80.3	71.1	45.5	62.0	59.1	50.7	48.5	48.1
	14:55	56.4	81.2	68.9	47.7	63.5	60.3	51.5	49.3	49.0
	15:00	56.4	81.2	73.3	48.6	61.3	58.8	53.2	51.0	50.4
	15:05	53.0	77.8	66.5	47.4	57.7	55.7	50.3	48.5	48.3
	15:10	57.2	82.0	70.8	47.8	63.6	61.4	51.9	49.2	48.9
	15:15	51.6	76.4	64.4	47.6	56.4	53.9	49.3	48.4	48.3

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0237 – R6512-0239

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองก้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : ชุมชนบ้านชาดิน (N4)

SAMPLE NO. : 35145-35147

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 01147298 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ac}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
24/11/2022	15:20	54.5	79.3	67.2	47.6	59.9	57.9	51.0	48.9	48.6
	15:25	55.7	80.5	70.4	47.3	62.9	58.6	49.3	48.4	48.2
	15:30	55.2	80.0	70.7	47.2	61.1	56.4	49.1	48.2	48.0
	15:35	55.1	79.9	69.3	46.6	61.3	58.8	50.2	48.5	48.1
	15:40	55.2	80.0	75.7	47.3	61.6	58.7	49.6	48.4	48.2
	15:45	59.8	84.6	78.5	46.8	64.7	62.1	52.5	48.9	48.6
	15:50	54.4	79.2	69.1	47.2	60.3	56.3	50.6	48.5	48.2
	15:55	57.8	82.6	71.7	47.4	65.0	62.2	51.4	48.6	48.3
	16:00	58.3	83.1	71.1	46.6	65.4	62.4	53.3	49.4	49.0
	16:05	57.1	81.9	70.3	47.3	63.5	61.0	52.4	49.3	48.5
	16:10	55.1	79.9	67.5	47.7	60.6	58.8	52.2	49.1	48.8
	16:15	57.3	82.1	70.6	48.1	63.2	60.9	52.9	50.3	49.7
	16:20	54.6	79.4	68.6	47.1	60.5	57.4	50.4	48.6	48.3
	16:25	54.1	78.9	68.6	47.0	60.1	57.5	50.4	48.5	47.9
	16:30	55.2	80.0	69.8	46.6	61.6	58.6	50.2	48.4	48.2
	16:35	56.1	80.9	69.9	46.3	63.0	59.8	50.5	48.6	48.3
	16:40	58.2	83.0	71.1	48.0	65.1	62.7	52.1	49.7	49.2
	16:45	55.0	79.8	70.1	47.4	61.3	58.4	50.2	48.7	48.4
	16:50	57.8	82.6	72.1	47.1	64.6	61.6	51.6	48.4	48.1
	16:55	55.3	80.1	69.5	47.1	61.3	58.7	50.5	48.3	48.0
	17:00	57.9	82.7	74.6	47.7	63.4	60.8	53.0	49.2	48.8
	17:05	62.3	87.1	73.8	50.1	68.4	67.1	58.3	53.5	52.5
	17:10	57.8	82.6	70.3	48.1	63.7	61.1	54.8	50.8	50.1
	17:15	59.4	84.2	73.6	48.5	64.3	62.1	56.3	50.8	50.0

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY



Request No. LA65-R1207

Report No. R6512-0237 – R6512-0239

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : ชุมชนบ้านเขาดิน (N4)

SAMPLE NO. : 35145-35147

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 01147298 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ae}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
24/11/2022	17:20	57.8	82.6	70.6	48.4	62.9	60.9	55.8	51.1	50.4
	17:25	58.5	83.3	69.2	48.2	63.5	62.1	56.4	50.9	49.9
	17:30	57.1	81.9	75.9	47.9	61.6	60.2	54.2	50.5	49.8
	17:35	58.6	83.4	71.7	48.5	63.6	62.3	56.0	51.0	50.3
	17:40	57.2	82.0	70.6	46.3	63.0	60.9	53.0	49.5	49.0
	17:45	58.4	83.2	79.7	48.5	63.9	60.8	52.7	49.7	49.4
	17:50	55.9	80.7	69.2	47.9	61.1	59.6	53.3	49.4	48.9
	17:55	55.7	80.5	70.2	46.8	60.7	58.5	52.2	49.4	48.8
	18:00	59.2	84.0	80.1	47.8	61.4	59.0	52.2	49.5	49.1
	18:05	55.5	80.3	70.7	47.6	61.6	58.9	51.3	48.8	48.6
	18:10	54.2	79.0	68.3	47.4	59.2	56.8	50.2	48.7	48.5
	18:15	56.8	81.6	70.4	48.6	62.9	60.6	52.0	49.9	49.6
	18:20	57.5	82.3	78.5	48.6	61.0	58.9	52.3	49.7	49.5
	18:25	55.3	80.1	70.1	48.9	61.1	58.0	51.3	49.9	49.8
	18:30	55.3	80.1	73.6	49.1	59.4	56.8	51.2	50.0	49.9
	18:35	56.9	81.7	70.0	48.2	63.0	60.1	53.5	50.6	50.2
	18:40	57.2	82.0	71.3	49.2	62.3	60.5	55.1	51.1	50.7
	18:45	56.1	80.9	68.3	47.9	60.8	58.8	53.8	50.5	50.1
	18:50	55.6	80.4	67.2	47.5	61.4	59.4	51.6	49.4	49.1
	18:55	54.4	79.2	64.8	48.5	60.1	57.1	52.0	50.1	49.7
	19:00	56.2	81.0	69.9	49.9	61.3	59.2	53.6	52.4	52.0
	19:05	56.0	80.8	69.2	50.3	60.2	58.6	53.7	52.1	51.8
	19:10	55.5	80.3	66.6	50.5	60.2	58.0	53.5	52.4	52.2
	19:15	56.7	81.5	78.2	49.3	61.2	59.3	53.3	51.8	51.4

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0237 – R6512-0239

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองก้อ-แหลมฉิม จ. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : ชุมชนบ้านเขาหิน (N4)

SAMPLE NO. : 35145-35147

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 01147298 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ae}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
24/11/2022	19:20	57.2	82.0	70.0	50.1	63.2	59.9	53.6	52.1	51.7
	19:25	56.0	80.8	69.9	51.0	60.5	58.1	54.1	52.7	52.5
	19:30	55.1	79.9	67.3	50.0	60.1	57.5	53.2	51.8	51.5
	19:35	56.3	81.1	70.6	49.1	62.0	59.2	52.2	50.5	50.2
	19:40	54.1	78.9	61.6	50.2	57.8	56.1	53.1	51.7	51.4
	19:45	55.7	80.5	70.7	51.6	59.4	57.5	53.8	52.6	52.4
	19:50	56.4	81.2	69.5	49.5	60.5	58.4	53.3	51.6	51.2
	19:55	55.3	80.1	68.9	49.9	60.2	57.3	52.5	51.1	50.9
	20:00	53.6	78.4	62.8	49.7	57.4	55.6	52.4	51.4	51.1
	20:05	55.9	80.7	70.3	50.5	60.9	58.6	53.2	51.7	51.5
	20:10	57.9	82.7	75.0	50.1	63.3	60.2	53.1	51.5	51.3
	20:15	56.2	81.0	74.9	49.5	60.3	57.5	52.4	51.3	51.0
	20:20	54.5	79.3	68.1	48.5	59.8	56.1	52.2	51.0	50.6
	20:25	54.6	79.4	67.5	49.0	59.4	56.9	52.3	51.3	51.0
	20:30	54.1	78.9	65.1	49.2	59.1	56.7	52.3	51.2	50.9
	20:35	52.6	77.4	61.9	49.2	54.9	53.7	52.0	51.3	51.1
	20:40	53.6	78.4	65.6	48.6	57.8	55.4	52.0	50.7	50.1
	20:45	53.9	78.7	67.3	49.5	57.4	55.1	51.8	51.0	50.8
	20:50	52.2	77.0	60.9	48.0	55.9	53.6	51.2	50.1	49.4
	20:55	51.8	76.6	66.7	47.2	55.3	52.5	49.8	49.0	48.8
	21:00	54.2	79.0	65.9	48.2	60.0	58.1	50.5	49.4	49.2
	21:05	53.1	77.9	67.6	47.6	59.1	54.2	49.8	49.0	48.7
	21:10	50.0	74.8	55.5	47.8	51.0	50.7	49.8	49.0	48.7
	21:15	53.0	77.8	69.2	47.9	57.2	53.4	50.1	49.3	49.1

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0237 – R6512-0239

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองก้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : ชุมชนบ้านเขาดิน (N4)

SAMPLE NO. : 35145-35147

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 01147298 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lae	Lmax	Lmin	La05	La10	La50	La90	La95
24/11/2022	21:20	50.8	75.6	60.0	48.0	54.5	51.5	49.8	49.3	49.1
	21:25	49.7	74.5	55.4	47.7	50.5	50.2	49.6	49.0	48.8
	21:30	49.8	74.6	59.0	46.7	51.1	50.3	49.5	48.7	48.4
	21:35	50.1	74.9	59.4	47.5	51.4	50.7	49.6	48.8	48.6
	21:40	52.7	77.5	65.8	47.2	58.3	55.1	50.1	49.3	49.0
	21:45	53.9	78.7	67.1	47.8	59.9	55.1	50.4	49.6	49.3
	21:50	51.4	76.2	63.1	46.5	54.3	51.9	50.2	49.4	49.1
	21:55	50.3	75.1	63.4	46.9	50.9	50.4	49.7	49.0	48.8
	22:00	50.1	74.9	61.2	47.2	53.0	50.1	49.4	48.7	48.5
	22:05	50.6	75.4	64.8	47.0	50.7	49.9	49.2	48.6	48.3
	22:10	51.8	76.6	66.1	47.6	56.0	52.8	49.8	49.0	48.7
	22:15	51.0	75.8	64.8	47.3	53.1	50.6	49.7	48.9	48.6
	22:20	50.6	75.4	62.0	47.1	53.8	51.1	49.5	48.7	48.5
	22:25	51.0	75.8	64.1	47.2	53.6	50.7	49.5	48.9	48.7
	22:30	50.5	75.3	63.5	46.3	51.5	50.5	49.7	48.9	48.5
	22:35	51.3	76.1	63.7	46.6	56.3	52.8	49.5	48.6	48.4
	22:40	50.3	75.1	63.0	46.0	52.4	49.9	49.1	48.5	48.2
	22:45	51.2	76.0	65.1	47.7	53.5	50.5	49.3	48.6	48.5
	22:50	50.4	75.2	60.1	47.7	53.7	51.4	49.4	48.7	48.5
	22:55	49.5	74.3	58.2	47.5	51.0	50.0	48.9	48.3	48.1
	23:00	50.0	74.8	62.1	47.4	52.7	50.0	48.9	48.2	48.1
	23:05	48.8	73.6	57.0	46.9	49.6	49.3	48.6	47.9	47.8
	23:10	50.3	75.1	65.1	45.4	51.9	49.3	48.3	47.6	47.4
	23:15	48.4	73.2	53.3	46.9	49.4	49.1	48.2	47.6	47.5

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0237 – R6512-0239

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองก้อ-แหลมอับัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : ชุมชนบ้านเขาหิน (N4)

SAMPLE NO. : 35145-35147

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 01147298 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ae}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
24/11/2022	23:20	49.2	74.0	61.6	45.5	49.9	49.7	48.8	48.0	47.7
	23:25	51.0	75.8	67.2	45.9	54.1	51.3	49.2	48.2	48.0
	23:30	51.0	75.8	63.7	46.7	55.7	51.7	49.4	48.6	48.4
	23:35	50.0	74.8	62.2	46.1	51.1	50.6	49.3	48.5	48.3
	23:40	51.0	75.8	68.4	46.4	52.4	50.8	49.3	48.6	48.5
	23:45	50.5	75.3	67.7	47.5	50.7	50.2	49.0	48.4	48.3
	23:50	50.2	75.0	63.1	47.6	53.0	50.7	49.1	48.4	48.2
	23:55	50.5	75.3	60.5	45.6	54.6	52.6	49.2	48.3	48.1
25/11/2022	00:00	49.5	74.3	61.5	45.9	50.1	49.8	48.9	48.2	47.9
	00:05	53.2	78.0	71.2	47.1	57.8	53.0	49.3	48.3	48.0
	00:10	54.8	79.6	75.3	45.6	56.6	52.9	49.4	48.5	48.2
	00:15	57.7	82.5	72.9	46.0	65.4	61.2	50.4	48.6	48.2
	00:20	52.1	76.9	68.4	47.7	56.0	54.1	49.4	48.5	48.4
	00:25	52.2	77.0	65.9	47.8	56.5	55.0	49.4	48.5	48.4
	00:30	49.5	74.3	63.2	46.4	50.1	49.5	48.7	48.1	47.9
	00:35	48.8	73.6	50.3	47.6	49.4	49.3	48.8	48.4	48.3
	00:40	49.0	73.8	63.2	46.4	49.3	49.0	47.8	47.4	47.2
	00:45	50.4	75.2	63.8	45.9	53.5	50.2	48.8	47.7	47.5
	00:50	49.7	74.5	62.9	46.7	51.4	49.7	48.8	48.0	47.8
	00:55	52.0	76.8	66.6	45.8	58.2	51.2	48.7	47.9	47.6
	01:00	51.7	76.5	66.8	46.7	55.8	52.5	48.7	47.9	47.6
	01:05	48.7	73.5	50.8	46.7	49.7	49.6	48.6	47.7	47.5
	01:10	49.8	74.6	59.6	47.2	52.2	50.0	49.2	48.6	48.4
	01:15	49.3	74.1	61.9	47.2	49.8	49.6	49.0	48.3	48.1

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0237 – R6512-0239

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเทรียล ปาร์ค จำกัด (มหาชน)
 ADDRESS : 789 ม. 1 ต. สายหนองก้อ-แหลมอับัง ต. หนองขาหย่าง อ. ศรีราชา จ. ชลบุรี 20230
 SAMPLE SOURCE : ปันทอง อินดัสเทรียล ปาร์ค (โครงการ 1)
 SAMPLE POINT : ชุมชนบ้านเขาดิน (N4) SAMPLE NO. : 35145-35147
 DETERMINATION METHOD : ISO 1996-1:2016 MEASURING DATE : 23-26/11/2022
 INSTRUMENT : Integrated Sound Level Meter RECEIVED DATE : 28/11/2022
 S/N 01147298 : Type 2 REPORTED DATE : 08/12/2022

Date	Time	L _a eq	L _a e	L _{max}	L _{min}	L _a 05	L _a 10	L _a 50	L _a 90	L _a 95
25/11/2022	01:20	50.8	75.6	65.2	47.6	54.4	51.2	49.0	48.5	48.3
	01:25	49.1	73.9	56.7	47.3	49.7	49.5	48.9	48.4	48.3
	01:30	50.0	74.8	63.7	47.6	50.3	49.6	49.0	48.4	48.3
	01:35	48.9	73.7	53.8	47.3	49.6	49.3	48.8	48.3	48.1
	01:40	48.8	73.6	59.7	45.5	49.4	49.1	48.5	47.8	47.5
	01:45	48.4	73.2	50.3	46.8	49.3	49.1	48.4	47.7	47.5
	01:50	50.0	74.8	61.6	47.3	50.9	49.8	48.9	48.2	48.0
	01:55	50.3	75.1	63.9	46.3	50.7	50.1	49.3	48.5	48.3
	02:00	50.7	75.5	63.7	45.7	55.8	51.1	48.9	48.2	48.0
	02:05	50.0	74.8	63.4	46.1	52.9	49.9	48.7	48.0	47.8
	02:10	49.5	74.3	63.6	45.7	50.0	49.5	48.8	48.2	48.1
	02:15	50.7	75.5	66.0	47.4	52.2	49.4	48.8	48.2	48.1
	02:20	49.4	74.2	62.5	47.7	49.7	49.4	48.9	48.5	48.4
	02:25	48.7	73.5	53.5	46.5	49.6	49.3	48.5	47.9	47.7
	02:30	49.6	74.4	61.7	46.2	50.1	49.8	48.9	48.2	48.0
	02:35	49.2	74.0	60.2	47.2	49.8	49.4	48.8	48.2	48.0
	02:40	50.3	75.1	66.2	46.5	49.6	49.4	48.8	48.1	48.0
	02:45	50.0	74.8	64.7	46.3	50.6	49.3	48.6	48.0	47.8
	02:50	49.4	74.2	63.2	46.5	49.8	49.5	48.7	48.1	48.0
	02:55	51.6	76.4	68.9	47.3	52.2	50.0	48.6	48.1	48.0
	03:00	49.0	73.8	58.2	47.4	50.0	49.4	48.7	48.2	48.0
	03:05	48.9	73.7	55.3	46.0	50.1	49.7	48.8	48.0	47.8
	03:10	49.7	74.5	61.3	46.2	51.6	49.9	48.9	48.1	47.9
	03:15	50.0	74.8	64.5	46.5	50.3	49.8	49.0	48.2	47.9

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0237 – R6512-0239

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 อ. สายหนองก้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : ชุมชนบ้านชาดิน (N4)

SAMPLE NO. : 35145-35147

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 01147298 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ae}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
25/11/2022	03:20	50.2	75.0	63.9	46.0	52.3	50.0	49.0	48.2	48.0
	03:25	49.4	74.2	63.6	46.2	49.6	49.3	48.7	48.1	47.9
	03:30	56.3	81.1	76.6	46.5	57.0	51.5	49.1	48.4	48.2
	03:35	49.0	73.8	61.2	46.8	50.3	49.9	48.8	48.2	48.1
	03:40	52.8	77.6	66.7	47.6	56.3	54.2	50.3	48.5	48.3
	03:45	49.2	74.0	54.2	47.1	50.9	50.5	48.9	48.1	47.9
	03:50	49.7	74.5	57.0	45.5	51.2	50.8	49.6	48.4	48.1
	03:55	51.4	76.2	65.6	45.3	54.3	51.3	49.6	48.3	48.0
	04:00	51.5	76.3	66.1	46.0	55.3	51.4	49.2	48.3	48.1
	04:05	48.8	73.6	56.2	47.0	50.0	49.3	48.4	47.9	47.8
	04:10	55.4	80.2	74.9	46.8	55.7	51.2	48.5	47.8	47.7
	04:15	48.6	73.4	55.6	47.1	49.9	49.1	48.3	47.8	47.7
	04:20	63.2	88.0	79.8	47.0	70.5	51.3	48.5	47.9	47.7
	04:25	49.1	73.9	54.8	47.1	50.5	50.1	48.9	47.9	47.8
	04:30	52.4	77.2	59.7	49.1	53.9	53.4	52.1	50.7	50.1
	04:35	51.5	76.3	64.0	49.0	52.2	51.9	50.9	49.8	49.6
	04:40	51.0	75.8	64.3	47.5	53.0	50.6	49.5	49.0	48.8
	04:45	50.0	74.8	56.5	48.6	52.5	50.7	49.5	49.1	49.1
	04:50	51.5	76.3	67.8	47.2	54.5	50.8	49.3	48.7	48.6
	04:55	54.0	78.8	75.9	46.4	58.2	56.2	49.0	48.5	48.3
	05:00	54.3	79.1	70.5	48.1	60.0	55.8	49.6	48.8	48.7
	05:05	50.3	75.1	60.6	48.2	53.7	51.8	49.3	48.8	48.7
	05:10	50.6	75.4	65.6	47.8	52.7	50.4	49.0	48.6	48.4
	05:15	51.0	75.8	64.1	46.9	55.2	52.9	49.4	48.8	48.6

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0237 – R6512-0239

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเทรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 อ. สายหนองก้อ-แหลมอับัง ต. หนองขาม อ. สุรินทร์ จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเทรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : ชุมชนบ้านเขาหิน (N4)

SAMPLE NO. : 35145-35147

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 01147298 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lae	Lmax	Lmin	La05	La10	La50	La90	La95
25/11/2022	05:20	50.8	75.6	64.3	47.3	54.0	52.2	49.5	48.9	48.7
	05:25	53.6	78.4	67.5	47.5	59.4	56.6	49.9	48.8	48.7
	05:30	50.8	75.6	59.8	47.7	55.4	52.5	49.5	48.8	48.6
	05:35	52.9	77.7	66.7	47.8	57.3	55.1	50.0	49.2	49.0
	05:40	61.6	86.4	81.7	47.6	57.7	54.0	49.5	48.7	48.5
	05:45	51.8	76.6	61.5	47.4	56.4	54.7	49.8	49.0	48.8
	05:50	53.5	78.3	66.6	47.7	58.5	56.1	50.1	48.9	48.7
	05:55	62.5	87.3	80.3	47.5	66.0	61.0	50.6	49.2	49.0
	06:00	54.1	78.9	68.7	47.7	59.8	56.9	49.5	48.6	48.5
	06:05	53.8	78.6	67.7	47.1	59.8	56.4	50.2	48.9	48.6
	06:10	58.6	83.4	73.8	47.8	66.1	63.3	50.2	48.9	48.8
	06:15	57.4	82.2	73.6	48.4	64.7	61.7	51.3	49.7	49.5
	06:20	57.1	81.9	70.7	48.5	64.0	61.3	51.3	49.4	49.2
	06:25	54.9	79.7	71.1	48.2	61.0	57.9	50.4	49.1	48.9
	06:30	59.0	83.8	80.8	48.0	62.9	59.5	50.7	49.2	49.0
	06:35	56.0	80.8	68.7	47.3	61.5	59.3	52.5	49.4	49.2
	06:40	59.0	83.8	74.1	48.2	65.3	63.4	54.1	49.8	49.2
	06:45	57.2	82.0	70.9	47.6	63.5	61.3	52.1	49.3	49.0
	06:50	57.1	81.9	78.3	46.8	62.8	60.8	52.7	49.5	48.9
	06:55	55.0	79.8	68.1	46.5	60.9	58.7	51.4	49.4	48.9
	07:00	58.8	83.6	74.4	47.9	64.3	61.9	54.1	49.5	49.1
	07:05	57.4	82.2	71.9	48.7	62.4	60.4	54.9	50.6	50.0
	07:10	58.3	83.1	75.0	48.9	62.4	60.2	54.0	50.3	49.9
	07:15	59.8	84.6	71.9	48.2	66.4	63.4	55.4	50.5	49.9

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0237 – R6512-0239

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)
 ADDRESS : 789 ม. 1 ถ. สายหนองก้อ-แหลมดบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230
 SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)
 SAMPLE POINT : ชุมชนบ้านเขาหิน (N4) SAMPLE NO. : 35145-35147
 DETERMINATION METHOD : ISO 1996-1:2016 MEASURING DATE : 23-26/11/2022
 INSTRUMENT : Integrated Sound Level Meter RECEIVED DATE : 28/11/2022
 S/N 01147298 : Type 2 REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ae}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
25/11/2022	07:20	58.9	83.7	70.9	48.1	65.0	62.9	55.0	50.7	50.1
	07:25	58.0	82.8	71.0	49.0	63.1	61.7	55.3	50.9	50.4
	07:30	61.2	86.0	78.6	49.8	67.0	63.9	56.1	51.4	51.1
	07:35	61.2	86.0	76.9	48.9	66.4	64.0	57.6	51.6	51.1
	07:40	64.1	88.9	83.7	48.8	67.1	64.2	55.3	50.8	50.3
	07:45	60.8	85.6	75.5	49.5	65.7	64.2	57.2	51.7	51.2
	07:50	58.5	83.3	70.5	47.0	64.9	62.5	54.5	49.6	49.1
	07:55	55.9	80.7	68.7	47.6	61.6	59.3	52.6	49.7	49.3
	08:00	57.5	82.3	71.5	48.4	63.3	61.3	53.7	50.0	49.6
	08:05	59.5	84.3	77.2	47.9	64.2	61.4	53.4	49.8	49.4
	08:10	55.8	80.6	74.1	48.6	60.6	58.5	51.7	49.7	49.4
	08:15	59.7	84.5	81.2	47.5	62.6	59.6	50.0	48.4	48.2
	08:20	55.7	80.5	74.0	48.0	60.0	56.9	50.9	49.3	49.0
	08:25	57.2	82.0	72.2	47.6	62.9	60.9	52.9	49.5	49.1
	08:30	55.0	79.8	69.2	46.5	60.8	58.5	50.5	48.4	48.1
	08:35	57.1	81.9	72.1	47.8	62.3	59.8	51.7	49.0	48.8
	08:40	55.5	80.3	69.4	47.2	61.7	59.0	51.2	48.8	48.6
	08:45	54.9	79.7	68.8	46.6	61.1	58.4	50.6	48.2	48.0
	08:50	54.9	79.7	70.3	47.7	60.3	57.7	50.6	48.9	48.7
	08:55	53.8	78.6	68.0	47.4	59.2	55.9	50.5	48.8	48.5
	09:00	55.7	80.5	71.3	47.3	61.7	58.9	50.6	48.8	48.5
	09:05	54.6	79.4	69.4	47.8	59.3	56.7	51.1	49.1	48.8
	09:10	52.6	77.4	65.0	47.1	58.2	55.6	49.5	48.2	48.0
	09:15	55.4	80.2	71.7	47.3	61.2	58.4	50.2	48.6	48.4

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
 THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
 WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0237 – R6512-0239

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)
 ADDRESS : 789 ม. 1 ถ. สายหนองก้อ-แหลมอับัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230
 SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)
 SAMPLE POINT : ชุมชนบ้านเขาคิน (N4) SAMPLE NO. : 35145-35147
 DETERMINATION METHOD : ISO 1996-1:2016 MEASURING DATE : 23-26/11/2022
 INSTRUMENT : Integrated Sound Level Meter RECEIVED DATE : 28/11/2022
 S/N 01147298 : Type 2 REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ae}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
25/11/2022	09:20	55.4	80.2	70.6	48.0	60.9	58.7	51.5	49.2	48.9
	09:25	54.2	79.0	68.6	48.0	58.5	55.9	51.0	49.4	49.1
	09:30	61.4	86.2	84.5	48.0	65.3	60.8	51.9	49.1	48.8
	09:35	53.3	78.1	65.6	47.6	59.3	56.7	49.9	48.6	48.4
	09:40	53.0	77.8	65.2	47.5	58.7	56.6	49.8	48.6	48.4
	09:45	57.3	82.1	79.8	47.9	62.1	59.2	51.4	49.2	48.9
	09:50	56.0	80.8	69.8	47.6	62.3	59.2	51.3	49.0	48.8
	09:55	56.8	81.6	71.0	47.9	63.3	60.7	51.9	49.3	48.9
	10:00	53.7	78.5	68.3	47.7	58.3	56.3	51.1	49.0	48.8
	10:05	57.0	81.8	74.7	48.0	61.3	58.5	51.8	49.3	49.1
	10:10	54.7	79.5	66.8	48.0	61.4	58.2	51.2	49.7	49.3
	10:15	55.6	80.4	67.3	48.2	60.8	58.9	53.0	49.7	49.4
	10:20	57.2	82.0	69.2	48.8	63.1	61.2	54.3	51.4	50.3
	10:25	56.8	81.6	66.9	49.3	61.9	60.0	54.7	53.1	52.3
	10:30	53.6	78.4	68.2	46.9	58.1	56.1	51.1	49.3	48.9
	10:35	53.9	78.7	64.5	47.9	58.8	56.7	52.0	49.6	49.2
	10:40	56.7	81.5	74.0	48.1	61.9	59.3	53.0	50.4	50.0
	10:45	53.3	78.1	65.8	47.8	58.7	56.4	50.7	49.1	48.8
	10:50	52.0	76.8	64.7	46.0	57.5	54.5	49.3	48.3	48.0
	10:55	53.4	78.2	71.7	47.7	58.1	54.7	50.2	48.7	48.5
	11:00	56.3	81.1	69.9	47.0	63.2	60.6	50.4	48.2	48.0
	11:05	55.7	80.5	72.7	47.5	62.2	58.6	50.5	48.9	48.6
	11:10	54.6	79.4	66.0	46.2	60.5	58.0	51.0	48.6	48.3
	11:15	54.4	79.2	65.9	47.2	59.8	58.0	51.4	48.9	48.6

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
 THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
 WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0237 – R6512-0239

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 อ. สายหนองก่อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : รุมนขนบ้านเขาดิน (N4)

SAMPLE NO. : 35145-35147

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 01147298 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ae}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
25/11/2022	11:20	54.4	79.2	68.8	47.2	59.3	57.1	50.6	48.4	48.2
	11:25	57.7	82.5	71.1	46.6	64.1	61.3	53.4	48.7	48.2
	11:30	56.3	81.1	67.6	47.1	62.5	60.5	52.5	48.7	48.3
	11:35	54.0	78.8	66.9	47.0	59.3	56.9	50.3	48.5	48.3
	11:40	53.9	78.7	66.4	46.9	59.9	57.5	50.1	48.3	48.1
	11:45	56.6	81.4	74.2	47.2	62.3	60.1	50.2	48.2	48.0
	11:50	52.8	77.6	64.9	46.0	58.7	56.4	49.2	47.9	47.6
	11:55	55.0	79.8	68.8	45.8	61.4	58.6	50.6	48.0	47.7
	12:00	53.0	77.8	69.1	46.0	58.4	56.1	49.3	47.9	47.6
	12:05	57.4	82.2	77.6	46.7	62.0	59.8	51.8	48.0	47.7
	12:10	55.5	80.3	73.6	45.4	60.9	58.1	49.5	47.7	47.5
	12:15	55.6	80.4	75.3	45.6	60.8	58.4	49.6	47.8	47.6
	12:20	57.2	82.0	75.8	46.4	62.6	60.5	51.2	48.3	48.1
	12:25	54.8	79.6	70.7	46.3	61.0	58.7	49.7	47.4	47.2
	12:30	54.3	79.1	69.1	46.2	60.3	57.6	49.2	47.5	47.2
	12:35	55.9	80.7	72.2	45.5	62.7	58.7	49.2	47.8	47.5
	12:40	53.7	78.5	67.6	45.9	59.9	56.9	48.9	47.6	47.5
	12:45	56.8	81.6	71.5	47.2	63.3	59.7	50.5	48.5	48.2
	12:50	57.3	82.1	73.1	46.4	65.5	61.5	48.4	47.3	47.2
	12:55	58.4	83.2	77.1	45.4	63.0	58.7	48.7	47.2	47.0
	13:00	57.1	81.9	72.0	46.6	62.2	60.0	50.2	48.0	47.8
	13:05	56.1	80.9	75.5	45.8	62.4	58.6	49.3	47.6	47.4
	13:10	52.5	77.3	67.2	46.5	57.5	54.8	48.8	47.8	47.6
	13:15	54.1	78.9	67.4	46.6	59.7	57.3	50.6	49.0	48.6

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0237 – R6512-0239

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ต. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : ชุมชนบ้านเขาหิน (N4)

SAMPLE NO. : 35145-35147

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 01147298 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ae}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
25/11/2022	13:20	54.2	79.0	70.7	46.5	59.4	57.7	50.8	49.0	48.6
	13:25	58.5	83.3	77.9	45.7	63.8	60.0	51.3	48.9	48.6
	13:30	53.4	78.2	75.2	47.6	58.2	55.5	50.6	49.3	48.9
	13:35	55.4	80.2	67.5	47.0	62.0	59.3	50.6	48.9	48.5
	13:40	53.1	77.9	66.6	46.8	59.0	56.3	49.5	48.3	48.1
	13:45	56.9	81.7	72.9	47.3	62.5	59.5	50.4	48.4	48.3
	13:50	54.5	79.3	68.5	48.5	60.3	58.1	50.9	49.7	49.4
	13:55	53.5	78.3	68.9	48.4	56.7	55.4	51.9	50.5	50.0
	14:00	57.6	82.4	77.8	49.8	62.1	60.0	55.8	51.8	51.3
	14:05	58.7	83.5	80.3	54.1	61.9	59.7	55.8	54.9	54.8
	14:10	56.8	81.6	75.1	47.8	62.8	60.1	50.5	49.0	48.8
	14:15	57.4	82.2	69.6	48.1	64.0	60.9	52.8	50.0	49.5
	14:20	54.3	79.1	64.6	48.8	59.1	57.4	52.2	50.3	50.0
	14:25	56.4	81.2	71.5	49.2	61.8	59.9	52.3	50.7	50.1
	14:30	53.9	78.7	65.2	49.8	58.7	56.7	52.0	51.2	51.1
	14:35	56.8	81.6	71.3	48.6	62.0	60.5	53.3	50.5	50.0
	14:40	58.8	83.6	73.6	48.9	64.7	62.9	55.5	52.8	50.7
	14:45	55.4	80.2	67.6	47.9	60.1	57.8	53.9	52.1	50.6
	14:50	55.8	80.6	73.0	48.1	62.4	59.4	51.0	49.5	49.1
	14:55	56.9	81.7	82.0	47.3	59.2	55.8	51.3	48.9	48.6
	15:00	53.4	78.2	70.1	46.4	58.7	56.4	49.9	48.6	48.4
	15:05	56.2	81.0	74.2	47.8	60.6	57.4	50.4	49.1	48.9
	15:10	57.3	82.1	78.0	47.5	60.7	56.1	50.1	49.1	48.8
	15:15	55.4	80.2	69.0	46.4	61.6	58.8	50.5	49.1	48.8

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0237 – R6512-0239

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 อ. สายหนองก้อ-แหลมอับัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : ชุมชนบ้านเขาหิน (N4)

SAMPLE NO. : 35145-35147

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 01147298 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lae	Lmax	Lmin	La05	La10	La50	La90	La95
25/11/2022	15:20	54.7	79.5	68.3	47.2	60.4	57.9	50.5	49.1	48.8
	15:25	54.5	79.3	69.9	48.4	58.5	57.0	52.1	49.6	49.3
	15:30	62.4	87.2	74.3	54.4	68.3	67.1	58.2	55.5	55.2
	15:35	60.9	85.7	82.1	50.0	65.9	62.6	54.2	51.5	51.2
	15:40	56.0	80.8	67.7	50.1	61.6	59.2	53.2	51.2	51.0
	15:45	57.4	82.2	70.3	48.6	62.7	60.6	54.6	50.8	50.1
	15:50	59.7	84.5	71.1	49.7	64.7	62.6	57.8	53.8	52.9
	15:55	57.1	81.9	67.8	49.4	63.1	60.6	54.1	51.4	50.9
	16:00	59.8	84.6	78.1	48.8	63.9	61.1	52.5	50.6	50.3
	16:05	58.9	83.7	68.6	49.7	65.1	63.3	53.9	51.2	50.9
	16:10	61.6	86.4	73.5	53.6	67.5	66.3	57.4	54.7	54.4
	16:15	65.9	90.7	79.3	54.6	69.7	69.5	62.9	56.2	55.6
	16:20	62.1	86.9	74.4	52.3	68.1	66.5	58.2	53.6	53.2
	16:25	65.1	89.9	78.5	53.8	68.9	68.7	62.1	55.4	54.8
	16:30	61.3	86.1	73.6	51.5	67.3	65.7	57.4	52.8	52.4
	16:35	60.1	84.9	73.9	51.1	66.3	64.1	55.6	52.4	52.1
	16:40	58.3	83.1	71.7	50.7	63.4	61.4	56.0	53.2	52.8
	16:45	59.1	83.9	72.2	51.4	65.5	62.4	55.6	54.2	53.4
	16:50	58.9	83.7	70.2	49.7	65.1	63.2	55.0	51.8	51.4
	16:55	59.7	84.5	73.6	49.2	66.0	62.6	55.5	52.6	52.1
	17:00	58.8	83.6	70.8	51.1	65.1	62.2	54.9	52.4	52.0
	17:05	59.5	84.3	69.5	51.3	64.4	63.0	57.9	52.9	52.3
	17:10	63.2	88.0	82.1	52.3	68.7	65.5	57.7	54.4	53.7
	17:15	59.2	84.0	73.2	50.4	63.9	62.3	56.1	52.7	52.0

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0237 – R6512-0239

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)
 ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230
 SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)
 SAMPLE POINT : ชุมชนบ้านเขาหิน (N4) SAMPLE NO. : 35145-35147
 DETERMINATION METHOD : ISO 1996-1:2016 MEASURING DATE : 23-26/11/2022
 INSTRUMENT : Integrated Sound Level Meter RECEIVED DATE : 28/11/2022
 S/N 01147298 : Type 2 REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ae}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
25/11/2022	17:20	62.4	87.2	78.2	51.2	67.8	65.9	57.4	53.2	52.8
	17:25	57.1	81.9	70.1	50.5	62.3	60.0	54.1	52.0	51.7
	17:30	57.9	82.7	69.6	50.6	63.1	61.6	55.4	52.5	52.0
	17:35	58.8	83.6	81.0	50.1	63.4	61.4	55.6	52.4	51.8
	17:40	60.8	85.6	72.5	48.8	66.7	64.9	57.3	52.8	51.8
	17:45	58.9	83.7	71.2	50.8	64.9	62.4	55.6	53.1	52.5
	17:50	61.1	85.9	82.8	51.7	60.7	59.3	55.2	53.1	52.8
	17:55	58.5	83.3	78.8	50.2	62.3	59.6	53.7	51.5	51.2
	18:00	66.3	91.1	84.8	49.9	68.6	62.9	55.1	51.7	51.3
	18:05	60.2	85.0	84.5	48.8	60.3	58.3	52.9	50.7	50.4
	18:10	55.6	80.4	66.4	48.5	61.1	58.5	53.3	51.1	50.8
	18:15	57.8	82.6	78.8	50.0	62.1	60.1	53.5	51.5	51.1
	18:20	58.8	83.6	74.4	50.9	63.7	61.2	54.7	52.2	51.9
	18:25	59.2	84.0	72.2	50.9	64.2	61.9	55.2	53.0	52.6
	18:30	57.4	82.2	69.8	51.2	63.0	60.2	54.7	52.6	52.3
	18:35	58.7	83.5	73.9	51.7	63.1	61.3	56.0	53.7	53.3
	18:40	58.2	83.0	72.5	51.0	61.7	60.3	56.8	54.1	53.9
	18:45	59.1	83.9	70.1	53.6	63.4	61.9	57.7	56.1	55.8
	18:50	58.3	83.1	69.6	54.0	61.4	60.2	57.4	56.1	55.8
	18:55	60.9	85.7	76.8	54.1	65.1	63.0	58.3	56.4	56.1
	19:00	60.2	85.0	75.6	54.3	63.7	62.0	58.1	56.6	56.3
	19:05	62.2	87.0	76.8	54.9	67.3	65.5	59.3	57.5	57.2
	19:10	60.5	85.3	76.1	54.8	64.2	62.8	58.7	57.1	56.8
	19:15	60.8	85.6	79.8	54.1	65.0	62.5	58.5	56.9	56.5

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0237 – R6512-0239

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินคัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองก้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินคัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : ชุมชนบ้านเขาหิน (N4)

SAMPLE NO. : 35145-35147

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 01147298 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lae	Lmax	Lmin	La05	La10	La50	La90	La95
25/11/2022	19:20	59.7	84.5	76.9	54.6	62.2	60.9	58.3	57.0	56.7
	19:25	59.2	84.0	73.1	52.3	64.1	62.1	56.7	54.3	53.9
	19:30	59.9	84.7	81.2	53.0	63.0	61.3	56.9	55.0	54.5
	19:35	58.3	83.1	71.9	53.0	62.3	61.0	56.7	55.4	55.2
	19:40	59.4	84.2	75.2	52.8	63.6	62.0	57.1	55.6	55.2
	19:45	59.8	84.6	77.0	53.1	64.1	62.2	57.4	55.8	55.3
	19:50	61.9	86.7	78.8	53.3	66.4	64.1	57.8	55.4	55.0
	19:55	59.0	83.8	77.5	51.3	62.7	60.0	56.1	54.6	54.2
	20:00	59.6	84.4	80.4	52.8	62.3	60.4	56.9	55.3	55.0
	20:05	58.5	83.3	80.4	53.6	61.7	59.8	56.4	55.1	54.8
	20:10	58.1	82.9	69.1	53.6	62.4	59.8	56.5	55.1	54.8
	20:15	56.5	81.3	64.7	53.5	59.2	57.8	55.8	54.7	54.4
	20:20	56.5	81.3	65.6	50.1	60.4	58.3	55.4	54.2	53.8
	20:25	56.5	81.3	66.0	51.5	60.5	58.1	55.6	54.4	54.0
	20:30	56.5	81.3	68.5	51.8	60.5	57.9	55.1	54.1	53.9
	20:35	56.3	81.1	71.6	50.7	59.7	56.4	54.0	53.4	53.2
	20:40	55.5	80.3	66.2	50.9	59.9	57.3	53.8	53.3	53.1
	20:45	56.3	81.1	68.2	50.6	60.9	58.4	54.4	53.4	53.1
	20:50	57.5	82.3	70.0	50.7	62.6	59.8	55.2	53.6	53.4
	20:55	56.2	81.0	69.3	49.9	60.8	57.9	54.7	52.6	51.9
	21:00	54.9	79.7	66.2	49.5	59.3	56.6	53.1	51.3	51.0
	21:05	54.8	79.6	66.1	49.6	60.5	57.0	52.5	50.8	50.6
	21:10	54.1	78.9	64.0	48.7	58.2	56.4	52.6	50.8	50.5
	21:15	59.4	84.2	78.1	48.3	65.2	61.4	53.2	50.6	50.3

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0237 – R6512-0239

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : ชุมชนบ้านเขาดิน (N4)

SAMPLE NO. : 35145-35147

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 01147298 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lae	Lmax	Lmin	La05	La10	La50	La90	La95
25/11/2022	21:20	53.7	78.5	64.9	49.4	57.4	55.3	52.1	50.4	50.2
	21:25	55.0	79.8	69.2	48.9	60.6	57.3	52.0	50.5	50.2
	21:30	53.8	78.6	65.2	49.2	57.8	55.7	51.9	50.6	50.3
	21:35	51.7	76.5	63.4	49.4	53.5	52.7	50.8	50.3	50.1
	21:40	58.2	83.0	80.7	49.4	59.2	55.3	51.5	50.5	50.3
	21:45	55.2	80.0	80.4	49.1	58.6	56.0	51.9	50.5	50.3
	21:50	52.8	77.6	69.3	49.5	54.9	53.8	51.9	50.6	50.4
	21:55	53.1	77.9	66.5	49.4	56.9	53.5	51.0	50.1	50.0
	22:00	52.4	77.2	67.9	49.2	54.8	52.8	50.9	50.1	49.9
	22:05	51.7	76.5	60.4	49.2	54.6	52.7	50.9	50.1	49.9
	22:10	51.1	75.9	60.1	47.3	52.9	52.4	50.6	49.4	49.2
	22:15	50.8	75.6	61.0	48.3	52.6	52.2	50.2	49.3	49.1
	22:20	53.7	78.5	70.6	48.3	57.2	53.8	50.4	49.4	49.2
	22:25	52.9	77.7	68.0	47.9	58.4	54.1	50.4	49.4	49.2
	22:30	52.3	77.1	66.4	47.9	58.1	53.1	49.8	49.0	48.8
	22:35	51.4	76.2	69.6	47.3	52.1	50.6	49.6	49.1	48.9
	22:40	51.4	76.2	65.1	47.0	54.4	50.7	49.4	48.9	48.7
	22:45	50.3	75.1	64.0	47.1	49.9	49.7	49.2	48.7	48.6
	22:50	50.4	75.2	64.1	47.3	50.5	50.3	49.7	49.1	48.9
	22:55	54.1	78.9	70.7	48.6	57.5	53.3	49.8	49.4	49.3
	23:00	49.9	74.7	56.8	48.7	50.5	50.2	49.7	49.3	49.2
	23:05	51.1	75.9	64.4	48.4	54.1	50.7	49.8	49.3	49.2
	23:10	49.9	74.7	57.4	47.7	50.8	50.4	49.7	49.2	49.0
	23:15	50.5	75.3	65.4	47.2	50.6	50.4	49.8	49.3	49.1

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0237 – R6512-0239

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ต. สายหนองก้อ-แหลมฉะบับ ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : ชุมชนบ้านเขาดิน (N4)

SAMPLE NO. : 35145-35147

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 01147298 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ae}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
25/11/2022	23:20	50.9	75.7	61.9	48.8	52.1	51.3	50.3	49.7	49.6
	23:25	56.6	81.4	73.2	48.2	63.4	57.3	50.4	49.6	49.4
	23:30	51.0	75.8	66.3	47.7	51.3	51.0	50.2	49.6	49.5
	23:35	50.4	75.2	58.9	48.8	51.1	50.8	50.2	49.7	49.6
	23:40	51.9	76.7	68.0	48.6	53.0	51.4	50.3	49.7	49.5
	23:45	50.4	75.2	57.6	48.6	51.4	51.1	50.2	49.5	49.4
	23:50	51.9	76.7	67.9	47.9	51.5	50.3	49.4	48.9	48.7
	23:55	50.3	75.1	60.7	46.8	53.1	51.2	49.3	48.7	48.5
26/11/2022	00:00	53.9	78.7	69.5	47.1	59.4	56.0	49.8	49.0	48.8
	00:05	51.3	76.1	65.6	48.2	52.1	51.1	49.8	49.0	48.8
	00:10	52.2	77.0	66.4	46.9	55.0	52.1	50.1	49.3	49.1
	00:15	51.4	76.2	63.9	46.8	52.6	51.8	50.3	49.3	49.0
	00:20	51.6	76.4	61.3	48.7	53.5	52.5	51.0	49.9	49.6
	00:25	53.2	78.0	69.7	47.7	57.4	52.2	50.5	49.6	49.4
	00:30	51.5	76.3	66.2	48.5	52.7	51.6	50.2	49.5	49.3
	00:35	52.6	77.4	66.4	48.0	57.7	52.6	50.2	49.3	49.1
	00:40	50.5	75.3	62.4	48.1	52.0	51.4	49.8	48.9	48.7
	00:45	50.5	75.3	60.0	46.8	51.9	51.5	50.2	49.3	49.0
	00:50	52.2	77.0	67.4	47.4	52.5	51.9	50.6	49.8	49.5
	00:55	51.0	75.8	61.1	48.5	52.6	51.8	50.5	49.6	49.4
	01:00	52.1	76.9	67.1	48.2	55.2	52.0	50.2	49.3	49.1
	01:05	49.9	74.7	52.9	48.2	51.3	50.9	49.8	49.1	48.9
	01:10	50.7	75.5	60.1	48.0	52.2	51.7	50.2	49.4	49.2
	01:15	52.7	77.5	64.9	47.2	57.8	53.7	50.4	49.5	49.3

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0237 -- R6512-0239

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ต. สายหนองก่อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : ขุมชนบ้านเขาหิน (N4)

SAMPLE NO. : 35145-35147

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 01147298 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ac}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
26/11/2022	01:20	51.6	76.4	62.9	48.8	54.3	52.5	50.5	49.7	49.5
	01:25	50.5	75.3	54.3	48.5	51.9	51.6	50.3	49.4	49.3
	01:30	51.1	75.9	57.3	48.4	53.0	52.4	50.8	49.7	49.5
	01:35	50.9	75.7	60.9	48.2	52.6	51.8	50.3	49.4	49.3
	01:40	50.5	75.3	54.7	48.2	51.9	51.5	50.3	49.4	49.2
	01:45	51.4	76.2	64.5	48.0	53.8	52.1	50.3	49.3	49.1
	01:50	50.5	75.3	57.1	48.3	51.8	51.4	50.3	49.5	49.3
	01:55	61.1	85.9	84.2	48.3	55.0	52.8	50.4	49.5	49.3
	02:00	51.9	76.7	66.5	48.1	54.5	52.2	50.4	49.4	49.2
	02:05	50.5	75.3	63.1	48.4	51.7	51.1	49.8	49.2	49.1
	02:10	50.3	75.1	59.6	47.8	51.3	51.0	50.0	49.3	49.1
	02:15	58.6	83.4	80.8	46.8	53.6	52.2	50.8	49.6	49.3
	02:20	52.8	77.6	68.1	47.4	57.1	52.4	50.7	49.8	49.5
	02:25	50.7	75.5	56.9	48.2	52.1	51.7	50.5	49.5	49.3
	02:30	51.0	75.8	59.3	48.2	52.4	51.9	50.6	49.6	49.4
	02:35	50.3	75.1	56.2	48.2	51.6	51.3	50.2	49.4	49.2
	02:40	58.0	82.8	77.7	48.1	57.3	52.1	50.3	49.3	49.1
	02:45	50.4	75.2	62.9	47.1	51.7	50.0	49.5	48.9	48.7
	02:50	54.3	79.1	73.9	47.6	56.5	53.9	49.6	48.9	48.7
	02:55	50.9	75.7	60.6	47.7	55.3	53.8	49.4	48.8	48.7
	03:00	49.7	74.5	56.6	48.0	50.5	50.0	49.5	49.0	48.8
	03:05	51.0	75.8	65.6	48.1	54.8	53.2	49.6	49.1	48.9
	03:10	51.6	76.4	62.9	46.2	55.9	54.1	49.8	49.1	48.9
	03:15	52.6	77.4	67.8	47.1	56.9	53.5	49.5	48.8	48.6

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0237 – R6512-0239

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ต. สายหนองค้อ-แหลมถาบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : ขุมชนบ้านเขาหิน (N4)

SAMPLE NO. : 35145-35147

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 01147298 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ae}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
26/11/2022	03:20	49.3	74.1	54.7	47.5	50.3	50.0	49.2	48.6	48.4
	03:25	51.7	76.5	67.6	47.9	54.4	52.5	49.5	48.8	48.7
	03:30	50.1	74.9	61.7	47.5	52.2	49.9	49.1	48.6	48.4
	03:35	49.8	74.6	57.8	47.8	50.6	50.3	49.6	49.0	48.8
	03:40	50.2	75.0	62.0	47.7	52.0	50.3	49.5	49.0	48.8
	03:45	55.6	80.4	74.9	47.7	59.8	52.8	49.4	48.8	48.6
	03:50	50.6	75.4	63.0	47.9	53.0	50.2	49.4	48.9	48.7
	03:55	49.7	74.5	60.8	46.6	50.4	50.1	49.5	49.0	48.9
	04:00	50.9	75.7	64.0	48.1	53.6	51.5	49.6	49.0	48.9
	04:05	52.9	77.7	66.1	48.5	57.8	54.1	49.9	49.3	49.1
	04:10	49.9	74.7	54.2	48.2	51.0	50.6	49.7	49.1	48.9
	04:15	63.7	88.5	83.0	47.3	60.0	54.3	50.3	49.5	49.3
	04:20	53.6	78.4	68.3	47.3	58.3	55.6	50.3	49.4	49.2
	04:25	51.7	76.5	67.7	48.3	52.1	50.8	49.8	49.3	49.2
	04:30	50.5	75.3	60.2	47.3	51.2	51.1	50.4	49.7	49.5
	04:35	50.9	75.7	57.6	48.4	52.0	51.5	50.8	50.0	49.7
	04:40	51.4	76.2	64.8	47.9	54.8	52.3	49.9	49.3	49.1
	04:45	51.9	76.7	66.5	46.8	55.1	51.0	49.9	49.2	48.7
	04:50	49.8	74.6	63.2	47.1	50.4	50.2	49.5	48.8	48.7
	04:55	52.3	77.1	64.4	48.1	57.0	54.8	49.8	49.0	48.8
	05:00	51.4	76.2	65.5	48.2	54.7	52.3	49.7	49.1	48.9
	05:05	51.3	76.1	63.1	47.7	54.7	51.9	50.1	49.5	49.4
	05:10	51.6	76.4	62.3	48.1	55.2	53.2	50.4	49.6	49.4
	05:15	51.1	75.9	64.1	48.0	54.0	52.2	50.1	49.5	49.4

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0237 – R6512-0239

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ต. สายหนองก่อ-แหลมคาง ค. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : ชุมชนบ้านเขาดิน (N4)

DETERMINATION METHOD : ISO 1996-1:2016

INSTRUMENT : Integrated Sound Level Meter

S/N 01147298 : Type 2

SAMPLE NO. : 35145-35147

MEASURING DATE : 23-26/11/2022

RECEIVED DATE : 28/11/2022

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ae}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
26/11/2022	05:20	54.9	79.7	69.8	48.6	61.0	57.7	50.8	49.6	49.4
	05:25	51.6	76.4	64.5	48.7	54.9	52.7	50.4	49.6	49.5
	05:30	61.8	86.6	83.2	48.5	54.7	53.0	50.3	49.6	49.4
	05:35	51.6	76.4	62.3	47.5	56.0	53.5	50.2	49.5	49.3
	05:40	51.2	76.0	62.3	48.7	54.2	52.1	50.2	49.6	49.4
	05:45	58.9	83.7	79.8	48.5	59.7	56.1	50.6	49.7	49.5
	05:50	65.1	89.9	82.4	49.6	70.6	61.4	51.7	50.6	50.4
	05:55	60.3	85.1	81.9	49.6	58.3	55.8	51.9	51.1	50.6
	06:00	58.4	83.2	80.3	50.8	60.6	58.3	52.8	51.5	51.4
	06:05	56.2	81.0	71.6	50.1	61.8	60.0	52.5	51.5	51.4
	06:10	55.9	80.7	72.4	49.1	60.6	58.1	51.1	50.1	49.9
	06:15	57.6	82.4	71.5	48.9	64.1	61.6	52.5	50.0	49.8
	06:20	55.9	80.7	72.2	48.6	61.6	58.6	51.6	49.6	49.5
	06:25	56.7	81.5	72.6	47.8	62.3	59.5	52.2	49.9	49.6
	06:30	56.4	81.2	70.0	47.6	62.7	59.9	52.7	49.8	49.5
	06:35	56.9	81.7	72.9	48.6	62.8	60.8	52.1	49.4	49.1
	06:40	59.0	83.8	73.8	48.2	66.2	62.4	52.8	49.7	49.4
	06:45	57.0	81.8	75.2	48.3	61.7	59.3	51.0	49.3	49.1
	06:50	55.9	80.7	71.4	48.5	60.9	59.1	51.4	49.4	49.2
	06:55	59.6	84.4	74.4	48.2	66.4	64.1	53.0	49.5	49.3
	07:00	59.3	84.1	78.7	48.2	63.8	60.9	52.5	49.4	49.2
	07:05	59.1	83.9	74.2	49.0	65.3	63.3	54.2	51.1	50.8
	07:10	56.5	81.3	72.7	49.9	62.6	59.9	52.2	50.8	50.6
	07:15	57.6	82.4	71.1	47.9	64.0	60.7	53.0	50.4	50.0

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY



Request No. LA65-R1207

Report No. R6512-0237 – R6512-0239

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ต. หนองก้อ-แหลมฉาง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : ชุมชนบ้านเขาหิน (N4)

SAMPLE NO. : 35145-35147

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 01147298 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ac}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
26/11/2022	07:20	57.2	82.0	71.9	48.6	63.3	61.3	52.0	49.7	49.5
	07:25	57.8	82.6	71.3	48.2	63.5	61.7	53.9	49.8	49.3
	07:30	63.4	88.2	81.7	48.7	67.5	64.8	57.1	51.5	50.5
	07:35	60.3	85.1	71.1	48.8	66.4	64.6	56.5	50.5	49.9
	07:40	60.8	85.6	76.3	48.7	65.8	63.8	56.9	50.3	49.8
	07:45	58.3	83.1	71.9	48.0	64.4	61.7	53.1	49.4	49.1
	07:50	60.0	84.8	76.7	47.5	65.8	63.3	54.6	49.8	49.3
	07:55	56.0	80.8	70.2	48.1	62.1	59.0	51.7	49.2	48.9
	08:00	59.8	84.6	79.8	47.5	63.9	60.3	51.8	48.7	48.4
	08:05	55.0	79.8	67.1	47.4	61.3	59.2	50.2	48.5	48.3
	08:10	58.5	83.3	71.4	48.3	64.8	62.7	54.0	49.6	49.3
	08:15	57.9	82.7	81.1	47.9	63.6	61.7	52.8	49.3	48.9
	08:20	55.9	80.7	75.3	47.2	60.6	58.2	50.9	48.7	48.4
	08:25	66.3	91.1	91.5	47.1	62.9	60.1	50.7	48.5	48.3
	08:30	52.8	77.6	66.8	47.1	58.2	55.8	49.8	48.4	48.1
	08:35	57.2	82.0	71.6	47.6	63.6	60.3	51.3	49.0	48.7
	08:40	55.1	79.9	69.6	44.3	61.5	58.9	50.5	47.4	46.8
	08:45	54.1	78.9	65.5	44.8	60.5	58.3	50.6	46.9	46.4
	08:50	55.7	80.5	69.0	47.7	61.6	59.2	51.2	49.0	48.7
	08:55	59.4	84.2	73.5	48.8	65.8	62.8	54.3	50.9	50.3
	09:00	55.1	79.9	68.3	48.6	60.4	58.1	52.5	51.0	50.5
	09:05	56.4	81.2	70.6	48.4	62.4	59.5	52.5	50.5	50.0
	09:10	55.9	80.7	68.5	48.7	61.9	59.3	51.5	49.8	49.6
	09:15	55.6	80.4	69.7	47.9	61.4	59.5	51.4	49.6	49.2

Remark : Measurement By Mr. Tummarut Photankhum



Approved By.....

(MRS. WANPEN LHAOCHINDAWAT)

08/12/2022

REPORT FOR THE REFERENCE OF SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
 WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0234 - R6512-0236

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ต. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : บ้านเนินทราย (N5)

SAMPLE NO. : 35142-35144

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 090085 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lae	Lmax	Lmin	La05	La10	La50	La90	La95
23/11/2022	10:10	46.6	71.5	55.3	41.5	50.7	49.2	45.0	43.1	42.7
	10:15	46.4	71.3	58.0	41.2	51.2	49.2	44.2	42.6	42.3
	10:20	45.2	70.0	55.4	40.7	48.7	47.6	43.7	42.0	41.6
	10:25	46.1	71.0	57.9	41.3	49.2	48.1	44.5	42.8	42.4
	10:30	48.2	73.1	57.2	41.6	53.2	52.1	45.5	42.9	42.6
	10:35	46.3	71.2	56.8	40.8	50.1	49.0	44.7	42.8	42.4
	10:40	46.3	71.1	55.8	40.9	50.3	49.2	44.8	42.5	42.0
	10:45	44.7	69.5	52.2	40.5	47.8	46.5	43.9	42.1	41.6
	10:50	46.1	71.0	57.8	40.8	49.7	48.4	44.5	42.5	42.0
	10:55	48.7	73.5	57.1	40.7	54.1	52.8	46.2	42.7	42.2
	11:00	46.0	70.9	57.6	40.6	50.0	48.3	44.3	42.3	41.8
	11:05	45.6	70.4	55.3	41.0	49.8	48.1	43.8	42.3	42.1
	11:10	46.6	71.5	60.8	41.3	50.7	49.0	44.3	42.4	42.2
	11:15	49.0	73.9	59.7	41.6	54.1	52.8	45.5	43.3	42.9
	11:20	59.1	83.8	75.2	42.1	66.6	62.6	46.1	43.5	43.1
	11:25	45.8	70.6	57.1	41.5	48.3	47.3	44.7	43.3	43.0
	11:30	47.1	72.0	58.7	41.6	51.1	49.8	45.6	43.0	42.7
	11:35	46.0	70.8	55.3	40.4	49.9	48.5	44.4	42.2	41.9
	11:40	47.9	72.7	58.1	41.7	54.0	50.5	44.8	42.9	42.5
	11:45	48.2	73.1	61.0	41.5	52.1	50.7	46.5	43.6	42.9
	11:50	57.3	82.1	76.8	41.6	63.7	60.7	48.1	43.5	42.9
	11:55	48.3	73.2	59.3	41.0	53.4	51.6	45.8	42.6	42.2
	12:00	58.0	82.7	74.0	42.3	64.5	57.6	48.5	46.0	45.3
	12:05	47.3	72.2	59.2	41.6	50.2	49.4	46.4	44.0	43.6

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0234 – R6512-0236

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : บ้านเนินทรายรี (N5)

SAMPLE NO. : 35142-35144

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 090085 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ae}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
23/11/2022	12:10	48.9	73.7	62.8	42.1	53.2	51.3	46.5	44.2	43.6
	12:15	50.0	74.8	63.2	43.0	54.3	53.2	48.3	45.7	45.1
	12:20	46.9	71.8	55.4	41.3	50.0	49.1	45.9	43.3	42.7
	12:25	45.8	70.6	60.1	40.2	50.2	48.1	43.5	41.8	41.5
	12:30	48.1	73.0	61.6	41.0	53.0	51.1	45.1	42.7	42.4
	12:35	49.0	73.9	58.2	40.9	54.6	53.2	46.3	42.9	42.4
	12:40	45.9	70.6	60.7	40.3	48.7	45.9	43.2	42.1	41.9
	12:45	45.9	70.7	57.5	40.8	49.8	48.1	43.7	42.1	41.8
	12:50	58.9	83.7	74.1	41.0	66.3	63.1	44.8	42.6	42.2
	12:55	49.5	74.4	58.5	41.7	54.7	53.5	46.5	43.4	42.9
	13:00	48.6	73.5	69.5	41.2	50.6	48.1	43.9	42.5	42.2
	13:05	46.6	71.5	56.2	41.5	50.1	49.0	45.3	43.2	42.8
	13:10	45.4	70.2	55.8	41.1	49.0	47.7	44.1	42.2	41.9
	13:15	49.5	74.4	62.4	40.4	55.5	53.6	45.9	42.7	42.2
	13:20	46.5	71.4	57.3	40.5	51.1	49.5	44.2	42.0	41.6
	13:25	48.0	72.9	64.1	41.1	53.2	50.5	44.3	42.5	42.2
	13:30	46.4	71.3	58.9	41.1	50.7	48.4	44.3	42.7	42.3
	13:35	49.0	73.9	67.5	41.4	53.1	50.4	45.8	43.4	42.7
	13:40	48.9	73.7	60.9	41.0	54.1	53.2	45.1	42.4	42.0
	13:45	46.2	71.1	56.9	41.5	50.4	48.3	44.4	42.8	42.5
	13:50	45.3	70.1	55.5	40.5	48.9	47.3	43.8	42.2	41.9
	13:55	45.8	70.6	55.7	41.5	50.1	48.3	44.1	42.6	42.4
	14:00	48.1	73.0	56.9	42.3	52.7	51.7	45.9	43.6	43.2
	14:05	47.4	72.3	64.6	42.3	51.0	49.1	45.2	43.6	43.3

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0234 – R6512-0236

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ต. สายหนองก้อ-แหลมฉาง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : บ้านเนินทราย (N5)

SAMPLE NO. : 35142-35144

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 090085 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ae}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
23/11/2022	14:10	47.8	72.7	64.1	42.1	50.8	48.8	44.8	43.3	43.1
	14:15	45.2	69.9	55.7	41.3	48.2	47.0	44.0	42.7	42.5
	14:20	47.7	72.6	65.4	41.3	51.7	49.4	44.3	42.8	42.5
	14:25	45.7	70.5	59.6	42.0	48.3	47.3	44.5	43.0	42.8
	14:30	46.8	71.7	60.3	41.2	51.3	49.1	44.3	42.5	42.2
	14:35	46.1	71.0	59.2	40.4	49.9	48.4	43.4	41.6	41.4
	14:40	46.2	71.1	63.2	40.9	49.4	47.3	43.7	42.4	42.1
	14:45	46.9	71.8	68.6	41.0	50.1	47.7	43.6	42.2	42.0
	14:50	44.6	69.4	54.5	40.2	48.7	47.0	43.2	41.6	41.2
	14:55	46.4	71.3	56.5	41.0	50.7	48.9	44.1	42.5	42.1
	15:00	46.6	71.5	56.4	41.3	51.1	49.4	44.7	42.6	42.1
	15:05	46.2	71.1	54.7	41.9	49.7	48.5	44.9	43.1	42.9
	15:10	44.7	69.5	52.8	41.4	47.7	46.3	43.7	42.6	42.3
	15:15	46.1	71.0	57.6	41.1	50.2	48.7	44.3	42.5	42.2
	15:20	45.5	70.3	54.9	42.0	48.8	47.4	44.1	43.0	42.8
	15:25	58.4	83.2	75.2	42.3	65.7	60.6	48.1	43.7	43.4
	15:30	47.6	72.5	61.5	42.2	50.9	49.4	45.8	43.8	43.5
	15:35	47.2	72.1	56.2	42.5	51.1	49.8	45.6	43.5	43.2
	15:40	57.6	82.4	74.8	42.2	65.2	59.9	46.4	43.5	43.1
	15:45	51.8	76.7	73.5	41.3	53.9	50.5	45.9	43.4	43.0
	15:50	53.5	78.4	68.3	41.2	60.7	55.0	44.9	42.5	42.2
	15:55	46.5	71.3	56.8	42.2	50.4	48.6	44.8	43.5	43.2
	16:00	46.7	71.6	57.0	42.4	50.4	49.1	45.2	43.5	43.3
	16:05	47.1	72.0	58.6	42.0	50.8	49.5	45.5	43.6	43.3

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0234 – R6512-0236

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : บ้านเนินทราย (N5)

SAMPLE NO. : 35142-35144

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 090085 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ae}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
23/11/2022	16:10	47.6	72.4	63.5	41.5	51.3	49.6	45.1	42.9	42.5
	16:15	46.9	71.8	57.4	42.0	50.9	49.5	45.3	43.3	43.0
	16:20	49.6	74.5	57.8	42.2	54.7	53.9	47.0	44.3	43.8
	16:25	47.2	72.1	56.3	41.5	52.4	50.3	45.1	43.3	42.8
	16:30	46.4	71.3	56.0	41.6	49.9	49.0	44.7	43.2	42.8
	16:35	46.2	71.0	59.4	42.2	49.7	48.1	44.3	43.2	43.0
	16:40	48.1	73.0	64.7	42.4	51.1	50.0	45.7	43.9	43.5
	16:45	50.2	75.1	60.5	42.9	55.2	54.2	47.6	44.5	44.2
	16:50	47.9	72.8	62.8	41.6	52.4	50.4	45.3	43.1	42.7
	16:55	49.4	74.3	60.5	43.4	53.4	51.9	47.8	45.4	44.9
	17:00	50.9	75.8	65.4	44.4	54.0	52.5	48.9	46.4	45.9
	17:05	49.7	74.5	58.4	43.7	54.4	52.6	47.6	46.0	45.6
	17:10	50.4	75.3	72.6	43.7	52.8	50.4	47.1	45.3	45.0
	17:15	48.2	73.1	61.8	43.6	51.3	50.3	46.7	44.9	44.6
	17:20	48.7	73.6	62.8	42.9	52.7	50.5	46.3	44.4	44.0
	17:25	49.2	74.1	61.8	43.7	53.8	51.5	47.2	45.3	45.0
	17:30	51.8	76.7	70.9	44.5	54.7	52.5	48.4	46.3	45.9
	17:35	50.2	75.1	61.0	46.0	53.3	51.9	49.2	47.5	47.1
	17:40	53.8	78.7	66.1	45.7	60.6	57.8	49.4	47.6	47.2
	17:45	51.8	76.7	66.9	46.1	55.2	52.8	48.7	47.4	47.1
	17:50	54.6	79.5	68.3	45.6	62.3	58.4	48.2	47.1	46.8
	17:55	48.6	73.5	62.3	45.0	50.9	49.8	47.4	46.1	45.8
	18:00	51.3	76.2	66.9	44.2	54.5	52.2	48.2	45.7	45.4
	18:05	48.1	73.0	56.7	44.5	51.1	49.9	47.2	45.8	45.5

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0234 – R6512-0236

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ต. สายหนองก่อ-แหลมฉะบับ ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : บ้านเนินทราย (N5)

SAMPLE NO. : 35142-35144

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 090085 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ae}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
23/11/2022	18:10	48.5	73.4	60.0	44.0	51.9	50.2	47.1	45.3	45.1
	18:15	46.9	71.7	57.8	43.0	49.8	48.5	45.8	44.6	44.3
	18:20	47.1	72.0	58.3	43.2	50.0	49.0	46.0	44.7	44.4
	18:25	47.9	72.8	58.0	43.3	51.8	50.2	46.2	45.0	44.6
	18:30	47.5	72.4	62.3	43.5	50.2	48.7	46.2	45.0	44.6
	18:35	47.2	72.1	61.5	43.3	49.8	48.5	45.8	44.5	44.3
	18:40	46.7	71.6	53.9	43.5	48.9	48.2	45.9	44.7	44.5
	18:45	45.9	70.6	57.0	42.4	48.2	47.2	45.0	43.8	43.5
	18:50	46.4	71.3	57.9	42.8	48.4	47.5	45.6	44.4	44.1
	18:55	46.9	71.8	58.9	43.1	50.3	48.4	45.6	44.4	44.2
	19:00	48.0	72.8	58.2	43.8	51.6	50.0	46.7	45.2	44.9
	19:05	47.4	72.3	59.2	44.0	50.2	48.3	46.4	45.5	45.2
	19:10	48.0	72.9	60.7	44.0	51.2	49.8	46.7	45.2	44.9
	19:15	46.8	71.7	54.7	43.7	49.6	48.5	46.0	44.7	44.5
	19:20	46.5	71.4	58.2	42.9	48.7	47.6	45.5	44.5	44.3
	19:25	47.3	72.2	59.3	43.6	49.8	49.1	46.4	44.7	44.5
	19:30	46.7	71.6	56.1	42.6	49.5	48.1	45.7	44.6	44.3
	19:35	47.2	72.1	63.3	43.1	49.8	48.2	45.3	44.3	44.1
	19:40	46.8	71.7	55.2	43.0	50.0	49.0	45.7	44.3	44.1
	19:45	51.2	76.1	73.5	42.7	50.4	49.0	45.1	43.8	43.6
	19:50	46.8	71.7	60.7	42.6	50.4	48.2	45.3	43.9	43.6
	19:55	56.2	81.0	62.0	44.1	57.4	57.2	56.6	47.7	46.6
	20:00	56.8	81.5	60.9	44.5	57.9	57.7	56.9	56.2	46.1
	20:05	46.7	71.6	54.5	43.5	49.6	48.4	45.8	44.6	44.4

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0234 – R6512-0236

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : บ้านเนินทราย (NS)

SAMPLE NO. : 35142-35144

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 090085 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lae	Lmax	Lmin	La05	La10	La50	La90	La95
23/11/2022	20:10	49.0	73.8	63.5	43.2	54.2	51.1	45.7	44.5	44.2
	20:15	45.8	70.6	57.3	42.4	47.8	47.1	45.1	44.0	43.7
	20:20	46.6	71.5	61.2	42.5	49.9	48.2	44.8	43.7	43.6
	20:25	46.3	71.2	55.5	41.9	49.8	48.5	44.9	43.5	43.3
	20:30	44.8	69.6	54.6	42.2	46.8	45.8	44.1	43.2	43.0
	20:35	45.4	70.1	54.9	41.9	49.0	46.8	44.3	43.3	43.1
	20:40	54.6	79.5	69.6	42.4	57.6	57.5	55.3	43.7	43.5
	20:45	45.9	70.7	56.6	42.3	49.4	47.5	44.4	43.3	43.1
	20:50	45.3	70.1	55.6	42.6	47.1	46.0	44.5	43.7	43.5
	20:55	45.2	70.0	55.0	42.7	46.9	45.8	44.5	43.8	43.6
	21:00	46.5	71.3	71.4	43.1	47.0	46.1	44.7	44.0	43.7
	21:05	46.6	71.5	60.7	42.9	48.8	47.6	45.2	44.2	43.8
	21:10	45.4	70.2	56.0	42.5	47.2	46.3	44.8	44.1	43.8
	21:15	54.3	79.2	74.0	42.1	60.7	59.4	45.3	44.2	43.9
	21:20	53.1	78.0	71.0	42.5	60.0	50.8	44.9	44.1	43.8
	21:25	45.5	70.2	67.3	41.5	46.4	45.5	44.3	43.1	42.9
	21:30	55.3	80.1	73.7	41.8	62.7	56.2	44.5	42.8	42.6
	21:35	59.7	84.5	77.7	41.8	67.9	62.6	44.5	43.2	42.9
	21:40	44.2	69.0	49.3	41.5	45.3	44.9	43.9	42.9	42.4
	21:45	44.5	69.3	58.9	41.6	46.3	45.0	43.6	42.9	42.7
	21:50	46.9	71.8	61.0	41.7	51.1	48.6	44.8	43.3	43.1
	21:55	44.1	68.9	49.4	41.6	45.4	45.0	43.6	42.9	42.7
	22:00	44.2	69.0	51.0	41.6	45.8	45.1	43.7	42.9	42.7
	22:05	45.2	70.0	61.0	41.5	47.5	46.4	44.1	43.2	42.9

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0234 – R6512-0236

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 อ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : บ้านเนินทราย (N5)

SAMPLE NO. : 35142-35144

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 090085 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ae}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
23/11/2022	22:10	45.0	69.7	58.0	41.5	47.2	46.0	43.9	42.9	42.6
	22:15	45.2	70.0	53.4	42.2	46.5	46.0	44.8	43.8	43.6
	22:20	48.9	73.8	69.4	42.6	48.9	46.9	44.8	44.0	43.7
	22:25	44.4	69.2	52.4	41.6	46.0	45.0	44.0	43.2	42.9
	22:30	44.2	69.0	50.3	41.6	45.1	44.7	43.9	43.0	42.7
	22:35	44.6	69.4	51.2	41.8	46.3	45.2	44.1	43.3	42.9
	22:40	44.6	69.4	49.3	42.0	46.3	45.2	44.1	43.3	42.9
	22:45	46.7	71.6	64.4	41.5	48.1	46.3	44.4	43.4	43.0
	22:50	44.5	69.3	50.9	42.0	46.4	45.4	44.1	43.0	42.8
	22:55	44.1	68.9	48.2	41.1	45.0	44.7	43.9	42.8	42.5
	23:00	44.6	69.4	48.3	42.2	45.6	45.2	44.3	43.5	43.2
	23:05	44.3	69.1	48.5	42.0	45.1	44.8	44.1	43.3	43.0
	23:10	45.0	69.8	52.0	42.4	46.5	45.9	44.6	43.8	43.5
	23:15	45.3	70.1	58.0	42.1	47.1	45.7	44.5	43.6	43.3
	23:20	44.7	69.5	58.1	42.4	45.9	45.1	44.3	43.5	43.2
	23:25	44.1	68.9	46.6	41.8	44.7	44.5	44.0	43.1	42.8
	23:30	43.9	68.7	48.7	41.7	44.6	44.4	43.8	42.9	42.6
	23:35	43.7	68.5	46.2	41.3	44.5	44.2	43.6	42.7	42.4
	23:40	44.2	69.0	50.4	41.6	45.8	45.1	43.7	43.0	42.5
	23:45	44.7	69.5	54.0	41.4	47.6	45.6	43.8	42.8	42.5
	23:50	44.2	69.0	56.2	41.1	46.0	44.6	43.4	42.5	42.1
	23:55	44.5	69.3	56.1	40.7	47.9	45.2	43.2	42.0	41.6
24/11/2022	00:00	43.9	68.6	53.6	40.9	46.1	45.0	43.2	42.1	41.8
	00:05	42.9	67.7	45.9	40.3	43.7	43.5	42.8	41.6	41.3

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0234 – R6512-0236

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองก้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : บ้านเนินทราย (N5)

SAMPLE NO. : 35142-35144

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 090085 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lac	Lmax	Lmin	La05	La10	La50	La90	La95
24/11/2022	00:10	43.1	67.9	50.2	40.2	44.4	43.8	42.8	41.8	41.5
	00:15	43.4	68.3	48.6	40.8	44.6	44.0	43.2	42.2	41.9
	00:20	44.8	69.6	59.4	41.2	46.7	45.1	43.5	42.5	42.2
	00:25	43.6	68.4	50.8	39.9	46.5	45.5	42.8	41.2	41.0
	00:30	42.6	67.5	45.8	40.5	43.5	43.3	42.5	41.6	41.3
	00:35	42.7	67.6	44.8	40.4	43.6	43.4	42.6	41.6	41.4
	00:40	43.1	68.0	49.6	41.1	44.0	43.7	43.0	42.0	41.8
	00:45	43.0	67.9	46.2	40.8	43.9	43.7	43.0	42.0	41.8
	00:50	43.6	68.4	50.8	41.2	44.7	44.1	43.3	42.3	42.1
	00:55	44.1	68.9	54.6	40.7	47.2	45.0	43.0	41.9	41.7
	01:00	46.6	71.5	65.2	40.8	49.9	48.4	43.3	42.1	41.9
	01:05	42.6	67.5	50.0	40.7	44.2	43.4	42.2	41.6	41.4
	01:10	42.5	67.4	48.8	40.7	44.3	43.0	42.0	41.5	41.3
	01:15	44.0	68.7	60.7	40.8	45.0	43.5	42.6	41.7	41.5
	01:20	43.0	67.9	47.9	41.0	44.5	44.0	42.6	42.0	41.8
	01:25	44.0	68.7	58.2	41.2	44.5	43.6	42.6	42.0	41.8
	01:30	43.8	68.6	57.6	41.1	45.6	44.2	42.9	42.1	42.0
	01:35	43.8	68.6	55.8	41.4	45.4	44.3	43.1	42.3	42.1
	01:40	44.3	69.1	52.1	41.4	47.1	45.2	43.4	42.7	42.5
	01:45	43.5	68.4	48.5	41.6	44.7	44.1	43.1	42.5	42.3
	01:50	43.3	68.2	50.6	40.9	46.0	44.5	42.6	41.8	41.6
	01:55	44.0	68.7	51.9	40.8	47.7	46.1	42.5	41.8	41.6
	02:00	42.5	67.4	52.5	40.6	44.1	43.4	42.1	41.4	41.3
	02:05	41.9	66.8	49.1	40.3	43.1	42.4	41.6	41.1	40.9

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0234 – R6512-0236

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองก้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : บ้านเนินทราย (N5)

SAMPLE NO. : 35142-35144

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 090085 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ae}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
24/11/2022	02:10	42.6	67.5	55.5	40.3	43.6	42.4	41.6	41.1	40.9
	02:15	41.9	66.8	49.6	40.3	42.8	42.3	41.6	41.1	40.9
	02:20	41.8	66.6	50.0	39.7	44.2	43.1	41.1	40.6	40.4
	02:25	42.1	67.0	50.1	40.0	45.1	42.9	41.3	40.7	40.5
	02:30	41.3	66.2	44.5	39.5	42.0	41.8	41.1	40.6	40.4
	02:35	41.5	66.3	50.6	39.5	42.5	41.9	41.0	40.4	40.2
	02:40	41.5	66.4	44.3	39.3	42.7	42.2	41.3	40.6	40.3
	02:45	41.8	66.6	52.2	39.8	43.8	42.6	41.1	40.5	40.3
	02:50	41.6	66.5	52.9	39.7	43.2	42.0	41.0	40.5	40.4
	02:55	41.3	66.2	46.9	40.0	42.1	41.8	41.1	40.6	40.5
	03:00	41.5	66.4	53.6	39.8	42.1	41.7	41.1	40.5	40.4
	03:05	40.8	65.7	44.1	39.5	41.5	41.3	40.7	40.2	40.1
	03:10	51.6	76.5	67.0	39.2	59.6	54.9	41.5	40.4	40.2
	03:15	51.3	76.2	72.4	39.7	59.4	54.4	41.1	40.4	40.2
	03:20	42.1	67.0	49.6	39.5	45.8	43.6	41.0	40.2	40.1
	03:25	41.4	66.3	49.1	39.5	43.3	42.2	40.9	40.3	40.1
	03:30	41.0	65.9	45.7	39.3	42.4	41.9	40.6	40.1	40.0
	03:35	41.5	66.4	48.3	39.7	42.7	42.2	41.2	40.6	40.5
	03:40	42.0	66.9	54.4	39.2	45.3	43.9	40.9	40.1	39.9
	03:45	41.4	66.3	51.0	39.3	43.2	42.2	40.8	40.2	40.0
	03:50	41.3	66.2	46.4	39.8	42.4	41.8	41.1	40.5	40.3
	03:55	41.6	66.5	49.1	39.1	43.9	42.8	41.1	40.3	40.1
	04:00	42.0	66.9	52.8	39.6	43.2	42.5	41.2	40.5	40.3
	04:05	42.0	66.9	49.6	40.1	43.6	42.6	41.5	40.8	40.7

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0234 – R6512-0236

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : บ้านเนินทราย (N5)

SAMPLE NO. : 35142-35144

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 090085 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lae	Lmax	Lmin	La05	La10	La50	La90	La95
24/11/2022	04:10	41.9	66.8	46.8	40.1	43.2	42.6	41.6	41.0	40.8
	04:15	42.2	67.1	50.4	39.9	45.0	43.1	41.6	40.8	40.6
	04:20	42.7	67.6	52.1	40.1	46.1	44.1	41.8	41.0	40.8
	04:25	42.8	67.7	50.4	40.3	44.8	44.0	42.1	41.2	41.1
	04:30	46.2	71.1	55.0	41.1	48.6	48.3	45.0	42.1	41.8
	04:35	49.3	74.2	53.0	47.2	51.1	50.2	48.9	48.1	47.9
	04:40	48.5	73.4	51.9	46.5	49.4	49.0	48.4	47.7	47.5
	04:45	48.3	73.2	61.1	43.1	51.3	49.8	46.9	44.5	44.2
	04:50	52.2	77.1	65.3	42.0	60.2	55.4	44.7	43.3	43.1
	04:55	51.4	76.3	67.6	42.0	59.1	48.6	44.3	43.3	43.1
	05:00	46.2	71.1	50.5	43.8	47.1	46.9	46.0	45.2	45.0
	05:05	45.4	70.2	53.5	42.7	46.4	46.1	45.1	44.2	43.9
	05:10	47.7	72.6	59.9	42.1	53.2	49.9	45.5	44.3	43.8
	05:15	47.1	72.0	60.1	43.9	49.3	48.1	46.3	45.3	45.0
	05:20	48.3	73.2	53.2	46.2	49.2	48.9	48.1	47.3	47.1
	05:25	49.3	74.2	60.6	46.9	51.2	50.4	48.7	47.8	47.6
	05:30	54.1	79.0	66.0	43.6	61.2	59.5	47.8	45.2	44.8
	05:35	56.5	81.3	68.7	42.7	64.0	61.9	46.5	44.2	43.8
	05:40	51.2	76.1	66.8	43.1	58.4	51.8	45.2	44.1	43.9
	05:45	47.4	72.3	57.9	42.4	52.7	50.8	45.1	43.7	43.4
	05:50	48.0	72.9	61.3	43.3	50.3	49.1	46.5	45.2	44.7
	05:55	47.1	72.0	58.8	43.3	49.4	48.6	46.4	45.0	44.8
	06:00	49.0	73.9	62.5	42.7	54.1	52.1	46.1	44.2	43.9
	06:05	48.3	73.2	60.9	42.6	53.6	50.9	45.6	44.1	43.7

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0234 – R6512-0236

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : บ้านเนินทราย (N5)

SAMPLE NO. : 35142-35144

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 090085 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lae	Lmax	Lmin	La05	La10	La50	La90	La95
24/11/2022	06:10	48.0	72.9	62.3	42.9	52.0	49.9	45.6	44.1	43.9
	06:15	48.3	73.2	62.7	43.0	52.7	50.7	45.6	44.1	43.8
	06:20	50.2	75.1	63.1	42.8	56.8	53.3	45.6	44.1	43.8
	06:25	48.9	73.8	63.7	43.2	52.3	50.6	46.2	44.5	44.3
	06:30	48.3	73.2	61.9	42.8	53.3	50.7	45.7	44.0	43.7
	06:35	48.1	73.0	62.8	42.6	52.4	49.6	45.5	43.9	43.7
	06:40	57.5	82.3	72.4	43.2	64.8	61.5	48.3	45.3	44.9
	06:45	57.2	82.0	72.3	44.2	64.7	60.1	48.9	45.9	45.4
	06:50	48.5	73.4	58.0	44.7	51.2	50.1	47.6	46.2	45.8
	06:55	49.7	74.6	65.6	45.2	51.7	50.5	47.9	46.7	46.3
	07:00	48.7	73.6	58.8	45.1	51.9	50.4	47.6	46.3	46.0
	07:05	49.5	74.4	55.8	45.5	51.7	51.3	48.9	47.2	46.8
	07:10	49.4	74.3	57.0	46.2	51.7	50.8	48.7	47.6	47.4
	07:15	50.1	75.0	59.7	46.3	52.9	52.1	49.2	47.7	47.4
	07:20	49.2	74.0	62.7	43.3	52.6	51.3	47.9	45.3	44.8
	07:25	49.1	74.0	61.9	43.3	53.8	51.5	46.8	45.2	44.8
	07:30	49.8	74.7	63.8	43.0	54.5	52.4	47.0	44.8	44.4
	07:35	47.5	72.4	56.6	43.0	50.9	49.6	46.1	44.3	43.9
	07:40	47.9	72.8	60.6	43.1	51.8	50.1	46.0	44.3	43.9
	07:45	56.9	81.6	74.6	43.3	63.8	58.4	48.1	45.0	44.7
	07:50	47.1	72.0	59.2	43.1	50.5	48.7	46.0	44.3	44.0
	07:55	47.4	72.3	58.7	42.0	51.6	49.9	45.5	43.5	43.2
	08:00	48.0	72.9	63.4	42.9	51.8	50.1	46.1	44.6	44.2
	08:05	45.7	70.5	62.4	42.0	48.6	47.0	44.2	43.2	43.0

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0234 – R6512-0236

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองก้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : บ้านเนินทราย (N5)

SAMPLE NO. : 35142-35144

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 090085 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lae	Lmax	Lmin	La05	La10	La50	La90	La95
24/11/2022	08:10	46.6	71.5	57.7	42.6	50.3	48.2	45.1	43.7	43.4
	08:15	47.6	72.5	59.2	42.8	51.2	49.6	46.2	44.1	43.8
	08:20	46.1	70.9	56.2	41.4	49.4	47.8	44.6	43.3	42.9
	08:25	47.3	72.2	58.2	41.9	51.0	49.8	45.7	43.6	43.2
	08:30	46.1	71.0	55.0	41.1	49.9	48.6	44.9	42.8	42.4
	08:35	44.9	69.6	53.5	41.3	48.0	46.8	43.7	42.4	42.2
	08:40	47.4	72.3	56.5	41.7	51.9	49.8	45.7	43.6	43.2
	08:45	46.5	71.3	56.4	42.0	49.8	48.5	45.2	43.6	43.3
	08:50	46.7	71.6	57.9	41.9	50.1	48.8	45.1	43.4	43.1
	08:55	46.9	71.8	57.9	42.0	50.7	49.6	45.4	43.5	43.2
	09:00	46.0	70.9	60.3	41.5	49.6	47.9	44.3	42.7	42.5
	09:05	46.5	71.4	53.7	41.3	50.2	49.1	45.2	42.8	42.4
	09:10	46.4	71.3	57.7	42.1	50.2	48.8	45.1	43.5	43.1
	09:15	47.6	72.5	60.7	41.8	52.1	49.3	45.0	43.2	42.9
	09:20	47.1	72.0	56.2	41.7	50.6	49.5	45.5	43.3	42.9
	09:25	47.7	72.6	62.1	42.7	51.6	49.8	45.6	43.9	43.6
	09:30	48.1	73.0	58.3	42.4	51.6	50.4	47.1	44.7	44.2
	09:35	48.0	72.9	60.7	42.4	51.4	49.9	46.9	44.0	43.5
	09:40	48.1	72.9	61.6	42.2	52.4	50.8	45.7	43.4	43.1
	09:45	45.7	70.5	56.7	41.9	49.0	47.8	44.3	43.0	42.8
	09:50	47.0	71.8	59.2	41.8	50.6	49.1	45.3	43.1	42.9
	09:55	47.9	72.8	60.6	41.8	52.6	50.8	45.7	43.8	43.4
	10:00	47.8	72.7	65.0	41.8	51.7	50.1	45.9	43.5	43.2
	10:05	46.3	71.2	57.7	41.5	49.9	48.6	44.6	42.7	42.4

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0234 -- R6512-0236

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : บ้านเนินทราย (N5)

DETERMINATION METHOD : ISO 1996-1:2016

INSTRUMENT : Integrated Sound Level Meter

S/N 090085 : Type 2

SAMPLE NO. : 35142-35144

MEASURING DATE : 23-26/11/2022

RECEIVED DATE : 28/11/2022

REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lae	Lmax	Lmin	La05	La10	La50	La90	La95
24/11/2022	10:10	46.5	71.3	57.6	41.6	50.4	48.8	44.9	42.9	42.6
	10:15	44.9	69.7	52.2	41.4	48.2	46.8	43.7	42.5	42.3
	10:20	46.7	71.6	58.4	40.9	50.5	48.8	45.2	43.0	42.5
	10:25	45.1	69.9	58.1	41.7	47.9	46.6	43.9	42.8	42.5
	10:30	47.3	72.2	58.0	41.5	51.6	49.9	45.3	42.9	42.5
	10:35	47.3	72.2	57.6	41.8	51.4	50.2	45.4	43.2	43.0
	10:40	46.0	70.9	57.9	41.3	49.9	48.8	44.0	42.4	42.1
	10:45	48.5	73.4	64.3	41.9	53.4	51.0	45.5	43.3	42.8
	10:50	45.8	70.6	53.3	42.2	48.5	47.4	44.8	43.4	43.1
	10:55	50.1	75.0	59.6	42.8	54.9	53.2	48.2	45.2	44.6
	11:00	48.6	73.5	59.8	42.2	52.6	51.1	46.9	44.3	43.9
	11:05	46.6	71.5	57.1	41.9	50.6	48.8	45.4	43.3	43.0
	11:10	47.3	72.2	56.7	41.7	50.9	49.9	45.9	43.3	43.0
	11:15	46.9	71.8	61.7	40.4	51.6	49.1	44.3	41.8	41.4
	11:20	46.0	70.9	59.1	40.7	50.1	48.5	44.2	42.2	41.9
	11:25	46.5	71.4	60.4	40.7	49.6	48.1	44.6	42.2	41.6
	11:30	46.5	71.4	61.9	41.5	50.2	48.8	45.0	43.1	42.6
	11:35	47.1	71.9	57.2	41.9	51.7	49.7	44.8	43.2	42.9
	11:40	46.9	71.8	55.0	42.1	50.7	49.1	45.6	43.8	43.4
	11:45	46.6	71.5	56.1	42.4	49.9	49.0	45.3	43.5	43.2
	11:50	46.5	71.4	53.9	41.2	50.8	49.4	44.9	42.8	42.5
	11:55	46.3	71.1	57.9	41.5	50.1	48.6	44.6	42.8	42.5
	12:00	45.5	70.3	56.8	40.9	49.5	48.0	43.6	42.0	41.8
	12:05	46.5	71.3	56.5	41.4	50.6	49.2	44.3	42.5	42.2

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0234 – R6512-0236

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉิมัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : บ้านเนินทราย (N5)

SAMPLE NO. : 35142-35144

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 090085 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ae}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
24/11/2022	12:10	45.8	70.6	59.6	40.9	49.2	47.8	44.3	42.3	41.9
	12:15	47.5	72.4	58.6	40.8	52.9	51.2	44.8	42.4	42.0
	12:20	46.6	71.5	58.9	40.7	51.6	48.6	44.7	42.5	42.0
	12:25	45.4	70.2	55.1	41.1	49.3	47.5	44.0	42.3	42.0
	12:30	45.6	70.4	61.2	40.8	49.0	47.6	43.4	42.0	41.8
	12:35	47.8	72.7	66.4	40.4	51.9	50.0	45.6	43.1	42.4
	12:40	46.7	71.5	56.2	41.2	51.1	49.4	45.1	42.5	42.2
	12:45	46.7	71.5	58.5	42.2	50.1	48.8	45.4	43.8	43.5
	12:50	46.2	71.1	58.9	42.2	49.5	48.0	44.9	43.6	43.3
	12:55	47.2	72.1	56.7	42.5	50.2	49.3	46.1	44.1	43.8
	13:00	46.1	70.9	54.5	41.6	49.2	48.3	45.2	43.2	42.9
	13:05	46.6	71.5	57.9	41.1	50.2	48.8	45.3	43.4	42.9
	13:10	45.6	70.4	54.8	41.2	49.4	48.1	44.1	42.4	42.2
	13:15	47.6	72.5	57.8	42.0	52.4	50.7	45.3	43.2	42.8
	13:20	48.4	73.3	58.9	42.7	52.7	51.2	46.5	44.1	43.6
	13:25	48.1	73.0	59.5	42.5	52.2	50.7	46.3	44.4	44.1
	13:30	46.9	71.7	59.4	41.8	50.1	48.8	45.3	43.6	43.0
	13:35	45.8	70.6	60.1	42.4	48.2	46.8	44.5	43.4	43.1
	13:40	47.1	72.0	59.3	42.5	50.9	49.4	45.5	43.7	43.4
	13:45	48.9	73.7	61.9	42.7	53.1	51.9	46.9	44.4	43.9
	13:50	47.5	72.4	56.4	42.3	51.9	50.7	45.8	43.5	43.1
	13:55	46.0	70.9	56.1	42.1	49.8	48.2	44.6	43.3	43.0
	14:00	47.1	72.0	59.7	42.3	50.2	48.4	44.9	43.7	43.5
	14:05	47.0	71.9	60.8	42.5	50.7	49.2	45.2	43.5	43.2

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0234 – R6512-0236

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองก้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : บ้านเนินทราย (N5)

SAMPLE NO. : 35142-35144

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 090085 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ae}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
24/11/2022	14:10	47.5	72.4	63.1	42.2	51.6	49.7	45.4	43.6	43.3
	14:15	50.1	75.0	64.5	41.8	55.2	51.7	45.0	43.0	42.7
	14:20	53.0	77.9	66.4	45.2	58.6	55.4	49.9	47.2	46.7
	14:25	51.8	76.7	61.7	48.1	54.6	53.3	50.8	49.4	49.0
	14:30	52.5	77.3	62.1	48.5	55.4	54.5	51.4	50.1	49.6
	14:35	51.1	76.0	65.4	46.3	55.6	52.6	49.0	47.7	47.3
	14:40	48.9	73.8	55.9	45.9	51.7	50.7	48.1	47.0	46.8
	14:45	49.8	74.7	58.8	45.2	52.7	51.4	49.0	46.9	46.2
	14:50	49.2	74.0	55.7	45.7	52.0	51.2	48.4	46.9	46.5
	14:55	60.0	84.7	66.9	49.2	64.7	63.8	58.0	51.6	50.8
	15:00	48.3	73.2	58.4	44.6	50.4	49.5	47.7	46.2	45.9
	15:05	54.3	79.2	80.2	45.9	56.4	53.6	49.3	47.3	46.9
	15:10	48.9	73.8	59.9	45.2	51.3	50.3	48.2	47.0	46.7
	15:15	51.2	76.1	65.8	45.0	55.2	52.8	49.0	46.4	46.1
	15:20	50.3	75.2	60.1	44.2	55.0	53.5	47.9	45.8	45.5
	15:25	48.6	73.5	59.0	43.6	52.5	51.1	47.0	45.1	44.6
	15:30	46.4	71.3	55.8	42.7	50.4	48.3	45.0	43.8	43.6
	15:35	47.7	72.6	58.4	43.7	50.5	49.4	46.3	44.8	44.5
	15:40	48.2	73.1	55.4	44.7	50.7	50.0	47.3	45.9	45.7
	15:45	51.3	76.2	63.1	44.8	55.1	54.1	50.1	47.0	46.5
	15:50	48.6	73.5	61.7	43.8	52.9	51.2	46.8	45.1	44.8
	15:55	47.6	72.5	58.2	43.4	51.0	49.8	46.3	44.6	44.3
	16:00	48.8	73.7	63.1	44.0	52.9	51.2	47.0	45.4	45.0
	16:05	48.2	73.1	57.3	43.9	51.9	50.5	47.2	45.3	45.0

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0234 – R6512-0236

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : บ้านเนินทราย (N5)

SAMPLE NO. : 35142-35144

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 090085 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ae}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
24/11/2022	16:10	49.9	74.8	65.0	43.8	55.3	51.9	47.1	45.3	45.0
	16:15	49.0	73.8	60.9	44.0	53.2	51.8	46.9	45.2	45.0
	16:20	48.0	72.8	59.0	42.9	51.6	50.3	46.2	44.4	44.1
	16:25	51.6	76.5	71.5	43.3	54.9	52.4	47.6	45.2	44.7
	16:30	56.1	80.8	78.5	44.4	57.1	52.4	48.1	45.8	45.5
	16:35	55.0	79.8	73.8	46.6	58.8	55.1	50.8	48.4	48.0
	16:40	52.0	76.9	60.3	47.9	55.4	54.3	50.9	49.3	49.0
	16:45	52.5	77.4	73.7	45.6	55.5	53.6	49.1	47.2	46.7
	16:50	50.0	74.9	64.6	44.6	53.6	51.9	48.1	46.2	45.9
	16:55	48.8	73.7	58.2	44.8	52.3	50.8	47.8	46.1	45.8
	17:00	52.1	77.0	71.8	45.1	53.4	51.9	49.6	47.8	47.2
	17:05	57.3	82.1	76.7	47.6	61.2	54.7	49.8	48.7	48.5
	17:10	51.0	75.9	62.3	48.1	53.4	52.4	50.3	49.2	48.9
	17:15	51.0	75.8	62.0	47.2	53.1	52.1	50.3	48.9	48.5
	17:20	51.0	75.9	63.3	46.4	52.9	52.1	49.9	48.3	47.9
	17:25	50.4	75.3	67.1	46.3	52.0	51.3	49.1	48.0	47.7
	17:30	50.1	75.0	59.7	46.5	53.0	51.9	49.2	47.9	47.6
	17:35	52.7	77.6	74.7	44.8	52.2	50.5	47.9	46.4	46.1
	17:40	48.6	73.5	64.3	45.3	50.9	49.5	47.6	46.5	46.3
	17:45	48.4	73.3	57.3	45.6	51.3	49.7	47.6	46.6	46.4
	17:50	47.6	72.5	57.8	44.5	50.0	49.1	47.0	45.7	45.4
	17:55	48.4	73.2	60.8	44.7	51.6	50.2	47.1	45.8	45.6
	18:00	47.2	72.1	57.4	44.1	49.2	48.4	46.8	45.6	45.2
	18:05	47.6	72.5	61.5	43.9	50.2	49.1	46.4	45.2	44.9

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0234 – R6512-0236

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : บ้านเนินทราย (N5)

DETERMINATION METHOD : ISO 1996-1:2016

INSTRUMENT : Integrated Sound Level Meter

S/N 090085 : Type 2

SAMPLE NO. : 35142-35144

MEASURING DATE : 23-26/11/2022

RECEIVED DATE : 28/11/2022

REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lae	Lmax	Lmin	La05	La10	La50	La90	La95
24/11/2022	18:10	47.4	72.3	56.6	44.0	50.7	49.4	46.2	45.0	44.8
	18:15	47.4	72.3	56.5	44.1	50.5	49.3	46.4	45.2	45.0
	18:20	48.0	72.9	61.8	43.9	51.0	49.2	46.6	45.2	44.9
	18:25	55.6	80.4	75.6	42.6	61.0	49.2	45.7	44.3	44.0
	18:30	63.0	87.8	74.0	43.4	69.3	67.8	56.7	47.8	47.0
	18:35	58.6	83.4	73.0	45.2	66.7	63.4	49.1	46.7	46.4
	18:40	49.6	74.5	72.1	44.3	52.2	50.1	47.2	45.9	45.6
	18:45	47.5	72.4	58.4	43.9	50.3	48.7	46.4	45.3	45.1
	18:50	47.3	72.2	58.3	43.3	49.6	48.4	46.4	44.9	44.4
	18:55	47.4	72.3	57.4	43.4	51.5	49.7	45.9	44.6	44.4
	19:00	48.5	73.4	59.9	43.8	52.3	50.8	47.0	45.3	45.0
	19:05	48.3	73.2	60.0	43.1	52.8	51.0	46.3	44.7	44.5
	19:10	46.5	71.3	61.4	42.0	48.3	47.1	45.1	44.1	43.8
	19:15	47.5	72.4	60.5	42.7	51.2	50.0	46.0	44.3	43.9
	19:20	53.7	78.6	78.4	42.8	48.9	48.1	45.5	44.3	44.0
	19:25	46.7	71.6	54.6	42.5	49.2	48.4	45.9	44.5	44.2
	19:30	49.1	74.0	64.0	43.6	52.1	50.8	47.4	45.4	45.0
	19:35	49.8	74.7	61.6	44.9	53.3	52.1	48.3	46.4	46.0
	19:40	50.2	75.2	63.4	44.4	54.6	52.4	48.4	46.0	45.7
	19:45	48.1	73.0	58.6	44.2	51.2	49.6	47.1	45.7	45.4
	19:50	48.4	73.3	60.4	43.4	52.7	50.5	46.3	44.8	44.6
	19:55	46.7	71.5	58.3	42.7	49.0	47.9	45.7	44.7	44.3
	20:00	47.6	72.5	65.2	43.2	49.1	47.5	45.6	44.7	44.5
	20:05	46.3	71.1	55.1	43.1	48.9	47.4	45.4	44.6	44.4

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0234 – R6512-0236

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉิมบึง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : บ้านเนินทราย (NS)

SAMPLE NO. : 35142-35144

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 090085 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lae	Lmax	Lmin	La05	La10	La50	La90	La95
24/11/2022	20:10	46.5	71.3	60.4	42.5	48.9	47.7	45.1	44.3	44.0
	20:15	50.3	75.2	73.8	42.0	47.7	45.9	44.4	43.6	43.4
	20:20	45.0	69.8	56.4	41.6	47.7	46.5	44.1	42.8	42.6
	20:25	45.0	69.7	53.9	42.0	47.8	46.6	44.1	43.3	43.1
	20:30	46.7	71.6	64.0	42.2	49.6	47.6	44.4	43.3	43.0
	20:35	45.7	70.5	56.4	41.8	48.9	47.2	44.5	43.3	43.1
	20:40	49.3	74.2	53.3	44.3	49.7	48.7	46.3	45.2	45.0
	20:45	47.2	72.1	68.7	43.8	48.6	47.6	46.1	45.0	44.8
	20:50	46.0	70.9	52.8	43.1	48.0	47.0	45.3	44.4	44.2
	20:55	45.4	70.2	51.7	42.7	46.7	46.2	45.1	44.1	43.9
	21:00	45.3	70.1	56.5	42.0	47.3	46.5	44.5	43.6	43.5
	21:05	44.2	69.1	52.0	41.5	46.3	45.3	43.6	42.8	42.5
	21:10	44.1	68.9	52.4	41.8	45.6	44.9	43.7	43.0	42.8
	21:15	44.9	69.6	57.6	41.9	46.9	45.7	43.9	43.2	43.0
	21:20	44.8	69.5	53.0	41.6	47.5	46.2	43.8	42.8	42.5
	21:25	45.9	70.6	62.4	41.8	47.3	46.1	44.3	43.0	42.6
	21:30	46.8	71.7	58.1	41.7	51.7	48.9	44.5	43.0	42.6
	21:35	45.1	69.9	59.4	41.4	47.5	46.2	43.9	43.1	42.8
	21:40	44.0	68.8	51.6	41.4	45.6	44.9	43.5	42.8	42.4
	21:45	47.0	71.9	66.9	40.7	45.8	44.7	43.2	42.2	41.8
	21:50	44.1	68.9	52.5	40.7	46.4	44.8	43.3	42.5	42.2
	21:55	45.1	69.9	61.6	40.6	47.2	45.6	43.1	42.2	41.8
	22:00	42.8	67.7	48.7	40.3	44.1	43.5	42.6	41.6	41.2
	22:05	43.4	68.3	52.1	40.6	45.9	44.6	42.7	41.8	41.5

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0234 -- R6512-0236

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองก้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : บ้านเนินทราย (N5)

SAMPLE NO. : 35142-35144

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 090085 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lae	Lmax	Lmin	La05	La10	La50	La90	La95
24/11/2022	22:10	43.8	68.6	54.2	40.4	46.0	45.0	43.0	42.3	41.9
	22:15	46.2	71.1	59.0	41.6	49.8	48.7	44.3	43.1	42.8
	22:20	44.0	68.7	50.8	41.5	45.9	44.6	43.5	42.6	42.3
	22:25	44.3	69.1	53.1	41.1	46.9	45.2	43.5	42.6	42.3
	22:30	44.0	68.8	51.3	41.0	46.2	44.8	43.4	42.6	42.1
	22:35	43.4	68.2	49.9	40.4	45.3	44.3	42.9	42.0	41.5
	22:40	42.9	67.7	47.2	40.4	44.2	43.6	42.7	41.8	41.3
	22:45	44.1	68.9	59.2	40.5	45.1	44.0	42.9	42.0	41.5
	22:50	50.3	75.2	73.8	40.4	46.3	44.8	42.5	41.3	41.1
	22:55	44.0	68.7	62.5	40.6	46.0	44.7	42.9	42.0	41.6
	23:00	42.6	67.5	50.2	40.5	43.6	43.0	42.4	41.6	41.3
	23:05	42.6	67.5	46.4	40.4	43.6	43.2	42.5	41.7	41.4
	23:10	42.4	67.3	46.2	40.5	43.2	43.0	42.4	41.4	41.2
	23:15	42.8	67.7	50.3	40.5	44.9	43.7	42.4	41.4	41.2
	23:20	43.3	68.2	53.7	40.1	45.5	44.3	42.5	41.4	41.2
	23:25	43.4	68.2	55.4	39.9	46.1	44.5	41.9	40.7	40.5
	23:30	41.9	66.7	51.2	39.7	44.5	43.0	41.1	40.4	40.3
	23:35	42.3	67.2	54.8	39.5	45.8	44.1	41.0	40.4	40.2
	23:40	42.5	67.4	61.2	39.4	44.0	42.2	40.7	40.2	40.1
	23:45	41.3	66.2	47.7	39.5	42.9	42.2	40.9	40.3	40.1
	23:50	42.0	66.9	49.4	40.3	44.0	42.7	41.4	40.9	40.8
	23:55	40.9	65.7	45.0	39.5	41.7	41.4	40.6	40.1	39.9
25/11/2022	00:00	49.8	74.7	71.1	39.5	50.6	47.5	41.4	40.4	40.3
	00:05	40.8	65.7	48.4	39.0	42.9	41.3	40.2	39.7	39.6

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0234 – R6512-0236

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ต. สายหนองก้อ-แหลมฉิม ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : บ้านเนินทราย (NS)

SAMPLE NO. : 35142-35144

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 090085 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lae	Lmax	Lmin	La05	La10	La50	La90	La95
25/11/2022	00:10	41.4	66.3	52.2	39.0	44.1	43.2	40.4	39.7	39.6
	00:15	42.8	67.7	56.4	38.8	44.9	42.9	40.0	39.4	39.2
	00:20	42.0	66.9	57.4	39.7	43.5	42.7	40.9	40.3	40.2
	00:25	41.2	66.1	51.5	39.4	43.9	42.0	40.5	39.9	39.8
	00:30	40.4	65.2	47.4	38.5	42.4	41.3	39.9	39.2	39.1
	00:35	40.4	65.3	49.8	38.9	41.6	40.9	40.0	39.5	39.5
	00:40	40.5	65.4	51.3	38.4	42.8	41.1	39.8	39.2	39.1
	00:45	40.5	65.3	50.7	38.8	41.7	41.1	40.0	39.4	39.3
	00:50	41.1	66.0	55.1	38.9	43.2	41.7	40.0	39.5	39.4
	00:55	41.5	66.4	53.0	38.8	44.7	42.9	40.4	39.7	39.5
	01:00	41.5	66.4	51.7	39.0	44.1	42.5	40.4	39.8	39.7
	01:05	43.1	68.0	49.0	41.0	44.6	43.8	42.8	42.1	41.9
	01:10	42.5	67.4	47.2	40.1	43.5	43.1	42.2	41.4	41.2
	01:15	42.1	67.0	47.8	40.1	43.6	42.8	41.7	41.0	40.8
	01:20	41.4	66.3	47.2	39.3	43.0	42.1	41.0	40.4	40.2
	01:25	41.9	66.8	55.6	39.9	42.8	42.0	41.1	40.6	40.4
	01:30	44.6	69.3	62.2	40.7	47.0	44.0	41.9	41.4	41.2
	01:35	41.5	66.4	51.0	39.7	43.4	42.1	40.9	40.4	40.2
	01:40	41.7	66.6	50.3	39.5	44.3	43.8	40.9	40.2	40.1
	01:45	42.5	67.4	52.5	39.9	45.3	44.2	41.5	40.7	40.5
	01:50	41.7	66.6	51.8	39.3	44.0	42.4	40.8	40.1	39.9
	01:55	41.4	66.3	47.2	39.2	43.5	42.3	41.0	40.2	40.0
	02:00	41.5	66.3	55.6	39.3	43.0	41.9	40.6	40.0	39.9
	02:05	41.0	65.9	47.7	39.4	42.1	41.6	40.8	40.3	40.1

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0234 – R6512-0236

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองก้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : บ้านเนินทรายร้า (N5)

SAMPLE NO. : 35142-35144

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 090085 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	L _a eq	L _a e	L _{max}	L _{min}	L _a 05	L _a 10	L _a 50	L _a 90	L _a 95
25/11/2022	02:10	41.6	66.5	51.8	39.7	43.7	42.4	40.9	40.3	40.2
	02:15	41.2	66.1	50.0	39.4	43.6	42.7	40.5	40.0	39.9
	02:20	41.4	66.3	47.9	39.5	43.6	42.6	40.8	40.3	40.2
	02:25	41.0	65.9	44.8	39.4	42.7	42.2	40.5	40.0	39.9
	02:30	41.4	66.3	49.8	39.5	43.0	42.5	40.8	40.2	40.1
	02:35	41.4	66.3	46.1	39.7	43.0	42.6	41.0	40.4	40.3
	02:40	41.2	66.1	43.8	39.6	42.6	42.1	40.9	40.4	40.2
	02:45	42.2	67.1	64.6	39.6	43.4	42.6	41.0	40.4	40.2
	02:50	42.0	66.9	49.3	40.0	44.1	43.2	41.4	40.7	40.6
	02:55	41.9	66.8	52.5	39.7	43.5	42.7	41.1	40.5	40.3
	03:00	41.6	66.5	53.9	39.6	43.4	42.6	40.9	40.3	40.2
	03:05	41.8	66.7	52.3	40.2	43.2	42.7	41.4	40.8	40.7
	03:10	41.6	66.5	47.3	39.8	43.0	42.4	41.2	40.6	40.4
	03:15	42.1	67.0	53.7	40.0	43.9	42.9	41.3	40.7	40.6
	03:20	41.5	66.4	49.4	39.8	42.8	42.1	41.1	40.6	40.5
	03:25	42.3	67.2	50.8	39.9	45.2	44.0	41.3	40.6	40.5
	03:30	41.5	66.4	49.4	39.9	43.1	42.3	41.1	40.5	40.3
	03:35	42.6	67.5	49.9	40.0	45.1	44.1	41.8	40.9	40.7
	03:40	42.5	67.4	49.6	39.8	45.3	44.1	41.7	40.8	40.6
	03:45	61.2	86.0	81.8	40.5	65.6	56.7	43.5	41.6	41.3
	03:50	63.6	88.4	78.4	42.1	71.3	66.7	54.2	44.6	43.5
	03:55	54.5	79.3	58.3	48.1	57.7	57.4	54.4	49.9	49.5
	04:00	46.3	71.2	51.1	42.1	49.1	48.7	45.0	43.5	43.2
	04:05	44.0	68.8	51.4	40.7	47.2	45.5	43.0	41.9	41.6

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0234 – R6512-0236

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ต. สายหนองค้อ-แหลมถบึง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : บ้านเนินยายร้า (N5)

SAMPLE NO. : 35142-35144

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 090085 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lae	Lmax	Lmin	La05	La10	La50	La90	La95
25/11/2022	04:10	44.0	68.8	54.2	40.8	46.1	45.3	43.1	42.0	41.7
	04:15	45.3	70.1	56.6	41.4	48.6	47.4	44.0	42.6	42.2
	04:20	45.5	70.3	60.2	41.1	48.9	46.4	43.3	42.0	41.8
	04:25	45.7	70.5	57.5	41.1	49.4	47.4	44.0	42.6	42.3
	04:30	45.2	70.0	58.4	41.3	47.2	45.8	43.6	42.5	42.2
	04:35	44.8	69.6	61.4	40.9	47.0	44.6	42.7	41.6	41.4
	04:40	43.7	68.5	55.3	40.6	46.1	44.6	42.7	41.8	41.5
	04:45	44.4	69.2	54.3	41.2	47.5	45.8	43.3	42.2	42.0
	04:50	44.6	69.4	58.3	41.3	46.9	45.1	43.4	42.5	42.3
	04:55	45.2	70.0	54.1	41.6	48.6	46.5	44.0	42.9	42.6
	05:00	45.1	69.9	53.4	42.5	47.1	46.2	44.4	43.5	43.2
	05:05	54.1	79.0	49.1	42.3	45.8	45.2	44.1	43.3	43.1
	05:10	66.5	91.3	82.0	43.1	75.0	71.9	47.3	44.3	44.0
	05:15	50.2	75.1	63.9	43.2	55.4	53.3	47.0	44.7	44.3
	05:20	47.5	72.4	55.6	43.3	50.7	49.7	46.2	44.7	44.5
	05:25	47.3	72.2	61.0	42.9	50.9	49.6	45.8	44.2	43.8
	05:30	48.6	73.5	66.6	42.6	52.5	50.7	45.4	43.8	43.5
	05:35	47.5	72.4	61.1	42.9	50.0	48.9	46.2	44.5	44.2
	05:40	47.0	71.9	61.9	43.2	49.6	48.3	45.6	44.4	44.1
	05:45	47.9	72.8	62.8	43.3	51.1	48.9	45.6	44.4	44.1
	05:50	47.9	72.8	63.3	43.5	51.7	50.2	45.8	44.5	44.3
	05:55	47.1	72.0	60.9	43.3	49.7	48.7	45.9	44.6	44.3
	06:00	48.4	73.3	62.5	43.1	52.2	50.1	46.3	44.7	44.4
	06:05	51.0	75.9	65.6	44.5	55.5	53.3	49.1	48.1	47.8

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
 THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
 WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0234 – R6512-0236

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองก้อ-แหลมฉะบับ ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : บ้านเนินทราย (N5)

SAMPLE NO. : 35142-35144

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 090085 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lac	Lmax	Lmin	La05	La10	La50	La90	La95
25/11/2022	06:10	50.6	75.5	61.7	44.1	55.0	53.4	48.7	45.9	45.3
	06:15	48.5	73.4	57.7	44.3	51.8	50.0	47.4	45.9	45.4
	06:20	49.2	74.1	60.8	44.6	52.2	50.9	48.2	46.3	46.0
	06:25	50.3	75.2	66.5	44.5	54.9	51.7	47.4	45.7	45.4
	06:30	48.6	73.5	56.5	44.5	52.0	50.7	47.4	45.8	45.6
	06:35	48.5	73.4	57.3	44.6	50.7	50.0	47.9	46.5	46.2
	06:40	49.0	73.8	58.3	45.0	52.1	50.7	47.9	46.3	46.0
	06:45	51.6	76.5	61.0	45.4	56.2	54.7	50.1	47.1	46.5
	06:50	51.1	76.0	60.7	47.1	54.8	53.0	49.9	48.4	48.1
	06:55	50.9	75.8	72.6	46.4	53.5	52.2	49.1	47.8	47.5
	07:00	56.1	80.8	70.0	44.1	63.7	59.6	49.2	46.5	45.8
	07:05	51.1	76.0	66.2	44.0	55.4	53.5	48.7	46.4	45.9
	07:10	49.5	74.3	69.6	43.3	52.0	50.7	46.6	44.9	44.5
	07:15	48.3	73.2	66.6	43.7	51.5	50.0	46.6	44.8	44.5
	07:20	51.9	76.8	64.0	44.5	58.4	54.9	48.1	46.4	46.1
	07:25	50.1	75.0	64.7	46.2	52.2	51.1	48.7	47.5	47.2
	07:30	48.8	73.7	58.8	45.4	51.5	50.4	47.8	46.7	46.4
	07:35	46.7	71.6	53.6	43.7	49.0	47.9	45.8	44.8	44.5
	07:40	46.3	71.2	52.2	42.8	49.0	48.0	45.5	44.1	43.8
	07:45	48.2	73.1	64.3	43.0	52.0	49.9	45.8	44.4	44.1
	07:50	47.4	72.3	60.0	43.1	50.9	49.5	45.6	44.3	44.1
	07:55	46.6	71.5	55.7	42.5	49.7	48.3	45.7	44.1	43.7
	08:00	47.7	72.6	57.3	42.9	51.9	50.2	46.0	44.0	43.7
	08:05	46.5	71.3	58.5	42.5	49.8	48.6	44.9	43.7	43.5

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0234 – R6512-0236

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองก้อ-แหลมอับัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : บ้านเนินทราย (N5)

SAMPLE NO. : 35142-35144

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 090085 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lac	Lmax	Lmin	La05	La10	La50	La90	La95
25/11/2022	08:10	47.2	72.1	55.2	42.2	50.2	49.4	46.2	43.8	43.3
	08:15	45.8	70.6	55.1	42.0	49.2	47.6	44.7	43.3	43.0
	08:20	45.8	70.6	57.1	42.0	49.7	48.1	44.2	42.9	42.6
	08:25	46.3	71.1	60.4	42.0	49.3	48.0	45.0	43.4	43.1
	08:30	48.0	72.8	63.3	41.8	51.1	49.8	45.9	43.8	43.4
	08:35	48.9	73.8	61.3	42.5	53.5	51.1	45.2	43.5	43.2
	08:40	48.0	72.9	61.5	42.0	51.5	50.0	46.2	44.0	43.6
	08:45	46.6	71.5	57.0	41.3	50.6	49.4	44.5	42.5	42.3
	08:50	46.1	71.0	61.8	40.5	49.1	47.8	44.2	42.1	41.7
	08:55	45.5	70.3	55.2	40.3	49.6	48.1	44.1	42.3	41.9
	09:00	45.8	70.6	57.4	41.1	49.7	48.4	44.2	42.7	42.3
	09:05	45.3	70.1	59.8	40.2	48.6	47.2	43.6	41.9	41.6
	09:10	45.3	70.1	61.2	41.0	48.7	46.9	43.1	41.8	41.6
	09:15	44.6	69.4	60.2	40.6	46.8	45.9	43.3	41.7	41.4
	09:20	46.2	71.1	60.2	40.2	50.0	48.5	44.2	41.4	41.1
	09:25	45.1	69.9	58.2	40.0	49.1	47.0	42.9	41.5	41.1
	09:30	49.4	74.3	64.9	40.6	54.0	52.1	46.8	43.1	42.6
	09:35	44.3	69.1	52.7	39.9	47.6	46.4	43.1	41.6	41.3
	09:40	47.8	72.7	72.1	41.2	50.1	48.7	45.0	42.9	42.5
	09:45	57.5	82.3	73.9	40.5	65.1	61.4	46.0	42.8	42.3
	09:50	45.3	70.1	57.6	40.7	48.3	47.4	44.2	42.0	41.6
	09:55	49.4	74.3	57.7	41.4	54.1	53.3	47.2	43.0	42.4
	10:00	48.2	73.1	57.1	40.9	53.2	51.4	45.9	42.8	42.4
	10:05	46.8	71.7	58.0	40.9	50.7	49.7	45.0	42.5	42.0

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0234 – R6512-0236

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ต. สายหนองก่อ-แหลมดบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : บ้านนินยาขร (N5)

DETERMINATION METHOD : ISO 1996-1:2016

INSTRUMENT : Integrated Sound Level Meter

S/N 090085 : Type 2

SAMPLE NO. : 35142-35144

MEASURING DATE : 23-26/11/2022

RECEIVED DATE : 28/11/2022

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ae}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
25/11/2022	10:10	46.9	71.8	56.7	41.0	51.5	50.1	44.5	42.2	42.0
	10:15	48.1	73.0	62.7	41.5	52.3	50.7	45.1	43.0	42.6
	10:20	48.8	73.7	60.0	41.0	53.5	52.5	46.3	42.7	42.2
	10:25	47.0	71.9	62.2	41.2	51.0	49.1	45.0	42.9	42.5
	10:30	46.7	71.5	59.4	41.4	50.2	48.8	45.1	42.8	42.5
	10:35	59.4	84.2	77.2	41.0	63.9	51.8	44.7	42.6	42.2
	10:40	47.2	72.2	59.3	41.2	51.1	49.8	45.3	42.8	42.4
	10:45	63.1	87.9	80.7	41.0	70.5	64.6	46.7	43.2	42.6
	10:50	62.4	87.2	80.0	40.3	69.8	63.9	46.0	42.5	41.9
	10:55	46.6	71.5	55.4	41.0	50.5	49.5	45.0	42.3	42.1
	11:00	46.8	71.7	57.9	40.1	51.2	49.5	44.7	41.9	41.4
	11:05	47.6	72.5	66.5	40.7	50.5	48.2	44.0	42.2	41.9
	11:10	49.5	74.4	69.8	41.6	51.8	49.8	45.2	43.1	42.7
	11:15	46.6	71.4	58.8	40.4	50.6	48.9	44.9	43.0	42.4
	11:20	47.0	71.9	57.9	40.9	51.3	49.5	45.0	42.9	42.5
	11:25	45.5	70.3	56.2	40.1	50.0	48.4	43.7	41.9	41.5
	11:30	44.6	69.3	51.1	40.6	47.8	46.8	43.5	41.7	41.4
	11:35	59.3	84.2	72.7	40.1	67.2	64.8	46.3	42.2	41.7
	11:40	46.2	71.1	57.3	40.8	51.1	48.9	43.8	42.1	41.9
	11:45	48.3	73.2	59.0	41.0	53.2	51.7	45.6	42.4	42.0
	11:50	46.1	71.0	54.2	42.0	49.9	48.7	44.7	43.2	43.0
	11:55	45.5	70.3	59.2	40.0	49.1	47.3	43.8	41.9	41.5
	12:00	47.8	72.7	64.6	41.6	52.3	49.6	44.9	42.9	42.6
	12:05	45.8	70.6	57.2	41.3	49.4	48.0	44.3	42.5	42.1

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0234 – R6512-0236

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองก้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : บ้านเนินทราย (N5)

SAMPLE NO. : 35142-35144

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 090085 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lae	Lmax	Lmin	La05	La10	La50	La90	La95
25/11/2022	12:10	58.9	83.7	72.8	40.9	66.9	64.1	45.9	43.1	42.7
	12:15	45.3	70.1	59.1	40.5	48.9	47.6	43.6	41.7	41.3
	12:20	45.1	69.9	58.6	40.4	48.5	47.1	43.9	41.8	41.4
	12:25	45.6	70.4	61.7	40.4	49.1	47.9	44.0	41.9	41.6
	12:30	46.5	71.3	56.1	41.8	50.6	48.8	45.0	42.8	42.6
	12:35	53.3	78.2	72.0	42.5	54.5	51.1	46.3	44.3	43.9
	12:40	60.7	85.4	74.2	43.6	69.2	65.6	48.7	45.1	44.7
	12:45	46.4	71.3	57.7	41.1	50.3	48.7	45.0	42.4	42.1
	12:50	45.2	70.0	55.0	41.5	48.2	46.9	44.1	42.8	42.5
	12:55	46.0	70.8	53.0	41.7	49.1	48.1	45.1	42.8	42.5
	13:00	45.8	70.6	58.6	42.0	49.2	47.7	44.3	42.9	42.7
	13:05	58.9	83.7	74.3	41.8	67.0	61.2	48.6	44.0	43.5
	13:10	49.7	74.5	66.1	41.5	52.7	50.9	46.0	43.5	43.0
	13:15	59.8	84.6	74.3	41.3	68.3	63.2	45.6	43.1	42.7
	13:20	46.0	70.8	55.4	41.4	50.4	48.3	44.4	42.8	42.5
	13:25	46.7	71.6	60.8	41.6	50.4	49.0	44.5	42.6	42.3
	13:30	51.6	76.5	66.6	42.1	53.2	52.0	47.0	43.8	43.3
	13:35	59.4	84.2	74.3	43.4	67.9	61.8	47.6	45.1	44.8
	13:40	49.5	74.3	61.1	45.0	52.2	51.1	48.6	46.7	46.3
	13:45	49.6	74.5	63.6	44.9	52.5	51.5	48.7	46.9	46.2
	13:50	48.7	73.6	58.1	44.9	52.1	50.4	47.7	46.2	45.9
	13:55	50.4	75.3	59.0	44.1	54.5	53.2	49.2	46.2	45.8
	14:00	48.7	73.6	60.1	43.6	52.7	51.3	47.2	45.0	44.6
	14:05	49.8	74.7	66.4	43.5	53.2	51.2	47.1	45.1	44.7

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY



Request No. LA65-R1207

Report No. R6512-0234 – R6512-0236

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)
 ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230
 SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)
 SAMPLE POINT : บ้านเนินทราย (N5) SAMPLE NO. : 35142-35144
 DETERMINATION METHOD : ISO 1996-1:2016 MEASURING DATE : 23-26/11/2022
 INSTRUMENT : Integrated Sound Level Meter RECEIVED DATE : 28/11/2022
 S/N 090085 : Type 2 REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ac}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
25/11/2022	14:10	49.5	74.4	64.8	44.3	53.2	51.2	47.6	45.6	45.4
	14:15	49.1	74.0	57.6	43.6	53.2	51.6	47.6	45.6	45.2
	14:20	47.8	72.7	58.1	43.7	50.2	49.1	46.9	45.3	44.8
	14:25	48.5	73.4	61.3	43.8	52.5	50.8	46.5	45.2	45.0
	14:30	47.9	72.7	60.1	42.6	52.2	50.2	45.9	44.3	44.1
	14:35	50.2	75.1	59.3	44.7	54.3	53.0	48.7	46.1	45.8
	14:40	48.1	73.0	56.4	44.5	51.3	49.9	47.2	45.6	45.3
	14:45	49.2	74.1	58.2	44.6	52.7	51.4	48.1	46.1	45.7
	14:50	51.9	76.7	67.3	45.2	55.9	53.4	48.9	46.9	46.4
	14:55	48.0	72.8	56.0	43.8	50.8	49.4	47.1	45.5	45.2
	15:00	48.5	73.4	59.0	45.0	51.2	50.2	47.6	46.2	45.9
	15:05	55.8	80.6	61.9	46.5	61.3	60.7	50.7	48.3	47.8
	15:10	52.8	77.7	60.4	47.1	58.7	56.4	50.8	48.7	48.4
	15:15	49.7	74.6	60.5	46.0	52.7	51.7	48.5	47.2	47.0
	15:20	67.5	92.3	73.7	50.7	72.8	72.2	65.4	53.5	52.1
	15:25	67.1	91.9	79.6	48.3	75.1	72.4	53.3	49.6	49.3
	15:30	66.9	91.7	82.5	46.3	76.2	68.6	49.6	48.0	47.7
	15:35	71.9	96.7	83.0	65.4	74.3	74.0	71.5	66.9	66.1
	15:40	70.4	95.1	79.8	54.8	73.7	73.6	68.4	58.8	56.2
	15:45	52.4	77.3	62.2	48.3	55.0	54.2	51.8	49.9	49.6
	15:50	51.8	76.7	68.6	46.4	55.0	53.5	49.9	48.3	48.0
	15:55	52.0	76.8	65.2	46.3	55.9	54.2	49.6	47.7	47.4
	16:00	51.4	76.3	61.6	45.7	55.4	53.8	50.1	47.6	47.2
	16:05	50.6	75.5	59.5	46.4	54.4	52.7	49.3	48.0	47.6

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
 THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
 WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0234 – R6512-0236

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองก้อ-แหลมอับัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : บ้านเนินทราย (N5)

SAMPLE NO. : 35142-35144

DETERMINATION METHOD : ISO 1996-1:2016

MEASURING DATE : 23-26/11/2022

INSTRUMENT : Integrated Sound Level Meter

RECEIVED DATE : 28/11/2022

S/N 090085 : Type 2

REPORTED DATE : 08/12/2022

Date	Time	L _{aeq}	L _{ae}	L _{max}	L _{min}	L _{a05}	L _{a10}	L _{a50}	L _{a90}	L _{a95}
25/11/2022	16:10	52.7	77.6	68.6	46.8	55.7	54.1	50.8	48.7	48.4
	16:15	52.0	76.8	62.9	46.8	56.3	54.3	50.5	48.9	48.4
	16:20	50.0	74.9	58.9	45.3	53.3	52.3	49.0	47.1	46.8
	16:25	49.8	74.7	61.8	44.1	53.9	52.3	48.6	46.4	45.9
	16:30	49.1	74.0	56.5	44.7	52.5	51.3	48.1	46.2	45.9
	16:35	51.9	76.7	68.7	45.1	55.7	53.8	48.8	46.5	46.1
	16:40	56.2	81.0	73.8	45.0	60.1	53.4	48.6	46.5	46.2
	16:45	51.6	76.5	66.9	45.4	56.4	52.7	48.6	46.8	46.4
	16:50	49.4	74.3	57.6	45.6	52.1	51.2	48.6	47.3	47.1
	16:55	66.5	91.3	79.0	47.7	74.5	71.8	52.7	49.0	48.7
	17:00	49.7	74.6	57.4	45.9	52.3	51.3	49.1	47.9	47.5
	17:05	66.3	91.1	81.9	45.7	75.6	68.0	49.0	47.4	47.1
	17:10	52.3	77.2	69.7	46.1	56.9	54.7	49.0	47.7	47.4
	17:15	48.6	73.5	58.3	45.0	51.7	50.9	47.4	46.1	45.9
	17:20	48.9	73.7	64.1	45.0	50.9	49.8	47.4	46.1	45.9
	17:25	50.6	75.5	64.8	44.5	54.6	52.9	48.2	45.9	45.6
	17:30	51.4	76.3	62.1	45.8	55.5	53.4	49.7	47.8	47.5
	17:35	52.0	76.8	67.1	46.0	55.4	54.2	50.0	48.3	47.7
	17:40	51.5	76.4	60.5	48.0	54.1	53.1	50.8	49.6	49.3
	17:45	51.5	76.4	56.9	47.4	52.8	52.5	51.3	49.8	49.4
	17:50	52.8	77.7	57.8	50.2	53.9	53.6	52.7	51.8	51.6
	17:55	53.3	78.2	60.7	49.1	54.7	54.2	53.1	51.8	51.3
	18:00	54.1	79.0	67.1	49.8	56.2	55.3	53.6	52.6	52.1
	18:05	54.1	79.0	61.7	50.5	55.4	54.9	53.9	52.5	52.1

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0234 – R6512-0236

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองก้อ-แหลมฉะบับ ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : บ้านเนินทราย (N5)

DETERMINATION METHOD : ISO 1996-1:2016

INSTRUMENT : Integrated Sound Level Meter

S/N 090085 : Type 2

SAMPLE NO. : 35142-35144

MEASURING DATE : 23-26/11/2022

RECEIVED DATE : 28/11/2022

REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lae	Lmax	Lmin	La05	La10	La50	La90	La95
25/11/2022	18:10	54.3	79.2	61.8	51.9	55.4	55.1	54.1	53.1	52.8
	18:15	54.5	79.4	63.5	50.0	57.1	55.8	54.0	52.9	52.6
	18:20	54.2	79.1	61.5	50.7	55.4	55.1	54.0	52.9	52.7
	18:25	54.3	79.2	60.5	51.5	55.3	55.0	54.2	53.3	53.0
	18:30	60.2	85.0	62.2	52.8	61.5	61.3	60.6	55.2	54.5
	18:35	61.0	85.8	64.3	59.5	61.7	61.6	60.9	60.3	60.1
	18:40	59.3	84.1	66.6	52.3	61.3	61.1	59.9	53.9	53.5
	18:45	60.8	85.6	66.9	54.2	62.0	61.6	60.5	59.9	59.7
	18:50	59.1	83.9	62.2	52.4	60.6	60.4	59.7	54.2	53.8
	18:55	61.4	86.2	78.0	51.1	60.6	60.1	59.4	58.6	57.3
	19:00	57.2	82.0	67.4	51.2	59.8	59.6	54.5	53.1	52.7
	19:05	56.8	81.6	70.9	51.1	59.4	59.2	55.5	53.7	53.3
	19:10	55.1	79.9	64.9	51.3	56.2	55.9	55.0	53.8	53.4
	19:15	55.8	80.6	60.5	49.3	59.0	58.3	54.9	53.3	52.1
	19:20	54.7	79.6	63.8	48.3	57.3	56.2	54.2	52.4	51.9
	19:25	53.6	78.6	61.5	47.5	56.5	55.4	53.0	52.0	51.6
	19:30	53.9	78.7	59.9	47.3	57.6	56.6	52.8	51.1	50.2
	19:35	52.8	77.7	59.3	48.5	54.2	53.9	52.6	51.1	50.6
	19:40	52.3	77.1	56.0	48.1	53.6	53.3	52.1	50.8	50.5
	19:45	53.8	78.7	62.0	48.2	57.6	56.8	52.5	50.3	49.6
	19:50	54.0	78.9	65.1	47.8	57.3	56.7	52.6	50.7	50.3
	19:55	51.5	76.4	56.0	47.8	52.9	52.6	51.4	49.9	49.4
	20:00	51.9	76.8	71.1	46.7	52.9	52.5	51.1	49.4	48.8
	20:05	51.9	76.8	58.2	44.6	55.7	54.8	50.9	49.3	48.5

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY



Request No. LA65-R1207

Report No. R6512-0234 – R6512-0236

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ต. สายหนองค้อ-แหลมฉะบั้ง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : บ้านเนินทราย (N5)

DETERMINATION METHOD : ISO 1996-1:2016

INSTRUMENT : Integrated Sound Level Meter

S/N 090085 : Type 2

SAMPLE NO. : 35142-35144

MEASURING DATE : 23-26/11/2022

RECEIVED DATE : 28/11/2022

REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lae	Lmax	Lmin	La05	La10	La50	La90	La95
25/11/2022	20:10	50.9	75.8	60.8	46.5	52.6	52.1	50.4	48.6	48.2
	20:15	51.4	76.3	59.9	47.7	52.7	52.3	51.2	49.9	49.5
	20:20	52.0	76.8	55.0	48.8	53.2	52.8	51.7	50.8	50.5
	20:25	56.4	81.2	58.4	49.2	57.4	57.3	56.5	54.4	52.3
	20:30	56.0	80.8	60.7	46.3	59.1	58.5	56.1	50.5	49.9
	20:35	57.3	82.1	59.3	49.0	58.8	58.6	56.9	56.3	56.2
	20:40	57.8	82.6	59.6	46.5	58.8	58.7	58.2	50.8	49.8
	20:45	55.9	80.7	60.2	49.1	58.1	57.4	56.2	51.3	50.6
	20:50	56.3	81.1	60.5	47.5	57.9	57.6	56.7	50.4	49.8
	20:55	52.4	77.3	59.4	48.1	56.5	55.8	50.6	49.3	49.0
	21:00	56.5	81.3	60.6	47.5	59.6	59.2	56.6	49.7	49.3
	21:05	55.7	80.5	61.6	48.3	59.9	58.1	54.9	51.5	50.1
	21:10	49.3	74.2	56.2	44.7	50.9	50.5	49.0	46.9	46.3
	21:15	51.4	76.3	61.4	46.2	57.6	54.0	49.3	47.9	47.6
	21:20	49.8	74.7	59.2	44.4	51.3	50.9	49.6	48.1	47.0
	21:25	52.3	77.2	59.3	45.3	57.1	56.0	50.3	49.0	48.7
	21:30	50.1	75.0	64.3	45.4	51.4	50.9	49.7	48.3	47.9
	21:35	49.9	74.8	53.0	47.1	51.1	50.7	49.8	48.8	48.5
	21:40	49.2	74.1	52.3	44.3	51.0	50.6	49.1	46.8	46.0
	21:45	49.6	74.5	60.7	44.0	50.3	49.7	48.0	45.7	45.4
	21:50	53.2	78.2	60.3	46.3	58.5	57.9	50.2	48.7	48.3
	21:55	49.2	74.0	51.9	44.9	50.6	50.2	49.1	47.6	47.1
	22:00	53.0	77.8	59.4	45.1	56.8	56.1	51.5	48.8	48.3
	22:05	53.0	77.8	60.2	46.1	56.9	56.0	51.7	49.1	48.4

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0234 – R6512-0236

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมอับัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : บ้านเนินทราย (N5)

DETERMINATION METHOD : ISO 1996-1:2016

INSTRUMENT : Integrated Sound Level Meter

S/N 090085 : Type 2

SAMPLE NO. : 35142-35144

MEASURING DATE : 23-26/11/2022

RECEIVED DATE : 28/11/2022

REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lae	Lmax	Lmin	La05	La10	La50	La90	La95
25/11/2022	22:10	53.7	78.6	59.2	45.3	56.3	55.8	53.4	49.9	49.1
	22:15	51.4	76.3	58.9	43.9	56.1	54.7	50.1	46.9	45.7
	22:20	52.2	77.1	60.2	44.1	57.6	56.6	49.5	46.9	46.2
	22:25	51.4	76.3	60.3	45.0	57.4	55.9	48.7	46.5	46.2
	22:30	52.7	77.6	63.1	44.5	58.5	57.5	49.9	46.8	46.0
	22:35	54.9	79.8	60.5	44.8	58.5	57.9	54.3	47.9	47.3
	22:40	57.5	82.3	60.5	52.0	59.1	58.8	57.4	55.8	55.4
	22:45	52.5	77.3	58.9	44.7	56.9	56.4	50.2	46.9	46.3
	22:50	56.8	81.5	60.7	46.5	59.1	58.5	56.4	53.9	51.7
	22:55	57.6	82.4	60.7	55.4	59.3	58.6	57.2	56.5	56.3
	23:00	58.1	82.9	61.4	55.7	59.9	59.4	57.8	56.7	56.5
	23:05	57.6	82.4	61.3	48.8	59.4	58.7	57.2	56.4	56.3
	23:10	55.3	80.1	59.4	43.6	58.0	57.5	56.2	46.2	45.6
	23:15	60.7	85.5	62.9	47.1	61.8	61.6	60.7	59.6	58.8
	23:20	57.0	81.8	62.0	45.4	61.1	60.8	54.7	48.7	48.0
	23:25	57.6	82.4	61.3	46.5	59.7	59.3	57.5	53.8	50.6
	23:30	60.6	85.4	64.5	57.1	61.6	61.4	60.5	59.3	58.9
	23:35	60.2	85.0	62.9	48.6	61.8	61.6	60.4	57.0	56.0
	23:40	58.3	83.1	61.8	44.8	60.3	59.9	58.2	55.5	54.5
	23:45	58.7	83.5	61.8	45.6	60.3	60.0	58.7	56.4	55.2
	23:50	58.9	83.6	61.6	50.1	60.2	59.9	58.8	56.8	56.0
	23:55	58.7	83.5	65.9	48.6	60.3	60.0	58.7	56.4	55.6
26/11/2022	00:00	58.9	83.6	61.7	52.3	60.2	59.9	58.8	57.1	56.5
	00:05	60.9	85.6	63.3	56.5	62.1	61.9	60.8	59.2	58.7

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0234 -- R6512-0236

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ต. สายหนองก้อ-แหลมอับัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : บ้านเนินทรายรี (N5)

DETERMINATION METHOD : ISO 1996-1:2016

INSTRUMENT : Integrated Sound Level Meter

S/N 090085 : Type 2

SAMPLE NO. : 35142-35144

MEASURING DATE : 23-26/11/2022

RECEIVED DATE : 28/11/2022

REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lae	Lmax	Lmin	La05	La10	La50	La90	La95
26/11/2022	00:10	60.8	85.6	63.1	56.4	62.0	61.8	60.9	59.0	57.2
	00:15	58.6	83.3	61.7	56.2	60.7	60.4	57.7	57.1	56.9
	00:20	58.5	83.2	61.5	56.1	60.5	60.0	57.8	57.1	56.9
	00:25	59.6	84.4	62.1	56.3	61.1	60.8	59.5	57.5	57.2
	00:30	58.9	83.7	63.1	47.1	61.3	60.9	58.7	55.9	54.8
	00:35	59.1	84.0	61.8	53.7	60.8	60.6	59.2	56.3	55.0
	00:40	59.3	84.1	61.9	54.1	60.7	60.5	59.3	57.5	56.7
	00:45	59.6	84.4	62.3	53.3	60.9	60.7	59.6	57.5	56.4
	00:50	59.8	84.6	62.3	52.8	61.0	60.8	59.7	58.4	57.9
	00:55	59.3	84.1	61.7	55.8	60.6	60.3	59.1	57.9	57.5
	01:00	58.7	83.5	61.2	45.1	60.2	59.9	58.9	56.3	55.4
	01:05	56.9	81.7	60.3	44.6	58.6	58.2	56.9	54.5	53.2
	01:10	57.0	81.7	59.9	45.5	58.5	58.2	57.0	54.7	53.6
	01:15	56.7	81.5	60.3	44.3	58.7	58.4	56.7	53.1	51.9
	01:20	57.5	82.2	60.6	46.1	59.1	58.8	57.5	54.7	53.6
	01:25	57.3	82.1	60.4	43.6	59.1	58.8	57.4	54.4	52.9
	01:30	57.2	82.0	60.5	43.5	59.3	59.0	57.5	51.8	47.6
	01:35	57.4	82.2	60.3	44.1	59.2	58.9	57.5	53.9	52.2
	01:40	57.5	82.3	61.0	43.4	59.2	58.9	57.5	54.9	53.8
	01:45	57.5	82.3	60.8	44.3	59.4	59.1	57.6	54.3	52.7
	01:50	57.8	82.6	60.9	48.6	59.4	59.1	57.7	55.5	54.6
	01:55	57.8	82.5	61.1	44.8	59.7	59.4	57.9	52.9	48.4
	02:00	57.9	82.6	61.8	44.8	59.7	59.4	57.9	54.4	52.4
	02:05	57.9	82.7	61.7	45.9	59.9	59.4	57.8	54.9	53.9

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0234 – R6512-0236

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)

ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉิม ช. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230

SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)

SAMPLE POINT : บ้านเนินทราย (N5)

DETERMINATION METHOD : ISO 1996-1:2016

INSTRUMENT : Integrated Sound Level Meter

S/N 090085 : Type 2

SAMPLE NO. : 35142-35144

MEASURING DATE : 23-26/11/2022

RECEIVED DATE : 28/11/2022

REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lae	Lmax	Lmin	La05	La10	La50	La90	La95
26/11/2022	02:10	57.9	82.7	61.3	44.7	59.7	59.4	58.0	55.3	53.9
	02:15	52.8	77.7	60.1	42.3	58.2	57.4	47.5	43.5	43.2
	02:20	51.6	76.5	60.7	42.8	58.6	57.6	45.0	43.6	43.5
	02:25	52.8	77.7	61.6	42.9	59.3	58.6	45.2	43.8	43.6
	02:30	51.3	76.2	60.8	42.6	58.9	57.5	44.6	43.7	43.5
	02:35	50.0	74.8	61.3	42.6	58.3	54.4	44.4	43.5	43.3
	02:40	51.0	75.8	61.6	42.6	59.3	56.9	44.0	43.3	43.2
	02:45	52.0	76.9	61.1	42.0	58.7	57.8	44.8	43.0	42.9
	02:50	50.1	75.0	61.3	42.0	58.3	55.0	43.9	43.1	43.0
	02:55	51.6	76.5	61.2	42.4	59.0	57.9	44.0	43.1	43.0
	03:00	50.2	75.1	61.0	42.4	58.2	55.7	44.0	43.3	43.1
	03:05	51.2	76.1	61.9	42.6	59.4	57.3	44.3	43.4	43.2
	03:10	52.2	77.1	61.4	42.3	59.0	57.9	44.9	43.8	43.6
	03:15	47.6	72.5	59.0	42.6	55.6	47.0	44.4	43.7	43.5
	03:20	51.1	76.0	73.5	43.0	58.3	54.6	44.6	43.9	43.7
	03:25	49.7	74.6	60.4	42.9	57.1	55.3	44.9	43.9	43.7
	03:30	49.0	73.9	59.6	42.4	55.8	54.3	44.6	43.7	43.5
	03:35	59.5	84.3	80.0	42.9	59.0	57.6	46.4	44.2	44.0
	03:40	65.8	90.6	78.8	43.4	74.1	70.5	48.9	44.8	44.4
	03:45	49.0	73.9	60.4	43.5	54.5	50.6	45.9	44.6	44.3
	03:50	50.9	75.8	59.7	43.5	57.7	56.6	46.1	44.8	44.6
	03:55	47.0	71.9	57.6	43.7	48.6	47.4	45.8	44.9	44.6
	04:00	48.0	72.9	58.5	43.3	53.4	49.3	45.7	44.6	44.4
	04:05	47.0	71.8	58.4	42.7	49.5	47.7	45.0	43.9	43.7

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0234 – R6512-0236

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)
 ADDRESS : 789 ม. 1 อ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230
 SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)
 SAMPLE POINT : บ้านเนินทรายรี (N5)
 DETERMINATION METHOD : ISO 1996-1:2016
 INSTRUMENT : Integrated Sound Level Meter
 S/N 090085 : Type 2

SAMPLE NO. : 35142-35144
 MEASURING DATE : 23-26/11/2022
 RECEIVED DATE : 28/11/2022
 REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lae	Lmax	Lmin	La05	La10	La50	La90	La95
26/11/2022	04:10	50.4	75.3	66.0	42.2	56.4	54.6	45.2	43.6	43.4
	04:15	46.0	70.9	57.8	42.5	49.2	46.7	44.5	43.5	43.3
	04:20	47.6	72.5	62.4	42.3	53.1	49.4	44.8	43.7	43.5
	04:25	46.8	71.7	56.4	42.2	52.4	47.5	44.6	43.6	43.3
	04:30	47.0	71.9	58.1	43.0	52.9	47.9	44.9	44.0	43.8
	04:35	61.1	85.9	79.5	43.0	66.1	56.9	45.2	44.0	43.8
	04:40	68.7	93.5	79.9	43.5	77.2	74.8	48.6	45.1	44.8
	04:45	64.7	89.5	80.4	43.3	73.4	59.6	45.9	44.5	44.2
	04:50	57.7	82.5	75.2	43.7	63.5	55.3	46.5	44.8	44.5
	04:55	51.2	76.1	61.7	44.0	56.3	54.3	48.5	45.4	45.1
	05:00	48.3	73.2	59.1	43.0	52.8	51.0	46.0	44.3	44.0
	05:05	49.3	74.2	62.8	43.0	54.6	52.0	46.5	44.5	44.3
	05:10	48.0	72.9	61.7	43.2	52.6	49.7	45.7	44.4	44.2
	05:15	48.0	72.9	65.2	43.1	51.5	49.7	46.0	44.5	44.1
	05:20	48.8	73.7	60.3	44.3	52.9	51.6	46.8	45.2	45.0
	05:25	48.5	73.4	61.1	44.5	51.9	50.3	46.9	45.6	45.4
	05:30	49.3	74.2	63.2	44.5	53.2	51.4	47.5	45.9	45.6
	05:35	48.9	73.7	61.6	43.8	53.2	50.8	46.5	45.2	45.0
	05:40	51.0	75.8	67.1	44.1	56.2	53.6	47.7	45.6	45.3
	05:45	49.3	74.2	67.7	43.8	52.9	51.8	47.5	45.7	45.2
	05:50	49.3	74.2	63.8	44.5	52.7	50.9	47.3	45.6	45.3
	05:55	49.6	74.5	62.1	45.0	53.2	51.3	48.1	46.3	46.0
	06:00	53.3	78.2	77.1	44.5	54.4	52.3	48.1	46.1	45.9
	06:05	48.7	73.6	58.5	44.5	51.7	50.7	47.8	45.9	45.6

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
 THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
 WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0234 – R6512-0236

TEST REPORT

CUSTOMER : บริษัท ปันทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)
ADDRESS : 789 ม. 1 ต. สายหนองก้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230
SAMPLE SOURCE : ปันทอง อินดัสเตรียล ปาร์ค (โครงการ 1)
SAMPLE POINT : บ้านเนินทราย (N5)
DETERMINATION METHOD : ISO 1996-1:2016
INSTRUMENT : Integrated Sound Level Meter
S/N 090085 : Type 2

SAMPLE NO. : 35142-35144
MEASURING DATE : 23-26/11/2022
RECEIVED DATE : 28/11/2022
REPORTED DATE : 08/12/2022

Date	Time	Lacq	Lae	Lmax	Lmin	La05	La10	La50	La90	La95
26/11/2022	06:10	48.8	73.7	62.4	44.0	52.7	50.7	47.2	45.5	45.1
	06:15	52.1	77.0	67.3	45.2	55.2	53.5	49.4	47.4	46.8
	06:20	51.0	75.9	61.0	47.0	54.1	52.9	49.9	48.4	48.1
	06:25	51.2	76.1	65.2	46.5	54.6	53.5	49.5	48.1	47.8
	06:30	49.6	74.5	61.7	43.7	53.1	52.1	48.6	45.8	45.2
	06:35	48.2	73.1	59.3	43.2	51.0	49.9	47.1	45.2	44.8
	06:40	48.5	73.4	60.4	42.9	52.1	50.8	46.8	44.6	44.3
	06:45	49.1	74.0	67.4	42.5	52.9	51.1	46.7	44.5	44.1
	06:50	49.0	73.9	68.9	42.6	51.7	50.3	47.4	44.2	43.7
	06:55	49.1	73.9	59.6	43.3	53.1	51.4	47.4	45.1	44.6
	07:00	48.8	73.7	62.3	42.9	53.0	50.0	46.5	44.5	44.2
	07:05	48.2	73.1	63.6	42.6	51.9	49.4	45.9	44.5	44.1
	07:10	49.8	74.7	71.1	43.2	51.4	50.1	46.4	44.6	44.3
	07:15	49.5	74.4	63.1	43.4	53.2	51.7	47.5	44.6	44.2
	07:20	46.2	71.0	55.1	42.3	48.9	47.9	45.3	43.8	43.5
	07:25	48.1	73.0	59.1	43.0	52.1	50.7	46.3	44.1	43.8
	07:30	48.5	73.4	59.6	44.0	52.2	50.7	47.2	45.7	45.3
	07:35	48.2	73.0	56.1	43.1	51.6	50.4	47.4	44.6	44.2
	07:40	48.4	73.3	58.4	43.7	52.6	50.7	46.8	45.3	45.0
	07:45	49.0	73.9	63.6	43.5	52.6	51.3	47.4	45.3	44.7
	07:50	47.1	71.9	57.1	43.0	50.3	49.5	45.8	44.0	43.8
	07:55	53.1	78.0	75.4	44.8	55.0	53.9	50.6	46.8	46.2
	08:00	53.4	78.3	76.0	43.6	54.3	52.8	47.9	45.3	45.0
	08:05	48.1	73.0	59.2	43.8	52.0	50.1	46.6	44.9	44.6

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. LA65-R1207

Report No. R6512-0234 – R6512-0236

TEST REPORT

CUSTOMER : บริษัท ปิ่นทอง อินดัสเตรียล ปาร์ค จำกัด (มหาชน)
ADDRESS : 789 ม. 1 ถ. สายหนองค้อ-แหลมฉบัง ต. หนองขาม อ. ศรีราชา จ. ชลบุรี 20230
SAMPLE SOURCE : ปิ่นทอง อินดัสเตรียล ปาร์ค (โครงการ 1)
SAMPLE POINT : บ้านเนินทราย (N5)
DETERMINATION METHOD : ISO 1996-1:2016
INSTRUMENT : Integrated Sound Level Meter
S/N 090085 : Type 2

SAMPLE NO. : 35142-35144
MEASURING DATE : 23-26/11/2022
RECEIVED DATE : 28/11/2022
REPORTED DATE : 08/12/2022

Date	Time	Laeq	Lae	Lmax	Lmin	La05	La10	La50	La90	La95
26/11/2022	08:10	48.1	73.0	59.1	42.1	51.9	50.6	46.7	43.7	43.1
	08:15	47.2	72.1	57.4	42.3	51.3	49.7	45.2	43.5	43.2
	08:20	51.5	76.4	71.5	43.1	55.1	51.3	46.6	44.7	44.3
	08:25	49.6	74.4	58.8	42.8	54.1	53.0	47.8	44.1	43.7
	08:30	48.2	73.1	61.4	42.9	51.4	50.1	46.7	44.4	44.1
	08:35	48.3	73.2	62.6	43.3	51.6	50.1	46.1	44.4	44.1
	08:40	47.1	71.9	55.6	43.1	50.2	49.3	45.9	44.3	44.0
	08:45	47.2	72.2	58.4	42.5	50.2	49.4	46.3	44.1	43.6
	08:50	49.2	74.0	60.3	41.9	53.4	52.0	47.7	44.5	43.3
	08:55	46.5	71.4	55.2	42.4	49.8	48.6	45.3	43.6	43.3
	09:00	47.0	71.9	59.0	41.9	50.9	49.5	45.4	43.5	43.1
	09:05	47.6	72.5	59.0	42.3	51.5	50.1	45.7	43.6	43.3
	09:10	47.9	72.8	66.7	42.5	50.7	48.9	45.1	43.6	43.4
	09:15	48.7	73.6	60.3	41.5	53.1	51.3	47.0	43.6	42.9
	09:20	47.1	72.0	59.1	42.4	50.2	49.3	45.7	43.9	43.6
	09:25	50.0	74.9	65.1	42.5	54.7	52.0	47.3	44.3	43.9
	09:30	47.9	72.8	58.8	41.7	52.5	51.0	46.0	43.5	42.9
	09:35	49.8	74.7	63.1	37.3	57.0	56.5	44.6	40.1	39.5
	09:40	52.8	77.7	78.4	37.2	52.2	49.6	42.7	39.6	39.0
	09:45	50.0	74.8	75.3	37.6	53.9	52.0	45.5	41.4	40.6
	09:50	53.6	78.4	77.3	37.7	54.3	51.7	44.6	40.4	39.7
	09:55	48.0	72.9	62.9	37.2	53.8	51.2	44.5	40.6	39.8
	10:00	45.0	69.7	54.7	37.0	50.0	47.8	43.1	40.4	39.7
	10:05	46.4	71.3	60.7	37.4	53.0	51.6	43.8	39.3	38.8

Remark : Measurement By Mr. Tummarut Photankhum



Approved By.....

(MRS. WANPEN LHAOCHINDAWAT)

08/12/2022

REPORTED BY: บริษัท อีสเทิร์น ไทย คอนซัลติ้ง 1992 จำกัด

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Test Report

Request No : W6507024

Report No : 6507-1922

Customer : Pinthong Industrial Park Public Company Limited**

Address : 789 Moo 1 Nong Koh - Laem Chabang Rd., Nongkham, Sriracha, Chonburi 20230**

Sampling Source : ระบบบำบัดน้ำเสียนิคมปิ่นทอง โครงการ 1**

Sample No : W 65070145

Sample Name : EQ Tank**

Sampling Date : 01/07/2022**

Sampling By : ETC**

Sampling Time : 9:00 AM**

Sampling Method : Grab**

Received Date : 02/07/2022

Tested Date : 04/07/2022 - 12/07/2022

Reported Date : 26/07/2022

Parameter	Unit	Method	Result
Arsenic *	mg/l	Continuous Hydride Generation/AAS Method (SM:3114B)	< 0.0020
Barium @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	0.05
Biochemical Oxygen Demand #	mg/l	5-Day BOD Test, Membrane Electrode Method (SM:5210B)	198
Cadmium @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	< 0.03
Chemical Oxygen Demand #	mg/l	Closed Reflux, Titrimetric Method (SM:5220C)	414

Physical Appearance : 1. Sample : brown, turbid

2. Container : Normal [PE 0.5 L [4 Bottle], PE 1.0 L, PE 1.8 L, G 1.0 L]

Remark : 1. @ = ISO/IEC 17025:2017 Accredited by TISI, # = ISO/IEC 17025:2017 Accredited by DSS,

SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017.

2. Miss Apiradee Chuen-arom is Section Head / Mr. Kawee Suthasub is Technical Management.

3. * = Test Report/Sampling marked Not Accredited, Sampling By Miss Janthanee Saiphan (จ-003-ก-7281) *

4. ** = These data are non laboratory data.

Examined By :

(Miss Apiradee Chuen-arom)

(จ-003-ก-4377)

26/07/2022



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By :

(Mr. Kawee Suthasub)

(จ-003-ก-2205)

26/07/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

Test Report

Request No : W6507024

Report No : 6507-1922

Customer : Pinthong Industrial Park Public Company Limited**

Address : 789 Moo 1 Nong Koh - Laem Chabang Rd., Nongkham, Sriracha, Chonburi 20230**

Sampling Source : ระบบบำบัดน้ำเสียนิคมปิ่นทอง โครงการ 1**

Sample No : W 65070145

Sample Name : EQ Tank**

Sampling Date : 01/07/2022**

Sampling By : ETC**

Sampling Time : 9:00 AM**

Sampling Method : Grab**

Received Date : 02/07/2022

Tested Date : 04/07/2022 - 12/07/2022

Reported Date : 26/07/2022

Parameter	Unit	Method	Result
Color(Original) *	ADMI	ADMI Weighted Ordinate Spectrophotometric Method (SM:2120F)	54
Color(pH 7.0) *	ADMI	ADMI Weighted Ordinate Spectrophotometric Method (SM:2120F)	33
Copper @	mg/l	Digestion, Direct Air-Acetylene Flame Method (SM:3030F, 3111B)	< 0.10
Cyanide *	mg/l as HCN	Distillation, Colorimetric Method (SM:4500 CN- C, E)	< 0.020
Hexavalent Chromium *	mg/l as Cr ⁶⁺	Filtration, Colorimetric Method (SM:3500 -Cr B)	< 0.050

Physical Appearance : 1. Sample : brown, turbid

2. Container : Normal [PE 0.5 L [4 Bottle], PE 1.0 L, PE 1.8 L, G 1.0 L]

Remark : 1. @ = ISO/IEC 17025:2017 Accredited by TISI., # = ISO/IEC 17025:2017 Accredited by DSS,

SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017.

2. Miss Apiradee Chuen-arom is Section Head / Mr. Kawee Suthasub is Technical Management.

3. * = Test Report/Sampling marked Not Accredited, Sampling By Miss Janthanee Saiphan (จ-003-ก-7281) *

4. ** = These data are non laboratory data.

Examined By :

(Miss Apiradee Chuen-arom)

(จ-003-ก-4377)

26/07/2022



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By :

(Mr. Kawee Suthasub)

(จ-003-ก-2205)

26/07/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

Test Report

Request No : W6507024

Report No : 6507-1922

Customer : Pinthong Industrial Park Public Company Limited**

Address : 789 Moo 1 Nong Koh - Laem Chabang Rd., Nongkham, Sriracha, Chonburi 20230**

Sampling Source : ระบบบำบัดน้ำเสียชุมชนปิ่นทอง โครงการ 1**

Sample No : W 65070145

Sample Name : EQ Tank**

Sampling Date : 01/07/2022**

Sampling By : ETC**

Sampling Time : 9:00 AM**

Sampling Method : Grab**

Received Date : 02/07/2022

Tested Date : 04/07/2022 - 12/07/2022

Reported Date : 26/07/2022

Parameter	Unit	Method	Result
Lead @	mg/l	Digestion, Direct Air-Acetylene Flame Method (SM:3030F, 3111B)	0.11
Manganese @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	0.18
Mercury #	mg/l	Cold-Vapor Atomic Absorption Spectrometric Method (SM:3112B)	< 0.0010
Nickel @	mg/l	Digestion, Direct Air-Acetylene Flame Method (SM:3030F, 3111B)	< 0.10
Oil and Grease @	mg/l	Partition-Gravimetric Method (SM:5520B)	11.0
pH (on site) *		Electrometric Method	8.1

Physical Appearance : 1. Sample : brown, turbid

2. Container : Normal [PE 0.5 L [4 Bottle], PE 1.0 L, PE 1.8 L, G 1.0 L]

Remark : 1. @ = ISO/IEC 17025:2017 Accredited by TISI, # = ISO/IEC 17025:2017 Accredited by DSS,

SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017.

2. Miss Apiradee Chuen-arom is Section Head / Mr. Kawee Suthasub is Technical Management.

3. * = Test Report/Sampling marked Not Accredited, Sampling By Miss Janthanee Saiphan (จ-003-ก-7281) *

4. ** = These data are non laboratory data.

Examined By :

(Miss Apiradee Chuen-arom)

(จ-003-ก-4377)

26/07/2022



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By :

(Mr. Kawee Suthasub)

(จ-003-ก-2205)

26/07/2022



REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

Test Report

Request No : W6507024

Report No : 6507-1922

Customer : Pinthong Industrial Park Public Company Limited**

Address : 789 Moo 1 Nong Koh - Laem Chabang Rd., Nongkham, Sriracha, Chonburi 20230**

Sampling Source : ระบบบำบัดน้ำเสียนิคมปิ่นทอง โครงการ 1** Sample No : W 65070145

Sample Name : EQ Tank** Sampling Date : 01/07/2022**

Sampling By : ETC** Sampling Time : 9:00 AM**

Sampling Method : Grab** Received Date : 02/07/2022

Tested Date : 04/07/2022 - 12/07/2022 Reported Date : 26/07/2022

Parameter	Unit	Method	Result
Selenium *	mg/l	Digestion, Hydride Generation/AAS Method (SM:3030F, 3114B&C)	< 0.0050
Temperature *	°C	Laboratory and Field Method	32
Total Dissolved Solids #	mg/l	Dried at 180 C (SM:2540C)	952
Total Kjeldahl Nitrogen *	mg/l as NH ₃ -N	Macro Kjeldahl Method (SM:4500 -Norg B)	31
Total Suspended Solids #	mg/l	Dried at 103-105 C (SM:2540D)	99
Zinc @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	1.76

Physical Apperance : 1. Sample : brown, turbid

2. Container : Normal [PE 0.5 L [4 Bottle], PE 1.0 L, PE 1.8 L, G 1.0 L]

Remark : 1. @ = ISO/IEC 17025:2017 Accredited by TISI., # = ISO/IEC 17025:2017 Accredited by DSS,

SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017.

2. Miss Apiradee Chuen-arom is Section Head / Mr. Kawee Suthasub is Technical Management.

3. * = Test Report/Sampling marked Not Accredited, Sampling By Miss Janthanee Saiphan (จ-003-ก-7281) *


4. ** = These data are non laboratory data.

Examined By :

(Miss Apiradee Chuen-arom)

(จ-003-ก-4377)

26/07/2022



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By :

(Mr. Kawee Suthasub)

(จ-003-ก-2205)

26/07/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

Test Report

Request No : W6507024

Report No : 6507- 1922

Customer : Pinthong Industrial Park Public Company Limited**

Address : 789 Moo 1 Nong Koh - Laem Chabang Rd ., Nongkham, Sriracha, Chonburi 20230**

Sampling Source : ระบบบำบัดน้ำเสียนิคมปิ่นทอง โครงการ 1**

Sample No : W 65070145

Sample Name : EQ Tank**

Sampling Date : 01/07/2022**

Sampling By : ETC**

Sampling Time : 9:00 AM**

Sampling Method : Grab**

Received Date : 02/07/2022

Tested Date : 04/07/2022 - 12/07/2022

Reported Date : 26/07/2022

Parameter	Unit	Method	Result
Flow Rate *	m ³ /day	Calculation Method	2,434
Iron @	mg/l	Digestion, Direct Air-Acetylene Flame Method (SM:3030F, 3111B)	1.06
Phosphorus *	mg/l as P	Ascorbic Acid Method (SM:4500 -P B)	16.0
Silver @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	< 0.05

Physical Apperance : 1. Sample : brown, turbid

2. Container : Normal [PE 0.5 L [4 Bottle], PE 1.0 L, PE 1.8 L, G 1.0 L]


Remark : 1. Parameter Outside The Scope of The Registration of Department of Industrial Works

2. @ = ISO/IEC 17025:2017 Accredited by TISI., SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017.

3. Mr. Kawee Suthasub is Technical Management.

4. * = Test Report/Sampling marked Not Accredited, Sampling By Miss Janthanee Saiphan (1-003-ก-7281) *

5. ** = These data are non laboratory data.



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Examined By :

(Mr. Kawee Suthasub)

26/07/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

Test Report

Request No : W6508011

Report No : 6508-1476

Customer : Pinthong Industrial Park Public Company Limited**

Address : 789 Moo 1 Nong Koh - Laem Chabang Rd., Nongkham, Sriracha, Chonburi 20230**

Sampling Source : ระบบบำบัดน้ำเสียนิคมปิ่นทอง โครงการ 1** Sample No : W 65080025

Sample Name : EQ Tank** Sampling Date : 01/08/2022**

Sampling By : ETC** Sampling Time : 9:00 AM**

Sampling Method : Grab** Received Date : 02/08/2022

Tested Date : 02/08/2022 - 11/08/2022 Reported Date : 24/08/2022

Parameter	Unit	Method	Result
Arsenic *	mg/l	Continuous Hydride Generation/AAS Method (SM:3114B)	0.0020
Barium @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	0.07
Biochemical Oxygen Demand #	mg/l	5-Day BOD Test, Membrane Electrode Method (SM:5210B)	106
Cadmium @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	< 0.03
Chemical Oxygen Demand #	mg/l	Closed Reflux, Titrimetric Method (SM:5220C)	318

Physical Appearance : 1. Sample : yellow, lightly SS

2. Container : Normal [PE 0.5 L [5 Bottle], PE 1.0 L, PE 1.8 L, G 1.0 L]

Remark : 1. @ = ISO/IEC 17025:2017 Accredited by TISI., # = ISO/IEC 17025:2017 Accredited by DSS,

SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017.

2. Miss Nunnaphat Bakhuntod is Section Head / Mr. Kawee Suthasub is Technical Management.

3. * = Test Report/Sampling marked Not Accredited, Sampling By Miss Janthanee Saiphan (จ-003-ก-7281) *


4. ** = These data are non laboratory data.

Examined By : 

(Miss Nunnaphat Bakhuntod)

(จ-003-ก-4367)

24/08/2022



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By : 

(Mr. Kawee Suthasub)

(จ-003-ก-2205)

24/08/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

Test Report

Request No : W6508011

Report No : 6508-1476

Customer : Pinthong Industrial Park Public Company Limited**

Address : 789 Moo 1 Nong Koh - Laem Chabang Rd., Nongkham, Sriracha, Chonburi 20230**

Sampling Source : ระบบบำบัดน้ำเสียนิคมปิ่นทอง โครงการ 1**

Sample No : W 65080025

Sample Name : EQ Tank**

Sampling Date : 01/08/2022**

Sampling By : ETC**

Sampling Time : 9:00 AM**

Sampling Method : Grab**

Received Date : 02/08/2022

Tested Date : 02/08/2022 - 11/08/2022

Reported Date : 24/08/2022

Parameter	Unit	Method	Result
Color (Original) *	ADMI	ADMI Weighted Ordinate Spectrophotometric Method (SM:2120F)	53
Color (pH 7.0) *	ADMI	ADMI Weighted Ordinate Spectrophotometric Method (SM:2120F)	29
Copper @	mg/l	Digestion, Direct Air-Acetylene Flame Method (SM:3030F, 3111B)	< 0.10
Cyanide *	mg/l as HCN	Distillation, Colorimetric Method (SM:4500 CN- C, E)	< 0.020
Hexavalent Chromium *	mg/l as Cr ⁶⁺	Filtration, Colorimetric Method (SM:3500 -Cr B)	< 0.050

Physical Apperance : 1. Sample : yellow, lightly SS

2. Container : Normal [PE 0.5 L [5 Bottle], PE 1.0 L, PE 1.8 L, G 1.0 L]

Remark : 1. @ = ISO/IEC 17025:2017 Accredited by TISI., # = ISO/IEC 17025:2017 Accredited by DSS,

SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017.

2. Miss Nunnaphat Bakhuntod is Section Head / Mr. Kawee Suthasub is Technical Management.

3. * = Test Report/Sampling marked Not Accredited, Sampling By Miss Janthanee Saiphan (T-003-ก-7281) *

4. ** = These data are non laboratory data.

Examined By :

(Miss Nunnaphat Bakhuntod)

(T-003-ก-4367)

24/08/2022



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By :

(Mr. Kawee Suthasub)

(T-003-ก-2205)

24/08/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

Test Report

Request No : W6508011

Report No : 6508-1476

Customer : Pinthong Industrial Park Public Company Limited**

Address : 789 Moo 1 Nong Koh - Laem Chabang Rd., Nongkham, Sriracha, Chonburi 20230**

Sampling Source : ระบบบำบัดน้ำเสียนิคมปิ่นทอง โครงการ 1** Sample No : W 65080025

Sample Name : EQ Tank** Sampling Date : 01/08/2022**

Sampling By : ETC** Sampling Time : 9:00 AM**

Sampling Method : Grab** Received Date : 02/08/2022

Tested Date : 02/08/2022 - 11/08/2022 Reported Date : 24/08/2022

Parameter	Unit	Method	Result
Lead @	mg/l	Digestion, Direct Air-Acetylene Flame Method (SM:3030F, 3111B)	< 0.10
Manganese @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	0.21
Mercury #	mg/l	Cold-Vapor Atomic Absorption Spectrometric Method (SM:3112B)	< 0.0010
Nickel @	mg/l	Digestion, Direct Air-Acetylene Flame Method (SM:3030F, 3111B)	< 0.10
Oil and Grease @	mg/l	Partition-Gravimetric Method (SM:5520B)	7.1
pH (on site) *		Electrometric Method	7.8

Physical Apperance : 1. Sample : yellow, lightly SS

2. Container : Normal [PE 0.5 L [5 Bottle], PE 1.0 L, PE 1.8 L, G 1.0 L]

Remark : 1. @ = ISO/IEC 17025:2017 Accredited by TISI., # = ISO/IEC 17025:2017 Accredited by DSS,

SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017.


2. Miss Nunnaphat Bakhuntod is Section Head / Mr. Kawee Suthasub is Technical Management.

3. * = Test Report/Sampling marked Not Accredited, Sampling By Miss Janthanee Saiphan (จ-003-ก-7281) *

4. ** = These data are non laboratory data.

Examined By :

(Miss Nunnaphat Bakhuntod)
(จ-003-ก-4367)
24/08/2022



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By :

(Mr. Kawee Suthasub)
(จ-003-ก-2205)
24/08/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

Test Report

Request No : W6508011

Report No : 6508-1476

Customer : Pinthong Industrial Park Public Company Limited**

Address : 789 Moo 1 Nong Koh - Laem Chabang Rd., Nongkham, Sriracha, Chonburi 20230**

Sampling Source : ระบบบำบัดน้ำเสียนิคมปิ่นทอง โครงการ 1** Sample No : W 65080025

Sample Name : EQ Tank** Sampling Date : 01/08/2022**

Sampling By : ETC** Sampling Time : 9:00 AM**

Sampling Method : Grab** Received Date : 02/08/2022

Tested Date : 02/08/2022 - 11/08/2022 Reported Date : 24/08/2022

Parameter	Unit	Method	Result
Selenium *	mg/l	Digestion, Hydride Generation/AAS Method (SM:3030F, 3114B&C)	<0.0050
Temperature *	°C	Laboratory and Field Method	31
Total Dissolved Solids #	mg/l	Dried at 180 C (SM:2540C)	702
Total Kjeldahl Nitrogen *	mg/l as NH ₃ -N	Macro Kjeldahl Method (SM:4500 -Norg B)	30
Total Suspended Solids #	mg/l	Dried at 103-105 C (SM:2540D)	74
Zinc @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	1.02

Physical Apperance : 1. Sample : yellow, lightly SS

2. Container : Normal [PE 0.5 L [5 Bottle], PE 1.0 L, PE 1.8 L, G 1.0 L]

Remark : 1. @ = ISO/IEC 17025:2017 Accredited by TISI., # = ISO/IEC 17025:2017 Accredited by DSS,

SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017.

2. Miss Nunnaphat Bakhuntod is Section Head / Mr. Kawee Suthasub is Technical Management.

3. * = Test Report/Sampling marked Not Accredited, Sampling By Miss Janthance Saiphan (จ-003-ก-7281) *

4. ** = These data are non laboratory data.

Examined By : 

(Miss Nunnaphat Bakhuntod)

(จ-003-ก-4367)

24/08/2022



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By : 

(Mr. Kawee Suthasub)

(จ-003-ก-2205)

24/08/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

Test Report

Request No : W6508011

Report No : 6508-1476

Customer : Pinthong Industrial Park Public Company Limited**

Address : 789 Moo 1 Nong Koh - Laem Chabang Rd., Nongkham, Sriracha, Chonburi 20230**

Sampling Source : ระบบบำบัดน้ำเสียนิคมปิ่นทอง โครงการ 1** Sample No : W 65080025

Sample Name : EQ Tank** Sampling Date : 01/08/2022**

Sampling By : ETC** Sampling Time : 9:00 AM**

Sampling Method : Grab** Received Date : 02/08/2022

Tested Date : 02/08/2022 - 11/08/2022 Reported Date : 24/08/2022

Parameter	Unit	Method	Result
Flow Rate *	m ³ /day	Calculation Method	2,315
Iron @	mg/l	Digestion, Direct Air-Acetylene Flame Method (SM:3030F, 3111B)	1.27
Phosphorus *	mg/l as P	Ascorbic Acid Method (SM:4500 -P B)	7.65
Silver @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	< 0.05

Physical Appearance : 1. Sample : yellow, lightly SS

2. Container : Normal [PE 0.5 L [5 Bottle], PE 1.0 L, PE 1.8 L, G 1.0 L]


Remark : 1. Parameter Outside The Scope of The Registration of Department of Industrial Works

2. @ = ISO/IEC 17025:2017 Accredited by TISI., SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017.

3. Mr. Kawee Suthasub is Technical Management.

4. * = Test Report/Sampling marked Not Accredited, Sampling By Miss Janthanee Saiphan (๓-๐๐3-๓-7281) *

5. ** = These data are non laboratory data.



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Examined By :

(Mr. Kawee Suthasub)
24/08/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

Test Report

Request No : W6509033

Report No : 6509-1114

Customer : Pinthong Industrial Park Public Company Limited**

Address : 789 Moo 1 Nong Koh - Laem Chabang Rd., Nongkham, Sriracha, Chonburi 20230**

Sampling Source : ระบบบำบัดน้ำเสียนิคมปิ่นทอง โครงการ 1**

Sample No : W 65090229

Sample Name : EQ Tank**

Sampling Date : 01/09/2022**

Sampling By : ETC**

Sampling Time : 9:00 AM**

Sampling Method : Grab**

Received Date : 02/09/2022

Tested Date : 02/09/2022 - 12/09/2022

Reported Date : 17/09/2022

Parameter	Unit	Method	Result
Arsenic *	mg/l	Continuous Hydride Generation/AAS Method (SM:3114B)	0.0029
Barium @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	0.04
Biochemical Oxygen Demand #	mg/l	5-Day BOD Test, Membrane Electrode Method (SM:5210B)	117
Cadmium @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	< 0.03
Chemical Oxygen Demand #	mg/l	Closed Reflux, Titrimetric Method (SM:5220C)	258

Physical Apperance : 1. Sample : yellow, lightly SS

2. Container : Normal [PE 0.5 L [6 Bottle], PE 1.0 L, PE 1.8 L, G 1.0 L]

Remark : 1. @ = ISO/IEC 17025:2017 Accredited by TISI., # = ISO/IEC 17025:2017 Accredited by DSS,

SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017.

2. Miss Apiradee Chuen-arom is Section Head / Mr. Kawee Suthasub is Technical Management.

3. * = Test Report/Sampling marked Not Accredited, Sampling By Miss Janthanee Saiphan (จ-003-ก-7281) *

4. ** = These data are non laboratory data.

Examined By :

(Miss Apiradee Chuen-arom)

(จ-003-ก-4377)

17/09/2022



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By :

(Mr. Kawee Suthasub)

(จ-003-ก-2205)

17/09/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

Test Report

Request No : W6509033

Report No : 6509-1114

Customer : Pinthong Industrial Park Public Company Limited**

Address : 789 Moo 1 Nong Koh - Laem Chabang Rd., Nongkham, Sriracha, Chonburi 20230**

Sampling Source : ระบบบำบัดน้ำเสียนิคมปิ่นทอง โครงการ 1** Sample No : W 65090229

Sample Name : EQ Tank** Sampling Date : 01/09/2022**

Sampling By : ETC** Sampling Time : 9:00 AM**

Sampling Method : Grab** Received Date : 02/09/2022

Tested Date : 02/09/2022 - 12/09/2022 Reported Date : 17/09/2022

Parameter	Unit	Method	Result
Color(Original) *	ADMI	ADMI Weighted Ordinate Spectrophotometric Method (SM:2120F)	58
Color(pH 7.0) *	ADMI	ADMI Weighted Ordinate Spectrophotometric Method (SM:2120F)	30
Copper @	mg/l	Digestion, Direct Air-Acetylene Flame Method (SM:3030F, 3111B)	< 0.10
Cyanide *	mg/l as HCN	Distillation, Colorimetric Method (SM:4500 CN- C, E)	< 0.020
Hexavalent Chromium *	mg/l as Cr ⁶⁺	Filtration, Colorimetric Method (SM:3500 -Cr B)	< 0.050

Physical Apperance : 1. Sample : yellow, lightly SS

2. Container : Normal [PE 0.5 L [6 Bottle], PE 1.0 L, PE 1.8 L, G 1.0 L]

Remark : 1. @ = ISO/IEC 17025:2017 Accredited by TISI., # = ISO/IEC 17025:2017 Accredited by DSS,

SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017.

2. Miss Apiradee Chuen-arom is Section Head / Mr. Kawee Suthasub is Technical Management.

3. * = Test Report/Sampling marked Not Accredited, Sampling By Miss Janthanee Saiphan (จ-003-ท-7281) *


4. ** = These data are non laboratory data.

Examined By :

(Miss Apiradee Chuen-arom)

(จ-003-ท-4377)

17/09/2022



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By :

(Mr. Kawee Suthasub)

(จ-003-ท-2205)

17/09/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

Test Report

Request No : W6509033

Report No : 6509-1114

Customer : Pinthong Industrial Park Public Company Limited**
Address : 789 Moo 1 Nong Koh - Laem Chabang Rd., Nongkham, Sriracha, Chonburi 20230**
Sampling Source : ระบบบำบัดน้ำเสียนิคมปิ่นทอง โครงการ 1** Sample No : W 65090229
Sample Name : EQ Tank** Sampling Date : 01/09/2022**
Sampling By : ETC** Sampling Time : 9:00 AM**
Sampling Method : Grab** Received Date : 02/09/2022
Tested Date : 02/09/2022 - 12/09/2022 Reported Date : 17/09/2022

Parameter	Unit	Method	Result
Lead @	mg/l	Digestion, Direct Air-Acetylene Flame Method (SM:3030F, 3111B)	< 0.10
Manganese @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	0.19
Mercury *	mg/l	Cold-Vapor Atomic Absorption Spectrometric Method (SM:3112B)	< 0.0010
Nickel @	mg/l	Digestion, Direct Air-Acetylene Flame Method (SM:3030F, 3111B)	< 0.10
Oil and Grease @	mg/l	Partition-Gravimetric Method (SM:5520B)	6.6
pH (on site) *		Electrometric Method	8.4

Physical Appearance : 1. Sample : yellow, lightly SS

2. Container : Normal [PE 0.5 L [6 Bottle], PE 1.0 L, PE 1.8 L, G 1.0 L]

Remark : 1. @ = ISO/IEC 17025:2017 Accredited by TISI., # = ISO/IEC 17025:2017 Accredited by DSS,

SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017.

2. Miss Apiradee Chuen-arom is Section Head / Mr. Kawee Suthasub is Technical Management.

3. * = Test Report/Sampling marked Not Accredited, Sampling By Miss Janthanee Saiphan (จ-003-ก-7281) *

4. ** = These data are non laboratory data.

Examined By :

(Miss Apiradee Chuen-arom)
(จ-003-ก-4377)

17/09/2022



บริษัท อีสเทิร์นไทยคอนซัลติง 1992 จำกัด

Approved By :

(Mr. Kawee Suthasub)
(จ-003-ก-2205)

17/09/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

Test Report

Request No : W6509033

Report No : 6509-1114

Customer : Pinthong Industrial Park Public Company Limited**

Address : 789 Moo 1 Nong Koh - Laem Chabang Rd., Nongkham, Sriracha, Chonburi 20230**

Sampling Source : ระบบบำบัดน้ำเสียชุมชนปิ่นทอง โครงการ 1**

Sample No : W 65090229

Sample Name : EQ Tank**

Sampling Date : 01/09/2022**

Sampling By : ETC**

Sampling Time : 9:00 AM**

Sampling Method : Grab**

Received Date : 02/09/2022

Tested Date : 02/09/2022 - 12/09/2022

Reported Date : 17/09/2022

Parameter	Unit	Method	Result
Selenium *	mg/l	Digestion, Hydride Generation/AAS Method (SM:3030F, 3114B&C)	< 0.0050
Temperature *	°C	Laboratory and Field Method	30
Total Dissolved Solids #	mg/l	Dried at 180 C (SM:2540C)	732
Total Kjeldahl Nitrogen *	mg/l as NH ₃ -N	Macro Kjeldahl Method (SM:4500 -Norg B)	26
Total Suspended Solids #	mg/l	Dried at 103-105 C (SM:2540D)	49
Zinc @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	0.63

Physical Apperance : 1. Sample : yellow, lightly SS

2. Container : Normal [PE 0.5 L [6 Bottle], PE 1.0 L, PE 1.8 L, G 1.0 L]

Remark : 1. @ = ISO/IEC 17025:2017 Accredited by TISI., # = ISO/IEC 17025:2017 Accredited by DSS,

SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017.

2. Miss Apiradee Chuen-arom is Section Head / Mr. Kawee Suthasub is Technical Management.

3. * = Test Report/Sampling marked Not Accredited, Sampling By Miss Janthanee Saiphan (จ-003-ก-7281) *

4. ** = These data are non laboratory data.

Examined By :

(Miss Apiradee Chuen-arom)

(จ-003-ก-4377)

17/09/2022



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By :

(Mr. Kawee Suthasub)

(จ-003-ก-2205)

17/09/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

Test Report

Request No : W6509033

Report No : 6509-1114

Customer : Pinthong Industrial Park Public Company Limited**

Address : 789 Moo 1 Nong Koh - Laem Chabang Rd., Nongkham, Sriracha, Chonburi 20230**

Sampling Source : ระบบบำบัดน้ำเสียนิคมปิ่นทอง โครงการ 1** Sample No : W 65090229

Sample Name : EQ Tank** Sampling Date : 01/09/2022**

Sampling By : ETC** Sampling Time : 9:00 AM**

Sampling Method : Grab** Received Date : 02/09/2022

Tested Date : 02/09/2022 - 12/09/2022 Reported Date : 17/09/2022

Parameter	Unit	Method	Result
Flow Rate *	m ³ /day	Calculation Method	3,282
Iron @	mg/l	Digestion, Direct Air-Acetylene Flame Method (SM:3030F, 3111B)	0.98
Phosphorus *	mg/l as P	Ascorbic Acid Method (SM:4500 -P B)	13.0
Silver @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	< 0.05

Physical Appearance : 1. Sample : yellow, lightly SS

2. Container : Normal [PE 0.5 L [6 Bottle], PE 1.0 L, PE 1.8 L, G 1.0 L]

Remark : 1. Parameter Outside The Scope of The Registration of Department of Industrial Works

2. @ = ISO/IEC 17025:2017 Accredited by TISI., SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017.

3. Mr. Kawee Suthasub is Technical Management.

4. * = Test Report/Sampling marked Not Accredited, Sampling By Miss Janthanee Saiphan (1-003-ค-7281) *

5. ** = These data are non laboratory data.



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

Page 1 of 1

Examined By :

(Mr. Kawee Suthasub)
17/09/2022

COPY

Test Report

Request No : W6510033

Report No : 6510-0910

Customer : Pinthong Industrial Park Public Company Limited**

Address : 789 Moo 1 Nong Koh - Laem Chabang Rd., Nongkham, Sriracha, Chonburi 20230**

Sampling Source : ระบบบำบัดน้ำเสียนิคมปิ่นทอง โครงการ 1**

Sample No : W 65100140

Sample Name : EQ Tank**

Sampling Date : 03/10/2022**

Sampling By : ETC**

Sampling Time : 9:00 AM**

Sampling Method : Grab**

Received Date : 04/10/2022

Tested Date : 04/10/2022 - 12/10/2022

Reported Date : 15/10/2022

Parameter	Unit	Method	Result
Arsenic *	mg/l	Continuous Hydride Generation/AAS Method (SM:3114B)	0.0034
Barium @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	0.11
Biochemical Oxygen Demand #	mg/l	5-Day BOD Test, Membrane Electrode Method (SM:5210B)	70.8
Cadmium @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	< 0.03
Chemical Oxygen Demand #	mg/l	Closed Reflux, Titrimetric Method (SM:5220C)	235

Physical Appearance : 1. Sample: yellow, turbid

2. Container : Normal [PE 0.5 L, 4 Bottle], PE 1.0 L, PE 1.8 L, G 1.0 L]

Remark : 1. @ = ISO/IEC 17025:2017 Accredited by TISI, # = ISO/IEC 17025:2017 Accredited by DSS,

SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017.

2. Miss Apiradee Chuen-arom is Section Head / Mr. Kawee Suthasub is Technical Management.

3. * = Test Report/Sampling marked Not Accredited, Sampling By Miss Janthanee Saiphan (จ-003-ท-7281) *

4. ** = These data are non laboratory data.

Examined By :

(Miss Apiradee Chuen-arom)

(จ-003-ท-4377)

15/10/2022



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By :

(Mr. Kawee Suthasub)

(จ-003-ท-2205)

15/10/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

Test Report

Request No : W6510033

Report No : 6510-0910

Customer : Pinthong Industrial Park Public Company Limited**

Address : 789 Moo 1 Nong Koh - Laem Chabang Rd., Nongkham, Sriracha, Chonburi 20230**

Sampling Source : ระบบบำบัดน้ำเสียนิคมปิ่นทอง โครงการ I**

Sample No : W 65100140

Sample Name : EQ Tank**

Sampling Date : 03/10/2022**

Sampling By : ETC**

Sampling Time : 9:00 AM**

Sampling Method : Grab**

Received Date : 04/10/2022

Tested Date : 04/10/2022 - 12/10/2022

Reported Date : 15/10/2022

Parameter	Unit	Method	Result
Color(Original) *	ADMI	ADMI Weighted Ordinate Spectrophotometric Method (SM:2120F)	31
Color(pH 7.0) *	ADMI	ADMI Weighted Ordinate Spectrophotometric Method (SM:2120F)	31
Copper @	mg/l	Digestion, Direct Air-Acetylene Flame Method (SM:3030F, 3111B)	0.10
Cyanide *	mg/l as HCN	Distillation, Colorimetric Method (SM:4500 CN- C, E)	< 0.020
Hexavalent Chromium *	mg/l as Cr ⁶⁺	Filtration, Colorimetric Method (SM:3500 -Cr B)	< 0.050

Physical Apperance : 1. Sample : yellow, turbid

2. Container : Normal [PE 0.5 L [4 Bottle], PE 1.0 L, PE 1.8 L, G 1.0 L]

Remark : 1. @ = ISO/IEC 17025:2017 Accredited by TISI., # = ISO/IEC 17025:2017 Accredited by DSS,

SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017.

2. Miss Apiradee Chuen-arom is Section Head / Mr. Kawee Suthasub is Technical Management.

3. * = Test Report/Sampling marked Not Accredited, Sampling By Miss Janthanee Saiphan (จ-003-ก-7281) *

4. ** = These data are non laboratory data.

Examined By :

(Miss Apiradee Chuen-arom)

(จ-003-ก-4377)

15/10/2022



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By :

(Mr. Kawee Suthasub)

(จ-003-ก-2205)

15/10/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

Test Report

Request No : W6510033

Report No : 6510-0910

Customer : Pinthong Industrial Park Public Company Limited**

Address : 789 Moo 1 Nong Koh - Laem Chabang Rd., Nongkham, Sriracha, Chonburi 20230**

Sampling Source : ระบบบำบัดน้ำเสียนิคมปิ่นทอง โครงการ 1**

Sample No : W 65100140

Sample Name : EQ Tank**

Sampling Date : 03/10/2022**

Sampling By : ETC**

Sampling Time : 9:00 AM**

Sampling Method : Grab**

Received Date : 04/10/2022

Tested Date : 04/10/2022 - 12/10/2022

Reported Date : 15/10/2022

Parameter	Unit	Method	Result
Lead @	mg/l	Digestion, Direct Air-Acetylene Flame Method (SM:3030F, 3111B)	< 0.10
Manganese @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	0.42
Mercury *	mg/l	Cold-Vapor Atomic Absorption Spectrometric Method (SM:3112B)	< 0.0010
Nickel @	mg/l	Digestion, Direct Air-Acetylene Flame Method (SM:3030F, 3111B)	1.56
Oil and Grease @	mg/l	Partition-Gravimetric Method (SM:5520B)	7.2
pH (on site) *		Electrometric Method	7.7

Physical Appearance : 1. Sample : yellow, turbid

2. Container : Normal [PE 0.5 L[4 Bottle], PE 1.0 L, PE 1.8 L, G 1.0 L]

Remark : 1. @ = ISO/IEC 17025:2017 Accredited by TISI, # = ISO/IEC 17025:2017 Accredited by DSS,

SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017.

2. Miss Apiradee Chuen-arom is Section Head / Mr. Kawee Suthasub is Technical Management.

3. * = Test Report/Sampling marked Not Accredited, Sampling By Miss Janthanee Saiphan (จ-003-ค-7281) *

4. ** = These data are non laboratory data.

Examined By :

(Miss Apiradee Chuen-arom)

(จ-003-ค-4377)

15/10/2022



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By :

(Mr. Kawee Suthasub)

(จ-003-ค-2205)

15/10/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

Test Report

Request No : W6510033

Report No : 6510-0910

Customer : Pinthong Industrial Park Public Company Limited**

Address : 789 Moo 1 Nong Koh - Laem Chabang Rd., Nongkham, Sriracha, Chonburi 20230**

Sampling Source : ระบบบำบัดน้ำเสียนิคมบ้านทอง โครงการ 1** Sample No : W 65100140

Sample Name : EQ Tank** Sampling Date : 03/10/2022**

Sampling By : ETC** Sampling Time : 9:00 AM**

Sampling Method : Grab** Received Date : 04/10/2022

Tested Date : 04/10/2022 - 12/10/2022 Reported Date : 15/10/2022

Parameter	Unit	Method	Result
Selenium *	mg/l	Digestion, Hydride Generation/AAS Method (SM:3030F, 3114B&C)	< 0.0050
Temperature *	°C	Laboratory and Field Method	30
Total Dissolved Solids #	mg/l	Dried at 180 C (SM:2540C)	1,128
Total Kjeldahl Nitrogen *	mg/l as NH ₃ -N	Macro Kjeldahl Method (SM:4500 -Norg B)	29
Total Suspended Solids #	mg/l	Dried at 103-105 C (SM:2540D)	145
Zinc *	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	2.54

Physical Apperance : 1. Sample : yellow, turbid

2. Container : Normal [PE 0.5 L [4 Bottle], PE 1.0 L, PE 1.8 L, G 1.0 L]

Remark : 1. @ = ISO/IEC 17025:2017 Accredited by TISI., # = ISO/IEC 17025:2017 Accredited by DSS,

SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017.

2. Miss Apiradee Chuen-arom is Section Head / Mr. Kawee Suthasub is Technical Management.

3. * = Test Report/Sampling marked Not Accredited, Sampling By Miss Janthanee Saiphan (จ-003-ก-7281) *

4. ** = These data are non laboratory data.

Examined By :

(Miss Apiradee Chuen-arom)

(จ-003-ก-4377)

15/10/2022



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By :

(Mr. Kawee Suthasub)

(จ-003-ก-2205)

15/10/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

Test Report

Request No : W6510033

Report No : 6510- 0910

Customer : Pinthong Industrial Park Public Company Limited**

Address : 789 Moo 1 Nong Koh - Laem Chabang Rd., Nongkham, Sriracha, Chonburi 20230**

Sampling Source : ระบบบำบัดน้ำเสียนิคมปิ่นทอง โครงการ 1** Sample No : W 65100140

Sample Name : EQ Tank** Sampling Date : 03/10/2022**

Sampling By : ETC** Sampling Time : 9:00 AM**

Sampling Method : Grab** Received Date : 04/10/2022

Tested Date : 04/10/2022 - 12/10/2022 Reported Date : 15/10/2022

Parameter	Unit	Method	Result
Flow Rate *	m ³ /day	Calculation Method	2,753
Iron *	mg/l	Digestion, Direct Air-Acetylene Flame Method (SM:3030F, 3111B)	6.67
Phosphorus *	mg/l as P	Ascorbic Acid Method (SM:4500 -P B)	14.1
Silver @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	< 0.05

Physical Apperance : 1. Sample : yellow, turbid

2. Container : Normal [PE 0.5 L[4 Bottle], PE 1.0 L, PE 1.8 L, G 1.0 L]


Remark : 1. Parameter Outside The Scope of The Registration of Department of Industrial Works

2. @ = ISO/IEC 17025:2017 Accredited by TISI., SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017.

3. Mr. Kawee Suthasub is Technical Management.

4. * = Test Report/Sampling marked Not Accredited, Sampling By Miss Janthanee Saiphan (จ-003-ค-7281) *

5. ** = These data are non laboratory data.



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Examined By :

(Mr. Kawee Suthasub)

15/10/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

Test Report

Request No : W6511026

Report No : 6511-0918

Customer : Pinthong Industrial Park Public Company Limited**

Address : 789 Moo 1 Nong Koh - Laem Chabang Rd., Nongkham, Sriracha, Chonburi 20230**

Sampling Source : ระบบบำบัดน้ำเสียนิคมปิ่นทอง โครงการ 1** Sample No : W 65110130

Sample Name : EQ Tank** Sampling Date : 01/11/2022**

Sampling By : ETC** Sampling Time : 9:00 AM**

Sampling Method : Grab** Received Date : 02/11/2022

Tested Date : 02/11/2022 - 10/11/2022 Reported Date : 11/11/2022

Parameter	Unit	Method	Result
Arsenic *	mg/l	Continuous Hydride Generation/AAS Method (SM:3114B)	< 0.0020
Barium @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	0.06
Biochemical Oxygen Demand #	mg/l	5-Day BOD Test, Membrane Electrode Method (SM:5210B)	105
Cadmium @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	< 0.03
Chemical Oxygen Demand #	mg/l	Closed Reflux, Titrimetric Method (SM:5220C)	263

Physical Appearance : 1. Sample : yellow, lightly SS

2. Container : Normal [PE 0.5 L [4 Bottle], PE 1.0 L, PE 1.8 L, G 1.0 L]


Remark : 1. @ = ISO/IEC 17025:2017 Accredited by TISI., # = ISO/IEC 17025:2017 Accredited by DSS,

SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017.


2. Miss Apiradee Chuen-arom is Section Head / Mr. Kawee Suthasub is Technical Management.

3. * = Test Report/Sampling marked Not Accredited, Sampling By Miss Janthanee Saiphan (จ-003-ค-7281) *

4. ** = These data are non laboratory data.

Examined By : 
(Miss Apiradee Chuen-arom)
(จ-003-ค-4377)
11/11/2022



Approved By : 
(Mr. Kawee Suthasub)
(จ-003-ค-2205)
11/11/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

Test Report

Request No : W6511026

Report No : 6511-0918

Customer : Pinthong Industrial Park Public Company Limited**

Address : 789 Moo 1 Nong Koh - Laem Chabang Rd., Nongkham, Sriracha, Chonburi 20230**

Sampling Source : ระบบบำบัดน้ำเสียนิคมปิ่นทอง โครงการ 1**

Sample No : W 65110130

Sample Name : EQ Tank**

Sampling Date : 01/11/2022**

Sampling By : ETC**

Sampling Time : 9:00 AM**

Sampling Method : Grab**

Received Date : 02/11/2022

Tested Date : 02/11/2022 - 10/11/2022

Reported Date : 11/11/2022

Parameter	Unit	Method	Result
Color(Original) *	ADMI	ADMI Weighted Ordinate Spectrophotometric Method (SM:2120F)	35
Color(pH 7.0) *	ADMI	ADMI Weighted Ordinate Spectrophotometric Method (SM:2120F)	36
Copper @	mg/l	Digestion, Direct Air-Acetylene Flame Method (SM:3030F, 3111B)	< 0.10
Cyanide *	mg/l as HCN	Distillation, Colorimetric Method (SM:4500 CN- C, E)	< 0.020
Hexavalent Chromium *	mg/l as Cr ⁶⁺	Filtration, Colorimetric Method (SM:3500 -Cr B)	< 0.050

Physical Appearance : 1. Sample : yellow, lightly SS

2. Container : Normal [PE 0.5 L [4 Bottle], PE 1.0 L, PE 1.8 L, G 1.0 L]

Remark : 1. @ = ISO/IEC 17025:2017 Accredited by TISI., # = ISO/IEC 17025:2017 Accredited by DSS,

SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017.

2. Miss Apiradee Chuen-arom is Section Head / Mr. Kawee Suthasub is Technical Management.

3. * = Test Report/Sampling marked Not Accredited, Sampling By Miss Janthanee Saiphan (จ-003-ค-7281) *

4. ** = These data are non laboratory data.

Examined By :

(Miss Apiradee Chuen-arom)

(จ-003-ค-4377)

11/11/2022



บริษัท อีสเทิร์นไทยคอนซัลติง 1992 จำกัด

Approved By :

(Mr. Kawee Suthasub)

(จ-003-ค-2205)

11/11/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

Test Report

Request No : W6511026

Report No : 6511-0918

Customer : Pinthong Industrial Park Public Company Limited**

Address : 789 Moo 1 Nong Koh - Laem Chabang Rd., Nongkham, Sriracha, Chonburi 20230**

Sampling Source : ระบบบำบัดน้ำเสียนิคมปิ่นทอง โครงการ 1** Sample No : W 65110130

Sample Name : EQ Tank** Sampling Date : 01/11/2022**

Sampling By : ETC** Sampling Time : 9:00 AM**

Sampling Method : Grab** Received Date : 02/11/2022

Tested Date : 02/11/2022 - 10/11/2022 Reported Date : 11/11/2022

Parameter	Unit	Method	Result
Lead @	mg/l	Digestion, Direct Air-Acetylene Flame Method (SM:3030F, 3111B)	0.11
Manganese @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	0.32
Mercury *	mg/l	Cold-Vapor Atomic Absorption Spectrometric Method (SM:3112B)	< 0.0010
Nickel @	mg/l	Digestion, Direct Air-Acetylene Flame Method (SM:3030F, 3111B)	< 0.10
Oil and Grease @	mg/l	Partition-Gravimetric Method (SM:5520B)	6.0
pH (on site) *		Electrometric Method	7.6

Physical Appearance : 1. Sample : yellow, lightly SS

2. Container : Normal [PE 0.5 L [4 Bottle], PE 1.0 L, PE 1.8 L, G 1.0 L]

Remark : 1. @ = ISO/IEC 17025:2017 Accredited by TISI, # = ISO/IEC 17025:2017 Accredited by DSS,

SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017.

2. Miss Apiradee Chuen-arom is Section Head / Mr. Kawee Suthasub is Technical Management.

3. * = Test Report/Sampling marked Not Accredited, Sampling By Miss Janthanee Saiphan (จ-003-ก-7281) *

4. ** = These data are non laboratory data.

Examined By :

(Miss Apiradee Chuen-arom)
(จ-003-ก-4377)
11/11/2022



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By :

(Mr. Kawee Suthasub)
(จ-003-ก-2205)
11/11/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

Test Report

Request No : W6511026

Report No : 6511-0918

Customer : Pinthong Industrial Park Public Company Limited**

Address : 789 Moo 1 Nong Koh - Laem Chabang Rd., Nongkham, Sriracha, Chonburi 20230**

Sampling Source : ระบบบำบัดน้ำเสียชุมชนปิ่นทอง โครงการ 1**

Sample No : W 65110130

Sample Name : EQ Tank**

Sampling Date : 01/11/2022**

Sampling By : ETC**

Sampling Time : 9:00 AM**

Sampling Method : Grab**

Received Date : 02/11/2022

Tested Date : 02/11/2022 - 10/11/2022

Reported Date : 11/11/2022

Parameter	Unit	Method	Result
Selenium *	mg/l	Digestion, Hydride Generation/AAS Method (SM:3030F, 3114B&C)	< 0.0050
Temperature *	°C	Laboratory and Field Method	30
Total Dissolved Solids #	mg/l	Dried at 180 C (SM:2540C)	1,446
Total Kjeldahl Nitrogen *	mg/l as NH ₃ -N	Macro Kjeldahl Method (SM:4500 -Norg B)	31
Total Suspended Solids #	mg/l	Dried at 103-105 C (SM:2540D)	60
Zinc @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	1.29

Physical Appearance : 1. Sample : yellow, lightly SS

2. Container : Normal [PE 0.5 L [4 Bottle], PE 1.0 L, PE 1.8 L, G 1.0 L]

Remark : 1. @ = ISO/IEC 17025:2017 Accredited by TISI., # = ISO/IEC 17025:2017 Accredited by DSS,

SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017.

2. Miss Apiradee Chuen-arom is Section Head / Mr. Kawee Suthasub is Technical Management.

3. * = Test Report/Sampling marked Not Accredited, Sampling By Miss Janthanee Saiphan (จ-003-ค-7281) *


4. ** = These data are non laboratory data.

Examined By :

(Miss Apiradee Chuen-arom)

(จ-003-ค-4377)

11/11/2022



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By :

(Mr. Kawee Suthasub)

(จ-003-ค-2205)

11/11/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

Test Report

Request No : W6511026

Report No : 6511-0918

Customer : Pinthong Industrial Park Public Company Limited**

Address : 789 Moo 1 Nong Koh - Laem Chabang Rd., Nongkham, Sriracha, Chonburi 20230**

Sampling Source : ระบบบำบัดน้ำเสียนิคมปิ่นทอง โครงการ 1** Sample No : W 65110130

Sample Name : EQ Tank** Sampling Date : 01/11/2022**

Sampling By : ETC** Sampling Time : 9:00 AM**

Sampling Method : Grab** Received Date : 02/11/2022

Tested Date : 02/11/2022 - 10/11/2022 Reported Date : 11/11/2022

Parameter	Unit	Method	Result
Flow Rate *	m ³ /day	Calculation Method	2,561
Iron @	mg/l	Digestion, Direct Air-Acetylene Flame Method (SM:3030F, 3111B)	1.25
Phosphorus *	mg/l as P	Ascorbic Acid Method (SM:4500 -P B)	9.29
Silver @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	< 0.05

Physical Apperance : 1. Sample : yellow, lightly SS

2. Container : Normal [PE 0.5 L [4 Bottle], PE 1.0 L, PE 1.8 L, G 1.0 L]


Remark : 1. Parameter Outside The Scope of The Registration of Department of Industrial Works

2. @ = ISO/IEC 17025:2017 Accredited by TISI, SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017.

3. Mr. Kawee Suthasub is Technical Management.

4. * = Test Report/Sampling marked Not Accredited, Sampling By Miss Janthanee Saiphan (T-003-ก-7281) *

5. ** = These data are non laboratory data.



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Examined By :

(Mr. Kawee Suthasub)

11/11/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

Test Report

Request No : W6512016

Report No : 6512-0980

Customer : Pinthong Industrial Park Public Company Limited**

Address : 789 Moo 1 Nong Koh - Laem Chabang Rd., Nongkham, Sriracha, Chonburi 20230**

Sampling Source : ระบบบำบัดน้ำเสียนิคมปิ่นทอง โครงการ 1**

Sample No : W 65120134

Sample Name : EQ Tank**

Sampling Date : 01/12/2022**

Sampling By : ETC**

Sampling Time : 9:00 AM**

Sampling Method : Grab**

Received Date : 02/12/2022

Tested Date : 02/12/2022 - 13/12/2022

Reported Date : 15/12/2022

Parameter	Unit	Method	Result
Arsenic *	mg/l	Digestion, Inductively Coupled Plasma Method	< 0.10
Barium @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	0.06
Biochemical Oxygen Demand #	mg/l	5-Day BOD Test, Membrane Electrode Method (SM:5210B)	122
Cadmium @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	< 0.03
Chemical Oxygen Demand #	mg/l	Closed Reflux, Titrimetric Method (SM:5220C)	258
Color (Original) *	ADMI	ADMI Weighted Ordinate Spectrophotometric Method (SM:2120F)	60

Physical Appearance : 1. Sample : gray, lightly SS

2. Container : Normal [PE 0.5 L (4 Bottle), PE 1.0 L, PE 1.8 L, G 1.0 L]

Remark : 1. @ = ISO/IEC 17025:2017 Accredited by TISI., # = ISO/IEC 17025:2017 Accredited by DSS,

SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017.

2. Miss Apiradee Chuen-arom is Section Head / Mr. Kawee Suthasub is Technical Management.

3. * = Test Report/Sampling marked Not Accredited, Sampling By Miss Janthanee Saiphan (จ-003-ก-7281) *

4. ** = These data are non laboratory data.

Examined By :

(Miss Apiradee Chuen-arom)

(จ-003-ก-4377)

15/12/2022



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By :

(Mr. Kawee Suthasub)

(จ-003-ก-2205)

15/12/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

Test Report

Request No : W6512016

Report No : 6512-0980

Customer : Pinthong Industrial Park Public Company Limited**

Address : 789 Moo 1 Nong Koh - Laem Chabang Rd., Nongkham, Sriracha, Chonburi 20230**

Sampling Source : ระบบบำบัดน้ำเสียนิคมปิ่นทอง โครงการ 1** Sample No : W 65120134

Sample Name : EQ Tank** Sampling Date : 01/12/2022**

Sampling By : ETC** Sampling Time : 9:00 AM**

Sampling Method : Grab** Received Date : 02/12/2022

Tested Date : 02/12/2022 - 13/12/2022 Reported Date : 15/12/2022

Parameter	Unit	Method	Result
Color(pH 7.0) *	ADMI	ADMI Weighted Ordinate Spectrophotometric Method (SM:2120F)	42
Copper @	mg/l	Digestion,Inductively Coupled Plasma Method (SM:3030F, 3120B)	0.03
Cyanide *	mg/l as HCN	Distillation,Colorimetric Method (SM:4500 CN- C, E)	< 0.020
Hexavalent Chromium *	mg/l as Cr ⁶⁺	Filtration, Colorimetric Method (SM:3500 -Cr B)	< 0.050
Lead @	mg/l	Digestion,Inductively Coupled Plasma (SM:3030F, 3120B)	< 0.03
Manganese @	mg/l	Digestion,Inductively Coupled Plasma Method (SM:3030F, 3120B)	0.22

Physical Apperance : 1. Sample : gray, lightly SS

2. Container : Normal [PE 0.5 L(4 Bottle) ,PE 1.0 L PE 1.8 L, G 1.0 L]

Remark : 1. @ = ISO/IEC 17025:2017 Accredited by TISI., # = ISO/IEC 17025:2017 Accredited by DSS,

SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017.

2. Miss Apiradee Chuen-arom is Section Head / Mr. Kawee Suthasub is Technical Management.

3. * = Test Report/Sampling marked Not Accredited, Sampling By Miss Janthanee Saiphan (จ-003-ก-7281) *

4. ** = These data are non laboratory data.

Examined By :

(Miss Apiradee Chuen-arom)

(จ-003-ก-4377)

15/12/2022



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By :

(Mr. Kawee Suthasub)

(จ-003-ก-2205)

15/12/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

Test Report

Request No : W6512016

Report No : 6512-0980

Customer : Pinthong Industrial Park Public Company Limited**
Address : 789 Moo 1 Nong Koh - Laem Chabang Rd., Nongkham, Sriracha, Chonburi 20230**
Sampling Source : ระบบบำบัดน้ำเสียชนิดบ่อกวน ใต้น้ำ โครงการ 1**
Sample Name : EQ Tank**
Sampling By : ETC**
Sampling Method : Grab**
Tested Date : 02/12/2022 - 13/12/2022

Sample No : W 65120134
Sampling Date : 01/12/2022**
Sampling Time : 9:00 AM**
Received Date : 02/12/2022
Reported Date : 15/12/2022

Parameter	Unit	Method	Result
Mercury *	mg/l	Cold -Vapor Atomic Absorption Spectrometric Method (SM:3112B)	< 0.0010
Nickel @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	0.04
Oil and Grease @	mg/l	Partition-Gravimetric Method (SM:5520B)	8.8
pH (on site) *		Electrometric Method	7.5
Selenium *	mg/l	Digestion, Hydride Generation/AAS Method (SM:3030F, 3114B&C)	< 0.0020
Temperature *	°C	Laboratory and Field Method	30
Total Dissolved Solids #	mg/l	Dried at 180 C (SM:2540C)	992

Physical Appearance : 1. Sample: gray, lighty SS

2. Container: Normal [PE 0.5 L(4 Bottle), PE 1.0 L, PE 1.8 L, G 1.0 L]


Remark : 1. @ = ISO/IEC 17025:2017 Accredited by TISI., # = ISO/IEC 17025:2017 Accredited by DSS,

SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017.


2. Miss Apiradee Chuen-arom is Section Head / Mr. Kawee Suthasub is Technical Management.

3. * = Test Report/Sampling marked Not Accredited, Sampling By Miss Janthanee Saiphan (จ-003-ค-7281) *

4. ** = These data are non laboratory data.

Examined By : 
(Miss Apiradee Chuen-arom)
(จ-003-ค-4377)
15/12/2022



Approved By : 
(Mr. Kawee Suthasub)
(จ-003-ค-2205)
15/12/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

Test Report

Request No : W6512016

Report No : 6512-0980

Customer : Pinthong Industrial Park Public Company Limited**

Address : 789 Moo 1 Nong Koh - Laem Chabang Rd., Nongkham, Sriracha, Chonburi 20230**

Sampling Source : ระบบบำบัดน้ำเสียนิคมปิ่นทอง โครงการ 1**

Sample No : W 65120134

Sample Name : EQ Tank**

Sampling Date : 01/12/2022**

Sampling By : ETC**

Sampling Time : 9:00 AM**

Sampling Method : Grab**

Received Date : 02/12/2022

Tested Date : 02/12/2022 - 13/12/2022

Reported Date : 15/12/2022

Parameter	Unit	Method	Result
Total Kjeldahl Nitrogen *	mg/l as NH ₃ -N	Macro Kjeldahl Method (SM:4500 -Norg B)	27
Total Suspended Solids #	mg/l	Dried at 103-105 C (SM:2540D)	62
Zinc @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	1.55

Physical Apperance : 1. Sample : gray, lightly SS

2. Container : Normal [PE 0.5 L(4 Bottle) ,PE 1.0 L PE 1.8 L, G 1.0 L]

Remark : 1. @ = ISO/IEC 17025:2017 Accredited by TISI., # = ISO/IEC 17025:2017 Accredited by DSS,

SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017.

2. Miss Apiradee Chuen-arom is Section Head / Mr. Kawee Suthasub is Technical Management.

3. * = Test Report/Sampling marked Not Accredited, Sampling By Miss Janthanee Saiphan (จ-003-ก-7281) *

4. ** = These data are non laboratory data.

Examined By :

(Miss Apiradee Chuen-arom)

(จ-003-ก-4377)

15/12/2022



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By :

(Mr. Kawee Suthasub)

(จ-003-ก-2205)

15/12/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

Test Report

Request No : W6512016

Report No : 6512-0980

Customer : Pinthong Industrial Park Public Company Limited**

Address : 789 Moo 1 Nong Koh - Laem Chabang Rd., Nongkham, Sriracha, Chonburi 20230**

Sampling Source : ระบบบำบัดน้ำเสียนิคมปิ่นทอง โครงการ 1** Sample No : W 65120134

Sample Name : EQ Tank** Sampling Date : 01/12/2022**

Sampling By : ETC** Sampling Time : 9:00 AM**

Sampling Method : Grab** Received Date : 02/12/2022

Tested Date : 02/12/2022 - 13/12/2022 Reported Date : 15/12/2022

Parameter	Unit	Method	Result
Flow Rate *	m ³ /day	Calculation Method	2,561
Iron @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	0.98
Phosphorus *	mg/l as P	Ascorbic Acid Method (SM:4500 -P B)	10.4
Silver @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	< 0.05

Physical Apperance : 1. Sample : gray, lightly SS

2. Container : Normal [PE 0.5 L(4 Bottle) ,PE 1.0 L PE 1.8 L, G 1.0 L]


Remark : 1. Parameter Outside The Scope of The Registration of Department of Industrial Works

2. @ = ISO/IEC 17025:2017 Accredited by TISI., SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017.

3. Mr. Kawee Suthasub is Technical Management.

4. * = Test Report/Sampling marked Not Accredited, Sampling By Miss Janthanae Saiphan (J-003-ท-7281) *

5. ** = These data are non laboratory data.



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Examined By :

(Mr. Kawee Suthasub)

15/12/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Test Report

Request No : W6507083

Report No : 6507-1933

Customer : Pinthong Industrial Park Public Company Limited**

Address : 789 Moo 1 Nong Koh - Laem Chabang Rd., Nongkham, Sriracha, Chonburi 20230**

Sampling Source : ระบบบำบัดน้ำเสียนิคมปิ่นทอง โครงการ 1**

Sample No : W 65070317

Sample Name : Holding Pond (Effluent)**

Sampling Date : 04/07/2022**

Sampling By : ETC**

Sampling Time : 9:40 AM**

Sampling Method : Grab**

Received Date : 05/07/2022

Tested Date : 05/07/2022 - 22/07/2022

Reported Date : 27/07/2022

Parameter	Unit	Method	Result	Standard ¹
Arsenic *	mg/l	Continuous Hydride Generation/AAS Method (SM:3114B)	< 0.0020	≤ 0.25
Barium @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	< 0.03	≤ 1
Biochemical Oxygen Demand #	mg/l	5-Day BOD Test, Membrane Electrode Method (SM:5210B)	12.8	≤ 20
Cadmium @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	< 0.03	≤ 0.03
Chemical Oxygen Demand #	mg/l	Closed Reflux, Titrimetric Method (SM:5220C)	86	≤ 120

Physical Appearance : 1. Sample : green, lightly SS

2. Container : Normal [PE 0.5 L [4 Bottle], PE 1.0 L, PE 1.8 L, G 1.0 L]

Remark : 1. /1 Notification of the Ministry of Natural Resources and Environmental , B.E. 2559 (2016)


2. @ = ISO/IEC 17025:2017 Accredited by TISI., # = ISO/IEC 17025:2017 Accredited by DSS,

SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017.


3. Miss Apiradee Chuen-arom is Section Head / Mr. Kawee Suthasub is Technical Management.

4. * = Test Report/Sampling marked Not Accredited, Sampling By Miss Janthanee Saiphan (จ-003-ท-7281) *

5. ** = These data are non laboratory data.

Examined By : 
(Miss Apiradee Chuen-arom)
(จ-003-ท-4377)
27/07/2022



Approved By : 
(Mr. Kawee Suthasub)
(จ-003-ท-2205)
27/07/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

Test Report

Request No : W6507083

Report No : 6507-1933

Customer : Pinthong Industrial Park Public Company Limited**

Address : 789 Moo 1 Nong Koh - Laem Chabang Rd., Nongkham, Sriracha, Chonburi 20230**

Sampling Source : ระบบบำบัดน้ำเสียนิคมปิ่นทอง โครงการ 1**

Sample No : W 65070317

Sample Name : Holding Pond (Effluent)**

Sampling Date : 04/07/2022**

Sampling By : ETC**

Sampling Time : 9:40 AM**

Sampling Method : Grab**

Received Date : 05/07/2022

Tested Date : 05/07/2022 - 22/07/2022

Reported Date : 27/07/2022

Parameter	Unit	Method	Result	Standard ¹
Color (Original) *	ADMI	ADMI Weighted Ordinate Spectrophotometric Method (SM:2120F)	35	≤300
Color (pH 7.0) *	ADMI	ADMI Weighted Ordinate Spectrophotometric Method (SM:2120F)	34	≤300
Copper @	mg / l	Digestion, Direct Air-Acetylene Flame Method (SM:3030F, 3111B)	< 0.10	≤2
Cyanide *	mg / l as HCN	Distillation, Colorimetric Method (SM:4500 CN- C, E)	< 0.020	≤0.2
Hexavalent Chromium *	mg / l as Cr ⁶⁺	Filtration, Colorimetric Method (SM:3500 -Cr B)	< 0.050	≤0.25

Physical Appearance : 1. Sample : green, lightly SS

2. Container : Normal [PE 0.5 L [4 Bottle], PE 1.0 L, PE 1.8 L, G 1.0 L]

Remark : 1. /1 Notification of the Ministry of Natural Resources and Environmental , B.E. 2559 (2016)

2. @ = ISO/IEC 17025:2017 Accredited by TISI., # = ISO/IEC 17025:2017 Accredited by DSS,

SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017.

3. Miss Apiradee Chuen-arom is Section Head / Mr. Kawee Suthasub is Technical Management.

4. * = Test Report/Sampling marked Not Accredited, Sampling By Miss Janthanee Saiphan (จ-003-ก-7281) *


5. ** = These data are non laboratory data.

Examined By :

(Miss Apiradee Chuen-arom)

(จ-003-ก-4377)

27/07/2022



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By :

(Mr. Kawee Suthasub)

(จ-003-ก-2205)

27/07/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

Test Report

Request No : W6507083

Report No : 6507-1933

Customer : Pinthong Industrial Park Public Company Limited**

Address : 789 Moo 1 Nong Koh - Laem Chabang Rd., Nongkham, Sriracha, Chonburi 20230**

Sampling Source : ระบบบำบัดน้ำเสียนิคมปิ่นทอง โครงการ 1** Sample No : W 65070317

Sample Name : Holding Pond (Effluent)** Sampling Date : 04/07/2022**

Sampling By : ETC** Sampling Time : 9:40 AM**

Sampling Method : Grab** Received Date : 05/07/2022

Tested Date : 05/07/2022 - 22/07/2022 Reported Date : 27/07/2022

Parameter	Unit	Method	Result	Standard ^{1/}
Lead @	mg/l	Digestion, Direct Air-Acetylene Flame Method (SM:3030F, 3111B)	< 0.10	≤ 0.2
Manganese @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	0.12	≤ 5
Mercury #	mg/l	Cold-Vapor Atomic Absorption Spectrometric Method (SM:3112B)	< 0.0010	≤ 0.005
Nickel @	mg/l	Digestion, Direct Air-Acetylene Flame Method (SM:3030F, 3111B)	< 0.10	≤ 1
Oil and Grease @	mg/l	Partition-Gravimetric Method (SM:5520B)	< 3.0	≤ 5
pH (on site) *		Electrometric Method	7.7	5.5-9.0

Physical Appearance : 1. Sample : green, lightly SS

2. Container : Normal [PE 0.5 L [4 Bottle], PE 1.0 L, PE 1.8 L, G 1.0 L]

Remark : 1. /I Notification of the Ministry of Natural Resources and Environmental , B.E. 2559 (2016)

2. @ = ISO/IEC 17025:2017 Accredited by TISI., # = ISO/IEC 17025:2017 Accredited by DSS,

SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017.

3. Miss Apiradee Chuen-arom is Section Head / Mr. Kawee Suthasub is Technical Management.

4. * = Test Report/Sampling marked Not Accredited, Sampling By Miss Janthanee Saiphan (จ-003-ก-7281) *


5. ** = These data are non laboratory data.

Examined By :

(Miss Apiradee Chuen-arom)

(จ-003-ก-4377)

27/07/2022



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By :

(Mr. Kawee Suthasub)

(จ-003-ก-2205)

27/07/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

Test Report

Request No : W6507083

Report No : 6507-1933

Customer : Pinthong Industrial Park Public Company Limited**

Address : 789 Moo 1 Nong Koh - Laem Chabang Rd., Nongkham, Sriracha, Chonburi 20230**

Sampling Source : ระบบบำบัดน้ำเสียนิคมปิ่นทอง โครงการ 1**

Sample No : W 65070317

Sample Name : Holding Pond (Effluent)**

Sampling Date : 04/07/2022**

Sampling By : ETC**

Sampling Time : 9:40 AM**

Sampling Method : Grab**

Received Date : 05/07/2022

Tested Date : 05/07/2022 - 22/07/2022

Reported Date : 27/07/2022

Parameter	Unit	Method	Result	Standard ¹
Selenium *	mg/l	Digestion, Hydride Generation/AAS Method (SM:3030F, 3114B&C)	< 0.0050	≤ 0.02
Temperature *	°C	Laboratory and Field Method	31	≤ 40
Total Dissolved Solids #	mg/l	Dried at 180 C (SM:2540C)	860	≤ 3000
Total Kjeldahl Nitrogen *	mg/l as NH ₃ -N	Macro Kjeldahl Method (SM:4500 -Norg B)	34	≤ 100
Total Suspended Solids #	mg/l	Dried at 103-105 C (SM:2540D)	9	≤ 50
Zinc @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	0.07	≤ 5

Physical Appearance : 1. Sample : green, lightly SS

2. Container : Normal [PE 0.5 L [4 Bottle], PE 1.0 L, PE 1.8 L, G 1.0 L]

Remark : 1. /I Notification of the Ministry of Natural Resources and Environmental , B.E. 2559 (2016)

2. @ = ISO/IEC 17025:2017 Accredited by TISI, # = ISO/IEC 17025:2017 Accredited by DSS,

SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017.

3. Miss Apiradee Chuen-arom is Section Head / Mr. Kawee Suthasub is Technical Management.

4. * = Test Report/Sampling marked Not Accredited, Sampling By Miss Janthanee Saiphan (จ-003-ก-7281) *


5. ** = These data are non laboratory data.

Examined By :

(Miss Apiradee Chuen-arom)

(จ-003-ค-4377)

27/07/2022



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By :

(Mr. Kawee Suthasub)

(จ-003-ก-2205)

27/07/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

Test Report

Customer : Pinthong Industrial Park Public Company Limited**

Request No : W6507083

Address : 789 Moo 1 Nong Koh - Laem Chabang Rd., Nongkham, Sriracha, Chonburi 20230**

Report No : 6507- 1933

Sampling Source : ระบบบำบัดน้ำเสียนิคมปิ่นทอง โครงการ 1**

Sample No : W 65070317

Sample Name : Holding Pond (Effluent)**

Sampling Date : 04/07/2022**

Sampling By : ETC**

Sampling Time : 9:40 AM**

Sampling Method : Grab**

Received Date : 05/07/2022

Tested Date : 05/07/2022 - 22/07/2022

Reported Date : 27/07/2022

Parameter	Unit	Method	Result	Standard/l
Iron @	mg / l	Digestion, Direct Air-Acetylene Flame Method (SM:3030F, 3111B)	0.26	-
Phosphorus *	mg / l as P	Ascorbic Acid Method (SM:4500 -P B)	10.3	-
Silver @	mg / l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	< 0.05	-

Physical Apperance : 1. Sample : green, lightly SS

2. Container : Normal [PE 0.5 L [4 Bottle], PE 1.0 L, PE 1.8 L, G 1.0 L]

Remark : 1. /1 Notification of the Ministry of Natural Resources and Environmental , B.E. 2559 (2016)


2. Parameter Outside The Scope of The Registration of Department of Industrial Works

3. @ = ISO/IEC 17025:2017 Accredited by TISI., SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017.

4. Mr. Kawee Suthasub is Technical Management.

5. * = Test Report/Sampling marked Not Accredited, Sampling By Miss Janthanee Saiphan (จ-003-ค-7281) *

6. ** = These data are non laboratory data.



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Examined By :

(Mr. Kawee Suthasub)

27/07/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Test Report

Request No : W6508092

Report No : 6508-1472

Customer : Pinthong Industrial Park Public Company Limited**

Address : 789 Moo 1 Nong Koh - Laem Chabang Rd., Nongkham, Sriracha, Chonburi 20230**

Sampling Source : ระบบบำบัดน้ำเสียนิคมปิ่นทอง โครงการ 1**

Sample No : W 65080397

Sample Name : Holding Pond (Effluent)**

Sampling Date : 03/08/2022**

Sampling By : ETC**

Sampling Time : 9:40 AM**

Sampling Method : Grab**

Received Date : 04/08/2022

Tested Date : 04/08/2022 - 16/08/2022

Reported Date : 24/08/2022

Parameter	Unit	Method	Result	Standard ¹
Arsenic *	mg/l	Continuous Hydride Generation/AAS Method (SM:3114B)	<0.0020	≤0.25
Barium @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	< 0.03	≤1
Biochemical Oxygen Demand #	mg/l	5-Day BOD Test, Membrane Electrode Method (SM:5210B)	5.8	≤20
Cadmium @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	< 0.03	≤0.03
Chemical Oxygen Demand #	mg/l	Closed Reflux, Titrimetric Method (SM:5220C)	47	≤120

Physical Appearance : 1. Sample : yellow, lightly SS

2. Container : Normal [PE 0.5 L [4 Bottle], PE 1.0 L, PE 1.8 L, G 1.0 L]

Remark : 1. /1 Notification of the Ministry of Natural Resources and Environmental , B.E. 2559 (2016)

2. @ = ISO/IEC 17025:2017 Accredited by TISI., # = ISO/IEC 17025:2017 Accredited by DSS,

SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017.

3. Miss Nunnaphat Bakhuntod is Section Head / Mr. Kawee Suthasub is Technical Management.

4. * = Test Report/Sampling marked Not Accredited, Sampling By Miss Janthanee Saiphan (จ-003-ค-7281) *

5. ** = These data are non laboratory data.

Examined By :

(Miss Nunnaphat Bakhuntod)
(จ-003-ค-4367)
24/08/2022



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By :

(Mr. Kawee Suthasub)
(จ-003-ค-2205)
24/08/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

Test Report

Request No : W6508092

Report No : 6508-1472

Customer : Pinthong Industrial Park Public Company Limited**

Address : 789 Moo 1 Nong Koh - Laem Chabang Rd., Nongkham, Sriracha, Chonburi 20230**

Sampling Source : ระบบบำบัดน้ำเสียนิคมปิ่นทอง โครงการ 1** Sample No : W 65080397

Sample Name : Holding Pond (Effluent)** Sampling Date : 03/08/2022**

Sampling By : ETC** Sampling Time : 9:40 AM**

Sampling Method : Grab** Received Date : 04/08/2022

Tested Date : 04/08/2022 - 16/08/2022 Reported Date : 24/08/2022

Parameter	Unit	Method	Result	Standard/l
Color (Original) *	ADMI	ADMI Weighted Ordinate Spectrophotometric Method (SM:2120F)	26	≤300
Color (pH 7.0) *	ADMI	ADMI Weighted Ordinate Spectrophotometric Method (SM:2120F)	26	≤300
Copper @	mg/l	Digestion, Direct Air-Acetylene Flame Method (SM:3030F, 3111B)	< 0.10	≤2
Cyanide *	mg/l as HCN	Distillation, Colorimetric Method (SM:4500 CN- C, E)	< 0.020	≤0.2
Hexavalent Chromium *	mg/l as Cr ⁶⁺	Filtration, Colorimetric Method (SM:3500 -Cr B)	< 0.050	≤0.25

Physical Apperance : 1. Sample : yellow, lightly SS

2. Container : Normal [PE 0.5 L [4 Bottle], PE 1.0 L, PE 1.8 L, G 1.0 L]

Remark : 1. /I Notification of the Ministry of Natural Resources and Environmental , B.E. 2559 (2016)

2. @ = ISO/IEC 17025:2017 Accredited by TISI., # = ISO/IEC 17025:2017 Accredited by DSS,

SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017.

3. Miss Nunnaphat Bakhuntod is Section Head / Mr. Kawee Suthasub is Technical Management.

4. * = Test Report/Sampling marked Not Accredited, Sampling By Miss Janthanee Saiphan (จ-003-ก-7281) *


5. ** = These data are non laboratory data

Examined By : 

(Miss Nunnaphat Bakhuntod)

(จ-003-ก-4367)

24/08/2022



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By : 

(Mr. Kawee Suthasub)

(จ-003-ก-2205)

24/08/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

Test Report

Request No : W6508092

Report No : 6508-1472

Customer : Pinthong Industrial Park Public Company Limited**

Address : 789 Moo 1 Nong Koh - Laem Chabang Rd., Nongkham, Sriracha, Chonburi 20230**

Sampling Source : ระบบบำบัดน้ำเสียนิคมปิ่นทอง โครงการ 1**

Sample No : W 65080397

Sample Name : Holding Pond (Effluent)**

Sampling Date : 03/08/2022**

Sampling By : ETC**

Sampling Time : 9:40 AM**

Sampling Method : Grab**

Received Date : 04/08/2022

Tested Date : 04/08/2022 - 16/08/2022

Reported Date : 24/08/2022

Parameter	Unit	Method	Result	Standard ¹
Lead @	mg/l	Digestion, Direct Air-Acetylene Flame Method (SM:3030F, 3111B)	< 0.10	≤ 0.2
Manganese @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	0.13	≤ 5
Mercury #	mg/l	Cold-Vapor Atomic Absorption Spectrometric Method (SM:3112B)	< 0.0010	≤ 0.005
Nickel @	mg/l	Digestion, Direct Air-Acetylene Flame Method (SM:3030F, 3111B)	< 0.10	≤ 1
Oil and Grease @	mg/l	Partition-Gravimetric Method (SM:5520B)	< 3.0	≤ 5
pH (on site) *		Electrometric Method	7.8	5.5-9.0

Physical Appearance : 1. Sample : yellow, lightly SS

2. Container : Normal [PE 0.5 L [4 Bottle], PE 1.0 L, PE 1.8 L, G 1.0 L]

Remark : 1. /1 Notification of the Ministry of Natural Resources and Environmental, B.E. 2559 (2016)

2. @ = ISO/IEC 17025:2017 Accredited by TISI., # = ISO/IEC 17025:2017 Accredited by DSS,

SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017.

3. Miss Nunnaphat Bakhuntod is Section Head / Mr. Kawee Suthasub is Technical Management.

4. * = Test Report/Sampling marked Not Accredited, Sampling By Miss Janthanee Saiphan (จ-003-ก-7281) *

5. ** = These data are non laboratory data.

Examined By :

(Miss Nunnaphat Bakhuntod)

(จ-003-ก-4367)

24/08/2022



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By :

(Mr. Kawee Suthasub)

(จ-003-ก-2205)

24/08/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

Test Report

Request No : W6508092

Report No : 6508-1472

Customer : Pinthong Industrial Park Public Company Limited**

Address : 789 Moo 1 Nong Koh - Laem Chabang Rd., Nongkham, Sriracha, Chonburi 20230**

Sampling Source : ระบบบำบัดน้ำเสียนิคมปิ่นทอง โครงการ 1** Sample No : W 65080397

Sample Name : Holding Pond (Effluent)** Sampling Date : 03/08/2022**

Sampling By : ETC** Sampling Time : 9:40 AM**

Sampling Method : Grab** Received Date : 04/08/2022

Tested Date : 04/08/2022 - 16/08/2022 Reported Date : 24/08/2022

Parameter	Unit	Method	Result	Standard/l
Selenium *	mg/l	Digestion, Hydride Generation/AAS Method (SM:3030F, 3114B&C)	< 0.0050	≤0.02
Temperature *	°C	Laboratory and Field Method	32	≤40
Total Dissolved Solids #	mg/l	Dried at 180 C (SM:2540C)	564	≤3000
Total Kjeldahl Nitrogen *	mg/l as NH ₃ -N	Macro Kjeldahl Method (SM:4500 -Norg B)	10	≤100
Total Suspended Solids #	mg/l	Dried at 103-105 C (SM:2540D)	11	≤50
Zinc @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	0.05	≤5

Physical Apperance : 1. Sample : yellow, lightly SS

2. Container : Normal [PE 0.5 L [4 Bottle], PE 1.0 L, PE 1.8 L, G 1.0 L]

Remark : 1. /I Notification of the Ministry of Natural Resources and Environmental , B.E. 2559 (2016)

2. @ = ISO/IEC 17025:2017 Accredited by TISI, # = ISO/IEC 17025:2017 Accredited by DSS,

SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017.

3. Miss Nunnaphat Bakhuntod is Section Head / Mr. Kawee Suthasub is Technical Management.

4. * = Test Report/Sampling marked Not Accredited, Sampling By Miss Janthanee Saiphan (จ-003-ก-7281) *


5. ** = These data are non laboratory data.

Examined By : 

(Miss Nunnaphat Bakhuntod)

(จ-003-ก-4367)

24/08/2022



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By : 

(Mr. Kawee Suthasub)

(จ-003-ก-2205)

24/08/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Test Report

Request No : W6508092

Report No : 6508-1472

Customer : Pinthong Industrial Park Public Company Limited**

Address : 789 Moo 1 Nong Koh - Laem Chabang Rd., Nongkham, Sriracha, Chonburi 20230**

Sampling Source : ระบบบำบัดน้ำเสียนิคมปิ่นทอง โครงการ 1** Sample No : W 65080397

Sample Name : Holding Pond (Effluent)** Sampling Date : 03/08/2022**

Sampling By : ETC** Sampling Time : 9:40 AM**

Sampling Method : Grab** Received Date : 04/08/2022

Tested Date : 04/08/2022 - 16/08/2022 Reported Date : 24/08/2022

Parameter	Unit	Method	Result	Standard ¹
Iron @	mg/l	Digestion, Direct Air-Acetylene Flame Method (SM:3030F, 3111B)	0.22	-
Phosphorus *	mg/l as P	Ascorbic Acid Method (SM:4500 -P B)	5.64	-
Silver @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	< 0.05	-

Physical Appearance : 1. Sample : yellow, lightly SS

2. Container : Normal [PE 0.5 L [4 Bottle], PE 1.0 L, PE 1.8 L, G 1.0 L]

Remark : 1. /1 Notification of the Ministry of Natural Resources and Environmental , B.E. 2559 (2016)


2. Parameter Outside The Scope of The Registration of Department of Industrial Works

3. @ = ISO/IEC 17025:2017 Accredited by TISI., SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017.

4. Mr. Kawee Suthasub is Technical Management.

5. * = Test Report/Sampling marked Not Accredited, Sampling By Miss Janthanee Saiphan (J-003-ก-7281) *

6. ** = These data are non laboratory data.



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Examined By :

(Mr. Kawee Suthasub)

24/08/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Test Report

Request No : W6509104

Report No : 6509-1115

Customer : Pinthong Industrial Park Public Company Limited**

Address : 789 Moo 1 Nong Koh - Laem Chabang Rd., Nongkham, Sriracha, Chonburi 20230**

Sampling Source : ระบบบำบัดน้ำเสียนิคมปิ่นทอง โครงการ 1** Sample No : W 65090509

Sample Name : Holding Pond (Effluent)** Sampling Date : 03/09/2022**

Sampling By : ETC** Sampling Time : 9:30 AM**


Sampling Method : Grab** Received Date : 05/09/2022


Tested Date : 05/09/2022 - 14/09/2022 Reported Date : 19/09/2022

Parameter	Unit	Method	Result	Standard ¹
Arsenic *	mg/l	Continuous Hydride Generation/AAS Method (SM:3114B)	0.0020	≤0.25
Barium @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	< 0.03	≤1
Biochemical Oxygen Demand #	mg/l	5-Day BOD Test, Membrane Electrode Method (SM:5210B)	7.7	≤20
Cadmium @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	< 0.03	≤0.03
Chemical Oxygen Demand #	mg/l	Closed Reflux, Titrimetric Method (SM:5220C)	42	≤120


Physical Appearance : 1. Sample : yellow, lightly SS
2. Container : Normal [PE 0.5 L [4 Bottle], PE 1.0 L, PE 1.8 L, G 1.0 L]

- Remark : 1. /I Notification of the Ministry of Natural Resources and Environmental , B.E. 2559 (2016)
2. @ = ISO/IEC 17025:2017 Accredited by TISI., # = ISO/IEC 17025:2017 Accredited by DSS,
SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017.
3. Miss Apiradee Chuen-arom is Section Head / Mr. Kawee Suthasub is Technical Management.
4. * = Test Report/Sampling marked Not Accredited, Sampling By Miss Janthanee Saiphan (๖-003-๓-7281) *
5. ** = These data are non laboratory data.

Examined By : 
(Miss Apiradee Chuen-arom)
(๖-003-๓-4377)
19/09/2022



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By : 
(Mr. Kawee Suthasub)
(๖-003-๓-2205)
19/09/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

Test Report

Request No : W6509104

Report No : 6509-1115

Customer : Pinthong Industrial Park Public Company Limited**

Address : 789 Moo 1 Nong Koh - Laem Chabang Rd., Nongkham, Sriracha, Chonburi 20230**

Sampling Source : ระบบบำบัดน้ำเสียในคณปิ่นทอง โครงการ I**

Sample No : W 65090509

Sample Name : Holding Pond (Effluent)**

Sampling Date : 03/09/2022**

Sampling By : ETC**

Sampling Time : 9:30 AM**

Sampling Method : Grab**

Received Date : 05/09/2022

Tested Date : 05/09/2022 - 14/09/2022

Reported Date : 19/09/2022

Parameter	Unit	Method	Result	Standard ¹
Color (Original) *	ADMI	ADMI Weighted Ordinate Spectrophotometric Method (SM:2120F)	20	≤300
Color (pH 7.0) *	ADMI	ADMI Weighted Ordinate Spectrophotometric Method (SM:2120F)	< 20	≤300
Copper ^u	mg/l	Digestion, Direct Air-Acetylene Flame Method (SM:3030F, 3111B)	< 0.10	≤2
Cyanide *	mg/l as HCN	Distillation, Colorimetric Method (SM:4500 CN- C, E)	< 0.020	≤0.2
Hexavalent Chromium *	mg/l as Cr ⁶⁺	Filtration, Colorimetric Method (SM:3500 -Cr B)	< 0.050	≤0.25

Physical Appearance : 1. Sample : yellow, lightly SS

2. Container : Normal [PE 0.5 L [4 Bottle], PE 1.0 L, PE 1.8 L, G 1.0 L]

Remark : 1. /1 Notification of the Ministry of Natural Resources and Environmental, B.E. 2559 (2016)

2. @ = ISO/IEC 17025:2017 Accredited by TISI., # = ISO/IEC 17025:2017 Accredited by DSS,

SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017.

3. Miss Apiradee Chuen-arom is Section Head / Mr. Kawee Suthasub is Technical Management.

4. * = Test Report/Sampling marked Not Accredited, Sampling By Miss Janthanee Saiphan (จ-003-ค-7281) *

5. ** = These data are non laboratory data.

Examined By :

(Miss Apiradee Chuen-arom)

(จ-003-ค-4377)

19/09/2022



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By :

(Mr. Kawee Suthasub)

(จ-003-ค-2205)

19/09/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

Test Report

Request No : W6509104

Report No : 6509-1115

Customer : Pinthong Industrial Park Public Company Limited**

Address : 789 Moo 1 Nong Koh - Laem Chabang Rd., Nongkham, Sriracha, Chonburi 20230**

Sampling Source : ระบบบำบัดน้ำเสียนิคมปิ่นทอง โครงการ 1** Sample No : W 65090509

Sample Name : Holding Pond (Effluent)** Sampling Date : 03/09/2022**

Sampling By : ETC** Sampling Time : 9:30 AM**

Sampling Method : Grab** Received Date : 05/09/2022

Tested Date : 05/09/2022 - 14/09/2022 Reported Date : 19/09/2022

Parameter	Unit	Method	Result	Standard ¹
Lead @	mg/l	Digestion, Direct Air-Acetylene Flame Method (SM:3030F, 3111B)	< 0.10	≤ 0.2
Manganese @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	0.13	≤ 5
Mercury *	mg/l	Cold-Vapor Atomic Absorption Spectrometric Method (SM:3112B)	< 0.0010	≤ 0.005
Nickel @	mg/l	Digestion, Direct Air-Acetylene Flame Method (SM:3030F, 3111B)	< 0.10	≤ 1
Oil and Grease @	mg/l	Partition-Gravimetric Method (SM:5520B)	< 3.0	≤ 5
pH (on site) *		Electrometric Method	7.5	5.5-9.0

Physical Appearance : 1. Sample : yellow, lightly SS

2. Container : Normal [PE 0.5 L [4 Bottle], PE 1.0 L, PE 1.8 L, G 1.0 L]

Remark : 1. /I Notification of the Ministry of Natural Resources and Environmental, B.E. 2559 (2016)


2. @ = ISO/IEC 17025:2017 Accredited by TISI., # = ISO/IEC 17025:2017 Accredited by DSS,

SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017.


3. Miss Apiradee Chuen-arom is Section Head / Mr. Kawee Suthasub is Technical Management.

4. * = Test Report/Sampling marked Not Accredited, Sampling By Miss Janthanee Saiphan (จ-003-ก-7281) *

5. ** = These data are non laboratory data.

Examined By : 
(Miss Apiradee Chuen-arom)
(จ-003-ค-4377)
19/09/2022



Approved By : 
(Mr. Kawee Suthasub)
(จ-003-ค-2205)
19/09/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

Test Report

Request No : W6509104

Report No : 6509-1115

Customer : Pinthong Industrial Park Public Company Limited**

Address : 789 Moo 1 Nong Koh - Laem Chabang Rd., Nongkham, Sriracha, Chonburi 20230**

Sampling Source : ระบบบำบัดน้ำเสียนิคมปิ่นทอง โครงการ 1**

Sample No : W 65090509

Sample Name : Holding Pond (Effluent)**

Sampling Date : 03/09/2022**

Sampling By : ETC**

Sampling Time : 9:30 AM**

Sampling Method : Grab**

Received Date : 05/09/2022

Tested Date : 05/09/2022 - 14/09/2022

Reported Date : 19/09/2022

Parameter	Unit	Method	Result	Standard ¹
Selenium *	mg/l	Digestion, Hydride Generation/AAS Method (SM:3030F, 3114B&C)	< 0.0050	≤ 0.02
Temperature *	°C	Laboratory and Field Method	30	≤ 40
Total Dissolved Solids #	mg/l	Dried at 180 C (SM:2540C)	672	≤ 3000
Total Kjeldahl Nitrogen *	mg/l as NH ₃ -N	Macro Kjeldahl Method (SM:4500 -Norg B)	11	≤ 100
Total Suspended Solids #	mg/l	Dried at 103-105 C (SM:2540D)	< 5	≤ 50
Zinc @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	0.06	≤ 5

Physical Appearance : 1. Sample : yellow, lightly SS

2. Container : Normal [PE 0.5 L [4 Bottle], PE 1.0 L, PE 1.8 L, G 1.0 L]

Remark : 1. /I Notification of the Ministry of Natural Resources and Environmental, B.E. 2559 (2016)

2. @ = ISO/IEC 17025:2017 Accredited by TISI, # = ISO/IEC 17025:2017 Accredited by DSS,

SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017.

3. Miss Apiradee Chuen-arom is Section Head / Mr. Kawee Suthasub is Technical Management.

4. * = Test Report/Sampling marked Not Accredited, Sampling By Miss Janthancee Saiphan (1-003-ก-7281) *


5. ** = These data are non laboratory data.

Examined By :

(Miss Apiradee Chuen-arom)

(1-003-ก-4377)

19/09/2022



บริษัท อีสเทิร์นไทยคอนซัลติง 1992 จำกัด

Approved By :

(Mr. Kawee Suthasub)

(1-003-ก-2205)

19/09/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Test Report

Request No : W 6509104

Report No : 6509- 1115

Customer : Pinthong Industrial Park Public Company Limited**

Address : 789 Moo 1 Nong Koh - Laem Chabang Rd., Nongkham, Sriracha, Chonburi 20230**

Sampling Source : ระบบบำบัดน้ำเสียชนิดบ่อกวน โครงการ 1** Sample No : W 65090509

Sample Name : Holding Pond (Effluent)** Sampling Date : 03/09/2022**

Sampling By : ETC** Sampling Time : 9:30 AM**

Sampling Method : Grab** Received Date : 05/09/2022

Tested Date : 05/09/2022 - 14/09/2022 Reported Date : 19/09/2022

Parameter	Unit	Method	Result	Standard/ ¹
Iron @	mg/l	Digestion, Direct Air-Acetylene Flame Method (SM:3030F, 3111B)	0.22	-
Phosphorus *	mg/l as P	Ascorbic Acid Method (SM:4500 -P B)	6.65	-
Silver @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	< 0.05	-

Physical Apperance : 1. Sample : yellow, lightly SS

2. Container : Normal [PE 0.5 L [4 Bottle], PE 1.0 L, PE 1.8 L, G 1.0 L]

Remark : 1. /1 Notification of the Ministry of Natural Resources and Environmental , B.E. 2559 (2016)


2. Parameter Outside The Scope of The Registration of Department of Industrial Works

3. @ = ISO/IEC 17025:2017 Accredited by TISI., SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017.

4. Mr. Kawee Suthasub is Technical Management.

5. * = Test Report/Sampling marked Not Accredited, Sampling By Miss Janthanee Saiphan (จ-003-ค-7281) *

6. ** = These data are non laboratory data.



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Examined By :

(Mr. Kawee Suthasub)

19/09/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Test Report

Request No : W6510131


Report No : 6510-1400


Customer : Pinthong Industrial Park Public Company Limited**
Address : 789 Moo 1 Nong Koh - Laem Chabang Rd., Nongkham, Sriracha, Chonburi 20230**
Sampling Source : ระบบบำบัดน้ำเสียนิคมปิ่นทอง โครงการ 1** Sample No : W 65100545
Sample Name : Holding Pond (Effluent)** Sampling Date : 05/10/2022**
Sampling By : ETC** Sampling Time : 9:30 AM**
Sampling Method : Grab** Received Date : 06/10/2022
Tested Date : 06/10/2022 - 17/10/2022 Reported Date : 25/10/2022

Parameter	Unit	Method	Result	Standard ¹
Arsenic *	mg/l	Continuous Hydride Generation/AAS Method (SM:3114B)	0.0027	≤0.25
Barium @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	< 0.03	≤1
Biochemical Oxygen Demand #	mg/l	5-Day BOD Test, Membrane Electrode Method (SM:5210B)	4.8	≤20
Cadmium @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	< 0.03	≤0.03
Chemical Oxygen Demand #	mg/l	Closed Reflux, Titrimetric Method (SM:5220C)	61	≤120


Physical Appearance : 1. Sample : yellow, lightly SS
2. Container : Normal [PE 0.5 L [4 Bottle], PE 1.0 L, PE 1.8 L, G 1.0 L]

Remark : 1. /1 Notification of the Ministry of Natural Resources and Environmental, B.E. 2559 (2016)
2. @ = ISO/IEC 17025:2017 Accredited by TISI., # = ISO/IEC 17025:2017 Accredited by DSS,
SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017.
3. Miss Apiradee Chuen-arom is Section Head / Mr. Kawee Suthasub is Technical Management.
4. * = Test Report/Sampling marked Not Accredited, Sampling By Miss Janthanee Saiphan (ว-003-ค-7281) *
5. ** = These data are non laboratory data.

Examined By : 
(Miss Apiradee Chuen-arom)
(ว-003-ค-4377)
25/10/2022



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By : 
(Mr. Kawee Suthasub)
(ว-003-ค-2205)
25/10/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

Test Report

Request No : W6510131

Report No : 6510-1400

Customer : Pinthong Industrial Park Public Company Limited**

Address : 789 Moo 1 Nong Koh - Laem Chabang Rd., Nongkham, Sriracha, Chonburi 20230**

Sampling Source : ระบบบำบัดน้ำเสียนิคมปิ่นทอง โครงการ 1**

Sample No : W 65100545

Sample Name : Holding Pond (Effluent)**

Sampling Date : 05/10/2022**

Sampling By : ETC**

Sampling Time : 9:30 AM**

Sampling Method : Grab**

Received Date : 06/10/2022

Tested Date : 06/10/2022 - 17/10/2022

Reported Date : 25/10/2022

Parameter	Unit	Method	Result	Standard ¹
Color (Original) *	ADMI	ADMI Weighted Ordinate Spectrophotometric Method (SM:2120F)	22	≤300
Color (pH 7.0) *	ADMI	ADMI Weighted Ordinate Spectrophotometric Method (SM:2120F)	< 20	≤300
Copper @	mg / l	Digestion, Direct Air-Acetylene Flame Method (SM:3030F, 3111B)	< 0.10	≤2
Cyanide *	mg / l as HCN	Distillation, Colorimetric Method (SM:4500 CN- C, E)	< 0.020	≤0.2
Hexavalent Chromium *	mg / l as Cr ⁶⁺	Filtration, Colorimetric Method (SM:3500 -Cr B)	< 0.050	≤0.25

Physical Appearance : 1. Sample : yellow, lightly SS

2. Container : Normal [PE 0.5 L [4 Bottle], PE 1.0 L, PE 1.8 L, G 1.0 L]

Remark : 1. /1 Notification of the Ministry of Natural Resources and Environmental , B.E. 2559 (2016)


2. @ = ISO/IEC 17025:2017 Accredited by TISI, # = ISO/IEC 17025:2017 Accredited by DSS,

SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017.


3. Miss Apiradee Chuen-arom is Section Head / Mr. Kawee Suthasub is Technical Management.

4. * = Test Report/Sampling marked Not Accredited, Sampling By Miss Janthanee Saiphan (จ-003-ก-7281) *

5. ** = These data are non laboratory data.

Examined By : 
(Miss Apiradee Chuen-arom)
(จ-003-ก-4377)
25/10/2022



Approved By : 
(Mr. Kawee Suthasub)
(จ-003-ก-2205)
25/10/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

Test Report

Request No : W6510131


Report No : 6510-1400

Customer : Pinthong Industrial Park Public Company Limited**
Address : 789 Moo 1 Nong Koh - Laem Chabang Rd., Nongkham, Sriracha, Chonburi 20230**
Sampling Source : ระบบบำบัดน้ำเสียนิคมปิ่นทอง โครงการ I** Sample No : W 65100545
Sample Name : Holding Pond (Effluent)** Sampling Date : 05/10/2022**
Sampling By : ETC** Sampling Time : 9:30 AM**
Sampling Method : Grab** Received Date : 06/10/2022
Tested Date : 06/10/2022 - 17/10/2022 Reported Date : 25/10/2022


Parameter	Unit	Method	Result	Standard ¹
Lead @	mg/l	Digestion, Direct Air-Acetylene Flame Method (SM:3030F, 3111B)	< 0.10	≤ 0.2
Manganese @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	0.14	≤ 5
Mercury *	mg/l	Cold -Vapor Atomic Absorption Spectrometric Method (SM:3112B)	< 0.0010	≤ 0.005
Nickel @	mg/l	Digestion, Direct Air-Acetylene Flame Method (SM:3030F, 3111B)	< 0.10	≤ 1
Oil and Grease @	mg/l	Partition-Gravimetric Method (SM:5520B)	< 3.0	≤ 5
pH (on site) *		Electrometric Method	7.0	5.5-9.0

Physical Appearance : 1. Sample : yellow, lightly SS
2. Container : Normal [PE 0.5 L [4 Bottle], PE 1.0 L, PE 1.8 L, G 1.0 L]

- Remark : 1. /I Notification of the Ministry of Natural Resources and Environmental, B.E. 2559 (2016)
2. @ = ISO/IEC 17025:2017 Accredited by TISI, # = ISO/IEC 17025:2017 Accredited by DSS,
SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017.
3. Miss Apiradee Chuen-arom is Section Head / Mr. Kawee Suthasub is Technical Management.
4. * = Test Report/Sampling marked Not Accredited, Sampling By Miss Janthance Saiphan (จ-003-ค-7281) *
5. ** = These data are non laboratory data.

Examined By : 
(Miss Apiradee Chuen-arom)
(จ-003-ค-4377)
25/10/2022



Approved By : 
(Mr. Kawee Suthasub)
(จ-003-ค-2205)
25/10/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

Test Report

Request No : W6510131

Report No : 6510-1400

Customer : Pinthong Industrial Park Public Company Limited**

Address : 789 Moo 1 Nong Koh - Laem Chabang Rd., Nongkham, Sriracha, Chonburi 20230**

Sampling Source : ระบบบำบัดน้ำเสียนิคมปิ่นทอง โครงการ 1**

Sample No : W 65100545

Sample Name : Holding Pond (Effluent)**

Sampling Date : 05/10/2022**

Sampling By : ETC**

Sampling Time : 9:30 AM**

Sampling Method : Grab**

Received Date : 06/10/2022

Tested Date : 06/10/2022 - 17/10/2022

Reported Date : 25/10/2022

Parameter	Unit	Method	Result	Standard ^{1/}
Selenium *	mg/l	Digestion, Hydride Generation/AAS Method (SM:3030F, 3114B&C)	< 0.0050	≤ 0.02
Temperature *	°C	Laboratory and Field Method	28	≤ 40
Total Dissolved Solids #	mg/l	Dried at 180 C (SM:2540C)	644	≤ 3000
Total Kjeldahl Nitrogen *	mg/l as NH ₃ -N	Macro Kjeldahl Method (SM:4500 -Norg B)	9	≤ 100
Total Suspended Solids #	mg/l	Dried at 103-105 C (SM:2540D)	< 5	≤ 50
Zinc @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	0.07	≤ 5

Physical Apperance : 1. Sample : yellow, lightly SS

2. Container : Normal [PE 0.5 L [4 Bottle], PE 1.0 L, PE 1.8 L, G 1.0 L]

Remark : 1. /I Notification of the Ministry of Natural Resources and Environmental , B.E. 2559 (2016)

2. @ = ISO/IEC 17025:2017 Accredited by TISI, # = ISO/IEC 17025:2017 Accredited by DSS,

SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017.

3. Miss Apiradee Chuen-arom is Section Head / Mr. Kawee Suthasub is Technical Management.

4. * = Test Report/Sampling marked Not Accredited, Sampling By Miss Janthanee Saiphan (จ-003-ก-7281) *


5. ** = These data are non laboratory data.

Examined By :

(Miss Apiradee Chuen-arom)

(จ-003-ก-4377)

25/10/2022



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By :

(Mr. Kawee Suthasub)

(จ-003-ก-2205)

25/10/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

Test Report

Request No : W6510131

Report No : 6510-1400

Customer : Pinthong Industrial Park Public Company Limited**

Address : 789 Moo 1 Nong Koh - Laem Chabang Rd., Nongkham, Sriracha, Chonburi 20230**

Sampling Source : ระบบบำบัดน้ำเสียนิคมปิ่นทอง โครงการ 1** Sample No : W 65100545

Sample Name : Holding Pond (Effluent)** Sampling Date : 05/10/2022**

Sampling By : ETC** Sampling Time : 9:30 AM**

Sampling Method : Grab** Received Date : 06/10/2022

Tested Date : 06/10/2022 - 17/10/2022 Reported Date : 25/10/2022

Parameter	Unit	Method	Result	Standard ¹
Iron @	mg/l	Digestion, Direct Air-Acetylene Flame Method (SM:3030F, 3111B)	0.26	-
Phosphorus *	mg/l as P	Ascorbic Acid Method (SM:4500 -P B)	3.98	-
Silver @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	< 0.05	-

Physical Apperance : 1. Sample : yellow, lightly SS

2. Container : Normal [PE 0.5 L [4 Bottle], PE 1.0 L, PE 1.8 L, G 1.0 L]

Remark : 1. /1 Notification of the Ministry of Natural Resources and Environmental , B.E. 2559 (2016)

2. Parameter Outside The Scope of The Registration of Department of Industrial Works

3. @ = ISO/IEC 17025:2017 Accredited by TISI., SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017.

4. Mr. Kawee Suthasub is Technical Management.

5. * = Test Report/Sampling marked Not Accredited, Sampling By Miss Janthanee Saiphan (จ-003-ท-7281) *

6. ** = These data are non laboratory data



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Examined By :

(Mr. Kawee Suthasub)
25/10/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Test Report

Request No : W6511106

Report No : 6511-1232

Customer : Pinthong Industrial Park Public Company Limited**

Address : 789 Moo 1 Nong Koh - Laem Chabang Rd., Nongkham, Sriracha, Chonburi 20230**

Sampling Source : ระบบบำบัดน้ำเสียนิคมปิ่นทอง โครงการ 1** Sample No : W 65110476

Sample Name : Holding Pond (Effluent)** Sampling Date : 03/11/2022**

Sampling By : ETC** Sampling Time : 9:20 AM**

Sampling Method : Grab** Received Date : 04/11/2022

Tested Date : 04/11/2022 - 15/11/2022 Reported Date : 18/11/2022

Parameter	Unit	Method	Result	Standard ¹
Arsenic *	mg/l	Continuous Hydride Generation/AAS Method (SM:3114B)	0.0026	≤0.25
Barium @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	< 0.03	≤1
Biochemical Oxygen Demand #	mg/l	5-Day BOD Test, Membrane Electrode Method (SM:5210B)	4.5	≤20
Cadmium @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	< 0.03	≤0.03
Chemical Oxygen Demand #	mg/l	Closed Reflux, Titrimetric * Method (SM:5220C)	< 40	≤120

Physical Appearance : 1. Sample : lightly SS

2. Container : Normal [PE 0.5 L [4 Bottle], PE 1.0 L, PE 1.8 L, G 1.0 L]

Remark : 1. /1 Notification of the Ministry of Natural Resources and Environmental , B.E. 2559 (2016)

2. @ = ISO/IEC 17025:2017 Accredited by TISI., # = ISO/IEC 17025:2017 Accredited by DSS,

SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017.

3. Miss Apiradee Chuen-arom is Section Head / Mr. Kawee Suthasub is Technical Management.

4. * = Test Report/Sampling marked Not Accredited, Sampling By Miss Janthanee Saiphan (จ-003-ก-7281) *


5. ** = These data are non laboratory data.

Examined By : 

(Miss Apiradee Chuen-arom)

(จ-003-ก-4377)

18/11/2022



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By : 

(Mr. Kawee Suthasub)

(จ-003-ก-2205)

18/11/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

Test Report

Request No : W6511106

Report No : 6511-1232

Customer : Pinthong Industrial Park Public Company Limited**
Address : 789 Moo 1 Nong Koh - Laem Chabang Rd., Nongkham, Sriracha, Chonburi 20230**
Sampling Source : ระบบบำบัดน้ำเสียนิคมปิ่นทอง โครงการ 1**
Sample Name : Holding Pond (Effluent)**
Sampling By : ETC**
Sampling Method : Grab**
Tested Date : 04/11/2022 - 15/11/2022
Sample No : W 65110476
Sampling Date : 03/11/2022**
Sampling Time : 9:20 AM**
Received Date : 04/11/2022
Reported Date : 18/11/2022

Parameter	Unit	Method	Result	Standard ¹
Color (Original) *	ADMI	ADMI Weighted Ordinate Spectrophotometric Method (SM:2120F)	31	≤300
Color (pH 7.0) *	ADMI	ADMI Weighted Ordinate Spectrophotometric Method (SM:2120F)	31	≤300
Copper ^②	mg / l	Digestion, Direct Air-Acetylene Flame Method (SM:3030F, 3111B)	< 0.10	≤2
Cyanide *	mg / l as HCN	Distillation, Colorimetric Method (SM:4500 CN- C, F)	< 0.020	≤0.2
Hexavalent Chromium *	mg / l as Cr ⁶⁺	Filtration, Colorimetric Method (SM:3500 -Cr B)	< 0.050	≤0.25

Physical Appearance : 1. Sample : lightly SS

2. Container : Normal [PE 0.5 L [4 Bottle], PE 1.0 L, PE 1.8 L, G 1.0 L]

Remark : 1. /1 Notification of the Ministry of Natural Resources and Environmental , B.E. 2559 (2016)

2. @ = ISO/IEC 17025:2017 Accredited by TISI, # = ISO/IEC 17025:2017 Accredited by DSS,

SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017.


3. Miss Apiradee Chuen-arom is Section Head / Mr. Kawee Suthasub is Technical Management.

4. * = Test Report/Sampling marked Not Accredited, Sampling By Miss Janthanee Saiphan (จ-003-ค-7281) *

5. ** = These data are non laboratory data.

Examined By :

(Miss Apiradee Chuen-arom)
(จ-003-ค-4377)
18/11/2022



บริษัท อีสเทิร์นไทยคอนซัลติง 1992 จำกัด

Approved By :

(Mr. Kawee Suthasub)
(จ-003-ค-2205)
18/11/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

Test Report

Request No : W6511106

Report No : 6511-1232

Customer : Pinthong Industrial Park Public Company Limited**

Address : 789 Moo 1 Nong Koh - Laem Chabang Rd., Nongkham, Sriracha, Chonburi 20230**

Sampling Source : ระบบบำบัดน้ำเสียนิคมปิ่นทอง โครงการ 1** Sample No : W 65110476

Sample Name : Holding Pond (Effluent)** Sampling Date : 03/11/2022**

Sampling By : ETC** Sampling Time : 9:20 AM**

Sampling Method : Grab** Received Date : 04/11/2022

Tested Date : 04/11/2022 - 15/11/2022 Reported Date : 18/11/2022

Parameter	Unit	Method	Result	Standard/ ¹
Lead @	mg/l	Digestion, Direct Air-Acetylene Flame Method (SM:3030F, 3111B)	< 0.10	≤ 0.2
Manganese @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	0.16	≤ 5
Mercury *	mg/l	Cold-Vapor Atomic Absorption Spectrometric Method (SM:3112B)	< 0.0010	≤ 0.005
Nickel @	mg/l	Digestion, Direct Air-Acetylene Flame Method (SM:3030F, 3111B)	< 0.10	≤ 1
Oil and Grease @	mg/l	Partition-Gravimetric Method (SM:5520B)	< 3.0	≤ 5
pH (on site) *		Electrometric Method	7.0	5.5-9.0

Physical Appearance : 1. Sample : lightly SS

2. Container : Normal [PE 0.5 L [4 Bottle], PE 1.0 L, PE 1.8 L, G 1.0 L]

Remark : 1. /I Notification of the Ministry of Natural Resources and Environmental , B.E. 2559 (2016)

2. @ = ISO/IEC 17025:2017 Accredited by TISI., # = ISO/IEC 17025:2017 Accredited by DSS,

SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017.

3. Miss Apiradee Chuen-arom is Section Head / Mr. Kawee Suthasub is Technical Management.

4. * = Test Report/Sampling marked Not Accredited, Sampling By Miss Janthancee Saiphan (จ-003-ค-7281) *


5. ** = These data are non laboratory data.

Examined By :

(Miss Apiradee Chuen-arom)

(จ-003-ค-4377)

18/11/2022



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By :

(Mr. Kawee Suthasub)

(จ-003-ค-2205)

18/11/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Test Report

Request No : W651106

Report No : 6511-1232

Customer : Pinthong Industrial Park Public Company Limited**

Address : 789 Moo 1 Nong Koh - Laem Chabang Rd., Nongkham, Sriracha, Chonburi 20230**

Sampling Source : ระบบบำบัดน้ำเสียนิคมปิ่นทอง โครงการ 1** Sample No : W 65110476

Sample Name : Holding Pond (Effluent)** Sampling Date : 03/11/2022**

Sampling By : ETC** Sampling Time : 9:20 AM**

Sampling Method : Grab** Received Date : 04/11/2022

Tested Date : 04/11/2022 - 15/11/2022 Reported Date : 18/11/2022

Parameter	Unit	Method	Result	Standard ¹
Selenium *	mg/l	Digestion, Hydride Generation/AAS Method (SM:3030F, 3114B&C)	< 0.0050	≤ 0.02
Temperature *	°C	Laboratory and Field Method	28	≤ 40
Total Dissolved Solids #	mg/l	Dried at 180 C (SM:2540C)	980	≤ 3000
Total Kjeldahl Nitrogen *	mg/l as NH ₃ -N	Macro Kjeldahl Method (SM:4500-Norg D)	14	≤ 100
Total Suspended Solids #	mg/l	Dried at 103-105 C (SM:2540D)	< 5	≤ 50
Zinc @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	0.04	≤ 5

Physical Appearance : 1. Sample : lightly SS

2. Container : Normal [PE 0.5 L [4 Bottle], PE 1.0 L, PE 1.8 L, G 1.0 L]

Remark : 1. /I Notification of the Ministry of Natural Resources and Environmental , B.E. 2559 (2016)

2. @ = ISO/IEC 17025:2017 Accredited by TISI., # = ISO/IEC 17025:2017 Accredited by DSS,

SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017.


3. Miss Apiradee Chuen-arom is Section Head / Mr. Kawee Suthasub is Technical Management.

4. * = Test Report/Sampling marked Not Accredited, Sampling By Miss Janthanee Saiphan (จ-003-ก-7281) *

5. ** = These data are non laboratory data.

Examined By :

(Miss Apiradee Chuen-arom)
(จ-003-ก-4377)
18/11/2022



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By :

(Mr. Kawee Suthasub)
(จ-003-ก-2205)
18/11/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY



ACCREDITED
ISO 9001 / ISO 14001

EASTERN THAI CONSULTING 1992 CO., LTD.

683 Moo 11 Sukhapibarn 8 Rd., Nongkham, Sriracha, Chonburi 20230
Tel. 0-3848-1197-8, 0-3876-3031-2 Fax : 0-3848-2095 E-mail : marketing@etc1992.com



NSC-TISI-TIS 17025
TESTING 0031

Test Report

Request No : W6511106

Report No : 6511- 1232

Customer : Pinthong Industrial Park Public Company Limited**

Address : 789 Moo 1 Nong Koh - Laem Chabang Rd., Nongkham, Sriracha, Chonburi 20230**

Sampling Source : ระบบบำบัดน้ำเสียนิคมปิ่นทอง โครงการ 1**

Sample No : W 65110476

Sample Name : Holding Pond (Effluent)**

Sampling Date : 03/11/2022**

Sampling By : ETC**

Sampling Time : 9:20 AM**

Sampling Method : Grab**

Received Date : 04/11/2022

Tested Date : 04/11/2022 - 15/11/2022

Reported Date : 18/11/2022

Parameter	Unit	Method	Result	Standard ¹
Iron @	mg / l	Digestion, Direct Air-Acetylene Flame Method (SM:3030F, 3111B)	0.15	-
Phosphorus *	mg / l as P	Ascorbic Acid Method (SM:4500 -P B)	9.04	-
Silver @	mg / l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	< 0.05	-

Physical Appearance : 1. Sample : lightly SS

2. Container : Normal [PE 0.5 L [4 Bottle], PE 1.0 L, PE 1.8 L, G 1.0 L]

Remark : 1. /1 Notification of the Ministry of Natural Resources and Environmental , B.E. 2559 (2016)


2. Parameter Outside The Scope of The Registration of Department of Industrial Works

3. @ = ISO/IEC 17025:2017 Accredited by TISI., SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017.

4. Mr. Kawee Suthasub is Technical Management.

5. * = Test Report/Sampling marked Not Accredited, Sampling By Miss Janthanee Saiphan (จ-003-ก-7281) *

6. ** = These data are non laboratory data.



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Examined By :

(Mr. Kawee Suthasub)

18/11/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Test Report

Request No : W6512102

Report No : 6512-1291

Customer : Pinthong Industrial Park Public Company Limited**

Address : 789 Moo 1 Nong Koh - Laem Chabang Rd., Nongkham, Sriracha, Chonburi 20230**

Sampling Source : ระบบบำบัดน้ำเสียนิคมบ้านทอง โครงการ 1** Sample No : W 65120482

Sample Name : Holding Pond (Effluent)** Sampling Date : 03/12/2022**

Sampling By : ETC** Sampling Time : 9:30 AM**

Sampling Method : Grab** Received Date : 06/12/2022

Tested Date : 06/12/2022 - 16/12/2022 Reported Date : 21/12/2022

Parameter	Unit	Method	Result	Standard ¹
Arsenic *	mg/l	Digestion, Inductively Coupled Plasma Method	< 0.10	≤ 0.25
Barium @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	< 0.03	≤ 1
Biochemical Oxygen Demand #	mg/l	5-Day BOD Test, Membrane Electrode Method (SM:5210B)	11.4	≤ 20
Cadmium @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	< 0.03	≤ 0.03
Chemical Oxygen Demand #	mg/l	Closed Reflux, Titrimetric Method (SM:5220C)	64	< 120
Color (Original) *	ADMI	ADMI Weighted Ordinate Spectrophotometric Method (SM:2120F)	26	≤ 300

Physical Appearance : 1. Sample : yellowish, lightly SS

2. Container : Normal [PE 0.5 L (4 Bottle) , PE 1.0 L, PE 1.8 L , G 1.0 L]

Remark : 1. /1 Notification of the Ministry of Natural Resources and Environmental , B.E. 2559 (2016)


2. @ = ISO/IEC 17025:2017 Accredited by TISI., # = ISO/IEC 17025:2017 Accredited by DSS,

SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017.


3. Miss Apiradee Chuen-arom is Section Head / Mr. Kawee Suthasub is Technical Management.

4. * = Test Report/Sampling marked Not Accredited, Sampling By Miss Janthance Saiphan (จ-003-ค-7281) *

5. ** = These data are non laboratory data.

Examined By : 
(Miss Apiradee Chuen-arom)
(จ-003-ค-4377)
21/12/2022



Approved By : 
(Mr. Kawee Suthasub)
(จ-003-ค-2205)
21/12/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

Test Report

Request No : W6512102

Report No : 6512-1291

Customer : Pinthong Industrial Park Public Company Limited**

Address : 789 Moo 1 Nong Koh - Laem Chabang Rd., Nongkham, Sriracha, Chonburi 20230**

Sampling Source : ระบบบำบัดน้ำเสียนิคมปิ่นทอง โครงการ 1** Sample No : W 65120482

Sample Name : Holding Pond (Effluent)** Sampling Date : 03/12/2022**

Sampling By : ETC** Sampling Time : 9:30 AM**

Sampling Method : Grab** Received Date : 06/12/2022

Tested Date : 06/12/2022 - 16/12/2022 Reported Date : 21/12/2022

Parameter	Unit	Method	Result	Standard ¹
Color (pH 7.0) *	ADMI	ADMI Weighted Ordinate Spectrophotometric Method (SM:2120F)	27	≤300
Copper @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	< 0.03	≤2
Cyanide *	mg/l as HCN	Distillation, Colorimetric Method (SM:4500 CN- C, E)	< 0.020	≤0.2
Hexavalent Chromium *	mg/l as Cr ⁶⁺	Filtration, Colorimetric Method (SM:3500 -Cr B)	< 0.050	≤0.25
Lead @	mg/l	Digestion, Inductively Coupled Plasma (SM:3030F, 3120B)	< 0.03	≤0.2
Manganese @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	0.16	≤5

Physical Appearance : 1. Sample : yellowish, lightly SS

2. Container : Normal [PE 0.5 L(4 Bottle) , PE 1.0 L, PE 1.8 L , G 1.0 L]

Remark : 1. /I Notification of the Ministry of Natural Resources and Environmental , B.E. 2559 (2016)


2. @ = ISO/IEC 17025:2017 Accredited by TISI., # = ISO/IEC 17025:2017 Accredited by DSS,

SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017.


3. Miss Apiradee Chuen-arom is Section Head / Mr. Kawee Suthasub is Technical Management.

4. * = Test Report/Sampling marked Not Accredited, Sampling By Miss Janthanee Saiphan (จ-003-ท-7281) *

5. ** = These data are non laboratory data.

Examined By : 
(Miss Apiradee Chuen-arom)
(จ-003-ท-4377)
21/12/2022



Approved By : 
(Mr. Kawee Suthasub)
(จ-003-ท-2205)
21/12/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

Test Report

Request No : W6512102

Report No : 6512-1291

Customer : Pinthong Industrial Park Public Company Limited**

Address : 789 Moo 1 Nong Koh - Laem Chabang Rd., Nongkham, Sriracha, Chonburi 20230**

Sampling Source : ระบบบำบัดน้ำเสียนิคมปิ่นทอง โครงการ 1**

Sample No : W 65120482

Sample Name : Holding Pond (Effluent)**

Sampling Date : 03/12/2022**

Sampling By : ETC**

Sampling Time : 9:30 AM**

Sampling Method : Grab**

Received Date : 06/12/2022

Tested Date : 06/12/2022 - 16/12/2022

Reported Date : 21/12/2022

Parameter	Unit	Method	Result	Standard ¹
Mercury *	mg/l	Cold-Vapor Atomic Absorption Spectrometric Method (SM:3112B)	< 0.0010	≤ 0.005
Nickel @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	0.03	≤ 1
Oil and Grease @	mg/l	Partition-Gravimetric Method (SM:5520B)	< 3.0	≤ 5
pH (on site) *		Electrometric Method	7.4	5.5-9.0
Selenium *	mg/l	Digestion, Hydride Generation/AAS Method (SM:3030F, 3114B&C)	< 0.0020	≤ 0.02
Temperature *	°C	Laboratory and Field Method	28	≤ 40
Total Dissolved Solids #	mg/l	Dried at 180 C (SM:2540C)	844	≤ 3000

Physical Appearance : 1. Sample : yellowish, lightly SS

2. Container : Normal [PE 0.5 L (4 Bottle) , PE 1.0 L, PE 1.8 L , G 1.0 L]

Remark : 1. /1 Notification of the Ministry of Natural Resources and Environmental , B.E. 2559 (2016)

2. @ = ISO/IEC 17025:2017 Accredited by TISI, # = ISO/IEC 17025:2017 Accredited by DSS,

SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017.

3. Miss Apiradee Chuen-arom is Section Head / Mr. Kawee Suthasub is Technical Management.

4. * = Test Report/Sampling marked Not Accredited, Sampling By Miss Janthanee Saiphan (J-003-ค-7281) *


5. ** = These data are non laboratory data.

Examined By :

(Miss Apiradee Chuen-arom)

(J-003-ค-4377)

21/12/2022



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By :

(Mr. Kawee Suthasub)

(J-003-ค-2205)

21/12/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Test Report

Request No : W6512102

Report No : 6512-1291

Customer : Pinthong Industrial Park Public Company Limited**

Address : 789 Moo 1 Nong Koh - Laem Chabang Rd., Nongkham, Sriracha, Chonburi 20230**

Sampling Source : ระบบบำบัดน้ำเสียในคณปิ่นทอง โครงการ 1** Sample No : W 65120482

Sample Name : Holding Pond (Effluent)** Sampling Date : 03/12/2022**

Sampling By : ETC** Sampling Time : 9:30 AM**

Sampling Method : Grab** Received Date : 06/12/2022

Tested Date : 06/12/2022 - 16/12/2022 Reported Date : 21/12/2022

Parameter	Unit	Method	Result	Standard ¹
Total Kjeldahl Nitrogen *	mg/l as NH ₃ -N	Macro Kjeldahl Method (SM:4500 -Norg B)	17	≤100
Total Suspended Solids #	mg/l	Dried at 103-105 C (SM:2540D)	5	≤50
Zinc @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	0.06	≤5

Physical Appearance : 1. Sample : yellowish, lightly SS

2. Container : Normal [PE 0.5 L(4 Bottle) , PE 1.0 L, PE 1.8 L , G 1.0 L]

Remark : 1. /I Notification of the Ministry of Natural Resources and Environmental , B.E. 2559 (2016)


2. @ = ISO/IEC 17025:2017 Accredited by TISI., # = ISO/IEC 17025:2017 Accredited by DSS,


SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017.


3. Miss Apiradee Chuen-arom is Section Head / Mr. Kawee Suthasub is Technical Management.

4. * = Test Report/Sampling marked Not Accredited, Sampling By Miss Janthanee Saiphan (จ-003-ท-7281) *

5. ** = These data are non laboratory data.

Examined By : 
(Miss Apiradee Chuen-arom)
(จ-003-ท-4377)
21/12/2022



Approved By : 
(Mr. Kawee Suthasub)
(จ-003-ท-2205)
21/12/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Test Report

Request No : W6512102

Report No : 6512- 1291

Customer : Pinthong Industrial Park Public Company Limited**

Address : 789 Moo 1 Nong Koh - Laem Chabang Rd., Nongkham, Sriracha, Chonburi 20230**

Sampling Source : ระบบบำบัดน้ำเสียนิคมปิ่นทอง โครงการ 1** Sample No : W 65120482

Sample Name : Holding Pond (Effluent)** Sampling Date : 03/12/2022**

Sampling By : ETC** Sampling Time : 9:30 AM**

Sampling Method : Grab** Received Date : 06/12/2022

Tested Date : 06/12/2022 - 16/12/2022 Reported Date : 21/12/2022

Parameter	Unit	Method	Result	Standard ¹
Iron @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	0.21	-
Phosphorus *	mg/l as P	Ascorbic Acid Method (SM:4500 -P B)	8.80	-
Silver @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	< 0.05	-

Physical Apperance : 1. Sample : yellowish, lightly SS

2. Container : Normal [PE 0.5 L(4 Bottle) , PE 1.0 L, PE 1.8 L , G 1.0 L]

Remark : 1. /1 Notification of the Ministry of Natural Resources and Environmental , B.E. 2559 (2016)


2. Parameter Outside The Scope of The Registration of Department of Industrial Works

3. @ = ISO/IEC 17025:2017 Accredited by TISI., SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017.

4. Mr. Kawee Suthasub is Technical Management.

5. * = Test Report/Sampling marked Not Accredited, Sampling By Miss Janthance Saiphan (จ-003-ก-7281) *

6. ** = These data are non laboratory data.



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Examined By :

(Mr. Kawee Suthasub)
21/12/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

Request No. W6508460

Report No. 6509-0386

TEST REPORT

Customer : Pinthong Industrial Park Public Company Limited**
Address : 789 Moo 1 ,Nongkoh-Laem Chabang Rd.,Nongkham , Sriracha , Chonburi 20230**
Sampling Source : Surface Water (Pinthong Project 1)** Sample No. : W 65081641
Sample Name : ห้วยเจ็ดตะมุล ก่อนบรรจบห้วยบ้านนา (SW 1)##** Sampling Date : 19/08/2022**
Sampling By : ETC** Sampling Time : 9:20 AM**
Sampling Method : Grab** Received Date : 20/08/2022
Tested Date : 20/08/2022 – 08/09/2022 Reported Date : 09/09/2022

Parameter	Unit	Method	Result	Standard ¹⁾
Arsenic *	mg/l	Continuous Hydride Generation/AAS Method (SM:3114B)	0.0098	≤ 0.01
Biochemical Oxygen Demand #	mg/l	5-Day BOD Test, Membrane Electrode Method (SM:5210B)	7.5	≤ 4
Cadmium @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	< 0.003	***
Chemical Oxygen Demand #	mg/l	Closed Reflux, Titrimetric Method (SM:5220C)	55	-
Coliform Bacteria *	MPN : 100 ml	MPN Test Method (SM:9221B)	> 160,000	-
Copper @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	< 0.03	≤ 0.1
Cyanide *	mg/l as HCN	Distillation, Colorimetric Method (SM:4500 CN- C, E)	0.001	≤ 0.005
Dissolved Oxygen *	mg/l	Azide Modification Method (SM:4500 -O C)	5.0	≥ 2
Fecal Coliform Bacteria *	MPN : 100 ml	MPN Test Method (SM:9221E)	> 160,000	-
Flow Rate *	m ³ /day	Calculation Method	5,806	-

Physical Apperance : 1. Sample : yellow, lightly SS
2. Container : Normal [PE 0.5 L (7 Bottle) , PE 1.0 L (2 Bottle) , PE 1.8 L, G 0.25 L , G 1.0 L]

Remark : 1. /1 Surface Water Quality Standards Notification of the National Environment Board No. 8 , B.E. 2537 (1994), Class 4
2. @ = ISO/IEC 17025:2017 Accredited by TISI., # = ISO/IEC 17025:2017 Accredited by DSS,
SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017
3. Mr. Kawee Suthasub is Technical Management.
4. MDL = Method Detection Limit [MDL of Cyanide = 0.008 mg/l]
5. Parameter Outside The Scope of The Registration of Department of Industrial Works
6. ** = อุณหภูมิของน้ำจะต้องไม่สูงกว่าอุณหภูมิตามธรรมชาติ เกิน 3 องศาเซลเซียส
7. *** Standard Cadmium = 0.005 : น้ำที่มีความกระด้างในรูปของ CaCO₃ ไม่เกินกว่า 100 มิลลิกรัมต่อลิตร
Standard Cadmium = 0.05 : น้ำที่มีความกระด้างในรูปของ CaCO₃ เกินกว่า 100 มิลลิกรัมต่อลิตร
8. * = Test Report/Sampling marked Not Accredited, Sampling By Miss Pornpinan Viriyasolkul (1-083-0-8334)*
9. ** These data are non laboratory data, ห้วยเจ็ดตะมุล ก่อนบรรจบห้วยบ้านนา ประมาณ 500 เมตร (SW 1)



Examined By

(Mr. Kawee Suthasub)

09/09/2022

REPORTED TESTS REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. W6508460

Report No. 6509-0386

TEST REPORT

Customer : Pinthong Industrial Park Public Company Limited**
Address : 789 Moo 1 ,Nongkoh-Laem Chabang Rd.,Nongkham , Sriracha , Chonburi 20230**
Sampling Source : Surface Water (Pinthong Project 1)** Sample No. : W 65081641
Sample Name : ห้วยเจ็ดตะมุล ก่อนบรรจบห้วยบ้านนา (SW 1)### Sampling Date : 19/08/2022**
Sampling By : ETC** Sampling Time : 9:20 AM**
Sampling Method : Grab** Received Date : 20/08/2022
Tested Date : 20/08/2022 – 08/09/2022 Reported Date : 09/09/2022

Parameter	Unit	Method	Result	Standard ¹
Hexavalent Chromium *	mg/l as Cr ⁶⁺	Filtration, Colorimetric Method (SM:3500 -Cr B)	< 0.050	≤ 0.05
Lead @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	< 0.010	≤ 0.05
Manganese @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	0.36	≤ 1
Mercury *	mg/l	Cold-Vapor Atomic Absorption Spectrometric Method (SM:3112B)	< 0.0010	≤ 0.002
Nickel @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	< 0.03	≤ 0.1
Nitrate *	mg/l as NO ₃ ⁻	Cadmium Reduction Method (SM:4500 -NO3- B)	7.78	≤ 5
Oil and Grease @	mg/l	Partition-Gravimetric Method (SM:5520B)	< 3.0	-

Physical Apperance : 1. Sample : yellow, lightly SS
2. Container : Normal [PE 0.5 L (7 Bottle) , PE 1.0 L (2 Bottle) , PE 1.8 L, G 0.25 L , G 1.0 L]

Remark : 1. /1 Surface Water Quality Standards Notification of the National Environment Board No. 8 , B.E. 2537 (1994), Class 4
2. @ = ISO/IEC 17025:2017 Accredited by TISI., # = ISO/IEC 17025:2017 Accredited by DSS,
SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017
3. Mr. Kawee Suthasub is Technical Management.
4. MDL = Method Detection Limit [MDL of Cyanide = 0.008 mg/l]
5. Parameter Outside The Scope of The Registration of Department of Industrial Works
6. ข ** = อุณหภูมิของน้ำจะต้องไม่สูงกว่าอุณหภูมิมาตรฐานธรรมชาติ เกิน 3 องศาเซลเซียส
7. *** Standard Cadmium = 0.005 : น้ำที่มีความกระด้างในรูปของ CaCO₃ ไม่เกินกว่า 100 มิลลิกรัมต่อลิตร
Standard Cadmium = 0.05 : น้ำที่มีความกระด้างในรูปของ CaCO₃ เกินกว่า 100 มิลลิกรัมต่อลิตร
8. * = Test Report/Sampling marked Not-Accredited. Sampling By Miss Pornpinan Viriyakusolkul (ว-003-จ-8334)*
9. ** These data are non laboratory data. ## ห้วยเจ็ดตะมุล ก่อนบรรจบห้วยบ้านนา ประมาณ 500 เมตร (SW 1)



Examined By

(Mr. Kawee Suthasub)

09/09/2022

REPORTED TESTS REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. W6508460

Report No. 6509-0386

TEST REPORT

Customer : Pinthong Industrial Park Public Company Limited**
Address : 789 Moo 1 ,Nongkoh-Laem Chabang Rd.,Nongkham , Sriracha , Chonburi 20230**
Sampling Source : Surface Water (Pinthong Project 1)** Sample No. : W 65081641
Sample Name : ห้วยเจ็ดตะมุล ก่อนบรรจบห้วยบ้านนา (SW 1)### Sampling Date : 19/08/2022**
Sampling By : ETC** Sampling Time : 9:20 AM**
Sampling Method : Grab** Received Date : 20/08/2022
Tested Date : 20/08/2022 – 08/09/2022 Reported Date : 09/09/2022

Parameter	Unit	Method	Result	Standard ¹⁾
pH (on site) *		Electrometric Method	7.6	5.0-9.0
Phenol *	mg/l	Distillation,Direct Photometric Method (SM:5530B,D)	0.012	≤ 0.005
Selenium *	mg/l	Digestion, Hydride Generation/AAS Method (SM:3030F, 3114B&C)	< 0.0050	-
Silver @	mg/l	Digestion,Inductively Coupled Plasma Method (SM:3030F, 3120B)	< 0.05	-
Temperature *	°C	Laboratory and Field Method	30	๓ **
Total Suspended Solids #	mg/l	Dried at 103-105 C (SM:2540D)	11	-
Zinc @	mg/l	Digestion,Inductively Coupled Plasma Method (SM:3030F, 3120B)	< 0.03	≤ 1

Physical Apperance : 1. Sample : yellow, lightly SS
2. Container : Normal [PE 0.5 L (7 Bottle) , PE 1.0 L (2 Bottle) , PE 1.8 L, G 0.25 L , G 1.0 L]

Remark : 1. /1 Surface Water Quality Standards Notification of the National Environment Board No. 8 , B.E. 2537 (1994), Class 4
2. @ = ISO/IEC 17025:2017 Accredited by TISL, # = ISO/IEC 17025:2017 Accredited by DSS,
SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017
3. Mr. Kawee Suthasub is Technical Management.
4. MDL = Method Detection Limit [MDL of Cyanide = 0.008 mg/l]
5. Parameter Outside The Scope of The Registration of Department of Industrial Works
6. ๓ ** = อุณหภูมิของน้ำจะต้องไม่สูงกว่าอุณหภูมิตามธรรมชาติ เกิน 3 องศาเซลเซียส
7. *** Standard Cadmium = 0.005 : น้ำที่มีความกระด้างในรูปของ CaCO₃ ไม่เกินกว่า 100 มิลลิกรัมต่อลิตร
Standard Cadmium = 0.05 : น้ำที่มีความกระด้างในรูปของ CaCO₃ เกินกว่า 100 มิลลิกรัมต่อลิตร
8. * = Test Report/Sampling marked Not Accredited. Sampling By Miss Pornpinan Viriyakusolkul (ว-003-จ-8334)*
9. ** These data are non laboratory data. ## ห้วยเจ็ดตะมุล ก่อนบรรจบห้วยบ้านนา ประมาณ 500 เมตร (SW 1)



Examined By

(Mr. Kawee Suthasub)

09/09/2022

บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด
REPORTED TESTS REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. W6508460

Report No. 6509-0386

TEST REPORT


Customer : Pinthong Industrial Park Public Company Limited
Address : 789 Moo 1 ,Nongkoh-Laem Chabang Rd.,Nongkham , Sriracha , Chonburi 20230
Sampling Source : Surface Water (Pinthong Project 1) Sample No. : W 65081641
Sample Name : ห้วยเจ็ดตะมุล ก่อนบรรจบห้วยบ้านนา (SW 1)## Sampling Date : 19/08/2022
Sampling By : ETC Sampling Time : 9:20 AM
Sampling Method : Grab Received Date : 20/08/2022
Tested Date : 20/08/2022 – 08/09/2022 Reported Date : 09/09/2022

Parameter	Unit	Method	Result	Standard ^{/1}
Ammonia Nitrogen #	mg/l	Spectrophotometer	0.42	≤ 0.5


Physical Apperance : 1. Sample : yellow, lightly SS

2. Container : Normal [PE 0.5 L (7 Bottle) , PE 1.0 L (2 Bottle) , PE 1.8 L , G 0.25 L , G 1.0 L]

Remark : 1. /1 Surface Water Quality Standards Notification of the National Environment Board No. 8 , B.E. 2537 (1994), Class 4
2. # Tested by the office of Public Health and Environmental Technology Services Faculty of Public Health Mahidol University
3. ## ห้วยเจ็ดตะมุล ก่อนบรรจบห้วยบ้านนา ประมาณ 500 เมตร (SW 1)
4. Sampling By Miss Pompinan Viriyakusolkul (ว-003-จ-8334)



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Examined By 
(Miss Apiradee Chuen-arom)
09/09/2022

REPORTED TESTS REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. W6511469

Report No. 6512-0138

TEST REPORT

Customer : Pinthong Industrial Park Public Company Limited**
Address : 789 Moo 1 ,Nongkoh-Laem Chabang Rd.,Nongkham , Sriracha , Chonburi 20230**
Sampling Source : Surface Water (Pinthong Project 1)** Sample No. : W 65111590
Sample Name : ห้วยเจ็ดตะมุล ก่อนบรรจบห้วยบ้านนา (SW 1)### Sampling Date : 18/11/2022**
Sampling By : ETC** Sampling Time : 9:30 AM**
Sampling Method : Grab** Received Date : 19/11/2022
Tested Date : 19/11/2022 – 13/12/2022 Reported Date : 13/12/2022

Parameter	Unit	Method	Result	Standard ¹
Biochemical Oxygen Demand #	mg/l	5-Day BOD Test, Membrane Electrode Method (SM:5210B)	3.9	≤ 4
Cadmium @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	< 0.003	***
Chemical Oxygen Demand #	mg/l	Closed Reflux, Titrimetric Method (SM:5220C)	< 40	-
Coliform Bacteria *	MPN : 100 ml	MPN Test Method (SM:9221B)	> 160,000	-
Copper @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	< 0.03	≤ 0.1
Cyanide *	mg/l as HCN	Distillation, Colorimetric Method (SM:4500 CN- C, E)	0.001	≤ 0.005
Dissolved Oxygen *	mg/l	Azide Modification Method (SM:4500 -O C)	6.0	≥ 2
Fecal Coliform Bacteria *	MPN : 100 ml	MPN Test Method (SM:9221E)	> 160,000	-
Flow Rate *	m ³ /day	Calculation Method	1,866	-

Physical Appearance : 1. Sample : yellow, lightly SS
2. Container : Normal [PE 0.5 L (7 Bottle) , PE 1.0 L (2 Bottle) , PE 1.8 L, G 0.25 L , G 1.0 L]

Remark : 1. /1 Surface Water Quality Standards Notification of the National Environment Board No. 8 , B.E. 2537 (1994), Class 4
2. Parameter Outside The Scope of The Registration of Department of Industrial Works
3. @ = ISO/IEC 17025:2017 Accredited by TISI., # = ISO/IEC 17025:2017 Accredited by DSS,
SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017
4. Mr. Kawee Suthasub is Technical Management.
5. MDL = Method Detection Limit [MDL of Cyanide = 0.008 mg/l]
6. ** = อุณหภูมิของน้ำจะต้องไม่สูงกว่าอุณหภูมิตามธรรมชาติ เกิน 3 องศาเซลเซียส
7. *** Standard Cadmium = 0.005 : น้ำที่มีความกระด้างในรูปของ CaCO₃ ไม่เกินกว่า 100 มิลลิกรัมต่อลิตร
Standard Cadmium = 0.05 : น้ำที่มีความกระด้างในรูปของ CaCO₃ เกินกว่า 100 มิลลิกรัมต่อลิตร
8. * = Test Report/Sampling marked Not Accredited, Sampling By Mr. Songpon Phiwuan (จ-003-ค-7279)*
9. ** These data are non laboratory data. ## ห้วยเจ็ดตะมุล ก่อนบรรจบห้วยบ้านนา ประมาณ 500 เมตร (SW 1)



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Examined By

(Mr. Kawee Suthasub)

13/12/2022

REPORTED TESTS REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. W6511469

Report No. 6512-0138

TEST REPORT

Customer : Pinthong Industrial Park Public Company Limited**
Address : 789 Moo 1 ,Nongkoh-Laem Chahang Rd.,Nongkham , Sriracha , Chonburi 20230**
Sampling Source : Surface Water (Pinthong Project 1)** Sample No. : W 65111590
Sample Name : ห้วยเจ็ดตะมุล ก่อนบรรจบห้วยบ้านนา (SW 1)*** Sampling Date : 18/11/2022**
Sampling By : ETC** Sampling Time : 9:30 AM**
Sampling Method : Grab** Received Date : 19/11/2022
Tested Date : 19/11/2022 – 13/12/2022 Reported Date : 13/12/2022

Parameter	Unit	Method	Result	Standard ¹⁾
Hexavalent Chromium *	mg/l as Cr ⁶⁺	Filtration, Colorimetric Method (SM:3500 -Cr B)	< 0.050	≤ 0.05
Lead @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	< 0.010	≤ 0.05
Manganese @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	0.30	≤ 1
Mercury *	mg/l	Cold-Vapor Atomic Absorption Spectrometric Method (SM:3112B)	< 0.0010	≤ 0.002
Nickel @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	< 0.03	≤ 0.1
Nitrate *	mg/l as NO ₃	Cadmium Reduction Method (SM:4500 -NO ₃ - B)	6.63	≤ 5
Oil and Grease @	mg/l	Partition-Gravimetric Method (SM:5520B)	< 3.0	-

Physical Apperance : 1. Sample : yellow, lightly SS
2. Container : Normal [PE 0.5 L (7 Bottle) , PE 1.0 L (2 Bottle) , PE 1.8 L, G 0.25 L , G 1.0 L]

Remark : 1. /1 Surface Water Quality Standards Notification of the National Environment Board No. 8 , B.E. 2537 (1994), Class 4
2. Parameter Outside The Scope of The Registration of Department of Industrial Works
3. @ = ISO/IEC 17025:2017 Accredited by TISI., # = ISO/IEC 17025:2017 Accredited by DSS,
SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017
4. Mr. Kawee Suthasub is Technical Management.
5. MDL = Method Detection Limit [MDL of Cyanide = 0.008 mg/l]
6. ๕ ** = อุณหภูมิของน้ำจะต้องไม่สูงกว่าอุณหภูมิตามธรรมชาติ เกิน 3 องศาเซลเซียส
7. *** Standard Cadmium = 0.005 : น้ำที่มีความกระด้างในรูปของ CaCO₃ ไม่เกินกว่า 100 มิลลิกรัมต่อลิตร
Standard Cadmium = 0.05 : น้ำที่มีความกระด้างในรูปของ CaCO₃ เกินกว่า 100 มิลลิกรัมต่อลิตร
8. * = Test Report/Sampling marked Not Accredited. Sampling By Mr. Songpon Phiwuan (๖ 003-๓-7279)*
9. ** These data are non laboratory data : ห้วยเจ็ดตะมุล ก่อนบรรจบห้วยบ้านนา ประมาณ 500 เมตร (SW 1)



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Examined By

(Mr. Kawee Suthasub)

13/12/2022

REPORTED TESTS REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. W6511469

Report No. 6512-0138

TEST REPORT

Customer : Pinthong Industrial Park Public Company Limited**
Address : 789 Moo 1 ,Nongkoh-Laem Chabang Rd.,Nongkham , Sriracha , Chonburi 20230**
Sampling Source : Surface Water (Pinthong Project 1)** Sample No. : W 65111590
Sample Name : ห้วยเจ็ดตะมุล ก่อนบรรจบห้วยบ้านนา (SW 1)###** Sampling Date : 18/11/2022**
Sampling By : ETC** Sampling Time : 9:30 AM**
Sampling Method : Grab** Received Date : 19/11/2022
Tested Date : 19/11/2022 – 13/12/2022 Reported Date : 13/12/2022


Parameter	Unit	Method	Result	Standard ¹
pH (on site) *		Electrometric Method	7.4	5.0-9.0
Phenol *	mg/l	Distillation, Direct Photometric Method (SM:5530B,D)	<0.005	≤ 0.005
Silver @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	< 0.05	-
Temperature *	°C	Laboratory and Field Method	30	๓ **
Total Suspended Solids #	mg/l	Dried at 103-105 C (SM:2540D)	17	-
Zinc @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	< 0.03	≤ 1

Physical Appearance : 1. Sample : yellow, lightly SS
2. Container : Normal [PE 0.5 L (7 Bottle) , PE 1.0 L (2 Bottle) , PE 1.8 L, G 0.25 L , G 1.0 L]

Remark : 1. /I Surface Water Quality Standards Notification of the National Environment Board No. 8 , B.E. 2537 (1994), Class 4
2. Parameter Outside The Scope of The Registration of Department of Industrial Works
3. @ = ISO/IEC 17025:2017 Accredited by TISI., # = ISO/IEC 17025:2017 Accredited by DSS,
SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017
4. Mr. Kawee Suthasub is Technical Management.
5. MDL = Method Detection Limit [MDL of Cyanide = 0.008 mg/l]
6. ๓ ** = อุณหภูมิของน้ำจะต้องไม่สูงกว่าอุณหภูมิตามธรรมชาติ เกิน 3 องศาเซลเซียส
7. *** Standard Cadmium = 0.005 : น้ำที่มีความกระด้างในรูปของ CaCO₃ ไม่เกินกว่า 100 มิลลิกรัมต่อลิตร
Standard Cadmium = 0.05 : น้ำที่มีความกระด้างในรูปของ CaCO₃ เกินกว่า 100 มิลลิกรัมต่อลิตร
8. * = Test Report/Sampling marked Not Accredited, Sampling By Mr. Songpon Phiwan (ว-003-ก-7279)*
9. ** These data are non laboratory data. / ## ห้วยเจ็ดตะมุล ก่อนบรรจบห้วยบ้านนา ประมาณ 500 เมตร (SW 1)



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Examined By 

(Mr. Kawee Suthasub)

13/12/2022

REPORTED TESTS REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. W6511469


Report No. 6512-0138

TEST REPORT

Customer	:	Pinthong Industrial Park Public Company Limited		
Address	:	789 Moo 1 ,Nongkoh-Laem Chabang Rd.,Nongkham , Sriracha , Chonburi 20230		
Sampling Source	:	Surface Water (Pinthong Project 1)	Sample No.	: W 65111590
Sample Name	:	ห้วยเจ็ดตะมุล ก่อนบรรจบห้วยบ้านนา (SW 1)##	Sampling Date	: 18/11/2022
Sampling By	:	ETC	Sampling Time	: 9:30 AM
Sampling Method	:	Grab	Received Date	: 19/11/2022
Tested Date	:	19/11/2022 – 13/12/2022	Reported Date	: 13/12/2022
Parameter	Unit	Method	Result	Standard ¹⁾
Ammonia Nitrogen #	mg/l	Spectrophotometer	0.35	≤ 0.5

Physical Apperance : 1. Sample : yellow, lightly SS
2. Container : Normal [PE 0.5 L (7 Bottle) , PE 1.0 L (2 Bottle) , PE 1.8 L, G 0.25 L , G 1.0 L]

Remark : 1. /I Surface Water Quality Standards Notification of the National Environment Board No. 8 , B.E. 2537 (1994), Class 4
2. # Tested by the office of Public Health and Environmental Technology Services Faculty of Public Health Mahidol University
3. ## ห้วยเจ็ดตะมุล ก่อนบรรจบห้วยบ้านนา ประมาณ 500 เมตร (SW 1)
4. Sampling By Mr. Songpon Phiwuan (ว-003-ค-7279)



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Examined By 
(Miss Apiradee Chuen-arom)

13/12/2022

REPORTED TESTS REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. W6511469

Report No. 6512-0138

TEST REPORT

Customer : Pinthong Industrial Park Public Company Limited
Address : 789 Moo 1 ,Nongkoh-Laem Chabang Rd.,Nongkham , Sriracha , Chonburi 20230
Sampling Source : Surface Water (Pinthong Project 1) Sample No. : W 65111590
Sample Name : ห้วยเจ็ดตะมุล ก่อนบรรจบห้วยบ้านนา (SW 1)## Sampling Date : 18/11/2022
Sampling By : ETC Sampling Time : 9:30 AM
Sampling Method : Grab Received Date : 19/11/2022
Tested Date : 19/11/2022 – 13/12/2022 Reported Date : 13/12/2022

Parameter	Unit	Method	Result	Standard ¹
Arsenic #	mg/l	Hydride Generation Atomic Absorption/ APHA 3114C	0.0078	≤ 0.01
Selenium #	mg/l	Hydride Generation Technique, 3114C	ND	-


Physical Apperance : 1. Sample : yellow, lightly SS

2. Container : Normal [PE 0.5 L (7 Bottle) , PE 1.0 L (2 Bottle) , PE 1.8 L, G 0.25 L , G 1.0 L]

Remark : 1. /1 Surface Water Quality Standards Notification of the National Environment Board No. 8 , B.E. 2537 (1994), Class 4
2. # Tested by SECOT Co.,Ltd.
3. ## ห้วยเจ็ดตะมุล ก่อนบรรจบห้วยบ้านนา ประมาณ 500 เมตร (SW 1)
4. ND = Non-Detectable
5. Sampling By Mr. Songpon Phiwuan (ว-003-ค-7279)



บริษัท อีสเทิร์นไทยคอนซัลติง 1992 จำกัด

Examined By 
(Miss Apiradee Chuen-arom)
13/12/2022

REPORTED TESTS REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. W6508460

Report No. 6509-0387

TEST REPORT

Customer : Pinthong Industrial Park Public Company Limited**
Address : 789 Moo 1 ,Nongkoh-Laem Chabang Rd.,Nongkham , Sriracha , Chonburi 20230**
Sampling Source : Surface Water (Pinthong Project 1)**
Sample Name : ห้วยบ้านนาเหนือจุดระบายน้ำทิ้ง (SW 2)###**
Sampling By : ETC**
Sampling Method : Grab**
Tested Date : 20/08/2022 – 31/08/2022
Sample No. : W 65081642
Sampling Date : 19/08/2022**
Sampling Time : 9:10 AM**
Received Date : 20/08/2022
Reported Date : 06/09/2022

Parameter	Unit	Method	Result	Standard ¹
Arsenic *	mg/l	Continuous Hydride Generation/AAS Method (SM:3114B)	0.0060	≤ 0.01
Biochemical Oxygen Demand #	mg/l	5-Day BOD Test, Membrane Electrode Method (SM:5210B)	< 2.0	≤ 4
Cadmium @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	< 0.003	***
Chemical Oxygen Demand *	mg/l	Closed Reflux, Titrimetric Method (SM:5220C)	< 40	-
Coliform Bacteria *	MPN : 100 ml	MPN Test Method (SM:9221B)	54,000	-
Copper @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	< 0.03	≤ 0.1
Cyanide *	mg/l as HCN	Distillation, Colorimetric Method (SM:4500 CN- C, E)	0.001	≤ 0.005
Dissolved Oxygen *	mg/l	Azide Modification Method (SM:4500 -O C)	4.9	≥ 2
Fecal Coliform Bacteria *	MPN : 100 ml	MPN Test Method (SM:9221E)	17,000	-
Flow Rate *	m ³ /day	Calculation Method	2,322	-

Physical Apperance : 1. Sample : yellow, lightly SS
2. Container : Normal [PE 0.5 L (7 Bottle) , PE 1.0 L (2 Bottle) , PE 1.8 L, G 0.25 L , G 1.0 L]

Remark : 1. /1 Surface Water Quality Standards Notification of the National Environment Board No. 8 , B.E. 2537 (1994), Class 4
2. @ = ISO/IEC 17025:2017 Accredited by TISI., # = ISO/IEC 17025:2017 Accredited by DSS,
SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017
3. Mr. Kawee Suthasub is Technical Management.
4. MDL = Method Detection Limit [MDL of Cyanide = 0.008 mg/l]
5. Parameter Outside The Scope of The Registration of Department of Industrial Works
6. ** = อุณหภูมิของน้ำจะต้องไม่สูงกว่าอุณหภูมิตามธรรมชาติ เกิน 3 องศาเซลเซียส
7. *** Standard Cadmium = 0.005 : น้ำที่มีความกระด้างในรูปของ CaCO₃ ไม่เกินกว่า 100 มิลลิกรัมต่อลิตร
Standard Cadmium = 0.05 : น้ำที่มีความกระด้างในรูปของ CaCO₃ เกินกว่า 100 มิลลิกรัมต่อลิตร
8. * = Test Report/Sampling marked Not Accredited, Sampling By Miss Pompinan Viriyakusolkul (T-003-78334)*
9. ** These data are non laboratory data, / ## ห้วยบ้านนาเหนือจุดระบายน้ำทิ้งโครงการประมาณ 500 เมตร (SW 2)



Examined By

(Mr. Kawee Suthasub)

06/09/2022

REPORTED TESTS REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. W6508460

Report No. 6509-0387

TEST REPORT

Customer : Pinthong Industrial Park Public Company Limited**
Address : 789 Moo 1 ,Nongkoh-Laem Chabang Rd.,Nongkham , Sriracha , Chonburi 20230**
Sampling Source : Surface Water (Pinthong Project 1)** Sample No. : W 65081642
Sample Name : ห้วยบ้านนาเหนือจตุรระบายน้ำทิ้ง (SW 2)### Sampling Date : 19/08/2022**
Sampling By : ETC** Sampling Time : 9:10 AM**
Sampling Method : Grab** Received Date : 20/08/2022
Tested Date : 20/08/2022 – 31/08/2022 Reported Date : 06/09/2022

Parameter	Unit	Method	Result	Standard ^{1/}
Hexavalent Chromium *	mg/l as Cr ⁶⁺	Filtration, Colorimetric Method (SM:3500 -Cr B)	< 0.050	≤ 0.05
Lead @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	< 0.010	≤ 0.05
Manganese @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	0.79	≤ 1
Mercury *	mg/l	Cold-Vapor Atomic Absorption Spectrometric Method (SM:3112B)	< 0.0010	≤ 0.002
Nickel @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	< 0.03	≤ 0.1
Nitrate *	mg/l as NO ₃ ⁻	Cadmium Reduction Method (SM:4500 -NO ₃ - B)	4.02	≤ 5
Oil and Grease @	mg/l	Partition-Gravimetric Method (SM:5520B)	< 3.0	-

Physical Apperance : 1. Sample : yellow, lightly SS
2. Container : Normal [PE 0.5 L (7 Bottle) , PE 1.0 L (2 Bottle) , PE 1.8 L, G 0.25 L , G 1.0 L]

Remark : 1. /1 Surface Water Quality Standards Notification of the National Environment Board No. 8 , B.E. 2537 (1994), Class 4
2. @ = ISO/IEC 17025:2017 Accredited by TISI., # = ISO/IEC 17025:2017 Accredited by DSS,
SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017
3. Mr. Kawee Suthasub is Technical Management.
4. MDL = Method Detection Limit [MDL of Cyanide = 0.008 mg/l]
5. Parameter Outside The Scope of The Registration of Department of Industrial Works
6. ** = อุณหภูมิของน้ำจะต้องไม่สูงกว่าอุณหภูมิตามธรรมชาติ เกิน 3 องศาเซลเซียส
7. *** Standard Cadmium = 0.005 : น้ำที่มีความกระด้างในรูปของ CaCO₃ ไม่เกินกว่า 100 มิลลิกรัมต่อลิตร
Standard Cadmium = 0.05 : น้ำที่มีความกระด้างในรูปของ CaCO₃ เกินกว่า 100 มิลลิกรัมต่อลิตร
8. * = Test Report/Sampling marked Not Accredited. Sampling By Miss Pornpinan Viriyakusolkul (1-003-0-8334)*
9. ** These data are non laboratory data. ## ห้วยบ้านนาเหนือจตุรระบายน้ำทิ้งโครงการประมาณ 500 เมตร (SW 2)



Examined By

(Mr. Kawee Suthasub)

06/09/2022

REPORTED TESTS REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. W6508460

Report No. 6509-0387


TEST REPORT

Customer : Pinthong Industrial Park Public Company Limited**
Address : 789 Moo 1 ,Nongkoh-Laem Chabang Rd.,Nongkham , Sriracha , Chonburi 20230**
Sampling Source : Surface Water (Pinthong Project 1)** Sample No. : W 65081642
Sample Name : ห้วยบ้านนาเหนือจุดระบายน้ำทิ้ง (SW 2)##** Sampling Date : 19/08/2022**
Sampling By : ETC** Sampling Time : 9:10 AM**
Sampling Method : Grab** Received Date : 20/08/2022
Tested Date : 20/08/2022 – 31/08/2022 Reported Date : 06/09/2022

Parameter	Unit	Method	Result	Standard ^{1/}
pH (on site) *		Electrometric Method	7.3	5.0-9.0
Phenol *	mg/l	Distillation,Direct Photometric Method (SM:5530B,D)	< 0.005	≤ 0.005
Selenium *	mg/l	Digestion, Hydride Generation/AAS Method (SM:3030F, 3114B&C)	< 0.0050	-
Silver @	mg/l	Digestion,Inductively Coupled Plasma Method (SM:3030F, 3120B)	< 0.05	-
Temperature *	°C	Laboratory and Field Method	29	† **
Total Suspended Solids #	mg/l	Dried at 103-105 C (SM:2540D)	46	-
Zinc @	mg/l	Digestion,Inductively Coupled Plasma Method (SM:3030F, 3120B)	0.11	≤ 1

Physical Apperance : 1. Sample : yellow, lightly SS
2. Container : Normal [PE 0.5 L (7 Bottle) , PE 1.0 L (2 Bottle) , PE 1.8 L, G 0.25 L , G 1.0 L]

Remark : 1. /1 Surface Water Quality Standards Notification of the National Environment Board No. 8 , B.E. 2537 (1994), Class 4
2. @ = ISO/IEC 17025:2017 Accredited by TISI., # = ISO/IEC 17025:2017 Accredited by DSS,
SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017
3. Mr. Kawee Suthasub is Technical Management.
4. MDL = Method Detection Limit [MDL of Cyanide = 0.008 mg/l]
5. Parameter Outside The Scope of The Registration of Department of Industrial Works
6. † ** = อุณหภูมิของน้ำจะต้องไม่สูงกว่าอุณหภูมิตามธรรมชาติ เกิน 3 องศาเซลเซียส
7. *** Standard Cadmium = 0.005 : น้ำที่มีความกระด้างในรูปของ CaCO₃ ไม่เกินกว่า 100 มิลลิกรัมต่อลิตร
Standard Cadmium = 0.05 : น้ำที่มีความกระด้างในรูปของ CaCO₃ เกินกว่า 100 มิลลิกรัมต่อลิตร
8. * = Test Report/Sampling marked Not Accredited, Sampling By Miss Pornpinan Viriyakusolkul (1-003-จ-8334)*
9. ** These data are non laboratory data. ## ห้วยบ้านนาเหนือจุดระบายน้ำทิ้ง โครงการประมาณ 500 เมตร (SW 2)



Examined By

(Mr. Kawee Suthasub)

06/09/2022

REPORTED TESTS REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. W6508460

Report No. 6509-0387

TEST REPORT

Customer : Pinthong Industrial Park Public Company Limited

Address : 789 Moo 1 ,Nongkoh-Laem Chabang Rd.,Nongkham , Sriracha , Chonburi 20230

Sampling Source : Surface Water (Pinthong Project 1) Sample No. : W 65081642

Sample Name : ห้วยบ้านนาเหนือจุดระบายน้ำทิ้ง (SW 2)## Sampling Date : 19/08/2022

Sampling By : ETC Sampling Time : 9:10 AM

Sampling Method : Grab Received Date : 20/08/2022

Tested Date : 20/08/2022 – 31/08/2022 Reported Date : 06/09/2022

Parameter	Unit	Method	Result	Standard ¹
Ammonia Nitrogen #	mg/l	Spectrophotometer	0.28	≤ 0.5

Physical Apperance : 1. Sample : yellow, lightly SS

2. Container : Normal [PE 0.5 L (7 Bottle) , PE 1.0 L (2 Bottle) , PE 1.8 L, G 0.25 L , G 1.0 L]

Remark : 1. /1 Surface Water Quality Standards Notification of the National Environment Board No. 8 , B.E. 2537 (1994), Class 4

2. # Tested by the office of Public Health and Environmental Technology Services Faculty of Public Health Mahidol University

3. ## ห้วยบ้านนาเหนือจุดระบายน้ำทิ้งโครงการประมาณ 500 เมตร (SW 2)

4. Sampling By Miss Pornpinan Viriyakusolkul (ว-003-จ-8334)



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Examined By



(Miss Apiradee Chuen-arom)

06/09/2022

REPORTED TESTS REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. W6511469

Report No. 6512-0139

TEST REPORT

Customer : Pinthong Industrial Park Public Company Limited**
Address : 789 Moo 1 ,Nongkoh-Laem Chabang Rd.,Nongkham , Sriracha , Chonburi 20230**
Sampling Source : Surface Water (Pinthong Project 1)**
Sample Name : ห้วยบ้านนาเหนือจุลระบายน้ำทิ้ง (SW 2)##**
Sampling By : ETC**
Sampling Method : Grab**
Tested Date : 19/11/2022 – 02/12/2022

Sample No. : W 65111591
Sampling Date : 18/11/2022**
Sampling Time : 8:30 AM**
Received Date : 19/11/2022
Reported Date : 03/12/2022

Parameter	Unit	Method	Result	Standard ^{1/}
Biochemical Oxygen Demand #	mg/l	5-Day BOD Test, Membrane Electrode Method (SM:5210B)	5.2	≤ 4
Cadmium @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	< 0.003	***
Chemical Oxygen Demand *	mg/l	Closed Reflux, Titrimetric Method (SM:5220C)	< 40	-
Coliform Bacteria *	MPN : 100 ml	MPN Test Method (SM:9221B)	92,000	-
Copper @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	< 0.03	≤ 0.1
Cyanide *	mg/l as HCN	Distillation, Colorimetric Method (SM:4500 CN- C, E)	0.001	≤ 0.005
Dissolved Oxygen *	mg/l	Azide Modification Method (SM:4500 -O C)	4.9	≥ 2
Fecal Coliform Bacteria *	MPN : 100 ml	MPN Test Method (SM:9221E)	35,000	-
Flow Rate *	m ³ /day	Calculation Method	2,682	-

Physical Appearance :
1. Sample : yellowish, lightly SS
2. Container : Normal [PE 0.5 L (7 Bottle) , PE 1.0 L (2 Bottle) , PE 1.8 L, G 0.25 L , G 1.0 L]

Remark :
1. /1 Surface Water Quality Standards Notification of the National Environment Board No. 8 , B.E. 2537 (1994), Class 4
2. Parameter Outside The Scope of The Registration of Department of Industrial Works
3. @ = ISO/IEC 17025:2017 Accredited by TISI., # = ISO/IEC 17025:2017 Accredited by DSS,
SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017
4. Mr. Kawee Suthasub is Technical Management.
5. MDL = Method Detection Limit [MDL of Cyanide = 0.008 mg/l]
6. ** = คุณภูมิของน้ำจะต้องไม่สูงกว่าคุณภูมิตามธรรมชาติ เกิน 3 องศาเซลเซียส
7. *** Standard Cadmium = 0.005 : น้ำที่มีความกระด้างในรูปของ CaCO₃ ไม่เกินกว่า 100 มิลลิกรัมต่อลิตร
Standard Cadmium = 0.05 : น้ำที่มีความกระด้างในรูปของ CaCO₃ เกินกว่า 100 มิลลิกรัมต่อลิตร
8. * = Test Report/Sampling marked Not Accredited, Sampling By Mr. Songpon Phiwan (จ-003-ค-7279)*
9. ** These data are non laboratory data. / ## ห้วยบ้านนาเหนือจุลระบายน้ำทิ้งโครงการประมาณ 500 เมตร (SW 2)



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Examined By

(Mr. Kawee Suthasub)

03/12/2022

REPORTED TESTS REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. W6511469

Report No. 6512-0139

TEST REPORT

Customer : Pinthong Industrial Park Public Company Limited**
Address : 789 Moo 1 ,Nongkoh-Laem Chabang Rd.,Nongkham , Sriracha , Chonburi 20230**
Sampling Source : Surface Water (Pinthong Project 1)** Sample No. : W 65111591
Sample Name : ห้วยบ้านนา เหนือจระเขยน้ำทิ้ง (SW 2)##** Sampling Date : 18/11/2022**
Sampling By : ETC** Sampling Time : 8:30 AM**
Sampling Method : Grab** Received Date : 19/11/2022
Tested Date : 19/11/2022 – 02/12/2022 Reported Date : 03/12/2022

Parameter	Unit	Method	Result	Standard ¹⁾
Hexavalent Chromium *	mg/l as Cr ⁶⁺	Filtration, Colorimetric Method (SM:3500 -Cr B)	< 0.050	≤ 0.05
Lead @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	< 0.010	≤ 0.05
Manganese @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	0.66	≤ 1
Mercury *	mg/l	Cold-Vapor Atomic Absorption Spectrometric Method (SM:3112B)	< 0.0010	≤ 0.002
Nickel @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	< 0.03	≤ 0.1
Nitrate *	mg/l as NO ₃ ⁻	Cadmium Reduction Method (SM:4500 -NO ₃ - B)	19.0	≤ 5
Oil and Grease @	mg/l	Partition-Gravimetric Method (SM:5520B)	< 3.0	-

Physical Apperance : 1. Sample : yellowish, lightly SS
2. Container : Normal [PE 0.5 L (7 Bottle) , PE 1.0 L (2 Bottle) , PE 1.8 L, G 0.25 L , G 1.0 L]

Remark : 1. /1 Surface Water Quality Standards Notification of the National Environment Board No. 8 , B.E. 2537 (1994), Class 4
2. Parameter Outside The Scope of The Registration of Department of Industrial Works
3. @ = ISO/IEC 17025:2017 Accredited by TISI., # = ISO/IEC 17025:2017 Accredited by DSS,
SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017
4. Mr. Kawee Suthasub is Technical Management.
5. MDL = Method Detection Limit [MDL of Cyanide = 0.008 mg/l]
6. ** = คุณหมูนี้น้ำจะต้องไม่สูงกว่าคุณหมูนี้น้ำตามธรรมชาติ เกิน 3 องศาเซลเซียส
7. *** Standard Cadmium = 0.005 : น้ำที่มีความกระด้างในรูปของ CaCO₃ ไม่เกินกว่า 100 มิลลิกรัมต่อลิตร
Standard Cadmium = 0.05 : น้ำที่มีความกระด้างในรูปของ CaCO₃ เกินกว่า 100 มิลลิกรัมต่อลิตร
8. * = Test Report/Sampling marked Not Accredited, Sampling By Mr. Songpon Phiwuan (1-003-ก-7279)*
9. ** These data are non laboratory data. ห้วยบ้านนา เหนือจระเขยน้ำทิ้ง โครงการประมาณ 500 เมตร (SW 2)



Examined By

(Mr. Kawee Suthasub)

03/12/2022

REPORTED TESTS REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. W6511469

Report No. 6512-0139

TEST REPORT

Customer : Pinthong Industrial Park Public Company Limited**
Address : 789 Moo 1 ,Nongkoh-Laem Chabang Rd.,Nongkham , Sriracha , Chonburi 20230**
Sampling Source : Surface Water (Pinthong Project 1)** Sample No. : W 65111591
Sample Name : ห้วยบ้านนา เหนือจุลระบายน้ำทั้ง (SW 2)### Sampling Date : 18/11/2022**
Sampling By : ETC** Sampling Time : 8:30 AM**
Sampling Method : Grab** Received Date : 19/11/2022
Tested Date : 19/11/2022 – 02/12/2022 Reported Date : 03/12/2022

Parameter	Unit	Method	Result	Standard ^{/1}
pH (on site) *		Electrometric Method	7.1	5.0-9.0
Phenol *	mg/l	Distillation,Direct Photometric Method (SM:5530B,D)	0.015	≤ 0.005
Silver @	mg/l	Digestion,Inductively Coupled Plasma Method (SM:3030F, 3120B)	< 0.05	-
Temperature *	°C	Laboratory and Field Method	30	๓ **
Total Suspended Solids #	mg/l	Dried at 103-105 C (SM:2540D)	13	-
Zinc @	mg/l	Digestion,Inductively Coupled Plasma Method (SM:3030F, 3120B)	< 0.03	≤ 1

Physical Apperance : 1. Sample : yellowish, lightly SS
2. Container : Normal [PE 0.5 L (7 Bottle) , PE 1.0 L (2 Bottle) , PE 1.8 L, G 0.25 L , G 1.0 L]

Remark : 1. /1 Surface Water Quality Standards Notification of the National Environment Board No. 8 , B.E. 2537 (1994), Class 4
2. Parameter Outside The Scope of The Registration of Department of Industrial Works
3. @ = ISO/IEC 17025:2017 Accredited by TISI., # = ISO/IEC 17025:2017 Accredited by DSS,
SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017
4. Mr. Kawee Suthasub is Technical Management.
5. MDL = Method Detection Limit [MDL of Cyanide = 0.008 mg/l]
6. ๓ ** = อุณหภูมิของน้ำจะต้องไม่สูงกว่าอุณหภูมิตามธรรมชาติ เกิน 3 องศาเซลเซียส
7. *** Standard Cadmium = 0.005 : น้ำที่มีความกระด้างในรูปของ CaCO₃ ไม่เกินกว่า 100 มิลลิกรัมต่อลิตร
Standard Cadmium = 0.05 : น้ำที่มีความกระด้างในรูปของ CaCO₃ เกินกว่า 100 มิลลิกรัมต่อลิตร
8. * = Test Report/Sampling marked Not Accredited, Sampling By Mr. Songpon Phiwuan (๖-003-๓-7279)*
9. ** These data are non laboratory data. / ### ห้วยบ้านนา เหนือจุลระบายน้ำทั้งโครงการประมาณ 500 เมตร (SW 2)



บริษัท อีสเทิร์นไทยคอนซัลติง 1992 จำกัด
REPORTED TESTS REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

Examined By

(Mr. Kawee Suthasub)

03/12/2022

COPY

Request No. W6511469

Report No. 6512-0139

TEST REPORT

Customer : Pinthong Industrial Park Public Company Limited

Address : 789 Moo 1 ,Nongkoh-Laem Chabang Rd.,Nongkham , Sriracha , Chonburi 20230

Sampling Source : Surface Water (Pinthong Project 1) Sample No. : W 65111591

Sample Name : ห้วยบ้านนาเหนือจุดระบายน้ำทิ้ง (SW 2)## Sampling Date : 18/11/2022

Sampling By : ETC Sampling Time : 8:30 AM

Sampling Method : Grab Received Date : 19/11/2022

Tested Date : 19/11/2022 – 02/12/2022 Reported Date : 03/12/2022

Parameter	Unit	Method	Result	Standard ¹
Ammonia Nitrogen #	mg/l	Spectrophotometer	0.28	≤ 0.5

Physical Apperance : 1. Sample : yellowish, lightly SS

2. Container : Normal [PE 0.5 L (7 Bottle) , PE 1.0 L (2 Bottle) , PE 1.8 L , G 0.25 L , G 1.0 L]

Remark : 1. /1 Surface Water Quality Standards Notification of the National Environment Board No. 8 , B.E. 2537 (1994), Class 4

2. # Tested by the office of Public Health and Environmental Technology Services Faculty of Public Health Mahidol University

3. ## ห้วยบ้านนาเหนือจุดระบายน้ำทิ้งโครงการประมาณ 500 เมตร (SW 2)

4. Sampling By Mr. Songpon Phiwuan (ว-003-ก-7279)



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด


 Examined By

(Miss Apiradee Chuen-arom)

03/12/2022

REPORTED TESTS REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. W6511469

Report No. 6512-0139

TEST REPORT


Customer : Pinthong Industrial Park Public Company Limited
 Address : 789 Moo 1 ,Nongkoh-Laem Chabang Rd.,Nongkham , Sriracha , Chonburi 20230
 Sampling Source : Surface Water (Pinthong Project 1) Sample No. : W 65111591
 Sample Name : ห้วยบ้านนาเหนือจุดระบายน้ำทิ้ง (SW 2)## Sampling Date : 18/11/2022
 Sampling By : ETC Sampling Time : 8:30 AM
 Sampling Method : Grab Received Date : 19/11/2022
 Tested Date : 19/11/2022 – 02/12/2022 Reported Date : 03/12/2022

Parameter	Unit	Method	Result	Standard ¹
Arsenic #	mg/l	Hydride Generation Atomic Absorption/ APHA 3114C	0.0055	≤ 0.01
Selenium #	mg/l	Hydride Generation Technique, 3114C	ND	-

Physical Apperance : 1. Sample : yellowish, lightly SS
 2. Container : Normal [PE 0.5 L (7 Bottle) , PE 1.0 L (2 Bottle) , PE 1.8 L , G 0.25 L , G 1.0 L]
 Remark : 1. /1 Surface Water Quality Standards Notification of the National Environment Board No. 8 , B.E. 2537 (1994), Class 4
 2. # Tested by SECOT Co.,Ltd.
 3. ## ห้วยบ้านนาเหนือจุดระบายน้ำทิ้งโครงการประมาณ 500 เมตร (SW 2)
 4. ND = Non-Detectable
 5. Sampling By Mr. Songpon Phiwuan (ว-003-ค-7279)



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Examined By 
 (Miss Apiradee Chuen-arom)
 03/12/2022

REPORTED TESTS REFER TO SUBMITTED SAMPLES ONLY
 THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
 WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. W6508460

Report No. 6509-0388

TEST REPORT

Customer : Pinthong Industrial Park Public Company Limited**
Address : 789 Moo 1 ,Nongkoh-Laem Chabang Rd.,Nongkham , Sriracha , Chonburi 20230**
Sampling Source : Surface Water (Pinthong Project 1)** Sample No. : W 65081643
Sample Name : บริเวณจุดระบายน้ำทั้งโครงการ (SW 3)** Sampling Date : 19/08/2022**
Sampling By : ETC** Sampling Time : 9:00 AM**
Sampling Method : Grab** Received Date : 20/08/2022
Tested Date : 20/08/2022 – 31/08/2022 Reported Date : 06/09/2022

Parameter	Unit	Method	Result	Standard ¹
Arsenic *	mg/l	Continuous Hydride Generation/AAS Method (SM:3114B)	0.0076	≤ 0.01
Biochemical Oxygen Demand #	mg/l	5-Day BOD Test, Membrane Electrode Method (SM:5210B)	2.9	≤ 4
Cadmium @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	< 0.003	***
Chemical Oxygen Demand #	mg/l	Closed Reflux,Titrimetric Method (SM:5220C)	< 40	-
Coliform Bacteria *	MPN : 100 ml	MPN Test Method (SM:9221B)	> 160,000	-
Copper @	mg/l	Digestion,Inductively Coupled Plasma Method (SM:3030F, 3120B)	< 0.03	≤ 0.1
Cyanide *	mg/l as HCN	Distillation,Colorimetric Method (SM:4500 CN- C, E)	0.001	≤ 0.005
Dissolved Oxygen *	mg/l	Azide Modification Method (SM:4500 -O C)	5.4	≥ 2
Fecal Coliform Bacteria *	MPN : 100 ml	MPN Test Method (SM:9221E)	> 160,000	-
Flow Rate *	m ³ /day	Calculation Method	6,117	-

- Physical Apperance : 1. Sample : yellow, lightly SS
2. Container : Normal [PE 0.5 L (7 Bottle) , PE 1.0 L (2 Bottle) , PE 1.8 L, G 0.25 L , G 1.0 L]
- Remark : 1. /1 Surface Water Quality Standards Notification of the National Environment Board No. 8 , B.E. 2537 (1994), Class 4
2. @ = ISO/IEC 17025:2017 Accredited by TISI., # = ISO/IEC 17025:2017 Accredited by DSS,
SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017
3. Mr. Kawee Suthasub is Technical Management.
4. MDL = Method Detection Limit [MDL of Cyanide = 0.008 mg/l]
5. Parameter Outside The Scope of The Registration of Department of Industrial Works
6. ** = อุณหภูมิของน้ำจะต้องไม่สูงกว่าอุณหภูมิตามธรรมชาติ เกิน 3 องศาเซลเซียส
7. *** Standard Cadmium = 0.005 : น้ำที่มีความกระด้างในรูปของ CaCO₃ ไม่เกินกว่า 100 มิลลิกรัมต่อลิตร
Standard Cadmium = 0.05 : น้ำที่มีความกระด้างในรูปของ CaCO₃ เกินกว่า 100 มิลลิกรัมต่อลิตร
8. * = Test Report/Sampling marked Not Accredited. Sampling By Miss Pornpinan Viriyakulikul (1-003-จ-8334)*
9. ** These data are non laboratory data



Examined By

(Mr. Kawee Suthasub)

06/09/2022

บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด
REPORTED TESTS REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. W6508460

Report No. 6509-0388

TEST REPORT

Customer : Pinthong Industrial Park Public Company Limited**
Address : 789 Moo 1 ,Nongkoh-Laem Chabang Rd.,Nongkham , Sriracha , Chonburi 20230**
Sampling Source : Surface Water (Pinthong Project 1)** Sample No. : W 65081643
Sample Name : บริเวณจุดระบายน้ำทิ้งโครงการ (SW 3)** Sampling Date : 19/08/2022**
Sampling By : ETC** Sampling Time : 9:00 AM**
Sampling Method : Grab** Received Date : 20/08/2022
Tested Date : 20/08/2022 – 31/08/2022 Reported Date : 06/09/2022

Parameter	Unit	Method	Result	Standard ¹
Hexavalent Chromium *	mg/l as Cr ⁶⁺	Filtration, Colorimetric Method (SM:3500 -Cr B)	< 0.050	≤ 0.05
Lead @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	< 0.010	≤ 0.05
Manganese @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	0.44	≤ 1
Mercury *	mg/l	Cold-Vapor Atomic Absorption Spectrometric Method (SM:3112B)	< 0.0010	≤ 0.002
Nickel @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	< 0.03	≤ 0.1
Nitrate *	mg/l as NO ₃ ⁻	Cadmium Reduction Method (SM:4500 -NO ₃ - B)	2.09	≤ 5
Oil and Grease @	mg/l	Partition-Gravimetric Method (SM:5520B)	< 3.0	-

Physical Appearance : 1. Sample : yellow, lightly SS
2. Container : Normal [PE 0.5 L (7 Bottle) , PE 1.0 L (2 Bottle) , PE 1.8 L, G 0.25 L , G 1.0 L]

Remark : 1. /1 Surface Water Quality Standards Notification of the National Environment Board No. 8 , B.E. 2537 (1994), Class 4
2. @ = ISO/IEC 17025:2017 Accredited by TISI., # = ISO/IEC 17025:2017 Accredited by DSS,
SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017
3. Mr. Kawee Suthasub is Technical Management.
4. MDL = Method Detection Limit [MDL of Cyanide = 0.008 mg/l]
5. Parameter Outside The Scope of The Registration of Department of Industrial Works
6. ** = อุณหภูมิของน้ำจะต้องไม่สูงกว่าอุณหภูมิตามธรรมชาติ เกิน 3 องศาเซลเซียส
7. *** Standard Cadmium = 0.005 : น้ำที่มีความกระด้างในรูปของ CaCO₃ ไม่เกินกว่า 100 มิลลิกรัมต่อลิตร
Standard Cadmium = 0.05 : น้ำที่มีความกระด้างในรูปของ CaCO₃ เกินกว่า 100 มิลลิกรัมต่อลิตร
8. * = Test Report/Sampling marked Not Accredited, Sampling By Miss Pornpinan Viriyakusolkul (จ-003-จ-8334)*
9. ** These data are non laboratory data.



Examined By

(Mr. Kawee Suthasub)

06/09/2022

REPORTED TESTS REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. W6508460

Report No. 6509-0388


TEST REPORT

Customer : Pinthong Industrial Park Public Company Limited**
Address : 789 Moo 1 ,Nongkroh-Laem Chabang Rd.,Nongkham , Sriracha , Chonburi 20230**
Sampling Source : Surface Water (Pinthong Project 1)** Sample No. : W 65081643
Sample Name : บริเวณจุดระบายน้ำทิ้งโครงการ (SW 3)** Sampling Date : 19/08/2022**
Sampling By : ETC** Sampling Time : 9:00 AM**
Sampling Method : Grab** Received Date : 20/08/2022
Tested Date : 20/08/2022 – 31/08/2022 Reported Date : 06/09/2022

Parameter	Unit	Method	Result	Standard ¹
pH (on site) *		Electrometric Method	7.5	5.0-9.0
Phenol *	mg/l	Distillation,Direct Photometric Method (SM:5530B,D)	< 0.005	≤ 0.005
Selenium *	mg/l	Digestion, Hydride Generation/AAS Method (SM:3030F, 3114B&C)	< 0.0050	-
Silver @	mg/l	Digestion,Inductively Coupled Plasma Method (SM:3030F, 3120B)	< 0.05	-
Temperature *	°C	Laboratory and Field Method	30	๓ **
Total Suspended Solids #	mg/l	Dried at 103-105 C (SM:2540D)	12	-
Zinc @	mg/l	Digestion,Inductively Coupled Plasma Method (SM:3030F, 3120B)	< 0.03	≤ 1

Physical Apperance : 1. Sample : yellow, lightly SS
2. Container : Normal [PE 0.5 L (7 Bottle) , PE 1.0 L (2 Bottle) , PE 1.8 L, G 0.25 L , G 1.0 L]

Remark : 1. /1 Surface Water Quality Standards Notification of the National Environment Board No. 8 , B.E. 2537 (1994), Class 4
2. @ = ISO/IEC 17025:2017 Accredited by TISI., # = ISO/IEC 17025:2017 Accredited by DSS,
SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017
3. Mr. Kawee Suthasub is Technical Management.
4. MDL = Method Detection Limit [MDL of Cyanide = 0.008 mg/l]
5. Parameter Outside The Scope of The Registration of Department of Industrial Works
6. ๓ ** = อุณหภูมิของน้ำจะต้องไม่สูงกว่าอุณหภูมิตามธรรมชาติ เกิน 3 องศาเซลเซียส
7. *** Standard Cadmium = 0.005 : น้ำที่มีความกระด้างในรูปของ CaCO₃ ไม่เกินกว่า 100 มิลลิกรัมต่อลิตร
Standard Cadmium = 0.05 : น้ำที่มีความกระด้างในรูปของ CaCO₃ เกินกว่า 100 มิลลิกรัมต่อลิตร
8. * = Test Report/Sampling marked Not Accredited. Sampling By Miss Pompinan Viriyakusolkul (1-003-๓-8334)*
9. ** These data are non laboratory data



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

REPORTED TESTS REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

Examined By

(Mr. Kawee Suthasub)

06/09/2022

COPY

Request No. W6508460

Report No. 6509-0388

TEST REPORT

Customer : Pinthong Industrial Park Public Company Limited
 Address : 789 Moo 1 ,Nongkoh-Laem Chabang Rd.,Nongkham , Sriracha , Chonburi 20230
 Sampling Source : Surface Water (Pinthong Project 1) Sample No. : W 65081643
 Sample Name : บริเวณจุดระบายน้ำทิ้งโครงการ (SW 3) Sampling Date : 19/08/2022
 Sampling By : ETC Sampling Time : 9:00 AM
 Sampling Method : Grab Received Date : 20/08/2022
 Tested Date : 20/08/2022 – 31/08/2022 Reported Date : 06/09/2022

Parameter	Unit	Method	Result	Standard ¹
Ammonia Nitrogen #	mg/l	Spectrophotometer	0.49	≤ 0.5


Physical Apperance : 1. Sample : yellow, lightly SS

2. Container : Normal [PE 0.5 L (7 Bottle) , PE 1.0 L (2 Bottle) , PE 1.8 L, G 0.25 L , G 1.0 L]

Remark : 1. /1 Surface Water Quality Standards Notification of the National Environment Board No. 8 , B.E. 2537 (1994), Class 4
 2. # Tested by the office of Public Health and Environmental Technology Services Faculty of Public Health Mahidol University
 3. Sampling By Miss Pompinan Viriyakusolkul (๓-003-๓-8334)



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Examined By 
 (Miss Apiradee Chuen-arom)
 06/09/2022

REPORTED TESTS REFER TO SUBMITTED SAMPLES ONLY
 THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
 WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. W6511469

Report No. 6512-0140


TEST REPORT

Customer : Pinthong Industrial Park Public Company Limited**
Address : 789 Moo 1 ,Nongkoh-Laem Chabang Rd.,Nongkham , Sriracha , Chonburi 20230**
Sampling Source : Surface Water (Pinthong Project 1)** Sample No. : W 65111592
Sample Name : บริเวณอุทกระบายน้ำทิ้งโครงการ (SW 3)** Sampling Date : 18/11/2022**
Sampling By : ETC** Sampling Time : 8:15 AM**
Sampling Method : Grab** Received Date : 19/11/2022
Tested Date : 19/11/2022 – 02/12/2022 Reported Date : 03/12/2022

Parameter	Unit	Method	Result	Standard ¹⁾
Biochemical Oxygen Demand #	mg/l	5-Day BOD Test, Membrane Electrode Method (SM:5210B)	6.9	≤ 4
Cadmium @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	< 0.003	***
Chemical Oxygen Demand #	mg/l	Closed Reflux, Titrimetric Method (SM:5220C)	< 40	-
Coliform Bacteria *	MPN : 100 ml	MPN Test Method (SM:9221B)	92,000	-
Copper @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	< 0.03	≤ 0.1
Cyanide *	mg/l as HCN	Distillation, Colorimetric Method (SM:4500 CN- C, E)	0.001	≤ 0.005
Dissolved Oxygen *	mg/l	Azide Modification Method (SM:4500 -O C)	5.4	≥ 2
Fecal Coliform Bacteria *	MPN : 100 ml	MPN Test Method (SM:9221E)	54,000	-
Flow Rate *	m ³ /day	Calculation Method	3,763	-

Physical Apperance : 1. Sample : yellowish, lightly SS
2. Container : Normal [PE 0.5 L (7 Bottle) , PE 1.0 L (2 Bottle) , PE 1.8 L, G 0.25 L , G 1.0 L]

- Remark : 1. /1 Surface Water Quality Standards Notification of the National Environment Board No. 8 , B.E. 2537 (1994), Class 4
2. Parameter Outside The Scope of The Registration of Department of Industrial Works
3. @ = ISO/IEC 17025:2017 Accredited by TISI, # = ISO/IEC 17025:2017 Accredited by DSS,
SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2018
4. Mr. Kawee Suthasub is Technical Management.
5. MDL = Method Detection Limit [MDL of Cyanide = 0.008 mg/l]
6. ** = อุณหภูมิของน้ำจะต้องไม่สูงกว่าอุณหภูมิมาตรฐานธรรมชาติ เกิน 3 องศาเซลเซียส
7. *** Standard Cadmium = 0.005 : น้ำที่มีความกระด้างในรูปของ CaCO₃ ไม่เกินกว่า 100 มิลลิกรัมต่อลิตร
Standard Cadmium = 0.05 : น้ำที่มีความกระด้างในรูปของ CaCO₃ เกินกว่า 100 มิลลิกรัมต่อลิตร
8. * = Test Report/Sampling marked Not Accredited. Sampling By Mr. Songpon Phiwan (3-003-ค-7279)*
9. ** These data are non laboratory data.



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Examined By

(Mr. Kawee Suthasub)

03/12/2022

REPORTED TESTS REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. W6511469

Report No. 6512-0140


TEST REPORT

Customer : Pinthong Industrial Park Public Company Limited**
Address : 789 Moo 1 ,Nongkoh-Laem Chabang Rd.,Nongkham , Sriracha , Chonburi 20230**
Sampling Source : Surface Water (Pinthong Project 1)** Sample No. : W 65111592
Sample Name : บริเวณจุดระบายน้ำทิ้งโครงการ (SW 3)** Sampling Date : 18/11/2022**
Sampling By : ETC** Sampling Time : 8:15 AM**
Sampling Method : Grab** Received Date : 19/11/2022
Tested Date : 19/11/2022 – 02/12/2022 Reported Date : 03/12/2022

Parameter	Unit	Method	Result	Standard ¹⁾
Hexavalent Chromium *	mg/l as Cr ⁶⁺	Filtration, Colorimetric Method (SM:3500 -Cr B)	< 0.050	≤ 0.05
Lead @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	< 0.010	≤ 0.05
Manganese @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	0.66	≤ 1
Mercury *	mg/l	Cold-Vapor Atomic Absorption Spectrometric Method (SM:3112B)	< 0.0010	≤ 0.002
Nickel @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	< 0.03	≤ 0.1
Nitrate *	mg/l as NO ₃ ⁻	Cadmium Reduction Method (SM:4500 -NO ₃ - B)	18.4	≤ 5
Oil and Grease @	mg/l	Partition-Gravimetric Method (SM:5520B)	< 3.0	-

Physical Appearance : 1. Sample : yellowish, lightly SS
2. Container : Normal [PE 0.5 L (7 Bottle) , PE 1.0 L (2 Bottle) , PE 1.8 L, G 0.25 L , G 1.0 L.]

Remark : 1. /1 Surface Water Quality Standards Notification of the National Environment Board No. 8 , B.E. 2537 (1994), Class 4
2. Parameter Outside The Scope of The Registration of Department of Industrial Works
3. @ = ISO/IEC 17025:2017 Accredited by TISI., # = ISO/IEC 17025:2017 Accredited by DSS,
SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017
4. Mr. Kawee Suthasub is Technical Management.
5. MDL = Method Detection Limit [MDL of Cyanide = 0.008 mg/l]
6. ข ** = อุณหภูมิของน้ำจะต้องไม่สูงกว่าอุณหภูมิตามธรรมชาติ เกิน 3 องศาเซลเซียส
7. *** Standard Cadmium = 0.005 : น้ำที่มีความกระด้างในรูปของ CaCO₃ ไม่เกินกว่า 100 มิลลิกรัมต่อลิตร
Standard Cadmium = 0.05 : น้ำที่มีความกระด้างในรูปของ CaCO₃ เกินกว่า 100 มิลลิกรัมต่อลิตร
8. * = Test Report/Sampling marked Not Accredited. Sampling By Mr. Songpon Phiwuan (จ-003-ค-7279)*
9. ** These data are non laboratory data.



Examined By

(Mr. Kawee Suthasub)

03/12/2022

REPORTED TESTS REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. W6511469

Report No. 6512-0140

TEST REPORT

Customer : Pinthong Industrial Park Public Company Limited**
Address : 789 Moo 1 ,Nongkoh-Laem Chabang Rd.,Nongkham , Sriracha , Chonburi 20230**
Sampling Source : Surface Water (Pinthong Project 1)** Sample No. : W 65111592
Sample Name : บริเวณจุดระบายน้ำทั้งโครงการ (SW 3)** Sampling Date : 18/11/2022**
Sampling By : ETC** Sampling Time : 8:15 AM**
Sampling Method : Grab** Received Date : 19/11/2022
Tested Date : 19/11/2022 – 02/12/2022 Reported Date : 03/12/2022

Parameter	Unit	Method	Result	Standard ¹⁾
pH (on site) *		Electrometric Method	7.1	5.0-9.0
Phenol *	mg/l	Distillation, Direct Photometric Method (SM:5530B,D)	0.017	≤ 0.005
Silver @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	< 0.05	-
Temperature *	°C	Laboratory and Field Method	31	๓ **
Total Suspended Solids #	mg/l	Dried at 103-105 C (SM:2540D)	17	-
Zinc @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	< 0.03	≤ 1

Physical Apperance : 1. Sample : yellowish, lightly SS
2. Container : Normal [PE 0.5 L (7 Bottle) , PE 1.0 L (2 Bottle) , PE 1.8 L, G 0.25 L , G 1.0 L]

Remark : 1. /1 Surface Water Quality Standards Notification of the National Environment Board No. 8 , B.E. 2537 (1994), Class 4
2. @ = ISO/IEC 17025:2017 Accredited by TISI., # = ISO/IEC 17025:2017 Accredited by DSS,
SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017
3. Mr. Kawee Suthasub is Technical Management.
4. MDL = Method Detection Limit [MDL of Cyanide = 0.008 mg/l]
5. Parameter Outside The Scope of The Registration of Department of Industrial Works
6. ๓ ** = อุณหภูมิของน้ำจะต้องไม่สูงกว่าอุณหภูมิตามธรรมชาติ เกิน 3 องศาเซลเซียส
7. *** Standard Cadmium = 0.005 : น้ำที่มีความกระด้างในรูปของ CaCO₃ ไม่เกินกว่า 100 มิลลิกรัมต่อลิตร
Standard Cadmium = 0.05 : น้ำที่มีความกระด้างในรูปของ CaCO₃ เกินกว่า 100 มิลลิกรัมต่อลิตร
8. * = Test Report/Sampling marked Not Accredited, Sampling By Mr. Songpon Phiwuan (๓-003-๓-7279)*
9. ** These data are non laboratory data.



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Examined By

(Mr. Kawee Suthasub)

03/12/2022

REPORTED TESTS REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY



Request No. W6511469

Report No. 6512-0140

TEST REPORT

Customer : Pinthong Industrial Park Public Company Limited
 Address : 789 Moo 1 ,Nongkoh-Laem Chabang Rd.,Nongkham , Sriracha , Chonburi 20230
 Sampling Source : Surface Water (Pinthong Project 1) Sample No. : W 65111592
 Sample Name : บริเวณจุดระบายน้ำทิ้งโครงการ (SW 3) Sampling Date : 18/11/2022
 Sampling By : ETC Sampling Time : 8:15 AM
 Sampling Method : Grab Received Date : 19/11/2022
 Tested Date : 19/11/2022 – 02/12/2022 Reported Date : 03/12/2022


Parameter	Unit	Method	Result	Standard ¹⁾
Ammonia Nitrogen #	mg/l	Spectrophotometer	0.25	≤ 0.5

Physical Appearance : 1. Sample : yellowish, lightly SS
 2. Container : Normal [PE 0.5 L (7 Bottle) , PE 1.0 L (2 Bottle) , PE 1.8 L , G 0.25 L , G 1.0 L]

Remark : 1. /1 Surface Water Quality Standards Notification of the National Environment Board No. 8 , B.E. 2537 (1994), Class 4
 2. # Tested by the office of Public Health and Environmental Technology Services Faculty of Public Health Mahidol University
 3. Sampling By Mr. Songpon Phiwan (1-003-ค-7279)



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Examined By 
 (Miss Apiradee Chuen-arom)
 03/12/2022

REPORTED TESTS REFER TO SUBMITTED SAMPLES ONLY
 THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
 WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. W6511469

Report No. 6512-0140

TEST REPORT

Customer : Pinthong Industrial Park Public Company Limited
Address : 789 Moo 1 ,Nongkoh-Laem Chabang Rd.,Nongkham , Sriracha , Chonburi 20230
Sampling Source : Surface Water (Pinthong Project 1) Sample No. : W 65111592
Sample Name : บริเวณจุดระบายน้ำทั้งโครงการ (SW 3) Sampling Date : 18/11/2022
Sampling By : ETC Sampling Time : 8:15 AM
Sampling Method : Grab Received Date : 19/11/2022
Tested Date : 19/11/2022 – 02/12/2022 Reported Date : 03/12/2022

Parameter	Unit	Method	Result	Standard ^{1/}
Arsenic #	mg/l	Hydride Generation Atomic Absorption/ APHA 3114C	0.0049	≤ 0.01
Selenium #	mg/l	Hydride Generation Technique, 3114C	ND	-

Physical Appearance : 1. Sample : yellowish, lightly SS
2. Container : Normal [PE 0.5 L (7 Bottle) , PE 1.0 L (2 Bottle) , PE 1.8 L, G 0.25 L , G 1.0 L]
Remark : 1. /1 Surface Water Quality Standards Notification of the National Environment Board No. 8 , B.E. 2537 (1994), Class 4
2. # Tested by SECOT Co.,Ltd.
3. ND = Non-Detectable
4. Sampling By Mr. Songpon Phiwan (ว-003-ก-7279)



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Examined By

(Miss Apiradee Chuen-arom)

03/12/2022

REPORTED TESTS REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. W6508460

Report No. 6509-0389

TEST REPORT

Customer : Pinthong Industrial Park Public Company Limited**
Address : 789 Moo 1 ,Nongkoh-Laem Chabang Rd.,Nongkham , Sriracha , Chonburi 20230**
Sampling Source : Surface Water (Pinthong Project 1)** Sample No. : W 65081644
Sample Name : ห้วยบ้านนาหลังผ่านจุดระบายน้ำทิ้ง (SW 4)###** Sampling Date : 19/08/2022**
Sampling By : ETC** Sampling Time : 9:30 AM**
Sampling Method : Grab** Received Date : 20/08/2022
Tested Date : 20/08/2022 – 08/09/2022 Reported Date : 09/09/2022

Parameter	Unit	Method	Result	Standard ¹⁾
Arsenic *	mg/l	Continuous Hydride Generation/AAS Method (SM:3114B)	0.0092	≤ 0.01
Biochemical Oxygen Demand #	mg/l	5-Day BOD Test, Membrane Electrode Method (SM:5210B)	6.9	≤ 4
Cadmium @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	< 0.003	***
Chemical Oxygen Demand #	mg/l	Closed Reflux, Titrimetric Method (SM:5220C)	74	-
Coliform Bacteria *	MPN : 100 ml	MPN Test Method (SM:9221B)	> 160,000	-
Copper @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	< 0.03	≤ 0.1
Cyanide *	mg/l as HCN	Distillation, Colorimetric Method (SM:4500 CN- C, E)	0.001	≤ 0.005
Dissolved Oxygen *	mg/l	Azide Modification Method (SM:4500 -O C)	4.4	≥ 2
Fecal Coliform Bacteria *	MPN : 100 ml	MPN Test Method (SM:9221E)	92,000	-
Flow Rate *	m ³ /day	Calculation Method	6,193	-

Physical Apperance : 1. Sample : yellowish, lightly SS
2. Container : Normal [PE 0.5 L (7 Bottle) , PE 1.0 L (2 Bottle) , PE 1.8 L, G 0.25 L , G 1.0 L]

Remark : 1. /1 Surface Water Quality Standards Notification of the National Environment Board No. 8 , B.E. 2537 (1994), Class 4
2. @ = ISO/IEC 17025:2017 Accredited by TISI., # = ISO/IEC 17025:2017 Accredited by DSS,
SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017
3. Mr. Kawee Suthasub is Technical Management.
4. MDL = Method Detection Limit [MDL of Cyanide = 0.008 mg/l]
5. Parameter Outside The Scope of The Registration of Department of Industrial Works
6. ** = อุณหภูมิของน้ำจะต้องไม่สูงกว่าอุณหภูมิตามธรรมชาติ เกิน 3 องศาเซลเซียส
7. *** Standard Cadmium = 0.005 : น้ำที่มีความกระด้างในรูปของ CaCO₃ ไม่เกินกว่า 100 มิลลิกรัมต่อลิตร
Standard Cadmium = 0.05 : น้ำที่มีความกระด้างในรูปของ CaCO₃ เกินกว่า 100 มิลลิกรัมต่อลิตร
8. * = Test Report/Sampling marked Not Accredited, Sampling By Miss Pornpinan Viriyakul (J-007-จ-8334)*
9. ** These data are non laboratory data. ## ห้วยบ้านนา หลังผ่านจุดระบายน้ำทิ้ง โครงการประปา 500 เมตร (SW 4)



Examined By

(Mr. Kawee Suthasub)

09/09/2022

REPORTED TESTS REFER TO SUBMITTED SAMPLES ONLY
บริษัท อีสเทิร์นไทยคอนซัลติง 1992 จำกัด
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. W6508460

Report No. 6509-0389

TEST REPORT

Customer : Pinthong Industrial Park Public Company Limited**
Address : 789 Moo 1 ,Nongkoh-Laem Chabang Rd.,Nongkham , Sriracha , Chonburi 20230**
Sampling Source : Surface Water (Pinthong Project 1)** Sample No. : W 65081644
Sample Name : ห้วยบ้านนาหลังผ่านจุดระบายน้ำทิ้ง (SW 4)###** Sampling Date : 19/08/2022**
Sampling By : ETC** Sampling Time : 9:30 AM**
Sampling Method : Grab** Received Date : 20/08/2022
Tested Date : 20/08/2022 – 08/09/2022 Reported Date : 09/09/2022

Parameter	Unit	Method	Result	Standard ¹⁾
Hexavalent Chromium *	mg/l as Cr ⁶⁺	Filtration, Colorimetric Method (SM:3500 -Cr B)	< 0.050	≤ 0.05
Lead @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	< 0.010	≤ 0.05
Manganese @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	0.58	≤ 1
Mercury *	mg/l	Cold-Vapor Atomic Absorption Spectrometric Method (SM:3112B)	< 0.0010	≤ 0.002
Nickel @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	< 0.03	≤ 0.1
Nitrate *	mg/l as NO ₃ ⁻	Cadmium Reduction Method (SM:4500 -NO ₃ - B)	1.57	≤ 5
Oil and Grease @	mg/l	Partition-Gravimetric Method (SM:5520B)	< 3.0	-

Physical Appearance : 1. Sample : yellowish, lightly SS
2. Container : Normal [PE 0.5 L (7 Bottle) , PE 1.0 L (2 Bottle) , PE 1.8 L, G 0.25 L , G 1.0 L]

Remark : 1. /1 Surface Water Quality Standards Notification of the National Environment Board No. 8 , B.E. 2537 (1994), Class 4
2. @ = ISO/IEC 17025:2017 Accredited by TISL, # = ISO/IEC 17025:2017 Accredited by DSS,
SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017
3. Mr. Kawee Suthasub is Technical Management.
4. MDL = Method Detection Limit [MDL of Cyanide = 0.008 mg/l]
5. Parameter Outside The Scope of The Registration of Department of Industrial Works
6. ข ** = อุณหภูมิของน้ำจะต้องไม่สูงกว่าอุณหภูมิตามธรรมชาติ เกิน 3 องศาเซลเซียส
7. *** Standard Cadmium = 0.005 : น้ำที่มีความกระด้างในรูปของ CaCO₃ ไม่เกินกว่า 100 มิลลิกรัมต่อลิตร
Standard Cadmium = 0.05 : น้ำที่มีความกระด้างในรูปของ CaCO₃ เกินกว่า 100 มิลลิกรัมต่อลิตร
8. * = Test Report/Sampling marked Not Accredited. Sampling By Miss Pornpinan Viriyakulsolkul (3-003-0-8334)*
9. ** These data are non laboratory data. / ## ห้วยบ้านนา หลังผ่านจุดระบายน้ำทิ้ง โครงการประมาณ 600 เมตร (SW 4)



Examined By

(Mr. Kawee Suthasub)

09/09/2022

REPORTED TESTS REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. W6508460

Report No. 6509-0389

TEST REPORT

Customer : Pinthong Industrial Park Public Company Limited**
Address : 789 Moo 1 ,Nongkoh-Laem Chabang Rd.,Nongkham , Sriracha , Chonburi 20230**
Sampling Source : Surface Water (Pinthong Project 1)**
Sample Name : ห้วยบ้านนาหลังผ่านจุดระบายน้ำทิ้ง (SW 4)###
Sampling By : ETC**
Sampling Method : Grab**
Tested Date : 20/08/2022 – 08/09/2022
Sample No. : W 65081644
Sampling Date : 19/08/2022**
Sampling Time : 9:30 AM**
Received Date : 20/08/2022
Reported Date : 09/09/2022

Parameter	Unit	Method	Result	Standard ^{1/}
pH (on site) *		Electrometric Method	7.5	5.0-9.0
Phenol *	mg/l	Distillation,Direct Photometric Method (SM:5530B,D)	< 0.005	≤ 0.005
Selenium *	mg/l	Digestion, Hydride Generation/AAS Method (SM:3030F, 3114B&C)	< 0.0050	-
Silver @	mg/l	Digestion,Inductively Coupled Plasma Method (SM:3030F, 3120B)	< 0.05	-
Temperature *	°C	Laboratory and Field Method	31	๗ **
Total Suspended Solids #	mg/l	Dried at 103-105 C (SM:2540D)	15	-
Zinc @	mg/l	Digestion,Inductively Coupled Plasma Method (SM:3030F, 3120B)	0.03	≤ 1

Physical Apperance :
1. Sample : yellowish, lightly SS
2. Container : Normal [PE 0.5 L (7 Bottle) , PE 1.0 L (2 Bottle) , PE 1.8 L, G 0.25 L , G 1.0 L]

Remark :
1. /I Surface Water Quality Standards Notification of the National Environment Board No. 8 , B.E. 2537 (1994), Class 4
2. @ = ISO/IEC 17025:2017 Accredited by TISI., # = ISO/IEC 17025:2017 Accredited by DSS,
SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017
3. Mr. Kawee Suthasub is Technical Management.
4. MDL = Method Detection Limit [MDL of Cyanide = 0.008 mg/l]
5. Parameter Outside The Scope of The Registration of Department of Industrial Works
6. ๗ ** = อุณหภูมิของน้ำจะต้องไม่สูงกว่าอุณหภูมิตามธรรมชาติ เกิน 3 องศาเซลเซียส
7. *** Standard Cadmium = 0.005 : น้ำที่มีความกระด้างในรูปของ CaCO₃ ไม่เกินกว่า 100 มิลลิกรัมต่อลิตร
Standard Cadmium = 0.05 : น้ำที่มีความกระด้างในรูปของ CaCO₃ เกินกว่า 100 มิลลิกรัมต่อลิตร
8. * = Test Report/Sampling marked Not Accredited, Sampling By Miss Pornpinan Viriyakusolkul (๓-003-๖-8334)*
9. ** These data are non laboratory data / ### ห้วยบ้านนาหลังผ่านจุดระบายน้ำทิ้ง โครงการประมาณ 500 เมตร (SW 4)



Examined By

(Mr. Kawee Suthasub)

09/09/2022

REPORTED TESTS ARE FOR SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. W6508460

Report No. 6509-0389

TEST REPORT

Customer : Pinthong Industrial Park Public Company Limited
 Address : 789 Moo 1 ,Nongkoh-Laem Chabang Rd.,Nongkham , Sriracha , Chonburi 20230
 Sampling Source : Surface Water (Pinthong Project 1) Sample No. : W 65081644
 Sample Name : ห้วยบ้านนาหลังผ่านจุดระบายน้ำทิ้ง (SW 4)## Sampling Date : 19/08/2022
 Sampling By : ETC Sampling Time : 9:30 AM
 Sampling Method : Grab Received Date : 20/08/2022
 Tested Date : 20/08/2022 – 08/09/2022 Reported Date : 09/09/2022

Parameter	Unit	Method	Result	Standard ^{/1}
Ammonia Nitrogen #	mg/l	Spectrophotometer	0.62	≤ 0.5

Physical Apperance : 1. Sample : yellowish, lightly SS

2. Container : Normal [PE 0.5 L (7 Bottle) , PE 1.0 L (2 Bottle) , PE 1.8 L , G 0.25 L , G 1.0 L]

Remark : 1. /1 Surface Water Quality Standards Notification of the National Environment Board No. 8 , B.E. 2537 (1994), Class 4
 2. # Tested by the office of Public Health and Environmental Technology Services Faculty of Public Health Mahidol University
 3. ## ห้วยบ้านนา หลังผ่านจุดระบายน้ำทิ้งโครงการประมาณ 500 เมตร (SW 4)
 4. Sampling By Miss Pornpinan Viriyakusolkul (ว-003-จ-8334)



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Examined By



(Miss Apiradee Chuen-arom)

09/09/2022

REPORTED TESTS REFER TO SUBMITTED SAMPLES ONLY
 THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
 WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. W6511469

Report No. 6512-0141

TEST REPORT

Customer : Pinthong Industrial Park Public Company Limited**
Address : 789 Moo 1 ,Nongkoh-Laem Chabang Rd.,Nongkham , Sriracha , Chonburi 20230**
Sampling Source : Surface Water (Pinthong Project 1)** Sample No. : W 65111593
Sample Name : ห้วยบ้านนาหลังผ่านจุดระบายน้ำทิ้ง (SW 4)###** Sampling Date : 18/11/2022**
Sampling By : ETC** Sampling Time : 10:10 AM**
Sampling Method : Grab** Received Date : 19/11/2022
Tested Date : 19/11/2022 – 02/12/2022 Reported Date : 03/12/2022

Parameter	Unit	Method	Result	Standard ^{1/}
Biochemical Oxygen Demand #	mg/l	5-Day BOD Test, Membrane Electrode Method (SM:5210B)	< 2.0	≤ 4
Cadmium @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	< 0.003	***
Chemical Oxygen Demand #	mg/l	Closed Reflux, Titrimetric Method (SM:5220C)	< 40	-
Coliform Bacteria *	MPN : 100 ml	MPN Test Method (SM:9221B)	> 160,000	-
Copper @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	< 0.03	≤ 0.1
Cyanide *	mg/l as HCN	Distillation, Colorimetric Method (SM:4500 CN- C, E)	0.001	≤ 0.005
Dissolved Oxygen *	mg/l	Azide Modification Method (SM:4500 -O C)	6.0	≥ 2
Fecal Coliform Bacteria *	MPN : 100 ml	MPN Test Method (SM:9221E)	>160,000	-
Flow Rate *	m ³ /day	Calculation Method	2,633	-

- Physical Apperance : 1. Sample : yellow, lightly SS
2. Container : Normal [PE 0.5 L (7 Bottle) , PE 1.0 L (2 Bottle) , PE 1.8 L, G 0.25 L , G 1.0 L]
- Remark : 1. /1 Surface Water Quality Standards Notification of the National Environment Board No. 8 , B.E. 2537 (1994), Class 4
2. Parameter Outside The Scope of The Registration of Department of Industrial Works
3. @ = ISO/IEC 17025:2017 Accredited by TISI, # = ISO/IEC 17025:2017 Accredited by DSS,
SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017
4. Mr. Kawee Suthasub is Technical Management.
5. MDL = Method Detection Limit [MDL of Cyanide = 0.008 mg/l]
6. ** = อุณหภูมิของน้ำจะต้องไม่สูงกว่าอุณหภูมิตามธรรมชาติ เกิน 3 องศาเซลเซียส
7. *** Standard Cadmium = 0.005 : น้ำที่มีความกระด้างในรูปของ CaCO₃ ไม่เกินกว่า 100 มิลลิกรัมต่อลิตร
Standard Cadmium = 0.05 : น้ำที่มีความกระด้างในรูปของ CaCO₃ เกินกว่า 100 มิลลิกรัมต่อลิตร
8. * = Test Report/Sampling marked Not Accredited, Sampling By Mr. Songpon Phiwuan (จ-003-ค-7279)*
9. ** These data are non laboratory data. ### ห้วยบ้านนา หลังผ่านจุดระบายน้ำทิ้งโครงการประมาณ 500 เมตร (SW 4)



Examined By

(Mr. Kawee Suthasub)

03/12/2022

REPORTED TESTS REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. W6511469

Report No. 6512-0141

TEST REPORT

Customer : Pinthong Industrial Park Public Company Limited**
Address : 789 Moo 1 ,Nongkoh-Laem Chabang Rd.,Nongkham , Sriracha , Chonburi 20230**
Sampling Source : Surface Water (Pinthong Project 1)** Sample No. : W 65111593
Sample Name : ห้วยบ้านนาหลังผ่านจตุรระบายน้ำทั้ง (SW 4)### Sampling Date : 18/11/2022**
Sampling By : ETC** Sampling Time : 10:10 AM**
Sampling Method : Grab** Received Date : 19/11/2022
Tested Date : 19/11/2022 – 02/12/2022 Reported Date : 03/12/2022

Parameter	Unit	Method	Result	Standard ¹
Hexavalent Chromium *	mg/l as Cr ⁶⁺	Filtration, Colorimetric Method (SM:3500 -Cr B)	< 0.050	≤ 0.05
Lead @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	< 0.010	≤ 0.05
Manganese @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	0.44	≤ 1
Mercury *	mg/l	Cold-Vapor Atomic Absorption Spectrometric Method (SM:3112B)	< 0.0010	≤ 0.002
Nickel @	mg/l	Digestion, Inductively Coupled Plasma Method (SM:3030F, 3120B)	< 0.03	≤ 0.1
Nitrate *	mg/l as NO ₃ ⁻	Cadmium Reduction Method (SM:4500 -NO ₃ - B)	5.33	≤ 5
Oil and Grease @	mg/l	Partition-Gravimetric Method (SM:5520B)	< 3.0	-

- Physical Apperance : 1. Sample : yellow, lightly SS
2. Container : Normal [PE 0.5 L (7 Bottle) , PE 1.0 L (2 Bottle) , PE 1.8 L, G 0.25 L , G 1.0 L]
- Remark : 1. /1 Surface Water Quality Standards Notification of the National Environment Board No. 8 , B.E. 2537 (1994), Class 4
2. Parameter Outside The Scope of The Registration of Department of Industrial Works
3. @ = ISO/IEC 17025:2017 Accredited by TISI., # = ISO/IEC 17025:2017 Accredited by DSS,
SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017
4. Mr. Kawee Suthasub is Technical Management.
5. MDL = Method Detection Limit [MDL of Cyanide = 0.008 mg/l]
6. ** = อุณหภูมิของน้ำจะต้องไม่สูงกว่าอุณหภูมิตามธรรมชาติ เกิน 3 องศาเซลเซียส
7. *** Standard Cadmium = 0.005 : น้ำที่มีความกระด้างในรูปของ CaCO₃ ไม่เกินกว่า 100 มิลลิกรัมต่อลิตร
Standard Cadmium = 0.05 : น้ำที่มีความกระด้างในรูปของ CaCO₃ เกินกว่า 100 มิลลิกรัมต่อลิตร
8. * = Test Report/Sampling marked Not Accredited, Sampling By Mr. Songpon Phiwuan (3-003-ก-7279)*
9. ** These data are non laboratory data / ตรวจวัดยังบนน้ำ หลังผ่านจตุรระบายน้ำทั้งโครงการประมาณ 500 เมตร (SW 4)



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Examined By

(Mr. Kawee Suthasub)

03/12/2022

REPORTED TESTS REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. W6511469

Report No. 6512-0141


TEST REPORT

Customer	:	Pinthong Industrial Park Public Company Limited**	Sample No.	:	W 65111593
Address	:	789 Moo 1 ,Nongkoh-Laem Chabang Rd.,Nongkham , Sriracha , Chonburi 20230**	Sampling Date	:	18/11/2022**
Sampling Source	:	Surface Water (Pinthong Project 1)**	Sampling Time	:	10:10 AM**
Sample Name	:	ห้วยบ้านนาหลังผ่านจุดระบายน้ำทิ้ง (SW 4)###	Received Date	:	19/11/2022
Sampling By	:	ETC**	Reported Date	:	03/12/2022
Sampling Method	:	Grab**			
Tested Date	:	19/11/2022 – 02/12/2022			

Parameter	Unit	Method	Result	Standard ^{1/}
pH (on site) *		Electrometric Method	7.4	5.0-9.0
Phenol *	mg/l	Distillation,Direct Photometric Method (SM:5530B,D)	< 0.005	≤ 0.005
Silver @	mg/l	Digestion,Inductively Coupled Plasma Method (SM:3030F, 3120B)	< 0.05	-
Temperature *	°C	Laboratory and Field Method	30	๓ **
Total Suspended Solids #	mg/l	Dried at 103-105 C (SM:2540D)	25	-
Zinc @	mg/l	Digestion,Inductively Coupled Plasma Method (SM:3030F, 3120B)	< 0.03	≤ 1

Physical Apperance : 1. Sample : yellow, lightly SS
2. Container : Normal [PE 0.5 L (7 Bottle) , PE 1.0 L (2 Bottle) , PE 1.8 L, G 0.25 L , G 1.0 L]

Remark : 1. /1 Surface Water Quality Standards Notification of the National Environment Board No. 8 , B.E. 2537 (1994), Class 4
2. Parameter Outside The Scope of The Registration of Department of Industrial Works
3. @ = ISO/IEC 17025:2017 Accredited by TISI., # = ISO/IEC 17025:2017 Accredited by DSS,
SM = Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017
4. Mr. Kawee Suthasub is Technical Management.
5. MDL = Method Detection Limit [MDL of Cyanide = 0.008 mg/l]
6. ๓ ** = อุณหภูมิของน้ำจะต้องไม่สูงกว่าอุณหภูมิตามธรรมชาติ เกิน 3 องศาเซลเซียส
7. *** Standard Cadmium = 0.005 : น้ำที่มีความกระด้างในรูปของ CaCO₃ ไม่เกินกว่า 100 มิลลิกรัมต่อลิตร
Standard Cadmium = 0.05 : น้ำที่มีความกระด้างในรูปของ CaCO₃ เกินกว่า 100 มิลลิกรัมต่อลิตร
8. * = Test Report/Sampling marked Not Accredited, Sampling By Mr. Songpon Phiwuan (๖-003-ค-7279)*
9. ** These data are non laboratory data. / ## ห้วยบ้านนา หลังผ่านจุดระบายน้ำทิ้งโครงการประมาณ 500 เมตร (SW 4)



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Examined By

(Mr. Kawee Suthasub)

03/12/2022

REPORTED TESTS REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY



Request No. W6511469

Report No. 6512-0141

TEST REPORT

Customer : Pinthong Industrial Park Public Company Limited
 Address : 789 Moo 1 ,Nongkoh-Laem Chabang Rd.,Nongkham , Sriracha , Chonburi 20230
 Sampling Source : Surface Water (Pinthong Project 1) Sample No. : W 65111593
 Sample Name : ห้วยบ้านนาหลังผ่านจุดระบายน้ำทิ้ง (SW 4)## Sampling Date : 18/11/2022
 Sampling By : ETC Sampling Time : 10:10 AM
 Sampling Method : Grab Received Date : 19/11/2022
 Tested Date : 19/11/2022 – 02/12/2022 Reported Date : 03/12/2022

Parameter	Unit	Method	Result	Standard ¹
Ammonia Nitrogen #	mg/l	Spectrophotometer	0.48	≤ 0.5

Physical Apperance : 1. Sample : yellow, lightly SS

2. Container : Normal [PE 0.5 L (7 Bottle) , PE 1.0 L (2 Bottle) , PE 1.8 L, G 0.25 L , G 1.0 L]

Remark : 1. /1 Surface Water Quality Standards Notification of the National Environment Board No. 8 , B.E. 2537 (1994), Class 4
 2. # Tested by the office of Public Health and Environmental Technology Services Faculty of Public Health Mahidol University
 3. ## ห้วยบ้านนา หลังผ่านจุดระบายน้ำทิ้งโครงการประมาณ 500 เมตร (SW 4)
 4. Sampling By Mr. Songpon Phiwan (ว-003-ค-7279)



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Examined By 

(Miss Apiradee Chuen-arom)

03/12/2022

REPORTED TESTS REFER TO SUBMITTED SAMPLES ONLY
 THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
 WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Request No. W6511469

Report No. 6512-0141

TEST REPORT

Customer : Pinthong Industrial Park Public Company Limited
Address : 789 Moo 1 ,Nongkoh-Laem Chabang Rd.,Nongkham , Sriracha , Chonburi 20230
Sampling Source : Surface Water (Pinthong Project 1) Sample No. : W 65111593
Sample Name : ห้วยบ้านนาหลังผ่านจุดระบายน้ำทิ้ง (SW 4)## Sampling Date : 18/11/2022
Sampling By : ETC Sampling Time : 10:10 AM
Sampling Method : Grab Received Date : 19/11/2022
Tested Date : 19/11/2022 – 02/12/2022 Reported Date : 03/12/2022

Parameter	Unit	Method	Result	Standard ¹
Arsenic #	mg/l	Hydride Generation Atomic Absorption/ APHA 3114C	0.0069	≤ 0.01
Selenium #	mg/l	Hydride Generation Technique, 3114C	ND	-

Physical Appearance : 1. Sample : yellow, lightly SS

2. Container : Normal [PE 0.5 L (7 Bottle) , PE 1.0 L (2 Bottle) , PE 1.8 L, G 0.25 L , G 1.0 L]

Remark : 1. /1 Surface Water Quality Standards Notification of the National Environment Board No. 8 , B.E. 2537 (1994), Class 4
2. # Tested by SECOT Co.,Ltd.
3. ## ห้วยบ้านนา หลังผ่านจุดระบายน้ำทิ้งโครงการประมาณ 500 เมตร (SW 4)
4. ND = Non-Detectable
5. Sampling By Mr. Songpon Phiwuan (จ-003-ค-7279)



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Examined By

(Miss Apiradee Chuen-arom)

03/12/2022

REPORTED TESTS REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Test Report

Request No : W6508461

Report No : 6509-0080

Customer : Pinthong Industrial Park Public Company Limited**

Address : 789 Moo 1 Nong Koh - Laem Chabang Rd., Nongkham, Sriracha, Chonburi 20230**

Sampling Source : Pinthong Industrial Park Project 1

Sample No : W 65081645

Sample Name : พื้นที่สีเขียวด้านทิศเหนือ (S1)

Sampling Date : 19/08/2022

Sampling By : ETC

Sampling Time : 8:55 AM

Sampling Method : Grab

Received Date : 20/08/2022

Tested Date : 23/08/2022 - 29/08/2022

Reported Date : 02/09/2022

Parameter	Unit	Method	Result	Standard/ ¹
Arsenic (As)	mg/kg	Digestion, Inductively Coupled Plasma	< 5.00	≤ 25
Cadmium (Cd)	mg/kg	Digestion, Inductively Coupled Plasma	0.19	≤ 762
Hexavalent Chromium	mg/kg	Alkaline Digestion, Colorimetric Method	< 2.00	≤ 212
Lead (Pb)	mg/kg	Digestion, Inductively Coupled Plasma	5.89	≤ 800
Manganese (Mn)	mg/kg	Digestion, Inductively Coupled Plasma	133	≤ 19640
Mercury (Hg)	mg/kg	Digestion, Cold-Vapor Atomic Absorption Spectrometric	< 0.20	≤ 263
Nickel (Ni)	mg/kg	Digestion, Inductively Coupled Plasma	2.52	≤ 5205

Physical Appearance : 1. Sample : black, soil

2. Container : Bag

Remark : 1. /I Notification of the National Environment Board B.E.2564 (2021),

Soil Quality Standard that use for Commercial, for Agriculture and Other.


2. Sampling By Miss Pornpinan Viriyakusolkul (ว-003-จ-8334)

Examined By :

(Miss Apiradee Chuen-arom)

(ว-003-ค-4377)

02/09/2022



บริษัท อีสเทิร์นไทยคอนซัลติง 1992 จำกัด

Approved By :

(Mr. Kawee Suthasub)

(ว-003-ค-2205)

02/09/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

Test Report

Request No : W6508461

Report No : 6509-0080

Customer : Pinthong Industrial Park Public Company Limited**

Address : 789 Moo 1 Nong Koh - Laem Chabang Rd., Nongkham, Sriracha, Chonburi 20230**

Sampling Source : Pinthong Industrial Park Project 1

Sample No : W 65081645

Sample Name : พื้นที่สีเขียวด้านทิศเหนือ (S1)

Sampling Date : 19/08/2022

Sampling By : ETC

Sampling Time : 8:55 AM

Sampling Method : Grab

Received Date : 20/08/2022

Tested Date : 23/08/2022 - 29/08/2022

Reported Date : 02/09/2022

Parameter	Unit	Method	Result	Standard ¹
Selenium (Se)	mg/kg	Digestion, Inductively Coupled Plasma	< 5.00	< 4380

Physical Apperance : 1. Sample : black, soil

2. Container : Bag

Remark : 1. /1 Notification of the National Environment Board B.E.2564 (2021),

Soil Quality Standard that use for Commercial, for Agriculture and Other.


2. Sampling By Miss Pompinan Viriyakusolkul (จ-003-จ-8334)

Examined By :

(Miss Apiradee Chuen-arom)

(จ-003-ค-4377)

02/09/2022



บริษัท อีสเทิร์นไทยคอนซัลติง 1992 จำกัด

Approved By :

(Mr. Kawee Suthasub)

(จ-003-ค-2205)

02/09/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Test Report

Request No : W6508461

Report No : 6509-0081

Customer : Pinthong Industrial Park Public Company Limited**

Address : 789 Moo 1 Nong Koh - Laem Chabang Rd., Nongkham, Sriracha, Chonburi 20230**

Sampling Source : Pinthong Industrial Park Project 1

Sample No : W 65081646

Sample Name : พื้นที่สีเขียวด้านทิศใต้ (S2)

Sampling Date : 19/08/2022

Sampling By : ETC

Sampling Time : 10:20 AM

Sampling Method : Grab

Received Date : 20/08/2022

Tested Date : 23/08/2022 - 29/08/2022

Reported Date : 02/09/2022

Parameter	Unit	Method	Result	Standard ¹
Arsenic (As)	mg/kg	Digestion, Inductively Coupled Plasma	38.4	≤25
Cadmium (Cd)	mg/kg	Digestion, Inductively Coupled Plasma	0.85	≤762
Hexavalent Chromium	mg/kg	Alkaline Digestion, Colorimetric Method	< 2.00	≤212
Lead (Pb)	mg/kg	Digestion, Inductively Coupled Plasma	14.8	≤800
Manganese (Mn)	mg/kg	Digestion, Inductively Coupled Plasma	352	≤19640
Mercury (Hg)	mg/kg	Digestion, Cold-Vapor Atomic Absorption Spectrometric	< 0.20	≤263
Nickel (Ni)	mg/kg	Digestion, Inductively Coupled Plasma	6.37	≤5205

Physical Appearance : 1. Sample : brown, soil


2. Container : Bag

Remark : 1. /1 Notification of the National Environment Board B.E.2564 (2021),

Soil Quality Standard that use for Commercial, for Agriculture and Other.

2. Sampling By Miss Pompinan Viriyakusolkul (ว-003-ท-8334)

Examined By :

(Miss Apiradee Chuen-arom)
(ว-003-ท-4377)
02/09/2022

บริษัท อีสเทิร์นไทยคอนซัลติง 1992 จำกัด

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

Page 1 of 2

Approved By :

(Mr. Kawee Suthasub)
(ว-003-ท-2205)
02/09/2022

COPY

Test Report

Request No : W6508461

Report No : 6509-0081

Customer : Pinthong Industrial Park Public Company Limited**

Address : 789 Moo 1 Nong Koh - Laem Chabang Rd., Nongkham, Sriracha, Chonburi 20230**

Sampling Source : Pinthong Industrial Park Project 1

Sample No : W 65081646

Sample Name : พื้นที่สีเขียวด้านทิศใต้ (S2)

Sampling Date : 19/08/2022

Sampling By : ETC

Sampling Time : 10:20 AM

Sampling Method : Grab

Received Date : 20/08/2022

Tested Date : 23/08/2022 - 29/08/2022

Reported Date : 02/09/2022

Parameter	Unit	Method	Result	Standard/ ¹
Selenium (Se)	mg/kg	Digestion, Inductively Coupled Plasma	< 5.00	≤4380

Physical Appearance : 1. Sample : brown, soil

2. Container : Bag

Remark : 1. /1 Notification of the National Environment Board B.E.2564 (2021),

Soil Quality Standard that use for Commercial, for Agriculture and Other.


2. Sampling By Miss Pornpinan Viriyakusolkul (ว-003-ท-8334)

Examined By :

(Miss Apiradee Chuen-arom)

(ว-003-ท-4377)

02/09/2022



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By :

(Mr. Kawee Suthasub)

(ว-003-ท-2205)

02/09/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

Test Report

Request No : W6508461

Report No : 6509-0082

Customer : Pinthong Industrial Park Public Company Limited**

Address : 789 Moo 1 Nong Koh - Laem Chabang Rd., Nongkham, Sriracha, Chonburi 20230**

Sampling Source : Pinthong Industrial Park Project 1

Sample No : W 65081647

Sample Name : พื้นที่สีเขียวด้านทิศตะวันออก (S3)

Sampling Date : 19/08/2022

Sampling By : ETC

Sampling Time : 10:25 AM

Sampling Method : Grab

Received Date : 20/08/2022

Tested Date : 23/08/2022 - 29/08/2022

Reported Date : 02/09/2022

Parameter	Unit	Method	Result	Standard ¹
Arsenic (As)	mg/kg	Digestion, Inductively Coupled Plasma	11.1	≤25
Cadmium (Cd)	mg/kg	Digestion, Inductively Coupled Plasma	0.40	≤762
Hexavalent Chromium	mg/kg	Alkaline Digestion, Colorimetric Method	< 2.00	≤212
Lead (Pb)	mg/kg	Digestion, Inductively Coupled Plasma	7.99	≤800
Manganese (Mn)	mg/kg	Digestion, Inductively Coupled Plasma	428	≤19640
Mercury (Hg)	mg/kg	Digestion, Cold-Vapor Atomic Absorption Spectrometric	< 0.20	≤263
Nickel (Ni)	mg/kg	Digestion, Inductively Coupled Plasma	5.07	≤5205

Physical Appearance : 1. Sample : brown, soil


2. Container : Bag

Remark : 1. /1 Notification of the National Environment Board B.E.2564 (2021),

Soil Quality Standard that use for Commercial, for Agriculture and Other.

2. Sampling By Miss Pornpinan Viriyakusolkul (1-003-จ-8334)

Examined By :

(Miss Apiradee Chuen-arom)
(1-003-ค-4377)
02/09/2022

บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By :

(Mr. Kawee Suthasub)
(1-003-ค-2205)
02/09/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

Test Report

Request No : W6508461

Report No : 6509-0082

Customer : Pinthong Industrial Park Public Company Limited**

Address : 789 Moo 1 Nong Koh - Laem Chabang Rd., Nongkham, Sriracha, Chonburi 20230**

Sampling Source : Pinthong Industrial Park Project 1

Sample No : W 65081647

Sample Name : พื้นที่สีเขียวด้านทิศตะวันออก (S3)

Sampling Date : 19/08/2022

Sampling By : ETC

Sampling Time : 10:25 AM

Sampling Method : Grab

Received Date : 20/08/2022

Tested Date : 23/08/2022 - 29/08/2022

Reported Date : 02/09/2022

Parameter	Unit	Method	Result	Standard ^{1/}
Selenium (Se)	mg/kg	Digestion, Inductively Coupled Plasma	< 5.00	≤ 4380

Physical Apperance : 1. Sample : brown, soil

2. Container : Bag

Remark : 1. /1 Notification of the National Environment Board B.E.2564 (2021),

Soil Quality Standard that use for Commercial, for Agriculture and Other,

2. Sampling By Miss Pompinan Viriyakusolkul (ว-003-จ-8334)

Examined By : 

(Miss Apiradee Chuen-arom)

(ว-003-ค-4377)

02/09/2022



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By : 

(Mr. Kawee Suthasub)

(ว-003-ค-2205)

02/09/2022

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY