



## ภาคผนวก ข-2

คุณภาพน้ำในสระว่ายนํ้า

## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : pichit.kingkaew@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : JULY 5, 2022  
**SAMPLING TIME** : 15:20 HOUR  
**SAMPLING METHOD °** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY °** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS ITSARIYAPORN BUATIB

**RECEIVED DATE** : JULY 5, 2022  
**ANALYTICAL DATE** : JULY 5-14, 2022  
**REPORT NO.** : 2022-U056226  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AN230-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T22AN230-0001		
MICROBIOLOGY					
COLIFORM BACTERIA <sup>b</sup>	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221 B)	< 1.1	< 10	1.1
<i>E. coli</i> <sup>b</sup>	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: 9221D AND F)	ABSENCE	ABSENCE	-
<i>Pseudomonas aeruginosa</i> <sup>c</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

<sup>b</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

<sup>c</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRICTIONAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.

*Chaweevan B.*

(MISS CHAWEEVAN BOONLA)  
LABORATORY SUPERVISOR

JULY 19, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : pichit.kingkaew@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : JULY 5, 2022  
**SAMPLING TIME** : 15:20 HOUR  
**SAMPLING METHOD<sup>b</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY<sup>b</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS PORNPAILIN LOYLUEN

**RECEIVED DATE** : JULY 5, 2022  
**ANALYTICAL DATE** : JULY 5-8, 2022  
**REPORT NO.** : 2022-U056227  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AN230-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T22AN230-0001		
MICROBIOLOGY					
<i>Staphylococcus aureus</i> <sup>a</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: 9213 B)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR  -		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSC)

<sup>b</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRIMENTAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.

*Chaweewan B.*

(MISS CHAWEEWAN BOONLA)  
LABORATORY SUPERVISOR

JULY 19, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : pichit.kingkaew@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : JULY 5, 2022  
**SAMPLING TIME** : 15:25 HOUR  
**SAMPLING METHOD <sup>a</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY <sup>c</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS ITSARIYAPORN BUATIB

**RECEIVED DATE** : JULY 5, 2022  
**ANALYTICAL DATE** : JULY 5-11, 2022  
**REPORT NO.** : 2022-U056228  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AN230-0002

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T22AN230-0002		
MICROBIOLOGY					
COLIFORM BACTERIA <sup>b</sup>	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221B)	< 1.1	< 10	1.1
<i>E. coli</i> <sup>b</sup>	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: 9221D AND F)	ABSENCE	ABSENCE	-
<i>Pseudomonas aeruginosa</i> <sup>c</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)


<sup>b</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

<sup>c</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRICTIONAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.



(MISS CHAWEEVAN BOONLA)  
LABORATORY SUPERVISOR

JULY 19, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : pichit.kingkaew@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : JULY 5, 2022  
**SAMPLING TIME** : 15:25 HOUR  
**SAMPLING METHOD<sup>b</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY<sup>b</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS PORNPAILIN LOYLUEN

**RECEIVED DATE** : JULY 5, 2022  
**ANALYTICAL DATE** : JULY 5-8, 2022  
**REPORT NO.** : 2022-U056229  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AN230-0002

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T22AN230-0002		
MICROBIOLOGY					
<i>Staphylococcus aureus</i> <sup>a</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: 9213 B)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSC)

<sup>b</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRIMENTAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.

*Chaweewan B.*

(MISS CHAWEEWAN BOONLA)  
LABORATORY SUPERVISOR

JULY 19, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : pichit.kingkaew@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : JULY 12, 2022  
**SAMPLING TIME** : 13:00 HOUR  
**SAMPLING METHOD <sup>c</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY <sup>c</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS ITSARIYAPORN BUATIB

**RECEIVED DATE** : JULY 12, 2022  
**ANALYTICAL DATE** : JULY 12-17, 2022  
**REPORT NO.** : 2022-U058333  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AN882-0001

ANALYZED BY : MISS ITSARIYAPORN BUA11B

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T22AN882-0001		
MICROBIOLOGY					
COLIFORM BACTERIA <sup>b</sup>	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221B)	< 1.1	< 10	1.1
<i>E. coli</i> <sup>b</sup>	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: 9221D AND F)	ABSENCE	ABSENCE	-
<i>Pseudomonas aeruginosa</i> <sup>c</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

<sup>b</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

<sup>c</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRICTIONAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.

*Chaweewan B.*

(MISS CHAWEewan BOONLA)  
LABORATORY SUPERVISOR

JULY 27, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : pichit.kingkaew@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : JULY 12, 2022  
**SAMPLING TIME** : 13:00 HOUR  
**SAMPLING METHOD<sup>b</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY<sup>b</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS KAMICA CHOOSOMBAT

**RECEIVED DATE** : JULY 12, 2022  
**ANALYTICAL DATE** : JULY 12-17, 2022  
**REPORT NO.** : 2022-U058334  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AN882-0001

ANALYZED BY : MISS KAMICA CHOOSOMBAI

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T22AN882-0001		
MICROBIOLOGY					
<i>Staphylococcus aureus</i> <sup>a</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: 9213 B)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSC)

<sup>b</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRICTIONAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.

*Chaweewan B.*

(MISS CHAWEEWAN BOONLA)  
LABORATORY SUPERVISOR

JULY 27, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : pichit.kingkaew@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : JULY 12, 2022  
**SAMPLING TIME** : 13:05 HOUR  
**SAMPLING METHOD <sup>c</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY <sup>c</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS ITSARIYAPORN BUATIB

**RECEIVED DATE** : JULY 12, 2022  
**ANALYTICAL DATE** : JULY 12-17, 2022  
**REPORT NO.** : 2022-U058335  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AN882-0002

ANALYZED BY : MISS TTSARITAPORN BOATID

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T22AN882-0002		
MICROBIOLOGY					
COLIFORM BACTERIA <sup>b</sup>	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221B)	< 1.1	< 10	1.1
<i>E. coli</i> <sup>b</sup>	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: 9221D AND F)	ABSENCE	ABSENCE	-
<i>Pseudomonas aeruginosa</i> <sup>c</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

<sup>b</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

<sup>c</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRICTIONAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.

*Chaweevan B.*

(MISS CHAWEEWAN BOONLA)  
LABORATORY SUPERVISOR

JULY 27, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : pichit.kingkaew@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : JULY 12, 2022  
**SAMPLING TIME** : 13:05 HOUR  
**SAMPLING METHOD<sup>b</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY<sup>b</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS KAMICA CHOOSOMBAT

**RECEIVED DATE** : JULY 12, 2022  
**ANALYTICAL DATE** : JULY 12-17, 2022  
**REPORT NO.** : 2022-U058336  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AN882-0002

ANALYZED BY		: MISS KAMICA CHOOSOMBAT			
PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T22AN882-0002		
MICROBIOLOGY					
<i>Staphylococcus aureus</i> <sup>a</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: 9213 B)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR -		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMS)

<sup>b</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRICTIONAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.

*Chaweewan B.*

(MISS CHAWEEWAN BOONLA)  
LABORATORY SUPERVISOR

JULY 27, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : pichit.kingkaew@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : JULY 19, 2022  
**SAMPLING TIME** : 12:55 HOUR  
**SAMPLING METHOD °** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY °** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS ITSARIYAPORN BUATIB

**RECEIVED DATE** : JULY 19, 2022  
**ANALYTICAL DATE** : JULY 19-24, 2022  
**REPORT NO.** : 2022-U059127  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22A0281-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T22AO281-0001		
MICROBIOLOGY					
COLIFORM BACTERIA <sup>b</sup>	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221 B)	< 1.1	< 10	1.1
<i>E. coli</i> <sup>b</sup>	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: 9221 D AND F)	ABSENCE	ABSENCE	-
<i>Pseudomonas aeruginosa</i> <sup>c</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

<sup>b</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

<sup>c</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRIMENTAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.

*Chaweevan B.*

(MISS CHAWEEWAN BOONLA)  
LABORATORY SUPERVISOR

AUGUST 3, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : pichit.kingkaew@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : JULY 19, 2022  
**SAMPLING TIME** : 12:55 HOUR  
**SAMPLING METHOD<sup>b</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY<sup>b</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MR PITTAPAN LAEKODD

**RECEIVED DATE** : JULY 19, 2022  
**ANALYTICAL DATE** : JULY 19-22, 2022  
**REPORT NO.** : 2022-U059128  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AO281-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T22AO281-0001		
MICROBIOLOGY					
<i>Staphylococcus aureus</i> <sup>a</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: 9213 B)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSC)

<sup>b</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRIEMENTAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.

*Chaweevan B.*

(MISS CHAWEEVAN BOONLA)  
LABORATORY SUPERVISOR

AUGUST 3, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : pichit.kingkaew@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : JULY 19, 2022  
**SAMPLING TIME** : 13:00 HOUR  
**SAMPLING METHOD <sup>a</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY <sup>c</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS ITSARIYAPORN BUATIB

**RECEIVED DATE** : JULY 19, 2022  
**ANALYTICAL DATE** : JULY 19-24, 2022  
**REPORT NO.** : 2022-U059129  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AO281-0002

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T22A0281-0002		
MICROBIOLOGY					
COLIFORM BACTERIA <sup>b</sup>	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221B)	< 1.1	< 10	1.1
<i>E. coli</i> <sup>b</sup>	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: 9221D AND F)	ABSENCE	ABSENCE	-
<i>Pseudomonas aeruginosa</i> <sup>c</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR -		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

<sup>b</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

<sup>c</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRICTIONAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.



(MISS CHAWEEVAN BOONLA)  
LABORATORY SUPERVISOR

AUGUST 3, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : pichit.kingkaew@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : JULY 19, 2022  
**SAMPLING TIME** : 13:00 HOUR  
**SAMPLING METHOD<sup>b</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY<sup>b</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MR PITTAPAN LAEKODD

**RECEIVED DATE** : JULY 19, 2022  
**ANALYTICAL DATE** : JULY 19-24, 2022  
**REPORT NO.** : 2022-U059130  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AO281-0002

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T22AO281-0002		
MICROBIOLOGY					
<i>Staphylococcus aureus</i> <sup>a</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: 9213 B)	NOT DETECTED	1/	-
SAMPLE CONDITION					
WATER'S COLOUR/TURBID			COLOURLESS/CLEAR		
SEDIMENT			-		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSC)

<sup>b</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRICTIONAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.



(MISS CHAWEEVAN BOONLA)  
LABORATORY SUPERVISOR

AUGUST 3, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : pichit.kingkaew@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : JULY 26, 2022  
**SAMPLING TIME** : 14:45 HOUR  
**SAMPLING METHOD <sup>c</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY <sup>c</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS ITSARIYAPORN BUATIB

**RECEIVED DATE** : JULY 26, 2022  
**ANALYTICAL DATE** : JULY 26 - AUGUST 2, 2022  
**REPORT NO.** : 2022-U061730  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22A0791-0005

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T22A0791-0005		
MICROBIOLOGY					
COLIFORM BACTERIA <sup>b</sup>	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221B)	2.2	< 10	1.1
<i>E. coli</i> <sup>b</sup>	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: 9221 D AND F)	ABSENCE	ABSENCE	-
<i>Pseudomonas aeruginosa</i> <sup>c</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR -		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

<sup>b</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

<sup>c</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRICTIONAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.

*Chaweevan B.*

(MISS CHAWEEVAN BOONLA)  
LABORATORY SUPERVISOR

AUGUST 11, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : pichit.kingkaew@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : JULY 26, 2022  
**SAMPLING TIME** : 14:45 HOUR  
**SAMPLING METHOD<sup>b</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY<sup>b</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS SALISA KAMWANNA

**RECEIVED DATE** : JULY 26, 2022  
**ANALYTICAL DATE** : JULY 26 - AUGUST 1, 2022  
**REPORT NO.** : 2022-U061731  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22A0791-0005

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T22A0791-0005		
MICROBIOLOGY					
<i>Staphylococcus aureus</i> <sup>a</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: 9213 B)	NOT DETECTED	1/	-
SAMPLE CONDITION					
WATER'S COLOUR/TURBID			COLOURLESS/CLEAR		
SEDIMENT			-		


<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSC)

<sup>b</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRIKTAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.



(MISS CHAWEEVAN BOONLA)  
LABORATORY SUPERVISOR

AUGUST 11, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : pichit.kingkaew@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : JULY 26, 2022  
**SAMPLING TIME** : 14:50 HOUR  
**SAMPLING METHOD <sup>c</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY <sup>c</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS ITSARIYAPORN BUATIB

**RECEIVED DATE** : JULY 26, 2022  
**ANALYTICAL DATE** : JULY 26 - AUGUST 2, 2022  
**REPORT NO.** : 2022-U061732  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AO791-0006

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T22A0791-0006		
MICROBIOLOGY					
COLIFORM BACTERIA <sup>b</sup>	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221B)	23	< 10	1.1
<i>E. coli</i> <sup>b</sup>	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: 9221 D AND F)	PRESENCE	ABSENCE	-
<i>Pseudomonas aeruginosa</i> <sup>c</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR -		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)


<sup>b</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

<sup>c</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRICTIONAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.



(MISS CHAWEEVAN BOONLA)  
LABORATORY SUPERVISOR

AUGUST 11, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : pichit.kingkaew@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : JULY 26, 2022  
**SAMPLING TIME** : 14:50 HOUR  
**SAMPLING METHOD<sup>b</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY<sup>b</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS SALISA KAMWANNA

**RECEIVED DATE** : JULY 26, 2022  
**ANALYTICAL DATE** : JULY 26-29, 2022  
**REPORT NO.** : 2022-U061733  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22A0791-0006

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T22A0791-0006		
MICROBIOLOGY					
<i>Staphylococcus aureus</i> <sup>a</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: 9213 B)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR -		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSC)

<sup>b</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRICTIONAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.



(MISS CHAWEEVAN BOONLA)  
LABORATORY SUPERVISOR

AUGUST 11, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : pichit.kingkaew@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : AUGUST 2, 2022  
**SAMPLING TIME** : 13:45 HOUR  
**SAMPLING METHOD <sup>c</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY <sup>c</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS ITSARIYAPORN BUATIB

**RECEIVED DATE** : AUGUST 2, 2022  
**ANALYTICAL DATE** : AUGUST 2-8, 2022  
**REPORT NO.** : 2022-U062639  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AP134-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T22AP134-0001		
MICROBIOLOGY					
COLIFORM BACTERIA <sup>b</sup>	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221B)	< 1.1	< 10	1.1
<i>E. coli</i> <sup>b</sup>	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: 9221D AND F)	ABSENCE	ABSENCE	-
<i>Pseudomonas aeruginosa</i> <sup>c</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR -		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

<sup>b</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

<sup>c</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRIEMENTAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.

*Chaweevan B.*

(MISS CHAWEEWAN BOONLA)  
LABORATORY SUPERVISOR

AUGUST 15, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : pichit.kingkaew@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : AUGUST 2, 2022  
**SAMPLING TIME** : 13:45 HOUR  
**SAMPLING METHOD<sup>b</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY<sup>b</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS KAMICA CHOOSOMBAT

**RECEIVED DATE** : AUGUST 2, 2022  
**ANALYTICAL DATE** : AUGUST 2-8, 2022  
**REPORT NO.** : 2022-U062640  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AP134-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T22AP134-0001		
MICROBIOLOGY					
<i>Staphylococcus aureus</i> <sup>a</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: 9213 B)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR -		


<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSC)

<sup>b</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRICTIONAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.



(MISS CHAWEEVAN BOONLA)  
LABORATORY SUPERVISOR

AUGUST 15, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : pichit.kingkaew@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : AUGUST 2, 2022  
**SAMPLING TIME** : 13:50 HOUR  
**SAMPLING METHOD <sup>a</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY <sup>c</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS ITSARIYAPORN BUATIB

**RECEIVED DATE** : AUGUST 2, 2022  
**ANALYTICAL DATE** : AUGUST 2-8, 2022  
**REPORT NO.** : 2022-U062641  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AP134-0002

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T22AP134-0002		
MICROBIOLOGY					
COLIFORM BACTERIA <sup>b</sup>	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221B)	< 1.1	< 10	1.1
<i>E. coli</i> <sup>b</sup>	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: 9221D AND F)	ABSENCE	ABSENCE	-
<i>Pseudomonas aeruginosa</i> <sup>c</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR -		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)


<sup>b</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

<sup>c</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRICTIONAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.



(MISS CHAWEEWAN BOONLA)  
LABORATORY SUPERVISOR

AUGUST 15, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : pichit.kingkaew@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : AUGUST 2, 2022  
**SAMPLING TIME** : 13:50 HOUR  
**SAMPLING METHOD<sup>b</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY<sup>b</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS KAMICA CHOOSOMBAT

**RECEIVED DATE** : AUGUST 2, 2022  
**ANALYTICAL DATE** : AUGUST 2-8, 2022  
**REPORT NO.** : 2022-U062642  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AP134-0002

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T22AP134-0002		
MICROBIOLOGY					
<i>Staphylococcus aureus</i> <sup>a</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: 9213 B)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR		


<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSC)

<sup>b</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRIKTAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.



(MISS CHAWEEVAN BOONLA)  
LABORATORY SUPERVISOR

AUGUST 15, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : pichit.kingkaew@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : AUGUST 9, 2022  
**SAMPLING TIME** : 13:10 HOUR  
**SAMPLING METHOD <sup>c</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY <sup>c</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS ITSARIYAPORN BUATIB

**RECEIVED DATE** : AUGUST 9, 2022  
**ANALYTICAL DATE** : AUGUST 9-15, 2022  
**REPORT NO.** : 2022-U065121  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AP640-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T22AP640-0001		
MICROBIOLOGY					
COLIFORM BACTERIA <sup>b</sup>	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221 B)	< 1.1	< 10	1.1
<i>E. coli</i> <sup>b</sup>	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: 9221D AND F)	ABSENCE	ABSENCE	-
<i>Pseudomonas aeruginosa</i> <sup>c</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR -		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

<sup>b</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

<sup>c</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRIEMENTAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.

*Chaweewan B.*

(MISS CHAWEewan BOONLA)  
LABORATORY SUPERVISOR

AUGUST 24, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : pichit.kingkaew@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : AUGUST 9, 2022  
**SAMPLING TIME** : 13:10 HOUR  
**SAMPLING METHOD<sup>b</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY<sup>b</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS SALISA KAMWANNA  
**RECEIVED DATE** : AUGUST 9, 2022  
**ANALYTICAL DATE** : AUGUST 9-13, 2022  
**REPORT NO.** : 2022-U065122  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AP640-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T22AP640-0001		
MICROBIOLOGY					
<i>Staphylococcus aureus</i> <sup>a</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: 9213 B)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR -		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSC)

<sup>b</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRICTIONAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.



(MISS CHAWEEWAN BOONLA)  
LABORATORY SUPERVISOR

AUGUST 24, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : pichit.kingkaew@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : AUGUST 9, 2022  
**SAMPLING TIME** : 13:15 HOUR  
**SAMPLING METHOD <sup>a</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY <sup>c</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS ITSARIYAPORN BUATIB

**RECEIVED DATE** : AUGUST 9, 2022  
**ANALYTICAL DATE** : AUGUST 9-15, 2022  
**REPORT NO.** : 2022-U065123  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AP640-0002

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T22AP640-0002		
MICROBIOLOGY					
COLIFORM BACTERIA <sup>b</sup>	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221 B)	< 1.1	< 10	1.1
<i>E. coli</i> <sup>b</sup>	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: 9221 D AND F)	ABSENCE	ABSENCE	-
<i>Pseudomonas aeruginosa</i> <sup>c</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR -		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

<sup>b</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

<sup>c</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRIMENTAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.



(MISS CHAWEEWAN BOONLA)  
LABORATORY SUPERVISOR

AUGUST 24, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : pichit.kingkaew@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : AUGUST 9, 2022  
**SAMPLING TIME** : 13:15 HOUR  
**SAMPLING METHOD<sup>b</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY<sup>b</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS SALISA KAMWANNA

**RECEIVED DATE** : AUGUST 9, 2022  
**ANALYTICAL DATE** : AUGUST 9-13, 2022  
**REPORT NO.** : 2022-U065124  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AP640-0002

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T22AP640-0002		
MICROBIOLOGY					
<i>Staphylococcus aureus</i> <sup>a</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: 9213 B)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR -		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSC)

<sup>b</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRIMENTAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.

*Chaweevan B.*

(MISS CHAWEEWAN BOONLA)  
LABORATORY SUPERVISOR

AUGUST 24, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : pichit.kingkaew@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : AUGUST 16, 2022  
**SAMPLING TIME** : 13:45 HOUR  
**SAMPLING METHOD <sup>a</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY <sup>c</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS ITSARIYAPORN BUATIB

**RECEIVED DATE** : AUGUST 16, 2022  
**ANALYTICAL DATE** : AUGUST 16-22, 2022  
**REPORT NO.** : 2022-U066581  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AQ068-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T22AQ068-0001		
MICROBIOLOGY					
COLIFORM BACTERIA <sup>b</sup>	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221B)	< 1.1	< 10	1.1
<i>E. coli</i> <sup>b</sup>	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: 9221 D AND F)	ABSENCE	ABSENCE	-
<i>Pseudomonas aeruginosa</i> <sup>c</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR -		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)


<sup>b</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

<sup>c</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRIKTAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.



(MISS CHAWEEVAN BOONLA)  
LABORATORY SUPERVISOR

AUGUST 30, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : pichit.kingkaew@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : AUGUST 16, 2022  
**SAMPLING TIME** : 13:45 HOUR  
**SAMPLING METHOD<sup>b</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY<sup>b</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS KAMICA CHOOSOMBAT

**RECEIVED DATE** : AUGUST 16, 2022  
**ANALYTICAL DATE** : AUGUST 16-22, 2022  
**REPORT NO.** : 2022-U066582  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AQ068-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T22AQ068-0001		
MICROBIOLOGY					
<i>Staphylococcus aureus</i> <sup>a</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: 9213 B)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSC)

<sup>b</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRICTIONAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.

*Chaweevan B.*

(MISS CHAWEEVAN BOONLA)  
LABORATORY SUPERVISOR

AUGUST 30, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : pichit.kingkaew@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : AUGUST 16, 2022  
**SAMPLING TIME** : 13:50 HOUR  
**SAMPLING METHOD <sup>a</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY <sup>c</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS ITSARIYAPORN BUATIB

**RECEIVED DATE** : AUGUST 16, 2022  
**ANALYTICAL DATE** : AUGUST 16-22, 2022  
**REPORT NO.** : 2022-U066583  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AQ068-0002

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T22AQ068-0002		
MICROBIOLOGY					
COLIFORM BACTERIA <sup>b</sup>	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221B)	< 1.1	< 10	1.1
<i>E. coli</i> <sup>b</sup>	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: 9221D AND F)	ABSENCE	ABSENCE	-
<i>Pseudomonas aeruginosa</i> <sup>c</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

<sup>b</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

<sup>c</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRIMENTAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.



(MISS CHAWEEWAN BOONLA)  
LABORATORY SUPERVISOR

AUGUST 30, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : pichit.kingkaew@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : AUGUST 16, 2022  
**SAMPLING TIME** : 13:50 HOUR  
**SAMPLING METHOD<sup>b</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY<sup>b</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS KAMICA CHOOSOMBAT

**RECEIVED DATE** : AUGUST 16, 2022  
**ANALYTICAL DATE** : AUGUST 16-22, 2022  
**REPORT NO.** : 2022-U066584  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AQ068-0002

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T22AQ068-0002		
MICROBIOLOGY					
<i>Staphylococcus aureus</i> <sup>a</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: 9213 B)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR -		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSC)

<sup>b</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRICTIONAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.



(MISS CHAWEEWAN BOONLA)  
LABORATORY SUPERVISOR

AUGUST 30, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : warindaporn.mokkarat@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : AUGUST 23, 2022  
**SAMPLING TIME** : 14:30 HOUR  
**SAMPLING METHOD <sup>c</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY <sup>c</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS ITSARIYAPORN BUATIB

**RECEIVED DATE** : AUGUST 23, 2022  
**ANALYTICAL DATE** : AUGUST 23-28, 2022  
**REPORT NO.** : 2022-U067956  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AQ519-0005

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T22AQ519-0005		
MICROBIOLOGY					
COLIFORM BACTERIA <sup>b</sup>	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221B)	< 1.1	< 10	1.1
<i>E. coli</i> <sup>b</sup>	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: 9221 D AND F)	ABSENCE	ABSENCE	-
<i>Pseudomonas aeruginosa</i> <sup>c</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR -		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)


<sup>b</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

<sup>c</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRICTIONAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.



(MISS CHAWEEVAN BOONLA)  
LABORATORY SUPERVISOR

SEPTEMBER 7, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : warindaporn.mokkarat@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : AUGUST 23, 2022  
**SAMPLING TIME** : 14:30 HOUR  
**SAMPLING METHOD<sup>b</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY<sup>b</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS SUJIRA PRASERTSUKHO  
**RECEIVED DATE** : AUGUST 23, 2022  
**ANALYTICAL DATE** : AUGUST 23-26, 2022  
**REPORT NO.** : 2022-U067959  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AQ519-0005

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T22AQ519-0005		
MICROBIOLOGY					
<i>Staphylococcus aureus</i> <sup>a</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: 9213 B)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR -		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSC)

<sup>b</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRIMENTAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.

## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : warindaporn.mokkarat@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : AUGUST 23, 2022  
**SAMPLING TIME** : 14:35 HOUR  
**SAMPLING METHOD <sup>c</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY <sup>c</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS ITSARIYAPORN BUATIB

**RECEIVED DATE** : AUGUST 23, 2022  
**ANALYTICAL DATE** : AUGUST 23-28, 2022  
**REPORT NO.** : 2022-U067961  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AQ519-0006

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T22AQ519-0006		
MICROBIOLOGY					
COLIFORM BACTERIA <sup>b</sup>	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221B)	< 1.1	< 10	1.1
<i>E. coli</i> <sup>b</sup>	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: 9221D AND F)	ABSENCE	ABSENCE	-
<i>Pseudomonas aeruginosa</i> <sup>c</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR -		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

<sup>b</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

<sup>c</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRIMENTAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.



(MISS CHAWEEVAN BOONLA)  
LABORATORY SUPERVISOR

SEPTEMBER 7, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : warindaporn.mokkarat@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : AUGUST 23, 2022  
**SAMPLING TIME** : 14:35 HOUR  
**SAMPLING METHOD<sup>b</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY<sup>b</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS SUJIRA PRASERTSUKHO  
**RECEIVED DATE** : AUGUST 23, 2022  
**ANALYTICAL DATE** : AUGUST 23-26, 2022  
**REPORT NO.** : 2022-U067963  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AQ519-0006

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T22AQ519-0006		
MICROBIOLOGY					
<i>Staphylococcus aureus</i> <sup>a</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: 9213 B)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR -		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSC)

<sup>b</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRIMENTAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.



(MISS CHAWEEWAN BOONLA)  
LABORATORY SUPERVISOR

SEPTEMBER 7, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : warindaporn.mokkarat@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : AUGUST 30, 2022  
**SAMPLING TIME** : 13:40 HOUR  
**SAMPLING METHOD <sup>c</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY <sup>c</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS ITSARIYAPORN BUATIB

**RECEIVED DATE** : AUGUST 30, 2022  
**ANALYTICAL DATE** : AUGUST 30 - SEPTEMBER 6, 2022  
**REPORT NO.** : 2022-U069994  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AQ962-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T22AQ962-0001		
MICROBIOLOGY					
COLIFORM BACTERIA <sup>b</sup>	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221B)	< 1.1	< 10	1.1
<i>E. coli</i> <sup>b</sup>	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: 9221D AND F)	ABSENCE	ABSENCE	-
<i>Pseudomonas aeruginosa</i> <sup>c</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

<sup>b</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

<sup>c</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRIMENTAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.

*Chaweewan B.*

(MISS CHAWEEWAN BOONLA)  
LABORATORY SUPERVISOR

SEPTEMBER 12, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : warindaporn.mokkarat@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : AUGUST 30, 2022  
**SAMPLING TIME** : 13:40 HOUR  
**SAMPLING METHOD<sup>b</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY<sup>b</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS SALISA KAMWANNA

**RECEIVED DATE** : AUGUST 30, 2022  
**ANALYTICAL DATE** : AUGUST 30 - SEPTEMBER 5, 2022  
**REPORT NO.** : 2022-U069995  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AQ962-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T22AQ962-0001		
MICROBIOLOGY					
<i>Staphylococcus aureus</i> <sup>a</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: 9213 B)	NOT DETECTED	1/	-
SAMPLE CONDITION					
WATER'S COLOUR/TURBID			COLOURLESS/CLEAR		
SEDIMENT			-		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSQ)

<sup>b</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRICTIONAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.



(MISS CHAWEEVAN BOONLA)  
LABORATORY SUPERVISOR

SEPTEMBER 12, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : warindaporn.mokkarat@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : AUGUST 30, 2022  
**SAMPLING TIME** : 13:45 HOUR  
**SAMPLING METHOD <sup>c</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY <sup>c</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS ITSARIYAPORN BUATIB

**RECEIVED DATE** : AUGUST 30, 2022  
**ANALYTICAL DATE** : AUGUST 30 - SEPTEMBER 6, 2022  
**REPORT NO.** : 2022-U069996  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AQ962-0002

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T22AQ962-0002		
MICROBIOLOGY					
COLIFORM BACTERIA <sup>b</sup>	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221 B)	< 1.1	< 10	1.1
<i>E. coli</i> <sup>b</sup>	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: 9221 D AND F)	ABSENCE	ABSENCE	-
<i>Pseudomonas aeruginosa</i> <sup>c</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR -		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

<sup>b</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

<sup>c</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRIMENTAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.



(MISS CHAWEEWAN BOONLA)  
LABORATORY SUPERVISOR

SEPTEMBER 12, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : warindaporn.mokkarat@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : AUGUST 30, 2022  
**SAMPLING TIME** : 13:45 HOUR  
**SAMPLING METHOD<sup>b</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY<sup>b</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS SALISA KAMWANNA

**RECEIVED DATE** : AUGUST 30, 2022  
**ANALYTICAL DATE** : AUGUST 30 - SEPTEMBER 5, 2022  
**REPORT NO.** : 2022-U069997  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AQ962-0002

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T22AQ962-0002		
MICROBIOLOGY					
<i>Staphylococcus aureus</i> <sup>a</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: 9213 B)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR -		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSC)

<sup>b</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRIMENTAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.



(MISS CHAWEEWAN BOONLA)  
LABORATORY SUPERVISOR

SEPTEMBER 12, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : warindaporn.mokkarat@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : SEPTEMBER 6, 2022  
**SAMPLING TIME** : 14:10 HOUR  
**SAMPLING METHOD <sup>c</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY <sup>c</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS ITSARIYAPORN BUATIB

**RECEIVED DATE** : SEPTEMBER 6, 2022  
**ANALYTICAL DATE** : SEPTEMBER 6-14, 2022  
**REPORT NO.** : 2022-U072468  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AR475-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T22AR475-0001		
MICROBIOLOGY					
COLIFORM BACTERIA <sup>b</sup>	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221B)	< 1.1	< 10	1.1
<i>E. coli</i> <sup>b</sup>	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: 9221D AND F)	ABSENCE	ABSENCE	-
<i>Pseudomonas aeruginosa</i> <sup>c</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR -		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)


<sup>b</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

<sup>c</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRICTIONAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.

  
.....  
(MISS CHAWEEVAN BOONLA)  
LABORATORY SUPERVISOR

SEPTEMBER 19, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : warindaporn.mokkarat@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : SEPTEMBER 6, 2022  
**SAMPLING TIME** : 14:10 HOUR  
**SAMPLING METHOD <sup>b</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY <sup>b</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS SALISA KAMWANNA

**RECEIVED DATE** : SEPTEMBER 6, 2022  
**ANALYTICAL DATE** : SEPTEMBER 6-9, 2022  
**REPORT NO.** : 2022-U072469  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AR475-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T22AR475-0001		
MICROBIOLOGY					
<i>Staphylococcus aureus</i> <sup>a</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: 9213 B)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR -		


<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSC)

<sup>b</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRICTIONAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.



(MISS CHAWEEVAN BOONLA)  
LABORATORY SUPERVISOR

SEPTEMBER 19, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : warindaporn.mokkarat@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : SEPTEMBER 6, 2022  
**SAMPLING TIME** : 14:15 HOUR  
**SAMPLING METHOD <sup>c</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY <sup>c</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS ITSARIYAPORN BUATIB

**RECEIVED DATE** : SEPTEMBER 6, 2022  
**ANALYTICAL DATE** : SEPTEMBER 6-14, 2022  
**REPORT NO.** : 2022-U072470  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AR475-0002

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T22AR475-0002		
MICROBIOLOGY					
COLIFORM BACTERIA <sup>b</sup>	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221 B)	< 1.1	< 10	1.1
<i>E. coli</i> <sup>b</sup>	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: 9221 D AND F)	ABSENCE	ABSENCE	-
<i>Pseudomonas aeruginosa</i> <sup>c</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR -		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)


<sup>b</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

<sup>c</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRIMENTAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.

  
(MISS CHAWEEWAN BOONLA)  
LABORATORY SUPERVISOR

SEPTEMBER 19, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : warindaporn.mokkarat@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : SEPTEMBER 6, 2022  
**SAMPLING TIME** : 14:15 HOUR  
**SAMPLING METHOD<sup>b</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY<sup>b</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS SALISA KAMWANNA

**RECEIVED DATE** : SEPTEMBER 6, 2022  
**ANALYTICAL DATE** : SEPTEMBER 6-9, 2022  
**REPORT NO.** : 2022-U072471  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AR475-0002

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T22AR475-0002		
MICROBIOLOGY					
<i>Staphylococcus aureus</i> <sup>a</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: 9213 B)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR -		


<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSC)

<sup>b</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRIKTAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.



(MISS CHAWEEVAN BOONLA)  
LABORATORY SUPERVISOR

SEPTEMBER 19, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : warindaporn.mokkarat@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : SEPTEMBER 13, 2022  
**SAMPLING TIME** : 13:50 HOUR  
**SAMPLING METHOD <sup>c</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY <sup>c</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS ITSARIYAPORN BUATIB  
**RECEIVED DATE** : SEPTEMBER 14, 2022  
**ANALYTICAL DATE** : SEPTEMBER 14-19, 2022  
**REPORT NO.** : 2022-U075609  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AS099-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T22AS099-0001		
MICROBIOLOGY					
COLIFORM BACTERIA <sup>b</sup>	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221 B)	< 1.1	< 10	1.1
<i>E. coli</i> <sup>b</sup>	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: 9221 D AND F)	NOT DETECTED	NOT DETECTED	-
<i>Pseudomonas aeruginosa</i> <sup>c</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR -		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)


<sup>b</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

<sup>c</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRICTIONAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.

  
(MISS CHAWEEVAN BOONLA)  
LABORATORY SUPERVISOR

SEPTEMBER 28, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : warindaporn.mokkarat@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : SEPTEMBER 13, 2022  
**SAMPLING TIME** : 13:50 HOUR  
**SAMPLING METHOD<sup>b</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY<sup>b</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS SALISA KAMWANNA

**RECEIVED DATE** : SEPTEMBER 14, 2022  
**ANALYTICAL DATE** : SEPTEMBER 14-16, 2022  
**REPORT NO.** : 2022-U075610  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AS099-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T22AS099-0001		
MICROBIOLOGY					
<i>Staphylococcus aureus</i> <sup>a</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: 9213 B)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSC)

<sup>b</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRICTIONAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.



(MISS CHAWEEVAN BOONLA)  
LABORATORY SUPERVISOR

SEPTEMBER 28, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : warindaporn.mokkarat@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : SEPTEMBER 13, 2022  
**SAMPLING TIME** : 13:55 HOUR  
**SAMPLING METHOD <sup>c</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY <sup>c</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS ITSARIYAPORN BUATIB

**RECEIVED DATE** : SEPTEMBER 14, 2022  
**ANALYTICAL DATE** : SEPTEMBER 14-19, 2022  
**REPORT NO.** : 2022-U075611  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AS099-0002

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T22AS099-0002		
MICROBIOLOGY					
COLIFORM BACTERIA <sup>b</sup>	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221B)	< 1.1	< 10	1.1
<i>E. coli</i> <sup>b</sup>	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: 9221D AND F)	NOT DETECTED	NOT DETECTED	-
<i>Pseudomonas aeruginosa</i> <sup>c</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR -		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

<sup>b</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

<sup>c</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRIEMENTAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.



(MISS CHAWEEWAN BOONLA)  
LABORATORY SUPERVISOR

SEPTEMBER 28, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : warindaporn.mokkarat@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : SEPTEMBER 13, 2022  
**SAMPLING TIME** : 13:55 HOUR  
**SAMPLING METHOD<sup>b</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY<sup>b</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS SALISA KAMWANNA

**RECEIVED DATE** : SEPTEMBER 14, 2022  
**ANALYTICAL DATE** : SEPTEMBER 14-16, 2022  
**REPORT NO.** : 2022-U075612  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AS099-0002

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T22AS099-0002		
MICROBIOLOGY					
<i>Staphylococcus aureus</i> <sup>a</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: 9213 B)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR -		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSC)

<sup>b</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRICTIONAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.



(MISS CHAWEEVAN BOONLA)  
LABORATORY SUPERVISOR

SEPTEMBER 28, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : warindaporn.mokkarat@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : SEPTEMBER 20, 2022  
**SAMPLING TIME** : 13:40 HOUR  
**SAMPLING METHOD <sup>c</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY <sup>c</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS ITSARIYAPORN BUATIB

**RECEIVED DATE** : SEPTEMBER 20, 2022  
**ANALYTICAL DATE** : SEPTEMBER 20-25, 2022  
**REPORT NO.** : 2022-U077453  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AS673-0005

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T22AS673-0005		
MICROBIOLOGY					
COLIFORM BACTERIA <sup>b</sup>	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221B)	< 1.1	< 10	1.1
<i>E. coli</i> <sup>b</sup>	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: 9221D AND F)	NOT DETECTED	NOT DETECTED	-
<i>Pseudomonas aeruginosa</i> <sup>c</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR -		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)


<sup>b</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

<sup>c</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRIMENTAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.

  
(MISS CHAWEEWAN BOONLA)  
LABORATORY SUPERVISOR

OCTOBER 5, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : warindaporn.mokkarat@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : SEPTEMBER 20, 2022  
**SAMPLING TIME** : 13:40 HOUR  
**SAMPLING METHOD<sup>b</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY<sup>b</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS PORNPAILIN LOYLUN

**RECEIVED DATE** : SEPTEMBER 20, 2022  
**ANALYTICAL DATE** : SEPTEMBER 20-23, 2022  
**REPORT NO.** : 2022-U077454  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AS673-0005

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T22AS673-0005		
MICROBIOLOGY					
<i>Staphylococcus aureus</i> <sup>a</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: 9213 B)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR		


<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSC)

<sup>b</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRICTIONAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.

  
.....  
(MISS CHAWEEWAN BOONLA)  
LABORATORY SUPERVISOR

OCTOBER 5, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417-1190 e-mail : warindaporn.mokkarat@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : SEPTEMBER 20, 2022  
**SAMPLING TIME** : 13:45 HOUR  
**SAMPLING METHOD <sup>c</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY <sup>c</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS ITSARIYAPORN BUATIB

**RECEIVED DATE** : SEPTEMBER 20, 2022  
**ANALYTICAL DATE** : SEPTEMBER 20-25, 2022  
**REPORT NO.** : 2022-U077455  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AS673-0006

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T22AS673-0006		
MICROBIOLOGY					
COLIFORM BACTERIA <sup>b</sup>	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221B)	< 1.1	< 10	1.1
<i>E. coli</i> <sup>b</sup>	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: 9221D AND F)	NOT DETECTED	NOT DETECTED	-
<i>Pseudomonas aeruginosa</i> <sup>c</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR -		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)


<sup>b</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

<sup>c</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRIMENTAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.



(MISS CHAWEEWAN BOONLA)  
LABORATORY SUPERVISOR

OCTOBER 5, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : warindaporn.mokkarat@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : SEPTEMBER 20, 2022  
**SAMPLING TIME** : 13:45 HOUR  
**SAMPLING METHOD<sup>b</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY<sup>b</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS PORNPAILIN LOYLUN  
**RECEIVED DATE** : SEPTEMBER 20, 2022  
**ANALYTICAL DATE** : SEPTEMBER 20-23, 2022  
**REPORT NO.** : 2022-U077456  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AS673-0006

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T22AS673-0006		
MICROBIOLOGY					
<i>Staphylococcus aureus</i> <sup>a</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: 9213 B)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR		


<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSc)

<sup>b</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRIEMENTAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.

  
(MISS CHAWEEWAN BOONLA)  
LABORATORY SUPERVISOR

OCTOBER 5, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : warindaporn.mokkarat@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : SEPTEMBER 27, 2022  
**SAMPLING TIME** : 15:10 HOUR  
**SAMPLING METHOD <sup>c</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY <sup>c</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS ITSARIYAPORN BUATIB

**RECEIVED DATE** : SEPTEMBER 28, 2022  
**ANALYTICAL DATE** : SEPTEMBER 28-OCTOBER 4, 2022  
**REPORT NO.** : 2022-U079629  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AT175-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T22AT175-0001		
MICROBIOLOGY					
COLIFORM BACTERIA <sup>b</sup>	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221B)	16	< 10	1.1
<i>E. coli</i> <sup>b</sup>	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: 9221D AND F)	DETECTED	NOT DETECTED	-
<i>Pseudomonas aeruginosa</i> <sup>c</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

<sup>b</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

<sup>c</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRIEMENTAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.



(MISS CHAWEEVAN BOONLA)  
LABORATORY SUPERVISOR

OCTOBER 11, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : warindaporn.mokkarat@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : SEPTEMBER 27, 2022  
**SAMPLING TIME** : 15:10 HOUR  
**SAMPLING METHOD<sup>b</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY<sup>b</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS JITSAMON NGAMKANA  
**RECEIVED DATE** : SEPTEMBER 28, 2022  
**ANALYTICAL DATE** : SEPTEMBER 28-OCTOBER 4, 2022  
**REPORT NO.** : 2022-U079630  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AT175-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T22AT175-0001		
MICROBIOLOGY					
<i>Staphylococcus aureus</i> <sup>a</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: 9213 B)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR -		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSC)

<sup>b</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRICTIONAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.



(MISS CHAWEEVAN BOONLA)  
LABORATORY SUPERVISOR

OCTOBER 11, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : warindaporn.mokkarat@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : SEPTEMBER 27, 2022  
**SAMPLING TIME** : 15:15 HOUR  
**SAMPLING METHOD<sup>c</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY<sup>c</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS ITSARIYAPORN BUATIB

**RECEIVED DATE** : SEPTEMBER 28, 2022  
**ANALYTICAL DATE** : SEPTEMBER 28-OCTOBER 4, 2022  
**REPORT NO.** : 2022-U079631  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AT175-0002

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T22AT175-0002		
MICROBIOLOGY					
COLIFORM BACTERIA <sup>b</sup>	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221B)	< 1.1	< 10	1.1
<i>E. coli</i> <sup>b</sup>	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: 9221D AND F)	NOT DETECTED	NOT DETECTED	-
<i>Pseudomonas aeruginosa</i> <sup>c</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

<sup>b</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

<sup>c</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRICTIONAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.



(MISS CHAWEEVAN BOONLA)  
LABORATORY SUPERVISOR

OCTOBER 11, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : warindaporn.mokkarat@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : SEPTEMBER 27, 2022  
**SAMPLING TIME** : 15:15 HOUR  
**SAMPLING METHOD<sup>b</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY<sup>b</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS JITSAMON NGAMKANA

**RECEIVED DATE** : SEPTEMBER 28, 2022  
**ANALYTICAL DATE** : SEPTEMBER 28-OCTOBER 4, 2022  
**REPORT NO.** : 2022-U079633  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AT175-0002

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T22AT175-0002		
MICROBIOLOGY					
<i>Staphylococcus aureus</i> <sup>a</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: 9213 B)	DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR		


<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSC)

<sup>b</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRIEMENTAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.

  
(MISS CHAWEEVAN BOONLA)  
LABORATORY SUPERVISOR

OCTOBER 11, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : warindaporn.mokkarat@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : OCTOBER 4, 2022  
**SAMPLING TIME** : 13:35 HOUR  
**SAMPLING METHOD <sup>c</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY <sup>c</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS ITSARIYAPORN BUATIB

**RECEIVED DATE** : OCTOBER 4, 2022  
**ANALYTICAL DATE** : OCTOBER 4-12, 2022  
**REPORT NO.** : 2022-U081301  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AT668-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T22AT668-0001		
MICROBIOLOGY					
COLIFORM BACTERIA <sup>b</sup>	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221B)	< 1.1	< 10	1.1
<i>E. coli</i> <sup>b</sup>	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: 9221D AND F)	NOT DETECTED	NOT DETECTED	-
<i>Pseudomonas aeruginosa</i> <sup>c</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)


<sup>b</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

<sup>c</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRIENTAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.

  
(MISS CHAWEEWAN BOONLA)  
LABORATORY SUPERVISOR

OCTOBER 20, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : warindaporn.mokkarat@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : OCTOBER 4, 2022  
**SAMPLING TIME** : 13:35 HOUR  
**SAMPLING METHOD<sup>b</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY<sup>b</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS KAMICA CHOOSOMBAT

**RECEIVED DATE** : OCTOBER 4, 2022  
**ANALYTICAL DATE** : OCTOBER 4-12, 2022  
**REPORT NO.** : 2022-U081302  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AT668-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T22AT668-0001		
MICROBIOLOGY					
<i>Staphylococcus aureus</i> <sup>a</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: 9213 B)	NOT DETECTED	✓	-
SAMPLE CONDITION					
WATER'S COLOUR/TURBID			COLOURLESS/CLEAR		
SEDIMENT					

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSC)

<sup>b</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRICTIONAL TO HEALTH, B.E. 2530 (1987).

✓ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.

*Chaweewan B.*

(MISS CHAWEEWAN BOONLA)  
LABORATORY SUPERVISOR

OCTOBER 20, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : warindaporn.mokkarat@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : OCTOBER 4, 2022  
**SAMPLING TIME** : 13:40 HOUR  
**SAMPLING METHOD <sup>c</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY <sup>c</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS ITSARIYAPORN BUATIB

**RECEIVED DATE** : OCTOBER 4, 2022  
**ANALYTICAL DATE** : OCTOBER 4-12, 2022  
**REPORT NO.** : 2022-U081303  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AT668-0002

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T22AT668-0002		
MICROBIOLOGY					
COLIFORM BACTERIA <sup>b</sup>	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221 B)	< 1.1	< 10	1.1
<i>E. coli</i> <sup>b</sup>	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: 9221 D AND F)	NOT DETECTED	NOT DETECTED	-
<i>Pseudomonas aeruginosa</i> <sup>c</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)


<sup>b</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

<sup>c</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRIKTAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.



(MISS CHAWEEWAN BOONLA)  
LABORATORY SUPERVISOR

OCTOBER 20, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : warindaporn.mokkarat@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : OCTOBER 4, 2022  
**SAMPLING TIME** : 13:40 HOUR  
**SAMPLING METHOD<sup>b</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY<sup>b</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS KAMICA CHOOSOMBAT

**RECEIVED DATE** : OCTOBER 4, 2022  
**ANALYTICAL DATE** : OCTOBER 4-12, 2022  
**REPORT NO.** : 2022-U081304  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AT668-0002

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T22AT668-0002		
MICROBIOLOGY					
<i>Staphylococcus aureus</i> <sup>a</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: 9213 B)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR		


<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSC)

<sup>b</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRIENTAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.

  
(MISS CHAWEewan BOONLA)  
LABORATORY SUPERVISOR

OCTOBER 20, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : warindaporn.mokkarat@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : OCTOBER 12, 2022  
**SAMPLING TIME** : 14:05 HOUR  
**SAMPLING METHOD <sup>c</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY <sup>c</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS ITSARIYAPORN BUATIB

**RECEIVED DATE** : OCTOBER 12, 2022  
**ANALYTICAL DATE** : OCTOBER 12-19, 2022  
**REPORT NO.** : 2022-U084431  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AU362-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T22AU362-0001		
MICROBIOLOGY					
COLIFORM BACTERIA <sup>b</sup>	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221 B)	< 1.1	< 10	1.1
<i>E. coli</i> <sup>b</sup>	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: 9221 D AND F)	NOT DETECTED	NOT DETECTED	-
<i>Pseudomonas aeruginosa</i> <sup>c</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

<sup>b</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

<sup>c</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRIKTAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.

*Chaweevan B.*

(MISS CHAWEEWAN BOONLA)  
LABORATORY SUPERVISOR

NOVEMBER 1, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : warindaporn.mokkarat@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : OCTOBER 12, 2022  
**SAMPLING TIME** : 14:05 HOUR  
**SAMPLING METHOD<sup>b</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY<sup>b</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS KAMICA CHOOSOMBAT

**RECEIVED DATE** : OCTOBER 12, 2022  
**ANALYTICAL DATE** : OCTOBER 12-19, 2022  
**REPORT NO.** : 2022-U084432  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AU362-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T22AU362-0001		
MICROBIOLOGY					
<i>Staphylococcus aureus</i> <sup>a</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: 9213 B)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR		


<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSC)

<sup>b</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRIMENTAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.



(MISS CHAWEEVAN BOONLA)  
LABORATORY SUPERVISOR

NOVEMBER 1, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : warindaporn.mokkarat@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : OCTOBER 12, 2022  
**SAMPLING TIME** : 14:10 HOUR  
**SAMPLING METHOD <sup>a</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY <sup>c</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS ITSARIYAPORN BUATIB  
**RECEIVED DATE** : OCTOBER 12, 2022  
**ANALYTICAL DATE** : OCTOBER 12-19, 2022  
**REPORT NO.** : 2022-U084433  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AU362-0002

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T22AU362-0002		
MICROBIOLOGY					
COLIFORM BACTERIA <sup>b</sup>	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221B)	< 1.1	< 10	1.1
<i>E. coli</i> <sup>b</sup>	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: 9221D AND F)	NOT DETECTED	NOT DETECTED	-
<i>Pseudomonas aeruginosa</i> <sup>c</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

<sup>b</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

<sup>c</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRICTIONAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.

*Chaweewan B.*

(MISS CHAWEewan BOONLA)  
LABORATORY SUPERVISOR

NOVEMBER 1, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พอร์ต 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : warindaporn.mokkarat@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : OCTOBER 12, 2022  
**SAMPLING TIME** : 14:10 HOUR  
**SAMPLING METHOD<sup>b</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY<sup>b</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS KAMICA CHOOSOMBAT

**RECEIVED DATE** : OCTOBER 12, 2022  
**ANALYTICAL DATE** : OCTOBER 12-19, 2022  
**REPORT NO.** : 2022-U084434  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AU362-0002

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T22AU362-0002		
MICROBIOLOGY					
<i>Staphylococcus aureus</i> <sup>a</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: 9213 B)	NOT DETECTED	1/	-
SAMPLE CONDITION					
WATER'S COLOUR/TURBID			COLOURLESS/CLEAR		
SEDIMENT			-		


<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSC)

<sup>b</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRICTIONAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.

  
(MISS CHAWEEVAN BOONLA)  
LABORATORY SUPERVISOR

NOVEMBER 1, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : warindaporn.mokkarat@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : OCTOBER 18, 2022  
**SAMPLING TIME** : 13:10 HOUR  
**SAMPLING METHOD <sup>c</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY <sup>c</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS ITSARIYAPORN BUATIB

**RECEIVED DATE** : OCTOBER 18, 2022  
**ANALYTICAL DATE** : OCTOBER 18-24, 2022  
**REPORT NO.** : 2022-U085179  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AU676-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T22AU676-0001		
MICROBIOLOGY					
COLIFORM BACTERIA <sup>b</sup>	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221B)	< 1.1	< 10	1.1
<i>E. coli</i> <sup>b</sup>	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: 9221D AND F)	NOT DETECTED	NOT DETECTED	-
<i>Pseudomonas aeruginosa</i> <sup>c</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

<sup>b</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

<sup>c</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRICTIONAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.

*Chaweewan B.*

(MISS CHAWEewan BOONLA)  
LABORATORY SUPERVISOR

NOVEMBER 9, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : warindaporn.mokkarat@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : OCTOBER 18, 2022  
**SAMPLING TIME** : 13:10 HOUR  
**SAMPLING METHOD<sup>b</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY<sup>b</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MR PITTAPAN LAEKODD  
**RECEIVED DATE** : OCTOBER 18, 2022  
**ANALYTICAL DATE** : OCTOBER 18-24, 2022  
**REPORT NO.** : 2022-U085180  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AU676-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T22AU676-0001		
MICROBIOLOGY					
<i>Staphylococcus aureus</i> <sup>a</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: 9213 B)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR -		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSC)

<sup>b</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRICTIONAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.

*Chaweevan B.*

(MISS CHAWEEWAN BOONLA)  
LABORATORY SUPERVISOR

NOVEMBER 9, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : warindaporn.mokkarat@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : OCTOBER 18, 2022  
**SAMPLING TIME** : 13:05 HOUR  
**SAMPLING METHOD <sup>c</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY <sup>c</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS ITSARIYAPORN BUATIB  
**RECEIVED DATE** : OCTOBER 18, 2022  
**ANALYTICAL DATE** : OCTOBER 18-24, 2022  
**REPORT NO.** : 2022-U085181  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AU676-0002

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T22AU676-0002		
MICROBIOLOGY					
COLIFORM BACTERIA <sup>b</sup>	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221B)	< 1.1	< 10	1.1
<i>E. coli</i> <sup>b</sup>	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: 9221D AND F)	NOT DETECTED	NOT DETECTED	-
<i>Pseudomonas aeruginosa</i> <sup>c</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR -		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

<sup>b</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

<sup>c</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRIEMENTAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.

*Chaweewan B.*

(MISS CHAWEEWAN BOONLA)  
LABORATORY SUPERVISOR

NOVEMBER 9, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : warindaporn.mokkarat@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : OCTOBER 18, 2022  
**SAMPLING TIME** : 13:05 HOUR  
**SAMPLING METHOD<sup>b</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY<sup>b</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MR PITTAPAN LAEKOOD  
**RECEIVED DATE** : OCTOBER 18, 2022  
**ANALYTICAL DATE** : OCTOBER 18-21, 2022  
**REPORT NO.** : 2022-U085182  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AU676-0002

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T22AU676-0002		
MICROBIOLOGY					
<i>Staphylococcus aureus</i> <sup>a</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: 9213 B)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR -		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSQ)

<sup>b</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRICTIONAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.

*Chaweevan B.*

(MISS CHAWEEVAN BOONLA)  
LABORATORY SUPERVISOR

NOVEMBER 9, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : warindaporn.mokkarat@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : OCTOBER 25, 2022  
**SAMPLING TIME** : 14:00 HOUR  
**SAMPLING METHOD <sup>a</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY <sup>c</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS ITSARIYAPORN BUATIB

**RECEIVED DATE** : OCTOBER 26, 2022  
**ANALYTICAL DATE** : OCTOBER 26 - NOVEMBER 1, 2022  
**REPORT NO.** : 2022-U088231  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AV186-0005

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T22AV186-0005		
MICROBIOLOGY					
COLIFORM BACTERIA <sup>b</sup>	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221 B)	< 1.1	< 10	1.1
<i>E. coli</i> <sup>b</sup>	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: 9221 D AND F)	NOT DETECTED	NOT DETECTED	-
<i>Pseudomonas aeruginosa</i> <sup>c</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	1/	-
SAMPLE CONDITION					
WATER'S COLOUR/TURBID			COLOURLESS/CLEAR		
SEDIMENT			-		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

<sup>b</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

<sup>c</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRIKTAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.

*Chaweevan B.*

(MISS CHAWEEWAN BOONLA)  
LABORATORY SUPERVISOR

NOVEMBER 10, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : warindaporn.mokkarat@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : OCTOBER 25, 2022  
**SAMPLING TIME** : 14:00 HOUR  
**SAMPLING METHOD<sup>b</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY<sup>b</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS PORNPAILIN LOYLUEN

**RECEIVED DATE** : OCTOBER 26, 2022  
**ANALYTICAL DATE** : OCTOBER 26 - NOVEMBER 1, 2022  
**REPORT NO.** : 2022-U088232  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AV186-0005

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T22AV186-0005		
MICROBIOLOGY					
<i>Staphylococcus aureus</i> <sup>a</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: 9213 B)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR -		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSC)

<sup>b</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRICTIONAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.

*Chaweevan B.*

(MISS CHAWEEWAN BOONLA)  
LABORATORY SUPERVISOR

NOVEMBER 10, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : warindaporn.mokkarat@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : OCTOBER 25, 2022  
**SAMPLING TIME** : 14:05 HOUR  
**SAMPLING METHOD <sup>c</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY <sup>c</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS ITSARIYAPORN BUATIB

**RECEIVED DATE** : OCTOBER 26, 2022  
**ANALYTICAL DATE** : OCTOBER 26 - NOVEMBER 1, 2022  
**REPORT NO.** : 2022-U088233  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AV186-0006

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T22AV186-0006		
MICROBIOLOGY					
COLIFORM BACTERIA <sup>b</sup>	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221B)	< 1.1	< 10	1.1
<i>E. coli</i> <sup>b</sup>	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: 9221D AND F)	NOT DETECTED	NOT DETECTED	-
<i>Pseudomonas aeruginosa</i> <sup>c</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR -		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)


<sup>b</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

<sup>c</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRIKTAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.



(MISS CHAWEEVAN BOONLA)  
LABORATORY SUPERVISOR

NOVEMBER 10, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : warindaporn.mokkarat@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : OCTOBER 25, 2022  
**SAMPLING TIME** : 14:05 HOUR  
**SAMPLING METHOD<sup>b</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY<sup>b</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS PORNPAILIN LOYLUEN  
**RECEIVED DATE** : OCTOBER 26, 2022  
**ANALYTICAL DATE** : OCTOBER 26 - NOVEMBER 1, 2022  
**REPORT NO.** : 2022-U088234  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AV186-0006

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T22AV186-0006		
MICROBIOLOGY					
<i>Staphylococcus aureus</i> <sup>a</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: 9213 B)	NOT DETECTED	1/	-
SAMPLE CONDITION					
WATER'S COLOUR/TURBID			COLOURLESS/CLEAR		
SEDIMENT					

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSQ)

<sup>b</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRICTIONAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.

*Chaweevan B.*

(MISS CHAWEEVAN BOONLA)  
LABORATORY SUPERVISOR

NOVEMBER 10, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : warindaporn.mokkarat@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : NOVEMBER 1, 2022  
**SAMPLING TIME** : 13:45 HOUR  
**SAMPLING METHOD <sup>c</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY <sup>c</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS ITSARIYAPORN BUATIB

**RECEIVED DATE** : NOVEMBER 1, 2022  
**ANALYTICAL DATE** : NOVEMBER 1-7, 2022  
**REPORT NO.** : 2022-U089867  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AV646-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T22AV646-0001		
MICROBIOLOGY					
COLIFORM BACTERIA <sup>b</sup>	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221B)	1.1	< 10	1.1
<i>E. coli</i> <sup>b</sup>	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: 9221D AND F)	DETECTED	NOT DETECTED	-
<i>Pseudomonas aeruginosa</i> <sup>c</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

<sup>b</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

<sup>c</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRIEMENTAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.

*Chaweevan B.*

(MISS CHAWEEVAN BOONLA)  
LABORATORY SUPERVISOR

NOVEMBER 16, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : warindaporn.mokkarat@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : NOVEMBER 1, 2022  
**SAMPLING TIME** : 13:45 HOUR  
**SAMPLING METHOD<sup>b</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY<sup>b</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS ITSARIYAPORN BUATIB

**RECEIVED DATE** : NOVEMBER 1, 2022  
**ANALYTICAL DATE** : NOVEMBER 1-4, 2022  
**REPORT NO.** : 2022-U089868  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AV646-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T22AV646-0001		
MICROBIOLOGY					
<i>Staphylococcus aureus</i> <sup>a</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: 9213 B)	NOT DETECTED	1/	-
SAMPLE CONDITION					
WATER'S COLOUR/TURBID			COLOURLESS/CLEAR		
SEDIMENT					

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSC)

<sup>b</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRIMENTAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.

*Chaweevan B.*

(MISS CHAWEEWAN BOONLA)  
LABORATORY SUPERVISOR

NOVEMBER 16, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : warindaporn.mokkarat@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : NOVEMBER 1, 2022  
**SAMPLING TIME** : 13:50 HOUR  
**SAMPLING METHOD <sup>c</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY <sup>c</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS ITSARIYAPORN BUATIB

**RECEIVED DATE** : NOVEMBER 1, 2022  
**ANALYTICAL DATE** : NOVEMBER 1-7, 2022  
**REPORT NO.** : 2022-U089869  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AV646-0002

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T22AV646-0002		
MICROBIOLOGY					
COLIFORM BACTERIA <sup>b</sup>	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221 B)	>23	< 10	1.1
<i>E. coli</i> <sup>b</sup>	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: 9221 D AND F)	DETECTED	NOT DETECTED	-
<i>Pseudomonas aeruginosa</i> <sup>c</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR -		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

<sup>b</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

<sup>c</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRIMENTAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.

*Chaweevan B.*

(MISS CHAWEEWAN BOONLA)  
LABORATORY SUPERVISOR

NOVEMBER 16, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : warindaporn.mokkarat@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : NOVEMBER 1, 2022  
**SAMPLING TIME** : 13:50 HOUR  
**SAMPLING METHOD<sup>b</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY<sup>b</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS ITSARIYAPORN BUATIB

**RECEIVED DATE** : NOVEMBER 1, 2022  
**ANALYTICAL DATE** : NOVEMBER 1-4, 2022  
**REPORT NO.** : 2022-U089870  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AV646-0002

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T22AV646-0002		
MICROBIOLOGY					
<i>Staphylococcus aureus</i> <sup>a</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: 9213 B)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSQ)

<sup>b</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRICTIONAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.

*Chaweewan B.*

(MISS CHAWEewan BOONLA)  
LABORATORY SUPERVISOR

NOVEMBER 16, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : warindaporn.mokkarat@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : NOVEMBER 8, 2022  
**SAMPLING TIME** : 11:45 HOUR  
**SAMPLING METHOD <sup>c</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY <sup>c</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS ITSARIYAPORN BUATIB

**RECEIVED DATE** : NOVEMBER 8, 2022  
**ANALYTICAL DATE** : NOVEMBER 8-15, 2022  
**REPORT NO.** : 2022-U092102  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AW225-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T22AW225-0001		
MICROBIOLOGY					
COLIFORM BACTERIA <sup>b</sup>	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221B)	< 1.1	< 10	1.1
<i>E. coli</i> <sup>b</sup>	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: 9221D AND F)	NOT DETECTED	NOT DETECTED	-
<i>Pseudomonas aeruginosa</i> <sup>c</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

<sup>b</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

<sup>c</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRIMENTAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.

*Chaweevan B.*

(MISS CHAWEEWAN BOONLA)  
LABORATORY SUPERVISOR

NOVEMBER 22, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : warindaporn.mokkarat@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : NOVEMBER 8, 2022  
**SAMPLING TIME** : 11:45 HOUR  
**SAMPLING METHOD<sup>b</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY<sup>b</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS SALISA KAMWANNA

**RECEIVED DATE** : NOVEMBER 8, 2022  
**ANALYTICAL DATE** : NOVEMBER 8-15, 2022  
**REPORT NO.** : 2022-U092103  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AW225-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T22AW225-0001		
MICROBIOLOGY					
<i>Staphylococcus aureus</i> <sup>a</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: 9213 B)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSC)

<sup>b</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRIKTAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.

*Chaweevan B.*

(MISS CHAWEEWAN BOONLA)  
LABORATORY SUPERVISOR

NOVEMBER 22, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : warindaporn.mokkarat@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : NOVEMBER 8, 2022  
**SAMPLING TIME** : 11:50 HOUR  
**SAMPLING METHOD <sup>c</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY <sup>c</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS ITSARIYAPORN BUATIB

**RECEIVED DATE** : NOVEMBER 8, 2022  
**ANALYTICAL DATE** : NOVEMBER 8-15, 2022  
**REPORT NO.** : 2022-U092104  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AW225-0002

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T22AW225-0002		
MICROBIOLOGY					
COLIFORM BACTERIA <sup>b</sup>	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221B)	< 1.1	< 10	1.1
<i>E. coli</i> <sup>b</sup>	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: 9221D AND F)	NOT DETECTED	NOT DETECTED	-
<i>Pseudomonas aeruginosa</i> <sup>c</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR -		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

<sup>b</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

<sup>c</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRIMENTAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.

*Chaweevan B.*

(MISS CHAWEEWAN BOONLA)  
LABORATORY SUPERVISOR

NOVEMBER 22, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : warindaporn.mokkarat@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : NOVEMBER 8, 2022  
**SAMPLING TIME** : 11:50 HOUR  
**SAMPLING METHOD<sup>b</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY<sup>b</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS SALISA KAMWANNA

**RECEIVED DATE** : NOVEMBER 8, 2022  
**ANALYTICAL DATE** : NOVEMBER 8-15, 2022  
**REPORT NO.** : 2022-U092105  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AW225-0002

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T22AW225-0002		
MICROBIOLOGY					
<i>Staphylococcus aureus</i> <sup>a</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: 9213 B)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSC)

<sup>b</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRIMENTAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.

*Chaweewan B.*

(MISS CHAWEEWAN BOONLA)  
LABORATORY SUPERVISOR

NOVEMBER 22, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : warindaporn.mokkarat@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : NOVEMBER 15, 2022  
**SAMPLING TIME** : 13:15 HOUR  
**SAMPLING METHOD <sup>c</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY <sup>c</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS ITSARIYAPORN BUATIB

**RECEIVED DATE** : NOVEMBER 15, 2022  
**ANALYTICAL DATE** : NOVEMBER 15-19, 2022  
**REPORT NO.** : 2022-U093205  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AW779-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T22AW779-0001		
MICROBIOLOGY					
COLIFORM BACTERIA <sup>b</sup>	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221 B)	< 1.1	< 10	1.1
<i>E. coli</i> <sup>b</sup>	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: 9221 D AND F)	NOT DETECTED	NOT DETECTED	-
<i>Pseudomonas aeruginosa</i> <sup>c</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

<sup>b</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

<sup>c</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRIMENTAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.



(MISS CHAWEEVAN BOONLA)  
LABORATORY SUPERVISOR

NOVEMBER 24, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : warindaporn.mokkarat@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : NOVEMBER 15, 2022  
**SAMPLING TIME** : 13:15 HOUR  
**SAMPLING METHOD<sup>b</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY<sup>b</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS WIPHAPHORN SAENG SOPHA

**RECEIVED DATE** : NOVEMBER 15, 2022  
**ANALYTICAL DATE** : NOVEMBER 15-18, 2022  
**REPORT NO.** : 2022-U093207  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AW779-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T22AW779-0001		
MICROBIOLOGY					
<i>Staphylococcus aureus</i> <sup>a</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: 9213 B)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSC)

<sup>b</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRICTIONAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.

*Chaweevan B.*

(MISS CHAWEEVAN BOONLA)  
LABORATORY SUPERVISOR

NOVEMBER 24, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : warindaporn.mokkarat@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : NOVEMBER 15, 2022  
**SAMPLING TIME** : 13:20 HOUR  
**SAMPLING METHOD <sup>c</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY <sup>c</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS ITSARIYAPORN BUATIB

**RECEIVED DATE** : NOVEMBER 15, 2022  
**ANALYTICAL DATE** : NOVEMBER 15-19, 2022  
**REPORT NO.** : 2022-U093209  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AW779-0002

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T22AW779-0002		
MICROBIOLOGY					
COLIFORM BACTERIA <sup>b</sup>	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221B)	< 1.1	< 10	1.1
<i>E. coli</i> <sup>b</sup>	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: 9221D AND F)	NOT DETECTED	NOT DETECTED	-
<i>Pseudomonas aeruginosa</i> <sup>c</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	1/	-
SAMPLE CONDITION					
WATER'S COLOUR/TURBID			COLOURLESS/CLEAR		
SEDIMENT			-		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

<sup>b</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

<sup>c</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRIMENTAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.



(MISS CHAWEEWAN BOONLA)  
LABORATORY SUPERVISOR

NOVEMBER 24, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : warindaporn.mokkarat@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : NOVEMBER 15, 2022  
**SAMPLING TIME** : 13:20 HOUR  
**SAMPLING METHOD <sup>b</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY <sup>b</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS WIPHAPHORN SAENG SOPHA

**RECEIVED DATE** : NOVEMBER 15, 2022  
**ANALYTICAL DATE** : NOVEMBER 15-18, 2022  
**REPORT NO.** : 2022-U093211  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AW779-0002

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T22AW779-0002		
MICROBIOLOGY					
<i>Staphylococcus aureus</i> <sup>a</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: 9213 B)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSC)

<sup>b</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRIKTAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.

*Chaweewan B.*

(MISS CHAWEewan BOONLA)  
LABORATORY SUPERVISOR

NOVEMBER 24, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : warindaporn.mokkarat@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : NOVEMBER 22, 2022  
**SAMPLING TIME** : 13:50 HOUR  
**SAMPLING METHOD <sup>c</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY <sup>c</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS ITSARIYAPORN BUATIB

**RECEIVED DATE** : NOVEMBER 22, 2022  
**ANALYTICAL DATE** : NOVEMBER 22-26, 2022  
**REPORT NO.** : 2022-U095497  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AX298-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T22AX298-0001		
MICROBIOLOGY					
COLIFORM BACTERIA <sup>b</sup>	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221B)	< 1.1	< 10	1.1
<i>E. coli</i> <sup>b</sup>	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: 9221D AND F)	NOT DETECTED	NOT DETECTED	-
<i>Pseudomonas aeruginosa</i> <sup>c</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

<sup>b</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

<sup>c</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRICTIONAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.

*Chaweevan B.*

(MISS CHAWEEVAN BOONLA)  
LABORATORY SUPERVISOR

DECEMBER 2, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : warindaporn.mokkarat@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : NOVEMBER 22, 2022  
**SAMPLING TIME** : 13:50 HOUR  
**SAMPLING METHOD<sup>b</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY<sup>b</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS ITSARIYAPORN BUATIB

**RECEIVED DATE** : NOVEMBER 22, 2022  
**ANALYTICAL DATE** : NOVEMBER 22-25, 2022  
**REPORT NO.** : 2022-U095498  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AX298-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T22AX298-0001		
MICROBIOLOGY					
<i>Staphylococcus aureus</i> <sup>a</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: 9213 B)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR		


<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSC)

<sup>b</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRIEMENTAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.



(MISS CHAWEEWAN BOONLA)  
LABORATORY SUPERVISOR

DECEMBER 2, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : warindaporn.mokkarat@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : NOVEMBER 22, 2022  
**SAMPLING TIME** : 13:55 HOUR  
**SAMPLING METHOD <sup>c</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY <sup>c</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS ITSARIYAPORN BUATIB

**RECEIVED DATE** : NOVEMBER 22, 2022  
**ANALYTICAL DATE** : NOVEMBER 22-28, 2022  
**REPORT NO.** : 2022-U095500  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AX298-0002

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T22AX298-0002		
MICROBIOLOGY					
COLIFORM BACTERIA <sup>b</sup>	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221 B)	9.2	< 10	1.1
<i>E. coli</i> <sup>b</sup>	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: 9221 D AND F)	DETECTED	NOT DETECTED	-
<i>Pseudomonas aeruginosa</i> <sup>c</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

<sup>b</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

<sup>c</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRICTIONAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.

*Chaweevan B.*

(MISS CHAWEEVAN BOONLA)  
LABORATORY SUPERVISOR

DECEMBER 2, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : warindaporn.mokkarat@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : NOVEMBER 22, 2022  
**SAMPLING TIME** : 13:55 HOUR  
**SAMPLING METHOD<sup>b</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY<sup>b</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS ITSARIYAPORN BUATIB

**RECEIVED DATE** : NOVEMBER 22, 2022  
**ANALYTICAL DATE** : NOVEMBER 22-25, 2022  
**REPORT NO.** : 2022-U095501  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AX298-0002

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T22AX298-0002		
MICROBIOLOGY					
<i>Staphylococcus aureus</i> <sup>a</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: 9213 B)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSC)

<sup>b</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRIKTAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.



(MISS CHAWEEVAN BOONLA)  
LABORATORY SUPERVISOR

DECEMBER 2, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : warindaporn.mokkarat@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : NOVEMBER 29, 2022  
**SAMPLING TIME** : 15:35 HOUR  
**SAMPLING METHOD <sup>c</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY <sup>c</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS ITSARIYAPORN BUATIB

**RECEIVED DATE** : NOVEMBER 30, 2022  
**ANALYTICAL DATE** : NOVEMBER 30 - DECEMBER 6, 2022  
**REPORT NO.** : 2022-U098306  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AX831-0005

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T22AX831-0005		
MICROBIOLOGY					
COLIFORM BACTERIA <sup>b</sup>	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221B)	< 1.1	< 10	1.1
<i>E. coli</i> <sup>b</sup>	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: 9221D AND F)	NOT DETECTED	NOT DETECTED	-
<i>Pseudomonas aeruginosa</i> <sup>c</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR -		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

<sup>b</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

<sup>c</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRIKTAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.

*Chaweewan B.*

(MISS CHAWEewan BOONLA)  
LABORATORY SUPERVISOR

DECEMBER 15, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : warindaporn.mokkarat@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : NOVEMBER 29, 2022  
**SAMPLING TIME** : 15:35 HOUR  
**SAMPLING METHOD<sup>b</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY<sup>b</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS PORNPAILIN LOYLUN

**RECEIVED DATE** : NOVEMBER 30, 2022  
**ANALYTICAL DATE** : NOVEMBER 30 - DECEMBER 6, 2022  
**REPORT NO.** : 2022-U098307  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AX831-0005

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T22AX831-0005		
MICROBIOLOGY					
<i>Staphylococcus aureus</i> <sup>a</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: 9213 B)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSC)

<sup>b</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRIKTAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.

*Chaweewan B.*

(MISS CHAWEewan BOONLA)  
LABORATORY SUPERVISOR

DECEMBER 15, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : warindaporn.mokkarat@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : NOVEMBER 29, 2022  
**SAMPLING TIME** : 15:30 HOUR  
**SAMPLING METHOD <sup>a</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY <sup>c</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS ITSARIYAPORN BUATIB

**RECEIVED DATE** : NOVEMBER 30, 2022  
**ANALYTICAL DATE** : NOVEMBER 30 - DECEMBER 6, 2022  
**REPORT NO.** : 2022-U098308  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AX831-0006

ANALYZED BY : MISS. HANIPAL KORN DONTI

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T22AX831-0006		
MICROBIOLOGY					
COLIFORM BACTERIA <sup>b</sup>	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221B)	< 1.1	< 10	1.1
<i>E. coli</i> <sup>b</sup>	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: 9221D AND F)	NOT DETECTED	NOT DETECTED	-
<i>Pseudomonas aeruginosa</i> <sup>c</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR -		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

<sup>b</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

<sup>c</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRIMENTAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.

*Chaweevan B.*

(MISS CHAWEEVAN BOONLA)  
LABORATORY SUPERVISOR

DECEMBER 15, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : warindaporn.mokkarat@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : NOVEMBER 29, 2022  
**SAMPLING TIME** : 15:30 HOUR  
**SAMPLING METHOD<sup>b</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY<sup>b</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS PORNPAILIN LOYLUEEN

**RECEIVED DATE** : NOVEMBER 30, 2022  
**ANALYTICAL DATE** : NOVEMBER 30 - DECEMBER 6, 2022  
**REPORT NO.** : 2022-U098309  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AX831-0006

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T22AX831-0006		
MICROBIOLOGY					
<i>Staphylococcus aureus</i> <sup>a</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: 9213 B)	NOT DETECTED	1/	-
SAMPLE CONDITION					
WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSC)

<sup>b</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRIENTAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.



(MISS CHAWEEWAN BOONLA)  
LABORATORY SUPERVISOR

DECEMBER 15, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : warindaporn.mokkarat@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : DECEMBER 6, 2022  
**SAMPLING TIME** : 12:45 HOUR  
**SAMPLING METHOD <sup>c</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY <sup>c</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS ITSARIYAPORN BUATIB

**RECEIVED DATE** : DECEMBER 6, 2022  
**ANALYTICAL DATE** : DECEMBER 6-13, 2022  
**REPORT NO.** : 2022-U100812  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AY299-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T22AY299-0001		
MICROBIOLOGY					
COLIFORM BACTERIA <sup>b</sup>	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221B)	< 1.1	< 10	1.1
<i>E. coli</i> <sup>b</sup>	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: 9221D AND F)	NOT DETECTED	NOT DETECTED	-
<i>Pseudomonas aeruginosa</i> <sup>c</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

<sup>b</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

<sup>c</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRIEMENTAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.

*Chaweevan B.*

(MISS CHAWEEWAN BOONLA)  
LABORATORY SUPERVISOR

DECEMBER 22, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : warindaporn.mokkarat@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : DECEMBER 6, 2022  
**SAMPLING TIME** : 12:45 HOUR  
**SAMPLING METHOD \*** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY \*** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MR PITTAPAN LAEKOD

**RECEIVED DATE** : DECEMBER 6, 2022  
**ANALYTICAL DATE** : DECEMBER 6-9, 2022  
**REPORT NO.** : 2022-U100813  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AY299-0001


PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T22AY299-0001		
MICROBIOLOGY					
<i>Staphylococcus aureus</i> #	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: 9213 B)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR		

# : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSC)  
\* : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRICTIONAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.



(MISS CHAWEEWAN BOONLA)  
LABORATORY SUPERVISOR

DECEMBER 22, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : warindaporn.mokkarat@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : DECEMBER 6, 2022  
**SAMPLING TIME** : 12:50 HOUR  
**SAMPLING METHOD <sup>c</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY <sup>c</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS ITSARIYAPORN BUATIB

**RECEIVED DATE** : DECEMBER 6, 2022  
**ANALYTICAL DATE** : DECEMBER 6-9, 2022  
**REPORT NO.** : 2022-U100814  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AY299-0002

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T22AY299-0002		
MICROBIOLOGY					
COLIFORM BACTERIA <sup>b</sup>	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221 B)	< 1.1	< 10	1.1
<i>E. coli</i> <sup>b</sup>	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: 9221 D AND F)	NOT DETECTED	NOT DETECTED	-
<i>Pseudomonas aeruginosa</i> <sup>c</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	1/	-
SAMPLE CONDITION					
WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

<sup>b</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

<sup>c</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRICTIONAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.

*Chaweevan B.*

(MISS CHAWEEWAN BOONLA)  
LABORATORY SUPERVISOR

DECEMBER 22, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : warindaporn.mokkarat@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : DECEMBER 6, 2022  
**SAMPLING TIME** : 12:50 HOUR  
**SAMPLING METHOD \*** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY \*** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MR PITTAPAN LAEKOD

**RECEIVED DATE** : DECEMBER 6, 2022  
**ANALYTICAL DATE** : DECEMBER 6-9, 2022  
**REPORT NO.** : 2022-U100815  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AY299-0002

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T22AY299-0002		
MICROBIOLOGY					
<i>Staphylococcus aureus</i> #	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: 9213 B)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR		

# : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMS)  
\* : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.  
REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRIKTAL TO HEALTH, B.E. 2530 (1987).  
1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.

*Chaweevan B.*

(MISS CHAWEEVAN BOONLA)  
LABORATORY SUPERVISOR

DECEMBER 22, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : warindaporn.mokkarat@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : DECEMBER 13, 2022  
**SAMPLING TIME** : 16:05 HOUR  
**SAMPLING METHOD <sup>a</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY <sup>c</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS ITSARIYAPORN BUATIB

**RECEIVED DATE** : DECEMBER 14, 2022  
**ANALYTICAL DATE** : DECEMBER 14-18, 2022  
**REPORT NO.** : 2022-U103075  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AY834-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T22AY834-0001		
MICROBIOLOGY					
COLIFORM BACTERIA <sup>b</sup>	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221B)	< 1.1	< 10	1.1
<i>E. coli</i> <sup>b</sup>	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: 9221D AND F)	NOT DETECTED	NOT DETECTED	-
<i>Pseudomonas aeruginosa</i> <sup>c</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR -		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

<sup>b</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

<sup>c</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRICTIONAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.



(MISS CHAWEEVAN BOONLA)  
LABORATORY SUPERVISOR

DECEMBER 28, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : warindaporn.mokkarat@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : DECEMBER 13, 2022  
**SAMPLING TIME** : 16:05 HOUR  
**SAMPLING METHOD \*** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY \*** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS ITSARIYAPORN BUATIB

**RECEIVED DATE** : DECEMBER 14, 2022  
**ANALYTICAL DATE** : DECEMBER 14-18, 2022  
**REPORT NO.** : 2022-U103078  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AY834-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T22AY834-0001		
MICROBIOLOGY					
<i>Staphylococcus aureus</i> #	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: 9213 B)	NOT DETECTED	1/	-
SAMPLE CONDITION					
WATER'S COLOUR/TURBID			COLOURLESS/CLEAR		
SEDIMENT					

# : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSC)

\* : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRIENTAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.



(MISS CHAWEewan BOONLA)  
LABORATORY SUPERVISOR

DECEMBER 28, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : warindaporn.mokkarat@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : DECEMBER 13, 2022  
**SAMPLING TIME** : 16:10 HOUR  
**SAMPLING METHOD <sup>c</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY <sup>c</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS ITSARIYAPORN BUATIB

**RECEIVED DATE** : DECEMBER 14, 2022  
**ANALYTICAL DATE** : DECEMBER 14-18, 2022  
**REPORT NO.** : 2022-U103079  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AY834-0002

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T22AY834-0002		
MICROBIOLOGY					
COLIFORM BACTERIA <sup>b</sup>	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221B)	< 1.1	< 10	1.1
<i>E. coli</i> <sup>b</sup>	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: 9221D AND F)	NOT DETECTED	NOT DETECTED	-
<i>Pseudomonas aeruginosa</i> <sup>c</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

<sup>b</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

<sup>c</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRICTIONAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.

*Chaweevan B.*

(MISS CHAWEEVAN BOONLA)  
LABORATORY SUPERVISOR

DECEMBER 28, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : warindaporn.mokkarat@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : DECEMBER 13, 2022  
**SAMPLING TIME** : 16:10 HOUR  
**SAMPLING METHOD \*** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY \*** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS ITSARIYAPORN BUATIB

**RECEIVED DATE** : DECEMBER 14, 2022  
**ANALYTICAL DATE** : DECEMBER 14-18, 2022  
**REPORT NO.** : 2022-U103080  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AY834-0002

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T22AY834-0002		
MICROBIOLOGY					
Staphylococcus aureus #	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: 9213 B)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR -		

# : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSQ)  
\* : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRIMENTAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.

*Chaweevan B.*

(MISS CHAWEEWAN BOONLA)  
LABORATORY SUPERVISOR

DECEMBER 28, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : warindaporn.mokkarat@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : DECEMBER 20, 2022  
**SAMPLING TIME** : 10:30 HOUR  
**SAMPLING METHOD <sup>c</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY <sup>c</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS ITSARIYAPORN BUATIB

**RECEIVED DATE** : DECEMBER 20, 2022  
**ANALYTICAL DATE** : DECEMBER 20-23, 2022  
**REPORT NO.** : 2022-U103505  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AZ397-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T22AZ397-0001		
MICROBIOLOGY					
COLIFORM BACTERIA <sup>b</sup>	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221B)	< 1.1	< 10	1.1
<i>E. coli</i> <sup>b</sup>	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: 9221D AND F)	NOT DETECTED	NOT DETECTED	-
<i>Pseudomonas aeruginosa</i> <sup>c</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR -		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

<sup>b</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

<sup>c</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRIMENTAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.

*Chaweevan B.*

(MISS CHAWEEWAN BOONLA)  
LABORATORY SUPERVISOR

DECEMBER 28, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : warindaporn.mokkarat@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : DECEMBER 20, 2022  
**SAMPLING TIME** : 10:30 HOUR  
**SAMPLING METHOD \*** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY \*** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS JITSAMON NGAMKANA

**RECEIVED DATE** : DECEMBER 20, 2022  
**ANALYTICAL DATE** : DECEMBER 20-23, 2022  
**REPORT NO.** : 2022-U103506  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AZ397-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T22AZ397-0001		
MICROBIOLOGY					
<i>Staphylococcus aureus</i> #	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: 9213 B)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR		

# : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSC)  
\* : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRIKTAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.



(MISS CHAWEEVAN BOONLA)  
LABORATORY SUPERVISOR

DECEMBER 28, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : warindaporn.mokkarat@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : DECEMBER 20, 2022  
**SAMPLING TIME** : 10:40 HOUR  
**SAMPLING METHOD <sup>c</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY <sup>c</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS ITSARIYAPORN BUATIB

**RECEIVED DATE** : DECEMBER 20, 2022  
**ANALYTICAL DATE** : DECEMBER 20-23, 2022  
**REPORT NO.** : 2022-U103507  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AZ397-0002

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T22AZ397-0002		
MICROBIOLOGY					
COLIFORM BACTERIA <sup>b</sup>	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221B)	< 1.1	< 10	1.1
<i>E. coli</i> <sup>b</sup>	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: 9221D AND F)	NOT DETECTED	NOT DETECTED	-
<i>Pseudomonas aeruginosa</i> <sup>c</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR -		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

<sup>b</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

<sup>c</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRIMENTAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.

*Chaweevan B.*

(MISS CHAWEEWAN BOONLA)  
LABORATORY SUPERVISOR

DECEMBER 28, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : warindaporn.mokkarat@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : DECEMBER 20, 2022  
**SAMPLING TIME** : 10:40 HOUR  
**SAMPLING METHOD \*** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY \*** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS JITSAMON NGAMKANA

**RECEIVED DATE** : DECEMBER 20, 2022  
**ANALYTICAL DATE** : DECEMBER 20-23, 2022  
**REPORT NO.** : 2022-U103508  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AZ397-0002

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T22AZ397-0002		
MICROBIOLOGY					
<i>Staphylococcus aureus</i> #	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: 9213 B)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR		

# : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSC)  
\* : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.  
REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRIMENTAL TO HEALTH, B.E. 2530 (1987).  
1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.



(MISS CHAWEEWAN BOONLA)  
LABORATORY SUPERVISOR

DECEMBER 28, 2022



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พรรณนา 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : warindaporn.mokkarat@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : DECEMBER 27, 2022  
**SAMPLING TIME** : 15:10 HOUR  
**SAMPLING METHOD <sup>a</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY <sup>a</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS ITSARIYAPORN BUATIB

**RECEIVED DATE** : DECEMBER 28, 2022  
**ANALYTICAL DATE** : DECEMBER 28, 2022-JANUARY 1, 2023  
**REPORT NO.** : 2023-U002321  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AZ856-0005

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T22AZ856-0005		
MICROBIOLOGY					
COLIFORM BACTERIA <sup>b</sup>	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221B)	< 1.1	< 10	1.1
<i>E. coli</i> <sup>b</sup>	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: 9221D AND F)	NOT DETECTED	NOT DETECTED	-
<i>Pseudomonas aeruginosa</i> <sup>c</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

<sup>b</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

<sup>c</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRICTIONAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.

*Chaweevan B.*

(MISS CHAWEEWAN BOONLA)  
LABORATORY SUPERVISOR

JANUARY 12, 2023



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : warindaporn.mokkarat@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : DECEMBER 27, 2022  
**SAMPLING TIME** : 15:10 HOUR  
**SAMPLING METHOD \*** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY \*** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS KAMICA CHOOSOMBAT

**RECEIVED DATE** : DECEMBER 28, 2022  
**ANALYTICAL DATE** : DECEMBER 28-30, 2022  
**REPORT NO.** : 2023-U002322  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AZ856-0005

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T22AZ856-0005		
MICROBIOLOGY					
<i>Staphylococcus aureus</i> #	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: 9213 B)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR -		

# : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSC)  
\* : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRIEMENTAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.



(MISS CHAWEEVAN BOONLA)  
LABORATORY SUPERVISOR

JANUARY 12, 2023



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : warindaporn.mokkarat@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : DECEMBER 27, 2022  
**SAMPLING TIME** : 15:15 HOUR  
**SAMPLING METHOD <sup>c</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY <sup>c</sup>** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS ITSARIYAPORN BUATIB

**RECEIVED DATE** : DECEMBER 28, 2022  
**ANALYTICAL DATE** : DECEMBER 28, 2022-JANUARY 1, 2023  
**REPORT NO.** : 2023-U002324  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AZ856-0006

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T22AZ856-0006		
MICROBIOLOGY					
COLIFORM BACTERIA <sup>b</sup>	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221B)	< 1.1	< 10	1.1
<i>E. coli</i> <sup>b</sup>	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: 9221D AND F)	NOT DETECTED	NOT DETECTED	-
<i>Pseudomonas aeruginosa</i> <sup>c</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	1/	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)


<sup>b</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

<sup>c</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRIMENTAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.



(MISS CHAWEEWAN BOONLA)  
LABORATORY SUPERVISOR

JANUARY 12, 2023



## ANALYSIS REPORT

**PROJECT NAME** : โครงการ EASE พระราม 2  
**CUSTOMER NAME** : EASE RAMA 2 JURISTIC PERSON  
**ADDRESS** : 2/483 SOI RAMA 2, SOI 54 SAMAE DAM BANG KHUN THIAN BANGKOK 10150  
**CONTACT INFORMATION** : TEL : 0 2417 1190 e-mail : warindaporn.mokkarat@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : DECEMBER 27, 2022  
**SAMPLING TIME** : 15:15 HOUR  
**SAMPLING METHOD \*** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY \*** : MR WEERAYUT MOKKAEW  
**ANALYZED BY** : MISS KAMICA CHOOSOMBAT

**RECEIVED DATE** : DECEMBER 28, 2022  
**ANALYTICAL DATE** : DECEMBER 28-30, 2022  
**REPORT NO.** : 2023-U002326  
**WORK NO.** : 2021-007371  
**ANALYSIS NO.** : T22AZ856-0006

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T22AZ856-0006		
MICROBIOLOGY					
<i>Staphylococcus aureus</i> #	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: 9213 B)	NOT DETECTED	1/	-
SAMPLE CONDITION					
WATER'S COLOUR/TURBID			COLOURLESS/CLEAR		
SEDIMENT					

# : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSC)  
\* : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BANGKOK METROPOLITAN REGULATIONS FOR THE BUSINESS DISTRIEMENTAL TO HEALTH, B.E. 2530 (1987).

1/ : DISEASE-CAUSING BACTERIA IS NOT DETECTED.



(MISS CHAWEEWAN BOONLA)  
LABORATORY SUPERVISOR

JANUARY 12, 2023

