



ห้องปฏิบัติการวิเคราะห์เอกชน บริษัท โอกลา เทสติ้ง แอนด์ คอนซัลติง เซอร์วิส จำกัด

63/13 ซอย เพชรเกษม 7 แขวงวัดท่าพระ เขตบางกอกใหญ่ กรุงเทพมหานคร 10600

โทรศัพท์ : (66) 02-868-1246 โทรสาร : (66) 02-686-1247 Website : www.okla-testing.com J-NAC Group

WATER AND WASTEWATER ANALYSIS REPORT

| | | | |
|-------------------|-----------------------|------------------------|-------------------------------------|
| CLIENT NAME | : The Strand Thonglor | REPORT NO. | : RN220710491 |
| SAMPLING LOCATION | : สระว่ายน้ำ(ตื้น) | SAMPLING SOURCE | : Swimming Pool |
| SAMPLING METHOD | : Grab | SAMPLING BY | : นายปริญญา กล้าน้อย (ว-219-จ-9666) |
| SAMPLE CONDITION | : Normal | SAMPLE CHARACTERISTICS | : ไม่พบมีตะกอน |
| SAMPLING DATE | : Jul 6, 2022 | SAMPLING TIME | : - |
| RECEIVED DATE | : Jul 6, 2022 | ANALYTICAL DATE | : Jul 6-15, 2022 |
| REPORT DATE | : Jul 18, 2022 | | |

| PARAMETER | UNIT | ANALYSIS METHODS | RESULT | STANDARD ** |
|--------------------------|----------------|---------------------|--------|-------------|
| Total Coliform Bacteria | MPN/100 ml | MPN Test | <1.8 | <10 |
| Fecal Coliform Bacteria | MPN/100 ml | MPN Test | N.D. | N.D. |
| * Escherichia Coli | MPN/100 ml | MPN Test | N.D. | N.D. |
| * Staphylococcus aureus | S.aureus/100mL | MPN Test | N.D. | N.D. |
| * Pseudomonas aeruginosa | CFU/100mL | MPN Test | N.D. | N.D. |

REFERENCE : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 23rd ED., 2017 (AWWA,APHA, WEF)

(Nijinart Matiyapak)

ว-219-จ-9424

Analyst

(Tawatchai Chongvutichai)

ว-219-ค-5124

Environmental Laboratory Section Manager

- Remark :**
1. Reported analysis refers to submitted sampling only.
 2. This report shall not be reproduced, except in full, without official approval.
 3. - Not available .
 4. * mean analysis were performed by HVE Co.,Ltd .
 5. ** Recommendations of the Public Health Committee No. 1/2007 regarding the control of swimming pool operations or other businesses Likewise
 6. N.D. (Not Detectable) หมายถึง ตรวจไม่พบ



WATER AND WASTEWATER ANALYSIS REPORT

| | | | |
|-------------------|-----------------------|------------------------|-------------------------------------|
| CLIENT NAME | : The Strand Thonglor | REPORT NO. | : RN220710490 |
| SAMPLING LOCATION | : สระว่ายน้ำ(เล็ก) | SAMPLING SOURCE | : Swimming pool |
| SAMPLING METHOD | : Grab | SAMPLING BY | : นายปริญญา กล้าน้อย (ว-219-จ-9666) |
| SAMPLE CONDITION | : Normal | SAMPLE CHARACTERISTICS | : ใส่ไม่มีตะกอน |
| SAMPLING DATE | : Jul 6, 2022 | SAMPLING TIME | : - |
| RECEIVED DATE | : Jul 6, 2022 | ANALYTICAL DATE | : Jul 6-15, 2022 |
| REPORT DATE | : Jul 18, 2022 | | |

| PARAMETER | UNIT | ANALYSIS METHODS | RESULT | STANDARD ** |
|--------------------------|----------------|---------------------|--------|-------------|
| Total Coliform Bacteria | MPN/100 ml | MPN Test | <1.8 | <10 |
| Fecal Coliform Bacteria | MPN/100 ml | MPN Test | N.D. | N.D. |
| * Escherichia Coli | MPN/100 ml | MPN Test | N.D. | N.D. |
| * Staphylococcus aureus | S.aureus/100mL | MPN Test | N.D. | N.D. |
| * Pseudomonas aeruginosa | CFU/100mL | MPN Test | N.D. | N.D. |

REFERENCE : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 23rd ED.,2017 (AWWA,APHA, WEF)

(Nijinart Matiyapak)

ว-219-จ-9424

Analyst

(Tawatchai Chongvutichai)

ว-219-ค-5124

Environmental Laboratory Section Manager

- Remark :**
1. Reported analysis refers to submitted sampling only.
 2. This report shall not be reproduced, except in full, without official approval.
 3. - Not available .
 4. * mean analysis were performed by HVE Co.,Ltd .
 5. ** Recommendations of the Public Health Committee No. 1/2007 regarding the control of swimming pool operations or other businesses Likewise
 6. N.D. (Not Detectable) หมายถึง ตรวจไม่พบ



WATER AND WASTEWATER ANALYSIS REPORT

| | | | |
|-------------------|-----------------------|------------------------|-------------------------------------|
| CLIENT NAME | : The Strand Thonglor | REPORT NO. | : RN220810562 |
| SAMPLING LOCATION | : สระว่ายน้ำ(ดิน) | SAMPLING SOURCE | : Swimming Pool |
| SAMPLING METHOD | : Grab | SAMPLING BY | : นายปริญญา กล้าน้อย (ว-219-จ-9666) |
| SAMPLE CONDITION | : Normal | SAMPLE CHARACTERISTICS | : ใสไม่มีตะกอน |
| SAMPLING DATE | : Aug 3, 2022 | SAMPLING TIME | : - |
| RECEIVED DATE | : Aug 3, 2022 | ANALYTICAL DATE | : Aug 3-15, 2022 |
| REPORT DATE | : Aug 16, 2022 | | |

| PARAMETER | UNIT | ANALYSIS METHODS | RESULT | STANDARD ** |
|--------------------------|----------------|---------------------|--------|-------------|
| Total Coliform Bacteria | MPN/100 ml | MPN Test | <1.8 | <10 |
| Fecal Coliform Bacteria | MPN/100 ml | MPN Test | N.D. | N.D. |
| * Escherichia Coli | MPN/100 ml | MPN Test | N.D. | N.D. |
| * Staphylococcus aureus | S.aureus/100mL | MPN Test | N.D. | N.D. |
| * Pseudomonas aeruginosa | CFU/100mL | MPN Test | N.D. | N.D. |

REFERENCE : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 23rd ED.,2017 (AWWA,APHA, WEF)

(Nijinart Matiyapak)

ว-219-จ-9424

Analyst

(Tawatchai Chongvutichai)

ว-219-ก-5124

Environmental Laboratory Section Manager

- Remark :**
1. Reported analysis refers to submitted sampling only.
 2. This report shall not be reproduced, except in full, without official approval.
 3. - Not available .
 4. * mean analysis were performed by HVE Co.,Ltd .
 5. ** Recommendations of the Public Health Committee No. 1/2007 regarding the control of swimming pool operations or other businesses Likewise
 6. N.D. (Not Detectable) หมายถึง ตรวจไม่พบ

WATER AND WASTEWATER ANALYSIS REPORT

| | | | |
|-------------------|-----------------------|------------------------|-------------------------------------|
| CLIENT NAME | : The Strand Thonglor | REPORT NO. | : RN220810561 |
| SAMPLING LOCATION | : สระว่ายน้ำ(เล็ก) | SAMPLING SOURCE | : Swimming pool |
| SAMPLING METHOD | : Grab | SAMPLING BY | : นายปริญญา กล้าน้อย (ว-219-จ-9666) |
| SAMPLE CONDITION | : Normal | SAMPLE CHARACTERISTICS | : ใสไม่มีตะกอน |
| SAMPLING DATE | : Aug 3, 2022 | SAMPLING TIME | : - |
| RECEIVED DATE | : Aug 3, 2022 | ANALYTICAL DATE | : Aug 3-15, 2022 |
| REPORT DATE | : Aug 16, 2022 | | |

| PARAMETER | UNIT | ANALYSIS METHODS | RESULT | STANDARD ** |
|--------------------------|----------------|---------------------|--------|-------------|
| Total Coliform Bacteria | MPN/100 ml | MPN Test | <1.8 | <10 |
| Fecal Coliform Bacteria | MPN/100 ml | MPN Test | N.D. | N.D. |
| * Escherichia Coli | MPN/100 ml | MPN Test | N.D. | N.D. |
| * Staphylococcus aureus | S.aureus/100mL | MPN Test | N.D. | N.D. |
| * Pseudomonas aeruginosa | CFU/100mL | MPN Test | N.D. | N.D. |

REFERENCE : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 23rd ED., 2017 (AWWA, APHA, WEF)

(Nijinart Matiyapak)

ว-219-จ-9424

Analyst

(Tawatchai Chongvitichai)

ว-219-ค-5124

Environmental Laboratory Section Manager

- Remark :**
1. Reported analysis refers to submitted sampling only.
 2. This report shall not be reproduced, except in full, without official approval.
 3. - Not available .
 4. * mean analysis were performed by HVE Co.,Ltd .
 5. ** Recommendations of the Public Health Committee No. 1/2007 regarding the control of swimming pool operations or other businesses Likewise
 6. N.D. (Not Detectable) หมายถึง ตรวจไม่พบ



ห้องปฏิบัติการวิเคราะห์เอกชน บริษัท โอกลา เทสติ้ง แอนด์ คอนซัลติง เซอร์วิส จำกัด

63/13 ซอย เพชรเกษม 7 แขวงวัดท่าพระ เขตบางกอกใหญ่ กรุงเทพมหานคร 10600

โทรศัพท์ : (66) 02-868-1246 โทรสาร : (66) 02-686-1247 Website : www.okla-testing.com J-NAC Group

WATER AND WASTEWATER ANALYSIS REPORT

| | | | |
|-------------------|-----------------------|------------------------|-------------------------------------|
| CLIENT NAME | : The Strand Thonglor | REPORT NO. | : RN220910626 |
| SAMPLING LOCATION | : สระว่ายน้ำ(ตื้น) | SAMPLING SOURCE | : Swimming Pool |
| SAMPLING METHOD | : Grab | SAMPLING BY | : นายปริญญา กล้าน้อย (ว-219-จ-9666) |
| SAMPLE CONDITION | : Normal | SAMPLE CHARACTERISTICS | : สีไม่มีตะกอน |
| SAMPLING DATE | : Sep 7, 2022 | SAMPLING TIME | : - |
| RECEIVED DATE | : Sep 7, 2022 | ANALYTICAL DATE | : Sep 7-16, 2022 |
| REPORT DATE | : Sep 19, 2022 | | |

| PARAMETER | UNIT | ANALYSIS METHODS | RESULT | STANDARD ** |
|--------------------------|----------------|---------------------|--------|-------------|
| Total Coliform Bacteria | MPN/100 ml | MPN Test | <1.8 | <10 |
| Fecal Coliform Bacteria | MPN/100 ml | MPN Test | N.D. | N.D. |
| * Escherichia Coli | MPN/100 ml | MPN Test | N.D. | N.D. |
| * Staphylococcus aureus | S.aureus/100mL | MPN Test | N.D. | N.D. |
| * Pseudomonas aeruginosa | CFU/100mL | MPN Test | N.D. | N.D. |

REFERENCE : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 23rd ED., 2017 (AWWA, APHA, WEF)

(Nijinart Matiyapak)

ว-219-จ-9424

Analyst

(Tawatchai Chongvutichai)

ว-219-ก-5124

Environmental Laboratory Section Manager

- Remark :**
1. Reported analysis refers to submitted sampling only.
 2. This report shall not be reproduced, except in full, without official approval.
 3. - Not available .
 4. * mean analysis were performed by HVE Co.,Ltd .
 5. ** Recommendations of the Public Health Committee No. 1/2007 regarding the control of swimming pool operations or other businesses Likewise
 6. N.D. (Not Detectable) หมายถึง ตรวจไม่พบ



ห้องปฏิบัติการวิเคราะห์เอกชน บริษัท โอกลา เทสติ้ง แอนด์ คอนซัลติง เซอร์วิส จำกัด

63/13 ซอย เพชรเกษม 7 แขวงวัดท่าพระ เขตบางกอกใหญ่ กรุงเทพมหานคร 10600

โทรศัพท์ : (66) 02-868-1246 โทรสาร : (66) 02-686-1247 Website : www.okla-testing.com J-NAC Group

WATER AND WASTEWATER ANALYSIS REPORT

| | | | |
|-------------------|-----------------------|------------------------|-------------------------------------|
| CLIENT NAME | : The Strand Thonglor | REPORT NO. | : RN220910625 |
| SAMPLING LOCATION | : สระว่ายน้ำ(เล็ก) | SAMPLING SOURCE | : Swimming pool |
| SAMPLING METHOD | : Grab | SAMPLING BY | : นายปริญญา กล้าน้อย (ว-219-จ-9666) |
| SAMPLE CONDITION | : Normal | SAMPLE CHARACTERISTICS | : ใส่ไม่มีตะกอน |
| SAMPLING DATE | : Sep 7, 2022 | SAMPLING TIME | : - |
| RECEIVED DATE | : Sep 7, 2022 | ANALYTICAL DATE | : Sep 7-16, 2022 |
| REPORT DATE | : Sep 19, 2022 | | |

| PARAMETER | UNIT | ANALYSIS METHODS | RESULT | STANDARD ** |
|---|----------------|---------------------|--------|-------------|
| Total Coliform Bacteria | MPN/100 ml | MPN Test | <1.8 | <10 |
| Fecal Coliform Bacteria | MPN/100 ml | MPN Test | N.D. | N.D. |
| * Escherichia Coli | MPN/100 ml | MPN Test | N.D. | N.D. |
| * Staphylococcus aureus | S.aureus/100mL | MPN Test | N.D. | N.D. |
| * Pseudomonas aeruginosa | CFU/100mL | MPN Test | N.D. | N.D. |
| REFERENCE : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 23 rd ED., 2017 (AWWA, APHA, WEF) | | | | |

(Nijinart Matiyapak)

ว-219-จ-9424

Analyst

(Tawatchai Chongvutichai)

ว-219-ค-5124

Environmental Laboratory Section Manager

- Remark :**
1. Reported analysis refers to submitted sampling only.
 2. This report shall not be reproduced, except in full, without official approval.
 3. - Not available .
 4. * mean analysis were performed by HVE Co.,Ltd .
 5. ** Recommendations of the Public Health Committee No. 1/2007 regarding the control of swimming pool operations or other businesses Likewise
 6. N.D. (Not Detectable) หมายถึง ตรวจไม่พบ



ห้องปฏิบัติการวิเคราะห์เอกชน บริษัท โอกลา เทสติ้ง แอนด์ คอนซัลติง เซอร์วิส จำกัด

63/13 ซอย เพชรเกษม 7 แขวงวัดท่าพระ เขตบางกอกใหญ่ กรุงเทพมหานคร 10600

โทรศัพท์ : (66) 02-868-1246 โทรสาร : (66) 02-686-1247 Website : www.okla-testing.com J-NAC Group

WATER AND WASTEWATER ANALYSIS REPORT

| | | | |
|-------------------|-----------------------|------------------------|-------------------------------------|
| CLIENT NAME | : The Strand Thonglor | REPORT NO. | : RN221010723 |
| SAMPLING LOCATION | : สระว่ายน้ำ(ลึก) | SAMPLING SOURCE | : Swimming pool |
| SAMPLING METHOD | : Grab | SAMPLING BY | : นายปริญญา กล้าน้อย (ว-219-จ-9666) |
| SAMPLE CONDITION | : Normal | SAMPLE CHARACTERISTICS | : ไม่พบมีตะกอน |
| SAMPLING DATE | : Oct 21, 2022 | SAMPLING TIME | : - |
| RECEIVED DATE | : Oct 21, 2022 | ANALYTICAL DATE | : Oct 21-31, 2022 |
| REPORT DATE | : Nov 2, 2022 | | |

| PARAMETER | UNIT | ANALYSIS METHODS | RESULT | STANDARD ** |
|---|----------------|---------------------|--------|-------------|
| Total Coliform Bacteria | MPN/100 ml | MPN Test | <1.8 | <10 |
| Fecal Coliform Bacteria | MPN/100 ml | MPN Test | N.D. | N.D. |
| * Escherichia Coli | MPN/100 ml | MPN Test | N.D. | N.D. |
| * Staphylococcus aureus | S.aureus/100mL | MPN Test | N.D. | N.D. |
| * Pseudomonas aeruginosa | CFU/100mL | MPN Test | N.D. | N.D. |
| REFERENCE : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 23 rd ED., 2017 (AWWA, APHA, WEF) | | | | |

(Nijinart Matiyapak)

ว-219-จ-9424

Analyst

(Tawatchai Chongvutichai)

ว-219-ค-5124

Environmental Laboratory Section Manager

- Remark :**
1. Reported analysis refers to submitted sampling only.
 2. This report shall not be reproduced, except in full, without official approval.
 3. - Not available .
 4. * mean analysis were performed by HVE Co.,Ltd .
 5. ** Recommendations of the Public Health Committee No. 1/2007 regarding the control of swimming pool operations or other businesses Likewise
 6. N.D. (Not Detectable) หมายถึง ตรวจไม่พบ



ห้องปฏิบัติการวิเคราะห์เอกชน บริษัท โอกลา เทสติ้ง แอนด์ คอนซัลติง เซอร์วิส จำกัด

63/13 ซอย เพชรเกษม 7 แขวงวัดท่าพระ เขตบางกอกใหญ่ กรุงเทพมหานคร 10600

โทรศัพท์ : (66) 02-868-1246 โทรสาร : (66) 02-686-1247 Website : www.okla-testing.com J-NAC Group

WATER AND WASTEWATER ANALYSIS REPORT

| | | | |
|-------------------|-----------------------|------------------------|-------------------------------------|
| CLIENT NAME | : The Strand Thonglor | REPORT NO. | : RN221010724 |
| SAMPLING LOCATION | : สระว่ายน้ำ(ดิน) | SAMPLING SOURCE | : Swimming Pool |
| SAMPLING METHOD | : Grab | SAMPLING BY | : นายปริญญา กล้าน้อย (ว-219-จ-9666) |
| SAMPLE CONDITION | : Normal | SAMPLE CHARACTERISTICS | : ใสไม่มีตะกอน |
| SAMPLING DATE | : Oct 21, 2022 | SAMPLING TIME | : - |
| RECEIVED DATE | : Oct 21, 2022 | ANALYTICAL DATE | : Oct 21-31, 2022 |
| REPORT DATE | : Nov 2, 2022 | | |

| PARAMETER | UNIT | ANALYSIS METHODS | RESULT | STANDARD ** |
|---|----------------|---------------------|--------|-------------|
| Total Coliform Bacteria | MPN/100 ml | MPN Test | <1.8 | <10 |
| Fecal Coliform Bacteria | MPN/100 ml | MPN Test | N.D. | N.D. |
| * Escherichia Coli | MPN/100 ml | MPN Test | N.D. | N.D. |
| * Staphylococcus aureus | S.aureus/100mL | MPN Test | N.D. | N.D. |
| * Pseudomonas aeruginosa | CFU/100mL | MPN Test | N.D. | N.D. |
| REFERENCE : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 23 rd ED.,2017 (AWWA,APHA, WEF) | | | | |

(Nijinart Matiyapak)

ว-219-จ-9424

Analyst

(Tawatchai Chongvutichai)

ว-219-ก-5124

Environmental Laboratory Section Manager

- Remark :**
1. Reported analysis refers to submitted sampling only.
 2. This report shall not be reproduced, except in full, without official approval.
 3. - Not available .
 4. * mean analysis were performed by HVE Co.,Ltd .
 5. ** Recommendations of the Public Health Committee No. 1/2007 regarding the control of swimming pool operations or other businesses Likewise
 6. N.D. (Not Detectable) หมายถึง ตรวจไม่พบ



ห้องปฏิบัติการวิเคราะห์เอกชน บริษัท โอกลา เทสติ้ง แอนด์ คอนซัลติง เซอร์วิส จำกัด

63/13 ซอย เพชรเกษม 7 แขวงวัดท่าพระ เขตบางกอกใหญ่ กรุงเทพมหานคร 10600

โทรศัพท์ : (66) 02-868-1246 โทรสาร : (66) 02-686-1247 Website : www.okla-testing.com J-NAC Group

WATER AND WASTEWATER ANALYSIS REPORT

| | | | |
|-------------------|-----------------------|------------------------|-------------------------------------|
| CLIENT NAME | : The Strand Thonglor | REPORT NO. | : RN221110798 |
| SAMPLING LOCATION | : สระว่ายน้ำ(เล็ก) | SAMPLING SOURCE | : Swimming pool |
| SAMPLING METHOD | : Grab | SAMPLING BY | : นายปริญญ์ กล้าน้อย (ว-219-จ-9666) |
| SAMPLE CONDITION | : Normal | SAMPLE CHARACTERISTICS | : ใสไม่มีตะกอน |
| SAMPLING DATE | : Nov 24, 2022 | SAMPLING TIME | : - |
| RECEIVED DATE | : Nov 24, 2022 | ANALYTICAL DATE | : Nov 24-Dec 2, 2022 |
| REPORT DATE | : Dec 6, 2022 | | |

| PARAMETER | UNIT | ANALYSIS METHODS | RESULT | STANDARD ** |
|--------------------------|----------------|---------------------|--------|-------------|
| Total Coliform Bacteria | MPN/100 ml | MPN Test | <1.8 | <10 |
| Fecal Coliform Bacteria | MPN/100 ml | MPN Test | N.D. | N.D. |
| * Escherichia Coli | MPN/100 ml | MPN Test | N.D. | N.D. |
| * Staphylococcus aureus | S.aureus/100mL | MPN Test | N.D. | N.D. |
| * Pseudomonas aeruginosa | CFU/100mL | MPN Test | N.D. | N.D. |

REFERENCE : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 23rd ED., 2017 (AWWA, APHA, WEF)

(Nijinart Matiyapak)

ว-219-จ-9424

Analyst

(Tawatchai Chongvutichai)

ว-219-ค-5124

Environmental Laboratory Section Manager

- Remark :**
1. Reported analysis refers to submitted sampling only.
 2. This report shall not be reproduced, except in full, without official approval.
 3. - Not available .
 4. * mean analysis were performed by HVE Co.,Ltd .
 5. ** Recommendations of the Public Health Committee No. 1/2007 regarding the control of swimming pool operations or other businesses Likewise
 6. N.D. (Not Detectable) หมายถึง ตรวจไม่พบ



ห้องปฏิบัติการวิเคราะห์เอกชน บริษัท โอกลา เทสติ้ง แอนด์ คอนซัลติง เซอร์วิส จำกัด

63/13 ซอย เพชรเกษม 7 แขวงวัดท่าพระ เขตบางกอกใหญ่ กรุงเทพมหานคร 10600

โทรศัพท์ : (66) 02-868-1246 โทรสาร : (66) 02-686-1247 Website : www.okla-testing.com J-NAC Group

WATER AND WASTEWATER ANALYSIS REPORT

| | | | |
|-------------------|-----------------------|------------------------|-------------------------------------|
| CLIENT NAME | : The Strand Thonglor | REPORT NO. | : RN221110798 |
| SAMPLING LOCATION | : สระว่ายน้ำ(เล็ก) | SAMPLING SOURCE | : Swimming pool |
| SAMPLING METHOD | : Grab | SAMPLING BY | : นายปริญญ์ กล้าน้อย (ว-219-จ-9666) |
| SAMPLE CONDITION | : Normal | SAMPLE CHARACTERISTICS | : ใสไม่มีตะกอน |
| SAMPLING DATE | : Nov 24, 2022 | SAMPLING TIME | : - |
| RECEIVED DATE | : Nov 24, 2022 | ANALYTICAL DATE | : Nov 24-Dec 2, 2022 |
| REPORT DATE | : Dec 6, 2022 | | |

| PARAMETER | UNIT | ANALYSIS METHODS | RESULT | STANDARD ** |
|--------------------------|----------------|---------------------|--------|-------------|
| Total Coliform Bacteria | MPN/100 ml | MPN Test | <1.8 | <10 |
| Fecal Coliform Bacteria | MPN/100 ml | MPN Test | N.D. | N.D. |
| * Escherichia Coli | MPN/100 ml | MPN Test | N.D. | N.D. |
| * Staphylococcus aureus | S.aureus/100mL | MPN Test | N.D. | N.D. |
| * Pseudomonas aeruginosa | CFU/100mL | MPN Test | N.D. | N.D. |

REFERENCE : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 23rd ED., 2017 (AWWA, APHA, WEF)

(Nijinart Matiyapak)

ว-219-จ-9424

Analyst

(Tawatchai Chongvutichai)

ว-219-ท-5124

Environmental Laboratory Section Manager

- Remark :**
1. Reported analysis refers to submitted sampling only.
 2. This report shall not be reproduced, except in full, without official approval.
 3. - Not available .
 4. * mean analysis were performed by HVE Co.,Ltd .
 5. ** Recommendations of the Public Health Committee No. 1/2007 regarding the control of swimming pool operations or other businesses Likewise
 6. N.D. (Not Detectable) หมายถึง ตรวจไม่พบ



ห้องปฏิบัติการวิเคราะห์เอกชน บริษัท โอกลา เทสติ้ง แอนด์ คอนซัลติง เซอร์วิส จำกัด

63/13 ซอย เพชรเกษม 7 แขวงวัดท่าพระ เขตบางกอกใหญ่ กรุงเทพมหานคร 10600

โทรศัพท์ : (66) 02-868-1246 โทรสาร : (66) 02-686-1247 Website : www.okla-testing.com J-NAC Group

WATER AND WASTEWATER ANALYSIS REPORT

| | | | |
|-------------------|-----------------------|------------------------|---------------------|
| CLIENT NAME | : The Strand Thonglor | REPORT NO. | : RN221210885 |
| SAMPLING LOCATION | : สระว่ายน้ำ(ดิน) | SAMPLING SOURCE | : Swimming Pool |
| SAMPLING METHOD | : Grab | SAMPLING BY | : นางสาวจุลภา สมบุญ |
| SAMPLE CONDITION | : Normal | SAMPLE CHARACTERISTICS | : ไม่มีส่วนตะกอน |
| SAMPLING DATE | : Dec 16, 2022 | SAMPLING TIME | : - |
| RECEIVED DATE | : Dec 16, 2022 | ANALYTICAL DATE | : Dec 16-26, 2022 |
| REPORT DATE | : Dec 27, 2022 | | |

| PARAMETER | UNIT | METHODS OF ANALYSIS | RESULT | MDL | STANDARD ** |
|--------------------------|------------|---|--------|-----|-------------|
| Total Coliform Bacteria | MPN/100 ml | MPN Test | <1.8 | - | <10 |
| Fecal Coliform Bacteria | MPN/100 ml | MPN Test | N.D. | - | N.D. |
| Escherichia Coli | MPN/100 ml | E.coli Procedure Using Fluorogenic Substrate (SM: 9221 F.) | N.D. | - | N.D. |
| * Staphylococcus aureus | per 100 ml | In-house method based on APHA, AWWA, WEF 23 nd ed. 2017, 9213 B | N.D. | - | N.D. |
| * Pseudomonas aeruginosa | per 100 ml | APHA, AWWA, WEF 23 nd ed. 2017, 9213 E | N.D. | - | N.D. |

SM : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 23nd ED.,2017 (AWWA,APHA, WEF)

(Nijinart Matiyapak)

Scientist

(Tawatthai Chongvutichai)

Environmental Laboratory Section Manager

- Remark :
1. Reported analysis refers to submitted sampling only.
 2. This report shall not be reproduced, except in full, without official approval.
 3. - Not available .
 4. * mean analysis were performed by HVE Co.,Ltd .
 5. ** Recommendations of the Public Health Committee No. 1/2007 regarding the control of swimming pool operations or other businesses Likewise.
 6. N.D. (Not Detectable) หมายถึง ตรวจไม่พบ



ห้องปฏิบัติการวิเคราะห์เอกชน บริษัท โอกลา เทสติ้ง แอนด์ คอนซัลติง เซอร์วิส จำกัด

63/13 ซอย เพชรเกษม 7 แขวงวัดท่าพระ เขตบางกอกใหญ่ กรุงเทพมหานคร 10600

โทรศัพท์ : (66) 02-868-1246 โทรสาร : (66) 02-686-1247 Website : www.okla-testing.com J-NAC Group

WATER AND WASTEWATER ANALYSIS REPORT

| | | | |
|-------------------|-----------------------|------------------------|---------------------|
| CLIENT NAME | : The Strand Thonglor | REPORT NO. | : RN221210884 |
| SAMPLING LOCATION | : สระว่ายน้ำ(เล็ก) | SAMPLING SOURCE | : Swimming Pool |
| SAMPLING METHOD | : Grab | SAMPLING BY | : นางสาวจุลภา สมบุญ |
| SAMPLE CONDITION | : Normal | SAMPLE CHARACTERISTICS | : ใส่ไม่มีตะกอน |
| SAMPLING DATE | : Dec 16, 2022 | SAMPLING TIME | : - |
| RECEIVED DATE | : Dec 16, 2022 | ANALYTICAL DATE | : Dec 16-26, 2022 |
| REPORT DATE | : Dec 27, 2022 | | |

| PARAMETER | UNIT | METHODS OF ANALYSIS | RESULT | MDL | STANDARD** |
|--------------------------|------------|---|--------|-----|------------|
| Total Coliform Bacteria | MPN/100 ml | MPN Test | <1.8 | - | <10 |
| Fecal Coliform Bacteria | MPN/100 ml | MPN Test | N.D. | - | N.D. |
| Escherichia Coli | MPN/100 ml | E.coli Procedure Using Fluorogenic Substrate (SM: 9221 F.) | N.D. | - | N.D. |
| * Staphylococcus aureus | per 100 ml | In-house method based on APHA, AWWA, WEF 23 nd ed. 2017, 9213 B | N.D. | - | N.D. |
| * Pseudomonas aeruginosa | per 100 ml | APHA, AWWA, WEF 23 nd ed. 2017, 9213 E | N.D. | - | N.D. |

SM : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 23nd ED.,2017 (AWWA,APHA, WEF)

(Nijinart Matiyapak)

Scientist

(Tawatchai Chongvutichai)

Environmental Laboratory Section Manager

- Remark :
1. Reported analysis refers to submitted sampling only.
 2. This report shall not be reproduced, except in full, without official approval.
 3. - Not available .
 4. * mean analysis were performed by HVE Co.,Ltd .
 5. ** Recommendations of the Public Health Committee No. 1/2007 regarding the control of swimming pool operations or other businesses Likewise.
 6. N.D. (Not Detectable) หมายถึง ตรวจไม่พบ