

ภาคผนวก ก

ใบรับรองผลการตรวจวิเคราะห์

ANALYSIS REPORT

Customer Name	: การเคหะแห่งชาติ		
Address	: 905 ถนนนวมินทร์ แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240		
Project Name	: โครงการบ้านเอื้ออาทร จังหวัดขอนแก่น-ขอนแก่น 4 (ตำบลศิลา)		
Sampling Location	: บ่อพักน้ำเสียก่อนเข้าระบบบำบัดน้ำเสียรวม	Sampling Source	: Wastewater
Sampling Date	: July 1, 2022	Sampling By	: Mr. Apisit Wong
Sampling Time	: 16.15 น.		

Received Date	: July 6, 2022	Sample Code	: JUL22-027
Analytical Date	: July 6-25, 2022	Report No.	: LAB2207009
Sample Condition	: Turbid Gray, Sediment, Smell	Report Date	: July 26, 2022

Item	Parameter	Unit	Method of Analysis ⁽¹⁾	Result	Standard
1	pH at 25 °C**	-	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 4500-H ⁺ B	7.1	-
2	Biochemical Oxygen Demand**	mg/L	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 5210 B	118	-
3	Total Suspended Solids**	mg/L	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 2540 D	88	-
4	Oil & Grease**	mg/L	WI-LA-206 based on Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 5520-B	28	-
5	Total Kjeldahl Nitrogen*	mg/L	Semi-Micro Kjeldahl Method (4500-N _{ORG} C.)	30	-

Remark : * The parameters are outside the scope of accreditation to ISO/IEC 17025:2017 by Thailand Industrial Standards Institute.

: ** The parameters are in the scope of accreditation to ISO/IEC 17025:2017 by Thailand Industrial Standards Institute.

: ⁽¹⁾ Based on Standard Method for the Examination of Water and Wastewater, APHA, AWWA, WEF 23rd Edition 2017.

กรชน
(Miss Kornchasa Boonprasopsom)

Scientist

Analyzed


(Miss Pranisa Kunsamut)

General Manager

Reviewed and Approved

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL, REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE ONLY

ANALYSIS REPORT

Customer Name	: การเคหะแห่งชาติ		
Address	: 905 ถนนนวมินทร์ แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240		
Project Name	: โครงการบ้านเอื้ออาทร จังหวัดขอนแก่น-ขอนแก่น 4 (ตำบลศิลา)		
Sampling Location	: บ่อพักน้ำเสียก่อนเข้าระบบบำบัดน้ำเสียรวม (ต่อ)	Sampling Source	: Wastewater
Sampling Date	: July 1, 2022	Sampling By	: Mr. Apisit Wong
Sampling Time	: 16.15 น.		

Received Date	: July 6, 2022	Sample Code	: JUL22-027
Analytical Date	: July 6-25, 2022	Report No.	: LAB2207009
Sample Condition	: Turbid Gray, Sediment, Smell	Report Date	: July 26, 2022

Item	Parameter	Unit	Method of Analysis ⁽¹⁾	Result	Standard
6	Fecal Coliform Bacteria ⁽²⁾	MPN/100 mL	Multiple-Tube Fermentation Technique (SM: 9221 E)	>160,000	-

Remark : ⁽¹⁾ Based on Standard Method for the Examination of Water and Wastewater, APHA, AWWA, WEF 23rd Edition 2017.

: ⁽²⁾ Analyzed by United Analyst and Engineering Consultant Co., Ltd.



(Miss Pranisa Kunsamut)

General Manager

Reviewed and Approved

ANALYSIS REPORT

Customer Name	: การเคหะแห่งชาติ		
Address	: 905 ถนนนวมินทร์ แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240		
Project Name	: โครงการบ้านเอื้ออาทร จังหวัดขอนแก่น-ขอนแก่น 4 (ตำบลศิลา)		
Sampling Location	: บ่อพักน้ำเสียหลังผ่านระบบบำบัดน้ำเสียรวม	Sampling Source	: Wastewater
Sampling Date	: July 1, 2022	Sampling By	: Mr. Apisit Wong
Sampling Time	: 16.10 น.		

Received Date	: July 6, 2022	Sample Code	: JUL22-028
Analytical Date	: July 6-25, 2022	Report No.	: LAB2207009
Sample Condition	: Clear Yellow, Little Sediment	Report Date	: July 26, 2022

Item	Parameter	Unit	Method of Analysis ⁽¹⁾	Result	Standard ⁽²⁾
1	pH at 25 °C**	-	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 4500-H ⁺ B	7.2	5.5-9.0
2	Biochemical Oxygen Demand**	mg/L	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 5210 B	2	≤20
3	Total Suspended Solids**	mg/L	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 2540 D	<10	≤30
4	Oil & Grease**	mg/L	WI-LA-206 based on Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 5520-B	<5	≤20
5	Total Kjeldahl Nitrogen*	mg/L	Semi-Micro Kjeldahl Method (4500-N _{ORG} C.)	<4	≤35

Remark : * The parameters are outside the scope of accreditation to ISO/IEC 17025:2017 by Thailand Industrial Standards Institute.
: ** The parameters are in the scope of accreditation to ISO/IEC 17025:2017 by Thailand Industrial Standards Institute.
: ⁽¹⁾ Based on Standard Method for the Examination of Water and Wastewater, APHA, AWWA, WEF 23rd Edition 2017.
: ⁽²⁾ ประกาศกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม เรื่อง กำหนดมาตรฐานควบคุมการระบายน้ำทิ้งจากที่ดินจัดสรร พ.ศ. 2564 (ประเภท ก)


(Miss Kornchasa Boonprasopsom)

Scientist

Analyzed


(Miss Pranisa Kunsamut)

General Manager

Reviewed and Approved

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL, REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE ONLY

ANALYSIS REPORT

Customer Name	: การเคหะแห่งชาติ		
Address	: 905 ถนนนวมินทร์ แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240		
Project Name	: โครงการบ้านเอื้ออาทร จังหวัดขอนแก่น-ขอนแก่น 4 (ตำบลศิลา)		
Sampling Location	: บ่อพักน้ำเสียหลังผ่านระบบบำบัดน้ำเสียรวม (ต่อ)	Sampling Source	: Wastewater
Sampling Date	: July 1, 2022	Sampling By	: Mr. Apisit Wong
Sampling Time	: 16.10 น.		

Received Date	: July 6, 2022	Sample Code	: JUL22-028
Analytical Date	: July 6-25, 2022	Report No.	: LAB2207009
Sample Condition	: Clear Yellow, Little Sediment	Report Date	: July 26, 2022

Item	Parameter	Unit	Method of Analysis ⁽¹⁾	Result	Standard
6	Fecal Coliform Bacteria ⁽²⁾	MPN/100 mL	Multiple-Tube Fermentation Technique (SM: 9221 E)	4,600	-
7	Nitrate ⁽²⁾	mg/L	Cadmium Reduction Method (SM: 4500-NO ₃ ⁻ E)	1.86	-

Remark : ⁽¹⁾ Based on Standard Method for the Examination of Water and Wastewater, APHA, AWWA, WEF 23rd Edition 2017.

: ⁽²⁾ Analyzed by United Analyst and Engineering Consultant Co., Ltd.


(Miss Pranisa Kunsamut)

General Manager

Reviewed and Approved

ANALYSIS REPORT

Customer Name	: การเคหะแห่งชาติ		
Address	: 905 ถนนนวมินทร์ แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240		
Project Name	: โครงการบ้านเอื้ออาทร จังหวัดขอนแก่น-ขอนแก่น 4 (ตำบลศิลา)		
Sampling Location	: บ่อกักน้ำทิ้งสุดท้ายก่อนระบายออกจากพื้นที่โครงการ	Sampling Source	: Wastewater
Sampling Date	: July 1, 2022	Sampling By	: Mr. Apisit Wong
Sampling Time	: 16.25 น.		

Received Date	: July 6, 2022	Sample Code	: JUL22-029
Analytical Date	: July 6-25, 2022	Report No.	: LAB2207009
Sample Condition	: Clear Yellow, Little Sediment	Report Date	: July 26, 2022

Item	Parameter	Unit	Method of Analysis ⁽¹⁾	Result	Standard ⁽²⁾
1	pH at 25 °C**	-	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 4500-H ⁺ B	7.1	5.5-9.0
2	Biochemical Oxygen Demand**	mg/L	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 5210 B	14	≤20
3	Total Suspended Solids**	mg/L	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 2540 D	<10	≤30
4	Oil & Grease**	mg/L	WI-LA-206 based on Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 5520-B	<5	≤20
5	Sulfide*	mg/L	Iodometric Method (4500-S ₂ ⁻ F.)	0.77	≤1.0
6	Total Kjeldahl Nitrogen*	mg/L	Semi-Micro Kjeldahl Method (4500-N _{ORG} C.)	10	≤35

Remark : * The parameters are outside the scope of accreditation to ISO/IEC 17025:2017 by Thailand Industrial Standards Institute.

: ** The parameters are in the scope of accreditation to ISO/IEC 17025:2017 by Thailand Industrial Standards Institute.

: ⁽¹⁾ Based on Standard Method for the Examination of Water and Wastewater, APHA, AWWA, WEF 23rd Edition 2017.

: ⁽²⁾ ประกาศกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม เรื่อง กำหนดมาตรฐานควบคุมการระบายน้ำทิ้งจากที่ดินจัดสรร พ.ศ. 2564 (ประเภท ก)

กรรณ

(Miss Kornchasa Boonprasopsom)

Scientist

Analyzed

Pranisa

(Miss Pranisa Kunsamut)

General Manager

Reviewed and Approved

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL, REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE ONLY

ANALYSIS REPORT

Customer Name	: การเคหะแห่งชาติ		
Address	: 905 ถนนนวมินทร์ แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240		
Project Name	: โครงการบ้านเอื้ออาทร จังหวัดขอนแก่น-ขอนแก่น 4 (ตำบลศิลา)		
Sampling Location	: บ่อพักน้ำทิ้งสุดท้ายก่อนระบายออกจากพื้นที่โครงการ (ต่อ)	Sampling Source	: Wastewater
Sampling Date	: July 1, 2022	Sampling By	: Mr. Apisit Wong
Sampling Time	: 16.25 น.		

Received Date	: July 6, 2022	Sample Code	: JUL22-029
Analytical Date	: July 6-25, 2022	Report No.	: LAB2207009
Sample Condition	: Clear Yellow, Little Sediment	Report Date	: July 26, 2022

Item	Parameter	Unit	Method of Analysis ⁽¹⁾	Result	Standard
7	Fecal Coliform Bacteria ⁽²⁾	MPN/100 mL	Multiple-Tube Fermentation Technique (SM: 9221 E)	>160,000	-
8	Nitrate ⁽²⁾	mg/L	Cadmium Reduction Method (SM: 4500-NO ₃ ⁻ E)	0.40	-
9	Total Phosphors ⁽²⁾	mg/L	Persulphate Digestion and Ascorbic Acid Method (SM: 4500-P B and 4500-P E)	1.01	-

Remark : ⁽¹⁾ Based on Standard Method for the Examination of Water and Wastewater, APHA, AWWA, WEF 23rd Edition 2017.

: ⁽²⁾ Analyzed by United Analyst and Engineering Consultant Co., Ltd.

- End of The Analysis Report -


(Miss Pranisa Kunsamut)

General Manager

Reviewed and Approved

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL, REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE ONLY

ANALYSIS REPORT

Customer Name	: การเคหะแห่งชาติ		
Address	: 905 ถนนนวมินทร์ แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240		
Project Name	: โครงการบ้านเอื้ออาทร จังหวัดขอนแก่น-ขอนแก่น 4 (ตำบลศิลา)		
Sampling Location	: บ่อพักน้ำเสียก่อนเข้าระบบบำบัดน้ำเสียรวม	Sampling Source	: Wastewater
Sampling Date	: August 1, 2022	Sampling By	: Mr. Thitibhop Ketkaew
Sampling Time	: 13.45 น.		

Received Date	: August 4, 2022	Sample Code	: AUG22-001
Analytical Date	: August 4-23, 2022	Report No.	: LAB2208001
Sample Condition	: Clear, Little Sediment, Smell	Report Date	: August 26, 2022

Item	Parameter	Unit	Method of Analysis ⁽¹⁾	Result	Standard
1	pH at 25 °C**	-	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 4500-H ⁺ B	7.2	-
2	Biochemical Oxygen Demand**	mg/L	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 5210 B	23	-
3	Total Suspended Solids**	mg/L	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 2540 D	<10	-
4	Oil & Grease**	mg/L	WI-LA-206 based on Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 5520-B	22	-
5	Total Kjeldahl Nitrogen*	mg/L	Semi-Micro Kjeldahl Method (4500-N _{ORG} C.)	24	-

Remark : * The parameters are outside the scope of accreditation to ISO/IEC 17025:2017 by Thailand Industrial Standards Institute.

: ** The parameters are in the scope of accreditation to ISO/IEC 17025:2017 by Thailand Industrial Standards Institute.

: ⁽¹⁾ Based on Standard Method for the Examination of Water and Wastewater, APHA, AWWA, WEF 23rd Edition 2017.


(Miss Kornchasa Boonprasopsom)

Scientist

Analyzed


(Miss Pranisa Kunsamut)

General Manager

Reviewed and Approved

ANALYSIS REPORT

Customer Name	: การเคหะแห่งชาติ		
Address	: 905 ถนนนวมินทร์ แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240		
Project Name	: โครงการบ้านเอื้ออาทร จังหวัดขอนแก่น-ขอนแก่น 4 (ตำบลศิลา)		
Sampling Location	: บ่อพักน้ำเสียก่อนเข้าระบบบำบัดน้ำเสียรวม (ต่อ)	Sampling Source	: Wastewater
Sampling Date	: August 1, 2022	Sampling By	: Mr. Thitibhop Ketkaew
Sampling Time	: 13.45 น.		

Received Date	: August 4, 2022	Sample Code	: AUG22-001
Analytical Date	: August 4-23, 2022	Report No.	: LAB2208001
Sample Condition	: Clear, Little Sediment, Smell	Report Date	: August 26, 2022

Item	Parameter	Unit	Method of Analysis ⁽¹⁾	Result	Standard
6	Fecal Coliform Bacteria ⁽²⁾	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E.)	24,000	-

Remark : ⁽¹⁾ Based on Standard Method for the Examination of Water and Wastewater, APHA, AWWA, WEF 23rd Edition 2017.

: ⁽²⁾ Analyzed by MET Co., Ltd.


(Miss Pranisa Kunsamut)

General Manager

Reviewed and Approved

ANALYSIS REPORT

Customer Name	: การเคหะแห่งชาติ		
Address	: 905 ถนนนวมินทร์ แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240		
Project Name	: โครงการบ้านเอื้ออาทร จังหวัดขอนแก่น-ขอนแก่น 4 (ตำบลศิลา)		
Sampling Location	: บ่อกักน้ำเสียหลังผ่านระบบบำบัดน้ำเสียรวม	Sampling Source	: Wastewater
Sampling Date	: August 1, 2022	Sampling By	: Mr. Thitibhop Ketkaew
Sampling Time	: 13.41 น.		

Received Date	: August 4, 2022	Sample Code	: AUG22-002
Analytical Date	: August 4-23, 2022	Report No.	: LAB2208001
Sample Condition	: Clear, Little Sediment, Smell	Report Date	: August 26, 2022

Item	Parameter	Unit	Method of Analysis ⁽¹⁾	Result	Standard ⁽²⁾
1	pH at 25 °C**	-	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 4500-H ⁺ B	7.3	5.5-9.0
2	Biochemical Oxygen Demand**	mg/L	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 5210 B	6	≤20
3	Total Suspended Solids**	mg/L	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 2540 D	<10	≤30
4	Oil & Grease**	mg/L	WI-LA-206 based on Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 5520-B	<5	≤20
5	Total Kjeldahl Nitrogen*	mg/L	Semi-Micro Kjeldahl Method (4500-N _{ORG} C.)	4	≤35

Remark : * The parameters are outside the scope of accreditation to ISO/IEC 17025:2017 by Thailand Industrial Standards Institute.

: ** The parameters are in the scope of accreditation to ISO/IEC 17025:2017 by Thailand Industrial Standards Institute.

: ⁽¹⁾ Based on Standard Method for the Examination of Water and Wastewater, APHA, AWWA, WEF 23rd Edition 2017.

: ⁽²⁾ ประกาศกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม เรื่อง กำหนดมาตรฐานควบคุมการระบายน้ำทิ้งจากที่ดินจัดสรร พ.ศ. 2564 (ประเภท ก)



(Miss Kornchasa Boonprasopsom)

Scientist

Analyzed



(Miss Pranisa Kunsamut)

General Manager

Reviewed and Approved

ANALYSIS REPORT

Customer Name	: การเคหะแห่งชาติ		
Address	: 905 ถนนนวมินทร์ แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240		
Project Name	: โครงการบ้านเอื้ออาทร จังหวัดขอนแก่น-ขอนแก่น 4 (ตำบลศิลา)		
Sampling Location	: บ่อพักน้ำเสียหลังผ่านระบบบำบัดน้ำเสียรวม (ต่อ)	Sampling Source	: Wastewater
Sampling Date	: August 1, 2022	Sampling By	: Mr. Thitibhop Ketkaew
Sampling Time	: 13.41 น.		

Received Date	: August 4, 2022	Sample Code	: AUG22-002
Analytical Date	: August 4-23, 2022	Report No.	: LAB2208001
Sample Condition	: Clear, Little Sediment, Smell	Report Date	: August 26, 2022

Item	Parameter	Unit	Method of Analysis ⁽¹⁾	Result	Standard
6	Fecal Coliform Bacteria ⁽²⁾	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E.)	240	-
7	Nitrate ⁽²⁾	mg/L	Cadmium Reduction Method (SM: 4500-NO ₃ ⁻ E)	<0.1	-

Remark : ⁽¹⁾ Based on Standard Method for the Examination of Water and Wastewater, APHA, AWWA, WEF 23rd Edition 2017.

: ⁽²⁾ Analyzed by MET Co., Ltd.


(Miss Pranisa Kunsamut)

General Manager

Reviewed and Approved

ANALYSIS REPORT

Customer Name	: การเคหะแห่งชาติ		
Address	: 905 ถนนนวมินทร์ แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240		
Project Name	: โครงการบ้านเอื้ออาทร จังหวัดขอนแก่น-ขอนแก่น 4 (ตำบลศิลา)		
Sampling Location	: บ่อพักน้ำทิ้งสุดท้ายก่อนระบายออกจากพื้นที่โครงการ	Sampling Source	: Wastewater
Sampling Date	: August 1, 2022	Sampling By	: Mr. Thitibhop Ketkaew
Sampling Time	: 13.58 น.		

Received Date	: August 4, 2022	Sample Code	: AUG22-003
Analytical Date	: August 4-23, 2022	Report No.	: LAB2208001
Sample Condition	: Clear, Little Sediment, Smell	Report Date	: August 26, 2022

Item	Parameter	Unit	Method of Analysis ⁽¹⁾	Result	Standard ⁽²⁾
1	pH at 25 °C**	-	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 4500-H ⁺ B	7.3	5.5-9.0
2	Biochemical Oxygen Demand**	mg/L	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 5210 B	10	≤20
3	Total Suspended Solids**	mg/L	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 2540 D	<10	≤30
4	Oil & Grease**	mg/L	WI-LA-206 based on Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 5520-B	<5	≤20
5	Sulfide*	mg/L	Iodometric Method (4500-S ₂ F.)	0.27	≤1.0
6	Total Kjeldahl Nitrogen*	mg/L	Semi-Micro Kjeldahl Method (4500-N _{ORG} C.)	20	≤35

Remark : * The parameters are outside the scope of accreditation to ISO/IEC 17025:2017 by Thailand Industrial Standards Institute.

: ** The parameters are in the scope of accreditation to ISO/IEC 17025:2017 by Thailand Industrial Standards Institute.

: ⁽¹⁾ Based on Standard Method for the Examination of Water and Wastewater, APHA, AWWA, WEF 23rd Edition 2017.

: ⁽²⁾ ประกาศกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม เรื่อง กำหนดมาตรฐานควบคุมการระบายน้ำทิ้งจากที่ดินจัดสรร พ.ศ. 2564 (ประเภท ก)


(Miss Kornchasa Boonprasopsom)

Scientist

Analyzed


(Miss Pranisa Kunsamut)

General Manager

Reviewed and Approved

ANALYSIS REPORT

Customer Name	: การเคหะแห่งชาติ		
Address	: 905 ถนนนวมินทร์ แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240		
Project Name	: โครงการบ้านเอื้ออาทร จังหวัดขอนแก่น-ขอนแก่น 4 (ตำบลศิลา)		
Sampling Location	: บ่อพักน้ำทิ้งสุดท้ายก่อนระบายออกจากพื้นที่โครงการ (ต่อ)	Sampling Source	: Wastewater
Sampling Date	: August 1, 2022	Sampling By	: Mr. Thitibhop Ketkaew
Sampling Time	: 13.58 น.		

Received Date	: August 4, 2022	Sample Code	: AUG22-003
Analytical Date	: August 4-23, 2022	Report No.	: LAB2208001
Sample Condition	: Clear, Little Sediment, Smell	Report Date	: August 26, 2022

Item	Parameter	Unit	Method of Analysis ⁽¹⁾	Result	Standard
7	Fecal Coliform Bacteria ⁽²⁾	MPN/100 mL	Multiple-Tube Fermentation Technique (SM: 9221 E)	>160,000	-
8	Nitrate ⁽²⁾	mg/L	Cadmium Reduction Method (SM: 4500-NO ₃ ⁻ E)	<0.1	-
9	Total Phosphors ⁽²⁾	mg/L	Vanadomolybdophosphoric Acid Colorimetric Method	2.26	-

Remark : ⁽¹⁾ Based on Standard Method for the Examination of Water and Wastewater, APHA, AWWA, WEF 23rd Edition 2017.

: ⁽²⁾ Analyzed by MET Co., Ltd.

- End of The Analysis Report -


 (Miss Pranisa Kunsamut)

General Manager

Reviewed and Approved

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL, REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE ONLY

ANALYSIS REPORT

Customer Name	: การเคหะแห่งชาติ		
Address	: 905 ถนนนวมินทร์ แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240		
Project Name	: โครงการบ้านเอื้ออาทร จังหวัดขอนแก่น-ขอนแก่น 4 (ตำบลศิลา)		
Sampling Location	: บ่อกักน้ำเสียก่อนเข้าระบบบำบัดน้ำเสียรวม	Sampling Source	: Wastewater
Sampling Date	: September 1, 2022	Sampling By	: Mr. Apisit Wong
Sampling Time	: 17.40 น.		

Received Date	: September 5, 2022	Sample Code	: SEP22-030		
Analytical Date	: September 5-20, 2022	Report No.	: LAB2209009		
Sample Condition	: Turbid Black, Very Sediment, Smell	Report Date	: September 26, 2022		

Item	Parameter	Unit	Method of Analysis ⁽¹⁾	Result	Standard
1	pH at 25 °C**	-	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 4500-H ⁺ B	6.6	-
2	Biochemical Oxygen Demand**	mg/L	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 5210 B	330	-
3	Total Suspended Solids**	mg/L	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 2540 D	322	-
4	Oil & Grease**	mg/L	WI-LA-206 based on Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 5520-B	37	-
5	Total Kjeldahl Nitrogen*	mg/L	Semi-Micro Kjeldahl Method (4500-N _{ORG} C.)	95	-

Remark : * The parameters are outside the scope of accreditation to ISO/IEC 17025:2017 by Thailand Industrial Standards Institute.

: ** The parameters are in the scope of accreditation to ISO/IEC 17025:2017 by Thailand Industrial Standards Institute.

: ⁽¹⁾ Based on Standard Method for the Examination of Water and Wastewater, APHA, AWWA, WEF 23rd Edition 2017.



(Miss Kornchasa Boonprasopsom)

Scientist

Analyzed



(Miss Pranisa Kunsamut)

General Manager

Reviewed and Approved

ANALYSIS REPORT

Customer Name	: การเคหะแห่งชาติ		
Address	: 905 ถนนนวมินทร์ แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240		
Project Name	: โครงการบ้านเอื้ออาทร จังหวัดขอนแก่น-ขอนแก่น 4 (ตำบลศิลา)		
Sampling Location	: บ่อบำบัดน้ำเสียก่อนเข้าระบบบำบัดน้ำเสียรวม (ต่อ)	Sampling Source	: Wastewater
Sampling Date	: September 1, 2022	Sampling By	: Mr. Apisit Wong
Sampling Time	: 17.40 น.		

Received Date	: September 5, 2022	Sample Code	: SEP22-030
Analytical Date	: September 5-20, 2022	Report No.	: LAB2209009
Sample Condition	: Turbid Black, Very Sediment, Smell	Report Date	: September 26, 2022

Item	Parameter	Unit	Method of Analysis ⁽¹⁾	Result	Standard
6	Fecal Coliform Bacteria ⁽²⁾	MPN/100 mL	Multiple-Tube Fermentation Technique (SM: 9221 E)	>160,000	-

Remark : ⁽¹⁾ Based on Standard Method for the Examination of Water and Wastewater, APHA, AWWA, WEF 23rd Edition 2017.

: ⁽²⁾ Analyzed by United Analyst and Engineering Consultant Co., Ltd.


(Miss Pranisa Kunsamut)

General Manager

Reviewed and Approved

ANALYSIS REPORT

Customer Name	: การเคหะแห่งชาติ		
Address	: 905 ถนนนวมินทร์ แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240		
Project Name	: โครงการบ้านเอื้ออาทร จังหวัดขอนแก่น-ขอนแก่น 4 (ตำบลศิลา)		
Sampling Location	: บ่อกักน้ำเสียหลังผ่านระบบบำบัดน้ำเสียรวม	Sampling Source	: Wastewater
Sampling Date	: September 1, 2022	Sampling By	: Mr. Apisit Wong
Sampling Time	: 17.35 น.		

Received Date	: September 5, 2022	Sample Code	: SEP22-031
Analytical Date	: September 5-20, 2022	Report No.	: LAB2209009
Sample Condition	: Clear Yellow, Little Sediment	Report Date	: September 26, 2022

Item	Parameter	Unit	Method of Analysis ⁽¹⁾	Result	Standard ⁽²⁾
1	pH at 25 °C**	-	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 4500-H ⁺ B	6.8	5.5-9.0
2	Biochemical Oxygen Demand**	mg/L	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 5210 B	3	≤20
3	Total Suspended Solids**	mg/L	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 2540 D	<10	≤30
4	Oil & Grease**	mg/L	WI-LA-206 based on Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 5520-B	<5	≤20
5	Total Kjeldahl Nitrogen*	mg/L	Semi-Micro Kjeldahl Method (4500-N _{ORG} C.)	<4	≤35

Remark : * The parameters are outside the scope of accreditation to ISO/IEC 17025:2017 by Thailand Industrial Standards Institute.

: ** The parameters are in the scope of accreditation to ISO/IEC 17025:2017 by Thailand Industrial Standards Institute.

: ⁽¹⁾ Based on Standard Method for the Examination of Water and Wastewater, APHA, AWWA, WEF 23rd Edition 2017.

: ⁽²⁾ ประกาศกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม เรื่อง กำหนดมาตรฐานควบคุมการระบายน้ำทิ้งจากที่ดินจัดสรร พ.ศ. 2564 (ประเภท ก)



(Miss Kornchasa Boonprasopsom)

Scientist

Analyzed



(Miss Pranisa Kunsamut)

General Manager

Reviewed and Approved

ANALYSIS REPORT

Customer Name	: การเคหะแห่งชาติ		
Address	: 905 ถนนนวมินทร์ แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240		
Project Name	: โครงการบ้านเอื้ออาทร จังหวัดขอนแก่น-ขอนแก่น 4 (ตำบลศิลา)		
Sampling Location	: บ่อพักน้ำเสียหลังผ่านระบบบำบัดน้ำเสียรวม (ต่อ)	Sampling Source	: Wastewater
Sampling Date	: September 1, 2022	Sampling By	: Mr. Apisit Wong
Sampling Time	: 17.35 น.		

Received Date	: September 5, 2022	Sample Code	: SEP22-031
Analytical Date	: September 5-20, 2022	Report No.	: LAB2209009
Sample Condition	: Clear Yellow, Little Sediment	Report Date	: September 26, 2022

Item	Parameter	Unit	Method of Analysis ⁽¹⁾	Result	Standard
6	Fecal Coliform Bacteria ⁽²⁾	MPN/100 mL	Multiple-Tube Fermentation Technique (SM: 9221 E)	92,000	-
7	Nitrate ⁽²⁾	mg/L	Cadmium Reduction Method (SM: 4500-NO ₃ ⁻ E)	0.31	-

Remark : ⁽¹⁾ Based on Standard Method for the Examination of Water and Wastewater, APHA, AWWA, WEF 23rd Edition 2017.

: ⁽²⁾ Analyzed by United Analyst and Engineering Consultant Co., Ltd.


 (Miss Pranisa Kunsamut)

General Manager

Reviewed and Approved

ANALYSIS REPORT

Customer Name	: การเคหะแห่งชาติ		
Address	: 905 ถนนนวมินทร์ แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240		
Project Name	: โครงการบ้านเอื้ออาทร จังหวัดขอนแก่น-ขอนแก่น 4 (ตำบลศิลา)		
Sampling Location	: บ่อกักน้ำทิ้งสุดท้ายก่อนระบายออกจากพื้นที่โครงการ	Sampling Source	: Wastewater
Sampling Date	: September 1, 2022	Sampling By	: Mr. Apisit Wong
Sampling Time	: 17.50 น.		

Received Date	: September 5, 2022	Sample Code	: SEP22-032
Analytical Date	: September 5-20, 2022	Report No.	: LAB2209009
Sample Condition	: Clear Gray, Little Sediment, Smell	Report Date	: September 26, 2022

Item	Parameter	Unit	Method of Analysis ⁽¹⁾	Result	Standard ⁽²⁾
1	pH at 25 °C**	-	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 4500-H ⁺ B	7.0	5.5-9.0
2	Biochemical Oxygen Demand**	mg/L	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 5210 B	20	≤20
3	Total Suspended Solids**	mg/L	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 2540 D	<10	≤30
4	Oil & Grease**	mg/L	WI-LA-206 based on Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 5520-B	<5	≤20
5	Sulfide*	mg/L	Iodometric Method (4500-S ₂ ⁻ F.)	3.43	≤1.0
6	Total Kjeldahl Nitrogen*	mg/L	Semi-Micro Kjeldahl Method (4500-N _{ORG} C.)	8	≤35

Remark : * The parameters are outside the scope of accreditation to ISO/IEC 17025:2017 by Thailand Industrial Standards Institute.

: ** The parameters are in the scope of accreditation to ISO/IEC 17025:2017 by Thailand Industrial Standards Institute.

: ⁽¹⁾ Based on Standard Method for the Examination of Water and Wastewater, APHA, AWWA, WEF 23rd Edition 2017.

: ⁽²⁾ ประกาศกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม เรื่อง กำหนดมาตรฐานควบคุมการระบายน้ำทิ้งจากที่ดินจัดสรร พ.ศ. 2564 (ประเภท ก)


 (Miss Kornchasa Boonprasopsom)
 Scientist
 Analyzed


 (Miss Pranisa Kunsamut)
 General Manager
 Reviewed and Approved

ANALYSIS REPORT

Customer Name	: การเคหะแห่งชาติ		
Address	: 905 ถนนนวมินทร์ แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240		
Project Name	: โครงการบ้านเอื้ออาทร จังหวัดขอนแก่น-ขอนแก่น 4 (ตำบลศิลา)		
Sampling Location	: บ่อพักน้ำทิ้งสุดท้ายก่อนระบายออกจากพื้นที่โครงการ (ต่อ)	Sampling Source	: Wastewater
Sampling Date	: September 1, 2022	Sampling By	: Mr. Apisit Wong
Sampling Time	: 17.50 น.		

Received Date	: September 5, 2022	Sample Code	: SEP22-032
Analytical Date	: September 5-20, 2022	Report No.	: LAB2209009
Sample Condition	: Clear Gray, Little Sediment, Smell	Report Date	: September 26, 2022

Item	Parameter	Unit	Method of Analysis ⁽¹⁾	Result	Standard
7	Fecal Coliform Bacteria ⁽²⁾	MPN/100 mL	Multiple-Tube Fermentation Technique (SM: 9221 E)	>160,000	-
8	Nitrate ⁽²⁾	mg/L	Cadmium Reduction Method (SM: 4500-NO ₃ ⁻ E)	0.27	-
9	Total Phosphors ⁽²⁾	mg/L	Persulphate Digestion And Ascorbic Acid Method (SM: 4500-P B And 4500-P E)	1.08	-

Remark : ⁽¹⁾ Based on Standard Method for the Examination of Water and Wastewater, APHA, AWWA, WEF 23rd Edition 2017.

: ⁽²⁾ Analyzed by United Analyst and Engineering Consultant Co., Ltd.

- End of The Analysis Report -


 (Miss Pranisa Kunsamut)
 General Manager
 Reviewed and Approved

ANALYSIS REPORT

Customer Name	: การเคหะแห่งชาติ		
Address	: 905 ถนนนวมินทร์ แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240		
Project Name	: โครงการบ้านเอื้ออาทร จังหวัดขอนแก่น-ขอนแก่น 4 (ตำบลศิลา)		
Sampling Location	: บ่อพักน้ำเสียก่อนเข้าระบบบำบัดน้ำเสียรวม	Sampling Source	: Wastewater
Sampling Date	: October 3, 2022	Sampling By	: Mr. Apisit Wong
Sampling Time	: 14.20 น.		

Received Date	: October 6, 2022	Sample Code	: OCT22-025
Analytical Date	: October 6-24, 2022	Report No.	: LAB2210008
Sample Condition	: Clear Yellow, Little Sediment, Smell	Report Date	: October 26, 2022

Item	Parameter	Unit	Method of Analysis ⁽¹⁾	Result	Standard
1	pH at 25 °C**	-	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 4500-H ⁺ B	7.3	-
2	Biochemical Oxygen Demand**	mg/L	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 5210 B	12	-
3	Total Suspended Solids**	mg/L	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 2540 D	<10	-
4	Oil & Grease**	mg/L	WI-LA-206 based on Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 5520-B	<5	-
5	Total Kjeldahl Nitrogen*	mg/L	Semi-Micro Kjeldahl Method (4500-N _{ORG} C.)	7	-

Remark : * The parameters are outside the scope of accreditation to ISO/IEC 17025:2017 by Thailand Industrial Standards Institute.

: ** The parameters are in the scope of accreditation to ISO/IEC 17025:2017 by Thailand Industrial Standards Institute.

: ⁽¹⁾ Based on Standard Method for the Examination of Water and Wastewater, APHA, AWWA, WEF 23rd Edition 2017.



(Miss Kornchasa Boonprasopsom)

Scientist

Analyzed



(Miss Pranisa Kunsamut)

General Manager

Reviewed and Approved

ANALYSIS REPORT

Customer Name	: การเคหะแห่งชาติ		
Address	: 905 ถนนนวมินทร์ แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240		
Project Name	: โครงการบ้านเอื้ออาทร จังหวัดขอนแก่น-ขอนแก่น 4 (ตำบลศิลา)		
Sampling Location	: บ่อพักน้ำเสียก่อนเข้าระบบบำบัดน้ำเสียรวม (ต่อ)	Sampling Source	: Wastewater
Sampling Date	: October 3, 2022	Sampling By	: Mr. Apisit Wong
Sampling Time	: 14.20 น.		

Received Date	: October 6, 2022	Sample Code	: OCT22-025
Analytical Date	: October 6-24, 2022	Report No.	: LAB2210008
Sample Condition	: Clear Yellow, Little Sediment, Smell	Report Date	: October 26, 2022

Item	Parameter	Unit	Method of Analysis ⁽¹⁾	Result	Standard
6	Fecal Coliform Bacteria ⁽²⁾	MPN/100 mL	Multiple-Tube Fermentation Technique (SM: 9221 E)	>160,000	-

Remark : ⁽¹⁾ Based on Standard Method for the Examination of Water and Wastewater, APHA, AWWA, WEF 23rd Edition 2017.

: ⁽²⁾ Analyzed by United Analyst and Engineering Consultant Co., Ltd.


(Miss Pranisa Kunsamut)

General Manager

Reviewed and Approved

ANALYSIS REPORT

Customer Name	: การเคหะแห่งชาติ		
Address	: 905 ถนนนวมินทร์ แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240		
Project Name	: โครงการบ้านเอื้ออาทร จังหวัดขอนแก่น-ขอนแก่น 4 (ตำบลศิลา)		
Sampling Location	: บ่อกักน้ำเสียหลังผ่านระบบบำบัดน้ำเสียรวม	Sampling Source	: Wastewater
Sampling Date	: October 3, 2022	Sampling By	: Mr. Apisit Wong
Sampling Time	: 14.25 น.		

Received Date	: October 6, 2022	Sample Code	: OCT22-026
Analytical Date	: October 6-24, 2022	Report No.	: LAB2210008
Sample Condition	: Clear Yellow, Little Sediment	Report Date	: October 26, 2022

Item	Parameter	Unit	Method of Analysis ⁽¹⁾	Result	Standard ⁽²⁾
1	pH at 25 °C**	-	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 4500-H ⁺ B	7.4	5.5-9.0
2	Biochemical Oxygen Demand**	mg/L	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 5210 B	4	≤20
3	Total Suspended Solids**	mg/L	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 2540 D	<10	≤30
4	Oil & Grease**	mg/L	WI-LA-206 based on Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 5520-B	<5	≤20
5	Total Kjeldahl Nitrogen*	mg/L	Semi-Micro Kjeldahl Method (4500-N _{ORG} C.)	<4	≤35

Remark : * The parameters are outside the scope of accreditation to ISO/IEC 17025:2017 by Thailand Industrial Standards Institute.

: ** The parameters are in the scope of accreditation to ISO/IEC 17025:2017 by Thailand Industrial Standards Institute.

: ⁽¹⁾ Based on Standard Method for the Examination of Water and Wastewater, APHA, AWWA, WEF 23rd Edition 2017.

: ⁽²⁾ ประกาศกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม เรื่อง กำหนดมาตรฐานควบคุมการระบายน้ำทิ้งจากที่ดินจัดสรร พ.ศ. 2564 (ประเภท ก)



(Miss Kornchasa Boonprasopsom)

Scientist

Analyzed



(Miss Pranisa Kunsamut)

General Manager

Reviewed and Approved

ANALYSIS REPORT

Customer Name	: การเคหะแห่งชาติ		
Address	: 905 ถนนนวมินทร์ แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240		
Project Name	: โครงการบ้านเอื้ออาทร จังหวัดขอนแก่น-ขอนแก่น 4 (ตำบลศิลา)		
Sampling Location	: บ่อกักน้ำเสียหลังผ่านระบบบำบัดน้ำเสียรวม (ต่อ)	Sampling Source	: Wastewater
Sampling Date	: October 3, 2022	Sampling By	: Mr. Apisit Wong
Sampling Time	: 14.25 น.		

Received Date	: October 6, 2022	Sample Code	: OCT22-026
Analytical Date	: October 6-24, 2022	Report No.	: LAB2210008
Sample Condition	: Clear Yellow, Little Sediment	Report Date	: October 26, 2022

Item	Parameter	Unit	Method of Analysis ⁽¹⁾	Result	Standard
6	Fecal Coliform Bacteria ⁽²⁾	MPN/100 mL	Multiple-Tube Fermentation Technique (SM: 9221 E)	92,000	-
7	Nitrate ⁽²⁾	mg/L	Cadmium Reduction Method (SM: 4500-NO ₃ ⁻ E)	0.31	-

Remark : ⁽¹⁾ Based on Standard Method for the Examination of Water and Wastewater, APHA, AWWA, WEF 23rd Edition 2017.

: ⁽²⁾ Analyzed by United Analyst and Engineering Consultant Co., Ltd.


 (Miss Pranisa Kunsamut)

General Manager

Reviewed and Approved

ANALYSIS REPORT

Customer Name	: การเคหะแห่งชาติ		
Address	: 905 ถนนนวมินทร์ แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240		
Project Name	: โครงการบ้านเอื้ออาทร จังหวัดขอนแก่น-ขอนแก่น 4 (ตำบลศิลา)		
Sampling Location	: บ่อพักน้ำทิ้งสุดท้ายก่อนระบายออกจากพื้นที่โครงการ	Sampling Source	: Wastewater
Sampling Date	: October 3, 2022	Sampling By	: Mr. Apisit Wong
Sampling Time	: 14.30 น.		

Received Date	: October 6, 2022	Sample Code	: OCT22-027
Analytical Date	: October 6-24, 2022	Report No.	: LAB2210008
Sample Condition	: Clear Yellow, Little Sediment	Report Date	: October 26, 2022

Item	Parameter	Unit	Method of Analysis ⁽¹⁾	Result	Standard ⁽²⁾
1	pH at 25 °C**	-	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 4500-H ⁺ B	7.3	5.5-9.0
2	Biochemical Oxygen Demand**	mg/L	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 5210 B	5	≤20
3	Total Suspended Solids**	mg/L	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 2540 D	<10	≤30
4	Oil & Grease**	mg/L	WI-LA-206 based on Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 5520-B	<5	≤20
5	Sulfide*	mg/L	Iodometric Method (4500-S ₂ F.)	0.59	≤1.0
6	Total Kjeldahl Nitrogen*	mg/L	Semi-Micro Kjeldahl Method (4500-N _{ORG} C.)	5	≤35

Remark : * The parameters are outside the scope of accreditation to ISO/IEC 17025:2017 by Thailand Industrial Standards Institute.

: ** The parameters are in the scope of accreditation to ISO/IEC 17025:2017 by Thailand Industrial Standards Institute.

: ⁽¹⁾ Based on Standard Method for the Examination of Water and Wastewater, APHA, AWWA, WEF 23rd Edition 2017.

: ⁽²⁾ ประกาศกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม เรื่อง กำหนดมาตรฐานควบคุมการระบายน้ำทิ้งจากที่ดินจัดสรร พ.ศ. 2564 (ประเภท ก)



(Miss Kornchasa Boonprasopsom)

Scientist

Analyzed



(Miss Pranisa Kunsamut)

General Manager

Reviewed and Approved

ANALYSIS REPORT

Customer Name	: การเคหะแห่งชาติ		
Address	: 905 ถนนนวมินทร์ แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240		
Project Name	: โครงการบ้านเอื้ออาทร จังหวัดขอนแก่น-ขอนแก่น 4 (ตำบลศิลา)		
Sampling Location	: บ่อพักน้ำทิ้งสุดท้ายก่อนระบายออกจากพื้นที่โครงการ (ต่อ)	Sampling Source	: Wastewater
Sampling Date	: October 3, 2022	Sampling By	: Mr. Apisit Wong
Sampling Time	: 14.30 น.		

Received Date	: October 6, 2022	Sample Code	: OCT22-027
Analytical Date	: October 6-24, 2022	Report No.	: LAB2210008
Sample Condition	: Clear Yellow, Little Sediment	Report Date	: October 26, 2022

Item	Parameter	Unit	Method of Analysis ⁽¹⁾	Result	Standard
7	Fecal Coliform Bacteria ⁽²⁾	MPN/100 mL	Multiple-Tube Fermentation Technique (SM: 9221 E)	>160,000	-
8	Nitrate ⁽²⁾	mg/L	Cadmium Reduction Method (SM: 4500-NO ₃ E)	1.77	-
9	Total Phosphors ⁽²⁾	mg/L	Persulphate Digestion And Ascorbic Acid Method (SM: 4500-P B And 4500-P E)	0.54	-

Remark : ⁽¹⁾ Based on Standard Method for the Examination of Water and Wastewater, APHA, AWWA, WEF 23rd Edition 2017.

: ⁽²⁾ Analyzed by United Analyst and Engineering Consultant Co., Ltd.

- End of The Analysis Report -


 (Miss Pranisa Kunsamut)

General Manager

Reviewed and Approved


ANALYSIS REPORT

Customer Name	: การเคหะแห่งชาติ		
Address	: 905 ถนนนวมินทร์ แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240		
Project Name	: โครงการบ้านเอื้ออาทร จังหวัดขอนแก่น-ขอนแก่น 4 (ตำบลศิลา)		
Sampling Location	: บ่อพักน้ำเสียก่อนเข้าระบบบำบัดน้ำเสียรวม	Sampling Source	: Wastewater
Sampling Date	: November 1, 2022	Sampling By	: Mr. Nontharit Promtakaew
Sampling Time	: 15.08 น.		

Received Date	: November 4, 2022	Sample Code	: NOV22-007
Analytical Date	: November 4-21, 2022	Report No.	: LAB2211003
Sample Condition	: Turbid Black, Sediment, Smell	Report Date	: November 25, 2022

Item	Parameter	Unit	Method of Analysis	Result	Standard
1	pH at 25 °C	-	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 4500-H ⁺ B	7.0	-
2	Biochemical Oxygen Demand	mg/L	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 5210 B	79	-
3	Total Suspended Solids	mg/L	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 2540 D	31	-
4	Oil & Grease	mg/L	WI-LA-206 based on Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 5520-B	11	-
5	Total Kjeldahl Nitrogen*	mg/L	Semi-Micro Kjeldahl Method (4500-N _{ORG} C.)	18	-

Remark : * The parameters are outside the scope of accreditation to ISO/IEC 17025:2017 by Thailand Industrial Standards Institute.


 (Miss Kornchasa Boonprasopsom)
 Scientist
 Analyzed


 (Miss Pranisa Kunsamut)
 General Manager
 Reviewed and Approved

ANALYSIS REPORT

Customer Name	: การเคหะแห่งชาติ		
Address	: 905 ถนนนวมินทร์ แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240		
Project Name	: โครงการบ้านเอื้ออาทร จังหวัดขอนแก่น-ขอนแก่น 4 (ตำบลศิลา)		
Sampling Location	: บ่อพักน้ำเสียก่อนเข้าระบบบำบัดน้ำเสียรวม (ต่อ)	Sampling Source	: Wastewater
Sampling Date	: November 1, 2022	Sampling By	: Mr. Nontharit Promtakaew
Sampling Time	: 15.08 น.		

Received Date	: November 4, 2022	Sample Code	: NOV22-007
Analytical Date	: November 4-21, 2022	Report No.	: LAB2211003
Sample Condition	: Turbid Black, Sediment, Smell	Report Date	: November 25, 2022

Item	Parameter	Unit	Method of Analysis	Result	Standard
6	Fecal Coliform Bacteria ⁽¹⁾	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E.)	>160,000	-

Remark : ⁽¹⁾ Analyzed by MET Co., Ltd.


(Miss Pranisa Kunsamut)

General Manager

Reviewed and Approved

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL, REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE ONLY

ANALYSIS REPORT

Customer Name	: การเคหะแห่งชาติ		
Address	: 905 ถนนนวมินทร์ แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240		
Project Name	: โครงการบ้านเอื้ออาทร จังหวัดขอนแก่น-ขอนแก่น 4 (ตำบลศิลา)		
Sampling Location	: บ่อกักน้ำเสียหลังผ่านระบบบำบัดน้ำเสียรวม	Sampling Source	: Wastewater
Sampling Date	: November 1, 2022	Sampling By	: Mr. Nontharit Promtakaew
Sampling Time	: 15.04 น.		

Received Date	: November 4, 2022	Sample Code	: NOV22-008
Analytical Date	: November 4-21, 2022	Report No.	: LAB2211003
Sample Condition	: Clear Yellow, Little Sediment	Report Date	: November 25, 2022

Item	Parameter	Unit	Method of Analysis	Result	Standard ⁽¹⁾
1	pH at 25 °C	-	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 4500-H ⁺ B	7.2	5.5-9.0
2	Biochemical Oxygen Demand	mg/L	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 5210 B	4	≤20
3	Total Suspended Solids	mg/L	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 2540 D	<10	≤30
4	Oil & Grease	mg/L	WI-LA-206 based on Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 5520-B	<5	≤20
5	Total Kjeldahl Nitrogen*	mg/L	Semi-Micro Kjeldahl Method (4500-N _{ORG} C.)	5	≤35

Remark : * The parameters are outside the scope of accreditation to ISO/IEC 17025:2017 by Thailand Industrial Standards Institute.

: ⁽¹⁾ ประกาศกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม เรื่อง กำหนดมาตรฐานควบคุมการระบายน้ำทิ้งจากที่ดินจัดสรร พ.ศ. 2564 (ประเภท ก)


 (Miss Kornchasa Boonprasopsom)
 Scientist
 Analyzed


 (Miss Pranisa Kunsamut)
 General Manager
 Reviewed and Approved

ANALYSIS REPORT

Customer Name	: การเคหะแห่งชาติ		
Address	: 905 ถนนนวมินทร์ แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240		
Project Name	: โครงการบ้านเอื้ออาทร จังหวัดขอนแก่น-ขอนแก่น 4 (ตำบลศิลา)		
Sampling Location	: บ่อกักน้ำเสียหลังผ่านระบบบำบัดน้ำเสียรวม (ต่อ)	Sampling Source	: Wastewater
Sampling Date	: November 1, 2022	Sampling By	: Mr. Nontharit Promtakaew
Sampling Time	: 15.04 น.		

Received Date	: November 4, 2022	Sample Code	: NOV22-008
Analytical Date	: November 4-21, 2022	Report No.	: LAB2211003
Sample Condition	: Clear Yellow, Little Sediment	Report Date	: November 25, 2022

Item	Parameter	Unit	Method of Analysis	Result	Standard
6	Fecal Coliform Bacteria ⁽¹⁾	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E.)	240	-
7	Nitrate ⁽¹⁾	mg/L	Cadmium Reduction Method	<0.1	-

Remark : ⁽¹⁾ Analyzed by MET Co., Ltd.



(Miss Pranisa Kunsamut)

General Manager

Reviewed and Approved

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL, REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE ONLY

ANALYSIS REPORT


Customer Name	: การเคหะแห่งชาติ		
Address	: 905 ถนนนวมินทร์ แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240		
Project Name	: โครงการบ้านเอื้ออาทร จังหวัดขอนแก่น-ขอนแก่น 4 (ตำบลศิลา)		
Sampling Location	: บ่อพักน้ำทิ้งสุดท้ายก่อนระบายออกจากพื้นที่โครงการ	Sampling Source	: Wastewater
Sampling Date	: November 1, 2022	Sampling By	: Mr. Nontharit Promtakaew
Sampling Time	: 15.29 น.		

Received Date	: November 4, 2022	Sample Code	: NOV22-009
Analytical Date	: November 4-21, 2022	Report No.	: LAB2211003
Sample Condition	: Clear Gray, Little Sediment	Report Date	: November 25, 2022

Item	Parameter	Unit	Method of Analysis	Result	Standard ⁽¹⁾
1	pH at 25 °C	-	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 4500-H ⁺ B	7.1	5.5-9.0
2	Biochemical Oxygen Demand	mg/L	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 5210 B	25	≤20
3	Total Suspended Solids	mg/L	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 2540 D	<10	≤30
4	Oil & Grease	mg/L	WI-LA-206 based on Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 5520-B	<5	≤20
5	Sulfide*	mg/L	Iodometric Method (4500-S ₂ ⁻ F.)	2.57	≤1.0
6	Total Kjeldahl Nitrogen*	mg/L	Semi-Micro Kjeldahl Method (4500-N _{ORG} C.)	24	≤35

Remark : * The parameters are outside the scope of accreditation to ISO/IEC 17025:2017 by Thailand Industrial Standards Institute.

: ⁽¹⁾ ประกาศกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม เรื่อง กำหนดมาตรฐานควบคุมการระบายน้ำทิ้งจากที่ดินจัดสรร พ.ศ. 2564 (ประเภท ก)


(Miss Kornchasa Boonprasopsom)
Scientist
Analyzed


(Miss Pranisa Kunsamut)
General Manager
Reviewed and Approved

ANALYSIS REPORT

Customer Name	: การเคหะแห่งชาติ		
Address	: 905 ถนนนวมินทร์ แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240		
Project Name	: โครงการบ้านเอื้ออาทร จังหวัดขอนแก่น-ขอนแก่น 4 (ตำบลศิลา)		
Sampling Location	: บ่อพักน้ำทิ้งสุดท้ายก่อนระบายออกจากพื้นที่โครงการ (ต่อ)	Sampling Source	: Wastewater
Sampling Date	: November 1, 2022	Sampling By	: Mr. Nontharit Promtakaew
Sampling Time	: 15.29 น.		

Received Date	: November 4, 2022	Sample Code	: NOV22-009
Analytical Date	: November 4-21, 2022	Report No.	: LAB2211003
Sample Condition	: Clear Gray, Little Sediment	Report Date	: November 25, 2022

Item	Parameter	Unit	Method of Analysis	Result	Standard
7	Fecal Coliform Bacteria ⁽¹⁾	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E.)	160,000	-
8	Nitrate ⁽¹⁾	mg/L	Cadmium Reduction Method	0.1	-
9	Total Phosphors ⁽¹⁾	mg/L	Vanadomolybdophosphoric Acid Colorimetric Method	2.71	-

Remark : ⁽¹⁾ Analyzed by MET Co., Ltd.

- End of The Analysis Report -



(Miss Pranisa Kunsamut)

General Manager

Reviewed and Approved

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL, REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE ONLY

ANALYSIS REPORT

Customer Name	: การเคหะแห่งชาติ		
Address	: 905 ถนนนวมินทร์ แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240		
Project Name	: โครงการบ้านเอื้ออาทร จังหวัดขอนแก่น-ขอนแก่น 4 (ตำบลศิลา)		
Sampling Location	: บ่อกักน้ำเสียก่อนเข้าระบบบำบัดน้ำเสียรวม	Sampling Source	: Wastewater
Sampling Date	: December 4, 2022	Sampling By	: Mr. Thitibhop Ketkaew
Sampling Time	: 14.05 น.		

Received Date	: December 8, 2022	Sample Code	: DEC22-076
Analytical Date	: December 8-14, 2022	Report No.	: LAB2212018
Sample Condition	: Turbid Gray, Sediment, Smell	Report Date	: December 17, 2022

Item	Parameter	Unit	Method of Analysis	Result	Standard
1	pH at 25 °C	-	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 4500-H ⁺ B	7.1	-
2	Biochemical Oxygen Demand	mg/L	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 5210 B	135	-
3	Total Suspended Solids*	mg/L	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 2540 D	64	-
4	Oil & Grease*	mg/L	WI-LA-206 based on Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 5520-B	15	-
5	Total Kjeldahl Nitrogen*	mg/L	Semi-Micro Kjeldahl Method (4500-N _{ORG} C.)	20	-

Remark : * The parameters are outside the scope of accreditation to ISO/IEC 17025:2017 by Thailand Industrial Standards Institute.



(Miss Kornchasa Boonprasopsom)

Scientist

Analyzed



(Miss Pranisa Kunsamut)

General Manager

Reviewed and Approved

ANALYSIS REPORT

Customer Name	: การเคหะแห่งชาติ		
Address	: 905 ถนนนวมินทร์ แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240		
Project Name	: โครงการบ้านเอื้ออาทร จังหวัดขอนแก่น-ขอนแก่น 4 (ตำบลศิลา)		
Sampling Location	: บ่อกักน้ำเสียก่อนเข้าระบบบำบัดน้ำเสียรวม (ต่อ)	Sampling Source	: Wastewater
Sampling Date	: December 4, 2022	Sampling By	: Mr. Thitibhop Ketkaew
Sampling Time	: 14.05 น.		

Received Date	: December 8, 2022	Sample Code	: DEC22-076
Analytical Date	: December 8-14, 2022	Report No.	: LAB2212018
Sample Condition	: Turbid Gray, Sediment, Smell	Report Date	: December 17, 2022

Item	Parameter	Unit	Method of Analysis	Result	Standard
6	Fecal Coliform Bacteria ⁽¹⁾	MPN/100 mL	Multiple-Tube Fermentation Technique (SM:9221 E)	>160,000	-

Remark : ⁽¹⁾ Analyzed by United Analyst and Engineering Consultant Co., Ltd.


 (Miss Pranisa Kunsamut)
 General Manager
 Reviewed and Approved

ANALYSIS REPORT

Customer Name	: การเคหะแห่งชาติ		
Address	: 905 ถนนนวมินทร์ แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240		
Project Name	: โครงการบ้านเอื้ออาทร จังหวัดขอนแก่น-ขอนแก่น 4 (ตำบลศิลา)		
Sampling Location	: บ่อกักน้ำเสียหลังผ่านระบบบำบัดน้ำเสียรวม	Sampling Source	: Wastewater
Sampling Date	: December 4, 2022	Sampling By	: Mr. Thitibhop Ketkaew
Sampling Time	: 14.00 น.		

Received Date	: December 8, 2022	Sample Code	: DEC22-077
Analytical Date	: December 8-14, 2022	Report No.	: LAB2212018
Sample Condition	: Clear Yellow, Little Sediment	Report Date	: December 17, 2022

Item	Parameter	Unit	Method of Analysis	Result	Standard ⁽¹⁾
1	pH at 25 °C	-	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 4500-H ⁺ B	7.3	5.5-9.0
2	Biochemical Oxygen Demand	mg/L	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 5210 B	3	≤20
3	Total Suspended Solids*	mg/L	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 2540 D	<10	≤30
4	Oil & Grease*	mg/L	WI-LA-206 based on Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 5520-B	<5	≤20
5	Total Kjeldahl Nitrogen*	mg/L	Semi-Micro Kjeldahl Method (4500-N _{ORG} C.)	<4	≤35

Remark : * The parameters are outside the scope of accreditation to ISO/IEC 17025:2017 by Thailand Industrial Standards Institute.

: ⁽¹⁾ ประกาศกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม เรื่อง กำหนดมาตรฐานควบคุมการระบายน้ำทิ้งจากที่ดินจัดสรร พ.ศ. 2564 (ประเภท ก)



(Miss Kornchasa Boonprasopsom)

Scientist

Analyzed



(Miss Pranisa Kunsamut)

General Manager

Reviewed and Approved

ANALYSIS REPORT

Customer Name	: การเคหะแห่งชาติ		
Address	: 905 ถนนนวมินทร์ แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240		
Project Name	: โครงการบ้านเอื้ออาทร จังหวัดขอนแก่น-ขอนแก่น 4 (ตำบลศิลา)		
Sampling Location	: บ่อพักน้ำเสียหลังผ่านระบบบำบัดน้ำเสียรวม (ต่อ)	Sampling Source	: Wastewater
Sampling Date	: December 4, 2022	Sampling By	: Mr. Thitibhop Ketkaew
Sampling Time	: 14.00 น.		

Received Date	: December 8, 2022	Sample Code	: DEC22-077
Analytical Date	: December 8-14, 2022	Report No.	: LAB2212018
Sample Condition	: Clear Yellow, Little Sediment	Report Date	: December 17, 2022

Item	Parameter	Unit	Method of Analysis	Result	Standard
6	Fecal Coliform Bacteria ⁽¹⁾	MPN/100 mL	Multiple-Tube Fermentation Technique (SM:9221 E)	13,000	-
7	Nitrate ⁽¹⁾	mg/L	Cadmium Reduction Method (SM: 4500-NO ₃ E)	0.44	-

Remark : ⁽¹⁾ Analyzed by United Analyst and Engineering Consultant Co., Ltd.


 (Miss Pranisa Kunsamut)

General Manager

Reviewed and Approved

ANALYSIS REPORT

Customer Name	: การเคหะแห่งชาติ		
Address	: 905 ถนนนวมินทร์ แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240		
Project Name	: โครงการบ้านเอื้ออาทร จังหวัดขอนแก่น-ขอนแก่น 4 (ตำบลศิลา)		
Sampling Location	: บ่อพักน้ำทิ้งสุดท้ายก่อนระบายออกจากพื้นที่โครงการ	Sampling Source	: Wastewater
Sampling Date	: December 4, 2022	Sampling By	: Mr. Thitibhop Ketkaew
Sampling Time	: 14.20 น.		

Received Date	: December 8, 2022	Sample Code	: DEC22-078
Analytical Date	: December 8-14, 2022	Report No.	: LAB2212018
Sample Condition	: Turbid Gray, Sediment, Smell	Report Date	: December 17, 2022

Item	Parameter	Unit	Method of Analysis	Result	Standard ⁽¹⁾
1	pH at 25 °C	-	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 4500-H ⁺ B	7.2	5.5-9.0
2	Biochemical Oxygen Demand	mg/L	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 5210 B	26	≤20
3	Total Suspended Solids*	mg/L	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 2540 D	<10	≤30
4	Oil & Grease*	mg/L	WI-LA-206 based on Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 5520-B	<5	≤20
5	Sulfide*	mg/L	Iodometric Method (4500-S ₂ F.)	2.93	≤1.0
6	Total Kjeldahl Nitrogen*	mg/L	Semi-Micro Kjeldahl Method (4500-N _{ORG} C.)	16	≤35

Remark : * The parameters are outside the scope of accreditation to ISO/IEC 17025:2017 by Thailand Industrial Standards Institute.

: ⁽¹⁾ ประกาศกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม เรื่อง กำหนดมาตรฐานควบคุมการระบายน้ำทิ้งจากที่ดินจัดสรร พ.ศ. 2564 (ประเภท ก)



(Miss Kornchasa Boonprasopsom)

Scientist

Analyzed



(Miss Pranisa Kunsamut)

General Manager

Reviewed and Approved

ANALYSIS REPORT

Customer Name	: การเคหะแห่งชาติ		
Address	: 905 ถนนนวมินทร์ แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240		
Project Name	: โครงการบ้านเอื้ออาทร จังหวัดขอนแก่น-ขอนแก่น 4 (ตำบลศิลา)		
Sampling Location	: บ่อกักน้ำทิ้งสุดท้ายก่อนระบายออกจากพื้นที่โครงการ (ต่อ)	Sampling Source	: Wastewater
Sampling Date	: December 4, 2022	Sampling By	: Mr. Thitibhop Ketkaew
Sampling Time	: 14.20 น.		

Received Date	: December 8, 2022	Sample Code	: DEC22-078
Analytical Date	: December 8-14, 2022	Report No.	: LAB2212018
Sample Condition	: Turbid Gray, Sediment, Smell	Report Date	: December 17, 2022

Item	Parameter	Unit	Method of Analysis	Result	Standard
7	Fecal Coliform Bacteria ⁽¹⁾	MPN/100 mL	Multiple-Tube Fermentation Technique (SM:9221 E)	>160,000	-
8	Nitrate ⁽¹⁾	mg/L	Cadmium Reduction Method (SM: 4500-NO ₃ E)	0.31	-
9	Total Phosphors ⁽¹⁾	mg/L	Persulphate Digestion and Ascorbic Acid Method (SM: 4500-P B And 4500-P E)	1.56	-

Remark : ⁽¹⁾ Analyzed by United Analyst and Engineering Consultant Co., Ltd.


 (Miss Pranisa Kunsamut)
 General Manager
 Reviewed and Approved

- End of The Analysis Report -