



# ECO CONSULTANT COMPANY LIMITED.

32/3-4, Moo.4, Thai Ko, Sam Khok, Pathumthani, 12160. Tel. 02-001-384-5

32/3-4 หมู่ที่ 4 ตำบลท้ายเกาะ อำเภอสสามโคก จังหวัดปทุมธานี 12160. โทร 02-001-384-5

www.ecoconsult-lab.com Tax Identification Number : 0135559001081



TESTING  
No.0155

## ANALYSIS REPORT

**Customer Name** : นิติบุคคลอาคารชุด ไอดีโอ โมบิ สุขุมวิท อีสต์ พอยท์  
**Customer Address** : เลขที่ 4379 ถนนสุขุมวิท แขวงบางนาใต้ เขตบางนา กรุงเทพมหานคร 10260  
**Project Name** : โครงการไอดีโอ โมบิ สุขุมวิท อีสต์พอยท์ (Ideo Mobi Sukhumvit Eastpoint)  
**Project Address** : ถนนสุขุมวิท แขวงบางนา เขตบางนา จังหวัดกรุงเทพมหานคร 10260  
**Sample Type** : Waste water  
**Sample Name** : บริเวณน้ำเสียก่อนเข้าระบบบำบัดน้ำเสีย อาคาร A  
**GPS. Coordinate** : UTM (WGS84) 47P 0673505 E, 1511206 N  
**Sampling Date** : January 3, 2023  
**Sampling Time** : 12:22  
**Sample Received Date** : January 4, 2023  
**Analysis Date** : January 10–24, 2023  
**Sampling By** : Mr.Naruthep Boonploysombut Analyst No.ว-262-จ-8625  
**Appearance** : Turbid, Yellow, Sediment, Smell  
**Analyzed By** : Ms.Kanokporn Mookdamung Analyst No.ว-262-จ-9129  
**Sample Code** : AA19W/66  
**Request No.** : 0004/66  
**Report Date** : February 10, 2023  
**Report No.** : PBW001/2023

Item	Parameter	Method of Analysis <sup>1/</sup>	Result	Unit
1	pH <sup>1</sup>	Electrometric Method (at 25°C)	6.3	-
2	Biochemical Oxygen Demand	5-Day BOD Test, Azide Modification Method	19.32	mg/l
3	Total Suspended Solids <sup>1</sup>	Dried at 103–105°C	38	mg/l
4	Sulfide	Iodometric Method	<1	mg/l
5	Total Dissolved Solids <sup>1</sup>	Dried at 180°C	509	mg/l
6	Settleable Solids	Volumetric Method	<0.5	ml/l
7	Fat Oil and Grease	Liquid-Liquid Partition, Gravimetric Method	<4	mg/l
8	Total Kjeldahl Nitrogen	Semi - Micro Kjeldahl, Titrimetric Method	17.4	mg/l
9	Total Coliform Bacteria	AWWA 2017 9221 B	24,000 <sup>2/</sup>	MPN/100 ml
10	Fecal Coliform Bacteria	AWWA 2017 9221 E	2,400 <sup>2/</sup>	MPN/100 ml

Remark : <sup>1/</sup> APHA, AWWA, WEF. Standard Method for the Examination of Water and Wastewater 23<sup>rd</sup> ed. Washington, DC : APHA, 2017

<sup>2/</sup> Analytical And Results By Central Food Retail Co., Ltd.

<sup>1</sup> ISO/IEC 17025 : 2005 หมายเลขการรับรองระบบงานที่ทดสอบ -0155

*Oarthai Geratipisut*

(Ms.Oarthai Geratipisut)  
Analysis No.ว-262-จ-8616  
Lab Supervisor



*Phattaraporn Meepet*

(Ms.Phattaraporn Meepet)  
Analyst No.ว-262-จ-8617  
Environmental Report Manager

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL

REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY





# ECO CONSULTANT COMPANY LIMITED.

32/3-4, Moo.4, Thai Ko, Sam Khok, Pathumthani, 12160. Tel. 02-001-384-5

32/3-4 หมู่ที่ 4 ตำบลท้ายเกาะ อำเภอสสามโคก จังหวัดปทุมธานี 12160. โทร 02-001-384-5

www.ecoconsult-lab.com Tax Identification Number : 0135559001081



TESTING

No.0155

## ANALYSIS REPORT

**Customer Name** : นิติบุคคลอาคารชุด ไอดีโอ โมบี สุขุมวิท อีสต์ พอยท์  
**Customer Address** : เลขที่ 4379 ถนนสุขุมวิท แขวงบางนาใต้ เขตบางนา กรุงเทพมหานคร 10260  
**Project Name** : โครงการไอดีโอ โมบี สุขุมวิท อีสต์พอยท์ (Ideo Mobi Sukhumvit Eastpoint)  
**Project Address** : ถนนสุขุมวิท แขวงบางนา เขตบางนา จังหวัดกรุงเทพมหานคร 10260  
**Sample Type** : Waste water  
**Sample Name** : บริเวณน้ำเสียหลังผ่านระบบบำบัดน้ำเสีย อาคาร A  
**GPS. Coordinate** : UTM (WGS84) 47P 0673513 E, 1511237 N  
**Sampling Date** : January 3, 2023  
**Sampling Time** : 12:19  
**Sample Received Date** : January 4, 2023  
**Analysis Date** : January 10-24, 2023  
**Sampling By** : Mr.Naruthep Boonploysombut Analyst No.ว-262-จ-8625  
**Appearance** : Clear, Light Yellow, Sediment, Scentless  
**Analyzed By** : Ms.Kanokporn Mookdamung Analyst No.ว-262-จ-9129  
**Sample Code** : AA21W/66  
**Request No.** : 0004/66  
**Report Date** : February 10, 2023  
**Report No.** : PBW002/2023

Item	Parameter	Method of Analysis <sup>1/</sup>	Result	Standard2/	Unit
1	pH <sup>1</sup>	Electrometric Method (at 25°C)	6.5	5.0-9.0	-
2	Biochemical Oxygen Demand	5-Day BOD Test, Azide Modification Method	13.18	20	mg/l
3	Total Suspended Solids <sup>1</sup>	Dried at 103-105°C	29.3	30	mg/l
4	Sulfide	Iodometric Method	<1	1.0	mg/l
5	Total Dissolved Solids <sup>1</sup>	Dried at 180°C	489	733*	mg/l
6	Settleable Solids	Volumetric Method	<0.5	0.5	ml/l
7	Fat Oil and Grease	Liquid-Liquid Partition, Gravimetric Method	<4	20	mg/l
8	Total Kjeldahl Nitrogen	Semi - Micro Kjeldahl, Titrimetric Method	6.72	35	mg/l
9	Total Coliform Bacteria	AWWA 2017 9221 B	24,000 <sup>2/</sup>	-	MPN/100 ml
10	Fecal Coliform Bacteria	AWWA 2017 9221 E	2,400 <sup>2/</sup>	-	MPN/100 ml

Remark : <sup>1/</sup> APHA, AWWA, WEF. Standard Method for the Examination of Water and Wastewater 23<sup>rd</sup> ed. Washington, DC : APHA, 2017

<sup>2/</sup> Ministry of Natural Resources and Environment Announcement of wastewater discharge standards control certain types of buildings in the Royal Government Gazette No.122 Special Part 125D dated December 29, B.E. 2548 (2005). (Type A.)

<sup>3/</sup> Analytical And Results By Central Food Retail Co., Ltd.

<sup>1</sup> ISO/IEC 17025 : 2005 หมายเลขการรับรองระบบงานที่ทดสอบ -0155

\* Increased Total Dissolved Solids in water use not more than 500 mg/l (Total Dissolved Solids in water use 233 mg/l)

*Oarthai Geratipisut*

(Ms.Oarthai Geratipisut)  
Analysis No.ว-262-จ-8616  
Lab Supervisor



*Phattaraporn Meepet*

(Ms.Phattaraporn Meepet)  
Analyst No.ว-262-จ-8617  
Environmental Report Manager

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL

REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY





# ECO CONSULTANT COMPANY LIMITED.

32/3-4, Moo.4, Thai Ko, Sam Khok, Pathumthani, 12160. Tel. 02-001-384-5

32/3-4 หมู่ที่ 4 ตำบลท้ายเกาะ อำเภอสสามโคก จังหวัดปทุมธานี 12160. โทร 02-001-384-5

www.ecoconsult-lab.com Tax Identification Number : 0135559001081



TESTING

No.0155

## ANALYSIS REPORT

**Customer Name** : นิติบุคคลอาคารชุด ไอดีโอ โมบี สุขุมวิท อีสต์ พอยท์  
**Customer Address** : เลขที่ 4379 ถนนสุขุมวิท แขวงบางนาใต้ เขตบางนา กรุงเทพมหานคร 10260  
**Project Name** : โครงการไอดีโอ โมบี สุขุมวิท อีสต์พอยท์ (Ideo Mobi Sukhumvit Eastpoint)  
**Project Address** : ถนนสุขุมวิท แขวงบางนา เขตบางนา จังหวัดกรุงเทพมหานคร 10260  
**Sample Type** : Waste water  
**Sample Name** : บริเวณน้ำเสียก่อนเข้าระบบบำบัดน้ำเสีย อาคาร B  
**GPS. Coordinate** : UTM (WGS84) 47P 0673476 E, 1511121 N  
**Sampling Date** : January 3, 2023  
**Sampling Time** : 12:12  
**Sample Received Date** : January 4, 2023  
**Analysis Date** : January 10–24, 2023  
**Sampling By** : Mr.Naruthep Boonploysombut Analyst No.จ-262-จ-8625  
**Appearance** : Turbid, Yellow, Sediment, Smell  
**Analyzed By** : Ms.Kanokporn Mookdamung Analyst No.จ-262-จ-9129  
**Sample Code** : AA20W/66  
**Request No.** : 0004/66  
**Report Date** : February 10, 2023  
**Report No.** : PBW003/2023

Item	Parameter	Method of Analysis <sup>1/</sup>	Result	Unit
1	pH <sup>1</sup>	Electrometric Method (at 25°C)	7.2	-
2	Biochemical Oxygen Demand	5-Day BOD Test, Azide Modification Method	61.80	mg/l
3	Total Suspended Solids <sup>1</sup>	Dried at 103–105°C	66	mg/l
4	Sulfide	Iodometric Method	<1	mg/l
5	Total Dissolved Solids <sup>1</sup>	Dried at 180°C	587	mg/l
6	Settleable Solids	Volumetric Method	3.2	ml/l
7	Fat Oil and Grease	Liquid-Liquid Partition, Gravimetric Method	4.2	mg/l
8	Total Kjeldahl Nitrogen	Semi - Micro Kjeldahl, Titrimetric Method	63.3	mg/l
9	Total Coliform Bacteria	AWWA 2017 9221 B	24,000 <sup>2/</sup>	MPN/100 ml
10	Fecal Coliform Bacteria	AWWA 2017 9221 E	2,400 <sup>2/</sup>	MPN/100 ml

Remark : <sup>1/</sup> APHA, AWWA, WEF. Standard Method for the Examination of Water and Wastewater 23<sup>rd</sup> ed. Washington, DC : APHA, 2017

<sup>2/</sup> Analytical And Results By Central Food Retail Co., Ltd.

<sup>1</sup> ISO/IEC 17025 : 2005 หมายเลขการรับรองระบบงานที่ทดสอบ -0155

*Orathai Geratipisut*

(Ms.Orathai Geratipisut)

Analysis No.จ-262-จ-8616

Lab Supervisor



*Phattaraporn Meepet*

(Ms.Phattaraporn Meepet)

Analyst No.จ-262-จ-8617

Environmental Report Manager

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL

REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY





# ECO CONSULTANT COMPANY LIMITED.

32/3-4, Moo.4, Thai Ko, Sam Khok, Pathumthani, 12160. Tel. 02-001-384-5

32/3-4 หมู่ที่ 4 ตำบลท้ายเกาะ อำเภอสสามโคก จังหวัดปทุมธานี 12160. โทร 02-001-384-5

www.ecoconsult-lab.com Tax Identification Number : 0135559001081



TESTING

No.0155

## ANALYSIS REPORT

**Customer Name** : นิติบุคคลอาคารชุด ไอดีโอ โมบิ สุขุมวิท อีสต์ พอยท์  
**Customer Address** : เลขที่ 4379 ถนนสุขุมวิท แขวงบางนาใต้ เขตบางนา กรุงเทพมหานคร 10260  
**Project Name** : โครงการไอดีโอ โมบิ สุขุมวิท อีสต์พอยท์ (Ideo Mobi Sukhumvit Eastpoint)  
**Project Address** : ถนนสุขุมวิท แขวงบางนา เขตบางนา จังหวัดกรุงเทพมหานคร 10260  
**Sample Type** : Waste water  
**Sample Name** : บริเวณน้ำเสียหลังผ่านระบบบำบัดน้ำเสีย อาคาร B  
**GPS. Coordinate** : UTM (WGS84) 47P 0673444 E, 1511120 N  
**Sampling Date** : January 3, 2023  
**Sampling Time** : 12:07  
**Sample Received Date** : January 4, 2023  
**Analysis Date** : January 10–24, 2023  
**Sampling By** : Mr.Naruthep Boonploysombut Analyst No.จ-262-จ-8625  
**Appearance** : Clear, Yellow, Sediment, Smell  
**Analyzed By** : Ms.Kanokporn Mookdamung Analyst No.จ-262-จ-9129  
**Sample Code** : AA22W/66  
**Request No.** : 0004/66  
**Report Date** : February 10, 2023  
**Report No.** : PBW004/2023

Item	Parameter	Method of Analysis <sup>1/</sup>	Result	Standard <sup>2/</sup>	Unit
1	pH <sup>1</sup>	Electrometric Method (at 25°C)	6.2	5.0-9.0	-
2	Biochemical Oxygen Demand	5-Day BOD Test, Azide Modification Method	15.43	20	mg/l
3	Total Suspended Solids <sup>1</sup>	Dried at 103–105°C	16	30	mg/l
4	Sulfide	Iodometric Method	<1	1.0	mg/l
5	Total Dissolved Solids <sup>1</sup>	Dried at 180°C	366	733*	mg/l
6	Settleable Solids	Volumetric Method	<0.5	0.5	ml/l
7	Fat Oil and Grease	Liquid-Liquid Partition, Gravimetric Method	<4	20	mg/l
8	Total Kjeldahl Nitrogen	Semi - Micro Kjeldahl, Titrimetric Method	12.9	35	mg/l
9	Total Coliform Bacteria	AWWA 2017 9221 B	24,000 <sup>2/</sup>	-	MPN/100 ml
10	Fecal Coliform Bacteria	AWWA 2017 9221 E	2,400 <sup>2/</sup>	-	MPN/100 ml

Remark : <sup>1/</sup> APHA, AWWA, WEF. Standard Method for the Examination of Water and Wastewater 23<sup>rd</sup> ed. Washington, DC : APHA, 2017

<sup>2/</sup> Ministry of Natural Resources and Environment Announcement of wastewater discharge standards control certain types of buildings in the Royal Government Gazette No.122 Special Part 125D dated December 29, B.E. 2548 (2005). (Type A.)

<sup>3/</sup> Analytical And Results By Central Food Retail Co., Ltd.

<sup>1</sup> ISO/IEC 17025 : 2005 หมายเลขการรับรองระบบงานที่ทดสอบ -0155

\* Increased Total Dissolved Solids in water use not more than 500 mg/l (Total Dissolved Solids in water use 233 mg/l)

*Orathai Geratipisut*

(Ms.Orathai Geratipisut)

Analysis No.จ-262-จ-8616

Lab Supervisor



*Phattaraporn Meepet*

(Ms.Phattaraporn Meepet)

Analyst No.จ-262-จ-8617

Environmental Report Manager

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL

REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY





# ECO CONSULTANT COMPANY LIMITED.

32/3-4, Moo.4, Thai Ko, Sam Khok, Pathumthani, 12160. Tel. 02-001-384-5

32/3-4 หมู่ที่ 4 ตำบลท้ายเกาะ อำเภอสสามโคก จังหวัดปทุมธานี 12160. โทร 02-001-384-5

www.ecoconsult-lab.com Tax Identification Number : 0135559001081



TESTING

No.0155

## ANALYSIS REPORT

**Customer Name** : นิติบุคคลอาคารชุด ไอดีโอ โมบี สุขุมวิท อีสต์ พอยท์  
**Customer Address** : เลขที่ 4379 ถนนสุขุมวิท แขวงบางนาใต้ เขตบางนา กรุงเทพมหานคร 10260  
**Project Name** : โครงการไอดีโอ โมบี สุขุมวิท อีสต์พอยท์ (Ideo Mobi Sukhumvit Eastpoint)  
**Project Address** : ถนนสุขุมวิท แขวงบางนา เขตบางนา จังหวัดกรุงเทพมหานคร 10260  
**Sample Type** : Waste water  
**Sample Name** : บริเวณบ่อกักน้ำทิ้งก่อนระบายออกนอกโครงการ  
**GPS. Coordinate** : UTM (WGS84) 47P 0673446 E, 1511181 N  
**Sampling Date** : January 3, 2023  
**Sampling Time** : 12:29  
**Sample Received Date** : January 4, 2023  
**Analysis Date** : January 10-24, 2023  
**Sampling By** : Mr.Naruthep Boonploysombut Analyst No.ว-262-จ-8625  
**Appearance** : Clear, Yellow, Slightly Sediment, Smell  
**Analyzed By** : Ms.Kanokporn Mookdamung Analyst No.ว-262-จ-9129  
**Sample Code** : AA23W/66  
**Request No.** : 0004/66  
**Report Date** : February 10, 2023  
**Report No.** : PBW005/2023

Item	Parameter	Method of Analysis <sup>1/</sup>	Result	Standard <sup>2/</sup>	Unit
1	pH <sup>1</sup>	Electrometric Method (at 25°C)	6.3	5.0-9.0	-
2	Biochemical Oxygen Demand	5-Day BOD Test, Azide Modification Method	14.92	20	mg/l
3	Total Suspended Solids <sup>1</sup>	Dried at 103-105°C	22	30	mg/l
4	Sulfide	Iodometric Method	<1	1.0	mg/l
5	Total Dissolved Solids <sup>1</sup>	Dried at 180°C	518	733*	mg/l
6	Settleable Solids	Volumetric Method	<0.5	0.5	ml/l
7	Fat Oil and Grease	Liquid-Liquid Partition, Gravimetric Method	<4	20	mg/l
8	Total Kjeldahl Nitrogen	Semi - Micro Kjeldahl, Titrimetric Method	56.2**	35	mg/l
9	Total Coliform Bacteria	AWWA 2017 9221 B	24,000 <sup>2/</sup>	-	MPN/100 ml
10	Fecal Coliform Bacteria	AWWA 2017 9221 E	2,400 <sup>2/</sup>	-	MPN/100 ml

Remark : <sup>1/</sup> APHA, AWWA, WEF. Standard Method for the Examination of Water and Wastewater 23<sup>rd</sup> ed. Washington, DC : APHA, 2017

<sup>2/</sup> Ministry of Natural Resources and Environment Announcement of wastewater discharge standards control certain types of buildings in the Royal Government Gazette No.122 Special Part 125D dated December 29, B.E. 2548 (2005). (Type A.)

<sup>3/</sup> Analytical And Results By Central Food Retail Co., Ltd.

<sup>1</sup> ISO/IEC 17025 : 2005 หมายเลขการรับรองระบบงานที่ทดสอบ -0155

\* Increased Total Dissolved Solids in water use not more than 500 mg/l (Total Dissolved Solids in water use 233 mg/l)

\*\* Not Within Standard

*Orathai Geratipisut*

(Ms.Orathai Geratipisut)  
Analysis No.ว-262-จ-8616  
Lab Supervisor



*Phattaraporn Meepet*

(Ms.Phattaraporn Meepet)  
Analyst No.ว-262-จ-8617  
Environmental Report Manager

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL

REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY





# ECO CONSULTANT COMPANY LIMITED.

32/3-4, Moo.4, Thai Ko, Sam Khok, Pathumthani, 12160. Tel. 02-001-384-5

32/3-4 หมู่ที่ 4 ตำบลท้ายเกาะ อำเภอสสามโคก จังหวัดปทุมธานี 12160. โทร 02-001-384-5

www.ecoconsult-lab.com Tax Identification Number : 0135559001081

## ANALYSIS REPORT

**Customer Name** : นิติบุคคลอาคารชุด ไอดีโอ โมบี สุขุมวิท อีสต์ พอยท์  
**Customer Address** : เลขที่ 4379 ถนนสุขุมวิท แขวงบางนาใต้ เขตบางนา กรุงเทพมหานคร 10260  
**Project Name** : โครงการไอดีโอ โมบี สุขุมวิท อีสต์พอยท์ (Ideo Mobi Sukhumvit Eastpoint)  
**Project Address** : ถนนสุขุมวิท แขวงบางนา เขตบางนา จังหวัดกรุงเทพมหานคร 10260  
**Sample Type** : Water supply  
**Sample Name** : บริเวณก๊อกน้ำในพื้นที่โครงการ  
**GPS. Coordinate** : -  
**Sampling Date** : January 3, 2023  
**Sampling Time** : 12:32  
**Sample Received Date** : January 4, 2023  
**Analysis Date** : January 4-24, 2023  
**Sampling By** : Mr.Naruthep Boonploysombut Analyst No.ว-262-จ-8625  
**Appearance** : Clear, None Sediment, Scentless  
**Analyzed By** : Ms.Kanokporn Mookdamung Analyst No.ว-262-จ-9129  
**Sample Code** : AA24WS/66  
**Request No.** : 0004/66  
**Report Date** : February 10, 2023  
**Report No.** : PWS001/2023

Item	Parameter	Method of Analysis <sup>1/</sup>	Result	Standard <sup>2/</sup>	Unit
1	Total Dissolved Solid	Dried at 180°C	233	1,000	mg/l

Remark : <sup>1/</sup> APHA, AWWA, WEF. Standard Method for the Examination of Water and Wastewater 23<sup>rd</sup> ed. Washing ton, DC : APHA, 2017

<sup>2/</sup> Water Supply Standard of Provincial Waterworks Authority, according to World Health Organization (2011).

*Orathai Geratpisut*

(Ms.Orathai Geratpisut)

Lab Supervisor



*Phattaraporn Meepet*

(Ms.Phattaraporn Meepet)

Environmental Report Manager

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL

REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY





# ECO CONSULTANT COMPANY LIMITED.

32/3-4, Moo.4, Thai Ko, Sam Khok, Pathumthani, 12160. Tel. 02-001-384-5

32/3-4 หมู่ที่ 4 ตำบลท้ายเกาะ อำเภอสамโคก จังหวัดปทุมธานี 12160. โทร 02-001-384-5

www.ecoconsult-lab.com Tax Identification Number : 0135559001081

## ANALYSIS REPORT

**Customer Name** : นิติบุคคลอาคารชุด ไอดีโอ โมบิ สุขุมวิท อีสต์ พอยท์  
**Customer Address** : เลขที่ 4379 ถนนสุขุมวิท แขวงบางนาใต้ เขตบางนา กรุงเทพมหานคร 10260  
**Project Name** : โครงการไอดีโอ โมบิ สุขุมวิท อีสต์พอยท์ (Ideo Mobi Sukhumvit Eastpoint)  
**Project Address** : ถนนสุขุมวิท แขวงบางนา เขตบางนา จังหวัดกรุงเทพมหานคร 10260  
**Sample Type** : Pool water  
**Sample Name** : บริเวณสระว่ายน้ำ (ส่วนลึก)  
**GPS. Coordinate** : UTM (WGS84) 47P 0673468 E, 1511177 N  
**Sampling Date** : January 3, 2023  
**Sampling Time** : 11:59  
**Sample Received Date** : January 4, 2023  
**Analysis Date** : January 10-24, 2023  
**Sampling By** : Mr.Naruthep Boonploysombut  
**Appearance** : Clear, None Sediment, Scentless  
**Analyzed By** : Ms.Thitiporn Chantrakun  
**Sample Code** : AA25WS/66  
**Request No.** : 0004/66  
**Report Date** : February 10, 2023  
**Report No.** : PPW013/2023

Item	Parameter	Method of Analysis <sup>1/</sup>	Result	Standard		Unit
				BRT <sup>2/</sup>	RPH <sup>3/</sup>	
1	Total Coliform Bacteria	AWWA Ed 23 (2017), 9221 B	<1.1	<10	<10	MPN/100 ml
2	<i>Escherichia coli</i>	AWWA Ed 23 (2017), 9221 F	Not Detectable	None	None	in100 ml
3	<i>Staphylococcus aureus</i>	AWWA Ed 23 (2017), 9213 B	Not Detectable	None	None	in100 ml
4	<i>Pseudomonas aeruginosa</i>	AWWA Ed 23 (2017), 9213 E	Not Detectable <sup>4/</sup>	None	None	in100 ml

Remark : <sup>1/</sup> APHA, AWWA, WEF. Standard Method for the Examination of Water and Wastewater 23<sup>rd</sup> ed. Washington, DC: APHA, 2017

<sup>2/</sup> Bangkok Regulations Trade Rules which is Disgusting or Potentially Harmful to Health type of Swimming Pool Establishment in the Royal Government Gazette No.10 Part 205 dated October 14, B.E.2530 (1987)

<sup>3/</sup> Recommendations of The Public Health Committee No. 1/2550 (2007) Regarding the Control of Swimming Pool Operations or any other Similar Business.

<sup>4/</sup> Analytical and Results by Central Food Retail Co., Ltd.

ND = Not Detectable

*Orathai Geratipisut*

(Ms.Orathai Geratipisut)

Lab Supervisor



*Phattaraporn Meepet*

(Ms.Phattaraporn Meepet)

Environmental Report Manager

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL

REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY





# ECO CONSULTANT COMPANY LIMITED.

32/3-4, Moo.4, Thai Ko, Sam Khok, Pathumthani, 12160. Tel. 02-001-384-5

32/3-4 หมู่ที่ 4 ตำบลท้ายเกาะ อำเภอสสามโคก จังหวัดปทุมธานี 12160. โทร 02-001-384-5

www.ecoconsult-lab.com Tax Identification Number : 0135559001081

## ANALYSIS REPORT

**Customer Name** : นิติบุคคลอาคารชุด ไอดีโอ โมบิ สุขุมวิท อีสต์ พอยท์  
**Customer Address** : เลขที่ 4379 ถนนสุขุมวิท แขวงบางนาใต้ เขตบางนา กรุงเทพมหานคร 10260  
**Project Name** : โครงการไอดีโอ โมบิ สุขุมวิท อีสต์พอยท์ (Ideo Mobi Sukhumvit Eastpoint)  
**Project Address** : ถนนสุขุมวิท แขวงบางนา เขตบางนา จังหวัดกรุงเทพมหานคร 10260  
**Sample Type** : Pool water  
**Sample Name** : บริเวณสระว่ายน้ำ (ส่วนต้น)  
**GPS. Coordinate** : UTM (WGS84) 47P 0673474 E, 1511194 N  
**Sampling Date** : January 3, 2023  
**Sampling Time** : 11:59  
**Sample Received Date** : January 4, 2023  
**Analysis Date** : January 10–24, 2023  
**Sampling By** : Mr.Naruthep Boonploysombut  
**Appearance** : Clear, None Sediment, Scentless  
**Analyzed By** : Ms.Thitiporn Chantrakun  
**Sample Code** : AA26WS/66  
**Request No.** : 0004/66  
**Report Date** : February 10, 2023  
**Report No.** : PPW014/2023

Item	Parameter	Method of Analysis <sup>1/</sup>	Result	Standard		Unit
				BRT <sup>2/</sup>	RPH <sup>3/</sup>	
1	Total Coliform Bacteria	AWWA Ed 23 (2017), 9221 B	<1.1	<10	<10	MPN/100 ml
2	<i>Escherichia coli</i>	AWWA Ed 23 (2017), 9221 F	Not Detectable	None	None	in100 ml
3	<i>Staphylococcus aureus</i>	AWWA Ed 23 (2017), 9213 B	Not Detectable	None	None	in100 ml
4	<i>Pseudomonas aeruginosa</i>	AWWA Ed 23 (2017), 9213 E	Not Detectable <sup>4/</sup>	None	None	in100 ml

Remark : <sup>1/</sup> APHA, AWWA, WEF. Standard Method for the Examination of Water and Wastewater 23<sup>rd</sup> ed. Washington, DC: APHA, 2017.

<sup>2/</sup> Bangkok Regulations Trade Rules which is Disgusting or Potentially Harmful to Health type of Swimming Pool Establishment in the Royal Government Gazette No.10 Part 205 dated October 14, B.E.2530 (1987)

<sup>3/</sup> Recommendations of The Public Health Committee No. 1/2550 (2007) Regarding the Control of Swimming Pool Operations or any other Similar Business.

<sup>4/</sup> Analytical and Results by Central Food Retail Co., Ltd.

ND = Not Detectable

*Oarthai Geratipisut*

(Ms.Oarthai Geratipisut)  
Lab Supervisor



*Phattaraporn Meepet*

(Ms.Phattaraporn Meepet)  
Environmental Report Manager

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL

REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY





# ECO CONSULTANT COMPANY LIMITED.

32/3-4, Moo.4, Thai Ko, Sam Khok, Pathumthani, 12160. Tel. 02-001-384-5

32/3-4 หมู่ที่ 4 ตำบลท้ายเกาะ อำเภอสสามโคก จังหวัดปทุมธานี 12160. โทร 02-001-384-5

www.ecoconsult-lab.com Tax Identification Number : 0135559001081

## ANALYSIS REPORT

**Customer Name** : นิติบุคคลอาคารชุด ไอดีโอ โมบิ สุขุมวิท อีสต์ พอยท์  
**Customer Address** : เลขที่ 4379 ถนนสุขุมวิท แขวงบางนาใต้ เขตบางนา กรุงเทพมหานคร 10260  
**Project Name** : โครงการไอดีโอ โมบิ สุขุมวิท อีสต์พอยท์ (Ideo Mobi Sukhumvit Eastpoint)  
**Project Address** : ถนนสุขุมวิท แขวงบางนา เขตบางนา จังหวัดกรุงเทพมหานคร 10260  
**Sample Type** : Pool water  
**Sample Name** : บริเวณสระว่ายน้ำ (ส่วนเล็ก)  
**GPS. Coordinate** : UTM (WGS84) 47P 0673468 E, 1511177 N  
**Sampling Date** : January 9, 2023  
**Sampling Time** : 11:25  
**Sample Received Date** : January 10, 2023  
**Analysis Date** : January 10 – February 1, 2023  
**Sampling By** : Mr.Anukun Det-udom Analyst No.จ-262-จ-9507  
**Appearance** : Clear, None Sediment, Scentless  
**Analyzed By** : Ms.Thitiporn Chantrakun  
**Sample Code** : AB17WS/66  
**Request No.** : 0028/66  
**Report Date** : February 10, 2023  
**Report No.** : PPW009/2023

Item	Parameter	Method of Analysis <sup>1/</sup>	Result	Standard		Unit
				BRT <sup>2/</sup>	RPH <sup>3/</sup>	
1	Total Coliform Bacteria	AWWA Ed 23 (2017), 9221 B	<1.1	<10	<10	MPN/100 ml
2	<i>Escherichia coli</i>	AWWA Ed 23 (2017), 9221 F	Not Detectable	None	None	in100 ml
3	<i>Staphylococcus aureus</i>	AWWA Ed 23 (2017), 9213 B	Not Detectable	None	None	in100 ml
4	<i>Pseudomonas aeruginosa</i>	AWWA Ed 23 (2017), 9213 E	Not Detectable <sup>4/</sup>	None	None	in100 ml

Remark : <sup>1/</sup> APHA, AWWA, WEF. Standard Method for the Examination of Water and Wastewater 23<sup>rd</sup> ed. Washington, DC: APHA, 2017

<sup>2/</sup> Bangkok Regulations Trade Rules which is Disgusting or Potentially Harmful to Health type of Swimming Pool Establishment in the Royal Government Gazette No.10 Part 205 dated October 14, B.E.2530 (1987)

<sup>3/</sup> Recommendations of The Public Health Committee No. 1/2550 (2007) Regarding the Control of Swimming Pool Operations or any other Similar Business.

<sup>4/</sup> Analytical and Results by Central Food Retail Co., Ltd.

ND = Not Detectable

(Ms.Oarthai Geratipisut)  
Lab Supervisor



(Ms.Phattaraporn Meepet)  
Environmental Report Manager

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL

REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY





## ECO CONSULTANT COMPANY LIMITED.

32/3-4, Moo.4, Thai Ko, Sam Khok, Pathumthani, 12160. Tel. 02-001-384-5

32/3-4 หมู่ที่ 4 ตำบลท้ายเกาะ อำเภอสสามโคก จังหวัดปทุมธานี 12160. โทร 02-001-384-5

www.ecoconsult-lab.com Tax Identification Number : 0135559001081

### ANALYSIS REPORT

**Customer Name** : นิติบุคคลอาคารชุด ไอดีโอ โมบิ สุขุมวิท อีสต์ พอยท์  
**Customer Address** : เลขที่ 4379 ถนนสุขุมวิท แขวงบางนาใต้ เขตบางนา กรุงเทพมหานคร 10260  
**Project Name** : โครงการไอดีโอ โมบิ สุขุมวิท อีสต์พอยท์ (Ideo Mobi Sukhumvit Eastpoint)  
**Project Address** : ถนนสุขุมวิท แขวงบางนา เขตบางนา จังหวัดกรุงเทพมหานคร 10260  
**Sample Type** : Pool water  
**Sample Name** : บริเวณสระว่ายน้ำ (ส่วนดิน)  
**GPS. Coordinate** : UTM (WGS84) 47P 0673474 E, 1511194 N  
**Sampling Date** : January 9, 2023  
**Sampling Time** : 11:27  
**Sample Received Date** : January 10, 2023  
**Analysis Date** : January 10 – February 1, 2023  
**Sampling By** : Mr.Anukun Det-udom Analyst No.2-262-จ-9507  
**Appearance** : Clear, None Sediment, Scentless  
**Analyzed By** : Ms.Thitiporn Chantrakun  
**Sample Code** : AB18WS/66  
**Request No.** : 0028/66  
**Report Date** : February 10, 2023  
**Report No.** : PPW010/2023

Item	Parameter	Method of Analysis <sup>1/</sup>	Result	Standard		Unit
				BRT <sup>2/</sup>	RPH <sup>3/</sup>	
1	Total Coliform Bacteria	AWWA Ed 23 (2017), 9221 B	<1.1	<10	<10	MPN/100 ml
2	<i>Escherichia coli</i>	AWWA Ed 23 (2017), 9221 F	Not Detectable	None	None	in100 ml
3	<i>Staphylococcus aureus</i>	AWWA Ed 23 (2017), 9213 B	Not Detectable	None	None	in100 ml
4	<i>Pseudomonas aeruginosa</i>	AWWA Ed 23 (2017), 9213 E	Not Detectable <sup>4/</sup>	None	None	in100 ml


Remark : <sup>1/</sup> APHA, AWWA, WEF. Standard Method for the Examination of Water and Wastewater 23<sup>rd</sup> ed. Washington, DC: APHA, 2017

<sup>2/</sup> Bangkok Regulations Trade Rules which is Disgusting or Potentially Harmful to Health type of Swimming Pool Establishment in the Royal Government Gazette No.10 Part 205 dated October 14, B.E.2530 (1987)

<sup>3/</sup> Recommendations of The Public Health Committee No. 1/2550 (2007) Regarding the Control of Swimming Pool Operations or any other Similar Business.

<sup>4/</sup> Analytical and Results by Central Food Retail Co., Ltd.

ND = Not Detectable



(Ms.Oarthai Geratipsut)  
Lab Supervisor





(Ms.Phattaraporn Meepet)  
Environmental Report Manager

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL

REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY





## ECO CONSULTANT COMPANY LIMITED.

32/3-4, Moo.4, Thai Ko, Sam Khok, Pathumthani, 12160. Tel. 02-001-384-5

32/3-4 หมู่ที่ 4 ตำบลท้ายเกาะ อำเภอสสามโคก จังหวัดปทุมธานี 12160. โทร 02-001-384-5

www.ecoconsult-lab.com Tax Identification Number : 0135559001081

### ANALYSIS REPORT

**Customer Name** : นิติบุคคลอาคารชุด ไอดีโอ โมบิ สุขุมวิท อีสต์ พอยท์  
**Customer Address** : เลขที่ 4379 ถนนสุขุมวิท แขวงบางนาใต้ เขตบางนา กรุงเทพมหานคร 10260  
**Project Name** : โครงการไอดีโอ โมบิ สุขุมวิท อีสต์พอยท์ (Ideo Mobi Sukhumvit Eastpoint)  
**Project Address** : ถนนสุขุมวิท แขวงบางนา เขตบางนา จังหวัดกรุงเทพมหานคร 10260  
**Sample Type** : Pool water  
**Sample Name** : บริเวณสระว่ายน้ำ (ส่วนเล็ก)  
**GPS. Coordinate** : UTM (WGS84) 47P 0673468 E, 1511177 N  
**Sampling Date** : January 16, 2023  
**Sampling Time** : 12:41  
**Sample Received Date** : January 17, 2023  
**Analysis Date** : January 17 – February 7, 2023  
**Sampling By** : Mr.Naruthep Boonploysombut Analyst No.ว-262-จ-8625  
**Appearance** : Clear, None Sediment, Scentless  
**Analyzed By** : Ms.Thitiporn Chantrakun  
**Sample Code** : AC09WS/66  
**Request No.** : 0048/66  
**Report Date** : February 10, 2023  
**Report No.** : PPW010/2023

Item	Parameter	Method of Analysis <sup>1/</sup>	Result	Standard		Unit
				BRT <sup>2/</sup>	RPH <sup>3/</sup>	
1	Total Coliform Bacteria	AWWA Ed 23 (2017), 9221 B	<1.1	<10	<10	MPN/100 ml
2	<i>Escherichia coli</i>	AWWA Ed 23 (2017), 9221 F	Not Detectable	None	None	in100 ml
3	<i>Staphylococcus aureus</i>	AWWA Ed 23 (2017), 9213 B	Not Detectable	None	None	in100 ml
4	<i>Pseudomonas aeruginosa</i>	AWWA Ed 23 (2017), 9213 E	Not Detectable <sup>4/</sup>	None	None	in100 ml

Remark : <sup>1/</sup> APHA, AWWA, WEF. Standard Method for the Examination of Water and Wastewater 23<sup>rd</sup> ed. Washington, DC: APHA, 2017

<sup>2/</sup> Bangkok Regulations Trade Rules which is Disgusting or Potentially Harmful to Health type of Swimming Pool Establishment in the Royal Government Gazette No.10 Part 205 dated October 14, B.E.2530 (1987)

<sup>3/</sup> Recommendations of The Public Health Committee No. 1/2550 (2007) Regarding the Control of Swimming Pool Operations or any other Similar Business.

<sup>4/</sup> Analytical and Results by Central Food Retail Co., Ltd.

ND = Not Detectable

*Orathai Geratpisut*

(Ms.Orathai Geratpisut)  
Lab Supervisor



*Phattaraporn Meepet*

(Ms.Phattaraporn Meepet)  
Environmental Report Manager

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL

REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY





## ECO CONSULTANT COMPANY LIMITED.

32/3-4, Moo.4, Thai Ko, Sam Khok, Pathumthani, 12160. Tel. 02-001-384-5

32/3-4 หมู่ที่ 4 ตำบลท่ายายเกาะ อำเภอสสามโคก จังหวัดปทุมธานี 12160. โทร 02-001-384-5

www.ecoconsult-lab.com Tax Identification Number : 0135559001081

### ANALYSIS REPORT

**Customer Name** : นิติบุคคลอาคารชุด ไอดีโอ โมบี สุขุมวิท อีสต์ พอยท์  
**Customer Address** : เลขที่ 4379 ถนนสุขุมวิท แขวงบางนาใต้ เขตบางนา กรุงเทพมหานคร 10260  
**Project Name** : โครงการไอดีโอ โมบี สุขุมวิท อีสต์พอยท์ (Ideo Mobi Sukhumvit Eastpoint)  
**Project Address** : ถนนสุขุมวิท แขวงบางนา เขตบางนา จังหวัดกรุงเทพมหานคร 10260  
**Sample Type** : Pool water  
**Sample Name** : บริเวณสระว่ายน้ำ (ส่วนต้น)  
**GPS. Coordinate** : UTM (WGS84) 47P 0673474 E, 1511194 N  
**Sampling Date** : January 16, 2023  
**Sampling Time** : 12:38  
**Sample Received Date** : January 17, 2023  
**Analysis Date** : January 17 – February 7, 2023  
**Sampling By** : Mr.Naruthep Boonploysombut Analyst No.จ-262-จ-8625  
**Appearance** : Clear, None Sediment, Scentless  
**Analyzed By** : Ms.Thitiporn Chantrakun  
**Sample Code** : AC10WS/66  
**Request No.** : 0048/66  
**Report Date** : February 10, 2023  
**Report No.** : PPW011/2023

Item	Parameter	Method of Analysis <sup>1/</sup>	Result	Standard		Unit
				BRT <sup>2/</sup>	RPH <sup>3/</sup>	
1	Total Coliform Bacteria	AWWA Ed 23 (2017), 9221 B	<1.1	<10	<10	MPN/100 ml
2	<i>Escherichia coli</i>	AWWA Ed 23 (2017), 9221 F	Not Detectable	None	None	in100 ml
3	<i>Staphylococcus aureus</i>	AWWA Ed 23 (2017), 9213 B	Not Detectable	None	None	in100 ml
4	<i>Pseudomonas aeruginosa</i>	AWWA Ed 23 (2017), 9213 E	Not Detectable <sup>4/</sup>	None	None	in100 ml

Remark : <sup>1/</sup> APHA, AWWA, WEF. Standard Method for the Examination of Water and Wastewater 23<sup>rd</sup> ed. Washington, DC: APHA, 2017

<sup>2/</sup> Bangkok Regulations Trade Rules which is Disgusting or Potentially Harmful to Health type of Swimming Pool Establishment in the Royal Government Gazette No.10 Part 205 dated October 14, B.E.2530 (1987)

<sup>3/</sup> Recommendations of The Public Health Committee No. 1/2550 (2007) Regarding the Control of Swimming Pool Operations or any other Similar Business.

<sup>4/</sup> Analytical and Results by Central Food Retail Co., Ltd.

ND = Not Detectable

*Oarthai Geratipisut*

(Ms.Oarthai Geratipisut)  
Lab Supervisor



*Phattaraporn Meepet*

(Ms.Phattaraporn Meepet)  
Environmental Report Manager

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL

REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY





# ECO CONSULTANT COMPANY LIMITED.

32/3-4, Moo.4, Thai Ko, Sam Khok, Pathumthani, 12160. Tel. 02-001-384-5

32/3-4 หมู่ที่ 4 ตำบลท้ายเกาะ อำเภอสสามโคก จังหวัดปทุมธานี 12160. โทร 02-001-384-5

www.ecoconsult-lab.com Tax Identification Number : 0135559001081

## ANALYSIS REPORT

**Customer Name** : นิติบุคคลอาคารชุด ไอดีโอ โมบิ สุขุมวิท อีสต์ พอยท์  
**Customer Address** : เลขที่ 4379 ถนนสุขุมวิท แขวงบางนาใต้ เขตบางนา กรุงเทพมหานคร 10260  
**Project Name** : โครงการไอดีโอ โมบิ สุขุมวิท อีสต์พอยท์ (Ideo Mobi Sukhumvit Eastpoint)  
**Project Address** : ถนนสุขุมวิท แขวงบางนา เขตบางนา จังหวัดกรุงเทพมหานคร 10260  
**Sample Type** : Pool water  
**Sample Name** : บริเวณสระว่ายน้ำ (ส่วนเล็ก)  
**GPS. Coordinate** : UTM (WGS84) 47P 0673468 E, 1511177 N  
**Sampling Date** : January 23, 2023  
**Sampling Time** : 12:04  
**Sample Received Date** : January 24, 2023  
**Analysis Date** : January 24 – February 14, 2023  
**Sampling By** : Mr.Naruthep Boonploysombut Analyst No.ว-262-จ-8625  
**Appearance** : Clear, None Sediment, Scentless  
**Analyzed By** : Ms.Thitiporn Chantrakun  
**Sample Code** : AC33WS/66  
**Request No.** : 0060/66  
**Report Date** : February 14, 2023  
**Report No.** : PPW015/2023

Item	Parameter	Method of Analysis <sup>1/</sup>	Result	Standard		Unit
				BRT <sup>2/</sup>	RPH <sup>3/</sup>	
1	Total Coliform Bacteria	AWWA Ed 23 (2017), 9221 B	<1.1	<10	<10	MPN/100 ml
2	<i>Escherichia coli</i>	AWWA Ed 23 (2017), 9221 F	Not Detectable	None	None	in100 ml
3	<i>Staphylococcus aureus</i>	AWWA Ed 23 (2017), 9213 B	Not Detectable	None	None	in100 ml
4	<i>Pseudomonas aeruginosa</i>	AWWA Ed 23 (2017), 9213 E	Not Detectable <sup>4/</sup>	None	None	in100 ml


Remark : <sup>1/</sup> APHA, AWWA, WEF. Standard Method for the Examination of Water and Wastewater 23<sup>rd</sup> ed. Washington, DC: APHA, 2017

<sup>2/</sup> Bangkok Regulations Trade Rules which is Disgusting or Potentially Harmful to Health type of Swimming Pool Establishment in the Royal Government Gazette No.10 Part 205 dated October 14, B.E.2530 (1987)


<sup>3/</sup> Recommendations of The Public Health Committee No. 1/2550 (2007) Regarding the Control of Swimming Pool Operations or any other Similar Business.

<sup>4/</sup> Analytical and Results by Central Food Retail Co., Ltd.

ND = Not Detectable

  
(Ms.Oarthai Geratipisut)  
Lab Supervisor



  
(Ms.Phattaraporn Meepet)  
Environmental Report Manager

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL

REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY





# ECO CONSULTANT COMPANY LIMITED.

32/3-4, Moo.4, Thai Ko, Sam Khok, Pathumthani, 12160. Tel. 02-001-384-5

32/3-4 หมู่ที่ 4 ตำบลท้ายเกาะ อำเภอสางโคก จังหวัดปทุมธานี 12160. โทร 02-001-384-5

www.ecoconsult-lab.com Tax Identification Number : 0135559001081

## ANALYSIS REPORT

**Customer Name** : นิติบุคคลอาคารชุด ไอดีโอ โมบิ สุขุมวิท อีสต์ พอยท์  
**Customer Address** : เลขที่ 4379 ถนนสุขุมวิท แขวงบางนาใต้ เขตบางนา กรุงเทพมหานคร 10260  
**Project Name** : โครงการไอดีโอ โมบิ สุขุมวิท อีสต์พอยท์ (Ideo Mobi Sukhumvit Eastpoint)  
**Project Address** : ถนนสุขุมวิท แขวงบางนา เขตบางนา จังหวัดกรุงเทพมหานคร 10260  
**Sample Type** : Pool water  
**Sample Name** : บริเวณสระว่ายน้ำ (ส่วนดิน)  
**GPS. Coordinate** : UTM (WGS84) 47P 0673474 E, 1511194 N  
**Sampling Date** : January 23, 2023  
**Sampling Time** : 12:05  
**Sample Received Date** : January 24, 2023  
**Analysis Date** : January 24 – February 14, 2023  
**Sampling By** : Mr.Naruthep Boonploysombut Analyst No.ว-262-จ-8625  
**Appearance** : Clear, None Sediment, Scentless  
**Analyzed By** : Ms.Thitiporn Chantrakun  
**Sample Code** : AC34WS/66  
**Request No.** : 0060/66  
**Report Date** : February 14, 2023  
**Report No.** : PPW016/2023

Item	Parameter	Method of Analysis <sup>1/</sup>	Result	Standard		Unit
				BRT <sup>2/</sup>	RPH <sup>3/</sup>	
1	Total Coliform Bacteria	AWWA Ed 23 (2017), 9221 B	<1.1	<10	<10	MPN/100 ml
2	<i>Escherichia coli</i>	AWWA Ed 23 (2017), 9221 F	Not Detectable	None	None	in100 ml
3	<i>Staphylococcus aureus</i>	AWWA Ed 23 (2017), 9213 B	Not Detectable	None	None	in100 ml
4	<i>Pseudomonas aeruginosa</i>	AWWA Ed 23 (2017), 9213 E	Not Detectable <sup>4/</sup>	None	None	in100 ml

Remark : <sup>1/</sup> APHA, AWWA, WEF. Standard Method for the Examination of Water and Wastewater 23<sup>rd</sup> ed. Washington, DC: APHA, 2017

<sup>2/</sup> Bangkok Regulations Trade Rules which is Disgusting or Potentially Harmful to Health type of Swimming Pool Establishment in the Royal Government Gazette No.10 Part 205 dated October 14, B.E.2530 (1987)

<sup>3/</sup> Recommendations of The Public Health Committee No. 1/2550 (2007) Regarding the Control of Swimming Pool Operations or any other Similar Business.

<sup>4/</sup> Analytical and Results by Central Food Retail Co., Ltd.

ND = Not Detectable

(Ms.Oarthai Geratipisut)  
Lab Supervisor



(Ms.Phattaraporn Meepet)  
Environmental Report Manager

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL

REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY





# ECO CONSULTANT COMPANY LIMITED.

32/3-4, Moo.4, Thai Ko, Sam Khok, Pathumthani, 12160. Tel. 02-001-384-5

32/3-4 หมู่ที่ 4 ตำบลท้ายเกาะ อำเภอสสามโคก จังหวัดปทุมธานี 12160. โทร 02-001-384-5

www.ecoconsult-lab.com Tax Identification Number : 0135559001081



TESTING

No.0155

## ANALYSIS REPORT

**Customer Name** : นิติบุคคลอาคารชุด ไอดีโอ โมบิ สุขุมวิท อีสต์ พอยท์  
**Customer Address** : เลขที่ 4379 ถนนสุขุมวิท แขวงบางนาใต้ เขตบางนา กรุงเทพมหานคร 10260  
**Project Name** : โครงการไอดีโอ โมบิ สุขุมวิท อีสต์พอยท์ (Ideo Mobi Sukhumvit Eastpoint)  
**Project Address** : ถนนสุขุมวิท แขวงบางนา เขตบางนา จังหวัดกรุงเทพมหานคร 10260  
**Sample Type** : Waste water  
**Sample Name** : บริเวณน้ำเสียก่อนเข้าระบบบำบัดน้ำเสีย อาคาร A  
**GPS. Coordinate** : UTM (WGS84) 47P 0673505 E, 1511206 N  
**Sampling Date** : February 6, 2023  
**Sampling Time** : 12:54  
**Sample Received Date** : February 7, 2023  
**Analysis Date** : February 7-25, 2023  
**Sampling By** : Mr.Naruthep Boonploysombut Analyst No.ว-262-จ-8625  
**Appearance** : Turbid, Yellow, Sediment, Smell  
**Analyzed By** : Ms.Kanokporn Mookdamung Analyst No.ว-262-จ-9129  
**Sample Code** : AC65W/66  
**Request No.** : 0072/66  
**Report Date** : February 27, 2023  
**Report No.** : PBW035/2023

Item	Parameter	Method of Analysis <sup>1/</sup>	Result	Unit
1	pH <sup>1</sup>	Electrometric Method (at 25°C)	6.6	-
2	Biochemical Oxygen Demand	5-Day BOD Test, Azide Modification Method	26.77	mg/l
3	Total Suspended Solids <sup>1</sup>	Dried at 103-105°C	34	mg/l
4	Sulfide	Iodometric Method	<1	mg/l
5	Total Dissolved Solids <sup>1</sup>	Dried at 180°C	632	mg/l
6	Settleable Solids	Volumetric Method	7	ml/l
7	Fat Oil and Grease	Liquid-Liquid Partition, Gravimetric Method	4.3	mg/l
8	Total Kjeldahl Nitrogen	Semi - Micro Kjeldahl, Titrimetric Method	6.16	mg/l
9	Total Coliform Bacteria	AWWA 2017 9221 B	9,400 <sup>2/</sup>	MPN/100 ml
10	Fecal Coliform Bacteria	AWWA 2017 9221 E	9,400 <sup>2/</sup>	MPN/100 ml

Remark : <sup>1/</sup> APHA, AWWA, WEF. Standard Method for the Examination of Water and Wastewater 23<sup>rd</sup> ed. Washington, DC : APHA, 2017

<sup>2/</sup> Analysis And Results By South East Asian Laboratory Co., Ltd.

<sup>1</sup> ISO/IEC 17025 : 2005 หมายเลขการรับรองระบบงานที่ทดสอบ -0155

Thitima

(Ms.Thitima Jampathong)  
Analyst No.ว-262-จ-9126  
Laboratory And Quality Manager



Phattaraporn

(Ms.Phattaraporn Meepet)  
Analyst No.ว-262-จ-8617  
Environmental Report Manager

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL

REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY





# ECO CONSULTANT COMPANY LIMITED.

32/3-4, Moo.4, Thai Ko, Sam Khok, Pathumthani, 12160. Tel. 02-001-384-5

32/3-4 หมู่ที่ 4 ตำบลท้ายเกาะ อำเภอสสามโคก จังหวัดปทุมธานี 12160. โทร 02-001-384-5

www.ecoconsult-lab.com Tax Identification Number : 0135559001081



TESTING

No.0155

## ANALYSIS REPORT

**Customer Name** : นิติบุคคลอาคารชุด ไอดีโอ โมบิ สุขุมวิท อีสต์ พอยท์  
**Customer Address** : เลขที่ 4379 ถนนสุขุมวิท แขวงบางนาใต้ เขตบางนา กรุงเทพมหานคร 10260  
**Project Name** : โครงการไอดีโอ โมบิ สุขุมวิท อีสต์พอยท์ (Ideo Mobi Sukhumvit Eastpoint)  
**Project Address** : ถนนสุขุมวิท แขวงบางนา เขตบางนา จังหวัดกรุงเทพมหานคร 10260  
**Sample Type** : Waste water  
**Sample Name** : บริเวณน้ำเสียหลังผ่านระบบบำบัดน้ำเสีย อาคาร A  
**GPS. Coordinate** : UTM (WGS84) 47P 0673513 E, 1511237 N  
**Sampling Date** : February 6, 2023  
**Sampling Time** : 12:56  
**Sample Received Date** : February 7, 2023  
**Analysis Date** : February 7-25, 2023  
**Sampling By** : Mr.Naruthep Boonploysombut Analyst No.ว-262-จ-8625  
**Appearance** : Turbid, Yellow, Sediment, Scentless  
**Analyzed By** : Ms.Kanokporn Mookdamung Analyst No.ว-262-จ-9129  
**Sample Code** : AC67W/66  
**Request No.** : 0072/66  
**Report Date** : February 27, 2023  
**Report No.** : PBW036/2023

Item	Parameter	Method of Analysis <sup>1/</sup>	Result	Standard2/	Unit
1	pH <sup>1</sup>	Electrometric Method (at 25°C)	6.6	5.0-9.0	-
2	Biochemical Oxygen Demand	5-Day BOD Test, Azide Modification Method	3.82	20	mg/l
3	Total Suspended Solids <sup>1</sup>	Dried at 103-105°C	25	30	mg/l
4	Sulfide	Iodometric Method	<1	1.0	mg/l
5	Total Dissolved Solids <sup>1</sup>	Dried at 180°C	656	799*	mg/l
6	Settleable Solids	Volumetric Method	5	0.5	ml/l
7	Fat Oil and Grease	Liquid-Liquid Partition, Gravimetric Method	4.1	20	mg/l
8	Total Kjeldahl Nitrogen	Semi - Micro Kjeldahl, Titrimetric Method	2.80	35	mg/l
9	Total Coliform Bacteria	AWWA 2017 9221 B	5,400 <sup>2/</sup>	-	MPN/100 ml
10	Fecal Coliform Bacteria	AWWA 2017 9221 E	5,400 <sup>2/</sup>	-	MPN/100 ml

Remark : <sup>1/</sup> APHA, AWWA, WEF, Standard Method for the Examination of Water and Wastewater 23<sup>rd</sup> ed. Washing ton, DC : APHA, 2017

<sup>2/</sup> Ministry of Natural Resources and Environment Announcement of wastewater discharge standards control certain types of buildings in the Royal Government Gazette No.122 Special Part 125D dated December 29, B.E. 2548 (2005). (Type A.)

<sup>3/</sup> Analysis And Results By South East Asian Laboratory Co., Ltd.

<sup>1</sup> ISO/IEC 17025 : 2005 หมายเลขการรับรองระบบงานที่ทดสอบ -0155

\* Increased Total Dissolved Solids in water use not more than 500 mg/l (Total Dissolved Solids in water use 299 mg/l)

Thitima

(Ms.Thitima Jampathong)

Analyst No.ว-262-จ-9126

Laboratory And Quality Manager



Phattaraporn

(Ms.Phattaraporn Meepet)

Analyst No.ว-262-จ-8617

Environmental Report Manager

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL

REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY





# ECO CONSULTANT COMPANY LIMITED.

32/3-4, Moo.4, Thai Ko, Sam Khok, Pathumthani, 12160. Tel. 02-001-384-5

32/3-4 หมู่ที่ 4 ตำบลท้ายเกาะ อำเภอสสามโคก จังหวัดปทุมธานี 12160. โทร 02-001-384-5

www.ecoconsult-lab.com Tax Identification Number : 0135559001081



TESTING

No.0155

## ANALYSIS REPORT

**Customer Name** : นิติบุคคลอาคารชุด ไอดีโอ โมบิ สุขุมวิท อีสต์ พอยท์  
**Customer Address** : เลขที่ 4379 ถนนสุขุมวิท แขวงบางนาใต้ เขตบางนา กรุงเทพมหานคร 10260  
**Project Name** : โครงการไอดีโอ โมบิ สุขุมวิท อีสต์พอยท์ (Ideo Mobi Sukhumvit Eastpoint)  
**Project Address** : ถนนสุขุมวิท แขวงบางนา เขตบางนา จังหวัดกรุงเทพมหานคร 10260  
**Sample Type** : Waste water  
**Sample Name** : บริเวณน้ำเสียก่อนเข้าระบบบำบัดน้ำเสีย อาคาร B  
**GPS. Coordinate** : UTM (WGS84) 47P 0673476 E, 1511121 N  
**Sampling Date** : February 6, 2023  
**Sampling Time** : 12:49  
**Sample Received Date** : February 7, 2023  
**Analysis Date** : February 7-25, 2023  
**Sampling By** : Mr.Naruthep Boonploysombut Analyst No.ว-262-จ-8625  
**Appearance** : Turbid, Yellow, Sediment, Smell  
**Analyzed By** : Ms.Kanokporn Mookdamung Analyst No.ว-262-จ-9129  
**Sample Code** : AC66W/66  
**Request No.** : 0072/66  
**Report Date** : February 27, 2023  
**Report No.** : PBW037/2023

Item	Parameter	Method of Analysis <sup>1/</sup>	Result	Unit
1	pH <sup>1</sup>	Electrometric Method (at 25°C)	7.5	-
2	Biochemical Oxygen Demand	5-Day BOD Test, Azide Modification Method	134	mg/l
3	Total Suspended Solids <sup>1</sup>	Dried at 103-105°C	99	mg/l
4	Sulfide	Iodometric Method	<1	mg/l
5	Total Dissolved Solids <sup>1</sup>	Dried at 180°C	448	mg/l
6	Settleable Solids	Volumetric Method	20	ml/l
7	Fat Oil and Grease	Liquid-Liquid Partition, Gravimetric Method	4.6	mg/l
8	Total Kjeldahl Nitrogen	Semi - Micro Kjeldahl, Titrimetric Method	58.24	mg/l
9	Total Coliform Bacteria	AWWA 2017 9221 B	240,000 <sup>2/</sup>	MPN/100 ml
10	Fecal Coliform Bacteria	AWWA 2017 9221 E	240,000 <sup>2/</sup>	MPN/100 ml

Remark : <sup>1/</sup> APHA, AWWA, WEF. Standard Method for the Examination of Water and Wastewater 23<sup>rd</sup> ed. Washington, DC : APHA, 2017

<sup>2/</sup> Analysis And Results By South East Asian Laboratory Co., Ltd.

<sup>1</sup> ISO/IEC 17025 : 2005 หมายเลขการรับรองระบบงานที่ทดสอบ -0155

Thitima

(Ms.Thitima Jampathong)  
Analyst No.ว-262-จ-9126  
Laboratory And Quality Manager



Chai

(Ms.Phattaraporn Meepet)  
Analyst No.ว-262-จ-8617  
Environmental Report Manager

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL

REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY





# ECO CONSULTANT COMPANY LIMITED.

32/3-4, Moo.4, Thai Ko, Sam Khok, Pathumthani, 12160. Tel. 02-001-384-5

32/3-4 หมู่ที่ 4 ตำบลท้ายเกาะ อำเภอสสามโคก จังหวัดปทุมธานี 12160. โทร 02-001-384-5

www.ecoconsult-lab.com Tax Identification Number : 0135559001081



TESTING

No.0155

## ANALYSIS REPORT

**Customer Name** : นิติบุคคลอาคารชุด ไอดีโอ โมบี สุขุมวิท อีสต์ พอยท์  
**Customer Address** : เลขที่ 4379 ถนนสุขุมวิท แขวงบางนาใต้ เขตบางนา กรุงเทพมหานคร 10260  
**Project Name** : โครงการไอดีโอ โมบี สุขุมวิท อีสต์พอยท์ (Ideo Mobi Sukhumvit Eastpoint)  
**Project Address** : ถนนสุขุมวิท แขวงบางนา เขตบางนา จังหวัดกรุงเทพมหานคร 10260  
**Sample Type** : Waste water  
**Sample Name** : บริเวณน้ำเสียหลังผ่านระบบบำบัดน้ำเสีย อาคาร B  
**GPS. Coordinate** : UTM (WGS84) 47P 0673444 E, 1511120 N  
**Sampling Date** : February 6, 2023  
**Sampling Time** : 12:46  
**Sample Received Date** : February 7, 2023  
**Analysis Date** : February 7-25, 2023  
**Sampling By** : Mr.Naruthep Boonploysombut Analyst No.ว-262-จ-8625  
**Appearance** : Turbid, Yellow, Sediment, Smell  
**Analyzed By** : Ms.Kanokporn Mookdamung Analyst No.ว-262-จ-9129  
**Sample Code** : AC68W/66  
**Request No.** : 0072/66  
**Report Date** : February 27, 2023  
**Report No.** : PBW038/2023

Item	Parameter	Method of Analysis <sup>1/</sup>	Result	Standard2/	Unit
1	pH <sup>1</sup>	Electrometric Method (at 25°C)	4.8	5.0-9.0	-
2	Biochemical Oxygen Demand	5-Day BOD Test, Azide Modification Method	22.95**	20	mg/l
3	Total Suspended Solids <sup>1</sup>	Dried at 103-105°C	12	30	mg/l
4	Sulfide	Iodometric Method	<1	1.0	mg/l
5	Total Dissolved Solids <sup>1</sup>	Dried at 180°C	691	799*	mg/l
6	Settleable Solids	Volumetric Method	2.0**	0.5	ml/l
7	Fat Oil and Grease	Liquid-Liquid Partition, Gravimetric Method	4.3	20	mg/l
8	Total Kjeldahl Nitrogen	Semi - Micro Kjeldahl, Titrimetric Method	10.08	35	mg/l
9	Total Coliform Bacteria	AWWA 2017 9221 B	920 <sup>2/</sup>	-	MPN/100 ml
10	Fecal Coliform Bacteria	AWWA 2017 9221 E	920 <sup>2/</sup>	-	MPN/100 ml

**Remark :** <sup>1/</sup> APHA, AWWA, WEF. Standard Method for the Examination of Water and Wastewater 23<sup>rd</sup> ed. Washing ton, DC : APHA, 2017

<sup>2/</sup> Ministry of Natural Resources and Environment Announcement of wastewater discharge standards control certain types of buildings in the Royal Government Gazette No.122 Special Part 125D dated December 29, B.E. 2548 (2005). (Type A.)

<sup>3/</sup> Analysis And Results By South East Asian Laboratory Co., Ltd.

<sup>1</sup> ISO/IEC 17025 : 2005 หมายเลขการรับรองระบบงานที่ทดสอบ -0155

\* Increased Total Dissolved Solids in water use not more than 500 mg/l (Total Dissolved Solids in water use 299 mg/l)

\*\* Not Within Standard

Thitima

(Ms.Thitima Jampathong)  
Analyst No.ว-262-จ-9126  
Laboratory And Quality Manager



Cen

(Ms.Phattaraporn Meepet)  
Analyst No.ว-262-จ-8617  
Environmental Report Manager

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL

REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY





# ECO CONSULTANT COMPANY LIMITED.

32/3-4, Moo.4, Thai Ko, Sam Khok, Pathumthani, 12160. Tel. 02-001-384-5

32/3-4 หมู่ที่ 4 ตำบลท้ายเกาะ อำเภอสสามโคก จังหวัดปทุมธานี 12160. โทร 02-001-384-5

www.ecoconsult-lab.com Tax Identification Number : 0135559001081



TESTING

No.0155

## ANALYSIS REPORT

**Customer Name** : นิติบุคคลอาคารชุด ไอดีโอ โมบี สุขุมวิท อีสต์ พอยท์  
**Customer Address** : เลขที่ 4379 ถนนสุขุมวิท แขวงบางนาใต้ เขตบางนา กรุงเทพมหานคร 10260  
**Project Name** : โครงการไอดีโอ โมบี สุขุมวิท อีสต์พอยท์ (Ideo Mobi Sukhumvit Eastpoint)  
**Project Address** : ถนนสุขุมวิท แขวงบางนา เขตบางนา จังหวัดกรุงเทพมหานคร 10260  
**Sample Type** : Waste water  
**Sample Name** : บริเวณบ่อบำบัดน้ำทิ้งก่อนระบายออกนอกโครงการ  
**GPS. Coordinate** : UTM (WGS84) 47P 0673446 E, 1511181 N  
**Sampling Date** : February 6, 2023  
**Sampling Time** : 13:01  
**Sample Received Date** : February 7, 2023  
**Analysis Date** : February 7-25, 2023  
**Sampling By** : Mr.Naruthep Boonploysombut Analyst No.จ-262-จ-8625  
**Appearance** : Clear, Yellow, Sediment, Smell  
**Analyzed By** : Ms.Kanokporn Mookdamung Analyst No.จ-262-จ-9129  
**Sample Code** : AC69W/66  
**Request No.** : 0072/66  
**Report Date** : February 27, 2023  
**Report No.** : PBW039/2023

Item	Parameter	Method of Analysis <sup>1/</sup>	Result	Standard <sup>2/</sup>	Unit
1	pH <sup>1</sup>	Electrometric Method (at 25°C)	7.3	5.0-9.0	-
2	Biochemical Oxygen Demand	5-Day BOD Test, Azide Modification Method	76.49**	20	mg/l
3	Total Suspended Solids <sup>1</sup>	Dried at 103-105°C	26	30	mg/l
4	Sulfide	Iodometric Method	<1	1.0	mg/l
5	Total Dissolved Solids <sup>1</sup>	Dried at 180°C	505	799*	mg/l
6	Settleable Solids	Volumetric Method	5.0**	0.5	ml/l
7	Fat Oil and Grease	Liquid-Liquid Partition, Gravimetric Method	4.6	20	mg/l
8	Total Kjeldahl Nitrogen	Semi - Micro Kjeldahl, Titrimetric Method	62.72**	35	mg/l
9	Total Coliform Bacteria	AWWA 2017 9221 B	35,000 <sup>2/</sup>	-	MPN/100 ml
10	Fecal Coliform Bacteria	AWWA 2017 9221 E	35,000 <sup>2/</sup>	-	MPN/100 ml

Remark : <sup>1/</sup> APHA, AWWA, WEF. Standard Method for the Examination of Water and Wastewater 23<sup>rd</sup> ed. Washington, DC : APHA, 2017

<sup>2/</sup> Ministry of Natural Resources and Environment Announcement of wastewater discharge standards control certain types of buildings in the Royal Government Gazette No.122 Special Part 125D dated December 29, B.E. 2548 (2005). (Type A.)

<sup>3/</sup> Analysis And Results By South East Asian Laboratory Co., Ltd.

<sup>1</sup> ISO/IEC 17025 : 2005 หมายเลขการรับรองระบบงานที่ทดสอบ -0155

\* Increased Total Dissolved Solids in water use not more than 500 mg/l (Total Dissolved Solids in water use 299 mg/l)

\*\* Not Within Standard

Thitima

(Ms.Thitima Jampathong)  
Analyst No.จ-262-จ-9126  
Laboratory And Quality Manager



Phattaraporn

(Ms.Phattaraporn Meepet)  
Analyst No.จ-262-จ-8617  
Environmental Report Manager

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL

REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY





## ECO CONSULTANT COMPANY LIMITED.

32/3-4, Moo.4, Thai Ko, Sam Khok, Pathumthani, 12160. Tel. 02-001-384-5

32/3-4 หมู่ที่ 4 ตำบลท้ายเกาะ อำเภอสสามโคก จังหวัดปทุมธานี 12160. โทร 02-001-384-5

www.ecoconsult-lab.com Tax Identification Number : 0135559001081

### ANALYSIS REPORT

**Customer Name** : นิติบุคคลอาคารชุด ไอดีโอ โมบิ สุขุมวิท อีสต์ พอยท์  
**Customer Address** : เลขที่ 4379 ถนนสุขุมวิท แขวงบางนาใต้ เขตบางนา กรุงเทพมหานคร 10260  
**Project Name** : โครงการไอดีโอ โมบิ สุขุมวิท อีสต์พอยท์ (Ideo Mobi Sukhumvit Eastpoint)  
**Project Address** : ถนนสุขุมวิท แขวงบางนา เขตบางนา จังหวัดกรุงเทพมหานคร 10260  
**Sample Type** : Water supply  
**Sample Name** : บริเวณก๊อกน้ำในพื้นที่โครงการ  
**GPS. Coordinate** : -  
**Sampling Date** : February 6, 2023  
**Sampling Time** : 13:03  
**Sample Received Date** : February 7, 2023  
**Analysis Date** : February 7-25, 2023  
**Sampling By** : Mr.Naruthep Boonploysombut Analyst No.ว-262-จ-8625  
**Appearance** : Clear, None Sediment, Scentless  
**Analyzed By** : Ms.Kanokporn Mookdamung Analyst No.ว-262-จ-9129  
**Sample Code** : AC70WS/66  
**Request No.** : 0072/66  
**Report Date** : February 27, 2023  
**Report No.** : PWS006/2023

Item	Parameter	Method of Analysis <sup>1/</sup>	Result	Standard <sup>2/</sup>	Unit
1	Total Dissolved Solid	Dried at 180°C	299	1,000	mg/l

Remark : <sup>1/</sup> APHA, AWWA, WEF. Standard Method for the Examination of Water and Wastewater 23<sup>rd</sup> ed. Washing ton, DC : APHA, 2017

<sup>2/</sup> Water Supply Standard of Provincial Waterworks Authority, according to World Health Organization (2011).

*Oarthai Geratipisut*

(Ms.Oarthai Geratipisut)

Lab Supervisor



*Phattaraporn Meepet*

(Ms.Phattaraporn Meepet)

Environmental Report Manager

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL

REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY





# ECO CONSULTANT COMPANY LIMITED.

32/3-4, Moo.4, Thai Ko, Sam Khok, Pathumthani, 12160. Tel. 02-001-384-5

32/3-4 หมู่ที่ 4 ตำบลท้ายเกาะ อำเภอสамโคก จังหวัดปทุมธานี 12160. โทร 02-001-384-5

www.ecoconsult-lab.com Tax Identification Number : 0135559001081

## ANALYSIS REPORT

**Customer Name** : นิตินุศลาการชุด ไอดีโอ โมบี สุขุมวิท อีสต์ พอยท์  
**Customer Address** : เลขที่ 4379 ถนนสุขุมวิท แขวงบางนาใต้ เขตบางนา กรุงเทพมหานคร 10260  
**Project Name** : โครงการไอดีโอ โมบี สุขุมวิท อีสต์พอยท์ (Ideo Mobi Sukhumvit Eastpoint)  
**Project Address** : ถนนสุขุมวิท แขวงบางนา เขตบางนา จังหวัดกรุงเทพมหานคร 10260  
**Sample Type** : Pool water  
**Sample Name** : บริเวณสระว่ายน้ำ (ส่วนต้น)  
**GPS. Coordinate** : UTM (WGS84) 47P 0673474 E, 1511194 N  
**Sampling Date** : February 6, 2023  
**Sampling Time** : 12:39  
**Sample Received Date** : February 7, 2023  
**Analysis Date** : February 7-25, 2023  
**Sampling By** : Mr.Naruthep Boonploysombut  
**Appearance** : Clear, None Sediment, Scentless  
**Analyzed By** : Ms.Thitiporn Chantrakun  
**Sample Code** : AC72WS/66  
**Request No.** : 0072/66  
**Report Date** : February 27, 2023  
**Report No.** : PPW018/2023

Item	Parameter	Method of Analysis <sup>1/</sup>	Result	Standard		Unit
				BRT <sup>2/</sup>	RPH <sup>3/</sup>	
1	Total Coliform Bacteria	AWWA Ed 23 (2017), 9221 B	<1.1	<10	<10	MPN/100 ml
2	<i>Escherichia coli</i>	AWWA Ed 23 (2017), 9221 F	Not Detectable	None	None	in100 ml
3	<i>Staphylococcus aureus</i>	AWWA Ed 23 (2017), 9213 B	Not Detectable	None	None	in100 ml
4	<i>Pseudomonas aeruginosa</i>	AWWA Ed 23 (2017), 9213 E	Not Detectable	None	None	in100 ml

Remark : <sup>1/</sup> APHA, AWWA, WEF. Standard Method for the Examination of Water and Wastewater 23<sup>rd</sup> ed. Washington, DC: APHA, 2017

<sup>2/</sup> Bangkok Regulations Trade Rules which is Disgusting or Potentially Harmful to Health type of Swimming Pool Establishment in the Royal Government Gazette No.10 Part 205 dated October 14, B.E.2530 (1987)

<sup>3/</sup> Recommendations of The Public Health Committee No. 1/2550 (2007) Regarding the Control of Swimming Pool Operations or any other Similar Business.  
ND = Not Detectable

Thitima

(Ms.Thitima Jampathong)  
Laboratory And Quality Manager



Phattaraporn

(Ms.Phattaraporn Meepet)  
Environmental Report Manager

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL

REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY





## ECO CONSULTANT COMPANY LIMITED.

32/3-4, Moo.4, Thai Ko, Sam Khok, Pathumthani, 12160. Tel. 02-001-384-5

32/3-4 หมู่ที่ 4 ตำบลท้ายเกาะ อำเภอสамโคก จังหวัดปทุมธานี 12160. โทร 02-001-384-5

www.ecoconsult-lab.com Tax Identification Number : 0135559001081

### ANALYSIS REPORT

**Customer Name** : นิติบุคคลอาคารชุด ไอดีโอ โมบิ สุขุมวิท อีสต์ พอยท์  
**Customer Address** : เลขที่ 4379 ถนนสุขุมวิท แขวงบางนาใต้ เขตบางนา กรุงเทพมหานคร 10260  
**Project Name** : โครงการไอดีโอ โมบิ สุขุมวิท อีสต์พอยท์ (Ideo Mobi Sukhumvit Eastpoint)  
**Project Address** : ถนนสุขุมวิท แขวงบางนา เขตบางนา จังหวัดกรุงเทพมหานคร 10260  
**Sample Type** : Pool water  
**Sample Name** : บริเวณสระว่ายน้ำ (ส่วนลึก)  
**GPS. Coordinate** : UTM (WGS84) 47P 0673468 E, 1511177 N  
**Sampling Date** : February 13, 2023  
**Sampling Time** : 13:17  
**Sample Received Date** : February 14, 2023  
**Analysis Date** : February 14 – March 8, 2023  
**Sampling By** : Mr.Naruthep Boonploysombut  
**Appearance** : Clear, None Sediment, Scentless  
**Analyzed By** : Ms.Thitiporn Chantrakun

**Sample Code** : AE96WS/66  
**Request No.** : 0123/66  
**Report Date** : March 10, 2023  
**Report No.** : PPW023/2023

Item	Parameter	Method of Analysis <sup>1/</sup>	Result	Standard		Unit
				BRT <sup>2/</sup>	RPH <sup>3/</sup>	
1	Total Coliform Bacteria	AWWA Ed 23 (2017), 9221 B	<1.1	<10	<10	MPN/100 ml
2	<i>Escherichia coli</i>	AWWA Ed 23 (2017), 9221 F	Not Detectable	None	None	in100 ml
3	<i>Staphylococcus aureus</i>	AWWA Ed 23 (2017), 9213 B	Not Detectable	None	None	in100 ml
4	<i>Pseudomonas aeruginosa</i>	AWWA Ed 23 (2017), 9213 E	Not Detectable	None	None	in100 ml

Remark : <sup>1/</sup> APHA, AWWA, WEF. Standard Method for the Examination of Water and Wastewater 23<sup>rd</sup> ed. Washington, DC: APHA, 2017

<sup>2/</sup> Bangkok Regulations Trade Rules which is Disgusting or Potentially Harmful to Health type of Swimming Pool Establishment in the Royal Government Gazette No.10 Part 205 dated October 14, B.E.2530 (1987)

<sup>3/</sup> Recommendations of The Public Health Committee No. 1/2550 (2007) Regarding the Control of Swimming Pool Operations or any other Similar Business.  
ND = Not Detectable

Thitima

(Ms.Thitima Jampathong)  
Laboratory And Quality Manager



Phattaraporn

(Ms.Phattaraporn Meepet)  
Environmental Report Manager

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL

REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY





# ECO CONSULTANT COMPANY LIMITED.

32/3-4, Moo.4, Thai Ko, Sam Khok, Pathumthani, 12160. Tel. 02-001-384-5

32/3-4 หมู่ที่ 4 ตำบลท้ายเกาะ อำเภอสสามโคก จังหวัดปทุมธานี 12160. โทร 02-001-384-5

www.ecoconsult-lab.com Tax Identification Number : 0135559001081

## ANALYSIS REPORT

**Customer Name** : นิติบุคคลอาคารชุด ไอดีโอ โมบิ สุขุมวิท อีสต์ พอยท์  
**Customer Address** : เลขที่ 4379 ถนนสุขุมวิท แขวงบางนาใต้ เขตบางนา กรุงเทพมหานคร 10260  
**Project Name** : โครงการไอดีโอ โมบิ สุขุมวิท อีสต์พอยท์ (Ideo Mobi Sukhumvit Eastpoint)  
**Project Address** : ถนนสุขุมวิท แขวงบางนา เขตบางนา จังหวัดกรุงเทพมหานคร 10260  
**Sample Type** : Pool water  
**Sample Name** : บริเวณสระว่ายน้ำ (ส่วนต้น)  
**GPS. Coordinate** : UTM (WGS84) 47P 0673474 E, 1511194 N  
**Sampling Date** : February 13, 2023  
**Sampling Time** : 13:19  
**Sample Received Date** : February 14, 2023  
**Analysis Date** : February 14 – March 8, 2023  
**Sampling By** : Mr.Naruthep Boonploysombut  
**Appearance** : Clear, None Sediment, Scentless  
**Analyzed By** : Ms.Thitiporn Chantrakun  
**Sample Code** : AE97WS/66  
**Request No.** : 0123/66  
**Report Date** : March 10, 2023  
**Report No.** : PPW024/2023

Item	Parameter	Method of Analysis <sup>1/</sup>	Result	Standard		Unit
				BRT <sup>2/</sup>	RPH <sup>3/</sup>	
1	Total Coliform Bacteria	AWWA Ed 23 (2017), 9221 B	<1.1	<10	<10	MPN/100 ml
2	<i>Escherichia coli</i>	AWWA Ed 23 (2017), 9221 F	Not Detectable	None	None	in100 ml
3	<i>Staphylococcus aureus</i>	AWWA Ed 23 (2017), 9213 B	Not Detectable	None	None	in100 ml
4	<i>Pseudomonas aeruginosa</i>	AWWA Ed 23 (2017), 9213 E	Not Detectable	None	None	in100 ml

Remark : <sup>1/</sup> APHA, AWWA, WEF. Standard Method for the Examination of Water and Wastewater 23<sup>rd</sup> ed. Washington, DC: APHA, 2017

<sup>2/</sup> Bangkok Regulations Trade Rules which is Disgusting or Potentially Harmful to Health type of Swimming Pool Establishment in the Royal Government Gazette No.10 Part 205 dated October 14, B.E.2530 (1987)

<sup>3/</sup> Recommendations of The Public Health Committee No. 1/2550 (2007) Regarding the Control of Swimming Pool Operations or any other Similar Business.  
ND = Not Detectable

Thitima

(Ms.Thitima Jampathong)  
Laboratory And Quality Manager



Phattaraporn

(Ms.Phattaraporn Meepet)  
Environmental Report Manager

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL

REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY





## ECO CONSULTANT COMPANY LIMITED.

32/3-4, Moo.4, Thai Ko, Sam Khok, Pathumthani, 12160. Tel. 02-001-384-5

32/3-4 หมู่ที่ 4 ตำบลท้ายเกาะ อำเภอสสามโคก จังหวัดปทุมธานี 12160. โทร 02-001-384-5

www.ecoconsult-lab.com Tax Identification Number : 0135559001081

### ANALYSIS REPORT

**Customer Name** : นิติบุคคลอาคารชุด ไอดีโอ โมบิ สุขุมวิท อีสต์ พอยท์  
**Customer Address** : เลขที่ 4379 ถนนสุขุมวิท แขวงบางนาใต้ เขตบางนา กรุงเทพมหานคร 10260  
**Project Name** : โครงการไอดีโอ โมบิ สุขุมวิท อีสต์พอยท์ (Ideo Mobi Sukhumvit Eastpoint)  
**Project Address** : ถนนสุขุมวิท แขวงบางนา เขตบางนา จังหวัดกรุงเทพมหานคร 10260  
**Sample Type** : Pool water  
**Sample Name** : บริเวณสระว่ายน้ำ (ส่วนเล็ก)  
**GPS. Coordinate** : UTM (WGS84) 47P 0673468 E, 1511177 N  
**Sampling Date** : February 20, 2023  
**Sampling Time** : 11:43  
**Sample Received Date** : February 21, 2023  
**Analysis Date** : February 21 – March 8, 2023  
**Sampling By** : Mr.Naruthep Boonploysombut  
**Appearance** : Clear, None Sediment, Scentless  
**Analyzed By** : Ms.Thitiporn Chantrakun  
**Sample Code** : AF38WS/66  
**Request No.** : 0135/66  
**Report Date** : March 10, 2023  
**Report No.** : PPW025/2023

Item	Parameter	Method of Analysis <sup>1/</sup>	Result	Standard		Unit
				BRT <sup>2/</sup>	RPH <sup>3/</sup>	
1	Total Coliform Bacteria	AWWA Ed 23 (2017), 9221 B	<1.1	<10	<10	MPN/100 ml
2	<i>Escherichia coli</i>	AWWA Ed 23 (2017), 9221 F	Not Detectable	None	None	in100 ml
3	<i>Staphylococcus aureus</i>	AWWA Ed 23 (2017), 9213 B	Not Detectable	None	None	in100 ml
4	<i>Pseudomonas aeruginosa</i>	AWWA Ed 23 (2017), 9213 E	Not Detectable	None	None	in100 ml

Remark : <sup>1/</sup> APHA, AWWA, WEF. Standard Method for the Examination of Water and Wastewater 23<sup>rd</sup> ed. Washington, DC: APHA, 2017

<sup>2/</sup> Bangkok Regulations Trade Rules which is Disgusting or Potentially Harmful to Health type of Swimming Pool Establishment in the Royal Government Gazette No.10 Part 205 dated October 14, B.E.2530 (1987)

<sup>3/</sup> Recommendations of The Public Health Committee No. 1/2550 (2007) Regarding the Control of Swimming Pool Operations or any other Similar Business.  
ND = Not Detectable

Thitima

(Ms.Thitima Jampathong)  
Laboratory And Quality Manager



Phattaraporn

(Ms.Phattaraporn Meepet)  
Environmental Report Manager

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL

REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY



# ECO CONSULTANT COMPANY LIMITED.

32/3-4, Moo.4, Thai Ko, Sam Khok, Pathumthani, 12160. Tel. 02-001-384-5

32/3-4 หมู่ที่ 4 ตำบลท้ายเกาะ อำเภอสางโคก จังหวัดปทุมธานี 12160. โทร 02-001-384-5

www.ecoconsult-lab.com Tax Identification Number : 0135559001081

## ANALYSIS REPORT

**Customer Name** : นิติบุคคลอาคารชุด ไอดีโอ โมบิ สุขุมวิท อีสต์ พอยท์  
**Customer Address** : เลขที่ 4379 ถนนสุขุมวิท แขวงบางนาใต้ เขตบางนา กรุงเทพมหานคร 10260  
**Project Name** : โครงการไอดีโอ โมบิ สุขุมวิท อีสต์พอยท์ (Ideo Mobi Sukhumvit Eastpoint)  
**Project Address** : ถนนสุขุมวิท แขวงบางนา เขตบางนา จังหวัดกรุงเทพมหานคร 10260  
**Sample Type** : Pool water  
**Sample Name** : บริเวณสระว่ายน้ำ (ส่วนต้น)  
**GPS. Coordinate** : UTM (WGS84) 47P 0673474 E, 1511194 N  
**Sampling Date** : February 20, 2023  
**Sampling Time** : 11:41  
**Sample Received Date** : February 21, 2023  
**Analysis Date** : February 21 – March 8, 2023  
**Sampling By** : Mr.Naruthep Boonploysombut  
**Appearance** : Clear, None Sediment, Scentless  
**Analyzed By** : Ms.Thitiporn Chantrakun  
**Sample Code** : AF39WS/66  
**Request No.** : 0135/66  
**Report Date** : March 10, 2023  
**Report No.** : PPW026/2023

Item	Parameter	Method of Analysis <sup>1/</sup>	Result	Standard		Unit
				BRT <sup>2/</sup>	RPH <sup>3/</sup>	
1	Total Coliform Bacteria	AWWA Ed 23 (2017), 9221 B	<1.1	<10	<10	MPN/100 ml
2	<i>Escherichia coli</i>	AWWA Ed 23 (2017), 9221 F	Not Detectable	None	None	in100 ml
3	<i>Staphylococcus aureus</i>	AWWA Ed 23 (2017), 9213 B	Not Detectable	None	None	in100 ml
4	<i>Pseudomonas aeruginosa</i>	AWWA Ed 23 (2017), 9213 E	Not Detectable	None	None	in100 ml

Remark : <sup>1/</sup> APHA, AWWA, WEF. Standard Method for the Examination of Water and Wastewater 23<sup>rd</sup> ed. Washington, DC: APHA, 2017

<sup>2/</sup> Bangkok Regulations Trade Rules which is Disgusting or Potentially Harmful to Health type of Swimming Pool Establishment in the Royal Government Gazette No.10 Part 205 dated October 14, B.E.2530 (1987)

<sup>3/</sup> Recommendations of The Public Health Committee No. 1/2550 (2007) Regarding the Control of Swimming Pool Operations or any other Similar Business.  
ND = Not Detectable

Thitima

(Ms.Thitima Jampathong)  
Laboratory And Quality Manager



Phattaraporn

(Ms.Phattaraporn Meepet)  
Environmental Report Manager

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL

REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY





## ECO CONSULTANT COMPANY LIMITED.

32/3-4, Moo.4, Thai Ko, Sam Khok, Pathumthani, 12160. Tel. 02-001-384-5

32/3-4 หมู่ที่ 4 ตำบลท้ายเกาะ อำเภอสамโคก จังหวัดปทุมธานี 12160. โทร 02-001-384-5

www.ecoconsult-lab.com Tax Identification Number : 0135559001081

### ANALYSIS REPORT

**Customer Name** : นิติบุคคลอาคารชุด ไอดีโอ โมบิ สุขุมวิท อีสต์ พอยท์  
**Customer Address** : เลขที่ 4379 ถนนสุขุมวิท แขวงบางนาใต้ เขตบางนา กรุงเทพมหานคร 10260  
**Project Name** : โครงการไอดีโอ โมบิ สุขุมวิท อีสต์พอยท์ (Ideo Mobi Sukhumvit Eastpoint)  
**Project Address** : ถนนสุขุมวิท แขวงบางนา เขตบางนา จังหวัดกรุงเทพมหานคร 10260  
**Sample Type** : Pool water  
**Sample Name** : บริเวณสระว่ายน้ำ (ส่วนเล็ก)  
**GPS. Coordinate** : UTM (WGS84) 47P 0673468 E, 1511177 N  
**Sampling Date** : February 27, 2023  
**Sampling Time** : 12:35  
**Sample Received Date** : February 28, 2023  
**Analysis Date** : February 28 – March 22, 2023  
**Sampling By** : Mr.Naruthep Boonploysombut  
**Appearance** : Clear, None Sediment, Scentless  
**Analyzed By** : Ms.Thitiporn Chantrakun  
**Sample Code** : AF68WS/66  
**Request No.** : 0147/66  
**Report Date** : March 23, 2023  
**Report No.** : PPW027/2023

Item	Parameter	Method of Analysis <sup>1/</sup>	Result	Standard		Unit
				BRT <sup>2/</sup>	RPH <sup>3/</sup>	
1	Total Coliform Bacteria	AWWA Ed 23 (2017), 9221 B	<1.1	<10	<10	MPN/100 ml
2	<i>Escherichia coli</i>	AWWA Ed 23 (2017), 9221 F	Not Detectable	None	None	in100 ml
3	<i>Staphylococcus aureus</i>	AWWA Ed 23 (2017), 9213 B	Not Detectable	None	None	in100 ml
4	<i>Pseudomonas aeruginosa</i>	AWWA Ed 23 (2017), 9213 E	Not Detectable	None	None	in100 ml

Remark : <sup>1/</sup> APHA, AWWA, WEF. Standard Method for the Examination of Water and Wastewater 23<sup>rd</sup> ed. Washington, DC: APHA, 2017

<sup>2/</sup> Bangkok Regulations Trade Rules which is Disgusting or Potentially Harmful to Health type of Swimming Pool Establishment in the Royal Government Gazette No.10 Part 205 dated October 14, B.E.2530 (1987)

<sup>3/</sup> Recommendations of The Public Health Committee No. 1/2550 (2007) Regarding the Control of Swimming Pool Operations or any other Similar Business.  
ND = Not Detectable

Thitima

(Ms.Thitima Jampathong)  
Laboratory And Quality Manager



Phattaraporn

(Ms.Phattaraporn Meepet)  
Environmental Report Manager

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL

REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY



# ECO CONSULTANT COMPANY LIMITED.

32/3-4, Moo.4, Thai Ko, Sam Khok, Pathumthani, 12160. Tel. 02-001-384-5

32/3-4 หมู่ที่ 4 ตำบลท้ายเกาะ อำเภอสสามโคก จังหวัดปทุมธานี 12160. โทร 02-001-384-5

www.ecoconsult-lab.com Tax Identification Number : 0135559001081

## ANALYSIS REPORT

**Customer Name** : นิติบุคคลอาคารชุด ไอดีโอ โมบิ สุขุมวิท อีสต์ พอยท์  
**Customer Address** : เลขที่ 4379 ถนนสุขุมวิท แขวงบางนาใต้ เขตบางนา กรุงเทพมหานคร 10260  
**Project Name** : โครงการไอดีโอ โมบิ สุขุมวิท อีสต์พอยท์ (Ideo Mobi Sukhumvit Eastpoint)  
**Project Address** : ถนนสุขุมวิท แขวงบางนา เขตบางนา จังหวัดกรุงเทพมหานคร 10260  
**Sample Type** : Pool water  
**Sample Name** : บริเวณสระว่ายน้ำ (ส่วนดิน)  
**GPS. Coordinate** : UTM (WGS84) 47P 0673474 E, 1511194 N  
**Sampling Date** : February 27, 2023  
**Sampling Time** : 12:34  
**Sample Received Date** : February 28, 2023  
**Analysis Date** : February 28 – March 22, 2023  
**Sampling By** : Mr.Naruthep Boonploysombut  
**Appearance** : Clear, None Sediment, Scentless  
**Analyzed By** : Ms.Thitiporn Chantrakun  
**Sample Code** : AF69WS/66  
**Request No.** : 0147/66  
**Report Date** : March 23, 2023  
**Report No.** : PPW028/2023

Item	Parameter	Method of Analysis <sup>1/</sup>	Result	Standard		Unit
				BRT <sup>2/</sup>	RPH <sup>3/</sup>	
1	Total Coliform Bacteria	AWWA Ed 23 (2017), 9221 B	<1.1	<10	<10	MPN/100 ml
2	<i>Escherichia coli</i>	AWWA Ed 23 (2017), 9221 F	Not Detectable	None	None	in100 ml
3	<i>Staphylococcus aureus</i>	AWWA Ed 23 (2017), 9213 B	Not Detectable	None	None	in100 ml
4	<i>Pseudomonas aeruginosa</i>	AWWA Ed 23 (2017), 9213 E	Not Detectable	None	None	in100 ml

Remark : <sup>1/</sup> APHA, AWWA, WEF. Standard Method for the Examination of Water and Wastewater 23<sup>rd</sup> ed. Washington, DC: APHA, 2017

<sup>2/</sup> Bangkok Regulations Trade Rules which is Disgusting or Potentially Harmful to Health type of Swimming Pool Establishment in the Royal Government Gazette No.10 Part 205 dated October 14, B.E.2530 (1987)

<sup>3/</sup> Recommendations of The Public Health Committee No. 1/2550 (2007) Regarding the Control of Swimming Pool Operations or any other Similar Business.  
ND = Not Detectable

Thitima

(Ms.Thitima Jampathong)  
Laboratory And Quality Manager



Phaltaraporn

(Ms.Phaltaraporn Meepet)  
Environmental Report Manager





# ECO CONSULTANT COMPANY LIMITED.

32/3-4, Moo.4, Thai Ko, Sam Khok, Pathumthani, 12160. Tel. 02-001-384-5  
32/3-4 หมู่ที่ 4 ตำบลท้ายเกาะ อำเภอสสามโคก จังหวัดปทุมธานี 12160. โทร 02-001-384-5  
www.ecoconsult-lab.com Tax Identification Number : 0135559001081



TESTING  
No.0155

## ANALYSIS REPORT

**Customer Name** : นิติบุคคลอาคารชุด ไอดีโอ โมบี สุขุมวิท อีสต์ พอยท์  
**Customer Address** : เลขที่ 4379 ถนนสุขุมวิท แขวงบางนาใต้ เขตบางนา กรุงเทพมหานคร 10260  
**Project Name** : โครงการไอดีโอ โมบี สุขุมวิท อีสต์พอยท์ (Ideo Mobi Sukhumvit Eastpoint)  
**Project Address** : ถนนสุขุมวิท แขวงบางนา เขตบางนา จังหวัดกรุงเทพมหานคร 10260  
**Sample Type** : Waste water  
**Sample Name** : บริเวณน้ำเสียก่อนเข้าระบบบำบัดน้ำเสีย อาคาร A  
**GPS. Coordinate** : UTM (WGS84) 47P 0673505 E, 1511206 N  
**Sampling Date** : March 13, 2023  
**Sampling Time** : 12:51  
**Sample Received Date** : March 14, 2023  
**Analysis Date** : March 14-30, 2023  
**Sampling By** : Mr.Naruthep Boonploysombut Analyst No.ว-262-จ-8625  
**Appearance** : Turbid, Grey, Sediment, Smell  
**Analyzed By** : Ms.Kanokporn Mookdamung Analyst No.ว-262-จ-9129  
**Sample Code** : AG38W/66  
**Request No.** : 0164/66  
**Report Date** : April 5, 2023  
**Report No.** : PBW075/2023

Item	Parameter	Method of Analysis <sup>1/</sup>	Result	Unit
1	pH <sup>1</sup>	Electrometric Method (at 25°C)	7.4	-
2	Biochemical Oxygen Demand	5-Day BOD Test, Azide Modification Method	58.62	mg/l
3	Total Suspended Solids <sup>1</sup>	Dried at 103-105°C	249	mg/l
4	Sulfide	Iodometric Method	2.49	mg/l
5	Total Dissolved Solids <sup>1</sup>	Dried at 180°C	548	mg/l
6	Settleable Solids	Volumetric Method	40	ml/l
7	Fat Oil and Grease	Liquid-Liquid Partition, Gravimetric Method	<4	mg/l
8	Total Kjeldahl Nitrogen	Semi - Micro Kjeldahl, Titrimetric Method	11.52	mg/l
9	Total Coliform Bacteria	AWWA 2017 9221 B	24,000 <sup>2/</sup>	MPN/100 ml
10	Fecal Coliform Bacteria	AWWA 2017 9221 E	13,000 <sup>2/</sup>	MPN/100 ml

Remark : <sup>1/</sup> APHA, AWWA, WEF. Standard Method for the Examination of Water and Wastewater 23<sup>rd</sup> ed. Washington, DC : APHA, 2017

<sup>2/</sup> Analysis And Results By South East Asian Laboratory Co., Ltd.

<sup>1</sup> ISO/IEC 17025 : 2005 หมายเลขการรับรองระบบงานที่ทดสอบ -0155

Thitima

(Ms.Thitima Jampathong)  
Analyst No.ว-262-จ-9126  
Laboratory And Quality Manager



C5

(Ms.Phattaraporn Meepet)  
Analyst No.ว-262-จ-8617  
Environmental Report Manager

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL

REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY





# ECO CONSULTANT COMPANY LIMITED.

32/3-4, Moo.4, Thai Ko, Sam Khok, Pathumthani, 12160. Tel. 02-001-384-5

32/3-4 หมู่ที่ 4 ตำบลท้ายเกาะ อำเภอสสามโคก จังหวัดปทุมธานี 12160. โทร 02-001-384-5

www.ecoconsult-lab.com Tax Identification Number : 0135559001081



TESTING

No.0155

## ANALYSIS REPORT

**Customer Name** : นิติบุคคลอาคารชุด ไอดีโอ โมบี สุขุมวิท อีสต์ พอยท์  
**Customer Address** : เลขที่ 4379 ถนนสุขุมวิท แขวงบางนาใต้ เขตบางนา กรุงเทพมหานคร 10260  
**Project Name** : โครงการไอดีโอ โมบี สุขุมวิท อีสต์พอยท์ (Ideo Mobi Sukhumvit Eastpoint)  
**Project Address** : ถนนสุขุมวิท แขวงบางนา เขตบางนา จังหวัดกรุงเทพมหานคร 10260  
**Sample Type** : Waste water  
**Sample Name** : บริเวณน้ำเสียหลังผ่านระบบบำบัดน้ำเสีย อาคาร A  
**GPS. Coordinate** : UTM (WGS84) 47P 0673513 E, 1511237 N  
**Sampling Date** : March 13, 2023  
**Sampling Time** : 12:55  
**Sample Received Date** : March 14, 2023  
**Analysis Date** : March 14-30, 2023  
**Sampling By** : Mr.Naruthep Boonploysombut Analyst No.ว-262-จ-8625  
**Appearance** : Yellow, Sediment, Smell  
**Analyzed By** : Ms.Kanokporn Mookdamung Analyst No.ว-262-จ-9129  
**Sample Code** : AG40W/66  
**Request No.** : 0164/66  
**Report Date** : April 5, 2023  
**Report No.** : PBW076/2023

Item	Parameter	Method of Analysis <sup>1/</sup>	Result	Standard <sup>2/</sup>	Unit	Conclusion
1	pH <sup>1</sup>	Electrometric Method (at 25°C)	7.4	5.0-9.0	-	Pass
2	Biochemical Oxygen Demand	5-Day BOD Test, Azide Modification Method	11.45	20	mg/l	Pass
3	Total Suspended Solids <sup>1</sup>	Dried at 103-105°C	38**	30	mg/l	Not Pass
4	Sulfide	Iodometric Method	1.22**	1.0	mg/l	Not Pass
5	Total Dissolved Solids <sup>1</sup>	Dried at 180°C	518	722*	mg/l	Pass
6	Settleable Solids	Volumetric Method	5**	0.5	ml/l	Not Pass
7	Fat Oil and Grease	Liquid-Liquid Partition, Gravimetric Method	<4	20	mg/l	Pass
8	Total Kjeldahl Nitrogen	Semi - Micro Kjeldahl, Titrimetric Method	<4	35	mg/l	Pass
9	Total Coliform Bacteria	AWWA 2017 9221 B	240 <sup>3/</sup>	-	MPN/100 ml	Pass
10	Fecal Coliform Bacteria	AWWA 2017 9221 E	49 <sup>3/</sup>	-	MPN/100 ml	Pass

Remark : <sup>1/</sup> APHA, AWWA, WEF. Standard Method for the Examination of Water and Wastewater 23<sup>rd</sup> ed. Washington, DC : APHA, 2017

<sup>2/</sup> Ministry of Natural Resources and Environment Announcement of wastewater discharge standards control certain types of buildings in the Royal Government Gazette No.122 Special Part 125D dated December 29, B.E. 2548 (2005). (Type A.)

<sup>3/</sup> Analysis And Results By South East Asian Laboratory Co., Ltd.

<sup>1</sup> ISO/IEC 17025 : 2005 หมายเลขการรับรองระบบงานที่ทดสอบ -0155

\* Increased Total Dissolved Solids in water use not more than 500 mg/l (Total Dissolved Solids in water use 222 mg/l)

\*\* Not Within Standard

Thitima

(Ms.Thitima Jampathong)  
Analyst No.ว-262-จ-9126  
Laboratory And Quality Manager



Phattaraporn

(Ms.Phattaraporn Meepet)  
Analyst No.ว-262-จ-8617  
Environmental Report Manager

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL

REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY





# ECO CONSULTANT COMPANY LIMITED.

32/3-4, Moo.4, Thai Ko, Sam Khok, Pathumthani, 12160. Tel. 02-001-384-5

32/3-4 หมู่ที่ 4 ตำบลท้ายเกาะ อำเภอสамโคก จังหวัดปทุมธานี 12160. โทร 02-001-384-5

www.ecoconsult-lab.com Tax Identification Number : 0135559001081



TESTING

No.0155

## ANALYSIS REPORT

**Customer Name** : นิติบุคคลอาคารชุด ไอดีโอ โมบิ สุขุมวิท อีสต์ พอยท์  
**Customer Address** : เลขที่ 4379 ถนนสุขุมวิท แขวงบางนาใต้ เขตบางนา กรุงเทพมหานคร 10260  
**Project Name** : โครงการไอดีโอ โมบิ สุขุมวิท อีสต์พอยท์ (Ideo Mobi Sukhumvit Eastpoint)  
**Project Address** : ถนนสุขุมวิท แขวงบางนา เขตบางนา จังหวัดกรุงเทพมหานคร 10260  
**Sample Type** : Waste water  
**Sample Name** : บริเวณน้ำเสียก่อนเข้าระบบบำบัดน้ำเสีย อาคาร B  
**GPS. Coordinate** : UTM (WGS84) 47P 0673476 E, 1511121 N  
**Sampling Date** : March 13, 2023  
**Sampling Time** : 12:43  
**Sample Received Date** : March 14, 2023  
**Analysis Date** : March 14-30, 2023  
**Sampling By** : Mr.Naruthep Boonploysombut Analyst No.ว-262-จ-8625  
**Appearance** : Turbid, Yellow, Sediment, Smell  
**Analyzed By** : Ms.Kanokporn Mookdamung Analyst No.ว-262-จ-9129  
**Sample Code** : AG39W/66  
**Request No.** : 0164/66  
**Report Date** : April 5, 2023  
**Report No.** : PBW077/2023

Item	Parameter	Method of Analysis <sup>1/</sup>	Result	Unit
1	pH <sup>1</sup>	Electrometric Method (at 25°C)	7.7	-
2	Biochemical Oxygen Demand	5-Day BOD Test, Azide Modification Method	19.09	mg/l
3	Total Suspended Solids <sup>1</sup>	Dried at 103-105°C	81	mg/l
4	Sulfide	Iodometric Method	2.36	mg/l
5	Total Dissolved Solids <sup>1</sup>	Dried at 180°C	455	mg/l
6	Settleable Solids	Volumetric Method	10	ml/l
7	Fat Oil and Grease	Liquid-Liquid Partition, Gravimetric Method	4.6	mg/l
8	Total Kjeldahl Nitrogen	Semi - Micro Kjeldahl, Titrimetric Method	59.99	mg/l
9	Total Coliform Bacteria	AWWA 2017 9221 B	1,700,000 <sup>2/</sup>	MPN/100 ml
10	Fecal Coliform Bacteria	AWWA 2017 9221 E	1,100,000 <sup>2/</sup>	MPN/100 ml

Remark : <sup>1/</sup> APHA, AWWA, WEF. Standard Method for the Examination of Water and Wastewater 23<sup>rd</sup> ed. Washington, DC : APHA, 2017

<sup>2/</sup> Analysis And Results By South East Asian Laboratory Co., Ltd.

<sup>1</sup> ISO/IEC 17025 : 2005 หมายเลขการรับรองระบบงานที่ทดสอบ -0155

Thitima

(Ms.Thitima Jampathong)  
Analyst No.ว-262-จ-9126  
Laboratory And Quality Manager



Phattaraporn

(Ms.Phattaraporn Meepet)  
Analyst No.ว-262-จ-8617  
Environmental Report Manager

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL

REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY





# ECO CONSULTANT COMPANY LIMITED.

32/3-4, Moo.4, Thai Ko, Sam Khok, Pathumthani, 12160. Tel. 02-001-384-5

32/3-4 หมู่ที่ 4 ตำบลท้ายเกาะ อำเภอสสามโคก จังหวัดปทุมธานี 12160. โทร 02-001-384-5

www.ecoconsult-lab.com Tax Identification Number : 0135559001081



TESTING

No.0155

## ANALYSIS REPORT

**Customer Name** : นิติบุคคลอาคารชุด ไอดีโอ โมบิ สุขุมวิท อีสต์ พอยท์  
**Customer Address** : เลขที่ 4379 ถนนสุขุมวิท แขวงบางนาใต้ เขตบางนา กรุงเทพมหานคร 10260  
**Project Name** : โครงการไอดีโอ โมบิ สุขุมวิท อีสต์พอยท์ (Ideo Mobi Sukhumvit Eastpoint)  
**Project Address** : ถนนสุขุมวิท แขวงบางนา เขตบางนา จังหวัดกรุงเทพมหานคร 10260  
**Sample Type** : Waste water  
**Sample Name** : บริเวณน้ำเสียหลังผ่านระบบบำบัดน้ำเสีย อาคาร B  
**GPS. Coordinate** : UTM (WGS84) 47P 0673444 E, 1511120 N  
**Sampling Date** : March 13, 2023  
**Sampling Time** : 12:39  
**Sample Received Date** : March 14, 2023  
**Analysis Date** : March 14-30, 2023  
**Sampling By** : Mr.Naruthep Boonploysombut Analyst No.ว-262-จ-8625  
**Appearance** : Clear, Light Yellow, Slightly Sediment, Smell  
**Analyzed By** : Ms.Kanokporn Mookdamung Analyst No.ว-262-จ-9129  
**Sample Code** : AG41W/66  
**Request No.** : 0164/66  
**Report Date** : April 5, 2023  
**Report No.** : PBW078/2023

Item	Parameter	Method of Analysis <sup>1/</sup>	Result	Standard <sup>2/</sup>	Unit	Conclusion
1	pH <sup>1</sup>	Electrometric Method (at 25°C)	7.5	5.0-9.0	-	Pass
2	Biochemical Oxygen Demand	5-Day BOD Test, Azide Modification Method	19.01	20	mg/l	Pass
3	Total Suspended Solids <sup>1</sup>	Dried at 103-105°C	5.0	30	mg/l	Pass
4	Sulfide	Iodometric Method	<1	1.0	mg/l	Pass
5	Total Dissolved Solids <sup>1</sup>	Dried at 180°C	487	722*	mg/l	Pass
6	Settleable Solids	Volumetric Method	<0.5	0.5	ml/l	Pass
7	Fat Oil and Grease	Liquid-Liquid Partition, Gravimetric Method	<4	20	mg/l	Pass
8	Total Kjeldahl Nitrogen	Semi - Micro Kjeldahl, Titrimetric Method	12.11	35	mg/l	Pass
9	Total Coliform Bacteria	AWWA 2017 9221 B	14,000 <sup>3/</sup>	-	MPN/100 ml	Pass
10	Fecal Coliform Bacteria	AWWA 2017 9221 E	11,000 <sup>3/</sup>	-	MPN/100 ml	Pass

Remark : <sup>1/</sup> APHA, AWWA, WEF. Standard Method for the Examination of Water and Wastewater 23<sup>rd</sup> ed. Washington, DC : APHA, 2017

<sup>2/</sup> Ministry of Natural Resources and Environment Announcement of wastewater discharge standards control certain types of buildings in the Royal Government Gazette No.122 Special Part 125D dated December 29, B.E. 2548 (2005). (Type A.)

<sup>3/</sup> Analysis And Results By South East Asian Laboratory Co., Ltd.

<sup>1</sup> ISO/IEC 17025 : 2005 หมายเลขการรับรองระบบงานที่ทดสอบ -0155

\* Increased Total Dissolved Solids in water use not more than 500 mg/l (Total Dissolved Solids in water use 222 mg/l)

Thitima

(Ms.Thitima Jampathong)  
Analyst No.ว-262-จ-9126  
Laboratory And Quality Manager



Phattaraporn

(Ms.Phattaraporn Meepet)  
Analyst No.ว-262-จ-8617  
Environmental Report Manager

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL

REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY





# ECO CONSULTANT COMPANY LIMITED.

32/3-4, Moo.4, Thai Ko, Sam Khok, Pathumthani, 12160. Tel. 02-001-384-5  
32/3-4 หมู่ที่ 4 ตำบลท้ายเกาะ อำเภอสамโคก จังหวัดปทุมธานี 12160. โทร 02-001-384-5  
www.ecoconsult-lab.com Tax Identification Number : 0135559001081



TESTING  
No.0155

## ANALYSIS REPORT

**Customer Name** : นิติบุคคลอาคารชุด ไอดีโอ โมบี สุขุมวิท อีสต์ พอยท์  
**Customer Address** : เลขที่ 4379 ถนนสุขุมวิท แขวงบางนาใต้ เขตบางนา กรุงเทพมหานคร 10260  
**Project Name** : โครงการไอดีโอ โมบี สุขุมวิท อีสต์พอยท์ (Ideo Mobi Sukhumvit Eastpoint)  
**Project Address** : ถนนสุขุมวิท แขวงบางนา เขตบางนา จังหวัดกรุงเทพมหานคร 10260  
**Sample Type** : Waste water  
**Sample Name** : บริเวณบ่อพักน้ำทิ้งก่อนระบายออกนอกโครงการ  
**GPS. Coordinate** : UTM (WGS84) 47P 0673446 E, 1511181 N  
**Sampling Date** : March 13, 2023  
**Sampling Time** : 13:01  
**Sample Received Date** : March 14, 2023  
**Analysis Date** : March 14-30, 2023  
**Sampling By** : Mr.Naruthep Boonploysombut Analyst No.ว-262-จ-8625  
**Appearance** : Turbid, Yellow, Sediment, Smell  
**Analyzed By** : Ms.Kanokporn Mookdamung Analyst No.ว-262-จ-9129  
**Sample Code** : AG42W/66  
**Request No.** : 0164/66  
**Report Date** : April 5, 2023  
**Report No.** : PBW079/2023

Item	Parameter	Method of Analysis <sup>1/</sup>	Result	Standard2/	Unit
1	pH <sup>1</sup>	Electrometric Method (at 25°C)	7.3	5.0-9.0	-
2	Biochemical Oxygen Demand	5-Day BOD Test, Azide Modification Method	49.62**	20	mg/l
3	Total Suspended Solids <sup>1</sup>	Dried at 103-105°C	119**	30	mg/l
4	Sulfide	Iodometric Method	3.33**	1.0	mg/l
5	Total Dissolved Solids <sup>1</sup>	Dried at 180°C	432	722*	mg/l
6	Settleable Solids	Volumetric Method	20**	0.5	ml/l
7	Fat Oil and Grease	Liquid-Liquid Partition, Gravimetric Method	<4	20	mg/l
8	Total Kjeldahl Nitrogen	Semi - Micro Kjeldahl, Titrimetric Method	108**	35	mg/l
9	Total Coliform Bacteria	AWWA 2017 9221 B	700,000 <sup>3/</sup>	-	MPN/100 ml
10	Fecal Coliform Bacteria	AWWA 2017 9221 E	700,000 <sup>3/</sup>	-	MPN/100 ml

Remark : <sup>1/</sup> APHA, AWWA, WEF. Standard Method for the Examination of Water and Wastewater 23<sup>rd</sup> ed. Washing ton, DC : APHA, 2017

<sup>2/</sup> Ministry of Natural Resources and Environment Announcement of wastewater discharge standards control certain types of buildings in the Royal Government Gazette No.122 Special Part 125D dated December 29, B.E. 2548 (2005). (Type A.)

<sup>3/</sup> Analysis And Results By South East Asian Laboratory Co., Ltd.

<sup>1</sup> ISO/IEC 17025 : 2005 หมายเลขการรับรองระบบงานที่ทดสอบ -0155

\* Increased Total Dissolved Solids in water use not more than 500 mg/l (Total Dissolved Solids in water use 222 mg/l)

\*\* Not Within Standard

Thitima

(Ms.Thitima Jampathong)  
Analyst No.ว-262-จ-9126  
Laboratory And Quality Manager



Phattaraporn

(Ms.Phattaraporn Meepet)  
Analyst No.ว-262-จ-8617  
Environmental Report Manager

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL

REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY





## ECO CONSULTANT COMPANY LIMITED.

32/3-4, Moo.4, Thai Ko, Sam Khok, Pathumthani, 12160. Tel. 02-001-384-5

32/3-4 หมู่ที่ 4 ตำบลท้ายเกาะ อำเภอสамโคก จังหวัดปทุมธานี 12160. โทร 02-001-384-5

www.ecoconsult-lab.com Tax Identification Number : 0135559001081

### ANALYSIS REPORT

**Customer Name** : นิติบุคคลอาคารชุด ไอดีโอ โมบิ สุขุมวิท อีสต์ พอยท์  
**Customer Address** : เลขที่ 4379 ถนนสุขุมวิท แขวงบางนาใต้ เขตบางนา กรุงเทพมหานคร 10260  
**Project Name** : โครงการไอดีโอ โมบิ สุขุมวิท อีสต์พอยท์ (Ideo Mobi Sukhumvit Eastpoint)  
**Project Address** : ถนนสุขุมวิท แขวงบางนา เขตบางนา จังหวัดกรุงเทพมหานคร 10260  
**Sample Type** : Water supply  
**Sample Name** : บริเวณก๊อกน้ำในพื้นที่โครงการ  
**GPS. Coordinate** : -  
**Sampling Date** : March 13, 2023  
**Sampling Time** : 13:05  
**Sample Received Date** : March 14, 2023  
**Analysis Date** : March 14-30, 2023  
**Sampling By** : Mr.Naruthep Boonploysombut Analyst No.ว-262-จ-8625  
**Appearance** : Clear, None Sediment, Scentless  
**Analyzed By** : Ms.Kanokporn Mookdamung Analyst No.ว-262-จ-9129  
**Sample Code** : AG43WS/66  
**Request No.** : 0164/66  
**Report Date** : April 5, 2023  
**Report No.** : PWS012/2023

Item	Parameter	Method of Analysis <sup>1/</sup>	Result	Standard <sup>2/</sup>	Unit	Conclusion
1	Total Dissolved Solid	Dried at 180°C	222	1,000	mg/l	Pass

Remark : <sup>1/</sup> APHA, AWWA, WEF. Standard Method for the Examination of Water and Wastewater 23<sup>rd</sup> ed. Washington, DC : APHA, 2017

<sup>2/</sup> Water Supply Standard of Provincial Waterworks Authority, according to World Health Organization (2011).

Thitima

(Ms.Thitima Jampathong)

Laboratory And Quality Manager



Phattaraporn

(Ms.Phattaraporn Meepet)

Environmental Report Manager

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL

REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY





# ECO CONSULTANT COMPANY LIMITED.

32/3-4, Moo.4, Thai Ko, Sam Khok, Pathumthani, 12160. Tel. 02-001-384-5

32/3-4 หมู่ที่ 4 ตำบลท้ายเกาะ อำเภอสสามโคก จังหวัดปทุมธานี 12160. โทร 02-001-384-5

www.ecoconsult-lab.com Tax Identification Number : 0135559001081

## ANALYSIS REPORT

**Customer Name** : นิติบุคคลอาคารชุด ไอดีโอ โมบิ สุขุมวิท อีสต์ พอยท์  
**Customer Address** : เลขที่ 4379 ถนนสุขุมวิท แขวงบางนาใต้ เขตบางนา กรุงเทพมหานคร 10260  
**Project Name** : โครงการไอดีโอ โมบิ สุขุมวิท อีสต์พอยท์ (Ideo Mobi Sukhumvit Eastpoint)  
**Project Address** : ถนนสุขุมวิท แขวงบางนา เขตบางนา จังหวัดกรุงเทพมหานคร 10260  
**Sample Type** : Water supply  
**Sample Name** : บริเวณก๊อกน้ำในพื้นที่โครงการ  
**GPS. Coordinate** : -  
**Sampling Date** : March 13, 2023  
**Sampling Time** : 13:05  
**Sample Received Date** : March 14, 2023  
**Analysis Date** : March 14-30, 2023  
**Sampling By** : Mr.Naruthep Boonploysombut Analyst No.ว-262-จ-8625  
**Appearance** : Clear, None Sediment, Scentless  
**Analyzed By** : Ms.Kanokporn Mookdamung Analyst No.ว-262-จ-9129  
**Sample Code** : AG46WS/66  
**Request No.** : 0164/66  
**Report Date** : April 5, 2023  
**Report No.** : PWS013/2023

Item	Parameter	Method of Analysis <sup>1)</sup>	Result	Standard <sup>2)</sup>	Unit	Conclusion
1	Color	Visual Comparison Method	9	15	Pt-Co	Pass
2	Turbidity	Nephelometric Method	ND (<0.02)	4	NTU	Pass
3	pH	Electrometric Method (at 25°C)	7.7	6.5-8.5	-	Pass
4	Total Dissolved Solid	Dried at 180°C	206	600	mg/l	Pass
5	Iron	Inductively Coupled Plasma Method	ND (<0.1)	0.3	mg/l	Pass
6	Manganese	Inductively Coupled Plasma Method	0.02	0.3	mg/l	Pass
7	Copper	Inductively Coupled Plasma Method	ND (<0.02)	2.0	mg/l	Pass
8	Zinc	Inductively Coupled Plasma Method	0.52	3.0	mg/l	Pass
9	Total Hardness as CaCO <sub>3</sub>	EDTA Titrimetric Method	85.40	300	mg/l	Pass
10	Sulfate	Turbidimetric Method	48.05	250	mg/l	Pass
11	Chloride as Chlorine	Argentometric Method	27.01	250	mg/l	Pass
12	Fluoride	SPADNS Method	0.53	0.7	µS/cm	Pass
13	Nitrate as NO <sub>3</sub>	Cadmium Reduction Method	3.43	50	mg/l	Pass
14	Total Coliform Bacteria	SMWW 2017 9221 B	<1.1	-	In 100ml	-
15	Fecal Coliform Bacteria	SMWW 2017 9221 E	None	-	In 100ml	-
16	<i>Escherichia coli</i>	SMWW (2017) 9221 F	None	-	In 100ml	-
17	Mercury	Cold Vapour AAS Method	ND (<0.0005)	0.001	mg/l	Pass
18	Lead	Inductively Coupled Plasma Method	ND (<0.01)	0.01	mg/l	Pass
19	Arsenic	Hydride Generation AAS Method	ND (<0.01)	0.01	mg/l	Pass
20	Chromium	Inductively Coupled Plasma Method	0.02	0.05	mg/l	Pass
21	Cadmium	Inductively Coupled Plasma Method	ND (<0.002)	0.003	mg/l	Pass

Remark : <sup>1)</sup> APHA, AWWA, WEF. Standard Method for the Examination of Water and Wastewater 23<sup>rd</sup> ed. Washington, DC: APHA, 2017

<sup>2)</sup> Water Supply Standard of Provincial Waterworks Authority, according to World Health Organization (2011).

ND = Not Detectable

Thitima

(Ms.Thitima Jampathong)  
Laboratory And Quality Manager



Phattaraporn

(Ms.Phattaraporn Meepet)  
Environmental Report Manager

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL

REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY





# ECO CONSULTANT COMPANY LIMITED.

32/3-4, Moo.4, Thai Ko, Sam Khok, Pathumthani, 12160. Tel. 02-001-384-5

32/3-4 หมู่ที่ 4 ตำบลท้ายเกาะ อำเภอสสามโคก จังหวัดปทุมธานี 12160. โทร 02-001-384-5

www.ecoconsult-lab.com Tax Identification Number : 0135559001081

## ANALYSIS REPORT

**Customer Name** : นิติบุคคลอาคารชุด ไอดีโอ โมบี สุขุมวิท อีสต์ พอยท์  
**Customer Address** : เลขที่ 4379 ถนนสุขุมวิท แขวงบางนาใต้ เขตบางนา กรุงเทพมหานคร 10260  
**Project Name** : โครงการไอดีโอ โมบี สุขุมวิท อีสต์พอยท์ (Ideo Mobi Sukhumvit Eastpoint)  
**Project Address** : ถนนสุขุมวิท แขวงบางนา เขตบางนา จังหวัดกรุงเทพมหานคร 10260  
**Sample Type** : Pool water  
**Sample Name** : บริเวณสระว่ายน้ำ (ส่วนเล็ก)  
**GPS. Coordinate** : UTM (WGS84) 47P 0673468 E, 1511177 N  
**Sampling Date** : March 7, 2023  
**Sampling Time** : 12:27  
**Sample Received Date** : March 8, 2023  
**Analysis Date** : March 8-24, 2023  
**Sampling By** : Mr.Naruthep Boonploysombut  
**Appearance** : Clear, None Sediment, Scentless  
**Analyzed By** : Ms.Thitiporn Chantrakun  
**Sample Code** : AG92WS/66  
**Request No.** : 0179/66  
**Report Date** : March 28, 2023  
**Report No.** : PPW029/2023

Item	Parameter	Method of Analysis <sup>1/</sup>	Result	Standard		Unit	Conclusion
				BRT <sup>2/</sup>	RPH <sup>3/</sup>		
1	Total Coliform Bacteria	AWWA Ed 23 (2017), 9221 B	<1.1	<10	<10	MPN/100 ml	Pass
2	<i>Escherichia coli</i>	AWWA Ed 23 (2017), 9221 F	Not Detectable	None	None	in100 ml	Pass
3	<i>Staphylococcus aureus</i>	AWWA Ed 23 (2017), 9213 B	Not Detectable	None	None	in100 ml	Pass
4	<i>Pseudomonas aeruginosa</i>	AWWA Ed 23 (2017), 9213 E	Not Detectable	None	None	in100 ml	Pass

Remark : <sup>1/</sup> APHA, AWWA, WEF. Standard Method for the Examination of Water and Wastewater 23<sup>rd</sup> ed. Washington, DC: APHA, 2017

<sup>2/</sup> Bangkok Regulations Trade Rules which is Disgusting or Potentially Harmful to Health type of Swimming Pool Establishment in the Royal Government Gazette No.10 Part 205 dated October 14, B.E.2530 (1987)

<sup>3/</sup> Recommendations of The Public Health Committee No. 1/2550 (2007) Regarding the Control of Swimming Pool Operations or any other Similar Business.

ND = Not Detectable



Thitima

(Ms.Thitima Jampathong)  
Laboratory And Quality Manager

Phattaraporn

(Ms.Phattaraporn Meepet)  
Environmental Report Manager

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL

REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY





# ECO CONSULTANT COMPANY LIMITED.

32/3-4, Moo.4, Thai Ko, Sam Khok, Pathumthani, 12160. Tel. 02-001-384-5

32/3-4 หมู่ที่ 4 ตำบลท้ายเกาะ อำเภอสามโคก จังหวัดปทุมธานี 12160. โทร 02-001-384-5

www.ecoconsult-lab.com Tax Identification Number : 0135559001081

## ANALYSIS REPORT

**Customer Name** : นิติบุคคลอาคารชุด ไอดีโอ โมบิ สุขุมวิท อีสต์ พอยท์  
**Customer Address** : เลขที่ 4379 ถนนสุขุมวิท แขวงบางนาใต้ เขตบางนา กรุงเทพมหานคร 10260  
**Project Name** : โครงการไอดีโอ โมบิ สุขุมวิท อีสต์พอยท์ (Ideo Mobi Sukhumvit Eastpoint)  
**Project Address** : ถนนสุขุมวิท แขวงบางนา เขตบางนา จังหวัดกรุงเทพมหานคร 10260  
**Sample Type** : Pool water  
**Sample Name** : บริเวณสระว่ายน้ำ (ส่วนต้น)  
**GPS. Coordinate** : UTM (WGS84) 47P 0673474 E, 1511194 N  
**Sampling Date** : March 7, 2023  
**Sampling Time** : 12:30  
**Sample Received Date** : March 8, 2023  
**Analysis Date** : March 8-24, 2023  
**Sampling By** : Mr.Naruthep Boonploysombut  
**Appearance** : Clear, None Sediment, Scentless  
**Analyzed By** : Ms.Thitiporn Chantrakun  
**Sample Code** : AG93WS/66  
**Request No.** : 0179/66  
**Report Date** : March 28, 2023  
**Report No.** : PPW030/2023

Item	Parameter	Method of Analysis <sup>1/</sup>	Result	Standard		Unit	Conclusion
				BRT <sup>2/</sup>	RPH <sup>3/</sup>		
1	Total Coliform Bacteria	AWWA Ed 23 (2017), 9221 B	<1.1	<10	<10	MPN/100 ml	Pass
2	<i>Escherichia coli</i>	AWWA Ed 23 (2017), 9221 F	Not Detectable	None	None	in100 ml	Pass
3	<i>Staphylococcus aureus</i>	AWWA Ed 23 (2017), 9213 B	Not Detectable	None	None	in100 ml	Pass
4	<i>Pseudomonas aeruginosa</i>	AWWA Ed 23 (2017), 9213 E	Not Detectable	None	None	in100 ml	Pass

Remark : <sup>1/</sup> APHA, AWWA, WEF. Standard Method for the Examination of Water and Wastewater 23<sup>rd</sup> ed. Washington, DC: APHA, 2017

<sup>2/</sup> Bangkok Regulations Trade Rules which is Disgusting or Potentially Harmful to Health type of Swimming Pool Establishment in the Royal Government Gazette No.10 Part 205 dated October 14, B.E.2530 (1987)

<sup>3/</sup> Recommendations of The Public Health Committee No. 1/2550 (2007) Regarding the Control of Swimming Pool Operations or any other Similar Business.

ND = Not Detectable

Thitima

(Ms.Thitima Jampathong)  
Laboratory And Quality Manager



Phattaraporn

(Ms.Phattaraporn Meepet)  
Environmental Report Manager

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL

REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY





# ECO CONSULTANT COMPANY LIMITED.

32/3-4, Moo.4, Thai Ko, Sam Khok, Pathumthani, 12160. Tel. 02-001-384-5

32/3-4 หมู่ที่ 4 ตำบลท้ายเกาะ อำเภอสสามโคก จังหวัดปทุมธานี 12160. โทร 02-001-384-5

www.ecoconsult-lab.com Tax Identification Number : 0135559001081

## ANALYSIS REPORT

**Customer Name** : นิตินุศลอคารชุด ไอดีโอ โมบี สุขุมวิท อีสต์ พอยท์  
**Customer Address** : เลขที่ 4379 ถนนสุขุมวิท แขวงบางนาใต้ เขตบางนา กรุงเทพมหานคร 10260  
**Project Name** : โครงการไอดีโอ โมบี สุขุมวิท อีสต์พอยท์ (Ideo Mobi Sukhumvit Eastpoint)  
**Project Address** : ถนนสุขุมวิท แขวงบางนา เขตบางนา จังหวัดกรุงเทพมหานคร 10260  
**Sample Type** : Pool water  
**Sample Name** : บริเวณสระว่ายน้ำ (ส่วนเล็ก)  
**GPS. Coordinate** : UTM (WGS84) 47P 0673468 E, 1511177 N  
**Sampling Date** : March 13, 2023  
**Sampling Time** : 12:27  
**Sample Received Date** : March 14, 2023  
**Analysis Date** : March 14-30, 2023  
**Sampling By** : Mr.Naruthep Boonploysombut  
**Appearance** : Clear, None Sediment, Scentless  
**Analyzed By** : Ms.Thitiporn Chantrakun  
**Sample Code** : AG44WS/66  
**Request No.** : 0164/66  
**Report Date** : April 5, 2023  
**Report No.** : PPW035/2023

Item	Parameter	Method of Analysis <sup>1/</sup>	Result	Standard		Unit	Conclusion
				BRT <sup>2/</sup>	RPH <sup>3/</sup>		
1	Total Coliform Bacteria	AWWA Ed 23 (2017), 9221 B	<1.1	<10	<10	MPN/100 ml	Pass
2	<i>Escherichia coli</i>	AWWA Ed 23 (2017), 9221 F	Not Detectable	None	None	in100 ml	Pass
3	<i>Staphylococcus aureus</i>	AWWA Ed 23 (2017), 9213 B	Not Detectable	None	None	in100 ml	Pass
4	<i>Pseudomonas aeruginosa</i>	AWWA Ed 23 (2017), 9213 E	Not Detectable	None	None	in100 ml	Pass

Remark : <sup>1/</sup> APHA, AWWA, WEF. Standard Method for the Examination of Water and Wastewater 23<sup>rd</sup> ed. Washington, DC: APHA, 2017

<sup>2/</sup> Bangkok Regulations Trade Rules which is Disgusting or Potentially Harmful to Health type of Swimming Pool Establishment in the Royal Government Gazette No.10 Part 205 dated October 14, B.E.2530 (1987)

<sup>3/</sup> Recommendations of The Public Health Committee No. 1/2550 (2007) Regarding the Control of Swimming Pool Operations or any other Similar Business.

ND = Not Detectable



Thitima

(Ms.Thitima Jampathong)  
Laboratory And Quality Manager

Phattaraporn

(Ms.Phattaraporn Meepet)  
Environmental Report Manager

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL

REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY





# ECO CONSULTANT COMPANY LIMITED.

32/3-4, Moo.4, Thai Ko, Sam Khok, Pathumthani, 12160. Tel. 02-001-384-5

32/3-4 หมู่ที่ 4 ตำบลท้ายเกาะ อำเภอสสามโคก จังหวัดปทุมธานี 12160. โทร 02-001-384-5

www.ecoconsult-lab.com Tax Identification Number : 0135559001081

## ANALYSIS REPORT

**Customer Name** : นิติบุคคลอาคารชุด ไอดีโอ โมบิ สุขุมวิท อีสต์ พอยท์  
**Customer Address** : เลขที่ 4379 ถนนสุขุมวิท แขวงบางนาใต้ เขตบางนา กรุงเทพมหานคร 10260  
**Project Name** : โครงการไอดีโอ โมบิ สุขุมวิท อีสต์พอยท์ (Ideo Mobi Sukhumvit Eastpoint)  
**Project Address** : ถนนสุขุมวิท แขวงบางนา เขตบางนา จังหวัดกรุงเทพมหานคร 10260  
**Sample Type** : Pool water  
**Sample Name** : บริเวณสระว่ายน้ำ (ส่วนต้น)  
**GPS. Coordinate** : UTM (WGS84) 47P 0673474 E, 1511194 N  
**Sampling Date** : March 13, 2023  
**Sampling Time** : 12:30  
**Sample Received Date** : March 14, 2023  
**Analysis Date** : March 14-30, 2023  
**Sampling By** : Mr.Naruthep Boonploysombut  
**Appearance** : Clear, None Sediment, Scentless  
**Analyzed By** : Ms.Thitiporn Chantrakun  
**Sample Code** : AG45WS/66  
**Request No.** : 0164/66  
**Report Date** : April 5, 2023  
**Report No.** : PPW036/2023

Item	Parameter	Method of Analysis <sup>1/</sup>	Result	Standard		Unit	Conclusion
				BRT <sup>2/</sup>	RPH <sup>3/</sup>		
1	Total Coliform Bacteria	AWWA Ed 23 (2017), 9221 B	<1.1	<10	<10	MPN/100 ml	Pass
2	<i>Escherichia coli</i>	AWWA Ed 23 (2017), 9221 F	Not Detectable	None	None	in100 ml	Pass
3	<i>Staphylococcus aureus</i>	AWWA Ed 23 (2017), 9213 B	Not Detectable	None	None	in100 ml	Pass
4	<i>Pseudomonas aeruginosa</i>	AWWA Ed 23 (2017), 9213 E	Not Detectable	None	None	in100 ml	Pass

Remark : <sup>1/</sup> APHA, AWWA, WEF. Standard Method for the Examination of Water and Wastewater 23<sup>rd</sup> ed. Washington, DC: APHA, 2017

<sup>2/</sup> Bangkok Regulations Trade Rules which is Disgusting or Potentially Harmful to Health type of Swimming Pool Establishment in the Royal Government Gazette No.10 Part 205 dated October 14, B.E.2530 (1987)

<sup>3/</sup> Recommendations of The Public Health Committee No. 1/2550 (2007) Regarding the Control of Swimming Pool Operations or any other Similar Business.

ND = Not Detectable



Thitima

(Ms.Thitima Jampathong)  
Laboratory And Quality Manager

Phattaraporn

(Ms.Phattaraporn Meepet)  
Environmental Report Manager

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL

REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY





# ECO CONSULTANT COMPANY LIMITED.

32/3-4, Moo.4, Thai Ko, Sam Khok, Pathumthani, 12160. Tel. 02-001-384-5

32/3-4 หมู่ที่ 4 ตำบลท้ายเกาะ อำเภอสамโคก จังหวัดปทุมธานี 12160. โทร 02-001-384-5

www.ecoconsult-lab.com Tax Identification Number : 0135559001081

## ANALYSIS REPORT

**Customer Name** : นิติบุคคลอาคารชุด ไอดีโอ โมบิ สุขุมวิท อีสต์ พอยท์  
**Customer Address** : เลขที่ 4379 ถนนสุขุมวิท แขวงบางนาใต้ เขตบางนา กรุงเทพมหานคร 10260  
**Project Name** : โครงการไอดีโอ โมบิ สุขุมวิท อีสต์พอยท์ (Ideo Mobi Sukhumvit Eastpoint)  
**Project Address** : ถนนสุขุมวิท แขวงบางนา เขตบางนา จังหวัดกรุงเทพมหานคร 10260  
**Sample Type** : Pool water  
**Sample Name** : บริเวณสระว่ายน้ำ (ส่วนเล็ก)  
**GPS. Coordinate** : UTM (WGS84) 47P 0673468 E, 1511177 N  
**Sampling Date** : March 20, 2023  
**Sampling Time** : 12:41  
**Sample Received Date** : March 21, 2023  
**Analysis Date** : March 21 – April 10, 2023  
**Sampling By** : Mr.Naruthep Boonploysombut  
**Appearance** : Clear, None Sediment, Scentless  
**Analyzed By** : Ms.Thitiporn Chantrakun  
**Sample Code** : AK19WS/66  
**Request No.** : 0333/66  
**Report Date** : April 11, 2023  
**Report No.** : PPW041/2023

Item	Parameter	Method of Analysis <sup>1/</sup>	Result	Standard		Unit	Conclusion
				BRT <sup>2/</sup>	RPH <sup>3/</sup>		
1	Total Coliform Bacteria	AWWA Ed 23 (2017), 9221 B	<1.1	<10	<10	MPN/100 ml	Pass
2	<i>Escherichia coli</i>	AWWA Ed 23 (2017), 9221 F	Not Detectable	None	None	in100 ml	Pass
3	<i>Staphylococcus aureus</i>	AWWA Ed 23 (2017), 9213 B	Not Detectable	None	None	in100 ml	Pass
4	<i>Pseudomonas aeruginosa</i>	AWWA Ed 23 (2017), 9213 E	Not Detectable	None	None	in100 ml	Pass

Remark : <sup>1/</sup> APHA, AWWA, WEF. Standard Method for the Examination of Water and Wastewater 23<sup>rd</sup> ed. Washington, DC: APHA, 2017

<sup>2/</sup> Bangkok Regulations Trade Rules which is Disgusting or Potentially Harmful to Health type of Swimming Pool Establishment in the Royal Government Gazette No.10 Part 205 dated October 14, B.E.2530 (1987)

<sup>3/</sup> Recommendations of The Public Health Committee No. 1/2550 (2007) Regarding the Control of Swimming Pool Operations or any other Similar Business.

ND = Not Detectable



Thitima

(Ms.Thitima Jampathong)  
Laboratory And Quality Manager

Phattaraporn

(Ms.Phattaraporn Meepet)  
Environmental Report Manager

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL

REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY





## ECO CONSULTANT COMPANY LIMITED.

32/3-4, Moo.4, Thai Ko, Sam Khok, Pathumthani, 12160. Tel. 02-001-384-5

32/3-4 หมู่ที่ 4 ตำบลท้ายเกาะ อำเภอสสามโคก จังหวัดปทุมธานี 12160. โทร 02-001-384-5

www.ecoconsult-lab.com Tax Identification Number : 0135559001081

### ANALYSIS REPORT

**Customer Name** : นิติบุคคลอาคารชุด ไอดีโอ โมบิ สุขุมวิท อีสต์ พอยท์  
**Customer Address** : เลขที่ 4379 ถนนสุขุมวิท แขวงบางนาใต้ เขตบางนา กรุงเทพมหานคร 10260  
**Project Name** : โครงการไอดีโอ โมบิ สุขุมวิท อีสต์พอยท์ (Ideo Mobi Sukhumvit Eastpoint)  
**Project Address** : ถนนสุขุมวิท แขวงบางนา เขตบางนา จังหวัดกรุงเทพมหานคร 10260  
**Sample Type** : Pool water  
**Sample Name** : บริเวณสระว่ายน้ำ (ส่วนต้น)  
**GPS. Coordinate** : UTM (WGS84) 47P 0673474 E, 1511194 N  
**Sampling Date** : March 20, 2023  
**Sampling Time** : 12:44  
**Sample Received Date** : March 21, 2023  
**Analysis Date** : March 21 – April 10, 2023  
**Sampling By** : Mr.Naruthep Boonploysombut  
**Appearance** : Clear, None Sediment, Scentless  
**Analyzed By** : Ms.Thitiporn Chantrakun  
**Sample Code** : AK20WS/66  
**Request No.** : 0333/66  
**Report Date** : April 11, 2023  
**Report No.** : PPW042/2023

Item	Parameter	Method of Analysis <sup>1/</sup>	Result	Standard		Unit	Conclusion
				BRT <sup>2/</sup>	RPH <sup>3/</sup>		
1	Total Coliform Bacteria	AWWA Ed 23 (2017), 9221 B	<1.1	<10	<10	MPN/100 ml	Pass
2	<i>Escherichia coli</i>	AWWA Ed 23 (2017), 9221 F	Not Detectable	None	None	in100 ml	Pass
3	<i>Staphylococcus aureus</i>	AWWA Ed 23 (2017), 9213 B	Not Detectable	None	None	in100 ml	Pass
4	<i>Pseudomonas aeruginosa</i>	AWWA Ed 23 (2017), 9213 E	Not Detectable	None	None	in100 ml	Pass

Remark : <sup>1/</sup> APHA, AWWA, WEF. Standard Method for the Examination of Water and Wastewater 23<sup>rd</sup> ed. Washington, DC: APHA, 2017

<sup>2/</sup> Bangkok Regulations Trade Rules which is Disgusting or Potentially Harmful to Health type of Swimming Pool Establishment in the Royal Government Gazette No.10 Part 205 dated October 14, B.E.2530 (1987)

<sup>3/</sup> Recommendations of The Public Health Committee No. 1/2550 (2007) Regarding the Control of Swimming Pool Operations or any other Similar Business.

ND = Not Detectable

Thitima

(Ms.Thitima Jampathong)  
Laboratory And Quality Manager



Phattaraporn

(Ms.Phattaraporn Meepet)  
Environmental Report Manager

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL

REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY





# ECO CONSULTANT COMPANY LIMITED.

32/3-4, Moo.4, Thai Ko, Sam Khok, Pathumthani, 12160. Tel. 02-001-384-5

32/3-4 หมู่ที่ 4 ตำบลท้ายเกาะ อำเภอสสามโคก จังหวัดปทุมธานี 12160. โทร 02-001-384-5

www.ecoconsult-lab.com Tax Identification Number : 0135559001081

## ANALYSIS REPORT

**Customer Name** : นิติบุคคลอาคารชุด ไอดีโอ โมบิ สุขุมวิท อีสต์ พอยท์  
**Customer Address** : เลขที่ 4379 ถนนสุขุมวิท แขวงบางนาใต้ เขตบางนา กรุงเทพมหานคร 10260  
**Project Name** : โครงการไอดีโอ โมบิ สุขุมวิท อีสต์พอยท์ (Ideo Mobi Sukhumvit Eastpoint)  
**Project Address** : ถนนสุขุมวิท แขวงบางนา เขตบางนา จังหวัดกรุงเทพมหานคร 10260  
**Sample Type** : Pool water  
**Sample Name** : บริเวณสระว่ายน้ำ (ส่วนเล็ก)  
**GPS. Coordinate** : UTM (WGS84) 47P 0673468 E, 1511177 N  
**Sampling Date** : March 27, 2023  
**Sampling Time** : 12:12  
**Sample Received Date** : March 28, 2023  
**Analysis Date** : March 28 – April 18, 2023  
**Sampling By** : Mr.Naruthep Boonploysombut  
**Appearance** : Clear, None Sediment, Scentless  
**Analyzed By** : Ms.Thitiporn Chantrakun  
**Sample Code** : AK38WS/66  
**Request No.** : 0343/66  
**Report Date** : April 20, 2023  
**Report No.** : PPW043/2023

Item	Parameter	Method of Analysis <sup>1/</sup>	Result	Standard		Unit	Conclusion
				BRT <sup>2/</sup>	RPH <sup>3/</sup>		
1	Total Coliform Bacteria	AWWA Ed 23 (2017), 9221 B	<1.1	<10	<10	MPN/100 ml	Pass
2	<i>Escherichia coli</i>	AWWA Ed 23 (2017), 9221 F	Not Detectable	None	None	in100 ml	Pass
3	<i>Staphylococcus aureus</i>	AWWA Ed 23 (2017), 9213 B	Not Detectable	None	None	in100 ml	Pass
4	<i>Pseudomonas aeruginosa</i>	AWWA Ed 23 (2017), 9213 E	Not Detectable	None	None	in100 ml	Pass

Remark : <sup>1/</sup> APHA, AWWA, WEF. Standard Method for the Examination of Water and Wastewater 23<sup>rd</sup> ed. Washington, DC: APHA, 2017

<sup>2/</sup> Bangkok Regulations Trade Rules which is Disgusting or Potentially Harmful to Health type of Swimming Pool Establishment in the Royal Government Gazette No.10 Part 205 dated October 14, B.E.2530 (1987)

<sup>3/</sup> Recommendations of The Public Health Committee No. 1/2550 (2007) Regarding the Control of Swimming Pool Operations or any other Similar Business.

ND = Not Detectable



Thitima

(Ms.Thitima Jampathong)  
Laboratory And Quality Manager

Phattaraporn

(Ms.Phattaraporn Meepet)  
Environmental Report Manager

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL

REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY





## ECO CONSULTANT COMPANY LIMITED.

32/3-4, Moo.4, Thai Ko, Sam Khok, Pathumthani, 12160. Tel. 02-001-384-5

32/3-4 หมู่ที่ 4 ตำบลท้ายเกาะ อำเภอสамโคก จังหวัดปทุมธานี 12160. โทร 02-001-384-5

www.ecoconsult-lab.com Tax Identification Number : 0135559001081

### ANALYSIS REPORT

**Customer Name** : นิติบุคคลอาคารชุด ไอดีโอ โมบิ สุขุมวิท อีสต์ พอยท์  
**Customer Address** : เลขที่ 4379 ถนนสุขุมวิท แขวงบางนาใต้ เขตบางนา กรุงเทพมหานคร 10260  
**Project Name** : โครงการไอดีโอ โมบิ สุขุมวิท อีสต์พอยท์ (Ideo Mobi Sukhumvit Eastpoint)  
**Project Address** : ถนนสุขุมวิท แขวงบางนา เขตบางนา จังหวัดกรุงเทพมหานคร 10260  
**Sample Type** : Pool water  
**Sample Name** : บริเวณสระว่ายน้ำ (ส่วนต้น)  
**GPS. Coordinate** : UTM (WGS84) 47P 0673474 E, 1511194 N  
**Sampling Date** : March 27, 2023  
**Sampling Time** : 12:10  
**Sample Received Date** : March 28, 2023  
**Analysis Date** : March 28 – April 18, 2023  
**Sampling By** : Mr.Naruthep Boonploysombut  
**Appearance** : Clear, None Sediment, Scentless  
**Analyzed By** : Ms.Thitiporn Chantrakun  
**Sample Code** : AK39WS/66  
**Request No.** : 0343/66  
**Report Date** : April 20, 2023  
**Report No.** : PPW044/2023

Item	Parameter	Method of Analysis <sup>1/</sup>	Result	Standard		Unit	Conclusion
				BRT <sup>2/</sup>	RPH <sup>3/</sup>		
1	Total Coliform Bacteria	AWWA Ed 23 (2017), 9221 B	<1.1	<10	<10	MPN/100 ml	Pass
2	<i>Escherichia coli</i>	AWWA Ed 23 (2017), 9221 F	Not Detectable	None	None	in100 ml	Pass
3	<i>Staphylococcus aureus</i>	AWWA Ed 23 (2017), 9213 B	Not Detectable	None	None	in100 ml	Pass
4	<i>Pseudomonas aeruginosa</i>	AWWA Ed 23 (2017), 9213 E	Not Detectable	None	None	in100 ml	Pass

Remark : <sup>1/</sup> APHA, AWWA, WEF. Standard Method for the Examination of Water and Wastewater 23<sup>rd</sup> ed. Washington, DC: APHA, 2017

<sup>2/</sup> Bangkok Regulations Trade Rules which is Disgusting or Potentially Harmful to Health type of Swimming Pool Establishment in the Royal Government Gazette No.10 Part 205 dated October 14, B.E.2530 (1987)

<sup>3/</sup> Recommendations of The Public Health Committee No. 1/2550 (2007) Regarding the Control of Swimming Pool Operations or any other Similar Business.  
ND = Not Detectable

Thitima

(Ms.Thitima Jampathong)  
Laboratory And Quality Manager



Phattaraporn

(Ms.Phattaraporn Meepet)  
Environmental Report Manager

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL

REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY





# ECO CONSULTANT COMPANY LIMITED.

32/3-4, Moo.4, Thai Ko, Sam Khok, Pathumthani, 12160. Tel. 02-001-384-5

32/3-4 หมู่ที่ 4 ตำบลท้ายเกาะ อำเภอสสามโคก จังหวัดปทุมธานี 12160. โทร 02-001-384-5

www.ecoconsult-lab.com Tax Identification Number : 0135559001081



TESTING

No.0155

## ANALYSIS REPORT

**Customer Name** : นิติบุคคลอาคารชุด ไอดีโอ โมบิ สุขุมวิท อีสต์ พอยท์  
**Customer Address** : เลขที่ 4379 ถนนสุขุมวิท แขวงบางนาใต้ เขตบางนา กรุงเทพมหานคร 10260  
**Project Name** : โครงการไอดีโอ โมบิ สุขุมวิท อีสต์พอยท์ (Ideo Mobi Sukhumvit Eastpoint)  
**Project Address** : ถนนสุขุมวิท แขวงบางนา เขตบางนา จังหวัดกรุงเทพมหานคร 10260  
**Sample Type** : Waste water  
**Sample Name** : บริเวณน้ำเสียก่อนเข้าระบบบำบัดน้ำเสีย อาคาร A  
**GPS. Coordinate** : UTM (WGS84) 47P 0673505 E, 1511206 N  
**Sampling Date** : April 10, 2023  
**Sampling Time** : 12:57  
**Sample Received Date** : April 11, 2023  
**Analysis Date** : April 11 – May 8, 2023  
**Sampling By** : Mr.Naruthep Boonploysombut Analyst No.จ-262-จ-0002  
**Appearance** : Turbid, Yellow, Sediment, Smell  
**Analyzed By** : Ms.Kanokporn Mookdamung Analyst No.จ-262-จ-0004  
**Sample Code** : AM62W/66  
**Request No.** : 0430/66  
**Report Date** : May 8, 2023  
**Report No.** : PBW116/2023

Item	Parameter	Method of Analysis <sup>1/</sup>	Result	Unit
1	pH <sup>1/</sup>	Electrometric Method (at 25°C)	6.5	-
2	Biochemical Oxygen Demand	5-Day BOD Test, Azide Modification Method	38.02	mg/l
3	Total Suspended Solids <sup>1/</sup>	Dried at 103–105°C	129	mg/l
4	Sulfide	Iodometric Method	<1	mg/l
5	Total Dissolved Solids <sup>1/</sup>	Dried at 180°C	497	mg/l
6	Settleable Solids	Volumetric Method	20	ml/l
7	Fat Oil and Grease	Liquid-Liquid Partition, Gravimetric Method	4.3	mg/l
8	Total Kjeldahl Nitrogen	Semi - Micro Kjeldahl, Titrimetric Method	14.65	mg/l
9	Total Coliform Bacteria	AWWA 2017 9221 B	5,400 <sup>2/</sup>	MPN/100 ml
10	Fecal Coliform Bacteria	AWWA 2017 9221 E	70 <sup>2/</sup>	MPN/100 ml

Remark : <sup>1/</sup> APHA, AWWA, WEF. Standard Method for the Examination of Water and Wastewater 23<sup>rd</sup> ed. Washington, DC : APHA, 2017

<sup>2/</sup> Analysis And Results By South East Asian Laboratory Co., Ltd.

<sup>1</sup> ISO/IEC 17025 : 2005 หมายเลขการรับรองระบบงานที่ทดสอบ -0155

Thitima

(Ms.Thitima Jampathong)  
Analyst No.จ-262-จ-0003  
Laboratory And Quality Manager



Jm.

(Ms.Phattaraporn Meepet)  
Analyst No.จ-262-จ-0002  
Environmental Report Manager

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL

REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY





# ECO CONSULTANT COMPANY LIMITED.

32/3-4, Moo.4, Thai Ko, Sam Khok, Pathumthani, 12160. Tel. 02-001-384-5

32/3-4 หมู่ที่ 4 ตำบลท้ายเกาะ อำเภอสสามโคก จังหวัดปทุมธานี 12160. โทร 02-001-384-5

www.ecoconsult-lab.com Tax Identification Number : 0135559001081



TESTING  
No.0155

## ANALYSIS REPORT

**Customer Name** : นิติบุคคลอาคารชุด ไอดีโอ โมบิ สุขุมวิท อีสต์ พอยท์  
**Customer Address** : เลขที่ 4379 ถนนสุขุมวิท แขวงบางนาใต้ เขตบางนา กรุงเทพมหานคร 10260  
**Project Name** : โครงการไอดีโอ โมบิ สุขุมวิท อีสต์พอยท์ (Ideo Mobi Sukhumvit Eastpoint)  
**Project Address** : ถนนสุขุมวิท แขวงบางนา เขตบางนา จังหวัดกรุงเทพมหานคร 10260  
**Sample Type** : Waste water  
**Sample Name** : บริเวณน้ำเสียหลังผ่านระบบบำบัดน้ำเสีย อาคาร A  
**GPS. Coordinate** : UTM (WGS84) 47P 0673513 E, 1511237 N  
**Sampling Date** : April 10, 2023  
**Sampling Time** : 12:52  
**Sample Received Date** : April 11, 2023  
**Analysis Date** : April 11 – May 8, 2023  
**Sampling By** : Mr.Naruthep Boonploysombut Analyst No.ว-262-จ-0002  
**Appearance** : Turbid, Yellow, Sediment, Smell  
**Analyzed By** : Ms.Kanokporn Mookdamung Analyst No.ว-262-จ-0004  
**Sample Code** : AM64W/66  
**Request No.** : 0430/66  
**Report Date** : May 8, 2023  
**Report No.** : PBW117/2023

Item	Parameter	Method of Analysis <sup>1/</sup>	Result	Standard <sup>2/</sup>	Unit	Conclusion
1	pH <sup>1</sup>	Electrometric Method (at 25°C)	7.0	5.0-9.0	-	Pass
2	Biochemical Oxygen Demand	5-Day BOD Test, Azide Modification Method	34.21	20	mg/l	Not Pass
3	Total Suspended Solids <sup>1</sup>	Dried at 103-105°C	28	30	mg/l	Pass
4	Sulfide	Iodometric Method	<1	1.0	mg/l	Pass
5	Total Dissolved Solids <sup>1</sup>	Dried at 180°C	471	700*	mg/l	Pass
6	Settleable Solids	Volumetric Method	5.0	0.5	ml/l	Not Pass
7	Fat Oil and Grease	Liquid-Liquid Partition, Gravimetric Method	<4	20	mg/l	Pass
8	Total Kjeldahl Nitrogen	Semi - Micro Kjeldahl, Titrimetric Method	9.36	35	mg/l	Pass
9	Total Coliform Bacteria	AWWA 2017 9221 B	70,000 <sup>3/</sup>	-	MPN/100 ml	Pass
10	Fecal Coliform Bacteria	AWWA 2017 9221 E	94 <sup>3/</sup>	-	MPN/100 ml	Pass

Remark : <sup>1/</sup> APHA, AWWA, WEF. Standard Method for the Examination of Water and Wastewater 23<sup>rd</sup> ed. Washington, DC : APHA, 2017

<sup>2/</sup> Ministry of Natural Resources and Environment Announcement of wastewater discharge standards control certain types of buildings in the Royal Government Gazette No.122 Special Part 125D dated December 29, B.E. 2548 (2005). (Type A.)

<sup>3/</sup> Analysis And Results By South East Asian Laboratory Co., Ltd.

<sup>1</sup> ISO/IEC 17025 : 2005 หมายเลขการรับรองระบบงานที่ทดสอบ -0155

\* Increased Total Dissolved Solids in water use not more than 500 mg/l (Total Dissolved Solids in water use 200 mg/l)

Thitima

(Ms.Thitima Jampathong)  
Analyst No.ว-262-ค-0003  
Laboratory And Quality Manager



Phattaraporn

(Ms.Phattaraporn Meepet)  
Analyst No.ว-262-ค-0002  
Environmental Report Manager

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL

REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY





# ECO CONSULTANT COMPANY LIMITED.

32/3-4, Moo.4, Thai Ko, Sam Khok, Pathumthani, 12160. Tel. 02-001-384-5

32/3-4 หมู่ที่ 4 ตำบลท้ายเกาะ อำเภอสสามโคก จังหวัดปทุมธานี 12160. โทร 02-001-384-5

www.ecoconsult-lab.com Tax Identification Number : 0135559001081



TESTING

No.0155

## ANALYSIS REPORT

**Customer Name** : นิติบุคคลอาคารชุด ไอดีโอ โมบิ สุขุมวิท อีสต์ พอยท์  
**Customer Address** : เลขที่ 4379 ถนนสุขุมวิท แขวงบางนาใต้ เขตบางนา กรุงเทพมหานคร 10260  
**Project Name** : โครงการไอดีโอ โมบิ สุขุมวิท อีสต์พอยท์ (Ideo Mobi Sukhumvit Eastpoint)  
**Project Address** : ถนนสุขุมวิท แขวงบางนา เขตบางนา จังหวัดกรุงเทพมหานคร 10260  
**Sample Type** : Waste water  
**Sample Name** : บริเวณน้ำเสียก่อนเข้าระบบบำบัดน้ำเสีย อาคาร B  
**GPS. Coordinate** : UTM (WGS84) 47P 0673476 E, 1511121 N  
**Sampling Date** : April 10, 2023  
**Sampling Time** : 12:44  
**Sample Received Date** : April 11, 2023  
**Analysis Date** : April 11 – May 8, 2023  
**Sampling By** : Mr.Naruthep Boonploysombut Analyst No.จ-262-จ-0002  
**Appearance** : Turbid, Yellow, Sediment, Smell  
**Analyzed By** : Ms.Kanokporn Mookdamung Analyst No.จ-262-จ-0004  
**Sample Code** : AM63W/66  
**Request No.** : 0430/66  
**Report Date** : May 8, 2023  
**Report No.** : PBW118/2023

Item	Parameter	Method of Analysis <sup>1/</sup>	Result	Unit
1	pH <sup>1</sup>	Electrometric Method (at 25°C)	7.8	-
2	Biochemical Oxygen Demand	5-Day BOD Test, Azide Modification Method	53.22	mg/l
3	Total Suspended Solids <sup>1</sup>	Dried at 103–105°C	88	mg/l
4	Sulfide	Iodometric Method	<1	mg/l
5	Total Dissolved Solids <sup>1</sup>	Dried at 180°C	353	mg/l
6	Settleable Solids	Volumetric Method	15	ml/l
7	Fat Oil and Grease	Liquid-Liquid Partition, Gravimetric Method	4.1	mg/l
8	Total Kjeldahl Nitrogen	Semi - Micro Kjeldahl, Titrimetric Method	52.65	mg/l
9	Total Coliform Bacteria	AWWA 2017 9221 B	350,000 <sup>2/</sup>	MPN/100 ml
10	Fecal Coliform Bacteria	AWWA 2017 9221 E	350 <sup>2/</sup>	MPN/100 ml

Remark : <sup>1/</sup> APHA, AWWA, WEF. Standard Method for the Examination of Water and Wastewater 23<sup>rd</sup> ed. Washington, DC : APHA, 2017

<sup>2/</sup> Analysis And Results By South East Asian Laboratory Co., Ltd.

<sup>1</sup> ISO/IEC 17025 : 2005 หมายเลขการรับรองระบบงานที่ทดสอบ -0155

Thitima

(Ms.Thitima Jampathong)  
Analyst No.จ-262-จ-0003  
Laboratory And Quality Manager



Phattaraporn

(Ms.Phattaraporn Meepet)  
Analyst No.จ-262-จ-0002  
Environmental Report Manager

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL

REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY





# ECO CONSULTANT COMPANY LIMITED.

32/3-4, Moo.4, Thai Ko, Sam Khok, Pathumthani, 12160. Tel. 02-001-384-5

32/3-4 หมู่ที่ 4 ตำบลท้ายเกาะ อำเภอสสามโคก จังหวัดปทุมธานี 12160. โทร 02-001-384-5

www.ecoconsult-lab.com Tax Identification Number : 0135559001081



TESTING

No.0155

## ANALYSIS REPORT

**Customer Name** : นิตินุศลอาภากรชุด ไอดีโอ โมบี สุขุมวิท อีสต์ พอยท์  
**Customer Address** : เลขที่ 4379 ถนนสุขุมวิท แขวงบางนาใต้ เขตบางนา กรุงเทพมหานคร 10260  
**Project Name** : โครงการไอดีโอ โมบี สุขุมวิท อีสต์พอยท์ (Ideo Mobi Sukhumvit Eastpoint)  
**Project Address** : ถนนสุขุมวิท แขวงบางนา เขตบางนา จังหวัดกรุงเทพมหานคร 10260  
**Sample Type** : Waste water  
**Sample Name** : บริเวณน้ำเสียหลังผ่านระบบบำบัดน้ำเสีย อาคาร B  
**GPS. Coordinate** : UTM (WGS84) 47P 0673444 E, 1511120 N  
**Sampling Date** : April 10, 2023  
**Sampling Time** : 12:40  
**Sample Received Date** : April 11, 2023  
**Analysis Date** : April 11 – May 8, 2023  
**Sampling By** : Mr.Naruthep Boonploysombut Analyst No.ว-262-จ-0002  
**Appearance** : Clear, Light Yellow, Slightly Sediment, Smell  
**Analyzed By** : Ms.Kanokporn Mookdamung Analyst No.ว-262-จ-0004  
**Sample Code** : AM65W/66  
**Request No.** : 0430/66  
**Report Date** : May 8, 2023  
**Report No.** : PBW119/2023

Item	Parameter	Method of Analysis <sup>1/</sup>	Result	Standard <sup>2/</sup>	Unit	Conclusion
1	pH <sup>1</sup>	Electrometric Method (at 25°C)	6.9	5.0-9.0	-	Pass
2	Biochemical Oxygen Demand	5-Day BOD Test, Azide Modification Method	19.01	20	mg/l	Pass
3	Total Suspended Solids <sup>1</sup>	Dried at 103–105°C	8	30	mg/l	Pass
4	Sulfide	Iodometric Method	<1	1.0	mg/l	Pass
5	Total Dissolved Solids <sup>1</sup>	Dried at 180°C	508	700*	mg/l	Pass
6	Settleable Solids	Volumetric Method	0.5	0.5	ml/l	Pass
7	Fat Oil and Grease	Liquid-Liquid Partition, Gravimetric Method	<4	20	mg/l	Pass
8	Total Kjeldahl Nitrogen	Semi - Micro Kjeldahl, Titrimetric Method	6.44	35	mg/l	Pass
9	Total Coliform Bacteria	AWWA 2017 9221 B	920 <sup>3/</sup>	-	MPN/100 ml	Pass
10	Fecal Coliform Bacteria	AWWA 2017 9221 E	79 <sup>3/</sup>	-	MPN/100 ml	Pass

Remark : <sup>1/</sup> APHA, AWWA, WEF. Standard Method for the Examination of Water and Wastewater 23<sup>rd</sup> ed. Washington, DC : APHA, 2017

<sup>2/</sup> Ministry of Natural Resources and Environment Announcement of wastewater discharge standards control certain types of buildings in the Royal Government Gazette No.122 Special Part 125D dated December 29, B.E. 2548 (2005). (Type A.)

<sup>3/</sup> Analysis And Results By South East Asian Laboratory Co., Ltd.

<sup>1</sup> ISO/IEC 17025 : 2005 หมายเลขการรับรองระบบงานที่ทดสอบ -0155

\* Increased Total Dissolved Solids in water use not more than 500 mg/l (Total Dissolved Solids in water use 200 mg/l)

Thitima

(Ms.Thitima Jampathong)  
Analyst No.ว-262-จ-0003  
Laboratory And Quality Manager



Phattaraporn

(Ms.Phattaraporn Meepet)  
Analyst No.ว-262-จ-0002  
Environmental Report Manager

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL

REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY





# ECO CONSULTANT COMPANY LIMITED.

32/3-4, Moo.4, Thai Ko, Sam Khok, Pathumthani, 12160. Tel. 02-001-384-5

32/3-4 หมู่ที่ 4 ตำบลท้ายเกาะ อำเภอสสามโคก จังหวัดปทุมธานี 12160. โทร 02-001-384-5

www.ecoconsult-lab.com Tax Identification Number : 0135559001081



TESTING

No.0155

## ANALYSIS REPORT

**Customer Name** : นิตบุคคณาการชุด ไอดีโอ โมบี สุขุมวิท อีสต์ พอยท์  
**Customer Address** : เลขที่ 4379 ถนนสุขุมวิท แขวงบางนาใต้ เขตบางนา กรุงเทพมหานคร 10260  
**Project Name** : โครงการไอดีโอ โมบี สุขุมวิท อีสต์พอยท์ (Ideo Mobi Sukhumvit Eastpoint)  
**Project Address** : ถนนสุขุมวิท แขวงบางนา เขตบางนา จังหวัดกรุงเทพมหานคร 10260  
**Sample Type** : Waste water  
**Sample Name** : บริเวณบ่อกักน้ำทิ้งก่อนระบายออกนอกโครงการ  
**GPS. Coordinate** : UTM (WGS84) 47P 0673446 E, 1511181 N  
**Sampling Date** : April 10, 2023  
**Sampling Time** : 13:06  
**Sample Received Date** : April 11, 2023  
**Analysis Date** : April 11 – May 8, 2023  
**Sampling By** : Mr.Naruthep Boonploysombut Analyst No.๖-262-๖-0002  
**Appearance** : Turbid, Light Yellow, Sediment, Scentless  
**Analyzed By** : Ms.Kanokporn Mookdamung Analyst No.๖-262-๖-0004  
**Sample Code** : AM66W/66  
**Request No.** : 0430/66  
**Report Date** : May 8, 2023  
**Report No.** : PBW120/2023

Item	Parameter	Method of Analysis <sup>1/</sup>	Result	Standard <sup>2/</sup>	Unit	Conclusion
1	pH <sup>1</sup>	Electrometric Method (at 25°C)	6.7	5.0-9.0	-	Pass
2	Biochemical Oxygen Demand	5-Day BOD Test, Azide Modification Method	72.23	20	mg/l	Not Pass
3	Total Suspended Solids <sup>1</sup>	Dried at 103–105°C	85	30	mg/l	Not Pass
4	Sulfide	Iodometric Method	<1	1.0	mg/l	Pass
5	Total Dissolved Solids <sup>1</sup>	Dried at 180°C	502	700*	mg/l	Pass
6	Settleable Solids	Volumetric Method	5.0	0.5	ml/l	Not Pass
7	Fat Oil and Grease	Liquid-Liquid Partition, Gravimetric Method	<4	20	mg/l	Pass
8	Total Kjeldahl Nitrogen	Semi - Micro Kjeldahl, Titrimetric Method	12.88	35	mg/l	Pass
9	Total Coliform Bacteria	AWWA 2017 9221 B	170,000 <sup>3/</sup>	-	MPN/100 ml	Pass
10	Fecal Coliform Bacteria	AWWA 2017 9221 E	220 <sup>3/</sup>	-	MPN/100 ml	Pass

Remark : <sup>1/</sup> APHA, AWWA, WEF. Standard Method for the Examination of Water and Wastewater 23<sup>rd</sup> ed. Washington, DC : APHA, 2017

<sup>2/</sup> Ministry of Natural Resources and Environment Announcement of wastewater discharge standards control certain types of buildings in the Royal Government Gazette No.122 Special Part 125D dated December 29, B.E. 2548 (2005). (Type A.)

<sup>3/</sup> Analysis And Results By South East Asian Laboratory Co., Ltd.

<sup>1</sup> ISO/IEC 17025 : 2005 หมายเลขการรับรองระบบงานที่ทดสอบ -0155

\* Increased Total Dissolved Solids in water use not more than 500 mg/l (Total Dissolved Solids in water use 200 mg/l)

Thitima

(Ms.Thitima Jampathong)  
Analyst No.๖-262-๖-0003  
Laboratory And Quality Manager



Phattaraporn

(Ms.Phattaraporn Meepet)  
Analyst No.๖-262-๖-0002  
Environmental Report Manager

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL

REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY





## ECO CONSULTANT COMPANY LIMITED.

32/3-4, Moo.4, Thai Ko, Sam Khok, Pathumthani, 12160. Tel. 02-001-384-5

32/3-4 หมู่ที่ 4 ตำบลท้ายเกาะ อำเภอสสามโคก จังหวัดปทุมธานี 12160. โทร 02-001-384-5

www.ecoconsult-lab.com Tax Identification Number : 0135559001081

### ANALYSIS REPORT

**Customer Name** : นิติบุคคลอาคารชุด ไอดีโอ โมบี สุขุมวิท อีสต์ พอยท์  
**Customer Address** : เลขที่ 4379 ถนนสุขุมวิท แขวงบางนาใต้ เขตบางนา กรุงเทพมหานคร 10260  
**Project Name** : โครงการไอดีโอ โมบี สุขุมวิท อีสต์พอยท์ (Ideo Mobi Sukhumvit Eastpoint)  
**Project Address** : ถนนสุขุมวิท แขวงบางนา เขตบางนา จังหวัดกรุงเทพมหานคร 10260  
**Sample Type** : Water supply  
**Sample Name** : บริเวณก๊อกน้ำในพื้นที่โครงการ  
**GPS. Coordinate** : -  
**Sampling Date** : April 10, 2023  
**Sampling Time** : 13:10  
**Sample Received Date** : April 11, 2023  
**Analysis Date** : April 11 – May 8, 2023  
**Sampling By** : Mr.Naruthep Boonplysombut  
**Appearance** : Clear, None Sediment, Scentless  
**Analyzed By** : Ms.Kanokporn Mookdamung

**Sample Code** : AM67WS/66  
**Request No.** : 0430/66  
**Report Date** : May 8, 2023  
**Report No.** : PWS018/2023

Item	Parameter	Method of Analysis <sup>1</sup>	Result	Standard <sup>2</sup>	Unit
1	Total Dissolved Solid	Dried at 180°C	200	1,000	mg/l

Remark : <sup>1</sup> APHA, AWWA, WEF. Standard Method for the Examination of Water and Wastewater 23<sup>rd</sup> ed. Washing ton, DC : APHA, 2017

<sup>2</sup> Water Supply Standard of Provincial Waterworks Authority, according to World Health Organization (2011).

Thitima

(Ms.Thitima Jampathong)

Laboratory And Quality Manager



Jim

(Ms.Phattaraporn Meepet)

Environmental Report Manager

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL

REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY





## ECO CONSULTANT COMPANY LIMITED.

32/3-4, Moo.4, Thai Ko, Sam Khok, Pathumthani, 12160. Tel. 02-001-384-5

32/3-4 หมู่ที่ 4 ตำบลท้ายเกาะ อำเภอสสามโคก จังหวัดปทุมธานี 12160. โทร 02-001-384-5

www.ecoconsult-lab.com Tax Identification Number : 0135559001081

### ANALYSIS REPORT

**Customer Name** : นิติบุคคลอาคารชุด ไอดีโอ โมบี สุขุมวิท อีสต์ พอยท์  
**Customer Address** : เลขที่ 4379 ถนนสุขุมวิท แขวงบางนาใต้ เขตบางนา กรุงเทพมหานคร 10260  
**Project Name** : โครงการไอดีโอ โมบี สุขุมวิท อีสต์พอยท์ (Ideo Mobi Sukhumvit Eastpoint)  
**Project Address** : ถนนสุขุมวิท แขวงบางนา เขตบางนา จังหวัดกรุงเทพมหานคร 10260  
**Sample Type** : Pool water  
**Sample Name** : บริเวณสระว่ายน้ำ (ส่วนเล็ก)  
**GPS. Coordinate** : UTM (WGS84) 47P 0673468 E, 1511177 N  
**Sampling Date** : April 3, 2023  
**Sampling Time** : 12:09  
**Sample Received Date** : April 4, 2023  
**Analysis Date** : April 4-24, 2023  
**Sampling By** : Mr.Naruthep Boonploysombut  
**Appearance** : Clear, None Sediment, Scentless  
**Analyzed By** : Ms.Thitiporn Chantrakun  
**Sample Code** : AL17WS/66  
**Request No.** : 0371/66  
**Report Date** : April 26, 2023  
**Report No.** : PPW045/2023

Item	Parameter	Method of Analysis <sup>1/</sup>	Result	Standard		Unit	Conclusion
				BRT <sup>2/</sup>	RPH <sup>3/</sup>		
1	Total Coliform Bacteria	AWWA Ed 23 (2017), 9221 B	<1.1	<10	<10	MPN/100 ml	Pass
2	<i>Escherichia coli</i>	AWWA Ed 23 (2017), 9221 F	Not Detectable	None	None	in100 ml	Pass
3	<i>Staphylococcus aureus</i>	AWWA Ed 23 (2017), 9213 B	Not Detectable	None	None	in100 ml	Pass
4	<i>Pseudomonas aeruginosa</i>	AWWA Ed 23 (2017), 9213 E	Not Detectable	None	None	in100 ml	Pass

Remark : <sup>1/</sup> APHA, AWWA, WEF. Standard Method for the Examination of Water and Wastewater 23<sup>rd</sup> ed. Washington, DC: APHA, 2017

<sup>2/</sup> Bangkok Regulations Trade Rules which is Disgusting or Potentially Harmful to Health type of Swimming Pool Establishment in the Royal Government Gazette No.10 Part 205 dated October 14, B.E.2530 (1987)

<sup>3/</sup> Recommendations of The Public Health Committee No. 1/2550 (2007) Regarding the Control of Swimming Pool Operations or any other Similar Business.

ND = Not Detectable

(Ms.Thitima Jampathong)  
Laboratory And Quality Manager



(Ms.Phattaraporn Meepet)  
Environmental Report Manager

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL

REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY



## ECO CONSULTANT COMPANY LIMITED.

32/3-4, Moo.4, Thai Ko, Sam Khok, Pathumthani, 12160. Tel. 02-001-384-5

32/3-4 หมู่ที่ 4 ตำบลท้ายเกาะ อำเภอสสามโคก จังหวัดปทุมธานี 12160. โทร 02-001-384-5

www.ecoconsult-lab.com Tax Identification Number : 0135559001081

### ANALYSIS REPORT

**Customer Name** : นิติบุคคลอาคารชุด ไอดีโอ โมบี สุขุมวิท อีสต์ พอยท์  
**Customer Address** : เลขที่ 4379 ถนนสุขุมวิท แขวงบางนาใต้ เขตบางนา กรุงเทพมหานคร 10260  
**Project Name** : โครงการไอดีโอ โมบี สุขุมวิท อีสต์พอยท์ (Ideo Mobi Sukhumvit Eastpoint)  
**Project Address** : ถนนสุขุมวิท แขวงบางนา เขตบางนา จังหวัดกรุงเทพมหานคร 10260  
**Sample Type** : Pool water  
**Sample Name** : บริเวณสระว่ายน้ำ (ส่วนต้น)  
**GPS. Coordinate** : UTM (WGS84) 47P 0673474 E, 1511194 N  
**Sampling Date** : April 3, 2023  
**Sampling Time** : 12:11  
**Sample Received Date** : April 4, 2023  
**Analysis Date** : April 4-24, 2023  
**Sampling By** : Mr.Naruthep Boonploysombut  
**Appearance** : Clear, None Sediment, Scentless  
**Analyzed By** : Ms.Thitiporn Chantrakun  
**Sample Code** : AL18WS/66  
**Request No.** : 0371/66  
**Report Date** : April 26, 2023  
**Report No.** : PPW046/2023

Item	Parameter	Method of Analysis <sup>1/</sup>	Result	Standard		Unit	Conclusion
				BRT <sup>2/</sup>	RPH <sup>3/</sup>		
1	Total Coliform Bacteria	AWWA Ed 23 (2017), 9221 B	<1.1	<10	<10	MPN/100 ml	Pass
2	<i>Escherichia coli</i>	AWWA Ed 23 (2017), 9221 F	Not Detectable	None	None	in100 ml	Pass
3	<i>Staphylococcus aureus</i>	AWWA Ed 23 (2017), 9213 B	Not Detectable	None	None	in100 ml	Pass
4	<i>Pseudomonas aeruginosa</i>	AWWA Ed 23 (2017), 9213 E	Not Detectable	None	None	in100 ml	Pass

Remark : <sup>1/</sup> APHA, AWWA, WEF. Standard Method for the Examination of Water and Wastewater 23<sup>rd</sup> ed. Washington, DC: APHA, 2017

<sup>2/</sup> Bangkok Regulations Trade Rules which is Disgusting or Potentially Harmful to Health type of Swimming Pool Establishment in the Royal Government Gazette No.10 Part 205 dated October 14, B.E.2530 (1987)

<sup>3/</sup> Recommendations of The Public Health Committee No. 1/2550 (2007) Regarding the Control of Swimming Pool Operations or any other Similar Business.

ND = Not Detectable

Thitima

(Ms.Thitima Jampathong)  
Laboratory And Quality Manager



Phattaraporn

(Ms.Phattaraporn Meepet)  
Environmental Report Manager

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL

REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY





## ECO CONSULTANT COMPANY LIMITED.

32/3-4, Moo.4, Thai Ko, Sam Khok, Pathumthani, 12160. Tel. 02-001-384-5

32/3-4 หมู่ที่ 4 ตำบลท้ายเกาะ อำเภอสамโคก จังหวัดปทุมธานี 12160. โทร 02-001-384-5

www.ecoconsult-lab.com Tax Identification Number : 0135559001081

### ANALYSIS REPORT

**Customer Name** : นิติบุคคลอาคารชุด ไอดีโอ โมบิ สุขุมวิท อีสต์ พอยท์  
**Customer Address** : เลขที่ 4379 ถนนสุขุมวิท แขวงบางนาใต้ เขตบางนา กรุงเทพมหานคร 10260  
**Project Name** : โครงการไอดีโอ โมบิ สุขุมวิท อีสต์พอยท์ (Ideo Mobi Sukhumvit Eastpoint)  
**Project Address** : ถนนสุขุมวิท แขวงบางนา เขตบางนา จังหวัดกรุงเทพมหานคร 10260  
**Sample Type** : Pool water  
**Sample Name** : บริเวณสระว่ายน้ำ (ส่วนเล็ก)  
**GPS. Coordinate** : UTM (WGS84) 47P 0673468 E, 1511177 N  
**Sampling Date** : April 10, 2023  
**Sampling Time** : 12:26  
**Sample Received Date** : April 11, 2023  
**Analysis Date** : April 11 – May 8, 2023  
**Sampling By** : Mr.Naruthep Boonplysombut  
**Appearance** : Clear, None Sediment, Scentless  
**Analyzed By** : Ms.Thitiporn Chantrakun  
**Sample Code** : AM68WS/66  
**Request No.** : 0430/66  
**Report Date** : May 8, 2023  
**Report No.** : PPW045/2023

Item	Parameter	Method of Analysis <sup>1/</sup>	Result	Standard		Unit	Conclusion
				BRT <sup>2/</sup>	RPH <sup>3/</sup>		
1	Total Coliform Bacteria	AWWA Ed 23 (2017), 9221 B	<1.1	<10	<10	MPN/100 ml	Pass
2	<i>Escherichia coli</i>	AWWA Ed 23 (2017), 9221 F	Not Detectable	None	None	in100 ml	Pass
3	<i>Staphylococcus aureus</i>	AWWA Ed 23 (2017), 9213 B	Not Detectable	None	None	in100 ml	Pass
4	<i>Pseudomonas aeruginosa</i>	AWWA Ed 23 (2017), 9213 E	Not Detectable	None	None	in100 ml	Pass

Remark : <sup>1/</sup> APHA, AWWA, WEF. Standard Method for the Examination of Water and Wastewater 23<sup>rd</sup> ed. Washington, DC: APHA, 2017

<sup>2/</sup> Bangkok Regulations Trade Rules which is Disgusting or Potentially Harmful to Health type of Swimming Pool Establishment in the Royal Government Gazette No.10 Part 205 dated October 14, B.E.2530 (1987)

<sup>3/</sup> Recommendations of The Public Health Committee No. 1/2550 (2007) Regarding the Control of Swimming Pool Operations or any other Similar Business.

ND = Not Detectable

Thitima

(Ms.Thitima Jampathong)  
Laboratory And Quality Manager



Phattaraporn

(Ms.Phattaraporn Meepet)  
Environmental Report Manager

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL

REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY



## ECO CONSULTANT COMPANY LIMITED.

32/3-4, Moo.4, Thai Ko, Sam Khok, Pathumthani, 12160. Tel. 02-001-384-5

32/3-4 หมู่ที่ 4 ตำบลท้ายเกาะ อำเภอสสามโคก จังหวัดปทุมธานี 12160. โทร 02-001-384-5

www.ecoconsult-lab.com Tax Identification Number : 0135559001081

### ANALYSIS REPORT

**Customer Name** : นิติบุคคลอาคารชุด ไอดีโอ โมบิ สุขุมวิท อีสต์ พอยท์  
**Customer Address** : เลขที่ 4379 ถนนสุขุมวิท แขวงบางนาใต้ เขตบางนา กรุงเทพมหานคร 10260  
**Project Name** : โครงการไอดีโอ โมบิ สุขุมวิท อีสต์พอยท์ (Ideo Mobi Sukhumvit Eastpoint)  
**Project Address** : ถนนสุขุมวิท แขวงบางนา เขตบางนา จังหวัดกรุงเทพมหานคร 10260  
**Sample Type** : Pool water  
**Sample Name** : บริเวณสระว่ายน้ำ (ส่วนต้น)  
**GPS. Coordinate** : UTM (WGS84) 47P 0673474 E, 1511194 N  
**Sampling Date** : April 10, 2023  
**Sampling Time** : 12:28  
**Sample Received Date** : April 11, 2023  
**Analysis Date** : April 11 – May 8, 2023  
**Sampling By** : Mr.Naruthep Boonploysombut  
**Appearance** : Clear, None Sediment, Scentless  
**Analyzed By** : Ms.Thitiporn Chantrakun  
**Sample Code** : AM69WS/66  
**Request No.** : 0430/66  
**Report Date** : May 8, 2023  
**Report No.** : PPW046/2023

Item	Parameter	Method of Analysis <sup>1/</sup>	Result	Standard		Unit	Conclusion
				BRT <sup>2/</sup>	RPH <sup>3/</sup>		
1	Total Coliform Bacteria	AWWA Ed 23 (2017), 9221 B	<1.1	<10	<10	MPN/100 ml	Pass
2	<i>Escherichia coli</i>	AWWA Ed 23 (2017), 9221 F	Not Detectable	None	None	in100 ml	Pass
3	<i>Staphylococcus aureus</i>	AWWA Ed 23 (2017), 9213 B	Not Detectable	None	None	in100 ml	Pass
4	<i>Pseudomonas aeruginosa</i>	AWWA Ed 23 (2017), 9213 E	Not Detectable	None	None	in100 ml	Pass

Remark : <sup>1/</sup> APHA, AWWA, WEF. Standard Method for the Examination of Water and Wastewater 23<sup>rd</sup> ed. Washington, DC: APHA, 2017

<sup>2/</sup> Bangkok Regulations Trade Rules which is Disgusting or Potentially Harmful to Health type of Swimming Pool Establishment in the Royal Government Gazette No.10 Part 205 dated October 14, B.E.2530 (1987)

<sup>3/</sup> Recommendations of The Public Health Committee No. 1/2550 (2007) Regarding the Control of Swimming Pool Operations or any other Similar Business.

ND = Not Detectable

Thitima

(Ms.Thitima Jampathong)  
Laboratory And Quality Manager



Phattaraporn

(Ms.Phattaraporn Meepet)  
Environmental Report Manager

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL

REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY





# ECO CONSULTANT COMPANY LIMITED.

32/3-4, Moo.4, Thai Ko, Sam Khok, Pathumthani, 12160. Tel. 02-001-384-5

32/3-4 หมู่ที่ 4 ตำบลท้ายเกาะ อำเภอสางโคก จังหวัดปทุมธานี 12160. โทร 02-001-384-5

www.ecoconsult-lab.com Tax Identification Number : 0135559001081

## ANALYSIS REPORT

**Customer Name** : นิติบุคคลอาคารชุด ไอดีโอ โมบี สุขุมวิท อีสต์ พอยท์  
**Customer Address** : เลขที่ 4379 ถนนสุขุมวิท แขวงบางนาใต้ เขตบางนา กรุงเทพมหานคร 10260  
**Project Name** : โครงการไอดีโอ โมบี สุขุมวิท อีสต์พอยท์ (Ideo Mobi Sukhumvit Eastpoint)  
**Project Address** : ถนนสุขุมวิท แขวงบางนา เขตบางนา จังหวัดกรุงเทพมหานคร 10260  
**Sample Type** : Pool water  
**Sample Name** : บริเวณสระว่ายน้ำ (ส่วนลึก)  
**GPS. Coordinate** : UTM (WGS84) 47P 0673468 E, 1511177 N  
**Sampling Date** : April 17, 2023  
**Sampling Time** : 10:30  
**Sample Received Date** : April 18, 2023  
**Analysis Date** : April 18 – May 8, 2023  
**Sampling By** : Mr.Naruthep Boonploysombut  
**Appearance** : Clear, None Sediment, Scentless  
**Analyzed By** : Ms.Thitiporn Chantrakun  
**Sample Code** : AL95WS/66  
**Request No.** : 0395/66  
**Report Date** : May 9, 2023  
**Report No.** : PPW049/2023

Item	Parameter	Method of Analysis <sup>1/</sup>	Result	Standard		Unit	Conclusion
				BRT <sup>2/</sup>	RPH <sup>3/</sup>		
1	Total Coliform Bacteria	AWWA Ed 23 (2017), 9221 B	<1.1	<10	<10	MPN/100 ml	Pass
2	<i>Escherichia coli</i>	AWWA Ed 23 (2017), 9221 F	Not Detectable	None	None	in100 ml	Pass
3	<i>Staphylococcus aureus</i>	AWWA Ed 23 (2017), 9213 B	Not Detectable	None	None	in100 ml	Pass
4	<i>Pseudomonas aeruginosa</i>	AWWA Ed 23 (2017), 9213 E	Not Detectable	None	None	in100 ml	Pass

Remark : <sup>1/</sup> APHA, AWWA, WEF. Standard Method for the Examination of Water and Wastewater 23<sup>rd</sup> ed. Washington, DC: APHA, 2017

<sup>2/</sup> Bangkok Regulations Trade Rules which is Disgusting or Potentially Harmful to Health type of Swimming Pool Establishment in the Royal Government Gazette No.10 Part 205 dated October 14, B.E.2530 (1987)

<sup>3/</sup> Recommendations of The Public Health Committee No. 1/2550 (2007) Regarding the Control of Swimming Pool Operations or any other Similar Business.

ND = Not Detectable

Thitima

(Ms.Thitima Jampathong)  
Laboratory And Quality Manager



Phattaraporn

(Ms.Phattaraporn Meepet)  
Environmental Report Manager

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL

REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY



## ECO CONSULTANT COMPANY LIMITED.

32/3-4, Moo.4, Thai Ko, Sam Khok, Pathumthani, 12160. Tel. 02-001-384-5

32/3-4 หมู่ที่ 4 ตำบลท้ายเกาะ อำเภอสสามโคก จังหวัดปทุมธานี 12160. โทร 02-001-384-5

www.ecoconsult-lab.com Tax Identification Number : 0135559001081

### ANALYSIS REPORT

**Customer Name** : นิติบุคคลอาคารชุด ไอดีโอ โมบิ สุขุมวิท อีสต์ พอยท์  
**Customer Address** : เลขที่ 4379 ถนนสุขุมวิท แขวงบางนาใต้ เขตบางนา กรุงเทพมหานคร 10260  
**Project Name** : โครงการไอดีโอ โมบิ สุขุมวิท อีสต์พอยท์ (Ideo Mobi Sukhumvit Eastpoint)  
**Project Address** : ถนนสุขุมวิท แขวงบางนา เขตบางนา จังหวัดกรุงเทพมหานคร 10260  
**Sample Type** : Pool water  
**Sample Name** : บริเวณสระว่ายน้ำ (ส่วนต้น)  
**GPS. Coordinate** : UTM (WGS84) 47P 0673474 E, 1511194 N  
**Sampling Date** : April 17, 2023  
**Sampling Time** : 10:32  
**Sample Received Date** : April 18, 2023  
**Analysis Date** : April 18 – May 8, 2023  
**Sampling By** : Mr.Naruthep Boonploysombut  
**Appearance** : Clear, None Sediment, Scentless  
**Analyzed By** : Ms.Thitiporn Chantrakun  
**Sample Code** : AL96WS/66  
**Request No.** : 0395/66  
**Report Date** : May 9, 2023  
**Report No.** : PPW050/2023

Item	Parameter	Method of Analysis <sup>1/</sup>	Result	Standard		Unit	Conclusion
				BRT <sup>2/</sup>	RPH <sup>3/</sup>		
1	Total Coliform Bacteria	AWWA Ed 23 (2017), 9221 B	<1.1	<10	<10	MPN/100 ml	Pass
2	<i>Escherichia coli</i>	AWWA Ed 23 (2017), 9221 F	Not Detectable	None	None	in100 ml	Pass
3	<i>Staphylococcus aureus</i>	AWWA Ed 23 (2017), 9213 B	Not Detectable	None	None	in100 ml	Pass
4	<i>Pseudomonas aeruginosa</i>	AWWA Ed 23 (2017), 9213 E	Not Detectable	None	None	in100 ml	Pass

Remark : <sup>1/</sup> APHA, AWWA, WEF, Standard Method for the Examination of Water and Wastewater 23<sup>rd</sup> ed. Washington, DC: APHA, 2017

<sup>2/</sup> Bangkok Regulations Trade Rules which is Disgusting or Potentially Harmful to Health type of Swimming Pool Establishment in the Royal Government Gazette No.10 Part 205 dated October 14, B.E.2530 (1987)

<sup>3/</sup> Recommendations of The Public Health Committee No. 1/2550 (2007) Regarding the Control of Swimming Pool Operations or any other Similar Business.

ND = Not Detectable

(Ms.Thitima Jampathong)  
Laboratory And Quality Manager



(Ms.Phattaraporn Meepet)  
Environmental Report Manager

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL

REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY





## ECO CONSULTANT COMPANY LIMITED.

32/3-4, Moo.4, Thai Ko, Sam Khok, Pathumthani, 12160. Tel. 02-001-384-5

32/3-4 หมู่ที่ 4 ตำบลท้ายเกาะ อำเภอสสามโคก จังหวัดปทุมธานี 12160. โทร 02-001-384-5

www.ecoconsult-lab.com Tax Identification Number : 0135559001081

### ANALYSIS REPORT

**Customer Name** : นิติบุคคลอาคารชุด ไอดีโอ โมบี สุขุมวิท อีสต์ พอยท์  
**Customer Address** : เลขที่ 4379 ถนนสุขุมวิท แขวงบางนาใต้ เขตบางนา กรุงเทพมหานคร 10260  
**Project Name** : โครงการไอดีโอ โมบี สุขุมวิท อีสต์พอยท์ (Ideo Mobi Sukhumvit Eastpoint)  
**Project Address** : ถนนสุขุมวิท แขวงบางนา เขตบางนา จังหวัดกรุงเทพมหานคร 10260  
**Sample Type** : Pool water  
**Sample Name** : บริเวณสระว่ายน้ำ (ส่วนลึก)  
**GPS. Coordinate** : UTM (WGS84) 47P 0673468 E, 1511177 N  
**Sampling Date** : April 24, 2023  
**Sampling Time** : 13:10  
**Sample Received Date** : April 24, 2023  
**Analysis Date** : April 24 – May 17, 2023  
**Sampling By** : Mr.Naruthep Boonploysombut  
**Appearance** : Clear, None Sediment, Scentless  
**Analyzed By** : Ms.Thitiporn Chantrakun  
**Sample Code** : AP73WS/66  
**Request No.** : 0568/66  
**Report Date** : May 20, 2023  
**Report No.** : PPW063/2023

Item	Parameter	Method of Analysis <sup>1/</sup>	Result	Standard		Unit	Conclusion
				BRT <sup>2/</sup>	RPH <sup>3/</sup>		
1	Total Coliform Bacteria	AWWA Ed 23 (2017), 9221 B	<1.1	<10	<10	MPN/100 ml	Pass
2	<i>Escherichia coli</i>	AWWA Ed 23 (2017), 9221 F	Not Detectable	None	None	in100 ml	Pass
3	<i>Staphylococcus aureus</i>	AWWA Ed 23 (2017), 9213 B	Not Detectable	None	None	in100 ml	Pass
4	<i>Pseudomonas aeruginosa</i>	AWWA Ed 23 (2017), 9213 E	Not Detectable	None	None	in100 ml	Pass

Remark : <sup>1/</sup> APHA, AWWA, WEF. Standard Method for the Examination of Water and Wastewater 23<sup>rd</sup> ed. Washington, DC: APHA, 2017

<sup>2/</sup> Bangkok Regulations Trade Rules which is Disgusting or Potentially Harmful to Health type of Swimming Pool Establishment in the Royal Government Gazette No.10 Part 205 dated October 14, B.E.2530 (1987)

<sup>3/</sup> Recommendations of The Public Health Committee No. 1/2550 (2007) Regarding the Control of Swimming Pool Operations or any other Similar Business.

ND = Not Detectable

Thitima

(Ms.Thitima Jampathong)  
Laboratory And Quality Manager



Phattaraporn

(Ms.Phattaraporn Meepet)  
Environmental Report Manager

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL

REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY



## ECO CONSULTANT COMPANY LIMITED.

32/3-4, Moo.4, Thai Ko, Sam Khok, Pathumthani, 12160. Tel. 02-001-384-5

32/3-4 หมู่ที่ 4 ตำบลท้ายเกาะ อำเภอสสามโคก จังหวัดปทุมธานี 12160. โทร 02-001-384-5

www.ecoconsult-lab.com Tax Identification Number : 0135559001081

### ANALYSIS REPORT

**Customer Name** : นิติบุคคลอาคารชุด ไอดีโอ โมบี สุขุมวิท อีสต์ พอยท์  
**Customer Address** : เลขที่ 4379 ถนนสุขุมวิท แขวงบางนาใต้ เขตบางนา กรุงเทพมหานคร 10260  
**Project Name** : โครงการไอดีโอ โมบี สุขุมวิท อีสต์พอยท์ (Ideo Mobi Sukhumvit Eastpoint)  
**Project Address** : ถนนสุขุมวิท แขวงบางนา เขตบางนา จังหวัดกรุงเทพมหานคร 10260  
**Sample Type** : Pool water  
**Sample Name** : บริเวณสระว่ายน้ำ (ส่วนต้น)  
**GPS. Coordinate** : UTM (WGS84) 47P 0673474 E, 1511194 N  
**Sampling Date** : April 24, 2023  
**Sampling Time** : 13:12  
**Sample Received Date** : April 24, 2023  
**Analysis Date** : April 24 – May 17, 2023  
**Sampling By** : Mr.Naruthep Boonploysombut  
**Appearance** : Clear, None Sediment, Scentless  
**Analyzed By** : Ms.Thitiporn Chantrakun  
**Sample Code** : AP74WS/66  
**Request No.** : 0568/66  
**Report Date** : May 20, 2023  
**Report No.** : PPW064/2023

Item	Parameter	Method of Analysis <sup>1/</sup>	Result	Standard		Unit	Conclusion
				BRT <sup>2/</sup>	RPH <sup>3/</sup>		
1	Total Coliform Bacteria	AWWA Ed 23 (2017), 9221 B	<1.1	<10	<10	MPN/100 ml	Pass
2	<i>Escherichia coli</i>	AWWA Ed 23 (2017), 9221 F	Not Detectable	None	None	in100 ml	Pass
3	<i>Staphylococcus aureus</i>	AWWA Ed 23 (2017), 9213 B	Not Detectable	None	None	in100 ml	Pass
4	<i>Pseudomonas aeruginosa</i>	AWWA Ed 23 (2017), 9213 E	Not Detectable	None	None	in100 ml	Pass

Remark : <sup>1/</sup> APHA, AWWA, WEF. Standard Method for the Examination of Water and Wastewater 23<sup>rd</sup> ed. Washing ton, DC: APHA, 2017

<sup>2/</sup> Bangkok Regulations Trade Rules which is Disgusting or Potentially Harmful to Health type of Swimming Pool Establishment in the Royal Government Gazette No.10 Part 205 dated October 14, B.E.2530 (1987)

<sup>3/</sup> Recommendations of The Public Health Committee No. 1/2550 (2007) Regarding the Control of Swimming Pool Operations or any other Similar Business.

ND = Not Detectable

(Ms.Thitima Jampathong)  
Laboratory And Quality Manager



(Ms.Phattaraporn Meepet)  
Environmental Report Manager





# ECO CONSULTANT COMPANY LIMITED.

32/3-4, Moo.4, Thai Ko, Sam Khok, Pathumthani, 12160. Tel. 02-001-384-5

32/3-4 หมู่ที่ 4 ตำบลท้ายเกาะ อำเภอสамโคก จังหวัดปทุมธานี 12160. โทร 02-001-384-5

www.ecoconsult-lab.com Tax Identification Number : 0135559001081



TESTING

No.0155

## ANALYSIS REPORT

**Customer Name** : นิตินุคคณาการชุด ไอดีโอ โมบี สุขุมวิท อีสต์ พอยท์  
**Customer Address** : เลขที่ 4379 ถนนสุขุมวิท แขวงบางนาใต้ เขตบางนา กรุงเทพมหานคร 10260  
**Project Name** : โครงการไอดีโอ โมบี สุขุมวิท อีสต์พอยท์ (Ideo Mobi Sukhumvit Eastpoint)  
**Project Address** : ถนนสุขุมวิท แขวงบางนา เขตบางนา จังหวัดกรุงเทพมหานคร 10260  
**Sample Type** : Waste water  
**Sample Name** : บริเวณน้ำเสียก่อนเข้าระบบบำบัดน้ำเสีย อาคาร A  
**GPS. Coordinate** : UTM (WGS84) 47P 0673505 E, 1511206 N  
**Sampling Date** : May 8, 2023  
**Sampling Time** : 13:23  
**Sample Received Date** : May 9, 2023  
**Analysis Date** : May 9-26, 2023  
**Sampling By** : Mr.Naruthep Boonploysombut Analyst No.ว-262-จ-0002  
**Appearance** : Turbid, Light Yellow, Sediment, Smell  
**Analyzed By** : Ms.Kanokporn Mookdamung Analyst No.ว-262-จ-0004  
**Sample Code** : AS04W/66  
**Request No.** : 0646/66  
**Report Date** : May 31, 2023  
**Report No.** : PBW150/2023

Item	Parameter	Method of Analysis <sup>1/</sup>	Result	Unit
1	pH <sup>1</sup>	Electrometric Method (at 25°C)	6.1	-
2	Biochemical Oxygen Demand	5-Day BOD Test, Azide Modification Method	30.53	mg/l
3	Total Suspended Solids <sup>1</sup>	Dried at 103–105°C	22	mg/l
4	Sulfide	Iodometric Method	<1	mg/l
5	Total Dissolved Solids <sup>1</sup>	Dried at 180°C	489	mg/l
6	Settleable Solids	Volumetric Method	2.0	ml/l
7	Fat Oil and Grease	Liquid-Liquid Partition, Gravimetric Method	4.1	mg/l
8	Total Kjeldahl Nitrogen	Semi - Micro Kjeldahl, Titrimetric Method	10.68	mg/l
9	Total Coliform Bacteria	AWWA 2017 9221 B	4,600 <sup>2/</sup>	MPN/100 ml
10	Fecal Coliform Bacteria	AWWA 2017 9221 E	<1.8 <sup>2/</sup>	MPN/100 ml

**Remark** : <sup>1/</sup> APHA, AWWA, WEF. Standard Method for the Examination of Water and Wastewater 23<sup>rd</sup> ed. Washington, DC : APHA, 2017

<sup>2/</sup> Analysis And Results By South East Asian Laboratory Co., Ltd.

<sup>1</sup> ISO/IEC 17025 : 2005 หมายเลขการรับรองระบบงานที่ทดสอบ -0155

Thitima

(Ms.Thitima Jampathong)  
Analyst No.ว-262-ค-0003  
Laboratory And Quality Manager



Jm

(Ms.Phattaraporn Meepet)  
Analyst No.ว-262-ค-0002  
Environmental Report Manager

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL

REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY





# ECO CONSULTANT COMPANY LIMITED.

32/3-4, Moo.4, Thai Ko, Sam Khok, Pathumthani, 12160. Tel. 02-001-384-5

32/3-4 หมู่ที่ 4 ตำบลท้ายเกาะ อำเภอสสามโคก จังหวัดปทุมธานี 12160. โทร 02-001-384-5

www.ecoconsult-lab.com Tax Identification Number : 0135559001081



TESTING

No.0155

## ANALYSIS REPORT

**Customer Name** : นิติบุคคลอาคารชุด ไอดีโอ โมบี สุขุมวิท อีสต์ พอยท์  
**Customer Address** : เลขที่ 4379 ถนนสุขุมวิท แขวงบางนาใต้ เขตบางนา กรุงเทพมหานคร 10260  
**Project Name** : โครงการไอดีโอ โมบี สุขุมวิท อีสต์พอยท์ (Ideo Mobi Sukhumvit Eastpoint)  
**Project Address** : ถนนสุขุมวิท แขวงบางนา เขตบางนา จังหวัดกรุงเทพมหานคร 10260  
**Sample Type** : Waste water  
**Sample Name** : บริเวณน้ำเสียหลังผ่านระบบบำบัดน้ำเสีย อาคาร A  
**GPS. Coordinate** : UTM (WGS84) 47P 0673513 E, 1511237 N  
**Sampling Date** : May 8, 2023  
**Sampling Time** : 13:31  
**Sample Received Date** : May 9, 2023  
**Analysis Date** : May 9-26, 2023  
**Sampling By** : Mr.Naruthep Boonploysombut Analyst No.ว-262-จ-0002  
**Appearance** : Turbid, Yellow, Sediment, Smell  
**Analyzed By** : Ms.Kanokporn Mookdamung Analyst No.ว-262-จ-0004  
**Sample Code** : AS06W/66  
**Request No.** : 0646/66  
**Report Date** : May 31, 2023  
**Report No.** : PBW151/2023

Item	Parameter	Method of Analysis <sup>1/</sup>	Result	Standard <sup>2/</sup>	Unit	Conclusion
1	pH <sup>1</sup>	Electrometric Method (at 25°C)	6.3	5.0-9.0	-	Pass
2	Biochemical Oxygen Demand	5-Day BOD Test, Azide Modification Method	3.07	20	mg/l	Pass
3	Total Suspended Solids <sup>1</sup>	Dried at 103-105°C	19	30	mg/l	Pass
4	Sulfide	Iodometric Method	2.26	1.0	mg/l	Pass
5	Total Dissolved Solids <sup>1</sup>	Dried at 180°C	468	699*	mg/l	Pass
6	Settleable Solids	Volumetric Method	0.5	0.5	ml/l	Pass
7	Fat Oil and Grease	Liquid-Liquid Partition, Gravimetric Method	<4	20	mg/l	Pass
8	Total Kjeldahl Nitrogen	Semi - Micro Kjeldahl, Titrimetric Method	13.02	35	mg/l	Pass
9	Total Coliform Bacteria	AWWA 2017 9221 B	540 <sup>2/</sup>	-	MPN/100 ml	-
10	Fecal Coliform Bacteria	AWWA 2017 9221 E	<1.8 <sup>2/</sup>	-	MPN/100 ml	-

Remark : <sup>1/</sup> APHA, AWWA, WEF. Standard Method for the Examination of Water and Wastewater 23<sup>rd</sup> ed. Washington, DC : APHA, 2017

<sup>2/</sup> Ministry of Natural Resources and Environment Announcement of wastewater discharge standards control certain types of buildings in the Royal Government Gazette No.122 Special Part 125D dated December 29, B.E. 2548 (2005). (Type A.)

<sup>3/</sup> Analysis And Results By South East Asian Laboratory Co., Ltd.

<sup>1</sup> ISO/IEC 17025 : 2005 หมายเลขการรับรองระบบงานที่ทดสอบ -0155

\* Increased Total Dissolved Solids in water use not more than 500 mg/l (Total Dissolved Solids in water use 199 mg/l)

Thitima

(Ms.Thitima Jampathong)  
Analyst No.ว-262-จ-0003  
Laboratory And Quality Manager



Jm

(Ms.Phattaraporn Meepet)  
Analyst No.ว-262-จ-0002  
Environmental Report Manager

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL

REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY





# ECO CONSULTANT COMPANY LIMITED.

32/3-4, Moo.4, Thai Ko, Sam Khok, Pathumthani, 12160. Tel. 02-001-384-5

32/3-4 หมู่ที่ 4 ตำบลท้ายเกาะ อำเภอสสามโคก จังหวัดปทุมธานี 12160. โทร 02-001-384-5

www.ecoconsult-lab.com Tax Identification Number : 0135559001081



TESTING  
No.0155

## ANALYSIS REPORT

**Customer Name** : นิติบุคคลอาคารชุด ไอดีโอ โมบี สุขุมวิท อีสต์ พอยท์  
**Customer Address** : เลขที่ 4379 ถนนสุขุมวิท แขวงบางนาใต้ เขตบางนา กรุงเทพมหานคร 10260  
**Project Name** : โครงการไอดีโอ โมบี สุขุมวิท อีสต์พอยท์ (Ideo Mobi Sukhumvit Eastpoint)  
**Project Address** : ถนนสุขุมวิท แขวงบางนา เขตบางนา จังหวัดกรุงเทพมหานคร 10260  
**Sample Type** : Waste water  
**Sample Name** : บริเวณน้ำเสียก่อนเข้าระบบบำบัดน้ำเสีย อาคาร B  
**GPS. Coordinate** : UTM (WGS84) 47P 0673476 E, 1511121 N  
**Sampling Date** : May 8, 2023  
**Sampling Time** : 13:16  
**Sample Received Date** : May 9, 2023  
**Analysis Date** : May 9-26, 2023  
**Sampling By** : Mr.Naruthep Boonploysombut Analyst No.ว-262-จ-0002  
**Appearance** : Turbid, Light Brown, Sediment, Smell  
**Analyzed By** : Ms.Kanokporn Mookdamung Analyst No.ว-262-จ-0004  
**Sample Code** : AS05W/66  
**Request No.** : 0646/66  
**Report Date** : May 31, 2023  
**Report No.** : PBW152/2023

Item	Parameter	Method of Analysis <sup>1/</sup>	Result	Unit
1	pH <sup>1/</sup>	Electrometric Method (at 25°C)	7.1	-
2	Biochemical Oxygen Demand	5-Day BOD Test, Azide Modification Method	83.98	mg/l
3	Total Suspended Solids <sup>1/</sup>	Dried at 103-105°C	46	mg/l
4	Sulfide	Iodometric Method	<1	mg/l
5	Total Dissolved Solids <sup>1/</sup>	Dried at 180°C	310	mg/l
6	Settleable Solids	Volumetric Method	5.0	ml/l
7	Fat Oil and Grease	Liquid-Liquid Partition, Gravimetric Method	4.5	mg/l
8	Total Kjeldahl Nitrogen	Semi - Micro Kjeldahl, Titrimetric Method	51.63	mg/l
9	Total Coliform Bacteria	AWWA 2017 9221 B	350,000 <sup>2/</sup>	MPN/100 ml
10	Fecal Coliform Bacteria	AWWA 2017 9221 E	<1.8 <sup>2/</sup>	MPN/100 ml

Remark : <sup>1/</sup> APHA, AWWA, WEF. Standard Method for the Examination of Water and Wastewater 23<sup>rd</sup> ed. Washington, DC : APHA, 2017

<sup>2/</sup> Analysis And Results By South East Asian Laboratory Co., Ltd.

<sup>1</sup> ISO/IEC 17025 : 2005 หมายเลขการรับรองระบบงานที่ทดสอบ -0155

Thitima

(Ms.Thitima Jampathong)  
Analyst No.ว-262-ค-0003  
Laboratory And Quality Manager



Phattaraporn

(Ms.Phattaraporn Meepet)  
Analyst No.ว-262-ค-0002  
Environmental Report Manager

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL

REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY





# ECO CONSULTANT COMPANY LIMITED.

32/3-4, Moo.4, Thai Ko, Sam Khok, Pathumthani, 12160. Tel. 02-001-384-5

32/3-4 หมู่ที่ 4 ตำบลท้ายเกาะ อำเภอสสามโคก จังหวัดปทุมธานี 12160. โทร 02-001-384-5

www.ecoconsult-lab.com Tax Identification Number : 0135559001081



TESTING

No.0155

## ANALYSIS REPORT

**Customer Name** : นิติบุคคลอาคารชุด ไอดีโอ โมบี สุขุมวิท อีสต์ พอยท์  
**Customer Address** : เลขที่ 4379 ถนนสุขุมวิท แขวงบางนาใต้ เขตบางนา กรุงเทพมหานคร 10260  
**Project Name** : โครงการไอดีโอ โมบี สุขุมวิท อีสต์พอยท์ (Ideo Mobi Sukhumvit Eastpoint)  
**Project Address** : ถนนสุขุมวิท แขวงบางนา เขตบางนา จังหวัดกรุงเทพมหานคร 10260  
**Sample Type** : Waste water  
**Sample Name** : บริเวณน้ำเสียหลังผ่านระบบบำบัดน้ำเสีย อาคาร B  
**GPS. Coordinate** : UTM (WGS84) 47P 0673444 E, 1511120 N  
**Sampling Date** : May 8, 2023  
**Sampling Time** : 13:08  
**Sample Received Date** : May 9, 2023  
**Analysis Date** : May 9-26, 2023  
**Sampling By** : Mr.Naruthep Boonploysombut Analyst No.ว-262-จ-0002  
**Appearance** : Turbid, Yellow, Slightly Sediment, Smell  
**Analyzed By** : Ms.Kanokporn Mookdamung Analyst No.ว-262-จ-0004  
**Sample Code** : AS07W/66  
**Request No.** : 0646/66  
**Report Date** : May 31, 2023  
**Report No.** : PBW153/2023

Item	Parameter	Method of Analysis <sup>1/</sup>	Result	Standard <sup>2/</sup>	Unit	Conclusion
1	pH <sup>1</sup>	Electrometric Method (at 25°C)	6.6	5.0-9.0	-	Pass
2	Biochemical Oxygen Demand	5-Day BOD Test, Azide Modification Method	5.0	20	mg/l	Pass
3	Total Suspended Solids <sup>1</sup>	Dried at 103-105°C	18	30	mg/l	Pass
4	Sulfide	Iodometric Method	<1	1.0	mg/l	Pass
5	Total Dissolved Solids <sup>1</sup>	Dried at 180°C	310	699*	mg/l	Pass
6	Settleable Solids	Volumetric Method	0.5	0.5	ml/l	Pass
7	Fat Oil and Grease	Liquid-Liquid Partition, Gravimetric Method	<4	20	mg/l	Pass
8	Total Kjeldahl Nitrogen	Semi - Micro Kjeldahl, Titrimetric Method	8.65	35	mg/l	Pass
9	Total Coliform Bacteria	AWWA 2017 9221 B	22,000 <sup>2/</sup>	-	MPN/100 ml	Pass
10	Fecal Coliform Bacteria	AWWA 2017 9221 E	<1.8 <sup>2/</sup>	-	MPN/100 ml	Pass

Remark : <sup>1/</sup> APHA, AWWA, WEF. Standard Method for the Examination of Water and Wastewater 23<sup>rd</sup> ed. Washing ton, DC : APHA, 2017

<sup>2/</sup> Ministry of Natural Resources and Environment Announcement of wastewater discharge standards control certain types of buildings in the Royal Government Gazette No.122 Special Part 125D dated December 29, B.E. 2548 (2005). (Type A.)

<sup>3/</sup> Analysis And Results By South East Asian Laboratory Co., Ltd.

<sup>1</sup> ISO/IEC 17025 : 2005 หมายเลขการรับรองระบบงานที่ทดสอบ -0155

\* Increased Total Dissolved Solids in water use not more than 500 mg/l (Total Dissolved Solids in water use 199 mg/l)

Thitima

(Ms.Thitima Jampathong)  
Analyst No.ว-262-จ-0003  
Laboratory And Quality Manager



Jmm.

(Ms.Phattaraporn Meepet)  
Analyst No.ว-262-จ-0002  
Environmental Report Manager

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL

REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY





# ECO CONSULTANT COMPANY LIMITED.

32/3-4, Moo.4, Thai Ko, Sam Khok, Pathumthani, 12160. Tel. 02-001-384-5

32/3-4 หมู่ที่ 4 ตำบลท้ายเกาะ อำเภอสสามโคก จังหวัดปทุมธานี 12160. โทร 02-001-384-5

www.ecoconsult-lab.com Tax Identification Number : 0135559001081



TESTING

No.0155

## ANALYSIS REPORT

**Customer Name** : นิติบุคคลอาคารชุด ไอดีโอ โมบิ สุขุมวิท อีสต์ พอยท์  
**Customer Address** : เลขที่ 4379 ถนนสุขุมวิท แขวงบางนาใต้ เขตบางนา กรุงเทพมหานคร 10260  
**Project Name** : โครงการไอดีโอ โมบิ สุขุมวิท อีสต์พอยท์ (Ideo Mobi Sukhumvit Eastpoint)  
**Project Address** : ถนนสุขุมวิท แขวงบางนา เขตบางนา จังหวัดกรุงเทพมหานคร 10260  
**Sample Type** : Waste water  
**Sample Name** : บริเวณบ่อกักน้ำทิ้งก่อนระบายออกนอกโครงการ  
**GPS. Coordinate** : UTM (WGS84) 47P 0673446 E, 1511181 N  
**Sampling Date** : May 8, 2023  
**Sampling Time** : 13:39  
**Sample Received Date** : May 9, 2023  
**Analysis Date** : May 9-26, 2023  
**Sampling By** : Mr.Naruthep Boonploysombut Analyst No.ว-262-จ-0002  
**Appearance** : Turbid, Light Yellow, Sediment, Scentless  
**Analyzed By** : Ms.Kanokporn Mookdamung Analyst No.ว-262-จ-0004  
**Sample Code** : AS08W/66  
**Request No.** : 0646/66  
**Report Date** : May 31, 2023  
**Report No.** : PBW154/2023

Item	Parameter	Method of Analysis <sup>1/</sup>	Result	Standard <sup>2/</sup>	Unit	Conclusion
1	pH <sup>1</sup>	Electrometric Method (at 25°C)	6.8	5.0-9.0	-	Pass
2	Biochemical Oxygen Demand	5-Day BOD Test, Azide Modification Method	7.88	20	mg/l	Pass
3	Total Suspended Solids <sup>1</sup>	Dried at 103-105°C	21	30	mg/l	Pass
4	Sulfide	Iodometric Method	2.57	1.0	mg/l	Not Pass
5	Total Dissolved Solids <sup>1</sup>	Dried at 180°C	428	699*	mg/l	Pass
6	Settleable Solids	Volumetric Method	0.5	0.5	ml/l	Pass
7	Fat Oil and Grease	Liquid-Liquid Partition, Gravimetric Method	<4	20	mg/l	Pass
8	Total Kjeldahl Nitrogen	Semi - Micro Kjeldahl, Titrimetric Method	10.54	35	mg/l	Pass
9	Total Coliform Bacteria	AWWA 2017 9221 B	9,200,000 <sup>2/</sup>	-	MPN/100 ml	Pass
10	Fecal Coliform Bacteria	AWWA 2017 9221 E	2.0 <sup>2/</sup>	-	MPN/100 ml	Pass

Remark : <sup>1/</sup> APHA, AWWA, WEF. Standard Method for the Examination of Water and Wastewater 23<sup>rd</sup> ed. Washington, DC : APHA, 2017

<sup>2/</sup> Ministry of Natural Resources and Environment Announcement of wastewater discharge standards control certain types of buildings in the Royal Government Gazette No.122 Special Part 125D dated December 29, B.E. 2548 (2005). (Type A.)

<sup>3/</sup> Analysis And Results By South East Asian Laboratory Co., Ltd.

<sup>1</sup> ISO/IEC 17025 : 2005 หมายเลขการรับรองระบบงานที่ทดสอบ -0155

\* Increased Total Dissolved Solids in water use not more than 500 mg/l (Total Dissolved Solids in water use 199 mg/l)

Thitima

(Ms.Thitima Jampathong)  
Analyst No.ว-262-จ-0003  
Laboratory And Quality Manager



Jm

(Ms.Phattaraporn Meepet)  
Analyst No.ว-262-จ-0002  
Environmental Report Manager

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL

REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY



## ECO CONSULTANT COMPANY LIMITED.

32/3-4, Moo.4, Thai Ko, Sam Khok, Pathumthani, 12160. Tel. 02-001-384-5

32/3-4 หมู่ที่ 4 ตำบลท้ายเกาะ อำเภอสสามโคก จังหวัดปทุมธานี 12160. โทร 02-001-384-5

www.ecoconsult-lab.com Tax Identification Number : 0135559001081

### ANALYSIS REPORT

**Customer Name** : นิติบุคคลอาคารชุด ไอดีโอ โมบิ สุขุมวิท อีสต์ พอยท์  
**Customer Address** : เลขที่ 4379 ถนนสุขุมวิท แขวงบางนาใต้ เขตบางนา กรุงเทพมหานคร 10260  
**Project Name** : โครงการไอดีโอ โมบิ สุขุมวิท อีสต์พอยท์ (Ideo Mobi Sukhumvit Eastpoint)  
**Project Address** : ถนนสุขุมวิท แขวงบางนา เขตบางนา จังหวัดกรุงเทพมหานคร 10260  
**Sample Type** : Water supply  
**Sample Name** : บริเวณก๊อกน้ำในพื้นที่โครงการ  
**GPS. Coordinate** : -  
**Sampling Date** : May 8, 2023  
**Sampling Time** : 13:43  
**Sample Received Date** : May 9, 2023  
**Analysis Date** : May 9-25, 2023  
**Sampling By** : Mr.Naruthep Boonploysombut Analyst No.ว-262-จ-0002  
**Appearance** : Clear, None Sediment, Scentless  
**Analyzed By** : Ms.Kanokporn Mookdamung Analyst No.ว-262-จ-0004

**Sample Code** : AS09WS/66  
**Request No.** : 0646/66  
**Report Date** : May 31, 2023  
**Report No.** : PWS023/2023

Item	Parameter	Method of Analysis <sup>1/</sup>	Result	Standard <sup>2/</sup>	Unit
1	Total Dissolved Solid	Dried at 180°C	199	1,000	mg/l

Remark : <sup>1/</sup> APHA, AWWA, WEF. Standard Method for the Examination of Water and Wastewater 23<sup>rd</sup> ed. Washing ton, DC : APHA, 2017

<sup>2/</sup> Water Supply Standard of Provincial Waterworks Authority, according to World Health Organization (2011).

(Ms.Thitima Jampathong)

Laboratory And Quality Manager



(Ms.Phattaraporn Meepet)

Environmental Report Manager





# ECO CONSULTANT COMPANY LIMITED.

32/3-4, Moo.4, Thai Ko, Sam Khok, Pathumthani, 12160. Tel. 02-001-384-5

32/3-4 หมู่ที่ 4 ตำบลท้ายเกาะ อำเภอสамโคก จังหวัดปทุมธานี 12160. โทร 02-001-384-5

www.ecoconsult-lab.com Tax Identification Number : 0135559001081

## ANALYSIS REPORT

**Customer Name** : นิติบุคคลอาคารชุด ไอดีโอ โมบิ สุขุมวิท อีสต์ พอยท์  
**Customer Address** : เลขที่ 4379 ถนนสุขุมวิท แขวงบางนาใต้ เขตบางนา กรุงเทพมหานคร 10260  
**Project Name** : โครงการไอดีโอ โมบิ สุขุมวิท อีสต์พอยท์ (Ideo Mobi Sukhumvit Eastpoint)  
**Project Address** : ถนนสุขุมวิท แขวงบางนา เขตบางนา จังหวัดกรุงเทพมหานคร 10260  
**Sample Type** : Pool water  
**Sample Name** : บริเวณสระว่ายน้ำ (ส่วนเล็ก)  
**GPS. Coordinate** : UTM (WGS84) 47P 0673468 E, 1511177 N  
**Sampling Date** : May 8, 2023  
**Sampling Time** : 13:47  
**Sample Received Date** : May 9, 2023  
**Analysis Date** : May 9-25, 2023  
**Sampling By** : Mr.Naruthep Boonploysombut  
**Appearance** : Clear, None Sediment, Scentless  
**Analyzed By** : Ms.Thitiporn Chantrakun  
**Sample Code** : AS10WS/66  
**Request No.** : 0646/66  
**Report Date** : May 31, 2023  
**Report No.** : PPW065/2023

Item	Parameter	Method of Analysis <sup>1/</sup>	Result	Standard		Unit	Conclusion
				BRT <sup>2/</sup>	RPH <sup>3/</sup>		
1	Total Coliform Bacteria	AWWA Ed 23 (2017), 9221 B	<1.1	<10	<10	MPN/100 ml	Pass
2	<i>Escherichia coli</i>	AWWA Ed 23 (2017), 9221 F	Not Detectable	None	None	in100 ml	Pass
3	<i>Staphylococcus aureus</i>	AWWA Ed 23 (2017), 9213 B	Not Detectable	None	None	in100 ml	Pass
4	<i>Pseudomonas aeruginosa</i>	AWWA Ed 23 (2017), 9213 E	Not Detectable	None	None	in100 ml	Pass

Remark : <sup>1/</sup> APHA, AWWA, WEF. Standard Method for the Examination of Water and Wastewater 23<sup>rd</sup> ed. Washing ton, DC: APHA, 2017

<sup>2/</sup> Bangkok Regulations Trade Rules which is Disgusting or Potentially Harmful to Health type of Swimming Pool Establishment in the Royal Government Gazette No.10 Part 205 dated October 14, B.E.2530 (1987)

<sup>3/</sup> Recommendations of The Public Health Committee No. 1/2550 (2007) Regarding the Control of Swimming Pool Operations or any other Similar Business.

ND = Not Detectable

Thitima

(Ms.Thitima Jampathong)  
Laboratory And Quality Manager



Jmr.

(Ms.Phattaraporn Meepet)  
Environmental Report Manager

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL

REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY



## ECO CONSULTANT COMPANY LIMITED.

32/3-4, Moo.4, Thai Ko, Sam Khok, Pathumthani, 12160. Tel. 02-001-384-5

32/3-4 หมู่ที่ 4 ตำบลท้ายเกาะ อำเภอสสามโคก จังหวัดปทุมธานี 12160. โทร 02-001-384-5

www.ecoconsult-lab.com Tax Identification Number : 0135559001081

### ANALYSIS REPORT

**Customer Name** : นิติบุคคลอาคารชุด ไอดีโอ โมบิ สุขุมวิท อีสต์ พอยท์  
**Customer Address** : เลขที่ 4379 ถนนสุขุมวิท แขวงบางนาใต้ เขตบางนา กรุงเทพมหานคร 10260  
**Project Name** : โครงการไอดีโอ โมบิ สุขุมวิท อีสต์พอยท์ (Ideo Mobi Sukhumvit Eastpoint)  
**Project Address** : ถนนสุขุมวิท แขวงบางนา เขตบางนา จังหวัดกรุงเทพมหานคร 10260  
**Sample Type** : Pool water  
**Sample Name** : บริเวณสระว่ายน้ำ (ส่วนต้น)  
**GPS. Coordinate** : UTM (WGS84) 47P 0673474 E, 1511194 N  
**Sampling Date** : May 8, 2023  
**Sampling Time** : 13:46  
**Sample Received Date** : May 9, 2023  
**Analysis Date** : May 9-25, 2023  
**Sampling By** : Mr.Naruthep Boonploysombut  
**Appearance** : Clear, None Sediment, Scentless  
**Analyzed By** : Ms.Thitiporn Chantrakun  
**Sample Code** : AS11WS/66  
**Request No.** : 0646/66  
**Report Date** : May 31, 2023  
**Report No.** : PPW066/2023

Item	Parameter	Method of Analysis <sup>1/</sup>	Result	Standard		Unit	Conclusion
				BRT <sup>2/</sup>	RPH <sup>3/</sup>		
1	Total Coliform Bacteria	AWWA Ed 23 (2017), 9221 B	<1.1	<10	<10	MPN/100 ml	Pass
2	<i>Escherichia coli</i>	AWWA Ed 23 (2017), 9221 F	Not Detectable	None	None	in100 ml	Pass
3	<i>Staphylococcus aureus</i>	AWWA Ed 23 (2017), 9213 B	Not Detectable	None	None	in100 ml	Pass
4	<i>Pseudomonas aeruginosa</i>	AWWA Ed 23 (2017), 9213 E	Not Detectable	None	None	in100 ml	Pass

Remark : <sup>1/</sup> APHA, AWWA, WEF. Standard Method for the Examination of Water and Wastewater 23<sup>rd</sup> ed. Washington, DC: APHA, 2017

<sup>2/</sup> Bangkok Regulations Trade Rules which is Disgusting or Potentially Harmful to Health type of Swimming Pool Establishment in the Royal Government Gazette No.10 Part 205 dated October 14, B.E.2530 (1987)

<sup>3/</sup> Recommendations of The Public Health Committee No. 1/2550 (2007) Regarding the Control of Swimming Pool Operations or any other Similar Business.  
ND = Not Detectable

Thitima

(Ms.Thitima Jampathong)  
Laboratory And Quality Manager



Phattaraporn

(Ms.Phattaraporn Meepet)  
Environmental Report Manager

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL

REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY





## ECO CONSULTANT COMPANY LIMITED.

32/3-4, Moo.4, Thai Ko, Sam Khok, Pathumthani, 12160. Tel. 02-001-384-5

32/3-4 หมู่ที่ 4 ตำบลท้ายเกาะ อำเภอสสามโคก จังหวัดปทุมธานี 12160. โทร 02-001-384-5

www.ecoconsult-lab.com Tax Identification Number : 0135559001081

### ANALYSIS REPORT

**Customer Name** : นิติบุคคลอาคารชุด ไอดีโอ โมบิ สุขุมวิท อีสต์ พอยท์  
**Customer Address** : เลขที่ 4379 ถนนสุขุมวิท แขวงบางนาใต้ เขตบางนา กรุงเทพมหานคร 10260  
**Project Name** : โครงการไอดีโอ โมบิ สุขุมวิท อีสต์พอยท์ (Ideo Mobi Sukhumvit Eastpoint)  
**Project Address** : ถนนสุขุมวิท แขวงบางนา เขตบางนา จังหวัดกรุงเทพมหานคร 10260  
**Sample Type** : Pool water  
**Sample Name** : บริเวณสระว่ายน้ำ (ส่วนเล็ก)  
**GPS. Coordinate** : UTM (WGS84) 47P 0673468 E, 1511177 N  
**Sampling Date** : May 2, 2023  
**Sampling Time** : 11:50  
**Sample Received Date** : May 3, 2023  
**Analysis Date** : May 3-18, 2023  
**Sampling By** : Mr.Naruthep Boonploysombut  
**Appearance** : Clear, None Sediment, Scentless  
**Analyzed By** : Ms.Thitiporn Chantrakun  
**Sample Code** : AQ39WS/66  
**Request No.** : 0584/66  
**Report Date** : May 20, 2023  
**Report No.** : PPW067/2023

Item	Parameter	Method of Analysis <sup>1/</sup>	Result	Standard		Unit	Conclusion
				BRT <sup>2/</sup>	RPH <sup>3/</sup>		
1	Total Coliform Bacteria	AWWA Ed 23 (2017), 9221 B	<1.1	<10	<10	MPN/100 ml	Pass
2	<i>Escherichia coli</i>	AWWA Ed 23 (2017), 9221 F	Not Detectable	None	None	in100 ml	Pass
3	<i>Staphylococcus aureus</i>	AWWA Ed 23 (2017), 9213 B	Not Detectable	None	None	in100 ml	Pass
4	<i>Pseudomonas aeruginosa</i>	AWWA Ed 23 (2017), 9213 E	Not Detectable	None	None	in100 ml	Pass

Remark : <sup>1/</sup> APHA, AWWA, WEF. Standard Method for the Examination of Water and Wastewater 23<sup>rd</sup> ed. Washing ton, DC: APHA, 2017

<sup>2/</sup> Bangkok Regulations Trade Rules which is Disgusting or Potentially Harmful to Health type of Swimming Pool Establishment in the Royal Government Gazette No.10 Part 205 dated October 14, B.E.2530 (1987)

<sup>3/</sup> Recommendations of The Public Health Committee No. 1/2550 (2007) Regarding the Control of Swimming Pool Operations or any other Similar Business.  
ND = Not Detectable

Thitima

(Ms.Thitima Jampathong)  
Laboratory And Quality Manager



Phattaraporn

(Ms.Phattaraporn Meepet)  
Environmental Report Manager

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL

REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY



## ECO CONSULTANT COMPANY LIMITED.

32/3-4, Moo.4, Thai Ko, Sam Khok, Pathumthani, 12160. Tel. 02-001-384-5

32/3-4 หมู่ที่ 4 ตำบลท้ายเกาะ อำเภอสамโคก จังหวัดปทุมธานี 12160. โทร 02-001-384-5

www.ecoconsult-lab.com Tax Identification Number : 0135559001081

### ANALYSIS REPORT

**Customer Name** : นิติบุคคลอาคารชุด ไอดีโอ โมบิ สุขุมวิท อีสต์ พอยท์  
**Customer Address** : เลขที่ 4379 ถนนสุขุมวิท แขวงบางนาใต้ เขตบางนา กรุงเทพมหานคร 10260  
**Project Name** : โครงการไอดีโอ โมบิ สุขุมวิท อีสต์พอยท์ (Ideo Mobi Sukhumvit Eastpoint)  
**Project Address** : ถนนสุขุมวิท แขวงบางนา เขตบางนา จังหวัดกรุงเทพมหานคร 10260  
**Sample Type** : Pool water  
**Sample Name** : บริเวณสระว่ายน้ำ (ส่วนต้น)  
**GPS. Coordinate** : UTM (WGS84) 47P 0673474 E, 1511194 N  
**Sampling Date** : May 2, 2023  
**Sampling Time** : 11:52  
**Sample Received Date** : May 3, 2023  
**Analysis Date** : May 3-18, 2023  
**Sampling By** : Mr.Naruthep Boonploysombut  
**Appearance** : Clear, None Sediment, Scentless  
**Analyzed By** : Ms.Thitiporn Chantrakun  
**Sample Code** : AQ40WS/66  
**Request No.** : 0584/66  
**Report Date** : May 20, 2023  
**Report No.** : PPW068/2023

Item	Parameter	Method of Analysis <sup>1/</sup>	Result	Standard		Unit	Conclusion
				BRT <sup>2/</sup>	RPH <sup>3/</sup>		
1	Total Coliform Bacteria	AWWA Ed 23 (2017), 9221 B	<1.1	<10	<10	MPN/100 ml	Pass
2	<i>Escherichia coli</i>	AWWA Ed 23 (2017), 9221 F	Not Detectable	None	None	in100 ml	Pass
3	<i>Staphylococcus aureus</i>	AWWA Ed 23 (2017), 9213 B	Not Detectable	None	None	in100 ml	Pass
4	<i>Pseudomonas aeruginosa</i>	AWWA Ed 23 (2017), 9213 E	Not Detectable	None	None	in100 ml	Pass

Remark : <sup>1/</sup> APHA, AWWA, WEF. Standard Method for the Examination of Water and Wastewater 23<sup>rd</sup> ed. Washington, DC: APHA, 2017

<sup>2/</sup> Bangkok Regulations Trade Rules which is Disgusting or Potentially Harmful to Health type of Swimming Pool Establishment in the Royal Government Gazette No.10 Part 205 dated October 14, B.E.2530 (1987)

<sup>3/</sup> Recommendations of The Public Health Committee No. 1/2550 (2007) Regarding the Control of Swimming Pool Operations or any other Similar Business.

ND = Not Detectable

Thitima

(Ms.Thitima Jampathong)  
Laboratory And Quality Manager



Phattaraporn

(Ms.Phattaraporn Meepet)  
Environmental Report Manager

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL

REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY





# ECO CONSULTANT COMPANY LIMITED.

32/3-4, Moo.4, Thai Ko, Sam Khok, Pathumthani, 12160. Tel. 02-001-384-5

32/3-4 หมู่ที่ 4 ตำบลท้ายเกาะ อำเภอสสามโคก จังหวัดปทุมธานี 12160. โทร 02-001-384-5

www.ecoconsult-lab.com Tax Identification Number : 0135559001081

## ANALYSIS REPORT

**Customer Name** : นิติบุคคลอาคารชุด ไอดีโอ โมบิ สุขุมวิท อีสต์ พอยท์  
**Customer Address** : เลขที่ 4379 ถนนสุขุมวิท แขวงบางนาใต้ เขตบางนา กรุงเทพมหานคร 10260  
**Project Name** : โครงการไอดีโอ โมบิ สุขุมวิท อีสต์พอยท์ (Ideo Mobi Sukhumvit Eastpoint)  
**Project Address** : ถนนสุขุมวิท แขวงบางนา เขตบางนา จังหวัดกรุงเทพมหานคร 10260  
**Sample Type** : Pool water  
**Sample Name** : บริเวณสระว่ายน้ำ (ส่วนเล็ก)  
**GPS. Coordinate** : UTM (WGS84) 47P 0673468 E, 1511177 N  
**Sampling Date** : May 15, 2023  
**Sampling Time** : 11:23  
**Sample Received Date** : May 16, 2023  
**Analysis Date** : May 16 – June 3, 2023  
**Sampling By** : Mr.Naruthep Boonploysombut  
**Appearance** : Clear, None Sediment, Scentless  
**Analyzed By** : Ms.Thitiporn Chantrakun  
**Sample Code** : AU51WS/66  
**Request No.** : 0748/66  
**Report Date** : June 8, 2023  
**Report No.** : PPW069/2023

Item	Parameter	Method of Analysis <sup>1/</sup>	Result	Standard		Unit	Conclusion
				BRT <sup>2/</sup>	RPH <sup>3/</sup>		
1	Total Coliform Bacteria	AWWA Ed 23 (2017), 9221 B	<1.1	<10	<10	MPN/100 ml	Pass
2	<i>Escherichia coli</i>	AWWA Ed 23 (2017), 9221 F	Not Detectable	None	None	in100 ml	Pass
3	<i>Staphylococcus aureus</i>	AWWA Ed 23 (2017), 9213 B	Not Detectable	None	None	in100 ml	Pass
4	<i>Pseudomonas aeruginosa</i>	AWWA Ed 23 (2017), 9213 E	Not Detectable	None	None	in100 ml	Pass

Remark : <sup>1/</sup> APHA, AWWA, WEF. Standard Method for the Examination of Water and Wastewater 23<sup>rd</sup> ed. Washing ton, DC: APHA, 2017

<sup>2/</sup> Bangkok Regulations Trade Rules which is Disgusting or Potentially Harmful to Health type of Swimming Pool Establishment in the Royal Government Gazette No.10 Part 205 dated October 14, B.E.2530 (1987)

<sup>3/</sup> Recommendations of The Public Health Committee No. 1/2550 (2007) Regarding the Control of Swimming Pool Operations or any other Similar Business.

ND = Not Detectable



(Ms.Thitima Jampathong)  
Laboratory And Quality Manager

(Ms.Phattaraporn Meepet)  
Environmental Report Manager

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL

REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY



# ECO CONSULTANT COMPANY LIMITED.

32/3-4, Moo.4, Thai Ko, Sam Khok, Pathumthani, 12160. Tel. 02-001-384-5

32/3-4 หมู่ที่ 4 ตำบลท้ายเกาะ อำเภอสสามโคก จังหวัดปทุมธานี 12160. โทร 02-001-384-5

www.ecoconsult-lab.com Tax Identification Number : 0135559001081

## ANALYSIS REPORT

**Customer Name** : นิติบุคคลอาคารชุด ไอดีโอ โมบิ สุขุมวิท อีสต์ พอยท์  
**Customer Address** : เลขที่ 4379 ถนนสุขุมวิท แขวงบางนาใต้ เขตบางนา กรุงเทพมหานคร 10260  
**Project Name** : โครงการไอดีโอ โมบิ สุขุมวิท อีสต์พอยท์ (Ideo Mobi Sukhumvit Eastpoint)  
**Project Address** : ถนนสุขุมวิท แขวงบางนา เขตบางนา จังหวัดกรุงเทพมหานคร 10260  
**Sample Type** : Pool water  
**Sample Name** : บริเวณสระว่ายน้ำ (ส่วนต้น)  
**GPS. Coordinate** : UTM (WGS84) 47P 0673474 E, 1511194 N  
**Sampling Date** : May 15, 2023  
**Sampling Time** : 11:25  
**Sample Received Date** : May 16, 2023  
**Analysis Date** : May 16 – June 3, 2023  
**Sampling By** : Mr.Naruthep Boonploysombut  
**Appearance** : Clear, None Sediment, Scentless  
**Analyzed By** : Ms.Thitiporn Chantrakun  
**Sample Code** : AU52WS/66  
**Request No.** : 0748/66  
**Report Date** : June 8, 2023  
**Report No.** : PPW070/2023

Item	Parameter	Method of Analysis <sup>1/</sup>	Result	Standard		Unit	Conclusion
				BRT <sup>2/</sup>	RPH <sup>3/</sup>		
1	Total Coliform Bacteria	AWWA Ed 23 (2017), 9221 B	<1.1	<10	<10	MPN/100 ml	Pass
2	<i>Escherichia coli</i>	AWWA Ed 23 (2017), 9221 F	Not Detectable	None	None	in100 ml	Pass
3	<i>Staphylococcus aureus</i>	AWWA Ed 23 (2017), 9213 B	Not Detectable	None	None	in100 ml	Pass
4	<i>Pseudomonas aeruginosa</i>	AWWA Ed 23 (2017), 9213 E	Not Detectable	None	None	in100 ml	Pass

Remark : <sup>1/</sup> APHA, AWWA, WEF. Standard Method for the Examination of Water and Wastewater 23<sup>rd</sup> ed. Washing ton, DC: APHA, 2017

<sup>2/</sup> Bangkok Regulations Trade Rules which is Disgusting or Potentially Harmful to Health type of Swimming Pool Establishment in the Royal Government Gazette No.10 Part 205 dated October 14, B.E.2530 (1987)

<sup>3/</sup> Recommendations of The Public Health Committee No. 1/2550 (2007) Regarding the Control of Swimming Pool Operations or any other Similar Business.  
ND = Not Detectable

Thitima

(Ms.Thitima Jampathong)  
Laboratory And Quality Manager



Jim

(Ms.Phattaraporn Meepet)  
Environmental Report Manager

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL

REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY





# ECO CONSULTANT COMPANY LIMITED.

32/3-4, Moo.4, Thai Ko, Sam Khok, Pathumthani, 12160. Tel. 02-001-384-5

32/3-4 หมู่ที่ 4 ตำบลท้ายเกาะ อำเภอสสามโคก จังหวัดปทุมธานี 12160. โทร 02-001-384-5

www.ecoconsult-lab.com Tax Identification Number : 0135559001081

## ANALYSIS REPORT

**Customer Name** : นิติบุคคลอาคารชุด ไอดีโอ โมบิ สุขุมวิท อีสต์ พอยท์  
**Customer Address** : เลขที่ 4379 ถนนสุขุมวิท แขวงบางนาใต้ เขตบางนา กรุงเทพมหานคร 10260  
**Project Name** : โครงการไอดีโอ โมบิ สุขุมวิท อีสต์พอยท์ (Ideo Mobi Sukhumvit Eastpoint)  
**Project Address** : ถนนสุขุมวิท แขวงบางนา เขตบางนา จังหวัดกรุงเทพมหานคร 10260  
**Sample Type** : Pool water  
**Sample Name** : บริเวณสระว่ายน้ำ (ส่วนเล็ก)  
**GPS. Coordinate** : UTM (WGS84) 47P 0673468 E, 1511177 N  
**Sampling Date** : May 22, 2023  
**Sampling Time** : 12:01  
**Sample Received Date** : May 23, 2023  
**Analysis Date** : May 23 – June 3, 2023  
**Sampling By** : Mr.Naruthep Boonploysombut  
**Appearance** : Clear, None Sediment, Scentless  
**Analyzed By** : Ms.Thitiporn Chantrakun  
**Sample Code** : AV38WS/66  
**Request No.** : 0776/66  
**Report Date** : June 8, 2023  
**Report No.** : PPW071/2023

Item	Parameter	Method of Analysis <sup>1/</sup>	Result	Standard		Unit	Conclusion
				BRT <sup>2/</sup>	RPH <sup>3/</sup>		
1	Total Coliform Bacteria	AWWA Ed 23 (2017), 9221 B	<1.1	<10	<10	MPN/100 ml	Pass
2	<i>Escherichia coli</i>	AWWA Ed 23 (2017), 9221 F	Not Detectable	None	None	in100 ml	Pass
3	<i>Staphylococcus aureus</i>	AWWA Ed 23 (2017), 9213 B	Not Detectable	None	None	in100 ml	Pass
4	<i>Pseudomonas aeruginosa</i>	AWWA Ed 23 (2017), 9213 E	Not Detectable	None	None	in100 ml	Pass

**Remark** : <sup>1/</sup> APHA, AWWA, WEF. Standard Method for the Examination of Water and Wastewater 23<sup>rd</sup> ed. Washington, DC: APHA, 2017

<sup>2/</sup> Bangkok Regulations Trade Rules which is Disgusting or Potentially Harmful to Health type of Swimming Pool Establishment in the Royal Government Gazette No.10 Part 205 dated October 14, B.E.2530 (1987)

<sup>3/</sup> Recommendations of The Public Health Committee No. 1/2550 (2007) Regarding the Control of Swimming Pool Operations or any other Similar Business.

ND = Not Detectable

Thitima

(Ms.Thitima Jampathong)  
Laboratory And Quality Manager



Jmr.

(Ms.Phattaraporn Meepet)  
Environmental Report Manager

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL

REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY



## ECO CONSULTANT COMPANY LIMITED.

32/3-4, Moo.4, Thai Ko, Sam Khok, Pathumthani, 12160. Tel. 02-001-384-5

32/3-4 หมู่ที่ 4 ตำบลท้ายเกาะ อำเภอสสามโคก จังหวัดปทุมธานี 12160. โทร 02-001-384-5

www.ecoconsult-lab.com Tax Identification Number : 0135559001081

### ANALYSIS REPORT

**Customer Name** : นิติบุคคลอาคารชุด ไอดีโอ โมบิ สุขุมวิท อีสต์ พอยท์  
**Customer Address** : เลขที่ 4379 ถนนสุขุมวิท แขวงบางนาใต้ เขตบางนา กรุงเทพมหานคร 10260  
**Project Name** : โครงการไอดีโอ โมบิ สุขุมวิท อีสต์พอยท์ (Ideo Mobi Sukhumvit Eastpoint)  
**Project Address** : ถนนสุขุมวิท แขวงบางนา เขตบางนา จังหวัดกรุงเทพมหานคร 10260  
**Sample Type** : Pool water  
**Sample Name** : บริเวณสระว่ายน้ำ (ส่วนต้น)  
**GPS. Coordinate** : UTM (WGS84) 47P 0673474 E, 1511194 N  
**Sampling Date** : May 22, 2023  
**Sampling Time** : 11:58  
**Sample Received Date** : May 23, 2023  
**Analysis Date** : May 23 – June 3, 2023  
**Sampling By** : Mr.Naruthep Boonploysombut  
**Appearance** : Clear, None Sediment, Scentless  
**Analyzed By** : Ms.Thitiporn Chantrakun  
**Sample Code** : AV39WS/66  
**Request No.** : 0776/66  
**Report Date** : June 8, 2023  
**Report No.** : PPW072/2023

Item	Parameter	Method of Analysis <sup>1/</sup>	Result	Standard		Unit	Conclusion
				BRT <sup>2/</sup>	RPH <sup>3/</sup>		
1	Total Coliform Bacteria	AWWA Ed 23 (2017), 9221 B	<1.1	<10	<10	MPN/100 ml	Pass
2	<i>Escherichia coli</i>	AWWA Ed 23 (2017), 9221 F	Not Detectable	None	None	in100 ml	Pass
3	<i>Staphylococcus aureus</i>	AWWA Ed 23 (2017), 9213 B	Not Detectable	None	None	in100 ml	Pass
4	<i>Pseudomonas aeruginosa</i>	AWWA Ed 23 (2017), 9213 E	Not Detectable	None	None	in100 ml	Pass

Remark : <sup>1/</sup> APHA, AWWA, WEF. Standard Method for the Examination of Water and Wastewater 23<sup>rd</sup> ed. Washington, DC: APHA, 2017

<sup>2/</sup> Bangkok Regulations Trade Rules which is Disgusting or Potentially Harmful to Health type of Swimming Pool Establishment in the Royal Government Gazette No.10 Part 205 dated October 14, B.E.2530 (1987)

<sup>3/</sup> Recommendations of The Public Health Committee No. 1/2550 (2007) Regarding the Control of Swimming Pool Operations or any other Similar Business.  
ND = Not Detectable

Thitima

(Ms.Thitima Jampathong)  
Laboratory And Quality Manager



Jmr

(Ms.Phattaraporn Meepet)  
Environmental Report Manager

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL

REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY