

ภาคผนวก ค

หนังสือรับรองผลการตรวจวัดและวิเคราะห์



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800
239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND
TEL. (662) 959-3600 FAX (662) 959-3535 Website: secot.co.th E-mail: envscr@secot.co.th

GROUND WATER ANALYSIS REPORT

CLIENT NAME	: Kuwait Petroleum Aviation (Thailand) Ltd.	REQUEST SERVICE No.	: 1825/65
	(Feeder Line Project)	SAMPLING METHOD	: Pneumatic Bladder Pump
SAMPLING BY	: SECOT Co., Ltd.	SAMPLING TIME	: 13:48-13:56
SAMPLING DATE	: 06/09/2022	ANALYTICAL DATE	: 06, 08-15/09/2022
RECEIVED DATE	: 08/09/2022	SITE OPERATOR	: Mr. Baworn Deechaiya
REPORT DATE	: 21/09/2022	FILE CODE	: 222100_GW_September
SAMPLE CONDITION	: Normal		

PARAMETER	UNIT	ANALYSIS METHODS	ND (non-detectable)	STATION MW-2
Depth	m	-	-	4.06
Temperature	°C	2550 B	< 0.5	31.7
pH	-	4500-H ⁺ B	< 0.10	3.84
Color	Unit	2120 B	< 5.0	5
Conductivity	µS/cm	2510 B	< 1.0	3,295
Total Dissolved Solids	mg/l	2540 C	< 50	2,414
Total Suspended Solids	mg/l	2540 D	< 5	11

REFERENCE: STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER, 19th ED. 2017 (AWWA-APHA-WEF)

Khemchuda Insorn

(Miss Khemchuda Insorn)

Analyst

(Mrs. Araya Tipparak)

(Mrs. Araya Tipparak)

Technical Management Team

Remark : 1. Reported analysis refers to submitted sample only.

2. This report shall not be reproduced, except in full, without official approval.

3. - Not available.



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800
239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND
TEL. (662) 959-3600 FAX (662) 959-3535 Website: secot.co.th E-mail: envscr@secot.co.th

GROUND WATER ANALYSIS REPORT

CLIENT NAME	: Kuwait Petroleum Aviation (Thailand) Ltd.	REQUEST SERVICE No.	: 1825/65
	(Feeder Line Project)	SAMPLING METHOD	: Pneumatic Bladder Pump
SAMPLING BY	: SECOT Co., Ltd.	SAMPLING TIME	: 13:48-13:56
SAMPLING DATE	: 06/09/2022	ANALYTICAL DATE	: 12-14/09/2022
RECEIVED DATE	: 08/09/2022	SITE OPERATOR	: Mr. Baworn Deechaiya
REPORT DATE	: 21/09/2022	FILE CODE	: 222100_GW_September
SAMPLE CONDITION	: Normal		

PARAMETER	UNIT	ANALYSIS METHODS	ND (non-detectable)	STATION MW-2	STANDARD ^U
Benzene	mg/l	6200 B	< 0.0002	ND	≤ 0.2
Carbon tetrachloride	mg/l	6200 B	< 0.0002	ND	≤ 0.4
1,2-Dichloroethane	mg/l	6200 B	< 0.0002	ND	≤ 0.5
Dichloromethane	mg/l	6200 B	< 0.0002	0.0004	≤ 6.0
1,1-Dichloroethylene	mg/l	6200 B	< 0.0002	ND	≤ 0.1
cis-1,2-Dichloroethylene	mg/l	6200 B	< 0.0002	ND	≤ 2.0
trans-1,2-Dichloroethylene	mg/l	6200 B	< 0.0002	ND	≤ 5.0
Ethylbenzene	mg/l	6200 B	< 0.0002	ND	≤ 2.0
Styrene	mg/l	6200 B	< 0.0002	ND	≤ 24
Tetrachloroethylene	mg/l	6200 B	< 0.0002	ND	≤ 0.9
Toluene	mg/l	6200 B	< 0.0002	ND	≤ 5.0
1,1,1-Trichloroethane	mg/l	6200 B	< 0.0002	ND	≤ 0.2
1,1,2-Trichloroethane	mg/l	6200 B	< 0.0002	ND	≤ 0.8
Trichloroethylene	mg/l	6200 B	< 0.0002	ND	≤ 4.4
m-Xylene	mg/l	6200 B	< 0.0002	ND	≤ 24
o-Xylene	mg/l	6200 B	< 0.0002	ND	≤ 24
p-Xylene	mg/l	6200 B	< 0.0002	ND	≤ 24
Total Xylenes	mg/l	6200 B	< 0.0006	ND	≤ 24
Vinyl Chloride	mg/l	6200 B	< 0.0005	ND	≤ 0.03

REFERENCE: STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER, 19th ED. 2017 (AWWA-APHA-WEF)

Natsiri L

(Miss Natsiri Lerterapipat)

Analyst

REG. NO. 2-239-ก-0001

(Mrs. Araya Tipparak)

(Mrs. Araya Tipparak)

Technical Management Team

REG. NO. 2-239-ก-5863

Remark : 1. Reported analysis refers to submitted sample only.

2. This report shall not be reproduced, except in full, without official approval.

3. ^U Notification of the Ministry of Industry, B.E.2559 (2016).



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนวิภาวดีรังสิต แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800
239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND
TEL. (662) 959-3600 FAX (662) 959-3535 Website: secot.co.th E-mail: envserv@secot.co.th

GROUND WATER ANALYSIS REPORT

CLIENT NAME	Kuwait Petroleum Aviation (Thailand) Ltd.	REQUEST SERVICE No.	1825/65
	(Feeder Line Project)	SAMPLING METHOD	Pneumatic Bladder Pump
SAMPLING BY	SECOT Co., Ltd.	SAMPLING TIME	13:48-13:56
SAMPLING DATE	06/09/2022	ANALYTICAL DATE	12,16-20/09/2022
RECEIVED DATE	08/09/2022	SITE OPERATOR	Mr. Baworn Deechaiya
REPORT DATE	21/09/2022	FILE CODE	222100_GW_September
SAMPLE CONDITION	Normal		

PARAMETER	UNIT	ANALYSIS METHODS	ND (non-detectable)	STATION MW-2	STANDARD ¹⁾
Total Petroleum Hydrocarbons					
- C ₂ -C ₈	mg/l	5030 C / 8260 D	< 0.003	ND	≤ 1.4
- Pentane					
- Benzene					
- Toluene					
- m,p-Xylene					
- o-Xylene					
- C ₉ -C ₁₆	mg/l	3510 C / 8015 D	< 0.025	ND	≤ 1.7
- n-Nonane					
- n-Decane					
- n-Dodecane					
- n-Tetradecane					
- n-Hexadecane					
- C ₁₆ -C ₃₅	mg/l	3510 C / 8015 D	< 0.050	ND	≤ 0.1
- n-Octadecane					
- n-Eicosane					
- n-Docosane					
- n-Tetraacosane					
- n-Hexacosane					
- n-Octacosane					
- n-Triacontane					
- n-Dotriacontane					
- n-Tetratriacontane					
- Pentatriacontane					

REFERENCE : USE EPA 821-146 TEST METHODS FOR EVALUATING WATER AND SOLID WASTE, 3rd ED., 2002

Natsiri L.
(Miss Natsiri Lertierapipat)
Analyst
REG. NO. 7-239-R-0001

(Mrs. Araya Tipparuk)
Technical Management Team
REG. NO. 7-239-R-5863

Remark : 1. Reported analysis refers to submitted sample only.
2. This report shall not be reproduced, except in full, without official approval.
3. ¹⁾ Notification of the Ministry of Industry, B.E.2559 (2016).



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนวิภาวดีรังสิต แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800
239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND
TEL. (662) 959-3600 FAX (662) 959-3535 Website: secot.co.th E-mail: envserv@secot.co.th

GROUND WATER ANALYSIS REPORT

CLIENT NAME	Kuwait Petroleum Aviation (Thailand) Ltd.	REQUEST SERVICE No.	1825/65
	(Feeder Line Project)	SAMPLING METHOD	Pneumatic Bladder Pump
SAMPLING BY	SECOT Co., Ltd.	SAMPLING TIME	14:14-14:24
SAMPLING DATE	06/09/2022	ANALYTICAL DATE	06, 08-15/09/2022
RECEIVED DATE	08/09/2022	SITE OPERATOR	Mr. Baworn Deechaiya
REPORT DATE	21/09/2022	FILE CODE	222100_GW_September
SAMPLE CONDITION	Normal		

PARAMETER	UNIT	ANALYSIS METHODS	ND (non-detectable)	STATION MW-4
Depth	m			3.57
Temperature	°C	2550 B	< 0.5	29.9
pH		4500-H ⁺ B	< 0.10	6.68
Color	Unit	2120 B	< 5.0	220
Conductivity	µS/cm	2510 B	< 1.0	1,073
Total Dissolved Solids	mg/l	2540 C	< 50	684
Total Suspended Solids	mg/l	2540 D	< 5	94

REFERENCE : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER, 23rd ED., 2017 (AWWA, APHA, WEF)

(Miss Khomchuda Insorn)
Analyst

(Mrs. Araya Tipparuk)
Technical Management Team

Remark : 1. Reported analysis refers to submitted sample only.
2. This report shall not be reproduced, except in full, without official approval.
3. - Not available.



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800
239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND
TEL. (662) 959-3600 FAX (662) 959-3535 Website: secot.co.th E-mail: envserv@secot.co.th

GROUND WATER ANALYSIS REPORT

CLIENT NAME	: Kuwait Petroleum Aviation (Thailand) Ltd. (Feeder Line Project)	REQUEST SERVICE No.	: 1825/65
SAMPLING BY	: SECOT Co., Ltd.	SAMPLING METHOD	: Pneumatic Bladder Pump
SAMPLING DATE	: 06/09/2022	SAMPLING TIME	: 14:14-14:24
RECEIVED DATE	: 08/09/2022	ANALYTICAL DATE	: 12-14/09/2022
REPORT DATE	: 21/09/2022	SITE OPERATOR	: Mr. Baworn Deechaiya
SAMPLE CONDITION	: Normal	FILE CODE	: 222100_GW_September

PARAMETER	UNIT	ANALYSIS METHODS	ND (non-detectable)	STATION MW-4	STANDARD ^U
Benzene	mg/l	6200 B	< 0.0002	ND	≤ 0.2
Carbon tetrachloride	mg/l	6200 B	< 0.0002	ND	≤ 0.4
1,2-Dichloromethane	mg/l	6200 B	< 0.0002	ND	≤ 0.5
Dichloromethane	mg/l	6200 B	< 0.0002	0.0005	≤ 6.0
1,1-Dichloroethylene	mg/l	6200 B	< 0.0002	ND	≤ 0.1
cis-1,2-Dichloroethylene	mg/l	6200 B	< 0.0002	ND	≤ 2.0
trans-1,2-Dichloroethylene	mg/l	6200 B	< 0.0002	ND	≤ 5.0
Ethylbenzene	mg/l	6200 B	< 0.0002	ND	≤ 2.0
Styrene	mg/l	6200 B	< 0.0002	ND	≤ 24
Tetrachloroethylene	mg/l	6200 B	< 0.0002	ND	≤ 0.9
Toluene	mg/l	6200 B	< 0.0002	ND	≤ 5.0
1,1,1-Trichloroethane	mg/l	6200 B	< 0.0002	ND	≤ 0.2
1,1,2-Trichloroethane	mg/l	6200 B	< 0.0002	ND	≤ 0.8
Trichloroethylene	mg/l	6200 B	< 0.0002	ND	≤ 4.4
m-Xylene	mg/l	6200 B	< 0.0002	ND	≤ 24
o-Xylene	mg/l	6200 B	< 0.0002	ND	≤ 24
p-Xylene	mg/l	6200 B	< 0.0002	ND	≤ 24
Total Xylenes	mg/l	6200 B	< 0.0006	ND	≤ 24
Vinyl Chloride	mg/l	6200 B	< 0.0005	ND	≤ 0.03

REFERENCE: STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 21ST ED. 2012 (AWWA, APHA, WEF)

Natsiri L.
(Miss Natsiri Lertterapipat)
Analyst
REG. NO. 7-239-R-0001

(Mrs. Araya Tipparuk)
Technical Management Team
REG. NO. 7-239-R-5863

- Remark : 1. Reported analysis refers to submitted sample only.
2. This report shall not be reproduced, except in full, without official approval.
3. ^U Notification of the Ministry of Industry, B.E.2559 (2016).



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800
239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND
TEL. (662) 959-3600 FAX (662) 959-3535 Website: secot.co.th E-mail: envserv@secot.co.th

GROUND WATER ANALYSIS REPORT

CLIENT NAME	: Kuwait Petroleum Aviation (Thailand) Ltd. (Feeder Line Project)	REQUEST SERVICE No.	: 1825/65
SAMPLING BY	: SECOT Co., Ltd.	SAMPLING METHOD	: Pneumatic Bladder Pump
SAMPLING DATE	: 06/09/2022	SAMPLING TIME	: 14:14-14:24
RECEIVED DATE	: 08/09/2022	ANALYTICAL DATE	: 12,16-20/09/2022
REPORT DATE	: 21/09/2022	SITE OPERATOR	: Mr. Baworn Deechaiya
SAMPLE CONDITION	: Normal	FILE CODE	: 222100_GW_September

PARAMETER	UNIT	ANALYSIS METHODS	ND (non-detectable)	STATION MW-4	STANDARD ^U
Total Petroleum Hydrocarbons					
- C ₇ -C ₉	mg/l	5030 C / 8260 D	< 0.003	ND	≤ 1.4
- Pentane					
- Benzene					
- Toluene					
- m,p-Xylene					
- o-Xylene					
- C ₁₀ -C ₁₆	mg/l	3510 C / 8015 D	< 0.025	ND	≤ 1.7
- n-Nonane					
- n-Decane					
- n-Dodecane					
- n-Tetradecane					
- n-Hexadecane					
- C ₁₇ -C ₃₅	mg/l	3510 C / 8015 D	< 0.050	ND	≤ 0.1
- n-Octadecane					
- n-Eicosane					
- n-Docosane					
- n-Tetracosane					
- n-Hexacosane					
- n-Octacosane					
- n-Triacontane					
- n-Dotriacontane					
- n-Tetracontane					
- Pentatriacontane					

REFERENCE: US EPA SW-846 TEST METHODS FOR EVALUATING WATER AND SOLID WASTE, 1ST ED. 2022

Natsiri L.
(Miss Natsiri Lertterapipat)
Analyst
REG. NO. 7-239-R-0001

(Mrs. Araya Tipparuk)
Technical Management Team
REG. NO. 7-239-R-5863

- Remark : 1. Reported analysis refers to submitted sample only.
2. This report shall not be reproduced, except in full, without official approval.
3. ^U Notification of the Ministry of Industry, B.E.2559 (2016).



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนวิมลทองประไพ แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800
239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND
TEL. (662) 959-3600 FAX (662) 959-3535 Website : secot.co.th E-mail : envserv@secot.co.th

GROUND WATER ANALYSIS REPORT

CLIENT NAME	Kuwait Petroleum Aviation (Thailand) Ltd.	REQUEST SERVICE No.	1825/65
	(Feeder Line Project)	SAMPLING METHOD	Pneumatic Bladder Pump
SAMPLING BY	SECOT Co., Ltd.	SAMPLING TIME	10:39-10:50
SAMPLING DATE	06/09/2022	ANALYTICAL DATE	06, 08-15/09/2022
RECEIVED DATE	08/09/2022	SITE OPERATOR	Mr. Baworn Deechaiya
REPORT DATE	21/09/2022	FILE CODE	222100_GW_September
SAMPLE CONDITION	Normal		

PARAMETER	UNIT	ANALYSIS METHODS	ND (non-detectable)	STATION MW-6
Depth	m			4.80
Temperature	°C	2550 B	< 0.5	29.6
pH		4500-H ⁺ B	< 0.10	6.66
Color	Unit	2120 B	< 5.0	110
Conductivity	µS/cm	2510 B	< 1.0	880
Total Dissolved Solids	mg/l	2540 C	< 50	578
Total Suspended Solids	mg/l	2540 D	< 5	36

REFERENCE: STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 21st ED. 2017 (AWWA/APHA/WEF)

(Miss Khomsuda Insorn)

Analyst

(Mrs. Araya Tipparuk)

Technical Management Team

Remark : 1. Reported analysis refers to submitted sample only.

2. This report shall not be reproduced, except in full, without official approval.

3. - Not available.



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนวิมลทองประไพ แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800
239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND
TEL. (662) 959-3600 FAX (662) 959-3535 Website : secot.co.th E-mail : envserv@secot.co.th

GROUND WATER ANALYSIS REPORT

CLIENT NAME	Kuwait Petroleum Aviation (Thailand) Ltd.	REQUEST SERVICE No.	1825/65
	(Feeder Line Project)	SAMPLING METHOD	Pneumatic Bladder Pump
SAMPLING BY	SECOT Co., Ltd.	SAMPLING TIME	10:39-10:50
SAMPLING DATE	06/09/2022	ANALYTICAL DATE	12-14/09/2022
RECEIVED DATE	08/09/2022	SITE OPERATOR	Mr. Baworn Deechaiya
REPORT DATE	21/09/2022	FILE CODE	222100_GW_September
SAMPLE CONDITION	Normal		

PARAMETER	UNIT	ANALYSIS METHODS	ND (non-detectable)	STATION MW-6	STANDARD ^{1/}
Benzene	mg/l	6200 B	< 0.0002	ND	≤ 0.2
Carbon tetrachloride	mg/l	6200 B	< 0.0002	ND	≤ 0.4
1,2-Dichloroethane	mg/l	6200 B	< 0.0002	ND	≤ 0.5
Dichloromethane	mg/l	6200 B	< 0.0002	0.0003	≤ 6.0
1,1-Dichloroethylene	mg/l	6200 B	< 0.0002	ND	≤ 0.1
cis-1,2-Dichloroethylene	mg/l	6200 B	< 0.0002	ND	≤ 2.0
trans-1,2-Dichloroethylene	mg/l	6200 B	< 0.0002	ND	≤ 5.0
Ethylbenzene	mg/l	6200 B	< 0.0002	ND	≤ 2.0
Styrene	mg/l	6200 B	< 0.0002	ND	≤ 24
Tetrachloroethylene	mg/l	6200 B	< 0.0002	ND	≤ 0.9
Toluene	mg/l	6200 B	< 0.0002	ND	≤ 5.0
1,1,1-Trichloroethane	mg/l	6200 B	< 0.0002	ND	≤ 0.2
1,1,2-Trichloroethane	mg/l	6200 B	< 0.0002	ND	≤ 0.8
Trichloroethylene	mg/l	6200 B	< 0.0002	ND	≤ 4.4
m-Xylene	mg/l	6200 B	< 0.0002	ND	≤ 24
o-Xylene	mg/l	6200 B	< 0.0002	ND	≤ 24
p-Xylene	mg/l	6200 B	< 0.0002	0.0006	≤ 24
Total Xylenes	mg/l	6200 B	< 0.0006	0.0006	≤ 24
Vinyl Chloride	mg/l	6200 B	< 0.0005	ND	≤ 0.03

REFERENCE: STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 21st ED. 2017 (AWWA/APHA/WEF)

(Miss Natsiri Lettierapipat)

Analyst

REG. NO. 1-239-ก-0001

(Mrs. Araya Tipparuk)

Technical Management Team

REG. NO. 1-239-ก-5863

Remark : 1. Reported analysis refers to submitted sample only.

2. This report shall not be reproduced, except in full, without official approval.

3. Notification of the Ministry of Industry, B.E.2559 (2016).



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนรัตนคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800
239 RUMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND
TEL. (662) 959-3600 FAX (662) 959-3535 Website : secot.co.th E-mail : envserv@secot.co.th

GROUND WATER ANALYSIS REPORT

CLIENT NAME	: Kuwait Petroleum Aviation (Thailand) Ltd.	REQUEST SERVICE No.	: 1825/65
	(Feeder Line Project)	SAMPLING METHOD	: Pneumatic Bladder Pump
SAMPLING BY	: SECOT Co., Ltd.	SAMPLING TIME	: 10:39-10:50
SAMPLING DATE	: 06/09/2022	ANALYTICAL DATE	: 12,16-20/09/2022
RECEIVED DATE	: 08/09/2022	SITE OPERATOR	: Mr. Baworn Deechaiya
REPORT DATE	: 21/09/2022	FILE CODE	: 222100_GW_September
SAMPLE CONDITION	: Normal		

PARAMETER	UNIT	ANALYSIS METHODS	ND (non-detectable)	STATION MW-6	STANDARD ^{1/}
Total Petroleum Hydrocarbons					
- C ₅ -C ₄	mg/l	5030 C / 8260 D	< 0.003	0.031	≤ 1.4
- Pentane					
- Benzene					
- Toluene					
- m,p-Xylene					
- o-Xylene					
- C ₈ -C ₁₆	mg/l	3510 C / 8015 D	< 0.025	0.167	≤ 1.7
- n-Nonane					
- n-Decane					
- n-Dodecane					
- n-Tetradecane					
- n-Hexadecane					
- C ₁₈ -C ₃₃	mg/l	3510 C / 8015 D	< 0.050	0.077	≤ 0.1
- n-Octadecane					
- n-Eicosane					
- n-Docosane					
- n-Tetracosane					
- n-Hexacosane					
- n-Octacosane					
- n-Triacontane					
- n-Dotriacontane					
- n-Tetratriacontane					
- Pentatriacontane					

REFERENCE : U.S. EPA SW-846 TEST METHODS FOR EVALUATING WATER AND SOLID WASTE, 3rd ED. 2020

Natsiri L.
(Miss Natsiri Leritrapipat)
Analyst
REG. NO. 3-239-8-0001

(Mrs. Araya Tipparuk)
Technical Management Team
REG. NO. 3-239-8-5863

- Remark : 1. Reported analysis refers to submitted sample only.
2. This report shall not be reproduced, except in full, without official approval.
3. ^{1/} Notification of the Ministry of Industry, B.E.2559 (2016).



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนรัตนคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800
239 RUMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND
TEL. (662) 959-3600 FAX (662) 959-3535 Website : secot.co.th E-mail : envserv@secot.co.th

GROUND WATER ANALYSIS REPORT

CLIENT NAME	: Kuwait Petroleum Aviation (Thailand) Ltd.	REQUEST SERVICE No.	: 1825/65
	(Feeder Line Project)	SAMPLING METHOD	: Pneumatic Bladder Pump
SAMPLING BY	: SECOT Co., Ltd.	SAMPLING TIME	: 14:53-15:03
SAMPLING DATE	: 06/09/2022	ANALYTICAL DATE	: 06, 08-15/09/2022
RECEIVED DATE	: 08/09/2022	SITE OPERATOR	: Mr. Baworn Deechaiya
REPORT DATE	: 21/09/2022	FILE CODE	: 222100_GW_September
SAMPLE CONDITION	: Normal		

PARAMETER	UNIT	ANALYSIS METHODS	ND (non-detectable)	STATION MW-7
Depth	m			3.95
Temperature	°C	2550 B	< 0.5	30.6
pH		4500-H ¹ B	< 0.10	7.09
Color	Unit	2120 B	< 5.0	30
Conductivity	µS/cm	2510 B	< 1.0	351
Total Dissolved Solids	mg/l	2540 C	< 50	244
Total Suspended Solids	mg/l	2540 D	< 5	15

REFERENCE : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 22nd ED. 2017 (AWWA/APHI/WEF)

(Miss Khemchuda Insorn)
Analyst

(Mrs. Araya Tipparuk)
Technical Management Team

- Remark : 1. Reported analysis refers to submitted sample only.
2. This report shall not be reproduced, except in full, without official approval.
3. - Not available.



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนวิมลทองปรีชา 1 แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800
239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND
TEL. (662) 959-3600 FAX (662) 959-3535 Website: secot.co.th E-mail: envserv@secot.co.th

GROUND WATER ANALYSIS REPORT

CLIENT NAME	: Kuwait Petroleum Aviation (Thailand) Ltd.	REQUEST SERVICE No.	: 1825/65
	(Feeder Line Project)	SAMPLING METHOD	: Pneumatic Bladder Pump
SAMPLING BY	: SECOT Co., Ltd.	SAMPLING TIME	: 14:53-15:03
SAMPLING DATE	: 06/09/2022	ANALYTICAL DATE	: 12-14/09/2022
RECEIVED DATE	: 08/09/2022	SITE OPERATOR	: Mr. Baworn Dechaiya
REPORT DATE	: 21/09/2022	FILE CODE	: 222100_GW_September
SAMPLE CONDITION	: Normal		

PARAMETER	UNIT	ANALYSIS METHODS	ND (non-detectable)	STATION MW-7	STANDARD ^{1/}
Benzene	mg/l	6200 B	< 0.0002	ND	≤ 0.2
Carbon tetrachloride	mg/l	6200 B	< 0.0002	ND	≤ 0.4
1,2-Dichloroethane	mg/l	6200 B	< 0.0002	ND	≤ 0.5
Dichloromethane	mg/l	6200 B	< 0.0002	0.0005	≤ 6.0
1,1-Dichloroethylene	mg/l	6200 B	< 0.0002	ND	≤ 0.1
cis-1,2-Dichloroethylene	mg/l	6200 B	< 0.0002	ND	≤ 2.0
trans-1,2-Dichloroethylene	mg/l	6200 B	< 0.0002	ND	≤ 5.0
Ethylbenzene	mg/l	6200 B	< 0.0002	ND	≤ 2.0
Styrene	mg/l	6200 B	< 0.0002	ND	≤ 24
Tetrachloroethylene	mg/l	6200 B	< 0.0002	ND	≤ 0.9
Toluene	mg/l	6200 B	< 0.0002	ND	≤ 5.0
1,1,1-Trichloroethane	mg/l	6200 B	< 0.0002	ND	≤ 0.2
1,1,2-Trichloroethane	mg/l	6200 B	< 0.0002	ND	≤ 0.8
Trichloroethylene	mg/l	6200 B	< 0.0002	ND	≤ 4.4
m-Xylene	mg/l	6200 B	< 0.0002	ND	≤ 24
o-Xylene	mg/l	6200 B	< 0.0002	ND	≤ 24
p-Xylene	mg/l	6200 B	< 0.0002	ND	≤ 24
Total Xylenes	mg/l	6200 B	< 0.0006	ND	≤ 24
Vinyl Chloride	mg/l	6200 B	< 0.0005	ND	≤ 0.03

REFERENCE: STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 21st ED. 2012 (AMERICAN WATER)

Natsiri L.
(Miss Natsiri Lertterapipat)
Analyst
REG. NO. 7-239-R-0001

(Mrs. Araya Tipparuk)
Technical Management Team
REG. NO. 7-239-R-5863

Remark : 1. Reported analysis refers to submitted sample only.
2. This report shall not be reproduced, except in full, without official approval.
3. ^{1/} Notification of the Ministry of Industry, B.E.2559 (2016).



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนวิมลทองปรีชา 1 แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800
239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND
TEL. (662) 959-3600 FAX (662) 959-3535 Website: secot.co.th E-mail: envserv@secot.co.th

GROUND WATER ANALYSIS REPORT

CLIENT NAME	: Kuwait Petroleum Aviation (Thailand) Ltd.	REQUEST SERVICE No.	: 1825/65
	(Feeder Line Project)	SAMPLING METHOD	: Pneumatic Bladder Pump
SAMPLING BY	: SECOT Co., Ltd.	SAMPLING TIME	: 14:53-15:03
SAMPLING DATE	: 06/09/2022	ANALYTICAL DATE	: 12,16-20/09/2022
RECEIVED DATE	: 08/09/2022	SITE OPERATOR	: Mr. Baworn Dechaiya
REPORT DATE	: 21/09/2022	FILE CODE	: 222100_GW_September
SAMPLE CONDITION	: Normal		

PARAMETER	UNIT	ANALYSIS METHODS	ND (non-detectable)	STATION MW-7	STANDARD ^{1/}
Total Petroleum Hydrocarbons					
- C ₁ -C ₈	mg/l	5030 C / 8260 D	< 0.003	ND	≤ 1.4
- Pentane					
- Benzene					
- Toluene					
- m,p-Xylene					
- o-Xylene					
- C ₉ -C ₁₆	mg/l	3510 C / 8015 D	< 0.025	ND	≤ 1.7
- n-Nonane					
- n-Decane					
- n-Dodecane					
- n-Tetradecane					
- n-Hexadecane					
- C ₁₇ -C ₃₅	mg/l	3510 C / 8015 D	< 0.050	ND	≤ 0.1
- n-Octadecane					
- n-Eicosane					
- n-Tetracosane					
- n-Hexacosane					
- n-Octacosane					
- n-Triacontane					
- n-Dotriacontane					
- n-Tetracontane					
- Pentatriacontane					

REFERENCE: US EPA 846 TEST METHODS FOR EVALUATING WATER AND SOLID WASTE, 1st ED. 2020

Natsiri L.
(Miss Natsiri Lertterapipat)
Analyst
REG. NO. 7-239-R-0001

(Mrs. Araya Tipparuk)
Technical Management Team
REG. NO. 7-239-R-5863

Remark : 1. Reported analysis refers to submitted sample only.
2. This report shall not be reproduced, except in full, without official approval.
3. ^{1/} Notification of the Ministry of Industry, B.E.2559 (2016).



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800
239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND
TEL. (662) 959-3600 FAX (662) 959-3535 Website: secot.co.th E-mail: envserv@secot.co.th

GROUND WATER ANALYSIS REPORT

CLIENT NAME	: Kuwait Petroleum Aviation (Thailand) Ltd. (Feeder Line Project)	REQUEST SERVICE No.	: 1825/65
SAMPLING BY	: SECOT Co., Ltd.	SAMPLING METHOD	: Pneumatic Bladder Pump
SAMPLING DATE	: 05/09/2022	SAMPLING TIME	: 14:37-14:48
RECEIVED DATE	: 08/09/2022	ANALYTICAL DATE	: 05, 08-15/09/2022
REPORT DATE	: 21/09/2022	SITE OPERATOR	: Mr. Baworn Deechaiya
SAMPLE CONDITION	: Normal	FILE CODE	: 222100_GW_September

PARAMETER	UNIT	ANALYSIS METHODS	ND (non-detectable)	STATION	STANDARD ^U
				MW-8	
Depth	m			4.63	
Temperature	°C	2550 B	< 0.5	31.4	
pH		4500-H ⁺ B	< 0.10	5.03	
Color	Unit	2120 B	< 5.0	20	
Conductivity	µS/cm	2510 B	< 1.0	6,838	
Total Dissolved Solids	mg/l	2540 C	< 50	4,444	
Total Suspended Solids	mg/l	2540 D	< 5	16	

REFERENCE : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER, 18TH ED., APHA/AWWA/WEF

Khemchuda Insorn

(Miss Khemchuda Insorn)

Analyst

(Mrs. Araya Tipparuk)

(Mrs. Araya Tipparuk)

Technical Management Team

Remark : 1. Reported analysis refers to submitted sample only.

2. This report shall not be reproduced, except in full, without official approval.

3. - Not available.



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800
239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND
TEL. (662) 959-3600 FAX (662) 959-3535 Website: secot.co.th E-mail: envserv@secot.co.th

GROUND WATER ANALYSIS REPORT

CLIENT NAME	: Kuwait Petroleum Aviation (Thailand) Ltd. (Feeder Line Project)	REQUEST SERVICE No.	: 1825/65
SAMPLING BY	: SECOT Co., Ltd.	SAMPLING METHOD	: Pneumatic Bladder Pump
SAMPLING DATE	: 05/09/2022	SAMPLING TIME	: 14:37-14:48
RECEIVED DATE	: 08/09/2022	ANALYTICAL DATE	: 12-14/09/2022
REPORT DATE	: 21/09/2022	SITE OPERATOR	: Mr. Baworn Deechaiya
SAMPLE CONDITION	: Normal	FILE CODE	: 222100_GW_September

PARAMETER	UNIT	ANALYSIS METHODS	ND (non-detectable)	STATION	STANDARD ^U
				MW-8	
Benzene	mg/l	6200 B	< 0.0002	ND	≤ 0.2
Carbon tetrachloride	mg/l	6200 B	< 0.0002	ND	≤ 0.4
1,2-Dichloroethane	mg/l	6200 B	< 0.0002	ND	≤ 0.5
Dichloromethane	mg/l	6200 B	< 0.0002	0.0004	≤ 6.0
1,1-Dichloroethylene	mg/l	6200 B	< 0.0002	ND	≤ 0.1
cis-1,2-Dichloroethylene	mg/l	6200 B	< 0.0002	ND	≤ 2.0
trans-1,2-Dichloroethylene	mg/l	6200 B	< 0.0002	ND	≤ 5.0
Ethylbenzene	mg/l	6200 B	< 0.0002	ND	≤ 2.0
Styrene	mg/l	6200 B	< 0.0002	ND	≤ 24
Tetrachloroethylene	mg/l	6200 B	< 0.0002	ND	≤ 0.9
Toluene	mg/l	6200 B	< 0.0002	ND	≤ 5.0
1,1,1-Trichloroethane	mg/l	6200 B	< 0.0002	ND	≤ 0.2
1,1,2-Trichloroethane	mg/l	6200 B	< 0.0002	ND	≤ 0.8
Trichloroethylene	mg/l	6200 B	< 0.0002	ND	≤ 4.4
m-Xylene	mg/l	6200 B	< 0.0002	ND	≤ 24
o-Xylene	mg/l	6200 B	< 0.0002	ND	≤ 24
p-Xylene	mg/l	6200 B	< 0.0002	ND	≤ 24
Total Xylenes	mg/l	6200 B	< 0.0006	ND	≤ 24
Vinyl Chloride	mg/l	6200 B	< 0.0005	ND	≤ 0.03

REFERENCE : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER, 18TH ED., APHA/AWWA/WEF

Natsiri L.

(Miss Natsiri Lertterapipat)

Analyst

REG. NO. 7-239-ก-0001

(Mrs. Araya Tipparuk)

(Mrs. Araya Tipparuk)

Technical Management Team

REG. NO. 7-239-ก-5863

Remark : 1. Reported analysis refers to submitted sample only.

2. This report shall not be reproduced, except in full, without official approval.

3. ^U Notification of the Ministry of Industry, B.E.2559 (2016).



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800
239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND
TEL. (662) 959-3600 FAX (662) 959-3535 Website : secot.co.th E-mail : envserv@secot.co.th

GROUND WATER ANALYSIS REPORT

CLIENT NAME	: Kuwait Petroleum Aviation (Thailand) Ltd.	REQUEST SERVICE No.	: 1825/65
	(Feeder Line Project)	SAMPLING METHOD	: Pneumatic Bladder Pump
SAMPLING BY	: SECOT Co., Ltd.	SAMPLING TIME	: 14:37-14:48
SAMPLING DATE	: 05/09/2022	ANALYTICAL DATE	: 12,16-20/09/2022
RECEIVED DATE	: 08/09/2022	SITE OPERATOR	: Mr. Baworn Deechaiya
REPORT DATE	: 21/09/2022	FILE CODE	: 222100_GW_September
SAMPLE CONDITION	: Normal		

PARAMETER	UNIT	ANALYSIS METHODS	ND (non-detectable)	STATION MW-8	STANDARD ^{1/}
Total Petroleum Hydrocarbons					
- C ₇ -C ₈	mg/l	5030 C / 8260 D	< 0.003	ND	< 1.4
- Pentane					
- Benzene					
- Toluene					
- m,p-Xylene					
- o-Xylene					
- C ₉ -C ₁₆	mg/l	3510 C / 8015 D	< 0.025	ND	≤ 1.7
- n-Nonane					
- n-Decane					
- n-Dodecane					
- n-Tetradecane					
- n-Hexadecane					
- C ₁₆ -C ₂₅	mg/l	3510 C / 8015 D	< 0.050	ND	≤ 0.1
- n-Octadecane					
- n-Ficosane					
- n-Docosane					
- n-Tetracosane					
- n-Hexacosane					
- n-Octacosane					
- n-Triacontane					
- n-Dotriacontane					
- n-Tetracontane					
- Pentatriacontane					

REFERENCE USE EPA 816 TEST METHODS FOR EVALUATING WATER AND SOLID WASTE^{1/} ED. 2024

Natsiri L
(Miss Natsiri Lerterapipat)

Analyst

REG. NO. 7-239-R-0001

(Mrs. Araya Tipparak)

Technical Management Team

REG. NO. 7-239-R-5863

- Remark :**
1. Reported analysis refers to submitted sample only.
 2. This report shall not be reproduced, except in full, without official approval.
 3. ^{1/} Notification of the Ministry of Industry, B.E.2559 (2016).



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800
239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND
TEL. (662) 959-3600 FAX (662) 959-3535 Website : secot.co.th E-mail : envserv@secot.co.th

GROUND WATER ANALYSIS REPORT

CLIENT NAME	: Kuwait Petroleum Aviation (Thailand) Ltd.	REQUEST SERVICE No.	: 1825/65
	(Feeder Line Project)	SAMPLING METHOD	: Pneumatic Bladder Pump
SAMPLING BY	: SECOT Co., Ltd.	SAMPLING TIME	: 15:10-15:19
SAMPLING DATE	: 05/09/2022	ANALYTICAL DATE	: 05, 08-15/09/2022
RECEIVED DATE	: 08/09/2022	SITE OPERATOR	: Mr. Baworn Deechaiya
REPORT DATE	: 21/09/2022	FILE CODE	: 222100_GW_September
SAMPLE CONDITION	: Normal		

PARAMETER	UNIT	ANALYSIS METHODS	ND (non-detectable)	STATION MW-10
Depth	m			3.44
Temperature	°C	2550 B	< 0.5	31.0
pH		4500-H ⁺ B	< 0.10	6.66
Color	Unit	2120 B	< 5.0	30
Conductivity	µS/cm	2510 B	< 1.0	713
Total Dissolved Solids	mg/l	2540 C	< 50	452
Total Suspended Solids	mg/l	2540 D	< 5	51

REFERENCE: STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER^{2/} ED. 2017 (AWWA, APHA, WEF)

Khemchuda Insorn

(Miss Khemchuda Insorn)

Analyst

(Mrs. Araya Tipparak)

Technical Management Team

- Remark :**
1. Reported analysis refers to submitted sample only.
 2. This report shall not be reproduced, except in full, without official approval.
 3. - Not available.



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนวิมลคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800
239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND
TEL. (662) 959-3600 FAX (662) 959-3535 Website: secot.co.th E-mail: envserv@secot.co.th

GROUND WATER ANALYSIS REPORT

CLIENT NAME	Kuwait Petroleum Aviation (Thailand) Ltd. (Feeder Line Project)	REQUEST SERVICE No.	1825/65
SAMPLING BY	SECOT Co., Ltd.	SAMPLING METHOD	Pneumatic Bladder Pump
SAMPLING DATE	05/09/2022	SAMPLING TIME	15:10-15:19
RECEIVED DATE	08/09/2022	ANALYTICAL DATE	12-14/09/2022
REPORT DATE	21/09/2022	SITE OPERATOR	Mr. Baworn Deechaiya
SAMPLE CONDITION	Normal	FILE CODE	222100_GW_September

PARAMETER	UNIT	ANALYSIS METHODS	ND (non-detectable)	STATION MW-10	STANDARD ^{1/}
Benzene	mg/l	6200 B	< 0.0002	ND	≤ 0.2
Carbon tetrachloride	mg/l	6200 B	< 0.0002	ND	≤ 0.4
1,2-Dichloroethane	mg/l	6200 B	< 0.0002	ND	≤ 0.5
Dichloromethane	mg/l	6200 B	< 0.0002	0.0004	≤ 6.0
1,1-Dichloroethylene	mg/l	6200 B	< 0.0002	ND	≤ 0.1
cis-1,2-Dichloroethylene	mg/l	6200 B	< 0.0002	ND	≤ 2.0
trans-1,2-Dichloroethylene	mg/l	6200 B	< 0.0002	ND	≤ 5.0
Ethylbenzene	mg/l	6200 B	< 0.0002	ND	≤ 2.0
Styrene	mg/l	6200 B	< 0.0002	ND	≤ 24
Tetrachloroethylene	mg/l	6200 B	< 0.0002	ND	≤ 0.9
Toluene	mg/l	6200 B	< 0.0002	ND	≤ 5.0
1,1,1-Trichloroethane	mg/l	6200 B	< 0.0002	ND	≤ 0.2
1,1,2-Trichloroethane	mg/l	6200 B	< 0.0002	ND	≤ 0.8
Trichloroethylene	mg/l	6200 B	< 0.0002	ND	≤ 4.4
m-Xylene	mg/l	6200 B	< 0.0002	ND	≤ 24
o-Xylene	mg/l	6200 B	< 0.0002	ND	≤ 24
p-Xylene	mg/l	6200 B	< 0.0002	ND	≤ 24
Total Xylenes	mg/l	6200 B	< 0.0006	ND	≤ 24
Vinyl Chloride	mg/l	6200 B	< 0.0005	ND	≤ 0.3

REFERENCE : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 21ST ED. 1812 (AWWA-APHA-WEF)

Natsiri L.
(Miss Natsiri Lerttarpipat)
Analyst
REG. NO. 7-239-R-0001

AR
(Mrs. Araya Tipparuk)
Technical Management Team
REG. NO. 7-239-R-5863

- Remark :
1. Reported analysis refers to submitted sample only.
 2. This report shall not be reproduced, except in full, without official approval.
 3. ^{1/} Notification of the Ministry of Industry, B.E.2559 (2016).



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนวิมลคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800
239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND
TEL. (662) 959-3600 FAX (662) 959-3535 Website: secot.co.th E-mail: envserv@secot.co.th

GROUND WATER ANALYSIS REPORT

CLIENT NAME	Kuwait Petroleum Aviation (Thailand) Ltd. (Feeder Line Project)	REQUEST SERVICE No.	1825/65
SAMPLING BY	SECOT Co., Ltd.	SAMPLING METHOD	Pneumatic Bladder Pump
SAMPLING DATE	05/09/2022	SAMPLING TIME	15:10-15:19
RECEIVED DATE	08/09/2022	ANALYTICAL DATE	12,16-20/09/2022
REPORT DATE	21/09/2022	SITE OPERATOR	Mr. Baworn Deechaiya
SAMPLE CONDITION	Normal	FILE CODE	222100_GW_September

PARAMETER	UNIT	ANALYSIS METHODS	ND (non-detectable)	STATION MW-10	STANDARD ^{1/}
Total Petroleum Hydrocarbons					
- C ₆ -C ₈	mg/l	5030 C / 8260 D	< 0.003	ND	≤ 1.4
- Pentane					
- Benzene					
- Toluene					
- m,p-Xylene					
- o-Xylene					
- C ₉ -C ₁₄	mg/l	3510 C / 8015 D	< 0.025	ND	≤ 1.7
- n-Nonane					
- n-Decane					
- n-Dodecane					
- n-Tetradecane					
- n-Hexadecane					
- C ₁₅ -C ₂₅	mg/l	3510 C / 8015 D	< 0.050	ND	≤ 0.1
- n-Octadecane					
- n-Eicosane					
- n-Docosane					
- n-Tetracosane					
- n-Hexacosane					
- n-Octacosane					
- n-Triacontane					
- n-Dotriacontane					
- n-Tetratriacontane					
- Pentatriacontane					

REFERENCE : USEPA SW-846 TEST METHODS FOR EVALUATING WATER AND SOLID WASTE 1ST ED. 1989

Natsiri L.
(Miss Natsiri Lerttarpipat)
Analyst
REG. NO. 7-239-R-0001

AR
(Mrs. Araya Tipparuk)
Technical Management Team
REG. NO. 7-239-R-5863

- Remark :
1. Reported analysis refers to submitted sample only.
 2. This report shall not be reproduced, except in full, without official approval.
 3. ^{1/} Notification of the Ministry of Industry, B.E.2559 (2016).



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800
239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND

TEL. (662) 959-3600 FAX (662) 959-3535 Website: secot.co.th E-mail: envserv@secot.co.th

GROUND WATER ANALYSIS REPORT

CLIENT NAME	: Kuwait Petroleum Aviation (Thailand) Ltd.	REQUEST SERVICE No.	: 1825/65
	(Feeder Line Project)	SAMPLING METHOD	: Pneumatic Bladder Pump
SAMPLING BY	: SECOT Co., Ltd.	SAMPLING TIME	: 11:11-11:21
SAMPLING DATE	: 06/09/2022	ANALYTICAL DATE	: 06, 08-15/09/2022
RECEIVED DATE	: 08/09/2022	SITE OPERATOR	: Mr. Baworn Deechaiya
REPORT DATE	: 21/09/2022	FILE CODE	: 222100_GW_September
SAMPLE CONDITION	: Normal		

PARAMETER	UNIT	ANALYSIS METHODS	ND (non-detectable)	STATION MW-16
Depth	m	-	-	4.25
Temperature	°C	2550 B	< 0.5	29.8
pH	-	4500-H B	< 0.10	6.87
Color	Unit	2120 B	< 5.0	25
Conductivity	µS/cm	2510 B	< 1.0	692
Total Dissolved Solids	mg/l	2540 C	< 50	488
Total Suspended Solids	mg/l	2540 D	< 5	45

REFERENCE: STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 22nd ED. 2017 (AWWA/APHA, WEF)

(Miss Khemchuda Insorn)
Analyst

(Mrs. Araya Tipparuk)
Technical Management Team

Remark: 1. Reported analysis refers to submitted sample only.
2. This report shall not be reproduced, except in full, without official approval.
3. - Not available.



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800
239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND

TEL. (662) 959-3600 FAX (662) 959-3535 Website: secot.co.th E-mail: envserv@secot.co.th

GROUND WATER ANALYSIS REPORT

CLIENT NAME	: Kuwait Petroleum Aviation (Thailand) Ltd.	REQUEST SERVICE No.	: 1825/65
	(Feeder Line Project)	SAMPLING METHOD	: Pneumatic Bladder Pump
SAMPLING BY	: SECOT Co., Ltd.	SAMPLING TIME	: 11:11-11:21
SAMPLING DATE	: 06/09/2022	ANALYTICAL DATE	: 12-14/09/2022
RECEIVED DATE	: 08/09/2022	SITE OPERATOR	: Mr. Baworn Deechaiya
REPORT DATE	: 21/09/2022	FILE CODE	: 222100_GW_September
SAMPLE CONDITION	: Normal		

PARAMETER	UNIT	ANALYSIS METHODS	ND (non-detectable)	STATION MW-16	STANDARD ^{1/}
Benzene	mg/l	6200 B	< 0.0002	ND	≤ 0.2
Carbon tetrachloride	mg/l	6200 B	< 0.0002	ND	≤ 0.4
1,2-Dichloroethane	mg/l	6200 B	< 0.0002	ND	≤ 0.5
Dichloromethane	mg/l	6200 B	< 0.0002	0.0003	≤ 6.0
1,1-Dichloroethylene	mg/l	6200 B	< 0.0002	ND	≤ 0.1
cis-1,2-Dichloroethylene	mg/l	6200 B	< 0.0002	ND	≤ 2.0
trans-1,2-Dichloroethylene	mg/l	6200 B	< 0.0002	ND	≤ 5.0
Ethylbenzene	mg/l	6200 B	< 0.0002	ND	≤ 2.0
Styrene	mg/l	6200 B	< 0.0002	ND	≤ 24
Tetrachloroethylene	mg/l	6200 B	< 0.0002	ND	≤ 0.9
Toluene	mg/l	6200 B	< 0.0002	ND	≤ 5.0
1,1,1-Trichloroethane	mg/l	6200 B	< 0.0002	ND	≤ 0.2
1,1,2-Trichloroethane	mg/l	6200 B	< 0.0002	ND	≤ 0.8
Trichloroethylene	mg/l	6200 B	< 0.0002	ND	≤ 4.4
m-Xylene	mg/l	6200 B	< 0.0002	ND	≤ 24
o-Xylene	mg/l	6200 B	< 0.0002	ND	≤ 24
p-Xylene	mg/l	6200 B	< 0.0002	ND	≤ 24
Total Xylenes	mg/l	6200 B	< 0.0006	ND	≤ 24
Vinyl Chloride	mg/l	6200 B	< 0.0005	ND	≤ 0.03

REFERENCE: STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 22nd ED. 2017 (AWWA/APHA, WEF)

(Miss Natsiri Lertlerapipat)
Analyst
REG. NO. 7-239-ก-0001

(Mrs. Araya Tipparuk)
Technical Management Team
REG. NO. 7-239-ก-5863

Remark: 1. Reported analysis refers to submitted sample only.
2. This report shall not be reproduced, except in full, without official approval.
3. ^{1/} Notification of the Ministry of Industry, B.E.2559 (2016).



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนวิภาวดีรังสิต แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800
239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND
TEL. (662) 959-3600 FAX (662) 959-3535 Website : secot.co.th E-mail : envscry@secot.co.th

GROUND WATER ANALYSIS REPORT

CLIENT NAME	Kuwait Petroleum Aviation (Thailand) Ltd.	REQUEST SERVICE No.	1825/65
	(Feeder Line Project)	SAMPLING METHOD	Pneumatic Bladder Pump
SAMPLING BY	SECOT Co., Ltd.	SAMPLING TIME	11:11-11:21
SAMPLING DATE	06/09/2022	ANALYTICAL DATE	12,16-20/09/2022
RECEIVED DATE	08/09/2022	SITE OPERATOR	Mr. Baworn Deechaiya
REPORT DATE	21/09/2022	FILE CODE	222100_GW_September
SAMPLE CONDITION	Normal		

PARAMETER	UNIT	ANALYSIS METHODS	ND (non-detectable)	STATION MW-16	STANDARD ^{1/}
Total Petroleum Hydrocarbons					
- C ₅ -C ₈	mg/l	5030 C / 8260 D	< 0.003	ND	≤ 1.4
- Pentane					
- Benzene					
- Toluene					
- m,p-Xylene					
- o-Xylene					
- C ₈ -C ₁₆	mg/l	3510 C / 8015 D	< 0.025	ND	≤ 1.7
- n-Nonane					
- n-Decane					
- n-Dodecane					
- n-Tetradecane					
- n-Hexadecane					
- C ₁₆ -C ₂₅	mg/l	3510 C / 8015 D	< 0.050	ND	≤ 0.1
- n-Octadecane					
- n-Ficosane					
- n-Docosane					
- n-Tetracosane					
- n-Hexacosane					
- n-Octacosane					
- n-Triacontane					
- n-Dotriacontane					
- n-Tetratriacontane					
- Pentatriacontane					

REFERENCE : USEPA SW 846 TEST METHODS FOR EVALUATING WATER AND SOLID WASTE, 3rd ED. 2003

Natsiri L
(Miss Natsiri Lerterapipat)
Analyst
REG. NO. 2-239-ก-0001

(Mrs. Araya Tipparuk)
Technical Management Team
REG. NO. 2-239-ก-5863

- Remark : 1. Reported analysis refers to submitted sample only.
2. This report shall not be reproduced, except in full, without official approval.
3. ^{1/} Notification of the Ministry of Industry, B.E.2559 (2016).



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนวิภาวดีรังสิต แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800
239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND
TEL. (662) 959-3600 FAX (662) 959-3535 Website : secot.co.th E-mail : envscry@secot.co.th

GROUND WATER ANALYSIS REPORT

CLIENT NAME	Kuwait Petroleum Aviation (Thailand) Ltd.	REQUEST SERVICE No.	1825/65
	(Feeder Line Project)	SAMPLING METHOD	Pneumatic Bladder Pump
SAMPLING BY	SECOT Co., Ltd.	SAMPLING TIME	10:01-10:12
SAMPLING DATE	06/09/2022	ANALYTICAL DATE	06, 08-15/09/2022
RECEIVED DATE	08/09/2022	SITE OPERATOR	Mr. Baworn Deechaiya
REPORT DATE	21/09/2022	FILE CODE	222100_GW_September
SAMPLE CONDITION	Normal		

PARAMETER	UNIT	ANALYSIS METHODS	ND (non-detectable)	STATION GW-1
Depth	m			4.95
Temperature	°C	2550 B	< 0.5	31.3
pH		4500-11 ^{1/} B	< 0.10	3.71
Color	Unit	2120 B	< 5.0	20
Conductivity	µS/cm	2510 B	< 1.0	6,571
Total Dissolved Solids	mg/l	2540 C	< 50	3,834
Total Suspended Solids	mg/l	2540 D	< 5	?

REFERENCE : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER, 21st ED. 2017 (AWWA-APHA-WEF)

(Miss Khemchuda Insorn)
Analyst

(Mrs. Araya Tipparuk)
Technical Management Team

- Remark : 1. Reported analysis refers to submitted sample only.
2. This report shall not be reproduced, except in full, without official approval.
3. - Not available.



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800
239 RIMKLONGPRAPA ROAD, BANGSU, BANGKOK 10800, THAILAND

TEL. (662) 959-3600 FAX (662) 959-3535 Website : secot.co.th E-mail : envserv@secot.co.th

GROUND WATER ANALYSIS REPORT

CLIENT NAME	: Kuwait Petroleum Aviation (Thailand) Ltd.	REQUEST SERVICE No.	: 1825/65
	(Feeder Line Project)	SAMPLING METHOD	: Pneumatic Bladder Pump
SAMPLING BY	: SECOT Co., Ltd.	SAMPLING TIME	: 10:01-10:12
SAMPLING DATE	: 06/09/2022	ANALYTICAL DATE	: 12-14/09/2022
RECEIVED DATE	: 08/09/2022	SITE OPERATOR	: Mr. Baworn Deechaiya
REPORT DATE	: 21/09/2022	FILE CODE	: 222100_GW_September
SAMPLE CONDITION	: Normal		

PARAMETER	UNIT	ANALYSIS METHODS	ND (non-detectable)	STATION GW-1	STANDARD ^{1/}
Benzene	mg/l	6200 B	< 0.0002	ND	≤ 0.2
Carbon tetrachloride	mg/l	6200 B	< 0.0002	ND	≤ 0.4
1,2-Dichloroethane	mg/l	6200 B	< 0.0002	ND	≤ 0.5
Dichloromethane	mg/l	6200 B	< 0.0002	0.0004	≤ 6.0
1,1-Dichloroethylene	mg/l	6200 B	< 0.0002	ND	≤ 0.1
cis-1,2-Dichloroethylene	mg/l	6200 B	< 0.0002	ND	≤ 2.0
trans-1,2-Dichloroethylene	mg/l	6200 B	< 0.0002	ND	≤ 5.0
Ethylbenzene	mg/l	6200 B	< 0.0002	ND	≤ 2.0
Styrene	mg/l	6200 B	< 0.0002	ND	≤ 24
Tetrachloroethylene	mg/l	6200 B	< 0.0002	ND	≤ 0.9
Toluene	mg/l	6200 B	< 0.0002	ND	≤ 5.0
1,1,1-Trichloroethane	mg/l	6200 B	< 0.0002	ND	≤ 0.2
1,1,2-Trichloroethane	mg/l	6200 B	< 0.0002	ND	≤ 0.8
Trichloroethylene	mg/l	6200 B	< 0.0002	ND	≤ 4.4
m-Xylene	mg/l	6200 B	< 0.0002	ND	≤ 24
o-Xylene	mg/l	6200 B	< 0.0002	ND	≤ 24
p-Xylene	mg/l	6200 B	< 0.0002	ND	≤ 24
Total Xylenes	mg/l	6200 B	< 0.0006	ND	≤ 24
Vinyl Chloride	mg/l	6200 B	< 0.0005	ND	≤ 0.03

REFERENCE : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER, 21ST ED. 2017 (AWWA-APHA-WEF)

Natsiri L.
(Miss Natsiri Lertrapiat)
Analyst
REG. NO. 7-239-ก-0001

NR
(Mrs. Araya Tipparuk)
Technical Management Team
REG. NO. 7-239-ก-5863

- Remark :**
1. Reported analysis refers to submitted sample only.
 2. This report shall not be reproduced, except in full, without official approval.
 3. ^{1/} Notification of the Ministry of Industry, B.E.2559 (2016).



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800
239 RIMKLONGPRAPA ROAD, BANGSU, BANGKOK 10800, THAILAND

TEL. (662) 959-3600 FAX (662) 959-3535 Website : secot.co.th E-mail : envserv@secot.co.th

GROUND WATER ANALYSIS REPORT

CLIENT NAME	: Kuwait Petroleum Aviation (Thailand) Ltd.	REQUEST SERVICE No.	: 1825/65
	(Feeder Line Project)	SAMPLING METHOD	: Pneumatic Bladder Pump
SAMPLING BY	: SECOT Co., Ltd.	SAMPLING TIME	: 10:01-10:12
SAMPLING DATE	: 06/09/2022	ANALYTICAL DATE	: 12,16-20/09/2022
RECEIVED DATE	: 08/09/2022	SITE OPERATOR	: Mr. Baworn Deechaiya
REPORT DATE	: 21/09/2022	FILE CODE	: 222100_GW_September
SAMPLE CONDITION	: Normal		

PARAMETER	UNIT	ANALYSIS METHODS	ND (non-detectable)	STATION GW-1	STANDARD ^{1/}
Total Petroleum Hydrocarbons					
- C ₈ -C ₁₆	mg/l	5030 C / 8260 D	< 0.003	ND	≤ 1.4
- Pentane					
- Benzene					
- Toluene					
- m,p-Xylene					
- o-Xylene					
- C ₈ -C ₁₆	mg/l	3510 C / 8015 D	< 0.025	ND	≤ 1.7
- n-Nonane					
- n-Decane					
- n-Dodecane					
- n-Tetradecane					
- n-Hexadecane					
- C ₁₆ -C ₃₅	mg/l	3510 C / 8015 D	< 0.050	ND	≤ 0.1
- n-Octadecane					
- n-Eicosane					
- n-Docosane					
- n-Tetracosane					
- n-Hexacosane					
- n-Octacosane					
- n-Triacontane					
- n-Dotriacontane					
- n-Tetracontane					
- n-Pentatriacontane					

REFERENCE : US EPA SW-846 TEST METHODS FOR DETERMINING WATER AND SOLID WASTE, 1ST ED. 2020

Natsiri L.
(Miss Natsiri Lertrapiat)
Analyst
REG. NO. 7-239-ก-0001

NR
(Mrs. Araya Tipparuk)
Technical Management Team
REG. NO. 7-239-ก-5863

- Remark :**
1. Reported analysis refers to submitted sample only.
 2. This report shall not be reproduced, except in full, without official approval.
 3. ^{1/} Notification of the Ministry of Industry, B.E.2559 (2016).



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนวิภาวดีรังสิต แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800
239 RIMKLONGPRAPA ROAD, BANGSUET, BANGKOK 10800, THAILAND
TEL. (662) 959-3600 FAX (662) 959-3535 Website: secot.co.th E-mail: envserv@secot.co.th

GROUND WATER ANALYSIS REPORT

CLIENT NAME : Kuwait Petroleum Aviation (Thailand) Ltd. REQUEST SERVICE No. : 1825/65
(Feeder Line Project) SAMPLING METHOD : Pneumatic Bladder Pump
SAMPLING BY : SECOT Co., Ltd. SAMPLING TIME : 13:55-14:10
SAMPLING DATE : 05/09/2022 ANALYTICAL DATE : 05, 08-15/09/2022
RECEIVED DATE : 08/09/2022 SITE OPERATOR : Mr. Baworn Deechaiya
REPORT DATE : 21/09/2022 FILE CODE : 222100_GW_September
SAMPLE CONDITION : Normal

PARAMETER	UNIT	ANALYSIS METHODS	ND (non-detectable)	STATION GW-4
Depth	m			3.52
Temperature	°C	2550 B	< 0.5	31.9
pH		4500-H ⁺ B	< 0.10	6.97
Color	Unit	2120 B	< 5.0	260
Conductivity	µS/cm	2510 B	< 1.0	806
Total Dissolved Solids	mg/l	2540 C	< 50	584
Total Suspended Solids	mg/l	2540 D	< 5	5

REFERENCE: STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 21st ED. 2017 (AWWA APHA, WEF)

Khemchuda Inorn

(Miss Khemchuda Inorn)

Analyst

Araya Tipparuk

(Mrs. Araya Tipparuk)

Technical Management Team

Remark : 1. Reported analysis refers to submitted sample only.

2. This report shall not be reproduced, except in full, without official approval.

3. - Not available.



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนวิภาวดีรังสิต แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800
239 RIMKLONGPRAPA ROAD, BANGSUET, BANGKOK 10800, THAILAND
TEL. (662) 959-3600 FAX (662) 959-3535 Website: secot.co.th E-mail: envserv@secot.co.th

GROUND WATER ANALYSIS REPORT

CLIENT NAME : Kuwait Petroleum Aviation (Thailand) Ltd. REQUEST SERVICE No. : 1825/65
(Feeder Line Project) SAMPLING METHOD : Pneumatic Bladder Pump
SAMPLING BY : SECOT Co., Ltd. SAMPLING TIME : 13:55-14:10
SAMPLING DATE : 05/09/2022 ANALYTICAL DATE : 12-14/09/2022
RECEIVED DATE : 08/09/2022 SITE OPERATOR : Mr. Baworn Deechaiya
REPORT DATE : 21/09/2022 FILE CODE : 222100_GW_September
SAMPLE CONDITION : Normal

PARAMETER	UNIT	ANALYSIS METHODS	ND (non-detectable)	STATION GW-4	STANDARD ¹⁾
Benzene	mg/l	6200 B	< 0.0002	ND	≤ 0.2
Carbon tetrachloride	mg/l	6200 B	< 0.0002	ND	≤ 0.4
1,2-Dichloroethane	mg/l	6200 B	< 0.0002	ND	≤ 0.5
Dichloromethane	mg/l	6200 B	< 0.0002	0.0006	≤ 6.0
1,1-Dichloroethylene	mg/l	6200 B	< 0.0002	ND	≤ 0.1
cis-1,2-Dichloroethylene	mg/l	6200 B	< 0.0002	ND	≤ 2.0
trans-1,2-Dichloroethylene	mg/l	6200 B	< 0.0002	ND	≤ 5.0
Ethylbenzene	mg/l	6200 B	< 0.0002	ND	≤ 2.0
Styrene	mg/l	6200 B	< 0.0002	ND	≤ 24
Tetrachloroethylene	mg/l	6200 B	< 0.0002	ND	≤ 0.9
Toluene	mg/l	6200 B	< 0.0002	ND	≤ 5.0
1,1,1-Trichloroethane	mg/l	6200 B	< 0.0002	ND	≤ 0.2
1,1,2-Trichloroethane	mg/l	6200 B	< 0.0002	ND	≤ 0.8
Trichloroethylene	mg/l	6200 B	< 0.0002	ND	≤ 4.4
m-Xylene	mg/l	6200 B	< 0.0002	ND	≤ 24
o-Xylene	mg/l	6200 B	< 0.0002	ND	≤ 24
p-Xylene	mg/l	6200 B	< 0.0002	ND	≤ 24
Total Xylenes	mg/l	6200 B	< 0.0006	ND	≤ 24
Vinyl Chloride	mg/l	6200 B	< 0.0005	ND	≤ 0.03

REFERENCE: STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 21st ED. 2017 (AWWA APHA, WEF)

Natsiri Lerttarpipat

(Miss Natsiri Lerttarpipat)

Analyst

REG. NO. 7-239-N-0001

Araya Tipparuk

(Mrs. Araya Tipparuk)

Technical Management Team

REG. NO. 7-239-N-5863

Remark : 1. Reported analysis refers to submitted sample only.

2. This report shall not be reproduced, except in full, without official approval.

3. ¹⁾ Notification of the Ministry of Industry, B.E.2559 (2016).



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนวิภาวดีรังสิต แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800
239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND
TEL. (662) 959-3600 FAX (662) 959-3535 Website : secot.co.th E-mail : envserv@secot.co.th

GROUND WATER ANALYSIS REPORT

CLIENT NAME	: Kuwait Petroleum Aviation (Thailand) Ltd.	REQUEST SERVICE No.	: 1825/65
	(Feeder Line Project)	SAMPLING METHOD	: Pneumatic Bladder Pump
SAMPLING BY	: SECOT Co., Ltd.	SAMPLING TIME	: 13:55-14:10
SAMPLING DATE	: 05/09/2022	ANALYTICAL DATE	: 12,16-20/09/2022
RECEIVED DATE	: 08/09/2022	SITE OPERATOR	: Mr. Baworn Deechaiya
REPORT DATE	: 21/09/2022	FILE CODE	: 222100_GW_September
SAMPLE CONDITION	: Normal		

PARAMETER	UNIT	ANALYSIS METHODS	ND (non-detectable)	STATION GW-4	STANDARD ¹⁾
Total Petroleum Hydrocarbons					
- C ₅ -C ₈	mg/l	5030 C / 8260 D	< 0.003	ND	≤ 1.4
- Pentane					
- Benzene					
- Toluene					
- m,p-Xylene					
- o-Xylene					
- C ₉ -C ₁₅	mg/l	3510 C / 8015 D	< 0.025	ND	≤ 1.7
- n-Nonane					
- n-Decane					
- n-Dodecane					
- n-Tetradecane					
- n-Hexadecane					
- C ₁₆ -C ₂₅	mg/l	3510 C / 8015 D	< 0.050	ND	≤ 0.1
- n-Octadecane					
- n-Eicosane					
- n-Docosane					
- n-Tetracosane					
- n-Hexacosane					
- n-Octacosane					
- n-Triacontane					
- n-Dotriacontane					
- n-Tetracontane					
- n-Pentacosane					

REFERENCE: USE EPA SW-846 TEST METHODS FOR EVALUATING WATER AND SOLID WASTE, 1st ED. 2020

Natsiri I.
(Miss Natsiri Lertrirapipat)
Analyst
REG. NO. 7-239-R-0001

(Mrs. Araya Tipparuk)
Technical Management Team
REG. NO. 7-239-R-5863

- Remark :** 1. Reported analysis refers to submitted sample only.
2. This report shall not be reproduced, except in full, without official approval.
3. ¹⁾ Notification of the Ministry of Industry, B.E.2559 (2016).



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนวิภาวดีรังสิต แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800
239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND
TEL. (662) 959-3600 FAX (662) 959-3535 Website : secot.co.th E-mail : envserv@secot.co.th

GROUND WATER ANALYSIS REPORT

CLIENT NAME	: Kuwait Petroleum Aviation (Thailand) Ltd.	REQUEST SERVICE No.	: 1825/65
	(Feeder Line Project)	SAMPLING METHOD	: Pneumatic Bladder Pump
SAMPLING BY	: SECOT Co., Ltd.	SAMPLING TIME	: 11:27-11:38
SAMPLING DATE	: 05/09/2022	ANALYTICAL DATE	: 05, 08-15/09/2022
RECEIVED DATE	: 08/09/2022	SITE OPERATOR	: Mr. Baworn Deechaiya
REPORT DATE	: 21/09/2022	FILE CODE	: 222100_GW_September
SAMPLE CONDITION	: Normal		

PARAMETER	UNIT	ANALYSIS METHODS	ND (non-detectable)	STATION GW-5
Depth	m			2.90
Temperature	°C	2550 B	< 0.5	30.4
pH		4500-H ⁺ B	< 0.10	6.23
Color	Unit	2120 B	< 5.0	230
Conductivity	µS/cm	2510 B	< 1.0	251
Total Dissolved Solids	mg/l	2540 C	< 50	192
Total Suspended Solids	mg/l	2540 D	< 5	< 5

REFERENCE: STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 23rd ED. 2017 (AWWA-APHA-WEF)

(Miss Khemchuda Insorn)
Analyst

(Mrs. Araya Tipparuk)
Technical Management Team

- Remark :** 1. Reported analysis refers to submitted sample only.
2. This report shall not be reproduced, except in full, without official approval.
3. - Not available.



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนวิมลทองประไพ แขวงบางซื่อ กรุงเทพมหานคร 10800
239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND
TEL. (662) 959-3600 FAX (662) 959-3535 Website: secot.co.th E-mail: envserv@secot.co.th

GROUND WATER ANALYSIS REPORT

CLIENT NAME	: Kuwait Petroleum Aviation (Thailand) Ltd. (Feeder Line Project)	REQUEST SERVICE No.	: 1825/65
SAMPLING BY	: SECOT Co., Ltd.	SAMPLING METHOD	: Pneumatic Bladder Pump
SAMPLING DATE	: 05/09/2022	SAMPLING TIME	: 11:27-11:38
RECEIVED DATE	: 08/09/2022	ANALYTICAL DATE	: 12-14/09/2022
REPORT DATE	: 21/09/2022	SITE OPERATOR	: Mr. Baworn Deechaiya
SAMPLE CONDITION	: Normal	FILE CODE	: 222100_GW_September

PARAMETER	UNIT	ANALYSIS METHODS	ND (non-detectable)	STATION GW-5	STANDARD ¹⁾
Benzene	mg/l	6200 B	< 0.0002	ND	≤ 0.2
Carbon tetrachloride	mg/l	6200 B	< 0.0002	ND	≤ 0.4
1,2-Dichloroethane	mg/l	6200 B	< 0.0002	ND	≤ 0.5
Dichloromethane	mg/l	6200 B	< 0.0002	0.0005	≤ 6.0
1,1-Dichloroethylene	mg/l	6200 B	< 0.0002	ND	≤ 0.1
cis-1,2-Dichloroethylene	mg/l	6200 B	< 0.0002	ND	≤ 2.0
trans-1,2-Dichloroethylene	mg/l	6200 B	< 0.0002	ND	≤ 5.0
Ethylbenzene	mg/l	6200 B	< 0.0002	ND	≤ 2.0
Styrene	mg/l	6200 B	< 0.0002	ND	≤ 24
Tetrachloroethylene	mg/l	6200 B	< 0.0002	ND	≤ 0.9
Toluene	mg/l	6200 B	< 0.0002	ND	≤ 5.0
1,1,1-Trichloroethane	mg/l	6200 B	< 0.0002	ND	≤ 0.2
1,1,2-Trichloroethane	mg/l	6200 B	< 0.0002	ND	≤ 0.8
Trichloroethylene	mg/l	6200 B	< 0.0002	ND	≤ 4.4
m-Xylene	mg/l	6200 B	< 0.0002	ND	≤ 24
o-Xylene	mg/l	6200 B	< 0.0002	ND	≤ 24
p-Xylene	mg/l	6200 B	< 0.0002	ND	≤ 24
Total Xylenes	mg/l	6200 B	< 0.0006	ND	≤ 24
Vinyl Chloride	mg/l	6200 B	< 0.0005	ND	≤ 0.03

REFERENCE: STANDARD METHOD FOR EXAMINATION OF WATER AND WASTEWATER 21st ED. 2017 (WWW.ARIIA.WEBSITE)

Natsiri L.
(Miss Natsiri Lerterapipat)
Analyst
REG. NO. 7-239-8-0001

(Mrs. Araya Tipparuk)
Technical Management Team
REG. NO. 7-239-8-5863

- Remark : 1. Reported analysis refers to submitted sample only.
2. This report shall not be reproduced, except in full, without official approval.
3. ¹⁾ Notification of the Ministry of Industry, B.E.2559 (2016).



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนวิมลทองประไพ แขวงบางซื่อ กรุงเทพมหานคร 10800
239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND
TEL. (662) 959-3600 FAX (662) 959-3535 Website: secot.co.th E-mail: envserv@secot.co.th

GROUND WATER ANALYSIS REPORT

CLIENT NAME	: Kuwait Petroleum Aviation (Thailand) Ltd. (Feeder Line Project)	REQUEST SERVICE No.	: 1825/65
SAMPLING BY	: SECOT Co., Ltd.	SAMPLING METHOD	: Pneumatic Bladder Pump
SAMPLING DATE	: 05/09/2022	SAMPLING TIME	: 11:27-11:38
RECEIVED DATE	: 08/09/2022	ANALYTICAL DATE	: 12-16-20/09/2022
REPORT DATE	: 21/09/2022	SITE OPERATOR	: Mr. Baworn Deechaiya
SAMPLE CONDITION	: Normal	FILE CODE	: 222100_GW_September

PARAMETER	UNIT	ANALYSIS METHODS	ND (non-detectable)	STATION GW-5	STANDARD ¹⁾
Total Petroleum Hydrocarbons					
- C ₅ -C ₈	mg/l	5030 C / 8260 D	< 0.003	ND	≤ 1.4
- Pentane					
- Benzene					
- Toluene					
- m,p-Xylene					
- o-Xylene					
- C ₉ -C ₁₆	mg/l	3510 C / 8015 D	< 0.025	ND	≤ 1.7
- n-Nonane					
- n-Decane					
- n-Dodecane					
- n-Tetradecane					
- n-Hexadecane					
- C ₁₇ -C ₃₅	mg/l	3510 C / 8015 D	< 0.050	ND	≤ 0.1
- n-Octadecane					
- n-Eicosane					
- n-Docosane					
- n-Tetracosane					
- n-Hexacosane					
- n-Octacosane					
- n-Triacontane					
- n-Dotriacontane					
- n-Tetracontane					
- Pentatriacontane					

REFERENCE: US EPA SW-846 TEST METHODS FOR EVALUATING WATER AND SOLID WASTE 1st ED. 2019

Natsiri L.
(Miss Natsiri Lerterapipat)
Analyst
REG. NO. 7-239-8-0001

(Mrs. Araya Tipparuk)
Technical Management Team
REG. NO. 7-239-8-5863

- Remark : 1. Reported analysis refers to submitted sample only.
2. This report shall not be reproduced, except in full, without official approval.
3. ¹⁾ Notification of the Ministry of Industry, B.E.2559 (2016).



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800

239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND

TEL. (662) 959-3600 FAX (662) 959-3535 Website: secot.co.th E-mail: envserv@secot.co.th

GROUND WATER ANALYSIS REPORT

CLIENT NAME	: Kuwait Petroleum Aviation (Thailand) Ltd.	REQUEST SERVICE No.	: 1825/65
	(Feeder Line Project)	SAMPLING METHOD	: Pneumatic Bladder Pump
SAMPLING BY	: SECOT Co., Ltd.	SAMPLING TIME	: 10:41-10:55
SAMPLING DATE	: 05/09/2022	ANALYTICAL DATE	: 05, 08-15/09/2022
RECEIVED DATE	: 08/09/2022	SITE OPERATOR	: Mr. Baworn Deechaiya
REPORT DATE	: 21/09/2022	FILE CODE	: 222100_GW_September
SAMPLE CONDITION	: Normal		

PARAMETER	UNIT	ANALYSIS METHODS	ND (non-detectable)	STATION GW-8
Depth	m			3.21
Temperature	°C	2550 B	< 0.5	30.7
pH		4500-H ⁺ B	< 0.10	6.63
Color	Unit	2120 B	< 5.0	45
Conductivity	µS/cm	2510 B	< 1.0	380
Total Dissolved Solids	mg/l	2540 C	< 50	246
Total Suspended Solids	mg/l	2540 D	< 5	< 5

REFERENCE: STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 21st ED. 2017 (AWWA, APHA, WEF)

Khemchuda Insom

(Miss Khemchuda Insom)

Analyst

(Mrs. Araya Tipparuk)

(Mrs. Araya Tipparuk)
Technical Management Team

- Remark : 1. Reported analysis refers to submitted sample only.
2. This report shall not be reproduced, except in full, without official approval.
3. - Not available.



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800

239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND

TEL. (662) 959-3600 FAX (662) 959-3535 Website: secot.co.th E-mail: envserv@secot.co.th

GROUND WATER ANALYSIS REPORT

CLIENT NAME	: Kuwait Petroleum Aviation (Thailand) Ltd.	REQUEST SERVICE No.	: 1825/65
	(Feeder Line Project)	SAMPLING METHOD	: Pneumatic Bladder Pump
SAMPLING BY	: SECOT Co., Ltd.	SAMPLING TIME	: 10:41-10:55
SAMPLING DATE	: 05/09/2022	ANALYTICAL DATE	: 12-14/09/2022
RECEIVED DATE	: 08/09/2022	SITE OPERATOR	: Mr. Baworn Deechaiya
REPORT DATE	: 21/09/2022	FILE CODE	: 222100_GW_September
SAMPLE CONDITION	: Normal		

PARAMETER	UNIT	ANALYSIS METHODS	ND (non-detectable)	STATION GW-8	STANDARD ¹⁾
Benzene	mg/l	6200 B	< 0.0002	ND	≤ 0.2
Carbon tetrachloride	mg/l	6200 B	< 0.0002	ND	≤ 0.4
1,2-Dichloroethane	mg/l	6200 B	< 0.0002	ND	≤ 0.5
Dichloromethane	mg/l	6200 B	< 0.0002	0.0003	≤ 6.0
1,1-Dichloroethylene	mg/l	6200 B	< 0.0002	ND	≤ 0.1
cis-1,2-Dichloroethylene	mg/l	6200 B	< 0.0002	ND	≤ 2.0
trans-1,2-Dichloroethylene	mg/l	6200 B	< 0.0002	ND	≤ 5.0
Ethylbenzene	mg/l	6200 B	< 0.0002	ND	≤ 2.0
Styrene	mg/l	6200 B	< 0.0002	ND	≤ 24
Tetrachloroethylene	mg/l	6200 B	< 0.0002	ND	≤ 0.9
Toluene	mg/l	6200 B	< 0.0002	ND	≤ 5.0
1,1,1-Trichloroethane	mg/l	6200 B	< 0.0002	ND	≤ 0.2
1,1,2-Trichloroethane	mg/l	6200 B	< 0.0002	ND	≤ 0.8
Trichloroethylene	mg/l	6200 B	< 0.0002	ND	≤ 4.4
m-Xylene	mg/l	6200 B	< 0.0002	ND	≤ 24
o-Xylene	mg/l	6200 B	< 0.0002	ND	≤ 24
p-Xylene	mg/l	6200 B	< 0.0002	ND	≤ 24
Total Xylenes	mg/l	6200 B	< 0.0006	ND	≤ 24
Vinyl Chloride	mg/l	6200 B	< 0.0005	ND	≤ 0.03

REFERENCE: STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 21st ED. 2017 (AWWA, APHA, WEF)

Natsiri L.

(Miss Natsiri Lerterapipat)

Analyst

REG. NO. 2-239-n-0001

(Mrs. Araya Tipparuk)

(Mrs. Araya Tipparuk)
Technical Management Team

REG. NO. 2-239-n-5863

- Remark : 1. Reported analysis refers to submitted sample only.
2. This report shall not be reproduced, except in full, without official approval.
3. ¹⁾ Notification of the Ministry of Industry, B.E.2559 (2016).



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800
239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND
TEL. (662) 959-3600 FAX (662) 959-3535 Website : secot.co.th E-mail : envserv@secot.co.th

GROUND WATER ANALYSIS REPORT

CLIENT NAME	Kuwait Petroleum Aviation (Thailand) Ltd.	REQUEST SERVICE No.	1825/65
	(Feeder Line Project)	SAMPLING METHOD	Pneumatic Bladder Pump
SAMPLING BY	SECOT Co., Ltd.	SAMPLING TIME	10:41-10:55
SAMPLING DATE	05/09/2022	ANALYTICAL DATE	12.16-20/09/2022
RECEIVED DATE	08/09/2022	SITE OPERATOR	Mr. Baworn Deechaiya
REPORT DATE	21/09/2022	FILE CODE	222100_GW_September
SAMPLE CONDITION	Normal		

PARAMETER	UNIT	ANALYSIS METHODS	ND (non-detectable)	STATION GW-8	STANDARD ¹⁾
Total Petroleum Hydrocarbons					
- C ₅ -C ₈	mg/l	5030 C / 8260 D	< 0.003	ND	≤ 1.4
- Pentane					
- Benzene					
- Toluene					
- m,p-Xylene					
- o-Xylene					
- C ₉ -C ₁₅	mg/l	3510 C / 8015 D	< 0.025	ND	≤ 1.7
- n-Nonane					
- n-Decane					
- n-Dodecane					
- n-Tetradecane					
- n-Hexadecane					
- C ₁₆ -C ₂₅	mg/l	3510 C / 8015 D	< 0.050	ND	≤ 0.1
- n-Octadecane					
- n-Eicosane					
- n-Docosane					
- n-Tetracosane					
- n-Hexacosane					
- n-Octacosane					
- n-Triacontane					
- n-Dotriacontane					
- n-Totriacontane					
- n-Pentatriacontane					

REFERENCE : USE EPA SW-846 TEST METHODS FOR EVALUATING WATER AND SOLID WASTE 1st ED. 2000

(Miss Natsiri Lertrirapipat)
Analyst
REG.NO. 2-239-8-0001

(Mrs. Araya Tipparuk)
Technical Management Team
REG. NO. 2-239-8-5863

- Remark :**
1. Reported analysis refers to submitted sample only.
 2. This report shall not be reproduced, except in full, without official approval.
 3. ¹⁾ Notification of the Ministry of Industry, B.E.2559 (2016).



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800
239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND
TEL. (662) 959-3600 FAX (662) 959-3535 Website : secot.co.th E-mail : envserv@secot.co.th

GROUND WATER ANALYSIS REPORT

CLIENT NAME	Kuwait Petroleum Aviation (Thailand) Ltd.	REQUEST SERVICE No.	1825/65
	(Feeder Line Project)	SAMPLING METHOD	Pneumatic Bladder Pump
SAMPLING BY	SECOT Co., Ltd.	SAMPLING TIME	11:38-11:50
SAMPLING DATE	07/09/2022	ANALYTICAL DATE	07, 08-15/09/2022
RECEIVED DATE	08/09/2022	SITE OPERATOR	Mr. Baworn Deechaiya
REPORT DATE	21/09/2022	FILE CODE	222100_GW_September
SAMPLE CONDITION	Normal		

PARAMETER	UNIT	ANALYSIS METHODS	ND (non-detectable)	STATION GW-11
Depth	m			2.84
Temperature	°C	2550 B	< 0.5	30.2
pH	-	4500-H ¹ B	< 0.10	6.69
Color	Unit	2120 B	< 5.0	240
Conductivity	µS/cm	2510 B	< 1.0	1,093
Total Dissolved Solids	mg/l	2540 C	< 50	628
Total Suspended Solids	mg/l	2540 D	< 5	99

REFERENCE : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 21st ED. 2017 (APHA, APCA, WEF)

(Miss Khemchuda Insorn)
Analyst

(Mrs. Araya Tipparuk)
Technical Management Team

- Remark :**
1. Reported analysis refers to submitted sample only.
 2. This report shall not be reproduced, except in full, without official approval.
 3. - Not available.



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนวิภาวดีรังสิต แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800
239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND
TEL. (662) 959-3600 FAX (662) 959-3535 Website : secot.co.th E-mail : cnvserv@secot.co.th

GROUND WATER ANALYSIS REPORT

CLIENT NAME	: Kuwait Petroleum Aviation (Thailand) Ltd. (Feeder Line Project)	REQUEST SERVICE No.	: 1825/65
SAMPLING BY	: SECOT Co., Ltd.	SAMPLING METHOD	: Pneumatic Bladder Pump
SAMPLING DATE	: 07/09/2022	SAMPLING TIME	: 11:38-11:50
RECEIVED DATE	: 08/09/2022	ANALYTICAL DATE	: 12-14/09/2022
REPORT DATE	: 21/09/2022	SITE OPERATOR	: Mr. Baworn Deechaiya
SAMPLE CONDITION	: Normal	FILE CODE	: 222100_GW_September

PARAMETER	UNIT	ANALYSIS METHODS	ND (non-detectable)	STATION GW-11	STANDARD ¹⁾
Benzene	mg/l	6200 B	< 0.0002	ND	≤ 0.2
Carbon tetrachloride	mg/l	6200 B	< 0.0002	ND	≤ 0.4
1,2-Dichloroethane	mg/l	6200 B	< 0.0002	ND	≤ 0.5
Dichloromethane	mg/l	6200 B	< 0.0002	0.0003	≤ 6.0
1,1-Dichloroethylene	mg/l	6200 B	< 0.0002	ND	≤ 0.1
cis-1,2-Dichloroethylene	mg/l	6200 B	< 0.0002	ND	≤ 2.0
trans-1,2-Dichloroethylene	mg/l	6200 B	< 0.0002	ND	≤ 5.0
Ethylbenzene	mg/l	6200 B	< 0.0002	ND	≤ 2.0
Styrene	mg/l	6200 B	< 0.0002	ND	≤ 24
Tetrachloroethylene	mg/l	6200 B	< 0.0002	ND	≤ 0.9
Toluene	mg/l	6200 B	< 0.0002	ND	≤ 5.0
1,1,1-Trichloroethane	mg/l	6200 B	< 0.0002	ND	≤ 0.2
1,1,2-Trichloroethane	mg/l	6200 B	< 0.0002	ND	≤ 0.8
Trichloroethylene	mg/l	6200 B	< 0.0002	ND	≤ 4.4
m-Xylene	mg/l	6200 B	< 0.0002	ND	≤ 24
o-Xylene	mg/l	6200 B	< 0.0002	ND	≤ 24
p-Xylene	mg/l	6200 B	< 0.0002	ND	≤ 24
Total Xylenes	mg/l	6200 B	< 0.0006	ND	≤ 24
Vinyl Chloride	mg/l	6200 B	< 0.0005	ND	≤ 0.03

REFERENCE : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 19th ED. 2011 (AWWA, WEF)

Natsiri L.
(Miss Natsiri Lerterapipat)

Analyst

REG. NO. 7-239-ก-0001

(Mrs. Araya Tipparuk)

Technical Management Team

REG. NO. 7-239-ก-5863

- Remark :**
1. Reported analysis refers to submitted sample only.
 2. This report shall not be reproduced, except in full, without official approval.
 3. ¹⁾ Notification of the Ministry of Industry, B.E.2559 (2016).



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนวิภาวดีรังสิต แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800
239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND
TEL. (662) 959-3600 FAX (662) 959-3535 Website : secot.co.th E-mail : cnvserv@secot.co.th

GROUND WATER ANALYSIS REPORT

CLIENT NAME	: Kuwait Petroleum Aviation (Thailand) Ltd. (Feeder Line Project)	REQUEST SERVICE No.	: 1825/65
SAMPLING BY	: SECOT Co., Ltd.	SAMPLING METHOD	: Pneumatic Bladder Pump
SAMPLING DATE	: 07/09/2022	SAMPLING TIME	: 11:38-11:50
RECEIVED DATE	: 08/09/2022	ANALYTICAL DATE	: 12,16-20/09/2022
REPORT DATE	: 21/09/2022	SITE OPERATOR	: Mr. Baworn Deechaiya
SAMPLE CONDITION	: Normal	FILE CODE	: 222100_GW_September

PARAMETER	UNIT	ANALYSIS METHODS	ND (non-detectable)	STATION GW-11	STANDARD ¹⁾
Total Petroleum Hydrocarbons					
* C ₅ -C ₈	mg/l	5030 C / 8260 D	< 0.003	ND	≤ 1.4
- Pentane					
- Benzene					
- Toluene					
- m,p-Xylene					
- o-Xylene					
* C ₉ -C ₁₆	mg/l	3510 C / 8015 D	< 0.025	ND	≤ 1.7
- n-Nonane					
- n-Decane					
- n-Dodecane					
- n-Tetradecane					
- n-Hexadecane					
* C _{>16} -C ₃₅	mg/l	3510 C / 8015 D	< 0.050	ND	≤ 0.1
- n-Octadecane					
- n-Eicosane					
- n-Docosane					
- n-Tetracosane					
- n-Hexacosane					
- n-Octacosane					
- n-Triacontane					
- n-Dotriacontane					
- n-Tetracontane					
- n-Pentatriacontane					

REFERENCE : ISIRI 399 INST. METHODS FOR EXAMINATING WATER AND SOIL WASTE, 3rd ED., 2020

Natsiri L.
(Miss Natsiri Lerterapipat)

Analyst

REG. NO. 7-239-ก-0001

(Mrs. Araya Tipparuk)

Technical Management Team

REG. NO. 7-239-ก-5863

- Remark :**
1. Reported analysis refers to submitted sample only.
 2. This report shall not be reproduced, except in full, without official approval.
 3. ¹⁾ Notification of the Ministry of Industry, B.E.2559 (2016).



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800
239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND
TEL. (662) 959-3600 FAX (662) 959-3535 Website: secot.co.th E-mail: envserv@secot.co.th

GROUND WATER ANALYSIS REPORT

CLIENT NAME	: Kuwait Petroleum Aviation (Thailand) Ltd.	REQUEST SERVICE No.	: 1825/65
	(Feeder Line Project)	SAMPLING METHOD	: Pneumatic Bladder Pump
SAMPLING BY	: SECOT Co., Ltd.	SAMPLING TIME	: 10:49-10:57
SAMPLING DATE	: 07/09/2022	ANALYTICAL DATE	: 07, 08-15/09/2022
RECEIVED DATE	: 08/09/2022	SITE OPERATOR	: Mr. Baworn Deechaiya
REPORT DATE	: 21/09/2022	FILE CODE	: 222100_GW_September
SAMPLE CONDITION	: Normal		

PARAMETER	UNIT	ANALYSIS METHODS	ND (non-detectable)	STATION GW-17
Depth	m			3.00
Temperature	°C	2550 B	< 0.5	30.5
pH	-	4500-H B	< 0.10	4.80
Color	Unit	2120 B	< 5.0	< 5
Conductivity	µS/cm	2510 B	< 1.0	4,783
Total Dissolved Solids	mg/l	2540 C	< 50	3,878
Total Suspended Solids	mg/l	2540 D	< 5	25

REFERENCE: STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 22ND ED. (AWWA, APHA, WEF)

(Miss Khemchuda Insorn)
Analyst

(Mrs. Araya Tipparuk)
Technical Management Team

- Remark : 1. Reported analysis refers to submitted sample only.
2. This report shall not be reproduced, except in full, without official approval.
3. - Not available.



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800
239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND
TEL. (662) 959-3600 FAX (662) 959-3535 Website: secot.co.th E-mail: envserv@secot.co.th

GROUND WATER ANALYSIS REPORT

CLIENT NAME	: Kuwait Petroleum Aviation (Thailand) Ltd.	REQUEST SERVICE No.	: 1825/65
	(Feeder Line Project)	SAMPLING METHOD	: Pneumatic Bladder Pump
SAMPLING BY	: SECOT Co., Ltd.	SAMPLING TIME	: 10:49-10:57
SAMPLING DATE	: 07/09/2022	ANALYTICAL DATE	: 12-14/09/2022
RECEIVED DATE	: 08/09/2022	SITE OPERATOR	: Mr. Baworn Deechaiya
REPORT DATE	: 21/09/2022	FILE CODE	: 222100_GW_September
SAMPLE CONDITION	: Normal		

PARAMETER	UNIT	ANALYSIS METHODS	ND (non-detectable)	STATION GW-17	STANDARD ¹⁾
Benzene	mg/l	6200 B	< 0.0002	ND	≤ 0.2
Carbon tetrachloride	mg/l	6200 B	< 0.0002	ND	≤ 0.4
1,2-Dichloroethane	mg/l	6200 B	< 0.0002	ND	≤ 0.5
Dichloromethane	mg/l	6200 B	< 0.0002	0.0004	≤ 6.0
1,1-Dichloroethylene	mg/l	6200 B	< 0.0002	ND	≤ 0.1
cis-1,2-Dichloroethylene	mg/l	6200 B	< 0.0002	ND	≤ 2.0
trans-1,2-Dichloroethylene	mg/l	6200 B	< 0.0002	ND	≤ 5.0
Ethylbenzene	mg/l	6200 B	< 0.0002	ND	≤ 2.0
Styrene	mg/l	6200 B	< 0.0002	ND	≤ 24
Tetrachloroethylene	mg/l	6200 B	< 0.0002	ND	≤ 0.9
Toluene	mg/l	6200 B	< 0.0002	ND	≤ 5.0
1,1,1-Trichloroethane	mg/l	6200 B	< 0.0002	ND	≤ 0.2
1,1,2-Trichloroethane	mg/l	6200 B	< 0.0002	ND	≤ 0.8
Trichloroethylene	mg/l	6200 B	< 0.0002	ND	≤ 4.4
m-Xylene	mg/l	6200 B	< 0.0002	ND	≤ 24
o-Xylene	mg/l	6200 B	< 0.0002	ND	≤ 24
p-Xylene	mg/l	6200 B	< 0.0002	ND	≤ 24
Total Xylenes	mg/l	6200 B	< 0.0006	ND	≤ 24
Vinyl Chloride	mg/l	6200 B	< 0.0005	ND	≤ 0.03

REFERENCE: STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 22ND ED. (AWWA, APHA, WEF)

(Miss Natsiri Lortterapipat)
Analyst
REG. NO. 7-239-ก-0001

(Mrs. Araya Tipparuk)
Technical Management Team
REG. NO. 7-239-ก-5863

- Remark : 1. Reported analysis refers to submitted sample only.
2. This report shall not be reproduced, except in full, without official approval.
3. ¹⁾ Notification of the Ministry of Industry, B.E.2559 (2016).



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนมิตรภาพระประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800
239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND
TEL. (662) 959-3600 FAX (662) 959-3535 Website : secot.co.th E-mail : envserv@secot.co.th

GROUND WATER ANALYSIS REPORT

CLIENT NAME	: Kuwait Petroleum Aviation (Thailand) Ltd.	REQUEST SERVICE No.	: 1825/65
	(Feeder Line Project)		
SAMPLING BY	: SECOT Co., Ltd.	SAMPLING METHOD	: Pneumatic Bladder Pump
SAMPLING DATE	: 07/09/2022	SAMPLING TIME	: 10:49-10:57
RECEIVED DATE	: 08/09/2022	ANALYTICAL DATE	: 12,16-20/09/2022
REPORT DATE	: 21/09/2022	SITE OPERATOR	: Mr. Baworn Deechaiya
SAMPLE CONDITION	: Normal	FILE CODE	: 222100_GW_September

PARAMETER	UNIT	ANALYSIS METHODS	ND (non-detectable)	STATION GW-17	STANDARD ¹⁾
Total Petroleum Hydrocarbons					
- C ₇ -C ₈	mg/l	5030 C / 8260 D	< 0.003	ND	≤ 1.4
- Pentane					
- Benzene					
- Toluene					
- m,p-Xylene					
- o-Xylene					
- C ₉ -C ₁₆	mg/l	3510 C / 8015 D	< 0.025	ND	≤ 1.7
- n-Nonane					
- n-Decane					
- n-Dodecane					
- n-Tetradecane					
- n-Hexadecane					
- C ₁₆ -C ₂₅	mg/l	3510 C / 8015 D	< 0.050	ND	≤ 0.1
- n-Octadecane					
- n-Eicosane					
- n-Docosane					
- n-Tetracosane					
- n-Hexacosane					
- n-Octacosane					
- n-Triacontane					
- n-Tetracontane					
- n-Pentatriacontane					

REFERENCE : USEPA SW 846 TEST METHODS FOR EVALUATING WATER AND SOLID WASTE, 3rd ED. 2020

Natsiri L.
(Miss Natsiri Lerterapipat)
Analyst
REG. NO. 2-239-R-0001

(Mrs. Anya Tipparak)
Technical Management Team
REG. NO. 2-239-R-5863

Remark : 1. Reported analysis refers to submitted sample only.
2. This report shall not be reproduced, except in full, without official approval.
3. ¹⁾ Notification of the Ministry of Industry, B.E 2559 (2016).



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนมิตรภาพระประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800
239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND
TEL. (662) 959-3600 FAX (662) 959-3535 Website : secot.co.th E-mail : envserv@secot.co.th

GROUND WATER ANALYSIS REPORT

CLIENT NAME	: Kuwait Petroleum Aviation (Thailand) Ltd.	REQUEST SERVICE No.	: 1825/65
	(Feeder Line Project)		
SAMPLING BY	: SECOT Co., Ltd.	SAMPLING METHOD	: Pneumatic Bladder Pump
SAMPLING DATE	: 07/09/2022	SAMPLING TIME	: 12:17
RECEIVED DATE	: 08/09/2022	ANALYTICAL DATE	: 07, 08-15/09/2022
REPORT DATE	: 21/09/2022	SITE OPERATOR	: Mr. Baworn Deechaiya
SAMPLE CONDITION	: Normal	FILE CODE	: 222100_GW_September

PARAMETER	UNIT	ANALYSIS METHODS	ND (non-detectable)	STATION บ่อน้ำบาดาลบริเวณชุมชนบ้านทุ่ง
Temperature	°C	2550 B	< 0.5	28.9
pH	-	4500-H ⁺ B	< 0.10	6.78
Color	Unit	2120 B	< 5.0	< 5
Conductivity	µS/cm	2510 B	< 1.0	963
Total Dissolved Solids	mg/l	2540 C	< 50	568
Total Suspended Solids	mg/l	2540 D	< 5	< 5

REFERENCE : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 23rd ED 2017 (AWWA-APHA-WEF)

Khemchuda Insorn
(Miss Khemchuda Insorn)
Analyst

(Mrs. Anya Tipparak)
Technical Management Team

Remark : 1. Reported analysis refers to submitted sample only.
2. This report shall not be reproduced, except in full, without official approval.
3. - Not available.



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนวิมลทองประชา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800
239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND
TEL. (662) 959-3600 FAX (662) 959-3535 Website : secot.co.th E-mail : envserv@secot.co.th

GROUND WATER ANALYSIS REPORT

CLIENT NAME	Kuwait Petroleum Aviation (Thailand) Ltd. (Feeder Line Project)	REQUEST SERVICE No.	1825/65
SAMPLING BY	SECOT Co., Ltd.	SAMPLING METHOD	Pneumatic Bladder Pump
SAMPLING DATE	07/09/2022	SAMPLING TIME	12:17
RECEIVED DATE	08/09/2022	ANALYTICAL DATE	12-14/09/2022
REPORT DATE	21/09/2022	SITE OPERATOR	Mr. Baworn Deechaiya
SAMPLE CONDITION	Normal	FILE CODE	222100_GW_September

PARAMETER	UNIT	ANALYSIS METHODS	ND (non-detectable)	STATION บ่อน้ำบาดาลบริเวณชุมชนบ้านทุ่ง	STANDARD ¹⁾
Benzene	mg/l	6200 B	< 0.0002	ND	≤ 0.2
Carbon tetrachloride	mg/l	6200 B	< 0.0002	ND	≤ 0.4
1,2-Dichloroethane	mg/l	6200 B	< 0.0002	ND	≤ 0.5
Dichloromethane	mg/l	6200 B	< 0.0002	0.0021	≤ 6.0
1,1-Dichloroethylene	mg/l	6200 B	< 0.0002	ND	≤ 0.1
cis-1,2-Dichloroethylene	mg/l	6200 B	< 0.0002	ND	≤ 2.0
trans-1,2-Dichloroethylene	mg/l	6200 B	< 0.0002	ND	≤ 5.0
Ethylbenzene	mg/l	6200 B	< 0.0002	ND	≤ 2.0
Styrene	mg/l	6200 B	< 0.0002	ND	≤ 24
Tetrachloroethylene	mg/l	6200 B	< 0.0002	ND	≤ 0.9
Toluene	mg/l	6200 B	< 0.0002	ND	≤ 5.0
1,1,1-Trichloroethane	mg/l	6200 B	< 0.0002	ND	≤ 0.2
1,1,2-Trichloroethane	mg/l	6200 B	< 0.0002	ND	≤ 0.8
Trichloroethylene	mg/l	6200 B	< 0.0002	ND	≤ 4.4
m-Xylene	mg/l	6200 B	< 0.0002	ND	≤ 24
o-Xylene	mg/l	6200 B	< 0.0002	ND	≤ 24
p-Xylene	mg/l	6200 B	< 0.0002	ND	≤ 24
Total Xylenes	mg/l	6200 B	< 0.0006	ND	≤ 24
Vinyl Chloride	mg/l	6200 B	< 0.0005	ND	≤ 0.03

REFERENCE : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 19th ED. 2011/WWA/MLA.WEB

Nalsiri L.
(Miss Nalsiri Lerterapipat)

Analyst

REG. NO. 2-239-n-0001

(Mrs. Araya Tipparuk)

Technical Management Team

REG. NO. 2-239-n-5863

- Remark : 1. Reported analysis refers to submitted sample only.
2. This report shall not be reproduced, except in full, without official approval.
3. ¹⁾ Notification of the Ministry of Industry, B.E.2559 (2016).



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนวิมลทองประชา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800
239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND
TEL. (662) 959-3600 FAX (662) 959-3535 Website : secot.co.th E-mail : envserv@secot.co.th

GROUND WATER ANALYSIS REPORT

CLIENT NAME	Kuwait Petroleum Aviation (Thailand) Ltd. (Feeder Line Project)	REQUEST SERVICE No.	1825/65
SAMPLING BY	SECOT Co., Ltd.	SAMPLING METHOD	Pneumatic Bladder Pump
SAMPLING DATE	07/09/2022	SAMPLING TIME	12:17
RECEIVED DATE	08/09/2022	ANALYTICAL DATE	12,16-20/09/2022
REPORT DATE	21/09/2022	SITE OPERATOR	Mr. Baworn Deechaiya
SAMPLE CONDITION	Normal	FILE CODE	222100_GW_September

PARAMETER	UNIT	ANALYSIS METHODS	ND (non-detectable)	STATION บ่อน้ำบาดาลบริเวณชุมชนบ้านทุ่ง	STANDARD ¹⁾
Total Petroleum Hydrocarbons					
- C ₅ -C ₈	mg/l	5030 C / 8260 D	< 0.003	ND	≤ 1.4
- Pentane					
- Benzene					
- Toluene					
- m,p-Xylene					
- o-Xylene					
- C ₉ -C ₁₆	mg/l	3510 C / 8015 D	< 0.025	ND	≤ 1.7
- n-Nonane					
- n-Decane					
- n-Dodecane					
- n-Tetradecane					
- n-Hexadecane					
- C ₁₇ -C ₃₅	mg/l	3510 C / 8015 D	< 0.050	ND	≤ 0.1
- n-Octadecane					
- n-Eicosane					
- n-Docosane					
- n-Tetracosane					
- n-Hexacosane					
- n-Octacosane					
- n-Triacontane					
- n-Dotriacontane					
- n-Tetracontane					
- Pentatriacontane					

REFERENCE : US EPA SW 846 TEST METHODS FOR EVALUATING WATER AND SOLID WASTE, 8th ED. 2020

Nalsiri L.
(Miss Nalsiri Lerterapipat)

Analyst

REG. NO. 2-239-n-0001

(Mrs. Araya Tipparuk)

Technical Management Team

REG. NO. 2-239-n-5863

- Remark : 1. Reported analysis refers to submitted sample only.
2. This report shall not be reproduced, except in full, without official approval.
3. ¹⁾ Notification of the Ministry of Industry, B.E.2559 (2016).



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800
239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND
TEL. (662) 959-3600 FAX (662) 959-3535 Website: secot.co.th E-mail: envserv@secot.co.th

GROUND WATER ANALYSIS REPORT

CLIENT NAME	: Kuwait Petroleum Aviation (Thailand) Ltd.	REQUEST SERVICE No.	: 1825/65
	(Feeder Line Project)	SAMPLING METHOD	: Pneumatic Bladder Pump
SAMPLING BY	: SECOT Co., Ltd.	SAMPLING TIME	: 12:30
SAMPLING DATE	: 07/09/2022	ANALYTICAL DATE	: 07, 08-15/09/2022
RECEIVED DATE	: 08/09/2022	SITE OPERATOR	: Mr. Baworn Deechaiya
REPORT DATE	: 21/09/2022	FILE CODE	: 222100_GW_September
SAMPLE CONDITION	: Normal		

PARAMETER	UNIT	ANALYSIS METHODS	ND (non-detectable)	STATION	
				บ่อน้ำบาดาลบริเวณวัดใหม่เนินพยอม	
Temperature	°C	2550 B	< 0.5	27.8	
pH	-	4500-H ⁺ B	< 0.10	6.84	
Color	Unit	2120 B	< 5.0	5	
Conductivity	µS/cm	2510 B	< 1.0	939	
Total Dissolved Solids	mg/l	2540 C	< 50	584	
Total Suspended Solids	mg/l	2540 D	< 5	< 5	

REFERENCE: STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 23rd ED., 2017 (APWA, AWWA, WEF)

(Miss Khemchuda Insorn)
Analyst

(Mrs. Araya Tipparuk)
Technical Management Team

- Remark :** 1. Reported analysis refers to submitted sample only.
2. This report shall not be reproduced, except in full, without official approval.
3. - Not available.



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800
239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND
TEL. (662) 959-3600 FAX (662) 959-3535 Website: secot.co.th E-mail: envserv@secot.co.th

GROUND WATER ANALYSIS REPORT

CLIENT NAME	: Kuwait Petroleum Aviation (Thailand) Ltd.	REQUEST SERVICE No.	: 1825/65
	(Feeder Line Project)	SAMPLING METHOD	: Pneumatic Bladder Pump
SAMPLING BY	: SECOT Co., Ltd.	SAMPLING TIME	: 12:30
SAMPLING DATE	: 07/09/2022	ANALYTICAL DATE	: 12-14/09/2022
RECEIVED DATE	: 08/09/2022	SITE OPERATOR	: Mr. Baworn Deechaiya
REPORT DATE	: 21/09/2022	FILE CODE	: 222100_GW_September
SAMPLE CONDITION	: Normal		

PARAMETER	UNIT	ANALYSIS METHODS	ND (non-detectable)	STATION	
				บ่อน้ำบาดาลบริเวณวัดใหม่เนินพยอม	
Benzene	mg/l	6200 B	< 0.0002	ND	≤ 0.2
Carbon tetrachloride	mg/l	6200 B	< 0.0002	ND	≤ 0.4
1,2-Dichloroethane	mg/l	6200 B	< 0.0002	ND	≤ 0.5
Dichloromethane	mg/l	6200 B	< 0.0002	0.0006	≤ 6.0
1,1-Dichloroethylene	mg/l	6200 B	< 0.0002	ND	≤ 0.1
cis-1,2-Dichloroethylene	mg/l	6200 B	< 0.0002	ND	≤ 2.0
trans-1,2-Dichloroethylene	mg/l	6200 B	< 0.0002	ND	≤ 5.0
Ethylbenzene	mg/l	6200 B	< 0.0002	ND	≤ 2.0
Styrene	mg/l	6200 B	< 0.0002	ND	≤ 24
Tetrachloroethylene	mg/l	6200 B	< 0.0002	ND	≤ 0.9
Toluene	mg/l	6200 B	< 0.0002	ND	≤ 5.0
1,1,1-Trichloroethane	mg/l	6200 B	< 0.0002	ND	≤ 0.2
1,1,2-Trichloroethane	mg/l	6200 B	< 0.0002	ND	≤ 0.8
Trichloroethylene	mg/l	6200 B	< 0.0002	ND	≤ 4.4
m-Xylene	mg/l	6200 B	< 0.0002	ND	≤ 24
o-Xylene	mg/l	6200 B	< 0.0002	ND	≤ 24
p-Xylene	mg/l	6200 B	< 0.0002	ND	≤ 24
Total Xylenes	mg/l	6200 B	< 0.0006	ND	≤ 24
Vinyl Chloride	mg/l	6200 B	< 0.0005	ND	≤ 0.03

REFERENCE: STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 23rd ED., 2017 (APWA, AWWA, WEF)

(Miss Natsiri Lertrapiat)
Analyst
REG. NO. 2-239-R-0001

(Mrs. Araya Tipparuk)
Technical Management Team
REG. NO. 2-239-R-5863

- Remark :** 1. Reported analysis refers to submitted sample only.
2. This report shall not be reproduced, except in full, without official approval.
3. ¹¹ Notification of the Ministry of Industry, B.E.2559 (2016).



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนร่มเกล้าปรางค์ 1 แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800
239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND
TEL. (662) 959-3600 FAX (662) 959-3535 Website : secot.co.th E-mail : envserv@secot.co.th

GROUND WATER ANALYSIS REPORT

CLIENT NAME	: Kuwait Petroleum Aviation (Thailand) Ltd. (Feeder Line Project)	REQUEST SERVICE No.	: 1825/65
SAMPLING BY	: SECOT Co., Ltd.	SAMPLING METHOD	: Pneumatic Bladder Pump
SAMPLING DATE	: 07/09/2022	SAMPLING TIME	: 12:30
RECEIVED DATE	: 08/09/2022	ANALYTICAL DATE	: 12,16-20/09/2022
REPORT DATE	: 21/09/2022	SITE OPERATOR	: Mr. Baworn Dechaiya
SAMPLE CONDITION	: Normal	FILE CODE	: 222100_GW_September

PARAMETER	UNIT	ANALYSIS METHODS	ND (non-detectable)	STATION บ่อน้ำบาดาลบริเวณวัดวัดใหม่พันทอง	STANDARD ^{1/}
Total Petroleum Hydrocarbons					
- C ₅ -C ₈	mg/l	5030 C / 8260 D	< 0.003	ND	≤ 1.4
- Pentane					
- Benzene					
- Toluene					
- m,p-Xylene					
- o-Xylene					
- C ₉ -C ₁₂	mg/l	3510 C / 8015 D	< 0.025	ND	≤ 1.7
- n-Nonane					
- n-Decane					
- n-Dodecane					
- n-Tetradecane					
- n-Hexadecane					
- C ₁₆ -C ₂₅	mg/l	3510 C / 8015 D	< 0.050	ND	≤ 0.1
- n-Octadecane					
- n-Eicosane					
- n-Docosane					
- n-Tetracosane					
- n-Hexacosane					
- n-Octacosane					
- n-Triacontane					
- n-Dotriacontane					
- n-Tetracontane					
- Pentatriacontane					

REFERENCE : USEPA 816 TEST METHODS FOR EVALUATING WATER AND SOLID WASTE, 1st ED. 1999

Natsiri L

(Miss Natsiri Lerttrapipat)

Analyst

REG. NO. 2-239-ก-0001

(Mrs. Araya Tippanuk)

Technical Management Team

REG. NO. 2-239-ก-5863

Remark : 1. Reported analysis refers to submitted sample only.
2. This report shall not be reproduced, except in full, without official approval.
3. ^{1/} Notification of the Ministry of Industry, B.E.2559 (2016).

ภาคผนวก ง

ใบแสดงการตรวจเทียบเครื่องมือตรวจวัดและวิเคราะห์

Certificate of Calibration

Certificate No. : 65-420016-1

Page : 1 of 2

Submitted by : Secot Co.,Ltd.

239 RimKlongprapa Road, Bangsue, Bangkok 10800 Thailand

Equipment : pH Meter with electrode

pH meter

Manufacturer : Mettler Toledo Model : Seven2Go S2

Range : N/A pH Resolution : 0.01 pH

Serial No. : B924795409 ID No. : N/A

Electrode

Model : InLab Expert Go-ISM Serial No. : 7861180

Environment : Ambient Temperature : (25 ± 2) °C

Relative Humidity : (50 ± 15) %

Date of Received : 15 February 2022

Date of Calibration : 24 February 2022

Date of Issue : 24 February 2022

Calibrated by : Bunjerd Masri

Calibration Method : In-house method CAL-M4201 direct measurement by using standard voltage calibrator and using certified reference material (CRM)

Reference Standard Instruments : This certification is traceable to the International System of Units

1. Multiproduct Calibrator

ID No.	Cert. No.	Due Date	Traceability
440001	21E997	17 Mar 2023	National Institute of Metrology Thailand (NIMT)

2. Standard Buffer Solution

pH	Cert. No.	Lot No.	Exp. Date	Traceability
4.008	61235182	795894	14 Feb 2024	CPA Chem Ltd. Accredited to ISO 17034 and ISO/IEC 17025
6.985	61223875	769927	15 May 2022	CPA Chem Ltd. Accredited to ISO 17034 and ISO/IEC 17025
10.008	61244986	795895	25 Feb 2023	CPA Chem Ltd. Accredited to ISO 17034 and ISO/IEC 17025

Approved by :
(Bunjerd Masri)
Supervisor



Certificate of Calibration

Certificate No. : 65-420016-1

Page : 2 of 2

Result of Calibration :

UUC Condition As-Received : Good

Function : Electrical measurement

pH meter

Performing standard curve by Multiproduct Calibrator at pH (4,7,10)

Adjustment Curve at nominal pH	Applied Voltage (mV)	Nominal Value (pH)	UUC Reading		Correction (mV)	Uncertainty (± mV)
			(pH)	(mV)		
4, 7, 10	177.4800	4	4.00	177	0	0.58
	0.0000	7	7.00	0	0	0.58
	-177.4800	10	10.00	-177	0	0.58

Function : pH meter with electrode

Performing a three - buffer standard curve using buffer nominal pH (4,7,10)

Adjustment Curve at nominal pH	Standard Buffer (pH)	UUC Reading (pH)	Correction (pH)	Uncertainty (± pH)
4, 7, 10	4.008	4.01	0.00	0.010
	6.985	7.00	-0.01	0.011
	10.008	10.01	0.00	0.014

Remark

UUC : Unit Under Calibration

This result of calibration was found accurate as shown on date and place of calibration only.

This reported uncertainty of measurement was based on a standard uncertainty multiplied by a coverage factor k = 2 , providing a level of confidence of approximately 95%

- o o o -



CAL

Calibratech Co.,Ltd.

7/106-7 Moo 2, Sukhprachasan 3 Rd., Bangpood, Pakkred, Nonthaburi 11120

Tel.(02) 964-6211 Fax.(02) 964-5155, e-mail : calibratech.cal@yahoo.com, calibratech.cal@hotmail.com



NSC-TISI-TIS17025
CALIBRATION 0030

Certificate of Calibration

Certificate No. : 65-400086-1

Page : 1 of 2

Submitted by :

Secot Co.,Ltd.

239 RimKlongprapa Road, Bangsue, Bangkok 10800 Thailand

Equipment :

Digital Thermometer with Thermistor Probe

Temperature Indicator

Manufacturer : Mettler Toledo

Model : Seven2Go S2

Range : N/A

Resolution : 0.1 °C

Serial No. : B924795409

ID No. : N/A

Thermistor Probe

Model : InLab Expert Go-ISM

Sheath Material : Plastic

Diameter : 10 mm.

Length : 120 mm.

Serial No. : 7861180

ID No. : N/A

Environment :

Ambient Temperature : (23 ± 2) °C

Relative Humidity : (50 ± 15) %

Line Voltage : (220 ± 22) VAC

Date of Received :

15 February 2022

Date of Calibration :

24 February 2022

Date of Issue :

24 February 2022

Calibrated by :

Bunjerd Masri

Calibration Method :

This instrument was calibrated by In-house method comparison technique CAL-M4003

by compared with PRT in the liquid bath at the constant controlled temperature.

The temperature scale used was based on ITS-90

Reference Standard Instruments : This certification is traceable to the International System of Units

1. Platinum Resistance Thermometer (PRT)

ID No. Cert. No. Due Date Traceability

400016 TT-0059-21 02 Jun 2023 National Institute of Metrology Thailand (NIMT)

2. Standard Digital Thermometer

ID No. Cert. No. Due Date Traceability

400003 21E1850 14 Jun 2023 National Institute of Metrology Thailand (NIMT)

400004 21E1850 14 Jun 2023 National Institute of Metrology Thailand (NIMT)

Approved by :

(Bunjerd Masri)

Supervisor

The Uncertainties are for a confidence probability of approximately 95%

This certificate may not be reproduced other than in full except with the prior written approval of the Calibratech Co.,Ltd.

CAL-F0031-03



CAL

Calibratech Co.,Ltd.

7/106-7 Moo 2, Sukhprachasan 3 Rd., Bangpood, Pakkred, Nonthaburi 11120

Tel.(02) 964-6211 Fax.(02) 964-5155, e-mail : calibratech.cal@yahoo.com, calibratech.cal@hotmail.com

Certificate of Calibration

Certificate No. : 65-400086-1

Page : 2 of 2

Result of Calibration : Without Adjustment

UUC Condition As-Received : Good

Function : Temperature measurement

Immersion Depth (mm.)	Standard Reading (°C)	UUC Reading (°C)	Correction (°C)	Uncertainty (± °C)
100	25.0042	25.0	0.0	0.12
100	30.0036	30.0	0.0	0.12
100	35.0050	35.0	0.0	0.12

Remark

UUC : Unit Under Calibration

This result of calibration was found accurate as shown on date and place of calibration only.

This reported uncertainty of measurement was based on a standard uncertainty multiplied by a coverage factor $k = 2$, providing a level of confidence of approximately 95%

- 000 -

B



CAL-F0031-03




TECHNOLOGY PROMOTION ASSOCIATION (THAILAND-JAPAN)
CORPORATE SERVICES 3: EQUIPMENT CALIBRATION AND TESTING SERVICES
534/4 PATTANAKARN ROAD SOI 18, SUANLUANG, SUANLUANG BANGKOK 10250
TEL. 0-2717-3000-27 FAX. 0-2719-9484



Cert.No.: 21CH1690
Page.: 1 of 2

Certificate of Calibration

Equipment : Conductivity Meter
Manufacturer : Hanna
Model : HI98192
Serial No. : 05200045101
ID No. : -
Condition As-Received: Used Item
Received Date : 07 December 2021
Calibration Date : 13 December 2021
Reference : 2112-0144DN-2
Submitted by : Secof Co.,Ltd.
239 Rimklongprapa Road,
Bangsue, Bangkok 10800
Ambient Temperature : (25 \pm 2.5) °C
Relative Humidity : (50 \pm 15) %
Calibration Procedure: In-house method :
- CP-CH6 : based on direct measurement by
using certified reference material (CRM)
Calibrated by : Walalak Sirithan
Approved by : 
Approved Signatory
(/) Malee Butkruea
() Saitip Meangmai
() Warakorn Lernagtrakul
Issue Date : 15 December 2021

The Uncertainties are for a confidence probability of approximately 95%

This certificate may not be reproduced other than in full, except with the prior written
Approval of the head of Corporate Services 3 : Equipment Calibration and Testing Services.



Cert.No.: 21CH1690
Page.: 2 of 2

Condition of this result of calibration

1. Reference Standard Instrument :-

Instrument	Serial No.	ID No.	Certificate No.	Due date
1) Thermometer	9549224	130RC003	21I451	15 Apr 2022

This certification is traceable to the International System of Unit maintained at:-

- Traceable to National Institute of Metrology (Thailand), NIMT

2. Certified Reference Materials :-

- Conductivity calibration solution, CPA chem Ltd., The measurement results are traceable to SI
through CPA chem Ltd., ANSI-ASQ National Accreditation Board, Accredited No. AR-1835
- Conductivity calibration solution, Thermo Scientific (traceable to NIST)

Conductivity Solution	Manufacturer	Lot No.	Exp. date
*100 μ S/cm	Thermo Scientific	101/04	12 Mar 2022
1.413 mS/cm	CPA Chem	761021	02 Aug 2022
12.8806 mS/cm	CPA Chem	754037	28 June 2022

- Control Conductivity calibration solution temperature by Water bath (25 \pm 0.1) °C

3. This certificate is valid only to the item calibrated on date and place of calibration.

Calibration results

Function : Conductivity Measurement

(*) After Adjustment at 1.413, 12.8806 mS/cm
Conductivity Electrode Serial No.: 0720001N

Standard Conductivity Solution	Before Adjustment UUC* Reading	After Adjustment UUC* Reading	Uncertainty of Measurement (\pm)	Coverage factor k
*100 μ S/cm	95.42 μ S/cm	99.93 μ S/cm	5.1 μ S/cm	2.00
1.413 mS/cm	1.198 mS/cm	1.412 mS/cm	0.0092 mS/cm	2.00
12.8806 mS/cm	12.49 mS/cm	12.87 mS/cm	0.086 mS/cm	2.00

Remark - UUC* = Unit Under Calibration
- * : Not NSC - ONSC Accredited

The reported uncertainty of measurement was based on a standard uncertainty multiplied by a coverage factor k , providing a level of confidence of approximately 95 %.

-oOo-



Calibration Certificate

Certificate No.: 2203876-003-01
Client name: SECOT CO., LTD.
Address: 239 Rimklongprapa Road,
 Bangsue, Bangsue, Bangkok 10800

Page 1 of 3

Equipment: Water Bath
Manufacturer: MEMMERT
Model: WB 29
Serial No.: I698.0051
ID No.: N/A
Order No.: 2203876
Operation No.: 2203876-003
Date of Receipt: 1 August 2022
Date of Calibration: 1 August 2022

Calibrated by Mr.Yothin Charoensuk
 Scientist

Approved by 
 (Mr.Pheraphat Tuanjit) (for)
 Manager, Division of Calibration Laboratory
 Responsible for the Technical Management Team

Date of Issue: 3 August 2022

The uncertainties are for a confidence probability of approximately 95 %.

This Certificate is issued in accordance with the conditions of accreditation granted by the Thai Laboratory Accreditation scheme which has assessed the measurement capability of the laboratory and its traceability to recognized national standards and to the units of measurement realized at the corresponding national standards laboratory. This certificate may not be reproduced other than in full except with the prior written approval of the National Food Institute.

F-CS-009 Revision: 01 Date: 20-04-65



nfi.org

Calibration Report

Certificate No.: 2203876-003-01
Equipment: Water Bath
 Model: WB 29 Serial No.: I698.0051
 Resolution: 0.1 °C ID No.: N/A
 Manufacturer: MEMMERT
Date of Calibration: 1 August 2022

Page 2 of 3

Location: Laboratory, SECOT CO., LTD.
Environment Condition: Ambient Temperature (29 ± 1) °C
 Relative Humidity (66 ± 5) %
 Line Voltage (224 ± 1) Volt

Condition of this results of Calibration:

- This instrument was calibrated by insert 5 standard thermometer into its liquid bath and calibration according to W-TE-011 based on ASTM E715-80 (2016): Standard Specification for Gravity-Convection and Forced-Circulation Water Baths.
 - The temperature scale used is ITS - 90.
 - All data show below were final values and the initial data may be obtained upon request.

2. Reference Standard Instrument :


Instrument	Model	Serial No./ID No.	Certificate No.	Due Date	Through
Digital Thermometer with sensor	34972A	MY57003188	TE 650469-01	11 June 2023	NATIONAL FOOD INSTITUTE
	RTD	RTD#301-305 / CH#301-305			

- This certificate is traceable to International System of Units (SI Units).
- This certificate was certified only for the instrument we calibrated.
- This result of calibration was found accurate as shown on date and place of calibration only.
- Condition of Calibrated item : Good

UUC Description:

Time of Record 1 Hour 9 Minute At 95.0 °C

7. Result of Calibration :
- | | |
|-------------------------------------|--------------------|
| <input checked="" type="checkbox"/> | Without adjustment |
| <input type="checkbox"/> | After adjustment |


 3 Aug. 2022

F-CS-012 Revision: 01 Date: 20-04-65



nfi.org

Page 3 of 3



server/ch02/Balmoos certificate doc:SECOT

Measurement Report

Request Service No. 098/65

Page 2 of 3

Description: Brand : Mettler Toledo Type : Top-Loading Electronic Balance
Model : AG245 Serial No. : 1117293916 (198129-0)
Calibration range : 0 – 200 g Scale division : 0.00001 g (41g) / 0.0001 g (210g)
Calibration date : May 26, 2022
Ambient Condition : Temperature 24.28 – 24.42 °C Relative humidity 48.10 – 50.90 % RH

Measurement data :

1. Repeatability of Reading :

Load (g)	Standard Deviation of Reading (g)	Maximum Difference between Successive Reading (g)
50	0.000047	0.0002
100	0.000067	0.0002
150	0.000048	0.0001
200	0.000052	0.0001

2. Off-Center Loading :

A Mass of 50.0000 g was placed and moved to various position on the pan.

Unit : g

Center	Front	Left	Back	Right	Center	Maximum Difference
50.00020	50.00046	50.00030	50.00000	50.00010	50.00020	0.00026

Issued Date : May 27, 2022

Request Service No.098/65

Page 3 of 3

3. Departure from Nominal Value :

Reading (g)	Correction (g)	Uncertainty (+/- g)
0	0.000000	± 0.000008
0.5	0.000005	± 0.000014
1	-0.000014	± 0.000018
10	-0.000071	± 0.000034
20	-0.000091	± 0.000047
40	-0.000151	± 0.000074
60	-0.00030	± 0.00012
80	-0.00021	± 0.00014
100	-0.00038	± 0.00016
120	-0.00041	± 0.00018
140	-0.00048	± 0.00021
160	-0.00050	± 0.00023
180	-0.00067	± 0.00025
200	-0.00124	± 0.00027

Calibrated by : Sasipa Jaidee Approved By : Siripa Jhannong

(Miss Sasipa Jaidee)

(Miss Siripa Jhannong)

Testing Officer

Chief of Technical Management

Date : 26/05/2022

Date : 26/05/2022

Issued Date : May 27, 2022

Agilent CrossLab Start Up Services Agilent 7890 Gas Chromatograph Preventive Maintenance Checklist

Agilent Preventive Maintenance provides factory recommended service for your analytical instruments to assure reliable operation and the accuracy of your results.

Delivered by highly trained and certified service engineers using genuine Agilent parts and supplies, Agilent Preventive Maintenance provides everything you need to reduce unplanned downtime and keep your systems operating at their peak. This checklist will be completed at the end of the service and provided to you as a record of the preventive maintenance activities.



Introduction

Customer Information

- Customers should provide all necessary operating supplies upon request of the engineer.
- A customer representative should be available to the engineer while performing the preventive maintenance procedures.
- Any parts, not included in the Parts Lists section of this document, are not part of the recommended Preventive Maintenance service, nor are they included in the price of this service.
- If a system requires the use of extra or special procedures and/or parts for the maintenance service, then these must be ordered separately and charged as a repair, which may incur additional costs.

Important Customer Web Links

- For more information about Agilent Technologies services, please visit our website using the following URL: <http://www.agilent.com/en-us/products/crosslab-instrument-services/service-repair>
- The Agilent Community is an excellent place to get answers, collaborate with others about applications and Agilent products, and find in-depth documents and videos relevant to Agilent technologies. Visit <https://community.agilent.com/welcome>.
- To access Agilent University, visit <http://www.agilent.com/crosslab/university/> to learn about training options, which include online, classroom and onsite delivery. A training specialist can work directly with you to help determine your best options.
- A useful Agilent Resource Center web page is available, which includes short videos on maintenance, quick lists of consumables for new instruments, and other valuable information. Check out the Resource Page here: <https://www.agilent.com/in-us/agilentresources>.
- Need technical support, FAQs, supplies? - visit our Support Home page <http://www.agilent.com/search/support>.
- Videos about specific preparation requirements for your instrument can be found by searching the Agilent YouTube channel at <https://www.youtube.com/user/agilent>.
- 7890B Manuals are also available on Agilent.com:
 - Safety https://www.agilent.com/cs/library/usermanuals/public/7890B_Safety.pdf
 - Installation and First Startup https://www.agilent.com/cs/library/usermanuals/public/7890B_Installation.pdf
 - Operation Manual https://www.agilent.com/cs/library/usermanuals/public/7890B_Operation.pdf
 - Maintaining Your GC https://www.agilent.com/cs/library/usermanuals/public/63430-900523.20780B_Maintaining%20GC.pdf

Revision: 2.01, Issued: September 15, 2021
Agile Document Number: D0013618
DE number: 44166.759722222
© Agilent Technologies, Inc. 2021

Page 1 of 8



Service Engineer's Responsibilities

- Contact the customer and ensure that all necessary supplies are available before the preventive maintenance visit.
- Only select those pages that relate to the system or module being serviced.
- Complete empty fields with the relevant information.
- Complete the relevant checkboxes in the checklist using either a "X" or tick mark "✓".
- Check "Section not applicable" check boxes to indicate services/tasks not delivered, as appropriate.
- Complete the Preventive Maintenance service in the order of the tasks listed.
- Complete the Service Review section together with the customer.
- Complete the fields for page numbers at the foot of each selected page.
- Complete the total number of pages field in the Service Completion section
- Ask the customer to sign the Service Completion section including the customer's and your signature.

Additional Instruction Notes

- Check for any active service notes for this unit. If there are any applicable "Safety" or "Modification Recommended" Service notes, plan to implement the changes on this unit before doing any qualification service.
- Do not implement firmware updates, unless you get approval from the customer and are sure that they are compatible with the instrument control software.

Revision: 2.01, Issued: September 15, 2021
Agile Document Number: D0013618
DE number: 44166.759722222
© Agilent Technologies, Inc. 2021

Page 3 of 6



System Information

- ☐ Check this box if an instrument configuration report is attached instead of completing the table below.

Instrument System Name and ID		CN13201093
Instrument System Site and Location		SECOT, Bangkok
List System Component Product Numbers	List the Serial Numbers of each Component	
1. 67440A	CN13201093	
2. 64513A	CN1320196	
3. 64514A	CN13230031	
4.		
5.		
6.		
7.		
8.		
9.		
10.		

Preparation

- ☒ Discuss any specific issues with the customer before starting.
- ☒ Review the instrument logbook for recorded problems and comments.
- ☒ Save instrument control settings before starting the procedure.
- ☒ Perform a general inspection of the system for cleanliness.
- ☒ Check for proper installation of parts, assemblies, sensors etc.
- ☒ Check system for required installation of components, settings as defined by current Service Notes.
- ☒ Check for required firmware updates and verify with customers if they would like them installed.
- ☒ Before starting the following procedures, record the Detector Signal Output(s) in the results table. If the GC is turned OFF or in a service mode, comparing the detector outputs before and after the service is not possible.

Revision: 2.01, Issued: September 15, 2021
Agile Document Number: D0013618
DE number: 44166.759722222
© Agilent Technologies, Inc. 2021

Page 3 of 6



Preventive Maintenance Procedure

Clean and inspect GC

- ☒ Unplug power cord from the power source.
- ☒ Open GC covers and vacuum/remove any dust/debris. Pay particular attention to cooling fans.
- ☒ Inspect internal connectors for proper contact and placement.
- ☒ Reconnect Power to the GC. Power the GC on and verify the power on self-test passed.
- ☒ Verify oven motor spins freely and turns on with the oven door closed; off when the door is opened.
- ☒ Verify operation of all other fans - the inlet and EPC cooling fans.
- ☒ Verify oven intake/outlet flap assembly is operating smoothly while heating and cooling the oven

Inlet and detector consumable replacement

- ☒ For the inlets installed, perform inlet maintenance as defined in the 7890 manual - "Maintaining Your GC" - for the inlet(s) installed.
- ☒ Replace the split vent trap cartridge filter on units with those inlets: Split/Spitless Capillary (SSL), Multi-Mode Inlet (MMI), Programmed Temperature Vaporizer (PTV), Volatiles Interface (VI).
- ☒ If the inlet system is used in Split Mode with viscous samples, inspect and clean the split vent tube on the inlet and flush or replace the tubing between the inlet and the split vent trap.
- ☒ If the GC includes a Flame Ionization Detector (FID), replace the jet. If the ignitor shows any buildup of sample or corrosion, replace the ignitor. Examine the FID collector and castle assemblies for contamination - clean as necessary.

Zero Sensors and Leak test

- ☒ Zero all pressure sensors per the procedure in the 7890 "Advanced User Guide".
- ☒ Perform inlet pressure decay test(s) as defined in the 7890 "Troubleshooting Manual". If the PM is done in preparation for an Operational Qualification, then the pressure decay test defined within that protocol can be used for the PM.
- ☒ Record if test passed or failed in the results table.

Revision: 2.01, Issued: September 15, 2021
 Agile Document Number: D0013618
 DE number: 44166-759722222
 © Agilent Technologies, Inc. 2021

Page 4 of 6



ALS Maintenance

- ☐ Section NOT applicable
- ☒ Check all cabling and configuration settings between GC, tray, and injectors.
- ☒ Vacuum or remove any dust, especially around fans.
- ☒ Check operation of all fans.
- ☒ Check syringe for smooth plunger operation.
- ☒ Check for smooth operation of the needle support - clean if necessary

Restore Instrument

- ☒ Restore the normal operating conditions or customer method using the Data System.
- ☒ Purge the system with carrier flow for 15 minutes
- ☒ Bake out the system, then restore the normal operating conditions
- ☒ After equilibration, check and record the post PM detector signal output values. Results should be similar or lower than the detector outputs recorded prior to PM.
- ☒ Perform a chemical checkout. If this is a routine PM, inject the customer's sample using the ALS if applicable. This will act as a final checkout of both the ALS and the GC.

Note: If the PM Service is performed prior to a qualification service, then use the qualification procedure as a guide for final instrument set up and checkout.

Revision: 2.01, Issued: September 15, 2021
 Agile Document Number: D0013618
 DE number: 44166-759722222
 © Agilent Technologies, Inc. 2021

Page 5 of 8



Signature Page

Service Review

- ☒ Attach available reports/printouts of all tests to this documentation.
- ☒ Record the Preventive Maintenance service activity in the customer's records/logbook.
- ☒ Update/reset instrument maintenance counters as appropriate.
- ☒ Affix the PM sticker to the system or instrument logbook based on the customer's request.
- ☒ Complete the Service Engineer Comments section if there are additional comments.
- ☒ Review with the customer this service, parts replaced, and test results obtained.
- ☒ If the instrument firmware was updated, record the details of the change in the Service Engineer's Comments box or if necessary, in the customer's IQ records.
- ☐ Supply the customer with a copy of the Smart Alerts flyer.
- ☐ Describe Smart Alerts to the customer.
- ☐ Install Smart Alerts if requested.

7890 GC Test Results Table

Detector Signal Outputs	Before PM Service	After PM Service
Front detector output	N/A	N/A
Back detector output		
AUX detector output		
Pressure decay test	Expected test result	Actual test result
Front inlet pressure decay test	Pass	Pass
Back inlet pressure decay test	Pass	N/A

Revision: 2.01, Issued: September 15, 2021
 Agile Document Number: D0013618
 DE number: 44166-759722222
 © Agilent Technologies, Inc. 2021

Page 6 of 8



7890 Parts List Table

The following kits are recommended for capillary and purged packed inlets. If this is a general PM and the customer has a preferred set of consumables, you may use the customer's consumables.

Part description	Part number	Product or model# where used	Quantity consumed
SSL Capillary Inlet PM kit, Splitless	5188-6497	7890A/B	1
SSL Capillary Inlet PM kit, split	5188-6496	7890A/B	1
SSL Capillary Ultra Inert Inlet Gold Seal with Washer	5190-6144	7890A/B	N/A
SSL Capillary Ultra Inert Inlet Splitless Liner - Single taper with Glass Wool	5190-2293	7890A/B	1
SSL Capillary Ultra Inert Inlet Low Pressure Drop Split Liner - with Glass Wool	5190-2295	7890A/B	
PP Inlet PM kit	5188-6498	7890A/B	
Split vent trap PM kit, single cartridge (for MMI, PTV & VI)	5188-6495	7890A/B	
MMI Cleaning Kit	G3510-60820	7890A/B	
PTV Septumless Head Rebuild Kit	5182-9747	7890A/B	
PTV Septumless Head Teflon Guide	5182-9748	7890A/B	
Ignitor (glow plug) assembly with O-ring	19231-60680	7890A/B	
FID Collector Rebuild/Cleaning Kit	G1531-67000	7890A/B	
Standard .011-inch FID Jet for capillary FID base	G1531-80560	7890A/B	
High Temperature .018-inch FID Jet for capillary FID base	G1531-80620	7890A/B	
Standard .018-inch FID Jet for packed column with packed FID base	18710-20119	7890A/B	
Standard .011-inch FID Jet for capillary column with packed/adaptable FID base	19244-80560	7890A/B	
High Temperature .018-inch FID Jet for capillary column with packed/adaptable FID base	19244-80620	7890A/B	
NPD Jet, universal fit, .011-inch ID	G1534-80580	7890A/B	
NPD Jet, universal fit, .011-inch ID Extended tip	G1534-80590	7890A/B	
SSL Capillary Ultra Inert Inlet Gold Seal with Washer	5190-6144	7890A/B	
SSL Capillary Ultra Inert Inlet Splitless Liner - Single taper with Glass Wool	5190-2293	7890A/B	
**FID Collector Replacement Kit, if needed	G1531-67001	7890A/B	

Revision: 2.01, Issued: September 15, 2021
 Agile Document Number: D0013618
 DE number: 44166-759722222
 © Agilent Technologies, Inc. 2021

Page 7 of 8



Service Engineer Comments

If there are any specific points you wish to note as part of performing the service or other items of interest for the customer, please write include them in this box.

Service Completion

Service request number 6005224259 Date service completed 11 Mar 2021
 Agilent signature Sgt N. Customer signature Nafsi L.
 Total number of pages in this document 4

Revision: 2.01, Issued: September 15, 2021
 Agile Document Number: D0013618
 DE number: 44166.759722222
 © Agilent Technologies, Inc., 2021

Page 8 of 8



Agilent CrossLab Start Up Services

Agilent GCMS

Preventive Maintenance Checklist

Agilent Preventive Maintenance provides factory recommended service for your analytical instruments to assure reliable operation and the accuracy of your results.

Delivered by highly trained and certified service engineers using genuine Agilent parts and supplies, Agilent Preventive Maintenance provides everything you need to reduce unplanned downtime and keep your systems operating at their peak. This checklist will be completed at the end of the service and provided to you as a record of the preventive maintenance activities.

Introduction

Select the appropriate PM to be done and then perform the checklist under that section

- ☐ Interim Preventive Maintenance 6 months
☒ Major Preventive Maintenance Yearly

This checklist covers the following model(s):

Type	Model
SQ	5973 Series MSD
SQ	5975 Series MSD
SQ	5977 Series MSD
TQ	7000 Series MS/MS
TQ	7010 Series MS/MS
QTOF	7200 Series QTOF
QTOF	7250 Series QTOF

Customer Information

- Customers should provide all necessary operating supplies upon request of the engineer.
- A customer representative should be available to the engineer while performing the preventive maintenance procedures. Customers are responsible for regular maintenance and are encouraged to observe the service representative.
- Any parts not included in the Parts Lists section of this document are not part of the recommended Preventive Maintenance service nor are they included in the price of this service.
- If a system requires the use of extra or special procedures and/or parts for the maintenance service, then these must be ordered separately and charged as a repair, which may incur additional costs.

Important Customer Web Links

- For more information about Agilent Technologies services, please visit our website using the following URL: <http://www.agilent.com/go-us/products/crosslab-instrument-services/service-repair>
- To access Agilent University, visit <http://www.agilent.com/crosslab/university> to learn about training options, which include online, classroom and onsite delivery. A training specialist can work directly with you to help determine your best options.
- A useful Agilent Resource Center web page is available, which includes short videos on maintenance, quick lists of consumables for new instruments, and other valuable information. Check out the Resource Page here: <http://www.agilent.com/chem/usagecenter/uses>
- Need technical support, FAQs, supplies? – visit our Support Home page at <http://www.agilent.com/go/technical-support>
- Get answers. Share insights. Build connections: Join the Agilent Community at <http://community.agilent.com/forums>

Service Engineer's Responsibilities

- Contact the customer and ensure that all necessary supplies are available before the preventive maintenance visit.
- Complete empty fields with the relevant information.
- Complete the relevant checkboxes in the checklist using either a "X" or tick mark "✓".
- Check "Section not applicable" check boxes to indicate services/tasks not delivered, as appropriate.
- Complete the Preventive Maintenance services in the most logical order relevant to the individual system service in the order of the tasks listed.
- Complete the Service Review section together with the customer.
- Ask the customer to sign the Service Completion section including the customer's and your signature.

Additional Instruction Notes

- Preventive maintenance is a factory recommended procedure designed to reduce the likelihood of electrochemical failures. Failure to perform preventive maintenance may reduce the long-term reliability of certain instruments and systems. Two preventative maintenances (PMs) per year are recommended, the Major PM Service will be performed annually with an Interim PM performed 6 months after the Major PM.

System Information

- ☐ Check this box if an instrument configuration report is attached instead of completing the table.

Instrument System Name and ID

G3172D / U513743801

Instrument System Site and Location

SECT, Bangkok

List System Component Product Numbers

G3172D

List the Serial Numbers of each Component

U513743801

1.
2.
3.
4.
5.
6.
7.
8.

Preparation

- ☒ Discuss any specific issues with the customer before starting.
☒ Review the instrument logbook for recorded problems and comments.
☒ Save instrument control settings before starting the procedure.
☒ Perform a general inspection of the system for cleanliness.
☒ Check for proper installation of parts, assemblies, sensors etc.
☒ Check system for required installation of components and settings as defined by current Service Notes.
☒ Check for firmware updates and verify with customers if they would like them installed.
Firmware update(s) are strongly recommended.

Customer Responsibilities

Customers should ensure that all necessary operating supplies, consumables, and usage-dependent items such as gases, vials, syringes, calibrant solution and solvents required for successful preventive maintenance are available. A customer representative should be available while the preventive maintenance is being performed.

Important notice for customers

The customer should complete the following before the Support Provider arrives on site:

- ☒ Perform an autotune and retain the printed tune report just prior to the start of the PM to verify performance of the equipment.

Note: It is recommended to have the customer run the autotune and tune evaluation prior to the PM and then start the vent cycle so that the instrument will be ready for the service representative.

Definition of the Task/Recommended Items within the document

Task	Recommended	
Yes	No	Interim / Major / As needed
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Yes selected means that the task was done or the part was required.
No selected means that the task was not done or the part was not required.
Interim selected means that this task is recommended to be done at 6-month intervals.
Major selected means that this task is recommended to be done yearly, if the customer would like a service to be done at the 6-month interval then the service could be purchased.
As needed selected means that the task was done or the part was used as needed. For example, there could be two types of filters that could be used and this was the one selected.

Preventive Maintenance Procedures

Yes/No	Interim/Major	Description
<input type="checkbox"/>	<input type="checkbox"/>	Perform general inspection of system for cleanliness.
<input type="checkbox"/>	<input type="checkbox"/>	Discuss any problems the customer is having with the instrument.
<input type="checkbox"/>	<input type="checkbox"/>	Review customer maintenance records and exclude maintenance on recently serviced items.
<input type="checkbox"/>	<input type="checkbox"/>	Review the most recent autotune report. This will give a starting point for evaluating spectral peaks, baseline noise, peak shape, mass assignments and resolution.

Yes/No	Interim/Major	Description
<input type="checkbox"/>	<input type="checkbox"/>	Record instrument model no.
<input type="checkbox"/>	<input type="checkbox"/>	Record instrument serial no.
<input type="checkbox"/>	<input type="checkbox"/>	Record Rough Vacuum
<input type="checkbox"/>	<input type="checkbox"/>	Record Mainline Vacuum
<input type="checkbox"/>	<input type="checkbox"/>	Type of Column installed

Yes/No	Interim/Major	Description
<input type="checkbox"/>	<input type="checkbox"/>	Verify that calibration gases were used prior to starting the PM.
<input type="checkbox"/>	<input type="checkbox"/>	Vent the instrument.
<input type="checkbox"/>	<input type="checkbox"/>	Inspect vacuum hoses, pump, exhaust tubing, and power cords for excessive wear.
<input type="checkbox"/>	<input type="checkbox"/>	Visually inspect calibration levels - PFTBA, PFTD (if appl.), BHT (if appl.). Refill if available.
<input type="checkbox"/>	<input type="checkbox"/>	Look for any obvious external damage or problems.
<input type="checkbox"/>	<input type="checkbox"/>	Clean air intake(s). Cosmetic cover(s) may need to be removed.
<input type="checkbox"/>	<input type="checkbox"/>	Verify system line voltage meets instrument specifications: Yes <input type="checkbox"/> No <input type="checkbox"/>

Yes/No	Interim/Major	Description
<input type="checkbox"/>	<input type="checkbox"/>	Check for evidence of oil leakage. Check pump gasket for leakage.
<input type="checkbox"/>	<input type="checkbox"/>	Drain and replace mechanical pump oil.
<input type="checkbox"/>	<input type="checkbox"/>	Replace Oil Mist Filter if applicable.
<input type="checkbox"/>	<input type="checkbox"/>	Discuss with customer the need for more frequent oil changes if the oil is dry.
<input type="checkbox"/>	<input type="checkbox"/>	Don't use mist filters with Chemical Ionization.
<input type="checkbox"/>	<input type="checkbox"/>	Perform anti-suckback valve test. Power on until side plate is held closed, power off and check that side plate holds closed. Visually confirm that no oil returns up vacuum hose.

Yes/No	Interim/Major	Description
<input type="checkbox"/>	<input type="checkbox"/>	Check for evidence of poor vacuum - Turbo power demand, poor manifold vacuum, etc.
<input type="checkbox"/>	<input type="checkbox"/>	Clear air flow paths of dust.
<input type="checkbox"/>	<input type="checkbox"/>	If vacuum is poor, then replace the diaphragm pump.
<input type="checkbox"/>	<input type="checkbox"/>	Perform anti-suckback valve test. Power on until side plate is held closed, power off and check that side plate holds closed.

Yes/No	Interim/Major	Description
<input type="checkbox"/>	<input type="checkbox"/>	Replace the tips seal on the IDP pump.
<input type="checkbox"/>	<input type="checkbox"/>	Check for evidence of poor vacuum - Turbo power demand, poor manifold vacuum, etc.
<input type="checkbox"/>	<input type="checkbox"/>	Replace the Exhaust Filter if required.
<input type="checkbox"/>	<input type="checkbox"/>	Discuss with customer the need for more frequent changes, if needed.
<input type="checkbox"/>	<input type="checkbox"/>	Inform customer that pump gas ballast should be installed all the time.
<input type="checkbox"/>	<input type="checkbox"/>	Perform anti-suckback valve test. Power on until side plate is held closed, power off and check that side plate holds closed.

Yes/No	Interim/Major	Description
<input type="checkbox"/>	<input type="checkbox"/>	Remove dust from fans and vent covers.
<input type="checkbox"/>	<input type="checkbox"/>	Verify fans are functional and that there is enough space around the instrument for proper cooling.
<input type="checkbox"/>	<input type="checkbox"/>	Source cleaning
<input type="checkbox"/>	<input type="checkbox"/>	Open analyzer and remove the source.
<input type="checkbox"/>	<input type="checkbox"/>	Disassemble, Clean, Re-assemble source.
<input type="checkbox"/>	<input type="checkbox"/>	Re-install source and close analyzer.
<input type="checkbox"/>	<input type="checkbox"/>	Filters
<input type="checkbox"/>	<input type="checkbox"/>	Replace R4/SH-2 Helium gas filter - if applicable.
<input type="checkbox"/>	<input type="checkbox"/>	Replace R4/SH-2 Nitrogen gas filter - if applicable.
<input type="checkbox"/>	<input type="checkbox"/>	Replace R4/SH-2 Hydrogen gas filter - if applicable.
<input type="checkbox"/>	<input type="checkbox"/>	CP17958 - Gas Clean Carrier Gas Kit for 7890 for Nitrogen or Helium.
<input type="checkbox"/>	<input type="checkbox"/>	Bracket, Mount, and Filter - if applicable.
<input type="checkbox"/>	<input type="checkbox"/>	CP17974 - Gas Clean Filter Kit GC/MS 1/8" Mount and Filter - if applicable.
<input type="checkbox"/>	<input type="checkbox"/>	CP17973 - Gas Clean Filter Replacement Filter - if applicable.
<input type="checkbox"/>	<input type="checkbox"/>	SV9-9071 - Methane Gas Filter - if applicable.

Guidance: If gas filter is replaced, write the change date on the filter using a permanent marker.

Yes/No	Interim/Major	Description
<input type="checkbox"/>	<input type="checkbox"/>	Purge system back down. Wait until system stability has been achieved.
<input type="checkbox"/>	<input type="checkbox"/>	Verify system vacuum reading(s) via the gauge controller.
<input type="checkbox"/>	<input type="checkbox"/>	Leak Check
<input type="checkbox"/>	<input type="checkbox"/>	Verify system in manual tune.
<input type="checkbox"/>	<input type="checkbox"/>	(Compare against previous tune file report(s)).
<input type="checkbox"/>	<input type="checkbox"/>	Change to Tune and verify that all temperatures, pressures, and gas flows reach method set points.
<input type="checkbox"/>	<input type="checkbox"/>	Check manually that you have calibration peaks.
<input type="checkbox"/>	<input type="checkbox"/>	Et Autotune Performed

Guidance: If the PM Service is performed prior to a qualification service, then use the qualification procedure as a guide for final instrument setup and checkout.

Service Review

- ☒ Attach available reports/printouts of all tests to this documentation.
☒ Record the Preventive Maintenance service activity in the customer's records/logbook. Record the PM event in the Smart Alerts logbook, if applicable.
☒ Update/reset instrument maintenance counters as appropriate.
☒ Affix the PM sticker to the system or instrument logbook based on the customer's request.
☒ Complete the Service Engineer Comments section if there are additional comments.
☒ Review this service, parts replaced, and test results obtained with the customer.
☒ If the instrument firmware was updated, record the details of the change in the Service Engineer's Comment box. Systems in a compliant environment may need additional documentation.

Agilent Test Results Table

Test Description	Expected Test Result	Actual Test Result

Agilent Consumed Parts List Table

☐ Section not applicable

Part Description	Part Number	Product or Model# where used	Quantity consumed

Signature Page

Service Engineer Comments (optional)

Service Completion

Service request number 6005227259 Date service completed 11 Mar 2022

Agilent signature [Signature] Customer signature [Signature]

Total number of pages in this document

Parts - As needed as part of the PM

Common MS Filters and Seals - 5973/5975/5977/7000/7010/7200/7250 Series

Yes/No	Interim/Major/As needed	Supplies	Description	Part number
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Helium gas filter - if required	RM5H42
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Nitrogen gas filter - if required	RM5H42
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Big Universal Trap, 1/8" fittings, Hydrogen, if required	RM5H42
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Gas Clean Carrier Gas Kit for 7890 for Nitrogen or Helium, Bracket, Mount and Filter - if required	CP1798B
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Gas Clean Filter Kit GC/MS 1/8 in (complete replacement kit) - if required	CP1797A
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Gas Clean GS/MS Filter - if required	CP1797B
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Chemical Ionization Gas Purifier (CI system) - if required	S190-5071
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Agilent A/VF Platinum, 1 quart	S191-5851

Gas filters need to be changed only if required

MS Maintenance Supplies for 5973/5975/5977 Series

Yes/No	Interim/Major/As needed	Supplies	Description	Part number
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Diffusion pump fluid (Diffusion Pump Models)	6040-0809 Qty 2
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	IDP-3 Tip Seal Replacement Kit (IDP-3 Dry Pump Models)	707077-5701B
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	IDP-3 Tip Seal Replacement Kit (no tools - CSD P/N)	S190-9551
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	IDP-3 Tip Seal Replacement Kit (no tools - VPD P/N)	IDP3TS
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Filter element for IDP-3	REPLSLRFLTR2
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	GC42 Oil Mist Eliminator 3/4x2.3/8	SR0370K556
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Exhaust oil mist trap (thread) Edwards/Pfeider	G1095-80039

MS Maintenance Supplies for 7000/7010 Series

Yes/No	Interim/Major/As needed	Supplies	Description	Part number
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Helium gas filter	RM5H42
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	IDP-10 Tip Seal Replacement Kit (IDP-10 Dry Scroll Pump Models)	G7004-67023
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	IDP-10 Tip Seal Replacement Kit (no tools - VPD P/N)	X3807-67000
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Oil Mist Filter RVS	G6600-80043
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Filter element for the IDP-10	REPLSLRFLTR1

MS Maintenance Supplies for 7200/7250 Series

Yes/No	Interim/Major/As needed	Supplies	Description	Part number
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Helium gas filter - if required	RM5H42
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	RIS Probe Maintenance Kit (7200 Series only)	G7005-20130
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	DS202 Oil Mist Eliminator	SR0370K600
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	IDP-15 Tip Seal Replacement Kit (IDP-15 Dry Pump Models)	S190-9513
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	IDP-15 Tip Seal Replacement Kit (no tools - VPD P/N)	X3815-67000
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Filter element for SH-110/SH-112/IDP-15 exhaust silencer	REPLSLRFLTR
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	DS 3/8 MM. PLUG AND GASKET	SR03701R24

MS Maintenance Supplies for JetClean

Yes/No	Interim/Major/As needed	Supplies	Description	Part number
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

☐ ☐ ☐ ☐ Big Universal Trap, 1/8" fittings, Hydrogen, if required RM5H42

Consumable Parts Reference - Purchasable by customer, not included as part of PM

Common MSD Maintenance Supplies 5973/5975/5977/7000/7010/7200/7250 Series

Yes/No	Interim/Major/As needed	Supplies	Description	Part number
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	El High Temperature Filaments	G7005-60051 Qty 2
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	HE-El Filaments	G7002-60001
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	LE-El Filaments	G3850-60021
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	CI High Temperature Filament - all MSDs	G7005-60072
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	PFTGA GC/MS Tuning Standard calibrant	G5971-60371
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	PFTD calibrant, 1 mL	G500-8510
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	PFET, ILM calibrant for GC QTOF 0.5 mL	S190-0531

MSD Maintenance Supplies 5973/5975/5977 Series

Yes/No	Interim/Major/As needed	Supplies	Description	Part number
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	CI interface tip seal (tip and spring combo)	G1999-60412
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	CI interface tip seal (tip only)	G3870-20542
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	CI interface tip seal (spring only)	G1999-20023
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Repeller insulator	G1099-20123 Qty 2
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Ring heater/sensor assembly (HES)	G7002-20074
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Ceramic insulator for Extractor (HES)	G7002-60043
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Transfer-Line Tip Cap, Threaded	G3870-20547
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Transfer-Line Tip Base, Threaded	G3870-20548

MS Maintenance Supplies for 7000/7010 Series

Yes/No	Interim/Major/As needed	Supplies	Description	Part number
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	CI interface tip seal - 7000	G1999-60412
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	CI interface tip seal - 7010	G7002-60412
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	CI interface tip seal (tip only)	G3870-20542
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	CI interface tip seal (spring only)	G1999-20023
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Repeller insulator - 7000	G1099-20123 Qty 2
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Ring heater/sensor assembly (HES)	G7002-20074
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Ceramic insulator for Extractor (HES)	G7002-60043
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Transfer-Line Tip Cap, Threaded	G3870-20547
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Transfer-Line Tip Base, Threaded	G3870-20548

MS Maintenance Supplies for 7200 Series

Yes/No	Interim/Major/As needed	Supplies	Description	Part number
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Extractor Lens Insulator	G7005-20133
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Ion Focus Insulator	G7005-20442
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Ring Heater/Sensor Assembly	G7005-20110
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	RIS Xfer Tip	G7005-20542
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	RIS Xfer Tip Spring	G7005-20024

MS Maintenance Supplies for 7250 Series

Yes/No	Interim/As needed	Description	Part number
<input type="checkbox"/>	<input type="checkbox"/>	Lens Insulator/holder (HES)	07002-20074
<input type="checkbox"/>	<input type="checkbox"/>	Ring base/sensor assembly (HES)	07001-60049
<input type="checkbox"/>	<input type="checkbox"/>	Ceramic insulator for Extractor (HES)	07002-20084
<input type="checkbox"/>	<input type="checkbox"/>	Transfer Line Tip Cap, Threaded	03870-20547
<input type="checkbox"/>	<input type="checkbox"/>	Transfer Line Tip Base, Threaded	03870-20548
<input type="checkbox"/>	<input type="checkbox"/>	ET Extractor Transfer Tip	03870-20547
<input type="checkbox"/>	<input type="checkbox"/>	CI Tip Compression Spring	01699-20023

MS Maintenance Supplies for Intuvo 9000 MS Systems

Yes/No	Interim/As needed	Description	Part number
<input type="checkbox"/>	<input type="checkbox"/>	Servoed MS Tail - Packaged	04590-60009
<input type="checkbox"/>	<input type="checkbox"/>	Servoed MS Tail (HES) - Packaged	04590-60109

Common MS Maintenance Supplies

Yes/No	Interim/As needed	Description	Part number
<input type="checkbox"/>	<input type="checkbox"/>	Abrasive paper, 30 um	2041-6095
<input type="checkbox"/>	<input type="checkbox"/>	Alumina powder	303706301
<input type="checkbox"/>	<input type="checkbox"/>	Cloths, clean (pkg of 15)	05990-60051
<input type="checkbox"/>	<input type="checkbox"/>	Cloths, cleaning (pkg of 300)	9310-4818
<input type="checkbox"/>	<input type="checkbox"/>	Cotton swabs (pkg of 100)	5080-5400
<input type="checkbox"/>	<input type="checkbox"/>	Gloves, clean, large	8550-0010
<input type="checkbox"/>	<input type="checkbox"/>	Gloves, clean, small	8550-0017

Teledyne Tekmar ATOMX Purge and Trap Preventive Maintenance Checklist - Standard

Agilent Preventive Maintenance provides factory recommended service for your analytical systems to assure reliable operation and the accuracy of your results. Delivered by highly-trained and certified service engineers using genuine Agilent parts and supplies, Agilent Preventive Maintenance provides everything you need to reduce unplanned downtime and keep your systems operating at their peak. For more information about Agilent Technologies services please visit our web site using the following URL: <http://www.chem.agilent.com/en-us/products/services/pages/default.aspx>

Customer Information

- Customers should provide all necessary operating supplies upon request of the engineer.
- A customer representative should be available to the engineer while performing the preventive maintenance procedure.
- Any parts, not included in the Parts Lists section of this document, are not part of the recommended Preventive Maintenance service, nor are they included in the price of this service.
- If a system requires the use of additional or special procedures and/or parts for the instrument service, then these must be ordered separately and charged as a repair, which may incur additional costs.

Service Engineer's Responsibilities

- Only complete/printout pages that relate to the system or module being serviced.
- Complete empty fields with the relevant information.
- Complete the relevant checkboxes in the checklist using a "X" or tick mark "✓" in the checkbox.
- Complete Not Applicable checkboxes to indicate services not delivered, as needed.
- Complete the PM service in the order of the tasks listed.
- Complete the Service Review section together with the customer.

Teledyne Tekmar ATOMX Purge and Trap Preventive Maintenance Checklist - Standard

System Information

Guidance

- ☐ Check this box if an instrument configuration report is attached instead of completing the table.

Instrument system name and ID	US13246002
Instrument system site and location	SEOT, Bangkok
List system component product numbers	List the serial numbers of each component
1. TMR-ATOMX	1. US13246002
2.	2.
3.	3.
4.	4.
5.	5.
6.	6.
7.	7.
8.	8.
9.	9.
10.	10.

Preparation

- Discuss any specific issues with the customer prior to starting.
- Review the instrument logbook.
- Save instrument control settings before starting the procedure.
- Perform general inspection of system for cleanliness.
- Check for proper installation of safety-related parts, assemblies, sensors etc.
- Check for required firmware updates and verify with customers if they would like it installed.

Teledyne Tekmar ATOMX Purge and Trap Preventive Maintenance Checklist - Standard

Check External Supplies

- ☒ Section NOT Applicable
- ☒ Verify the gas source is supplying an input pressure of 50 - 100 psi to the ATOMX. If the customer is using a gas cylinder, verify the cylinder is at 500+ psi.
- ☒ Verify that the waste container has sufficient volume to contain the waste generated. Empty if necessary.
- ☒ Replace the DI water supply with fresh DI water.
 - Make sure the DI water supply is sufficient for sample analysis (1 Liter minimum)
- ☐ Make sure the methanol supply is sufficient for sample analysis.

Atomx Leak and Pressure Check

- ☐ Section NOT Applicable
- ☒ Scan through the sample log to verify that the purge pressures are staying consistent throughout the daily runs.
- ☐ Use the Teklink software to check the standard pressure.
- ☒ Run a leak check to ensure that the unit is leak tight.

Inspect ATOMX Hardware

- ☒ Section NOT Applicable
- ☒ Check the tray vial holes for foreign particles. Clean if necessary.
- ☒ Inspect the needle for particles or sample build up. Clean if necessary.
- ☒ Inspect the sparger glassware for damage and/or discoloration that could restrict flow or cause contamination. Replace if necessary.
- ☒ Inspect the drain tubing for clogging. Replace the drain line if necessary.
- ☒ Lubricate the ATOMX Carousel Drive. Refer to the diagram on page 6-25 of the ATOMX User Manual for lubrication points. Teledyne Tekmar recommends using DuPont Krytox lubrication.
- ☒ Lubricate the ATOMX Elevator. Refer to the diagram on page 6-32 of the ATOMX User Manual for lubrication points. Teledyne Tekmar recommends using DuPont Krytox lubrication.

Restore Instrument

Guidance

If the PM service is performed prior to a qualification service, then use the qualification procedure as a guide for final instrument set up and checkout.

Teledyne Tekmar ATOMX Purge and Trap
Preventive Maintenance Checklist - Standard



Service Review

- ☒ Attach available reports/printouts of all tests to this documentation.
- ☒ Record the PM service activity in the customer's instrument records/logbook.
- ☒ Update/reset instrument maintenance counters as appropriate.
- ☒ Affix the PM sticker to the system or instrument logbook based on the customer's request.
- ☒ Complete the Service Engineer Comments section below if there are additional comments.
- ☒ Review the service and any test results with the customer.
- ☒ If the instrument firmware was updated, record the details of the change in the Service Engineer's Comments box below or if necessary, in the customer's IQ records.

Product or Product Type Test Results Table

Test Description	Expected Test Result	Actual Test Result
Leak Test	Pass	Pass

Product or Product Type Parts List Table

Part Description	Part Number	Product or Model# where used	Quantity Consumed
Sparger Glassware	Ask the customer what size sparger glassware they are using; refer to the ATOMX parts list for part numbers.	TMR-ATOMX	1
Lubricant, Dupont Krytox	15-0293-000	TMR-ATOMX	1
Tubing, Drain, Self Retracting	15-0087-002	TMR-ATOMX	1

Issued: 30-09-2019, Revision:02

Copyright © 2013

Agilent Technologies

Select pages for required products or Page 4 of 5

Teledyne Tekmar ATOMX Purge and Trap
Preventive Maintenance Checklist - Standard



Service Engineer Comments (optional)

If there are any specific points you wish to note as part of performing the service or other items of interest for the customer, please write in this box.

Other Important Customer Web Links

- ☐ How to get information on your product: Literature Library - <http://www.agilent.com/chem/library>
- ☐ Need to know more? - www.agilent.com/chem/education
- ☐ Need technical support, FAQs? - www.agilent.com/chem/techsupport
- ☐ Need supplies? - www.agilent.com/chem/supplies

Service Completion

Service request number 6005827834 Date service completed 11 Apr 2020

Agilent signature SP N. Customer signature Nativi L.

Number of pages in this document _____

Issued: 30-09-2019, Revision:02

Copyright © 2013

Agilent Technologies

Select pages for required products or Page 5 of 5

ภาคผนวก จ

หนังสืออนุญาตขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน
จากกรมโรงงานอุตสาหกรรม

คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารมลพิษของห้องปฏิบัติการวิเคราะห์เอกชน

วันที่ 7 เดือน เมษายน พ.ศ. 2566

ข้าพเจ้า () ผู้รับใบอนุญาตประกอบกิจการโรงงาน.....

(/) บริษัท/ห้างหุ้นส่วนจำกัด / บริษัท ชีคอต จำกัด.....

ตั้งอยู่เลขที่ 239 หมู่ที่ 1 ต.รอก/ซอย.....

ถนน ริมคลองประปา ตำบล/แขวง บางซื่อ.....

อำเภอ/เขต บางซื่อ จังหวัด กรุงเทพฯ รหัสไปรษณีย์ 10800.....

โทรศัพท์ 02-9593600 โทรสาร 02-9593535.....

ได้รับทราบระเบียบกรมโรงงานอุตสาหกรรมว่าด้วยการขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน พ.ศ. 2560 โดยตลอดแล้วและยินยอมปฏิบัติตามระเบียบฯทุกประการ และได้แนบเอกสารต่างๆ ตามรายการเอกสารประกอบการพิจารณา (แบบ ปอ.1-1) มาพร้อมนี้

รายการขอดำเนินการ

การดำเนินการ	รายละเอียด (รายการ)				
	น้ำเสีย/น้ำทิ้ง	น้ำใต้ดิน	อากาศเสีย	สิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว	ดิน
[] ขอขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน					
[/] ต่ออายุห้องปฏิบัติการวิเคราะห์เอกชน	46	123	27	34	122
[] เปลี่ยนแปลงสารมลพิษที่วิเคราะห์ (/) เพิ่มสารมลพิษ () ยกเลิกสารมลพิษ		2	1		2
[] เปลี่ยนแปลงบุคลากร (/) เพิ่มบุคลากร () ยกเลิกบุคลากร	จำนวน 10.....ราย (รายละเอียดตาม แบบ ปว.1) จำนวน.....ราย (รายละเอียดตาม แบบ ปว.1-1)				
[] ยกเลิกห้องปฏิบัติการวิเคราะห์เอกชน					
[] อื่นๆ ..โปรดระบุ.....					

จึงเรียนมาเพื่อโปรดพิจารณา

นายสมชาย ใจดี

ผู้มีอำนาจลงนามแทนนิติบุคคล

7 เม.ย. 66

เวลา 14.05

วิจิตร

F-ED-LR-01-1/1 (ร.ร.ร.ร.)

ลงชื่อ.....

(นายชรรชัย เกรียงไกรทอง)

ผู้มีอำนาจลงนามแทนนิติบุคคล

ประทับตรา (ตัวพิมพ์)





ที่ อก ๐๓๑๐(๑)/ ๑๗๔ ๙

กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท
เขตราชเทวี กรุงเทพฯ ๑๐๔๐๐

๐๔ กุมภาพันธ์ ๒๕๖๕

เรื่อง เปลี่ยนแปลงบุคลากรของห้องปฏิบัติการวิเคราะห์

เรียน กรรมการผู้จัดการ บริษัท ซีคอต จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารมลพิษของห้องปฏิบัติการวิเคราะห์เอกชน
ลงวันที่ ๒๘ มกราคม ๒๕๖๕

ตามหนังสือที่อ้างถึง บริษัท ซีคอต จำกัด ห้องปฏิบัติการวิเคราะห์เอกชน เลขทะเบียน ว-๒๓๙
สถานที่ตั้งเลขที่ ๒๓๙ ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร ขอเปลี่ยนแปลง
บุคลากรของห้องปฏิบัติการวิเคราะห์ ความละเอียดแจ้งแล้ว นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว มีความเห็นดังนี้

๑. ให้ยกเลิกเจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์ จำนวน ๔ ราย

- | | |
|-------------------------------------|----------------------------|
| ๑) นางสาวโชติมาส ไทยเจริญ | ทะเบียนเลขที่ ว-๒๓๙-จ-๖๐๐๖ |
| ๒) นางสาวณัฐศิริ เลิศธีรพัฒน์ | ทะเบียนเลขที่ ว-๒๓๙-จ-๖๔๒๓ |
| ๓) นางสาวเกษรวิรินทร์ ศิลศึก | ทะเบียนเลขที่ ว-๒๓๙-จ-๖๔๒๔ |
| ๔) นางสาวจิรนนท์ จิตตะศรี ปิยะธนากร | ทะเบียนเลขที่ ว-๒๓๙-จ-๗๒๓๒ |

๒. ให้เพิ่มผู้ควบคุมดูแลห้องปฏิบัติการวิเคราะห์ จำนวน ๑ ราย

- | | |
|----------------------------|----------------------------|
| นางสาวณัฐศิริ เลิศธีรพัฒน์ | ทะเบียนเลขที่ ว-๒๓๙-ก-๐๐๐๑ |
|----------------------------|----------------------------|


๓. ให้เพิ่มเจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์ จำนวน ๒ ราย

- | | |
|-------------------------------------|----------------------------|
| ๑) นางสาวสุตาพร สุนทร | ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๐๑ |
| ๒) นางสาวสัญญาลักษณ์ อินทรประสิทธิ์ | ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๐๒ |

อนึ่ง หนังสือฉบับนี้จะหมดอายุพร้อมหนังสือต่ออายุรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน
ที่ อก ๐๓๑๐(๑)/๑๗๔๐๔ ลงวันที่ ๒๑ ตุลาคม ๒๕๖๓ คือในวันที่ ๒ พฤษภาคม ๒๕๖๖ ทั้งนี้ สามารถยื่นคำ
ขอผ่านระบบอิเล็กทรอนิกส์ได้ที่หน้าเว็บไซต์กรมโรงงานอุตสาหกรรม ตาม QR Code หายหนังสือฉบับนี้

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ


(นางจินดา เทษะกรินทร์)

ผู้อำนวยการกองวิจัยและเฝ้าระวังมลพิษโรงงาน
ปฏิบัติการตามแผนปฏิบัติการโรงงานอุตสาหกรรม



ยื่นคำขอผ่านระบบอิเล็กทรอนิกส์

กองวิจัยและเฝ้าระวังมลพิษโรงงาน

กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษและทะเบียนห้องปฏิบัติการ

โทร. ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๐๓-๕

โทรสาร ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๙๔

ไปรษณีย์อิเล็กทรอนิกส์ saraban@diw.mail.go.th



ที่ อก ๐๓๑๐(๑)/ ๑๑๘ ๐๔

กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ เขตราชเทวี
กรุงเทพมหานคร ๑๐๔๐๐

๒๑ ตุลาคม ๒๕๖๓

เรื่อง ต่ออายุหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

เรียน กรรมการผู้จัดการ บริษัท ซีคอต จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารมลพิษของห้องปฏิบัติการวิเคราะห์เอกชน
ลงวันที่ ๒๔ มีนาคม ๒๕๖๓

สิ่งที่ส่งมาด้วย ๑. รายชื่อผู้ควบคุมดูแลห้องปฏิบัติการวิเคราะห์ จำนวน ๑ แผ่น

๒. รายชื่อเจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์ จำนวน ๑ แผ่น

๓. ขอบข่ายสารมลพิษที่ได้รับขึ้นทะเบียนจากกรมโรงงานอุตสาหกรรม จำนวน ๓๒ แผ่น

ตามหนังสือที่อ้างถึง บริษัท ซีคอต จำกัด ขอต่ออายุหนังสือรับขึ้นทะเบียนห้องปฏิบัติการ
วิเคราะห์เอกชน เลขทะเบียน ว-๒๓๙ สถานที่ตั้งเลขที่ ๒๓๙ ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ
กรุงเทพมหานคร ต่อกรมโรงงานอุตสาหกรรม นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว ให้บริษัท ซีคอต จำกัด ต่ออายุหนังสือรับขึ้นทะเบียน
ห้องปฏิบัติการวิเคราะห์เอกชน โดยมีองค์ประกอบดังนี้

ก. ผู้ควบคุมดูแลห้องปฏิบัติการวิเคราะห์ จำนวน ๑๐ ราย ตามสิ่งที่ส่งมาด้วย ๑

ข. เจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์ จำนวน ๓๑ ราย ตามสิ่งที่ส่งมาด้วย ๒

ค. ขอบข่ายสารมลพิษที่ได้รับขึ้นทะเบียนให้วิเคราะห์ในน้ำเสีย จำนวน ๔๖ รายการ น้ำใต้ดิน
จำนวน ๑๒๓ รายการ อากาศเสีย จำนวน ๒๗ รายการ สิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว จำนวน ๓๔ รายการ
และดิน จำนวน ๑๒๒ รายการ รวมทั้งสิ้นจำนวน ๓๕๒ รายการ ตามสิ่งที่ส่งมาด้วย ๓

หนังสือฉบับนี้จะหมดอายุในวันที่ ๒ พฤษภาคม ๒๕๖๖ หากประสงค์จะต่ออายุหนังสือ
รับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน ให้ยื่นคำขอต่ออายุพร้อมเอกสารประกอบคำขอต่อ
กรมโรงงานอุตสาหกรรมภายใน ๓๐ วัน ก่อนวันสิ้นอายุของหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน
ซึ่งคำขอต่ออายุดังกล่าวขอรับได้ที่กรมโรงงานอุตสาหกรรม

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ


(นางจินดา เทษะกรินทร์)

ผู้อำนวยการกองวิจัยและเฝ้าระวังมลพิษโรงงาน
ปฏิบัติการตามแผนปฏิบัติการโรงงานอุตสาหกรรม

กองวิจัยและเฝ้าระวังมลพิษโรงงาน

กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษและทะเบียนห้องปฏิบัติการ

โทร. ๐ ๒๒๐๒ ๔๐๐๒ ๐ ๒๒๐๒ ๔๑๔๖

โทรสาร ๐ ๒๓๕๔ ๓๒๐๘ ๐ ๒๓๕๔ ๓๔๑๕

เอกสารแนบท้ายหนังสือรับต่ออายุขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกซน

บริษัท ซีคोट จำกัด

เลขทะเบียน ว-๒๓๙

ที่ อก ๐๓๑๐(๑)/ ๑ ๑ ๘ ๐ ๔

ลงวันที่ ๒๑

ตุลาคม ๒๕๖๓

ก. ผู้ควบคุมดูแลห้องปฏิบัติการวิเคราะห์ จำนวน ๑๐ ราย

๑) นางสาวณัฐิ เกรียงไกรอุดม	ทะเบียนเลขที่ ว-๒๓๙-ค-๕๘๒๐
๒) นางสาวอารยา ทิพรัักษ์	ทะเบียนเลขที่ ว-๒๓๙-ค-๕๘๖๓
๓) นายขรรชัย เกรียงไกรอุดม	ทะเบียนเลขที่ ว-๒๓๙-ค-๕๙๗๕
๔) นางสาวเข็มชุตตา อินทร์ศรี	ทะเบียนเลขที่ ว-๒๓๙-ค-๕๙๗๖
๕) นางสาวปรีดา สมใจ	ทะเบียนเลขที่ ว-๒๓๙-ค-๕๙๗๘
๖) นางสาวอรรัญญา มาตา	ทะเบียนเลขที่ ว-๒๓๙-ค-๕๙๗๙
๗) นางสาวลดาวัลย์ วงศ์เจริญ	ทะเบียนเลขที่ ว-๒๓๙-ค-๕๙๘๐
๘) นางสาวมณีนววรรณ เกตวันดี	ทะเบียนเลขที่ ว-๒๓๙-ค-๕๙๘๒
๙) นางสาวนริสา ภูวสรเพ็ชฌ์	ทะเบียนเลขที่ ว-๒๓๙-ค-๖๔๑๙
๑๐) นางสาวศิริวรรณ นิยมสง่า	ทะเบียนเลขที่ ว-๒๓๙-ค-๖๔๒๐

เอกสารแนบท้ายหนังสือรับต่ออายุขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกซน

บริษัท ซีคोट จำกัด

เลขทะเบียน ว-๒๓๙

ที่ อก ๐๓๑๐(๑)/ ๑ ๑ ๘ ๐ ๔

ลงวันที่ ๒๑

ตุลาคม ๒๕๖๓

ข. เจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์ จำนวน ๓๑ ราย

๑) นางสาวสุรัชต์ ชัยธรรม	ทะเบียนเลขที่ ว-๒๓๙-จ-๕๘๒๕
๒) นางสาวสุธาทิพย์ เทียนเตี้ย	ทะเบียนเลขที่ ว-๒๓๙-จ-๕๘๒๙
๓) นางสาวสุนันทา ศิริวัฒนานนท์	ทะเบียนเลขที่ ว-๒๓๙-จ-๕๙๘๓
๔) นายบวร ศิษย์ยะ	ทะเบียนเลขที่ ว-๒๓๙-จ-๕๙๘๖
๕) นางสาวเกศรินทร์ วรเดโชวิทยา	ทะเบียนเลขที่ ว-๒๓๙-จ-๕๙๙๑
๖) นายอนันต์พนัน พิมวันนา	ทะเบียนเลขที่ ว-๒๓๙-จ-๖๐๐๑
๗) นายชิตพล สมประสงค์	ทะเบียนเลขที่ ว-๒๓๙-จ-๖๐๐๒
๘) นางสาวศศิธร พรหมประเสริฐ	ทะเบียนเลขที่ ว-๒๓๙-จ-๖๐๐๓
๙) นายศิวนนท์ กุลพงษ์	ทะเบียนเลขที่ ว-๒๓๙-จ-๖๐๐๕
๑๐) นางสาวโชติมาส ไทยเจริญ	ทะเบียนเลขที่ ว-๒๓๙-จ-๖๐๐๖
๑๑) นางสาวปิยขวัญ สุระโคตร	ทะเบียนเลขที่ ว-๒๓๙-จ-๖๔๒๑
๑๒) นางสาวณัฐศิริ เลิศธีรพิพัฒน์	ทะเบียนเลขที่ ว-๒๓๙-จ-๖๔๒๓
๑๓) นางสาวเกษวรินทร์ ศิลศึก	ทะเบียนเลขที่ ว-๒๓๙-จ-๖๔๒๔
๑๔) นางสาวอลิษา คณิรานนท์	ทะเบียนเลขที่ ว-๒๓๙-จ-๗๒๓๑
๑๕) นางสาวจิรนนท์ จิตตะศรี ปิยะธนากร	ทะเบียนเลขที่ ว-๒๓๙-จ-๗๒๓๒
๑๖) นางสาวสิริวรรณ แก้วชิงดวง	ทะเบียนเลขที่ ว-๒๓๙-จ-๗๒๓๓
๑๗) นางสาวปัทมวรรณ สุวรรณวิโรจน์	ทะเบียนเลขที่ ว-๒๓๙-จ-๗๒๓๔
๑๘) นางสาวกนิษฐา เจริญเชื้อ	ทะเบียนเลขที่ ว-๒๓๙-จ-๗๒๓๖
๑๙) นายจิรากร ลิมศิลา	ทะเบียนเลขที่ ว-๒๓๙-จ-๗๒๓๗
๒๐) นายชนาธิป สิงห์เกษมศักดิ์	ทะเบียนเลขที่ ว-๒๓๙-จ-๗๒๓๘
๒๑) นายวัชรกานต์ ประมาคะเต	ทะเบียนเลขที่ ว-๒๓๙-จ-๗๒๔๐
๒๒) นายทอง เสงฆ์วัลกุล	ทะเบียนเลขที่ ว-๒๓๙-จ-๗๒๔๒
๒๓) นางสาวกฤษณา จันทุม	ทะเบียนเลขที่ ว-๒๓๙-จ-๗๘๐๒
๒๔) นางสาวพรนภา บุตรธรรม	ทะเบียนเลขที่ ว-๒๓๙-จ-๗๘๐๓
๒๕) นางสาวธาริณี อาจปสิว	ทะเบียนเลขที่ ว-๒๓๙-จ-๗๘๐๔
๒๖) นายธนโชติ ช่างล้อ	ทะเบียนเลขที่ ว-๒๓๙-จ-๗๘๐๖
๒๗) นางสาวพัชรา สมานฉันท์	ทะเบียนเลขที่ ว-๒๓๙-จ-๘๑๘๓
๒๘) นางสาวจุฑารัตน์ แจ่มเรือน	ทะเบียนเลขที่ ว-๒๓๙-จ-๘๔๔๓
๒๙) นางสาวจณิสตา กุ้ยอ่อน	ทะเบียนเลขที่ ว-๒๓๙-จ-๘๔๓๗
๓๐) นางสาววรัญญา เขียนมัน	ทะเบียนเลขที่ ว-๒๓๙-จ-๘๔๓๘
๓๑) นางสาวจิรารัตน์ นุริตมนต์	ทะเบียนเลขที่ ว-๒๓๙-จ-๘๔๓๙

เอกสารแนบท้ายหนังสือรับต่ออายุขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

บริษัท ชีคอฟ จำกัด

เลขทะเบียน ว-๒๓๙

ที่ อก ๐๓๑๐(๑)/ ๑๑ ๘ ๐ ๔

ลงวันที่ ๒๑ ตุลาคม ๒๕๖๓

ขอขยายสารมลพิษที่ได้รับขึ้นทะเบียนจากกรมโรงงานอุตสาหกรรม จำนวน ๓๕๒ รายการ

น้ำเสีย จำนวน 46 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Aldrin	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
2	Arsenic	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[4] 2) Digestion, Inductively Coupled Plasma Method ^[4]
3	Barium	1) Digestion, Direct Nitrous Oxide-Acetylene Flame Method ^[4] 2) Digestion, Inductively Coupled Plasma Method ^[4]
4	α-BHC	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
5	β-BHC	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
6	γ-BHC	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
7	δ-BHC	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
8	Biochemical Oxygen Demand	1) 5-Day BOD Test, Azide Modification Method ^[4] 2) 5-Day BOD Test, Membrane Electrode Method ^[4]
9	Cadmium	1) Digestion, Direct Air-Acetylene Flame Method ^[4] 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^[4] 3) Digestion, Inductively Coupled Plasma Method ^[4]

วิกรม

10 Chemical...

(นางริกาญจน์ ฉัตรสกุลวิไล)

ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ
และทะเบียนห้องปฏิบัติการ

-๒-

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
10	Chemical Oxygen Demand	1) Open Reflux, Titrimetric method ^[4] 2) Close Reflux, Colorimetric method ^[4] 3) Closed Reflux, Titrimetric Method ^[4]
11	Chlordane	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
12	Chromium	1) Digestion, Direct Air-Acetylene Flame Method ^[4] 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^[4] 3) Digestion, Inductively Coupled Plasma Method ^[4]
13	Color	ADMI Weighted-Ordinate Spectrophotometric Method ^[4]
14	Copper	1) Digestion, Direct Air-Acetylene Flame Method ^[4] 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^[4] 3) Digestion, Inductively Coupled Plasma Method ^[4]
15	Cyanide	Distillation, Colorimetric method ^[4]
16	2,4-D	Liquid-Liquid Extraction, Gas Chromatographic Method ^[4]
17	4,4'-DDD	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
18	4,4'-DDE	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
19	4,4'-DDT	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
20	Dieldrin	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]

วิกรม

21 Endosulfan I...

(นางริกาญจน์ ฉัตรสกุลวิไล)

ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ
และทะเบียนห้องปฏิบัติการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
21	Endosulfan I	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4]
22	Endosulfan II	2) Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
23	Endosulfan Sulfate	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4]
24	Endrin	2) Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
25	Endrin Aldehyde	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4]
26	Formaldehyde	2) Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
27	Free Chlorine	Distillation, Colorimetric Method ^[3]
28	Heptachlor	1) Iodometric Method ^[4]
29	Heptachlor epoxide	2) DPD Colorimetric Method ^[4]
30	Hexavalent Chromium	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4]
31	Lead	2) Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
		1) Colorimetric Method ^[4]
		2) Extraction, Air-Acetylene Flame Method ^[4]
		1) Digestion, Direct Air-Acetylene Flame Method ^[4]
		2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^[4]
		3) Digestion, Inductively Coupled Plasma Method ^[4]

(นางริกาญจน์ ฉัตรสกุลวิไล)

ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ

32 Manganese...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
32	Manganese	1) Digestion, Direct Air-Acetylene Flame Method ^[4]
33	Mercury	2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^[4]
34	Methoxychlor	3) Digestion, Inductively Coupled Plasma Method ^[4]
35	Nickel	Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[4]
36	Oil & Grease	Liquid-Liquid Extraction, Gas Chromatographic Method ^[4]
37	pH	1) Digestion, Direct Air-Acetylene Flame Method ^[4]
38	Phenols	2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^[4]
39	Selenium	3) Digestion, Inductively Coupled Plasma Method ^[4]
40	Sulfide	1) Liquid-Liquid, Partition-Gravimetric Method ^[4]
41	Temperature	2) Soxhlet Extraction Method ^[4]
42	Total Dissolved Solids	Electrometric Method ^[4]
43	Total Kjeldahl Nitrogen	1) Distillation, Chloroform Extraction Method ^[4]
44	Total Suspended Solids	2) Distillation, Direct Photometric Method ^[4]
45	Trivalent Chromium	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[4]
		2) Digestion, Inductively Coupled Plasma Method ^[4]
		1) Iodometric method ^[4]
		2) Methylene blue method ^[4]
		Laboratory and Field Methods ^[4]
		Dried at 180 °C ^[4]
		1) Macro Kjeldahl Method ^[4]
		2) Semi-Micro Kjeldahl Method ^[4]
		Dried at 103-105 °C ^[4]
		1) Digestion, Direct Air-Acetylene Flame Method; Colorimetric Method; Calculation ^[4]
		2) Digestion, Electrothermal Atomic Absorption Spectrometric Method; Colorimetric Method; Calculation ^[4]
		3) Digestion, Inductively Coupled Plasma Method; Colorimetric Method; Calculation ^[4]
46	Zinc	1) Digestion, Direct Air-Acetylene Flame Method ^[4]
		2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^[4]
		3) Digestion, Inductively Coupled Plasma Method ^[4]

(นางริกาญจน์ ฉัตรสกุลวิไล)

ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ

น้ำใต้ดิน...

น้ำใต้ดิน จำนวน 123 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Acenaphthene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
2	Acetone	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method ^[4]
3	Aldrin	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
4	Anthracene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
5	Antimony	Digestion, Inductively Coupled Plasma Spectrometric Method ^[4]
6	Arsenic	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[4] 2) Digestion, Inductively Coupled Plasma Method ^[4]
7	Atrazine	Liquid-Liquid Extraction, Gas Chromatographic Method ^[4]
8	Barium	1) Digestion, Direct Nitrous Oxide-Acetylene Flame Method ^[4] 2) Digestion, Inductively Coupled Plasma Spectrometric Method ^[4]
9	Benz(a)anthracene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
10	Benzene	Purge and Trap Gas Chromatographic/ Mass spectrometric Method ^[4]
11	Benzo(b)fluoranthene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
12	Benzo(k)fluoranthene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
13	Benzoic acid	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
14	Benzo(a)pyrene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
15	Benzo(g,h,i)perylene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]

อีกหน้า

16 Beryllium...

(นางริกาญจน์ ฉัตรสกุลวิไล)

ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
16	Beryllium	Digestion, Inductively Coupled Plasma Spectrometric Method ^[4]
17	Bis(2-chloroethyl)ether	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
18	Bis(2-ethylhexyl)phthalate	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
19	Bromodichloromethane	Purge and Trap Gas Chromatographic/ Mass spectrometric Method ^[4]
20	Bromofom	Purge and Trap Gas Chromatographic/ Mass spectrometric Method ^[4]
21	Butanol	Purge and Trap Gas Chromatographic/ Mass spectrometric Method ^[4]
22	Butyl benzyl phthalate	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
23	Cadmium	1) Digestion, Direct Air-Acetylene Flame Method ^[4] 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^[4] 3) Digestion, Inductively Coupled Plasma Spectrometric Method ^[4]
24	Carbazole	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
25	Carbon disulfide	Purge and Trap Gas Chromatographic/ Mass spectrometric Method ^[4]
26	Carbon tetrachloride	Purge and Trap Gas Chromatographic/ Mass spectrometric Method ^[4]
27	Chlordane	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
28	p-Chloroaniline	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
29	Chlorobenzene	Purge and Trap Gas Chromatographic/ Mass spectrometric Method ^[4]
30	Chlorodibromomethane	Purge and Trap Gas Chromatographic/Mass spectrometric Method ^[4]
31	Chloroform	Purge and Trap Gas Chromatographic/Mass spectrometric Method ^[4]

อีกหน้า

32 2-Chlorophenol...

(นางริกาญจน์ ฉัตรสกุลวิไล)

ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
32	2-Chlorophenol	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
33	Chromium	1) Digestion, Direct Air-Acetylene Flame Method ^[4] 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^[4] 3) Digestion, Inductively Coupled Plasma Spectrometric Method ^[4]
34	Chromium (III)	1) Digestion, Direct Air-Acetylene Flame Method; Colorimetric Method; Calculation ^[4] 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method; Colorimetric Method; Calculation ^[4] 3) Digestion, Inductively Coupled Plasma Spectrometric Method; Colorimetric Method; Calculation ^[4]
35	Chromium (VI)	1) Colorimetric Method ^[4] 2) Extraction, Air-Acetylene Flame Method ^[4]
36	Chrysene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
37	Cyanide	1) Distillation, Titrimetric Method ^[4] 2) Distillation, Colorimetric Method ^[4]
38	2,4-D	Liquid-Liquid Extraction, Gas Chromatographic Method ^[4]
39	DDD	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
40	DDE	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
41	DDT	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]

วิมล

42 Dibenz(a,h)...

(นางริกาญจน์ ฉัตรสกุลวิไล)

ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ
และทะเบียนห้องปฏิบัติการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
42	Dibenz(a,h)anthracene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
43	Di-n-butyl phthalate	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
44	1,2-Dichlorobenzene	Purge and Trap Gas Chromatographic/ Mass spectrometric Method ^[4]
45	1,3-Dichlorobenzene	Purge and Trap Gas Chromatographic/ Mass spectrometric Method ^[4]
46	1,4-Dichlorobenzene	Purge and Trap Gas Chromatographic/ Mass spectrometric Method ^[4]
47	3,3'-Dichlorobenzidine	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
48	1,1-Dichloroethane	Purge and Trap Gas Chromatographic/ Mass spectrometric Method ^[4]
49	1,2-Dichloroethane	Purge and Trap Gas Chromatographic/ Mass spectrometric Method ^[4]
50	1,1-Dichloroethylene	Purge and Trap Gas Chromatographic/ Mass spectrometric Method ^[4]
51	cis-1,2-Dichloroethylene	Purge and Trap Gas Chromatographic/ Mass spectrometric Method ^[4]
52	trans-1,2-Dichloroethylene	Purge and Trap Gas Chromatographic/ Mass spectrometric Method ^[4]
53	2,4-Dichlorophenol	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
54	1,2-Dichloropropane	Purge and Trap Gas Chromatographic/ Mass spectrometric Method ^[4]
55	1,3-Dichloropropane	Purge and Trap Gas Chromatographic/ Mass spectrometric Method ^[4]
56	1,3-Dichloropropene	Purge and Trap Gas Chromatographic/ Mass spectrometric Method ^[4]
57	Dieldrin	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
58	Diethyl phthalate	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]

วิมล

59 2,4-Dimethylphenol...

(นางริกาญจน์ ฉัตรสกุลวิไล)

ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ
และทะเบียนห้องปฏิบัติการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
59	2,4-Dimethylphenol	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ⁽⁴⁾
60	2,4-Dinitrophenol	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ⁽⁴⁾
61	2,4-Dinitrotoluene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ⁽⁴⁾
62	2,6-Dinitrotoluene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ⁽⁴⁾
63	Di-n-Octyl phthalate	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ⁽⁴⁾
64	Endosulfan	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ⁽⁴⁾
65	Endrin	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ⁽⁴⁾
66	Ethylbenzene	Purge and Trap Gas Chromatographic/ Mass spectrometric Method ⁽⁴⁾
67	Fluoranthene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ⁽⁴⁾
68	Fluorene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ⁽⁴⁾
69	Heptachlor	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ⁽⁴⁾
70	Heptachlor epoxide	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ⁽⁴⁾
71	Hexachlorobenzene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ⁽⁴⁾
72	Hexachloro-1,3-butadiene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ⁽⁴⁾

73 n-Hexane...

(นางริกาญจน์ ฉัตรสกุลวิไล)
ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ
กรมควบคุมมลพิษ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
73	n-Hexane	Purge and Trap Gas Chromatographic/ Mass spectrometric Method ⁽⁴⁾
74	α -HCH	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ⁽⁴⁾
75	β -HCH	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ⁽⁴⁾
76	γ -HCH	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ⁽⁴⁾
77	Hexachlorocyclopentadiene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ⁽⁴⁾
78	Hexachloroethane	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ⁽⁴⁾
79	Indeno(1,2,3-cd)pyrene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ⁽⁴⁾
80	Isophorone	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ⁽⁴⁾
81	Lead	1) Digestion, Direct Air-Acetylene Flame Method ⁽⁴⁾ 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ⁽⁴⁾ 3) Digestion, Inductively Coupled Plasma Spectrometric Method ⁽⁴⁾
82	Manganese	1) Digestion, Direct Air-Acetylene Flame Method ⁽⁴⁾ 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ⁽⁴⁾ 3) Digestion, Inductively Coupled Plasma Spectrometric Method ⁽⁴⁾
83	Mercury	Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ⁽⁴⁾
84	Methanol	Purge and Trap Gas Chromatographic/ Mass spectrometric Method ⁽⁴⁾

85 Methoxychlor...

(นางริกาญจน์ ฉัตรสกุลวิไล)
ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ
กรมควบคุมมลพิษ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
85	Methoxychlor	Liquid-Liquid Extraction, Gas Chromatographic Method ^[4]
86	Methyl bromide	Purge and Trap Gas Chromatographic/ Mass spectrometric Method ^[4]
87	Methylene chloride	Purge and Trap Gas Chromatographic/ Mass spectrometric Method ^[4]
88	2-Methylphenol	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
89	2-Methylnaphthalene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
90	Methyl tert-butyl ether	Purge and Trap Gas Chromatographic/ Mass spectrometric Method ^[4]
91	Naphthalene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
92	Nickel	1) Digestion, Direct Air-Acetylene Flame Method ^[4] 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^[4] 3) Digestion, Inductively Coupled Plasma Spectrometric Method ^[4]
93	Nitrobenzene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
94	N-Nitrosodiphenylamine	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
95	Polychlorinated Biphenyls - PCB-1016 - PCB-1221 - PCB-1232 - PCB-1242 - PCB-1248 - PCB-1254 - PCB-1260	Liquid-Liquid Extraction, Gas Chromatographic Method ^[4]
96	Pentachlorophenol	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]


 (นางริกาญจน์ จิตรสกุลวิไล)
 ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ
 และทะเบียนห้องปฏิบัติการ

97 pH...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
97	pH	Electrometric method ^[4]
98	Phenanthrene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
99	Phenol	1) Distillation, Chloroform Extraction Method ^[4] 2) Distillation, Direct Photometric Method ^[4] 3) Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
100	Pyrene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
101	Selenium	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[4] 2) Digestion, Inductively Coupled Plasma Method ^[4]
102	Silver	1) Digestion, Direct Air-Acetylene Flame Method ^[4] 2) Digestion, Inductively Coupled Plasma Method ^[4]
103	Styrene	Purge and Trap Gas Chromatographic/ Mass spectrometric Method ^[4]
104	1,1,2,2-Tetrachloroethane	Purge and Trap Gas Chromatographic/ Mass spectrometric Method ^[4]
105	Tetrachloroethylene	Purge and Trap Gas Chromatographic/ Mass spectrometric Method ^[4]
106	Toluene	Purge and Trap Gas Chromatographic/ Mass spectrometric Method ^[4]
107	TPH (C ₅ -C ₈)	Purge and Trap, Gas Chromatographic/ Mass spectrometric Method ^[7,9]
108	TPH (C ₈ -C ₁₆)	1) Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[6,8] 2) Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass spectrometric Method ^[6,9]
109	TPH (C ₁₆ -C ₃₅)	1) Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[6,8] 2) Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass spectrometric Method ^[6,9]
110	1,2,4-Trichlorobenzene	Purge and Trap Gas Chromatographic/ Mass spectrometric Method ^[4]
111	1,1,1-Trichloroethane	Purge and Trap Gas Chromatographic/ Mass spectrometric Method ^[4]


 (นางริกาญจน์ จิตรสกุลวิไล)
 ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ

112 1,1,2-Trichloroethane...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
112	1,1,2-Trichloroethane	Purge and Trap Gas Chromatographic/ Mass spectrometric Method ^[4]
113	Trichloroethylene	Purge and Trap Gas Chromatographic/ Mass spectrometric Method ^[4]
114	2,4,5-Trichlorophenol	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
115	2,4,6-Trichlorophenol	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
116	1,3,5-Trimethylbenzene	Purge and Trap Gas Chromatographic/ Mass spectrometric Method ^[4]
117	Vanadium	Digestion, Inductively Coupled Plasma Spectrometric Method ^[4]
118	Vinyl chloride	Purge and Trap Gas Chromatographic/ Mass spectrometric Method ^[4]
119	m-Xylene	Purge and Trap Gas Chromatographic/ Mass spectrometric Method ^[4]
120	o-Xylene	Purge and Trap Gas Chromatographic/ Mass spectrometric Method ^[4]
121	p-Xylene	Purge and Trap Gas Chromatographic/ Mass spectrometric Method ^[4]
122	Xylene (Total)	Purge and Trap Gas Chromatographic/ Mass spectrometric Method ^[4]
123	Zinc	1) Digestion, Direct Air-Acetylene Flame Method ^[4] 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^[4] 3) Digestion, Inductively Coupled Plasma Spectrometric Method ^[4]

อากาศเสีย (ปล่อยระบาย) จำนวน 27 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Antimony	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method ^[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]



(นางกรกาญจน์ นิตกรกุลวิไล)

ผู้อำนวยการศูนย์มาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ
และทะเบียนห้องปฏิบัติการ

2 Arsenic...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
2	Arsenic	1) Isokinetic Sampling, Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
3	Beryllium	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
4	Cadmium	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method ^[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
5	Carbon monoxide	Instrumental Analyzer Method ^[5]
6	Chlorine	1) Absorption Sampling, Ion Chromatographic Method ^[5] 2) Isokinetic Sampling, Ion Chromatographic Method ^[5]
7	Chromium	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method ^[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
8	Cobalt	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
9	Copper	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method ^[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
10	Cresol	Adsorption Sampling, Gas Chromatographic Method ^[5]
11	Dioxin/Furans	Isokinetic Sampling, Analysis by ISO/IEC 17025 Accredited Laboratory or Analysis by Department of Industrial Works Registered Laboratory (Dioxins/Furans Analysis Approved) ^[5]
12	Hydrogen chloride	1) Absorption Sampling, Ion Chromatographic Method ^[5] 2) Isokinetic Sampling, Ion Chromatographic Method ^[5]
13	Hydrogen Fluoride	1) Absorption Sampling, Ion Chromatographic Method ^[5] 2) Isokinetic Sampling, Ion Chromatographic Method ^[5]



(นางกรกาญจน์ นิตกรกุลวิไล)

ผู้อำนวยการศูนย์มาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ
และทะเบียนห้องปฏิบัติการ

14 Hydrogen Sulfide...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
14	Hydrogen Sulfide	Absorption Sampling, Iodometric Method ^[5]
15	Lead	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method ^[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
16	Manganese	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method ^[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
17	Mercury	Isokinetic Sampling, Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[5]
18	Nickel	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method ^[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
19	Opacity	Ringelmann's Method ^[2]
20	Oxide of Nitrogen	1) Absorption Sampling, Ion Chromatographic Method ^[5] 2) Absorption Sampling, Phenoldisulfonic acid Method ^[5] 3) Instrumental Analyzer Method ^[5]
21	Selenium	1) Isokinetic Sampling, Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
22	Sulfur dioxide	1) Isokinetic Sampling, Barium-Thorin Titrimetric Method ^[5] 2) Instrumental Analyzer Method ^[5]
23	Sulfuric acid	Isokinetic Sampling, Barium-Thorin Titrimetric Method ^[5]
24	Tin	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
25	Total Suspended Particulate	Isokinetic Sampling, Gravimetric Method ^[5]

26 Vanadium...



(นางริกาญจน์ ฉัตรสกุลวิไล)
ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ
และทะเบียนห้องปฏิบัติการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
26	Vanadium	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
27	Xylene	1) Adsorption Sampling, Gas Chromatographic Method ^[5] 2) Adsorption Sampling, Gas Chromatographic/Mass Spectrometric Method ^[5]

สิ่งปลูกสรหรือวัสดุที่ไม่ใช่แล้ว จำนวน 34 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Aldrin	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[1,9,22] 2) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[1,9,26] 3) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 4) Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,26]
2	Antimony	1) Waste Extraction, Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[1,6,16] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,14] 3) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[7,16] 4) Digestion, Inductively Coupled Plasma Method ^[7,14]
3	Arsenic	1) Waste Extraction, Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[1,6,16] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,14] 3) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[7,16] 4) Digestion, Inductively Coupled Plasma Method ^[7,14]
4	Barium	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method ^[1,6,15] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,14]

3) Digestion...


(นางริกาญจน์ ฉัตรสกุลวิไล)
ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
5	Beryllium	3) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 4) Digestion, Inductively Coupled Plasma Method ^[7,14] 1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,14] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]
6	Cadmium	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method ^[1,6,15] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,14] 3) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 4) Digestion, Inductively Coupled Plasma Method ^[7,14]
7	Chlordane	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[1,9,22] 2) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[1,9,26] 3) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 4) Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,26]
8	Chromium	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method ^[1,6,15] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,14] 3) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 4) Digestion, Inductively Coupled Plasma Method ^[7,14]
9	Chromium (III)	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method; Waste Extraction, Colorimetric Method; Calculation Method ^[1,6,15,17] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method; Waste Extraction, Colorimetric Method; Calculation Method ^[1,6,16,17]



(นางริกาญจน์ จิตตรัสกุลไฉ)

ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ

และทะเบียนห้องปฏิบัติการ

3) Digestion...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
10	Chromium (VI)	3) Digestion, Flame Atomic Absorption Spectrometric Method; Alkaline Digestion, Colorimetric Method; Calculation Method ^[7,8,15,17] 4) Digestion, Inductively Coupled Plasma Method; Alkaline Digestion, Colorimetric Method; Calculation Method ^[7,8,14,17]
11	Cobalt	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,14] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]
12	Copper	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method ^[1,6,15] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,14] 3) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 4) Digestion, Inductively Coupled Plasma Method ^[7,14]
13	2,4-D	1) Waste Extraction, Gas Chromatographic/Mass Spectrometric Method ^[1,24] 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[24]
14	DDD	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[1,9,22] 2) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[1,9,26] 3) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 4) Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,26]
15	DDE	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[1,9,22] 2) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[1,9,26]



(นางริกาญจน์ จิตตรัสกุลไฉ)

ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ

และทะเบียนห้องปฏิบัติการ

3) Soxhlet...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
16	DDT	3) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 4) Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,26] 1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[1,9,22] 2) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[1,9,26] 3) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 4) Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,26]
17	Dieldrin	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[1,9,22] 2) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[1,9,26] 3) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 4) Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,26]
18	Endrin	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[1,9,22] 2) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[1,9,26] 3) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 4) Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,26]
19	Heptachlor	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[1,9,22] 2) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[1,9,26] 3) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 4) Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,26]

4) Soxhlet...

(นางริกาญจน์ ฉัตรสกุลวิไล)

ผู้อำนวยการกลุ่มมาตรฐานวิชาการวิเคราะห์ทดสอบมลพิษ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
20	Lead	4) Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,26] 1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method ^[1,6,15] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,14] 3) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 4) Digestion, Inductively Coupled Plasma Method ^[7,14]
21	Lindane	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[1,9,22] 2) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[1,9,26] 3) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 4) Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,26]
22	Mercury	1) Waste Extraction, Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[1,18] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,14] 3) Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[19] 4) Digestion, Inductively Coupled Plasma Method ^[7,14]
23	Methoxychlor	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[1,9,22] 2) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[1,9,26] 3) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 4) Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,26]
24	Molybdenum	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,14] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]

25 Nickel...

(นางริกาญจน์ ฉัตรสกุลวิไล)

ผู้อำนวยการกลุ่มมาตรฐานวิชาการวิเคราะห์ทดสอบมลพิษ

และทะเบียนห้องปฏิบัติการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
25	Nickel	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method ^[1,6,15] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,14] 3) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 4) Digestion, Inductively Coupled Plasma Method ^[7,14]
26	Polychlorinated Biphenyls - Aroclor 1016 - Aroclor 1221 - Aroclor 1232 - Aroclor 1242 - Aroclor 1248 - Aroclor 1254 - Aroclor 1260	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[1,9,23] 2) Soxhlet Extraction, Gas Chromatographic Method ^[10,23]
27	Pentachlorophenol	1) Waste Extraction, Gas Chromatographic/Mass Spectrometric Method ^[1,24] 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[24]
28	pH	Electrometric Method ^[30,31]
29	Selenium	1) Waste Extraction, Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[1,6,20] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,14] 3) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[7,20] 4) Digestion, Inductively Coupled Plasma Method ^[7,14]
30	Silver	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,14] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]
31	Thallium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,14] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]
32	Trichloroethylene	1) Waste Extraction, Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[1,12,25] 2) Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[12,25]


 (นางกริยาณันท์ นัตถกุลวิไล)
 ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ


33 Vanadium...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
33	Vanadium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,14] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]
34	Zinc	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method ^[1,6,15] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,14] 3) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 4) Digestion, Inductively Coupled Plasma Method ^[7,14]

ดิน จำนวน 122 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Acenaphthene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,26]
2	Acetone	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,25]
3	Aldrin	1) Ultrasonic Extraction, Gas Chromatographic Method ^[11,22] 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[11,26]
4	Anthracene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,26]
5	Antimony	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[7,16] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]
6	Arsenic	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[7,16] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]
7	Atrazine	Ultrasonic Extraction, Gas Chromatographic Method ^[11,22]
8	Barium	1) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]

9 Benz(a)anthracene...


 (นางกริยาณันท์ นัตถกุลวิไล)
 ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ
 และทะเบียนห้องปฏิบัติการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
9	Benz(a)anthracene	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,26]
10	Benzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,25]
11	Benzo(b)fluoranthene	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,26]
12	Benzo(k)fluoranthene	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,26]
13	Benzoic acid	Ultrasonic Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[11,26]
14	Benzo(a)pyrene	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,26]
15	Benzo(g,h,i)perylene	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,26]
16	Beryllium	Digestion, Inductively Coupled Plasma Method ^[7,14]
17	Bis(2-chloroethyl)ether	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,26]
18	Bis(2-ethylhexyl)phthalate	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,26]
19	Bromodichloromethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,25]
20	Bromoform	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,25]
21	Butanol	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,25]
22	Butyl benzyl phthalate	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,26]
23	Cadmium	1) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]
24	Carbazole	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,26]
25	Carbon disulfide	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,25]
26	Carbon tetrachloride	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,25]



27 Chlordane...

(นางริกาญจน์ จิตรสกุลวิไล)
ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์และควบคุมมลพิษ
และทะเบียนห้องปฏิบัติการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
27	Chlordane	1) Ultrasonic Extraction, Gas Chromatographic Method ^[11,22] 2) Ultrasonic Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[11,26]
28	p-Chloroaniline	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,26]
29	Chlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,25]
30	Chlorodibromomethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,25]
31	Chloroform	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,25]
32	2-Chlorophenol	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,26]
33	Chromium	1) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]
34	Chromium (III)	1) Digestion, Flame Atomic Absorption Spectrometric Method; Colorimetric Method; Calculation Method ^[7,8,15,17] 2) Digestion, Inductively Coupled Plasma Method; Colorimetric Method; Calculation Method ^[7,8,14,17]
35	Chromium (VI)	Alkaline Digestion, Colorimetric Method ^[8,17]
36	Chrysene	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,26]
37	Cyanide	1) Extraction, Distillation, Titrimetric Method ^[27,28,29] 2) Extraction, Distillation, Colorimetric Method ^[27,28,29]
38	2,4-D	Ultrasonic Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[24]
39	DDD	1) Ultrasonic Extraction, Gas Chromatographic Method ^[11,22] 2) Ultrasonic Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[11,26]
40	DDE	1) Ultrasonic Extraction, Gas Chromatographic Method ^[11,22] 2) Ultrasonic Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[11,26]



(นางริกาญจน์ จิตรสกุลวิไล)
ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์และควบคุมมลพิษ

41 DDT...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
41	DDT	1) Ultrasonic Extraction, Gas Chromatographic Method ^[11,22] 2) Ultrasonic Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[11,26]
42	Dibenz(a,h)anthracene	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,26]
43	Di-n-butyl phthalate	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,26]
44	1,2-Dichlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,25]
45	1,3-Dichlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,25]
46	1,4-Dichlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,25]
47	3,3'-Dichlorobenzidine	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,26]
48	1,1-Dichloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,25]
49	1,2-Dichloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,25]
50	1,1-Dichloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,25]
51	cis-1,2-Dichloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,25]
52	trans-1,2-Dichloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,25]
53	2,4-Dichlorophenol	Ultrasonic Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[11,26]
54	1,2-Dichloropropane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,25]
55	1,3-Dichloropropane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,25]
56	1,3-Dichloropropene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,25]



(นางริกาญจน์ จัตรสกุลไธ)

ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ
และทะเบียนห้องปฏิบัติการ

57 Dieldrin...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
57	Dieldrin	1) Ultrasonic Extraction, Gas Chromatographic Method ^[11,22] 2) Ultrasonic Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[11,26]
58	Diethyl phthalate	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,26]
59	2,4-Dimethylphenol	Ultrasonic Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[11,26]
60	2,4-Dinitrophenol	Ultrasonic Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[11,26]
61	2,4-Dinitrotoluene	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,26]
62	2,6-Dinitrotoluene	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,26]
63	Di-n-Octyl phthalate	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,26]
64	Endosulfan	1) Ultrasonic Extraction, Gas Chromatographic Method ^[11,22] 2) Ultrasonic Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[11,26]
65	Endrin	1) Ultrasonic Extraction, Gas Chromatographic Method ^[11,22] 2) Ultrasonic Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[11,26]
66	Ethylbenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,25]
67	Fluoranthene	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,26]
68	Fluorene	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,26]
69	Heptachlor	1) Ultrasonic Extraction, Gas Chromatographic Method ^[11,22] 2) Ultrasonic Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[11,26]




(นางริกาญจน์ จัตรสกุลไธ)

ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ
และทะเบียนห้องปฏิบัติการ

70 Heptachlor epoxide...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
70	Heptachlor epoxide	1) Ultrasonic Extraction, Gas Chromatographic Method ^[11,22] 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[11,26]
71	Hexachlorobenzene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,26]
72	Hexachloro-1,3-butadiene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,26]
73	n-Hexane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,25]
74	α -HCH	1) Ultrasonic Extraction, Gas Chromatographic Method ^[11,22] 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[11,26]
75	β -HCH	1) Ultrasonic Extraction, Gas Chromatographic Method ^[11,22] 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[11,26]
76	γ -HCH	1) Ultrasonic Extraction, Gas Chromatographic Method ^[11,22] 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[11,26]
77	Hexachlorocyclopentadiene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,26]
78	Hexachloroethane	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,26]
79	Indeno(1,2,3-cd)pyrene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,26]
80	Isophorone	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,26]
81	Lead	1) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]
82	Manganese	1) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]



(นางริกาญจน์ ฉัตรสกุลใจ)

ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ
และทะเบียนห้องปฏิบัติการ

83 Mercury...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
83	Mercury	1) Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[19] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]
84	Methanol	Ultrasonic Extraction, Direct Aqueous Injection, Gas Chromatographic Method ^[11,21]
85	Methoxychlor	1) Ultrasonic Extraction, Gas Chromatographic Method ^[11,22] 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[11,26]
86	Methyl bromide	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,25]
87	Methylene chloride	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,25]
88	2-Methylphenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[11,26]
89	2-Methylnaphthalene	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[11,26]
90	Methyl tert-butyl ether	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,25]
91	Naphthalene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,26]
92	Nickel	1) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]
93	Nitrobenzene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,26]
94	N-Nitrosodiphenylamine	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,26]
95	Polychlorinated Biphenyls - Aroclor 1016 - Aroclor 1221 - Aroclor 1232 - Aroclor 1242 - Aroclor 1248 - Aroclor 1254 - Aroclor 1260	Soxhlet Extraction, Gas Chromatographic Method ^[10,23]



(นางริกาญจน์ ฉัตรสกุลใจ)

ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ
และทะเบียนห้องปฏิบัติการ

96 Pentachlorophenol...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
96	Pentachlorophenol	Ultrasonic Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[24]
97	Phenanthrene	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,26]
98	Phenol	Ultrasonic Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[11,26]
99	Pyrene	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,26]
100	Selenium	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[7,20] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]
101	Silver	1) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]
102	Styrene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,25]
103	1,1,2,2-Tetrachloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,25]
104	Tetrachloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,25]
105	Toluene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,25]
106	TPH (C ₅ -C ₈)	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,25]
107	TPH (C ₈ -C ₁₆)	1) Soxhlet Extraction, Gas Chromatographic Method ^[10,21] 2) Soxhlet Extraction, Gas Chromatographic/ Mass spectrometric Method ^[10,21]
108	TPH (C ₁₆ -C ₃₅)	1) Soxhlet Extraction, Gas Chromatographic Method ^[10,21] 2) Soxhlet Extraction, Gas Chromatographic/ Mass spectrometric Method ^[10,25]
109	1,2,4-Trichlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,25]
110	1,1,1-Trichloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,25]

111 1,1,2-Trichloroethane...

(นางริกาญจน์ ฉัตรสกุลวิไล)

ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ
กรมควบคุมมลพิษ กรุงเทพมหานคร

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
111	1,1,2-Trichloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,25]
112	Trichloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,25]
113	2,4,5-Trichlorophenol	Ultrasonic Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[11,26]
114	2,4,6-Trichlorophenol	Ultrasonic Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[11,26]
115	1,3,5-Trimethylbenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,25]
116	Vanadium	Digestion, Inductively Coupled Plasma Method ^[7,14]
117	Vinyl chloride	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,25]
118	m-Xylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,25]
119	o-Xylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,25]
120	p-Xylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,25]
121	Xylene (Total)	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,25]
122	Zinc	1) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]

เอกสารอ้างอิง

- กระทรวงอุตสาหกรรม. ประกาศกระทรวงอุตสาหกรรม, พ.ศ. 2548. เรื่อง การกำจัดสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว.ราชกิจจานุเบกษา. 25 มกราคม 2549. เล่มที่ 123 ตอนพิเศษ 11ง.
- กระทรวงอุตสาหกรรม. ประกาศกระทรวงอุตสาหกรรม, พ.ศ. 2549. เรื่อง กำหนดค่าปริมาณเขม่าควันที่เจือปนในอากาศที่ระบายออกจากปล่องของหม้อน้ำโรงสีข้าวที่ใช้แก๊สเป็นเชื้อเพลิง.ราชกิจจานุเบกษา. 4 ธันวาคม 2549. เล่มที่ 123 ตอนพิเศษ 125ง.
- สมาคมวิศวกรรมสิ่งแวดล้อมแห่งประเทศไทย. คู่มือวิเคราะห์น้ำเสีย. พิมพ์ครั้งที่ 4. กรุงเทพฯ: เรือนแก้วการพิมพ์, 2547.
- APHA, AWWA, WEF. Standard Methods for the Examination of Water and Wastewater. 23rd ed. Washington, DC: APHA, 2017.
- United States Environmental Protection Agency. Standards of Performance for New Stationary Sources. 40 CFR 60. Appendix A, 2019.

(นางริกาญจน์ ฉัตรสกุลวิไล)

ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ
กรมควบคุมมลพิษ กรุงเทพมหานคร

6. United States...

6. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. SW-846, 1997.
7. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Acid Digestion of Sediments, Sludges, and Soils. SW-846 Method 3050B, 1996.
8. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Alkaline Digestion for Hexavalent Chromium. SW-846 Method 3060A, 1996.
9. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Separatory Funnel Liquid-Liquid Extraction. SW-846 Method 3510C, 1996.
10. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Soxhlet Extraction. SW-846 Method 3540C, 1996.
11. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Ultrasonic Extraction. SW-846 Method 3550C, 2007.
12. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Purge-and-Trap for Aqueous Samples. SW-846 Method 5030C, 2003.
13. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Closed-System Purge-and-Trap And Extraction For Volatile Organics in Soil and Waste Samples. SW-846 Method 5035A, 2002.
14. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Inductively Coupled Plasma-optical Emission Spectrometry. SW-846 Method 6010D, 2018
15. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Flame Atomic Absorption Spectrophotometry. SW-846 Method 7000B, 2007.
16. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Antimony and Arsenic (Atomic Absorption, Borohydride Reduction). SW-846 Method 7062, 1992.
17. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Chromium, Hexavalent (Colorimetric), SW-846 Method 7196A, 1992.
18. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Mercury in Liquid Waste (Manual Cold-Vapor Technique, SW-846 Method 7470A, 1994.
19. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Mercury in Solid or Semisolid Waste (Manual Cold-Vapor Technique, SW-846 Method 7471B, 2007.

(นางรียาญณ์ ฉัตรสกุลวิไล)

ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ

20. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Selenium (Atomic Absorption, Borohydride Reduction), SW-846 Method 7742, 1994.
21. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Nonhalogenated Organics Using GC/FID. SW-846 Method 8015D, 2003.
22. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Organochlorine Pesticide by Gas Chromatography. SW-846 Method 8081B, 2007.
23. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Polychlorinated Biphenyls (PCBs) By Gas Chromatography. SW-846 Method 8082A, 2007.
24. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Chlorinated Herbicides By GC Using Methylation or Pentafluorobenzoylation Derivatization. SW-846 Method 8151A, 1996.
25. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Volatile Organic Compounds by Gas Chromatography/ Mass Spectrometry (GC/MS). SW-846 Method 8260D, 2018.
26. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. SemiVolatile Organic Compounds by Gas Chromatography/Mass Spectrometry. SW-846 Method 8270E, 2018.
27. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Total and Amenable Cyanide: Distillation. SW-846 Method 9010C, 2004.
28. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Cyanide Extraction Procedure for Solids and Oils. SW-846 Method 9013A, 2014.
29. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Cyanide in Waters and Extracts Using Titrimetric and Manual Spectrophotometric. SW-846 Method 9014, 2014.
30. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. pH Electrometric Measurement. SW-846 Method 9040C, 2004.
31. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Solid and Waste pH. SW-846 Method 9045D, 2004.



(นางรียาญณ์ ฉัตรสกุลวิไล)

ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ
และทะเบียนห้องปฏิบัติการ

ภาคผนวก ฉ

ใบรับรองความสามารถห้องปฏิบัติการและขอบข่ายการรับรอง
ห้องปฏิบัติการทดสอบ ตามมาตรฐาน ISO/IEC 17025
จากสำนักงานมาตรฐานอุตสาหกรรม (สมอ.)



ใบรับรองเลขที่ 20T173/1151

ใบรับรองห้องปฏิบัติการ

อาศัยอำนาจตามความในพระราชบัญญัติการมาตรฐานแห่งชาติ พ.ศ. ๒๕๕๑

เลขาธิการสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม

ออกใบรับรองฉบับนี้ให้

บริษัท ซีตอท จำกัด

มีห้องปฏิบัติการตั้งอยู่เลขที่

239 ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร

ได้รับการรับรองความสามารถห้องปฏิบัติการทดสอบ

ตามมาตรฐานเลขที่ มอก. 17025-2561 (ISO/IEC 17025 : 2017)

ข้อกำหนดทั่วไปว่าด้วยความสามารถห้องปฏิบัติการทดสอบและสอบเทียบ

หมายเลขการรับรองที่ ทดสอบ ๐๓๙๔

โดยมีสาขาการรับรองตามรายละเอียดแนบท้ายใบรับรอง

ตั้งแต่ วันที่ ๙ กันยายน พ.ศ. ๒๕๖๓

ถึง วันที่ ๘ กันยายน พ.ศ. ๒๕๖๖

ออกให้ ณ วันที่ ๒๓ กันยายน ๒๕๖๓

(นายระกิตต์ วันทกิจอนวัจน์)

รองเลขาธิการ ปฏิบัติราชการแทน

เลขาธิการสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม



กระทรวงอุตสาหกรรม สำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม

รายละเอียดแนบท้ายใบรับรองห้องปฏิบัติการทดสอบ

ใบรับรองเลขที่ 20T173/1151

ชื่อห้องปฏิบัติการ

ที่อยู่

หมายเลขการรับรองที่

สถานภาพห้องปฏิบัติการ

ห้องปฏิบัติการทดสอบ บริษัท ซีตอท จำกัด

239 ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร

ทดสอบ 0394

☒ ถาวร ☐ นอกสถานที่ ☐ ชั่วคราว ☐ เคลื่อนที่

สาขาการทดสอบ	รายการทดสอบ	วิธีทดสอบ
สาขาสังแวดล้อม 1. น้ำและน้ำเสีย (water and wastewater)	- Arsenic 0.000 5 mg/l to 0.090 0 mg/l - Arsenic 0.05 mg/l to 4.50 mg/l - Barium 0.02 mg/l to 4.50 mg/l - Cadmium 0.01 mg/l to 4.50 mg/l - Chromium 0.01 mg/l to 4.50 mg/l - Copper 0.02 mg/l to 4.50 mg/l - Iron 0.05 mg/l to 9.00 mg/l - Lead 0.03 mg/l to 4.50 mg/l - Manganese 0.01 mg/l to 9.00 mg/l - Nickel 0.01 mg/l to 4.50 mg/l - Zinc 0.02 mg/l to 9.00 mg/l	- Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23 rd edition, 2017, Part 3030 F and Part 3114 C - Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23 rd edition, 2017, Part 3030 E and Part 3120 B

ฉบับที่ 1 ตั้งแต่ วันที่ 9 กันยายน 2563

หน้า 1/5

กระทรวงอุตสาหกรรม สำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม

รายละเอียดแนบท้ายใบรับรองห้องปฏิบัติการทดสอบ

ใบรับรองเลขที่ 20T173/1151

หมายเลขการรับรองที่ ทดสอบ 0394

สถานภาพห้องปฏิบัติการ ☒ ถาวร ☐ นอกสถานที่ ☐ชั่วคราว ☐เคลื่อนที่

สาขาการทดสอบ	รายการทดสอบ	วิธีทดสอบ
สาขาสังแวดล้อม		
1. น้ำและน้ำเสีย (ต่อ) (water and wastewater) (cont.)	- COD 100 mg/l to 4 000 mg/l	- Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23 rd edition, 2017, Part 5220 D
2. คุณภาพอากาศ (air quality)		
2.1 บริเวณทำงาน (workplace)	- Total dust 0.10 mg/filter to 2.00 mg/filter - Respirable dust 0.10 mg/filter to 2.00 mg/filter - Benzene 1.10 µg/tube to 420 µg/tube - Toluene 1.10 µg/tube to 420 µg/tube - Total xylenes 2.20 µg/tube to 840 µg/tube • m,p-xylene 1.10 µg/tube to 420 µg/tube • o-xylene 1.10 µg/tube to 420 µg/tube	- NIOSH Manual of Analytical Methods (NMAM), method 0500, 4 th edition, 15 th August 1994 (Exclude Sampling) - NIOSH Manual of Analytical Method (NMAM), method 0600, 4 th edition, 15 th January 1998 (Exclude Sampling) - NIOSH Manual of Analytical Methods (NMAM), method 1501, 4 th edition, 15 th March 2003 (Exclude Sampling)

ฉบับที่ 1 ตั้งแต่ วันที่ 9 กันยายน 2563 หน้า 2/5

กระทรวงอุตสาหกรรม สำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม

รายละเอียดแนบท้ายใบรับรองห้องปฏิบัติการทดสอบ

ใบรับรองเลขที่ 20T173/1151

หมายเลขการรับรองที่ ทดสอบ 0394

สถานภาพห้องปฏิบัติการ ☒ ถาวร ☐ นอกสถานที่ ☐ชั่วคราว ☐เคลื่อนที่

สาขาการทดสอบ	รายการทดสอบ	วิธีทดสอบ
สาขาสังแวดล้อม		
2. คุณภาพอากาศ (ต่อ) (air quality) (cont.)		
2.2 อากาศในปล่องระบาย อากาศ (stack)	- Sulfur dioxide 1.00 mg/l to 16 000 mg/l (solution) - Hydrogen fluoride 5 µg/sample to 400 µg/sample - Hydrogen chloride 5 µg/sample to 400 µg/sample	- US.EPA, Code of Federal Regulations, 40 CFR 60 appendix A, Method 6, July 2019 (Exclude Sampling) - In-house method : WI-7.2-1-22 based on US.EPA, Code of Federal Regulations, 40 CFR 60 appendix A Method 26, 2019 (Exclude Sampling)
2.3 บรรยากาศทั่วไป (ambient air)	- Volatile organic compounds (VOCs) • Chloroethene 0.05 µg/m ³ to 51.00 µg/m ³ • 1,3 - butadiene 0.04 µg/m ³ to 44.00 µg/m ³ • Bromomethane 0.08 µg/m ³ to 77.00 µg/m ³ • Acrolein 0.05 µg/m ³ to 45.00 µg/m ³ • Acrylonitrile 0.04 µg/m ³ to 43.00 µg/m ³ • Dichloromethane 0.14 µg/m ³ to 69.00 µg/m ³ • Carbon disulfide 0.06 µg/m ³ to 62.00 µg/m ³ • Trichloromethane 0.20 µg/m ³ to 97.00 µg/m ³	- In-house method : WI-7.2-1-24 based on US.EPA, Compendium Method TO - 15, EPA / 625 / R-96 / 010b, January 1999 (Include sampling)

ฉบับที่ 1 ตั้งแต่ วันที่ 9 กันยายน 2563 หน้า 3/5

กระทรวงอุตสาหกรรม สำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม

รายละเอียดแนบท้ายใบรับรองห้องปฏิบัติการทดสอบ
ใบรับรองเลขที่ 20T173/1151

หมายเลขการรับรองที่ ทดสอบ 0394
สถานภาพห้องปฏิบัติการ ☒ ถาวร ☐ นอกสถานที่ ☐ชั่วคราว ☐เคลื่อนที่

สาขาการทดสอบ	รายการทดสอบ	วิธีทดสอบ
<p>สาขาสังแวดล้อม</p> <p>2. คุณภาพอากาศ (ต่อ) (air quality) (cont.)</p> <p>2.3 บรรยากาศทั่วไป (ต่อ) (ambient air) (cont.)</p>	<p>- Volatile organic compounds (VOCs) (cont.)</p> <ul style="list-style-type: none"> • 1,2 - dichloroethane 0.08 $\mu\text{g}/\text{m}^3$ to 80.00 $\mu\text{g}/\text{m}^3$ • Benzene 0.06 $\mu\text{g}/\text{m}^3$ to 63.00 $\mu\text{g}/\text{m}^3$ • Carbon tetrachloride 0.25 $\mu\text{g}/\text{m}^3$ to 125 $\mu\text{g}/\text{m}^3$ • Trichloroethylene 0.21 $\mu\text{g}/\text{m}^3$ to 107 $\mu\text{g}/\text{m}^3$ • 1,2 - dichloropropane 0.18 $\mu\text{g}/\text{m}^3$ to 92.00 $\mu\text{g}/\text{m}^3$ • Tetrachloroethylene 0.27 $\mu\text{g}/\text{m}^3$ to 135 $\mu\text{g}/\text{m}^3$ • 1,2 - dibromoethane 0.31 $\mu\text{g}/\text{m}^3$ to 153 $\mu\text{g}/\text{m}^3$ • 1,1,2,2 - tetrachloroethane 0.69 $\mu\text{g}/\text{m}^3$ to 137 $\mu\text{g}/\text{m}^3$ 	<p>- In-house method :WI-7.2-1-24 US.EPA , Compendium Method TO - 15, EPA / 625 / R-96 / 010b, January 1999 (Include sampling)</p>

รายละเอียดแนบท้ายใบรับรองห้องปฏิบัติการทดสอบ
ใบรับรองเลขที่ 20T173/1151

หมายเลขการรับรองที่ ทดสอบ 0394
สถานภาพห้องปฏิบัติการ ☒ ถาวร ☐ นอกสถานที่ ☐ชั่วคราว ☐เคลื่อนที่

สาขาการทดสอบ	รายการทดสอบ	วิธีทดสอบ
<p>สาขาสังแวดล้อม</p> <p>2. คุณภาพอากาศ (ต่อ) (air quality) (cont.)</p> <p>2.3 บรรยากาศทั่วไป (ต่อ) (ambient air) (cont.)</p>	<p>- Volatile organic compounds (VOCs) (cont.)</p> <ul style="list-style-type: none"> • Benzyl chloride 0.52 $\mu\text{g}/\text{m}^3$ to 103 $\mu\text{g}/\text{m}^3$ • 1,4 - dichlorobenzene 0.24 $\mu\text{g}/\text{m}^3$ to 120 $\mu\text{g}/\text{m}^3$ 	<p>- In-house method :WI-7.2-1-24 US.EPA , Compendium Method TO - 15, EPA / 625 / R-96 / 010b, January 1999 (Include sampling)</p>

ออกให้ ณ วันที่ 9 กันยายน 2563



(นายวีระกิตติ์ รื่นเรืองวิชัย)
รองเลขาธิการ ปฏิบัติราชการแทน
เลขาธิการสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม