

ภาคผนวก ค

ใบรายงานผลการติดตามตรวจสอบคุณภาพน้ำทิ้ง

ANALYSIS REPORT

PROJECT NAME : 548 PLOENCHIT
CUSTOMER NAME : RML 548 COMPANY LIMITED
ADDRESS : 3 RAJANAKARN BUILDING 19 FLOOR, SOUTH SATHORN ROAD YAN NAWA SATHON BANGKOK 10120
CONTACT INFORMATION : TEL : 096 324 9149 e-mail : Waipoj.thongngam@cbre.com
SAMPLING SOURCE : ONE CITY CENTRE
SAMPLE TYPE : EFFLUENT
SAMPLING DATE : MAY 31, 2023
SAMPLING TIME : 10:35 HOUR
SAMPLING METHOD ° : GRAB, GRAB AND STERILE TECHNIQUE
SAMPLING BY ° : MR SOMCHART UTHUMRAT
ANALYZED BY : MISS ARIYA THARAROM

RECEIVED DATE : MAY 31, 2023
ANALYTICAL DATE : MAY 31 - JUNE 9, 2023
REPORT NO. : 2023-U046460
WORK NO. : 2023-004116
ANALYSIS NO. : T23AK033-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	DETECTION LIMIT
			ฉบับประกาศกระทรวง T23AK033-0001	
pH °	-	ELECTROMETRIC METHOD AT SITE (SM: PART 4500-H ⁺ B)	8.2 (32°C)	-
BIOCHEMICAL OXYGEN DEMAND °	mg/L	AZIDE MODIFICATION METHOD (SM: PART 5210 B AND PART 4500-O C)	93.6	2.0
SUSPENDED SOLIDS °	mg/L	SUSPENDED SOLIDS DRIED AT 103-105 °C (SM: PART 2540 D)	33.4	5.0
TOTAL DISSOLVED SOLIDS °	mg/L	IN-HOUSE METHOD: UAE.TP.WAO.007 (TOTAL DISSOLVED SOLIDS DRIED AT 103-105 °C); SM: PART 2540 C	388	25
SETTLEABLE SOLIDS °	mL/L	IMHOFF CONE (SM: PART 2540 F)	< 0.1	0.1
SULPHIDE °	mg/L	IODOMETRIC METHOD (SM: PART 4500-S ₂ F)	1.6	0.50
TOTAL KJELDAHL NITROGEN °	mg/L	IN-HOUSE METHOD: UAE.TP.WAS.001 (KJELDAHL METHOD); SM: PART 4500-Norg C	101	1.5
FAT, OIL AND GREASE °	mg/L	LIQUID-LIQUID, PARTITION-GRAVIMETRIC METHOD (SM: PART 5520 B)	ND	3



PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	DETECTION LIMIT
			แปลผลจากค่าทดสอบ T23AK033-0001	
MICROBIOLOGY				
COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 B)	>160,000	1.8
FAECAL COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 E)	>160,000	1.8
SAMPLE CONDITION				
WATER'S COLOUR/TURBID			YELLOW/TURBID	
SEDIMENT			BROWN	

^a : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

^b : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

^c : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

IN-HOUSE : BASED ON STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.

ND : NON-DETECTABLE.



(MRS PIYAPAT SUTTAMANUTWONG)
LABORATORY SUPERVISOR

JUNE 21, 2023

ANALYSIS REPORT

PROJECT NAME : 548 PLOENCHIT
CUSTOMER NAME : RML 548 COMPANY LIMITED
ADDRESS : 3 RAJANAKARN BUILDING 19 FLOOR, SOUTH SATHORN ROAD YAN NAWA SATHON BANGKOK 10120
CONTACT INFORMATION : TEL : 096 324 9149 e-mail : Waipoj.thongngam@cbre.com
SAMPLING SOURCE : ONE CITY CENTRE
SAMPLE TYPE : EFFLUENT
SAMPLING DATE : MAY 31, 2023
SAMPLING TIME : 10:15 HOUR
SAMPLING METHOD ° : GRAB, GRAB AND STERILE TECHNIQUE
SAMPLING BY ° : MR SOMCHART UTHUMRAT
ANALYZED BY : MISS ARIYA THARAROM

RECEIVED DATE : MAY 31, 2023
ANALYTICAL DATE : MAY 31 - JUNE 9, 2023
REPORT NO. : 2023-U046461
WORK NO. : 2023-004116
ANALYSIS NO. : T23AK033-0002

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			บอพักน้ำใส T23AK033-0002		
pH °	-	ELECTROMETRIC METHOD AT SITE (SM: PART 4500-H ⁺ B)	8.1 (34°C)	5-9	-
BIOCHEMICAL OXYGEN DEMAND °	mg/L	AZIDE MODIFICATION METHOD (SM: PART 5210 B AND PART 4500-O C)	45.8	≤ 20	2.0
SUSPENDED SOLIDS °	mg/L	SUSPENDED SOLIDS DRIED AT 103-105 °C (SM: PART 2540 D)	31.1	≤ 30	5.0
TOTAL DISSOLVED SOLIDS °	mg/L	IN-HOUSE METHOD: UAE.TP.WAO.007 (TOTAL DISSOLVED SOLIDS DRIED AT 103-105 °C); SM: PART 2540 C	383	500*	25
SETTLEABLE SOLIDS °	mL/L	IMHOFF CONE (SM: PART 2540 F)	0.1	≤ 0.5	0.1
SULPHIDE °	mg/L	IODOMETRIC METHOD (SM: PART 4500-S ²⁻ F)	1.9	≤ 1.0	0.50
TOTAL KJELDAHL NITROGEN °	mg/L	IN-HOUSE METHOD: UAE.TP.WAS.001 (KJELDAHL METHOD); SM: PART 4500-Norg C	84.7	≤ 35	1.5
FAT, OIL AND GREASE °	mg/L	LIQUID-LIQUID, PARTITION-GRAVIMETRIC METHOD (SM: PART 5520 B)	3	≤ 20	3



PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			บอพักน้ำใส T23AK033-0002		
MICROBIOLOGY					
COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 B)	92,000	-	1.8
FAECAL COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 E)	28,000	-	1.8
SAMPLE CONDITION					
WATER'S COLOUR/TURBID			YELLOW/TURBID		
SEDIMENT			BROWN		

^a : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

^b : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

^c : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

IN-HOUSE : BASED ON STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.

REGULATORY STANDARD : RANGE OR MAXIMUM PERMITTED VALUE FOR BUILDING EFFLUENT STANDARDS CLASS A, NOTIFICATION OF THE MINISTRY OF RESOURCES AND ENVIRONMENT, PUBLISHED IN THE ROYAL GOVERNMENT GAZETTE, VOL 122, PART 125 D, DATED DECEMBER 29, 2005.

500* : PERMITTED EXCESS VALUE TO TOTAL DISSOLVED SOLIDS OF ACTUAL TAP WATER USED.

(MRS PIYAPAT SUTTAMANUTWONG)
LABORATORY SUPERVISOR

JUNE 14, 2023

ANALYSIS REPORT

PROJECT NAME : 548 PLOENCHIT
CUSTOMER NAME : RML 548 COMPANY LIMITED
ADDRESS : 3 RAJANAKARN BUILDING 19 FLOOR, SOUTH SATHORN ROAD YAN NAWA SATHON BANGKOK 10120
CONTACT INFORMATION : TEL : 096 324 9149 e-mail : Waipoj.thongngam@cbre.com
SAMPLING SOURCE : ONE CITY CENTRE
SAMPLE TYPE : EFFLUENT
SAMPLING DATE : MAY 31, 2023
SAMPLING TIME : 10:55 HOUR
SAMPLING METHOD ° : GRAB, GRAB AND STERILE TECHNIQUE
SAMPLING BY ° : MR SOMCHART UTHUMRAT
ANALYZED BY : MISS ARIYA THARAROM

RECEIVED DATE : MAY 31, 2023
ANALYTICAL DATE : MAY 31 - JUNE 9, 2023
REPORT NO. : 2023-U046462
WORK NO. : 2023-004116
ANALYSIS NO. : T23AK033-0003

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			ผลการตรวจคุณภาพน้ำ พร้อมตะกอนแขวนลอย T23AK033-0003		
pH °	-	ELECTROMETRIC METHOD AT SITE (SM: PART 4500-H ⁺ B)	8.2 (33°C)	5-9	-
BIOCHEMICAL OXYGEN DEMAND °	mg/L	AZIDE MODIFICATION METHOD (SM: PART 5210 B AND PART 4500-O C)	5.2	≤ 20	2.0
SUSPENDED SOLIDS ^a	mg/L	SUSPENDED SOLIDS DRIED AT 103-105 °C (SM: PART 2540 D)	24.1	≤ 30	5.0
TOTAL DISSOLVED SOLIDS ^b	mg/L	IN-HOUSE METHOD: UAE.TP.WAO.007 (TOTAL DISSOLVED SOLIDS DRIED AT 103-105 °C); SM: PART 2540 C	674	500*	25
SETTLEABLE SOLIDS °	mL/L	IMHOFF CONE (SM: PART 2540 F)	< 0.1	≤ 0.5	0.1
SULPHIDE ^b	mg/L	IODOMETRIC METHOD (SM: PART 4500-S ²⁻ F)	< 0.50	≤ 1.0	0.50
TOTAL KJELDAHL NITROGEN ^b	mg/L	IN-HOUSE METHOD: UAE.TP.WAS.001 (KJELDAHL METHOD); SM: PART 4500-Norg C	18.6	≤ 35	1.5
FAT, OIL AND GREASE °	mg/L	LIQUID-LIQUID, PARTITION-GRAVIMETRIC METHOD (SM: PART 5520 B)	ND	≤ 20	3



PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			ปอดตรวจคุณภาพน้ำพร้อมตะแกรงดักขยะ T23AK033-0003		
MICROBIOLOGY					
COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 B)	11,000	-	1.8
FAECAL COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 E)	7,000	-	1.8
SAMPLE CONDITION					
WATER'S COLOUR/TURBID SEDIMENT			YELLOW/CLEAR BROWN		

^a : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

^b : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

^c : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

IN-HOUSE : BASED ON STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.

REGULATORY STANDARD : RANGE OR MAXIMUM PERMITTED VALUE FOR BUILDING EFFLUENT STANDARDS CLASS A, NOTIFICATION OF THE
MINISTRY OF RESOURCES AND ENVIRONMENT, PUBLISHED IN THE ROYAL GOVERNMENT GAZETTE, VOL 122,
PART 125 D, DATED DECEMBER 29, 2005.

500* : PERMITTED EXCESS VALUE TO TOTAL DISSOLVED SOLIDS OF ACTUAL TAP WATER USED.

ND : NON-DETECTABLE.

(MRS PIYAPAT SUTTAMANUTWONG)
LABORATORY SUPERVISOR

JUNE 14, 2023

ANALYSIS REPORT

PROJECT NAME : 548 PLOENCHIT
CUSTOMER NAME : RML 548 COMPANY LIMITED
ADDRESS : ONE CITY CENTRE, 548 PLOENCHIT ROAD, LUMPHINI PATHUM WAN BANGKOK 10330
CONTACT INFORMATION : TEL : 096 324 9149 e-mail : Waipoj.thongngam@cbre.com
SAMPLING SOURCE : ONE CITY CENTRE
SAMPLE TYPE : EFFLUENT
SAMPLING DATE : JUNE 27, 2023
SAMPLING TIME : 13:35 HOUR
SAMPLING METHOD ° : GRAB, GRAB AND STERILE TECHNIQUE
SAMPLING BY ° : MR SOMCHART UTHUMRAT
ANALYZED BY : MISS NATACHA WAENNAIMUANG

RECEIVED DATE : JUNE 27, 2023
ANALYTICAL DATE : JUNE 27 - JULY 5, 2023
REPORT NO. : 2023-U055275
WORK NO. : 2023-004116
ANALYSIS NO. : T23AM200-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	DETECTION LIMIT
			ปณแมกการค้กลน T23AM200-0001	
pH °	-	ELECTROMETRIC METHOD AT SITE (SM: PART 4500-H ⁺ B)	8.0 (32°C)	-
BIOCHEMICAL OXYGEN DEMAND °	mg/L	AZIDE MODIFICATION METHOD (SM: PART 5210 B AND PART 4500-O C)	9.9	2.0
SUSPENDED SOLIDS °	mg/L	SUSPENDED SOLIDS DRIED AT 103-105 °C (SM: PART 2540 D)	ND	5.0
TOTAL DISSOLVED SOLIDS °	mg/L	IN-HOUSE METHOD: UAE.TP.WAO.007 (TOTAL DISSOLVED SOLIDS DRIED AT 103-105 °C); SM: PART 2540 C	1,020	25
SETTLEABLE SOLIDS °	mL/L	IMHOFF CONE (SM: PART 2540 F)	< 0.1	0.1
SULPHIDE °	mg/L	IODOMETRIC METHOD (SM: PART 4500-S ²⁻ F)	< 0.50	0.50
TOTAL KJELDAHL NITROGEN °	mg/L	IN-HOUSE METHOD: UAE.TP.WAS.001 (KJELDAHL METHOD); SM: PART 4500-Norg C	49.1	1.5
FAT, OIL AND GREASE °	mg/L	LIQUID-LIQUID, PARTITION-GRAVIMETRIC METHOD (SM: PART 5520 B)	ND	3



PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	DETECTION LIMIT
			ปณณกการกคกอน T23AM200-0001	
MICROBIOLOGY				
COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 B)	790	1.8
FAECAL COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 E)	490	1.8
SAMPLE CONDITION				
WATER'S COLOUR/TURBID SEDIMENT			YELLOW/CLEAR BROWN	

^a : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

^b : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

^c : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

IN-HOUSE : BASED ON STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.

ND : NON-DETECTABLE.

(MRS PIYAPAT SUTTAMANUTWONG)
LABORATORY SUPERVISOR

JULY 7, 2023

ANALYSIS REPORT

PROJECT NAME : 548 PLOENCHIT
CUSTOMER NAME : RML 548 COMPANY LIMITED
ADDRESS : ONE CITY CENTRE, 548 PLOENCHIT ROAD, LUMPHINI PATHUM WAN BANGKOK 10330
CONTACT INFORMATION : TEL : 096 324 9149 e-mail : Waipoj.thongngam@cbre.com
SAMPLING SOURCE : ONE CITY CENTRE
SAMPLE TYPE : EFFLUENT
SAMPLING DATE : JUNE 27, 2023
SAMPLING TIME : 13:10 HOUR
SAMPLING METHOD ° : GRAB, GRAB AND STERILE TECHNIQUE
SAMPLING BY ° : MR SOMCHART UTHUMRAT
ANALYZED BY : MISS NATACHA WAENNAIMUANG

RECEIVED DATE : JUNE 27, 2023
ANALYTICAL DATE : JUNE 27 - JULY 5, 2023
REPORT NO. : 2023-U055276
WORK NO. : 2023-004116
ANALYSIS NO. : T23AM200-0002

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			มอพักน้ำใส T23AM200-0002		
pH °	-	ELECTROMETRIC METHOD AT SITE (SM: PART 4500-H ⁺ B)	7.6 (34°C)	5-9	-
BIOCHEMICAL OXYGEN DEMAND °	mg/L	AZIDE MODIFICATION METHOD (SM: PART 5210 B AND PART 4500-O C)	16.9	≤ 20	2.0
SUSPENDED SOLIDS °	mg/L	SUSPENDED SOLIDS DRIED AT 103-105 °C (SM: PART 2540 D)	19.6	≤ 30	5.0
TOTAL DISSOLVED SOLIDS °	mg/L	IN-HOUSE METHOD: UAE.TP.WAO.007 (TOTAL DISSOLVED SOLIDS DRIED AT 103-105 °C); SM: PART 2540 C	355	500*	25
SETTLABLE SOLIDS °	mL/L	IMHOFF CONE (SM: PART 2540 F)	0.3	≤ 0.5	0.1
SULPHIDE °	mg/L	IODOMETRIC METHOD (SM: PART 4500-S ²⁻ F)	0.92	≤ 1.0	0.50
TOTAL KJELDAHL NITROGEN °	mg/L	IN-HOUSE METHOD: UAE.TP.WAS.001 (KJELDAHL METHOD); SM: PART 4500-Norg C	84.5	≤ 35	1.5
FAT, OIL AND GREASE °	mg/L	LIQUID-LIQUID, PARTITION-GRAVIMETRIC METHOD (SM: PART 5520 B)	ND	≤ 20	3



PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			บ่อพักน้ำใส T23AM200-0002		
MICROBIOLOGY					
COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221B)	24,000	-	1.8
FAECAL COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221E)	24,000	-	1.8
SAMPLE CONDITION					
WATER'S COLOUR/TURBID SEDIMENT			YELLOW/TURBID BROWN		

^a : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

^b : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

^c : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

IN-HOUSE : BASED ON STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.

REGULATORY STANDARD : RANGE OR MAXIMUM PERMITTED VALUE FOR BUILDING EFFLUENT STANDARDS CLASS A, NOTIFICATION OF THE MINISTRY OF RESOURCES AND ENVIRONMENT, PUBLISHED IN THE ROYAL GOVERNMENT GAZETTE, VOL 122, PART 125 D, DATED DECEMBER 29, 2005.

500* : PERMITTED EXCESS VALUE TO TOTAL DISSOLVED SOLIDS OF ACTUAL TAP WATER USED.

ND : NON-DETECTABLE.

[REDACTED]

(MRS PIYAPAT SUTTAMANUTWONG)
LABORATORY SUPERVISOR

JULY 7, 2023

ANALYSIS REPORT

PROJECT NAME : 548 PLOENCHIT
CUSTOMER NAME : RML 548 COMPANY LIMITED
ADDRESS : ONE CITY CENTRE, 548 PLOENCHIT ROAD, LUMPHINI PATHUM WAN BANGKOK 10330
CONTACT INFORMATION : TEL : 096 324 9149 e-mail : Waipoj.thongngam@cbre.com
SAMPLING SOURCE : ONE CITY CENTRE
SAMPLE TYPE : EFFLUENT
SAMPLING DATE : JUNE 27, 2023
SAMPLING TIME : 13:55 HOUR
SAMPLING METHOD ° : GRAB, GRAB AND STERILE TECHNIQUE
SAMPLING BY ° : MR SOMCHART UTHUMRAT
ANALYZED BY : MISS NATACHA WAENNAIMUANG

RECEIVED DATE : JUNE 27, 2023
ANALYTICAL DATE : JUNE 27 - JULY 5, 2023
REPORT NO. : 2023-U055277
WORK NO. : 2023-004116
ANALYSIS NO. : T23AM200-0003

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			ปอดตรวจคุณภาพน้ำ พร้อมตะแกรงดักขยะ T23AM200-0003		
pH °	-	ELECTROMETRIC METHOD AT SITE (SM: PART 4500-H ⁺ B)	8.0 (35°C)	5-9	-
BIOCHEMICAL OXYGEN DEMAND °	mg/L	AZIDE MODIFICATION METHOD (SM: PART 5210 B AND PART 4500-O C)	19.7	≤ 20	2.0
SUSPENDED SOLIDS °	mg/L	SUSPENDED SOLIDS DRIED AT 103-105 °C (SM: PART 2540 D)	22.4	≤ 30	5.0
TOTAL DISSOLVED SOLIDS °	mg/L	IN-HOUSE METHOD: UAE.TP.WAO.007 (TOTAL DISSOLVED SOLIDS DRIED AT 103-105 °C); SM: PART 2540 C	360	500*	25
SETTLEABLE SOLIDS °	mL/L	IMHOFF CONE (SM: PART 2540 F)	< 0.1	≤ 0.5	0.1
SULPHIDE °	mg/L	IODOMETRIC METHOD (SM: PART 4500-S ²⁻ F)	0.59	≤ 1.0	0.50
TOTAL KJELDAHL NITROGEN °	mg/L	IN-HOUSE METHOD: UAE.TP.WAS.001 (KJELDAHL METHOD); SM: PART 4500-Norg C	80.4	≤ 35	1.5
FAT, OIL AND GREASE °	mg/L	LIQUID-LIQUID, PARTITION-GRAVIMETRIC METHOD (SM: PART 5520 B)	ND	≤ 20	3



PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			ปอดตรวจคุณภาพน้ำพร้อมตะกอนแขวนลอย T23AM200-0003		
MICROBIOLOGY					
COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 B)	54,000	-	1.8
FAECAL COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 E)	54,000	-	1.8
SAMPLE CONDITION					
WATER'S COLOUR/TURBID SEDIMENT			YELLOW/TURBID BROWN		

^a : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

^b : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

^c : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

IN-HOUSE : BASED ON STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.

REGULATORY STANDARD : RANGE OR MAXIMUM PERMITTED VALUE FOR BUILDING EFFLUENT STANDARDS CLASS A, NOTIFICATION OF THE
MINISTRY OF RESOURCES AND ENVIRONMENT, PUBLISHED IN THE ROYAL GOVERNMENT GAZETTE, VOL 122,
PART 125 D, DATED DECEMBER 29, 2005.

500* : PERMITTED EXCESS VALUE TO TOTAL DISSOLVED SOLIDS OF ACTUAL TAP WATER USED.

ND : NON-DETECTABLE.

(MRS PIYAPAT SUTTAMANUTWONG)
LABORATORY SUPERVISOR

JULY 12, 2023

ANALYSIS REPORT

PROJECT NAME : 548 PLOENCHIT
CUSTOMER NAME : RML 548 COMPANY LIMITED
ADDRESS : ONE CITY CENTRE, 548 PLOENCHIT ROAD, LUMPHINI PATHUM WAN BANGKOK 10330
CONTACT INFORMATION : TEL : 096 324 9149 e-mail : Waipoj.thongngam@cbre.com
SAMPLING SOURCE : ONE CITY CENTRE
SAMPLE TYPE : WATER SUPPLY
SAMPLING DATE : JUNE 27, 2023
SAMPLING TIME : 14:15 HOUR
SAMPLING METHOD ° : GRAB
SAMPLING BY ° : MR SOMCHART UTHUMRAT
ANALYZED BY : MISS NAPAPORN KHUNNOKKHUM

RECEIVED DATE : JUNE 27, 2023
ANALYTICAL DATE : JUNE 27 - JULY 4, 2023
REPORT NO. : 2023-U054676
WORK NO. : 2023-004116
ANALYSIS NO. : T23AM200-0004


PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	DETECTION LIMIT
			น้ำดื่ม T23AM200-0004	
TOTAL DISSOLVED SOLIDS ^b	mg/L	TOTAL DISSOLVED SOLIDS DRIED AT 180 °C (SM: PART 2540 C)	229	25
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR	

^a : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

^b : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

^c : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.



(MRS PIYAPAT SUTTAMANUTWONG)
LABORATORY SUPERVISOR

JULY 7, 2023

