

ภาคผนวก ค

---

ใบรับรองผลการตรวจวิเคราะห์ผลกระทบบึงแวดล้อม



ภาคผนวก ค-1

---

ผลการตรวจวัดคุณภาพอากาศในบรรยากาศโดยทั่วไป



## Analysis / Test Report

TESTING  
No.0042

**Client :** Rojana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. ItalThai Towe, New Petchburi Road, Bangkok, Huaykwang,  
Bangkok Thailand 10310

**P/O :**

**Project Name :** Laemchabang

**Project Location :**

**Lot ID: 2349337**

Date Received : May 23, 2023

Date Reported : May 29, 2023

Report Number: 2638093-1

Page 1 of 1

<b>Sample Description</b>	Air Quality
<b>Location</b>	สถานีที่ A1 : มัสยิดบุหลมกอรอน
<b>Date Analysis Commenced</b>	May 24, 2023
<b>Condition of Sample</b>	Drawn into one glass filter paper (8x10 inch) placed in plastic bag and one quartz filter paper (8x10 inch) placed in plastic bag

Sample Number	Sampled Date	Total Suspended Particulate (mg/m3)	Particulate Matter (PM-10) (mg/m3)	Barometric Pressure (mm Hg)	Atmospheric Temperature (°C)
2349337-1	May 14 - May 15, 2023	0.056	0.024	755	32
2349337-2	May 15 - May 16, 2023	0.073	0.034	755	31
2349337-3	May 16 - May 17, 2023	0.110	0.046	755	31
2349337-4	May 17 - May 18, 2023	0.089	0.039	755	31
2349337-5	May 18 - May 19, 2023	0.089	0.036	755	32
2349337-6	May 19 - May 20, 2023	0.100	0.045	755	32
2349337-7	May 20 - May 21, 2023	0.099	0.042	755	32
<b>Guideline</b>		0.33	0.12	-	-

### Reference Method

Total Suspended Particulate : US EPA 40 CFR Part 50 Appendix B

Particulate Matter (PM-10) : US EPA 40 CFR Part 50 Appendix J

**Guideline :** Notification of the National Environmental Board. No.24, 2004 (B.E.2547) dated September 22, 2004

**Sampled By :** Siriwit Ruangsom

### Remark :

- The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Approved by

*Thanita K.*

Thanita Kulsuriwong  
Scientist (4)

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556  
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

[www.alsglobal.com](http://www.alsglobal.com)

RIGHT SOLUTIONS RIGHT PARTNER





## Analysis / Test Report

TESTING  
No.0042

**Client :** Rojana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Italthai Towe, New Petchburi Road, Bangkok, Huaykwang,  
Bangkok Thailand 10310

**P/O :**

**Project Name :** Laemchabang

**Project Location :**

**Lot ID: 2349337**

Date Received : May 23, 2023

Date Reported : May 29, 2023

Report Number: 2638093-2

Page 1 of 1

<b>Sample Description</b>	Air Quality				
<b>Location</b>	สถานที่ A2 : วัดอัมพวัน				
<b>Date Analysis Commenced</b>	May 24, 2023				
<b>Condition of Sample</b>	Drawn into one glass filter paper (8x10 inch) placed in plastic bag and one quartz filter paper (8x10 inch) placed in plastic bag				
Sample Number	Sampled Date	Total Suspended Particulate (mg/m <sup>3</sup> )	Particulate Matter (PM-10) (mg/m <sup>3</sup> )	Barometric Pressure (mm Hg)	Atmospheric Temperature (°C)
2349337-8	May 14 - May 15, 2023	0.034	0.016	755	32
2349337-9	May 15 - May 16, 2023	0.049	0.028	755	31
2349337-10	May 16 - May 17, 2023	0.056	0.039	755	31
2349337-11	May 17 - May 18, 2023	0.056	0.036	755	31
2349337-12	May 18 - May 19, 2023	0.057	0.038	755	32
2349337-13	May 19 - May 20, 2023	0.071	0.033	755	32
2349337-14	May 20 - May 21, 2023	0.066	0.041	755	32
<b>Guideline</b>		0.33	0.12	-	-

### Reference Method

Total Suspended Particulate : US EPA 40 CFR Part 50 Appendix B

Particulate Matter (PM-10) : US EPA 40 CFR Part 50 Appendix J

**Guideline :** Notification of the National Environmental Board. No.24, 2004 (B.E.2547) dated September 22, 2004

**Sampled By :** Siriwit Ruangsom

### Remark :

- The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Approved by

*Thanita K.*

Thanita Kulsuriwong  
Scientist (4)

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556  
ALS LABORATORY GROUP (THAILAND) CO., LTD., An ALS Limited Company

Life Sciences

[www.alsglobal.com](http://www.alsglobal.com)

RIGHT SOLUTIONS RIGHT PARTNER





## Analysis / Test Report

TESTING  
No.0042

**Client :** Rojana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. ItalThai Towe, New Petchburi Road, Bangkok, Huaykwang,  
Bangkok Thailand 10310

**P/O :**

**Project Name :** Laemchabang

**Project Location :**

**Lot ID: 2349337**

Date Received : May 23, 2023

Date Reported : May 29, 2023

Report Number: 2638093-3

Page 1 of 1

**Sample Description** Air Quality  
**Location** สถานี A3 : วัดป่าสามัคคีธรรมาวาส  
**Date Analysis Commenced** May 24, 2023  
**Condition of Sample** Drawn into one glass filter paper (8x10 inch) placed in plastic bag and one quartz filter paper (8x10 inch) placed in plastic bag

Sample Number	Sampled Date	Total Suspended Particulate (mg/m <sup>3</sup> )	Particulate Matter (PM-10) (mg/m <sup>3</sup> )	Barometric Pressure (mm Hg)	Atmospheric Temperature (°C)
2349337-15	May 14 - May 15, 2023	0.034	0.018	755	32
2349337-16	May 15 - May 16, 2023	0.045	0.029	755	31
2349337-17	May 16 - May 17, 2023	0.042	0.028	755	31
2349337-18	May 17 - May 18, 2023	0.028	0.021	755	31
2349337-19	May 18 - May 19, 2023	0.046	0.024	755	32
2349337-20	May 19 - May 20, 2023	0.058	0.029	755	32
2349337-21	May 20 - May 21, 2023	0.053	0.026	755	32
<b>Guideline</b>		0.33	0.12	-	-

### Reference Method

Total Suspended Particulate : US EPA 40 CFR Part 50 Appendix B

Particulate Matter (PM-10) : US EPA 40 CFR Part 50 Appendix J

**Guideline :** Notification of the National Environmental Board. No.24, 2004 (B.E.2547) dated September 22, 2004

**Sampled By :** Siriwit Ruangsom

### Remark :

- The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Approved by

*Thanita K.*

Thanita Kulsuriwong

Scientist (4)

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556  
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



## Analysis / Test Report

TESTING  
No.0042

**Client :** Rojana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Italthai Towe, New Petchburi Road, Bangkok, Huaykwang,  
Bangkok Thailand 10310

**P/O :**

**Project Name :** Laemchabang

**Project Location :**

**Lot ID: 2349337**

Date Received : May 23, 2023

Date Reported : May 29, 2023

Report Number: 2638093-4

Page 1 of 1

<b>Sample Description</b>	Air Quality				
<b>Location</b>	สถานีที่ A4 : วัดเทพวนาราม				
<b>Date Analysis Commenced</b>	May 24, 2023				
<b>Condition of Sample</b>	Drawn into one glass filter paper (8x10 inch) placed in plastic bag and one quartz filter paper (8x10 inch) placed in plastic bag				
Sample Number	Sampled Date	Total Suspended Particulate (mg/m3)	Particulate Matter (PM-10) (mg/m3)	Barometric Pressure (mm Hg)	Atmospheric Temperature (°C)
2349337-22	May 14 - May 15, 2023	0.047	0.019	755	32
2349337-23	May 15 - May 16, 2023	0.055	0.027	755	31
2349337-24	May 16 - May 17, 2023	0.056	0.026	755	31
2349337-25	May 17 - May 18, 2023	0.046	0.024	755	31
2349337-26	May 18 - May 19, 2023	0.069	0.027	755	32
2349337-27	May 19 - May 20, 2023	0.073	0.031	755	32
2349337-28	May 20 - May 21, 2023	0.056	0.025	755	32
<b>Guideline</b>		0.33	0.12	-	-

### Reference Method

Total Suspended Particulate : US EPA 40 CFR Part 50 Appendix B

Particulate Matter (PM-10) : US EPA 40 CFR Part 50 Appendix J

**Guideline :** Notification of the National Environmental Board. No.24, 2004 (B.E.2547) dated September 22, 2004

**Sampled By :** Siriwit Ruangsom

### Remark :

- The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Approved by

*Thanita K.*

Thanita Kulsuriwong  
Scientist (4)

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand PHONE +66 0 3304 8555 FAX +66 0 3304 8556  
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

[www.alsglobal.com](http://www.alsglobal.com)

RIGHT SOLUTIONS RIGHT PARTNER





## Analysis / Test Report

TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Towe, New Petchburi Road, Bangkok, Huaykwang,  
Bangkok Thailand 10310

P/O :

Project Name : Laemchabang

Project Location :

Lot ID: 2349337

Date Received : May 23, 2023

Date Reported : May 29, 2023

Report Number: 2638093-5

Page 1 of 1

Sample Description	Air Quality
Location	สถานที่ A5 : ฟาร์มไก่พิจิตร (ม.2 ต.ตะเคียนเตี้ย)
Date Analysis Commenced	May 24, 2023
Condition of Sample	Drawn into one glass filter paper (8x10 inch) placed in plastic bag and one quartz filter paper (8x10 inch) placed in plastic bag

Sample Number	Sampled Date	Total Suspended Particulate (mg/m3)	Particulate Matter (PM-10) (mg/m3)	Barometric Pressure (mm Hg)	Atmospheric Temperature (°C)
2349337-29	May 14 - May 15, 2023	0.022	0.019	755	32
2349337-30	May 15 - May 16, 2023	0.035	0.032	755	31
2349337-31	May 16 - May 17, 2023	0.063	0.024	755	31
2349337-32	May 17 - May 18, 2023	0.063	0.026	755	31
2349337-33	May 18 - May 19, 2023	0.061	0.027	755	32
2349337-34	May 19 - May 20, 2023	0.071	0.031	755	32
2349337-35	May 20 - May 21, 2023	0.121	0.041	755	32
Guideline		0.33	0.12	-	-

### Reference Method

Total Suspended Particulate : US EPA 40 CFR Part 50 Appendix B

Particulate Matter (PM-10) : US EPA 40 CFR Part 50 Appendix J

Guideline : Notification of the National Environmental Board. No.24, 2004 (B.E.2547) dated September 22, 2004

Sampled By : Siriwit Ruangsom

### Remark :

- The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Approved by

*Thanita K.*

Thanita Kulsuriwong  
Scientist (4)

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.



## Analysis / Test Report

**Client :** Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Towe, New Petchburi Road, Bangkok, Huaykwang, Bangkok  
Thailand 10310

**P/O :**

**Project Name :** Laemchabang

**Project Location :**

**Lot ID: 2349335**

Date Received : May 23, 2023

Date Reported : May 29, 2023

Report Number: 2638091-1

Page 1 of 1

**Sample Description** Air Quality  
**Location** สถานี A1 : มัสยิดบุรุษมุกดอรอนัน  
**Parameter** Sulfur Dioxide (ppm)  
**Measurement Date** May 14, 2023 - May 21, 2023  
**Measurement by** Siriwit Ruangsom

	2349335-1	2349335-2	2349335-3	2349335-4	2349335-5	2349335-6	2349335-7
Time	May 14, 2023	May 15, 2023	May 16, 2023	May 17, 2023	May 18, 2023	May 19, 2023	May 20, 2023
11:00 AM - 12:00 PM	0.005	0.005	0.005	0.005	0.005	0.004	0.004
12:00 PM - 01:00 PM	0.005	0.005	0.005	0.005	0.005	0.004	0.004
01:00 PM - 02:00 PM	0.005	0.005	0.005	0.005	0.005	0.004	0.004
02:00 PM - 03:00 PM	0.005	0.005	0.005	0.005	0.005	0.004	0.004
03:00 PM - 04:00 PM	0.005	0.005	0.005	0.005	0.005	0.004	0.004
04:00 PM - 05:00 PM	0.005	0.005	0.005	0.005	0.005	0.005	0.004
05:00 PM - 06:00 PM	0.005	0.005	0.005	0.005	0.005	0.005	0.004
06:00 PM - 07:00 PM	0.005	0.005	0.005	0.005	0.005	0.005	0.004
07:00 PM - 08:00 PM	0.005	0.004	0.005	0.005	0.005	0.005	0.004
08:00 PM - 09:00 PM	0.005	0.004	0.005	0.005	0.005	0.005	0.004
09:00 PM - 10:00 PM	0.005	0.004	0.005	0.005	0.005	0.005	0.004
10:00 PM - 11:00 PM	0.005	0.004	0.005	0.005	0.004	0.005	0.004
11:00 PM - 12:00 AM	0.005	0.004	0.005	0.005	0.004	0.005	0.004
12:00 AM - 01:00 AM	0.005	0.004	0.005	0.005	0.004	0.005	0.004
01:00 AM - 02:00 AM	0.005	0.004	0.005	0.004	0.004	0.005	0.004
02:00 AM - 03:00 AM	0.005	0.004	0.005	0.004	0.004	0.005	0.004
03:00 AM - 04:00 AM	0.005	0.004	0.005	0.004	0.004	0.005	0.004
04:00 AM - 05:00 AM	0.005	0.004	0.005	0.004	0.004	0.005	0.004
05:00 AM - 06:00 AM	0.005	0.004	0.005	0.004	0.004	0.004	0.004
06:00 AM - 07:00 AM	0.005	0.004	0.005	0.005	0.004	0.004	0.004
07:00 AM - 08:00 AM	0.005	0.004	0.005	0.004	0.004	0.005	0.004
08:00 AM - 09:00 AM	0.005	0.004	0.005	0.005	0.004	0.005	0.004
09:00 AM - 10:00 AM	0.005	0.005	0.005	0.005	0.004	0.004	0.004
10:00 AM - 11:00 AM	0.005	0.005	0.005	0.005	0.004	0.004	0.004
Average	0.005	0.005	0.005	0.005	0.005	0.005	0.004
1hr - Maximum	0.005	0.005	0.005	0.005	0.005	0.005	0.004
Standard 1hr - Average	0.3	0.3	0.3	0.3	0.3	0.3	0.3
Standard 24 hrs - Average	0.12	0.12	0.12	0.12	0.12	0.12	0.12

Standard : Notification of the National Environment Board No.10, 1995 (B.E.2538), No. 21, 2001 (B.E.2544) and No.24, 2004 (B.E.2547).

Reference Method : US EPA Method Part 53 and 58

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory: ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

*Orawan R.*

Orawan Rakyong  
Scientist (3)

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197  
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

15089-21/ EMAIL

S:\Reports\Air SOxNOx.rpt ( 4.24PM)





## Analysis / Test Report

**Client :** Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italhai Towe, New Petchburi Road, Bangkok, Huaykwang, Bangkok  
Thailand 10310

**P/O :**

**Project Name :** Laemchabang

**Project Location :**

**Lot ID: 2349335**

Date Received : May 23, 2023

Date Reported : May 29, 2023

Report Number: 2666463-1

Page 1 of 1

<b>Sample Description</b>	Air Quality						
<b>Location</b>	สถานี A2 : วัดฉันทะ						
<b>Parameter</b>	Sulfur Dioxide (ppm)						
<b>Measurement Date</b>	May 14, 2023 - May 21, 2023						
<b>Measurement by</b>	Siriwit Ruangsom						
	2349335-8	2349335-9	2349335-10	2349335-11	2349335-12	2349335-13	2349335-14
Time	May 14, 2023	May 15, 2023	May 16, 2023	May 17, 2023	May 18, 2023	May 19, 2023	May 20, 2023
11:00 AM - 12:00 PM	0.002	0.002	0.002	0.002	0.002	0.002	0.002
12:00 PM - 01:00 PM	0.002	0.002	0.001	0.002	0.002	0.002	0.002
01:00 PM - 02:00 PM	0.002	0.002	0.001	0.002	0.002	0.002	0.002
02:00 PM - 03:00 PM	0.002	0.002	0.002	0.002	0.001	0.002	0.002
03:00 PM - 04:00 PM	0.002	0.001	0.002	0.002	0.001	0.002	0.002
04:00 PM - 05:00 PM	0.002	0.002	0.002	0.002	0.002	0.002	0.002
05:00 PM - 06:00 PM	0.002	0.002	0.002	0.002	0.002	0.002	0.002
06:00 PM - 07:00 PM	0.002	0.001	0.002	0.002	0.001	0.002	0.002
07:00 PM - 08:00 PM	0.002	0.002	0.002	0.002	0.001	0.002	0.002
08:00 PM - 09:00 PM	0.002	0.002	0.002	0.002	0.002	0.002	0.002
09:00 PM - 10:00 PM	0.002	0.002	0.002	0.002	0.001	0.002	0.002
10:00 PM - 11:00 PM	0.002	0.002	0.002	0.002	0.001	0.002	0.002
11:00 PM - 12:00 AM	0.003	0.002	0.002	0.002	0.002	0.002	0.002
12:00 AM - 01:00 AM	0.002	0.002	0.002	0.002	0.001	0.002	0.002
01:00 AM - 02:00 AM	0.002	0.002	0.002	0.002	0.002	0.002	0.002
02:00 AM - 03:00 AM	0.002	0.002	0.002	0.002	0.001	0.002	0.002
03:00 AM - 04:00 AM	0.003	0.002	0.002	0.002	0.001	0.002	0.002
04:00 AM - 05:00 AM	0.002	0.002	0.002	0.002	0.002	0.002	0.002
05:00 AM - 06:00 AM	0.002	0.002	0.002	0.002	0.001	0.002	0.002
06:00 AM - 07:00 AM	0.002	0.002	0.002	0.002	0.002	0.002	0.002
07:00 AM - 08:00 AM	0.002	0.002	0.002	0.002	0.002	0.002	0.002
08:00 AM - 09:00 AM	0.002	0.002	0.002	0.002	0.002	0.002	0.002
09:00 AM - 10:00 AM	0.002	0.002	0.002	0.002	0.002	0.002	0.002
10:00 AM - 11:00 AM	0.002	0.002	0.002	0.002	0.002	0.002	0.002
Average	0.002	0.002	0.002	0.002	0.002	0.002	0.002
1hr - Maximum	0.003	0.002	0.002	0.002	0.002	0.002	0.002
Standard 1hr - Average	0.3	0.3	0.3	0.3	0.3	0.3	0.3
Standard 24 hrs - Average	0.12	0.12	0.12	0.12	0.12	0.12	0.12

**Standard :** Notification of the National Environment Board No.10, 1995 (B.E.2538), No. 21, 2001 (B.E.2544) and No.24, 2004 (B.E.2547).

**Reference Method :** US EPA Method Part 53 and 58

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

*Orawan R.*

Orawan Rakyong

Scientist (3)

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197  
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company.



## Analysis / Test Report

**Client :** Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Towe, New Petchburi Road, Bangkok, Huaykwang, Bangkok  
Thailand 10310

**P/O :**

**Project Name :** Laemchabang

**Project Location :**

**Lot ID: 2349335**

Date Received : May 23, 2023

Date Reported : May 29, 2023

Report Number: 2666465-1

Page 1 of 1

<b>Sample Description</b>	Air Quality						
<b>Location</b>	สถานี A3 : วัดป่าสามัคคีธรรมาวาส						
<b>Parameter</b>	Sulfur Dioxide (ppm)						
<b>Measurement Date</b>	May 14, 2023 - May 21, 2023						
<b>Measurement by</b>	Siriwit Ruangsom						
	2349335-15	2349335-16	2349335-17	2349335-18	2349335-19	2349335-20	2349335-21
Time	May 14, 2023	May 15, 2023	May 16, 2023	May 17, 2023	May 18, 2023	May 19, 2023	May 20, 2023
11:00 AM - 12:00 PM	0.003	0.003	0.003	0.003	0.003	0.003	0.004
12:00 PM - 01:00 PM	0.003	0.003	0.003	0.004	0.003	0.003	0.004
01:00 PM - 02:00 PM	0.003	0.003	0.003	0.003	0.003	0.003	0.004
02:00 PM - 03:00 PM	0.003	0.003	0.003	0.003	0.003	0.004	0.004
03:00 PM - 04:00 PM	0.003	0.002	0.003	0.003	0.003	0.003	0.004
04:00 PM - 05:00 PM	0.003	0.003	0.003	0.003	0.003	0.003	0.004
05:00 PM - 06:00 PM	0.003	0.003	0.003	0.003	0.003	0.004	0.003
06:00 PM - 07:00 PM	0.003	0.002	0.003	0.004	0.003	0.003	0.003
07:00 PM - 08:00 PM	0.003	0.003	0.003	0.003	0.003	0.003	0.004
08:00 PM - 09:00 PM	0.003	0.003	0.003	0.003	0.003	0.003	0.003
09:00 PM - 10:00 PM	0.003	0.003	0.003	0.003	0.003	0.003	0.003
10:00 PM - 11:00 PM	0.003	0.003	0.003	0.003	0.003	0.003	0.003
11:00 PM - 12:00 AM	0.003	0.003	0.003	0.003	0.003	0.003	0.003
12:00 AM - 01:00 AM	0.003	0.003	0.003	0.003	0.003	0.003	0.004
01:00 AM - 02:00 AM	0.004	0.003	0.004	0.004	0.004	0.003	0.003
02:00 AM - 03:00 AM	0.004	0.003	0.003	0.004	0.003	0.003	0.004
03:00 AM - 04:00 AM	0.004	0.003	0.003	0.004	0.003	0.003	0.004
04:00 AM - 05:00 AM	0.004	0.003	0.004	0.004	0.004	0.003	0.004
05:00 AM - 06:00 AM	0.004	0.003	0.003	0.004	0.003	0.003	0.003
06:00 AM - 07:00 AM	0.004	0.003	0.003	0.004	0.003	0.003	0.003
07:00 AM - 08:00 AM	0.003	0.003	0.003	0.004	0.004	0.004	0.003
08:00 AM - 09:00 AM	0.003	0.003	0.003	0.004	0.003	0.004	0.003
09:00 AM - 10:00 AM	0.003	0.003	0.003	0.003	0.003	0.004	0.003
10:00 AM - 11:00 AM	0.003	0.003	0.003	0.003	0.003	0.004	0.003
Average	0.003	0.003	0.003	0.003	0.003	0.003	0.003
1hr - Maximum	0.004	0.003	0.004	0.004	0.004	0.004	0.004
Standard 1hr - Average	0.3	0.3	0.3	0.3	0.3	0.3	0.3
Standard 24 hrs - Average	0.12	0.12	0.12	0.12	0.12	0.12	0.12

Standard : Notification of the National Environment Board No.10, 1995 (B.E.2538), No. 21, 2001 (B.E.2544) and No.24, 2004 (B.E.2547).

Reference Method : US EPA Method Part 53 and 58

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

*Orawan R.*

Orawan Rakyong  
Scientist (3)

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197  
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER





## Analysis / Test Report

**Client :** Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok  
Thailand 10310

**P/O :**

**Project Name :** Laemchabang

**Project Location :**

**Lot ID: 2349335**

Date Received : May 23, 2023

Date Reported : May 29, 2023

Report Number: 2666466-1

Page 1 of 1

**Sample Description** Air Quality  
**Location** สถานี A4 : วัดเทพวนาราม  
**Parameter** Sulfur Dioxide (ppm)  
**Measurement Date** May 14, 2023 - May 21, 2023  
**Measurement by** Siriwit Ruangsom

	2349335-22	2349335-23	2349335-24	2349335-25	2349335-26	2349335-27	2349335-28
Time	May 14, 2023	May 15, 2023	May 16, 2023	May 17, 2023	May 18, 2023	May 19, 2023	May 20, 2023
11:00 AM - 12:00 PM	0.003	0.002	0.002	0.002	0.002	0.002	0.002
12:00 PM - 01:00 PM	0.003	0.003	0.002	0.002	0.002	0.002	0.002
01:00 PM - 02:00 PM	0.003	0.002	0.002	0.002	0.002	0.002	0.002
02:00 PM - 03:00 PM	0.002	0.003	0.002	0.002	0.002	0.002	0.002
03:00 PM - 04:00 PM	0.003	0.002	0.002	0.002	0.002	0.002	0.002
04:00 PM - 05:00 PM	0.003	0.002	0.002	0.002	0.002	0.002	0.002
05:00 PM - 06:00 PM	0.002	0.002	0.002	0.002	0.002	0.002	0.002
06:00 PM - 07:00 PM	0.002	0.002	0.002	0.002	0.002	0.002	0.002
07:00 PM - 08:00 PM	0.002	0.002	0.002	0.002	0.002	0.002	0.002
08:00 PM - 09:00 PM	0.003	0.002	0.002	0.002	0.002	0.002	0.002
09:00 PM - 10:00 PM	0.003	0.002	0.002	0.002	0.002	0.002	0.002
10:00 PM - 11:00 PM	0.003	0.002	0.002	0.002	0.002	0.002	0.002
11:00 PM - 12:00 AM	0.003	0.002	0.002	0.002	0.002	0.002	0.002
12:00 AM - 01:00 AM	0.003	0.002	0.002	0.002	0.002	0.002	0.002
01:00 AM - 02:00 AM	0.002	0.002	0.002	0.002	0.002	0.002	0.002
02:00 AM - 03:00 AM	0.002	0.002	0.002	0.002	0.002	0.002	0.002
03:00 AM - 04:00 AM	0.002	0.002	0.002	0.002	0.002	0.002	0.002
04:00 AM - 05:00 AM	0.002	0.002	0.002	0.002	0.002	0.002	0.002
05:00 AM - 06:00 AM	0.002	0.002	0.002	0.002	0.002	0.002	0.002
06:00 AM - 07:00 AM	0.002	0.002	0.002	0.002	0.002	0.002	0.002
07:00 AM - 08:00 AM	0.002	0.002	0.002	0.002	0.002	0.002	0.002
08:00 AM - 09:00 AM	0.002	0.002	0.002	0.002	0.002	0.002	0.002
09:00 AM - 10:00 AM	0.002	0.002	0.002	0.002	0.002	0.002	0.002
10:00 AM - 11:00 AM	0.002	0.002	0.002	0.002	0.002	0.002	0.002
Average	0.002	0.002	0.002	0.002	0.002	0.002	0.002
1hr - Maximum	0.003	0.003	0.002	0.002	0.002	0.002	0.002
Standard 1hr - Average	0.3	0.3	0.3	0.3	0.3	0.3	0.3
Standard 24 hrs - Average	0.12	0.12	0.12	0.12	0.12	0.12	0.12

**Standard :** Notification of the National Environment Board No.10, 1995 (B.E.2538), No. 21, 2001 (B.E.2544) and No.24, 2004 (B.E.2547).

**Reference Method :** US EPA Method Part 53 and 58

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

*Orawan R.*

Orawan Rakyong

Scientist (3)

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197  
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

LIFE SCIENCES

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

15089-21/ EMAIL

S:\Reports\_Air SOxNOx.rpt ( 4:24PM)



## Analysis / Test Report

**Client :** Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italhai Towe, New Petchburi Road, Bangkok, Huaykwang, Bangkok  
Thailand 10310

**P/O :**

**Project Name :** Laemchabang

**Project Location :**

**Lot ID: 2349335**

Date Received : May 23, 2023

Date Reported : May 29, 2023

Report Number: 2666468-1

Page 1 of 1

**Sample Description** Air Quality  
**Location** สถานีที่ A5 : ฟาร์มไก่พิจิตร (ม.2 ต.ตะเคียนเตี้ย)  
**Parameter** Sulfur Dioxide (ppm)  
**Measurement Date** May 14, 2023 - May 21, 2023  
**Measurement by** Siriwit Ruangsom

	2349335-29	2349335-30	2349335-31	2349335-32	2349335-33	2349335-34	2349335-35
Time	May 14, 2023	May 15, 2023	May 16, 2023	May 17, 2023	May 18, 2023	May 19, 2023	May 20, 2023
11:00 AM - 12:00 PM	0.003	0.003	0.002	0.003	0.003	0.002	0.003
12:00 PM - 01:00 PM	0.003	0.003	0.002	0.003	0.003	0.002	0.003
01:00 PM - 02:00 PM	0.003	0.002	0.002	0.003	0.003	0.002	0.003
02:00 PM - 03:00 PM	0.003	0.002	0.003	0.003	0.002	0.003	0.003
03:00 PM - 04:00 PM	0.003	0.002	0.003	0.003	0.002	0.002	0.003
04:00 PM - 05:00 PM	0.003	0.002	0.003	0.003	0.003	0.002	0.003
05:00 PM - 06:00 PM	0.003	0.002	0.003	0.003	0.002	0.003	0.002
06:00 PM - 07:00 PM	0.003	0.002	0.003	0.003	0.002	0.002	0.003
07:00 PM - 08:00 PM	0.003	0.002	0.003	0.003	0.002	0.002	0.003
08:00 PM - 09:00 PM	0.003	0.002	0.003	0.003	0.003	0.003	0.003
09:00 PM - 10:00 PM	0.003	0.002	0.003	0.003	0.002	0.002	0.002
10:00 PM - 11:00 PM	0.003	0.002	0.003	0.003	0.002	0.002	0.002
11:00 PM - 12:00 AM	0.003	0.002	0.003	0.003	0.002	0.002	0.002
12:00 AM - 01:00 AM	0.003	0.002	0.003	0.003	0.002	0.003	0.002
01:00 AM - 02:00 AM	0.003	0.002	0.003	0.003	0.003	0.002	0.002
02:00 AM - 03:00 AM	0.003	0.002	0.003	0.003	0.002	0.002	0.002
03:00 AM - 04:00 AM	0.003	0.002	0.003	0.003	0.002	0.002	0.002
04:00 AM - 05:00 AM	0.003	0.002	0.003	0.003	0.003	0.002	0.002
05:00 AM - 06:00 AM	0.003	0.002	0.003	0.003	0.002	0.002	0.002
06:00 AM - 07:00 AM	0.003	0.002	0.003	0.003	0.002	0.002	0.002
07:00 AM - 08:00 AM	0.003	0.002	0.003	0.003	0.003	0.003	0.003
08:00 AM - 09:00 AM	0.003	0.002	0.003	0.003	0.002	0.003	0.002
09:00 AM - 10:00 AM	0.003	0.002	0.003	0.003	0.002	0.003	0.002
10:00 AM - 11:00 AM	0.003	0.002	0.003	0.003	0.002	0.003	0.002
Average	0.003	0.002	0.003	0.003	0.002	0.002	0.002
1hr - Maximum	0.003	0.003	0.003	0.003	0.003	0.003	0.003
Standard 1hr - Average	0.3	0.3	0.3	0.3	0.3	0.3	0.3
Standard 24 hrs - Average	0.12	0.12	0.12	0.12	0.12	0.12	0.12

Standard : Notification of the National Environment Board No.10, 1995 (B.E.2538), No. 21, 2001 (B.E.2544) and No.24, 2004 (B.E.2547).

Reference Method : US EPA Method Part 53 and 58

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

*Orawan R.*

Orawan Rakyong  
Scientist (3)

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197  
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

15069/21/ EMAIL

S:\Reports\Air SOxNOx.rpt ( 4:24PM)





## Analysis / Test Report

**Client :** Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Towe, New Petchburi Road, Bangkok, Huaykwang, Bangkok  
Thailand 10310

**P/O :**

**Project Name :** Laemchabang

**Project Location :**

**Lot ID: 2349334**

Date Received : May 23, 2023

Date Reported : May 29, 2023

Report Number: 2638090-1

Page 1 of 1

<b>Sample Description</b>	Air Quality						
<b>Location</b>	สถานี A1 : มัสยิดบุรุษมุกดาภิรมย์						
<b>Parameter</b>	Nitrogen dioxide (ppm)						
<b>Measurement Date</b>	May 14, 2023 - May 21, 2023						
<b>Measurement by</b>	Siriwit Ruangsom						
	2349334-1	2349334-2	2349334-3	2349334-4	2349334-5	2349334-6	2349334-7
Time	May 14, 2023	May 15, 2023	May 16, 2023	May 17, 2023	May 18, 2023	May 19, 2023	May 20, 2023
11:00 AM - 12:00 PM	<0.001	0.009	0.001	0.004	<0.001	0.007	0.003
12:00 PM - 01:00 PM	<0.001	0.010	0.002	0.001	0.001	<0.001	<0.001
01:00 PM - 02:00 PM	<0.001	0.024	0.002	<0.001	<0.001	0.004	0.002
02:00 PM - 03:00 PM	<0.001	0.028	0.002	0.002	<0.001	<0.001	0.001
03:00 PM - 04:00 PM	<0.001	0.020	0.002	0.008	<0.001	0.004	0.002
04:00 PM - 05:00 PM	<0.001	0.012	0.005	0.008	0.001	0.009	0.002
05:00 PM - 06:00 PM	<0.001	0.002	0.015	<0.001	0.005	<0.001	0.001
06:00 PM - 07:00 PM	0.003	0.001	0.002	<0.001	<0.001	0.001	0.002
07:00 PM - 08:00 PM	0.005	0.002	0.002	0.009	0.003	0.004	0.002
08:00 PM - 09:00 PM	0.009	0.003	0.002	0.002	0.002	0.004	0.001
09:00 PM - 10:00 PM	0.009	0.009	0.007	0.003	0.002	<0.001	0.001
10:00 PM - 11:00 PM	0.005	0.003	0.001	0.012	0.002	0.010	0.001
11:00 PM - 12:00 AM	0.002	0.002	0.009	0.004	0.002	<0.001	0.001
12:00 AM - 01:00 AM	<0.001	0.001	0.005	0.002	<0.001	0.008	0.001
01:00 AM - 02:00 AM	<0.001	0.002	0.010	0.003	0.002	<0.001	0.001
02:00 AM - 03:00 AM	<0.001	0.001	0.014	0.007	<0.001	0.009	0.002
03:00 AM - 04:00 AM	<0.001	0.001	0.005	<0.001	0.004	0.008	0.002
04:00 AM - 05:00 AM	<0.001	0.002	0.006	0.001	0.001	0.009	0.002
05:00 AM - 06:00 AM	<0.001	0.002	0.007	0.002	0.002	<0.001	0.011
06:00 AM - 07:00 AM	<0.001	0.002	0.008	0.002	0.001	0.004	0.008
07:00 AM - 08:00 AM	0.015	0.002	0.005	0.003	<0.001	0.003	0.007
08:00 AM - 09:00 AM	0.027	0.002	0.002	0.001	0.002	0.009	0.005
09:00 AM - 10:00 AM	0.015	0.002	0.008	0.005	0.002	0.005	0.004
10:00 AM - 11:00 AM	0.022	0.002	0.001	0.001	0.002	0.005	0.008
Average	0.005	0.006	0.005	0.004	0.002	0.004	0.003
1hr - Maximum	0.027	0.028	0.015	0.012	0.005	0.010	0.011
Standard 1hr - Average	0.170	0.170	0.170	0.170	0.170	0.170	0.170

**Standard :** Notification of the National Environment Board No. 33, 2009 (B.E. 2552).

**Reference Method :** US EPAMethod Part 50 App. F (Chemiluminescence)

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

*Orawan R.*

Orawan Rakyong

Scientist (3)

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197  
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



## Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Towe, New Petchburi Road, Bangkok, Huaykwang, Bangkok  
Thailand 10310

P/O :

Project Name : Laemchabang

Project Location :

Lot ID: 2349334

Date Received : May 23, 2023

Date Reported : May 29, 2023

Report Number: 2666458-1

Page 1 of 1

Sample Description Air Quality  
Location สถานี A2 : วัดอัมพวัน  
Parameter Nitrogen dioxide (ppm)  
Measurement Date May 14, 2023 - May 21, 2023  
Measurement by Siriwit Ruangsom

	2349334-8	2349334-9	2349334-10	2349334-11	2349334-12	2349334-13	2349334-14
Time	May 14, 2023	May 15, 2023	May 16, 2023	May 17, 2023	May 18, 2023	May 19, 2023	May 20, 2023
11:00 AM - 12:00 PM	0.001	0.008	0.003	0.004	0.002	0.002	0.002
12:00 PM - 01:00 PM	0.001	0.009	0.005	0.003	0.004	0.003	0.002
01:00 PM - 02:00 PM	0.003	0.010	0.005	0.004	0.003	0.005	0.007
02:00 PM - 03:00 PM	0.007	0.011	0.008	0.005	0.005	0.007	0.005
03:00 PM - 04:00 PM	0.012	0.012	0.008	0.006	0.007	0.011	0.009
04:00 PM - 05:00 PM	0.019	0.020	0.019	0.012	0.009	0.017	0.013
05:00 PM - 06:00 PM	0.020	0.026	0.026	0.017	0.013	0.024	0.002
06:00 PM - 07:00 PM	0.019	0.017	0.030	0.018	0.020	0.020	0.002
07:00 PM - 08:00 PM	0.019	0.020	0.025	0.019	0.016	0.022	0.002
08:00 PM - 09:00 PM	0.018	0.018	0.022	0.018	0.012	0.024	0.009
09:00 PM - 10:00 PM	0.015	0.016	0.012	0.017	0.007	0.016	0.011
10:00 PM - 11:00 PM	0.014	0.008	0.007	0.014	0.008	0.014	0.003
11:00 PM - 12:00 AM	0.015	0.007	0.007	0.014	0.003	0.007	0.002
12:00 AM - 01:00 AM	0.015	0.006	0.008	0.013	0.002	0.006	0.004
01:00 AM - 02:00 AM	0.018	0.006	0.005	0.011	0.002	0.006	0.003
02:00 AM - 03:00 AM	0.016	0.007	0.004	0.010	0.002	0.006	0.003
03:00 AM - 04:00 AM	0.016	0.008	0.005	0.008	0.006	0.010	0.002
04:00 AM - 05:00 AM	0.014	0.012	0.005	0.011	0.009	0.012	0.003
05:00 AM - 06:00 AM	0.012	0.015	0.011	0.011	0.013	0.019	0.002
06:00 AM - 07:00 AM	0.017	0.011	0.014	0.011	0.008	0.018	0.010
07:00 AM - 08:00 AM	0.014	0.008	0.012	0.010	0.005	0.010	0.006
08:00 AM - 09:00 AM	0.012	0.007	0.006	0.006	0.004	0.006	0.004
09:00 AM - 10:00 AM	0.010	0.005	0.004	0.002	0.005	0.006	0.008
10:00 AM - 11:00 AM	0.008	0.004	0.004	0.002	0.003	0.002	0.002
Average	0.013	0.011	0.011	0.010	0.007	0.011	0.005
1hr - Maximum	0.020	0.026	0.030	0.019	0.020	0.024	0.013
Standard 1hr - Average	0.170	0.170	0.170	0.170	0.170	0.170	0.170

Standard : Notification of the National Environment Board No. 33, 2009 (B.E. 2552).

Reference Method : US EPA Method Part 50 App. F (Chemiluminescence)

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

*Orawan R.*

Orawan Rakyong  
Scientist (3)

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand PHONE +66 0 2760 3000 FAX +66 0 2760 3197  
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

15069-21/ EMAIL

S:\Reports\_Air SOxNOx.rpt ( 4.04PM)





## Analysis / Test Report

**Client :** Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok  
Thailand 10310

**P/O :**

**Project Name :** Laemchabang

**Project Location :**

**Lot ID: 2349334**

Date Received : May 23, 2023

Date Reported : May 29, 2023

Report Number: 2666459-1

Page 1 of 1

<b>Sample Description</b>	Air Quality						
<b>Location</b>	สถานี A3 : วัดป่าสามัคคีธรรมาวาส						
<b>Parameter</b>	Nitrogen dioxide (ppm)						
<b>Measurement Date</b>	May 14, 2023 - May 21, 2023						
<b>Measurement by</b>	Siriwit Ruangsom						
	2349334-15 May 14, 2023	2349334-16 May 15, 2023	2349334-17 May 16, 2023	2349334-18 May 17, 2023	2349334-19 May 18, 2023	2349334-20 May 19, 2023	2349334-21 May 20, 2023
Time							
11:00 AM - 12:00 PM	0.003	0.005	0.005	0.004	0.004	0.004	0.004
12:00 PM - 01:00 PM	0.004	0.004	0.005	0.003	0.003	0.004	0.005
01:00 PM - 02:00 PM	0.004	0.003	0.004	0.003	0.003	0.004	0.005
02:00 PM - 03:00 PM	0.003	0.003	0.004	0.002	0.002	0.004	0.014
03:00 PM - 04:00 PM	0.002	0.003	0.004	0.003	0.002	0.003	0.017
04:00 PM - 05:00 PM	0.003	0.003	0.004	0.003	0.003	0.003	0.006
05:00 PM - 06:00 PM	0.004	0.004	0.004	0.003	0.004	0.004	0.005
06:00 PM - 07:00 PM	0.007	0.005	0.005	0.004	0.008	0.004	0.014
07:00 PM - 08:00 PM	0.005	0.011	0.007	0.006	0.008	0.009	0.011
08:00 PM - 09:00 PM	0.008	0.009	0.010	0.010	0.009	0.011	0.016
09:00 PM - 10:00 PM	0.012	0.010	0.010	0.007	0.006	0.011	0.010
10:00 PM - 11:00 PM	0.012	0.008	0.010	0.007	0.007	0.012	0.011
11:00 PM - 12:00 AM	0.005	0.007	0.007	0.005	0.008	0.009	0.007
12:00 AM - 01:00 AM	0.004	0.006	0.009	0.006	0.007	0.006	0.007
01:00 AM - 02:00 AM	0.013	0.006	0.007	0.008	0.005	0.004	0.006
02:00 AM - 03:00 AM	0.013	0.006	0.006	0.006	0.004	0.005	0.005
03:00 AM - 04:00 AM	0.007	0.005	0.007	0.005	0.005	0.005	0.006
04:00 AM - 05:00 AM	0.011	0.005	0.007	0.006	0.004	0.004	0.006
05:00 AM - 06:00 AM	0.009	0.004	0.005	0.004	0.005	0.003	0.005
06:00 AM - 07:00 AM	0.006	0.005	0.004	0.007	0.004	0.004	0.012
07:00 AM - 08:00 AM	0.006	0.006	0.004	0.004	0.005	0.005	0.012
08:00 AM - 09:00 AM	0.007	0.006	0.005	0.004	0.005	0.007	0.007
09:00 AM - 10:00 AM	0.006	0.008	0.007	0.005	0.007	0.008	0.015
10:00 AM - 11:00 AM	0.005	0.005	0.006	0.005	0.005	0.003	0.006
Average	0.007	0.006	0.006	0.005	0.005	0.006	0.009
1hr - Maximum	0.013	0.011	0.010	0.010	0.009	0.012	0.017
Standard 1hr - Average	0.170	0.170	0.170	0.170	0.170	0.170	0.170

Standard : Notification of the National Environment Board No. 33, 2009 (B.E. 2552).

Reference Method : US EPAMethod Part 50 App. F (Chemiluminescence)

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

*Orawan R.*

Orawan Rakyong

Scientist (3)



## Analysis / Test Report

**Client :** Rojana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Italthai Towe, New Petchburi Road, Bangkok, Huaykwang, Bangkok  
Thailand 10310

**P/O :**

**Project Name :** Laemichabang

**Project Location :**

**Lot ID: 2349334**

Date Received : May 23, 2023

Date Reported : May 29, 2023

Report Number: 2666460-1

Page 1 of 1

<b>Sample Description</b>	Air Quality						
<b>Location</b>	สถานี A4 : วัดเวฬุวนาราม						
<b>Parameter</b>	Nitrogen dioxide (ppm)						
<b>Measurement Date</b>	May 14, 2023 - May 21, 2023						
<b>Measurement by</b>	Siriwit Ruangsom						
	2349334-22	2349334-23	2349334-24	2349334-25	2349334-26	2349334-27	2349334-28
Time	May 14, 2023	May 15, 2023	May 16, 2023	May 17, 2023	May 18, 2023	May 19, 2023	May 20, 2023
11:00 AM - 12:00 PM	0.004	0.003	0.004	0.003	0.006	0.005	0.004
12:00 PM - 01:00 PM	0.004	0.002	0.004	0.003	0.008	0.010	0.005
01:00 PM - 02:00 PM	0.002	0.002	0.007	0.004	0.012	0.013	0.006
02:00 PM - 03:00 PM	0.002	0.008	0.011	0.009	0.011	0.019	0.006
03:00 PM - 04:00 PM	0.003	0.013	0.016	0.014	0.008	0.017	0.004
04:00 PM - 05:00 PM	0.006	0.012	0.018	0.013	0.016	0.016	0.006
05:00 PM - 06:00 PM	0.013	0.014	0.017	0.015	0.013	0.014	0.005
06:00 PM - 07:00 PM	0.011	0.009	0.015	0.015	0.013	0.016	0.002
07:00 PM - 08:00 PM	0.012	0.004	0.009	0.013	0.009	0.016	0.002
08:00 PM - 09:00 PM	0.014	0.004	0.006	0.012	0.005	0.017	0.002
09:00 PM - 10:00 PM	0.013	0.004	0.007	0.011	0.004	0.012	0.002
10:00 PM - 11:00 PM	0.011	0.005	0.008	0.011	0.002	0.010	0.002
11:00 PM - 12:00 AM	0.009	0.005	0.006	0.009	0.002	0.007	0.004
12:00 AM - 01:00 AM	0.008	0.005	0.006	0.008	0.002	0.008	0.003
01:00 AM - 02:00 AM	0.007	0.007	0.006	0.004	0.005	0.010	0.007
02:00 AM - 03:00 AM	0.005	0.010	0.005	0.005	0.009	0.012	0.004
03:00 AM - 04:00 AM	0.008	0.011	0.006	0.006	0.006	0.015	0.004
04:00 AM - 05:00 AM	0.008	0.008	0.006	0.003	0.005	0.015	0.002
05:00 AM - 06:00 AM	0.008	0.006	0.006	0.003	0.004	0.006	0.001
06:00 AM - 07:00 AM	0.008	0.004	0.004	0.003	0.004	0.010	0.002
07:00 AM - 08:00 AM	0.008	0.004	0.003	0.002	0.004	0.011	0.004
08:00 AM - 09:00 AM	0.006	0.004	0.003	0.003	0.004	0.008	0.003
09:00 AM - 10:00 AM	0.004	0.002	0.003	0.001	0.006	0.006	0.005
10:00 AM - 11:00 AM	0.003	0.003	0.002	0.002	0.004	0.005	0.003
Average	0.007	0.006	0.008	0.007	0.007	0.012	0.004
1hr - Maximum	0.014	0.014	0.018	0.015	0.016	0.019	0.007
Standard 1hr - Average	0.170	0.170	0.170	0.170	0.170	0.170	0.170

Standard : Notification of the National Environment Board No. 33, 2009 (B.E. 2552),

Reference Method : US EPA Method Part 50 App. F (Chemiluminescence)

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

*Orawan R.*

Orawan Rakyong

Scientist (3)

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197  
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER





## Analysis / Test Report

**Client :** Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Towe, New Petchburi Road, Bangkapi, Huaykwang, Bangkok  
Thailand 10310

**P/O :**

**Project Name :** Laemchabang

**Project Location :**

**Lot ID: 2349334**

Date Received : May 23, 2023

Date Reported : May 29, 2023

Report Number: 2666461-1

Page 1 of 1

<b>Sample Description</b>	Air Quality						
<b>Location</b>	สถานี A5 : ฟาร์มไก่พิจิตร (ม.2 ต.ตะเคียนเตี้ย)						
<b>Parameter</b>	Nitrogen dioxide (ppm)						
<b>Measurement Date</b>	May 14, 2023 - May 21, 2023						
<b>Measurement by</b>	Siriwit Ruangsom						
	2349334-29	2349334-30	2349334-31	2349334-32	2349334-33	2349334-34	2349334-35
Time	May 14, 2023	May 15, 2023	May 16, 2023	May 17, 2023	May 18, 2023	May 19, 2023	May 20, 2023
11:00 AM - 12:00 PM	0.002	0.006	0.005	0.006	0.006	0.005	0.004
12:00 PM - 01:00 PM	0.002	<0.001	0.005	0.005	0.004	0.003	0.005
01:00 PM - 02:00 PM	<0.001	0.004	0.004	0.004	0.007	0.006	0.005
02:00 PM - 03:00 PM	0.005	0.005	0.002	0.003	0.002	0.005	0.003
03:00 PM - 04:00 PM	0.003	0.002	0.002	0.002	0.001	0.003	0.004
04:00 PM - 05:00 PM	0.004	0.006	0.001	0.002	0.002	0.004	0.005
05:00 PM - 06:00 PM	<0.001	0.003	0.002	0.002	<0.001	0.005	0.002
06:00 PM - 07:00 PM	0.002	0.002	0.002	0.002	<0.001	0.005	0.002
07:00 PM - 08:00 PM	0.002	0.002	0.002	0.002	0.001	0.005	0.002
08:00 PM - 09:00 PM	0.009	0.002	0.002	0.002	0.002	0.004	0.002
09:00 PM - 10:00 PM	0.004	0.002	0.002	0.002	0.001	0.001	0.002
10:00 PM - 11:00 PM	<0.001	0.001	0.002	0.001	0.002	0.001	0.003
11:00 PM - 12:00 AM	0.005	0.002	0.002	0.002	0.003	0.002	0.003
12:00 AM - 01:00 AM	0.005	0.003	0.002	0.001	0.003	0.004	0.006
01:00 AM - 02:00 AM	0.004	0.004	0.002	0.005	0.004	0.004	0.005
02:00 AM - 03:00 AM	0.004	0.003	0.002	0.003	0.003	0.002	0.004
03:00 AM - 04:00 AM	0.008	<0.001	0.003	0.006	0.003	<0.001	0.004
04:00 AM - 05:00 AM	0.004	0.003	0.004	0.004	0.004	0.002	0.002
05:00 AM - 06:00 AM	0.005	0.003	0.003	0.004	0.002	0.003	0.001
06:00 AM - 07:00 AM	0.006	0.003	0.005	0.006	0.002	0.003	0.002
07:00 AM - 08:00 AM	0.005	0.003	0.006	0.006	0.005	0.003	0.003
08:00 AM - 09:00 AM	0.007	0.005	0.006	0.003	0.005	0.004	0.003
09:00 AM - 10:00 AM	0.002	0.001	0.006	0.003	0.005	0.006	0.006
10:00 AM - 11:00 AM	0.004	0.004	0.010	0.004	0.006	0.004	0.003
Average	0.004	0.003	0.003	0.003	0.003	0.003	0.003
1hr - Maximum	0.009	0.006	0.010	0.006	0.007	0.006	0.006
Standard 1hr - Average	0.170	0.170	0.170	0.170	0.170	0.170	0.170

Standard : Notification of the National Environment Board No. 33, 2009 (B.E. 2552).

Reference Method : US EPAMethod Part 50 App. F (Chemiluminescence)

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

*Orawan R.*

Orawan Rakyong

Scientist (3)

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand PHONE +66 0 2760 3000 FAX +66 0 2760 3197  
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company



## Analysis / Test Report

**Client** : Rojana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Italthai Towe, New Petchburi Road, Bangkok, Huaykwang,  
Bangkok Thailand 10310

**Lot ID** : 2349336  
**Date Received** : May 23, 2023  
**Date Reported** : May 29, 2023  
**Report Number** : 2638092-1

**P/O** :  
**Project Name** : Laemchabang  
**Project Location** :

Page 1 of 2

**Sample Number** : 2349336-1 to 7  
**Parameter** : Wind Speed / Wind Direction  
**Location** : มัสยิดจุฬารามวรวิหาร  
**Sampling Date** : May 14 - May 21, 2023  
**Sampling by** : Siriwit Ruangsom

Time	May 14 - May 15, 2023			May 15 - May 16, 2023			May 16 - May 17, 2023			May 17 - May 18, 2023			May 18 - May 19, 2023			May 19 - May 20, 2023			May 20 - May 21, 2023		
	WS (m/s)	WD (deg)		WS (m/s)	WD (deg)		WS (m/s)	WD (deg)		WS (m/s)	WD (deg)		WS (m/s)	WD (deg)		WS (m/s)	WD (deg)		WS (m/s)	WD (deg)	
11:00 AM - 12:00 PM	0.3	67.0	ENE	0.5	200.0	SSW	0.7	255.0	WSW	2.0	29.0	NNE	0.0	-	-	2.0	171.0	S	1.2	237.0	WSW
12:00 PM - 01:00 PM	0.0	-	-	0.3	201.0	SSW	0.6	256.0	WSW	0.3	29.0	NNE	0.3	21.0	NNE	0.0	-	-	1.7	268.0	W
01:00 PM - 02:00 PM	0.2	-	-	0.2	-	-	1.5	29.0	NNE	0.5	25.0	NNE	0.5	27.0	NNE	0.0	-	-	2.3	161.0	SSE
02:00 PM - 03:00 PM	0.0	-	-	0.5	186.0	S	1.2	29.0	NNE	0.6	24.0	NNE	0.9	27.0	NNE	0.6	165.0	SSE	1.2	241.0	WSW
03:00 PM - 04:00 PM	0.5	67.0	ENE	1.1	188.0	S	1.7	25.0	NNE	0.6	30.0	NNE	0.8	30.0	NNE	0.8	169.0	S	1.1	171.0	S
04:00 PM - 05:00 PM	0.4	61.0	ENE	1.2	175.0	S	1.1	28.0	NNE	0.0	-	-	1.1	33.0	NNE	0.2	-	-	0.7	209.0	SSW
05:00 PM - 06:00 PM	0.0	-	-	0.0	-	-	1.1	30.0	NNE	0.0	-	-	1.2	36.0	NE	0.4	161.0	SSE	0.7	138.0	SE
06:00 PM - 07:00 PM	0.5	82.0	E	0.0	-	-	1.6	3.2	N	0.0	-	-	1.7	226.0	SW	0.2	-	-	0.9	100.0	E
07:00 PM - 08:00 PM	0.0	-	-	0.6	21.0	NNE	1.6	32.0	NNE	0.0	-	-	1.5	265.0	W	0.0	-	-	1.0	88.0	E
08:00 PM - 09:00 PM	0.4	202.0	SSW	0.9	20.0	NNE	0.0	-	-	0.2	-	-	1.5	267.0	W	0.0	-	-	0.4	82.0	E
09:00 PM - 10:00 PM	1.4	146.0	SE	1.5	20.0	NNE	0.0	-	-	1.7	29.0	NNE	0.9	278.0	W	0.6	244.0	WSW	0.5	75.0	ENE
10:00 PM - 11:00 PM	0.6	93.0	E	2.2	20.0	NNE	0.0	-	-	1.7	27.0	NNE	0.5	283.0	WNW	0.8	30.0	NNE	0.0	-	-
11:00 PM - 12:00 AM	2.7	169.0	S	2.0	25.0	NNE	0.5	177.0	S	1.5	225.0	SW	0.8	288.0	WNW	1.1	30.0	NNE	0.5	113.0	ESE
12:00 AM - 01:00 AM	3.9	236.0	SW	2.4	175.0	S	0.8	175.0	S	1.5	247.0	WSW	0.2	-	-	1.5	31.0	NNE	0.0	-	-
01:00 AM - 02:00 AM	2.4	208.0	SSW	1.5	263.0	W	0.8	178.0	S	0.0	-	-	0.0	-	-	1.2	31.0	NNE	0.5	21.0	NNE
02:00 AM - 03:00 AM	1.9	280.0	W	1.2	263.0	W	0.4	266.0	W	0.0	-	-	0.0	-	-	1.2	32.0	NNE	0.4	20.0	NNE
03:00 AM - 04:00 AM	2.1	252.0	WSW	0.9	264.0	W	1.5	265.0	W	0.6	267.0	W	1.5	38.0	NE	1.1	38.0	NE	0.0	-	-
04:00 AM - 05:00 AM	0.4	201.0	SSW	0.5	265.0	W	1.8	265.0	W	0.7	100.0	E	1.5	237.0	WSW	1.0	140.0	SE	0.7	29.0	NNE
05:00 AM - 06:00 AM	0.6	90.0	E	0.8	265.0	W	1.3	245.0	WSW	0.7	101.0	E	1.4	236.0	SW	1.0	155.0	SSE	0.5	26.0	NNE
06:00 AM - 07:00 AM	1.4	194.0	SSW	0.0	-	-	0.4	240.0	WSW	0.5	99.0	E	1.9	236.0	SW	0.5	124.0	SE	0.9	26.0	NNE
07:00 AM - 08:00 AM	0.0	-	-	0.0	-	-	2.1	177.0	S	0.6	98.0	E	1.7	235.0	SW	0.9	265.0	W	1.7	115.0	ESE
08:00 AM - 09:00 AM	0.3	84.0	E	0.0	-	-	2.5	255.0	WSW	0.2	-	-	2.2	255.0	WSW	0.0	-	-	1.2	239.0	WSW
09:00 AM - 10:00 AM	0.0	-	-	0.2	-	-	2.2	263.0	W	0.0	-	-	2.3	240.0	WSW	0.0	-	-	1.0	283.0	WNW
10:00 AM - 11:00 AM	1.1	184.0	S	0.6	255.0	WSW	2.0	71.0	ENE	0.0	-	-	2.1	240.0	WSW	1.5	238.0	WSW	2.2	266.0	W

Reference Method : Cup Anemometer & Anodized Aluminium Vane Method

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jitranont  
Assistant General Manager





## Analysis / Test Report

**Client** : Rojana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Italthai Towe, New Petchburi Road, Bangkapi, Huaykwang,  
Bangkok Thailand 10310

**P/O** :

**Project Name** : Laemchabang

**Project Location** :

**Lot ID** : 2349336

Date Received : May 23, 2023

Date Reported : May 29, 2023

Report Number : 2638092-1

Page 2 of 2

### Wind Rose




Date : May 14-15, 2023



Date : May 15-16, 2023




Date : May 16-17, 2023



Date : May 17-18, 2023



Date : May 18-19, 2023



Date : May 19-20, 2023



Date : May 20-21, 2023



Date : May 14-21, 2023

WS(m/s)	%
≥ 10.0	0.00
8.0-10.0	0.00
5.5-8.0	0.00
3.3-5.5	0.60
1.7-3.3	16.07
0.3-1.7	58.33
Calms	25.00

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont  
Assistant General Manager

ภาคผนวก ค-2

---

ผลการตรวจวัดระดับเสียงทั่วไป



ระดับเสียงเฉลี่ย 24 ชั่วโมง (Leq 24 hrs.)



## Analysis / Test Report

TESTING  
No.0042

**Client :** Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl, ItalThai Towe, New Petchburi Road, Bangkapi, Huaykwang, Bangkok Thailand 10310

**P/O :**

**Project Name :** Laemchabang

**Project Location :**

**Lot ID: 2349338**

Date Received : May 23, 2023

Date Reported : May 29, 2023

Report Number: 2664194-1

Page 1 of 1

**Sample Number** 2349338-1  
**Parameter** Noise (Leq 24 hrs.)  
**Location** N1 : ขนบขนาบตะเคียนเตี้ยจุดที่ 2  
**Measurement Date** May 14 - May 15, 2023  
**Measurement by** Siriwit Ruangsom  
**Sound Level meter** Serial No. 1222723

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
11:00 AM - 12:00 PM	47.9	72.6	37.8
12:00 PM - 01:00 PM	48.6	74.4	37.0
01:00 PM - 02:00 PM	47.6	73.5	35.7
02:00 PM - 03:00 PM	40.2	58.5	34.6
03:00 PM - 04:00 PM	43.3	68.7	32.9
04:00 PM - 05:00 PM	49.2	74.9	33.7
05:00 PM - 06:00 PM	44.4	67.1	35.3
06:00 PM - 07:00 PM	46.5	69.7	41.1
07:00 PM - 08:00 PM	50.4	71.8	47.1
08:00 PM - 09:00 PM	51.4	61.7	49.3
09:00 PM - 10:00 PM	51.5	54.1	49.8
10:00 PM - 11:00 PM	52.1	59.1	50.8
11:00 PM - 12:00 AM	47.9	56.3	46.0
12:00 AM - 01:00 AM	45.2	57.4	43.2
01:00 AM - 02:00 AM	46.9	63.5	43.5
02:00 AM - 03:00 AM	53.7	73.3	42.4
03:00 AM - 04:00 AM	44.7	58.6	42.0
04:00 AM - 05:00 AM	50.0	72.9	45.1
05:00 AM - 06:00 AM	48.1	61.5	46.0
06:00 AM - 07:00 AM	53.5	80.2	44.3
07:00 AM - 08:00 AM	55.5	81.4	42.3
08:00 AM - 09:00 AM	55.4	85.1	33.8
09:00 AM - 10:00 AM	46.8	71.7	31.3
10:00 AM - 11:00 AM	38.6	62.3	32.1

Leq Average 24 hrs. (dB(A)) 50.1  
Lmax (dB(A)) 85.1  
L90 (dB(A)) 42.0  
Ldn (dB(A)) 56.6  
Standard (dB(A)) 70

Reference Method : ISO1996-1 and 1996-2

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป  
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

*Thanita K.*

Thanita Kulsuriwong  
Scientist (4)

Approved by

*Supot S.*

Supot Salamteh  
Section Head

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556  
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

[www.alsglobal.com](http://www.alsglobal.com)

RIGHT SOLUTIONS RIGHT PARTNER





## Analysis / Test Report

TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Towe, New Petchburi Road, Bangkapi, Huaykwang, Bangkok Thailand 10310

P/O :

Project Name : Laemchabang

Project Location :

Lot ID: 2349338

Date Received : May 23, 2023

Date Reported : May 29, 2023

Report Number: 2664195-1

Page 1 of 1

Sample Number 2349338-2  
Parameter Noise (Leq 24 hrs.)  
Location N1 : ขุมข่านบ้านตะเคียนเดี่ยวจุดที่ 2  
Measurement Date May 15 - May 16, 2023  
Measurement by Siriwit Ruangsom  
Sound Level meter Serial No. 1222723

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
11:00 AM - 12:00 PM	55.9	87.8	33.6
12:00 PM - 01:00 PM	40.1	61.3	32.8
01:00 PM - 02:00 PM	39.6	58.6	34.4
02:00 PM - 03:00 PM	41.9	67.5	35.1
03:00 PM - 04:00 PM	41.1	67.2	33.7
04:00 PM - 05:00 PM	49.1	76.8	34.5
05:00 PM - 06:00 PM	45.7	68.5	34.6
06:00 PM - 07:00 PM	43.8	64.8	38.1
07:00 PM - 08:00 PM	49.1	63.6	47.8
08:00 PM - 09:00 PM	51.4	59.8	49.7
09:00 PM - 10:00 PM	51.1	62.5	49.8
10:00 PM - 11:00 PM	49.7	65.0	48.8
11:00 PM - 12:00 AM	47.9	50.6	46.8
12:00 AM - 01:00 AM	46.1	57.9	45.0
01:00 AM - 02:00 AM	43.6	55.5	42.4
02:00 AM - 03:00 AM	43.4	60.1	41.2
03:00 AM - 04:00 AM	44.7	57.9	43.2
04:00 AM - 05:00 AM	46.6	72.0	40.7
05:00 AM - 06:00 AM	45.9	63.3	42.6
06:00 AM - 07:00 AM	48.7	69.9	41.0
07:00 AM - 08:00 AM	51.6	75.3	39.8
08:00 AM - 09:00 AM	49.1	73.4	34.4
09:00 AM - 10:00 AM	42.8	66.0	32.2
10:00 AM - 11:00 AM	44.5	65.2	33.1

Leq Average 24 hrs. (dB(A))

48.3

Lmax (dB(A))

87.8

L90 (dB(A))

39.8

Ldn (dB(A))

53.6

Standard (dB(A))

70

115

Reference Method : ISO1996-1 and 1996-2

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป

2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

*Thanita K.*

Thanita Kulsuriwong

Scientist (4)

Approved by

*Supot S.*

Supot Salamteah

Section Head

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

ADDRESS 616/10 Moo 5 T. Maenam Khu A, Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556  
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

15089-21/ EMAIL

S:\Reports\_Air Noise.rpt (10:39AM)



## Analysis / Test Report

TESTING  
No.0042

**Client :** Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

**P/O :**

**Project Name :** Laemchabang

**Project Location :**

**Lot ID: 2349338**

Date Received : May 23, 2023

Date Reported : May 29, 2023

Report Number: 2664196-1

Page 1 of 1

**Sample Number** 2349338-3  
**Parameter** Noise (Leq 24 hrs.)  
**Location** N1 : ชุมชนบ้านตะเคียนเตี้ยจุดที่ 2  
**Measurement Date** May 16 - May 17, 2023  
**Measurement by** Siriwit Ruangsom  
**Sound Level meter** Serial No. 1222723

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
11:00 AM - 12:00 PM	44.6	68.1	33.0
12:00 PM - 01:00 PM	44.6	72.1	32.8
01:00 PM - 02:00 PM	47.7	74.2	32.4
02:00 PM - 03:00 PM	43.3	67.0	32.5
03:00 PM - 04:00 PM	44.0	66.2	34.1
04:00 PM - 05:00 PM	48.5	74.2	32.8
05:00 PM - 06:00 PM	53.7	83.8	34.4
06:00 PM - 07:00 PM	43.5	60.6	37.9
07:00 PM - 08:00 PM	51.2	63.7	49.5
08:00 PM - 09:00 PM	49.1	63.6	47.2
09:00 PM - 10:00 PM	49.6	67.8	47.2
10:00 PM - 11:00 PM	49.3	52.2	48.3
11:00 PM - 12:00 AM	47.2	57.3	46.4
12:00 AM - 01:00 AM	48.4	52.8	46.6
01:00 AM - 02:00 AM	45.9	59.4	44.2
02:00 AM - 03:00 AM	43.2	58.4	41.8
03:00 AM - 04:00 AM	42.8	65.5	39.3
04:00 AM - 05:00 AM	46.2	72.4	38.7
05:00 AM - 06:00 AM	45.2	66.3	41.5
06:00 AM - 07:00 AM	48.0	70.8	38.6
07:00 AM - 08:00 AM	48.0	73.6	35.8
08:00 AM - 09:00 AM	48.7	73.6	35.7
09:00 AM - 10:00 AM	42.8	65.7	35.5
10:00 AM - 11:00 AM	44.0	61.6	36.6

Leq Average 24 hrs. (dB(A)) 47.7  
Lmax (dB(A)) 83.8  
L90 (dB(A)) 37.9  
Ldn (dB(A)) 53.4  
Standard (dB(A)) 70 115

Reference Method : ISO1996-1 and 1996-2

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป  
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

*Thanita K.*

Thanita Kulsuriwong  
Scientist (4)

Approved by

*Supot S.*

Supot Salamteh  
Section Head

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556  
ALS LABORATORY GROUP (THAILAND) CO., LTD, An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER





## Analysis / Test Report

TESTING  
No.0042

**Client :** Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Towe, New Petchburi Road, Bangkapi, Huaykwang, Bangkok Thailand 10310

**P/O :**

**Project Name :** Laemchabang

**Project Location :**

**Lot ID: 2349338**

Date Received : May 23, 2023

Date Reported : May 29, 2023

Report Number: 2664197-1

Page 1 of 1

**Sample Number** 2349338-4  
**Parameter** Noise (Leq 24 hrs.)  
**Location** N1 : ชุมชนบ้านตะเคียนเตี้ยจุดที่ 2  
**Measurement Date** May 17 - May 18, 2023  
**Measurement by** Siriwit Ruangsom  
**Sound Level meter** Serial No. 1222723

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
11:00 AM - 12:00 PM	44.6	66.4	37.5
12:00 PM - 01:00 PM	50.5	76.7	37.1
01:00 PM - 02:00 PM	44.2	67.9	36.9
02:00 PM - 03:00 PM	42.6	62.6	36.4
03:00 PM - 04:00 PM	41.9	60.3	36.1
04:00 PM - 05:00 PM	48.5	75.3	38.1
05:00 PM - 06:00 PM	45.1	70.6	37.5
06:00 PM - 07:00 PM	44.9	66.0	40.0
07:00 PM - 08:00 PM	49.6	65.6	47.6
08:00 PM - 09:00 PM	49.6	61.5	48.1
09:00 PM - 10:00 PM	49.8	55.5	48.5
10:00 PM - 11:00 PM	50.4	53.0	49.7
11:00 PM - 12:00 AM	47.9	60.2	46.5
12:00 AM - 01:00 AM	44.4	54.0	42.6
01:00 AM - 02:00 AM	47.0	70.1	43.5
02:00 AM - 03:00 AM	41.5	56.5	39.6
03:00 AM - 04:00 AM	43.5	48.3	42.0
04:00 AM - 05:00 AM	41.9	55.1	39.3
05:00 AM - 06:00 AM	46.1	65.5	42.4
06:00 AM - 07:00 AM	47.4	70.4	39.6
07:00 AM - 08:00 AM	46.8	72.9	38.3
08:00 AM - 09:00 AM	45.9	70.1	37.6
09:00 AM - 10:00 AM	47.7	71.7	37.5
10:00 AM - 11:00 AM	43.0	59.4	37.5

Leq Average 24 hrs. (dB(A))

46.9

Lmax (dB(A))

76.7

L90 (dB(A))

39.3

Ldn (dB(A))

52.9

Standard (dB(A))

70

115

Reference Method : ISO1996-1 and 1996-2

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป  
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

*Thanita K.*

Thanita Kulsuriwong  
Scientist (4)

Approved by

*Supot S.*

Supot Salamteh  
Section Head

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556  
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

[www.alsglobal.com](http://www.alsglobal.com)

RIGHT SOLUTIONS RIGHT PARTNER



## Analysis / Test Report

TESTING  
No.0042

**Client :** Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Towe, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

**P/O :**

**Project Name :** Laemchabang

**Project Location :**

**Lot ID: 2349338**

Date Received : May 23, 2023

Date Reported : May 29, 2023

Report Number: 2664198-1

Page 1 of 1

**Sample Number** 2349338-5  
**Parameter** Noise (Leq 24 hrs.)  
**Location** N1 : ชุมชนบ้านตะเคียนเตี้ยจุดที่ 2  
**Measurement Date** May 18 - May 19, 2023  
**Measurement by** Siriwit Ruangsom  
**Sound Level meter** Serial No. 1222723

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
11:00 AM - 12:00 PM	48.5	74.7	37.2
12:00 PM - 01:00 PM	45.2	68.0	36.2
01:00 PM - 02:00 PM	42.6	64.6	34.7
02:00 PM - 03:00 PM	43.0	59.5	35.8
03:00 PM - 04:00 PM	44.2	68.7	34.7
04:00 PM - 05:00 PM	49.0	73.5	35.7
05:00 PM - 06:00 PM	45.5	68.2	35.2
06:00 PM - 07:00 PM	54.2	83.6	38.2
07:00 PM - 08:00 PM	47.1	66.4	44.9
08:00 PM - 09:00 PM	46.3	64.1	43.6
09:00 PM - 10:00 PM	51.3	71.4	49.2
10:00 PM - 11:00 PM	51.9	67.1	50.1
11:00 PM - 12:00 AM	53.4	60.0	51.3
12:00 AM - 01:00 AM	55.8	63.7	53.5
01:00 AM - 02:00 AM	55.7	61.5	53.5
02:00 AM - 03:00 AM	55.0	66.6	52.5
03:00 AM - 04:00 AM	41.5	52.6	38.7
04:00 AM - 05:00 AM	46.2	71.1	41.0
05:00 AM - 06:00 AM	46.6	63.7	42.1
06:00 AM - 07:00 AM	57.6	84.6	40.7
07:00 AM - 08:00 AM	49.8	73.5	38.4
08:00 AM - 09:00 AM	46.0	68.4	35.8
09:00 AM - 10:00 AM	43.3	63.7	36.4
10:00 AM - 11:00 AM	48.7	76.6	36.1

Leq Average 24 hrs. (dB(A)) 51.1  
Lmax (dB(A)) 84.6  
L90 (dB(A)) 38.4  
Ldn (dB(A)) 59.6  
Standard (dB(A)) 70 115

Reference Method : ISO1996-1 and 1996-2

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป  
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

*Thanita K.*

Thanita Kulsuriwong  
Scientist (4)

Approved by

*Supot S.*

Supot Salamteh  
Section Head

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556  
ALS LABORATORY GROUP (THAILAND) CO., LTD, An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER





## Analysis / Test Report

TESTING  
No.0042

**Client :** Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Towe, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

**P/O :**

**Project Name :** Laemchabang

**Project Location :**

**Lot ID: 2349338**

Date Received : May 23, 2023

Date Reported : May 29, 2023

Report Number: 2664199-1

Page 1 of 1

**Sample Number** 2349338-6  
**Parameter** Noise (Leq 24 hrs.)  
**Location** N1 : ชุมชนบ้านตะเคียนเตี้ยจุดที่ 2  
**Measurement Date** May 19 - May 20, 2023  
**Measurement by** Siriwit Ruangsom  
**Sound Level meter** Serial No. 1222723

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
11:00 AM - 12:00 PM	44.4	64.2	37.3
12:00 PM - 01:00 PM	45.9	69.3	36.5
01:00 PM - 02:00 PM	42.7	63.9	35.6
02:00 PM - 03:00 PM	45.1	66.8	35.5
03:00 PM - 04:00 PM	43.1	65.8	34.2
04:00 PM - 05:00 PM	50.0	77.2	34.9
05:00 PM - 06:00 PM	45.0	69.5	35.0
06:00 PM - 07:00 PM	43.9	63.9	37.8
07:00 PM - 08:00 PM	49.8	73.2	46.8
08:00 PM - 09:00 PM	47.9	71.8	45.3
09:00 PM - 10:00 PM	49.6	75.9	45.2
10:00 PM - 11:00 PM	46.2	74.0	43.0
11:00 PM - 12:00 AM	45.1	65.5	43.7
12:00 AM - 01:00 AM	44.7	63.8	43.6
01:00 AM - 02:00 AM	45.7	69.9	41.9
02:00 AM - 03:00 AM	41.2	56.6	39.6
03:00 AM - 04:00 AM	40.0	55.4	38.3
04:00 AM - 05:00 AM	40.8	58.9	37.8
05:00 AM - 06:00 AM	44.5	63.5	39.7
06:00 AM - 07:00 AM	46.2	66.9	39.5
07:00 AM - 08:00 AM	47.5	74.2	34.8
08:00 AM - 09:00 AM	51.3	77.0	33.3
09:00 AM - 10:00 AM	48.4	75.9	33.0
10:00 AM - 11:00 AM	40.5	64.4	32.3

Leq Average 24 hrs. (dB(A))

46.5

Lmax (dB(A))

77.2

L90 (dB(A))

37.8

Ldn (dB(A))

51.3

Standard (dB(A))

70

115

Reference Method : ISO1996-1 and 1996-2

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป  
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

*Thanita K.*

Thanita Kulsuriwong

Scientist (4)

Approved by

*Supot S.*

Supot Salamteh

Section Head

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Puaakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556  
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



## Analysis / Test Report

TESTING  
No.0042

**Client :** Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Towe, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

**P/O :**

**Project Name :** Laemchabang

**Project Location :**

**Lot ID: 2349338**

Date Received : May 23, 2023

Date Reported : May 29, 2023

Report Number: 2664200-1

Page 1 of 1

**Sample Number** 2349338-7  
**Parameter** Noise (Leq 24 hrs.)  
**Location** N1 : ชุมชนบ้านตะเคียนเตี้ยจุดที่ 2  
**Measurement Date** May 20 - May 21, 2023  
**Measurement by** Siriwit Ruangsom  
**Sound Level meter** Serial No. 1222723

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
11:00 AM - 12:00 PM	56.1	88.0	34.0
12:00 PM - 01:00 PM	40.8	61.5	33.1
01:00 PM - 02:00 PM	39.5	59.1	34.4
02:00 PM - 03:00 PM	42.4	67.7	35.4
03:00 PM - 04:00 PM	42.1	64.9	33.7
04:00 PM - 05:00 PM	48.8	75.2	33.3
05:00 PM - 06:00 PM	46.1	67.4	35.1
06:00 PM - 07:00 PM	46.5	70.0	39.1
07:00 PM - 08:00 PM	49.8	72.1	46.8
08:00 PM - 09:00 PM	51.2	67.3	48.3
09:00 PM - 10:00 PM	51.9	61.3	50.1
10:00 PM - 11:00 PM	52.3	54.0	51.1
11:00 PM - 12:00 AM	50.3	59.4	48.7
12:00 AM - 01:00 AM	45.7	55.7	43.9
01:00 AM - 02:00 AM	46.3	57.7	44.4
02:00 AM - 03:00 AM	51.9	72.6	41.4
03:00 AM - 04:00 AM	51.2	73.6	42.1
04:00 AM - 05:00 AM	45.4	58.2	42.2
05:00 AM - 06:00 AM	47.2	71.5	42.4
06:00 AM - 07:00 AM	44.3	62.8	40.1
07:00 AM - 08:00 AM	48.9	72.5	38.9
08:00 AM - 09:00 AM	45.5	69.7	37.2
09:00 AM - 10:00 AM	47.2	71.3	36.9
10:00 AM - 11:00 AM	42.8	59.0	37.3

Leq Average 24 hrs. (dB(A)) 49.1  
Lmax (dB(A)) 88.0  
L90 (dB(A)) 39.1  
Ldn (dB(A)) 55.6  
Standard (dB(A)) 70 115

Reference Method : ISO1996-1 and 1996-2

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป  
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

*Thanita K.*

Thanita Kulsuriwong  
Scientist (4)

Approved by

*Supot S.*

Supot Salamteh  
Section Head

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556  
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER





## Analysis / Test Report

TESTING  
No.0042

**Client :** Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Towe, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

**P/O :**

**Project Name :** Laemchabang

**Project Location :**

**Lot ID: 2349338**

Date Received : May 23, 2023

Date Reported : May 29, 2023

Report Number: 2664201-1

Page 1 of 1

**Sample Number** 2349338-8  
**Parameter** Noise (Leq 24 hrs.)  
**Location** N2 : ชุมชนบ้านตะเคียนเดี่ยวจุดที่ 3  
**Measurement Date** May 14 - May 15, 2023  
**Measurement by** Siriwit Ruangsom  
**Sound Level meter** Serial No. 572561

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
11:00 AM - 12:00 PM	52.5	89.1	48.6
12:00 PM - 01:00 PM	42.3	54.5	37.3
01:00 PM - 02:00 PM	43.4	60.9	38.7
02:00 PM - 03:00 PM	44.2	65.6	39.7
03:00 PM - 04:00 PM	44.5	59.7	41.9
04:00 PM - 05:00 PM	44.9	56.0	42.6
05:00 PM - 06:00 PM	42.8	49.7	40.4
06:00 PM - 07:00 PM	39.4	49.0	37.7
07:00 PM - 08:00 PM	41.8	53.4	38.5
08:00 PM - 09:00 PM	40.1	56.0	38.3
09:00 PM - 10:00 PM	39.5	52.2	37.9
10:00 PM - 11:00 PM	38.5	50.1	35.8
11:00 PM - 12:00 AM	36.9	44.6	35.4
12:00 AM - 01:00 AM	39.2	56.2	33.3
01:00 AM - 02:00 AM	36.5	50.5	35.1
02:00 AM - 03:00 AM	42.4	56.3	39.5
03:00 AM - 04:00 AM	44.9	60.9	40.9
04:00 AM - 05:00 AM	42.7	60.9	38.7
05:00 AM - 06:00 AM	41.0	63.8	36.1
06:00 AM - 07:00 AM	51.0	62.6	45.2
07:00 AM - 08:00 AM	51.8	73.9	46.3
08:00 AM - 09:00 AM	53.2	61.4	51.1
09:00 AM - 10:00 AM	52.4	63.2	48.7
10:00 AM - 11:00 AM	49.3	59.9	46.3

Leq Average 24 hrs. (dB(A))

47.0

Lmax (dB(A))

89.1

L90 (dB(A))

38.7

Ldn (dB(A))

51.4

Standard (dB(A))

70

115

Reference Method : ISO1996-1 and 1996-2

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป  
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

*Thanita K.*

Thanita Kulsuriwong

Scientist (4)

Approved by

*Supot S.*

Supot Salamteh

Section Head

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556  
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



## Analysis / Test Report

TESTING  
No.0042

**Client :** Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Towe, New Petchburi Road, Bangkapi, Huaykwang, Bangkok Thailand 10310

**P/O :**

**Project Name :** Laemchabang

**Project Location :**

**Lot ID: 2349338**

Date Received : May 23, 2023

Date Reported : May 29, 2023

Report Number: 2664202-1

Page 1 of 1

**Sample Number** 2349338-9  
**Parameter** Noise (Leq 24 hrs.)  
**Location** N2 : ชุมชนบ้านตะเคียนเตี้ยจุดที่ 3  
**Measurement Date** May 15 - May 16, 2023  
**Measurement by** Siriwit Ruangsom  
**Sound Level meter** Serial No. 572561

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
11:00 AM - 12:00 PM	52.1	57.1	49.8
12:00 PM - 01:00 PM	50.3	62.2	47.7
01:00 PM - 02:00 PM	39.3	58.1	33.1
02:00 PM - 03:00 PM	43.6	61.1	38.0
03:00 PM - 04:00 PM	44.2	61.4	41.7
04:00 PM - 05:00 PM	42.1	56.8	40.8
05:00 PM - 06:00 PM	41.8	59.5	39.8
06:00 PM - 07:00 PM	43.0	55.0	41.0
07:00 PM - 08:00 PM	40.9	49.1	40.0
08:00 PM - 09:00 PM	39.7	48.4	38.6
09:00 PM - 10:00 PM	38.3	52.0	36.7
10:00 PM - 11:00 PM	42.6	60.8	37.1
11:00 PM - 12:00 AM	51.8	70.3	41.4
12:00 AM - 01:00 AM	42.3	54.1	40.5
01:00 AM - 02:00 AM	43.6	55.4	42.3
02:00 AM - 03:00 AM	49.2	66.7	46.8
03:00 AM - 04:00 AM	47.4	64.0	45.7
04:00 AM - 05:00 AM	43.3	59.3	41.3
05:00 AM - 06:00 AM	40.8	60.2	35.2
06:00 AM - 07:00 AM	37.6	54.3	31.7
07:00 AM - 08:00 AM	40.5	63.8	33.7
08:00 AM - 09:00 AM	44.2	66.4	37.1
09:00 AM - 10:00 AM	45.8	53.1	43.1
10:00 AM - 11:00 AM	50.4	61.4	46.6

Leq Average 24 hrs. (dB(A))

46.1

Lmax (dB(A))

70.3

L90 (dB(A))

40.5

Ldn (dB(A))

52.7

Standard (dB(A))

70

115

Reference Method : ISO1996-1 and 1996-2

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป  
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

*Thanita K.*

Thanita Kulsuriwong  
Scientist (4)

Approved by

*Supot S.*

Supot Salamteh  
Section Head

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556  
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

[www.alsglobal.com](http://www.alsglobal.com)

RIGHT SOLUTIONS RIGHT PARTNER





## Analysis / Test Report

TESTING  
No.0042

**Client :** Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Towe, New Petchburi Road, Bangkapi, Huaykwang, Bangkok Thailand 10310

**P/O :**

**Project Name :** Laemchabang

**Project Location :**

**Lot ID: 2349338**

Date Received : May 23, 2023

Date Reported : May 29, 2023

Report Number: 2664203-1

Page 1 of 1

**Sample Number** 2349338-10  
**Parameter** Noise (Leq 24 hrs.)  
**Location** N2 : ขุมขนบ้านตะเคียนเตี้ยจุดที่ 3  
**Measurement Date** May 16 - May 17, 2023  
**Measurement by** Siriwit Ruangsom  
**Sound Level meter** Serial No. 572561

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
11:00 AM - 12:00 PM	48.5	60.3	45.3
12:00 PM - 01:00 PM	44.2	59.9	40.0
01:00 PM - 02:00 PM	45.0	58.8	39.3
02:00 PM - 03:00 PM	42.2	61.5	35.9
03:00 PM - 04:00 PM	39.7	59.8	36.4
04:00 PM - 05:00 PM	42.5	66.0	38.2
05:00 PM - 06:00 PM	42.1	51.3	40.8
06:00 PM - 07:00 PM	45.9	53.9	45.1
07:00 PM - 08:00 PM	42.5	47.7	40.7
08:00 PM - 09:00 PM	38.7	46.8	36.9
09:00 PM - 10:00 PM	38.6	50.1	36.8
10:00 PM - 11:00 PM	38.4	44.6	37.4
11:00 PM - 12:00 AM	36.7	51.8	35.3
12:00 AM - 01:00 AM	35.4	50.6	33.9
01:00 AM - 02:00 AM	38.4	60.4	35.3
02:00 AM - 03:00 AM	44.5	55.9	42.3
03:00 AM - 04:00 AM	49.2	69.2	44.2
04:00 AM - 05:00 AM	47.1	59.3	42.9
05:00 AM - 06:00 AM	43.7	61.2	37.4
06:00 AM - 07:00 AM	40.0	51.8	35.8
07:00 AM - 08:00 AM	39.7	49.2	35.7
08:00 AM - 09:00 AM	47.4	59.1	41.9
09:00 AM - 10:00 AM	48.0	60.9	42.9
10:00 AM - 11:00 AM	41.2	61.8	36.9

Leq Average 24 hrs. (dB(A))

44.1

Lmax (dB(A))

69.2

L90 (dB(A))

37.4

Ldn (dB(A))

50.3

Standard (dB(A))

70

115

Reference Method : ISO1996-1 and 1996-2

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป  
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

*Thanita K.*

Thanita Kulsuriwong  
Scientist (4)

Approved by

*Supot S.*

Supot Salamteh  
Section Head

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556  
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

[www.alsglobal.com](http://www.alsglobal.com)

RIGHT SOLUTIONS RIGHT PARTNER



## Analysis / Test Report

TESTING

No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O :

Project Name : Laemchabang

Project Location :

Lot ID: 2349338

Date Received : May 23, 2023

Date Reported : May 29, 2023

Report Number: 2664204-1

Page 1 of 1

Sample Number : 2349338-11  
Parameter : Noise (Leq 24 hrs.)  
Location : N2 : ชุมชนบ้านตะเคียนเตี้ยจุดที่ 3  
Measurement Date : May 17 - May 18, 2023  
Measurement by : Siriwit Ruangsom  
Sound Level meter : Serial No. 572561

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
11:00 AM - 12:00 PM	41.9	63.3	35.4
12:00 PM - 01:00 PM	41.4	59.5	36.3
01:00 PM - 02:00 PM	45.7	60.5	39.3
02:00 PM - 03:00 PM	49.6	60.8	45.0
03:00 PM - 04:00 PM	42.5	57.2	40.0
04:00 PM - 05:00 PM	45.2	57.8	42.7
05:00 PM - 06:00 PM	44.9	56.8	42.5
06:00 PM - 07:00 PM	44.1	59.4	41.3
07:00 PM - 08:00 PM	38.6	44.6	37.6
08:00 PM - 09:00 PM	42.5	55.3	40.1
09:00 PM - 10:00 PM	43.9	60.3	38.5
10:00 PM - 11:00 PM	37.8	50.6	35.3
11:00 PM - 12:00 AM	36.3	50.9	34.1
12:00 AM - 01:00 AM	37.0	47.5	33.9
01:00 AM - 02:00 AM	35.9	52.7	33.8
02:00 AM - 03:00 AM	42.3	51.5	40.3
03:00 AM - 04:00 AM	46.6	66.9	40.3
04:00 AM - 05:00 AM	47.3	61.2	44.5
05:00 AM - 06:00 AM	48.3	61.5	44.6
06:00 AM - 07:00 AM	48.1	65.9	44.7
07:00 AM - 08:00 AM	52.0	65.4	48.2
08:00 AM - 09:00 AM	54.6	71.3	48.0
09:00 AM - 10:00 AM	49.5	68.3	42.5
10:00 AM - 11:00 AM	48.0	65.4	42.7

Leq Average 24 hrs. (dB(A))

46.9

Lmax (dB(A))

71.3

L90 (dB(A))

40.3

Ldn (dB(A))

51.7

Standard (dB(A))

70

115

Reference Method : ISO1996-1 and 1996-2

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป  
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Thanita K.

Thanita Kulsuriwong  
Scientist (4)

Approved by

Supot S.

Supot Salamteh  
Section Head

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556  
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER





## Analysis / Test Report

TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl, ItalThai Towe, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O :

Project Name : Laemchabang

Project Location :

Lot ID: 2349338

Date Received : May 23, 2023

Date Reported : May 29, 2023

Report Number: 2664205-1

Page 1 of 1

Sample Number 2349338-12  
Parameter Noise (Leq 24 hrs.)  
Location N2 : ชุมชนบ้านตะเคียนเตี้ยจุดที่ 3  
Measurement Date May 18 - May 19, 2023  
Measurement by Siriwit Ruangsom  
Sound Level meter Serial No. 572561

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
11:00 AM - 12:00 PM	45.2	55.9	40.9
12:00 PM - 01:00 PM	43.9	60.2	39.8
01:00 PM - 02:00 PM	46.1	64.1	39.4
02:00 PM - 03:00 PM	41.9	60.7	38.9
03:00 PM - 04:00 PM	47.3	79.2	40.5
04:00 PM - 05:00 PM	43.5	56.2	41.2
05:00 PM - 06:00 PM	43.9	57.2	41.7
06:00 PM - 07:00 PM	43.3	57.3	40.9
07:00 PM - 08:00 PM	40.8	48.8	39.4
08:00 PM - 09:00 PM	41.3	49.8	39.7
09:00 PM - 10:00 PM	38.3	48.7	36.1
10:00 PM - 11:00 PM	39.5	51.8	37.8
11:00 PM - 12:00 AM	40.1	59.7	36.6
12:00 AM - 01:00 AM	42.4	56.6	37.1
01:00 AM - 02:00 AM	40.0	56.6	36.7
02:00 AM - 03:00 AM	46.3	58.2	44.8
03:00 AM - 04:00 AM	45.3	62.7	42.7
04:00 AM - 05:00 AM	47.1	59.3	42.8
05:00 AM - 06:00 AM	49.1	64.4	45.1
06:00 AM - 07:00 AM	51.0	64.5	47.8
07:00 AM - 08:00 AM	52.5	66.4	49.2
08:00 AM - 09:00 AM	52.9	65.8	48.0
09:00 AM - 10:00 AM	51.6	59.1	47.5
10:00 AM - 11:00 AM	50.5	56.8	47.9

Leq Average 24 hrs. (dB(A))

47.3

Lmax (dB(A))

79.2

L90 (dB(A))

40.9

Ldn (dB(A))

52.9

Standard (dB(A))

70

115

Reference Method : ISO1996-1 and 1996-2

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป  
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Thanita K.

Thanita Kulsuriwong

Scientist (4)

Approved by

Supot S.

Supot Salamteh

Section Head

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand PHONE +66 0 3304 8555 FAX +66 0 3304 8556  
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



## Analysis / Test Report

TESTING  
No.0042

**Client :** Rojana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

**P/O :**

**Project Name :** Laemichabang

**Project Location :**

**Lot ID: 2349338**

Date Received : May 23, 2023

Date Reported : May 29, 2023

Report Number: 2664206-1

Page 1 of 1

**Sample Number** 2349338-13  
**Parameter** Noise (Leq 24 hrs.)  
**Location** N2 : ชุมชนบ้านตะเคียนเตี้ยจุดที่ 3  
**Measurement Date** May 19 - May 20, 2023  
**Measurement by** Siriwit Ruangsom  
**Sound Level meter** Serial No. 572561

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
11:00 AM - 12:00 PM	49.7	69.8	44.6
12:00 PM - 01:00 PM	40.8	60.9	37.7
01:00 PM - 02:00 PM	46.9	63.2	42.9
02:00 PM - 03:00 PM	48.8	67.0	45.2
03:00 PM - 04:00 PM	43.9	53.2	42.2
04:00 PM - 05:00 PM	43.7	57.9	41.8
05:00 PM - 06:00 PM	42.8	57.0	40.4
06:00 PM - 07:00 PM	41.6	50.9	40.0
07:00 PM - 08:00 PM	38.9	48.3	37.9
08:00 PM - 09:00 PM	39.4	43.8	38.8
09:00 PM - 10:00 PM	39.8	54.8	38.8
10:00 PM - 11:00 PM	38.6	56.6	36.3
11:00 PM - 12:00 AM	36.7	49.1	34.9
12:00 AM - 01:00 AM	37.3	53.1	34.2
01:00 AM - 02:00 AM	40.0	55.0	36.8
02:00 AM - 03:00 AM	45.4	58.8	42.0
03:00 AM - 04:00 AM	46.6	69.8	43.1
04:00 AM - 05:00 AM	45.1	67.8	39.7
05:00 AM - 06:00 AM	49.5	59.4	47.0
06:00 AM - 07:00 AM	52.0	62.0	49.6
07:00 AM - 08:00 AM	53.2	63.6	49.7
08:00 AM - 09:00 AM	50.3	61.6	46.1
09:00 AM - 10:00 AM	48.9	59.7	43.4
10:00 AM - 11:00 AM	45.8	67.9	37.8

Leq Average 24 hrs. (dB(A)) 46.8  
Lmax (dB(A)) 69.8  
L90 (dB(A)) 40.4  
Ldn (dB(A)) 52.8  
Standard (dB(A)) 70 115

Reference Method : ISO1996-1 and 1996-2

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป  
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

*Thanita K.*

Thanita Kulsuriwong  
Scientist (4)

Approved by

*Supot S.*

Supot Salamteh  
Section Head

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556  
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER





## Analysis / Test Report

TESTING  
No.0042

**Client :** Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Towe, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

**P/O :**

**Project Name :** Laemchabang

**Project Location :**

**Lot ID: 2349338**

Date Received : May 23, 2023

Date Reported : May 29, 2023

Report Number: 2664207-1

Page 1 of 1

**Sample Number** 2349338-14  
**Parameter** Noise (Leq 24 hrs.)  
**Location** N2 : หมู่ชนบ้านตะเคียนเตี้ยจุดที่ 3  
**Measurement Date** May 20 - May 21, 2023  
**Measurement by** Siriwit Ruangsom  
**Sound Level meter** Serial No. 572561

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
11:00 AM - 12:00 PM	44.2	65.0	37.4
12:00 PM - 01:00 PM	41.5	58.4	38.0
01:00 PM - 02:00 PM	43.1	61.5	39.0
02:00 PM - 03:00 PM	41.6	65.2	35.4
03:00 PM - 04:00 PM	43.9	62.2	37.7
04:00 PM - 05:00 PM	45.1	50.8	43.2
05:00 PM - 06:00 PM	43.3	52.6	41.4
06:00 PM - 07:00 PM	43.4	55.2	41.1
07:00 PM - 08:00 PM	43.0	52.3	40.4
08:00 PM - 09:00 PM	40.6	49.7	38.1
09:00 PM - 10:00 PM	42.1	47.8	40.6
10:00 PM - 11:00 PM	40.7	55.0	38.2
11:00 PM - 12:00 AM	40.9	50.6	38.7
12:00 AM - 01:00 AM	39.0	49.5	36.7
01:00 AM - 02:00 AM	41.9	53.5	39.5
02:00 AM - 03:00 AM	46.5	61.4	44.3
03:00 AM - 04:00 AM	47.3	67.4	43.6
04:00 AM - 05:00 AM	44.9	67.6	42.0
05:00 AM - 06:00 AM	46.2	68.6	38.1
06:00 AM - 07:00 AM	43.5	63.7	38.0
07:00 AM - 08:00 AM	43.3	54.5	40.0
08:00 AM - 09:00 AM	48.0	59.7	44.9
09:00 AM - 10:00 AM	51.8	62.8	48.6
10:00 AM - 11:00 AM	49.0	57.8	45.5

Leq Average 24 hrs. (dB(A))

45.1

Lmax (dB(A))

68.6

L90 (dB(A))

39.5

Ldn (dB(A))

50.9

Standard (dB(A))

70

115

Reference Method : ISO1996-1 and 1996-2

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป  
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

*Thanita K.*

Thanita Kulsuriwong  
Scientist (4)

Approved by

*Supot S.*

Supot Salamteh  
Section Head

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand PHONE +66 0 3304 8555 FAX +66 0 3304 8556  
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

[www.alsglobal.com](http://www.alsglobal.com)

RIGHT SOLUTIONS RIGHT PARTNER



## Analysis / Test Report

TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O :

Project Name : Laemchabang

Project Location :

Lot ID: 2349338

Date Received : May 23, 2023

Date Reported : May 29, 2023

Report Number: 2664208-1

Page 1 of 1

Sample Number 2349338-15  
Parameter Noise (Leq 24 hrs.)  
Location N3 : ชุมชนบ้านตะเคียนเตี้ยจุดที่ 4  
Measurement Date May 14 - May 15, 2023  
Measurement by Siriwit Ruangsom  
Sound Level meter Serial No. 1222724

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
11:00 AM - 12:00 PM	50.9	80.6	36.0
12:00 PM - 01:00 PM	49.6	72.5	37.8
01:00 PM - 02:00 PM	47.9	70.4	36.0
02:00 PM - 03:00 PM	41.1	59.2	34.6
03:00 PM - 04:00 PM	42.4	64.5	32.6
04:00 PM - 05:00 PM	50.5	76.7	33.5
05:00 PM - 06:00 PM	45.0	64.6	35.3
06:00 PM - 07:00 PM	46.4	69.0	40.6
07:00 PM - 08:00 PM	50.4	76.6	44.0
08:00 PM - 09:00 PM	44.2	62.3	42.8
09:00 PM - 10:00 PM	42.5	44.9	42.0
10:00 PM - 11:00 PM	42.0	56.4	40.9
11:00 PM - 12:00 AM	41.2	57.9	39.7
12:00 AM - 01:00 AM	42.5	55.4	39.9
01:00 AM - 02:00 AM	45.3	64.7	38.9
02:00 AM - 03:00 AM	51.4	70.3	41.5
03:00 AM - 04:00 AM	42.3	61.3	40.4
04:00 AM - 05:00 AM	46.8	72.2	41.1
05:00 AM - 06:00 AM	47.5	72.5	43.1
06:00 AM - 07:00 AM	53.8	81.5	43.2
07:00 AM - 08:00 AM	56.4	82.4	41.0
08:00 AM - 09:00 AM	59.2	88.9	33.3
09:00 AM - 10:00 AM	48.1	71.6	31.8
10:00 AM - 11:00 AM	39.9	60.7	32.6

Leq Average 24 hrs. (dB(A))

50.3

Lmax (dB(A))

88.9

L90 (dB(A))

39.7

Ldn (dB(A))

55.1

Standard (dB(A))

70

115

Reference Method : ISO1996-1 and 1996-2

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป  
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

*Thanita K.*

Thanita Kulsuriwong  
Scientist (4)

Approved by

*Supot S.*

Supot Salamteh  
Section Head

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand PHONE +66 0 3304 8555 FAX +66 0 3304 8556  
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

15089-21/ EMAIL

S:\Reports\Air Noise.rpt (10:41AM)





## Analysis / Test Report

TESTING  
No.0042

**Client :** Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Towe, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

**P/O :**

**Project Name :** Laemchabang

**Project Location :**

**Lot ID: 2349338**

Date Received : May 23, 2023

Date Reported : May 29, 2023

Report Number: 2664209-1

Page 1 of 1

**Sample Number** 2349338-16  
**Parameter** Noise (Leq 24 hrs.)  
**Location** N3 : หมู่ชนบ้านตะเคียนเตี้ยจุดที่ 4  
**Measurement Date** May 15 - May 16, 2023  
**Measurement by** Siriwit Ruangsom  
**Sound Level meter** Serial No. 1222724

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
11:00 AM - 12:00 PM	55.7	87.1	33.6
12:00 PM - 01:00 PM	42.5	68.3	32.8
01:00 PM - 02:00 PM	42.3	62.3	34.5
02:00 PM - 03:00 PM	45.4	62.8	35.2
03:00 PM - 04:00 PM	42.6	65.9	33.9
04:00 PM - 05:00 PM	49.9	78.0	34.8
05:00 PM - 06:00 PM	48.3	78.8	34.9
06:00 PM - 07:00 PM	43.9	63.0	39.0
07:00 PM - 08:00 PM	47.3	62.6	45.0
08:00 PM - 09:00 PM	44.6	61.9	42.1
09:00 PM - 10:00 PM	45.8	63.1	43.0
10:00 PM - 11:00 PM	46.2	64.6	44.1
11:00 PM - 12:00 AM	43.1	56.5	41.6
12:00 AM - 01:00 AM	43.6	50.1	42.1
01:00 AM - 02:00 AM	42.0	60.3	39.5
02:00 AM - 03:00 AM	41.8	56.4	39.4
03:00 AM - 04:00 AM	42.5	56.2	38.5
04:00 AM - 05:00 AM	45.1	68.6	37.7
05:00 AM - 06:00 AM	46.1	68.1	40.7
06:00 AM - 07:00 AM	49.0	69.4	42.0
07:00 AM - 08:00 AM	52.1	76.7	40.1
08:00 AM - 09:00 AM	50.2	73.9	34.9
09:00 AM - 10:00 AM	42.7	62.3	32.3
10:00 AM - 11:00 AM	43.9	66.7	33.5

Leq Average 24 hrs. (dB(A))

47.6

Lmax (dB(A))

87.1

L90 (dB(A))

38.5

Ldn (dB(A))

52.1

Standard (dB(A))

70

115

Reference Method : ISO1996-1 and 1996-2

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป  
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

*Thanita K.*

Thanita Kulsuriwong  
Scientist (4)

Approved by

*Supot S.*

Supot Salamteah  
Section Head

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand PHONE +66 0 3304 8555 FAX +66 0 3304 8556  
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

[www.alsglobal.com](http://www.alsglobal.com)

RIGHT SOLUTIONS RIGHT PARTNER



## Analysis / Test Report

TESTING  
No.0042

**Client :** Rojana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Italhai Towe, New Petchburi Road, Bangkapi, Huaykwang, Bangkok Thailand  
10310

**P/O :**

**Project Name :** Laemichabang

**Project Location :**

**Lot ID: 2349338**

Date Received : May 23, 2023

Date Reported : May 29, 2023

Report Number: 2664210-1

Page 1 of 1

**Sample Number** 2349338-17  
**Parameter** Noise (Leq 24 hrs.)  
**Location** N3 : ชุมชนบ้านตะเคียนเตี้ยจุดที่ 4  
**Measurement Date** May 16 - May 17, 2023  
**Measurement by** Siriwit Ruangsom  
**Sound Level meter** Serial No. 1222724

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
11:00 AM - 12:00 PM	55.0	80.6	41.7
12:00 PM - 01:00 PM	49.1	65.1	41.6
01:00 PM - 02:00 PM	54.4	82.9	36.0
02:00 PM - 03:00 PM	46.3	68.4	39.9
03:00 PM - 04:00 PM	48.2	71.3	38.0
04:00 PM - 05:00 PM	47.8	69.0	36.5
05:00 PM - 06:00 PM	48.8	70.4	40.1
06:00 PM - 07:00 PM	47.1	64.0	44.3
07:00 PM - 08:00 PM	47.2	65.3	44.5
08:00 PM - 09:00 PM	46.8	60.6	41.7
09:00 PM - 10:00 PM	52.4	64.8	46.4
10:00 PM - 11:00 PM	44.9	60.1	42.5
11:00 PM - 12:00 AM	44.1	59.0	42.4
12:00 AM - 01:00 AM	49.3	55.2	47.8
01:00 AM - 02:00 AM	50.3	56.1	49.1
02:00 AM - 03:00 AM	44.7	56.9	40.5
03:00 AM - 04:00 AM	48.1	66.4	41.3
04:00 AM - 05:00 AM	49.2	65.6	45.2
05:00 AM - 06:00 AM	51.1	66.3	46.8
06:00 AM - 07:00 AM	47.3	64.7	40.1
07:00 AM - 08:00 AM	50.0	74.6	40.5
08:00 AM - 09:00 AM	47.1	65.1	43.6
09:00 AM - 10:00 AM	49.2	71.1	41.0
10:00 AM - 11:00 AM	47.9	71.4	41.5

Leq Average 24 hrs. (dB(A)) 49.5  
Lmax (dB(A)) 82.9  
L90 (dB(A)) 41.6  
Ldn (dB(A)) 55.0  
Standard (dB(A)) 70 115

Reference Method : ISO1996-1 and 1996-2

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป  
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการ  
โรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

*Thanita K.*

Thanita Kulsuriwong  
Scientist (4)

Approved by

*Supot S.*

Supot Salamteh  
Section Head

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556  
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER





## Analysis / Test Report

TESTING  
No.0042

**Client :** Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Towe, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

**P/O :**

**Project Name :** Laemchabang

**Project Location :**

**Lot ID: 2349338**

Date Received : May 23, 2023

Date Reported : May 29, 2023

Report Number: 2664211-1

Page 1 of 1

**Sample Number** 2349338-18  
**Parameter** Noise (Leq 24 hrs.)  
**Location** N3 : ชุมชนบ้านตะเคียนเตี้ยจุดที่ 4  
**Measurement Date** May 17 - May 18, 2023  
**Measurement by** Siriwit Ruangsom  
**Sound Level meter** Serial No. 1222724

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
11:00 AM - 12:00 PM	50.3	73.8	41.4
12:00 PM - 01:00 PM	48.5	63.3	44.0
01:00 PM - 02:00 PM	44.5	62.7	40.7
02:00 PM - 03:00 PM	47.8	67.5	42.0
03:00 PM - 04:00 PM	46.1	67.5	39.3
04:00 PM - 05:00 PM	46.8	68.5	39.8
05:00 PM - 06:00 PM	48.5	73.1	39.4
06:00 PM - 07:00 PM	61.1	85.1	44.2
07:00 PM - 08:00 PM	49.3	60.8	47.8
08:00 PM - 09:00 PM	44.7	63.9	42.0
09:00 PM - 10:00 PM	45.0	66.4	43.8
10:00 PM - 11:00 PM	46.5	53.8	45.5
11:00 PM - 12:00 AM	47.4	57.7	46.3
12:00 AM - 01:00 AM	46.9	52.7	45.7
01:00 AM - 02:00 AM	46.2	53.6	44.7
02:00 AM - 03:00 AM	46.9	59.8	40.0
03:00 AM - 04:00 AM	45.7	64.0	43.0
04:00 AM - 05:00 AM	48.4	66.9	42.6
05:00 AM - 06:00 AM	52.1	71.6	45.8
06:00 AM - 07:00 AM	48.3	64.5	41.4
07:00 AM - 08:00 AM	52.5	79.5	41.2
08:00 AM - 09:00 AM	52.8	76.9	42.5
09:00 AM - 10:00 AM	51.8	77.1	43.2
10:00 AM - 11:00 AM	54.0	80.2	44.2

Leq Average 24 hrs. (dB(A))

51.3

Lmax (dB(A))

85.1

L90 (dB(A))

42.6

Ldn (dB(A))

55.4

Standard (dB(A))

70

115

Reference Method : ISO1996-1 and 1996-2

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป  
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

*Thanita K.*

Thanita Kulsuriwong  
Scientist (4)

Approved by

*Supot S.*

Supot Salamteh  
Section Head

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand PHONE +66 0 3304 8555 FAX +66 0 3304 8556  
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



## Analysis / Test Report

TESTING  
No.0042

**Client :** Rojana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. ItalThai Towel, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

**P/O :**

**Project Name :** Laemchabang

**Project Location :**

**Lot ID: 2349338**

Date Received : May 23, 2023

Date Reported : May 29, 2023

Report Number: 2664212-1

Page 1 of 1

**Sample Number** 2349338-19  
**Parameter** Noise (Leq 24 hrs.)  
**Location** N3 : ขุมชนบ้านตะเคียนเตี้ยจุดที่ 4  
**Measurement Date** May 18 - May 19, 2023  
**Measurement by** Siriwit Ruangsom  
**Sound Level meter** Serial No. 1222724

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
11:00 AM - 12:00 PM	52.8	70.0	42.3
12:00 PM - 01:00 PM	52.7	76.7	42.1
01:00 PM - 02:00 PM	49.4	70.1	39.3
02:00 PM - 03:00 PM	46.5	62.9	41.4
03:00 PM - 04:00 PM	46.1	65.6	40.1
04:00 PM - 05:00 PM	47.8	66.1	41.3
05:00 PM - 06:00 PM	49.1	74.2	40.1
06:00 PM - 07:00 PM	46.7	65.0	42.2
07:00 PM - 08:00 PM	51.0	69.7	49.6
08:00 PM - 09:00 PM	46.4	57.7	45.2
09:00 PM - 10:00 PM	42.6	52.0	41.9
10:00 PM - 11:00 PM	42.9	60.2	40.6
11:00 PM - 12:00 AM	46.1	64.1	43.1
12:00 AM - 01:00 AM	45.0	54.4	43.2
01:00 AM - 02:00 AM	47.2	58.5	46.4
02:00 AM - 03:00 AM	49.6	60.8	46.7
03:00 AM - 04:00 AM	45.5	58.0	40.7
04:00 AM - 05:00 AM	44.5	65.6	38.9
05:00 AM - 06:00 AM	47.8	64.0	44.1
06:00 AM - 07:00 AM	51.9	78.2	41.9
07:00 AM - 08:00 AM	49.3	74.2	39.5
08:00 AM - 09:00 AM	51.3	70.3	40.0
09:00 AM - 10:00 AM	51.2	80.8	40.9
10:00 AM - 11:00 AM	47.3	63.9	37.9

Leq Average 24 hrs. (dB(A)) 48.9  
Lmax (dB(A)) 80.8  
L90 (dB(A)) 41.4  
Ldn (dB(A)) 54.3  
Standard (dB(A)) 70 115

Reference Method : ISO1996-1 and 1996-2

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป  
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

*Thanita K.*

Thanita Kulsuriwong  
Scientist (4)

Approved by

*Supot S.*

Supot Salamteh  
Section Head

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556  
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER





## Analysis / Test Report

TESTING  
No.0042

**Client :** Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Towe, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

**P/O :**

**Project Name :** Laemchabang

**Project Location :**

**Lot ID: 2349338**

Date Received : May 23, 2023

Date Reported : May 29, 2023

Report Number: 2664213-1

Page 1 of 1

**Sample Number** 2349338-20  
**Parameter** Noise (Leq 24 hrs.)  
**Location** N3 : ชุมชนบ้านตะเคียนเตี้ยจุดที่ 4  
**Measurement Date** May 19 - May 20, 2023  
**Measurement by** Siriwit Ruangsom  
**Sound Level meter** Serial No. 1222724

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
11:00 AM - 12:00 PM	49.6	72.7	36.5
12:00 PM - 01:00 PM	45.7	70.6	36.1
01:00 PM - 02:00 PM	43.9	65.7	34.1
02:00 PM - 03:00 PM	50.1	77.9	33.6
03:00 PM - 04:00 PM	48.7	70.6	35.9
04:00 PM - 05:00 PM	47.9	70.2	39.9
05:00 PM - 06:00 PM	51.1	77.8	45.0
06:00 PM - 07:00 PM	46.7	63.1	43.8
07:00 PM - 08:00 PM	42.7	60.4	42.0
08:00 PM - 09:00 PM	41.8	56.1	40.8
09:00 PM - 10:00 PM	40.9	57.6	39.6
10:00 PM - 11:00 PM	41.9	55.9	39.5
11:00 PM - 12:00 AM	43.9	62.8	39.3
12:00 AM - 01:00 AM	50.7	69.9	40.5
01:00 AM - 02:00 AM	44.7	68.1	40.0
02:00 AM - 03:00 AM	42.6	60.9	40.6
03:00 AM - 04:00 AM	48.7	72.1	42.2
04:00 AM - 05:00 AM	53.3	81.1	42.7
05:00 AM - 06:00 AM	46.2	67.1	41.5
06:00 AM - 07:00 AM	59.4	89.1	33.9
07:00 AM - 08:00 AM	48.4	71.8	32.0
08:00 AM - 09:00 AM	40.3	61.6	33.6
09:00 AM - 10:00 AM	56.8	88.2	34.5
10:00 AM - 11:00 AM	42.7	66.8	34.0

Leq Average 24 hrs. (dB(A))

50.3

Lmax (dB(A))

89.1

L90 (dB(A))

39.5

Ldn (dB(A))

58.0

Standard (dB(A))

70

115

Reference Method : ISO1996-1 and 1996-2

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป  
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

*Thanita K.*

Thanita Kulsuriwong  
Scientist (4)

Approved by

*Supot S.*

Supot Salamteah  
Section Head

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556  
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

[www.alsglobal.com](http://www.alsglobal.com)

RIGHT SOLUTIONS RIGHT PARTNER



## Analysis / Test Report

TESTING  
No.0042

**Client :** Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Towe, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

**P/O :**

**Project Name :** Laemchabang

**Project Location :**

**Lot ID: 2349338**

Date Received : May 23, 2023

Date Reported : May 29, 2023

Report Number: 2664214-1

Page 1 of 1

**Sample Number** 2349338-21  
**Parameter** Noise (Leq 24 hrs.)  
**Location** N3 : ชุมชนบ้านตะเคียนเตี้ยจุดที่ 4  
**Measurement Date** May 20 - May 21, 2023  
**Measurement by** Siriwit Ruangsom  
**Sound Level meter** Serial No. 1222724

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
11:00 AM - 12:00 PM	43.3	69.4	35.1
12:00 PM - 01:00 PM	46.8	63.7	36.2
01:00 PM - 02:00 PM	43.1	66.8	34.7
02:00 PM - 03:00 PM	50.3	78.9	35.6
03:00 PM - 04:00 PM	47.8	68.1	35.5
04:00 PM - 05:00 PM	48.4	79.9	37.7
05:00 PM - 06:00 PM	47.8	61.8	45.9
06:00 PM - 07:00 PM	46.7	63.7	43.6
07:00 PM - 08:00 PM	46.9	64.2	44.0
08:00 PM - 09:00 PM	46.6	64.3	44.1
09:00 PM - 10:00 PM	43.2	48.7	42.0
10:00 PM - 11:00 PM	43.3	56.2	41.6
11:00 PM - 12:00 AM	41.8	55.5	40.3
12:00 AM - 01:00 AM	42.9	60.6	39.8
01:00 AM - 02:00 AM	42.8	56.5	38.9
02:00 AM - 03:00 AM	42.0	64.3	38.0
03:00 AM - 04:00 AM	46.7	68.9	40.4
04:00 AM - 05:00 AM	48.6	69.2	41.5
05:00 AM - 06:00 AM	52.1	76.5	40.8
06:00 AM - 07:00 AM	49.1	73.7	36.0
07:00 AM - 08:00 AM	46.4	73.6	32.7
08:00 AM - 09:00 AM	42.1	60.8	33.4
09:00 AM - 10:00 AM	55.6	81.2	39.7
10:00 AM - 11:00 AM	50.4	65.7	43.9

Leq Average 24 hrs. (dB(A)) 48.1  
Lmax (dB(A)) 81.2  
L90 (dB(A)) 39.7  
Ldn (dB(A)) 53.7  
Standard (dB(A)) 70 115

Reference Method : ISO1996-1 and 1996-2

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป  
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

*Thanita K.*

Thanita Kulsuriwong  
Scientist (4)

Approved by

*Supot S.*

Supot Salamteh  
Section Head

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556  
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

15089-21/ EMAIL

S:\Reports\Air Noise.rpt (10:42AM)





## Analysis / Test Report

TESTING  
No.0042

**Client :** Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Towe, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

**P/O :**

**Project Name :** Laemchabang

**Project Location :**

**Lot ID: 2349338**

Date Received : May 23, 2023

Date Reported : May 29, 2023

Report Number: 2664215-1

Page 1 of 1

**Sample Number** 2349338-22  
**Parameter** Noise (Leq 24 hrs.)  
**Location** N4 : ชุมชนบ้านตะเคียนเตี้ยจุดที่ 5  
**Measurement Date** May 14 - May 15, 2023  
**Measurement by** Siriwit Ruangsom  
**Sound Level meter** Serial No. 472126

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
11:00 AM - 12:00 PM	46.1	76.8	37.5
12:00 PM - 01:00 PM	43.4	68.6	36.6
01:00 PM - 02:00 PM	44.5	61.1	37.8
02:00 PM - 03:00 PM	44.0	65.9	37.2
03:00 PM - 04:00 PM	45.4	70.8	36.8
04:00 PM - 05:00 PM	45.5	68.9	39.8
05:00 PM - 06:00 PM	53.1	67.1	49.0
06:00 PM - 07:00 PM	44.5	65.5	39.1
07:00 PM - 08:00 PM	42.5	68.2	39.1
08:00 PM - 09:00 PM	41.7	66.5	40.0
09:00 PM - 10:00 PM	41.1	58.1	39.3
10:00 PM - 11:00 PM	39.9	50.3	38.3
11:00 PM - 12:00 AM	39.3	59.9	37.3
12:00 AM - 01:00 AM	38.4	57.6	36.0
01:00 AM - 02:00 AM	38.4	50.3	36.9
02:00 AM - 03:00 AM	40.9	65.8	34.5
03:00 AM - 04:00 AM	36.6	52.2	35.0
04:00 AM - 05:00 AM	53.7	70.8	48.2
05:00 AM - 06:00 AM	47.7	69.1	38.7
06:00 AM - 07:00 AM	46.4	66.0	36.6
07:00 AM - 08:00 AM	46.2	67.7	34.8
08:00 AM - 09:00 AM	42.2	60.6	34.4
09:00 AM - 10:00 AM	50.9	70.4	46.3
10:00 AM - 11:00 AM	52.1	79.0	37.0

Leq Average 24 hrs. (dB(A))

47.0

Lmax (dB(A))

79.0

L90 (dB(A))

37.3

Ldn (dB(A))

52.9

Standard (dB(A))

70

115

Reference Method : ISO1996-1 and 1996-2

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป  
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

*Thanita K.*

Thanita Kulsuriwong  
Scientist (4)

Approved by

*Supot S.*

Supot Salamteh  
Section Head

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556  
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

LIFE SCIENCES

[www.alsglobal.com](http://www.alsglobal.com)

RIGHT SOLUTIONS RIGHT PARTNER



## Analysis / Test Report

TESTING

No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O :

Project Name : Laemichabang

Project Location :

Lot ID: 2349338

Date Received : May 23, 2023

Date Reported : May 29, 2023

Report Number: 2664216-1

Page 1 of 1

Sample Number : 2349338-23  
Parameter : Noise (Leq 24 hrs.)  
Location : N4 : ขุมชนบ้านตะเคียนเตี้ยจุดที่ 5  
Measurement Date : May 15 - May 16, 2023  
Measurement by : Siriwit Ruangsom  
Sound Level meter : Serial No. 472126

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
11:00 AM - 12:00 PM	52.1	80.2	37.8
12:00 PM - 01:00 PM	48.7	61.3	44.8
01:00 PM - 02:00 PM	48.2	63.9	43.4
02:00 PM - 03:00 PM	51.7	78.3	36.0
03:00 PM - 04:00 PM	52.7	81.2	39.4
04:00 PM - 05:00 PM	55.4	85.3	35.3
05:00 PM - 06:00 PM	53.7	79.8	47.8
06:00 PM - 07:00 PM	46.6	71.5	39.0
07:00 PM - 08:00 PM	44.8	67.5	40.6
08:00 PM - 09:00 PM	41.7	61.8	39.7
09:00 PM - 10:00 PM	40.9	58.2	38.4
10:00 PM - 11:00 PM	38.1	48.9	36.3
11:00 PM - 12:00 AM	38.0	48.4	36.9
12:00 AM - 01:00 AM	37.5	52.6	35.4
01:00 AM - 02:00 AM	47.3	73.7	37.6
02:00 AM - 03:00 AM	46.8	71.3	38.3
03:00 AM - 04:00 AM	37.5	59.3	35.1
04:00 AM - 05:00 AM	49.9	63.7	47.6
05:00 AM - 06:00 AM	50.6	71.5	40.7
06:00 AM - 07:00 AM	46.1	69.8	38.8
07:00 AM - 08:00 AM	45.4	65.0	36.6
08:00 AM - 09:00 AM	49.6	68.4	45.6
09:00 AM - 10:00 AM	49.5	80.6	33.1
10:00 AM - 11:00 AM	48.0	68.3	42.6

Leq Average 24 hrs. (dB(A))

49.2

Lmax (dB(A))

85.3

L90 (dB(A))

38.4

Ldn (dB(A))

53.5

Standard (dB(A))

70

115

Reference Method : ISO1996-1 and 1996-2

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป  
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการ  
โรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Thanita K.

Thanita Kulsuriwong  
Scientist (4)

Approved by

Supot S.

Supot Salamteh  
Section Head

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556  
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

15089-21/ EMAIL

S:\Reports\Air Noise.rpt (10:43AM)





## Analysis / Test Report

TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl, ItalThai Towe, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O :

Project Name : Laemchabang

Project Location :

Lot ID: 2349338

Date Received : May 23, 2023

Date Reported : May 29, 2023

Report Number: 2664217-1

Page 1 of 1

Sample Number 2349338-24  
Parameter Noise (Leq 24 hrs.)  
Location N4 : ขุมขนบ้านตะเคียนเตี้ยจุดที่ 5  
Measurement Date May 16 - May 17, 2023  
Measurement by Siriwit Ruangsom  
Sound Level meter Serial No. 472126

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
11:00 AM - 12:00 PM	52.4	80.8	32.2
12:00 PM - 01:00 PM	41.8	60.6	34.2
01:00 PM - 02:00 PM	54.9	87.4	36.1
02:00 PM - 03:00 PM	54.2	83.3	40.4
03:00 PM - 04:00 PM	42.6	71.0	34.4
04:00 PM - 05:00 PM	45.0	69.5	34.7
05:00 PM - 06:00 PM	51.4	74.5	46.5
06:00 PM - 07:00 PM	47.6	73.2	38.4
07:00 PM - 08:00 PM	42.6	70.7	39.7
08:00 PM - 09:00 PM	45.8	72.6	40.1
09:00 PM - 10:00 PM	41.6	65.5	37.3
10:00 PM - 11:00 PM	40.3	64.8	35.4
11:00 PM - 12:00 AM	44.9	78.2	38.0
12:00 AM - 01:00 AM	39.9	67.5	33.8
01:00 AM - 02:00 AM	35.9	58.8	33.3
02:00 AM - 03:00 AM	35.9	58.4	32.7
03:00 AM - 04:00 AM	43.7	67.6	33.4
04:00 AM - 05:00 AM	48.8	66.5	46.5
05:00 AM - 06:00 AM	45.8	63.2	37.2
06:00 AM - 07:00 AM	46.9	70.3	36.6
07:00 AM - 08:00 AM	47.2	65.9	36.1
08:00 AM - 09:00 AM	50.4	85.2	40.7
09:00 AM - 10:00 AM	47.4	76.2	38.9
10:00 AM - 11:00 AM	45.6	68.5	38.4

Leq Average 24 hrs. (dB(A))

48.2

Lmax (dB(A))

87.4

L90 (dB(A))

36.6

Ldn (dB(A))

52.0

Standard (dB(A))

70

115

Reference Method : ISO1996-1 and 1996-2

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป  
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Thanita K.

Thanita Kulsuriwong  
Scientist (4)

Approved by

Supot S.

Supot Salamteh  
Section Head

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556  
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

15089-21/ EMAIL

S:\Reports\\_Air Noise.rpt (10:43AM)



## Analysis / Test Report

TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Towe, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O :

Project Name : Laemchabang

Project Location :

Lot ID: 2349338

Date Received : May 23, 2023

Date Reported : May 29, 2023

Report Number: 2664218-1

Page 1 of 1

Sample Number : 2349338-25  
Parameter : Noise (Leq 24 hrs.)  
Location : N4 : ขุมขนบ้านตะเคียนเตี้ยจุดที่ 5  
Measurement Date : May 17 - May 18, 2023  
Measurement by : Siriwit Ruangsom  
Sound Level meter : Serial No. 472126

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
11:00 AM - 12:00 PM	49.5	72.2	42.2
12:00 PM - 01:00 PM	46.5	65.4	40.1
01:00 PM - 02:00 PM	48.4	76.2	37.1
02:00 PM - 03:00 PM	48.9	72.8	41.0
03:00 PM - 04:00 PM	48.7	69.5	40.2
04:00 PM - 05:00 PM	48.5	69.5	41.4
05:00 PM - 06:00 PM	52.0	75.9	43.9
06:00 PM - 07:00 PM	46.4	72.1	37.5
07:00 PM - 08:00 PM	44.6	68.2	37.6
08:00 PM - 09:00 PM	42.6	68.3	38.0
09:00 PM - 10:00 PM	39.2	53.3	38.0
10:00 PM - 11:00 PM	39.1	56.8	37.6
11:00 PM - 12:00 AM	38.3	48.5	36.7
12:00 AM - 01:00 AM	40.2	65.2	34.7
01:00 AM - 02:00 AM	36.2	49.9	34.4
02:00 AM - 03:00 AM	46.6	68.2	34.4
03:00 AM - 04:00 AM	38.3	66.0	30.7
04:00 AM - 05:00 AM	49.4	65.4	43.2
05:00 AM - 06:00 AM	50.1	81.3	36.9
06:00 AM - 07:00 AM	46.2	68.6	36.1
07:00 AM - 08:00 AM	53.0	66.9	45.8
08:00 AM - 09:00 AM	58.3	67.2	55.3
09:00 AM - 10:00 AM	55.3	63.4	51.9
10:00 AM - 11:00 AM	52.0	63.6	44.5

Leq Average 24 hrs. (dB(A)) : 49.9  
Lmax (dB(A)) : 81.3  
L90 (dB(A)) : 38.0  
Ldn (dB(A)) : 53.3  
Standard (dB(A)) : 70 115

Reference Method : ISO1996-1 and 1996-2

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป  
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

*Thanita K.*

Thanita Kulsuriwong  
Scientist (4)

Approved by

*Supot S.*

Supot Salamteh  
Section Head

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556  
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER





## Analysis / Test Report

TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italhai Towe, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O :

Project Name : Laemchabang

Project Location :

Lot ID: 2349338

Date Received : May 23, 2023

Date Reported : May 29, 2023

Report Number: 2664219-1

Page 1 of 1

Sample Number 2349338-26  
Parameter Noise (Leq 24 hrs.)  
Location N4 : ชุมชนบ้านตะเคียนเตี้ยจุดที่ 5  
Measurement Date May 18 - May 19, 2023  
Measurement by Siriwit Ruangsom  
Sound Level meter Serial No. 472126

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
11:00 AM - 12:00 PM	46.6	63.8	38.3
12:00 PM - 01:00 PM	46.9	72.4	42.0
01:00 PM - 02:00 PM	48.1	63.2	43.1
02:00 PM - 03:00 PM	45.1	64.2	37.7
03:00 PM - 04:00 PM	44.6	69.9	35.0
04:00 PM - 05:00 PM	45.8	65.3	37.2
05:00 PM - 06:00 PM	49.4	69.3	46.5
06:00 PM - 07:00 PM	46.8	71.6	37.3
07:00 PM - 08:00 PM	42.7	63.7	37.8
08:00 PM - 09:00 PM	44.2	70.7	37.7
09:00 PM - 10:00 PM	39.7	63.8	37.4
10:00 PM - 11:00 PM	39.3	62.4	36.7
11:00 PM - 12:00 AM	41.2	63.9	35.6
12:00 AM - 01:00 AM	44.9	66.1	37.2
01:00 AM - 02:00 AM	44.8	69.9	37.4
02:00 AM - 03:00 AM	42.2	66.2	35.1
03:00 AM - 04:00 AM	43.8	67.4	34.4
04:00 AM - 05:00 AM	47.9	66.2	44.4
05:00 AM - 06:00 AM	43.3	61.6	36.4
06:00 AM - 07:00 AM	46.6	76.8	36.9
07:00 AM - 08:00 AM	45.1	65.7	38.4
08:00 AM - 09:00 AM	48.1	69.1	39.1
09:00 AM - 10:00 AM	44.7	71.6	37.1
10:00 AM - 11:00 AM	46.5	62.4	42.2

Leq Average 24 hrs. (dB(A))

45.6

Lmax (dB(A))

76.8

L90 (dB(A))

37.4

Ldn (dB(A))

51.2

Standard (dB(A))

70

115

Reference Method : ISO1996-1 and 1996-2

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป  
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

*Thanita K.*

Thanita Kulsuriwong  
Scientist (4)

Approved by

*Supot S.*

Supot Salamteh  
Section Head

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556  
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



## Analysis / Test Report

TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Towe, New Petchburi Road, Bangkapi, Huaykwang, Bangkok Thailand 10310

P/O :

Project Name : Laemchabang

Project Location :

Lot ID: 2349338

Date Received : May 23, 2023

Date Reported : May 29, 2023

Report Number: 2664220-1

Page 1 of 1

Sample Number : 2349338-27  
Parameter : Noise (Leq 24 hrs.)  
Location : N4 : ชุมชนบ้านตะเคียนเตี้ยจุดที่ 5  
Measurement Date : May 19 - May 20, 2023  
Measurement by : Siriwit Ruangsom  
Sound Level meter : Serial No. 472126

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
11:00 AM - 12:00 PM	44.1	65.2	37.9
12:00 PM - 01:00 PM	46.6	62.1	43.1
01:00 PM - 02:00 PM	47.1	61.0	41.8
02:00 PM - 03:00 PM	54.6	78.0	50.8
03:00 PM - 04:00 PM	54.4	80.9	52.4
04:00 PM - 05:00 PM	51.7	78.5	48.1
05:00 PM - 06:00 PM	50.6	71.7	44.9
06:00 PM - 07:00 PM	53.7	94.0	38.9
07:00 PM - 08:00 PM	42.1	67.8	37.4
08:00 PM - 09:00 PM	41.6	69.3	36.8
09:00 PM - 10:00 PM	40.3	63.2	37.3
10:00 PM - 11:00 PM	53.0	77.2	51.6
11:00 PM - 12:00 AM	39.1	53.1	37.9
12:00 AM - 01:00 AM	40.3	61.1	37.2
01:00 AM - 02:00 AM	42.2	65.4	35.0
02:00 AM - 03:00 AM	38.1	70.0	32.8
03:00 AM - 04:00 AM	35.2	56.9	31.8
04:00 AM - 05:00 AM	49.8	68.2	46.4
05:00 AM - 06:00 AM	45.4	64.6	38.8
06:00 AM - 07:00 AM	43.7	64.7	34.8
07:00 AM - 08:00 AM	53.0	77.0	51.1
08:00 AM - 09:00 AM	43.1	62.8	35.9
09:00 AM - 10:00 AM	50.0	62.5	43.6
10:00 AM - 11:00 AM	48.3	78.4	35.4

Leq Average 24 hrs. (dB(A))

49.2

Lmax (dB(A))

94.0

L90 (dB(A))

37.9

Ldn (dB(A))

53.7

Standard (dB(A))

70

115

Reference Method : ISO1996-1 and 1996-2

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป  
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Thanita K.

Thanita Kulsuriwong  
Scientist (4)

Approved by

Supot S.

Supot Salamteh  
Section Head

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

ADDRESS 616/10 Moo 5 T. Maenam Khu A, Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556  
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER





## Analysis / Test Report

TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Towe, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O :

Project Name : Laemchabang

Project Location :

Lot ID: 2349338

Date Received : May 23, 2023

Date Reported : May 29, 2023

Report Number: 2664221-1

Page 1 of 1

Sample Number 2349338-28  
Parameter Noise (Leq 24 hrs.)  
Location N4 : ขุมขนบ้านตะเคียนเตี้ยจุดที่ 5  
Measurement Date May 20 - May 21, 2023  
Measurement by Siriwit Ruangsom  
Sound Level meter Serial No. 472126

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
11:00 AM - 12:00 PM	50.9	81.5	46.6
12:00 PM - 01:00 PM	55.9	85.1	52.3
01:00 PM - 02:00 PM	49.2	78.5	45.6
02:00 PM - 03:00 PM	41.3	62.2	32.3
03:00 PM - 04:00 PM	46.4	71.8	33.9
04:00 PM - 05:00 PM	48.6	81.0	34.3
05:00 PM - 06:00 PM	48.9	70.3	43.5
06:00 PM - 07:00 PM	47.3	75.4	40.2
07:00 PM - 08:00 PM	48.0	68.0	39.7
08:00 PM - 09:00 PM	42.2	63.6	38.2
09:00 PM - 10:00 PM	39.8	65.1	37.0
10:00 PM - 11:00 PM	39.9	64.6	37.4
11:00 PM - 12:00 AM	38.3	58.4	36.6
12:00 AM - 01:00 AM	41.7	67.9	35.9
01:00 AM - 02:00 AM	36.5	59.5	35.1
02:00 AM - 03:00 AM	36.2	54.5	35.0
03:00 AM - 04:00 AM	39.4	64.6	32.0
04:00 AM - 05:00 AM	48.0	69.0	45.0
05:00 AM - 06:00 AM	44.7	64.2	36.5
06:00 AM - 07:00 AM	43.6	63.4	33.6
07:00 AM - 08:00 AM	44.0	69.7	33.1
08:00 AM - 09:00 AM	43.6	66.2	36.2
09:00 AM - 10:00 AM	42.6	69.0	39.8
10:00 AM - 11:00 AM	42.2	67.3	40.9

Leq Average 24 hrs. (dB(A))

47.0

Lmax (dB(A))

85.1

L90 (dB(A))

36.6

Ldn (dB(A))

50.5

Standard (dB(A))

70

115

Reference Method : ISO1996-1 and 1996-2

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป  
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

*Thanita K.*

Thanita Kulsuriwong  
Scientist (4)

Approved by

*Supot S.*

Supot Salamteh  
Section Head

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

ADDRESS 616/10 Moo 5 T. Maenam Khu A, Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556  
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

LIFE Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



## Analysis / Test Report

TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Towe, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O :

Project Name : Laemchabang

Project Location :

Lot ID: 2349338

Date Received : May 23, 2023

Date Reported : May 29, 2023

Report Number: 2664222-1

Page 1 of 1

Sample Number 2349338-29  
Parameter Noise (Leq 24 hrs.)  
Location N5 : ฟาร์มไก่พินิจ (ม.2ตะเคียนเตี้ย)  
Measurement Date May 14 - May 15, 2023  
Measurement by Siriwit Ruangsom  
Sound Level meter Serial No. 1122567

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
11:00 AM - 12:00 PM	49.6	71.0	41.8
12:00 PM - 01:00 PM	53.9	73.3	43.4
01:00 PM - 02:00 PM	47.7	72.2	42.6
02:00 PM - 03:00 PM	55.4	85.2	43.9
03:00 PM - 04:00 PM	47.5	61.2	45.1
04:00 PM - 05:00 PM	46.7	59.2	44.6
05:00 PM - 06:00 PM	46.6	60.8	44.1
06:00 PM - 07:00 PM	47.6	54.9	46.1
07:00 PM - 08:00 PM	52.8	67.9	51.9
08:00 PM - 09:00 PM	52.0	54.7	51.4
09:00 PM - 10:00 PM	48.0	54.8	47.3
10:00 PM - 11:00 PM	45.1	59.6	43.6
11:00 PM - 12:00 AM	46.2	50.3	45.3
12:00 AM - 01:00 AM	45.9	58.0	45.0
01:00 AM - 02:00 AM	45.7	54.9	44.8
02:00 AM - 03:00 AM	46.2	57.3	45.2
03:00 AM - 04:00 AM	45.8	59.9	42.9
04:00 AM - 05:00 AM	47.8	61.0	45.1
05:00 AM - 06:00 AM	51.5	77.3	46.0
06:00 AM - 07:00 AM	57.9	78.9	51.3
07:00 AM - 08:00 AM	50.8	64.8	47.8
08:00 AM - 09:00 AM	57.5	77.7	48.6
09:00 AM - 10:00 AM	44.8	66.1	38.8
10:00 AM - 11:00 AM	46.6	69.3	38.8

Leq Average 24 hrs. (dB(A))

51.2

Lmax (dB(A))

85.2

L90 (dB(A))

45.0

Ldn (dB(A))

57.2

Standard (dB(A))

70

115

Reference Method : ISO1996-1 and 1996-2

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป  
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Thanita K.

Thanita Kulsuriwong  
Scientist (4)

Approved by

Supot S.

Supot Salamteh  
Section Head

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

ADDRESS 616/10 Moo 5, T. Maenam Khu A, Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556  
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER





## Analysis / Test Report

TESTING  
No.0042

**Client :** Rojana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. ItalThai Towe, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand  
10310

**Lot ID: 2349338**

Date Received : May 23, 2023

Date Reported : May 29, 2023

Report Number: 2664223-1

**P/O :**

**Project Name :** Laemchabang

**Project Location :**

Page 1 of 1

**Sample Number** 2349338-30  
**Parameter** Noise (Leq 24 hrs.)  
**Location** N5 : ฟาร์มไก่พิจิ (ม.2เคเคเคเคเคเค)  
**Measurement Date** May 15 - May 16, 2023  
**Measurement by** Siriwit Ruangsom  
**Sound Level meter** Serial No. 1122567

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
11:00 AM - 12:00 PM	47.2	68.0	39.7
12:00 PM - 01:00 PM	49.3	70.0	42.6
01:00 PM - 02:00 PM	47.3	66.5	43.3
02:00 PM - 03:00 PM	49.5	76.8	42.6
03:00 PM - 04:00 PM	44.7	63.5	42.1
04:00 PM - 05:00 PM	47.4	64.4	43.5
05:00 PM - 06:00 PM	46.7	64.2	44.5
06:00 PM - 07:00 PM	49.9	57.3	47.9
07:00 PM - 08:00 PM	53.9	59.3	53.4
08:00 PM - 09:00 PM	54.7	74.3	53.4
09:00 PM - 10:00 PM	47.7	50.6	47.1
10:00 PM - 11:00 PM	46.4	62.9	45.5
11:00 PM - 12:00 AM	43.3	58.5	41.5
12:00 AM - 01:00 AM	48.0	60.8	46.3
01:00 AM - 02:00 AM	54.9	73.7	48.2
02:00 AM - 03:00 AM	47.3	53.9	46.1
03:00 AM - 04:00 AM	48.2	57.1	46.9
04:00 AM - 05:00 AM	50.7	69.1	47.6
05:00 AM - 06:00 AM	48.0	62.9	45.9
06:00 AM - 07:00 AM	49.7	68.4	44.7
07:00 AM - 08:00 AM	47.8	73.2	40.5
08:00 AM - 09:00 AM	43.0	61.9	40.1
09:00 AM - 10:00 AM	51.0	73.7	39.7
10:00 AM - 11:00 AM	44.4	70.9	38.2

Leq Average 24 hrs. (dB(A))

49.6

Lmax (dB(A))

76.8

L90 (dB(A))

44.5

Ldn (dB(A))

56.0

Standard (dB(A))

70

115

Reference Method : ISO1996-1 and 1996-2

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป  
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการ  
โรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

*Thanita K.*

Thanita Kulsuriwong  
Scientist (4)

Approved by

*Supot S.*

Supot Salamteh  
Section Head

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556  
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

[www.alsglobal.com](http://www.alsglobal.com)

RIGHT SOLUTIONS RIGHT PARTNER



## Analysis / Test Report

TESTING  
No.0042

**Client :** Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Towe, New Petchburi Road, Bangkapi, Huaykwang, Bangkok Thailand 10310

**P/O :**

**Project Name :** Laemchabang

**Project Location :**

**Lot ID: 2349338**

Date Received : May 23, 2023

Date Reported : May 29, 2023

Report Number: 2664224-1

Page 1 of 1

**Sample Number** 2349338-31  
**Parameter** Noise (Leq 24 hrs.)  
**Location** N5 : ฟาร์มไก่พิจิ (ม.2ตะเคียนเตี้ย)  
**Measurement Date** May 16 - May 17, 2023  
**Measurement by** Siriwit Ruangsom  
**Sound Level meter** Serial No. 1122567

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
11:00 AM - 12:00 PM	54.1	74.4	38.4
12:00 PM - 01:00 PM	48.0	74.2	40.8
01:00 PM - 02:00 PM	45.0	60.9	41.5
02:00 PM - 03:00 PM	52.0	74.5	39.4
03:00 PM - 04:00 PM	45.0	71.3	37.1
04:00 PM - 05:00 PM	43.9	62.4	37.2
05:00 PM - 06:00 PM	44.3	59.3	42.6
06:00 PM - 07:00 PM	50.2	56.9	49.4
07:00 PM - 08:00 PM	52.6	56.2	51.8
08:00 PM - 09:00 PM	47.9	58.4	46.5
09:00 PM - 10:00 PM	47.5	54.6	46.9
10:00 PM - 11:00 PM	49.5	52.6	48.9
11:00 PM - 12:00 AM	47.9	52.6	47.4
12:00 AM - 01:00 AM	46.2	51.6	45.5
01:00 AM - 02:00 AM	48.7	58.0	48.0
02:00 AM - 03:00 AM	47.5	55.9	46.5
03:00 AM - 04:00 AM	49.3	59.5	47.9
04:00 AM - 05:00 AM	49.8	65.0	44.2
05:00 AM - 06:00 AM	50.9	71.7	41.2
06:00 AM - 07:00 AM	47.9	70.7	40.5
07:00 AM - 08:00 AM	48.9	67.2	40.4
08:00 AM - 09:00 AM	47.4	68.7	40.0
09:00 AM - 10:00 AM	49.6	72.0	40.2
10:00 AM - 11:00 AM	44.6	67.0	39.5

Leq Average 24 hrs. (dB(A))

49.1

Lmax (dB(A))

74.5

L90 (dB(A))

41.5

Ldn (dB(A))

55.3

Standard (dB(A))

70

115

Reference Method : ISO1996-1 and 1996-2

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป  
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

*Thanita K.*

Thanita Kulsuriwong  
Scientist (4)

Approved by

*Supot S.*

Supot Salamteh  
Section Head

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556  
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER





## Analysis / Test Report

TESTING  
No.0042

**Client :** Rojana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl, Italhai Towe, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

**Lot ID: 2349338**

Date Received : May 23, 2023

Date Reported : May 29, 2023

Report Number: 2664225-1

**P/O :**

**Project Name :** Laemchabang

**Project Location :**

Page 1 of 1

**Sample Number** 2349338-32  
**Parameter** Noise (Leq 24 hrs.)  
**Location** N5 : ฟาร์มไก่ฟีนิจ (ม.2ตะเคียนเตี้ย)  
**Measurement Date** May 17 - May 18, 2023  
**Measurement by** Siriwit Ruangsom  
**Sound Level meter** Serial No. 1122567

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
11:00 AM - 12:00 PM	49.1	71.3	37.7
12:00 PM - 01:00 PM	47.0	69.9	37.6
01:00 PM - 02:00 PM	59.0	90.8	39.3
02:00 PM - 03:00 PM	48.5	74.3	39.7
03:00 PM - 04:00 PM	48.9	72.1	40.2
04:00 PM - 05:00 PM	46.4	70.5	41.6
05:00 PM - 06:00 PM	46.1	58.4	44.4
06:00 PM - 07:00 PM	48.7	60.4	47.5
07:00 PM - 08:00 PM	50.2	57.6	49.3
08:00 PM - 09:00 PM	45.8	51.8	44.9
09:00 PM - 10:00 PM	46.4	51.4	45.6
10:00 PM - 11:00 PM	44.2	52.7	43.3
11:00 PM - 12:00 AM	43.3	48.7	42.2
12:00 AM - 01:00 AM	45.4	59.2	44.4
01:00 AM - 02:00 AM	43.1	52.4	41.9
02:00 AM - 03:00 AM	41.6	58.1	40.1
03:00 AM - 04:00 AM	44.8	65.6	40.3
04:00 AM - 05:00 AM	49.6	66.0	41.7
05:00 AM - 06:00 AM	51.5	80.5	40.0
06:00 AM - 07:00 AM	51.3	73.4	41.1
07:00 AM - 08:00 AM	50.0	70.4	41.7
08:00 AM - 09:00 AM	50.9	74.3	40.8
09:00 AM - 10:00 AM	49.6	72.2	42.3
10:00 AM - 11:00 AM	55.3	74.6	42.8

Leq Average 24 hrs. (dB(A))

50.3

Lmax (dB(A))

90.8

L90 (dB(A))

41.7

Ldn (dB(A))

54.8

Standard (dB(A))

70

115

Reference Method : ISO1996-1 and 1996-2

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป  
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

*Thanita K.*

Thanita Kulsuriwong  
Scientist (4)

Approved by

*Supot S.*

Supot Salamteh  
Section Head

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556  
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



## Analysis / Test Report

TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Itaithai Towe, New Petchburi Road, Bangkapi, Huaykwang, Bangkok Thailand 10310

P/O :

Project Name : Laemchabang

Project Location :

Lot ID: 2349338

Date Received : May 23, 2023

Date Reported : May 29, 2023

Report Number: 2664226-1

Page 1 of 1

Sample Number 2349338-33  
Parameter Noise (Leq 24 hrs.)  
Location N5 : ฟาร์มไก่ฟีนิจ (ม.2ตะเคียนเตี้ย)  
Measurement Date May 18 - May 19, 2023  
Measurement by Siriwit Ruangsom  
Sound Level meter Serial No. 1122567

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
11:00 AM - 12:00 PM	45.1	63.7	41.1
12:00 PM - 01:00 PM	54.1	79.9	41.0
01:00 PM - 02:00 PM	52.7	74.3	39.9
02:00 PM - 03:00 PM	50.0	70.9	40.2
03:00 PM - 04:00 PM	50.1	73.6	42.0
04:00 PM - 05:00 PM	43.6	60.1	41.7
05:00 PM - 06:00 PM	46.7	59.6	44.7
06:00 PM - 07:00 PM	48.3	59.5	45.8
07:00 PM - 08:00 PM	44.6	49.1	43.8
08:00 PM - 09:00 PM	46.0	51.8	44.7
09:00 PM - 10:00 PM	46.9	53.3	46.3
10:00 PM - 11:00 PM	44.0	54.0	42.1
11:00 PM - 12:00 AM	45.2	64.7	42.7
12:00 AM - 01:00 AM	45.7	56.8	45.1
01:00 AM - 02:00 AM	43.7	61.1	42.2
02:00 AM - 03:00 AM	41.4	56.1	39.9
03:00 AM - 04:00 AM	49.4	65.7	45.5
04:00 AM - 05:00 AM	48.6	63.1	41.6
05:00 AM - 06:00 AM	53.9	84.4	40.5
06:00 AM - 07:00 AM	46.2	70.2	40.5
07:00 AM - 08:00 AM	46.8	70.4	41.7
08:00 AM - 09:00 AM	45.4	61.7	41.7
09:00 AM - 10:00 AM	46.8	71.3	41.0
10:00 AM - 11:00 AM	53.1	71.7	39.2

Leq Average 24 hrs. (dB(A))

48.9

Lmax (dB(A))

84.4

L90 (dB(A))

41.7

Ldn (dB(A))

54.7

Standard (dB(A))

70

115

Reference Method : ISO1996-1 and 1996-2

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป  
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

*Thanita K.*

Thanita Kulsuriwong  
Scientist (4)

Approved by

*Supot S.*

Supot Salamteh  
Section Head

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand PHONE +66 0 3304 8555 FAX +66 0 3304 8556  
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

15089-21/ EMAIL

S:\Reports\_Air Noise.rpt (10:44AM)





## Analysis / Test Report

TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Towe, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O :

Project Name : Laemchabang

Project Location :

Lot ID: 2349338

Date Received : May 23, 2023

Date Reported : May 29, 2023

Report Number: 2664227-1

Page 1 of 1

Sample Number : 2349338-34  
Parameter : Noise (Leq 24 hrs.)  
Location : N5 : ฟาร์มไก่พิณิจ (ม.2ตะเคียนเตี้ย)  
Measurement Date : May 19 - May 20, 2023  
Measurement by : Siriwit Ruangsom  
Sound Level meter : Serial No. 1122567

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
11:00 AM - 12:00 PM	48.3	70.4	38.5
12:00 PM - 01:00 PM	41.0	57.8	38.4
01:00 PM - 02:00 PM	46.3	69.5	39.0
02:00 PM - 03:00 PM	41.1	63.3	38.0
03:00 PM - 04:00 PM	42.2	63.6	37.5
04:00 PM - 05:00 PM	42.9	58.2	38.9
05:00 PM - 06:00 PM	47.5	65.0	45.3
06:00 PM - 07:00 PM	46.0	62.1	44.4
07:00 PM - 08:00 PM	50.0	68.5	48.6
08:00 PM - 09:00 PM	51.7	57.8	51.1
09:00 PM - 10:00 PM	45.7	52.5	44.6
10:00 PM - 11:00 PM	47.3	53.1	45.3
11:00 PM - 12:00 AM	50.4	72.2	44.1
12:00 AM - 01:00 AM	47.6	65.9	42.1
01:00 AM - 02:00 AM	46.9	52.1	45.2
02:00 AM - 03:00 AM	44.8	49.1	44.1
03:00 AM - 04:00 AM	53.6	72.4	43.8
04:00 AM - 05:00 AM	50.4	74.0	42.3
05:00 AM - 06:00 AM	60.1	91.4	41.3
06:00 AM - 07:00 AM	46.4	68.3	40.3
07:00 AM - 08:00 AM	52.3	75.0	41.3
08:00 AM - 09:00 AM	45.2	68.0	40.8
09:00 AM - 10:00 AM	49.6	74.9	40.7
10:00 AM - 11:00 AM	48.4	70.7	41.0

Leq Average 24 hrs. (dB(A))

50.4

Lmax (dB(A))

91.4

L90 (dB(A))

41.3

Ldn (dB(A))

58.8

Standard (dB(A))

70

115

Reference Method : ISO1996-1 and 1996-2

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป  
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

*Thanita K.*

Thanita Kulsuriwong  
Scientist (4)

Approved by

*Supot S.*

Supot Salamteh  
Section Head

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556  
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



## Analysis / Test Report

TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O :

Project Name : Laemchabang

Project Location :

Lot ID: 2349338

Date Received : May 23, 2023

Date Reported : May 29, 2023

Report Number: 2664228-1

Page 1 of 1

Sample Number 2349338-35  
Parameter Noise (Leq 24 hrs.)  
Location N5 : ฟาร์มไก่พิจ (ม.2ตะเคียนเตี้ย)  
Measurement Date May 20 - May 21, 2023  
Measurement by Siriwit Ruangsom  
Sound Level meter Serial No. 1122567

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
11:00 AM - 12:00 PM	47.6	69.9	40.8
12:00 PM - 01:00 PM	49.4	72.8	40.9
01:00 PM - 02:00 PM	52.9	74.4	41.3
02:00 PM - 03:00 PM	49.8	74.3	39.6
03:00 PM - 04:00 PM	43.8	61.9	38.5
04:00 PM - 05:00 PM	53.1	82.7	38.6
05:00 PM - 06:00 PM	45.9	65.7	44.0
06:00 PM - 07:00 PM	46.3	58.2	45.1
07:00 PM - 08:00 PM	47.9	53.1	47.1
08:00 PM - 09:00 PM	51.7	55.8	51.1
09:00 PM - 10:00 PM	50.0	55.4	48.9
10:00 PM - 11:00 PM	47.1	51.8	46.4
11:00 PM - 12:00 AM	48.9	55.3	48.2
12:00 AM - 01:00 AM	48.4	55.6	47.8
01:00 AM - 02:00 AM	48.4	51.2	48.0
02:00 AM - 03:00 AM	47.0	62.1	45.2
03:00 AM - 04:00 AM	51.7	68.0	47.0
04:00 AM - 05:00 AM	52.9	75.8	44.2
05:00 AM - 06:00 AM	51.0	73.6	42.8
06:00 AM - 07:00 AM	48.9	71.0	38.8
07:00 AM - 08:00 AM	53.0	79.9	40.9
08:00 AM - 09:00 AM	52.0	74.9	41.9
09:00 AM - 10:00 AM	51.0	72.7	41.3
10:00 AM - 11:00 AM	48.8	70.5	39.8

Leq Average 24 hrs. (dB(A)) 50.1  
Lmax (dB(A)) 82.7  
L90 (dB(A)) 42.8  
Ldn (dB(A)) 56.3  
Standard (dB(A)) 70 115

Reference Method : ISO1996-1 and 1996-2

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป  
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

*Thanita K.*

Thanita Kulsuriwong  
Scientist (4)

Approved by

*Supot S.*

Supot Salamteh  
Section Head

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556  
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

LIFE Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



ระดับเสียงพื้นฐานราย 5 นาที



## Analysis / Test Report

**Client:** Rojana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Itathai Tower, New Petchbun Road, Bangkapi, Huaykwang, Bangkok Thailand 10310

Lot ID: 2349339  
Date Received : May 23, 2023  
Date Reported : May 25, 2023  
Report Number : 2662331-1

Project Name : Laemchabang  
Project Location :

Sample Number	2349339-1
Parameter	Noise Level (Log 5 min)
Location	N1 : อาคารนิเทศศาสตร์และเทคโนโลยีสื่อสาร 2
Measurement Date	May 14 - May 15, 2023
Measurement by	Sirwit Rungsom
Sound Level meter	Serial No. 01222723

May 14, 2023			May 14, 2023			May 14, 2023		
Time	Leq dB(A)	L90 dB(A)	Time	Leq dB(A)	L90 dB(A)	Time	Leq dB(A)	L90 dB(A)
11:00 AM - 11:05 AM	49.2	46.7	01:40 PM - 01:45 PM	46.3	38.2	04:20 PM - 04:25 PM	36.4	32.4
11:05 AM - 11:10 AM	49.0	35.7	01:45 PM - 01:50 PM	41.5	35.8	04:25 PM - 04:30 PM	36.8	35.8
11:10 AM - 11:15 AM	44.7	34.7	01:50 PM - 01:55 PM	37.7	34.7	04:30 PM - 04:35 PM	37.4	34.7
11:15 AM - 11:20 AM	49.4	37.0	01:55 PM - 02:00 PM	37.3	34.3	04:35 PM - 04:40 PM	42.2	32.3
11:20 AM - 11:25 AM	55.6	38.2	02:00 PM - 02:05 PM	46.2	34.7	04:40 PM - 04:45 PM	43.7	32.2
11:25 AM - 11:30 AM	43.0	33.0	02:05 PM - 02:10 PM	39.4	35.9	04:45 PM - 04:50 PM	42.8	32.1
11:30 AM - 11:35 AM	29.7	34.0	02:10 PM - 02:15 PM	46.7	25.6	04:50 PM - 04:55 PM	47.2	32.7
11:35 AM - 11:40 AM	44.3	34.4	02:15 PM - 02:20 PM	39.7	33.4	04:55 PM - 05:00 PM	42.6	33.6
11:40 AM - 11:45 AM	43.3	37.4	02:20 PM - 02:25 PM	39.8	34.5	05:00 PM - 05:05 PM	42.2	35.3
11:45 AM - 11:50 AM	40.2	35.8	02:25 PM - 02:30 PM	38.7	34.7	05:05 PM - 05:10 PM	39.8	34.8
11:50 AM - 11:55 AM	40.9	37.6	02:30 PM - 02:35 PM	38.6	34.2	05:10 PM - 05:15 PM	43.8	35.1
11:55 AM - 12:00 PM	29.6	35.9	02:35 PM - 02:40 PM	41.1	26.1	05:15 PM - 05:20 PM	43.8	34.8
12:00 PM - 12:05 PM	44.2	34.4	02:40 PM - 02:45 PM	38.6	32.6	05:20 PM - 05:25 PM	43.8	34.8
12:05 PM - 12:10 PM	44.6	38.9	02:45 PM - 02:50 PM	38.1	32.6	05:25 PM - 05:30 PM	42.1	35.2
12:10 PM - 12:15 PM	42.4	38.2	02:50 PM - 02:55 PM	42.1	32.6	05:30 PM - 05:35 PM	37.1	34.3
12:15 PM - 12:20 PM	48.1	37.0	02:55 PM - 03:00 PM	35.5	32.0	05:35 PM - 05:40 PM	39.8	36.6
12:20 PM - 12:25 PM	44.5	37.7	03:00 PM - 03:05 PM	39.7	33.9	05:40 PM - 05:45 PM	47.8	35.6
12:25 PM - 12:30 PM	45.5	37.7	03:05 PM - 03:10 PM	41.1	32.1	05:45 PM - 05:50 PM	42.6	39.3
12:30 PM - 12:35 PM	40.4	36.7	03:10 PM - 03:15 PM	34.9	34.8	05:50 PM - 05:55 PM	43.2	36.1
12:35 PM - 12:40 PM	42.1	37.5	03:15 PM - 03:20 PM	41.1	34.1	05:55 PM - 06:00 PM	46.8	36.8
12:40 PM - 12:45 PM	42.1	37.0	03:20 PM - 03:25 PM	46.5	22.9	06:00 PM - 06:05 PM	46.2	39.3
12:45 PM - 12:50 PM	43.7	36.2	03:25 PM - 03:30 PM	40.3	29.9	06:05 PM - 06:10 PM	43.6	39.2
12:50 PM - 12:55 PM	51.1	35.8	03:30 PM - 03:35 PM	42.6	32.9	06:10 PM - 06:15 PM	42.6	39.9
12:55 PM - 01:00 PM	52.5	37.7	03:35 PM - 03:40 PM	42.8	32.1	06:15 PM - 06:20 PM	51.1	39.8
01:00 PM - 01:05 PM	48.6	37.3	03:40 PM - 03:45 PM	49.8	22.6	06:20 PM - 06:25 PM	47.8	39.4
01:05 PM - 01:10 PM	41.5	35.3	03:45 PM - 03:50 PM	39.6	22.7	06:25 PM - 06:30 PM	43.4	39.0
01:10 PM - 01:15 PM	39.8	35.6	03:50 PM - 03:55 PM	36.0	33.1	06:30 PM - 06:35 PM	42.5	40.0
01:15 PM - 01:20 PM	41.1	35.4	03:55 PM - 04:00 PM	39.9	33.9	06:35 PM - 06:40 PM	43.8	39.5
01:20 PM - 01:25 PM	39.5	38.8	04:00 PM - 04:05 PM	34.4	33.7	06:40 PM - 06:45 PM	41.0	39.9
01:25 PM - 01:30 PM	39.9	34.8	04:05 PM - 04:10 PM	37.3	32.8	06:45 PM - 06:50 PM	46.4	37.9
01:30 PM - 01:35 PM	40.1	33.6	04:10 PM - 04:15 PM	35.7	33.0	06:50 PM - 06:55 PM	44.4	40.9
01:35 PM - 01:40 PM	41.9	35.5	04:15 PM - 04:20 PM	52.8	32.7	06:55 PM - 07:00 PM	46.8	40.6

Approved by \_\_\_\_\_

Sarayuth Jitranont  
Assistant General Manager



## Analysis / Test Report

**Client :** Rojana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Itakhai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

Lot ID: 2349339  
Date Received : May 23, 2023  
Date Reported : May 25, 2023  
Report Number : 2652331-1

Project Name : Laemchabang  
Project Location :

Sample Number	2349339-1
Parameter	Noise Level (Leq) 5 min
Location	N1 : บริเวณทางแยกบริเวณสี่แยก 2
Measurement Date	May 14 - May 15, 2023
Measurement by	Siravit Kuangsom
Sound Level meter	Serial No. 01222723

May 14, 2023		L90		May 14 - May 15, 2023		L90		May 15, 2023		L90	
Time	ΔEa	ΔEa	ΔEa	Time	ΔEa	ΔEa	Time	ΔEa	ΔEa	Time	ΔEa
07:00 PM - 07:05 PM	30.5	48.3	09:40 PM - 09:45 PM	48.3	66.8	12:20 AM - 12:25 AM	44.6	40.1	01:00 AM - 01:05 AM	44.6	40.1
07:05 PM - 07:10 PM	41.4	49.7	09:45 PM - 09:50 PM	52.3	50.9	12:25 AM - 12:30 AM	44.6	40.1	01:05 AM - 01:10 AM	44.6	40.1
07:10 PM - 07:15 PM	41.2	48.2	09:50 PM - 09:55 PM	48.3	50.9	12:30 AM - 12:35 AM	44.6	40.1	01:10 AM - 01:15 AM	44.6	40.1
07:15 PM - 07:20 PM	50.2	47.8	09:55 PM - 10:00 PM	52.4	51.4	12:35 AM - 12:40 AM	44.3	41.4	01:15 AM - 01:20 AM	44.3	41.4
07:20 PM - 07:25 PM	48.0	47.3	10:00 PM - 10:05 PM	52.4	51.5	12:40 AM - 12:45 AM	41.8	40.0	01:20 AM - 01:25 AM	41.8	40.0
07:25 PM - 07:30 PM	46.6	45.4	10:05 PM - 10:10 PM	52.2	51.1	12:45 AM - 12:50 AM	44.6	40.1	01:25 AM - 01:30 AM	44.6	40.1
07:30 PM - 07:35 PM	47.3	46.6	10:10 PM - 10:15 PM	52.3	51.4	12:50 AM - 12:55 AM	45.3	44.4	01:30 AM - 01:35 AM	45.3	44.4
07:35 PM - 07:40 PM	45.3	45.3	10:15 PM - 10:20 PM	51.7	47.8	12:55 AM - 01:00 AM	44.1	44.1	01:35 AM - 01:40 AM	44.1	44.1
07:40 PM - 07:45 PM	51.1	44.6	10:20 PM - 10:25 PM	52.3	51.1	01:00 AM - 01:05 AM	43.9	43.1	01:40 AM - 01:45 AM	43.9	43.1
07:45 PM - 07:50 PM	49.1	45.2	10:25 PM - 10:30 PM	52.5	51.7	01:05 AM - 01:10 AM	46.6	44.2	01:45 AM - 01:50 AM	46.6	44.2
07:50 PM - 07:55 PM	46.2	47.1	10:30 PM - 10:35 PM	52.2	52.4	01:10 AM - 01:15 AM	46.5	44.2	01:50 AM - 01:55 AM	46.5	44.2
07:55 PM - 08:00 PM	50.9	46.3	10:35 PM - 10:40 PM	52.0	50.9	01:15 AM - 01:20 AM	47.3	45.9	01:55 AM - 02:00 AM	47.3	45.9
08:00 PM - 08:05 PM	50.0	46.0	10:40 PM - 10:45 PM	51.6	50.0	01:20 AM - 01:25 AM	46.1	45.0	02:00 AM - 02:05 AM	46.1	45.0
08:05 PM - 08:10 PM	49.6	47.7	10:45 PM - 10:50 PM	51.6	50.6	01:25 AM - 01:30 AM	46.1	46.2	02:05 AM - 02:10 AM	46.1	46.2
08:10 PM - 08:15 PM	51.2	46.9	10:50 PM - 10:55 PM	52.0	51.1	01:30 AM - 01:35 AM	46.7	44.0	02:10 AM - 02:15 AM	46.7	44.0
08:15 PM - 08:20 PM	52.1	56.6	10:55 PM - 11:00 PM	51.6	46.8	01:35 AM - 01:40 AM	43.4	29.2	02:15 AM - 02:20 AM	43.4	29.2
08:20 PM - 08:25 PM	52.0	47.6	11:00 PM - 11:05 PM	51.6	43.8	01:40 AM - 01:45 AM	46.5	40.0	02:20 AM - 02:25 AM	46.5	40.0
08:25 PM - 08:30 PM	51.5	50.9	11:05 PM - 11:10 PM	50.3	44.8	01:45 AM - 01:50 AM	47.2	27.9	02:25 AM - 02:30 AM	47.2	27.9
08:30 PM - 08:35 PM	51.7	50.0	11:10 PM - 11:15 PM	51.1	47.3	01:50 AM - 01:55 AM	46.2	37.6	02:30 AM - 02:35 AM	46.2	37.6
08:35 PM - 08:40 PM	51.3	48.9	11:15 PM - 11:20 PM	46.7	45.1	01:55 AM - 02:00 AM	41.6	38.9	02:35 AM - 02:40 AM	41.6	38.9
08:40 PM - 08:45 PM	51.5	49.5	11:20 PM - 11:25 PM	46.2	45.0	02:00 AM - 02:05 AM	43.8	39.8	02:40 AM - 02:45 AM	43.8	39.8
08:45 PM - 08:50 PM	51.9	50.5	11:25 PM - 11:30 PM	46.2	45.1	02:05 AM - 02:10 AM	46.1	41.7	02:45 AM - 02:50 AM	46.1	41.7
08:50 PM - 08:55 PM	51.9	49.6	11:30 PM - 11:35 PM	46.4	45.6	02:10 AM - 02:15 AM	44.6	41.6	02:50 AM - 02:55 AM	44.6	41.6
08:55 PM - 09:00 PM	52.0	50.8	11:35 PM - 11:40 PM	46.8	43.8	02:15 AM - 02:20 AM	49.6	42.7	02:55 AM - 03:00 AM	49.6	42.7
09:00 PM - 09:05 PM	52.2	51.1	11:40 PM - 11:45 PM	44.6	43.0	02:20 AM - 02:25 AM	53.1	40.0	03:00 AM - 03:05 AM	53.1	40.0
09:05 PM - 09:10 PM	51.6	49.3	11:45 PM - 11:50 PM	45.0	42.8	02:25 AM - 02:30 AM	53.9	41.9	03:05 AM - 03:10 PM	53.9	41.9
09:10 PM - 09:15 PM	51.8	49.3	11:50 PM - 11:55 PM	43.5	44.8	02:30 AM - 02:35 AM	58.4	42.9	03:10 AM - 03:15 PM	58.4	42.9
09:15 PM - 09:20 PM	51.2	49.3	11:55 PM - 12:00 PM	40.7	44.7	02:35 AM - 02:40 AM	52.8	42.2	03:15 AM - 03:20 PM	52.8	42.2
09:20 PM - 09:25 PM	52.3	49.8	12:00 AM - 12:05 AM	46.4	45.7	02:40 AM - 02:45 AM	58.7	44.5	03:20 AM - 03:25 PM	58.7	44.5
09:25 PM - 09:30 PM	52.3	51.1	12:05 AM - 12:10 AM	49.5	46.4	02:45 AM - 02:50 AM	56.9	43.0	03:25 AM - 03:30 PM	56.9	43.0
09:30 PM - 09:35 PM	51.2	48.0	12:10 AM - 12:15 AM	45.1	42.9	02:50 AM - 02:55 AM	52.0	42.6	03:30 AM - 03:35 PM	52.0	42.6
09:35 PM - 09:40 PM	48.0	47.5	12:15 AM - 12:20 AM	43.0	41.0	02:55 AM - 03:00 AM	47.2	42.8	03:35 AM - 03:40 PM	47.2	42.8

Approved By \_\_\_\_\_

Sarayuth Jitranonl  
Assistant General Manager



## Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Itakhai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

Lot ID: 2349339  
Date Received : May 23, 2023  
Date Reported : May 25, 2023  
Report Number : 2662331-1

Project Name: Laemchabang  
Project Location:

Sample Number	2349339-1
Parameter	Noise Level (Leq 5 min)
Location	M1 : อาคารจอดรถอาคารที่ 2
Measurement Date	May 14 - May 15, 2023
Measurement by	Sawit Buangsom
Sound Level meter	Serial No. 01222723

May 15, 2023			May 16, 2023			May 15, 2023			May 16, 2023		
Time	Lm Δt(A)	L90 Δt(SA)	Time	Lm Δt(A)	L90 Δt(SA)	Time	Lm Δt(A)	L90 Δt(SA)	Time	Lm Δt(A)	L90 Δt(SA)
03:00 AM - 03:15 AM	45.9	41.8	05:40 AM - 05:45 AM	46.8	45.5	08:20 AM - 08:23 AM	56.8	53.8			
03:05 AM - 03:10 AM	45.5	42.8	05:45 AM - 05:50 AM	46.1	44.9	08:25 AM - 08:28 AM	56.9	53.9			
03:10 AM - 03:15 AM	43.7	40.8	05:50 AM - 05:55 AM	46.5	45.2	08:30 AM - 08:35 AM	56.8	53.8			
03:15 AM - 03:20 AM	41.5	38.5	05:55 AM - 06:00 AM	46.3	45.0	08:35 AM - 08:40 AM	57.9	54.7			
03:20 AM - 03:25 AM	41.5	38.5	06:00 AM - 06:05 AM	46.4	45.1	08:40 AM - 08:45 AM	56.8	53.8			
03:25 AM - 03:30 AM	42.0	40.1	06:05 AM - 06:10 AM	45.9	45.2	08:45 AM - 08:50 AM	57.4	54.2			
03:30 AM - 03:35 AM	46.6	39.8	06:10 AM - 06:15 AM	45.6	44.1	08:50 AM - 08:55 AM	55.5	53.5			
03:35 AM - 03:40 AM	42.2	39.7	06:15 AM - 06:20 AM	45.8	44.5	08:55 AM - 09:00 AM	56.2	53.2			
03:40 AM - 03:45 AM	44.4	40.3	06:20 AM - 06:25 AM	44.9	42.3	09:00 AM - 09:05 AM	56.3	53.3			
03:45 AM - 03:50 AM	43.4	41.4	06:25 AM - 06:30 AM	44.4	42.9	09:05 AM - 09:10 AM	56.2	53.2			
03:50 AM - 03:55 AM	45.3	42.0	06:30 AM - 06:35 AM	46.8	44.4	09:10 AM - 09:15 AM	56.5	53.8			
03:55 AM - 04:00 AM	45.5	47.0	06:35 AM - 06:40 AM	46.7	43.7	09:15 AM - 09:20 AM	56.0	53.0			
04:00 AM - 04:05 AM	47.3	43.6	06:40 AM - 06:45 AM	46.1	43.5	09:20 AM - 09:25 AM	48.7	36.5			
04:05 AM - 04:10 AM	47.4	43.1	06:45 AM - 06:50 AM	45.3	44.2	09:25 AM - 09:30 AM	48.3	36.3			
04:10 AM - 04:15 AM	46.1	42.4	06:50 AM - 06:55 AM	45.7	44.0	09:30 AM - 09:35 AM	47.9	36.1			
04:15 AM - 04:20 AM	50.9	44.3	06:55 AM - 07:00 AM	46.1	44.8	09:35 AM - 09:40 AM	48.2	36.2			
04:20 AM - 04:25 AM	47.8	43.8	07:00 AM - 07:05 AM	49.0	45.8	09:40 AM - 09:45 AM	47.2	36.0			
04:25 AM - 04:30 AM	47.4	43.7	07:05 AM - 07:10 AM	52.6	48.4	09:45 AM - 09:50 AM	48.9	37.0			
04:30 AM - 04:35 AM	46.8	44.0	07:10 AM - 07:15 AM	46.3	43.6	09:50 AM - 09:55 AM	33.0	30.8			
04:35 AM - 04:40 AM	46.7	43.9	07:15 AM - 07:20 AM	45.5	42.8	09:55 AM - 10:00 AM	37.1	34.9			
04:40 AM - 04:45 AM	46.9	43.7	07:20 AM - 07:25 AM	46.8	42.9	10:00 AM - 10:05 AM	37.3	35.2			
04:45 AM - 04:50 AM	46.8	43.6	07:25 AM - 07:30 AM	46.1	42.0	10:05 AM - 10:10 AM	37.3	35.2			
04:50 AM - 04:55 AM	50.3	46.7	07:30 AM - 07:35 AM	50.6	42.2	10:10 AM - 10:15 AM	42.5	33.9			
04:55 AM - 05:00 AM	51.4	47.3	07:35 AM - 07:40 AM	60.8	41.3	10:15 AM - 10:20 AM	37.1	30.7			
05:00 AM - 05:05 AM	49.1	47.2	07:40 AM - 07:45 AM	47.7	42.7	10:20 AM - 10:25 AM	38.7	34.9			
05:05 AM - 05:10 AM	45.5	46.4	07:45 AM - 07:50 AM	44.1	38.3	10:25 AM - 10:30 AM	33.2	30.2			
05:10 AM - 05:15 AM	51.4	49.8	07:50 AM - 07:55 AM	46.4	39.6	10:30 AM - 10:35 AM	36.4	31.0			
05:15 AM - 05:20 AM	46.7	43.3	07:55 AM - 08:00 AM	46.5	37.2	10:35 AM - 10:40 AM	44.5	32.5			
05:20 AM - 05:25 AM	46.0	43.5	08:00 AM - 08:05 AM	43.6	34.7	10:40 AM - 10:45 AM	35.3	31.9			
05:25 AM - 05:30 AM	47.1	43.6	08:05 AM - 08:10 AM	45.5	36	10:45 AM - 10:50 AM	36.5	32.6			
05:30 AM - 05:35 AM	45.7	44	08:10 AM - 08:15 AM	51.4	35.1	10:50 AM - 10:55 AM	36.0	31.5			
05:35 AM - 05:40 AM	46.7	44.8	08:15 AM - 08:20 AM	38.3	34.2	10:55 AM - 11:00 AM	37.8	33.3			

### Appendix 8: Web

Serayuth Jitramani  
Assistant General Manager



## Analysis / Test Report

**Client** Rojana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. (3rd fl. Tower), New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10110

Let ID: 2349339  
Date Received: May 23, 2023  
Date Reported: May 25, 2023  
Report Number: 2662332-1

Project Name : Lammahabany  
Execlct Location :

Sample Number	2149339-2
Parameter	Noise Level (Leq 5 min)
Location	N1 : อนุสาวรีย์ท้าวสุริยวงศ์
Measurement Date	May 15 - May 16, 2023
Measurement by	Sriwit Ruangsom
Sound Level meter	Serial No. 01222723

May 15, 2023			May 15, 2023			May 15, 2023		
Time	Low dB(A)	L90 dB(A)	Time	Low dB(A)	L90 dB(A)	Time	Low dB(A)	L90 dB(A)
11:00 AM - 11:05 AM	41.0	33.7	01:40 PM - 01:45 PM	39.2	32.9	04:20 PM - 04:25 PM	41.1	33.7
11:05 AM - 11:10 AM	44.4	33.5	01:45 PM - 01:50 PM	36.6	34.1	04:25 PM - 04:30 PM	57.4	35.2
11:10 AM - 11:15 AM	46.3	38.6	01:50 PM - 01:55 PM	37.3	37.7	04:30 PM - 04:35 PM	44.4	34.4
11:15 AM - 11:20 AM	39.9	34.1	01:55 PM - 02:00 PM	41.0	35.9	04:35 PM - 04:40 PM	36.1	35.1
11:20 AM - 11:25 AM	43.1	32.8	02:00 PM - 02:05 PM	41.2	35.2	04:40 PM - 04:45 PM	46.6	34.4
11:25 AM - 11:30 AM	47.4	34.8	02:05 PM - 02:10 PM	36.0	34.5	04:45 PM - 04:50 PM	40.0	34.4
11:30 AM - 11:35 AM	37.5	33.2	02:10 PM - 02:15 PM	39.9	34.4	04:50 PM - 04:55 PM	46.3	34.5
11:35 AM - 11:40 AM	44.9	32.5	02:15 PM - 02:20 PM	39.8	36.3	04:55 PM - 05:00 PM	47.9	33.8
11:40 AM - 11:45 AM	40.6	34.6	02:20 PM - 02:25 PM	41.6	35.9	05:00 PM - 05:05 PM	42.8	33.8
11:45 AM - 11:50 AM	44.5	33.9	02:25 PM - 02:30 PM	40.4	35.0	05:05 PM - 05:10 PM	35.5	33.2
11:50 AM - 11:55 AM	40.3	34.0	02:30 PM - 02:35 PM	39.9	35.7	05:10 PM - 05:15 PM	32.8	31.5
11:55 AM - 12:00 PM	41.6	32.1	02:35 PM - 02:40 PM	38.5	35.6	05:15 PM - 05:20 PM	37.2	32.5
12:00 PM - 12:05 PM	34.3	30.6	02:40 PM - 02:45 PM	42.2	35.8	05:20 PM - 05:25 PM	33.7	31.4
12:05 PM - 12:10 PM	38.9	31.4	02:45 PM - 02:50 PM	40.2	35.8	05:25 PM - 05:30 PM	42.3	32.5
12:10 PM - 12:15 PM	41.5	31.7	02:50 PM - 02:55 PM	38.2	33.8	05:30 PM - 05:35 PM	42.7	32.1
12:15 PM - 12:20 PM	38.3	34.4	02:55 PM - 03:00 PM	40.2	33.5	05:35 PM - 05:40 PM	44.8	34.8
12:20 PM - 12:25 PM	41.5	34.2	03:00 PM - 03:05 PM	46.3	34.6	05:40 PM - 05:45 PM	49.1	34.7
12:25 PM - 12:30 PM	40.4	32.3	03:05 PM - 03:10 PM	38.5	34.4	05:45 PM - 05:50 PM	45.5	37.5
12:30 PM - 12:35 PM	41.1	32.5	03:10 PM - 03:15 PM	41.8	34.3	05:50 PM - 05:55 PM	50.6	35.6
12:35 PM - 12:40 PM	38.4	32.1	03:15 PM - 03:20 PM	37.3	32.8	05:55 PM - 06:00 PM	45.8	35.8
12:40 PM - 12:45 PM	38.2	33.5	03:20 PM - 03:25 PM	36.2	33.0	06:00 PM - 06:05 PM	42.9	34.8
12:45 PM - 12:50 PM	38.1	33.0	03:25 PM - 03:30 PM	36.6	32.5	06:05 PM - 06:10 PM	46.6	35.6
12:50 PM - 12:55 PM	41.1	32.6	03:30 PM - 03:35 PM	37.8	31.2	06:10 PM - 06:15 PM	39.0	36.0
12:55 PM - 01:00 PM	37.4	32.4	03:35 PM - 03:40 PM	38.1	34.9	06:15 PM - 06:20 PM	38.1	36.2
01:00 PM - 01:05 PM	36.8	31.7	03:40 PM - 03:45 PM	41.8	34.4	06:20 PM - 06:25 PM	40.9	36.1
01:05 PM - 01:10 PM	36.2	31.7	03:45 PM - 03:50 PM	36.8	32.4	06:25 PM - 06:30 PM	38.9	36.0
01:10 PM - 01:15 PM	37.7	33.5	03:50 PM - 03:55 PM	36.8	34.1	06:30 PM - 06:35 PM	39.1	37.3
01:15 PM - 01:20 PM	40.9	35.8	03:55 PM - 04:00 PM	42.0	33.8	06:35 PM - 06:40 PM	43.0	38.0
01:20 PM - 01:25 PM	38.2	35.1	04:00 PM - 04:05 PM	42.7	34.8	06:40 PM - 06:45 PM	39.9	38.4
01:25 PM - 01:30 PM	46.3	36.1	04:05 PM - 04:10 PM	38.6	34.3	06:45 PM - 06:50 PM	44.4	38.4
01:30 PM - 01:35 PM	40.2	36.7	04:10 PM - 04:15 PM	43.1	34.4	06:50 PM - 06:55 PM	44.4	38.4
01:35 PM - 01:40 PM	39.8	35.2	04:15 PM - 04:20 PM	43.7	37.9	06:55 PM - 07:00 PM	40.9	42.5

### Assessment for

Sarayuth Jitrakorn  
Assistant General Manager





## Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

204/115 26TH Fl. Itabhai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

Lot ID: 2349339

Date Received : May 23, 2023

Date Reported : May 25, 2023

Report Number : 2622332-1

Project Name : Jaemichabang

Project Location : Srirach

Page 2 of 3

Sample Number : 2349339-2  
Parameter : Noise Level (Leq 5 min)  
Location : N1 : สี่แยกวัดสุทัศน์สุรารักษ์ 2  
Measurement Date : May 15 - May 16, 2023  
Measurement by : Srirach Srirach  
Sound Level meter : Serial No. 01222723

May 15, 2023		May 16, 2023		May 16, 2023	
Time	Leq dB(A)	Time	Leq dB(A)	Time	Leq dB(A)
07:00 PM - 07:05 PM	49.4	09:40 PM - 09:45 PM	53.6	12:20 AM - 12:25 AM	43.7
07:05 PM - 07:10 PM	49.3	09:45 PM - 09:50 PM	52.7	12:25 AM - 12:30 AM	44.8
07:10 PM - 07:15 PM	48.7	09:50 PM - 09:55 PM	53.3	12:30 AM - 12:35 AM	45.1
07:15 PM - 07:20 PM	49.1	09:55 PM - 10:00 PM	52.1	12:35 AM - 12:40 AM	45.6
07:20 PM - 07:25 PM	49.0	10:00 PM - 10:05 PM	49.5	12:40 AM - 12:45 AM	46.2
07:25 PM - 07:30 PM	48.1	10:05 PM - 10:10 PM	48.7	12:45 AM - 12:50 AM	46.6
07:30 PM - 07:35 PM	48.1	10:10 PM - 10:15 PM	49.4	12:50 AM - 12:55 AM	45.9
07:35 PM - 07:40 PM	48.5	10:15 PM - 10:20 PM	48.9	12:55 AM - 01:00 AM	45.7
07:40 PM - 07:45 PM	49.5	10:20 PM - 10:25 PM	50.1	01:00 AM - 01:05 AM	44.6
07:45 PM - 07:50 PM	50.9	10:25 PM - 10:30 PM	51.9	01:05 AM - 01:10 AM	45.1
07:50 PM - 07:55 PM	48.6	10:30 PM - 10:35 PM	49.9	01:10 AM - 01:15 AM	42.1
07:55 PM - 08:00 PM	48.3	10:35 PM - 10:40 PM	49.3	01:15 AM - 01:20 AM	42.1
08:00 PM - 08:05 PM	48.6	10:40 PM - 10:45 PM	48.8	01:20 AM - 01:25 AM	42.0
08:05 PM - 08:10 PM	48.1	10:45 PM - 10:50 PM	49.8	01:25 AM - 01:30 AM	42.3
08:10 PM - 08:15 PM	51.5	10:50 PM - 10:55 PM	49.4	01:30 AM - 01:35 AM	42.6
08:15 PM - 08:20 PM	53.7	10:55 PM - 11:00 PM	49.4	01:35 AM - 01:40 AM	42.2
08:20 PM - 08:25 PM	53.6	11:00 PM - 11:05 PM	49.3	01:40 AM - 01:45 AM	43.4
08:25 PM - 08:30 PM	52.9	11:05 PM - 11:10 PM	48.2	01:45 AM - 01:50 AM	44.1
08:30 PM - 08:35 PM	52.5	11:10 PM - 11:15 PM	49.0	01:50 AM - 01:55 AM	44.4
08:35 PM - 08:40 PM	52.2	11:15 PM - 11:20 PM	48.0	01:55 AM - 02:00 AM	42.6
08:40 PM - 08:45 PM	51.8	11:20 PM - 11:25 PM	47.9	02:00 AM - 02:05 AM	46.9
08:45 PM - 08:50 PM	50.0	11:25 PM - 11:30 PM	47.5	02:05 AM - 02:10 AM	43.9
08:50 PM - 08:55 PM	47.2	11:30 PM - 11:35 PM	47.8	02:10 AM - 02:15 PM	48.8
08:55 PM - 09:00 PM	47.1	11:35 PM - 11:40 PM	47.4	02:15 AM - 02:20 AM	41.2
09:00 PM - 09:05 PM	49.2	11:40 PM - 11:45 PM	46.2	02:20 AM - 02:25 AM	43.4
09:05 PM - 09:10 PM	47.4	11:45 PM - 11:50 PM	45.9	02:25 AM - 02:30 AM	42.5
09:10 PM - 09:15 PM	47.5	11:50 PM - 11:55 PM	47.2	02:30 AM - 02:35 AM	41.6
09:15 PM - 09:20 PM	48.7	11:55 PM - 12:00 AM	48.1	02:35 AM - 02:40 AM	41.8
09:20 PM - 09:25 PM	48.9	12:00 AM - 12:05 AM	48.3	02:40 AM - 02:45 AM	41.4
09:25 PM - 09:30 PM	50.8	12:05 AM - 12:10 AM	47.5	02:45 AM - 02:50 AM	42.1
09:30 PM - 09:35 PM	51.3	12:10 AM - 12:15 AM	47.6	02:50 AM - 02:55 AM	42.6
09:35 PM - 09:40 PM	51.5	12:15 AM - 12:20 AM	48.5	02:55 AM - 03:00 AM	43.2

Approved by

Saraphit Jitmanont  
Assistant General Manager

204/115 26TH Fl. Itabhai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

www.alsglobal.com

PHOT SOLUTIONS



## Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

204/115 26TH Fl. Itabhai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

Lot ID: 2349339

Date Received : May 23, 2023

Date Reported : May 25, 2023

Report Number : 2622332-1

Project Name : Jaemichabang

Project Location : Srirach

Page 3 of 3

Sample Number : 2349339-2  
Parameter : Noise Level (Leq 5 min)  
Location : N1 : สี่แยกวัดสุทัศน์สุรารักษ์ 2  
Measurement Date : May 15 - May 16, 2023  
Measurement by : Srirach Srirach  
Sound Level meter : Serial No. 01222723

May 16, 2023		May 16, 2023		May 16, 2023	
Time	Leq dB(A)	Time	Leq dB(A)	Time	Leq dB(A)
03:00 AM - 03:05 AM	42.7	05:40 AM - 05:45 AM	41.9	08:20 AM - 08:25 AM	41.8
03:05 AM - 03:10 AM	42.1	05:45 AM - 05:50 AM	42.2	08:25 AM - 08:30 AM	48.1
03:10 AM - 03:15 AM	42.7	05:50 AM - 05:55 AM	41.9	08:30 AM - 08:35 AM	58.0
03:15 AM - 03:20 AM	42.7	05:55 AM - 06:00 AM	43.4	08:35 AM - 08:40 AM	42.9
03:20 AM - 03:25 AM	43.0	06:00 AM - 06:05 AM	43.2	08:40 AM - 08:45 AM	43.9
03:25 AM - 03:30 AM	43.1	06:05 AM - 06:10 AM	42.8	08:45 AM - 08:50 AM	41.7
03:30 AM - 03:35 AM	44.6	06:10 AM - 06:15 AM	43.6	08:50 AM - 08:55 AM	39.5
03:35 AM - 03:40 AM	45.1	06:15 AM - 06:20 AM	44.6	08:55 AM - 09:00 AM	50.9
03:40 AM - 03:45 AM	45.4	06:20 AM - 06:25 AM	43.4	09:00 AM - 09:05 AM	41.4
03:45 AM - 03:50 AM	45.4	06:25 AM - 06:30 AM	43.9	09:05 AM - 09:10 AM	46.4
03:50 AM - 03:55 AM	44.6	06:30 AM - 06:35 AM	56.4	09:10 AM - 09:15 AM	44.8
03:55 AM - 04:00 AM	45.5	06:35 AM - 06:40 AM	46.7	09:15 AM - 09:20 AM	45.0
04:00 AM - 04:05 AM	47.8	06:40 AM - 06:45 AM	49.7	09:20 AM - 09:25 AM	43.2
04:05 AM - 04:10 AM	41.5	06:45 AM - 06:50 AM	42.9	09:25 AM - 09:30 AM	38.8
04:10 AM - 04:15 AM	41.0	06:50 AM - 06:55 AM	50.2	09:30 AM - 09:35 AM	41.5
04:15 AM - 04:20 AM	41.1	06:55 AM - 07:00 AM	45.5	09:35 AM - 09:40 AM	41.8
04:20 AM - 04:25 AM	40.9	07:00 AM - 07:05 AM	56.2	09:40 AM - 09:45 AM	38.6
04:25 AM - 04:30 AM	41.9	07:05 AM - 07:10 AM	50.2	09:45 AM - 09:50 AM	37.6
04:30 AM - 04:35 AM	46.3	07:10 AM - 07:15 AM	48.7	09:50 AM - 09:55 AM	36.2
04:35 AM - 04:40 AM	47.6	07:15 AM - 07:20 AM	48.1	09:55 AM - 10:00 AM	45.5
04:40 AM - 04:45 AM	42.0	07:20 AM - 07:25 AM	47.2	10:00 AM - 10:05 AM	45.7
04:45 AM - 04:50 AM	48.4	07:25 AM - 07:30 AM	50.7	10:05 AM - 10:10 AM	37.8
04:50 AM - 04:55 AM	54.5	07:30 AM - 07:35 AM	46.2	10:10 AM - 10:15 AM	40.1
04:55 AM - 05:00 AM	46.2	07:35 AM - 07:40 AM	60.3	10:15 AM - 10:20 AM	40.2
05:00 AM - 05:05 AM	42.6	07:40 AM - 07:45 AM	43.7	10:20 AM - 10:25 AM	41.4
05:05 AM - 05:10 AM	46.1	07:45 AM - 07:50 AM	43.2	10:25 AM - 10:30 AM	37.6
05:10 AM - 05:15 AM	47.0	07:50 AM - 07:55 AM	29.2	10:30 AM - 10:35 AM	35.1
05:15 AM - 05:20 AM	47.2	07:55 AM - 08:00 AM	46.5	10:35 AM - 10:40 AM	42.0
05:20 AM - 05:25 AM	47.8	08:00 AM - 08:05 AM	42.1	10:40 AM - 10:45 AM	50.6
05:25 AM - 05:30 AM	44.5	08:05 AM - 08:10 AM	49.5	10:45 AM - 10:50 AM	37.4
05:30 AM - 05:35 AM	43.2	08:10 AM - 08:15 AM	31.1	10:50 AM - 10:55 AM	44.7
05:35 AM - 05:40 AM	47.1	08:15 AM - 08:20 AM	48.3	10:55 AM - 11:00 AM	49.3

Approved by

Saraphit Jitmanont  
Assistant General Manager

204/115 26TH Fl. Itabhai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

www.alsglobal.com

PHOT SOLUTIONS





## Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Itakhai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10110

P/O :

Project Name : Laemchabang

Project Location :

Lot ID: 2349339

Date Received : May 23, 2023

Date Reported : May 23, 2023

Report Number : 2662334-1

Page 3 of 3

Sample Number : 2349339-3  
Parameter : Noise Level (Leq 5 min)  
Location : N1 : สุราษฎร์ธานี/สุราษฎร์ธานี 2  
Measurement Date : May 17 - May 17, 2023  
Measurement by : Srirak Ruangsri  
Sound Level meter : Serial No. 01222723

May 17, 2023	Leq	L90	May 17, 2023	Leq	L90	May 17, 2023	Leq	L90
Time	#B(A)	#B(A)	Time	#B(A)	#B(A)	Time	#B(A)	#B(A)
01:00 AM - 01:05 AM	43.1	42.5	05:40 AM - 05:45 AM	47.6	39.2	08:20 AM - 08:25 AM	39.3	34.8
01:05 AM - 01:10 AM	43.0	42.1	05:45 AM - 05:50 AM	46.8	38.2	08:25 AM - 08:30 AM	40.3	35.5
01:10 AM - 01:15 AM	42.2	41.0	05:50 AM - 05:55 AM	40.6	37.3	08:30 AM - 08:35 AM	47.4	36.3
01:15 AM - 01:20 AM	49.9	41.3	05:55 AM - 06:00 AM	42.2	38.5	08:35 AM - 08:40 AM	44.4	37.2
01:20 AM - 01:25 AM	40.3	37.4	06:00 AM - 06:05 AM	42.4	39.5	08:40 AM - 08:45 AM	42.4	34.8
01:25 AM - 01:30 AM	40.8	38.3	06:05 AM - 06:10 AM	40.8	37.4	08:45 AM - 08:50 AM	37.2	34.9
01:30 AM - 01:35 AM	41.1	38.0	06:10 AM - 06:15 AM	44.0	38.2	08:50 AM - 08:55 AM	47.7	35.3
01:35 AM - 01:40 AM	38.8	36.6	06:15 AM - 06:20 AM	42.4	38.2	08:55 AM - 09:00 AM	44.7	35.1
01:40 AM - 01:45 AM	29.2	37.3	06:20 AM - 06:25 AM	40.8	38.4	09:00 AM - 09:05 AM	40.4	35.1
01:45 AM - 01:50 AM	40.4	37.1	06:25 AM - 06:30 AM	42.2	38.1	09:05 AM - 09:10 AM	43.4	34.9
01:50 AM - 01:55 AM	27.4	35.9	06:30 AM - 06:35 AM	51.0	37.3	09:10 AM - 09:15 AM	49.2	36.4
01:55 AM - 04:00 AM	28.3	36.6	06:35 AM - 06:40 AM	50.4	40.5	09:15 AM - 09:20 AM	40.1	35.8
04:00 AM - 04:05 AM	38.6	37.2	06:40 AM - 06:45 AM	51.2	38.8	09:20 AM - 09:25 AM	28.8	35.0
04:05 AM - 04:10 AM	37.2	35.3	06:45 AM - 06:50 AM	47.2	38.1	09:25 AM - 09:30 AM	40.4	34.3
04:10 AM - 04:15 AM	35.4	33.7	06:50 AM - 06:55 AM	50.7	39.5	09:30 AM - 09:35 AM	40.9	35.8
04:15 AM - 04:20 AM	27.0	32.8	06:55 AM - 07:00 AM	44.8	38.3	09:35 AM - 09:40 AM	44.9	35.3
04:20 AM - 04:25 AM	26.9	32.8	07:00 AM - 07:05 AM	51.7	37.2	09:40 AM - 09:45 AM	41.8	35.9
04:25 AM - 04:30 AM	37.5	33.5	07:05 AM - 07:10 AM	47.3	36.2	09:45 AM - 09:50 AM	37.2	34.5
04:30 AM - 04:35 AM	28.3	25.9	07:10 AM - 07:15 AM	49.8	35.9	09:50 AM - 09:55 AM	40.8	35.6
04:35 AM - 04:40 AM	45.2	37.9	07:15 AM - 07:20 AM	46.0	35.5	09:55 AM - 10:00 AM	38.0	35.2
04:40 AM - 04:45 AM	41.4	39.1	07:20 AM - 07:25 AM	42.9	35.1	10:00 AM - 10:05 AM	38.1	34.9
04:45 AM - 04:50 AM	42.9	40.8	07:25 AM - 07:30 AM	46.0	35.8	10:05 AM - 10:10 AM	44.4	35.4
04:50 AM - 04:55 AM	34.4	41.8	07:30 AM - 07:35 AM	34.3	36.0	10:10 AM - 10:15 AM	47.1	37.3
04:55 AM - 05:00 AM	50.3	41.5	07:35 AM - 07:40 AM	29.8	35.1	10:15 AM - 10:20 AM	42.5	37.4
05:00 AM - 05:05 AM	44.8	43.8	07:40 AM - 07:45 AM	43.1	35.3	10:20 AM - 10:25 AM	43.4	38.2
05:05 AM - 05:10 AM	45.5	42.8	07:45 AM - 07:50 AM	47.8	36.0	10:25 AM - 10:30 AM	43.0	37.0
05:10 AM - 05:15 AM	46.9	44.6	07:50 AM - 07:55 AM	37.3	35.8	10:30 AM - 10:35 AM	41.9	34.7
05:15 AM - 05:20 AM	45.9	41.8	07:55 AM - 08:00 AM	44.4	34.8	10:35 AM - 10:40 AM	44.4	37.7
05:20 AM - 05:25 AM	45.8	41.8	08:00 AM - 08:05 AM	56.2	35.3	10:40 AM - 10:45 AM	41.4	34.3
05:25 AM - 05:30 AM	45.9	41.7	08:05 AM - 08:10 AM	53.0	36.3	10:45 AM - 10:50 AM	46.7	37.5
05:30 AM - 05:35 AM	43.7	41.1	08:10 AM - 08:15 AM	44.2	38.2	10:50 AM - 10:55 AM	40.9	36.2
05:35 AM - 05:40 AM	44.3	41.6	08:15 AM - 08:20 AM	44.0	38.4	10:55 AM - 11:00 AM	43.0	38.5

Approved by:

Sirachai Jitranont  
Assistant General Manager

0101511101 (14) Phatthana Road 42, Phatthana Road, Huaykwang, Bangkok 10110 Thailand (1101511101) +66 0 2780 9100 (1101511101) +66 0 2780 9107  
ALS (Thailand) Co., Ltd. 42/14 Phatthana Road 42, Phatthana Road, Huaykwang, Bangkok 10110 Thailand (1101511101) +66 0 2780 9100 (1101511101) +66 0 2780 9107  
www.alsglobal.com  
RIGHT SOLUTIONS FOR YOUR BUSINESS



## Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Itakhai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10110

P/O :

Project Name : Laemchabang

Project Location :

Lot ID: 2349339

Date Received : May 23, 2023

Date Reported : May 23, 2023

Report Number : 2662334-1

Page 1 of 3

Sample Number : 2349339-4  
Parameter : Noise Level (Leq 5 min)  
Location : N1 : สุราษฎร์ธานี/สุราษฎร์ธานี 2  
Measurement Date : May 17 - May 18, 2023  
Measurement by : Srirak Ruangsri  
Sound Level meter : Serial No. 01222723

May 17, 2023	Leq	L90	May 17, 2023	Leq	L90	May 17, 2023	Leq	L90
Time	#B(A)	#B(A)	Time	#B(A)	#B(A)	Time	#B(A)	#B(A)
11:00 AM - 11:05 AM	42.0	37.5	01:40 PM - 01:45 PM	42.8	37.1	04:20 PM - 04:25 PM	44.3	37.9
11:05 AM - 11:10 AM	44.3	36.7	01:45 PM - 01:50 PM	43.1	36.2	04:25 PM - 04:30 PM	46.0	37.9
11:10 AM - 11:15 AM	43.5	36.4	01:50 PM - 01:55 PM	47.1	37.1	04:30 PM - 04:35 PM	56.7	39.1
11:15 AM - 11:20 AM	41.9	39.1	01:55 PM - 02:00 PM	38.7	36.6	04:35 PM - 04:40 PM	40.2	38.5
11:20 AM - 11:25 AM	42.2	37.8	02:00 PM - 02:05 PM	43.2	38.0	04:40 PM - 04:45 PM	46.4	38.5
11:25 AM - 11:30 AM	50.1	39.8	02:05 PM - 02:10 PM	44.8	37.2	04:45 PM - 04:50 PM	41.1	38.8
11:30 AM - 11:35 AM	44.8	37.2	02:10 PM - 02:15 PM	44.3	37.8	04:50 PM - 04:55 PM	45.1	38.5
11:35 AM - 11:40 AM	44.0	36.7	02:15 PM - 02:20 PM	43.1	36.8	04:55 PM - 05:00 PM	50.3	38.7
11:40 AM - 11:45 AM	40.4	36.5	02:20 PM - 02:25 PM	41.1	36.1	05:00 PM - 05:05 PM	43.4	38.5
11:45 AM - 11:50 AM	41.1	37.2	02:25 PM - 02:30 PM	40.7	36.8	05:05 PM - 05:10 PM	43.3	38.8
11:50 AM - 11:55 AM	45.8	35.1	02:30 PM - 02:35 PM	38.7	36.1	05:10 PM - 05:15 PM	43.3	37.3
11:55 AM - 12:00 PM	42.7	38.3	02:35 PM - 02:40 PM	40.0	34.0	05:15 PM - 05:20 PM	44.2	37.4
12:00 PM - 12:05 PM	60.6	39.9	02:40 PM - 02:45 PM	39.2	35.7	05:20 PM - 05:25 PM	40.5	37.7
12:05 PM - 12:10 PM	41.9	37.1	02:45 PM - 02:50 PM	36.7	33.6	05:25 PM - 05:30 PM	41.3	37.9
12:10 PM - 12:15 PM	44.9	34.4	02:50 PM - 02:55 PM	39.3	35.2	05:30 PM - 05:35 PM	39.3	37.1
12:15 PM - 12:20 PM	38.8	35.3	02:55 PM - 03:00 PM	46.8	35.3	05:35 PM - 05:40 PM	50.7	37.2
12:20 PM - 12:25 PM	45.4	38.1	03:00 PM - 03:05 PM	38.1	35.9	05:40 PM - 05:45 PM	43.4	36.4
12:25 PM - 12:30 PM	42.0	36.9	03:05 PM - 03:10 PM	45.2	35.1	05:45 PM - 05:50 PM	38.5	36.3
12:30 PM - 12:35 PM	43.3	38.6	03:10 PM - 03:15 PM	40.9	35.0	05:50 PM - 05:55 PM	42.2	37.3
12:35 PM - 12:40 PM	40.0	35.8	03:15 PM - 03:20 PM	38.2	35.2	05:55 PM - 06:00 PM	44.7	38.5
12:40 PM - 12:45 PM	36.5	34.8	03:20 PM - 03:25 PM	37.9	35.2	06:00 PM - 06:05 PM	43.4	38.8
12:45 PM - 12:50 PM	45.4	36.5	03:25 PM - 03:30 PM	39.5	35.4	06:05 PM - 06:10 PM	42.4	39.5
12:50 PM - 12:55 PM	39.2	38.8	03:30 PM - 03:35 PM	43.5	35.8	06:10 PM - 06:15 PM	47.4	39.4
12:55 PM - 01:00 PM	42.7	37.2	03:35 PM - 03:40 PM	44.7	36.5	06:15 PM - 06:20 PM	41.3	39.1
01:00 PM - 01:05 PM	41.1	37.8	03:40 PM - 03:45 PM	44.4	38.3	06:20 PM - 06:25 PM	44.2	39.4
01:05 PM - 01:10 PM	39.8	36.0	03:45 PM - 03:50 PM	40.5	37.4	06:25 PM - 06:30 PM	44.7	40.0
01:10 PM - 01:15 PM	42.0	38.3	03:50 PM - 03:55 PM	40.1	37.4	06:30 PM - 06:35 PM	42.1	41.1
01:15 PM - 01:20 PM	41.8	37.8	03:55 PM - 04:00 PM	40.4	37.4	06:35 PM - 06:40 PM	42.9	41.0
01:20 PM - 01:25 PM	40.3	36.7	04:00 PM - 04:05 PM	46.5	37.3	06:40 PM - 06:45 PM	41.2	40.2
01:25 PM - 01:30 PM	42.7	37.9	04:05 PM - 04:10 PM	43.9	38.4	06:45 PM - 06:50 PM	42.0	39.8
01:30 PM - 01:35 PM	39.0	35.5	04:10 PM - 04:15 PM	41.1	37.1	06:50 PM - 06:55 PM	44.1	40.4
01:35 PM - 01:40 PM	51.2	37.6	04:15 PM - 04:20 PM	40.1	37.3	06:55 PM - 07:00 PM	48.5	40.7

Approved by:

Sirachai Jitranont  
Assistant General Manager

0101511101 (14) Phatthana Road 42, Phatthana Road, Huaykwang, Bangkok 10110 Thailand (1101511101) +66 0 2780 9100 (1101511101) +66 0 2780 9107  
ALS (Thailand) Co., Ltd. 42/14 Phatthana Road 42, Phatthana Road, Huaykwang, Bangkok 10110 Thailand (1101511101) +66 0 2780 9100 (1101511101) +66 0 2780 9107  
www.alsglobal.com  
RIGHT SOLUTIONS FOR YOUR BUSINESS





## Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.  
203/115 26TH Fl. Itakh Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10110

Lot ID: 2349339  
Date Received : May 23, 2023  
Date Reported : May 25, 2023  
Report Number : 2662335-1

P/O :  
Project Name : Lamchabang  
Project Location :

Page 1 of 1

Sample Number : 2349339-5  
Parameter : Noise Level (Leq 5 min)  
Location : NI : สุราษฎร์ธานี/สุราษฎร์ธานี 2  
Measurement Date : May 18 - May 19, 2023  
Measurement by : Siravit Ruangsom  
Sound Level meter : Serial No. 01222723

May 18, 2023		May 18, 2023		May 18, 2023	
Time	Leq dB(A)	Time	Leq dB(A)	Time	Leq dB(A)
11:00 AM - 11:05 AM	42.8	01:40 PM - 01:45 PM	38.5	04:20 PM - 04:25 PM	38.9
11:05 AM - 11:10 AM	44.6	01:45 PM - 01:50 PM	38.7	04:25 PM - 04:30 PM	46.1
11:10 AM - 11:15 AM	42.4	01:50 PM - 01:55 PM	39.7	04:30 PM - 04:35 PM	55.7
11:15 AM - 11:20 AM	44.2	01:55 PM - 02:00 PM	37.3	04:35 PM - 04:40 PM	47.7
11:20 AM - 11:25 AM	41.3	02:00 PM - 02:05 PM	39.6	04:40 PM - 04:45 PM	49.0
11:25 AM - 11:30 AM	52.1	02:05 PM - 02:10 PM	43.8	04:45 PM - 04:50 PM	50.1
11:30 AM - 11:35 AM	41.8	02:10 PM - 02:15 PM	41.1	04:50 PM - 04:55 PM	50.9
11:35 AM - 11:40 AM	42.8	02:15 PM - 02:20 PM	41.6	04:55 PM - 05:00 PM	46.2
11:40 AM - 11:45 AM	42.9	02:20 PM - 02:25 PM	43.4	05:00 PM - 05:05 PM	46.6
11:45 AM - 11:50 AM	53.7	02:25 PM - 02:30 PM	44.9	05:05 PM - 05:10 PM	46.1
11:50 AM - 11:55 AM	39.4	02:30 PM - 02:35 PM	42.9	05:10 PM - 05:15 PM	47.0
11:55 AM - 12:00 PM	46.1	02:35 PM - 02:40 PM	42.3	05:15 PM - 05:20 PM	42.6
12:00 PM - 12:05 PM	39.9	02:40 PM - 02:45 PM	38.4	05:20 PM - 05:25 PM	38.2
12:05 PM - 12:10 PM	42.1	02:45 PM - 02:50 PM	37.0	05:25 PM - 05:30 PM	44.9
12:10 PM - 12:15 PM	40.6	02:50 PM - 02:55 PM	39.9	05:30 PM - 05:35 PM	44.1
12:15 PM - 12:20 PM	41.9	02:55 PM - 03:00 PM	47.6	05:35 PM - 05:40 PM	38.6
12:20 PM - 12:25 PM	42.4	03:00 PM - 03:05 PM	40.5	05:40 PM - 05:45 PM	47.0
12:25 PM - 12:30 PM	41.8	03:05 PM - 03:10 PM	39.0	05:45 PM - 05:50 PM	42.3
12:30 PM - 12:35 PM	42.9	03:10 PM - 03:15 PM	42.6	05:50 PM - 05:55 PM	43.1
12:35 PM - 12:40 PM	41.7	03:15 PM - 03:20 PM	50.6	05:55 PM - 06:00 PM	46.4
12:40 PM - 12:45 PM	45.2	03:20 PM - 03:25 PM	38.0	06:00 PM - 06:05 PM	41.4
12:45 PM - 12:50 PM	51.0	03:25 PM - 03:30 PM	37.2	06:05 PM - 06:10 PM	41.3
12:50 PM - 12:55 PM	42.1	03:30 PM - 03:35 PM	39.5	06:10 PM - 06:15 PM	46.2
12:55 PM - 01:00 PM	50.1	03:35 PM - 03:40 PM	46.2	06:15 PM - 06:20 PM	41.8
01:00 PM - 01:05 PM	57.4	03:40 PM - 03:45 PM	46.2	06:20 PM - 06:25 PM	41.2
01:05 PM - 01:10 PM	38.8	03:45 PM - 03:50 PM	43.9	06:25 PM - 06:30 PM	43.9
01:10 PM - 01:15 PM	38.7	03:50 PM - 03:55 PM	41.9	06:30 PM - 06:35 PM	44.5
01:15 PM - 01:20 PM	37.7	03:55 PM - 04:00 PM	39.2	06:35 PM - 06:40 PM	50.1
01:20 PM - 01:25 PM	45.8	04:00 PM - 04:05 PM	38.9	06:40 PM - 06:45 PM	39.1
01:25 PM - 01:30 PM	49.0	04:05 PM - 04:10 PM	44.8	06:45 PM - 06:50 PM	37.8
01:30 PM - 01:35 PM	38.7	04:10 PM - 04:15 PM	44.8	06:50 PM - 06:55 PM	38.4
01:35 PM - 01:40 PM	44.5	04:15 PM - 04:20 PM	35.9	06:55 PM - 07:00 PM	41.4

Approved by  
Siravit Ruangsom  
Assistant General Manager

ADDRESS FOR PHOTOGRAPHY: 40 Phatthanakan Rd., Chongchittrachon, Khet Suan Luang, Bangkok 10110 Thailand (P.O. Box 0 2760 3000) TEL: 0 2760 3197  
ALL INFORMATION ON THIS REPORT IS THE PROPERTY OF ALS. IT IS TO BE USED ONLY FOR THE PURPOSES SPECIFIED IN THE REPORT. IT IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM.

www.alsglobal.com

RIGHT SOLUTIONS



## Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.  
203/115 26TH Fl. Itakh Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10110

Lot ID: 2349339  
Date Received : May 23, 2023  
Date Reported : May 25, 2023  
Report Number : 2662335-1

P/O :  
Project Name : Lamchabang  
Project Location :

Page 2 of 2

Sample Number : 2349339-5  
Parameter : Noise Level (Leq 5 min)  
Location : NI : สุราษฎร์ธานี/สุราษฎร์ธานี 2  
Measurement Date : May 18 - May 19, 2023  
Measurement by : Siravit Ruangsom  
Sound Level meter : Serial No. 01222723

May 18, 2023		May 18, 2023		May 19, 2023	
Time	Leq dB(A)	Time	Leq dB(A)	Time	Leq dB(A)
07:00 PM - 07:05 PM	46.7	08:40 PM - 08:45 PM	52.5	12:20 AM - 12:25 AM	58.2
07:05 PM - 07:10 PM	48.8	08:45 PM - 08:50 PM	53.6	12:25 AM - 12:30 AM	56.0
07:10 PM - 07:15 PM	46.3	08:50 PM - 08:55 PM	52.6	12:30 AM - 12:35 AM	45.8
07:15 PM - 07:20 PM	46.3	08:55 PM - 09:00 PM	52.5	12:35 AM - 12:40 AM	46.1
07:20 PM - 07:25 PM	47.2	09:00 PM - 09:05 PM	54.4	12:40 AM - 12:45 AM	46.7
07:25 PM - 07:30 PM	42.8	09:05 PM - 09:10 PM	54.6	12:45 AM - 12:50 AM	45.6
07:30 PM - 07:35 PM	48.8	09:10 PM - 09:15 PM	52.6	12:50 AM - 12:55 AM	45.8
07:35 PM - 07:40 PM	41.6	09:15 PM - 09:20 PM	52.7	12:55 AM - 01:00 AM	45.0
07:40 PM - 07:45 PM	43.1	09:20 PM - 09:25 PM	52.3	01:00 AM - 01:05 AM	45.1
07:45 PM - 07:50 PM	47.0	09:25 PM - 09:30 PM	52.0	01:05 AM - 01:10 AM	43.5
07:50 PM - 07:55 PM	45.2	09:30 PM - 09:35 PM	53.0	01:10 AM - 01:15 AM	41.8
07:55 PM - 08:00 PM	45.5	09:35 PM - 09:40 PM	46.9	01:15 AM - 01:20 AM	41.8
08:00 PM - 08:05 PM	43.9	09:40 PM - 09:45 PM	48.5	01:20 AM - 01:25 AM	45.6
08:05 PM - 08:10 PM	41.8	09:45 PM - 09:50 PM	47.8	01:25 AM - 01:30 AM	43.3
08:10 PM - 08:15 PM	43.0	09:50 PM - 09:55 PM	47.8	01:30 AM - 01:35 AM	47.2
08:15 PM - 08:20 PM	41.4	09:55 PM - 10:00 PM	46.0	01:35 AM - 01:40 AM	58.7
08:20 PM - 08:25 PM	45.3	10:00 PM - 10:05 PM	46.1	01:40 AM - 01:45 AM	59.8
08:25 PM - 08:30 PM	50.6	10:05 PM - 10:10 PM	46.0	01:45 AM - 01:50 AM	46.0
08:30 PM - 08:35 PM	44.9	10:10 PM - 10:15 PM	45.1	01:50 AM - 01:55 AM	53.1
08:35 PM - 08:40 PM	45.3	10:15 PM - 10:20 PM	46.2	01:55 AM - 02:00 AM	59.8
08:40 PM - 08:45 PM	45.4	10:20 PM - 10:25 PM	47.0	02:00 AM - 02:05 AM	59.4
08:45 PM - 08:50 PM	46.0	10:25 PM - 10:30 PM	46.2	02:05 AM - 02:10 AM	59.0
08:50 PM - 08:55 PM	46.1	10:30 PM - 10:35 PM	49.6	02:10 AM - 02:15 AM	59.1
08:55 PM - 09:00 PM	46.0	10:35 PM - 10:40 PM	46.5	02:15 AM - 02:20 AM	58.5
09:00 PM - 09:05 PM	46.4	10:40 PM - 10:45 PM	46.6	02:20 AM - 02:25 AM	59.0
09:05 PM - 09:10 PM	46.7	10:45 PM - 10:50 PM	57.7	02:25 AM - 02:30 AM	40.1
09:10 PM - 09:15 PM	54.7	10:50 PM - 10:55 PM	58.9	02:30 AM - 02:35 AM	41.2
09:15 PM - 09:20 PM	48.0	10:55 PM - 11:00 PM	58.9	02:35 AM - 02:40 AM	42.4
09:20 PM - 09:25 PM	48.0	11:00 PM - 11:05 PM	56.8	02:40 AM - 02:45 AM	42.2
09:25 PM - 09:30 PM	48.2	11:05 PM - 11:10 PM	56.8	02:45 AM - 02:50 AM	50.0
09:30 PM - 09:35 PM	48.2	11:10 PM - 11:15 AM	56.9	02:50 AM - 02:55 AM	42.2
09:35 PM - 09:40 PM	49.5	11:15 AM - 11:20 AM	58.8	02:55 AM - 03:00 AM	42.5

Approved by  
Siravit Ruangsom  
Assistant General Manager

ADDRESS FOR PHOTOGRAPHY: 40 Phatthanakan Rd., Chongchittrachon, Khet Suan Luang, Bangkok 10110 Thailand (P.O. Box 0 2760 3000) TEL: 0 2760 3197  
ALL INFORMATION ON THIS REPORT IS THE PROPERTY OF ALS. IT IS TO BE USED ONLY FOR THE PURPOSES SPECIFIED IN THE REPORT. IT IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM.

www.alsglobal.com

RIGHT SOLUTIONS



## Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.  
203/115 26TH Fl. Itakh Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10110

Lot ID: 2349339  
Date Received : May 23, 2023  
Date Reported : May 25, 2023  
Report Number : 2662335-1

P/O :  
Project Name : Lamchabang  
Project Location :

Page 1 of 1

Sample Number : 2349339-5  
Parameter : Noise Level (Leq 5 min)  
Location : NI : สุราษฎร์ธานี/สุราษฎร์ธานี 2  
Measurement Date : May 19 - May 20, 2023  
Measurement by : Siravit Ruangsom  
Sound Level meter : Serial No. 01222723

May 19, 2023		May 19, 2023		May 19, 2023	
Time	Leq dB(A)	Time	Leq dB(A)	Time	Leq dB(A)
03:00 AM - 03:05 AM	45.1	05:40 AM - 05:45 AM	45.4	08:20 AM - 08:25 AM	31.4
03:05 AM - 03:10 AM	44.0	05:45 AM - 05:50 AM	48.8	08:25 AM - 08:30 AM	47.4
03:10 AM - 03:15 AM	44.0	05:50 AM - 05:55 AM	45.1	08:30 AM - 08:35 AM	49.6
03:15 AM - 03:20 AM	44.7	05:55 AM - 06:00 AM	44.1	08:35 AM - 08:40 AM	39.6
03:20 AM - 03:25 AM	42.0	06:00 AM - 06:05 AM	47.9	08:40 AM - 08:45 AM	39.1
03:25 AM - 03:30 AM	38.3	06:05 AM - 06:10 AM	42.8	08:45 AM - 08:50 AM	47.9
03:30 AM - 03:35 AM	46.1	06:10 AM - 06:15 AM	46.1	08:50 AM - 08:55 PM	38.8
03:35 AM - 03:40 AM	40.7	06:15 AM - 06:20 PM	43.5	08:55 AM - 09:00 AM	38.1
03:40 AM - 03:45 AM	34.4	06:20 AM - 06:25 AM	44.9	09:00 AM - 09:05 AM	40.1
03:45 AM - 03:50 AM	35.6	06:25 AM - 06:30 PM	68.0	09:05 AM - 09:10 AM	41.5
03:50 AM - 03:55 AM	35.8	06:30 AM - 06:35 PM	51.8	09:10 AM - 09:15 AM	40.2
03:55 AM - 04:00 AM	35.4	06:35 AM - 06:40 PM	45.7	09:15 AM - 09:20 PM	40.5
04:00 AM - 04:05 AM	35.4	06:40 AM - 06:45 AM	41.2	09:20 AM - 09:25 PM	41.0
04:05 AM - 04:10 AM	39.1	06:45 AM - 06:50 AM	51.7	09:25 AM - 09:30 PM	38.7
04:10 AM - 04:15 AM	24.8	06:50 AM - 06:55 AM	44.8	09:30 AM - 09:35 PM	45.7
04:15 AM - 04:20 AM	35.8	06:55 AM - 07:00 AM	44.8	09:35 AM - 09:40 PM	46.3
04:20 AM - 04:25 AM	38.8	07:00 AM - 07:05 AM	44.1	09:40 AM - 09:45 AM	46.3
04:25 AM - 04:30 AM	46.6	07:05 AM - 07:10 AM	43.2	09:45 AM - 09:50 AM	46.9
04:30 AM - 04:35 AM	46.4	07:10 AM - 07:15 AM	46.8	09:50 AM - 09:55 AM	43.5
04:35 AM - 04:40 AM	47.8	07:15 AM - 07:20 AM	46.6	09:55 AM - 10:00 AM	43.2
04:40 AM - 04:45 AM	47.1	07:20 AM - 07:25 AM	47.6	10:00 AM - 10:05 AM	39.0
04:45 AM - 04:50 AM	42.4	07:25 AM - 07:30 AM	50.4	10:05 AM - 10:10 AM	41.5
04:50 AM - 04:55 AM	54.0	07:30 AM - 07:35 AM	43.4	10:10 AM - 10:15 AM	38.7
04:55 AM - 05:00 AM	44.3	07:35 AM - 07:40 AM	54.5	10:15 AM - 10:20 AM	38.8
05:00 AM - 05:05 AM	46.2	07:40 AM - 07:45 AM	55.9	10:20 AM - 10:25 AM	38.7
05:05 AM - 05:10 AM	41.1	07:45 AM - 07:50 AM	50.8	10:25 AM - 10:30 AM	45.0
05:10 AM - 05:15 AM	44.3	07:50 AM - 07:55 AM	38.1	10:30 AM - 10:35 AM	53.5
05:15 AM - 05:20 AM	49.8	07:55 AM - 08:00 AM	36.9	10:35 AM - 10:40 AM	40.1
05:20 AM - 05:25 AM	42.4	08:00 AM - 08:05 AM	44.4	10:40 AM - 10:45 AM	48.5
05:25 AM - 05:30 AM	42.5	08:05 AM - 08:10 AM	37.8	10:45 PM - 10:50 AM	46.3
05:30 AM - 05:35 AM	44.9	08:10 AM - 08:15 AM	45.2	10:50 PM - 10:55 AM	39.0
05:35 AM - 05:40 AM	47.0	08:15 AM - 08:20 AM	38.7	10:55 PM - 11:00 AM	37.6

Approved by  
Siravit Ruangsom  
Assistant General Manager

ADDRESS FOR PHOTOGRAPHY: 40 Phatthanakan Rd., Chongchittrachon, Khet Suan Luang, Bangkok 10110 Thailand (P.O. Box 0 2760 3000) TEL: 0 2760 3197  
ALL INFORMATION ON THIS REPORT IS THE PROPERTY OF ALS. IT IS TO BE USED ONLY FOR THE PURPOSES SPECIFIED IN THE REPORT. IT IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM.

www.alsglobal.com

RIGHT SOLUTIONS



## Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.  
203/115 26TH Fl. Itakh Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10110

Lot ID: 2349339  
Date Received : May 23, 2023  
Date Reported : May 25, 2023  
Report Number : 2662335-1

P/O :  
Project Name : Lamchabang  
Project Location :

Page 2 of 2

Sample Number : 2349339-5  
Parameter : Noise Level (Leq 5 min)  
Location : NI : สุราษฎร์ธานี/สุราษฎร์ธานี 2  
Measurement Date : May 19 - May 20, 2023  
Measurement by : Siravit Ruangsom  
Sound Level meter : Serial No. 01222723

May 19, 2023		L90		May 19, 2023		L90		May 19, 2023		L90	
Time	Leq dB(A)	Time	Leq dB(A)	Time	Leq dB(A)	Time	Leq dB(A)	Time	Leq dB(A)	Time	Leq dB(A)
11:00 AM - 11:05 AM	42.4	16.0	01:40 PM - 01:45 PM	41.8	37.2	04:20 PM - 04:25 PM	38.6	34.0			
11:05 AM - 11:10 AM	47.4	37.1	01:45 PM - 01:50 PM	36.9	34.9	04:25 PM - 04:30 PM	53.7	33.4			
11:10 AM - 11:15 AM	42.6	37.6	01:50 PM - 01:55 PM	38.0	33.2	04:30 PM - 04:35 PM	58.1	33.9			
11:15 AM - 11:20 AM	41.9	38.1	01:55 PM - 02:00 PM	42.7	35.9	04:35 PM - 04:40 PM	46.3	35.9			
11:20 AM - 11:25 AM	42.8	39.1	02:00 PM - 02:05 PM	42.1	32.6	04:40 PM - 04:45 PM	46.3	31.3			
11:25 AM - 11:30 AM	41.5	36.3	02:05 PM - 02:10 PM	38.1	32.8	04:45 PM - 04:50 PM	46.4	35.4			
11:30 AM - 11:35 AM	48.0	37.4	02:10 PM - 02:15 PM	49.0	24.4	04:50 PM - 04:55 PM	48.2	34.5			
11:35 AM - 11:40 AM	46.8	36.9	02:15 PM - 02:20 PM	47.3	33.8	04:55 PM - 05:00 PM	48.7	33.8			
11:40 AM - 11:45 AM	46.6	36.2	02:20 PM - 02:25 PM	47.2	33.6	05:00 PM - 05:05 PM	48.4	34.4			
11:45 AM - 11:50 AM	39.6	38.1	02:25 PM - 02:30 PM	35.1	34.0	05:05 PM - 05:10 PM	37.3	35.2			
11:50 AM - 11:55 AM	42.1	36.2	02:30 PM - 02:35 PM	38.6	35.9	05:10 PM - 05:15 PM	36.2	34.6			
11:55 AM - 12:00 PM	43.4	38.8	02:35 PM - 02:40 PM	39.8	32.7	05:15 PM - 05:20 PM	46.1	35.1			
12:00 PM - 12:05 PM	46.3	35.7	02:40 PM - 02:45 PM	44.8	34.0	05:20 PM - 05:25 PM	38.5	35.7			
12:05 PM - 12:10 PM	41.2	38.5	02:45 PM - 02:50 PM	38.0	24.9	05:25 PM - 05:30 PM	39.4	34.4			
12:10 PM - 12:15 PM	41.2	37.0	02:50 PM - 02:55 PM	36.6	34.3	05:30 PM - 05:35 PM	52.1	35.4			
12:15 PM - 12:20 PM	38.8	36.6	02:55 PM - 03:00 PM	41.7	35.1	05:35 PM - 05:40 PM	38.1	34.6			
12:20 PM - 12:25 PM	42.8	36.9	03:00 PM - 03:05 PM	38.9	35.2	05:40 PM - 05:45 PM	42.3	34.7			
12:25 PM - 12:30 PM	38.7	33.2	03:05 PM - 03:10 PM	40.2	34.4	05:45 PM - 05:50 PM	48.2	34.8			
12:30 PM - 12:35 PM	43.4	35.6	03:10 PM - 03:15 PM	35.7	33.8	05:50 PM - 05:55 PM	48.1	34.5			
12:35 PM - 12:40 PM	40.2	35.7	03:15 PM - 03:20 PM	37.2	33.1	05:55 PM - 06:00 PM	48.2	34.8			
12:40 PM - 12:45 PM	43.4	37.9	03:20 PM - 03:25 PM	45.2	33.8	06:00 PM - 06:05 PM	42.4	35.3			
12:45 PM - 12:50 PM	44.8	37.9	03:25 PM - 03:30 PM	38.5	24.8	06:05 PM - 06:10 PM	46.0	35.5			
12:50 PM - 12:55 PM	41.5	36.3	03:30 PM - 03:35 PM	40.1	34.1	06:10 PM - 06:15 PM	48.6	37.5			
12:55 PM - 01:00 PM	35.0	36.8	03:35 PM - 03:40 PM	39.3	34.3	06:15 PM - 06:20 PM	42.8	36.2			
01:00 PM - 01:05 PM	34.8	34.9	03:40 PM - 03:45 PM	40.4	34.8	06:20 PM - 06:25 PM	42.8	36.2			
01:05 PM - 01:10 PM	43.2	38.6	03:45 PM - 03:50 PM	37.2	35.9	06:25 PM - 06:30 PM	42.2	36.0			
01:10 PM - 01:15 PM	46.4	38.3	03:50 PM - 03:55 PM	40.7	34.7	06:30 PM - 06:35 PM	47.8	39.1			
01:15 PM - 01:20 PM	45.5	35.2	03:55 PM - 04:00 PM	43.0	34.1	06:35 PM - 06:40 PM	42.3	37.7			
01:20 PM - 01:25 PM	46.1	34.4	04:00 PM - 04:05 PM	43.8	34.7	06:40 PM - 06:45 PM	43.8	39.1			
01:25 PM - 01:30 PM	43.5	35.9	04:05 PM - 04:10 PM	42.2	36.3	06:45 PM - 06:50 PM	42.7	38.2			
01:30 PM - 01:35 PM	44.9	37.5	04:10 PM - 04:15 PM	43.9	35.2	06:50 PM - 06:55 PM	39.1	38.0			
01:35 PM - 01:40 PM	46.0	35.6	04:15 PM - 04:20 PM	39.8	35.0	06:55 PM - 07:00 PM	44.3	38.0			





## Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Itakhai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10110

P/O :

Project Name : Laemchabang

Project Location :

Lot ID: 2349339

Date Received : May 23, 2023

Date Reported : May 20, 2023

Report Number : 2622336-1

Page 2 of 3

Sample Number : 2349339-6  
Parameter : Noise Level (Leq 5 min)  
Location : N1 : 300m/100m/100m/100m/2  
Measurement Date : May 19 - May 20, 2023  
Measurement by : Srinak Ruangsri  
Sound Level meter : Serial No. 01222723

May 19, 2023	Leq	L90	May 19 - May 20, 2023	Leq	L90	May 20, 2023	Leq	L90
Time	#(A)	#(A)	Time	#(A)	#(A)	Time	#(A)	#(A)
07:00 PM - 07:05 PM	48.0	46.0	09:40 PM - 09:45 PM	45.9	45.0	12:20 AM - 12:25 AM	45.0	44.5
07:05 PM - 07:10 PM	48.9	46.3	09:45 PM - 09:50 PM	46.9	46.2	12:25 AM - 12:30 AM	44.8	43.9
07:10 PM - 07:15 PM	48.4	46.0	09:50 PM - 09:55 PM	46.5	45.8	12:30 AM - 12:35 AM	44.9	43.8
07:15 PM - 07:20 PM	50.3	47.7	09:55 PM - 10:00 PM	44.5	43.2	12:35 AM - 12:40 AM	44.1	43.4
07:20 PM - 07:25 PM	47.9	47.5	10:00 PM - 10:05 PM	44.4	43.3	12:40 AM - 12:45 AM	43.4	42.8
07:25 PM - 07:30 PM	47.5	46.7	10:05 PM - 10:10 PM	43.4	42.3	12:45 AM - 12:50 AM	43.8	42.8
07:30 PM - 07:35 PM	47.3	46.0	10:10 PM - 10:15 PM	43.1	42.3	12:50 AM - 12:55 AM	43.2	42.3
07:35 PM - 07:40 PM	46.7	45.7	10:15 PM - 10:20 PM	43.1	42.5	12:55 AM - 1:00 AM	42.5	41.4
07:40 PM - 07:45 PM	50.3	45.8	10:20 PM - 10:25 PM	42.7	42.0	01:00 AM - 01:05 AM	42.3	41.2
07:45 PM - 07:50 PM	56.1	46.1	10:25 PM - 10:30 PM	53.5	42.7	01:05 AM - 01:10 AM	41.1	40.2
07:50 PM - 07:55 PM	47.2	46.4	10:30 PM - 10:35 PM	43.7	42.9	01:10 AM - 01:15 AM	41.4	40.4
07:55 PM - 08:00 PM	47.1	46.4	10:35 PM - 10:40 PM	43.1	42.1	01:15 AM - 01:20 AM	42.6	41.5
08:00 PM - 08:05 PM	45.7	44.5	10:40 PM - 10:45 PM	43.0	42.2	01:20 AM - 01:25 AM	42.9	41.5
08:05 PM - 08:10 PM	44.9	43.9	10:45 PM - 10:50 PM	44.2	43.0	01:25 AM - 01:30 AM	43.3	42.9
08:10 PM - 08:15 PM	46.1	45.0	10:50 PM - 10:55 PM	43.8	43.1	01:30 AM - 01:35 AM	43.6	42.7
08:15 PM - 08:20 PM	47.1	46.5	10:55 PM - 11:00 PM	45.6	44.9	01:35 AM - 01:40 AM	43.0	42.5
08:20 PM - 08:25 PM	46.8	46.1	11:00 PM - 11:05 PM	45.5	44.8	01:40 AM - 01:45 AM	44.1	43.2
08:25 PM - 08:30 PM	46.8	45.8	11:05 PM - 11:10 PM	46.4	44.3	01:45 AM - 01:50 AM	43.2	42.8
08:30 PM - 08:35 PM	46.9	45.6	11:10 PM - 11:15 PM	44.8	44.2	01:50 AM - 01:55 AM	52.8	42.8
08:35 PM - 08:40 PM	47.5	47.0	11:15 PM - 11:20 PM	44.2	43.4	01:55 AM - 02:00 AM	46.4	41.2
08:40 PM - 08:45 PM	46.5	44.7	11:20 PM - 11:25 PM	44.0	42.3	02:00 AM - 02:05 AM	41.8	41.4
08:45 PM - 08:50 PM	45.4	44.2	11:25 PM - 11:30 PM	44.8	43.8	02:05 AM - 02:10 AM	43.0	40.3
08:50 PM - 08:55 PM	54.2	44.7	11:30 PM - 11:35 PM	44.2	43.2	02:10 AM - 02:15 AM	43.0	40.4
08:55 PM - 09:00 PM	45.4	44.4	11:35 PM - 11:40 PM	43.9	43.1	02:15 AM - 02:20 AM	41.4	40.2
09:00 PM - 09:05 PM	46.5	45.7	11:40 PM - 11:45 PM	44.4	43.7	02:20 AM - 02:25 AM	40.9	39.8
09:05 PM - 09:10 PM	46.8	45.0	11:45 PM - 11:50 PM	45.5	42.7	02:25 AM - 02:30 AM	40.1	39.8
09:10 PM - 09:15 PM	47.2	44.3	11:50 PM - 11:55 PM	44.3	43.5	02:30 AM - 02:35 AM	40.1	38.8
09:15 PM - 09:20 PM	44.5	43.8	11:55 PM - 12:00 PM	46.1	43.0	02:35 AM - 02:40 AM	38.9	38.3
09:20 PM - 09:25 PM	45.4	44.9	12:00 AM - 12:05 AM	46.0	44.1	02:40 AM - 02:45 AM	39.4	39.0
09:25 PM - 09:30 PM	46.7	45.9	12:05 AM - 12:10 AM	44.8	44.3	02:45 AM - 02:50 AM	39.4	38.8
09:30 PM - 09:35 PM	46.4	45.7	12:10 AM - 12:15 AM	44.8	44.1	02:50 AM - 02:55 AM	39.7	38.8
09:35 PM - 09:40 PM	57.5	45.7	12:15 AM - 12:20 AM	44.8	44.3	02:55 AM - 03:00 AM	40.0	39.3

Approved by

Saraphit Jitranont  
Assistant General Manager

The above results are valid only for the use and conditions specified in this report. They are not to be used for any other purpose without the written consent of ALS. The results are not to be used for any other purpose without the written consent of ALS.



## Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Itakhai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10110

P/O :

Project Name : Laemchabang

Project Location :

Lot ID: 2349339

Date Received : May 23, 2023

Date Reported : May 23, 2023

Report Number : 2622336-1

Page 3 of 3

Sample Number : 2349339-6  
Parameter : Noise Level (Leq 5 min)  
Location : N1 : 300m/100m/100m/100m/2  
Measurement Date : May 19 - May 20, 2023  
Measurement by : Srinak Ruangsri  
Sound Level meter : Serial No. 01222723

May 20, 2023	Leq	L90	May 20, 2023	Leq	L90	May 20, 2023	Leq	L90
Time	#(A)	#(A)	Time	#(A)	#(A)	Time	#(A)	#(A)
03:00 AM - 03:05 AM	40.1	38.9	05:40 AM - 05:45 AM	45.9	40.3	08:20 AM - 08:25 AM	40.3	31.3
03:05 AM - 03:10 AM	39.4	38.6	05:45 AM - 05:50 AM	44.2	40.6	08:25 AM - 08:30 AM	40.2	32.4
03:10 AM - 03:15 AM	39.5	38.9	05:50 AM - 05:55 AM	42.3	40.0	08:30 AM - 08:35 AM	37.2	32.3
03:15 AM - 03:20 AM	40.4	39.4	05:55 AM - 06:00 AM	47.5	40.3	08:35 AM - 08:40 AM	47.7	34.1
03:20 AM - 03:25 AM	40.4	39.4	06:00 AM - 06:05 AM	46.3	38.2	08:40 AM - 08:45 AM	40.3	34.1
03:25 AM - 03:30 AM	40.0	38.9	06:05 AM - 06:10 AM	43.4	40.0	08:45 AM - 08:50 AM	40.7	33.3
03:30 AM - 03:35 AM	38.7	38.0	06:10 AM - 06:15 AM	41.3	38.7	08:50 AM - 08:55 AM	42.5	35.0
03:35 AM - 03:40 AM	38.4	38.0	06:15 AM - 06:20 AM	43.8	40.8	08:55 AM - 09:00 AM	50.0	34.8
03:40 AM - 03:45 AM	38.2	37.0	06:20 AM - 06:25 AM	43.5	41.2	09:00 AM - 09:05 AM	40.9	35.4
03:45 AM - 03:50 AM	37.8	37.2	06:25 AM - 06:30 AM	50.6	40.4	09:05 AM - 09:10 AM	58.2	33.8
03:50 AM - 03:55 AM	41.4	37.6	06:30 AM - 06:35 AM	46.5	38.2	09:10 AM - 09:15 AM	33.7	33.1
03:55 AM - 04:00 AM	40.8	37.2	06:35 AM - 06:40 AM	43.8	38.8	09:15 AM - 09:20 AM	46.0	32.5
04:00 AM - 04:05 AM	37.5	36.7	06:40 AM - 06:45 AM	48.3	38.9	09:20 AM - 09:25 AM	45.2	33.1
04:05 AM - 04:10 AM	38.1	37.1	06:45 AM - 06:50 AM	46.7	39.0	09:25 AM - 09:30 AM	44.7	31.9
04:10 AM - 04:15 AM	38.2	37.5	06:50 AM - 06:55 AM	40.2	37.9	09:30 AM - 09:35 AM	38.4	32.8
04:15 AM - 04:20 AM	37.9	37.2	06:55 AM - 07:00 AM	41.9	37.8	09:35 AM - 09:40 AM	36.4	32.3
04:20 AM - 04:25 AM	37.7	36.3	07:00 AM - 07:05 AM	39.4	36.6	09:40 AM - 09:45 AM	42.8	33.3
04:25 AM - 04:30 AM	39.3	37.8	07:05 AM - 07:10 AM	43.4	35.4	09:45 AM - 09:50 AM	39.5	31.4
04:30 AM - 04:35 AM	45.0	38.8	07:10 AM - 07:15 AM	45.5	36.2	09:50 AM - 09:55 AM	24.9	32.3
04:35 AM - 04:40 AM	42.1	40.1	07:15 AM - 07:20 AM	37.3	35.9	09:55 AM - 10:00 AM	39.4	32.7
04:40 AM - 04:45 AM	39.0	37.7	07:20 AM - 07:25 AM	56.6	36.1	10:00 AM - 10:05 AM	36.0	32.9
04:45 AM - 04:50 AM	39.8	37.4	07:25 AM - 07:30 AM	40.4	34.4	10:05 AM - 10:10 AM	36.2	32.9
04:50 AM - 04:55 AM	38.8	37.5	07:30 AM - 07:35 AM	42.7	34.8	10:10 AM - 10:15 AM	40.9	31.5
04:55 AM - 05:00 AM	45.2	37.9	07:35 AM - 07:40 AM	42.2	35.8	10:15 AM - 10:20 AM	46.9	32.2
05:00 AM - 05:05 AM	38.7	37.1	07:40 AM - 07:45 AM	39.7	34.1	10:20 AM - 10:25 AM	38.2	32.1
05:05 AM - 05:10 AM	43.0	38.5	07:45 AM - 07:50 AM	46.9	31.3	10:25 AM - 10:30 AM	39.4	31.5
05:10 AM - 05:15 AM	43.0	38.8	07:50 AM - 07:55 AM	44.7	31.7	10:30 AM - 10:35 AM	34.5	31.2
05:15 AM - 05:20 AM	41.9	39.9	07:55 AM - 08:00 AM	38.8	31.1	10:35 AM - 10:40 AM	38.4	31.3
05:20 AM - 05:25 AM	40.3	40.2	08:00 AM - 08:05 AM	52.4	31.7	10:40 AM - 10:45 AM	40.4	31.1
05:25 AM - 05:30 AM	40.5	40.2	08:05 AM - 08:10 AM	41.8	31.3	10:45 AM - 10:50 AM	41.8	34.2
05:30 AM - 05:35 AM	44.9	39.4	08:10 AM - 08:15 AM	38.9	32.2	10:50 AM - 10:55 AM	40.6	32.0
05:35 AM - 05:40 AM	42.0	38.9	08:15 AM - 08:20 AM	43.8	35.4	10:55 AM - 11:00 AM	38.5	33.1

Approved by

Saraphit Jitranont  
Assistant General Manager

The above results are valid only for the use and conditions specified in this report. They are not to be used for any other purpose without the written consent of ALS. The results are not to be used for any other purpose without the written consent of ALS.



## Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Itakhai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10110

P/O :

Project Name : Laemchabang

Project Location :

Lot ID: 2349339

Date Received : May 23, 2023

Date Reported : May 23, 2023

Report Number : 2622337-1

Page 1 of 3

Sample Number : 2349339-7  
Parameter : Noise Level (Leq 5 min)  
Location : N1 : 300m/100m/100m/100m/2  
Measurement Date : May 20 - May 21, 2023  
Measurement by : Srinak Ruangsri  
Sound Level meter : Serial No. 01222723

May 20, 2023	Leq	L90	May 20, 2023	Leq	L90	May 20, 2023	Leq	L90
Time	#(A)	#(A)	Time	#(A)	#(A)	Time	#(A)	#(A)
11:00 AM - 11:05 AM	45.9	33.5	01:40 PM - 01:45 PM	40.5	36.5	04:20 PM - 04:25 PM	34.9	32.0
11:05 AM - 11:10 AM	45.7	35.3	01:45 PM - 01:50 PM	40.6	35.4	04:25 PM - 04:30 PM	37.6	31.1
11:10 AM - 11:15 AM	41.2	33.9	01:50 PM - 01:55 PM	39.4	33.1	04:30 PM - 04:35 PM	36.0	33.3
11:15 AM - 11:20 AM	44.4	33.7	01:55 PM - 02:00 PM	38.8	34.3	04:35 PM - 04:40 PM	51.1	31.0
11:20 AM - 11:25 AM	46.5	34.8	02:00 PM - 02:05 PM	37.5	33.9	04:40 PM - 04:45 PM	36.2	33.7
11:25 AM - 11:30 AM	39.2	34.5	02:05 PM - 02:10 PM	44.2	33.7	04:45 PM - 04:50 PM	36.9	35.9
11:30 AM - 11:35 AM	43.3	33.0	02:10 PM - 02:15 PM	41.4	35.4	04:50 PM - 04:55 PM	47.4	35.0
11:35 AM - 11:40 AM	43.4	35.1	02:15 PM - 02:20 PM	46.2	36.7	04:55 PM - 05:00 PM	42.3	32.8
11:40 AM - 11:45 AM	37.7	33.4	02:20 PM - 02:25 PM	38.1	35.0	05:00 PM - 05:05 PM	44.0	32.0
11:45 AM - 11:50 AM	45.1	32.7	02:25 PM - 02:30 PM	40.1	36.5	05:05 PM - 05:10 PM	42.7	32.4
11:50 AM - 11:55 AM	40.8	32.6	02:30 PM - 02:35 PM	41.2	35.6	05:10 PM - 05:15 PM	40.0	34.9
11:55 AM - 12:00 PM	46.7	34.1	02:35 PM - 02:40 PM	40.8	35.2	05:15 PM - 05:20 PM	52.3	36.8
12:00 PM - 12:05 PM	42.5	34.2	02:40 PM - 02:45 PM	40.1	35.5	05:20 PM - 05:25 PM	42.5	35.4
12:05 PM - 12:10 PM	43.2	32.3	02:45 PM - 02:50 PM	38.7	35.2	05:25 PM - 05:30 PM	39.7	35.1
12:10 PM - 12:15 PM	34.5	30.6	02:50 PM - 02:55 PM	43.4	35.5	05:30 PM - 05:35 PM	46.7	35.4
12:15 PM - 12:20 PM	38.9	31.6	02:55 PM - 03:00 PM	45.9	35.2	05:35 PM - 05:40 PM	44.1	35.3
12:20 PM - 12:25 PM	41.7	32.7	03:00 PM - 03:05 PM	38.4	33.2	05:40 PM - 05:45 PM	34.4	33.1
12:25 PM - 12:30 PM	39.5	34.6	03:05 PM - 03:10 PM	40.4	33.7	05:45 PM - 05:50 PM	42.4	35.5
12:30 PM - 12:35 PM	42.8	32.0	03:10 PM - 03:15 PM	39.4	34.2	05:50 PM - 05:55 PM	37.4	34.6
12:35 PM - 12:40 PM	40.9	32.5	03:15 PM - 03:20 PM	40.7	34.6	05:55 PM - 06:00 PM	45.1	34.9
12:40 PM - 12:45 PM	43.3	32.7	03:20 PM - 03:25 PM	41.6	34.4	06:00 PM - 06:05 PM	46.2	35.8
12:45 PM - 12:50 PM	39.6	33.7	03:25 PM - 03:30 PM	37.4	33.4	06:05 PM - 06:10 PM	39.8	35.1
12:50 PM - 12:55 PM	38.4	31.7	03:30 PM - 03:35 PM	33.7	32.2	06:10 PM - 06:15 PM	43.5	36.4
12:55 PM - 01:00 PM	33.3	33.2	03:35 PM - 03:40 PM	41.4	34.4	06:15 PM - 06:20 PM	46.7	37.1
01:00 PM - 01:05 PM	40.9	33.8	03:40 PM - 03:45 PM	42.2	33.2	06:20 PM - 06:25 PM	44.6	34.8
01:05 PM - 01:10 PM	32.8	31.6	03:45 PM - 03:50 PM	40.6	33.2	06:25 PM - 06:30 PM	46.1	39.5
01:10 PM - 01:15 PM	37.0	31.9	03:50 PM - 03:55 PM	45.5	32.7	06:30 PM - 06:35 PM	46.9	38.4
01:15 PM - 01:20 PM	36.4	31.9	03:55 PM - 04:00 PM	43.1	32.4	06:35 PM - 06:40 PM	51.4	39.7
01:20 PM - 01:25 PM	37.9	33.7	04:00 PM - 04:05 PM	50.1	32.9	06:40 PM - 06:45 PM	48.1	40.9
01:25 PM - 01:30 PM	43.1	33.9	04:05 PM - 04:10 PM	41.8	31.9	06:45 PM - 06:50 PM	48.4	41.6
01:30 PM - 01:35 PM	38.5	35.3	04:10 PM - 04:15 PM	36.3	33.6	06:50 PM - 06:55 PM	42.8	40.2
01:35 PM - 01:40 PM	40.3	36.7	04:15 PM - 04:20 PM	34.3	31.2	06:55 PM - 07:00 PM	44.1	41.1









## Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Itakhai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10110

P/O :

Project Name : Laemchabang

Project Location :

Lot ID: 2349339

Date Received : May 23, 2023

Date Reported : May 25, 2023

Report Number : 2662319-1

Page 1 of 3

Sample Number : 2349339-9  
Parameter : Noise Level (Leq 5 min)  
Location : N2 : ฐานอุตสาหกรรมฝั่งขวา  
Measurement Date : May 15 - May 16, 2023  
Measurement by : Srirak Ruangsri  
Sound Level meter : Serial No. 00572561

May 15, 2023	Leq	L90	May 15, 2023	Leq	L90	May 15, 2023	Leq	L90
Time	#B(A)	#B(A)	Time	#B(A)	#B(A)	Time	#B(A)	#B(A)
11:00 AM - 11:05 AM	52.3	50.0	01:40 PM - 01:45 PM	56.0	53.1	04:20 PM - 04:25 PM	41.3	40.3
11:05 AM - 11:10 AM	50.6	48.1	01:45 PM - 01:50 PM	46.7	44.4	04:25 PM - 04:30 PM	42.0	41.0
11:10 AM - 11:15 AM	53.4	49.7	01:50 PM - 01:55 PM	38.6	34.2	04:30 PM - 04:35 PM	41.8	40.7
11:15 AM - 11:20 AM	51.2	48.8	01:55 PM - 02:00 PM	37.8	34.3	04:35 PM - 04:40 PM	41.6	40.4
11:20 AM - 11:25 AM	52.4	51.0	02:00 PM - 02:05 PM	34.0	35.7	04:40 PM - 04:45 PM	40.4	39.4
11:25 AM - 11:30 AM	52.3	51.3	02:05 PM - 02:10 PM	36.6	34.7	04:45 PM - 04:50 PM	40.5	39.0
11:30 AM - 11:35 AM	51.3	50.0	02:10 PM - 02:15 PM	38.2	35.2	04:50 PM - 04:55 PM	40.4	38.8
11:35 AM - 11:40 AM	52.2	49.2	02:15 PM - 02:20 PM	36.2	33.8	04:55 PM - 05:00 PM	41.2	39.9
11:40 AM - 11:45 AM	51.3	48.6	02:20 PM - 02:25 PM	35.8	32.6	05:00 PM - 05:05 PM	40.2	39.1
11:45 AM - 11:50 AM	50.8	48.7	02:25 PM - 02:30 PM	44.4	37.9	05:05 PM - 05:10 PM	40.3	39.2
11:50 AM - 11:55 AM	51.6	49.4	02:30 PM - 02:35 PM	38.1	37.2	05:10 PM - 05:15 PM	40.8	39.8
11:55 AM - 12:00 PM	52.9	50.2	02:35 PM - 02:40 PM	45.4	38.2	05:15 PM - 05:20 PM	40.4	39.4
12:00 PM - 12:05 PM	50.7	48.7	02:40 PM - 02:45 PM	41.2	37.6	05:20 PM - 05:25 PM	40.2	39.2
12:05 PM - 12:10 PM	52.1	47.7	02:45 PM - 02:50 PM	44.6	38.5	05:25 PM - 05:30 PM	40.4	39.0
12:10 PM - 12:15 PM	51.3	48.4	02:50 PM - 02:55 PM	49.0	41.4	05:30 PM - 05:35 PM	40.5	39.3
12:15 PM - 12:20 PM	52.1	49.2	02:55 PM - 03:00 PM	40.8	41.8	05:35 PM - 05:40 PM	41.0	40.1
12:20 PM - 12:25 PM	50.9	48.6	03:00 PM - 03:05 PM	45.5	40.1	05:40 PM - 05:45 PM	44.3	40.6
12:25 PM - 12:30 PM	51.3	48.7	03:05 PM - 03:10 PM	41.9	39.1	05:45 PM - 05:50 PM	41.5	40.1
12:30 PM - 12:35 PM	51.9	49.2	03:10 PM - 03:15 PM	41.0	38.5	05:50 PM - 05:55 PM	41.5	40.1
12:35 PM - 12:40 PM	50.7	47.7	03:15 PM - 03:20 PM	42.9	38.7	05:55 PM - 06:00 PM	42.1	41.2
12:40 PM - 12:45 PM	52.2	50.5	03:20 PM - 03:25 PM	41.4	39.8	06:00 PM - 06:05 PM	42.0	41.1
12:45 PM - 12:50 PM	44.6	32.8	03:25 PM - 03:30 PM	42.9	40.3	06:05 PM - 06:10 PM	41.8	40.9
12:50 PM - 12:55 PM	35.7	31.5	03:30 PM - 03:35 PM	42.8	41.8	06:10 PM - 06:15 PM	41.8	40.9
12:55 PM - 01:00 PM	34.6	31.4	03:35 PM - 03:40 PM	44.4	40.0	06:15 PM - 06:20 PM	42.3	41.5
01:00 PM - 01:05 PM	37.7	32.2	03:40 PM - 03:45 PM	45.6	42.8	06:20 PM - 06:25 PM	41.3	40.0
01:05 PM - 01:10 PM	35.4	31.7	03:45 PM - 03:50 PM	47.0	45.4	06:25 PM - 06:30 PM	41.8	40.5
01:10 PM - 01:15 PM	36.4	31.3	03:50 PM - 03:55 PM	44.6	42.4	06:30 PM - 06:35 PM	40.9	39.3
01:15 PM - 01:20 PM	44.1	33.7	03:55 PM - 04:00 PM	44.5	42.2	06:35 PM - 06:40 PM	39.7	39.5
01:20 PM - 01:25 PM	41.2	33.2	04:00 PM - 04:05 PM	44.5	42.7	06:40 PM - 06:45 PM	40.5	42.7
01:25 PM - 01:30 PM	34.7	32.1	04:05 PM - 04:10 PM	44.1	41.9	06:45 PM - 06:50 PM	41.4	41.8
01:30 PM - 01:35 PM	36.1	32.4	04:10 PM - 04:15 PM	43.5	42.8	06:50 PM - 06:55 PM	42.3	41.6
01:35 PM - 01:40 PM	37.0	31.5	04:15 PM - 04:20 PM	42.1	41.0	06:55 PM - 07:00 PM	41.9	40.9

Approved by

Siraporn Jitratom  
Assistant General Manager

100/0001154 Phatthanasak RD, Phatthanasak RD, Chueang Phatthanasak, Khet Suan Luang, Bangkok 10110 Thailand (T) +66 2 2740 2000 (F) +66 2 2740 2197

www.alsglobal.com

RIGHT SOLUTIONS



## Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Itakhai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10110

P/O :

Project Name : Laemchabang

Project Location :

Lot ID: 2349339

Date Received : May 23, 2023

Date Reported : May 25, 2023

Report Number : 2662319-1

Page 2 of 3

Sample Number : 2349339-9  
Parameter : Noise Level (Leq 5 min)  
Location : N2 : ฐานอุตสาหกรรมฝั่งขวา  
Measurement Date : May 15 - May 16, 2023  
Measurement by : Srirak Ruangsri  
Sound Level meter : Serial No. 00572561

May 15, 2023	Leq	L90	May 15, 2023	Leq	L90	May 15, 2023	Leq	L90
Time	#B(A)	#B(A)	Time	#B(A)	#B(A)	Time	#B(A)	#B(A)
07:00 PM - 07:05 PM	42.1	41.2	09:40 PM - 09:45 PM	37.9	36.2	12:20 AM - 12:25 AM	41.0	39.9
07:05 PM - 07:10 PM	41.9	40.9	09:45 PM - 09:50 PM	38.4	36.7	12:25 AM - 12:30 AM	40.8	39.8
07:10 PM - 07:15 PM	42.2	40.5	09:50 PM - 09:55 PM	40.8	39.0	12:30 AM - 12:35 AM	40.2	38.6
07:15 PM - 07:20 PM	40.7	39.9	09:55 PM - 10:00 PM	39.1	37.2	12:35 AM - 12:40 AM	40.0	38.4
07:20 PM - 07:25 PM	41.2	40.4	10:00 PM - 10:05 PM	39.3	37.1	12:40 AM - 12:45 AM	42.3	41.2
07:25 PM - 07:30 PM	41.1	39.9	10:05 PM - 10:10 PM	39.2	37.1	12:45 AM - 12:50 AM	42.7	41.1
07:30 PM - 07:35 PM	40.8	39.7	10:10 PM - 10:15 PM	40.5	37.1	12:50 AM - 12:55 AM	43.2	41.1
07:35 PM - 07:40 PM	40.2	38.6	10:15 PM - 10:20 PM	39.7	37.2	12:55 AM - 01:00 AM	43.6	41.1
07:40 PM - 07:45 PM	40.5	39.6	10:20 PM - 10:25 PM	39.9	37.1	01:00 AM - 01:05 AM	43.1	41.0
07:45 PM - 07:50 PM	40.8	39.2	10:25 PM - 10:30 PM	38.2	35.3	01:05 AM - 01:10 AM	43.8	41.6
07:50 PM - 07:55 PM	40.1	38.3	10:30 PM - 10:35 PM	40.6	35.9	01:10 AM - 01:15 AM	42.8	41.2
07:55 PM - 08:00 PM	40.8	39.4	10:35 PM - 10:40 PM	49.3	36.4	01:15 AM - 01:20 AM	44.4	41.0
08:00 PM - 08:05 PM	41.3	40.0	10:40 PM - 10:45 PM	44.5	37.0	01:20 AM - 01:25 AM	43.6	43.0
08:05 PM - 08:10 PM	41.3	39.9	10:45 PM - 10:50 PM	41.4	37.4	01:25 AM - 01:30 AM	42.8	42.1
08:10 PM - 08:15 PM	39.9	39.0	10:50 PM - 10:55 PM	39.7	37.8	01:30 AM - 01:35 AM	42.8	42.1
08:15 PM - 08:20 PM	38.5	36.5	10:55 PM - 11:00 PM	42.4	38.8	01:35 AM - 01:40 AM	42.4	42.1
08:20 PM - 08:25 PM	39.2	38.1	11:00 PM - 11:05 PM	31.9	41.5	01:40 AM - 01:45 AM	42.0	41.9
08:25 PM - 08:30 PM	39.0	37.2	11:05 PM - 11:10 PM	47.3	43.8	01:45 AM - 01:50 AM	44.0	42.1
08:30 PM - 08:35 PM	38.7	38.0	11:10 PM - 11:15 PM	46.4	40.9	01:50 AM - 01:55 AM	44.9	43.1
08:35 PM - 08:40 PM	39.8	38.6	11:15 PM - 11:20 PM	49.4	39.1	01:55 AM - 02:00 AM	44.4	43.3
08:40 PM - 08:45 PM	39.5	38.6	11:20 PM - 11:25 PM	50.7	41.1	02:00 AM - 02:05 AM	44.0	43.1
08:45 PM - 08:50 PM	39.1	38.1	11:25 PM - 11:30 PM	55.4	41.9	02:05 AM - 02:10 AM	44.6	43.4
08:50 PM - 08:55 PM	38.8	37.7	11:30 PM - 11:35 PM	54.7	41.9	02:10 AM - 02:15 AM	45.8	44.2
08:55 PM - 09:00 PM	39.2	38.3	11:35 PM - 11:40 PM	51.1	42.4	02:15 AM - 02:20 AM	48.0	46.3
09:00 PM - 09:05 PM	39.5	38.4	11:40 PM - 11:45 PM	54.6	41.2	02:20 AM - 02:25 AM	48.5	47.3
09:05 PM - 09:10 PM	38.6	37.0	11:45 PM - 11:50 PM	50.7	41.9	02:25 AM - 02:30 AM	51.4	47.0
09:10 PM - 09:15 PM	38.2	36.4	11:50 PM - 11:55 PM	46.8	41.8	02:30 AM - 02:35 AM	51.9	46.3
09:15 PM - 09:20 PM	38.4	39.3	11:55 PM - 12:00 AM	44.1	40.5	02:35 AM - 02:40 AM	48.6	47.4
09:20 PM - 09:25 PM	38.8	34.0	12:00 AM - 12:05 AM	44.2	41.2	02:40 AM - 02:45 AM	52.0	46.0
09:25 PM - 09:30 PM	36.6	34.9	12:05 AM - 12:10 AM	47.3	41.7	02:45 AM - 02:50 AM	49.8	47.4
09:30 PM - 09:35 PM	37.2	35.7	12:10 AM - 12:15 AM	42.1	40.7	02:50 AM - 02:55 AM	46.6	47.8
09:35 PM - 09:40 PM	37.9	37.1	12:15 AM - 12:20 AM	40.6	39.5	02:55 AM - 03:00 AM	46.9	46.0

Approved by

Siraporn Jitratom  
Assistant General Manager

100/0001154 Phatthanasak RD, Phatthanasak RD, Chueang Phatthanasak, Khet Suan Luang, Bangkok 10110 Thailand (T) +66 2 2740 2000 (F) +66 2 2740 2197

www.alsglobal.com

RIGHT SOLUTIONS



## Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Itakhai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10110

P/O :

Project Name : Laemchabang

Project Location :

Lot ID: 2349339

Date Received : May 23, 2023

Date Reported : May 25, 2023

Report Number : 2662319-1

Page 3 of 3

Sample Number : 2349339-9  
Parameter : Noise Level (Leq 5 min)  
Location : N2 : ฐานอุตสาหกรรมฝั่งขวา  
Measurement Date : May 15 - May 16, 2023  
Measurement by : Srirak Ruangsri  
Sound Level meter : Serial No. 00572561

May 16, 2023	Leq #B(A)	L90 #B(A)	May 16, 2023	Leq #B(A)	L90 #B(A)	May 16, 2023	Leq #B(A)	L90 #B(A)
Time			Time			Time		
03:00 AM - 03:05 AM	48.8	46.4	03:40 AM - 03:45 AM	35.4	32.7	06:20 AM - 06:25 AM	42.8	32.3
03:05 AM - 03:10 AM	49.3	47.4	03:45 AM - 03:50 AM	46.8	38.2	06:25 AM - 06:30 AM	46.8	35.9
03:10 AM - 03:15 AM	50.1	47.8	03:50 AM - 03:55 AM	38.7	33.2	06:30 AM - 06:35 AM	41.0	39.5
03:15 AM - 03:20 AM	48.7	47.8	03:55 AM - 04:00 AM	36.2	32.8	06:35 AM - 06:40 AM	42.4	38.5
03:20 AM - 03:25 AM	49.4	46.8	04:00 AM - 04:05 AM	37.3	36.7	06:40 AM - 06:45 AM	44.0	40.1
03:25 AM - 03:30 AM	46.5	41.0	04:05 AM - 04:10 AM	34.6	31.7	06:45 AM - 06:50 AM	47.2	37.3
03:30 AM - 03:35 AM	46.0	44.4	04:10 AM - 04:15 AM	35.3	32.9	06:50 AM - 06:55 AM	46.1	36.8
03:35 AM - 03:40 AM	46.1	44.4	04:15 AM - 04:20 AM	36.7	32.8	06:55 AM - 07:00 AM	34.5	31.9
03:40 AM - 03:45 AM	46.5	44.7	04:20 AM - 04:25 AM	32.8	31.2	07:00 AM - 07:05 AM	38.3	32.6
03:45 AM - 03:50 AM	44.2	43.1	04:25 AM - 04:30 AM	35.0	31.8	07:05 AM - 07:10 AM	41.9	31.1
03:50 AM - 03:55 AM	41.2	40.7	04:30 AM - 04:35 AM	37.8	38.5	07:10 AM - 07:15 AM	46.8	44.9
03:55 AM - 04:00 AM	42.4	42.5	04:35 AM - 04:40 AM	35.2	36.5	07:15 AM - 07:20 AM	40.8	44.4
04:00 AM - 04:05 AM	42.0	42.6	04:40 AM - 04:45 AM	44.5	33.0	07:20 AM - 07:25 AM	46.5	43.8
04:05 AM - 04:10 AM	43.0	42.3	04:45 AM - 04:50 AM	38.7	32.1	07:25 AM - 07:30 AM	46.5	42.8
04:10 AM - 04:15 AM	43.7	42.6	04:50 AM - 04:55 AM	35.9	31.9	07:30 AM - 07:35 AM	46.0	42.7
04:15 AM - 04:20 AM	45.3	42.8	04:55 AM - 05:00 AM	32.4	30.3	07:35 AM - 07:40 AM	45.3	39.2
04:20 AM - 04:25 AM	43.8	42.1	05:00 AM - 05:05 AM	37.4	34.5	07:40 AM - 07:45 AM	46.8	44.5
04:25 AM - 04:30 AM	46.2	42.3	05:05 AM - 05:10 AM	37.4	31.2	07:45 AM - 07:50 AM	46.0	43.3
04:30 AM - 04:35 AM	45.0	43.8	05:10 AM - 05:15 AM	37.1	32.9	07:55 AM - 08:00 AM	46.1	43.4
04:35 AM - 04:40 AM	43.1	40.7	05:15 AM - 05:20 AM	37.5	34.0	08:00 AM - 08:05 AM	47.3	44.8
04:40 AM - 04:45 AM	41.3	40.6	05:20 AM - 05:25 AM	34.3	31.2	08:05 AM - 08:10 AM	49.0	44.6
04:45 AM - 04:50 AM	39.5	38.8	05:25 AM - 05:30 AM	39.8	34.2	08:10 AM - 08:15 AM	46.1	44.3
04:50 AM - 04:55 AM	38.8	37.6	05:30 AM - 05:35 AM	39.4	34.5	08:15 AM - 08:20 AM	46.1	43.8
04:55 AM - 05:00 AM	37.8	37.6	05:35 AM - 05:40 AM	46.7	38.0	08:20 AM - 08:25 AM	54.6	47.9
05:00 AM - 05:05 AM	37.7	37.8	05:40 AM - 05:45 AM	46.1	32.3	08:25 AM - 08:30 AM	52.2	48.8
05:05 AM - 05:10 AM	39.9	38.8	05:45 AM - 05:50 AM	44	35.0	08:30 AM - 08:35 AM	49.0	46.3
05:10 AM - 05:15 AM	37.5	36.5	05:50 AM - 05:55 AM	38.3	33.1	08:35 AM - 08:40 AM	50.6	46.9
05:15 AM - 05:20 AM	36.5	34.8	05:55 AM - 06:00 AM	39.2	34.2	08:40 AM - 08:45 AM	49.1	45.6
05:20 AM - 05:25 AM	38	33.4	06:00 AM - 06:05 AM	35.5	31.5	08:45 AM - 08:50 AM	45.7	45.3
05:25 AM - 05:30 AM	48.4	31.3	06:05 AM - 06:10 AM	41	35.7	08:50 AM - 08:55 AM	49.4	46.8
05:30 AM - 05:35 AM	39.0	32.8	06:10 AM - 06:15 AM	46.8	35.9	08:55 AM - 09:00 AM	48.9	45.5
05:35 AM - 05:40 AM	45.2	32.7	06:15 AM - 06:20 AM	44.1	37.1	09:00 AM - 09:05 AM	51.2	46.9





## Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.  
2024/11/26TH Fl. 1st floor, New Petchburi Road, Bangkok, Huaywong, Bangkok Thailand 10310  
P/O :  
Project Name : Laemchabang  
Project Location :  
Sample Number : 2349339-10  
Parameter : Noise Level (Leq 5 min)  
Location : 2024/11/26TH Fl. 1st floor, New Petchburi Road, Bangkok, Huaywong, Bangkok Thailand 10310  
Measurement Date : May 15 - May 17, 2023  
Measurement by : Srivut Ruangsom  
Sound Level meter : Serial No. 0057261

Lot ID: 2349339  
Date Received : May 23, 2023  
Date Reported : May 25, 2023  
Report Number : 2662240-1  
Page 2 of 2

May 16, 2023	Leq dB(A)	L90 dB(A)	May 16 - May 17, 2023	Leq dB(A)	L90 dB(A)	May 17, 2023	Leq dB(A)	L90 dB(A)
07:00 PM - 07:05 PM	42.4	37.3	09:40 PM - 09:45 PM	37.3	36.5	12:20 AM - 12:25 AM	33.0	32.9
07:05 PM - 07:10 PM	44.0	42.5	09:45 PM - 09:50 PM	37.8	37.1	12:25 AM - 12:30 AM	34.3	35.0
07:10 PM - 07:15 PM	44.3	43.9	09:50 PM - 09:55 PM	40.0	38.5	12:30 AM - 12:35 AM	34.4	33.7
07:15 PM - 07:20 PM	44.4	43.4	09:55 PM - 10:00 PM	40.6	38.4	12:35 AM - 12:40 AM	34.9	33.7
07:20 PM - 07:25 PM	43.3	38.2	10:00 PM - 10:05 PM	38.8	38.5	12:40 AM - 12:45 AM	34.8	33.9
07:25 PM - 07:30 PM	43.9	41.5	10:05 PM - 10:10 PM	38.4	37.8	12:45 AM - 12:50 AM	34.5	33.6
07:30 PM - 07:35 PM	44.1	38.7	10:10 PM - 10:15 PM	38.4	37.3	12:50 AM - 12:55 AM	38.6	34.3
07:35 PM - 07:40 PM	39.6	38.1	10:15 PM - 10:20 PM	38.1	37.2	12:55 AM - 01:00 AM	35.2	33.7
07:40 PM - 07:45 PM	38.8	38.1	10:20 PM - 10:25 PM	37.9	37.8	01:00 AM - 01:05 AM	35.3	33.3
07:45 PM - 07:50 PM	38.4	37.8	10:25 PM - 10:30 PM	38.0	37.1	01:05 AM - 01:10 AM	35.5	33.5
07:50 PM - 07:55 PM	38.8	38.0	10:30 PM - 10:35 PM	38.1	37.4	01:10 AM - 01:15 AM	37.0	33.7
07:55 PM - 08:00 PM	38.9	37.9	10:35 PM - 10:40 PM	37.3	36.8	01:15 AM - 01:20 AM	33.7	33.5
08:00 PM - 08:05 PM	39.2	38.1	10:40 PM - 10:45 PM	38.5	37.5	01:20 AM - 01:25 AM	38.1	35.9
08:05 PM - 08:10 PM	39.6	37.8	10:45 PM - 10:50 PM	38.9	37.7	01:25 AM - 01:30 AM	37.4	35.1
08:10 PM - 08:15 PM	38.5	37.0	10:50 PM - 10:55 PM	37.9	37.1	01:30 AM - 01:35 AM	37.3	34.0
08:15 PM - 08:20 PM	37.9	36.6	10:55 PM - 11:00 PM	38.3	37.4	01:35 AM - 01:40 AM	37.3	34.8
08:20 PM - 08:25 PM	40.5	39.3	11:00 PM - 11:05 PM	37.1	36.7	01:40 AM - 01:45 AM	40.1	36.8
08:25 PM - 08:30 PM	39.4	38.6	11:05 PM - 11:10 PM	36.0	35.6	01:45 AM - 01:50 AM	41.3	37.9
08:30 PM - 08:35 PM	39.1	35.8	11:10 PM - 11:15 PM	36.1	35.4	01:50 AM - 01:55 AM	38.2	36.4
08:35 PM - 08:40 PM	37.3	35.1	11:15 PM - 11:20 PM	35.8	35.1	01:55 AM - 02:00 AM	38.4	37.1
08:40 PM - 08:45 PM	38.4	35.7	11:20 PM - 11:25 PM	35.8	35.0	02:00 AM - 02:05 AM	41.4	38.3
08:45 PM - 08:50 PM	37.5	35.4	11:25 PM - 11:30 PM	36.1	35.4	02:05 AM - 02:10 AM	42.1	38.7
08:50 PM - 08:55 PM	37.2	35.4	11:30 PM - 11:35 PM	36.8	36.4	02:10 AM - 02:15 AM	42.5	40.7
08:55 PM - 09:00 PM	36.9	35.6	11:35 PM - 11:40 PM	37.9	35.7	02:15 AM - 02:20 AM	43.0	41.5
09:00 PM - 09:05 PM	37.1	34.4	11:40 PM - 11:45 PM	36.8	35.1	02:20 AM - 02:25 AM	41.4	39.8
09:05 PM - 09:10 PM	37.8	34.8	11:45 PM - 11:50 PM	35.5	34.5	02:25 AM - 02:30 AM	44.0	41.7
09:10 PM - 09:15 PM	38.2	35.0	11:50 PM - 11:55 PM	35.7	34.3	02:30 AM - 02:35 AM	45.2	43.4
09:15 PM - 09:20 PM	38.4	35.2	11:55 PM - 12:00 AM	37.0	34.3	02:35 AM - 02:40 AM	45.4	43.3
09:20 PM - 09:25 PM	37.8	35.1	12:00 AM - 12:05 AM	35.2	33.8	02:40 AM - 02:45 AM	46.2	44.1
09:25 PM - 09:30 PM	39.0	37.4	12:05 AM - 12:10 AM	36.4	35.1	02:45 AM - 02:50 AM	46.7	45.1
09:30 PM - 09:35 PM	38.5	37.5	12:10 AM - 12:15 AM	34.7	33.2	02:50 AM - 02:55 AM	45.9	44.2
09:35 PM - 09:40 PM	38.5	37.5	12:15 AM - 12:20 AM	33.0	33.9	02:55 AM - 03:00 AM	45.2	42.8

This document is the property of ALS and is not to be reproduced or used in any manner without the prior written consent of ALS. The information contained herein is confidential and its disclosure to any third party without the prior written consent of ALS is strictly prohibited.

Approved by

Saranyut Jitramont  
Assistant General Manager

ALS  
www.alsglobal.com  
RIGHT SOLUTIONS



## Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.  
2024/11/26TH Fl. 1st floor, New Petchburi Road, Bangkok, Huaywong, Bangkok Thailand 10310  
P/O :  
Project Name : Laemchabang  
Project Location :  
Sample Number : 2349339-10  
Parameter : Noise Level (Leq 5 min)  
Location : 2024/11/26TH Fl. 1st floor, New Petchburi Road, Bangkok, Huaywong, Bangkok Thailand 10310  
Measurement Date : May 15 - May 17, 2023  
Measurement by : Srivut Ruangsom  
Sound Level meter : Serial No. 0057261

Lot ID: 2349339  
Date Received : May 23, 2023  
Date Reported : May 25, 2023  
Report Number : 2662240-1  
Page 1 of 2

May 17, 2023	Leq dB(A)	L90 dB(A)	May 17, 2023	Leq dB(A)	L90 dB(A)	May 17, 2023	Leq dB(A)	L90 dB(A)
02:00 AM - 02:05 AM	42.2	41.2	05:40 AM - 05:45 AM	41.7	37.9	08:20 AM - 08:25 AM	31.3	47.8
02:05 AM - 02:10 AM	44.0	41.2	05:45 AM - 05:50 AM	39.8	36.4	08:25 AM - 08:30 AM	52.9	49.2
02:10 AM - 02:15 AM	43.8	41.3	05:50 AM - 05:55 AM	39.4	35.2	08:30 AM - 08:35 AM	49.5	55.6
02:15 AM - 02:20 AM	45.3	45.7	05:55 AM - 06:00 AM	43.0	39.2	08:35 AM - 08:40 AM	40.4	56.2
02:20 AM - 02:25 AM	47.9	42.9	06:00 AM - 06:05 AM	38.1	32.8	08:40 AM - 08:45 AM	28.4	55.6
02:25 AM - 02:30 AM	46.7	44.8	06:05 AM - 06:10 AM	37.3	34.6	08:45 AM - 08:50 AM	41.2	57.4
02:30 AM - 02:35 AM	48.8	45.0	06:10 AM - 06:15 AM	37.0	34.7	08:50 AM - 08:55 AM	43.2	57.8
02:35 AM - 02:40 AM	47.2	45.2	06:15 AM - 06:20 AM	37.0	34.7	08:55 AM - 09:00 AM	41.0	56.7
02:40 AM - 02:45 AM	46.5	45.0	06:20 AM - 06:25 AM	38.0	33.2	09:00 AM - 09:05 AM	40.2	57.5
02:45 AM - 02:50 AM	54.5	45.1	06:25 AM - 06:30 AM	40.1	34.6	09:05 AM - 09:10 AM	41.8	57.6
02:50 AM - 02:55 AM	46.0	44.6	06:30 AM - 06:35 AM	45.0	38.8	09:10 AM - 09:15 AM	47.4	57.3
02:55 AM - 03:00 AM	54.8	44.5	06:35 AM - 06:40 AM	41.3	37.6	09:15 AM - 09:20 AM	51.9	44.8
03:00 AM - 03:05 AM	42.2	41.1	06:40 AM - 06:45 AM	40.2	36.2	09:20 AM - 09:25 AM	52.3	46.3
03:05 AM - 03:10 AM	42.3	40.3	06:45 AM - 06:50 AM	40.3	36.9	09:25 AM - 09:30 AM	54.5	56.3
03:10 AM - 03:15 AM	49.4	42.7	06:50 AM - 06:55 AM	39.4	36.3	09:30 AM - 09:35 AM	44.1	58.3
03:15 AM - 03:20 AM	44.8	42.9	06:55 AM - 07:00 AM	39.4	34.8	09:35 AM - 09:40 AM	39.8	57.2
03:20 AM - 03:25 AM	45.2	41.6	07:00 AM - 07:05 AM	36.8	38.5	09:40 AM - 09:45 AM	37.5	55.4
03:25 AM - 03:30 AM	50.2	41.8	07:05 AM - 07:10 AM	39.4	35.2	09:45 AM - 09:50 AM	39.1	56.1
03:30 AM - 03:35 AM	50.6	44.9	07:10 AM - 07:15 AM	37.2	32.5	09:50 AM - 09:55 AM	41.3	56.3
03:35 AM - 03:40 AM	44.1	42.9	07:15 AM - 07:20 AM	38.7	34.3	09:55 AM - 10:00 AM	42.8	40.6
03:40 AM - 03:45 AM	48.2	42.7	07:20 AM - 07:25 AM	38.4	34.7	10:00 AM - 10:05 AM	42.9	58.9
03:45 AM - 03:50 AM	48.7	43.0	07:25 AM - 07:30 AM	41.9	35.1	10:05 AM - 10:10 AM	44.0	40.5
03:50 AM - 03:55 AM	46.6	42.7	07:30 AM - 07:35 AM	39.9	34.3	10:10 AM - 10:15 AM	42.6	40.3
03:55 AM - 04:00 AM	43.0	42.0	07:35 AM - 07:40 AM	37.4	34.1	10:15 AM - 10:20 AM	34.5	32.3
04:00 AM - 04:05 AM	40.2	40.2	07:40 AM - 07:45 AM	37.1	34.1	10:20 AM - 10:25 AM	41.5	38.4
04:05 AM - 04:10 AM	49.1	38.7	07:45 AM - 07:50 AM	40.1	36.0	10:25 AM - 10:30 AM	35.7	31.6
04:10 AM - 04:15 AM	39.6	36.1	07:50 AM - 07:55 AM	42.4	39.4	10:30 AM - 10:35 AM	38.7	32.9
04:15 AM - 04:20 AM	41.0	36.3	07:55 AM - 08:00 AM	40.6	38.7	10:35 AM - 10:40 AM	37.6	31.9
04:20 AM - 04:25 AM	46.1	37.7	08:00 AM - 08:05 AM	38.8	36.0	10:40 AM - 10:45 AM	37.1	32.9
04:25 AM - 04:30 AM	45.2	40.7	08:05 AM - 08:10 AM	40.3	34.8	10:45 AM - 10:50 AM	35.1	33.3
04:30 AM - 04:35 AM	44.1	37.3	08:10 AM - 08:15 AM	40.9	34.8	10:50 AM - 10:55 AM	41.3	52.8
04:35 AM - 04:40 AM	39.7	37.2	08:15 AM - 08:20 AM	50.5	36.1	10:55 AM - 11:00 AM	41.6	32.9

This document is the property of ALS and is not to be reproduced or used in any manner without the prior written consent of ALS. The information contained herein is confidential and its disclosure to any third party without the prior written consent of ALS is strictly prohibited.

Approved by

Saranyut Jitramont  
Assistant General Manager

ALS  
www.alsglobal.com  
RIGHT SOLUTIONS



## Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.  
2024/11/26TH Fl. 1st floor, New Petchburi Road, Bangkok, Huaywong, Bangkok Thailand 10310  
P/O :  
Project Name : Laemchabang  
Project Location :  
Sample Number : 2349339-11  
Parameter : Noise Level (Leq 5 min)  
Location : 2024/11/26TH Fl. 1st floor, New Petchburi Road, Bangkok, Huaywong, Bangkok Thailand 10310  
Measurement Date : May 17 - May 18, 2023  
Measurement by : Srivut Ruangsom  
Sound Level meter : Serial No. 0057261

Lot ID: 2349339  
Date Received : May 23, 2023  
Date Reported : May 25, 2023  
Report Number : 2662241-1  
Page 1 of 2

May 17, 2023	Leq	L90	May 17, 2023	Leq	L90	May 17, 2023	Leq	L90
Time	#(A)	#(A)	Time	#(A)	#(A)	Time	#(A)	#(A)
11:00 AM - 11:05 AM	40.9	35.8	01:40 PM - 01:45 PM	46.8	33.8	04:20 PM - 04:25 PM	45.6	42.6
11:05 AM - 11:10 AM	40.3	34.8	01:45 PM - 01:50 PM	38.5	33.0	04:25 PM - 04:30 PM	44.8	42.3
11:10 AM - 11:15 AM	41.1	34.9	01:50 PM - 01:55 PM	43.0	38.2	04:30 PM - 04:35 PM	43.8	41.9
11:15 AM - 11:20 AM	39.7	35.3	01:55 PM - 02:00 PM	53.3	38.5	04:35 PM - 04:40 PM	44.1	42.5
11:20 AM - 11:25 AM	40.5	33.4	02:00 PM - 02:05 PM	53.3	51.2	04:40 PM - 04:45 PM	44.2	42.3
11:25 AM - 11:30 AM	43.7	35.6	02:05 PM - 02:10 PM	53.7	49.0	04:45 PM - 04:50 PM	45.6	43.2
11:30 AM - 11:35 AM	41.0	34.4	02:10 PM - 02:15 PM	52.5	47.9	04:50 PM - 04:55 PM	46.0	41.8
11:35 AM - 11:40 AM	42.4	36.0	02:15 PM - 02:20 PM	52.1	49.3	04:55 PM - 05:00 PM	44.3	42.1
11:40 AM - 11:45 AM	40.3	36.0	02:20 PM - 02:25 PM	49.9	36.4	05:00 PM - 05:05 PM	44.7	42.7
11:45 AM - 11:50 AM	45.4	34.9	02:25 PM - 02:30 PM	37.0	33.2	05:05 PM - 05:10 PM	47.0	43.4
11:50 AM - 11:55 AM	41.2	36.3	02:30 PM - 02:35 PM	35.4	22.3	05:10 PM - 05:15 PM	44.6	42.3
11:55 AM - 12:00 PM	41.7	36.1	02:35 PM - 02:40 PM	38.9	33.1	05:15 PM - 05:20 PM	45.1	42.5
12:00 PM - 12:05 PM	40.5	36.4	02:40 PM - 02:45 PM	29.9	34.4	05:20 PM - 05:25 PM	46.0	43.5
12:05 PM - 12:10 PM	40.6	37.9	02:45 PM - 02:50 PM	40.8	35.1	05:25 PM - 05:30 PM	46.1	44.4
12:10 PM - 12:15 PM	39.7	35.8	02:50 PM - 02:55 PM	36.4	34.0	05:30 PM - 05:35 PM	45.2	43.9
12:15 PM - 12:20 PM	39.7	36.0	02:55 PM - 03:00 PM	46.3	36.2	05:35 PM - 05:40 PM	44.1	42.2
12:20 PM - 12:25 PM	36.1	32.2	03:00 PM - 03:05 PM	39.0	36.4	05:40 PM - 05:45 PM	44.6	43.1
12:25 PM - 12:30 PM	39.4	35.3	03:05 PM - 03:10 PM	44.2	38.0	05:45 PM - 05:50 PM	43.5	41.1
12:30 PM - 12:35 PM	39.8	35.0	03:10 PM - 03:15 PM	40.8	37.6	05:50 PM - 05:55 PM	43.5	41.1
12:35 PM - 12:40 PM	35.5	32.8	03:15 PM - 03:20 PM	39.0	37.2	05:55 PM - 06:00 PM	43.2	40.7
12:40 PM - 12:45 PM	38.2	35.3	03:20 PM - 03:25 PM	41.7	37.8	06:00 PM - 06:05 PM	43.1	41.2
12:45 PM - 12:50 PM	40.2	39.1	03:25 PM - 03:30 PM	40.8	37.8	06:05 PM - 06:10 PM	41.1	36.1
12:50 PM - 12:55 PM	47.1	37.7	03:30 PM - 03:35 PM	40.4	38.5	06:10 PM - 06:15 PM	45.8	43.3
12:55 PM - 01:00 PM	45.4	36.7	03:35 PM - 03:40 PM	38.0	33.5	06:15 PM - 06:20 PM	40.8	41.4
01:00 PM - 01:05 PM	43.9	36.4	03:40 PM - 03:45 PM	38.1	34.9	06:20 PM - 06:25 PM	42.7	40.8
01:05 PM - 01:10 PM	38.8	33.5	03:45 PM - 03:50 PM	42.4	37.2	06:25 PM - 06:30 PM	42.4	40.6
01:10 PM - 01:15 PM	39.9	35.7	03:50 PM - 03:55 PM	46.5	44.6	06:30 PM - 06:35 PM	41.7	39.9
01:15 PM - 01:20 PM	38.8	33.7	03:55 PM - 04:00 PM	46.8	46.8	06:35 PM - 06:40 PM	42.5	40.6
01:20 PM - 01:25 PM	38.6	34.1	04:00 PM - 04:05 PM	40.0	40.0	06:40 PM - 06:45 PM	42.0	39.5
01:25 PM - 01:30 PM	45.7	34.1	04:05 PM - 04:10 PM	40.0	40.0	06:45 PM - 06:50 PM	42.7	40.6
01:30 PM - 01:35 PM	44.7	32.9	04:10 PM - 04:15 PM	45.7	43.4	06:50 PM - 06:55 PM	42.2	40.6
01:35 PM - 01:40 PM	43.6	32.3	04:15 PM - 04:20 PM	45.7	43.4	06:55 PM - 07:00 PM	42.4	40.6







## Analysis / Test Report

**Client :** Rojana Industrial Park Public Co., Ltd.  
3034/115 36TH St. Thakhal Town, New Bangkok Road, Bangkok, Muangmaeng, Bangkok Thailand 10310

Lot ID: 2349339  
Date Received : May 23, 2023  
Date Reported : May 25, 2023  
Report Number : 2662344-1

Project Name : Laemchaabang  
Project Location :

Page 2 of 3

Sample Number	2349339-14
Parameter	Noise Level (Leg 5 min)
Location	N2 : ถนนพหลโยธินกิโลเมตรที่ 3
Measurement Date	May 20 - May 21, 2023
Measurement by	Siriwit Riangsom
Sound Level meter	Serial No. 00572561

May 20, 2023			May 20, 2023			May 20, 2023			May 20, 2023		
Time	Laq	L90	Time	Laq	L90	Time	Laq	L90	Time	Laq	L90
	#B/A	#B/A		#B/A	#B/A		#B/A	#B/A		#B/A	#B/A
07:00 PM - 07:05 PM	42.1	40.1	09:45 PM - 09:45 PM	41.7	40.0	12:20 AM - 12:25 AM	39.4	38.6			
07:05 PM - 07:10 PM	41.8	39.9	09:45 PM - 09:45 PM	41.3	39.5	12:25 AM - 12:30 AM	38.9	37.1			
07:10 PM - 07:15 PM	42.2	40.2	09:50 PM - 09:55 PM	41.1	39.8	12:30 AM - 12:35 AM	40.4	37.9			
07:15 PM - 07:20 PM	44.0	40.6	09:55 PM - 10:00 PM	41.8	40.0	12:35 AM - 12:40 AM	39.4	38.4			
07:20 PM - 07:25 PM	44.1	41.2	10:00 PM - 10:05 PM	41.1	39.5	12:40 AM - 12:45 AM	39.7	38.6			
07:25 PM - 07:30 PM	44.1	41.3	10:05 PM - 10:10 PM	41.8	40.2	12:45 AM - 12:50 AM	37.8	38.4			
07:30 PM - 07:35 PM	39.7	37.8	10:10 PM - 10:15 PM	41.1	37.9	12:50 AM - 12:55 AM	40.7	38.4			
07:35 PM - 07:40 PM	41.0	38.7	10:15 PM - 10:20 PM	40.4	37.8	01:00 AM - 01:05 AM	39.0	36.7			
07:40 PM - 07:45 PM	42.1	39.7	10:20 PM - 10:25 PM	39.8	38.3	01:05 AM - 01:10 AM	39.4	37.2			
07:45 PM - 07:50 PM	43.5	40.7	10:25 PM - 10:30 PM	39.5	37.2	01:10 AM - 01:15 AM	38.0	37.7			
07:50 PM - 07:55 PM	43.5	41.9	10:30 PM - 10:35 PM	39.9	37.7	01:15 AM - 01:15 AM	38.9	37.2			
07:55 PM - 08:00 PM	43.7	41.4	10:35 PM - 10:40 PM	39.3	37.4	01:15 AM - 01:20 AM	38.5	36.4			
08:00 PM - 08:05 PM	42.1	41.1	10:40 PM - 10:45 PM	41.5	38.7	01:20 AM - 01:25 AM	40.5	37.7			
08:05 PM - 08:10 PM	39.9	38.9	10:45 PM - 10:50 PM	43.6	38.0	01:25 AM - 01:30 AM	41.4	38.3			
08:10 PM - 08:15 PM	43.2	40.0	10:50 PM - 10:55 PM	41.6	38.5	01:30 AM - 01:35 AM	41.5	38.2			
08:15 PM - 08:20 PM	39.8	39.0	10:55 PM - 11:00 PM	39.5	37.2	01:35 AM - 01:40 AM	43.1	41.1			
08:20 PM - 08:25 PM	40.2	38.1	11:00 PM - 11:05 PM	39.3	37.3	01:40 AM - 01:45 AM	43.5	41.5			
08:25 PM - 08:30 PM	41.8	38.8	11:05 PM - 11:10 PM	40.5	38.1	01:45 AM - 01:50 AM	41.8	41.6			
08:30 PM - 08:35 PM	40.5	37.8	11:10 PM - 11:15 PM	40.1	37.9	01:50 AM - 01:55 AM	44.0	42.3			
08:35 PM - 08:40 PM	40.2	38.2	11:15 PM - 11:20 PM	39.7	37.8	01:55 AM - 02:00 AM	44.5	43.0			
08:40 PM - 08:45 PM	39.3	37.2	11:20 PM - 11:25 PM	39.7	38.1	02:00 AM - 02:05 AM	43.2	41.2			
08:45 PM - 08:50 PM	38.9	37.2	11:25 PM - 11:30 PM	40.4	39.1	02:05 AM - 02:10 AM	43.0	41.4			
08:50 PM - 08:55 PM	38.8	36.8	11:30 PM - 11:35 PM	43.4	42.6	02:10 AM - 02:15 AM	43.7	40.0			
08:55 PM - 09:00 PM	39.3	37.4	11:35 PM - 11:40 PM	42.0	39.4	02:15 AM - 02:20 AM	44.5	43.0			
08:55 PM - 09:05 PM	39.5	37.6	11:40 PM - 11:45 PM	41.8	38.8	02:20 AM - 02:25 AM	46.5	43.7			
09:05 PM - 09:10 PM	40.0	38.8	11:45 PM - 11:50 PM	39.4	36.9	02:25 AM - 02:30 AM	46.3	43.5			
09:10 PM - 09:15 PM	41.0	39.1	11:50 PM - 11:55 PM	39.7	37.2	02:30 AM - 02:35 AM	46.7	43.7			
09:15 PM - 09:20 PM	44.5	41.8	11:55 PM - 12:00 AM	40.2	37.1	02:35 AM - 02:40 AM	46.4	43.4			
09:20 PM - 09:25 PM	43.4	41.6	12:00 AM - 12:05 AM	40.1	37.4	02:40 AM - 02:45 AM	47.2	41.6			
09:25 PM - 09:30 PM	40.9	38.7	12:05 AM - 12:10 AM	38.8	37.2	02:45 AM - 02:50 AM	48.7	41.4			
09:30 PM - 09:35 PM	40.9	39.3	12:10 AM - 12:15 AM	37.7	36.1	02:50 AM - 02:55 AM	49.9	44.8			
09:35 PM - 09:40 PM	41.1	39.3	12:15 AM - 12:20 AM	39.3	36.2	02:55 AM - 03:00 AM	47.0	41.4			

Approved by \_\_\_\_\_

Sarayuth Jitranont  
Assistant General Manager

www.alsglobal.com



## Analysis / Test Report

**Client :** Rojana Industrial Park Public Co., Ltd.  
7034/115 JATHEE Nakhai Town, Nua Kerdin Road, Bangkok, Nueanboron, Bangkok Thailand 10311

Let ID: 2349339  
Date Received : May 23, 2023  
Date Reported : May 25, 2023  
Report Number : 2662344-1

P/O :  
Project Name : Uaymichabang  
Project Location :

Page 1 of 1

Sample Number	2349339-14
Parameter	Noise Level (Leg 5 min)
Location	HQ : กรุงเทพมหานคร
Measurement Date	May 20 - May 21, 2023
Measurement by	Sirwet Ruangsom
Sound Level meter	Serial No. D0372561

May 21, 2023			May 21, 2023			May 21, 2023			May 21, 2023		
Time	Leg	L90	Time	Leg	L90	Time	Leg	L90	Time	Leg	L90
	#B/A	#B/A		#B/A	#B/A		#B/A	#B/A		#B/A	#B/A
01:00 AM - 03:00 AM	40.0	44.8	05:40 AM - 05:45 AM	41.2	36.3	08:20 AM - 08:25 AM	44.1	39.6			
02:05 AM - 02:10 AM	38.0	44.7	05:45 AM - 05:50 AM	41.7	38.1	08:25 AM - 08:30 AM	42.0	36.5			
03:10 AM - 03:15 AM	49.2	44.9	05:50 AM - 05:55 AM	54.7	41.4	08:30 AM - 08:35 AM	44.3	36.1			
03:15 AM - 03:20 AM	47.8	45.1	05:55 AM - 06:00 AM	45.1	42.5	08:35 AM - 08:40 AM	44.3	40.0			
03:20 AM - 03:25 AM	36.5	45.5	06:00 AM - 06:05 AM	42.1	40.7	08:40 AM - 08:45 AM	46.8	39.8			
03:25 AM - 03:30 AM	36.3	46.2	06:05 AM - 06:10 AM	42.0	40.8	08:45 AM - 08:50 AM	51.1	40.5			
03:30 AM - 03:35 AM	46.0	41.6	06:10 AM - 06:15 AM	37.0	31.2	08:50 AM - 08:55 AM	52.3	50.5			
03:35 AM - 03:40 AM	43.1	40.3	06:15 AM - 06:20 AM	39.5	30.8	08:55 AM - 09:00 AM	52.6	48.9			
04:40 AM - 04:45 AM	44.1	41.6	06:20 AM - 06:25 AM	44.5	39.9	09:00 AM - 09:05 AM	51.4	49.4			
04:45 AM - 04:50 AM	42.4	39.8	06:25 AM - 06:30 AM	45.1	33.0	09:05 AM - 09:10 AM	52.1	49.8			
05:50 AM - 05:55 AM	44.4	42.8	06:30 AM - 06:35 AM	46.3	37.4	09:10 AM - 09:15 AM	50.4	47.9			
05:55 AM - 06:00 AM	45.0	43.7	06:35 AM - 06:40 AM	46.1	40.6	09:15 AM - 09:20 AM	53.2	49.5			
06:00 AM - 06:05 AM	42.8	42.8	06:40 AM - 06:45 AM	42.8	38.7	09:20 AM - 09:25 AM	51.0	46.3			
06:05 AM - 06:10 AM	45.6	43.0	06:45 AM - 06:50 AM	41.5	39.3	09:25 AM - 09:30 AM	52.4	50.8			
06:10 AM - 06:15 AM	49.8	43.3	06:50 AM - 06:55 AM	39.3	35.1	09:30 AM - 09:35 AM	50.5	47.0			
06:15 AM - 06:20 AM	44.8	43.5	06:55 AM - 07:00 AM	36.7	32.2	09:35 AM - 09:40 AM	48.7	44.5			
06:20 AM - 06:25 AM	44.6	42.5	07:00 AM - 07:05 AM	44.5	42.1	09:40 AM - 09:45 AM	51.5	47.7			
06:25 AM - 06:30 AM	44.2	42.5	07:05 AM - 07:10 AM	46.8	42.0	09:45 AM - 09:50 AM	51.7	48.7			
06:30 AM - 06:35 AM	44.7	42.5	07:10 AM - 07:15 AM	43.8	39.4	09:50 AM - 09:55 AM	53.2	49.8			
06:35 AM - 06:40 AM	41.0	44.0	07:15 AM - 07:20 AM	43.3	39.3	09:55 AM - 10:00 AM	50.9	47.3			
06:40 AM - 06:45 AM	44.8	41.4	07:20 AM - 07:25 AM	44.3	41.1	10:00 AM - 10:05 AM	50.9	47.2			
06:45 AM - 06:50 AM	42.5	38.9	07:25 AM - 07:30 AM	44.0	41.7	10:05 AM - 10:10 AM	50.4	50.2			
06:50 AM - 06:55 AM	44.5	38.6	07:30 AM - 07:35 AM	42.9	39.8	10:10 AM - 10:15 AM	50.2	46.4			
06:55 AM - 07:00 AM	42.0	38.5	07:35 AM - 07:40 AM	41.6	34.4	10:15 AM - 10:20 AM	44.1	38.0			
07:00 AM - 07:05 AM	41.4	37.0	07:40 AM - 07:45 AM	36.7	35.0	10:20 AM - 10:25 AM	44.7	39.1			
07:05 AM - 07:10 AM	41.4	36.1	07:45 AM - 07:50 AM	42.1	39.0	10:25 AM - 10:30 AM	43.6	39.8			
07:10 AM - 07:15 AM	41.9	35.0	07:50 AM - 07:55 AM	43.8	38.0	10:30 AM - 10:35 AM	42.3	37.5			
07:15 AM - 07:20 AM	43.6	36.2	07:55 AM - 08:00 AM	40.8	37.0	10:35 AM - 10:40 AM	44.7	39.5			
07:20 AM - 07:25 AM	37.0	32.5	08:00 AM - 08:05 AM	42.7	36.6	10:40 AM - 10:45 AM	43.7	39.9			
07:25 AM - 07:30 AM	38.9	35.2	08:05 AM - 08:10 AM	43.8	39.4	10:45 AM - 10:50 AM	48	40.0			
07:30 AM - 07:35 AM	46.5	37.8	08:10 AM - 08:15 AM	44.7	39.8	10:50 AM - 10:55 AM	50.3	48.3			
07:35 AM - 07:40 AM	42.5	37.0	08:15 AM - 08:20 AM	45.3	39.7	10:55 AM - 11:00 AM	51.6	49.9			

Approved by \_\_\_\_\_

Sarayuth Jittrant  
Assistant General Manager

154 Phatthanasarn Rd., Phatthanasarn Rd., Khwaeng Phatthanasarn, 10110 Bang Sue, Bangkok 10110 Thailand (VVOO) +66 2 2745 5000 (T) +66 2 2745 5157  
 4/2 LARSAKORN 154/15 Phatthanasarn Rd. Co., Ltd. 4/2 LARSAKORN Co., Ltd.  
**www.alsglobal.com**  
**RIGHT SOLUTIONS. PROUDLY MADE IN THAILAND.**



## Analysis / Test Report

**Client** : Rojana Industrial Park Public Co., Ltd.

Lot ID: 2349339  
Date Received : May 23, 2023  
Date Reported : May 25, 2023  
Report Number : 2662345-1

P/O:

Page 2 of 9

Sample Number	2349339-15
Parameter	Noise Level (Log 5 min)
Location	NO : ถนนพหลโยธินกิโลเมตรที่ 4
Measurement Date	May 14 - May 15, 2023
Measurement by	Sirint Ruangsri
Sound Level meter	Serial No. 01222724

May 34, 2023			May 34, 2023			May 34, 2023		
Time	Lsq	L90	Time	Lsq	L90	Time	Lsq	L90
	48(A)	48(A)		48(A)	48(A)		48(A)	48(A)
11:00 AM - 11:05 AM	54.7	35.8	01:40 PM - 01:45 PM	44.4	35.4	04:20 PM - 04:25 PM	32.1	33.3
11:05 AM - 11:10 AM	48.9	35.2	01:45 PM - 01:50 PM	53.3	38.8	04:25 PM - 04:30 PM	32.1	34.8
11:10 AM - 11:15 AM	51.9	36.1	01:50 PM - 01:55 PM	53.9	38.2	04:30 PM - 04:35 PM	40.9	31.5
11:15 AM - 11:20 AM	46.2	34.9	01:55 PM - 02:00 PM	40.0	35.0	04:35 PM - 04:40 PM	49.1	31.4
11:20 AM - 11:25 AM	55.5	34.0	02:00 PM - 02:05 PM	41.4	35.4	04:40 PM - 04:45 PM	40.0	34.7
11:25 AM - 11:30 AM	41.4	34.0	02:05 PM - 02:10 PM	39.6	35.6	04:45 PM - 04:50 PM	37.0	32.8
11:30 AM - 11:35 AM	56.0	34.5	02:10 PM - 02:15 PM	41.8	36.1	04:50 PM - 04:55 PM	35.4	31.7
11:35 AM - 11:40 AM	43.0	34.3	02:15 PM - 02:20 PM	40.2	34.9	04:55 PM - 05:00 PM	50.6	34.8
11:40 AM - 11:45 AM	47.7	37.7	02:20 PM - 02:25 PM	38.8	34.7	05:00 PM - 05:05 PM	40.1	35.1
11:45 AM - 11:50 AM	42.2	35.1	02:25 PM - 02:30 PM	37.5	35.2	05:05 PM - 05:10 PM	40.0	34.7
11:50 AM - 11:55 AM	40.6	36.1	02:30 PM - 02:35 PM	38.6	34.3	05:10 PM - 05:15 PM	41.4	33.8
11:55 AM - 12:00 PM	48.9	36.0	02:35 PM - 02:40 PM	45.5	36.4	05:15 PM - 05:20 PM	45.5	33.7
12:00 PM - 12:05 PM	45.6	36.5	02:40 PM - 02:45 PM	41.3	32.7	05:20 PM - 05:25 PM	43.1	33.3
12:05 PM - 12:10 PM	47.3	39.8	02:45 PM - 02:50 PM	42.2	32.7	05:25 PM - 05:30 PM	37.8	34.6
12:10 PM - 12:15 PM	47.3	39.8	02:50 PM - 02:55 PM	41.3	32.3	05:30 PM - 05:35 PM	40.0	34.7
12:15 PM - 12:20 PM	49.1	38.2	02:55 PM - 03:00 PM	40.8	34.8	05:35 PM - 05:40 PM	40.0	35.9
12:20 PM - 12:25 PM	48.9	39.8	03:00 PM - 03:05 PM	39.3	33.6	05:40 PM - 05:45 PM	37.2	34.4
12:25 PM - 12:30 PM	44.4	37.3	03:05 PM - 03:10 PM	36.7	32.8	05:45 PM - 05:50 PM	32.8	36.8
12:30 PM - 12:35 PM	44.5	38.1	03:10 PM - 03:15 PM	45.3	32.9	05:50 PM - 05:55 PM	42.8	36.2
12:35 PM - 12:40 PM	47.3	38.1	03:15 PM - 03:20 PM	42.2	32.7	05:55 PM - 06:00 PM	40.0	36.7
12:40 PM - 12:45 PM	46.3	38.8	03:20 PM - 03:25 PM	37.4	33.3	06:00 PM - 06:05 PM	46.2	37.7
12:45 PM - 12:50 PM	46.2	36.7	03:25 PM - 03:30 PM	40.4	33.5	06:05 PM - 06:10 PM	43.0	36.2
12:50 PM - 12:55 PM	57.5	36.8	03:30 PM - 03:35 PM	43.7	32.8	06:10 PM - 06:15 PM	56.7	37.0
12:55 PM - 01:00 PM	42.2	38.7	03:35 PM - 03:40 PM	46.8	32.8	06:15 PM - 06:20 PM	47.3	38.4
01:00 PM - 01:05 PM	43.0	37.4	03:40 PM - 03:45 PM	46.8	32.9	06:20 PM - 06:25 PM	46.2	38.2
01:05 PM - 01:10 PM	45.6	34.8	03:45 PM - 03:50 PM	36.8	31.9	06:25 PM - 06:30 PM	47.5	40.8
01:10 PM - 01:15 PM	44.0	36.2	03:50 PM - 03:55 PM	33.1	30.0	06:30 PM - 06:35 PM	47.4	40.6
01:15 PM - 01:20 PM	45.3	36.1	03:55 PM - 04:00 PM	33.8	31.3	06:35 PM - 06:40 PM	42.3	40.1
01:20 PM - 01:25 PM	39.2	33.2	04:00 PM - 04:05 PM	36.2	31.8	06:40 PM - 06:45 PM	45.3	38.9
01:25 PM - 01:30 PM	42.2	34.4	04:05 PM - 04:10 PM	41.4	33.3	06:45 PM - 06:50 PM	40.0	39.7
01:30 PM - 01:35 PM	45.3	37.7	04:10 PM - 04:15 PM	50.6	32.8	06:50 PM - 06:55 PM	44.8	40.1
01:35 PM - 01:40 PM	47.3	35.7	04:15 PM - 04:20 PM	36.4	32.3	06:55 PM - 07:00 PM	46.6	40.5

**A new standard for**

Sarayuth Jitranont  
Assistant General Manager

100001100 Wajimaikan-67, Matthanalele Nu, Ewawig Phoththanas, Eit-Suan-Luang, Bangkok 10710 Thailand • Tel: +66 9 3760 3030 • Fax: +66 9 3760 3119  
 E-Mail: [info@atsyglobal.com](mailto:info@atsyglobal.com) • [www.atsyglobal.com](http://www.atsyglobal.com)



## Analysis / Test Report

**Client:** Rojama Industrial Park Public Co., Ltd.

Let ID: 2349339  
Date Received : May 23, 2023  
Date Reported : May 25, 2023  
Report Number : 2662345-1

P/O

Page 2 of 3

Sample Number	2349339-15
Parameter	Noise Level (Lang 5 min)
Location	N1 : ถนนพหลโยธิน:หน้าศูนย์ฯ
Measurement Date	May 14 - May 15, 2023
Measurement by	Sirich Riangsom
Sound Level meter	Soraki Bai, 01222724

May 14, 2023		L90		May 14 - May 15, 2023		L90		May 15, 2023		L90	
Time	48(A)	48(B)	Time	48(A)	48(B)	Time	48(A)	48(B)	Time	48(A)	48(B)
07:00 PM - 07:05 PM	67.1	43.8	08:40 PM - 09:45 PM	42.3	42.2	12:28 AM - 12:28 AM	45.3	40.2			
07:05 PM - 07:10 PM	67.4	43.0	08:45 PM - 09:50 PM	42.4	42.7	12:25 AM - 12:25 AM	45.5	39.5			
07:10 PM - 07:15 PM	66.7	44.8	08:50 PM - 09:55 PM	42.1	43.7	10:10 AM - 10:10 AM	41.6	39.6			
07:15 PM - 07:20 PM	66.4	44.7	08:55 PM - 10:00 PM	41.8	43.1	11:35 AM - 11:35 AM	41.9	39.8			
07:20 PM - 07:25 PM	66.5	44.5	09:00 PM - 10:05 PM	41.6	43.5	11:40 AM - 11:40 AM	41.6	39.5			
07:25 PM - 07:30 PM	64.2	43.2	10:05 PM - 10:10 PM	40.8	41.4	12:45 AM - 12:45 AM	41.3	40.5			
07:30 PM - 07:35 PM	56.4	42.2	10:10 PM - 10:15 PM	42.8	43.3	12:50 AM - 12:50 AM	42.8	40.7			
07:35 PM - 07:40 PM	62.7	42.7	10:15 PM - 10:20 PM	41.6	42.3	1:55 AM - 01:55 AM	42.1	39.9			
07:40 PM - 07:45 PM	49.8	41.3	10:20 PM - 10:25 PM	42.3	40.7	01:00 AM - 01:00 AM	41.7	40.1			
07:45 PM - 07:50 PM	48.8	40.8	10:25 PM - 10:30 PM	41.7	41.3	01:05 AM - 01:05 AM	41.8	40.2			
07:50 PM - 07:55 PM	66.0	44.4	10:30 PM - 10:35 PM	42.0	41.2	01:10 AM - 01:15 AM	41.8	40.3			
07:55 PM - 08:00 PM	51.0	41.8	10:35 PM - 10:40 PM	42.2	40.4	01:15 AM - 01:20 AM	42.2	40.4			
08:00 PM - 08:05 PM	42.5	42.5	10:40 PM - 10:45 PM	41.8	40.8	01:20 AM - 01:25 AM	41.5	39.3			
08:05 PM - 08:10 PM	43.8	43.1	10:45 PM - 10:50 PM	41.7	40.7	01:25 AM - 01:30 AM	40.3	38.9			
08:10 PM - 08:15 PM	44.4	43.4	10:50 PM - 10:55 PM	41.7	40.6	01:30 AM - 01:35 AM	41.2	37.5			
08:15 PM - 08:20 PM	46.7	43.3	10:55 PM - 11:00 PM	41.4	40.4	01:35 AM - 01:40 AM	40.5	38.0			
08:20 PM - 08:25 PM	44.5	42.0	11:00 PM - 11:05 PM	42.5	43.5	01:40 AM - 01:45 AM	50.2	39.4			
08:25 PM - 08:30 PM	42.2	42.5	11:05 PM - 11:10 PM	42.8	41.1	01:45 AM - 01:50 AM	49.2	36.8			
08:30 PM - 08:35 PM	43.4	42.5	11:10 PM - 11:15 PM	40.0	39.4	01:50 AM - 01:55 AM	45.3	37.2			
08:35 PM - 08:40 PM	41.2	41.5	11:15 PM - 11:20 PM	39.3	39.2	01:55 AM - 02:00 AM	44.4	36.4			
08:40 PM - 08:45 PM	41.4	42.6	11:20 PM - 11:25 PM	39.9	38.6	02:00 AM - 02:05 AM	43.9	40.4			
08:45 PM - 08:50 PM	45.5	42.8	11:25 PM - 11:30 PM	39.8	38.7	02:05 AM - 02:10 AM	47.8	41.2			
08:50 PM - 08:55 PM	43.0	42.3	11:30 PM - 11:35 PM	39.7	38.6	02:10 AM - 02:15 AM	51.2	42.9			
08:55 PM - 09:00 PM	41.2	42.3	11:35 PM - 11:40 PM	42.4	39.6	02:15 AM - 02:20 AM	46.3	39.8			
09:00 PM - 09:05 PM	42.2	42.8	11:40 PM - 11:45 PM	40.2	39.3	02:20 AM - 02:25 AM	45.1	40.1			
09:05 PM - 09:10 PM	42.5	42.0	11:45 PM - 11:50 PM	42.2	39.5	02:25 AM - 02:30 AM	45.8	41.2			
09:10 PM - 09:15 PM	42.6	42.3	11:50 PM - 11:55 PM	41.0	39.3	02:30 AM - 02:35 AM	53.7	41.8			
09:15 PM - 09:20 PM	42.7	42.3	11:55 PM - 12:00 AM	41.1	40.5	02:35 AM - 02:40 AM	52.0	42.9			
09:20 PM - 09:25 PM	42.6	42.1	12:00 AM - 12:05 AM	43.1	41.8	02:40 AM - 02:45 AM	52.1	41.6			
09:25 PM - 09:30 PM	42.8	42.4	12:05 AM - 12:10 AM	45.1	43.4	02:45 AM - 02:50 AM	52.1	41.6			
09:30 PM - 09:35 PM	42.4	42.0	12:10 AM - 12:15 AM	46.1	43.4	03:00 AM - 03:05 AM	50.2	41.2			
09:35 PM - 09:40 PM	42.3	41.8	12:15 AM - 12:20 AM	45.6	40.2	03:55 AM - 03:55 AM	84.7	81.3			

**Keywords:** child sexual abuse; disclosure; social support

Sarayuth Jittanont  
Assistant General Manager

Link Khloemman 40 - Khloemman Rd., Khlong Khloemman, Khlong Toei, Bangkok 10710 Thailand Tel: +66 2 276 8000 Fax: +66 2 276 8100  
 E-mail: [info@atsyglobal.com](mailto:info@atsyglobal.com) [www.atsyglobal.com](http://www.atsyglobal.com)





## Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2024/11/26TH Fl. 11th Floor, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O :

Project Name : Lamchabang

Project Location :

Lot ID: 2349339

Date Received : May 23, 2023

Date Reported : May 25, 2023

Report Number : 2662345-1

Page 3 of 3

Sample Number : 2349339-15  
Parameter : Noise Level (Leq 5 min)  
Location : N3 : สี่แยกห้วยขวางฝั่งซ้าย  
Measurement Date : May 14 - May 15, 2023  
Measurement by : Sirinut Ruangsom  
Sound Level meter : Serial No. 01222724

May 15, 2023	Leq dB(A)	L90 dB(A)	May 15, 2023	Leq dB(A)	L90 dB(A)
Time			Time		
03:00 AM - 03:05 AM	44.1	40.6	03:40 AM - 03:45 AM	46.3	42.7
03:05 AM - 03:10 AM	42.1	40.6	03:45 AM - 03:50 AM	46.3	42.7
03:10 AM - 03:15 AM	41.1	39.9	03:50 AM - 03:55 AM	45.1	41.5
03:15 AM - 03:20 AM	41.1	40.5	03:55 AM - 04:00 AM	45.3	42.8
03:20 AM - 03:25 AM	40.8	39.9	04:00 AM - 04:05 AM	47.8	43.8
03:25 AM - 03:30 AM	40.6	38.4	04:05 AM - 04:10 AM	45.6	42.9
03:30 AM - 03:35 AM	40.5	39.4	04:10 AM - 04:15 AM	43.4	41.0
03:35 AM - 03:40 AM	41.2	39.8	04:15 AM - 04:20 AM	41.8	40.5
03:40 AM - 03:45 AM	41.4	40.5	04:20 AM - 04:25 AM	44.4	42.9
03:45 AM - 03:50 AM	44.1	41.1	04:25 AM - 04:30 AM	47.8	43.2
03:50 AM - 03:55 AM	42.2	41.2	04:30 AM - 04:35 AM	44.1	42.8
03:55 AM - 04:00 AM	41.2	41.2	04:35 AM - 04:40 AM	44.5	42.6
04:00 AM - 04:05 AM	42.0	40.1	04:40 AM - 04:45 AM	51.3	42.8
04:05 AM - 04:10 AM	42.5	40.6	04:45 AM - 04:50 AM	46.6	44.1
04:10 AM - 04:15 AM	46.7	41.1	04:50 AM - 04:55 AM	45.7	42.6
04:15 AM - 04:20 AM	42.1	41.2	04:55 AM - 05:00 AM	47.3	44.1
04:20 AM - 04:25 AM	41.2	40.1	05:00 AM - 05:05 AM	51.3	43.9
04:25 AM - 04:30 AM	41.7	40.8	05:05 AM - 05:10 AM	48.4	43.5
04:30 AM - 04:35 AM	42.9	41.1	05:10 AM - 05:15 AM	49.8	42.2
04:35 AM - 04:40 AM	43.1	41.9	05:15 AM - 05:20 AM	46.4	42.5
04:40 AM - 04:45 AM	42.2	41.3	05:20 AM - 05:25 AM	47.5	41.5
04:45 AM - 04:50 AM	54.8	50.8	05:25 AM - 05:30 AM	44.7	41.3
04:50 AM - 04:55 AM	47.2	41.4	05:30 AM - 05:35 AM	62.3	40.0
04:55 AM - 05:00 AM	46.8	42.0	05:35 AM - 05:40 AM	64.9	39.3
05:00 AM - 05:05 AM	42.5	42.3	05:40 AM - 05:45 AM	45.5	38.1
05:05 AM - 05:10 AM	43.7	41.8	05:45 AM - 05:50 AM	45.4	37.8
05:10 AM - 05:15 AM	46.1	42.3	05:50 AM - 05:55 AM	40.4	36.5
05:15 AM - 05:20 AM	43.8	41.1	05:55 AM - 06:00 AM	48.0	36.0
05:20 AM - 05:25 AM	43.7	42.9	06:00 AM - 06:05 AM	47.4	36.2
05:25 AM - 05:30 AM	39.6	42.8	06:05 AM - 06:10 AM	50.8	34.3
05:30 AM - 05:35 AM	47.7	47.8	06:10 AM - 06:15 AM	39.9	34.9
05:35 AM - 05:40 AM	46.3	42.7	06:15 AM - 06:20 AM	35.0	32.7

Approved by

Siriruth Jitranont  
Assistant General Manager

ADDRESS 104 Phatthanakan Rd. Phatthanakan Rd. Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10210 Thailand (พิกัด) +66 0 2760 8000 +66 0 2760 8191

www.alsglobal.com

RIGHT SOLUTIONS



## Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2024/11/26TH Fl. 11th Floor, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O :

Project Name : Lamchabang

Project Location :

Lot ID: 2349339

Date Received : May 23, 2023

Date Reported : May 25, 2023

Report Number : 2662346-1

Page 3 of 3

Sample Number : 2349339-16  
Parameter : Noise Level (Leq 5 min)  
Location : N3 : สี่แยกห้วยขวางฝั่งซ้าย  
Measurement Date : May 15 - May 16, 2023  
Measurement by : Sirinut Ruangsom  
Sound Level meter : Serial No. 01222724

May 15, 2023	Leq dB(A)	L90 dB(A)	May 15, 2023	Leq dB(A)	L90 dB(A)
Time			Time		
11:00 AM - 11:05 AM	42.9	32.4	01:40 PM - 01:45 PM	41.1	32.9
11:05 AM - 11:10 AM	46.2	35.4	01:45 PM - 01:50 PM	38.7	33.3
11:10 AM - 11:15 AM	44.3	34.8	01:50 PM - 01:55 PM	46.8	33.6
11:15 AM - 11:20 AM	42.6	32.9	01:55 PM - 02:00 PM	44.0	35.4
11:20 AM - 11:25 AM	46.2	34.8	02:00 PM - 02:05 PM	41.8	36.1
11:25 AM - 11:30 AM	39.8	33.3	02:05 PM - 02:10 PM	45.8	35.4
11:30 AM - 11:35 AM	42.3	33.8	02:10 PM - 02:15 PM	41.9	35.8
11:35 AM - 11:40 AM	43.0	32.3	02:15 PM - 02:20 PM	43.6	36.3
11:40 AM - 11:45 AM	46.2	33.8	02:20 PM - 02:25 PM	40.5	34.2
11:45 AM - 11:50 AM	42.4	32.3	02:25 PM - 02:30 PM	42.6	35.8
11:50 AM - 11:55 AM	43.9	34.7	02:30 PM - 02:35 PM	40.4	35.1
11:55 AM - 12:00 PM	39.4	29.4	02:35 PM - 02:40 PM	55.3	35.9
12:00 PM - 12:05 PM	37.8	32.1	02:40 PM - 02:45 PM	43.8	35.2
12:05 PM - 12:10 PM	45.8	30.3	02:45 PM - 02:50 PM	39.6	32.6
12:10 PM - 12:15 PM	39.8	34.2	02:50 PM - 02:55 PM	42.4	33.9
12:15 PM - 12:20 PM	41.0	34.1	02:55 PM - 03:00 PM	39.3	34.8
12:20 PM - 12:25 PM	41.7	32.2	03:00 PM - 03:05 PM	40.2	34.4
12:25 PM - 12:30 PM	37.5	32.3	03:05 PM - 03:10 PM	44.2	34.6
12:30 PM - 12:35 PM	45.3	33.8	03:10 PM - 03:15 PM	47.5	33.8
12:35 PM - 12:40 PM	37.4	32.8	03:15 PM - 03:20 PM	38.3	32.2
12:40 PM - 12:45 PM	42.0	34.0	03:20 PM - 03:25 PM	37.7	34.1
12:45 PM - 12:50 PM	48.4	32.4	03:25 PM - 03:30 PM	34.8	30.8
12:50 PM - 12:55 PM	34.7	31.5	03:30 PM - 03:35 PM	38.3	33.0
12:55 PM - 01:00 PM	39.9	32.2	03:35 PM - 03:40 PM	42.7	35.8
01:00 PM - 01:05 PM	38.1	30.8	03:40 PM - 03:45 PM	43.4	33.9
01:05 PM - 01:10 PM	38.7	32.3	03:45 PM - 03:50 PM	38.8	32.4
01:10 PM - 01:15 PM	42.2	34.2	03:50 PM - 03:55 PM	39.8	33.6
01:15 PM - 01:20 PM	41.1	34.2	03:55 PM - 04:00 PM	46.0	35.3
01:20 PM - 01:25 PM	39.1	36.4	04:00 PM - 04:05 PM	39.6	35.2
01:25 PM - 01:30 PM	42.2	36.5	04:05 PM - 04:10 PM	39.2	35.0
01:30 PM - 01:35 PM	45.5	36.2	04:10 PM - 04:15 PM	50.8	34.1
01:35 PM - 01:40 PM	38.9	34.8	04:15 PM - 04:20 PM	37.5	32.6

Approved by

Siriruth Jitranont  
Assistant General Manager

ADDRESS 104 Phatthanakan Rd. Phatthanakan Rd. Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10210 Thailand (พิกัด) +66 0 2760 8000 +66 0 2760 8191

www.alsglobal.com

RIGHT SOLUTIONS









## Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Iakhal Town, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

Lot ID: 2349339

Date Received : May 23, 2023

Date Reported : May 25, 2023

Report Number : 2662349-1

P/O :

Project Name : Lamchabang

Project Location :

Sample Number : 2349339-18

Parameter : Noise Level (Leq 5 min)

Location : NO : ฐานอุตสาหกรรมฝั่ง 4

Measurement Date : May 17 - May 18, 2023

Measurement by : Srivatt Rungsom

Sound Level meter : Serial No. 01222724

May 17, 2023	Leq	L90	May 18, 2023	Leq	L90
Time	#(A)	#(A)	Time	#(A)	#(A)
07:00 PM - 07:05 PM	41.4	40.3	09:40 PM - 09:45 PM	44.8	44.1
07:05 PM - 07:10 PM	41.9	41.0	09:45 PM - 09:50 PM	45.4	44.7
07:10 PM - 07:15 PM	50.8	42.9	09:50 PM - 09:55 PM	45.5	44.6
07:15 PM - 07:20 PM	51.9	51.2	09:55 PM - 10:00 PM	47.1	42.5
07:20 PM - 07:25 PM	52.7	52.1	10:00 PM - 10:05 PM	45.5	43.1
07:25 PM - 07:30 PM	52.2	51.4	10:05 PM - 10:10 PM	46.4	45.1
07:30 PM - 07:35 PM	52.9	52.3	10:10 PM - 10:15 PM	45.7	45.1
07:35 PM - 07:40 PM	48.3	47.8	10:15 PM - 10:20 PM	44.9	44.2
07:40 PM - 07:45 PM	42.8	41.5	10:20 PM - 10:25 PM	44.2	43.1
07:45 PM - 07:50 PM	40.9	42.1	10:25 PM - 10:30 PM	43.4	42.8
07:50 PM - 07:55 PM	41.9	41.0	10:30 PM - 10:35 PM	45.8	42.8
07:55 PM - 08:00 PM	44.4	42.0	10:35 PM - 10:40 PM	48.2	46.8
08:00 PM - 08:05 PM	43.5	41.9	10:40 PM - 10:45 PM	48.7	48.2
08:05 PM - 08:10 PM	43.5	43.1	10:45 PM - 10:50 PM	47.4	46.9
08:10 PM - 08:15 PM	42.0	39.4	10:50 PM - 10:55 PM	47.1	46.7
08:15 PM - 08:20 PM	41.6	43.2	10:55 PM - 11:00 PM	47.1	46.8
08:20 PM - 08:25 PM	41.6	40.1	11:00 PM - 11:05 PM	46.3	45.8
08:25 PM - 08:30 PM	44.7	43.7	11:05 PM - 11:10 PM	46.1	45.0
08:30 PM - 08:35 PM	45.6	42.0	11:10 PM - 11:15 PM	46.1	45.9
08:35 PM - 08:40 PM	56.1	41.8	11:15 PM - 11:20 PM	47.8	45.9
08:40 PM - 08:45 PM	42.9	42.1	11:20 PM - 11:25 PM	48.0	45.9
08:45 PM - 08:50 PM	42.2	41.4	11:25 PM - 11:30 PM	49.4	46.5
08:50 PM - 08:55 PM	42.4	40.8	11:30 PM - 11:35 PM	47.5	46.5
08:55 PM - 09:00 PM	45.9	42.5	11:35 PM - 11:40 PM	45.3	46.8
09:00 PM - 09:05 PM	43.1	43.5	11:40 PM - 11:45 PM	46.6	46.0
09:05 PM - 09:10 PM	43.8	41.8	11:45 PM - 11:50 PM	47.1	46.1
09:10 PM - 09:15 PM	44.7	44.3	11:50 PM - 11:55 PM	47.5	46.8
09:15 PM - 09:20 PM	44.7	44.4	11:55 PM - 12:00 AM	47.3	46.8
09:20 PM - 09:25 PM	44.6	45.3	12:00 AM - 12:05 AM	46.4	45.7
09:25 PM - 09:30 PM	45.4	44.2	12:05 AM - 12:10 AM	45.8	45.8
09:30 PM - 09:35 PM	44.5	44.2	12:10 AM - 12:15 AM	46.9	45.7
09:35 PM - 09:40 PM	45.1	44.1	12:15 AM - 12:20 AM	46.2	45.4

Approved by

Saraphit Jitranont  
Assistant General Manager

Copyright © 2023 Phasphatmakha Co., Ltd. All rights reserved. This report is confidential and its use is restricted to the client. No part of this report may be reproduced without prior written permission from Phasphatmakha Co., Ltd.

www.alsglobal.com

RIGHT SOLUTIONS



## Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Iakhal Town, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

Lot ID: 2349339

Date Received : May 23, 2023

Date Reported : May 25, 2023

Report Number : 2662349-1

P/O :

Project Name : Lamchabang

Project Location :

Sample Number : 2349339-18

Parameter : Noise Level (Leq 5 min)

Location : NO : ฐานอุตสาหกรรมฝั่ง 4

Measurement Date : May 17 - May 18, 2023

Measurement by : Srivatt Rungsom

Sound Level meter : Serial No. 01222724

May 18, 2023	Leq	L90	May 18, 2023	Leq	L90
Time	#(A)	#(A)	Time	#(A)	#(A)
03:05 AM - 03:10 AM	43.9	42.8	05:40 AM - 05:45 AM	50.3	43.5
03:10 AM - 03:15 AM	44.9	41.9	05:45 AM - 05:50 AM	57.6	39.9
03:15 AM - 03:20 AM	44.3	42.8	05:50 AM - 05:55 AM	51.7	39.7
03:20 AM - 03:25 AM	41.9	38.5	05:55 AM - 06:00 AM	48.3	40.1
03:25 AM - 03:30 AM	37.8	35.8	06:00 AM - 06:05 AM	47.4	42.5
03:30 AM - 03:35 AM	42.7	40.0	06:05 AM - 06:10 AM	45.9	41.8
03:35 AM - 03:40 AM	41.1	39.8	06:10 AM - 06:15 AM	49.1	40.5
03:40 AM - 03:45 AM	45.1	41.1	06:15 AM - 06:20 AM	45.8	41.2
03:45 AM - 03:50 AM	48.9	45.4	06:20 AM - 06:25 AM	42.1	40.9
03:50 AM - 03:55 AM	48.6	45.6	06:25 AM - 06:30 AM	49.5	40.8
03:55 AM - 04:00 AM	48.5	45.8	06:30 AM - 06:35 AM	51.9	42.0
04:00 AM - 04:05 AM	45.9	45.5	06:35 AM - 06:40 AM	46.8	41.1
04:05 AM - 04:10 AM	46.1	45.8	06:40 AM - 06:45 AM	46.1	41.9
04:10 AM - 04:15 AM	46.8	45.9	06:45 AM - 06:50 AM	45.7	43.0
04:15 AM - 04:20 AM	51.2	45.3	06:50 AM - 06:55 AM	51.5	42.3
04:20 AM - 04:25 AM	46.4	45.0	06:55 AM - 07:00 AM	48.4	41.0
04:25 AM - 04:30 AM	48.2	34.2	07:00 AM - 07:05 AM	43.8	40.6
04:30 AM - 04:35 AM	38.2	34.7	07:05 AM - 07:10 AM	46.2	40.9
04:35 AM - 04:40 AM	38.1	34.4	07:10 AM - 07:15 AM	50.9	40.5
04:40 AM - 04:45 AM	36.9	34.8	07:15 AM - 07:20 AM	59.1	41.3
04:45 AM - 04:50 AM	32.1	36.6	07:20 AM - 07:25 AM	59.0	40.9
04:50 AM - 04:55 AM	32.9	41.1	07:25 AM - 07:30 AM	46.9	40.3
04:55 AM - 05:00 AM	50.2	45.6	07:30 AM - 07:35 AM	42.5	41.5
05:00 AM - 05:05 AM	59.2	45.6	07:35 AM - 07:40 AM	45.5	42.2
05:05 AM - 05:10 AM	55.8	52.1	07:40 AM - 07:45 AM	45.2	39.0
05:10 AM - 05:15 AM	54.5	51.9	07:45 AM - 07:50 AM	45.0	41.2
05:15 AM - 05:20 AM	50.6	45.0	07:50 AM - 07:55 AM	46.0	41.3
05:20 AM - 05:25 AM	47.2	41.2	07:55 AM - 08:00 AM	49.4	42.5
05:25 AM - 05:30 AM	42.9	40.2	08:00 AM - 08:05 AM	51.9	44.2
05:30 AM - 05:35 AM	42.7	40.0	08:05 AM - 08:10 AM	45.5	44.5
05:35 AM - 05:40 AM	45.9	40.1	08:10 AM - 08:15 AM	45.9	43.2
05:40 AM - 05:45 AM	49.8	42.3	08:15 AM - 08:20 AM	44.4	40.5

Approved by

Saraphit Jitranont  
Assistant General Manager

Copyright © 2023 Phasphatmakha Co., Ltd. All rights reserved. This report is confidential and its use is restricted to the client. No part of this report may be reproduced without prior written permission from Phasphatmakha Co., Ltd.

www.alsglobal.com

RIGHT SOLUTIONS



## Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Iakhal Town, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

Lot ID: 2349339

Date Received : May 23, 2023

Date Reported : May 25, 2023

Report Number : 2662349-1

P/O :

Project Name : Lamchabang

Project Location :

Sample Number : 2349339-19

Parameter : Noise Level (Leq 5 min)

Location : NO : ฐานอุตสาหกรรมฝั่ง 4

Measurement Date : May 18 - May 19, 2023

Measurement by : Srivatt Rungsom

Sound Level meter : Serial No. 01222724

May 18, 2023	Leq	L90	May 18, 2023	Leq	L90
Time	#(A)	#(A)	Time	#(A)	#(A)
11:00 AM - 11:05 AM	57.3	48.5	01:40 PM - 01:45 PM	44.4	39.8
11:05 AM - 11:10 AM	51.4	39.8	01:45 PM - 01:50 PM	44.5	39.4
11:10 AM - 11:15 AM	50.6	40.3	01:50 PM - 01:55 PM	56.3	41.4
11:15 AM - 11:20 AM	52.5	41.1	01:55 PM - 02:00 PM	44.9	39.0
11:20 AM - 11:25 AM	59.7	44.6	02:00 PM - 02:05 PM	45.1	38.6
11:25 AM - 11:30 AM	46.9	44.1	02:05 PM - 02:10 PM	44.0	37.4
11:30 AM - 11:35 AM	47.2	42.8	02:10 PM - 02:15 PM	50.2	45.4
11:35 AM - 11:40 AM	47.0	42.7	02:15 PM - 02:20 PM	46.1	42.8
11:40 AM - 11:45 AM	45.9	41.3	02:20 PM - 02:25 PM	44.1	40.5
11:45 AM - 11:50 AM	45.5	40.3	02:25 PM - 02:30 PM	44.9	41.2
11:50 AM - 11:55 AM	47.9	41.6	02:30 PM - 02:35 PM	44.7	40.3
11:55 AM - 12:00 PM	46.5	40.9	02:35 PM - 02:40 PM	46.1	39.1
12:00 PM - 12:05 PM	44.4	39.7	02:40 PM - 02:45 PM	45.8	38.8
12:05 PM - 12:10 PM	50.8	43.4	02:45 PM - 02:50 PM	51.3	41.7
12:10 PM - 12:15 PM	43.8	39.8	02:50 PM - 02:55 PM	42.9	40.5
12:15 PM - 12:20 PM	38.1	40.0	02:55 PM - 03:00 PM	45.0	41.0
12:20 PM - 12:25 PM	56.1	45.6	03:00 PM - 03:05 PM	41.4	41.2
12:25 PM - 12:30 PM	58.1	45.2	03:05 PM - 03:10 PM	44.8	38.5
12:30 PM - 12:35 PM	49.6	42.9	03:10 PM - 03:15 PM	47.1	37.1
12:35 PM - 12:40 PM	59.4	41.2	03:15 PM - 03:20 PM	48.0	40.1
12:40 PM - 12:45 PM	45.5	37.7	03:20 PM - 03:25 PM	47.7	38.1
12:45 PM - 12:50 PM	46.4	40.6	03:25 PM - 03:30 PM	47.6	42.2
12:50 PM - 12:55 PM	44.6	41.2	03:30 PM - 03:35 PM	46.6	40.8
12:55 PM - 01:00 PM	44.4	40.3	03:35 PM - 03:40 PM	48.4	40.6
01:00 PM - 01:05 PM	43.5	39.9	03:40 PM - 03:45 PM	46.0	41.7
01:05 PM - 01:10 PM	44.2	37.9	03:45 PM - 03:50 PM	43.8	39.2
01:10 PM - 01:15 PM	44.2	38.9	03:50 PM - 03:55 PM	43.5	39.3
01:15 PM - 01:20 PM	46.2	38.0	03:55 PM - 04:00 PM	44.9	34.8
01:20 PM - 01:25 PM	54.8	41.4	04:00 PM - 04:05 PM	45.1	39.6
01:25 PM - 01:30 PM	50.0	37.1	04:05 PM - 04:10 PM	44.9	35.2
01:30 PM - 01:35 PM	44.4	38.1	04:10 PM - 04:15 PM	42.5	40.2
01:35 PM - 01:40 PM	43.5	38.5	04:15 PM - 04:20 PM	45.6	39.5

Approved by

Saraphit Jitranont  
Assistant General Manager

Copyright © 2023 Phasphatmakha Co., Ltd. All rights reserved. This report is confidential and its use is restricted to the client. No part of this report may be reproduced without prior written permission from Phasphatmakha Co., Ltd.

www.alsglobal.com

RIGHT SOLUTIONS



## Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Iakhal Town, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

Lot ID: 2349339

Date Received : May 23, 2023

Date Reported : May 25, 2023

Report Number : 2662349-1

P/O :

Project Name : Lamchabang

Project Location :

Sample Number : 2349339-19

Parameter : Noise Level (Leq 5 min)

Location : NO : ฐานอุตสาหกรรมฝั่ง 4

Measurement Date : May 18 - May 19, 2023

Measurement by : Srivatt Rungsom

Sound Level meter : Serial No. 01222724

May 18, 2023	Leq	L90	May 18, 2023	Leq	L90	May 19, 2023	Leq	L90
Time	#(A)	#(A)	Time	#(A)	#(A)	Time	#(A)	#(A)
07:00 PM - 07:05 PM	47.3	38.3	09:40 PM - 09:45 PM	42.1	36.6	12:20 AM - 12:25 AM	34.8	31.9
07:05 PM - 07:10 PM	47.9	40.6	09:45 PM - 09:50 PM	42.2	41.5	12:25 AM - 12:30 AM	34.8	32.4
07:10 PM - 07:15 PM	48.0	47.1	09:50 PM - 09:55 PM	41.9	40.1	12:30 AM - 12:35 AM	34.7	31.7
07:15 PM - 07:20 PM	50.9	40.5	09:55 PM - 10:00 PM	41.0	40.2	12:35 AM - 12:40 AM	35.5	36.9
07:20 PM - 07:25 PM	52.0	42.9	10:00 PM - 10:05 PM	42.0	41.2	12:40 AM - 12:45 AM	34.6	34.5
07:25 PM - 07:30 PM	52.0	51.7	10:05 PM - 10:10 PM	42.0	41.9	12:45 AM - 12:50 AM	34.5	33.1
07:30 PM - 07:35 PM	51.6	49.2	10:10 PM - 10:15 PM	42.3	41.7	12:50 AM - 12:55 AM	34.5	34.1
07:35 PM - 07:40 PM	52.4	52.2	10:15 PM - 10:20 PM	42.1	41.1	12:55 AM - 01:00 AM	34.5	33.7
07:40 PM - 07:45 PM	54.7	49.4	10:20 PM - 10:25 PM	41.5	39.3	01:00 AM - 01:05 AM	34.6	35.2
07:45 PM - 07:50 PM	50.1	46.7	10:25 PM - 10:30 PM	42.0	40.9	01:05 AM - 01:10 AM	37.4	40.9
07:50 PM - 07:55 PM	50.4	49.9	10:30 PM - 10:35 PM	42.3	39.3	01:10 AM - 01:15 AM	37.4	41.1
07:55 PM - 08:00 PM	50.9	50.1	10:35 PM - 10:40 PM	42.3	40.2	01:15 AM - 01:20 AM	37.5	46.9
08:00 PM - 08:05 PM	48.8	49.4	10:40 PM - 10:45 PM	40.6	35.2	01:20 AM - 01:25 AM	37.5	47.0
08:05 PM - 08:10 PM	48.2	46.3	10:45 PM - 10:50 PM	41.1	39.9	01:25 AM - 01:30 AM	37.6	39.6
08:10 PM - 08:15 PM	49.2	46.8	10:50 PM - 10:55 PM	41.9	39.7	01:30 AM - 01:35 AM	37.6	41.4
08:15 PM - 08:20 PM	48.4	44.5	10:55 PM - 11:00 PM	42.6	40.6	01:35 AM - 01:40 AM	38.2	40.3
08:20 PM - 08:25 PM	45.1	40.4	11:00 PM - 11:05 PM	42.2	39.7	01:40 AM - 01:45 AM	38.3	42.8
08:25 PM - 08:30 PM	45.3	43.3	11:05 PM - 11:10 PM	37.9	40.1	01:45 AM - 01:50 AM	37.6	41.5
08:30 PM - 08:35 PM	43.0	42.0	11:10 PM - 11:15 PM	38.4	40.1	01:50 AM - 01:55 AM	38.1	40.1
08:35 PM - 08:40 PM	43.9	43.9	11:15 PM - 11:20 PM	40.4	45.1	01:55 AM - 02:00 AM	34.2	38.2
08:40 PM - 08:45 PM	44.1	42.7	11:20 PM - 11:25 PM	38.0	45.6	02:00 AM - 02:05 AM	38.8	35.9
08:45 PM - 08:50 PM	42.1	42.7	11:25 PM - 11:30 PM	38.1	46.1	02:05 AM - 02:10 AM	38.7	35.4
08:50 PM - 08:55 PM	42.8	42.4	11:30 PM - 11:35 PM	35.7	46.4	02:10 AM - 02:15 AM	36.2	41.6
08:55 PM - 09:00 PM	42.0	42.6	11:35 PM - 11:40 PM	39.4	46.3	02:15 AM - 02:20 AM	36.4	42.4
09:00 PM - 09:05 PM	42.7	42.2	11:40 PM - 11:45 PM	42.3	39.8	02:20 AM - 02:25 AM	38.0	47.8
09:05 PM - 09:10 PM	43.5	42.4	11:45 PM - 11:50 PM	42.1	39.5	02:25 AM - 02:30 AM	38.6	47.3
09:10 PM - 09:15 PM	43.4	42.6	11:50 PM - 11:55 PM	41.3	40.1	02:30 AM - 02:35 AM	39.1	47.9
09:15 PM - 09:20 PM	42.9	42.8	11:55 PM - 12:00 AM	36.1	39.8	02:35 AM - 02:40 AM	40.2	48.2
09:20 PM - 09:25 PM	42.9	42.8	12:00 AM - 12:05 AM	41.3	40.1	02:40 AM - 02:45 AM	39.5	47.9
09:25 PM - 09:30 PM	43.0	42.5	12:05 AM - 12:10 AM	41.3	40.6	02:45 AM - 02:50 AM	39.5	45.5
09:30 PM - 09:35 PM	43.0	42.4	12:10 AM - 12:15 AM	42.8	40.6	02:50 AM - 02:55 AM	34.8	43.7
09:35 PM - 09:40 PM	43.8	41.4	12:15 AM - 12:20 AM	34.8	42.7	02:55 AM - 03:00 AM	32.6	40.6



## Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

234/115 26TH Fl. Isthai Town, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10110

P/O :

Project Name : Laemchabang

Project Location :

Let ID: 2349339

Date Received : May 23, 2023

Date Reported : May 23, 2023

Report Number : 262350-1

Page 3 of 3

Sample Number : 2349339-19  
Parameter : Noise Level (Leq 5 min)  
Location : NO : สภานานาชาติ/อาคาร 4  
Measurement Date : May 19 - May 20, 2023  
Measurement by : Sirinut Kuangsom  
Sound Level meter : Serial No. 03222724

May 19, 2023	Leq	L90	May 19, 2023	Leq	L90	May 19, 2023	Leq	L90
Time	#B(A)	#B(A)	Time	#B(A)	#B(A)	Time	#B(A)	#B(A)
03:00 AM - 03:05 AM	53.4	43.7	05:40 AM - 05:45 AM	46.8	42.0	08:20 AM - 08:25 AM	55.4	48.9
03:05 AM - 03:10 AM	43.3	38.6	05:45 AM - 05:50 AM	45.0	41.0	08:25 AM - 08:30 AM	58.8	41.8
03:10 AM - 03:15 AM	42.8	38.8	05:50 AM - 05:55 AM	43.2	41.5	08:30 AM - 08:35 AM	44.7	40.0
03:15 AM - 03:20 AM	43.0	39.5	05:55 AM - 06:00 AM	49.2	42.8	08:35 AM - 08:40 AM	45.3	40.0
03:20 AM - 03:25 AM	44.7	42.9	06:00 AM - 06:05 AM	53.6	40.2	08:40 AM - 08:45 AM	52.7	38.4
03:25 AM - 03:30 AM	45.5	43.3	06:05 AM - 06:10 AM	50.7	41.6	08:45 AM - 08:50 AM	46.4	39.1
03:30 AM - 03:35 AM	45.7	42.8	06:10 AM - 06:15 AM	45.7	40.2	08:50 AM - 08:55 AM	45.2	38.1
03:35 AM - 03:40 AM	40.6	36.3	06:15 AM - 06:20 AM	47.1	41.9	08:55 AM - 09:00 AM	44.6	41.4
03:40 AM - 03:45 AM	41.9	37.3	06:20 AM - 06:25 AM	47.0	41.6	09:00 AM - 09:05 AM	46.2	44.5
03:45 AM - 03:50 AM	35.6	37.3	06:25 AM - 06:30 AM	48.8	42.8	09:05 AM - 09:10 AM	54.8	46.7
03:50 AM - 03:55 AM	38.1	36.7	06:30 AM - 06:35 AM	45.8	42.2	09:10 AM - 09:15 AM	48.0	45.5
03:55 AM - 04:00 AM	37.7	34.8	06:35 AM - 06:40 AM	47.7	39.9	09:15 AM - 09:20 AM	48.8	35.4
04:00 AM - 04:05 AM	39.4	37.8	06:40 AM - 06:45 AM	44.8	39.9	09:20 AM - 09:25 AM	52.1	36.3
04:05 AM - 04:10 AM	39.7	38.5	06:45 AM - 06:50 AM	43.8	40.5	09:25 AM - 09:30 AM	46.4	35.1
04:10 AM - 04:15 AM	39.4	38.5	06:50 AM - 06:55 AM	48.6	41.2	09:30 AM - 09:35 AM	55.7	36.2
04:15 AM - 04:20 AM	41.5	38.0	06:55 AM - 07:00 AM	46.3	42.9	09:35 AM - 09:40 AM	41.8	35.2
04:20 AM - 04:25 AM	49.1	37.1	07:00 AM - 07:05 AM	45.4	40.0	09:40 AM - 09:45 AM	56.2	34.9
04:25 AM - 04:30 AM	37.4	35.1	07:05 AM - 07:10 AM	45.7	39.1	09:45 AM - 09:50 AM	43.2	38.3
04:30 AM - 04:35 AM	38.4	34.2	07:10 AM - 07:15 AM	44.1	38.7	09:50 AM - 09:55 AM	44.9	37.9
04:35 AM - 04:40 AM	41.9	36.1	07:15 AM - 07:20 AM	54.6	41.0	09:55 AM - 10:00 AM	43.1	37.2
04:40 AM - 04:45 AM	40.8	37.5	07:20 AM - 07:25 AM	56.1	38.0	10:00 AM - 10:05 AM	48.9	36.2
04:45 AM - 04:50 AM	42.3	37.5	07:25 AM - 07:30 AM	41.9	38.5	10:05 AM - 10:10 AM	49.1	36.2
04:50 AM - 04:55 AM	47.1	39.8	07:30 AM - 07:35 AM	43.2	37.8	10:10 AM - 10:15 AM	45.8	36.2
04:55 AM - 05:00 AM	50.3	44.8	07:35 AM - 07:40 AM	45.7	39.5	10:15 AM - 10:20 AM	47.9	40.0
05:00 AM - 05:05 AM	51.1	48.8	07:40 AM - 07:45 AM	45.8	38.6	10:20 AM - 10:25 AM	47.5	37.7
05:05 AM - 05:10 AM	50.6	48.1	07:45 AM - 07:50 AM	43.2	40.2	10:25 AM - 10:30 AM	48.3	38.4
05:10 AM - 05:15 AM	47.8	45.4	07:50 AM - 07:55 AM	46.6	40.3	10:30 AM - 10:35 AM	50.1	39.0
05:15 AM - 05:20 AM	47.4	42.5	07:55 AM - 08:00 AM	46.7	40.4	10:35 AM - 10:40 AM	43.6	37.4
05:20 AM - 05:25 AM	43.3	38.2	08:00 AM - 08:05 AM	44.3	39.8	10:40 AM - 10:45 AM	44.7	36.1
05:25 AM - 05:30 AM	47.1	41.3	08:05 AM - 08:10 AM	41.7	39.1	10:45 AM - 10:50 AM	47.6	38.6
05:30 AM - 05:35 AM	46.8	41.5	08:10 AM - 08:15 AM	49.3	41.4	10:50 AM - 10:55 AM	48.5	36.1
05:35 AM - 05:40 AM	47.4	41.9	08:15 AM - 08:20 AM	44.3	39.5	10:55 AM - 11:00 AM	46.4	35.9

Approved by

Sirirach Jitmanee  
Assistant General Manager



## Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

234/115 26TH Fl. Isthai Town, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10110

P/O :

Project Name : Laemchabang

Project Location :

Let ID: 2349339

Date Received : May 23, 2023

Date Reported : May 23, 2023

Report Number : 262350-1

Page 1 of 3

Sample Number : 2349339-20  
Parameter : Noise Level (Leq 5 min)  
Location : NO : สภานานาชาติ/อาคาร 4  
Measurement Date : May 19 - May 20, 2023  
Measurement by : Sirinut Kuangsom  
Sound Level meter : Serial No. 03222724

May 19, 2023	Leq	L90	May 19, 2023	Leq	L90	May 19, 2023	Leq	L90
Time	#B(A)	#B(A)	Time	#B(A)	#B(A)	Time	#B(A)	#B(A)
11:00 AM - 11:05 AM	57.7	37.0	01:40 PM - 01:45 PM	47.6	34.7	04:20 PM - 04:25 PM	44.2	37.4
11:05 AM - 11:10 AM	42.4	36.9	01:45 PM - 01:50 PM	42.9	33.5	04:25 PM - 04:30 PM	51.9	38.2
11:10 AM - 11:15 AM	44.0	37.8	01:50 PM - 01:55 PM	48.0	34.0	04:30 PM - 04:35 PM	44.9	39.6
11:15 AM - 11:20 AM	43.0	35.0	01:55 PM - 02:00 PM	39.1	34.0	04:35 PM - 04:40 PM	49.4	40.6
11:20 AM - 11:25 AM	44.2	36.4	02:00 PM - 02:05 PM	38.1	33.1	04:40 PM - 04:45 PM	43.2	42.0
11:25 AM - 11:30 AM	45.5	36.3	02:05 PM - 02:10 PM	34.3	31.5	04:45 PM - 04:50 PM	46.6	41.8
11:30 AM - 11:35 AM	39.4	35.4	02:10 PM - 02:15 PM	35.0	32.5	04:50 PM - 04:55 PM	48.4	41.9
11:35 AM - 11:40 AM	42.4	33.6	02:15 PM - 02:20 PM	37.4	33.0	04:55 PM - 05:00 PM	46.2	40.1
11:40 AM - 11:45 AM	45.5	37.4	02:20 PM - 02:25 PM	37.0	34.5	05:00 PM - 05:05 PM	43.1	40.8
11:45 AM - 11:50 AM	47.9	35.9	02:25 PM - 02:30 PM	33.8	32.4	05:05 PM - 05:10 PM	46.0	43.2
11:50 AM - 11:55 AM	44.4	35.6	02:30 PM - 02:35 PM	37.4	33.5	05:10 PM - 05:15 PM	47.8	47.0
11:55 AM - 12:00 PM	53.1	36.5	02:35 PM - 02:40 PM	51.7	34.8	05:15 PM - 05:20 PM	46.8	47.0
12:00 PM - 12:05 PM	54.1	34.4	02:40 PM - 02:45 PM	58.3	36.0	05:20 PM - 05:25 PM	48.2	46.2
12:05 PM - 12:10 PM	40.2	35.2	02:45 PM - 02:50 PM	42.1	32.7	05:25 PM - 05:30 PM	49.9	46.0
12:10 PM - 12:15 PM	41.2	36.2	02:50 PM - 02:55 PM	46.3	32.8	05:30 PM - 05:35 PM	46.8	44.9
12:15 PM - 12:20 PM	42.8	36.4	02:55 PM - 03:00 PM	37.8	33.4	05:35 PM - 05:40 PM	46.1	45.2
12:20 PM - 12:25 PM	40.8	36.8	03:00 PM - 03:05 PM	46.2	33.8	05:40 PM - 05:45 PM	45.4	43.4
12:25 PM - 12:30 PM	41.0	37.3	03:05 PM - 03:10 PM	56.6	38.3	05:45 PM - 05:50 PM	59.8	44.4
12:30 PM - 12:35 PM	41.4	26.1	03:10 PM - 03:15 PM	44.8	36.0	05:50 PM - 05:55 PM	44.9	43.9
12:35 PM - 12:40 PM	40.0	35.8	03:15 PM - 03:20 PM	41.3	36.3	05:55 PM - 06:00 PM	51.0	44.7
12:40 PM - 12:45 PM	43.3	36.4	03:20 PM - 03:25 PM	47.1	35.7	06:00 PM - 06:05 PM	48.9	45.2
12:45 PM - 12:50 PM	39.8	35.5	03:25 PM - 03:30 PM	44.6	35.0	06:05 PM - 06:10 PM	49.2	45.6
12:50 PM - 12:55 PM	40.7	37.8	03:30 PM - 03:35 PM	48.5	34.9	06:10 PM - 06:15 PM	52.2	40.0
12:55 PM - 01:00 PM	42.4	33.9	03:35 PM - 03:40 PM	44.3	34.9	06:15 PM - 06:20 PM	44.7	43.7
01:00 PM - 01:05 PM	43.4	33.2	03:40 PM - 03:45 PM	29.0	33.2	06:20 PM - 06:25 PM	45.1	44.3
01:05 PM - 01:10 PM	38.5	33.5	03:45 PM - 03:50 PM	47.1	36.0	06:25 PM - 06:30 PM	45.6	45.6
01:10 PM - 01:15 PM	38.0	34.6	03:50 PM - 03:55 PM	50.2	37.1	06:30 PM - 06:35 PM	46.4	43.0
01:15 PM - 01:20 PM	40.5	34.8	03:55 PM - 04:00 PM	38.4	39.4	06:35 PM - 06:40 PM	44.2	42.5
01:20 PM - 01:25 PM	39.9	33.4	04:00 PM - 04:05 PM	39.4	37.5	06:40 PM - 06:45 PM	42.8	42.0
01:25 PM - 01:30 PM	40.7	34.1	04:05 PM - 04:10 PM	44.1	38.1	06:45 PM - 06:50 PM	43.1	42.2
01:30 PM - 01:35 PM	40.4	33.9	04:10 PM - 04:15 PM	51.2	38.3	06:50 PM - 06:55 PM	43.2	42.0
01:35 PM - 01:40 PM	38.8	34.5	04:15 PM - 04:20 PM	47.8	38.9	06:55 PM - 07:00 PM	43.1	42.3

Approved by

Sirirach Jitmanee  
Assistant General Manager



## Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

234/115 26TH Fl. Isthai Town, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10110

P/O :

Project Name : Laemchabang

Project Location :

Let ID: 2349339

Date Received : May 23, 2023

Date Reported : May 23, 2023

Report Number : 262350-1

Page 2 of 3

Sample Number : 2349339-20  
Parameter : Noise Level (Leq 5 min)  
Location : NO : สภานานาชาติ/อาคาร 4  
Measurement Date : May 19 - May 20, 2023  
Measurement by : Sirinut Kuangsom  
Sound Level meter : Serial No. 03222724

May 19, 2023	Leq dBA	L90 dBA	May 19 - May 20, 2023	Leq dBA	L90 dBA	May 20, 2023	Leq dBA	L90 dBA
07:00 PM - 07:05 PM	41.7	42.4	09:40 PM - 09:45 PM	39.1	38.4	12:20 AM - 12:25 AM	47.3	40.8
07:05 PM - 07:10 PM	42.9	42.0	09:45 PM - 09:50 PM	39.4	38.2	12:25 AM - 12:30 AM	50.8	40.0
07:10 PM - 07:15 PM	42.7	42.2	09:50 PM - 09:55 PM	41.7	38.2	12:30 AM - 12:35 AM	48.3	39.4
07:15 PM - 07:20 PM	42.5	42.0	09:55 PM - 10:00 PM	39.9	38.6	12:35 AM - 12:40 AM	50.5	41.2
07:20 PM - 07:25 PM	42.2	41.7	10:00 PM - 10:05 PM	42.0	39.2	12:40 AM - 12:45 AM	39.8	40.9
07:25 PM - 07:30 PM	42.7	41.8	10:05 PM - 10:10 PM	40.7	39.0	12:45 AM - 12:50 AM	52.1	41.3
07:30 PM - 07:35 PM	42.2	41.8	10:10 PM - 10:15 PM	40.8	40.2	12:50 AM - 12:55 AM	51.4	40.5
07:35 PM - 07:40 PM	42.4	42.0	10:15 PM - 10:20 PM	42.8	41.5	12:55 AM - 01:00 AM	51.8	41.2
07:40 PM - 07:45 PM	42.5	42.3	10:20 PM - 10:25 PM	41.3	39.7	01:00 AM - 01:05 AM	51.9	40.9
07:45 PM - 07:50 PM	42.1	41.7	10:25 PM - 10:30 PM	39.8	38.1	01:05 AM - 01:10 AM	46.4	40.9
07:50 PM - 07:55 PM	42.0	41.5	10:30 PM - 10:35 PM	41.3	39.8	01:10 AM - 01:15 AM	44.3	40.4
07:55 PM - 08:00 PM	42.0	42.3	10:35 PM - 10:40 PM	41.8	39.8	01:15 AM - 01:20 AM	43.7	40.2
08:00 PM - 08:05 PM	42.1	41.4	10:40 PM - 10:45 PM	45.2	39.0	01:20 AM - 01:25 AM	42.7	40.4
08:05 PM - 08:10 PM	41.8	41.4	10:45 PM - 10:50 PM	41.3	39.3	01:25 AM - 01:30 AM	40.9	39.5
08:10 PM - 08:15 PM	41.5	40.8	10:50 PM - 10:55 PM	42.0	38.5	01:30 AM - 01:35 AM	40.8	40.1
08:15 PM - 08:20 PM	40.6	40.2	10:55 PM - 11:00 PM	40.8	37.7	01:35 AM - 01:40 AM	40.4	39.3
08:20 PM - 08:25 PM	42.2	41.1	11:00 PM - 11:05 PM	42.8	40.2	01:40 AM - 01:45 AM	40.3	38.4
08:25 PM - 08:30 PM	42.3	40.8	11:05 PM - 11:10 PM	40.6	40.4	01:45 AM - 01:50 AM	40.1	39.0
08:30 PM - 08:35 PM	42.6	41.8	11:10 PM - 11:15 PM	41.8	39.4	01:50 AM - 01:55 AM	42.8	39.4
08:35 PM - 08:40 PM	42.2	40.4	11:15 PM - 11:20 PM	41.4	40.0	01:55 AM - 02:00 AM	41.0	40.1
08:40 PM - 08:45 PM	40.8	39.6	11:20 PM - 11:25 PM	41.3	40.3	02:00 AM - 02:05 AM	43.7	40.7
08:45 PM - 08:50 PM	41.3	40.8	11:25 PM - 11:30 PM	41.3	39.4	02:05 AM - 02:10 AM	41.8	40.8
08:50 PM - 08:55 PM	42.0	40.1	11:30 PM - 11:35 PM	39.9	40.1	02:10 AM - 02:15 AM	42.4	40.6
08:55 PM - 09:00 PM	41.5	40.6	11:35 PM - 11:40 PM	41.2	39.0	02:15 AM - 02:20 AM	41.6	39.7
09:00 PM - 09:05 PM	41.4	40.4	11:40 PM - 11:45 PM	40.0	38.0	02:20 AM - 02:25 AM	41.9	40.2
09:05 PM - 09:10 PM	41.4	40.3	11:45 PM - 11:50 PM	39.0	37.5	02:25 AM - 02:30 AM	40.2	40.7
09:10 PM - 09:15 PM	41.3	40.0	11:50 PM - 11:55 PM	41.6	37.4	02:30 AM - 02:35 AM	41.7	40.8
09:15 PM - 09:20 PM	42.2	41.2	11:55 PM - 12:00 AM	39.3	37.9	02:35 AM - 02:40 AM	40.8	39.7
09:20 PM - 09:25 PM	41.3	40.6	12:00 AM - 12:05 AM	41.5	41.2	02:40 AM - 02:45 AM	41.4	40.2
09:25 PM - 09:30 PM	39.7	39.1	12:05 AM - 12:10 AM	41.4	37.3	02:45 AM - 02:50 AM	41.6	40.7
09:30 PM - 09:35 PM	39.9	39.0	12:10 AM - 12:15 AM	42.4	38.4	02:50 AM - 02:55 AM	42.7	41.5
09:35 PM - 09:40 PM	39.4	38.6	12:15 AM - 12:20 AM	41.5	40.0	02:55 AM - 03:00 AM	41.8	40.9





### Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.  
204/115 26TH Fl. Itakha Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10110

Lot ID: 2349339  
Date Received : May 21, 2023  
Date Reported : May 25, 2023  
Report Number : 2662351-1

P/O :  
Project Name : Laemchabang  
Project Location :

Sample Number : 2349339-21  
Parameter : Noise Level (Leq 5 min)  
Location : N3 : สุวรรณภูมิอุตสาหกรรม 4  
Measurement Date : May 20 - May 21, 2023  
Measurement by : Suwit Ruangsom  
Sound Level meter : Serial No. 01222724

May 20, 2023			May 20, 2023			May 20, 2023			May 20, 2023		
Time	Leq dB(A)	L90 dB(A)	Time	Leq dB(A)	L90 dB(A)	Time	Leq dB(A)	L90 dB(A)	Time	Leq dB(A)	L90 dB(A)
11:00 AM - 11:05 AM	49.5	33.5	01:45 PM - 01:50 PM	35.7	31.7	04:20 PM - 04:25 PM	44.7	36.6	07:00 PM - 07:05 PM	43.7	42.6
11:05 AM - 11:10 AM	35.8	32.6	01:50 PM - 01:55 PM	36.1	32.9	04:25 PM - 04:30 PM	39.8	36.5	07:05 PM - 07:10 PM	44.4	38.6
11:10 AM - 11:15 AM	46.1	32.1	01:55 PM - 02:00 PM	44.6	35.8	04:30 PM - 04:35 PM	45.4	38.6	07:10 PM - 07:15 PM	44.1	39.1
11:15 AM - 11:20 AM	39.4	31.9	02:00 PM - 02:05 PM	44.3	34.8	04:35 PM - 04:40 PM	44.1	39.3	07:15 PM - 07:20 PM	42.5	38.2
11:20 AM - 11:25 AM	40.8	33.3	02:05 PM - 02:10 PM	38.7	34.3	04:40 PM - 04:45 PM	42.1	39.3	07:20 PM - 07:25 PM	44.2	37.8
11:25 AM - 11:30 AM	43.2	35.4	02:10 PM - 02:15 PM	40.5	34.5	04:45 PM - 04:50 PM	42.5	38.2	07:25 PM - 07:30 PM	44.0	37.4
11:30 AM - 11:35 AM	42.7	35.8	02:15 PM - 02:20 PM	36.9	36.4	04:50 PM - 04:55 PM	44.2	37.8	07:30 PM - 07:35 PM	45.0	35.7
11:35 AM - 11:40 AM	42.4	37.6	02:20 PM - 02:25 PM	40.5	36.2	04:55 PM - 05:00 PM	44.0	37.4	07:35 PM - 07:40 PM	47.6	43.2
11:40 AM - 11:45 AM	44.3	37.6	02:25 PM - 02:30 PM	40.7	35.9	05:00 PM - 05:05 PM	47.5	46.4	07:40 PM - 07:45 PM	47.4	47.6
11:45 AM - 11:50 AM	43.8	37.1	02:30 PM - 02:35 PM	51.5	35.0	05:05 PM - 05:10 PM	47.5	46.4	07:45 PM - 07:50 PM	46.5	47.4
11:50 AM - 11:55 AM	39.8	34.3	02:35 PM - 02:40 PM	38.4	34.5	05:10 PM - 05:15 PM	47.5	46.4	07:50 PM - 07:55 PM	46.8	46.9
11:55 AM - 12:00 PM	40.0	33.8	02:40 PM - 02:45 PM	44.9	38.2	05:15 PM - 05:20 PM	47.4	47.6	07:55 PM - 08:00 PM	48.0	46.1
12:00 PM - 12:05 PM	40.4	34.2	02:45 PM - 02:50 PM	39.2	36.5	05:20 PM - 05:25 PM	47.8	47.1	08:00 PM - 08:05 PM	47.8	45.4
12:05 PM - 12:10 PM	47.7	34.5	02:50 PM - 02:55 PM	47.1	36.0	05:25 PM - 05:30 PM	46.5	47.4	08:05 PM - 08:10 PM	46.0	45.2
12:10 PM - 12:15 PM	44.9	38.3	02:55 PM - 03:00 PM	47.9	35.7	05:30 PM - 05:35 PM	46.8	46.9	08:10 PM - 08:15 PM	48.6	45.7
12:15 PM - 12:20 PM	44.7	37.0	03:00 PM - 03:05 PM	40.3	35.8	05:35 PM - 05:40 PM	48.0	46.0	08:15 PM - 08:20 PM	49.3	45.3
12:20 PM - 12:25 PM	46.7	36.3	03:05 PM - 03:10 PM	48.9	36.6	05:40 PM - 05:45 PM	48.0	46.1	08:20 PM - 08:25 PM	49.4	45.6
12:25 PM - 12:30 PM	42.6	36.7	03:10 PM - 03:15 PM	53.4	35.8	05:45 PM - 05:50 PM	47.8	45.4	08:25 PM - 08:30 PM	49.1	43.5
12:30 PM - 12:35 PM	44.5	37.2	03:15 PM - 03:20 PM	36.2	34.1	05:50 PM - 05:55 PM	46.0	45.2	08:30 PM - 08:35 PM	48.9	43.0
12:35 PM - 12:40 PM	41.4	35.1	03:20 PM - 03:25 PM	45.5	35.1	05:55 PM - 06:00 PM	48.6	45.7	08:35 PM - 08:40 PM	45.0	42.9
12:40 PM - 12:45 PM	43.7	36.7	03:25 PM - 03:30 PM	34.9	37.2	06:00 PM - 06:05 PM	49.3	45.3	08:40 PM - 08:45 PM	45.9	43.7
12:45 PM - 12:50 PM	41.2	36.0	03:30 PM - 03:35 PM	40.1	33.2	06:05 PM - 06:10 PM	49.4	45.6	08:45 PM - 08:50 PM	43.8	42.9
12:50 PM - 12:55 PM	54.2	36.8	03:35 PM - 03:40 PM	35.3	33.4	06:10 PM - 06:15 PM	49.1	43.5	08:50 PM - 08:55 PM	46.2	43.3
12:55 PM - 01:00 PM	44.7	36.1	03:40 PM - 03:45 PM	41.1	32.9	06:15 PM - 06:20 PM	48.9	43.0	08:55 PM - 09:00 PM	47.2	42.8
01:00 PM - 01:05 PM	40.5	35.9	03:45 PM - 03:50 PM	45.7	38.0	06:20 PM - 06:25 PM	45.0	42.9	09:00 PM - 09:05 PM	43.5	42.6
01:05 PM - 01:10 PM	43.3	34.8	03:50 PM - 03:55 PM	48.1	35.2	06:25 PM - 06:30 PM	45.9	43.7	09:05 PM - 09:10 PM	43.5	42.5
01:10 PM - 01:15 PM	40.2	35.7	03:55 PM - 04:00 PM	52.3	35.8	06:30 PM - 06:35 PM	44.7	43.2	09:10 PM - 09:15 PM	43.5	42.5
01:15 PM - 01:20 PM	41.1	35.3	04:00 PM - 04:05 PM	36.4	38.4	06:35 PM - 06:40 PM	43.8	42.9	09:15 PM - 09:20 PM	42.7	42.9
01:20 PM - 01:25 PM	45.6	35.5	04:05 PM - 04:10 PM	47.0	37.2	06:40 PM - 06:45 PM	46.2	43.3	09:20 PM - 09:25 PM	43.7	42.8
01:25 PM - 01:30 PM	48.4	34.7	04:10 PM - 04:15 PM	45.2	37.4	06:45 PM - 06:50 PM	47.2	42.8	09:25 PM - 09:30 PM	43.7	42.8
01:30 PM - 01:35 PM	38.2	34.1	04:15 PM - 04:20 PM	47.2	36.4	06:50 PM - 06:55 PM	43.5	42.6	09:30 PM - 09:35 PM	43.7	42.8
01:35 PM - 01:40 PM	39.6	35.0	04:20 PM - 04:25 PM	46.7	37.1	06:55 PM - 07:00 PM	43.5	42.6	09:35 PM - 09:40 PM	43.7	42.8

Approved by

Saranyut Jitranont  
Assistant General Manager

Copyright © 2023 by ALS Global Co., Ltd. All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or by any information storage and retrieval system, without prior written permission from ALS Global Co., Ltd.

www.alsglobal.com

RIGHT SOLUTIONS



### Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.  
204/115 26TH Fl. Itakha Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10110

Lot ID: 2349339  
Date Received : May 21, 2023  
Date Reported : May 25, 2023  
Report Number : 2662351-1

P/O :  
Project Name : Laemchabang  
Project Location :

Sample Number : 2349339-22  
Parameter : Noise Level (Leq 5 min)  
Location : N3 : สุวรรณภูมิอุตสาหกรรม 4  
Measurement Date : May 20 - May 21, 2023  
Measurement by : Suwit Ruangsom  
Sound Level meter : Serial No. 01222724

May 20, 2023		L90		May 20 + May 21, 2023		L90		May 21, 2023		L90	
Time		Leq	dB(A)	Time		Leq	dB(A)	Time		Leq	dB(A)
07:00 PM - 07:05 PM	46.7	43.8	09:40 PM - 09:45 PM	41.5	40.0	12:20 AM - 12:25 AM	40.5	39.4			
07:05 PM - 07:10 PM	45.5	43.7	09:45 PM - 09:50 PM	41.1	39.7	12:25 AM - 12:30 AM	40.4	39.3			
07:10 PM - 07:15 PM	47.4	43.6	09:50 PM - 09:55 PM	41.4	40.0	12:30 AM - 12:35 AM	42.3	38.7			
07:15 PM - 07:20 PM	48.3	42.9	09:55 PM - 10:00 PM	42.3	41.2	12:35 AM - 12:40 AM	39.9	39.5			
07:20 PM - 07:25 PM	47.4	44.8	10:00 PM - 10:05 PM	43.0	40.7	12:40 AM - 12:45 AM	44.6	40.0			
07:25 PM - 07:30 PM	47.5	45.1	10:05 PM - 10:10 PM	43.4	42.1	12:45 AM - 12:50 AM	44.3	39.5			
07:30 PM - 07:35 PM	45.3	48.1	10:10 PM - 10:15 PM	45.1	42.2	12:50 AM - 12:55 AM	44.3	39.5			
07:35 PM - 07:40 PM	46.2	43.7	10:15 PM - 10:20 PM	43.2	42.2	12:55 AM - 01:00 AM	43.9	42.7			
07:40 PM - 07:45 PM	44.7	43.9	10:20 PM - 10:25 PM	43.7	42.8	01:00 AM - 01:05 AM	43.1	39.9			
07:45 PM - 07:50 PM	46.9	44.0	10:25 PM - 10:30 PM	41.9	39.0	01:05 AM - 01:10 AM	39.8	38.6			
07:50 PM - 07:55 PM	49.3	44.4	10:30 PM - 10:35 PM	40.1	37.8	01:10 AM - 01:15 AM	39.8	37.5			
07:55 PM - 08:00 PM	44.7	43.8	10:35 PM - 10:40 PM	44.4	41.3	01:15 AM - 01:20 AM	46.5	36.3			
08:00 PM - 08:05 PM	47.8	49.4	10:40 PM - 10:45 PM	43.2	42.0	01:20 AM - 01:25 AM	42.4	38.1			
08:05 PM - 08:10 PM	46.7	43.2	10:45 PM - 10:50 PM	43.6	42.7	01:25 AM - 01:30 AM	44.0	37.5			
08:10 PM - 08:15 PM	45.6	43.4	10:50 PM - 10:55 PM	43.7	42.5	01:30 AM - 01:35 AM	39.4	37.6			
08:15 PM - 08:20 PM	47.3	44.9	10:55 PM - 11:00 PM	43.0	41.9	01:35 AM - 01:40 AM	41.7	39.4			
08:20 PM - 08:25 PM	46.9	45.2	11:00 PM - 11:05 PM	45.2	43.8	01:40 AM - 01:45 AM	41.8	39.6			
08:25 PM - 08:30 PM	45.7	43.9	11:05 PM - 11:10 PM	43.1	40.8	01:45 AM - 01:50 AM	41.2	36.1			
08:30 PM - 08:35 PM	44.1	43.1	11:10 PM - 11:15 PM	43.1	41.7	01:50 AM - 01:55 AM	41.2	39.9			
08:35 PM - 08:40 PM	49.2	43.9	11:15 PM - 11:20 PM	41.1	40.1	01:55 AM - 02:00 AM	41.8	39.3			
08:40 PM - 08:45 PM	44.9	43.7	11:20 PM - 11:25 PM	41.1	40.1	02:00 AM - 02:05 AM	39.6	38.2			
08:45 PM - 08:50 PM	45.3	44.8	11:25 PM - 11:30 PM	46.1	39.2	02:05 AM - 02:10 AM	41.7	38.6			
08:50 PM - 08:55 PM	44.8	43.8	11:30 PM - 11:35 PM	40.2	39.0	02:10 AM - 02:15 AM	39.5	38.0			
08:55 PM - 09:00 PM	46.0	44.8	11:35 PM - 11:40 PM	41.0	38.4	02:15 AM - 02:20 AM	39.2	36.4			
09:00 PM - 09:05 PM	45.6	44.4	11:40 PM - 11:45 PM	39.9	38.9	02:20 AM - 02:25 AM	39.4	35.7			
09:05 PM - 09:10 PM	44.9	43.7	11:45 PM - 11:50 PM	39.0	38.0	02:25 AM - 02:30 AM	40.1	39.0			
09:10 PM - 09:15 PM	44.2	43.1	11:50 PM - 11:55 PM	40.7	37.7	02:30 AM - 02:35 AM	39.3	37.8			
09:15 PM - 09:20 PM	43.8	42.8	11:55 PM - 12:00 AM	41.0	38.5	02:35 AM - 02:40 AM	40.0	38.4			
09:20 PM - 09:25 PM	43.5	43.9	12:00 AM - 12:05 AM	44.4	39.4	02:40 AM - 02:45 AM	39.5	38.3			
09:25 PM - 09:30 PM	42.6	43.2	12:05 AM - 12:10 AM	41.2	39.1	02:45 AM - 02:50 AM	39.5	38.3			
09:30 PM - 09:35 PM	42.7	43.9	12:10 AM - 12:15 AM	46.0	39.9	02:50 AM - 02:55 AM	45.5	37.4			
09:35 PM - 09:40 PM	42.1	40.7	12:15 AM - 12:20 AM	41.0	38.9	02:55 AM - 03:00 AM	39.8	38.8			

Approved by

Saranyut Jitranont  
Assistant General Manager

Copyright © 2023 by ALS Global Co., Ltd. All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or by any information storage and retrieval system, without prior written permission from ALS Global Co., Ltd.

www.alsglobal.com

RIGHT SOLUTIONS



### Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.  
204/115 26TH Fl. Itakha Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10110

Lot ID: 2349339  
Date Received : May 21, 2023  
Date Reported : May 25, 2023  
Report Number : 2662351-1

P/O :  
Project Name : Laemchabang  
Project Location :

Sample Number : 2349339-21  
Parameter : Noise Level (Leq 5 min)  
Location : N3 : สุวรรณภูมิอุตสาหกรรม 4  
Measurement Date : May 14 - May 15, 2023  
Measurement by : Suwit Ruangsom  
Sound Level meter : Serial No. 00472126

May 21, 2023			May 21, 2023			May 21, 2023		
Time	Leq dB(A)	L90 dB(A)	Time	Leq dB(A)	L90 dB(A)	Time	Leq dB(A)	L90 dB(A)
03:00 AM - 03:05 AM	53.1	38.1	05:40 AM - 05:45 AM	46.2	40.8	06:20 AM - 06:25 AM	37.8	32.1
03:05 AM - 03:10 AM	47.2	38.8	05:45 AM - 05:50 AM	50.8	40.8	06:25 AM - 06:30 AM	44.4	33.0
03:10 AM - 03:15 AM	40.1	38.1	05:50 AM - 05:55 AM	42.8	39.9	06:30 AM - 06:35 AM	44.8	32.4
03:15 AM - 03:20 AM	44.0	38.8	05:55 AM - 06:00 AM	43.5	38.8	06:35 AM - 06:40 AM	41.1	32.4
03:20 AM - 03:25 AM	41.5	39.2	06:00 AM - 06:05 AM	42.8	36.2	06:40 AM - 06:45 AM	38.1	31.7
03:25 AM - 03:30 AM	44.5	41.8	06:05 AM - 06:10 AM	46.1	37.9	06:45 AM - 06:50 AM	44.4	33.2
03:30 AM - 03:35 AM	40.5	42.9	06:10 AM - 06:15 AM	45.7	38.6	06:50 AM - 06:55 AM	47.8	34.9
03:35 AM - 03:40 AM	41.5	42.9	06:15 AM - 06:20 AM	49.5	35.9	06:55 AM - 07:00 AM	38.4	34.0
03:40 AM - 03:45 AM	47.3	41.8	06:20 AM - 06:25 AM	43.8	35.0	07:00 AM - 07:05 AM	48.0	34.1
03:45 AM - 03:50 AM	47.0	41.2	06:25 AM - 06:30 AM	52.1	34.1	07:05 AM - 07:10 AM	45.0	36.1
03:50 AM - 03:55 AM	48.0	38.1	06:30 AM - 06:35 AM	40.8	32.9	07:10 AM - 07:15 AM	31.2	36.0
03:55 AM - 04:00 AM	41.7	38.6	06:35 AM - 06:40 AM	40.0	35.2	07:15 AM - 07:20 AM	39.8	34.2
04:00 AM - 04:05 AM	31.6	40.3	06:40 AM - 06:45 AM	56.5	38.8	07:20 AM - 07:25 AM	45.6	32.1
04:05 AM - 04:10 AM	42.3	39.7	06:45 AM - 06:50 AM	42.3	32.6	07:25 AM - 07:30 AM	45.6	38.5
04:10 AM - 04:15 AM	41.8	41.1	06:50 AM - 06:55 AM	46.9	34.2	07:30 AM - 07:35 AM	50.3	40.7
04:15 AM - 04:20 AM	42.3	41.7	06:55 AM - 07:00 AM	41.9	30.9	07:35 AM - 07:40 AM	43.9	39.0
04:20 AM - 04:25 AM	45.9	41.6	07:00 AM - 07:05 AM	38.7	32.3	07:40 AM - 07:45 AM	45.2	40.2
04:25 AM - 04:30 AM	44.5	41.4	07:05 AM - 07:10 AM	34.6	32.1	07:45 AM - 07:50 AM	47.7	40.2
04:30 AM - 04:35 AM	45.3	41.1	07:10 AM - 07:15 AM	42.8	32.0	07:50 AM - 07:55 AM	47.7	40.2
04:35 AM - 04:40 AM	45.0	41.1	07:15 AM - 07:20 AM	44.0	33.0	07:55 AM - 08:00 AM	46.2	45.3
04:40 AM - 04:45 AM	54.5	44.0	07:20 AM - 07:25 AM	44.8	30.4	08:00 AM - 08:05 AM	50.6	43.8
04:45 AM - 04:50 AM	51.4	42.4	07:25 AM - 07:30 AM	42.2	32.7	08:05 AM - 08:10 AM	49.1	40.8
04:50 AM - 04:55 AM	49.6	41.0	07:30 AM - 07:35 AM	44.3	32.4	08:10 AM - 08:15 AM	46.1	42.6
04:55 AM - 05:00 AM	43.6	41.2	07:35 AM - 07:40 AM	36.8	32.1	08:15 AM - 08:20 AM	46.8	42.0
05:00 AM - 05:05 AM	40.0	41.2	07:40 AM - 07:45 AM	41.5	31.5	08:20 AM - 08:25 AM	49.8	41.0
05:05 AM - 05:10 AM	45.2	41.6	07:45 AM - 07:50 AM	43.5	32.4	08:25 AM - 08:30 AM	48.1	45.6
05:10 AM - 05:15 AM	47.4	42.1	07:50 AM - 07:55 AM	48.2	34.9	08:30 AM - 08:35 AM	49.1	45.8
05:15 AM - 05:20 AM	51.1	42.5	07:55 AM - 08:00 AM	42.2	33.2	08:35 AM - 08:40 AM	54.2	41.0
05:20 AM - 05:25 AM	48.6	40.7	08:00 AM - 08:05 AM	41.5	34.1	08:40 AM - 08:45 AM	31.7	41.7
05:25 AM - 05:30 AM	49.9	39.2	08:05 AM - 08:10 AM	38.4	32.7	08:45 AM - 08:50 AM	31.6	41.6
05:30 AM - 05:35 AM	45.8	40.0	08:10 AM - 08:15 AM	39.4	32.7	08:50 AM - 08:55 AM	32.8	45.8
05:35 AM - 05:40 AM	50.7	40.2	08:15 AM - 08:20 AM	39.7	34.1	08:55 AM - 09:00 AM	40.8	37.8









## Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.  
204/115 26TH Fl. Itakhai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310  
P/O :  
Project Name : Laemchabang  
Project Location :  
Sample Number : 2349339-23  
Parameter : Noise Level (Leq 5 min)  
Location : N4 : ถนนสุขุมวิท/ซอยสุขุมวิท 5  
Measurement Date : May 15 - May 16, 2023  
Measurement by : Srivut Rangsom  
Sound Level meter : Serial No. 00472126

Lot ID: 2349339  
Date Received : May 23, 2023  
Date Reported : May 23, 2023  
Report Number : 2602354-1

Page 2 of 2

May 16, 2023		May 16, 2023		May 16, 2023		May 16, 2023	
Time	Leq dB(A)	Time	Leq dB(A)	Time	Leq dB(A)	Time	Leq dB(A)
03:00 AM - 03:05 AM	42.5	05:40 AM - 05:45 AM	46.1	08:20 AM - 08:25 AM	52.0	11:00 AM - 11:05 AM	56.7
03:05 AM - 03:10 AM	36.4	05:45 AM - 05:50 AM	51.5	08:25 AM - 08:30 AM	49.1	11:05 AM - 11:10 AM	36.6
03:10 AM - 03:15 AM	39.8	05:50 AM - 05:55 AM	49.3	08:30 AM - 08:35 AM	38.7	11:10 AM - 11:15 AM	38.8
03:15 AM - 03:20 AM	37.3	05:55 AM - 06:00 AM	46.5	08:35 AM - 08:40 AM	36.6	11:15 AM - 11:20 AM	62.0
03:20 AM - 03:25 AM	36.8	06:00 AM - 06:05 AM	46.4	08:40 AM - 08:45 AM	35.2	11:20 AM - 11:25 AM	36.5
03:25 AM - 03:30 AM	38.0	06:05 AM - 06:10 AM	44.1	08:45 AM - 08:50 AM	53.0	11:25 AM - 11:30 AM	38.4
03:30 AM - 03:35 AM	34.1	06:10 AM - 06:15 AM	42.3	08:50 AM - 08:55 AM	52.2	11:30 AM - 11:35 AM	37.2
03:35 AM - 03:40 AM	35.1	06:15 AM - 06:20 AM	41.3	08:55 AM - 09:00 AM	47.2	11:35 AM - 11:40 AM	40.3
03:40 AM - 03:45 AM	38.4	06:20 AM - 06:25 AM	43.9	09:00 AM - 09:05 AM	37.5	11:40 AM - 11:45 AM	40.7
03:45 AM - 03:50 AM	37.3	06:25 AM - 06:30 AM	44.2	09:05 AM - 09:10 AM	36.2	11:45 AM - 11:50 AM	38.4
03:50 AM - 03:55 AM	35.4	06:30 AM - 06:35 AM	50.4	09:10 AM - 09:15 AM	44.9	11:50 AM - 11:55 AM	38.0
03:55 AM - 04:00 AM	35.0	06:35 AM - 06:40 AM	48.4	09:15 AM - 09:20 AM	35.1	11:55 AM - 12:00 PM	36.9
04:00 AM - 04:05 AM	38.7	06:40 AM - 06:45 AM	47.1	09:20 AM - 09:25 AM	35.5	12:00 PM - 12:05 PM	39.3
04:05 AM - 04:10 AM	38.3	06:45 AM - 06:50 AM	47.4	09:25 AM - 09:30 AM	34.0	12:05 PM - 12:10 PM	39.6
04:10 AM - 04:15 AM	40.5	06:50 AM - 06:55 AM	45.4	09:30 AM - 09:35 AM	35.8	12:10 PM - 12:15 PM	40.6
04:15 AM - 04:20 AM	44.6	06:55 AM - 07:00 AM	42.9	09:35 AM - 09:40 AM	34.6	12:15 PM - 12:20 PM	34.0
04:20 AM - 04:25 AM	45.0	07:00 AM - 07:05 AM	46.9	09:40 AM - 09:45 AM	35.5	12:20 PM - 12:25 PM	39.4
04:25 AM - 04:30 AM	41.5	07:05 AM - 07:10 AM	48.5	09:45 AM - 09:50 AM	38.1	12:25 PM - 12:30 PM	43.0
04:30 AM - 04:35 AM	41.4	07:10 AM - 07:15 AM	47.4	09:50 AM - 09:55 AM	44.5	12:30 PM - 12:35 PM	44.2
04:35 AM - 04:40 AM	48.8	07:15 AM - 07:20 AM	46.5	09:55 AM - 10:00 AM	59.9	12:35 PM - 12:40 PM	45.2
04:40 AM - 04:45 AM	41.8	07:20 AM - 07:25 AM	42.8	10:00 AM - 10:05 AM	54.4	12:40 PM - 12:45 PM	44.5
04:45 AM - 04:50 AM	50.9	07:25 AM - 07:30 AM	46.5	10:05 AM - 10:10 AM	50.3	12:45 PM - 12:50 PM	44.5
04:50 AM - 04:55 AM	55.5	07:30 AM - 07:35 AM	45.6	10:10 AM - 10:15 AM	47.9	12:50 PM - 12:55 PM	49.4
04:55 AM - 05:00 AM	57.0	07:35 AM - 07:40 AM	44.0	10:15 AM - 10:20 AM	41.4	12:55 PM - 01:00 PM	40.8
05:00 AM - 05:05 AM	52.4	07:40 AM - 07:45 AM	41.2	10:20 AM - 10:25 AM	48.8	01:00 PM - 01:05 PM	40.5
05:05 AM - 05:10 AM	46.1	07:45 AM - 07:50 AM	42.9	10:25 AM - 10:30 AM	43.0	01:05 PM - 01:10 PM	40.4
05:10 AM - 05:15 AM	42.2	07:50 AM - 07:55 AM	44.4	10:30 AM - 10:35 AM	41.8	01:10 PM - 01:15 PM	42.0
05:15 AM - 05:20 AM	46.3	07:55 AM - 08:00 AM	41.1	10:35 AM - 10:40 AM	45.5	01:15 PM - 01:20 PM	44.8
05:20 AM - 05:25 AM	44.8	08:00 AM - 08:05 AM	40.2	10:40 AM - 10:45 AM	50.6	01:20 PM - 01:25 PM	39.4
05:25 AM - 05:30 AM	46.6	08:05 AM - 08:10 AM	45.2	10:45 AM - 10:50 AM	37.4	01:25 PM - 01:30 PM	41.2
05:30 AM - 05:35 AM	53.5	08:10 AM - 08:15 AM	38.7	10:50 AM - 10:55 AM	44.7	01:30 PM - 01:35 PM	40.4
05:35 AM - 05:40 AM	56.4	08:15 AM - 08:20 AM	46.8	10:55 AM - 11:00 AM	40.4	01:35 PM - 01:40 PM	38.9

Approved by

Siravuth Rangsom  
Assistant General Manager

103/115 26TH Fl. Itakhai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310  
ALS Global Co., Ltd. 103/115 26TH Fl. Itakhai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310  
www.alsglobal.com  
RIGHT SOLUTIONS



## Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.  
204/115 26TH Fl. Itakhai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310  
P/O :  
Project Name : Laemchabang  
Project Location :  
Sample Number : 2349339-24  
Parameter : Noise Level (Leq 5 min)  
Location : N4 : ถนนสุขุมวิท/ซอยสุขุมวิท 5  
Measurement Date : May 16 - May 17, 2023  
Measurement by : Srivut Rangsom  
Sound Level meter : Serial No. 00472126

Lot ID: 2349339  
Date Received : May 23, 2023  
Date Reported : May 23, 2023  
Report Number : 2602354-1

Page 2 of 2

May 16, 2023		May 16, 2023		May 16, 2023		May 16, 2023	
Time	Leq dB(A)	Time	Leq dB(A)	Time	Leq dB(A)	Time	Leq dB(A)
11:00 AM - 11:05 AM	36.7	01:40 PM - 01:45 PM	42.8	04:20 PM - 04:25 PM	50.9	07:00 PM - 07:05 PM	50.9
11:05 AM - 11:10 AM	36.6	01:45 PM - 01:50 PM	45.1	04:25 PM - 04:30 PM	38.3	07:05 PM - 07:10 PM	32.7
11:10 AM - 11:15 AM	38.8	01:50 PM - 01:55 PM	65.4	04:30 PM - 04:35 PM	58.9	07:10 PM - 07:15 PM	39.9
11:15 AM - 11:20 AM	62.0	01:55 PM - 02:00 PM	49.1	04:35 PM - 04:40 PM	45.5	07:15 PM - 07:20 PM	36.5
11:20 AM - 11:25 AM	36.5	02:00 PM - 02:05 PM	47.1	04:40 PM - 04:45 PM	46.2	07:20 PM - 07:25 PM	35.4
11:25 AM - 11:30 AM	38.4	02:05 PM - 02:10 PM	38.6	04:45 PM - 04:50 PM	46.8	07:25 PM - 07:30 PM	35.2
11:30 AM - 11:35 AM	37.2	02:10 PM - 02:15 PM	41.6	04:50 PM - 04:55 PM	43.7	07:30 PM - 07:35 PM	35.6
11:35 AM - 11:40 AM	40.3	02:15 PM - 02:20 PM	52.9	04:55 PM - 05:00 PM	44.7	07:35 PM - 07:40 PM	37.0
11:40 AM - 11:45 AM	40.7	02:20 PM - 02:25 PM	47.0	05:00 PM - 05:05 PM	45.9	07:40 PM - 07:45 PM	35.7
11:45 AM - 11:50 AM	38.4	02:25 PM - 02:30 PM	44.5	05:05 PM - 05:10 PM	48.4	07:45 PM - 07:50 PM	37.9
11:50 AM - 11:55 AM	38.0	02:30 PM - 02:35 PM	38.6	05:10 PM - 05:15 PM	52.5	07:50 PM - 07:55 PM	37.1
11:55 AM - 12:00 PM	36.9	02:35 PM - 02:40 PM	36.5	05:15 PM - 05:20 PM	47.6	07:55 PM - 08:00 PM	37.7
12:00 PM - 12:05 PM	39.3	02:40 PM - 02:45 PM	35.4	05:20 PM - 05:25 PM	51.6	08:00 PM - 08:05 PM	38.1
12:05 PM - 12:10 PM	39.6	02:45 PM - 02:50 PM	40.4	05:25 PM - 05:30 PM	47.4	08:05 PM - 08:10 PM	38.4
12:10 PM - 12:15 PM	40.6	02:50 PM - 02:55 PM	38.9	05:30 PM - 05:35 PM	46.4	08:10 PM - 08:15 PM	36.8
12:15 PM - 12:20 PM	34.0	02:55 PM - 03:00 PM	41.0	05:35 PM - 05:40 PM	52.5	08:15 PM - 08:20 PM	37.1
12:20 PM - 12:25 PM	39.4	03:00 PM - 03:05 PM	43.0	05:40 PM - 05:45 PM	38.9	08:20 PM - 08:25 PM	35.6
12:25 PM - 12:30 PM	43.0	03:05 PM - 03:10 PM	46.2	05:45 PM - 05:50 PM	54.9	08:25 PM - 08:30 PM	35.5
12:30 PM - 12:35 PM	44.2	03:10 PM - 03:15 PM	44.7	05:50 PM - 05:55 PM	49.6	08:30 PM - 08:35 PM	39.4
12:35 PM - 12:40 PM	45.2	03:15 PM - 03:20 PM	40.9	05:55 PM - 06:00 PM	51.1	08:35 PM - 08:40 PM	36.7
12:40 PM - 12:45 PM	44.5	03:20 PM - 03:25 PM	45.4	06:00 PM - 06:05 PM	51.1	08:40 PM - 08:45 PM	36.1
12:45 PM - 12:50 PM	44.5	03:25 PM - 03:30 PM	34.4	06:05 PM - 06:10 PM	52.8	08:45 PM - 08:50 PM	35.4
12:50 PM - 12:55 PM	49.4	03:30 PM - 03:35 PM	38.4	06:10 PM - 06:15 PM	42.7	08:50 PM - 08:55 PM	34.7
12:55 PM - 01:00 PM	40.8	03:35 PM - 03:40 PM	40.7	06:15 PM - 06:20 PM	47.4	08:55 PM - 09:00 PM	37.0
01:00 PM - 01:05 PM	40.5	03:40 PM - 03:45 PM	40.5	06:20 PM - 06:25 PM	47.7	09:00 PM - 09:05 PM	41.7
01:05 PM - 01:10 PM	40.4	03:45 PM - 03:50 PM	38.6	06:25 PM - 06:30 PM	47.0	09:05 PM - 09:10 PM	38.6
01:10 PM - 01:15 PM	42.0	03:50 PM - 03:55 PM	39.4	06:30 PM - 06:35 PM	45.2	09:10 PM - 09:15 PM	38.2
01:15 PM - 01:20 PM	44.8	03:55 PM - 04:00 PM	44.1	06:35 PM - 06:40 PM	45.4	09:15 PM - 09:20 PM	38.8
01:20 PM - 01:25 PM	39.4	04:00 PM - 04:05 PM	46.3	06:40 PM - 06:45 PM	45.2	09:20 PM - 09:25 PM	35.5
01:25 PM - 01:30 PM	41.2	04:05 PM - 04:10 PM	36.7	06:45 PM - 06:50 PM	43.2	09:25 PM - 09:30 PM	38.1
01:30 PM - 01:35 PM	40.4	04:10 PM - 04:15 PM	38.6	06:50 PM - 06:55 PM	45.4	09:30 PM - 09:35 PM	38.7
01:35 PM - 01:40 PM	38.9	04:15 PM - 04:20 PM	41.2	06:55 PM - 07:00 PM	46.2	09:35 PM - 09:40 PM	40.1

Approved by

Siravuth Rangsom  
Assistant General Manager

103/115 26TH Fl. Itakhai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310  
ALS Global Co., Ltd. 103/115 26TH Fl. Itakhai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310  
www.alsglobal.com  
RIGHT SOLUTIONS



## Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.  
204/115 26TH Fl. Itakhai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310  
P/O :  
Project Name : Laemchabang  
Project Location :  
Sample Number : 2349339-24  
Parameter : Noise Level (Leq 5 min)  
Location : N4 : ถนนสุขุมวิท/ซอยสุขุมวิท 5  
Measurement Date : May 16 - May 17, 2023  
Measurement by : Srivut Rangsom  
Sound Level meter : Serial No. 00472126

Lot ID: 2349339  
Date Received : May 23, 2023  
Date Reported : May 23, 2023  
Report Number : 2602354-1

Page 2 of 2

Sample Number	2349330-2													
Parameter	Noise Level (Leq 5 min)													
Location	NH : ๓๘๒๒๒๒๒๒๒๒๒๒๒๒													
Measurement Date	May 16, May 17, 2023													
Measurement by	Sirint Worakul													
Sound Level Meter	Serial No. 00472126													
	May 16, 2023				May 16 - May 17, 2023				May 17, 2023					
	Leq	L90	Leq	L90	Leq	L90	Leq	L90	Leq	L90	Leq	L90	Leq	L90
	Time	#(dB)	Time	#(dB)	Time	#(dB)	Time	#(dB)	Time	#(dB)	Time	#(dB)	Time	#(dB)
07:00 PM - 07:05 PM	40.8	39.6	09:40 PM - 09:45 PM	38.7	37.8	12:20 AM - 12:25 AM	33.3	33.8	08:20 AM - 08:25 AM	44.3	44.3	08:25 AM - 08:30 AM	33.3	33.8
07:05 PM - 07:10 PM	40.3	38.2	09:45 PM - 09:50 PM	41.6	38.0	12:25 AM - 12:30 AM	34.8	35.3	08:25 AM - 08:30 AM	33.5	34.0	08:30 AM - 08:35 AM	33.5	34.0
07:10 PM - 07:15 PM	40.1	37.2	09:50 PM - 09:55 PM	37.8	36.6	12:30 AM - 12:35 AM	34.6	34.6	08:30 AM - 08:35 AM	34.6	35.1	08:35 AM - 08:40 AM	34.6	35.1
07:15 PM - 07:20 PM	40.5	38.3	09:55 PM - 10:00 PM	38.7	38.0	12:35 AM - 12:40 AM	35.1	35.6	08:35 AM - 08:40 AM	35.1	35.6	08:40 AM - 08:45 AM	35.1	35.6
07:20 PM - 07:25 PM	39.7	38.8	10:00 PM - 10:05 PM	36.6	35.0	12:40 AM - 12:45 AM	37.9	37.9	08:40 AM - 08:45 AM	37.9	37.9	08:45 AM - 08:50 AM	37.9	37.9
07:25 PM - 07:30 PM	39.5	38.2	10:05 PM - 10:10 PM	42.5	35.4	12:45 AM - 12:50 AM	36.0	36.0	08:45 AM - 08:50 AM	36.0	36.0	08:50 AM - 08:55 AM	36.0	36.0
07:30 PM - 07:35 PM	41.2	39.8	10:10 PM - 10:15 PM	38.4	35.2	12:50 AM - 12:55 AM	34.1	35.2	08:50 AM - 08:55 AM	34.1	35.2	08:55 AM - 09:00 AM	34.1	35.2
07:35 PM - 07:40 PM	44.8	39.7	10:15 PM - 10:20 PM	36.1	24.8	12:55 AM - 01:00 AM	34.6	35.3	08:55 AM - 09:00 AM	34.6	35.3	09:00 AM - 09:05 AM	34.6	35.3
07:40 PM - 07:45 PM	43.4	41.0	10:20 PM - 10:25 PM	37.2	26.2	01:00 AM - 01:05 AM	37.4	34.6	09:00 AM - 09:05 AM	37.4	34.6	09:05 AM - 09:10 AM	37.4	34.6
07:45 PM - 07:50 PM	44.8	40.9	10:25 PM - 10:30 PM	37.0	36.2	01:05 AM - 01:10 AM	35.4	35.4	09:05 AM - 09:10 AM	35.4	35.4	09:10 AM - 09:15 AM	35.4	35.4
07:50 PM - 07:55 PM	45.8	41.1	10:30 PM - 10:35 PM	36.9	35.7	01:10 AM - 01:15 AM	34.9	34.9	09:10 AM - 09:15 AM	34.9	34.9	09:15 AM - 09:20 AM	34.9	34.9
07:55 PM - 08:00 PM	42.1	41.0	10:35 PM - 10:40 PM	35.6	34.8	01:15 AM - 01:20 AM	33.3	33.3	09:15 AM - 09:20 AM	33.3	33.3	09:20 AM - 09:25 AM	33.3	33.3
08:00 PM - 08:05 PM	42.5	41.1	10:40 PM - 10:45 PM	47.3	35.5	01:20 AM - 01:25 AM	34.9	34.6	09:20 AM - 09:25 AM	34.9	34.6	09:25 AM - 09:30 AM	34.9	34.6
08:05 PM - 08:10 PM	42.2	41.1	10:45 PM - 10:50 PM	41.4	35.3	01:25 AM - 01:30 AM	35.2	35.9	09:25 AM - 09:30 AM	35.2	35.9	09:30 AM - 09:35 AM	35.2	35.9
08:10 PM - 08:15 PM	51.9	40.8	10:50 PM - 10:55 PM	35.6	35.2	01:30 AM - 01:35 AM	34.4	35.2	09:30 AM - 09:35 AM	34.4	35.2	09:35 AM - 09:40 AM	34.4	35.2
08:15 PM - 08:20 PM	45.2	40.0	10:55 PM - 11:00 PM	36.4	35.8	01:35 AM - 01:40 AM	35.9	37.2	09:35 AM - 09:40 AM	35.9	37.2	09:40 AM - 09:45 AM	35.9	37.2
08:20 PM - 08:25 PM	45.4	40.6	11:00 PM - 11:05 PM	35.5	34.9	01:40 AM - 01:45 AM	33.0	32.8	09:40 AM - 09:45 AM	33.0	32.8	09:45 AM - 09:50 AM	33.0	32.8
08:25 PM - 08:30 PM	45.6	40.9	11:05 PM - 11:10 PM	36.7	34.8	01:45 AM - 01:50 AM	33.5	32.7	09:45 AM - 09:50 AM	33.5	32.7	09:50 AM - 09:55 AM	33.5	32.7
08:30 PM - 08:35 PM	46.0	40.2	11:10 PM - 11:15 PM	36.1	35.2	01:50 AM - 01:55 AM	32.8	31.4	09:50 AM - 09:55 AM	32.8	31.4	09:55 AM - 10:00 AM	32.8	31.4
08:35 PM - 08:40 PM	46.2	37.8	11:15 PM - 11:20 PM	38.1	36.2	01:55 AM - 02:00 AM	40.7	33.6	09:55 AM - 10:00 AM	40.7	33.6	10:00 AM - 10:05 AM	40.7	33.6
08:40 PM - 08:45 PM	41.9	37.2	11:20 PM - 11:25 PM	43.2	35.9	02:00 AM - 02:05 AM	41.4	31.8	10:00 AM - 10:05 AM	41.4	31.8	10:05 AM - 10:10 AM	41.4	31.8
08:45 PM - 08:50 PM	41.4	37.8	11:25 PM - 11:30 PM	44.1	34.9	02:05 AM - 02:10 AM	34.8	22.2	10:05 AM - 10:10 AM	34.8	22.2	10:10 AM - 10:15 AM	34.8	22.2
08:50 PM - 08:55 PM	42.8	40.2	11:30 PM - 11:35 PM	54.1	46.2	02:10 AM - 02:15 AM	35.1	34.4	10:10 AM - 10:15 AM	35.1	34.4	10:15 AM - 10:20 AM	35.1	34.4
08:55 PM - 09:00 PM	40.9	36.7	11:35 PM - 11:40 PM	40.9	35.4	02:15 AM - 02:20 AM	34.4	33.8	10:15 AM - 10:20 AM	34.4	33.8	10:20 AM - 10:25 AM	34.4	33.8
08:59 PM - 09:05 PM	46.3	38.7	11:40 PM - 11:45 PM	35.6	37.1	02:20 AM - 02:25 AM	32.6	31.5	10:20 AM - 10:25 AM	32.6	31.5	10:25 AM - 10:30 AM	32.6	31.5
09:03 PM - 09:10 PM	46.4	38.1	11:45 PM - 11:50 PM	34.5	32.7	02:25 AM - 02:30 AM	33.8	31.5	10:25 AM - 10:30 AM	33.8	31.5	10:30 AM - 10:35 PM	33.8	31.5
09:10 PM - 09:15 PM	39.5	37.1	11:50 PM - 11:55 PM	35.0	34.4	02:30 AM - 02:35 AM	35.1	33.8	10:30 AM - 10:35 PM	35.1	33.8	10:35 AM - 10:40 PM	35.1	33.8
09:15 PM - 09:20 PM	36.6	37.2	11:55 PM - 12:00 AM	35.8	35.1	02:35 AM - 02:40 AM	34.2	31.5	10:35 AM - 10:40 PM	34.2	31.5	10:40 AM - 10:45 AM	34.2	31.5
09:20 PM - 09:25 PM	36.5	35.5	12:00 AM - 12:05 AM	40.2	34.9	02:40 AM - 02:45 AM	35.4	33.8	10:40 AM - 10:45 AM	35.4	33.8	10:45 AM - 10:50 AM	35.4	33.8
09:25 PM - 09:30 PM	38.7	37.7	12:05 AM - 12:10 AM	34.5	32.9	02:45 AM - 02:50 AM	34.5	34.2	10:45 AM - 10:50 AM	34.5	34.2	10:50 AM - 10:55 AM	34.5	34.2
09:30 PM - 09:35 PM	38.7	37.7	12:10 AM - 12:15 AM	35.2	32.5	02:50 AM - 02:55 AM	33.8	32.5	10:50 AM - 10:55 AM	33.8	32.5	10:55 AM - 11:00 AM	33.8	32.5







## Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.  
204/115 26TH Fl. Itakhai Tower, New Petchburi Road, Bangkok, Huaywang, Bangkok Thailand 10310

Lot ID: 2349339  
Date Received : May 23, 2023  
Date Reported : May 25, 2023  
Report Number : 2662356-1

P/O :  
Project Name : Laemchabang  
Project Location :

Page 2 of 3

Sample Number : 2349339-26  
Parameter : Noise Level (Leq 5 min)  
Location : 104/115 26TH Fl. Itakhai Tower  
Measurement Date : May 18 - May 19, 2023  
Measurement by : Srivut Rungporn  
Sound Level meter : Serial No. 00472126

May 18, 2023	Leq	L90	May 18 - May 19, 2023	Leq	L90	May 19, 2023	Leq	L90
Time	#(A)	#(A)	Time	#(A)	#(A)	Time	#(A)	#(A)
07:00 PM - 07:05 PM	40.0	37.3	09:40 PM - 09:45 PM	39.1	38.4	12:30 AM - 12:35 AM	39.1	38.4
07:05 PM - 07:10 PM	40.8	37.6	09:45 PM - 09:50 PM	41.9	38.1	12:35 AM - 12:40 AM	38.5	37.2
07:10 PM - 07:15 PM	48.8	37.5	09:50 PM - 09:55 PM	38.0	36.7	12:40 AM - 12:45 AM	49.5	35.1
07:15 PM - 07:20 PM	41.5	37.8	09:55 PM - 10:00 PM	38.4	37.6	12:45 AM - 12:50 AM	46.8	37.3
07:20 PM - 07:25 PM	42.3	36.4	10:00 PM - 10:05 PM	40.3	37.0	12:50 AM - 12:55 AM	48.9	38.1
07:25 PM - 07:30 PM	39.9	37.6	10:05 PM - 10:10 PM	41.2	38.5	12:55 AM - 1:00 AM	46.5	37.0
07:30 PM - 07:35 PM	39.1	37.8	10:10 PM - 10:15 PM	39.9	37.7	1:00 AM - 1:05 AM	43.8	38.1
07:35 PM - 07:40 PM	39.8	37.6	10:15 PM - 10:20 PM	39.1	37.7	1:05 AM - 1:10 AM	43.8	37.4
07:40 PM - 07:45 PM	40.7	37.2	10:20 PM - 10:25 PM	39.1	37.6	1:10 AM - 1:15 AM	46.8	37.6
07:45 PM - 07:50 PM	40.8	37.9	10:25 PM - 10:30 PM	37.3	36.3	1:15 AM - 1:20 AM	46.5	37.1
07:50 PM - 07:55 PM	40.8	38.5	10:30 PM - 10:35 PM	37.3	35.8	1:20 AM - 1:25 AM	46.3	37.7
07:55 PM - 08:00 PM	45.5	39.5	10:35 PM - 10:40 PM	42.9	35.8	1:25 AM - 1:30 AM	45.7	37.6
08:00 PM - 08:05 PM	40.9	38.8	10:40 PM - 10:45 PM	37.1	35.8	1:30 AM - 1:35 AM	38.5	37.7
08:05 PM - 08:10 PM	39.3	37.0	10:45 PM - 10:50 PM	38.3	37.6	1:35 AM - 1:40 AM	39.3	38.5
08:10 PM - 08:15 PM	36.3	37.0	10:50 PM - 10:55 PM	38.0	36.9	1:40 AM - 1:45 AM	40.4	38.7
08:15 PM - 08:20 PM	44.9	38.1	10:55 PM - 11:00 PM	38.2	35.4	1:45 AM - 1:50 AM	39.6	38.2
08:20 PM - 08:25 PM	38.9	37.4	11:00 PM - 11:05 PM	42.6	39.3	1:50 AM - 1:55 AM	39.4	38.3
08:25 PM - 08:30 PM	39.9	37.8	11:05 PM - 11:10 PM	37.7	37.1	1:55 AM - 2:00 AM	38.6	37.2
08:30 PM - 08:35 PM	46.5	38.1	11:10 PM - 11:15 PM	29.0	37.2	2:00 AM - 2:05 AM	38.9	34.3
08:35 PM - 08:40 PM	39.7	37.6	11:15 PM - 11:20 PM	26.2	34.9	2:05 AM - 2:10 AM	48.8	34.4
08:40 PM - 08:45 PM	38.5	37.6	11:20 PM - 11:25 PM	37.0	35.9	2:10 AM - 2:15 AM	50.1	35.4
08:45 PM - 08:50 PM	51.4	37.3	11:25 PM - 11:30 PM	35.2	34.4	2:15 AM - 2:20 AM	46.1	35.3
08:50 PM - 08:55 PM	38.5	37.1	11:30 PM - 11:35 PM	37.6	36.6	2:20 AM - 2:25 AM	38.4	34.8
08:55 PM - 09:00 PM	46.5	37.4	11:35 PM - 11:40 PM	26.9	34.9	2:25 AM - 2:30 AM	38.5	34.8
09:00 PM - 09:05 PM	44.2	37.3	11:40 PM - 11:45 PM	46.4	35.8	2:30 AM - 2:35 AM	37.4	34.7
09:05 PM - 09:10 PM	38.7	36.7	11:45 PM - 11:50 PM	47.4	35.6	2:35 AM - 2:40 AM	37.3	34.8
09:10 PM - 09:15 PM	27.8	36.9	11:50 PM - 11:55 PM	37.3	35.8	2:40 AM - 2:45 AM	37.7	35.0
09:15 PM - 09:20 PM	27.3	35.9	11:55 PM - 12:00 AM	37.1	34.5	2:45 AM - 2:50 AM	38.1	34.5
09:20 PM - 09:25 PM	27.3	35.8	12:00 AM - 12:05 AM	38.8	36.3	2:50 AM - 2:55 AM	38.4	35.1
09:25 PM - 09:30 PM	36.8	37.8	12:05 AM - 12:10 AM	38.8	35.8	2:55 AM - 3:00 AM	38.5	34.4
09:30 PM - 09:35 PM	38.4	38.0	12:10 AM - 12:15 AM	29.2	38.0	3:00 AM - 3:05 AM	38.5	35.9
09:35 PM - 09:40 PM	46.1	37.3	12:15 AM - 12:20 AM	27.9	36.8	3:05 AM - 3:10 AM	38.7	35.7

"We warrant that the data and results of the measurements were obtained in accordance with the procedures and methods described in the report and that the data and results are accurate and reliable."

Approved by

Siravit Rungporn  
Assistant General Manager

Copyright © 2023 by ALS Global Co., Ltd. All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or by any information storage and retrieval system, without prior written permission from ALS Global Co., Ltd.

www.alsglobal.com

RIGHT SOLUTIONS (P) LTD. 2023



## Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.  
204/115 26TH Fl. Itakhai Tower, New Petchburi Road, Bangkok, Huaywang, Bangkok Thailand 10310

Lot ID: 2349339  
Date Received : May 23, 2023  
Date Reported : May 25, 2023  
Report Number : 2662356-1

P/O :  
Project Name : Laemchabang  
Project Location :

Page 3 of 3

Sample Number : 2349339-26  
Parameter : Noise Level (Leq 5 min)  
Location : 104/115 26TH Fl. Itakhai Tower  
Measurement Date : May 18 - May 19, 2023  
Measurement by : Srivut Rungporn  
Sound Level meter : Serial No. 00472126

May 19, 2023	Leq	L90	May 19 - May 20, 2023	Leq	L90	May 20, 2023	Leq	L90
Time	#(A)	#(A)	Time	#(A)	#(A)	Time	#(A)	#(A)
03:00 AM - 03:05 AM	35.5	35.3	05:40 AM - 05:45 AM	41.8	36.3	08:20 AM - 08:25 AM	42.7	38.4
03:05 AM - 03:10 AM	45.5	22.6	05:45 AM - 05:50 AM	41.7	36.2	08:25 AM - 08:30 AM	43.4	38.2
03:10 AM - 03:15 AM	51.1	38.4	05:50 AM - 05:55 AM	42.1	35.4	08:30 AM - 08:35 AM	48.4	37.4
03:15 AM - 03:20 AM	46.7	34.3	05:55 AM - 06:00 AM	46.0	38.1	08:35 AM - 08:40 AM	53.0	46.3
03:20 AM - 03:25 AM	42.4	31.3	06:00 AM - 06:05 AM	39.6	35.2	08:40 AM - 08:45 AM	52.3	44.5
03:25 AM - 03:30 AM	34.2	31.4	06:05 AM - 06:10 AM	42.6	36.3	08:45 AM - 08:50 AM	51.7	39.4
03:30 AM - 03:35 AM	36.4	23.6	06:10 AM - 06:15 AM	47.6	37.6	08:50 AM - 08:55 AM	44.5	37.0
03:35 AM - 03:40 AM	35.4	32.3	06:15 AM - 06:20 AM	44.3	36.4	08:55 AM - 09:00 AM	45.4	35.9
03:40 AM - 03:45 AM	32.1	34.9	06:20 AM - 06:25 AM	46.8	38.6	09:00 AM - 09:05 AM	46.2	34.7
03:45 AM - 03:50 AM	39.5	36.8	06:25 AM - 06:30 AM	52.9	38.2	09:05 AM - 09:10 AM	43.4	38.7
03:50 AM - 03:55 AM	38.0	32.4	06:30 AM - 06:35 AM	44.1	37.4	09:10 AM - 09:15 AM	42.2	38.2
03:55 AM - 04:00 AM	48.8	24.5	06:35 AM - 06:40 AM	45.9	38.2	09:15 AM - 09:20 AM	46.6	38.9
04:00 AM - 04:05 AM	34.8	33.8	06:40 AM - 06:45 AM	40.9	36.5	09:20 AM - 09:25 AM	41.0	36.2
04:05 AM - 04:10 AM	38.2	34.9	06:45 AM - 06:50 AM	46.6	37.8	09:25 AM - 09:30 AM	50.4	41.1
04:10 AM - 04:15 AM	45.9	35.2	06:50 AM - 06:55 AM	40.6	35.9	09:30 AM - 09:35 AM	46.5	36.5
04:15 AM - 04:20 AM	42.6	36.3	06:55 AM - 07:00 AM	41.2	34.6	09:35 AM - 09:40 AM	42.8	34.2
04:20 AM - 04:25 AM	37.0	33.8	07:00 AM - 07:05 AM	43.6	38.9	09:40 AM - 09:45 AM	41.3	35.2
04:25 AM - 04:30 AM	44.1	32.2	07:05 AM - 07:10 AM	42.5	36.9	09:45 AM - 09:50 AM	45.4	37.2
04:30 AM - 04:35 AM	41.6	32.1	07:10 AM - 07:15 AM	40.7	35.9	09:50 AM - 09:55 AM	45.8	38.1
04:35 AM - 04:40 AM	44.2	36.8	07:15 AM - 07:20 AM	43.8	37.7	09:55 AM - 10:00 AM	45.8	36.9
04:40 AM - 04:45 AM	46.9	39.1	07:20 AM - 07:25 AM	44.9	39.1	10:00 AM - 10:05 AM	45.4	37.9
04:45 AM - 04:50 AM	52.4	49.9	07:25 AM - 07:30 AM	44.7	40.2	10:05 AM - 10:10 AM	45.3	38.6
04:50 AM - 04:55 AM	54.2	52.9	07:30 AM - 07:35 AM	42.0	38.5	10:10 AM - 10:15 AM	40.4	35.2
04:55 AM - 05:00 AM	46.3	37.7	07:35 AM - 07:40 AM	46.7	38.7	10:15 AM - 10:20 AM	40.1	38.2
05:00 AM - 05:05 AM	44.8	37.8	07:40 AM - 07:45 AM	46.7	40.2	10:20 AM - 10:25 AM	44.3	32.8
05:05 AM - 05:10 AM	47.9	37.1	07:45 AM - 07:50 AM	49.3	37.5	10:25 AM - 10:30 AM	42.9	34.5
05:10 AM - 05:15 AM	42.6	36.8	07:50 AM - 07:55 AM	45.8	39.0	10:30 AM - 10:35 AM	44.1	36.7
05:15 AM - 05:20 AM	43.5	36.4	07:55 AM - 08:00 AM	43.4	35.7	10:35 AM - 10:40 AM	45.2	36.5
05:20 AM - 05:25 AM	42.9	37.1	08:00 AM - 08:05 AM	43.8	37.3	10:40 AM - 10:45 AM	42.3	36.4
05:25 AM - 05:30 AM	42.7	36.3	08:05 AM - 08:10 AM	44.0	39.0	10:45 AM - 10:50 AM	50.5	39.7
05:30 AM - 05:35 AM	41.4	36.1	08:10 AM - 08:15 AM	41.9	37.8	10:50 AM - 10:55 AM	52.5	33.3
05:35 AM - 05:40 AM	42.2	35.9	08:15 AM - 08:20 AM	43.9	36.9	10:55 AM - 11:00 AM	47.8	38.8

"We warrant that the data and results of the measurements were obtained in accordance with the procedures and methods described in the report and that the data and results are accurate and reliable."

Approved by

Siravit Rungporn  
Assistant General Manager

Copyright © 2023 by ALS Global Co., Ltd. All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or by any information storage and retrieval system, without prior written permission from ALS Global Co., Ltd.

www.alsglobal.com

RIGHT SOLUTIONS (P) LTD. 2023



## Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.  
204/115 26TH Fl. Itakhai Tower, New Petchburi Road, Bangkok, Huaywang, Bangkok Thailand 10310

Lot ID: 2349339  
Date Received : May 23, 2023  
Date Reported : May 25, 2023  
Report Number : 2662357-1

P/O :  
Project Name : Laemchabang  
Project Location :

Page 3 of 3

Sample Number : 2349339-27  
Parameter : Noise Level (Leq 5 min)  
Location : 104/115 26TH Fl. Itakhai Tower  
Measurement Date : May 19 - May 20, 2023  
Measurement by : Srivut Rungporn  
Sound Level meter : Serial No. 00472126

May 19, 2023			May 19, 2023			May 19, 2023		
Time	Leq	L90	Time	Leq	L90	Time	Leq	L90
	#(A)	#(A)		#(A)	#(A)		#(A)	#(A)
11:00 AM - 11:05 AM	42.1	38.3	01:40 PM - 01:45 PM	41.3	36.8	04:20 PM - 04:25 PM	50.7	45.1
11:05 AM - 11:10 AM	44.2	37.2	01:45 PM - 01:50 PM	48.9	38.5	04:25 PM - 04:30 PM	45.8	44.9
11:10 AM - 11:15 AM	43.7	38.7	01:50 PM - 01:55 PM	53.1	51.0	04:30 PM - 04:35 PM	52.9	44.9
11:15 AM - 11:20 AM	41.5	38.6	01:55 PM - 02:00 PM	50.9	46.7	04:35 PM - 04:40 PM	55.3	48.4
11:20 AM - 11:25 AM	42.9	38.6	02:00 PM - 02:05 PM	45.6	41.2	04:40 PM - 04:45 PM	46.5	44.4
11:25 AM - 11:30 AM	44.2	41.4	02:05 PM - 02:10 PM	42.3	36.8	04:45 PM - 04:50 PM	51.4	46.7
11:30 AM - 11:35 AM	44.1	35.5	02:10 PM - 02:15 PM	41.0	34.3	04:50 PM - 04:55 PM	48.2	46.2
11:35 AM - 11:40 AM	40.9	36.6	02:15 PM - 02:20 PM	45.0	32.6	04:55 PM - 05:00 PM	48.2	45.8
11:40 AM - 11:45 AM	42.1	34.5	02:20 PM - 02:25 PM	42.5	32.4	05:00 PM - 05:05 PM	44.6	35.2
11:45 AM - 11:50 AM	38.4	33.2	02:25 PM - 02:30 PM	40.9	32.2	05:05 PM - 05:10 PM	42.2	34.7
11:50 AM - 11:55 AM	46.3	37.6	02:30 PM - 02:35 PM	56.5	44.1	05:10 PM - 05:15 PM	46.5	35.4
11:55 AM - 12:00 PM	46.2	37.6	02:35 PM - 02:40 PM	56.7	52.8	05:15 PM - 05:20 PM	52.8	36.5
12:00 PM - 12:05 PM	44.6	40.8	02:40 PM - 02:45 PM	54.7	48.0	05:20 PM - 05:25 PM	48.3	33.0
12:05 PM - 12:10 PM	41.8	40.6	02:45 PM - 02:50 PM	58.0	49.7	05:25 PM - 05:30 PM	45.9	35.5
12:10 PM - 12:15 PM	42.8	40.5	02:50 PM - 02:55 PM	58.5	57.5	05:30 PM - 05:35 PM	52.0	36.1
12:15 PM - 12:20 PM	42.8	37.5	02:55 PM - 03:00 PM	57.5	56.7	05:35 PM - 05:40 PM	49.3	36.4
12:20 PM - 12:25 PM	42.2	35.8	03:00 PM - 03:05 PM	57.3	56.3	05:40 PM - 05:45 PM	52.5	38.5
12:25 PM - 12:30 PM	46.1	37.9	03:05 PM - 03:10 PM	57.2	56.3	05:45 PM - 05:50 PM	44.2	34.8
12:30 PM - 12:35 PM	52.2	53.2	03:10 PM - 03:15 PM	57.6	56.7	05:50 PM - 05:55 PM	50.5	51.2
12:35 PM - 12:40 PM	50.7	42.5	03:15 PM - 03:20 PM	57.2	56.4	05:55 PM - 06:00 PM	52.7	50.7
12:40 PM - 12:45 PM	43.8	40.7	03:20 PM - 03:25 PM	56.4	47.8	06:00 PM - 06:05 PM	45.4	34.2
12:45 PM - 12:50 PM	44.2	4	03:25 PM - 03:30 PM	53.1	48.4	06:05 PM - 06:10 PM	45.4	34.2
12:50 PM - 12:55 PM	43.2	40.1	03:30 PM - 03:35 PM	48.3	45.7	06:10 PM - 06:15 PM	43.2	33.6
12:55 PM - 01:00 PM	42.4	38.0	03:35 PM - 03:40 PM	53.5	44.8	06:15 PM - 06:20 PM	51.1	35.1
01:00 PM - 01:05 PM	42.1	4	03:40 PM - 03:45 PM	46.2	46.2	06:20 PM - 06:25 PM	83.6	24.9
01:05 PM - 01:10 PM	44.6	34.2	03:45 PM - 03:50 PM	47.2	46.7	06:25 PM - 06:30 PM	41.1	35.8
01:10 PM - 01:15 PM	44.8	34.3	03:50 PM - 03:55 PM	51.9	45.4	06:30 PM - 06:35 PM	44.0	29.7
01:15 PM - 01:20 PM	42.8	35.6	03:55 PM - 04:00 PM	49.8	43.2	06:35 PM - 06:40 PM	45.4	43.1
01:20 PM - 01:25 PM	41.5	35.2	04:00 PM - 04:05 PM	54.4	52.6	06:40 PM - 06:45 PM	45.5	41.4
01:25 PM - 01:30 PM	41.5	34.8	04:05 PM - 04:10 PM	54.2	52.8	06:45 PM - 06:50 PM	51.4	39.8
01:30 PM - 01:35 PM	41.1	34.4	04:10 PM - 04:15 PM	53.0	45.1	06:50 PM - 06:55 PM	51.4	39.8
01:35 PM - 01:40 PM	44.4	37.6	04:15 PM - 04:20 PM	47.7	45.2	06:55 PM - 07:00 PM	44.2	29.9

## Analysis / Test Report

**Client** : Rojana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Ilaikhai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok Thailand 10310

Lot ID: 2349339  
Date Received: May 23, 2023  
Date Reported: May 25, 2023  
Report Number: 2662357-1

P/O :  
Project Name : Liernchabang  
Project Location :

Sample Number	2349339-27
Parameter	Noise Level (Leq 5 min)
Location	N4 : สี่แยกปากซอยเทศบาลตำบล 5
Measurement Date	May 19 - May 20, 2023
Measurement by	Sirivut Ruangsom
Sound Level meter	Serial No. 00472126

May 20, 2023			May 20, 2023			May 20, 2023			May 20, 2023		
Time	Lsg dB(A)	L90 dB(A)	Time	Lsg dB(A)	L90 dB(A)	Time	Lsg dB(A)	L90 dB(A)	Time	Lsg dB(A)	L90 dB(A)
03:00 AM - 03:15 AM	34.4	30.7	05:40 AM - 05:45 AM	43.2	36.3	08:20 AM - 08:25 AM	44.1	32.2	11:05 AM - 11:10 AM	44.1	31.2
03:15 AM - 03:30 AM	33.6		05:45 AM - 05:50 AM	43.4	36.1	08:25 AM - 08:30 AM	44.1	31.7	11:10 AM - 11:15 AM	44.1	31.7
03:30 AM - 03:45 AM	34.0	31.1	05:50 AM - 05:55 AM	43.4	36.1	08:30 AM - 08:35 AM	44.2	31.7	11:15 AM - 11:20 AM	44.2	31.7
03:45 AM - 04:00 AM	34.1	32.8	05:55 AM - 06:00 AM	46.1	35.8	08:35 AM - 08:40 AM	44.8	37.4	11:20 AM - 11:25 AM	44.8	37.4
04:00 AM - 04:15 AM	35.1	33.8	06:00 AM - 06:05 AM	42.0	35.8	08:40 AM - 08:45 AM	46.5	34.4	11:25 AM - 11:30 AM	46.5	34.4
04:15 AM - 04:30 AM	34.1	33.2	06:05 AM - 06:10 AM	43.8	35.8	08:45 AM - 08:50 AM	39.5	34.4	11:30 AM - 11:35 AM	39.5	34.4
04:30 AM - 04:45 AM	33.6	33.0	06:10 AM - 06:15 AM	44.9	34.9	08:50 AM - 08:55 AM	44.5	34.5	11:35 AM - 11:40 AM	44.5	34.5
04:45 AM - 05:00 AM	33.0	32.2	06:15 AM - 06:20 AM	43.2	35.2	08:55 AM - 09:00 AM	42.8	32.2	11:40 AM - 11:45 AM	42.8	32.2
05:00 AM - 05:15 AM	33.6	32.6	06:20 AM - 06:25 AM	40.1	35.1	09:00 AM - 09:05 AM	46.0	42.5	11:45 AM - 11:50 AM	46.0	42.5
05:15 AM - 05:30 AM	34.2	32.9	06:25 AM - 06:30 AM	43.5	33.2	09:05 AM - 09:10 AM	46.3	45.8	11:50 AM - 11:55 AM	46.3	45.8
05:30 AM - 05:45 AM	39.7	28.9	06:30 AM - 06:35 AM	43.9	33.9	09:10 AM - 09:15 AM	47.7	45.8	11:55 AM - 12:00 AM	47.7	45.8
05:45 AM - 06:00 AM	35.0	32.2	06:35 AM - 06:40 AM	39.3	34.9	09:15 AM - 09:20 AM	45.5	35.5	12:00 AM - 12:05 AM	45.5	35.5
06:00 AM - 06:15 AM	41.1	41.1	06:40 AM - 06:45 AM	43.9	35.9	09:20 AM - 09:25 AM	45.5	35.5	12:05 AM - 12:10 AM	45.5	35.5
06:15 AM - 06:30 AM	34.2	32.9	06:45 AM - 06:50 AM	42.1	34.4	09:25 AM - 09:30 AM	48.2	46.2	12:10 AM - 12:15 AM	48.2	46.2
06:30 AM - 06:45 AM	34.4	32.8	06:50 AM - 06:55 AM	44.4	34.4	09:30 AM - 09:35 AM	46.4	35.1	12:15 AM - 12:20 AM	46.4	35.1
06:45 AM - 07:00 AM	34.6	33.0	06:55 AM - 07:00 AM	49.9	35.8	09:35 AM - 09:40 AM	48.9	35.0	12:20 AM - 12:25 AM	48.9	35.0
07:00 AM - 07:15 AM	46.2	33.8	07:00 AM - 07:05 AM	46.6	34.4	09:40 AM - 09:45 AM	48.9	37.3	12:25 AM - 12:30 AM	48.9	37.3
07:15 AM - 07:30 AM	50.0	34.4	07:05 AM - 07:10 AM	43.9	34.9	09:45 AM - 09:50 AM	47.3	37.3	12:30 AM - 12:35 AM	47.3	37.3
07:30 AM - 07:45 AM	47.3	33.9	07:10 AM - 07:15 AM	50.2	32.2	09:50 AM - 09:55 AM	55.6	50.2	12:35 AM - 12:40 AM	55.6	50.2
07:45 AM - 08:00 AM	40.1	34.6	07:15 AM - 07:20 AM	55.8	52.2	09:55 AM - 10:00 AM	54.7	48.4	12:40 AM - 12:45 AM	54.7	48.4
08:00 AM - 08:15 AM	53.0	40.5	07:20 AM - 07:25 AM	56.2	34.9	10:00 AM - 10:05 AM	40.5	34.1	12:45 AM - 12:50 AM	40.5	34.1
08:15 AM - 08:30 AM	53.4	54.8	07:25 AM - 07:30 AM	55.5	34.7	10:05 AM - 10:10 AM	57.0	55.5	12:50 AM - 12:55 AM	57.0	55.5
08:30 AM - 08:45 AM	54.8	52.7	07:30 AM - 07:35 AM	56.6	34.7	10:10 AM - 10:15 AM	47.4	34.2	12:55 AM - 01:00 AM	47.4	34.2
08:45 AM - 09:00 AM	53.2		07:35 AM - 07:40 AM	52.2	34.4	10:15 AM - 10:20 AM	47.4	34.2			
09:00 AM - 09:15 AM	49.3	38.1	07:40 AM - 07:45 AM	52.8	40.6	10:20 AM - 10:25 AM	41.4	37.2			
09:15 AM - 09:30 AM	45.3	36.2	07:45 AM - 07:50 AM	42.7	36.9	10:25 AM - 10:30 AM	39.7	33.2			
09:30 AM - 09:45 AM	44.7	39.4	07:50 AM - 07:55 AM	39.0	22.8	10:30 AM - 10:35 AM	37.8	32.2			
09:45 AM - 09:52 AM	45.9	46.9	07:55 AM - 08:00 AM	48.4	23.1	10:35 AM - 10:40 AM	40.4	32.8			
09:52 AM - 09:57 AM	46.1	46.1	08:00 AM - 08:05 AM	43.9	31.7	10:40 AM - 10:45 AM	40.4	31.1			
09:57 AM - 10:02 AM	45.9	39.7	08:05 AM - 08:10 AM	41.6	32.1	10:45 AM - 10:50 AM	41.8	38.0			
10:02 AM - 10:07 AM	44.6	36.9	08:10 AM - 08:15 AM	40.1	24.1	10:50 AM - 10:55 AM	44.9	35.9			
10:07 AM - 10:12 AM	43.2	36.3	08:15 AM - 08:20 AM	43.0	41.2	10:55 AM - 11:00 AM	41.2	33.2			

Approved by \_\_\_\_\_

Sarayuth ทรายอูถ  
Assistant General Manager

© BUREAU 304 Phatthanasarn 40 Phatthanasarn Rd., Chueang Phatthanasarn, 5541 Suk Ssang, Bangkok 10151 Thailand (Thailand) 662 2780 8008 / 11-888 0 2780 8197  
 HONGKONG 852 2500 0000 / 2500 0001 (China) 86 21 632 00000 (Singapore)  
 100% AUTHENTICATED **www.absglobal.com**  
 RIGHT SOLUTIONS FOR ALL YOUR NEEDS



## Analysis / Test Report

**Client:** Rajana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Sathai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

Let ID: 2349339  
Date Received: May 23, 2023  
Date Reported: May 25, 2023  
Report Number: 2662358-1

P/O :  
Project Name : Laemchabang  
Project Location :

Sample Number	2349339-28
Parameter	Noise Level (Eq 5 min)
Location	HA : กรุงเทพมหานคร
Measurement Date	May 20 - May 21, 2023
Measurement by	Srinak Ruangsom
Sound Level meter	Serial No. 00472126

May 20, 2023			May 20, 2023			May 20, 2023			May 20, 2023		
Time	L90 dB(A)	L90 dB(C)	Time	L90 dB(A)	L90 dB(C)	Time	L90 dB(A)	L90 dB(C)	Time	L90 dB(A)	L90 dB(C)
11:00 AM - 11:05 AM	42.7	35.0	01:40 PM - 01:45 PM	40.2	33.2	04:20 PM - 04:25 PM	44.0	31.4			
11:05 AM - 11:10 AM	42.8	35.1	01:45 PM - 01:50 PM	40.1	33.5	04:25 PM - 04:30 PM	43.8	31.3			
11:10 AM - 11:15 AM	42.2	35.3	01:50 PM - 01:55 PM	40.7	32.7	04:30 PM - 04:35 PM	44.5	31.0			
11:15 AM - 11:20 AM	42.4	35.9	01:55 PM - 02:00 PM	39.3	32.7	04:35 PM - 04:40 PM	39.0	31.3			
11:20 AM - 11:25 AM	39.8	35.7	02:00 PM - 02:05 PM	38.0	32.2	04:40 PM - 04:45 PM	37.2	32.1			
11:25 AM - 11:30 AM	46.6	38.8	02:05 PM - 02:10 PM	41.5	30.7	04:45 PM - 04:50 PM	44.0	32.6			
11:30 AM - 11:35 AM	46.7	38.5	02:10 PM - 02:15 PM	40.0	31.6	04:50 PM - 04:55 PM	41.9	32.3			
11:35 AM - 11:40 AM	46.2	39.5	02:15 PM - 02:20 PM	42.2	32.0	04:55 PM - 05:00 PM	42.4	37.4			
11:40 AM - 11:45 AM	52.8	49.5	02:20 PM - 02:25 PM	42.8	31.3	05:00 PM - 05:05 PM	53.7	38.4			
11:45 AM - 11:50 AM	53.5	52.5	02:25 PM - 02:30 PM	36.5	30.7	05:05 PM - 05:10 PM	39.9	32.2			
11:50 AM - 11:55 AM	51.3	51.6	02:30 PM - 02:35 PM	38.9	31.6	05:10 PM - 05:15 PM	41.6	32.2			
11:55 AM - 12:00 PM	51.8	49.5	02:35 PM - 02:40 PM	38.8	33.7	05:15 PM - 05:20 PM	46.1	32.3			
12:00 PM - 12:05 PM	54.2	51.2	02:40 PM - 02:45 PM	41.2	32.7	05:20 PM - 05:25 PM	47.3	32.3			
12:05 PM - 12:10 PM	54.4	51.8	02:45 PM - 02:50 PM	39.2	32.0	05:25 PM - 05:30 PM	39.7	34.2			
12:10 PM - 12:15 PM	60.9	51.4	02:50 PM - 02:55 PM	40.6	33.7	05:30 PM - 05:35 PM	46.7	35.4			
12:15 PM - 12:20 PM	57.8	56.0	02:55 PM - 03:00 PM	42.7	33.3	05:35 PM - 05:40 PM	39.5	34.4			
12:20 PM - 12:25 PM	56.6	54.4	03:00 PM - 03:05 PM	39.4	30.2	05:40 PM - 05:45 PM	48.8	34.9			
12:25 PM - 12:30 PM	55.8	53.2	03:05 PM - 03:10 PM	39.1	30.7	05:45 PM - 05:50 PM	42.1	33.6			
12:30 PM - 12:35 PM	55.1	52.1	03:10 PM - 03:15 PM	45.5	39.2	05:50 PM - 05:55 PM	54.7	52.4			
12:35 PM - 12:40 PM	52.4	52.3	03:15 PM - 03:20 PM	37.3	33.8	05:55 PM - 06:00 PM	53.1	43.9			
12:40 PM - 12:45 PM	51.0	42.7	03:20 PM - 03:25 PM	41.6	31.5	06:00 PM - 06:05 PM	42.1	38.1			
12:45 PM - 12:50 PM	51.3	47.8	03:25 PM - 03:30 PM	44.0	34.7	06:05 PM - 06:10 PM	42.3	38.9			
12:50 PM - 12:55 PM	54.1	50.9	03:30 PM - 03:35 PM	54.3	46.3	06:10 PM - 06:15 PM	46.8	40.1			
12:55 PM - 01:00 PM	53.1	49.5	03:35 PM - 03:40 PM	46.8	35.1	06:15 PM - 06:20 PM	45.5	37.0			
01:00 PM - 01:05 PM	50.4	50.9	03:40 PM - 03:45 PM	43.9	34.1	06:20 PM - 06:25 PM	53.5	37.9			
01:05 PM - 01:10 PM	50.5	48.3	03:45 PM - 03:50 PM	41.0	34.8	06:25 PM - 06:30 PM	46.1	36.0			
01:10 PM - 01:15 PM	50.8	48.4	03:50 PM - 03:55 PM	43.1	34.4	06:30 PM - 06:35 PM	42.8	40.9			
01:15 PM - 01:20 PM	50.5	48.7	03:55 PM - 04:00 PM	43.4	32.8	06:35 PM - 06:40 PM	44.1	42.0			
01:20 PM - 01:25 PM	50.0	48.2	04:00 PM - 04:05 PM	43.0	34.8	06:40 PM - 06:45 PM	41.6	41.6			
01:25 PM - 01:30 PM	52.5	48.6	04:05 PM - 04:10 PM	48.8	35.6	06:45 PM - 06:50 PM	44.4	42.9			
01:30 PM - 01:35 PM	48.1	37.4	04:10 PM - 04:15 PM	49.3	32.4	06:50 PM - 06:55 PM	46.5	42.1			
01:35 PM - 01:40 PM	40.4	26.0	04:15 PM - 04:20 PM	46.6	32.2	06:55 PM - 07:00 PM	51.0	42.5			

Approved by \_\_\_\_\_

Sirayuth Jitranont  
Assistant General Manager

**ALSGLOBE** 104 Phatthanajai Rd. Phatthanajai Rd., Khwaeng Phatthanajai, Khet Suan Yung, Bangkok 10300 Thailand TEL: +66 2790 8000 FAX: +66 2790 3197  
AUS 24SOLUTIONS GROUP (THAILAND) LTD. AKAJEE Limited Company  
[www.alsglobal.com](http://www.alsglobal.com)  
**RIGHT SOLUTIONS** PEOPLE AT THE RIGHT PLACE AND TIME



## Analysis / Test Report

**Client** : Rojana Industrial Park Public Co., Ltd.  
303/145 PETHA E, BANGKOK TOWN, NEW BETHAKHUN ROAD, BANPHU, MUANGKANG, BANPHU THAIKAT 10511

Lot ID: 2349339  
Date Received: May 23, 202  
Date Reported: May 25, 202  
Report Number: 2662358-1

P/O :  
Project Name : Lamuhabang  
Project Location :

Sample Number	2340339-28
Parameter	Noise Level (Leq 5 min)
Location	M4 : ขุนพลพลาซ่า/คลองจั่น/เขต 5
Measurement Date	May 20 - May 21, 2023
Measurement by	Sirwit Kuangsom
Sound Level meter	Serial No. 00472126

May 20, 2023		L90		May 20 - May 21, 2023		L90		May 21, 2023		L90		
Time	Leq dB(A)	Time	Leq dB(A)	Time	Leq dB(A)	Time	Leq dB(A)	Time	Leq dB(A)	Time	Leq dB(A)	
07:00 PM - 07:05 PM	55.0	07:05 PM - 07:10 PM	53.0	08:40 PM - 09:45 PM	39.1	07:12	12:20 AM - 12:25 AM	37.7	07:15	12:25 AM - 12:30 AM	36.7	
07:10 PM - 07:15 PM	54.1	09:45 PM - 09:50 PM	39.5	07:17	12:30 AM - 12:35 AM	36.7	07:18	12:35 AM - 12:40 AM	36.7	07:20	12:40 AM - 12:45 AM	36.0
07:15 PM - 07:20 PM	42.1	09:50 PM - 09:55 PM	37.7	07:19	12:45 AM - 12:50 AM	36.7	07:22	12:50 AM - 12:55 AM	36.7	07:25	12:55 AM - 01:00 AM	35.7
07:20 PM - 07:25 PM	42.8	10:00 PM - 10:05 PM	38.8	07:21	12:55 AM - 01:00 AM	36.7	07:24	01:00 AM - 01:05 AM	36.7	07:28	01:05 AM - 01:10 AM	36.0
07:25 PM - 07:30 PM	44.6	10:05 PM - 10:10 PM	38.2	07:23	01:00 AM - 01:05 AM	36.7	07:30	01:05 AM - 01:10 AM	36.7	07:32	01:10 AM - 01:15 AM	36.7
07:30 PM - 07:35 PM	43.8	10:10 PM - 10:15 PM	38.4	07:27	01:05 AM - 01:10 AM	36.7	07:34	01:10 AM - 01:15 AM	36.7	07:36	01:15 AM - 01:20 AM	36.0
07:35 PM - 07:40 PM	42.1	10:15 PM - 10:20 PM	38.4	07:29	01:10 AM - 01:15 AM	36.7	07:36	01:15 AM - 01:20 AM	36.7	07:38	01:20 AM - 01:25 AM	36.0
07:40 PM - 07:45 PM	42.2	10:20 PM - 10:25 PM	38.4	07:31	01:15 AM - 01:20 AM	36.7	07:38	01:20 AM - 01:25 AM	36.7	07:40	01:25 AM - 01:30 AM	36.0
07:45 PM - 07:50 PM	42.8	10:25 PM - 10:30 PM	38.3	07:33	01:20 AM - 01:25 AM	36.7	07:42	01:25 AM - 01:30 AM	36.7	07:44	01:30 AM - 01:35 AM	36.0
07:50 PM - 07:55 PM	41.7	10:30 PM - 10:35 PM	38.0	07:35	01:25 AM - 01:30 AM	36.7	07:46	01:30 AM - 01:35 AM	36.7	07:48	01:35 AM - 01:40 AM	36.0
07:55 PM - 08:00 PM	41.4	10:35 PM - 10:40 PM	44.6	07:37	01:30 AM - 01:35 AM	36.7	07:50	01:35 AM - 01:40 AM	36.7	07:52	01:40 AM - 01:45 AM	36.0
08:00 PM - 08:05 PM	42.8	10:40 PM - 10:45 PM	40.6	07:39	01:35 AM - 01:40 AM	36.7	07:52	01:40 AM - 01:45 AM	36.7	07:54	01:45 AM - 01:50 AM	36.0
08:05 PM - 08:10 PM	42.0	10:45 PM - 10:50 PM	39.1	07:41	01:40 AM - 01:45 AM	36.7	07:54	01:45 AM - 01:50 AM	36.7	07:56	01:50 AM - 01:55 AM	36.0
08:10 PM - 08:15 PM	44.1	10:50 PM - 10:55 PM	40.6	07:43	01:45 AM - 01:50 AM	36.7	07:56	01:50 AM - 01:55 AM	36.7	07:58	01:55 AM - 02:00 AM	36.0
08:15 PM - 08:20 PM	42.7	10:55 PM - 11:00 PM	40.3	07:45	01:50 AM - 01:55 AM	36.7	07:58	01:55 AM - 02:00 AM	36.7	08:00	02:00 AM - 02:05 AM	36.0
08:20 PM - 08:25 PM	41.4	11:00 PM - 11:05 PM	41.4	07:47	01:55 AM - 02:00 AM	36.7	08:02	02:00 AM - 02:05 AM	36.7	08:04	02:05 AM - 02:10 AM	36.0
08:25 PM - 08:30 PM	41.6	11:05 PM - 11:10 PM	39.7	07:49	02:00 AM - 02:05 AM	36.7	08:04	02:05 AM - 02:10 AM	36.7	08:06	02:10 AM - 02:15 AM	36.0
08:30 PM - 08:35 PM	41.1	11:10 PM - 11:15 PM	39.8	07:51	02:05 AM - 02:10 AM	36.7	08:06	02:10 AM - 02:15 AM	36.7	08:08	02:15 AM - 02:20 AM	36.0
08:35 PM - 08:40 PM	41.1	11:15 PM - 11:20 PM	39.7	07:53	02:10 AM - 02:15 AM	36.7	08:08	02:15 AM - 02:20 AM	36.7	08:10	02:20 AM - 02:25 AM	36.0
08:40 PM - 08:45 PM	41.1	11:20 PM - 11:25 PM	37.2	07:55	02:15 AM - 02:20 AM	36.7	08:10	02:20 AM - 02:25 AM	36.7	08:12	02:25 AM - 02:30 AM	36.0
08:45 PM - 08:50 PM	41.0	11:25 PM - 11:30 PM	37.2	07:57	02:20 AM - 02:25 AM	36.7	08:12	02:25 AM - 02:30 AM	36.7	08:14	02:30 AM - 02:35 AM	36.0
08:50 PM - 08:55 PM	41.5	11:30 PM - 11:35 PM	37.4	07:59	02:25 AM - 02:30 AM	36.7	08:14	02:30 AM - 02:35 AM	36.7	08:16	02:35 AM - 02:40 AM	36.0
08:55 PM - 09:00 PM	41.3	11:35 PM - 11:40 PM	35.9	08:01	02:30 AM - 02:35 AM	36.7	08:16	02:35 AM - 02:40 AM	36.7	08:18	02:40 AM - 02:45 AM	36.0
09:00 PM - 09:05 PM	41.4	11:40 PM - 11:45 PM	37.4	08:03	02:35 AM - 02:40 AM	36.7	08:18	02:40 AM - 02:45 AM	36.7	08:20	02:45 AM - 02:50 AM	36.0
09:05 PM - 09:10 PM	38.0	11:45 PM - 11:50 PM	37.8	08:05	02:40 AM - 02:45 AM	36.7	08:20	02:45 AM - 02:50 AM	36.7	08:22	02:50 AM - 02:55 AM	36.0
09:10 PM - 09:15 PM	38.3	11:50 PM - 11:55 PM	38.7	08:07	02:45 AM - 02:50 AM	36.7	08:22	02:50 AM - 02:55 AM	36.7	08:24	02:55 AM - 03:00 AM	36.0
09:15 PM - 09:20 PM	38.4	11:55 PM - 12:00 AM	38.0	08:09	02:50 AM - 02:55 AM	36.7	08:24	02:55 AM - 03:00 AM	36.7	08:26	03:00 AM - 03:05 AM	36.0
09:20 PM - 09:25 PM	38.5	12:00 AM - 12:05 AM	41.4	08:11	02:55 AM - 03:00 AM	36.7	08:26	03:00 AM - 03:05 AM	36.7	08:28	03:05 AM - 03:10 AM	36.0
09:25 PM - 09:30 PM	38.4	12:05 AM - 12:10 AM	39.9	08:13	03:00 AM - 03:05 AM	36.7	08:28	03:05 AM - 03:10 AM	36.7	08:30	03:10 AM - 03:15 AM	36.0
09:30 PM - 09:35 PM	38.5	12:10 AM - 12:15 AM	39.9	08:15	03:05 AM - 03:10 AM	36.7	08:30	03:10 AM - 03:15 AM	36.7	08:32	03:15 AM - 03:20 AM	36.0
09:35 PM - 09:40 PM	38.6	12:15 AM - 12:20 AM	36.0	08:17	03:10 AM - 03:15 AM	36.7	08:32	03:15 AM - 03:20 AM	36.7	08:34	03:20 AM - 03:25 AM	36.0
09:40 PM - 09:45 PM	38.4	12:20 AM - 12:25 AM	36.0	08:19	03:15 AM - 03:20 AM	36.7	08:34	03:20 AM - 03:25 AM	36.7	08:36	03:25 AM - 03:30 AM	36.0
09:45 PM - 09:50 PM	38.5	12:25 AM - 12:30 AM	36.0	08:21	03:20 AM - 03:25 AM	36.7	08:36	03:25 AM - 03:30 AM	36.7	08:38	03:30 AM - 03:35 AM	36.0
09:50 PM - 09:55 PM	38.6	12:30 AM - 12:35 AM	36.0	08:23	03:25 AM - 03:30 AM	36.7	08:38	03:30 AM - 03:35 AM	36.7	08:40	03:35 AM - 03:40 AM	36.0
09:55 PM - 10:00 PM	38.5	12:35 AM - 12:40 AM	36.0	08:25	03:30 AM - 03:35 AM	36.7	08:40	03:35 AM - 03:40 AM	36.7	08:42	03:40 AM - 03:45 AM	36.0
10:00 PM - 10:05 PM	38.6	12:40 AM - 12:45 AM	36.0	08:27	03:35 AM - 03:40 AM	36.7	08:42	03:40 AM - 03:45 AM	36.7	08:44	03:45 AM - 03:50 AM	36.0
10:05 PM - 10:10 PM	38.7	12:45 AM - 12:50 AM	36.0	08:29	03:40 AM - 03:45 AM	36.7	08:44	03:45 AM - 03:50 AM	36.7	08:46	03:50 AM - 03:55 AM	36.0
10:10 PM - 10:15 PM	38.8	12:50 AM - 12:55 AM	36.0	08:31	03:45 AM - 03:50 AM	36.7	08:46	03:50 AM - 03:55 AM	36.7	08:48	03:55 AM - 04:00 AM	36.0
10:15 PM - 10:20 PM	38.9	12:55 AM - 01:00 AM	36.0	08:33	03:50 AM - 03:55 AM	36.7	08:48	03:55 AM - 04:00 AM	36.7	08:50	04:00 AM - 04:05 AM	36.0
10:20 PM - 10:25 PM	39.0	01:00 AM - 01:05 AM	36.0	08:35	03:55 AM - 04:00 AM	36.7	08:50	04:00 AM - 04:05 AM	36.7	08:52	04:05 AM - 04:10 AM	36.0
10:25 PM - 10:30 PM	39.1	01:05 AM - 01:10 AM	36.0	08:37	04:00 AM - 04:05 AM	36.7	08:52	04:05 AM - 04:10 AM	36.7	08:54	04:10 AM - 04:15 AM	36.0
10:30 PM - 10:35 PM	39.2	01:10 AM - 01:15 AM	36.0	08:39	04:05 AM - 04:10 AM	36.7	08:54	04:10 AM - 04:15 AM	36.7	08:56	04:15 AM - 04:20 AM	36.0
10:35 PM - 10:40 PM	39.3	01:15 AM - 01:20 AM	36.0	08:41	04:10 AM - 04:15 AM	36.7	08:56	04:15 AM - 04:20 AM	36.7	08:58	04:20 AM - 04:25 AM	36.0
10:40 PM - 10:45 PM	39.4	01:20 AM - 01:25 AM	36.0	08:43	04:15 AM - 04:20 AM	36.7	08:58	04:20 AM - 04:25 AM	36.7	09:00	04:25 AM - 04:30 AM	36.0
10:45 PM - 10:50 PM	39.5	01:25 AM - 01:30 AM	36.0	08:45	04:20 AM - 04:25 AM	36.7	09:00	04:25 AM - 04:30 AM	36.7	09:02	04:30 AM - 04:35 AM	36.0
10:50 PM - 10:55 PM	39.6	01:30 AM - 01:35 AM	36.0	08:47	04:25 AM - 04:30 AM	36.7	09:02	04:30 AM - 04:35 AM	36.7	09:04	04:35 AM - 04:40 AM	36.0
10:55 PM - 11:00 PM	39.7	01:35 AM - 01:40 AM	36.0	08:49	04:30 AM - 04:35 AM	36.7	09:04	04:35 AM - 04:40 AM	36.7	09:06	04:40 AM - 04:45 AM	36.0
11:00 PM - 11:05 PM	39.8	01:40 AM - 01:45 AM	36.0	08:51	04:35 AM - 04:40 AM	36.7	09:06	04:40 AM - 04:45 AM	36.7	09:08	04:45 AM - 04:50 AM	36.0
11:05 PM - 11:10 PM	39.9	01:45 AM - 01:50 AM	36.0	08:53	04:40 AM - 04:45 AM	36.7	09:08	04:45 AM - 04:50 AM	36.7	09:10	04:50 AM - 04:55 AM	36.0
11:10 PM - 11:15 PM	40.0	01:50 AM - 01:55 AM	36.0	08:55	04:45 AM - 04:50 AM	36.7	09:10	04:50 AM - 04:55 AM	36.7	09:12	04:55 AM - 05:00 AM	36.0
11:15 PM - 11:20 PM	40.1	01:55 AM - 02:00 AM	36.0	08:57	04:50 AM - 04:55 AM	36.7	09:12	04:55 AM - 05:00 AM	36.7	09:14	05:00 AM - 05:05 AM	36.0
11:20 PM - 11:25 PM	40.2	02:00 AM - 02:05 AM	36.0	08:59	04:55 AM - 05:00 AM	36.7	09:14	05:00 AM - 05:05 AM	36.7	09:16	05:05 AM - 05:10 AM	36.0
11:25 PM - 11:30 PM	40.3	02:05 AM - 02:10 AM	36.0	09:01	05:00 AM - 05:05 AM	36.7	09:16	05:05 AM - 05:10 AM	36.7	09:18	05:10 AM - 05:15 AM	36.0
11:30 PM - 11:35 PM	40.4	02:10 AM - 02:15 AM	36.0	09:03	05:05 AM - 05:10 AM	36.7	09:18	05:10 AM - 05:15 AM	36.7	09:20	05:15 AM - 05:20 AM	36.0
11:35 PM - 11:40 PM	40.5	02:15 AM - 02:20 AM	36.0	09:05	05:10 AM - 05:15 AM	36.7	09:20	05:15 AM - 05:20 AM	36.7	09:22	05:20 AM - 05:25 AM	36.0
11:40 PM - 11:45 PM	40.6	02:20 AM - 02:25 AM	36.0	09:07	05:15 AM - 05:20 AM	36.7	09:22	05:20 AM - 05:25 AM	36.7	09:24	05:25 AM - 05:30 AM	36.0
11:45 PM - 11:50 PM	40.7	02:25 AM - 02:30 AM	36.0	09:09	05:20 AM - 05:25 AM	36.7	09:24	05:25 AM - 05:30 AM	36.7	09:26	05:30 AM - 05:35 AM	36.0
11:50 PM - 11:55 PM	40.8	02:30 AM - 02:35 AM	36.0	09:11	05:25 AM - 05:30 AM	36.7	09:26	05:30 AM - 05:35 AM	36.7	09:28	05:35 AM - 05:40 AM	36.0
11:55 PM - 12:00 AM	40.9	02:35 AM - 02:40 AM	36.0	09:13	05:30 AM - 05:35 AM	36.7	09:28	05:35 AM - 05:40 AM	36.7	09:30	05:40 AM - 05:45 AM	36.0
12:00 AM - 12:05 AM	41.0	02:40 AM - 02:45 AM	36.0	09:15	05:35 AM - 05:40 AM	36.7	09:30	05:40 AM - 05:45 AM	36.7	09:32	05:45 AM - 05:50 AM	36.0
12:05 AM - 12:10 AM	41.1	02:45 AM - 02:50 AM	36.0	09:17	05:40 AM - 05:45 AM	36.7	09:32	05:45 AM - 05:50 AM	36.7	09:34	05:50 AM - 05:55 AM	36.0
12:10 AM - 12:15 AM	41.2	02:50 AM - 02:55 AM	36.0	09:19	05:45 AM - 05:50 AM	36.7	09:34	05:50 AM - 05:55 AM	36.7	09:36	05:55 AM - 06:00 AM	36.0
12:15 AM - 12:20 AM	41.3	02:55 AM - 03:00 AM	36.0	09:21	05:50 AM - 05:55 AM	36.7	09:36	05:55 AM - 06:00 AM	36.7	09:38	06:00 AM - 06:05 AM	36.0
12:20 AM - 12:25 AM	41.4	03:00 AM - 03:05 AM	36.0	09:23	05:55 AM - 06:00 AM	36.7	09:38	06:00 AM - 06:05 AM	36.7	09:40	06:05 AM - 06:10 AM	36.0
12:25 AM - 12:30 AM	41.5	03:05 AM - 03:10 AM	36.0	09:25	06:00 AM - 06:05 AM	36.7	09:40	06:05 AM - 06:10 AM	36.7	09:42	06:10 AM - 06:15 AM	36.0
12:30 AM - 12:35 AM	41.6	03:10 AM - 03:15 AM	36.0	09:27	06:05 AM - 06:10 AM	36.7	09:42	06:10 AM - 06:15 AM	36.7	09:44	06:15 AM - 06:20 AM	36.0
12:35 AM - 12:40 AM	41.7	03:15 AM - 03:20 AM	36.0	09:29	06:10 AM - 06:15 AM	36.7	09:44	06:15 AM - 06:20 AM	36.7	09:46	06:20 AM - 06:25 AM	36.0
12:40 AM - 12:45 AM	41.8	03:20 AM - 03:25 AM	36.0	09:31	06:15 AM - 06:20 AM	36.7	09:46	06:20 AM - 06:25 AM	36.7	09:48	06:25 AM - 06:30 AM	36.0
12:45 AM - 12:50 AM	41.9	03:25 AM - 03:30 AM	36.0	09:33	06:20 AM - 06:25 AM	36.7	09:48	06:25 AM - 06:30 AM	36.7	09:50	06:30 AM - 06:35 AM	36.0
12:50 AM - 12:55 AM	42.0	03:30 AM - 03:35 AM	36.0	09:35	06:25 AM - 06:30 AM	36.7	09:50	06:30 AM - 06:35 AM	36.7	09:52	06:35 AM - 06:40 AM	36.0
12:55 AM												

**Acknowledgments**

Sarayuth Jitramonj  
Assistant General Manager

**ALG** 608010000 **www.alsglobal.com**



## Analysis / Test Report

**Client** Rājana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Prachin Tower, New Petchburi Road, Bangkok, International, Bangkok Thailand 101

Lot ID: 2349339  
Date Received: May 23, 2023  
Date Reported: May 25, 2023  
Report Number: 2662358-1

P/O :  
Project Name : Laemchubang  
Project Location :

Sample Number	2149339-28
Parameter	Noise Level (Leq 5 min)
Location	H4 : อ่างเก็บน้ำเขื่อนลำนาน้อย
Measurement Date	May 20 - May 21, 2023
Measurement by	Sriwit Ruangtorn
Sound Level meter	Serial No. 00472326

May 21, 2023			May 21, 2023			May 21, 2023		
Time	Leg #B(A)	LHO #B(A)	Time	Leg #B(A)	LHO #B(A)	Time	Leg #B(A)	LHO #B(A)
01:00 AM - 01:05 AM	47.8	31.1	05:40 AM - 05:45 AM	44.4	38.0	08:20 AM - 08:25 AM	45.1	32.9
01:05 AM - 01:10 AM	39.4	32.8	05:45 AM - 05:50 AM	38.1	33.6	08:25 AM - 08:30 AM	47.1	22.7
01:10 AM - 01:15 AM	37.8	32.3	05:50 AM - 05:55 AM	40.1	35.8	08:30 AM - 08:35 AM	47.1	32.5
01:15 AM - 01:20 AM	39.4	32.3	05:55 AM - 06:00 AM	39.4	34.2	08:35 AM - 08:40 AM	49.8	21.8
01:20 AM - 01:25 AM	34.6	32.2	06:00 AM - 06:05 AM	43.4	34.9	08:40 AM - 08:45 AM	44.4	40.2
01:25 AM - 01:30 AM	37.0	32.7	06:05 AM - 06:10 AM	44.0	34.8	08:45 AM - 08:50 AM	43.1	40.2
01:30 AM - 01:35 AM	35.2	32.4	06:10 AM - 06:15 AM	42.6	34.1	08:50 AM - 08:55 AM	49.8	46.0
01:35 AM - 01:40 AM	31.6	31.7	06:15 AM - 06:20 AM	45.0	35.4	08:55 AM - 09:00 AM	40.1	34.2
01:40 AM - 01:45 AM	34.0	31.8	06:20 AM - 06:25 AM	42.3	32.8	09:00 AM - 09:05 AM	40.8	39.2
01:45 AM - 01:50 AM	33.2	30.8	06:25 AM - 06:30 AM	44.5	32.7	09:05 AM - 09:10 AM	40.2	38.2
01:50 AM - 01:55 AM	33.0	30.9	06:30 AM - 06:35 AM	43.8	33.2	09:10 AM - 09:15 AM	43.0	38.2
01:55 AM - 02:00 AM	33.7	32.4	06:35 AM - 06:40 AM	41.7	33.4	09:15 AM - 09:20 AM	40.8	40.0
02:00 AM - 02:05 AM	32.9	30.2	06:40 AM - 06:45 AM	44.9	34.4	09:20 AM - 09:25 AM	41.8	40.8
02:05 AM - 02:10 AM	35.8	30.8	06:45 AM - 06:50 AM	40.0	32.3	09:25 AM - 09:30 AM	47.1	38.8
02:10 AM - 02:15 AM	33.7	31.1	06:50 AM - 06:55 AM	47.5	31.1	09:30 AM - 09:35 AM	41.1	40.2
02:15 AM - 02:20 AM	34.3	30.1	06:55 AM - 07:00 AM	40.6	32.0	09:35 AM - 09:40 AM	41.8	40.2
02:20 AM - 02:25 AM	38.4	31.3	07:00 AM - 07:05 AM	40.6	34.0	09:40 AM - 09:45 AM	40.8	37.8
02:25 AM - 02:30 AM	38.3	31.1	07:05 AM - 07:10 AM	40.7	32.4	09:45 AM - 09:50 AM	49.8	40.3
02:30 AM - 02:35 AM	40.6	34.3	07:10 AM - 07:15 AM	39.7	33.2	09:50 AM - 09:55 AM	44.1	38.8
02:35 AM - 02:40 AM	43.2	31.7	07:15 AM - 07:20 AM	43.5	33.5	09:55 AM - 10:00 AM	48.8	39.7
02:40 AM - 02:45 AM	52.4	29.2	07:20 AM - 07:25 AM	48.8	34.1	10:00 AM - 10:05 AM	42.4	41.5
02:45 AM - 02:50 AM	52.3	29.2	07:25 AM - 07:30 AM	42.8	33.4	10:05 AM - 10:10 AM	40.6	42.0
02:50 AM - 02:55 AM	53.8	52.6	07:30 AM - 07:35 AM	45.8	33.5	10:10 AM - 10:15 AM	42.3	41.2
02:55 AM - 03:00 AM	47.8	38.9	07:35 AM - 07:40 AM	45.8	35.5	10:15 AM - 10:20 AM	42.0	40.3
03:00 AM - 03:05 AM	46.4	40.2	07:40 AM - 07:45 AM	47.7	32.8	10:20 AM - 10:25 AM	41.0	40.9
03:05 AM - 03:10 AM	42.5	36.6	07:45 AM - 07:50 AM	39.8	33.0	10:25 AM - 10:30 AM	44.1	41.2
03:10 AM - 03:15 AM	45.2	37.9	07:50 AM - 07:55 AM	49.7	30.9	10:30 AM - 10:35 AM	42.8	41.4
03:15 AM - 03:20 AM	46.9	37.6	07:55 AM - 08:00 AM	38.8	32.0	10:35 AM - 10:40 AM	42.5	41.2
03:20 AM - 03:25 AM	46.1	38.8	08:00 AM - 08:05 AM	38.6	30.7	10:40 AM - 10:45 AM	41.2	40.6
03:25 AM - 03:30 AM	43.4	36.2	08:05 AM - 08:10 AM	47.7	31.8	10:45 AM - 10:50 AM	41.8	40.2
03:30 AM - 03:35 AM	46.5	37.9	08:10 AM - 08:15 AM	44.0	30.3	10:50 AM - 10:55 AM	39.9	39.0
03:35 AM - 03:40 AM	43.6	36.6	08:15 AM - 08:20 AM	43.3	30.2	10:55 AM - 11:00 AM	40.5	38.7

1000000

Sarayu Jitranon  
Assistant General Manager

20000 104 Phatthanasri Rd. Phatthanasri Rd. Thung Phatthanasri East Sub Urban Bangkok 10150 Thailand Tel: +66 2 2762 8000 | Fax: +66 2 2762 8187  
ALSGLOBAL@GMAIL.COM WWW.ALSGLOBAL.COM





## Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.  
204/115 26TH Fl. Itakhai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10110  
P/O :  
Project Name : Laemchabang  
Project Location :  
Date Received : May 23, 2023  
Date Reported : May 25, 2023  
Report Number : 2662359-1

Lot ID: 2349339  
Date Received : May 23, 2023  
Date Reported : May 25, 2023  
Report Number : 2662359-1

Page 1 of 2

Sample Number : 2349339-29  
Parameter : Noise Level (Leq 5 min)  
Location : NS : หน้าอาคาร (หน้าอาคาร)  
Measurement Date : May 14 - May 15, 2023  
Measurement by : Srivud Rungsom  
Sound Level meter : Serial No. 01122567

May 14, 2023	Leq	L90	May 14, 2023	Leq	L90	May 14, 2023	Leq	L90
Time	#B(A)	#B(A)	Time	#B(A)	#B(A)	Time	#B(A)	#B(A)
11:00 AM - 11:05 AM	51.5	42.0	01:40 PM - 01:45 PM	53.9	42.8	04:20 PM - 04:25 PM	45.8	44.0
11:05 AM - 11:10 AM	42.4	40.3	01:45 PM - 01:50 PM	45.1	43.1	04:25 PM - 04:30 PM	47.0	44.4
11:10 AM - 11:15 AM	42.6	29.7	01:50 PM - 01:55 PM	45.0	43.7	04:30 PM - 04:35 PM	47.0	44.8
11:15 AM - 11:20 AM	46.5	39.5	01:55 PM - 02:00 PM	47.0	43.7	04:35 PM - 04:40 PM	46.1	45.1
11:20 AM - 11:25 AM	52.5	41.2	02:00 PM - 02:05 PM	52.6	42.2	04:40 PM - 04:45 PM	46.9	45.3
11:25 AM - 11:30 AM	49.6	41.3	02:05 PM - 02:10 PM	49.8	42.4	04:45 PM - 04:50 PM	46.1	44.1
11:30 AM - 11:35 AM	47.7	43.5	02:10 PM - 02:15 PM	44.2	42.5	04:50 PM - 04:55 PM	45.7	44.2
11:35 AM - 11:40 AM	53.9	42.5	02:15 PM - 02:20 PM	44.6	41.6	04:55 PM - 05:00 PM	45.3	44.0
11:40 AM - 11:45 AM	48.9	45.3	02:20 PM - 02:25 PM	49.7	43.3	05:00 PM - 05:05 PM	46.3	44.8
11:45 AM - 11:50 AM	44.5	40.8	02:25 PM - 02:30 PM	45.4	44.1	05:05 PM - 05:10 PM	45.2	44.0
11:50 AM - 11:55 AM	51.6	40.8	02:30 PM - 02:35 PM	54.6	44.6	05:10 PM - 05:15 PM	45.6	44.2
11:55 AM - 12:00 PM	42.1	40.4	02:35 PM - 02:40 PM	47.0	43.5	05:15 PM - 05:20 PM	46.4	46.4
12:00 PM - 12:05 PM	43.0	41.2	02:40 PM - 02:45 PM	55.0	45.9	05:20 PM - 05:25 PM	47.1	44.5
12:05 PM - 12:10 PM	41.4	40.2	02:45 PM - 02:50 PM	46.0	44.8	05:25 PM - 05:30 PM	47.2	43.8
12:10 PM - 12:15 PM	43.3	41.4	02:50 PM - 02:55 PM	50.4	44.9	05:30 PM - 05:35 PM	49.1	43.2
12:15 PM - 12:20 PM	51.6	45.8	02:55 PM - 03:00 PM	46.2	44.5	05:35 PM - 05:40 PM	47.0	43.6
12:20 PM - 12:25 PM	42.4	40.2	03:00 PM - 03:05 PM	51.0	45.7	05:40 PM - 05:45 PM	46.4	44.1
12:25 PM - 12:30 PM	45.3	42.0	03:05 PM - 03:10 PM	47.1	45.7	05:45 PM - 05:50 PM	44.1	43.4
12:30 PM - 12:35 PM	55.4	41.8	03:10 PM - 03:15 PM	47.3	44.8	05:50 PM - 05:55 PM	44.0	43.1
12:35 PM - 12:40 PM	42.2	41.3	03:15 PM - 03:20 PM	47.9	45.9	05:55 PM - 06:00 PM	44.3	43.4
12:40 PM - 12:45 PM	43.9	41.4	03:20 PM - 03:25 PM	47.9	46.4	06:00 PM - 06:05 PM	44.2	43.3
12:45 PM - 12:50 PM	42.1	40.3	03:25 PM - 03:30 PM	46.2	45.0	06:05 PM - 06:10 PM	45.0	45.9
12:50 PM - 12:55 PM	45.2	42.4	03:30 PM - 03:35 PM	47.4	44.4	06:10 PM - 06:15 PM	45.3	43.6
12:55 PM - 01:00 PM	44.3	41.9	03:35 PM - 03:40 PM	47.1	44.8	06:15 PM - 06:20 PM	49.9	47.8
01:00 PM - 01:05 PM	43.7	41.1	03:40 PM - 03:45 PM	48.6	44.9	06:20 PM - 06:25 PM	45.5	46.2
01:05 PM - 01:10 PM	41.4	40.8	03:45 PM - 03:50 PM	47.7	45.1	06:25 PM - 06:30 PM	49.9	45.3
01:10 PM - 01:15 PM	46.8	45.7	03:50 PM - 03:55 PM	47.8	45.0	06:30 PM - 06:35 PM	47.5	45.7
01:15 PM - 01:20 PM	48.5	42.1	03:55 PM - 04:00 PM	47.6	43.7	06:35 PM - 06:40 PM	47.5	46.2
01:20 PM - 01:25 PM	43.7	42.4	04:00 PM - 04:05 PM	46.0	43.5	06:40 PM - 06:45 PM	50.3	45.9
01:25 PM - 01:30 PM	46.8	42.7	04:05 PM - 04:10 PM	46.4	44.3	06:45 PM - 06:50 PM	46.4	47.2
01:30 PM - 01:35 PM	43.8	42.7	04:10 PM - 04:15 PM	46.8	45.3	06:50 PM - 06:55 PM	46.2	45.5
01:35 PM - 01:40 PM	41.7	42.7	04:15 PM - 04:20 PM	48.1	45.4	06:55 PM - 07:00 PM	46.1	46.3

Approved by

Satayuth Jitmanont  
Assistant General Manager

This report is prepared by ALS and is for the use of the client only. It is not to be used for any other purpose without the written consent of ALS. The client is responsible for the accuracy of the data and the results of the analysis. ALS is not responsible for any errors or omissions in this report.



## Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.  
204/115 26TH Fl. Itakhai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10110  
P/O :  
Project Name : Laemchabang  
Project Location :  
Date Received : May 23, 2023  
Date Reported : May 25, 2023  
Report Number : 2662359-1

Lot ID: 2349339  
Date Received : May 23, 2023  
Date Reported : May 25, 2023  
Report Number : 2662359-1

Page 2 of 2

Sample Number : 2349339-28  
Parameter : Noise Level (Leq 5 min)  
Location : NS : หน้าอาคาร (หน้าอาคาร)  
Measurement Date : May 14 - May 15, 2023  
Measurement by : Srivud Rungsom  
Sound Level meter : Serial No. 01122567

May 14, 2023	Leq	L90	May 14 - May 15, 2023	Leq	L90	May 15, 2023	Leq	L90
Time	#B(A)	#B(A)	Time	#B(A)	#B(A)	Time	#B(A)	#B(A)
07:00 PM - 07:05 PM	50.5	48.7	09:40 PM - 09:45 PM	47.9	47.5	12:20 AM - 12:25 AM	45.8	45.1
07:05 PM - 07:10 PM	52.4	49.6	09:45 PM - 09:50 PM	45.8	45.2	12:25 AM - 12:30 AM	44.8	43.8
07:10 PM - 07:15 PM	52.9	51.8	09:50 PM - 09:55 PM	46.8	46.0	12:30 AM - 12:35 AM	46.0	45.4
07:15 PM - 07:20 PM	52.3	52.5	09:55 PM - 10:00 PM	47.7	46.2	12:35 AM - 12:40 AM	46.2	45.7
07:20 PM - 07:25 PM	53.5	52.0	10:00 PM - 10:05 PM	46.5	45.1	12:40 AM - 12:45 AM	46.0	45.5
07:25 PM - 07:30 PM	52.5	52.0	10:05 PM - 10:10 PM	46.6	44.7	12:45 AM - 12:50 AM	46.2	44.1
07:30 PM - 07:35 PM	52.8	57.0	10:10 PM - 10:15 PM	45.0	43.2	12:50 AM - 12:55 AM	45.0	44.3
07:35 PM - 07:40 PM	52.2	51.8	10:15 PM - 10:20 PM	43.5	42.7	12:55 AM - 01:00 AM	45.0	44.3
07:40 PM - 07:45 PM	52.4	51.8	10:20 PM - 10:25 PM	47.9	43.8	01:00 AM - 01:05 AM	44.5	43.6
07:45 PM - 07:50 PM	52.7	52.6	10:25 PM - 10:30 PM	43.8	43.1	01:05 AM - 01:10 AM	42.7	41.9
07:50 PM - 07:55 PM	53.3	52.9	10:30 PM - 10:35 PM	42.4	42.6	01:10 AM - 01:15 AM	44.7	43.2
07:55 PM - 08:00 PM	53.5	53.0	10:35 PM - 10:40 PM	44.1	43.2	01:15 AM - 01:20 AM	45.9	45.4
08:00 PM - 08:05 PM	53.5	52.1	10:40 PM - 10:45 PM	43.9	43.2	01:20 AM - 01:25 AM	45.0	44.7
08:05 PM - 08:10 PM	53.3	52.8	10:45 PM - 10:50 PM	44.1	43.5	01:25 AM - 01:30 AM	45.3	44.7
08:10 PM - 08:15 PM	52.1	50.8	10:50 PM - 10:55 PM	45.0	44.5	01:30 AM - 01:35 AM	45.0	44.5
08:15 PM - 08:20 PM	51.1	50.7	10:55 PM - 11:00 PM	44.4	43.6	01:35 AM - 01:40 AM	45.9	44.8
08:20 PM - 08:25 PM	51.1	50.7	11:00 PM - 11:05 PM	44.5	43.9	01:40 AM - 01:45 AM	45.7	44.2
08:25 PM - 08:30 PM	50.9	50.0	11:05 PM - 11:10 PM	44.1	44.1	01:45 AM - 01:50 AM	46.5	45.9
08:30 PM - 08:35 PM	52.4	51.8	11:10 PM - 11:15 PM	45.3	43.9	01:50 AM - 01:55 AM	47.1	46.4
08:35 PM - 08:40 PM	51.2	51.2	11:15 PM - 11:20 PM	46.0	45.4	01:55 AM - 02:00 AM	47.6	46.2
08:40 PM - 08:45 PM	52.3	51.8	11:20 PM - 11:25 PM	45.7	45.2	02:00 AM - 02:05 AM	47.6	47.6
08:45 PM - 08:50 PM	52.0	51.0	11:25 PM - 11:30 PM	50.2	46.7	02:05 AM - 02:10 AM	46.9	42.7
08:50 PM - 08:55 PM	51.9	52.0	11:30 PM - 11:35 PM	46.4	45.9	02:10 AM - 02:15 AM	47.1	46.2
08:55 PM - 09:00 PM	50.9	50.8	11:35 PM - 11:40 PM	46.1	45.5	02:15 AM - 02:20 AM	47.1	46.5
09:00 PM - 09:05 PM	50.7	50.2	11:40 PM - 11:45 PM	46.1	45.7	02:20 AM - 02:25 AM	46.0	45.3
09:05 PM - 09:10 PM	48.2	45.8	11:45 PM - 11:50 PM	45.9	45.5	02:25 AM - 02:30 AM	45.1	44.5
09:10 PM - 09:15 PM	46.7	47.2	11:50 PM - 11:55 PM	46.3	45.9	02:30 AM - 02:35 AM	45.5	44.3
09:15 PM - 09:20 PM	47.5	47.5	11:55 PM - 12:00 AM	47.4	46.0	02:35 AM - 02:40 AM	45.3	44.9
09:20 PM - 09:25 PM	46.0	47.4	12:00 AM - 12:05 AM	46.3	45.7	02:40 AM - 02:45 AM	46.2	44.6
09:25 PM - 09:30 PM	47.9	47.9	12:05 AM - 12:10 AM	45.6	45.0	02:45 AM - 02:50 AM	45.3	44.3
09:30 PM - 09:35 PM	47.9	47.1	12:10 AM - 12:15 AM	45.5	45.1	02:50 AM - 02:55 AM	44.8	44.3
09:35 PM - 09:40 PM	47.9	47.6	12:15 AM - 12:20 AM	45.0	45.1	02:55 AM - 03:00 AM	47.4	46.2

Approved by

Satayuth Jitmanont  
Assistant General Manager

This report is prepared by ALS and is for the use of the client only. It is not to be used for any other purpose without the written consent of ALS. The client is responsible for the accuracy of the data and the results of the analysis. ALS is not responsible for any errors or omissions in this report.



## Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Iatthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

Let ID: 2349339  
Date Received : May 23, 2023  
Date Reported : May 23, 2023

P/O :  
Project Name : Lamchubang  
Project Location :

Report Number : 2662360-1

Sample Number : 2349339-30  
Parameter : Noise Level (Leq 5 min)  
Location : NS : H15U1466 (u2a:1466u1466)  
Measurement Date : May 15 - May 16, 2023  
Measurement by : Sirin Rungsom  
Sound Level meter : Serial No. 01222567

Page 2 of 2

May 15, 2023	Leq	L90	May 15 - May 16, 2023	Leq	L90	May 16, 2023	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
07:00 PM - 07:05 PM	48.3	47.3	08:40 PM - 09:45 PM	46.5	46.1	12:20 AM - 12:25 AM	47.9	46.6
07:05 PM - 07:10 PM	49.2	48.6	08:45 PM - 09:50 PM	46.6	46.1	12:25 AM - 12:30 AM	47.9	46.6
07:10 PM - 07:15 PM	50.2	49.6	09:50 PM - 09:55 PM	46.4	46.0	12:30 AM - 12:35 AM	48.3	46.7
07:15 PM - 07:20 PM	50.6	50.2	09:55 PM - 10:00 PM	46.1	45.8	12:35 AM - 12:40 AM	47.7	46.3
07:20 PM - 07:25 PM	54.9	54.3	10:00 PM - 10:05 PM	46.2	45.3	12:40 AM - 12:45 AM	46.7	47.3
07:25 PM - 07:30 PM	54.8	54.8	10:05 PM - 10:10 PM	46.3	45.8	12:45 AM - 12:50 AM	49.8	48.2
07:30 PM - 07:35 PM	55.2	54.5	10:10 PM - 10:15 PM	46.1	45.6	12:50 AM - 12:55 AM	49.8	48.6
07:35 PM - 07:40 PM	55.2	55.0	10:15 PM - 10:20 PM	47.0	46.0	12:55 AM - 01:00 AM	51.6	49.6
07:40 PM - 07:45 PM	55.3	54.7	10:20 PM - 10:25 PM	46.8	45.5	01:00 AM - 01:05 AM	54.2	49.2
07:45 PM - 07:50 PM	54.8	54.5	10:25 PM - 10:30 PM	46.9	45.4	01:05 AM - 01:10 AM	51.7	49.2
07:50 PM - 07:55 PM	54.5	54.3	10:30 PM - 10:35 PM	47.5	45.0	01:10 AM - 01:15 AM	53.9	49.8
07:55 PM - 08:00 PM	55.1	54.4	10:35 PM - 10:40 PM	46.7	45.3	01:15 AM - 01:20 AM	54.9	48.2
08:00 PM - 08:05 PM	55.4	54.7	10:40 PM - 10:45 PM	45.9	45.4	01:20 AM - 01:25 AM	58.0	49.1
08:05 PM - 08:10 PM	55.8	55.3	10:45 PM - 10:50 PM	46.3	45.6	01:25 AM - 01:30 AM	57.8	48.3
08:10 PM - 08:15 PM	55.4	55.1	10:50 PM - 10:55 PM	45.9	45.2	01:30 AM - 01:35 AM	51.9	48.0
08:15 PM - 08:20 PM	55.9	55.5	10:55 PM - 11:00 PM	45.7	45.2	01:35 AM - 01:40 AM	50.5	47.6
08:20 PM - 08:25 PM	54.0	54.4	11:00 PM - 11:05 PM	45.1	44.7	01:40 AM - 01:45 AM	49.8	47.1
08:25 PM - 08:30 PM	54.5	53.0	11:05 PM - 11:10 PM	43.9	40.7	01:45 AM - 01:50 AM	49.8	46.9
08:30 PM - 08:35 PM	57.6	52.3	11:10 PM - 11:15 PM	40.3	38.0	01:50 AM - 01:55 AM	46.3	46.9
08:35 PM - 08:40 PM	52.7	51.7	11:15 PM - 11:20 PM	40.6	39.4	01:55 AM - 02:00 AM	47.7	46.8
08:40 PM - 08:45 PM	52.2	51.9	11:20 PM - 11:25 PM	40.8	39.0	02:00 AM - 02:05 AM	46.9	46.1
08:45 PM - 08:50 PM	51.9	51.3	11:25 PM - 11:30 PM	41.5	40.0	02:05 AM - 02:10 AM	47.3	46.4
08:50 PM - 08:55 PM	52.7	51.9	11:30 PM - 11:35 PM	41.9	40.5	02:10 AM - 02:15 AM	46.4	44.3
08:55 PM - 09:00 PM	52.0	49.9	11:35 PM - 11:40 PM	44.2	41.4	02:15 AM - 02:20 AM	46.8	45.0
08:55 PM - 09:05 PM	49.8	48.2	11:40 PM - 11:45 PM	44.8	42.1	02:20 AM - 02:25 AM	46.2	44.8
09:00 PM - 09:05 PM	48.6	48.1	11:45 PM - 11:50 PM	44.1	42.2	02:25 AM - 02:30 AM	47.2	45.9
09:05 PM - 09:10 PM	48.3	47.7	11:50 PM - 11:55 PM	44.6	42.3	02:30 AM - 02:35 AM	48.0	46.8
09:10 PM - 09:15 PM	48.2	47.7	11:55 PM - 12:00 AM	44.2	42.1	02:35 AM - 02:40 AM	46.2	47.3
09:15 PM - 09:20 PM	48.4	47.9	12:00 AM - 12:05 AM	43.8	41.7	02:40 AM - 02:45 AM	46.3	47.4
09:20 PM - 09:25 PM	48.4	47.9	12:05 AM - 12:10 AM	41.3	40.4	02:45 AM - 02:50 AM	48.8	47.4
09:25 PM - 09:30 PM	47.2	46.6	12:10 AM - 12:15 AM	41.6	40.1	02:50 AM - 02:55 AM	46.1	44.6
09:30 PM - 09:35 PM	47.2	46.6	12:15 AM - 12:20 AM	48.2	48.8	02:55 AM - 03:00 AM	46.7	45.2

Approved by

Saraphit Siranont  
Assistant General Manager



## Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Iatthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

Let ID: 2349339  
Date Received : May 23, 2023  
Date Reported : May 23, 2023

P/O :  
Project Name : Lamchubang  
Project Location :

Report Number : 2662360-1

Sample Number : 2349339-30  
Parameter : Noise Level (Leq 5 min)  
Location : NS : H15U1466 (u2a:1466u1466)  
Measurement Date : May 15 - May 16, 2023  
Measurement by : Sirin Rungsom  
Sound Level meter : Serial No. 01222567

Page 2 of 2

May 16, 2023	Leq	L90	May 16, 2023	Leq	L90	May 16, 2023	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
03:00 AM - 03:05 AM	46.0	45.0	03:40 AM - 03:45 AM	47.7	45.2	08:20 AM - 08:25 AM	42.8	41.6
03:05 AM - 03:10 AM	44.8	44.1	03:45 AM - 03:50 AM	50.2	46.5	08:25 AM - 08:30 AM	42.4	41.4
03:10 AM - 03:15 AM	45.9	45.2	03:50 AM - 03:55 AM	47.7	45.9	08:30 AM - 08:35 AM	42.4	40.8
03:15 AM - 03:20 AM	47.5	46.3	03:55 AM - 04:00 AM	48.6	46.3	08:35 AM - 08:40 AM	41.6	39.7
03:20 AM - 03:25 AM	47.4	46.5	04:00 AM - 04:05 AM	49.9	46.0	08:40 AM - 08:45 AM	39.9	38.1
03:25 AM - 03:30 AM	48.8	47.1	04:05 AM - 04:10 AM	49.4	45.8	08:45 AM - 08:50 AM	41.0	39.7
03:30 AM - 03:35 AM	49.0	47.7	04:10 AM - 04:15 AM	50.3	45.9	08:50 AM - 08:55 AM	40.5	38.8
03:35 AM - 03:40 AM	47.0	46.2	04:15 AM - 04:20 AM	49.5	45.7	08:55 AM - 09:00 AM	42.6	38.6
03:40 AM - 03:45 AM	49.2	47.3	04:20 AM - 04:25 AM	49.2	45.2	09:00 AM - 09:05 AM	41.1	38.4
03:45 AM - 03:50 AM	48.3	46.5	04:25 AM - 04:30 AM	48.0	44.4	09:05 AM - 09:10 AM	47.2	38.3
03:50 AM - 03:55 AM	50.3	46.7	04:30 AM - 04:35 AM	51.2	45.8	09:10 AM - 09:15 AM	39.9	39.5
03:55 AM - 04:00 AM	50.0	48.1	04:35 AM - 04:40 AM	49.4	45.5	09:15 AM - 09:20 AM	41.0	39.8
04:00 AM - 04:05 AM	56.1	49.1	04:40 AM - 04:45 AM	48.0	44.5	09:20 AM - 09:25 AM	41.4	38.8
04:05 AM - 04:10 AM	52.6	49.1	04:45 AM - 04:50 AM	39.8	43.9	09:25 AM - 09:30 AM	51.2	38.3
04:10 AM - 04:15 AM	55.1	49.6	04:50 AM - 04:55 AM	51.0	43.6	09:30 AM - 09:35 AM	42.3	39.1
04:15 AM - 04:20 AM	48.8	47.2	04:55 AM - 05:00 AM	47.0	43.6	09:35 AM - 09:40 AM	42.6	40.1
04:20 AM - 04:25 AM	49.8	46.8	05:00 AM - 05:05 AM	45.6	42.3	09:40 AM - 09:45 AM	52.3	40.5
04:25 AM - 04:30 AM	48.8	46.8	05:05 AM - 05:10 AM	45.2	41.1	09:45 AM - 09:50 AM	41.4	40.2
04:30 AM - 04:35 AM	47.3	45.2	05:10 AM - 05:15 AM	47.3	40.6	09:50 AM - 09:55 AM	41.4	39.4
04:35 AM - 04:40 AM	47.6	46.4	05:15 AM - 05:20 AM	42.1	40.8	09:55 AM - 10:00 AM	46.8	41.4
04:40 AM - 04:45 AM	48.8	46.2	05:20 AM - 05:25 AM	51.4	41.9	10:00 AM - 10:05 AM	44.1	39.5
04:45 AM - 04:50 AM	47.7	46.1	05:25 AM - 05:30 AM	50.2	40.2	10:05 AM - 10:10 AM	41.1	39.2
04:50 AM - 04:55 AM	49.2	47.5	05:30 AM - 05:35 AM	46.8	40.2	10:10 AM - 10:15 AM	52.3	39.8
04:55 AM - 05:00 AM	52.6	48.2	05:35 AM - 05:40 AM	42.0	40.7	10:15 AM - 10:20 AM	41.2	38.8
05:00 AM - 05:05 AM	48.7	47.9	05:40 AM - 05:45 AM	52.9	39.8	10:20 AM - 10:25 AM	46.2	38.1
05:05 AM - 05:10 AM	47.8	46.6	05:45 AM - 05:50 AM	40.6	38.4	10:25 AM - 10:30 AM	46.0	37.5
05:10 AM - 05:15 AM	49.2	46.6	05:50 AM - 05:55 AM	40.8	39.0	10:30 AM - 10:35 AM	44.9	38.9
05:15 AM - 05:20 AM	46.1	45.6	05:55 AM - 06:00 AM	44.8	40.0	10:35 AM - 10:40 AM	39.6	37.3
05:20 AM - 05:25 AM	47.8	45.0	06:00 AM - 06:05 AM	41.6	40.3	10:40 AM - 10:45 AM	38.8	36.8
05:25 AM - 05:30 AM	47.4	44.3	06:05 AM - 06:10 AM	40.9	41.4	10:45 AM - 10:50 AM	39.2	37.0
05:30 AM - 05:35 AM	46.8	44.6	06:10 AM - 06:15 AM	40.9	39.7	10:50 AM - 10:55 AM	41.1	37.9
05:35 AM - 05:40 AM	46.1	44.5	06:15 AM - 06:20 AM	45.5	39.4	10:55 AM - 11:00 AM	41.5	38.4

Approved by

Saraphit Siranont  
Assistant General Manager



## Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Iatthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

Let ID: 2349339  
Date Received : May 23, 2023  
Date Reported : May 23, 2023

P/O :  
Project Name : Lamchubang  
Project Location :

Report Number : 2662361-1

Sample Number : 2349339-31  
Parameter : Noise Level (Leq 5 min)  
Location : NS : H15U1466 (u2a:1466u1466)  
Measurement Date : May 16 - May 17, 2023  
Measurement by : Sirin Rungsom  
Sound Level meter : Serial No. 01222567

Page 2 of 2

May 16, 2023	Leq	L90	May 16, 2023	Leq	L90	May 16, 2023	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
11:00 AM - 11:05 AM	39.7	36.8	01:00 PM - 01:05 PM	41.8	40.6	04:20 PM - 04:25 PM	42.4	37.6
11:05 AM - 11:10 AM	38.5	36.9	01:05 PM - 01:10 PM	44.0	40.2	04:25 PM - 04:30 PM	49.2	37.8
11:10 AM - 11:15 AM	59.0	37.0	01:10 PM - 01:15 PM	42.3	39.7	04:30 PM - 04:35 PM	47.2	36.6
11:15 AM - 11:20 AM	54.6	37.9	01:15 PM - 01:20 PM	41.1	38.9	04:35 PM - 04:40 PM	44.8	36.8
11:20 AM - 11:25 AM	46.7	38.2	01:20 PM - 01:25 PM	41.4	41.8	04:40 PM - 04:45 PM	38.1	36.7
11:25 AM - 11:30 AM	50.6	37.4	01:25 PM - 01:30 PM	47.5	41.2	04:45 PM - 04:50 PM	37.9	36.9
11:30 AM - 11:35 AM	47.0	38.5	01:30 PM - 01:35 PM	55.0	40.2	04:50 PM - 04:55 PM	38.0	37.4
11:35 AM - 11:40 AM	55.5	37.9	01:35 PM - 01:40 PM	46.9	39.2	04:55 PM - 05:00 PM	36.8	37.4
11:40 AM - 11:45 AM	43.6	39.2	01:40 PM - 01:45 PM	39.2	39.3	05:00 PM - 05:05 PM	35.4	37.9
11:45 AM - 11:50 AM	51.9	38.5	01:45 PM - 01:50 PM	42.4	38.8	05:05 PM - 05:10 PM	44.8	39.7
11:50 AM - 11:55 AM	46.3	37.7	01:50 PM - 01:55 PM	45.5	38.9	05:10 PM - 05:15 PM	41.8	40.0
11:55 AM - 12:00 PM	50.6	41.6	01:55 PM - 02:00 PM	45.8	38.5	05:15 PM - 05:20 PM	41.8	41.3
12:00 PM - 12:05 PM	49.9	40.1	02:00 PM - 02:05 PM	55.8	38.6	05:20 PM - 05:25 PM	47.2	44.9
12:05 PM - 12:10 PM	42.3	40.8	02:05 PM - 02:10 PM	51.3	36.8	05:25 PM - 05:30 PM	55.1	42.9
12:10 PM - 12:15 PM	42.4	40.9	02:10 PM - 02:15 PM	42.7	37.3	05:30 PM - 05:35 PM	47.2	41.8
12:15 PM - 12:20 PM	41.7	41.8	02:15 PM - 02:20 PM	43.8	38.2	05:35 PM - 05:40 PM	43.8	40.4
12:20 PM - 12:25 PM	42.2	40.3	02:20 PM - 02:25 PM	46.3	37.4	05:40 PM - 05:45 PM	41.8	43.2
12:25 PM - 12:30 PM	54.0	40.1	02:25 PM - 02:30 PM	40.9	36.9	05:45 PM - 05:50 PM	44.8	43.1
12:30 PM - 12:35 PM	41.5	40.1	02:30 PM - 02:35 PM	39.2	37.4	05:50 PM - 05:55 PM	41.8	42.7
12:35 PM - 12:40 PM	45.7	41.3	02:35 PM - 02:40 PM	52.3	38.3	05:55 PM - 06:00 PM	41.5	41.5
12:40 PM - 12:45 PM	46.2	40.3	02:40 PM - 02:45 PM	38.1	37.2	06:00 PM - 06:05 PM	43.8	43.1
12:45 PM - 12:50 PM	52.9	40.1	02:45 PM - 02:50 PM	39.2	37.2	06:05 PM - 06:10 PM	46.1	43.7
12:50 PM - 12:55 PM	43.7	41.2	02:50 PM - 02:55 PM	39.7	37.5	06:10 PM - 06:15 PM	45.9	43.2
12:55 PM - 01:00 PM	43.2	41.4	02:55 PM - 03:00 PM	42.0	37.8	06:15 PM - 06:20 PM	46.4	45.1
01:00 PM - 01:05 PM	41.6	40.2	03:00 PM - 03:05 PM	42.0	38.0	06:20 PM - 06:25 PM	41.8	40.0
01:05 PM - 01:10 PM	44.2	40.0	03:05 PM - 03:10 PM	39.8	36.1	06:25 PM - 06:30 PM	51.1	50.8
01:10 PM - 01:15 PM	44.1	40.6	03:10 PM - 03:15 PM	37.4	36.1	06:30 PM - 06:35 PM	52.1	50.6
01:15 PM - 01:20 PM	49.0	44.2	03:15 PM - 03:20 PM	49.2	36.2	06:35 PM - 06:40 PM	51.9	51.2
01:20 PM - 01:25 PM	46.0	42.1	03:20 PM - 03:25 PM	40.6	37.2	06:40 PM - 06:45 PM	51.6	50.2
01:25 PM - 01:30 PM	47.6	42.7	03:25 PM - 03:30 PM	40.6	36.3	06:45 PM - 06:50 PM	51.6	50.2
01:30 PM - 01:35 PM	41.4	39.6	03:30 PM - 03:35 PM	47.0	37.9	06:50 PM - 06:55 PM	51.0	50.2
01:35 PM - 01:40 PM	42.4	41.1	03:35 PM - 03:40 PM	40.6	37.0	06:55 PM - 07:00 PM	50.8	50.0





## Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.  
203/115 26TH Fl. Itakhai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

Lot ID: 2349339  
Date Received : May 23, 2023  
Date Reported : May 25, 2023  
Report Number : 2662262-1

Project Name : Lamchabang  
Project Location :

Sample Number : 2349339-31  
Parameter : Noise Level (Leq 5 min)  
Location : NS : N54.7N60.0 (N24.7N60.0)  
Measurement Date : May 16 - May 17, 2023  
Measurement by : Srirak Ruangsang  
Sound Level meter : Serial No. 01122567

May 17, 2023	Leq	L90	May 17, 2023	Leq	L90	May 17, 2023	Leq	L90
Time	#(A)	#(A)	Time	#(A)	#(A)	Time	#(A)	#(A)
03:00 AM - 03:05 AM	47.3	47.6	05:40 AM - 05:45 AM	42.5	40.8	08:20 AM - 08:25 AM	47.3	40.8
03:05 AM - 03:10 AM	47.0	42.7	05:45 AM - 05:50 AM	45.9	41.5	08:25 AM - 08:30 AM	41.4	40.1
03:10 AM - 03:15 AM	46.1	42.7	05:50 AM - 05:55 AM	47.4	41.0	08:30 AM - 08:35 AM	41.4	40.2
03:15 AM - 03:20 AM	46.8	46.4	05:55 AM - 06:00 AM	55.8	42.5	08:35 AM - 08:40 AM	46.2	40.0
03:20 AM - 03:25 AM	48.9	48.1	06:00 AM - 06:05 AM	44.1	41.1	08:40 AM - 08:45 AM	45.2	39.7
03:25 AM - 03:30 AM	50.7	49.2	06:05 AM - 06:10 AM	45.3	39.8	08:45 AM - 08:50 AM	48.7	40.4
03:30 AM - 03:35 AM	49.5	49.0	06:10 AM - 06:15 AM	45.9	39.4	08:50 AM - 08:55 AM	41.7	40.2
03:35 AM - 03:40 AM	49.4	46.8	06:15 AM - 06:20 AM	40.5	39.1	08:55 AM - 09:00 AM	46.4	40.6
03:40 AM - 03:45 AM	49.3	46.8	06:20 AM - 06:25 AM	42.3	40.7	09:00 AM - 09:05 AM	45.8	39.8
03:45 AM - 03:50 AM	50.4	49.2	06:25 AM - 06:30 AM	45.9	40.6	09:05 AM - 09:10 AM	43.3	40.7
03:50 AM - 03:55 AM	51.1	49.1	06:30 AM - 06:35 AM	51.7	41.6	09:10 AM - 09:15 AM	43.9	41.4
03:55 AM - 04:00 AM	51.0	47.8	06:35 AM - 06:40 AM	50.2	39.9	09:15 AM - 09:20 AM	46.5	40.9
04:00 AM - 04:05 AM	46.2	47.2	06:40 AM - 06:45 AM	48.3	39.7	09:20 AM - 09:25 AM	53.9	40.3
04:05 AM - 04:10 AM	46.2	47.2	06:45 AM - 06:50 AM	48.3	40.4	09:25 AM - 09:30 AM	41.1	38.8
04:10 AM - 04:15 AM	46.2	42.8	06:50 AM - 06:55 AM	50.5	40.6	09:30 AM - 09:35 AM	53.8	39.6
04:15 AM - 04:20 AM	55.0	43.6	06:55 AM - 07:00 AM	49.6	41.7	09:35 AM - 09:40 AM	44.0	39.4
04:20 AM - 04:25 AM	52.4	44.1	07:00 AM - 07:05 AM	50.5	41.8	09:40 AM - 09:45 AM	54.8	40.8
04:25 AM - 04:30 AM	45.9	44.0	07:05 AM - 07:10 AM	46.2	41.2	09:45 AM - 09:50 AM	52.1	40.5
04:30 AM - 04:35 AM	46.2	43.0	07:10 AM - 07:15 AM	50.6	42.1	09:50 AM - 09:55 AM	47.1	40.1
04:35 AM - 04:40 AM	47.2	43.0	07:15 AM - 07:20 AM	46.1	40.5	09:55 AM - 10:00 AM	48.0	39.7
04:40 AM - 04:45 AM	45.5	43.4	07:20 AM - 07:25 AM	45.4	41.6	10:00 AM - 10:05 AM	50.0	40.6
04:45 AM - 04:50 AM	52.3	43.1	07:25 AM - 07:30 AM	46.0	40.3	10:05 AM - 10:10 AM	44.0	40.1
04:50 AM - 04:55 AM	44.4	41.4	07:30 AM - 07:35 AM	46.9	39.8	10:10 AM - 10:15 AM	42.5	40.0
04:55 AM - 05:00 AM	50.9	50.6	07:35 AM - 07:40 AM	41.0	39.2	10:15 AM - 10:20 AM	47.1	39.1
05:00 AM - 05:05 AM	46.6	41.2	07:40 AM - 07:45 AM	43.1	39.6	10:20 AM - 10:25 AM	41.1	39.6
05:05 AM - 05:10 AM	54.8	51.0	07:45 AM - 07:50 AM	43.4	39.6	10:25 AM - 10:30 AM	47.7	39.8
05:10 AM - 05:15 AM	45.7	43.1	07:50 AM - 07:55 AM	44.4	39.0	10:30 AM - 10:35 AM	43.2	40.2
05:15 AM - 05:20 AM	56.8	41.4	07:55 AM - 08:00 AM	53.6	39.3	10:35 AM - 10:40 AM	41.1	38.7
05:20 AM - 05:25 AM	48.1	46.1	08:00 AM - 08:05 AM	53.6	39.7	10:40 AM - 10:45 AM	46.0	39.1
05:25 AM - 05:30 AM	46.1	39.8	08:05 AM - 08:10 AM	51.3	40.0	10:45 AM - 10:50 AM	41.8	39.2
05:30 AM - 05:35 AM	42.1	39.4	08:10 AM - 08:15 AM	46.9	39.3	10:50 AM - 10:55 AM	46.1	39.1
05:35 AM - 05:40 AM	42.0	39.8	08:15 AM - 08:20 AM	46.0	39.2	10:55 AM - 11:00 AM	42.0	39.6

This report is valid only for the project and location specified. It is not valid for other projects or locations. The data is for informational purposes only and should not be used for legal or regulatory purposes. The data is for informational purposes only and should not be used for legal or regulatory purposes.

Approved by

Sirayuth Jitranont  
Assistant General Manager

103/115 26TH Fl. Itakhai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310 (PH) +66 0 2760 3000 (F) +66 0 2760 9197  
www.alsglobal.com

RIGHT SOLUTIONS



## Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.  
203/115 26TH Fl. Itakhai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

Lot ID: 2349339  
Date Received : May 23, 2023  
Date Reported : May 25, 2023  
Report Number : 2662262-1

Project Name : Lamchabang  
Project Location :

Sample Number : 2349339-32  
Parameter : Noise Level (Leq 5 min)  
Location : NS : N54.7N60.0 (N24.7N60.0)  
Measurement Date : May 17 - May 18, 2023  
Measurement by : Srirak Ruangsang  
Sound Level meter : Serial No. 01122567

May 17, 2023	Leq	L90	May 17, 2023	Leq	L90	May 17, 2023	Leq	L90
Time	#(A)	#(A)	Time	#(A)	#(A)	Time	#(A)	#(A)
11:00 AM - 11:05 AM	38.5	36.9	01:40 PM - 01:45 PM	43.6	35.5	04:20 PM - 04:25 PM	42.4	41.5
11:05 AM - 11:10 AM	38.5	36.7	01:45 PM - 01:50 PM	42.8	38.5	04:25 PM - 04:30 PM	42.7	41.8
11:10 AM - 11:15 AM	38.1	36.5	01:50 PM - 01:55 PM	43.2	38.7	04:30 PM - 04:35 PM	42.1	41.4
11:15 AM - 11:20 AM	37.7	37.8	01:55 PM - 02:00 PM	47.2	38.8	04:35 PM - 04:40 PM	43.4	41.7
11:20 AM - 11:25 AM	47.0	37.3	02:00 PM - 02:05 PM	44.1	38.0	04:40 PM - 04:45 PM	43.1	41.8
11:25 AM - 11:30 AM	50.1	38.2	02:05 PM - 02:10 PM	43.4	40.9	04:45 PM - 04:50 PM	43.8	42.0
11:30 AM - 11:35 AM	46.8	37.4	02:10 PM - 02:15 PM	53.7	37.2	04:50 PM - 04:55 PM	42.9	42.2
11:35 AM - 11:40 AM	39.2	37.5	02:15 PM - 02:20 PM	44.0	37.3	04:55 PM - 05:00 PM	42.9	42.5
11:40 AM - 11:45 AM	39.4	37.4	02:20 PM - 02:25 PM	42.8	39.1	05:00 PM - 05:05 PM	43.3	42.8
11:45 AM - 11:50 AM	40.8	38.4	02:25 PM - 02:30 PM	44.6	40.7	05:05 PM - 05:10 PM	41.0	42.2
11:50 AM - 11:55 AM	50.4	38.8	02:30 PM - 02:35 PM	46.5	41.4	05:10 PM - 05:15 PM	45.5	42.4
11:55 AM - 12:00 PM	42.1	38.4	02:35 PM - 02:40 PM	43.4	40.9	05:15 PM - 05:20 PM	46.1	45.8
12:00 PM - 12:05 PM	39.4	37.8	02:40 PM - 02:45 PM	43.0	41.0	05:20 PM - 05:25 PM	46.1	44.6
12:05 PM - 12:10 PM	38.8	36.9	02:45 PM - 02:50 PM	42.3	40.6	05:25 PM - 05:30 PM	44.6	43.3
12:10 PM - 12:15 PM	38.2	37.2	02:50 PM - 02:55 PM	48.2	40.1	05:30 PM - 05:35 PM	45.1	43.3
12:15 PM - 12:20 PM	38.6	37.9	02:55 PM - 03:00 PM	53.8	39.9	05:35 PM - 05:40 PM	45.3	44.3
12:20 PM - 12:25 PM	39.6	37.6	03:00 PM - 03:05 PM	41.9	39.8	05:40 PM - 05:45 PM	45.5	44.8
12:25 PM - 12:30 PM	39.9	37.0	03:05 PM - 03:10 PM	40.4	39.8	05:45 PM - 05:50 PM	45.4	44.8
12:30 PM - 12:35 PM	41.1	37.7	03:10 PM - 03:15 PM	41.1	40.1	05:50 PM - 05:55 PM	46.7	45.0
12:35 PM - 12:40 PM	39.1	37.4	03:15 PM - 03:20 PM	42.1	39.8	05:55 PM - 06:00 PM	47.0	46.0
12:40 PM - 12:45 PM	54.2	37.0	03:20 PM - 03:25 PM	43.2	40.2	06:00 PM - 06:05 PM	46.5	45.7
12:45 PM - 12:50 PM	53.6	37.8	03:25 PM - 03:30 PM	45.7	40.7	06:05 PM - 06:10 PM	47.2	46.3
12:50 PM - 12:55 PM	50.5	38.9	03:30 PM - 03:35 PM	52.1	40.3	06:10 PM - 06:15 PM	46.4	45.8
12:55 PM - 01:00 PM	39.3	37.5	03:35 PM - 03:40 PM	40.7	40.0	06:15 PM - 06:20 PM	46.6	45.5
01:00 PM - 01:05 PM	50.7	38.6	03:40 PM - 03:45 PM	42.4	40.4	06:20 PM - 06:25 PM	45.6	44.8
01:05 PM - 01:10 PM	50.2	38.8	03:45 PM - 03:50 PM	48.2	39.9	06:25 PM - 06:30 PM	47.1	46.0
01:10 PM - 01:15 PM	42.2	38.3	03:50 PM - 03:55 PM	42.8	40.5	06:30 PM - 06:35 PM	46.8	46.1
01:15 PM - 01:20 PM	42.9	38.9	03:55 PM - 04:00 PM	57.2	40.7	06:35 PM - 06:40 PM	46.4	45.5
01:20 PM - 01:25 PM	42.9	41.2	04:00 PM - 04:05 PM	54.9	40.4	06:40 PM - 06:45 PM	46.8	45.6
01:25 PM - 01:30 PM	45.8	41.8	04:05 PM - 04:10 PM	44.3	40.6	06:45 PM - 06:50 PM	49.2	46.1
01:30 PM - 01:35 PM	46.0	38.2	04:10 PM - 04:15 PM	42.4	41.0	06:50 PM - 06:55 PM	32.4	40.4
01:35 PM - 01:40 PM	47.1	38.3	04:15 PM - 04:20 PM	43.5	41.6	06:55 PM - 07:00 PM	52.8	52.2

This report is valid only for the project and location specified. It is not valid for other projects or locations. The data is for informational purposes only and should not be used for legal or regulatory purposes. The data is for informational purposes only and should not be used for legal or regulatory purposes.

Approved by

Sirayuth Jitranont  
Assistant General Manager

103/115 26TH Fl. Itakhai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310 (PH) +66 0 2760 3000 (F) +66 0 2760 9197  
www.alsglobal.com

RIGHT SOLUTIONS



## Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.  
203/115 26TH Fl. Itakhai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310


Lot ID: 2349339  
Date Received : May 23, 2023  
Date Reported : May 25, 2023  
Report Number : 2662262-1

Project Name : Lamchabang  
Project Location :

Sample Number : 2349339-32  
Parameter : Noise Level (Leq 5 min)  
Location : NS : N54.7N60.0 (N24.7N60.0)  
Measurement Date : May 17 - May 18, 2023  
Measurement by : Srirak Ruangsang  
Sound Level meter : Serial No. 01122567

May 17, 2023	Leq	L90	May 17 or May 18, 2023	Leq	L90	May 18, 2023	Leq	L90
Time	#(A)	#(A)	Time	#(A)	#(A)	Time	#(A)	#(A)
07:00 PM - 07:05 PM	52.9	52.5	09:40 PM - 09:45 PM	47.4	46.9	12:20 AM - 12:25 AM	47.3	46.8
07:05 PM - 07:10 PM	52.2	52.5	09:45 PM - 09:50 PM	47.1	46.8	12:25 AM - 12:30 AM	46.3	45.7
07:10 PM - 07:15 PM	52.1	52.1	09:50 PM - 09:55 PM	46.9	46.4	12:30 AM - 12:35 AM	45.8	45.5
07:15 PM - 07:20 PM	49.8	49.3	09:55 PM - 10:00 PM	49.0	46.7	12:35 AM - 12:40 AM	45.2	45.3
07:20 PM - 07:25 PM	50.9	50.2	10:00 PM - 10:05 PM	50.6	50.1	12:40 AM - 12:45 AM	45.5	44.7
07:25 PM - 07:30 PM	50.9	50.6	10:05 PM - 10:10 PM	42.2	42.8	12:45 AM - 12:50 AM	47.7	44.3
07:30 PM - 07:35 PM	46.1	47.3	10:10 PM - 10:15 PM	43.7	43.9	12:50 AM - 12:55 AM	43.4	41.8
07:35 PM - 07:40 PM	46.2	47.3	10:15 PM - 10:20 PM	43.3	42.2	12:55 AM - 01:00 AM	40.4	41.1
07:40 PM - 07:45 PM	48.1	44.5	10:20 PM - 10:25 PM	42.1	41.4	01:00 AM - 01:05 AM	43.7	42.0
07:45 PM - 07:50 PM	45.7	44.2	10:25 PM - 10:30 PM	41.8	41.2	01:05 AM - 01:10 AM	43.0	42.5
07:50 PM - 07:55 PM	46.0	44.8	10:30 PM - 10:35 PM	41.7	40.9	01:10 AM - 01:15 AM	43.4	42.4
07:55 PM - 08:00 PM	46.7	46.0	10:35 PM - 10:40 PM	41.8	40.8	01:15 AM - 01:20 AM	42.4	41.7
08:00 PM - 08:05 PM	47.4	46.8	10:40 PM - 10:45 PM	41.2	40.7	01:20 AM - 01:25 AM	44.1	42.9
08:05 PM - 08:10 PM	46.9	45.6	10:45 PM - 10:50 PM	41.5	41.1	01:25 AM - 01:30 AM	42.7	41.8
08:10 PM - 08:15 PM	45.8	44.9	10:50 PM - 10:55 PM	41.7	41.1	01:30 AM - 01:35 AM	42.8	41.7
08:15 PM - 08:20 PM	46.2	44.9	10:55 PM - 11:00 PM	42.7	41.5	01:35 AM - 01:40 AM	43.6	42.5
08:20 PM - 08:25 PM	45.8	44.2	11:00 PM - 11:05 PM	41.8	41.3	01:40 AM - 01:45 AM	42.4	41.7
08:25 PM - 08:30 PM	45.8	45.1	11:05 PM - 11:10 PM	41.8	41.3	01:45 AM - 01:50 AM	42.4	41.7
08:30 PM - 08:35 PM	45.5	44.7	11:10 PM - 11:15 PM	41.5	40.9	01:50 AM - 01:55 AM	42.4	41.7
08:35 PM - 08:40 PM	46.4	45.8	11:15 PM - 11:20 PM	42.5	41.8	01:55 AM - 02:00 AM	43.4	41.1
08:40 PM - 08:45 PM	45.3	43.9	11:20 PM - 11:25 PM	42.0	41.0	02:00 AM - 02:05 AM	43.1	41.1
08:45 PM - 08:50 PM	44.0	43.1	11:25 PM - 11:30 PM	42.4	40.9	02:05 AM - 02:10 AM	42.0	40.5
08:50 PM - 08:55 PM	45.8	44.6	11:30 PM - 11:35 PM	42.2	41.2	02:10 AM - 02:15 AM	40.1	39.5
08:55 PM - 09:00 PM	43.4	42.4	11:35 PM - 11:40 PM	42.2	41.8	02:15 AM - 02:20 AM	40.1	39.8
09:00 PM - 09:05 PM	43.0	42.4	11:40 PM - 11:45 PM	43.5	41.7	02:20 AM - 02:25 AM	40.1	39.8
09:05 PM - 09:10 PM	43.8	42.8	11:45 PM - 11:50 PM	43.3	44.0	02:25 AM - 02:30 AM	40.6	40.1
09:10 PM - 09:15 PM	43.8	43.1	11:50 PM - 11:55 PM	43.4	44.9	02:30 AM - 02:35 AM	41.4	40.3
09:15 PM - 09:20 PM	45.3	44.7	11:55 PM - 12:00 AM	44.0	42.0	02:35 AM - 02:40 AM	41.8	40.3
09:20 PM - 09:25 PM	44.9	43.1	12:00 AM - 12:05 AM	43.0	42.1	02:40 AM - 02:45 AM	41.1	40.3
09:25 PM - 09:30 PM	44.9	43.1	12:05 AM - 12:10 AM	42.4	42.3	02:45 AM - 02:50 AM	40.6	40.7
09:30 PM - 09:35 PM	46.8	46.1	12:10 AM - 12:15 AM	46.1	42.2	02:50 AM - 02:55 AM	40.5	39.4
09:35 PM - 09:40 PM	46.8	46.4	12:15 AM - 12:20 AM	46.8	46.2	02:55 AM - 03:00 AM	40.3	39.9





100


May 18, 2023			May 18, 2023			May 18, 2023			May 18, 2023		
Time	Leq	L90	Time	Leq	L90	Time	Leq	L90	Time	Leq	L90
	#(A)	#(A)		#(A)	#(A)		#(A)	#(A)		#(A)	#(A)
11:00 AM - 11:05 AM	45.6	42.4	01:40 PM - 01:45 PM	41.2	40.2	04:20 PM - 04:25 PM	45.1	40.7			
11:05 AM - 11:10 AM	45.3	42.4	01:45 PM - 01:50 PM	40.4	39.7	04:25 PM - 04:30 PM	41.9	41.7			
11:10 AM - 11:15 AM	46.0	40.8	01:50 PM - 01:55 PM	42.7	39.9	04:30 PM - 04:35 PM	42.8	40.8			
11:15 AM - 11:20 AM	43.1	41.4	01:55 PM - 02:00 PM	41.2	40.0	04:35 PM - 04:40 PM	41.9	41.7			
11:20 AM - 11:25 AM	49.4	40.4	02:00 PM - 02:05 PM	41.4	39.4	04:40 PM - 04:45 PM	42.7	42.0			
11:25 AM - 11:30 AM	44.0	40.7	02:05 PM - 02:10 PM	40.7	40.0	04:45 PM - 04:50 PM	43.7	40.3			
11:30 AM - 11:35 AM	44.3	39.8	02:10 PM - 02:15 PM	41.5	40.0	04:50 PM - 04:55 PM	43.5	42.6			
11:35 AM - 11:40 AM	44.1	40.5	02:15 PM - 02:20 PM	39.7	41.6	04:55 PM - 05:00 PM	43.6	42.4			
11:40 AM - 11:45 AM	44.4	41.4	02:20 PM - 02:25 PM	41.2	40.5	05:00 PM - 05:05 PM	43.7	42.9			
11:45 AM - 11:50 AM	43.0	40.0	02:25 PM - 02:30 PM	47.3	40.3	05:05 PM - 05:10 PM	43.4	42.0			
11:50 AM - 11:55 AM	43.9	40.9	02:30 PM - 02:35 PM	42.6	39.9	05:10 PM - 05:15 PM	43.9	42.9			
11:55 AM - 12:00 PM	43.9	40.5	02:35 PM - 02:40 PM	41.0	40.0	05:15 PM - 05:20 PM	36.0	41.9			
12:00 PM - 12:05 PM	52.2	40.7	02:40 PM - 02:45 PM	47.3	40.0	05:20 PM - 05:25 PM	52.1	41.0			
12:05 PM - 12:10 PM	51.9	40.7	02:45 PM - 02:50 PM	41.2	40.0	05:25 PM - 05:30 PM	43.6	41.9			
12:10 PM - 12:15 PM	47.1	40.6	02:50 PM - 02:55 PM	41.4	39.7	05:30 PM - 05:35 PM	43.8	42.7			
12:15 PM - 12:20 PM	54.1	40.2	02:55 PM - 03:00 PM	40.3	40.0	05:35 PM - 05:40 PM	43.6	42.0			
12:20 PM - 12:25 PM	50.1	40.4	03:00 PM - 03:05 PM	48.4	40.7	05:40 PM - 05:45 PM	43.0	41.0			
12:25 PM - 12:30 PM	47.2	40.1	03:05 PM - 03:10 PM	45.8	41.9	05:45 PM - 05:50 PM	44.3	43.7			
12:30 PM - 12:35 PM	53.3	39.8	03:10 PM - 03:15 PM	41.3	42.2	05:50 PM - 05:55 PM	43.6	41.9			
12:35 PM - 12:40 PM	57.8	41.5	03:15 PM - 03:20 PM	56.4	41.8	05:55 PM - 06:00 PM	44.0	42.4			
12:40 PM - 12:45 PM	47.2	41.6	03:20 PM - 03:25 PM	54.4	41.7	06:00 PM - 06:05 PM	42.9	43.1			
12:45 PM - 12:50 PM	48.8	40.3	03:25 PM - 03:30 PM	43.9	41.8	06:05 PM - 06:10 PM	48.1	43.2			
12:50 PM - 12:55 PM	59.7	40.0	03:30 PM - 03:35 PM	41.9	41.5	06:10 PM - 06:15 PM	44.0	43.2			
12:55 PM - 01:00 PM	53.8	39.8	03:35 PM - 03:40 PM	47.7	42.2	06:15 PM - 06:20 PM	43.6	41.9			
01:00 PM - 01:05 PM	59.8	39.9	03:40 PM - 03:45 PM	43.6	42.3	06:20 PM - 06:25 PM	47.0	43.8			
01:05 PM - 01:10 PM	61.1	40.2	03:45 PM - 03:50 PM	43.9	42.4	06:25 PM - 06:30 PM	49.6	43.9			
01:10 PM - 01:15 PM	58.6	39.8	03:50 PM - 03:55 PM	43.2	42.0	06:30 PM - 06:35 PM	50.8	50.1			
01:15 PM - 01:20 PM	43.0	40.8	03:55 PM - 04:00 PM	51.7	42.4	06:35 PM - 06:40 PM	51.9	50.8			
01:20 PM - 01:25 PM	49.9	39.4	04:00 PM - 04:05 PM	44.3	42.6	06:40 PM - 06:45 PM	53.4	44.8			
01:25 PM - 01:30 PM	43.5	40.2	04:05 PM - 04:10 PM	49.8	41.4	06:45 PM - 06:50 PM	46.4	43.9			
01:30 PM - 01:35 PM	40.5	39.2	04:10 PM - 04:15 PM	42.2	40.4	06:50 PM - 06:55 PM	44.5	43.8			
01:35 PM - 01:40 PM	40.7	39.3	04:15 PM - 04:20 PM	42.9	39.8	06:55 PM - 07:00 PM	49.3	44.0			

Sarayuth Jitranont  
Assistant General Manager

ADDRESS: 104 Phatthanakan 45, Phatthanakan Rd. Huayeng Phatthanakan, 4.1st Sub-Lang, Angkor, 10260 THAILAND | PHONE: +66 2 2790 3000 FAX: +66 2 2790 3107  
ALP LABORATORY GROUP/THAILAND/COO. LTD. A-312 Limited Co.-public

www.afsglobal.com

ALIGHT SOLUTIONS. INNOVATION. SERVICE. PROTECTION.




100

May 18, 2023	Ldg	L90	May 18 - May 19, 2023	Ldg	L90	May 19, 2023	Ldg	L90
Time	#B(A)	#B(A)	Time	#B(A)	#B(A)	Time	#B(A)	#B(A)
07:00 PM - 07:05 PM	44.7	42.8	09:40 PM - 09:45 PM	47.4	48.2	12:20 AM - 12:25 AM	46.8	46.6
07:05 PM - 07:10 PM	48.0	43.1	09:45 PM - 09:50 PM	47.4	45.8	12:25 AM - 12:30 AM	46.7	46.4
07:10 PM - 07:15 PM	46.8	42.8	09:50 PM - 09:55 PM	48.0	46.8	12:30 AM - 12:35 AM	47.9	44.2
07:15 PM - 07:20 PM	43.1	42.8	09:55 PM - 10:00 PM	49.1	46.7	12:35 AM - 12:40 AM	44.7	44.7
07:20 PM - 07:25 PM	43.4	42.8	10:00 PM - 10:05 PM	46.7	45.8	12:40 AM - 12:45 AM	44.2	43.8
07:25 PM - 07:30 PM	43.5	42.7	10:05 PM - 10:10 PM	44.9	43.2	12:45 AM - 12:50 AM	39.9	39.3
07:30 PM - 07:35 PM	42.9	43.1	10:10 PM - 10:15 PM	46.3	43.5	12:50 AM - 12:55 AM	40.1	39.6
07:35 PM - 07:40 PM	46.4	43.4	10:15 PM - 10:20 PM	41.5	40.5	12:55 AM - 01:00 AM	46.5	46.0
07:40 PM - 07:45 PM	46.4	44.4	10:20 PM - 10:25 PM	41.3	40.9	01:00 AM - 01:05 AM	46.0	39.8
07:45 PM - 07:50 PM	46.6	40.3	10:25 PM - 10:30 PM	43.4	39.0	01:05 AM - 01:10 AM	43.4	41.1
07:50 PM - 07:55 PM	44.4	43.4	10:30 PM - 10:35 PM	40.0	39.2	01:10 AM - 01:15 AM	44.6	44.0
07:55 PM - 08:00 PM	43.2	44.4	10:35 PM - 10:40 PM	42.2	39.9	01:15 AM - 01:20 AM	44.6	41.4
08:00 PM - 08:05 PM	43.0	48.1	10:40 PM - 10:45 PM	41.4	39.8	01:20 AM - 01:25 AM	44.3	42.8
08:05 PM - 08:10 PM	41.6	47.9	10:45 PM - 10:50 PM	41.2	38.8	01:25 AM - 01:30 AM	44.3	41.4
08:10 PM - 08:15 PM	47.1	44.7	10:50 PM - 10:55 PM	41.1	39.8	01:30 AM - 01:35 AM	45.5	41.6
08:15 PM - 08:20 PM	49.3	40.5	10:55 PM - 11:00 PM	41.1	46.0	01:35 AM - 01:40 AM	45.0	39.6
08:20 PM - 08:25 PM	45.4	44.5	11:00 PM - 11:05 PM	47.1	38.2	01:40 AM - 01:45 AM	44.7	41.4
08:25 PM - 08:30 PM	44.2	44.0	11:05 PM - 11:10 PM	40.8	38.8	01:45 AM - 01:50 AM	40.2	39.5
08:30 PM - 08:35 PM	47.8	44.0	11:10 PM - 11:15 PM	37.9	37.9	01:50 AM - 01:55 AM	46.0	39.8
08:35 PM - 08:40 PM	46.0	43.1	11:15 PM - 11:20 PM	39.2	37.6	01:55 AM - 02:00 AM	41.7	40.1
08:40 PM - 08:45 PM	43.0	44.1	11:20 PM - 11:25 PM	38.5	37.9	02:00 AM - 02:05 AM	40.8	40.3
08:45 PM - 08:50 PM	45.6	44.1	11:25 PM - 11:30 PM	47.7	41.2	02:05 AM - 02:10 AM	39.9	39.7
08:50 PM - 08:55 PM	47.4	42.6	11:30 PM - 11:35 PM	44.5	44.0	02:10 AM - 02:15 AM	40.4	39.5
08:55 PM - 09:00 PM	45.3	42.2	11:35 PM - 11:40 PM	46.4	44.2	02:15 AM - 02:20 AM	40.4	39.5
09:00 PM - 09:05 PM	43.2	42.8	11:40 PM - 11:45 PM	44.2	44.2	02:20 AM - 02:25 AM	40.4	39.5
09:05 PM - 09:10 PM	43.1	42.6	11:45 PM - 11:50 PM	44.9	44.4	02:25 AM - 02:30 AM	39.3	39.5
09:10 PM - 09:15 PM	43.7	43.0	11:50 PM - 11:55 PM	45.0	44.2	02:30 AM - 02:35 AM	39.5	39.5
09:15 PM - 09:20 PM	45.5	44.4	11:55 PM - 12:00 AM	47.2	46.7	02:35 AM - 02:40 AM	41.1	39.1
09:20 PM - 09:25 PM	46.1	45.2	12:00 AM - 12:05 AM	47.7	47.7	02:40 AM - 02:45 AM	44.0	40.0
09:25 PM - 09:30 PM	46.4	46.2	12:05 AM - 12:10 AM	47.2	46.0	02:45 AM - 02:50 AM	44.0	40.0
09:30 PM - 09:35 PM	46.4	45.9	12:10 AM - 12:15 AM	47.1	46.0	02:50 AM - 02:55 AM	41.2	40.6
09:35 PM - 09:40 PM	48.1	45.9	12:15 AM - 12:20 AM	46.9	46.7	02:55 AM - 03:00 AM	41.2	40.0

Sarayuth Jitrantont  
Assistant General Manager

© 2010 ALS (04 Phatthanasakul 45, Phatthanasakul 43, Khwaeng Phatthanasakul, Khet Samphanthung, Bangkok 10100, Thailand) TEL: 02-0160-8800 FAX: 02-0160-8800  
ALS (USA) INCORPORATED, 10000 WILSON AVENUE, SUITE 200, CHICAGO, ILLINOIS 60618, USA  
[www.alsglobal.com](http://www.alsglobal.com)  
RIGHT SOLUTIONS. PEOPLE. PROGRESS.



Report Number: 2662363-1

100

May 19, 2023			May 19, 2023			May 19, 2023		
Time	Ln#	LnO	Time	Ln#	LnO	Time	Ln#	LnO
	#(A)	#(B)		#(A)	#(B)		#(A)	#(B)
03:00 AM - 03:05 AM	41.5	41.0	05:40 AM - 05:45 AM	42.8	40.2	08:20 AM - 08:25 AM	45.0	41.4
03:05 AM - 03:10 AM	41.5	41.7	05:45 AM - 05:50 AM	41.8	39.4	08:25 AM - 08:30 AM	45.1	41.5
03:10 AM - 03:15 AM	45.1	44.2	05:50 AM - 05:55 AM	40.3	39.2	08:30 AM - 08:35 AM	41.9	40.8
03:15 AM - 03:20 AM	41.5	41.4	05:55 AM - 06:00 AM	41.8	39.3	08:35 AM - 08:40 AM	45.1	41.5
03:20 AM - 03:25 AM	45.0	44.4	06:00 AM - 06:05 AM	41.8	39.4	08:40 AM - 08:45 AM	46.1	42.1
03:25 AM - 03:30 AM	46.7	44.1	06:05 AM - 06:10 AM	40.8	39.4	08:45 AM - 08:50 AM	44.0	42.2
03:30 AM - 03:35 AM	41.5	41.6	06:10 AM - 06:15 AM	41.0	38.9	08:50 AM - 08:55 AM	45.1	42.2
03:35 AM - 03:40 AM	44.8	42.6	06:15 AM - 06:20 AM	41.8	41.4	08:55 AM - 09:00 AM	45.2	42.0
03:40 AM - 03:45 AM	41.5	41.4	06:20 AM - 06:25 AM	42.4	40.3	09:00 AM - 09:05 AM	45.1	42.7
03:45 AM - 03:50 AM	51.3	44.4	06:25 AM - 06:30 AM	52.3	41.7	09:05 AM - 09:10 AM	53.9	41.8
03:50 AM - 03:55 AM	52.5	44.2	06:30 AM - 06:35 AM	41.8	39.6	09:10 AM - 09:15 AM	47.7	41.1
03:55 AM - 04:00 AM	53.5	51.6	06:35 AM - 06:40 AM	41.9	39.7	09:15 AM - 09:20 AM	47.2	41.2
04:00 AM - 04:05 AM	48.5	41.6	06:40 AM - 06:45 AM	46.1	42.8	09:20 AM - 09:25 AM	41.7	40.9
04:05 AM - 04:10 AM	51.5	46.9	06:45 AM - 06:50 AM	41.5	39.4	09:25 AM - 09:30 AM	47.7	41.2
04:10 AM - 04:15 AM	31.7	40.7	06:50 AM - 06:55 AM	41.5	40.7	09:30 AM - 09:35 AM	47.7	41.2
04:15 AM - 04:20 AM	42.5	40.1	06:55 AM - 07:00 AM	44.4	40.1	09:35 AM - 09:40 AM	47.0	40.5
04:20 AM - 04:25 AM	40.8	39.9	07:00 AM - 07:05 AM	41.2	41.2	09:40 AM - 09:45 AM	44.4	41.1
04:25 AM - 04:30 AM	54.2	40.2	07:05 AM - 07:10 AM	51.4	40.3	09:45 AM - 09:50 AM	41.3	39.5
04:30 AM - 04:35 AM	41.4	41.2	07:10 AM - 07:15 AM	42.8	40.4	09:50 AM - 09:55 AM	41.3	39.6
04:35 AM - 04:40 AM	41.5	41.0	07:15 AM - 07:20 AM	41.4	39.4	09:55 AM - 10:00 AM	41.3	39.6
04:40 AM - 04:45 AM	49.4	42.4	07:20 AM - 07:25 AM	41.3	42.0	10:00 AM - 10:05 AM	49.5	40.6
04:45 AM - 04:50 AM	45.4	42.3	07:25 AM - 07:30 AM	40.9	41.1	10:05 AM - 10:10 AM	45.3	39.9
04:50 AM - 04:55 AM	47.2	42.8	07:30 AM - 07:35 AM	41.5	41.2	10:10 AM - 10:15 AM	41.3	39.1
04:55 AM - 05:00 AM	53.0	45.3	07:35 AM - 07:40 AM	47.3	41.4	10:15 AM - 10:20 AM	42.4	38.1
05:00 AM - 05:05 AM	49.0	40.4	07:40 AM - 07:45 AM	41.5	41.2	10:20 AM - 10:25 AM	44.4	39.4
05:05 AM - 05:10 AM	46.1	42.7	07:45 AM - 07:50 AM	47.7	42.6	10:25 AM - 10:30 AM	56.4	39.4
05:10 AM - 05:15 AM	47.6	39.1	07:50 AM - 07:55 AM	45.3	42.0	10:30 AM - 10:35 AM	56.4	39.8
05:15 AM - 05:20 AM	42.2	39.8	07:55 AM - 08:00 AM	41.3	42.3	10:35 AM - 10:40 AM	42.4	39.4
05:20 AM - 05:25 AM	44.6	39.8	08:00 AM - 08:05 AM	42.6	41.3	10:40 AM - 10:45 AM	34.4	39.0
05:25 AM - 05:30 AM	41.5	41.4	08:05 AM - 08:10 AM	41.5	41.4	10:45 AM - 10:50 AM	42.7	39.4
05:30 AM - 05:35 AM	42.3	38.7	08:10 AM - 08:15 AM	42.7	41.0	10:50 AM - 10:55 AM	59.5	40.0
05:35 AM - 05:40 AM	44.1	40.0	08:15 AM - 08:20 AM	45.4	41.8	10:55 AM - 11:00 AM	52.2	38.0

Sarayuth Jitranont  
Assistant General Manager

0011 3011 (09 Phatthanasak Rd., Phatthanasak Rd., Khovang Phatthanasak, Siel Suan Luang, Bangkok 10210 Thailand) | Phone: +66 2 2760 5100, Fax: +66 2 2760 5119  
E-Mail: info@ahs.com, sales@ahs.com, www.ahs.com



Report number : 2662164-1

100

May 19, 2023	Leg	L90	May 19, 2023	Leg	L90	May 19, 2023	Leg	L90
Time	#(A)		Time	#(A)		Time	#(A)	
11:00 AM - 11:05 AM	50.6	38.4	01:40 PM - 01:45 PM	42.8	39.5	04:20 PM - 04:25 PM	38.4	37.4
11:05 AM - 11:10 AM	40.3	38.1	01:45 PM - 01:50 PM	42.7	40.2	04:25 PM - 04:30 PM	39.4	37.9
11:10 AM - 11:15 AM	40.9	38.7	01:50 PM - 01:55 PM	40.3	39.3	04:30 PM - 04:35 PM	39.3	38.2
11:15 AM - 11:20 AM	41.1	38.7	01:55 PM - 02:00 PM	38.1	38.6	04:35 PM - 04:40 PM	40.1	38.4
11:20 AM - 11:25 AM	40.9	38.7	02:00 PM - 02:05 PM	39.6	38.6	04:40 PM - 04:45 PM	40.5	39.9
11:25 AM - 11:30 AM	56.0	38.6	02:05 PM - 02:10 PM	39.5	38.6	04:45 PM - 04:50 PM	42.2	40.5
11:30 AM - 11:35 AM	40.4	38.4	02:10 PM - 02:15 PM	38.2	38.2	04:50 PM - 04:55 PM	44.7	40.8
11:35 AM - 11:40 AM	41.2	38.6	02:15 PM - 02:20 PM	41.7	38.8	04:55 PM - 05:00 PM	50.0	41.8
11:40 AM - 11:45 AM	42.7	38.9	02:20 PM - 02:25 PM	38.1	38.3	05:00 PM - 05:05 PM	46.0	42.1
11:45 AM - 11:50 AM	52.8	38.4	02:25 PM - 02:30 PM	42.3	38.8	05:05 PM - 05:10 PM	43.5	42.4
11:50 AM - 11:55 AM	48.8	38.3	02:30 PM - 02:35 PM	40.6	37.9	05:10 PM - 05:15 PM	44.0	43.0
11:55 AM - 12:00 PM	39.0	37.8	02:35 PM - 02:40 PM	40.4	37.8	05:15 PM - 05:20 PM	50.2	43.5
12:00 PM - 12:05 PM	41.1	39.0	02:40 PM - 02:45 PM	39.4	37.4	05:20 PM - 05:25 PM	53.2	52.4
12:05 PM - 12:10 PM	36.3	38.5	02:45 PM - 02:50 PM	41.4	37.3	05:25 PM - 05:30 PM	45.0	43.1
12:10 PM - 12:15 PM	39.6	38.5	02:50 PM - 02:55 PM	39.1	37.9	05:30 PM - 05:35 PM	43.2	42.5
12:15 PM - 12:20 PM	43.7	38.1	02:55 PM - 03:00 PM	37.3	38.4	05:35 PM - 05:40 PM	43.4	42.6
12:20 PM - 12:25 PM	41.5	37.9	03:00 PM - 03:05 PM	44.2	36.9	05:40 PM - 05:45 PM	44.3	43.4
12:25 PM - 12:30 PM	40.2	38.2	03:05 PM - 03:10 PM	41.4	40.9	05:45 PM - 05:50 PM	44.9	43.6
12:30 PM - 12:35 PM	40.2	38.3	03:10 PM - 03:15 PM	40.4	37.7	05:50 PM - 05:55 PM	45.0	43.1
12:35 PM - 12:40 PM	41.6	38.4	03:15 PM - 03:20 PM	38.2	37.2	05:55 PM - 06:00 PM	44.8	43.2
12:40 PM - 12:45 PM	39.8	38.4	03:20 PM - 03:25 PM	38.1	38.5	06:00 PM - 06:05 PM	45.7	43.8
12:45 PM - 12:50 PM	41.4	39.3	03:25 PM - 03:30 PM	42.1	41.0	06:05 PM - 06:10 PM	45.0	43.8
12:50 PM - 12:55 PM	39.8	38.4	03:30 PM - 03:35 PM	38.8	37.1	06:10 PM - 06:15 PM	44.8	43.7
12:55 PM - 01:00 PM	42.4	39.4	03:35 PM - 03:40 PM	38.1	38.6	06:15 PM - 06:20 PM	44.5	43.7
01:00 PM - 01:05 PM	38.6	37.8	03:40 PM - 03:45 PM	40.8	38.8	06:20 PM - 06:25 PM	44.1	43.7
01:05 PM - 01:10 PM	52.2	38.5	03:45 PM - 03:50 PM	42.2	37.8	06:25 PM - 06:30 PM	46.3	43.4
01:10 PM - 01:15 PM	50.6	37.8	03:50 PM - 03:55 PM	37.4	37.2	06:30 PM - 06:35 PM	44.7	43.6
01:15 PM - 01:20 PM	48.0	39.2	03:55 PM - 04:00 PM	40.6	36.7	06:35 PM - 06:40 PM	44.6	43.4
01:20 PM - 01:25 PM	47.8	39.5	04:00 PM - 04:05 PM	40.1	36.9	06:40 PM - 06:45 PM	45.5	44.1
01:25 PM - 01:30 PM	45.9	38.4	04:05 PM - 04:10 PM	40.2	37.2	06:45 PM - 06:50 PM	47.5	42.6
01:30 PM - 01:35 PM	41.0	39.1	04:10 PM - 04:15 PM	39.4	37.4	06:50 PM - 06:55 PM	47.5	46.7
01:35 PM - 01:40 PM	43.8	39.9	04:15 PM - 04:20 PM	39.0	37.5	06:55 PM - 07:00 PM	49.1	45.5

Sarayuth Jitvanont  
Assistant General Manager

+66 2 2746 9100    +66 2 2746 9197  
 www.ahsglobal.com









ระดับเสียงขณะมีการรบกวน (Operate)



# Analysis / Test Report



TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Itabhai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok  
Thailand 10310

Lot ID: 2349340  
Date Received: May 23, 2023  
Date Reported: Jun 01, 2023  
Report Number: 2664415-1

P/O :  
Project Name : Lamchabang  
Project Location : Lamchabang

Page 1 of 5

Sample No. : 2349340-1  
Parameter : (เสียงรบกวน)  
Location : อาคารพาณิชย์/อาคารพาณิชย์ 2 (GPS 477 0714309, 1442204)  
Measurement Date : May 14 - 15, 2023  
Measurement by : Smart Ruangsom  
Sound Level Meter : 01222723

เวลา	เสียงจากแหล่งกำเนิด	เสียงรบกวนโดยประมาณ	ค่าเฉลี่ย (dB(A))		ค่าเฉลี่ยโดยประมาณ	ค่าเฉลี่ยโดยประมาณ	เสียงรบกวน	ค่าเฉลี่ย
			ค่าเฉลี่ย	ค่าเฉลี่ย				
11:00 AM - 12:00 PM	47.8	45.1	2.8	3.0	44.9	44.9	35.3	5.6
12:00 PM - 01:00 PM	48.6	40.7	7.9	8.5	48.1	48.1	31.7	12.4
01:00 PM - 02:00 PM	47.6	40.1	7.5	8.5	47.1	47.1	31.8	11.3
02:00 PM - 03:00 PM	46.3	45.1	4.9	7.0	33.2	33.2	38.0	-4.8
03:00 PM - 04:00 PM	47.3	46.5	-2.0	7.0	36.3	36.3	39.5	-3.2
04:00 PM - 05:00 PM	49.2	56.3	-1.1	7.0	42.2	42.2	46.8	-8.8
05:00 PM - 06:00 PM	44.4	50.5	-6.7	7.0	37.4	37.4	49.0	-14.6
06:00 PM - 07:00 PM	46.5	50.4	-5.9	7.0	39.5	39.5	48.5	-9.0
07:00 PM - 08:00 PM	50.4	49.0	1.4	7.0	43.4	43.4	46.7	-3.3
08:00 PM - 09:00 PM	51.4	48.0	3.0	7.0	48.4	48.4	46.3	2.1
09:00 PM - 10:00 PM	51.5	49.4	2.1	4.5	47.0	47.0	47.2	-0.2
10:00 PM - 10:55 PM	52.4	49.3	3.1	3.0	-	52.4	47.5	4.9
10:55 PM - 10:58 PM	52.2	49.7	2.5	3.0	-	52.2	47.8	4.4
10:58 PM - 10:59 PM	52.2	49.3	2.9	3.0	-	52.2	48.1	4.1
10:59 PM - 11:00 PM	51.6	49.7	1.9	4.5	-	50.1	48.4	1.7
11:00 PM - 11:05 PM	52.3	49.6	2.7	3.0	-	52.3	48.1	4.2
11:05 PM - 11:10 PM	52.5	49.7	3.3	7.0	-	52.5	47.0	5.5
11:10 PM - 11:15 PM	52.3	49.3	2.9	3.0	-	52.3	47.4	4.9
11:15 PM - 11:20 PM	52.0	49.8	3.2	3.0	-	52.0	46.7	5.3
11:20 PM - 11:25 PM	51.8	49.1	2.7	3.0	-	51.8	47.1	4.7
11:25 PM - 11:30 PM	51.8	49.7	2.4	4.5	-	50.1	47.3	2.8
11:30 PM - 11:35 PM	52.0	49.7	2.3	4.5	-	50.5	48.2	2.3
11:35 PM - 11:40 PM	51.6	49.5	2.1	4.5	-	50.1	47.6	2.5
11:40 PM - 11:45 PM	51.6	49.5	2.1	4.5	-	50.1	47.7	2.4
11:45 PM - 11:50 PM	50.9	49.8	1.1	7.0	-	48.9	47.8	-0.9
11:50 PM - 11:55 PM	51.1	48.8	2.3	4.5	-	49.8	46.6	3.0
11:55 PM - 12:00 PM	46.0	46.0	-1.1	7.0	-	43.4	41.1	2.4
12:00 PM - 12:05 PM	46.2	49.3	-3.1	7.0	-	42.2	47.1	-4.9
12:05 PM - 12:10 PM	46.2	48.1	-1.9	7.0	-	42.2	45.8	-3.6
12:10 PM - 12:15 PM	46.6	48.3	-1.7	7.0	-	42.6	45.8	-3.2
12:15 PM - 12:20 PM	44.8	48.0	-3.2	7.0	-	40.8	45.4	-4.6
12:20 PM - 12:25 PM	44.8	47.2	-3.1	7.0	-	40.6	44.9	-4.3
12:25 PM - 12:30 PM	45.0	47.5	-2.5	7.0	-	41.0	44.6	-3.6
12:30 PM - 12:35 PM	45.5	47.0	-1.5	7.0	-	41.5	44.0	-2.5
12:35 PM - 12:40 PM	45.7	47.3	-1.6	7.0	-	41.7	44.1	-2.4
12:40 PM - 12:45 PM	46.4	47.3	-0.9	7.0	-	42.4	44.1	-1.7
12:45 PM - 12:50 PM	46.5	47.5	-1.0	7.0	-	42.6	44.0	-1.4
12:50 PM - 12:55 PM	45.1	44.5	0.6	7.0	-	41.1	45.9	-4.8
12:55 PM - 12:59 PM	43.0	44.7	-1.7	7.0	-	39.0	42.3	-3.3
12:59 PM - 12:59 AM	44.6	47.0	-2.4	7.0	-	40.8	45.5	-4.7

Approved by

Witarn Borik Manager

The data shown on this report is the result of the measurement conducted by the company and is not intended to be used for any other purpose.

Copyright © 2023 by ALS. All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or by any information storage and retrieval system, without prior written permission from ALS.

www.alsglobal.com

RIGHT SOLUTIONS. 01222723. 01222723. 01222723.



# Analysis / Test Report



TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Itabhai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok  
Thailand 10310

Lot ID: 2349340  
Date Received: May 23, 2023  
Date Reported: Jun 01, 2023  
Report Number: 2664415-1

P/O :  
Project Name : Lamchabang  
Project Location : Lamchabang

Page 2 of 5

Sample No. : 2349340-1  
Parameter : (เสียงรบกวน)  
Location : อาคารพาณิชย์/อาคารพาณิชย์ 2 (GPS 477 0714309, 1442204)  
Measurement Date : May 14 - 15, 2023  
Measurement by : Smart Ruangsom  
Sound Level Meter : 01222723

เวลา	ค่าเฉลี่ย (dB(A))					เสียงรบกวน ค่าเฉลี่ย	ค่าเฉลี่ย ค่าเฉลี่ย
	เสียงจาก แหล่งกำเนิด	เสียงจาก โดยประมาณ	เสียง ค่าเฉลี่ย	ค่าเฉลี่ย	ค่าเฉลี่ย		
12:25 AM - 12:30 AM	44.1	47.7	-3.6	7.0	-	40.1	44.8
12:30 AM - 12:35 AM	42.5	47.6	-5.1	7.0	-	38.5	45.1
12:35 AM - 12:40 AM	41.3	47.5	-6.2	7.0	-	37.3	45.0
12:40 AM - 12:45 AM	41.8	47.5	-5.7	7.0	-	37.8	44.4
12:45 AM - 12:50 AM	41.6	47.7	-6.1	7.0	-	37.6	44.8
12:50 AM - 12:55 AM	41.7	47.7	-6.0	7.0	-	37.7	45.2
12:55 AM - 01:00 AM	41.7	46.5	-4.8	7.0	-	37.7	45.1
01:00 AM - 01:05 AM	41.9	46.1	-4.2	7.0	-	37.9	45.6
01:05 AM - 01:10 AM	41.8	47.7	-5.9	7.0	-	37.6	45.9
01:10 AM - 01:15 AM	41.5	48.3	-6.8	7.0	-	37.3	45.8
01:15 AM - 01:20 AM	41.9	48.0	-6.1	7.0	-	37.9	45.5
01:20 AM - 01:25 AM	41.3	48.3	-7.0	7.0	-	37.3	45.6
01:25 AM - 01:30 AM	41.1	48.2	-7.1	7.0	-	37.1	45.6
01:30 AM - 01:35 AM	41.1	48.2	-7.1	7.0	-	37.1	45.6
01:35 AM - 01:40 AM	41.3	48.3	-7.0	7.0	-	37.3	45.6
01:40 AM - 01:45 AM	41.5	48.4	-6.9	7.0	-	37.5	45.6
01:45 AM - 01:50 AM	41.3	48.4	-7.1	7.0	-	37.3	45.6
01:50 AM - 01:55 AM	41.3	48.4	-7.1	7.0	-	37.3	45.6
01:55 AM - 02:00 AM	41.6	48.5	-6.9	7.0	-	37.6	45.6
02:00 AM - 02:05 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
02:05 AM - 02:10 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
02:10 AM - 02:15 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
02:15 AM - 02:20 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
02:20 AM - 02:25 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
02:25 AM - 02:30 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
02:30 AM - 02:35 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
02:35 AM - 02:40 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
02:40 AM - 02:45 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
02:45 AM - 02:50 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
02:50 AM - 02:55 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
02:55 AM - 03:00 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
03:00 AM - 03:05 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
03:05 AM - 03:10 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
03:10 AM - 03:15 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
03:15 AM - 03:20 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
03:20 AM - 03:25 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
03:25 AM - 03:30 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
03:30 AM - 03:35 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
03:35 AM - 03:40 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
03:40 AM - 03:45 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
03:45 AM - 03:50 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
03:50 AM - 03:55 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
03:55 AM - 04:00 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
04:00 AM - 04:05 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
04:05 AM - 04:10 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
04:10 AM - 04:15 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
04:15 AM - 04:20 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
04:20 AM - 04:25 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
04:25 AM - 04:30 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
04:30 AM - 04:35 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
04:35 AM - 04:40 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
04:40 AM - 04:45 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
04:45 AM - 04:50 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
04:50 AM - 04:55 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
04:55 AM - 05:00 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
05:00 AM - 05:05 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
05:05 AM - 05:10 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
05:10 AM - 05:15 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
05:15 AM - 05:20 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
05:20 AM - 05:25 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
05:25 AM - 05:30 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
05:30 AM - 05:35 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
05:35 AM - 05:40 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
05:40 AM - 05:45 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
05:45 AM - 05:50 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
05:50 AM - 05:55 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
05:55 AM - 06:00 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
06:00 AM - 06:05 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
06:05 AM - 06:10 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
06:10 AM - 06:15 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
06:15 AM - 06:20 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
06:20 AM - 06:25 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
06:25 AM - 06:30 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
06:30 AM - 06:35 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
06:35 AM - 06:40 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
06:40 AM - 06:45 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
06:45 AM - 06:50 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
06:50 AM - 06:55 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
06:55 AM - 07:00 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
07:00 AM - 07:05 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
07:05 AM - 07:10 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
07:10 AM - 07:15 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
07:15 AM - 07:20 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
07:20 AM - 07:25 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
07:25 AM - 07:30 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
07:30 AM - 07:35 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
07:35 AM - 07:40 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
07:40 AM - 07:45 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
07:45 AM - 07:50 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
07:50 AM - 07:55 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
07:55 AM - 08:00 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
08:00 AM - 08:05 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
08:05 AM - 08:10 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
08:10 AM - 08:15 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
08:15 AM - 08:20 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
08:20 AM - 08:25 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
08:25 AM - 08:30 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
08:30 AM - 08:35 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
08:35 AM - 08:40 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
08:40 AM - 08:45 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
08:45 AM - 08:50 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
08:50 AM - 08:55 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
08:55 AM - 09:00 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
09:00 AM - 09:05 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
09:05 AM - 09:10 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
09:10 AM - 09:15 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
09:15 AM - 09:20 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
09:20 AM - 09:25 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
09:25 AM - 09:30 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
09:30 AM - 09:35 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
09:35 AM - 09:40 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
09:40 AM - 09:45 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
09:45 AM - 09:50 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
09:50 AM - 09:55 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
09:55 AM - 10:00 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
10:00 AM - 10:05 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
10:05 AM - 10:10 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
10:10 AM - 10:15 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
10:15 AM - 10:20 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
10:20 AM - 10:25 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
10:25 AM - 10:30 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
10:30 AM - 10:35 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
10:35 AM - 10:40 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
10:40 AM - 10:45 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
10:45 AM - 10:50 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
10:50 AM - 10:55 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
10:55 AM - 11:00 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
11:00 AM - 11:05 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
11:05 AM - 11:10 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
11:10 AM - 11:15 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
11:15 AM - 11:20 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
11:20 AM - 11:25 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
11:25 AM - 11:30 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
11:30 AM - 11:35 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
11:35 AM - 11:40 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
11:40 AM - 11:45 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
11:45 AM - 11:50 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
11:50 AM - 11:55 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6
11:55 AM - 12:00 AM	41.8	48.6	-6.8	7.0	-	37.8	45.6





## Analysis / Test Report



TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Italbhai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok  
Thailand 10310

P/O :  
Project Name : Laemchabang  
Project Location :

Lot ID: 2349340  
Date Received : May 23, 2023  
Date Reported : Jun 01, 2023  
Report Number : 2664416-1

Page 2 of 3

Sample No. : 2349340-2  
Parameter : ปรอทปรอท  
Location : N1 : ถนนพหลโยธิน กม. 2 (GPS 47P 0714309, 1442204)  
Measurement Date : May 15 - 16, 2023  
Measurement by : Sriratt Ruangsri  
Sound Level Meter : 01222723

ตารางข้อมูล (dB(A))									
เวลา	เสียงจากแหล่งกำเนิด	เสียงรบกวนโดยประมาณ	ค่าเฉลี่ย	ค่าปรับ	ค่าปรับ	ค่าปรับ	ค่าปรับ	ค่าปรับ	ค่าปรับ
12:35 AM - 12:30 AM	45.8	45.1	1.5	7.0	46.8	44.0	-1.2	-	-
12:30 AM - 12:35 AM	45.1	46.7	1.8	7.0	47.5	45.0	-2.9	-	-
12:35 AM - 12:40 AM	45.8	45.9	-0.1	7.0	45.8	43.7	-2.1	-	-
12:40 AM - 12:45 AM	46.2	45.3	0.9	7.0	47.2	43.9	-3.3	-	-
12:45 AM - 12:50 AM	46.0	44.2	1.8	4.5	46.5	43.9	-2.6	-	-
12:50 AM - 12:55 AM	45.9	44.0	1.9	4.5	44.4	41.6	-2.8	-	-
12:55 AM - 01:00 AM	45.2	44.5	0.7	7.0	45.7	42.4	-3.3	-	-
01:00 AM - 01:05 AM	44.8	44.2	0.6	7.0	45.4	42.1	-3.3	-	-
01:05 AM - 01:10 AM	45.3	44.9	0.4	7.0	45.7	43.0	-2.7	-	-
01:10 AM - 01:15 AM	45.1	45.4	-0.3	7.0	45.1	43.5	-1.6	-	-
01:15 AM - 01:20 AM	45.1	45.4	-0.3	7.0	45.1	43.5	-1.6	-	-
01:20 AM - 01:25 AM	43.0	44.7	1.7	7.0	44.7	41.9	-2.8	-	-
01:25 AM - 01:30 AM	43.3	44.3	1.0	7.0	44.3	41.9	-2.4	-	-
01:30 AM - 01:35 AM	42.6	42.6	0.0	7.0	42.6	40.9	-1.7	-	-
01:35 AM - 01:40 AM	42.3	42.7	0.4	7.0	42.7	40.4	-2.3	-	-
01:40 AM - 01:45 AM	42.4	42.9	0.5	7.0	42.9	41.2	-1.7	-	-
01:45 AM - 01:50 AM	44.1	42.6	1.5	4.5	42.6	40.9	-1.7	-	-
01:50 AM - 01:55 AM	44.4	42.3	2.1	7.0	42.4	41.5	-0.9	-	-
01:55 AM - 02:00 AM	42.6	43.2	0.6	7.0	43.2	41.7	-1.5	-	-
02:00 AM - 02:05 AM	46.9	42.5	4.4	2.0	42.9	40.9	-2.0	-	-
02:05 AM - 02:10 AM	43.4	42.4	1.0	7.0	42.4	40.6	-1.8	-	-
02:10 AM - 02:15 AM	42.4	42.6	0.2	7.0	42.6	40.9	-1.7	-	-
02:15 AM - 02:20 AM	41.2	42.0	0.8	7.0	42.0	40.9	-1.1	-	-
02:20 AM - 02:25 AM	42.4	42.5	0.1	7.0	42.4	40.9	-1.5	-	-
02:25 AM - 02:30 AM	42.3	42.3	0.0	7.0	42.3	40.7	-1.6	-	-
02:30 AM - 02:35 AM	41.8	42.4	0.6	7.0	42.4	40.8	-1.6	-	-
02:35 AM - 02:40 AM	44.8	42.3	2.5	3.0	42.3	40.7	-1.6	-	-
02:40 AM - 02:45 AM	42.4	41.8	0.6	7.0	41.8	40.3	-1.5	-	-
02:45 AM - 02:50 AM	42.1	41.8	0.3	7.0	41.8	40.1	-1.7	-	-
02:50 AM - 02:55 AM	42.6	41.9	0.7	7.0	41.9	40.0	-1.9	-	-
02:55 AM - 03:00 AM	43.2	42.7	0.5	7.0	42.7	40.3	-2.4	-	-
03:00 AM - 03:05 AM	42.7	42.1	0.6	7.0	42.7	41.0	-1.7	-	-
03:05 AM - 03:10 AM	43.1	42.9	0.2	7.0	42.9	41.5	-1.4	-	-
03:10 AM - 03:15 AM	43.2	42.6	0.6	7.0	42.6	41.5	-1.1	-	-
03:15 AM - 03:20 AM	42.7	42.5	0.2	7.0	42.7	41.5	-1.2	-	-
03:20 AM - 03:25 AM	45.0	42.6	2.4	7.0	42.6	41.0	-1.6	-	-
03:25 AM - 03:30 AM	46.1	42.3	3.8	3.0	42.3	41.5	-0.8	-	-
03:30 AM - 03:35 AM	44.2	42.4	1.8	7.0	42.4	41.6	-0.8	-	-
03:35 AM - 03:40 AM	45.1	42.0	3.1	7.0	42.0	41.2	-0.8	-	-
03:40 AM - 03:45 AM	45.3	44.5	0.8	7.0	44.5	42.8	-1.7	-	-

Approved by

Wibb.

Wibb.  
Manager

ADDRESS: 616/10 Moo 5, T. Maengmuang, A. Road, Bangkok 10140 Thailand. Phone: +66 8 3384 8555 Fax: +66 8 3384 8556  
E-MAIL: info@alsglobal.com

www.alsglobal.com

RIGHT SOLUTIONS PROJECT P. 0042/17/2023



## Analysis / Test Report



TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Italbhai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok  
Thailand 10310

P/O :  
Project Name : Laemchabang  
Project Location :

Sample No. : 2349340-2  
Parameter : ปรอทปรอท  
Location : N1 : ถนนพหลโยธิน กม. 2 (GPS 47P 0714309, 1442204)  
Measurement Date : May 15 - 16, 2023  
Measurement by : Sriratt Ruangsri  
Sound Level Meter : 01222723

Page 2 of 3

(DB)	เสียงจากแหล่งกำเนิด	เสียงรบกวนโดยประมาณ	ค่าเฉลี่ย (dB(A))		เสียงรบกวนโดยประมาณ	ค่าเฉลี่ยโดยประมาณ
			ค่าจริง	ค่าปรับ		
03:45 AM - 03:50 AM	45.4	44.1	1.3	7.0	45.4	42.3
03:50 AM - 03:55 AM	44.6	44.7	-0.1	7.0	44.6	42.0
03:55 AM - 04:00 AM	45.5	45.9	-0.4	7.0	45.5	42.7
04:00 AM - 04:05 AM	43.6	45.5	1.9	7.0	45.5	42.9
04:05 AM - 04:10 AM	41.9	43.7	1.8	7.0	43.7	42.7
04:10 AM - 04:15 AM	41.0	42.3	1.3	7.0	42.3	42.6
04:15 AM - 04:20 AM	41.1	44.5	3.4	7.0	44.5	42.0
04:20 AM - 04:25 AM	41.5	43.2	1.7	7.0	43.2	42.1
04:25 AM - 04:30 AM	41.9	44.9	3.0	7.0	44.9	42.5
04:30 AM - 04:35 AM	46.3	44.6	1.7	4.5	44.6	42.0
04:35 AM - 04:40 AM	42.6	45.1	2.5	3.0	45.1	42.8
04:40 AM - 04:45 AM	42.6	45.1	2.5	3.0	45.1	42.8
04:45 AM - 04:50 AM	41.8	42.7	0.9	7.0	42.7	41.9
04:50 AM - 04:55 AM	44.5	44.3	0.2	6.5	44.3	42.3
04:55 AM - 05:00 AM	46.2	43.3	2.9	2.5	43.3	42.0
05:00 AM - 05:05 AM	42.6	46.0	3.4	7.0	46.0	42.9
05:05 AM - 05:10 AM	46.1	42.4	3.7	3.0	42.4	42.1
05:10 AM - 05:15 AM	42.9	42.4	0.5	7.0	42.4	42.1
05:15 AM - 05:20 AM	42.7	45.9	3.2	4.5	45.9	42.1
05:20 AM - 05:25 AM	42.0	46.8	4.8	7.0	46.8	42.0
05:25 AM - 05:30 AM	44.5	43.3	1.2	7.0	43.3	42.0
05:30 AM - 05:35 AM	42.3	43.4	1.1	7.0	43.4	42.1
05:35 AM - 05:40 AM	42.1	43.4	1.3	4.5	43.4	41.9
05:40 AM - 05:45 AM	41.9	43.3	1.4	7.0	43.3	42.0
05:45 AM - 05:50 AM	42.9	44.2	1.3	7.0	44.2	42.9
05:50 AM - 05:55 AM	42.4	44.2	1.8	7.0	44.2	42.9
05:55 AM - 06:00 AM	42.7	44.2	1.5	7.0	44.2	42.9
06:00 AM - 06:05 AM	41.8	42.7	0.9	7.0	42.7	42.1
06:05 AM - 06:10 AM	41.8	42.7	0.9	7.0	42.7	42.1
06:10 AM - 06:15 AM	41.8	42.7	0.9	7.0	42.7	42.1
06:15 AM - 06:20 AM	41.8	42.7	0.9	7.0	42.7	42.1
06:20 AM - 06:25 AM	41.8	42.7	0.9	7.0	42.7	42.1
06:25 AM - 06:30 AM	41.8	42.7	0.9	7.0	42.7	42.1
06:30 AM - 06:35 AM	41.8	42.7	0.9	7.0	42.7	42.1
06:35 AM - 06:40 AM	41.8	42.7	0.9	7.0	42.7	42.1
06:40 AM - 06:45 AM	41.8	42.7	0.9	7.0	42.7	42.1
06:45 AM - 06:50 AM	41.8	42.7	0.9	7.0	42.7	42.1
06:50 AM - 06:55 AM	41.8	42.7	0.9	7.0	42.7	42.1
06:55 AM - 07:00 AM	41.8	42.7	0.9	7.0	42.7	42.1
07:00 AM - 07:05 AM	41.8	42.7	0.9	7.0	42.7	42.1
07:05 AM - 07:10 AM	41.8	42.7	0.9	7.0	42.7	42.1
07:10 AM - 07:15 AM	41.8	42.7	0.9	7.0	42.7	42.1
07:15 AM - 07:20 AM	41.8	42.7	0.9	7.0	42.7	42.1
07:20 AM - 07:25 AM	41.8	42.7	0.9	7.0	42.7	42.1
07:25 AM - 07:30 AM	41.8	42.7	0.9	7.0	42.7	42.1
07:30 AM - 07:35 AM	41.8	42.7	0.9	7.0	42.7	42.1
07:35 AM - 07:40 AM	41.8	42.7	0.9	7.0	42.7	42.1
07:40 AM - 07:45 AM	41.8	42.7	0.9	7.0	42.7	42.1
07:45 AM - 07:50 AM	41.8	42.7	0.9	7.0	42.7	42.1
07:50 AM - 07:55 AM	41.8	42.7	0.9	7.0	42.7	42.1
07:55 AM - 08:00 AM	41.8	42.7	0.9	7.0	42.7	42.1
08:00 AM - 08:05 AM	41.8	42.7	0.9	7.0	42.7	42.1
08:05 AM - 08:10 AM	41.8	42.7	0.9	7.0	42.7	42.1
08:10 AM - 08:15 AM	41.8	42.7	0.9	7.0	42.7	42.1
08:15 AM - 08:20 AM	41.8	42.7	0.9	7.0	42.7	42.1
08:20 AM - 08:25 AM	41.8	42.7	0.9	7.0	42.7	42.1
08:25 AM - 08:30 AM	41.8	42.7	0.9	7.0	42.7	42.1
08:30 AM - 08:35 AM	41.8	42.7	0.9	7.0	42.7	42.1
08:35 AM - 08:40 AM	41.8	42.7	0.9	7.0	42.7	42.1
08:40 AM - 08:45 AM	41.8	42.7	0.9	7.0	42.7	42.1
08:45 AM - 08:50 AM	41.8	42.7	0.9	7.0	42.7	42.1
08:50 AM - 08:55 AM	41.8	42.7	0.9	7.0	42.7	42.1
08:55 AM - 09:00 AM	41.8	42.7	0.9	7.0	42.7	42.1
09:00 AM - 09:05 AM	41.8	42.7	0.9	7.0	42.7	42.1
09:05 AM - 09:10 AM	41.8	42.7	0.9	7.0	42.7	42.1
09:10 AM - 09:15 AM	41.8	42.7	0.9	7.0	42.7	42.1
09:15 AM - 09:20 AM	41.8	42.7	0.9	7.0	42.7	42.1
09:20 AM - 09:25 AM	41.8	42.7	0.9	7.0	42.7	42.1
09:25 AM - 09:30 AM	41.8	42.7	0.9	7.0	42.7	42.1
09:30 AM - 09:35 AM	41.8	42.7	0.9	7.0	42.7	42.1
09:35 AM - 09:40 AM	41.8	42.7	0.9	7.0	42.7	42.1
09:40 AM - 09:45 AM	41.8	42.7	0.9	7.0	42.7	42.1
09:45 AM - 09:50 AM	41.8	42.7	0.9	7.0	42.7	42.1
09:50 AM - 09:55 AM	41.8	42.7	0.9	7.0	42.7	42.1
09:55 AM - 10:00 AM	41.8	42.7	0.9	7.0	42.7	42.1



## Analysis / Test Report



TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Italtai Town, New Petchburi Road, Bangkapi, Huaykwang, Bangkok  
Thailand 10510

Let ID: 2349340  
Date Received: May 23, 2023  
Date Reported: Jun 01, 2023  
Report Number: 2664417-1

P/O :  
Project Name : Lamchubang  
Project Location : Lamchubang

Page 2 of 2

Sample No. : 2349340-3  
Parameter : เสียงรบกวน  
Location : บริเวณท่ารถตู้บริเวณ หลัง 2 (GPS 47F 0714309, 1442204)  
Measurement Date : May 16 - 17, 2023  
Measurement by : Smith Ruangsang  
Sound Level Meter : 01222723

เวลา	เสียงจากแหล่งกำเนิด	เสียงรบกวนโดยประมาณ	ค่าเฉลี่ย (dB(A))		ค่าเฉลี่ยสูงสุด	ค่าเฉลี่ยต่ำสุด
			ค่าเฉลี่ย	ค่าเฉลี่ย		
03:45 AM - 03:50 AM	40.6	42.9	-2.0	7.0	35.6	41.5
03:50 AM - 03:55 AM	37.4	47.3	-9.9	7.0	33.4	41.2
03:55 AM - 04:00 AM	38.3	46.8	-8.5	7.0	34.3	41.7
04:00 AM - 04:05 AM	38.8	43.2	-4.4	7.0	34.4	41.7
04:05 AM - 04:10 AM	37.2	42.8	-5.6	7.0	33.2	41.4
04:10 AM - 04:15 AM	35.6	42.2	-6.6	7.0	31.6	40.8
04:15 AM - 04:20 AM	37.0	43.8	-6.8	7.0	33.0	40.8
04:20 AM - 04:25 AM	36.9	42.5	-5.6	7.0	32.9	40.5
04:25 AM - 04:30 AM	37.9	45.9	-8.4	7.0	33.5	40.7
04:30 AM - 04:35 AM	38.1	44.3	-6.2	7.0	34.1	41.7
04:35 AM - 04:40 AM	40.2	43.5	-3.3	4.5	40.7	41.8
04:40 AM - 04:45 AM	41.8	42.9	-1.1	7.0	37.4	40.9
04:45 AM - 04:50 AM	42.9	44.9	-2.0	7.0	38.8	40.8
04:50 AM - 04:55 AM	44.8	43.3	1.5	0.5	37.1	41.2
04:55 AM - 05:00 AM	50.1	46.2	3.9	2.0	51.1	40.9
05:00 AM - 05:05 AM	44.8	44.2	0.6	7.0	40.8	40.5
05:05 AM - 05:10 AM	45.5	43.8	1.7	7.0	45.5	41.2
05:10 AM - 05:15 AM	46.9	42.9	4.0	2.0	47.9	41.7
05:15 AM - 05:20 AM	43.8	43.0	0.8	7.0	38.9	41.8
05:20 AM - 05:25 AM	45.6	44.9	0.7	7.0	41.6	41.5
05:25 AM - 05:30 AM	45.9	46.8	-0.9	7.0	45.9	42.1
05:30 AM - 05:35 AM	43.7	44.1	-0.4	7.0	39.7	42.3
05:35 AM - 05:40 AM	44.3	46.7	-2.4	7.0	40.3	42.7
05:40 AM - 05:45 AM	47.6	46.7	0.9	7.0	43.4	42.7
05:45 AM - 05:50 AM	46.9	42.0	4.9	1.5	46.7	40.9
05:50 AM - 05:55 AM	40.6	46.9	-6.3	7.0	38.6	41.2
05:55 AM - 06:00 AM	42.2	45.2	-3.0	7.0	38.2	40.7
06:00 AM - 07:00 AM	46.9	45.9	1.0	4.5	43.5	41.5
07:00 AM - 08:00 AM	48.0	42.1	5.9	1.5	46.5	41.4
08:00 AM - 09:00 AM	48.7	45.0	3.7	2.0	46.7	41.1
09:00 AM - 10:00 AM	42.8	45.0	-2.2	7.0	39.8	41.1
10:00 AM - 11:00 AM	44.0	46.1	-2.1	7.0	39.4	41.4
ค่าเฉลี่ยรวม						41.0

Reference Method :  
1. ISO 1996-1  
2. ขั้นตอนการทดสอบตาม (ร่าง) มาตรฐานการวัดผลกระทบจากเสียงรบกวน 24 ชั่วโมง การวัดผลกระทบจากเสียงรบกวนจากกิจกรรมในชุมชน พ.ศ. 2561  
3. ขั้นตอนการทดสอบตาม (ร่าง) มาตรฐานการวัดผลกระทบจากเสียงรบกวนจากกิจกรรมในชุมชน พ.ศ. 2561  
4. ขั้นตอนการทดสอบตาม (ร่าง) มาตรฐานการวัดผลกระทบจากเสียงรบกวนจากกิจกรรมในชุมชน พ.ศ. 2561  
5. ขั้นตอนการทดสอบตาม (ร่าง) มาตรฐานการวัดผลกระทบจากเสียงรบกวนจากกิจกรรมในชุมชน พ.ศ. 2561  
6. ขั้นตอนการทดสอบตาม (ร่าง) มาตรฐานการวัดผลกระทบจากเสียงรบกวนจากกิจกรรมในชุมชน พ.ศ. 2561  
7. ขั้นตอนการทดสอบตาม (ร่าง) มาตรฐานการวัดผลกระทบจากเสียงรบกวนจากกิจกรรมในชุมชน พ.ศ. 2561  
8. ขั้นตอนการทดสอบตาม (ร่าง) มาตรฐานการวัดผลกระทบจากเสียงรบกวนจากกิจกรรมในชุมชน พ.ศ. 2561  
9. ขั้นตอนการทดสอบตาม (ร่าง) มาตรฐานการวัดผลกระทบจากเสียงรบกวนจากกิจกรรมในชุมชน พ.ศ. 2561  
10. ขั้นตอนการทดสอบตาม (ร่าง) มาตรฐานการวัดผลกระทบจากเสียงรบกวนจากกิจกรรมในชุมชน พ.ศ. 2561

Approved by

Wisan Borak  
Manager

www.alsglobal.com  
RIGHT SOLUTIONS



## Analysis / Test Report



TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Italtai Town, New Petchburi Road, Bangkapi, Huaykwang, Bangkok  
Thailand 10510

Let ID: 2349340  
Date Received: May 23, 2023  
Date Reported: Jun 01, 2023  
Report Number: 2664418-1

P/O :  
Project Name : Lamchubang  
Project Location : Lamchubang

Page 2 of 2

Sample No. : 2349340-4  
Parameter : เสียงรบกวน  
Location : บริเวณท่ารถตู้บริเวณ หลัง 2 (GPS 47F 0714309, 1442204)  
Measurement Date : May 17 - 18, 2023  
Measurement by : Smith Ruangsang  
Sound Level Meter : 01222723

เวลา	เสียงจากแหล่งกำเนิด	เสียงรบกวนโดยประมาณ	ค่าเฉลี่ย (dB(A))		ค่าเฉลี่ยสูงสุด	ค่าเฉลี่ยต่ำสุด
			ค่าเฉลี่ย	ค่าเฉลี่ย		
11:00 AM - 12:00 PM	44.6	46.6	-2.0	7.0	37.6	41.6
12:00 PM - 01:00 PM	50.5	42.8	7.7	0.5	50.0	41.2
01:00 PM - 02:00 PM	44.2	45.1	-0.9	7.0	37.2	41.2
02:00 PM - 03:00 PM	42.6	43.8	-1.2	7.0	33.4	41.2
03:00 PM - 04:00 PM	41.8	43.1	-1.3	7.0	34.9	41.2
04:00 PM - 05:00 PM	46.1	47.3	-1.2	7.0	41.9	41.2
05:00 PM - 06:00 PM	45.1	47.1	-2.0	7.0	38.1	41.2
06:00 PM - 07:00 PM	44.9	46.5	-1.6	7.0	37.9	41.2
07:00 PM - 08:00 PM	45.6	46.5	-0.9	7.0	40.4	41.2
08:00 PM - 09:00 PM	48.5	47.2	1.3	7.0	46.4	41.2
09:00 PM - 10:00 PM	49.8	47.1	2.7	3.0	46.8	41.2
10:00 PM - 10:55 PM	50.3	46.7	3.6	2.0	51.3	41.2
10:55 PM - 11:00 PM	50.2	46.3	3.9	2.0	51.2	41.2
11:00 PM - 11:05 PM	50.8	46.1	4.7	1.5	52.3	41.2
11:05 PM - 11:10 PM	51.3	45.7	5.6	1.5	52.8	41.2
11:10 PM - 11:15 PM	50.3	47.1	3.2	1.0	50.3	41.2
11:15 PM - 11:20 PM	49.7	46.2	3.5	2.0	50.7	41.2
11:20 PM - 11:25 PM	49.8	46.9	2.9	3.0	49.8	41.2
11:25 PM - 11:30 PM	49.9	47.2	2.7	3.0	49.9	41.2
11:30 PM - 11:35 PM	49.5	46.6	2.9	1.5	49.5	41.2
11:35 PM - 11:40 PM	50.4	46.4	4.0	2.0	51.4	41.2
11:40 PM - 11:45 PM	50.9	47.8	3.1	1.0	50.9	41.2
11:45 PM - 11:50 PM	50.8	47.2	3.6	1.0	50.8	41.2
11:50 PM - 11:55 PM	50.8	49.8	1.0	1.5	52.3	41.2
11:55 PM - 12:00 AM	50.6	45.8	4.8	1.5	52.3	41.2
12:00 AM - 12:05 AM	50.1	47.6	2.5	1.0	50.1	41.2
12:05 AM - 12:10 AM	49.2	46.5	2.7	1.0	49.2	41.2
12:10 AM - 12:15 AM	46.3	45.8	0.5	7.0	42.3	41.2
12:15 AM - 12:20 AM	45.4	51.1	-5.7	7.0	41.4	41.2
12:20 AM - 12:25 AM	41.3	46.3	-5.0	7.0	37.7	41.2
12:25 AM - 12:30 AM	46.1	48.0	-1.9	7.0	42.1	41.2
12:30 AM - 12:35 AM	46.2	47.1	-0.9	7.0	42.2	41.2
12:35 AM - 12:40 AM	45.7	45.7	0.0	7.0	41.8	41.2
12:40 AM - 12:45 AM	46.6	45.8	0.8	7.0	42.6	41.2
12:45 AM - 12:50 AM	45.9	50.7	-4.8	7.0	41.8	41.2
12:50 AM - 12:55 AM	45.4	49.5	-4.1	7.0	41.4	41.2
12:55 AM - 1:00 AM	44.9	49.5	-4.6	7.0	40.9	41.2
1:00 AM - 1:05 AM	44.8	49.3	-4.5	7.0	40.8	41.2
1:05 AM - 1:10 AM	45.6	45.8	0.1	7.0	41.9	41.2
1:10 AM - 1:15 AM	44.6	45.9	-1.3	7.0	40.6	41.2

Approved by

Wisan Borak  
Manager

www.alsglobal.com  
RIGHT SOLUTIONS





## Analysis / Test Report



TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Italbhai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok  
Thailand 10310

Lot ID: 2349340  
Date Received: May 23, 2023  
Date Reported: Jun 01, 2023  
Report Number: 2664419-1

P/O :  
Project Name : Laemchabang  
Project Location :

Page 2 of 3

Sample No. : 2349340-5  
Parameter : เสียงรบกวน  
Location : บริเวณทางเชื่อมอาคาร 2 (GPS 47P 0714309, 1442204)  
Measurement Date : May 18 - 19, 2023  
Measurement by : Suwit Ruangsom  
Sound Level Meter : 01222723

ตารางข้อมูล (dB(A))									
เวลา	เสียงจากแหล่งกำเนิด	เสียงรบกวนโดยประมาณ	ผลรวม	ค่าปรับ	ปรับค่าเสียงรบกวนโดยประมาณ	เสียงที่เกิน	ค่าปรับ	เสียงที่เกิน	ค่าปรับ
11:00 AM - 12:00 PM	48.5	54.5	4.4	7.0	41.5	28.5	3.0	28.5	3.0
12:00 PM - 01:00 PM	49.3	53.9	4.7	7.0	38.2	37.6	0.0	37.6	0.0
01:00 PM - 02:00 PM	42.6	56.2	-13.6	7.0	35.6	29.2	-3.6	29.2	-3.6
02:00 PM - 03:00 PM	43.0	55.8	-12.8	7.0	36.0	27.7	-1.7	27.7	-1.7
03:00 PM - 04:00 PM	44.2	46.5	-2.3	7.0	37.2	26.8	0.4	26.8	0.4
04:00 PM - 05:00 PM	49.0	45.0	0.0	7.0	42.0	47.2	-5.2	47.2	-5.2
05:00 PM - 06:00 PM	45.3	48.8	-3.2	7.0	38.5	47.4	-8.9	47.4	-8.9
06:00 PM - 07:00 PM	54.2	48.1	6.1	1.5	52.7	45.3	7.4	45.3	7.4
07:00 PM - 08:00 PM	47.1	42.9	4.2	7.0	40.1	45.8	-5.7	45.8	-5.7
08:00 PM - 09:00 PM	46.3	47.8	-1.5	7.0	39.3	45.7	-6.4	45.7	-6.4
09:00 PM - 10:00 PM	51.3	46.3	5.0	3.5	48.3	46.8	1.5	46.8	1.5
10:00 PM - 10:59 PM	54.4	47.0	7.4	1.0	53.4	44.5	11.5	44.5	11.5
10:59 PM - 11:00 PM	54.6	45.7	8.9	0.5	55.1	44.3	12.8	44.3	12.8
11:00 PM - 11:59 PM	52.0	49.6	2.4	4.5	50.5	44.6	5.9	44.6	5.9
11:59 PM - 12:00 PM	52.7	46.0	6.7	1.0	51.7	45.0	6.7	45.0	6.7
12:00 PM - 12:59 PM	53.3	47.9	5.4	1.5	51.8	46.4	5.4	46.4	5.4
12:59 PM - 01:00 PM	52.2	48.8	-4.4	2.0	54.2	47.1	7.1	47.1	7.1
01:00 PM - 01:59 PM	57.0	49.1	7.9	2.0	54.0	47.9	7.0	47.9	7.0
01:59 PM - 02:00 PM	48.4	48.5	-0.1	7.0	44.4	45.7	-1.3	45.7	-1.3
02:00 PM - 02:59 PM	48.5	48.3	0.2	7.0	44.5	45.5	-1.0	45.5	-1.0
02:59 PM - 03:00 PM	47.0	47.6	-0.6	7.0	43.8	45.6	-1.8	45.6	-1.8
03:00 PM - 03:59 PM	47.8	48.2	-0.4	7.0	43.8	45.9	-2.1	45.9	-2.1
03:59 PM - 04:00 PM	48.0	48.6	-0.6	7.0	44.0	46.2	-2.2	46.2	-2.2
04:00 PM - 04:59 PM	48.1	48.3	-0.2	7.0	44.1	46.4	-2.3	46.4	-2.3
04:59 PM - 05:00 PM	48.6	47.6	1.0	7.0	42.9	46.0	-3.2	46.0	-3.2
05:00 PM - 05:59 PM	45.1	47.4	-2.3	7.0	41.1	46.0	-4.9	46.0	-4.9
05:59 PM - 06:00 PM	46.2	47.2	-1.0	7.0	42.2	45.9	-3.7	45.9	-3.7
06:00 PM - 06:59 PM	43.8	47.3	-3.5	7.0	40.3	46.3	-6.0	46.3	-6.0
06:59 PM - 07:00 PM	46.7	46.5	0.2	7.0	42.2	44.8	-2.6	44.8	-2.6
07:00 PM - 07:59 PM	49.6	46.6	3.0	3.0	46.6	44.4	2.2	44.4	2.2
07:59 PM - 08:00 PM	48.1	46.0	2.1	7.0	44.1	44.1	0.0	44.1	0.0
08:00 PM - 08:59 PM	48.8	49.6	-0.8	7.0	44.8	45.6	-0.8	45.6	-0.8
08:59 PM - 09:00 PM	57.2	49.8	7.4	0.5	60.2	45.7	14.5	45.7	14.5
09:00 PM - 09:59 PM	58.9	49.4	9.5	0.5	61.4	45.2	16.1	45.2	16.1
09:59 PM - 10:00 PM	58.9	49.5	9.0	0.5	61.4	45.0	16.4	45.0	16.4
10:00 PM - 10:59 PM	58.8	49.2	9.6	0.5	61.3	45.5	15.8	45.5	15.8
10:59 PM - 11:00 PM	58.8	50.0	8.8	0.5	61.3	46.6	14.7	46.6	14.7
11:00 PM - 11:59 PM	58.1	50.5	7.6	0.5	61.4	46.7	14.7	46.7	14.7
11:59 PM - 12:00 AM	58.8	51.3	7.5	0.5	61.3	49.1	12.2	49.1	12.2
12:00 AM - 12:59 AM	59.2	48.9	10.3	0.5	61.7	46.6	15.1	46.6	15.1

Approved by

Wibb.

Wibb. Borsak  
Manager

ALSOFT ENGINEERING Co., Ltd. 11/11/2023 11:11:11 AM 11/11/2023 11:11:11 AM 11/11/2023 11:11:11 AM 11/11/2023 11:11:11 AM 11/11/2023 11:11:11 AM 11/11/2023 11:11:11 AM 11/11/2023 11:11:11 AM 11/11/2023 11:11:11 AM 11/11/2023 11:11:11 AM 11/11/2023 11:11:11 AM

www.alsglobal.com

RIGHT SOLUTIONS



## Analysis / Test Report



TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Italbhai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok  
Thailand 10310

Lot ID: 2349340  
Date Received: May 23, 2023  
Date Reported: Jun 01, 2023  
Report Number: 2664419-1

P/O :  
Project Name : Laemchabang  
Project Location :

Page 2 of 3

Sample No. : 2349340-5  
Parameter : เสียงรบกวน  
Location : บริเวณทางเชื่อมอาคาร 2 (GPS 47P 0714309, 1442204)  
Measurement Date : May 18 - 19, 2023  
Measurement by : Suwit Ruangsom  
Sound Level Meter : 01222723

ตารางข้อมูล (dB(A))									
เวลา	เสียงจากแหล่งกำเนิด	เสียงรบกวนโดยประมาณ	ผลรวม	ค่าปรับ	ปรับค่าเสียงรบกวนโดยประมาณ		เสียงที่เกิน	ค่าปรับ	เสียงที่เกิน
					ค่าเสียง	ค่าเสียง			
12:00 AM - 12:59 AM	50.8	50.8	0.0	1.5	49.3	47.8	1.5	47.8	1.5
12:30 AM - 12:59 AM	49.9	50.2	-0.3	7.0	42.9	47.9	-5.0	47.9	-5.0
12:15 AM - 12:30 AM	46.1	50.1	-4.0	7.0	42.1	48.2	-6.1	48.2	-6.1
12:00 AM - 12:15 AM	46.7	50.2	-3.5	7.0	42.2	47.7	-5.5	47.7	-5.5
12:45 AM - 12:59 AM	46.8	46.3	0.5	7.0	43.4	46.1	-2.7	46.1	-2.7
12:30 AM - 12:45 AM	45.5	46.6	-1.1	7.0	41.5	46.3	-4.8	46.3	-4.8
12:15 AM - 12:30 AM	45.0	46.6	-1.6	7.0	41.0	46.8	-5.8	46.8	-5.8
12:00 AM - 12:15 AM	45.3	46.9	-1.6	7.0	41.3	46.4	-5.1	46.4	-5.1
01:00 AM - 01:15 AM	45.3	46.3	0.0	7.0	41.3	45.7	5.6	45.7	5.6
01:15 AM - 01:30 AM	45.9	47.7	-1.8	7.0	41.2	44.0	7.2	44.0	7.2
01:30 AM - 01:45 AM	45.5	46.3	0.8	7.0	41.5	44.4	7.1	44.4	7.1
01:45 AM - 01:59 AM	45.4	47.9	-2.5	7.0	41.6	45.6	-4.0	45.6	-4.0
01:00 AM - 01:15 AM	45.3	48.0	-2.7	7.0	41.3	47.0	-5.7	47.0	-5.7
01:15 AM - 01:30 AM	56.7	46.9	9.8	0.5	55.2	43.6	11.6	43.6	11.6
01:30 AM - 01:45 AM	59.8	48.4	11.4	0.5	62.3	43.5	18.8	43.5	18.8
01:45 AM - 01:59 AM	60.0	49.9	10.1	0.5	62.5	46.3	16.2	46.3	16.2
01:00 AM - 01:15 AM	59.3	49.9	9.4	0.5	61.8	45.8	16.0	45.8	16.0
01:15 AM - 01:30 AM	59.8	50.3	9.5	0.5	62.3	46.9	15.4	46.9	15.4
01:30 AM - 01:45 AM	58.4	50.2	8.2	0.5	61.9	46.7	15.2	46.7	15.2
01:45 AM - 01:59 AM	59.6	49.6	9.4	0.5	61.5	45.8	15.7	45.8	15.7
01:00 AM - 01:15 AM	59.1	50.0	9.1	0.5	61.6	46.3	15.3	46.3	15.3
01:15 AM - 01:30 AM	58.5	50.1	8.4	0.5	61.0	46.9	14.1	46.9	14.1
01:30 AM - 01:45 AM	50.6	50.3	0.3	1.5	49.3	46.7	2.6	46.7	2.6
01:45 AM - 01:59 AM	49.1	49.6	-0.5	7.0	46.1	46.1	0.0	46.1	0.0
02:00 AM - 02:59 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
02:30 AM - 02:59 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
02:15 AM - 02:30 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
02:00 AM - 02:15 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
01:45 AM - 02:00 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
01:30 AM - 01:45 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
01:15 AM - 01:30 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
01:00 AM - 01:15 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
12:45 AM - 01:00 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
12:30 AM - 12:45 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
12:15 AM - 12:30 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
12:00 AM - 12:15 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
11:45 AM - 12:00 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
11:30 AM - 11:45 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
11:15 AM - 11:30 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
11:00 AM - 11:15 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
10:45 AM - 11:00 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
10:30 AM - 10:45 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
10:15 AM - 10:30 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
10:00 AM - 10:15 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
09:45 AM - 10:00 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
09:30 AM - 09:45 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
09:15 AM - 09:30 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
09:00 AM - 09:15 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
08:45 AM - 09:00 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
08:30 AM - 08:45 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
08:15 AM - 08:30 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
08:00 AM - 08:15 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
07:45 AM - 08:00 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
07:30 AM - 07:45 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
07:15 AM - 07:30 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
07:00 AM - 07:15 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
06:45 AM - 07:00 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
06:30 AM - 06:45 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
06:15 AM - 06:30 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
06:00 AM - 06:15 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
05:45 AM - 06:00 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
05:30 AM - 05:45 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
05:15 AM - 05:30 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
05:00 AM - 05:15 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
04:45 AM - 05:00 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
04:30 AM - 04:45 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
04:15 AM - 04:30 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
04:00 AM - 04:15 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
03:45 AM - 04:00 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
03:30 AM - 03:45 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
03:15 AM - 03:30 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
03:00 AM - 03:15 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
02:45 AM - 03:00 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
02:30 AM - 02:45 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
02:15 AM - 02:30 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
02:00 AM - 02:15 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
01:45 AM - 02:00 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
01:30 AM - 01:45 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
01:15 AM - 01:30 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
01:00 AM - 01:15 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
12:45 AM - 01:00 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
12:30 AM - 12:45 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
12:15 AM - 12:30 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
12:00 AM - 12:15 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
11:45 AM - 12:00 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
11:30 AM - 11:45 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
11:15 AM - 11:30 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
11:00 AM - 11:15 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
10:45 AM - 11:00 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
10:30 AM - 10:45 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
10:15 AM - 10:30 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
10:00 AM - 10:15 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
09:45 AM - 10:00 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
09:30 AM - 09:45 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
09:15 AM - 09:30 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
09:00 AM - 09:15 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
08:45 AM - 09:00 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
08:30 AM - 08:45 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
08:15 AM - 08:30 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
08:00 AM - 08:15 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
07:45 AM - 08:00 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
07:30 AM - 07:45 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
07:15 AM - 07:30 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
07:00 AM - 07:15 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
06:45 AM - 07:00 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
06:30 AM - 06:45 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
06:15 AM - 06:30 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
06:00 AM - 06:15 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
05:45 AM - 06:00 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
05:30 AM - 05:45 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
05:15 AM - 05:30 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
05:00 AM - 05:15 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
04:45 AM - 05:00 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
04:30 AM - 04:45 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
04:15 AM - 04:30 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
04:00 AM - 04:15 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
03:45 AM - 04:00 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
03:30 AM - 03:45 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
03:15 AM - 03:30 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
03:00 AM - 03:15 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
02:45 AM - 03:00 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
02:30 AM - 02:45 AM	49.3	49.3	0.0	7.0	46.3	46.3	0.0	46.3	0.0
02:15 AM - 02:30 AM									





## Analysis / Test Report



TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Italtai Town, New Petchburi Road, Bangkok, Huaykwang, Bangkok.  
Thailand 10310

Lot ID: 2349340  
Date Received: May 23, 2023  
Date Reported: Jun 01, 2023  
Report Number: 2664420-1

P/O :  
Project Name : Laemchabang  
Project Location : Laemchabang

Page 2 of 3

Sample No. 2349340-6  
Parameter :  
Location :  
Measurement Date : May 19 - 20, 2023  
Measurement by :  
Sound Level Meter : 01222723

Time	Direction	Wind Speed	Wind Direction	Temperature	Humidity	Sound Level (dB(A))		Remarks
						Max	Min	
12:25 AM - 12:30 AM	44.9	50.9	4.0	7.0	...	40.9	40.7	-7.8
12:30 AM - 12:35 AM	44.9	51.1	4.2	7.0	...	40.9	40.6	-8.1
12:35 AM - 12:40 AM	44.1	50.9	4.8	7.0	...	40.1	40.7	-8.6
12:40 AM - 12:45 AM	43.4	50.8	2.4	7.0	...	39.4	40.7	-9.3
12:45 AM - 12:50 AM	43.8	51.3	2.7	7.0	...	39.8	40.4	-9.6
12:50 AM - 12:55 AM	43.2	51.3	4.1	7.0	...	39.2	40.2	-10.0
12:55 AM - 01:00 AM	40.5	51.1	4.4	7.0	...	38.5	40.8	-10.3
01:00 AM - 01:05 AM	42.2	51.2	3.0	7.0	...	38.2	40.0	-10.8
01:05 AM - 01:10 AM	41.1	51.3	10.4	7.0	...	37.1	40.2	-12.2
01:10 AM - 01:15 AM	41.4	51.4	11.2	7.0	...	37.4	40.3	-11.9
01:15 AM - 01:20 AM	42.8	51.8	9.2	7.0	...	38.6	40.6	-11.0
01:20 AM - 01:25 AM	42.9	52.1	9.2	7.0	...	38.9	40.9	-11.0
01:25 AM - 01:30 AM	43.3	52.0	8.7	7.0	...	39.3	40.8	-10.5
01:30 AM - 01:35 AM	43.5	54.1	10.4	7.0	...	39.5	41.5	-12.0
01:35 AM - 01:40 AM	43.0	55.5	12.3	7.0	...	39.0	41.8	-15.8
01:40 AM - 01:45 AM	46.1	51.2	5.1	7.0	...	42.1	40.7	-4.6
01:45 AM - 01:50 AM	43.4	51.0	7.4	7.0	...	39.2	40.4	-10.2
01:50 AM - 01:55 AM	52.8	56.4	2.4	4.5	...	51.3	40.5	2.8
01:55 AM - 02:00 AM	46.6	56.5	2.9	7.0	...	42.4	40.4	-5.8
02:00 AM - 02:05 AM	41.8	50.5	4.7	7.0	...	37.8	40.5	-10.7
02:05 AM - 02:10 AM	43.0	50.7	3.7	7.0	...	41.0	40.8	-7.8
02:10 AM - 02:15 AM	43.0	50.5	2.5	7.0	...	39.0	40.9	-9.9
02:15 AM - 02:20 AM	41.4	51.5	10.1	7.0	...	37.4	40.5	-12.1
02:20 AM - 02:25 AM	40.5	51.2	10.7	7.0	...	36.5	40.1	-12.6
02:25 AM - 02:30 AM	40.1	51.3	11.2	7.0	...	36.1	40.5	-11.4
02:30 AM - 02:35 AM	40.1	51.3	11.2	7.0	...	36.1	40.5	-11.4
02:35 AM - 02:40 AM	39.9	51.1	11.2	7.0	...	34.9	40.8	-14.9
02:40 AM - 02:45 AM	39.6	51.2	11.4	7.0	...	35.6	50.0	-14.4
02:45 AM - 02:50 AM	39.6	51.4	11.4	7.0	...	35.6	50.3	-14.7
02:50 AM - 02:55 AM	39.2	50.7	10.5	7.0	...	35.7	40.3	-11.6
02:55 AM - 03:00 AM	40.0	50.1	10.1	7.0	...	36.0	40.0	-13.0
03:00 AM - 03:05 AM	40.1	50.5	10.4	7.0	...	36.1	40.9	-11.8
03:05 AM - 03:10 AM	39.1	50.9	11.4	7.0	...	35.9	40.9	-14.0
03:10 AM - 03:15 AM	39.5	49.9	10.4	7.0	...	35.5	40.2	-11.7
03:15 AM - 03:20 AM	40.4	49.9	9.5	7.0	...	36.4	40.1	-12.7
03:20 AM - 03:25 AM	40.4	49.2	8.8	7.0	...	36.4	40.2	-11.8
03:25 AM - 03:30 AM	40.0	48.2	8.2	7.0	...	36.0	40.4	-11.6
03:30 AM - 03:35 AM	38.7	53.4	14.7	7.0	...	34.7	40.2	-13.5
03:35 AM - 03:40 AM	38.8	48.1	9.3	7.0	...	34.8	40.1	-12.3
03:40 AM - 03:45 AM	38.2	49.8	11.3	7.0	...	34.2	40.3	-12.1

Approved by

Wawan Borak  
Manager



## Analysis / Test Report



TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Italtai Town, New Petchburi Road, Bangkok, Huaykwang, Bangkok.  
Thailand 10310

Lot ID: 2349340  
Date Received: May 23, 2023  
Date Reported: Jun 01, 2023  
Report Number: 2664420-1

P/O :  
Project Name : Laemchabang  
Project Location : Laemchabang

Page 3 of 3

Sample No. 2349340-6  
Parameter :  
Location :  
Measurement Date : May 19 - 20, 2023  
Measurement by :  
Sound Level Meter : 01222723

Time	Direction	Wind Speed	Wind Direction	Temperature	Humidity	Sound Level (dB(A))		Remarks
						Max	Min	
03:45 AM - 03:50 AM	37.8	48.0	10.2	7.0	...	33.8	40.9	-13.1
03:50 AM - 03:55 AM	41.4	48.4	4.0	7.0	...	37.4	47.4	-10.0
03:55 AM - 04:00 AM	40.8	56.6	11.8	7.0	...	38.8	47.2	-8.4
04:00 AM - 04:05 AM	37.5	48.6	11.1	7.0	...	33.5	47.1	-12.6
04:05 AM - 04:10 AM	38.1	48.9	9.9	7.0	...	34.1	47.0	-12.9
04:10 AM - 04:15 AM	38.2	49.2	11.0	7.0	...	34.2	47.6	-12.4
04:15 AM - 04:20 AM	37.8	48.6	10.7	7.0	...	33.9	47.2	-12.3
04:20 AM - 04:25 AM	37.7	49.1	11.4	7.0	...	33.7	47.3	-12.6
04:25 AM - 04:30 AM	39.9	48.1	4.4	7.0	...	35.5	46.8	-11.3
04:30 AM - 04:35 AM	43.0	52.3	8.3	7.0	...	41.0	47.0	-6.0
04:35 AM - 04:40 AM	42.1	54.4	12.3	7.0	...	38.1	47.1	-9.0
04:40 AM - 04:45 AM	39.0	47.3	8.3	7.0	...	35.0	46.3	-11.3
04:45 AM - 04:50 AM	39.8	47.5	7.7	7.0	...	35.8	46.7	-10.9
04:50 AM - 04:55 AM	38.6	47.1	4.5	7.0	...	34.8	46.3	-11.5
04:55 AM - 05:00 AM	45.2	48.1	2.9	7.0	...	41.2	46.5	-5.3
05:00 AM - 05:05 AM	38.7	47.6	4.9	7.0	...	34.7	46.6	-11.9
05:05 AM - 05:10 AM	43.0	47.6	4.4	7.0	...	39.0	46.2	-7.7
05:10 AM - 05:15 AM	43.0	47.3	4.3	7.0	...	39.0	46.6	-7.6
05:15 AM - 05:20 AM	41.9	47.7	5.1	7.0	...	37.9	46.8	-8.7
05:20 AM - 05:25 AM	42.5	47.6	5.1	7.0	...	38.3	46.3	-7.8
05:25 AM - 05:30 AM	40.6	47.5	1.0	7.0	...	44.5	46.4	-1.9
05:30 AM - 05:35 AM	44.9	47.7	2.8	7.0	...	40.9	46.9	-6.0
05:35 AM - 05:40 AM	40.0	50.4	8.4	7.0	...	38.0	46.7	-8.7
05:40 AM - 05:45 AM	43.3	47.2	1.1	7.0	...	39.3	45.8	-2.4
05:45 AM - 05:50 AM	44.2	50.0	5.8	7.0	...	40.2	46.2	-4.0
05:50 AM - 05:55 AM	42.3	47.0	4.7	7.0	...	38.1	46.4	-8.1
05:55 AM - 06:00 AM	47.3	46.2	3.7	7.0	...	43.3	45.9	-2.4
06:00 AM - 07:00 AM	46.2	52.0	1.8	7.0	...	39.2	49.0	-9.8
07:00 AM - 08:00 AM	47.5	51.9	2.5	7.0	...	40.5	49.1	-8.6
08:00 AM - 09:00 AM	51.1	54.7	2.8	7.0	...	44.2	48.9	-4.6
09:00 AM - 10:00 AM	48.4	51.4	2.8	7.0	...	40.4	48.1	-8.3
10:00 AM - 11:00 AM	40.5	51.0	10.5	7.0	...	31.5	47.8	-14.3
11:00 AM - 12:00 PM	...	...	...	...	...	...	...	...

Approved by

Wawan Borak  
Manager



## Analysis / Test Report



TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Italtai Town, New Petchburi Road, Bangkok, Huaykwang, Bangkok.  
Thailand 10310

Lot ID: 2349340  
Date Received: May 23, 2023  
Date Reported: Jun 01, 2023  
Report Number: 2664421-1

P/O :  
Project Name : Laemchabang  
Project Location : Laemchabang

Page 1 of 3

Sample No. 2349340-7  
Parameter :  
Location :  
Measurement Date : May 20 - 21, 2023  
Measurement by :  
Sound Level Meter : 01222723

Time	Direction	Wind Speed	Wind Direction	Temperature	Humidity	Sound Level (dB(A))		Remarks
						Max	Min	
11:00 AM - 12:00 PM	56.1	51.8	4.3	2.0	...	54.1	49.8	5.1
12:00 PM - 01:00 PM	48.8	51.1	19.3	7.0	...	49.1	45.1	-15.2
01:00 PM - 02:00 PM	52.3	46.6	21.1	7.0	...	51.2	47.2	-14.7
02:00 PM - 03:00 PM	42.4	54.8	12.4	7.0	...	35.4	45.4	-10.0
03:00 PM - 04:00 PM	42.1	46.8	4.7	7.0	...	35.1	44.7	-9.6
04:00 PM - 05:00 PM	48.8	49.5	6.7	7.0	...	41.8	46.8	-4.8
05:00 PM - 06:00 PM	46.1	46.7	8.2	7.0	...	39.1	47.6	-1.5
06:00 PM - 07:00 PM	46.3	47.0	0.5	7.0	...	39.5	47.6	1.5
07:00 PM - 08:00 PM	49.8	46.7	3.1	3.0	...	49.2	39.2	7.6
08:00 PM - 09:00 PM	51.2	45.7	1.5	1.5	...	48.2	44.5	5.2
09:00 PM - 10:00 PM	51.9	45.8	1.1	1.5	...	50.4	43.7	6.7
10:00 PM - 12:00 PM	48.6	46.9	1.7	4.5	...	47.1	45.8	1.7
12:00 PM - 01:00 PM	52.3	45.4	2.1	1.0	...	54.5	44.9	9.6
01:00 PM - 02:00 PM	52.6	45.1	2.5	0.5	...	55.1	45.9	11.2
02:00 PM - 03:00 PM	52.7	44.0	8.7	0.5	...	55.2	45.6	15.6
03:00 PM - 04:00 PM	52.7	45.0	2.7	0.5	...	55.2	44.3	10.7
04:00 PM - 05:00 PM	52.5	45.7	1.8	1.0	...	54.5	45.6	10.9
05:00 PM - 06:00 PM	52.6	46.0	6.6	1.0	...	54.6	45.5	11.1
06:00 PM - 07:00 PM	51.9	47.4	4.0	2.0	...	52.9	45.9	8.0
07:00 PM - 08:00 PM	52.5	47.3	5.1	1.5	...	54.1	46.0	10.1
08:00 PM - 09:00 PM	52.8	47.0	1.8	2.5	...	54.3	45.8	10.5
09:00 PM - 10:00 PM	52.5	47.3	5.2	1.5	...	54.0	44.1	9.9
10:00 PM - 11:00 PM	52.3	47.3	5.0	1.5	...	53.8	44.2	9.6
11:00 PM - 12:00 PM	52.1	47.0	5.1	1.5	...	53.6	44.1	9.5
12:00 PM - 01:00 PM	51.9	46.8	5.3	1.5	...	53.4	43.8	9.6
01:00 PM - 02:00 PM	52.3	45.4	8.6	0.5	...	54.8	42.6	12.2
02:00 PM - 03:00 PM	51.9	43.7	8.2	0.5	...	54.4	42.4	12.0
03:00 PM - 04:00 PM	51.9	43.7	8.2	0.5	...	54.4	42.2	11.2
04:00 PM - 05:00 PM	51.2	43.0	8.2	0.5	...	53.7	42.4	11.3
05:00 PM - 06:00 PM	51.4	51.3	0.5	7.0	...	42.4	40.7	4.7
06:00 PM - 07:00 PM	47.0	44.2	2.8	3.0	...	47.0	40.1	4.9
07:00 PM - 08:00 PM	46.5	42.3	4.2	2.0	...	47.5	41.7	5.8
08:00 PM - 09:00 PM	46.5	42.0	3.5	2.0	...	47.3	41.8	7.7
09:00 PM - 10:00 PM	46.5	42.0	3.5	2.0	...	47.3	41.8	7.7
10:00 PM - 11:00 PM	45.1	47.8	2.5	7.0	...	41.1	45.8	-4.7
11:00 PM - 12:00 AM	44.9	46.1	1.7	7.0	...	40.8	45.3	-5.2
12:00 AM - 01:00 AM	45.1	46.1	1.7	7.0	...	40.8	45.3	-5.2
01:00 AM - 02:00 AM	45.8	45.6	0.2	7.0	...	41.3	34.8	6.4
02:00 AM - 03:00 AM	46.0	46.0	0.0	7.0	...	42.0	35.2	6.8











# Analysis / Test Report



TESTING  
No.0042

Client : Rajana Industrial Park Public Co., Ltd.  
203/115 26TH Fl. Italtai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok  
Thailand 10310

Lot ID: 2349340  
Date Received : May 23, 2023  
Date Reported : Jun 01, 2023  
Report Number : 2664424-1

P/O :  
Project Name : Lanchabang  
Project Location :

Sample No. : 2349340-10  
Parameter : โลหะหนัก  
Location : N2 : ถนนพหลโยธิน/ถนน 3 (GPS 47F 0714548, 1441873)  
Measurement Date : May 16 - 17, 2023  
Measurement by : Smart Rungsumrit  
Sound Level Meter : 00372561

ตารางข้อมูล (dB(A))									
เวลา	เสียงจากแหล่งกำเนิด	เสียงรบกวนจากกิจกรรม	เสียงรบกวนจากกิจกรรม	เสียงรบกวนจากกิจกรรม	เสียงรบกวนจากกิจกรรม	เสียงรบกวนจากกิจกรรม	เสียงรบกวนจากกิจกรรม	เสียงรบกวนจากกิจกรรม	เสียงรบกวนจากกิจกรรม
12:25 AM - 12:30 AM	36.3	34.6	1.7	4.5	-	34.8	33.5	1.3	-
12:30 AM - 12:35 AM	34.4	34.4	0.0	7.0	-	30.4	33.0	-2.6	-
12:35 AM - 12:40 AM	34.9	34.9	0.0	7.0	-	30.9	34.0	-3.1	-
12:40 AM - 12:45 AM	34.8	33.7	1.1	7.0	-	30.8	32.7	-1.9	-
12:45 AM - 12:50 AM	34.5	35.8	-1.3	7.0	-	30.5	-	-4.8	-
12:50 AM - 12:55 AM	38.6	33.9	4.7	1.5	-	40.1	33.0	7.1	-
12:55 AM - 01:00 AM	35.2	34.4	0.8	7.0	-	31.2	33.3	-2.1	-
01:00 AM - 01:05 AM	35.3	34.9	0.4	7.0	-	31.5	34.3	-2.8	-
01:05 AM - 01:10 AM	35.5	35.4	0.1	7.0	-	31.5	33.8	-2.3	-
01:10 AM - 01:15 AM	37.0	34.7	2.3	4.5	-	35.5	32.1	3.4	-
01:15 AM - 01:20 AM	35.7	33.4	2.3	7.0	-	31.7	33.7	-2.0	-
01:20 AM - 01:25 AM	38.1	34.7	3.4	3.0	-	38.1	32.8	5.3	-
01:25 AM - 01:30 AM	37.4	31.0	6.4	4.5	-	35.9	34.3	1.6	-
01:30 AM - 01:35 AM	37.3	34.2	3.1	3.0	-	37.3	33.0	4.3	-
01:35 AM - 01:40 AM	37.3	33.5	3.8	2.0	-	36.3	32.5	3.8	-
01:40 AM - 01:45 AM	40.1	34.8	5.3	1.5	-	41.6	32.8	8.8	-
01:45 AM - 01:50 AM	42.1	33.3	8.8	0.5	-	45.9	31.8	14.1	-
01:50 AM - 01:55 AM	38.2	32.3	5.9	1.5	-	39.7	31.2	8.5	-
01:55 AM - 02:00 AM	38.4	40.5	-2.1	7.0	-	34.4	35.4	-1.0	-
02:00 AM - 02:05 AM	41.4	42.4	-1.0	7.0	-	37.4	31.7	5.7	-
02:05 AM - 02:10 AM	42.1	35.4	6.7	1.0	-	44.1	32.8	11.3	-
02:10 AM - 02:15 AM	42.5	34.1	8.4	0.5	-	45.0	32.2	12.8	-
02:15 AM - 02:20 AM	43.0	35.4	7.6	0.5	-	45.5	34.2	11.3	-
02:20 AM - 02:25 AM	41.4	33.2	8.2	0.5	-	43.5	32.1	11.4	-
02:25 AM - 02:30 AM	44.0	34.4	9.6	0.5	-	47.6	32.1	15.4	-
02:30 AM - 02:35 AM	45.2	33.7	11.5	0.5	-	47.7	34.4	13.3	-
02:35 AM - 02:40 AM	45.4	33.0	12.4	0.5	-	47.9	32.1	15.8	-
02:40 AM - 02:45 AM	45.1	34.1	1.0	0.5	-	46.7	34.1	2.6	-
02:45 AM - 02:50 AM	46.7	34.9	11.8	0.5	-	49.3	33.1	16.1	-
02:50 AM - 02:55 AM	45.9	33.7	12.2	0.5	-	44.4	34.9	-1.5	-
02:55 AM - 03:00 AM	44.5	34.8	10.3	0.5	-	42.7	33.7	9.0	-
03:00 AM - 03:05 AM	47.3	38.8	8.5	0.5	-	49.9	32.8	17.0	-
03:05 AM - 03:10 AM	44.0	35.5	8.5	0.5	-	45.5	34.7	1.8	-
03:10 AM - 03:15 AM	43.6	33.8	9.7	0.5	-	46.1	32.3	13.8	-
03:15 AM - 03:20 AM	43.3	32.4	10.9	7.0	-	43.3	32.8	0.5	-
03:20 AM - 03:25 AM	47.9	49.5	-1.6	7.0	-	43.9	34.8	9.1	-
03:25 AM - 03:30 AM	46.7	36.0	10.7	0.5	-	49.2	34.5	14.7	-
03:30 AM - 03:35 AM	46.8	34.3	12.5	0.5	-	44.9	33.1	11.8	-
03:35 AM - 03:40 AM	47.2	35.2	12.0	0.5	-	49.7	33.4	16.3	-
03:40 AM - 03:45 AM	46.5	35.9	10.6	0.5	-	49.0	35.2	13.8	-

This report is valid only for the specific conditions, location and equipment used. It is not valid for other conditions, location and equipment. The data is for information only and should not be used for legal purposes.

Approved by

Wiboon Boonk  
Manager

103/115 26TH Fl. Italtai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok  
Thailand 10310  
www.alsglobal.com

RIGHT SOLUTIONS



# Analysis / Test Report



TESTING  
No.0042

Client : Rajana Industrial Park Public Co., Ltd.  
203/115 26TH Fl. Italtai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok  
Thailand 10310

Lot ID: 2349340  
Date Received : May 23, 2023  
Date Reported : Jun 01, 2023  
Report Number : 2664424-1

P/O :  
Project Name : Lanchabang  
Project Location :

Sample No. : 2349340-10  
Parameter : โลหะหนัก  
Location : N2 : ถนนพหลโยธิน/ถนน 3 (GPS 47F 0714548, 1441873)  
Measurement Date : May 16 - 17, 2023  
Measurement by : Smart Rungsumrit  
Sound Level Meter : 00372561

ตารางข้อมูล (dB(A))									
เวลา	เสียงจากแหล่งกำเนิด	เสียงรบกวนจากกิจกรรม	เสียงรบกวนจากกิจกรรม	เสียงรบกวนจากกิจกรรม	เสียงรบกวนจากกิจกรรม	เสียงรบกวนจากกิจกรรม	เสียงรบกวนจากกิจกรรม	เสียงรบกวนจากกิจกรรม	เสียงรบกวนจากกิจกรรม
03:45 AM - 03:50 AM	34.5	35.4	0.9	-	-	-	-	-	-
03:50 AM - 03:55 AM	46.9	37.8	8.2	0.5	-	48.5	35.2	13.3	-
03:55 AM - 04:00 AM	34.5	42.4	12.1	0.5	-	37.6	33.1	4.5	-
04:00 AM - 04:05 AM	47.2	36.4	10.8	0.5	-	49.7	33.4	16.3	-
04:05 AM - 04:10 AM	43.3	43.4	-0.1	7.0	-	38.1	34.7	3.4	-
04:10 AM - 04:15 AM	45.4	42.3	3.2	3.0	-	45.4	34.2	11.2	-
04:15 AM - 04:20 AM	44.8	35.9	8.9	0.5	-	47.3	34.1	13.2	-
04:20 AM - 04:25 AM	45.2	34.3	10.9	0.5	-	47.7	31.6	16.1	-
04:25 AM - 04:30 AM	50.2	45.6	4.6	1.5	-	51.7	33.4	18.3	-
04:30 AM - 04:35 AM	50.6	44.1	6.5	1.0	-	52.6	32.9	19.7	-
04:35 AM - 04:40 AM	44.3	45.8	-1.5	7.0	-	46.3	36.7	9.6	-
04:40 AM - 04:45 AM	48.2	41.2	7.0	-	-	44.2	37.8	6.4	-
04:45 AM - 04:50 AM	48.7	43.9	4.8	7.0	-	44.7	51.3	-6.6	-
04:50 AM - 04:55 AM	46.5	34.4	12.1	7.0	-	42.6	53.5	-10.9	-
04:55 AM - 05:00 AM	41.0	34.3	6.7	7.0	-	39.0	53.6	-14.6	-
05:00 AM - 05:05 AM	42.0	30.2	11.8	7.0	-	38.0	58.9	-20.9	-
05:05 AM - 05:10 AM	49.1	45.1	4.0	2.0	-	50.1	36.2	13.9	-
05:10 AM - 05:15 AM	39.8	44.8	-5.0	7.0	-	33.6	39.6	-6.0	-
05:15 AM - 05:20 AM	41.0	48.6	-7.6	7.0	-	37.0	38.9	-1.9	-
05:20 AM - 05:25 AM	46.1	45.9	0.2	7.0	-	42.1	37.7	4.4	-
05:25 AM - 05:30 AM	45.2	44.5	0.7	7.0	-	41.4	37.0	4.4	-
05:30 AM - 05:35 AM	44.3	41.8	2.5	4.5	-	42.4	36.0	6.4	-
05:35 AM - 05:40 AM	39.7	40.1	-0.4	7.0	-	35.7	37.2	-1.5	-
05:40 AM - 05:45 AM	41.7	45.7	-4.0	7.0	-	37.2	38.0	-0.8	-
05:45 AM - 05:50 AM	39.8	47.8	-8.0	7.0	-	34.9	39.4	-4.5	-
05:50 AM - 05:55 AM	39.4	46.5	-7.1	7.0	-	35.4	38.7	-3.3	-
05:55 AM - 06:00 AM	41.0	46.9	-5.9	7.0	-	38.0	37.7	0.3	-
06:00 AM - 06:05 AM	41.0	38.4	2.6	7.0	-	32.9	35.8	-2.9	-
06:05 AM - 06:10 AM	39.7	45.1	-5.4	7.0	-	32.7	-	-	-
06:10 AM - 06:15 AM	47.4	48.2	-0.8	7.0	-	38.6	41.8	-3.2	-
06:15 AM - 06:20 AM	45.6	45.6	0.0	7.0	-	45.6	45.6	0.0	-
06:20 AM - 06:25 AM	41.3	47.9	-6.6	7.0	-	36.2	42.7	-6.5	-

Reference Method :

- ISO 1996-1
- มาตรฐานการวัดและประเมินค่าเสียงรบกวนในชุมชนและสิ่งแวดล้อม (ฉบับแก้ไขเพิ่มเติม) พ.ศ. 2553
- มาตรฐานการวัดและประเมินค่าเสียงรบกวนในชุมชนและสิ่งแวดล้อม (ฉบับแก้ไขเพิ่มเติม) พ.ศ. 2553
- มาตรฐานการวัดและประเมินค่าเสียงรบกวนในชุมชนและสิ่งแวดล้อม (ฉบับแก้ไขเพิ่มเติม) พ.ศ. 2553

This report is valid only for the specific conditions, location and equipment used. It is not valid for other conditions, location and equipment. The data is for information only and should not be used for legal purposes.

Approved by

Wiboon Boonk  
Manager

103/115 26TH Fl. Italtai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok  
Thailand 10310  
www.alsglobal.com

RIGHT SOLUTIONS



# Analysis / Test Report



TESTING  
No.0042

Client : Rajana Industrial Park Public Co., Ltd.  
203/115 26TH Fl. Italtai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok  
Thailand 10310

Lot ID: 2349340  
Date Received : May 23, 2023  
Date Reported : Jun 01, 2023  
Report Number : 2664425-1

P/O :  
Project Name : Lanchabang  
Project Location :

Sample No. : 2349340-11  
Parameter : โลหะหนัก  
Location : N2 : ถนนพหลโยธิน/ถนน 3 (GPS 47F 0714548, 1441873)  
Measurement Date : May 17 - 18, 2023  
Measurement by : Smart Rungsumrit  
Sound Level Meter : 00372561

ตารางข้อมูล (dB(A))									
เวลา	เสียงจากแหล่งกำเนิด	เสียงรบกวนจากกิจกรรม	เสียงรบกวนจากกิจกรรม	เสียงรบกวนจากกิจกรรม	เสียงรบกวนจากกิจกรรม	เสียงรบกวนจากกิจกรรม	เสียงรบกวนจากกิจกรรม	เสียงรบกวนจากกิจกรรม	เสียงรบกวนจากกิจกรรม
11:00 AM - 11:05 PM	41.9	40.8	1.1	7.0	-	34.9	-	-2.4	-
11:05 PM - 11:10 PM	41.4	41.7	-0.3	7.0	-	34.4	-	-5.0	-
11:10 PM - 11:15 PM	45.7	41.6	4.1	2.0	-	41.7	-	7.6	-
11:15 PM - 11:20 PM	43.6	41.6	2.0	4.5	-	42.1	-	1.5	-
11:20 PM - 11:25 PM	42.5	41.8	0.7	7.0	-	35.5	-	-6.0	-
11:25 PM - 11:30 PM	45.2	42.9	2.3	4.5	-	40.7	-	4.5	-
11:30 PM - 11:35 PM	44.9	44.6	0.3	7.0	-	37.9	-	-6.5	-
11:35 PM - 11:40 PM	44.1	44.4	-0.3	7.0	-	37.1	-	-0.8	-
11:40 PM - 11:45 PM	38.6	43.5	-4.9	7.0	-	31.6	-	6.9	-
11:45 PM - 11:50 PM	42.5	38.9	3.6	2.0	-	36.5	-	5.9	-
11:50 PM - 11:55 PM	42.6	41.7	0.9	4.5	-	39.4	-	3.2	-
11:55 PM - 12:00 PM	38.7	39.4	-0.7	7.0	-	34.3	-	4.4	-
12:00 PM - 12:05 PM	38.6	39.3	-0.7	7.0	-	34.6	-	-0.3	-
12:05 PM - 12:10 PM	38.4	39.3	-0.9	7.0	-	34.6	-	-0.2	-
12:10 PM - 12:15 PM	38.4	38.1	0.3	7.0	-	34.1	-	0.3	-
12:15 PM - 12:20 PM	37.7	42.5	-4.8	7.0	-	33.7	-	4.0	-
12:20 PM - 12:25 PM	38.2	40.8	-2.6	7.0	-	34.2	-	3.9	-
12:25 PM - 12:30 PM	40.1	41.8	-1.7	7.0	-	36.7	-	3.6	-
12:30 PM - 12:35 PM	38.3	42.3	-4.0	7.0	-	34.3	-	4.0	-
12:35 PM - 12:40 PM	38.3	31.7	6.6	7.0	-	34.3	-	4.0	-
12:40 PM - 12:45 PM	37.1	41.2	-4.1	7.0	-	33.1	-	4.0	-
12:45 PM - 12:50 PM	37.0	38.2	-1.2	7.0	-	31.6	-	5.4	-
12:50 PM - 12:55 PM	35.0	39.0	-4.0	7.0	-	31.0	-	4.0	-
12:55 PM - 01:00 PM	35.1	37.8	-2.8	7.0	-	31.7	-	3.4	-
01:00 PM - 01:05 PM	38.1	38.1	0.0	7.0	-	34.9	-	-3.8	-
01:05 PM - 01:10 PM	35.2	38.2	-3.0	7.0	-	31.2	-	4.0	-
01:10 PM - 01:15 PM	35.4	37.7	-2.3	7.0	-	31.4	-	4.0	-
01:15 PM - 01:20 PM	34.5	37.8	-3.3	7.0	-	31.3	-	3.2	-
01:20 PM - 01:25 PM	34.6	36.7	-2.1	7.0	-	30.6	-	4.0	-
01:25 PM - 01:30 PM	35.0	37.9	-2.9	7.0	-	31.0	-	4.0	-
01:30 PM - 01:35 PM	35.1	37.9	-2.8	7.0	-	31.1	-	3.9	-
01:35 PM - 01:40 PM	35.1	37.7	-2.6	7.0	-	31.1	-	4.0	-
01:40 PM - 01:45 PM	35.0	34.6	0.4	7.0	-	31.0	-	4.0	-
01:45 PM - 01:50 PM	34.6	34.6	0.0	7.0	-	30.5	-	4.1	-
01:50 PM - 01:55 PM	37.4	34.7	2.7	7.0	-	32.4	-	5.0	-
01:55 PM - 02:00 PM	38.0	37.6	0.4	7.0	-	34.0	-	4.0	-
02:00 AM - 02:05 AM	37.0	34.8	2.2	4.5	-	25.5	-	11.5	-
02:05 AM - 02:10 AM	37.8	35.0	2.8	4.5	-	27.8	-	10.0	-
02:10 AM - 02:15 AM	36.8	35.8	0.9	7.0	-	32.6	-	4.1	-
02:15 AM - 02:20 AM	36.5	34.2	2.3	4.5	-	35.0	-	1.5	-
02:20 AM - 02:25 AM	36.5	34.2	2.3	4.5	-	35.0	-	1.5	-



## Analysis / Test Report



TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Italtai Tower, New Petchburi Road, Banglapi, Huaykwang, Bangkok  
Thailand 10310

Let ID: 2349340  
Date Received: May 23, 2023  
Date Reported: Jun 01, 2023  
Report Number : 2664426-1

P/O :  
Project Name : Lamchabang  
Project Location : Lamchabang

Page 3 of 3

Sample No. : 2349340-11  
Parameter : เสียงรบกวน  
Location : อาคารพาณิชย์ 11 ชั้น (GPS 47 0714548, 1418771)  
Measurement Date : May 17 - 18, 2023  
Measurement by : Sound Level Meter  
Sound Level Meter : 00572561

เวลา	เสียงรบกวน ตามเกณฑ์	เสียงรบกวน ตามเกณฑ์	ค่าเฉลี่ย ตามเกณฑ์	ค่าเฉลี่ย ตามเกณฑ์	ค่าเฉลี่ย ตามเกณฑ์	ค่าเฉลี่ย ตามเกณฑ์	ค่าเฉลี่ย ตามเกณฑ์	ค่าเฉลี่ย ตามเกณฑ์	ค่าเฉลี่ย ตามเกณฑ์
10:45 AM - 11:00 AM	41.5	42.5	1.0	7.0	37.5	40.3	2.8	41.4	-4.2
11:00 AM - 11:15 AM	44.6	42.1	2.5	3.0	44.6	40.5	4.1	40.4	-3.5
11:15 AM - 11:30 AM	44.4	45.2	-0.8	7.0	40.9	40.7	-0.2	39.7	-1.9
11:30 AM - 11:45 AM	38.5	51.0	-12.4	7.0	34.4	40.6	-6.0	39.2	-4.3
11:45 AM - 12:00 PM	41.8	52.0	-10.1	7.0	37.9	40.0	-2.1	38.6	-1.4
12:00 PM - 12:15 PM	44.1	43.8	0.3	7.0	40.1	41.0	-0.9	38.5	-2.6
12:15 PM - 12:30 PM	46.3	43.7	2.6	3.0	46.3	40.9	5.4	40.1	-6.2
12:30 PM - 12:45 PM	45.5	39.8	5.5	1.5	47.0	37.8	9.2	41.6	-5.4
12:45 PM - 1:00 PM	45.7	40.3	5.4	1.5	47.2	38.0	9.2	41.1	-6.1
1:00 PM - 1:15 PM	47.0	41.4	5.6	1.5	48.5	39.8	8.7	41.1	-7.4
1:15 PM - 1:30 PM	50.0	42.4	7.6	0.5	51.5	38.4	13.1	41.3	-5.1
1:30 PM - 1:45 PM	51.0	40.9	10.1	0.5	53.5	39.2	14.3	39.8	-6.5
1:45 PM - 2:00 PM	49.2	44.0	5.2	1.5	50.7	38.2	12.5	39.8	-1.0
2:00 PM - 2:15 PM	46.2	43.8	2.4	0.5	49.8	37.2	12.6	38.4	-3.3
2:15 PM - 2:30 PM	47.0	38.0	9.0	0.5	49.5	38.1	11.4	35.0	-6.1
2:30 PM - 2:45 PM	47.4	41.3	6.1	1.5	48.9	38.5	10.4	34.0	-5.3
2:45 PM - 3:00 PM	46.8	43.5	3.3	1.5	50.3	41.1	9.2	34.6	-5.3
3:00 PM - 3:15 PM	50.5	45.7	4.8	1.5	52.0	42.8	9.2	34.6	-5.3
3:15 PM - 3:30 PM	47.6	44.9	2.7	3.0	47.4	43.4	4.0	38.1	-3.5
3:30 PM - 3:45 PM	48.5	45.1	3.4	2.0	50.5	42.2	8.3	38.1	-1.9
3:45 PM - 4:00 PM	46.9	46.4	0.5	7.0	42.4	42.2	-0.2	38.1	-1.9
4:00 PM - 4:15 PM	48.1	49.4	-1.3	7.0	44.1	45.9	-1.8	41.7	-3.5
4:15 PM - 4:30 PM	50.5	50.4	0.1	7.0	46.5	46.3	0.2	37.5	-3.0
4:30 PM - 4:45 PM	49.1	48.6	0.5	7.0	45.1	46.3	-1.2	34.1	-4.0
4:45 PM - 5:00 PM	45.6	47.7	-2.1	7.0	43.6	45.7	-2.1	34.3	-3.3
5:00 PM - 5:15 PM	45.5	46.4	-0.9	7.0	43.3	44.7	-1.4	34.3	-3.3
5:15 PM - 5:30 PM	46.7	46.8	-0.1	7.0	42.7	43.4	-0.7	34.3	-3.3
5:30 PM - 5:45 PM	48.1	47.7	0.4	7.0	41.1	41.1	0.0	33.5	-3.9
5:45 PM - 6:00 PM	52.0	47.4	4.6	1.5	50.5	44.2	6.3	34.4	-4.4
6:00 PM - 6:15 PM	54.6	51.6	3.0	3.0	53.6	47.8	5.8	34.4	-4.4
6:15 PM - 6:30 PM	49.3	54.0	-4.7	7.0	42.5	47.8	-5.3	34.4	-4.4
6:30 PM - 6:45 PM	48.0	48.7	-0.7	7.0	41.0	41.8	-0.8	35.6	-7.4

Reference Method :  
1. ISO 1996-1  
2. วิธีการวัดเสียงรบกวน (ค่าเสียงรบกวนตามเกณฑ์ตามมาตรฐาน 24 ชั่วโมง ค่าเฉลี่ยเสียงรบกวนตามเกณฑ์ตามมาตรฐาน ม. 2551)  
3. วิธีการวัดเสียงรบกวน (ค่าเสียงรบกวนตามเกณฑ์ตามมาตรฐาน 24 ชั่วโมง ค่าเฉลี่ยเสียงรบกวนตามเกณฑ์ตามมาตรฐาน ม. 2551)  
4. วิธีการวัดเสียงรบกวน (ค่าเสียงรบกวนตามเกณฑ์ตามมาตรฐาน 24 ชั่วโมง ค่าเฉลี่ยเสียงรบกวนตามเกณฑ์ตามมาตรฐาน ม. 2551)  
5. วิธีการวัดเสียงรบกวน (ค่าเสียงรบกวนตามเกณฑ์ตามมาตรฐาน 24 ชั่วโมง ค่าเฉลี่ยเสียงรบกวนตามเกณฑ์ตามมาตรฐาน ม. 2551)  
6. วิธีการวัดเสียงรบกวน (ค่าเสียงรบกวนตามเกณฑ์ตามมาตรฐาน 24 ชั่วโมง ค่าเฉลี่ยเสียงรบกวนตามเกณฑ์ตามมาตรฐาน ม. 2551)  
7. วิธีการวัดเสียงรบกวน (ค่าเสียงรบกวนตามเกณฑ์ตามมาตรฐาน 24 ชั่วโมง ค่าเฉลี่ยเสียงรบกวนตามเกณฑ์ตามมาตรฐาน ม. 2551)  
8. วิธีการวัดเสียงรบกวน (ค่าเสียงรบกวนตามเกณฑ์ตามมาตรฐาน 24 ชั่วโมง ค่าเฉลี่ยเสียงรบกวนตามเกณฑ์ตามมาตรฐาน ม. 2551)  
9. วิธีการวัดเสียงรบกวน (ค่าเสียงรบกวนตามเกณฑ์ตามมาตรฐาน 24 ชั่วโมง ค่าเฉลี่ยเสียงรบกวนตามเกณฑ์ตามมาตรฐาน ม. 2551)  
10. วิธีการวัดเสียงรบกวน (ค่าเสียงรบกวนตามเกณฑ์ตามมาตรฐาน 24 ชั่วโมง ค่าเฉลี่ยเสียงรบกวนตามเกณฑ์ตามมาตรฐาน ม. 2551)

Approved by

Wibab  
Wibab Borak  
Manager

www.alsglobal.com

RIGHT SOLUTIONS



## Analysis / Test Report



TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Italtai Tower, New Petchburi Road, Banglapi, Huaykwang, Bangkok  
Thailand 10310

Let ID: 2349340  
Date Received: May 23, 2023  
Date Reported: Jun 01, 2023  
Report Number : 2664426-1

P/O :  
Project Name : Lamchabang  
Project Location : Lamchabang

Page 3 of 3

Sample No. : 2349340-12  
Parameter : เสียงรบกวน  
Location : อาคารพาณิชย์ 12 ชั้น (GPS 47 0714548, 1418771)  
Measurement Date : May 18 - 19, 2023  
Measurement by : Sound Level Meter  
Sound Level Meter : 00572561

เวลา	เสียงรบกวน ตามเกณฑ์	เสียงรบกวน ตามเกณฑ์	ค่าเฉลี่ย ตามเกณฑ์	ค่าเฉลี่ย ตามเกณฑ์	ค่าเฉลี่ย ตามเกณฑ์	ค่าเฉลี่ย ตามเกณฑ์	ค่าเฉลี่ย ตามเกณฑ์	ค่าเฉลี่ย ตามเกณฑ์	ค่าเฉลี่ย ตามเกณฑ์
11:00 AM - 12:00 PM	45.2	47.6	-2.4	7.0	38.2	40.3	2.1	41.4	-4.2
12:00 PM - 12:15 PM	42.5	44.8	-2.3	7.0	36.9	40.5	3.6	40.4	-3.5
12:15 PM - 12:30 PM	46.3	43.7	2.6	3.0	46.3	40.9	5.4	39.7	-1.9
12:30 PM - 12:45 PM	41.9	43.8	-1.9	7.0	37.9	40.0	-2.1	38.6	-1.4
12:45 PM - 1:00 PM	47.3	41.9	5.4	1.5	45.8	40.1	5.7	38.5	-2.6
1:00 PM - 1:15 PM	43.0	47.1	-4.1	7.0	37.5	40.9	3.4	40.1	-6.2
1:15 PM - 1:30 PM	43.9	43.3	0.6	7.0	36.9	41.0	-4.1	41.1	-7.4
1:30 PM - 1:45 PM	43.3	43.7	-0.4	7.0	38.3	41.1	-2.8	41.6	-5.4
1:45 PM - 2:00 PM	40.8	43.5	-2.7	7.0	33.8	41.1	-7.3	41.1	-7.4
2:00 PM - 2:15 PM	41.3	40.7	0.6	7.0	34.3	41.3	-7.0	41.3	-5.1
2:15 PM - 2:30 PM	38.3	41.5	-3.2	7.0	31.3	41.3	-10.0	39.8	-6.5
2:30 PM - 2:45 PM	38.8	38.1	0.7	7.0	34.8	39.8	-5.0	39.8	-1.0
2:45 PM - 3:00 PM	40.1	39.1	1.0	7.0	36.1	39.1	7.0	36.1	-3.3
3:00 PM - 3:15 PM	39.2	39.8	-0.6	7.0	35.2	36.7	-1.5	35.2	-3.9
3:15 PM - 3:30 PM	39.1	38.7	0.4	7.0	35.1	35.0	0.1	34.0	-5.3
3:30 PM - 3:45 PM	39.3	38.4	0.9	7.0	35.2	34.0	1.2	34.6	-5.3
3:45 PM - 4:00 PM	38.6	37.4	1.2	7.0	34.6	35.9	-1.3	34.6	-5.3
4:00 PM - 4:15 PM	39.3	38.9	0.4	7.0	35.2	37.1	-1.9	38.1	-3.5
4:15 PM - 4:30 PM	39.4	38.1	1.3	4.5	38.1	38.5	-0.4	38.1	-1.9
4:30 PM - 4:45 PM	39.7	38.0	1.7	4.5	38.7	36.1	2.6	38.7	-2.6
4:45 PM - 5:00 PM	39.5	39.3	0.2	7.0	35.5	37.2	-1.7	35.5	-3.9
5:00 PM - 5:15 PM	41.7	39.1	2.6	3.0	41.7	37.5	4.2	37.5	-4.2
5:15 PM - 5:30 PM	39.3	39.9	-0.6	7.0	34.3	37.5	-3.2	34.3	-3.3
5:30 PM - 5:45 PM	38.1	40.3	-2.2	7.0	34.1	38.1	-4.0	34.1	-4.0
5:45 PM - 6:00 PM	38.2	39.4	-1.2	7.0	34.3	37.5	-3.2	34.3	-3.3
6:00 PM - 6:15 PM	41.9	39.3	2.6	3.0	41.9	38.1	3.8	34.3	-3.3
6:15 PM - 6:30 PM	39.3	39.3	0.0	7.0	34.3	38.1	-3.8	34.3	-3.3
6:30 PM - 6:45 PM	37.5	38.8	-1.3	7.0	33.5	37.9	-4.4	33.5	-3.9
6:45 PM - 7:00 PM	37.9	39.4	-1.5	7.0	33.9	38.4	-4.5	33.9	-3.9
7:00 PM - 7:15 PM	38.9	39.3	-0.4	7.0	34.0	38.0	-4.0	34.0	-4.0
7:15 PM - 7:30 PM	37.9	39.9	-2.0	7.0	35.9	38.1	-2.2	35.9	-3.9
7:30 PM - 7:45 PM	41.7	39.7	2.0	4.5	40.2	37.8	2.4	37.8	-2.4
7:45 PM - 8:00 PM	41.9	41.9	0.0	7.0	38.0	38.0	0.0	38.0	0.0
8:00 PM - 8:15 PM	41.6	38.7	2.9	3.0	41.6	37.1	4.5	37.1	-4.5
8:15 PM - 8:30 PM	39.6	38.3	1.3	7.0	35.6	36.8	-1.2	35.6	-3.9
8:30 PM - 8:45 PM	38.3	38.4	-0.1	7.0	34.3	36.7	-2.4	34.3	-3.3
8:45 PM - 9:00 PM	41.3	42.4	-1.1	7.0	37.3	35.2	2.1	35.2	-2.1
9:00 PM - 9:15 PM	40.3	38.3	2.0	1.5	40.3	35.3	5.0	35.3	-5.0
9:15 PM - 9:30 PM	45.3	37.7	7.6	0.5	47.8	35.1	12.7	35.1	-12.7
9:30 PM - 12:00 AM	40.0	38.1	1.9	2.0	40.0	35.6	4.4	35.6	-4.4

Approved by

Wibab  
Wibab Borak  
Manager

www.alsglobal.com

RIGHT SOLUTIONS



## Analysis / Test Report



TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Italtai Tower, New Petchburi Road, Banglapi, Huaykwang, Bangkok  
Thailand 10310

Let ID: 2349340  
Date Received: May 23, 2023  
Date Reported: Jun 01, 2023  
Report Number : 2664426-1

P/O :  
Project Name : Lamchabang  
Project Location : Lamchabang

Page 3 of 3

Sample No. : 2349340-13  
Parameter : เสียงรบกวน  
Location : อาคารพาณิชย์ 13 ชั้น (GPS 47 0714548, 1418771)  
Measurement Date : May 18 - 19, 2023  
Measurement by : Sound Level Meter  
Sound Level Meter : 00572561

เวลา	เสียงรบกวน ตามเกณฑ์	เสียงรบกวน โดยคำนวณตาม	ค่าเฉลี่ย ตามเกณฑ์	ค่าเฉลี่ย	เปรียบเทียบเสียงรบกวนตามเกณฑ์ ค่าเกณฑ์		เสียงรบกวน	ค่าเฉลี่ย การคำนวณ	
					ค่าเกณฑ์	ค่าเฉลี่ย			
12:25 AM - 12:30 AM	44.4	38.2	6.2	1.5	-	-	45.9	35.8	10.1
12:30 AM - 12:35 AM	44.0	40.1	3.9	2.0	-	-	45.0	37.3	7.7
12:35 AM - 12:40 AM	42.0	41.8	0.2	7.0	-	-	38.0	38.2	-0.2
12:40 AM - 12:45 AM	38.9	43.2	-4.3	7.0	-	-	34.9	39.8	-4.9
12:45 AM - 12:50 AM	39.8	41.8	-2.0	7.0	-	-	35.8	37.8	-2.0
12:50 AM - 12:55 AM	40.6	39.8	0.8	7.0	-	-	36.6	37.2	-0.6
12:55 AM - 01:00 AM	43.0	38.5	4.5	1.5	-	-	44.5	34.7	9.8
01:00 AM - 01:05 AM	42.0	41.5	0.5	7.0	-	-	38.0	38.1	-0.1
01:05 AM - 01:10 AM	40.4	43.7	-3.3	7.0	-	-	36.4	38.0	-1.6
01:10 AM - 01:15 AM	38.6	45.0	-6.4	7.0	-	-	34.6	38.4	-3.8
01:15 AM - 01:20 AM	38.3	42.7	-4.4	7.0	-	-	34.3	38.2	-3.9
01:20 AM - 01:25 AM	39.2	44.6	-5.4	7.0	-	-	33.2	38.3	-5.1
01:25 AM - 01:30 AM	39.4	44.2	-4.8	7.0	-	-	33.4	38.4	-5.0
01:30 AM - 01:35 AM	39.3	43.2	-3.9	7.0	-	-	35.2	37.6	-2.4
01:35 AM - 01:40 AM	39.3	38.1	1.2	7.0	-	-	33.3	38.3	-5.0
01:40 AM - 01:45 AM	39.9	40.0	-0.1	7.0	-	-	37.9	38.9	-1.0
01:45 AM - 01:50 AM	39.8	40.6	-0.8	7.0	-	-	35.8	37.2	1.4
01:50 AM - 01:55 AM	42.3	42.2	0.1	7.0	-	-	38.3	37.9	0.4
01:55 AM - 02:00 AM	41.8	42.2	-0.4	7.0	-	-	37.8	38.4	-0.6
02:00 AM - 02:05 AM	40.8	40.6	0.2	7.0	-	-	36.4	38.	0.4
02:05 AM - 02:10 AM	42.3	40.6	1.7	1.5	-	-	40.3	35.8	4.5
02:10 AM - 02:15 AM	44.4	40.6	3.8	1.5	-	-	46.9	34.7	12.2
02:15 AM - 02:20 AM	44.8	38.5	6.3	1.5	-	-	45.9	36.8	9.1
02:20 AM - 02:25 AM	45.5	39.4	6.1	1.5	-	-	47.8	38.4	10.4
02:25 AM - 02:30 AM	47.0	38.6	8.4	1.0	-	-	48.0	36.8	11.2
02:30 AM - 02:35 AM	47.4	39.4	8.0	1.0	-	-	48.9	37.2	11.7
02:35 AM - 02:40 AM	47.7	39.5	7.7	0.5	-	-	49.7	36.2	13.5
02:40 AM - 02:45 AM	46.9	37.1	9.8	0.5	-	-	49.4	35.2	14.2
02:45 AM - 02:50 AM	46.4	38.8	7.6	1.0	-	-	48.4	34.4	14.0
02:50 AM - 02:55 AM	47.2	40.5	6.7	1.5	-	-	48.7	40.0	8.7
02:55 AM - 03:00 AM	46.9	42.0	4.9	1.5	-	-	48.4	38.2	10.2
03:00 AM - 03:05 AM	47.0	44.9	2.1	4.5	-	-	45.5	43.2	2.3
03:05 AM - 03:10 AM	47.0	45.0	2.0	4.5	-	-	45.4	41.8	3.6
03:10 AM - 03:15 AM	46.9	44.6	2.3	4.5	-	-	45.4	43.2	2.2
03:15 AM - 03:20 AM	45.5	45.7	-0.2	7.0	-	-	41.5	48.0	-6.5
03:20 AM - 03:25 AM	44.8	47.2	-2.4	7.0	-	-	40.3	44.8	-4.5
03:25 AM - 03:30 AM	44.6	46.2	-1.6	7.0	-	-	40.8	46.0	-5.2
03:30 AM - 03:35 AM	44.2	46.1	-1.9	7.0	-	-	39.2	44.1	-4.9
03:35 AM - 03:40 AM	45.7	45.8	-0.1	7.6	-	-	43.7	44.9	-1.2
03:40 AM - 03:45 AM	46.7	45.7	1.0	7.6	-	-	45.5	44.4	1.1
03:45 AM - 03:50 AM	45.1	46.1	-1.0	7.6	-	-	37.1	44.3	-7.2















## Analysis / Test Report



TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Italtai Tower, New Petchburi Road, Banglapi, Huaykwang, Bangkok  
Thailand 10310

P/O :  
Project Name : Lamchabang  
Project Location :

Lot ID: 2349340  
Date Received: May 23, 2023  
Date Reported: Jun 01, 2023  
Report Number : 2664431-1

Page 1 of 3

Sample No. : 2349340-17  
Parameter : เสียงรบกวน  
Location : บริเวณลานจอดรถยนต์ ชั้น 4 (GPS 47P 0713886, 1441523)  
Measurement Date : May 16 - 17, 2023  
Measurement by : Srivut Ruangsom  
Sound Level Meter : 01222724

เวลา	เสียงจากแหล่งกำเนิด	เสียงรบกวนโดยประมาณ	ค่าเฉลี่ย (dB(A))		พื้นที่เสียงรบกวนโดยประมาณ	เสียงรบกวนโดยประมาณ	ค่าเฉลี่ย
			ค่าเฉลี่ย	ค่าเฉลี่ย			
11:00 AM - 12:00 PM	55.0	55.1	-0.1	7.0	48.0	41.8	6.2
12:00 PM - 01:00 PM	49.1	49.2	-0.1	7.0	42.1	41.7	0.4
01:00 PM - 02:00 PM	54.4	54.5	-0.1	7.0	47.4	47.0	0.4
02:00 PM - 03:00 PM	46.3	46.4	-0.1	7.0	39.3	40.0	-0.7
03:00 PM - 04:00 PM	48.7	48.8	-0.1	7.0	41.2	37.9	3.3
04:00 PM - 05:00 PM	47.8	47.8	0.0	7.0	40.8	36.3	4.5
05:00 PM - 06:00 PM	48.8	48.8	0.0	7.0	41.8	39.9	1.9
06:00 PM - 07:00 PM	47.1	46.9	0.2	7.0	40.1	44.1	-4.0
07:00 PM - 08:00 PM	47.2	47.0	0.2	7.0	40.2	44.3	-4.1
08:00 PM - 09:00 PM	46.8	46.6	0.2	7.0	39.8	41.5	-1.7
09:00 PM - 10:00 PM	52.4	52.3	0.1	7.0	45.4	46.2	-0.8
10:00 PM - 11:00 PM	48.3	48.1	0.2	7.0	40.2	41.3	-1.1
11:00 PM - 12:00 AM	47.5	47.3	0.2	7.0	40.5	44.6	-4.1
12:00 AM - 01:00 AM	41.9	41.7	0.2	7.0	34.9	41.1	-6.2
01:00 AM - 02:00 AM	41.0	41.2	-0.2	7.0	34.0	39.0	-5.0
02:00 AM - 03:00 AM	42.7	42.8	-0.1	7.0	35.7	38.9	-3.2
03:00 AM - 04:00 AM	42.7	42.7	0.0	7.0	35.7	41.8	-6.1
04:00 AM - 05:00 AM	41.9	44.1	-2.2	7.0	34.9	41.7	-6.8
05:00 AM - 06:00 AM	41.9	44.1	-2.2	7.0	34.9	41.8	-6.9
06:00 AM - 07:00 AM	44.2	44.4	-0.2	7.0	37.2	40.9	-3.7
07:00 AM - 08:00 AM	41.5	43.7	-2.2	7.0	34.8	41.3	-6.5
08:00 AM - 09:00 AM	41.6	42.8	-1.2	7.0	34.6	40.8	-6.2
09:00 AM - 10:00 AM	41.0	41.7	-0.7	7.0	34.0	39.7	-5.7
10:00 AM - 11:00 AM	41.6	41.8	-0.2	7.0	34.6	40.8	-6.2
11:00 PM - 12:00 AM	41.9	42.1	-0.2	7.0	34.9	40.2	-5.3
12:00 AM - 01:00 AM	41.0	41.2	-0.2	7.0	34.0	41.8	-7.8
01:00 AM - 02:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
02:00 AM - 03:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
03:00 AM - 04:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
04:00 AM - 05:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
05:00 AM - 06:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
06:00 AM - 07:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
07:00 AM - 08:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
08:00 AM - 09:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
09:00 AM - 10:00 PM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
10:00 PM - 11:00 PM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
11:00 PM - 12:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
12:00 AM - 01:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
01:00 AM - 02:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
02:00 AM - 03:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
03:00 AM - 04:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
04:00 AM - 05:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
05:00 AM - 06:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
06:00 AM - 07:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
07:00 AM - 08:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
08:00 AM - 09:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
09:00 AM - 10:00 PM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
10:00 PM - 11:00 PM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
11:00 PM - 12:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
12:00 AM - 01:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
01:00 AM - 02:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
02:00 AM - 03:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
03:00 AM - 04:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
04:00 AM - 05:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
05:00 AM - 06:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
06:00 AM - 07:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
07:00 AM - 08:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
08:00 AM - 09:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
09:00 AM - 10:00 PM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
10:00 PM - 11:00 PM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
11:00 PM - 12:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
12:00 AM - 01:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
01:00 AM - 02:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
02:00 AM - 03:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
03:00 AM - 04:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
04:00 AM - 05:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
05:00 AM - 06:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
06:00 AM - 07:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
07:00 AM - 08:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
08:00 AM - 09:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
09:00 AM - 10:00 PM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
10:00 PM - 11:00 PM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
11:00 PM - 12:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
12:00 AM - 01:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
01:00 AM - 02:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
02:00 AM - 03:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
03:00 AM - 04:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
04:00 AM - 05:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
05:00 AM - 06:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
06:00 AM - 07:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
07:00 AM - 08:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
08:00 AM - 09:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
09:00 AM - 10:00 PM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
10:00 PM - 11:00 PM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
11:00 PM - 12:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
12:00 AM - 01:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
01:00 AM - 02:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
02:00 AM - 03:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
03:00 AM - 04:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
04:00 AM - 05:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
05:00 AM - 06:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
06:00 AM - 07:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
07:00 AM - 08:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
08:00 AM - 09:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
09:00 AM - 10:00 PM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
10:00 PM - 11:00 PM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
11:00 PM - 12:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
12:00 AM - 01:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
01:00 AM - 02:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
02:00 AM - 03:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
03:00 AM - 04:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
04:00 AM - 05:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
05:00 AM - 06:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
06:00 AM - 07:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
07:00 AM - 08:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
08:00 AM - 09:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
09:00 AM - 10:00 PM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
10:00 PM - 11:00 PM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
11:00 PM - 12:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
12:00 AM - 01:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
01:00 AM - 02:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
02:00 AM - 03:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
03:00 AM - 04:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
04:00 AM - 05:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
05:00 AM - 06:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
06:00 AM - 07:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
07:00 AM - 08:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
08:00 AM - 09:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
09:00 AM - 10:00 PM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
10:00 PM - 11:00 PM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
11:00 PM - 12:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
12:00 AM - 01:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
01:00 AM - 02:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
02:00 AM - 03:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
03:00 AM - 04:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
04:00 AM - 05:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
05:00 AM - 06:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
06:00 AM - 07:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
07:00 AM - 08:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
08:00 AM - 09:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
09:00 AM - 10:00 PM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
10:00 PM - 11:00 PM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
11:00 PM - 12:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
12:00 AM - 01:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
01:00 AM - 02:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
02:00 AM - 03:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
03:00 AM - 04:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
04:00 AM - 05:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
05:00 AM - 06:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
06:00 AM - 07:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
07:00 AM - 08:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
08:00 AM - 09:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
09:00 AM - 10:00 PM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
10:00 PM - 11:00 PM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
11:00 PM - 12:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
12:00 AM - 01:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
01:00 AM - 02:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	-7.5
02:00 AM - 03:00 AM	41.1	41.3	-0.2	7.0	34.1	41.6	





## Analysis / Test Report



TESTING  
No.0042

Client : Rajana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Italbhai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok  
Thailand 10310

Lot ID: 2349340  
Date Received : May 23, 2023  
Date Reported : Jun 01, 2023  
Report Number : 2664432-1

P/O :  
Project Name : Laemchabang  
Project Location :

Page 2 of 2

Sample No. : 2349340-18  
Parameter :  
Location : N2 : ถนนพหลโยธิน/ถนนพหลโยธิน กม. 4 (GPS 47P 071886, 1441523)  
Measurement Date : May 17 - 18, 2023  
Measurement by : Smart Ruangsom  
Sound Level Meter : 01222724

ตารางข้อมูล (dB(A))									
เวลา	เสียงจากแหล่งกำเนิด	เสียงจากแหล่งกำเนิด	เสียงจากแหล่งกำเนิด	เสียงจากแหล่งกำเนิด	เสียงจากแหล่งกำเนิด	เสียงจากแหล่งกำเนิด	เสียงจากแหล่งกำเนิด	เสียงจากแหล่งกำเนิด	เสียงจากแหล่งกำเนิด
	ค่าเฉลี่ย	ค่าสูงสุด	ค่าเฉลี่ย	ค่าสูงสุด	ค่าเฉลี่ย	ค่าสูงสุด	ค่าเฉลี่ย	ค่าสูงสุด	ค่าเฉลี่ย
12:35 AM - 12:36 AM	45.5	45.3	0.2	7.0	-	41.5	40.4	1.1	-
12:36 AM - 12:37 AM	45.8	45.6	0.2	7.0	-	41.8	38.8	3.0	-
12:37 AM - 12:38 AM	46.0	47.8	0.2	7.0	-	44.0	47.2	-3.2	-
12:38 AM - 12:39 AM	46.8	47.8	0.2	7.0	-	44.0	47.2	-3.2	-
12:39 AM - 12:40 AM	47.4	47.2	0.2	7.0	-	43.4	46.6	-3.2	-
12:40 AM - 12:41 AM	47.5	47.9	0.4	7.0	-	43.5	47.0	-3.5	-
12:41 AM - 12:42 AM	48.2	48.6	0.4	7.0	-	44.2	48.7	-4.5	-
12:42 AM - 12:43 AM	48.4	49.2	0.8	7.0	-	44.6	49.4	-4.8	-
12:43 AM - 12:44 AM	48.8	49.2	0.4	7.0	-	44.8	47.6	-2.8	-
12:44 AM - 12:45 AM	48.2	48.6	0.4	7.0	-	44.2	47.8	-3.6	-
12:45 AM - 12:46 AM	47.8	48.2	0.4	7.0	-	43.8	47.2	-3.4	-
12:46 AM - 12:47 AM	47.2	47.7	0.5	7.0	-	43.3	46.2	-2.9	-
12:47 AM - 12:48 AM	46.2	46.6	0.4	7.0	-	42.2	45.4	-3.2	-
12:48 AM - 12:49 AM	46.4	46.8	0.4	7.0	-	42.4	46.3	-3.9	-
12:49 AM - 12:50 AM	46.0	46.4	0.4	7.0	-	42.0	45.1	-3.1	-
12:50 AM - 12:51 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
12:51 AM - 12:52 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
12:52 AM - 12:53 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
12:53 AM - 12:54 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
12:54 AM - 12:55 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
12:55 AM - 12:56 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
12:56 AM - 12:57 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
12:57 AM - 12:58 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
12:58 AM - 12:59 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
12:59 AM - 1:00 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
1:00 AM - 1:01 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
1:01 AM - 1:02 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
1:02 AM - 1:03 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
1:03 AM - 1:04 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
1:04 AM - 1:05 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
1:05 AM - 1:06 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
1:06 AM - 1:07 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
1:07 AM - 1:08 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
1:08 AM - 1:09 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
1:09 AM - 1:10 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
1:10 AM - 1:11 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
1:11 AM - 1:12 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
1:12 AM - 1:13 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
1:13 AM - 1:14 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
1:14 AM - 1:15 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
1:15 AM - 1:16 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
1:16 AM - 1:17 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
1:17 AM - 1:18 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
1:18 AM - 1:19 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
1:19 AM - 1:20 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
1:20 AM - 1:21 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
1:21 AM - 1:22 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
1:22 AM - 1:23 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
1:23 AM - 1:24 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
1:24 AM - 1:25 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
1:25 AM - 1:26 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
1:26 AM - 1:27 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
1:27 AM - 1:28 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
1:28 AM - 1:29 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
1:29 AM - 1:30 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
1:30 AM - 1:31 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
1:31 AM - 1:32 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
1:32 AM - 1:33 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
1:33 AM - 1:34 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
1:34 AM - 1:35 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
1:35 AM - 1:36 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
1:36 AM - 1:37 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
1:37 AM - 1:38 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
1:38 AM - 1:39 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
1:39 AM - 1:40 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
1:40 AM - 1:41 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
1:41 AM - 1:42 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
1:42 AM - 1:43 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
1:43 AM - 1:44 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
1:44 AM - 1:45 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
1:45 AM - 1:46 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
1:46 AM - 1:47 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
1:47 AM - 1:48 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
1:48 AM - 1:49 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
1:49 AM - 1:50 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
1:50 AM - 1:51 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
1:51 AM - 1:52 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
1:52 AM - 1:53 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
1:53 AM - 1:54 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
1:54 AM - 1:55 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
1:55 AM - 1:56 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
1:56 AM - 1:57 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
1:57 AM - 1:58 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
1:58 AM - 1:59 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
1:59 AM - 2:00 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
2:00 AM - 2:01 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
2:01 AM - 2:02 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
2:02 AM - 2:03 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
2:03 AM - 2:04 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
2:04 AM - 2:05 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
2:05 AM - 2:06 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
2:06 AM - 2:07 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
2:07 AM - 2:08 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
2:08 AM - 2:09 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
2:09 AM - 2:10 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
2:10 AM - 2:11 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
2:11 AM - 2:12 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
2:12 AM - 2:13 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
2:13 AM - 2:14 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
2:14 AM - 2:15 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
2:15 AM - 2:16 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
2:16 AM - 2:17 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
2:17 AM - 2:18 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
2:18 AM - 2:19 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
2:19 AM - 2:20 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
2:20 AM - 2:21 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
2:21 AM - 2:22 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
2:22 AM - 2:23 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
2:23 AM - 2:24 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
2:24 AM - 2:25 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
2:25 AM - 2:26 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
2:26 AM - 2:27 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
2:27 AM - 2:28 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
2:28 AM - 2:29 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
2:29 AM - 2:30 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
2:30 AM - 2:31 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
2:31 AM - 2:32 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
2:32 AM - 2:33 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
2:33 AM - 2:34 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
2:34 AM - 2:35 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
2:35 AM - 2:36 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
2:36 AM - 2:37 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
2:37 AM - 2:38 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
2:38 AM - 2:39 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
2:39 AM - 2:40 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
2:40 AM - 2:41 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
2:41 AM - 2:42 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
2:42 AM - 2:43 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
2:43 AM - 2:44 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
2:44 AM - 2:45 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
2:45 AM - 2:46 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
2:46 AM - 2:47 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
2:47 AM - 2:48 AM	46.3	46.7	0.4	7.0	-	36.2	37.9	-1.7	-
2:48 AM - 2:49 AM	46.3	46.7	0.4	7.					



## Analysis / Test Report



TESTING  
No.0042

Client : Rogana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Italtai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok  
Thailand 10310

Lot ID: 2349340  
Date Received: May 23, 2023  
Date Reported: Jun 01, 2023  
Report Number: 2664434-1

P/O :  
Project Name : Lamchabang  
Project Location :

Page 2 of 3

Sample No. : 2349340-19  
Parameter : (เสียงรบกวน)  
Location : ถนนพหลโยธิน/ซอย 4 (GPS 47P 0713886, 1441532)  
Measurement Date : May 18 - 19, 2023  
Measurement by : Sirinuk Kuangsom  
Sound Level Meter : 01222724

เวลา	เสียงรบกวน ตามเกณฑ์	เสียงรบกวน ตามเกณฑ์	ค่าเฉลี่ย ตามเกณฑ์	ค่าเฉลี่ย ตามเกณฑ์	ค่าเฉลี่ยตามเกณฑ์ตาม มาตรฐาน		เสียงรบกวน ตามเกณฑ์	ค่าเฉลี่ย ตามเกณฑ์
					ค่าเฉลี่ย	ค่าเฉลี่ย		
02:45 AM - 03:30 AM	29.6	27.4	2.2	4.5	38.1	35.1	3.0	
03:30 AM - 04:15 AM	28.1	25.9	2.2	4.5	36.4	34.5	2.1	
04:15 AM - 04:50 AM	27.7	25.5	2.2	4.5	36.2	32.8	3.6	
04:50 AM - 04:55 AM	28.4	27.2	2.2	4.5	37.9	35.9	2.7	
04:55 AM - 04:58 AM	29.7	27.3	2.2	4.5	38.2	36.3	1.9	
04:58 AM - 04:59 AM	28.4	27.2	2.2	4.5	37.9	36.3	1.6	
04:59 AM - 05:00 AM	41.3	39.3	2.2	4.5	40.0	38.8	1.2	
05:00 AM - 05:05 AM	49.1	46.9	2.2	4.5	47.8	35.3	12.5	
05:05 AM - 05:10 AM	37.4	35.2	2.2	4.5	35.9	32.9	3.0	
05:10 AM - 05:15 AM	28.4	26.2	2.2	4.5	35.9	32.6	4.8	
05:15 AM - 05:20 AM	41.9	39.7	2.2	4.5	40.4	37.9	6.5	
05:20 AM - 05:25 AM	40.8	38.6	2.2	4.5	39.3	35.3	4.0	
05:25 AM - 05:30 AM	42.3	40.1	2.2	4.5	40.8	35.3	5.5	
05:30 AM - 05:35 AM	41.3	39.1	2.2	4.5	40.4	35.8	6.0	
05:35 AM - 05:40 AM	50.3	48.1	2.2	4.5	48.8	42.7	6.1	
05:40 AM - 05:45 AM	51.1	48.9	2.2	4.5	49.6	46.6	3.0	
05:45 AM - 05:50 AM	50.6	48.4	2.2	4.5	49.1	45.9	3.2	
05:50 AM - 05:55 AM	47.8	45.6	2.2	4.5	46.3	43.2	3.1	
05:55 AM - 06:00 AM	47.4	45.2	2.2	4.5	45.9	40.3	5.6	
06:00 AM - 06:05 AM	43.3	41.1	2.2	4.5	45.8	37.6	8.8	
06:05 AM - 06:10 AM	42.1	40.9	2.2	4.5	45.6	37.1	8.5	
06:10 AM - 06:15 AM	46.8	44.6	2.2	4.5	45.3	39.3	6.0	
06:15 AM - 06:20 AM	47.4	45.2	2.2	4.5	45.9	39.7	6.2	
06:20 AM - 06:25 AM	46.8	44.6	2.2	4.5	45.3	39.8	5.5	
06:25 AM - 06:30 AM	45.0	42.8	2.2	4.5	43.5	38.8	4.7	
06:30 AM - 06:35 AM	45.3	43.1	2.2	4.5	43.8	39.3	4.5	
06:35 AM - 06:40 AM	49.3	47.1	2.2	4.5	47.2	41.4	5.8	
06:40 AM - 06:45 AM	51.9	49.7	2.2	4.5	50.8	45.0	5.8	
06:45 AM - 06:50 AM	49.3	47.1	2.2	4.5	47.2	41.4	5.8	
06:50 AM - 06:55 AM	51.3	49.1	2.2	4.5	50.3	44.5	5.8	
06:55 AM - 07:00 AM	51.7	49.5	2.2	4.5	50.9	45.1	5.8	
07:00 AM - 07:05 AM	47.3	45.1	2.2	4.5	46.2	40.4	5.8	
07:05 AM - 07:10 AM	47.3	45.1	2.2	4.5	46.2	40.4	5.8	

Reference Method :  
1. ISO 1996-1  
2. วิธีการทดสอบเสียงรบกวน (สำหรับพื้นที่ที่มีการเปลี่ยนแปลงของระดับเสียง) ตามมาตรฐาน ISO 1996-1:2017  
3. วิธีการทดสอบเสียงรบกวน (สำหรับพื้นที่ที่มีการเปลี่ยนแปลงของระดับเสียง) ตามมาตรฐาน ISO 1996-1:2017  
4. วิธีการทดสอบเสียงรบกวน (สำหรับพื้นที่ที่มีการเปลี่ยนแปลงของระดับเสียง) ตามมาตรฐาน ISO 1996-1:2017  
5. วิธีการทดสอบเสียงรบกวน (สำหรับพื้นที่ที่มีการเปลี่ยนแปลงของระดับเสียง) ตามมาตรฐาน ISO 1996-1:2017

Approved by

Witarn Borak  
Manager



## Analysis / Test Report



TESTING  
No.0042

Client : Rogana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Italtai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok  
Thailand 10310

Lot ID: 2349340  
Date Received: May 23, 2023  
Date Reported: Jun 01, 2023  
Report Number: 2664434-1

P/O :  
Project Name : Lamchabang  
Project Location :

Page 2 of 3

Sample No. : 2349340-20  
Parameter : (เสียงรบกวน)  
Location : ถนนพหลโยธิน/ซอย 4 (GPS 47P 0713886, 1441532)  
Measurement Date : May 19 - 20, 2023  
Measurement by : Sirinuk Kuangsom  
Sound Level Meter : 01222724

เวลา	เสียงรบกวน ตามเกณฑ์	เสียงรบกวน ตามเกณฑ์	ค่าเฉลี่ย ตามเกณฑ์	ค่าเฉลี่ย ตามเกณฑ์	ค่าเฉลี่ยตามเกณฑ์ตาม มาตรฐาน		เสียงรบกวน ตามเกณฑ์	ค่าเฉลี่ย ตามเกณฑ์
					ค่าเฉลี่ย	ค่าเฉลี่ย		
11:00 AM - 12:00 PM	49.6	47.8	1.8	4.5	45.1	42.1	3.0	8.1
12:00 PM - 01:00 PM	43.7	42.2	1.5	2.0	43.7	40.7	3.0	7.8
01:00 PM - 02:00 PM	45.9	44.0	1.9	2.0	45.9	42.9	3.0	3.0
02:00 PM - 03:00 PM	50.1	48.6	1.5	2.0	49.1	46.1	3.0	10.0
03:00 PM - 04:00 PM	46.7	45.2	1.5	2.0	45.7	42.7	3.0	6.3
04:00 PM - 05:00 PM	47.9	46.4	1.5	2.0	46.9	43.9	3.0	1.1
05:00 PM - 06:00 PM	51.1	51.3	0.2	2.0	44.1	41.1	3.0	-1.1
06:00 PM - 07:00 PM	46.7	46.9	-0.2	2.0	39.7	36.7	3.0	-3.0
07:00 PM - 08:00 PM	42.7	42.9	-0.2	2.0	35.7	32.7	3.0	-3.0
08:00 PM - 09:00 PM	41.9	42.1	-0.2	2.0	34.8	31.8	3.0	-3.0
09:00 PM - 10:00 PM	40.9	41.1	-0.2	2.0	33.9	30.9	3.0	-3.0
10:00 PM - 10:55 PM	42.0	42.2	-0.2	2.0	35.0	32.0	3.0	-3.0
10:55 PM - 11:00 PM	40.9	41.1	-0.2	2.0	33.9	30.9	3.0	-3.0
11:00 PM - 11:05 PM	40.8	41.0	-0.2	2.0	33.8	30.8	3.0	-3.0
11:05 PM - 11:10 PM	42.8	43.0	-0.2	2.0	35.8	32.8	3.0	-3.0
11:10 PM - 11:15 PM	42.3	42.5	-0.2	2.0	35.3	32.3	3.0	-3.0
11:15 PM - 11:20 PM	39.8	40.0	-0.2	2.0	32.8	29.8	3.0	-3.0
11:20 PM - 11:25 PM	41.3	41.5	-0.2	2.0	34.3	31.3	3.0	-3.0
11:25 PM - 11:30 PM	41.8	42.0	-0.2	2.0	34.8	31.8	3.0	-3.0
11:30 PM - 11:35 PM	41.9	42.1	-0.2	2.0	34.9	31.9	3.0	-3.0
11:35 PM - 11:40 PM	41.2	41.4	-0.2	2.0	34.2	31.2	3.0	-3.0
11:40 PM - 11:45 PM	40.0	40.2	-0.2	2.0	33.0	30.0	3.0	-3.0
11:45 PM - 11:50 PM	41.9	42.1	-0.2	2.0	34.9	31.9	3.0	-3.0
11:50 PM - 11:55 PM	44.6	44.8	-0.2	2.0	37.6	34.6	3.0	-3.0
11:55 PM - 12:00 AM	50.3	50.5	-0.2	2.0	43.3	40.3	3.0	-3.0
12:00 AM - 12:05 AM	48.8	49.0	-0.2	2.0	41.8	38.8	3.0	-3.0
12:05 AM - 12:10 AM	44.9	45.1	-0.2	2.0	37.9	34.9	3.0	-3.0
12:10 AM - 12:15 AM	44.3	44.4	-0.1	2.0	37.3	34.3	3.0	-3.0
12:15 AM - 12:20 AM	43.5	43.7	-0.2	2.0	36.5	33.5	3.0	-3.0
12:20 AM - 12:25 AM	47.3	47.7	-0.4	2.0	40.3	37.3	3.0	-3.0

Approved by

Witarn Borak  
Manager



## Analysis / Test Report



TESTING  
No.0042

Client : Rogana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Italtai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok  
Thailand 10310

Lot ID: 2349340  
Date Received: May 23, 2023  
Date Reported: Jun 01, 2023  
Report Number: 2664434-1

P/O :  
Project Name : Lamchabang  
Project Location :

Page 2 of 3

Sample No. : 2349340-21  
Parameter : (เสียงรบกวน)  
Location : ถนนพหลโยธิน/ซอย 4 (GPS 47P 0713886, 1441532)  
Measurement Date : May 19 - 20, 2023  
Measurement by : Sirinuk Kuangsom  
Sound Level Meter : 01222724

เวลา	เสียงรบกวน ตามเกณฑ์	เสียงรบกวน ตามเกณฑ์	ค่าเฉลี่ย ตามเกณฑ์	ค่าเฉลี่ย ตามเกณฑ์	ค่าเฉลี่ยตามเกณฑ์ตาม มาตรฐาน		เสียงรบกวน ตามเกณฑ์	ค่าเฉลี่ย ตามเกณฑ์
					ค่าเฉลี่ย	ค่าเฉลี่ย		
12:25 AM - 12:30 AM	50.8	51.0	-0.2	2.0	46.8	43.8	3.0	3.0
12:30 AM - 12:35 AM	48.3	48.5	-0.2	2.0	44.3	41.3	3.0	3.0
12:35 AM - 12:40 AM	50.5	50.7	-0.2	2.0	46.5	43.5	3.0	3.0
12:40 AM - 12:45 AM	54.4	54.6	-0.2	2.0	51.4	48.4	3.0	3.0
12:45 AM - 12:50 AM	53.3	53.5	-0.2	2.0	49.3	46.3	3.0	3.0
12:50 AM - 12:55 AM	51.6	51.8	-0.2	2.0	47.6	44.6	3.0	3.0
12:55 AM - 01:00 AM	51.8	52.0	-0.2	2.0	47.8	44.8	3.0	3.0
01:00 AM - 01:05 AM	51.9	52.1	-0.2	2.0	47.9	44.9	3.0	3.0
01:05 AM - 01:10 AM	46.6	46.8	-0.2	2.0	42.6	39.6	3.0	3.0
01:10 AM - 01:15 AM	46.3	46.5	-0.2	2.0	42.3	39.3	3.0	3.0
01:15 AM - 01:20 AM	43.7	43.9	-0.2	2.0	39.7	36.7	3.0	3.0
01:20 AM - 01:25 AM	42.7	42.9	-0.2	2.0	38.7	35.7	3.0	3.0
01:25 AM - 01:30 AM	40.9	41.1	-0.2	2.0	36.9	33.9	3.0	3.0
01:30 AM - 01:35 AM	40.9	41.1	-0.2	2.0	36.9	33.9	3.0	3.0
01:35 AM - 01:40 AM	40.4	40.6	-0.2	2.0	36.4	33.4	3.0	3.0
01:40 AM - 01:45 AM	40.2	40.4	-0.2	2.0	36.2	33.2	3.0	3.0
01:45 AM - 01:50 AM	40.3	40.5	-0.2	2.0	36.3	33.3	3.0	3.0
01:50 AM - 01:55 AM	43.8	44.0	-0.2	2.0	39.8	36.8	3.0	3.0
01:55 AM - 02:00 AM	43.0	43.2	-0.2	2.0	39.0	36.0	3.0	3.0
02:00 AM - 02:05 AM	43.7	43.9	-0.2	2.0	39.7	36.7	3.0	3.0
02:05 AM - 02:10 AM	41.8	42.0	-0.2	2.0	37.8	34.8	3.0	3.0
02:10 AM - 02:15 AM	42.8	43.0	-0.2	2.0	38.8	35.8	3.0	3.0
02:15 AM - 02:20 AM	41.6	41.8	-0.2	2.0	37.6	34.6	3.0	3.0
02:20 AM - 02:25 AM	43.1	43.3	-0.2	2.0	39.1	36.1	3.0	3.0
02:25 AM - 02:30 AM	46.3	46.5	-0.2	2.0	42.3	39.3	3.0	3.0
02:30 AM - 02:35 AM	41.7	41.9	-0.2	2.0	37.7	34.7	3.0	3.0
02:35 AM - 02:40 AM	40.6	40.8	-0.2	2.0	36.6	33.6	3.0	3.0
02:40 AM - 02:45 AM	41.3	41.5	-0.2	2.0	37.3	34.3	3.0	3.0
02:45 AM - 02:50 AM	41.6	41.8	-0.2	2.0	37.6	34.6	3.0	3.0
02:50 AM - 02:55 AM	41.7	41.9	-0.2	2.0	37.7	34.7	3.0	3.0
02:55 AM - 03:00 AM	41.9	42.1	-0.2	2.0	37.9	34.9	3.0	3.0
03:00 AM - 03:05 AM	54.4	54.6	-0.2	2.0	51.4	48.4	3.0	3.0
03:05 AM - 03:10 AM	46.8	47.0	-0.2	2.0	42.8	39.8	3.0	3.0
03:10 AM - 03:15 AM	46.1	46.3	-0.2	2.0	42.1	39.1	3.0	3.0
03:15 AM - 03:20 AM	42.1	42.3	-0.2	2.0	38.1	35.1	3.0	3.0
03:20 AM - 03:25 AM	43.3	43.5	-0.2	2.0	39.3	36.3	3.0	3.0
03:25 AM - 03:30 AM	43.7	43.9	-0.2	2.0	39.7	36.7	3.0	3.0
03:30 AM - 03:35 AM	43.4	43.6	-0.2	2.0	39.4	36.4	3.0	3.0
03:35 AM - 03:40 AM	43.3	43.5	-0.2	2.0	39.3	36.3	3.0	3.0
03:40 AM - 03:45 AM	54.2	54.4	-0.2	2.0	51.2	48.2	3.0	3.0

Approved by

Witarn Borak  
Manager



## Analysis / Test Report



TESTING  
No.0042

Client : Rogana Industrial Park Public Co., Ltd





## Analysis / Test Report



TESTING  
No.0042

Client : Rajana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Italbhai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok  
Thailand 10310

Let ID: 2349340  
Date Received : May 23, 2023  
Date Reported : Jun 01, 2023  
Report Number : 2664435-1

P/O :  
Project Name : Lamchubang  
Project Location :

Page 2 of 2

Sample No. : 2349340-21  
Parameter : (ตามข้อกำหนดของ สทศ 4 (GPS 47P 0713866, 1441523))  
Location :  
Measurement Date : May 20 - 21, 2023  
Measurement by : Suwit Ruangsom  
Sound Level Meter : 01222724

เวลา	เสียงจากแหล่งกำเนิด	เสียงรบกวนโดยประมาณ	ความถี่เสียง	ทิศทาง	ปริมาณเสียงจากแหล่งกำเนิด	เสียงที่ตรวจพบ	ค่าระดับเสียง
11:00 AM - 12:00 PM	41.3	41.3	0.5	7.0	36.3	36.3	3.9
12:00 PM - 12:30 PM	39.8	40.5	0.3	7.0	39.8	39.8	3.9
01:00 PM - 02:00 PM	41.1	42.2	0.6	7.0	38.3	38.3	2.2
02:00 PM - 03:00 PM	36.3	40.2	1.1	7.0	41.3	41.3	6.8
03:00 PM - 04:00 PM	41.8	40.9	1.1	7.0	40.9	40.9	6.4
04:00 PM - 05:00 PM	48.4	47.8	0.6	7.0	41.4	41.4	2.2
05:00 PM - 06:00 PM	47.8	49.0	-1.2	7.0	40.9	40.9	-6.7
06:00 PM - 07:00 PM	46.2	47.9	-1.2	7.0	39.7	39.7	-5.1
07:00 PM - 08:00 PM	46.9	47.6	-0.7	7.0	39.9	39.9	-4.8
08:00 PM - 09:00 PM	46.8	45.8	1.0	7.0	39.6	39.6	-3.5
09:00 PM - 10:00 PM	42.2	42.2	0.0	7.0	36.3	36.3	-4.8
10:00 PM - 10:30 PM	42.0	41.0	1.0	7.0	36.0	36.0	-1.7
10:30 PM - 11:00 PM	42.4	42.4	1.0	7.0	39.4	39.4	-1.7
11:00 PM - 11:30 PM	43.1	44.1	1.0	7.0	41.1	41.1	-2.1
11:30 PM - 12:00 AM	43.2	42.2	1.0	7.0	39.2	39.2	-2.0
12:00 AM - 12:30 AM	43.7	42.7	1.0	7.0	39.7	39.7	-2.1
12:30 AM - 01:00 AM	41.9	40.9	1.0	7.0	37.9	37.9	-0.1
01:00 AM - 01:30 AM	40.5	39.5	1.0	7.0	36.5	36.5	-0.3
01:30 AM - 02:00 AM	44.4	43.4	1.0	7.0	40.4	40.4	0.1
02:00 AM - 02:30 AM	42.2	42.2	1.0	7.0	39.2	39.2	-1.8
02:30 AM - 03:00 PM	43.6	42.6	1.0	7.0	39.6	39.6	-2.1
03:00 PM - 03:30 PM	41.3	40.3	1.0	7.0	39.3	39.3	-2.2
03:30 PM - 04:00 PM	43.0	42.0	1.0	7.0	39.0	39.0	-1.9
04:00 PM - 04:30 PM	42.6	41.6	1.0	7.0	38.6	38.6	-2.0
04:30 PM - 05:00 PM	41.2	40.2	1.0	7.0	37.2	37.2	-2.0
05:00 PM - 05:30 PM	43.1	42.1	1.0	7.0	39.1	39.1	-0.7
05:30 PM - 06:00 PM	41.3	40.3	1.0	7.0	39.1	39.1	-1.6
06:00 PM - 06:30 PM	40.3	39.3	1.0	7.0	38.3	38.3	-1.9
06:30 PM - 07:00 PM	40.2	39.2	1.0	7.0	38.2	38.2	-1.7
07:00 PM - 07:30 PM	41.0	40.0	1.0	7.0	39.0	39.0	-2.0
07:30 PM - 08:00 PM	39.0	38.0	1.0	7.0	37.0	37.0	-2.0
08:00 PM - 08:30 PM	40.2	39.2	1.0	7.0	38.2	38.2	-0.3
08:30 PM - 09:00 PM	41.0	40.0	1.0	7.0	39.0	39.0	-0.5
09:00 PM - 09:30 PM	44.6	44.1	0.5	7.0	40.6	40.6	1.7
09:30 PM - 10:00 AM	41.2	40.7	0.5	7.0	37.2	37.2	-1.4
10:00 AM - 10:30 AM	40.8	40.3	0.5	7.0	36.8	36.8	-2.1
10:30 AM - 11:00 AM	41.0	40.3	0.5	7.0	37.0	37.0	-1.4
11:00 AM - 11:30 AM	40.5	40.0	0.5	7.0	36.5	36.5	-2.6

The data was collected and used for the sound level meter as indicated in the report. The data was collected and used for the sound level meter as indicated in the report. The data was collected and used for the sound level meter as indicated in the report.

Approved by

Wibab

Wibab Bork  
Manager

15/05/2023 11:15/2023 11:15 M. S. T. Mananang & P. Mananang Paving 2140 Thailand (Phone) 466 5 3004 8355 (Fax) 466 5 3004 8356  
ALS LABORATORY (THAILAND) CO., LTD. 466 5 3004 8355

www.alsglobal.com

RIGHT SOLUTIONS



## Analysis / Test Report



TESTING  
No.0042

Client : Rajana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Italbhai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok  
Thailand 10310

Let ID: 2349340  
Date Received : May 23, 2023  
Date Reported : Jun 01, 2023  
Report Number : 2664435-1

P/O :  
Project Name : Lamchubang  
Project Location :

Page 2 of 2

Sample No. : 2349340-21  
Parameter : (ตามข้อกำหนดของ สทศ 4 (GPS 47P 0713866, 1441523))  
Location :  
Measurement Date : May 20 - 21, 2023  
Measurement by : Suwit Ruangsom  
Sound Level Meter : 01222724

เวลา	เสียงจากแหล่งกำเนิด	เสียงรบกวนโดยประมาณ	ความถี่เสียง	ทิศทาง	ปริมาณเสียงจากแหล่งกำเนิด	เสียงที่ตรวจพบ	ค่าระดับเสียง
12:30 AM - 12:30 AM	40.4	39.9	0.5	7.0	36.4	36.4	-2.4
12:30 AM - 12:35 AM	42.3	41.8	0.5	7.0	38.1	38.1	0.1
12:35 AM - 12:40 AM	39.8	38.4	0.5	7.0	35.9	35.9	-2.1
12:40 AM - 12:45 AM	40.9	40.4	0.5	7.0	36.9	36.9	-0.2
12:45 AM - 12:50 AM	44.8	44.3	0.5	7.0	40.6	40.6	0.9
12:50 AM - 12:55 AM	44.3	43.8	0.5	7.0	40.3	40.3	1.3
12:55 AM - 01:00 AM	43.1	42.4	0.5	7.0	39.9	39.9	-1.2
01:00 AM - 01:05 AM	40.1	39.4	0.5	7.0	38.1	38.1	-0.3
01:05 AM - 01:10 AM	39.8	39.3	0.5	7.0	35.8	35.8	-2.3
01:10 AM - 01:15 AM	39.9	39.4	0.5	7.0	35.9	35.9	1.1
01:15 AM - 01:20 AM	40.5	40.0	0.5	7.0	36.5	36.5	1.7
01:20 AM - 01:25 AM	42.4	41.9	0.5	7.0	38.4	38.4	0.8
01:25 AM - 01:30 AM	44.0	43.5	0.5	7.0	40.0	40.0	2.0
01:30 AM - 01:35 AM	39.4	38.9	0.5	7.0	35.4	35.4	-1.2
01:35 AM - 01:40 AM	41.2	40.7	0.5	7.0	37.2	37.2	-0.2
01:40 AM - 01:45 AM	41.0	40.5	0.5	7.0	37.0	37.0	-0.3
01:45 AM - 01:50 AM	41.2	40.7	0.5	7.0	37.2	37.2	-0.4
01:50 AM - 01:55 AM	41.3	40.8	0.5	7.0	37.3	37.3	-0.1
01:55 AM - 02:00 AM	41.0	40.5	0.5	7.0	37.0	37.0	-1.8
02:00 AM - 02:05 AM	39.4	39.1	0.5	7.0	35.6	35.6	-2.1
02:05 AM - 02:10 AM	41.7	41.2	0.5	7.0	37.7	37.7	1.8
02:10 AM - 02:15 AM	39.5	39.0	0.5	7.0	35.5	35.5	-2.0
02:15 AM - 02:20 AM	39.1	38.6	0.5	7.0	35.1	35.1	-0.8
02:20 AM - 02:25 AM	39.4	38.9	0.5	7.0	35.4	35.4	-0.9
02:25 AM - 02:30 AM	40.1	39.6	0.5	7.0	36.1	36.1	-2.4
02:30 AM - 02:35 AM	39.3	38.8	0.5	7.0	35.3	35.3	-2.0
02:35 AM - 02:40 AM	40.0	39.5	0.5	7.0	36.0	36.0	-1.9
02:40 AM - 02:45 AM	42.1	41.6	0.5	7.0	38.1	38.1	1.8
02:45 AM - 02:50 AM	39.5	39.0	0.5	7.0	35.5	35.5	-2.3
02:50 AM - 02:55 AM	45.5	45.0	0.5	7.0	41.5	41.5	3.1
02:55 AM - 03:00 AM	41.8	41.3	0.5	7.0	37.8	37.8	1.8
03:00 AM - 03:05 AM	53.1	52.6	0.5	7.0	49.1	49.1	11.3
03:05 AM - 03:10 AM	47.2	46.7	0.5	7.0	43.2	43.2	4.9
03:10 AM - 03:15 AM	48.1	47.6	0.5	7.0	44.1	44.1	4.5
03:15 AM - 03:20 AM	48.0	47.5	0.5	7.0	44.0	44.0	4.5
03:20 AM - 03:25 AM	41.5	41.0	0.5	7.0	37.5	37.5	1.2
03:25 AM - 03:30 AM	44.5	44.0	0.5	7.0	40.5	40.5	-0.4
03:30 AM - 03:35 AM	44.2	43.7	0.5	7.0	40.2	40.2	-0.9
03:35 AM - 03:40 AM	43.5	43.0	0.5	7.0	39.5	39.5	-2.4
03:40 AM - 03:45 AM	47.3	46.8	0.5	7.0	43.3	43.3	2.3

Approved by

Wibab

Wibab Bork  
Manager

15/05/2023 11:15/2023 11:15 M. S. T. Mananang & P. Mananang Paving 2140 Thailand (Phone) 466 5 3004 8355 (Fax) 466 5 3004 8356  
ALS LABORATORY (THAILAND) CO., LTD. 466 5 3004 8355

www.alsglobal.com

RIGHT SOLUTIONS



## Analysis / Test Report



TESTING  
No.0042

Client : Rajana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Italbhai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok  
Thailand 10310

Let ID: 2349340  
Date Received : May 23, 2023  
Date Reported : Jun 01, 2023  
Report Number : 2664435-1

P/O :  
Project Name : Lamchubang  
Project Location :

Page 2 of 2

Sample No. : 2349340-21  
Parameter : (ตามข้อกำหนดของ สทศ 4 (GPS 47P 0713866, 1441523))  
Location :  
Measurement Date : May 20 - 21, 2023  
Measurement by : Suwit Ruangsom  
Sound Level Meter : 01222724

บทเฉพาะ (DB(A))							
เวลา	เสียงจากแหล่งกำเนิด	เสียงรบกวนโดยประมาณ	ความถี่เสียง	ทิศทาง	ปริมาณเสียงจากแหล่งกำเนิด	เสียงที่ตรวจพบ	ค่าระดับเสียง
03:45 AM - 03:50 AM	47.8	46.5	0.5	7.0	-	43.8	46.7
03:50 AM - 03:55 AM	48.8	47.5	0.5	7.0	-	44.8	47.6
03:55 AM - 04:00 AM	41.7	41.2	0.5	7.0	-	37.7	38.1
04:00 AM - 04:05 AM	51.1	51.1	0.5	7.0	-	47.6	47.6
04:05 AM - 04:10 AM	42.3	41.8	0.5	7.0	-	38.3	39.2
04:10 AM - 04:15 AM	42.0	42.5	0.5	7.0	-	39.0	40.6
04:15 AM - 04:20 AM	43.3	42.6	0.5	7.0	-	39.3	41.2
04:20 AM - 04:25 AM	45.9	45.4	0.5	7.0	-	41.5	41.1
04:25 AM - 04:30 AM	44.5	44.0	0.5	7.0	-	40.5	40.9
04:30 AM - 04:35 AM	45.5	45.0	0.5	7.0	-	41.5	41.5
04:35 AM - 04:40 AM	45.0	44.5	0.5	7.0	-	41.0	40.6
04:40 AM - 04:45 AM	34.5	33.0	2.5	1.0	-	34.3	35.5
04:45 AM - 04:50 AM	31.4	30.9	2.5	1.0	-	31.4	31.5
04:50 AM - 04:55 AM	49.6	47.1	2.5	3.0	-	48.0	48.5
04:55 AM - 05:00 AM	42.6	41.1	2.5	3.0	-	41.6	38.7
05:00 AM - 05:05 AM	50.8	48.4	2.5	3.0	-	50.9	48.7
05:05 AM - 05:10 AM	49.2	46.2	2.5	3.0	-	49.2	47.1
05:10 AM - 05:15 AM	47.4	44.9	2.5	3.0	-	47.4	39.8
05:15 AM - 05:20 AM	51.1	48.6	2.5	3.0	-	51.1	49.0
05:20 AM - 05:25 AM	48.4	46.1	2.5	3.0	-	48.4	46.6
05:25 AM - 05:30 AM	46.7	44.2	2.5	3.0	-	46.7	38.2
05:30 AM - 05:35 AM	49.3	47.8	2.5	3.0	-	49.3	46.7
05:35 AM - 05:40 AM	50.7	48.3	2.5	3.0	-	50.7	49.2
05:40 AM - 05:45 AM	50.2	47.7	2.5	3.0	-	46.2	37.0
05:45 AM - 05:50 AM	46.8	44.3	2.5	3.0	-	46.8	38.3
05:50 AM - 05:55 AM	46.8	44.3	2.5	3.0	-	46.8	38.3
05:55 AM - 06:00 AM	49.1	47.6	2.5	3.0	-	39.5	30.0
06:00 AM - 06:05 AM	49.1	47.6	2.5	3.0	-	42.1	-
06:05 AM - 06:10 AM	49.1	47.6	2.5	3.0	-	32.4	6.2
06:00 AM - 06:08 AM	42.1	40.5	2.5	3.0	35.1	-	36.4
06:00 AM - 10:00 AM	33.6	33.8	4.2	7.8	46.6	-	39.0
10:00 AM - 11:00 AM	50.4	50.1	0.1	7.8	42.4	-	43.5
หมายเหตุ: ค่าที่แสดงในตารางนี้เป็นค่าประมาณ และอาจมีความคลาดเคลื่อนได้							± 1.0



## Analysis / Test Report



TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Talatba Town, New Petchburi Road, Bangkok, Huaykwang, Bangkok  
Thailand 10310

Lot ID: 2349340  
Date Received May 23, 2023  
Date Reported Jun 01, 2023  
Report Number : 2664436-1

P/O :  
Project Name : Laemchabang  
Project Location : Laemchabang

Page 2 of 3

Sample No. : 2349340-22  
Parameter : เสียงรบกวน  
Location : อาคารพาณิชย์ชั้น 5 (GPS 0714290, 1441190)  
Measurement Date : May 14 - 15, 2023  
Measurement by : Seiwat Kuangsom  
Sound Level Meter : 00472126

เวลา	เสียงรบกวน ตามปกติ	เสียงรบกวน ตามปกติ	ค่าเฉลี่ย	ค่าเฉลี่ย	ค่าเฉลี่ย	ค่าเฉลี่ย	ค่าเฉลี่ย	ค่าเฉลี่ย	ค่าเฉลี่ย
12:25 AM - 12:30 AM	27.3	42.3	-5.0	7.0	...	33.3	38.3	-5.0	...
12:30 AM - 12:35 AM	27.0	44.8	-7.8	7.0	...	33.0	39.8	-6.8	...
12:35 AM - 12:40 AM	27.6	44.3	-6.4	7.0	...	33.6	38.8	-5.2	...
12:40 AM - 12:45 AM	36.5	45.1	-8.6	7.0	...	32.5	42.0	-9.5	...
12:45 AM - 12:50 AM	36.7	44.5	-7.8	7.0	...	32.7	40.2	-7.5	...
12:50 AM - 12:55 AM	38.3	45.3	-7.0	7.0	...	34.7	42.2	-7.5	...
12:55 AM - 01:00 AM	39.5	43.8	-4.3	7.0	...	35.3	39.8	-4.5	...
01:00 AM - 01:05 AM	37.4	51.3	-13.9	7.0	...	33.4	40.7	-7.3	...
01:05 AM - 01:10 AM	41.0	4.8	7.0	7.0	...	32.6	39.3	-6.7	...
01:10 AM - 01:15 AM	37.6	49.2	-11.7	7.0	...	32.6	39.4	-6.8	...
01:15 AM - 01:20 AM	37.4	44.0	-6.6	7.0	...	33.4	39.5	-6.1	...
01:20 AM - 01:25 AM	36.7	43.8	-7.1	7.0	...	32.7	40.7	-8.0	...
01:25 AM - 01:30 AM	37.4	43.7	-6.3	7.0	...	33.4	41.3	-7.9	...
01:30 AM - 01:35 AM	37.6	44.1	-6.5	7.0	...	33.6	40.3	-6.7	...
01:35 AM - 01:40 AM	37.6	44.6	-7.0	7.0	...	33.6	41.1	-7.5	...
01:40 AM - 01:45 AM	41.6	42.8	-1.2	7.0	...	37.8	39.6	-1.8	...
01:45 AM - 01:50 AM	41.3	54.7	-13.4	7.0	...	37.3	51.1	-13.8	...
01:50 AM - 01:55 AM	37.4	56.7	-22.3	7.0	...	37.4	56.4	-23.0	...
01:55 AM - 02:00 AM	38.3	59.6	-21.3	7.0	...	38.3	54.7	-22.4	...
02:00 AM - 02:05 AM	35.8	48.1	-12.3	7.0	...	31.8	38.5	-6.7	...
02:05 AM - 02:10 AM	40.3	40.8	-5.5	7.0	...	38.3	37.4	0.9	...
02:10 AM - 02:15 AM	49.4	40.9	8.5	0.3	...	31.9	34.7	-17.2	...
02:15 AM - 02:20 AM	36.7	44.2	-7.5	7.0	...	32.7	38.0	-5.3	...
02:20 AM - 02:25 AM	36.4	41.9	-5.5	7.0	...	32.4	34.9	-2.5	...
02:25 AM - 02:30 AM	36.1	41.4	-5.3	7.0	...	32.1	36.6	-4.5	...
02:30 AM - 02:35 AM	36.0	41.1	-5.1	7.0	...	32.0	40.9	-8.9	...
02:35 AM - 02:40 AM	36.3	44.4	-7.1	7.0	...	32.3	40.8	-8.5	...
02:40 AM - 02:45 AM	40.4	44.4	-4.0	7.0	...	36.4	40.3	-3.9	...
02:45 AM - 02:50 AM	35.1	40.6	-5.5	7.0	...	31.1	40.4	-9.3	...
02:50 AM - 02:55 AM	34.9	44.7	-9.1	7.0	...	30.9	40.2	-9.3	...
02:55 AM - 03:00 AM	33.5	44.2	-10.7	7.0	...	29.5	40.2	-10.7	...
03:00 AM - 03:05 AM	33.9	44.1	-10.2	7.0	...	31.9	39.9	2.0	...
03:05 AM - 03:10 AM	35.8	43.4	-8.6	7.0	...	31.8	39.8	-8.0	...
03:10 AM - 03:15 AM	35.6	43.9	-8.3	7.0	...	31.6	39.4	-7.8	...
03:15 AM - 03:20 AM	37.3	42.1	-4.8	7.0	...	33.3	39.2	-5.9	...
03:20 AM - 03:25 AM	34.4	43.1	-8.7	7.0	...	31.4	39.3	-7.9	...
03:25 AM - 03:30 AM	34.3	39.3	-5.0	7.0	...	32.3	38.4	-6.1	...
03:30 AM - 03:35 AM	37.6	39.6	-1.9	7.0	...	33.0	38.4	-5.4	...
03:35 AM - 03:40 AM	39.1	39.4	-0.3	7.0	...	35.1	38.4	-3.3	...
03:40 AM - 03:45 AM	38.0	42.2	-4.2	7.0	...	34.0	38.4	-4.4	...

Approved by

Witman Borak  
Manager



## Analysis / Test Report



TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Talatba Town, New Petchburi Road, Bangkok, Huaykwang, Bangkok  
Thailand 10310

Lot ID: 2349340  
Date Received May 23, 2023  
Date Reported Jun 01, 2023  
Report Number : 2664436-1

P/O :  
Project Name : Laemchabang  
Project Location : Laemchabang

Page 3 of 3

Sample No. : 2349340-22  
Parameter : เสียงรบกวน  
Location : อาคารพาณิชย์ชั้น 5 (GPS 0714290, 1441190)  
Measurement Date : May 14 - 15, 2023  
Measurement by : Seiwat Kuangsom  
Sound Level Meter : 00472126

เวลา	เสียงรบกวน ตามปกติ	เสียงรบกวน ตามปกติ	ค่าเฉลี่ย	ค่าเฉลี่ย	ค่าเฉลี่ย	ค่าเฉลี่ย	ค่าเฉลี่ย	ค่าเฉลี่ย	ค่าเฉลี่ย
03:45 AM - 03:50 AM	38.5	40.1	-1.6	7.0	...	37.5	39.2	-1.7	...
03:50 AM - 03:55 AM	35.4	40.8	-5.4	7.0	...	31.4	39.8	-8.4	...
03:55 AM - 04:00 AM	35.6	46.3	-10.7	7.0	...	31.6	38.1	-6.5	...
04:00 AM - 04:05 AM	36.0	40.2	-4.2	7.0	...	32.0	39.4	-7.4	...
04:05 AM - 04:10 AM	35.2	41.0	-5.8	7.0	...	31.3	39.4	-8.1	...
04:10 AM - 04:15 AM	31.4	40.1	-8.7	7.0	...	29.4	38.1	-8.7	...
04:15 AM - 04:20 AM	35.0	42.1	-7.1	7.0	...	31.0	39.3	-8.3	...
04:20 AM - 04:25 AM	38.4	43.3	-4.9	7.0	...	34.6	38.8	-4.2	...
04:25 AM - 04:30 AM	40.1	40.0	0.1	7.0	...	38.1	38.5	-0.4	...
04:30 AM - 04:35 AM	41.1	41.6	-0.5	7.0	...	37.3	40.7	-3.4	...
04:35 AM - 04:40 AM	40.5	41.8	-1.3	7.0	...	36.5	41.2	-4.7	...
04:40 AM - 04:45 AM	54.8	41.5	13.3	0.0	...	37.8	40.9	-3.1	...
04:45 AM - 04:50 AM	59.0	41.7	17.3	0.0	...	42.0	39.3	2.7	...
04:50 AM - 04:55 AM	60.9	42.2	18.7	0.0	...	43.9	41.2	2.7	...
04:55 AM - 05:00 AM	56.1	42.4	13.7	0.0	...	39.4	40.4	-1.0	...
05:00 AM - 05:05 AM	48.6	42.0	6.6	1.8	...	30.6	40.6	-10.0	...
05:05 AM - 05:10 AM	48.1	41.7	6.4	1.5	...	30.1	40.4	-10.3	...
05:10 AM - 05:15 AM	45.6	41.6	4.0	2.0	...	28.6	40.4	-11.8	...
05:15 AM - 05:20 AM	52.1	43.3	8.8	0.8	...	35.0	41.1	-6.1	...
05:20 AM - 05:25 AM	44.6	40.3	4.3	2.0	...	28.4	39.4	-11.0	...
05:25 AM - 05:30 AM	41.4	40.9	0.5	2.0	...	37.4	39.1	-1.7	...
05:30 AM - 05:35 AM	48.4	40.1	8.3	0.3	...	30.9	39.4	-8.5	...
05:35 AM - 05:40 AM	51.9	42.1	9.8	0.8	...	34.4	39.7	-5.3	...
05:40 AM - 05:45 AM	43.1	42.5	0.6	2.0	...	33.1	39.2	-6.1	...
05:45 AM - 05:50 AM	43.0	39.8	3.2	2.0	...	44.4	38.0	6.4	...
05:50 AM - 05:55 AM	41.2	40.9	0.3	2.0	...	37.2	39.0	-1.8	...
05:55 AM - 06:00 AM	40.1	41.0	-0.9	1.5	...	48.0	38.4	9.6	...
06:00 AM - 06:05 AM	46.4	40.0	6.4	1.5	...	38.2	37.2	1.0	...
06:05 AM - 06:10 AM	46.2	39.3	6.9	1.0	...	37.4	37.8	-0.4	...
06:10 AM - 06:15 AM	41.4	39.8	1.6	2.0	...	40.2	37.4	2.8	...
06:15 AM - 06:20 AM	50.9	38.6	12.3	0.5	...	30.4	37.0	-6.6	...
06:20 AM - 06:25 AM	50.1	50.9	-0.8	7.0	...	34.1	36.1	-2.0	...

Reference Method :

1. ISO 1996-1
2. วิธีการวัดและประเมินค่าเสียง : การวัดค่าเสียงรบกวนตามปกติเสียงรบกวน 24 ชั่วโมง และค่าเฉลี่ยถ่วงน้ำหนักค่าเสียงรบกวนตามปกติเสียงรบกวน ม. 2561
3. วิธีการวัดและประเมินค่าเสียง : การวัดค่าเสียงรบกวนตามปกติเสียงรบกวน 24 ชั่วโมง และค่าเฉลี่ยถ่วงน้ำหนักค่าเสียงรบกวนตามปกติเสียงรบกวน ม. 2561
4. วิธีการวัดและประเมินค่าเสียง : การวัดค่าเสียงรบกวนตามปกติเสียงรบกวน 24 ชั่วโมง และค่าเฉลี่ยถ่วงน้ำหนักค่าเสียงรบกวนตามปกติเสียงรบกวน ม. 2561

หมายเหตุ :

ผลการวัดค่าเสียงรบกวนตามปกติเสียงรบกวน (Sample No. 2349340-22) วันที่ 14-15 พฤษภาคม 2566

Approved by

Witman Borak  
Manager



## Analysis / Test Report



TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Talatba Town, New Petchburi Road, Bangkok, Huaykwang, Bangkok  
Thailand 10310

Lot ID: 2349340  
Date Received May 23, 2023  
Date Reported Jun 01, 2023  
Report Number : 2664437-1

P/O :  
Project Name : Laemchabang  
Project Location : Laemchabang

Page 1 of 1

Sample No. : 2349340-23  
Parameter : เสียงรบกวน  
Location : อาคารพาณิชย์ชั้น 5 (GPS 0714290, 1441190)  
Measurement Date : May 15 - 16, 2023  
Measurement by : Seiwat Kuangsom  
Sound Level Meter : 00472126

เวลา	ตามเงื่อนไข (dB(A))						เสียงรบกวน ตามปกติ	เสียงรบกวน ตามปกติ
	เสียงรบกวน ตามปกติ	เสียงรบกวน ตามปกติ	เสียงรบกวน ตามปกติ	เสียงรบกวน ตามปกติ	เสียงรบกวน ตามปกติ	เสียงรบกวน ตามปกติ		
11:00 AM - 12:00 PM	52.1	51.8	0.3	7.8	45.1	37.3	7.8	
11:00 PM - 11:05 PM	46.7	46.2	0.5	7.0	41.7	44.2	-2.6	
11:05 PM - 11:10 PM	47.7	47.3	0.5	7.9	41.2	40.9	0.3	
11:10 PM - 11:15 PM	51.7	51.3	0.4	7.9	44.7	35.5	9.2	
11:15 PM - 11:20 PM	52.7	52.5	0.2	7.0	45.2	39.2	6.0	
11:20 PM - 11:25 PM	56.4	52.2	4.2	7.8	48.4	35.1	13.3	
11:25 PM - 11:30 PM	53.7	52.5	1.2	7.8	46.7	47.6	-0.9	
11:30 PM - 11:35 PM	46.6	46.6	0.0	7.0	39.6	38.1	1.5	
11:35 PM - 11:40 PM	44.8	45.0	-0.2	7.8	37.8	40.8	-3.0	
11:40 PM - 11:45 PM	41.7	41.7	0.0	7.9	34.7	35.5	-0.8	
11:45 PM - 11:50 PM	40.9	41.1	-0.2	7.9	33.9	37.6	-3.7	
11:50 PM - 11:55 PM	38.6	38.8	-0.2	7.0	34.6	37.7	-3.1	
11:55 PM - 12:00 AM	38.3	38.7	-0.4	7.9	34.5	36.3	-1.8	
12:00 AM - 12:05 AM	37.8	38.0	-0.2	7.8	33.8	38.4	-4.6	
12:05 AM - 12:10 AM	37.6	38.0	-0.4	7.8	33.6	38.0	-4.4	
12:10 AM - 12:15 AM	37.9	37.2	0.7	7.8	33.9	35.8	-1.9	
12:15 AM - 12:20 AM	37.9	38.1	-0.2	7.8	33.9	34.5	-0.6	
12:20 AM - 12:25 AM	38.3	38.7	-0.4	7.8	34.5	35.8	-1.3	
12:25 AM - 12:30 AM	38.1	38.7	-0.6	7.8	34.4	38.8	-4.4	
12:30 AM - 12:35 AM	38.7	38.9	-0.2	7.8	34.7	38.0	-3.3	
12:35 AM - 12:40 AM	38.0	39.3	-1.3	7.8	34.6	38.7	-4.1	
12:40 AM - 12:45 AM	38.3	39.3	-1.0	7.8	34.8	37.5	-2.7	
12:45 AM - 12:50 AM	37.6	38.0	-0.4	7.8	33.6	36.8	-3.2	
12:50 AM - 12:55 AM	38.1	38.5	-0.4	7.8	34.3	37.5	-3.2	
12:55 AM - 13:00 AM	38.3	38.7	-0.4	7.8	34.5	37.5	-3.0	
13:00 AM - 13:05 AM	38.1	38.5	-0.4	7.8	34.1	37.6	-3.5	
13:05 AM - 13:10 AM	38.3	38.7	-0.4	7.8	34.5	38.1	-3.6	
13:10 AM - 13:15 AM	38.1	38.5	-0.4	7.8	34.1	37.4	-3.3	
13:15 AM - 13:20 AM	38.1	38.5	-0.4	7.8	34.1	37.5	-3.4	
13:20 AM - 13:25 AM	38.1	38.5	-0.4	7.8	34.1	37.5	-3.4	
13:25 AM - 13:30 AM	38.1	38.5	-0.4	7.8	34.1	37.5	-3.4	
13:30 AM - 13:35 AM	38.1	38.5	-0.4	7.8	34.1	37.5	-3.4	
13:35 AM - 13:40 AM	38.1	38.5	-0.4	7.8	34.1	37.5	-3.4	
13:40 AM - 13:45 AM	38.1	38.5	-0.4	7.8	34.1	37.5	-3.4	
13:45 AM - 13:50 AM	38.1	38.5	-0.4	7.8	34.1	37.5	-3.4	
13:50 AM - 13:55 AM	38.1	38.5	-0.4	7.8	34.1	37.5	-3.4	
13:55 AM - 12:00 AM	38.0	38.4	-0.4	7.8	34.0	34.0	0.0	
12:00 AM - 12:05 AM	38.1	38.7	-0.6	7.8	34.7	37.7	-3.0	
12:05 AM - 12:10 AM	36.9	37.3	-0.4	7.8	33.9	35.7	-1.8	
12:10 AM - 12:15 AM	37.6	38.0	-0.4	7.8	33.6	35.9	-2.3	
12:15 AM - 12:20 AM	38.1	38.6	-0.5	7.8	34.2	37.1	-2.9	
12:20 AM - 12:25 AM	38.5	38.9	-0.4	7.8	34.6	38.3	-3.7	







## Analysis / Test Report



TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Itatthi Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok  
Thailand 10310

Lot ID: 2349340  
Date Received : May 23, 2023  
Date Reported : Jun 01, 2023  
Report Number : 2664439-1

P/O :  
Project Name : Lamchabang  
Project Location :

Page 1 of 2

Sample No. : 2349340-25  
Parameter :  
Location :  
Measurement Date : May 17 - 18, 2023  
Measurement by :  
Sound Level Meter : 00472126

เวลา	เสียงจากแหล่งกำเนิด	เสียงตามโถงรถโดยสาร	ค่าเฉลี่ย (dB(A))		พื้นที่เสียงตามโถงรถโดยสาร	เสียงตามโถงรถโดยสาร	ค่าเฉลี่ย
			ค่าเฉลี่ย	ค่าเฉลี่ย			
11:30 AM - 12:00 PM	49.5	50.0	-0.5	7.0	40.5	-	40.7
12:00 PM - 01:00 PM	46.5	46.7	-0.2	7.0	39.5	-	40.3
01:00 PM - 02:00 PM	48.4	48.6	-0.2	7.0	41.4	-	41.7
02:00 PM - 03:00 PM	48.9	49.1	-0.2	7.0	43.9	-	44.2
03:00 PM - 04:00 PM	48.7	48.9	-0.2	7.0	41.7	-	42.0
04:00 PM - 05:00 PM	46.3	46.7	-0.4	7.0	41.5	-	41.8
05:00 PM - 06:00 PM	52.0	52.2	-0.2	7.0	45.0	-	44.1
06:00 PM - 07:00 PM	46.4	46.6	-0.2	7.0	39.4	-	39.7
07:00 PM - 08:00 PM	44.6	45.0	-0.4	7.0	37.6	-	38.0
08:00 PM - 09:00 PM	42.6	43.0	-0.4	7.0	35.6	-	36.0
09:00 PM - 10:00 PM	39.2	39.6	-0.4	7.0	32.2	-	32.4
10:00 PM - 10:59 PM	46.5	46.9	-0.4	7.0	-	38.5	38.8
10:59 PM - 11:59 PM	39.4	39.8	-0.4	7.0	-	33.4	33.7
11:59 PM - 12:59 AM	41.1	41.5	-0.4	7.0	-	37.1	37.5
12:59 AM - 01:59 AM	40.4	40.8	-0.4	7.0	-	36.4	36.8
01:59 AM - 02:59 AM	39.2	39.6	-0.4	7.0	-	35.2	35.6
02:59 AM - 03:59 PM	38.5	38.9	-0.4	7.0	-	34.5	34.9
03:59 PM - 04:59 PM	40.6	41.0	-0.4	7.0	-	36.8	37.2
04:59 PM - 05:59 PM	38.3	38.7	-0.4	7.0	-	34.3	34.7
05:59 PM - 06:59 PM	34.8	35.2	-0.4	7.0	-	30.8	31.2
06:59 PM - 07:59 PM	36.0	36.4	-0.4	7.0	-	32.0	32.4
07:59 PM - 08:59 PM	36.8	37.2	-0.4	7.0	-	32.8	33.2
08:59 PM - 09:59 PM	37.1	37.5	-0.4	7.0	-	33.1	33.5
09:59 PM - 10:59 PM	36.5	36.9	-0.4	7.0	-	32.5	32.9
10:59 PM - 11:59 PM	38.6	39.0	-0.4	7.0	-	34.6	35.0
11:59 PM - 12:59 PM	36.9	37.3	-0.4	7.0	-	32.9	33.3
12:59 PM - 01:59 AM	38.9	39.3	-0.4	7.0	-	34.9	35.3
01:59 AM - 02:59 PM	36.9	37.3	-0.4	7.0	-	32.9	33.3
02:59 PM - 03:59 PM	36.9	37.3	-0.4	7.0	-	32.9	33.3
03:59 PM - 04:59 PM	36.9	37.3	-0.4	7.0	-	32.9	33.3
04:59 PM - 05:59 PM	36.9	37.3	-0.4	7.0	-	32.9	33.3
05:59 PM - 06:59 PM	36.9	37.3	-0.4	7.0	-	32.9	33.3
06:59 PM - 07:59 PM	36.9	37.3	-0.4	7.0	-	32.9	33.3
07:59 PM - 08:59 PM	36.9	37.3	-0.4	7.0	-	32.9	33.3
08:59 PM - 09:59 PM	36.9	37.3	-0.4	7.0	-	32.9	33.3
09:59 PM - 10:59 PM	36.9	37.3	-0.4	7.0	-	32.9	33.3
10:59 PM - 11:59 PM	36.9	37.3	-0.4	7.0	-	32.9	33.3
11:59 PM - 12:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
12:59 AM - 01:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
01:59 AM - 02:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
02:59 AM - 03:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
03:59 AM - 04:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
04:59 AM - 05:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
05:59 AM - 06:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
06:59 AM - 07:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
07:59 AM - 08:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
08:59 AM - 09:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
09:59 AM - 10:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
10:59 AM - 11:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
11:59 AM - 12:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
12:59 AM - 01:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
01:59 AM - 02:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
02:59 AM - 03:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
03:59 AM - 04:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
04:59 AM - 05:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
05:59 AM - 06:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
06:59 AM - 07:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
07:59 AM - 08:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
08:59 AM - 09:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
09:59 AM - 10:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
10:59 AM - 11:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
11:59 AM - 12:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
12:59 AM - 01:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
01:59 AM - 02:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
02:59 AM - 03:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
03:59 AM - 04:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
04:59 AM - 05:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
05:59 AM - 06:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
06:59 AM - 07:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
07:59 AM - 08:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
08:59 AM - 09:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
09:59 AM - 10:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
10:59 AM - 11:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
11:59 AM - 12:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
12:59 AM - 01:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
01:59 AM - 02:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
02:59 AM - 03:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
03:59 AM - 04:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
04:59 AM - 05:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
05:59 AM - 06:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
06:59 AM - 07:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
07:59 AM - 08:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
08:59 AM - 09:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
09:59 AM - 10:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
10:59 AM - 11:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
11:59 AM - 12:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
12:59 AM - 01:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
01:59 AM - 02:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
02:59 AM - 03:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
03:59 AM - 04:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
04:59 AM - 05:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
05:59 AM - 06:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
06:59 AM - 07:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
07:59 AM - 08:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
08:59 AM - 09:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
09:59 AM - 10:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
10:59 AM - 11:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
11:59 AM - 12:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
12:59 AM - 01:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
01:59 AM - 02:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
02:59 AM - 03:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
03:59 AM - 04:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
04:59 AM - 05:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
05:59 AM - 06:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
06:59 AM - 07:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
07:59 AM - 08:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
08:59 AM - 09:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
09:59 AM - 10:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
10:59 AM - 11:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
11:59 AM - 12:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
12:59 AM - 01:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
01:59 AM - 02:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
02:59 AM - 03:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
03:59 AM - 04:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
04:59 AM - 05:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
05:59 AM - 06:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
06:59 AM - 07:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
07:59 AM - 08:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
08:59 AM - 09:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
09:59 AM - 10:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
10:59 AM - 11:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
11:59 AM - 12:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
12:59 AM - 01:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
01:59 AM - 02:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
02:59 AM - 03:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
03:59 AM - 04:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
04:59 AM - 05:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
05:59 AM - 06:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
06:59 AM - 07:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
07:59 AM - 08:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
08:59 AM - 09:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
09:59 AM - 10:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
10:59 AM - 11:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
11:59 AM - 12:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
12:59 AM - 01:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
01:59 AM - 02:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
02:59 AM - 03:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
03:59 AM - 04:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
04:59 AM - 05:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
05:59 AM - 06:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
06:59 AM - 07:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
07:59 AM - 08:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
08:59 AM - 09:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
09:59 AM - 10:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
10:59 AM - 11:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
11:59 AM - 12:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
12:59 AM - 01:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
01:59 AM - 02:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
02:59 AM - 03:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
03:59 AM - 04:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
04:59 AM - 05:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
05:59 AM - 06:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
06:59 AM - 07:59 AM	36.9	37.3	-0.4	7.0	-	32.9	33.3
07:59 AM - 08:59 AM	36.9						





## Analysis / Test Report



TESTING  
No.0042

Client : Rajana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Italbhai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok  
Thailand 10310

Lot ID: 2349340  
Date Received: May 23, 2023  
Date Reported: Jun 01, 2023  
Report Number: 2664440-1

P/O :  
Project Name : Lamchabang  
Project Location :

Page 2 of 3

Sample No. : 2349340-26  
Parameter : 1/เสียงรบกวน  
Location : 4/4 - บริเวณทางเดินเชื่อม โซน 5 (GPS 47P 0714290, 1441190)  
Measurement Date : May 19 - 19, 2023  
Measurement by : Siravit Ruangsom  
Sound Level Meter : 06472126

เวลา	เสียงรบกวน ตามเกณฑ์	เสียงรบกวน ตามเกณฑ์	ค่าเฉลี่ย		ค่าเฉลี่ย	ค่าเฉลี่ย	ค่าเฉลี่ย	ค่าเฉลี่ย	ค่าเฉลี่ย
			ค่าเฉลี่ย	ค่าเฉลี่ย					
12:25 AM - 12:30 AM	38.5	39.6	-1.1	7.0	-	38.5	38.3	-1.8	-
12:30 AM - 12:35 AM	49.5	50.6	-1.1	7.0	-	49.5	38.2	9.3	-
12:35 AM - 12:40 AM	46.5	48.0	-1.1	7.0	-	46.5	38.6	4.3	-
12:40 AM - 12:45 AM	49.5	50.9	-1.1	7.0	-	49.5	38.2	11.1	-
12:45 AM - 12:50 AM	46.5	47.4	-1.1	7.0	-	46.5	38.1	4.4	-
12:50 AM - 12:55 AM	47.0	44.5	-1.1	7.0	-	47.0	39.2	0.6	-
12:55 AM - 01:00 AM	47.0	44.1	-1.1	7.0	-	47.0	38.5	0.3	-
01:00 AM - 01:05 AM	47.0	45.5	-1.1	7.0	-	47.0	38.1	-1.1	-
01:05 AM - 01:10 AM	46.5	47.6	-1.1	7.0	-	46.5	38.2	6.3	-
01:10 AM - 01:15 AM	46.1	49.4	-1.1	7.0	-	44.7	38.8	5.5	-
01:15 AM - 01:20 AM	45.7	46.8	-1.1	7.0	-	45.7	38.1	-	-
01:20 AM - 01:25 AM	38.5	39.4	-1.1	7.0	-	38.5	38.8	-4.3	-
01:25 AM - 01:30 AM	39.3	40.4	-1.1	7.0	-	39.3	39.4	-4.3	-
01:30 AM - 01:35 AM	40.4	41.5	-1.1	7.0	-	40.4	39.8	-1.4	-
01:35 AM - 01:40 AM	39.4	40.5	-1.1	7.0	-	39.4	39.4	-	-
01:40 AM - 01:45 AM	38.6	40.3	-1.1	7.0	-	38.6	39.4	-4.0	-
01:45 AM - 01:50 AM	38.6	39.7	-1.1	7.0	-	34.6	38.2	-2.7	-
01:50 AM - 01:55 AM	40.8	40.9	-1.1	7.0	-	34.9	34.4	-5.5	-
01:55 AM - 02:00 AM	40.8	40.9	-1.1	7.0	-	44.8	35.5	9.2	-
02:00 AM - 02:05 AM	50.1	51.2	-1.1	7.0	-	46.1	26.5	8.6	-
02:05 AM - 02:10 AM	46.3	47.4	-1.1	7.0	-	42.3	26.4	5.9	-
02:10 AM - 02:15 AM	36.8	37.7	-1.1	7.0	-	36.8	25.9	-1.1	-
02:15 AM - 02:20 AM	36.5	37.6	-1.1	7.0	-	37.5	25.9	-1.4	-
02:20 AM - 02:25 AM	37.4	38.5	-1.1	7.0	-	37.4	25.8	-2.4	-
02:25 AM - 02:30 AM	37.4	38.5	-1.1	7.0	-	37.3	25.9	-2.6	-
02:30 AM - 02:35 AM	37.7	38.8	-1.1	7.0	-	37.7	26.1	2.4	-
02:35 AM - 02:40 AM	36.1	36.3	-0.2	7.0	-	22.1	24.7	-2.6	-
02:40 AM - 02:45 AM	36.4	38.6	-0.2	7.0	-	33.4	25.1	-2.9	-
02:45 AM - 02:50 AM	36.5	36.7	-0.2	7.0	-	33.5	24.6	-2.1	-
02:50 AM - 02:55 AM	36.5	36.7	-0.2	7.0	-	33.5	26.1	-3.6	-
02:55 AM - 03:00 AM	39.7	39.8	-0.2	7.0	-	35.7	25.9	-0.2	-
03:00 AM - 03:05 AM	39.5	38.7	-0.2	7.0	-	22.5	25.1	-7.8	-
03:05 AM - 03:10 AM	43.5	45.7	-0.2	7.0	-	41.5	27.8	-3.7	-
03:10 AM - 03:15 AM	51.1	51.3	-0.3	7.0	-	47.1	36.8	10.5	-
03:15 AM - 03:20 AM	46.3	46.5	-0.3	7.0	-	42.3	24.5	7.8	-
03:20 AM - 03:25 AM	43.4	43.8	-0.2	7.0	-	38.4	25.5	5.9	-
03:25 AM - 03:30 AM	24.2	24.4	-0.2	7.0	-	20.2	21.4	-1.8	-
03:30 AM - 03:35 AM	36.4	38.6	-0.2	7.0	-	32.4	23.8	-1.4	-
03:35 AM - 03:40 AM	35.4	35.6	-0.2	7.0	-	31.4	25.1	-1.1	-
03:40 AM - 03:45 AM	35.4	35.6	-0.2	7.0	-	31.4	25.1	-1.0	-



## Analysis / Test Report



TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Talha Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok.  
Thailand 10310

Let ID: 2349340  
Date Received: May 23, 2023  
Date Reported: Jun 01, 2023  
Report Number : 2664441-1

P/O :  
Project Name : Lamchabang  
Project Location :

Page 2 of 3

Sample No. : 2349340-27  
Parameter : (เสียงรบกวน)  
Location : H4 : ถนนพหลโยธิน/ถนนสุขุมวิท กม. 5 (GPS 7/14290, 1441190)  
Measurement Date : May 19 - 20, 2023  
Measurement by : Sirinut Ruangsri  
Sound Level Meter : 0047126

เวลา	เสียงจากแหล่งกำเนิด	เสียงรบกวนโดยประมาณ	ค่าเฉลี่ย	ค่าปรับ	ปรับตามระยะทางและทิศทาง		เสียงรบกวน	ค่าปรับ
					ค่าปรับ	ค่าปรับ		
03:45 AM - 03:50 AM	34.1	24.4	-0.3	7.0	-	35.1	23.2	-3.1
03:50 AM - 03:55 AM	30.7	33.0	-0.3	7.0	-	26.7	29.2	-2.5
03:55 AM - 04:00 AM	33.0	35.3	-0.3	7.0	-	21.9	32.9	-1.9
04:00 AM - 04:05 AM	41.2	41.5	-0.3	7.0	-	37.2	38.3	-6.9
04:05 AM - 04:10 AM	34.3	34.5	-0.3	7.0	-	30.2	32.2	-1.0
04:10 AM - 04:15 AM	34.4	24.7	-0.3	7.0	-	20.4	32.1	-2.7
04:15 AM - 04:20 AM	34.8	35.0	-0.3	7.0	-	30.8	32.1	-1.7
04:20 AM - 04:25 AM	46.2	46.5	-0.3	7.0	-	42.2	32.1	10.1
04:25 AM - 04:30 AM	50.7	51.0	-0.3	7.0	-	46.7	33.6	13.1
04:30 AM - 04:35 AM	47.3	47.8	-0.3	7.0	-	43.3	32.2	11.1
04:35 AM - 04:40 AM	41.0	41.3	-0.3	7.0	-	37.0	24.9	2.1
04:40 AM - 04:45 AM	51.0	51.3	-0.3	7.0	-	47.0	40.8	6.2
04:45 AM - 04:50 AM	55.4	55.7	-0.3	7.0	-	51.4	55.1	-1.7
04:50 AM - 04:55 AM	54.0	55.1	-0.3	7.0	-	50.8	51.0	-2.2
04:55 AM - 05:00 AM	51.3	51.5	-0.3	7.0	-	47.2	39.7	7.5
05:00 AM - 05:05 AM	45.3	45.6	-0.3	7.0	-	41.3	38.4	2.9
05:05 AM - 05:10 AM	45.3	45.6	-0.3	7.0	-	41.3	38.5	4.8
05:10 AM - 05:15 AM	44.7	45.0	-0.3	7.0	-	40.7	39.7	1.0
05:15 AM - 05:20 AM	45.4	45.7	-0.3	7.0	-	41.4	41.2	0.2
05:20 AM - 05:25 AM	49.3	49.6	-0.3	7.0	-	45.3	44.7	0.6
05:25 AM - 05:30 AM	45.9	46.2	-0.3	7.0	-	41.9	38.0	3.9
05:30 AM - 05:35 AM	44.6	44.9	-0.3	7.0	-	40.8	37.2	3.4
05:35 AM - 05:40 AM	47.2	47.5	-0.3	7.0	-	43.2	34.6	2.4
05:40 AM - 05:45 AM	46.1	46.4	-0.3	7.0	-	42.2	34.6	2.6
05:45 AM - 05:50 AM	41.1	41.4	-0.3	7.0	-	37.1	36.6	0.5
05:50 AM - 05:55 AM	45.4	45.7	-0.3	7.0	-	41.4	34.4	5.0
05:55 AM - 06:00 AM	47.2	47.5	-0.3	7.0	-	43.2	34.6	2.6
06:00 AM - 06:05 AM	43.7	44.0	-0.3	7.0	-	39.7	35.1	4.6
06:05 AM - 06:10 AM	53.0	53.2	-0.2	7.0	-	51.3	34.6	1.6
06:10 AM - 06:15 AM	43.1	43.2	-0.1	7.0	-	38.0	34.6	3.4
06:15 AM - 06:20 AM	50.0	50.1	-0.1	7.0	-	46.7	34.6	1.2
10:00 AM - 11:00 AM	48.3	48.4	-0.1	7.0	-	35.5	5.8	± 10

Reference Method :

- ISO 1996-1
- กรมส่งเสริมการค้าระหว่างประเทศ (สำหรับโครงการพัฒนาระบบขนส่งสาธารณะ) 24 ธันวาคม 2561 กรมส่งเสริมการค้าระหว่างประเทศ กระทรวงพาณิชย์
- กรมส่งเสริมการค้าระหว่างประเทศ (สำหรับโครงการพัฒนาระบบขนส่งสาธารณะ) 24 ธันวาคม 2561 กรมส่งเสริมการค้าระหว่างประเทศ กระทรวงพาณิชย์
- กรมส่งเสริมการค้าระหว่างประเทศ (สำหรับโครงการพัฒนาระบบขนส่งสาธารณะ) 24 ธันวาคม 2561 กรมส่งเสริมการค้าระหว่างประเทศ กระทรวงพาณิชย์
- กรมส่งเสริมการค้าระหว่างประเทศ (สำหรับโครงการพัฒนาระบบขนส่งสาธารณะ) 24 ธันวาคม 2561 กรมส่งเสริมการค้าระหว่างประเทศ กระทรวงพาณิชย์

Approved by

Wibol Borkak  
Manager

The client hereby certifies that the data and information provided in this report are true and correct to the best of their knowledge and belief. The client also certifies that the data and information provided in this report are not for the purpose of fraud or deception.

ALS (THAILAND) CO., LTD. 2034/115 26TH Fl. Talha Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok. Thailand 10310

www.alsglobal.com

RIGHT SOLUTIONS



## Analysis / Test Report



TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Talha Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok.  
Thailand 10310

Let ID: 2349340  
Date Received: May 23, 2023  
Date Reported: Jun 01, 2023  
Report Number : 2664442-1

P/O :  
Project Name : Lamchabang  
Project Location :

Page 1 of 3

Sample No. : 2349340-28  
Parameter : (เสียงรบกวน)  
Location : H4 : ถนนพหลโยธิน/ถนนสุขุมวิท กม. 5 (GPS 7/14290, 1441190)  
Measurement Date : May 20 - 21, 2023  
Measurement by : Sirinut Ruangsri  
Sound Level Meter : 0047126

เวลา	เสียงจากแหล่งกำเนิด	เสียงรบกวนโดยประมาณ	ค่าเฉลี่ย	ค่าปรับ	ปรับตามระยะทางและทิศทาง		เสียงรบกวน	ค่าปรับ
					ค่าปรับ	ค่าปรับ		
11:00 AM - 12:00 PM	50.9	50.7	0.2	7.0	-	43.9	-	46.4
12:00 PM - 01:00 PM	51.5	51.2	0.3	7.0	-	46.9	-	45.1
01:00 PM - 02:00 PM	49.3	49.0	0.3	7.0	-	42.2	-	45.4
02:00 PM - 03:00 PM	41.3	41.1	0.2	7.0	-	34.3	-	32.1
03:00 PM - 04:00 PM	46.4	46.1	0.3	7.0	-	39.4	-	32.6
04:00 PM - 05:00 PM	48.4	48.1	0.3	7.0	-	41.4	-	34.9
05:00 PM - 06:00 PM	48.9	48.6	0.3	7.0	-	41.9	-	43.2
06:00 PM - 07:00 PM	47.3	47.0	0.3	7.0	-	40.3	-	39.8
07:00 PM - 08:00 PM	47.8	47.5	0.3	7.0	-	40.8	-	39.3
08:00 PM - 09:00 PM	42.3	41.9	0.4	7.0	-	35.2	-	37.8
09:00 PM - 10:00 PM	39.8	39.5	0.3	7.0	-	32.8	-	36.7
10:00 PM - 10:55 PM	38.6	38.8	-0.2	7.0	-	-	-	34.6
10:55 PM - 11:00 PM	38.2	38.4	-0.2	7.0	-	-	-	34.2
11:00 PM - 11:05 PM	38.4	38.6	-0.2	7.0	-	-	-	34.4
11:05 PM - 11:10 PM	38.4	38.6	-0.2	7.0	-	-	-	34.4
11:10 PM - 11:15 PM	38.2	38.4	-0.2	7.0	-	-	-	34.2
11:15 PM - 11:20 PM	38.1	38.3	-0.2	7.0	-	-	-	34.1
11:20 PM - 11:25 PM	38.0	38.2	-0.2	7.0	-	-	-	34.0
11:25 PM - 11:30 PM	38.0	38.2	-0.2	7.0	-	-	-	34.0
11:30 PM - 11:35 PM	38.0	38.2	-0.2	7.0	-	-	-	34.0
11:35 PM - 11:40 PM	38.0	38.2	-0.2	7.0	-	-	-	34.0
11:40 PM - 11:45 PM	38.0	38.2	-0.2	7.0	-	-	-	34.0
11:45 PM - 11:50 PM	38.0	38.2	-0.2	7.0	-	-	-	34.0
11:50 PM - 11:55 PM	38.0	38.2	-0.2	7.0	-	-	-	34.0
11:55 PM - 12:00 AM	38.0	38.2	-0.2	7.0	-	-	-	34.0
12:00 AM - 12:05 AM	38.0	38.2	-0.2	7.0	-	-	-	34.0
12:05 AM - 12:10 AM	38.0	38.2	-0.2	7.0	-	-	-	34.0
12:10 AM - 12:15 AM	38.0	38.2	-0.2	7.0	-	-	-	34.0
12:15 AM - 12:20 AM	38.0	38.2	-0.2	7.0	-	-	-	34.0
12:20 AM - 12:25 AM	37.7	37.9	-0.2	7.0	-	-	-	33.7

The client hereby certifies that the data and information provided in this report are true and correct to the best of their knowledge and belief. The client also certifies that the data and information provided in this report are not for the purpose of fraud or deception.

Approved by

Wibol Borkak  
Manager

ALS (THAILAND) CO., LTD. 2034/115 26TH Fl. Talha Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok. Thailand 10310

www.alsglobal.com

RIGHT SOLUTIONS



## Analysis / Test Report



TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Talha Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok.  
Thailand 10310

Let ID: 2349340  
Date Received: May 23, 2023  
Date Reported: Jun 01, 2023  
Report Number : 2664442-1

P/O :  
Project Name : Lamchabang  
Project Location :

Page 2 of 3

Sample No. : 2349340-28  
Parameter : (เสียงรบกวน)  
Location : H4 : ถนนพหลโยธิน/ถนนสุขุมวิท กม. 5 (GPS 7/14290, 1441190)  
Measurement Date : May 20 - 21, 2023  
Measurement by : Sirinut Ruangsri  
Sound Level Meter : 0047126

เวลา	เสียงจากแหล่งกำเนิด	เสียงรบกวนโดยประมาณ	ค่าเฉลี่ย	ค่าปรับ	ปรับตามระยะทางและทิศทาง		เสียงรบกวน	ค่าปรับ
					ค่าปรับ	ค่าปรับ		
12:25 AM - 12:30 AM	36.7	28.9	-0.2	7.0	-	33.7	35.6	-0.9
12:30 AM - 12:35 AM	37.0	37.2	-0.2	7.0	-	33.0	36.2	-3.2
12:35 AM - 12:40 AM	34.1	34.8	-0.7	7.0	-	33.1	35.2	-2.2
12:40 AM - 12:45 AM	36.1	36.3	-0.2	7.0	-	24.1	37.0	-2.9
12:45 AM - 12:50 AM	37.2	37.4	-0.2	7.0	-	33.2	35.6	-2.4
12:50 AM - 12:55 AM	37.7	37.9	-0.2	7.0	-	33.7	36.2	-2.5
12:55 AM - 01:00 AM	36.9	36.7	-0.2	7.0	-	33.5	35.8	-2.3
01:00 AM - 01:05 AM	36.7	36.8	-0.1	7.0	-	32.7	35.9	-3.2
01:05 AM - 01:10 AM	35.6	35.0	-0.6	7.0	-	33.8	35.0	-1.2
01:10 AM - 01:15 AM	36.4	36.6	-0.2	7.0	-	33.4	35.2	-1.8
01:15 AM - 01:20 AM	36.1	36.3	-0.2	7.0	-	33.1	35.6	-2.5
01:20 AM - 01:25 AM	36.0	36.2	-0.2	7.0	-	33.0	35.5	-2.5
01:25 AM - 01:30 AM	36.2	36.4	-0.2	7.0	-	33.2	35.3	-2.1
01:30 AM - 01:35 AM	38.5	38.7	-0.2	7.0	-	34.5	35.5	-1.0
01:35 AM - 01:40 AM	35.1	35.3	-0.2	7.0	-	31.1	34.4	-3.3
01:40 AM - 01:45 AM	35.6	35.8	-0.2	7.0	-	31.6	34.9	-3.3
01:45 AM - 01:50 AM	36.0	36.2	-0.2	7.0	-	32.0	35.2	-3.2
01:50 AM - 01:55 AM	37.3	37.7	-0.4	7.0	-	33.5	35.5	-2.0
01:55 AM - 02:00 AM	36.8	37.0	-0.2	7.0	-	32.8	35.3	-2.5
02:00 AM - 02:05 AM	36.6	36.8	-0.2	7.0	-	32.6	35.6	-3.0
02:05 AM - 02:10 AM	36.0	36.1	-0.1	7.0	-	32.0	35.7	-3.7
02:10 AM - 02:15 AM	36.4	36.7	-0.3	7.0	-	32.4	35.5	-3.1
02:15 AM - 02:20 AM	36.0	36.3	-0.3	7.0	-	32.0	35.8	-3.8
02:20 AM - 02:25 AM	37.7	38.0	-0.3	7.0	-	33.7	35.9	-2.2
02:25 AM - 02:30 AM	36.2	36.5	-0.3	7.0	-	32.2	35.9	-3.7
02:30 AM - 02:35 AM	36.1	36.4	-0.3	7.0	-	32.1	34.9	-2.8
02:35 AM - 02:40 AM	35.6	35.8	-0.2	7.0	-	31.5	35.2	-3.7
02:40 AM - 02:45 AM	35.8	36.1	-0.3	7.0	-	31.8	34.8	-3.0
02:45 AM - 02:50 AM	36.1	36.4	-0.3	7.0	-	32.1	34.7	-2.6
02:50 AM - 02:55 AM	36.3	36.6	-0.3	7.0	-	32.3	34.0	-1.7
02:55 AM - 03:00 AM	35.9	36.2	-0.3	7.0	-	31.9	33.4	-1.5
03:00 AM - 03:05 AM	47.8	48.1	-0.3	7.0	-	43.8	32.2	11.6
03:05 AM - 03:10 AM	39.4	39.7	-0.3	7.0	-	35.4	32.4	3.0
03:10 AM - 03:15 AM	37.9	38.2	-0.3	7.0	-	33.9	32.8	1.1
03:15 AM - 03:20 AM	39.4	39.9	-0.5	7.0	-	35.6	32.7	2.9
03:20 AM - 03:25 AM	34.0	34.3	-0.3	7.0	-	30.0	32.6	-2.6
03:25 AM - 03:30 AM	35.0	35.3	-0.3	7.0	-	31.0	32.6	-1.6
03:30 AM - 03:35 AM	35.2	35.5	-0.3	7.0	-	31.2	33.7	-2.5
03:35 AM - 03:40 AM	33.6	33.9	-0.3	7.0	-	29.6	32.0	-2.4
03:40 AM - 03:45 AM	34.0	34.3	-0.3	7.0	-	30.0	31.8	-1.8

Reference Method :

- ISO 1996-1
- กรมส่งเสริมการค้าระหว่างประเทศ (สำหรับโครงการพัฒนาระบบขนส่งสาธารณะ) 24 ธันวาคม 2561 กรมส่งเสริมการค้าระหว่างประเทศ กระทรวงพาณิชย์
- กรมส่งเสริมการค้าระหว่างประเทศ (สำหรับโครงการพัฒนาระบบขนส่งสาธารณะ) 24 ธันวาคม 2561 กรมส่งเสริมการค้าระหว่างประเทศ กระทรวงพาณิชย์
- กรมส่งเสริมการค้าระหว่างประเทศ (สำหรับโครงการพัฒนาระบบขนส่งสาธารณะ) 24 ธันวาคม 2561 กรมส่งเสริมการค้าระหว่างประเทศ กระทรวงพาณิชย์
- กรมส่งเสริมการค้าระหว่างประเทศ (สำหรับโครงการพัฒนาระบบขนส่งสาธารณะ) 24 ธันวาคม 2561 กรมส่งเสริมการค้าระหว่างประเทศ กระทรวงพาณิชย์





## Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Itaihai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok  
Thailand 10310

P/O :  
Project Name : Lamchabang  
Project Location :

Sample No. : 2149340-29  
Parameter : เสียงรบกวน  
Location : หน้าอาคาร (น. 2 มุมหน้าอาคาร) (GPS 47P 0715682, 1441383)  
Measurement Date : May 14 - 15, 2023  
Measurement by : Sirinut Ruangsom  
Sound Level Meter : 0122567

TESTING  
No.0042  
Lot ID: 2349340  
Date Received: May 23, 2023  
Date Reported: Jun 01, 2023  
Report Number : 2664443-1

Page 2 of 3

ตารางเสียง (dB(A))							
วัน/สัปดาห์	เสียงจากแหล่งกำเนิด	เสียงรบกวนโดยประมาณ	ผลรวม	ค่าปรับ	เสียงตามข้อกำหนด	เสียงรบกวน	ค่าปรับ
11:00 AM - 12:00 PM	49.6	49.4	0.2	7.0	42.6	41.6	1.0
12:00 PM - 01:00 PM	53.0	52.7	0.2	7.0	46.0	45.0	1.0
01:00 PM - 02:00 PM	47.7	47.5	0.2	7.0	40.7	40.4	0.3
02:00 PM - 03:00 PM	55.4	55.2	0.2	7.0	48.4	47.4	1.0
03:00 PM - 04:00 PM	47.5	47.6	-0.1	7.0	40.5	40.2	0.3
04:00 PM - 05:00 PM	46.7	47.0	-0.3	7.0	39.7	39.4	0.3
05:00 PM - 06:00 PM	46.4	46.8	-0.4	7.0	39.4	39.4	0.0
06:00 PM - 07:00 PM	47.6	47.9	-0.3	7.0	40.9	40.4	0.5
07:00 PM - 08:00 PM	52.8	53.1	-0.3	7.0	45.8	45.2	0.6
08:00 PM - 09:00 PM	52.0	52.2	-0.2	7.0	45.0	44.7	0.3
09:00 PM - 10:00 PM	48.8	48.7	0.1	7.0	41.8	41.8	0.0
10:00 PM - 11:00 PM	46.4	46.9	-0.5	7.0	40.4	40.4	0.0
11:00 PM - 12:00 AM	45.2	45.3	-0.1	7.0	38.2	38.2	0.0
12:00 AM - 01:00 PM	43.5	43.8	-0.3	7.0	36.5	36.5	0.0
01:00 PM - 02:00 PM	42.9	43.2	-0.3	7.0	35.9	35.9	0.0
02:00 PM - 03:00 PM	43.8	44.1	-0.3	7.0	36.8	36.8	0.0
03:00 PM - 04:00 PM	43.4	43.7	-0.3	7.0	36.4	36.4	0.0
04:00 PM - 05:00 PM	44.1	44.4	-0.3	7.0	37.1	37.1	0.0
05:00 PM - 06:00 PM	43.9	44.2	-0.3	7.0	36.9	36.9	0.0
06:00 PM - 07:00 PM	44.4	44.8	-0.4	7.0	37.4	37.4	0.0
07:00 PM - 08:00 PM	45.0	45.3	-0.3	7.0	38.0	38.0	0.0
08:00 PM - 09:00 PM	45.0	45.3	-0.3	7.0	38.0	38.0	0.0
09:00 PM - 10:00 PM	44.4	44.7	-0.3	7.0	37.4	37.4	0.0
10:00 PM - 11:00 PM	45.5	45.8	-0.3	7.0	38.5	38.5	0.0
11:00 PM - 12:00 AM	45.1	45.4	-0.3	7.0	38.1	38.1	0.0
12:00 AM - 01:00 PM	45.3	45.6	-0.3	7.0	38.3	38.3	0.0
01:00 PM - 02:00 PM	45.3	45.6	-0.3	7.0	38.3	38.3	0.0
02:00 PM - 03:00 PM	45.7	46.0	-0.3	7.0	38.7	38.7	0.0
03:00 PM - 04:00 PM	46.2	46.5	-0.3	7.0	39.2	39.2	0.0
04:00 PM - 05:00 PM	46.4	46.7	-0.3	7.0	39.4	39.4	0.0
05:00 PM - 06:00 PM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
06:00 PM - 07:00 PM	45.9	46.2	-0.3	7.0	38.9	38.9	0.0
07:00 PM - 08:00 PM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
08:00 PM - 09:00 PM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
09:00 PM - 10:00 PM	45.9	46.2	-0.3	7.0	38.9	38.9	0.0
10:00 PM - 11:00 PM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
11:00 PM - 12:00 PM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
12:00 PM - 01:00 PM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
01:00 PM - 02:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
02:00 AM - 03:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
03:00 AM - 04:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
04:00 AM - 05:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
05:00 AM - 06:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
06:00 AM - 07:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
07:00 AM - 08:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
08:00 AM - 09:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
09:00 AM - 10:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
10:00 AM - 11:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
11:00 AM - 12:00 PM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
12:00 PM - 01:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
01:00 AM - 02:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
02:00 AM - 03:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
03:00 AM - 04:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
04:00 AM - 05:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
05:00 AM - 06:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
06:00 AM - 07:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
07:00 AM - 08:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
08:00 AM - 09:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
09:00 AM - 10:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
10:00 AM - 11:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
11:00 AM - 12:00 PM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
12:00 PM - 01:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
01:00 AM - 02:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
02:00 AM - 03:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
03:00 AM - 04:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
04:00 AM - 05:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
05:00 AM - 06:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
06:00 AM - 07:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
07:00 AM - 08:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
08:00 AM - 09:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
09:00 AM - 10:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
10:00 AM - 11:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
11:00 AM - 12:00 PM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
12:00 PM - 01:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
01:00 AM - 02:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
02:00 AM - 03:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
03:00 AM - 04:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
04:00 AM - 05:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
05:00 AM - 06:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
06:00 AM - 07:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
07:00 AM - 08:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
08:00 AM - 09:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
09:00 AM - 10:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
10:00 AM - 11:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
11:00 AM - 12:00 PM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
12:00 PM - 01:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
01:00 AM - 02:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
02:00 AM - 03:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
03:00 AM - 04:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
04:00 AM - 05:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
05:00 AM - 06:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
06:00 AM - 07:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
07:00 AM - 08:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
08:00 AM - 09:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
09:00 AM - 10:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
10:00 AM - 11:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
11:00 AM - 12:00 PM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
12:00 PM - 01:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
01:00 AM - 02:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
02:00 AM - 03:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
03:00 AM - 04:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
04:00 AM - 05:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
05:00 AM - 06:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
06:00 AM - 07:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
07:00 AM - 08:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
08:00 AM - 09:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
09:00 AM - 10:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
10:00 AM - 11:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
11:00 AM - 12:00 PM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
12:00 PM - 01:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
01:00 AM - 02:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
02:00 AM - 03:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
03:00 AM - 04:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
04:00 AM - 05:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
05:00 AM - 06:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
06:00 AM - 07:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
07:00 AM - 08:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
08:00 AM - 09:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
09:00 AM - 10:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
10:00 AM - 11:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
11:00 AM - 12:00 PM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
12:00 PM - 01:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
01:00 AM - 02:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
02:00 AM - 03:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
03:00 AM - 04:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
04:00 AM - 05:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
05:00 AM - 06:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
06:00 AM - 07:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
07:00 AM - 08:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
08:00 AM - 09:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
09:00 AM - 10:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
10:00 AM - 11:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
11:00 AM - 12:00 PM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
12:00 PM - 01:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
01:00 AM - 02:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
02:00 AM - 03:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
03:00 AM - 04:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
04:00 AM - 05:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
05:00 AM - 06:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
06:00 AM - 07:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
07:00 AM - 08:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
08:00 AM - 09:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
09:00 AM - 10:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
10:00 AM - 11:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
11:00 AM - 12:00 PM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
12:00 PM - 01:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
01:00 AM - 02:00 AM	46.1	46.4	-0.3	7.0	39.1	39.1	0.0
02:00 AM - 03:0							















## Analysis / Test Report



TESTING  
No.0042

Client : Rajana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Italbhai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok  
Thailand 10310

P/O :  
Project Name : Laemchabang  
Project Location :

Lot ID: 2349340  
Date Received : May 23, 2023  
Date Reported : Jun 01, 2023  
Report Number : 2664449-1

Page 2 of 3

Sample No. : 2349340-34  
Parameter : เสียงรบกวน  
Location : N5 : หน้าอาคาร (ใน 2 มุมแนวนอน) (GPS 47P 0715682, 1441383)  
Measurement Date : May 19 - 20, 2023  
Measurement by : Sirinut Ruangsom  
Sound Level Meter : 01122567

เวลา	เสียงจากแหล่งกำเนิด	เสียงรบกวนโดยธรรมชาติ	ทิศทาง	ระดับเสียง	ปรับค่าเสียงจากแหล่งกำเนิด		เสียงรบกวน	ค่าเฉลี่ย
					ค่าจริง	ค่าปรับ		
12:25 AM - 12:30 AM	43.7	42.1	1.6	4.5	-	42.7	41.3	0.5
12:30 AM - 12:35 AM	44.2	42.4	1.8	4.5	-	42.7	41.4	1.1
12:35 AM - 12:40 AM	44.8	43.2	1.6	4.5	-	43.4	38.8	4.5
12:40 AM - 12:45 AM	44.2	43.6	0.6	7.0	-	40.2	41.1	-0.9
12:45 AM - 12:50 AM	46.2	45.6	0.6	7.0	-	42.2	39.2	3.0
12:50 AM - 12:55 AM	47.1	46.5	0.6	7.0	-	43.1	38.6	4.5
12:55 AM - 01:00 AM	46.3	39.7	0.6	7.0	-	36.3	38.7	-2.4
01:00 AM - 01:05 AM	46.2	40.6	0.6	7.0	-	42.4	39.6	2.8
01:05 AM - 01:10 AM	47.4	47.0	0.4	7.0	-	43.4	45.7	-2.3
01:10 AM - 01:15 AM	47.0	46.4	0.6	7.0	-	43.0	45.8	-2.8
01:15 AM - 01:20 AM	46.2	46.0	0.2	7.0	-	42.5	45.5	-3.0
01:20 AM - 01:25 AM	47.0	46.9	0.1	7.0	-	43.0	46.1	-3.1
01:25 AM - 01:30 AM	46.4	45.8	0.6	7.0	-	42.4	44.5	-2.1
01:30 AM - 01:35 AM	45.2	44.6	0.6	7.0	-	41.2	43.8	-2.6
01:35 AM - 01:40 AM	44.1	43.5	0.6	7.0	-	40.1	42.1	-2.0
01:40 AM - 01:45 AM	43.7	43.1	0.6	7.0	-	39.7	42.7	-3.0
01:45 AM - 01:50 AM	43.7	42.1	0.6	7.0	-	39.7	42.5	-2.8
01:50 AM - 01:55 AM	47.5	46.8	0.6	7.0	-	43.1	43.9	-0.8
01:55 AM - 02:00 AM	48.4	48.0	0.4	7.0	-	44.6	47.7	-3.1
02:00 AM - 02:05 AM	44.8	43.4	0.6	7.0	-	40.0	43.1	-3.1
02:05 AM - 02:10 AM	43.7	43.1	0.6	7.0	-	39.7	42.6	-2.9
02:10 AM - 02:15 AM	44.2	43.6	0.6	7.0	-	39.9	43.0	-3.1
02:15 AM - 02:20 AM	43.8	43.2	0.6	7.0	-	39.6	42.9	-3.1
02:20 AM - 02:25 AM	44.1	43.5	0.6	7.0	-	40.1	43.0	-2.9
02:25 AM - 02:30 AM	44.2	43.6	0.6	7.0	-	40.5	43.1	-2.6
02:30 AM - 02:35 AM	44.2	43.6	0.6	7.0	-	40.7	43.1	-2.4
02:35 AM - 02:40 AM	44.2	43.6	0.6	7.0	-	40.7	43.2	-2.5
02:40 AM - 02:45 AM	44.2	43.6	0.6	7.0	-	40.7	43.6	-2.9
02:45 AM - 02:50 AM	45.7	45.1	0.6	7.0	-	41.7	44.6	-2.9
02:50 AM - 02:55 AM	45.9	45.3	0.6	7.0	-	41.9	44.5	-2.6
02:55 AM - 03:00 AM	45.0	44.4	0.6	7.0	-	41.2	44.3	-3.1
03:00 AM - 03:05 AM	45.8	45.2	0.6	7.0	-	41.8	44.3	-2.5
03:05 AM - 03:10 AM	45.0	44.4	0.6	7.0	-	41.0	42.5	-1.5
03:10 AM - 03:15 AM	43.4	42.8	0.6	7.0	-	39.4	41.8	-2.4
03:15 AM - 03:20 AM	44.1	43.5	0.6	7.0	-	39.5	41.9	-2.4
03:20 AM - 03:25 AM	44.4	43.8	0.6	7.0	-	40.4	42.8	-2.4
03:25 AM - 03:30 AM	45.5	44.9	0.6	7.0	-	41.5	42.5	-1.0
03:30 AM - 03:35 AM	46.4	45.8	0.6	7.0	-	42.4	42.7	-0.3
03:35 AM - 03:40 AM	59.7	59.1	0.6	7.0	-	55.7	43.8	11.9
03:40 AM - 03:45 AM	56.6	56.0	0.6	7.0	-	52.6	42.9	9.7

Approved by

Wibab

Wibab Sirinut  
Manager

ADDRESS: 616/10 Moo 5, T. Maekam Khut, A. Huaykwang Sub-township, 11140 Thailand. (P.O. Box) 468 0 3304 8555. TEL: 468 0 3304 8555. FAX: 468 0 3304 8556. E-MAIL: info@alsglobal.com

www.alsglobal.com

RIGHT SOLUTIONS PROJECT & PLANNING



## Analysis / Test Report



TESTING  
No.0042

Client : Rajana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Italbhai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok  
Thailand 10310

P/O :  
Project Name : Laemchabang  
Project Location :

Lot ID: 2349340  
Date Received : May 23, 2023  
Date Reported : Jun 01, 2023  
Report Number : 2664449-1

Page 2 of 3

Sample No. : 2349340-35  
Parameter : เสียงรบกวน  
Location : N5 : หน้าอาคาร (ใน 2 มุมแนวนอน) (GPS 47P 0715682, 1441383)  
Measurement Date : May 20 - 21, 2023  
Measurement by : Sirinut Ruangsom  
Sound Level Meter : 01122567

เวลา	เสียงจากแหล่งกำเนิด	เสียงรบกวนโดยธรรมชาติ	ทิศทาง	ระดับเสียง	ปรับค่าเสียงจากแหล่งกำเนิด		เสียงรบกวน	ค่าเฉลี่ย
					ค่าจริง	ค่าปรับ		
12:00 AM - 12:05 PM	47.8	48.0	0.2	7.0	-	48.6	41.2	7.5
12:05 PM - 12:10 PM	49.4	49.7	0.3	7.0	-	49.4	40.9	8.5
12:10 PM - 12:15 PM	52.9	52.7	0.2	7.0	-	49.9	41.1	8.8
12:15 PM - 12:20 PM	54.8	52.8	0.2	7.0	-	49.8	39.4	10.4
12:20 PM - 12:25 PM	43.8	43.8	0.0	7.0	-	39.3	38.3	1.0
12:25 PM - 12:30 PM	53.1	52.9	0.2	7.0	-	49.1	38.9	10.2
12:30 PM - 12:35 PM	45.9	46.8	0.9	7.0	-	46.9	44.9	2.0
12:35 PM - 12:40 PM	46.0	46.2	0.2	7.0	-	46.2	46.0	0.2
12:40 PM - 12:45 PM	47.9	48.8	0.9	7.0	-	49.8	40.9	8.9
12:45 PM - 12:50 PM	51.7	52.6	0.9	7.0	-	44.7	42.8	1.9
12:50 PM - 12:55 PM	50.0	50.2	0.2	7.0	-	43.8	41.1	2.7
12:55 PM - 01:00 PM	48.5	45.9	0.7	7.0	-	42.5	43.7	-1.2
01:00 PM - 01:05 PM	43.3	42.8	0.5	7.0	-	39.3	41.8	-2.5
01:05 PM - 01:10 PM	42.1	42.4	0.3	7.0	-	39.1	41.5	-2.4
01:10 PM - 01:15 PM	42.9	42.1	0.7	7.0	-	38.6	42.2	-3.6
01:15 PM - 01:20 PM	43.5	42.8	0.7	7.0	-	39.3	41.3	2.0
01:20 PM - 01:25 PM	43.8	43.1	0.7	7.0	-	39.8	42.6	-2.8
01:25 PM - 01:30 PM	43.2	43.2	0.0	7.0	-	41.9	42.0	-0.1
01:30 PM - 01:35 PM	49.3	48.4	0.7	7.0	-	45.1	47.9	-2.8
01:35 PM - 01:40 PM	49.3	48.4	0.7	7.0	-	45.1	48.1	-3.0
01:40 PM - 01:45 PM	49.3	48.3	0.7	7.0	-	45.0	48.0	-3.0
01:45 PM - 01:50 PM	49.3	48.4	0.7	7.0	-	45.1	48.0	-2.9
01:50 PM - 01:55 PM	49.3	48.3	0.7	7.0	-	45.1	48.0	-2.9
01:55 PM - 02:00 PM	49.3	48.3	0.7	7.0	-	45.1	48.0	-2.9
02:00 PM - 02:05 PM	49.3	48.3	0.7	7.0	-	45.1	48.0	-2.9
02:05 PM - 02:10 PM	49.3	48.3	0.7	7.0	-	45.1	48.0	-2.9
02:10 PM - 02:15 PM	49.3	48.3	0.7	7.0	-	45.1	48.0	-2.9
02:15 PM - 02:20 PM	49.3	48.3	0.7	7.0	-	45.1	48.0	-2.9
02:20 PM - 02:25 PM	49.3	48.3	0.7	7.0	-	45.1	48.0	-2.9
02:25 PM - 02:30 PM	49.3	48.3	0.7	7.0	-	45.1	48.0	-2.9
02:30 PM - 02:35 PM	49.3	48.3	0.7	7.0	-	45.1	48.0	-2.9
02:35 PM - 02:40 PM	49.3	48.3	0.7	7.0	-	45.1	48.0	-2.9
02:40 PM - 02:45 PM	49.3	48.3	0.7	7.0	-	45.1	48.0	-2.9
02:45 PM - 02:50 PM	49.3	48.3	0.7	7.0	-	45.1	48.0	-2.9
02:50 PM - 02:55 PM	49.3	48.3	0.7	7.0	-	45.1	48.0	-2.9
02:55 PM - 03:00 PM	49.3	48.3	0.7	7.0	-	45.1	48.0	-2.9
03:00 PM - 03:05 PM	49.3	48.3	0.7	7.0	-	45.1	48.0	-2.9
03:05 PM - 03:10 PM	49.3	48.3	0.7	7.0	-	45.1	48.0	-2.9
03:10 PM - 03:15 PM	49.3	48.3	0.7	7.0	-	45.1	48.0	-2.9
03:15 PM - 03:20 PM	49.3	48.3	0.7	7.0	-	45.1	48.0	-2.9
03:20 PM - 03:25 PM	49.3	48.3	0.7	7.0	-	45.1	48.0	-2.9
03:25 PM - 03:30 PM	49.3	48.3	0.7	7.0	-	45.1	48.0	-2.9
03:30 PM - 03:35 PM	49.3	48.3	0.7	7.0	-	45.1	48.0	-2.9
03:35 PM - 03:40 PM	49.3	48.3	0.7	7.0	-	45.1	48.0	-2.9
03:40 PM - 03:45 PM	49.3	48.3	0.7	7.0	-	45.1	48.0	-2.9

Approved by

Wibab

Wibab Sirinut  
Manager

ADDRESS: 616/10 Moo 5, T. Maekam Khut, A. Huaykwang Sub-township, 11140 Thailand. (P.O. Box) 468 0 3304 8555. TEL: 468 0 3304 8555. FAX: 468 0 3304 8556. E-MAIL: info@alsglobal.com

www.alsglobal.com

RIGHT SOLUTIONS PROJECT & PLANNING



## Analysis / Test Report



TESTING  
No.0042

Client : Rajana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Italbhai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok  
Thailand 10310

P/O :  
Project Name : Laemchabang  
Project Location :

Sample No. : 2349340-34  
Parameter : เสียงรบกวน  
Location : N5 : หน้าอาคาร (ใน 2 มุมแนวนอน) (GPS 47P 0715682, 1441383)  
Measurement Date : May 19 - 20, 2023  
Measurement by : Sirinut Ruangsom  
Sound Level Meter : 01122567

เวลา	เสียงจากแหล่งกำเนิด	เสียงรบกวนโดยธรรมชาติ	ทรานเซียน (dB(A))		ปรับค่าเสียงจากแหล่งกำเนิดตามค่าจริง	เสียงรบกวน	ค่าเฉลี่ย	
			ทิศทางเหนือเสียง	ใต้เสียง				
03:45 AM - 03:50 AM	54.7	54.1	0.6	7.0	-	50.7	46.8	3.9
03:50 AM - 03:55 AM	49.3	48.9	0.4	7.0	-	45.3	42.2	3.2
03:55 AM - 04:00 AM	49.3	49.3	0.0	7.0	-	45.7	47.4	-1.7
04:00 AM - 04:05 AM	54.6	54.0	0.6	7.0	-	50.6	42.8	7.8
04:05 AM - 04:10 AM	55.8	55.0	0.8	7.0	-	51.8	41.8	9.8
04:10 AM - 04:15 AM	44.0	43.4	0.6	7.0	-	40.0	41.8	-1.8
04:15 AM - 04:20 AM	45.8	45.2	0.6	7.0	-	41.8	41.0	0.8
04:20 AM - 04:25 AM	49.3	48.8	0.5	7.0	-	45.3	42.3	3.0
04:25 AM - 04:30 AM	44.9	44.3	0.6	7.0	-	40.3	40.3	0.0
04:30 AM - 04:35 AM	54.8	54.2	0.6	7.0	-	50.8	42.8	7.9
04:35 AM - 04:40 AM	47.8	47.2	0.6	7.0	-	43.8	42.9	0.9
04:40 AM - 04:45 AM	44.1	43.5	0.6	7.0	-	40.1	40.8	-0.7
04:45 AM - 04:50 AM	44.0	43.4	0.6	7.0	-	40.0	41.1	-1.1
04:50 AM - 04:55 AM	49.8	49.2	0.6	7.0	-	45.8	42.1	3.7
04:55 AM - 05:00 AM	45.9	44.4	0.6	7.0	-	41.0	40.0	1.0
05:00 AM - 05:05 AM	44.8	44.2	0.6	7.0	-	40.8	41.0	-0.2
05:05 AM - 05:10 AM	45.3	44.7	0.6	7.0	-	41.3	40.7	0.6
05:10 AM - 05:15 AM	52.6	52.0	0.6	7.0	-	48.6	40.1	8.5
05:15 AM - 05:20 AM	50.5	49.9	0.6	7.0	-	46.5	41.9	4.6
05:20 AM - 05:25 AM	48.5	47.9	0.6	7.0	-	44.5	40.4	4.1
05:25 AM - 05:30 AM	46.6	46.0	0.6	7.0	-	44.4	41.6	2.8
05:30 AM - 05:35 AM	65.5	64.9	0.6	7.0	-	61.5	40.2	21.3
05:35 AM - 05:40 AM	57.7	57.1	0.6	7.0	-	53.7	41.2	12.4
05:40 AM - 05:45 AM	52.6	52.0	0.6	7.0	-	48.6	40.1	8.5
05:45 AM - 05:50 AM	44.8	44.0	0.6	7.0	-	44.6	41.3	3.3
05:50 AM - 05:55 AM	46.9	46.2	0.6	7.0	-	46.8	40.7	5.9
05:55 AM - 06:00 AM	47.8	47.2	0.6	7.0	-	43.8	41.0	2.8
06:00 AM - 07:00 AM	46.4	45.8	0.6	7.0	19.4	-	39.7	-0.3
07:00 AM - 08:00 AM	52.2	51.7	0.6	7.0	35.3	-	47.7	4.6
08:00 AM - 09:00 AM	46.2	45.6	-0.4	7.0	28.2	-	41.2	5.0
09:00 AM - 10:00 AM	50.0	49.4	-0.6	7.0	22.6	-	41.4	8.6
10:00 AM - 11:00 AM	44.4	43.6	-0.4	7.0	41.4	-	41.4	0.0

**RIGHT SOLUTIONS** RIGHT IT. [www.right.com](http://www.right.com)



ระดับเสียงขณะไม่มีการรบกวน (Shut down)







## Analysis / Test Report



TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Italtai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok  
Thailand 10310

Lot ID: 2349341  
Date Received : May 23, 2023  
Date Reported : Jun 01, 2023  
Report No. : 2664451-1

P/O :  
Project Name : Laemchabang  
Project Location :

Page 2 of 3

Sample No. : 2349341-2  
Parameter : Noise  
Location : N1 : บริเวณหอคอยตึกแฟลต 2 (GPS 47P 714253, 1442299) (Shut down)  
Measurement Date : May 15 - 16, 2023  
Measurement by : Sirinwit Ruangsom  
Sound Level Meter : 06734218

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
12:35 AM - 12:30 AM	46.1	49.3	44.0
12:30 AM - 12:35 AM	46.7	49.3	43.0
12:35 AM - 12:40 AM	45.9	49.0	43.7
12:40 AM - 12:45 AM	45.3	48.9	42.9
12:45 AM - 12:50 AM	44.2	47.8	41.9
12:50 AM - 12:55 AM	44.0	48.1	41.6
12:55 AM - 01:00 AM	44.5	48.2	42.4
01:00 AM - 01:05 AM	44.2	47.6	42.1
01:05 AM - 01:10 AM	44.5	47.3	42.0
01:10 AM - 01:15 AM	43.4	46.7	41.5
01:15 AM - 01:20 AM	45.4	48.3	42.3
01:20 AM - 01:25 AM	44.7	48.4	41.8
01:25 AM - 01:30 AM	44.3	48.9	42.0
01:30 AM - 01:35 AM	42.6	46.1	40.9
01:35 AM - 01:40 AM	42.7	46.5	40.4
01:40 AM - 01:45 AM	42.8	46.1	41.2
01:45 AM - 01:50 AM	42.4	46.9	40.9
01:50 AM - 01:55 AM	42.2	47.7	41.5
01:55 AM - 02:00 AM	42.3	47.5	41.7
02:00 AM - 02:05 AM	42.5	45.7	40.9
02:05 AM - 02:10 AM	42.4	45.0	40.6
02:10 AM - 02:15 AM	42.8	46.5	40.9
02:15 AM - 02:20 AM	42.0	47.0	40.2
02:20 AM - 02:25 AM	42.5	45.5	40.9
02:25 AM - 02:30 AM	42.8	45.6	40.7
02:30 AM - 02:35 AM	42.4	46.4	40.4
02:35 AM - 02:40 AM	42.3	46.9	40.7
02:40 AM - 02:45 AM	41.8	46.5	40.3
02:45 AM - 02:50 AM	41.8	49.8	40.7
02:50 AM - 02:55 AM	41.9	50.9	40.6
02:55 AM - 03:00 AM	42.3	46.0	40.5
03:00 AM - 03:05 AM	41.1	48.1	41.0
03:05 AM - 03:10 AM	42.9	52.1	41.5
03:10 AM - 03:15 AM	46.6	58.9	42.5
03:15 AM - 03:20 AM	46.1	48.3	41.6
03:20 AM - 03:25 AM	43.6	47.4	41.8
03:25 AM - 03:30 AM	43.5	51.4	41.5
03:30 AM - 03:35 AM	43.4	46.9	41.6
03:35 AM - 03:40 AM	43.8	49.9	42.0
03:40 AM - 03:45 AM	44.5	48.4	42.8

The data results are valid only for the measurement period as indicated in the report. The data is not to be used for any other purpose without the written consent of ALS. The data is not to be used for any other purpose without the written consent of ALS.

Approved by

Wiboon Borak  
Manager

004233 816/10 Map 5 T. Maekhong Kru A. Phatthana Rong 21140 Thailand. (Phone) +66 0 3304 8555 / Fax +66 0 3304 8556  
ALQ LABORATORY (THAILAND) CO., LTD. 40/42 Jomtien Road, Jomtien, Pattaya, Chonburi 20150, Thailand

www.alsglobal.com

RIGHT SOLUTIONS. RIGHT PLACE. RIGHT TIME.



## Analysis / Test Report



TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Italtai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok  
Thailand 10310

Lot ID: 2349341  
Date Received : May 23, 2023  
Date Reported : Jun 01, 2023  
Report No. : 2664451-1

P/O :  
Project Name : Laemchabang  
Project Location :

Page 3 of 3

Sample No. : 2349341-2  
Parameter : Noise  
Location : N1 : บริเวณหอคอยตึกแฟลต 2 (GPS 47P 714253, 1442299) (Shut down)  
Measurement Date : May 15 - 16, 2023  
Measurement by : Sirinwit Ruangsom  
Sound Level Meter : 06734218

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
03:45 AM - 03:50 AM	44.1	49.3	42.7
03:50 AM - 03:55 AM	44.7	52.7	42.6
03:55 AM - 04:00 AM	45.9	57.9	42.7
04:00 AM - 04:05 AM	45.5	58.0	42.5
04:05 AM - 04:10 AM	43.7	52.5	42.2
04:10 AM - 04:15 AM	47.3	60.9	42.6
04:15 AM - 04:20 AM	44.5	52.8	42.0
04:20 AM - 04:25 AM	42.1	48.2	41.1
04:25 AM - 04:30 AM	44.9	55.9	42.2
04:30 AM - 04:35 AM	44.6	50.2	41.6
04:35 AM - 04:40 AM	45.1	58.3	41.8
04:40 AM - 04:45 AM	43.1	52.7	41.9
04:45 AM - 04:50 AM	43.2	52.1	41.8
04:50 AM - 04:55 AM	44.3	54.9	42.3
04:55 AM - 05:00 AM	43.3	53.8	42.6
05:00 AM - 05:05 AM	46.0	62.1	41.9
05:05 AM - 05:10 AM	43.4	52.1	42.1
05:10 AM - 05:15 AM	47.6	62.6	42.1
05:15 AM - 05:20 AM	45.9	61.8	42.1
05:20 AM - 05:25 AM	49.8	66.3	42.4
05:25 AM - 05:30 AM	43.3	55.4	41.4
05:30 AM - 05:35 AM	45.6	60.7	41.1
05:35 AM - 05:40 AM	45.4	56.7	41.5
05:40 AM - 05:45 AM	51.1	65.1	42.0
05:45 AM - 05:50 AM	54.2	72.6	42.1
05:50 AM - 05:55 AM	61.7	81.4	42.5
05:55 AM - 06:00 AM	43.7	52.7	41.7
06:00 AM - 06:05 AM	45.3	58.3	42.7
06:05 AM - 06:10 AM	46.7	61.1	42.7
06:10 AM - 06:15 AM	46.1	63.6	42.6
06:15 AM - 06:20 AM	46.3	58.9	42.5
06:20 AM - 06:25 AM	46.3	68.7	44.1

Reference Method :

- ISO 1996-1
- มาตรฐานการวัดและประเมินค่าเสียงตามอาคารและบริเวณใกล้เคียงอาคาร (Standard for measurement and evaluation of sound inside and outside buildings)

Approved by

Wiboon Borak  
Manager

004233 816/10 Map 5 T. Maekhong Kru A. Phatthana Rong 21140 Thailand. (Phone) +66 0 3304 8555 / Fax +66 0 3304 8556  
ALQ LABORATORY (THAILAND) CO., LTD. 40/42 Jomtien Road, Jomtien, Pattaya, Chonburi 20150, Thailand

www.alsglobal.com

RIGHT SOLUTIONS. RIGHT PLACE. RIGHT TIME.



## Analysis / Test Report



TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Italtai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok  
Thailand 10310

Lot ID: 2349341  
Date Received : May 23, 2023  
Date Reported : Jun 01, 2023  
Report No. : 2664452-1

P/O :  
Project Name : Laemchabang  
Project Location :

Page 1 of 3

Sample No. : 2349341-3  
Parameter : Noise  
Location : N1 : บริเวณหอคอยตึกแฟลต 2 (GPS 47P 714253, 1442299) (Shut down)  
Measurement Date : May 16 - 17, 2023  
Measurement by : Sirinwit Ruangsom  
Sound Level Meter : 06734218

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
11:00 AM - 12:00 PM	35.6	41.2	33.7
12:00 PM - 12:30 PM	38.8	59.4	35.6
12:30 PM - 01:00 PM	40.3	64.3	37.2
01:00 PM - 01:30 PM	41.8	70.4	37.3
01:30 PM - 02:00 PM	45.4	67.6	38.6
02:00 PM - 02:30 PM	43.4	63.0	40.2
02:30 PM - 03:00 PM	50.6	58.2	40.3
03:00 PM - 03:30 PM	46.5	61.8	40.5
03:30 PM - 04:00 PM	48.1	72.5	40.2
04:00 PM - 04:30 PM	48.5	70.0	40.1
04:30 PM - 05:00 PM	48.1	59.4	40.7
05:00 PM - 05:30 PM	46.7	50.6	44.8
05:30 PM - 06:00 PM	46.3	50.8	44.5
06:00 PM - 06:30 PM	46.6	51.2	44.8
06:30 PM - 07:00 PM	46.3	54.6	42.9
07:00 PM - 07:30 PM	46.6	50.8	44.3
07:30 PM - 08:00 PM	46.7	50.3	44.7
08:00 PM - 08:30 PM	47.3	51.5	45.8
08:30 PM - 09:00 PM	46.3	50.5	44.3
09:00 PM - 09:30 PM	43.8	49.7	40.6
09:30 PM - 10:00 PM	45.9	50.1	44.5
10:00 PM - 10:30 PM	46.5	51.0	43.3
10:30 PM - 11:00 PM	45.9	48.0	41.6
11:00 PM - 11:30 PM	45.5	49.6	44.0
11:30 PM - 12:00 AM	45.9	52.8	44.3
12:00 AM - 12:30 AM	45.7	48.9	44.2
12:30 AM - 01:00 AM	45.7	49.1	44.4
01:00 AM - 01:30 PM	45.9	48.9	44.3
01:30 PM - 02:00 PM	46.2	49.4	44.5
02:00 PM - 02:30 PM	45.9	49.8	44.5
02:30 PM - 03:00 PM	46.0	50.2	44.5
03:00 PM - 03:30 PM	45.3	48.4	43.0
03:30 PM - 04:00 PM	45.7	51.0	44.0
04:00 PM - 04:30 PM	46.0	52.4	44.6
04:30 PM - 05:00 PM	45.2	50.8	43.8
05:00 PM - 05:30 PM	45.3	48.1	42.8
05:30 PM - 06:00 PM	45.9	50.4	44.9
06:00 PM - 06:30 PM	45.8	50.0	44.3
06:30 AM - 07:00 AM	45.9	50.4	44.0

The data results are valid only for the measurement period as indicated in the report. The data is not to be used for any other purpose without the written consent of ALS. The data is not to be used for any other purpose without the written consent of ALS.

Approved by

Wiboon Borak  
Manager

004233 816/10 Map 5 T. Maekhong Kru A. Phatthana Rong 21140 Thailand. (Phone) +66 0 3304 8555 / Fax +66 0 3304 8556  
ALQ LABORATORY (THAILAND) CO., LTD. 40/42 Jomtien Road, Jomtien, Pattaya, Chonburi 20150, Thailand

www.alsglobal.com

RIGHT SOLUTIONS. RIGHT PLACE. RIGHT TIME.



## Analysis / Test Report



TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Italtai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok  
Thailand 10310

Lot ID: 2349341  
Date Received : May 23, 2023  
Date Reported : Jun 01, 2023  
Report No. : 2664452-1

P/O :  
Project Name : Laemchabang  
Project Location :

Page 2 of 3

Sample No. : 2349341-3  
Parameter : Noise  
Location : N1 : บริเวณหอคอยตึกแฟลต 2 (GPS 47P 714253, 1442299) (Shut down)  
Measurement Date : May 16 - 17, 2023  
Measurement by : Sirinwit Ruangsom  
Sound Level Meter : 06734218

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
12:35 AM - 12:30 AM	45.8	48.8	42.6
12:30 AM - 12:35 AM	44.2	48.1	42.7
12:35 AM - 12:40 AM	43.7	57.6	42.2
12:40 AM - 12:45 AM	43.7	52.5	42.8
12:45 AM - 12:50 AM	43.7	61.9	41.9
12:50 AM - 12:55 AM	43.3	47.3	42.0
12:55 AM - 01:00 AM	44.3	48.1	42.4
01:00 AM - 01:05 AM	45.2	48.6	42.1
01:05 AM - 01:10 AM	43.9	47.6	42.1
01:10 AM - 01:15 AM	45.8	54.7	41.8
01:15 AM - 01:20 AM	51.0	57.1	42.8
01:20 AM - 01:25 AM	52.7	57.2	44.9
01:25 AM - 01:30 AM	50.9	56.8	41.8
01:30 AM - 01:35 AM	50.4	57.5	41.6
01:35 AM - 01:40 AM	52.1	57.2	42.7
01:40 AM - 01:45 AM	52.7	65.0	43.6
01:45 AM - 01:50 AM	53.2	73.9	42.7
01:50 AM - 01:55 AM	46.9	71.2	42.4
01:55 AM - 02:00 AM	46.1	67.5	42.7
02:00 AM - 02:05 AM	44.6	55.1	42.0
02:05 AM - 02:10 AM	44.4	64.9	41.2
02:10 AM - 02:15 AM	42.8	51.6	41.9
02:15 AM - 02:20 AM	42.7	47.7	41.0
02:20 AM - 02:25 AM	41.7	44.5	40.9
02:25 AM - 02:30 AM	42.8	52.1	41.0
02:30 AM - 02:35 AM	43.8	62.5	41.8
02:35 AM - 02:40 AM	43.0	49.4	41.4
02:40 AM - 02:45 AM	43.0	46.4	41.5
02:45 AM - 02:50 AM	42.8	52.2	40.5
02:50 AM - 02:55 AM	42.4	56.0	40.1
02:55 AM - 03:00 AM	42.8	48.4	40.4
03:00 AM - 03:05 AM	41.9	45.4	40.8
03:05 AM - 03:10 AM	41.8	45.3	40.7
03:10 AM - 03:15 AM	42.8	46.3	41.6
03:15 AM - 03:20 AM	43.7	54.8	41.8
03:20 AM - 03:25 AM	43.3	49.2	41.5
03:25 AM - 03:30 AM	46.8	58.9	41.8
03:30 AM - 03:35 AM	42.7	53.0	42.4
03:35 AM - 03:40 AM	43.8	52.2	42.2
03:40 AM - 03:45 AM	43.7	47.0	42.1

The data results are valid only for the measurement period as indicated in the report. The data is not to be used for any other purpose without the written consent of ALS. The data is not to be used for any other purpose without the written consent of ALS.

Approved by

Wiboon Borak  
Manager

004233 816/10 Map 5 T. Maekhong Kru A. Phatthana Rong 21140 Thailand. (Phone) +66 0 3304 8555 / Fax +66 0 3304 8556  
ALQ LABORATORY (THAILAND) CO., LTD. 40/42 Jomtien Road, Jomtien, Pattaya, Chonburi 20150, Thailand

www.alsglobal.com

RIGHT SOLUTIONS. RIGHT PLACE. RIGHT TIME.



## Analysis / Test Report



TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. 1stahai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok  
Thailand 10310

Lot ID: 2349341  
Date Received : May 23, 2023  
Date Reported : Jun 01, 2023  
Report No. : 2664453-1

P/O :  
Project Name : Laemchabang  
Project Location :

Page 1 of 1

Sample No. : 2349341-3  
Parameter : Noise  
Location : N1 : ถนนพหลโยธินสาย 2 (GPS 47P 714253, 1442299) (Shut down)  
Measurement Date : May 16 - 17, 2023  
Measurement by : Sirinut Ruangsom  
Sound Level Meter : 00734218

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
03:45 AM - 03:50 AM	42.6	54.9	41.5
03:50 AM - 03:55 AM	47.3	56.6	43.2
03:55 AM - 04:00 AM	46.8	59.8	43.7
04:00 AM - 04:05 AM	43.2	57.5	41.7
04:05 AM - 04:10 AM	42.6	48.9	41.4
04:10 AM - 04:15 AM	42.7	56.2	40.6
04:15 AM - 04:20 AM	42.8	50.7	40.8
04:20 AM - 04:25 AM	42.8	52.9	40.5
04:25 AM - 04:30 AM	43.9	61.8	40.7
04:30 AM - 04:35 AM	44.1	53.5	41.7
04:35 AM - 04:40 AM	42.6	54.4	40.8
04:40 AM - 04:45 AM	42.8	53.0	40.9
04:45 AM - 04:50 AM	44.9	57.7	41.6
04:50 AM - 04:55 AM	42.7	54.9	41.2
04:55 AM - 05:00 AM	46.2	62.6	40.9
05:00 AM - 05:05 AM	44.2	61.6	40.5
05:05 AM - 05:10 AM	43.0	53.2	41.2
05:10 AM - 05:15 AM	42.9	53.3	41.7
05:15 AM - 05:20 AM	43.0	48.6	41.8
05:20 AM - 05:25 AM	44.9	54.2	42.5
05:25 AM - 05:30 AM	46.8	62.4	42.1
05:30 AM - 05:35 AM	44.1	53.2	42.3
05:35 AM - 05:40 AM	46.7	61.3	42.7
05:40 AM - 05:45 AM	48.7	65.7	42.3
05:45 AM - 05:50 AM	42.0	45.7	40.9
05:50 AM - 05:55 AM	46.9	59.9	42.2
05:55 AM - 06:00 AM	43.7	58.5	40.7
06:00 AM - 07:00 AM	43.6	69.0	40.7
07:00 AM - 08:00 AM	42.1	61.0	39.4
08:00 AM - 09:00 AM	43.0	64.6	40.1
09:00 AM - 10:00 AM	46.5	82.9	40.9
10:00 AM - 11:00 AM	46.1	73.6	39.4

### Reference Method :

- ISO 1996-1
- คู่มือมาตรฐานการประเมินค่าเสียงตามมาตรฐานของประเทศไทย 24 ชั่วโมง ตามข้อกำหนดการประเมินค่าเสียงตามมาตรฐาน ม.ร.ร. 2553

This document is confidential for the project and should not be distributed outside the project. If you have received this document, please do not distribute it to others. If you have received this document, please do not distribute it to others.

Approved by

Wibawan Borrak  
Manager

ACCREDITED 616/10 Map 5 T. Maekongkhu A. Phrasangkha Rong 21140 Thailand Phone: +66 8 3304 8555 Fax: +66 8 3304 8556

www.alsglobal.com

RIGHT SOLUTIONS (P) LTD. 47/48 P. 13 80 80



## Analysis / Test Report



TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. 1stahai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok  
Thailand 10310

Lot ID: 2349341  
Date Received : May 23, 2023  
Date Reported : Jun 01, 2023  
Report No. : 2664453-1

P/O :  
Project Name : Laemchabang  
Project Location :

Page 1 of 1

Sample No. : 2349341-4  
Parameter : Noise  
Location : N1 : ถนนพหลโยธินสาย 2 (GPS 47P 714253, 1442299) (Shut down)  
Measurement Date : May 17 - 18, 2023  
Measurement by : Sirinut Ruangsom  
Sound Level Meter : 00734218

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
11:00 AM - 12:00 PM	46.6	66.9	39.6
12:00 PM - 01:00 PM	42.8	53.1	37.1
01:00 PM - 02:00 PM	43.7	65.9	39.2
02:00 PM - 03:00 PM	43.8	62.8	38.4
03:00 PM - 04:00 PM	42.1	63.0	38.2
04:00 PM - 05:00 PM	47.5	74.1	43.9
05:00 PM - 06:00 PM	47.1	61.6	43.6
06:00 PM - 07:00 PM	46.5	67.9	44.4
07:00 PM - 08:00 PM	46.9	56.7	44.1
08:00 PM - 09:00 PM	47.0	57.8	44.0
09:00 PM - 10:00 PM	47.1	52.8	44.4
10:00 PM - 10:55 PM	46.7	51.0	44.9
10:55 PM - 10:10 PM	46.3	49.3	44.4
10:10 PM - 10:15 PM	46.1	48.5	44.0
10:15 PM - 10:20 PM	45.9	51.1	43.2
10:20 PM - 10:25 PM	47.1	57.1	42.4
10:25 PM - 10:30 PM	46.2	52.4	42.4
10:30 PM - 10:35 PM	46.9	50.4	43.9
10:35 PM - 10:40 PM	47.2	54.7	44.7
10:40 PM - 10:45 PM	46.6	51.4	43.7
10:45 PM - 10:50 PM	46.4	54.4	42.8
10:50 PM - 10:55 PM	47.8	52.7	44.1
10:55 PM - 11:00 PM	47.2	53.2	43.5
11:00 PM - 11:05 PM	45.8	52.1	42.9
11:05 PM - 11:10 PM	45.8	50.9	42.9
11:10 PM - 11:15 PM	47.6	61.1	44.5
11:15 PM - 11:20 PM	46.5	55.7	43.1
11:20 PM - 11:25 PM	45.8	56.6	42.7
11:25 PM - 11:30 PM	53.1	61.7	43.5
11:30 PM - 11:35 PM	48.4	59.6	43.7
11:35 PM - 11:40 PM	48.0	56.8	43.9
11:40 PM - 11:45 PM	47.1	56.3	43.4
11:45 PM - 11:50 PM	45.7	50.2	42.8
11:50 PM - 11:55 PM	45.8	48.6	43.0
11:55 PM - 12:00 AM	50.7	67.0	43.0
12:00 AM - 12:05 AM	49.5	63.2	43.5
12:05 AM - 12:10 AM	49.3	62.4	43.2
12:10 AM - 12:15 AM	49.3	64.9	42.9
12:15 AM - 12:20 AM	45.8	55.9	42.9
12:20 AM - 12:25 AM	45.9	49.2	43.1

This document is confidential for the project and should not be distributed outside the project. If you have received this document, please do not distribute it to others. If you have received this document, please do not distribute it to others.

Approved by

Wibawan Borrak  
Manager

ACCREDITED 616/10 Map 5 T. Maekongkhu A. Phrasangkha Rong 21140 Thailand Phone: +66 8 3304 8555 Fax: +66 8 3304 8556

www.alsglobal.com

RIGHT SOLUTIONS (P) LTD. 47/48 P. 13 80 80





## Analysis / Test Report



TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.  
203/115 26TH Fl. Itaihai Tower, New Petchburi Road, Banglapi, Huaykwang, Bangkok  
Thailand 10310

Lot ID: 2349341  
Date Received : May 23, 2023  
Date Reported : Jun 01, 2023  
Report No. : 2664454-1

P/O :  
Project Name : Laemchabang  
Project Location :

Page 2 of 3

Sample No. : 2349341-5  
Parameter : Noise  
Location : N1 : กรุงเทพมหานคร นว 2 (GPS 47P 714253, 1442299) (Shut down)  
Measurement Date : May 18 - 19, 2023  
Measurement by : Sirinut Ruangsom  
Sound Level Meter : 00734218

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
11:00 AM - 12:00 PM	54.9	78.0	38.5
12:00 PM - 01:00 PM	53.9	81.6	37.5
01:00 PM - 02:00 PM	56.3	76.2	36.2
02:00 PM - 03:00 PM	55.4	78.4	37.7
03:00 PM - 04:00 PM	46.5	73.5	36.8
04:00 PM - 05:00 PM	49.0	66.2	47.2
05:00 PM - 06:00 PM	48.9	63.7	47.4
06:00 PM - 07:00 PM	48.1	64.5	45.3
07:00 PM - 08:00 PM	47.8	63.6	45.8
08:00 PM - 09:00 PM	47.8	66.4	45.7
09:00 PM - 10:00 PM	48.2	58.8	46.8
10:00 PM - 10:55 PM	47.0	57.0	44.9
10:55 PM - 11:00 PM	45.7	50.7	44.3
11:00 PM - 11:05 PM	49.8	67.9	44.6
11:05 PM - 11:10 PM	46.0	48.7	45.0
11:10 PM - 11:15 PM	47.9	51.8	46.4
11:15 PM - 11:20 PM	48.8	51.9	47.1
11:20 PM - 11:25 PM	49.1	54.7	47.0
11:25 PM - 11:30 PM	48.5	51.8	45.7
11:30 PM - 11:35 PM	48.7	51.5	45.5
11:35 PM - 11:40 PM	47.8	50.9	45.0
11:40 PM - 11:45 PM	48.2	52.6	45.9
11:45 PM - 11:50 PM	48.8	54.1	46.2
11:50 PM - 11:55 PM	48.3	51.4	46.4
11:55 PM - 11:59 PM	47.8	52.8	46.8
12:00 AM - 12:05 AM	47.4	49.8	46.0
12:05 AM - 12:10 AM	47.2	49.3	45.9
12:10 AM - 12:15 PM	47.7	50.5	46.2
12:15 PM - 12:20 PM	46.5	51.0	44.8
12:20 PM - 12:25 PM	46.8	52.8	44.4
12:25 PM - 12:30 PM	46.8	52.8	44.3
12:30 PM - 12:35 PM	49.6	53.3	45.6
12:35 PM - 12:40 PM	49.8	51.1	45.7
12:40 PM - 12:45 PM	49.4	53.7	45.3
12:45 PM - 12:50 AM	49.9	54.4	45.0
12:50 AM - 12:55 AM	48.2	54.1	45.5
12:55 AM - 12:59 AM	50.0	58.5	46.6
12:59 AM - 01:00 AM	50.6	54.8	48.7
01:00 AM - 01:05 AM	51.3	58.3	49.1
01:05 AM - 01:10 AM	48.9	52.5	46.6

The data in this report is the result of the test and analysis conducted by the laboratory. It is not intended to be used for any other purpose. The data is not to be used for any other purpose. The data is not to be used for any other purpose.

Approved by

Wibab

Wibab Borkat  
Manager

ADDRESS 616/10 Moo 5 : Muanm Kru A. Phatthana Rong 2140 Thailand : PHONE +66 0 3304 8555 FAX +66 0 3304 8556  
ALS LABORATORY (THAILAND) CO., LTD. 616/10 Moo 5, 616/10 Moo 5, 616/10 Moo 5

www.alsglobal.com

RIGHT SOLUTIONS PROVIDE RIGHT ANSWER



## Analysis / Test Report



TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.  
203/115 26TH Fl. Itaihai Tower, New Petchburi Road, Banglapi, Huaykwang, Bangkok  
Thailand 10310

Lot ID: 2349341  
Date Received : May 23, 2023  
Date Reported : Jun 01, 2023  
Report No. : 2664454-1

P/O :  
Project Name : Laemchabang  
Project Location :

Page 2 of 3

Sample No. : 2349341-5  
Parameter : Noise  
Location : N1 : กรุงเทพมหานคร นว 2 (GPS 47P 714253, 1442299) (Shut down)  
Measurement Date : May 18 - 19, 2023  
Measurement by : Sirinut Ruangsom  
Sound Level Meter : 00734218

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
12:25 AM - 12:30 AM	50.6	55.9	47.8
12:30 AM - 12:35 AM	50.2	55.8	47.8
12:35 AM - 12:40 AM	50.1	53.1	46.2
12:40 AM - 12:45 AM	50.3	68.9	47.7
12:45 AM - 12:50 AM	48.3	52.7	46.1
12:50 AM - 12:55 AM	48.6	53.4	46.3
12:55 AM - 01:00 AM	48.6	54.8	46.0
01:00 AM - 01:05 AM	48.9	53.5	46.5
01:05 AM - 01:10 AM	48.3	51.8	45.7
01:10 AM - 01:15 AM	47.7	58.9	44.0
01:15 AM - 01:20 AM	48.9	53.6	44.4
01:20 AM - 01:25 AM	47.8	54.2	43.8
01:25 AM - 01:30 AM	48.0	56.4	43.0
01:30 AM - 01:35 AM	49.9	56.6	46.3
01:35 AM - 01:40 AM	48.4	57.3	43.0
01:40 AM - 01:45 AM	48.4	56.7	43.5
01:45 AM - 01:50 AM	49.9	58.0	46.3
01:50 AM - 01:55 AM	49.5	54.9	45.8
01:55 AM - 02:00 AM	50.3	54.4	46.9
02:00 AM - 02:05 AM	50.2	54.1	46.7
02:05 AM - 02:10 AM	49.6	53.6	45.8
02:10 AM - 02:15 AM	50.0	54.3	46.3
02:15 AM - 02:20 AM	50.1	54.0	46.9
02:20 AM - 02:25 AM	50.5	57.6	46.7
02:25 AM - 02:30 AM	49.7	54.3	38.8
02:30 AM - 02:35 AM	49.3	53.2	37.8
02:35 AM - 02:40 AM	48.8	57.2	38.1
02:40 AM - 02:45 AM	49.2	52.5	38.4
02:45 AM - 02:50 AM	49.5	52.6	40.4
02:50 AM - 02:55 AM	49.5	52.7	39.1
02:55 AM - 03:00 AM	49.6	53.1	38.4
03:00 AM - 03:05 AM	50.4	55.1	42.0
03:05 AM - 03:10 AM	49.2	53.1	38.4
03:10 AM - 03:15 AM	49.7	52.7	41.0
03:15 AM - 03:20 AM	50.1	52.5	42.7
03:20 AM - 03:25 AM	50.9	52.7	42.7
03:25 AM - 03:30 AM	49.8	52.2	42.3
03:30 AM - 03:35 AM	49.8	52.4	42.3
03:35 AM - 03:40 AM	49.1	54.6	38.8
03:40 AM - 03:45 AM	49.2	54.7	41.3

The data in this report is the result of the test and analysis conducted by the laboratory. It is not intended to be used for any other purpose. The data is not to be used for any other purpose. The data is not to be used for any other purpose.

Approved by

Wibab

Wibab Borkat  
Manager

ADDRESS 616/10 Moo 5 : Muanm Kru A. Phatthana Rong 2140 Thailand : PHONE +66 0 3304 8555 FAX +66 0 3304 8556  
ALS LABORATORY (THAILAND) CO., LTD. 616/10 Moo 5, 616/10 Moo 5, 616/10 Moo 5

www.alsglobal.com

RIGHT SOLUTIONS PROVIDE RIGHT ANSWER



## Analysis / Test Report



TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.  
203/115 26TH Fl. Itaihai Tower, New Petchburi Road, Banglapi, Huaykwang, Bangkok  
Thailand 10310

Lot ID: 2349341  
Date Received : May 23, 2023  
Date Reported : Jun 01, 2023  
Report No. : 2664454-1

P/O :  
Project Name : Laemchabang  
Project Location :

Page 3 of 3

Sample No. : 2349341-5  
Parameter : Noise  
Location : N1 : กรุงเทพมหานคร นว 2 (GPS 47P 714253, 1442299) (Shut down)  
Measurement Date : May 18 - 19, 2023  
Measurement by : Sirinut Ruangsom  
Sound Level Meter : 00734218

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
03:45 AM - 03:50 AM	47.1	57.7	35.2
03:50 AM - 03:55 AM	45.8	62.1	36.5
03:55 AM - 04:00 AM	54.0	79.4	44.9
04:00 AM - 04:05 AM	46.4	52.0	42.7
04:05 AM - 04:10 AM	46.5	63.7	45.3
04:10 AM - 04:15 AM	46.7	63.9	45.3
04:15 AM - 04:20 AM	46.8	56.7	46.6
04:20 AM - 04:25 AM	46.8	52.4	45.6
04:25 AM - 04:30 AM	46.6	52.6	45.1
04:30 AM - 04:35 AM	46.7	66.1	45.5
04:35 AM - 04:40 AM	46.6	58.4	45.2
04:40 AM - 04:45 AM	48.1	54.1	45.0
04:45 AM - 04:50 AM	47.5	63.4	45.8
04:50 AM - 04:55 AM	46.8	56.3	44.9
04:55 AM - 05:00 AM	47.1	52.9	45.0
05:00 AM - 05:05 AM	46.0	50.7	44.8
05:05 AM - 05:10 AM	47.5	68.5	45.1
05:10 AM - 05:15 AM	46.3	58.1	45.3
05:15 AM - 05:20 AM	46.6	55.4	45.1
05:20 AM - 05:25 AM	45.5	57.5	44.3
05:25 AM - 05:30 AM	46.0	51.2	45.0
05:30 AM - 05:35 AM	45.3	51.0	44.2
05:35 AM - 05:40 AM	45.6	49.8	44.6
05:40 AM - 05:45 AM	45.6	51.6	44.6
05:45 AM - 05:50 AM	46.1	51.8	44.8
05:50 AM - 05:55 AM	57.6	81.6	45.2
05:55 AM - 06:00 AM	54.7	77.3	46.1
06:00 AM - 07:00 AM	52.1	82.1	48.1
07:00 AM - 08:00 AM	48.7	79.4	47.2
08:00 AM - 09:00 AM	52.0	85.9	47.2
09:00 AM - 10:00 AM	52.4	88.7	43.8
10:00 AM - 11:00 AM	45.6	83.1	41.9

Reference Method :  
1. ISO 1996-1  
2. มาตรฐานการวัดและประเมินค่าเสียงในสถานที่ทำงานตามข้อกำหนด 24 ชั่วโมง ตามมาตรฐานการวัดและประเมินค่าเสียงในสถานที่ทำงาน ม.ร.ว. 2551

Approved by

Wibab

Wibab Borkat  
Manager

ADDRESS 616/10 Moo 5 : Muanm Kru A. Phatthana Rong 2140 Thailand : PHONE +66 0 3304 8555 FAX +66 0 3304 8556  
ALS LABORATORY (THAILAND) CO., LTD. 616/10 Moo 5, 616/10 Moo 5, 616/10 Moo 5

www.alsglobal.com

RIGHT SOLUTIONS PROVIDE RIGHT ANSWER



## Analysis / Test Report



TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.  
203/115 26TH Fl. Itaihai Tower, New Petchburi Road, Banglapi, Huaykwang, Bangkok  
Thailand 10310

Lot ID: 2349341  
Date Received : May 23, 2023  
Date Reported : Jun 01, 2023  
Report No. : 2664455-1

P/O :  
Project Name : Laemchabang  
Project Location :

Page 1 of 3

Sample No. : 2349341-6  
Parameter : Noise  
Location : N1 : กรุงเทพมหานคร นว 2 (GPS 47P 714253, 1442299) (Shut down)  
Measurement Date : May 19 - 20, 2023  
Measurement by : Sirinut Ruangsom  
Sound Level Meter : 00734218

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
11:00 AM - 12:00 PM	49.2	79.6	45.7
12:00 PM - 01:00 PM	49.6	81.6	46.5
01:00 PM - 02:00 PM	48.4	81.6	46.0
02:00 PM - 03:00 PM	52.8	87.6	43.7
03:00 PM - 04:00 PM	55.4	84.5	45.2
04:00 PM - 05:00 PM	50.8	79.2	46.8
05:00 PM - 06:00 PM	49.6	63.9	49.1
06:00 PM - 07:00 PM	50.6	79.8	49.1
07:00 PM - 08:00 PM	52.7	83.6	49.8
08:00 PM - 09:00 PM	50.4	55.6	49.8
09:00 PM - 10:00 PM	50.5	58.4	49.9
10:00 PM - 10:05 PM	49.5	50.9	46.7
10:05 PM - 10:10 PM	49.5	51.2	48.8
10:10 PM - 10:15 PM	49.7	52.6	48.9
10:15 PM - 10:20 PM	48.4	52.2	47.7
10:20 PM - 10:25 PM	48.4	56.1	48.0
10:25 PM - 10:30 PM	48.6	51.7	48.1
10:30 PM - 10:35 PM	48.4	52.0	47.7
10:35 PM - 10:40 PM	48.7	51.6	48.2
10:40 PM - 10:45 PM	48.9	56.7	48.4
10:45 PM - 10:50 PM	49.1	51.5	48.4
10:50 PM - 10:55 PM	49.7	53.0	48.3
10:55 PM - 11:00 PM	51.7	53.0	48.6
11:00 PM - 11:05 PM	51.7	53.2	49.7
11:05 PM - 11:10 PM	51.3	52.1	49.7
11:10 PM - 11:15 PM	51.8	53.1	50.2
11:15 PM - 11:20 PM	51.8	55.7	49.0
11:20 PM - 11:25 PM	51.5	53.7	49.1
11:25 PM - 11:30 PM	51.7	53.4	49.1
11:30 PM - 11:35 PM	52.3	54.7	49.8
11:35 PM - 11:40 PM	51.6	51.6	48.7
11:40 PM - 11:45 PM	51.7	53.3	49.5
11:45 PM - 11:50 PM	52.7	57.6	48.7
11:50 PM - 11:55 PM	53.0	58.0	48.6
11:55 PM - 12:00 AM	51.7	54.5	49.1
12:00 AM - 12:05 AM	52.1	55.3	49.7
12:05 AM - 12:10 AM	51.9	52.4	49.8
12:10 AM - 12:15 AM	51.9	53.3	49.9
12:15 AM - 12:20 AM	51.8	55.1	49.6
12:20 AM - 12:25 AM	51.5	53.3	49.2

The data in this report is the result of the test and analysis conducted by the laboratory. It is not intended to be used for any other purpose. The data is not to be used for any other purpose. The data is not to be used for any other purpose.

Approved by

Wibab

Wibab Borkat  
Manager

ADDRESS 616/10 Moo 5 : Muanm Kru A. Phatthana Rong 2140 Thailand : PHONE +66 0 3304 8555 FAX +66 0 3304 8556  
ALS LABORATORY (THAILAND) CO., LTD. 616/10 Moo 5, 616/10 Moo 5, 616/10 Moo 5

www.alsglobal.com

RIGHT SOLUTIONS PROVIDE RIGHT ANSWER







## Analysis / Test Report



TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Itathai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok  
Thailand 10310

Lot ID: 2349341  
Date Received : May 23, 2023  
Date Reported : Jun 01, 2023  
Report No. : 2664455-1

P/O :  
Project Name : Laemchabang  
Project Location :

Page 1 of 2

Sample No. : 2349341-7  
Parameter : Noise  
Location : N1 : ถนนสุขุมวิท กม. 2 (GPS 47 714553, 1442199) (Shut down)  
Measurement Date : May 20 - 21, 2023  
Measurement by : Sirinut Ruangsom  
Sound Level Meter : 00734218

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
07:45 AM - 07:50 AM	48.3	60.8	43.8
07:50 AM - 07:55 AM	46.4	57.7	43.7
07:55 AM - 08:00 AM	47.9	62.7	43.8
08:00 AM - 08:05 AM	48.1	70.3	43.7
08:05 AM - 08:10 AM	44.6	62.1	43.1
08:10 AM - 08:15 AM	45.5	60.0	43.2
08:15 AM - 08:20 AM	50.1	72.5	45.6
08:20 AM - 08:25 AM	47.7	63.5	44.7
08:25 AM - 08:30 AM	47.7	56.0	43.8
08:30 AM - 08:35 AM	55.6	81.3	48.9
08:35 AM - 08:40 AM	48.3	63.5	46.5
08:40 AM - 08:45 AM	51.6	68.3	47.4
08:45 AM - 08:50 AM	50.7	72.2	47.5
08:50 AM - 08:55 AM	48.6	65.5	46.8
08:55 AM - 09:00 AM	48.6	66.6	46.5
09:00 AM - 09:05 AM	48.7	67.4	47.4
09:05 AM - 09:10 AM	48.2	56.0	47.2
09:10 AM - 09:15 AM	48.2	63.9	47.2
09:15 AM - 09:20 AM	47.5	54.9	46.4
09:20 AM - 09:25 AM	47.2	52.0	46.6
09:25 AM - 09:30 AM	48.0	53.8	47.1
09:30 AM - 09:35 AM	48.3	60.3	47.3
09:35 AM - 09:40 AM	47.8	61.4	46.5
09:40 AM - 09:45 AM	48.3	56.1	47.2
09:45 AM - 09:50 AM	48.5	63.1	47.5
09:50 AM - 09:55 AM	47.9	59.2	46.5
09:55 AM - 10:00 AM	49.5	68.9	46.9
10:00 AM - 10:05 AM	48.5	74.6	46.0
10:05 AM - 10:10 AM	47.9	63.6	46.4
10:10 AM - 10:15 AM	50.5	73.3	48.5
10:15 AM - 10:20 AM	48.7	53.8	47.3
10:20 AM - 11:00 AM	48.3	51.5	46.5

Reference Method :

- ISO 1996-1
- กรมส่งเสริมการค้าระหว่างประเทศ กระทรวงพาณิชย์ (กรมส่งเสริมการค้าระหว่างประเทศ) 24 ชั่วโมง และแบบจำลองการคำนวณการแผ่กระจายเสียงในอาคาร

Approved by

Wibb.

Wibwan Borrak  
Manager

© 2023/115 26TH Fl. Itathai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok  
Thailand 10310

www.alsglobal.com

RIGHT SOLUTIONS PROJECT & SERVICE



## Analysis / Test Report



TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Itathai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok  
Thailand 10310

Lot ID: 2349341  
Date Received : May 23, 2023  
Date Reported : Jun 01, 2023  
Report No. : 2664455-1

P/O :  
Project Name : Laemchabang  
Project Location :

Page 1 of 2

Sample No. : 2349341-8  
Parameter : Noise  
Location : N2 : ถนนสุขุมวิท กม. 3 (GPS 47 714555, 1441873) (Shut down)  
Measurement Date : May 14 - 15, 2023  
Measurement by : Sirinut Ruangsom  
Sound Level Meter : 00900074

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
11:00 AM - 12:00 PM	44.7	75.8	37.1
12:00 PM - 01:00 PM	43.6	68.8	36.8
01:00 PM - 02:00 PM	44.7	62.3	36.8
02:00 PM - 03:00 PM	44.2	66.1	37.4
03:00 PM - 04:00 PM	45.0	71.0	38.6
04:00 PM - 05:00 PM	44.3	67.7	38.6
05:00 PM - 06:00 PM	51.9	65.5	42.8
06:00 PM - 07:00 PM	43.3	64.3	37.9
07:00 PM - 08:00 PM	41.7	62.7	38.3
08:00 PM - 09:00 PM	41.2	68.0	38.5
09:00 PM - 10:00 PM	40.6	57.6	38.8
10:00 PM - 10:05 PM	39.9	43.6	37.8
10:05 PM - 10:10 PM	39.4	47.4	37.4
10:10 PM - 10:15 PM	39.2	42.7	37.7
10:15 PM - 10:20 PM	39.4	40.3	37.3
10:20 PM - 10:25 PM	39.9	40.1	36.4
10:25 PM - 10:30 PM	38.0	42.8	37.3
10:30 PM - 10:35 PM	38.9	42.0	37.3
10:35 PM - 10:40 PM	39.2	42.6	37.1
10:40 PM - 10:45 PM	38.6	42.3	36.3
10:45 PM - 10:50 PM	39.4	46.3	38.2
10:50 PM - 10:55 PM	39.5	49.8	38.1
10:55 PM - 11:00 PM	39.2	44.1	37.8
11:00 PM - 11:05 PM	39.5	43.9	38.0
11:05 PM - 11:10 PM	39.2	48.3	37.7
11:10 PM - 11:15 PM	38.9	40.1	37.1
11:15 PM - 11:20 PM	38.7	43.9	36.8
11:20 PM - 11:25 PM	39.5	45.9	37.7
11:25 PM - 11:30 PM	39.4	39.4	36.6
11:30 PM - 11:35 PM	38.8	48.3	36.9
11:35 PM - 11:40 PM	38.1	45.5	35.7
11:40 PM - 11:45 PM	38.0	42.4	36.0
11:45 PM - 11:50 PM	36.9	42.6	35.2
11:50 PM - 11:55 PM	37.7	42.7	36.0
11:55 PM - 12:00 AM	39.8	53.1	37.0
12:00 AM - 12:05 AM	38.5	40.9	36.4
12:05 AM - 12:10 AM	37.4	45.6	36.0
12:10 AM - 12:15 AM	37.8	42.1	36.3
12:15 AM - 12:20 AM	40.6	57.1	35.3
12:20 AM - 12:25 AM	37.6	46.9	36.2

The above report is a summary of the measurement results as indicated in the contract. The data is for information only and is not intended to be used for any other purpose. The data is subject to change without notice. The data is not to be used for any other purpose.

Approved by

Wibb.

Wibwan Borrak  
Manager

© 2023/115 26TH Fl. Itathai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok  
Thailand 10310

www.alsglobal.com

RIGHT SOLUTIONS PROJECT & SERVICE



## Analysis / Test Report



TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Itathai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok  
Thailand 10310

Lot ID: 2349341  
Date Received : May 23, 2023  
Date Reported : Jun 01, 2023  
Report No. : 2664455-1

P/O :  
Project Name : Laemchabang  
Project Location :

Page 2 of 2

Sample No. : 2349341-8  
Parameter : Noise  
Location : N2 : ถนนสุขุมวิท กม. 3 (GPS 47 714555, 1441873) (Shut down)  
Measurement Date : May 14 - 15, 2023  
Measurement by : Sirinut Ruangsom  
Sound Level Meter : 00900074

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
12:25 AM - 12:30 AM	36.8	53.0	34.1
12:30 AM - 12:35 AM	36.5	50.1	33.2
12:35 AM - 12:40 AM	37.6	60.3	36.5
12:40 AM - 12:45 AM	36.3	60.2	35.4
12:45 AM - 12:50 AM	36.5	41.3	34.6
12:50 AM - 12:55 AM	38.5	46.7	37.4
12:55 AM - 01:00 AM	39.3	52.4	34.6
01:00 AM - 01:05 AM	37.2	50.1	34.7
01:05 AM - 01:10 AM	37.4	40.2	36.1
01:10 AM - 01:15 AM	37.4	39.9	36.4
01:15 AM - 01:20 AM	37.2	47.0	35.5
01:20 AM - 01:25 AM	36.5	48.1	37.9
01:25 AM - 01:30 AM	37.4	41.3	38.8
01:30 AM - 01:35 AM	37.4	42.3	36.4
01:35 AM - 01:40 AM	37.4	41.3	34.4
01:40 AM - 01:45 AM	41.6	44.2	40.7
01:45 AM - 01:50 AM	41.1	41.8	38.9
01:50 AM - 01:55 AM	37.2	41.5	35.0
01:55 AM - 02:00 AM	36.1	41.5	33.2
02:00 AM - 02:05 AM	35.8	39.6	33.4
02:05 AM - 02:10 AM	42.1	61.0	35.9
02:10 AM - 02:15 AM	49.2	65.6	39.3
02:15 AM - 02:20 AM	36.5	39.9	35.1
02:20 AM - 02:25 AM	36.2	40.8	35.5
02:25 AM - 02:30 AM	35.9	44.8	34.7
02:30 AM - 02:35 AM	35.8	40.3	34.7
02:35 AM - 02:40 AM	36.1	41.7	34.6
02:40 AM - 02:45 AM	40.2	53.8	32.8
02:45 AM - 02:50 AM	34.9	40.7	34.2
02:50 AM - 02:55 AM	34.7	39.9	32.5
02:55 AM - 03:00 AM	33.7	40.7	31.9
03:00 AM - 03:05 AM	35.7	44.6	34.0
03:05 AM - 03:10 AM	35.6	41.6	34.6
03:10 AM - 03:15 AM	35.4	45.0	34.4
03:15 AM - 03:20 AM	37.1	43.0	35.8
03:20 AM - 03:25 AM	35.2	40.0	34.4
03:25 AM - 03:30 AM	40.1	46.1	34.9
03:30 AM - 03:35 AM	36.8	39.2	36.2
03:35 AM - 03:40 AM	38.9	57.0	35.3
03:40 AM - 03:45 AM	37.8	49.7	35.3

Approved by

Wibb.

Wibwan Borrak  
Manager

© 2023/115 26TH Fl. Itathai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok  
Thailand 10310

www.alsglobal.com

RIGHT SOLUTIONS PROJECT & SERVICE



## Analysis / Test Report



TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Itathai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok  
Thailand 10310

Lot ID: 2349341  
Date Received : May 23, 2023  
Date Reported : Jun 01, 2023  
Report No. : 2664455-1

P/O :  
Project Name : Laemchabang  
Project Location :

Page 2 of 2

Sample No. : 2349341-8  
Parameter : Noise  
Location : N2 : ถนนสุขุมวิท กม. 3 (GPS 47 714555, 1441873) (Shut down)  
Measurement Date : May 14 - 15, 2023  
Measurement by : Sirinut Ruangsom  
Sound Level Meter : 00900074

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
03:45 AM - 03:50 AM	36.8	49.4	35.2
03:50 AM - 03:55 AM	35.2	38.9	32.5
03:55 AM - 04:00 AM	35.2	38.5	32.1
04:00 AM - 04:05 AM	35.8	44.6	34.6
04:05 AM - 04:10 AM	35.0	45.3	33.8
04:10 AM - 04:15 AM	33.2	44.8	30.6
04:15 AM - 04:20 AM	34.6	39.9	33.4
04:20 AM - 04:25 AM	38.4	50.2	35.6
04:25 AM - 04:30 AM	39.1	51.3	35.2
04:30 AM - 04:35 AM	41.4	61.4	38.9
04:35 AM - 04:40 AM	40.3	56.0	35.8
04:40 AM - 04:45 AM	54.8	70.1	36.8
04:45 AM - 04:50 AM	58.9	68.9	45.1
04:50 AM - 04:55 AM	60.7	76.6	57.3
04:55 AM - 05:00 AM	55.9	61.2	52.3
05:00 AM - 05:05 AM	48.4	55.5	46.2
05:05 AM - 05:10 AM	46.6	48.9	37.8
05:10 AM - 05:15 AM	45.4	59.7	37.7
05:15 AM - 05:20 AM	52.3	62.7	44.2
05:20 AM - 05:25 AM	44.4	60.4	39.6
05:25 AM - 05:30 AM	43.2	55.8	35.8
05:30 AM - 05:35 AM	48.2	63.0	37.4
05:35 AM - 05:40 AM	51.7	65.8	37.2
05:40 AM - 05:45 AM	43.2	62.1	37.4
05:45 AM - 05:50 AM	43.9	56.0	36.1
05:50 AM - 05:55 AM	41.0	55.7	36.7
05:55 AM - 06:00 AM	41.6	63.6	37.1
06:00 AM - 07:00 AM	46.1	65.8	36.3
07:00 AM - 08:00 AM	45.8	67.3	34.4
08:00 AM - 09:00 AM	46.2	64.2	34.0
09:00 AM - 10:00 AM	50.5	70.0	45.9
10:00 AM - 11:00 AM	51.7	78.6	36.6

Reference Method :

- ISO 1996-1
- กรมส่งเสริมการค้าระหว่างประเทศ กระทรวงพาณิชย์ (กรมส่งเสริมการค้าระหว่างประเทศ) 24 ชั่วโมง และแบบจำลองการคำนวณการแผ่กระจายเสียงในอาคาร

Approved by

Wibb.

Wibwan Borrak  
Manager

© 2023/115 26TH Fl. Itathai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok  
Thailand 10310

www.alsglobal.com

RIGHT SOLUTIONS PROJECT & SERVICE









## Analysis / Test Report



TESTING  
No.0042

Client : Rogana Industrial Park Public Co., Ltd.  
2024/115 26TH Fl. Itaihai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok  
Thailand 10310

Lot ID: 2349341  
Date Received : May 23, 2023  
Date Reported : Jun 01, 2023  
Report No. : 2664461-1

P/O :  
Project Name : Laemchabang  
Project Location

Page 2 of 2

Sample No. : 2349341-11  
Parameter : Noise  
Location : N2 : อนุสาวรีย์ท้าวสุทไธสง หน้า 3 (GPS 47P 714555, 1441873) (Shut down)  
Measurement Date : May 17 - 19, 2023  
Measurement by : Sirinart Ruangsom  
Sound Level Meter : 00900074

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
01:45 AM - 01:50 AM	42.5	51.1	40.3
01:50 AM - 01:55 AM	42.1	47.6	40.5
01:55 AM - 02:00 AM	41.2	50.5	40.7
02:00 AM - 02:05 AM	37.0	56.3	40.4
02:05 AM - 02:10 AM	52.0	63.8	42.0
02:10 AM - 02:15 AM	43.8	56.2	41.0
02:15 AM - 02:20 AM	41.7	48.5	40.9
02:20 AM - 02:25 AM	39.6	44.3	37.9
02:25 AM - 02:30 AM	40.3	47.4	38.6
02:30 AM - 02:35 AM	41.4	51.9	39.8
02:35 AM - 02:40 AM	42.4	54.4	39.4
02:40 AM - 02:45 AM	43.9	53.9	39.2
02:45 AM - 02:50 AM	44.0	52.7	39.2
02:50 AM - 02:55 AM	43.8	50.7	37.2
02:55 AM - 03:00 AM	41.0	44.7	36.1
03:00 AM - 03:05 AM	38.3	43.6	34.5
03:05 AM - 03:10 AM	43.5	46.0	41.1
03:10 AM - 03:15 AM	43.7	52.4	42.9
03:15 AM - 03:20 AM	44.9	52.3	42.4
03:20 AM - 03:25 AM	45.1	52.3	42.2
03:25 AM - 03:30 AM	46.4	49.5	43.2
03:30 AM - 03:35 AM	49.4	58.3	45.9
03:35 AM - 03:40 AM	50.4	60.6	46.2
03:40 AM - 03:45 AM	48.6	59.1	46.3
03:45 AM - 03:50 AM	47.7	53.6	45.7
03:50 AM - 03:55 AM	46.4	50.5	44.7
03:55 AM - 04:00 AM	46.8	51.5	44.4
04:00 AM - 04:05 AM	47.7	60.9	44.1
04:05 AM - 04:10 AM	47.4	63.3	44.2
04:10 AM - 04:15 AM	51.4	64.8	47.8
04:15 AM - 04:20 AM	54.0	70.7	47.3
04:20 AM - 04:25 AM	48.7	67.7	43.8

### Reference Method :

- ISO 1996-1
- มาตรฐานการวัดและประเมินค่าผลกระทบจากเสียงรบกวนตามข้อกำหนดของกรมส่งเสริมการค้าระหว่างประเทศ กระทรวงพาณิชย์ พ.ศ. 2553

This document is valid only for the specific project described in the report. Any other use of this report for any other project is not permitted. The user is responsible for ensuring that the data and information in this report are used for the intended purpose only. The user is also responsible for ensuring that the data and information in this report are used in accordance with the applicable laws and regulations.

Approved by

*Wibb.*

Wibb. Borik  
Manager

ADDRESS: 61/61 Moo 5, T. Maungmu, A. Phakding, Rayong 21140 Thailand. TEL: 086-0 3304 8555 FAX: 086-0 3304 8556  
E-MAIL: info@alsglobal.com

www.alsglobal.com

RIGHT SOLUTIONS



## Analysis / Test Report



TESTING  
No.0042

Client : Rogana Industrial Park Public Co., Ltd.  
2024/115 26TH Fl. Itaihai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok  
Thailand 10310

Lot ID: 2349341  
Date Received : May 23, 2023  
Date Reported : Jun 01, 2023  
Report No. : 2664461-1

P/O :  
Project Name : Laemchabang  
Project Location

Page 3 of 2

Sample No. : 2349341-12  
Parameter : Noise  
Location : N2 : อนุสาวรีย์ท้าวสุทไธสง หน้า 3 (GPS 47P 714555, 1441873) (Shut down)  
Measurement Date : May 18 - 19, 2023  
Measurement by : Sirinart Ruangsom  
Sound Level Meter : 00900074

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
11:05 AM - 12:00 PM	47.6	65.2	42.4
12:00 PM - 01:00 PM	44.8	55.7	40.4
01:00 PM - 02:00 PM	43.7	60.0	39.7
02:00 PM - 03:00 PM	43.8	63.9	39.2
03:00 PM - 04:00 PM	41.9	60.5	39.0
04:00 PM - 05:00 PM	47.1	70.0	40.1
05:00 PM - 06:00 PM	43.3	56.0	41.1
06:00 PM - 07:00 PM	43.7	57.4	41.8
07:00 PM - 08:00 PM	43.5	57.5	41.1
08:00 PM - 09:00 PM	40.7	49.0	39.4
09:00 PM - 10:00 PM	43.5	58.0	39.8
10:00 PM - 10:55 PM	38.1	44.2	37.8
10:55 PM - 11:00 PM	39.1	42.8	36.4
11:00 PM - 11:05 PM	39.8	43.2	36.8
11:05 PM - 11:10 PM	38.7	43.1	35.0
11:10 PM - 11:15 PM	36.4	41.1	34.0
11:15 PM - 11:20 PM	37.4	40.7	33.9
11:20 PM - 11:25 PM	38.9	41.7	37.1
11:25 PM - 11:30 PM	38.1	42.6	36.5
11:30 PM - 11:35 PM	38.0	46.9	36.3
11:35 PM - 11:40 PM	39.3	43.0	37.2
11:40 PM - 11:45 PM	39.1	44.2	37.5
11:45 PM - 11:50 PM	39.0	41.7	37.5
11:50 PM - 11:55 PM	40.3	45.2	38.1
11:55 PM - 12:00 AM	43.0	52.0	37.5
12:00 AM - 12:05 AM	39.3	41.6	38.1
12:05 AM - 12:10 AM	39.5	42.3	38.4
12:10 AM - 12:15 AM	38.9	41.9	37.8
12:15 AM - 12:20 AM	41.8	43.8	38.4
12:20 AM - 12:25 AM	39.8	43.7	38.0
12:25 AM - 12:30 AM	39.9	43.2	38.1
12:30 AM - 12:35 AM	39.7	43.0	37.8
12:35 AM - 12:40 AM	41.9	46.5	38.5
12:40 AM - 12:45 AM	38.7	42.2	37.1
12:45 AM - 12:50 AM	38.3	42.8	36.8
12:50 AM - 12:55 AM	38.4	47.1	36.7
12:55 AM - 12:59 AM	42.1	59.9	35.2
12:59 AM - 01:00 AM	38.5	50.4	35.5
01:00 AM - 01:05 AM	37.7	42.4	35.1
01:05 AM - 01:10 AM	38.1	42.8	35.6

This document is valid only for the specific project described in the report. Any other use of this report for any other project is not permitted. The user is responsible for ensuring that the data and information in this report are used for the intended purpose only. The user is also responsible for ensuring that the data and information in this report are used in accordance with the applicable laws and regulations.

Approved by

*Wibb.*

Wibb. Borik  
Manager

ADDRESS: 61/61 Moo 5, T. Maungmu, A. Phakding, Rayong 21140 Thailand. TEL: 086-0 3304 8555 FAX: 086-0 3304 8556  
E-MAIL: info@alsglobal.com

www.alsglobal.com

RIGHT SOLUTIONS



## Analysis / Test Report



TESTING  
No.0042

Client : Rogana Industrial Park Public Co., Ltd.  
2024/115 26TH Fl. Itaihai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok  
Thailand 10310

Lot ID: 2349341  
Date Received : May 23, 2023  
Date Reported : Jun 01, 2023  
Report No. : 2664461-1

P/O :  
Project Name : Laemchabang  
Project Location

Page 2 of 2

Sample No. : 2349341-12  
Parameter : Noise  
Location : N2 : อนุสาวรีย์ท้าวสุทไธสง หน้า 3 (GPS 47P 714555, 1441873) (Shut down)  
Measurement Date : May 18 - 19, 2023  
Measurement by : Sirinart Ruangsom  
Sound Level Meter : 00900074

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
12:25 AM - 12:30 AM	38.3	42.1	35.9
12:30 AM - 12:35 AM	40.1	48.0	37.3
12:35 AM - 12:40 AM	41.9	55.2	38.2
12:40 AM - 12:45 AM	41.2	51.7	38.8
12:45 AM - 12:50 AM	41.8	49.4	37.8
12:50 AM - 12:55 AM	39.8	46.9	37.2
12:55 AM - 01:00 AM	38.5	44.7	34.7
01:00 AM - 01:05 AM	41.5	52.4	38.1
01:05 AM - 01:10 AM	43.7	56.8	39.0
01:10 AM - 01:15 AM	45.5	55.5	38.4
01:15 AM - 01:20 AM	42.7	53.3	38.2
01:20 AM - 01:25 AM	44.6	58.1	38.3
01:25 AM - 01:30 AM	44.2	52.2	38.4
01:30 AM - 01:35 AM	42.7	50.3	37.6
01:35 AM - 01:40 AM	39.1	46.9	36.3
01:40 AM - 01:45 AM	40.0	48.0	36.9
01:45 AM - 01:50 AM	40.8	51.7	35.2
01:50 AM - 01:55 AM	40.2	50.1	37.9
01:55 AM - 02:00 AM	42.7	56.8	38.4
02:00 AM - 02:05 AM	40.6	53.3	35.8
02:05 AM - 02:10 AM	39.8	50.4	34.8
02:10 AM - 02:15 AM	38.5	45.3	36.6
02:15 AM - 02:20 AM	39.4	48.1	36.4
02:20 AM - 02:25 AM	39.6	51.5	36.8
02:25 AM - 02:30 AM	39.4	49.9	36.8
02:30 AM - 02:35 AM	39.3	50.4	36.2
02:35 AM - 02:40 AM	37.1	43.9	35.2
02:40 AM - 02:45 AM	39.6	44.1	36.4
02:45 AM - 02:50 AM	42.5	45.4	40.0
02:50 AM - 02:55 AM	42.0	46.5	38.2
02:55 AM - 03:00 AM	41.9	50.7	41.2
03:00 AM - 03:05 AM	45.0	50.8	43.8
03:05 AM - 03:10 AM	44.6	52.1	43.2
03:10 AM - 03:15 AM	42.7	45.4	40.0
03:15 AM - 03:20 AM	47.2	58.1	44.8
03:20 AM - 03:25 AM	46.2	53.3	44.8
03:25 AM - 03:30 AM	46.1	57.1	44.3
03:30 AM - 03:35 AM	45.6	47.2	44.9
03:35 AM - 03:40 AM	45.7	52.3	44.4
03:40 AM - 03:45 AM	46.1	55.6	44.9

This document is valid only for the specific project described in the report. Any other use of this report for any other project is not permitted. The user is responsible for ensuring that the data and information in this report are used for the intended purpose only. The user is also responsible for ensuring that the data and information in this report are used in accordance with the applicable laws and regulations.

Approved by

*Wibb.*

Wibb. Borik  
Manager

ADDRESS: 61/61 Moo 5, T. Maungmu, A. Phakding, Rayong 21140 Thailand. TEL: 086-0 3304 8555 FAX: 086-0 3304 8556  
E-MAIL: info@alsglobal.com

www.alsglobal.com

RIGHT SOLUTIONS



## Analysis / Test Report



TESTING  
No.0042

Client : Rogana Industrial Park Public Co., Ltd.  
2024/115 26TH Fl. Itaihai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok  
Thailand 10310

Lot ID: 2349341  
Date Received : May 23, 2023  
Date Reported : Jun 01, 2023  
Report No. : 2664461-1

P/O :  
Project Name : Laemchabang  
Project Location

Page 3 of 2

Sample No. : 2349341-12  
Parameter : Noise  
Location : N2 : อนุสาวรีย์ท้าวสุทไธสง หน้า 3 (GPS 47P 714555, 1441873) (Shut down)  
Measurement Date : May 18 - 19, 2023  
Measurement by : Sirinart Ruangsom  
Sound Level Meter : 00900074

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
03:45 AM - 03:50 AM	45.8	47.8	44.8
03:50 AM - 03:55 AM	45.9	51.2	44.4
03:55 AM - 04:00 AM	46.0	53.1	44.6
04:00 AM - 04:05 AM	43.9	51.5	44.7
04:05 AM - 04:10 AM	44.4	53.1	43.2
04:10 AM - 04:15 AM	43.7	46.0	42.6
04:15 AM - 04:20 AM	42.7	52.0	42.4
04:20 AM - 04:25 AM	42.1	46.1	38.6
04:25 AM - 04:30 AM	44.6	56.1	38.4
04:30 AM - 04:35 AM	43.4	49.4	38.8
04:35 AM - 04:40 AM	40.6	50.1	37.8
04:40 AM - 04:45 AM	41.0	54.5	39.2
04:45 AM - 04:50 AM	45.1	61.6	39.8
04:50 AM - 04:55 AM	43.2	48.4	40.8
04:55 AM - 05:00 AM	42.4	44.0	40.1
05:00 AM - 05:05 AM	43.5	48.5	42.1
05:05 AM - 05:10 AM	42.7	52.8	41.8
05:10 AM - 05:15 AM	48.1	56.9	45.7
05:15 AM - 05:20 AM	46.1	53.8	42.5
05:20 AM - 05:25 AM	44.4	55.8	42.1
05:25 AM - 05:30 AM	47.8	58.8	42.1
05:30 AM - 05:35 AM	50.2	58.2	44.2
05:35 AM - 05:40 AM	44.6	56.0	41.9
05:40 AM - 05:45 AM	44.6	52.0	40.4
05:45 AM - 05:50 AM	42.8	49.1	39.0
05:50 AM - 05:55 AM	46.8	56.4	40.1
05:55 AM - 06:00 AM	48.8	68.5	42.5
06:00 AM - 06:05 AM	46.8	63.3	44.1
06:05 AM - 06:10 AM	50.0	63.1	46.7
06:10 AM - 06:15 AM	53.0	63.0	47.7
06:15 AM - 06:20 AM	51.8	64.4	45.4
06:20 AM - 06:25 AM	50.6	59.7	46.2

### Reference Method :

- ISO 1996-1
- มาตรฐานการวัดและประเมินค่าผลกระทบจากเสียงรบกวนตามข้อกำหนดของกรมส่งเสริมการค้าระหว่างประเทศ กระทรวงพาณิชย์ พ.ศ. 2553

This document is valid only for the specific project described in the report. Any other use of this report for any other project is not permitted. The user is responsible for ensuring that the data and information in this report are used for the intended purpose only. The user is also responsible for ensuring that the data and information in this report are used in accordance with the applicable laws and regulations.

Approved by

*Wibb.*

Wibb. Borik  
Manager

ADDRESS: 61/61 Moo 5, T. Maungmu, A. Phakding, Rayong 21140 Thailand. TEL: 086-0 3304 8555 FAX: 086-0 3304 8556  
E-MAIL: info@alsglobal.com

www.alsglobal.com

RIGHT SOLUTIONS





## Analysis / Test Report



TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Itaihai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok  
Thailand 10310

Lot ID: 2349341  
Date Received : May 23, 2023  
Date Reported : Jun 01, 2023  
Report No. : 2664462-1

P/O :  
Project Name : Lamchabang  
Project Location :

Page 1 of 1

Sample No. : 2349341-13  
Parameter : Noise  
Location : N2 : ฐานอุตสาหกรรมแฟลต 3 (GPS 47P 714555, 1441873) (Shut down)  
Measurement Date : May 19 - 20, 2023  
Measurement by : Sirinut Ruangsoms  
Sound Level Meter : 06900074

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
11:00 AM - 12:00 PM	49.3	56.8	46.7
12:00 PM - 01:00 PM	47.3	67.7	41.8
01:00 PM - 02:00 PM	39.2	61.1	35.1
02:00 PM - 03:00 PM	45.5	54.6	42.1
03:00 PM - 04:00 PM	46.4	66.5	42.6
04:00 PM - 05:00 PM	43.6	50.7	42.1
05:00 PM - 06:00 PM	42.9	57.4	40.9
06:00 PM - 07:00 PM	42.5	50.5	40.1
07:00 PM - 08:00 PM	40.8	48.9	39.2
08:00 PM - 09:00 PM	38.2	47.8	37.3
09:00 PM - 10:00 PM	39.3	45.3	38.7
10:00 PM - 10:55 PM	42.7	55.0	40.1
10:55 PM - 10:59 PM	40.9	45.8	39.9
10:59 PM - 11:05 PM	41.0	45.9	40.0
11:05 PM - 11:10 PM	41.3	44.3	40.3
11:10 PM - 11:15 PM	39.7	42.1	39.0
11:15 PM - 11:20 PM	39.2	41.8	38.3
11:20 PM - 11:25 PM	38.6	45.1	38.1
11:25 PM - 11:30 PM	38.7	40.5	38.3
11:30 PM - 11:35 PM	38.6	48.2	37.8
11:35 PM - 11:40 PM	38.1	40.7	37.5
11:40 PM - 11:45 PM	37.6	42.0	36.9
11:45 PM - 11:50 PM	37.4	41.2	36.2
11:50 PM - 11:55 PM	37.7	43.4	36.1
11:55 PM - 12:00 PM	36.7	40.2	35.9
12:00 PM - 12:05 PM	37.8	40.6	37.2
12:05 PM - 12:10 PM	38.1	42.4	37.0
12:10 PM - 12:15 PM	38.4	42.3	37.4
12:15 PM - 12:20 PM	38.2	41.7	36.8
12:20 PM - 12:25 PM	42.6	54.8	38.5
12:25 PM - 12:30 PM	38.4	38.9	35.7
12:30 PM - 12:35 PM	36.5	39.2	35.5
12:35 PM - 12:40 PM	39.4	46.9	36.6
12:40 PM - 12:45 PM	39.3	43.1	36.1
12:45 PM - 12:50 PM	36.6	49.3	35.8
12:50 PM - 12:55 AM	36.6	40.8	35.1
12:55 AM - 01:00 AM	35.2	38.0	33.1
01:00 AM - 01:05 AM	37.4	42.7	36.0
01:05 AM - 01:10 AM	36.2	39.9	32.9
01:10 AM - 01:15 AM	36.7	35.1	36.0

This document is valid only for the analysis and testing services provided by ALS. It is not valid for any other purpose. The results of the analysis and testing are only valid for the specific sample and test conditions. The results of the analysis and testing are only valid for the specific sample and test conditions.

Approved by

Wibab

Wibab Borik  
Manager

14040000 616/10 Moo 5, T. Maenam Khru A, Phrasang Rong 21140 Thailand | PHONE: +66 0 304 8555 | FAX: +66 0 304 8556  
ALS LABORATORY (THAILAND) CO., LTD. (INCORPORATED IN THAILAND)

www.alsglobal.com

RIGHT SOLUTIONS



## Analysis / Test Report



TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Itaihai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok  
Thailand 10310

Lot ID: 2349341  
Date Received : May 23, 2023  
Date Reported : Jun 01, 2023  
Report No. : 2664462-1

P/O :  
Project Name : Lamchabang  
Project Location :

Page 2 of 2

Sample No. : 2349341-13  
Parameter : Noise  
Location : N2 : ฐานอุตสาหกรรมแฟลต 3 (GPS 47P 714555, 1441873) (Shut down)  
Measurement Date : May 19 - 20, 2023  
Measurement by : Sirinut Ruangsoms  
Sound Level Meter : 06900074

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
12:25 AM - 12:30 AM	36.9	39.3	36.0
12:30 AM - 12:35 AM	36.7	36.7	35.6
12:35 AM - 12:40 AM	37.5	47.3	35.5
12:40 AM - 12:45 AM	36.8	46.7	35.1
12:45 AM - 12:50 AM	36.6	41.9	34.4
12:50 AM - 12:55 AM	36.4	45.9	34.0
12:55 AM - 01:00 AM	36.1	39.3	34.5
01:00 AM - 01:05 AM	35.1	38.1	32.7
01:05 AM - 01:10 AM	40.1	53.3	33.4
01:10 AM - 01:15 AM	36.2	44.3	34.2
01:15 AM - 01:20 AM	35.8	40.4	34.6
01:20 AM - 01:25 AM	35.7	40.8	34.0
01:25 AM - 01:30 AM	36.6	44.2	34.6
01:30 AM - 01:35 AM	39.4	43.7	35.7
01:35 AM - 01:40 AM	39.2	42.7	35.6
01:40 AM - 01:45 AM	39.2	42.5	35.8
01:45 AM - 01:50 AM	36.6	42.0	33.0
01:50 AM - 01:55 AM	35.7	38.9	31.6
01:55 AM - 02:00 AM	36.3	43.1	33.7
02:00 AM - 02:05 AM	37.1	43.0	34.0
02:05 AM - 02:10 AM	36.2	41.5	33.0
02:10 AM - 02:15 AM	38.4	44.4	34.5
02:15 AM - 02:20 AM	39.5	42.9	36.1
02:20 AM - 02:25 AM	39.6	42.9	35.5
02:25 AM - 02:30 AM	40.2	42.8	37.6
02:30 AM - 02:35 AM	40.3	44.0	37.1
02:35 AM - 02:40 AM	40.1	42.8	38.3
02:40 AM - 02:45 AM	40.7	43.7	38.4
02:45 AM - 02:50 AM	41.6	49.8	37.5
02:50 AM - 02:55 AM	42.4	54.8	38.5
02:55 AM - 03:00 AM	41.8	49.7	39.8
03:00 AM - 03:05 AM	42.7	47.9	40.8
03:05 AM - 03:10 AM	42.1	45.4	40.1
03:10 AM - 03:15 AM	42.6	46.3	40.2
03:15 AM - 03:20 AM	45.8	57.2	41.9
03:20 AM - 03:25 AM	44.2	52.0	42.8
03:25 AM - 03:30 AM	45.9	57.5	42.6
03:30 AM - 03:35 AM	46.8	58.6	42.0
03:35 AM - 03:40 AM	49.4	57.1	43.9
03:40 AM - 03:45 AM	43.0	45.7	42.0

This document is valid only for the analysis and testing services provided by ALS. It is not valid for any other purpose. The results of the analysis and testing are only valid for the specific sample and test conditions. The results of the analysis and testing are only valid for the specific sample and test conditions.

Approved by

Wibab

Wibab Borik  
Manager

14040000 616/10 Moo 5, T. Maenam Khru A, Phrasang Rong 21140 Thailand | PHONE: +66 0 304 8555 | FAX: +66 0 304 8556  
ALS LABORATORY (THAILAND) CO., LTD. (INCORPORATED IN THAILAND)

www.alsglobal.com

RIGHT SOLUTIONS



## Analysis / Test Report



TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Itaihai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok  
Thailand 10310

Lot ID: 2349341  
Date Received : May 23, 2023  
Date Reported : Jun 01, 2023  
Report No. : 2664462-1

P/O :  
Project Name : Lamchabang  
Project Location :

Page 3 of 3

Sample No. : 2349341-13  
Parameter : Noise  
Location : N2 : ฐานอุตสาหกรรมแฟลต 3 (GPS 47P 714555, 1441873) (Shut down)  
Measurement Date : May 19 - 20, 2023  
Measurement by : Sirinut Ruangsoms  
Sound Level Meter : 06900074

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
03:45 AM - 03:50 AM	45.9	55.7	42.4
03:50 AM - 03:55 AM	44.0	47.6	42.8
03:55 AM - 04:00 AM	45.1	49.3	42.7
04:00 AM - 04:05 AM	45.5	51.8	42.8
04:05 AM - 04:10 AM	46.4	61.9	45.5
04:10 AM - 04:15 AM	48.0	60.8	45.2
04:15 AM - 04:20 AM	50.9	69.6	44.6
04:20 AM - 04:25 AM	46.1	55.8	42.2
04:25 AM - 04:30 AM	43.5	48.0	42.8
04:30 AM - 04:35 AM	42.6	48.1	41.0
04:35 AM - 04:40 AM	43.4	53.4	41.0
04:40 AM - 04:45 AM	42.6	47.3	40.8
04:45 AM - 04:50 AM	42.3	52.2	40.5
04:50 AM - 04:55 AM	42.3	44.8	41.2
04:55 AM - 05:00 AM	41.0	51.3	41.3
05:00 AM - 05:05 AM	42.8	51.1	41.3
05:05 AM - 05:10 AM	42.6	47.3	40.2
05:10 AM - 05:15 AM	48.0	67.6	41.2
05:15 AM - 05:20 AM	50.2	65.1	42.1
05:20 AM - 05:25 AM	46.7	48.6	38.4
05:25 AM - 05:30 AM	46.7	45.5	38.0
05:30 AM - 05:35 AM	48.4	68.1	38.8
05:35 AM - 05:40 AM	42.5	37.4	37.4
05:40 AM - 05:45 AM	39.8	38.7	36.8
05:45 AM - 05:50 AM	38.8	46.9	36.4
05:50 AM - 05:55 AM	38.5	42.8	36.3
05:55 AM - 06:00 AM	39.0	42.8	37.0
06:00 AM - 07:00 AM	41.1	52.7	40.6
07:00 AM - 08:00 AM	51.9	62.1	49.4
08:00 AM - 09:00 AM	52.0	62.9	48.3
09:00 AM - 10:00 AM	49.7	60.9	47.7
10:00 AM - 11:00 AM	48.3	59.3	42.1

Reference Method :  
1. ISO 1996-1  
2. มาตรฐานการวัดและประเมินค่าเสียงในสิ่งแวดล้อม 24 ชั่วโมงตามข้อกำหนดของกรมควบคุมมลพิษ พ.ศ. 2553

This document is valid only for the analysis and testing services provided by ALS. It is not valid for any other purpose. The results of the analysis and testing are only valid for the specific sample and test conditions. The results of the analysis and testing are only valid for the specific sample and test conditions.

Approved by

Wibab

Wibab Borik  
Manager

14040000 616/10 Moo 5, T. Maenam Khru A, Phrasang Rong 21140 Thailand | PHONE: +66 0 304 8555 | FAX: +66 0 304 8556  
ALS LABORATORY (THAILAND) CO., LTD. (INCORPORATED IN THAILAND)

www.alsglobal.com

RIGHT SOLUTIONS



## Analysis / Test Report



TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Itaihai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok  
Thailand 10310

Lot ID: 2349341  
Date Received : May 23, 2023  
Date Reported : Jun 01, 2023  
Report No. : 2664462-1

P/O :  
Project Name : Lamchabang  
Project Location :

Page 4 of 4

Sample No. : 2349341-14  
Parameter : Noise  
Location : N2 : ฐานอุตสาหกรรมแฟลต 3 (GPS 47P 714555, 1441873) (Shut down)  
Measurement Date : May 20 - 21, 2023  
Measurement by : Sirinut Ruangsoms  
Sound Level Meter : 06900074

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
11:00 AM - 12:00 PM	45.9	67.7	37.3
12:00 PM - 01:00 PM	43.9	64.8	37.0
01:00 PM - 02:00 PM	45.8	58.2	38.0
02:00 PM - 03:00 PM	44.0	64.9	38.6
03:00 PM - 04:00 PM	38.1	55.9	34.8
04:00 PM - 05:00 PM	41.9	61.9	37.7
05:00 PM - 06:00 PM	45.0	50.5	41.2
06:00 PM - 07:00 PM	42.5	50.3	40.5
07:00 PM - 08:00 PM	43.2	54.9	40.9
08:00 PM - 09:00 PM	42.8	52.8	40.1
09:00 PM - 10:00 PM	39.9	48.4	37.5
10:00 PM - 10:05 PM	40.5	46.0	38.5
10:05 PM - 10:10 PM	44.5	46.9	43.6
10:10 PM - 10:15 PM	44.2	47.5	43.5
10:15 PM - 10:20 PM	43.1	46.5	40.7
10:20 PM - 10:25 PM	46.4	48.8	38.4
10:25 PM - 10:30 PM	40.9	44.3	39.0
10:30 PM - 10:35 PM	40.8	47.3	38.0
10:35 PM - 10:40 PM	41.4	44.8	39.7
10:40 PM - 10:45 PM	41.0	44.4	38.2
10:45 PM - 10:50 PM	44.4	44.4	39.0
10:50 PM - 10:55 PM	41.3	45.2	39.7
10:55 PM - 11:00 PM	41.3	46.6	40.7
11:00 PM - 11:05 PM	41.3	45.1	39.1
11:05 PM - 11:10 PM	41.0	49.6	37.8
11:10 PM - 11:15 PM	40.3	45.9	37.8
11:15 PM - 11:20 PM	39.8	43.9	37.1
11:20 PM - 11:25 PM	39.4	43.5	37.1
11:25 PM - 11:30 PM	39.8	44.5	37.6
11:30 PM - 11:35 PM	38.2	41.1	37.1
11:35 PM - 11:40 PM	38.4	42.3	37.3
11:40 PM - 11:45 PM	43.5	54.9	37.8
11:45 PM - 11:50 PM	40.9	48.3	38.4
11:50 PM - 11:55 PM	39.4	44.6	37.1
11:55 PM - 12:00 AM	39.2	42.4	37.4
12:00 AM - 12:05 AM	40.4	50.5	38.0
12:05 AM - 12:10 AM	40.0	44.5	37.8
12:10 AM - 12:15 AM	39.5	42.9	37.7
12:15 AM - 12:20 AM	39.6	42.8	38.0
12:20 AM - 12:25 AM	40.7	43.4	39.0

This document is valid only for the analysis and testing services provided by ALS. It is not valid for any other purpose. The results of the analysis and testing are only valid for the specific sample and test conditions. The results of the analysis and testing are only valid for the specific sample and test conditions.

Approved by

Wibab

Wibab Borik  
Manager

14040000 616/10 Moo 5, T. Maenam Khru A, Phrasang Rong 21140 Thailand | PHONE: +66 0 304 8555 | FAX: +66 0 304 8556  
ALS LABORATORY (THAILAND) CO., LTD. (INCORPORATED IN THAILAND)

www.alsglobal.com

RIGHT SOLUTIONS



TESTING  
No. 0042

Lot ID: 2349341  
Date Received : May 23, 2023  
Date Reported : Jun 01, 2023  
Report No. : 2664463-1

Page 2 of 7

Time	Lea (dB(A))	Lmax (dB(A))	L90 (dB(A))
12:25 AM - 12:30 AM	42.3	45.5	42.3
12:30 AM - 12:35 AM	42.8	45.6	39.3
12:35 AM - 12:40 AM	41.7	45.0	38.5
12:40 AM - 12:45 AM	39.3	41.5	34.8
12:45 AM - 12:50 AM	40.0	43.7	37.1
12:50 AM - 12:55 AM	40.1	47.7	38.0
12:55 AM - 01:00 AM	40.0	48.8	37.3
01:00 AM - 01:05 AM	38.7	45.1	37.3
01:05 AM - 01:10 AM	37.6	46.3	36.0
01:10 AM - 01:15 AM	39.2	49.2	36.1
01:15 AM - 01:20 AM	38.3	46.5	36.5
01:20 AM - 01:25 AM	38.9	42.6	37.0
01:25 AM - 01:30 AM	40.3	49.4	37.9
01:30 AM - 01:35 AM	38.3	44.3	35.9
01:35 AM - 01:40 AM	37.1	40.8	33.9
01:40 AM - 01:45 AM	37.7	41.8	36.3
01:45 AM - 01:50 AM	40.6	48.1	36.3
01:50 AM - 01:55 AM	38.9	42.4	36.6
01:55 AM - 02:00 AM	38.3	42.5	36.6
02:00 AM - 02:05 AM	37.9	41.7	36.8
02:05 AM - 02:10 AM	38.8	42.6	37.1
02:10 AM - 02:15 AM	38.4	43.9	36.1
02:15 AM - 02:20 AM	40.4	50.6	36.6
02:20 AM - 02:25 AM	41.3	44.1	38.2
02:25 AM - 02:30 AM	44.3	44.9	38.1
02:30 AM - 02:35 AM	41.0	46.2	41.6
02:35 AM - 02:40 AM	43.4	47.0	41.4
02:40 AM - 02:45 AM	43.7	48.4	41.5
02:45 AM - 02:50 AM	43.8	47.6	42.1
02:50 AM - 02:55 AM	43.8	53.3	40.3
02:55 AM - 03:00 AM	43.0	52.0	41.0
03:00 AM - 03:05 AM	42.6	55.1	41.2
03:05 AM - 03:10 AM	41.5	50.7	41.8
03:10 AM - 03:15 AM	40.3	53.8	44.8
03:15 AM - 03:20 AM	46.3	55.3	45.5
03:20 AM - 03:25 AM	46.1	48.2	45.3
03:25 AM - 03:30 AM	48.5	51.1	45.6
03:30 AM - 03:35 AM	47.2	58.1	45.1
03:35 AM - 03:40 AM	47.0	61.2	41.4
03:40 AM - 03:45 AM	46.5	56.5	41.4

Approved by \_\_\_\_\_

William B. Manan

ACCEPTED MANUSCRIPT

[www.alsglobal.com](http://www.alsglobal.com)

**RIGHT SOLUTIONS** *RIGHT ON TIME*



TESTING  
No. 0042

Lot ID: 2349341  
Date Received : May 23, 2023  
Date Reported : Jun 01, 2023  
Report No. : 2664463-1

Page 3 of 3

Time	$L_{eq}(dB(A))$	$L_{max}(dB(A))$	$L_{90}(dB(A))$
03:45 AM - 00:30 AM	55.7	55.0	44.5
05:30 AM - 02:35 AM	56.7	55.7	44.5
07:55 AM - 04:00 AM	45.8	48.0	44.6
04:00 AM - 04:10 AM	54.8	53.5	44.5
04:05 AM - 04:10 AM	59.0	67.3	44.7
04:10 AM - 04:15 AM	47.6	55.6	44.9
04:15 AM - 04:20 AM	50.3	56.9	45.4
04:20 AM - 04:25 AM	46.1	51.9	44.1
04:25 AM - 04:30 AM	48.8	57.8	44.4
04:30 AM - 04:35 AM	47.9	45.7	40.1
04:35 AM - 04:40 AM	41.9	46.3	41.1
04:40 AM - 04:45 AM	42.2	46.3	39.6
04:45 AM - 04:50 AM	44.2	53.6	42.0
04:50 AM - 04:55 AM	44.8	47.8	43.5
04:55 AM - 05:00 AM	47.7	49.7	41.9
05:00 AM - 05:05 AM	45.4	56.2	42.8
05:05 AM - 05:10 AM	49.4	67.4	43.1
05:10 AM - 05:15 AM	44.4	46.3	41.3
05:15 AM - 05:20 AM	44.4	48.4	41.3
05:20 AM - 05:25 AM	44.0	48.1	42.3
05:25 AM - 05:30 AM	44.5	50.3	42.3
05:30 AM - 05:35 AM	43.8	46.7	41.9
05:35 AM - 05:40 AM	44.6	60.7	41.2
05:40 AM - 05:45 AM	42.3	47.8	38.7
05:45 AM - 05:50 AM	41.6	44.5	38.4
05:50 AM - 05:55 AM	41.8	45.3	38.3
05:55 AM - 06:00 AM	41.2	46.3	36.8
06:00 AM - 07:00 AM	46.1	44.4	38.2
07:00 AM - 08:00 AM	43.6	63.5	36.9
08:00 AM - 09:00 AM	42.6	56.2	39.2
09:00 AM - 10:00 AM	46.4	58.4	45.5
10:00 AM - 11:00 AM	41.5	46.5	38.5

### Reflexive Method

1. ISO 996-1
2. มหาวิทยาลัยบูรพาและคณะกรรมาธิการการเกษตรและสหกรณ์ : รายงานผลการดำเนินงานตามแผนปฏิบัติการระดับชาติว่าด้วยการพัฒนาคุณภาพชีวิตเกษตรกร ประจำปีงบประมาณ พ.ศ. 2555

Approved by \_\_\_\_\_

Wilson Borvak  
Manager

© 2003 Blackwell Publishing Ltd *Journal of Internal Medicine* 253: 466–474

[www.alsglobal.com](http://www.alsglobal.com)

**RIGHT SOLUTIONS** www.sixglobal.com



TESTING  
No. 0042

Lot ID: 2349341  
Date Received : May 23, 2023  
Date Reported : Jun 01, 2023  
Report No. : 2654464-1

Page 3 of 3

Time	Laq (dB(A))	Lmax (dB(A))	L90 (dB(A))
11:00 AM - 12:00 PM	48.1	78.4	33.5
12:00 PM - 01:00 PM	49.3	77.2	37.5
01:00 PM - 02:00 PM	47.6	70.1	35.7
02:00 PM - 03:00 PM	46.8	58.8	34.4
03:00 PM - 04:00 PM	43.0	81.1	31.2
04:00 PM - 05:00 PM	51.1	77.3	34.1
05:00 PM - 06:00 PM	44.8	84.2	35.1
06:00 PM - 07:00 PM	46.5	88.6	40.2
07:00 PM - 08:00 PM	47.0	66.1	40.7
08:00 PM - 09:00 PM	43.9	62.0	42.5
09:00 PM - 10:00 PM	42.2	44.6	41.7
10:00 PM - 10:55 PM	40.8	41.5	40.2
10:55 PM - 10:10 PM	42.2	44.7	40.1
10:10 PM - 10:15 PM	42.5	44.9	40.8
10:15 PM - 10:20 PM	42.4	44.1	41.8
10:20 PM - 10:25 PM	42.2	44.1	40.4
10:25 PM - 10:30 PM	40.8	44.3	39.6
10:30 PM - 10:35 PM	41.7	43.7	40.9
10:35 PM - 10:40 PM	42.0	56.1	40.1
10:40 PM - 10:45 PM	41.5	43.8	40.6
10:45 PM - 10:50 PM	41.4	43.1	40.4
10:50 PM - 10:55 PM	41.4	43.3	40.7
10:55 PM - 11:00 PM	41.1	43.2	40.0
11:00 PM - 11:05 PM	42.2	45.2	41.2
11:05 PM - 11:10 PM	43.5	47.4	40.8
11:10 PM - 11:15 PM	39.7	42.4	39.1
11:15 PM - 11:20 PM	39.8	43.8	38.0
11:20 PM - 11:25 PM	38.6	44.2	38.6
11:25 PM - 11:30 PM	38.1	42.3	38.4
11:30 PM - 11:35 PM	38.4	41.4	38.3
11:35 PM - 11:40 PM	41.3	46.5	39.3
11:40 PM - 11:45 PM	38.9	44.4	39.0
11:45 PM - 11:50 PM	42.0	53.5	39.2
11:50 PM - 11:55 PM	40.7	45.7	39.0
11:55 PM - 12:00 AM	40.8	42.0	40.2
12:00 AM - 12:05 AM	41.8	42.8	41.6
12:05 AM - 12:10 AM	41.3	45.5	39.5
12:10 AM - 12:15 AM	39.8	42.1	38.1
12:15 AM - 12:20 AM	41.2	45.9	39.9
12:20 AM - 12:25 AM	41.8	42.8	41.8

Approved By \_\_\_\_\_

Warren S. Manas

DOI:10.1016/j.sbsbs.2014.06.001

[www.alsglobal.com](http://www.alsglobal.com)

www.alsglobal.com



TESTING  
to 0043

Lot ID: 2349341  
Date Received : May 23, 2023  
Date Reported : Jun 01, 2023  
Report No. : 2664464-1

Page 2 of 5

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
12:25 AM - 12:30 AM	45.2	51.4	38.0
12:30 AM - 12:35 AM	41.3	48.3	38.3
12:35 AM - 12:40 AM	42.8	49.6	38.9
12:40 AM - 12:45 AM	46.6	47.2	37.7
12:45 AM - 12:50 AM	42.8	51.0	40.0
12:50 AM - 12:55 AM	42.8	39.1	40.4
12:55 AM - 01:00 AM	41.8	49.0	39.6
01:00 AM - 01:05 AM	41.4	48.8	40.0
01:05 AM - 01:10 AM	41.3	47.9	40.0
01:10 AM - 01:15 AM	41.5	49.3	39.8
01:15 AM - 01:20 AM	41.9	50.0	40.1
01:20 AM - 01:25 AM	41.2	47.6	39.0
01:25 AM - 01:30 AM	40.0	45.3	38.0
01:30 AM - 01:35 AM	40.9	55.1	37.5
01:35 AM - 01:40 AM	44.7	41.9	37.7
01:40 AM - 01:45 AM	50.4	62.9	37.3
01:45 AM - 01:50 AM	48.9	64.4	38.5
01:50 AM - 01:55 AM	45.0	66.3	37.4
01:55 AM - 02:00 AM	44.3	60.0	38.5
02:00 AM - 02:05 AM	43.8	50.1	40.1
02:05 AM - 02:10 AM	47.6	65.5	40.9
02:10 AM - 02:15 AM	50.8	61.4	42.4
02:15 AM - 02:20 AM	48.4	61.9	39.5
02:20 AM - 02:25 AM	50.6	65.1	41.7
02:25 AM - 02:30 AM	35.5	48.6	41.0
02:30 AM - 02:35 AM	33.4	70.9	41.6
02:35 AM - 02:40 AM	31.7	65.5	42.8
02:40 AM - 02:45 AM	32.9	67.2	41.3
02:45 AM - 02:50 AM	52.0	48.2	41.9
02:50 AM - 02:55 AM	46.2	56.0	41.0
02:55 AM - 03:00 AM	44.4	57.3	40.7
03:00 AM - 03:05 AM	41.8	55.3	40.3
03:05 AM - 03:10 AM	42.8	51.7	40.5
03:10 AM - 03:15 AM	41.0	51.8	39.6
03:15 AM - 03:20 AM	40.9	48.0	40.2
03:20 AM - 03:25 AM	40.5	54.6	39.4
03:25 AM - 03:30 AM	40.3	51.7	38.5
03:30 AM - 03:35 AM	40.2	47.8	39.1
03:35 AM - 03:40 AM	41.1	54.1	39.7
03:40 AM - 03:45 AM	41.1	47.9	40.0

Approved by \_\_\_\_\_

Wawen Borlak  
Mahant

© 2014 The Authors. Journal of Clinical Pharmacy and Therapeutics © 2014 Blackwell Publishing Ltd

[www.alglobal.com](http://www.alglobal.com)

**RIGHT SOLUTIONS** www.rightsolutions.com





## Analysis / Test Report



TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.  
203/115 26TH Fl. Italtai Town, New Petchburi Road, Bangkapi, Huaykwang, Bangkok  
Thailand 10310

Lot ID: 2349341  
Date Received : May 23, 2023  
Date Reported : Jun 01, 2023  
Report No. : 2664464-1

P/O :  
Project Name : Laemchabang  
Project Location :

Page 1 of 3

Sample No. : 2349341-15  
Parameter : Noise  
Location : N3 : แขวงห้วยขวาง เขต 4 (GPS 47P 713927, 1441556) (Shut down)  
Measurement Date : May 14 - 15, 2023  
Measurement by : Srivak Ruangsom  
Sound Level Meter : 00900073

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
03:45 AM - 07:30 AM	48.6	61.2	41.0
07:30 AM - 08:15 AM	42.1	45.4	41.1
08:15 AM - 08:30 AM	41.1	48.7	41.2
08:30 AM - 08:45 AM	41.9	46.2	40.0
08:45 AM - 09:10 AM	42.2	45.7	40.5
09:10 AM - 09:15 AM	46.5	60.5	41.0
09:15 AM - 09:30 AM	42.1	44.0	41.1
09:30 AM - 09:45 AM	41.1	42.4	40.0
09:45 AM - 10:00 AM	41.6	47.6	40.7
10:00 AM - 10:15 AM	41.8	49.2	41.0
10:15 AM - 10:40 AM	43.8	46.3	41.8
10:40 AM - 10:45 AM	42.1	44.1	41.7
10:45 AM - 10:50 AM	34.7	72.1	40.7
10:50 AM - 10:55 AM	42.1	61.2	41.3
10:55 AM - 11:00 AM	46.7	61.8	41.9
11:00 AM - 11:05 AM	42.4	49.4	41.8
11:05 AM - 11:10 AM	47.6	56.9	41.7
11:10 AM - 11:15 AM	46.0	55.5	43.2
11:15 AM - 11:20 AM	43.7	51.8	43.0
11:20 AM - 11:25 AM	43.8	49.6	42.8
11:25 AM - 11:30 AM	54.5	72.4	42.7
11:30 AM - 11:35 AM	47.6	61.1	42.7
11:35 AM - 11:40 AM	46.7	57.4	42.6
11:40 AM - 11:45 AM	46.7	58.2	41.8
11:45 AM - 11:50 AM	46.1	52.7	41.9
11:50 AM - 11:55 AM	43.0	54.7	41.4
11:55 AM - 12:00 AM	45.2	54.4	42.7
12:00 AM - 12:05 AM	53.7	61.4	43.1
12:05 AM - 12:10 AM	56.3	62.7	40.9
12:10 AM - 12:15 AM	59.1	62.8	43.2
12:15 AM - 12:20 AM	48.0	71.5	41.7
12:20 AM - 11:00 AM	39.8	60.6	32.3

### Reference Method :

- ISO 1996-1
- มาตรฐานการควบคุมเสียงรบกวน : มาตรฐานการควบคุมเสียงรบกวนในชุมชน พ.ศ. 2551

Approved by

Witawat Borak  
Manager

10040401610 Map 5 T. Maekong Khui A. Phumkang Rong 21140 Thailand T. 091-468 0304 8555 F. 091-468 0304 8556

www.alsglobal.com

RIGHT SOLUTIONS



## Analysis / Test Report



TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.  
203/115 26TH Fl. Italtai Town, New Petchburi Road, Bangkapi, Huaykwang, Bangkok  
Thailand 10310

Lot ID: 2349341  
Date Received : May 23, 2023  
Date Reported : Jun 01, 2023  
Report No. : 2664465-1

P/O :  
Project Name : Laemchabang  
Project Location :

Page 1 of 3

Sample No. : 2349341-16  
Parameter : Noise  
Location : N3 : แขวงห้วยขวาง เขต 4 (GPS 47P 713927, 1441556) (Shut down)  
Measurement Date : May 15 - 16, 2023  
Measurement by : Srivak Ruangsom  
Sound Level Meter : 00900073

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
11:00 AM - 12:00 PM	55.6	87.0	33.5
12:00 PM - 01:00 PM	42.4	48.2	32.7
01:00 PM - 02:00 PM	42.3	63.4	34.7
02:00 PM - 03:00 PM	46.5	63.9	36.3
03:00 PM - 04:00 PM	42.7	67.0	35.0
04:00 PM - 05:00 PM	50.7	79.1	35.3
05:00 PM - 06:00 PM	47.8	78.3	34.4
06:00 PM - 07:00 PM	42.4	62.5	36.5
07:00 PM - 08:00 PM	49.3	62.1	44.3
08:00 PM - 09:00 PM	44.4	62.7	41.9
09:00 PM - 10:00 PM	43.6	62.9	42.8
10:00 PM - 10:05 PM	46.0	55.0	42.3
10:05 PM - 10:10 PM	47.6	56.7	44.0
10:10 PM - 10:15 PM	45.8	55.8	43.1
10:15 PM - 10:20 PM	44.2	45.9	41.2
10:20 PM - 10:25 PM	49.3	54.4	44.0
10:25 PM - 10:30 PM	45.0	46.9	43.8
10:30 PM - 10:35 PM	43.4	46.6	44.5
10:35 PM - 10:40 PM	44.9	47.9	40.8
10:40 PM - 10:45 PM	46.1	52.4	43.4
10:45 PM - 10:50 PM	43.7	48.4	44.7
10:50 PM - 10:55 PM	45.0	47.9	40.8
10:55 PM - 11:00 PM	44.3	48.8	43.4
11:00 PM - 11:05 PM	42.9	46.3	42.7
11:05 PM - 11:10 PM	42.6	48.0	42.0
11:10 PM - 11:15 PM	42.7	47.8	41.6
11:15 PM - 11:20 PM	44.3	44.3	42.0
11:20 PM - 11:25 PM	42.2	44.6	40.8
11:25 PM - 11:30 PM	41.6	46.5	40.1
11:30 PM - 11:35 PM	41.7	42.6	39.8
11:35 PM - 11:40 PM	41.5	48.8	40.1
11:40 PM - 11:45 PM	45.1	45.1	41.3
11:45 PM - 11:50 PM	42.1	45.8	40.8
11:50 PM - 11:55 PM	43.5	45.6	42.2
11:55 PM - 12:00 AM	45.2	54.3	42.3
12:00 AM - 12:05 AM	42.7	46.0	41.3
12:05 AM - 12:10 AM	43.8	47.6	42.9
12:10 AM - 12:15 AM	42.0	49.6	39.1
12:15 AM - 12:20 AM	40.6	45.4	37.9
12:20 AM - 12:25 AM	44.5	49.9	41.4

Approved by

Witawat Borak  
Manager

10040401610 Map 5 T. Maekong Khui A. Phumkang Rong 21140 Thailand T. 091-468 0304 8555 F. 091-468 0304 8556

www.alsglobal.com

RIGHT SOLUTIONS



## Analysis / Test Report

TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.  
203/115 26TH Fl. Italtai Town, New Petchburi Road, Bangkapi, Huaykwang, Bangkok  
Thailand 10310

Lot ID: 2349341  
Date Received : May 23, 2023  
Date Reported : Jun 01, 2023  
Report No. : 2664465-1

P/O :  
Project Name : Laemchabang  
Project Location :

Page 2 of 3

Sample No. : 2349341-16  
Parameter : Noise  
Location : N3 : แขวงห้วยขวาง เขต 4 (GPS 47P 713927, 1441556) (Shut down)  
Measurement Date : May 15 - 16, 2023  
Measurement by : Srivak Ruangsom  
Sound Level Meter : 00900073

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
12:25 AM - 12:30 AM	43.3	48.3	42.1
12:30 AM - 12:35 AM	43.7	45.3	42.8
12:35 AM - 12:40 AM	43.4	42.8	42.8
12:40 AM - 12:45 AM	43.1	45.0	41.0
12:45 AM - 12:50 AM	42.7	46.9	41.7
12:50 AM - 12:55 AM	45.3	48.0	43.9
12:55 AM - 01:00 AM	47.4	57.2	38.4
01:00 AM - 01:05 AM	46.3	59.6	35.9
01:05 AM - 01:10 AM	46.2	55.3	36.7
01:10 AM - 01:15 AM	57.5	70.5	36.4
01:15 AM - 01:20 AM	42.2	55.4	36.7
01:20 AM - 01:25 AM	43.8	51.6	37.6
01:25 AM - 01:30 AM	45.6	63.7	34.8
01:30 AM - 01:35 AM	44.0	52.7	36.7
01:35 AM - 01:40 AM	45.3	59.1	36.1
01:40 AM - 01:45 AM	39.2	47.0	35.2
01:45 AM - 01:50 AM	42.3	54.5	33.4
01:50 AM - 01:55 AM	45.3	54.7	37.2
01:55 AM - 02:00 AM	47.7	64.0	35.7
02:00 AM - 02:05 AM	44.4	59.3	35.4
02:05 AM - 02:10 AM	53.3	67.3	38.3
02:10 AM - 02:15 AM	53.9	70.4	34.2
02:15 AM - 02:20 AM	48.0	48.9	35.8
02:20 AM - 02:25 AM	41.6	53.0	35.4
02:25 AM - 02:30 AM	39.6	48.8	35.6
02:30 AM - 02:35 AM	41.8	52.8	36.1
02:35 AM - 02:40 AM	46.1	54.9	34.9
02:40 AM - 02:45 AM	38.8	48.1	34.7
02:45 AM - 02:50 AM	42.1	58.0	35.2
02:50 AM - 02:55 AM	38.6	48.2	34.3
02:55 AM - 03:00 AM	45.5	59.2	34.4
03:00 AM - 03:05 AM	42.3	58.3	32.7
03:05 AM - 03:10 AM	42.2	58.7	32.0
03:10 AM - 03:15 AM	38.3	45.1	31.3
03:15 AM - 03:20 AM	36.8	44.3	33.4
03:20 AM - 03:25 AM	39.3	60.4	33.6
03:25 AM - 03:30 AM	36.7	47.3	32.2
03:30 AM - 03:35 AM	45.5	62.7	32.9
03:35 AM - 03:40 AM	45.2	61.6	32.7
03:40 AM - 03:45 AM	37.4	45.7	33.3

Approved by

Witawat Borak  
Manager

10040401610 Map 5 T. Maekong Khui A. Phumkang Rong 21140 Thailand T. 091-468 0304 8555 F. 091-468 0304 8556

www.alsglobal.com

RIGHT SOLUTIONS



## Analysis / Test Report

TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.  
203/115 26TH Fl. Italtai Town, New Petchburi Road, Bangkapi, Huaykwang, Bangkok  
Thailand 10310

Lot ID: 2349341  
Date Received : May 23, 2023  
Date Reported : Jun 01, 2023  
Report No. : 2664465-1

P/O :  
Project Name : Laemchabang  
Project Location :

Page 2 of 3

Sample No. : 2349341-16  
Parameter : Noise  
Location : N3 : แขวงห้วยขวาง เขต 4 (GPS 47P 713927, 1441556) (Shut down)  
Measurement Date : May 15 - 16, 2023  
Measurement by : Srivak Ruangsom  
Sound Level Meter : 00900073

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
03:45 AM - 07:30 AM	48.4	62.1	33.3
07:30 AM - 08:15 AM	41.7	57.4	32.3
08:15 AM - 08:30 AM	46.8	69.5	32.8
08:30 AM - 08:45 AM	41.9	47.1	33.6
08:45 AM - 09:10 AM	36.9	45.3	31.9
09:10 AM - 09:15 AM	33.1	44.5	30.3
09:15 AM - 09:30 AM	32.4	44.0	31.2
09:30 AM - 09:45 AM	36.2	46.1	31.8
09:45 AM - 10:00 AM	35.8	46.0	31.3
10:00 AM - 10:05 AM	52.6	68.2	32.2
10:05 AM - 10:10 AM	34.4	44.8	32.3
10:10 AM - 10:15 AM	52.3	72.9	31.3
10:15 AM - 10:20 AM	27.1	76.7	31.8
10:20 AM - 10:25 AM	45.0	55.3	31.5
10:25 AM - 10:30 AM	43.1	62.2	31.6
10:30 AM - 10:35 AM	43.5	55.3	36.3
10:35 AM - 10:40 AM	41.0	48.1	38.7
10:40 AM - 10:45 AM	41.0	55.7	41.3
10:45 AM - 10:50 AM	43.7	49.2	42.7
10:50 AM - 10:55 AM	43.0	49.6	41.8
10:55 AM - 11:00 AM	47.3	65.8	41.5
11:00 AM - 11:05 AM	42.2	62.2	41.2
11:05 AM - 11:10 AM	47.9	57.9	38.1
11:10 AM - 11:15 AM	41.7	57.9	38.2
11:15 AM - 11:20 AM	51.8	60.8	40.3
11:20 AM - 11:25 AM	42.3	50.6	39.7
11:25 AM - 11:30 AM	48.6	48.6	41.1
11:30 AM - 11:35 AM	48.8	49.2	41.8
11:35 AM - 11:40 AM	51.8	76.5	39.9
11:40 AM - 11:45 AM	50.0	73.7	34.7
11:45 AM - 11:50 AM	42.7	62.4	32.4
11:50 AM - 11:55 AM	44.0	64.8	33.6

### Reference Method :

- ISO 1996-1
- มาตรฐานการควบคุมเสียงรบกวน : มาตรฐานการควบคุมเสียงรบกวนในชุมชน พ.ศ. 2551

Approved by

Witawat Borak  
Manager

10040401610 Map 5 T. Maekong Khui A. Phumkang Rong 21140 Thailand T. 091-468 0304 8555 F. 091-468 0304 8556

www.alsglobal.com

RIGHT SOLUTIONS







## Analysis / Test Report



TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Itathai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok  
Thailand 10310

Lot ID: 2349341  
Date Received : May 23, 2023  
Date Reported : Jun 01, 2023  
Report No. : 2664667-1

P/O :  
Project Name : Leemchabang  
Project Location : Leemchabang

Page 2 of 2

Sample No. : 2349341-18  
Parameter : Noise  
Location : N3 : สุราษฎร์ธานี (สุราษฎร์ธานี) (GPS 47P 713927, 1441556) (Shut down)  
Measurement Date : May 17 - 18, 2023  
Measurement by : Srivut Ruangsom  
Sound Level Meter : 06900073

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
12:35 AM - 12:30 AM	45.3	51.8	46.4
12:30 AM - 12:35 AM	45.8	50.2	46.8
12:35 AM - 12:40 AM	47.8	49.0	47.2
12:40 AM - 12:45 AM	47.8	51.2	47.2
12:45 AM - 12:50 AM	47.2	46.3	46.5
12:50 AM - 12:55 AM	47.9	53.1	47.0
12:55 AM - 01:00 AM	48.8	50.2	46.7
01:00 AM - 01:05 AM	48.2	54.0	44.5
01:05 AM - 01:10 AM	49.2	53.6	47.6
01:10 AM - 01:15 AM	48.6	49.8	47.8
01:15 AM - 01:20 AM	48.2	51.1	47.7
01:20 AM - 01:25 AM	47.7	52.8	46.2
01:25 AM - 01:30 AM	46.6	48.2	45.4
01:30 AM - 01:35 AM	46.8	46.2	46.3
01:35 AM - 01:40 AM	46.4	47.9	45.1
01:40 AM - 01:45 AM	46.7	47.6	37.9
01:45 AM - 01:50 AM	41.4	46.8	38.8
01:50 AM - 01:55 AM	46.2	41.3	38.4
01:55 AM - 02:00 AM	39.8	44.9	38.1
02:00 AM - 02:05 AM	41.6	46.1	38.8
02:05 AM - 02:10 AM	40.9	52.1	38.8
02:10 AM - 02:15 AM	42.8	57.6	39.2
02:15 AM - 02:20 AM	42.3	46.0	40.3
02:20 AM - 02:25 AM	40.3	46.9	39.7
02:25 AM - 02:30 AM	41.5	44.4	39.9
02:30 AM - 02:35 AM	41.1	46.8	39.4
02:35 AM - 02:40 AM	44.5	60.2	36.9
02:40 AM - 02:45 AM	54.0	58.1	42.4
02:45 AM - 02:50 AM	53.4	58.1	41.9
02:50 AM - 02:55 AM	43.7	56.8	40.5
02:55 AM - 03:00 AM	44.3	50.7	41.9
03:00 AM - 03:05 AM	44.3	53.8	43.2
03:05 AM - 03:10 AM	45.3	57.0	42.3
03:10 AM - 03:15 AM	44.7	49.4	43.2
03:15 AM - 03:20 AM	42.7	49.2	38.9
03:20 AM - 03:25 AM	38.2	42.9	38.2
03:25 AM - 03:30 AM	43.1	52.0	40.4
03:30 AM - 03:35 AM	41.3	45.7	40.2
03:35 AM - 03:40 AM	43.5	48.7	41.5
03:40 AM - 03:45 AM	49.3	64.4	45.8

This document is the property of ALS. It is not to be reproduced or used in any form without written permission from ALS. If you are a customer of ALS, you may use this report for your own reference only. It is not to be used for any other purpose.

Approved by

Wibb.

Wibwan Borak  
Manager

ADDRESS: 616/10 Moo 5, T. Maeng Kru, Phraekong Rong 21140 Thailand. Phone: +66 8 3304 8555. Fax: +66 8 3304 8556. E-mail: info@alsglobal.com. Website: www.alsglobal.com

ALS Global

www.alsglobal.com

RIGHT SOLUTIONS



## Analysis / Test Report



TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Itathai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok  
Thailand 10310

Lot ID: 2349341  
Date Received : May 23, 2023  
Date Reported : Jun 01, 2023  
Report No. : 2664667-1

P/O :  
Project Name : Leemchabang  
Project Location : Leemchabang

Page 1 of 2

Sample No. : 2349341-18  
Parameter : Noise  
Location : N3 : สุราษฎร์ธานี (สุราษฎร์ธานี) (GPS 47P 713927, 1441556) (Shut down)  
Measurement Date : May 17 - 18, 2023  
Measurement by : Srivut Ruangsom  
Sound Level Meter : 06900073

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
03:45 AM - 03:50 AM	49.0	51.6	46.0
03:50 AM - 03:55 AM	49.9	62.1	46.0
03:55 AM - 04:00 AM	46.3	48.2	45.9
04:00 AM - 04:05 AM	53.3	49.2	46.2
04:05 AM - 04:10 AM	47.2	59.0	46.3
04:10 AM - 04:15 AM	51.7	63.5	45.9
04:15 AM - 04:20 AM	46.8	53.1	45.8
04:20 AM - 04:25 AM	42.9	46.1	44.8
04:25 AM - 04:30 AM	38.6	43.0	35.1
04:30 AM - 04:35 AM	38.5	47.9	34.8
04:35 AM - 04:40 AM	37.3	44.4	35.2
04:40 AM - 04:45 AM	48.2	62.7	36.5
04:45 AM - 04:50 AM	32.5	67.3	37.0
04:50 AM - 04:55 AM	43.3	65.7	41.5
04:55 AM - 05:00 AM	50.6	59.2	46.0
05:00 AM - 05:05 AM	55.3	64.0	51.6
05:05 AM - 05:10 AM	54.0	62.8	51.4
05:10 AM - 05:15 AM	50.1	55.6	44.5
05:15 AM - 05:20 AM	47.2	57.6	40.2
05:20 AM - 05:25 AM	47.4	61.7	39.8
05:25 AM - 05:30 AM	41.2	46.5	39.5
05:30 AM - 05:35 AM	45.4	54.4	39.6
05:35 AM - 05:40 AM	49.3	59.4	43.0
05:40 AM - 05:45 AM	49.8	62.7	41.0
05:45 AM - 05:50 AM	57.1	71.1	38.4
05:50 AM - 05:55 AM	51.2	68.4	39.2
05:55 AM - 06:00 AM	47.8	59.6	39.8
06:00 AM - 06:05 AM	42.4	48.9	40.7
06:05 AM - 06:10 AM	52.0	79.0	40.7
06:10 AM - 06:15 AM	52.3	76.4	42.9
06:15 AM - 06:20 AM	51.5	76.8	42.9
06:20 AM - 06:25 AM	53.7	79.9	42.9

Reference Method :

- ISO 1996-1
- กรมมาตรฐานการควบคุมมลพิษ (กรมควบคุมมลพิษ) 24 วิธีการวัดและประเมินค่าเสียง (ฉบับปรับปรุง พ.ศ. 2553)

This document is the property of ALS. It is not to be reproduced or used in any form without written permission from ALS. If you are a customer of ALS, you may use this report for your own reference only. It is not to be used for any other purpose.

Approved by

Wibb.

Wibwan Borak  
Manager

ADDRESS: 616/10 Moo 5, T. Maeng Kru, Phraekong Rong 21140 Thailand. Phone: +66 8 3304 8555. Fax: +66 8 3304 8556. E-mail: info@alsglobal.com. Website: www.alsglobal.com

ALS Global

www.alsglobal.com

RIGHT SOLUTIONS



## Analysis / Test Report



TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Itathai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok  
Thailand 10310

Lot ID: 2349341  
Date Received : May 23, 2023  
Date Reported : Jun 01, 2023  
Report No. : 2664668-1

P/O :  
Project Name : Leemchabang  
Project Location : Leemchabang

Page 1 of 2

Sample No. : 2349341-19  
Parameter : Noise  
Location : N3 : สุราษฎร์ธานี (สุราษฎร์ธานี) (GPS 47P 713927, 1441556) (Shut down)  
Measurement Date : May 18 - 19, 2023  
Measurement by : Srivut Ruangsom  
Sound Level Meter : 06900073

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
11:30 AM - 12:00 PM	52.5	69.7	42.0
12:00 PM - 01:00 PM	52.5	76.5	41.9
01:00 PM - 02:00 PM	49.3	68.9	39.1
02:00 PM - 03:00 PM	46.3	62.7	41.2
03:00 PM - 04:00 PM	45.9	65.4	39.9
04:00 PM - 05:00 PM	45.4	65.7	40.9
05:00 PM - 06:00 PM	46.7	73.4	39.7
06:00 PM - 07:00 PM	46.3	64.6	41.8
07:00 PM - 08:00 PM	50.0	68.6	46.6
08:00 PM - 09:00 PM	45.3	56.6	44.1
09:00 PM - 10:00 PM	41.5	50.9	40.8
10:00 PM - 10:05 PM	41.4	47.0	46.2
10:05 PM - 10:10 PM	41.9	46.0	40.8
10:10 PM - 10:15 PM	41.2	47.2	40.2
10:15 PM - 10:20 PM	41.0	47.9	40.0
10:20 PM - 10:25 PM	40.4	46.9	38.2
10:25 PM - 10:30 PM	41.1	47.0	38.8
10:30 PM - 10:35 PM	41.2	48.6	38.2
10:35 PM - 10:40 PM	41.2	48.8	39.1
10:40 PM - 10:45 PM	45.6	55.1	39.4
10:45 PM - 10:50 PM	42.0	48.8	38.9
10:50 PM - 10:55 PM	40.8	48.9	38.6
10:55 PM - 11:00 PM	41.6	48.6	38.7
11:00 PM - 11:05 PM	41.1	49.5	38.6
11:05 PM - 11:10 PM	46.9	51.2	47.8
11:10 PM - 11:15 PM	46.9	51.7	44.0
11:15 PM - 11:20 PM	46.3	51.3	44.1
11:20 PM - 11:25 PM	46.9	52.0	44.5
11:25 PM - 11:30 PM	48.0	63.0	45.0
11:30 PM - 11:35 PM	45.2	47.8	44.1
11:35 PM - 11:40 PM	44.4	50.5	39.8
11:40 PM - 11:45 PM	42.0	48.9	37.7
11:45 PM - 11:50 PM	41.6	47.6	39.0
11:50 PM - 11:55 PM	40.8	46.8	39.4
11:55 PM - 12:00 AM	39.8	39.3	40.4
12:00 AM - 12:05 AM	46.4	50.9	42.5
12:05 AM - 12:10 AM	43.0	46.3	39.5
12:10 AM - 12:15 AM	45.1	46.1	40.1
12:15 AM - 12:20 AM	47.0	43.2	40.2
12:20 AM - 12:25 AM	43.3	46.8	41.4

This document is the property of ALS. It is not to be reproduced or used in any form without written permission from ALS. If you are a customer of ALS, you may use this report for your own reference only. It is not to be used for any other purpose.

Approved by

Wibb.

Wibwan Borak  
Manager

ADDRESS: 616/10 Moo 5, T. Maeng Kru, Phraekong Rong 21140 Thailand. Phone: +66 8 3304 8555. Fax: +66 8 3304 8556. E-mail: info@alsglobal.com. Website: www.alsglobal.com

ALS Global

www.alsglobal.com

RIGHT SOLUTIONS



## Analysis / Test Report



TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Itathai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok  
Thailand 10310

Lot ID: 2349341  
Date Received : May 23, 2023  
Date Reported : Jun 01, 2023  
Report No. : 2664668-1

P/O :  
Project Name : Leemchabang  
Project Location : Leemchabang

Page 2 of 2

Sample No. : 2349341-19  
Parameter : Noise  
Location : N3 : สุราษฎร์ธานี (สุราษฎร์ธานี) (GPS 47P 713927, 1441556) (Shut down)  
Measurement Date : May 18 - 19, 2023  
Measurement by : Srivut Ruangsom  
Sound Level Meter : 06900073

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
12:25 AM - 12:30 AM	44.3	50.4	41.8
12:30 AM - 12:35 AM	44.4	47.7	42.2
12:35 AM - 12:40 AM	47.0	47.6	46.4
12:40 AM - 12:45 AM	44.1	47.1	43.3
12:45 AM - 12:50 AM	44.0	53.9	42.6
12:50 AM - 12:55 AM	44.0	45.0	43.6
12:55 AM - 01:00 AM	46.2	48.6	42.2
01:00 AM - 01:05 AM	46.1	50.1	44.8
01:05 AM - 01:10 AM	46.9	50.2	46.5
01:10 AM - 01:15 AM	46.9	48.8	46.6
01:15 AM - 01:20 AM	47.0	48.8	46.4
01:20 AM - 01:25 AM	47.3	48.1	47.2
01:25 AM - 01:30 AM	47.3	48.2	46.4
01:30 AM - 01:35 AM	46.3	48.3	46.9
01:35 AM - 01:40 AM	47.7	58.0	45.8
01:40 AM - 01:45 AM	45.8	49.0	45.3
01:45 AM - 01:50 AM	46.5	47.4	45.4
01:50 AM - 01:55 AM	46.3	47.5	45.6
01:55 AM - 02:00 AM	43.7	47.9	39.7
02:00 AM - 02:05 AM	28.4	42.0	35.1
02:05 AM - 02:10 AM	41.9	44.9	34.9
02:10 AM - 02:15 AM	45.7	48.7	41.4
02:15 AM - 02:20 AM	47.5	48.1	46.9
02:20 AM - 02:25 AM	47.5	48.6	47.3
02:25 AM - 02:30 AM	47.8	55.4	47.0
02:30 AM - 02:35 AM	49.1	60.3	47.4
02:35 AM - 02:40 AM	49.7	61.4	49.7
02:40 AM - 02:45 AM	46.8	50.2	48.5
02:45 AM - 02:50 AM	49.0	58.6	45.0
02:50 AM - 02:55 AM	54.3	59.8	47.2
02:55 AM - 03:00 AM	50.4	55.4	45.9
03:00 AM - 03:05 AM	51.2	55.8	43.5
03:05 AM - 03:10 AM	41.1	47.5	35.8
03:10 AM - 03:15 AM	46.6	46.6	36.6
03:15 AM - 03:20 AM	40.8	51.0	36.3
03:20 AM - 03:25 AM	42.5	47.3	40.7
03:25 AM - 03:30 AM	43.1	52.1	41.1
03:30 AM - 03:35 AM	43.5	52.8	40.6
03:35 AM - 03:40 AM	38.4	51.7	34.1
03:40 AM - 03:45 AM	29.7	44.8	35.1

This document is the property of ALS. It is not to be reproduced or used in any form without written permission from ALS. If you are a customer of ALS, you may use this report for your own reference only. It is not to be used for any other purpose.

Approved by

Wibb.

Wibwan Borak  
Manager

ADDRESS: 616/10 Moo 5, T. Maeng Kru, Phraekong Rong 21140 Thailand. Phone: +66 8 3304 8555. Fax: +66 8 3304 8556. E-mail: info@alsglobal.com. Website: www.alsglobal.com

ALS Global

www.alsglobal.com

RIGHT SOLUTIONS







## Analysis / Test Report



TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.  
2024/11/26TH Fl. Italbhai Tower, New Petchburi Road, Banglapi, Huaykwang, Bangkok  
Thailand 10310

Lot ID: 2349341  
Date Received : May 23, 2023  
Date Reported : Jun 01, 2023  
Report No. : 2664470-1

P/O :  
Project Name : Laemchabang  
Project Location :

Sample No. : 2349341-21  
Parameter : Noise  
Location : N3 : สุราษฎร์ธานีซอย 4 (GPS 47P 713927, 1441556) (Shut down)  
Measurement Date : May 20 - 21, 2023  
Measurement by : Sirinut Ruangsom  
Sound Level Meter : 00900073

Page 1 of 3

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
11:00 AM - 12:00 PM	43.0	69.1	34.8
12:00 PM - 01:00 PM	46.3	63.4	35.9
01:00 PM - 02:00 PM	42.2	65.7	33.9
02:00 PM - 03:00 PM	49.2	77.8	34.5
03:00 PM - 04:00 PM	46.7	67.0	34.4
04:00 PM - 05:00 PM	47.8	78.8	38.2
05:00 PM - 06:00 PM	49.0	63.0	47.1
06:00 PM - 07:00 PM	47.9	64.9	44.8
07:00 PM - 08:00 PM	47.4	63.4	44.7
08:00 PM - 09:00 PM	45.9	63.3	43.1
09:00 PM - 10:00 PM	42.2	47.7	41.0
10:00 PM - 11:00 PM	41.8	43.9	39.7
10:55 PM - 11:00 PM	42.4	44.5	41.1
10:10 PM - 10:15 PM	44.1	55.2	41.2
10:15 PM - 10:20 PM	42.2	44.9	41.2
10:20 PM - 10:25 PM	42.7	46.5	41.8
10:25 PM - 10:30 PM	40.9	48.5	38.0
10:30 PM - 10:35 PM	39.5	44.3	36.8
10:35 PM - 10:40 PM	43.4	48.8	40.3
10:40 PM - 10:45 PM	42.2	47.2	41.8
10:45 PM - 10:50 PM	42.6	44.2	41.7
10:50 PM - 10:55 PM	42.3	41.8	41.5
10:55 PM - 11:00 PM	42.0	43.9	40.9
11:00 PM - 11:05 PM	41.8	43.8	40.6
11:05 PM - 11:10 PM	44.2	46.9	42.8
11:10 PM - 11:15 PM	42.1	47.1	39.8
11:15 PM - 11:20 PM	42.1	52.3	40.7
11:20 PM - 11:25 PM	40.1	44.2	39.1
11:25 PM - 11:30 PM	39.3	42.7	38.2
11:30 PM - 11:35 PM	39.3	43.4	38.0
11:35 PM - 11:40 PM	38.0	54.5	39.4
11:40 PM - 11:45 PM	38.9	42.5	37.9
11:45 PM - 11:50 PM	38.0	46.1	37.0
11:50 PM - 11:55 PM	39.2	46.3	37.5
11:55 PM - 12:00 AM	40.0	45.8	37.5
12:00 AM - 12:05 AM	44.1	53.7	39.9
12:05 AM - 12:10 AM	40.7	46.8	38.6
12:10 AM - 12:15 AM	45.5	60.1	39.3
12:15 AM - 12:20 AM	40.3	48.0	38.4
12:20 AM - 12:25 AM	40.0	46.4	39.1

The above results are valid only for the use and purpose intended, as indicated in this report. No part of this report is to be reproduced or transmitted in any form or by any means electronic or mechanical, including photocopying, recording, or by any information storage and retrieval system, without prior written permission from the Laboratory. A Laboratory Seal/Stamp and Signature is required for this report to be valid and not subject to dispute.

Approved by

*Wibb.*

Wibwan Borik  
Manager

ADDRESS 616/10 Moo 5, T. Maenam Khui A, Phukdaeng Raving 21140 Thailand. PHONE +66 9 3304 8355 FAX +66 9 3304 8356  
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS. RIGHT WAYS TO LIVE.



## Analysis / Test Report



TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.  
2024/11/26TH Fl. Italbhai Tower, New Petchburi Road, Banglapi, Huaykwang, Bangkok  
Thailand 10310

Lot ID: 2349341  
Date Received : May 23, 2023  
Date Reported : Jun 01, 2023  
Report No. : 2664470-1

P/O :  
Project Name : Laemchabang  
Project Location :

Sample No. : 2349341-21  
Parameter : Noise  
Location : N3 : สุราษฎร์ธานีซอย 4 (GPS 47P 713927, 1441556) (Shut down)  
Measurement Date : May 20 - 21, 2023  
Measurement by : Sirinut Ruangsom  
Sound Level Meter : 00900073

Page 2 of 3

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
12:25 AM - 12:30 AM	39.9	46.6	38.8
12:30 AM - 12:35 AM	41.8	56.2	38.2
12:35 AM - 12:40 AM	39.4	47.8	38.0
12:40 AM - 12:45 AM	40.4	50.2	37.1
12:45 AM - 12:50 AM	44.1	55.2	41.5
12:50 AM - 12:55 AM	43.8	54.2	39.8
12:55 AM - 01:00 AM	43.4	58.2	42.2
01:00 AM - 01:05 AM	40.6	51.0	39.4
01:05 AM - 01:10 AM	39.3	39.3	37.1
01:10 AM - 01:15 AM	39.4	43.7	37.0
01:15 AM - 01:20 AM	40.0	58.0	38.8
01:20 AM - 01:25 AM	41.9	54.2	37.6
01:25 AM - 01:30 AM	43.5	49.7	37.0
01:30 AM - 01:35 AM	38.9	44.7	37.1
01:35 AM - 01:40 AM	41.2	54.2	37.9
01:40 AM - 01:45 AM	40.3	43.7	38.1
01:45 AM - 01:50 AM	40.7	43.9	38.6
01:50 AM - 01:55 AM	40.8	47.4	39.4
01:55 AM - 02:00 AM	40.5	50.7	38.8
02:00 AM - 02:05 AM	39.1	42.5	37.7
02:05 AM - 02:10 AM	43.2	55.9	38.1
02:10 AM - 02:15 AM	39.0	45.0	37.5
02:15 AM - 02:20 AM	38.3	48.4	35.8
02:20 AM - 02:25 AM	37.9	41.9	35.2
02:25 AM - 02:30 AM	39.6	42.6	36.5
02:30 AM - 02:35 AM	38.8	41.7	37.3
02:35 AM - 02:40 AM	39.5	51.0	37.9
02:40 AM - 02:45 AM	46.6	63.8	38.3
02:45 AM - 02:50 AM	39.0	48.9	37.8
02:50 AM - 02:55 AM	45.0	61.6	37.1
02:55 AM - 03:00 AM	39.6	43.2	37.6
03:00 AM - 03:05 AM	52.6	68.4	37.8
03:05 AM - 03:10 AM	46.7	61.1	38.3
03:10 AM - 03:15 AM	39.6	48.2	37.6
03:15 AM - 03:20 AM	43.5	55.3	38.7
03:20 AM - 03:25 AM	41.0	46.1	38.2
03:25 AM - 03:30 AM	44.0	55.7	41.3
03:30 AM - 03:35 AM	43.7	49.2	42.7
03:35 AM - 03:40 AM	43.0	48.6	41.9
03:40 AM - 03:45 AM	46.8	65.3	41.0

The above results are valid only for the use and purpose intended, as indicated in this report. No part of this report is to be reproduced or transmitted in any form or by any means electronic or mechanical, including photocopying, recording, or by any information storage and retrieval system, without prior written permission from the Laboratory. A Laboratory Seal/Stamp and Signature is required for this report to be valid and not subject to dispute.

Approved by

*Wibb.*

Wibwan Borik  
Manager

ADDRESS 616/10 Moo 5, T. Maenam Khui A, Phukdaeng Raving 21140 Thailand. PHONE +66 9 3304 8355 FAX +66 9 3304 8356  
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS. RIGHT WAYS TO LIVE.



## Analysis / Test Report



TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.  
2024/11/26TH Fl. Italbhai Tower, New Petchburi Road, Banglapi, Huaykwang, Bangkok  
Thailand 10310

Lot ID: 2349341  
Date Received : May 23, 2023  
Date Reported : Jun 01, 2023  
Report No. : 2664470-1

P/O :  
Project Name : Laemchabang  
Project Location :

Sample No. : 2349341-21  
Parameter : Noise  
Location : N3 : สุราษฎร์ธานีซอย 4 (GPS 47P 713927, 1441556) (Shut down)  
Measurement Date : May 20 - 21, 2023  
Measurement by : Sirinut Ruangsom  
Sound Level Meter : 00900073

Page 1 of 1

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
03:45 AM - 03:50 AM	46.5	61.7	40.7
03:50 AM - 03:55 AM	47.5	67.4	37.6
03:55 AM - 04:00 AM	41.2	57.4	38.1
04:00 AM - 04:05 AM	52.1	68.0	36.8
04:05 AM - 04:10 AM	41.8	50.1	39.2
04:10 AM - 04:15 AM	42.5	48.1	40.6
04:15 AM - 04:20 AM	42.8	53.4	41.2
04:20 AM - 04:25 AM	43.4	58.4	41.1
04:25 AM - 04:30 AM	44.0	58.3	40.8
04:30 AM - 04:35 AM	43.0	50.0	40.6
04:35 AM - 04:40 AM	44.5	53.4	40.6
04:40 AM - 04:45 AM	52.0	66.7	41.5
04:45 AM - 04:50 AM	48.9	62.4	39.9
04:50 AM - 04:55 AM	47.1	64.1	38.5
04:55 AM - 05:00 AM	41.1	48.0	38.7
05:00 AM - 05:05 AM	48.4	64.5	38.7
05:05 AM - 05:10 AM	42.7	56.9	39.3
05:10 AM - 05:15 AM	44.9	57.5	39.8
05:15 AM - 05:20 AM	48.8	65.0	40.0
05:20 AM - 05:25 AM	46.1	61.6	38.0
05:25 AM - 05:30 AM	44.2	63.0	38.3
05:30 AM - 05:35 AM	47.4	62.4	36.7
05:35 AM - 05:40 AM	52.8	71.5	37.5
05:40 AM - 05:45 AM	42.7	59.9	37.9
05:45 AM - 05:50 AM	58.3	74.0	38.3
05:50 AM - 05:55 AM	43.0	52.6	38.1
05:55 AM - 06:00 AM	43.7	54.3	39.0
06:00 AM - 07:00 AM	49.3	73.9	36.2
07:00 AM - 08:00 AM	46.6	73.8	32.9
08:00 AM - 09:00 AM	42.3	61.0	31.8
09:00 AM - 10:00 AM	55.9	83.4	39.9
10:00 AM - 11:00 AM	50.3	65.3	41.9

Reference Method :  
1. ISO 1996-1  
2. มาตรฐานการวัดมลพิษทางเสียง (การวัดระดับเสียงและประเมินผลกระทบจากเสียงรบกวน) พ.ศ. 2553

Approved by

*Wibb.*

Wibwan Borik  
Manager

ADDRESS 616/10 Moo 5, T. Maenam Khui A, Phukdaeng Raving 21140 Thailand. PHONE +66 9 3304 8355 FAX +66 9 3304 8356  
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS. RIGHT WAYS TO LIVE.



## Analysis / Test Report



TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.  
2024/11/26TH Fl. Italbhai Tower, New Petchburi Road, Banglapi, Huaykwang, Bangkok  
Thailand 10310

Lot ID: 2349341  
Date Received : May 23, 2023  
Date Reported : Jun 01, 2023  
Report No. : 2664471-1

P/O :  
Project Name : Laemchabang  
Project Location :

Sample No. : 2349341-22  
Parameter : Noise  
Location : N4 : สุราษฎร์ธานีซอย 5 (GPS 47P 714305, 1441144) (Shut down)  
Measurement Date : May 14 - 15, 2023  
Measurement by : Sirinut Ruangsom  
Sound Level Meter : 00900072

Page 1 of 3

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
11:00 AM - 12:00 PM	45.9	78.6	37.3
12:00 PM - 01:00 PM	43.2	68.4	36.4
01:00 PM - 02:00 PM	44.3	60.9	37.6
02:00 PM - 03:00 PM	42.7	63.7	36.9
03:00 PM - 04:00 PM	44.9	70.2	34.3
04:00 PM - 05:00 PM	45.0	66.4	36.4
05:00 PM - 06:00 PM	52.6	66.6	40.5
06:00 PM - 07:00 PM	44.0	65.0	38.6
07:00 PM - 08:00 PM	46.7	75.4	37.6
08:00 PM - 09:00 PM	42.3	68.6	36.7
09:00 PM - 10:00 PM	44.5	61.1	37.2
10:00 PM - 10:05 PM	42.1	51.5	41.5
10:05 PM - 10:10 PM	45.7	59.0	37.4
10:10 PM - 10:15 PM	43.3	60.2	36.7
10:15 PM - 10:20 PM	44.0	54.8	38.1
10:20 PM - 10:25 PM	42.7	55.2	41.8
10:25 PM - 10:30 PM	41.8	51.3	36.7
10:30 PM - 10:35 PM	47.1	65.9	34.7
10:35 PM - 10:40 PM	46.8	64.0	36.9
10:40 PM - 10:45 PM	41.3	53.0	36.1
10:45 PM - 10:50 PM	38.3	49.8	35.2
10:50 PM - 10:55 PM	35.1	44.0	33.1
10:55 PM - 11:00 PM	39.7	54.9	36.6
11:00 PM - 11:05 PM	42.6	59.9	36.4
11:05 PM - 11:10 PM	41.5	54.3	36.3
11:10 PM - 11:15 PM	37.6	47.7	34.3
11:15 PM - 11:20 PM	47.9	70.8	34.7
11:20 PM - 11:25 PM	41.0	58.0	35.1
11:25 PM - 11:30 PM	40.1	50.7	36.7
11:30 PM - 11:35 PM	40.6	48.4	36.8
11:35 PM - 11:40 PM	41.8	53.2	37.8
11:40 PM - 11:45 PM	42.4	54.2	38.2
11:45 PM - 11:50 PM	47.5	62.7	36.5
11:50 PM - 11:55 PM	47.8	63.7	36.5
11:55 PM - 12:00 AM	51.4	70.6	35.7
12:00 AM - 12:05 AM	42.1	55.3	36.4
12:05 AM - 12:10 AM	41.4	52.6	37.6
12:10 AM - 12:15 AM	44.6	60.4	38.8
12:15 AM - 12:20 AM	42.8	53.7	37.4
12:20 AM - 12:25 AM	44.7	58.4	38.4

The above results are valid only for the use and purpose intended, as indicated in this report. No part of this report is to be reproduced or transmitted in any form or by any means electronic or mechanical, including photocopying, recording, or by any information storage and retrieval system, without prior written permission from the Laboratory. A Laboratory Seal/Stamp and Signature is required for this report to be valid and not subject to dispute.

Approved by

*Wibb.*

Wibwan Borik  
Manager

ADDRESS 616/10 Moo 5, T. Maenam Khui A, Phukdaeng Raving 21140 Thailand. PHONE +66 9 3304 8355 FAX +66 9 3304 8356  
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS. RIGHT WAYS TO LIVE.



## Analysis / Test Report



TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Itatthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok  
Thailand 10310

Lot ID: 2349341  
Date Received : May 23, 2023  
Date Reported : Jun 01, 2023  
Report No. : 2664472-1

P/O :  
Project Name : Laemchabang  
Project Location :

Page 2 of 2

Sample No. : 2349341-22  
Parameter : Noise  
Location : N4 : ประตู/ทางออกด้านใน ซัด 5 (GPS 47P 714305, 1441144) (Shut down)  
Measurement Date : May 14 - 15, 2023  
Measurement by : Siriwat Ruangsang  
Sound Level Meter : 06900072

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
12:25 AM - 12:30 AM	42.3	55.8	38.1
12:30 AM - 12:35 AM	39.8	50.9	35.8
12:35 AM - 12:40 AM	44.3	53.8	38.8
12:40 AM - 12:45 AM	45.1	56.5	42.0
12:45 AM - 12:50 AM	46.5	58.1	43.9
12:50 AM - 12:55 AM	45.7	54.2	42.2
12:55 AM - 01:00 AM	43.8	56.9	39.8
01:00 AM - 01:05 AM	41.3	48.7	40.7
01:05 AM - 01:10 AM	42.4	56.3	39.9
01:10 AM - 01:15 AM	49.3	65.9	35.4
01:15 AM - 01:20 AM	44.0	63.8	39.5
01:20 AM - 01:25 AM	43.8	59.0	40.7
01:25 AM - 01:30 AM	43.7	50.8	41.2
01:30 AM - 01:35 AM	44.1	54.6	40.3
01:35 AM - 01:40 AM	44.6	44.6	41.1
01:40 AM - 01:45 AM	42.8	53.2	39.4
01:45 AM - 01:50 AM	54.7	66.2	51.1
01:50 AM - 01:55 AM	39.7	47.0	36.4
01:55 AM - 02:00 AM	39.6	47.1	34.2
02:00 AM - 02:05 AM	46.3	64.9	38.3
02:05 AM - 02:10 AM	47.8	65.5	37.4
02:10 AM - 02:15 AM	40.9	52.1	34.7
02:15 AM - 02:20 AM	44.2	60.3	38.0
02:20 AM - 02:25 AM	41.9	56.9	34.9
02:25 AM - 02:30 AM	42.4	51.0	34.8
02:30 AM - 02:35 AM	44.1	49.9	40.9
02:35 AM - 02:40 AM	44.4	49.0	40.8
02:40 AM - 02:45 AM	44.4	51.6	46.3
02:45 AM - 02:50 AM	46.4	61.0	40.4
02:50 AM - 02:55 AM	44.2	48.5	40.2
02:55 AM - 03:00 AM	44.2	47.6	40.2
03:00 AM - 03:05 AM	44.1	49.2	39.9
03:05 AM - 03:10 AM	45.2	62.2	39.8
03:10 AM - 03:15 AM	43.8	55.1	35.4
03:15 AM - 03:20 AM	42.5	48.2	34.7
03:20 AM - 03:25 AM	43.1	60.3	39.2
03:25 AM - 03:30 AM	39.3	44.1	38.4
03:30 AM - 03:35 AM	39.6	46.2	38.4
03:35 AM - 03:40 AM	39.4	44.5	38.4
03:40 AM - 03:45 AM	42.2	54.5	38.4

The above results are valid only for the measurement location(s) as indicated in the report. They are not valid for any other location(s) or for any other measurement method. The results are valid only for the measurement method used in the report. The results are valid only for the measurement method used in the report.

Approved by

Wibb.

Wibb. Sorak  
Manager

ADDRESS 616/10 Moo 5, T. Maengkhon A. Phrasang Rong 21140 Thailand. TEL: 06-014-82104533 FAX: 06-014-82104534  
ALS LABORATORY GROUP (THAILAND) CO., LTD. ALL RIGHTS RESERVED.

www.alsglobal.com

RIGHT SOLUTIONS. PRODUCT OF INNOVATION.



## Analysis / Test Report



TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Itatthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok  
Thailand 10310

Lot ID: 2349341  
Date Received : May 23, 2023  
Date Reported : Jun 01, 2023  
Report No. : 2664472-1

P/O :  
Project Name : Laemchabang  
Project Location :

Page 1 of 2

Sample No. : 2349341-22  
Parameter : Noise  
Location : N4 : ประตู/ทางออกด้านใน ซัด 5 (GPS 47P 714305, 1441144) (Shut down)  
Measurement Date : May 14 - 15, 2023  
Measurement by : Siriwat Ruangsang  
Sound Level Meter : 06900072

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
03:45 AM - 03:50 AM	40.1	46.2	39.2
03:50 AM - 03:55 AM	40.8	47.8	39.8
03:55 AM - 04:00 AM	46.3	68.3	39.1
04:00 AM - 04:05 AM	46.3	43.1	39.4
04:05 AM - 04:10 AM	41.8	47.7	39.4
04:10 AM - 04:15 AM	40.1	49.3	39.1
04:15 AM - 04:20 AM	42.1	56.2	39.3
04:20 AM - 04:25 AM	42.3	43.2	38.8
04:25 AM - 04:30 AM	46.3	68.3	38.5
04:30 AM - 04:35 AM	41.6	49.9	40.7
04:35 AM - 04:40 AM	41.8	44.7	41.2
04:40 AM - 04:45 AM	41.5	46.1	40.5
04:45 AM - 04:50 AM	41.2	54.7	39.3
04:50 AM - 04:55 AM	42.2	39.6	41.2
04:55 AM - 05:00 AM	42.4	44.5	40.4
05:00 AM - 05:05 AM	42.0	59.9	40.6
05:05 AM - 05:10 AM	41.7	54.0	40.4
05:10 AM - 05:15 AM	41.6	58.1	40.4
05:15 AM - 05:20 AM	43.3	54.3	41.1
05:20 AM - 05:25 AM	40.3	46.1	39.4
05:25 AM - 05:30 AM	40.9	49.6	39.1
05:30 AM - 05:35 AM	40.1	44.3	38.4
05:35 AM - 05:40 AM	42.1	55.0	39.7
05:40 AM - 05:45 AM	40.6	50.3	39.2
05:45 AM - 05:50 AM	39.8	44.9	38.0
05:50 AM - 05:55 AM	40.9	52.1	40.9
05:55 AM - 06:00 AM	40.5	51.1	38.4
06:00 AM - 07:00 AM	40.0	50.3	38.2
07:00 AM - 08:00 AM	39.3	39.9	37.4
08:00 AM - 09:00 AM	38.4	37.8	37.8
09:00 AM - 10:00 AM	38.8	52.6	37.0
10:00 AM - 11:00 AM	50.9	78.5	38.1

Reference Method :

1. ISO 1996-1

2. ประกาศกระทรวงมหาดไทย เรื่อง มาตรการควบคุมการปล่อยเสียงจากยานพาหนะ (ฉบับที่ 255)

The above results are valid only for the measurement location(s) as indicated in the report. They are not valid for any other location(s) or for any other measurement method. The results are valid only for the measurement method used in the report. The results are valid only for the measurement method used in the report.

Approved by

Wibb.

Wibb. Sorak  
Manager

ADDRESS 616/10 Moo 5, T. Maengkhon A. Phrasang Rong 21140 Thailand. TEL: 06-014-82104533 FAX: 06-014-82104534  
ALS LABORATORY GROUP (THAILAND) CO., LTD. ALL RIGHTS RESERVED.

www.alsglobal.com

RIGHT SOLUTIONS. PRODUCT OF INNOVATION.



## Analysis / Test Report



TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Itatthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok  
Thailand 10310

Lot ID: 2349341  
Date Received : May 23, 2023  
Date Reported : Jun 01, 2023  
Report No. : 2664472-1

P/O :  
Project Name : Laemchabang  
Project Location :

Page 1 of 2

Sample No. : 2349341-23  
Parameter : Noise  
Location : N4 : ประตู/ทางออกด้านใน ซัด 5 (GPS 47P 714305, 1441144) (Shut down)  
Measurement Date : May 15 - 16, 2023  
Measurement by : Siriwat Ruangsang  
Sound Level Meter : 06900072

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
11:00 AM - 12:00 PM	53.6	78.7	37.3
12:00 PM - 01:00 PM	49.2	68.2	41.1
01:00 PM - 02:00 PM	47.7	62.9	40.9
02:00 PM - 03:00 PM	51.3	77.8	35.6
03:00 PM - 04:00 PM	52.5	81.9	39.2
04:00 PM - 05:00 PM	55.2	85.1	35.1
05:00 PM - 06:00 PM	52.5	79.6	47.8
06:00 PM - 07:00 PM	46.8	71.3	38.1
07:00 PM - 08:00 PM	45.0	67.7	30.8
08:00 PM - 09:00 PM	41.9	62.0	29.9
09:00 PM - 10:00 PM	41.1	58.4	38.8
10:00 PM - 10:05 PM	38.6	48.8	37.7
10:05 PM - 10:10 PM	38.7	44.8	36.3
10:10 PM - 10:15 PM	38.0	43.4	36.4
10:15 PM - 10:20 PM	38.9	46.2	36.8
10:20 PM - 10:25 PM	37.3	41.4	35.0
10:25 PM - 10:30 PM	38.1	49.1	34.5
10:30 PM - 10:35 PM	38.1	44.4	35.6
10:35 PM - 10:40 PM	38.7	45.1	36.8
10:40 PM - 10:45 PM	38.5	43.2	34.7
10:45 PM - 10:50 PM	38.9	47.7	39.0
10:50 PM - 10:55 PM	39.3	46.7	37.1
10:55 PM - 11:00 PM	39.2	46.1	37.5
11:00 PM - 11:05 PM	38.0	45.9	36.8
11:05 PM - 11:10 PM	38.5	43.2	37.4
11:10 PM - 11:15 PM	38.7	44.4	37.5
11:15 PM - 11:20 PM	38.1	44.6	36.5
11:20 PM - 11:25 PM	38.9	48.1	38.1
11:25 PM - 11:30 PM	38.5	44.4	37.2
11:30 PM - 11:35 PM	39.3	44.8	38.4
11:35 PM - 11:40 PM	38.8	46.5	37.6
11:40 PM - 11:45 PM	38.2	44.2	37.4
11:45 PM - 11:50 PM	38.8	42.9	37.5
11:50 PM - 11:55 PM	38.3	41.6	37.5
11:55 PM - 12:00 AM	38.4	48.8	34.0
12:00 AM - 12:05 AM	38.1	44.2	36.7
12:05 AM - 12:10 AM	37.3	46.5	37.7
12:10 AM - 12:15 AM	38.0	50.7	35.9
12:15 AM - 12:20 AM	38.8	50.1	37.1
12:20 AM - 12:25 AM	37.9	51.0	34.9

The above results are valid only for the measurement location(s) as indicated in the report. They are not valid for any other location(s) or for any other measurement method. The results are valid only for the measurement method used in the report. The results are valid only for the measurement method used in the report.

Approved by

Wibb.

Wibb. Sorak  
Manager

ADDRESS 616/10 Moo 5, T. Maengkhon A. Phrasang Rong 21140 Thailand. TEL: 06-014-82104533 FAX: 06-014-82104534  
ALS LABORATORY GROUP (THAILAND) CO., LTD. ALL RIGHTS RESERVED.

www.alsglobal.com

RIGHT SOLUTIONS. PRODUCT OF INNOVATION.



## Analysis / Test Report



TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Itatthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok  
Thailand 10310

Lot ID: 2349341  
Date Received : May 23, 2023  
Date Reported : Jun 01, 2023  
Report No. : 2664472-1

P/O :  
Project Name : Laemchabang  
Project Location :

Page 2 of 2

Sample No. : 2349341-23  
Parameter : Noise  
Location : N4 : ประตู/ทางออกด้านใน ซัด 5 (GPS 47P 714305, 1441144) (Shut down)  
Measurement Date : May 15 - 16, 2023  
Measurement by : Siriwat Ruangsang  
Sound Level Meter : 06900072

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
12:25 AM - 12:30 AM	37.7	43.4	25.9
12:30 AM - 12:35 AM	38.2	46.7	33.2
12:35 AM - 12:40 AM	37.5	41.5	33.7
12:40 AM - 12:45 AM	37.9	48.4	35.6
12:45 AM - 12:50 AM	37.5	49.3	35.2
12:50 AM - 12:55 AM	38.9	49.0	31.4
12:55 AM - 01:00 AM	38.9	52.0	33.0
01:00 AM - 01:05 AM	38.3	52.3	34.6
01:05 AM - 01:10 AM	37.1	47.1	24.8
01:10 AM - 01:15 AM	39.2	58.3	38.3
01:15 AM - 01:20 AM	37.9	56.7	36.2
01:20 AM - 01:25 AM	48.4	72.3	36.6
01:25 AM - 01:30 AM	50.1	50.1	39.0
01:30 AM - 01:35 AM	40.1	52.3	39.1
01:35 AM - 01:40 AM	43.2	53.9	38.2
01:40 AM - 01:45 AM	45.8	62.5	38.8
01:45 AM - 01:50 AM	48.4	65.0	38.8
01:50 AM - 01:55 AM	52.8	74.1	39.2
01:55 AM - 02:00 AM	54.3	73.2	40.5
02:00 AM - 02:05 AM	51.5	71.4	40.3
02:05 AM - 02:10 AM	53.3	71.7	40.9
02:10 AM - 02:15 AM	46.4	66.2	37.3
02:15 AM - 02:20 AM	45.8	60.8	37.0
02:20 AM - 02:25 AM	44.0	56.5	40.1
02:25 AM - 02:30 AM	42.2	53.8	38.0
02:30 AM - 02:35 AM	40.7	51.4	38.7
02:35 AM - 02:40 AM	37.8	47.8	33.8
02:40 AM - 02:45 AM	39.0	53.3	35.2
02:45 AM - 02:50 AM	34.7	48.1	31.7
02:50 AM - 02:55 AM	34.4	45.4	31.7
02:55 AM - 03:00 AM	34.4	42.5	31.5
03:00 AM - 03:05 AM	42.3	54.8	35.9
03:05 AM - 03:10 AM	38.2	48.8	35.2
03:10 AM - 03:15 AM	38.4	43.0	33.3
03:15 AM - 03:20 AM	37.1	47.2	35.1
03:20 AM - 03:25 AM	34.6	44.7	34.9
03:25 AM - 03:30 AM	37.8	59.1	34.3
03:30 AM - 03:35 AM	33.9	39.3	22.6
03:35 AM - 03:40 AM	34.9	40.2	22.7
03:40 AM - 03:45 AM	38.2	62.5	36.5

The above results are valid only for the measurement location(s) as indicated in the report. They are not valid for any other location(s) or for any other measurement method. The results are valid only for the measurement method used in the report. The results are valid only for the measurement method used in the report.

Approved by

Wibb.

Wibb. Sorak  
Manager

ADDRESS 616/10 Moo 5, T. Maengkhon A. Phrasang Rong 21140 Thailand. TEL: 06-014-82104533 FAX: 06-014-82104534  
ALS LABORATORY GROUP (THAILAND) CO., LTD. ALL RIGHTS RESERVED.

www.alsglobal.com

RIGHT SOLUTIONS. PRODUCT OF INNOVATION.





## Analysis / Test Report



TESTING  
No. 0042

Client : Rojana Industrial Park Public Co., Ltd.  
2024/115 26TH Fl. Italbhai Tower, New Petchburi Road, Banglapi, Huaykwang, Bangkok  
Thailand 10310

P/O :  
Project Name : Laemchabang  
Project Location :

Lot ID: 2349341  
Date Received : May 23, 2023  
Date Reported : Jun 01, 2023  
Report No. : 2664473-1

Page 2 of 3

Sample No. : 2349341-23  
Parameter : Noise  
Location : N1 : จุดตรวจวัดเสียงรบกวน หน้า 5 (GPS 47P 714305, 1441144) (Shut down)  
Measurement Date : May 15 - 16, 2023  
Measurement by : Siravit Ruangsom  
Sound Level Meter : 00900072

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
03:45 AM - 03:50 AM	37.0	39.9	35.6
03:50 AM - 03:55 AM	35.2	39.4	33.6
03:55 AM - 04:00 AM	34.8	42.6	33.8
04:00 AM - 04:05 AM	28.5	45.4	37.3
04:05 AM - 04:10 AM	28.9	50.8	36.7
04:10 AM - 04:15 AM	40.3	50.3	36.0
04:15 AM - 04:20 AM	44.4	61.2	41.6
04:20 AM - 04:25 AM	44.8	55.4	41.3
04:25 AM - 04:30 AM	41.3	50.1	40.3
04:30 AM - 04:35 AM	41.2	52.0	38.8
04:35 AM - 04:40 AM	48.4	62.4	38.2
04:40 AM - 04:45 AM	41.4	48.3	38.8
04:45 AM - 04:50 AM	50.7	53.1	34.9
04:50 AM - 04:55 AM	53.3	60.5	34.3
04:55 AM - 05:00 AM	56.8	63.5	34.8
05:00 AM - 05:05 AM	53.2	60.1	40.2
05:05 AM - 05:10 AM	45.9	61.2	39.1
05:10 AM - 05:15 AM	42.1	53.0	37.5
05:15 AM - 05:20 AM	46.1	60.9	40.0
05:20 AM - 05:25 AM	44.6	57.6	40.1
05:25 AM - 05:30 AM	46.4	59.6	41.1
05:30 AM - 05:35 AM	53.3	69.4	41.3
05:35 AM - 05:40 AM	58.2	71.3	40.7
05:40 AM - 05:45 AM	45.9	63.0	41.4
05:45 AM - 05:50 AM	51.3	65.0	42.1
05:50 AM - 05:55 AM	49.1	61.5	38.2
05:55 AM - 06:00 AM	46.3	61.8	37.9
06:00 AM - 07:00 AM	45.9	69.6	38.6
07:00 AM - 08:00 AM	45.1	64.7	36.3
08:00 AM - 09:00 AM	49.3	68.1	45.3
09:00 AM - 10:00 AM	49.2	80.3	32.8
10:00 AM - 11:00 AM	47.8	88.6	42.4

### Reference Method :

- ISO 1996-1
- กำหนดการตรวจวัดเสียงรบกวน (สำหรับอาคาร) ตามมาตรฐานของประเทศไทย 24 ชั่วโมง (ฉบับแก้ไขเพิ่มเติมฉบับที่ 1) พ.ศ. 2553

This document is not valid for the purpose of certification or accreditation.  
It is the property of the client and is not to be used for any other purpose without the written consent of the client.  
The client is responsible for the accuracy of the data and the results of the test.

Approved by

Witawan Borik  
Manager

3004033 816/10 Map S. T. Manan Khru A. Phuddeang Rayong 21140 Thailand : PHONE +66 0 3304 8555 : FAX +66 0 3304 8556  
ALS LABORATORY GROUP (THAILAND) CO., LTD. and ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS



## Analysis / Test Report



TESTING  
No. 0042

Client : Rojana Industrial Park Public Co., Ltd.  
2024/115 26TH Fl. Italbhai Tower, New Petchburi Road, Banglapi, Huaykwang, Bangkok  
Thailand 10310

P/O :  
Project Name : Laemchabang  
Project Location :

Lot ID: 2349341  
Date Received : May 23, 2023  
Date Reported : Jun 01, 2023  
Report No. : 2664473-1

Page 1 of 3

Sample No. : 2349341-24  
Parameter : Noise  
Location : N1 : จุดตรวจวัดเสียงรบกวน หน้า 5 (GPS 47P 714305, 1441144) (Shut down)  
Measurement Date : May 16 - 17, 2023  
Measurement by : Siravit Ruangsom  
Sound Level Meter : 00900072

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
11:00 PM - 12:00 PM	32.7	81.1	32.5
12:00 PM - 01:00 PM	42.1	68.9	34.5
01:00 PM - 02:00 PM	55.2	47.7	36.4
02:00 PM - 03:00 PM	54.5	83.6	40.7
03:00 PM - 04:00 PM	42.5	76.8	24.4
04:00 PM - 05:00 PM	44.9	69.4	24.5
05:00 PM - 06:00 PM	51.3	74.4	46.4
06:00 PM - 07:00 PM	47.5	73.1	38.2
07:00 PM - 08:00 PM	42.1	70.2	42.2
08:00 PM - 09:00 PM	45.3	72.1	29.6
09:00 PM - 10:00 PM	46.1	45.0	38.8
10:00 PM - 10:05 PM	36.1	42.8	34.5
10:05 PM - 10:10 PM	42.0	60.5	34.9
10:10 PM - 10:15 PM	37.9	59.1	34.7
10:15 PM - 10:20 PM	29.6	44.2	24.3
10:20 PM - 10:25 PM	36.7	43.1	35.7
10:25 PM - 10:30 PM	36.5	40.0	35.7
10:30 PM - 10:35 PM	36.4	43.7	35.2
10:35 PM - 10:40 PM	35.1	39.2	34.3
10:40 PM - 10:45 PM	46.8	64.3	34.9
10:45 PM - 10:50 PM	40.9	62.6	34.8
10:50 PM - 10:55 PM	35.1	42.2	33.8
10:55 PM - 11:00 PM	35.9	40.1	25.4
11:00 PM - 11:05 PM	35.0	38.9	24.4
11:05 PM - 11:10 PM	36.2	41.5	34.8
11:10 PM - 11:15 PM	35.6	38.1	34.8
11:15 PM - 11:20 PM	42.7	51.7	35.7
11:20 PM - 11:25 PM	42.7	66.8	35.4
11:25 PM - 11:30 PM	43.6	61.4	34.4
11:30 PM - 11:35 PM	53.8	77.7	45.7
11:35 PM - 11:40 PM	42.5	54.7	37.2
11:40 PM - 11:45 PM	49.0	49.0	33.4
11:45 PM - 11:50 PM	24.0	38.3	22.2
11:50 PM - 11:55 PM	34.5	45.0	37.9
11:55 PM - 12:00 AM	35.3	46.2	34.6
12:00 AM - 12:05 AM	35.9	56.4	31.8
12:05 AM - 12:10 AM	48.7	67.0	33.5
12:10 AM - 12:15 AM	24.0	38.0	32.4
12:15 AM - 12:20 AM	24.7	38.9	31.6
12:20 AM - 12:25 AM	34.8	37.2	33.3

This document is not valid for the purpose of certification or accreditation.  
It is the property of the client and is not to be used for any other purpose without the written consent of the client.  
The client is responsible for the accuracy of the data and the results of the test.

Approved by

Witawan Borik  
Manager

3004033 816/10 Map S. T. Manan Khru A. Phuddeang Rayong 21140 Thailand : PHONE +66 0 3304 8555 : FAX +66 0 3304 8556  
ALS LABORATORY GROUP (THAILAND) CO., LTD. and ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS



## Analysis / Test Report



TESTING  
No. 0042

Client : Rojana Industrial Park Public Co., Ltd.  
2024/115 26TH Fl. Italbhai Tower, New Petchburi Road, Banglapi, Huaykwang, Bangkok  
Thailand 10310

P/O :  
Project Name : Laemchabang  
Project Location :

Lot ID: 2349341  
Date Received : May 23, 2023  
Date Reported : Jun 01, 2023  
Report No. : 2664473-1

Page 2 of 3

Sample No. : 2349341-24  
Parameter : Noise  
Location : N1 : จุดตรวจวัดเสียงรบกวน หน้า 5 (GPS 47P 714305, 1441144) (Shut down)  
Measurement Date : May 16 - 17, 2023  
Measurement by : Siravit Ruangsom  
Sound Level Meter : 00900072

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
12:25 AM - 12:30 AM	34.3	47.7	33.3
12:30 AM - 12:35 AM	34.1	38.3	32.7
12:35 AM - 12:40 AM	34.6	41.7	32.7
12:40 AM - 12:45 AM	33.4	39.2	32.4
12:45 AM - 12:50 AM	35.5	39.2	34.8
12:50 AM - 12:55 AM	33.8	52.4	31.7
12:55 AM - 01:00 AM	34.1	46.3	33.0
01:00 AM - 01:05 AM	36.9	49.1	34.1
01:05 AM - 01:10 AM	35.1	51.9	32.8
01:10 AM - 01:15 AM	34.4	39.5	32.5
01:15 AM - 01:20 AM	35.0	45.2	33.4
01:20 AM - 01:25 AM	34.4	42.4	33.5
01:25 AM - 01:30 AM	34.7	39.2	34.0
01:30 AM - 01:35 AM	33.9	38.3	32.7
01:35 AM - 01:40 AM	33.2	34.9	32.2
01:40 AM - 01:45 AM	34.5	35.4	32.5
01:45 AM - 01:50 AM	33.0	36.6	31.3
01:50 AM - 01:55 AM	32.0	47.1	30.9
01:55 AM - 02:00 AM	40.2	56.3	33.1
02:00 AM - 02:05 AM	42.1	57.8	31.4
02:05 AM - 02:10 AM	34.3	43.8	31.7
02:10 AM - 02:15 AM	33.0	41.3	31.1
02:15 AM - 02:20 AM	34.3	40.5	31.1
02:20 AM - 02:25 AM	32.1	40.3	31.0
02:25 AM - 02:30 AM	33.3	39.9	31.0
02:30 AM - 02:35 AM	34.6	41.8	31.3
02:35 AM - 02:40 AM	31.9	39.5	31.0
02:40 AM - 02:45 AM	34.0	43.1	31.0
02:45 AM - 02:50 AM	33.8	41.4	32.0
02:50 AM - 02:55 AM	34.6	41.6	31.8
02:55 AM - 03:00 AM	33.3	44.8	31.7
03:00 AM - 03:05 AM	35.7	52.5	31.7
03:05 AM - 03:10 AM	35.4	43.6	31.0
03:10 AM - 03:15 AM	32.8	40.8	31.3
03:15 AM - 03:20 AM	51.3	65.5	31.7
03:20 AM - 03:25 AM	46.8	67.1	32.7
03:25 AM - 03:30 AM	44.9	37.1	32.4
03:30 AM - 03:35 AM	33.2	44.3	32.0
03:35 AM - 03:40 AM	34.1	40.4	32.5
03:40 AM - 03:45 AM	34.8	45.5	34.1

This document is not valid for the purpose of certification or accreditation.  
It is the property of the client and is not to be used for any other purpose without the written consent of the client.  
The client is responsible for the accuracy of the data and the results of the test.

Approved by

Witawan Borik  
Manager

3004033 816/10 Map S. T. Manan Khru A. Phuddeang Rayong 21140 Thailand : PHONE +66 0 3304 8555 : FAX +66 0 3304 8556  
ALS LABORATORY GROUP (THAILAND) CO., LTD. and ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS



## Analysis / Test Report



TESTING  
No. 0042

Client : Rojana Industrial Park Public Co., Ltd.  
2024/115 26TH Fl. Italbhai Tower, New Petchburi Road, Banglapi, Huaykwang, Bangkok  
Thailand 10310

P/O :  
Project Name : Laemchabang  
Project Location :

Lot ID: 2349341  
Date Received : May 23, 2023  
Date Reported : Jun 01, 2023  
Report No. : 2664473-1

Page 1 of 3

Sample No. : 2349341-24  
Parameter : Noise  
Location : N1 : จุดตรวจวัดเสียงรบกวน หน้า 5 (GPS 47P 714305, 1441144) (Shut down)  
Measurement Date : May 16 - 17, 2023  
Measurement by : Siravit Ruangsom  
Sound Level Meter : 00900072

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
03:45 AM - 03:50 AM	34.3	37.8	33.3
03:50 AM - 03:55 AM	36.7	51.3	34.1
03:55 AM - 04:00 AM	41.7	61.1	34.0
04:00 AM - 04:05 AM	35.3	42.7	32.3
04:05 AM - 04:10 AM	42.3	58.9	33.1
04:10 AM - 04:15 AM	31.7	56.7	31.1
04:15 AM - 04:20 AM	34.8	45.9	33.0
04:20 AM - 04:25 AM	33.2	47.6	30.5
04:25 AM - 04:30 AM	44.5	68.4	32.2
04:30 AM - 04:35 AM	43.1	56.9	31.9
04:35 AM - 04:40 AM	44.8	66.1	35.3
04:40 AM - 04:45 AM	48.4	59.9	36.6
04:45 AM - 04:50 AM	53.3	61.0	50.1
04:50 AM - 04:55 AM	53.4	61.2	52.9
04:55 AM - 05:00 AM	53.3	57.9	52.6
05:00 AM - 05:05 AM	49.3	62.1	37.8
05:05 AM - 05:10 AM	44.1	58.0	35.7
05:10 AM - 05:15 AM	43.8	58.0	35.6
05:15 AM - 05:20 AM	47.6	61.1	37.9
05:20 AM - 05:25 AM	44.9	57.5	36.7
05:25 AM - 05:30 AM	43.5	55.2	36.0
05:30 AM - 05:35 AM	40.8	53.0	35.0
05:35 AM - 05:40 AM	41.1	54.8	36.2
05:40 AM - 05:45 AM	44.7	61.1	37.0
05:45 AM - 05:50 AM	46.6	57.6	38.4
05:50 AM - 05:55 AM	45.3	55.7	37.7
05:55 AM - 06:00 AM	45.9	62.8	36.7
06:00 AM - 07:00 AM	46.5	68.9	36.2
07:00 AM - 08:00 AM	46.8	65.5	35.8
08:00 AM - 09:00 AM	50.9	85.7	41.2
09:00 AM - 10:00 AM	47.9	76.7	39.4
10:00 AM - 11:00 AM	46.1	69.0	38.8

### Reference Method :

- ISO 1996-1
- กำหนดการตรวจวัดเสียงรบกวน (สำหรับอาคาร) ตามมาตรฐานของประเทศไทย 24 ชั่วโมง (ฉบับแก้ไขเพิ่มเติมฉบับที่ 1) พ.ศ. 2553

This document is not valid for the purpose of certification or accreditation.  
It is the property of the client and is not to be used for any other purpose without the written consent of the client.  
The client is responsible for the accuracy of the data and the results of the test.

Approved by

Witawan Borik  
Manager

3004033 816/10 Map S. T. Manan Khru A. Phuddeang Rayong 21140 Thailand : PHONE +66 0 3304 8555 : FAX +66 0 3304 8556  
ALS LABORATORY GROUP (THAILAND) CO., LTD. and ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS



## Analysis / Test Report

TESTING  
No.0042

Client : Rogana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Italbhai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok  
Thailand 10310

Let ID: 2349341  
Date Received: May 23, 2023  
Date Reported: Jun 01, 2023  
Report No.: 2664474-1

P/O :  
Project Name : Laemchabang  
Project Location :

Page 1 of 2

Sample No. : 2349341-25  
Parameter : Noise  
Location : H4 : อนุสาวรีย์ท้าวสุทเดช 5 (GPS 47P 714305, 1441144) (Shot down)  
Measurement Date : May 17 - 18, 2023  
Measurement by : Sirivut Ruangsom  
Sound Level Meter : 00900072

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
11:00 AM - 12:00 PM	50.0	72.7	42.7
12:00 PM - 01:00 PM	49.7	63.5	40.3
01:00 PM - 02:00 PM	48.6	78.4	37.3
02:00 PM - 03:00 PM	49.1	73.0	41.2
03:00 PM - 04:00 PM	48.9	69.7	40.4
04:00 PM - 05:00 PM	48.7	69.7	41.4
05:00 PM - 06:00 PM	52.2	76.1	44.1
06:00 PM - 07:00 PM	48.4	72.3	37.7
07:00 PM - 08:00 PM	49.0	68.4	38.9
08:00 PM - 09:00 PM	43.0	68.7	38.4
09:00 PM - 10:00 PM	39.6	53.7	34.4
10:00 PM - 10:55 PM	42.9	50.3	38.4
10:55 PM - 10:10 PM	35.8	44.8	35.1
10:10 PM - 10:15 PM	41.5	37.2	38.3
10:15 PM - 10:20 PM	40.8	47.9	37.2
10:20 PM - 10:25 PM	39.6	45.9	38.8
10:25 PM - 10:30 PM	38.9	40.9	38.2
10:30 PM - 10:35 PM	41.0	46.5	37.7
10:35 PM - 10:40 PM	38.7	41.1	37.4
10:40 PM - 10:45 PM	38.9	51.7	36.4
10:45 PM - 10:50 PM	37.2	41.3	36.3
10:50 PM - 10:55 PM	38.4	39.1	34.4
10:55 PM - 11:00 PM	36.7	41.0	33.9
11:00 PM - 11:05 PM	37.0	40.5	34.5
11:05 PM - 11:10 PM	34.6	40.7	34.8
11:10 PM - 11:15 PM	38.5	42.2	36.7
11:15 PM - 11:20 PM	36.8	41.6	34.8
11:20 PM - 11:25 PM	38.8	41.2	37.0
11:25 PM - 11:30 PM	36.8	36.5	33.0
11:30 PM - 11:35 PM	36.1	40.2	35.0
11:35 PM - 11:40 PM	37.6	44.2	34.9
11:40 PM - 11:45 PM	38.4	42.5	38.4
11:45 PM - 11:50 PM	40.3	44.0	39.7
11:50 PM - 11:55 PM	39.7	48.4	38.4
11:55 PM - 12:00 AM	34.6	45.7	35.4
12:00 AM - 12:05 AM	36.3	42.6	35.1
12:05 AM - 12:10 AM	35.0	44.5	33.2
12:10 AM - 12:15 AM	35.8	43.6	33.5
12:15 AM - 12:20 AM	49.0	55.1	43.4
12:20 AM - 12:25 AM	36.2	41.5	34.7

This report is valid only for the test and analysis results shown on the table.  
The report is not valid for any other test and analysis results not shown on the table.  
The report is not valid for any other test and analysis results not shown on the table.  
The report is not valid for any other test and analysis results not shown on the table.

Approved by

*Wibb.*

Wibwan Sorak  
Manager

2349341 25/25 May 17, 2023 T. Manan Khoo A. Phakdang Rong 21140 Thailand TEL: 082 3304 8333 FAX: 082 3304 8338  
LAANBUK KROKODIL B.A. 08 (P) 082 3304 8333 (F) 082 3304 8338

www.alsglobal.com

RIGHT SOLUTIONS PROJECT PROJECT



## Analysis / Test Report

TESTING  
No.0042

Client : Rogana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Italbhai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok  
Thailand 10310

Let ID: 2349341  
Date Received: May 23, 2023  
Date Reported: Jun 01, 2023  
Report No.: 2664474-1

P/O :  
Project Name : Laemchabang  
Project Location :

Page 2 of 2

Sample No. : 2349341-25  
Parameter : Noise  
Location : H4 : อนุสาวรีย์ท้าวสุทเดช 5 (GPS 47P 714305, 1441144) (Shot down)  
Measurement Date : May 17 - 18, 2023  
Measurement by : Sirivut Ruangsom  
Sound Level Meter : 00900072

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
12:25 AM - 12:30 AM	35.8	41.2	34.8
12:30 AM - 12:35 AM	34.6	41.8	33.8
12:35 AM - 12:40 AM	37.7	46.2	35.7
12:40 AM - 12:45 AM	36.1	44.8	34.4
12:45 AM - 12:50 AM	36.1	44.1	34.4
12:50 AM - 12:55 AM	33.0	37.3	34.2
12:55 AM - 01:00 AM	33.9	41.0	35.1
01:00 AM - 01:05 AM	36.4	46.0	34.4
01:05 AM - 01:10 AM	33.0	40.6	34.6
01:10 AM - 01:15 AM	36.1	41.0	35.5
01:15 AM - 01:20 AM	34.5	37.5	33.5
01:20 AM - 01:25 AM	38.2	42.2	34.4
01:25 AM - 01:30 AM	37.3	46.2	34.4
01:30 AM - 01:35 AM	39.2	49.8	34.3
01:35 AM - 01:40 AM	34.8	43.1	33.5
01:40 AM - 01:45 AM	33.6	38.9	34.6
01:45 AM - 01:50 AM	34.6	39.8	33.2
01:50 AM - 01:55 AM	38.0	42.1	33.0
01:55 AM - 02:00 AM	34.9	42.1	34.6
02:00 AM - 02:05 AM	36.1	40.8	33.2
02:05 AM - 02:10 AM	36.3	40.6	33.8
02:10 AM - 02:15 AM	39.0	46.1	34.8
02:15 AM - 02:20 AM	34.4	33.6	33.6
02:20 AM - 02:25 AM	36.3	42.1	35.1
02:25 AM - 02:30 AM	36.8	45.8	35.2
02:30 AM - 02:35 AM	36.3	43.2	33.5
02:35 AM - 02:40 AM	44.0	50.9	34.4
02:40 AM - 02:45 AM	50.5	58.2	36.1
02:45 AM - 02:50 AM	50.8	57.9	34.2
02:50 AM - 02:55 AM	51.6	57.1	33.2
02:55 AM - 03:00 AM	52.8	58.4	34.8
03:00 AM - 03:05 AM	47.0	56.5	32.4
03:05 AM - 03:10 AM	33.8	42.5	36.9
03:10 AM - 03:15 AM	39.0	37.5	35.2
03:15 AM - 03:20 AM	35.0	47.3	33.3
03:20 AM - 03:25 AM	33.1	44.8	33.4
03:25 AM - 03:30 AM	40.5	51.5	33.5
03:30 AM - 03:35 AM	34.5	50.0	31.7
03:35 AM - 03:40 AM	32.5	45.4	30.5
03:40 AM - 03:45 AM	32.7	41.2	30.4

This report is valid only for the test and analysis results shown on the table.  
The report is not valid for any other test and analysis results not shown on the table.  
The report is not valid for any other test and analysis results not shown on the table.  
The report is not valid for any other test and analysis results not shown on the table.

Approved by

*Wibb.*

Wibwan Sorak  
Manager

2349341 25/25 May 17, 2023 T. Manan Khoo A. Phakdang Rong 21140 Thailand TEL: 082 3304 8333 FAX: 082 3304 8338  
LAANBUK KROKODIL B.A. 08 (P) 082 3304 8333 (F) 082 3304 8338

www.alsglobal.com

RIGHT SOLUTIONS PROJECT PROJECT



## Analysis / Test Report

TESTING  
No.0042

Client : Rogana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Italbhai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok  
Thailand 10310

Let ID: 2349341  
Date Received: May 23, 2023  
Date Reported: Jun 01, 2023  
Report No.: 2664474-1

P/O :  
Project Name : Laemchabang  
Project Location :

Page 1 of 1

Sample No. : 2349341-25  
Parameter : Noise  
Location : H4 : อนุสาวรีย์ท้าวสุทเดช 5 (GPS 47P 714305, 1441144) (Shot down)  
Measurement Date : May 17 - 18, 2023  
Measurement by : Sirivut Ruangsom  
Sound Level Meter : 00900072

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
03:45 AM - 03:50 AM	32.3	38.3	28.3
03:50 AM - 03:55 AM	32.6	38.3	30.3
03:55 AM - 04:00 AM	34.6	40.6	30.3
04:00 AM - 04:05 AM	34.7	46.0	32.3
04:05 AM - 04:10 AM	35.1	51.7	30.4
04:10 AM - 04:15 AM	34.7	47.0	30.8
04:15 AM - 04:20 AM	33.7	51.0	31.1
04:20 AM - 04:25 AM	34.6	52.4	31.2
04:25 AM - 04:30 AM	42.3	53.6	34.0
04:30 AM - 04:35 AM	40.6	45.3	33.1
04:35 AM - 04:40 AM	48.1	64.7	36.2
04:40 AM - 04:45 AM	53.2	62.9	45.3
04:45 AM - 04:50 AM	53.1	64.2	52.3
04:50 AM - 04:55 AM	54.8	65.9	40.4
04:55 AM - 05:00 AM	52.7	64.1	40.6
05:00 AM - 05:05 AM	47.5	60.4	37.8
05:05 AM - 05:10 AM	50.1	57.1	35.6
05:10 AM - 05:15 AM	58.5	81.2	39.9
05:15 AM - 05:20 AM	55.7	81.8	36.9
05:20 AM - 05:25 AM	46.7	60.9	35.2
05:25 AM - 05:30 AM	46.7	59.1	38.7
05:30 AM - 05:35 AM	43.9	52.6	38.8
05:35 AM - 05:40 AM	51.0	52.5	36.2
05:40 AM - 05:45 AM	43.5	57.3	37.4
05:45 AM - 05:50 AM	42.2	55.0	35.5
05:50 AM - 05:55 AM	43.5	58.2	35.4
05:55 AM - 06:00 AM	41.8	56.1	35.1
06:00 AM - 06:05 AM	46.1	68.3	36.0
06:05 AM - 06:10 AM	52.7	66.6	45.5
06:10 AM - 06:15 AM	58.0	64.9	45.5
06:15 AM - 06:20 AM	55.0	63.1	51.4
06:20 AM - 06:25 AM	51.7	63.3	44.2

Reference Method :

- ISO 1996-1
- อนุสาวรีย์ท้าวสุทเดช 5 (GPS 47P 714305, 1441144) (Shot down)

This report is valid only for the test and analysis results shown on the table.  
The report is not valid for any other test and analysis results not shown on the table.  
The report is not valid for any other test and analysis results not shown on the table.  
The report is not valid for any other test and analysis results not shown on the table.

Approved by

*Wibb.*

Wibwan Sorak  
Manager

2349341 25/25 May 17, 2023 T. Manan Khoo A. Phakdang Rong 21140 Thailand TEL: 082 3304 8333 FAX: 082 3304 8338  
LAANBUK KROKODIL B.A. 08 (P) 082 3304 8333 (F) 082 3304 8338

www.alsglobal.com

RIGHT SOLUTIONS PROJECT PROJECT



## Analysis / Test Report

TESTING  
No.0042

Client : Rogana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Italbhai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok  
Thailand 10310

Let ID: 2349341  
Date Received: May 23, 2023  
Date Reported: Jun 01, 2023  
Report No.: 2664474-1

P/O :  
Project Name : Laemchabang  
Project Location :

Page 1 of 2

Sample No. : 2349341-26  
Parameter : Noise  
Location : H4 : อนุสาวรีย์ท้าวสุทเดช 5 (GPS 47P 714305, 1441144) (Shot down)  
Measurement Date : May 18 - 19, 2023  
Measurement by : Sirivut Ruangsom  
Sound Level Meter : 00900072

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
11:00 AM - 12:00 PM	46.4	63.6	38.1
12:00 PM - 01:00 PM	47.0	72.3	41.8
01:00 PM - 02:00 PM	42.9	43.0	42.9
02:00 PM - 03:00 PM	44.9	44.0	37.5
03:00 PM - 04:00 PM	46.6	46.6	36.1
04:00 PM - 05:00 PM	46.9	46.9	34.4
05:00 PM - 06:00 PM	50.5	70.4	40.6
06:00 PM - 07:00 PM	47.9	72.7	38.4
07:00 PM - 08:00 PM	43.1	43.1	44.8
08:00 PM - 09:00 PM	43.9	70.4	37.4
09:00 PM - 10:00 PM	43.5	63.5	37.1
10:00 PM - 10:55 PM	46.2	52.4	36.2
10:55 PM - 10:10 PM	46.9	60.9	38.2
10:10 PM - 10:15 PM	38.7	44.8	37.4
10:15 PM - 10:20 PM	38.8	48.2	37.4
10:20 PM - 10:25 PM	31.8	50.4	35.5
10:25 PM - 10:30 PM	37.0	45.7	36.9
10:30 PM - 10:35 PM	37.6	44.1	35.5
10:35 PM - 10:40 PM	42.6	63.1	35.5
10:40 PM - 10:45 PM	36.8	41.4	35.5
10:45 PM - 10:50 PM	36.0	46.7	37.3
10:50 PM - 10:55 PM	37.7	48.1	36.8
10:55 PM - 11:00 PM	37.9	42.9	35.1
11:00 PM - 11:05 PM	43.1	63.1	35.6
11:05 PM - 11:10 PM	38.8	43.5	38.2
11:10 PM - 11:15 PM	39.1	48.8	36.8
11:15 PM - 11:20 PM	33.3	41.3	38.8
11:20 PM - 11:25 PM	38.1	48.0	37.0
11:25 PM - 11:30 PM	34.3	43.3	35.9
11:30 PM - 11:35 PM	38.7	47.5	37.7
11:35 PM - 11:40 PM	37.1	44.0	36.0
11:40 PM - 11:45 PM	42.6	43.6	34.6
11:45 PM - 11:50 PM	40.5	53.0	34.7
11:50 PM - 11:55 PM	38.4	43.0	36.9
11:55 PM - 12:00 AM	38.2	47.2	35.6
12:00 AM - 12:05 AM	39.8	57.6	37.6
12:05 AM - 12:10 AM	40.0	58.3	36.9
12:10 AM - 12:15 AM	46.3	66.1	39.1
12:15 AM - 12:20 AM	39.0	43.0	37.9
12:20 AM - 12:25 AM	40.2	43.3	39.5

This report is valid only for the test and analysis results shown on the table.  
The report is not valid for any other test and analysis results not shown on the table.  
The report is not valid for any other test and analysis results not shown on the table.  
The report is not valid for any other test and analysis results not shown on the table.

Approved by

*Wibb.*

Wibwan Sorak  
Manager

2349341 26/26 May 18, 2023 T. Manan Khoo A. Phakdang Rong 21140 Thailand TEL: 082 3304 8333 FAX: 082 3304 8338  
LAANBUK KROKODIL B.A. 08 (P) 082 3304 8333 (F) 082 3304 8338

www.alsglobal.com

RIGHT SOLUTIONS PROJECT PROJECT







## Analysis / Test Report

TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Italbhai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok  
Thailand 10310

Lot ID: 2349341  
Date Received : May 23, 2023  
Date Reported : Jun 01, 2023  
Report No. : 2664477-1

P/O :  
Project Name : Laemchabang  
Project Location :

Page 3 of 3

Sample No. : 2349341-22  
Parameter : Noise  
Location : N4 : ถนนพหลโยธิน/ถนนพหลโยธิน 5 (GPS 47P 714305, 1441144) (Shut down)  
Measurement Date : May 19 - 20, 2023  
Measurement by : Sirinut Ruangsom  
Sound Level Meter : 00900072

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
02:45 AM - 03:30 AM	34.6	41.0	33.2
03:30 AM - 04:15 AM	31.0	36.9	29.2
04:15 AM - 04:45 AM	35.3	41.8	32.9
04:45 AM - 05:00 AM	41.5	44.2	36.3
05:00 AM - 04:15 AM	34.5	41.3	31.2
04:15 AM - 04:15 AM	34.7	36.9	31.1
04:15 AM - 04:20 AM	35.1	42.0	32.1
04:20 AM - 04:25 AM	46.5	42.8	32.1
04:25 AM - 04:30 AM	35.0	44.7	33.6
04:30 AM - 04:35 AM	47.6	43.7	32.2
04:35 AM - 04:40 AM	41.3	44.9	34.9
04:40 AM - 04:45 AM	51.1	40.2	40.8
04:45 AM - 04:50 AM	55.7	42.2	45.1
04:50 AM - 04:55 AM	55.1	41.2	53.0
04:55 AM - 05:00 AM	51.5	48.5	35.7
05:00 AM - 05:05 AM	45.8	39.7	38.4
05:05 AM - 05:10 AM	45.8	37.2	36.3
05:10 AM - 05:15 AM	45.9	42.0	38.7
05:15 AM - 05:20 AM	45.7	55.6	41.2
05:20 AM - 05:25 AM	49.8	58.4	44.7
05:25 AM - 05:30 AM	46.2	62.1	38.0
05:30 AM - 05:35 AM	46.9	56.8	37.2
05:35 AM - 05:40 AM	43.5	56.3	36.6
05:40 AM - 05:45 AM	43.5	56.8	36.6
05:45 AM - 05:50 AM	41.4	54.9	34.6
05:50 AM - 05:55 AM	45.7	61.7	36.4
05:55 AM - 06:00 AM	46.4	64.9	35.9
06:00 AM - 07:30 AM	44.8	65.0	35.1
07:30 AM - 08:00 AM	53.2	77.1	51.3
08:00 AM - 09:00 AM	43.2	62.9	36.8
09:00 AM - 10:00 AM	50.1	62.6	41.7
10:00 AM - 11:00 AM	48.4	78.5	35.5

Reference Method :  
1. ISO 1996-1  
2. วิธีการวัดและรายงานการวัด (สำหรับวิธีการวัดและรายงานการวัดที่ดำเนินการโดย 24 ชั่วโมง การวัดและรายงานการวัดจะดำเนินการโดยวิธีตาม ม. 2553)

Approved by

Wawan Borrak  
Manager



## Analysis / Test Report

TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Italbhai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok  
Thailand 10310

Lot ID: 2349341  
Date Received : May 23, 2023  
Date Reported : Jun 01, 2023  
Report No. : 2664477-1

P/O :  
Project Name : Laemchabang  
Project Location :

Page 1 of 1

Sample No. : 2349341-28  
Parameter : Noise  
Location : N4 : ถนนพหลโยธิน/ถนนพหลโยธิน 5 (GPS 47P 714305, 1441144) (Shut down)  
Measurement Date : May 20 - 21, 2023  
Measurement by : Sirinut Ruangsom  
Sound Level Meter : 00900072

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
11:00 AM - 12:00 PM	50.7	50.7	46.4
12:00 PM - 01:00 PM	55.7	64.9	52.1
01:00 PM - 02:00 PM	49.0	76.3	45.4
02:00 PM - 03:00 PM	41.1	61.5	32.1
03:00 PM - 04:00 PM	46.1	71.3	33.0
04:00 PM - 05:00 PM	48.1	80.7	34.0
05:00 PM - 06:00 PM	46.6	78.0	43.2
06:00 PM - 07:00 PM	47.0	75.1	39.8
07:00 PM - 08:00 PM	47.6	67.6	39.3
08:00 PM - 09:00 PM	41.8	63.2	37.8
09:00 PM - 10:00 PM	38.3	64.7	36.7
10:00 PM - 10:05 PM	38.8	47.7	37.7
10:05 PM - 10:10 PM	38.4	46.7	37.0
10:10 PM - 10:15 PM	38.6	44.4	37.9
10:15 PM - 10:20 PM	38.6	53.8	37.4
10:20 PM - 10:25 PM	38.2	44.3	37.4
10:25 PM - 10:30 PM	38.3	53.1	36.8
10:30 PM - 10:35 PM	38.2	58.6	36.9
10:35 PM - 10:40 PM	44.8	62.5	37.0
10:40 PM - 10:45 PM	40.8	64.8	37.1
10:45 PM - 10:50 PM	39.2	52.9	37.1
10:50 PM - 10:55 PM	40.4	53.9	39.1
10:55 PM - 11:00 PM	40.7	49.5	38.7
11:00 PM - 11:05 PM	43.3	49.6	39.1
11:05 PM - 11:10 PM	39.9	46.2	37.9
11:10 PM - 11:15 PM	40.1	45.0	36.6
11:15 PM - 11:20 PM	37.9	46.8	36.7
11:20 PM - 11:25 PM	37.4	43.8	36.4
11:25 PM - 11:30 PM	37.4	47.7	36.8
11:30 PM - 11:35 PM	37.6	44.2	36.7
11:35 PM - 11:40 PM	38.1	41.8	34.8
11:40 PM - 11:45 PM	37.7	58.4	36.8
11:45 PM - 11:50 PM	38.0	43.8	35.5
11:50 PM - 11:55 PM	38.9	51.1	36.0
11:55 PM - 12:00 AM	36.2	44.1	33.0
12:00 AM - 12:05 AM	49.6	68.1	36.8
12:05 AM - 12:10 AM	45.8	65.9	35.7
12:10 AM - 12:15 AM	32.3	58.4	36.0
12:15 AM - 12:20 AM	38.2	57.7	36.9
12:20 AM - 12:25 AM	37.9	41.7	38.5

The above results are valid only for the sound level meter (calibrated) as indicated by the meter. The meter is not to be used for any other purpose or for any other location. The meter is not to be used for any other purpose or for any other location. The meter is not to be used for any other purpose or for any other location.

Approved by

Wawan Borrak  
Manager

ADDRESS: 618/10 Moo 5, T. Maengthong A. Phakdang Rong 21140 Thailand. Phone: 086-0-804-8555 Fax: 086-0-804-8556  
E-MAIL: info@alsglobal.com, info@alsglobal.com, info@alsglobal.com, info@alsglobal.com, info@alsglobal.com, info@alsglobal.com, info@alsglobal.com, info@alsglobal.com, info@alsglobal.com, info@alsglobal.com

www.alsglobal.com

RIGHT SOLUTIONS (THAILAND) CO., LTD. (PRIVATE COMPANY)



## Analysis / Test Report

TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Italbhai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok  
Thailand 10310

Lot ID: 2349341  
Date Received : May 23, 2023  
Date Reported : Jun 01, 2023  
Report No. : 2664477-1

P/O :  
Project Name : Laemchabang  
Project Location :

Page 2 of 3

Sample No. : 2349341-28  
Parameter : Noise  
Location : N4 : ถนนพหลโยธิน/ถนนพหลโยธิน 5 (GPS 47P 714305, 1441144) (Shut down)  
Measurement Date : May 20 - 21, 2023  
Measurement by : Sirinut Ruangsom  
Sound Level Meter : 00900072

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
12:25 AM - 12:30 AM	36.9	42.8	35.6
12:30 AM - 12:35 AM	41.3	46.3	36.3
12:35 AM - 12:40 AM	37.3	44.4	35.3
12:40 AM - 12:45 AM	38.3	46.5	37.0
12:45 AM - 12:50 AM	37.4	42.4	35.8
12:50 AM - 12:55 AM	37.9	54.3	36.2
12:55 AM - 01:00 AM	36.7	40.8	35.8
01:00 AM - 01:05 AM	36.9	39.6	35.9
01:05 AM - 01:10 AM	36.0	39.0	36.8
01:10 AM - 01:15 AM	36.6	41.8	35.7
01:15 AM - 01:20 AM	36.3	40.2	35.6
01:20 AM - 01:25 AM	36.2	45.7	35.5
01:25 AM - 01:30 AM	36.4	48.4	35.5
01:30 AM - 01:35 AM	38.7	56.2	35.3
01:35 AM - 01:40 AM	35.3	48.7	34.4
01:40 AM - 01:45 AM	35.8	38.1	34.9
01:45 AM - 01:50 AM	36.2	48.6	35.2
01:50 AM - 01:55 AM	37.7	58.7	35.3
01:55 AM - 02:00 AM	37.0	49.8	35.3
02:00 AM - 02:05 AM	36.8	41.3	35.8
02:05 AM - 02:10 AM	36.3	41.9	35.7
02:10 AM - 02:15 AM	36.7	44.8	35.9
02:15 AM - 02:20 AM	36.3	40.7	35.8
02:20 AM - 02:25 AM	36.0	47.7	36.2
02:25 AM - 02:30 AM	36.5	44.2	35.9
02:30 AM - 02:35 AM	36.4	40.6	34.9
02:35 AM - 02:40 AM	35.8	38.3	35.2
02:40 AM - 02:45 AM	36.1	45.8	34.8
02:45 AM - 02:50 AM	36.4	44.4	34.9
02:50 AM - 02:55 AM	35.6	46.7	34.0
02:55 AM - 03:00 AM	36.2	46.9	33.4
03:00 AM - 03:05 AM	46.1	44.9	32.3
03:05 AM - 03:10 AM	39.7	60.3	32.4
03:10 AM - 03:15 AM	38.2	55.0	32.4
03:15 AM - 03:20 AM	39.9	55.6	32.7
03:20 AM - 03:25 AM	34.2	41.8	32.4
03:25 AM - 03:30 AM	35.3	45.2	32.6
03:30 AM - 03:35 AM	35.5	47.5	32.7
03:35 AM - 03:40 AM	33.9	37.8	31.8
03:40 AM - 03:45 AM	34.3	49.7	31.8

Approved by

Wawan Borrak  
Manager



## Analysis / Test Report

TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Italbhai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok  
Thailand 10310

Lot ID: 2349341  
Date Received : May 23, 2023  
Date Reported : Jun 01, 2023  
Report No. : 2664477-1

P/O :  
Project Name : Laemchabang  
Project Location :

Page 3 of 3

Sample No. : 2349341-28  
Parameter : Noise  
Location : N4 : ถนนพหลโยธิน/ถนนพหลโยธิน 5 (GPS 47P 714305, 1441144) (Shut down)  
Measurement Date : May 20 - 21, 2023  
Measurement by : Sirinut Ruangsom  
Sound Level Meter : 00900072

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
03:45 AM - 03:50 AM	33.6	49.5	31.1
03:50 AM - 03:55 AM	33.3	49.6	30.9
03:55 AM - 04:00 AM	34.0	50.2	32.7
04:00 AM - 04:05 AM	33.2	41.3	30.5
04:05 AM - 04:10 AM	36.2	52.9	32.9
04:10 AM - 04:15 AM	34.0	50.8	30.4
04:15 AM - 04:20 AM	34.8	47.7	30.4
04:20 AM - 04:25 AM	38.7	51.2	31.6
04:25 AM - 04:30 AM	36.6	47.7	31.6
04:30 AM - 04:35 AM	41.2	54.8	34.6
04:35 AM - 04:40 AM	40.8	67.8	34.5
04:40 AM - 04:45 AM	52.7	68.2	34.5
04:45 AM - 04:50 AM	50.6	56.3	52.8
04:50 AM - 04:55 AM	54.1	63.2	52.9
04:55 AM - 05:00 AM	46.2	55.2	37.2
05:00 AM - 05:05 AM	46.9	63.5	37.4
05:05 AM - 05:10 AM	40.8	58.2	36.9
05:10 AM - 05:15 AM	45.5	64.5	38.2
05:15 AM - 05:20 AM	47.2	61.5	37.9
05:20 AM - 05:25 AM	48.4	64.0	37.1
05:25 AM - 05:30 AM	43.9	54.9	36.4
05:30 AM - 05:35 AM	46.6	51.8	38.2
05:35 AM - 05:40 AM	43.9	55.0	36.4
05:40 AM - 05:45 AM	44.7	62.8	36.3
05:45 AM - 05:50 AM	39.8	53.0	31.5
05:50 AM - 05:55 AM	46.8	51.8	34.1
05:55 AM - 06:00 AM	44.4	58.3	34.8
06:00 AM - 07:00 AM	43.9	61.7	33.9
07:00 AM - 08:00 AM	51.8	63.2	35.2
08:00 AM - 09:00 AM	43.4	66.0	35.8
09:00 AM - 10:00 AM	42.4	68.8	35.6
10:00 AM - 11:00 AM	42.3	67.5	46.9

Reference Method :  
1. ISO 1996-1  
2. วิธีการวัดและรายงานการวัด (สำหรับวิธีการวัดและรายงานการวัดที่ดำเนินการโดย 24 ชั่วโมง การวัดและรายงานการวัดจะดำเนินการโดยวิธีตาม ม. 2553)

Approved by

Wawan Borrak  
Manager

ADDRESS: 618/10 Moo 5, T. Maengthong A. Phakdang Rong 21140 Thailand. Phone: 086-0-804-8555 Fax: 086-0-804-8556  
E-MAIL: info@alsglobal.com, info@alsglobal.com, info@alsglobal.com, info@alsglobal.com, info@alsglobal.com, info@alsglobal.com, info@alsglobal.com, info@alsglobal.com, info@alsglobal.com, info@alsglobal.com

www.alsglobal.com

RIGHT SOLUTIONS (THAILAND) CO., LTD. (PRIVATE COMPANY)





## Analysis / Test Report



TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Italbhai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok  
Thailand 10310

Lot ID: 2349341  
Date Received : May 23, 2023  
Date Reported : Jun 01, 2023  
Report No. : 2664478-1

P/O :  
Project Name : Laemchabang  
Project Location :

Page 1 of 3

Sample No. : 2349341-29  
Parameter : Noise  
Location : 47.5m (u. 2 m/s) (GPS 47 715611, 1441346) (Shut down)  
Measurement Date : May 14 - 15, 2023  
Measurement by : Sirivut Ruangsom  
Sound Level Meter : 00900071

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
11:00 AM - 12:00 PM	49.4	70.8	41.8
12:00 PM - 01:00 PM	52.7	72.1	43.2
01:00 PM - 02:00 PM	47.5	72.0	42.4
02:00 PM - 03:00 PM	55.2	65.0	43.7
03:00 PM - 04:00 PM	47.6	61.5	45.2
04:00 PM - 05:00 PM	47.5	59.5	44.3
05:00 PM - 06:00 PM	46.9	61.1	44.4
06:00 PM - 07:00 PM	47.9	55.2	46.4
07:00 PM - 08:00 PM	51.1	52.7	52.7
08:00 PM - 09:00 PM	52.3	55.0	51.7
09:00 PM - 10:00 PM	48.3	55.1	47.6
10:00 PM - 11:00 PM	46.9	56.2	45.6
11:00 PM - 12:00 AM	45.9	58.9	45.0
12:00 AM - 01:00 AM	45.3	53.3	43.5
01:00 AM - 02:00 AM	43.8	46.8	43.0
02:00 AM - 03:00 AM	46.2	52.3	43.1
03:00 AM - 04:00 AM	44.1	46.8	42.4
04:00 AM - 05:00 AM	43.2	46.6	42.9
05:00 AM - 06:00 AM	44.4	45.7	42.5
06:00 AM - 07:00 AM	44.2	45.8	43.5
07:00 AM - 08:00 AM	44.6	45.8	43.8
08:00 AM - 09:00 AM	45.2	47.3	44.8
09:00 AM - 10:00 AM	44.7	46.9	43.9
10:00 AM - 11:00 AM	44.8	46.2	44.2
11:00 AM - 12:00 PM	45.4	50.6	44.4
12:00 PM - 01:00 PM	45.0	48.2	44.2
01:00 PM - 02:00 PM	46.3	47.5	45.7
02:00 PM - 03:00 PM	46.0	47.6	45.5
03:00 PM - 04:00 PM	46.5	48.2	46.0
04:00 PM - 05:00 PM	46.7	49.0	46.2
05:00 PM - 06:00 PM	46.4	49.8	45.8
06:00 PM - 07:00 PM	46.4	47.4	45.0
07:00 PM - 08:00 PM	47.3	45.9	45.9
08:00 PM - 09:00 PM	48.6	50.4	46.5
09:00 PM - 10:00 PM	47.7	50.7	46.3
10:00 PM - 11:00 PM	46.8	47.8	46.0
11:00 PM - 12:00 AM	45.9	47.3	45.3
12:00 AM - 01:00 AM	45.8	48.3	45.4
01:00 AM - 02:00 AM	46.3	58.1	45.4
02:00 AM - 03:00 AM	46.1	48.9	45.4

The above results are only valid for the stated test conditions. No other test results are valid for the stated test conditions. All data are subject to change without notice. The above results are only valid for the stated test conditions. No other test results are valid for the stated test conditions. All data are subject to change without notice.

Approved by

Wibb.

Wibwan Borrak  
Manager

ADDRESS: 616/10 Moo 5, T. Maenam Kru A, Phakdang Rayong 21140 Thailand. Phone: +66 8 3304 8555 Fax: +66 8 3304 8556

www.alsglobal.com  
RIGHT SOLUTIONS. RIGHT PEOPLE. RIGHT TIME.



## Analysis / Test Report



TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Italbhai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok  
Thailand 10310

Lot ID: 2349341  
Date Received : May 23, 2023  
Date Reported : Jun 01, 2023  
Report No. : 2664478-1

P/O :  
Project Name : Laemchabang  
Project Location :

Page 2 of 3

Sample No. : 2349341-29  
Parameter : Noise  
Location : 47.5m (u. 2 m/s) (GPS 47 715611, 1441346) (Shut down)  
Measurement Date : May 14 - 15, 2023  
Measurement by : Sirivut Ruangsom  
Sound Level Meter : 00900071

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
12:25 AM - 12:30 AM	45.1	46.3	44.1
12:30 AM - 12:35 AM	46.3	47.6	45.7
12:35 AM - 12:40 AM	46.5	47.6	46.0
12:40 AM - 12:45 AM	46.3	48.5	45.8
12:45 AM - 12:50 AM	46.5	56.7	44.6
12:50 AM - 12:55 AM	45.3	47.2	44.6
12:55 AM - 01:00 AM	45.3	46.7	44.8
01:00 AM - 01:05 AM	45.0	49.1	43.1
01:05 AM - 01:10 AM	45.1	45.7	45.4
01:10 AM - 01:15 AM	45.2	47.5	42.7
01:15 AM - 01:20 AM	46.4	48.0	45.5
01:20 AM - 01:25 AM	45.1	46.9	44.8
01:25 AM - 01:30 AM	45.8	46.8	45.2
01:30 AM - 01:35 AM	45.5	46.8	45.0
01:35 AM - 01:40 AM	46.4	51.3	45.3
01:40 AM - 01:45 AM	46.3	48.0	45.2
01:45 AM - 01:50 AM	47.0	46.3	46.4
01:50 AM - 01:55 AM	47.6	52.0	46.9
01:55 AM - 02:00 AM	48.1	55.4	47.2
02:00 AM - 02:05 AM	48.1	50.9	47.5
02:05 AM - 02:10 AM	47.4	50.3	45.7
02:10 AM - 02:15 AM	47.6	49.3	46.7
02:15 AM - 02:20 AM	47.6	55.4	44.8
02:20 AM - 02:25 AM	47.6	48.5	47.0
02:25 AM - 02:30 AM	46.5	48.5	45.8
02:30 AM - 02:35 AM	45.5	47.0	45.0
02:35 AM - 02:40 AM	45.8	48.2	45.1
02:40 AM - 02:45 AM	46.7	57.8	45.1
02:45 AM - 02:50 AM	46.0	51.5	44.6
02:50 AM - 02:55 AM	45.3	47.3	44.8
02:55 AM - 03:00 AM	47.2	57.6	44.7
03:00 AM - 03:05 AM	46.8	48.6	44.8
03:05 AM - 03:10 AM	46.2	47.5	42.7
03:10 AM - 03:15 AM	44.5	46.3	43.5
03:15 AM - 03:20 AM	44.4	46.9	42.9
03:20 AM - 03:25 AM	47.0	47.9	42.9
03:25 AM - 03:30 AM	43.0	46.0	41.1
03:30 AM - 03:35 AM	43.2	46.4	42.0
03:35 AM - 03:40 AM	43.1	45.2	42.1
03:40 AM - 03:45 AM	45.6	59.3	42.3

The above results are only valid for the stated test conditions. No other test results are valid for the stated test conditions. All data are subject to change without notice. The above results are only valid for the stated test conditions. No other test results are valid for the stated test conditions. All data are subject to change without notice.

Approved by

Wibb.

Wibwan Borrak  
Manager

ADDRESS: 616/10 Moo 5, T. Maenam Kru A, Phakdang Rayong 21140 Thailand. Phone: +66 8 3304 8555 Fax: +66 8 3304 8556

www.alsglobal.com  
RIGHT SOLUTIONS. RIGHT PEOPLE. RIGHT TIME.



## Analysis / Test Report



TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Italbhai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok  
Thailand 10310

Lot ID: 2349341  
Date Received : May 23, 2023  
Date Reported : Jun 01, 2023  
Report No. : 2664478-1

P/O :  
Project Name : Laemchabang  
Project Location :

Page 1 of 3

Sample No. : 2349341-29  
Parameter : Noise  
Location : 47.5m (u. 2 m/s) (GPS 47 715611, 1441346) (Shut down)  
Measurement Date : May 14 - 15, 2023  
Measurement by : Sirivut Ruangsom  
Sound Level Meter : 00900071

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
03:45 AM - 03:50 AM	56.8	60.4	45.0
03:50 AM - 03:55 AM	48.8	58.3	44.1
03:55 AM - 04:00 AM	48.9	55.3	45.3
04:00 AM - 04:05 AM	49.1	56.5	47.3
04:05 AM - 04:10 AM	47.7	48.1	47.0
04:10 AM - 04:15 AM	45.1	50.8	45.7
04:15 AM - 04:20 AM	49.2	60.8	45.2
04:20 AM - 04:25 AM	47.7	58.4	44.0
04:25 AM - 04:30 AM	50.1	60.0	44.6
04:30 AM - 04:35 AM	45.0	54.6	43.2
04:35 AM - 04:40 AM	45.3	48.8	43.9
04:40 AM - 04:45 AM	46.6	45.0	45.0
04:45 AM - 04:50 AM	50.5	61.5	46.3
04:50 AM - 04:55 AM	49.3	54.2	47.0
04:55 AM - 05:00 AM	47.7	52.7	45.8
05:00 AM - 05:05 AM	50.6	61.5	46.5
05:05 AM - 05:10 AM	49.7	60.5	46.0
05:10 AM - 05:15 AM	48.5	57.1	46.7
05:15 AM - 05:20 AM	49.3	58.1	47.2
05:20 AM - 05:25 AM	50.2	64.1	46.2
05:25 AM - 05:30 AM	51.6	65.5	45.8
05:30 AM - 05:35 AM	47.0	58.9	45.4
05:35 AM - 05:40 AM	46.6	48.6	45.2
05:40 AM - 05:45 AM	51.3	66.2	46.7
05:45 AM - 05:50 AM	48.7	61.2	46.3
05:50 AM - 05:55 AM	58.2	77.1	45.8
05:55 AM - 06:00 AM	47.5	51.1	45.2
06:00 AM - 07:00 AM	57.7	78.7	51.1
07:00 AM - 08:00 AM	50.6	54.6	47.6
08:00 AM - 09:00 AM	57.3	77.5	48.4
09:00 AM - 10:00 AM	64.6	65.9	58.6
10:00 AM - 11:00 AM	47.4	70.4	35.0

Reference Method :  
1. ISO 1996-1  
2. มาตรฐานกรมอนามัย (สำหรับวัดระดับเสียงในชุมชนตาม 24 ชั่วโมง)

Approved by

Wibb.

Wibwan Borrak  
Manager

ADDRESS: 616/10 Moo 5, T. Maenam Kru A, Phakdang Rayong 21140 Thailand. Phone: +66 8 3304 8555 Fax: +66 8 3304 8556

www.alsglobal.com  
RIGHT SOLUTIONS. RIGHT PEOPLE. RIGHT TIME.



## Analysis / Test Report



TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Italbhai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok  
Thailand 10310

Lot ID: 2349341  
Date Received : May 23, 2023  
Date Reported : Jun 01, 2023  
Report No. : 2664478-1

P/O :  
Project Name : Laemchabang  
Project Location :

Page 2 of 3

Sample No. : 2349341-30  
Parameter : Noise  
Location : 47.5m (u. 2 m/s) (GPS 47 715611, 1441346) (Shut down)  
Measurement Date : May 15 - 16, 2023  
Measurement by : Sirivut Ruangsom  
Sound Level Meter : 00900071

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
11:00 AM - 11:05 PM	48.3	49.1	43.7
11:05 PM - 11:10 PM	50.4	71.1	43.7
01:00 PM - 02:00 PM	48.4	67.6	44.4
02:00 PM - 03:00 PM	50.7	78.0	43.7
03:00 PM - 04:00 PM	44.7	44.7	43.1
04:00 PM - 05:00 PM	48.6	63.6	44.7
05:00 PM - 06:00 PM	47.9	65.4	45.7
06:00 PM - 07:00 PM	51.1	58.5	49.1
07:00 PM - 08:00 PM	53.2	58.6	52.7
08:00 PM - 09:00 PM	54.0	73.6	52.7
09:00 PM - 10:00 PM	47.0	48.9	46.4
10:00 PM - 10:55 PM	45.5	48.0	44.8
10:55 PM - 11:00 PM	46.3	47.2	45.1
11:00 PM - 11:05 PM	45.4	46.4	44.9
11:05 PM - 11:10 PM	48.6	68.2	45.3
11:10 PM - 11:15 PM	46.1	53.7	44.8
11:15 PM - 11:20 PM	45.3	50.2	44.6
11:20 PM - 11:25 PM	46.8	62.3	44.3
11:25 PM - 11:30 PM	45.6	47.8	44.6
11:30 PM - 11:35 PM	45.2	46.6	44.2
11:35 PM - 11:40 PM	45.6	49.2	44.5
11:40 PM - 11:45 PM	45.4	46.1	44.5
11:45 PM - 11:50 PM	45.0	47.3	44.5
11:50 PM - 11:55 PM	44.4	46.6	44.0
11:55 PM - 12:00 AM	46.0	46.0	43.7
12:00 AM - 12:05 AM	39.9	44.9	37.3
12:05 AM - 12:10 AM	39.9	53.0	37.7
12:10 PM - 12:15 PM	40.1	47.0	36.3
12:15 PM - 12:20 AM	40.6	46.7	39.3
12:20 AM - 12:25 AM	41.2	44.3	39.8
12:25 AM - 12:30 AM	43.5	57.8	41.8
12:30 AM - 12:35 AM	44.1	51.8	42.8
12:35 AM - 12:40 AM	43.8	47.8	41.9
12:40 AM - 12:45 AM	44.3	56.2	42.0
12:45 AM - 12:50 AM	43.9	50.7	42.0
12:50 AM - 12:55 AM	43.5	49.0	41.4
12:55 AM - 12:00 AM	43.0	50.0	40.1
12:00 AM - 12:05 AM	44.3	54.6	39.8
12:05 AM - 12:10 AM	45.0	51.6	44.5
12:10 AM - 12:15 AM	47.6	50.9	46.3

The above results are only valid for the stated test conditions. No other test results are valid for the stated test conditions. All data are subject to change without notice. The above results are only valid for the stated test conditions. No other test results are valid for the stated test conditions. All data are subject to change without notice.

Approved by

Wibb.

Wibwan Borrak  
Manager

ADDRESS: 616/10 Moo 5, T. Maenam Kru A, Phakdang Rayong 21140 Thailand. Phone: +66 8 3304 8555 Fax: +66 8 3304 8556

www.alsglobal.com  
RIGHT SOLUTIONS. RIGHT PEOPLE. RIGHT TIME.







## Analysis / Test Report



TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.  
2034/115 25TH Fl. Itabhai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok  
Thailand 10310

Lot ID: 2349341  
Date Received : May 23, 2023  
Date Reported : Jun 01, 2023  
Report No. : 2664481-1

P/O :  
Project Name : Laemchabang  
Project Location :

Page 1 of 1

Sample No. : 2349341-31  
Parameter : Noise  
Location : NS : ห้างหุ้นส่วนฯ (u. 2 อาคาร) (GPS 47P 715611, 1441346) (Shut down)  
Measurement Date : May 18 - 17, 2023  
Measurement by : Sirinut Ruangsom  
Sound Level Meter : 00900071

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
03:45 AM - 03:50 AM	30.9	39.3	49.7
03:50 AM - 03:55 AM	31.6	39.7	49.6
03:55 AM - 04:00 AM	31.9	39.8	49.1
04:00 AM - 04:05 AM	32.7	39.5	49.7
04:05 AM - 04:10 AM	49.7	60.8	49.7
04:10 AM - 04:15 AM	46.7	59.5	49.3
04:15 AM - 04:20 AM	33.5	41.6	44.1
04:20 AM - 04:25 AM	33.9	43.1	44.8
04:25 AM - 04:30 AM	46.2	52.3	44.5
04:30 AM - 04:35 AM	46.7	51.6	43.5
04:35 AM - 04:40 AM	47.7	61.9	44.0
04:40 AM - 04:45 AM	46.0	56.0	43.9
04:45 AM - 04:50 AM	52.8	65.5	43.6
04:50 AM - 04:55 AM	44.8	53.2	43.8
04:55 AM - 05:00 AM	47.5	58.4	42.5
05:00 AM - 05:05 AM	49.1	62.6	41.7
05:05 AM - 05:10 AM	55.3	64.4	41.5
05:10 AM - 05:15 AM	46.2	57.3	43.4
05:15 AM - 05:20 AM	37.3	76.4	41.9
05:20 AM - 05:25 AM	48.3	54.1	40.6
05:25 AM - 05:30 AM	46.6	59.3	40.3
05:30 AM - 05:35 AM	42.8	59.2	39.9
05:35 AM - 05:40 AM	42.5	51.7	40.3
05:40 AM - 05:45 AM	43.0	52.2	40.5
05:45 AM - 05:50 AM	46.4	56.8	40.8
05:50 AM - 05:55 AM	47.8	65.7	43.5
05:55 AM - 06:00 AM	56.3	72.2	41.8
06:00 AM - 07:00 AM	48.4	71.2	41.0
07:00 AM - 08:30 AM	49.4	67.7	40.5
08:30 AM - 09:00 AM	47.9	64.2	40.8
09:00 AM - 10:00 AM	50.1	73.5	40.7
10:00 AM - 11:00 AM	45.1	67.5	40.6

### Reference Method :

- ISO 1996-1
- ข้อกำหนดมาตรฐานการวัดเสียง (สำหรับอาคาร) ตามมาตรฐานของกรมส่งเสริมการค้าระหว่างประเทศ กระทรวงพาณิชย์ พ.ศ. 2553

The accuracy of any data and/or for the equipment used is not warranted by the company. The company is not responsible for any data or information that is not provided by the company. The company is not responsible for any data or information that is not provided by the company.

Approved by

Wibab  
Wibab Borak  
Manager

ADDRESS 616/10 Moo 5 T. Maenam Kru A. Phakding Rong 2140 Thailand. PHONE +66 9 904 8555 FAX +66 9 904 8556  
ALSLABORATORY (THAILAND) CO., LTD. 616/10 Moo 5, T. Maenam Kru A. Phakding Rong 2140 Thailand.

www.alsglobal.com

RIGHT SOLUTIONS. THE BEST OF BOTH WORLDS.



## Analysis / Test Report



TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.  
2034/115 25TH Fl. Itabhai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok  
Thailand 10310

Lot ID: 2349341  
Date Received : May 23, 2023  
Date Reported : Jun 01, 2023  
Report No. : 2664481-1

P/O :  
Project Name : Laemchabang  
Project Location :

Page 1 of 1

Sample No. : 2349341-32  
Parameter : Noise  
Location : NS : ห้างหุ้นส่วนฯ (u. 2 อาคาร) (GPS 47P 715611, 1441346) (Shut down)  
Measurement Date : May 17 - 18, 2023  
Measurement by : Sirinut Ruangsom  
Sound Level Meter : 00900071

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
11:00 AM - 11:05 PM	49.6	71.8	38.2
11:05 PM - 11:10 PM	47.5	70.4	38.1
11:10 PM - 11:15 PM	50.7	70.4	38.1
11:15 PM - 11:20 PM	48.1	73.9	38.3
11:20 PM - 11:25 PM	46.5	71.7	38.8
11:25 PM - 11:30 PM	46.9	75.1	41.2
11:30 PM - 11:35 PM	45.7	58.0	44.6
11:35 PM - 11:40 PM	47.8	66.0	47.1
11:40 PM - 11:45 PM	45.8	57.2	46.9
11:45 PM - 11:50 PM	45.4	51.4	44.5
11:50 PM - 11:55 PM	46.0	51.0	45.2
11:55 PM - 12:00 PM	50.2	52.3	45.7
12:00 PM - 12:05 PM	44.8	49.7	42.4
12:05 PM - 12:10 PM	43.3	46.0	42.5
12:10 PM - 12:15 PM	42.9	49.3	41.8
12:15 PM - 12:20 PM	41.7	43.3	41.0
12:20 PM - 12:25 PM	41.4	43.5	40.8
12:25 PM - 12:30 PM	41.3	44.9	40.5
12:30 PM - 12:35 PM	41.4	43.1	40.4
12:35 PM - 12:40 PM	40.8	42.1	39.9
12:40 PM - 12:45 PM	41.1	42.3	40.7
12:45 PM - 12:50 PM	41.3	41.8	40.7
12:50 PM - 12:55 PM	41.9	44.6	41.1
12:55 PM - 1:00 PM	41.9	44.6	40.6
1:00 PM - 1:05 PM	41.4	44.9	40.6
1:05 PM - 1:10 PM	41.4	43.1	40.9
1:10 PM - 1:15 PM	41.1	42.4	40.5
1:15 PM - 1:20 PM	42.3	45.2	41.4
1:20 PM - 1:25 PM	42.6	44.9	41.6
1:25 PM - 1:30 PM	41.3	41.3	41.5
1:30 PM - 1:35 PM	42.8	46.1	41.8
1:35 PM - 1:40 PM	44.5	44.5	42.2
1:40 PM - 1:45 PM	45.5	47.8	41.8
1:45 PM - 1:50 PM	46.1	45.4	45.4
1:50 PM - 1:55 PM	47.2	47.2	45.5
1:55 PM - 12:00 AM	44.6	47.7	42.6
12:00 AM - 12:05 AM	41.6	47.5	42.7
12:05 AM - 12:10 AM	42.4	45.8	42.7
12:10 AM - 12:15 AM	44.7	47.5	42.8
12:15 AM - 12:20 AM	47.4	48.6	42.8
12:20 AM - 12:25 AM	47.9	48.8	42.2

The accuracy of any data and/or for the equipment used is not warranted by the company. The company is not responsible for any data or information that is not provided by the company. The company is not responsible for any data or information that is not provided by the company.

Approved by

Wibab  
Wibab Borak  
Manager

ADDRESS 616/10 Moo 5 T. Maenam Kru A. Phakding Rong 2140 Thailand. PHONE +66 9 904 8555 FAX +66 9 904 8556  
ALSLABORATORY (THAILAND) CO., LTD. 616/10 Moo 5, T. Maenam Kru A. Phakding Rong 2140 Thailand.

www.alsglobal.com

RIGHT SOLUTIONS. THE BEST OF BOTH WORLDS.



## Analysis / Test Report



TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.  
2034/115 25TH Fl. Itabhai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok  
Thailand 10310

Lot ID: 2349341  
Date Received : May 23, 2023  
Date Reported : Jun 01, 2023  
Report No. : 2664481-1

P/O :  
Project Name : Laemchabang  
Project Location :

Page 2 of 1

Sample No. : 2349341-32  
Parameter : Noise  
Location : NS : ห้างหุ้นส่วนฯ (u. 2 อาคาร) (GPS 47P 715611, 1441346) (Shut down)  
Measurement Date : May 17 - 18, 2023  
Measurement by : Sirinut Ruangsom  
Sound Level Meter : 00900071

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
12:25 AM - 12:30 AM	46.7	46.7	46.7
12:30 AM - 12:35 AM	46.4	47.2	46.1
12:35 AM - 12:40 AM	46.3	47.9	45.9
12:40 AM - 12:45 AM	46.1	50.0	45.3
12:45 AM - 12:50 AM	49.3	59.9	45.1
12:50 AM - 12:55 AM	43.7	50.3	41.9
12:55 AM - 01:00 AM	43.1	45.7	42.1
01:00 AM - 01:05 AM	44.3	53.0	42.6
01:05 AM - 01:10 AM	44.2	46.5	43.1
01:10 AM - 01:15 AM	49.0	67.1	43.0
01:15 AM - 01:20 AM	43.2	45.0	42.3
01:20 AM - 01:25 AM	44.7	49.8	43.5
01:25 AM - 01:30 AM	43.3	43.4	42.4
01:30 AM - 01:35 AM	43.4	45.5	42.3
01:35 AM - 01:40 AM	44.2	47.4	42.1
01:40 AM - 01:45 AM	42.9	45.4	41.9
01:45 AM - 01:50 AM	42.1	45.3	42.1
01:50 AM - 01:55 AM	43.4	45.9	42.2
01:55 AM - 02:00 AM	42.7	49.5	41.7
02:00 AM - 02:05 AM	41.3	46.5	41.2
02:05 AM - 02:10 AM	42.8	46.5	41.1
02:10 AM - 02:15 AM	40.9	47.7	40.1
02:15 AM - 02:20 AM	41.3	46.4	40.4
02:20 AM - 02:25 AM	41.2	41.1	40.4
02:25 AM - 02:30 AM	41.2	40.2	40.7
02:30 AM - 02:35 AM	42.8	51.5	40.9
02:35 AM - 02:40 AM	41.4	50.4	41.9
02:40 AM - 02:45 AM	43.7	58.7	40.8
02:45 AM - 02:50 AM	43.6	50.3	41.3
02:50 AM - 02:55 AM	41.1	41.8	40.0
02:55 AM - 03:00 AM	40.9	44.7	40.0
03:00 AM - 03:05 AM	40.0	44.9	39.2
03:05 AM - 03:10 AM	40.7	56.7	40.1
03:10 AM - 03:15 AM	42.9	52.7	40.4
03:15 AM - 03:20 AM	41.4	45.6	40.6
03:20 AM - 03:25 AM	41.7	47.1	40.4
03:25 AM - 03:30 AM	41.4	46.8	40.4
03:30 AM - 03:35 AM	42.3	46.2	40.8
03:35 AM - 03:40 AM	44.7	60.3	41.6
03:40 AM - 03:45 AM	47.3	60.5	41.7

The accuracy of any data and/or for the equipment used is not warranted by the company. The company is not responsible for any data or information that is not provided by the company. The company is not responsible for any data or information that is not provided by the company.

Approved by

Wibab  
Wibab Borak  
Manager

ADDRESS 616/10 Moo 5 T. Maenam Kru A. Phakding Rong 2140 Thailand. PHONE +66 9 904 8555 FAX +66 9 904 8556  
ALSLABORATORY (THAILAND) CO., LTD. 616/10 Moo 5, T. Maenam Kru A. Phakding Rong 2140 Thailand.

www.alsglobal.com

RIGHT SOLUTIONS. THE BEST OF BOTH WORLDS.



## Analysis / Test Report



TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.  
2034/115 25TH Fl. Itabhai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok  
Thailand 10310

Lot ID: 2349341  
Date Received : May 23, 2023  
Date Reported : Jun 01, 2023  
Report No. : 2664481-1

P/O :  
Project Name : Laemchabang  
Project Location :

Page 2 of 1

Sample No. : 2349341-32  
Parameter : Noise  
Location : NS : ห้างหุ้นส่วนฯ (u. 2 อาคาร) (GPS 47P 715611, 1441346) (Shut down)  
Measurement Date : May 17 - 18, 2023  
Measurement by : Sirinut Ruangsom  
Sound Level Meter : 00900071

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
03:45 AM - 03:50 AM	49.1	60.4	41.8
03:50 AM - 03:55 AM	51.7	67.1	45.5
03:55 AM - 04:00 AM	49.7	59.2	44.0
04:00 AM - 04:05 AM	46.6	57.3	43.5
04:05 AM - 04:10 AM	44.6	49.9	43.1
04:10 AM - 04:15 AM	58.2	66.9	41.4
04:15 AM - 04:20 AM	47.8	62.2	42.4
04:20 AM - 04:25 AM	43.6	53.2	40.5
04:25 AM - 04:30 AM	44.4	52.9	42.5
04:30 AM - 04:35 AM	43.0	53.0	42.5
04:35 AM - 04:40 AM	48.3	54.4	45.4
04:40 AM - 04:45 AM	48.3	61.8	42.5
04:45 AM - 04:50 AM	46.1	60.3	42.3
04:50 AM - 04:55 AM	52.1	62.8	43.1
04:55 AM - 05:00 AM	45.1	54.9	42.8
05:00 AM - 05:05 AM	46.5	58.2	41.8
05:05 AM - 05:10 AM	51.8	69.5	41.7
05:10 AM - 05:15 AM	45.8	52.7	43.0
05:15 AM - 05:20 AM	44.3	50.1	41.8
05:20 AM - 05:25 AM	50.5	64.8	41.5
05:25 AM - 05:30 AM	62.4	82.0	41.7
05:30 AM - 05:35 AM	66.2	66.9	41.6
05:35 AM - 05:40 AM	44.6	52.6	40.9
05:40 AM - 05:45 AM	52.0	65.1	40.8
05:45 AM - 05:50 AM	45.5	61.1	40.9
05:50 AM - 05:55 AM	42.5	45.7	40.8
05:55 AM - 06:00 AM	43.7	52.5	40.8
06:00 AM - 07:00 AM	51.8	74.9	42.6
07:00 AM - 08:00 AM	51.4	71.9	42.8
08:00 AM - 09:00 AM	56.3	71.7	40.2
09:00 AM - 10:00 AM	49.0	71.6	41.7
10:00 AM - 11:00 AM	54.7	74.0	42.2

### Reference Method :

- ISO 1996-1
- ข้อกำหนดมาตรฐานการวัดเสียง (สำหรับอาคาร) ตามมาตรฐานของกรมส่งเสริมการค้าระหว่างประเทศ กระทรวงพาณิชย์ พ.ศ. 2553

The accuracy of any data and/or for the equipment used is not warranted by the company. The company is not responsible for any data or information that is not provided by the company. The company is not responsible for any data or information that is not provided by the company.

Approved by

Wibab  
Wibab Borak  
Manager

ADDRESS 616/10 Moo 5 T. Maenam Kru A. Phakding Rong 2140 Thailand. PHONE +66 9 904 8555 FAX +66 9 904 8556  
ALSLABORATORY (THAILAND) CO., LTD. 616/10 Moo 5, T. Maenam Kru A. Phakding Rong 2140 Thailand.

www.alsglobal.com

RIGHT SOLUTIONS. THE BEST OF BOTH WORLDS.



## Analysis / Test Report



TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok  
Thailand 10310

Lot ID: 2349341  
Date Received : May 23, 2023  
Date Reported : Jun 01, 2023  
Report No. : 2664482-1

P/O :  
Project Name : Laemchabang  
Project Location :

Page 1 of 1

Sample No. : 2349341-33  
Parameter : Noise  
Location : NS : 13°10'N 100°0' E (2.2 km from noise source) (GPS 47P 715611, 1441346) (Shut down)  
Measurement Date : May 18 - 19, 2023  
Measurement by : Srivut Ruangsorn  
Sound Level Meter : 00900071

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
11:00 AM - 12:00 PM	44.5	51.1	40.5
12:00 PM - 01:00 PM	52.0	77.7	38.9
01:00 PM - 02:00 PM	50.5	72.1	37.7
02:00 PM - 03:00 PM	47.8	68.7	38.0
03:00 PM - 04:00 PM	48.3	71.4	40.7
04:00 PM - 05:00 PM	43.1	59.6	41.2
05:00 PM - 06:00 PM	46.2	59.1	44.2
06:00 PM - 07:00 PM	47.4	59.0	45.1
07:00 PM - 08:00 PM	44.6	49.3	43.8
08:00 PM - 09:00 PM	46.2	52.0	44.9
09:00 PM - 10:00 PM	47.1	51.5	45.5
10:00 PM - 10:55 PM	48.9	50.0	46.0
10:55 PM - 11:00 PM	45.1	47.6	43.5
11:00 PM - 11:05 PM	46.5	48.4	43.7
11:05 PM - 11:10 PM	41.7	43.8	40.7
11:10 PM - 11:15 PM	41.5	46.0	40.2
11:15 PM - 11:20 PM	40.6	45.4	38.2
11:20 PM - 11:25 PM	40.2	43.5	39.4
11:25 PM - 11:30 PM	42.5	50.3	40.1
11:30 PM - 11:35 PM	41.6	46.9	40.0
11:35 PM - 11:40 PM	41.4	54.2	39.0
11:40 PM - 11:45 PM	41.3	49.8	39.0
11:45 PM - 11:50 PM	47.3	48.3	46.2
11:50 PM - 11:55 PM	47.3	64.9	38.1
11:55 PM - 12:00 PM	50.0	64.4	39.0
12:00 PM - 12:05 PM	41.0	51.8	38.1
12:05 PM - 12:10 PM	39.5	44.9	37.8
12:10 PM - 12:15 PM	38.7	41.4	38.1
12:15 PM - 12:20 PM	43.9	43.8	41.5
12:20 PM - 12:25 PM	44.7	45.7	44.2
12:25 PM - 12:30 PM	44.8	46.5	44.4
12:30 PM - 12:35 PM	44.9	46.0	44.5
12:35 PM - 12:40 PM	45.1	50.8	44.6
12:40 PM - 12:45 PM	45.2	47.4	44.5
12:45 PM - 12:50 PM	48.0	48.7	47.5
12:50 PM - 12:55 PM	48.1	49.0	47.8
12:55 PM - 12:59 AM	48.0	46.6	47.7
12:59 AM - 01:00 AM	47.9	46.7	47.4
01:00 AM - 01:05 AM	47.7	46.3	47.5
01:05 AM - 01:10 AM	47.6	48.2	47.4

Approved by

Witwan Borrak  
Manager

ADDRESS 616/10 Moo 5 : M. Manom Kru A. Phakdang Rong 2140 Thailand : TEL: 088 0 304 8555 FAX: 088 0 304 8556  
ADDRESS 616/10 Moo 5 : M. Manom Kru A. Phakdang Rong 2140 Thailand : TEL: 088 0 304 8555 FAX: 088 0 304 8556

www.alsglobal.com

RIGHT SOLUTIONS PROJECT PHASE 1 (2023)



## Analysis / Test Report



TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok  
Thailand 10310

Lot ID: 2349341  
Date Received : May 23, 2023  
Date Reported : Jun 01, 2023  
Report No. : 2664482-1

P/O :  
Project Name : Laemchabang  
Project Location :

Page 2 of 1

Sample No. : 2349341-33  
Parameter : Noise  
Location : NS : 13°10'N 100°0' E (2.2 km from noise source) (GPS 47P 715611, 1441346) (Shut down)  
Measurement Date : May 18 - 19, 2023  
Measurement by : Srivut Ruangsorn  
Sound Level Meter : 00900071

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
12:55 AM - 12:59 AM	47.5	48.7	47.2
12:59 AM - 01:00 AM	46.7	51.6	45.1
01:00 AM - 01:05 AM	45.5	51.3	44.8
01:05 AM - 01:10 AM	45.0	48.8	44.6
01:10 AM - 01:15 AM	40.7	41.8	40.1
01:15 AM - 01:20 AM	40.9	44.9	40.4
01:20 AM - 01:25 AM	41.3	43.9	40.8
01:25 AM - 01:30 AM	41.2	45.6	40.6
01:30 AM - 01:35 AM	44.2	46.4	43.9
01:35 AM - 01:40 AM	45.4	47.3	44.8
01:40 AM - 01:45 AM	45.1	47.1	44.6
01:45 AM - 01:50 AM	45.9	52.9	44.6
01:50 AM - 01:55 AM	46.3	55.0	42.4
01:55 AM - 02:00 AM	45.8	51.9	42.4
02:00 AM - 02:05 AM	45.5	47.7	44.9
02:05 AM - 02:10 AM	41.0	45.8	40.3
02:10 AM - 02:15 AM	41.0	45.9	40.6
02:15 AM - 02:20 AM	41.6	46.0	41.0
02:20 AM - 02:25 AM	41.7	50.1	40.5
02:25 AM - 02:30 AM	41.3	47.7	39.3
02:30 AM - 02:35 AM	40.7	43.4	40.0
02:35 AM - 02:40 AM	41.2	45.0	40.3
02:40 AM - 02:45 AM	41.1	45.6	40.3
02:45 AM - 02:50 AM	41.8	55.1	41.6
02:50 AM - 02:55 AM	42.0	47.1	41.4
02:55 AM - 03:00 AM	42.6	45.6	41.6
03:00 AM - 03:05 AM	42.1	44.6	41.8
03:05 AM - 03:10 AM	45.3	47.1	44.5
03:10 AM - 03:15 AM	45.9	49.3	44.9
03:15 AM - 03:20 AM	46.1	50.1	45.2
03:20 AM - 03:25 AM	45.8	48.3	45.2
03:25 AM - 03:30 AM	45.5	47.3	44.9
03:30 AM - 03:35 AM	46.3	50.3	45.4
03:35 AM - 03:40 AM	45.6	50.7	44.4
03:40 AM - 03:45 AM	55.2	66.5	45.3

Approved by

Witwan Borrak  
Manager

ADDRESS 616/10 Moo 5 : M. Manom Kru A. Phakdang Rong 2140 Thailand : TEL: 088 0 304 8555 FAX: 088 0 304 8556  
ADDRESS 616/10 Moo 5 : M. Manom Kru A. Phakdang Rong 2140 Thailand : TEL: 088 0 304 8555 FAX: 088 0 304 8556

www.alsglobal.com

RIGHT SOLUTIONS PROJECT PHASE 1 (2023)



## Analysis / Test Report



TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok  
Thailand 10310

Lot ID: 2349341  
Date Received : May 23, 2023  
Date Reported : Jun 01, 2023  
Report No. : 2664482-1

P/O :  
Project Name : Laemchabang  
Project Location :

Page 3 of 1

Sample No. : 2349341-34  
Parameter : Noise  
Location : NS : 13°10'N 100°0' E (2.2 km from noise source) (GPS 47P 715611, 1441346) (Shut down)  
Measurement Date : May 18 - 19, 2023  
Measurement by : Srivut Ruangsorn  
Sound Level Meter : 00900071

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
03:45 AM - 03:50 AM	32.1	34.1	34.9
03:50 AM - 03:55 AM	31.3	42.3	35.0
03:55 AM - 04:00 AM	34.3	52.6	36.4
04:00 AM - 04:05 AM	39.3	56.5	41.8
04:05 AM - 04:10 AM	32.7	42.0	41.7
04:10 AM - 04:15 AM	32.5	62.5	41.0
04:15 AM - 04:20 AM	43.3	57.8	46.9
04:20 AM - 04:25 AM	41.6	45.9	40.7
04:25 AM - 04:30 AM	41.8	51.8	41.9
04:30 AM - 04:35 AM	50.0	62.6	41.8
04:35 AM - 04:40 AM	44.1	51.5	41.6
04:40 AM - 04:45 AM	48.0	52.7	42.0
04:45 AM - 04:50 AM	45.0	53.0	42.1
04:50 AM - 04:55 AM	46.8	48.7	40.4
04:55 AM - 05:00 AM	50.6	62.0	40.7
05:00 AM - 05:05 AM	49.2	64.8	42.7
05:05 AM - 05:10 AM	47.2	58.1	41.7
05:10 AM - 05:15 AM	45.7	58.6	39.3
05:15 AM - 05:20 AM	41.7	51.1	38.1
05:20 AM - 05:25 AM	44.2	63.6	38.5
05:25 AM - 05:30 AM	42.4	47.0	40.6
05:30 AM - 05:35 AM	45.9	58.2	39.3
05:35 AM - 05:40 AM	63.7	84.0	38.6
05:40 AM - 05:45 AM	43.4	58.8	38.8
05:45 AM - 05:50 AM	45.4	48.5	35.0
05:50 AM - 05:55 AM	39.5	44.3	38.8
05:55 AM - 06:00 AM	40.5	65.7	38.9
06:00 AM - 07:00 AM	45.8	69.8	40.1
07:00 AM - 08:00 AM	46.4	70.8	41.3
08:00 AM - 09:00 AM	45.0	61.3	41.3
09:00 AM - 10:00 AM	46.4	70.9	40.6
10:00 AM - 11:00 AM	52.7	71.3	38.8

Reference Method :

- ISO 1996-1
- กรมส่งเสริมการค้าระหว่างประเทศ กระทรวงพาณิชย์ (กรมส่งเสริมการค้าระหว่างประเทศ) 24 ธันวาคม 2555 (กรมส่งเสริมการค้าระหว่างประเทศ) 24 ธันวาคม 2555

Approved by

Witwan Borrak  
Manager

ADDRESS 616/10 Moo 5 : M. Manom Kru A. Phakdang Rong 2140 Thailand : TEL: 088 0 304 8555 FAX: 088 0 304 8556  
ADDRESS 616/10 Moo 5 : M. Manom Kru A. Phakdang Rong 2140 Thailand : TEL: 088 0 304 8555 FAX: 088 0 304 8556

www.alsglobal.com

RIGHT SOLUTIONS PROJECT PHASE 1 (2023)



## Analysis / Test Report



TESTING  
No.0042

Client : Rojana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok  
Thailand 10310

Lot ID: 2349341  
Date Received : May 23, 2023  
Date Reported : Jun 01, 2023  
Report No. : 2664482-1

P/O :  
Project Name : Laemchabang  
Project Location :

Page 4 of 1

Sample No. : 2349341-34  
Parameter : Noise  
Location : NS : 13°10'N 100°0' E (2.2 km from noise source) (GPS 47P 715611, 1441346) (Shut down)  
Measurement Date : May 19 - 20, 2023  
Measurement by : Srivut Ruangsorn  
Sound Level Meter : 00900071

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
11:00 AM - 12:00 PM	40.2	51.5	37.5
12:00 PM - 01:00 PM	42.1	58.9	39.5
01:00 PM - 02:00 PM	42.4	70.6	40.1
02:00 PM - 03:00 PM	42.2	64.4	39.1
03:00 PM - 04:00 PM	42.7	64.7	39.1
04:00 PM - 05:00 PM	45.1	60.4	41.1
05:00 PM - 06:00 PM	48.7	62.2	47.5
06:00 PM - 07:00 PM	48.2	64.3	47.4
07:00 PM - 08:00 PM	52.2	70.7	50.8
08:00 PM - 09:00 PM	52.5	66.0	51.9
09:00 PM - 10:00 PM	45.1	56.9	45.9
10:00 PM - 10:55 PM	48.3	50.6	47.4
10:55 PM - 11:00 PM	45.2	50.5	39.9
11:00 PM - 11:05 PM	46.9	44.6	39.9
11:05 PM - 11:10 PM	43.0	51.5	40.6
11:10 PM - 11:15 PM	47.1	48.7	46.8
11:15 PM - 11:20 PM	46.2	46.2	44.3
11:20 PM - 11:25 PM	49.8	47.0	42.7
11:25 PM - 11:30 PM	46.2	48.7	44.0
11:30 PM - 11:35 PM	47.4	45.4	43.8
11:35 PM - 11:40 PM	44.4	44.5	41.9
11:40 PM - 11:45 PM	44.5	47.9	41.9
11:45 PM - 11:50 PM	46.0	49.4	44.3
11:50 PM - 11:55 PM	45.7	49.8	44.5
11:55 PM - 12:00 PM	45.3	60.6	39.1
12:00 PM - 12:05 PM	45.4	52.7	43.4
12:05 PM - 12:10 PM	43.8	56.4	42.0
12:10 PM - 12:15 PM	43.6	53.3	41.9
12:15 PM - 12:20 PM	44.0	52.4	42.5
12:20 PM - 12:25 PM	55.9	70.6	43.9
12:25 PM - 12:30 PM	42.3	63.3	40.6
12:30 PM - 12:35 PM	45.4	54.8	42.0
12:35 PM - 12:40 PM	45.4	61.8	42.0
12:40 PM - 12:45 PM	45.4	46.2	43.0

Approved by

Witwan Borrak  
Manager

ADDRESS 616/10 Moo 5 : M. Manom Kru A. Phakdang Rong 2140 Thailand : TEL: 088 0 304 8555 FAX: 088 0 304 8556  
ADDRESS 616/10 Moo 5 : M. Manom Kru A. Phakdang Rong 2140 Thailand : TEL: 088 0 304 8555 FAX: 088 0 304 8556

www.alsglobal.com

RIGHT SOLUTIONS PROJECT PHASE 1 (2023)







## Analysis / Test Report

TESTING  
No.0042

Client : Rogana Industrial Park Public Co., Ltd.  
2034/115 26TH Fl. Itaihai Tower, New Petchburi Road, Banglapi, Huaykwang, Bangkok  
Thailand 10310

Let ID: 2349341  
Date Received : May 23, 2023  
Date Reported : Jun 01, 2023  
Report No. : 2664484-1

P/O :  
Project Name :  
Project Location : Laemchabang

Page 3 of 3

Sample No. : 2349341-35  
Parameter : Noise  
Location : RS : 416676404 (u. 2 outside) (GPS 478 715611, 1441346) (Shot down)  
Measurement Date : May 20 - 21, 2023  
Measurement by : Sirwet Ruangsom  
Sound Level Meter : 00900071

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
03:45 AM - 03:50 AM	56.4	68.2	48.8
03:50 AM - 03:55 AM	56.3	65.3	48.7
03:55 AM - 04:00 AM	58.1	65.1	48.4
04:00 AM - 04:05 AM	56.3	65.2	44.4
04:05 AM - 04:10 AM	57.3	62.1	43.8
04:10 AM - 04:15 AM	49.4	60.4	44.5
04:15 AM - 04:20 AM	47.2	58.9	43.0
04:20 AM - 04:25 AM	49.6	60.6	44.7
04:25 AM - 04:30 AM	55.0	76.5	44.4
04:30 AM - 04:35 AM	56.9	72.1	43.8
04:35 AM - 04:40 AM	47.7	57.8	43.0
04:40 AM - 04:45 AM	46.9	58.4	46.2
04:45 AM - 04:50 AM	46.4	55.7	44.4
04:50 AM - 04:55 AM	47.5	56.0	45.9
04:55 AM - 05:00 AM	47.6	53.3	46.0
05:00 AM - 05:05 AM	48.0	55.2	43.4
05:05 AM - 05:10 AM	48.2	56.0	45.3
05:10 AM - 05:15 AM	58.3	74.3	45.2
05:15 AM - 05:20 AM	48.2	63.8	48.1
05:20 AM - 05:25 AM	47.0	62.2	43.8
05:25 AM - 05:30 AM	49.4	66.3	43.1
05:30 AM - 05:35 AM	48.8	62.6	42.9
05:35 AM - 05:40 AM	45.3	51.0	43.8
05:40 AM - 05:45 AM	54.1	63.8	43.2
05:45 AM - 05:50 AM	52.0	64.1	40.9
05:50 AM - 05:55 AM	48.8	62.4	40.2
05:55 AM - 06:00 AM	53.5	68.3	36.3
06:00 AM - 07:00 AM	47.0	68.1	36.9
07:00 AM - 08:00 AM	53.3	69.2	41.2
08:00 AM - 09:00 AM	52.3	70.2	42.2
09:00 AM - 10:00 AM	51.3	70.0	43.6
10:00 AM - 11:00 AM	49.0	70.8	40.0

Reference Method :  
1. DO 1986-1  
2. กรมควบคุมมลพิษ (สำหรับแหล่งกำเนิดเสียงในอาคาร 24 ชั่วโมง) (กฎกระทรวงกำหนดมาตรฐานแหล่งกำเนิดเสียง พ.ศ. 2551)

This document is valid for the test results only. It is not a certificate of compliance. The test results are subject to the test conditions and the test method used. The test results are not a guarantee of the test results. The test results are not a guarantee of the test results.

Approved by

Wawan Borzak  
Manager

ALS (THAILAND) PUBLIC CO., LTD. 115/26TH FLOOR, ITAIHAI TOWER, NEW PETCHABURI ROAD, BANGKAPI, HUAYKWANG, BANGKOK 10310 THAILAND  
TEL: 02-010-11526 FAX: 02-010-11527  
WWW.ALSGLOBAL.COM

Lab No. : 001-001-001

www.alsglobal.com

RIGHT SOLUTIONS