

ANALYSIS REPORT

CUSTOMER NAME : IDEO MOBI ASOKE
ADDRESS : 1744 BANG KAPI HUAI KHWANG BANGKOK 10310
CONTACT INFORMATION : TEL : 09 8954 1060 e-mail : adisorn.theworks@ananda.co.th
SAMPLING SOURCE : -
SAMPLE TYPE : WATER SAMPLE FROM SWIMMING POOL
SAMPLING DATE : JANUARY 9, 2023
SAMPLING TIME : 11:50 HOUR
SAMPLING METHOD ^a : GRAB AND STERILE TECHNIQUE
SAMPLING BY ^c : MR WEERAYUT MOKKAEW
ANALYZED BY : MISS ITSARIYAPORN BUATIB

RECEIVED DATE : JANUARY 9, 2023
ANALYTICAL DATE : JANUARY 9-13, 2023
REPORT NO. : 2023-U004980
WORK NO. : 2022-002085
ANALYSIS NO. : T23AA297-0004


PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T23AA297-0004	
MICROBIOLOGY				
COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221 B)	< 1.1	1.1
FAECAL COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221 E)	< 1.1	1.1
<i>E. coli</i> ^b	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: 9221 D AND F)	NOT DETECTED	-
<i>Pseudomonas aeruginosa</i> ^c	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	-
SAMPLE CONDITION				
WATER'S COLOUR/TURBID			COLOURLESS/CLEAR	
SEDIMENT			-	

^a : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

^b : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

^c : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.



(MISS CHAWEEVAN BOONLA)
LABORATORY SUPERVISOR

JANUARY 24, 2023



ANALYSIS REPORT


CUSTOMER NAME : IDEO MOBI ASOKE
ADDRESS : 1744 BANG KAPI HUAI KHWANG BANGKOK 10310
CONTACT INFORMATION : TEL : 09 8954 1060 e-mail : adisorn.theworks@ananda.co.th
SAMPLING SOURCE : -
SAMPLE TYPE : WATER SAMPLE FROM SWIMMING POOL
SAMPLING DATE : JANUARY 9, 2023
SAMPLING TIME : 11:50 HOUR
SAMPLING METHOD * : GRAB AND STERILE TECHNIQUE
SAMPLING BY * : MR WEERAYUT MOKKAEW
ANALYZED BY : MISS KAMICA CHOOSOMBAT

RECEIVED DATE : JANUARY 9, 2023
ANALYTICAL DATE : JANUARY 9-12, 2023
REPORT NO. : 2023-U004982
WORK NO. : 2022-002085
ANALYSIS NO. : T23AA297-0004

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT
			SWIMMING POOL (DEEP ZONE) T23AA297-0004
MICROBIOLOGY			
<i>Staphylococcus aureus</i> #	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: 9213 B)	NOT DETECTED
SAMPLE CONDITION			COLOURLESS/CLEAR
WATER'S COLOUR/TURBID SEDIMENT			

: ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSQ)
* : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.



(MISS CHAWEEVAN BOONLA)
LABORATORY SUPERVISOR

JANUARY 24, 2023

ANALYSIS REPORT

CUSTOMER NAME	: IDEO MOBI ASOKE		
ADDRESS	: 1744 BANG KAPI HUAI KHWANG BANGKOK 10310		
CONTACT INFORMATION	: TEL : 09 8954 1060 e-mail : adisorn.theworks@ananda.co.th		
SAMPLING SOURCE	: -		
SAMPLE TYPE	: WATER SAMPLE FROM SWIMMING POOL	RECEIVED DATE	: JANUARY 9, 2023
SAMPLING DATE	: JANUARY 9, 2023	ANALYTICAL DATE	: JANUARY 9-13, 2023
SAMPLING TIME	: 11:55 HOUR	REPORT NO.	: 2023-U004983
SAMPLING METHOD °	: GRAB AND STERILE TECHNIQUE	WORK NO.	: 2022-002085
SAMPLING BY °	: MR WEERAYUT MOKKAEW	ANALYSIS NO.	: T23AA297-0005
ANALYZED BY	: MISS ITSARIYAPORN BUATIB		

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T23AA297-0005	
MICROBIOLOGY				
COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221 B)	< 1.1	1.1
FAECAL COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221 E)	< 1.1	1.1
<i>E. coli</i> ^b	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: 9221 D AND F)	NOT DETECTED	-
<i>Pseudomonas aeruginosa</i> ^c	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	-
SAMPLE CONDITION				
WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR	

^a : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

^b : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

^c: VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.

haseem B.

(MISS CHAWEEWAN BOONLA)
LABORATORY SUPERVISOR

JANUARY 24, 2023

ANALYSIS REPORT

CUSTOMER NAME : IDEO MOBI ASOKE
ADDRESS : 1744 BANG KAPI HUAI KHWANG BANGKOK 10310
CONTACT INFORMATION : TEL : 09 8954 1060 e-mail : adisorn.theworks@ananda.co.th
SAMPLING SOURCE : -
SAMPLE TYPE : WATER SAMPLE FROM SWIMMING POOL
SAMPLING DATE : JANUARY 16, 2023
SAMPLING TIME : 12:30 HOUR
SAMPLING METHOD ^c : GRAB AND STERILE TECHNIQUE
SAMPLING BY ^c : MR WEERAYUT MOKKAEW
ANALYZED BY : MISS ITSARIYAPORN BUATIB

RECEIVED DATE : JANUARY 16, 2023
ANALYTICAL DATE : JANUARY 16-19, 2023
REPORT NO. : 2023-U006334
WORK NO. : 2022-002085
ANALYSIS NO. : T23AA726-0001


PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T23AA726-0001	
MICROBIOLOGY				
COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221 B)	< 1.1	1.1
FAECAL COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221 E)	< 1.1	1.1
<i>E. coli</i> ^b	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: 9221 D AND F)	NOT DETECTED	-
<i>Pseudomonas aeruginosa</i> ^c	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	-
SAMPLE CONDITION				
WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR	

^a : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

^b : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

^c : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.



(MISS CHAWEEWAN BOONLA)
LABORATORY SUPERVISOR

JANUARY 26, 2023

ANALYSIS REPORT

CUSTOMER NAME : IDEO MOBI ASOKE
ADDRESS : 1744 BANG KAPI HUAI KHWANG BANGKOK 10310
CONTACT INFORMATION : TEL : 09 8954 1060 e-mail : adisorn.theworks@ananda.co.th
SAMPLING SOURCE : -
SAMPLE TYPE : WATER SAMPLE FROM SWIMMING POOL
SAMPLING DATE : JANUARY 16, 2023
SAMPLING TIME : 12:30 HOUR
SAMPLING METHOD * : GRAB AND STERILE TECHNIQUE
SAMPLING BY * : MR WEERAYUT MOKKAEW
ANALYZED BY : MR PITTAPAN LAEKOOD

RECEIVED DATE : JANUARY 16, 2023
ANALYTICAL DATE : JANUARY 16-19, 2023
REPORT NO. : 2023-U006335
WORK NO. : 2022-002085
ANALYSIS NO. : T23AA726-0001

ANALYZED BY			T23AA726-0001		
PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT		
			SWIMMING POOL (DEEP ZONE) T23AA726-0001		
MICROBIOLOGY					
<i>Staphylococcus aureus</i> #	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: 9213 B)	NOT DETECTED		
SAMPLE CONDITION			COLOURLESS/CLEAR		
WATER'S COLOUR/TURBID					
SEDIMENT					

: ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSQ)
* : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.

Chaweevan B.

(MISS CHAWEEVAN BOONLA)
LABORATORY SUPERVISOR

JANUARY 26, 2023

ANALYSIS REPORT

CUSTOMER NAME : IDEO MOBI ASOKE
ADDRESS : 1744 BANG KAPI HUA KHUANG BANGKOK 10310
CONTACT INFORMATION : TEL : 09 8954 1060 e-mail : adisorn.theworks@ananda.co.th
SAMPLING SOURCE : -
SAMPLE TYPE : WATER SAMPLE FROM SWIMMING POOL
SAMPLING DATE : JANUARY 16, 2023
SAMPLING TIME : 12:35 HOUR
SAMPLING METHOD ° : GRAB AND STERILE TECHNIQUE
SAMPLING BY ° : MR WEERAYUT MOKKAEW
ANALYZED BY : MISS ITSARIYAPORN BUATIB
RECEIVED DATE : JANUARY 16, 2023
ANALYTICAL DATE : JANUARY 16-19, 2023
REPORT NO. : 2023-U006336
WORK NO. : 2022-002085
ANALYSIS NO. : T23AA726-0002

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T23AA726-0002	
MICROBIOLOGY				
COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221 B)	< 1.1	1.1
FAECAL COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221 E)	< 1.1	1.1
<i>E. coli</i> ^b	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: 9221 D AND F)	NOT DETECTED	-
<i>Pseudomonas aeruginosa</i> ^c	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	-
SAMPLE CONDITION				
WATER'S COLOUR/TURBID			COLOURLESS/CLEAR	
SEDIMENT			-	

^a : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

^b : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

^c : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23RD EDITION, 2017.

Chaweevan B.

(MISS CHAWEEWAN BOONLA)
LABORATORY SUPERVISOR

JANUARY 26, 2023



ANALYSIS REPORT

CUSTOMER NAME : IDEO MOBI ASOKE
ADDRESS : 1744 BANG KAPI HUAI KHWANG BANGKOK 10310
CONTACT INFORMATION : TEL : 09 8954 1060 e-mail : adisorn.theworks@ananda.co.th
SAMPLING SOURCE : -
SAMPLE TYPE : WATER SAMPLE FROM SWIMMING POOL
SAMPLING DATE : JANUARY 16, 2023
SAMPLING TIME : 12:35 HOUR
SAMPLING METHOD ° : GRAB AND STERILE TECHNIQUE
SAMPLING BY ° : MR WEERAYUT MOKKAEW
ANALYZED BY : MISS ITSARIYAPORN BUATTB

RECEIVED DATE : JANUARY 16, 2023
ANALYTICAL DATE : JANUARY 16-19, 2023
REPORT NO. : 2023-U006336
WORK NO. : 2022-002085
ANALYSIS NO. : T23AA726-0002

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T23AA726-0002	
MICROBIOLOGY				
COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221 B)	< 1.1	1.1
FAECAL COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221 E)	< 1.1	1.1
<i>E. coli</i> ^b	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: 9221 D AND F)	NOT DETECTED	-
<i>Pseudomonas aeruginosa</i> ^c	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	-
SAMPLE CONDITION				
WATER'S COLOUR/TURBID			COLOURLESS/CLEAR	
SEDIMENT				

^a : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

^b : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

^c : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.

Chaweevan B.

(MISS CHAWEEVAN BOONLA)
LABORATORY SUPERVISOR

JANUARY 26, 2023



ANALYSIS REPORT

CUSTOMER NAME : IDEO MOBI ASOKE
ADDRESS : 1744 BANG KAPI HUAI KHWANG BANGKOK 10310
CONTACT INFORMATION : TEL : 09 8954 1060 e-mail : adisom.theworks@ananda.co.th
SAMPLING SOURCE : -
SAMPLE TYPE : WATER SAMPLE FROM SWIMMING POOL
SAMPLING DATE : JANUARY 23, 2023
SAMPLING TIME : 11:25 HOUR
SAMPLING METHOD ^c : GRAB AND STERILE TECHNIQUE
SAMPLING BY ^c : MR WEERAYUT MOKKAEW
ANALYZED BY : MISS ITSARIYAPORN BUATIB

RECEIVED DATE : JANUARY 23, 2023
ANALYTICAL DATE : JANUARY 23-26, 2023
REPORT NO. : 2023-U008132
WORK NO. : 2022-002085
ANALYSIS NO. : T23AB164-0001


PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T23AB164-0001	
MICROBIOLOGY				
COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221 B)	< 1.1	1.1
FAECAL COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221 E)	< 1.1	1.1
<i>E. coli</i> ^b	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: 9221 D AND F)	NOT DETECTED	-
<i>Pseudomonas aeruginosa</i> ^c	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	DETECTED	-
SAMPLE CONDITION				
WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR	

^a : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

^b : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

^c : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.



(MISS CHAWEEWAN BOONLA)
LABORATORY SUPERVISOR

FEBRUARY 3, 2023

ANALYSIS REPORT

CUSTOMER NAME : IDEO MOBI ASOKE
ADDRESS : 1744 BANG KAPI HUAI KHWANG BANGKOK 10310
CONTACT INFORMATION : TEL : 09 8954 1060 e-mail : adisorn.theworks@ananda.co.th
SAMPLING SOURCE : -
SAMPLE TYPE : WATER SAMPLE FROM SWIMMING POOL
SAMPLING DATE : JANUARY 23, 2023
SAMPLING TIME : 11:35 HOUR
SAMPLING METHOD ^c : GRAB AND STERILE TECHNIQUE
SAMPLING BY ^c : MR WEERAYUT MOKKAEW
ANALYZED BY : MISS ITSARIYAPORN BUATIB

RECEIVED DATE : JANUARY 23, 2023
ANALYTICAL DATE : JANUARY 23-26, 2023
REPORT NO. : 2023-U008134
WORK NO. : 2022-002085
ANALYSIS NO. : T23AB164-0002

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T23AB164-0002	
MICROBIOLOGY				
COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221 B)	< 1.1	1.1
FAECAL COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221 E)	< 1.1	1.1
<i>E. coli</i> ^b	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: 9221 D AND F)	NOT DETECTED	-
<i>Pseudomonas aeruginosa</i> ^c	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	-
SAMPLE CONDITION				
WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR	

^a : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

^b : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

^c : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.

Chaweevan B.

(MISS CHAWEEWAN BOONLA)
LABORATORY SUPERVISOR

FEBRUARY 3, 2023

ANALYSIS REPORT

CUSTOMER NAME : IDEO MOBI ASOKE
ADDRESS : 1744 BANG KAPI HUA KHUANG BANGKOK 10310
CONTACT INFORMATION : TEL : 09 8954 1060 e-mail : adisorn.theworks@ananda.co.th
SAMPLING SOURCE : -
SAMPLE TYPE : WATER SAMPLE FROM SWIMMING POOL
SAMPLING DATE : JANUARY 23, 2023
SAMPLING TIME : 11:35 HOUR
SAMPLING METHOD * : GRAB AND STERILE TECHNIQUE
SAMPLING BY * : MR WEERAYUT MOKKAEW
ANALYZED BY : MISS JITSAMON NGAMKANA

RECEIVED DATE : JANUARY 23, 2023
ANALYTICAL DATE : JANUARY 23-26, 2023
REPORT NO. : 2023-U008135
WORK NO. : 2022-002085
ANALYSIS NO. : T23AB164-0002

ANALYZED BY			MISS SITAPAM NARAYANA		
PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT		
			SWIMMING POOL (SHALLOW ZONE) T23AB164-0002		
MICROBIOLOGY					
Staphylococcus aureus #	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: 9213 B)		NOT DETECTED	
SAMPLE CONDITION				COLOURLESS/CLEAR	
WATER'S COLOUR/TURBID					
SEDIMENT					

: ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMS)
* : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.

Chaweevan B.

(MISS CHAWEEVAN BOONLA)
LABORATORY SUPERVISOR

FEBRUARY 3, 2023



ANALYSIS REPORT

CUSTOMER NAME : IDEO MOBI ASOKE
ADDRESS : 1744 BANG KAPI HUAI KHWANG BANGKOK 10310
CONTACT INFORMATION : TEL : 09 8954 1060 e-mail : adisorn.theworks@ananda.co.th
SAMPLING SOURCE : -
SAMPLE TYPE : WATER SAMPLE FROM SWIMMING POOL
SAMPLING DATE : JANUARY 30, 2023
SAMPLING TIME : 10:05 HOUR
SAMPLING METHOD : GRAB AND STERILE TECHNIQUE
SAMPLING BY : MR WEERAYUT MOKKAEW
ANALYZED BY : MISS ITSARIYAPORN BUATIB

RECEIVED DATE : JANUARY 30, 2023
ANALYTICAL DATE : JANUARY 30 - FEBRUARY 2, 2023
REPORT NO. : 2023-U009452
WORK NO. : 2022-002085
ANALYSIS NO. : T23AB543-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T23AB543-0001	
MICROBIOLOGY				
COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221 B)	< 1.1	1.1
FAECAL COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221 E)	< 1.1	1.1
<i>E. coli</i> ^b	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: 9221 D AND F)	NOT DETECTED	-
<i>Pseudomonas aeruginosa</i> ^c	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	DETECTED	-
SAMPLE CONDITION				
WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR	

^a : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

^b : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

^c : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.

Chaweevan B.

(MISS CHAWEEWAN BOONLA)
LABORATORY SUPERVISOR

FEBRUARY 13, 2023

ANALYSIS REPORT

CUSTOMER NAME : IDEO MOBI ASOKE
ADDRESS : 1744 BANG KAPI HUA1 KHWANG BANGKOK 10310
CONTACT INFORMATION : TEL : 09 8954 1060 e-mail : adisorn.theworks@ananda.co.th
SAMPLING SOURCE : -
SAMPLE TYPE : WATER SAMPLE FROM SWIMMING POOL
SAMPLING DATE : JANUARY 30, 2023
SAMPLING TIME : 10:05 HOUR
SAMPLING METHOD * : GRAB AND STERILE TECHNIQUE
SAMPLING BY * : MR WEERAYUT MOKKAEW
ANALYZED BY : MISS SALISA KAMWANNA

RECEIVED DATE : JANUARY 30, 2023
ANALYTICAL DATE : JANUARY 30 - FEBRUARY 2, 2023
REPORT NO. : 2023-U009453
WORK NO. : 2022-002085
ANALYSIS NO. : T23AB543-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT
			SWIMMING POOL (DEEP ZONE) T23AB543-0001
MICROBIOLOGY			
<i>Staphylococcus aureus</i> #	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: 9213 B)	NOT DETECTED
SAMPLE CONDITION			COLOURLESS/CLEAR
WATER'S COLOUR/TURBID			
SEDIMENT			

: ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSC)
* : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.

Chaweevan B.

(MISS CHAWEEVAN BOONLA)
LABORATORY SUPERVISOR

FEBRUARY 13, 2023



ANALYSIS REPORT

CUSTOMER NAME	: IDEO MOBI ASOKE	RECEIVED DATE	: JANUARY 30, 2023
ADDRESS	: 1744 BANG KAPI HUAI KHWANG BANGKOK 10310	ANALYTICAL DATE	: JANUARY 30 - FEBRUARY 2, 2023
CONTACT INFORMATION	: TEL : 09 8954 1060 e-mail : adisorn.theworks@ananda.co.th	REPORT NO.	: 2023-U009454
SAMPLING SOURCE	: -	WORK NO.	: 2022-002085
SAMPLE TYPE	: WATER SAMPLE FROM SWIMMING POOL	ANALYSIS NO.	: T23AB543-0002
SAMPLING DATE	: JANUARY 30, 2023		
SAMPLING TIME	: 10:20 HOUR		
SAMPLING METHOD °	: GRAB AND STERILE TECHNIQUE		
SAMPLING BY °	: MR WEERAYUT MOKKAEW		
ANALYZED BY	: MISS ITSARIYAPORN BUATIB		

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T23AB543-0002	
MICROBIOLOGY				
COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221 B)	< 1.1	1.1
FAECAL COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221 E)	< 1.1	1.1
<i>E. coli</i> ^b	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: 9221 D AND F)	NOT DETECTED	-
<i>Pseudomonas aeruginosa</i> ^c	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	-
SAMPLE CONDITION				
WATER'S COLOUR/TURBID			COLOURLESS/CLEAR	
SEDIMENT			-	

* : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

^b : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

^c: VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.

Chaveswar B.

(MISS CHAWEEWAN BOONLA)
LABORATORY SUPERVISOR

FEBRUARY 13, 2023



ANALYSIS REPORT

CUSTOMER NAME : IDEO MOBI ASOKE
ADDRESS : 1744 BANG KAPI HUAI KHWANG BANGKOK 10310
CONTACT INFORMATION : TEL : 09 8954 1060 e-mail : adisorn.theworks@ananda.co.th
SAMPLING SOURCE : -
SAMPLE TYPE : WATER SAMPLE FROM SWIMMING POOL
SAMPLING DATE : JANUARY 30, 2023
SAMPLING TIME : 10:20 HOUR
SAMPLING METHOD * : GRAB AND STERILE TECHNIQUE
SAMPLING BY * : MR WEERAYUT MOKKAEW
ANALYZED BY : MISS SALISA KAMWANNA

RECEIVED DATE : JANUARY 30, 2023
ANALYTICAL DATE : JANUARY 30 - FEBRUARY 2, 2023
REPORT NO. : 2023-U009455
WORK NO. : 2022-002085
ANALYSIS NO. : T23AB543-0002

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT
			SWIMMING POOL (SHALLOW ZONE) T23AB543-0002
MICROBIOLOGY			
<i>Staphylococcus aureus</i> #	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: 9213 B)	NOT DETECTED
SAMPLE CONDITION			COLOURLESS/CLEAR
WATER'S COLOUR/TURBID			
SEDIMENT			

: ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSO)
* : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.

Chaweewan B.

(MISS CHAWEewan BOONLA)
LABORATORY SUPERVISOR

FEBRUARY 13, 2023

ANALYSIS REPORT

CUSTOMER NAME : IDEO MOBI ASOKE
ADDRESS : 1744 BANG KAPI HUAI KHWANG BANGKOK 10310
CONTACT INFORMATION : TEL : 09 8954 1060 e-mail : adisorn.theworks@ananda.co.th
SAMPLING SOURCE : -
SAMPLE TYPE : WATER SAMPLE FROM SWIMMING POOL
SAMPLING DATE : FEBRUARY 6, 2023
SAMPLING TIME : 11:00 HOUR
SAMPLING METHOD^a : GRAB AND STERILE TECHNIQUE
SAMPLING BY^c : MR WEERAYUT MOKKAEW
ANALYZED BY : MISS ITSARIYAPORN BUATIB

RECEIVED DATE : FEBRUARY 6, 2023
ANALYTICAL DATE : FEBRUARY 6-9, 2023
REPORT NO. : 2023-U011483
WORK NO. : 2022-002085
ANALYSIS NO. : T23AB980-0004

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T23AB980-0004	
MICROBIOLOGY				
FAECAL COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221 E)	< 1.1	1.1
COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221 B)	< 1.1	1.1
<i>E. coli</i> ^b	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: 9221 D AND F)	NOT DETECTED	-
<i>Pseudomonas aeruginosa</i> ^c	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	-
SAMPLE CONDITION				
WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR	

^a : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

^b : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

^c : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.

Chaweevan B.

(MISS CHAWEEVAN BOONLA)
LABORATORY SUPERVISOR

FEBRUARY 20, 2023



ANALYSIS REPORT


CUSTOMER NAME : IDEO MOBI ASOKE
ADDRESS : 1744 BANG KAPI HUAI KHWANG BANGKOK 10310
CONTACT INFORMATION : TEL : 09 8954 1060 e-mail : adisorn.theworks@ananda.co.th
SAMPLING SOURCE : -
SAMPLE TYPE : WATER SAMPLE FROM SWIMMING POOL
SAMPLING DATE : FEBRUARY 6, 2023
SAMPLING TIME : 11:00 HOUR
SAMPLING METHOD * : GRAB AND STERILE TECHNIQUE
SAMPLING BY * : MR WEERAYUT MOKKAEW
ANALYZED BY : MISS ITSARIYAPORN BUATIB

RECEIVED DATE : FEBRUARY 6, 2023
ANALYTICAL DATE : FEBRUARY 6-9, 2023
REPORT NO. : 2023-U011484
WORK NO. : 2022-002085
ANALYSIS NO. : T23AB980-0004

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT
			SWIMMING POOL (DEEP ZONE) T23AB980-0004
MICROBIOLOGY			
<i>Staphylococcus aureus</i> #	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: 9213 B)	NOT DETECTED
SAMPLE CONDITION			COLOURLESS/CLEAR
WATER'S COLOUR/TURBID			
SEDIMENT			

: ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSC)
* : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.


(MISS CHAWEEVAN BOONLA)
LABORATORY SUPERVISOR

FEBRUARY 20, 2023



ANALYSIS REPORT

CUSTOMER NAME	: IDEO MOBI ASOKE		
ADDRESS	: 1744 BANG KAPI HUAI KHWANG BANGKOK 10310		
CONTACT INFORMATION	: TEL : 09 8954 1060 e-mail : adisorn.theworks@ananda.co.th		
SAMPLING SOURCE	: -		
SAMPLE TYPE	: WATER SAMPLE FROM SWIMMING POOL	RECEIVED DATE	: FEBRUARY 6, 2023
SAMPLING DATE	: FEBRUARY 6, 2023	ANALYTICAL DATE	: FEBRUARY 6-9, 2023
SAMPLING TIME	: 11:05 HOUR	REPORT NO.	: 2023-U011485
SAMPLING METHOD °	: GRAB AND STERILE TECHNIQUE	WORK NO.	: 2022-002085
SAMPLING BY °	: MR WEERAYUT MOKKAEW	ANALYSIS NO.	: T23AB980-0005
ANALYZED BY	: MISS ITSARIYAPORN BUATIB		

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T23AB980-0005	
MICROBIOLOGY				
COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221 B)	< 1.1	1.1
FAECAL COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221 E)	< 1.1	1.1
<i>E. coli</i> ^b	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: 9221 D AND F)	NOT DETECTED	-
<i>Pseudomonas aeruginosa</i> ^c	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	-
SAMPLE CONDITION			COLOURLESS/CLEAR	
WATER'S COLOUR/TURBID				
SEDIMENT				

* : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

^b : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

^c : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.

SM

: STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.

Lauewan B.

(MISS CHAWEEWAN BOONLA)
LABORATORY SUPERVISOR

FEBRUARY 20, 2023

ISO 9001:2015 CERTIFIED
ISO 14001:2015 CERTIFIED
BY BSI GROUP (THAILAND) CO.,LTD.

- PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.
- THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.



ANALYSIS REPORT

CUSTOMER NAME : IDEO MOBI ASOKE
ADDRESS : 1744 BANG KAPI HUAI KHWANG BANGKOK 10310
CONTACT INFORMATION : TEL : 09 8954 1060 e-mail : adisorn.theworks@ananda.co.th
SAMPLING SOURCE : -
SAMPLE TYPE : WATER SAMPLE FROM SWIMMING POOL
SAMPLING DATE : FEBRUARY 6, 2023
SAMPLING TIME : 11:05 HOUR
SAMPLING METHOD * : GRAB AND STERILE TECHNIQUE
SAMPLING BY * : MR WEERAYUT MOKKAEW
ANALYZED BY : MISS ITSARIYAPORN BUATIB

RECEIVED DATE : FEBRUARY 6, 2023
ANALYTICAL DATE : FEBRUARY 6-9, 2023
REPORT NO. : 2023-U011486
WORK NO. : 2022-002085
ANALYSIS NO. : T23AB980-0005

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT
			SWIMMING POOL (SHALLOW ZONE) T23AB980-0005
MICROBIOLOGY			
<i>Staphylococcus aureus</i> #	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: 9213 B)	NOT DETECTED
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR

: ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSQ)
* : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23RD EDITION, 2017.



(MISS CHAWEEVAN BOONLA)
LABORATORY SUPERVISOR

FEBRUARY 20, 2023

ANALYSIS REPORT

CUSTOMER NAME	: IDEO MOBI ASOKE		
ADDRESS	: 1744 BANG KAPI HUAI KHWANG BANGKOK 10310		
CONTACT INFORMATION	: TEL : 09 8954 1060 e-mail : adisom.theworks@ananda.co.th		
SAMPLING SOURCE	: -		
SAMPLE TYPE	: WATER SAMPLE FROM SWIMMING POOL	RECEIVED DATE	: FEBRUARY 13, 2023
SAMPLING DATE	: FEBRUARY 13, 2023	ANALYTICAL DATE	: FEBRUARY 13-20, 2023
SAMPLING TIME	: 11:10 HOUR	REPORT NO.	: 2023-U013537
SAMPLING METHOD °	: GRAB AND STERILE TECHNIQUE	WORK NO.	: 2022-002085
SAMPLING BY °	: MR WEERAYUT MOKKAEW	ANALYSIS NO.	: T23AC462-0001
ANALYZED BY	: MISS ITSARIYAPORN BUATIB		

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T23AC462-0001	
MICROBIOLOGY				
COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221 B)	< 1.1	1.1
FAECAL COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221 E)	< 1.1	1.1
<i>E. coli</i> ^b	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: 9221 D AND F)	NOT DETECTED	-
<i>Pseudomonas aeruginosa</i> ^c	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	-
SAMPLE CONDITION				
WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR	

® : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

^b : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

^c : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITEDSM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.

Answer B.

(MISS CHAWEEWAN BOONLA)
LABORATORY SUPERVISOR

FEBRUARY 28, 2023



ANALYSIS REPORT


CUSTOMER NAME : IDEO MOBI ASOKE
ADDRESS : 1744 BANG KAPI HUAI KHWANG BANGKOK 10310
CONTACT INFORMATION : TEL : 09 8954 1060 e-mail : adisorn.theworks@ananda.co.th
SAMPLING SOURCE : -
SAMPLE TYPE : WATER SAMPLE FROM SWIMMING POOL
SAMPLING DATE : FEBRUARY 13, 2023
SAMPLING TIME : 11:10 HOUR
SAMPLING METHOD * : GRAB AND STERILE TECHNIQUE
SAMPLING BY * : MR WEERAYUT MOKKAEW
ANALYZED BY : MISS PORNPAILIN LOYLUEN

RECEIVED DATE : FEBRUARY 13, 2023
ANALYTICAL DATE : FEBRUARY 13-16, 2023
REPORT NO. : 2023-U013538
WORK NO. : 2022-002085
ANALYSIS NO. : T23AC462-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT
			SWIMMING POOL (DEEP ZONE) T23AC462-0001
MICROBIOLOGY			
<i>Staphylococcus aureus</i> #	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: 9213 B)	NOT DETECTED
SAMPLE CONDITION			COLOURLESS/CLEAR -
WATER'S COLOUR/TURBID			
SEDIMENT			

: ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSQ)
* : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.



(MISS CHAWEEVAN BOONLA)
LABORATORY SUPERVISOR

FEBRUARY 28, 2023



ANALYSIS REPORT

CUSTOMER NAME : IDEO MOBI ASOKE
ADDRESS : 1744 BANG KAPI HUAI KHWANG BANGKOK 10310
CONTACT INFORMATION : TEL : 09 8954 1060 e-mail : adisorn.theworks@ananda.co.th
SAMPLING SOURCE : -
SAMPLE TYPE : WATER SAMPLE FROM SWIMMING POOL
SAMPLING DATE : FEBRUARY 13, 2023
SAMPLING TIME : 11:15 HOUR
SAMPLING METHOD ^a : GRAB AND STERILE TECHNIQUE
SAMPLING BY ^c : MR WEERAYUT MOKKAEW
ANALYZED BY : MISS ITSARIYAPORN BUATIB

RECEIVED DATE : FEBRUARY 13, 2023
ANALYTICAL DATE : FEBRUARY 13-20, 2023
REPORT NO. : 2023-U013539
WORK NO. : 2022-002085
ANALYSIS NO. : T23AC462-0002

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T23AC462-0002	
MICROBIOLOGY				
COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221 B)	< 1.1	1.1
FAECAL COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: 9221 E)	< 1.1	1.1
<i>E. coli</i> ^b	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: 9221D AND F)	NOT DETECTED	-
<i>Pseudomonas aeruginosa</i> ^c	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	-
SAMPLE CONDITION				
WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR	

^a : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

^b : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

^c : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23RD EDITION, 2017.

Chaweevan B.

(MISS CHAWEEWAN BOONLA)
LABORATORY SUPERVISOR

FEBRUARY 28, 2023

ANALYSIS REPORT

CUSTOMER NAME : IDEO MOBI ASOKE
ADDRESS : 1744 BANG KAPI HUAI KHWANG BANGKOK 10310
CONTACT INFORMATION : TEL : 09 8954 1060 e-mail : adisorn.theworks@ananda.co.th
SAMPLING SOURCE : -
SAMPLE TYPE : WATER SAMPLE FROM SWIMMING POOL
SAMPLING DATE : FEBRUARY 13, 2023
SAMPLING TIME : 11:15 HOUR
SAMPLING METHOD * : GRAB AND STERILE TECHNIQUE
SAMPLING BY * : MR WEERAYUT MOKKAEW
ANALYZED BY : MISS PORNPAILIN LOYLUN

RECEIVED DATE : FEBRUARY 13, 2023
ANALYTICAL DATE : FEBRUARY 13-16, 2023
REPORT NO. : 2023-U013540
WORK NO. : 2022-002085
ANALYSIS NO. : T23AC462-0002

ANALYZED BY : MISS FORTNA ALEN LOYECAN			RESULT
PARAMETER	UNIT	METHOD OF ANALYSIS	SWIMMING POOL (SHALLOW ZONE) T23AC462-0002
MICROBIOLOGY			
<i>Staphylococcus aureus</i> #	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: 9213 B)	NOT DETECTED
SAMPLE CONDITION			COLOURLESS/CLEAR
WATER'S COLOUR/TURBID			
SEDIMENT			

: ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSC)
* : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23RD EDITION, 2017.

Chaweevan B.

(MISS CHAWEEWAN BOONLA)
LABORATORY SUPERVISOR

FEBRUARY 28, 2023

ANALYSIS REPORT

CUSTOMER NAME : IDEO MOBI ASOKE
ADDRESS : 1744 BANG KAPI HUAI KHWANG BANGKOK 10310
CONTACT INFORMATION : TEL : 09 8954 1060 e-mail : adisorn.theworks@ananda.co.th
SAMPLING SOURCE : -
SAMPLE TYPE : WATER SAMPLE FROM SWIMMING POOL
SAMPLING DATE : FEBRUARY 20, 2023
SAMPLING TIME : 11:40 HOUR
SAMPLING METHOD ^c : GRAB AND STERILE TECHNIQUE
SAMPLING BY ^c : MR TEERAPONG SRIKAMHANG
ANALYZED BY : MISS ITSARIYAPORN BUATIB

RECEIVED DATE : FEBRUARY 20, 2023
ANALYTICAL DATE : FEBRUARY 20-26, 2023
REPORT NO. : 2023-U015125
WORK NO. : 2022-002085
ANALYSIS NO. : T23AC957-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T23AC957-0001	
MICROBIOLOGY				
COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221B)	< 11	11
FAECAL COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221E)	< 11	1.1
<i>E. coli</i> ^b	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: PART 9221D AND F)	NOT DETECTED	-
<i>Pseudomonas aeruginosa</i> ^c	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	-
SAMPLE CONDITION				
WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR	

^a : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

^b : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

^c : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.

Chaweevan B.

(MISS CHAWEEVAN BOONLA)
LABORATORY SUPERVISOR

MARCH 3, 2023

ANALYSIS REPORT


CUSTOMER NAME : IDEO MOBI ASOKE
ADDRESS : 1744 BANG KAPI HUAI KHWANG BANGKOK 10310
CONTACT INFORMATION : TEL : 09 8954 1060 e-mail : adisorn.theworks@ananda.co.th
SAMPLING SOURCE : -
SAMPLE TYPE : WATER SAMPLE FROM SWIMMING POOL
SAMPLING DATE : FEBRUARY 20, 2023
SAMPLING TIME : 11:40 HOUR
SAMPLING METHOD * : GRAB AND STERILE TECHNIQUE
SAMPLING BY * : MR TEERAPONG SRIKAMHANG
ANALYZED BY : MISS KAMICA CHOOSOMBAT

RECEIVED DATE : FEBRUARY 20, 2023
ANALYTICAL DATE : FEBRUARY 20-26, 2023
REPORT NO. : 2023-U015126
WORK NO. : 2022-002085
ANALYSIS NO. : T23AC957-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT
			SWIMMING POOL (DEEP ZONE) T23AC957-0001
MICROBIOLOGY			
<i>Staphylococcus aureus</i> #	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: PART 9213 B)	NOT DETECTED
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR

: ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSC)
* : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.



(MISS CHAWEEVAN BOONLA)
LABORATORY SUPERVISOR

MARCH 3, 2023



ANALYSIS REPORT

CUSTOMER NAME : IDEO MOBI ASOKE
ADDRESS : 1744 BANG KAPI HUAI KHWANG BANGKOK 10310
CONTACT INFORMATION : TEL : 09 8954 1060 e-mail : adisorn.theworks@ananda.co.th
SAMPLING SOURCE : -
SAMPLE TYPE : WATER SAMPLE FROM SWIMMING POOL
SAMPLING DATE : FEBRUARY 20, 2023
SAMPLING TIME : 11:50 HOUR
SAMPLING METHOD ^a : GRAB AND STERILE TECHNIQUE
SAMPLING BY ^a : MR TEERAPONG SRIKAMHANG
ANALYZED BY : MISS ITSARTYAPORN BUATIB
RECEIVED DATE : FEBRUARY 20, 2023
ANALYTICAL DATE : FEBRUARY 20-26, 2023
REPORT NO. : 2023-U015127
WORK NO. : 2022-002085
ANALYSIS NO. : T23AC957-0002

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T23AC957-0002	
MICROBIOLOGY				
COLIFORM BACTERIA ^a	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 B)	< 1.1	1.1
FAECAL COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 E)	< 1.1	1.1
<i>E. coli</i> ^b	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: PART 9221 D AND F)	NOT DETECTED	-
<i>Pseudomonas aeruginosa</i> ^c	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	-
SAMPLE CONDITION				
WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR	

^a : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

^b : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

^c : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23RD EDITION, 2017.

Chaweevan B.

(MISS CHAWEEVAN BOONLA)
LABORATORY SUPERVISOR

MARCH 3, 2023



ANALYSIS REPORT


CUSTOMER NAME : IDEO MOBI ASOKE
ADDRESS : 1744 BANG KAPI HUAI KHWANG BANGKOK 10310
CONTACT INFORMATION : TEL : 09 8954 1060 e-mail : adisorn.theworks@ananda.co.th
SAMPLING SOURCE : -
SAMPLE TYPE : WATER SAMPLE FROM SWIMMING POOL
SAMPLING DATE : FEBRUARY 20, 2023
SAMPLING TIME : 11:50 HOUR
SAMPLING METHOD * : GRAB AND STERILE TECHNIQUE
SAMPLING BY * : MR TEERAPONG SRIKAMHANG
ANALYZED BY : MISS KAMICA CHOOSOMBAT

RECEIVED DATE : FEBRUARY 20, 2023
ANALYTICAL DATE : FEBRUARY 20-26, 2023
REPORT NO. : 2023-U015128
WORK NO. : 2022-002085
ANALYSIS NO. : T23AC957-0002

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT
			SWIMMING POOL (SHALLOW ZONE) T23AC957-0002
MICROBIOLOGY			
<i>Staphylococcus aureus</i> #	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: PART 9213 B)	NOT DETECTED
SAMPLE CONDITION			COLOURLESS/CLEAR
WATER'S COLOUR/TURBID			
SEDIMENT			

: ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSQ)
* : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23RD EDITION, 2017.



(MISS CHAWEEVAN BOONLA)
LABORATORY SUPERVISOR

MARCH 3, 2023



ANALYSIS REPORT

CUSTOMER NAME : IDEO MOBI ASOKE
ADDRESS : 1744 BANG KAPI HUAI KHWANG BANGKOK 10310
CONTACT INFORMATION : TEL : 09 8954 1060 e-mail : adisorn.theworks@ananda.co.th
SAMPLING SOURCE : -
SAMPLE TYPE : WATER SAMPLE FROM SWIMMING POOL
SAMPLING DATE : FEBRUARY 27, 2023
SAMPLING TIME : 10:40 HOUR
SAMPLING METHOD ^a : GRAB AND STERILE TECHNIQUE
SAMPLING BY ^c : MR TEERAPONG SRIKAMHANG
ANALYZED BY : MISS ITSARIYAPORN BUATIB

RECEIVED DATE : FEBRUARY 27, 2023
ANALYTICAL DATE : FEBRUARY 27 - MARCH 2, 2023
REPORT NO. : 2023-U016368
WORK NO. : 2022-002085
ANALYSIS NO. : T23AD449-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T23AD449-0001	
MICROBIOLOGY				
COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221B)	< 1.1	1.1
FAECAL COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 E)	< 1.1	1.1
<i>E. coli</i> ^b	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: PART 9221 D AND F)	NOT DETECTED	-
<i>Pseudomonas aeruginosa</i> ^c	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	-
SAMPLE CONDITION				
WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR	

^a : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

^b : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

^c : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.

Chaweevan B.

(MISS CHAWEEVAN BOONLA)
LABORATORY SUPERVISOR

MARCH 13, 2023



ANALYSIS REPORT


CUSTOMER NAME : IDEO MOBI ASOKE
ADDRESS : 1744 BANG KAPI HUAI KHWANG BANGKOK 10310
CONTACT INFORMATION : TEL : 09 8954 1060 e-mail : adisorn.theworks@ananda.co.th
SAMPLING SOURCE : -
SAMPLE TYPE : WATER SAMPLE FROM SWIMMING POOL
SAMPLING DATE : FEBRUARY 27, 2023
SAMPLING TIME : 10:40 HOUR
SAMPLING METHOD * : GRAB AND STERILE TECHNIQUE
SAMPLING BY * : MR TEERAPONG SRIKAMHANG
ANALYZED BY : MISS PORNPAILIN LOYLUEEN

RECEIVED DATE : FEBRUARY 27, 2023
ANALYTICAL DATE : FEBRUARY 27 - MARCH 2, 2023
REPORT NO. : 2023-U016369
WORK NO. : 2022-002085
ANALYSIS NO. : T23AD449-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT
			SWIMMING POOL (DEEP ZONE) T23AD449-0001
MICROBIOLOGY			
<i>Staphylococcus aureus</i> #	/100 mL	MEMBRANE FILTER TECHNIQUE (SM. PART 9213 B)	NOT DETECTED
SAMPLE CONDITION			COLOURLESS/CLEAR
WATER'S COLOUR/TURBID			
SEDIMENT			

: ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSC)
* : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23RD EDITION, 2017.


(MISS CHAWEewan BOONLA)
LABORATORY SUPERVISOR

MARCH 13, 2023



ANALYSIS REPORT

CUSTOMER NAME : IDEO MOBI ASOKE
ADDRESS : 1744 BANG KAPI HUAI KHWANG BANGKOK 10310
CONTACT INFORMATION : TEL : 09 8954 1060 e-mail : adisorn.theworks@ananda.co.th
SAMPLING SOURCE : -
SAMPLE TYPE : WATER SAMPLE FROM SWIMMING POOL
SAMPLING DATE : FEBRUARY 27, 2023
SAMPLING TIME : 10:30 HOUR
SAMPLING METHOD ^c : GRAB AND STERILE TECHNIQUE
SAMPLING BY ^c : MR TEERAPONG SRIKAMHANG
ANALYZED BY : MISS ITSARIYAPORN BUJATIB

RECEIVED DATE : FEBRUARY 27, 2023
ANALYTICAL DATE : FEBRUARY 27 - MARCH 2, 2023
REPORT NO. : 2023-U016370
WORK NO. : 2022-002085
ANALYSIS NO. : T23AD449-0002


PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T23AD449-0002	
MICROBIOLOGY				
COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221B)	< 1.1	1.1
FAECAL COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221E)	< 1.1	1.1
<i>E. coli</i> ^b	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: PART 9221D AND F)	NOT DETECTED	-
<i>Pseudomonas aeruginosa</i> ^c	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	-
SAMPLE CONDITION				
WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR	

^a : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

^b : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

^c : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.



(MISS CHAWEEVAN BOONLA)
LABORATORY SUPERVISOR

MARCH 13, 2023



ANALYSIS REPORT


CUSTOMER NAME : IDEO MOBI ASOKE
ADDRESS : 1744 BANG KAPI HUA KHUANG BANGKOK 10310
CONTACT INFORMATION : TEL : 09 8954 1060 e-mail : adisorn.theworks@ananda.co.th
SAMPLING SOURCE : -
SAMPLE TYPE : WATER SAMPLE FROM SWIMMING POOL
SAMPLING DATE : FEBRUARY 27, 2023
SAMPLING TIME : 10:30 HOUR
SAMPLING METHOD * : GRAB AND STERILE TECHNIQUE
SAMPLING BY * : MR TEERAPONG SRIKAMHANG
ANALYZED BY : MISS PORNPAILIN LOYLUEN

RECEIVED DATE : FEBRUARY 27, 2023
ANALYTICAL DATE : FEBRUARY 27 - MARCH 2, 2023
REPORT NO. : 2023-U016371
WORK NO. : 2022-002085
ANALYSIS NO. : T23AD449-0002

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT
			SWIMMING POOL (SHALLOW ZONE) T23AD449-0002
MICROBIOLOGY			
<i>Staphylococcus aureus</i> #	/ 100 mL	MEMBRANE FILTER TECHNIQUE (SM: PART 9213 B)	NOT DETECTED
SAMPLE CONDITION			COLOURLESS/CLEAR
WATER'S COLOUR/TURBID			
SEDIMENT			

: ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSC)
* : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23RD EDITION, 2017.



(MISS CHAWEEVAN BOONLA)
LABORATORY SUPERVISOR

MARCH 13, 2023



ANALYSIS REPORT

CUSTOMER NAME : IDEO MOBI ASOKE
ADDRESS : 1744 BANG KAPI HUAI KHWANG BANGKOK 10310
CONTACT INFORMATION : TEL : 09 8954 1060 e-mail : adisorn.theworks@iananda.co.th
SAMPLING SOURCE : -
SAMPLE TYPE : WATER SAMPLE FROM SWIMMING POOL
SAMPLING DATE : MARCH 7, 2023
SAMPLING TIME : 12:05 HOUR
SAMPLING METHOD ^c : GRAB AND STERILE TECHNIQUE
SAMPLING BY ^c : MR WEERAYUT MOKKAEW
ANALYZED BY : MISS ITSARIYAPORN BUATIB
RECEIVED DATE : MARCH 7, 2023
ANALYTICAL DATE : MARCH 7-10, 2023
REPORT NO. : 2023-U019008
WORK NO. : 2022-002085
ANALYSIS NO. : T23AD941-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T23AD941-0001	
MICROBIOLOGY				
COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 B)	< 1.1	1.1
FAECAL COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 E)	< 1.1	1.1
<i>E. coli</i> ^b	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: PART 9221 D AND F)	NOT DETECTED	-
<i>Pseudomonas aeruginosa</i> ^c	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	-
SAMPLE CONDITION				
WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR	

^a : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

^b : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

^c : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.

Chaweevan B.

(MISS CHAWEEVAN BOONLA)
LABORATORY SUPERVISOR

MARCH 21, 2023



ANALYSIS REPORT

CUSTOMER NAME : IDEO MOBI ASOKE
ADDRESS : 1744 BANG KAPI HUAI KHWANG BANGKOK 10310
CONTACT INFORMATION : TEL : 09 8954 1060 e-mail : adisorn.theworks@ananda.co.th
SAMPLING SOURCE : -
SAMPLE TYPE : WATER SAMPLE FROM SWIMMING POOL
SAMPLING DATE : MARCH 7, 2023
SAMPLING TIME : 12:10 HOUR
SAMPLING METHOD ^c : GRAB AND STERILE TECHNIQUE
SAMPLING BY ^c : MR WEERAYUT MOKKAEV
ANALYZED BY : MISS ITSARIYAPORN BUATIB
RECEIVED DATE : MARCH 7, 2023
ANALYTICAL DATE : MARCH 7-10, 2023
REPORT NO. : 2023-U019010
WORK NO. : 2022-002085
ANALYSIS NO. : T23AD941-0002

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T23AD941-0002	
MICROBIOLOGY				
COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221B)	< 1.1	1.1
FAECAL COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221E)	< 1.1	1.1
<i>E. coli</i> ^b	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: PART 9221D AND F)	NOT DETECTED	-
<i>Pseudomonas aeruginosa</i> ^c	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	-
SAMPLE CONDITION				
WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR	

^a : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

^b : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

^c : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23RD EDITION, 2017.

Chaweevan B.

(MISS CHAWEEVAN BOONLA)
LABORATORY SUPERVISOR

MARCH 21, 2023



ANALYSIS REPORT


CUSTOMER NAME : IDEO MOBI ASOKE
ADDRESS : 1744 BANG KAPI HUAI KHWANG BANGKOK 10310
CONTACT INFORMATION : TEL : 09 8954 1060 e-mail : adisorn.theworks@ananda.co.th
SAMPLING SOURCE : -
SAMPLE TYPE : WATER SAMPLE FROM SWIMMING POOL
SAMPLING DATE : MARCH 7, 2023
SAMPLING TIME : 12:10 HOUR
SAMPLING METHOD * : GRAB AND STERILE TECHNIQUE
SAMPLING BY * : MR WEERAYUT MOKKAEW
ANALYZED BY : MISS SUJIRA PRASERTSUKHO

RECEIVED DATE : MARCH 7, 2023
ANALYTICAL DATE : MARCH 7-10, 2023
REPORT NO. : 2023-U019011
WORK NO. : 2022-002085
ANALYSIS NO. : T23AD941-0002

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT
			SWIMMING POOL (SHALLOW ZONE) T23AD941-0002
MICROBIOLOGY			
<i>Staphylococcus aureus</i> #	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: PART 9213 B)	NOT DETECTED
SAMPLE CONDITION			COLOURLESS/CLEAR
WATER'S COLOUR/TURBID			
SEDIMENT			

: ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSQ)
* : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23RD EDITION, 2017.


(MISS CHAWEEVAN BOONLA)
LABORATORY SUPERVISOR

MARCH 21, 2023



ANALYSIS REPORT

CUSTOMER NAME : IDEO MOBI ASOKE
ADDRESS : 1744 BANG KAPI HUAI KHWANG BANGKOK 10310
CONTACT INFORMATION : TEL : 09 8954 1060 e-mail : adisorn.theworks@ananda.co.th
SAMPLING SOURCE : -
SAMPLE TYPE : WATER SAMPLE FROM SWIMMING POOL
SAMPLING DATE : MARCH 13, 2023
SAMPLING TIME : 11:05 HOUR
SAMPLING METHOD ^c : GRAB AND STERILE TECHNIQUE
SAMPLING BY ^c : MR WEERAYUT MOKKAEW
ANALYZED BY : MISS ITSARIYAPORN BUATIB
RECEIVED DATE : MARCH 13, 2023
ANALYTICAL DATE : MARCH 13-19, 2023
REPORT NO. : 2023-U021431
WORK NO. : 2022-002085
ANALYSIS NO. : T23AE442-0004


PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T23AE442-0004	
MICROBIOLOGY				
COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 B)	< 1.1	1.1
FAECAL COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 E)	< 1.1	1.1
<i>E. coli</i> ^b	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: PART 9221 D AND F)	NOT DETECTED	-
<i>Pseudomonas aeruginosa</i> ^c	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	-
SAMPLE CONDITION				
WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR	

^a : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

^b : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

^c : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.



(MISS CHAWEEVAN BOONLA)
LABORATORY SUPERVISOR

MARCH 28, 2023



ANALYSIS REPORT

CUSTOMER NAME : IDEO MOBI ASOKE
ADDRESS : 1744 BANG KAPI HUAI KHWANG BANGKOK 10310
CONTACT INFORMATION : TEL : 09 8954 1060 e-mail : adisorn.theworks@ananda.co.th
SAMPLING SOURCE : -
SAMPLE TYPE : WATER SAMPLE FROM SWIMMING POOL
SAMPLING DATE : MARCH 13, 2023
SAMPLING TIME : 11:05 HOUR
SAMPLING METHOD * : GRAB AND STERILE TECHNIQUE
SAMPLING BY * : MR WEERAYUT MOKKAEW
ANALYZED BY : MISS WIPHAPHORN SAENG SOPHA

RECEIVED DATE : MARCH 13, 2023
ANALYTICAL DATE : MARCH 13-19, 2023
REPORT NO. : 2023-U021432
WORK NO. : 2022-002085
ANALYSIS NO. : T23AE442-0004

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT
			SWIMMING POOL (DEEP ZONE) T23AE442-0004
MICROBIOLOGY			
<i>Staphylococcus aureus</i> #	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: PART 9213 B)	NOT DETECTED
SAMPLE CONDITION			COLOURLESS/CLEAR -
WATER'S COLOUR/TURBID			
SEDIMENT			

: ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSC)
* : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.

Chaweevan B.

(MISS CHAWEEVAN BOONLA)
LABORATORY SUPERVISOR

MARCH 28, 2023



ANALYSIS REPORT

CUSTOMER NAME : IDEO MOBI ASOKE
ADDRESS : 1744 BANG KAPI HUAI KHWANG BANGKOK 10310
CONTACT INFORMATION : TEL : 09 8954 1060 e-mail : adisorn.theworks@ananda.co.th
SAMPLING SOURCE : -
SAMPLE TYPE : WATER SAMPLE FROM SWIMMING POOL
SAMPLING DATE : MARCH 13, 2023
SAMPLING TIME : 11:10 HOUR
SAMPLING METHOD ^c : GRAB AND STERILE TECHNIQUE
SAMPLING BY ^c : MR WEERAYUT MOKKAEW
ANALYZED BY : MISS ITSARIYAPORN BUATIB

RECEIVED DATE : MARCH 13, 2023
ANALYTICAL DATE : MARCH 13-19, 2023
REPORT NO. : 2023-U021433
WORK NO. : 2022-002085
ANALYSIS NO. : T23AE442-0005

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T23AE442-0005	
MICROBIOLOGY				
COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 B)	< 1.1	1.1
FAECAL COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 E)	< 1.1	1.1
<i>E. coli</i> ^b	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: PART 9221 D AND F)	NOT DETECTED	-
<i>Pseudomonas aeruginosa</i> ^c	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	-
SAMPLE CONDITION				
WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR	

^a : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

^b : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

^c : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.

Chaweevan B.

(MISS CHAWEEVAN BOONLA)
LABORATORY SUPERVISOR

MARCH 28, 2023



ANALYSIS REPORT

CUSTOMER NAME : IDEO MOBI ASOKE
ADDRESS : 1744 BANG KAPI HUAI KHWANG BANGKOK 10310
CONTACT INFORMATION : TEL : 09 8954 1060 e-mail : adisorn.theworks@ananda.co.th
SAMPLING SOURCE : -
SAMPLE TYPE : WATER SAMPLE FROM SWIMMING POOL
SAMPLING DATE : MARCH 13, 2023
SAMPLING TIME : 11:10 HOUR
SAMPLING METHOD * : GRAB AND STERILE TECHNIQUE
SAMPLING BY * : MR WEERAYUT MOKKAEW
ANALYZED BY : MISS WIPHAPHORN SAENG SOPHA

RECEIVED DATE : MARCH 13, 2023
ANALYTICAL DATE : MARCH 13-16, 2023
REPORT NO. : 2023-U021435
WORK NO. : 2022-002085
ANALYSIS NO. : T23AE442-0005

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT
			SWIMMING POOL (SHALLOW ZONE) T23AE442-0005
MICROBIOLOGY			
<i>Staphylococcus aureus</i> #	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: PART 9213 B)	NOT DETECTED
SAMPLE CONDITION			COLOURLESS/CLEAR -
WATER'S COLOUR/TURBID			
SEDIMENT			

: ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSC)
* : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.

Chaweevan B.

(MISS CHAWEEVAN BOONLA)
LABORATORY SUPERVISOR

MARCH 28, 2023



1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100 101 102 103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 119 120 121 122 123 124 125 126 127 128 129 130 131 132 133 134 135 136 137 138 139 140 141 142 143 144 145 146 147 148 149 150 151 152 153 154 155 156 157 158 159 160 161 162 163 164 165 166 167 168 169 170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 199 200 201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 221 222 223 224 225 226 227 228 229 230 231 232 233 234 235 236 237 238 239 240 241 242 243 244 245 246 247 248 249 250 251 252 253 254 255 256 257 258 259 260 261 262 263 264 265 266 267 268 269 270 271 272 273 274 275 276 277 278 279 280 281 282 283 284 285 286 287 288 289 290 291 292 293 294 295 296 297 298 299 300 301 302 303 304 305 306 307 308 309 310 311 312 313 314 315 316 317 318 319 320 321 322 323 324 325 326 327 328 329 330 331 332 333 334 335 336 337 338 339 340 341 342 343 344 345 346 347 348 349 350 351 352 353 354 355 356 357 358 359 360 361 362 363 364 365 366 367 368 369 370 371 372 373 374 375 376 377 378 379 380 381 382 383 384 385 386 387 388 389 390 391 392 393 394 395 396 397 398 399 400 401 402 403 404 405 406 407 408 409 410 411 412 413 414 415 416 417 418 419 420 421 422 423 424 425 426 427 428 429 430 431 432 433 434 435 436 437 438 439 440 441 442 443 444 445 446 447 448 449 450 451 452 453 454 455 456 457 458 459 460 461 462 463 464 465 466 467 468 469 470 471 472 473 474 475 476 477 478 479 480 481 482 483 484 485 486 487 488 489 490 491 492 493 494 495 496 497 498 499 500 501 502 503 504 505 506 507 508 509 510 511 512 513 514 515 516 517 518 519 520 521 522 523 524 525 526 527 528 529 530 531 532 533 534 535 536 537 538 539 540 541 542 543 544 545 546 547 548 549 550 551 552 553 554 555 556 557 558 559 560 561 562 563 564 565 566 567 568 569 570 571 572 573 574 575 576 577 578 579 580 581 582 583 584 585 586 587 588 589 590 591 592 593 594 595 596 597 598 599 600 601 602 603 604 605 606 607 608 609 610 611 612 613 614 615 616 617 618 619 620 621 622 623 624 625 626 627 628 629 630 631 632 633 634 635 636 637 638 639 640 641 642 643 644 645 646 647 648 649 650 651 652 653 654 655 656 657 658 659 660 661 662 663 664 665 666 667 668 669 670 671 672 673 674 675 676 677 678 679 680 681 682 683 684 685 686 687 688 689 690 691 692 693 694 695 696 697 698 699 700 701 702 703 704 705 706 707 708 709 710 711 712 713 714 715 716 717 718 719 720 721 722 723 724 725 726 727 728 729 730 731 732 733 734 735 736 737 738 739 740 741 742 743 744 745 746 747 748 749 750 751 752 753 754 755 756 757 758 759 760 761 762 763 764 765 766 767 768 769 770 771 772 773 774 775 776 777 778 779 780 781 782 783 784 785 786 787 788 789 790 791 792 793 794 795 796 797 798 799 800 801 802 803 804 805 806 807 808 809 810 811 812 813 814 815 816 817 818 819 820 821 822 823 824 825 826 827 828 829 830 831 832 833 834 835 836 837 838 839 840 841 842 843 844 845 846 847 848 849 850 851 852 853 854 855 856 857 858 859 860 861 862 863 864 865 866 867 868 869 870 871 872 873 874 875 876 877 878 879 880 881 882 883 884 885 886 887 888 889 890 891 892 893 894 895 896 897 898 899 900 901 902 903 904 905 906 907 908 909 910 911 912 913 914 915 916 917 918 919 920 921 922 923 924 925 926 927 928 929 930 931 932 933 934 935 936 937 938 939 940 941 942 943 944 945 946 947 948 949 950 951 952 953 954 955 956 957 958 959 960 961 962 963 964 965 966 967 968 969 970 971 972 973 974 975 976 977 978 979 980 981 982 983 984 985 986 987 988 989 990 991 992 993 994 995 996 997 998 999 1000 1001 1002 1003 1004 1005 1006 1007 1008 1009 1010 1011 1012 1013 1014 1015 1016 1017 1018 1019 1020 1021 1022 1023 1024 1025 1026 1027 1028 1029 1030 1031 1032 1033 1034 1035 1036 1037 1038 1039 1040 1

ANALYSIS REPORT

CUSTOMER NAME : IDEO MOBI ASOKE
ADDRESS : 1744 BANG KAPI HUAI KHWANG BANGKOK 10310
CONTACT INFORMATION : TEL : 09 8954 1060 e-mail : adisorn.theworks@ananda.co.th
SAMPLING SOURCE : -
SAMPLE TYPE : WATER SAMPLE FROM SWIMMING POOL
SAMPLING DATE : MARCH 20, 2023
SAMPLING TIME : 10:30 HOUR
SAMPLING METHOD ° : GRAB AND STERILE TECHNIQUE
SAMPLING BY ° : MR TEERAPONG SRIKAMHANG
ANALYZED BY : MISS ITSARIYAPORN BUATIB

RECEIVED DATE : MARCH 20, 2023
ANALYTICAL DATE : MARCH 20-25, 2023
REPORT NO. : 2023-U023151
WORK NO. : 2022-002085
ANALYSIS NO. : T23AE968-0001


PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T23AE968-0001	
MICROBIOLOGY				
COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221B)	< 1.1	1.1
FAECAL COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221E)	< 1.1	1.1
<i>E. coli</i> ^b	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: PART 9221 D AND F)	NOT DETECTED	-
<i>Pseudomonas aeruginosa</i> ^c	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	-
SAMPLE CONDITION				
WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR	

° : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

° : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

° : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23RD EDITION, 2017.



(MISS CHAWEEVAN BOONLA)
LABORATORY SUPERVISOR

APRIL 3, 2023

ANALYSIS REPORT


CUSTOMER NAME : IDEO MOBI ASOKE
ADDRESS : 1744 BANG KAPI HUAI KHWANG BANGKOK 10310
CONTACT INFORMATION : TEL : 09 8954 1060 e-mail : adisorn.theworks@ananda.co.th
SAMPLING SOURCE : -
SAMPLE TYPE : WATER SAMPLE FROM SWIMMING POOL
SAMPLING DATE : MARCH 20, 2023
SAMPLING TIME : 10:30 HOUR
SAMPLING METHOD * : GRAB AND STERILE TECHNIQUE
SAMPLING BY * : MR TEERAPONG SRIKAMHANG
ANALYZED BY : MISS JITSAMON NGAMKANA

RECEIVED DATE : MARCH 20, 2023
ANALYTICAL DATE : MARCH 20-23, 2023
REPORT NO. : 2023-U023155
WORK NO. : 2022-002085
ANALYSIS NO. : T23AE968-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT
			SWIMMING POOL (DEEP ZONE) T23AE968-0001
MICROBIOLOGY			
<i>Staphylococcus aureus</i> #	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: PART 9213 B)	NOT DETECTED
SAMPLE CONDITION			COLOURLESS/CLEAR -
WATER'S COLOUR/TURBID			
SEDIMENT			

: ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSQ)
* : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23RD EDITION, 2017.



(MISS CHAWEEVAN BOONLA)
LABORATORY SUPERVISOR

APRIL 3, 2023

ANALYSIS REPORT

CUSTOMER NAME : IDEO MOBI ASOKE
ADDRESS : 1744 BANG KAPI HUAI KHWANG BANGKOK 10310
CONTACT INFORMATION : TEL : 09 8954 1060 e-mail : adisorn.theworks@ananda.co.th
SAMPLING SOURCE : -
SAMPLE TYPE : WATER SAMPLE FROM SWIMMING POOL
SAMPLING DATE : MARCH 27, 2023
SAMPLING TIME : 10:40 HOUR
SAMPLING METHOD ^a : GRAB AND STERILE TECHNIQUE
SAMPLING BY ^c : MR ANUSART SUAYDEE
ANALYZED BY : MISS ITSARIYAPORN BUATIB

RECEIVED DATE : MARCH 27, 2023
ANALYTICAL DATE : MARCH 27-30, 2023
REPORT NO. : 2023-U024380
WORK NO. : 2022-002085
ANALYSIS NO. : T23AF408-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T23AF408-0001	
MICROBIOLOGY				
COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 B)	< 1.1	1.1
FAECAL COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 E)	< 1.1	1.1
<i>E. coli</i> ^b	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: PART 9221 D AND F)	NOT DETECTED	-
<i>Pseudomonas aeruginosa</i> ^c	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	-
SAMPLE CONDITION				
WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR	

^a : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

^b : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

^c : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.

Chaweevan B.

(MISS CHAWEEVAN BOONLA)
LABORATORY SUPERVISOR

APRIL 4, 2023



ANALYSIS REPORT

CUSTOMER NAME	: IDEO MOBI ASOKE		
ADDRESS	: 1744 BANG KAPI HUAI KHWANG BANGKOK 10310		
CONTACT INFORMATION	: TEL : 09 8954 1060 e-mail : adisorn.theworks@ananda.co.th		
SAMPLING SOURCE	: -		
SAMPLE TYPE	: WATER SAMPLE FROM SWIMMING POOL	RECEIVED DATE	: MARCH 27, 2023
SAMPLING DATE	: MARCH 27, 2023	ANALYTICAL DATE	: MARCH 27-30, 2023
SAMPLING TIME	: 10:40 HOUR	REPORT NO.	: 2023-U024381
SAMPLING METHOD *	: GRAB AND STERILE TECHNIQUE	WORK NO.	: 2022-002085
SAMPLING BY *	: MR ANUSART SUAYDEE	ANALYSIS NO.	: T23AF408-0001
ANALYZED BY	: MISS WIPHAPHORN SAENG SOPHA		

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT
			SWIMMING POOL (DEEP ZONE) T23AF408-0001
MICROBIOLOGY			
<i>Staphylococcus aureus</i> #	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: PART 9213 B)	NOT DETECTED
SAMPLE CONDITION			COLOURLESS/CLEAR
WATER'S COLOUR/TURBID			
SEDIMENT			

: ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSC)
* : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.

haseem B.

(MISS CHAWEEWAN BOONLA)
LABORATORY SUPERVISOR

APRIL 4, 2023



ANALYSIS REPORT

CUSTOMER NAME : IDEO MOBI ASOKE
ADDRESS : 1744 BANG KAPI HUAI KHWANG BANGKOK 10310
CONTACT INFORMATION : TEL : 09 8954 1060 e-mail : adisorn.theworks@ananda.co.th
SAMPLING SOURCE : -
SAMPLE TYPE : WATER SAMPLE FROM SWIMMING POOL
SAMPLING DATE : MARCH 27, 2023
SAMPLING TIME : 10:50 HOUR
SAMPLING METHOD ° : GRAB AND STERILE TECHNIQUE
SAMPLING BY ° : MR ANUSART SUAYDEE
ANALYZED BY : MISS ITSARIYAPORN BUATIB

RECEIVED DATE : MARCH 27, 2023
ANALYTICAL DATE : MARCH 27-30, 2023
REPORT NO. : 2023-U024382
WORK NO. : 2022-002085
ANALYSIS NO. : T23AF408-0002


PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T23AF408-0002	
MICROBIOLOGY				
COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221B)	< 1.1	1.1
FAECAL COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221E)	< 1.1	1.1
<i>E. coli</i> ^b	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: PART 9221 D AND F)	NOT DETECTED	-
<i>Pseudomonas aeruginosa</i> ^c	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	-
SAMPLE CONDITION				
WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR	

^a : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

^b : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

^c : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23RD EDITION, 2017.



(MISS CHAWEEVAN BOONLA)
LABORATORY SUPERVISOR

APRIL 4, 2023



ANALYSIS REPORT

CUSTOMER NAME : IDEO MOBI ASOKE
ADDRESS : 1744 BANG KAPI HUAI KHWANG BANGKOK 10310
CONTACT INFORMATION : TEL : 09 8954 1060 e-mail : adisorn.theworks@ananda.co.th
SAMPLING SOURCE : -
SAMPLE TYPE : WATER SAMPLE FROM SWIMMING POOL
SAMPLING DATE : APRIL 3, 2023
SAMPLING TIME : 11:00 HOUR
SAMPLING METHOD ^c : GRAB AND STERILE TECHNIQUE
SAMPLING BY ^c : MR ANUSART SUAYDEE
ANALYZED BY : MISS ITSARIYAPORN BUATIB

RECEIVED DATE : APRIL 3, 2023
ANALYTICAL DATE : APRIL 3-6, 2023
REPORT NO. : 2023-U026489
WORK NO. : 2022-002085
ANALYSIS NO. : T23AF912-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T23AF912-0001	
MICROBIOLOGY				
COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221B)	< 1.1	1.1
FAECAL COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221E)	< 1.1	1.1
<i>E. coli</i> ^b	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: PART 9221 D AND F)	NOT DETECTED	-
<i>Pseudomonas aeruginosa</i> ^c	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	-
SAMPLE CONDITION				
WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR	

^a : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

^b : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

^c : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.

Chaweevan B.

(MISS CHAWEEVAN BOONLA)
LABORATORY SUPERVISOR

APRIL 12, 2023



ANALYSIS REPORT


CUSTOMER NAME : IDEO MOBI ASOKE
ADDRESS : 1744 BANG KAPI HUAI KHWANG BANGKOK 10310
CONTACT INFORMATION : TEL : 09 8954 1060 e-mail : adisorn.theworks@ananda.co.th
SAMPLING SOURCE : -
SAMPLE TYPE : WATER SAMPLE FROM SWIMMING POOL
SAMPLING DATE : APRIL 3, 2023
SAMPLING TIME : 11:00 HOUR
SAMPLING METHOD * : GRAB AND STERILE TECHNIQUE
SAMPLING BY * : MR ANUSART SUAYDEE
ANALYZED BY : MISS JITSAMON NGAMKANA

RECEIVED DATE : APRIL 3, 2023
ANALYTICAL DATE : APRIL 3-6, 2023
REPORT NO. : 2023-U026490
WORK NO. : 2022-002085
ANALYSIS NO. : T23AF912-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT
			SWIMMING POOL (DEEP ZONE) T23AF912-0001
MICROBIOLOGY			
<i>Staphylococcus aureus</i> #	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: PART 9213 B)	NOT DETECTED
SAMPLE CONDITION			COLOURLESS/CLEAR
WATER'S COLOUR/TURBID			
SEDIMENT			

: ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSC)
* : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.



(MISS CHAWEEVAN BOONLA)
LABORATORY SUPERVISOR

APRIL 12, 2023







ANALYSIS REPORT

CUSTOMER NAME	: IDEO MOBI ASOKE		
ADDRESS	: 1744 BANG KAPI HUAI KHWANG BANGKOK 10310		
CONTACT INFORMATION	: TEL : 09 8954 1060 e-mail : adisorn.theworks@ananda.co.th		
SAMPLING SOURCE	: -		
SAMPLE TYPE	: WATER SAMPLE FROM SWIMMING POOL	RECEIVED DATE	: APRIL 10, 2023
SAMPLING DATE	: APRIL 10, 2023	ANALYTICAL DATE	: APRIL 10-13, 2023
SAMPLING TIME	: 11:25 HOUR	REPORT NO.	: 2023-U030712
SAMPLING METHOD °	: GRAB AND STERILE TECHNIQUE	WORK NO.	: 2022-002085
SAMPLING BY °	: MR SUKSAN BOONLEANG	ANALYSIS NO.	: T23AG492-0005
ANALYZED BY	: MISS ITSARIYAPORN BUATIB		

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T23AG492-0005	
MICROBIOLOGY				
COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 B)	< 1.1	1.1
FAECAL COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 E)	< 1.1	1.1
<i>E. coli</i> ^b	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: PART 9221 D AND F)	NOT DETECTED	-
<i>Pseudomonas aeruginosa</i> ^c	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	-
SAMPLE CONDITION				
WATER'S COLOUR/TURBID			COLOURLESS/CLEAR	
SEDIMENT			-	

* : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

^b : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

^c: VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.

hausw. B.

(MISS CHAWEEWAN BOONLA)
LABORATORY SUPERVISOR

MAY 2, 2023

ANALYSIS REPORT

CUSTOMER NAME	: IDEO MOBI ASOKE		
ADDRESS	: 1744 BANG KAPI HUAI KHWANG BANGKOK 10310		
CONTACT INFORMATION	: TEL : 09 8954 1060 e-mail : adisorn.theworks@ananda.co.th		
SAMPLING SOURCE	: -		
SAMPLE TYPE	: WATER SAMPLE FROM SWIMMING POOL	RECEIVED DATE	: APRIL 17, 2023
SAMPLING DATE	: APRIL 17, 2023	ANALYTICAL DATE	: APRIL 17-21, 2023
SAMPLING TIME	: 10:50 HOUR	REPORT NO.	: 2023-U031525
SAMPLING METHOD °	: GRAB AND STERILE TECHNIQUE	WORK NO.	: 2022-002085
SAMPLING BY °	: MR SUKSAN BOONLEANG	ANALYSIS NO.	: T23AG764-0001
ANALYZED BY	: MISS ITSARIYAPORN BUATIB		

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T23AG764-0001	
MICROBIOLOGY				
COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 B)	< 1.1	1.1
FAECAL COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 E)	< 1.1	1.1
<i>E. col</i> ^b	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: PART 9221 D AND F)	NOT DETECTED	-
<i>Pseudomonas aeruginosa</i> ^c	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	-
SAMPLE CONDITION				
WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR	

^a : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

^b : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

^c : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.

Answer B.

(MISS CHAWEEWAN BOONLA)
LABORATORY SUPERVISOR

MAY 3, 2023

ANALYSIS REPORT


CUSTOMER NAME : IDEO MOBI ASOKE
ADDRESS : 1744 BANG KAPI HUAI KHWANG BANGKOK 10310
CONTACT INFORMATION : TEL : 09 8954 1060 e-mail : adisorn.theworks@ananda.co.th
SAMPLING SOURCE : -
SAMPLE TYPE : WATER SAMPLE FROM SWIMMING POOL
SAMPLING DATE : APRIL 17, 2023
SAMPLING TIME : 10:50 HOUR
SAMPLING METHOD * : GRAB AND STERILE TECHNIQUE
SAMPLING BY * : MR SUKSAN BOONLEANG
ANALYZED BY : MISS SUJIRA PRASERTSUKHO

RECEIVED DATE : APRIL 17, 2023
ANALYTICAL DATE : APRIL 17-20, 2023
REPORT NO. : 2023-U031526
WORK NO. : 2022-002085
ANALYSIS NO. : T23AG764-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT
			SWIMMING POOL (DEEP ZONE) T23AG764-0001
MICROBIOLOGY			
<i>Staphylococcus aureus</i> #	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: PART 9213 B)	NOT DETECTED
SAMPLE CONDITION			COLOURLESS/CLEAR
WATER'S COLOUR/TURBID			
SEDIMENT			

: ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSC)
* : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23RD EDITION, 2017.



(MISS CHAWEEVAN BOONLA)
LABORATORY SUPERVISOR

MAY 3, 2023



ANALYSIS REPORT

CUSTOMER NAME	: IDEO MOBI ASOKE		
ADDRESS	: 1744 BANG KAPI HUAI KHWANG BANGKOK 10310		
CONTACT INFORMATION	: TEL : 09 8954 1060 e-mail : adisorn.theworks@ananda.co.th		
SAMPLING SOURCE	: -		
SAMPLE TYPE	: WATER SAMPLE FROM SWIMMING POOL	RECEIVED DATE	: APRIL 17, 2023
SAMPLING DATE	: APRIL 17, 2023	ANALYTICAL DATE	: APRIL 17-21, 2023
SAMPLING TIME	: 10:55 HOUR	REPORT NO.	: 2023-U031527
SAMPLING METHOD ^c	: GRAB AND STERILE TECHNIQUE	WORK NO.	: 2022-002085
SAMPLING BY ^c	: MR SUKSAN BOONLEANG	ANALYSIS NO.	: T23AG764-0002
ANALYZED BY	: MISS ITSARIYAPORN BUATIB		

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T23AG764-0002	
MICROBIOLOGY				
COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 B)	< 1.1	1.1
FAECAL COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 E)	< 1.1	1.1
<i>E. coli</i> ^b	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: PART 9221 D AND F)	NOT DETECTED	-
<i>Pseudomonas aeruginosa</i> ^c	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	-
SAMPLE CONDITION				
WATER'S COLOUR/TURBID			COLOURLESS/CLEAR	
SEDIMENT			-	

■ : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

^b : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

^c: VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITEDSM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.

Handwritten B.

(MISS CHAWEEWAN BOONLA)
LABORATORY SUPERVISOR

MAY 3, 2023



ANALYSIS REPORT

CUSTOMER NAME	: IDEO MOBI ASOKE		
ADDRESS	: 1744 BANG KAPI HUAI KHWANG BANGKOK 10310		
CONTACT INFORMATION	: TEL : 09 8954 1060 e-mail : adisorn.theworks@ananda.co.th		
SAMPLING SOURCE	: -		
SAMPLE TYPE	: WATER SAMPLE FROM SWIMMING POOL	RECEIVED DATE	: APRIL 24, 2023
SAMPLING DATE	: APRIL 24, 2023	ANALYTICAL DATE	: APRIL 24-30, 2023
SAMPLING TIME	: 12:45 HOUR	REPORT NO.	: 2023-U034198
SAMPLING METHOD °	: GRAB AND STERILE TECHNIQUE	WORK NO.	: 2022-002085
SAMPLING BY °	: MR SUKSAN BOONLEANG	ANALYSIS NO.	: T23AH204-0002
ANALYZED BY	: MISS ITSARIYAPORN BUATIB		

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T23AH204-0002	
MICROBIOLOGY				
COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221B)	< 1.1	1.1
FAECAL COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221E)	< 1.1	1.1
<i>E. coli</i> ^b	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: PART 9221 D AND F)	NOT DETECTED	-
<i>Pseudomonas aeruginosa</i> ^c	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16268)	NOT DETECTED	-
SAMPLE CONDITION				
WATER'S COLOUR/TURBID			COLOURLESS/CLEAR	
SEDIMENT			-	

■ : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

^b : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

^c: VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.

Handwritten B.

(MISS CHAWEEWAN BOONLA)
LABORATORY SUPERVISOR

MAY 11, 2023



ANALYSIS REPORT


CUSTOMER NAME : IDEO MOBI ASOKE
ADDRESS : 1744 BANG KAPI HUAI KHWANG BANGKOK 10310
CONTACT INFORMATION : TEL : 09 8954 1060 e-mail : adisorn.theworks@ananda.co.th
SAMPLING SOURCE : -
SAMPLE TYPE : WATER SAMPLE FROM SWIMMING POOL
SAMPLING DATE : APRIL 24, 2023
SAMPLING TIME : 12:35 HOUR
SAMPLING METHOD * : GRAB AND STERILE TECHNIQUE
SAMPLING BY * : MR SUKSAN BOONLEANG
ANALYZED BY : MISS PORNPAILIN LOYLUEN

RECEIVED DATE : APRIL 24, 2023
ANALYTICAL DATE : APRIL 24-27, 2023
REPORT NO. : 2023-U034197
WORK NO. : 2022-002085
ANALYSIS NO. : T23AH204-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT
			SWIMMING POOL (DEEP ZONE) T23AH204-0001
MICROBIOLOGY			
<i>Staphylococcus aureus</i> #	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: PART 9213 B)	NOT DETECTED
SAMPLE CONDITION			COLOURLESS/CLEAR
WATER'S COLOUR/TURBID			
SEDIMENT			

: ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSC)
* : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23RD EDITION, 2017.



(MISS CHAWEEVAN BOONLA)
LABORATORY SUPERVISOR

MAY 11, 2023

ANALYSIS REPORT

CUSTOMER NAME : IDEO MOBI ASOKE
ADDRESS : 1744 BANG KAPI HUAI KHWANG BANGKOK 10310
CONTACT INFORMATION : TEL : 09 8954 1060 e-mail : adisorn.theworks@ananda.co.th
SAMPLING SOURCE : -
SAMPLE TYPE : WATER SAMPLE FROM SWIMMING POOL
SAMPLING DATE : MAY 1, 2023
SAMPLING TIME : 11:20 HOUR
SAMPLING METHOD ^c : GRAB AND STERILE TECHNIQUE
SAMPLING BY ^c : MR SUKSAN BOONLEANG
ANALYZED BY : MISS ITSARIYAPORN BUATIB

RECEIVED DATE : MAY 1, 2023
ANALYTICAL DATE : MAY 1-8, 2023
REPORT NO. : 2023-U034090
WORK NO. : 2022-002085
ANALYSIS NO. : T23AH676-0001


PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T23AH676-0001	
MICROBIOLOGY				
COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221B)	< 1.1	1.1
FAECAL COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221E)	< 1.1	1.1
<i>E. col</i> ^b	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: PART 9221 D AND F)	NOT DETECTED	-
<i>Pseudomonas aeruginosa</i> ^c	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	-
SAMPLE CONDITION				
WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR	

^a : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

^b : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

^c : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.



(MISS CHAWEEVAN BOONLA)
LABORATORY SUPERVISOR

MAY 11, 2023



ANALYSIS REPORT

CUSTOMER NAME : IDEO MOBI ASOKE
ADDRESS : 1744 BANG KAPI HUAI KHWANG BANGKOK 10310
CONTACT INFORMATION : TEL : 09 8954 1060 e-mail : adisorn.theworks@ananda.co.th
SAMPLING SOURCE : -
SAMPLE TYPE : WATER SAMPLE FROM SWIMMING POOL
SAMPLING DATE : MAY 1, 2023
SAMPLING TIME : 11:20 HOUR
SAMPLING METHOD * : GRAB AND STERILE TECHNIQUE
SAMPLING BY * : MR SUKSAN BOONLEANG
ANALYZED BY : MISS KAMICA CHOOSOMBAT


RECEIVED DATE : MAY 1, 2023
ANALYTICAL DATE : MAY 1-8, 2023
REPORT NO. : 2023-U034091
WORK NO. : 2022-002085
ANALYSIS NO. : T23AH676-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT
			SWIMMING POOL (DEEP ZONE) T23AH676-0001
MICROBIOLOGY			
<i>Staphylococcus aureus</i> #	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: PART 9213 B)	NOT DETECTED
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR

: ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSC)

* : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23RD EDITION, 2017.



(MISS CHAWEEVAN BOONLA)
LABORATORY SUPERVISOR

MAY 11, 2023





ANALYSIS REPORT

CUSTOMER NAME : IDEO MOBI ASOKE
ADDRESS : 1744 BANG KAPI HUAI KHWANG BANGKOK 10310
CONTACT INFORMATION : TEL : 09 8954 1060 e-mail : adisorn.theworks@ananda.co.th
SAMPLING SOURCE : -
SAMPLE TYPE : WATER SAMPLE FROM SWIMMING POOL
SAMPLING DATE : MAY 1, 2023
SAMPLING TIME : 11:25 HOUR
SAMPLING METHOD * : GRAB AND STERILE TECHNIQUE
SAMPLING BY * : MR SUKSAN BOONLEANG
ANALYZED BY : MISS KAMICA CHOOSOMBAT

RECEIVED DATE : MAY 1, 2023
ANALYTICAL DATE : MAY 1-8, 2023
REPORT NO. : 2023-U034094
WORK NO. : 2022-002085
ANALYSIS NO. : T23AH676-0002

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT
			SWIMMING POOL (SHALLOW ZONE) T23AH676-0002
MICROBIOLOGY			
<i>Staphylococcus aureus</i> #	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: PART 9213 B)	NOT DETECTED
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR -

: ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSO)
* : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23RD EDITION, 2017.



(MISS CHAWEEVAN BOONLA)
LABORATORY SUPERVISOR

MAY 11, 2023

ANALYSIS REPORT

CUSTOMER NAME	: IDEO MOBI ASOKE		
ADDRESS	: 1744 BANG KAPI HUA KHUANG BANGKOK 10310		
CONTACT INFORMATION	: TEL : 09 8954 1060 e-mail : adisorn.theworks@ananda.co.th		
SAMPLING SOURCE	: -		
SAMPLE TYPE	: WATER SAMPLE FROM SWIMMING POOL	RECEIVED DATE	: MAY 8, 2023
SAMPLING DATE	: MAY 8, 2023	ANALYTICAL DATE	: MAY 8-16, 2023
SAMPLING TIME	: 11:00 HOUR	REPORT NO.	: 2023-U038289
SAMPLING METHOD *	: GRAB AND STERILE TECHNIQUE	WORK NO.	: 2022-002085
SAMPLING BY *	: MR SUKSAN BOONLEANG	ANALYSIS NO.	: T23AI128-0004
ANALYZED BY	: MISS ITSARIYAPORN BUATIB		

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T23A1128-0004	
MICROBIOLOGY				
COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 B)	< 1.1	1.1
FAECAL COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 E)	< 1.1	1.1
<i>E. coli</i> ^b	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: PART 9221 D AND F)	NOT DETECTED	-
<i>Pseudomonas aeruginosa</i> ^c	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	-
SAMPLE CONDITION				
WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR	

^a : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

^b : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

^c : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.

Hardeep B.

(MISS CHAWEEWAN BOONLA)
LABORATORY SUPERVISOR

MAY 23, 2023



ANALYSIS REPORT

CUSTOMER NAME	: IDEO MOBI ASOKE		
ADDRESS	: 1744 BANG KAPI HUAI KHWANG BANGKOK 10310		
CONTACT INFORMATION	: TEL : 09 8954 1060 e-mail : adisorn.theworks@ananda.co.th		
SAMPLING SOURCE	: -		
SAMPLE TYPE	: WATER SAMPLE FROM SWIMMING POOL	RECEIVED DATE	: MAY 8, 2023
SAMPLING DATE	: MAY 8, 2023	ANALYTICAL DATE	: MAY 8-16, 2023
SAMPLING TIME	: 11:05 HOUR	REPORT NO.	: 2023-U038291
SAMPLING METHOD °	: GRAB AND STERILE TECHNIQUE	WORK NO.	: 2022-002085
SAMPLING BY °	: MR SUKSAN BOONLEANG	ANALYSIS NO.	: T23A1128-0005
ANALYZED BY	: MISS ITSARIYAPORN BUATIB		

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T23AI128-0005	
MICROBIOLOGY				
COLIFORM BACTERIA ^o	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM. PART 9221 B)	< 1.1	1.1
FAECAL COLIFORM BACTERIA ^o	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM. PART 9221 E)	< 1.1	1.1
<i>E. coli</i> ^o	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM. PART 9221 D AND F)	NOT DETECTED	-
<i>Pseudomonas aeruginosa</i> ^o	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	-
SAMPLE CONDITION				
WATER'S COLOUR/TURBID			COLOURLESS/CLEAR	
SEDIMENT			-	

■ : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

^b : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

^c: VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.

hanschen B.

(MISS CHAWEEWAN BOONLA)
LABORATORY SUPERVISOR

MAY 23, 2023



ANALYSIS REPORT


CUSTOMER NAME : IDEO MOBI ASOKE
ADDRESS : 1744 BANG KAPI HUAI KHWANG BANGKOK 10310
CONTACT INFORMATION : TEL : 09 8954 1060 e-mail : adisorn.theworks@ananda.co.th
SAMPLING SOURCE : -
SAMPLE TYPE : WATER SAMPLE FROM SWIMMING POOL
SAMPLING DATE : MAY 8, 2023
SAMPLING TIME : 11:05 HOUR
SAMPLING METHOD * : GRAB AND STERILE TECHNIQUE
SAMPLING BY * : MR SUKSAN BOONLEANG
ANALYZED BY : MISS WIPHAPHORN SAENG SOPHA

RECEIVED DATE : MAY 8, 2023
ANALYTICAL DATE : MAY 8-11, 2023
REPORT NO. : 2023-U038292
WORK NO. : 2022-002085
ANALYSIS NO. : T23AI128-0005

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT
			SWIMMING POOL (SHALLOW ZONE) T23AI128-0005
MICROBIOLOGY			
<i>Staphylococcus aureus</i> #	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: PART 9213 B)	NOT DETECTED
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR -

: ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSC)
* : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23RD EDITION, 2017.



(MISS CHAWEEVAN BOONLA)
LABORATORY SUPERVISOR

MAY 23, 2023







ANALYSIS REPORT


CUSTOMER NAME : IDEO MOBI ASOKE
ADDRESS : 1744 BANG KAPI HUAI KHWANG BANGKOK 10310
CONTACT INFORMATION : TEL : 09 8954 1060 e-mail : adisorn.theworks@ananda.co.th
SAMPLING SOURCE : -
SAMPLE TYPE : WATER SAMPLE FROM SWIMMING POOL
SAMPLING DATE : MAY 15, 2023
SAMPLING TIME : 12:10 HOUR
SAMPLING METHOD * : GRAB AND STERILE TECHNIQUE
SAMPLING BY * : MR SUKSAN BOONLEANG
ANALYZED BY : MR PITTAPAN LAEKODD

RECEIVED DATE : MAY 15, 2023
ANALYTICAL DATE : MAY 15-19, 2023
REPORT NO. : 2023-U040387
WORK NO. : 2022-002085
ANALYSIS NO. : T23AI736-0002

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT
			SWIMMING POOL (SHALLOW ZONE) T23AI736-0002
MICROBIOLOGY			
<i>Staphylococcus aureus</i> #	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: PART 9213 B)	NOT DETECTED
SAMPLE CONDITION			COLOURLESS/CLEAR -
WATER'S COLOUR/TURBID			
SEDIMENT			

: ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSC)
* : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.



(MISS CHAWEEVAN BOONLA)
LABORATORY SUPERVISOR

MAY 30, 2023



ANALYSIS REPORT

CUSTOMER NAME : IDEO MOBI ASOKE
ADDRESS : 1744 BANG KAPI HUAI KHWANG BANGKOK 10310
CONTACT INFORMATION : TEL : 09 8954 1060 e-mail : adisorn.theworks@ananda.co.th
SAMPLING SOURCE : -
SAMPLE TYPE : WATER SAMPLE FROM SWIMMING POOL
SAMPLING DATE : MAY 22, 2023
SAMPLING TIME : 10:40 HOUR
SAMPLING METHOD ^a : GRAB AND STERILE TECHNIQUE
SAMPLING BY ^c : MR SUKSAN BOONLEANG
ANALYZED BY : MISS ITSARIYAPORN BUATIB

RECEIVED DATE : MAY 22, 2023
ANALYTICAL DATE : MAY 22-25, 2023
REPORT NO. : 2023-U040778
WORK NO. : 2022-002085
ANALYSIS NO. : T23AJ372-0001


PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T23AJ372-0001	
MICROBIOLOGY				
COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM. PART 9221 B)	< 1.1	1.1
FAECAL COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM. PART 9221 E)	< 1.1	1.1
<i>E. coli</i> ^b	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM. PART 9221 D AND F)	NOT DETECTED	-
<i>Pseudomonas aeruginosa</i> ^c	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	-
SAMPLE CONDITION				
WATER'S COLOUR/TURBID			COLOURLESS/CLEAR	
SEDIMENT			-	

^a : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

^b : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

^c : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.



(MISS CHAWEEVAN BOONLA)
LABORATORY SUPERVISOR

MAY 29, 2023

ANALYSIS REPORT


CUSTOMER NAME : IDEO MOBI ASOKE
ADDRESS : 1744 BANG KAPI HUAI KHWANG BANGKOK 10310
CONTACT INFORMATION : TEL : 09 8954 1060 e-mail : adisorn.theworks@ananda.co.th
SAMPLING SOURCE : +
SAMPLE TYPE : WATER SAMPLE FROM SWIMMING POOL
SAMPLING DATE : MAY 22, 2023
SAMPLING TIME : 10:40 HOUR
SAMPLING METHOD * : GRAB AND STERILE TECHNIQUE
SAMPLING BY * : MR SUKSAN BOONLEANG
ANALYZED BY : MR PITTAPAN LAEKOOD

RECEIVED DATE : MAY 22, 2023
ANALYTICAL DATE : MAY 22-25, 2023
REPORT NO. : 2023-U040779
WORK NO. : 2022-002085
ANALYSIS NO. : T23AJ372-0001

ANALYZED BY : MR FITZPATRICK DAERDOD			RESULT
PARAMETER	UNIT	METHOD OF ANALYSIS	SWIMMING POOL (DEEP ZONE) T23AJ372-0001
MICROBIOLOGY			
Staphylococcus aureus #	/100 mL	MEMBRANE FILTER TECHNIQUE (SM. PART 9213 B)	NOT DETECTED
SAMPLE CONDITION			COLOURLESS/CLEAR
WATER'S COLOUR/TURBID			
SEDIMENT			

: ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSC)
* : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.



(MISS CHAWEEVAN BOONLA)
LABORATORY SUPERVISOR

MAY 29, 2023

ANALYSIS REPORT

CUSTOMER NAME : IDEO MOBI ASOKE
ADDRESS : 1744 BANG KAPI HUAI KHWANG BANGKOK 10310
CONTACT INFORMATION : TEL : 09 8954 1060 e-mail : adisorn.theworks@ananda.co.th
SAMPLING SOURCE : -
SAMPLE TYPE : WATER SAMPLE FROM SWIMMING POOL
SAMPLING DATE : MAY 22, 2023
SAMPLING TIME : 10:50 HOUR
SAMPLING METHOD : GRAB AND STERILE TECHNIQUE
SAMPLING BY : MR SUKSAN BOONLEANG
ANALYZED BY : MISS ITSARIYAPORN BUATIB

RECEIVED DATE : MAY 22, 2023
ANALYTICAL DATE : MAY 22-25, 2023
REPORT NO. : 2023-U040780
WORK NO. : 2022-002085
ANALYSIS NO. : T23AJ372-0002


PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T23AJ372-0002	
MICROBIOLOGY				
COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221B)	< 1.1	1.1
FAECAL COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221E)	< 1.1	1.1
<i>E. coli</i> ^b	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: PART 9221D AND F)	NOT DETECTED	-
<i>Pseudomonas aeruginosa</i> ^c	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	-
SAMPLE CONDITION				
WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR	

^a : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

^b : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

^c : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.



(MISS CHAWEEVAN BOONLA)
LABORATORY SUPERVISOR

MAY 29, 2023



ANALYSIS REPORT


CUSTOMER NAME : IDEO MOBI ASOKE
ADDRESS : 1744 BANG KAPI HUAI KHWANG BANGKOK 10310
CONTACT INFORMATION : TEL : 09 8954 1060 e-mail : adisorn.theworks@ananda.co.th
SAMPLING SOURCE : -
SAMPLE TYPE : WATER SAMPLE FROM SWIMMING POOL
SAMPLING DATE : MAY 22, 2023
SAMPLING TIME : 10:50 HOUR
SAMPLING METHOD * : GRAB AND STERILE TECHNIQUE
SAMPLING BY * : MR SUKSAN BOONLEANG
ANALYZED BY : MR PITTAPAN LAEKOOD

RECEIVED DATE : MAY 22, 2023
ANALYTICAL DATE : MAY 22-25, 2023
REPORT NO. : 2023-U040781
WORK NO. : 2022-002085
ANALYSIS NO. : T23AJ372-0002

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT
			SWIMMING POOL (SHALLOW ZONE) T23AJ372-0002
MICROBIOLOGY			
<i>Staphylococcus aureus</i> #	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: PART 9213 B)	NOT DETECTED
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR

: ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSQ)
* : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.



(MISS CHAWEEVAN BOONLA)
LABORATORY SUPERVISOR

MAY 29, 2023

ANALYSIS REPORT

CUSTOMER NAME	: IDEO MOBI ASOKE		
ADDRESS	: 1744 BANG KAPI HUAI KHWANG BANGKOK 10310		
CONTACT INFORMATION	: TEL : 09 8954 1060 e-mail : adisorn.theworks@ananda.co.th		
SAMPLING SOURCE	: -		
SAMPLE TYPE	: WATER SAMPLE FROM SWIMMING POOL	RECEIVED DATE	: MAY 29, 2023
SAMPLING DATE	: MAY 29, 2023	ANALYTICAL DATE	: MAY 29-JUNE 6, 2023
SAMPLING TIME	: 11:20 HOUR	REPORT NO.	: 2023-U045254
SAMPLING METHOD ^o	: GRAB AND STERILE TECHNIQUE	WORK NO.	: 2022-002085
SAMPLING BY ^o	: MR SUKSAN BOONLEANG	ANALYSIS NO.	: T23A393-0001
ANALYZED BY	: MISS ITSARIYAPORN BUATIB		

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T23AJ893-0001	
MICROBIOLOGY				
COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 B)	< 1.1	1.1
FAECAL COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 E)	< 1.1	1.1
<i>E. col</i> ^b	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: PART 9221 D AND F)	NOT DETECTED	-
<i>Pseudomonas aeruginosa</i> ^c	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	-
SAMPLE CONDITION				
WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR	

^a : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

^b : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

^c: VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITEDSM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.

Lawson B.

(MISS CHAWEEWAN BOONLA)
LABORATORY SUPERVISOR

JUNE 8, 2023







ANALYSIS REPORT

CUSTOMER NAME : IDEO MOBI ASOKE
ADDRESS : 1744 BANG KAPI HUAI KHWANG BANGKOK 10310
CONTACT INFORMATION : TEL : 09 8954 1060 e-mail : adisorn.theworks@ananda.co.th
SAMPLING SOURCE : -
SAMPLE TYPE : WATER SAMPLE FROM SWIMMING POOL
SAMPLING DATE : JUNE 5, 2023
SAMPLING TIME : 12:30 HOUR
SAMPLING METHOD ^c : GRAB AND STERILE TECHNIQUE
SAMPLING BY ^c : MR SUKSAN BOONLEANG
ANALYZED BY : MISS ITSARIYAPORN BUATIB
RECEIVED DATE : JUNE 6, 2023
ANALYTICAL DATE : JUNE 6-13, 2023
REPORT NO. : 2023-U047510
WORK NO. : 2022-002085
ANALYSIS NO. : T23AK342-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T23AK342-0001	
MICROBIOLOGY				
COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 B)	< 1.1	1.1
FAECAL COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 E)	< 1.1	1.1
<i>E. coli</i> ^b	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: PART 9221 D AND F)	NOT DETECTED	-
<i>Pseudomonas aeruginosa</i> ^c	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 18266)	NOT DETECTED	-
SAMPLE CONDITION				
WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR	

^a : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

^b : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

^c : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.

Chaweevan B.

(MISS CHAWEEVAN BOONLA)
LABORATORY SUPERVISOR

JUNE 16, 2023

ANALYSIS REPORT

CUSTOMER NAME : IDEO MOBI ASOKE
ADDRESS : 1744 BANG KAPI HUAI KHWANG BANGKOK 10310
CONTACT INFORMATION : TEL : 09 8954 1060 e-mail : adisorn.theworks@ananda.co.th
SAMPLING SOURCE : -
SAMPLE TYPE : WATER SAMPLE FROM SWIMMING POOL
SAMPLING DATE : JUNE 5, 2023
SAMPLING TIME : 12:35 HOUR
SAMPLING METHOD : GRAB AND STERILE TECHNIQUE
SAMPLING BY : MR SUKSAN BOONLEANG
ANALYZED BY : MISS ITSARIYAPORN BUATIB

RECEIVED DATE : JUNE 6, 2023
ANALYTICAL DATE : JUNE 6-8, 2023
REPORT NO. : 2023-U047512
WORK NO. : 2022-002085
ANALYSIS NO. : T23AK342-0002


PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T23AK342-0002	
MICROBIOLOGY				
COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 B)	< 1.1	1.1
FAECAL COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 E)	< 1.1	1.1
<i>E. coli</i> ^b	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: PART 9221 D AND F)	NOT DETECTED	-
<i>Pseudomonas aeruginosa</i> ^c	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	-
SAMPLE CONDITION				
WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR	

^a : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

^b : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

^c : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.



(MISS CHAWEEVAN BOONLA)
LABORATORY SUPERVISOR

JUNE 16, 2023

ANALYSIS REPORT

CUSTOMER NAME : IDEO MOBI ASOKE
ADDRESS : 1744 BANG KAPI HUAI KHWANG BANGKOK 10310
CONTACT INFORMATION : TEL : 09 8954 1060 e-mail : adisorn.theworks@ananda.co.th
SAMPLING SOURCE : -
SAMPLE TYPE : WATER SAMPLE FROM SWIMMING POOL
SAMPLING DATE : JUNE 5, 2023
SAMPLING TIME : 12:35 HOUR
SAMPLING METHOD * : GRAB AND STERILE TECHNIQUE
SAMPLING BY * : MR SUKSAN BOONLEANG
ANALYZED BY : MISS KAMICA CHOOSOMBAT

RECEIVED DATE : JUNE 6, 2023
ANALYTICAL DATE : JUNE 6-8, 2023
REPORT NO. : 2023-U047513
WORK NO. : 2022-002085
ANALYSIS NO. : T23AK342-0002

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT
			SWIMMING POOL (SHALLOW ZONE) T23AK342-0002
MICROBIOLOGY			
<i>Staphylococcus aureus</i> #	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: PART 9213 B)	NOT DETECTED
SAMPLE CONDITION			COLOURLESS/CLEAR -
WATER'S COLOUR/TURBID			
SEDIMENT			

: ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSO)
* : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23RD EDITION, 2017.

Chaweevan B.

(MISS CHAWEEVAN BOONLA)
LABORATORY SUPERVISOR

JUNE 16, 2023





ANALYSIS REPORT


CUSTOMER NAME : IDEO MOBI ASOKE
ADDRESS : 1744 BANG KAPI HUAI KHWANG BANGKOK 10310
CONTACT INFORMATION : TEL : 09 8954 1060 e-mail : adisorn.theworks@ananda.co.th
SAMPLING SOURCE : -
SAMPLE TYPE : WATER SAMPLE FROM SWIMMING POOL
SAMPLING DATE : JUNE 12, 2023
SAMPLING TIME : 11:25 HOUR
SAMPLING METHOD * : GRAB AND STERILE TECHNIQUE
SAMPLING BY * : MR SUKSAN BOONLEANG
ANALYZED BY : MISS JITSAMON NGAMKANA

RECEIVED DATE : JUNE 12, 2023
ANALYTICAL DATE : JUNE 12-15, 2023
REPORT NO. : 2023-U049952
WORK NO. : 2022-002085
ANALYSIS NO. : T23AK983-0004

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT
			SWIMMING POOL (DEEP ZONE) T23AK983-0004
MICROBIOLOGY			
<i>Staphylococcus aureus</i> #	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: PART 9213 B)	NOT DETECTED
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR

: ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSC)
* : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.



(MISS CHAWEEVAN BOONLA)
LABORATORY SUPERVISOR

JUNE 22, 2023



ANALYSIS REPORT


CUSTOMER NAME : IDEO MOBI ASOKE
ADDRESS : 1744 BANG KAPI HUAJ KHWANG BANGKOK 10310
CONTACT INFORMATION : TEL : 09 8954 1060 e-mail : adisorn.theworks@ananda.co.th
SAMPLING SOURCE : -
SAMPLE TYPE : WATER SAMPLE FROM SWIMMING POOL
SAMPLING DATE : JUNE 12, 2023
SAMPLING TIME : 11:30 HOUR
SAMPLING METHOD * : GRAB AND STERILE TECHNIQUE
SAMPLING BY * : MR SUKSAN BOONLEANG
ANALYZED BY : MISS JITSAMON NGAMKANA

RECEIVED DATE : JUNE 12, 2023
ANALYTICAL DATE : JUNE 12-15, 2023
REPORT NO. : 2023-U049954
WORK NO. : 2022-002085
ANALYSIS NO. : T23AK983-0005

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT
			SWIMMING POOL (SHALLOW ZONE) T23AK983-0005
MICROBIOLOGY			
<i>Staphylococcus aureus</i> #	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: PART 9213 B)	NOT DETECTED
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR

: ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSQ)
* : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.



(MISS CHAWEEVAN BOONLA)
LABORATORY SUPERVISOR

JUNE 22, 2023

ANALYSIS REPORT

CUSTOMER NAME : IDEO MOBI ASOKE
ADDRESS : 1744 BANG KAPI HUAI KHWANG BANGKOK 10310
CONTACT INFORMATION : TEL : 09 8954 1060 e-mail : adisorn.theworks@ananda.co.th
SAMPLING SOURCE : -
SAMPLE TYPE : WATER SAMPLE FROM SWIMMING POOL
SAMPLING DATE : JUNE 19, 2023
SAMPLING TIME : 11:05 HOUR
SAMPLING METHOD ^a : GRAB AND STERILE TECHNIQUE
SAMPLING BY ^c : MR SUKSAN BOONLEANG
ANALYZED BY : MISS ITSARIYAPORN BUATTB
RECEIVED DATE : JUNE 19, 2023
ANALYTICAL DATE : JUNE 19-27, 2023
REPORT NO. : 2023-U052254
WORK NO. : 2022-002085
ANALYSIS NO. : T23AL531-0001


PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T23AL531-0001	
MICROBIOLOGY				
COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221B)	< 1.1	1.1
FAECAL COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 E)	< 1.1	1.1
<i>E. coli</i> ^b	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: PART 9221 D AND F)	NOT DETECTED	-
<i>Pseudomonas aeruginosa</i> ^c	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	-
SAMPLE CONDITION				
WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR	

^a : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

^b : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

^c : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.



(MISS CHAWEEVAN BOONLA)
LABORATORY SUPERVISOR

JUNE 30, 2023



ANALYSIS REPORT

CUSTOMER NAME : IDEO MOBI ASOKE
ADDRESS : 1744 BANG KAPI HUAI KHWANG BANGKOK 10310
CONTACT INFORMATION : TEL : 09 8954 1060 e-mail : adisorn.theworks@ananda.co.th
SAMPLING SOURCE : -
SAMPLE TYPE : WATER SAMPLE FROM SWIMMING POOL
SAMPLING DATE : JUNE 19, 2023
SAMPLING TIME : 11:05 HOUR
SAMPLING METHOD * : GRAB AND STERILE TECHNIQUE
SAMPLING BY * : MR SUKSAN BOONLEANG
ANALYZED BY : MISS KAMICA CHOOSOMBAT

RECEIVED DATE : JUNE 19, 2023
ANALYTICAL DATE : JUNE 19-23, 2023
REPORT NO. : 2023-U052255
WORK NO. : 2022-002085
ANALYSIS NO. : T23AL531-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT
			SWIMMING POOL (DEEP ZONE) T23AL531-0001
MICROBIOLOGY			
<i>Staphylococcus aureus</i> #	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: PART 9213 B)	NOT DETECTED
SAMPLE CONDITION			COLOURLESS/CLEAR
WATER'S COLOUR/TURBID			
SEDIMENT			

: ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSO)
* : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23RD EDITION, 2017.

Chaweevan B.

(MISS CHAWEEVAN BOONLA)
LABORATORY SUPERVISOR

JUNE 30, 2023

ANALYSIS REPORT

CUSTOMER NAME : IDEO MOBI ASOKE
ADDRESS : 1744 BANG KAPI HUAI KHWANG BANGKOK 10310
CONTACT INFORMATION : TEL : 09 8954 1060 e-mail : adisorn.theworks@ananda.co.th
SAMPLING SOURCE : -
SAMPLE TYPE : WATER SAMPLE FROM SWIMMING POOL
SAMPLING DATE : JUNE 19, 2023
SAMPLING TIME : 11:10 HOUR
SAMPLING METHOD : GRAB AND STERILE TECHNIQUE
SAMPLING BY : MR SUKSAN BOONLEANG
ANALYZED BY : MISS ITSARIYAPORN BUATIB
RECEIVED DATE : JUNE 19, 2023
ANALYTICAL DATE : JUNE 19-27, 2023
REPORT NO. : 2023-U052256
WORK NO. : 2022-002085
ANALYSIS NO. : T23AL531-0002

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T23AL531-0002	
MICROBIOLOGY				
COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 B)	< 1.1	1.1
FAECAL COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 E)	< 1.1	1.1
<i>E. coli</i> ^b	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: PART 9221 D AND F)	NOT DETECTED	-
<i>Pseudomonas aeruginosa</i> ^c	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	-
SAMPLE CONDITION				
WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR	

^a : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

^b : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

^c : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.

Chaweevan B.

(MISS CHAWEEVAN BOONLA)
LABORATORY SUPERVISOR

JUNE 30, 2023



ANALYSIS REPORT


CUSTOMER NAME : IDEO MOBI ASOKE
ADDRESS : 1744 BANG KAPI HUAI KHWANG BANGKOK 10310
CONTACT INFORMATION : TEL : 09 8954 1060 e-mail : adisorn.theworks@ananda.co.th
SAMPLING SOURCE : -
SAMPLE TYPE : WATER SAMPLE FROM SWIMMING POOL
SAMPLING DATE : JUNE 19, 2023
SAMPLING TIME : 11:10 HOUR
SAMPLING METHOD * : GRAB AND STERILE TECHNIQUE
SAMPLING BY * : MR SUKSAN BOONLEANG
ANALYZED BY : MISS KAMICA CHOOSOMBAT

RECEIVED DATE : JUNE 19, 2023
ANALYTICAL DATE : JUNE 19-23, 2023
REPORT NO. : 2023-U052257
WORK NO. : 2022-002085
ANALYSIS NO. : T23AL531-0002

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT
			SWIMMING POOL (SHALLOW ZONE) T23AL531-0002
MICROBIOLOGY			
<i>Staphylococcus aureus</i> #	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: PART 9213 B)	NOT DETECTED
SAMPLE CONDITION			COLOURLESS/CLEAR
WATER'S COLOUR/TURBID			
SEDIMENT			

: ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSC)
* : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.



(MISS CHAWEEVAN BOONLA)
LABORATORY SUPERVISOR

JUNE 30, 2023

ANALYSIS REPORT

CUSTOMER NAME : IDEO MOBI ASOKE
ADDRESS : 1744 BANG KAPI HUAI KHWANG BANGKOK 10310
CONTACT INFORMATION : TEL : 09 8954 1060 e-mail : adisorn.theworks@ananda.co.th
SAMPLING SOURCE : -
SAMPLE TYPE : WATER SAMPLE FROM SWIMMING POOL
SAMPLING DATE : JUNE 26, 2023
SAMPLING TIME : 10:50 HOUR
SAMPLING METHOD^a : GRAB AND STERILE TECHNIQUE
SAMPLING BY^c : MR SUKSAN BOONLEANG
ANALYZED BY : MISS ITSARIYAPORN BUATIB

RECEIVED DATE : JUNE 26, 2023
ANALYTICAL DATE : JUNE 26-JULY 4, 2023
REPORT NO. : 2023-U054938
WORK NO. : 2022-002085
ANALYSIS NO. : T23AM114-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T23AM114-0001	
MICROBIOLOGY				
COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 B)	< 1.1	1.1
FAECAL COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 E)	< 1.1	1.1
<i>E. coli</i> ^b	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: PART 9221 D AND F)	NOT DETECTED	-
<i>Pseudomonas aeruginosa</i> ^c	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR -	

^a : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

^b : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

^c : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.

Chaweevan B.

(MISS CHAWEEVAN BOONLA)
LABORATORY SUPERVISOR

JULY 7, 2023



ANALYSIS REPORT

CUSTOMER NAME : IDEO MOBI ASOKE
ADDRESS : 1744 BANG KAPI HUAI KHWANG BANGKOK 10310
CONTACT INFORMATION : TEL : 09 8954 1060 e-mail : adisorn.theworks@ananda.co.th
SAMPLING SOURCE : -
SAMPLE TYPE : WATER SAMPLE FROM SWIMMING POOL
SAMPLING DATE : JUNE 26, 2023
SAMPLING TIME : 10:50 HOUR
SAMPLING METHOD * : GRAB AND STERILE TECHNIQUE
SAMPLING BY * : MR SUKSAN BOONLEANG
ANALYZED BY : MISS KAMICA CHOOSOMBAT

RECEIVED DATE : JUNE 26, 2023
ANALYTICAL DATE : JUNE 26-29, 2023
REPORT NO. : 2023-U054939
WORK NO. : 2022-002085
ANALYSIS NO. : T23AM114-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT
			SWIMMING POOL (DEEP ZONE) T23AM114-0001
MICROBIOLOGY			
<i>Staphylococcus aureus</i> #	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: PART 9213 B)	NOT DETECTED
SAMPLE CONDITION			COLOURLESS/CLEAR
WATER'S COLOUR/TURBID			
SEDIMENT			

: ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSC)
* : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.

(MISS CHAWEEVAN BOONLA)
LABORATORY SUPERVISOR

JULY 7, 2023

ANALYSIS REPORT

CUSTOMER NAME	: IDEO MOBI ASOKE		
ADDRESS	: 1744 BANG KAPI HUAI KHWANG BANGKOK 10310		
CONTACT INFORMATION	: TEL : 09 8954 1060 e-mail : adisorn.theworks@ananda.co.th		
SAMPLING SOURCE	: -		
SAMPLE TYPE	: WATER SAMPLE FROM SWIMMING POOL	RECEIVED DATE	: JUNE 26, 2023
SAMPLING DATE	: JUNE 26, 2023	ANALYTICAL DATE	: JUNE 26-JULY 4, 2023
SAMPLING TIME	: 10:55 HOUR	REPORT NO.	: 2023-U054940
SAMPLING METHOD °	: GRAB AND STERILE TECHNIQUE	WORK NO.	: 2022-002085
SAMPLING BY °	: MR SUKSAN BOONLEANG	ANALYSIS NO.	: T23AM114-0002
ANALYZED BY	: MISS ITSARIYAPORN BUATIB		

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T23AM114-0002	
MICROBIOLOGY				
COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 B)	< 1.1	1.1
FAECAL COLIFORM BACTERIA ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 E)	< 1.1	1.1
<i>E. coli</i> ^b	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: PART 9221 D AND F)	NOT DETECTED	-
<i>Pseudomonas aeruginosa</i> ^c	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	-
SAMPLE CONDITION			COLOURLESS/CLEAR	
WATER'S COLOUR/TURBID				
SEDIMENT				

■ : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

b : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

^c: VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.

hacevar B.

(MISS CHAWEEWAN BOONLA)
LABORATORY SUPERVISOR

JULY 7, 2023

ANALYSIS REPORT


CUSTOMER NAME : IDEO MOBI ASOKE
ADDRESS : 1744 BANG KAPI HUAI KHWANG BANGKOK 10310
CONTACT INFORMATION : TEL : 09 8954 1060 e-mail : adisorn.theworks@ananda.co.th
SAMPLING SOURCE : -
SAMPLE TYPE : WATER SAMPLE FROM SWIMMING POOL
SAMPLING DATE : JUNE 26, 2023
SAMPLING TIME : 10:55 HOUR
SAMPLING METHOD * : GRAB AND STERILE TECHNIQUE
SAMPLING BY * : MR SUKSAN BOONLEANG
ANALYZED BY : MISS KAMICA CHOOSOMBAT

RECEIVED DATE : JUNE 26, 2023
ANALYTICAL DATE : JUNE 26-29, 2023
REPORT NO. : 2023-U054941
WORK NO. : 2022-002085
ANALYSIS NO. : T23AM114-0002

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT
			SWIMMING POOL (SHALLOW ZONE) T23AM114-0002
MICROBIOLOGY			
<i>Staphylococcus aureus</i> #	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: PART 9213 B)	NOT DETECTED
SAMPLE CONDITION			COLOURLESS/CLEAR
WATER'S COLOUR/TURBID			
SEDIMENT			

: ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF MEDICAL SCIENCE (DMSQ)
* : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.



(MISS CHAWEEVAN BOONLA)
LABORATORY SUPERVISOR

JULY 7, 2023

