

ANALYSIS REPORT

| | | | |
|----------------------------|--|------------------------|---------------------------------|
| CUSTOMER NAME | : TPI POLENE PUBLIC COMPANY LIMITED | RECEIVED DATE | : FEBRUARY 8-11, 2023 |
| ADDRESS | : 299 MOO 5 MITRAPARP ROAD MITTRAPHAP TABKWANG KAENGKOI SARABURI 18260 | ANALYTICAL DATE | : FEBRUARY 8-11, 2023 |
| CONTACT INFORMATION | : TEL : 0 3633 9111 EXT. 1743 e-mail : chod.padmuk@gmail.com | REPORT NO. | : 2023-U011637 |
| MEASURING SOURCE | : BAN SAI-NGAM | WORK NO. | : 2022-010735 |
| MEASURING TYPE | : AMBIENT (NOISE) | ANALYSIS NO. | : T23AC642-0001 - T23AC642-0003 |
| MEASURING DATE | : FEBRUARY 8-11, 2023 | | |
| MEASURING TIME | : * | | |
| MEASURING METHOD | : INTEGRATED SOUND LEVEL METER | | |
| MEASURED BY | : MR PAIRAT KUMNERDRAKSA | | |

| TIME* | RESULT dB(A) | |
|---------------------------|-------------------------|--------------------------|
| | BAN SAI-NGAM | |
| | FEBRUARY 8 - 9, 2023 | |
| | T23AC642-0001 | |
| | L _{Aeq} 1 hour | L _{Amax} 1 hour |
| 07:00-08:00 HOUR | 56.0 | 82.2 |
| 08:00-09:00 HOUR | 54.1 | 73.9 |
| 09:00-10:00 HOUR | 54.5 | 80.9 |
| 10:00-11:00 HOUR | 54.8 | 90.3 |
| 11:00-12:00 HOUR | 59.9 | 82.1 |
| 12:00-13:00 HOUR | 54.8 | 77.3 |
| 13:00-14:00 HOUR | 54.7 | 86.2 |
| 14:00-15:00 HOUR | 59.1 | 83.7 |
| 15:00-16:00 HOUR | 57.7 | 78.5 |
| 16:00-17:00 HOUR | 55.7 | 87.2 |
| 17:00-18:00 HOUR | 58.6 | 81.5 |
| 18:00-19:00 HOUR | 56.6 | 84.3 |
| 19:00-20:00 HOUR | 58.0 | 64.9 |
| 20:00-21:00 HOUR | 59.0 | 74.5 |
| 21:00-22:00 HOUR | 53.8 | 68.2 |
| 22:00-23:00 HOUR | 51.5 | 70.2 |
| 23:00-00:00 HOUR | 50.4 | 64.3 |
| 00:00-01:00 HOUR | 50.9 | 69.7 |
| 01:00-02:00 HOUR | 50.7 | 62.1 |
| 02:00-03:00 HOUR | 51.6 | 72.5 |
| 03:00-04:00 HOUR | 56.1 | 82.6 |
| 04:00-05:00 HOUR | 54.3 | 80.8 |
| 05:00-06:00 HOUR | 54.2 | 77.5 |
| 06:00-07:00 HOUR | 57.6 | 82.5 |
| L _{Aeq} 24 hours | 56.0 | |



| TIME* | RESULT dB(A) | |
|---------------------------|-------------------------|--------------------------|
| | BAN SAI-NGAM | |
| | FEBRUARY 9 - 10, 2023 | |
| | T23AC642-0002 | |
| | L _{Aeq} 1 hour | L _{Amax} 1 hour |
| 07:00-08:00 HOUR | 56.3 | 71.2 |
| 08:00-09:00 HOUR | 59.4 | 82.3 |
| 09:00-10:00 HOUR | 52.8 | 74.1 |
| 10:00-11:00 HOUR | 53.6 | 75.9 |
| 11:00-12:00 HOUR | 54.9 | 87.9 |
| 12:00-13:00 HOUR | 53.8 | 78.1 |
| 13:00-14:00 HOUR | 59.5 | 79.7 |
| 14:00-15:00 HOUR | 54.1 | 78.8 |
| 15:00-16:00 HOUR | 52.8 | 75.9 |
| 16:00-17:00 HOUR | 53.4 | 77.6 |
| 17:00-18:00 HOUR | 52.1 | 76.0 |
| 18:00-19:00 HOUR | 56.0 | 82.8 |
| 19:00-20:00 HOUR | 58.3 | 69.7 |
| 20:00-21:00 HOUR | 56.0 | 77.7 |
| 21:00-22:00 HOUR | 55.3 | 77.5 |
| 22:00-23:00 HOUR | 53.8 | 76.9 |
| 23:00-00:00 HOUR | 53.0 | 77.2 |
| 00:00-01:00 HOUR | 53.4 | 74.7 |
| 01:00-02:00 HOUR | 51.9 | 62.6 |
| 02:00-03:00 HOUR | 50.8 | 69.6 |
| 03:00-04:00 HOUR | 49.6 | 61.0 |
| 04:00-05:00 HOUR | 49.8 | 60.6 |
| 05:00-06:00 HOUR | 54.7 | 81.0 |
| 06:00-07:00 HOUR | 56.6 | 78.6 |
| L _{Aeq} 24 hours | 55.0 | |

| TIME* | RESULT dB(A) | |
|---------------------------|-------------------------|--------------------------|
| | BAN SAI-NGAM | |
| | FEBRUARY 10 - 11, 2023 | |
| | T23AC642-0003 | |
| | L _{Aeq} 1 hour | L _{Amax} 1 hour |
| 07:00-08:00 HOUR | 51.6 | 75.5 |
| 08:00-09:00 HOUR | 57.1 | 80.0 |
| 09:00-10:00 HOUR | 58.7 | 90.2 |
| 10:00-11:00 HOUR | 57.4 | 81.1 |
| 11:00-12:00 HOUR | 54.8 | 77.1 |
| 12:00-13:00 HOUR | 57.2 | 83.5 |
| 13:00-14:00 HOUR | 52.5 | 77.1 |
| 14:00-15:00 HOUR | 51.3 | 70.0 |
| 15:00-16:00 HOUR | 50.5 | 64.4 |
| 16:00-17:00 HOUR | 56.8 | 80.0 |
| 17:00-18:00 HOUR | 55.8 | 87.5 |
| 18:00-19:00 HOUR | 56.9 | 91.0 |
| 19:00-20:00 HOUR | 59.5 | 85.6 |
| 20:00-21:00 HOUR | 57.7 | 73.8 |
| 21:00-22:00 HOUR | 56.8 | 68.5 |
| 22:00-23:00 HOUR | 55.3 | 63.7 |
| 23:00-00:00 HOUR | 55.7 | 80.3 |
| 00:00-01:00 HOUR | 54.9 | 69.4 |
| 01:00-02:00 HOUR | 53.5 | 67.9 |
| 02:00-03:00 HOUR | 50.8 | 69.1 |
| 03:00-04:00 HOUR | 52.0 | 66.9 |
| 04:00-05:00 HOUR | 51.6 | 69.3 |
| 05:00-06:00 HOUR | 57.7 | 83.1 |
| 06:00-07:00 HOUR | 51.8 | 78.6 |
| L _{Aeq} 24 hours | 55.7 | |

ตำแหน่งพิกัดของสถานีตรวจวัด : 14.619630, 101.140996
ตำแหน่งพิกัด UTM ของสถานี : 730622E, 1617344N

Sila Banjongjairuk

(MR SILA BANJONGJAIKUK)
LABORATORY SUPERVISOR

FEBRUARY 21, 2023

ANALYSIS REPORT

| | | | |
|----------------------------|--|------------------------|---------------------------------|
| CUSTOMER NAME | : TPI POLENE PUBLIC COMPANY LIMITED | RECEIVED DATE | : FEBRUARY 8-11, 2023 |
| ADDRESS | : 299 MOO 5 MITRAPARP ROAD MITTRAPHAP TABKWANG KAENGKOI SARABURI 18260 | ANALYTICAL DATE | : FEBRUARY 8-11, 2023 |
| CONTACT INFORMATION | : TEL : 0 3633 9111 EXT. 1743 e-mail : chod.padmuk@gmail.com | REPORT NO. | : 2023-U011638 |
| MEASURING SOURCE | : กลุ่มบ้านราษฎรชุมชนเกษตรสัมพันธ์ #6 | WORK NO. | : 2022-010735 |
| MEASURING TYPE | : AMBIENT (NOISE) | ANALYSIS NO. | : T23AC642-0004 - T23AC642-0006 |
| MEASURING DATE | : FEBRUARY 8-11, 2023 | | |
| MEASURING TIME | : * | | |
| MEASURING METHOD | : INTEGRATED SOUND LEVEL METER | | |
| MEASURED BY | : MR PAIRAT KUMNERDRAKSA | | |

| TIME* | RESULT dB(A) | |
|---------------------------------|-------------------------------------|--------------------------|
| | กลุ่มบ้านราษฎรชุมชนเกษตรสัมพันธ์ #6 | |
| | FEBRUARY 8 - 9, 2023 | |
| | T23AC642-0004 | |
| | L _{Aeq} 1 hour | L _{Amax} 1 hour |
| 07:00-08:00 HOUR | 50.7 | 83.4 |
| 08:00-09:00 HOUR | 52.2 | 75.7 |
| 09:00-10:00 HOUR | 49.8 | 73.3 |
| 10:00-11:00 HOUR | 46.6 | 59.7 |
| 11:00-12:00 HOUR | 46.7 | 73.5 |
| 12:00-13:00 HOUR | 48.0 | 74.6 |
| 13:00-14:00 HOUR | 50.8 | 72.8 |
| 14:00-15:00 HOUR | 48.3 | 72.8 |
| 15:00-16:00 HOUR | 52.8 | 75.1 |
| 16:00-17:00 HOUR | 51.3 | 74.2 |
| 17:00-18:00 HOUR | 52.4 | 74.7 |
| 18:00-19:00 HOUR | 51.0 | 70.4 |
| 19:00-20:00 HOUR | 54.5 | 75.6 |
| 20:00-21:00 HOUR | 51.7 | 75.0 |
| 21:00-22:00 HOUR | 48.2 | 66.5 |
| 22:00-23:00 HOUR | 48.1 | 75.8 |
| 23:00-00:00 HOUR | 44.3 | 79.1 |
| 00:00-01:00 HOUR | 42.8 | 54.3 |
| 01:00-02:00 HOUR | 43.4 | 62.4 |
| 02:00-03:00 HOUR | 44.7 | 75.4 |
| 03:00-04:00 HOUR | 45.8 | 80.3 |
| 04:00-05:00 HOUR | 43.3 | 57.6 |
| 05:00-06:00 HOUR | 44.8 | 70.2 |
| 06:00-07:00 HOUR | 45.7 | 69.7 |
| L_{Aeq} 24 hours | 49.5 | |



| TIME* | RESULT dB(A) | |
|---------------------------|-------------------------------------|--------------------------|
| | กลุ่มงานราชการชุมชนเกษตรสัมพันธ์ #6 | |
| | FEBRUARY 9 - 10, 2023 | |
| | T23AC642-0005 | |
| | L _{Aeq} 1 hour | L _{Amax} 1 hour |
| 07:00-08:00 HOUR | 47.4 | 74.2 |
| 08:00-09:00 HOUR | 48.3 | 69.2 |
| 09:00-10:00 HOUR | 45.1 | 68.0 |
| 10:00-11:00 HOUR | 44.4 | 63.8 |
| 11:00-12:00 HOUR | 44.9 | 70.6 |
| 12:00-13:00 HOUR | 51.1 | 81.5 |
| 13:00-14:00 HOUR | 54.2 | 89.4 |
| 14:00-15:00 HOUR | 48.8 | 70.2 |
| 15:00-16:00 HOUR | 42.7 | 65.2 |
| 16:00-17:00 HOUR | 50.9 | 73.5 |
| 17:00-18:00 HOUR | 52.8 | 79.3 |
| 18:00-19:00 HOUR | 47.0 | 68.4 |
| 19:00-20:00 HOUR | 46.1 | 62.3 |
| 20:00-21:00 HOUR | 44.7 | 70.2 |
| 21:00-22:00 HOUR | 44.4 | 54.7 |
| 22:00-23:00 HOUR | 42.5 | 62.4 |
| 23:00-00:00 HOUR | 43.8 | 70.2 |
| 00:00-01:00 HOUR | 45.2 | 61.4 |
| 01:00-02:00 HOUR | 41.6 | 61.2 |
| 02:00-03:00 HOUR | 41.4 | 52.9 |
| 03:00-04:00 HOUR | 41.1 | 59.6 |
| 04:00-05:00 HOUR | 43.5 | 66.8 |
| 05:00-06:00 HOUR | 45.4 | 67.4 |
| 06:00-07:00 HOUR | 52.5 | 86.4 |
| L _{Aeq} 24 hours | 48.0 | |

| TIME* | RESULT dB(A) | |
|---------------------------|--|--------------------------|
| | กลุ่มบ้านราชพฤกษ์ชุมชนเกษตรสัมพันธ์ #6 | |
| | FEBRUARY 10 - 11, 2023 | |
| | T23AC642-0006 | |
| | L _{Aeq} 1 hour | L _{Amax} 1 hour |
| 07:00-08:00 HOUR | 50.5 | 73.0 |
| 08:00-09:00 HOUR | 46.3 | 69.3 |
| 09:00-10:00 HOUR | 48.8 | 66.6 |
| 10:00-11:00 HOUR | 49.8 | 76.4 |
| 11:00-12:00 HOUR | 47.5 | 71.5 |
| 12:00-13:00 HOUR | 48.5 | 67.6 |
| 13:00-14:00 HOUR | 46.5 | 71.5 |
| 14:00-15:00 HOUR | 48.6 | 64.9 |
| 15:00-16:00 HOUR | 46.9 | 68.3 |
| 16:00-17:00 HOUR | 48.1 | 72.5 |
| 17:00-18:00 HOUR | 48.1 | 65.9 |
| 18:00-19:00 HOUR | 48.1 | 68.4 |
| 19:00-20:00 HOUR | 46.6 | 64.0 |
| 20:00-21:00 HOUR | 44.7 | 63.1 |
| 21:00-22:00 HOUR | 45.8 | 71.3 |
| 22:00-23:00 HOUR | 44.9 | 73.3 |
| 23:00-00:00 HOUR | 42.8 | 54.3 |
| 00:00-01:00 HOUR | 43.4 | 62.4 |
| 01:00-02:00 HOUR | 44.7 | 75.4 |
| 02:00-03:00 HOUR | 45.8 | 80.3 |
| 03:00-04:00 HOUR | 43.3 | 57.6 |
| 04:00-05:00 HOUR | 44.8 | 70.2 |
| 05:00-06:00 HOUR | 45.7 | 69.7 |
| 06:00-07:00 HOUR | 56.9 | 77.2 |
| L _{Aeq} 24 hours | 48.4 | |

ตำแหน่งพิกัดของสถานีตรวจวัด : 14.600339, 101.116164
ตำแหน่งพิกัด UTM ของสถานี : 727966E, 1615184N



(MR SILA BANJONGJAIKUK)
LABORATORY SUPERVISOR

FEBRUARY 21, 2023

ANALYSIS REPORT

CUSTOMER NAME : TPI POLENE PUBLIC COMPANY LIMITED
ADDRESS : 299 MOO 5 MITRAPARP ROAD MITTRAPHAP TABKWANG KAENGKOI SARABURI 18260
CONTACT INFORMATION : TEL : 0 3633 9111 EXT. 1743 e-mail : chod.padmuk@gmail.com
MEASURING SOURCE : TUBKWANG RESEARCH CENTER
MEASURING TYPE : AMBIENT (NOISE) **RECEIVED DATE** : FEBRUARY 8-11, 2023
MEASURING DATE : FEBRUARY 8-11, 2023 **ANALYTICAL DATE** : FEBRUARY 8-11, 2023
MEASURING TIME : * **REPORT NO.** : 2023-U011639
MEASURING METHOD : INTEGRATED SOUND LEVEL METER **WORK NO.** : 2022-010735
MEASURED BY : MR PAIRAT KUMNERDRAKSA **ANALYSIS NO.** : T23AC642-0007 - T23AC642-0009

| TIME* | RESULT dB(A) | |
|---------------------------|--------------------------|--------------------------|
| | TUBKWANG RESEARCH CENTER | |
| | FEBRUARY 8 - 9, 2023 | |
| | T23AC642-0007 | |
| | L _{Aeq} 1 hour | L _{Amax} 1 hour |
| 07:00-08:00 HOUR | 49.3 | 69.6 |
| 08:00-09:00 HOUR | 47.7 | 66.9 |
| 09:00-10:00 HOUR | 51.7 | 71.9 |
| 10:00-11:00 HOUR | 47.1 | 68.4 |
| 11:00-12:00 HOUR | 45.9 | 65.5 |
| 12:00-13:00 HOUR | 45.0 | 73.1 |
| 13:00-14:00 HOUR | 44.6 | 61.5 |
| 14:00-15:00 HOUR | 44.3 | 68.8 |
| 15:00-16:00 HOUR | 45.9 | 66.1 |
| 16:00-17:00 HOUR | 52.4 | 73.9 |
| 17:00-18:00 HOUR | 52.1 | 79.8 |
| 18:00-19:00 HOUR | 49.3 | 73.7 |
| 19:00-20:00 HOUR | 49.1 | 70.1 |
| 20:00-21:00 HOUR | 43.5 | 61.3 |
| 21:00-22:00 HOUR | 43.0 | 67.3 |
| 22:00-23:00 HOUR | 41.9 | 59.3 |
| 23:00-00:00 HOUR | 38.4 | 58.2 |
| 00:00-01:00 HOUR | 41.7 | 64.1 |
| 01:00-02:00 HOUR | 40.6 | 57.3 |
| 02:00-03:00 HOUR | 42.6 | 69.6 |
| 03:00-04:00 HOUR | 42.5 | 56.0 |
| 04:00-05:00 HOUR | 39.9 | 59.3 |
| 05:00-06:00 HOUR | 45.2 | 62.1 |
| 06:00-07:00 HOUR | 46.9 | 67.9 |
| L _{Aeq} 24 hours | 47.1 | |



| TIME* | RESULT dB(A) | |
|---------------------------|--------------------------|--------------------------|
| | TUBKWANG RESEARCH CENTER | |
| | FEBRUARY 9 - 10, 2023 | |
| | T23AC642-0008 | |
| | L _{Aeq} 1 hour | L _{Amax} 1 hour |
| 07:00-08:00 HOUR | 44.4 | 74.7 |
| 08:00-09:00 HOUR | 51.7 | 77.1 |
| 09:00-10:00 HOUR | 52.7 | 74.5 |
| 10:00-11:00 HOUR | 48.5 | 71.1 |
| 11:00-12:00 HOUR | 50.3 | 72.1 |
| 12:00-13:00 HOUR | 47.3 | 73.4 |
| 13:00-14:00 HOUR | 45.7 | 65.3 |
| 14:00-15:00 HOUR | 46.5 | 69.2 |
| 15:00-16:00 HOUR | 43.4 | 74.2 |
| 16:00-17:00 HOUR | 45.5 | 70.0 |
| 17:00-18:00 HOUR | 50.0 | 75.7 |
| 18:00-19:00 HOUR | 48.2 | 73.7 |
| 19:00-20:00 HOUR | 50.7 | 75.2 |
| 20:00-21:00 HOUR | 45.5 | 68.1 |
| 21:00-22:00 HOUR | 43.6 | 65.8 |
| 22:00-23:00 HOUR | 43.0 | 78.8 |
| 23:00-00:00 HOUR | 39.6 | 72.5 |
| 00:00-01:00 HOUR | 46.7 | 75.2 |
| 01:00-02:00 HOUR | 40.7 | 65.0 |
| 02:00-03:00 HOUR | 39.3 | 58.2 |
| 03:00-04:00 HOUR | 41.8 | 65.2 |
| 04:00-05:00 HOUR | 39.4 | 63.7 |
| 05:00-06:00 HOUR | 42.5 | 76.3 |
| 06:00-07:00 HOUR | 45.8 | 76.4 |
| L _{Aeq} 24 hours | 47.2 | |

| TIME* | RESULT dB(A) | |
|---------------------------|--------------------------|--------------------------|
| | TUBKWANG RESEARCH CENTER | |
| | FEBRUARY 10 - 11, 2023 | |
| | T23AC642-0009 | |
| | L _{Aeq} 1 hour | L _{Amax} 1 hour |
| 07:00-08:00 HOUR | 51.7 | 79.2 |
| 08:00-09:00 HOUR | 57.4 | 77.0 |
| 09:00-10:00 HOUR | 55.5 | 76.2 |
| 10:00-11:00 HOUR | 47.8 | 73.3 |
| 11:00-12:00 HOUR | 43.4 | 67.8 |
| 12:00-13:00 HOUR | 51.8 | 81.2 |
| 13:00-14:00 HOUR | 48.1 | 67.1 |
| 14:00-15:00 HOUR | 45.7 | 67.8 |
| 15:00-16:00 HOUR | 43.4 | 71.5 |
| 16:00-17:00 HOUR | 41.9 | 69.0 |
| 17:00-18:00 HOUR | 41.5 | 57.5 |
| 18:00-19:00 HOUR | 42.5 | 64.5 |
| 19:00-20:00 HOUR | 45.1 | 75.0 |
| 20:00-21:00 HOUR | 41.3 | 60.0 |
| 21:00-22:00 HOUR | 40.1 | 51.3 |
| 22:00-23:00 HOUR | 44.6 | 57.4 |
| 23:00-00:00 HOUR | 44.3 | 68.6 |
| 00:00-01:00 HOUR | 43.8 | 55.0 |
| 01:00-02:00 HOUR | 46.8 | 62.7 |
| 02:00-03:00 HOUR | 48.8 | 76.2 |
| 03:00-04:00 HOUR | 51.5 | 66.8 |
| 04:00-05:00 HOUR | 45.6 | 76.4 |
| 05:00-06:00 HOUR | 45.2 | 67.9 |
| 06:00-07:00 HOUR | 48.6 | 71.2 |
| L _{Aeq} 24 hours | 49.2 | |

ตำแหน่งพิกัดของสถานีตรวจวัด : 14.484403, 100.965488
ตำแหน่งพิกัด UTM ของสถานี : 711839E, 1602209N



(MR SILA BANJONGJAIKUK)
LABORATORY SUPERVISOR

FEBRUARY 21, 2023

ANALYSIS REPORT

CUSTOMER NAME : TPI POLENE PUBLIC COMPANY LIMITED
ADDRESS : 299 MOO 5 MITRAPARP ROAD MITTRAPHAP TABKWANG KAENGKOI SARABURI 18260
CONTACT INFORMATION : TEL : 0 3633 9111 EXT. 1743 e-mail : chod.padmuk@gmail.com
MEASURING SOURCE : TAM NAKARAT TEMPLE
MEASURING TYPE : AMBIENT (NOISE)
MEASURING DATE : FEBRUARY 8-11, 2023
MEASURING TIME : *
MEASURING METHOD : INTEGRATED SOUND LEVEL METER
MEASURED BY : MR PAIRAT KUMNERDRAKSA

RECEIVED DATE : FEBRUARY 8-11, 2023
ANALYTICAL DATE : FEBRUARY 8-11, 2023
REPORT NO. : 2023-U011640
WORK NO. : 2022-010735
ANALYSIS NO. : T23AC642-0010 - T23AC642-0012

| TIME* | RESULT dB(A) | |
|---------------------------|-------------------------|--------------------------|
| | TAM NAKARAT TEMPLE | |
| | FEBRUARY 8 - 9, 2023 | |
| | T23AC642-0010 | |
| | L _{Aeq} 1 hour | L _{Amax} 1 hour |
| 07:00-08:00 HOUR | 50.8 | 71.1 |
| 08:00-09:00 HOUR | 54.8 | 70.1 |
| 09:00-10:00 HOUR | 53.8 | 71.1 |
| 10:00-11:00 HOUR | 50.9 | 70.6 |
| 11:00-12:00 HOUR | 50.6 | 76.0 |
| 12:00-13:00 HOUR | 49.6 | 69.1 |
| 13:00-14:00 HOUR | 49.9 | 69.7 |
| 14:00-15:00 HOUR | 46.3 | 66.8 |
| 15:00-16:00 HOUR | 46.8 | 65.3 |
| 16:00-17:00 HOUR | 47.9 | 67.5 |
| 17:00-18:00 HOUR | 43.6 | 66.8 |
| 18:00-19:00 HOUR | 42.4 | 61.9 |
| 19:00-20:00 HOUR | 44.2 | 62.9 |
| 20:00-21:00 HOUR | 47.5 | 64.0 |
| 21:00-22:00 HOUR | 47.4 | 63.6 |
| 22:00-23:00 HOUR | 54.9 | 81.2 |
| 23:00-00:00 HOUR | 58.9 | 79.3 |
| 00:00-01:00 HOUR | 55.2 | 76.6 |
| 01:00-02:00 HOUR | 53.7 | 71.9 |
| 02:00-03:00 HOUR | 52.5 | 77.2 |
| 03:00-04:00 HOUR | 52.5 | 74.9 |
| 04:00-05:00 HOUR | 55.1 | 72.2 |
| 05:00-06:00 HOUR | 54.2 | 74.2 |
| 06:00-07:00 HOUR | 50.9 | 69.0 |
| L _{Aeq} 24 hours | 52.4 | |



| TIME* | RESULT dB(A) | |
|---------------------------|-------------------------|--------------------------|
| | TAM NAKARAT TEMPLE | |
| | FEBRUARY 9 - 10, 2023 | |
| | T23AC642-0011 | |
| | L _{Aeq} 1 hour | L _{Amax} 1 hour |
| 07:00-08:00 HOUR | 51.2 | 71.8 |
| 08:00-09:00 HOUR | 55.5 | 73.3 |
| 09:00-10:00 HOUR | 55.1 | 74.2 |
| 10:00-11:00 HOUR | 52.3 | 69.8 |
| 11:00-12:00 HOUR | 61.3 | 95.8 |
| 12:00-13:00 HOUR | 58.8 | 99.0 |
| 13:00-14:00 HOUR | 50.5 | 73.8 |
| 14:00-15:00 HOUR | 53.1 | 67.4 |
| 15:00-16:00 HOUR | 46.1 | 67.7 |
| 16:00-17:00 HOUR | 47.1 | 71.0 |
| 17:00-18:00 HOUR | 42.4 | 63.9 |
| 18:00-19:00 HOUR | 42.5 | 62.8 |
| 19:00-20:00 HOUR | 44.7 | 69.5 |
| 20:00-21:00 HOUR | 47.6 | 68.4 |
| 21:00-22:00 HOUR | 47.9 | 65.3 |
| 22:00-23:00 HOUR | 52.4 | 72.2 |
| 23:00-00:00 HOUR | 59.8 | 85.8 |
| 00:00-01:00 HOUR | 56.0 | 77.0 |
| 01:00-02:00 HOUR | 51.6 | 70.3 |
| 02:00-03:00 HOUR | 50.6 | 68.5 |
| 03:00-04:00 HOUR | 50.9 | 72.4 |
| 04:00-05:00 HOUR | 57.3 | 71.0 |
| 05:00-06:00 HOUR | 50.9 | 68.7 |
| 06:00-07:00 HOUR | 50.3 | 69.7 |
| L _{Aeq} 24 hours | 54.2 | |

| TIME* | RESULT dB(A) | |
|---------------------------|-------------------------|--------------------------|
| | TAM NAKARAT TEMPLE | |
| | FEBRUARY 10 - 11, 2023 | |
| | T23AC642-0012 | |
| | L _{Aeq} 1 hour | L _{Amax} 1 hour |
| 07:00-08:00 HOUR | 50.4 | 68.7 |
| 08:00-09:00 HOUR | 54.6 | 71.0 |
| 09:00-10:00 HOUR | 53.4 | 68.1 |
| 10:00-11:00 HOUR | 51.0 | 72.7 |
| 11:00-12:00 HOUR | 50.6 | 70.3 |
| 12:00-13:00 HOUR | 53.5 | 75.6 |
| 13:00-14:00 HOUR | 49.7 | 72.5 |
| 14:00-15:00 HOUR | 47.6 | 67.1 |
| 15:00-16:00 HOUR | 48.8 | 73.7 |
| 16:00-17:00 HOUR | 47.8 | 69.4 |
| 17:00-18:00 HOUR | 40.9 | 61.9 |
| 18:00-19:00 HOUR | 42.7 | 65.0 |
| 19:00-20:00 HOUR | 44.5 | 64.0 |
| 20:00-21:00 HOUR | 45.9 | 66.9 |
| 21:00-22:00 HOUR | 47.4 | 65.3 |
| 22:00-23:00 HOUR | 51.8 | 68.0 |
| 23:00-00:00 HOUR | 57.5 | 75.6 |
| 00:00-01:00 HOUR | 58.9 | 73.3 |
| 01:00-02:00 HOUR | 53.7 | 78.1 |
| 02:00-03:00 HOUR | 51.7 | 66.9 |
| 03:00-04:00 HOUR | 51.3 | 68.6 |
| 04:00-05:00 HOUR | 54.1 | 77.6 |
| 05:00-06:00 HOUR | 57.5 | 99.0 |
| 06:00-07:00 HOUR | 52.7 | 73.4 |
| L _{Aeq} 24 hours | 52.8 | |

ตำแหน่งพิกัดของสถานีตรวจวัด : 14.604604, 101.103204
ตำแหน่งพิกัด UTM ของสถานี : 726565E, 1615643N



(MR SILA BANJONGJAIKUK)
LABORATORY SUPERVISOR

FEBRUARY 21, 2023

ANALYSIS REPORT

| | | | |
|----------------------------|--|------------------------|---------------------------------|
| CUSTOMER NAME | : TPI POLENE PUBLIC COMPANY LIMITED | RECEIVED DATE | : FEBRUARY 12-15, 2023 |
| ADDRESS | : 299 MOO 5 MITRAPARP ROAD MITTRAPHAP TABKWANG KAENGKOI SARABURI 18260 | ANALYTICAL DATE | : FEBRUARY 12-15, 2023 |
| CONTACT INFORMATION | : TEL : 0 3633 9111 EXT. 1743 e-mail : chod.padmuk@gmail.com | REPORT NO. | : 2023-U011641 |
| MEASURING SOURCE | : PRATATCHAREONTHAM TEMPLE | WORK NO. | : 2022-010735 |
| MEASURING TYPE | : AMBIENT (NOISE) | ANALYSIS NO. | : T23AC642-0013 - T23AC642-0015 |
| MEASURING DATE | : FEBRUARY 12-15, 2023 | | |
| MEASURING TIME | : * | | |
| MEASURING METHOD | : INTEGRATED SOUND LEVEL METER | | |
| MEASURED BY | : MR PAIRAT KUMNERDRAKSA | | |

| TIME* | RESULT dB(A) | |
|---------------------------|--------------------------|--------------------------|
| | PRATATCHAREONTHAM TEMPLE | |
| | FEBRUARY 12 - 13, 2023 | |
| | T23AC642-0013 | |
| | L _{Aeq} 1 hour | L _{Amax} 1 hour |
| 07:00-08:00 HOUR | 52.4 | 69.3 |
| 08:00-09:00 HOUR | 51.5 | 64.6 |
| 09:00-10:00 HOUR | 50.6 | 67.3 |
| 10:00-11:00 HOUR | 50.6 | 65.7 |
| 11:00-12:00 HOUR | 49.7 | 57.4 |
| 12:00-13:00 HOUR | 49.8 | 60.9 |
| 13:00-14:00 HOUR | 49.6 | 67.7 |
| 14:00-15:00 HOUR | 50.7 | 64.8 |
| 15:00-16:00 HOUR | 50.9 | 65.2 |
| 16:00-17:00 HOUR | 51.2 | 74.8 |
| 17:00-18:00 HOUR | 51.0 | 67.9 |
| 18:00-19:00 HOUR | 51.0 | 65.6 |
| 19:00-20:00 HOUR | 51.9 | 70.1 |
| 20:00-21:00 HOUR | 51.5 | 68.2 |
| 21:00-22:00 HOUR | 52.9 | 68.9 |
| 22:00-23:00 HOUR | 50.0 | 58.5 |
| 23:00-00:00 HOUR | 50.1 | 56.3 |
| 00:00-01:00 HOUR | 49.5 | 58.0 |
| 01:00-02:00 HOUR | 49.3 | 65.4 |
| 02:00-03:00 HOUR | 49.4 | 69.5 |
| 03:00-04:00 HOUR | 50.4 | 69.4 |
| 04:00-05:00 HOUR | 49.9 | 77.9 |
| 05:00-06:00 HOUR | 51.7 | 68.8 |
| 06:00-07:00 HOUR | 54.9 | 73.0 |
| L _{Aeq} 24 hours | 51.1 | |



| TIME* | RESULT dB(A) | |
|---------------------------|--------------------------|--------------------------|
| | PRATATCHAREONTHAM TEMPLE | |
| | FEBRUARY 13 - 14, 2023 | |
| | T23AC642-0014 | |
| | L _{Aeq} 1 hour | L _{Amax} 1 hour |
| 07:00-08:00 HOUR | 52.9 | 72.1 |
| 08:00-09:00 HOUR | 50.2 | 71.1 |
| 09:00-10:00 HOUR | 50.5 | 63.1 |
| 10:00-11:00 HOUR | 50.1 | 61.9 |
| 11:00-12:00 HOUR | 50.4 | 63.1 |
| 12:00-13:00 HOUR | 51.8 | 64.9 |
| 13:00-14:00 HOUR | 49.4 | 63.5 |
| 14:00-15:00 HOUR | 50.5 | 66.2 |
| 15:00-16:00 HOUR | 48.8 | 61.2 |
| 16:00-17:00 HOUR | 49.4 | 64.8 |
| 17:00-18:00 HOUR | 50.3 | 60.7 |
| 18:00-19:00 HOUR | 51.6 | 71.6 |
| 19:00-20:00 HOUR | 52.4 | 68.7 |
| 20:00-21:00 HOUR | 51.2 | 60.9 |
| 21:00-22:00 HOUR | 50.7 | 57.1 |
| 22:00-23:00 HOUR | 50.7 | 69.9 |
| 23:00-00:00 HOUR | 50.7 | 59.9 |
| 00:00-01:00 HOUR | 50.5 | 62.4 |
| 01:00-02:00 HOUR | 50.4 | 61.1 |
| 02:00-03:00 HOUR | 50.2 | 56.8 |
| 03:00-04:00 HOUR | 49.9 | 67.6 |
| 04:00-05:00 HOUR | 51.4 | 73.0 |
| 05:00-06:00 HOUR | 51.0 | 66.5 |
| 06:00-07:00 HOUR | 52.8 | 72.3 |
| L _{Aeq} 24 hours | 50.9 | |

| TIME* | RESULT dB(A) | |
|---------------------------|-------------------------|--------------------------|
| | PRATACHAREONTHAM TEMPLE | |
| | FEBRUARY 14 - 15, 2023 | |
| | T23AC642-0015 | |
| | L _{Aeq} 1 hour | L _{Amax} 1 hour |
| 07:00-08:00 HOUR | 52.2 | 70.7 |
| 08:00-09:00 HOUR | 50.1 | 65.5 |
| 09:00-10:00 HOUR | 50.2 | 63.5 |
| 10:00-11:00 HOUR | 49.8 | 64.2 |
| 11:00-12:00 HOUR | 49.4 | 62.9 |
| 12:00-13:00 HOUR | 49.1 | 66.5 |
| 13:00-14:00 HOUR | 50.1 | 68.3 |
| 14:00-15:00 HOUR | 50.0 | 62.7 |
| 15:00-16:00 HOUR | 50.1 | 63.3 |
| 16:00-17:00 HOUR | 50.5 | 60.7 |
| 17:00-18:00 HOUR | 52.0 | 68.2 |
| 18:00-19:00 HOUR | 51.1 | 62.0 |
| 19:00-20:00 HOUR | 53.0 | 61.1 |
| 20:00-21:00 HOUR | 51.1 | 58.3 |
| 21:00-22:00 HOUR | 50.1 | 58.6 |
| 22:00-23:00 HOUR | 50.9 | 58.1 |
| 23:00-00:00 HOUR | 50.8 | 62.3 |
| 00:00-01:00 HOUR | 50.4 | 68.6 |
| 01:00-02:00 HOUR | 50.4 | 68.3 |
| 02:00-03:00 HOUR | 49.6 | 66.1 |
| 03:00-04:00 HOUR | 49.2 | 59.0 |
| 04:00-05:00 HOUR | 50.0 | 57.8 |
| 05:00-06:00 HOUR | 51.8 | 70.9 |
| 06:00-07:00 HOUR | 53.1 | 71.0 |
| L _{Aeq} 24 hours | 50.8 | |

ตำแหน่งพิกัดของสถานีตรวจวัด : 14.631333, 101.108201
ตำแหน่งพิกัด UTM ของสถานี : 727076E, 1618606N

Sila

(MR SILA BANJONGJAIKUK)
LABORATORY SUPERVISOR

FEBRUARY 21, 2023

ANALYSIS REPORT

| | | | |
|----------------------------|--|------------------------|---------------------------------|
| CUSTOMER NAME | : TPI POLENE PUBLIC COMPANY LIMITED | RECEIVED DATE | : FEBRUARY 4-7, 2023 |
| ADDRESS | : 299 MOO 5 MITRAPARP ROAD MITTRAPHAP TABKWANG KAENGKOI SARABURI 18260 | ANALYTICAL DATE | : FEBRUARY 4-7, 2023 |
| CONTACT INFORMATION | : TEL : 0 3633 9111 EXT. 1743 e-mail : chod.padmuk@gmail.com | REPORT NO. | : 2023-U011648 |
| MEASURING SOURCE | : BAN SAB-BON (DORM #3) | WORK NO. | : 2022-010735 |
| MEASURING TYPE | : AMBIENT (NOISE) | ANALYSIS NO. | : T23AC641-0001 - T23AC641-0003 |
| MEASURING DATE | : FEBRUARY 4-7, 2023 | | |
| MEASURING TIME | : * | | |
| MEASURING METHOD | : INTEGRATED SOUND LEVEL METER | | |
| MEASURED BY | : MR PAIRAT KUMNERDRAKSA | | |

| TIME* | RESULT dB(A) | |
|---------------------------|-------------------------|--------------------------|
| | BAN SAB-BON (DORM #3) | |
| | FEBRUARY 4 - 5, 2023 | |
| | T23AC641-0001 | |
| | L _{Aeq} 1 hour | L _{Amax} 1 hour |
| 07:00-08:00 HOUR | 66.0 | 84.0 |
| 08:00-09:00 HOUR | 65.7 | 83.2 |
| 09:00-10:00 HOUR | 66.2 | 87.5 |
| 10:00-11:00 HOUR | 65.7 | 85.3 |
| 11:00-12:00 HOUR | 64.6 | 80.5 |
| 12:00-13:00 HOUR | 64.7 | 82.2 |
| 13:00-14:00 HOUR | 63.6 | 84.7 |
| 14:00-15:00 HOUR | 63.4 | 85.1 |
| 15:00-16:00 HOUR | 66.4 | 82.5 |
| 16:00-17:00 HOUR | 64.4 | 90.6 |
| 17:00-18:00 HOUR | 63.5 | 86.4 |
| 18:00-19:00 HOUR | 63.6 | 85.4 |
| 19:00-20:00 HOUR | 63.2 | 84.1 |
| 20:00-21:00 HOUR | 62.8 | 88.9 |
| 21:00-22:00 HOUR | 60.6 | 76.5 |
| 22:00-23:00 HOUR | 64.3 | 81.0 |
| 23:00-00:00 HOUR | 65.0 | 88.5 |
| 00:00-01:00 HOUR | 61.5 | 76.1 |
| 01:00-02:00 HOUR | 60.9 | 78.1 |
| 02:00-03:00 HOUR | 60.8 | 78.7 |
| 03:00-04:00 HOUR | 61.0 | 75.1 |
| 04:00-05:00 HOUR | 61.6 | 81.2 |
| 05:00-06:00 HOUR | 61.5 | 79.9 |
| 06:00-07:00 HOUR | 63.9 | 93.0 |
| L _{Aeq} 24 hours | 63.9 | |



| TIME* | RESULT dB(A) | |
|---------------------------|-------------------------|--------------------------|
| | BAN SAB-BON (DORM #3) | |
| | FEBRUARY 5 - 6, 2023 | |
| | T23AC641-0002 | |
| | L _{Aeq} 1 hour | L _{Amax} 1 hour |
| 07:00-08:00 HOUR | 64.5 | 91.9 |
| 08:00-09:00 HOUR | 64.3 | 92.8 |
| 09:00-10:00 HOUR | 66.3 | 91.0 |
| 10:00-11:00 HOUR | 62.2 | 78.1 |
| 11:00-12:00 HOUR | 62.3 | 80.9 |
| 12:00-13:00 HOUR | 61.9 | 87.0 |
| 13:00-14:00 HOUR | 62.5 | 93.2 |
| 14:00-15:00 HOUR | 64.0 | 82.9 |
| 15:00-16:00 HOUR | 64.1 | 84.1 |
| 16:00-17:00 HOUR | 66.0 | 92.9 |
| 17:00-18:00 HOUR | 62.9 | 83.8 |
| 18:00-19:00 HOUR | 64.6 | 93.8 |
| 19:00-20:00 HOUR | 64.0 | 94.5 |
| 20:00-21:00 HOUR | 63.0 | 77.6 |
| 21:00-22:00 HOUR | 62.7 | 76.2 |
| 22:00-23:00 HOUR | 62.9 | 82.0 |
| 23:00-00:00 HOUR | 62.8 | 78.2 |
| 00:00-01:00 HOUR | 62.9 | 79.4 |
| 01:00-02:00 HOUR | 63.8 | 76.6 |
| 02:00-03:00 HOUR | 64.0 | 86.2 |
| 03:00-04:00 HOUR | 64.2 | 82.9 |
| 04:00-05:00 HOUR | 62.7 | 77.5 |
| 05:00-06:00 HOUR | 63.4 | 81.8 |
| 06:00-07:00 HOUR | 64.3 | 80.5 |
| L _{Aeq} 24 hours | 63.7 | |

| TIME* | RESULT dB(A) | |
|---------------------------|-------------------------|--------------------------|
| | BAN SAB-BON (DORM #3) | |
| | FEBRUARY 6 - 7, 2023 | |
| | T23AC641-0003 | |
| | L _{Aeq} 1 hour | L _{Amax} 1 hour |
| 07:00-08:00 HOUR | 66.3 | 87.3 |
| 08:00-09:00 HOUR | 64.9 | 83.8 |
| 09:00-10:00 HOUR | 65.1 | 87.3 |
| 10:00-11:00 HOUR | 63.8 | 84.7 |
| 11:00-12:00 HOUR | 63.8 | 89.1 |
| 12:00-13:00 HOUR | 65.0 | 92.0 |
| 13:00-14:00 HOUR | 64.4 | 79.1 |
| 14:00-15:00 HOUR | 64.8 | 91.0 |
| 15:00-16:00 HOUR | 66.2 | 84.4 |
| 16:00-17:00 HOUR | 64.4 | 91.5 |
| 17:00-18:00 HOUR | 63.8 | 80.1 |
| 18:00-19:00 HOUR | 64.7 | 90.1 |
| 19:00-20:00 HOUR | 62.9 | 80.7 |
| 20:00-21:00 HOUR | 63.9 | 93.4 |
| 21:00-22:00 HOUR | 63.4 | 79.8 |
| 22:00-23:00 HOUR | 64.0 | 86.5 |
| 23:00-00:00 HOUR | 63.7 | 84.8 |
| 00:00-01:00 HOUR | 62.8 | 76.3 |
| 01:00-02:00 HOUR | 62.5 | 76.8 |
| 02:00-03:00 HOUR | 62.1 | 77.7 |
| 03:00-04:00 HOUR | 62.1 | 80.1 |
| 04:00-05:00 HOUR | 62.3 | 79.4 |
| 05:00-06:00 HOUR | 63.1 | 85.7 |
| 06:00-07:00 HOUR | 64.8 | 87.4 |
| L _{Aeq} 24 hours | 64.1 | |

ตำแหน่งพิกัดของสถานีตรวจวัด : 14.635760, 101.125087
ตำแหน่งพิกัด UTM ของสถานี : 728891E, 1619113N

Sila Banjongjairuk

(MR SILA BANJONGJAIKUK)
LABORATORY SUPERVISOR

FEBRUARY 21, 2023