



ห้องปฏิบัติการวิเคราะห์เอกชน บริษัท โอกลา เทสติ้ง แอนด์ คอนซัลติง เซอร์วิส จำกัด

63/13 ซอย เพชรเกษม 7 แขวงวัดท่าพระ เขตบางกอกใหญ่ กรุงเทพมหานคร 10600

โทรศัพท์ : (66) 02-868-1246 โทรสาร : (66) 02-686-1247 Website : www.okla-testing.com J-NAC Group

WATER AND WASTEWATER ANALYSIS REPORT

CLIENT NAME	: Diplomat 39	REPORT NO.	: RN230110019
SAMPLING LOCATION	: น้ำก่อนเข้าระบบ	SAMPLING SOURCE	: Wastewater
SAMPLING METHOD	: Grab	SAMPLING BY	: นายปริญญา กล้าน้อย
SAMPLE CONDITION	: Normal	SAMPLE CHARACTERISTICS	: เทาขุ่นตะกอนสีน้ำตาล
SAMPLING DATE	: Jan 10, 2023	SAMPLING TIME	: -
RECEIVED DATE	: Jan 10, 2023	ANALYTICAL DATE	: Jan 10-19, 2023
REPORT DATE	: Jan 20, 2023		

PARAMETER	UNIT	METHODS OF ANALYSIS	RESULT	MDL	STANDARD
pH	-	Electrometric (SM: 4500-H ⁺ B.)	6.9	-	-
Biochemical Oxygen Demand	mg/l	Membrane Electrode (SM: 4500-O G, 5210 B.)	39.1	-	-
Total Dissolved Solids	mg/l	Total Dissolved Solids Dried at 180 °C (SM: 2540 C.)	434.0	-	-
Suspended Solids	mg/l	Suspended Solids Dried at 103-105 °C (SM: 2540 D.)	47.5	-	-
Settleable Solids	mg/l	Settleable Solids (SM: 2540 F.)	<0.1	-	-
Sulfide as H ₂ S	mg/l	Iodometric (SM: 4500-S ²⁻ F.)	<1.0	-	-
Total Kjeldahl Nitrogen	mg/l	Macro Kjeldahl (SM: 4500-N _{org} B)	21.0	-	-
Grease & Oil	mg/l	Liquid-Liquid Partition-Gravimetric (SM: 5520 B.)	N.D.	1.4	-
Fecal Coliform Bacteria	MPN/100 ml	MPN Test	>2.4 x 10 ⁶	-	-
Total Coliform Bacteria	MPN/100 ml	MPN Test	>2.4 x 10 ⁶	-	-

SM : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 23rd ED.,2017 (AWWA,APHA, WEF)

(Nijinart Matiyapak)
Scientist

(Tawatchai Chongvutichai)
Environmental Laboratory Section Manager

- Remark :
1. Reported analysis refers to submitted sampling only.
 2. This report shall not be reproduced, except in full, without official approval.
 3. - Not available .
 4. * Notification of the Ministry of Natural Resources and Environment, dated November 7, B.E. 2548 (2005), which was published in the Royal Government Gazette, Vol. 122, Part 125D dated December 19, B.E. 2548 (2005) . (Category B)
 5. N.D. (Not Detectable) หมายถึง ตรวจไม่พบ



ห้องปฏิบัติการวิเคราะห์เอกชน บริษัท โอกลา เทสติ้ง แอนด์ คอนซัลติง เซอร์วิส จำกัด

63/13 ซอย เพชรเกษม 7 แขวงวัดท่าพระ เขตบางกอกใหญ่ กรุงเทพมหานคร 10600

โทรศัพท์ : (66) 02-868-1246 โทรสาร : (66) 02-686-1247 Website : www.okla-testing.com J-NAC Group

WATER AND WASTEWATER ANALYSIS REPORT

CLIENT NAME	: Diplomat 39	REPORT NO.	: RN230110020
SAMPLING LOCATION	: น้ำหลังจากการบำบัด	SAMPLING SOURCE	: Wastewater
SAMPLING METHOD	: Grab	SAMPLING BY	: นายปริญญา กล้าน้อย
SAMPLE CONDITION	: Normal	SAMPLE CHARACTERISTICS	: เตาไต้ตะกอนสีน้ำตาล
SAMPLING DATE	: Jan 10, 2023	SAMPLING TIME	: -
RECEIVED DATE	: Jan 10, 2023	ANALYTICAL DATE	: Jan 10-19, 2023
REPORT DATE	: Jan 20, 2023		

PARAMETER	UNIT	METHODS OF ANALYSIS	RESULT	MDL	STANDARD*
pH	-	Electrometric (SM: 4500-H ⁺ B.)	6.8	-	5-9
Biochemical Oxygen Demand	mg/l	Membrane Electrode (SM: 4500-O ₂ G, 5210 B.)	15.7	-	≤30
Total Dissolved Solids	mg/l	Total Dissolved Solids Dried at 180 °C (SM: 2540 C.)	402.0	-	≤500
Suspended Solids	mg/l	Suspended Solids Dried at 103-105 °C (SM: 2540 D.)	25.0	-	≤40
Settleable Solids	mg/l	Settleable Solids (SM: 2540 F.)	<0.1	-	≤0.5
Sulfide as H ₂ S	mg/l	Iodometric (SM: 4500-S ²⁻ F.)	<1.0	-	≤1.0
Total Kjeldahl Nitrogen	mg/l	Macro Kjeldahl (SM: 4500-N _{org} B)	5.0	-	≤35
Grease & Oil	mg/l	Liquid-Liquid Partition-Gravimetric (SM: 5520 B.)	N.D.	1.4	≤20
Fecal Coliform Bacteria	MPN/100 ml	MPN Test	>2.4 x 10 ⁶	-	-
Total Coliform Bacteria	MPN/100 ml	MPN Test	>2.4 x 10 ⁶	-	-

SM : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 23rd ED.,2017 (AWWA,APHA, WEF)

(Nijinart Matiyapak)

Scientist

(Tawatchai Chongvutichai)

Environmental Laboratory Section Manager

- Remark :
1. Reported analysis refers to submitted sampling only.
 2. This report shall not be reproduced, except in full, without official approval.
 3. - Not available .
 4. * Notification of the Ministry of Natural Resources and Environment, dated November 7, B.E. 2548 (2005), which was published in the Royal Government Gazette, Vol. 122, Part 125D dated December 19, B.E. 2548 (2005) . (Category B)
 5. N.D. (Not Detectable) หมายถึง ตรวจไม่พบ



ห้องปฏิบัติการวิเคราะห์เอกชน บริษัท โอกลา เทสติ้ง แอนด์ คอนซัลติง เซอร์วิส จำกัด

63/13 ซอย เพชรเกษม 7 แขวงวัดท่าพระ เขตบางกอกใหญ่ กรุงเทพมหานคร 10600

โทรศัพท์ : (66) 02-868-1246 โทรสาร : (66) 02-686-1247 Website : www.okla-testing.com J-NAC Group

WATER AND WASTEWATER ANALYSIS REPORT

CLIENT NAME	: Diplomat 39	REPORT NO.	: RN230110021
SAMPLING LOCATION	: น้ำก่อนปล่อยสู่สาธารณะ	SAMPLING SOURCE	: Wastewater
SAMPLING METHOD	: Grab	SAMPLING BY	: นายปริญญา กล้าน้อย
SAMPLE CONDITION	: Normal	SAMPLE CHARACTERISTICS	: ใส่ตะกอนสีน้ำตาล
SAMPLING DATE	: Jan 10, 2023	SAMPLING TIME	: -
RECEIVED DATE	: Jan 10, 2023	ANALYTICAL DATE	: Jan 10-19, 2023
REPORT DATE	: Jan 20, 2023		

PARAMETER	UNIT	METHODS OF ANALYSIS	RESULT	MDL	STANDARD*
pH	-	Electrometric (SM: 4500-H ⁺ B.)	6.8	-	5-9
Biochemical Oxygen Demand	mg/l	Membrane Electrode (SM: 4500-O ₂ G, 5210 B.)	14.0	-	≤30
Total Dissolved Solids	mg/l	Total Dissolved Solids Dried at 180 °C (SM: 2540 C.)	428.0	-	≤500
Suspended Solids	mg/l	Suspended Solids Dried at 103-105 °C (SM: 2540 D.)	22.5	-	≤40
Settleable Solids	mg/l	Settleable Solids (SM: 2540 F.)	<0.1	-	≤0.5
Sulfide as H ₂ S	mg/l	Iodometric (SM: 4500-S ²⁻ F.)	<1.0	-	≤1.0
Total Kjeldahl Nitrogen	mg/l	Macro Kjeldahl (SM: 4500-N _{org} B)	2.0	-	≤35
Grease & Oil	mg/l	Liquid-Liquid Partition-Gravimetric (SM: 5520 B.)	N.D.	1.4	≤20
Fecal Coliform Bacteria	MPN/100 ml	MPN Test	>2.4 x 10 ⁶	-	-
Total Coliform Bacteria	MPN/100 ml	MPN Test	>2.4 x 10 ⁶	-	-

SM : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 23rd ED.,2017 (AWWA,APHA, WEF)

(Nijinart Matiyapak)

Scientist

(Tawatchai Chongvutichai)

Environmental Laboratory Section Manager

- Remark :
1. Reported analysis refers to submitted sampling only.
 2. This report shall not be reproduced, except in full, without official approval.
 3. - Not available .
 4. * Notification of the Ministry of Natural Resources and Environment, dated November 7, B.E. 2548 (2005), which was published in the Royal Government Gazette, Vol. 122, Part 125D dated December 19, B.E. 2548 (2005) . (Category B)
 5. N.D. (Not Detectable) หมายถึง ตรวจไม่พบ



ห้องปฏิบัติการวิเคราะห์เอกชน บริษัท โอกลา เทสติ้ง แอนด์ คอนซัลติ้ง เซอร์วิส จำกัด

63/13 ซอย เพชรเกษม 7 แขวงวัดท่าพระ เขตบางกอกใหญ่ กรุงเทพมหานคร 10600

โทรศัพท์ : (66) 02-868-1246 โทรสาร : (66) 02-686-1247 Website : www.okla-testing.com J-NAC Group

WATER AND WASTEWATER ANALYSIS REPORT

CLIENT NAME	: Diplomat 39	REPORT NO.	: RN230210169
SAMPLING LOCATION	: น้ำก่อนเข้าระบบ	SAMPLING SOURCE	: Wastewater
SAMPLING METHOD	: Grab	SAMPLING BY	: นายปริญญา กล้าน้อย
SAMPLE CONDITION	: Normal	SAMPLE CHARACTERISTICS	: เทาขุ่นตะกอนสีน้ำตาล
SAMPLING DATE	: Feb 7, 2023	SAMPLING TIME	: -
RECEIVED DATE	: Feb 7, 2023	ANALYTICAL DATE	: Feb 7-16, 2023
REPORT DATE	: Feb 17, 2023		

PARAMETER	UNIT	METHODS OF ANALYSIS	RESULT	MDL	STANDARD*
pH	-	Electrometric (SM: 4500-H ⁺ B.)	6.7	-	-
Biochemical Oxygen Demand	mg/l	Membrane Electrode (SM: 4500-O G, 5210 B.)	36.1	-	-
** Total Dissolved Solids	mg/l	Total Dissolved Solids Dried at 180 °C (SM: 2540 C.)	276.0	-	-
Suspended Solids	mg/l	Suspended Solids Dried at 103-105 °C (SM: 2540 D.)	100.0	-	-
Settleable Solids	mg/l	Settleable Solids (SM: 2540 F.)	0.3	-	-
Sulfide as H ₂ S	mg/l	Iodometric (SM: 4500-S ²⁻ F.)	<1.0	-	-
Total Kjeldahl Nitrogen	mg/l	Macro Kjeldahl (SM: 4500-N _{org} B)	33.0	-	-
Grease & Oil	mg/l	Liquid-Liquid Partition-Gravimetric (SM: 5520 B.)	<5.0	1.4	-
Fecal Coliform Bacteria	MPN/100 ml	MPN Test	>2.4 x 10 ⁶	-	-
Total Coliform Bacteria	MPN/100 ml	MPN Test	>2.4 x 10 ⁶	-	-

SM : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 23rd ED., 2017 (AWWA, APHA, WEF)



(Nijinart Matiyapak)

Scientist



(Tawatchai Chongvutichai)

Environmental Laboratory Section Manager

- Remark :
1. Reported analysis refers to submitted sampling only.
 2. This report shall not be reproduced, except in full, without official approval.
 3. - Not available .
 4. * Notification of the Ministry of Natural Resources and Environment, dated November 7, B.E. 2548 (2005), which was published in the Royal Government Gazette, Vol. 122, Part 125D dated December 19, B.E. 2548 (2005) . (Category B)
 5. ** ค่าที่เพิ่มขึ้นจากปริมาณสารละลายในน้ำใช้ตามปกติ , ค่า TDS ในน้ำประปา พบ 256 mg/l



ห้องปฏิบัติการวิเคราะห์เอกชน บริษัท โอกลา เทสต์ติ้ง แอนด์ คอนซัลติ้ง เซอร์วิส จำกัด

63/13 ซอย เพชรเกษม 7 แขวงวัดท่าพระ เขตบางกอกใหญ่ กรุงเทพมหานคร 10600

โทรศัพท์ : (66) 02-868-1246 โทรสาร : (66) 02-686-1247 Website : www.okla-testing.com J-NAC Group


WATER AND WASTEWATER ANALYSIS REPORT

CLIENT NAME	: Diplomat 39	REPORT NO.	: RN230210170
SAMPLING LOCATION	: นำหลังจากการบำบัด	SAMPLING SOURCE	: Wastewater
SAMPLING METHOD	: Grab	SAMPLING BY	: นายปริญญา กล้าน้อย
SAMPLE CONDITION	: Normal	SAMPLE CHARACTERISTICS	: เทาใสตะกอนสีน้ำตาล
SAMPLING DATE	: Feb 7, 2023	SAMPLING TIME	: -
RECEIVED DATE	: Feb 7, 2023	ANALYTICAL DATE	: Feb 7-16, 2023
REPORT DATE	: Feb 17, 2023		

PARAMETER	UNIT	METHODS OF ANALYSIS	RESULT	MDL	STANDARD *
pH	-	Electrometric (SM: 4500-H ⁺ B.)	6.8	-	5-9
Biochemical Oxygen Demand	mg/l	Membrane Electrode (SM: 4500-O G, 5210 B.)	13.0	-	≤30
Total Dissolved Solids	mg/l	Total Dissolved Solids Dried at 180 °C (SM: 2540 C.)	224.0	-	≤500 **
Suspended Solids	mg/l	Suspended Solids Dried at 103-105 °C (SM: 2540 D.)	31.0	-	≤40
Settleable Solids	mg/l	Settleable Solids (SM: 2540 F.)	<0.1	-	≤0.5
Sulfide as H ₂ S	mg/l	Iodometric (SM: 4500-S ²⁻ F.)	<1.0	-	≤1.0
Total Kjeldahl Nitrogen	mg/l	Macro Kjeldahl (SM: 4500-N _{org} B)	<1.0	-	≤35
Grease & Oil	mg/l	Liquid-Liquid Partition-Gravimetric (SM: 5520 B.)	6.0	1.4	≤20
Fecal Coliform Bacteria	MPN/100 ml	MPN Test	1.5 × 10 ⁵	-	-
Total Coliform Bacteria	MPN/100 ml	MPN Test	4.6 × 10 ⁵	-	-

SM : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 23nd ED.,2017 (AWWA,APHA, WEF)


(Nijinart Matiyapak)
Scientist


(Tawatchai Chongvutichai)
Environmental Laboratory Section Manager

- Remark :
1. Reported analysis refers to submitted sampling only.
 2. This report shall not be reproduced, except in full, without official approval.
 3. - Not available .
 4. * Notification of the Ministry of Natural Resources and Environment, dated November 7, B.E. 2548 (2005), which was published in the Royal Government Gazette, Vol. 122, Part 125D dated December 19, B.E. 2548 (2005) . (Category B)
 5. ** ค่าที่เพิ่มขึ้นจากปริมาณสารละลายในน้ำใช้ตามปกติ , ค่า TDS ในน้ำประปา พบ 256 mg/l



ห้องปฏิบัติการวิเคราะห์เอกชน บริษัท โอกลา เทสติ้ง แอนด์ คอนซัลติ้ง เซอร์วิส จำกัด

63/13 ซอย เพชรเกษม 7 แขวงวัดท่าพระ เขตบางกอกใหญ่ กรุงเทพมหานคร 10600

โทรศัพท์ : (66) 02-868-1246 โทรสาร : (66) 02-686-1247 Website : www.okla-testing.com J-NAC Group


WATER AND WASTEWATER ANALYSIS REPORT

CLIENT NAME	: Diplomat 39	REPORT NO.	: RN230210171
SAMPLING LOCATION	: น้ำก่อนปล่อยสู่สาธารณะ	SAMPLING SOURCE	: Wastewater
SAMPLING METHOD	: Grab	SAMPLING BY	: นายปริญญา กล้าน้อย
SAMPLE CONDITION	: Normal	SAMPLE CHARACTERISTICS	: ใส่ตะกอนสีน้ำตาล
SAMPLING DATE	: Feb 7, 2023	SAMPLING TIME	: -
RECEIVED DATE	: Feb 7, 2023	ANALYTICAL DATE	: Feb 7-16, 2023
REPORT DATE	: Feb 17, 2023		

PARAMETER	UNIT	METHODS OF ANALYSIS	RESULT	MDL	STANDARD*
pH	-	Electrometric (SM: 4500-H ⁺ B.)	6.8	-	5-9
Biochemical Oxygen Demand	mg/l	Membrane Electrode (SM: 4500-O G, 5210 B.)	16.2	-	≤30
Total Dissolved Solids	mg/l	Total Dissolved Solids Dried at 180 °C (SM: 2540 C.)	198.0	-	≤500**
Suspended Solids	mg/l	Suspended Solids Dried at 103-105 °C (SM: 2540 D.)	36.0	-	≤40
Settleable Solids	mg/l	Settleable Solids (SM: 2540 F.)	<0.1	-	≤0.5
Sulfide as H ₂ S	mg/l	Iodometric (SM: 4500-S ²⁻ F.)	<1.0	-	≤1.0
Total Kjeldahl Nitrogen	mg/l	Macro Kjeldahl (SM: 4500-N _{org} B)	3.4	-	≤35
Grease & Oil	mg/l	Liquid-Liquid Partition-Gravimetric (SM: 5520 B.)	6.8	1.4	≤20
Fecal Coliform Bacteria	MPN/100 ml	MPN Test	2.3 × 10 ⁴	-	-
Total Coliform Bacteria	MPN/100 ml	MPN Test	4.3 × 10 ⁴	-	-

SM : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 23nd ED.,2017 (AWWA,APHA, WEF)


(Nijinart Matiyapak)
Scientist


(Tawatchai Chongvutichai)
Environmental Laboratory Section Manager

- Remark :
1. Reported analysis refers to submitted sampling only.
 2. This report shall not be reproduced, except in full, without official approval.
 3. - Not available .
 4. * Notification of the Ministry of Natural Resources and Environment, dated November 7, B.E. 2548 (2005), which was published in the Royal Government Gazette, Vol. 122, Part 125D dated December 19, B.E. 2548 (2005) . (Category B)
 5. ** ค่าที่เพิ่มขึ้นจากปริมาณสารละลายในน้ำใช้ตามปกติ , ค่า TDS ในน้ำประปา พบ 256 mg/l



ห้องปฏิบัติการวิเคราะห์เอกชน บริษัท โอกลา เทสต์ติ้ง แอนด์ คอนซัลติ้ง เซอร์วิส จำกัด

63/13 ซอย เพชรเกษม 7 แขวงวัดท่าพระ เขตบางกอกใหญ่ กรุงเทพมหานคร 10600

โทรศัพท์ : (66) 02-868-1246 โทรสาร : (66) 02-686-1247 Website : www.okla-testing.com J-NAC Group

WATER AND WASTEWATER ANALYSIS REPORT

CLIENT NAME	: Diplomat 39	REPORT NO.	: RN230310267
SAMPLING LOCATION	: น้ำก่อนเข้าระบบ	SAMPLING SOURCE	: Wastewater
SAMPLING METHOD	: Grab	SAMPLING BY	: นายปริญญา กล้าน้อย
SAMPLE CONDITION	: Normal	SAMPLE CHARACTERISTICS	: เหลืองขุ่นตะกอนสีน้ำตาล
SAMPLING DATE	: Mar 2, 2023	SAMPLING TIME	: -
RECEIVED DATE	: Mar 2, 2023	ANALYTICAL DATE	: Mar 2-13, 2023
REPORT DATE	: Mar 14, 2023		

PARAMETER	UNIT	METHODS OF ANALYSIS	RESULT	MDL	STANDARD*
pH	-	Electrometric (SM: 4500-H ⁺ B.)	6.6	-	-
Biochemical Oxygen Demand	mg/l	Membrane Electrode (SM: 4500-O G, 5210 B.)	42.6	-	-
** Total Dissolved Solids	mg/l	Total Dissolved Solids Dried at 180 °C (SM: 2540 C.)	173.0	-	-
Suspended Solids	mg/l	Suspended Solids Dried at 103-105 °C (SM: 2540 D.)	81.0	-	-
Settleable Solids	mg/l	Settleable Solids (SM: 2540 F.)	3.0	-	-
Sulfide as H ₂ S	mg/l	Iodometric (SM: 4500-S ²⁻ F.)	<1.0	-	-
Total Kjeldahl Nitrogen	mg/l	Macro Kjeldahl (SM: 4500-N _{org} B)	9.4	-	-
Grease & Oil	mg/l	Liquid-Liquid Partition-Gravimetric (SM: 5520 B.)	<5.0	1.4	-
Fecal Coliform Bacteria	MPN/100 ml	MPN Test	4.4 x 10 ⁴	-	-
Total Coliform Bacteria	MPN/100 ml	MPN Test	2.1 x 10 ⁵	-	-

SM : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 23rd ED.,2017 (AWWA,APHA, WEF)

(Nijant Matiyapak)

Scientist

(Tawatchai Chongvutichai)

Environmental Laboratory Section Manager

- Remark :
1. Reported analysis refers to submitted sampling only.
 2. This report shall not be reproduced, except in full, without official approval.
 3. - Not available .
 4. * Notification of the Ministry of Natural Resources and Environment, dated November 7, B.E. 2548 (2005), which was published in the Royal Government Gazette, Vol. 122, Part 125D dated December 19, B.E. 2548 (2005) . (Category B)
 5. ** ค่าที่เพิ่มขึ้นจากปริมาณสารละลายในน้ำใช้ตามปกติ , ค่า TDS ในน้ำประปา พบ 199 mg/l



ห้องปฏิบัติการวิเคราะห์เอกชน บริษัท โอกลา เทสติ้ง แอนด์ คอนซัลติง เซอร์วิส จำกัด

63/13 ซอย เพชรเกษม 7 แขวงวัดท่าพระ เขตบางกอกใหญ่ กรุงเทพมหานคร 10600

โทรศัพท์ : (66) 02-868-1246 โทรสาร : (66) 02-686-1247 Website : www.okla-testing.com J-NAC Group

WATER AND WASTEWATER ANALYSIS REPORT

CLIENT NAME	: Diplomat 39	REPORT NO.	: RN230310268
SAMPLING LOCATION	: นำหลังจากการบำบัด	SAMPLING SOURCE	: Wastewater
SAMPLING METHOD	: Grab	SAMPLING BY	: นายปริญญา กล้าน้อย
SAMPLE CONDITION	: Normal	SAMPLE CHARACTERISTICS	: เหลืองปนตะกอนสีน้ำตาล
SAMPLING DATE	: Mar 2, 2023	SAMPLING TIME	: -
RECEIVED DATE	: Mar 2, 2023	ANALYTICAL DATE	: Mar 2-13, 2023
REPORT DATE	: Mar 14, 2023		

PARAMETER	UNIT	METHODS OF ANALYSIS	RESULT	MDL	STANDARD*
pH	-	Electrometric (SM: 4500-H ⁺ B.)	6.6	-	5-9
Biochemical Oxygen Demand	mg/l	Membrane Electrode (SM: 4500-O G, 5210 B.)	22.9	-	≤30
Total Dissolved Solids	mg/l	Total Dissolved Solids Dried at 180 °C (SM: 2540 C.)	119.0	-	≤500**
Suspended Solids	mg/l	Suspended Solids Dried at 103-105 °C (SM: 2540 D.)	24.0	-	≤40
Settleable Solids	mg/l	Settleable Solids (SM: 2540 F.)	<0.1	-	≤0.5
Sulfide as H ₂ S	mg/l	Iodometric (SM: 4500-S ²⁻ F.)	<1.0	-	≤1.0
Total Kjeldahl Nitrogen	mg/l	Macro Kjeldahl (SM: 4500-N _{org} B)	4.1	-	≤35
Grease & Oil	mg/l	Liquid-Liquid Partition-Gravimetric (SM: 5520 B.)	N.D.	1.4	≤20
Fecal Coliform Bacteria	MPN/100 ml	MPN Test	1.1 x 10 ⁴	-	-
Total Coliform Bacteria	MPN/100 ml	MPN Test	1.2 x 10 ⁵	-	-

SM : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 23rd ED.,2017 (AWWA,APHA, WEF)

(Nijart Matiyapak)

Scientist

(Tawatchai Chongvutichai)

Environmental Laboratory Section Manager

- Remark :
1. Reported analysis refers to submitted sampling only.
 2. This report shall not be reproduced, except in full, without official approval.
 3. - Not available .
 4. * Notification of the Ministry of Natural Resources and Environment, dated November 7, B.E. 2548 (2005), which was published in the Royal Government Gazette, Vol. 122, Part 125D dated December 19, B.E. 2548 (2005) . (Category B)
 5. ** ค่าที่เพิ่มขึ้นจากปริมาณสารละลายในน้ำใช้ตามปกติ , ค่า TDS ในน้ำประปา พบ 199 mg/l
 6. N.D. (Not Detectable) หมายถึง ตรวจไม่พบ



ห้องปฏิบัติการวิเคราะห์เอกชน บริษัท โอกลา เทสติ้ง แอนด์ คอนซัลติง เซอร์วิส จำกัด

63/13 ซอย เพชรเกษม 7 แขวงวัดท่าพระ เขตบางกอกใหญ่ กรุงเทพมหานคร 10600

โทรศัพท์ : (66) 02-868-1246 โทรสาร : (66) 02-686-1247 Website : www.okla-testing.com J-NAC Group

WATER AND WASTEWATER ANALYSIS REPORT

CLIENT NAME	: Diplomat 39	REPORT NO.	: RN230310269
SAMPLING LOCATION	: น้ำก่อนปล่อยสู่สาธารณะ	SAMPLING SOURCE	: Wastewater
SAMPLING METHOD	: Grab	SAMPLING BY	: นายปริญญา กล้าน้อย
SAMPLE CONDITION	: Normal	SAMPLE CHARACTERISTICS	: เหลืองใสตะกอนสีน้ำตาล
SAMPLING DATE	: Mar 2, 2023	SAMPLING TIME	: -
RECEIVED DATE	: Mar 2, 2023	ANALYTICAL DATE	: Mar 2-13, 2023
REPORT DATE	: Mar 14, 2023		

PARAMETER	UNIT	METHODS OF ANALYSIS	RESULT	MDL	STANDARD*
pH	-	Electrometric (SM: 4500-H ⁺ B.)	6.4	-	5-9
Biochemical Oxygen Demand	mg/l	Membrane Electrode (SM: 4500-O G, 5210 B.)	25.4	-	≤30
Total Dissolved Solids	mg/l	Total Dissolved Solids Dried at 180 °C (SM: 2540 C.)	141.0	-	≤500**
Suspended Solids	mg/l	Suspended Solids Dried at 103-105 °C (SM: 2540 D.)	27.0	-	≤40
Settleable Solids	mg/l	Settleable Solids (SM: 2540 F.)	<0.1	-	≤0.5
Sulfide as H ₂ S	mg/l	Iodometric (SM: 4500-S ²⁻ F.)	<1.0	-	≤1.0
Total Kjeldahl Nitrogen	mg/l	Macro Kjeldahl (SM: 4500-N _{org} B)	2.0	-	≤35
Grease & Oil	mg/l	Liquid-Liquid Partition-Gravimetric (SM: 5520 B.)	N.D.	1.4	≤20
Fecal Coliform Bacteria	MPN/100 ml	MPN Test	4.3 x 10 ⁴	-	-
Total Coliform Bacteria	MPN/100 ml	MPN Test	9.3 x 10 ⁴	-	-

SM : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 23rd ED.,2017 (AWWA,APHA, WEF)

(Nijinart Matiyapak)

Scientist

(Tawatchai Chongvutichai)

Environmental Laboratory Section Manager

- Remark :
1. Reported analysis refers to submitted sampling only.
 2. This report shall not be reproduced, except in full, without official approval.
 3. - Not available .
 4. * Notification of the Ministry of Natural Resources and Environment, dated November 7, B.E. 2548 (2005), which was published in the Royal Government Gazette, Vol. 122, Part 125D dated December 19, B.E. 2548 (2005) . (Category B)
 5. ** ค่าที่เพิ่มขึ้นจากปริมาณสารละลายในน้ำใช้ตามปกติ , ค่า TDS ในน้ำประปา พบ 199 mg/l
 6. N.D. (Not Detectable) หมายถึง ตรวจไม่พบ



ห้องปฏิบัติการวิเคราะห์เอกชน บริษัท โอกลา เทสต์ติ้ง แอนด์ คอนซัลติ้ง เซอร์วิส จำกัด

63/13 ซอย เพชรเกษม 7 แขวงวัดท่าพระ เขตบางกอกใหญ่ กรุงเทพมหานคร 10600

โทรศัพท์ : (66) 02-868-1246 โทรสาร : (66) 02-686-1247 Website : www.okla-testing.com J-NAC Group

WATER AND WASTEWATER ANALYSIS REPORT

CLIENT NAME	: Diplomat 39	REPORT NO.	: RN230490501
SAMPLING LOCATION	: น้ำก่อนเข้าระบบ	SAMPLING SOURCE	: Wastewater
SAMPLING METHOD	: Grab	SAMPLING BY	: นางสาวเบญจพร อินแก้ว
SAMPLE CONDITION	: Normal	SAMPLE CHARACTERISTICS	: เหลืองขุ่นตะกอนสีน้ำตาล
SAMPLING DATE	: Apr 19, 2023	SAMPLING TIME	: -
RECEIVED DATE	: Apr 19, 2023	ANALYTICAL DATE	: Apr 19-28, 2023
REPORT DATE	: May 2, 2023		

PARAMETER	UNIT	METHODS OF ANALYSIS	RESULT	MDL	STANDARD*
pH	-	Electrometric (SM: 4500-H ⁺ B.)	6.9	-	-
Biochemical Oxygen Demand	mg/l	Membrane Electrode (SM: 4500-O G, 5210 B.)	49.8	-	-
** Total Dissolved Solids	mg/l	Total Dissolved Solids Dried at 180 °C (SM: 2540 C.)	144.0	-	-
Suspended Solids	mg/l	Suspended Solids Dried at 103-105 °C (SM: 2540 D.)	53.0	-	-
Settleable Solids	mg/l	Settleable Solids (SM: 2540 F.)	<0.1	-	-
Sulfide as H ₂ S	mg/l	Iodometric (SM: 4500-S ²⁻ F.)	<1.0	-	-
Total Kjeldahl Nitrogen	mg/l	Macro Kjeldahl (SM: 4500-N _{org} B)	10.0	-	-
Grease & Oil	mg/l	Liquid-Liquid Partition-Gravimetric (SM: 5520 B.)	N.D.	1.4	-
Fecal Coliform Bacteria	MPN/100 ml	MPN Test	>2.4 x 10 ⁶	-	-
Total Coliform Bacteria	MPN/100 ml	MPN Test	>2.4 x 10 ⁶	-	-

SM : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 23rd ED.,2017 (AWWA,APHA, WEF)

(Nijirart Matiyapak)

Scientist

(Tawatchai Chongvutichai)

Environmental Laboratory Section Manager

- Remark :
1. Reported analysis refers to submitted sampling only.
 2. This report shall not be reproduced, except in full, without official approval.
 3. - Not available .
 4. * Notification of the Ministry of Natural Resources and Environment, dated November 7, B.E. 2548 (2005), which was published in the Royal Government Gazette, Vol. 122, Part 125D dated December 19, B.E. 2548 (2005) . (Category B)
 5. ** ค่าที่เพิ่มขึ้นจากปริมาณสารละลายในน้ำใช้ตามปกติ , ค่า TDS ในน้ำประปา พบ 186 mg/l
 6. N.D. (Not Detectable) หมายถึง ตรวจไม่พบ



ห้องปฏิบัติการวิเคราะห์เอกชน บริษัท โอกลา เทสติ้ง แอนด์ คอนซัลติง เซอร์วิส จำกัด

63/13 ซอย เพชรเกษม 7 แขวงวัดท่าพระ เขตบางกอกใหญ่ กรุงเทพมหานคร 10600

โทรศัพท์ : (66) 02-868-1246 โทรสาร : (66) 02-686-1247 Website : www.okla-testing.com J-NAC Group

WATER AND WASTEWATER ANALYSIS REPORT

CLIENT NAME	: Diplomat 39	REPORT NO.	: RN230490502
SAMPLING LOCATION	: นำหลังจากการบำบัด	SAMPLING SOURCE	: Wastewater
SAMPLING METHOD	: Grab	SAMPLING BY	: นางสาวเบญจพร อินแก้ว
SAMPLE CONDITION	: Normal	SAMPLE CHARACTERISTICS	: เหลืองปนตะกอนสีน้ำตาล
SAMPLING DATE	: Apr 19, 2023	SAMPLING TIME	: -
RECEIVED DATE	: Apr 19, 2023	ANALYTICAL DATE	: Apr 19-28, 2023
REPORT DATE	: May 2, 2023		

PARAMETER	UNIT	METHODS OF ANALYSIS	RESULT	MDL	STANDARD*
pH	-	Electrometric (SM: 4500-H ⁺ B.)	6.7	-	5-9
Biochemical Oxygen Demand	mg/l	Membrane Electrode (SM: 4500-O G, 5210 B.)	26.2	-	≤30
Total Dissolved Solids	mg/l	Total Dissolved Solids Dried at 180 °C (SM: 2540 C.)	186.0	-	≤500**
Suspended Solids	mg/l	Suspended Solids Dried at 103-105 °C (SM: 2540 D.)	16.0	-	≤40
Settleable Solids	mg/l	Settleable Solids (SM: 2540 F.)	<0.1	-	≤0.5
Sulfide as H ₂ S	mg/l	Iodometric (SM: 4500-S ²⁻ F.)	<1.0	-	≤1.0
Total Kjeldahl Nitrogen	mg/l	Macro Kjeldahl (SM: 4500-N _{org} B)	3.6	-	≤35
Grease & Oil	mg/l	Liquid-Liquid Partition-Gravimetric (SM: 5520 B.)	N.D.	1.4	≤20
Fecal Coliform Bacteria	MPN/100 ml	MPN Test	4.6 x 10 ⁵	-	-
Total Coliform Bacteria	MPN/100 ml	MPN Test	1.1 x 10 ⁶	-	-

SM : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 23rd ED.,2017 (AWWA,APHA, WEF)

(Nijinart Matiyapak)

Scientist

(Tawatchai Chongvutichai)

Environmental Laboratory Section Manager

Remark :

1. Reported analysis refers to submitted sampling only.
2. This report shall not be reproduced, except in full, without official approval.
3. - Not available .
4. * Notification of the Ministry of Natural Resources and Environment, dated November 7, B.E. 2548 (2005), which was published in the Royal Government Gazette, Vol. 122, Part 125D dated December 19, B.E. 2548 (2005) . (Category B)
5. ** ค่าที่เพิ่มขึ้นจากปริมาณสารละลายในน้ำใช้ตามปกติ , ค่า TDS ในน้ำประปา พบ 186 mg/l
6. N.D. (Not Detectable) หมายถึง ตรวจไม่พบ



ห้องปฏิบัติการวิเคราะห์เอกชน บริษัท โอกลา เทสติ้ง แอนด์ คอนซัลติง เซอร์วิส จำกัด

63/13 ซอย เพชรเกษม 7 แขวงวัดท่าพระ เขตบางกอกใหญ่ กรุงเทพมหานคร 10600

โทรศัพท์ : (66) 02-868-1246 โทรสาร : (66) 02-686-1247 Website : www.okla-testing.com J-NAC Group

WATER AND WASTEWATER ANALYSIS REPORT

CLIENT NAME	: Diplomat 39	REPORT NO.	: RN230490503
SAMPLING LOCATION	: น้ำก่อนปล่อยสู่สาธารณะ	SAMPLING SOURCE	: Wastewater
SAMPLING METHOD	: Grab	SAMPLING BY	: นางสาวเบญจพร อินแก้ว
SAMPLE CONDITION	: Normal	SAMPLE CHARACTERISTICS	: เหลืองขุ่นตะกอนสีน้ำตาล
SAMPLING DATE	: Apr 19, 2023	SAMPLING TIME	: -
RECEIVED DATE	: Apr 19, 2023	ANALYTICAL DATE	: Apr 19-28, 2023
REPORT DATE	: May 2, 2023		

PARAMETER	UNIT	METHODS OF ANALYSIS	RESULT	MDL	STANDARD*
pH	-	Electrometric (SM: 4500-H ⁺ B.)	6.7	-	5-9
Biochemical Oxygen Demand	mg/l	Membrane Electrode (SM: 4500-O G, 5210 B.)	18.1	-	≤30
Total Dissolved Solids	mg/l	Total Dissolved Solids Dried at 180 °C (SM: 2540 C.)	170.0	-	≤500**
Suspended Solids	mg/l	Suspended Solids Dried at 103-105 °C (SM: 2540 D.)	23.0	-	≤40
Settleable Solids	mg/l	Settleable Solids (SM: 2540 F.)	<0.1	-	≤0.5
Sulfide as H ₂ S	mg/l	Iodometric (SM: 4500-S ²⁻ F.)	<1.0	-	≤1.0
Total Kjeldahl Nitrogen	mg/l	Macro Kjeldahl (SM: 4500-N _{org} B)	2.0	-	≤35
Grease & Oil	mg/l	Liquid-Liquid Partition-Gravimetric (SM: 5520 B.)	N.D.	1.4	≤20
Fecal Coliform Bacteria	MPN/100 ml	MPN Test	1.5 × 10 ⁵	-	-
Total Coliform Bacteria	MPN/100 ml	MPN Test	4.6 × 10 ⁵	-	-

SM : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 23rd ED.,2017 (AWWA,APHA, WEF)

(Nijinart Matiyapak)

Scientist

(Tawatchai Chongvutichai)

Environmental Laboratory Section Manager

- Remark :
1. Reported analysis refers to submitted sampling only.
 2. This report shall not be reproduced, except in full, without official approval.
 3. - Not available .
 4. * Notification of the Ministry of Natural Resources and Environment, dated November 7, B.E. 2548 (2005), which was published in the Royal Government Gazette, Vol. 122, Part 125D dated December 19, B.E. 2548 (2005) . (Category B)
 5. ** ค่าที่เพิ่มขึ้นจากปริมาณสารละลายในน้ำใช้ตามปกติ , ค่า TDS ในน้ำประปา พบ 186 mg/l
 6. N.D. (Not Detectable) หมายถึง ตรวจไม่พบ



ห้องปฏิบัติการวิเคราะห์เอกชน บริษัท โอกลา เทสติ้ง แอนด์ คอนซัลติง เซอร์วิส จำกัด

63/13 ซอย เพชรเกษม 7 แขวงวัดท่าพระ เขตบางกอกใหญ่ กรุงเทพมหานคร 10600

โทรศัพท์ : (66) 02-868-1246 โทรสาร : (66) 02-686-1247 Website : www.okla-testing.com J-NAC Group

WATER AND WASTEWATER ANALYSIS REPORT

CLIENT NAME	: Diplomat 39	REPORT NO.	: RN230590627
SAMPLING LOCATION	: น้ำก่อนเข้าระบบ	SAMPLING SOURCE	: Wastewater
SAMPLING METHOD	: Grab	SAMPLING BY	: นายปริญญา กล้าน้อย
SAMPLE CONDITION	: Normal	SAMPLE CHARACTERISTICS	: เหลืองขุ่นตะกอนสีน้ำตาล
SAMPLING DATE	: May 16, 2023	SAMPLING TIME	: -
RECEIVED DATE	: May 16, 2023	ANALYTICAL DATE	: May 16-25, 2023
REPORT DATE	: May 26, 2023		

PARAMETER	UNIT	METHODS OF ANALYSIS	RESULT	MDL	STANDARD*
pH	-	Electrometric (SM: 4500-H ⁺ B.)	7.0	-	-
Biochemical Oxygen Demand	mg/l	Membrane Electrode (SM: 4500-O G, 5210 B.)	22.4	-	-
** Total Dissolved Solids	mg/l	Total Dissolved Solids Dried at 180 °C (SM: 2540 C.)	522.0	-	-
Suspended Solids	mg/l	Suspended Solids Dried at 103-105 °C (SM: 2540 D.)	45.0	-	-
Settleable Solids	mg/l	Settleable Solids (SM: 2540 F.)	0.2	-	-
Sulfide as H ₂ S	mg/l	Iodometric (SM: 4500-S ²⁻ F.)	<1.0	-	-
Total Kjeldahl Nitrogen	mg/l	Macro Kjeldahl (SM: 4500-N _{org} B)	1.0	-	-
Grease & Oil	mg/l	Liquid-Liquid Partition-Gravimetric (SM: 5520 B.)	N.D.	1.4	-
Fecal Coliform Bacteria	MPN/100 ml	MPN Test	>2.4 x 10 ⁶	-	-
Total Coliform Bacteria	MPN/100 ml	MPN Test	>2.4 x 10 ⁶	-	-

SM : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 23rd ED.,2017 (AWWA,APHA, WEF)

.....
k)

Scientist

.....
(Tawatchai Chongyutichai)

Environmental Laboratory Section Manager

- Remark :
1. Reported analysis refers to submitted sampling only.
 2. This report shall not be reproduced, except in full, without official approval.
 3. - Not available .
 4. * Notification of the Ministry of Natural Resources and Environment, dated November 7, B.E. 2548 (2005), which was published in the Royal Government Gazette, Vol. 122, Part 125D dated December 19, B.E. 2548 (2005) . (Category B)
 5. ** ค่าที่เพิ่มขึ้นจากปริมาณสารละลายในน้ำใช้ตามปกติ , ค่า TDS ในน้ำประปา พบ 160 mg/l
 6. N.D. (Not Detectable) หมายถึง ตรวจไม่พบ



ห้องปฏิบัติการวิเคราะห์เอกชน บริษัท โอกลา เทสต์ติ้ง แอนด์ คอนซัลติ้ง เซอร์วิส จำกัด

63/13 ซอย เพชรเกษม 7 แขวงวัดท่าพระ เขตบางกอกใหญ่ กรุงเทพมหานคร 10600

โทรศัพท์ : (66) 02-868-1246 โทรสาร : (66) 02-686-1247 Website : www.okla-testing.com J-NAC Group

WATER AND WASTEWATER ANALYSIS REPORT

CLIENT NAME	: Diplomat 39	REPORT NO.	: RN230590628
SAMPLING LOCATION	: น้ำหลังจากการบำบัด	SAMPLING SOURCE	: Wastewater
SAMPLING METHOD	: Grab	SAMPLING BY	: นายปริญญ์ กล้าน้อย
SAMPLE CONDITION	: Normal	SAMPLE CHARACTERISTICS	: เหลืองขุ่นตะกอนสีน้ำตาล
SAMPLING DATE	: May 16, 2023	SAMPLING TIME	: -
RECEIVED DATE	: May 16, 2023	ANALYTICAL DATE	: May 16-25, 2023
REPORT DATE	: May 26, 2023		

PARAMETER	UNIT	METHODS OF ANALYSIS	RESULT	MDL	STANDARD*
pH	-	Electrometric (SM: 4500-H ⁺ B.)	6.9	-	5-9
Biochemical Oxygen Demand	mg/l	Membrane Electrode (SM: 4500-O ₂ G, 5210 B.)	6.3	-	≤30
Total Dissolved Solids	mg/l	Total Dissolved Solids Dried at 180 °C (SM: 2540 C.)	160.0	-	≤500**
Suspended Solids	mg/l	Suspended Solids Dried at 103-105 °C (SM: 2540 D.)	3.5	-	≤40
Settleable Solids	mg/l	Settleable Solids (SM: 2540 F.)	<0.1	-	≤0.5
Sulfide as H ₂ S	mg/l	Iodometric (SM: 4500-S ²⁻ F.)	<1.0	-	≤1.0
Total Kjeldahl Nitrogen	mg/l	Macro Kjeldahl (SM: 4500-N _{org} B)	3.7	-	≤35
Grease & Oil	mg/l	Liquid-Liquid Partition-Gravimetric (SM: 5520 B.)	N.D.	1.4	≤20
Fecal Coliform Bacteria	MPN/100 ml	MPN Test	7.5 x 10 ⁴	-	-
Total Coliform Bacteria	MPN/100 ml	MPN Test	1.5 x 10 ⁵	-	-

SM : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 23rd ED.,2017 (AWWA,APHA, WEF)

(Nijinart Matiyapak)

Scientist

(Tawatchai Chongvutichai)

Environmental Laboratory Section Manager

- Remark :
1. Reported analysis refers to submitted sampling only.
 2. This report shall not be reproduced, except in full, without official approval.
 3. - Not available .
 4. * Notification of the Ministry of Natural Resources and Environment, dated November 7, B.E. 2548 (2005), which was published in the Royal Government Gazette, Vol. 122, Part 125D dated December 19, B.E. 2548 (2005) . (Category B)
 5. ** ค่าที่เพิ่มขึ้นจากปริมาณสารละลายในน้ำใช้ตามปกติ , ค่า TDS ในน้ำประปา พบ 160 mg/l
 6. N.D. (Not Detectable) หมายถึง ตรวจไม่พบ



ห้องปฏิบัติการวิเคราะห์เอกชน บริษัท โอกลา เทสติ้ง แอนด์ คอนซัลติง เซอร์วิส จำกัด

63/13 ซอย เพชรเกษม 7 แขวงวัดท่าพระ เขตบางกอกใหญ่ กรุงเทพมหานคร 10600

โทรศัพท์ : (66) 02-868-1246 โทรสาร : (66) 02-686-1247 Website : www.okla-testing.com J-NAC Group

WATER AND WASTEWATER ANALYSIS REPORT

CLIENT NAME	: Diplomat 39	REPORT NO.	: RN230590629
SAMPLING LOCATION	: น้ำก่อนปล่อยสู่สาธารณะ	SAMPLING SOURCE	: Wastewater
SAMPLING METHOD	: Grab	SAMPLING BY	: นายปริญญา กล้าน้อย
SAMPLE CONDITION	: Normal	SAMPLE CHARACTERISTICS	: เหลืองใสตะกอนสีน้ำตาล
SAMPLING DATE	: May 16, 2023	SAMPLING TIME	: -
RECEIVED DATE	: May 16, 2023	ANALYTICAL DATE	: May 16-25, 2023
REPORT DATE	: May 26, 2023		

PARAMETER	UNIT	METHODS OF ANALYSIS	RESULT	MDL	STANDARD *
pH	-	Electrometric (SM: 4500-H ⁺ B.)	7.0	-	5-9
Biochemical Oxygen Demand	mg/l	Membrane Electrode (SM: 4500-O G, 5210 B.)	9.3	-	≤30
Total Dissolved Solids	mg/l	Total Dissolved Solids Dried at 180 °C (SM: 2540 C.)	208.0	-	≤500 **
Suspended Solids	mg/l	Suspended Solids Dried at 103-105 °C (SM: 2540 D.)	8.0	-	≤40
Settleable Solids	mg/l	Settleable Solids (SM: 2540 F.)	<0.1	-	≤0.5
Sulfide as H ₂ S	mg/l	Iodometric (SM: 4500-S ²⁻ F.)	<1.0	-	≤1.0
Total Kjeldahl Nitrogen	mg/l	Macro Kjeldahl (SM: 4500-N _{org} B.)	2.2	-	≤35
Grease & Oil	mg/l	Liquid-Liquid Partition-Gravimetric (SM: 5520 B.)	N.D.	1.4	≤20
Fecal Coliform Bacteria	MPN/100 ml	MPN Test	2.3 × 10 ⁴	-	-
Total Coliform Bacteria	MPN/100 ml	MPN Test	4.3 × 10 ⁴	-	-

SM : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 23rd ED., 2017 (AWWA, APHA, WEF)

(Nijinart Matiyapak)

Scientist

(Tawatchai Chongvutichai)

Environmental Laboratory Section Manager

- Remark :
1. Reported analysis refers to submitted sampling only.
 2. This report shall not be reproduced, except in full, without official approval.
 3. - Not available .
 4. * Notification of the Ministry of Natural Resources and Environment, dated November 7, B.E. 2548 (2005), which was published in the Royal Government Gazette, Vol. 122, Part 125D dated December 19, B.E. 2548 (2005) . (Category B)
 5. ** ค่าที่เพิ่มขึ้นจากปริมาณสารละลายในน้ำใช้ตามปกติ , ค่า TDS ในน้ำประปา พบ 160 mg/l
 6. N.D. (Not Detectable) หมายถึง ตรวจไม่พบ



ห้องปฏิบัติการวิเคราะห์เอกชน บริษัท โอกลา เทสติ้ง แอนด์ คอนซัลติง เซอร์วิส จำกัด

63/13 ซอย เพชรเกษม 7 แขวงวัดท่าพระ เขตบางกอกใหญ่ กรุงเทพมหานคร 10600

โทรศัพท์ : (66) 02-868-1246 โทรสาร : (66) 02-686-0860 Website : www.okla-testing.com J-NAC Group

WATER AND WASTEWATER ANALYSIS REPORT

CLIENT NAME	: Diplomat 39	REPORT NO.	: RN230690761
SAMPLING LOCATION	: น้ำก่อนเข้าระบบ	SAMPLING SOURCE	: Wastewater
SAMPLING METHOD	: Grab	SAMPLING BY	: นางสาวรัตติยา ศรีปราสาท
SAMPLE CONDITION	: Normal	SAMPLE CHARACTERISTICS	: เหลืองขุ่นตะกอนสีน้ำตาล
SAMPLING DATE	: Jun 14, 2023	SAMPLING TIME	: -
RECEIVED DATE	: Jun 14, 2023	ANALYTICAL DATE	: Jun 14-23, 2023
REPORT DATE	: Jun 26, 2023		

PARAMETER	UNIT	METHODS OF ANALYSIS	RESULT	MDL	STANDARD*
pH	-	Electrometric (SM: 4500-H ⁺ B.)	6.9	-	-
Biochemical Oxygen Demand	mg/l	Membrane Electrode (SM: 4500-O G, 5210 B.)	27.0	-	-
** Total Dissolved Solids	mg/l	Total Dissolved Solids Dried at 180 °C (SM: 2540 C.)	476.0	-	-
Suspended Solids	mg/l	Suspended Solids Dried at 103-105 °C (SM: 2540 D.)	35.0	-	-
Settleable Solids	mg/l	Settleable Solids (SM: 2540 F.)	0.2	-	-
Sulfide as H ₂ S	mg/l	Iodometric (SM: 4500-S ²⁻ F.)	<1.0	-	-
Total Kjeldahl Nitrogen	mg/l	Macro Kjeldahl (SM: 4500-N _{org} B)	26.0	-	-
Grease & Oil	mg/l	Liquid-Liquid Partition-Gravimetric (SM: 5520 B.)	<5.0	1.4	-
Total Coliform Bacteria	MPN/100 ml	MPN Test	>2.4 x 10 ⁶	-	-
Fecal Coliform Bacteria	MPN/100 ml	MPN Test	>2.4 x 10 ⁶	-	-

SM : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 23rd ED.,2017 (AWWA,APHA, WEF)

(Nijinart Matiyapak)

Scientist

(Tawatchai Chongvutichai)

Environmental Laboratory Section Manager

- Remark :
1. Reported analysis refers to submitted sampling only.
 2. This report shall not be reproduced, except in full, without official approval.
 3. - Not available .
 4. * Notification of the Ministry of Natural Resources and Environment, dated November 7, B.E. 2548 (2005), which was published in the Royal Government Gazette, Vol. 122, Part 125D dated December 19, B.E. 2548 (2005) . (Category B)
 5. ** ค่าที่เพิ่มขึ้นจากปริมาณสารละลายในน้ำใช้ตามปกติ , ค่า TDS ในน้ำประปา พบ 104 mg/l



ห้องปฏิบัติการวิเคราะห์เอกชน บริษัท โอกลา เทสติ้ง แอนด์ คอนซัลติง เซอร์วิส จำกัด

63/13 ซอย เพชรเกษม 7 แขวงวัดท่าพระ เขตบางกอกใหญ่ กรุงเทพมหานคร 10600

โทรศัพท์ : (66) 02-868-1246 โทรสาร : (66) 02-686-0860 Website : www.okla-testing.com J-NAC Group

WATER AND WASTEWATER ANALYSIS REPORT

CLIENT NAME	: Diplomat 39	REPORT NO.	: RN230690762
SAMPLING LOCATION	: น้ำหลังจากการบำบัด	SAMPLING SOURCE	: Wastewater
SAMPLING METHOD	: Grab	SAMPLING BY	: นางสาวรัตตา ศรีปราสาท
SAMPLE CONDITION	: Normal	SAMPLE CHARACTERISTICS	: เหลืองขุ่นตะกอนสีน้ำตาล
SAMPLING DATE	: Jun 14, 2023	SAMPLING TIME	: -
RECEIVED DATE	: Jun 14, 2023	ANALYTICAL DATE	: Jun 14-23, 2023
REPORT DATE	: Jun 26, 2023		

PARAMETER	UNIT	METHODS OF ANALYSIS	RESULT	MDL	STANDARD*
pH	-	Electrometric (SM: 4500-H ⁺ B.)	6.9	-	5-9
Biochemical Oxygen Demand	mg/l	Membrane Electrode (SM: 4500-O G, 5210 B.)	20.6	-	≤30
Total Dissolved Solids	mg/l	Total Dissolved Solids Dried at 180 °C (SM: 2540 C.)	196.0	-	≤500**
Suspended Solids	mg/l	Suspended Solids Dried at 103-105 °C (SM: 2540 D.)	35.0	-	≤40
Settleable Solids	mg/l	Settleable Solids (SM: 2540 F.)	0.5	-	≤0.5
Sulfide as H ₂ S	mg/l	Iodometric (SM: 4500-S ²⁻ F.)	<1.0	-	≤1.0
Total Kjeldahl Nitrogen	mg/l	Macro Kjeldahl (SM: 4500-N _{org} B)	19.0	-	≤35
Grease & Oil	mg/l	Liquid-Liquid Partition-Gravimetric (SM: 5520 B.)	<5.0	1.4	≤20
Total Coliform Bacteria	MPN/100 ml	MPN Test	>2.4 × 10 ⁶	-	-
Fecal Coliform Bacteria	MPN/100 ml	MPN Test	>2.4 × 10 ⁶	-	-

SM : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 23rd ED.,2017 (AWWA,APHA, WEF)

(Nijinart Matiyapak)

Scientist

(Tawatchai Chongvutichai)

Environmental Laboratory Section Manager

Remark :

1. Reported analysis refers to submitted sampling only.
2. This report shall not be reproduced, except in full, without official approval.
3. - Not available .
4. * Notification of the Ministry of Natural Resources and Environment, dated November 7, B.E. 2548 (2005), which was published in the Royal Government Gazette, Vol. 122, Part 125D dated December 19, B.E. 2548 (2005) . (Category B)
5. ** ค่าที่เพิ่มขึ้นจากปริมาณสารละลายในน้ำใช้ตามปกติ , ค่า TDS ในน้ำประปา พบ 104 mg/l



ห้องปฏิบัติการวิเคราะห์เอกชน บริษัท โอกลา เทสติ้ง แอนด์ คอนซัลติง เซอร์วิส จำกัด

63/13 ซอย เพชรเกษม 7 แขวงวัดท่าพระ เขตบางกอกใหญ่ กรุงเทพมหานคร 10600

โทรศัพท์ : (66) 02-868-1246 โทรสาร : (66) 02-686-0860 Website : www.okla-testing.com J-NAC Group

WATER AND WASTEWATER ANALYSIS REPORT

CLIENT NAME	: Diplomat 39	REPORT NO.	: RN230690763
SAMPLING LOCATION	: น้ำก่อนปล่อยสู่สาธารณะ	SAMPLING SOURCE	: Wastewater
SAMPLING METHOD	: Grab	SAMPLING BY	: นางสาวรัตตา ศรีปราสาท
SAMPLE CONDITION	: Normal	SAMPLE CHARACTERISTICS	: เหลืองใสตะกอนสีน้ำตาล
SAMPLING DATE	: Jun 14, 2023	SAMPLING TIME	: -
RECEIVED DATE	: Jun 14, 2023	ANALYTICAL DATE	: Jun 14-23, 2023
REPORT DATE	: Jun 26, 2023		

PARAMETER	UNIT	METHODS OF ANALYSIS	RESULT	MDL	STANDARD*
pH	-	Electrometric (SM: 4500-H ⁺ B.)	6.9	-	5-9
Biochemical Oxygen Demand	mg/l	Membrane Electrode (SM: 4500-O G, 5210 B.)	19.2	-	≤30
Total Dissolved Solids	mg/l	Total Dissolved Solids Dried at 180 °C (SM: 2540 C.)	158.0	-	≤500**
Suspended Solids	mg/l	Suspended Solids Dried at 103-105 °C (SM: 2540 D.)	33.0	-	≤40
Settleable Solids	mg/l	Settleable Solids (SM: 2540 F.)	0.2	-	≤0.5
Sulfide as H ₂ S	mg/l	Iodometric (SM: 4500-S ²⁻ F.)	<1.0	-	≤1.0
Total Kjeldahl Nitrogen	mg/l	Macro Kjeldahl (SM: 4500-N _{org} B)	6.7	-	≤35
Grease & Oil	mg/l	Liquid-Liquid Partition-Gravimetric (SM: 5520 B.)	N.D.	1.4	≤20
Total Coliform Bacteria	MPN/100 ml	MPN Test	4.6 x 10 ⁵	-	-
Fecal Coliform Bacteria	MPN/100 ml	MPN Test	9.3 x 10 ⁴	-	-

SM : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 23rd ED., 2017 (AWWA, APHA, WEF)



(Nijarat Matiyapak)

Scientist



(Tawatchai Chongvutichai)

Environmental Laboratory Section Manager

- Remark :
1. Reported analysis refers to submitted sampling only.
 2. This report shall not be reproduced, except in full, without official approval.
 3. - Not available .
 4. * Notification of the Ministry of Natural Resources and Environment, dated November 7, B.E. 2548 (2005), which was published in the Royal Government Gazette, Vol. 122, Part 125D dated December 19, B.E. 2548 (2005) . (Category B)
 5. ** ค่าที่เพิ่มขึ้นจากปริมาณสารละลายในน้ำใช้ตามปกติ , ค่า TDS ในน้ำประปา พบ 104 mg/l
 6. N.D. (Not Detectable) หมายถึง ตรวจไม่พบ