

ภาคผนวกที่ 5

ใบอนุญาตห้องปฏิบัติการวิเคราะห์เอกชน

ที่ อก ๐๓๑๐(๑)/ ๑๒๑๒๔



กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ เขตราชเทวี
กรุงเทพมหานคร ๑๐๔๐๐

๓๐ ตุลาคม ๒๕๖๓

เรื่อง ต่ออายุหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

เรียน กรรมการผู้จัดการ บริษัท เอส.พี.เอส. คอนสตรัคติ้ง เซอร์วิส จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารมลพิษของห้องปฏิบัติการวิเคราะห์เอกชน
ลงวันที่ ๒ กรกฎาคม ๒๕๖๓

สิ่งที่ส่งมาด้วย ๑. รายชื่อผู้ควบคุมดูแลห้องปฏิบัติการวิเคราะห์ จำนวน ๑ แผ่น
๒. รายชื่อเจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์ จำนวน ๓ แผ่น
๓. ขอบข่ายสารมลพิษที่ได้รับขึ้นทะเบียนจากกรมโรงงานอุตสาหกรรม จำนวน ๒๘ แผ่น
ตามหนังสือที่อ้างถึง บริษัท เอส.พี.เอส. คอนสตรัคติ้ง เซอร์วิส จำกัด ขอต่ออายุหนังสือรับขึ้น
ทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน เลขทะเบียน ว-๐๑๑ สถานที่ตั้งเลขที่ ๗ ซอยพหลโยธิน ๒๔ ถนนพหลโยธิน
แขวงจอมพล เขตจตุจักร กรุงเทพมหานคร ต่อกรมโรงงานอุตสาหกรรม นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว ให้บริษัท เอส.พี.เอส. คอนสตรัคติ้ง เซอร์วิส จำกัด ต่ออายุ
หนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน โดยมีองค์ประกอบดังนี้

ก. ผู้ควบคุมดูแลห้องปฏิบัติการวิเคราะห์ จำนวน ๓๓ ราย ตามสิ่งที่ส่งมาด้วย ๑
ข. เจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์ จำนวน ๗๙ ราย ตามสิ่งที่ส่งมาด้วย ๒
ค. ขอบข่ายสารมลพิษที่ได้รับขึ้นทะเบียนให้วิเคราะห์ในน้ำเสีย จำนวน ๕๙ รายการ น้ำใต้ดิน
จำนวน ๑๒๖ รายการ อากาศเสีย จำนวน ๒๘ รายการ สิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว จำนวน ๓๖ รายการ
และดิน จำนวน ๑๒๕ รายการ รวมทั้งสิ้นจำนวน ๓๗๔ รายการ ตามสิ่งที่ส่งมาด้วย ๓

หนังสือฉบับนี้จะหมดอายุในวันที่ ๑๐ กรกฎาคม ๒๕๖๖ หากประสงค์จะต่ออายุหนังสือ
รับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน ให้ยื่นคำขอต่ออายุพร้อมเอกสารประกอบคำขอต่อ
กรมโรงงานอุตสาหกรรมภายใน ๓๐ วัน ก่อนวันสิ้นอายุของหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน
ซึ่งคำขอต่ออายุดังกล่าวขอรับได้ที่กรมโรงงานอุตสาหกรรม

จึงเรียนมาเพื่อทราบ

กองวิจัยและเตือนภัยมลพิษโรงงาน

กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษและทะเบียนห้องปฏิบัติการ

โทร. ๐ ๒๒๐๒ ๔๐๐๒ ๐ ๒๒๐๒ ๔๑๔๖

โทรสาร ๐ ๒๓๕๔ ๓๒๐๘ ๐ ๒๓๕๔ ๓๔๑๕

เอกสารแนบท้ายหนังสือรับต่ออายุขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน
บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด เลขทะเบียน ว-๐๑๑๑
ที่ อก ๐๓๑๐(๑)/ ๑๒๑๒๔ ลงวันที่ ๓๐ ตุลาคม ๒๕๖๓

ก. ผู้ควบคุมดูแลห้องปฏิบัติการวิเคราะห์ จำนวน ๓๓ ราย

- ๑) นายสมชาย ธนาวิบูลเศรษฐ์
- ๒) นายพีระ เดชอุดม
- ๓) นายยุทธนา ธาณาธรรณิต
- ๔) นางสาวณลินี สีมาก
- ๕) นายวิทยา โพนชัย
- ๖) นางสาวอุทุมพร แท่นทอง
- ๗) นางสาวเพ็ญภา วิชาสรวุช
- ๘) นางสาวธัญพัฒน์ หลานเศษฐา
- ๙) นางสาวธัญพร นำตระกูลพัฒนา
- ๑๐) นางสาวอัจฉรา ไชยยาว
- ๑๑) นางสาวสุจิตรา นาวรัตน์
- ๑๒) นายวรวิทย์ เหล่าตระกูล
- ๑๓) นางสาวจินดาพร ภารกุล
- ๑๔) นายธีชัย ลอแม
- ๑๕) นายเกษม สีมพล
- ๑๖) นางสาวรรรยารักษ์ เครือมังกร
- ๑๗) นางสาวปรียานุช ทองวิเชียร
- ๑๘) นางสาวศรีจันทร์ แวสุวรรณ
- ๑๙) นายเสถียร จิตตยานันต์
- ๒๐) นางสาวเบญจพร ทองนอก
- ๒๑) นางสาวศินี สิงห์สุทธิ
- ๒๒) นายอดุลย์ แดงกล่อม
- ๒๓) นายเฉลิมวุฒิ เพ็ชรนิคม
- ๒๔) นางสาวสุจินดา วิชาสวัสดิ์
- ๒๕) นางสาวสุภาวดี แสนทวีสุข
- ๒๖) นางสาวขวัญภา ทองนพ
- ๒๗) นางสาวจารินี นันทวิสุทธิ
- ๒๘) นายสมประสงค์ มั่งมี
- ๒๙) นายภาคินัย คงกำเหนิด
- ๓๐) นางสาวอินทิรา อยู่พงษ์
- ๓๑) นางสาวพิชัมพร พูลพ่วง
- ๓๒) นางสาวศิรินทร์ทิพย์ อารีภักดิ์
- ๓๓) นายกิตติ ศรีทองหล่อ

เอกสารแนบท้ายหนังสือรับต่ออายุขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน
บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด เลขทะเบียน ว-๐๑๑๑
ที่ อก ๐๓๑๐(๑)/ ๑๒๑๒๔ ลงวันที่ ๓๐ ตุลาคม ๒๕๖๓

ข. เจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์ จำนวน ๗๙ ราย

- ๑) นายพุมิคุณ ชัยน้อย
- ๒) นายชลิต เขียวระยับ
- ๓) นางสาวโสภิตา ประสาทพร
- ๔) นางสาวอรุณรัตน์ พันธเสน
- ๕) นางสาวพิมพ์นิตดา มะโรงศรี
- ๖) นางสาวเขมรินทร์ ธีรรัฐเศรษฐ์
- ๗) นางสาววันวิสาข์ ปรีเปรมโอษฐ์
- ๘) นางสาวอรรวรรณ คงเนียม
- ๙) นายรัฐธนากรณ์ ยศเรืองศักดิ์
- ๑๐) นายศรณ คงแก้ว
- ๑๑) นางสาวณิชา กรดเต็ม
- ๑๒) นายพิสิษฐ์ วรรณชัย
- ๑๓) นางสาวเบญจวรรณ สรรพวงศ์
- ๑๔) นางสาวสมใจ ศรีสถาวร
- ๑๕) นายวิชณุ อยู่สุข
- ๑๖) นายอุดมศักดิ์ จันทร์จิระวิทย์
- ๑๗) นายชัย บัวสด
- ๑๘) นายศรัณญ์ เชื้อสนิท
- ๑๙) นางสาวสุธินี อ่อนประเสริฐ
- ๒๐) นางสาวกนกวรรณ เอี่ยมจินดา
- ๒๑) นางสาวพนิดา เกิดจั่น
- ๒๒) นางสาวอุมาพร เนตรวงศ์
- ๒๓) นายพุทธจักร มีบุญ
- ๒๔) นางสาวสิรินารถ ขาวทะเล
- ๒๕) นางสาวกวิสรา จันทร์กระแจะ
- ๒๖) นายอริยะ วงษ์เนตร
- ๒๗) นายชาญชัย เกาวิจิตร
- ๒๘) ว่าที่ร้อยตรีบรรจง แสงศรีจันทร์
- ๒๙) นายกิตติ ช่วยวัน
- ๓๐) นายปิยวัฒน์ สิมมา
- ๓๑) นายนฤนาท ไตร

- ๓๔) นางสาววัชรพร บาร์ศรี
๓๕) นางสาวทิพยาภรณ์ สำแดงสี
๓๖) นางสาวอุบล เด็กศิริ
๓๗) นางสาวสุภาณูตา ภายโธสง
๓๘) นางสาวปรังคทิพย์ ไสจูง
๓๙) นางสาวลัชนันท์ เจริญกิจ
๔๐) นางสาวพิมพ์ยงค์ ว่องไว
๔๑) นายพงษ์ศิริ ขุนหิรัญ
๔๒) นายบรรณวิทย์ แพงสุข
๔๓) นายเวทศ จิตกุล
๔๔) นายภาณุวัฒน์ พันธุโท
๔๕) นางสาวบัวลม คินดี
๔๖) นางสาวอุทุมพร มูลตรี
๔๗) นายเทพพิทักษ์ โสภณ
๔๘) นายจักรภพ พรหมทา
๔๙) นายเนติพงษ์ บัวดี
๕๐) นายวรรณะ แยมสอั้ง
๕๑) นายภาณุวิทย์ ชูลิงห์
๕๒) นางสาวมารีษา บรรจู่แก้ว
๕๓) นางสาวสลาสิวิทย์ มูลวงศรี
๕๔) นางสาวโกมลรัฐ คุ่มไชน้ำ
๕๕) นางสาวณัฐพร สุขท้วญาติ
๕๖) นางสาวรัญญา ชนะพาล
๕๗) นางสาวศศิธร แก้วมูล
๕๘) นางสาวนรัชชา คำม่วง
๕๙) นางสาวเจนจิรา โมกขบุรุษ
๖๐) นางสาวพรรณราย พรรณศิริ
๖๑) นางสาวจันทร์เพ็ญ บุญไชยมั่ง
๖๒) นางสาววราภรณ์ ภูวัต
๖๓) นางสาวนฤชา ช้างแก้ว
๖๔) นางสาวนภัสวรรณ แสงทับทิม
๖๕) นายสุทธิพงศ์ แสงเมือง
๖๖) นายปริญญา โพธิ์ข้า
๖๗) นายฐิตินันท์ เรืองรัมย์

นาง...

- ๖๘) นางสาวนิษฐานา วงศ์เครือ
๖๙) นางสาวธัญชนก ยะมงคล
๗๐) นางสาวสุภาพร ลานขามป้อม
๗๑) นางสาวภัทราวดี ทับชุม
๗๒) นางสาวจิตสุภา สติคราม
๗๓) นางสาวเบญจภรณ์ หอมกลิ่น
๗๔) นางสาวนันทกา น้อยวงศ์
๗๕) นางสาวจันทร์เพ็ญ จีบทอง
๗๖) นางสาววัชรสิรินทร์ ชูตระกูล
๗๗) นางสาวกชกร เวศม์ปฏิพัทธ์
๗๘) นางสาวทินารมภ์ เครือวัลย์
๗๙) นางสาวชนนิกานต์ หอมรินทร์

เอกสารแนบท้ายหนังสือรับต่ออายุขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

บริษัท เอส.พี.เอส. คอนสตรัคชั่น เซอร์วิส จำกัด

เลขทะเบียน ๖-๐๑๑

ที่ อก ๐๓๑๐(๑)/ ๑๒๑๒๔

ลงวันที่ ๓๐ ตุลาคม ๒๕๖๓

ขอขยายสารมลพิษที่ได้รับขึ้นทะเบียนจากกรมโรงงานอุตสาหกรรม จำนวน ๓๗๔ รายการ

น้ำเสีย จำนวน 59 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Aldicarb	High-Performance Liquid Chromatographic Method ^[4]
2	Aldicarb Sulfone	High-Performance Liquid Chromatographic Method ^[4]
3	Aldicarb Sulfoxide	High-Performance Liquid Chromatographic Method ^[4]
4	Aldrin	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
5	Arsenic	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[4] 2) Digestion, Inductively Coupled Plasma Method ^[4]
6	Barium	Digestion, Inductively Coupled Plasma Method ^[4]
7	α-BHC	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
8	β-BHC	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
9	γ-BHC	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
10	δ-BHC	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
11	Biochemical Oxygen Demand	1) 5-Day BOD Test, Azide Modification Method ^[4] 2) 5-Day BOD Test, Membrane Electrode Method ^[4]
12	Cadmium	1) Digestion, Direct Air-Acetylene Flame Method ^[4] 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^[4] 3) Digestion, Inductively Coupled Plasma Method ^[4]
13	Carbaryl	High-Performance Liquid Chromatographic Method ^[4]
14	Carbofuran	High-Performance Liquid Chromatographic Method ^[4]
15	Chemical Oxygen Demand	1) Open Reflux, Titrimetric method ^[4] 2) Closed Reflux, Colorimetric method ^[4] 3) Closed Reflux, Titrimetric Method ^[4]
16	Chlordane	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]

-๒-

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
17	Chromium	1) Digestion, Direct Air-Acetylene Flame Method ^[4] 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^[4] 3) Digestion, Inductively Coupled Plasma Method ^[4]
18	Color	ADMI Weighted-Ordinate Spectrophotometric Method ^[4]
19	Copper	1) Digestion, Direct Air-Acetylene Flame Method ^[4] 2) Digestion, Inductively Coupled Plasma Method ^[4]
20	Cyanide	Distillation, Colorimetric method ^[4]
21	4,4'-DDD	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
22	4,4'-DDE	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
23	4,4'-DDT	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
24	Dieldrin	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
25	Endosulfan I	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
26	Endosulfan II	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
27	Endosulfan Sulfate	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
28	Endrin	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
29	Endrin aldehyde	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
30	Formaldehyde	Distillation, Colorimetric Method ^[3]
31	Free Chlorine	1) Iodometric Method ^[4] 2) DPD Colorimetric Method ^[4]
32	Heptachlor	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
33	Heptachlor epoxide	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
34	Hexavalent Chromium	Colorimetric Method ^[4]

droxy...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
35	3-Hydroxycarbofuran	High-Performance Liquid Chromatographic Method ^[4]
36	Lead	1) Digestion, Direct Air-Acetylene Flame Method ^[4] 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^[4] 3) Digestion, Inductively Coupled Plasma Method ^[4]
37	Malathion	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
38	Manganese	1) Digestion, Direct Air-Acetylene Flame Method ^[4] 2) Digestion, Inductively Coupled Plasma Method ^[4]
39	Mercury	Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[4]
40	Methiocarb	High-Performance Liquid Chromatographic Method ^[4]
41	Methomyl	High-Performance Liquid Chromatographic Method ^[4]
42	Methoxychlor	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
43	Methyl parathion	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
44	1-Naphthol	High-Performance Liquid Chromatographic Method ^[4]
45	Nickel	1) Digestion, Direct Air-Acetylene Flame Method ^[4] 2) Digestion, Inductively Coupled Plasma Method ^[4]
46	Oil & Grease	1) Liquid-Liquid, Partition-Gravimetric Method ^[4] 2) Soxhlet Extraction Method ^[4]
47	Oxamyl	High-Performance Liquid Chromatographic Method ^[4]
48	pH	Electrometric Method ^[4]
49	Phenols	1) Distillation, Chloroform Extraction Method ^[4] 2) Distillation, Direct Photometric Method ^[4]
50	Propoxur	High-Performance Liquid Chromatographic Method ^[4]
51	Selenium	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[4] 2) Digestion, Inductively Coupled Plasma Method ^[4]
52	Sulfide	1) Iodometric method ^[4] 2) Methylene blue method ^[4]
53	Temperature	Laboratory and Field Methods ^[4]
54	Total Dissolved Solids	Dried at 180 °C ^[4]
55	Total Kjeldahl Nitrogen	Macro Kjeldahl Method ^[4]

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
56	Total Suspended Solids	Dried at 103-105 °C ^[4]
57	Toxaphene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
58	Trivalent Chromium	Digestion, Inductively Coupled Plasma Method; Colorimetric Method; Calculation ^[4]
59	Zinc	1) Digestion, Direct Air-Acetylene Flame Method ^[4] 2) Digestion, Inductively Coupled Plasma Method ^[4]

น้ำใต้ดิน จำนวน 126 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Acenaphthene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
2	Acetone	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method ^[4]
3	Aldrin	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
4	Anthracene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
5	Antimony	Digestion, Inductively Coupled Plasma Spectrometric Method ^[4]
6	Arsenic	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[4] 2) Digestion, Inductively Coupled Plasma Method ^[4]
7	Atrazine	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
8	Barium	Digestion, Inductively Coupled Plasma Spectrometric Method ^[4]
9	Benz(a)anthracene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
10	Benzene	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method ^[4]
11	Benzo(b)fluoranthene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
12	Benzo(k)fluoranthene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
13	Benzoic acid	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
14	Benzo(a)pyrene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
15	Benzo(g,h,i)perylene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
16	Beryllium	Digestion, Inductively Coupled Plasma Spectrometric Method ^[4]
17	Bis(2-chloroethyl)ether	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
18	Bis(2-ethylhexyl)phthalate	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
19	Bromodichloromethane	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method ^[4]
20	Bromoform	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method ^[4]
21	Butanol	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method ^[4]
22	Butyl benzyl phthalate	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
23	Cadmium	Digestion, Inductively Coupled Plasma Spectrometric Method ^[4]
24	Carbazole	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
25	Carbon disulfide	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method ^[4]
26	Carbon tetrachloride	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method ^[4]
27	Chlordane	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
28	p-Chloroaniline	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
29	Chlorobenzene	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method ^[4]
30	Chlorodibromomethane	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method ^[4]

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
31	Chloroform	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method ^[4]
32	2-Chlorophenol	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
33	Chromium	1) Digestion, Direct Air-Acetylene Flame Method ^[4] 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^[4] 3) Digestion, Inductively Coupled Plasma Spectrometric Method ^[4]
34	Chromium (III)	Digestion, Inductively Coupled Plasma Spectrometric Method; Colorimetric Method; Calculation ^[4]
35	Chromium (VI)	Colorimetric Method ^[4]
36	Chrysene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
37	Cyanide	Distillation, Colorimetric Method ^[4]
38	2,4-D	Liquid-Liquid Extraction, Gas Chromatographic Method ^[4]
39	DDD	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
40	DDE	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
41	DDT	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
42	Dibenz(a,h)anthracene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
43	Di-n-butyl phthalate	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
44	1,2-Dichlorobenzene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
45	1,3-Dichlorobenzene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
46	1,4-Dichlorobenzene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
47	3,3'-Dichlorobenzidine	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
48	1,1-Dichloroethane	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method ^[4]
49	1,2-Dichloroethane	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method ^[4]
50	1,1-Dichloroethylene	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method ^[4]
51	cis-1,2-Dichloroethylene	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method ^[4]
52	trans-1,2-Dichloroethylene	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method ^[4]
53	2,4-Dichlorophenol	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
54	1,2-Dichloropropane	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method ^[4]
55	1,3-Dichloropropane	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method ^[4]
56	1,3-Dichloropropene	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method ^[4]
57	Dieldrin	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
58	Diethyl phthalate	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
59	2,4-Dimethylphenol	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
60	2,4-Dinitrophenol	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
61	2,4-Dinitrotoluene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
62	2,6-Dinitrotoluene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
63	Di-n-Octyl phthalate	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
64	Endosulfan	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
65	Endrin	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
66	Ethylbenzene	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method ^[4]
67	Fluoranthene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
68	Fluorene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
69	Heptachlor	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
70	Heptachlor epoxide	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
71	Hexachlorobenzene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
72	Hexachloro-1,3-butadiene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
73	n-Hexane	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method ^[4]
74	α -HCH	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
75	β -HCH	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
76	γ -HCH	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
77	Hexachlorocyclopentadiene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
78	Hexachloroethane	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
79	Indeno(1,2,3-cd)pyrene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
80	Isophorone	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
81	Lead	1) Digestion, Direct Air-Acetylene Flame Method ^[4] 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^[4] 3) Digestion, Inductively Coupled Plasma Spectrometric Method ^[4]
82	Manganese	1) Digestion, Direct Air-Acetylene Flame Method ^[4]

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
83	Mercury	2) Digestion, Inductively Coupled Plasma Spectrometric Method ^[4] Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[4]
84	Methanol	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method ^[4]
85	Methoxychlor	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
86	Methyl bromide	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method ^[4]
87	Methylene chloride	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method ^[4]
88	2-Methylphenol	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
89	2-Methylnaphthalene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
90	Methyl tert-butyl ether	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
91	Naphthalene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
92	Nickel	1) Digestion, Direct Air-Acetylene Flame Method ^[4] 2) Digestion, Inductively Coupled Plasma Spectrometric Method ^[4]
93	Nitrobenzene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
94	N-Nitrosodiphenylamine	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
95	N-Nitrosodi-n-propylamine	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
96	Polychlorinated Biphenyls - PCB-1016 - PCB-1221 - PCB-1232 - PCB-1242 - PCB-1248 - PCB-1254 - PCB-1260	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
97	Pentachlorophenol	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
98	pH	Electrometric method ^[4]
99	Phenanthrene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
100	Phenol	1) Distillation, Chloroform Extraction Method ^[4] 2) Distillation, Direct Photometric Method ^[4]
101	Pyrene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
102	Selenium	Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[4]
103	Silver	Digestion, Inductively Coupled Plasma Method ^[4]
104	Styrene	Purge and Trap Gas Chromatographic/ Mass spectrometric Method ^[4]
105	1,1,2,2-Tetrachloroethane	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method ^[4]
106	Tetrachloroethylene	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method ^[4]
107	Toluene	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method ^[4]
108	Toxaphene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
109	TPH (C ₅ -C ₈)	Purge and Trap, Gas Chromatographic Method ^[12,21]
110	TPH (C ₈ -C ₁₆)	Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[9,21]
111	TPH (C ₁₆ -C ₃₅)	Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[9,21]
112	1,2,4-Trichlorobenzene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
113	1,1,1-Trichloroethane	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method ^[4]
114	1,1,2-Trichloroethane	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method ^[4]
115	Trichloroethylene	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method ^[4]
116	2,4,5-Trichlorophenol	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
117	2,4,6-Trichlorophenol	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
118	1,3,5-Trimethylbenzene	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method ^[4]
119	Vanadium	Digestion, Inductively Coupled Plasma Spectrometric Method ^[4]
120	Vinyl acetate	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method ^[4]
121	Vinyl chloride	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method ^[4]
122	m-Xylene	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method ^[4]
123	o-Xylene	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method ^[4]
124	p-Xylene	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method ^[4]
125	Xylene (Total)	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method ^[4]
126	Zinc	1) Digestion, Direct Air-Acetylene Flame Method ^[4] 2) Digestion, Inductively Coupled Plasma Spectrometric Method ^[4]

อากาศเสีย (ปล่อยระบาย) จำนวน 28 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Antimony	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method ^[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
2	Arsenic	1) Isokinetic Sampling, Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
3	Beryllium	Isokinetic Sampling, Digestion, Inductively Coupled

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
4	Cadmium	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method ^[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
5	Carbon Monoxide	Instrumental Analyzer Method ^[5]
6	Chlorine	1) Absorption Sampling, Ion Chromatographic Method ^[5] 2) Isokinetic Sampling, Ion Chromatographic Method ^[5]
7	Chromium	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method ^[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
8	Cobalt	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method ^[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
9	Copper	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method ^[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
10	Cresol	Adsorption Sampling, Gas Chromatographic Method ^[5]
11	Dioxins/Furans	Isokinetic Sampling, Analysis by ISO/IEC 17025 Accredited Laboratory or Analysis by Department of Industrial Works Registered Laboratory (Dioxins/Furans Analysis Approved) ^[5]
12	Hydrogen Chloride	1) Absorption Sampling, Ion Chromatographic Method ^[5] 2) Isokinetic Sampling, Ion Chromatographic Method ^[5]
13	Hydrogen Fluoride	1) Absorption Sampling, Ion Chromatographic Method ^[5] 2) Isokinetic Sampling, Ion Chromatographic Method ^[5]

d^[5]
Air-Acetylene

) Isokinetic...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
16	Manganese	2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5] 1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method ^[5]
17	Mercury	2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5] Isokinetic Sampling, Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[5]
18	Nickel	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method ^[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
19	Opacity	Ringelmann's Method ^[2]
20	Oxides of Nitrogen	1) Absorption Sampling, Phenoldisulfonic acid Method ^[5] 2) Instrumental Analyzer Method ^[5]
21	Selenium	Isokinetic Sampling, Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[5]
22	Sulfur Dioxide	1) Absorption Sampling, Barium-Thorin Titrimetric Method ^[5] 2) Isokinetic Sampling, Barium-Thorin Titrimetric Method ^[5] 3) Instrumental Analyzer Method ^[5]
23	Sulfuric acid	Isokinetic Sampling, Barium-Thorin Titrimetric Method ^[5]
24	Tellurium	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
25	Tin	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
26	Total Suspended Particulate	Isokinetic Sampling, Gravimetric Method ^[5]
27	Vanadium	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
28	Xylene	1) Adsorption Sampling, Gas Chromatographic Method ^[5] 2) Adsorption Sampling, Gas Chromatographic/Mass Spectrometric Method ^[5]

สิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว จำนวน 36 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Acrylonitrile	1) Waste Extraction, Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[1,12,26] 2) Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
2	Aldrin	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[1,9,22] 2) Soxhlet Extraction, Gas Chromatographic Method ^[10,22]
3	Antimony	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method ^[1,6,15] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,14] 3) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 4) Digestion, Inductively Coupled Plasma Method ^[7,14]
4	Arsenic	1) Waste Extraction, Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[1,6,16] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,14] 3) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[7,16] 4) Digestion, Inductively Coupled Plasma Method ^[7,14]
5	Barium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,14] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]
6	Beryllium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,14] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]
7	Cadmium	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method ^[1,6,15] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,14]

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
8	Chlordane	3) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 4) Digestion, Inductively Coupled Plasma Method ^[7,14] 1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[1,9,27] 2) Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
9	Chromium	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method ^[1,6,15] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,14] 3) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 4) Digestion, Inductively Coupled Plasma Method ^[7,14]
10	Chromium (VI)	1) Waste Extraction, Colorimetric Method ^[1,17] 2) Alkaline Digestion, Colorimetric Method ^[8,17]
11	Cobalt	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method ^[1,6,15] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,14] 3) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 4) Digestion, Inductively Coupled Plasma Method ^[7,14]
12	Copper	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method ^[1,6,15] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,14] 3) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 4) Digestion, Inductively Coupled Plasma Method ^[7,14]
13	2,4-D	1) Waste Extraction, Gas Chromatographic/Mass Spectrometric Method ^[1,25] 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25]

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
14	DDD	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[1,9,22] 2) Soxhlet Extraction, Gas Chromatographic Method ^[10,22]
15	DDE	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[1,9,22] 2) Soxhlet Extraction, Gas Chromatographic Method ^[10,22]
16	DDT	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[1,9,22] 2) Soxhlet Extraction, Gas Chromatographic Method ^[10,22]
17	Dieldrin	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[1,9,22] 2) Soxhlet Extraction, Gas Chromatographic Method ^[10,22]
18	Endrin	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[1,9,22] 2) Soxhlet Extraction, Gas Chromatographic Method ^[10,22]
19	Heptachlor	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[1,9,22] 2) Soxhlet Extraction, Gas Chromatographic Method ^[10,22]
20	Lead	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method ^[1,6,15] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,14] 3) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 4) Digestion, Inductively Coupled Plasma Method ^[7,14]
21	Lindane	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[1,9,27] 2) Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
22	Mercury	1) Waste Extraction, Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[1,18] 2) Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[19]
23	Methoxychlor	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[1,9,22] 2) Soxhlet Extraction, Gas Chromatographic Method ^[10,22]
24	Molybdenum	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method ^[1,6,15] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,14] 3) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 4) Digestion, Inductively Coupled Plasma Method ^[7,14]
25	Nickel	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method ^[1,6,15] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,14] 3) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 4) Digestion, Inductively Coupled Plasma Method ^[7,14]
26	Polychlorinated Biphenyls - Aroclor 1016 - Aroclor 1221 - Aroclor 1232 - Aroclor 1242 - Aroclor 1248 - Aroclor 1254 - Aroclor 1260	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[1,9,27] 2) Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
27	Pentachlorophenol	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[1,9,22] 2) Soxhlet Extraction, Gas Chromatographic Method ^[10,22]
28	pH	Electrometric Method ^[31,32]

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
29	Selenium	1) Waste Extraction, Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[1,6,20] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,14] 3) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[7,20] 4) Digestion, Inductively Coupled Plasma Method ^[7,14]
30	Silver	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method ^[1,6,15] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,14] 3) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 4) Digestion, Inductively Coupled Plasma Method ^[7,14]
31	Silvex	1) Waste Extraction, Gas Chromatographic/Mass Spectrometric Method ^[1,25] 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25]
32	Thallium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,14] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]
33	Toxaphene	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[1,9,27] 2) Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
34	Trichloroethylene	1) Waste Extraction, Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[1,12,26] 2) Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
35	Vanadium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,14] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
36	Zinc	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method ^[1,6,15] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,14] 3) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 4) Digestion, Inductively Coupled Plasma Method ^[7,14]

ดิน จำนวน 125 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Acenaphthene	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]
2	Acetone	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,26]
3	Aldrin	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]
4	Anthracene	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]
5	Antimony	1) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]
6	Arsenic	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[7,16] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]
7	Atrazine	Soxhlet Extraction, Gas Chromatographic Method ^[10,24]
8	Barium	Digestion, Inductively Coupled Plasma Method ^[7,14]
9	Benz(a)anthracene	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]
10	Benzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,26]
11	Benzo(b)fluoranthene	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]
12	Benzo(k)fluoranthene	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
13	Benzoic acid	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]
14	Benzo(a)pyrene	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]
15	Benzo(g,h,i)perylene	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]
16	Beryllium	Digestion, Inductively Coupled Plasma Method ^[7,14]
17	Bis(2-chloroethyl)ether	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]
18	Bis(2-ethylhexyl)phthalate	Soxhlet Extraction, Gas Chromatographic Method ^[10,23]
19	Bromodichloromethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,26]
20	Bromoform	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,26]
21	Butanol	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,26]
22	Butyl benzyl phthalate	Soxhlet Extraction, Gas Chromatographic Method ^[10,23]
23	Cadmium	1) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]
24	Carbazole	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]
25	Carbon disulfide	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,26]
26	Carbon tetrachloride	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,26]
27	Chlordane	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]
28	p-Chloroaniline	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]
29	Chlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,26]
30	Chlorodibromomethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,26]
31	Chloroform	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,26]

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
32	2-Chlorophenol	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]
33	Chromium	1) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 2) Digestion, Inductively Coupled Plasma Method ^[7,6010]
34	Chromium (III)	Digestion, Inductively Coupled Plasma Method; Alkaline Digestion Colorimetric Method; Calculation Method ^[7,8,14,17]
35	Chromium (VI)	Alkaline Digestion, Colorimetric Method ^[8,17]
36	Chrysene	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]
37	Cyanide	Extraction, Distillation, Colorimetric Method ^[28,29,30]
38	2,4-D	Ultrasonic Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[25]
39	DDD	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]
40	DDE	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]
41	DDT	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]
42	Dibenz(a,h)anthracene	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]
43	Di-n-butyl phthalate	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]
44	1,2-Dichlorobenzene	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]
45	1,3-Dichlorobenzene	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]
46	1,4-Dichlorobenzene	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]
47	3,3'-Dichlorobenzidine	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]
48	1,1-Dichloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,26]

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
49	1,2-Dichloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,26]
50	1,1-Dichloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,26]
51	cis-1,2-Dichloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,26]
52	trans-1,2-Dichloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,26]
53	2,4-Dichlorophenol	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]
54	1,2-Dichloropropane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,26]
55	1,3-Dichloropropane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,26]
56	1,3-Dichloropropene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,26]
57	Dieldrin	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]
58	Diethyl phthalate	Soxhlet Extraction, Gas Chromatographic Method ^[10,23]
59	2,4-Dimethylphenol	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]
60	2,4-Dinitrophenol	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]
61	2,4-Dinitrotoluene	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]
62	2,6-Dinitrotoluene	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]
63	Di-n-Octyl phthalate	Soxhlet Extraction, Gas Chromatographic Method ^[10,23]
64	Endosulfan	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]
65	Endrin	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]
66	Ethylbenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,26]
67	Fluoranthene	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
68	Fluorene	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]
69	Heptachlor	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]
70	Heptachlor epoxide	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]
71	Hexachlorobenzene	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]
72	Hexachloro-1,3-butadiene	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]
73	n-Hexane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,26]
74	α -HCH	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]
75	β -HCH	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]
76	γ -HCH	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]
77	Hexachlorocyclopentadiene	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]
78	Hexachloroethane	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]
79	Indeno(1,2,3-cd)pyrene	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]
80	Isophorone	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]
81	Lead	1) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]
82	Manganese	1) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]
83	Mercury	Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[19]
84	Methanol	Equilibrium Headspace, Gas chromatographic Method ^[11,21]

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
85	Methoxychlor	Soxhlet Extraction, Gas Chromatographic Method ^[10,22]
86	Methyl bromide	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,26]
87	Methylene chloride	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,26]
88	2-Methylphenol	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]
89	2-Methylnaphthalene	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]
90	Methyl tert-butyl ether	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,26]
91	Naphthalene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,26]
92	Nickel	1) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]
93	Nitrobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,26]
94	N-Nitrosodiphenylamine	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]
95	N-Nitrosodi-n-propylamine	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]
96	Polychlorinated Biphenyls - Aroclor 1016 - Aroclor 1221 - Aroclor 1232 - Aroclor 1242 - Aroclor 1248 - Aroclor 1254 - Aroclor 1260	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]
97	Pentachlorophenol	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]
98	Phenanthrene	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]
99	Phenol	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
100	Pyrene	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]
101	Selenium	Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[7,20]
102	Silver	Digestion, Inductively Coupled Plasma Method ^[7,14]
103	Styrene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,26]
104	1,1,2,2-Tetrachloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,26]
105	Tetrachloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,26]
106	Toluene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,26]
107	Toxaphene	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]
108	TPH (C ₅ -C ₈)	Purge and Trap, Gas Chromatographic Method ^[13,21]
109	TPH (C ₈ -C ₁₆)	Soxhlet Extraction, Gas Chromatographic Method ^[10,21]
110	TPH (C ₁₆ -C ₃₅)	Soxhlet Extraction, Gas Chromatographic Method ^[10,21]
111	1,2,4-Trichlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,26]
112	1,1,1-Trichloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,26]
113	1,1,2-Trichloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,26]
114	Trichloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,26]
115	2,4,5-Trichlorophenol	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]
116	2,4,6-Trichlorophenol	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]
117	1,3,5-Trimethylbenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,26]
118	Vanadium	Digestion, Inductively Coupled Plasma Method ^[7,14]
119	Vinyl acetate	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,26]

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
120	Vinyl chloride	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,26]
121	m-Xylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,26]
122	o-Xylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,26]
123	p-Xylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,26]
124	Xylene (Total)	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,26]
125	Zinc	1) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]

เอกสารอ้างอิง

- กระทรวงอุตสาหกรรม. ประกาศกระทรวงอุตสาหกรรม, พ.ศ. 2548. เรื่อง การกำจัดสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว. **ราชกิจจานุเบกษา**. 25 มกราคม 2549. เล่มที่ 123 ตอนพิเศษ 11ง.
- กระทรวงอุตสาหกรรม. ประกาศกระทรวงอุตสาหกรรม, พ.ศ. 2549. เรื่อง กำหนดค่าปริมาณเขม่าควันที่เจือปนในอากาศที่ระบายออกจากปล่องของหม้อน้ำโรงสีข้าวที่ใช้แก๊สเป็นเชื้อเพลิง. **ราชกิจจานุเบกษา**. 4 ธันวาคม 2549. เล่มที่ 123 ตอนพิเศษ 125ง.
- สมาคมวิศวกรรมสิ่งแวดล้อมแห่งประเทศไทย. คู่มือวิเคราะห์น้ำเสีย. พิมพ์ครั้งที่ 4. กรุงเทพฯ: เรือนแก้วการพิมพ์, 2547.
- APHA, AWWA, WEF. **Standard Methods for the Examination of Water and Wastewater**. 23rd ed. Washington, DC: APHA, 2017.
- United States Environmental Protection Agency. **Standards of Performance for New Stationary Sources**. 40 CFR 60. Appendix A, 2019.
- United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. SW-846**, 1997.
- United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Acid Digestion of Sediments, Sludges, and Soils. SW-846 Method 3050B**, 1996.
- United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Alkaline Digestion for Hexavalent Chromium. SW-846 Method 3060A**, 1996.

9. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Separatory Funnel Liquid-Liquid Extraction. SW-846 Method 3510C**, 1996.
10. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Soxhlet Extraction. SW-846 Method 3540C**, 1996.
11. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Volatile Organic Compounds in Various Sample Matrices Using Equilibrium Headspace Analysis. SW-846 Method 5021A**, 2014.
12. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Purge-and-Trap for Aqueous Samples. SW-846 Method 5030C**, 2003.
13. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Closed-System Purge-and-Trap And Extraction For Volatile Organics in Soil and Waste Samples. SW-846 Method 5035A**, 2002.
14. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Inductively Coupled Plasma-optical Emission Spectrometry. SW-846 Method 6010D**, 2018
15. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Flame Atomic Absorption Spectrophotometry. SW-846 Method 7000B**, 2007.
16. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Arsenic (Atomic Absorption, Gaseous Hydride). SW-846 Method 7061A**, 1992.
17. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Chromium, Hexavalent (Colorimetric), SW-846 Method 7196A**, 1992.
18. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Mercury in Liquid Waste (Manual Cold-Vapor Technique, SW-846 Method 7470A**, 1994.
19. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Mercury in Solid or Semisolid Waste (Manual Cold-Vapor Technique, SW-846 Method 7471B**, 2007.
20. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Selenium (Atomic Absorption, Gaseous Hydride), SW-846 Method 7741A**, 1994.
21. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Nonhalogenated Organics Using GC/FID. SW-846 Method 8015D**, 2003.

United States...

22. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Organochlorine Pesticide by Gas Chromatography. SW-846 Method 8081B**, 2007.
23. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Phthalate Esters by Gas Chromatography with Electron Capture Detection (GC/ECD). SW-846 Method 8061A**, 1996.
24. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Organophosphorus Compounds by Gas Chromatography. SW-846 Method 8141B**, 2007.
25. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Chlorinated Herbicides By GC Using Methylation or Pentafluorobenzoylation Derivatization. SW-846 Method 8151A**, 1996.
26. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Volatile Organic Compounds by Gas Chromatography/ Mass Spectrometry (GC/MS). SW-846 Method 8260D**, 2018.
27. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **SemiVolatile Organic Compounds by Gas Chromatography/Mass Spectrometry. SW-846 Method 8270E**, 2018.
28. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Total and Amenable Cyanide: Distillation. SW-846 Method 9010C**, 2004.
29. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Cyanide Extraction Procedure for Solids and Oils. SW-846 Method 9013A**, 2014.
30. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Cyanide in Waters and Extracts Using Titrimetric and Manual Spectrophotometric. SW-846 Method 9014**, 2014.
31. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **pH Electrometric Measurement. SW-846 Method 9040C**, 2004.
32. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Solid and Waste pH. SW-846 Method 9045D**, 2004.

ที่ อก ๐๓๑๐(๑)/ ๕๕๓๓



กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท
เขตราชเทวี กรุงเทพฯ ๑๐๕๐๐

๑๑ พฤษภาคม ๒๕๖๕

เรื่อง เปลี่ยนแปลงบุคลากรของห้องปฏิบัติการวิเคราะห์

เรียน กรรมการผู้จัดการ บริษัท เอส.พี.เอส. คอนสตรัคติ้ง เซอร์วิส จำกัด

อ้างถึง ๑) คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารมลพิษของห้องปฏิบัติการวิเคราะห์เอกชน
ลงวันที่ ๓๐ มีนาคม ๒๕๖๔

๒) หนังสือกรมโรงงานอุตสาหกรรม ที่ อก ๐๓๑๐(๑)/๔๗๕๒ ลงวันที่ ๒๖ เมษายน ๒๕๖๔

ตามหนังสือที่อ้างถึง ๑ บริษัท เอส.พี.เอส. คอนสตรัคติ้ง เซอร์วิส จำกัด ห้องปฏิบัติการวิเคราะห์
เอกชน เลขทะเบียน ว-๐๑๑๑ สถานที่ตั้งเลขที่ ๗ ซอยพหลโยธิน ๒๔ ถนนพหลโยธิน แขวงจอมพล เขตจตุจักร
กรุงเทพมหานคร ขอเปลี่ยนแปลงบุคลากรของห้องปฏิบัติการวิเคราะห์ ความละเอียดแจ้งแล้ว นั้น

กรมโรงงานอุตสาหกรรมได้ส่งหนังสือเปลี่ยนแปลงบุคลากรของห้องปฏิบัติการวิเคราะห์
ที่ อก ๐๓๑๐(๑)/๔๗๕๒ ลงวันที่ ๒๖ เมษายน ๒๕๖๔ ตามหนังสือที่อ้างถึง ๒ และได้ตรวจสอบพบ
ความคลาดเคลื่อนจึงขอยกเลิกหนังสือฉบับดังกล่าว โดยให้บริษัท เอส.พี.เอส. คอนสตรัคติ้ง เซอร์วิส จำกัด
ใช้หนังสือเปลี่ยนแปลงบุคลากรของห้องปฏิบัติการวิเคราะห์ฉบับนี้แทน ดังนี้

๑. ให้ยกเลิกผู้ควบคุมดูแลห้องปฏิบัติการวิเคราะห์

นางสาววศินี สิงห์สุทธิ์

๒. ให้ยกเลิกเจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์

๑) นางสาววันวิสาข์ ปรีเปรมไธษฐ

๒) นางสาวอรรณพ คงเนียม

๓) นางสาวดาริน ทองศรี

๔) นายจักรกฤษ พรหมทา

๕) นายเนติพงษ์ บัวดี

๖) นางสาวณัฐพร สุขหัวญาติ

๗) นางสาวเจนจิรา โมกขบุรุษ

๓. ให้เพิ่มผู้ควบคุมดูแลห้องปฏิบัติการวิเคราะห์

๑) นางสาววันวิสาข์ ปรีเปรมไธษฐ

๒) นางสาวอรรณพ คงเนียม

๓) นางสาวดาริน ทองศรี

๔. ให้เพิ่มเจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์

๑) นางสาวอารีญา หนูเจริญ

๒) นายสิทธิศักดิ์ คำวงษา

๓) นายสรารัฐ พรหมกระโทก

๔) นายวัชรินทร์...

-๒-

๔) นายวัชรินทร์ จิตะฐาน

๕) ว่าที่ร้อยตรีพิระพงษ์ สุพรรณศรี

๖) นายพงษ์เทพ สิทธิเลา

๗) นางสาววรรณิศา กิจจิลา

๘) นางสาวบุญยาพร รัตนสูตร

๙) นางสาวนันธิยา พานอ่อน

๑๐) นางสาวสุภาภรณ์ ดุนสุข

๑๑) นางสาวจิราพร ตาลจรัส

อนึ่ง หนังสือฉบับนี้จะหมดอายุพร้อมหนังสือ
เอกชน ที่ อก ๐๓๑๐(๑)/๑๒๑๒๔ ลงวันที่ ๓๐ ตุลาคม ๒๕๖๓ ที่

จึงเรียนมาเพื่อทราบ

กองวิจัยและเตือนภัยมลพิษโรงงาน

กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษและทะเบียนห้องปฏิบัติการ

โทร. ๐ ๒๒๐๒ ๔๑๔๖ ๐ ๒๒๐๒ ๔๐๐๒

โทรสาร ๐ ๒๓๕๔ ๓๔๑๕

ที่ อก ๐๓๑๐(๑)/ ๑๑ ๒๓๗



กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท
เขตราชเทวี กรุงเทพฯ ๑๐๔๐๐

๑๔ พฤศจิกายน ๒๕๖๔

เรื่อง เปลี่ยนแปลงบุคลากรของห้องปฏิบัติการวิเคราะห์

เรียน กรรมการผู้จัดการ บริษัท เอส.พี.เอส. คอนสตรัคชั่น เซอร์วิส จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารมลพิษของห้องปฏิบัติการวิเคราะห์เอกชน
ลงวันที่ ๑๕ ตุลาคม ๒๕๖๔

ตามหนังสือที่อ้างถึง บริษัท เอส.พี.เอส. คอนสตรัคชั่น เซอร์วิส จำกัด ห้องปฏิบัติการวิเคราะห์เอกชน
เลขทะเบียน ว-๐๑๑ สถานที่ตั้งเลขที่ ๗ ซอยพหลโยธิน ๒๔ ถนนพหลโยธิน แขวงจอมพล เขตจตุจักร
กรุงเทพมหานคร ขอเปลี่ยนแปลงบุคลากรของห้องปฏิบัติการวิเคราะห์ ความละเอียดแจ้งแล้ว นั้น

กรมโรงงานอุตสาหกรรมพิจารณา

๑. ให้ยกเลิกผู้ควบคุมดูแลห้องปฏิบัติการ

นางสาวอุทุมพร แทนทอง

๒. ให้ยกเลิกเจ้าหน้าที่ประจำห้องปฏิบัติการ

๑) นางสาวเบญจวรรณ สรร

๒) นางสาวสมใจ ศรีสถาวร

๓) นางสาวสุธินี อ่อนประเสริฐ

๔) นางสาวกนกวรรณ เอี่ยม

๕) นางสาวพนิดา เกิดจั่น

๖) นางสาวอุมาพร เนตรวง

๗) นางสาวอุบล เดิกศิริ

๘) นางสาวรัญญา ชนะพา

๙) นางสาวพรรณราย พร

๑๐) นางสาวอารีญา หนูเจ้

๑๑) นายวัชรินทร์ ฐิตะฐาน

๓. ให้เพิ่มผู้ควบคุมดูแลห้องปฏิบัติการ

๑) นางสาวสมใจ ศรีสถาวร

๒) นางสาวเบญจวรรณ สรร

๓) นางสาวกนกวรรณ เอี่ยม

๔) นางสาววารภรณ์ ชัยสิทธิ์

๔. ให้เพิ่มเจ้าหน้าที่...

- ๒ -

๔. ให้เพิ่มเจ้าหน้าที่ประจำห้องปฏิบัติการ

๑) นางสาวยุกรัตน์ સાແກ້ວ

๒) นางสาวสุวรรณา กรอนก

๓) นางสาวศิริวรรณ เจริญทิ

๔) นางสาวกคินี แสงงา

๕) นางสาวธนัชฐา รักรวงศ์

๖) นางสาวจินดาณิ สุวรรณ

อนึ่ง หนังสือฉบับนี้จะหมดอายุพร

ที่ อก ๐๓๑๐(๑)/๑๒๑๒๔ ลงวันที่ ๓๐ ตุลาคม ๒

จึงเรียนมาเพื่อทราบ

าษาที่เอกชน

ผู้
ปฏิบัติ

กองวิจัยและเตือนภัยมลพิษโรงงาน

กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษและทะเบียนห้องปฏิบัติการ

โทร. ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๐๓-๕

โทรสาร ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๔๙

ไปรษณีย์อิเล็กทรอนิกส์ saraban@diw.mail.go.th

ที่ อก ๐๓๑๐(๑)/ ๔๑๘ ๑



กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท
เขตราชเทวี กรุงเทพฯ ๑๐๔๐๐

๓๑ มีนาคม ๒๕๖๕

เรื่อง เปลี่ยนแปลงบุคลากรของห้องปฏิบัติการวิเคราะห์

เรียน กรรมการผู้จัดการ บริษัท เอส.พี.เอส. คอนสตรัคชั่น เซอร์วิส จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารมลพิษของห้องปฏิบัติการวิเคราะห์เอกชน
ลงวันที่ ๑ มีนาคม ๒๕๖๕

ตามหนังสือที่อ้างถึง บริษัท เอส.พี.เอส. คอนสตรัคชั่น เซอร์วิส จำกัด ห้องปฏิบัติการวิเคราะห์เอกชน
เลขทะเบียน ๖-๐๑๑ สถานที่ตั้งเลขที่ ๗ ซอยพหลโยธิน ๒๔ ถนนพหลโยธิน แขวงจอมพล เขตจตุจักร
กรุงเทพมหานคร ขอเปลี่ยนแปลงบุคลากรของห้องปฏิบัติการวิเคราะห์ ความละเอียดแจ้งแล้ว นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว มีความเห็นดังนี้

๑. ให้ยกเลิกผู้ควบคุมดูแลห้องปฏิบัติการวิเคราะห์

- ๑) นางสาวสุจิตรา นาวารัตน์
- ๒) นางสาวศรัจจันทร์ แวสุวรรณ
- ๓) นายเสถียร จิตตยานันต์
- ๔) นางสาวเบญจพร ทองนอก
- ๕) นางสาววันวิสาข์ ปรีเปรมโอษฐ์
- ๖) นางสาวอรวรรณ คงเนียม
- ๗) นางสาวสมใจ ศรีสกลาร

๒. ให้ยกเลิกเจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์

- ๑) นายพุดิคุณ ชัยน้อย
- ๒) นายชลิต เขียวระยัย
- ๓) นางสาวอรุณรัตน์ พันธเสน
- ๔) นายชัย บัวสด
- ๕) นายศรีณญ์ เชื้อสนิท
- ๖) นางสาวทิพยาภรณ์ สำแดงสี
- ๗) นายเวทิต จิตกุล
- ๘) นายภาณุวัฒน์ พิณอุโท
- ๙) นายวรรณะ แยมสอ้ง
- ๑๐) นางสาวโกมลรัฐ คุ่มไข่น้ำ
- ๑๑) นางสาวศศิธร แก้วมูล
- ๑๒) นางสาวเนรัชชา คำม่วง

๑๓) นายสุทธิพงศ์...

- ๒ -

- ๑๓) นายสุทธิพงศ์ แสงเมือง
- ๑๔) นางสาวกนิษฐนาฏ วงศ์เครือ
- ๑๕) นางสาวธัญชนก ยะมงคล
- ๑๖) นางสาวภักคินี แสงงา
- ๑๗) นางสาวจินตมาณี สุวรรณชาติ
๓. ให้เพิ่มผู้ควบคุมดูแลห้องปฏิบัติการวิเคราะห์
- ๑) นายพุดิคุณ ชัยน้อย
- ๒) นายชลิต เขียวระยัย
๔. ให้เพิ่มเจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์
- ๑) นางสาวณัฏกมล มีระหาญ
- ๒) นางสาวเนตรนรินทร์ วงศ์กาฬสินธุ์
- ๓) นางสาวศุภลักษณ์ เสี่ยงมวงษ์
- ๔) นางสาวอรทัย ศรีจำรัส

อนึ่ง หนังสือฉบับนี้จะหมดอายุพร้อมหนังสือต่ออายุ
ที่ อก ๐๓๑๐(๑)/๑๒๑๒๔ ลงวันที่ ๓๐ ตุลาคม ๒๕๖๓ คือในวันที่
ผ่านระบบอิเล็กทรอนิกส์ได้ที่หน้าเว็บไซต์กรมโรงงานอุตสาหกรรม
จึงเรียนมาเพื่อทราบ



ยื่นคำขอผ่านระบบอิเล็กทรอนิกส์

กองวิจัยและเตือนภัยมลพิษโรงงาน
กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษและทะเบียนห้องปฏิบัติการ
โทร. ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๐๓-๕
โทรสาร ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๙๙
ไปรษณีย์อิเล็กทรอนิกส์ saraban@diw.mail.go.th



ที่ อก ๐๓๑๐(๑)/ ๔๖๓๒



กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท
เขตราชเทวี กรุงเทพฯ ๑๐๔๐๐

๑๘ เมษายน ๒๕๖๕

เรื่อง เปลี่ยนแปลงบุคลากรของห้องปฏิบัติการวิเคราะห์

เรียน กรรมการผู้จัดการ บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารมลพิษของห้องปฏิบัติการวิเคราะห์เอกชน
ลงวันที่ ๒๕ มีนาคม ๒๕๖๕

ตามหนังสือที่อ้างถึง บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด ห้องปฏิบัติการวิเคราะห์เอกชน
เลขทะเบียน ว-๐๑๑ สถานที่ตั้งเลขที่ ๗ ซอยพหลโยธิน ๒๕ ถนนพหลโยธิน แขวงจอมพล เขตจตุจักร
กรุงเทพมหานคร ขอเปลี่ยนแปลงบุคลากรของห้องปฏิบัติการวิเคราะห์ ความละเอียดแจ้งแล้ว นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว มีความเห็นดังนี้

๑. ให้ยกเลิกผู้ควบคุมดูแลห้องปฏิบัติการวิเคราะห์ จักร
นางสาวกนกวรรณ เอี่ยมจินดา
๒. ให้ยกเลิกเจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์
๑) นางสาวโสภิตา ประสาทพร
๒) นางสาวพิมพ์นิตดา มะโรงศรี
๓) นางสาวเขมรินทร์ ธีรรัฐเศรษฐ์
๔) นางสาวกวิสรา จันทระกะจะ
๕) นางสาววัชรพร บาร์ศรี
๖) นางสาวถลันชนันท์ เจริญกิจ
๗) นางสาวเบญจภรณ์ หอมกลิ่น
๘) นางสาวชนนิกานต์ หอมรื่น
๓. ให้เพิ่มผู้ควบคุมดูแลห้องปฏิบัติการวิเคราะห์ จักร
๑) นางสาวโสภิตา ประสาทพร
๒) นางสาวพิมพ์นิตดา มะโรงศรี
๓) นางสาวเขมรินทร์ ธีรรัฐเศรษฐ์
๔) นางสาวกวิสรา จันทระกะจะ
๕) นางสาววัชรพร บาร์ศรี
๖) นางสาวเบญจภรณ์ หอมกลิ่น
๗) นางสาวชนนิกานต์ หอมรื่น

๔. ให้เพิ่มเจ้าหน้าที่...

- ๒ -

๔. ให้เพิ่มเจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์ จำนวน ๑ ราย

นายสิทธิเมธา ศรีบุตรดา ทะเบียน

๕. ให้เปลี่ยนชื่อสกุลผู้ควบคุมดูแลห้องปฏิบัติการวิเคราะห์ จากเดมนางสาวปรยานุช ทองวเซียร
ทะเบียนเลขที่ ว-๐๑๑-ค-๘๐๐๓ เป็น นางปรยานุช ทศจรรย์

อนึ่ง หนังสือฉบับนี้จะหมดอายุพร้อมหนังสือต่ออายุรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน
ที่ อก ๐๓๑๐(๑)/๑๒๑๒๔ ลงวันที่ ๓๐ ตุลาคม ๒๕๖๓ คือในวันที่ ๑๐ กรกฎาคม ๒๕๖๖ ทั้งนี้ สามารถยื่นคำขอ
ผ่านระบบอิเล็กทรอนิกส์ได้ที่หน้าเว็บไซต์กรมโรงงานอุตสาหกรรม ตาม QR Code ท้ายหนังสือฉบับนี้

จึงเรียนมาเพื่อทราบ



ยื่นคำขอผ่านระบบอิเล็กทรอนิกส์

กองวิจัยและเตือนภัยมลพิษโรงงาน

กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษและทะเบียนห้องปฏิบัติการ

โทร. ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๐๓-๕

โทรสาร ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๙๔

ไปรษณีย์อิเล็กทรอนิกส์ saraban@diw.mail.go.th



ที่ อก ๐๓๑๐(๑)/ ๑๐๙๓๓



กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท
เขตราชเทวี กรุงเทพฯ ๑๐๔๐๐

๑๕ สิงหาคม ๒๕๖๕

เรื่อง เปลี่ยนแปลงบุคลากรของห้องปฏิบัติการวิเคราะห์

เรียน กรรมการผู้จัดการ บริษัท เอส.พี.เอส. คอนสตรัคชั่น เซอร์วิส จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารมลพิษของห้องปฏิบัติการวิเคราะห์เอกชน
ลงวันที่ ๘ สิงหาคม ๒๕๖๕

ตามหนังสือที่อ้างถึง บริษัท เอส.พี.เอส. คอนสตรัคชั่น เซอร์วิส จำกัด ห้องปฏิบัติการวิเคราะห์เอกชน
เลขทะเบียน ว-๐๑๑ สถานที่ตั้งเลขที่ ๗ ซอยพหลโยธิน ๒๔ ถนนพหลโยธิน แขวงจอมพล เขตจตุจักร
กรุงเทพมหานคร ขอเปลี่ยนแปลงบุคลากรของห้องปฏิบัติการวิเคราะห์

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว มีความเห็น

๑. ให้ยกเลิกผู้ควบคุมดูแลห้องปฏิบัติการวิเคราะห์

- ๑) นางสาววัชรพร บาร์ศรี
- ๒) นางสาวอินทิรา อยู่พงษ์
- ๓) นางสาวศิรินทร์ทิพย์ อารักกดี

๒. ให้ยกเลิกเจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์

- ๑) นางสาวอรทัย ศรีจำรัส
- ๒) วาทีรียตรีบรรจง แสงศรีจันทร์
- ๓) นางสาวปรังคทิพย์ ไสจูง
- ๔) นายพงษ์ศิริ ขุนทิริญ
- ๕) นางสาวสลาลัย มุลวงศรี
- ๖) นางสาวนันทภา น้อยวงศ์
- ๗) นางสาววัชรศิรินทร์ ชูตระกูล
- ๘) นางสาวบุญยาพร รัตนสูตร

๓. ให้เพิ่มเจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์

- ๑) นางสาวนันทพร คำพะโคตร
- ๒) นางสาวพรนภา วัฒนหม่อม
- ๓) นางสาววรรณน พรมพิมาย
- ๔) นางสาวอรพรรณ บุญตาน้อย
- ๕) นางสาวบุศยารัตน์ ศิลาชัย

อนึ่ง หนังสือฉบับนี้...

- ๒ -

อนึ่ง หนังสือฉบับนี้
ที่ อก ๐๓๑๐(๑)/๑๒๑๒๔ ลงวันที่ ๓๐
ผ่านระบบอิเล็กทรอนิกส์ได้ที่หน้าเว็บ
จึงเรียนมาเพื่อทราบ

วิเคราะห์เอกชน
การยื่นคำขอ
ฉบับนี้



ยื่นคำขอผ่านระบบอิเล็กทรอนิกส์

กองวิจัยและเตือนภัยมลพิษโรงงาน
กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษและทะเบียนห้องปฏิบัติการ
โทร. ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๐๓-๕
โทรสาร ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๔๔
ไปรษณีย์อิเล็กทรอนิกส์ saraban@diw.mail.go.th



“อุตสาหกรรมก้าวไกล ประเทศไทยก้าวหน้า ร่วมกันพัฒนา อุตสาหกรรมสีเขียว”





๑ ๑ พฤษภาคม ๒๕๖๖

เรื่อง เปลี่ยนแปลงบุคลากรของห้องปฏิบัติการวิเคราะห์

เรียน กรรมการผู้จัดการ บริษัท เอส.พี.เอส. คอนสตรัคชั่น เซอร์วิส จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารมลพิษของห้องปฏิบัติการวิเคราะห์เอกชน
ลงวันที่ ๒๘ เมษายน ๒๕๖๖

ตามหนังสือที่อ้างถึง บริษัท เอส.พี.เอส. คอนสตรัคชั่น เซอร์วิส จำกัด ห้องปฏิบัติการวิเคราะห์เอกชน
เลขทะเบียน ว-๐๑๑ สถานที่ตั้งเลขที่ ๗ ซอยพหลโยธิน ๒๔ ถนนพหลโยธิน แขวงจอมพล เขตจตุจักร
กรุงเทพมหานคร ขอเปลี่ยนแปลงบุคลากรของห้องปฏิบัติการวิเคราะห์ ความละเอียดแจ้งแล้ว นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว มีความเห็น

๑. ให้ยกเลิกผู้ควบคุมดูแลห้องปฏิบัติการวิเคราะห์

๑) นายภาคินัย คงกำเหนิด

๒) นายกิตติ ศรีทองหล่อ

๒. ให้ยกเลิกเจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์

๑) นายพุทธจักร มีบุญ

๒) นางสาวสุภาณดา ภายไธสง

๓) นางสาวพิมพ์ยงค์ ว่องไว

๔) นายบรรณวิชัย แสงสุข

๕) นางสาวสุภาพร ลานขามบ่อม

๖) นางสาวภัทราวดี ทับชุม

๗) นางสาวจันทร์เพ็ญ จั๊บทอง

๘) นางสาวชกร เวศม์ปฏิพัทธ์

๙) นางสาวทินารมภ์ เครือวัลย์

๑๐) นายพงษ์เทพ สิริธะเลาะ

๑๑) นางสาววรรณิศา กิจจิลา

๑๒) นางสาวพรนภา วังลมหม่อม

ทั้งนี้ หากท่านมีความประสงค์จะยื่นคำขอใดๆ
ได้ที่หน้าเว็บไซต์กรมโรงงานอุตสาหกรรม

จึงเรียนมาเพื่อทราบ

กองวิจัยและเตือนภัยมลพิษโรงงาน

กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบ

โทร. ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๐๓-๕

โทรสาร ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๔๙

ไปรษณีย์อิเล็กทรอนิกส์ saraban@diw.mail.go.th



ภาคผนวกที่ 6

สำเนาหนังสือขออนุญาตใช้พื้นที่ตรวจวัดคุณภาพสิ่งแวดล้อม

- เอกสาร 6-1 แบบตอบรับผลพิจารณาอนุญาตให้ใช้สถานที่เป็นจุดติดตามตรวจสอบ
ผลกระทบสิ่งแวดล้อม โรงเรียนอนุบาลยุววิทยา
- เอกสาร 6-2 แบบตอบรับผลพิจารณาอนุญาตให้ใช้สถานที่เป็นจุดติดตามตรวจสอบ
ผลกระทบสิ่งแวดล้อม เจ้าของพื้นที่บริเวณอาคารพาณิชย์ ด้านทิศตะวันออกของโรงเรียน
อนุบาลยุววิทยา

เอกสารแนบ 6-1

แบบตอบรับผลพิจารณาอนุญาตให้ใช้สถานที่เป็นจุดติดตามตรวจสอบ

ผลกระทบสิ่งแวดล้อม โรงเรียนอนุบาลยุววิทยา



บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด
S.P.S. CONSULTING SERVICE CO., LTD.
7 ซอยพหลโยธิน 24 ถนนพหลโยธิน แขวงจอมพล เขตจตุจักร กรุงเทพฯ 10900
7 SOI PHAHOLYOTHIN 24, PHAHOLYOTHIN RD., JOMPOL, CHATUCHAK, BANGKOK 10900
TEL. 0-2939-4370-72 FAX: 0-2513-4221 E-MAIL : SALE@SPSCON.COM
WEBSITE : WWW.SPSCON.COM



SPS_IM.20/03/65

9 มีนาคม 2565

เรื่อง ขอความอนุเคราะห์ใช้พื้นที่ติดตั้งเครื่องตรวจวัดสิ่งแวดล้อม (ระยะก่อสร้าง)

เรียน ผู้อำนวยการโรงเรียนอนุบาลยุววิทยา

สิ่งที่ส่งมาด้วย 1. ภาพเครื่องตรวจวัดสิ่งแวดล้อม

2. แผนและรายละเอียดการตรวจวัดสิ่งแวดล้อมฯ เดือนมีนาคม 2565 (Baseline)

3. แบบตอบรับคำขออนุญาตใช้สถานที่เป็นจุดติดตั้งตรวจสอบผลกระทบสิ่งแวดล้อม

โรงเรียนอนุบาลยุววิทยา

ด้วย บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด ได้รับมอบหมายจากบริษัท ยูนิค เอ็นจิเนียริง แอนด์ คอนสตรัคชั่น จำกัด (มหาชน) ให้เป็นบุคคลที่ 3 (Third Party) ผู้ดำเนินการตรวจวัดและติดตาม ตรวจสอบผลกระทบสิ่งแวดล้อมด้านคุณภาพอากาศ เสียง และความสั่นสะเทือน จากการดำเนินโครงการความร่วมมือระหว่างรัฐบาลแห่งราชอาณาจักรไทยและรัฐบาลแห่งสาธารณรัฐประชาชนจีน ในการพัฒนาระบบรถไฟความเร็วสูงเพื่อเชื่อมโยงภูมิภาค ช่วงกรุงเทพมหานคร-หนองคาย (ระยะที่ 1 ช่วงกรุงเทพมหานคร-นครราชสีมา) ของการรถไฟแห่งประเทศไทย (รฟท.) สัญญาที่ 4-6 งานโยธาสำหรับช่วงพระแก้ว-สระบุรี นั้น

เพื่อให้การดำเนินโครงการฯ เป็นไปตามข้อกำหนดในรายงานการประเมินผลกระทบสิ่งแวดล้อม (EIA) ซึ่งได้กำหนดให้พื้นที่บริเวณโรงเรียนอนุบาลยุววิทยา ตำบลปากเพี้ยว อำเภอเมือง จังหวัดสระบุรี เป็นจุดติดตามตรวจสอบผลกระทบสิ่งแวดล้อม ระยะก่อสร้าง บริษัทฯ จึงใคร่ขอความอนุเคราะห์ขอใช้พื้นที่และกระแสไฟฟ้าสำหรับการติดตั้งตรวจสอบผลกระทบสิ่งแวดล้อมดังกล่าว จำนวน 6 ครั้ง (ตรวจวัดครั้งละ 5 วัน ต่อเนื่อง ครอบคลุมวันทำการและวันหยุด) ในเดือนมีนาคมและเดือนกรกฎาคม ปี 2565 ถึงปี 2567

อนึ่ง บริษัทฯ ยินดีชำระอัตราค่าใช้พื้นที่และกระแสไฟฟ้า รายละเอียดตามสิ่งที่ส่งมาด้วย 1

/ในการนี้...



บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด

S.P.S. CONSULTING SERVICE CO., LTD.

7 ซอยพหลโยธิน 24 ถนนพหลโยธิน แขวงจอมพล เขตจตุจักร กรุงเทพฯ 10900
7 SOI PHAHOLYOTHIN 24, PHAHOLYOTHIN RD., JOMPOL, CHATUCHAK, BANGKOK 10900
TEL. 0-2939-4370-72 FAX: 0-2513-4221 E-MAIL : SALE@SPSCON.COM
WEBSITE : WWW.SPSCON.COM



ในการนี้ บริษัทฯ ได้แนบภาพเครื่องมือตรวจวัดและแผนการดำเนินงานตรวจวัดช่วงก่อนก่อสร้าง (Baseline) มาเพื่อพิจารณาพร้อมด้วยแล้ว ตามสิ่งที่ส่งมาด้วย 2 และ 3 และมอบหมายให้นางสาวสุพัตรา เอี่ยมนอก นักวิชาการสิ่งแวดล้อม (อีเมลล์ supattra@spscon.com หมายเลขโทรศัพท์ 085-213-1592) เป็นผู้ประสานงานโดยตรงต่อไป

จึงเรียนมาเพื่อโปรดพิจารณาตอบรับคำขออนุญาตตามสิ่งที่ส่งมาด้วย 4 และขอขอบพระคุณมา ณ โอกาสนี้

ฝ่ายติดตามตรวจสอบผลกระทบสิ่งแวดล้อม

โทรศัพท์ : 0 2939 4370 #511-516, 081 441 3540

โทรสาร : 0 2513 4221

อีเมล : i.monitor@spscon.com

Line :



แบบตอบรับ

คำขออนุญาตใช้สถานที่เป็นจุดติดตั้งตรวจสอบผลกระทบสิ่งแวดล้อม
โครงการความร่วมมือฯ ในการพัฒนาระบบรถไฟความเร็วสูงเพื่อเชื่อมโยงภูมิภาค
ช่วงกรุงเทพมหานคร-หนองคาย (ระยะที่ 1 ช่วงกรุงเทพมหานคร-นครราชสีมา)
ของการรถไฟแห่งประเทศไทย (รฟท.)

สถานที่ : โรงเรียนอนุบาลยุววิทยา

ผลการพิจารณา :

- [] อนุญาตให้ใช้สถานที่เป็นจุดตรวจวัดสิ่งแวดล้อม
โดยมีเงื่อนไขดังนี้

.....
.....
.....


และมอบหมายให้.....หมายเลขโทรศัพท์.....
เป็นผู้ประสานงาน

- [✓] ไม่อนุญาตให้ใช้สถานที่เป็นจุดตรวจวัดสิ่งแวดล้อม
เนื่องจาก

1. รั้วโรงเรียนรั้วเหล็ก

2. ความปลอดภัยของนักเรียน

.....
.....
.....



เอกสารแนบ 6-2

แบบตอบรับผลพิจารณาอนุญาตให้ใช้สถานที่เป็นจุดติดตามตรวจสอบ

ผลกระทบสิ่งแวดล้อม เจ้าของพื้นที่บริเวณอาคารพาณิชย์

ด้านทิศตะวันออกของโรงเรียนอนุบาลยุววิทยา



บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด
S.P.S. CONSULTING SERVICE CO., LTD.

7 ซอยพหลโยธิน 24 ถนนพหลโยธิน แขวงจอมพล เขตจตุจักร กรุงเทพฯ 10900
7 SOI PHAHOLYOTHIN 24, PHAHOLYOTHIN RD., JOMPOL, CHATUCHAK, BANGKOK 10900
TEL. 0-2939-4370-72 FAX : 0-2513-4221 E-MAIL : SALE@SPSCON.COM
WEBSITE : WWW.SPSCON.COM



บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด
S.P.S. CONSULTING SERVICE CO., LTD.

7 ซอยพหลโยธิน 24 ถนนพหลโยธิน แขวงจอมพล เขตจตุจักร กรุงเทพฯ 10900
7 SOI PHAHOLYOTHIN 24, PHAHOLYOTHIN RD., JOMPOL, CHATUCHAK, BANGKOK 10900
TEL. 0-2939-4370-72 FAX : 0-2513-4221 E-MAIL : SALE@SPSCON.COM
WEBSITE : WWW.SPSCON.COM



SPS_IM.71/03/65

22 มีนาคม 2565

เรื่อง ขอความอนุเคราะห์ใช้พื้นที่ติดตั้งเครื่องตรวจวัดสิ่งแวดล้อม (ระยะก่อสร้าง)

เรียน เจ้าของพื้นที่

- สิ่งที่ส่งมาด้วย
1. ภาพเครื่องตรวจวัดสิ่งแวดล้อม
 2. แผนและรายละเอียดการตรวจวัดสิ่งแวดล้อมฯ เดือนมีนาคม 2565 (Baseline)
 3. แบบตอบรับคำขออนุญาตใช้สถานที่เป็นจุดติดตามตรวจสอบผลกระทบสิ่งแวดล้อม

ด้วย บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด ได้รับมอบหมายจากบริษัท ยูนิค เอ็นจิเนียริง แอนด์ คอนสตรัคชั่น จำกัด (มหาชน) ให้เป็นบุคคลที่ 3 (Third Party) ผู้ดำเนินการตรวจวัดและติดตามตรวจสอบผลกระทบสิ่งแวดล้อมด้านคุณภาพอากาศ เสียง และความสั่นสะเทือน จากการดำเนินโครงการความร่วมมือระหว่างรัฐบาลแห่งราชอาณาจักรไทยและรัฐบาลแห่งสาธารณรัฐประชาชนจีน ในการพัฒนาระบบรถไฟความเร็วสูงเพื่อเชื่อมโยงภูมิภาค ช่วงกรุงเทพมหานคร-หนองคาย (ระยะที่ 1 ช่วงกรุงเทพมหานคร-นครราชสีมา) ของการรถไฟแห่งประเทศไทย (รฟท.) สัญญาที่ 4-6 งานโยธาสำหรับช่วงพระแก้ว-สระบุรี นั้น เพื่อให้การดำเนินโครงการฯ เป็นไปตามข้อกำหนดในรายงานการประเมินผลกระทบสิ่งแวดล้อม (EIA) บริษัทฯ จึงขอความอนุเคราะห์ขอใช้พื้นที่สำหรับการติดตามตรวจสอบผลกระทบสิ่งแวดล้อมดังกล่าว จำนวน 6 ครั้ง (ตรวจวัดครั้งละ 5 วันต่อเนื่อง ครอบคลุมวันทำการและวันหยุด) ในเดือนมีนาคมและเดือนกรกฎาคม ปี 2565 ถึงปี 2567

ในการนี้ บริษัทฯ ได้แนบบภาพเครื่องมือตรวจวัดและแผนการดำเนินงานตรวจวัดช่วงก่อนก่อสร้าง (Baseline) มาเพื่อพิจารณาพร้อมด้วยแล้ว ตามสิ่งที่ส่งมาด้วย 2 และมอบหมายให้นางสาวสุพัฒรา เอี่ยมนอก นักวิชาการสิ่งแวดล้อม (อีเมลล์ supattra@spscon.com หมายเลขโทรศัพท์ 085-213-1592) เป็นผู้ประสานงานโดยตรงต่อไป

จึงเรียนมาเพื่อโปรดพิจารณาตอบรับคำขออนุญาตตามสิ่งที่ส่งมาด้วย 3 และขอขอบพระคุณมา ณ โอกาสนี้

/ในการนี้...

ฝ่ายติดตามตรวจสอบผลกระทบสิ่งแวดล้อม

โทรศัพท์ : 0 2939 4370 #511-515, 081 441 3540

โทรสาร : 0 2513 4221

อีเมล : i.monitor@spscon.com

Line :



แบบตอบรับ

คำขออนุญาตใช้สถานที่เป็นจุดติดตั้งตรวจสอบผลกระทบสิ่งแวดล้อม
โครงการความร่วมมือฯ ในการพัฒนาระบบรถไฟความเร็วสูงเพื่อเชื่อมโยงภูมิภาค
ช่วงกรุงเทพมหานคร-หนองคาย (ระยะที่ 1 ช่วงกรุงเทพมหานคร-นครราชสีมา)
ของการรถไฟแห่งประเทศไทย (รฟท.)

สถานที่ :

ผลการพิจารณา :

[✓] อนุญาตให้ใช้สถานที่เป็นจุดตรวจวัดสิ่งแวดล้อม

โดยมีเงื่อนไขดังนี้
อนุญาตให้ใช้พื้นที่บริเวณดังกล่าวเพื่อติดตั้งสถานีวิทยุโทรทัศน์
การกระจายเสียงและกิจการโทรคมนาคมอื่น ๆ ที่เกี่ยวข้อง และไม่ก่อให้เกิดผลกระทบต่อ
ความเสียหาย สัตว์ป่า หรือ สิ่งแวดล้อมอื่น ๆ ใด ๆ ทั้งสิ้น การขออนุญาตใช้พื้นที่ดังกล่าว
จะต้องมีพื้นที่ไม่น้อยกว่า 10 ไร่ และต้องมีพื้นที่ไม่น้อยกว่า 10 ไร่
และมอบหมายให้... จ. : สจ. กว. หมายเลขโทรศัพท์ 081 9075824

เป็นผู้ประสานงาน

[] ไม่อนุญาตให้ใช้สถานที่เป็นจุดตรวจวัดสิ่งแวดล้อม

เนื่องจาก

.....
.....
.....
.....

