



ห้องปฏิบัติการวิเคราะห์เอกชน บริษัท โอกลา เทสติ้ง แอนด์ คอนซัลติง เซอร์วิส จำกัด

63/13 ซอย เพชรเกษม 7 แขวงวัดท่าพระ เขตบางกอกใหญ่ กรุงเทพมหานคร 10600

โทรศัพท์ : (66) 02-868-1246 โทรสาร : (66) 02-686-1247 Website : www.okla-testing.com J-NAC Group

WATER AND WASTEWATER ANALYSIS REPORT

CLIENT NAME	: Keyne by Sansiri	REPORT NO.	: RN230110001
SAMPLING LOCATION	: จุดรวบรวมน้ำเสียเข้าระบบบำบัดน้ำเสีย	SAMPLING SOURCE	: Wastewater
SAMPLING METHOD	: Grab	SAMPLING BY	: นายปริญญา กล้าน้อย
SAMPLE CONDITION	: Normal	SAMPLE CHARACTERISTICS	: ชุ่มมีตะกอนสีดำ
SAMPLING DATE	: Jan 9, 2023	SAMPLING TIME	: -
RECEIVED DATE	: Jan 9, 2023	ANALYTICAL DATE	: Jan 9-19, 2023
REPORT DATE	: Jan 20, 2023		

PARAMETER	UNIT	METHODS OF ANALYSIS	RESULT	MDL	STANDARD *
pH	-	Electrometric (SM: 4500-H ⁺ B.)	6.5	-	-
Biochemical Oxygen Demand	mg/l	Membrane Electrode (SM: 4500-O ₂ G, 5210 B.)	32.0	-	-
Total Dissolved Solids	mg/l	Total Dissolved Solids Dried at 180 °C (SM: 2540 C.)	442.0	-	-
Suspended Solids	mg/l	Suspended Solids Dried at 103-105 °C (SM: 2540 D.)	15.0	-	-
Sulfide as H ₂ S	mg/l	Iodometric (SM: 4500-S ²⁻ F.)	<1.0	-	-
Total Kjeldahl Nitrogen	mg/l	Macro Kjeldahl (SM: 4500-N _{org} B)	49.0	-	-
Grease & Oil	mg/l	Liquid-Liquid Partition-Gravimetric (SM: 5520 B.)	N.D.	1.4	-
Total Coliform Bacteria	MPN/100 ml	MPN Test	>2.4 × 10 ⁶	-	-

SM : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 23nd ED.,2017 (AWWA,APHA, WEF)

(Nijinart Matiyapak)

Scientist

(Tawatchai Chongvutichai)

Environmental Laboratory Section Manager

- Remark :
1. Reported analysis refers to submitted sampling only.
 2. This report shall not be reproduced, except in full, without official approval.
 3. - Not available .
 4. * Notification of the Ministry of Natural Resources and Environment, dated November 7, B.E. 2548 (2005), which was published in the Royal Government Gazette, Vol. 122, Part 125D dated December 19, B.E. 2548 (2005) . (Category B)
 5. N.D. (Not Detectable) หมายถึง ตรวจไม่พบ



ห้องปฏิบัติการวิเคราะห์เอกชน บริษัท โอกลา เทสติ้ง แอนด์ คอนซัลติง เซอร์วิส จำกัด

63/13 ซอย เพชรเกษม 7 แขวงวัดท่าพระ เขตบางกอกใหญ่ กรุงเทพมหานคร 10600

โทรศัพท์ : (66) 02-868-1246 โทรสาร : (66) 02-686-1247 Website : www.okla-testing.com J-NAC Group

WATER AND WASTEWATER ANALYSIS REPORT

CLIENT NAME	: Keyne by Sansiri	REPORT NO.	: RN230110002
SAMPLING LOCATION	: จุดระบายน้ำออกจากระบบบำบัดน้ำเสีย	SAMPLING SOURCE	: Wastewater
SAMPLING METHOD	: Grab	SAMPLING BY	: นายปริญญา กล้าน้อย
SAMPLE CONDITION	: Normal	SAMPLE CHARACTERISTICS	: ใสมีตะกอนสีดำ
SAMPLING DATE	: Jan 9, 2023	SAMPLING TIME	: -
RECEIVED DATE	: Jan 9, 2023	ANALYTICAL DATE	: Jan 9-19, 2023
REPORT DATE	: Jan 20, 2023		

PARAMETER	UNIT	METHODS OF ANALYSIS	RESULT	MDL	STANDARD*
pH	-	Electrometric (SM: 4500-H ⁺ B.)	6.6	-	5-9
Biochemical Oxygen Demand	mg/l	Membrane Electrode (SM: 4500-O G, 5210 B.)	18.9	-	≤30
Total Dissolved Solids	mg/l	Total Dissolved Solids Dried at 180 °C (SM: 2540 C.)	434.0	-	≤500
Suspended Solids	mg/l	Suspended Solids Dried at 103-105 °C (SM: 2540 D.)	12.0	-	≤40
Sulfide as H ₂ S	mg/l	Iodometric (SM: 4500-S ²⁻ F.)	<1.0	-	≤1.0
Total Kjeldahl Nitrogen	mg/l	Macro Kjeldahl (SM: 4500-N _{org} B)	27.0	-	≤35
Grease & Oil	mg/l	Liquid-Liquid Partition-Gravimetric (SM: 5520 B.)	N.D.	1.4	≤20
Total Coliform Bacteria	MPN/100 ml	MPN Test	7.5 x 10 ⁴	-	-

SM : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 23rd ED.,2017 (AWWA,APHA, WEF)

(Nijinart Matiyapak)

Scientist

(Tawatchai Chongvutichai)

Environmental Laboratory Section Manager

- Remark :
1. Reported analysis refers to submitted sampling only.
 2. This report shall not be reproduced, except in full, without official approval.
 3. - Not available .
 4. * Notification of the Ministry of Natural Resources and Environment, dated November 7, B.E. 2548 (2005), which was published in the Royal Government Gazette, Vol. 122, Part 125D dated December 19, B.E. 2548 (2005) . (Category B)
 5. N.D. (Not Detectable) หมายถึง ตรวจไม่พบ



ห้องปฏิบัติการวิเคราะห์เอกชน บริษัท โอกลา เทสติ้ง แอนด์ คอนซัลติง เซอร์วิส จำกัด

63/13 ซอย เพชรเกษม 7 แขวงวัดท่าพระ เขตบางกอกใหญ่ กรุงเทพมหานคร 10600

โทรศัพท์ : (66) 02-868-1246 โทรสาร : (66) 02-686-1247 Website : www.okla-testing.com J-NAC Group

WATER AND WASTEWATER ANALYSIS REPORT

CLIENT NAME	: Keyne by Sansiri	REPORT NO.	: RN230110003
SAMPLING LOCATION	: บ่อพักน้ำทิ้งสุดท้ายก่อนระบายออก	SAMPLING SOURCE	: Wastewater
	: คู่อระบายน้ำสาธารณะ	SAMPLING BY	: นายปริญญา กล้าน้อย
SAMPLING METHOD	: Grab	SAMPLE CHARACTERISTICS	: ไม่มีตะกอนสีดำ
SAMPLE CONDITION	: Normal	SAMPLING TIME	: -
SAMPLING DATE	: Jan 9, 2023	ANALYTICAL DATE	: Jan 9-19, 2023
RECEIVED DATE	: Jan 9, 2023		
REPORT DATE	: Jan 20, 2023		

PARAMETER	UNIT	METHODS OF ANALYSIS	RESULT	MDL	STANDARD
pH	-	Electrometric (SM: 4500-H ⁺ B.)	6.6	-	5-9
Biochemical Oxygen Demand	mg/l	Membrane Electrode (SM: 4500-O ₂ G, 5210 B.)	15.5	-	≤30
Total Dissolved Solids	mg/l	Total Dissolved Solids Dried at 180 °C (SM: 2540 C.)	408.0	-	≤500
Suspended Solids	mg/l	Suspended Solids Dried at 103-105 °C (SM: 2540 D.)	11.0	-	≤40
Sulfide as H ₂ S	mg/l	Iodometric (SM: 4500-S ²⁻ F.)	<1.0	-	≤1.0
Total Kjeldahl Nitrogen	mg/l	Macro Kjeldahl (SM: 4500-N _{org} B)	23.0	-	≤35
Grease & Oil	mg/l	Liquid-Liquid Partition-Gravimetric (SM: 5520 B.)	N.D.	1.4	≤20
Total Coliform Bacteria	MPN/100 ml	MPN Test	3.5 x 10 ⁴	-	-

SM : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 23nd ED.,2017 (AWWA,APHA, WEF)

(Nijinart Matiyapak)

Scientist

(Tawatchai Chongvutichai)

Environmental Laboratory Section Manager

- Remark :
1. Reported analysis refers to submitted sampling only.
 2. This report shall not be reproduced, except in full, without official approval.
 3. - Not available .
 4. * Notification of the Ministry of Natural Resources and Environment, dated November 7, B.E. 2548 (2005), which was published in the Royal Government Gazette, Vol. 122, Part 125D dated December 19, B.E. 2548 (2005) . (Category B)
 5. N.D. (Not Detectable) หมายถึง ตรวจไม่พบ



ห้องปฏิบัติการวิเคราะห์เอกชน บริษัท โอกลา เทสติ้ง แอนด์ คอนซัลติง เซอร์วิส จำกัด

63/13 ซอย เพชรเกษม 7 แขวงวัดท่าพระ เขตบางกอกใหญ่ กรุงเทพมหานคร 10600

โทรศัพท์ : (66) 02-868-1246 โทรสาร : (66) 02-686-1247 Website : www.okla-testing.com J-NAC Group

WATER AND WASTEWATER ANALYSIS REPORT

CLIENT NAME	: Keyne by Sansiri	REPORT NO.	: RN230210145
SAMPLING LOCATION	: จุฬารวมน้ำเสียเข้าระบบบำบัดน้ำเสีย	SAMPLING SOURCE	: Wastewater
SAMPLING METHOD	: Grab	SAMPLING BY	: นายปริญญา กล้าน้อย
SAMPLE CONDITION	: Normal	SAMPLE CHARACTERISTICS	: ชุ่มมีตะกอนสีดำ
SAMPLING DATE	: Feb 9, 2023	SAMPLING TIME	: -
RECEIVED DATE	: Feb 9, 2023	ANALYTICAL DATE	: Feb 9-20, 2023
REPORT DATE	: Feb 21, 2023		

PARAMETER	UNIT	METHODS OF ANALYSIS	RESULT	MDL	STANDARD*
pH	-	Electrometric (SM: 4500-H ⁺ B.)	6.5	-	-
Biochemical Oxygen Demand	mg/l	Membrane Electrode (SM: 4500-O ₂ G, 5210 B.)	24.8	-	-
** Total Dissolved Solids	mg/l	Total Dissolved Solids Dried at 180 °C (SM: 2540 C.)	316.0	-	-
Suspended Solids	mg/l	Suspended Solids Dried at 103-105 °C (SM: 2540 D.)	18.0	-	-
Sulfide as H ₂ S	mg/l	Iodometric (SM: 4500-S ²⁻ F.)	<1.0	-	-
Total Kjeldahl Nitrogen	mg/l	Macro Kjeldahl (SM: 4500-N _{org} B)	50.0	-	-
Grease & Oil	mg/l	Liquid-Liquid Partition-Gravimetric (SM: 5520 B.)	N.D.	1.4	-
Total Coliform Bacteria	MPN/100 ml	MPN Test	>2.4 × 10 ⁶	-	-

SM : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 23nd ED.,2017 (AWWA,APHA, WEF)

(Nijinart Matiyapak)

Scientist

(Tawatchai Chongvutichai)

Environmental Laboratory Section Manager

- Remark :
1. Reported analysis refers to submitted sampling only.
 2. This report shall not be reproduced, except in full, without official approval.
 3. - Not available .
 4. * Notification of the Ministry of Natural Resources and Environment, dated November 7, B.E. 2548 (2005), which was published in the Royal Government Gazette, Vol. 122, Part 125D dated December 19, B.E. 2548 (2005) . (Category B)
 5. ** ค่าที่เพิ่มขึ้นจากปริมาณสารละลายในน้ำใช้ตามปกติ , ค่า TDS ในน้ำประปา พบ 207 mg/l
 6. N.D. (Not Detectable) หมายถึง ตรวจไม่พบ



ห้องปฏิบัติการวิเคราะห์เอกชน บริษัท โอกลา เทสติ้ง แอนด์ คอนซัลติง เซอร์วิส จำกัด

63/13 ซอย เพชรเกษม 7 แขวงวัดท่าพระ เขตบางกอกใหญ่ กรุงเทพมหานคร 10600

โทรศัพท์ : (66) 02-868-1246 โทรสาร : (66) 02-686-1247 Website : www.okla-testing.com J-NAC Group

WATER AND WASTEWATER ANALYSIS REPORT

CLIENT NAME	: Keyne by Sansiri	REPORT NO.	: RN230210146
SAMPLING LOCATION	: จุดระบายน้ำออกจากระบบบำบัดน้ำเสีย	SAMPLING SOURCE	: Wastewater
SAMPLING METHOD	: Grab	SAMPLING BY	: นายปริญญา กล้าน้อย
SAMPLE CONDITION	: Normal	SAMPLE CHARACTERISTICS	: ไม่มีตะกอนสีดำ
SAMPLING DATE	: Feb 9, 2023	SAMPLING TIME	: -
RECEIVED DATE	: Feb 9, 2023	ANALYTICAL DATE	: Feb 9-20, 2023
REPORT DATE	: Feb 21, 2023		

PARAMETER	UNIT	METHODS OF ANALYSIS	RESULT	MDL	STANDARD*
pH	-	Electrometric (SM: 4500-H ⁺ B.)	6.5	-	5-9
Biochemical Oxygen Demand	mg/l	Membrane Electrode (SM: 4500-O G, 5210 B.)	15.9	-	≤30
Total Dissolved Solids	mg/l	Total Dissolved Solids Dried at 180 °C (SM: 2540 C.)	177.0	-	≤500**
Suspended Solids	mg/l	Suspended Solids Dried at 103-105 °C (SM: 2540 D.)	9.0	-	≤40
Sulfide as H ₂ S	mg/l	Iodometric (SM: 4500-S ²⁻ F.)	<1.0	-	≤1.0
Total Kjeldahl Nitrogen	mg/l	Macro Kjeldahl (SM: 4500-N _{org} B)	28.0	-	≤35
Grease & Oil	mg/l	Liquid-Liquid Partition-Gravimetric (SM: 5520 B.)	N.D.	1.4	≤20
Total Coliform Bacteria	MPN/100 ml	MPN Test	>2.4 × 10 ⁶	-	-

SM : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 23rd ED., 2017 (AWWA, APHA, WEF)

(Nijinart Matiyapak)

Scientist

(Tawatchai Chongvutichai)

Environmental Laboratory Section Manager

- Remark :
1. Reported analysis refers to submitted sampling only.
 2. This report shall not be reproduced, except in full, without official approval.
 3. - Not available .
 4. * Notification of the Ministry of Natural Resources and Environment, dated November 7, B.E. 2548 (2005), which was published in the Royal Government Gazette, Vol. 122, Part 125D dated December 19, B.E. 2548 (2005) . (Category B)
 5. ** ค่าที่เพิ่มขึ้นจากปริมาณสารละลายในน้ำใช้ตามปกติ , ค่า TDS ในน้ำประปา พบ 207 mg/l
 6. N.D. (Not Detectable) หมายถึง ตรวจไม่พบ



ห้องปฏิบัติการวิเคราะห์เอกชน บริษัท โอกลา เทสต์ติ้ง แอนด์ คอนซัลติ้ง เซอร์วิส จำกัด

63/13 ซอย เพชรเกษม 7 แขวงวัดท่าพระ เขตบางกอกใหญ่ กรุงเทพมหานคร 10600

โทรศัพท์ : (66) 02-868-1246 โทรสาร : (66) 02-686-1247 Website : www.okla-testing.com J-NAC Group

WATER AND WASTEWATER ANALYSIS REPORT

CLIENT NAME	: Keyne by Sansiri	REPORT NO.	: RN230210147
SAMPLING LOCATION	: บ่อพักน้ำทิ้งสุดท้ายก่อนระบายออก	SAMPLING SOURCE	: Wastewater
	: สู้อะบายน้ำสาธารณะ	SAMPLING BY	: นายปริญญ์ กล้าน้อย
SAMPLING METHOD	: Grab	SAMPLE CHARACTERISTICS	: ไม่มีตะกอนสีดำ
SAMPLE CONDITION	: Normal	SAMPLING TIME	: -
SAMPLING DATE	: Feb 9, 2023	ANALYTICAL DATE	: Feb 9-20, 2023
RECEIVED DATE	: Feb 9, 2023		
REPORT DATE	: Feb 21, 2023		

PARAMETER	UNIT	METHODS OF ANALYSIS	RESULT	MDL	STANDARD *
pH	-	Electrometric (SM: 4500-H ⁺ B.)	6.6	-	5-9
Biochemical Oxygen Demand	mg/l	Membrane Electrode (SM: 4500-O G, 5210 B.)	15.5	-	≤30
Total Dissolved Solids	mg/l	Total Dissolved Solids Dried at 180 °C (SM: 2540 C.)	181.0	-	≤500**
Suspended Solids	mg/l	Suspended Solids Dried at 103-105 °C (SM: 2540 D.)	3.5	-	≤40
Sulfide as H ₂ S	mg/l	Iodometric (SM: 4500-S ²⁻ F.)	<1.0	-	≤1.0
Total Kjeldahl Nitrogen	mg/l	Macro Kjeldahl (SM: 4500-N _{org} B)	23.0	-	≤35
Grease & Oil	mg/l	Liquid-Liquid Partition-Gravimetric (SM: 5520 B.)	N.D.	1.4	≤20
Total Coliform Bacteria	MPN/100 ml	MPN Test	>2.4 × 10 ⁶	-	-

SM : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 23rd ED.,2017 (AWWA,APHA, WEF)

(Nijinart Matiyapak)

Scientist

(Tawatchai Chongvutichai)

Environmental Laboratory Section Manager

Remark :

1. Reported analysis refers to submitted sampling only.
2. This report shall not be reproduced, except in full, without official approval.
3. - Not available .
4. * Notification of the Ministry of Natural Resources and Environment, dated November 7, B.E. 2548 (2005), which was published in the Royal Government Gazette, Vol. 122, Part 125D dated December 19, B.E. 2548 (2005) . (Category B)
5. ** ค่าที่เพิ่มขึ้นจากปริมาณสารละลายในน้ำใช้ตามปกติ , ค่า TDS ในน้ำประปา พบ 207 mg/l
6. N.D. (Not Detectable) หมายถึง ตรวจไม่พบ



ห้องปฏิบัติการวิเคราะห์เอกชน บริษัท โอกลา เทสติ้ง แอนด์ คอนซัลติง เซอร์วิส จำกัด

63/13 ซอย เพชรเกษม 7 แขวงวัดท่าพระ เขตบางกอกใหญ่ กรุงเทพมหานคร 10600

โทรศัพท์ : (66) 02-868-1246 โทรสาร : (66) 02-686-1247 Website : www.okla-testing.com J-NAC Group

WATER AND WASTEWATER ANALYSIS REPORT

CLIENT NAME	: Keyne by Sansiri	REPORT NO.	: RN230310353
SAMPLING LOCATION	: จุดรวบรวมน้ำเสียเข้าระบบบำบัดน้ำเสีย	SAMPLING SOURCE	: Wastewater
SAMPLING METHOD	: Grab	SAMPLING BY	: นายโกวิท พุหา
SAMPLE CONDITION	: Normal	SAMPLE CHARACTERISTICS	: ชุ่มมีตะกอนสีดำ
SAMPLING DATE	: Mar 7, 2023	SAMPLING TIME	: -
RECEIVED DATE	: Mar 7, 2023	ANALYTICAL DATE	: Mar 7-16, 2023
REPORT DATE	: Mar 17, 2023		

PARAMETER	UNIT	METHODS OF ANALYSIS	RESULT	MDL	STANDARD*
pH	-	Electrometric (SM: 4500-H ⁺ B.)	6.7	-	-
Biochemical Oxygen Demand	mg/l	Membrane Electrode (SM: 4500-O G, 5210 B.)	54.5	-	-
** Total Dissolved Solids	mg/l	Total Dissolved Solids Dried at 180 °C (SM: 2540 C.)	328.0	-	-
Suspended Solids	mg/l	Suspended Solids Dried at 103-105 °C (SM: 2540 D.)	40.5	-	-
Sulfide as H ₂ S	mg/l	Iodometric (SM: 4500-S ²⁻ F.)	<1.0	-	-
Total Kjeldahl Nitrogen	mg/l	Macro Kjeldahl (SM: 4500-N _{org} B)	27.0	-	-
Grease & Oil	mg/l	Liquid-Liquid Partition-Gravimetric (SM: 5520 B.)	N.D.	1.4	-
Total Coliform Bacteria	MPN/100 ml	MPN Test	>2.4 x 10 ⁶	-	-

SM : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 23rd ED.,2017 (AWWA,APHA, WEF)

(Nijinart Matiyapak)

Scientist

(Tawatchai Chongvutichai)

Environmental Laboratory Section Manager

- Remark :
1. Reported analysis refers to submitted sampling only.
 2. This report shall not be reproduced, except in full, without official approval.
 3. - Not available .
 4. * Notification of the Ministry of Natural Resources and Environment, dated November 7, B.E. 2548 (2005), which was published in the Royal Government Gazette, Vol. 122, Part 125D dated December 19, B.E. 2548 (2005) . (Category B)
 5. ** ค่าที่เพิ่มขึ้นจากปริมาณสารละลายในน้ำใช้ตามปกติ , ค่า TDS ในน้ำประปา พบ 200 mg/l
 6. N.D. (Not Detectable) หมายถึง ตรวจไม่พบ



ห้องปฏิบัติการวิเคราะห์เอกชน บริษัท โอกลา เทสติ้ง แอนด์ คอนซัลติง เซอร์วิส จำกัด

63/13 ซอย เพชรเกษม 7 แขวงวัดท่าพระ เขตบางกอกใหญ่ กรุงเทพมหานคร 10600

โทรศัพท์ : (66) 02-868-1246 โทรสาร : (66) 02-686-1247 Website : www.okla-testing.com J-NAC Group

WATER AND WASTEWATER ANALYSIS REPORT

CLIENT NAME	: Keyne by Sansiri	REPORT NO.	: RN230310354
SAMPLING LOCATION	: จุดระบายน้ำออกจากระบบบำบัดน้ำเสีย	SAMPLING SOURCE	: Wastewater
SAMPLING METHOD	: Grab	SAMPLING BY	: นายโกวิท บุฬา
SAMPLE CONDITION	: Normal	SAMPLE CHARACTERISTICS	: ไม่มีตะกอนสีดำ
SAMPLING DATE	: Mar 7, 2023	SAMPLING TIME	: -
RECEIVED DATE	: Mar 7, 2023	ANALYTICAL DATE	: Mar 7-16, 2023
REPORT DATE	: Mar 17, 2023		

PARAMETER	UNIT	METHODS OF ANALYSIS	RESULT	MDL	STANDARD*
pH	-	Electrometric (SM: 4500-H ⁺ B.)	6.9	-	5-9
Biochemical Oxygen Demand	mg/l	Membrane Electrode (SM: 4500-O ₂ G, 5210 B.)	20.0	-	≤30
Total Dissolved Solids	mg/l	Total Dissolved Solids Dried at 180 °C (SM: 2540 C.)	126.0	-	≤500**
Suspended Solids	mg/l	Suspended Solids Dried at 103-105 °C (SM: 2540 D.)	25.0	-	≤40
Sulfide as H ₂ S	mg/l	Iodometric (SM: 4500-S ²⁻ F.)	<1.0	-	≤1.0
Total Kjeldahl Nitrogen	mg/l	Macro Kjeldahl (SM: 4500-N _{org} B)	20.0	-	≤35
Grease & Oil	mg/l	Liquid-Liquid Partition-Gravimetric (SM: 5520 B.)	N.D.	1.4	≤20
Total Coliform Bacteria	MPN/100 ml	MPN Test	>2.4 x 10 ⁶	-	-

SM : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 23rd ED.,2017 (AWWA,APHA, WEF)

(Nijinart Matiyapak)

Scientist

(Tawatchai Chongvutichai)

Environmental Laboratory Section Manager

- Remark :
1. Reported analysis refers to submitted sampling only.
 2. This report shall not be reproduced, except in full, without official approval.
 3. - Not available .
 4. * Notification of the Ministry of Natural Resources and Environment, dated November 7, B.E. 2548 (2005), which was published in the Royal Government Gazette, Vol. 122, Part 125D dated December 19, B.E. 2548 (2005) . (Category B)
 5. ** ค่าที่เพิ่มขึ้นจากปริมาณสารละลายในน้ำใช้ตามปกติ , ค่า TDS ในน้ำประปา พบ 200 mg/l
 6. N.D. (Not Detectable) หมายถึง ตรวจไม่พบ



ห้องปฏิบัติการวิเคราะห์เอกชน บริษัท โอกลา เทสติ้ง แอนด์ คอนซัลติง เซอร์วิส จำกัด

63/13 ซอย เพชรเกษม 7 แขวงวัดท่าพระ เขตบางกอกใหญ่ กรุงเทพมหานคร 10600

โทรศัพท์ : (66) 02-868-1246 โทรสาร : (66) 02-686-1247 Website : www.okla-testing.com J-NAC Group

WATER AND WASTEWATER ANALYSIS REPORT

CLIENT NAME	: Keyne by Sansiri	REPORT NO.	: RN230310355
SAMPLING LOCATION	: บ่อพักน้ำทิ้งสุดท้ายก่อนระบายออก	SAMPLING SOURCE	: Wastewater
	: คู่อระบายน้ำสาธารณะ	SAMPLING BY	: นายโกวิท บุฬา
SAMPLING METHOD	: Grab	SAMPLE CHARACTERISTICS	: ไม่มีตะกอนสีดำ
SAMPLE CONDITION	: Normal	SAMPLING TIME	: -
SAMPLING DATE	: Mar 7, 2023	ANALYTICAL DATE	: Mar 7-16, 2023
RECEIVED DATE	: Mar 7, 2023		
REPORT DATE	: Mar 17, 2023		

PARAMETER	UNIT	METHODS OF ANALYSIS	RESULT	MDL	STANDARD*
pH	-	Electrometric (SM: 4500-H ⁺ B.)	7.1	-	5-9
Biochemical Oxygen Demand	mg/l	Membrane Electrode (SM: 4500-O G, 5210 B.)	10.0	-	≤30
Total Dissolved Solids	mg/l	Total Dissolved Solids Dried at 180 °C (SM: 2540 C.)	146.0	-	≤500**
Suspended Solids	mg/l	Suspended Solids Dried at 103-105 °C (SM: 2540 D.)	18.5	-	≤40
Sulfide as H ₂ S	mg/l	Iodometric (SM: 4500-S ²⁻ F.)	<1.0	-	≤1.0
Total Kjeldahl Nitrogen	mg/l	Macro Kjeldahl (SM: 4500-N _{org} B)	16.0	-	≤35
Grease & Oil	mg/l	Liquid-Liquid Partition-Gravimetric (SM: 5520 B.)	N.D.	1.4	≤20
Total Coliform Bacteria	MPN/100 ml	MPN Test	>2.4 x 10 ⁶	-	-

SM : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 23rd ED.,2017 (AWWA,APHA, WEF)

(Nijinart Matiyapak)

Scientist

(Lawachai Chongvutichai)

Environmental Laboratory Section Manager

- Remark :
1. Reported analysis refers to submitted sampling only.
 2. This report shall not be reproduced, except in full, without official approval.
 3. - Not available .
 4. * Notification of the Ministry of Natural Resources and Environment, dated November 7, B.E. 2548 (2005), which was published in the Royal Government Gazette, Vol. 122, Part 125D dated December 19, B.E. 2548 (2005) . (Category B)
 5. ** ค่าที่เพิ่มขึ้นจากปริมาณสารละลายในน้ำใช้ตามปกติ , ค่า TDS ในน้ำประปา พบ 200 mg/l
 6. N.D. (Not Detectable) หมายถึง ตรวจไม่พบ



ห้องปฏิบัติการวิเคราะห์เอกชน บริษัท โอกลา เทสติ้ง แอนด์ คอนซัลติง เซอร์วิส จำกัด

63/13 ซอย เพชรเกษม 7 แขวงวัดท่าพระ เขตบางกอกใหญ่ กรุงเทพมหานคร 10600

โทรศัพท์ : (66) 02-868-1246 โทรสาร : (66) 02-686-1247 Website : www.okla-testing.com J-NAC Group

WATER AND WASTEWATER ANALYSIS REPORT

CLIENT NAME	: Keyne by Sansiri	REPORT NO.	: RN230490528
SAMPLING LOCATION	: จุดรวบรวมน้ำเสียเข้าระบบบำบัดน้ำเสีย	SAMPLING SOURCE	: Wastewater
SAMPLING METHOD	: Grab	SAMPLING BY	: นางสาวจุลชา สมบุญ
SAMPLE CONDITION	: Normal	SAMPLE CHARACTERISTICS	: เหลืองขุ่นมีตะกอนสีดำ
SAMPLING DATE	: Apr 20, 2023	SAMPLING TIME	: -
RECEIVED DATE	: Apr 20, 2023	ANALYTICAL DATE	: Apr 20-28, 2023
REPORT DATE	: May 2, 2023		

PARAMETER	UNIT	METHODS OF ANALYSIS	RESULT	MDL	STANDARD*
pH	-	Electrometric (SM: 4500-H ⁺ B.)	6.7	-	-
Biochemical Oxygen Demand	mg/l	Azide Modification	56.0	-	-
** Total Dissolved Solids	mg/l	Total Dissolved Solids Dried at 180 °C (SM: 2540 C.)	292.0	-	-
Suspended Solids	mg/l	Suspended Solids Dried at 103-105 °C (SM: 2540 D.)	30.0	-	-
Sulfide as H ₂ S	mg/l	Iodometric (SM: 4500-S ²⁻ F.)	<1.0	-	-
Total Kjeldahl Nitrogen	mg/l	Macro Kjeldahl (SM: 4500-N _{org} B)	28.0	-	-
Grease & Oil	mg/l	Liquid-Liquid Partition-Gravimetric (SM: 5520 B.)	<5.0	1.4	-
Total Coliform Bacteria	MPN/100 ml	MPN Test	>2.4 x 10 ⁶	-	-

SM : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 23rd ED.,2017 (AWWA,APHA, WEF)

(Nijinart Matiyapak)

Scientist

(Tawatchai Chongvutichai)

Environmental Laboratory Section Manager

- Remark :
1. Reported analysis refers to submitted sampling only.
 2. This report shall not be reproduced, except in full, without official approval.
 3. - Not available .
 4. * Notification of the Ministry of Natural Resources and Environment, dated November 7, B.E. 2548 (2005), which was published in the Royal Government Gazette, Vol. 122, Part 125D dated December 19, B.E. 2548 (2005) . (Category B)
 5. ** ค่าที่เพิ่มขึ้นจากปริมาณสารละลายในน้ำใช้ตามปกติ , ค่า TDS ในน้ำประปา พบ 184 mg/l



ห้องปฏิบัติการวิเคราะห์เอกชน บริษัท โอกลา เทสติ้ง แอนด์ คอนซัลติ้ง เซอร์วิส จำกัด

63/13 ซอย เพชรเกษม 7 แขวงวัดท่าพระ เขตบางกอกใหญ่ กรุงเทพมหานคร 10600

โทรศัพท์ : (66) 02-868-1246 โทรสาร : (66) 02-686-1247 Website : www.okla-testing.com J-NAC Group

WATER AND WASTEWATER ANALYSIS REPORT

CLIENT NAME	: Keyne by Sansiri	REPORT NO.	: RN230490529
SAMPLING LOCATION	: จุดระบายน้ำออกจากระบบบำบัดน้ำเสีย	SAMPLING SOURCE	: Wastewater
SAMPLING METHOD	: Grab	SAMPLING BY	: นางสาวจุลฑา สมบุญ
SAMPLE CONDITION	: Normal	SAMPLE CHARACTERISTICS	: เหลืองขุ่นมีตะกอนสีดำ
SAMPLING DATE	: Apr 20, 2023	SAMPLING TIME	: -
RECEIVED DATE	: Apr 20, 2023	ANALYTICAL DATE	: Apr 20-28, 2023
REPORT DATE	: May 2, 2023		

PARAMETER	UNIT	METHODS OF ANALYSIS	RESULT	MDL	STANDARD *
pH	-	Electrometric (SM: 4500-H ⁺ B.)	6.8	-	5-9
Biochemical Oxygen Demand	mg/l	Azide Modification	20.8	-	≤30
Total Dissolved Solids	mg/l	Total Dissolved Solids Dried at 180 °C (SM: 2540 C.)	158.0	-	≤500 **
Suspended Solids	mg/l	Suspended Solids Dried at 103-105 °C (SM: 2540 D.)	19.5	-	≤40
Sulfide as H ₂ S	mg/l	Iodometric (SM: 4500-S ²⁻ F.)	<1.0	-	≤1.0
Total Kjeldahl Nitrogen	mg/l	Macro Kjeldahl (SM: 4500-N _{org} B)	18.0	-	≤35
Grease & Oil	mg/l	Liquid-Liquid Partition-Gravimetric (SM: 5520 B.)	N.D.	1.4	≤20
Total Coliform Bacteria	MPN/100 ml	MPN Test	>2.4 x 10 ⁶	-	-

SM : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 23rd ED.,2017 (AWWA,APHA, WEF)

(Nijinart Matiyapak)

Scientist

(Tawatchai Chongvutichai)

Environmental Laboratory Section Manager

- Remark :
1. Reported analysis refers to submitted sampling only.
 2. This report shall not be reproduced, except in full, without official approval.
 3. - Not available .
 4. * Notification of the Ministry of Natural Resources and Environment, dated November 7, B.E. 2548 (2005), which was published in the Royal Government Gazette, Vol. 122, Part 125D dated December 19, B.E. 2548 (2005) . (Category B)
 5. ** ค่าที่เพิ่มขึ้นจากปริมาณสารละลายในน้ำใช้ตามปกติ , ค่า TDS ในน้ำประปา พบ 184 mg/l
 6. N.D. (Not Detectable) หมายถึง ตรวจไม่พบ



ห้องปฏิบัติการวิเคราะห์เอกชน บริษัท โอกลา เทสต์ติ้ง แอนด์ คอนซัลติ้ง เซอร์วิส จำกัด

63/13 ซอย เพชรเกษม 7 แขวงวัดท่าพระ เขตบางกอกใหญ่ กรุงเทพมหานคร 10600

โทรศัพท์ : (66) 02-868-1246 โทรสาร : (66) 02-686-1247 Website : www.okla-testing.com J-NAC Group

WATER AND WASTEWATER ANALYSIS REPORT

CLIENT NAME	: Keyne by Sansiri	REPORT NO.	: RN230490530
SAMPLING LOCATION	: บ่อพักน้ำทิ้งสุดท้ายก่อนระบายออก	SAMPLING SOURCE	: Wastewater
	: สูท่ระบายน้ำสาธารณะ	SAMPLING BY	: นางสาวจุลภา สมบุญ
SAMPLING METHOD	: Grab	SAMPLE CHARACTERISTICS	: เหลืองใสมีตะกอนสีดำ
SAMPLE CONDITION	: Normal	SAMPLING TIME	: -
SAMPLING DATE	: Apr 20, 2023	ANALYTICAL DATE	: Apr 20-28, 2023
RECEIVED DATE	: Apr 20, 2023		
REPORT DATE	: May 2, 2023		

PARAMETER	UNIT	METHODS OF ANALYSIS	RESULT	MDL	STANDARD*
pH	-	Electrometric (SM: 4500-H ⁺ B.)	6.8	-	5-9
Biochemical Oxygen Demand	mg/l	Azide Modification	10.7	-	≤30
Total Dissolved Solids	mg/l	Total Dissolved Solids Dried at 180 °C (SM: 2540 C.)	144.0	-	≤500**
Suspended Solids	mg/l	Suspended Solids Dried at 103-105 °C (SM: 2540 D.)	23.5	-	≤40
Sulfide as H ₂ S	mg/l	Iodometric (SM: 4500-S ²⁻ F.)	<1.0	-	≤1.0
Total Kjeldahl Nitrogen	mg/l	Macro Kjeldahl (SM: 4500-N _{org} B)	17.0	-	≤35
Grease & Oil	mg/l	Liquid-Liquid Partition-Gravimetric (SM: 5520 B.)	N.D.	1.4	≤20
Total Coliform Bacteria	MPN/100 ml	MPN Test	>2.4 x 10 ⁶	-	-

SM : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 23rd ED.,2017 (AWWA,APHA, WEF)

(Nijinart Matiyapak)

Scientist

(Tawatchai Chongvutichai)

Environmental Laboratory Section Manager

- Remark :
1. Reported analysis refers to submitted sampling only.
 2. This report shall not be reproduced, except in full, without official approval.
 3. - Not available .
 4. * Notification of the Ministry of Natural Resources and Environment, dated November 7, B.E. 2548 (2005), which was published in the Royal Government Gazette, Vol. 122, Part 125D dated December 19, B.E. 2548 (2005) . (Category B)
 5. ** ค่าที่เพิ่มขึ้นจากปริมาณสารละลายในน้ำใช้ตามปกติ , ค่า TDS ในน้ำประปา พบ 184 mg/l
 6. N.D. (Not Detectable) หมายถึง ตรวจไม่พบ



ห้องปฏิบัติการวิเคราะห์เอกชน บริษัท โอกลา เทสต์ติ้ง แอนด์ คอนซัลติ้ง เซอร์วิส จำกัด

63/13 ซอย เพชรเกษม 7 แขวงวัดท่าพระ เขตบางกอกใหญ่ กรุงเทพมหานคร 10600

โทรศัพท์ : (66) 02-868-1246 โทรสาร : (66) 02-686-1247 Website : www.okla-testing.com J-NAC Group

WATER AND WASTEWATER ANALYSIS REPORT

CLIENT NAME	: Keyne by Sansiri	REPORT NO.	: RN230590670
SAMPLING LOCATION	: จุดรวบรวมน้ำเสียเข้าระบบบำบัดน้ำเสีย	SAMPLING SOURCE	: Wastewater
SAMPLING METHOD	: Grab	SAMPLING BY	: นายโกวิท บุญหา
SAMPLE CONDITION	: Normal	SAMPLE CHARACTERISTICS	: เทาขุ่นมีตะกอนสีดำ
SAMPLING DATE	: May 17, 2023	SAMPLING TIME	: -
RECEIVED DATE	: May 17, 2023	ANALYTICAL DATE	: May 17-26, 2023
REPORT DATE	: May 29, 2023		

PARAMETER	UNIT	METHODS OF ANALYSIS	RESULT	MDL	STANDARD*
pH	-	Electrometric (SM: 4500-H ⁺ B.)	6.8	-	-
Biochemical Oxygen Demand	mg/l	Membrane Electrode (SM: 4500-O G, 5210 B.)	52.0	-	-
** Total Dissolved Solids	mg/l	Total Dissolved Solids Dried at 180 °C (SM: 2540 C.)	707.0	-	-
Suspended Solids	mg/l	Suspended Solids Dried at 103-105 °C (SM: 2540 D.)	31.5	-	-
Sulfide as H ₂ S	mg/l	Iodometric (SM: 4500-S ²⁻ F.)	<1.0	-	-
Total Kjeldahl Nitrogen	mg/l	Macro Kjeldahl (SM: 4500-N _{org} B.)	28.0	-	-
Grease & Oil	mg/l	Liquid-Liquid Partition-Gravimetric (SM: 5520 B.)	<5.0	1.4	-
Total Coliform Bacteria	MPN/100 ml	MPN Test	>2.4 x 10 ⁶	-	-

SM : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 23rd ED., 2017 (AWWA, APHA, WEF)

(Nijinart Matiyapak)

Scientist

(Tawatchai Chongvutichai)

Environmental Laboratory Section Manager

- Remark :
1. Reported analysis refers to submitted sampling only.
 2. This report shall not be reproduced, except in full, without official approval.
 3. - Not available .
 4. * Notification of the Ministry of Natural Resources and Environment, dated November 7, B.E. 2548 (2005), which was published in the Royal Government Gazette, Vol. 122, Part 125D dated December 19, B.E. 2548 (2005) . (Category B)
 5. ** ค่าที่เพิ่มขึ้นจากปริมาณสารละลายในน้ำใช้ตามปกติ , ค่า TDS ในน้ำประปา พบ 197 mg/l



ห้องปฏิบัติการวิเคราะห์เอกชน บริษัท โอกลา เทสต์ติ้ง แอนด์ คอนซัลติ้ง เซอร์วิส จำกัด

63/13 ซอย เพชรเกษม 7 แขวงวัดท่าพระ เขตบางกอกใหญ่ กรุงเทพมหานคร 10600

โทรศัพท์ : (66) 02-868-1246 โทรสาร : (66) 02-686-1247 Website : www.okla-testing.com J-NAC Group

WATER AND WASTEWATER ANALYSIS REPORT

CLIENT NAME	: Keyne by Sansiri	REPORT NO.	: RN230590671
SAMPLING LOCATION	: จุดระบายน้ำออกจากระบบบำบัดน้ำเสีย	SAMPLING SOURCE	: Wastewater
SAMPLING METHOD	: Grab	SAMPLING BY	: นายโกวิท บุญหา
SAMPLE CONDITION	: Normal	SAMPLE CHARACTERISTICS	: เหลืองขุ่นมีตะกอนสีน้ำตาล
SAMPLING DATE	: May 17, 2023	SAMPLING TIME	: -
RECEIVED DATE	: May 17, 2023	ANALYTICAL DATE	: May 17-26, 2023
REPORT DATE	: May 29, 2023		

PARAMETER	UNIT	METHODS OF ANALYSIS	RESULT	MDL	STANDARD*
pH	-	Electrometric (SM: 4500-H ⁺ B.)	7.4	-	5-9
Biochemical Oxygen Demand	mg/l	Membrane Electrode (SM: 4500-O ₂ G, 5210 B.)	16.0	-	≤30
Total Dissolved Solids	mg/l	Total Dissolved Solids Dried at 180 °C (SM: 2540 C.)	111.0	-	≤500**
Suspended Solids	mg/l	Suspended Solids Dried at 103-105 °C (SM: 2540 D.)	3.0	-	≤40
Sulfide as H ₂ S	mg/l	Iodometric (SM: 4500-S ²⁻ F.)	<1.0	-	≤1.0
Total Kjeldahl Nitrogen	mg/l	Macro Kjeldahl (SM: 4500-N _{org} B)	19.0	-	≤35
Grease & Oil	mg/l	Liquid-Liquid Partition-Gravimetric (SM: 5520 B.)	N.D.	1.4	≤20
Total Coliform Bacteria	MPN/100 ml	MPN Test	>2.4 x 10 ⁶	-	-

SM : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 23rd ED.,2017 (AWWA,APHA, WEF)

(Nijinart Matiyapak)	(Tawatchai Chongvutichai)
Scientist	Environmental Laboratory Section Manager

- Remark :
1. Reported analysis refers to submitted sampling only.
 2. This report shall not be reproduced, except in full, without official approval.
 3. - Not available .
 4. * Notification of the Ministry of Natural Resources and Environment, dated November 7, B.E. 2548 (2005), which was published in the Royal Government Gazette, Vol. 122, Part 125D dated December 19, B.E. 2548 (2005) . (Category B)
 5. ** ค่าที่เพิ่มขึ้นจากปริมาณสารละลายในน้ำใช้ตามปกติ , ค่า TDS ในน้ำประปา พบ 197 mg/l
 6. N.D. (Not Detectable) หมายถึง ตรวจไม่พบ



ห้องปฏิบัติการวิเคราะห์เอกชน บริษัท โอกลา เทสติ้ง แอนด์ คอนซัลติง เซอร์วิส จำกัด

63/13 ซอย เพชรเกษม 7 แขวงวัดท่าพระ เขตบางกอกใหญ่ กรุงเทพมหานคร 10600

โทรศัพท์ : (66) 02-868-1246 โทรสาร : (66) 02-686-1247 Website : www.okla-testing.com J-NAC Group

WATER AND WASTEWATER ANALYSIS REPORT

CLIENT NAME	: Keyne by Sansiri	REPORT NO.	: RN230590672
SAMPLING LOCATION	: บ่อพักน้ำทิ้งสุดท้ายก่อนระบายออก	SAMPLING SOURCE	: Wastewater
	: สู้อ่ระบายน้ำสาธารณะ	SAMPLING BY	: นายโกวิท พุหา
SAMPLING METHOD	: Grab	SAMPLE CHARACTERISTICS	: เหลืองใสมีตะกอนสีน้ำตาล
SAMPLE CONDITION	: Normal	SAMPLING TIME	: -
SAMPLING DATE	: May 17, 2023	ANALYTICAL DATE	: May 17-26, 2023
RECEIVED DATE	: May 17, 2023		
REPORT DATE	: May 29, 2023		

PARAMETER	UNIT	METHODS OF ANALYSIS	RESULT	MDL	STANDARD*
pH	-	Electrometric (SM: 4500-H ⁺ B.)	7.3	-	5-9
Biochemical Oxygen Demand	mg/l	Membrane Electrode (SM: 4500-O G, 5210 B.)	5.7	-	≤30
Total Dissolved Solids	mg/l	Total Dissolved Solids Dried at 180 °C (SM: 2540 C.)	135.0	-	≤500**
Suspended Solids	mg/l	Suspended Solids Dried at 103-105 °C (SM: 2540 D.)	6.5	-	≤40
Sulfide as H ₂ S	mg/l	Iodometric (SM: 4500-S ²⁻ F.)	<1.0	-	≤1.0
Total Kjeldahl Nitrogen	mg/l	Macro Kjeldahl (SM: 4500-N _{org} B)	17.0	-	≤35
Grease & Oil	mg/l	Liquid-Liquid Partition-Gravimetric (SM: 5520 B.)	N.D.	1.4	≤20
Total Coliform Bacteria	MPN/100 ml	MPN Test	>2.4 x 10 ⁶	-	-

SM : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 23rd ED.,2017 (AWWA,APHA, WEF)

(Nijinart Matiyapak)

Scientist

(Tawatchai Chongyutichai)

Environmental Laboratory Section Manager

- Remark :
1. Reported analysis refers to submitted sampling only.
 2. This report shall not be reproduced, except in full, without official approval.
 3. - Not available .
 4. * Notification of the Ministry of Natural Resources and Environment, dated November 7, B.E. 2548 (2005), which was published in the Royal Government Gazette, Vol. 122, Part 125D dated December 19, B.E. 2548 (2005) . (Category B)
 5. ** ค่าที่เพิ่มขึ้นจากปริมาณสารละลายในน้ำใช้ตามปกติ , ค่า TDS ในน้ำประปา พบ 197 mg/l
 6. N.D. (Not Detectable) หมายถึง ตรวจไม่พบ



ห้องปฏิบัติการวิเคราะห์เอกชน บริษัท โอกลา เทสติ้ง แอนด์ คอนซัลติ้ง เซอร์วิส จำกัด

63/13 ซอย เพชรเกษม 7 แขวงวัดท่าพระ เขตบางกอกใหญ่ กรุงเทพมหานคร 10600

โทรศัพท์ : (66) 02-868-1246 โทรสาร : (66) 02-686-0860 Website : www.okla-testing.com J-NAC Group

WATER AND WASTEWATER ANALYSIS REPORT

CLIENT NAME	: Keyne by Sansiri	REPORT NO.	: RN230690805
SAMPLING LOCATION	: จุดรวบรวมน้ำเสียเข้าระบบบำบัดน้ำเสีย	SAMPLING SOURCE	: Wastewater
SAMPLING METHOD	: Grab	SAMPLING BY	: นางสาววันวิสา หวังแวกลาง
SAMPLE CONDITION	: Normal	SAMPLE CHARACTERISTICS	: ขุ่นมีตะกอนสีดำ
SAMPLING DATE	: Jun 15, 2023	SAMPLING TIME	: -
RECEIVED DATE	: Jun 15, 2023	ANALYTICAL DATE	: Jun 15-26, 2023
REPORT DATE	: Jun 27, 2023		

PARAMETER	UNIT	METHODS OF ANALYSIS	RESULT	MDL	STANDARD*
pH	-	Electrometric (SM: 4500-H ⁺ B.)	6.8	-	-
Biochemical Oxygen Demand	mg/l	Membrane Electrode (SM: 4500-O G, 5210 B.)	43.5	-	-
** Total Dissolved Solids	mg/l	Total Dissolved Solids Dried at 180 °C (SM: 2540 C.)	620.0	-	-
Suspended Solids	mg/l	Suspended Solids Dried at 103-105 °C (SM: 2540 D.)	48.0	-	-
Sulfide as H ₂ S	mg/l	Iodometric (SM: 4500-S ²⁻ F.)	<1.0	-	-
Total Kjeldahl Nitrogen	mg/l	Macro Kjeldahl (SM: 4500-N _{org} B)	29.0	-	-
Grease & Oil	mg/l	Liquid-Liquid Partition-Gravimetric (SM: 5520 B.)	N.D.	1.4	-
Total Coliform Bacteria	MPN/100 ml	MPN Test	>2.4 x 10 ⁶	-	-

SM : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 23rd ED.,2017 (AWWA,APHA, WEF)

(Nijinart Matiyapak)

Scientist

(Tawatchai Chongvutichai)

Environmental Laboratory Section Manager

- Remark :
1. Reported analysis refers to submitted sampling only.
 2. This report shall not be reproduced, except in full, without official approval.
 3. - Not available .
 4. * Notification of the Ministry of Natural Resources and Environment, dated November 7, B.E. 2548 (2005), which was published in the Royal Government Gazette, Vol. 122, Part 125D dated December 19, B.E. 2548 (2005) . (Category B)
 5. ** ค่าที่เพิ่มขึ้นจากปริมาณสารละลายในน้ำใช้ตามปกติ , ค่า TDS ในน้ำประปา พบ 264 mg/l
 6. N.D. (Not Detectable) หมายถึง ตรวจไม่พบ



ห้องปฏิบัติการวิเคราะห์เอกชน บริษัท โอกลา เทสติ้ง แอนด์ คอนซัลติง เซอร์วิส จำกัด

63/13 ซอย เพชรเกษม 7 แขวงวัดท่าพระ เขตบางกอกใหญ่ กรุงเทพมหานคร 10600

โทรศัพท์ : (66) 02-868-1246 โทรสาร : (66) 02-686-0860 Website : www.okla-testing.com J-NAC Group

WATER AND WASTEWATER ANALYSIS REPORT

CLIENT NAME	: Keyne by Sansiri	REPORT NO.	: RN230690806
SAMPLING LOCATION	: จุติระบายน้ำออกจากระบบบำบัดน้ำเสีย	SAMPLING SOURCE	: Wastewater
SAMPLING METHOD	: Grab	SAMPLING BY	: นางสาววันวิสา หวังแวกลาง
SAMPLE CONDITION	: Normal	SAMPLE CHARACTERISTICS	: ไม่มีตะกอนสีดำ
SAMPLING DATE	: Jun 15, 2023	SAMPLING TIME	: -
RECEIVED DATE	: Jun 15, 2023	ANALYTICAL DATE	: Jun 15-26, 2023
REPORT DATE	: Jun 27, 2023		

PARAMETER	UNIT	METHODS OF ANALYSIS	RESULT	MDL	STANDARD*
pH	-	Electrometric (SM: 4500-H ⁺ B.)	6.8	-	5-9
Biochemical Oxygen Demand	mg/l	Membrane Electrode (SM: 4500-O G, 5210 B.)	12.4	-	≤30
Total Dissolved Solids	mg/l	Total Dissolved Solids Dried at 180 °C (SM: 2540 C.)	76.0	-	≤500**
Suspended Solids	mg/l	Suspended Solids Dried at 103-105 °C (SM: 2540 D.)	25.0	-	≤40
Sulfide as H ₂ S	mg/l	Iodometric (SM: 4500-S ²⁻ F.)	<1.0	-	≤1.0
Total Kjeldahl Nitrogen	mg/l	Macro Kjeldahl (SM: 4500-N _{org} B)	28.0	-	≤35
Grease & Oil	mg/l	Liquid-Liquid Partition-Gravimetric (SM: 5520 B.)	N.D.	1.4	≤20
Total Coliform Bacteria	MPN/100 ml	MPN Test	>2.4 x 10 ⁶	-	-

SM : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 23rd ED.,2017 (AWWA,APHA, WEF)

(Nijinant Matiyapak)

Scientist

(Tawatchai Chongvutichai)

Environmental Laboratory Section Manager

- Remark :
1. Reported analysis refers to submitted sampling only.
 2. This report shall not be reproduced, except in full, without official approval.
 3. - Not available .
 4. * Notification of the Ministry of Natural Resources and Environment, dated November 7, B.E. 2548 (2005), which was published in the Royal Government Gazette, Vol. 122, Part 125D dated December 19, B.E. 2548 (2005) . (Category B)
 5. ** ค่าที่เพิ่มขึ้นจากปริมาณสารละลายในน้ำใช้ตามปกติ , ค่า TDS ในน้ำประปา พบ 264 mg/l
 6. N.D. (Not Detectable) หมายถึง ตรวจไม่พบ



ห้องปฏิบัติการวิเคราะห์เอกชน บริษัท โอกลา เทสติ้ง แอนด์ คอนซัลติง เซอร์วิส จำกัด

63/13 ซอย เพชรเกษม 7 แขวงวัดท่าพระ เขตบางกอกใหญ่ กรุงเทพมหานคร 10600

โทรศัพท์ : (66) 02-868-1246 โทรสาร : (66) 02-686-0860 Website : www.okla-testing.com J-NAC Group

WATER AND WASTEWATER ANALYSIS REPORT

CLIENT NAME	: Keyne by Sansiri	REPORT NO.	: RN230690807
SAMPLING LOCATION	: บ่อพักน้ำทิ้งสุดท้ายก่อนระบายออก	SAMPLING SOURCE	: Wastewater
	: สู้อ่ระบายน้ำสาธารณะ	SAMPLING BY	: นางสาววันวิสา หวังแววกกลาง
SAMPLING METHOD	: Grab	SAMPLE CHARACTERISTICS	: ไม่มีตะกอนสีดำ
SAMPLE CONDITION	: Normal	SAMPLING TIME	: -
SAMPLING DATE	: Jun 15, 2023	ANALYTICAL DATE	: Jun 15-26, 2023
RECEIVED DATE	: Jun 15, 2023		
REPORT DATE	: Jun 27, 2023		

PARAMETER	UNIT	METHODS OF ANALYSIS	RESULT	MDL	STANDARD *
pH	-	Electrometric (SM: 4500-H ⁺ B.)	6.9	-	5-9
Biochemical Oxygen Demand	mg/l	Membrane Electrode (SM: 4500-O G, 5210 B.)	21.8	-	≤30
Total Dissolved Solids	mg/l	Total Dissolved Solids Dried at 180 °C (SM: 2540 C.)	84.0	-	≤500 **
Suspended Solids	mg/l	Suspended Solids Dried at 103-105 °C (SM: 2540 D.)	30.0	-	≤40
Sulfide as H ₂ S	mg/l	Iodometric (SM: 4500-S ²⁻ F.)	<1.0	-	≤1.0
Total Kjeldahl Nitrogen	mg/l	Macro Kjeldahl (SM: 4500-N _{org} B)	31.0	-	≤35
Grease & Oil	mg/l	Liquid-Liquid Partition-Gravimetric (SM: 5520 B.)	N.D.	1.4	≤20
Total Coliform Bacteria	MPN/100 ml	MPN Test	>2.4 x 10 ⁶	-	-

SM : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 23rd ED.,2017 (AWWA,APHA, WEF)

(Nijinart Matiyapak)

Scientist

(Tawatchai Chongvutichai)

Environmental Laboratory Section Manager

- Remark :
1. Reported analysis refers to submitted sampling only.
 2. This report shall not be reproduced, except in full, without official approval.
 3. - Not available .
 4. * Notification of the Ministry of Natural Resources and Environment, dated November 7, B.E. 2548 (2005), which was published in the Royal Government Gazette, Vol. 122, Part 125D dated December 19, B.E. 2548 (2005) . (Category B)
 5. ** ค่าที่เพิ่มขึ้นจากปริมาณสารละลายในน้ำใช้ตามปกติ , ค่า TDS ในน้ำประปา พบ 264 mg/l
 6. N.D. (Not Detectable) หมายถึง ตรวจไม่พบ