

ภาคผนวก ก

ใบรับรองผลการตรวจวิเคราะห์

ANALYSIS REPORT

Customer Name	: การเคหะแห่งชาติ		
Address	: 905 ถนนนวมินทร์ แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240		
Project Name	: โครงการบ้านเอื้ออาทร จังหวัดอุบลราชธานี (ห้วยส้ม)		
Sampling Location	: จุดเก็บน้ำก่อนเข้าสู่ระบบบำบัดน้ำเสียส่วนกลาง	Sampling Source	: Wastewater
Sampling Date	: January 6, 2023	Sampling By	: Mr. Thitibhop Ketkaew
Sampling Time	: 13.30 น.		

Received Date	: January 7, 2023	Sample Code	: JAN23-059
Analytical Date	: January 7-20, 2023	Report No.	: LAB2301019
Sample Condition	: Clear Yellow, Little Sediment, Smell	Report Date	: January 25, 2023

Item	Parameter	Unit	Method of Analysis	Result	Standard
1	pH at 25 °C	-	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 4500-H ⁺ B	7.3	-
2	Biochemical Oxygen Demand	mg/L	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 5210 B	52	-
3	Total Suspended Solids*	mg/L	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 2540 D	<10	-
4	Oil & Grease*	mg/L	WI-LA-206 based on Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 5520-B	<5	-
5	Total Kjeldahl Nitrogen*	mg/L	Semi-Micro Kjeldahl Method (4500-N _{ORG} C.)	46	-

Remark : *The parameters are outside the scope of accreditation to ISO/IEC 17025:2017 by Thailand Industrial Standards Institute.



(Miss Kornchasa Boonprasopsom)

Scientist

Analyzed



(Miss Pranisa Kunsamut)

General Manager

Reviewed and Approved

ANALYSIS REPORT

Customer Name	: การเคหะแห่งชาติ		
Address	: 905 ถนนนวมินทร์ แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240		
Project Name	: โครงการบ้านเอื้ออาทร จังหวัดอุบลราชธานี (ห้วยกุ่ม)		
Sampling Location	: จุดเก็บน้ำก่อนเข้าสู่ระบบบำบัดน้ำเสียส่วนกลาง (ต่อ)	Sampling Source	: Wastewater
Sampling Date	: January 6, 2023	Sampling By	: Mr. Thitibhop Ketkaew
Sampling Time	: 13.30 น.		

Received Date	: January 7, 2023	Sample Code	: JAN23-059
Analytical Date	: January 7-20, 2023	Report No.	: LAB2301019
Sample Condition	: Clear Yellow, Little Sediment, Smell	Report Date	: January 25, 2023

Item	Parameter	Unit	Method of Analysis	Result	Standard
6	Fecal Coliform Bacteria ⁽¹⁾	MPN/100 mL	Multiple-Tube Fermentation Technique (SM: 9221 E)	>160,000	-

Remark : ⁽¹⁾ Analyzed by United Analyst and Engineering Consultant Co., Ltd
(Miss Pranisa Kunsamut)

General Manager

Reviewed and Approved

ANALYSIS REPORT

Customer Name	: การเคหะแห่งชาติ		
Address	: 905 ถนนนวมินทร์ แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240		
Project Name	: โครงการบ้านเอื้ออาทร จังหวัดอุบลราชธานี (ห้วยกุ่ม)		
Sampling Location	: จุดเก็บน้ำหลังผ่านระบบบำบัดน้ำเสียส่วนกลาง	Sampling Source	: Wastewater
Sampling Date	: January 6, 2023	Sampling By	: Mr. Thitibhop Ketkaew
Sampling Time	: 13.25 น.		

Received Date	: January 7, 2023	Sample Code	: JAN23-060
Analytical Date	: January 7-20, 2023	Report No.	: LAB2301019
Sample Condition	: Clear Yellow, Little Sediment	Report Date	: January 25, 2023

Item	Parameter	Unit	Method of Analysis	Result	Standard ⁽¹⁾
1	pH at 25 °C	-	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 4500-H ⁺ B	7.9	5.5-9.0
2	Biochemical Oxygen Demand	mg/L	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 5210 B	4	≤20
3	Total Suspended Solids*	mg/L	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 2540 D	<10	≤30
4	Oil & Grease*	mg/L	WI-LA-206 based on Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 5520-B	<5	≤20
5	Total Kjeldahl Nitrogen*	mg/L	Semi-Micro Kjeldahl Method (4500-N _{ORG} C.)	13	≤35

Remark : * The parameters are outside the scope of accreditation to ISO/IEC 17025:2017 by Thailand Industrial Standards Institute.

: ⁽¹⁾ ประกาศกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม เรื่อง กำหนดมาตรฐานควบคุมการระบายน้ำทิ้งจากที่ดินจัดสรร พ.ศ. 2564 (ประเภท ก)



(Miss Kornchasa Boonprasopsom)

Scientist

Analyzed



(Miss Pranisa Kunsamut)

General Manager

Reviewed and Approved

ANALYSIS REPORT

Customer Name	: การเคหะแห่งชาติ				
Address	: 905 ถนนนวมินทร์ แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240				
Project Name	: โครงการบ้านเอื้ออาทร จังหวัดอุบลราชธานี (ห้วยคู่ม)				
Sampling Location	: จุดเก็บน้ำหลังผ่านระบบบำบัดน้ำเสียส่วนกลาง (ต่อ)	Sampling Source	: Wastewater		
Sampling Date	: January 6, 2023	Sampling By	: Mr. Thitibhop Ketkaew		
Sampling Time	: 13.25 น.				

Received Date	: January 7, 2023	Sample Code	: JAN23-060
Analytical Date	: January 7-20, 2023	Report No.	: LAB2301019
Sample Condition	: Clear Yellow, Little Sediment	Report Date	: January 25, 2023

Item	Parameter	Unit	Method of Analysis	Result	Standard
6	Fecal Coliform Bacteria ⁽¹⁾	MPN/100 mL	Multiple-Tube Fermentation Technique (SM: 9221 E)	790	-
7	Nitrate ⁽¹⁾	mg/L	Cadmium Reduction Method (SM: 4500-NO ₃ ⁻ E)	0.09	-

Remark : ⁽¹⁾ Analyzed by United Analyst and Engineering Consultant Co., Ltd



(Miss Pranisa Kunsamut)

General Manager

Reviewed and Approved

ANALYSIS REPORT

Customer Name	: การเคหะแห่งชาติ
Address	: 905 ถนนนวมินทร์ แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240
Project Name	: โครงการบ้านเอื้ออาทร จังหวัดอุบลราชธานี (ห้วยกุ่ม)
Sampling Location	: บ่อพักสุดท้ายก่อนระบายออกสู่แหล่งน้ำสาธารณะ
Sampling Date	: January 6, 2023
Sampling Time	: 13.50 น.
Sampling Source	: Wastewater
Sampling By	: Mr. Thitibhop Ketkaew

Received Date	: January 7, 2023
Analytical Date	: January 7-20, 2023
Sample Condition	: Clear Green, Little Sediment
Sample Code	: JAN23-061
Report No.	: LAB2301019
Report Date	: January 25, 2023

Item	Parameter	Unit	Method of Analysis	Result	Standard ⁽¹⁾
1	pH at 25 °C	-	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 4500-H ⁺ B	7.6	5.5-9.0
2	Biochemical Oxygen Demand	mg/L	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 5210 B	22	≤20
3	Total Suspended Solids*	mg/L	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 2540 D	18	≤30
4	Oil & Grease*	mg/L	WI-LA-206 based on Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 5520-B	<5	≤20
5	Total Kjeldahl Nitrogen*	mg/L	Semi-Micro Kjeldahl Method (4500-N _{ORG} C.)	39	≤35

Remark : * The parameters are outside the scope of accreditation to ISO/IEC 17025:2017 by Thailand Industrial Standards Institute.

: ⁽¹⁾ ประกาศกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม เรื่อง กำหนดมาตรฐานควบคุมการระบายน้ำทิ้งจากที่ดินจัดสรร พ.ศ. 2564 (ประเภท ก)



(Miss Kornchasa Boonprasopsom)

Scientist

Analyzed



(Miss Pranisa Kunsamut)

General Manager

Reviewed and Approved

ANALYSIS REPORT

Customer Name	: การเคหะแห่งชาติ		
Address	: 905 ถนนนวมินทร์ แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240		
Project Name	: โครงการบ้านเอื้ออาทร จังหวัดอุบลราชธานี (ห้วยคู่ม)		
Sampling Location	: บ่อพักสุดท้ายก่อนระบายออกสู่แหล่งน้ำสาธารณะ (ต่อ)	Sampling Source	: Wastewater
Sampling Date	: January 6, 2023	Sampling By	: Mr. Thitibhop Ketkaew
Sampling Time	: 13.50 น.		

Received Date	: January 7, 2023	Sample Code	: JAN23-061
Analytical Date	: January 7-20, 2023	Report No.	: LAB2301019
Sample Condition	: Clear Green, Little Sediment	Report Date	: January 25, 2023

Item	Parameter	Unit	Method of Analysis	Result	Standard
6	Fecal Coliform Bacteria ⁽¹⁾	MPN/100 mL	Multiple-Tube Fermentation Technique (SM: 9221 E)	54,000	-
7	Nitrate ⁽¹⁾	mg/L	Cadmium Reduction Method (SM: 4500-NO ₃ ⁻ E)	0.35	-
8	Total Phosphorus ⁽¹⁾	mg/L	Persulphate Digestion and Ascorbic Acid Method (SM: 4500-P B- and 4500-P E)	3.33	-

Remark : ⁽¹⁾ Analyzed by United Analyst and Engineering Consultant Co., Ltd



(Miss Pranisa Kunsamut)

General Manager

Reviewed and Approved

- End of The Analysis Report -

ANALYSIS REPORT

Customer Name	: การเคหะแห่งชาติ		
Address	: 905 ถนนนวมินทร์ แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240		
Project Name	: โครงการบ้านเอื้ออาทร จังหวัดอุบลราชธานี (ห้วยคุ่ม)		
Sampling Location	: จุดเก็บน้ำก่อนเข้าสู่ระบบบำบัดน้ำเสียส่วนกลาง	Sampling Source	: Wastewater
Sampling Date	: February 5, 2023	Sampling By	: Mr. Thitibhop ketkaew
Sampling Time	: 09.35 น.		

Received Date	: February 8, 2023	Sample Code	: FEB23-081
Analytical Date	: February 8-22, 2023	Report No.	: LAB2302017
Sample Condition	: Clear Yellow, Little Sediment, Smell	Report Date	: February 24, 2023

Item	Parameter	Unit	Method of Analysis	Result	Standard
1	pH at 25 °C	-	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 4500-H ⁺ B	7.2	-
2	Biochemical Oxygen Demand	mg/L	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 5210 B	40	-
3	Total Suspended Solids	mg/L	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 2540 D	15	-
4	Oil & Grease	mg/L	WI-LA-206 based on Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 5520-B	<5	-
5	Total Kjeldahl Nitrogen*	mg/L	Semi-Micro Kjeldahl Method (4500-N _{ORG} C.)	32	-

Remark : * The parameters are outside the scope of accreditation to ISO/IEC 17025:2017 by Thailand Industrial Standards Institute.

(Miss Kornchasa Boonprasopsom)

Scientist

Analyzed

(Miss Pranisa Kunsamut)

General Manager

Reviewed and Approved

ANALYSIS REPORT

Customer Name	: การเคหะแห่งชาติ		
Address	: 905 ถนนนวมินทร์ แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240		
Project Name	: โครงการบ้านเอื้ออาทร จังหวัดอุบลราชธานี (ห้วยคู่ม)		
Sampling Location	: จุดเก็บน้ำก่อนเข้าสู่ระบบบำบัดน้ำเสียส่วนกลาง (ต่อ)	Sampling Source	: Wastewater
Sampling Date	: February 5, 2023	Sampling By	: Mr. Thitibhop ketkaew
Sampling Time	: 09.35 น.		

Received Date	: February 8, 2023	Sample Code	: FEB23-081
Analytical Date	: February 8-22, 2023	Report No.	: LAB2302017
Sample Condition	: Clear Yellow, Little Sediment, Smell	Report Date	: February 24, 2023

Item	Parameter	Unit	Method of Analysis	Result	Standard
6	Fecal Coliform Bacteria ⁽¹⁾	MPN/100 mL	Multiple-Tube Fermentation Technique (SM: 9221 E)	92,000	-

Remark : ⁽¹⁾ Analyzed by United Analyst and Engineering Consultant Co., Ltd


(Miss Pranisa Kunsamut)

General Manager

Reviewed and Approved

ANALYSIS REPORT

Customer Name	: การเคหะแห่งชาติ		
Address	: 905 ถนนนวมินทร์ แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240		
Project Name	: โครงการบ้านเอื้ออาทร จังหวัดอุบลราชธานี (ห้วยคุ่ม)		
Sampling Location	: จุดเก็บน้ำหลังผ่านระบบบำบัดน้ำเสียส่วนกลาง	Sampling Source	: Wastewater
Sampling Date	: February 5, 2023	Sampling By	: Mr. Thitibhop ketkaew
Sampling Time	: 09.30 น.		

Received Date	: February 8, 2023	Sample Code	: FEB23-082
Analytical Date	: February 8-22, 2023	Report No.	: LAB2302017
Sample Condition	: Clear Yellow, Little Sediment	Report Date	: February 24, 2023

Item	Parameter	Unit	Method of Analysis	Result	Standard ⁽¹⁾
1	pH at 25 °C	-	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 4500-H ⁺ B	7.1	5.5-9.0
2	Biochemical Oxygen Demand	mg/L	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 5210 B	3	≤20
3	Total Suspended Solids	mg/L	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 2540 D	<10	≤30
4	Oil & Grease	mg/L	WI-LA-206 based on Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 5520-B	<5	≤20
5	Total Kjeldahl Nitrogen*	mg/L	Semi-Micro Kjeldahl Method (4500-N _{ORG} C.)	<4	≤35

Remark : * The parameters are outside the scope of accreditation to ISO/IEC 17025:2017 by Thailand Industrial Standards Institute.

: ⁽¹⁾ ประกาศกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม เรื่อง กำหนดมาตรฐานควบคุมการระบายน้ำทิ้งจากที่ดินจัดสรร พ.ศ. 2564 (ประเภท ก)



(Miss Kornchasa Boonprasopsom)

Scientist

Analyzed



(Miss Pranisa Kunsamut)

General Manager

Reviewed and Approved

ANALYSIS REPORT

Customer Name	: การเคหะแห่งชาติ		
Address	: 905 ถนนนวมินทร์ แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240		
Project Name	: โครงการบ้านเอื้ออาทร จังหวัดอุบลราชธานี (ห้วยคุ้ม)		
Sampling Location	: จุดเก็บน้ำหลังผ่านระบบบำบัดน้ำเสียส่วนกลาง (ต่อ)	Sampling Source	: Wastewater
Sampling Date	: February 5, 2023	Sampling By	: Mr. Thitibhop ketkaew
Sampling Time	: 09.30 น.		

Received Date	: February 8, 2023	Sample Code	: FEB23-082
Analytical Date	: February 8-22, 2023	Report No.	: LAB2302017
Sample Condition	: Clear Yellow, Little Sediment	Report Date	: February 24, 2023

Item	Parameter	Unit	Method of Analysis	Result	Standard
6	Fecal Coliform Bacteria ⁽¹⁾	MPN/100 mL	Multiple-Tube Fermentation Technique (SM: 9221 E)	2.0	-
7	Nitrate ⁽¹⁾	mg/L	Cadmium Reduction Method (SM: 4500-NO ₃ ⁻ E)	0.49	-

Remark : ⁽¹⁾ Analyzed by United Analyst and Engineering Consultant Co., Ltd


 (Miss Pranisa Kunsamut)

General Manager

Reviewed and Approved

ANALYSIS REPORT

Customer Name	: การเคหะแห่งชาติ		
Address	: 905 ถนนนวมินทร์ แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240		
Project Name	: โครงการบ้านเอื้ออาทร จังหวัดอุบลราชธานี (ห้วยคุ่ม)		
Sampling Location	: บ่อพักสุดท้ายก่อนระบายออกสู่แหล่งน้ำสาธารณะ	Sampling Source	: Wastewater
Sampling Date	: February 5, 2023	Sampling By	: Mr. Thitibhop ketkaew
Sampling Time	: 09.45 น.		

Received Date	: February 8, 2023	Sample Code	: FEB23-083
Analytical Date	: February 8-22, 2023	Report No.	: LAB2302017
Sample Condition	: Clear Green, Little Sediment	Report Date	: February 24, 2023

Item	Parameter	Unit	Method of Analysis	Result	Standard ⁽¹⁾
1	pH at 25 °C	-	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 4500-H ⁺ B	7.4	5.5-9.0
2	Biochemical Oxygen Demand	mg/L	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 5210 B	29	≤20
3	Total Suspended Solids	mg/L	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 2540 D	12	≤30
4	Oil & Grease	mg/L	WI-LA-206 based on Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 5520-B	<5	≤20
5	Total Kjeldahl Nitrogen*	mg/L	Semi-Micro Kjeldahl Method (4500-N _{ORG} C.)	32	≤35

Remark : * The parameters are outside the scope of accreditation to ISO/IEC 17025:2017 by Thailand Industrial Standards Institute.

: ⁽¹⁾ ประกาศกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม เรื่อง กำหนดมาตรฐานควบคุมการระบายน้ำทิ้งจากที่ดินจัดสรร พ.ศ. 2564 (ประเภท ก)



(Miss Kornchasa Boonprasopsom)

Scientist

Analyzed



(Miss Pranisa Kunsamut)

General Manager

Reviewed and Approved

ANALYSIS REPORT

Customer Name	: การเคหะแห่งชาติ	
Address	: 905 ถนนนวมินทร์ แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240	
Project Name	: โครงการบ้านเอื้ออาทร จังหวัดอุบลราชธานี (ห้วยคุ่ม)	
Sampling Location	: บ่อพักสุดท้ายก่อนระบายออกสู่แหล่งน้ำสาธารณะ (ต่อ)	Sampling Source : Wastewater
Sampling Date	: February 5, 2023	Sampling By : Mr. Thitibhop ketkaew
Sampling Time	: 09.45 น.	

Received Date	: February 8, 2023	Sample Code	: FEB23-083
Analytical Date	: February 8-22, 2023	Report No.	: LAB2302017
Sample Condition	: Clear Green, Little Sediment	Report Date	: February 24, 2023

Item	Parameter	Unit	Method of Analysis	Result	Standard
6	Fecal Coliform Bacteria ⁽¹⁾	MPN/100 mL	Multiple-Tube Fermentation Technique (SM: 9221 E)	35,000	-
7	Nitrate ⁽¹⁾	mg/L	Cadmium Reduction Method (SM: 4500-NO ₃ ⁻ E)	8.95	-
8	Total Phosphorus ⁽¹⁾	mg/L	Persulphate Digestion and Ascorbic Acid Method (SM: 4500-P B- and 4500-P E)	3.16	-

Remark : ⁽¹⁾ Analyzed by United Analyst and Engineering Consultant Co., Ltd


 (Miss Pranisa Kunsamut)
 General Manager
 Reviewed and Approved

ANALYSIS REPORT


Customer Name	: การเคหะแห่งชาติ	
Address	: 905 ถนนนวมินทร์ แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240	
Project Name	: โครงการบ้านเอื้ออาทร จังหวัดอุบลราชธานี (ห้วยคุ่ม)	
Sampling Location	: จุดเก็บคุณภาพน้ำในห้วยคุ่มบริเวณก่อนบรรจบทางระบายน้ำ สาธารณะริมถนน	Sampling Source : Surface Water
Sampling Date	: February 5, 2023	Sampling By : Mr. Thitubhop ketkaew
Sampling Time	: 10.15 น.	

Received Date	: February 8, 2023	Sample Code	: FEB23-084
Analytical Date	: February 8-22, 2023	Report No.	: LAB2302017
Sample Condition	: Clear Yellow, Little Sediment	Report Date	: February 24, 2023

Item	Parameter	Unit	Method of Analysis	Result	Standard ⁽¹⁾
1	pH at 25 °C	-	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 4500-H ⁺ B	7.4	5.0-9.0
2	Biochemical Oxygen Demand	mg/L	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 5210 B	5	≤2
3	Total Suspended Solids	mg/L	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 2540 D	<10	-
4	Oil & Grease	mg/L	WI-LA-206 based on Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 5520-B	<5	-
5	Total Kjeldahl Nitrogen*	mg/L	Semi-Micro Kjeldahl Method (4500-N _{ORG} C.)	5	-

Remark : * The parameters are outside the scope of accreditation to ISO/IEC 17025:2017 by Thailand Industrial Standards Institute.

: ⁽¹⁾ ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 8 (พ.ศ. 2537) ออกตามความในพระราชบัญญัติส่งเสริมและรักษาคุณภาพสิ่งแวดล้อมแห่งชาติ พ.ศ. 2535 เรื่อง กำหนดมาตรฐานคุณภาพน้ำในแหล่งน้ำผิวดิน


 (Miss Kornchasa Boonprasopsom)
 Scientist
 Analyzed


 (Miss Pranisa Kunsamut)
 General Manager
 Reviewed and Approved

ANALYSIS REPORT

Customer Name	: การเคหะแห่งชาติ		
Address	: 905 ถนนนวมินทร์ แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240		
Project Name	: โครงการบ้านเอื้ออาทร จังหวัดอุบลราชธานี (ห้วยคุ่ม)		
Sampling Location	: จุดเก็บคุณภาพน้ำในห้วยคุ่มบริเวณก่อนบรรจบทางระบายน้ำ สาธารณะริมถนน (ต่อ)	Sampling Source	: Surface Water
Sampling Date	: February 5, 2023	Sampling By	: Mr. Thitibhop ketkaew
Sampling Time	: 10.15 น.		

Received Date	: February 8, 2023	Sample Code	: FEB23-084
Analytical Date	: February 8-22, 2023	Report No.	: LAB2302017
Sample Condition	: Clear Yellow, Little Sediment	Report Date	: February 24, 2023

Item	Parameter	Unit	Method of Analysis	Result	Standard ⁽¹⁾
6	Fecal Coliform Bacteria ⁽²⁾	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E.)	490	≤4,000

Remark : ⁽¹⁾ ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 8 (พ.ศ. 2537) ออกตามความในพระราชบัญญัติส่งเสริมและรักษาคุณภาพสิ่งแวดล้อมแห่งชาติ พ.ศ. 2535
 เรื่อง กำหนดมาตรฐานคุณภาพน้ำในแหล่งน้ำผิวดิน
 : ⁽²⁾ Analyzed by United Analyst and Engineering Consultant Co., Ltd.


 (Miss Pranisa Kunsamut)
 General Manager
 Reviewed and Approved

ANALYSIS REPORT

Customer Name	: การเคหะแห่งชาติ		
Address	: 905 ถนนนวมินทร์ แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240		
Project Name	: โครงการบ้านเอื้ออาทร จังหวัดอุบลราชธานี (ห้วยคุ่ม)		
Sampling Location	: จุดเก็บคุณภาพน้ำในห้วยคุ่มบริเวณหลังบรรจบทางระบายน้ำ สาธารณะริมถนน	Sampling Source	: Surface Water
Sampling Date	: February 5, 2023	Sampling By	: Mr. Thitibhop ketkaew
Sampling Time	: 10.20 น.		

Received Date	: February 8, 2023	Sample Code	: FEB23-085
Analytical Date	: February 8-22, 2023	Report No.	: LAB2302017
Sample Condition	: Clear Yellow, Little Sediment	Report Date	: February 24, 2023

Item	Parameter	Unit	Method of Analysis	Result	Standard ⁽¹⁾
1	pH at 25 °C	-	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 4500-H ⁺ B	7.6	5.0-9.0
2	Biochemical Oxygen Demand	mg/L	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 5210 B	5	≤2
3	Total Suspended Solids	mg/L	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 2540 D	<10	-
4	Oil & Grease	mg/L	WI-LA-206 based on Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 5520-B	<5	-
5	Total Kjeldahl Nitrogen*	mg/L	Semi-Micro Kjeldahl Method (4500-N _{ORG} C.)	<4	-

Remark : * The parameters are outside the scope of accreditation to ISO/IEC 17025:2017 by Thailand Industrial Standards Institute.

: ⁽¹⁾ ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 8 (พ.ศ. 2537) ออกตามความในพระราชบัญญัติส่งเสริมและรักษาคุณภาพสิ่งแวดล้อมแห่งชาติ พ.ศ. 2535 เรื่อง กำหนดมาตรฐานคุณภาพน้ำในแหล่งน้ำผิวดิน

(Miss Kornchasa Boonprasopsom)

Scientist

Analyzed

(Miss Pranisa Kunsamut)

General Manager

Reviewed and Approved

ANALYSIS REPORT

Customer Name	: การเคหะแห่งชาติ		
Address	: 905 ถนนนวมินทร์ แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240		
Project Name	: โครงการบ้านเอื้ออาทร จังหวัดอุบลราชธานี (ห้วยคุ่ม)		
Sampling Location	: จุดเก็บคุณภาพน้ำในห้วยคุ่มบริเวณหลังบรรจบทางระบายน้ำ สาธารณะริมถนน (ต่อ)	Sampling Source	: Surface Water
Sampling Date	: February 5, 2023	Sampling By	: Mr. Thitibhop ketkaew
Sampling Time	: 10.20 น.		

Received Date	: February 8, 2023	Sample Code	: FEB23-085
Analytical Date	: February 8-22, 2023	Report No.	: LAB2302017
Sample Condition	: Clear Yellow, Little Sediment	Report Date	: February 24, 2023

Item	Parameter	Unit	Method of Analysis	Result	Standard ⁽¹⁾
6	Fecal Coliform Bacteria ⁽²⁾	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E.)	270	≤4,000
7	Nitrate ⁽²⁾	mg/L	Cadmium Reduction Method (SM: 4500-NO ₃ E)	24.5	-

Remark : ⁽¹⁾ ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 8 (พ.ศ. 2537) ออกตามความในพระราชบัญญัติส่งเสริมและรักษาคุณภาพสิ่งแวดล้อมแห่งชาติ พ.ศ. 2535
 เรื่อง กำหนด มาตรฐานคุณภาพน้ำในแหล่งน้ำผิวดิน
 : ⁽²⁾ Analyzed by United Analyst and Engineering Consultant Co., Ltd.


 (Miss Pranisa Kunsamut)
 General Manager
 Reviewed and Approved

- End of The Analysis Report -

ANALYSIS REPORT

Customer Name	: การเคหะแห่งชาติ
Address	: 905 ถนนนวมินทร์ แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240
Project Name	: โครงการบ้านเอื้ออาทร จังหวัดอุบลราชธานี (ห้วยคู่ม)
Sampling Location	: จุดเก็บน้ำก่อนเข้าสู่ระบบบำบัดน้ำเสียส่วนกลาง
Sampling Date	: March 5, 2023
Sampling Time	: 9.05 น.
Sampling Source	: Wastewater
Sampling By	: Mr. Thitibhop ketkaew

Received Date	: March 8, 2023
Analytical Date	: March 9-20, 2023
Sample Condition	: Clear Yellow, Little Sediment Smell
Sample Code	: MAR23-075
Report No.	: LAB2303020
Report Date	: March 27, 2023

Item	Parameter	Unit	Method of Analysis	Result	Standard
1	pH at 25 °C	-	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 4500-H ⁺ B	7.3	-
2	Biochemical Oxygen Demand	mg/L	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 5210 B	41	-
3	Total Suspended Solids	mg/L	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 2540 D	<10	-
4	Oil & Grease	mg/L	WI-LA-206 based on Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 5520-B	<5	-
5	Total Kjeldahl Nitrogen*	mg/L	Semi-Micro Kjeldahl Method (4500-N _{ORG} C.)	44	-

Remark : * The parameters are outside the scope of accreditation to ISO/IEC 17025:2017 by Thailand Industrial Standards Institute.



(Miss Kornchasa Boonprasopsom)

Scientist

Analyzed



(Miss Pranisa Kunsamut)

General Manager

Reviewed and Approved

ANALYSIS REPORT

Customer Name	: การเคหะแห่งชาติ		
Address	: 905 ถนนนวมินทร์ แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240		
Project Name	: โครงการบ้านเอื้ออาทร จังหวัดอุบลราชธานี (ห้วยคุ้ม)		
Sampling Location	: จุดเก็บน้ำก่อนเข้าสู่ระบบบำบัดน้ำเสียส่วนกลาง (ต่อ)	Sampling Source	: Wastewater
Sampling Date	: March 5, 2023	Sampling By	: Mr. Thitibhop ketkaew
Sampling Time	: 9.05 น.		

Received Date	: March 8, 2023	Sample Code	: MAR23-075
Analytical Date	: March 9-20, 2023	Report No.	: LAB2303020
Sample Condition	: Clear Yellow, Little Sediment Smell	Report Date	: March 27, 2023

Item	Parameter	Unit	Method of Analysis	Result	Standard
6	Fecal Coliform Bacteria ⁽¹⁾	MPN/100 mL	Multiple-Tube Fermentation Technique (SM: 9221 E)	>160,000	-

Remark : ⁽¹⁾ Analyzed by United Analyst and Engineering Consultant Co., Ltd



(Miss Pranisa Kunsamut)

General Manager

Reviewed and Approved

ANALYSIS REPORT

Customer Name	: การเคหะแห่งชาติ		
Address	: 905 ถนนนวมินทร์ แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240		
Project Name	: โครงการบ้านเอื้ออาทร จังหวัดอุบลราชธานี (ห้วยคุ่ม)		
Sampling Location	: จุดเก็บน้ำหลังผ่านระบบบำบัดน้ำเสียส่วนกลาง	Sampling Source	: Wastewater
Sampling Date	: March 5, 2023	Sampling By	: Mr. Thitibhop ketkaew
Sampling Time	: 9.00 น.		

Received Date	: March 8, 2023	Sample Code	: MAR23-076
Analytical Date	: March 9-20, 2023	Report No.	: LAB2303020
Sample Condition	: Clear, Little Sediment	Report Date	: March 27, 2023

Item	Parameter	Unit	Method of Analysis	Result	Standard ⁽¹⁾
1	pH at 25 °C	-	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 4500-H ⁺ B	7.9	5.5-9.0
2	Biochemical Oxygen Demand	mg/L	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 5210 B	3	≤20
3	Total Suspended Solids	mg/L	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 2540 D	<10	≤30
4	Oil & Grease	mg/L	WI-LA-206 based on Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 5520-B	<5	≤20
5	Total Kjeldahl Nitrogen*	mg/L	Semi-Micro Kjeldahl Method (4500-N _{ORG} C.)	<4	≤35

Remark : * The parameters are outside the scope of accreditation to ISO/IEC 17025:2017 by Thailand Industrial Standards Institute.

: ⁽¹⁾ ประกาศกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม เรื่อง กำหนดมาตรฐานควบคุมการระบายน้ำทิ้งจากที่ดินจัดสรร พ.ศ. 2564 (ประเภท ก)



(Miss Kornchasa Boonprasopsom)

Scientist

Analyzed



(Miss Pranisa Kunsamut)

General Manager

Reviewed and Approved

ANALYSIS REPORT

Customer Name	: การเคหะแห่งชาติ		
Address	: 905 ถนนนวมินทร์ แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240		
Project Name	: โครงการบ้านเอื้ออาทร จังหวัดอุบลราชธานี (ห้วยคุ่ม)		
Sampling Location	: จุดเก็บน้ำหลังผ่านระบบบำบัดน้ำเสียส่วนกลาง (ต่อ)	Sampling Source	: Wastewater
Sampling Date	: March 5, 2023	Sampling By	: Mr. Thitibhop ketkaew
Sampling Time	: 9.00 น.		

Received Date	: March 8, 2023	Sample Code	: MAR23-076
Analytical Date	: March 9-20, 2023	Report No.	: LAB2303020
Sample Condition	: Clear, Little Sediment	Report Date	: March 27, 2023

Item	Parameter	Unit	Method of Analysis	Result	Standard
6	Fecal Coliform Bacteria ⁽¹⁾	MPN/100 mL	Multiple-Tube Fermentation Technique (SM: 9221 E)	<1.8	-
7	Nitrate ⁽¹⁾	mg/L	Cadmium Reduction Method (SM: 4500-NO ₃ ⁻ E)	4.43	-

Remark : ⁽¹⁾ Analyzed by United Analyst and Engineering Consultant Co., Ltd



(Miss Pranisa Kunsamut)

General Manager

Reviewed and Approved

ANALYSIS REPORT

Customer Name	: การเคหะแห่งชาติ		
Address	: 905 ถนนนวมินทร์ แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240		
Project Name	: โครงการบ้านเอื้ออาทร จังหวัดอุบลราชธานี (ห้วยคุ่ม)		
Sampling Location	: บ่อกักตุนน้ำก่อนระบายออกสู่แหล่งน้ำสาธารณะ	Sampling Source	: Wastewater
Sampling Date	: March 5, 2023	Sampling By	: Mr. Thitibhop ketkaew
Sampling Time	: 9.15 น.		

Received Date	: March 8, 2023	Sample Code	: MAR23-077
Analytical Date	: March 9-20, 2023	Report No.	: LAB2303020
Sample Condition	: Clear Yellow, Little Sediment	Report Date	: March 27, 2023

Item	Parameter	Unit	Method of Analysis	Result	Standard ⁽¹⁾
1	pH at 25 °C	-	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 4500-H ⁺ B	7.4	5.5-9.0
2	Biochemical Oxygen Demand	mg/L	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 5210 B	30	≤20
3	Total Suspended Solids	mg/L	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 2540 D	11	≤30
4	Oil & Grease	mg/L	WI-LA-206 based on Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 5520-B	<5	≤20
5	Total Kjeldahl Nitrogen*	mg/L	Semi-Micro Kjeldahl Method (4500-N _{ORG} C.)	35	≤35

Remark : * The parameters are outside the scope of accreditation to ISO/IEC 17025:2017 by Thailand Industrial Standards Institute.

: ⁽¹⁾ ประกาศกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม เรื่อง กำหนดมาตรฐานควบคุมการระบายน้ำทิ้งจากที่ดินจัดสรร พ.ศ. 2564 (ประเภท ก)



(Miss Kornchasa Boonprasopsom)

Scientist

Analyzed



(Miss Pranisa Kunsamut)

General Manager

Reviewed and Approved

ANALYSIS REPORT

Customer Name	: การเคหะแห่งชาติ	
Address	: 905 ถนนนวมินทร์ แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240	
Project Name	: โครงการบ้านเอื้ออาทร จังหวัดอุบลราชธานี (ห้วยคุ่ม)	
Sampling Location	: บ่อพักสุดท้ายก่อนระบายออกสู่แหล่งน้ำสาธารณะ (ต่อ)	Sampling Source : Wastewater
Sampling Date	: March 5, 2023	Sampling By : Mr. Thitibhop ketkaew
Sampling Time	: 9.15 น.	

Received Date	: March 8, 2023	Sample Code	: MAR23-077
Analytical Date	: March 9-20, 2023	Report No.	: LAB2303020
Sample Condition	: Clear Yellow, Little Sediment	Report Date	: March 27, 2023

Item	Parameter	Unit	Method of Analysis	Result	Standard
6	Fecal Coliform Bacteria ⁽¹⁾	MPN/100 mL	Multiple-Tube Fermentation Technique (SM: 9221 E)	1,400	-
7	Nitrate ⁽¹⁾	mg/L	Cadmium Reduction Method (SM: 4500-NO ₃ ⁻ E)	0.09	-
8	Total Phosphorus ⁽¹⁾	mg/L	Persulphate Digestion and Ascorbic Acid Method (SM: 4500-P B- and 4500-P E)	3.39	-

Remark : ⁽¹⁾ Analyzed by United Analyst and Engineering Consultant Co., Ltd


(Miss Pranisa Kunsamut)
General Manager
Reviewed and Approved

- End of The Analysis Report -

ANALYSIS REPORT

Customer Name	: การเคหะแห่งชาติ		
Address	: 905 ถนนนวมินทร์ แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240		
Project Name	: โครงการบ้านเอื้ออาทร จังหวัดอุบลราชธานี (ห้วยกุ่ม)		
Sampling Location	: จุดเก็บน้ำก่อนเข้าสู่ระบบบำบัดน้ำเสียส่วนกลาง	Sampling Source	: Wastewater
Sampling Date	: April 3, 2023	Sampling By	: Mr. Chaiyut Pantong
Sampling Time	: 13.20 น.		

Received Date	: April 6, 2023	Sample Code	: APR23-054
Analytical Date	: April 6-25, 2023	Report No.	: LAB2304015
Sample Condition	: Clear Yellow, Little Sediment Smell	Report Date	: April 26, 2023

Item	Parameter	Unit	Method of Analysis	Result	Standard
1	pH at 25 °C	-	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 4500-H ⁺ B	7.4	-
2	Biochemical Oxygen Demand	mg/L	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 5210 B	31	-
3	Total Suspended Solids	mg/L	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 2540 D	<10	-
4	Oil & Grease	mg/L	WI-LA-206 based on Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 5520-B	<5	-
5	Total Kjeldahl Nitrogen*	mg/L	Semi-Micro Kjeldahl Method (4500-N _{ORG} C.)	32	-

Remark : * The parameters are outside the scope of accreditation to ISO/IEC 17025:2017 by Thailand Industrial Standards Institute.


 (Miss Kornchasa Boonprasom)

Scientist
Analyzed


 (Miss Pranisa Kunsamut)

General Manager
Reviewed and Approved

ANALYSIS REPORT

Customer Name	: การเคหะแห่งชาติ		
Address	: 905 ถนนนวมินทร์ แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240		
Project Name	: โครงการบ้านเอื้ออาทร จังหวัดอุบลราชธานี (ห้วยคูบัว)		
Sampling Location	: จุดเก็บน้ำก่อนเข้าสู่ระบบบำบัดน้ำเสียส่วนกลาง (ต่อ)	Sampling Source	: Wastewater
Sampling Date	: April 3, 2023	Sampling By	: Mr. Chaiyut Pantong
Sampling Time	: 13.20 น.		

Received Date	: April 6, 2023	Sample Code	: APR23-054
Analytical Date	: April 6-25, 2023	Report No.	: LAB2304015
Sample Condition	: Clear Yellow, Little Sediment Smell	Report Date	: April 26, 2023

Item	Parameter	Unit	Method of Analysis	Result	Standard
6	Fecal Coliform Bacteria ⁽¹⁾	MPN/100 mL	Multiple-Tube Fermentation Technique (SM: 9221 E)	92,000	-

Remark : ⁽¹⁾ Analyzed by United Analyst and Engineering Consultant Co., Ltd



(Miss Pranisa Kunsamut)

General Manager

Reviewed and Approved

ANALYSIS REPORT

Customer Name	: การเคหะแห่งชาติ		
Address	: 905 ถนนนวมินทร์ แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240		
Project Name	: โครงการบ้านเอื้ออาทร จังหวัดอุบลราชธานี (ห้วยกุ่ม)		
Sampling Location	: จุดเก็บน้ำหลังผ่านระบบบำบัดน้ำเสียส่วนกลาง	Sampling Source	: Wastewater
Sampling Date	: April 3, 2023	Sampling By	: Mr. Chaiyut Pantong
Sampling Time	: 13.15 น.		

Received Date	: April 6, 2023	Sample Code	: APR23-055
Analytical Date	: April 6-25, 2023	Report No.	: LAB2304015
Sample Condition	: Clear, Little Sediment	Report Date	: April 26, 2023

Item	Parameter	Unit	Method of Analysis	Result	Standard ⁽¹⁾
1	pH at 25 °C	-	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 4500-H ⁺ B	7.8	5.5-9.0
2	Biochemical Oxygen Demand	mg/L	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 5210 B	3	≤20
3	Total Suspended Solids	mg/L	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 2540 D	<10	≤30
4	Oil & Grease	mg/L	WI-LA-206 based on Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 5520-B	<5	≤20
5	Total Kjeldahl Nitrogen*	mg/L	Semi-Micro Kjeldahl Method (4500-N _{ORG} C.)	<4	≤35

Remark : * The parameters are outside the scope of accreditation to ISO/IEC 17025:2017 by Thailand Industrial Standards Institute.

: ⁽¹⁾ ประกาศกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม เรื่อง กำหนดมาตรฐานควบคุมการระบายน้ำทิ้งจากที่ดินจัดสรร พ.ศ. 2564 (ประเภท ก)



(Miss Kornchasa Boonprasopsom)

Scientist

Analyzed



(Miss Pranisa Kunsamut)

General Manager

Reviewed and Approved

ANALYSIS REPORT

Customer Name	: การเคหะแห่งชาติ		
Address	: 905 ถนนนวมินทร์ แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240		
Project Name	: โครงการบ้านเอื้ออาทร จังหวัดอุบลราชธานี (ห้วยกุ่ม)		
Sampling Location	: จุดเก็บน้ำหลังผ่านระบบบำบัดน้ำเสียส่วนกลาง (ต่อ)	Sampling Source	: Wastewater
Sampling Date	: April 3, 2023	Sampling By	: Mr. Chaiyut Pantong
Sampling Time	: 13.15 น.		

Received Date	: April 6, 2023	Sample Code	: APR23-055
Analytical Date	: April 6-25, 2023	Report No.	: LAB2304015
Sample Condition	: Clear, Little Sediment	Report Date	: April 26, 2023

Item	Parameter	Unit	Method of Analysis	Result	Standard
6	Fecal Coliform Bacteria ⁽¹⁾	MPN/100 mL	Multiple-Tube Fermentation Technique (SM: 9221 E)	2.0	-
7	Nitrate ⁽¹⁾	mg/L	Cadmium Reduction Method (SM: 4500-NO ₃ ⁻ E)	1.06	-

Remark : ⁽¹⁾ Analyzed by United Analyst and Engineering Consultant Co., Ltd



(Miss Pranisa Kunsamut)

General Manager

Reviewed and Approved

ANALYSIS REPORT

Customer Name	: การเคหะแห่งชาติ
Address	: 905 ถนนนวมินทร์ แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240
Project Name	: โครงการบ้านเอื้ออาทร จังหวัดอุบลราชธานี (ห้วยกุ่ม)
Sampling Location	: บ่อพักสุดท้ายก่อนระบายออกสู่แหล่งน้ำสาธารณะ
Sampling Date	: April 3, 2023
Sampling Time	: 13.40 น.
Sampling Source	: Wastewater
Sampling By	: Mr. Chaikut Pantong

Received Date	: April 6, 2023
Analytical Date	: April 6-25, 2023
Sample Condition	: Clear Yellow, Little Sediment Small
Sample Code	: APR23-056
Report No.	: LAB2304015
Report Date	: April 26, 2023

Item	Parameter	Unit	Method of Analysis	Result	Standard ⁽¹⁾
1	pH at 25 °C	-	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 4500-H ⁺ B	7.5	5.5-9.0
2	Biochemical Oxygen Demand	mg/L	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 5210 B	15	≤20
3	Total Suspended Solids	mg/L	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 2540 D	<10	≤30
4	Oil & Grease	mg/L	WI-LA-206 based on Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 5520-B	<5	≤20
5	Total Kjeldahl Nitrogen*	mg/L	Semi-Micro Kjeldahl Method (4500-N _{ORG} C.)	35	≤35

Remark : * The parameters are outside the scope of accreditation to ISO/IEC 17025:2017 by Thailand Industrial Standards Institute.

: ⁽¹⁾ ประกาศกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม เรื่อง กำหนดมาตรฐานควบคุมการระบายน้ำทิ้งจากที่ดินจัดสรร พ.ศ. 2564 (ประเภท ก)



(Miss Kornchasa Boonprasom)

Scientist

Analyzed



(Miss Pranisa Kunsamut)

General Manager

Reviewed and Approved

ANALYSIS REPORT

Customer Name	: การเคหะแห่งชาติ		
Address	: 905 ถนนนวมินทร์ แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240		
Project Name	: โครงการบ้านเอื้ออาทร จังหวัดอุบลราชธานี (ห้วยกุ่ม)		
Sampling Location	: บ่อพักสุดท้ายก่อนระบายออกสู่แหล่งน้ำสาธารณะ (ต่อ)	Sampling Source	: Wastewater
Sampling Date	: April 3, 2023	Sampling By	: Mr. Chaityut Pantong
Sampling Time	: 13.40 น.		

Received Date	: April 6, 2023	Sample Code	: APR23-056
Analytical Date	: April 6-25, 2023	Report No.	: LAB2304015
Sample Condition	: Clear Yellow, Little Sediment Small	Report Date	: April 26, 2023

Item	Parameter	Unit	Method of Analysis	Result	Standard
6	Fecal Coliform Bacteria ⁽¹⁾	MPN/100 mL	Multiple-Tube Fermentation Technique (SM: 9221 E)	24,000	-
7	Nitrate ⁽¹⁾	mg/L	Cadmium Reduction Method (SM: 4500-NO ₃ ⁻ E)	0.31	-
8	Total Phosphorus ⁽¹⁾	mg/L	Persulphate Digestion and Ascorbic Acid Method (SM: 4500-P B- and 4500-P E)	3.24	-

Remark : ⁽¹⁾ Analyzed by United Analyst and Engineering Consultant Co., Ltd



(Miss Pranisa Kunsamut)

General Manager

Reviewed and Approved

- End of The Analysis Report -

ANALYSIS REPORT

Customer Name	: การเกษตรแห่งชาติ		
Address	: 905 ถนนนวมินทร์ แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240		
Project Name	: โครงการบ้านเอื้ออาทร จังหวัดอุบลราชธานี (หัวขั้ว)		
Sampling Location	: จุดเก็บน้ำก่อนเข้าสู่ระบบบำบัดน้ำเสียส่วนกลาง	Sampling Source	: Wastewater
Sampling Date	: May 6, 2023	Sampling By	: Mr. Chaikut Pantong
Sampling Time	: 09.25 น.		

Received Date	: May 12, 2023	Sample Code	: MAY23-075
Analytical Date	: May 12-23, 2023	Report No.	: LAB2305019
Sample Condition	: Turbid Grey, Little Sediment Smell	Report Date	: May 26, 2023

Item	Parameter	Unit	Method of Analysis	Result	Standard
1	pH at 25 °C	-	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 4500-H ⁺ B	7.5	-
2	Biochemical Oxygen Demand	mg/L	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 5210 B	43	-
3	Total Suspended Solids	mg/L	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 2540 D	21	-
4	Oil & Grease	mg/L	WI-LA-206 based on Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 5520-B	<5	-
5	Total Kjeldahl Nitrogen*	mg/L	Semi-Micro Kjeldahl Method (4500-N _{ORG} C.)	40	-

Remark : * The parameters are outside the scope of accreditation to ISO/IEC 17025:2017 by Thailand Industrial Standards Institute.



(Miss Kornchasa Boonprasopsom)

Scientist

Analyzed



(Miss Pranisa Kunsamut)

General Manager

Reviewed and Approved



Skilltech and Environmental Co., Ltd.
บริษัท สกิลเทค แอนด์ เอ็นไวรอนเมนทอล จำกัด
199/486-487 หมู่ 4 ต.รังสิต อ.ธัญบุรี จ.ปทุมธานี 12110

Tel. 02-101-6839, 064-5512514, E-mail: Skilltec_env@hotmail.com



Page 2 / 6

ANALYSIS REPORT

Customer Name	: การเคหะแห่งชาติ				
Address	: 905 ถนนนวมินทร์ แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240				
Project Name	: โครงการบ้านเอื้ออาทร จังหวัดอุบลราชธานี (ห้วยขุม)				
Sampling Location	: จุดเก็บน้ำก่อนเข้าสู่ระบบบำบัดน้ำเสียส่วนกลาง (ต่อ)	Sampling Source	: Wastewater		
Sampling Date	: May 6, 2023	Sampling By	: Mr. Chaiyut Pantong		
Sampling Time	: 09.25 น.				

Received Date	: May 12, 2023	Sample Code	: MAY23-075		
Analytical Date	: May 12-23, 2023	Report No.	: LAB2305019		
Sample Condition	: Turbid Grey, Little Sediment Smell	Report Date	: May 26, 2023		

Item	Parameter	Unit	Method of Analysis	Result	Standard
6	Fecal Coliform Bacteria ⁽¹⁾	MPN/100 mL	Multiple-Tube Fermentation Technique (SM: 9221 E)	1,700	-

Remark : ⁽¹⁾ Analyzed by United Analyst and Engineering Consultant Co., Ltd


(Miss Pranisa Kunsamut)
General Manager
Reviewed and Approved

ANALYSIS REPORT

Customer Name	: การเคหะแห่งชาติ		
Address	: 905 ถนนนวมินทร์ แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240		
Project Name	: โครงการบ้านเอื้ออาทร จังหวัดอุบลราชธานี (ท้ายคุ้ม)		
Sampling Location	: จุดเก็บน้ำหลังผ่านระบบบำบัดน้ำเสียส่วนกลาง	Sampling Source	: Wastewater
Sampling Date	: May 6, 2023	Sampling By	: Mr. Chaikut Pantong
Sampling Time	: 09.20 น.		

Received Date	: May 12, 2023	Sample Code	: MAY23-076
Analytical Date	: May 12-23, 2023	Report No.	: LAB2305019
Sample Condition	: Clear, Little Sediment	Report Date	: May 26, 2023

Item	Parameter	Unit	Method of Analysis	Result	Standard ⁽¹⁾
1	pH at 25 °C	-	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 4500-H ⁺ B	7.7	5.5-9.0
2	Biochemical Oxygen Demand	mg/L	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 5210 B	3	≤20
3	Total Suspended Solids	mg/L	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 2540 D	<10	≤30
4	Oil & Grease	mg/L	WI-LA-206 based on Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 5520-B	<5	≤20
5	Total Kjeldahl Nitrogen*	mg/L	Semi-Micro Kjeldahl Method (4500-N _{ORG} C.)	<4	≤35

Remark : * The parameters are outside the scope of accreditation to ISO/IEC 17025:2017 by Thailand Industrial Standards Institute.

: ⁽¹⁾ ประกาศกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม เรื่อง กำหนดมาตรฐานควบคุมการระบายน้ำทิ้งจากที่ดินจัดสรร พ.ศ. 2564 (ประเภท ก)


 (Miss Kornchasa Boonprasopsom)
 Scientist
 Analyzed


 (Miss Pranisa Kunsamut)
 General Manager
 Reviewed and Approved

ANALYSIS REPORT

Customer Name	: การเคหะแห่งชาติ		
Address	: 905 ถนนนวมินทร์ แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240		
Project Name	: โครงการบ้านเอื้ออาทร จังหวัดอุบลราชธานี (ห้วยกุ่ม)		
Sampling Location	: จุดเก็บน้ำหลังผ่านระบบบำบัดน้ำเสียส่วนกลาง (ต่อ)	Sampling Source	: Wastewater
Sampling Date	: May 6, 2023	Sampling By	: Mr. Chaityut Pantong
Sampling Time	: 09.20 น.		

Received Date	: May 12, 2023	Sample Code	: MAY23-076
Analytical Date	: May 12-23, 2023	Report No.	: LAB2305019
Sample Condition	: Clear, Little Sediment	Report Date	: May 26, 2023

Item	Parameter	Unit	Method of Analysis	Result	Standard
6	Fecal Coliform Bacteria ⁽¹⁾	MPN/100 mL	Multiple-Tube Fermentation Technique (SM: 9221 E)	3.7	-
7	Nitrate ⁽¹⁾	mg/L	Cadmium Reduction Method (SM: 4500-NO ₃ ⁻ E)	0.53	-

Remark : ⁽¹⁾ Analyzed by United Analyst and Engineering Consultant Co., Ltd



(Miss Pranisa Kunsamut)

General Manager

Reviewed and Approved

ANALYSIS REPORT

Customer Name	: การเคหะแห่งชาติ		
Address	: 905 ถนนนวมินทร์ แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240		
Project Name	: โครงการบ้านเอื้ออาทร จังหวัดอุบลราชธานี (หัวขั้ว)		
Sampling Location	: บ่อกักตุนน้ำก่อนระบายออกสู่แหล่งน้ำสาธารณะ	Sampling Source	: Wastewater
Sampling Date	: May 6, 2023	Sampling By	: Mr. Chaiyut Pantong
Sampling Time	: 09.40 น.		

Received Date	: May 12, 2023	Sample Code	: MAY23-077
Analytical Date	: May 12-23, 2023	Report No.	: LAB2305019
Sample Condition	: Turbid Yellow, Little Sediment	Report Date	: May 26, 2023

Item	Parameter	Unit	Method of Analysis	Result	Standard ⁽¹⁾
1	pH at 25 °C	-	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 4500-H ⁺ B	7.4	5.5-9.0
2	Biochemical Oxygen Demand	mg/L	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 5210 B	9	≤20
3	Total Suspended Solids	mg/L	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 2540 D	<10	≤30
4	Oil & Grease	mg/L	WI-LA-206 based on Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 5520-B	<5	≤20
5	Total Kjeldahl Nitrogen*	mg/L	Semi-Micro Kjeldahl Method (4500-N _{ORG} C.)	24	≤35

Remark : * The parameters are outside the scope of accreditation to ISO/IEC 17025:2017 by Thailand Industrial Standards Institute.

: ⁽¹⁾ ประกาศกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม เรื่อง กำหนดมาตรฐานควบคุมการระบายน้ำทิ้งจากที่ดินจัดสรร พ.ศ. 2564 (ประเภท ก)


 (Miss Kornchasa Boonprasopsom)
 Scientist
 Analyzed


 (Miss Pranisa Kunsamut)
 General Manager
 Reviewed and Approved

ANALYSIS REPORT

Customer Name	: การเคหะแห่งชาติ		
Address	: 905 ถนนนวมินทร์ แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240		
Project Name	: โครงการบ้านเอื้ออาทร จังหวัดอุบลราชธานี (หัวขุ่ม)		
Sampling Location	: บ่อพักสุดท้ายก่อนระบายออกสู่แหล่งน้ำสาธารณะ (ต่อ)	Sampling Source	: Wastewater
Sampling Date	: May 6, 2023	Sampling By	: Mr. Chaikut Pantong
Sampling Time	: 09.40 น.		

Received Date	: May 12, 2023	Sample Code	: MAY23-077
Analytical Date	: May 12-23, 2023	Report No.	: LAB2305019
Sample Condition	: Turbid Yellow, Little Sediment	Report Date	: May 26, 2023

Item	Parameter	Unit	Method of Analysis	Result	Standard
6	Fecal Coliform Bacteria ⁽¹⁾	MPN/100 mL	Multiple-Tube Fermentation Technique (SM: 9221 E)	2,400	-
7	Nitrate ⁽¹⁾	mg/L	Cadmium Reduction Method (SM: 4500-NO ₃ E)	0.27	-
8	Total Phosphorus ⁽¹⁾	mg/L	Persulphate Digestion and Ascorbic Acid Method (SM: 4500-P B- and 4500-P E)	2.02	-

Remark : ⁽¹⁾ Analyzed by United Analyst and Engineering Consultant Co., Ltd


(Miss Pranisa Kunsamut)
General Manager
Reviewed and Approved

- End of The Analysis Report -

ANALYSIS REPORT

Customer Name	: การเคหะแห่งชาติ		
Address	: 905 ถนนนวมินทร์ แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240		
Project Name	: โครงการบ้านเอื้ออาทร จังหวัดอุบลราชธานี (ห้วยคุ้ม)		
Sampling Location	: จุดเก็บน้ำก่อนเข้าสู่ระบบบำบัดน้ำเสียส่วนกลาง	Sampling Source	: Wastewater
Sampling Date	: June 3, 2023	Sampling By	: Mr. Nontharit Promtakaew
Sampling Time	: 11.25 น.		

Received Date	: June 7, 2023	Sample Code	: JUN23-054
Analytical Date	: June 7-15, 2023	Report No.	: LAB2306015
Sample Condition	: Clear Grey, Little Sediment Smell	Report Date	: June 17, 2023

Item	Parameter	Unit	Method of Analysis	Result	Standard
1	pH at 25 °C	-	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 4500-H ⁺ B	7.2	-
2	Biochemical Oxygen Demand	mg/L	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 5210 B	40	-
3	Total Suspended Solids	mg/L	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 2540 D	<10	-
4	Oil & Grease	mg/L	WI-LA-206 based on Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 5520-B	<5	-
5	Total Kjeldahl Nitrogen*	mg/L	Semi-Micro Kjeldahl Method (4500-N _{ORG} C.)	31	-

Remark : * The parameters are outside the scope of accreditation to ISO/IEC 17025:2017 by Thailand Industrial Standards Institute.



(Miss Kornchasa Boonprasopsom)

Scientist

Analyzed



(Miss Pranisa Kunsamut)

General Manager

Reviewed and Approved

ANALYSIS REPORT

Customer Name	: การเคหะแห่งชาติ		
Address	: 905 ถนนนวมินทร์ แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240		
Project Name	: โครงการบ้านเอื้ออาทร จังหวัดอุบลราชธานี (ห้วยกุ่ม)		
Sampling Location	: จุดเก็บน้ำก่อนเข้าสู่ระบบบำบัดน้ำเสียส่วนกลาง (ต่อ)	Sampling Source	: Wastewater
Sampling Date	: June 3, 2023	Sampling By	: Mr. Nontharit Promtakaew
Sampling Time	: 11.25 น.		

Received Date	: June 7, 2023	Sample Code	: JUN23-054
Analytical Date	: June 7-15, 2023	Report No.	: LAB2306015
Sample Condition	: Clear Grey, Little Sediment Smell	Report Date	: June 17, 2023

Item	Parameter	Unit	Method of Analysis	Result	Standard
6	Fecal Coliform Bacteria ⁽¹⁾	MPN/100 mL	Multiple-Tube Fermentation Technique (SM: 9221 E)	>160,000	-

Remark : ⁽¹⁾ Analyzed by United Analyst and Engineering Consultant Co., Ltd



(Miss Pranisa Kunsamut)

General Manager

Reviewed and Approved

ANALYSIS REPORT

Customer Name	: การเคหะแห่งชาติ		
Address	: 905 ถนนนวมินทร์ แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240		
Project Name	: โครงการบ้านเอื้ออาทร จังหวัดอุบลราชธานี (ห้วยกุ่ม)		
Sampling Location	: จุดเก็บน้ำหลังผ่านระบบบำบัดน้ำเสียส่วนกลาง	Sampling Source	: Wastewater
Sampling Date	: June 3, 2023	Sampling By	: Mr. Nontharit Promtakaew
Sampling Time	: 11.20 น.		

Received Date	: June 7, 2023	Sample Code	: JUN23-055
Analytical Date	: June 7-15, 2023	Report No.	: LAB2306015
Sample Condition	: Clear Yellow, Little Sediment	Report Date	: June 17, 2023

Item	Parameter	Unit	Method of Analysis	Result	Standard ⁽¹⁾
1	pH at 25 °C	-	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 4500-H ⁺ B	8.1	5.5-9.0
2	Biochemical Oxygen Demand	mg/L	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 5210 B	3	≤20
3	Total Suspended Solids	mg/L	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 2540 D	<10	≤30
4	Oil & Grease	mg/L	WI-LA-206 based on Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 5520-B	<5	≤20
5	Total Kjeldahl Nitrogen*	mg/L	Semi-Micro Kjeldahl Method (4500-N _{ORG} C.)	<4	≤35

Remark : * The parameters are outside the scope of accreditation to ISO/IEC 17025:2017 by Thailand Industrial Standards Institute.

: ⁽¹⁾ ประกาศกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม เรื่อง กำหนดมาตรฐานควบคุมการระบายน้ำทิ้งจากที่ดินจัดสรร พ.ศ. 2564 (ประเภท ก)



(Miss Kornchasa Boonprasopsom)

Scientist

Analyzed



(Miss Pranisa Kunsamut)

General Manager

Reviewed and Approved

ANALYSIS REPORT

Customer Name	: การเคหะแห่งชาติ		
Address	: 905 ถนนนวมินทร์ แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240		
Project Name	: โครงการบ้านเอื้ออาทร จังหวัดอุบลราชธานี (ห้วยกุ่ม)		
Sampling Location	: จุดเก็บน้ำหลังผ่านระบบบำบัดน้ำเสียส่วนกลาง (ต่อ)	Sampling Source	: Wastewater
Sampling Date	: June 3, 2023	Sampling By	: Mr. Nontharit Promtakaew
Sampling Time	: 11.20 น.		

Received Date	: June 7, 2023	Sample Code	: JUN23-055
Analytical Date	: June 7-15, 2023	Report No.	: LAB2306015
Sample Condition	: Clear Yellow, Little Sediment	Report Date	: June 17, 2023

Item	Parameter	Unit	Method of Analysis	Result	Standard
6	Fecal Coliform Bacteria ⁽¹⁾	MPN/100 mL	Multiple-Tube Fermentation Technique (SM: 9221 E)	17	-
7	Nitrate ⁽¹⁾	mg/L	Cadmium Reduction Method (SM: 4500-NO ₃ ⁻ E)	1.68	-

Remark : ⁽¹⁾ Analyzed by United Analyst and Engineering Consultant Co., Ltd



(Miss Pranisa Kunsamut)

General Manager

Reviewed and Approved

ANALYSIS REPORT

Customer Name	: การเคหะแห่งชาติ		
Address	: 905 ถนนนวมินทร์ แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240		
Project Name	: โครงการบ้านเอื้ออาทร จังหวัดอุบลราชธานี (ห้วยกุ่ม)		
Sampling Location	: บ่อพักสุดท้ายก่อนระบายออกสู่แหล่งน้ำสาธารณะ	Sampling Source	: Wastewater
Sampling Date	: June 3, 2023	Sampling By	: Mr. Nontharit Promtakaew
Sampling Time	: 11.35 น.		

Received Date	: June 7, 2023	Sample Code	: JUN23-056
Analytical Date	: June 7-15, 2023	Report No.	: LAB2306015
Sample Condition	: Clear Yellow, Little Sediment Smell	Report Date	: June 17, 2023

Item	Parameter	Unit	Method of Analysis	Result	Standard ⁽¹⁾
1	pH at 25 °C	-	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 4500-H ⁺ B	7.0	5.5-9.0
2	Biochemical Oxygen Demand	mg/L	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 5210 B	8	≤20
3	Total Suspended Solids	mg/L	Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 2540 D	<10	≤30
4	Oil & Grease	mg/L	WI-LA-206 based on Standard Method for the Examination of Water and Wastewater, APHA, AWWA & WEF 23 rd ed. 2017, Part 5520-B	<5	≤20
5	Total Kjeldahl Nitrogen*	mg/L	Semi-Micro Kjeldahl Method (4500-N _{ORG} C.)	12	≤35

Remark : * The parameters are outside the scope of accreditation to ISO/IEC 17025:2017 by Thailand Industrial Standards Institute.

: ⁽¹⁾ ประกาศกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม เรื่อง กำหนดมาตรฐานควบคุมการระบายน้ำทิ้งจากที่ดินจัดสรร พ.ศ. 2564 (ประเภท ก)



(Miss Kornchasa Boonprasopsom)

Scientist

Analyzed



(Miss Pranisa Kunsamut)

General Manager

Reviewed and Approved

ANALYSIS REPORT

Customer Name	: การเคหะแห่งชาติ		
Address	: 905 ถนนนวมินทร์ แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240		
Project Name	: โครงการบ้านเอื้ออาทร จังหวัดอุบลราชธานี (ห้วยคุ่ม)		
Sampling Location	: บ่อพักสุดท้ายก่อนระบายออกสู่แหล่งน้ำสาธารณะ (ต่อ)	Sampling Source	: Wastewater
Sampling Date	: June 6, 2023	Sampling By	: Mr. Nontharit Promtakaew
Sampling Time	: 11.35 น.		

Received Date	: June 7, 2023	Sample Code	: JUN23-056
Analytical Date	: June 7-15, 2023	Report No.	: LAB2306015
Sample Condition	: Clear Yellow, Little Sediment Smell	Report Date	: June 17, 2023

Item	Parameter	Unit	Method of Analysis	Result	Standard
6	Fecal Coliform Bacteria ⁽¹⁾	MPN/100 mL	Multiple-Tube Fermentation Technique (SM: 9221 E)	3,900	-
7	Nitrate ⁽¹⁾	mg/L	Cadmium Reduction Method (SM: 4500-NO ₃ ⁻ E)	0.09	-
8	Total Phosphorus ⁽¹⁾	mg/L	Persulphate Digestion and Ascorbic Acid Method (SM: 4500-P B- and 4500-P E)	1.15	-

Remark : ⁽¹⁾ Analyzed by United Analyst and Engineering Consultant Co., Ltd



(Miss Pranisa Kunsamut)

General Manager

Reviewed and Approved

- End of The Analysis Report -