



ตารางบันทึกการตรวจค่าน้ำ

สาขา SKN

ประจำเดือน พ.ย.

เทอม 4/65

วันที่	เวลา	CL	PH	ความใส 1-5	หมายเหตุ	วันที่	เวลา	CL	PH	ความใส 1-5	หมายเหตุ	วันที่	เวลา	CL	PH	ความใส 1-5	หมายเหตุ
		(ppm)						(ppm)						(ppm)			
1						11	9:00	1.0	7.2	5		21					
							17:00	1.0	7.2	5							
2	9:00	0.5	7.4	5		12	9:00	1.0	7.2	5		22					
	17:00	1.5	7.2	5			17:00	1.0	7.2	5							
3	9:00	1.0	7.2	5		13	9:00	1.0	7.2	5		23	9:00	0.5	7.4	5	
	17:00	1.0	7.2	5			17:00	0.5	7.2	5			17:00	1.5	7.2	5	
4	9:00	1.0	7.2	5		14						24	9:00	1.0	7.2	5	
	17:00	1.0	7.2	5									17:00	1.0	7.2	5	
5	9:00	1.0	7.2	5		15						25	9:00	1.0	7.2	5	
	17:00	1.0	7.2	5									17:00	1.0	7.2	5	
6	9:00	1.0	7.2	5		16	9:00	0.5	7.4	5		26	9:00	1.0	7.2	5	
	17:00	0.5	7.2	5			17:00	1.5	7.2	5			17:00	1.0	7.2	5	
7						17	9:00	1.0	7.2	5		27	9:00	1.0	7.2	5	
							17:00	1.0	7.2	5			17:00	0.5	7.2	5	
8						18	9:00	1.0	7.2	5		28					
							17:00	1.0	7.2	5							
9	9:00	0.5	7.4	5		19	9:00	1.0	7.2	5		29					
	17:00	1.5	7.2	5			17:00	1.0	7.2	5							
10	9:00	1.0	7.2	5		20	9:00	1.0	7.2	5		30	9:00	0.5	7.4	5	
	17:00	1.0	7.2	5			17:00	0.5	7.2	5			17:00	1.5	7.2	5	
												31					



ตารางบันทึกการตรวจค่าน้ำ															
สาขา	SKN	ประจำเดือน				Dec				เทอม 4/65					

วันที่	เวลา	CL (ppm)	PH	ความใส 1-5	หมายเหตุ	วันที่	เวลา	CL (ppm)	PH	ความใส 1-5	หมายเหตุ	วันที่	เวลา	CL (ppm)	PH	ความใส 1-5	หมายเหตุ
1	9:00	1.0	7.2	5		11	9:00	1.0	7.2	5		21	9:00	0.5	7.4	5	
	17:00	1.0	7.2	5			17:00	0.5	7.2	5			17:00	1.5	7.2	5	
2	9:00	1.0	7.2	5		12						22	9:00	1.0	7.2	5	
	17:00	1.0	7.2	5									17:00	1.0	7.2	5	
3	9:00	1.0	7.2	5		13						23	9:00	1.0	7.2	5	
	17:00	1.0	7.2	5									17:00	1.0	7.2	5	
4	9:00	1.0	7.2	5		14	9:00	0.5	7.4	5		24	9:00	1.0	7.2	5	
	17:00	0.5	7.2	5			17:00	1.5	7.2	5			17:00	1.0	7.2	5	
5						15	9:00	1.0	7.2	5		25	9:00	1.0	7.2	5	
							17:00	1.0	7.2	5			17:00	0.5	7.2	5	
6						16	9:00	1.0	7.2	5		26					
							17:00	1.0	7.2	5							
7	9:00	0.5	7.4	5		17	9:00	1.0	7.2	5		27					
	17:00	1.5	7.2	5			17:00	1.0	7.2	5							
8	9:00	1.0	7.2	5		18	9:00	1.0	7.2	5		28					
	17:00	1.0	7.2	5			17:00	0.5	7.2	5							
9	9:00	1.0	7.2	5		19						29					
	17:00	1.0	7.2	5													
10	9:00	1.0	7.2	5		20						30					
	17:00	1.0	7.2	5													
												31					



ตารางบันทึกการตรวจค่าน้ำ

สาขา SKN

ประจำเดือน Jan

เทอม 1/66

วันที่	เวลา	CL (ppm)	PH	ความใส 1-5	หมายเหตุ	วันที่	เวลา	CL (ppm)	PH	ความใส 1-5	หมายเหตุ	วันที่	เวลา	CL (ppm)	PH	ความใส 1-5	หมายเหตุ
1						11	9:00	0.5	7.4	5		21	9:00	1.0	7.2	5	
							17:00	1.5	7.2	5			17:00	0.5	7.2	5	
2						12	9:00	1.0	7.2	5		22	9:00	1.0	7.2	5	
							17:00	1.0	7.2	5			17:00	0.5	7.2	5	
3						13	9:00	1.0	7.2	5		23					
							17:00	1.0	7.2	5							
4	9:00	0.2	7.2	4		14	9:00	1.0	7.2	5		24					
	17:00	1.5	7.2	5			17:00	0.5	7.2	5							
5	9:00	1.0	7.2	5		15	9:00	1.0	7.2	5		25	9:00	0.5	7.4	5	
	17:00	1.0	7.2	5			17:00	0.5	7.2	5			17:00	1.5	7.2	5	
6	9:00	1.0	7.2	5		16						26	9:00	1.0	7.2	5	
	17:00	1.0	7.2	5									17:00	1.0	7.2	5	
7	9:00	1.0	7.2	5		17						27	9:00	1.0	7.2	5	
	17:00	1.0	7.2	5									17:00	1.0	7.2	5	
8	9:00	1.0	7.2	5		18	9:00	1.0	7.2	5		28	9:00	1.0	7.2	5	
	17:00	0.5	7.2	5			17:00	1.0	7.2	5			17:00	0.5	7.2	5	
9						19	9:00	1.0	7.2	5		29	9:00	1.0	7.2	5	
							17:00	1.0	7.2	5			17:00	0.5	7.2	5	
10						20	9:00	1.0	7.2	5		30					
							17:00	0.5	7.2	5							
												31					



ตารางบันทึกการตรวจค่าน้ำ

สาขา SKN

ประจำเดือน Feb

เทอม 1/66

วันที่	เวลา	CL (ppm)	PH	ความใส 1-5	หมายเหตุ	วันที่	เวลา	CL (ppm)	PH	ความใส 1-5	หมายเหตุ	วันที่	เวลา	CL (ppm)	PH	ความใส 1-5	หมายเหตุ
1	9:00	0.5	7.4	5		11	9:00	1.0	7.2	5		21					
	17:00	1	7.2	5			17:00	0.5	7.2	5							
2	9:00	1.0	7.2	5		12	9:00	1.0	7.2	5		22	9:00	1.0	7.2	5	
	17:00	1.0	7.2	5			17:00	0.5	7.2	5			17:00	0.5	7.2	5	
3	9:00	1.0	7.2	5		13						23	9:00	1.0	7.2	5	
	17:00	0.5	7.2	5									17:00	0.5	7.2	5	
4	9:00	1.0	7.2	5		14						24	9:00	1.0	7.2	5	
	17:00	0.5	7.2	5									17:00	1.0	7.2	5	
5	9:00	1.0	7.2	5		15	9:00	1.0	7.2	5		25	9:00	1.0	7.2	5	
	17:00	0.5	7.2	5			17:00	2.0	7.2	5			17:00	0.5	7.2	5	
6						16	9:00	1.5	7.2	5		26	9:00	1.0	7.2	5	
							17:00	1.0	7.2	5			17:00	0.5	7.2	5	
7						17	9:00	1.0	7.2	5		27					
							17:00	1.0	7.2	5							
8	9:00	0.5	7.4	5		18	9:00	1.0	7.2	5		28					
	17:00	1	7.2	5			17:00	0.5	7.2	5							
9	9:00	1.0	7.2	5		19	9:00	1.0	7.2	5		29					
	17:00	1.0	7.2	5			17:00	0.5	7.2	5							
10	9:00	1.0	7.2	5		20						30					
	17:00	0.5	7.2	5													
												31					



ตารางบันทึกการตรวจค่าน้ำ															
สาขา SKN		ประจำเดือน Mar				เทอม 1/66									

วันที่	เวลา	CL (ppm)	PH	ความใส 1-5	หมายเหตุ	วันที่	เวลา	CL (ppm)	PH	ความใส 1-5	หมายเหตุ	วันที่	เวลา	CL (ppm)	PH	ความใส 1-5	หมายเหตุ
1	9:00	1.0	7.2	5		11	9:00	1.0	7.2	5		21					
	17:00	2.0	7.2	5			17:00	0.5	7.2	5							
2	9:00	1.5	7.2	5		12	9:00	1.0	7.2	5		22	9:00	1.0	7.2	5	
	17:00	1.0	7.2	5			17:00	0.5	7.2	5			17:00	2.0	7.0	5	
3	9:00	1.0	7.2	5		13						23	9:00	1.5	7.2	5	
	17:00	1.0	7.2	5									17:00	1.0	7.2	5	
4	9:00	1.0	7.2	5		14						24	9:00	1.0	7.2	5	
	17:00	0.5	7.2	5									17:00	1.0	7.2	5	
5	9:00	1.0	7.2	5		15	9:00	1.0	7.2	5		25	9:00	1.0	7.2	5	
	17:00	0.5	7.2	5			17:00	2.0	7.0	5			17:00	0.5	7.2	5	
6						16	9:00	1.5	7.2	5		26	9:00	1.0	7.2	5	
							17:00	1.0	7.2	5			17:00	0.5	7.2	5	
7						17	9:00	1.0	7.2	5		27					
							17:00	1.0	7.2	5							
8						18	9:00	1.0	7.2	5		28					
							17:00	0.5	7.2	5							
9	9:00	1.5	7.2	5		19	9:00	1.0	7.2	5		29					
	17:00	1.0	7.2	5			17:00	0.5	7.2	5							
10	9:00	1.0	7.2	5		20						30					
	17:00	1.0	7.2	5													
												31					



ตารางบันทึกการตรวจค่าน้ำ															
สาขา	SKN	ประจำเดือน				Apr				เทอม 2/66					

วันที่	เวลา	CL (ppm)	PH	ความใส 1-5	หมายเหตุ	วันที่	เวลา	CL (ppm)	PH	ความใส 1-5	หมายเหตุ	วันที่	เวลา	CL (ppm)	PH	ความใส 1-5	หมายเหตุ
1						11						21	9:00	1.0	7.2	5	
													17:00	1.0	7.2	5	
2						12						22	9:00	1.0	7.2	5	
													17:00	0.5	7.2	5	
3						13						23	9:00	1.0	7.2	5	
													17:00	0.5	7.2	5	
4						14						24					
5	9:00	1.0	7.2	5		15	9:00	1.0	7.2	5		25					
	17:00	2.0	7.0	5			17:00	1.0	7.2	5							
6	9:00	1.5	7.2	5		16	9:00	1.0	7.2	5		26	9:00	1.0	7.2	5	
	17:00	1.0	7.2	5			17:00	0.5	7.2	5			17:00	2.0	7.0	5	
7	9:00	1.0	7.2	5		17						27	9:00	1.5	7.2	5	
	17:00	1.0	7.2	5									17:00	1.0	7.2	5	
8	9:00	1.0	7.2	5		18						28	9:00	1.0	7.2	5	
	17:00	0.5	7.2	5									17:00	1.0	7.2	5	
9	9:00	1.0	7.2	5		19	9:00	1.0	7.2	5		29	9:00	1.0	7.2	5	
	17:00	0.5	7.2	5			17:00	2.0	7.0	5			17:00	0.5	7.2	5	
10						20	9:00	1.5	7.2	5		30	9:00	1.0	7.2	5	
							17:00	1.0	7.2	5			17:00	0.5	7.2	5	
												31					



ตารางบันทึกการตรวจค่าน้ำ															
สาขา	SKN	ประจำเดือน				May				เทอม 2/66					

วันที่	เวลา	CL (ppm)	PH	ความใส 1-5	หมายเหตุ	วันที่	เวลา	CL (ppm)	PH	ความใส 1-5	หมายเหตุ	วันที่	เวลา	CL (ppm)	PH	ความใส 1-5	หมายเหตุ
1						11	9:00	2.0	7.2	5		21	9:00	1.0	7.2	5	
							17:00	2.0	7.2	5			17:00	0.5	7.2	5	
2						12	9:00	1.5	7.2	5		22					
							17:00	1.0	7.2	5							
3	9:00	1.0	7.2	5		13	9:00	1.0	7.2	5		23					
	17:00	2.0	7.0	5			17:00	1.0	7.2	5							
4	9:00	1.5	7.2	5		14	9:00	1.0	7.2	5		24	9:00	1.0	7.2	5	
	17:00	1.0	7.2	5			17:00	0.5	7.2	5			17:00	2.0	7.0	5	
5	9:00	1.0	7.2	5		15						25	9:00	1.5	7.2	5	
	17:00	1.0	7.2	5									17:00	1.0	7.2	5	
6	9:00	1.0	7.2	5		16						26	9:00	1.0	7.2	5	
	17:00	0.5	7.2	5									17:00	1.0	7.2	5	
7	9:00	1.0	7.2	5		17	9:00	1.0	7.2	5		27	9:00	1.0	7.2	5	
	17:00	0.5	7.2	5			17:00	2.0	7.0	5			17:00	0.5	7.2	5	
8						18	9:00	1.5	7.2	5		28	9:00	1.0	7.2	5	
							17:00	1.0	7.2	5			17:00	0.5	7.2	5	
9						19	9:00	1.0	7.2	5		29					
							17:00	1.0	7.2	5							
10	9:00	1.0	7.2	5		20	9:00	1.0	7.2	5		30					
	17:00	2.0	7.0	5			17:00	0.5	7.2	5							
												31	9:00	1.0	7.2	5	
													17:00	2.0	7.0	5	



ตารางบันทึกการตรวจค่าน้ำ															
สาขา SKN		ประจำเดือน Jun				เทอม 2/66									

วันที่	เวลา	CL (ppm)	PH	ความใส 1-5	หมายเหตุ	วันที่	เวลา	CL (ppm)	PH	ความใส 1-5	หมายเหตุ	วันที่	เวลา	CL (ppm)	PH	ความใส 1-5	หมายเหตุ
1	9:00	1.0	7.2	5		11	9:00	1.0	7.2	5		21	9:00	1.0	7.2	5	
	17:00	2.0	7.0	5			17:00	0.5	7.2	5			17:00	2.0	7.0	5	
2	9:00	1.5	7.2	5		12						22	9:00	1.5	7.2	5	
	17:00	1.0	7.2	5									17:00	1.0	7.2	5	
3	9:00	1.0	7.2	5		13						23	9:00	1.0	7.2	5	
	17:00	1.0	7.2	5									17:00	1.0	7.2	5	
4	9:00	1.0	7.2	5		14	9:00	1.0	7.2	5		24	9:00	1.0	7.2	5	
	17:00	0.5	7.2	5			17:00	2.0	7.0	5			17:00	0.5	7.2	5	
5						15	9:00	1.5	7.2	5		25	9:00	1.0	7.2	5	
							17:00	1.0	7.2	5			17:00	0.5	7.2	5	
6						16	9:00	1.0	7.2	5		26					
							17:00	1.0	7.2	5							
7	9:00	1.0	7.2	5		17	9:00	1.0	7.2	5		27					
	17:00	2.0	7.0	5			17:00	0.5	7.2	5							
8	9:00	1.5	7.2	5		18	9:00	1.0	7.2	5		28					
	17:00	1.0	7.2	5			17:00	0.5	7.2	5							
9	9:00	1.0	7.2	5		19						29					
	17:00	1.0	7.2	5													
10	9:00	1.0	7.2	5		20						30					
	17:00	0.5	7.2	5													
												31					



ตารางบันทึกการตรวจค่าน้ำ

สาขา SKN ประจำเดือน Jul เทอม 3/66

วันที่	เวลา	CL (ppm)	PH	ความใส 1-5	หมายเหตุ	วันที่	เวลา	CL (ppm)	PH	ความใส 1-5	หมายเหตุ	วันที่	เวลา	CL (ppm)	PH	ความใส 1-5	หมายเหตุ
1						11						21	9:00	1.0	7.2	5	
													17:00	1.0	7.2	5	
2						12	9:00	1.0	7.2	5		22	9:00	1.0	7.2	5	
							17:00	2.0	7.0	5			17:00	0.5	7.2	5	
3						13	9:00	1.5	7.2	5		23	9:00	1.0	7.2	5	
							17:00	1.0	7.2	5			17:00	0.5	7.2	5	
4						14	9:00	1.0	7.2	5		24					
							17:00	1.0	7.2	5							
5	9:00	1.0	7.2	5		15	9:00	1.0	7.2	5		25					
	17:00	2.0	7.0	5			17:00	0.5	7.2	5							
6	9:00	1.5	7.2	5		16	9:00	1.0	7.2	5		26	9:00	1.0	7.2	5	
	17:00	1.0	7.2	5			17:00	0.5	7.2	5			17:00	2.0	7.0	5	
7	9:00	1.0	7.2	5		17						27	9:00	1.5	7.2	5	
	17:00	1.0	7.2	5									17:00	1.0	7.2	5	
8	9:00	1.0	7.2	5		18						28					
	17:00	0.5	7.2	5													
9	9:00	1.0	7.2	5		19	9:00	1.0	7.2	5		29					
	17:00	0.5	7.2	5			17:00	1.0	7.2	5							
10						20	9:00	1.0	7.2	5		30					
							17:00	0.5	7.2	5							
												31					