

ภาคผนวก ข-25

---

มาตรฐานการจัดการด้านคุณภาพสิ่งแวดล้อม

ISO 14001

Certificate TH08/1240

The management system of

# Thai MMA Co., Ltd.

Head office: 1 Siam Cement Road, Bangsue, Bangkok 10800, Thailand

has been assessed and certified as meeting the requirements of  
**ISO 14001:2015**

For the following activities

The Manufacture of Methyl Methacrylate (MMA), n-Butyl Methacrylate (n-BMA), i-Butyl Methacrylate (i-BMA) and Purified Methacrylic Acid (MAA) (Purity  $\geq 99.8\%$ ) and The Manufacturing of Acrylic sheet.

Area 1: The Manufacture of Methyl Methacrylate (MMA), n-Butyl Methacrylate (n-BMA), i-Butyl Methacrylate (i-BMA) and Purified Methacrylic Acid (MAA) (Purity  $\geq 99.8\%$ ).

Area 2: The Manufacturing of Acrylic sheet.

This certificate is valid from 06 June 2022 until 06 June 2025 and remains valid subject to satisfactory surveillance audits.

Issue 10. Certified since 24 January 2002.

Certified activities performed by additional sites listed on subsequent pages.

Authorised by



SGS United Kingdom Ltd

Rossmore Business Park, Ellesmere Port, Cheshire, CH65 3EN, UK

t +44 (0)151 350-6666 - [www.sgs.com](http://www.sgs.com)



This document is issued by the Company subject to its General Conditions of Certification Services accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm). Attention is drawn to the limitations of liability, indemnification and jurisdictional issues established therein. The authenticity of this document may be verified at <http://www.sgs.com/en/certified-clients-and-products/certified-client-directory>. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



# Thai MMA Co., Ltd.

## ISO 14001:2015



Issue 10
<b>Sites</b>
Thai MMA Co., Ltd. Head office: 1 Siam Cement Road, Bangsue, Bangkok 10800, Thailand
Thai MMA Co., Ltd. Area 1 (Site 3): 271 Sukhumvit Road, Map Ta Phut, Muang, Rayong 21150, Thailand
Thai MMA Co., Ltd. Area 2 (Site 7): 88/6, 3191 Road, RIL Industrial Estate, Map Ta Phut, Muang, Rayong 21150, Thailand



This document is issued by the Company subject to its General Conditions of Certification Services accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm). Attention is drawn to the limitations of liability, indemnification and jurisdictional issues established therein. The authenticity of this document may be verified at <http://www.sgs.com/en/certified-clients-and-products/certified-client-directory>. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




ภาคผนวก ข-26

---

ตรวจสอบสภาพพนักงาน ประจำปี 2566

ลักษณะการตรวจสุขภาพ	จำนวนพนักงาน ทั้งหมด ที่เข้ารับการตรวจ (คน)	ผลการตรวจสุขภาพวินิจฉัย โดยแพทย์อาชีวเวชศาสตร์			การดำเนินการกรณี พบแพทย์เพื่อประเมิน โดย แพทย์อาชีวเวชศาสตร์  (ตรวจซ้ำ, รับประทาน ฯลฯ)	ชี้แจงรายละเอียดเพิ่มเติมหลัง การตรวจซ้ำ หรือ พบแพทย์อาชีวเวชศาสตร์
		ปกติ (ราย)	เฝ้าระวัง (ราย)	พบแพทย์ เพื่อประเมิน(ราย)		
รายการตรวจสุขภาพทั่วไป						
1. ตรวจร่างกายโดยแพทย์	20	18	0	2	ผลการตรวจร่างกายพบข้อ เนื้อที่ตาทั้งสองข้าง	พบแพทย์เพื่อรับการรักษาค่อยไป
1.1 ความดันโลหิต	20	15	5	0		
1.2 ชีพจร	20	20	0	0		
1.3 รอบเอว	20	15	5	0		
1.4 ดัชนีมวลกาย	20	16	3	1		ปรึกษาแพทย์เพื่อลดน้ำหนัก
2. ตรวจเอกซเรย์ทรวงอกฟิล์มใหญ่	20	19	1	0		
3.ตรวจปัสสาวะสมบูรณ์แบบ	20	17	3	0		โรคประจำตัว และปฏิบัติตาม คำแนะนำของแพทย์
4. ตรวจสารเสพติดในปัสสาวะ	20	20	0	0		
5. ตรวจหาความสมบูรณ์ของเม็ดเลือด	20	17	1	2	ตรวจเลือดซ้ำ และปรึกษา แพทย์เพิ่มเติม	โรคประจำตัว (โลหิตจาง)
6. ตรวจหาปริมาณน้ำตาลกลูโคสในเลือด	20	17	2	1		โรคประจำตัว (เบาหวาน)
7. ตรวจระดับ ไชมันในเลือด	20	3	16	1		พบแพทย์เพื่อรับการรักษาค่อยไป
8.ตรวจการทำงานของไต	20	19	1	0		
9.ตรวจการทำงานของตับ	20	16	4	0		
รายการตรวจสุขภาพตามลักษณะงาน						
1. สมรรถภาพการมองเห็น	20	12	8	0	เฝ้าระวังทุกปี	ผลการตรวจสมรรถภาพการ มองเห็น สามารถปฏิบัติงาน ที่มีความเสี่ยงได้
2. สมรรถภาพการได้ยิน	15	12	3	0	เฝ้าระวังทุกปี	ปฏิบัติตามคำแนะนำของแพทย์
3. สมรรถภาพการทำงานของปอด	15	15	0	0		
รายการตรวจวิเคราะห์สำหรับการตรวจติดตามทางชีวภาพ						
1. ตรวจสาร Methyl hippuric acid ในปัสสาวะ	8	8	0	0		



นายแพทย์ลิขสิทธิ์ โสณันทะ

ว.44024


แพทย์อาชีวเวชศาสตร์

ภาคผนวก ข-27

---

สถิติอุบัติเหตุ

สถิติการเกิดอุบัติเหตุร้ายแรงถึงขั้นหยุดงาน/เจ็บป่วยจากการทำงาน



## สถิติการเกิดอุบัติเหตุบนถนน ถึงขั้นหยุดงาน

