

ACCREDITED LABORATORY
ISO/IEC 17025

Request No. ATR6608037

Report No. 6608-0587

TEST REPORT

CUSTOMER : PTT Global Chemical Public Company Limited Branch16
ADDRESS : 9 Soi G-12, WHA Eastern Industrial Estate (Map Ta Phut), Pakorn Songkhraorat Road, Tambon Map Ta Phut,
Amphur Muang Rayong, Rayong 21150
SAMPLE SOURCE : EA Plant
SAMPLE NAME : EO Pump (P2054 A/B) SAMPLE NO : A66080587
SAMPLING DATE : 25/08/2023 SAMPLING TIME : 08:36-20:36
RECEIVED DATE : 28/08/2023 TESTED DATE : 28/08/2023-13/09/2023
SAMPLING INSTRUMENT : Passive Sampling REPORTED DATE : 13/09/2023

PARAMETER**	TEST METHOD	RESULT ^{1/}	STD ^{1/}	UNIT
Ethylene Oxide	OSHA 1010	ND	1.8	mg/m ³
		ND	1.0	ppm

REMARK:

^{1/} Notification of The Department of Labour Protection and Welfare B.E.2560 (2017),
Concentration Limits of Hazardous Chemicals.

^{2/} ND = Non detectable : detection limit of Ethylene Oxide is 0.05 mg/m³ or 0.03 ppm.

** Parameter have License Registration of Department of Labour Protection and Welfare No.0201-03-2564-0008

Sampling By Eastern Thai Consulting 1992 Co.,Ltd., (Mr. Suttha Songthaninai)

Analysed By SECOT Co.,Ltd. / GPS = Sampling at UTM 47 P 731246E 1404930N



Examined By

(Miss Thanatporn Klinsoopon)

13/09/2023

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY

ACCREDITED LABORATORY
ISO/IEC 17025

Request No. ATR6608037

Report No. 6608-0587

TEST REPORT

CUSTOMER : PTT Global Chemical Public Company Limited Branch16
ADDRESS : 9 Soi G-12, WHA Eastern Industrial Estate (Map Ta Phut), Pakorn Songkhraorat Road, Tambon Map Ta Phut,
Amphur Muang Rayong, Rayong 21150
SAMPLE SOURCE : EA Plant
SAMPLE NAME : EO Pump (K. Pichet H.) SAMPLE NO : A66080582
SAMPLING DATE : 25/08/2023 SAMPLING TIME : 07:00-19:00
RECEIVED DATE : 28/08/2023 TESTED DATE : 28/08/2023-13/09/2023
SAMPLING INSTRUMENT : Passive Sampling REPORTED DATE : 13/09/2023

PARAMETER**	TEST METHOD	RESULT ^{1/}	STD ^{1/}	UNIT
Ethylene Oxide	OSHA 1010	ND	1.8	mg/m ³
		ND	1.0	ppm

REMARK:

^{1/} Notification of The Department of Labour Protection and Welfare B.E.2560 (2017),
Concentration Limits of Hazardous Chemicals.

^{2/} ND = Non detectable : detection limit of Ethylene Oxide is 0.05 mg/m³ or 0.03 ppm.

** Parameter have License Registration of Department of Labour Protection and Welfare No.0201-03-2564-0008

Sampling By Eastern Thai Consulting 1992 Co.,Ltd., (Mr. Suttha Songthaninai)

Analysed By SECOT Co.,Ltd.



Examined By

(Miss Thanatporn Klinsoopon)

13/09/2023

บริษัท อีสเทิร์น ไทย คอนซัลติ้ง 1992 จำกัด

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY



Request No. ATR6608037

Report No. 6608-0583

TEST REPORT

CUSTOMER : PTT Global Chemical Public Company Limited Branch16
ADDRESS : 9 Soi G-12, WHA Eastern Industrial Estate (Map Ta Phut), Pakorn Songkhraorat Road, Tambon Map Ta Phut,
Amphur Muang Rayong, Rayong 21150
SAMPLE SOURCE : EA Plant
SAMPLE NAME : EO Pump (K. Supakit K.) SAMPLE NO. : A66080583
SAMPLING DATE : 25/08/2023 SAMPLING TIME : 07:00-19:00
RECEIVED DATE : 28/08/2023 TESTED DATE : 28/08/2023-13/09/2023
SAMPLING INSTRUMENT : Passive Sampling REPORTED DATE : 13/09/2023

PARAMETER**	TEST METHOD	RESULT ¹	STD ¹	UNIT
Ethylene Oxide	OSHA 1010	ND	1.8	mg/m ³
		ND	1.0	ppm

REMARK:

¹ Notification of The Department of Labour Protection and Welfare B.E.2560 (2017),
Concentration Limits of Hazardous Chemicals.

² ND = Non detectable : detection limit of Ethylene Oxide is 0.05 mg/m³ or 0.03 ppm.

** Parameter have License Registration of Department of Labour Protection and Welfare No.0201-03-2564-0008
Sampling By Eastern Thai Consulting 1992 Co.,Ltd., (Mr. Suttha Songthaninai)
Analysed By SECOT Co.,Ltd.



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Examined By

(Miss Thanatporn Klinsonpon)

13/09/2023

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY



Request No. ATR6608037

Report No. 6608-0586

TEST REPORT

CUSTOMER : PTT Global Chemical Public Company Limited Branch16
ADDRESS : 9 Soi G-12, WHA Eastern Industrial Estate (Map Ta Phut), Pakorn Songkhraorat Road, Tambon Map
Ta Phut, Amphur Muang Rayong, Rayong 21150
SAMPLE SOURCE : EA Plant
SAMPLE NAME : Tank Loading Area (Ammonia Tank)
SAMPLING DATE : 25/08/2023 SAMPLE NO. : A66080586
RECEIVED DATE : 28/08/2023 SAMPLING TIME : 07:56-19:56
SAMPLING INSTRUMENT : Personal Pump Flow rate 0.10 L/min TESTED DATE : 28/08/2023-29/08/2023
Serial No. 218413 REPORTED DATE : 07/09/2023

PARAMETER*	TEST METHOD	RESULT	STD ¹	UNIT
Ammonia	Ion Chromatography Method(NIOSH6016)	< 0.200	35	mg/m ³
		< 0.280	50	ppm

REMARK:

¹ Notification of The Department of Labour Protection and Welfare B.E.2560 (2017), Concentration Limits of Hazardous Chemicals.

* Parameter have License Registration of Department of Labour Protection and Welfare No.0201-03-2564-0008 and
No.0202-03-2564-0005.

(Sampling By Mr. Suttha Songthaninai)

GPS = Sampling at UTM 47 P 731188E 1404796N

Examined By

(Miss Thanatporn Klinsonpon)

07/09/2023



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By

(Mr. Kawee Suthasub)

07/09/2023

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY



ISO/IEC 17025

Request No. ATR6608037

Report No. 6608-0584

TEST REPORT

CUSTOMER : PTT Global Chemical Public Company Limited Branch 16
ADDRESS : 9 Soi G-12, WHA Eastern Industrial Estate (Map Ta Phut), Pakorn Songkhraorat Road, Tambon Map Ta Phut, Amphur Muang Rayong, Rayong 21150
SAMPLE SOURCE : EA Plant
SAMPLE NAME : Tank Loading Area (Ammonia Tank) (K. Phichet H.)
SAMPLING DATE : 25/08/2023 SAMPLE NO. : A66080584
RECEIVED DATE : 28/08/2023 SAMPLING TIME : 07:00-19:00
SAMPLING INSTRUMENT : Personal Pump Flow rate 0.10 L/min TESTED DATE : 28/08/2023-29/08/2023
Serial No. 218445 REPORTED DATE : 07/09/2023

PARAMETER*	TEST METHOD	RESULT	STD ^{1/}	UNIT
Ammonia	Ion Chromatography Method(NIOSH6016)	< 0.200	35	mg/m ³
		< 0.280	50	ppm

REMARK:

^{1/} Notification of The Department of Labour Protection and Welfare B.E.2560 (2017), Concentration Limits of Hazardous Chemicals.

* Parameter have License Registration of Department of Labour Protection and Welfare No.0201-03-2564-0008 and No.0202-03-2564-0005.

(Sampling By Mr. Suttha Songthaninai)

Examined By

(Miss Thanatporn Klinsonon)

07/09/2023



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By

(Mr. Kawee Suthasub)

07/09/2023

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY



ISO/IEC 17025

Request No. ATR6608037

Report No. 6608-0585

TEST REPORT

CUSTOMER : PTT Global Chemical Public Company Limited Branch 16
ADDRESS : 9 Soi G-12, WHA Eastern Industrial Estate (Map Ta Phut), Pakorn Songkhraorat Road, Tambon Map Ta Phut, Amphur Muang Rayong, Rayong 21150
SAMPLE SOURCE : EA Plant
SAMPLE NAME : Tank Loading Area (Ammonia Tank) (K. Supakit K.)
SAMPLING DATE : 25/08/2023 SAMPLE NO. : A66080585
RECEIVED DATE : 28/08/2023 SAMPLING TIME : 07:00-19:00
SAMPLING INSTRUMENT : Personal Pump Flow rate 0.10 L/min TESTED DATE : 28/08/2023-29/08/2023
Serial No. 218444 REPORTED DATE : 07/09/2023

PARAMETER*	TEST METHOD	RESULT	STD ^{1/}	UNIT
Ammonia	Ion Chromatography Method(NIOSH6016)	< 0.200	35	mg/m ³
		< 0.280	50	ppm

REMARK:

^{1/} Notification of The Department of Labour Protection and Welfare B.E.2560 (2017), Concentration Limits of Hazardous Chemicals.

* Parameter have License Registration of Department of Labour Protection and Welfare No.0201-03-2564-0008 and No.0202-03-2564-0005.

(Sampling By Mr. Suttha Songthaninai)

Examined By

(Miss Thanatporn Klinsonon)

07/09/2023



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By

(Mr. Kawee Suthasub)

07/09/2023

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY



Request No. ATR6611001

Report No. 6611-0001

TEST REPORT

CUSTOMER : PTT Global Chemical Public Company Limited Branch16
 ADDRESS : 9 Soi G-12, WHA Eastern Industrial Estate (Map Ta Phut), Pakorn Songkhraorad Road, Tambon Map Ta Phut, Amphur Muang Rayong, Rayong 21150
 SAMPLE SOURCE : EA Plant
 SAMPLE NAME : Wastewater Treatment Plant
 SAMPLING DATE : 31/10/2023 SAMPLE NO. : A66110001
 RECEIVED DATE : 01/11/2023 SAMPLING TIME : 14:00-15:00
 SAMPLING INSTRUMENT : Personal Pump Flow rate 2.00 L/min TESTED DATE : 01/11/2023-03/11/2023
 Serial No. 20200403080 REPORTED DATE : 07/11/2023

PARAMETER*	TEST METHOD	RESULT	STD ¹⁾	UNIT
Sulfuric acid	Ion Chromatography Method (NIOSH7908)	< 0.040	1.00	mg/m ³
		< 0.010	0.25	ppm

REMARK:

¹⁾ Notification of The Department of Labour Protection and Welfare B.E.2560 (2017), Concentration Limits of Hazardous Chemicals.


* Parameter have License Registration of Department of Labour Protection and Welfare No.0201-03-2564-0008 and No.0202-03-2564-0005.

(Sampling By Mr. Suttha Songthaninai)

GPS = Sampling at UTM 47 P 731233E 1404845N

Examined By 
 (Miss Thanatporn Klinsoopon)
 07/11/2023



Approved By 
 (Mr. Kawee Sutthasub)
 07/11/2023

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
 THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
 WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY



Request No. ATR6611001

Report No. 6611-0002

TEST REPORT

CUSTOMER : PTT Global Chemical Public Company Limited Branch16
 ADDRESS : 9 Soi G-12, WHA Eastern Industrial Estate (Map Ta Phut), Pakorn Songkhraorad Road, Tambon Map Ta Phut, Amphur Muang Rayong, Rayong 21150
 SAMPLE SOURCE : EA Plant
 SAMPLE NAME : Wastewater Treatment Plant (Mr. Phichet Handkhunthod)
 SAMPLING DATE : 31/10/2023 SAMPLE NO. : A66110002
 RECEIVED DATE : 01/11/2023 SAMPLING TIME : 14:00-15:00
 SAMPLING INSTRUMENT : Personal Pump Flow rate 2.00 L/min TESTED DATE : 01/11/2023-03/11/2023
 Serial No. 20200403078 REPORTED DATE : 07/11/2023


PARAMETER*	TEST METHOD	RESULT	STD ¹⁾	UNIT
Sulfuric acid	Ion Chromatography Method (NIOSH7908)	< 0.040	1.00	mg/m ³
		< 0.010	0.25	ppm

REMARK:


¹⁾ Notification of The Department of Labour Protection and Welfare B.E.2560 (2017), Concentration Limits of Hazardous Chemicals.

* Parameter have License Registration of Department of Labour Protection and Welfare No.0201-03-2564-0008 and No.0202-03-2564-0005.

(Sampling By Mr. Suttha Songthaninai)

Examined By 
 (Miss Thanatporn Klinsoopon)
 07/11/2023



Approved By 
 (Mr. Kawee Sutthasub)
 07/11/2023

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
 THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
 WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY



Request No. ATR6611001

Report No. 6611-0003

TEST REPORT

CUSTOMER : PTT Global Chemical Public Company Limited Branch16
 ADDRESS : 9 Soi G-12, WHA Eastern Industrial Estate (Map Ta Phut), Pakorn Songkhraorat Road, Tambon Map Ta Phut, Amphur Muang Rayong, Rayong 21150
 SAMPLE SOURCE : EA Plant
 SAMPLE NAME : Wastewater Treatment Plant (Mr.Supakit Kaewkong)
 SAMPLING DATE : 31/10/2023 SAMPLE NO. : A66110003
 RECEIVED DATE : 01/11/2023 SAMPLING TIME : 14:00-15:00
 SAMPLING INSTRUMENT : Personal Pump Flow rate 2.00 L/min TESTED DATE : 01/11/2023-03/11/2023
 Serial No. 20211102097 REPORTED DATE : 07/11/2023

PARAMETER*	TEST METHOD	RESULT	STD ¹⁾	UNIT
Sulfuric acid	Ion Chromatography Method (NIOSH7908)	< 0.040	1.00	mg/m ³
		< 0.010	0.25	ppm

REMARK:

¹⁾ Notification of The Department of Labour Protection and Welfare B.E.2560 (2017), Concentration Limits of Hazardous Chemicals.

* Parameter have License Registration of Department of Labour Protection and Welfare No.0201-03-2564-0008 and No.0202-03-2564-0005.

(Sampling By Mr. Suttha Songthaninai)

Examined By

(Miss Thanatporn Klinsoopon)

07/11/2023



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By

(Mr. Kawee Suthasub)

07/11/2023

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
 THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
 WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY



Request No. ATR6611008

Report No. 6611-0061

TEST REPORT

CUSTOMER : PTT Global Chemical Public Company Limited Branch16
 ADDRESS : 9 Soi G-12, WHA Eastern Industrial Estate (Map Ta Phut), Pakorn Songkhraorat Road, Tambon Map Ta Phut, Amphur Muang Rayong, Rayong 21150
 SAMPLE SOURCE : EA Plant
 SAMPLE NAME : EO Pump (คุณประชา เรืองพัฒนทวี) SAMPLE NO. : A66110061
 SAMPLING DATE : 02/11/2023 SAMPLING TIME : 07:00-19:00
 RECEIVED DATE : 06/11/2023 TESTED DATE : 06/11/2023-20/11/2023
 SAMPLING INSTRUMENT : Passive Sampling REPORTED DATE : 21/11/2023

PARAMETER**	TEST METHOD	RESULT ²⁾	STD ¹⁾	UNIT
Ethylene Oxide	OSHA 1010	ND	1.8	mg/m ³
		ND	1.0	ppm

REMARK:

¹⁾ Notification of The Department of Labour Protection and Welfare B.E.2560 (2017),

Concentration Limits of Hazardous Chemicals.

²⁾ ND = Non detectable : detection limit of Ethylene Oxide is 0.05 mg/m³ or 0.03 ppm.

** Parameter have License Registration of Department of Labour Protection and Welfare No.0201-03-2564-0008

Sampling By Eastern Thai Consulting 1992 Co.,Ltd., (Mr. Suttha Songthaninai)

Analysed By SECOT Co.,Ltd.



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Examined By

(Miss Thanatporn Klinsoopon)

21/11/2023

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY



Request No. ATR6611008

Report No. 6611-0062

TEST REPORT

CUSTOMER : PTT Global Chemical Public Company Limited Branch16
 ADDRESS : 9 Soi G-12, WHA Eastern Industrial Estate (Map Ta Phut), Pakorn Songkhraorat Road, Tambon Map Ta Phut,
 Amphur Muang Rayong, Rayong 21150
 SAMPLE SOURCE : EA Plant
 SAMPLE NAME : EO Pump (ชุดของชุด แก้วพันซ์) SAMPLE NO : A66110062
 SAMPLING DATE : 02/11/2023 SAMPLING TIME : 07:00-19:00
 RECEIVED DATE : 06/11/2023 TESTED DATE : 06/11/2023-20/11/2023
 SAMPLING INSTRUMENT : Passive Sampling REPORTED DATE : 21/11/2023

PARAMETER**	TEST METHOD	RESULT ¹	STD ¹	UNIT
Ethylene Oxide	OSHA 1010	ND	1.8	mg/m ³
		ND	1.0	ppm

REMARK:

¹ Notification of The Department of Labour Protection and Welfare B.E.2560 (2017),

Concentration Limits of Hazardous Chemicals.

² ND = Non detectable : detection limit of Ethylene Oxide is 0.05 mg/m³ or 0.03 ppm.

** Parameter have License Registration of Department of Labour Protection and Welfare No.0201-03-2564-0008

Sampling By Eastern Thai Consulting 1992 Co.,Ltd., (Mr. Suttha Songthaninai)

Analysed By SECOT Co.,Ltd.



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Examined By

(Miss Thanaporn Klinsoon)

21/11/2023

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY



Request No. LA66-R0732

Report No. R6607-1926

TEST REPORT

CUSTOMER : PTT Global Chemical Public Company Limited Branch 16
 ADDRESS : 9-9/1 Soi G-12, WHA Eastern Industrial Estate (Map Ta Phut), Pakorn Songkhraorat Road,
 Tambon Map Ta Phut, Amphur Muang Rayong, Rayong 21150
 SAMPLE SOURCE : EA Plant
 SAMPLE POINT : บริเวณ Reactor (L2012) SAMPLE NO. : 19104
 MEASURING DATE : 07/07/2023 RECEIVED DATE : 07/07/2023
 SAMPLING INSTRUMENT : Heat Stress ; REPORTED DATE : 12/07/2023
 Wet Bulb Globe Temperature (WBGT) : Serial No. TEU080014

PARAMETER*	SAMPLING TIME	RESULT				
		NWB	GT	DB	WBGT	UNIT
Heat Stress	09:00-09:30	29.1	42.5	32.8	32.2	°C
	09:30-10:00	28.0	34.7	32.5	29.8	°C
	10:00-10:30	28.1	35.0	32.6	29.9	°C
	10:30-11:00	27.7	33.6	32.2	29.3	°C
WBGT AVERAGE	09:00-11:00	-	-	-	30.3	°C
STANDARD		-	-	-	34.0 ^{1,2}	°C

REMARK:

Work Load is Light, Outdoor

¹ Regulation of The Ministry of Labour B.E. 2559 (2016)² Notification of The Ministry of Industry B.E. 2546 (2003)

NWB = Natural Wet - Bulb Temperature

GT = Globe Temperature

DB = Dry - Bulb Temperature

WBGT = Wet - Bulb Globe Temperature

* Parameter have License Registration of Department of Labour Protection and Welfare No. 0401-03-2564-0009
(Measurement By Ms. Pornnapa Phongphet)

บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By

(MRS. WANPEN LHAOCHINDAWAT)

12/07/2023

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

COPY



Request No. LA66-R0732

Report No. R6607-1927

TEST REPORT

CUSTOMER : PTT Global Chemical Public Company Limited Branch 16
 ADDRESS : 9-9/1 Soi G-12, WHA Eastern Industrial Estate (Map Ta Phut), Pakorn Songkhraorat Road,
 Tambon Map Ta Phut, Amphur Muang Rayong, Rayong 21150
 SAMPLE SOURCE : EA Plant
 SAMPLE POINT : บึงเวฬุ Tank Farm (Q3010) SAMPLE NO. : 19105
 MEASURING DATE : 07/07/2023 RECEIVED DATE : 07/07/2023
 SAMPLING INSTRUMENT : Heat Stress ; REPORTED DATE : 12/07/2023
 Wet Bulb Globe Temperature (WBGT) : Serial No. TEU080015

PARAMETER*	SAMPLING TIME	RESULT				
		NWB	GT	DB	WBGT	UNIT
Heat Stress	09:00-09:30	28.7	35.6	32.6	30.5	°C
	09:30-10:00	28.3	34.0	32.0	29.8	°C
	10:00-10:30	28.7	37.1	32.4	30.8	°C
	10:30-11:00	28.2	32.8	31.7	29.5	°C
WBGT AVERAGE	09:00-11:00	-	-	-	30.1	°C
STANDARD		-	-	-	34.0 ^{n/2}	°C

REMARK:

Work Load is Light, Outdoor

^{1/} Regulation of The Ministry of Labour B.E. 2559 (2016)^{2/} Notification of The Ministry of Industry B.E. 2546 (2003)

NWB = Natural Wet - Bulb Temperature

GT = Globe Temperature

DB = Dry - Bulb Temperature

WBGT = Wet - Bulb Globe Temperature

* Parameter have License Registration of Department of Labour Protection and Welfare No. 0401-03-2564-0009
 (Measurement By Ms. Pornnapa Phongphet)



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด
 REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
 WITHOUT THE WRITTEN APPROVAL LABORATORY

Approved By

(MRS. WANPEN LHAOCHINDAWAT)

12/07/2023

COPY