


## ภาคผนวก ข-56

---


ข้อมูลผลการตรวจสอบสภาพพนักงานประจำปี  
ตั้งแต่ปี พ.ศ. 2563 ถึง พ.ศ. 2565

กราฟภาพรวมแสดงการตรวจสุขภาพประจำปี 2563




บริษัท เอสซีไอ ไทย อีเล็กทริก คอนสตรัคเจอร์ จำกัด

กราฟภาพรวมแสดงการตรวจสุขภาพประจำปี 2563




บริษัท เอสซีไอ ไทย อีเล็กทริก คอนสตรัคเจอร์ จำกัด

กราฟภาพรวมแสดงการตรวจสุขภาพประจำปี 2563




บริษัท เอสซีไอ ไทย ดิสทริบิวท จำกัด

กราฟภาพรวมแสดงการตรวจสุขภาพประจำปี 2564




บริษัท เอสซีไอ ไทย ดิสทริบิวท จำกัด

กราฟภาพรวมแสดงการตรวจสุขภาพประจำปี 2564



บริษัท เอชซี โอ ไทย อินดัสทรี คอนสตรัคชั่น จำกัด


กราฟภาพรวมแสดงการตรวจสุขภาพประจำปี 2564



บริษัท เอชซี โอ ไทย อินดัสทรี คอนสตรัคชั่น จำกัด




กราฟภาพรวมแสดงการตรวจสอบภาพประจำปี 2565




บริษัท แมกนีโอ ไทย อินเทอร์เน็ต คอนคัลเลอร์ จำกัด

กราฟภาพรวมแสดงการตรวจสอบภาพประจำปี 2565



บริษัท แมกนีโอ ไทย อินเทอร์เน็ต คอนคัลเลอร์ จำกัด

กราฟภาพรวมแสดงการตรวจสอบภาพประจำปี 2565



## ภาคผนวก ข-57

---

ข้อมูลบันทึกสถิติการเกิดอุบัติเหตุ  
ตั้งแต่ปี พ.ศ. 2563 ถึง พ.ศ. 2566

สถิติเหตุการณ์เกือบเกิดอุบัติเหตุ ปี 2563 - 2565


ส่วนงาน	ปี 2563												รวม
	ม.ค.	ก.พ.	มี.ค.	เม.ย.	พ.ค.	มิ.ย.	ก.ค.	ส.ค.	ก.ย.	ต.ค.	พ.ย.	ธ.ค.	
โรงงานผลิตอลูมิเนียม	0	0	0	0	1	0	1	1	0	0	0	0	3
โรงงานผลิตลวดทองแดง	0	0	0	0	0	0	0	0	0	1	0	0	1
รวม	0	0	0	0	1	0	1	1	0	1	0	0	4

ส่วนงาน	ปี 2564												รวม
	ม.ค.	ก.พ.	มี.ค.	เม.ย.	พ.ค.	มิ.ย.	ก.ค.	ส.ค.	ก.ย.	ต.ค.	พ.ย.	ธ.ค.	
โรงงานผลิตอลูมิเนียม	0	0	0	0	0	0	2	0	0	1	0	0	3
โรงงานผลิตลวดทองแดง	1	1	0	0	0	0	0	0	0	0	0	0	2
รวม	1	1	0	0	0	0	2	0	0	1	0	0	5

ส่วนงาน	ปี 2565												รวม
	ม.ค.	ก.พ.	มี.ค.	เม.ย.	พ.ค.	มิ.ย.	ก.ค.	ส.ค.	ก.ย.	ต.ค.	พ.ย.	ธ.ค.	
โรงงานผลิตอลูมิเนียม	0	0	0	0	0	0	0	0	0	0	0	0	0
โรงงานผลิตลวดทองแดง	0	0	0	0	0	0	0	0	0	0	0	0	0
รวม	0	0	0	0	0	0	0	0	0	0	0	0	0

ส่วนงาน	ปี 2566												รวม
	ม.ค.	ก.พ.	มี.ค.	เม.ย.	พ.ค.	มิ.ย.	ก.ค.	ส.ค.	ก.ย.	ต.ค.	พ.ย.	ธ.ค.	
โรงงานผลิตอลูมิเนียม	0	0	0	0	0	0	0	0	0	0	0	0	0
โรงงานผลิตลวดทองแดง	0	0	0	0	0	0	0	0	0	0	0	0	0
รวม	0	0	0	0	0	0	0	0	0	0	0	0	0

โครงการ	ส่วนงาน	ประจำปี			
		2563	2564	2565	2566
EIA	โรงงานผลิตอลูมิเนียม	3	3	0	0
EHIA	โรงงานผลิตลวดทองแดง	1	2	0	0
รวม		4	5	0	0



## ภาคผนวก ค



## ภาคผนวก ค-1

---

ใบรายงานผลการวิเคราะห์คุณภาพอากาศ

ใบรายงานผลการวิเคราะห์คุณภาพอากาศจากปล่อง

---



United Analyst and Engineering Consultant Co., Ltd.  
35oi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax 0 2763 2800 www.laeconsultant.com E-mail: lae@laeconsultant.com

## ANALYSIS REPORT

**CUSTOMER NAME** : SET THAI ELECTRIC CONDUCTOR CO., LTD.  
**ADDRESS** : 7/14 MOO 6, MAP YANG PHON PLUAK DAENG RAYONG 21140  
**CONTACT INFORMATION** : TEL : 093 510 0910 e-mail : setkawat.k@setcsc.co.jp  
**SAMPLING SOURCE** : SET THAI ELECTRIC CONDUCTOR CO., LTD.  
**SAMPLE TYPE** : STACK  
**SAMPLING DATE** : DECEMBER 1, 2023  
**SAMPLING TIME** : 10:40-11:16 HOUR  
**SAMPLING BY** : MR RATTANACHAI LOANA 7-145-a-0072  
**ANALYZED BY** : MISS SUWAN KONGTHONG 7-145-a-0025

**RECEIVED DATE** : DECEMBER 4, 2023  
**ANALYTICAL DATE** : DECEMBER 4-18, 2023  
**REPORT NO.** : 2023-U110179  
**WORK NO.** : 2023-000740  
**ANALYSIS NO.** : T23AY150-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT
TOTAL SUSPENDED PARTICULATE	mg/m <sup>3</sup>	ISO KINETIC GRAVIMETRIC METHOD (US EPA METHOD 5)	1.25
COPPER	mg/m <sup>3</sup>	ISO KINETIC DIRECT AIR-ACETYLENE FLAME METHOD (US EPA METHOD 28)	0.065
SAMPLE CONDITION			COMPLETE

DESCRIPTION	UNIT	RESULT
AMBIENT PRESSURE	mmHg	758
AMBIENT TEMPERATURE	°C	31.25
STACK TEMPERATURE	°C	123
DIAMETER	m	1.07
GAS VELOCITY	m/s	9.17
FLOW RATE	Nm <sup>3</sup> /hr	19,862.35
OXYGEN	%	12.1
MOISTURE	%	10.79
CARBONDIOXIDE	%	5
VOLUME OF DRY GAS AT STP	m <sup>3</sup>	0.960847

REMARK : REFERENCE CONDITION IS 25 DEGREE CELSIUS AT 1 ATMOSPHERE AND DRY BASIS.



PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

1/1

- End of Analysis Report -



United Analyst and Engineering Consultant Co., Ltd.  
35oi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax 0 2763 2800 www.laeconsultant.com E-mail: lae@laeconsultant.com

## ANALYSIS REPORT


**CUSTOMER NAME** : SET THAI ELECTRIC CONDUCTOR CO., LTD.  
**ADDRESS** : 7/14 MOO 6, MAP YANG PHON PLUAK DAENG RAYONG 21140  
**CONTACT INFORMATION** : TEL : 093 510 0910 e-mail : setkawat.k@setcsc.co.jp  
**SAMPLING SOURCE** : SET THAI ELECTRIC CONDUCTOR CO., LTD.  
**SAMPLE TYPE** : STACK  
**SAMPLING DATE** : DECEMBER 1, 2023  
**SAMPLING TIME** : 10:50-11:45 HOUR  
**SAMPLING BY** : MR RATTANACHAI LOANA 7-145-a-0072  
**ANALYZED BY** : MISS SUWAN KONGTHONG 7-145-a-0025

**RECEIVED DATE** : DECEMBER 4, 2023  
**ANALYTICAL DATE** : DECEMBER 4-18, 2023  
**REPORT NO.** : 2023-U110187  
**WORK NO.** : 2023-000740  
**ANALYSIS NO.** : T23AY150-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT
SULPHUR DIOXIDE	ppm	ABSORPTION, BARUM-THORIN TITRIMETRIC METHOD AT SITE (US EPA METHOD 6)	ACTUAL OXYGEN < 1.30
OXIDE OF NITROGEN AS NITROGEN DIOXIDE	ppm	ABSORPTION, PHENOLDISULFONIC ACID METHOD (US EPA METHOD 7)	6.70
SAMPLE CONDITION			COMPLETE

DESCRIPTION	UNIT	RESULT
AMBIENT PRESSURE	mmHg	758
AMBIENT TEMPERATURE	°C	31.25
STACK TEMPERATURE	°C	123
DIAMETER	m	1.07
GAS VELOCITY	m/s	9.17
FLOW RATE	Nm <sup>3</sup> /hr	19,862.35
OXYGEN	%	12.1
MOISTURE	%	10.79
CARBONDIOXIDE	%	5
VOLUME OF DRY GAS AT STP	m <sup>3</sup>	0.960847

REMARK : REFERENCE CONDITION IS 25 DEGREE CELSIUS AT 1 ATMOSPHERE AND DRY BASIS.



PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

1/1

- End of Analysis Report -





United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaec consultant.com E-mail: uae@uaec consultant.com

## ANALYSIS REPORT


**CUSTOMER NAME** : SEI THAI ELECTRIC CONDUCTOR CO., LTD.  
**ADDRESS** : 7/414 MOO 6, MAP YANG PHON PLUAK DAENG RAYONG 21140  
**CONTACT INFORMATION** : TEL : 093 510 0910 e-mail : sakawat.k@seotec.co.jp  
**SAMPLE SOURCE** : SEI THAI ELECTRIC CONDUCTOR CO., LTD.  
**SAMPLE TYPE** : STACK  
**SAMPLING DATE** : DECEMBER 1, 2023  
**SAMPLING TIME** : 10:50-11:00 HOUR  
**SAMPLING BY** : MR RATTANACHAI LOAMA 3-145-a-0072  
**ANALYZED BY** : MR RATTANACHAI LOAMA 3-145-a-0072

**RECEIVED DATE** : DECEMBER 1, 2023  
**ANALYTICAL DATE** : DECEMBER 1, 2023  
**REPORT NO.** : 2023-U110231  
**WORK NO.** : 2023-000740  
**ANALYSIS NO.** : T23AY150-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT
SULPHUR DIOXIDE	ppm	PORTABLE ANALYZER, ELECTROCHEMICAL METHOD AT SITE (US EPA METHOD 6C)	เจ็ดพันห้าร้อย T23AY150-0001 ACTUAL OXYGEN 1
OXIDES OF NITROGEN AS NITROGEN DIOXIDE	ppm	PORTABLE ANALYZER, ELECTROCHEMICAL METHOD AT SITE (US EPA METHOD 7E)	10 COMPLETE

DESCRIPTION	UNIT	RESULT
AMBIENT PRESSURE	mmHg	เจ็ดพันห้าร้อย T23AY150-0001 758
AMBIENT TEMPERATURE	°C	31.25
STACK TEMPERATURE	°C	123
DIAMETER	m	1.07
GAS VELOCITY	m/s	9.17
FLOW RATE	Nm³/hr	19,862.35
OXYGEN	%	12.1
MOISTURE	%	10.79
CARBONDIOXIDE	%	5
VOLUME OF DRY GAS AT STP	m³	0.960847

**REMARK** : REFERENCE CONDITION IS 25 DEGREE CELSIUS AT 1 ATMOSPHERE AND DRY BASIS.



• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

1/1

- End of Analysis Report -



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaec consultant.com E-mail: uae@uaec consultant.com

## ANALYSIS REPORT

**CUSTOMER NAME** : SEI THAI ELECTRIC CONDUCTOR CO., LTD.  
**ADDRESS** : 7/414 MOO 6, MAP YANG PHON PLUAK DAENG RAYONG 21140  
**CONTACT INFORMATION** : TEL : 093 510 0910 e-mail : sakawat.k@seotec.co.jp  
**SAMPLE SOURCE** : SEI THAI ELECTRIC CONDUCTOR CO., LTD.  
**SAMPLE TYPE** : STACK  
**SAMPLING DATE** : DECEMBER 1, 2023  
**SAMPLING TIME** : 10:50-11:00 HOUR  
**SAMPLING BY** : MR RATTANACHAI LOAMA 3-145-a-0072  
**ANALYZED BY** : MR RATTANACHAI LOAMA 3-145-a-0072

**RECEIVED DATE** : DECEMBER 1, 2023  
**ANALYTICAL DATE** : DECEMBER 1, 2023  
**REPORT NO.** : 2023-U110234  
**WORK NO.** : 2023-000740  
**ANALYSIS NO.** : T23AY150-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT
CARBON MONOXIDE	ppm	PORTABLE ANALYZER, ELECTROCHEMICAL METHOD AT SITE (US EPA METHOD 10)	เจ็ดพันห้าร้อย T23AY150-0001 ACTUAL OXYGEN 11 COMPLETE

DESCRIPTION	UNIT	RESULT
AMBIENT PRESSURE	mmHg	เจ็ดพันห้าร้อย T23AY150-0001 758
AMBIENT TEMPERATURE	°C	31.25
STACK TEMPERATURE	°C	123
DIAMETER	m	1.07
GAS VELOCITY	m/s	9.17
FLOW RATE	Nm³/hr	19,862.35
OXYGEN	%	12.1
MOISTURE	%	10.79
CARBONDIOXIDE	%	5
VOLUME OF DRY GAS AT STP	m³	0.960847

**REMARK** : REFERENCE CONDITION IS 25 DEGREE CELSIUS AT 1 ATMOSPHERE AND DRY BASIS.



• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

1/1

- End of Analysis Report -

ใบรายงานผลการวิเคราะห์คุณภาพอากาศ  
ในบรรยากาศโดยทั่วไป

---



**United Analyst and Engineering Consultant Co., Ltd.**  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaecconsultant.com E-mail: uaec@uaecconsultant.com

MSC-TISI-TIS 17025  
TESTING 0207

## ANALYSIS REPORT

**CUSTOMER NAME** : SEI THAI ELECTRIC CONDUCTOR CO., LTD.  
**ADDRESS** : 7/14 MOO 6, MAP YANG PHON PLUAK DAENG RAYONG 21140  
**CONTACT INFORMATION** : TEL : 093 510 0910 e-mail : sakawat.k@seec.sei.co.jp  
**SAMPLING SOURCE** : อากาศในอาคาร (A1)  
**SAMPLE TYPE** : AMBIENT  
**SAMPLING DATE** : 8, 2023  
**SAMPLING TIME** : 08:00, 15:00, 20:00  
**SAMPLING BY** : MR TOSSAPORN TANAPIRUN  
**ANALYZED BY** : MISS JETJARIN TUNSA-AT  
**RECEIVED DATE** : DECEMBER 8, 2023  
**ANALYTICAL DATE** : DECEMBER 8-15, 2023  
**REPORT NO.** : 2023-U10576  
**WORK NO.** : 2023-000740  
**ANALYSIS NO.** : T23AY521-0001 - T23AY521-0003

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT					
			ປຸງປະຕິບັດ (A1)					
			*	**	***	****		
TOTAL SUSPENDED PARTICULATE	mg/m <sup>3</sup>	GRAVIMETRIC (HIGH VOLUME METHOD)	T23AY521-0001	T23AY521-0002	T23AY521-0003	0.081	0.075	0.055
PARTICULATE MATTER (≤ 10 µm)	mg/m <sup>3</sup>	GRAVIMETRIC (HIGH VOLUME METHOD)				0.054	0.044	0.030
SAMPLE CONDITION			COMPLETE	COMPLETE	COMPLETE	COMPLETE	COMPLETE	COMPLETE

**REMARK**  
TSP, PM10 : REFERENCE CONDITION IS 25 DEGREE CELSIUS AT 1 ATMOSPHERE.  
TSP : US EPA, CODE OF FEDERAL REGULATIONS, 40 CFR CHAPTER 1-PART 50 APPENDIX B, REFERENCE METHOD FOR THE DETERMINATION OF SUSPENDED PARTICULATE MATTER IN THE ATMOSPHERE (HIGH-VOLUME METHOD)  
REVISED AS OF JULY 1, 2021.  
PM10 : US EPA, CODE OF FEDERAL REGULATIONS, 40 CFR CHAPTER 1-PART 50 APPENDIX J, REFERENCE METHOD FOR THE DETERMINATION OF PARTICULATE MATTER AS PM10 IN THE ATMOSPHERE (HIGH-VOLUME METHOD)  
REVISED AS OF JULY 1, 2021.  
\* : SAMPLING FROM 09:00 HOUR ON NOVEMBER 29, 2023 TO 09:00 HOUR ON NOVEMBER 30, 2023.  
\*\* : SAMPLING FROM 09:00 HOUR ON NOVEMBER 30, 2023 TO 09:00 HOUR ON DECEMBER 1, 2023.  
\*\*\* : SAMPLING FROM 09:00 HOUR ON DECEMBER 1, 2023 TO 09:00 HOUR ON DECEMBER 2, 2023.



(MISS BUDSAKORN LEROPANUMAS)  
LABORATORY SUPERVISOR

DECEMBER 25, 2023

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.



1/1

- End of Analysis Report -

ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY ASI GROUP (THAILAND) CO., LTD.



**United Analyst and Engineering Consultant Co., Ltd.**  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaecconsultant.com E-mail: uaec@uaecconsultant.com

MSC-TISI-TIS 17025  
TESTING 0207

## ANALYSIS REPORT

**CUSTOMER NAME** : SEI THAI ELECTRIC CONDUCTOR CO., LTD.  
**ADDRESS** : 7/14 MOO 6, MAP YANG PHON PLUAK DAENG RAYONG 21140  
**CONTACT INFORMATION** : TEL : 093 510 0910 e-mail : sakawat.k@seec.sei.co.jp  
**SAMPLING SOURCE** : อากาศในอาคาร (A1)  
**SAMPLE TYPE** : AMBIENT  
**SAMPLING DATE** : 8, 2023  
**SAMPLING TIME** : 08:00, 15:00, 20:00  
**SAMPLING BY** : MR TOSSAPORN TANAPIRUN  
**ANALYZED BY** : MISS JETJARIN TUNSA-AT  
**RECEIVED DATE** : DECEMBER 8, 2023  
**ANALYTICAL DATE** : DECEMBER 8-15, 2023  
**REPORT NO.** : 2023-U10580  
**WORK NO.** : 2023-000740  
**ANALYSIS NO.** : T23AY521-0004 - T23AY521-0007

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT			
			* ** ***	T23AY521-0004	T23AY521-0005	T23AY521-0007
TOTAL SUSPENDED PARTICULATE	mg/m <sup>3</sup>	GRAVIMETRIC HIGH VOLUME METHOD)	0.050	0.048	0.039	0.045
PARTICULATE MATTER (≤ 10 µm)	mg/m <sup>3</sup>	GRAVIMETRIC HIGH VOLUME METHOD)	0.028	0.029	0.027	0.030
SAMPLE CONDITION			COMPLETE	COMPLETE	COMPLETE	COMPLETE

**REMARK**  
TSP, PM10 : REFERENCE CONDITION IS 25 DEGREE CELSIUS AT 1 ATMOSPHERE.  
TSP : US EPA, CODE OF FEDERAL REGULATIONS, 40 CFR CHAPTER 1-PART 50 APPENDIX B, REFERENCE METHOD FOR THE DETERMINATION OF SUSPENDED PARTICULATE MATTER IN THE ATMOSPHERE (HIGH-VOLUME METHOD)  
REVISED AS OF JULY 1, 2021.  
PM10 : US EPA, CODE OF FEDERAL REGULATIONS, 40 CFR CHAPTER 1-PART 50 APPENDIX J, REFERENCE METHOD FOR THE DETERMINATION OF PARTICULATE MATTER AS PM10 IN THE ATMOSPHERE (HIGH-VOLUME METHOD)  
REVISED AS OF JULY 1, 2021.  
\* : SAMPLING FROM 09:00 HOUR ON DECEMBER 2, 2023 TO 09:00 HOUR ON DECEMBER 3, 2023.  
\*\* : SAMPLING FROM 09:00 HOUR ON DECEMBER 3, 2023 TO 09:00 HOUR ON DECEMBER 4, 2023.  
\*\*\* : SAMPLING FROM 09:00 HOUR ON DECEMBER 4, 2023 TO 09:00 HOUR ON DECEMBER 5, 2023.  
\*\*\*\* : SAMPLING FROM 09:00 HOUR ON DECEMBER 5, 2023 TO 09:00 HOUR ON DECEMBER 6, 2023.



(MISS BUDSAKORN LEROPANUMAS)  
LABORATORY SUPERVISOR

DECEMBER 25, 2023

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

1/1

- End of Analysis Report -

ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY ASI GROUP (THAILAND) CO., LTD.



NSC-TSI-TIS 17025  
TESTING 0207

## United Analyst and Engineering Consultant Co., Ltd.

3501 Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260

Tel: 02763 2828 Fax: 02763 2800 www.uaeconsultant.com E-mail: uae@uaeconsultant.com

### ANALYSIS REPORT

**CUSTOMER NAME** : SEI THAI ELECTRIC CONDUCTOR CO., LTD.  
**ADDRESS** : 7/414 MOO 6, MAP YANG PHON PLUAK DAENG RAYONG 21140  
**CONTACT INFORMATION** : TEL : 093 510 0910 E-mail : sekawrat.ka@stec.sei.co.jp  
**SAMPLING SOURCE** : บ้านไร่ (A2)  
**SAMPLE TYPE** : AMBIENT  
**SAMPLING DATE** : \* \*\* \*\*\* : DECEMBER 8-15, 2023  
**SAMPLING TIME** : \* \*\* \*\*\* : DECEMBER 8-15, 2023  
**SAMPLING BY** : MR TOSSAPORN TANAPTRUN  
**ANALYZED BY** : MISS JETJARN TUMSA-AT  
**RECEIVED DATE** : DECEMBER 8, 2023  
**ANALYTICAL DATE** : DECEMBER 8-15, 2023  
**REPORT NO.** : 2023-U10582  
**WORK NO.** : 2023-000740  
**ANALYSIS NO.** : T23AY521-0008 - T23AY521-0010

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT		
			* W	W	***
TOTAL SUSPENDED PARTICULATE	mg/m <sup>3</sup>	GRAVIMETRIC (HIGH VOLUME METHOD)	T23AY521-0008	T23AY521-0009	T23AY521-0010
			0.103	0.044	0.052
PARTICULATE MATTER (≤ 10 µm)	mg/m <sup>3</sup>	GRAVIMETRIC (HIGH VOLUME METHOD)	0.054	0.028	0.039
SAMPLE CONDITION			COMPLETE	COMPLETE	COMPLETE

**REMARK**  
TSP, PM10 : REFERENCE CONDITION IS 25 DEGREE CELSIUS AT 1 ATMOSPHERE.  
TSP : US EPA, CODE OF FEDERAL REGULATIONS, 40 CFR CHAPTER I-PART 50 APPENDIX B, REFERENCE METHOD FOR THE DETERMINATION OF SUSPENDED PARTICULATE MATTER IN THE ATMOSPHERE (HIGH-VOLUME METHOD)  
REVISED AS OF JULY 1, 2021.  
PM10 : US EPA, CODE OF FEDERAL REGULATIONS, 40 CFR CHAPTER I-PART 50 APPENDIX J, REFERENCE METHOD FOR THE DETERMINATION OF PARTICULATE MATTER AS PM10 IN THE ATMOSPHERE (HIGH-VOLUME METHOD)  
REVISED AS OF JULY 1, 2021.  
\* : SAMPLING FROM 09:30 HOUR ON NOVEMBER 29, 2023 TO 09:30 HOUR ON NOVEMBER 30, 2023.  
\*\* : SAMPLING FROM 09:30 HOUR ON NOVEMBER 30, 2023 TO 09:30 HOUR ON DECEMBER 1, 2023.  
\*\*\* : SAMPLING FROM 09:30 HOUR ON DECEMBER 1, 2023 TO 09:30 HOUR ON DECEMBER 2, 2023.



(MISS BUDSAKORN LERPANUMAS)  
LABORATORY SUPERVISOR



DECEMBER 25, 2023

\* PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
\* THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.



1/1

- End of Analysis Report -



NSC-TSI-TIS 17025  
TESTING 0207

## United Analyst and Engineering Consultant Co., Ltd.

3501 Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260

Tel: 02763 2828 Fax: 02763 2800 www.uaeconsultant.com E-mail: uae@uaeconsultant.com

### ANALYSIS REPORT

**CUSTOMER NAME** : SEI THAI ELECTRIC CONDUCTOR CO., LTD.  
**ADDRESS** : 7/414 MOO 6, MAP YANG PHON PLUAK DAENG RAYONG 21140  
**CONTACT INFORMATION** : TEL : 093 510 0910 E-mail : sekawrat.ka@stec.sei.co.jp  
**SAMPLING SOURCE** : บ้านไร่ (A2)  
**SAMPLE TYPE** : AMBIENT  
**SAMPLING DATE** : \* \*\* \*\*\* : DECEMBER 8-15, 2023  
**SAMPLING TIME** : \* \*\* \*\*\* : DECEMBER 8-15, 2023  
**SAMPLING BY** : MR TOSSAPORN TANAPTRUN  
**ANALYZED BY** : MISS JETJARN TUMSA-AT  
**RECEIVED DATE** : DECEMBER 8, 2023  
**ANALYTICAL DATE** : DECEMBER 8-15, 2023  
**REPORT NO.** : 2023-U10584  
**WORK NO.** : 2023-000740  
**ANALYSIS NO.** : T23AY521-0011 - T23AY521-0014

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT		
			* W	W	***
TOTAL SUSPENDED PARTICULATE	mg/m <sup>3</sup>	GRAVIMETRIC (HIGH VOLUME METHOD)	T23AY521-0011	T23AY521-0012	T23AY521-0013
			0.073	0.087	0.046
PARTICULATE MATTER (≤ 10 µm)	mg/m <sup>3</sup>	GRAVIMETRIC (HIGH VOLUME METHOD)	0.060	0.032	0.031
SAMPLE CONDITION			COMPLETE	COMPLETE	COMPLETE

**REMARK**  
TSP, PM10 : REFERENCE CONDITION IS 25 DEGREE CELSIUS AT 1 ATMOSPHERE.  
TSP : US EPA, CODE OF FEDERAL REGULATIONS, 40 CFR CHAPTER I-PART 50 APPENDIX B, REFERENCE METHOD FOR THE DETERMINATION OF SUSPENDED PARTICULATE MATTER IN THE ATMOSPHERE (HIGH-VOLUME METHOD)  
REVISED AS OF JULY 1, 2021.  
PM10 : US EPA, CODE OF FEDERAL REGULATIONS, 40 CFR CHAPTER I-PART 50 APPENDIX J, REFERENCE METHOD FOR THE DETERMINATION OF PARTICULATE MATTER AS PM10 IN THE ATMOSPHERE (HIGH-VOLUME METHOD)  
REVISED AS OF JULY 1, 2021.  
\* : SAMPLING FROM 09:30 HOUR ON DECEMBER 2, 2023 TO 09:30 HOUR ON DECEMBER 3, 2023.  
\*\* : SAMPLING FROM 09:30 HOUR ON DECEMBER 3, 2023 TO 09:30 HOUR ON DECEMBER 4, 2023.  
\*\*\* : SAMPLING FROM 09:30 HOUR ON DECEMBER 4, 2023 TO 09:30 HOUR ON DECEMBER 5, 2023.  
\*\*\*\* : SAMPLING FROM 09:30 HOUR ON DECEMBER 5, 2023 TO 09:30 HOUR ON DECEMBER 6, 2023.



(MISS BUDSAKORN LERPANUMAS)  
LABORATORY SUPERVISOR


DECEMBER 25, 2023

\* PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
\* THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.



1/1

- End of Analysis Report -






United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaeconsultant.com E-mail:uae@uaeconsultant.com

### ANALYSIS REPORT

**CUSTOMER NAME** : SET THAI ELECTRIC CONDUCTOR CO., LTD.  
**ADDRESS** : 7/414 MOO 6, MAP YANG PHON PLUAK DAENG RAYONG 21140  
**CONTACT INFORMATION** : TEL : 093 510 0910 e-mail : sakawrat.ka@sec.set.co.jp  
**SAMPLING SOURCE** : ไม้พุ่มริมทาง (A1)  
**SAMPLE TYPE** : AMBIENT  
**SAMPLING DATE** : \* , \*\* , \*\*\* : DECEMBER 8, 2023  
**SAMPLING TIME** : \* , \*\* , \*\*\* : DECEMBER 8-19, 2023  
**SAMPLING BY** : \* , \*\* , \*\*\* : 2023-11-0579  
**SAMPLING BY** : MR TOSSAPORN TANAPIRUN  
**ANALYZED BY** : MISS SUWAN KONGTHONG : 2023-000740  
**ANALYSIS NO.** : T23AY521-0001 - T23AY521-0003

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT		
			* ไม้พุ่มริมทาง (A1)	** ไม้พุ่มริมทาง (A1)	*** ไม้พุ่มริมทาง (A1)
COPPER	µg/m³	DIRECT AIR-ACETYLENE FLAME ATOMIC ABSORPTION SPECTROMETRIC METHOD (HIGH-VOLUME METHOD)	T23AY521-0001 0.655	T23AY521-0002 0.470	T23AY521-0003 0.502
SAMPLE CONDITION			COMPLETE	COMPLETE	COMPLETE

**REMARK**  
COPPER  
\* : BASED ON US EPA, CODE OF FEDERAL REGULATION SEARCH RESULTS, 40 CFR-CHAPTER I PART 50, APPENDIX G.  
\* : SAMPLING FROM 09:00 HOUR ON NOVEMBER 29, 2023 TO 09:00 HOUR ON NOVEMBER 30, 2023.  
\*\* : SAMPLING FROM 09:00 HOUR ON NOVEMBER 30, 2023 TO 09:00 HOUR ON DECEMBER 1, 2023.  
\*\*\* : SAMPLING FROM 09:00 HOUR ON DECEMBER 1, 2023 TO 09:00 HOUR ON DECEMBER 2, 2023.



\* PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
\* THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

1/1

- End of Analysis Report -



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaeconsultant.com E-mail:uae@uaeconsultant.com

### ANALYSIS REPORT

**CUSTOMER NAME** : SET THAI ELECTRIC CONDUCTOR CO., LTD.  
**ADDRESS** : 7/414 MOO 6, MAP YANG PHON PLUAK DAENG RAYONG 21140  
**CONTACT INFORMATION** : TEL : 093 510 0910 e-mail : sakawrat.ka@sec.set.co.jp  
**SAMPLING SOURCE** : ไม้พุ่มริมทาง (A1)  
**SAMPLE TYPE** : AMBIENT  
**SAMPLING DATE** : \* , \*\* , \*\*\* : DECEMBER 8, 2023  
**SAMPLING TIME** : \* , \*\* , \*\*\* : DECEMBER 8-19, 2023  
**SAMPLING BY** : \* , \*\* , \*\*\* : 2023-11-0581  
**SAMPLING BY** : MR TOSSAPORN TANAPIRUN  
**ANALYZED BY** : MISS SUWAN KONGTHONG : 2023-000740  
**ANALYSIS NO.** : T23AY521-0004 - T23AY521-0007

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT		
			* ไม้พุ่มริมทาง (A1)	** ไม้พุ่มริมทาง (A1)	*** ไม้พุ่มริมทาง (A1)
COPPER	µg/m³	DIRECT AIR-ACETYLENE FLAME ATOMIC ABSORPTION SPECTROMETRIC METHOD (HIGH-VOLUME METHOD)	T23AY521-0004 0.317	T23AY521-0005 0.386	T23AY521-0006 0.568
SAMPLE CONDITION			COMPLETE	COMPLETE	COMPLETE

**REMARK**  
COPPER  
\* : BASED ON US EPA, CODE OF FEDERAL REGULATION SEARCH RESULTS, 40 CFR-CHAPTER I PART 50, APPENDIX G.  
\* : SAMPLING FROM 09:00 HOUR ON DECEMBER 2, 2023 TO 09:00 HOUR ON DECEMBER 3, 2023.  
\*\* : SAMPLING FROM 09:00 HOUR ON DECEMBER 3, 2023 TO 09:00 HOUR ON DECEMBER 4, 2023.  
\*\*\* : SAMPLING FROM 09:00 HOUR ON DECEMBER 4, 2023 TO 09:00 HOUR ON DECEMBER 5, 2023.  
\*\*\*\* : SAMPLING FROM 09:00 HOUR ON DECEMBER 5, 2023 TO 09:00 HOUR ON DECEMBER 6, 2023.

(MISS BENJAWAN VIRIYOTHAI)  
LABORATORY SUPERVISOR

DECEMBER 25, 2023

\* PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
\* THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

1/1

- End of Analysis Report -




United Analyst and Engineering Consultant Co., Ltd.  
3 Sol Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaeconsultant.com E-mail: uae@uaeconsultant.com

### ANALYSIS REPORT

CUSTOMER NAME : SEI THAI ELECTRIC CONDUCTOR CO., LTD.  
ADDRESS : 7/414 MOO 6, MAP YANG PHON PLUAK DAENG RAYONG 21140  
CONTACT INFORMATION : TEL : 093 510 0910 E-mail : sakawat.k@stec.sei.co.jp  
SAMPLING SOURCE : บ้านวัง (A2)  
SAMPLE TYPE : AMBIENT  
SAMPLING DATE : \* \*\* \*\* : DECEMBER 8, 2023  
SAMPLING TIME : \* \*\* \*\* : DECEMBER 8-19, 2023  
SAMPLING BY : \* \*\* \*\* : 2023-U110583  
ANALYZED BY : MR TOSSAPORN TANAPITRUN  
ANALYSIS NO. : T23AY521-0008 - T23AY521-0010

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT		
			g	mg	ppm
COPPER	µg/m³	DIRECT AIR-ACETYLENE FLAME ATOMIC ABSORPTION SPECTROMETRIC METHOD (HIGH-VOLUME METHOD)	T23AY521-0008	T23AY521-0009	T23AY521-0010
			0.773	0.529	0.830
SAMPLE CONDITION			COMPLETE	COMPLETE	COMPLETE

REMARK : BASED ON US EPA, CODE OF FEDERAL REGULATION SEARCH RESULTS, 40 CFR-CHAPTER I PART 50, APPENDIX G.  
COPPER : SAMPLING FROM 09:30 HOUR ON NOVEMBER 29, 2023 TO 09:30 HOUR ON NOVEMBER 30, 2023.  
\* : SAMPLING FROM 09:30 HOUR ON NOVEMBER 30, 2023 TO 09:30 HOUR ON DECEMBER 1, 2023.  
\*\* : SAMPLING FROM 09:30 HOUR ON DECEMBER 1, 2023 TO 09:30 HOUR ON DECEMBER 2, 2023.  
\*\*\* :



\* PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
\* THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

1/1

- End of Analysis Report -




United Analyst and Engineering Consultant Co., Ltd.  
3 Sol Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaeconsultant.com E-mail: uae@uaeconsultant.com

### ANALYSIS REPORT

CUSTOMER NAME : SEI THAI ELECTRIC CONDUCTOR CO., LTD.  
ADDRESS : 7/414 MOO 6, MAP YANG PHON PLUAK DAENG RAYONG 21140  
CONTACT INFORMATION : TEL : 093 510 0910 E-mail : sakawat.k@stec.sei.co.jp  
SAMPLING SOURCE : บ้านวัง (A2)  
SAMPLE TYPE : AMBIENT  
SAMPLING DATE : \* \*\* \*\* : DECEMBER 8, 2023  
SAMPLING TIME : \* \*\* \*\* : DECEMBER 8-19, 2023  
SAMPLING BY : \* \*\* \*\* : 2023-U110585  
ANALYZED BY : MR TOSSAPORN TANAPITRUN  
ANALYSIS NO. : T23AY521-0011 - T23AY521-0014

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT			
			ก	ข	ค	ง
COPPER	µg/m³	DIRECT AIR-ACETYLENE FLAME, ATOMIC ABSORPTION SPECTROMETRIC METHOD (HIGH-VOLUME METHOD)	T23AY521-0011	T23AY521-0012	T23AY521-0013	T23AY521-0014
			0.169	0.335	0.088	0.247
SAMPLE CONDITION			COMPLETE	COMPLETE	COMPLETE	COMPLETE

REMARK : BASED ON US EPA, CODE OF FEDERAL REGULATION SEARCH RESULTS, 40 CFR-CHAPTER I PART 50, APPENDIX G.  
COPPER : SAMPLING FROM 09:30 HOUR ON DECEMBER 2, 2023 TO 09:30 HOUR ON DECEMBER 3, 2023.  
\* : SAMPLING FROM 09:30 HOUR ON DECEMBER 3, 2023 TO 09:30 HOUR ON DECEMBER 4, 2023.  
\*\* : SAMPLING FROM 09:30 HOUR ON DECEMBER 4, 2023 TO 09:30 HOUR ON DECEMBER 5, 2023.  
\*\*\* : SAMPLING FROM 09:30 HOUR ON DECEMBER 5, 2023 TO 09:30 HOUR ON DECEMBER 6, 2023.



\* PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
\* THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

1/1

- End of Analysis Report -



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.027632828 Fax 0 2763 2800 www.uaeconsultant.com E-mail: uae@uaeconsultant.com

## ANALYSIS REPORT

**CUSTOMER NAME** : SEI THAI ELECTRIC CONDUCTOR CO., LTD.  
**ADDRESS** : 7/414 MOO 6, MAP YANG PHON PUAK DAENG RAYONG 21140  
**CONTACT INFORMATION** : TEL : 08 8211 1367 E-mail : sasina.dil@tec.sei.co.jp  
**MEASURING PLACE** : บ้านท่าหิน (A1)  
**MEASURING TYPE** : AMBIENT (AIR)  
**MEASURING DATE** : NOVEMBER 29 - DECEMBER 6, 2023  
**MEASURING TIME** : \*  
**MEASURING METHOD** : NON-DISPERSIVE INFRARED DETECTION  
**MEASURED BY** : MR TOSSAPORN TANAPIRUN  
**RECEIVED DATE** : NOVEMBER 29 - DECEMBER 6, 2023  
**ANALYTICAL DATE** : NOVEMBER 29 - DECEMBER 6, 2023  
**REPORT NO.** : 2023-U107781  
**WORK NO.** : 2023-000740  
**ANALYSIS NO.** : T23AY521-0001 - T23AY521-0007

TIME *	RESULT (ppm)		
	CARBON MONOXIDE		
	บ้านท่าหิน (A1)		
	NOVEMBER 29-30, 2023 T23AY521-0001	NOVEMBER 30 - DECEMBER 1, 2023 T23AY521-0002	DECEMBER 1-2, 2023 T23AY521-0003
	2.23	1.82	1.90
07:00-08:00 HOUR			
08:00-09:00 HOUR	1.95	2.25	1.91
09:00-10:00 HOUR	2.04	1.98	2.21
10:00-11:00 HOUR	2.14	1.88	2.12
11:00-12:00 HOUR	2.08	2.12	1.79
12:00-13:00 HOUR	2.53	2.07	2.10
13:00-14:00 HOUR	2.03	2.07	1.81
14:00-15:00 HOUR	2.15	2.18	2.43
15:00-16:00 HOUR	1.99	2.29	1.97
16:00-17:00 HOUR	1.85	1.94	2.23
17:00-18:00 HOUR	2.19	1.98	1.95
18:00-19:00 HOUR	2.24	2.18	2.23
19:00-20:00 HOUR	1.87	1.80	1.92
20:00-21:00 HOUR	1.72	1.32	1.99
21:00-22:00 HOUR	1.51	1.53	1.54
22:00-23:00 HOUR	1.62	1.50	1.68
23:00-00:00 HOUR	1.50	1.23	1.41
00:00-01:00 HOUR	1.72	1.54	1.64
01:00-02:00 HOUR	1.62	1.58	1.48
02:00-03:00 HOUR	1.67	1.50	1.39
03:00-04:00 HOUR	1.66	1.60	1.35
04:00-05:00 HOUR	1.34	1.66	1.30
05:00-06:00 HOUR	1.59	1.56	1.51
06:00-07:00 HOUR	1.69	1.84	1.86

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY SET GROUP (THAILAND) CO., LTD.



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.027632828 Fax 0 2763 2800 www.uaeconsultant.com E-mail: uae@uaeconsultant.com

## ANALYSIS REPORT

**CUSTOMER NAME** : SEI THAI ELECTRIC CONDUCTOR CO., LTD.  
**ADDRESS** : 7/414 MOO 6, MAP YANG PHON PUAK DAENG RAYONG 21140  
**CONTACT INFORMATION** : TEL : 08 8211 1367 E-mail : sasina.dil@tec.sei.co.jp  
**MEASURING PLACE** : บ้านท่าหิน (A1)  
**MEASURING TYPE** : AMBIENT (AIR)  
**MEASURING DATE** : NOVEMBER 29 - DECEMBER 6, 2023  
**MEASURING TIME** : \*  
**MEASURING METHOD** : NON-DISPERSIVE INFRARED DETECTION  
**MEASURED BY** : MR TOSSAPORN TANAPIRUN  
**RECEIVED DATE** : NOVEMBER 29 - DECEMBER 6, 2023  
**ANALYTICAL DATE** : NOVEMBER 29 - DECEMBER 6, 2023  
**REPORT NO.** : 2023-U107781  
**WORK NO.** : 2023-000740  
**ANALYSIS NO.** : T23AY521-0001 - T23AY521-0007

TIME *	RESULT (ppm)			
	CARBON MONOXIDE			
	บ้านท่าหิน (A1)			
	DECEMBER 2-3, 2023 T23AY521-0004	DECEMBER 3-4, 2023 T23AY521-0005	DECEMBER 4-5, 2023 T23AY521-0006	DECEMBER 5-6, 2023 T23AY521-0007
	1.74	1.90	1.68	1.96
07:00-08:00 HOUR				
08:00-09:00 HOUR	2.03	2.02	2.18	1.84
09:00-10:00 HOUR	1.95	2.22	2.07	2.23
10:00-11:00 HOUR	2.10	2.00	1.99	2.10
11:00-12:00 HOUR	2.06	2.02	2.16	2.64
12:00-13:00 HOUR	2.26	1.76	2.13	2.05
13:00-14:00 HOUR	2.15	1.89	2.17	2.18
14:00-15:00 HOUR	1.96	1.90	1.82	2.49
15:00-16:00 HOUR	2.07	2.22	1.96	1.95
16:00-17:00 HOUR	2.15	1.93	1.94	1.99
17:00-18:00 HOUR	2.13	1.93	2.25	2.03
18:00-19:00 HOUR	2.02	2.09	2.11	1.85
19:00-20:00 HOUR	1.92	1.90	1.86	1.79
20:00-21:00 HOUR	1.93	2.00	1.99	1.75
21:00-22:00 HOUR	1.87	1.73	1.52	1.65
22:00-23:00 HOUR	1.63	1.82	1.64	1.70
23:00-00:00 HOUR	1.46	1.47	1.36	1.37
00:00-01:00 HOUR	1.63	1.51	1.35	1.27
01:00-02:00 HOUR	1.45	1.56	1.42	1.50
02:00-03:00 HOUR	1.46	1.69	1.60	1.34
03:00-04:00 HOUR	1.42	1.54	1.60	1.40
04:00-05:00 HOUR	1.65	1.45	1.54	1.48
05:00-06:00 HOUR	1.71	1.78	1.54	1.65
06:00-07:00 HOUR	1.91	1.64	1.71	1.63

DECEMBER 15, 2023

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY SET GROUP (THAILAND) CO., LTD.

2023-U107781




United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.02763 2828 Fax.02763 2800 www.uaconsultant.com E-mail: ua@uaconsultant.com

## ANALYSIS REPORT

**CUSTOMER NAME** : SEI THAI ELECTRIC CONDUCTOR CO., LTD.  
**ADDRESS** : 7/14 MOO 6, MAP YANG PHON PLUAK DAENG RAYONG 21140  
**CONTACT INFORMATION** : TEL : 08 8211 1367 e-mail : ssinaid@secc-sei.co.jp  
**MEASURING PLACE** : บ้านทุ่ง (A2)  
**MEASURING TYPE** : AMBIENT (AIR)  
**MEASURING DATE** : NOVEMBER 29 - DECEMBER 6, 2023  
**MEASURING TIME** : 2023.11.07782  
**MEASURING METHOD** : NON-DISPERIVE INFRARED DETECTION  
**MEASURED BY** : MR TOSSAPORN TANAPITRIN  
**RECEIVED DATE** : NOVEMBER 29 - DECEMBER 6, 2023  
**ANALYTICAL DATE** : NOVEMBER 29 - DECEMBER 6, 2023  
**REPORT NO.** : 2023.11.07782  
**WORK NO.** : 2023-000740  
**ANALYSIS NO.** : T23AY521-0008 - T23AY521-0014

TIME *	RESULT (ppm)	
	CARBON MONOXIDE	
	มก./มตร (A2)	มก./มตร (A2)
NOVEMBER 29-30, 2023		
T23AY521-0008		
07:00-08:00 HOUR	1.97	1.77
08:00-09:00 HOUR	2.11	2.05
09:00-10:00 HOUR	2.41	1.84
10:00-11:00 HOUR	2.49	2.37
11:00-12:00 HOUR	2.54	1.97
12:00-13:00 HOUR	1.78	1.95
13:00-14:00 HOUR	2.38	2.52
14:00-15:00 HOUR	2.33	1.99
15:00-16:00 HOUR	2.44	2.61
16:00-17:00 HOUR	2.30	2.47
17:00-18:00 HOUR	1.89	2.03
18:00-19:00 HOUR	2.56	1.82
19:00-20:00 HOUR	2.12	2.09
20:00-21:00 HOUR	2.03	1.79
21:00-22:00 HOUR	2.06	1.68
22:00-23:00 HOUR	2.24	1.54
23:00-00:00 HOUR	1.99	1.61
00:00-01:00 HOUR	1.79	1.39
01:00-02:00 HOUR	2.12	2.01
02:00-03:00 HOUR	1.46	1.46
03:00-04:00 HOUR	1.50	1.99
04:00-05:00 HOUR	1.67	1.42
05:00-06:00 HOUR	2.08	1.73
06:00-07:00 HOUR	1.81	1.82
NOVEMBER 30 - DECEMBER 1, 2023		
T23AY521-0009		
07:00-08:00 HOUR	1.77	1.72
08:00-09:00 HOUR	2.11	1.92
09:00-10:00 HOUR	2.41	2.56
10:00-11:00 HOUR	2.49	2.57
11:00-12:00 HOUR	2.54	2.13
12:00-13:00 HOUR	1.78	2.63
13:00-14:00 HOUR	2.38	2.66
14:00-15:00 HOUR	2.33	1.89
15:00-16:00 HOUR	2.44	2.31
16:00-17:00 HOUR	2.30	2.17
17:00-18:00 HOUR	1.89	2.21
18:00-19:00 HOUR	2.56	2.29
19:00-20:00 HOUR	2.12	1.65
20:00-21:00 HOUR	2.03	1.98
21:00-22:00 HOUR	2.06	1.74
22:00-23:00 HOUR	2.24	2.13
23:00-00:00 HOUR	1.99	1.68
00:00-01:00 HOUR	1.79	1.56
01:00-02:00 HOUR	2.12	1.66
02:00-03:00 HOUR	1.46	1.91
03:00-04:00 HOUR	1.50	2.05
04:00-05:00 HOUR	1.67	1.72
05:00-06:00 HOUR	2.08	1.75
06:00-07:00 HOUR	1.81	2.28
DECEMBER 1-2, 2023		
T23AY521-0010		
07:00-08:00 HOUR	1.97	1.77
08:00-09:00 HOUR	2.11	1.92
09:00-10:00 HOUR	2.41	2.56
10:00-11:00 HOUR	2.49	2.57
11:00-12:00 HOUR	2.54	2.13
12:00-13:00 HOUR	1.78	2.63
13:00-14:00 HOUR	2.38	2.66
14:00-15:00 HOUR	2.33	1.89
15:00-16:00 HOUR	2.44	2.31
16:00-17:00 HOUR	2.30	2.17
17:00-18:00 HOUR	1.89	2.21
18:00-19:00 HOUR	2.56	2.29
19:00-20:00 HOUR	2.12	1.65
20:00-21:00 HOUR	2.03	1.98
21:00-22:00 HOUR	2.06	1.74
22:00-23:00 HOUR	2.24	2.13
23:00-00:00 HOUR	1.99	1.68
00:00-01:00 HOUR	1.79	1.56
01:00-02:00 HOUR	2.12	1.66
02:00-03:00 HOUR	1.46	1.91
03:00-04:00 HOUR	1.50	2.05
04:00-05:00 HOUR	1.67	1.72
05:00-06:00 HOUR	2.08	1.75
06:00-07:00 HOUR	1.81	2.28

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.



ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY SET GROUP (THAILAND) CO., LTD.



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.02763 2828 Fax.02763 2800 www.uaconsultant.com E-mail: ua@uaconsultant.com

TIME *	RESULT (ppm)			
	CARBON MONOXIDE			
	มก./มตร (A2)	มก./มตร (A2)	มก./มตร (A2)	มก./มตร (A2)
DECEMBER 2-3, 2023				
T23AY521-0011				
07:00-08:00 HOUR	2.23	2.00	2.27	2.25
08:00-09:00 HOUR	1.84	2.47	2.33	2.03
09:00-10:00 HOUR	2.38	1.94	1.89	2.10
10:00-11:00 HOUR	2.25	1.93	2.01	1.95
11:00-12:00 HOUR	2.10	2.47	2.51	2.39
12:00-13:00 HOUR	2.54	2.63	1.95	2.21
13:00-14:00 HOUR	1.92	2.16	2.52	2.52
14:00-15:00 HOUR	2.34	1.95	1.87	2.32
15:00-16:00 HOUR	2.22	2.04	2.65	1.85
16:00-17:00 HOUR	2.60	1.81	2.58	2.34
17:00-18:00 HOUR	1.86	2.32	2.18	2.00
18:00-19:00 HOUR	2.06	2.54	2.29	2.19
19:00-20:00 HOUR	1.62	2.32	2.40	2.31
20:00-21:00 HOUR	1.70	2.29	2.16	2.11
21:00-22:00 HOUR	1.46	2.17	1.45	2.00
22:00-23:00 HOUR	2.24	2.00	1.70	1.88
23:00-00:00 HOUR	1.33	1.60	1.84	1.88
00:00-01:00 HOUR	1.46	1.87	1.93	1.94
01:00-02:00 HOUR	1.39	1.93	1.83	1.40
02:00-03:00 HOUR	2.05	1.74	1.75	1.42
03:00-04:00 HOUR	2.05	1.89	1.42	1.95
04:00-05:00 HOUR	1.99	1.94	1.47	1.87
05:00-06:00 HOUR	1.51	2.11	1.45	2.00
06:00-07:00 HOUR	1.79	2.19	2.13	2.10

(MR SILA BANJONGJAIIRUK)  
LABORATORY SUPERVISOR

DECEMBER 15, 2023

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

- End of Analysis Report -





United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok 10260  
Tel.02763 2828 Fax.02763 2800 www.uaec consultant.com E-mail: uaec@uaec consultant.com

### ANALYSIS REPORT

CUSTOMER NAME : SEI THAI ELECTRIC CONDUCTOR CO., LTD.  
ADDRESS : 7/414 MOO 6, MAP YANG PHON PLUAK DAENG RAYONG 21140  
CONTACT INFORMATION : TEL : 08 8211 1367 E-mail : seithai.dl@seic-sei.co.jp  
MEASURING PLACE : บ้านนาใหม่ (A1)  
MEASURING TYPE : AMBIENT (AIR)  
MEASURING DATE : NOVEMBER 29 - DECEMBER 6, 2023  
MEASURING TIME : \*  
MEASURING METHOD : CHEMILUMINESCENCE  
MEASURED BY : MR TOSSAPORN TANAPIRUN

RECEIVED DATE : NOVEMBER 29 - DECEMBER 6, 2023  
ANALYTICAL DATE : NOVEMBER 29 - DECEMBER 6, 2023  
REPORT NO. : 2023-U107783  
WORK NO. : 2023-000740  
ANALYSIS NO. : T23AY521-0001 - T23AY521-0007

TIME *	RESULT (ppm)	
	NITROGEN DIOXIDE	
	ไนโตรเจนไดออกไซด์ (A1)	
	NOVEMBER 29-30, 2023 T23AY521-0001	NOVEMBER 1-2, 2023 T23AY521-0003
07:00-08:00 HOUR	0.0122	0.0150
08:00-09:00 HOUR	0.0219	0.0190
09:00-10:00 HOUR	0.0173	0.0161
10:00-11:00 HOUR	0.0179	0.0169
11:00-12:00 HOUR	0.0168	0.0251
12:00-13:00 HOUR	0.0176	0.0182
13:00-14:00 HOUR	0.0154	0.0138
14:00-15:00 HOUR	0.0160	0.0179
15:00-16:00 HOUR	0.0203	0.0214
16:00-17:00 HOUR	0.0211	0.0168
17:00-18:00 HOUR	0.0201	0.0136
18:00-19:00 HOUR	0.0185	0.0168
19:00-20:00 HOUR	0.0148	0.0160
20:00-21:00 HOUR	0.0146	0.0127
21:00-22:00 HOUR	0.0122	0.0151
22:00-23:00 HOUR	0.0156	0.0170
23:00-00:00 HOUR	0.0169	0.0146
00:00-01:00 HOUR	0.0117	0.0106
01:00-02:00 HOUR	0.0151	0.0139
02:00-03:00 HOUR	0.0128	0.0121
03:00-04:00 HOUR	0.0141	0.0118
04:00-05:00 HOUR	0.0119	0.0120
05:00-06:00 HOUR	0.0144	0.0144
06:00-07:00 HOUR	0.0130	0.0184



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok 10260  
Tel.02763 2828 Fax.02763 2800 www.uaec consultant.com E-mail: uaec@uaec consultant.com

### ANALYSIS REPORT

CUSTOMER NAME : SEI THAI ELECTRIC CONDUCTOR CO., LTD.  
ADDRESS : 7/414 MOO 6, MAP YANG PHON PLUAK DAENG RAYONG 21140  
CONTACT INFORMATION : TEL : 08 8211 1367 E-mail : seithai.dl@seic-sei.co.jp  
MEASURING PLACE : บ้านนาใหม่ (A1)  
MEASURING TYPE : AMBIENT (AIR)  
MEASURING DATE : NOVEMBER 29 - DECEMBER 6, 2023  
MEASURING TIME : \*  
MEASURING METHOD : CHEMILUMINESCENCE  
MEASURED BY : MR TOSSAPORN TANAPIRUN

RECEIVED DATE : NOVEMBER 29 - DECEMBER 6, 2023  
ANALYTICAL DATE : NOVEMBER 29 - DECEMBER 6, 2023  
REPORT NO. : 2023-U107783  
WORK NO. : 2023-000740  
ANALYSIS NO. : T23AY521-0001 - T23AY521-0007

TIME *	RESULT (ppm)	
	NITROGEN DIOXIDE	
	ไนโตรเจนไดออกไซด์ (A1)	
	DECEMBER 3-4, 2023 T23AY521-0004	DECEMBER 4-5, 2023 T23AY521-0006
07:00-08:00 HOUR	0.0163	0.0163
08:00-09:00 HOUR	0.0175	0.0205
09:00-10:00 HOUR	0.0179	0.0171
10:00-11:00 HOUR	0.0183	0.0182
11:00-12:00 HOUR	0.0173	0.0182
12:00-13:00 HOUR	0.0199	0.0167
13:00-14:00 HOUR	0.0156	0.0180
14:00-15:00 HOUR	0.0155	0.0160
15:00-16:00 HOUR	0.0157	0.0179
16:00-17:00 HOUR	0.0208	0.0156
17:00-18:00 HOUR	0.0137	0.0172
18:00-19:00 HOUR	0.0141	0.0159
19:00-20:00 HOUR	0.0140	0.0160
20:00-21:00 HOUR	0.0125	0.0112
21:00-22:00 HOUR	0.0136	0.0148
22:00-23:00 HOUR	0.0152	0.0138
23:00-00:00 HOUR	0.0139	0.0125
00:00-01:00 HOUR	0.0131	0.0108
01:00-02:00 HOUR	0.0144	0.0134
02:00-03:00 HOUR	0.0103	0.0133
03:00-04:00 HOUR	0.0121	0.0104
04:00-05:00 HOUR	0.0163	0.0127
05:00-06:00 HOUR	0.0138	0.0117
06:00-07:00 HOUR	0.0133	0.0122



United Analyst and Engineering Consultant Co., Ltd.

3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260

Tel: 0 2763 2828 Fax: 0 2763 2800 www.uaec consultant.com E-mail: uaec@uaec consultant.com

## ANALYSIS REPORT

**CUSTOMER NAME** : SEI THAI ELECTRIC CONDUCTOR CO., LTD.  
**ADDRESS** : 7/414 MOO 6, MAP YANG PHON PLUAK DAENG RAYONG 21140  
**CONTACT INFORMATION** : TEL : 08 8211 1367 e-mail : sasina.d@sec selco.jp  
**MEASURING PLACE** : อุบลราชธานี (AZ)  
**MEASURING TYPE** : AMBIENT (AIR)  
**MEASURING DATE** : NOVEMBER 29 - DECEMBER 6, 2023  
**MEASURING TIME** : \*  
**MEASURING METHOD** : CHEMILUMINESCENCE  
**MEASURED BY** : MR TOSSAPORN TANAPIRULIN

**RECEIVED DATE** : NOVEMBER 29 - DECEMBER 6, 2023  
**ANALYTICAL DATE** : NOVEMBER 29 - DECEMBER 6, 2023  
**REPORT NO.** : 2023-U107784  
**WORK NO.** : 2023-000740  
**ANALYSIS NO.** : T23AY521-0008 - T23AY521-0014

TIME *	RESULT (ppm)		
	NITROGEN DIOXIDE		
	THAN 1 hr (A2)	THAN 1 hr (A2)	THAN 1 hr (A2)
	NOVEMBER 29-30, 2023	NOVEMBER 30 - DECEMBER 1, 2023	DECEMBER 1-3, 2023
	T23AY521-0008	T23AY521-0009	T23AY521-0010
07:00-08:00 HOUR	0.0183	0.0160	0.0157
08:00-09:00 HOUR	0.0191	0.0134	0.0215
09:00-10:00 HOUR	0.0150	0.0156	0.0151
10:00-11:00 HOUR	0.0183	0.0141	0.0215
11:00-12:00 HOUR	0.0149	0.0241	0.0220
12:00-13:00 HOUR	0.0201	0.0189	0.0229
13:00-14:00 HOUR	0.0204	0.0216	0.0172
14:00-15:00 HOUR	0.0209	0.0142	0.0136
15:00-16:00 HOUR	0.0173	0.0205	0.0212
16:00-17:00 HOUR	0.0202	0.0146	0.0174
17:00-18:00 HOUR	0.0176	0.0162	0.0179
18:00-19:00 HOUR	0.0209	0.0172	0.0188
19:00-20:00 HOUR	0.0208	0.0141	0.0104
20:00-21:00 HOUR	0.0179	0.0188	0.0188
21:00-22:00 HOUR	0.0100	0.0149	0.0146
22:00-23:00 HOUR	0.0150	0.0107	0.0139
23:00-00:00 HOUR	0.0118	0.0122	0.0173
00:00-01:00 HOUR	0.0134	0.0145	0.0149
01:00-02:00 HOUR	0.0183	0.0142	0.0156
02:00-03:00 HOUR	0.0170	0.0105	0.0185
03:00-04:00 HOUR	0.0133	0.0130	0.0177
04:00-05:00 HOUR	0.0148	0.0163	0.0135
05:00-06:00 HOUR	0.0127	0.0157	0.0160
06:00-07:00 HOUR	0.0167	0.0155	0.0213

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

NO PHOTOCOPY  
NO REPRODUCE  
BY EX GROUP (THAILAND) CO., LTD.

1/2



United Analyst and Engineering Consultant Co., Ltd.

3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260

Tel: 0 2763 2828 Fax: 0 2763 2800 www.uaec consultant.com E-mail: uaec@uaec consultant.com

## RESULT (ppm)

TIME *	NITROGEN DIOXIDE		
	THAN 1 hr (A2)		
	DECEMBER 3-4, 2023	DECEMBER 4-5, 2023	DECEMBER 5-6, 2023
	T23AY521-0011	T23AY521-0012	T23AY521-0014
07:00-08:00 HOUR	0.0163	0.0114	0.0128
08:00-09:00 HOUR	0.0174	0.0162	0.0189
09:00-10:00 HOUR	0.0243	0.0183	0.0199
10:00-11:00 HOUR	0.0184	0.0169	0.0180
11:00-12:00 HOUR	0.0177	0.0174	0.0186
12:00-13:00 HOUR	0.0172	0.0201	0.0160
13:00-14:00 HOUR	0.0239	0.0191	0.0183
14:00-15:00 HOUR	0.0184	0.0205	0.0209
15:00-16:00 HOUR	0.0172	0.0202	0.0205
16:00-17:00 HOUR	0.0185	0.0147	0.0183
17:00-18:00 HOUR	0.0157	0.0205	0.0154
18:00-19:00 HOUR	0.0174	0.0209	0.0212
19:00-20:00 HOUR	0.0101	0.0180	0.0181
20:00-21:00 HOUR	0.0163	0.0141	0.0153
21:00-22:00 HOUR	0.0152	0.0138	0.0112
22:00-23:00 HOUR	0.0111	0.0110	0.0132
23:00-00:00 HOUR	0.0142	0.0092	0.0104
00:00-01:00 HOUR	0.0115	0.0147	0.0150
01:00-02:00 HOUR	0.0166	0.0112	0.0092
02:00-03:00 HOUR	0.0102	0.0160	0.0121
03:00-04:00 HOUR	0.0169	0.0178	0.0125
04:00-05:00 HOUR	0.0125	0.0101	0.0139
05:00-06:00 HOUR	0.0136	0.0095	0.0128
06:00-07:00 HOUR	0.0133	0.0163	0.0135

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

NO PHOTOCOPY  
NO REPRODUCE  
BY EX GROUP (THAILAND) CO., LTD.

2/2

2023-U107784

(MR SILA BANJONGJAIKUL)  
LABORATORY SUPERVISOR

DECEMBER 15, 2023

- End of Analysis Report -



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok 10260  
Tel.02763 2828 Fax.0 2763 2800 www.ljaeconsultant.com E-mail: uae@ljaeconsultant.com

ANALYSIS REPORT

CUSTOMER NAME : SET THAI ELECTRIC CONDUCTOR CO., LTD.  
ADDRESS : 7/414 MOO 6, MAP YANG PHON PIIJAK DAENG RAYONG 21140  
CONTACT INFORMATION : TEL : 08 8211 1367 e-mail : sasina.d@setec.co.jp  
MEASURING PLACE : บ้านห้วยหิน (A1)  
MEASURING TYPE : AMBIENT (AIR)  
MEASURING DATE : NOVEMBER 29 - DECEMBER 6, 2023  
MEASURING TIME : \*  
MEASURING METHOD : UV FLUORESCENCE  
MEASURED BY : MR TOSSAPORN TANAPITRUN

RECEIVED DATE : NOVEMBER 29 - DECEMBER 6, 2023  
ANALYTICAL DATE : NOVEMBER 29 - DECEMBER 6, 2023  
REPORT NO. : 2023-U107785  
WORK NO. : 2023-000740  
ANALYSIS NO. : T23AY521-0001 - T23AY521-0007

วันที่ *	RESULT (ppm)		
	SULPHUR DIOXIDE		
	กำมะถันไดออกไซด์ (A1)		
	NOVEMBER 29-30, 2023	NOVEMBER 30 - DECEMBER 1, 2023	DECEMBER 1-2, 2023
	T23AY521-0001	T23AY521-0002	T23AY521-0003
07:00-08:00 HOUR	0.0017	0.0019	0.0017
08:00-09:00 HOUR	0.0019	0.0021	0.0024
09:00-10:00 HOUR	0.0020	0.0025	0.0022
10:00-11:00 HOUR	0.0024	0.0019	0.0020
11:00-12:00 HOUR	0.0020	0.0022	0.0019
12:00-13:00 HOUR	0.0022	0.0019	0.0023
13:00-14:00 HOUR	0.0020	0.0019	0.0019
14:00-15:00 HOUR	0.0021	0.0025	0.0024
15:00-16:00 HOUR	0.0020	0.0024	0.0026
16:00-17:00 HOUR	0.0023	0.0021	0.0026
17:00-18:00 HOUR	0.0021	0.0025	0.0025
18:00-19:00 HOUR	0.0023	0.0021	0.0023
19:00-20:00 HOUR	0.0022	0.0020	0.0021
20:00-21:00 HOUR	0.0022	0.0020	0.0019
21:00-22:00 HOUR	0.0021	0.0018	0.0021
22:00-23:00 HOUR	0.0015	0.0018	0.0016
23:00-00:00 HOUR	0.0015	0.0016	0.0018
00:00-01:00 HOUR	0.0020	0.0015	0.0013
01:00-02:00 HOUR	0.0016	0.0018	0.0021
02:00-03:00 HOUR	0.0019	0.0015	0.0013
03:00-04:00 HOUR	0.0019	0.0019	0.0017
04:00-05:00 HOUR	0.0020	0.0021	0.0014
05:00-06:00 HOUR	0.0022	0.0017	0.0022
06:00-07:00 HOUR	0.0021	0.0021	0.0017
AVERAGE 24 HOUR	0.0020	0.0020	0.0020



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.02763 2828 Fax.0 2763 2800 www.ljaeconsultant.com E-mail: uae@ljaeconsultant.com

วันที่ *	RESULT (ppm)			
	SULPHUR DIOXIDE			
	กำมะถันไดออกไซด์ (A1)			
	DECEMBER 3-4, 2023	DECEMBER 3-4, 2023	DECEMBER 4-5, 2023	DECEMBER 5-6, 2023
	T23AY521-0004	T23AY521-0005	T23AY521-0006	T23AY521-0007
07:00-08:00 HOUR	0.0018	0.0018	0.0019	0.0022
08:00-09:00 HOUR	0.0023	0.0022	0.0021	0.0021
09:00-10:00 HOUR	0.0023	0.0020	0.0025	0.0022
10:00-11:00 HOUR	0.0020	0.0020	0.0020	0.0022
11:00-12:00 HOUR	0.0024	0.0021	0.0021	0.0025
12:00-13:00 HOUR	0.0022	0.0022	0.0026	0.0020
13:00-14:00 HOUR	0.0022	0.0023	0.0021	0.0022
14:00-15:00 HOUR	0.0022	0.0026	0.0020	0.0018
15:00-16:00 HOUR	0.0024	0.0023	0.0022	0.0020
16:00-17:00 HOUR	0.0020	0.0021	0.0025	0.0023
17:00-18:00 HOUR	0.0021	0.0024	0.0022	0.0019
18:00-19:00 HOUR	0.0019	0.0022	0.0023	0.0023
19:00-20:00 HOUR	0.0022	0.0021	0.0026	0.0019
20:00-21:00 HOUR	0.0020	0.0020	0.0019	0.0022
21:00-22:00 HOUR	0.0020	0.0017	0.0017	0.0020
22:00-23:00 HOUR	0.0018	0.0018	0.0018	0.0018
23:00-00:00 HOUR	0.0016	0.0013	0.0020	0.0018
00:00-01:00 HOUR	0.0015	0.0015	0.0014	0.0015
01:00-02:00 HOUR	0.0018	0.0017	0.0019	0.0018
02:00-03:00 HOUR	0.0017	0.0014	0.0020	0.0020
03:00-04:00 HOUR	0.0017	0.0019	0.0019	0.0014
04:00-05:00 HOUR	0.0018	0.0020	0.0016	0.0016
05:00-06:00 HOUR	0.0018	0.0017	0.0019	0.0020
06:00-07:00 HOUR	0.0020	0.0022	0.0018	0.0022
AVERAGE 24 HOUR	0.0020	0.0020	0.0020	0.0020

(MR. SULA BANGONGJAIKUK)  
LABORATORY SUPERVISOR



United Analyst and Engineering Consultant Co., Ltd.  
3501 Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaecconsultant.com E-mail:uae@uaecconsultant.com

### ANALYSIS REPORT

CUSTOMER NAME : SET THAI ELECTRIC CONDUCTOR CO., LTD.  
ADDRESS : 7/814 MOO 6, MAP YANG PHON PLUAK DAENG RAYONG 21140  
CONTACT INFORMATION : TEL : 08 8211 1367 e-mail : sushinda@setec.co.jp  
MEASURING PLACE : อุบลราชธานี (AZ)  
MEASURING TYPE : AMBIENT (AIR)  
MEASURING DATE : NOVEMBER 29 - DECEMBER 6, 2023  
MEASURING TIME : \*  
MEASURING METHOD : UV FLUORESCENCE  
MEASURED BY : MR TOSSAPORN TANAPIRUN  
RECEIVED DATE : NOVEMBER 29 - DECEMBER 6, 2023  
ANALYTICAL DATE : NOVEMBER 29 - DECEMBER 6, 2023  
REPORT NO. : 2023-U107787  
WORK NO. : 2023-000740  
ANALYSIS NO. : T23AY521-0008 - T23AY521-0014

DATE *	RESULT (ppm)	
	SULPHUR DIOXIDE	
	µg/m³ (A2)	
	NOVEMBER 30 - DECEMBER 1, 2023	DECEMBER 1-5, 2023
	T23AY521-0009	T23AY521-0010
07:00-08:00 HOUR	0.0019	0.0016
08:00-09:00 HOUR	0.0023	0.0022
09:00-10:00 HOUR	0.0015	0.0021
10:00-11:00 HOUR	0.0024	0.0022
11:00-12:00 HOUR	0.0017	0.0023
12:00-13:00 HOUR	0.0021	0.0022
13:00-14:00 HOUR	0.0019	0.0018
14:00-15:00 HOUR	0.0020	0.0023
15:00-16:00 HOUR	0.0023	0.0019
16:00-17:00 HOUR	0.0015	0.0021
17:00-18:00 HOUR	0.0016	0.0022
18:00-19:00 HOUR	0.0024	0.0020
19:00-20:00 HOUR	0.0016	0.0021
20:00-21:00 HOUR	0.0015	0.0017
21:00-22:00 HOUR	0.0017	0.0016
22:00-23:00 HOUR	0.0012	0.0016
23:00-00:00 HOUR	0.0015	0.0015
00:00-01:00 HOUR	0.0014	0.0016
01:00-02:00 HOUR	0.0018	0.0016
02:00-03:00 HOUR	0.0014	0.0011
03:00-04:00 HOUR	0.0013	0.0012
04:00-05:00 HOUR	0.0016	0.0019
05:00-06:00 HOUR	0.0019	0.0017
06:00-07:00 HOUR	0.0017	0.0021
AVERAGE 24 HOUR	0.0018	0.0019

\* PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
\* THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.



ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY BS GROUP (THAILAND) CO., LTD.



United Analyst and Engineering Consultant Co., Ltd.  
3501 Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaecconsultant.com E-mail:uae@uaecconsultant.com

DATE *	RESULT (ppm)	
	SULPHUR DIOXIDE	
	µg/m³ (A2)	
	DECEMBER 3-4, 2023	DECEMBER 4-5, 2023
	T23AY521-0011	T23AY521-0013
07:00-08:00 HOUR	0.0020	0.0019
08:00-09:00 HOUR	0.0021	0.0018
09:00-10:00 HOUR	0.0022	0.0022
10:00-11:00 HOUR	0.0020	0.0016
11:00-12:00 HOUR	0.0018	0.0017
12:00-13:00 HOUR	0.0025	0.0023
13:00-14:00 HOUR	0.0023	0.0021
14:00-15:00 HOUR	0.0022	0.0022
15:00-16:00 HOUR	0.0022	0.0022
16:00-17:00 HOUR	0.0021	0.0017
17:00-18:00 HOUR	0.0018	0.0022
18:00-19:00 HOUR	0.0021	0.0018
19:00-20:00 HOUR	0.0022	0.0018
20:00-21:00 HOUR	0.0019	0.0020
21:00-22:00 HOUR	0.0018	0.0019
22:00-23:00 HOUR	0.0016	0.0013
23:00-00:00 HOUR	0.0012	0.0016
00:00-01:00 HOUR	0.0018	0.0020
01:00-02:00 HOUR	0.0011	0.0010
02:00-03:00 HOUR	0.0017	0.0013
03:00-04:00 HOUR	0.0012	0.0015
04:00-05:00 HOUR	0.0015	0.0010
05:00-06:00 HOUR	0.0016	0.0018
06:00-07:00 HOUR	0.0017	0.0018
AVERAGE 24 HOUR	0.0019	0.0018

LABORATORY SUPERVISOR

DECEMBER 15, 2023

\* PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
\* THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY BS GROUP (THAILAND) CO., LTD.



United Analyst and Engineering Consultant Co., Ltd.  
35oi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel: 02763 2828 Fax: 02763 2800 www.uaeconsultant.com E-mail: uae@uaeconsultant.com

## ANALYSIS REPORT

**CUSTOMER NAME** : SETI THAI ELECTRIC CONDUCTOR CO., LTD.  
**ADDRESS** : 7/414 MOO 6, MAP YANG PHON PLUAK DAENG RAYONG 21140  
**CONTACT INFORMATION** : TEL : 093 510 0910 e-mail : sekawratka@seti.co.jp  
**MEASURING PLACE** : ฟากทิศ (A2)  
**MEASURING TYPE** : AMBIENT (AIR)  
**MEASURING DATE** : NOVEMBER 29 - DECEMBER 6, 2023  
**MEASURING TIME** : \*  
**MEASURING METHOD** : WIND SPEED & WIND DIRECTION EQUIPMENT  
**MEASURED BY** : MR. TOSSAPORN TANAPIRUN

**RECEIVED DATE** : NOVEMBER 29 - DECEMBER 6, 2023  
**ANALYTICAL DATE** : NOVEMBER 29 - DECEMBER 6, 2023  
**REPORT NO.** : 2023-U107790  
**WORK NO.** : 2023-000740  
**ANALYSIS NO.** : T23AY521-0008 - T23AY521-0014

TIME *	RESULT (m/s)			
	NOVEMBER 29-30, 2023		NOVEMBER 30 - DECEMBER 1, 2023	
	T23AY521-0008		T23AY521-0009	
	WIND SPEED	WIND DIRECTION	WIND SPEED	WIND DIRECTION
07:00-08:00 HOUR	0.7	ENE	1.9	ENE
08:00-09:00 HOUR	1.4	SSE	1.4	ENE
09:00-10:00 HOUR	1.4	ESE	1.1	ESE
10:00-11:00 HOUR	1.8	E	1.4	SSE
11:00-12:00 HOUR	1.4	SSE	1.0	E
12:00-13:00 HOUR	2.1	E	0.8	ESE
13:00-14:00 HOUR	1.2	S	0.7	ENE
14:00-15:00 HOUR	0.9	ESE	2.0	SSE
15:00-16:00 HOUR	1.2	S	0.8	S
16:00-17:00 HOUR	1.8	SE	1.1	SSE
17:00-18:00 HOUR	1.0	ESE	2.1	SE
18:00-19:00 HOUR	1.1	SSE	1.6	E
19:00-20:00 HOUR	1.4	SSE	0.9	ESE
20:00-21:00 HOUR	2.1	ESE	0.8	SSE
21:00-22:00 HOUR	1.4	E	1.6	E
22:00-23:00 HOUR	2.1	ESE	0.9	SSE
23:00-00:00 HOUR	1.8	SE	1.0	E
00:00-01:00 HOUR	2.0	SSE	1.8	SE
01:00-02:00 HOUR	0.7	E	1.9	S
02:00-03:00 HOUR	1.1	S	0.7	SSE
03:00-04:00 HOUR	0.7	S	1.1	SE
04:00-05:00 HOUR	1.4	E	1.1	E
05:00-06:00 HOUR	2.0	ENE	1.1	ESE
06:00-07:00 HOUR	2.0	E	1.4	E

NO RECORDS OBTAINED  
NO RECORDS OBTAINED  
BY THE GROUP (THAILAND) CO., LTD.

\* PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
\* THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

1/2



United Analyst and Engineering Consultant Co., Ltd.  
35oi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel: 02763 2828 Fax: 02763 2800 www.uaeconsultant.com E-mail: uae@uaeconsultant.com

TIME *	RESULT (m/s)			
	DECEMBER 2-3, 2023		DECEMBER 3-4, 2023	
	T23AY521-0011		T23AY521-0012	
	WIND SPEED	WIND DIRECTION	WIND SPEED	WIND DIRECTION
07:00-08:00 HOUR	1.8	E	1.6	S
08:00-09:00 HOUR	1.7	SE	0.8	S
09:00-10:00 HOUR	1.0	SSE	1.9	S
10:00-11:00 HOUR	1.9	SSW	1.2	ESE
11:00-12:00 HOUR	1.5	SSE	1.3	E
12:00-13:00 HOUR	2.0	ESE	1.2	E
13:00-14:00 HOUR	2.0	SSE	2.0	SE
14:00-15:00 HOUR	1.8	S	1.2	ENE
15:00-16:00 HOUR	0.9	E	1.1	E
16:00-17:00 HOUR	0.8	SE	1.8	ENE
17:00-18:00 HOUR	1.7	S	0.6	SSE
18:00-19:00 HOUR	1.4	ESE	1.0	SSE
19:00-20:00 HOUR	0.8	SSE	0.7	SE
20:00-21:00 HOUR	1.6	E	1.1	SSW
21:00-22:00 HOUR	1.0	ENE	1.3	S
22:00-23:00 HOUR	2.0	SE	1.5	ESE
23:00-00:00 HOUR	1.9	ESE	0.8	ENE
00:00-01:00 HOUR	1.3	SE	1.9	S
01:00-02:00 HOUR	0.9	S	1.5	ENE
02:00-03:00 HOUR	1.0	SE	1.5	S
03:00-04:00 HOUR	2.0	SSE	1.9	E
04:00-05:00 HOUR	1.5	SE	0.8	SE
05:00-06:00 HOUR	1.7	E	1.9	ESE
06:00-07:00 HOUR	1.8	SE	0.8	ESE

(MR. SILA BANONGJATIRUK)  
LABORATORY SUPERVISOR

DECEMBER 20, 2023

\* PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
\* THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

2/2

- End of Analysis Report -

2023-U107790

## ภาคผนวก ค-2

---

ใบรายงานผลการวิเคราะห์ระดับเสียงโดยทั่วไป

ใบรายงานผลการตรวจวัดระดับเสียงเฉลี่ย 24 ชั่วโมง  
และระดับเสียงสูงสุด

---



United Analyst and Engineering Consultant Co., Ltd.  
350i Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong Bangkok 10260  
Tel.0 2763 2828 Fax 0 2763 2800 www.uaeconsultant.com E-mail: uae@uaeconsultant.com

## ANALYSIS REPORT

**CUSTOMER NAME** : SET THAI ELECTRIC CONDUCTOR CO., LTD.  
**ADDRESS** : 7/414 MOO 6, MAP YANG PHON PUAK DAENG RAYONG 21140  
**CONTACT INFORMATION** : TEL : 08 8211 1367 e-mail : asana.d@setc.co.jp  
**MEASURING SOURCE** : AMBIENT (NOISE)  
**MEASURING TYPE** : AMBIENT (NOISE)  
**MEASURING DATE** : NOVEMBER 29 - DECEMBER 6, 2023  
**MEASURING TIME** : \*  
**MEASURING METHOD** : INTEGRATED SOUND LEVEL METER  
**MEASURED BY** : MR. TOSSAPORN TANAPURIN

**RECEIVED DATE** : NOVEMBER 29 - DECEMBER 6, 2023  
**ANALYTICAL DATE** : NOVEMBER 29 - DECEMBER 6, 2023  
**REPORT NO.** : 2023-U107795  
**WORK NO.** : 2023-000740  
**ANALYSIS NO.** : T23AY522-0001 - T23AY522-0007

TIME*	RESULT dB(A)	
	LAeq 1 hour (N1)	LA90 1 hour (N1)
NOVEMBER 29-30, 2023		
T23AY522-0001		
07:00-08:00 HOUR	56.5	49.3
08:00-09:00 HOUR	55.8	52.0
09:00-10:00 HOUR	57.7	56.0
10:00-11:00 HOUR	55.3	51.9
11:00-12:00 HOUR	55.8	53.6
12:00-13:00 HOUR	57.3	54.1
13:00-14:00 HOUR	56.0	53.6
14:00-15:00 HOUR	55.9	53.4
15:00-16:00 HOUR	56.2	53.3
16:00-17:00 HOUR	52.1	48.7
17:00-18:00 HOUR	50.6	46.7
18:00-19:00 HOUR	50.2	47.8
19:00-20:00 HOUR	50.4	47.9
20:00-21:00 HOUR	50.5	47.8
21:00-22:00 HOUR	49.8	47.1
22:00-23:00 HOUR	49.6	47.8
23:00-00:00 HOUR	49.7	47.6
00:00-01:00 HOUR	49.5	47.0
01:00-02:00 HOUR	49.0	46.4
02:00-03:00 HOUR	49.2	47.1
03:00-04:00 HOUR	48.9	46.7
04:00-05:00 HOUR	48.8	46.2
05:00-06:00 HOUR	49.9	47.6
06:00-07:00 HOUR	52.7	49.4
LAeq 24 hours	53.6	
LAin	57.4	

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.



ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY SGS GROUP (THAILAND) CO., LTD.



United Analyst and Engineering Consultant Co., Ltd.  
350i Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong Bangkok 10260  
Tel.0 2763 2828 Fax 0 2763 2800 www.uaeconsultant.com E-mail: uae@uaeconsultant.com

TIME*	RESULT dB(A)	
	LAeq 1 hour (N1)	LA90 1 hour (N1)
NOVEMBER 30 - DECEMBER 1, 2023		
T23AY522-0002		
07:00-08:00 HOUR	53.9	77.2
08:00-09:00 HOUR	56.1	78.0
09:00-10:00 HOUR	55.8	76.7
10:00-11:00 HOUR	54.3	75.4
11:00-12:00 HOUR	56.5	76.4
12:00-13:00 HOUR	55.9	75.4
13:00-14:00 HOUR	55.8	75.7
14:00-15:00 HOUR	56.6	76.7
15:00-16:00 HOUR	53.8	74.1
16:00-17:00 HOUR	51.8	76.4
17:00-18:00 HOUR	50.8	71.0
18:00-19:00 HOUR	49.4	69.4
19:00-20:00 HOUR	49.1	70.0
20:00-21:00 HOUR	48.8	69.9
21:00-22:00 HOUR	48.4	69.0
22:00-23:00 HOUR	48.0	68.8
23:00-00:00 HOUR	47.8	66.7
00:00-01:00 HOUR	47.9	69.6
01:00-02:00 HOUR	48.0	68.1
02:00-03:00 HOUR	47.5	67.2
03:00-04:00 HOUR	48.2	67.7
04:00-05:00 HOUR	48.2	69.8
05:00-06:00 HOUR	48.7	69.4
06:00-07:00 HOUR	51.8	73.7
LAeq 24 hours	52.7	
LAin	56.4	

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY SGS GROUP (THAILAND) CO., LTD.



TIME*	RESULT dB(A) การวัดเสียง (M1) DECEMBER 1-2, 2023 T23AY522-0003		
	L <sub>eq</sub> 1 hour	L <sub>eq</sub> 3 hour	L <sub>eq</sub> 1 hour
07:00-08:00 HOUR	53.4	78.6	49.5
08:00-09:00 HOUR	50.9	71.9	47.9
09:00-10:00 HOUR	50.3	71.4	47.8
10:00-11:00 HOUR	50.6	71.0	48.4
11:00-12:00 HOUR	50.0	71.0	47.9
12:00-13:00 HOUR	51.3	75.2	47.8
13:00-14:00 HOUR	50.5	71.1	48.5
14:00-15:00 HOUR	48.3	68.0	46.1
15:00-16:00 HOUR	51.1	72.1	48.5
16:00-17:00 HOUR	51.0	72.7	48.5
17:00-18:00 HOUR	50.7	70.2	48.2
18:00-19:00 HOUR	50.1	71.2	47.6
19:00-20:00 HOUR	49.5	70.3	47.2
20:00-21:00 HOUR	50.1	69.4	47.6
21:00-22:00 HOUR	49.4	70.2	47.0
22:00-23:00 HOUR	49.1	69.4	46.8
23:00-00:00 HOUR	49.6	70.7	47.2
00:00-01:00 HOUR	48.7	68.8	46.2
01:00-02:00 HOUR	47.8	68.8	45.3
02:00-03:00 HOUR	47.9	68.1	45.9
03:00-04:00 HOUR	47.5	67.2	45.2
04:00-05:00 HOUR	48.2	69.4	45.9
05:00-06:00 HOUR	48.8	69.0	46.2
06:00-07:00 HOUR	52.2	73.8	49.0
L <sub>eq</sub> 24 hours	50.1		
L <sub>dn</sub>	55.8		

TIME*	RESULT dB(A) การวัดเสียง (M1) DECEMBER 2-3, 2023 T23AY522-0004		
	L <sub>eq</sub> 1 hour	L <sub>eq</sub> 3 hour	L <sub>eq</sub> 1 hour
07:00-08:00 HOUR	52.2	74.0	49.0
08:00-09:00 HOUR	51.2	73.2	48.4
09:00-10:00 HOUR	50.3	71.4	47.9
10:00-11:00 HOUR	51.4	73.8	48.2
11:00-12:00 HOUR	50.5	73.8	47.4
12:00-13:00 HOUR	50.7	72.3	48.0
13:00-14:00 HOUR	50.1	72.3	47.6
14:00-15:00 HOUR	50.9	71.9	48.5
15:00-16:00 HOUR	51.2	78.3	46.6
16:00-17:00 HOUR	51.2	71.3	48.5
17:00-18:00 HOUR	50.3	70.7	48.0
18:00-19:00 HOUR	50.0	68.6	47.6
19:00-20:00 HOUR	50.9	70.5	48.5
20:00-21:00 HOUR	50.4	70.2	48.3
21:00-22:00 HOUR	49.7	70.3	47.4
22:00-23:00 HOUR	49.2	69.7	46.7
23:00-00:00 HOUR	49.9	72.3	47.4
00:00-01:00 HOUR	49.7	71.3	47.3
01:00-02:00 HOUR	49.5	69.8	47.8
02:00-03:00 HOUR	49.6	71.3	47.9
03:00-04:00 HOUR	49.8	71.4	47.8
04:00-05:00 HOUR	49.1	68.5	46.9
05:00-06:00 HOUR	50.8	72.6	47.9
06:00-07:00 HOUR	53.0	73.0	50.0
L <sub>eq</sub> 24 hours	50.6		
L <sub>dn</sub>	56.7		



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel. 0 2763 2828 Fax 0 2763 2800 www.uaeconsultant.com E-mail: uae@uaeconsultant.com

TIME*	RESULT dB(A)		
	การวัดตาม (H1)		
	DECEMBER 3-4, 2023		
	T23AY522-0005		
	L <sub>eq</sub> 1 hour	L <sub>max</sub> 1 hour	L <sub>eq</sub> 24 hours
07:00-08:00 HOUR	53.8	75.0	50.3
08:00-09:00 HOUR	56.0	78.2	53.3
09:00-10:00 HOUR	55.8	76.3	53.7
10:00-11:00 HOUR	54.5	75.9	52.5
11:00-12:00 HOUR	56.2	77.2	53.5
12:00-13:00 HOUR	55.9	76.4	53.5
13:00-14:00 HOUR	56.8	78.3	54.6
14:00-15:00 HOUR	56.1	77.3	54.0
15:00-16:00 HOUR	55.1	76.8	52.8
16:00-17:00 HOUR	51.5	72.2	49.6
17:00-18:00 HOUR	51.4	72.6	48.2
18:00-19:00 HOUR	50.1	69.3	47.7
19:00-20:00 HOUR	50.4	71.7	48.2
20:00-21:00 HOUR	50.6	71.1	48.4
21:00-22:00 HOUR	50.1	70.2	47.4
22:00-23:00 HOUR	48.7	68.8	46.3
23:00-00:00 HOUR	48.2	67.4	46.1
00:00-01:00 HOUR	47.9	69.1	45.7
01:00-02:00 HOUR	48.3	68.8	45.9
02:00-03:00 HOUR	48.5	69.0	46.4
03:00-04:00 HOUR	47.9	67.5	45.7
04:00-05:00 HOUR	47.8	69.0	45.5
05:00-06:00 HOUR	48.7	69.9	46.5
06:00-07:00 HOUR	54.2	74.7	51.6
L <sub>eq</sub> 24 hours		53.0	57.0

ISO 9000:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY RS GROUP (THAILAND) CO., LTD.

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

5/7

2023-U107795



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel. 0 2763 2828 Fax 0 2763 2800 www.uaeconsultant.com E-mail: uae@uaeconsultant.com

TIME*	RESULT dB(A)		
	บ้านวัดใหม่ (N1)		
	DECEMBER 4-5, 2023		
	T23AY522-0006		
	L <sub>eq</sub> 1 hour	L <sub>max</sub> 1 hour	L <sub>eq</sub> 24 hour
07:00-08:00 HOUR	55.1	75.0	52.6
08:00-09:00 HOUR	56.0	77.5	53.7
09:00-10:00 HOUR	55.9	75.6	53.4
10:00-11:00 HOUR	58.2	78.8	55.9
11:00-12:00 HOUR	56.7	77.2	53.9
12:00-13:00 HOUR	58.0	78.0	55.8
13:00-14:00 HOUR	57.7	78.4	55.5
14:00-15:00 HOUR	55.2	76.5	52.7
15:00-16:00 HOUR	56.4	77.6	53.7
16:00-17:00 HOUR	53.8	75.8	50.8
17:00-18:00 HOUR	53.1	75.2	49.9
18:00-19:00 HOUR	51.6	72.6	49.1
19:00-20:00 HOUR	51.4	71.8	49.2
20:00-21:00 HOUR	50.7	70.2	48.6
21:00-22:00 HOUR	50.5	69.5	48.1
22:00-23:00 HOUR	49.3	70.1	47.3
23:00-00:00 HOUR	49.1	70.7	47.2
00:00-01:00 HOUR	49.2	67.9	46.9
01:00-02:00 HOUR	49.0	69.7	46.8
02:00-03:00 HOUR	49.2	68.9	46.7
03:00-04:00 HOUR	48.8	69.8	46.4
04:00-05:00 HOUR	49.0	69.1	46.8
05:00-06:00 HOUR	49.8	70.7	47.6
06:00-07:00 HOUR	53.0	75.1	50.3
L <sub>eq</sub> 24 hours			54.0
			57.6

ISO 9000:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY RS GROUP (THAILAND) CO., LTD.

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

6/7

2023-U107795



United Analyst and Engineering Consultant Co., Ltd.  
350i Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaeconsultant.com E-mail: uaec@uaeconsultant.com

TIME *	RESULT dB(A)		
	ผลการวัดค่า (N1)		
	DECEMBER 5-6, 2023		
	T23AY522-0007		
	L <sub>max</sub> 1 hour	L <sub>avg</sub> 1 hour	L <sub>eq</sub> 1 hour
07:00-08:00 HOUR	73.1	53.4	50.8
08:00-09:00 HOUR	75.0	54.8	52.5
09:00-10:00 HOUR	78.1	56.7	54.4
10:00-11:00 HOUR	76.2	57.1	54.8
11:00-12:00 HOUR	76.2	56.0	53.6
12:00-13:00 HOUR	75.6	58.5	54.5
13:00-14:00 HOUR	77.0	56.1	53.9
14:00-15:00 HOUR	75.8	55.5	53.2
15:00-16:00 HOUR	77.0	56.1	53.8
16:00-17:00 HOUR	81.2	55.2	50.0
17:00-18:00 HOUR	72.6	51.6	49.1
18:00-19:00 HOUR	71.3	51.7	49.2
19:00-20:00 HOUR	71.6	51.3	49.0
20:00-21:00 HOUR	71.5	50.7	48.4
21:00-22:00 HOUR	71.0	50.4	48.0
22:00-23:00 HOUR	69.6	49.7	47.2
23:00-00:00 HOUR	69.9	49.3	46.7
00:00-01:00 HOUR	69.7	49.0	46.7
01:00-02:00 HOUR	67.8	48.8	46.5
02:00-03:00 HOUR	68.9	49.0	47.0
03:00-04:00 HOUR	69.4	48.6	46.0
04:00-05:00 HOUR	68.9	49.0	46.9
05:00-06:00 HOUR	68.7	49.5	47.2
06:00-07:00 HOUR	73.5	52.5	49.4
L <sub>eq</sub> 24 hours	53.5		
L <sub>den</sub>	57.3		

DECEMBER 15, 2023

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY SET GROUP (THAILAND) CO., LTD.

7/7

- End of Analysis Report -

2023-U107795



United Analyst and Engineering Consultant Co., Ltd.  
350i Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaeconsultant.com E-mail: uaec@uaeconsultant.com

## ANALYSIS REPORT

CUSTOMER NAME : SEI THAI ELECTRIC CONDUCTOR CO., LTD.  
ADDRESS : 7/414 MOO 6, MAP YANG PHON PLUAK DAENG RAYONG 21140  
CONTACT INFORMATION : TEL : 08 8211 1367 e-mail : sasiha.di@seec-sei.co.jp  
MEASURING SOURCE : แหล่งเสียงจากตัวเครื่อง (N2)  
MEASURING TYPE : AMBIENT (NOISE)  
MEASURING DATE : NOVEMBER 29 - DECEMBER 6, 2023  
MEASURING TIME : \*  
MEASURING METHOD : INTEGRATED SOUND LEVEL METER  
MEASURED BY : MR TOSSAPORN TANAPIRUN  
RECEIVED DATE : NOVEMBER 29 - DECEMBER 6, 2023  
ANALYTICAL DATE : NOVEMBER 29 - DECEMBER 6, 2023  
REPORT NO. : 2023-U107798  
WORK NO. : 2023-000740  
ANALYSIS NO. : T23AY522-0008 - T23AY522-0014

TIME*	RESULT dB(A)		
	สำนักงานสิ่งแวดล้อม (N2)		
	NOVEMBER 29-30, 2023		
	T23AYS22-0008		
	L <sub>max</sub> 1 hour	L <sub>avg</sub> 1 hour	L <sub>eq</sub> 1 hour
07:00-08:00 HOUR	76.9	57.9	55.5
08:00-09:00 HOUR	75.1	57.2	54.7
09:00-10:00 HOUR	76.0	57.3	54.6
10:00-11:00 HOUR	78.9	57.1	54.2
11:00-12:00 HOUR	75.4	55.6	52.0
12:00-13:00 HOUR	73.8	52.6	49.2
13:00-14:00 HOUR	74.7	56.6	54.6
14:00-15:00 HOUR	76.3	55.4	52.0
15:00-16:00 HOUR	69.5	52.0	49.4
16:00-17:00 HOUR	76.2	53.9	50.1
17:00-18:00 HOUR	74.4	55.7	53.1
18:00-19:00 HOUR	71.8	52.8	50.2
19:00-20:00 HOUR	73.0	54.5	52.3
20:00-21:00 HOUR	73.0	55.0	53.0
21:00-22:00 HOUR	79.1	55.7	50.1
22:00-23:00 HOUR	67.4	49.9	47.7
23:00-00:00 HOUR	68.3	49.7	47.9
00:00-01:00 HOUR	68.7	50.1	47.4
01:00-02:00 HOUR	67.7	49.7	47.2
02:00-03:00 HOUR	68.1	49.5	47.4
03:00-04:00 HOUR	66.7	48.9	46.8
04:00-05:00 HOUR	66.3	49.7	47.3
05:00-06:00 HOUR	69.1	50.4	48.0
06:00-07:00 HOUR	71.2	53.5	50.9
L <sub>eq</sub> 24 hours	54.3		
L <sub>den</sub>	58.0		

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY SET GROUP (THAILAND) CO., LTD.

1/7



United Analyst and Engineering Consultant Co., Ltd.  
350 Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2838 Fax.0 2763 2800 www.uaec consultant.com E-mail: uaec@uaec consultant.com

TIME*	RESULT dB(A)		
	สำหรับงานด้านเสียง (N2) NOVEMBER 30 - DECEMBER 1, 2023 T23AY522-0009		
	L <sub>eq</sub> 1 hour	L <sub>max</sub> 1 hour	L <sub>90</sub> 1 hour
07:00-08:00 HOUR	57.6	78.0	55.7
08:00-09:00 HOUR	56.6	75.6	54.1
09:00-10:00 HOUR	54.4	72.8	52.2
10:00-11:00 HOUR	56.0	75.8	53.3
11:00-12:00 HOUR	56.9	74.6	54.4
12:00-13:00 HOUR	54.2	74.9	51.7
13:00-14:00 HOUR	55.1	73.6	51.9
14:00-15:00 HOUR	53.9	72.1	51.7
15:00-16:00 HOUR	55.4	75.4	51.3
16:00-17:00 HOUR	54.3	73.3	50.7
17:00-18:00 HOUR	55.9	75.5	53.2
18:00-19:00 HOUR	53.6	73.0	50.8
19:00-20:00 HOUR	53.9	74.8	51.1
20:00-21:00 HOUR	55.5	74.2	52.3
21:00-22:00 HOUR	51.3	69.0	48.9
22:00-23:00 HOUR	50.2	67.2	48.3
23:00-00:00 HOUR	50.4	67.5	48.1
00:00-01:00 HOUR	49.8	67.8	47.5
01:00-02:00 HOUR	49.9	68.5	47.4
02:00-03:00 HOUR	49.7	69.0	47.2
03:00-04:00 HOUR	49.8	68.6	47.3
04:00-05:00 HOUR	49.7	69.0	47.4
05:00-06:00 HOUR	51.3	69.2	49.1
06:00-07:00 HOUR	53.9	75.4	51.3
L <sub>eq</sub> 24 hours		54.0	
L <sub>den</sub>		58.1	



United Analyst and Engineering Consultant Co., Ltd.  
350 Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2838 Fax.0 2763 2800 www.uaec consultant.com E-mail: uaec@uaec consultant.com

TIME*	RESULT dB(A)		
	สำหรับงานด้านเสียง (N2) DECEMBER 1-2, 2023 T23AY522-0010		
	L <sub>eq</sub> 1 hour	L <sub>max</sub> 1 hour	L <sub>90</sub> 1 hour
07:00-08:00 HOUR	57.3	76.0	54.8
08:00-09:00 HOUR	57.5	77.2	54.7
09:00-10:00 HOUR	56.8	76.0	54.4
10:00-11:00 HOUR	52.4	72.0	49.9
11:00-12:00 HOUR	52.6	72.1	50.4
12:00-13:00 HOUR	52.1	70.8	49.8
13:00-14:00 HOUR	52.4	69.5	49.2
14:00-15:00 HOUR	56.5	80.8	50.5
15:00-16:00 HOUR	52.8	73.3	50.2
16:00-17:00 HOUR	53.4	73.5	51.2
17:00-18:00 HOUR	57.1	74.7	53.4
18:00-19:00 HOUR	54.8	74.1	50.9
19:00-20:00 HOUR	55.3	75.7	53.0
20:00-21:00 HOUR	56.6	77.9	52.8
21:00-22:00 HOUR	51.1	68.9	48.6
22:00-23:00 HOUR	49.6	68.4	47.7
23:00-00:00 HOUR	49.6	68.4	47.2
00:00-01:00 HOUR	49.3	67.4	46.8
01:00-02:00 HOUR	49.3	68.0	47.3
02:00-03:00 HOUR	49.0	66.4	46.7
03:00-04:00 HOUR	49.1	68.9	47.0
04:00-05:00 HOUR	49.0	67.6	46.8
05:00-06:00 HOUR	49.7	68.0	47.7
06:00-07:00 HOUR	52.4	70.4	50.4
L <sub>eq</sub> 24 hours		53.8	
L <sub>den</sub>		57.5	



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax 0 2763 2800 www.uaec consultant.com E-mail: uaec@uaec consultant.com

TIME*	RESULT dB(A)		
	ผลการตรวจวัดเสียงรบกวน (N2)		
	DECEMBER 2-3, 2023		
	T23AY522-0011		
	L <sub>eq</sub> 1 hour	L <sub>max</sub> 1 hour	L <sub>eq</sub> 1 hour
07:00-08:00 HOUR	55.7	75.2	53.1
08:00-09:00 HOUR	56.2	75.9	52.4
09:00-10:00 HOUR	51.4	69.8	49.2
10:00-11:00 HOUR	50.7	68.1	48.5
11:00-12:00 HOUR	52.2	70.0	49.4
12:00-13:00 HOUR	50.7	68.5	48.6
13:00-14:00 HOUR	50.6	69.2	48.4
14:00-15:00 HOUR	50.9	69.4	48.6
15:00-16:00 HOUR	50.5	69.6	48.0
16:00-17:00 HOUR	51.4	68.5	48.8
17:00-18:00 HOUR	55.0	73.5	52.2
18:00-19:00 HOUR	54.6	75.2	51.9
19:00-20:00 HOUR	55.8	73.3	52.5
20:00-21:00 HOUR	55.6	74.2	52.5
21:00-22:00 HOUR	51.1	69.8	48.9
22:00-23:00 HOUR	48.4	69.2	47.2
23:00-00:00 HOUR	49.5	68.8	47.5
00:00-01:00 HOUR	49.1	66.7	46.9
01:00-02:00 HOUR	48.9	67.0	46.7
02:00-03:00 HOUR	49.0	67.6	46.9
03:00-04:00 HOUR	49.2	67.2	46.7
04:00-05:00 HOUR	48.8	66.6	46.7
05:00-06:00 HOUR	49.4	66.6	47.4
06:00-07:00 HOUR	54.3	75.9	52.3
L <sub>eq</sub> 24 hours		52.4	
L <sub>den</sub>		57.2	



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax 0 2763 2800 www.uaec consultant.com E-mail: uaec@uaec consultant.com

TIME*	RESULT dB(A)		
	ผลการตรวจวัดเสียงรบกวน (N2)		
	DECEMBER 3-4, 2023		
	T23AY522-0012		
	L <sub>eq</sub> 1 hour	L <sub>max</sub> 1 hour	L <sub>eq</sub> 1 hour
07:00-08:00 HOUR	57.4	75.6	55.1
08:00-09:00 HOUR	57.0	76.7	54.2
09:00-10:00 HOUR	57.5	78.3	55.0
10:00-11:00 HOUR	56.4	75.1	53.4
11:00-12:00 HOUR	57.4	77.2	54.4
12:00-13:00 HOUR	52.7	73.1	49.5
13:00-14:00 HOUR	53.5	73.3	50.7
14:00-15:00 HOUR	55.4	73.7	53.2
15:00-16:00 HOUR	56.1	76.6	52.9
16:00-17:00 HOUR	56.2	74.3	53.7
17:00-18:00 HOUR	57.3	76.7	54.3
18:00-19:00 HOUR	54.0	72.9	51.5
19:00-20:00 HOUR	56.2	73.7	53.4
20:00-21:00 HOUR	56.0	75.3	53.1
21:00-22:00 HOUR	51.4	70.2	48.9
22:00-23:00 HOUR	49.9	68.8	47.6
23:00-00:00 HOUR	50.2	67.4	47.8
00:00-01:00 HOUR	49.4	67.4	47.4
01:00-02:00 HOUR	49.5	68.4	47.3
02:00-03:00 HOUR	50.1	68.2	48.0
03:00-04:00 HOUR	49.2	68.1	47.3
04:00-05:00 HOUR	49.9	67.6	47.5
05:00-06:00 HOUR	49.9	68.9	47.4
06:00-07:00 HOUR	53.1	72.8	51.1
L <sub>eq</sub> 24 hours		54.6	
L <sub>den</sub>		58.1	



United Analyst and Engineering Consultant Co., Ltd.  
3501 Udomsuk 41, Sukhumvit Road, Bangchak, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax 0 2763 2800 www.uaeconsultant.com E-mail:uae@uaeconsultant.com

LABORATORY ANALYST CERTIFIED  
BY ITS GROUP (THAILAND) CO., LTD.

TIME*	RESULT dB(A)			
	สำหรับโรงงานด้านทิศเหนือ (N2)			
	DECEMBER 4-5, 2023			
	TZ3AY522-0013			
	L <sub>eq</sub> 1 hour	L <sub>max</sub> 1 hour		L <sub>eq</sub> 1 hour
07:00-08:00 HOUR	57.9	76.5		55.4
08:00-09:00 HOUR	57.4	75.0		54.8
09:00-10:00 HOUR	57.5	77.5		55.0
10:00-11:00 HOUR	57.5	77.6		55.4
11:00-12:00 HOUR	56.7	73.6		53.4
12:00-13:00 HOUR	53.4	73.4		49.3
13:00-14:00 HOUR	55.6	76.9		51.6
14:00-15:00 HOUR	55.6	80.5		
15:00-16:00 HOUR	55.9	78.0		51.8
16:00-17:00 HOUR	54.2	72.4		51.5
17:00-18:00 HOUR	56.7	75.7		54.3
18:00-19:00 HOUR	54.1	74.5		51.4
19:00-20:00 HOUR	55.8	73.8		53.4
20:00-21:00 HOUR	53.9	72.7		50.7
21:00-22:00 HOUR	51.9	73.2		49.3
22:00-23:00 HOUR	50.1	68.7		48.2
23:00-00:00 HOUR	49.9	70.0		47.5
00:00-01:00 HOUR	50.3	69.5		47.8
01:00-02:00 HOUR	50.1	68.1		48.2
02:00-03:00 HOUR	49.4	67.7		47.2
03:00-04:00 HOUR	49.4	68.4		47.3
04:00-05:00 HOUR	49.5	66.8		47.2
05:00-06:00 HOUR	49.6	67.0		47.3
06:00-07:00 HOUR	53.4	73.6		50.8
L <sub>eq</sub> 24 hours				
L <sub>dn</sub>		58.2		

ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY ITS GROUP (THAILAND) CO., LTD.

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.



United Analyst and Engineering Consultant Co., Ltd.  
3501 Udomsuk 41, Sukhumvit Road, Bangchak, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax 0 2763 2800 www.uaeconsultant.com E-mail:uae@uaeconsultant.com

LABORATORY ANALYST CERTIFIED  
BY ITS GROUP (THAILAND) CO., LTD.

TIME*	RESULT dB(A)			
	สำหรับโรงงานด้านทิศเหนือ (N2)			
	DECEMBER 5-6, 2023			
	TZ3AY522-0014			
	L <sub>eq</sub> 1 hour		L <sub>max</sub> 1 hour	
	L <sub>eq</sub> 1 hour	L <sub>max</sub> 1 hour	L <sub>eq</sub> 1 hour	L <sub>max</sub> 1 hour
07:00-08:00 HOUR	56.9	75.1	54.6	54.6
08:00-09:00 HOUR	57.3	78.3	54.4	54.4
09:00-10:00 HOUR	56.8	76.5	54.6	54.6
10:00-11:00 HOUR	56.3	75.3	53.8	53.8
11:00-12:00 HOUR	56.5	76.6	54.2	54.2
12:00-13:00 HOUR	52.9	71.5	49.6	49.6
13:00-14:00 HOUR	56.8	75.1	54.0	54.0
14:00-15:00 HOUR	56.0	74.6	52.6	52.6
15:00-16:00 HOUR	57.1	76.2	54.6	54.6
16:00-17:00 HOUR	55.4	74.5	52.5	52.5
17:00-18:00 HOUR	56.9	75.8	54.0	54.0
18:00-19:00 HOUR	55.3	74.7	52.6	52.6
19:00-20:00 HOUR	56.3	75.1	54.0	54.0
20:00-21:00 HOUR	55.0	76.5	52.4	52.4
21:00-22:00 HOUR	53.9	73.4	49.8	49.8
22:00-23:00 HOUR	49.9	68.3	47.6	47.6
23:00-00:00 HOUR	49.7	67.5	47.4	47.4
00:00-01:00 HOUR	49.9	69.5	48.2	48.2
01:00-02:00 HOUR	50.1	67.8	47.7	47.7
02:00-03:00 HOUR	50.2	69.8	47.6	47.6
03:00-04:00 HOUR	49.8	67.8	47.5	47.5
04:00-05:00 HOUR	49.5	67.9	47.3	47.3
05:00-06:00 HOUR	51.1	69.6	48.1	48.1
06:00-07:00 HOUR	53.8	72.5	50.8	50.8
L <sub>eq</sub> 24 hours				
L <sub>dn</sub>				

(MR SILA BANTONGMAIRUK)  
LABORATORY SUPERVISOR

DECEMBER 15, 2023

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaec consultant.com E-mail:uae@uaec consultant.com

## ANALYSIS REPORT

**CUSTOMER NAME** : SEI THAI ELECTRIC CONDUCTOR CO., LTD.  
**ADDRESS** : 7/414 MOO 6, MAP YANG PHON PUAU DAENG RAYONG 21140  
**CONTACT INFORMATION** : TEL : 08 8211 1367 e-mail : seisina.d@stec.sei.co.jp  
**MEASURING SOURCE** : แหล่งกำเนิดเสียง (N3)  
**MEASURING TYPE** : AMBIENT (NOISE)  
**MEASURING DATE** : NOVEMBER 29 - DECEMBER 6, 2023  
**MEASURING TIME** : \*  
**MEASURING METHOD** : INTEGRATED SOUND LEVEL METER  
**MEASURED BY** : MR TOSSAPORN TANAPIRUN  
**RECEIVED DATE** : NOVEMBER 29 - DECEMBER 6, 2023  
**ANALYTICAL DATE** : NOVEMBER 29 - DECEMBER 6, 2023  
**REPORT NO.** : 2023-U107802  
**WORK NO.** : 2023-00740  
**ANALYSIS NO.** : T23AY522-0015 - T23AY522-0021

TIME*	RESULT dB(A)		
	ค่าเสียงตามพื้นที่ (N3)		
	NOVEMBER 29-30, 2023		
	T23AY522-0015		
	L <sub>eq</sub> 1 hour	L <sub>max</sub> 1 hour	L <sub>eq</sub> 3 hour
07:00-08:00 HOUR	62.2	77.4	59.9
08:00-09:00 HOUR	61.5	78.2	58.9
09:00-10:00 HOUR	62.9	77.9	60.9
10:00-11:00 HOUR	59.6	73.3	57.5
11:00-12:00 HOUR	62.5	76.6	61.0
12:00-13:00 HOUR	63.3	78.5	61.0
13:00-14:00 HOUR	62.3	76.6	60.1
14:00-15:00 HOUR	61.8	77.7	59.4
15:00-16:00 HOUR	62.9	78.3	60.4
16:00-17:00 HOUR	59.8	74.4	57.6
17:00-18:00 HOUR	59.0	72.6	56.2
18:00-19:00 HOUR	58.5	72.8	56.7
19:00-20:00 HOUR	58.3	73.7	56.3
20:00-21:00 HOUR	57.6	72.2	55.2
21:00-22:00 HOUR	57.6	75.6	54.5
22:00-23:00 HOUR	56.2	69.9	54.0
23:00-00:00 HOUR	56.6	71.4	54.4
00:00-01:00 HOUR	56.4	71.7	54.4
01:00-02:00 HOUR	56.6	71.5	54.5
02:00-03:00 HOUR	56.1	70.3	53.9
03:00-04:00 HOUR	56.5	71.3	54.5
04:00-05:00 HOUR	56.6	71.2	54.4
05:00-06:00 HOUR	57.1	71.9	55.0
06:00-07:00 HOUR	61.4	78.8	58.5
L <sub>eq</sub> 24 hours	60.1		
L <sub>den</sub>	64.6		



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaec consultant.com E-mail:uae@uaec consultant.com

## RESULT dB(A)

TIME*	ค่าเสียงตามพื้นที่ (N3)		
	NOVEMBER 30 - DECEMBER 1, 2023		
	T23AY522-0016		
	L <sub>Aeq</sub> 1 hour	L <sub>Amax</sub> 1 hour	L <sub>Aeq</sub> 3 hour
07:00-08:00 HOUR	62.2	75.9	59.9
08:00-09:00 HOUR	61.5	76.3	59.5
09:00-10:00 HOUR	63.2	77.3	60.8
10:00-11:00 HOUR	62.0	76.2	60.0
11:00-12:00 HOUR	62.2	76.5	60.0
12:00-13:00 HOUR	62.0	76.4	59.7
13:00-14:00 HOUR	62.0	77.3	59.7
14:00-15:00 HOUR	61.3	76.1	59.2
15:00-16:00 HOUR	61.6	76.7	59.7
16:00-17:00 HOUR	61.9	76.4	59.6
17:00-18:00 HOUR	62.0	75.9	59.7
18:00-19:00 HOUR	62.0	76.4	60.0
19:00-20:00 HOUR	62.0	78.0	59.8
20:00-21:00 HOUR	61.7	76.0	59.3
21:00-22:00 HOUR	61.0	77.9	58.6
22:00-23:00 HOUR	60.0	74.1	58.1
23:00-00:00 HOUR	59.9	74.6	58.0
00:00-01:00 HOUR	59.7	73.5	57.5
01:00-02:00 HOUR	60.4	75.1	58.1
02:00-03:00 HOUR	60.0	75.3	57.8
03:00-04:00 HOUR	60.1	74.2	58.3
04:00-05:00 HOUR	59.9	73.9	58.0
05:00-06:00 HOUR	60.0	75.1	57.8
06:00-07:00 HOUR	52.1	67.1	50.0
L <sub>Aeq</sub> 24 hours	61.2		
L <sub>den</sub>	66.4		

TIME*	RESULT dB(A)		
	ผลการตรวจวัดเสียง (N3) DECEMBER 1-2, 2023 T23AY522-0017		
	L <sub>Aeq</sub> 1 hour	L <sub>Amax</sub> 1 hour	L <sub>A90</sub> 1 hour
07:00-08:00 HOUR	54.3	70.2	51.7
08:00-09:00 HOUR	53.2	69.3	51.0
09:00-10:00 HOUR	53.9	69.3	51.9
10:00-11:00 HOUR	53.4	69.2	50.8
11:00-12:00 HOUR	51.8	67.0	48.9
12:00-13:00 HOUR	51.4	66.6	49.1
13:00-14:00 HOUR	52.0	67.9	48.9
14:00-15:00 HOUR	53.4	70.7	50.4
15:00-16:00 HOUR	51.7	67.3	47.8
16:00-17:00 HOUR	49.5	68.4	45.0
17:00-18:00 HOUR	50.1	69.0	47.2
18:00-19:00 HOUR	50.8	69.7	44.6
19:00-20:00 HOUR	53.6	70.1	49.7
20:00-21:00 HOUR	54.7	71.0	52.2
21:00-22:00 HOUR	55.1	70.3	53.8
22:00-23:00 HOUR	52.0	66.7	49.7
23:00-00:00 HOUR	51.5	66.2	49.2
00:00-01:00 HOUR	52.5	67.4	50.3
01:00-02:00 HOUR	51.9	66.7	49.6
02:00-03:00 HOUR	51.7	66.9	49.6
03:00-04:00 HOUR	51.9	66.6	50.0
04:00-05:00 HOUR	51.6	66.1	49.1
05:00-06:00 HOUR	51.9	67.3	49.7
06:00-07:00 HOUR	57.6	73.8	55.7
L <sub>Aeq</sub> 24 hours	52.9		
L <sub>dén</sub>	59.4		

ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY BSI GROUP (THAILAND) CO., LTD.

PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

2023-U107802

3/7

TIME*	RESULT dB(A)		
	ผลการตรวจวัดเสียง (N3) DECEMBER 2-3, 2023 T23AY522-0018		
	L <sub>Aeq</sub> 1 hour	L <sub>Amax</sub> 1 hour	L <sub>A90</sub> 1 hour
07:00-08:00 HOUR	54.5	70.5	52.1
08:00-09:00 HOUR	54.6	69.3	52.9
09:00-10:00 HOUR	55.4	69.9	53.3
10:00-11:00 HOUR	54.5	69.1	52.3
11:00-12:00 HOUR	54.0	68.5	52.0
12:00-13:00 HOUR	52.6	67.6	50.7
13:00-14:00 HOUR	55.3	74.5	51.8
14:00-15:00 HOUR	57.3	75.4	51.7
15:00-16:00 HOUR	54.6	71.3	51.0
16:00-17:00 HOUR	53.0	68.3	50.9
17:00-18:00 HOUR	56.0	73.5	52.1
18:00-19:00 HOUR	55.3	70.4	52.4
19:00-20:00 HOUR	53.9	69.3	51.6
20:00-21:00 HOUR	54.2	68.2	51.9
21:00-22:00 HOUR	50.9	65.7	48.9
22:00-23:00 HOUR	52.0	66.0	49.9
23:00-00:00 HOUR	52.1	66.8	50.0
00:00-01:00 HOUR	52.1	66.2	50.0
01:00-02:00 HOUR	52.0	66.7	49.8
02:00-03:00 HOUR	53.1	68.0	50.0
03:00-04:00 HOUR	52.6	67.4	49.8
04:00-05:00 HOUR	51.7	65.6	49.7
05:00-06:00 HOUR	51.8	67.4	49.8
06:00-07:00 HOUR	53.9	69.7	50.4
L <sub>Aeq</sub> 24 hours		53.9	
L <sub>dén</sub>		59.2	

ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY BSI GROUP (THAILAND) CO., LTD.

PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

4/7


2023-U107802





United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangchak, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaec consultant.com E-mail: uaec@uaec consultant.com

TIME*	RESULT dB(A)		
	ผลลัพธ์การวัดเสียง (N3)		
	DECEMBER 3-4, 2023		
	T23AY522-0019		
	L <sub>eq</sub> 1 hour	L <sub>max</sub> 1 hour	L <sub>eq</sub> 3 hour
07:00-08:00 HOUR	62.4	77.2	60.5
08:00-09:00 HOUR	62.2	76.4	60.3
09:00-10:00 HOUR	62.5	77.8	60.6
10:00-11:00 HOUR	61.1	75.2	59.1
11:00-12:00 HOUR	59.8	75.3	57.7
12:00-13:00 HOUR	59.4	74.1	57.3
13:00-14:00 HOUR	61.2	77.9	58.3
14:00-15:00 HOUR	61.1	75.0	58.9
15:00-16:00 HOUR	62.0	77.9	60.6
16:00-17:00 HOUR	62.7	77.5	60.6
17:00-18:00 HOUR	62.4	76.9	60.3
18:00-19:00 HOUR	62.4	76.6	60.4
19:00-20:00 HOUR	60.1	73.9	57.8
20:00-21:00 HOUR	59.7	75.3	56.9
21:00-22:00 HOUR	62.7	77.3	60.1
22:00-23:00 HOUR	60.9	75.1	58.6
23:00-00:00 HOUR	60.6	74.1	58.5
00:00-01:00 HOUR	60.5	75.4	58.7
01:00-02:00 HOUR	60.5	75.4	58.4
02:00-03:00 HOUR	60.7	74.7	58.3
03:00-04:00 HOUR	60.1	74.5	57.7
04:00-05:00 HOUR	60.0	74.3	57.9
05:00-06:00 HOUR	59.9	75.0	57.9
06:00-07:00 HOUR	60.2	74.7	58.2
L <sub>eq</sub> 24 hours		61.2	
L <sub>den</sub>		67.0	



• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangchak, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaec consultant.com E-mail: uaec@uaec consultant.com

TIME*	RESULT dB(A)		
	ผลลัพธ์การวัดเสียง (N3)		
	DECEMBER 4-5, 2023		
	T23AY522-0020		
	L <sub>eq</sub> 1 hour	L <sub>max</sub> 1 hour	L <sub>eq</sub> 3 hour
07:00-08:00 HOUR	62.1	76.5	60.1
08:00-09:00 HOUR	62.0	76.3	59.7
09:00-10:00 HOUR	62.7	78.3	60.6
10:00-11:00 HOUR	62.3	75.8	60.1
11:00-12:00 HOUR	60.9	76.7	58.5
12:00-13:00 HOUR	60.9	76.3	58.7
13:00-14:00 HOUR	59.4	74.6	56.5
14:00-15:00 HOUR	58.6	73.3	56.2
15:00-16:00 HOUR	60.8	75.8	59.0
16:00-17:00 HOUR	61.4	76.4	59.4
17:00-18:00 HOUR	58.6	72.1	56.4
18:00-19:00 HOUR	58.8	73.2	56.6
19:00-20:00 HOUR	58.6	73.1	56.7
20:00-21:00 HOUR	56.3	71.3	53.8
21:00-22:00 HOUR	57.9	74.8	54.9
22:00-23:00 HOUR	56.3	69.7	54.4
23:00-00:00 HOUR	56.4	71.1	54.4
00:00-01:00 HOUR	56.3	70.8	54.2
01:00-02:00 HOUR	56.3	70.3	54.2
02:00-03:00 HOUR	57.0	71.7	54.4
03:00-04:00 HOUR	56.2	70.5	54.2
04:00-05:00 HOUR	55.8	70.5	53.7
05:00-06:00 HOUR	55.8	69.8	53.8
06:00-07:00 HOUR	56.9	72.3	54.1
L <sub>eq</sub> 24 hours		59.3	
L <sub>den</sub>		63.6	



• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.



United Analyst and Engineering Consultant Co., Ltd.  
350 Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.02763 2828 Fax 02763 2800 www.uaeconsultant.com E-mail:uae@uaeconsultant.com

RESULT dB(A)			
วันที่รับงานวัดค่าเสียง (N3)			
DECEMBER 5-6, 2023			
T23AY522-0021			
TIME*	L <sub>Aeq</sub> 1 hour	L <sub>Amax</sub> 1 hour	L <sub>A90</sub> 1 hour
07:00-08:00 HOUR	59.8	75.0	57.7
08:00-09:00 HOUR	59.9	74.3	57.4
09:00-10:00 HOUR	59.5	75.0	57.3
10:00-11:00 HOUR	58.5	72.5	56.5
11:00-12:00 HOUR	56.6	70.9	54.2
12:00-13:00 HOUR	55.9	71.0	53.9
13:00-14:00 HOUR	57.4	73.0	54.7
14:00-15:00 HOUR	58.0	72.6	56.3
15:00-16:00 HOUR	59.1	74.4	57.2
16:00-17:00 HOUR	59.3	74.1	57.1
17:00-18:00 HOUR	59.2	73.6	57.0
18:00-19:00 HOUR	59.1	73.4	57.1
19:00-20:00 HOUR	54.8	69.3	52.5
20:00-21:00 HOUR	55.9	71.0	53.2
21:00-22:00 HOUR	59.5	75.2	57.1
22:00-23:00 HOUR	57.1	70.9	54.8
23:00-00:00 HOUR	56.8	71.4	54.9
00:00-01:00 HOUR	56.9	71.0	54.9
01:00-02:00 HOUR	57.0	71.4	55.0
02:00-03:00 HOUR	57.1	72.6	54.9
03:00-04:00 HOUR	57.0	72.1	54.6
04:00-05:00 HOUR	57.5	71.6	55.1
05:00-06:00 HOUR	56.8	70.6	54.7
06:00-07:00 HOUR	58.1	72.8	56.0
L <sub>Aeq</sub> 24 hours	58.0	63.8	

(MR.SILA BANJONGSAIRUK)  
LABORATORY SUPERVISOR

DECEMBER 15, 2023

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

2023-1107802

- End of Analysis Report -



United Analyst and Engineering Consultant Co., Ltd.  
350 Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.02763 2828 Fax 02763 2800 www.uaeconsultant.com E-mail:uae@uaeconsultant.com

## ANALYSIS REPORT

CUSTOMER NAME : SET THAI ELECTRIC CONDUCTOR CO., LTD.  
ADDRESS : 7/414 MOO 6, MAP YANG PHON PLUAK DAENG RAYONG 21140  
CONTACT INFORMATION : TEL : 08 8211 1367 e-mail : sasinadi@setec.co.jp  
MEASURING SOURCE : เครื่องวัดระดับเสียงแบบเคลื่อนที่ (N4)  
MEASURING TYPE : AMBIENT (NOISE)  
MEASURING DATE : NOVEMBER 29 - DECEMBER 6, 2023  
MEASURING TIME : \*  
MEASURING METHOD : INTEGRATED SOUND LEVEL METER  
MEASURED BY : MR TOSSAPORN TANAPIRIN

RECEIVED DATE : NOVEMBER 29 - DECEMBER 6, 2023  
ANALYTICAL DATE : NOVEMBER 29 - DECEMBER 6, 2023  
REPORT NO. : 2023-1107806  
WORK NO. : 2023-000740  
ANALYSIS NO. : T23AY522-0022 - T23AY522-0028

RESULT dB(A)			
วันที่รับงานวัดค่าเสียง (N4)			
NOVEMBER 29-30, 2023			
T23AY522-0022			
TIME*	L <sub>Aeq</sub> 1 hour	L <sub>Amax</sub> 1 hour	L <sub>A90</sub> 1 hour
07:00-08:00 HOUR	60.1	75.4	57.5
08:00-09:00 HOUR	60.7	75.7	58.3
09:00-10:00 HOUR	60.1	72.5	58.0
10:00-11:00 HOUR	62.0	74.9	59.6
11:00-12:00 HOUR	62.7	75.7	60.8
12:00-13:00 HOUR	60.5	74.8	57.8
13:00-14:00 HOUR	63.1	76.9	61.6
14:00-15:00 HOUR	64.0	77.2	62.3
15:00-16:00 HOUR	63.8	77.5	61.8
16:00-17:00 HOUR	60.9	73.7	58.5
17:00-18:00 HOUR	60.7	74.2	58.6
18:00-19:00 HOUR	62.6	77.5	60.6
19:00-20:00 HOUR	61.1	75.9	58.4
20:00-21:00 HOUR	60.6	73.1	58.7
21:00-22:00 HOUR	61.7	76.8	59.4
22:00-23:00 HOUR	58.6	70.9	56.6
23:00-00:00 HOUR	58.0	70.4	55.9
00:00-01:00 HOUR	58.5	73.4	56.2
01:00-02:00 HOUR	57.9	69.6	56.2
02:00-03:00 HOUR	58.1	69.5	56.1
03:00-04:00 HOUR	58.3	71.3	56.6
04:00-05:00 HOUR	58.3	70.7	56.5
05:00-06:00 HOUR	60.0	75.9	57.8
06:00-07:00 HOUR	60.9	77.2	57.5
L <sub>Aeq</sub> 24 hours	60.9	65.3	

ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY SGS GROUP (THAILAND) CO., LTD.

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

1/7





United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax 0 2763 2800 www.uaec consultant.com E-mail: uae@uaec consultant.com

TIME*	RESULT dB(A)		
	จังหวัดนนทบุรี (N4)		
	NOVEMBER 30 - DECEMBER 1, 2023		
	T23AY522-0023		
	L <sub>eq</sub> 1 hour	L <sub>max</sub> 1 hour	L <sub>eq</sub> 1 hour
07:00-08:00 HOUR	61.6	75.4	59.1
08:00-09:00 HOUR	61.7	74.3	58.6
09:00-10:00 HOUR	63.8	77.3	61.9
10:00-11:00 HOUR	64.8	78.4	63.1
11:00-12:00 HOUR	63.0	75.8	61.0
12:00-13:00 HOUR	60.8	74.2	58.3
13:00-14:00 HOUR	62.7	77.0	60.1
14:00-15:00 HOUR	60.9	75.9	58.5
15:00-16:00 HOUR	61.5	74.3	59.2
16:00-17:00 HOUR	61.1	75.9	58.9
17:00-18:00 HOUR	60.7	75.7	58.6
18:00-19:00 HOUR	62.5	76.3	60.2
19:00-20:00 HOUR	60.1	73.0	58.0
20:00-21:00 HOUR	60.6	74.0	58.3
21:00-22:00 HOUR	61.0	73.2	59.0
22:00-23:00 HOUR	60.4	73.0	58.3
23:00-00:00 HOUR	59.8	71.5	57.9
00:00-01:00 HOUR	58.3	70.3	56.0
01:00-02:00 HOUR	58.3	70.6	56.0
02:00-03:00 HOUR	58.0	71.1	56.4
03:00-04:00 HOUR	58.2	70.2	56.1
04:00-05:00 HOUR	58.0	70.9	55.9
05:00-06:00 HOUR	58.3	71.1	56.4
06:00-07:00 HOUR	58.1	70.5	56.2
L <sub>eq</sub> 24 hours		61.0	
L <sub>den</sub>		65.8	

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY ISI GROUP (THAILAND) CO., LTD.

2/7

2023-U107806



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax 0 2763 2800 www.uaec consultant.com E-mail: uae@uaec consultant.com

TIME*	RESULT dB(A)		
	จังหวัดนนทบุรี (N4)		
	DECEMBER 1-2, 2023		
	T23AY522-0024		
	L <sub>eq</sub> 1 hour	L <sub>max</sub> 1 hour	L <sub>eq</sub> 1 hour
07:00-08:00 HOUR	60.2	74.5	58.3
08:00-09:00 HOUR	60.0	75.5	57.5
09:00-10:00 HOUR	61.6	75.5	58.3
10:00-11:00 HOUR	62.5	77.1	60.7
11:00-12:00 HOUR	59.2	72.8	57.4
12:00-13:00 HOUR	58.9	70.0	57.0
13:00-14:00 HOUR	59.1	72.3	57.1
14:00-15:00 HOUR	63.0	77.9	59.1
15:00-16:00 HOUR	61.9	76.1	59.0
16:00-17:00 HOUR	60.5	74.5	57.9
17:00-18:00 HOUR	59.5	73.8	56.7
18:00-19:00 HOUR	61.0	75.5	57.3
19:00-20:00 HOUR	59.0	71.1	57.1
20:00-21:00 HOUR	59.5	71.7	57.4
21:00-22:00 HOUR	59.2	72.1	57.1
22:00-23:00 HOUR	56.6	69.4	54.7
23:00-00:00 HOUR	56.4	68.8	54.4
00:00-01:00 HOUR	56.6	68.6	54.5
01:00-02:00 HOUR	56.7	70.0	54.9
02:00-03:00 HOUR	56.2	69.2	54.1
03:00-04:00 HOUR	56.6	69.6	54.6
04:00-05:00 HOUR	56.7	69.0	54.5
05:00-06:00 HOUR	57.1	69.8	55.4
06:00-07:00 HOUR	56.7	69.2	54.8
L <sub>eq</sub> 24 hours		59.5	
L <sub>den</sub>		63.9	

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY ISI GROUP (THAILAND) CO., LTD.

3/7

2023-U107806



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax 0 2763 2800 www.uaec consultant.com E-mail: uae@uaec consultant.com

ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY SGS GROUP (THAILAND) CO., LTD.

TIME*	RESULT dB(A)		
	ผลการตรวจวัดค่าเสียง (N4)		
	DECEMBER 2-3, 2023		
	T23AY522-0025		
	L <sub>eq</sub> 1 hour	L <sub>max</sub> 1 hour	L <sub>eq</sub> 1 hour
07:00-08:00 HOUR	60.9	73.6	58.7
08:00-09:00 HOUR	61.3	75.5	58.8
09:00-10:00 HOUR	62.5	76.4	59.5
10:00-11:00 HOUR	60.4	75.3	57.9
11:00-12:00 HOUR	59.8	73.6	57.5
12:00-13:00 HOUR	62.1	76.4	59.6
13:00-14:00 HOUR	64.0	79.2	61.6
14:00-15:00 HOUR	62.9	75.8	61.1
15:00-16:00 HOUR	62.9	77.5	59.4
16:00-17:00 HOUR	60.7	73.6	58.6
17:00-18:00 HOUR	61.8	74.5	58.9
18:00-19:00 HOUR	59.0	71.8	57.2
19:00-20:00 HOUR	59.0	72.1	57.0
20:00-21:00 HOUR	58.2	70.4	56.4
21:00-22:00 HOUR	58.1	70.9	56.3
22:00-23:00 HOUR	58.7	71.1	56.9
23:00-00:00 HOUR	58.9	72.5	56.9
00:00-01:00 HOUR	58.2	70.2	56.5
01:00-02:00 HOUR	58.0	71.3	55.9
02:00-03:00 HOUR	58.0	69.9	55.8
03:00-04:00 HOUR	58.0	71.0	56.0
04:00-05:00 HOUR	58.3	71.0	56.3
05:00-06:00 HOUR	60.0	73.3	57.1
06:00-07:00 HOUR	59.8	74.0	57.0
L <sub>Aeq</sub> 24 hours	60.5		56.6

ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY SGS GROUP (THAILAND) CO., LTD.

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax 0 2763 2800 www.uaec consultant.com E-mail: uae@uaec consultant.com

ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY SGS GROUP (THAILAND) CO., LTD.

TIME*	RESULT dB(A)		
	ผลการตรวจวัดค่าเสียง (N4)		
	DECEMBER 3-4, 2023		
	T23AY522-0026		
	L <sub>eq</sub> 1 hour	L <sub>max</sub> 1 hour	L <sub>eq</sub> 1 hour
07:00-08:00 HOUR	61.6	74.2	59.5
08:00-09:00 HOUR	63.2	77.0	59.7
09:00-10:00 HOUR	65.7	82.8	61.5
10:00-11:00 HOUR	66.1	81.4	62.9
11:00-12:00 HOUR	62.9	76.3	60.8
12:00-13:00 HOUR	61.4	75.5	59.1
13:00-14:00 HOUR	64.5	80.3	61.5
14:00-15:00 HOUR	63.3	76.6	60.4
15:00-16:00 HOUR	64.0	78.9	60.4
16:00-17:00 HOUR	64.2	81.5	61.8
17:00-18:00 HOUR	63.1	77.9	60.5
18:00-19:00 HOUR	62.8	76.4	60.7
19:00-20:00 HOUR	62.1	74.9	60.2
20:00-21:00 HOUR	61.8	74.5	59.7
21:00-22:00 HOUR	61.7	74.5	58.6
22:00-23:00 HOUR	59.1	72.1	57.1
23:00-00:00 HOUR	59.2	71.7	57.3
00:00-01:00 HOUR	59.2	71.4	57.3
01:00-02:00 HOUR	59.3	72.1	57.4
02:00-03:00 HOUR	59.1	71.6	57.3
03:00-04:00 HOUR	58.9	71.1	56.8
04:00-05:00 HOUR	60.1	75.3	56.8
05:00-06:00 HOUR	59.8	72.9	57.4
06:00-07:00 HOUR	59.6	72.9	57.3
L <sub>Aeq</sub> 24 hours	62.3		56.7

ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY SGS GROUP (THAILAND) CO., LTD.

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax 0 2763 2800 www.uaeconsultant.com E-mail: uaec@uaeconsultant.com

TIME#	RESULT dB(A)		
	การตรวจวัดระดับเสียง (N4)		
	DECEMBER 4-5, 2023		
	T23AY522-0027		
	L <sub>Aeq</sub> 1 hour	L <sub>max</sub> 1 hour	L <sub>Aeq</sub> 1 hour
07:00-08:00 HOUR	62.2	75.2	59.7
08:00-09:00 HOUR	64.4	76.8	62.6
09:00-10:00 HOUR	64.8	78.5	61.6
10:00-11:00 HOUR	63.9	77.8	62.3
11:00-12:00 HOUR	61.6	76.8	57.8
12:00-13:00 HOUR	62.4	76.0	60.6
13:00-14:00 HOUR	63.2	77.3	60.1
14:00-15:00 HOUR	63.0	77.1	60.9
15:00-16:00 HOUR	62.2	74.6	59.8
16:00-17:00 HOUR	62.1	76.5	59.5
17:00-18:00 HOUR	65.4	79.1	63.8
18:00-19:00 HOUR	61.6	77.2	59.4
19:00-20:00 HOUR	63.4	76.3	60.8
20:00-21:00 HOUR	63.6	75.9	62.1
21:00-22:00 HOUR	62.1	73.8	60.3
22:00-23:00 HOUR	59.1	71.6	56.9
23:00-00:00 HOUR	59.0	71.8	57.0
00:00-01:00 HOUR	58.7	71.3	56.7
01:00-02:00 HOUR	58.3	71.7	56.5
02:00-03:00 HOUR	58.3	70.9	56.2
03:00-04:00 HOUR	58.1	70.6	56.2
04:00-05:00 HOUR	58.4	70.7	56.1
05:00-06:00 HOUR	60.8	74.3	58.5
06:00-07:00 HOUR	59.7	73.3	57.4
L <sub>Aeq</sub> 24 hours		62.1	
L <sub>den</sub>		66.3	



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax 0 2763 2800 www.uaeconsultant.com E-mail: uaec@uaeconsultant.com

TIME#	RESULT dB(A)		
	ค่าที่ตรวจวัดได้แต่ละชั่วโมง (N4)		
	DECEMBER 5-6, 2023		
	T23AY522-0028		
	L <sub>Aeq</sub> 1 hour	L <sub>Amax</sub> 1 hour	L <sub>A90</sub> 1 hour
07:00-08:00 HOUR	62.1	74.7	59.7
08:00-09:00 HOUR	66.0	82.4	62.5
09:00-10:00 HOUR	66.1	81.8	62.2
10:00-11:00 HOUR	63.0	76.5	61.3
11:00-12:00 HOUR	60.8	73.7	58.6
12:00-13:00 HOUR	64.2	78.4	61.1
13:00-14:00 HOUR	64.6	77.1	62.7
14:00-15:00 HOUR	63.8	76.5	61.9
15:00-16:00 HOUR	64.0	76.0	61.7
16:00-17:00 HOUR	62.8	75.9	60.8
17:00-18:00 HOUR	64.8	78.3	62.9
18:00-19:00 HOUR	62.5	75.3	60.6
19:00-20:00 HOUR	62.5	75.2	60.5
20:00-21:00 HOUR	62.8	76.1	60.6
21:00-22:00 HOUR	60.1	71.5	57.4
22:00-23:00 HOUR	60.3	73.7	58.3
23:00-00:00 HOUR	60.4	73.2	58.6
00:00-01:00 HOUR	60.2	73.0	58.3
01:00-02:00 HOUR	60.3	73.2	58.4
02:00-03:00 HOUR	59.9	72.4	58.2
03:00-04:00 HOUR	60.0	72.9	57.9
04:00-05:00 HOUR	59.3	71.3	57.2
05:00-06:00 HOUR	60.0	72.7	57.6
06:00-07:00 HOUR	59.9	72.5	57.5
L <sub>Aeq</sub> 24 hours		62.6	
L <sub>den</sub>		67.2	

THAI SIA GROUP LABORATORY  
LABORATORY SUPERVISOR

DECEMBER 15, 2023

- End of Analysis Report -



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangchak, Phrakhanong, Bangkok 10260  
Tel. 0 2763 2828 Fax 0 2763 2800 www.uaeconsultant.com E-mail: uae@uaeconsultant.com

## ANALYSIS REPORT

**CUSTOMER NAME** : SEL THAI ELECTRIC CONDUCTOR CO., LTD.  
**ADDRESS** : 7/414 MOO 6, MAP YANG PHON PHUAK DAENG RAYONG 21140  
**CONTACT INFORMATION** : TEL : 08 8211 1367 e-mail : sashadl@dec.sel.co.jp  
**MEASURING SOURCE** : AMBIENT (NOISE)  
**MEASURING TYPE** : RECEIVED DATE : NOVEMBER 29 - DECEMBER 6, 2023  
**MEASURING DATE** : ANALYTICAL DATE : NOVEMBER 29 - DECEMBER 6, 2023  
**MEASURING TIME** : \* : REPORT NO. : 2023-U107807  
**MEASURING METHOD** : INTEGRATED SOUND LEVEL METER  
**MEASURED BY** : MR TOSSAPORN TANAPORN : WORK NO. : 2023-000740  
ANALYSIS NO. : T23AY522-0029 ANALYSIS NO. : T23AY522-0035

TIME*	RESULT dB(A)		
	สำหรับโรงงานอุตสาหกรรม (N5)		
	NOVEMBER 29-30, 2023		
	T23AY522-0029		
	L <sub>eq</sub> 1 hour	L <sub>max</sub> 1 hour	L <sub>eq</sub> 1 hour
07:00-08:00 HOUR	53.9	67.2	52.4
08:00-09:00 HOUR	54.5	68.6	52.2
09:00-10:00 HOUR	54.3	68.3	52.2
10:00-11:00 HOUR	55.5	69.0	53.7
11:00-12:00 HOUR	55.1	66.7	53.2
12:00-13:00 HOUR	54.2	68.4	52.4
13:00-14:00 HOUR	55.6	68.0	53.4
14:00-15:00 HOUR	57.0	69.5	54.9
15:00-16:00 HOUR	57.2	69.9	55.4
16:00-17:00 HOUR	56.7	69.5	54.8
17:00-18:00 HOUR	53.6	67.0	51.8
18:00-19:00 HOUR	54.1	66.7	52.2
19:00-20:00 HOUR	55.1	69.3	52.9
20:00-21:00 HOUR	54.8	68.2	52.2
21:00-22:00 HOUR	53.5	67.1	51.2
22:00-23:00 HOUR	52.5	65.8	50.6
23:00-00:00 HOUR	52.5	64.7	50.5
00:00-01:00 HOUR	52.5	64.1	50.4
01:00-02:00 HOUR	51.9	64.8	49.8
02:00-03:00 HOUR	52.0	65.3	50.2
03:00-04:00 HOUR	52.1	64.8	50.2
04:00-05:00 HOUR	52.1	65.3	50.1
05:00-06:00 HOUR	52.2	65.8	50.5
06:00-07:00 HOUR	52.8	65.1	50.9
L <sub>eq</sub> 24 hours			
L <sub>dn</sub>		59.3	

\* PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
\* THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangchak, Phrakhanong, Bangkok 10260  
Tel. 0 2763 2828 Fax 0 2763 2800 www.uaeconsultant.com E-mail: uae@uaeconsultant.com

TIME*	RESULT dB(A)		
	สำหรับโรงงานอุตสาหกรรม (N5)		
	NOVEMBER 30 - DECEMBER 1, 2023		
	T23AY522-0030		
	L <sub>eq</sub> 1 hour	L <sub>max</sub> 1 hour	L <sub>eq</sub> 1 hour
07:00-08:00 HOUR	53.4	68.4	49.6
08:00-09:00 HOUR	51.1	64.8	48.6
09:00-10:00 HOUR	56.3	72.7	52.1
10:00-11:00 HOUR	56.0	68.9	53.8
11:00-12:00 HOUR	55.9	69.7	54.0
12:00-13:00 HOUR	53.7	65.2	51.6
13:00-14:00 HOUR	55.2	67.5	53.1
14:00-15:00 HOUR	54.6	68.1	52.7
15:00-16:00 HOUR	54.8	67.3	52.7
16:00-17:00 HOUR	52.8	67.5	49.5
17:00-18:00 HOUR	49.8	63.0	47.9
18:00-19:00 HOUR	51.4	64.8	48.5
19:00-20:00 HOUR	52.4	65.9	50.2
20:00-21:00 HOUR	50.7	63.5	48.5
21:00-22:00 HOUR	50.1	62.6	48.2
22:00-23:00 HOUR	48.4	62.5	45.9
23:00-00:00 HOUR	48.1	60.4	46.2
00:00-01:00 HOUR	47.8	61.7	45.5
01:00-02:00 HOUR	48.9	61.6	47.0
02:00-03:00 HOUR	47.5	61.2	45.5
03:00-04:00 HOUR	47.4	60.8	45.2
04:00-05:00 HOUR	48.3	61.8	45.7
05:00-06:00 HOUR	48.0	62.0	45.8
06:00-07:00 HOUR	47.8	60.6	45.5
L <sub>eq</sub> 24 hours			
L <sub>dn</sub>		55.9	

\* PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
\* THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangchak, Phra Khanong, Bangkok 10260  
Tel.0 2763 2828 Fax 0 2763 2800 www.uaconsultant.com E-mail:uae@uaconsultant.com



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangchak, Phra Khanong, Bangkok 10260  
Tel.0 2763 2828 Fax 0 2763 2800 www.uaconsultant.com E-mail:uae@uaconsultant.com

TIME*	RESULT dB(A)		
	ผลวิเคราะห์ตามข้อกำหนด (NS) DECEMBER 1-2, 2023 TZ3AY522-0031		
	L <sub>avg</sub> 2 hour	L <sub>max</sub> 1 hour	L <sub>avg</sub> 1 hour
07:00-08:00 HOUR	49.6	61.9	47.6
08:00-09:00 HOUR	49.4	61.4	47.4
09:00-10:00 HOUR	49.6	64.0	46.2
10:00-11:00 HOUR	51.3	65.2	49.0
11:00-12:00 HOUR	50.2	63.0	48.0
12:00-13:00 HOUR	51.7	65.0	49.6
13:00-14:00 HOUR	51.4	66.3	49.1
14:00-15:00 HOUR	51.8	68.1	49.6
15:00-16:00 HOUR	52.2	65.6	50.6
16:00-17:00 HOUR	52.3	65.6	50.2
17:00-18:00 HOUR	52.5	68.1	49.0
18:00-19:00 HOUR	50.1	62.8	48.0
19:00-20:00 HOUR	52.3	67.0	49.6
20:00-21:00 HOUR	53.2	66.0	50.9
21:00-22:00 HOUR	50.0	62.3	48.2
22:00-23:00 HOUR	48.4	61.8	46.5
23:00-00:00 HOUR	47.9	60.5	45.9
00:00-01:00 HOUR	47.0	60.1	44.6
01:00-02:00 HOUR	48.3	61.5	46.5
02:00-03:00 HOUR	47.4	62.0	45.1
03:00-04:00 HOUR	47.1	61.3	45.2
04:00-05:00 HOUR	47.1	59.7	45.0
05:00-06:00 HOUR	46.7	60.2	44.6
06:00-07:00 HOUR	47.2	60.3	45.3
L <sub>avg</sub> 24 hours		50.3	
L <sub>den</sub>		54.7	

TIME*	RESULT dB(A)		
	ผลวิเคราะห์ตามข้อกำหนด (NS) DECEMBER 2-3, 2023 TZ3AY522-0032		
	L <sub>avg</sub> 1 hour	L <sub>max</sub> 1 hour	L <sub>avg</sub> 1 hour
07:00-08:00 HOUR	49.1	61.2	47.5
08:00-09:00 HOUR	47.9	60.6	45.8
09:00-10:00 HOUR	48.6	62.1	46.4
10:00-11:00 HOUR	47.6	60.9	45.4
11:00-12:00 HOUR	48.0	61.9	45.7
12:00-13:00 HOUR	48.4	61.2	46.2
13:00-14:00 HOUR	48.1	62.1	45.8
14:00-15:00 HOUR	49.0	61.6	47.6
15:00-16:00 HOUR	48.6	61.6	46.6
16:00-17:00 HOUR	48.4	61.5	46.3
17:00-18:00 HOUR	51.1	66.9	47.9
18:00-19:00 HOUR	51.1	66.6	48.1
19:00-20:00 HOUR	51.9	67.1	49.4
20:00-21:00 HOUR	52.0	64.6	49.7
21:00-22:00 HOUR	51.2	63.7	49.1
22:00-23:00 HOUR	48.0	61.3	45.4
23:00-00:00 HOUR	48.7	61.9	46.9
00:00-01:00 HOUR	46.9	59.6	44.7
01:00-02:00 HOUR	47.1	59.6	45.3
02:00-03:00 HOUR	47.3	60.3	45.3
03:00-04:00 HOUR	46.7	60.3	44.7
04:00-05:00 HOUR	46.5	58.9	44.4
05:00-06:00 HOUR	46.8	59.0	44.7
06:00-07:00 HOUR	52.0	65.3	50.0
L <sub>avg</sub> 24 hours		49.2	
L <sub>den</sub>		54.8	






United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax 0 2763 2800 www.uaeconsultant.com E-mail: uae@uaeconsultant.com

UNITED ANALYST AND ENGINEERING CONSULTANT CO., LIMITED

TIME*	RESULT dB(A)		
	หน่วยวัดความดังเสียงต่อเนื่อง (NS)		
	DECEMBER 3-4, 2023		
	T23AY522-0033		
	L <sub>avg</sub> 1 hour	L <sub>max</sub> 1 hour	L <sub>avg</sub> 1 hour
07:00-08:00 HOUR	54.2	67.6	52.1
08:00-09:00 HOUR	54.7	67.6	52.8
09:00-10:00 HOUR	53.7	70.8	48.7
10:00-11:00 HOUR	55.7	72.8	50.4
11:00-12:00 HOUR	57.6	72.3	54.9
12:00-13:00 HOUR	53.7	67.0	51.6
13:00-14:00 HOUR	55.9	70.1	53.5
14:00-15:00 HOUR	57.6	70.1	55.8
15:00-16:00 HOUR	57.5	72.5	54.8
16:00-17:00 HOUR	58.6	74.2	54.8
17:00-18:00 HOUR	52.1	65.2	50.2
18:00-19:00 HOUR	52.0	63.2	50.1
19:00-20:00 HOUR	52.4	65.9	50.5
20:00-21:00 HOUR	57.2	70.2	55.4
21:00-22:00 HOUR	55.9	68.0	53.8
22:00-23:00 HOUR	52.1	63.9	50.5
23:00-00:00 HOUR	52.1	65.2	50.4
00:00-01:00 HOUR	52.1	65.3	50.1
01:00-02:00 HOUR	52.1	64.2	50.2
02:00-03:00 HOUR	51.7	65.5	49.8
03:00-04:00 HOUR	50.5	63.2	48.6
04:00-05:00 HOUR	50.9	63.7	48.8
05:00-06:00 HOUR	51.6	64.2	49.9
06:00-07:00 HOUR	50.8	64.3	48.7
L <sub>avg</sub> 24 hours			54.6
L <sub>den</sub>			58.9




• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax 0 2763 2800 www.uaeconsultant.com E-mail: uae@uaeconsultant.com

UNITED ANALYST AND ENGINEERING CONSULTANT CO., LIMITED

TIME*	RESULT dB(A)		
	หน่วยวัดความดังเสียงต่อเนื่อง (NS)		
	DECEMBER 4-5, 2023		
	T23AY522-0034		
	L <sub>avg</sub> 1 hour	L <sub>max</sub> 1 hour	L <sub>avg</sub> 1 hour
07:00-08:00 HOUR	55.7	68.0	53.7
08:00-09:00 HOUR	55.7	69.7	53.9
09:00-10:00 HOUR	55.9	70.0	53.8
10:00-11:00 HOUR	56.5	70.7	54.4
11:00-12:00 HOUR	54.9	68.0	52.9
12:00-13:00 HOUR	55.1	68.6	52.1
13:00-14:00 HOUR	55.1	68.4	53.1
14:00-15:00 HOUR	55.8	68.5	53.9
15:00-16:00 HOUR	56.7	68.8	54.7
16:00-17:00 HOUR	57.3	71.6	54.6
17:00-18:00 HOUR	55.8	68.2	54.0
18:00-19:00 HOUR	56.9	69.8	54.8
19:00-20:00 HOUR	56.8	69.6	55.2
20:00-21:00 HOUR	55.8	69.2	53.6
21:00-22:00 HOUR	55.3	67.8	53.3
22:00-23:00 HOUR	52.8	64.7	50.8
23:00-00:00 HOUR	52.8	65.8	50.9
00:00-01:00 HOUR	52.5	64.2	50.5
01:00-02:00 HOUR	52.5	65.9	50.6
02:00-03:00 HOUR	52.5	66.2	50.5
03:00-04:00 HOUR	51.9	63.8	48.8
04:00-05:00 HOUR	52.0	64.7	48.9
05:00-06:00 HOUR	52.4	64.7	50.4
06:00-07:00 HOUR	52.5	65.8	50.7
L <sub>avg</sub> 24 hours			55.0
L <sub>den</sub>			59.6



• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.



TIME#	RESULT #B(A)		
	วันที่รายงานผลการวิเคราะห์ (NS)		
	DECEMBER 5-6, 2023		
	T23AY522-0035		
	L <sub>avg</sub> 1 hour	L <sub>max</sub> 1 hour	L <sub>avg</sub> 1 hour
07:00-08:00 HOUR	54.9	67.5	52.9
08:00-09:00 HOUR	57.3	75.3	53.2
09:00-10:00 HOUR	54.0	67.1	52.0
10:00-11:00 HOUR	54.8	67.6	52.7
11:00-12:00 HOUR	54.8	67.5	53.2
12:00-13:00 HOUR	53.9	66.8	51.8
13:00-14:00 HOUR	56.8	69.3	55.5
14:00-15:00 HOUR	59.2	72.2	57.1
15:00-16:00 HOUR	57.3	70.5	55.4
16:00-17:00 HOUR	55.7	69.2	53.9
17:00-18:00 HOUR	51.6	63.2	49.6
18:00-19:00 HOUR	51.4	64.8	49.3
19:00-20:00 HOUR	53.7	66.7	51.4
20:00-21:00 HOUR	53.3	67.8	50.6
21:00-22:00 HOUR	51.9	65.6	49.8
22:00-23:00 HOUR	51.2	64.5	49.5
23:00-00:00 HOUR	50.9	63.3	48.8
00:00-01:00 HOUR	50.1	63.9	47.9
01:00-02:00 HOUR	49.3	62.2	47.4
02:00-03:00 HOUR	49.1	61.6	47.3
03:00-04:00 HOUR	46.7	59.2	44.8
04:00-05:00 HOUR	47.4	60.5	45.4
05:00-06:00 HOUR	48.3	61.2	46.4
06:00-07:00 HOUR	48.7	62.7	46.7
L <sub>eq</sub> 24 hours		53.8	
L <sub>dn</sub>		57.2	

(MR SILA BANJONGJAIPIK)  
LABORATORY SUPERVISOR

DECEMBER 15, 2023

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

ใบรายงานผลการตรวจวัดระดับเสียงเฉลี่ย 5 นาที

---



United Analyst and Engineering Consultant Co., Ltd.  
3501 Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax0 2763 2800 www.uaeconsultant.com E-mail: uae@uaeconsultant.com

### ANALYSIS REPORT

**CUSTOMER NAME** : SET THAI ELECTRIC CONDUCTOR CO., LTD.  
**ADDRESS** : 7/414 MOO 6, MAP YANG PHON PLUAK DAENG RAYONG 21140  
**CONTACT INFORMATION** : TEL : 08 8211 1367 e-mail : sasina.d@stec.co.jp  
**MEASURING SOURCE** : เครื่องวัดเสียง (NI)  
**MEASURING TYPE** : AMBIENT (NOISE)  
**MEASURING DATE** : NOVEMBER 29 - DECEMBER 6, 2023  
**MEASURING TIME** : \*  
**MEASURING METHOD** : INTEGRATED SOUND LEVEL METER  
**MEASURED BY** : MR TOSSAPORN TANAPIRUN

**RECEIVED DATE** : NOVEMBER 29 - DECEMBER 6, 2023  
**ANALYTICAL DATE** : NOVEMBER 29 - DECEMBER 6, 2023  
**REPORT NO.** : 2023-U107809  
**WORK NO.** : 2023-000740  
**ANALYSIS NO.** : T23AY522-0001 - T23AY522-0007

TIME*	RESULT dB(A)	
	11:00-11:05 HOUR	11:05-11:10 HOUR
07:00-07:05 HOUR	58.0	53.9
07:05-07:10 HOUR	55.2	53.7
07:10-07:15 HOUR	55.0	52.7
07:15-07:20 HOUR	56.1	53.3
07:20-07:25 HOUR	50.0	47.7
07:25-07:30 HOUR	50.4	47.6
07:30-07:35 HOUR	51.5	49.8
07:35-07:40 HOUR	51.5	48.8
07:40-07:45 HOUR	50.0	47.1
07:45-07:50 HOUR	49.5	47.0
07:50-07:55 HOUR	50.9	48.8
07:55-08:00 HOUR	65.0	63.2
08:00-08:05 HOUR	56.8	54.2
08:05-08:10 HOUR	54.4	52.0
08:10-08:15 HOUR	53.8	52.0
08:15-08:20 HOUR	53.5	50.5
08:20-08:25 HOUR	51.2	48.7
08:25-08:30 HOUR	52.5	50.6
08:30-08:35 HOUR	54.2	51.3
08:35-08:40 HOUR	58.4	56.5
08:40-08:45 HOUR	59.3	56.6
08:45-08:50 HOUR	57.6	55.2
08:50-08:55 HOUR	56.6	54.2
08:55-09:00 HOUR	53.9	51.8
09:00-09:05 HOUR	58.6	56.5
09:05-09:10 HOUR	57.1	54.8
09:10-09:15 HOUR	57.9	55.3
09:15-09:20 HOUR	60.2	58.3
09:20-09:25 HOUR	59.1	56.8
09:25-09:30 HOUR	58.4	56.3
09:30-09:35 HOUR	58.2	56.4
09:35-09:40 HOUR	53.3	51.0
09:40-09:45 HOUR	54.8	52.9
09:45-09:50 HOUR	57.8	55.6
09:50-09:55 HOUR	53.8	51.7
09:55-10:00 HOUR	58.2	56.3
10:00-10:05 HOUR	56.3	53.7
10:05-10:10 HOUR	55.9	53.6
10:10-10:15 HOUR	54.2	51.6

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.



1/42

ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY THE GROUP (THAILAND) CO., LTD.



United Analyst and Engineering Consultant Co., Ltd.  
3501 Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax0 2763 2800 www.uaeconsultant.com E-mail: uae@uaeconsultant.com

TIME*	RESULT dB(A)	
	11:00-11:05 HOUR	11:05-11:10 HOUR
10:15-10:20 HOUR	58.0	55.4
10:20-10:25 HOUR	58.5	55.6
10:25-10:30 HOUR	54.2	52.1
10:30-10:35 HOUR	53.8	50.9
10:35-10:40 HOUR	54.7	52.7
10:40-10:45 HOUR	54.1	51.6
10:45-10:50 HOUR	53.3	51.6
10:50-10:55 HOUR	50.8	48.9
10:55-11:00 HOUR	53.3	51.6
11:00-11:05 HOUR	53.8	52.1
11:05-11:10 HOUR	52.7	50.4
11:10-11:15 HOUR	56.8	55.1
11:15-11:20 HOUR	55.4	53.0
11:20-11:25 HOUR	56.7	54.2
11:25-11:30 HOUR	55.3	53.6
11:30-11:35 HOUR	55.3	53.5
11:35-11:40 HOUR	53.5	51.4
11:40-11:45 HOUR	57.5	55.3
11:45-11:50 HOUR	58.0	56.1
11:50-11:55 HOUR	55.9	53.8
11:55-12:00 HOUR	55.9	53.5
12:00-12:05 HOUR	61.5	59.4
12:05-12:10 HOUR	60.1	57.4
12:10-12:15 HOUR	56.9	54.3
12:15-12:20 HOUR	55.9	53.8
12:20-12:25 HOUR	57.3	55.2
12:25-12:30 HOUR	56.4	54.1
12:30-12:35 HOUR	56.1	53.7
12:35-12:40 HOUR	53.8	51.9
12:40-12:45 HOUR	56.5	54.3
12:45-12:50 HOUR	56.6	54.0
12:50-12:55 HOUR	55.2	52.8
12:55-13:00 HOUR	54.7	52.8
13:00-13:05 HOUR	56.2	54.1
13:05-13:10 HOUR	55.1	54.3
13:10-13:15 HOUR	55.4	53.1
13:15-13:20 HOUR	54.7	52.5
13:20-13:25 HOUR	55.7	53.2
13:25-13:30 HOUR	58.5	56.7
13:30-13:35 HOUR	55.9	54.0
13:35-13:40 HOUR	55.5	52.7
13:40-13:45 HOUR	54.5	53.0
13:45-13:50 HOUR	57.5	55.0
13:50-13:55 HOUR	56.2	54.1
13:55-14:00 HOUR	53.3	50.9
14:00-14:05 HOUR	54.4	51.8
14:05-14:10 HOUR	55.7	53.8
14:10-14:15 HOUR	54.6	52.0
14:15-14:20 HOUR	56.5	54.0
14:20-14:25 HOUR	55.1	52.4
14:25-14:30 HOUR	56.4	53.7

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

2/42

ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY THE GROUP (THAILAND) CO., LTD.


2023-U107809



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaeconsultant.com E-mail: uaec@uaecconsultant.com

TIME*	RESULT dB(A)	
	หน่วยกิโลเมตร (N1)	
	NOVEMBER 29-30, 2023	
	T23AY522-0001	
	L <sub>Aeq</sub> 5 min	L <sub>A90</sub> 5 min
14:30-14:35 HOUR	55.8	53.2
14:35-14:40 HOUR	54.9	52.9
14:40-14:45 HOUR	54.7	52.8
14:45-14:50 HOUR	57.3	55.1
14:50-14:55 HOUR	57.6	54.8
14:55-15:00 HOUR	56.4	53.6
15:00-15:05 HOUR	55.9	53.6
15:05-15:10 HOUR	59.0	56.8
15:10-15:15 HOUR	58.5	56.2
15:15-15:20 HOUR	55.9	53.1
15:20-15:25 HOUR	54.8	52.6
15:25-15:30 HOUR	56.6	54.4
15:30-15:35 HOUR	57.4	55.1
15:35-15:40 HOUR	55.9	53.5
15:40-15:45 HOUR	53.6	51.3
15:45-15:50 HOUR	51.6	48.8
15:50-15:55 HOUR	54.2	51.8
15:55-16:00 HOUR	55.9	53.1
16:00-16:05 HOUR	53.3	51.1
16:05-16:10 HOUR	51.9	49.8
16:10-16:15 HOUR	51.2	48.7
16:15-16:20 HOUR	50.9	48.6
16:20-16:25 HOUR	51.1	49.1
16:25-16:30 HOUR	51.9	50.2
16:30-16:35 HOUR	51.4	48.9
16:35-16:40 HOUR	53.6	51.1
16:40-16:45 HOUR	52.9	50.2
16:45-16:50 HOUR	51.9	49.4
16:50-16:55 HOUR	52.8	50.7
16:55-17:00 HOUR	51.3	49.5
17:00-17:05 HOUR	48.8	47.1
17:05-17:10 HOUR	51.4	48.9
17:10-17:15 HOUR	51.6	49.6
17:15-17:20 HOUR	50.6	48.6
17:20-17:25 HOUR	50.5	48.9
17:25-17:30 HOUR	50.9	49.2
17:30-17:35 HOUR	50.1	48.1
17:35-17:40 HOUR	50.1	48.0
17:40-17:45 HOUR	50.3	47.9
17:45-17:50 HOUR	49.9	47.5
17:50-17:55 HOUR	52.2	49.9
17:55-18:00 HOUR	50.3	48.7
18:00-18:05 HOUR	50.3	48.7
18:05-18:10 HOUR	50.0	48.2
18:10-18:15 HOUR	49.9	47.4
18:15-18:20 HOUR	49.8	47.6
18:20-18:25 HOUR	52.6	50.2
18:25-18:30 HOUR	49.5	47.7
18:30-18:35 HOUR	50.1	48.0
18:35-18:40 HOUR	49.8	48.1
18:40-18:45 HOUR	49.5	47.2

PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaeconsultant.com E-mail: uaec@uaecconsultant.com

TIME*	RESULT dB(A)	
	บริเวณท่าเรือ (N1)	
	NOVEMBER 29-30, 2023	
	T23AY522-0001	
	L <sub>Aeq</sub> 5 min	L <sub>A90</sub> 5 min
18:45-18:50 HOUR	49.9	47.2
18:50-18:55 HOUR	50.4	47.8
18:55-19:00 HOUR	49.5	47.7
19:00-19:05 HOUR	50.0	47.8
19:05-19:10 HOUR	49.9	47.5
19:10-19:15 HOUR	51.5	49.6
19:15-19:20 HOUR	50.4	48.0
19:20-19:25 HOUR	51.6	49.4
19:25-19:30 HOUR	49.9	47.8
19:30-19:35 HOUR	49.7	47.7
19:35-19:40 HOUR	49.9	47.1
19:40-19:45 HOUR	50.0	48.1
19:45-19:50 HOUR	50.0	47.4
19:50-19:55 HOUR	50.3	48.3
19:55-20:00 HOUR	51.0	49.0
20:00-20:05 HOUR	51.7	49.9
20:05-20:10 HOUR	50.4	48.3
20:10-20:15 HOUR	51.3	49.2
20:15-20:20 HOUR	51.4	49.4
20:20-20:25 HOUR	50.5	48.3
20:25-20:30 HOUR	49.8	47.2
20:30-20:35 HOUR	50.2	48.6
20:35-20:40 HOUR	49.6	46.8
20:40-20:45 HOUR	49.4	47.2
20:45-20:50 HOUR	48.8	46.3
20:50-20:55 HOUR	49.8	47.2
20:55-21:00 HOUR	51.9	47.2
21:00-21:05 HOUR	49.2	47.3
21:05-21:10 HOUR	49.1	47.0
21:10-21:15 HOUR	48.4	45.8
21:15-21:20 HOUR	49.2	47.2
21:20-21:25 HOUR	50.0	47.7
21:25-21:30 HOUR	50.3	47.9
21:30-21:35 HOUR	49.3	46.9
21:35-21:40 HOUR	48.9	46.8
21:40-21:45 HOUR	51.3	49.0
21:45-21:50 HOUR	49.3	45.7
21:50-21:55 HOUR	50.8	46.6
21:55-22:00 HOUR	50.5	48.9
22:00-22:05 HOUR	49.8	47.9
22:05-22:10 HOUR	50.2	48.1
22:10-22:15 HOUR	50.2	47.7
22:15-22:20 HOUR	50.6	48.9
22:20-22:25 HOUR	50.2	47.9
22:25-22:30 HOUR	50.4	48.4
22:30-22:35 HOUR	49.7	47.7
22:35-22:40 HOUR	47.8	45.8
22:40-22:45 HOUR	48.5	46.4
22:45-22:50 HOUR	48.3	45.8
22:50-22:55 HOUR	49.5	47.8
22:55-23:00 HOUR	48.6	46.7

PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.






United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel. 02763 2828 Fax 02763 2800 www.uaeconsultant.com E-mail: uae@uaeconsultant.com

TIME*	RESULT dB(A)	
	ประเภทข้อมูล (N1)	
TIME*	NOVEMBER 29-30, 2023	
	TZ3AY522-0001	
TIME*	L <sub>eq</sub> 5 min	
	L <sub>eq</sub> 5 min	
23:00-23:05 HOUR	50.5	48.1
23:05-23:10 HOUR	49.2	46.6
23:10-23:15 HOUR	49.9	47.9
23:15-23:20 HOUR	50.0	48.3
23:20-23:25 HOUR	50.0	47.6
23:25-23:30 HOUR	50.0	48.0
23:30-23:35 HOUR	49.1	46.7
23:35-23:40 HOUR	49.8	47.6
23:40-23:45 HOUR	50.5	48.3
23:45-23:50 HOUR	48.8	46.4
23:50-23:55 HOUR	48.5	45.5
23:55-00:00 HOUR	49.0	46.4
00:00-00:05 HOUR	49.9	47.1
00:05-00:10 HOUR	49.3	46.9
00:10-00:15 HOUR	48.2	46.5
00:15-00:20 HOUR	48.8	47.0
00:20-00:25 HOUR	48.5	46.5
00:25-00:30 HOUR	49.9	47.8
00:30-00:35 HOUR	49.7	47.4
00:35-00:40 HOUR	49.2	47.1
00:40-00:45 HOUR	49.5	46.9
00:45-00:50 HOUR	49.6	46.9
00:50-00:55 HOUR	48.7	46.6
00:55-01:00 HOUR	51.8	49.1
01:00-01:05 HOUR	48.9	46.2
01:05-01:10 HOUR	47.7	45.7
01:10-01:15 HOUR	48.4	46.0
01:15-01:20 HOUR	48.2	45.3
01:20-01:25 HOUR	49.6	47.0
01:25-01:30 HOUR	50.1	47.9
01:30-01:35 HOUR	50.0	48.1
01:35-01:40 HOUR	48.7	46.3
01:40-01:45 HOUR	48.3	46.0
01:45-01:50 HOUR	49.2	46.5
01:50-01:55 HOUR	49.4	46.9
01:55-02:00 HOUR	49.3	47.2
02:00-02:05 HOUR	48.4	46.3
02:05-02:10 HOUR	50.0	47.3
02:10-02:15 HOUR	49.3	47.1
02:15-02:20 HOUR	49.5	47.5
02:20-02:25 HOUR	48.9	46.2
02:25-02:30 HOUR	49.4	47.1
02:30-02:35 HOUR	49.1	46.6
02:35-02:40 HOUR	48.8	46.2
02:40-02:45 HOUR	48.2	46.3
02:45-02:50 HOUR	49.3	47.5
02:50-02:55 HOUR	49.5	47.5
02:55-03:00 HOUR	49.5	47.2
03:00-03:05 HOUR	48.8	47.1
03:05-03:10 HOUR	49.0	46.6
03:10-03:15 HOUR	49.2	46.7


• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel. 02763 2828 Fax 02763 2800 www.uaeconsultant.com E-mail: uae@uaeconsultant.com

TIME*	RESULT dB(A)	
	ประเภทข้อมูล (N1)	
TIME*	NOVEMBER 29-30, 2023	
	TZ3AY522-0001	
TIME*	L <sub>eq</sub> 5 min	
	L <sub>eq</sub> 5 min	
03:15-03:20 HOUR	48.8	46.4
03:20-03:25 HOUR	49.2	46.9
03:25-03:30 HOUR	49.2	46.8
03:30-03:35 HOUR	48.6	46.8
03:35-03:40 HOUR	48.3	47.8
03:40-03:45 HOUR	48.4	46.6
03:45-03:50 HOUR	48.8	46.5
03:50-03:55 HOUR	48.5	46.0
03:55-04:00 HOUR	48.3	46.7
04:00-04:05 HOUR	48.1	46.0
04:05-04:10 HOUR	48.1	46.0
04:10-04:15 HOUR	48.7	46.9
04:15-04:20 HOUR	48.6	46.1
04:20-04:25 HOUR	48.7	46.0
04:25-04:30 HOUR	49.4	47.3
04:30-04:35 HOUR	48.4	45.5
04:35-04:40 HOUR	48.3	46.0
04:40-04:45 HOUR	48.8	46.5
04:45-04:50 HOUR	49.3	46.7
04:50-04:55 HOUR	49.0	46.3
04:55-05:00 HOUR	49.7	48.1
05:00-05:05 HOUR	49.0	47.3
05:05-05:10 HOUR	49.9	47.5
05:10-05:15 HOUR	49.5	47.1
05:15-05:20 HOUR	49.7	47.6
05:20-05:25 HOUR	49.4	47.2
05:25-05:30 HOUR	50.0	48.0
05:30-05:35 HOUR	48.6	46.0
05:35-05:40 HOUR	49.9	47.2
05:40-05:45 HOUR	49.8	47.7
05:45-05:50 HOUR	50.6	48.7
05:50-05:55 HOUR	50.0	47.9
05:55-06:00 HOUR	51.3	49.3
06:00-06:05 HOUR	51.6	49.6
06:05-06:10 HOUR	50.0	47.7
06:10-06:15 HOUR	56.2	53.8
06:15-06:20 HOUR	50.6	48.1
06:20-06:25 HOUR	51.1	48.7
06:25-06:30 HOUR	52.6	50.2
06:30-06:35 HOUR	50.6	47.7
06:35-06:40 HOUR	51.5	49.8
06:40-06:45 HOUR	51.4	49.0
06:45-06:50 HOUR	51.4	49.1
06:50-06:55 HOUR	53.8	51.6
06:55-07:00 HOUR	55.6	53.5

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.





United Analyst and Engineering Consultant Co., Ltd.  
3 Sol Udomsuk 41, Sukhumvit Road, Bangchak, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaconsultant.com E-mail:uae@uaconsultant.com

TIME*	RESULT dB(A)	
	การวัดเสียง (N1)	
	NOVEMBER 30 - DECEMBER 1, 2023	
		T23AY522-0002
	L <sub>Aeq</sub> 5 min	L <sub>Aeq</sub> 5 min
07:00-07:05 HOUR	51.7	50.0
07:05-07:10 HOUR	51.9	49.8
07:10-07:15 HOUR	50.8	48.6
07:15-07:20 HOUR	54.8	52.3
07:20-07:25 HOUR	52.7	50.0
07:25-07:30 HOUR	51.6	49.1
07:30-07:35 HOUR	55.8	54.0
07:35-07:40 HOUR	53.5	51.1
07:40-07:45 HOUR	52.0	49.8
07:45-07:50 HOUR	57.4	55.7
07:50-07:55 HOUR	54.5	52.5
07:55-08:00 HOUR	55.1	52.4
08:00-08:05 HOUR	53.5	51.3
08:05-08:10 HOUR	55.0	52.5
08:10-08:15 HOUR	54.0	52.3
08:15-08:20 HOUR	53.8	51.2
08:20-08:25 HOUR	55.6	53.7
08:25-08:30 HOUR	56.6	54.7
08:30-08:35 HOUR	58.7	56.0
08:35-08:40 HOUR	58.2	55.8
08:40-08:45 HOUR	55.3	53.4
08:45-08:50 HOUR	55.0	52.4
08:50-08:55 HOUR	57.0	54.8
08:55-09:00 HOUR	57.0	54.9
09:00-09:05 HOUR	56.8	54.6
09:05-09:10 HOUR	56.0	53.7
09:10-09:15 HOUR	54.3	52.1
09:15-09:20 HOUR	58.1	55.9
09:20-09:25 HOUR	56.3	54.7
09:25-09:30 HOUR	56.5	54.7
09:30-09:35 HOUR	54.5	52.3
09:35-09:40 HOUR	55.9	53.1
09:40-09:45 HOUR	55.4	52.9
09:45-09:50 HOUR	55.3	53.4
09:50-09:55 HOUR	54.1	52.1
09:55-10:00 HOUR	54.1	52.1
10:00-10:05 HOUR	54.9	52.7
10:05-10:10 HOUR	55.5	53.4
10:10-10:15 HOUR	55.0	52.9
10:15-10:20 HOUR	53.6	51.0
10:20-10:25 HOUR	55.7	51.2
10:25-10:30 HOUR	52.6	50.4
10:30-10:35 HOUR	54.8	51.8
10:35-10:40 HOUR	53.2	50.5
10:40-10:45 HOUR	52.6	49.9
10:45-10:50 HOUR	55.3	53.0
10:50-10:55 HOUR	54.3	52.1
10:55-11:00 HOUR	54.6	52.2
11:00-11:05 HOUR	52.0	49.7
11:05-11:10 HOUR	56.4	54.2
11:10-11:15 HOUR	55.6	53.5

ISO 9001 CERTIFIED  
ISO 14001 CERTIFIED  
AN 881 GROUP (THAILAND) CO., LTD.

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

7/42

2023-U107809



United Analyst and Engineering Consultant Co., Ltd.  
3 Sol Udomsuk 41, Sukhumvit Road, Bangchak, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaconsultant.com E-mail:uae@uaconsultant.com

TIME*	RESULT dB(A)	
	การวัดเสียง (N1)	
	NOVEMBER 30 - DECEMBER 1, 2023	
		T23AY522-0002
	L <sub>Aeq</sub> 5 min	L <sub>Aeq</sub> 5 min
11:15-11:20 HOUR	55.4	52.5
11:20-11:25 HOUR	56.6	54.0
11:25-11:30 HOUR	57.4	55.4
11:30-11:35 HOUR	57.2	54.6
11:35-11:40 HOUR	56.4	54.5
11:40-11:45 HOUR	56.3	53.7
11:45-11:50 HOUR	55.4	53.4
11:50-11:55 HOUR	57.2	54.9
11:55-12:00 HOUR	59.0	56.1
12:00-12:05 HOUR	56.7	54.2
12:05-12:10 HOUR	55.6	53.0
12:10-12:15 HOUR	55.7	53.4
12:15-12:20 HOUR	55.4	53.5
12:20-12:25 HOUR	56.6	54.6
12:25-12:30 HOUR	55.3	53.0
12:30-12:35 HOUR	55.6	53.2
12:35-12:40 HOUR	55.6	53.5
12:40-12:45 HOUR	56.0	53.9
12:45-12:50 HOUR	56.2	54.3
12:50-12:55 HOUR	55.9	53.6
12:55-13:00 HOUR	55.4	53.5
13:00-13:05 HOUR	56.8	55.0
13:05-13:10 HOUR	56.6	54.4
13:10-13:15 HOUR	55.8	53.6
13:15-13:20 HOUR	55.9	53.8
13:20-13:25 HOUR	56.3	53.8
13:25-13:30 HOUR	55.1	52.9
13:30-13:35 HOUR	54.5	52.3
13:35-13:40 HOUR	56.2	54.2
13:40-13:45 HOUR	55.6	53.5
13:45-13:50 HOUR	54.3	52.1
13:50-13:55 HOUR	56.2	54.4
13:55-14:00 HOUR	55.7	53.0
14:00-14:05 HOUR	55.2	52.3
14:05-14:10 HOUR	56.7	54.7
14:10-14:15 HOUR	56.3	54.3
14:15-14:20 HOUR	55.4	53.6
14:20-14:25 HOUR	56.4	54.6
14:25-14:30 HOUR	57.3	55.6
14:30-14:35 HOUR	56.6	54.5
14:35-14:40 HOUR	56.4	54.5
14:40-14:45 HOUR	57.3	54.7
14:45-14:50 HOUR	57.5	55.6
14:50-14:55 HOUR	57.0	54.9
14:55-15:00 HOUR	56.9	54.4
15:00-15:05 HOUR	55.5	53.9
15:05-15:10 HOUR	54.7	52.0
15:10-15:15 HOUR	54.7	52.3
15:15-15:20 HOUR	54.3	51.6
15:20-15:25 HOUR	54.4	52.0
15:25-15:30 HOUR	53.9	51.5

ISO 9001 CERTIFIED  
ISO 14001 CERTIFIED  
AN 881 GROUP (THAILAND) CO., LTD.

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

8/42

2023-U107809

TIME*	RESULT dB(A)	
	11:00-12:00 H (M1)	12:00-13:00 H (M1)
	T23AY522-0002	
15:30-15:35 HOUR	53.8	51.4
15:35-15:40 HOUR	51.9	50.3
15:40-15:45 HOUR	53.2	50.8
15:45-15:50 HOUR	53.2	51.0
15:50-15:55 HOUR	51.1	48.5
15:55-16:00 HOUR	52.8	50.4
16:00-16:05 HOUR	51.8	49.1
16:05-16:10 HOUR	56.5	53.6
16:10-16:15 HOUR	57.1	54.5
16:15-16:20 HOUR	50.9	48.2
16:20-16:25 HOUR	49.2	46.8
16:25-16:30 HOUR	50.1	48.0
16:30-16:35 HOUR	49.1	46.1
16:35-16:40 HOUR	47.1	44.8
16:40-16:45 HOUR	47.3	45.5
16:45-16:50 HOUR	48.2	45.6
16:50-16:55 HOUR	49.2	46.9
16:55-17:00 HOUR	48.7	46.4
17:00-17:05 HOUR	51.8	49.5
17:05-17:10 HOUR	50.6	48.7
17:10-17:15 HOUR	54.3	52.3
17:15-17:20 HOUR	50.2	47.9
17:20-17:25 HOUR	47.8	45.8
17:25-17:30 HOUR	49.4	47.7
17:30-17:35 HOUR	49.1	46.8
17:35-17:40 HOUR	49.7	47.6
17:40-17:45 HOUR	49.8	47.4
17:45-17:50 HOUR	50.5	48.1
17:50-17:55 HOUR	52.7	49.9
17:55-18:00 HOUR	49.3	46.9
18:00-18:05 HOUR	48.9	46.6
18:05-18:10 HOUR	48.2	45.8
18:10-18:15 HOUR	49.3	46.5
18:15-18:20 HOUR	49.6	47.7
18:20-18:25 HOUR	49.5	47.4
18:25-18:30 HOUR	49.3	47.0
18:30-18:35 HOUR	49.6	47.1
18:35-18:40 HOUR	49.5	47.3
18:40-18:45 HOUR	50.2	48.0
18:45-18:50 HOUR	49.2	46.4
18:50-18:55 HOUR	49.3	46.3
18:55-19:00 HOUR	49.8	47.9
19:00-19:05 HOUR	48.7	46.2
19:05-19:10 HOUR	49.2	46.9
19:10-19:15 HOUR	49.4	46.9
19:15-19:20 HOUR	48.8	46.7
19:20-19:25 HOUR	48.6	45.9
19:25-19:30 HOUR	48.8	46.8
19:30-19:35 HOUR	49.4	47.4
19:35-19:40 HOUR	49.2	46.9
19:40-19:45 HOUR	48.9	47.2

TIME*	RESULT dB(A)	
	11:00-12:00 H (M1)	12:00-13:00 H (M1)
	T23AY522-0002	
19:45-19:50 HOUR	50.5	48.0
19:50-19:55 HOUR	48.4	46.5
19:55-20:00 HOUR	48.7	45.8
20:00-20:05 HOUR	49.3	46.4
20:05-20:10 HOUR	49.4	47.5
20:10-20:15 HOUR	49.7	47.3
20:15-20:20 HOUR	48.3	46.8
20:20-20:25 HOUR	48.9	46.5
20:25-20:30 HOUR	47.8	45.2
20:30-20:35 HOUR	49.1	46.7
20:35-20:40 HOUR	47.4	45.1
20:40-20:45 HOUR	48.5	46.7
20:45-20:50 HOUR	48.9	47.2
20:50-20:55 HOUR	48.5	46.6
20:55-21:00 HOUR	49.1	47.1
21:00-21:05 HOUR	48.4	45.6
21:05-21:10 HOUR	48.3	45.9
21:10-21:15 HOUR	48.9	46.5
21:15-21:20 HOUR	49.0	46.6
21:20-21:25 HOUR	48.3	45.8
21:25-21:30 HOUR	48.6	46.9
21:30-21:35 HOUR	47.6	45.5
21:35-21:40 HOUR	48.4	45.6
21:40-21:45 HOUR	47.9	44.9
21:45-21:50 HOUR	48.2	46.4
21:50-21:55 HOUR	48.8	46.5
21:55-22:00 HOUR	47.8	45.3
22:00-22:05 HOUR	49.1	46.5
22:05-22:10 HOUR	47.9	45.4
22:10-22:15 HOUR	47.3	45.1
22:15-22:20 HOUR	49.1	46.2
22:20-22:25 HOUR	48.4	45.9
22:25-22:30 HOUR	48.9	47.0
22:30-22:35 HOUR	47.2	45.0
22:35-22:40 HOUR	47.8	45.5
22:40-22:45 HOUR	47.8	45.0
22:45-22:50 HOUR	47.7	45.1
22:50-22:55 HOUR	47.1	44.6
22:55-23:00 HOUR	47.4	45.4
23:00-23:05 HOUR	47.5	45.4
23:05-23:10 HOUR	47.8	45.4
23:10-23:15 HOUR	48.1	46.0
23:15-23:20 HOUR	47.5	44.8
23:20-23:25 HOUR	47.9	45.4
23:25-23:30 HOUR	48.6	46.5
23:30-23:35 HOUR	48.2	46.2
23:35-23:40 HOUR	47.3	44.5
23:40-23:45 HOUR	48.0	46.0
23:45-23:50 HOUR	47.7	45.3
23:50-23:55 HOUR	48.1	45.9
23:55-00:00 HOUR	47.1	45.3





United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax 0 2763 2800 www.uaeconsultant.com E-mail: uaec@uaeconsultant.com

TIME*	RESULT dB(A)	
	หน่วยวัดเสียง (NI)	
	NOVEMBER 30 - DECEMBER 1, 2023	
	L <sub>eq</sub> 5 min	L <sub>A90</sub> 5 min
	T23AY522-0002	
00:00-00:05 HOUR	48.5	46.0
00:05-00:10 HOUR	48.4	46.1
00:10-00:15 HOUR	47.7	45.6
00:15-00:20 HOUR	48.7	46.4
00:20-00:25 HOUR	47.4	44.7
00:25-00:30 HOUR	48.6	46.6
00:30-00:35 HOUR	47.4	45.0
00:35-00:40 HOUR	46.9	44.1
00:40-00:45 HOUR	48.1	45.7
00:45-00:50 HOUR	48.0	46.0
00:50-00:55 HOUR	47.9	46.1
00:55-01:00 HOUR	46.9	44.7
01:00-01:05 HOUR	48.1	46.3
01:05-01:10 HOUR	48.4	46.1
01:10-01:15 HOUR	48.5	46.2
01:15-01:20 HOUR	48.3	45.7
01:20-01:25 HOUR	48.1	46.0
01:25-01:30 HOUR	48.3	46.2
01:30-01:35 HOUR	48.3	46.6
01:35-01:40 HOUR	47.3	44.8
01:40-01:45 HOUR	46.8	44.6
01:45-01:50 HOUR	47.4	45.1
01:50-01:55 HOUR	47.6	45.1
01:55-02:00 HOUR	48.0	45.5
02:00-02:05 HOUR	46.9	44.5
02:05-02:10 HOUR	47.5	45.3
02:10-02:15 HOUR	47.8	45.1
02:15-02:20 HOUR	48.3	46.0
02:20-02:25 HOUR	48.3	45.7
02:25-02:30 HOUR	47.2	45.4
02:30-02:35 HOUR	49.1	47.5
02:35-02:40 HOUR	48.2	45.8
02:40-02:45 HOUR	49.5	46.9
02:45-02:50 HOUR	47.7	45.7
02:50-02:55 HOUR	49.4	47.6
02:55-03:00 HOUR	47.6	45.3
03:00-03:05 HOUR	47.7	45.3
03:05-03:10 HOUR	47.6	45.4
03:10-03:15 HOUR	47.9	45.4
03:15-03:20 HOUR	46.6	44.5
03:20-03:25 HOUR	47.7	44.8
03:25-03:30 HOUR	48.3	45.6
03:30-03:35 HOUR	47.6	45.1
03:35-03:40 HOUR	47.4	44.8
03:40-03:45 HOUR	46.7	45.0
03:45-03:50 HOUR	47.5	45.1
03:50-03:55 HOUR	47.0	44.6
03:55-04:00 HOUR	47.4	44.9
04:00-04:05 HOUR	47.7	45.8
04:05-04:10 HOUR	48.4	45.9
04:10-04:15 HOUR	48.0	45.4

\* PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
\* THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax 0 2763 2800 www.uaeconsultant.com E-mail: uaec@uaeconsultant.com

TIME*	RESULT dB(A)	
	หน่วยวัดเสียง (NI)	
	NOVEMBER 30 - DECEMBER 1, 2023	
	L <sub>eq</sub> 5 min	L <sub>A90</sub> 5 min
	T23AY522-0002	
04:15-04:20 HOUR	48.6	46.4
04:20-04:25 HOUR	48.5	46.8
04:25-04:30 HOUR	48.1	45.5
04:30-04:35 HOUR	49.3	47.7
04:35-04:40 HOUR	47.5	44.9
04:40-04:45 HOUR	46.8	44.6
04:45-04:50 HOUR	47.7	44.9
04:50-04:55 HOUR	48.3	45.9
04:55-05:00 HOUR	49.2	47.2
05:00-05:05 HOUR	47.5	45.4
05:05-05:10 HOUR	48.0	45.4
05:10-05:15 HOUR	47.6	45.2
05:15-05:20 HOUR	48.5	46.8
05:20-05:25 HOUR	48.0	46.5
05:25-05:30 HOUR	47.8	45.1
05:30-05:35 HOUR	48.9	46.9
05:35-05:40 HOUR	48.5	45.7
05:40-05:45 HOUR	49.1	46.8
05:45-05:50 HOUR	49.5	46.6
05:50-05:55 HOUR	48.8	47.2
05:55-06:00 HOUR	50.7	48.3
06:00-06:05 HOUR	48.3	45.6
06:05-06:10 HOUR	50.0	47.9
06:10-06:15 HOUR	56.5	53.9
06:15-06:20 HOUR	54.1	52.3
06:20-06:25 HOUR	50.8	48.4
06:25-06:30 HOUR	50.4	48.2
06:30-06:35 HOUR	50.7	48.9
06:35-06:40 HOUR	50.6	48.5
06:40-06:45 HOUR	49.9	47.3
06:45-06:50 HOUR	49.4	47.8
06:50-06:55 HOUR	52.3	49.9
06:55-07:00 HOUR	51.1	48.9

\* PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
\* THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.







United Analyst and Engineering Consultant Co., Ltd.  
3501 Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaec consultant.com E-mail: uae@uaec consultant.com

LAE ANALYST AND ENGINEERING  
CONSULTANT COMPANY LIMITED

TIME*	RESULT dB(A)	
	การวัดเสียง (NI1)	
	DECEMBER 1-2, 2023	
	T23AY522-0003	
	L <sub>eq</sub> 5 min	L <sub>eq</sub> 5 min
07:00-07:05 HOUR	51.4	49.6
07:05-07:10 HOUR	52.9	50.2
07:10-07:15 HOUR	58.7	56.4
07:15-07:20 HOUR	51.8	49.3
07:20-07:25 HOUR	54.6	54.6
07:25-07:30 HOUR	55.5	53.3
07:30-07:35 HOUR	50.4	48.5
07:35-07:40 HOUR	50.6	47.8
07:40-07:45 HOUR	50.5	48.6
07:45-07:50 HOUR	50.8	49.2
07:50-07:55 HOUR	50.7	48.7
07:55-08:00 HOUR	53.1	50.9
08:00-08:05 HOUR	49.4	47.4
08:05-08:10 HOUR	55.1	52.6
08:10-08:15 HOUR	49.3	47.0
08:15-08:20 HOUR	50.7	48.6
08:20-08:25 HOUR	51.2	48.8
08:25-08:30 HOUR	50.7	48.3
08:30-08:35 HOUR	52.2	49.7
08:35-08:40 HOUR	49.5	47.0
08:40-08:45 HOUR	49.2	46.7
08:45-08:50 HOUR	48.9	47.3
08:50-08:55 HOUR	48.5	46.4
08:55-09:00 HOUR	50.7	48.9
09:00-09:05 HOUR	51.4	48.9
09:05-09:10 HOUR	48.9	46.6
09:10-09:15 HOUR	50.9	48.2
09:15-09:20 HOUR	49.8	47.8
09:20-09:25 HOUR	50.4	48.5
09:25-09:30 HOUR	50.0	47.7
09:30-09:35 HOUR	51.4	49.7
09:35-09:40 HOUR	49.9	47.2
09:40-09:45 HOUR	50.8	48.1
09:45-09:50 HOUR	50.3	47.6
09:50-09:55 HOUR	49.5	47.5
09:55-10:00 HOUR	49.8	47.4
10:00-10:05 HOUR	49.8	47.5
10:05-10:10 HOUR	51.5	48.9
10:10-10:15 HOUR	50.3	48.2
10:15-10:20 HOUR	50.8	49.0
10:20-10:25 HOUR	50.1	47.9
10:25-10:30 HOUR	50.7	48.3
10:30-10:35 HOUR	51.3	49.4
10:35-10:40 HOUR	50.8	48.4
10:40-10:45 HOUR	50.7	48.8
10:45-10:50 HOUR	49.2	46.5
10:50-10:55 HOUR	50.9	48.4
10:55-11:00 HOUR	50.9	48.4
11:00-11:05 HOUR	50.7	48.0
11:05-11:10 HOUR	49.5	47.2
11:10-11:15 HOUR	47.6	45.5

PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.

THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

13/42

2023-U107809

ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY ITS GROUP (THAILAND) CO., LTD.



United Analyst and Engineering Consultant Co., Ltd.  
3501 Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaec consultant.com E-mail: uae@uaec consultant.com

LAE ANALYST AND ENGINEERING  
CONSULTANT COMPANY LIMITED

TIME*	RESULT dB(A)	
	การวัดเสียง (NI)	
	DECEMBER 1-2, 2023	
	T23AY522-0003	
	L <sub>Aeq</sub> 5 min	L <sub>Aeq</sub> 5 min
11:15-11:20 HOUR	50.1	48.3
11:20-11:25 HOUR	49.6	47.7
11:25-11:30 HOUR	49.9	47.4
11:30-11:35 HOUR	51.2	48.8
11:35-11:40 HOUR	48.9	46.8
11:40-11:45 HOUR	50.4	48.1
11:45-11:50 HOUR	51.5	48.8
11:50-11:55 HOUR	49.3	47.3
11:55-12:00 HOUR	50.2	48.0
12:00-12:05 HOUR	57.4	55.5
12:05-12:10 HOUR	49.5	48.0
12:10-12:15 HOUR	49.1	47.4
12:15-12:20 HOUR	48.5	46.5
12:20-12:25 HOUR	50.6	47.9
12:25-12:30 HOUR	49.7	47.7
12:30-12:35 HOUR	51.0	48.8
12:35-12:40 HOUR	52.5	50.1
12:40-12:45 HOUR	50.3	48.0
12:45-12:50 HOUR	49.0	47.3
12:50-12:55 HOUR	48.5	46.1
12:55-13:00 HOUR	48.6	46.2
13:00-13:05 HOUR	50.8	48.7
13:05-13:10 HOUR	50.2	47.8
13:10-13:15 HOUR	50.7	49.0
13:15-13:20 HOUR	49.1	47.3
13:20-13:25 HOUR	50.9	48.3
13:25-13:30 HOUR	50.8	49.0
13:30-13:35 HOUR	50.7	48.5
13:35-13:40 HOUR	50.8	48.5
13:40-13:45 HOUR	50.6	48.4
13:45-13:50 HOUR	49.6	47.5
13:50-13:55 HOUR	50.6	48.9
13:55-14:00 HOUR	51.2	48.9
14:00-14:05 HOUR	48.2	45.8
14:05-14:10 HOUR	48.3	45.9
14:10-14:15 HOUR	49.0	47.2
14:15-14:20 HOUR	47.7	46.0
14:20-14:25 HOUR	48.6	46.4
14:25-14:30 HOUR	47.9	45.8
14:30-14:35 HOUR	47.4	45.3
14:35-14:40 HOUR	47.5	45.3
14:40-14:45 HOUR	49.1	46.9
14:45-14:50 HOUR	48.9	46.8
14:50-14:55 HOUR	48.5	46.5
14:55-15:00 HOUR	48.4	46.1
15:00-15:05 HOUR	52.3	49.6
15:05-15:10 HOUR	52.3	50.3
15:10-15:15 HOUR	50.7	48.5
15:15-15:20 HOUR	50.3	48.1
15:20-15:25 HOUR	50.5	47.5
15:25-15:30 HOUR	54.0	51.2

PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.

THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

14/42

2023-U107809


ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY ITS GROUP (THAILAND) CO., LTD.



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaec consultant.com E-mail: uaec@uaec consultant.com

TIME*	RESULT dB(A)	
	ผลการวัดเสียง (dB(A))	
DECEMBER 1-2, 2023		723AY522-0003
	L <sub>Aeq</sub> 5 min	L <sub>Aeq</sub> 5 min
15:30-15:35 HOUR	50.5	48.3
15:35-15:40 HOUR	49.4	46.9
15:40-15:45 HOUR	50.4	48.5
15:45-15:50 HOUR	50.5	48.4
15:50-15:55 HOUR	50.2	48.5
15:55-16:00 HOUR	49.5	47.3
16:00-16:05 HOUR	49.2	46.7
16:05-16:10 HOUR	51.9	49.5
16:10-16:15 HOUR	50.3	48.0
16:15-16:20 HOUR	50.9	49.0
16:20-16:25 HOUR	51.5	49.0
16:25-16:30 HOUR	53.0	50.7
16:30-16:35 HOUR	50.7	48.0
16:35-16:40 HOUR	51.1	49.1
16:40-16:45 HOUR	51.8	49.0
16:45-16:50 HOUR	50.5	48.0
16:50-16:55 HOUR	49.9	47.3
16:55-17:00 HOUR	49.8	46.9
17:00-17:05 HOUR	49.3	46.6
17:05-17:10 HOUR	51.0	48.9
17:10-17:15 HOUR	50.7	48.4
17:15-17:20 HOUR	51.2	49.2
17:20-17:25 HOUR	51.2	48.8
17:25-17:30 HOUR	53.5	50.8
17:30-17:35 HOUR	50.6	48.3
17:35-17:40 HOUR	49.8	47.1
17:40-17:45 HOUR	49.6	47.5
17:45-17:50 HOUR	50.2	47.9
17:50-17:55 HOUR	49.2	46.9
17:55-18:00 HOUR	49.9	48.1
18:00-18:05 HOUR	50.6	48.6
18:05-18:10 HOUR	50.3	47.5
18:10-18:15 HOUR	49.8	47.7
18:15-18:20 HOUR	49.6	47.4
18:20-18:25 HOUR	49.5	46.5
18:25-18:30 HOUR	49.5	47.1
18:30-18:35 HOUR	50.4	47.7
18:35-18:40 HOUR	51.1	48.9
18:40-18:45 HOUR	49.9	47.9
18:45-18:50 HOUR	50.5	48.4
18:50-18:55 HOUR	50.5	47.5
18:55-19:00 HOUR	49.2	47.3
19:00-19:05 HOUR	50.2	47.8
19:05-19:10 HOUR	49.8	47.3
19:10-19:15 HOUR	50.8	48.2
19:15-19:20 HOUR	49.5	47.2
19:20-19:25 HOUR	50.1	47.8
19:25-19:30 HOUR	49.2	47.0
19:30-19:35 HOUR	48.8	46.2
19:35-19:40 HOUR	49.1	47.1
19:40-19:45 HOUR	49.9	47.7


\* PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
\* THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaec consultant.com E-mail: uaec@uaec consultant.com

TIME*	RESULT dB(A)	
	ผลการวัดเสียง (dB(A))	
DECEMBER 1-2, 2023		723AY522-0003
	L <sub>Aeq</sub> 5 min	L <sub>Aeq</sub> 5 min
19:45-19:50 HOUR	48.4	46.4
19:50-19:55 HOUR	49.1	46.8
19:55-20:00 HOUR	49.1	46.8
20:00-20:05 HOUR	49.6	46.8
20:05-20:10 HOUR	50.1	47.3
20:10-20:15 HOUR	51.5	48.7
20:15-20:20 HOUR	50.1	47.7
20:20-20:25 HOUR	50.6	48.8
20:25-20:30 HOUR	49.8	47.7
20:30-20:35 HOUR	49.2	46.5
20:35-20:40 HOUR	49.4	46.9
20:40-20:45 HOUR	49.3	46.6
20:45-20:50 HOUR	49.5	47.4
20:50-20:55 HOUR	50.6	48.1
20:55-21:00 HOUR	50.5	49.0
21:00-21:05 HOUR	49.5	46.8
21:05-21:10 HOUR	49.7	48.0
21:10-21:15 HOUR	49.2	46.5
21:15-21:20 HOUR	49.5	47.4
21:20-21:25 HOUR	49.6	47.7
21:25-21:30 HOUR	48.6	47.3
21:30-21:35 HOUR	48.7	46.1
21:35-21:40 HOUR	50.1	48.1
21:40-21:45 HOUR	49.2	47.1
21:45-21:50 HOUR	48.9	46.9
21:50-21:55 HOUR	48.5	46.5
21:55-22:00 HOUR	49.5	46.7
22:00-22:05 HOUR	48.8	46.9
22:05-22:10 HOUR	48.3	46.1
22:10-22:15 HOUR	49.0	47.0
22:15-22:20 HOUR	49.2	46.4
22:20-22:25 HOUR	48.6	46.0
22:25-22:30 HOUR	48.7	46.3
22:30-22:35 HOUR	48.9	46.9
22:35-22:40 HOUR	48.1	45.7
22:40-22:45 HOUR	48.9	46.7
22:45-22:50 HOUR	49.7	47.7
22:50-22:55 HOUR	49.4	46.8
22:55-23:00 HOUR	50.5	48.1
23:00-23:05 HOUR	49.5	47.1
23:05-23:10 HOUR	49.9	48.2
23:10-23:15 HOUR	50.1	47.9
23:15-23:20 HOUR	50.1	48.2
23:20-23:25 HOUR	50.7	49.0
23:25-23:30 HOUR	49.4	47.2
23:30-23:35 HOUR	49.1	47.2
23:35-23:40 HOUR	49.0	46.7
23:40-23:45 HOUR	49.9	48.0
23:45-23:50 HOUR	48.9	46.8
23:50-23:55 HOUR	49.2	47.1
23:55-00:00 HOUR	49.1	46.2

\* PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
\* THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.






United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel. 0 2763 2828 Fax 0 2763 2800 www.uaeconsultant.com E-mail: uae@uaeconsultant.com

TIME*	RESULT dB(A)	
	1 ชั่วโมง (N1)	1 ชั่วโมง (N1)
DECEMBER 1-2, 2023		
T23AY522-0003		
	L <sub>eq</sub> 5 min	L <sub>eq</sub> 5 min
00:00-00:05 HOUR	49.2	47.1
00:05-00:10 HOUR	50.1	48.3
00:10-00:15 HOUR	50.0	48.3
00:15-00:20 HOUR	48.4	46.1
00:20-00:25 HOUR	48.0	45.6
00:25-00:30 HOUR	49.1	47.2
00:30-00:35 HOUR	48.1	45.8
00:35-00:40 HOUR	47.8	46.2
00:40-00:45 HOUR	48.4	46.3
00:45-00:50 HOUR	48.4	45.9
00:50-00:55 HOUR	47.3	45.6
00:55-01:00 HOUR	48.3	46.0
01:00-01:05 HOUR	47.6	44.8
01:05-01:10 HOUR	48.4	46.2
01:10-01:15 HOUR	48.0	45.5
01:15-01:20 HOUR	47.3	45.1
01:20-01:25 HOUR	47.6	44.8
01:25-01:30 HOUR	47.3	44.7
01:30-01:35 HOUR	47.7	45.3
01:35-01:40 HOUR	47.3	44.9
01:40-01:45 HOUR	47.9	45.3
01:45-01:50 HOUR	47.4	45.6
01:50-01:55 HOUR	48.0	45.6
01:55-02:00 HOUR	48.8	46.7
02:00-02:05 HOUR	48.3	46.0
02:05-02:10 HOUR	48.3	46.2
02:10-02:15 HOUR	47.7	45.6
02:15-02:20 HOUR	49.0	47.0
02:20-02:25 HOUR	48.1	46.4
02:25-02:30 HOUR	47.6	45.0
02:30-02:35 HOUR	47.4	44.9
02:35-02:40 HOUR	47.9	45.7
02:40-02:45 HOUR	48.6	46.3
02:45-02:50 HOUR	46.7	44.0
02:50-02:55 HOUR	47.0	44.5
02:55-03:00 HOUR	48.0	46.2
03:00-03:05 HOUR	47.2	45.4
03:05-03:10 HOUR	48.2	45.7
03:10-03:15 HOUR	47.6	45.7
03:15-03:20 HOUR	47.2	44.9
03:20-03:25 HOUR	46.6	44.0
03:25-03:30 HOUR	46.5	44.7
03:30-03:35 HOUR	46.6	44.6
03:35-03:40 HOUR	49.0	47.1
03:40-03:45 HOUR	48.0	45.3
03:45-03:50 HOUR	47.1	44.8
03:50-03:55 HOUR	47.1	45.1
03:55-04:00 HOUR	47.8	45.5
04:00-04:05 HOUR	47.8	45.9
04:05-04:10 HOUR	47.5	45.5
04:10-04:15 HOUR	49.1	46.5

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

2023-11-07809

17/42




United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel. 0 2763 2828 Fax 0 2763 2800 www.uaeconsultant.com E-mail: uae@uaeconsultant.com

TIME*	RESULT dB(A)	
	1 ชั่วโมง (N1)	1 ชั่วโมง (N1)
DECEMBER 1-2, 2023		
T23AY522-0003		
	L <sub>eq</sub> 5 min	L <sub>eq</sub> 5 min
04:15-04:20 HOUR	49.5	45.7
04:20-04:25 HOUR	46.9	44.5
04:25-04:30 HOUR	47.8	45.5
04:30-04:35 HOUR	47.9	45.9
04:35-04:40 HOUR	48.4	46.0
04:40-04:45 HOUR	47.3	45.1
04:45-04:50 HOUR	48.1	46.0
04:50-04:55 HOUR	48.9	46.8
04:55-05:00 HOUR	48.1	45.2
05:00-05:05 HOUR	48.7	46.0
05:05-05:10 HOUR	49.5	47.7
05:10-05:15 HOUR	48.8	46.5
05:15-05:20 HOUR	48.3	45.9
05:20-05:25 HOUR	48.6	46.6
05:25-05:30 HOUR	47.7	45.8
05:30-05:35 HOUR	48.6	45.7
05:35-05:40 HOUR	48.7	46.6
05:40-05:45 HOUR	48.6	46.1
05:45-05:50 HOUR	49.0	46.2
05:50-05:55 HOUR	48.8	47.3
05:55-06:00 HOUR	48.8	46.2
06:00-06:05 HOUR	48.7	47.9
06:05-06:10 HOUR	50.1	48.5
06:10-06:15 HOUR	50.9	48.2
06:15-06:20 HOUR	57.3	54.6
06:20-06:25 HOUR	51.4	49.5
06:25-06:30 HOUR	50.1	47.2
06:30-06:35 HOUR	52.4	50.0
06:35-06:40 HOUR	51.5	48.8
06:40-06:45 HOUR	53.4	50.9
06:45-06:50 HOUR	51.5	49.2
06:50-06:55 HOUR	50.4	48.0
06:55-07:00 HOUR	51.2	49.2

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

18/42



2023-11-07809



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaeconsultant.com E-mail: uae@uaeconsultant.com

TIME*	RESULT dB(A)	
	ปริมาณเสียง (NI)	
	DECEMBER 2-3, 2023	
	T23AY522-0004	
	L <sub>eq</sub> 5 min	L <sub>eq</sub> 5 min
07:00-07:05 HOUR	51.1	49.3
07:05-07:10 HOUR	50.1	47.5
07:10-07:15 HOUR	50.3	48.0
07:15-07:20 HOUR	50.9	48.7
07:20-07:25 HOUR	56.1	54.1
07:25-07:30 HOUR	54.5	52.0
07:30-07:35 HOUR	49.6	49.6
07:35-07:40 HOUR	49.9	48.2
07:40-07:45 HOUR	52.6	50.3
07:45-07:50 HOUR	51.5	49.2
07:50-07:55 HOUR	50.3	47.9
07:55-08:00 HOUR	51.0	48.6
08:00-08:05 HOUR	50.8	48.2
08:05-08:10 HOUR	49.1	47.6
08:10-08:15 HOUR	50.5	48.5
08:15-08:20 HOUR	53.3	51.8
08:20-08:25 HOUR	49.6	47.7
08:25-08:30 HOUR	51.2	49.0
08:30-08:35 HOUR	51.0	49.1
08:35-08:40 HOUR	50.4	47.7
08:40-08:45 HOUR	53.6	51.4
08:45-08:50 HOUR	49.9	47.7
08:50-08:55 HOUR	52.4	49.6
08:55-09:00 HOUR	49.4	47.3
09:00-09:05 HOUR	49.9	47.8
09:05-09:10 HOUR	49.2	46.5
09:10-09:15 HOUR	50.3	48.0
09:15-09:20 HOUR	51.1	49.1
09:20-09:25 HOUR	48.3	46.3
09:25-09:30 HOUR	51.6	49.3
09:30-09:35 HOUR	50.4	47.5
09:35-09:40 HOUR	49.0	46.1
09:40-09:45 HOUR	49.8	47.8
09:45-09:50 HOUR	51.1	49.1
09:50-09:55 HOUR	50.6	48.1
09:55-10:00 HOUR	50.6	47.9
10:00-10:05 HOUR	53.4	50.6
10:05-10:10 HOUR	54.9	52.8
10:10-10:15 HOUR	50.5	48.6
10:15-10:20 HOUR	50.6	47.9
10:20-10:25 HOUR	52.3	49.8
10:25-10:30 HOUR	51.7	49.0
10:30-10:35 HOUR	50.6	47.8
10:35-10:40 HOUR	50.0	47.7
10:40-10:45 HOUR	49.0	46.4
10:45-10:50 HOUR	49.1	46.5
10:50-10:55 HOUR	49.6	47.9
10:55-11:00 HOUR	50.7	48.4
11:00-11:05 HOUR	50.6	47.9
11:05-11:10 HOUR	48.8	47.0
11:10-11:15 HOUR	49.0	46.9

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.



19/42


2023-U107809



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaeconsultant.com E-mail: uae@uaeconsultant.com

TIME*	RESULT dB(A)	
	ปริมาณเสียง (N1)	
	DECEMBER 2-3, 2023	
	T23AY522-0004	
	L <sub>eq</sub> 5 min	L <sub>eq</sub> 5 min
11:15-11:20 HOUR	49.0	47.4
11:20-11:25 HOUR	50.5	48.3
11:25-11:30 HOUR	49.5	46.7
11:30-11:35 HOUR	51.1	48.9
11:35-11:40 HOUR	49.6	46.9
11:40-11:45 HOUR	49.2	47.3
11:45-11:50 HOUR	50.1	47.4
11:50-11:55 HOUR	50.6	48.7
11:55-12:00 HOUR	54.5	52.7
12:00-12:05 HOUR	51.3	49.1
12:05-12:10 HOUR	49.9	47.1
12:10-12:15 HOUR	50.6	48.6
12:15-12:20 HOUR	48.6	46.1
12:20-12:25 HOUR	51.5	49.3
12:25-12:30 HOUR	52.0	50.0
12:30-12:35 HOUR	52.5	50.3
12:35-12:40 HOUR	51.8	49.3
12:40-12:45 HOUR	50.3	47.3
12:45-12:50 HOUR	49.8	47.2
12:50-12:55 HOUR	48.8	46.8
12:55-13:00 HOUR	49.3	46.4
13:00-13:05 HOUR	50.8	48.6
13:05-13:10 HOUR	51.3	49.2
13:10-13:15 HOUR	49.2	47.5
13:15-13:20 HOUR	50.9	48.7
13:20-13:25 HOUR	49.9	47.4
13:25-13:30 HOUR	49.2	47.1
13:30-13:35 HOUR	49.4	47.6
13:35-13:40 HOUR	49.0	46.9
13:40-13:45 HOUR	50.3	47.6
13:45-13:50 HOUR	49.6	47.5
13:50-13:55 HOUR	49.7	47.2
13:55-14:00 HOUR	51.1	49.4
14:00-14:05 HOUR	50.2	47.7
14:05-14:10 HOUR	51.9	49.7
14:10-14:15 HOUR	54.0	52.3
14:15-14:20 HOUR	51.1	49.4
14:20-14:25 HOUR	51.4	49.2
14:25-14:30 HOUR	50.8	48.4
14:30-14:35 HOUR	51.0	48.9
14:35-14:40 HOUR	48.1	45.8
14:40-14:45 HOUR	48.5	46.4
14:45-14:50 HOUR	49.2	46.5
14:50-14:55 HOUR	50.0	48.2
14:55-15:00 HOUR	50.8	48.6
15:00-15:05 HOUR	49.7	47.2
15:05-15:10 HOUR	57.4	55.0
15:10-15:15 HOUR	54.4	52.3
15:15-15:20 HOUR	47.7	45.5
15:20-15:25 HOUR	49.6	47.5
15:25-15:30 HOUR	48.4	46.3

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.



20/42

2023-U107809



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaeconsultant.com E-mail:uae@uaeconsultant.com

TIME*	RESULT dB(A)	
	เป้าหมายค่าเสียง (N1) DECEMBER 2-3, 2023 T23AY522-0004	
	L <sub>eq</sub> 5 min	L <sub>avg</sub> 5 min
15:30-15:35 HOUR	47.4	45.0
15:35-15:40 HOUR	48.6	46.4
15:40-15:45 HOUR	48.6	46.1
15:45-15:50 HOUR	48.5	46.2
15:50-15:55 HOUR	49.3	47.4
15:55-16:00 HOUR	48.7	46.7
16:00-16:05 HOUR	50.5	47.6
16:05-16:10 HOUR	51.5	49.1
16:10-16:15 HOUR	51.7	48.8
16:15-16:20 HOUR	54.3	52.4
16:20-16:25 HOUR	51.3	49.5
16:25-16:30 HOUR	52.2	50.2
16:30-16:35 HOUR	50.1	47.8
16:35-16:40 HOUR	49.4	47.4
16:40-16:45 HOUR	50.8	48.4
16:45-16:50 HOUR	49.4	47.4
16:50-16:55 HOUR	49.1	46.7
16:55-17:00 HOUR	50.7	48.5
17:00-17:05 HOUR	51.9	50.0
17:05-17:10 HOUR	50.0	47.1
17:10-17:15 HOUR	50.5	48.0
17:15-17:20 HOUR	51.1	48.6
17:20-17:25 HOUR	50.7	47.9
17:25-17:30 HOUR	49.5	46.5
17:30-17:35 HOUR	49.5	47.3
17:35-17:40 HOUR	49.5	47.2
17:40-17:45 HOUR	50.0	47.0
17:45-17:50 HOUR	50.4	48.3
17:50-17:55 HOUR	50.3	48.5
17:55-18:00 HOUR	50.0	48.4
18:00-18:05 HOUR	51.0	49.3
18:05-18:10 HOUR	50.1	48.2
18:10-18:15 HOUR	50.7	49.0
18:15-18:20 HOUR	50.4	48.4
18:20-18:25 HOUR	49.8	47.1
18:25-18:30 HOUR	50.5	47.9
18:30-18:35 HOUR	49.9	47.4
18:35-18:40 HOUR	49.3	47.1
18:40-18:45 HOUR	49.8	47.6
18:45-18:50 HOUR	49.8	47.6
18:50-18:55 HOUR	49.6	46.9
18:55-19:00 HOUR	49.0	46.4
19:00-19:05 HOUR	50.5	48.7
19:05-19:10 HOUR	51.2	48.3
19:10-19:15 HOUR	50.4	47.7
19:15-19:20 HOUR	51.5	49.4
19:20-19:25 HOUR	51.0	49.3
19:25-19:30 HOUR	50.9	48.9
19:30-19:35 HOUR	50.9	48.2
19:35-19:40 HOUR	50.8	48.3
19:40-19:45 HOUR	50.6	48.1

ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY RS GROUP (THAILAND) CO., LTD.

PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

21/42

2023-01107809



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaeconsultant.com E-mail:uae@uaeconsultant.com

TIME*	RESULT dB(A)	
	เป้าหมายค่าเสียง (N1) DECEMBER 2-3, 2023 T23AY522-0004	
	L <sub>eq</sub> 5 min	L <sub>avg</sub> 5 min
19:45-19:50 HOUR	51.2	49.0
19:50-19:55 HOUR	50.3	47.9
19:55-20:00 HOUR	51.0	49.4
20:00-20:05 HOUR	50.1	47.9
20:05-20:10 HOUR	51.0	48.7
20:10-20:15 HOUR	50.9	48.2
20:15-20:20 HOUR	50.8	48.5
20:20-20:25 HOUR	50.9	48.8
20:25-20:30 HOUR	50.3	48.5
20:30-20:35 HOUR	50.5	48.6
20:35-20:40 HOUR	50.0	47.6
20:40-20:45 HOUR	50.1	47.8
20:45-20:50 HOUR	49.2	47.3
20:50-20:55 HOUR	50.0	47.4
20:55-21:00 HOUR	51.0	48.3
21:00-21:05 HOUR	49.1	46.7
21:05-21:10 HOUR	49.0	46.9
21:10-21:15 HOUR	49.9	47.9
21:15-21:20 HOUR	50.1	48.0
21:20-21:25 HOUR	49.4	46.5
21:25-21:30 HOUR	49.6	47.3
21:30-21:35 HOUR	49.4	47.3
21:35-21:40 HOUR	50.1	47.6
21:40-21:45 HOUR	49.9	47.4
21:45-21:50 HOUR	49.6	47.4
21:50-21:55 HOUR	50.5	47.8
21:55-22:00 HOUR	49.7	47.8
22:00-22:05 HOUR	49.1	46.4
22:05-22:10 HOUR	49.7	47.3
22:10-22:15 HOUR	49.0	46.7
22:15-22:20 HOUR	49.0	46.5
22:20-22:25 HOUR	49.5	47.2
22:25-22:30 HOUR	49.4	46.6
22:30-22:35 HOUR	49.2	47.6
22:35-22:40 HOUR	48.7	46.2
22:40-22:45 HOUR	48.3	46.0
22:45-22:50 HOUR	50.4	48.3
22:50-22:55 HOUR	49.4	47.1
22:55-23:00 HOUR	48.7	46.1
23:00-23:05 HOUR	50.2	47.4
23:05-23:10 HOUR	49.9	47.8
23:10-23:15 HOUR	49.8	47.4
23:15-23:20 HOUR	48.9	46.7
23:20-23:25 HOUR	50.0	47.9
23:25-23:30 HOUR	49.9	48.1
23:30-23:35 HOUR	49.3	47.1
23:35-23:40 HOUR	49.9	48.0
23:40-23:45 HOUR	49.8	47.4
23:45-23:50 HOUR	49.5	46.9
23:50-23:55 HOUR	49.2	46.9
23:55-00:00 HOUR	52.1	50.2

ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY RS GROUP (THAILAND) CO., LTD.

PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

22/42

2023-01107809



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaec consultant.com E-mail: uae@uaec consultant.com

TIME*	RESULT dB(A)	
	ประเภทข้อมูล (N1)	
	DECEMBER 2-3, 2023	
	T23AY522-0004	
	Leq 5 min	Leq 5 min
00:00-00:05 HOUR	49.4	47.4
00:05-00:10 HOUR	50.6	48.5
00:10-00:15 HOUR	49.2	47.1
00:15-00:20 HOUR	50.2	48.0
00:20-00:25 HOUR	50.8	48.8
00:25-00:30 HOUR	49.7	47.2
00:30-00:35 HOUR	49.0	46.7
00:35-00:40 HOUR	48.6	46.2
00:40-00:45 HOUR	50.6	48.1
00:45-00:50 HOUR	48.2	46.1
00:50-00:55 HOUR	48.3	46.4
00:55-01:00 HOUR	50.2	48.1
01:00-01:05 HOUR	50.8	48.3
01:05-01:10 HOUR	49.9	48.0
01:10-01:15 HOUR	49.6	48.0
01:15-01:20 HOUR	48.3	47.5
01:20-01:25 HOUR	49.6	47.4
01:25-01:30 HOUR	50.7	48.3
01:30-01:35 HOUR	48.3	48.3
01:35-01:40 HOUR	50.6	48.2
01:40-01:45 HOUR	49.2	47.3
01:45-01:50 HOUR	48.1	46.6
01:50-01:55 HOUR	49.7	47.3
01:55-02:00 HOUR	47.2	46.9
02:00-02:05 HOUR	49.9	47.7
02:05-02:10 HOUR	50.7	49.0
02:10-02:15 HOUR	48.7	48.6
02:15-02:20 HOUR	49.6	47.8
02:20-02:25 HOUR	49.5	46.8
02:25-02:30 HOUR	49.1	48.8
02:30-02:35 HOUR	50.5	47.9
02:35-02:40 HOUR	48.3	48.3
02:40-02:45 HOUR	51.1	49.1
02:45-02:50 HOUR	48.6	46.3
02:50-02:55 HOUR	48.8	47.0
02:55-03:00 HOUR	48.7	46.4
03:00-03:05 HOUR	48.5	46.0
03:05-03:10 HOUR	49.6	47.3
03:10-03:15 HOUR	50.5	48.3
03:15-03:20 HOUR	50.6	48.6
03:20-03:25 HOUR	49.8	48.2
03:25-03:30 HOUR	50.1	47.8
03:30-03:35 HOUR	49.0	47.7
03:35-03:40 HOUR	50.2	47.8
03:40-03:45 HOUR	48.9	48.9
03:45-03:50 HOUR	49.7	47.5
03:50-03:55 HOUR	50.1	47.8
03:55-04:00 HOUR	49.9	47.4
04:00-04:05 HOUR	49.8	47.0
04:05-04:10 HOUR	48.3	45.6
04:10-04:15 HOUR	49.6	47.2

\* PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
\* THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

ISO 14001 CERTIFIED  
ISO 9001 CERTIFIED  
BY SGS GROUP (THAILAND) CO., LTD.

23/42

2023-U107809



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaec consultant.com E-mail: uae@uaec consultant.com

TIME*	RESULT dB(A)	
	ประเภทข้อมูล (N1)	
	DECEMBER 2-3, 2023	
	T23AY522-0004	
	Leq 5 min	Leq 5 min
04:15-04:20 HOUR	50.1	47.6
04:20-04:25 HOUR	48.2	46.0
04:25-04:30 HOUR	48.4	46.1
04:30-04:35 HOUR	49.1	46.9
04:35-04:40 HOUR	49.8	47.4
04:40-04:45 HOUR	49.2	47.2
04:45-04:50 HOUR	48.6	45.9
04:50-04:55 HOUR	49.2	46.9
04:55-05:00 HOUR	48.0	45.6
05:00-05:05 HOUR	49.7	47.6
05:05-05:10 HOUR	50.2	47.5
05:10-05:15 HOUR	51.5	48.9
05:15-05:20 HOUR	49.8	47.8
05:20-05:25 HOUR	49.8	47.8
05:25-05:30 HOUR	49.3	46.7
05:30-05:35 HOUR	50.2	48.0
05:35-05:40 HOUR	50.6	48.3
05:40-05:45 HOUR	50.0	48.1
05:45-05:50 HOUR	54.1	51.9
05:50-05:55 HOUR	50.0	47.2
05:55-06:00 HOUR	52.2	50.1
06:00-06:05 HOUR	52.8	50.5
06:05-06:10 HOUR	52.7	50.2
06:10-06:15 HOUR	57.0	54.0
06:15-06:20 HOUR	51.4	49.4
06:20-06:25 HOUR	51.7	49.7
06:25-06:30 HOUR	51.6	49.5
06:30-06:35 HOUR	51.2	48.8
06:35-06:40 HOUR	51.1	49.4
06:40-06:45 HOUR	50.9	48.5
06:45-06:50 HOUR	53.4	50.4
06:50-06:55 HOUR	53.3	50.5
06:55-07:00 HOUR	54.5	52.5

\* PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
\* THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

ISO 14001 CERTIFIED  
ISO 9001 CERTIFIED  
BY SGS GROUP (THAILAND) CO., LTD.

24/42

2023-U107809





United Analyst and Engineering Consultant Co., Ltd.  
3 Sol Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax 0 2763 2800 www.uaeconsultant.com E-mail:uae@uaeconsultant.com

TIME*	RESULT dB(A)	
	การวัดเสียง (M1)	
	DECEMBER 3-4, 2023	
	T23AY522-0005	
	L <sub>Aeq</sub> 5 min	L <sub>A90</sub> 5 min
07:00-07:05 HOUR	52.0	49.7
07:05-07:10 HOUR	51.7	49.6
07:10-07:15 HOUR	52.8	50.0
07:15-07:20 HOUR	50.5	48.3
07:20-07:25 HOUR	55.1	53.3
07:25-07:30 HOUR	52.3	49.7
07:30-07:35 HOUR	51.6	49.0
07:35-07:40 HOUR	56.1	53.6
07:40-07:45 HOUR	53.6	51.3
07:45-07:50 HOUR	52.6	50.5
07:50-07:55 HOUR	56.9	54.6
07:55-08:00 HOUR	55.5	53.3
08:00-08:05 HOUR	56.0	53.0
08:05-08:10 HOUR	55.3	53.4
08:10-08:15 HOUR	56.9	54.6
08:15-08:20 HOUR	55.6	53.0
08:20-08:25 HOUR	56.1	53.4
08:25-08:30 HOUR	56.7	54.4
08:30-08:35 HOUR	56.2	53.2
08:35-08:40 HOUR	55.5	52.8
08:40-08:45 HOUR	55.1	53.0
08:45-08:50 HOUR	55.5	52.9
08:50-08:55 HOUR	56.4	54.5
08:55-09:00 HOUR	56.0	53.5
09:00-09:05 HOUR	56.0	53.9
09:05-09:10 HOUR	55.7	53.6
09:10-09:15 HOUR	55.5	53.4
09:15-09:20 HOUR	55.0	53.0
09:20-09:25 HOUR	56.0	53.6
09:25-09:30 HOUR	56.4	54.1
09:30-09:35 HOUR	56.6	53.9
09:35-09:40 HOUR	56.2	54.0
09:40-09:45 HOUR	55.2	52.9
09:45-09:50 HOUR	55.6	53.8
09:50-09:55 HOUR	55.5	52.9
09:55-10:00 HOUR	55.9	53.9
10:00-10:05 HOUR	56.5	53.7
10:05-10:10 HOUR	55.7	53.8
10:10-10:15 HOUR	54.7	52.9
10:15-10:20 HOUR	54.7	53.0
10:20-10:25 HOUR	54.9	52.8
10:25-10:30 HOUR	53.5	51.1
10:30-10:35 HOUR	52.9	50.4
10:35-10:40 HOUR	53.5	50.5
10:40-10:45 HOUR	54.3	52.4
10:45-10:50 HOUR	53.6	51.3
10:50-10:55 HOUR	52.5	50.2
10:55-11:00 HOUR	55.4	52.5
11:00-11:05 HOUR	57.3	54.9
11:05-11:10 HOUR	56.5	54.5
11:10-11:15 HOUR	55.9	53.9

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.

• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

25/42

2023-0107809

DO NOT SIGNATURE  
DO NOT SIGNATURE  
BY IS GROUP (THAILAND) CO., LTD.



United Analyst and Engineering Consultant Co., Ltd.  
3 Sol Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax 0 2763 2800 www.uaeconsultant.com E-mail:uae@uaeconsultant.com

TIME*	RESULT dB(A)	
	การวัดเสียง (M1)	
	DECEMBER 3-4, 2023	
	T23AY522-0005	
	L <sub>Aeq</sub> 5 min	L <sub>A90</sub> 5 min
11:15-11:20 HOUR	55.7	53.0
11:20-11:25 HOUR	57.4	54.7
11:25-11:30 HOUR	56.5	54.6
11:30-11:35 HOUR	55.8	53.1
11:35-11:40 HOUR	55.7	52.7
11:40-11:45 HOUR	55.8	53.9
11:45-11:50 HOUR	55.8	53.1
11:50-11:55 HOUR	55.7	53.0
11:55-12:00 HOUR	55.8	52.9
12:00-12:05 HOUR	57.3	54.5
12:05-12:10 HOUR	56.5	54.8
12:10-12:15 HOUR	56.1	53.7
12:15-12:20 HOUR	55.7	54.0
12:20-12:25 HOUR	55.3	53.0
12:25-12:30 HOUR	55.4	53.3
12:30-12:35 HOUR	55.1	53.1
12:35-12:40 HOUR	56.1	53.5
12:40-12:45 HOUR	56.2	53.4
12:45-12:50 HOUR	55.4	53.2
12:50-12:55 HOUR	56.1	53.5
12:55-13:00 HOUR	55.3	53.1
13:00-13:05 HOUR	58.7	56.4
13:05-13:10 HOUR	56.8	54.4
13:10-13:15 HOUR	55.2	53.5
13:15-13:20 HOUR	54.0	52.0
13:20-13:25 HOUR	56.8	54.1
13:25-13:30 HOUR	56.6	54.7
13:30-13:35 HOUR	57.9	55.4
13:35-13:40 HOUR	58.0	56.1
13:40-13:45 HOUR	57.1	55.1
13:45-13:50 HOUR	57.7	55.4
13:50-13:55 HOUR	55.9	53.2
13:55-14:00 HOUR	54.3	52.5
14:00-14:05 HOUR	56.7	54.0
14:05-14:10 HOUR	55.8	52.9
14:10-14:15 HOUR	55.4	52.5
14:15-14:20 HOUR	56.9	55.0
14:20-14:25 HOUR	57.0	55.1
14:25-14:30 HOUR	56.1	54.1
14:30-14:35 HOUR	55.2	53.1
14:35-14:40 HOUR	56.1	54.1
14:40-14:45 HOUR	55.3	52.7
14:45-14:50 HOUR	56.5	54.3
14:50-14:55 HOUR	55.7	53.0
14:55-15:00 HOUR	55.7	54.0
15:00-15:05 HOUR	53.1	50.9
15:05-15:10 HOUR	53.5	51.2
15:10-15:15 HOUR	56.4	54.1
15:15-15:20 HOUR	53.3	51.2
15:20-15:25 HOUR	53.5	51.5
15:25-15:30 HOUR	56.0	53.3

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.

• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

26/42

2023-0107809

DO NOT SIGNATURE  
DO NOT SIGNATURE  
BY IS GROUP (THAILAND) CO., LTD.



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaeconsultant.com E-mail: uaec@uaeconsultant.com

TIME*	RESULT dB(A)	
	ปริมาณน้ำไหลเข้า (N1)	
	DECEMBER 3-4, 2023	
		T23AY522-0005
	L <sub>eq</sub> 5 min	L <sub>avg</sub> 5 min
15:30-15:35 HOUR	54.9	52.2
15:35-15:40 HOUR	54.3	52.3
15:40-15:45 HOUR	56.6	54.9
15:45-15:50 HOUR	55.8	53.5
15:50-15:55 HOUR	55.4	53.6
15:55-16:00 HOUR	56.0	53.6
16:00-16:05 HOUR	51.8	49.7
16:05-16:10 HOUR	53.3	50.3
16:10-16:15 HOUR	53.5	50.8
16:15-16:20 HOUR	53.1	50.3
16:20-16:25 HOUR	52.8	50.6
16:25-16:30 HOUR	51.1	49.4
16:30-16:35 HOUR	51.1	48.7
16:35-16:40 HOUR	52.2	49.8
16:40-16:45 HOUR	49.3	46.8
16:45-16:50 HOUR	48.6	46.5
16:50-16:55 HOUR	48.7	45.9
16:55-17:00 HOUR	48.4	46.1
17:00-17:05 HOUR	52.9	50.5
17:05-17:10 HOUR	53.4	51.9
17:10-17:15 HOUR	52.7	50.1
17:15-17:20 HOUR	52.5	50.8
17:20-17:25 HOUR	51.0	48.7
17:25-17:30 HOUR	50.1	48.0
17:30-17:35 HOUR	50.2	48.2
17:35-17:40 HOUR	50.0	47.8
17:40-17:45 HOUR	50.9	48.0
17:45-17:50 HOUR	51.0	48.1
17:50-17:55 HOUR	49.7	47.2
17:55-18:00 HOUR	49.9	47.8
18:00-18:05 HOUR	49.7	47.1
18:05-18:10 HOUR	50.7	48.0
18:10-18:15 HOUR	49.3	47.0
18:15-18:20 HOUR	49.5	47.4
18:20-18:25 HOUR	49.5	46.8
18:25-18:30 HOUR	49.3	47.5
18:30-18:35 HOUR	50.0	47.6
18:35-18:40 HOUR	50.6	48.4
18:40-18:45 HOUR	49.5	47.7
18:45-18:50 HOUR	51.2	48.8
18:50-18:55 HOUR	50.5	48.1
18:55-19:00 HOUR	50.3	47.9
19:00-19:05 HOUR	51.1	48.6
19:05-19:10 HOUR	50.3	48.2
19:10-19:15 HOUR	50.2	47.7
19:15-19:20 HOUR	49.5	47.0
19:20-19:25 HOUR	50.5	48.7
19:25-19:30 HOUR	50.8	48.9
19:30-19:35 HOUR	50.0	47.5
19:35-19:40 HOUR	48.6	46.6
19:40-19:45 HOUR	50.5	48.7

NO NOISE CAPTURED  
NO NOISE CAPTURED  
BY BG GROUP (THAILAND) CO., LTD.

27/42

2023-U107809

\* PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
\* THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaeconsultant.com E-mail: uaec@uaeconsultant.com

TIME*	RESULT dB(A)	
	ปริมาณน้ำไหลเข้า (N1)	
	DECEMBER 3-4, 2023	
		T23AY522-0005
	L <sub>eq</sub> 5 min	L <sub>avg</sub> 5 min
19:45-19:50 HOUR	50.4	48.1
19:50-19:55 HOUR	50.0	47.7
19:55-20:00 HOUR	50.6	48.2
20:00-20:05 HOUR	51.5	49.2
20:05-20:10 HOUR	51.9	49.8
20:10-20:15 HOUR	51.4	49.5
20:15-20:20 HOUR	51.3	48.8
20:20-20:25 HOUR	51.8	50.0
20:25-20:30 HOUR	49.3	47.4
20:30-20:35 HOUR	50.6	48.7
20:35-20:40 HOUR	50.5	48.0
20:40-20:45 HOUR	50.0	47.7
20:45-20:50 HOUR	48.8	46.8
20:50-20:55 HOUR	49.7	47.9
20:55-21:00 HOUR	49.5	47.5
21:00-21:05 HOUR	50.1	47.3
21:05-21:10 HOUR	50.9	48.4
21:10-21:15 HOUR	50.4	48.0
21:15-21:20 HOUR	50.0	47.1
21:20-21:25 HOUR	50.4	47.4
21:25-21:30 HOUR	50.1	47.4
21:30-21:35 HOUR	50.0	47.5
21:35-21:40 HOUR	50.6	48.0
21:40-21:45 HOUR	49.2	46.6
21:45-21:50 HOUR	51.2	49.5
21:50-21:55 HOUR	48.7	46.7
21:55-22:00 HOUR	49.0	46.8
22:00-22:05 HOUR	48.6	46.5
22:05-22:10 HOUR	48.8	46.0
22:10-22:15 HOUR	49.7	47.1
22:15-22:20 HOUR	49.2	46.2
22:20-22:25 HOUR	48.3	46.2
22:25-22:30 HOUR	48.0	46.0
22:30-22:35 HOUR	47.9	45.5
22:35-22:40 HOUR	49.2	47.0
22:40-22:45 HOUR	48.4	45.9
22:45-22:50 HOUR	48.5	46.6
22:50-22:55 HOUR	48.7	46.4
22:55-23:00 HOUR	49.2	47.7
23:00-23:05 HOUR	48.1	46.0
23:05-23:10 HOUR	47.9	46.1
23:10-23:15 HOUR	48.8	47.2
23:15-23:20 HOUR	48.4	45.8
23:20-23:25 HOUR	48.1	45.4
23:25-23:30 HOUR	48.4	46.3
23:30-23:35 HOUR	48.2	46.6
23:35-23:40 HOUR	48.7	47.2
23:40-23:45 HOUR	48.5	45.9
23:45-23:50 HOUR	47.5	45.7
23:50-23:55 HOUR	48.3	46.5
23:55-00:00 HOUR	47.4	45.0

NO NOISE CAPTURED  
NO NOISE CAPTURED  
BY BG GROUP (THAILAND) CO., LTD.

28/42

2023-U107809

\* PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
\* THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.





United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax 02763 2800 www.uaeconsultant.com E-mail: uae@uaeconsultant.com

TIME*	RESULT dB(A)	
	เสียงรบกวน (NI)	
	DECEMBER 3-4, 2023	
	T23AY522-0005	
	L <sub>Aeq</sub> 5 min	L <sub>A90</sub> 5 min
00:00-00:05 HOUR	47.8	45.2
00:05-00:10 HOUR	47.5	45.6
00:10-00:15 HOUR	48.1	46.3
00:15-00:20 HOUR	47.4	45.2
00:20-00:25 HOUR	48.3	46.2
00:25-00:30 HOUR	48.4	46.4
00:30-00:35 HOUR	48.7	46.6
00:35-00:40 HOUR	47.5	45.3
00:40-00:45 HOUR	48.1	45.8
00:45-00:50 HOUR	47.6	45.0
00:50-00:55 HOUR	47.4	45.6
00:55-01:00 HOUR	48.2	46.3
01:00-01:05 HOUR	48.6	46.0
01:05-01:10 HOUR	48.8	46.1
01:10-01:15 HOUR	48.5	46.5
01:15-01:20 HOUR	48.2	45.8
01:20-01:25 HOUR	47.6	45.5
01:25-01:30 HOUR	47.6	45.1
01:30-01:35 HOUR	48.3	45.9
01:35-01:40 HOUR	47.9	45.3
01:40-01:45 HOUR	48.0	45.7
01:45-01:50 HOUR	49.3	47.8
01:50-01:55 HOUR	47.8	45.6
01:55-02:00 HOUR	48.2	46.0
02:00-02:05 HOUR	48.5	46.2
02:05-02:10 HOUR	48.5	45.6
02:10-02:15 HOUR	49.5	47.4
02:15-02:20 HOUR	48.9	47.1
02:20-02:25 HOUR	49.0	46.7
02:25-02:30 HOUR	47.5	44.9
02:30-02:35 HOUR	48.9	46.7
02:35-02:40 HOUR	48.9	46.9
02:40-02:45 HOUR	48.1	45.7
02:45-02:50 HOUR	47.9	46.2
02:50-02:55 HOUR	48.2	46.5
02:55-03:00 HOUR	48.3	46.2
03:00-03:05 HOUR	47.0	45.0
03:05-03:10 HOUR	47.5	45.0
03:10-03:15 HOUR	47.1	44.7
03:15-03:20 HOUR	48.2	45.9
03:20-03:25 HOUR	48.9	46.6
03:25-03:30 HOUR	48.6	45.7
03:30-03:35 HOUR	47.2	45.0
03:35-03:40 HOUR	47.7	45.7
03:40-03:45 HOUR	48.1	45.8
03:45-03:50 HOUR	47.8	45.6
03:50-03:55 HOUR	48.4	46.2
03:55-04:00 HOUR	48.3	46.2
04:00-04:05 HOUR	47.6	44.9
04:05-04:10 HOUR	48.0	45.5
04:10-04:15 HOUR	47.2	45.1

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

2023-0107809

29/42



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax 02763 2800 www.uaeconsultant.com E-mail: uae@uaeconsultant.com

TIME*	RESULT dB(A)	
	บริเวณพื้นที่ (N1)	
	DECEMBER 3-4, 2023	
	T23AY522-0005	
	L <sub>Aeq</sub> 5 min	L <sub>A90</sub> 5 min
04:15-04:20 HOUR	47.3	45.4
04:20-04:25 HOUR	47.4	45.5
04:25-04:30 HOUR	47.3	45.5
04:30-04:35 HOUR	47.6	45.3
04:35-04:40 HOUR	48.5	45.9
04:40-04:45 HOUR	47.8	45.4
04:45-04:50 HOUR	48.3	45.8
04:50-04:55 HOUR	47.8	45.7
04:55-05:00 HOUR	48.4	45.6
05:00-05:05 HOUR	47.6	45.2
05:05-05:10 HOUR	48.7	46.6
05:10-05:15 HOUR	48.2	46.1
05:15-05:20 HOUR	48.4	46.6
05:20-05:25 HOUR	48.5	46.4
05:25-05:30 HOUR	47.7	45.2
05:30-05:35 HOUR	47.9	45.3
05:35-05:40 HOUR	48.6	46.4
05:40-05:45 HOUR	49.6	47.7
05:45-05:50 HOUR	49.7	47.4
05:50-05:55 HOUR	48.9	46.9
05:55-06:00 HOUR	49.6	47.9
06:00-06:05 HOUR	49.8	47.9
06:05-06:10 HOUR	49.8	47.6
06:10-06:15 HOUR	52.4	49.8
06:15-06:20 HOUR	56.0	54.1
06:20-06:25 HOUR	50.0	48.0
06:25-06:30 HOUR	51.3	49.5
06:30-06:35 HOUR	55.5	53.4
06:35-06:40 HOUR	53.6	51.5
06:40-06:45 HOUR	54.7	52.0
06:45-06:50 HOUR	54.0	51.9
06:50-06:55 HOUR	53.5	51.6
06:55-07:00 HOUR	59.0	56.5

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

30/42

2023-0107809



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax 0 2763 2800 www.uaiconsultant.com E-mail: uae@uaiconsultant.com

TIME*	RESULT dB(A)	
	เกณฑ์มาตรฐาน (N1) DECEMBER 4-5, 2023 T23AY522-0006	
	L <sub>avg</sub> 5 min	L <sub>avg</sub> 5 min
07:00-07:05 HOUR	54.2	52.0
07:05-07:10 HOUR	55.5	53.5
07:10-07:15 HOUR	54.6	52.0
07:15-07:20 HOUR	54.3	52.3
07:20-07:25 HOUR	55.4	52.8
07:25-07:30 HOUR	55.9	53.5
07:30-07:35 HOUR	55.5	52.7
07:35-07:40 HOUR	55.0	52.3
07:40-07:45 HOUR	54.5	52.5
07:45-07:50 HOUR	54.4	52.2
07:50-07:55 HOUR	55.4	53.6
07:55-08:00 HOUR	55.5	53.0
08:00-08:05 HOUR	56.6	54.3
08:05-08:10 HOUR	55.5	52.5
08:10-08:15 HOUR	55.7	53.5
08:15-08:20 HOUR	56.6	54.4
08:20-08:25 HOUR	56.5	54.3
08:25-08:30 HOUR	55.8	54.1
08:30-08:35 HOUR	55.9	53.2
08:35-08:40 HOUR	55.8	53.0
08:40-08:45 HOUR	55.4	52.6
08:45-08:50 HOUR	55.8	53.5
08:50-08:55 HOUR	56.4	53.5
08:55-09:00 HOUR	55.9	54.2
09:00-09:05 HOUR	58.6	56.9
09:05-09:10 HOUR	55.2	53.1
09:10-09:15 HOUR	55.8	53.6
09:15-09:20 HOUR	54.4	52.7
09:20-09:25 HOUR	56.1	53.8
09:25-09:30 HOUR	55.5	53.2
09:30-09:35 HOUR	55.8	52.9
09:35-09:40 HOUR	55.4	53.5
09:40-09:45 HOUR	55.8	53.6
09:45-09:50 HOUR	55.4	53.3
09:50-09:55 HOUR	55.9	53.8
09:55-10:00 HOUR	55.5	52.7
10:00-10:05 HOUR	56.2	54.1
10:05-10:10 HOUR	58.4	56.1
10:10-10:15 HOUR	56.9	54.4
10:15-10:20 HOUR	57.3	54.8
10:20-10:25 HOUR	58.0	56.1
10:25-10:30 HOUR	59.2	57.0
10:30-10:35 HOUR	57.4	54.5
10:35-10:40 HOUR	57.3	55.7
10:40-10:45 HOUR	60.3	58.0
10:45-10:50 HOUR	59.0	56.6
10:50-10:55 HOUR	60.4	57.8
10:55-11:00 HOUR	55.1	52.5
11:00-11:05 HOUR	55.0	53.2
11:05-11:10 HOUR	54.7	52.1
11:10-11:15 HOUR	55.3	53.0



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax 0 2763 2800 www.uaiconsultant.com E-mail: uae@uaiconsultant.com

TIME*	RESULT dB(A)	
	เกณฑ์มาตรฐาน (N1) DECEMBER 4-5, 2023 T23AY522-0006	
	L <sub>avg</sub> 5 min	L <sub>avg</sub> 5 min
11:15-11:20 HOUR	56.6	54.4
11:20-11:25 HOUR	56.7	54.0
11:25-11:30 HOUR	55.9	53.7
11:30-11:35 HOUR	55.7	52.8
11:35-11:40 HOUR	58.5	56.2
11:40-11:45 HOUR	58.2	56.7
11:45-11:50 HOUR	56.2	53.7
11:50-11:55 HOUR	57.8	55.7
11:55-12:00 HOUR	58.0	56.1
12:00-12:05 HOUR	57.1	54.6
12:05-12:10 HOUR	57.5	54.6
12:10-12:15 HOUR	58.9	57.1
12:15-12:20 HOUR	58.5	55.9
12:20-12:25 HOUR	58.5	56.7
12:25-12:30 HOUR	57.4	54.4
12:30-12:35 HOUR	57.1	54.6
12:35-12:40 HOUR	58.3	56.7
12:40-12:45 HOUR	58.1	56.0
12:45-12:50 HOUR	58.5	55.7
12:50-12:55 HOUR	57.6	54.7
12:55-13:00 HOUR	58.5	56.5
13:00-13:05 HOUR	56.9	55.0
13:05-13:10 HOUR	57.5	55.3
13:10-13:15 HOUR	58.4	56.0
13:15-13:20 HOUR	56.9	55.0
13:20-13:25 HOUR	57.7	55.5
13:25-13:30 HOUR	58.6	56.9
13:30-13:35 HOUR	57.8	55.5
13:35-13:40 HOUR	57.5	55.3
13:40-13:45 HOUR	58.1	56.4
13:45-13:50 HOUR	57.8	55.8
13:50-13:55 HOUR	58.1	56.0
13:55-14:00 HOUR	57.2	54.6
14:00-14:05 HOUR	55.9	53.6
14:05-14:10 HOUR	56.6	54.3
14:10-14:15 HOUR	55.9	52.9
14:15-14:20 HOUR	55.1	52.6
14:20-14:25 HOUR	55.2	52.3
14:25-14:30 HOUR	55.5	52.7
14:30-14:35 HOUR	55.1	52.9
14:35-14:40 HOUR	54.2	52.1
14:40-14:45 HOUR	55.0	52.4
14:45-14:50 HOUR	54.6	52.0
14:50-14:55 HOUR	53.4	51.1
14:55-15:00 HOUR	55.5	53.0
15:00-15:05 HOUR	56.6	53.8
15:05-15:10 HOUR	56.7	54.2
15:10-15:15 HOUR	56.7	54.4
15:15-15:20 HOUR	57.0	54.5
15:20-15:25 HOUR	57.0	55.1
15:25-15:30 HOUR	56.1	53.3



United Analyst and Engineering Consultant Co., Ltd.  
3 Sol Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax 0 2763 2800 www.uaeconsultant.com E-mail:uae@uaeconsultant.com

TIME*	RESULT dB(A)	
	การสุ่มวัด (N1)	
	DECEMBER 4-5, 2023	
T23AY522-0006		
	L <sub>Aeq</sub> 5 min	L <sub>A90</sub> 5 min
15:30-15:35 HOUR	56.1	53.6
15:35-15:40 HOUR	56.1	53.3
15:40-15:45 HOUR	56.9	54.4
15:45-15:50 HOUR	56.0	53.5
15:50-15:55 HOUR	55.3	52.8
15:55-16:00 HOUR	55.6	53.5
16:00-16:05 HOUR	53.7	50.8
16:05-16:10 HOUR	54.0	52.1
16:10-16:15 HOUR	51.8	49.4
16:15-16:20 HOUR	52.7	50.7
16:20-16:25 HOUR	54.8	52.3
16:25-16:30 HOUR	52.6	50.3
16:30-16:35 HOUR	51.1	48.6
16:35-16:40 HOUR	52.4	50.0
16:40-16:45 HOUR	54.6	52.7
16:45-16:50 HOUR	57.4	55.2
16:50-16:55 HOUR	54.2	51.8
16:55-17:00 HOUR	53.0	50.6
17:00-17:05 HOUR	52.6	50.5
17:05-17:10 HOUR	52.4	49.5
17:10-17:15 HOUR	52.6	50.0
17:15-17:20 HOUR	51.8	49.8
17:20-17:25 HOUR	51.8	49.6
17:25-17:30 HOUR	50.0	47.4
17:30-17:35 HOUR	51.6	49.4
17:35-17:40 HOUR	58.1	56.5
17:40-17:45 HOUR	52.5	50.6
17:45-17:50 HOUR	53.5	51.0
17:50-17:55 HOUR	52.7	50.8
17:55-18:00 HOUR	51.6	49.7
18:00-18:05 HOUR	51.0	48.7
18:05-18:10 HOUR	51.2	48.3
18:10-18:15 HOUR	50.8	48.4
18:15-18:20 HOUR	51.2	49.2
18:20-18:25 HOUR	52.1	49.8
18:25-18:30 HOUR	52.0	49.9
18:30-18:35 HOUR	52.8	50.0
18:35-18:40 HOUR	51.3	49.1
18:40-18:45 HOUR	51.3	48.8
18:45-18:50 HOUR	51.7	49.1
18:50-18:55 HOUR	52.2	50.6
18:55-19:00 HOUR	50.8	48.2
19:00-19:05 HOUR	51.3	49.2
19:05-19:10 HOUR	52.1	49.8
19:10-19:15 HOUR	51.5	49.0
19:15-19:20 HOUR	50.9	49.1
19:20-19:25 HOUR	51.3	48.5
19:25-19:30 HOUR	51.5	49.6
19:30-19:35 HOUR	51.5	48.7
19:35-19:40 HOUR	50.6	47.9
19:40-19:45 HOUR	51.3	49.1

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

2023-U107809

33/42

ISO 9001:2015 CERTIFIED  
BY SGS GROUP (THAILAND) CO., LTD.



United Analyst and Engineering Consultant Co., Ltd.  
3 Sol Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax 0 2763 2800 www.uaeconsultant.com E-mail:uae@uaeconsultant.com

TIME*	RESULT dB(A)	
	การสุ่มวัด (N1)	
	DECEMBER 4-5, 2023	
T23AY522-0006		
	L <sub>Aeq</sub> 5 min	L <sub>A90</sub> 5 min
19:45-19:50 HOUR	51.2	49.3
19:50-19:55 HOUR	51.2	49.2
19:55-20:00 HOUR	52.3	49.4
20:00-20:05 HOUR	50.4	48.0
20:05-20:10 HOUR	50.9	48.7
20:10-20:15 HOUR	51.4	49.1
20:15-20:20 HOUR	51.3	49.1
20:20-20:25 HOUR	50.5	48.7
20:25-20:30 HOUR	50.8	48.6
20:30-20:35 HOUR	50.1	47.9
20:35-20:40 HOUR	50.8	48.5
20:40-20:45 HOUR	50.9	48.2
20:45-20:50 HOUR	50.3	48.4
20:50-20:55 HOUR	50.0	47.3
20:55-21:00 HOUR	51.1	49.1
21:00-21:05 HOUR	50.8	48.3
21:05-21:10 HOUR	51.3	48.5
21:10-21:15 HOUR	50.2	47.7
21:15-21:20 HOUR	50.4	47.9
21:20-21:25 HOUR	50.2	48.0
21:25-21:30 HOUR	50.8	48.4
21:30-21:35 HOUR	50.1	47.4
21:35-21:40 HOUR	50.4	48.4
21:40-21:45 HOUR	49.7	47.6
21:45-21:50 HOUR	49.9	48.0
21:50-21:55 HOUR	50.2	48.1
21:55-22:00 HOUR	51.6	49.4
22:00-22:05 HOUR	49.4	47.2
22:05-22:10 HOUR	49.0	47.4
22:10-22:15 HOUR	49.4	47.8
22:15-22:20 HOUR	48.9	47.3
22:20-22:25 HOUR	49.4	47.3
22:25-22:30 HOUR	48.9	46.7
22:30-22:35 HOUR	49.0	47.1
22:35-22:40 HOUR	49.4	47.0
22:40-22:45 HOUR	49.7	47.2
22:45-22:50 HOUR	49.8	47.3
22:50-22:55 HOUR	49.1	47.5
22:55-23:00 HOUR	49.6	47.4
23:00-23:05 HOUR	48.6	46.8
23:05-23:10 HOUR	49.4	47.4
23:10-23:15 HOUR	48.9	47.2
23:15-23:20 HOUR	48.1	45.6
23:20-23:25 HOUR	48.9	47.1
23:25-23:30 HOUR	49.9	47.2
23:30-23:35 HOUR	50.0	47.5
23:35-23:40 HOUR	48.8	47.0
23:40-23:45 HOUR	48.8	45.9
23:45-23:50 HOUR	49.3	47.3
23:50-23:55 HOUR	48.7	46.1
23:55-00:00 HOUR	49.9	47.8

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

34/42

2023-U107809

ISO 9001:2015 CERTIFIED  
BY SGS GROUP (THAILAND) CO., LTD.



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Bangkok 10260  
Tel. 0 2763 2828 Fax 0 2763 2800 www.uaec consultant.com E-mail: uaec@uaec consultant.com

TIME*	RESULT dB(A)	
	การวัดเสียง (NI)	
	DECEMBER 4-5, 2023	
	T23AY522-0006	
	L <sub>avg</sub> 5 min	L <sub>avg</sub> 5 min
00:00-00:05 HOUR	50.0	48.0
00:05-00:10 HOUR	50.0	47.5
00:10-00:15 HOUR	49.1	47.4
00:15-00:20 HOUR	49.4	46.6
00:20-00:25 HOUR	48.8	46.8
00:25-00:30 HOUR	48.8	46.7
00:30-00:35 HOUR	49.3	47.6
00:35-00:40 HOUR	48.6	46.2
00:40-00:45 HOUR	48.4	45.7
00:45-00:50 HOUR	49.5	46.9
00:50-00:55 HOUR	48.9	46.8
00:55-01:00 HOUR	49.4	47.0
01:00-01:05 HOUR	48.9	46.6
01:05-01:10 HOUR	50.1	47.6
01:10-01:15 HOUR	49.1	46.9
01:15-01:20 HOUR	48.3	46.1
01:20-01:25 HOUR	49.7	47.9
01:25-01:30 HOUR	49.8	47.5
01:30-01:35 HOUR	48.3	46.4
01:35-01:40 HOUR	48.9	47.3
01:40-01:45 HOUR	48.9	46.3
01:45-01:50 HOUR	48.2	46.2
01:50-01:55 HOUR	49.0	46.9
01:55-02:00 HOUR	47.7	45.7
02:00-02:05 HOUR	48.5	46.1
02:05-02:10 HOUR	49.7	47.6
02:10-02:15 HOUR	48.6	45.8
02:15-02:20 HOUR	48.7	46.8
02:20-02:25 HOUR	49.3	46.7
02:25-02:30 HOUR	49.2	46.6
02:30-02:35 HOUR	49.1	46.6
02:35-02:40 HOUR	49.2	46.6
02:40-02:45 HOUR	49.6	46.7
02:45-02:50 HOUR	48.1	45.7
02:50-02:55 HOUR	49.3	47.3
02:55-03:00 HOUR	50.9	48.5
03:00-03:05 HOUR	48.3	46.0
03:05-03:10 HOUR	48.3	45.6
03:10-03:15 HOUR	48.0	45.9
03:15-03:20 HOUR	48.5	46.4
03:20-03:25 HOUR	49.2	46.8
03:25-03:30 HOUR	48.6	45.6
03:30-03:35 HOUR	49.1	47.4
03:35-03:40 HOUR	48.4	46.4
03:40-03:45 HOUR	48.7	46.7
03:45-03:50 HOUR	50.3	48.2
03:50-03:55 HOUR	48.6	47.0
03:55-04:00 HOUR	48.6	45.9
04:00-04:05 HOUR	48.4	46.8
04:05-04:10 HOUR	49.2	47.2
04:10-04:15 HOUR	49.4	47.1



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Bangkok 10260  
Tel. 0 2763 2828 Fax 0 2763 2800 www.uaec consultant.com E-mail: uaec@uaec consultant.com

TIME*	RESULT dB(A)	
	บริเวณวัดเสียง (N1)	
	DECEMBER 4-5, 2023	
	T23AY522-0006	
	L <sub>avg</sub> 5 min	L <sub>avg</sub> 5 min
04:15-04:20 HOUR	48.8	47.2
04:20-04:25 HOUR	48.5	46.3
04:25-04:30 HOUR	49.3	46.7
04:30-04:35 HOUR	49.0	46.8
04:35-04:40 HOUR	49.2	47.1
04:40-04:45 HOUR	49.2	47.0
04:45-04:50 HOUR	48.7	46.5
04:50-04:55 HOUR	49.2	46.3
04:55-05:00 HOUR	49.2	46.3
05:00-05:05 HOUR	48.8	46.1
05:05-05:10 HOUR	49.8	47.6
05:10-05:15 HOUR	49.9	48.0
05:15-05:20 HOUR	49.3	46.8
05:20-05:25 HOUR	49.0	46.1
05:25-05:30 HOUR	49.6	47.2
05:30-05:35 HOUR	49.6	47.3
05:35-05:40 HOUR	49.5	47.5
05:40-05:45 HOUR	50.4	47.8
05:45-05:50 HOUR	50.8	49.0
05:50-05:55 HOUR	50.1	47.7
05:55-06:00 HOUR	49.9	47.8
06:00-06:05 HOUR	49.8	47.8
06:05-06:10 HOUR	49.8	47.7
06:10-06:15 HOUR	50.2	48.4
06:15-06:20 HOUR	54.7	52.1
06:20-06:25 HOUR	54.9	52.9
06:25-06:30 HOUR	52.7	50.4
06:30-06:35 HOUR	55.5	53.0
06:35-06:40 HOUR	54.3	52.5
06:40-06:45 HOUR	51.5	49.2
06:45-06:50 HOUR	54.1	51.8
06:50-06:55 HOUR	52.4	50.1
06:55-07:00 HOUR	51.3	49.4

TIME	RESULT dB(A)		
	រំហូរទឹកបំបាត់ (W1)		
	DECEMBER 5-6, 2023		
	T23AY522-0007		
	L <sub>Aeq</sub> 5 min		L <sub>Aeq</sub> 5 min
07:00-07:05 HOUR	55.1		52.7
07:05-07:10 HOUR	52.5		50.2
07:10-07:15 HOUR	53.3		50.8
07:15-07:20 HOUR	53.6		51.4
07:20-07:25 HOUR	51.8		49.4
07:25-07:30 HOUR	52.2		50.5
07:30-07:35 HOUR	53.6		51.6
07:35-07:40 HOUR	52.9		50.3
07:40-07:45 HOUR	54.6		52.9
07:45-07:50 HOUR	53.7		51.2
07:50-07:55 HOUR	53.1		50.7
07:55-08:00 HOUR	53.2		50.7
08:00-08:05 HOUR	55.8		53.5
08:05-08:10 HOUR	55.9		53.7
08:10-08:15 HOUR	54.4		52.1
08:15-08:20 HOUR	55.2		52.7
08:20-08:25 HOUR	55.0		53.1
08:25-08:30 HOUR	54.9		52.4
08:30-08:35 HOUR	54.7		52.5
08:35-08:40 HOUR	54.2		51.8
08:40-08:45 HOUR	54.2		52.3
08:45-08:50 HOUR	53.8		51.2
08:50-08:55 HOUR	53.5		50.6
08:55-09:00 HOUR	55.2		52.8
09:00-09:05 HOUR	55.9		53.8
09:05-09:10 HOUR	56.0		54.2
09:10-09:15 HOUR	55.9		53.7
09:15-09:20 HOUR	56.1		54.3
09:20-09:25 HOUR	56.5		54.4
09:25-09:30 HOUR	57.1		54.8
09:30-09:35 HOUR	56.6		54.5
09:35-09:40 HOUR	56.3		53.7
09:40-09:45 HOUR	56.9		54.4
09:45-09:50 HOUR	57.6		55.3
09:50-09:55 HOUR	57.9		55.4
09:55-10:00 HOUR	57.1		55.4
10:00-10:05 HOUR	56.2		53.7
10:05-10:10 HOUR	56.9		54.8
10:10-10:15 HOUR	58.0		56.0
10:15-10:20 HOUR	57.0		54.4
10:20-10:25 HOUR	56.0		53.8
10:25-10:30 HOUR	57.0		55.1
10:30-10:35 HOUR	57.5		55.4
10:35-10:40 HOUR	57.4		55.0
10:40-10:45 HOUR	56.6		54.7
10:45-10:50 HOUR	56.3		54.2
10:50-10:55 HOUR	57.2		54.3
10:55-11:00 HOUR	58.1		55.6
11:00-11:05 HOUR	54.0		52.0
11:05-11:10 HOUR	55.1		52.6
11:10-11:15 HOUR	55.6		52.9

- PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.
- THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

2023-U107809

37/42

			RESULT dB(A)	
			รายงานผลการวัด (M1)	
			DECEMBER 5-6, 2023	
			T23AY522-0007	
TIME*	L <sub>Aeq</sub> 5 min	L <sub>Aeq</sub> 5 min		
11:15-11:20 HOUR	56.3	54.4		
11:20-11:25 HOUR	56.6	53.8		
11:25-11:30 HOUR	55.7	53.5		
11:30-11:35 HOUR	55.4	52.7		
11:35-11:40 HOUR	56.3	54.6		
11:40-11:45 HOUR	57.1	55.2		
11:45-11:50 HOUR	55.9	53.4		
11:50-11:55 HOUR	56.0	53.7		
11:55-12:00 HOUR	56.7	54.7		
12:00-12:05 HOUR	57.5	54.8		
12:05-12:10 HOUR	56.1	54.4		
12:10-12:15 HOUR	56.5	53.8		
12:15-12:20 HOUR	56.1	53.8		
12:20-12:25 HOUR	56.4	54.5		
12:25-12:30 HOUR	57.1	54.9		
12:30-12:35 HOUR	55.1	52.8		
12:35-12:40 HOUR	56.4	54.2		
12:40-12:45 HOUR	56.9	54.7		
12:45-12:50 HOUR	56.7	54.5		
12:50-12:55 HOUR	56.8	54.5		
12:55-13:00 HOUR	55.9	53.4		
13:00-13:05 HOUR	55.3	52.6		
13:05-13:10 HOUR	56.0	53.8		
13:10-13:15 HOUR	57.1	55.0		
13:15-13:20 HOUR	56.2	54.2		
13:20-13:25 HOUR	56.6	53.9		
13:25-13:30 HOUR	55.4	53.4		
13:30-13:35 HOUR	55.9	53.8		
13:35-13:40 HOUR	56.4	54.4		
13:40-13:45 HOUR	56.2	53.6		
13:45-13:50 HOUR	56.7	54.1		
13:50-13:55 HOUR	56.2	54.1		
13:55-14:00 HOUR	55.4	52.8		
14:00-14:05 HOUR	57.2	54.8		
14:05-14:10 HOUR	56.3	53.4		
14:10-14:15 HOUR	56.2	54.3		
14:15-14:20 HOUR	55.6	53.4		
14:20-14:25 HOUR	55.3	52.7		
14:25-14:30 HOUR	55.1	52.9		
14:30-14:35 HOUR	54.9	53.2		
14:35-14:40 HOUR	55.6	53.1		
14:40-14:45 HOUR	54.7	52.5		
14:45-14:50 HOUR	54.1	51.7		
14:50-14:55 HOUR	55.1	53.2		
14:55-15:00 HOUR	54.7	53.1		
15:00-15:05 HOUR	56.5	54.1		
15:05-15:10 HOUR	56.5	54.1		
15:10-15:15 HOUR	55.6	53.1		
15:15-15:20 HOUR	56.6	53.8		
15:20-15:25 HOUR	56.6	54.0		
15:25-15:30 HOUR	56.0	54.0		

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

38/42

2023-U107809



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel. 0 2763 2828 Fax 0 2763 2800 www.laeconsultant.com E-mail: uae@laeconsultant.com

TIME#	RESULT dB(A)	
	ผลการวัดเสียง (N1) DECEMBER 5-6, 2023 T23AY522-0007	
	L <sub>Aeq</sub> 5 min	L <sub>Aeq</sub> 5 min
15:30-15:35 HOUR	55.6	55.5
15:35-15:40 HOUR	56.1	53.8
15:40-15:45 HOUR	56.0	53.4
15:45-15:50 HOUR	55.8	53.6
15:50-15:55 HOUR	56.0	54.2
15:55-16:00 HOUR	55.6	52.9
16:00-16:05 HOUR	52.6	50.1
16:05-16:10 HOUR	52.8	51.3
16:10-16:15 HOUR	51.8	49.3
16:15-16:20 HOUR	61.3	59.5
16:20-16:25 HOUR	58.9	56.9
16:25-16:30 HOUR	54.1	51.5
16:30-16:35 HOUR	52.2	49.9
16:35-16:40 HOUR	51.8	49.8
16:40-16:45 HOUR	51.9	48.9
16:45-16:50 HOUR	51.9	49.5
16:50-16:55 HOUR	54.2	51.7
16:55-17:00 HOUR	51.5	49.5
17:00-17:05 HOUR	50.2	47.7
17:05-17:10 HOUR	53.6	51.9
17:10-17:15 HOUR	52.8	50.3
17:15-17:20 HOUR	51.7	49.2
17:20-17:25 HOUR	52.0	49.3
17:25-17:30 HOUR	50.8	48.6
17:30-17:35 HOUR	53.2	50.9
17:35-17:40 HOUR	50.1	47.7
17:40-17:45 HOUR	51.1	48.4
17:45-17:50 HOUR	51.7	50.0
17:50-17:55 HOUR	50.0	47.2
17:55-18:00 HOUR	50.4	48.9
18:00-18:05 HOUR	52.0	50.5
18:05-18:10 HOUR	52.4	50.0
18:10-18:15 HOUR	52.6	50.7
18:15-18:20 HOUR	50.6	48.2
18:20-18:25 HOUR	51.3	49.1
18:25-18:30 HOUR	52.1	49.9
18:30-18:35 HOUR	51.4	49.2
18:35-18:40 HOUR	51.0	48.9
18:40-18:45 HOUR	51.6	49.2
18:45-18:50 HOUR	51.5	49.1
18:50-18:55 HOUR	52.0	49.8
18:55-19:00 HOUR	51.7	49.2
19:00-19:05 HOUR	51.0	48.6
19:05-19:10 HOUR	51.0	49.3
19:10-19:15 HOUR	51.2	49.1
19:15-19:20 HOUR	51.8	49.2
19:20-19:25 HOUR	50.6	50.6
19:25-19:30 HOUR	51.5	49.3
19:30-19:35 HOUR	51.2	49.4
19:35-19:40 HOUR	51.0	48.8
19:40-19:45 HOUR	50.6	48.0



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel. 0 2763 2828 Fax 0 2763 2800 www.laeconsultant.com E-mail: uae@laeconsultant.com

TIME#	RESULT dB(A)	
	ผลการวัดเสียง (N1) DECEMBER 5-6, 2023 T23AY522-0007	
	L <sub>Aeq</sub> 5 min	L <sub>Aeq</sub> 5 min
19:45-19:50 HOUR	51.3	48.8
19:50-19:55 HOUR	51.0	48.5
19:55-20:00 HOUR	51.0	48.8
20:00-20:05 HOUR	50.6	48.3
20:05-20:10 HOUR	51.0	48.7
20:10-20:15 HOUR	50.3	48.3
20:15-20:20 HOUR	50.6	48.6
20:20-20:25 HOUR	50.6	48.1
20:25-20:30 HOUR	51.3	48.8
20:30-20:35 HOUR	50.9	49.2
20:35-20:40 HOUR	50.4	48.0
20:40-20:45 HOUR	51.6	48.8
20:45-20:50 HOUR	50.3	48.1
20:50-20:55 HOUR	49.9	47.5
20:55-21:00 HOUR	50.6	48.4
21:00-21:05 HOUR	50.4	48.8
21:05-21:10 HOUR	51.7	49.9
21:10-21:15 HOUR	50.6	48.2
21:15-21:20 HOUR	50.8	48.5
21:20-21:25 HOUR	50.1	48.2
21:25-21:30 HOUR	50.3	47.8
21:30-21:35 HOUR	50.1	47.4
21:35-21:40 HOUR	50.4	48.0
21:40-21:45 HOUR	49.6	47.1
21:45-21:50 HOUR	50.8	47.9
21:50-21:55 HOUR	50.0	47.8
21:55-22:00 HOUR	50.2	47.8
22:00-22:05 HOUR	49.8	47.9
22:05-22:10 HOUR	48.8	46.3
22:10-22:15 HOUR	49.9	47.1
22:15-22:20 HOUR	49.6	47.1
22:20-22:25 HOUR	49.5	47.2
22:25-22:30 HOUR	49.3	47.2
22:30-22:35 HOUR	49.1	46.5
22:35-22:40 HOUR	49.9	47.2
22:40-22:45 HOUR	49.8	47.6
22:45-22:50 HOUR	50.3	47.8
22:50-22:55 HOUR	50.4	48.3
22:55-23:00 HOUR	49.5	47.7
23:00-23:05 HOUR	49.9	48.1
23:05-23:10 HOUR	49.6	48.0
23:10-23:15 HOUR	48.4	46.3
23:15-23:20 HOUR	50.0	47.5
23:20-23:25 HOUR	50.1	47.7
23:25-23:30 HOUR	48.8	46.5
23:30-23:35 HOUR	48.6	46.1
23:35-23:40 HOUR	49.0	46.7
23:40-23:45 HOUR	48.7	46.4
23:45-23:50 HOUR	48.7	45.9
23:50-23:55 HOUR	48.8	46.6
23:55-00:00 HOUR	50.3	47.7



TIME*	RESULT dB(A)	
	เสียงรบกวน (NI)	เสียงรบกวน (NI)
DECEMBER 5-6, 2023		
TZ3AY522-0007		
00:00-00:05 HOUR	49.5	47.5
00:05-00:10 HOUR	48.6	46.3
00:10-00:15 HOUR	48.8	46.4
00:15-00:20 HOUR	48.5	46.2
00:20-00:25 HOUR	48.3	46.2
00:25-00:30 HOUR	49.6	47.4
00:30-00:35 HOUR	48.7	47.8
00:35-00:40 HOUR	49.5	46.2
00:40-00:45 HOUR	49.5	46.5
00:45-00:50 HOUR	49.1	47.2
00:50-00:55 HOUR	48.6	46.8
00:55-01:00 HOUR	49.1	46.5
01:00-01:05 HOUR	48.3	46.5
01:05-01:10 HOUR	49.5	47.4
01:10-01:15 HOUR	48.3	45.7
01:15-01:20 HOUR	49.1	47.5
01:20-01:25 HOUR	48.2	45.8
01:25-01:30 HOUR	48.2	46.4
01:30-01:35 HOUR	49.1	47.4
01:35-01:40 HOUR	49.6	47.7
01:40-01:45 HOUR	48.8	46.5
01:45-01:50 HOUR	47.6	46.1
01:50-01:55 HOUR	49.2	47.1
01:55-02:00 HOUR	48.3	46.1
02:00-02:05 HOUR	48.9	47.1
02:05-02:10 HOUR	48.3	46.1
02:10-02:15 HOUR	48.9	47.1
02:15-02:20 HOUR	50.0	48.0
02:20-02:25 HOUR	49.3	46.9
02:25-02:30 HOUR	48.7	46.8
02:30-02:35 HOUR	48.3	46.8
02:35-02:40 HOUR	48.7	46.7
02:40-02:45 HOUR	49.2	47.1
02:45-02:50 HOUR	49.4	47.8
02:50-02:55 HOUR	49.3	47.1
02:55-03:00 HOUR	48.4	45.8
03:00-03:05 HOUR	48.6	45.9
03:05-03:10 HOUR	48.3	46.4
03:10-03:15 HOUR	48.9	46.6
03:15-03:20 HOUR	50.2	47.4
03:20-03:25 HOUR	48.0	45.4
03:25-03:30 HOUR	48.1	45.6
03:30-03:35 HOUR	48.8	46.7
03:35-03:40 HOUR	48.4	45.9
03:40-03:45 HOUR	48.8	46.5
03:45-03:50 HOUR	48.0	45.7
03:50-03:55 HOUR	48.5	46.1
03:55-04:00 HOUR	48.0	45.2
04:00-04:05 HOUR	49.0	46.4
04:05-04:10 HOUR	49.2	46.9

PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

41/42

2023-U107809

TIME*	RESULT dB(A)	
	เสียงรบกวน (NI)	เสียงรบกวน (NI)
DECEMBER 5-6, 2023		
TZ3AY522-0007		
04:15-04:20 HOUR	48.8	46.5
04:20-04:25 HOUR	48.8	47.1
04:25-04:30 HOUR	49.3	47.0
04:30-04:35 HOUR	49.4	46.7
04:35-04:40 HOUR	49.4	47.5
04:40-04:45 HOUR	49.1	47.1
04:45-04:50 HOUR	48.8	47.6
04:50-04:55 HOUR	49.1	46.6
04:55-05:00 HOUR	48.6	46.2
05:00-05:05 HOUR	48.9	47.3
05:05-05:10 HOUR	49.2	47.1
05:10-05:15 HOUR	48.9	47.8
05:15-05:20 HOUR	48.9	46.7
05:20-05:25 HOUR	49.4	47.5
05:25-05:30 HOUR	49.0	46.3
05:30-05:35 HOUR	50.6	47.4
05:35-05:40 HOUR	48.9	48.0
05:40-05:45 HOUR	49.1	47.3
05:45-05:50 HOUR	49.1	46.2
05:50-05:55 HOUR	49.1	46.5
05:55-06:00 HOUR	53.6	49.1
06:00-06:05 HOUR	54.3	51.1
06:05-06:10 HOUR	54.5	51.6
06:10-06:15 HOUR	51.1	52.4
06:15-06:20 HOUR	50.3	48.5
06:20-06:25 HOUR	50.4	48.2
06:25-06:30 HOUR	53.9	47.8
06:30-06:35 HOUR	51.1	52.1
06:35-06:40 HOUR	51.7	48.7
06:40-06:45 HOUR	51.6	49.6
06:45-06:50 HOUR	52.7	49.0
06:50-06:55 HOUR		
06:55-07:00 HOUR		

(MR. SILA BANWONGJITRUK)  
LABORATORY SUPERVISOR

DECEMBER 15, 2023

PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

42/42

2023-U107809

- End of Analysis Report -



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangchak, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaec consultant.com E-mail: uaec@uaec consultant.com


## ANALYSIS REPORT

**CUSTOMER NAME** : SEI THAI ELECTRIC CONDUCTOR CO., LTD.  
**ADDRESS** : 7/14 MOO 6, MAP YANG PHON PUJAK DAENG RAYONG 21140  
**CONTACT INFORMATION** : TEL : 08 8211 1367 e-mail : sasina.d@secc.sei.co.jp  
**MEASURING SOURCE** : แหล่งกำเนิดเสียง (N2)  
**MEASURING TYPE** : AMBIENT (NOISE)  
**MEASURING DATE** : NOVEMBER 29 - DECEMBER 6, 2023  
**MEASURING TIME** : \*  
**MEASURING METHOD** : INTEGRATED SOUND LEVEL METER  
**MEASURED BY** : MR TOSSAPORN TAMAPRURN

**RECEIVED DATE** : NOVEMBER 29 - DECEMBER 6, 2023  
**ANALYTICAL DATE** : NOVEMBER 29 - DECEMBER 6, 2023  
**REPORT NO.** : 2023-U107810  
**WORK NO.** : 2023-000740  
**ANALYSIS NO.** : T23AY522-0008 - T23AY522-0014

TIME*	RESULT dB(A)	
	พื้นที่โรงงานด้านเหนือ (N2)	
	NOVEMBER 29-30, 2023	
	T23AY522-0008	
	L <sub>Aeq</sub> 5 min	L <sub>A90</sub> 5 min
07:00-07:05 HOUR	58.3	56.4
07:05-07:10 HOUR	57.6	55.4
07:10-07:15 HOUR	57.9	55.1
07:15-07:20 HOUR	57.2	55.5
07:20-07:25 HOUR	58.4	56.1
07:25-07:30 HOUR	57.3	55.1
07:30-07:35 HOUR	57.5	55.2
07:35-07:40 HOUR	59.1	56.3
07:40-07:45 HOUR	59.3	57.6
07:45-07:50 HOUR	58.5	56.1
07:50-07:55 HOUR	57.9	55.1
07:55-08:00 HOUR	54.2	51.7
08:00-08:05 HOUR	54.5	51.9
08:05-08:10 HOUR	56.5	54.4
08:10-08:15 HOUR	56.2	54.4
08:15-08:20 HOUR	58.9	56.4
08:20-08:25 HOUR	56.8	54.7
08:25-08:30 HOUR	59.2	57.0
08:30-08:35 HOUR	57.7	55.8
08:35-08:40 HOUR	57.9	55.5
08:40-08:45 HOUR	56.9	54.6
08:45-08:50 HOUR	59.7	57.1
08:50-08:55 HOUR	53.9	51.0
08:55-09:00 HOUR	53.4	51.5
09:00-09:05 HOUR	58.8	56.7
09:05-09:10 HOUR	60.1	58.0
09:10-09:15 HOUR	55.8	53.5
09:15-09:20 HOUR	57.6	54.8
09:20-09:25 HOUR	59.0	56.6
09:25-09:30 HOUR	55.2	52.4
09:30-09:35 HOUR	58.3	55.8
09:35-09:40 HOUR	54.1	52.3
09:40-09:45 HOUR	56.8	54.3
09:45-09:50 HOUR	58.0	56.1
09:50-09:55 HOUR	55.7	54.0
09:55-10:00 HOUR	53.8	51.7
10:00-10:05 HOUR	51.6	49.4
10:05-10:10 HOUR	53.5	51.1
10:10-10:15 HOUR	57.8	55.5

\* PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
\* THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangchak, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaec consultant.com E-mail: uaec@uaec consultant.com

TIME*	RESULT dB(A)	
	พื้นที่โรงงานด้านเหนือ (N2)	
	NOVEMBER 29-30, 2023	
	T23AY522-0008	
	L <sub>Aeq</sub> 5 min	L <sub>A90</sub> 5 min
10:15-10:20 HOUR	59.4	57.0
10:20-10:25 HOUR	54.0	51.4
10:25-10:30 HOUR	56.0	53.9
10:30-10:35 HOUR	57.8	56.3
10:35-10:40 HOUR	60.3	58.0
10:40-10:45 HOUR	53.6	51.4
10:45-10:50 HOUR	52.4	49.9
10:50-10:55 HOUR	56.5	54.5
10:55-11:00 HOUR	60.6	58.7
11:00-11:05 HOUR	52.5	50.8
11:05-11:10 HOUR	57.5	55.4
11:10-11:15 HOUR	53.4	51.1
11:15-11:20 HOUR	54.6	51.9
11:20-11:25 HOUR	58.5	56.1
11:25-11:30 HOUR	54.7	52.3
11:30-11:35 HOUR	54.5	52.1
11:35-11:40 HOUR	57.0	54.2
11:40-11:45 HOUR	52.1	50.2
11:45-11:50 HOUR	52.7	50.6
11:50-11:55 HOUR	53.2	51.4
11:55-12:00 HOUR	58.6	56.6
12:00-12:05 HOUR	51.6	49.1
12:05-12:10 HOUR	50.2	47.4
12:10-12:15 HOUR	50.1	47.8
12:15-12:20 HOUR	53.8	52.0
12:20-12:25 HOUR	51.1	49.2
12:25-12:30 HOUR	52.9	50.3
12:30-12:35 HOUR	56.2	53.9
12:35-12:40 HOUR	52.3	50.1
12:40-12:45 HOUR	51.0	48.7
12:45-12:50 HOUR	50.2	47.5
12:50-12:55 HOUR	55.3	52.8
12:55-13:00 HOUR	50.3	47.8
13:00-13:05 HOUR	50.7	47.8
13:05-13:10 HOUR	51.2	48.7
13:10-13:15 HOUR	54.9	53.1
13:15-13:20 HOUR	51.2	49.2
13:20-13:25 HOUR	57.9	56.2
13:25-13:30 HOUR	56.3	54.8
13:30-13:35 HOUR	57.8	54.9
13:35-13:40 HOUR	56.0	53.8
13:40-13:45 HOUR	57.4	54.9
13:45-13:50 HOUR	59.2	56.2
13:50-13:55 HOUR	56.4	54.3
13:55-14:00 HOUR	59.4	57.0
14:00-14:05 HOUR	56.5	54.3
14:05-14:10 HOUR	54.9	52.2
14:10-14:15 HOUR	53.6	51.6
14:15-14:20 HOUR	55.6	54.0
14:20-14:25 HOUR	52.1	49.9
14:25-14:30 HOUR	59.9	57.1

\* PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
\* THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.







United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.laeconsultant.com E-mail: lae@laeconsultant.com

TIME*	RESULT dB(A)	
	ผลการตรวจวัดเสียง (N2) NOVEMBER 29-30, 2023 T23AY522-0008	
	L <sub>Aeq</sub> 5 min	L <sub>A90</sub> 5 min
14:30-14:35 HOUR	53.6	51.7
14:35-14:40 HOUR	52.4	50.1
14:40-14:45 HOUR	50.2	47.3
14:45-14:50 HOUR	55.1	52.5
14:50-14:55 HOUR	58.1	56.0
14:55-15:00 HOUR	53.7	51.5
15:00-15:05 HOUR	51.1	49.1
15:05-15:10 HOUR	52.7	50.8
15:10-15:15 HOUR	52.9	51.0
15:15-15:20 HOUR	51.7	49.8
15:20-15:25 HOUR	51.6	49.0
15:25-15:30 HOUR	50.8	48.4
15:30-15:35 HOUR	51.4	49.4
15:35-15:40 HOUR	51.7	49.7
15:40-15:45 HOUR	51.2	49.3
15:45-15:50 HOUR	50.9	48.6
15:50-15:55 HOUR	51.2	48.7
15:55-16:00 HOUR	54.8	53.1
16:00-16:05 HOUR	54.5	52.4
16:05-16:10 HOUR	51.9	49.1
16:10-16:15 HOUR	52.4	50.3
16:15-16:20 HOUR	50.9	48.7
16:20-16:25 HOUR	52.1	49.2
16:25-16:30 HOUR	51.7	49.5
16:30-16:35 HOUR	52.8	50.6
16:35-16:40 HOUR	53.9	52.1
16:40-16:45 HOUR	51.3	48.6
16:45-16:50 HOUR	51.6	49.8
16:50-16:55 HOUR	59.6	58.0
16:55-17:00 HOUR	55.2	52.4
17:00-17:05 HOUR	54.0	51.2
17:05-17:10 HOUR	54.4	52.5
17:10-17:15 HOUR	54.2	52.2
17:15-17:20 HOUR	56.5	54.0
17:20-17:25 HOUR	54.9	52.9
17:25-17:30 HOUR	55.6	53.2
17:30-17:35 HOUR	56.7	54.5
17:35-17:40 HOUR	55.5	53.6
17:40-17:45 HOUR	58.2	55.9
17:45-17:50 HOUR	56.8	54.4
17:50-17:55 HOUR	53.3	51.1
17:55-18:00 HOUR	54.2	52.5
18:00-18:05 HOUR	53.9	51.9
18:05-18:10 HOUR	52.0	50.0
18:10-18:15 HOUR	52.5	50.1
18:15-18:20 HOUR	53.1	50.6
18:20-18:25 HOUR	51.4	48.8
18:25-18:30 HOUR	50.7	47.9
18:30-18:35 HOUR	54.2	52.2
18:35-18:40 HOUR	52.2	50.6
18:40-18:45 HOUR	55.0	52.6

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

ISO 9001:2015 CERTIFIED  
BY IS GROUP (THAILAND) CO., LTD.

3/42

2023-U107810



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.laeconsultant.com E-mail: lae@laeconsultant.com

TIME*	RESULT dB(A)	
	ผลการตรวจวัดเสียง (N2) NOVEMBER 29-30, 2023 T23AY522-0008	
	L <sub>Aeq</sub> 5 min	L <sub>A90</sub> 5 min
18:45-18:50 HOUR	51.5	49.5
18:50-18:55 HOUR	52.7	49.9
18:55-19:00 HOUR	52.5	50.3
19:00-19:05 HOUR	56.1	53.7
19:05-19:10 HOUR	55.7	53.7
19:10-19:15 HOUR	55.3	53.2
19:15-19:20 HOUR	54.7	52.7
19:20-19:25 HOUR	54.1	51.1
19:25-19:30 HOUR	52.6	50.6
19:30-19:35 HOUR	55.6	53.7
19:35-19:40 HOUR	55.8	53.6
19:40-19:45 HOUR	52.8	50.7
19:45-19:50 HOUR	53.5	50.8
19:50-19:55 HOUR	53.1	50.8
19:55-20:00 HOUR	51.3	48.6
20:00-20:05 HOUR	53.7	52.1
20:05-20:10 HOUR	56.0	54.2
20:10-20:15 HOUR	55.2	53.3
20:15-20:20 HOUR	55.3	53.2
20:20-20:25 HOUR	58.5	56.6
20:25-20:30 HOUR	57.0	54.5
20:30-20:35 HOUR	53.4	50.9
20:35-20:40 HOUR	55.0	52.9
20:40-20:45 HOUR	55.1	53.0
20:45-20:50 HOUR	52.1	49.7
20:50-20:55 HOUR	50.9	48.9
20:55-21:00 HOUR	50.8	48.2
21:00-21:05 HOUR	50.5	48.0
21:05-21:10 HOUR	52.3	50.3
21:10-21:15 HOUR	51.7	49.9
21:15-21:20 HOUR	51.9	50.3
21:20-21:25 HOUR	50.1	47.5
21:25-21:30 HOUR	59.6	57.1
21:30-21:35 HOUR	60.3	57.9
21:35-21:40 HOUR	61.0	59.0
21:40-21:45 HOUR	50.9	48.7
21:45-21:50 HOUR	51.0	48.9
21:50-21:55 HOUR	51.8	49.4
21:55-22:00 HOUR	52.2	50.6
22:00-22:05 HOUR	49.3	46.9
22:05-22:10 HOUR	49.6	46.9
22:10-22:15 HOUR	50.8	48.7
22:15-22:20 HOUR	50.8	48.3
22:20-22:25 HOUR	50.3	48.1
22:25-22:30 HOUR	49.9	47.6
22:30-22:35 HOUR	48.9	46.8
22:35-22:40 HOUR	49.6	47.8
22:40-22:45 HOUR	50.0	47.8
22:45-22:50 HOUR	48.9	47.4
22:50-22:55 HOUR	50.0	47.5
22:55-23:00 HOUR	49.8	47.9

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

ISO 9001:2015 CERTIFIED  
BY IS GROUP (THAILAND) CO., LTD.

4/42


2023-U107810



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangchak, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaiconsultant.com E-mail: uae@uaiconsultant.com

TIME*	RESULT dB(A)	
	ผลการตรวจด้านสิ่งแวดล้อม (N2) NOVEMBER 29-30, 2023 T23AY522-0008	
	L <sub>eq</sub> 5 min	L <sub>90</sub> 5 min
23:00-23:05 HOUR	49.7	47.6
23:05-23:10 HOUR	48.7	48.0
23:10-23:15 HOUR	48.9	46.3
23:15-23:20 HOUR	49.0	46.5
23:20-23:25 HOUR	49.6	48.3
23:25-23:30 HOUR	48.9	46.5
23:30-23:35 HOUR	49.1	46.7
23:35-23:40 HOUR	50.6	48.3
23:40-23:45 HOUR	48.1	48.3
23:45-23:50 HOUR	50.8	48.2
23:50-23:55 HOUR	50.6	47.8
23:55-00:00 HOUR	50.9	48.4
00:00-00:05 HOUR	49.1	46.9
00:05-00:10 HOUR	52.1	49.5
00:10-00:15 HOUR	50.4	48.1
00:15-00:20 HOUR	51.0	49.1
00:20-00:25 HOUR	50.6	48.1
00:25-00:30 HOUR	49.4	46.9
00:30-00:35 HOUR	49.3	47.1
00:35-00:40 HOUR	49.2	47.3
00:40-00:45 HOUR	49.8	47.0
00:45-00:50 HOUR	49.8	47.5
00:50-00:55 HOUR	49.0	46.4
00:55-01:00 HOUR	50.3	48.8
01:00-01:05 HOUR	48.9	47.3
01:05-01:10 HOUR	49.7	47.0
01:10-01:15 HOUR	50.5	48.2
01:15-01:20 HOUR	51.0	48.3
01:20-01:25 HOUR	49.3	47.1
01:25-01:30 HOUR	51.4	49.2
01:30-01:35 HOUR	48.0	45.2
01:35-01:40 HOUR	48.8	46.4
01:40-01:45 HOUR	49.9	48.0
01:45-01:50 HOUR	49.6	47.6
01:50-01:55 HOUR	49.2	46.9
01:55-02:00 HOUR	48.5	46.7
02:00-02:05 HOUR	50.4	48.2
02:05-02:10 HOUR	48.9	46.6
02:10-02:15 HOUR	48.9	45.6
02:15-02:20 HOUR	51.0	49.4
02:20-02:25 HOUR	49.5	48.0
02:25-02:30 HOUR	49.3	47.5
02:30-02:35 HOUR	49.5	46.9
02:35-02:40 HOUR	49.8	47.4
02:40-02:45 HOUR	50.0	47.3
02:45-02:50 HOUR	49.0	47.4
02:50-02:55 HOUR	49.2	47.1
02:55-03:00 HOUR	48.3	46.4
03:00-03:05 HOUR	48.8	47.1
03:05-03:10 HOUR	49.2	47.1
03:10-03:15 HOUR	49.3	46.9

\* PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
\* THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangchak, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaiconsultant.com E-mail: uae@uaiconsultant.com

TIME*	RESULT dB(A)	
	ผลการตรวจด้านสิ่งแวดล้อม (N2) NOVEMBER 29-30, 2023 T23AY522-0008	
	L <sub>eq</sub> 5 min	L <sub>90</sub> 5 min
03:15-03:20 HOUR	48.0	45.5
03:20-03:25 HOUR	48.5	46.0
03:25-03:30 HOUR	49.3	46.7
03:30-03:35 HOUR	48.9	47.0
03:35-03:40 HOUR	48.4	46.7
03:40-03:45 HOUR	48.7	46.0
03:45-03:50 HOUR	49.5	46.9
03:50-03:55 HOUR	49.1	46.8
03:55-04:00 HOUR	48.6	45.9
04:00-04:05 HOUR	48.4	45.6
04:05-04:10 HOUR	48.3	46.0
04:10-04:15 HOUR	48.5	45.7
04:15-04:20 HOUR	48.9	46.4
04:20-04:25 HOUR	50.1	47.5
04:25-04:30 HOUR	49.5	47.5
04:30-04:35 HOUR	50.0	47.6
04:35-04:40 HOUR	52.6	50.2
04:40-04:45 HOUR	49.5	46.9
04:45-04:50 HOUR	49.0	47.0
04:50-04:55 HOUR	49.9	47.5
04:55-05:00 HOUR	49.9	47.9
05:00-05:05 HOUR	49.2	47.3
05:05-05:10 HOUR	50.1	47.9
05:10-05:15 HOUR	50.4	48.3
05:15-05:20 HOUR	49.7	47.4
05:20-05:25 HOUR	50.7	48.6
05:25-05:30 HOUR	49.1	47.5
05:30-05:35 HOUR	51.8	49.4
05:35-05:40 HOUR	49.8	47.6
05:40-05:45 HOUR	49.9	48.1
05:45-05:50 HOUR	49.4	47.5
05:50-05:55 HOUR	51.6	49.6
05:55-06:00 HOUR	51.5	49.0
06:00-06:05 HOUR	53.8	51.4
06:05-06:10 HOUR	52.9	50.6
06:10-06:15 HOUR	52.9	50.1
06:15-06:20 HOUR	54.1	52.0
06:20-06:25 HOUR	53.1	50.6
06:25-06:30 HOUR	56.3	53.3
06:30-06:35 HOUR	52.4	50.5
06:35-06:40 HOUR	50.9	48.6
06:40-06:45 HOUR	53.5	51.2
06:45-06:50 HOUR	53.5	51.3
06:50-06:55 HOUR	53.6	51.7
06:55-07:00 HOUR	53.5	50.5

\* PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
\* THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.






United Analyst and Engineering Consultant Co., Ltd.  
3 Sol Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax 02763 2800 www.uaconsultant.com E-mail:uae@uaconsultant.com

TIME*	RESULT dB(A)	
	วันที่รายงานผลการตรวจวัด (N2) NOVEMBER 30 - DECEMBER 1, 2023 T23AY522-0009	
	L <sub>Aeq</sub> 5 min	L <sub>A90</sub> 5 min
07:00-07:05 HOUR	57.2	55.2
07:05-07:10 HOUR	58.2	55.8
07:10-07:15 HOUR	57.7	55.6
07:15-07:20 HOUR	56.5	54.4
07:20-07:25 HOUR	54.5	52.1
07:25-07:30 HOUR	56.3	54.3
07:30-07:35 HOUR	57.5	55.8
07:35-07:40 HOUR	58.9	56.4
07:40-07:45 HOUR	58.1	56.2
07:45-07:50 HOUR	59.3	56.8
07:50-07:55 HOUR	58.3	55.9
07:55-08:00 HOUR	56.3	54.2
08:00-08:05 HOUR	54.8	52.2
08:05-08:10 HOUR	56.4	54.0
08:10-08:15 HOUR	56.3	53.6
08:15-08:20 HOUR	56.1	53.7
08:20-08:25 HOUR	58.5	56.6
08:25-08:30 HOUR	54.8	52.9
08:30-08:35 HOUR	56.2	54.0
08:35-08:40 HOUR	57.9	55.9
08:40-08:45 HOUR	55.8	54.1
08:45-08:50 HOUR	57.5	55.5
08:50-08:55 HOUR	56.8	54.4
08:55-09:00 HOUR	56.4	54.3
09:00-09:05 HOUR	56.7	54.1
09:05-09:10 HOUR	56.1	53.3
09:10-09:15 HOUR	55.4	53.0
09:15-09:20 HOUR	54.0	52.3
09:20-09:25 HOUR	54.9	52.5
09:25-09:30 HOUR	51.0	49.3
09:30-09:35 HOUR	54.0	52.0
09:35-09:40 HOUR	53.3	51.1
09:40-09:45 HOUR	51.5	49.6
09:45-09:50 HOUR	53.9	52.0
09:50-09:55 HOUR	54.3	52.0
09:55-10:00 HOUR	54.9	52.5
10:00-10:05 HOUR	54.6	52.6
10:05-10:10 HOUR	55.2	52.8
10:10-10:15 HOUR	55.9	53.3
10:15-10:20 HOUR	56.9	54.6
10:20-10:25 HOUR	55.2	52.8
10:25-10:30 HOUR	54.2	52.1
10:30-10:35 HOUR	56.4	54.5
10:35-10:40 HOUR	55.7	53.8
10:40-10:45 HOUR	57.6	55.6
10:45-10:50 HOUR	55.5	53.2
10:50-10:55 HOUR	53.0	50.8
10:55-11:00 HOUR	58.5	56.3
11:00-11:05 HOUR	56.9	54.4
11:05-11:10 HOUR	57.6	55.9
11:10-11:15 HOUR	53.6	50.9

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

7/42

2023-U107810



United Analyst and Engineering Consultant Co., Ltd.  
3 Sol Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax 02763 2800 www.uaconsultant.com E-mail:uae@uaconsultant.com

TIME*	RESULT dB(A)	
	วันที่รายงานผลการตรวจวัด (N2) NOVEMBER 30 - DECEMBER 1, 2023 T23AY522-0009	
	L <sub>Aeq</sub> 5 min	L <sub>A90</sub> 5 min
11:15-11:20 HOUR	56.5	54.9
11:20-11:25 HOUR	55.8	57.9
11:25-11:30 HOUR	53.8	51.7
11:30-11:35 HOUR	56.9	54.6
11:35-11:40 HOUR	54.5	52.1
11:40-11:45 HOUR	54.9	53.0
11:45-11:50 HOUR	54.5	51.9
11:50-11:55 HOUR	58.3	55.9
11:55-12:00 HOUR	54.5	57.7
12:00-12:05 HOUR	50.8	49.0
12:05-12:10 HOUR	51.3	48.6
12:10-12:15 HOUR	50.4	48.7
12:15-12:20 HOUR	51.3	49.4
12:20-12:25 HOUR	53.9	51.4
12:25-12:30 HOUR	57.6	55.5
12:30-12:35 HOUR	56.6	54.6
12:35-12:40 HOUR	55.0	53.1
12:40-12:45 HOUR	54.9	53.1
12:45-12:50 HOUR	53.0	50.9
12:50-12:55 HOUR	54.5	52.6
12:55-13:00 HOUR	53.9	51.4
13:00-13:05 HOUR	53.5	51.2
13:05-13:10 HOUR	54.9	52.1
13:10-13:15 HOUR	53.6	51.1
13:15-13:20 HOUR	52.1	50.1
13:20-13:25 HOUR	53.2	51.6
13:25-13:30 HOUR	55.9	53.9
13:30-13:35 HOUR	55.1	52.4
13:35-13:40 HOUR	53.3	51.3
13:40-13:45 HOUR	57.3	55.1
13:45-13:50 HOUR	55.7	53.8
13:50-13:55 HOUR	58.0	55.8
13:55-14:00 HOUR	52.1	50.3
14:00-14:05 HOUR	55.1	52.4
14:05-14:10 HOUR	55.7	53.3
14:10-14:15 HOUR	53.6	51.5
14:15-14:20 HOUR	52.1	49.9
14:20-14:25 HOUR	51.8	49.8
14:25-14:30 HOUR	55.1	53.3
14:30-14:35 HOUR	54.9	53.4
14:35-14:40 HOUR	52.3	50.3
14:40-14:45 HOUR	52.5	50.7
14:45-14:50 HOUR	54.0	51.8
14:50-14:55 HOUR	54.7	52.2
14:55-15:00 HOUR	59.2	57.2
15:00-15:05 HOUR	58.1	56.1
15:05-15:10 HOUR	52.0	49.9
15:10-15:15 HOUR	53.3	50.7
15:15-15:20 HOUR	56.1	53.4
15:20-15:25 HOUR	52.7	50.0

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.


8/42

2023-U107810




United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel 0 2763 2828 Fax 0 2763 2800 www.uaec consultant.com E-mail: uaec@uaec consultant.com

TIME*	RESULT dB(A)	
	วันที่รายงานผลการตรวจวัด (N2) NOVEMBER 30 - DECEMBER 1, 2023 T23AY522-0009	
	L <sub>Aeq</sub> 5 min	L <sub>A90</sub> 5 min
15:30-15:35 HOUR	52.1	50.5
15:35-15:40 HOUR	56.6	54.2
15:40-15:45 HOUR	57.0	54.9
15:45-15:50 HOUR	52.6	50.5
15:50-15:55 HOUR	54.4	51.8
15:55-16:00 HOUR	51.8	49.3
16:00-16:05 HOUR	51.0	48.8
16:05-16:10 HOUR	51.2	49.1
16:10-16:15 HOUR	51.4	49.8
16:15-16:20 HOUR	53.7	51.3
16:20-16:25 HOUR	52.0	49.4
16:25-16:30 HOUR	53.1	50.1
16:30-16:35 HOUR	54.2	52.2
16:35-16:40 HOUR	52.6	49.7
16:40-16:45 HOUR	53.9	52.1
16:45-16:50 HOUR	55.5	53.5
16:50-16:55 HOUR	59.5	57.1
16:55-17:00 HOUR	54.3	52.4
17:00-17:05 HOUR	58.1	55.8
17:05-17:10 HOUR	54.7	52.1
17:10-17:15 HOUR	56.3	53.9
17:15-17:20 HOUR	55.7	53.5
17:20-17:25 HOUR	56.1	53.2
17:25-17:30 HOUR	55.3	52.7
17:30-17:35 HOUR	55.4	53.0
17:35-17:40 HOUR	56.0	54.1
17:40-17:45 HOUR	55.5	53.2
17:45-17:50 HOUR	56.2	54.3
17:50-17:55 HOUR	54.9	52.7
17:55-18:00 HOUR	54.9	53.2
18:00-18:05 HOUR	55.0	52.7
18:05-18:10 HOUR	53.1	50.9
18:10-18:15 HOUR	52.5	50.0
18:15-18:20 HOUR	53.4	50.7
18:20-18:25 HOUR	51.8	50.6
18:25-18:30 HOUR	53.2	51.3
18:30-18:35 HOUR	52.7	50.6
18:35-18:40 HOUR	54.6	52.8
18:40-18:45 HOUR	52.1	49.7
18:45-18:50 HOUR	51.4	48.7
18:50-18:55 HOUR	53.0	52.0
18:55-19:00 HOUR	56.8	55.9
19:00-19:05 HOUR	53.9	51.2
19:05-19:10 HOUR	53.0	50.5
19:10-19:15 HOUR	53.6	51.3
19:15-19:20 HOUR	52.9	50.9
19:20-19:25 HOUR	57.2	55.0
19:25-19:30 HOUR	55.8	53.0
19:30-19:35 HOUR	53.5	51.6
19:35-19:40 HOUR	51.5	51.5
19:40-19:45 HOUR	53.4	50.8



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel 0 2763 2828 Fax 0 2763 2800 www.uaec consultant.com E-mail: uaec@uaec consultant.com

TIME*	RESULT dB(A)	
	วันที่รายงานผลการตรวจวัด (N2) NOVEMBER 30 - DECEMBER 1, 2023 T23AY522-0009	
	L <sub>Aeq</sub> 5 min	L <sub>A90</sub> 5 min
19:45-19:50 HOUR	52.5	50.4
19:50-19:55 HOUR	52.0	49.7
19:55-20:00 HOUR	51.6	49.1
20:00-20:05 HOUR	54.2	52.0
20:05-20:10 HOUR	55.2	52.5
20:10-20:15 HOUR	55.9	53.8
20:15-20:20 HOUR	55.2	52.9
20:20-20:25 HOUR	58.3	56.3
20:25-20:30 HOUR	53.3	51.0
20:30-20:35 HOUR	53.7	50.9
20:35-20:40 HOUR	53.1	50.9
20:40-20:45 HOUR	51.6	49.5
20:45-20:50 HOUR	59.1	56.8
20:50-20:55 HOUR	57.7	55.1
20:55-21:00 HOUR	50.3	47.8
21:00-21:05 HOUR	51.2	49.4
21:05-21:10 HOUR	51.2	49.5
21:10-21:15 HOUR	51.4	48.7
21:15-21:20 HOUR	51.0	48.1
21:20-21:25 HOUR	51.2	48.9
21:25-21:30 HOUR	51.5	49.7
21:30-21:35 HOUR	51.4	48.9
21:35-21:40 HOUR	50.1	47.8
21:40-21:45 HOUR	51.4	49.8
21:45-21:50 HOUR	51.6	49.0
21:50-21:55 HOUR	51.6	48.9
21:55-22:00 HOUR	51.3	48.8
22:00-22:05 HOUR	50.4	48.6
22:05-22:10 HOUR	50.6	48.7
22:10-22:15 HOUR	49.7	47.0
22:15-22:20 HOUR	50.0	48.3
22:20-22:25 HOUR	50.0	47.6
22:25-22:30 HOUR	50.6	47.9
22:30-22:35 HOUR	50.1	48.4
22:35-22:40 HOUR	48.6	46.6
22:40-22:45 HOUR	49.4	47.5
22:45-22:50 HOUR	50.6	48.2
22:50-22:55 HOUR	51.2	48.9
22:55-23:00 HOUR	50.2	48.5
23:00-23:05 HOUR	50.5	48.5
23:05-23:10 HOUR	52.0	50.0
23:10-23:15 HOUR	51.7	49.3
23:15-23:20 HOUR	50.7	48.6
23:20-23:25 HOUR	49.3	47.4
23:25-23:30 HOUR	48.2	46.2
23:30-23:35 HOUR	50.8	48.1
23:35-23:40 HOUR	50.2	48.1
23:40-23:45 HOUR	49.9	47.6
23:45-23:50 HOUR	50.2	47.5
23:50-23:55 HOUR	50.8	48.5
23:55-00:00 HOUR	49.4	47.1






United Analyst and Engineering Consultant Co., Ltd.  
3 Sol Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax 02763 2800 www.uaeconsultant.com E-mail:uae@uaeconsultant.com

TIME*	RESULT dB(A)	
	ผลการตรวจวัดตามเกณฑ์ (N2) NOVEMBER 30 - DECEMBER 1, 2023 TZ3AY522-0009	
	L <sub>avg</sub> 5 min	L <sub>avg</sub> 5 min
00:00-00:05 HOUR	50.0	48.3
00:05-00:10 HOUR	50.6	48.1
00:10-00:15 HOUR	50.4	47.7
00:15-00:20 HOUR	49.7	47.3
00:20-00:25 HOUR	49.4	47.1
00:25-00:30 HOUR	49.3	47.5
00:30-00:35 HOUR	48.8	46.8
00:35-00:40 HOUR	48.9	46.8
00:40-00:45 HOUR	50.3	47.9
00:45-00:50 HOUR	48.9	46.1
00:50-00:55 HOUR	50.3	48.0
00:55-01:00 HOUR	50.2	47.4
01:00-01:05 HOUR	49.4	47.7
01:05-01:10 HOUR	49.7	47.1
01:10-01:15 HOUR	50.0	47.4
01:15-01:20 HOUR	51.0	48.9
01:20-01:25 HOUR	50.0	47.2
01:25-01:30 HOUR	49.7	47.7
01:30-01:35 HOUR	49.9	47.4
01:35-01:40 HOUR	50.4	48.4
01:40-01:45 HOUR	49.4	47.4
01:45-01:50 HOUR	50.5	48.2
01:50-01:55 HOUR	49.2	46.8
01:55-02:00 HOUR	49.0	46.4
02:00-02:05 HOUR	50.9	48.8
02:05-02:10 HOUR	49.0	46.3
02:10-02:15 HOUR	49.2	47.0
02:15-02:20 HOUR	49.6	47.4
02:20-02:25 HOUR	50.1	47.5
02:25-02:30 HOUR	50.0	47.4
02:30-02:35 HOUR	49.4	47.0
02:35-02:40 HOUR	49.0	46.5
02:40-02:45 HOUR	48.7	46.4
02:45-02:50 HOUR	50.2	47.3
02:50-02:55 HOUR	50.0	47.8
02:55-03:00 HOUR	49.6	47.1
03:00-03:05 HOUR	50.5	47.9
03:05-03:10 HOUR	49.7	47.3
03:10-03:15 HOUR	49.5	46.5
03:15-03:20 HOUR	48.7	46.7
03:20-03:25 HOUR	48.8	46.8
03:25-03:30 HOUR	49.6	47.3
03:30-03:35 HOUR	49.0	46.7
03:35-03:40 HOUR	49.7	47.3
03:40-03:45 HOUR	49.7	46.9
03:45-03:50 HOUR	51.0	48.7
03:50-03:55 HOUR	50.6	48.5
03:55-04:00 HOUR	49.7	47.3
04:00-04:05 HOUR	49.2	47.4
04:05-04:10 HOUR	49.2	47.3
04:10-04:15 HOUR	50.1	48.0

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

11/42

2023-1107810



United Analyst and Engineering Consultant Co., Ltd.  
3 Sol Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax 02763 2800 www.uaeconsultant.com E-mail:uae@uaeconsultant.com

TIME*	RESULT dB(A)	
	ผลการตรวจวัดตามเกณฑ์ (N2) NOVEMBER 30 - DECEMBER 1, 2023 TZ3AY522-0009	
	L <sub>avg</sub> 5 min	L <sub>avg</sub> 5 min
04:15-04:20 HOUR	48.8	46.7
04:20-04:25 HOUR	48.9	46.7
04:25-04:30 HOUR	49.8	47.6
04:30-04:35 HOUR	48.8	46.6
04:35-04:40 HOUR	51.4	48.7
04:40-04:45 HOUR	50.4	47.9
04:45-04:50 HOUR	49.8	47.3
04:50-04:55 HOUR	50.3	48.0
04:55-05:00 HOUR	49.2	47.3
05:00-05:05 HOUR	50.2	47.9
05:05-05:10 HOUR	50.4	47.8
05:10-05:15 HOUR	50.7	48.2
05:15-05:20 HOUR	50.8	48.4
05:20-05:25 HOUR	50.7	48.6
05:25-05:30 HOUR	50.4	50.7
05:30-05:35 HOUR	51.2	48.5
05:35-05:40 HOUR	52.8	50.5
05:40-05:45 HOUR	52.2	50.3
05:45-05:50 HOUR	51.6	49.7
05:50-05:55 HOUR	52.1	49.5
05:55-06:00 HOUR	51.8	49.5
06:00-06:05 HOUR	54.8	52.6
06:05-06:10 HOUR	55.6	53.6
06:10-06:15 HOUR	54.0	51.3
06:15-06:20 HOUR	50.8	48.7
06:20-06:25 HOUR	51.7	49.1
06:25-06:30 HOUR	50.6	48.1
06:30-06:35 HOUR	53.6	51.1
06:35-06:40 HOUR	54.0	51.3
06:40-06:45 HOUR	52.8	50.6
06:45-06:50 HOUR	53.3	51.5
06:50-06:55 HOUR	54.6	51.9
06:55-07:00 HOUR	56.7	54.5

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

12/42


2023-1107810



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax 0 2763 2800 www.uaconsultant.com E-mail: ua@uaconsultant.com

TIME*	RESULT dB(A)	
	ผลการตรวจด้านสิ่งแวดล้อม (N2) DECEMBER 1-2, 2023 T23AY522-0010	
	L <sub>avg</sub> 5 min	L <sub>avg</sub> 5 min
0:00-07:05 HOUR	56.7	54.5
07:05-07:10 HOUR	56.9	55.0
07:10-07:15 HOUR	57.0	54.6
07:15-07:20 HOUR	57.3	55.4
07:20-07:25 HOUR	55.4	53.5
07:25-07:30 HOUR	57.0	54.1
07:30-07:35 HOUR	58.1	56.3
07:35-07:40 HOUR	58.7	56.1
07:40-07:45 HOUR	59.0	56.7
07:45-07:50 HOUR	58.8	56.5
07:50-07:55 HOUR	55.7	53.4
07:55-08:00 HOUR	55.2	52.6
08:00-08:05 HOUR	55.6	53.1
08:05-08:10 HOUR	56.6	54.3
08:10-08:15 HOUR	57.1	55.0
08:15-08:20 HOUR	59.4	57.3
08:20-08:25 HOUR	59.2	56.2
08:25-08:30 HOUR	59.2	56.8
08:30-08:35 HOUR	58.7	56.7
08:35-08:40 HOUR	56.3	53.5
08:40-08:45 HOUR	55.3	53.0
08:45-08:50 HOUR	57.2	54.4
08:50-08:55 HOUR	53.1	50.6
08:55-09:00 HOUR	58.0	56.1
09:00-09:05 HOUR	58.3	56.1
09:05-09:10 HOUR	55.7	53.8
09:10-09:15 HOUR	58.1	56.2
09:15-09:20 HOUR	58.5	56.5
09:20-09:25 HOUR	53.7	51.9
09:25-09:30 HOUR	57.1	54.8
09:30-09:35 HOUR	55.7	55.7
09:35-09:40 HOUR	58.3	56.2
09:40-09:45 HOUR	54.6	52.5
09:45-09:50 HOUR	54.4	52.6
09:50-09:55 HOUR	56.0	53.9
09:55-10:00 HOUR	55.4	53.1
10:00-10:05 HOUR	52.1	49.8
10:05-10:10 HOUR	53.4	51.4
10:10-10:15 HOUR	55.5	53.5
10:15-10:20 HOUR	52.3	49.9
10:20-10:25 HOUR	52.0	50.0
10:25-10:30 HOUR	52.7	50.4
10:30-10:35 HOUR	51.1	48.3
10:35-10:40 HOUR	52.0	49.9
10:40-10:45 HOUR	50.9	48.7
10:45-10:50 HOUR	50.4	48.2
10:50-10:55 HOUR	52.8	51.0
10:55-11:00 HOUR	50.2	48.5
11:00-11:05 HOUR	52.1	50.0
11:05-11:10 HOUR	52.9	50.1
11:10-11:15 HOUR	52.7	51.2

\* PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
\* THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.



13/42

2023-U107810



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax 0 2763 2800 www.uaconsultant.com E-mail: ua@uaconsultant.com

TIME*	RESULT dB(A)	
	ผลการตรวจด้านสิ่งแวดล้อม (N2) DECEMBER 1-2, 2023 T23AY522-0010	
	L <sub>avg</sub> 5 min	L <sub>avg</sub> 5 min
11:15-11:20 HOUR	53.8	51.6
11:20-11:25 HOUR	52.9	50.3
11:25-11:30 HOUR	53.9	51.8
11:30-11:35 HOUR	53.2	51.6
11:35-11:40 HOUR	53.4	50.5
11:40-11:45 HOUR	52.7	50.5
11:45-11:50 HOUR	50.6	48.7
11:50-11:55 HOUR	50.4	47.8
11:55-12:00 HOUR	50.7	48.5
12:00-12:05 HOUR	51.8	49.9
12:05-12:10 HOUR	51.6	49.7
12:10-12:15 HOUR	51.2	48.8
12:15-12:20 HOUR	51.9	49.1
12:20-12:25 HOUR	50.5	48.8
12:25-12:30 HOUR	54.3	51.7
12:30-12:35 HOUR	51.9	50.1
12:35-12:40 HOUR	52.4	49.9
12:40-12:45 HOUR	50.8	48.1
12:45-12:50 HOUR	53.4	51.3
12:50-12:55 HOUR	50.9	48.4
12:55-13:00 HOUR	52.9	51.1
13:00-13:05 HOUR	51.3	48.4
13:05-13:10 HOUR	56.4	54.1
13:10-13:15 HOUR	51.8	49.1
13:15-13:20 HOUR	51.0	49.3
13:20-13:25 HOUR	52.8	50.2
13:25-13:30 HOUR	50.4	47.8
13:30-13:35 HOUR	51.0	49.1
13:35-13:40 HOUR	50.7	48.7
13:40-13:45 HOUR	53.6	50.9
13:45-13:50 HOUR	51.0	48.5
13:50-13:55 HOUR	52.1	49.9
13:55-14:00 HOUR	52.5	50.0
14:00-14:05 HOUR	51.8	49.4
14:05-14:10 HOUR	52.1	49.9
14:10-14:15 HOUR	52.1	50.4
14:15-14:20 HOUR	51.8	49.3
14:20-14:25 HOUR	50.7	48.4
14:25-14:30 HOUR	59.9	57.2
14:30-14:35 HOUR	62.2	60.3
14:35-14:40 HOUR	58.0	55.7
14:40-14:45 HOUR	54.4	52.0
14:45-14:50 HOUR	52.6	50.1
14:50-14:55 HOUR	53.1	50.6
14:55-15:00 HOUR	58.3	56.0
15:00-15:05 HOUR	52.9	50.2
15:05-15:10 HOUR	52.5	50.1
15:10-15:15 HOUR	52.5	50.0
15:15-15:20 HOUR	54.1	51.2
15:20-15:25 HOUR	54.7	52.2
15:25-15:30 HOUR	52.4	50.0

\* PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
\* THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.



14/42

2023-U107810





United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangchak, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaec consultant.com E-mail:uae@uaec consultant.com

UAE ANALYST AND ENGINEERING CONSULTANT COMPANY LIMITED

TIME*	RESULT dB(A)	
	ผลการตรวจวัดเสียง (N2)	
	DECEMBER 1-2, 2023	
	L <sub>Aeq</sub> 5 min	L <sub>Aeq</sub> 5 min
15:30-15:35 HOUR	54.6	52.1
15:35-15:40 HOUR	51.9	50.2
15:40-15:45 HOUR	51.8	49.5
15:45-15:50 HOUR	52.6	50.4
15:50-15:55 HOUR	50.7	48.0
15:55-16:00 HOUR	51.5	49.4
16:00-16:05 HOUR	52.6	49.6
16:05-16:10 HOUR	53.8	52.0
16:10-16:15 HOUR	52.6	50.9
16:15-16:20 HOUR	52.6	50.2
16:20-16:25 HOUR	53.6	51.6
16:25-16:30 HOUR	52.4	50.4
16:30-16:35 HOUR	54.5	52.2
16:35-16:40 HOUR	54.1	51.8
16:40-16:45 HOUR	53.1	50.5
16:45-16:50 HOUR	55.3	53.0
16:50-16:55 HOUR	51.1	49.4
16:55-17:00 HOUR	53.3	51.5
17:00-17:05 HOUR	56.0	53.5
17:05-17:10 HOUR	58.0	55.6
17:10-17:15 HOUR	55.8	53.3
17:15-17:20 HOUR	59.4	57.4
17:20-17:25 HOUR	60.7	58.5
17:25-17:30 HOUR	60.2	58.4
17:30-17:35 HOUR	55.9	53.1
17:35-17:40 HOUR	56.2	53.9
17:40-17:45 HOUR	54.3	52.8
17:45-17:50 HOUR	52.4	49.4
17:50-17:55 HOUR	52.5	50.0
17:55-18:00 HOUR	54.0	51.4
18:00-18:05 HOUR	52.9	50.8
18:05-18:10 HOUR	51.8	50.1
18:10-18:15 HOUR	54.1	51.1
18:15-18:20 HOUR	50.9	49.1
18:20-18:25 HOUR	52.5	50.1
18:25-18:30 HOUR	50.6	48.8
18:30-18:35 HOUR	52.6	50.9
18:35-18:40 HOUR	52.2	49.9
18:40-18:45 HOUR	53.1	51.5
18:45-18:50 HOUR	59.8	57.4
18:50-18:55 HOUR	58.4	55.6
18:55-19:00 HOUR	56.4	53.7
19:00-19:05 HOUR	54.4	51.6
19:05-19:10 HOUR	55.9	53.7
19:10-19:15 HOUR	55.2	53.2
19:15-19:20 HOUR	54.8	52.8
19:20-19:25 HOUR	57.2	55.0
19:25-19:30 HOUR	55.2	53.1
19:30-19:35 HOUR	55.0	52.9
19:35-19:40 HOUR	56.1	54.3
19:40-19:45 HOUR	57.0	54.2

\* PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
\* THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY SGS GROUP (THAILAND) CO., LTD.

15/42

2023-U107810



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangchak, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaec consultant.com E-mail:uae@uaec consultant.com

UAE ANALYST AND ENGINEERING CONSULTANT COMPANY LIMITED

TIME*	RESULT dB(A)	
	ผลการตรวจวัดเสียง (N2)	
	DECEMBER 1-2, 2023	
	L <sub>Aeq</sub> 5 min	L <sub>Aeq</sub> 5 min
19:45-19:50 HOUR	53.2	51.3
19:50-19:55 HOUR	54.5	52.2
19:55-20:00 HOUR	52.9	50.6
20:00-20:05 HOUR	52.7	50.5
20:05-20:10 HOUR	56.2	57.2
20:10-20:15 HOUR	60.1	57.5
20:15-20:20 HOUR	58.7	56.8
20:20-20:25 HOUR	60.0	57.5
20:25-20:30 HOUR	56.8	54.8
20:30-20:35 HOUR	55.1	53.4
20:35-20:40 HOUR	54.1	52.1
20:40-20:45 HOUR	52.2	50.3
20:45-20:50 HOUR	51.6	49.5
20:50-20:55 HOUR	51.3	49.2
20:55-21:00 HOUR	51.2	49.4
21:00-21:05 HOUR	50.5	48.6
21:05-21:10 HOUR	52.0	50.3
21:10-21:15 HOUR	52.4	50.2
21:15-21:20 HOUR	51.3	48.6
21:20-21:25 HOUR	50.9	47.9
21:25-21:30 HOUR	51.6	49.4
21:30-21:35 HOUR	50.4	47.5
21:35-21:40 HOUR	50.7	48.2
21:40-21:45 HOUR	50.7	47.9
21:45-21:50 HOUR	51.1	48.9
21:50-21:55 HOUR	51.4	49.3
21:55-22:00 HOUR	50.1	47.2
22:00-22:05 HOUR	50.7	48.8
22:05-22:10 HOUR	50.2	48.3
22:10-22:15 HOUR	48.5	46.5
22:15-22:20 HOUR	50.1	48.0
22:20-22:25 HOUR	50.4	48.7
22:25-22:30 HOUR	49.1	47.5
22:30-22:35 HOUR	48.7	46.6
22:35-22:40 HOUR	48.7	46.5
22:40-22:45 HOUR	48.9	46.3
22:45-22:50 HOUR	50.3	48.0
22:50-22:55 HOUR	49.8	47.8
22:55-23:00 HOUR	49.3	46.6
23:00-23:05 HOUR	49.5	47.5
23:05-23:10 HOUR	50.0	47.7
23:10-23:15 HOUR	49.1	47.2
23:15-23:20 HOUR	50.4	48.3
23:20-23:25 HOUR	49.3	46.8
23:25-23:30 HOUR	49.3	46.5
23:30-23:35 HOUR	49.4	47.0
23:35-23:40 HOUR	50.6	48.4
23:40-23:45 HOUR	48.8	46.6
23:45-23:50 HOUR	50.5	48.6
23:50-23:55 HOUR	48.8	46.2
23:55-00:00 HOUR	49.0	47.1

\* PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
\* THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY SGS GROUP (THAILAND) CO., LTD.

16/42

2023-U107810

TIME#	RESULT dB(A)	
	สำหรับโรงงานด้านทิศเหนือ (N2)	
	DECEMBER 1-2, 2023	
	T23AY522-0010	
	L <sub>eq</sub> 5 min	L <sub>eq</sub> 5 min
00:00-00:05 HOUR	50.1	48.4
00:05-00:10 HOUR	50.8	48.6
00:10-00:15 HOUR	49.2	46.7
00:15-00:20 HOUR	49.5	47.2
00:20-00:25 HOUR	48.6	46.5
00:25-00:30 HOUR	48.0	46.0
00:30-00:35 HOUR	48.8	46.5
00:35-00:40 HOUR	49.2	47.5
00:40-00:45 HOUR	49.7	48.0
00:45-00:50 HOUR	49.1	46.9
00:50-00:55 HOUR	48.9	46.1
00:55-01:00 HOUR	49.2	46.7
01:00-01:05 HOUR	49.5	47.5
01:05-01:10 HOUR	48.8	46.5
01:10-01:15 HOUR	50.4	48.3
01:15-01:20 HOUR	49.3	47.2
01:20-01:25 HOUR	48.5	46.7
01:25-01:30 HOUR	49.7	47.4
01:30-01:35 HOUR	48.8	46.4
01:35-01:40 HOUR	50.1	47.6
01:40-01:45 HOUR	48.0	45.7
01:45-01:50 HOUR	48.8	46.6
01:50-01:55 HOUR	49.4	47.5
01:55-02:00 HOUR	50.1	48.2
02:00-02:05 HOUR	48.4	46.3
02:05-02:10 HOUR	48.9	47.4
02:10-02:15 HOUR	49.4	47.1
02:15-02:20 HOUR	50.1	48.4
02:20-02:25 HOUR	48.5	46.1
02:25-02:30 HOUR	49.0	46.6
02:30-02:35 HOUR	48.8	46.8
02:35-02:40 HOUR	48.9	46.4
02:40-02:45 HOUR	49.3	47.6
02:45-02:50 HOUR	49.5	47.6
02:50-02:55 HOUR	48.3	46.3
02:55-03:00 HOUR	48.3	46.0
03:00-03:05 HOUR	50.0	47.8
03:05-03:10 HOUR	50.0	48.2
03:10-03:15 HOUR	47.8	45.8
03:15-03:20 HOUR	48.5	46.4
03:20-03:25 HOUR	48.0	45.5
03:25-03:30 HOUR	48.8	46.4
03:30-03:35 HOUR	49.5	47.1
03:35-03:40 HOUR	49.4	47.3
03:40-03:45 HOUR	48.6	46.8
03:45-03:50 HOUR	49.6	46.9
03:50-03:55 HOUR	49.2	47.0
03:55-04:00 HOUR	49.1	47.1
04:00-04:05 HOUR	48.8	46.4
04:05-04:10 HOUR	49.4	46.6
04:10-04:15 HOUR	49.0	46.8

TIME#	RESULT dB(A)	
	สำหรับโรงงานด้านทิศเหนือ (N2)	
	DECEMBER 1-2, 2023	
	T23AY522-0010	
	L <sub>eq</sub> 5 min	L <sub>eq</sub> 5 min
04:15-04:20 HOUR	49.0	47.2
04:20-04:25 HOUR	48.3	46.0
04:25-04:30 HOUR	49.3	47.4
04:30-04:35 HOUR	49.9	47.5
04:35-04:40 HOUR	48.7	46.7
04:40-04:45 HOUR	48.0	46.1
04:45-04:50 HOUR	49.1	46.7
04:50-04:55 HOUR	49.5	47.5
04:55-05:00 HOUR	48.7	46.9
05:00-05:05 HOUR	48.5	46.1
05:05-05:10 HOUR	48.5	46.6
05:10-05:15 HOUR	49.5	47.9
05:15-05:20 HOUR	49.9	47.7
05:20-05:25 HOUR	50.1	47.7
05:25-05:30 HOUR	48.1	45.8
05:30-05:35 HOUR	50.1	48.3
05:35-05:40 HOUR	49.8	46.9
05:40-05:45 HOUR	49.6	46.9
05:45-05:50 HOUR	50.3	47.7
05:50-05:55 HOUR	49.8	47.7
05:55-06:00 HOUR	50.9	48.4
06:00-06:05 HOUR	52.0	49.7
06:05-06:10 HOUR	53.9	52.0
06:10-06:15 HOUR	53.8	51.3
06:15-06:20 HOUR	52.4	50.6
06:20-06:25 HOUR	49.1	47.2
06:25-06:30 HOUR	49.4	47.0
06:30-06:35 HOUR	52.9	50.5
06:35-06:40 HOUR	51.7	49.6
06:40-06:45 HOUR	52.5	50.3
06:45-06:50 HOUR	52.6	50.4
06:50-06:55 HOUR	52.2	50.0
06:55-07:00 HOUR	53.2	51.2





United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangchak, Phra Khanong, Bangkok 10260  
Tel.0 2763 2828 Fax 0 2763 2800 www.uaiconsultant.com E-mail: uae@uaiconsultant.com

UNITED ANALYST AND ENGINEERING  
CONSULTANT COMPANY LTD.

United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangchak, Phra Khanong, Bangkok 10260  
Tel.0 2763 2828 Fax 0 2763 2800 www.uaiconsultant.com E-mail: uae@uaiconsultant.com

TIME*	RESULT dB(A)	
	สำหรับโรงงานด้านทิศเหนือ (N2)	
	DECEMBER 2-3, 2023	
	T23AY522-0011	
	L <sub>Aeq</sub> 5 min	L <sub>A90</sub> 5 min
07:00-07:05 HOUR	52.6	50.4
07:05-07:10 HOUR	52.7	50.7
07:10-07:15 HOUR	51.9	49.6
07:15-07:20 HOUR	55.2	52.4
07:20-07:25 HOUR	54.4	52.0
07:25-07:30 HOUR	57.0	55.2
07:30-07:35 HOUR	58.3	56.6
07:35-07:40 HOUR	56.7	54.9
07:40-07:45 HOUR	58.1	55.9
07:45-07:50 HOUR	56.3	54.1
07:50-07:55 HOUR	53.8	51.1
07:55-08:00 HOUR	55.6	53.8
08:00-08:05 HOUR	53.6	50.9
08:05-08:10 HOUR	55.2	52.8
08:10-08:15 HOUR	57.7	55.4
08:15-08:20 HOUR	58.8	56.6
08:20-08:25 HOUR	59.1	56.2
08:25-08:30 HOUR	58.5	56.7
08:30-08:35 HOUR	57.0	55.0
08:35-08:40 HOUR	53.4	51.0
08:40-08:45 HOUR	54.5	51.8
08:45-08:50 HOUR	53.5	51.9
08:50-08:55 HOUR	50.3	48.7
08:55-09:00 HOUR	53.5	50.8
09:00-09:05 HOUR	52.1	50.2
09:05-09:10 HOUR	50.0	48.0
09:10-09:15 HOUR	51.5	49.6
09:15-09:20 HOUR	51.5	48.7
09:20-09:25 HOUR	51.8	49.1
09:25-09:30 HOUR	52.0	50.3
09:30-09:35 HOUR	50.9	48.8
09:35-09:40 HOUR	50.2	47.4
09:40-09:45 HOUR	50.7	48.5
09:45-09:50 HOUR	51.4	49.6
09:50-09:55 HOUR	51.1	49.3
09:55-10:00 HOUR	52.8	50.7
10:00-10:05 HOUR	50.0	47.3
10:05-10:10 HOUR	50.6	48.2
10:10-10:15 HOUR	49.3	46.5
10:15-10:20 HOUR	51.0	48.5
10:20-10:25 HOUR	49.9	48.4
10:25-10:30 HOUR	51.9	49.6
10:30-10:35 HOUR	51.3	48.5
10:35-10:40 HOUR	50.8	48.5
10:40-10:45 HOUR	51.3	49.5
10:45-10:50 HOUR	50.0	47.7
10:50-10:55 HOUR	51.1	49.2
10:55-11:00 HOUR	49.9	47.9
11:00-11:05 HOUR	55.1	53.1
11:05-11:10 HOUR	51.7	49.1
11:10-11:15 HOUR	55.2	52.7

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

NO NOISES CAPTURED  
NO NOISES CAPTURED  
BY THE GROUP (THAILAND) CO., LTD.

19/42

2023-U107810

TIME*	RESULT dB(A)	
	สำหรับโรงงานด้านทิศเหนือ (N2)	
	DECEMBER 2-3, 2023	
	T23AY522-0011	
	L <sub>Aeq</sub> 5 min	L <sub>A90</sub> 5 min
11:15-11:20 HOUR	51.3	49.5
11:20-11:25 HOUR	49.2	48.8
11:25-11:30 HOUR	50.4	48.2
11:30-11:35 HOUR	50.9	48.8
11:35-11:40 HOUR	51.5	49.5
11:40-11:45 HOUR	50.2	47.4
11:45-11:50 HOUR	52.1	49.5
11:50-11:55 HOUR	51.1	49.2
11:55-12:00 HOUR	53.2	51.1
12:00-12:05 HOUR	51.2	48.5
12:05-12:10 HOUR	52.8	50.8
12:10-12:15 HOUR	50.7	48.0
12:15-12:20 HOUR	50.5	48.6
12:20-12:25 HOUR	50.3	47.5
12:25-12:30 HOUR	50.3	48.1
12:30-12:35 HOUR	51.1	48.7
12:35-12:40 HOUR	50.8	48.6
12:40-12:45 HOUR	50.4	47.7
12:45-12:50 HOUR	50.2	48.7
12:50-12:55 HOUR	51.1	48.8
12:55-13:00 HOUR	48.2	45.8
13:00-13:05 HOUR	48.7	46.4
13:05-13:10 HOUR	51.6	49.3
13:10-13:15 HOUR	50.8	48.7
13:15-13:20 HOUR	50.1	47.4
13:20-13:25 HOUR	50.2	47.5
13:25-13:30 HOUR	50.8	48.8
13:30-13:35 HOUR	50.1	47.8
13:35-13:40 HOUR	50.3	48.1
13:40-13:45 HOUR	50.5	48.5
13:45-13:50 HOUR	50.9	48.6
13:50-13:55 HOUR	51.0	48.2
13:55-14:00 HOUR	51.0	48.6
14:00-14:05 HOUR	50.9	49.1
14:05-14:10 HOUR	51.3	48.9
14:10-14:15 HOUR	49.9	47.2
14:15-14:20 HOUR	50.9	48.7
14:20-14:25 HOUR	50.7	47.8
14:25-14:30 HOUR	51.5	50.0
14:30-14:35 HOUR	51.2	48.5
14:35-14:40 HOUR	50.6	48.4
14:40-14:45 HOUR	51.4	49.4
14:45-14:50 HOUR	51.1	48.7
14:50-14:55 HOUR	50.1	48.0
14:55-15:00 HOUR	50.5	48.3
15:00-15:05 HOUR	50.4	48.0
15:05-15:10 HOUR	48.5	46.3
15:10-15:15 HOUR	49.1	46.6
15:15-15:20 HOUR	50.0	47.7
15:20-15:25 HOUR	51.8	49.6
15:25-15:30 HOUR	51.4	48.8

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

NO NOISES CAPTURED  
NO NOISES CAPTURED  
BY THE GROUP (THAILAND) CO., LTD.

20/42

2023-U107810



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaeconsultant.com E-mail: uae@uaeconsultant.com



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaeconsultant.com E-mail: uae@uaeconsultant.com

TIME*	RESULT dB(A)	
	ผลลัพธ์การคำนวณ (N2) DECEMBER 2-3, 2023 TZ3AY522-0011	
	L <sub>Aeq</sub> 5 min	L <sub>Aeq</sub> 5 min
15:30-15:35 HOUR	51.4	49.1
15:35-15:40 HOUR	49.9	47.7
15:40-15:45 HOUR	50.0	47.9
15:45-15:50 HOUR	51.2	48.5
15:50-15:55 HOUR	51.0	48.3
15:55-16:00 HOUR	50.3	47.7
16:00-16:05 HOUR	50.5	48.5
16:05-16:10 HOUR	50.2	47.7
16:10-16:15 HOUR	54.3	51.7
16:15-16:20 HOUR	51.0	48.4
16:20-16:25 HOUR	51.3	48.6
16:25-16:30 HOUR	51.8	50.0
16:30-16:35 HOUR	51.4	49.3
16:35-16:40 HOUR	50.0	48.1
16:40-16:45 HOUR	51.1	48.3
16:45-16:50 HOUR	51.4	48.9
16:50-16:55 HOUR	50.9	49.2
16:55-17:00 HOUR	51.4	49.4
17:00-17:05 HOUR	52.6	49.7
17:05-17:10 HOUR	52.4	50.0
17:10-17:15 HOUR	54.4	51.6
17:15-17:20 HOUR	57.5	55.4
17:20-17:25 HOUR	55.8	53.4
17:25-17:30 HOUR	54.7	52.0
17:30-17:35 HOUR	55.7	53.4
17:35-17:40 HOUR	55.1	52.4
17:40-17:45 HOUR	54.5	51.9
17:45-17:50 HOUR	53.5	51.1
17:50-17:55 HOUR	54.4	52.5
17:55-18:00 HOUR	56.4	54.2
18:00-18:05 HOUR	58.0	56.1
18:05-18:10 HOUR	54.7	52.4
18:10-18:15 HOUR	54.4	51.4
18:15-18:20 HOUR	51.7	49.8
18:20-18:25 HOUR	55.0	52.7
18:25-18:30 HOUR	52.7	50.2
18:30-18:35 HOUR	51.3	49.1
18:35-18:40 HOUR	52.6	50.0
18:40-18:45 HOUR	56.2	53.8
18:45-18:50 HOUR	50.2	48.4
18:50-18:55 HOUR	55.0	52.5
18:55-19:00 HOUR	56.3	54.6
19:00-19:05 HOUR	54.5	52.3
19:05-19:10 HOUR	57.8	54.9
19:10-19:15 HOUR	53.8	51.0
19:15-19:20 HOUR	55.6	52.8
19:20-19:25 HOUR	54.9	52.6
19:25-19:30 HOUR	56.0	53.8
19:30-19:35 HOUR	54.8	52.3
19:35-19:40 HOUR	60.3	57.6
19:40-19:45 HOUR	56.0	53.9

ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY BSI GROUP (THAILAND) CO., LTD.

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

2/42

2023-UJ.07810

TIME*	RESULT dB(A)	
	ผลลัพธ์การคำนวณ (N2) DECEMBER 2-3, 2023 TZ3AY522-0011	
	L <sub>Aeq</sub> 5 min	L <sub>Aeq</sub> 5 min
19:45-19:50 HOUR	53.4	50.7
19:50-19:55 HOUR	53.5	51.4
19:55-20:00 HOUR	51.7	50.2
20:00-20:05 HOUR	52.2	50.0
20:05-20:10 HOUR	55.6	53.6
20:10-20:15 HOUR	55.0	52.8
20:15-20:20 HOUR	58.1	56.1
20:20-20:25 HOUR	58.1	56.0
20:25-20:30 HOUR	57.9	55.5
20:30-20:35 HOUR	58.5	56.6
20:35-20:40 HOUR	55.0	52.1
20:40-20:45 HOUR	52.1	50.5
20:45-20:50 HOUR	53.0	51.0
20:50-20:55 HOUR	51.7	49.6
20:55-21:00 HOUR	50.7	48.4
21:00-21:05 HOUR	51.0	48.6
21:05-21:10 HOUR	51.0	48.3
21:10-21:15 HOUR	51.7	49.0
21:15-21:20 HOUR	50.5	48.2
21:20-21:25 HOUR	50.7	48.2
21:25-21:30 HOUR	51.3	49.3
21:30-21:35 HOUR	50.3	48.4
21:35-21:40 HOUR	52.6	51.0
21:40-21:45 HOUR	51.3	49.4
21:45-21:50 HOUR	50.9	48.8
21:50-21:55 HOUR	51.0	48.9
21:55-22:00 HOUR	50.8	49.1
22:00-22:05 HOUR	49.1	47.2
22:05-22:10 HOUR	48.9	46.4
22:10-22:15 HOUR	48.8	46.3
22:15-22:20 HOUR	49.2	46.5
22:20-22:25 HOUR	50.2	48.2
22:25-22:30 HOUR	49.6	47.1
22:30-22:35 HOUR	49.0	46.8
22:35-22:40 HOUR	49.5	47.9
22:40-22:45 HOUR	50.2	48.5
22:45-22:50 HOUR	48.8	46.3
22:50-22:55 HOUR	49.2	47.2
22:55-23:00 HOUR	49.5	47.3
23:00-23:05 HOUR	49.1	47.1
23:05-23:10 HOUR	49.8	47.4
23:10-23:15 HOUR	50.5	47.9
23:15-23:20 HOUR	50.7	48.5
23:20-23:25 HOUR	49.8	47.9
23:25-23:30 HOUR	49.9	48.0
23:30-23:35 HOUR	48.2	46.3
23:35-23:40 HOUR	49.3	46.3
23:40-23:45 HOUR	48.7	45.9
23:45-23:50 HOUR	49.4	47.6
23:50-23:55 HOUR	48.4	46.1
23:55-00:00 HOUR	49.3	47.5

ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY BSI GROUP (THAILAND) CO., LTD.

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

2/42

2023-UJ.07810

TIME*	RESULT dB(A)	
	ผลการตรวจวัดค่าเสียง (N2) DECEMBER 2-3, 2023 T23AY522-0011	
	L <sub>Aeq</sub> 5 min	L <sub>Aeq</sub> 5 min
00:00-00:05 HOUR	49.1	46.9
00:05-00:10 HOUR	48.7	46.6
00:10-00:15 HOUR	51.0	48.6
00:15-00:20 HOUR	48.1	45.7
00:20-00:25 HOUR	49.2	47.3
00:25-00:30 HOUR	50.1	47.7
00:30-00:35 HOUR	48.3	45.8
00:35-00:40 HOUR	48.0	45.3
00:40-00:45 HOUR	48.9	46.8
00:45-00:50 HOUR	48.0	45.8
00:50-00:55 HOUR	49.6	47.7
00:55-01:00 HOUR	49.2	47.4
01:00-01:05 HOUR	48.6	45.8
01:05-01:10 HOUR	48.5	46.5
01:10-01:15 HOUR	47.0	45.4
01:15-01:20 HOUR	48.9	46.5
01:20-01:25 HOUR	48.9	46.8
01:25-01:30 HOUR	48.7	46.1
01:30-01:35 HOUR	49.5	47.5
01:35-01:40 HOUR	49.0	46.3
01:40-01:45 HOUR	50.0	47.8
01:45-01:50 HOUR	49.4	47.1
01:50-01:55 HOUR	49.9	46.9
01:55-02:00 HOUR	48.2	45.9
02:00-02:05 HOUR	48.2	45.9
02:05-02:10 HOUR	49.6	47.5
02:10-02:15 HOUR	48.2	46.0
02:15-02:20 HOUR	49.2	46.6
02:20-02:25 HOUR	49.6	47.7
02:25-02:30 HOUR	48.2	45.6
02:30-02:35 HOUR	48.3	46.4
02:35-02:40 HOUR	49.0	47.0
02:40-02:45 HOUR	49.2	47.4
02:45-02:50 HOUR	49.0	46.9
02:50-02:55 HOUR	49.1	46.8
02:55-03:00 HOUR	49.6	47.4
03:00-03:05 HOUR	49.3	46.6
03:05-03:10 HOUR	49.2	47.1
03:10-03:15 HOUR	48.8	46.8
03:15-03:20 HOUR	48.7	45.8
03:20-03:25 HOUR	48.9	45.0
03:25-03:30 HOUR	49.1	47.0
03:30-03:35 HOUR	49.2	47.3
03:35-03:40 HOUR	48.7	46.3
03:40-03:45 HOUR	50.0	47.6
03:45-03:50 HOUR	49.7	47.2
03:50-03:55 HOUR	49.2	46.4
03:55-04:00 HOUR	48.8	46.6
04:00-04:05 HOUR	47.8	44.9
04:05-04:10 HOUR	47.3	45.4
04:10-04:15 HOUR	48.1	46.5

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
 • THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

23/42

2023-U107810

TIME*	RESULT dB(A)	
	ผลการตรวจวัดค่าเสียง (N2) DECEMBER 2-3, 2023 T23AY522-0011	
	L <sub>Aeq</sub> 5 min	L <sub>Aeq</sub> 5 min
04:15-04:20 HOUR	48.9	45.7
04:20-04:25 HOUR	49.1	47.3
04:25-04:30 HOUR	48.3	45.7
04:30-04:35 HOUR	48.5	46.2
04:35-04:40 HOUR	50.2	47.9
04:40-04:45 HOUR	49.3	47.0
04:45-04:50 HOUR	49.2	46.6
04:50-04:55 HOUR	48.7	47.0
04:55-05:00 HOUR	49.4	47.1
05:00-05:05 HOUR	48.3	45.9
05:05-05:10 HOUR	49.8	48.1
05:10-05:15 HOUR	50.8	48.5
05:15-05:20 HOUR	49.0	47.2
05:20-05:25 HOUR	49.6	47.6
05:25-05:30 HOUR	49.2	46.3
05:30-05:35 HOUR	48.5	46.2
05:35-05:40 HOUR	49.6	47.7
05:40-05:45 HOUR	48.7	46.8
05:45-05:50 HOUR	49.6	47.8
05:50-05:55 HOUR	49.8	47.5
05:55-06:00 HOUR	49.8	47.5
06:00-06:05 HOUR	50.7	48.4
06:05-06:10 HOUR	52.9	50.2
06:10-06:15 HOUR	56.4	53.5
06:15-06:20 HOUR	55.1	53.1
06:20-06:25 HOUR	52.7	50.5
06:25-06:30 HOUR	52.3	49.5
06:30-06:35 HOUR	55.0	52.9
06:35-06:40 HOUR	54.3	52.6
06:40-06:45 HOUR	52.2	50.1
06:45-06:50 HOUR	54.9	53.1
06:50-06:55 HOUR	54.0	52.0
06:55-07:00 HOUR	56.9	54.5

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
 • THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

24/42

2023-U107810



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangchak, Phrakhanong, Bangkok 10260  
Tel.02763 2828 Fax.02763 2800 www.uaconsultant.com E-mail: uae@uaconsultant.com

TIME*	RESULT dB(A)	
	ผลการตรวจด้านเสียง (N2) DECEMBER 3-4, 2023 TZ3AY522-0012	
	L <sub>eq</sub> 5 min	L <sub>90</sub> 5 min
07:00-07:05 HOUR	56.0	54.0
07:05-07:10 HOUR	57.5	55.0
07:10-07:15 HOUR	56.7	54.3
07:15-07:20 HOUR	56.4	53.8
07:20-07:25 HOUR	58.8	56.0
07:25-07:30 HOUR	57.7	55.1
07:30-07:35 HOUR	59.7	56.9
07:35-07:40 HOUR	57.7	55.5
07:40-07:45 HOUR	58.0	55.3
07:45-07:50 HOUR	56.9	55.1
07:50-07:55 HOUR	57.1	55.0
07:55-08:00 HOUR	54.0	51.6
08:00-08:05 HOUR	53.9	51.7
08:05-08:10 HOUR	58.7	56.7
08:10-08:15 HOUR	58.5	56.2
08:15-08:20 HOUR	57.7	55.4
08:20-08:25 HOUR	58.9	57.0
08:25-08:30 HOUR	55.7	53.0
08:30-08:35 HOUR	54.5	52.1
08:35-08:40 HOUR	55.8	53.7
08:40-08:45 HOUR	59.4	57.4
08:45-08:50 HOUR	53.3	51.1
08:50-08:55 HOUR	55.3	53.1
08:55-09:00 HOUR	57.3	54.7
09:00-09:05 HOUR	57.7	55.5
09:05-09:10 HOUR	59.6	57.2
09:10-09:15 HOUR	57.7	54.9
09:15-09:20 HOUR	58.3	56.2
09:20-09:25 HOUR	56.6	54.8
09:25-09:30 HOUR	57.8	55.8
09:30-09:35 HOUR	56.4	54.3
09:35-09:40 HOUR	56.6	54.2
09:40-09:45 HOUR	57.7	55.0
09:45-09:50 HOUR	56.4	54.0
09:50-09:55 HOUR	57.7	55.6
09:55-10:00 HOUR	55.7	53.6
10:00-10:05 HOUR	52.6	50.0
10:05-10:10 HOUR	53.0	51.1
10:10-10:15 HOUR	53.9	51.5
10:15-10:20 HOUR	55.1	53.4
10:20-10:25 HOUR	59.0	56.4
10:25-10:30 HOUR	56.6	54.2
10:30-10:35 HOUR	55.3	52.9
10:35-10:40 HOUR	56.2	53.9
10:40-10:45 HOUR	57.4	55.3
10:45-10:50 HOUR	55.3	53.4
10:50-10:55 HOUR	54.8	52.1
10:55-11:00 HOUR	60.2	58.1
11:00-11:05 HOUR	55.5	52.9
11:05-11:10 HOUR	57.8	55.2
11:10-11:15 HOUR	57.8	55.6

PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY BS GROUP (THAILAND) CO., LTD.

25/42

2023-U107810



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangchak, Phrakhanong, Bangkok 10260  
Tel.02763 2828 Fax.02763 2800 www.uaconsultant.com E-mail: uae@uaconsultant.com

TIME*	RESULT dB(A)	
	ผลการตรวจด้านเสียง (N2) DECEMBER 3-4, 2023 TZ3AY522-0012	
	L <sub>eq</sub> 5 min	L <sub>90</sub> 5 min
11:15-11:20 HOUR	58.7	56.2
11:20-11:25 HOUR	57.3	55.2
11:25-11:30 HOUR	56.3	53.5
11:30-11:35 HOUR	60.6	57.9
11:35-11:40 HOUR	53.3	50.9
11:40-11:45 HOUR	53.0	50.6
11:45-11:50 HOUR	53.7	51.3
11:50-11:55 HOUR	56.2	53.5
11:55-12:00 HOUR	60.4	58.5
12:00-12:05 HOUR	54.2	51.5
12:05-12:10 HOUR	55.2	53.2
12:10-12:15 HOUR	53.1	50.9
12:15-12:20 HOUR	53.9	51.1
12:20-12:25 HOUR	50.6	48.5
12:25-12:30 HOUR	50.3	47.9
12:30-12:35 HOUR	51.2	48.3
12:35-12:40 HOUR	51.7	49.2
12:40-12:45 HOUR	50.6	48.7
12:45-12:50 HOUR	51.8	49.4
12:50-12:55 HOUR	54.2	51.9
12:55-13:00 HOUR	51.9	49.6
13:00-13:05 HOUR	58.3	56.5
13:05-13:10 HOUR	51.6	49.2
13:10-13:15 HOUR	53.0	51.3
13:15-13:20 HOUR	50.6	48.4
13:20-13:25 HOUR	53.6	51.1
13:25-13:30 HOUR	55.4	53.3
13:30-13:35 HOUR	52.6	50.7
13:35-13:40 HOUR	51.5	49.0
13:40-13:45 HOUR	50.2	48.1
13:45-13:50 HOUR	51.3	49.1
13:50-13:55 HOUR	53.1	50.6
13:55-14:00 HOUR	53.0	51.0
14:00-14:05 HOUR	56.1	53.4
14:05-14:10 HOUR	55.7	53.7
14:10-14:15 HOUR	55.6	53.5
14:15-14:20 HOUR	53.4	51.1
14:20-14:25 HOUR	52.7	50.4
14:25-14:30 HOUR	55.7	53.4
14:30-14:35 HOUR	53.3	50.6
14:35-14:40 HOUR	53.7	51.3
14:40-14:45 HOUR	54.8	52.9
14:45-14:50 HOUR	54.9	52.9
14:50-14:55 HOUR	55.7	53.5
14:55-15:00 HOUR	59.3	56.8
15:00-15:05 HOUR	55.6	53.3
15:05-15:10 HOUR	58.2	56.3
15:10-15:15 HOUR	55.5	53.4
15:15-15:20 HOUR	53.7	51.0
15:20-15:25 HOUR	53.8	52.0
15:25-15:30 HOUR	54.4	52.3

PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY BS GROUP (THAILAND) CO., LTD.

26/42

2023-U107810

TIME*	RESULT dB(A)	
	การตรวจวัดเสียงรบกวน (N2)	
	DECEMBER 3-4, 2023	
	T23AY522-0012	
	L <sub>Aeq</sub> 5 min	L <sub>A90</sub> 5 min
15:30-15:35 HOUR	54.4	51.6
15:35-15:40 HOUR	54.1	52.6
15:40-15:45 HOUR	55.4	53.2
15:45-15:50 HOUR	56.8	54.3
15:50-15:55 HOUR	60.4	58.0
15:55-16:00 HOUR	54.5	52.4
16:00-16:05 HOUR	54.5	52.3
16:05-16:10 HOUR	55.8	53.4
16:10-16:15 HOUR	57.3	55.4
16:15-16:20 HOUR	57.8	55.7
16:20-16:25 HOUR	57.4	55.4
16:25-16:30 HOUR	57.0	54.3
16:30-16:35 HOUR	56.3	54.0
16:35-16:40 HOUR	54.7	51.9
16:40-16:45 HOUR	56.3	53.9
16:45-16:50 HOUR	55.5	53.2
16:50-16:55 HOUR	55.1	53.3
16:55-17:00 HOUR	55.6	53.5
17:00-17:05 HOUR	60.2	57.8
17:05-17:10 HOUR	59.5	57.0
17:10-17:15 HOUR	57.6	55.3
17:15-17:20 HOUR	56.0	53.0
17:20-17:25 HOUR	56.7	54.3
17:25-17:30 HOUR	56.9	54.5
17:30-17:35 HOUR	57.3	54.8
17:35-17:40 HOUR	56.2	54.2
17:40-17:45 HOUR	56.9	54.0
17:45-17:50 HOUR	55.4	52.7
17:50-17:55 HOUR	55.1	53.1
17:55-18:00 HOUR	56.1	53.7
18:00-18:05 HOUR	54.5	53.0
18:05-18:10 HOUR	53.4	51.1
18:10-18:15 HOUR	53.2	50.8
18:15-18:20 HOUR	53.2	50.7
18:20-18:25 HOUR	50.5	47.8
18:25-18:30 HOUR	52.0	49.7
18:30-18:35 HOUR	55.2	52.9
18:35-18:40 HOUR	53.8	51.2
18:40-18:45 HOUR	54.6	52.6
18:45-18:50 HOUR	53.9	51.7
18:50-18:55 HOUR	54.9	52.3
18:55-19:00 HOUR	55.9	53.3
19:00-19:05 HOUR	53.4	51.2
19:05-19:10 HOUR	55.7	53.5
19:10-19:15 HOUR	56.5	54.4
19:15-19:20 HOUR	56.8	54.2
19:20-19:25 HOUR	55.2	53.2
19:25-19:30 HOUR	54.9	52.7
19:30-19:35 HOUR	58.6	55.8
19:35-19:40 HOUR	53.2	50.3
19:40-19:45 HOUR	57.0	54.6

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

27/42

2023-U107810

DO NOT SIGN  
DO NOT SIGN  
DO NOT SIGN

TIME*	RESULT dB(A)	
	พื้นที่โรงงานผ้าฝ้ายชนิด (N2)	
	DECEMBER 3-4, 2023	
	T23AY522-0012	
	L <sub>Aeq</sub> 5 min	L <sub>A90</sub> 5 min
19:45-19:50 HOUR	54.9	52.5
19:50-19:55 HOUR	59.0	56.6
19:55-20:00 HOUR	54.8	52.9
20:00-20:05 HOUR	52.4	50.5
20:05-20:10 HOUR	55.5	53.2
20:10-20:15 HOUR	55.5	52.9
20:15-20:20 HOUR	56.0	53.5
20:20-20:25 HOUR	60.5	58.7
20:25-20:30 HOUR	55.8	54.1
20:30-20:35 HOUR	58.4	56.7
20:35-20:40 HOUR	55.7	53.3
20:40-20:45 HOUR	54.8	51.8
20:45-20:50 HOUR	53.2	51.1
20:50-20:55 HOUR	53.9	50.9
20:55-21:00 HOUR	52.4	49.8
21:00-21:05 HOUR	50.9	48.5
21:05-21:10 HOUR	52.6	50.6
21:10-21:15 HOUR	51.9	49.0
21:15-21:20 HOUR	50.1	48.4
21:20-21:25 HOUR	51.5	49.0
21:25-21:30 HOUR	51.8	50.0
21:30-21:35 HOUR	50.7	48.7
21:35-21:40 HOUR	52.1	49.8
21:40-21:45 HOUR	51.8	49.5
21:45-21:50 HOUR	51.5	48.7
21:50-21:55 HOUR	50.1	47.5
21:55-22:00 HOUR	51.0	48.8
22:00-22:05 HOUR	49.1	46.3
22:05-22:10 HOUR	49.8	47.5
22:10-22:15 HOUR	50.1	47.8
22:15-22:20 HOUR	50.2	48.0
22:20-22:25 HOUR	49.7	47.2
22:25-22:30 HOUR	48.3	45.5
22:30-22:35 HOUR	50.7	49.1
22:35-22:40 HOUR	50.4	48.8
22:40-22:45 HOUR	49.6	46.8
22:45-22:50 HOUR	49.8	47.3
22:50-22:55 HOUR	50.4	47.7
22:55-23:00 HOUR	50.2	47.8
23:00-23:05 HOUR	50.2	47.7
23:05-23:10 HOUR	50.0	47.8
23:10-23:15 HOUR	50.1	47.7
23:15-23:20 HOUR	50.6	47.7
23:20-23:25 HOUR	50.7	48.5
23:25-23:30 HOUR	49.5	47.3
23:30-23:35 HOUR	50.0	48.1
23:35-23:40 HOUR	49.1	47.0
23:40-23:45 HOUR	50.5	48.0
23:45-23:50 HOUR	50.3	48.2
23:50-23:55 HOUR	50.9	48.3
23:55-00:00 HOUR	50.3	47.4

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

28/42

2023-U107810

DO NOT SIGN  
DO NOT SIGN  
DO NOT SIGN



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangchak, Phrahanong, Bangkok 10260  
Tel.02763 2828 Fax.02763 2800 www.uaconsultant.com E-mail: uae@uaconsultant.com

TIME*	RESULT dB(A)	
	ผลการตรวจด้านเสียง (N2)	
	DECEMBER 3-4, 2023	
	L <sub>eqd</sub> 5 min	L <sub>avg</sub> 5 min
	723AY522-0012	723AY522-0012
00:00-00:05 HOUR	49.7	47.2
00:05-00:10 HOUR	49.8	47.7
00:10-00:15 HOUR	49.3	46.7
00:15-00:20 HOUR	50.4	48.2
00:20-00:25 HOUR	50.7	48.5
00:25-00:30 HOUR	48.4	46.1
00:30-00:35 HOUR	48.9	46.3
00:35-00:40 HOUR	49.5	47.6
00:40-00:45 HOUR	48.0	46.2
00:45-00:50 HOUR	49.5	47.5
00:50-00:55 HOUR	49.7	48.1
00:55-01:00 HOUR	48.2	46.1
01:00-01:05 HOUR	49.0	46.3
01:05-01:10 HOUR	50.3	48.1
01:10-01:15 HOUR	49.0	46.8
01:15-01:20 HOUR	48.6	46.6
01:20-01:25 HOUR	49.9	47.9
01:25-01:30 HOUR	50.3	48.7
01:30-01:35 HOUR	48.7	46.2
01:35-01:40 HOUR	49.1	46.9
01:40-01:45 HOUR	50.1	48.3
01:45-01:50 HOUR	49.0	46.8
01:50-01:55 HOUR	49.7	47.7
01:55-02:00 HOUR	50.3	48.0
02:00-02:05 HOUR	50.1	47.7
02:05-02:10 HOUR	49.4	47.2
02:10-02:15 HOUR	50.8	49.0
02:15-02:20 HOUR	50.9	49.2
02:20-02:25 HOUR	50.0	48.0
02:25-02:30 HOUR	49.9	48.2
02:30-02:35 HOUR	50.3	48.1
02:35-02:40 HOUR	50.0	48.1
02:40-02:45 HOUR	50.1	47.9
02:45-02:50 HOUR	50.1	47.6
02:50-02:55 HOUR	50.3	48.0
02:55-03:00 HOUR	48.9	46.6
03:00-03:05 HOUR	50.9	48.8
03:05-03:10 HOUR	49.0	47.3
03:10-03:15 HOUR	49.4	47.7
03:15-03:20 HOUR	49.4	47.2
03:20-03:25 HOUR	48.4	45.7
03:25-03:30 HOUR	48.1	46.5
03:30-03:35 HOUR	48.6	46.8
03:35-03:40 HOUR	48.0	46.3
03:40-03:45 HOUR	49.7	47.5
03:45-03:50 HOUR	50.0	47.9
03:50-03:55 HOUR	50.0	48.2
03:55-04:00 HOUR	48.4	46.5
04:00-04:05 HOUR	49.4	47.2
04:05-04:10 HOUR	49.9	47.4
04:10-04:15 HOUR	49.7	47.2



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangchak, Phrahanong, Bangkok 10260  
Tel.02763 2828 Fax.02763 2800 www.uaconsultant.com E-mail: uae@uaconsultant.com

TIME*	RESULT dB(A)	
	ผลการตรวจด้านเสียง (N2)	
	DECEMBER 3-4, 2023	
	L <sub>eqd</sub> 5 min	L <sub>avg</sub> 5 min
	723AY522-0012	723AY522-0012
04:15-04:20 HOUR	49.3	47.5
04:20-04:25 HOUR	48.9	46.8
04:25-04:30 HOUR	50.8	48.4
04:30-04:35 HOUR	49.5	47.2
04:35-04:40 HOUR	50.3	47.7
04:40-04:45 HOUR	50.1	47.7
04:45-04:50 HOUR	50.7	47.8
04:50-04:55 HOUR	49.5	46.7
04:55-05:00 HOUR	49.7	47.5
05:00-05:05 HOUR	50.4	48.4
05:05-05:10 HOUR	49.6	47.1
05:10-05:15 HOUR	49.9	47.1
05:15-05:20 HOUR	50.1	48.5
05:20-05:25 HOUR	49.4	47.5
05:25-05:30 HOUR	50.4	48.2
05:30-05:35 HOUR	49.5	46.9
05:35-05:40 HOUR	49.4	47.0
05:40-05:45 HOUR	49.4	47.2
05:45-05:50 HOUR	50.4	48.6
05:50-05:55 HOUR	49.0	46.6
05:55-06:00 HOUR	50.9	48.8
06:00-06:05 HOUR	51.5	50.0
06:05-06:10 HOUR	54.0	52.0
06:10-06:15 HOUR	53.2	51.4
06:15-06:20 HOUR	53.9	51.5
06:20-06:25 HOUR	53.5	50.8
06:25-06:30 HOUR	51.2	48.9
06:30-06:35 HOUR	53.4	51.3
06:35-06:40 HOUR	55.3	53.6
06:40-06:45 HOUR	51.3	49.2
06:45-06:50 HOUR	51.8	49.9
06:50-06:55 HOUR	52.4	50.6
06:55-07:00 HOUR	54.1	52.0





United Analyst and Engineering Consultant Co., Ltd.  
350i Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax 0 2763 2800 www.uaeconsultant.com E-mail: uae@uaeconsultant.com


TIME*	RESULT dB(A)	
	สำหรับโรงงานด้านเหนือ (N2)	
	DECEMBER 4-5, 2023	
	TZ3AY522-0013	
	L <sub>eq</sub> 5 min	L <sub>eq</sub> 5 min
07:00-07:05 HOUR	55.4	53.8
07:05-07:10 HOUR	57.2	54.6
07:10-07:15 HOUR	58.0	55.4
07:15-07:20 HOUR	58.4	56.1
07:20-07:25 HOUR	59.2	56.9
07:25-07:30 HOUR	58.6	56.3
07:30-07:35 HOUR	57.5	55.4
07:35-07:40 HOUR	58.6	56.5
07:40-07:45 HOUR	59.2	57.4
07:45-07:50 HOUR	57.8	55.4
07:50-07:55 HOUR	57.4	55.2
07:55-08:00 HOUR	56.0	53.7
08:00-08:05 HOUR	54.0	52.1
08:05-08:10 HOUR	56.6	54.4
08:10-08:15 HOUR	59.1	56.2
08:15-08:20 HOUR	58.0	56.0
08:20-08:25 HOUR	60.4	57.9
08:25-08:30 HOUR	59.3	56.8
08:30-08:35 HOUR	56.8	54.6
08:35-08:40 HOUR	56.6	54.9
08:40-08:45 HOUR	55.7	53.1
08:45-08:50 HOUR	54.7	52.4
08:50-08:55 HOUR	53.9	51.5
08:55-09:00 HOUR	58.2	56.0
09:00-09:05 HOUR	59.3	57.1
09:05-09:10 HOUR	58.3	56.1
09:10-09:15 HOUR	58.1	55.7
09:15-09:20 HOUR	55.7	53.8
09:20-09:25 HOUR	55.9	53.8
09:25-09:30 HOUR	58.0	55.9
09:30-09:35 HOUR	55.1	52.9
09:35-09:40 HOUR	60.1	57.8
09:40-09:45 HOUR	55.7	53.6
09:45-09:50 HOUR	54.6	52.3
09:50-09:55 HOUR	57.5	54.5
09:55-10:00 HOUR	57.4	55.4
10:00-10:05 HOUR	52.4	49.8
10:05-10:10 HOUR	50.8	48.3
10:10-10:15 HOUR	53.8	51.7
10:15-10:20 HOUR	53.9	52.2
10:20-10:25 HOUR	56.5	53.8
10:25-10:30 HOUR	59.2	57.1
10:30-10:35 HOUR	60.1	58.2
10:35-10:40 HOUR	57.6	55.4
10:40-10:45 HOUR	59.5	57.5
10:45-10:50 HOUR	58.5	56.6
10:50-10:55 HOUR	58.7	56.7
10:55-11:00 HOUR	58.4	55.4
11:00-11:05 HOUR	58.4	56.4
11:05-11:10 HOUR	55.0	52.5
11:10-11:15 HOUR	55.4	53.3

PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.

THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

31/42

2023-U107810



United Analyst and Engineering Consultant Co., Ltd.  
350i Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax 0 2763 2800 www.uaeconsultant.com E-mail: uae@uaeconsultant.com

TIME*	RESULT dB(A)	
	สำหรับโรงงานด้านเหนือ (N2)	
	DECEMBER 4-5, 2023	
	TZ3AY522-0013	
	L <sub>eq</sub> 5 min	L <sub>eq</sub> 5 min
11:15-11:20 HOUR	55.2	52.2
11:20-11:25 HOUR	54.9	52.8
11:25-11:30 HOUR	59.4	57.1
11:30-11:35 HOUR	56.1	53.5
11:35-11:40 HOUR	54.9	52.7
11:40-11:45 HOUR	54.5	51.6
11:45-11:50 HOUR	55.7	54.2
11:50-11:55 HOUR	57.6	55.3
11:55-12:00 HOUR	59.3	57.4
12:00-12:05 HOUR	52.6	49.8
12:05-12:10 HOUR	52.4	50.6
12:10-12:15 HOUR	56.2	54.0
12:15-12:20 HOUR	54.6	51.8
12:20-12:25 HOUR	57.8	55.7
12:25-12:30 HOUR	50.7	48.6
12:30-12:35 HOUR	50.8	48.7
12:35-12:40 HOUR	51.1	48.7
12:40-12:45 HOUR	50.7	48.4
12:45-12:50 HOUR	50.1	47.8
12:50-12:55 HOUR	54.0	51.6
12:55-13:00 HOUR	51.4	48.7
13:00-13:05 HOUR	50.1	48.0
13:05-13:10 HOUR	51.1	49.1
13:10-13:15 HOUR	50.4	47.9
13:15-13:20 HOUR	53.3	51.0
13:20-13:25 HOUR	54.5	51.9
13:25-13:30 HOUR	53.2	50.5
13:30-13:35 HOUR	54.1	51.4
13:35-13:40 HOUR	59.6	57.4
13:40-13:45 HOUR	59.4	57.1
13:45-13:50 HOUR	58.5	56.5
13:50-13:55 HOUR	54.8	52.2
13:55-14:00 HOUR	53.5	51.8
14:00-14:05 HOUR	52.8	50.5
14:05-14:10 HOUR	51.3	49.2
14:10-14:15 HOUR	50.5	47.9
14:15-14:20 HOUR	54.3	52.2
14:20-14:25 HOUR	55.6	53.6
14:25-14:30 HOUR	53.6	51.4
14:30-14:35 HOUR	54.7	52.1
14:35-14:40 HOUR	52.0	49.9
14:40-14:45 HOUR	52.3	49.5
14:45-14:50 HOUR	56.8	54.9
14:50-14:55 HOUR	56.5	54.1
14:55-15:00 HOUR	61.8	59.8
15:00-15:05 HOUR	59.5	57.5
15:05-15:10 HOUR	53.7	50.9
15:10-15:15 HOUR	57.9	55.4
15:15-15:20 HOUR	55.1	52.7
15:20-15:25 HOUR	56.2	54.1
15:25-15:30 HOUR	58.7	56.5

PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.

THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

32/42

2023-U107810



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax 0 2763 2800 www.uaec consultant.com E-mail: uaec@uaec consultant.com

TIME*	RESULT dB(A)	
	สำหรับโรงงานด้านเหนือ (N2) DECEMBER 4-5, 2023 T23AY522-0013	
	L <sub>Aeq</sub> 5 min	L <sub>A90</sub> 5 min
15:30-15:35 HOUR	56.5	54.3
15:35-15:40 HOUR	53.0	51.3
15:40-15:45 HOUR	53.2	51.2
15:45-15:50 HOUR	52.4	49.8
15:50-15:55 HOUR	53.8	51.9
15:55-16:00 HOUR	50.9	48.5
16:00-16:05 HOUR	52.5	50.3
16:05-16:10 HOUR	50.9	48.9
16:10-16:15 HOUR	53.5	51.2
16:15-16:20 HOUR	55.6	53.3
16:20-16:25 HOUR	54.8	52.6
16:25-16:30 HOUR	53.4	50.7
16:30-16:35 HOUR	53.7	51.7
16:35-16:40 HOUR	54.0	52.3
16:40-16:45 HOUR	56.0	53.7
16:45-16:50 HOUR	54.0	54.0
16:50-16:55 HOUR	54.0	51.2
16:55-17:00 HOUR	52.8	51.0
17:00-17:05 HOUR	54.0	51.5
17:05-17:10 HOUR	55.8	53.5
17:10-17:15 HOUR	58.5	56.5
17:15-17:20 HOUR	56.3	54.6
17:20-17:25 HOUR	58.0	55.8
17:25-17:30 HOUR	56.4	54.1
17:30-17:35 HOUR	56.0	53.7
17:35-17:40 HOUR	56.8	54.5
17:40-17:45 HOUR	55.1	52.6
17:45-17:50 HOUR	58.4	56.6
17:50-17:55 HOUR	58.5	56.3
17:55-18:00 HOUR	52.1	49.5
18:00-18:05 HOUR	55.8	53.4
18:05-18:10 HOUR	53.0	50.5
18:10-18:15 HOUR	53.8	52.1
18:15-18:20 HOUR	55.0	52.6
18:20-18:25 HOUR	52.4	50.2
18:25-18:30 HOUR	51.7	49.4
18:30-18:35 HOUR	52.4	50.4
18:35-18:40 HOUR	54.0	51.5
18:40-18:45 HOUR	54.4	52.2
18:45-18:50 HOUR	53.3	50.6
18:50-18:55 HOUR	53.4	51.2
18:55-19:00 HOUR	56.9	54.4
19:00-19:05 HOUR	55.5	53.0
19:05-19:10 HOUR	57.0	54.7
19:10-19:15 HOUR	55.5	53.3
19:15-19:20 HOUR	54.7	52.7
19:20-19:25 HOUR	55.0	52.5
19:25-19:30 HOUR	55.4	53.8
19:30-19:35 HOUR	55.7	53.5
19:35-19:40 HOUR	55.6	53.5
19:40-19:45 HOUR	59.3	56.4

\* PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
\* THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

100 ISO 9001:2015 CERTIFIED  
100 ISO 14001:2015 CERTIFIED  
BY ESI GROUP (THAILAND) CO., LTD.

33/42

2023-UJ07810



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax 0 2763 2800 www.uaec consultant.com E-mail: uaec@uaec consultant.com

TIME*	RESULT dB(A)	
	สำหรับโรงงานด้านเหนือ (N2) DECEMBER 4-5, 2023 T23AY522-0013	
	L <sub>Aeq</sub> 5 min	L <sub>A90</sub> 5 min
19:45-19:50 HOUR	55.6	53.8
19:50-19:55 HOUR	52.0	49.5
19:55-20:00 HOUR	55.1	52.1
20:00-20:05 HOUR	51.9	49.9
20:05-20:10 HOUR	55.1	52.1
20:10-20:15 HOUR	56.2	54.3
20:15-20:20 HOUR	56.1	53.4
20:20-20:25 HOUR	56.3	54.4
20:25-20:30 HOUR	54.3	52.4
20:30-20:35 HOUR	51.9	49.8
20:35-20:40 HOUR	53.3	50.7
20:40-20:45 HOUR	52.5	50.7
20:45-20:50 HOUR	52.1	49.3
20:50-20:55 HOUR	51.3	48.7
20:55-21:00 HOUR	50.2	47.9
21:00-21:05 HOUR	51.6	49.2
21:05-21:10 HOUR	52.1	49.9
21:10-21:15 HOUR	52.6	50.0
21:15-21:20 HOUR	51.2	49.6
21:20-21:25 HOUR	50.1	47.9
21:25-21:30 HOUR	50.5	48.5
21:30-21:35 HOUR	55.9	53.3
21:35-21:40 HOUR	50.9	48.5
21:40-21:45 HOUR	50.8	48.7
21:45-21:50 HOUR	50.2	47.7
21:50-21:55 HOUR	51.8	49.9
21:55-22:00 HOUR	51.7	49.4
22:00-22:05 HOUR	49.4	47.3
22:05-22:10 HOUR	50.1	48.4
22:10-22:15 HOUR	50.3	48.3
22:15-22:20 HOUR	50.6	48.1
22:20-22:25 HOUR	50.2	47.5
22:25-22:30 HOUR	50.6	49.0
22:30-22:35 HOUR	50.5	48.5
22:35-22:40 HOUR	48.7	46.6
22:40-22:45 HOUR	49.1	47.5
22:45-22:50 HOUR	50.8	48.5
22:50-22:55 HOUR	49.1	46.7
22:55-23:00 HOUR	51.4	48.6
23:00-23:05 HOUR	50.1	47.8
23:05-23:10 HOUR	49.4	47.8
23:10-23:15 HOUR	50.7	48.4
23:15-23:20 HOUR	52.1	49.8
23:20-23:25 HOUR	50.1	48.4
23:25-23:30 HOUR	49.2	46.5
23:30-23:35 HOUR	49.3	47.0
23:35-23:40 HOUR	50.3	48.1
23:40-23:45 HOUR	49.2	46.9
23:45-23:50 HOUR	48.8	47.0
23:50-23:55 HOUR	49.7	47.2
23:55-00:00 HOUR	48.6	45.9

\* PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
\* THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

34/42

2023-UJ07810





United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaeconsultant.com E-mail: uae@uaeconsultant.com

UNITE ANALYST AND ENGINEERING  
CONSULTANT COMPANY LIMITED

TIME*	RESULT dB(A)	
	ค่าที่ตรวจวัดได้ (N2)	ค่าที่ตรวจวัดได้ (N2)
T23AY522-0013		
DECEMBER 4-5, 2023		
TIME*	L <sub>Aeq</sub> 5 min	L <sub>A90</sub> 5 min
00:00-00:05 HOUR	50.7	48.8
00:05-00:10 HOUR	50.2	48.0
00:10-00:15 HOUR	49.6	47.3
00:15-00:20 HOUR	51.5	49.4
00:20-00:25 HOUR	52.0	49.9
00:25-00:30 HOUR	50.8	48.2
00:30-00:35 HOUR	48.9	46.1
00:35-00:40 HOUR	48.8	47.3
00:40-00:45 HOUR	49.2	47.0
00:45-00:50 HOUR	49.4	46.8
00:50-00:55 HOUR	49.7	47.6
00:55-01:00 HOUR	50.9	48.6
01:00-01:05 HOUR	50.3	48.0
01:05-01:10 HOUR	50.9	48.8
01:10-01:15 HOUR	50.0	48.1
01:15-01:20 HOUR	50.2	48.4
01:20-01:25 HOUR	49.4	47.8
01:25-01:30 HOUR	50.6	48.3
01:30-01:35 HOUR	49.7	47.4
01:35-01:40 HOUR	50.7	48.5
01:40-01:45 HOUR	50.1	48.2
01:45-01:50 HOUR	49.8	48.3
01:50-01:55 HOUR	48.9	46.1
01:55-02:00 HOUR	50.1	47.4
02:00-02:05 HOUR	49.4	46.9
02:05-02:10 HOUR	50.8	48.4
02:10-02:15 HOUR	49.2	47.4
02:15-02:20 HOUR	49.1	46.8
02:20-02:25 HOUR	48.5	46.6
02:25-02:30 HOUR	49.8	47.7
02:30-02:35 HOUR	49.0	47.4
02:35-02:40 HOUR	50.1	48.1
02:40-02:45 HOUR	48.6	46.4
02:45-02:50 HOUR	49.4	47.2
02:50-02:55 HOUR	48.6	47.1
02:55-03:00 HOUR	49.3	47.0
03:00-03:05 HOUR	49.8	47.7
03:05-03:10 HOUR	49.1	47.2
03:10-03:15 HOUR	48.7	46.9
03:15-03:20 HOUR	49.7	47.5
03:20-03:25 HOUR	49.3	47.1
03:25-03:30 HOUR	50.0	48.1
03:30-03:35 HOUR	49.5	47.3
03:35-03:40 HOUR	50.3	47.7
03:40-03:45 HOUR	49.4	47.3
03:45-03:50 HOUR	48.4	46.0
03:50-03:55 HOUR	49.6	47.2
03:55-04:00 HOUR	48.2	46.0
04:00-04:05 HOUR	48.2	45.5
04:05-04:10 HOUR	48.3	46.4
04:10-04:15 HOUR	49.8	48.2

PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

2023-1107810

35/42

ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY ITS GROUP (THAILAND) CO., LTD.



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaeconsultant.com E-mail: uae@uaeconsultant.com

UNITE ANALYST AND ENGINEERING  
CONSULTANT COMPANY LIMITED

TIME*	RESULT dB(A)	
	ค่าที่ตรวจวัดได้ (N2)	ค่าที่ตรวจวัดได้ (N2)
T23AY522-0013		
DECEMBER 4-5, 2023		
TIME*	L <sub>Aeq</sub> 5 min	L <sub>A90</sub> 5 min
04:15-04:20 HOUR	48.2	45.8
04:20-04:25 HOUR	48.5	46.3
04:25-04:30 HOUR	49.7	47.4
04:30-04:35 HOUR	48.8	46.2
04:35-04:40 HOUR	51.4	48.8
04:40-04:45 HOUR	49.2	47.0
04:45-04:50 HOUR	49.5	47.3
04:50-04:55 HOUR	50.5	48.4
04:55-05:00 HOUR	50.9	48.3
05:00-05:05 HOUR	48.6	45.6
05:05-05:10 HOUR	49.1	46.9
05:10-05:15 HOUR	49.4	47.7
05:15-05:20 HOUR	50.7	49.1
05:20-05:25 HOUR	49.9	47.6
05:25-05:30 HOUR	49.6	47.3
05:30-05:35 HOUR	48.4	45.8
05:35-05:40 HOUR	49.1	47.3
05:40-05:45 HOUR	49.6	47.0
05:45-05:50 HOUR	50.7	48.1
05:50-05:55 HOUR	50.0	48.1
05:55-06:00 HOUR	49.5	46.9
06:00-06:05 HOUR	53.8	52.3
06:05-06:10 HOUR	53.5	51.6
06:10-06:15 HOUR	57.1	54.1
06:15-06:20 HOUR	52.0	50.0
06:20-06:25 HOUR	51.7	49.2
06:25-06:30 HOUR	52.0	50.2
06:30-06:35 HOUR	50.4	48.6
06:35-06:40 HOUR	51.8	49.3
06:40-06:45 HOUR	53.6	51.4
06:45-06:50 HOUR	52.5	50.1
06:50-06:55 HOUR	54.2	52.5
06:55-07:00 HOUR	54.2	51.9

PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

2023-1107810

36/42


ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY ITS GROUP (THAILAND) CO., LTD.



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaeconsultant.com E-mail:uae@uaeconsultant.com

TIME*	RESULT dB(A)	
	พื้นที่โรงงานด้านทิศเหนือ (N2) DECEMBER 5-6, 2023 T23AV522-0014	
	L <sub>Aeq</sub> 5 min	L <sub>Aeq</sub> 5 min
07:00-07:05 HOUR	58.6	55.9
07:05-07:10 HOUR	56.3	53.8
07:10-07:15 HOUR	57.0	54.6
07:15-07:20 HOUR	56.4	53.6
07:20-07:25 HOUR	55.9	53.6
07:25-07:30 HOUR	57.3	55.2
07:30-07:35 HOUR	57.9	54.9
07:35-07:40 HOUR	57.6	55.4
07:40-07:45 HOUR	57.6	55.8
07:45-07:50 HOUR	56.3	54.5
07:50-07:55 HOUR	55.7	53.8
07:55-08:00 HOUR	54.8	52.2
08:00-08:05 HOUR	55.2	53.3
08:05-08:10 HOUR	54.6	
08:10-08:15 HOUR	56.7	54.8
08:15-08:20 HOUR	56.0	53.8
08:20-08:25 HOUR	60.6	57.9
08:25-08:30 HOUR	59.2	57.0
08:30-08:35 HOUR	58.8	56.6
08:35-08:40 HOUR	54.7	52.3
08:40-08:45 HOUR	57.4	55.5
08:45-08:50 HOUR	54.9	53.1
08:50-08:55 HOUR	58.4	55.8
08:55-09:00 HOUR	56.4	54.0
09:00-09:05 HOUR	57.5	54.6
09:05-09:10 HOUR	56.9	54.4
09:10-09:15 HOUR	58.0	55.2
09:15-09:20 HOUR	56.5	54.5
09:20-09:25 HOUR	59.0	56.6
09:25-09:30 HOUR	57.2	55.7
09:30-09:35 HOUR	57.8	55.5
09:35-09:40 HOUR	55.4	53.1
09:40-09:45 HOUR	57.3	55.5
09:45-09:50 HOUR	56.9	54.6
09:50-09:55 HOUR	52.6	50.9
09:55-10:00 HOUR	51.0	48.2
10:00-10:05 HOUR	53.9	52.3
10:05-10:10 HOUR	53.6	50.8
10:10-10:15 HOUR	56.7	54.2
10:15-10:20 HOUR	53.1	50.6
10:20-10:25 HOUR	57.9	55.3
10:25-10:30 HOUR	53.3	51.6
10:30-10:35 HOUR	58.9	56.8
10:35-10:40 HOUR	57.3	55.8
10:40-10:45 HOUR	57.1	55.7
10:45-10:50 HOUR	57.2	55.6
10:50-10:55 HOUR	55.5	53.4
10:55-11:00 HOUR	55.4	53.0
11:00-11:05 HOUR	57.5	55.1
11:05-11:10 HOUR	57.7	55.6
11:10-11:15 HOUR	57.5	54.8

\* PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
\* THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaeconsultant.com E-mail:uae@uaeconsultant.com

TIME*	RESULT dB(A)	
	พื้นที่โรงงานด้านทิศเหนือ (N2) DECEMBER 5-6, 2023 T23AV522-0014	
	L <sub>Aeq</sub> 5 min	L <sub>Aeq</sub> 5 min
11:15-11:20 HOUR	55.0	52.2
11:20-11:25 HOUR	56.5	54.5
11:25-11:30 HOUR	52.1	49.8
11:30-11:35 HOUR	59.8	57.0
11:35-11:40 HOUR	52.7	50.3
11:40-11:45 HOUR	56.0	53.8
11:45-11:50 HOUR	53.5	51.2
11:50-11:55 HOUR	53.5	51.0
11:55-12:00 HOUR	58.5	56.0
12:00-12:05 HOUR	56.5	53.9
12:05-12:10 HOUR	50.4	48.5
12:10-12:15 HOUR	51.5	48.7
12:15-12:20 HOUR	52.5	49.6
12:20-12:25 HOUR	51.5	49.1
12:25-12:30 HOUR	51.9	49.9
12:30-12:35 HOUR	50.3	48.2
12:35-12:40 HOUR	52.9	50.4
12:40-12:45 HOUR	56.4	54.2
12:45-12:50 HOUR	51.5	49.5
12:50-12:55 HOUR	50.5	48.4
12:55-13:00 HOUR	52.0	49.7
13:00-13:05 HOUR	55.7	53.6
13:05-13:10 HOUR	57.0	54.7
13:10-13:15 HOUR	56.3	54.0
13:15-13:20 HOUR	55.9	53.8
13:20-13:25 HOUR	56.5	53.9
13:25-13:30 HOUR	56.4	53.8
13:30-13:35 HOUR	59.6	56.9
13:35-13:40 HOUR	57.8	55.8
13:40-13:45 HOUR	57.6	55.5
13:45-13:50 HOUR	54.3	51.7
13:50-13:55 HOUR	57.1	55.1
13:55-14:00 HOUR	54.3	52.5
14:00-14:05 HOUR	59.0	57.2
14:05-14:10 HOUR	55.0	52.5
14:10-14:15 HOUR	56.3	53.9
14:15-14:20 HOUR	55.3	53.6
14:20-14:25 HOUR	55.5	52.7
14:25-14:30 HOUR	57.1	54.3
14:30-14:35 HOUR	58.0	55.6
14:35-14:40 HOUR	53.1	50.5
14:40-14:45 HOUR	54.5	52.3
14:45-14:50 HOUR	54.6	51.7
14:50-14:55 HOUR	54.0	51.7
14:55-15:00 HOUR	55.1	52.3
15:00-15:05 HOUR	52.0	49.8
15:05-15:10 HOUR	53.8	51.6
15:10-15:15 HOUR	53.2	51.2
15:15-15:20 HOUR	54.8	52.2
15:20-15:25 HOUR	55.0	52.6
15:25-15:30 HOUR	55.9	53.9

\* PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
\* THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.





United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaec consultant.com E-mail:uae@uaec consultant.com

UNITED ANALYST AND ENGINEERING CONSULTANT CO., LTD.  
3 SOI UDOMSUK 41, SUKHUMVIT ROAD, BANGKOK, PHRAKHANONG, BANGKOK 10260  
TEL. 0 2763 2828 FAX. 0 2763 2800 WWW.UAEC CONSULTANT.COM E-MAIL: UAE@UAEC CONSULTANT.COM



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaec consultant.com E-mail:uae@uaec consultant.com

TIME*	RESULT dB(A)	
	ผลการรายงานด้านสิ่งแวดล้อม (N2) DECEMBER 5-6, 2023 T23AY522-0014	
	L <sub>eq</sub> 5 min	L <sub>avg</sub> 5 min
15:30-15:35 HOUR	58.1	57.4
15:35-15:40 HOUR	58.0	55.3
15:40-15:45 HOUR	57.8	55.9
15:45-15:50 HOUR	58.6	57.0
15:50-15:55 HOUR	59.7	57.5
15:55-16:00 HOUR	59.2	57.4
16:00-16:05 HOUR	59.9	57.5
16:05-16:10 HOUR	54.9	52.6
16:10-16:15 HOUR	56.9	54.7
16:15-16:20 HOUR	52.4	49.9
16:20-16:25 HOUR	57.5	55.1
16:25-16:30 HOUR	55.8	53.6
16:30-16:35 HOUR	53.4	50.8
16:35-16:40 HOUR	53.9	51.8
16:40-16:45 HOUR	54.3	52.4
16:45-16:50 HOUR	54.3	52.6
16:50-16:55 HOUR	52.0	49.3
16:55-17:00 HOUR	51.6	49.4
17:00-17:05 HOUR	53.1	51.6
17:05-17:10 HOUR	56.8	54.4
17:10-17:15 HOUR	56.1	53.5
17:15-17:20 HOUR	52.7	50.7
17:20-17:25 HOUR	56.4	54.0
17:25-17:30 HOUR	56.3	54.0
17:30-17:35 HOUR	60.8	59.1
17:35-17:40 HOUR	57.6	55.0
17:40-17:45 HOUR	57.1	55.4
17:45-17:50 HOUR	58.1	56.3
17:50-17:55 HOUR	55.2	53.1
17:55-18:00 HOUR	54.3	51.3
18:00-18:05 HOUR	53.6	51.3
18:05-18:10 HOUR	54.9	52.4
18:10-18:15 HOUR	56.4	54.4
18:15-18:20 HOUR	51.7	49.4
18:20-18:25 HOUR	53.7	51.6
18:25-18:30 HOUR	54.6	52.0
18:30-18:35 HOUR	58.1	55.3
18:35-18:40 HOUR	57.2	54.6
18:40-18:45 HOUR	53.7	51.2
18:45-18:50 HOUR	55.1	53.3
18:50-18:55 HOUR	55.7	53.1
18:55-19:00 HOUR	55.3	52.7
19:00-19:05 HOUR	57.5	55.4
19:05-19:10 HOUR	56.3	54.6
19:10-19:15 HOUR	55.4	53.6
19:15-19:20 HOUR	56.9	53.9
19:20-19:25 HOUR	56.5	54.6
19:25-19:30 HOUR	57.0	54.9
19:30-19:35 HOUR	55.8	54.0
19:35-19:40 HOUR	55.1	53.0
19:40-19:45 HOUR	54.5	51.7

ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY SGS GROUP (THAILAND) CO., LTD.

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

39/42

2023-U107810

TIME*	RESULT dB(A)	
	ผลการรายงานด้านสิ่งแวดล้อม (N2) DECEMBER 5-6, 2023 T23AY522-0014	
	L <sub>eq</sub> 5 min	L <sub>avg</sub> 5 min
19:45-19:50 HOUR	52.2	49.6
19:50-19:55 HOUR	60.2	57.8
19:55-20:00 HOUR	51.3	49.0
20:00-20:05 HOUR	54.3	52.4
20:05-20:10 HOUR	54.8	52.5
20:10-20:15 HOUR	54.8	52.5
20:15-20:20 HOUR	56.7	54.9
20:20-20:25 HOUR	59.1	56.4
20:25-20:30 HOUR	55.0	52.3
20:30-20:35 HOUR	55.2	53.2
20:35-20:40 HOUR	54.5	51.5
20:40-20:45 HOUR	54.3	52.0
20:45-20:50 HOUR	52.2	49.5
20:50-20:55 HOUR	50.8	48.8
20:55-21:00 HOUR	50.7	48.5
21:00-21:05 HOUR	50.8	48.2
21:05-21:10 HOUR	51.3	49.3
21:10-21:15 HOUR	53.0	50.8
21:15-21:20 HOUR	51.8	49.2
21:20-21:25 HOUR	50.9	48.6
21:25-21:30 HOUR	50.3	48.4
21:30-21:35 HOUR	51.6	49.8
21:35-21:40 HOUR	56.7	54.4
21:40-21:45 HOUR	58.3	55.5
21:45-21:50 HOUR	57.0	55.0
21:50-21:55 HOUR	51.8	49.7
21:55-22:00 HOUR	51.4	49.9
22:00-22:05 HOUR	49.1	46.6
22:05-22:10 HOUR	50.0	47.8
22:10-22:15 HOUR	50.4	48.6
22:15-22:20 HOUR	49.6	47.6
22:20-22:25 HOUR	49.8	47.6
22:25-22:30 HOUR	51.0	48.7
22:30-22:35 HOUR	48.9	46.2
22:35-22:40 HOUR	50.9	48.2
22:40-22:45 HOUR	49.2	46.7
22:45-22:50 HOUR	48.9	46.9
22:50-22:55 HOUR	50.0	47.9
22:55-23:00 HOUR	50.4	47.5
23:00-23:05 HOUR	50.4	47.8
23:05-23:10 HOUR	49.3	47.5
23:10-23:15 HOUR	50.5	48.5
23:15-23:20 HOUR	49.1	47.4
23:20-23:25 HOUR	49.2	46.5
23:25-23:30 HOUR	49.7	46.9
23:30-23:35 HOUR	49.3	47.3
23:35-23:40 HOUR	49.4	46.5
23:40-23:45 HOUR	50.2	48.0
23:45-23:50 HOUR	49.1	46.6
23:50-23:55 HOUR	49.5	47.1
23:55-00:00 HOUR	50.7	48.4

ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY SGS GROUP (THAILAND) CO., LTD.

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

40/42


2023-U107810



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaeconsultant.com E-mail: uaec@uaeconsultant.com

TIME#	RESULT dB(A)	
	สำหรับโรงงานด้านทิศใต้ (N2) DECEMBER 5-6, 2023 T23AY522-0014	
	L <sub>avg</sub> 5 min	L <sub>avg</sub> 5 min
00:00-00:05 HOUR	50.1	48.3
00:05-00:10 HOUR	49.7	47.2
00:10-00:15 HOUR	48.9	46.6
00:15-00:20 HOUR	50.7	48.4
00:20-00:25 HOUR	50.1	48.1
00:25-00:30 HOUR	50.0	48.2
00:30-00:35 HOUR	49.5	47.9
00:35-00:40 HOUR	50.0	48.5
00:40-00:45 HOUR	50.6	48.3
00:45-00:50 HOUR	50.8	48.6
00:50-00:55 HOUR	49.4	47.8
00:55-01:00 HOUR	49.1	47.3
01:00-01:05 HOUR	49.3	47.2
01:05-01:10 HOUR	50.8	48.8
01:10-01:15 HOUR	50.2	48.4
01:15-01:20 HOUR	49.3	47.2
01:20-01:25 HOUR	49.8	47.7
01:25-01:30 HOUR	48.5	48.5
01:30-01:35 HOUR	50.0	48.4
01:35-01:40 HOUR	49.8	47.5
01:40-01:45 HOUR	50.0	47.2
01:45-01:50 HOUR	51.0	48.5
01:50-01:55 HOUR	49.6	47.6
01:55-02:00 HOUR	50.8	49.3
02:00-02:05 HOUR	51.0	48.9
02:05-02:10 HOUR	50.2	47.6
02:10-02:15 HOUR	49.7	47.1
02:15-02:20 HOUR	50.9	48.8
02:20-02:25 HOUR	48.9	46.4
02:25-02:30 HOUR	49.9	47.4
02:35-02:40 HOUR	50.5	48.3
02:40-02:45 HOUR	50.1	47.5
02:45-02:50 HOUR	49.5	47.4
02:50-02:55 HOUR	50.4	47.9
02:55-03:00 HOUR	49.5	47.5
03:00-03:05 HOUR	49.5	47.4
03:05-03:10 HOUR	49.6	47.5
03:10-03:15 HOUR	49.1	46.9
03:15-03:20 HOUR	49.5	47.2
03:20-03:25 HOUR	49.9	48.2
03:25-03:30 HOUR	49.5	46.6
03:30-03:35 HOUR	50.9	48.4
03:35-03:40 HOUR	49.3	47.2
03:40-03:45 HOUR	50.9	48.4
03:45-03:50 HOUR	49.7	47.5
03:50-03:55 HOUR	49.5	47.1
03:55-04:00 HOUR	50.0	47.9
04:00-04:05 HOUR	50.0	47.8
04:05-04:10 HOUR	48.9	47.0
04:10-04:15 HOUR	50.7	48.8

PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.



2023-U107810

41/42

- End of Analysis Report -



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaeconsultant.com E-mail: uaec@uaeconsultant.com

TIME#	RESULT dB(A)	
	สำหรับโรงงานด้านทิศใต้ (N2) DECEMBER 5-6, 2023 T23AY522-0014	
	L <sub>avg</sub> 5 min	L <sub>avg</sub> 5 min
04:15-04:20 HOUR	48.8	47.0
04:20-04:25 HOUR	49.0	47.4
04:25-04:30 HOUR	48.0	45.8
04:30-04:35 HOUR	49.8	47.2
04:35-04:40 HOUR	50.2	48.0
04:40-04:45 HOUR	48.9	46.7
04:45-04:50 HOUR	50.4	48.4
04:50-04:55 HOUR	49.8	47.4
04:55-05:00 HOUR	48.9	46.5
05:00-05:05 HOUR	52.4	50.6
05:05-05:10 HOUR	50.8	48.0
05:10-05:15 HOUR	50.8	48.2
05:15-05:20 HOUR	50.4	47.6
05:20-05:25 HOUR	51.7	50.0
05:25-05:30 HOUR	52.3	49.8
05:30-05:35 HOUR	50.2	47.8
05:35-05:40 HOUR	52.6	50.5
05:40-05:45 HOUR	49.0	46.2
05:45-05:50 HOUR	50.1	47.9
05:50-05:55 HOUR	49.6	47.2
05:55-06:00 HOUR	51.2	49.1
06:00-06:05 HOUR	51.0	48.9
06:05-06:10 HOUR	55.5	53.4
06:10-06:15 HOUR	52.6	50.0
06:15-06:20 HOUR	53.0	51.0
06:20-06:25 HOUR	54.3	51.5
06:25-06:30 HOUR	56.2	53.7
06:30-06:35 HOUR	51.9	49.5
06:35-06:40 HOUR	51.8	49.0
06:40-06:45 HOUR	52.5	50.1
06:45-06:50 HOUR	52.3	50.5
06:50-06:55 HOUR	53.5	51.2
06:55-07:00 HOUR	56.8	55.0

(MR SILA BANDONGJAIIRUK)  
LABORATORY SUPERVISOR

DECEMBER 15, 2023

PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.



2023-U107810

42/42



United Analyst and Engineering Consultant Co., Ltd.  
3501 Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaeconsultant.com E-mail:uae@uaeconsultant.com

### ANALYSIS REPORT

**CUSTOMER NAME** : SET THAI ELECTRIC CONDUCTOR CO., LTD.  
**ADDRESS** : 7/14 MOO 6, MAP YANG PHON PLUAK DAENG RAYONG 21140  
**CONTACT INFORMATION** : TEL : 08 8211 1367 e-mail : sasina.d@setec.co.jp  
**MEASURING SOURCE** : เครื่องวัดความถี่เสียง (N3)  
**MEASURING TYPE** : AMBIENT (NOISE)  
**MEASURING DATE** : NOVEMBER 29 - DECEMBER 6, 2023  
**MEASURING TIME** : \*  
**MEASURING METHOD** : INTEGRATED SOUND LEVEL METER  
**MEASURED BY** : MR. TOSSAPORN TANAPIRUN

**RECEIVED DATE** : NOVEMBER 29 - DECEMBER 6, 2023  
**ANALYTICAL DATE** : NOVEMBER 29 - DECEMBER 6, 2023  
**REPORT NO.** : 2023-U107811  
**WORK NO.** : 2023-000740  
**ANALYSIS NO.** : T23AY522-0015 - T23AY522-0021

TIME*	RESULT dB(A)	
	Nov 29-30, 2023	Dec 01-02, 2023
07:00-07:05 HOUR	62.0	58.7
07:05-07:10 HOUR	62.5	60.8
07:10-07:15 HOUR	62.7	60.2
07:15-07:20 HOUR	62.9	61.3
07:20-07:25 HOUR	62.8	61.0
07:25-07:30 HOUR	62.6	60.3
07:30-07:35 HOUR	62.0	59.5
07:35-07:40 HOUR	61.7	59.6
07:40-07:45 HOUR	61.2	58.7
07:45-07:50 HOUR	61.5	59.4
07:50-07:55 HOUR	61.4	59.4
07:55-08:00 HOUR	62.1	60.1
08:00-08:05 HOUR	60.6	58.7
08:05-08:10 HOUR	60.6	58.7
08:10-08:15 HOUR	60.5	58.7
08:15-08:20 HOUR	61.4	58.8
08:20-08:25 HOUR	60.2	57.7
08:25-08:30 HOUR	61.0	58.9
08:30-08:35 HOUR	61.7	59.9
08:35-08:40 HOUR	63.3	61.6
08:40-08:45 HOUR	62.5	60.6
08:45-08:50 HOUR	63.0	61.0
08:50-08:55 HOUR	61.2	59.0
08:55-09:00 HOUR	60.7	58.7
09:00-09:05 HOUR	63.0	61.1
09:05-09:10 HOUR	63.5	61.9
09:10-09:15 HOUR	65.0	62.9
09:15-09:20 HOUR	63.4	61.0
09:20-09:25 HOUR	61.2	59.4
09:25-09:30 HOUR	62.3	60.0
09:30-09:35 HOUR	63.1	61.0
09:35-09:40 HOUR	61.2	59.1
09:40-09:45 HOUR	63.4	60.8
09:45-09:50 HOUR	63.0	61.3
09:50-09:55 HOUR	62.4	60.1
09:55-10:00 HOUR	61.6	59.1
10:00-10:05 HOUR	59.3	57.1
10:05-10:10 HOUR	58.7	56.0
10:10-10:15 HOUR	58.1	55.9

\* PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
\* THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

NO NOISES DETECTED  
NO NOISES DETECTED  
BY THE GROUP (THAI) CO., LTD.

1/42



United Analyst and Engineering Consultant Co., Ltd.  
3501 Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaeconsultant.com E-mail:uae@uaeconsultant.com

TIME*	RESULT dB(A)	
	Nov 29-30, 2023	Dec 01-02, 2023
10:15-10:20 HOUR	57.3	55.3
10:20-10:25 HOUR	58.3	56.3
10:25-10:30 HOUR	61.1	59.0
10:30-10:35 HOUR	60.5	57.9
10:35-10:40 HOUR	60.1	58.5
10:40-10:45 HOUR	60.2	58.1
10:45-10:50 HOUR	60.8	58.6
10:50-10:55 HOUR	59.8	58.1
10:55-11:00 HOUR	59.5	56.9
11:00-11:05 HOUR	58.3	55.8
11:05-11:10 HOUR	59.1	57.1
11:10-11:15 HOUR	59.1	56.7
11:15-11:20 HOUR	62.8	61.0
11:20-11:25 HOUR	61.8	59.8
11:25-11:30 HOUR	63.6	61.6
11:30-11:35 HOUR	63.0	60.4
11:35-11:40 HOUR	63.6	61.0
11:40-11:45 HOUR	63.2	61.2
11:45-11:50 HOUR	63.8	61.9
11:50-11:55 HOUR	63.6	61.1
11:55-12:00 HOUR	63.8	61.6
12:00-12:05 HOUR	62.1	60.3
12:05-12:10 HOUR	62.4	59.9
12:10-12:15 HOUR	63.0	61.0
12:15-12:20 HOUR	63.3	61.1
12:20-12:25 HOUR	62.5	60.0
12:25-12:30 HOUR	63.4	60.9
12:30-12:35 HOUR	64.8	62.9
12:35-12:40 HOUR	62.8	61.0
12:40-12:45 HOUR	64.2	61.9
12:45-12:50 HOUR	63.5	61.7
12:50-12:55 HOUR	61.9	61.9
12:55-13:00 HOUR	62.7	60.4
13:00-13:05 HOUR	63.4	61.4
13:05-13:10 HOUR	61.6	59.5
13:10-13:15 HOUR	61.8	60.0
13:15-13:20 HOUR	62.9	60.5
13:20-13:25 HOUR	62.1	59.8
13:25-13:30 HOUR	62.5	60.5
13:30-13:35 HOUR	63.1	61.2
13:35-13:40 HOUR	61.9	60.1
13:40-13:45 HOUR	61.4	59.4
13:45-13:50 HOUR	62.8	61.2
13:50-13:55 HOUR	62.3	59.9
13:55-14:00 HOUR	61.6	59.9
14:00-14:05 HOUR	61.5	59.6
14:05-14:10 HOUR	60.1	57.5
14:10-14:15 HOUR	60.5	58.9
14:15-14:20 HOUR	60.8	59.1
14:20-14:25 HOUR	61.3	59.3
14:25-14:30 HOUR	61.0	59.0

\* PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
\* THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

NO NOISES DETECTED  
NO NOISES DETECTED  
BY THE GROUP (THAI) CO., LTD.

2/42

2023-U107811





United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaconsultant.com E-mail:uae@uaconsultant.com

TIME*	RESULT dB(A)	
	บันทึกผลการวัด (N3) NOVEMBER 29-30, 2023 T23AY522-0015	
	L <sub>eq</sub> 5 min	L <sub>90</sub> 5 min
14:30-14:35 HOUR	64.4	62.4
14:35-14:40 HOUR	61.5	59.4
14:40-14:45 HOUR	62.6	60.3
14:45-14:50 HOUR	61.9	59.8
14:50-14:55 HOUR	61.0	58.3
14:55-15:00 HOUR	63.3	61.1
15:00-15:05 HOUR	64.5	62.4
15:05-15:10 HOUR	64.2	62.3
15:10-15:15 HOUR	64.5	62.6
15:15-15:20 HOUR	62.5	60.3
15:20-15:25 HOUR	62.2	60.4
15:25-15:30 HOUR	61.9	60.0
15:30-15:35 HOUR	62.4	60.1
15:35-15:40 HOUR	63.0	60.9
15:40-15:45 HOUR	63.4	61.5
15:45-15:50 HOUR	62.0	59.6
15:50-15:55 HOUR	61.6	59.7
15:55-16:00 HOUR	61.4	59.4
16:00-16:05 HOUR	60.0	58.0
16:05-16:10 HOUR	59.9	57.5
16:10-16:15 HOUR	60.6	58.6
16:15-16:20 HOUR	60.7	58.8
16:20-16:25 HOUR	59.2	57.0
16:25-16:30 HOUR	58.3	56.0
16:30-16:35 HOUR	59.0	57.0
16:35-16:40 HOUR	59.2	56.6
16:40-16:45 HOUR	60.0	57.6
16:45-16:50 HOUR	60.1	57.6
16:50-16:55 HOUR	59.9	58.0
16:55-17:00 HOUR	60.3	58.2
17:00-17:05 HOUR	59.2	57.0
17:05-17:10 HOUR	58.9	56.4
17:10-17:15 HOUR	57.5	55.3
17:15-17:20 HOUR	58.0	55.9
17:20-17:25 HOUR	59.9	58.0
17:25-17:30 HOUR	60.7	58.9
17:30-17:35 HOUR	60.5	58.3
17:35-17:40 HOUR	60.1	57.9
17:40-17:45 HOUR	57.9	55.2
17:45-17:50 HOUR	57.9	55.2
17:50-17:55 HOUR	58.4	55.8
17:55-18:00 HOUR	57.5	55.4
18:00-18:05 HOUR	58.2	55.8
18:05-18:10 HOUR	59.0	57.0
18:10-18:15 HOUR	58.7	56.6
18:15-18:20 HOUR	58.7	56.3
18:20-18:25 HOUR	58.8	56.7
18:25-18:30 HOUR	58.5	56.5
18:30-18:35 HOUR	58.3	56.7
18:35-18:40 HOUR	58.8	57.1
18:40-18:45 HOUR	59.2	57.0

ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY BSI GROUP (THAILAND) CO., LTD.

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaconsultant.com E-mail:uae@uaconsultant.com

TIME*	RESULT dB(A)	
	บันทึกผลการวัด (N3) NOVEMBER 29-30, 2023 T23AY522-0015	
	L <sub>eq</sub> 5 min	L <sub>90</sub> 5 min
18:45-18:50 HOUR	57.5	55.1
18:50-18:55 HOUR	57.7	56.1
18:55-19:00 HOUR	58.6	56.9
19:00-19:05 HOUR	59.0	56.8
19:05-19:10 HOUR	58.3	56.0
19:10-19:15 HOUR	57.9	55.5
19:15-19:20 HOUR	57.4	55.5
19:20-19:25 HOUR	59.4	57.8
19:25-19:30 HOUR	58.7	56.7
19:30-19:35 HOUR	57.1	55.4
19:35-19:40 HOUR	58.7	56.6
19:40-19:45 HOUR	57.5	55.5
19:45-19:50 HOUR	58.7	56.8
19:50-19:55 HOUR	59.1	57.2
19:55-20:00 HOUR	57.5	55.4
20:00-20:05 HOUR	61.0	58.6
20:05-20:10 HOUR	58.3	55.8
20:10-20:15 HOUR	56.0	54.1
20:15-20:20 HOUR	58.4	55.8
20:20-20:25 HOUR	58.2	56.1
20:25-20:30 HOUR	56.0	54.0
20:30-20:35 HOUR	55.9	54.1
20:35-20:40 HOUR	56.0	53.9
20:40-20:45 HOUR	56.5	54.1
20:45-20:50 HOUR	57.8	56.2
20:50-20:55 HOUR	57.1	55.2
20:55-21:00 HOUR	56.8	55.1
21:00-21:05 HOUR	58.4	56.4
21:05-21:10 HOUR	55.4	53.0
21:10-21:15 HOUR	55.1	53.6
21:15-21:20 HOUR	55.6	53.8
21:20-21:25 HOUR	54.3	51.7
21:25-21:30 HOUR	56.2	53.5
21:30-21:35 HOUR	57.8	55.3
21:35-21:40 HOUR	57.4	55.4
21:40-21:45 HOUR	57.0	55.1
21:45-21:50 HOUR	54.7	52.5
21:50-21:55 HOUR	61.3	59.7
21:55-22:00 HOUR	60.9	58.5
22:00-22:05 HOUR	55.9	54.3
22:05-22:10 HOUR	56.1	54.1
22:10-22:15 HOUR	57.2	55.0
22:15-22:20 HOUR	56.1	54.1
22:20-22:25 HOUR	56.3	53.8
22:25-22:30 HOUR	56.4	54.0
22:30-22:35 HOUR	55.3	53.4
22:35-22:40 HOUR	56.9	54.7
22:40-22:45 HOUR	56.0	53.4
22:45-22:50 HOUR	55.7	53.4
22:50-22:55 HOUR	56.0	53.9
22:55-23:00 HOUR	56.1	53.8

ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY BSI GROUP (THAILAND) CO., LTD.

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

TIME*	RESULT dB(A)	
	วันที่ตรวจวัดค่าเสียง (N3) NOVEMBER 29-30, 2023	T23AY522-0015
23:00-23:05 HOUR	L <sub>avg</sub> 5 min	L <sub>avg</sub> 5 min
23:05-23:10 HOUR	55.5	53.6
23:10-23:15 HOUR	56.9	55.3
23:15-23:20 HOUR	58.0	55.5
23:20-23:25 HOUR	57.2	55.3
23:25-23:30 HOUR	56.2	54.1
23:30-23:35 HOUR	57.0	54.7
23:35-23:40 HOUR	57.4	55.5
23:40-23:45 HOUR	56.4	54.2
23:45-23:50 HOUR	56.6	54.1
23:50-23:55 HOUR	57.4	55.8
23:55-00:00 HOUR	56.5	54.5
00:00-00:05 HOUR	55.7	53.6
00:05-00:10 HOUR	56.4	54.3
00:10-00:15 HOUR	55.9	54.1
00:15-00:20 HOUR	56.0	54.1
00:20-00:25 HOUR	56.0	54.5
00:25-00:30 HOUR	56.5	54.5
00:30-00:35 HOUR	55.4	53.4
00:35-00:40 HOUR	57.0	55.2
00:40-00:45 HOUR	57.0	54.7
00:45-00:50 HOUR	56.5	54.0
00:50-00:55 HOUR	56.7	54.9
00:55-01:00 HOUR	56.6	54.7
01:00-01:05 HOUR	56.2	54.1
01:05-01:10 HOUR	57.4	55.6
01:10-01:15 HOUR	56.6	54.5
01:15-01:20 HOUR	56.1	54.4
01:20-01:25 HOUR	57.0	55.3
01:25-01:30 HOUR	56.9	55.2
01:30-01:35 HOUR	55.9	53.9
01:35-01:40 HOUR	56.0	54.1
01:40-01:45 HOUR	56.2	53.6
01:45-01:50 HOUR	55.5	53.6
01:50-01:55 HOUR	56.7	54.3
01:55-02:00 HOUR	56.8	55.0
02:00-02:05 HOUR	57.3	55.4
02:05-02:10 HOUR	56.4	54.6
02:10-02:15 HOUR	56.8	54.3
02:15-02:20 HOUR	55.7	53.8
02:20-02:25 HOUR	56.2	53.9
02:25-02:30 HOUR	57.0	54.8
02:30-02:35 HOUR	55.7	53.6
02:35-02:40 HOUR	56.6	54.8
02:40-02:45 HOUR	55.6	53.3
02:45-02:50 HOUR	55.3	52.8
02:50-02:55 HOUR	55.7	54.0
02:55-03:00 HOUR	55.7	53.6
03:00-03:05 HOUR	56.2	54.4
03:05-03:10 HOUR	55.8	53.6
03:10-03:15 HOUR	56.5	54.3

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

2023-U107811

5/42

NO NOISES DETECTED  
NO NOISES DETECTED  
BY THE GROUP (THAILAND) COLTD.

TIME*	RESULT dB(A)	
	วันที่ตรวจวัดค่าเสียง (N3) NOVEMBER 29-30, 2023	T23AY522-0015
03:15-03:20 HOUR	L <sub>avg</sub> 5 min	L <sub>avg</sub> 5 min
03:20-03:25 HOUR	57.6	55.6
03:25-03:30 HOUR	56.6	54.6
03:30-03:35 HOUR	56.1	54.0
03:35-03:40 HOUR	56.6	54.4
03:40-03:45 HOUR	56.3	54.5
03:45-03:50 HOUR	56.4	54.6
03:50-03:55 HOUR	57.0	54.6
03:55-04:00 HOUR	57.0	54.9
04:00-04:05 HOUR	56.1	54.1
04:05-04:10 HOUR	55.7	53.9
04:10-04:15 HOUR	56.8	54.5
04:15-04:20 HOUR	55.9	54.2
04:20-04:25 HOUR	56.0	53.6
04:25-04:30 HOUR	57.6	55.2
04:30-04:35 HOUR	56.3	54.6
04:35-04:40 HOUR	57.1	55.4
04:40-04:45 HOUR	58.0	56.1
04:45-04:50 HOUR	56.4	53.7
04:50-04:55 HOUR	56.3	54.3
04:55-05:00 HOUR	55.7	53.3
05:00-05:05 HOUR	56.3	54.6
05:05-05:10 HOUR	56.8	55.1
05:10-05:15 HOUR	56.9	54.8
05:15-05:20 HOUR	56.4	54.4
05:20-05:25 HOUR	55.6	53.1
05:25-05:30 HOUR	57.7	55.4
05:30-05:35 HOUR	58.2	55.8
05:35-05:40 HOUR	57.7	56.0
05:40-05:45 HOUR	56.7	54.9
05:45-05:50 HOUR	57.3	55.7
05:50-05:55 HOUR	55.8	53.7
05:55-06:00 HOUR	58.5	56.2
06:00-06:05 HOUR	56.3	53.9
06:05-06:10 HOUR	59.8	57.7
06:10-06:15 HOUR	61.9	60.1
06:15-06:20 HOUR	61.4	59.3
06:20-06:25 HOUR	58.7	56.5
06:25-06:30 HOUR	61.2	59.2
06:30-06:35 HOUR	60.8	58.7
06:35-06:40 HOUR	59.6	57.1
06:40-06:45 HOUR	62.8	60.6
06:45-06:50 HOUR	65.0	62.9
06:50-06:55 HOUR	60.6	58.1
06:55-07:00 HOUR	60.4	58.3
07:00-07:05 HOUR	60.8	58.2

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

6/42

NO NOISES DETECTED  
NO NOISES DETECTED  
BY THE GROUP (THAILAND) COLTD.

2023-U107811



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangchak, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaec consultant.com E-mail:uae@uaec consultant.com

TIME*	RESULT dB(A)	
	วันที่รายงานผลการวัด (N3)	
	NOVEMBER 30 - DECEMBER 1, 2023	
	L <sub>Aeq</sub> 5 min	L <sub>A90</sub> 5 min
07:00-07:05 HOUR	63.1	61.2
07:05-07:10 HOUR	62.3	60.4
07:10-07:15 HOUR	61.1	59.4
07:15-07:20 HOUR	61.9	59.6
07:20-07:25 HOUR	62.2	59.6
07:25-07:30 HOUR	61.9	59.6
07:30-07:35 HOUR	61.7	60.1
07:35-07:40 HOUR	62.5	59.9
07:40-07:45 HOUR	61.7	59.6
07:45-07:50 HOUR	61.8	60.0
07:50-07:55 HOUR	61.9	59.9
07:55-08:00 HOUR	63.7	62.1
08:00-08:05 HOUR	61.9	59.8
08:05-08:10 HOUR	61.1	58.7
08:10-08:15 HOUR	60.5	58.1
08:15-08:20 HOUR	60.0	58.0
08:20-08:25 HOUR	60.4	58.1
08:25-08:30 HOUR	61.5	59.3
08:30-08:35 HOUR	61.1	59.6
08:35-08:40 HOUR	63.6	61.5
08:40-08:45 HOUR	62.3	60.3
08:45-08:50 HOUR	61.6	59.2
08:50-08:55 HOUR	61.7	59.6
08:55-09:00 HOUR	61.4	59.7
09:00-09:05 HOUR	64.1	62.0
09:05-09:10 HOUR	64.3	61.7
09:10-09:15 HOUR	63.9	61.7
09:15-09:20 HOUR	64.3	62.4
09:20-09:25 HOUR	64.2	61.8
09:25-09:30 HOUR	62.3	60.2
09:30-09:35 HOUR	61.8	59.6
09:35-09:40 HOUR	62.4	60.5
09:40-09:45 HOUR	62.1	60.2
09:45-09:50 HOUR	63.1	61.0
09:50-09:55 HOUR	62.3	60.0
09:55-10:00 HOUR	61.9	59.8
10:00-10:05 HOUR	62.0	60.0
10:05-10:10 HOUR	62.5	60.5
10:10-10:15 HOUR	62.5	60.2
10:15-10:20 HOUR	61.5	59.2
10:20-10:25 HOUR	62.1	60.0
10:25-10:30 HOUR	61.4	59.3
10:30-10:35 HOUR	61.4	59.4
10:35-10:40 HOUR	62.6	60.4
10:40-10:45 HOUR	62.4	60.2
10:45-10:50 HOUR	61.7	60.0
10:50-10:55 HOUR	62.3	59.9
10:55-11:00 HOUR	61.8	59.8
11:00-11:05 HOUR	61.5	58.9
11:05-11:10 HOUR	63.1	61.2
11:10-11:15 HOUR	62.8	60.2



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangchak, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaec consultant.com E-mail:uae@uaec consultant.com

TIME*	RESULT dB(A)	
	วันที่รายงานผลการวัด (N3)	
	NOVEMBER 30 - DECEMBER 1, 2023	
	L <sub>Aeq</sub> 5 min	L <sub>A90</sub> 5 min
11:15-11:20 HOUR	61.9	60.3
11:20-11:25 HOUR	61.6	59.6
11:25-11:30 HOUR	62.4	60.0
11:30-11:35 HOUR	62.0	60.0
11:35-11:40 HOUR	62.2	59.7
11:40-11:45 HOUR	62.3	59.9
11:45-11:50 HOUR	62.5	60.5
11:50-11:55 HOUR	62.2	59.7
11:55-12:00 HOUR	62.1	59.8
12:00-12:05 HOUR	62.8	60.2
12:05-12:10 HOUR	62.2	60.2
12:10-12:15 HOUR	61.8	59.2
12:15-12:20 HOUR	61.8	60.1
12:20-12:25 HOUR	61.6	59.0
12:25-12:30 HOUR	61.3	58.1
12:30-12:35 HOUR	61.3	58.8
12:35-12:40 HOUR	61.5	59.3
12:40-12:45 HOUR	61.2	58.7
12:45-12:50 HOUR	62.9	61.2
12:50-12:55 HOUR	62.5	60.7
12:55-13:00 HOUR	62.5	60.2
13:00-13:05 HOUR	62.6	60.6
13:05-13:10 HOUR	62.2	59.8
13:10-13:15 HOUR	62.2	60.5
13:15-13:20 HOUR	61.5	59.2
13:20-13:25 HOUR	61.4	58.9
13:25-13:30 HOUR	61.8	59.3
13:30-13:35 HOUR	61.7	59.7
13:35-13:40 HOUR	60.7	58.5
13:40-13:45 HOUR	62.7	60.7
13:45-13:50 HOUR	61.7	59.7
13:50-13:55 HOUR	61.7	59.2
13:55-14:00 HOUR	62.8	61.0
14:00-14:05 HOUR	62.9	60.7
14:05-14:10 HOUR	63.1	61.4
14:10-14:15 HOUR	61.1	59.6
14:15-14:20 HOUR	60.9	58.9
14:20-14:25 HOUR	60.9	58.6
14:25-14:30 HOUR	61.4	59.3
14:30-14:35 HOUR	61.5	59.2
14:35-14:40 HOUR	61.0	59.1
14:40-14:45 HOUR	61.2	59.6
14:45-14:50 HOUR	60.2	57.5
14:50-14:55 HOUR	61.4	58.8
14:55-15:00 HOUR	58.8	56.5
15:00-15:05 HOUR	62.0	59.8
15:05-15:10 HOUR	60.5	58.2
15:10-15:15 HOUR	61.7	59.8
15:15-15:20 HOUR	61.7	59.0
15:20-15:25 HOUR	60.7	58.1
15:25-15:30 HOUR	61.4	59.9



TIME*	RESULT dB(A)	
	ผลการตรวจวัด (N3) NOVEMBER 30 - DECEMBER 1, 2023 T23AY522-0016	
15:30-15:35 HOUR	L <sub>Aeq</sub> 5 min 62.7	L <sub>Aeq</sub> 5 min 60.2
15:35-15:40 HOUR	60.7	58.7
15:40-15:45 HOUR	61.1	59.1
15:45-15:50 HOUR	61.5	59.6
15:50-15:55 HOUR	62.1	60.4
15:55-16:00 HOUR	62.0	60.1
16:00-16:05 HOUR	62.2	59.7
16:05-16:10 HOUR	61.5	59.2
16:10-16:15 HOUR	60.9	58.4
16:15-16:20 HOUR	61.8	59.9
16:20-16:25 HOUR	62.9	60.4
16:25-16:30 HOUR	61.5	59.7
16:30-16:35 HOUR	61.5	59.6
16:35-16:40 HOUR	62.8	60.4
16:40-16:45 HOUR	61.9	59.6
16:45-16:50 HOUR	61.5	59.2
16:50-16:55 HOUR	62.0	59.6
16:55-17:00 HOUR	61.8	59.5
17:00-17:05 HOUR	61.8	59.4
17:05-17:10 HOUR	62.1	60.4
17:10-17:15 HOUR	62.6	60.9
17:15-17:20 HOUR	61.3	59.2
17:20-17:25 HOUR	62.2	60.1
17:25-17:30 HOUR	62.7	60.8
17:30-17:35 HOUR	62.2	60.4
17:35-17:40 HOUR	61.6	59.5
17:40-17:45 HOUR	61.7	59.4
17:45-17:50 HOUR	61.6	59.7
17:50-17:55 HOUR	61.5	59.7
17:55-18:00 HOUR	62.0	59.3
18:00-18:05 HOUR	62.6	61.0
18:05-18:10 HOUR	62.6	60.7
18:10-18:15 HOUR	61.8	59.5
18:15-18:20 HOUR	62.1	58.6
18:20-18:25 HOUR	62.1	59.8
18:25-18:30 HOUR	61.8	60.1
18:30-18:35 HOUR	62.0	60.3
18:35-18:40 HOUR	61.3	58.7
18:40-18:45 HOUR	62.0	60.2
18:45-18:50 HOUR	62.8	60.1
18:50-18:55 HOUR	61.7	59.7
18:55-19:00 HOUR	62.4	59.9
19:00-19:05 HOUR	63.8	61.7
19:05-19:10 HOUR	62.7	60.6
19:10-19:15 HOUR	62.1	59.9
19:15-19:20 HOUR	61.0	59.0
19:20-19:25 HOUR	62.1	60.0
19:25-19:30 HOUR	62.1	60.1
19:30-19:35 HOUR	60.9	58.9
19:35-19:40 HOUR	61.2	59.0
19:40-19:45 HOUR	62.2	59.6

TIME*	RESULT dB(A)	
	ผลการตรวจวัด (N3) NOVEMBER 30 - DECEMBER 1, 2023 T23AY522-0016	
19:45-19:50 HOUR	L <sub>Aeq</sub> 5 min 61.6	L <sub>Aeq</sub> 5 min 59.5
19:50-19:55 HOUR	61.5	59.4
19:55-20:00 HOUR	62.2	60.0
20:00-20:05 HOUR	61.3	59.0
20:05-20:10 HOUR	62.1	59.7
20:10-20:15 HOUR	62.3	59.8
20:15-20:20 HOUR	62.5	60.1
20:20-20:25 HOUR	61.3	58.6
20:25-20:30 HOUR	61.3	58.6
20:30-20:35 HOUR	61.2	58.6
20:35-20:40 HOUR	61.5	59.9
20:40-20:45 HOUR	61.3	59.1
20:45-20:50 HOUR	61.5	59.4
20:50-20:55 HOUR	62.1	59.8
20:55-21:00 HOUR	61.4	59.0
21:00-21:05 HOUR	57.9	56.0
21:05-21:10 HOUR	56.8	54.8
21:10-21:15 HOUR	58.6	56.6
21:15-21:20 HOUR	58.3	56.1
21:20-21:25 HOUR	63.5	61.8
21:25-21:30 HOUR	61.8	59.7
21:30-21:35 HOUR	61.1	58.7
21:35-21:40 HOUR	60.9	58.5
21:40-21:45 HOUR	61.7	60.1
21:45-21:50 HOUR	62.4	60.5
21:50-21:55 HOUR	62.5	60.4
21:55-22:00 HOUR	60.7	58.4
22:00-22:05 HOUR	61.3	59.2
22:05-22:10 HOUR	59.5	57.5
22:10-22:15 HOUR	59.8	58.0
22:15-22:20 HOUR	60.4	58.2
22:20-22:25 HOUR	60.1	58.4
22:25-22:30 HOUR	60.6	59.2
22:30-22:35 HOUR	60.6	59.0
22:35-22:40 HOUR	60.0	57.7
22:40-22:45 HOUR	59.6	57.6
22:45-22:50 HOUR	58.6	56.0
22:50-22:55 HOUR	60.5	58.8
22:55-23:00 HOUR	60.2	58.2
23:00-23:05 HOUR	59.4	57.0
23:05-23:10 HOUR	60.4	58.4
23:10-23:15 HOUR	59.8	58.0
23:15-23:20 HOUR	59.3	57.2
23:20-23:25 HOUR	60.7	59.0
23:25-23:30 HOUR	58.9	57.2
23:30-23:35 HOUR	60.2	57.6
23:35-23:40 HOUR	60.2	57.9
23:40-23:45 HOUR	60.2	58.2
23:45-23:50 HOUR	59.2	57.1
23:50-23:55 HOUR	59.7	58.2
23:55-00:00 HOUR	59.9	58.1



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax 0 2763 2800 www.uaeconsultant.com E-mail: uae@uaeconsultant.com



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax 0 2763 2800 www.uaeconsultant.com E-mail: uae@uaeconsultant.com

TIME*	RESULT dB(A)	
	วันที่รายงานผล (N3)	
	NOVEMBER 30 - DECEMBER 1, 2023	
	L <sub>Aeq</sub> 5 min	L <sub>A90</sub> 5 min
00:00-00:05 HOUR	60.1	57.5
00:05-00:10 HOUR	59.5	57.7
00:10-00:15 HOUR	59.0	57.0
00:15-00:20 HOUR	60.5	58.6
00:20-00:25 HOUR	59.9	57.7
00:25-00:30 HOUR	60.3	58.1
00:30-00:35 HOUR	59.8	57.4
00:35-00:40 HOUR	59.0	56.4
00:40-00:45 HOUR	59.4	57.3
00:45-00:50 HOUR	59.8	57.5
00:50-00:55 HOUR	59.2	57.1
00:55-01:00 HOUR	59.8	58.3
01:00-01:05 HOUR	59.0	57.2
01:05-01:10 HOUR	60.4	58.0
01:10-01:15 HOUR	61.4	59.2
01:15-01:20 HOUR	59.8	57.8
01:20-01:25 HOUR	60.5	58.5
01:25-01:30 HOUR	61.4	58.9
01:30-01:35 HOUR	60.4	58.2
01:35-01:40 HOUR	61.7	59.9
01:40-01:45 HOUR	60.3	58.3
01:45-01:50 HOUR	59.4	57.5
01:50-01:55 HOUR	60.0	57.4
01:55-02:00 HOUR	60.2	57.8
02:00-02:05 HOUR	59.1	57.3
02:05-02:10 HOUR	60.6	58.4
02:10-02:15 HOUR	60.0	57.8
02:15-02:20 HOUR	59.6	57.1
02:20-02:25 HOUR	60.1	57.9
02:25-02:30 HOUR	60.7	58.6
02:30-02:35 HOUR	59.8	57.8
02:35-02:40 HOUR	59.5	57.2
02:40-02:45 HOUR	60.7	58.8
02:45-02:50 HOUR	59.8	57.5
02:50-02:55 HOUR	60.3	58.0
02:55-03:00 HOUR	59.4	57.8
03:00-03:05 HOUR	59.6	57.6
03:05-03:10 HOUR	60.0	58.3
03:10-03:15 HOUR	59.4	57.5
03:15-03:20 HOUR	58.5	56.2
03:20-03:25 HOUR	60.6	58.4
03:25-03:30 HOUR	60.9	59.3
03:30-03:35 HOUR	61.1	59.2
03:35-03:40 HOUR	60.9	58.7
03:40-03:45 HOUR	58.5	56.8
03:45-03:50 HOUR	61.5	59.5
03:50-03:55 HOUR	60.1	58.3
03:55-04:00 HOUR	59.4	57.1
04:00-04:05 HOUR	60.3	58.3
04:05-04:10 HOUR	59.4	57.2
04:10-04:15 HOUR	59.7	57.6

PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

ISO 9000:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY BS GROUP (THAILAND) CO., LTD.

11/42

2023-U107811

TIME*	RESULT dB(A)	
	วันที่รายงานผล (N3)	
	NOVEMBER 30 - DECEMBER 1, 2023	
	L <sub>Aeq</sub> 5 min	L <sub>A90</sub> 5 min
04:15-04:20 HOUR	60.5	58.6
04:20-04:25 HOUR	59.6	57.6
04:25-04:30 HOUR	60.1	58.1
04:30-04:35 HOUR	59.8	58.0
04:35-04:40 HOUR	58.8	56.7
04:40-04:45 HOUR	60.4	58.5
04:45-04:50 HOUR	59.9	58.0
04:50-04:55 HOUR	59.7	57.7
04:55-05:00 HOUR	60.1	58.1
05:00-05:05 HOUR	60.4	58.4
05:05-05:10 HOUR	60.1	57.8
05:10-05:15 HOUR	60.5	58.3
05:15-05:20 HOUR	59.0	56.8
05:20-05:25 HOUR	60.5	58.7
05:25-05:30 HOUR	59.3	57.5
05:30-05:35 HOUR	59.3	56.7
05:35-05:40 HOUR	60.0	57.7
05:40-05:45 HOUR	60.5	58.3
05:45-05:50 HOUR	58.8	56.9
05:50-05:55 HOUR	60.5	58.0
05:55-06:00 HOUR	60.0	57.6
06:00-06:05 HOUR	53.0	50.7
06:05-06:10 HOUR	52.1	50.0
06:10-06:15 HOUR	51.2	48.7
06:15-06:20 HOUR	52.8	50.7
06:20-06:25 HOUR	52.0	49.4
06:25-06:30 HOUR	51.2	48.6
06:30-06:35 HOUR	51.9	49.8
06:35-06:40 HOUR	51.9	50.2
06:40-06:45 HOUR	52.1	50.1
06:45-06:50 HOUR	51.9	50.0
06:50-06:55 HOUR	52.0	49.8
06:55-07:00 HOUR	52.3	50.3

PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

ISO 9000:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY BS GROUP (THAILAND) CO., LTD.

12/42

2023-U107811



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax 0 2763 2800 www.uaeconsultant.com E-mail:uae@uaeconsultant.com

UNITED ANALYST AND ENGINEERING CONSULTANT CO., LTD.  
3 SOI UDOMSUK 41, SUKHUMVIT ROAD, BANGKOK, PHRAKHANONG, BANGKOK 10260  
TEL. 0 2763 2828 FAX 0 2763 2800 WWW.UAECONSULTANT.COM E-MAIL: UAE@UAECONSULTANT.COM


TIME*	RESULT dB(A)	
	ผลการตรวจวัดค่าเสียง (N3) DECEMBER 1-2, 2023 TZ3AY522-0017	
	L <sub>eq</sub> 5 min	L <sub>eq</sub> 5 min
07:00-07:05 HOUR	55.8	53.4
07:05-07:10 HOUR	54.8	52.7
07:10-07:15 HOUR	53.8	51.9
07:15-07:20 HOUR	57.0	54.5
07:20-07:25 HOUR	56.6	54.2
07:25-07:30 HOUR	56.3	54.4
07:30-07:35 HOUR	53.6	51.5
07:35-07:40 HOUR	52.6	50.0
07:40-07:45 HOUR	51.7	49.7
07:45-07:50 HOUR	50.7	48.6
07:50-07:55 HOUR	51.2	48.9
07:55-08:00 HOUR	51.2	49.0
08:00-08:05 HOUR	52.7	51.0
08:05-08:10 HOUR	50.0	47.9
08:10-08:15 HOUR	50.6	48.6
08:15-08:20 HOUR	51.6	49.5
08:20-08:25 HOUR	52.0	50.3
08:25-08:30 HOUR	51.8	50.0
08:30-08:35 HOUR	55.1	52.9
08:35-08:40 HOUR	55.3	53.1
08:40-08:45 HOUR	56.0	53.5
08:45-08:50 HOUR	53.5	51.8
08:50-08:55 HOUR	52.5	51.0
08:55-09:00 HOUR	53.1	51.1
09:00-09:05 HOUR	54.1	52.1
09:05-09:10 HOUR	52.3	50.5
09:10-09:15 HOUR	53.5	51.5
09:15-09:20 HOUR	51.0	48.9
09:20-09:25 HOUR	54.2	51.8
09:25-09:30 HOUR	54.7	53.0
09:30-09:35 HOUR	55.1	52.5
09:35-09:40 HOUR	54.3	51.9
09:40-09:45 HOUR	54.9	52.4
09:45-09:50 HOUR	52.9	50.9
09:50-09:55 HOUR	55.2	52.8
09:55-10:00 HOUR	52.0	49.5
10:00-10:05 HOUR	51.8	49.3
10:05-10:10 HOUR	50.5	48.5
10:10-10:15 HOUR	51.2	48.8
10:15-10:20 HOUR	53.2	51.0
10:20-10:25 HOUR	54.7	52.4
10:25-10:30 HOUR	55.2	52.7
10:30-10:35 HOUR	54.4	52.7
10:35-10:40 HOUR	56.1	53.5
10:40-10:45 HOUR	54.5	52.7
10:45-10:50 HOUR	52.6	50.5
10:50-10:55 HOUR	51.7	49.5
10:55-11:00 HOUR	50.2	48.6
11:00-11:05 HOUR	50.1	48.0
11:05-11:10 HOUR	55.1	53.2
11:10-11:15 HOUR	53.3	51.3

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.

• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

13/42

2023-U107811



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax 0 2763 2800 www.uaeconsultant.com E-mail:uae@uaeconsultant.com

UNITED ANALYST AND ENGINEERING CONSULTANT CO., LTD.  
3 SOI UDOMSUK 41, SUKHUMVIT ROAD, BANGKOK, PHRAKHANONG, BANGKOK 10260  
TEL. 0 2763 2828 FAX 0 2763 2800 WWW.UAECONSULTANT.COM E-MAIL: UAE@UAECONSULTANT.COM

TIME*	RESULT dB(A)	
	ผลการตรวจวัดค่าเสียง (N3) DECEMBER 1-2, 2023 TZ3AY522-0017	
	L <sub>eq</sub> 5 min	L <sub>eq</sub> 5 min
11:15-11:20 HOUR	50.9	48.2
11:20-11:25 HOUR	51.1	48.8
11:25-11:30 HOUR	50.8	49.3
11:30-11:35 HOUR	53.0	51.2
11:35-11:40 HOUR	51.4	49.7
11:40-11:45 HOUR	50.6	48.9
11:45-11:50 HOUR	50.5	48.9
11:50-11:55 HOUR	51.2	48.9
11:55-12:00 HOUR	50.4	48.8
12:00-12:05 HOUR	51.8	49.7
12:05-12:10 HOUR	50.4	48.1
12:10-12:15 HOUR	50.1	47.6
12:15-12:20 HOUR	50.2	47.8
12:20-12:25 HOUR	50.5	48.7
12:25-12:30 HOUR	51.8	49.2
12:30-12:35 HOUR	52.9	51.1
12:35-12:40 HOUR	50.7	48.4
12:40-12:45 HOUR	50.8	48.9
12:45-12:50 HOUR	51.2	49.2
12:50-12:55 HOUR	52.6	50.4
12:55-13:00 HOUR	52.5	50.7
13:00-13:05 HOUR	50.8	48.4
13:05-13:10 HOUR	51.2	48.9
13:10-13:15 HOUR	50.5	48.8
13:15-13:20 HOUR	50.0	47.8
13:20-13:25 HOUR	50.2	48.2
13:25-13:30 HOUR	50.4	47.8
13:30-13:35 HOUR	51.9	49.4
13:35-13:40 HOUR	51.4	49.2
13:40-13:45 HOUR	52.8	50.7
13:45-13:50 HOUR	53.9	51.9
13:50-13:55 HOUR	55.4	53.2
13:55-14:00 HOUR	51.0	48.8
14:00-14:05 HOUR	50.1	48.0
14:05-14:10 HOUR	50.0	48.1
14:10-14:15 HOUR	50.2	48.1
14:15-14:20 HOUR	51.2	49.5
14:20-14:25 HOUR	51.7	50.0
14:25-14:30 HOUR	52.5	50.8
14:30-14:35 HOUR	51.5	49.1
14:35-14:40 HOUR	58.0	55.9
14:40-14:45 HOUR	55.2	53.2
14:45-14:50 HOUR	53.8	51.4
14:50-14:55 HOUR	54.0	52.0
14:55-15:00 HOUR	54.1	52.0
15:00-15:05 HOUR	53.6	51.9
15:05-15:10 HOUR	52.0	49.9
15:10-15:15 HOUR	53.8	52.1
15:15-15:20 HOUR	54.2	51.7
15:20-15:25 HOUR	54.6	52.2
15:25-15:30 HOUR	50.2	48.0

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.

• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

14/42

2023-U107811






United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaeconsultant.com E-mail:uae@uaeconsultant.com

TIME*	RESULT dB(A)	
	ผลการตรวจวัดค่าเสียง (N3) DECEMBER 1-2, 2023 T23AY522-0017	
15:30-15:35 HOUR	L <sub>Aeq</sub> 5 min 46.3	L <sub>A90</sub> 5 min 46.3
15:35-15:40 HOUR	46.7	46.7
15:40-15:45 HOUR	46.8	46.8
15:45-15:50 HOUR	46.9	47.6
15:50-15:55 HOUR	49.2	47.2
15:55-16:00 HOUR	46.6	46.7
16:00-16:05 HOUR	51.0	48.8
16:05-16:10 HOUR	51.0	48.8
16:10-16:15 HOUR	46.8	44.2
16:15-16:20 HOUR	46.3	44.1
16:20-16:25 HOUR	47.0	45.2
16:25-16:30 HOUR	50.9	49.2
16:30-16:35 HOUR	51.2	49.2
16:35-16:40 HOUR	46.5	44.2
16:40-16:45 HOUR	54.0	52.2
16:45-16:50 HOUR	47.0	44.7
16:50-16:55 HOUR	46.7	44.5
16:55-17:00 HOUR	46.1	44.5
17:00-17:05 HOUR	49.5	47.3
17:05-17:10 HOUR	49.5	47.7
17:10-17:15 HOUR	48.4	46.5
17:15-17:20 HOUR	47.7	46.1
17:20-17:25 HOUR	47.3	45.4
17:25-17:30 HOUR	46.0	43.6
17:30-17:35 HOUR	48.5	45.9
17:35-17:40 HOUR	49.3	47.5
17:40-17:45 HOUR	53.1	51.2
17:45-17:50 HOUR	54.3	52.2
17:50-17:55 HOUR	50.2	48.0
17:55-18:00 HOUR	49.5	47.1
18:00-18:05 HOUR	56.1	54.0
18:05-18:10 HOUR	48.2	46.2
18:10-18:15 HOUR	47.0	45.0
18:15-18:20 HOUR	45.9	43.6
18:20-18:25 HOUR	45.9	44.0
18:25-18:30 HOUR	53.6	51.6
18:30-18:35 HOUR	55.9	53.7
18:35-18:40 HOUR	46.5	44.1
18:40-18:45 HOUR	48.5	46.4
18:45-18:50 HOUR	46.0	44.2
18:50-18:55 HOUR	45.7	43.7
18:55-19:00 HOUR	46.6	44.1
19:00-19:05 HOUR	50.7	49.0
19:05-19:10 HOUR	57.9	55.5
19:10-19:15 HOUR	57.5	55.6
19:15-19:20 HOUR	53.0	50.6
19:20-19:25 HOUR	52.9	50.8
19:25-19:30 HOUR	51.3	49.1
19:30-19:35 HOUR	51.3	48.8
19:35-19:40 HOUR	51.2	49.5
19:40-19:45 HOUR	52.2	49.7

\* PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
\* THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.



15/42


2023-U107811



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaeconsultant.com E-mail:uae@uaeconsultant.com

TIME*	RESULT dB(A)	
	ผลการตรวจวัดค่าเสียง (N3) DECEMBER 1-2, 2023 T23AY522-0017	
19:45-19:50 HOUR	L <sub>Aeq</sub> 5 min 50.5	L <sub>A90</sub> 5 min 48.5
19:50-19:55 HOUR	51.8	49.6
19:55-20:00 HOUR	54.1	51.6
20:00-20:05 HOUR	55.5	52.8
20:05-20:10 HOUR	53.8	51.1
20:10-20:15 HOUR	53.3	51.4
20:15-20:20 HOUR	54.8	52.7
20:20-20:25 HOUR	54.7	52.2
20:25-20:30 HOUR	55.4	53.3
20:30-20:35 HOUR	54.5	52.1
20:35-20:40 HOUR	53.7	51.5
20:40-20:45 HOUR	53.5	51.4
20:45-20:50 HOUR	56.0	53.4
20:50-20:55 HOUR	53.4	51.6
20:55-21:00 HOUR	56.6	54.9
21:00-21:05 HOUR	56.8	54.8
21:05-21:10 HOUR	56.5	54.4
21:10-21:15 HOUR	55.6	53.6
21:15-21:20 HOUR	56.9	53.9
21:20-21:25 HOUR	56.9	54.5
21:25-21:30 HOUR	52.1	50.2
21:30-21:35 HOUR	52.8	50.4
21:35-21:40 HOUR	51.5	48.9
21:40-21:45 HOUR	56.0	54.3
21:45-21:50 HOUR	56.2	54.0
21:50-21:55 HOUR	53.3	51.3
21:55-22:00 HOUR	52.1	50.1
22:00-22:05 HOUR	53.1	50.9
22:05-22:10 HOUR	52.5	50.5
22:10-22:15 HOUR	51.7	49.1
22:15-22:20 HOUR	52.6	50.3
22:20-22:25 HOUR	51.4	49.4
22:25-22:30 HOUR	51.4	48.8
22:30-22:35 HOUR	51.8	50.0
22:35-22:40 HOUR	52.6	50.1
22:40-22:45 HOUR	52.5	50.3
22:45-22:50 HOUR	50.9	48.8
22:50-22:55 HOUR	51.3	48.7
22:55-23:00 HOUR	51.5	49.2
23:00-23:05 HOUR	51.5	49.5
23:05-23:10 HOUR	51.5	48.9
23:10-23:15 HOUR	50.5	47.8
23:15-23:20 HOUR	51.9	49.2
23:20-23:25 HOUR	51.3	49.0
23:25-23:30 HOUR	51.4	49.3
23:30-23:35 HOUR	51.7	50.1
23:35-23:40 HOUR	51.2	49.2
23:40-23:45 HOUR	52.2	50.0
23:45-23:50 HOUR	51.3	50.3
23:50-23:55 HOUR	51.3	49.2
23:55-00:00 HOUR	50.9	48.9

\* PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
\* THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.



16/42


2023-U107811



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaconsultant.com E-mail: uae@uaconsultant.com

TIME*	RESULT dB(A)	
	ผลการตรวจวัดเสียง (N3) DECEMBER 1-2, 2023 T23AY522-0017	
	L <sub>Aeq</sub> 5 min	L <sub>A90</sub> 5 min
00:00-00:05 HOUR	51.8	49.4
00:05-00:10 HOUR	54.0	51.6
00:10-00:15 HOUR	53.4	51.7
00:15-00:20 HOUR	51.7	49.5
00:20-00:25 HOUR	52.5	50.7
00:25-00:30 HOUR	52.4	50.4
00:30-00:35 HOUR	51.6	49.4
00:35-00:40 HOUR	52.7	51.0
00:40-00:45 HOUR	52.2	49.9
00:45-00:50 HOUR	52.1	50.1
00:50-00:55 HOUR	50.9	48.9
00:55-01:00 HOUR	53.3	51.3
01:00-01:05 HOUR	52.2	50.2
01:05-01:10 HOUR	52.0	49.7
01:10-01:15 HOUR	51.4	48.9
01:15-01:20 HOUR	51.6	49.4
01:20-01:25 HOUR	53.1	50.6
01:25-01:30 HOUR	52.8	50.7
01:30-01:35 HOUR	51.5	49.6
01:35-01:40 HOUR	51.8	49.5
01:40-01:45 HOUR	50.2	48.0
01:45-01:50 HOUR	52.3	49.9
01:50-01:55 HOUR	51.2	49.1
01:55-02:00 HOUR	51.4	49.3
02:00-02:05 HOUR	51.8	49.8
02:05-02:10 HOUR	52.1	49.8
02:10-02:15 HOUR	51.9	49.2
02:15-02:20 HOUR	52.1	50.2
02:20-02:25 HOUR	51.9	49.5
02:25-02:30 HOUR	51.8	49.7
02:30-02:35 HOUR	51.6	49.1
02:35-02:40 HOUR	51.6	50.1
02:40-02:45 HOUR	51.5	49.2
02:45-02:50 HOUR	51.8	49.8
02:50-02:55 HOUR	51.1	49.2
02:55-03:00 HOUR	50.7	48.8
03:00-03:05 HOUR	52.1	50.4
03:05-03:10 HOUR	52.1	50.2
03:10-03:15 HOUR	52.2	50.1
03:15-03:20 HOUR	51.1	49.1
03:20-03:25 HOUR	51.1	49.3
03:25-03:30 HOUR	52.0	50.0
03:30-03:35 HOUR	50.8	48.1
03:35-03:40 HOUR	51.6	50.0
03:40-03:45 HOUR	52.0	50.1
03:45-03:50 HOUR	52.1	49.8
03:50-03:55 HOUR	52.3	49.9
03:55-04:00 HOUR	52.5	50.6
04:00-04:05 HOUR	52.5	50.3
04:05-04:10 HOUR	52.3	50.4
04:10-04:15 HOUR	53.1	51.0

PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.



2023-U107811

17/42

2023-U107811

18/42



PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.



2023-U107811

18/42





United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangchak, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax 0 2763 2800 www.uaec consultant.com E-mail: uaec@uaec consultant.com

TIME*	RESULT dB(A)	
	ค่าที่ตรวจวัดได้ (N3)	DECEMBER 2-3, 2023
T23AY522-0018		
	L <sub>eq</sub> 5 min	L <sub>90</sub> 5 min
07:00-07:05 HOUR	54.9	52.8
07:05-07:10 HOUR	54.0	51.8
07:10-07:15 HOUR	51.7	49.3
07:15-07:20 HOUR	51.1	48.9
07:20-07:25 HOUR	51.8	49.9
07:25-07:30 HOUR	51.5	49.2
07:30-07:35 HOUR	56.3	54.2
07:35-07:40 HOUR	56.6	54.2
07:40-07:45 HOUR	55.8	53.7
07:45-07:50 HOUR	56.5	54.2
07:50-07:55 HOUR	53.9	51.9
07:55-08:00 HOUR	54.7	52.3
08:00-08:05 HOUR	52.9	51.0
08:05-08:10 HOUR	54.3	52.7
08:10-08:15 HOUR	53.8	51.7
08:15-08:20 HOUR	53.3	50.9
08:20-08:25 HOUR	54.2	52.4
08:25-08:30 HOUR	54.4	51.8
08:30-08:35 HOUR	55.6	53.3
08:35-08:40 HOUR	55.3	53.4
08:40-08:45 HOUR	55.4	53.3
08:45-08:50 HOUR	55.2	53.0
08:50-08:55 HOUR	55.1	53.1
08:55-09:00 HOUR	54.8	53.0
09:00-09:05 HOUR	56.0	54.1
09:05-09:10 HOUR	55.7	53.9
09:10-09:15 HOUR	56.6	54.5
09:15-09:20 HOUR	56.3	54.5
09:20-09:25 HOUR	56.4	53.7
09:25-09:30 HOUR	54.9	52.2
09:30-09:35 HOUR	55.9	53.6
09:35-09:40 HOUR	55.5	52.9
09:40-09:45 HOUR	54.2	51.9
09:45-09:50 HOUR	54.2	51.7
09:50-09:55 HOUR	53.9	51.5
09:55-10:00 HOUR	53.9	51.8
10:00-10:05 HOUR	54.2	52.1
10:05-10:10 HOUR	54.9	52.4
10:10-10:15 HOUR	54.5	52.5
10:15-10:20 HOUR	55.3	52.7
10:20-10:25 HOUR	53.9	52.1
10:25-10:30 HOUR	54.6	52.6
10:30-10:35 HOUR	54.3	51.9
10:35-10:40 HOUR	54.2	52.1
10:40-10:45 HOUR	54.5	52.6
10:45-10:50 HOUR	54.2	51.9
10:50-10:55 HOUR	55.2	52.9
10:55-11:00 HOUR	53.3	50.9
11:00-11:05 HOUR	54.2	52.1
11:05-11:10 HOUR	54.5	52.5
11:10-11:15 HOUR	54.4	52.4

ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY BS GROUP (THAILAND) CO., LTD.

\* PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
\* THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

19/42

2023-U107811



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangchak, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax 0 2763 2800 www.uaec consultant.com E-mail: uaec@uaec consultant.com

TIME*	RESULT dB(A)	
	ค่าที่ตรวจวัดได้ (N3)	DECEMBER 2-3, 2023
T23AY522-0018		
	L <sub>eq</sub> 5 min	L <sub>90</sub> 5 min
11:15-11:20 HOUR	53.9	51.7
11:20-11:25 HOUR	55.5	53.4
11:25-11:30 HOUR	54.0	52.5
11:30-11:35 HOUR	54.2	51.9
11:35-11:40 HOUR	54.0	52.4
11:40-11:45 HOUR	53.9	51.4
11:45-11:50 HOUR	53.2	50.5
11:50-11:55 HOUR	53.1	50.9
11:55-12:00 HOUR	53.1	51.0
12:00-12:05 HOUR	52.6	50.9
12:05-12:10 HOUR	52.2	49.6
12:10-12:15 HOUR	52.8	51.2
12:15-12:20 HOUR	52.9	50.7
12:20-12:25 HOUR	52.8	51.2
12:25-12:30 HOUR	52.1	50.0
12:30-12:35 HOUR	53.1	51.1
12:35-12:40 HOUR	52.5	50.3
12:40-12:45 HOUR	52.6	50.7
12:45-12:50 HOUR	53.2	50.6
12:50-12:55 HOUR	52.2	49.5
12:55-13:00 HOUR	52.6	50.4
13:00-13:05 HOUR	53.2	50.7
13:05-13:10 HOUR	54.3	52.5
13:10-13:15 HOUR	54.0	51.8
13:15-13:20 HOUR	54.3	51.6
13:20-13:25 HOUR	54.2	52.0
13:25-13:30 HOUR	54.0	51.7
13:30-13:35 HOUR	55.9	53.5
13:35-13:40 HOUR	53.8	51.3
13:40-13:45 HOUR	54.1	52.4
13:45-13:50 HOUR	53.6	51.7
13:50-13:55 HOUR	52.8	50.4
13:55-14:00 HOUR	61.1	59.0
14:00-14:05 HOUR	63.8	61.3
14:05-14:10 HOUR	59.1	56.9
14:10-14:15 HOUR	53.6	51.2
14:15-14:20 HOUR	53.0	50.5
14:20-14:25 HOUR	53.6	52.0
14:25-14:30 HOUR	53.4	51.8
14:30-14:35 HOUR	53.8	51.7
14:35-14:40 HOUR	53.3	51.1
14:40-14:45 HOUR	52.6	50.3
14:45-14:50 HOUR	53.3	51.3
14:50-14:55 HOUR	53.9	51.7
14:55-15:00 HOUR	61.1	58.7
15:00-15:05 HOUR	58.4	56.6
15:05-15:10 HOUR	55.8	53.7
15:10-15:15 HOUR	53.1	50.7
15:15-15:20 HOUR	53.5	51.2
15:20-15:25 HOUR	57.2	55.1
15:25-15:30 HOUR	53.0	51.1

ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY BS GROUP (THAILAND) CO., LTD.

\* PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
\* THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

20/42

2023-U107811





United Analyst and Engineering Consultant Co., Ltd.  
33 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax 0 2763 2800 www.uaec consultant.com E-mail: uaec@uaec consultant.com

TIME*	RESULT dB(A)	
	ผลการตรวจวัดค่าเสียง (dB(A))	
	DECEMBER 2-3, 2023	
	T23AY522-0018	
	L <sub>eq</sub> 5 min	L <sub>90</sub> 5 min
15:30-15:35 HOUR	53.0	50.8
15:35-15:40 HOUR	53.0	50.9
15:40-15:45 HOUR	53.3	50.7
15:45-15:50 HOUR	53.4	51.2
15:50-15:55 HOUR	53.2	50.6
15:55-16:00 HOUR	52.3	50.4
16:00-16:05 HOUR	52.1	49.7
16:05-16:10 HOUR	53.5	52.0
16:10-16:15 HOUR	52.0	49.5
16:15-16:20 HOUR	53.8	51.7
16:20-16:25 HOUR	52.5	50.6
16:25-16:30 HOUR	52.7	50.6
16:30-16:35 HOUR	52.4	50.7
16:35-16:40 HOUR	53.3	50.9
16:40-16:45 HOUR	53.4	51.3
16:45-16:50 HOUR	53.7	51.4
16:50-16:55 HOUR	53.4	51.9
16:55-17:00 HOUR	52.9	50.8
17:00-17:05 HOUR	53.8	51.3
17:05-17:10 HOUR	53.5	51.6
17:10-17:15 HOUR	53.7	51.6
17:15-17:20 HOUR	53.8	51.6
17:20-17:25 HOUR	54.9	53.2
17:25-17:30 HOUR	54.4	52.5
17:30-17:35 HOUR	59.5	57.2
17:35-17:40 HOUR	57.4	55.5
17:40-17:45 HOUR	60.2	58.2
17:45-17:50 HOUR	58.0	55.1
17:50-17:55 HOUR	52.9	51.0
17:55-18:00 HOUR	53.4	51.5
18:00-18:05 HOUR	53.3	50.9
18:05-18:10 HOUR	57.9	56.3
18:10-18:15 HOUR	55.5	53.3
18:15-18:20 HOUR	55.4	53.1
18:20-18:25 HOUR	53.6	51.0
18:25-18:30 HOUR	53.4	51.3
18:30-18:35 HOUR	55.0	52.6
18:35-18:40 HOUR	54.8	52.2
18:40-18:45 HOUR	53.5	50.8
18:45-18:50 HOUR	53.8	51.5
18:50-18:55 HOUR	58.3	56.0
18:55-19:00 HOUR	55.4	53.8
19:00-19:05 HOUR	54.8	53.0
19:05-19:10 HOUR	53.7	51.1
19:10-19:15 HOUR	53.6	51.2
19:15-19:20 HOUR	53.2	51.0
19:20-19:25 HOUR	53.2	51.2
19:25-19:30 HOUR	53.9	51.7
19:30-19:35 HOUR	54.0	52.0
19:35-19:40 HOUR	54.7	53.0
19:40-19:45 HOUR	53.7	51.5

PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.

THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

21/42

2023-U107811

NO NOISES CAPTURED  
NO NOISES CAPTURED  
NO NOISES CAPTURED



United Analyst and Engineering Consultant Co., Ltd.  
33 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax 0 2763 2800 www.uaec consultant.com E-mail: uaec@uaec consultant.com

TIME*	RESULT dB(A)	
	บริเวณงานวัดค่า (N3)	
	DECEMBER 2-3, 2023	
	T23AY522-0018	
	L <sub>req</sub> 5 min	L <sub>90</sub> 5 min
19:45-19:50 HOUR	53.4	51.4
19:50-19:55 HOUR	53.4	51.6
19:55-20:00 HOUR	54.6	52.6
20:00-20:05 HOUR	54.2	51.6
20:05-20:10 HOUR	53.3	51.0
20:10-20:15 HOUR	53.3	51.7
20:15-20:20 HOUR	53.2	50.5
20:20-20:25 HOUR	53.6	51.1
20:25-20:30 HOUR	54.6	52.3
20:30-20:35 HOUR	54.6	52.3
20:35-20:40 HOUR	54.0	52.0
20:40-20:45 HOUR	54.9	52.6
20:45-20:50 HOUR	55.4	53.9
20:50-20:55 HOUR	54.8	53.3
20:55-21:00 HOUR	53.5	51.0
21:00-21:05 HOUR	50.8	48.5
21:05-21:10 HOUR	50.9	49.0
21:10-21:15 HOUR	50.3	48.2
21:15-21:20 HOUR	51.1	48.6
21:20-21:25 HOUR	50.6	48.9
21:25-21:30 HOUR	50.6	48.8
21:30-21:35 HOUR	50.6	48.6
21:35-21:40 HOUR	50.9	48.7
21:40-21:45 HOUR	51.3	49.4
21:45-21:50 HOUR	50.8	48.9
21:50-21:55 HOUR	51.4	49.0
21:55-22:00 HOUR	51.7	50.1
22:00-22:05 HOUR	52.5	50.1
22:05-22:10 HOUR	51.9	49.7
22:10-22:15 HOUR	52.0	50.2
22:15-22:20 HOUR	53.0	50.7
22:20-22:25 HOUR	51.1	48.8
22:25-22:30 HOUR	51.3	49.4
22:30-22:35 HOUR	51.1	48.9
22:35-22:40 HOUR	51.6	49.2
22:40-22:45 HOUR	52.4	50.2
22:45-22:50 HOUR	52.3	50.5
22:50-22:55 HOUR	52.5	50.1
22:55-23:00 HOUR	51.5	49.3
23:00-23:05 HOUR	51.6	49.1
23:05-23:10 HOUR	52.7	50.2
23:10-23:15 HOUR	52.8	51.1
23:15-23:20 HOUR	52.2	49.8
23:20-23:25 HOUR	51.2	49.4
23:25-23:30 HOUR	52.2	50.1
23:30-23:35 HOUR	51.4	49.3
23:35-23:40 HOUR	52.5	50.2
23:40-23:45 HOUR	52.6	50.1
23:45-23:50 HOUR	51.5	49.2
23:50-23:55 HOUR	52.0	50.3
23:55-00:00 HOUR	51.8	49.6

PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.

THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

22/42

2023-U107811

NO NOISES CAPTURED  
NO NOISES CAPTURED  
NO NOISES CAPTURED



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangchak, Phrakhanong, Bangkok 10760  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaeconsultant.com E-mail:uae@uaeconsultant.com



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangchak, Phrakhanong, Bangkok 10760  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaeconsultant.com E-mail:uae@uaeconsultant.com

TIME*	RESULT dB(A)	
	ผลการตรวจวัดค่าเสียง (N3) DECEMBER 2-3, 2023 T23AY522-0018	
	L <sub>Aeq</sub> 5 min	L <sub>A90</sub> 5 min
00:00-00:05 HOUR	52.8	50.4
00:05-00:10 HOUR	52.7	50.4
00:10-00:15 HOUR	51.2	49.0
00:15-00:20 HOUR	51.4	49.7
00:20-00:25 HOUR	52.6	50.6
00:25-00:30 HOUR	52.0	49.3
00:30-00:35 HOUR	52.6	50.6
00:35-00:40 HOUR	52.2	50.3
00:40-00:45 HOUR	51.3	49.2
00:45-00:50 HOUR	51.9	50.0
00:50-00:55 HOUR	51.7	49.5
00:55-01:00 HOUR	51.8	50.0
01:00-01:05 HOUR	52.8	51.1
01:05-01:10 HOUR	52.1	49.9
01:10-01:15 HOUR	51.5	49.5
01:15-01:20 HOUR	51.7	50.0
01:20-01:25 HOUR	51.6	49.6
01:25-01:30 HOUR	52.8	50.9
01:30-01:35 HOUR	51.7	49.0
01:35-01:40 HOUR	51.6	49.7
01:40-01:45 HOUR	52.0	50.0
01:45-01:50 HOUR	51.4	49.3
01:50-01:55 HOUR	52.1	49.4
01:55-02:00 HOUR	52.2	50.6
02:00-02:05 HOUR	51.3	48.7
02:05-02:10 HOUR	51.0	48.8
02:10-02:15 HOUR	51.1	49.4
02:15-02:20 HOUR	51.5	49.2
02:20-02:25 HOUR	52.4	49.8
02:25-02:30 HOUR	52.1	49.8
02:30-02:35 HOUR	53.8	53.6
02:35-02:40 HOUR	52.2	52.2
02:40-02:45 HOUR	52.6	50.1
02:45-02:50 HOUR	54.5	53.0
02:50-02:55 HOUR	54.9	52.9
02:55-03:00 HOUR	52.6	50.6
03:00-03:05 HOUR	52.6	51.0
03:05-03:10 HOUR	55.4	53.4
03:10-03:15 HOUR	54.3	52.3
03:15-03:20 HOUR	52.8	50.8
03:20-03:25 HOUR	52.4	50.3
03:25-03:30 HOUR	51.7	49.8
03:30-03:35 HOUR	51.7	49.5
03:35-03:40 HOUR	51.6	49.6
03:40-03:45 HOUR	52.4	49.8
03:45-03:50 HOUR	51.5	49.7
03:50-03:55 HOUR	51.1	48.8
03:55-04:00 HOUR	51.2	49.4
04:00-04:05 HOUR	51.2	49.2
04:05-04:10 HOUR	52.6	50.4
04:10-04:15 HOUR	51.2	49.0

TIME*	RESULT dB(A)	
	ผลการตรวจวัดค่าเสียง (N3) DECEMBER 2-3, 2023 T23AY522-0018	
	L <sub>Aeq</sub> 5 min	L <sub>A90</sub> 5 min
04:15-04:20 HOUR	51.4	49.9
04:20-04:25 HOUR	52.2	50.6
04:25-04:30 HOUR	51.8	49.9
04:30-04:35 HOUR	52.0	50.0
04:35-04:40 HOUR	51.4	49.5
04:40-04:45 HOUR	50.9	48.7
04:45-04:50 HOUR	51.6	49.5
04:50-04:55 HOUR	51.1	48.9
04:55-05:00 HOUR	52.3	50.0
05:00-05:05 HOUR	51.4	49.8
05:05-05:10 HOUR	53.0	51.2
05:10-05:15 HOUR	50.9	48.7
05:15-05:20 HOUR	51.0	49.5
05:20-05:25 HOUR	51.6	49.3
05:25-05:30 HOUR	52.2	49.8
05:30-05:35 HOUR	52.5	50.6
05:35-05:40 HOUR	53.0	50.9
05:40-05:45 HOUR	51.4	49.5
05:45-05:50 HOUR	51.1	48.9
05:50-05:55 HOUR	51.6	49.8
05:55-06:00 HOUR	51.7	49.9
06:00-06:05 HOUR	51.2	49.4
06:05-06:10 HOUR	51.6	49.9
06:10-06:15 HOUR	51.7	49.6
06:15-06:20 HOUR	52.8	50.6
06:20-06:25 HOUR	53.2	51.0
06:25-06:30 HOUR	52.5	50.4
06:30-06:35 HOUR	52.6	50.4
06:35-06:40 HOUR	51.8	49.5
06:40-06:45 HOUR	56.8	54.8
06:45-06:50 HOUR	57.8	55.1
06:50-06:55 HOUR	55.7	54.1
06:55-07:00 HOUR	52.5	50.1





United Analyst and Engineering Consultant Co., Ltd.  
3501 Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaeconsultant.com E-mail: uaec@uaeconsultant.com

TIME*	RESULT dB(A)	
	ผลการตรวจวัดเสียง (M3) DECEMBER 3-4, 2023 T23AY522-0019	
	L <sub>Aeq</sub> 5 min	L <sub>A90</sub> 5 min
07:00-07:15 HOUR	62.7	60.6
07:05-07:10 HOUR	61.5	59.2
07:10-07:15 HOUR	62.9	60.7
07:15-07:20 HOUR	62.6	60.9
07:20-07:25 HOUR	62.4	60.5
07:25-07:30 HOUR	61.8	59.7
07:30-07:35 HOUR	62.9	61.1
07:35-07:40 HOUR	61.7	59.3
07:40-07:45 HOUR	62.5	60.4
07:45-07:50 HOUR	61.7	59.8
07:50-07:55 HOUR	62.7	60.8
07:55-08:00 HOUR	62.5	60.2
08:00-08:05 HOUR	62.2	60.2
08:05-08:10 HOUR	62.7	60.4
08:10-08:15 HOUR	61.3	58.8
08:15-08:20 HOUR	61.6	59.2
08:20-08:25 HOUR	61.9	59.8
08:25-08:30 HOUR	62.7	60.3
08:30-08:35 HOUR	62.0	60.4
08:35-08:40 HOUR	62.7	60.4
08:40-08:45 HOUR	62.7	60.5
08:45-08:50 HOUR	61.6	59.9
08:50-08:55 HOUR	61.8	59.6
08:55-09:00 HOUR	62.3	60.4
09:00-09:05 HOUR	62.6	60.3
09:05-09:10 HOUR	62.3	60.5
09:10-09:15 HOUR	63.0	61.0
09:15-09:20 HOUR	62.7	60.7
09:20-09:25 HOUR	62.0	59.9
09:25-09:30 HOUR	62.9	60.7
09:30-09:35 HOUR	62.7	60.6
09:35-09:40 HOUR	62.9	61.0
09:40-09:45 HOUR	63.1	61.2
09:45-09:50 HOUR	61.7	59.3
09:50-09:55 HOUR	62.4	60.5
09:55-10:00 HOUR	61.3	59.5
10:00-10:05 HOUR	61.8	59.4
10:05-10:10 HOUR	61.7	59.9
10:10-10:15 HOUR	60.5	58.1
10:15-10:20 HOUR	60.1	58.3
10:20-10:25 HOUR	61.0	59.1
10:25-10:30 HOUR	61.4	59.6
10:30-10:35 HOUR	60.6	58.2
10:35-10:40 HOUR	60.8	58.8
10:40-10:45 HOUR	61.4	59.1
10:45-10:50 HOUR	60.9	58.7
10:50-10:55 HOUR	60.8	59.0
10:55-11:00 HOUR	61.7	60.0
11:00-11:05 HOUR	60.0	57.7
11:05-11:10 HOUR	60.2	58.0
11:10-11:15 HOUR	60.3	57.7

NO NOISES CAPTURED  
NO NOISES CAPTURED  
BY LAS GROUP (THAILAND) CO., LTD.

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

25/42

2023-U107811



United Analyst and Engineering Consultant Co., Ltd.  
3501 Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaeconsultant.com E-mail: uaec@uaeconsultant.com

TIME*	RESULT dB(A)	
	ผลการตรวจวัดเสียง (M3) DECEMBER 3-4, 2023 T23AY522-0019	
	L <sub>Aeq</sub> 5 min	L <sub>A90</sub> 5 min
11:15-11:20 HOUR	59.3	57.7
11:20-11:25 HOUR	59.3	57.3
11:25-11:30 HOUR	59.7	57.3
11:30-11:35 HOUR	60.1	58.0
11:35-11:40 HOUR	59.8	57.9
11:40-11:45 HOUR	60.2	57.9
11:45-11:50 HOUR	59.3	57.7
11:50-11:55 HOUR	60.4	58.3
11:55-12:00 HOUR	59.1	57.1
12:00-12:05 HOUR	60.2	57.9
12:05-12:10 HOUR	59.6	57.1
12:10-12:15 HOUR	60.0	58.1
12:15-12:20 HOUR	58.9	56.2
12:20-12:25 HOUR	59.2	57.2
12:25-12:30 HOUR	59.5	57.2
12:30-12:35 HOUR	58.5	56.5
12:35-12:40 HOUR	58.8	56.8
12:40-12:45 HOUR	59.4	57.7
12:45-12:50 HOUR	59.3	57.4
12:50-12:55 HOUR	59.7	58.0
12:55-13:00 HOUR	59.8	57.5
13:00-13:05 HOUR	59.2	57.5
13:05-13:10 HOUR	60.1	57.9
13:10-13:15 HOUR	60.2	58.0
13:15-13:20 HOUR	59.8	57.9
13:20-13:25 HOUR	59.3	57.3
13:25-13:30 HOUR	60.0	57.6
13:30-13:35 HOUR	62.9	60.3
13:35-13:40 HOUR	62.5	60.0
13:40-13:45 HOUR	63.3	61.7
13:45-13:50 HOUR	61.2	58.6
13:50-13:55 HOUR	60.6	58.8
13:55-14:00 HOUR	62.2	59.9
14:00-14:05 HOUR	60.9	59.4
14:05-14:10 HOUR	60.8	58.4
14:10-14:15 HOUR	60.5	58.1
14:15-14:20 HOUR	61.1	59.0
14:20-14:25 HOUR	61.2	58.8
14:25-14:30 HOUR	60.7	58.6
14:30-14:35 HOUR	61.5	59.3
14:35-14:40 HOUR	61.5	59.6
14:40-14:45 HOUR	61.9	58.8
14:45-14:50 HOUR	60.8	58.6
14:50-14:55 HOUR	62.4	59.8
14:55-15:00 HOUR	59.9	57.6
15:00-15:05 HOUR	60.3	58.4
15:05-15:10 HOUR	58.9	57.1
15:10-15:15 HOUR	60.3	57.9
15:15-15:20 HOUR	60.1	57.7
15:20-15:25 HOUR	62.7	60.7
15:25-15:30 HOUR	61.4	59.4

NO NOISES CAPTURED  
NO NOISES CAPTURED  
BY LAS GROUP (THAILAND) CO., LTD.

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

26/42

2023-U107811



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax 0 2763 2800 www.uaeconsultant.com E-mail: uaec@uaeconsultant.com

TIME*	RESULT dB(A)	
	Leq 5 min	L <sub>avg</sub> 5 min
15:30-15:35 HOUR	62.9	60.8
15:35-15:40 HOUR	62.7	60.7
15:40-15:45 HOUR	62.5	60.4
15:45-15:50 HOUR	63.6	61.9
15:50-15:55 HOUR	62.8	60.8
15:55-16:00 HOUR	63.5	61.1
16:00-16:05 HOUR	64.6	62.4
16:05-16:10 HOUR	63.5	61.3
16:10-16:15 HOUR	62.1	60.2
16:15-16:20 HOUR	61.0	61.0
16:20-16:25 HOUR	62.4	60.2
16:25-16:30 HOUR	62.5	60.5
16:30-16:35 HOUR	62.9	60.8
16:35-16:40 HOUR	62.5	60.5
16:40-16:45 HOUR	62.1	59.9
16:45-16:50 HOUR	62.7	60.7
16:50-16:55 HOUR	61.7	59.5
16:55-17:00 HOUR	61.2	58.7
17:00-17:05 HOUR	62.4	60.8
17:05-17:10 HOUR	62.6	60.4
17:10-17:15 HOUR	62.3	60.4
17:15-17:20 HOUR	61.9	59.5
17:20-17:25 HOUR	62.4	60.8
17:25-17:30 HOUR	61.8	59.5
17:30-17:35 HOUR	62.3	59.8
17:35-17:40 HOUR	63.2	60.8
17:40-17:45 HOUR	63.1	61.2
17:45-17:50 HOUR	62.1	60.1
17:50-17:55 HOUR	62.4	59.8
17:55-18:00 HOUR	61.7	59.5
18:00-18:05 HOUR	62.1	60.5
18:05-18:10 HOUR	61.9	59.5
18:10-18:15 HOUR	62.9	60.7
18:15-18:20 HOUR	63.0	61.4
18:20-18:25 HOUR	61.7	59.0
18:25-18:30 HOUR	62.2	60.2
18:30-18:35 HOUR	62.7	60.8
18:35-18:40 HOUR	62.5	60.2
18:40-18:45 HOUR	62.5	60.6
18:45-18:50 HOUR	61.8	59.7
18:50-18:55 HOUR	62.5	60.7
18:55-19:00 HOUR	62.3	60.1
19:00-19:05 HOUR	62.8	60.8
19:05-19:10 HOUR	59.7	57.8
19:10-19:15 HOUR	60.0	57.9
19:15-19:20 HOUR	59.1	57.6
19:20-19:25 HOUR	59.9	57.2
19:25-19:30 HOUR	61.1	59.4
19:30-19:35 HOUR	58.7	56.5
19:35-19:40 HOUR	60.0	57.8
19:40-19:45 HOUR	59.0	57.3

ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY SGS GROUP (THAILAND) CO., LTD.

PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

27/42

2023-U107811



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax 0 2763 2800 www.uaeconsultant.com E-mail: uaec@uaeconsultant.com

TIME*	RESULT dB(A)	
	Leq 5 min	L <sub>avg</sub> 5 min
19:45-19:50 HOUR	59.5	57.9
19:50-19:55 HOUR	59.5	57.1
19:55-20:00 HOUR	60.1	57.8
20:00-20:05 HOUR	59.8	57.6
20:05-20:10 HOUR	59.5	57.2
20:10-20:15 HOUR	61.0	58.6
20:15-20:20 HOUR	58.5	56.4
20:20-20:25 HOUR	58.5	56.0
20:25-20:30 HOUR	57.5	55.5
20:30-20:35 HOUR	58.2	56.4
20:35-20:40 HOUR	58.4	56.5
20:40-20:45 HOUR	62.4	60.3
20:45-20:50 HOUR	60.4	58.7
20:50-20:55 HOUR	58.6	56.3
20:55-21:00 HOUR	60.7	58.7
21:00-21:05 HOUR	62.8	61.1
21:05-21:10 HOUR	63.7	62.0
21:10-21:15 HOUR	64.4	61.9
21:15-21:20 HOUR	64.0	61.6
21:20-21:25 HOUR	63.5	61.4
21:25-21:30 HOUR	62.8	60.7
21:30-21:35 HOUR	61.6	59.3
21:35-21:40 HOUR	61.6	59.4
21:40-21:45 HOUR	61.3	59.3
21:45-21:50 HOUR	61.3	59.0
21:50-21:55 HOUR	61.5	59.1
21:55-22:00 HOUR	61.9	59.4
22:00-22:05 HOUR	60.0	57.7
22:05-22:10 HOUR	61.6	59.8
22:10-22:15 HOUR	62.0	60.1
22:15-22:20 HOUR	62.0	60.2
22:20-22:25 HOUR	60.9	58.5
22:25-22:30 HOUR	60.0	57.6
22:30-22:35 HOUR	59.8	57.3
22:35-22:40 HOUR	60.7	58.7
22:40-22:45 HOUR	61.5	59.9
22:45-22:50 HOUR	60.0	58.5
22:50-22:55 HOUR	60.5	57.8
22:55-23:00 HOUR	60.8	58.7
23:00-23:05 HOUR	59.4	56.8
23:05-23:10 HOUR	60.2	58.5
23:10-23:15 HOUR	60.7	58.4
23:15-23:20 HOUR	60.2	57.8
23:20-23:25 HOUR	60.9	58.8
23:25-23:30 HOUR	61.2	59.0
23:30-23:35 HOUR	60.9	58.3
23:35-23:40 HOUR	60.8	59.0
23:40-23:45 HOUR	60.9	59.0
23:45-23:50 HOUR	60.7	58.2
23:50-23:55 HOUR	61.0	58.9
23:55-00:00 HOUR	59.8	57.6

ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY SGS GROUP (THAILAND) CO., LTD.

PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

28/42


2023-U107811



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaec consultant.com E-mail:uae@uaec consultant.com

TIME*	RESULT dB(A)	
	ผลการตรวจวัดค่าเสียง (N3) DECEMBER 3-4, 2023 TZ3AY522-0019	
	L <sub>avg</sub> 5 min	L <sub>avg</sub> 5 min
00:00-00:05 HOUR	60.9	59.0
00:05-00:10 HOUR	60.3	58.8
00:10-00:15 HOUR	60.2	57.9
00:15-00:20 HOUR	60.7	58.4
00:20-00:25 HOUR	59.7	57.9
00:25-00:30 HOUR	59.8	57.3
00:30-00:35 HOUR	60.7	59.0
00:35-00:40 HOUR	60.8	59.2
00:40-00:45 HOUR	60.8	58.6
00:45-00:50 HOUR	61.4	59.5
00:50-00:55 HOUR	59.4	57.0
00:55-01:00 HOUR	60.8	58.7
01:00-01:05 HOUR	60.3	58.4
01:05-01:10 HOUR	60.6	58.5
01:10-01:15 HOUR	61.0	58.3
01:15-01:20 HOUR	59.4	57.8
01:20-01:25 HOUR	59.9	58.0
01:25-01:30 HOUR	59.8	57.9
01:30-01:35 HOUR	60.4	58.8
01:35-01:40 HOUR	61.0	58.9
01:40-01:45 HOUR	61.0	58.8
01:45-01:50 HOUR	59.1	57.4
01:50-01:55 HOUR	62.1	60.5
01:55-02:00 HOUR	60.6	58.4
02:00-02:05 HOUR	61.0	58.6
02:05-02:10 HOUR	60.5	58.0
02:10-02:15 HOUR	59.8	58.2
02:15-02:20 HOUR	60.6	58.3
02:20-02:25 HOUR	60.7	58.1
02:25-02:30 HOUR	61.3	59.4
02:30-02:35 HOUR	60.1	58.1
02:35-02:40 HOUR	61.2	59.5
02:40-02:45 HOUR	61.8	59.2
02:45-02:50 HOUR	60.6	58.7
02:50-02:55 HOUR	60.1	58.1
02:55-03:00 HOUR	60.4	58.2
03:00-03:05 HOUR	61.6	59.8
03:05-03:10 HOUR	59.8	57.6
03:10-03:15 HOUR	60.1	58.5
03:15-03:20 HOUR	59.5	57.0
03:20-03:25 HOUR	59.9	57.6
03:25-03:30 HOUR	59.7	58.1
03:30-03:35 HOUR	60.4	57.8
03:35-03:40 HOUR	59.6	57.4
03:40-03:45 HOUR	60.3	58.0
03:45-03:50 HOUR	61.0	59.3
03:50-03:55 HOUR	58.9	57.0
03:55-04:00 HOUR	59.1	57.0
04:00-04:05 HOUR	60.4	58.3
04:05-04:10 HOUR	60.1	58.1
04:10-04:15 HOUR	60.3	57.9

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.



29/42


2023-U107811



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaec consultant.com E-mail:uae@uaec consultant.com

TIME*	RESULT dB(A)	
	ผลการตรวจวัดค่าเสียง (N3) DECEMBER 3-4, 2023 TZ3AY522-0019	
	L <sub>avg</sub> 5 min	L <sub>avg</sub> 5 min
04:15-04:20 HOUR	59.4	56.8
04:20-04:25 HOUR	60.5	58.3
04:25-04:30 HOUR	59.6	57.3
04:30-04:35 HOUR	60.1	57.9
04:35-04:40 HOUR	60.5	58.8
04:40-04:45 HOUR	59.4	57.9
04:45-04:50 HOUR	60.0	58.1
04:50-04:55 HOUR	59.6	57.7
04:55-05:00 HOUR	59.8	57.9
05:00-05:05 HOUR	60.1	58.0
05:05-05:10 HOUR	60.3	58.3
05:10-05:15 HOUR	59.6	57.3
05:15-05:20 HOUR	59.5	57.0
05:20-05:25 HOUR	60.5	58.3
05:25-05:30 HOUR	60.6	58.3
05:30-05:35 HOUR	59.7	57.2
05:35-05:40 HOUR	59.8	57.8
05:40-05:45 HOUR	59.7	57.9
05:45-05:50 HOUR	59.7	58.1
05:50-05:55 HOUR	59.7	57.5
05:55-06:00 HOUR	59.3	56.8
06:00-06:05 HOUR	60.0	58.1
06:05-06:10 HOUR	60.1	57.8
06:10-06:15 HOUR	59.9	58.3
06:15-06:20 HOUR	59.4	57.5
06:20-06:25 HOUR	60.0	58.3
06:25-06:30 HOUR	59.8	58.0
06:30-06:35 HOUR	60.3	58.6
06:35-06:40 HOUR	61.2	58.8
06:40-06:45 HOUR	60.4	58.5
06:45-06:50 HOUR	59.8	57.7
06:50-06:55 HOUR	59.8	57.4
06:55-07:00 HOUR	61.1	58.9

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.



30/42

2023-U107811

TIME*	RESULT dB(A)	
	ค่าที่ตรวจพบ (N3) DECEMBER 4-5, 2023 T23AY522-0020	
07:00-07:05 HOUR	L <sub>eq</sub> 5 min 62.3	L <sub>eq</sub> 5 min 60.1
07:05-07:10 HOUR	61.0	58.7
07:10-07:15 HOUR	62.1	59.9
07:15-07:20 HOUR	61.6	59.3
07:20-07:25 HOUR	62.1	60.0
07:25-07:30 HOUR	62.4	60.4
07:30-07:35 HOUR	62.1	60.0
07:35-07:40 HOUR	60.7	58.4
07:40-07:45 HOUR	63.0	61.3
07:45-07:50 HOUR	62.9	60.6
07:50-07:55 HOUR	62.0	60.1
07:55-08:00 HOUR	62.6	60.6
08:00-08:05 HOUR	61.4	58.9
08:05-08:10 HOUR	61.4	59.4
08:10-08:15 HOUR	61.0	59.2
08:15-08:20 HOUR	61.6	59.6
08:20-08:25 HOUR	62.3	60.1
08:25-08:30 HOUR	62.7	60.3
08:30-08:35 HOUR	62.7	60.3
08:35-08:40 HOUR	61.9	59.4
08:40-08:45 HOUR	61.9	59.5
08:45-08:50 HOUR	62.2	60.4
08:50-08:55 HOUR	62.5	60.7
08:55-09:00 HOUR	61.5	59.7
09:00-09:05 HOUR	63.5	61.7
09:05-09:10 HOUR	63.2	61.1
09:10-09:15 HOUR	63.3	61.3
09:15-09:20 HOUR	63.4	61.8
09:20-09:25 HOUR	61.4	59.1
09:25-09:30 HOUR	62.3	59.9
09:30-09:35 HOUR	62.6	60.4
09:35-09:40 HOUR	61.7	59.2
09:40-09:45 HOUR	63.4	60.9
09:45-09:50 HOUR	62.6	60.7
09:50-09:55 HOUR	62.0	59.8
09:55-10:00 HOUR	62.9	60.4
10:00-10:05 HOUR	63.1	60.8
10:05-10:10 HOUR	64.0	61.6
10:10-10:15 HOUR	62.7	60.8
10:15-10:20 HOUR	62.5	60.1
10:20-10:25 HOUR	61.6	59.9
10:25-10:30 HOUR	61.8	59.6
10:30-10:35 HOUR	62.0	60.0
10:35-10:40 HOUR	62.1	60.1
10:40-10:45 HOUR	62.7	60.7
10:45-10:50 HOUR	61.5	59.7
10:50-10:55 HOUR	60.5	58.2
10:55-11:00 HOUR	62.4	60.4
11:00-11:05 HOUR	63.8	61.9
11:05-11:10 HOUR	59.9	58.2
11:10-11:15 HOUR	62.3	60.1

ISO 9001:2015 CERTIFIED  
 ISO 14001:2015 CERTIFIED  
 BY SGS GROUP (THAILAND) CO., LTD.

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
 • THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

TIME*	RESULT dB(A)	
	ค่าที่ตรวจพบ (N3) DECEMBER 4-5, 2023 T23AY522-0020	
11:15-11:20 HOUR	L <sub>eq</sub> 5 min 61.4	L <sub>eq</sub> 5 min 58.9
11:20-11:25 HOUR	59.3	57.2
11:25-11:30 HOUR	58.6	55.6
11:30-11:35 HOUR	57.8	55.6
11:35-11:40 HOUR	58.4	56.8
11:40-11:45 HOUR	60.6	58.1
11:45-11:50 HOUR	62.2	60.1
11:50-11:55 HOUR	60.8	58.7
11:55-12:00 HOUR	61.2	59.1
12:00-12:05 HOUR	62.3	60.5
12:05-12:10 HOUR	61.5	59.2
12:10-12:15 HOUR	62.7	60.5
12:15-12:20 HOUR	62.8	60.8
12:20-12:25 HOUR	62.7	60.3
12:25-12:30 HOUR	61.2	59.3
12:30-12:35 HOUR	60.8	58.2
12:35-12:40 HOUR	60.2	58.0
12:40-12:45 HOUR	58.3	55.9
12:45-12:50 HOUR	56.4	54.9
12:50-12:55 HOUR	57.4	55.6
12:55-13:00 HOUR	58.1	56.5
13:00-13:05 HOUR	57.2	55.2
13:05-13:10 HOUR	59.7	57.8
13:10-13:15 HOUR	58.9	56.5
13:15-13:20 HOUR	59.0	56.6
13:20-13:25 HOUR	57.6	55.8
13:25-13:30 HOUR	57.3	55.3
13:30-13:35 HOUR	58.8	56.1
13:35-13:40 HOUR	58.8	57.0
13:40-13:45 HOUR	62.7	60.8
13:45-13:50 HOUR	62.3	60.2
13:50-13:55 HOUR	58.9	56.5
13:55-14:00 HOUR	56.9	54.7
14:00-14:05 HOUR	58.5	56.1
14:05-14:10 HOUR	57.1	55.5
14:10-14:15 HOUR	57.3	55.4
14:15-14:20 HOUR	60.6	58.9
14:20-14:25 HOUR	60.1	58.3
14:25-14:30 HOUR	59.0	56.5
14:30-14:35 HOUR	59.3	57.0
14:35-14:40 HOUR	58.9	57.4
14:40-14:45 HOUR	57.9	55.8
14:45-14:50 HOUR	57.9	56.3
14:50-14:55 HOUR	57.5	55.2
14:55-15:00 HOUR	57.7	56.1
15:00-15:05 HOUR	58.8	57.0
15:05-15:10 HOUR	58.5	56.6
15:10-15:15 HOUR	58.5	56.8
15:15-15:20 HOUR	61.0	59.2
15:20-15:25 HOUR	62.0	60.1
15:25-15:30 HOUR	62.0	60.5

ISO 9001:2015 CERTIFIED  
 ISO 14001:2015 CERTIFIED  
 BY SGS GROUP (THAILAND) CO., LTD.

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
 • THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax 02763 2800 www.uaeconsultant.com E-mail:uae@uaeconsultant.com

TIME*	RESULT dB(A)	
	ผลลัพธ์การตรวจวัด (N3) DECEMBER 4-5, 2023 TZ3AY522-0020	
	L <sub>avg</sub> 5 min	L <sub>avg</sub> 5 min
15:30-15:35 HOUR	61.2	59.2
15:35-15:40 HOUR	60.4	58.5
15:40-15:45 HOUR	62.4	60.1
15:45-15:50 HOUR	61.2	58.8
15:50-15:55 HOUR	61.2	59.7
15:55-16:00 HOUR	60.3	58.2
16:00-16:05 HOUR	60.2	58.2
16:05-16:10 HOUR	62.6	60.5
16:10-16:15 HOUR	62.3	59.7
16:15-16:20 HOUR	61.4	59.2
16:20-16:25 HOUR	60.9	58.4
16:25-16:30 HOUR	61.5	59.5
16:30-16:35 HOUR	63.2	60.8
16:35-16:40 HOUR	61.2	59.5
16:40-16:45 HOUR	62.9	60.2
16:45-16:50 HOUR	58.1	55.6
16:50-16:55 HOUR	60.8	58.9
16:55-17:00 HOUR	58.2	55.9
17:00-17:05 HOUR	58.6	56.7
17:05-17:10 HOUR	58.7	56.1
17:10-17:15 HOUR	58.6	56.9
17:15-17:20 HOUR	58.2	55.8
17:20-17:25 HOUR	58.1	55.9
17:25-17:30 HOUR	58.3	56.1
17:30-17:35 HOUR	59.0	57.0
17:35-17:40 HOUR	58.2	55.8
17:40-17:45 HOUR	57.0	57.0
17:45-17:50 HOUR	58.1	55.9
17:50-17:55 HOUR	58.9	56.6
17:55-18:00 HOUR	59.4	57.1
18:00-18:05 HOUR	58.9	56.9
18:05-18:10 HOUR	58.4	56.1
18:10-18:15 HOUR	58.9	56.2
18:15-18:20 HOUR	57.9	55.6
18:20-18:25 HOUR	59.0	56.6
18:25-18:30 HOUR	58.5	56.6
18:30-18:35 HOUR	58.7	56.9
18:35-18:40 HOUR	59.0	57.2
18:40-18:45 HOUR	58.9	56.9
18:45-18:50 HOUR	58.8	56.3
18:50-18:55 HOUR	59.3	56.8
18:55-19:00 HOUR	58.7	56.4
19:00-19:05 HOUR	58.6	56.9
19:05-19:10 HOUR	58.5	55.9
19:10-19:15 HOUR	58.6	56.1
19:15-19:20 HOUR	58.9	56.7
19:20-19:25 HOUR	59.0	57.2
19:25-19:30 HOUR	58.1	56.1
19:30-19:35 HOUR	58.4	56.4
19:35-19:40 HOUR	59.2	56.8
19:40-19:45 HOUR	59.0	57.0

PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

33/42

2023-U107811



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax 02763 2800 www.uaeconsultant.com E-mail:uae@uaeconsultant.com

TIME*	RESULT dB(A)	
	ผลลัพธ์การตรวจวัด (N3) DECEMBER 4-5, 2023 TZ3AY522-0020	
	L <sub>avg</sub> 5 min	L <sub>avg</sub> 5 min
19:45-19:50 HOUR	58.7	56.6
19:50-19:55 HOUR	58.8	56.9
19:55-20:00 HOUR	57.5	55.2
20:00-20:05 HOUR	55.5	54.0
20:05-20:10 HOUR	56.7	54.8
20:10-20:15 HOUR	55.5	53.3
20:15-20:20 HOUR	55.4	53.2
20:20-20:25 HOUR	55.6	53.8
20:25-20:30 HOUR	55.5	53.7
20:30-20:35 HOUR	55.4	53.6
20:35-20:40 HOUR	55.6	53.5
20:40-20:45 HOUR	57.1	55.4
20:45-20:50 HOUR	56.1	53.6
20:50-20:55 HOUR	58.1	56.1
20:55-21:00 HOUR	57.9	56.2
21:00-21:05 HOUR	55.8	53.2
21:05-21:10 HOUR	55.9	53.8
21:10-21:15 HOUR	56.7	54.6
21:15-21:20 HOUR	56.7	54.5
21:20-21:25 HOUR	60.7	60.7
21:25-21:30 HOUR	57.3	55.1
21:30-21:35 HOUR	57.2	55.4
21:35-21:40 HOUR	57.7	55.6
21:40-21:45 HOUR	56.9	54.5
21:45-21:50 HOUR	58.8	56.7
21:50-21:55 HOUR	57.2	55.2
21:55-22:00 HOUR	57.1	54.5
22:00-22:05 HOUR	56.4	54.5
22:05-22:10 HOUR	56.4	54.7
22:10-22:15 HOUR	56.8	54.7
22:15-22:20 HOUR	56.5	54.2
22:20-22:25 HOUR	56.8	55.3
22:25-22:30 HOUR	55.6	53.5
22:30-22:35 HOUR	55.9	53.5
22:35-22:40 HOUR	55.8	53.6
22:40-22:45 HOUR	56.1	53.5
22:45-22:50 HOUR	55.6	53.5
22:50-22:55 HOUR	56.8	55.2
22:55-23:00 HOUR	56.4	54.5
23:00-23:05 HOUR	55.8	53.8
23:05-23:10 HOUR	56.9	54.6
23:10-23:15 HOUR	57.2	55.3
23:15-23:20 HOUR	55.5	53.7
23:20-23:25 HOUR	56.1	54.4
23:25-23:30 HOUR	56.7	54.6
23:30-23:35 HOUR	56.3	54.2
23:35-23:40 HOUR	56.9	55.0
23:40-23:45 HOUR	56.8	54.7
23:45-23:50 HOUR	55.7	53.6
23:50-23:55 HOUR	55.6	53.1
23:55-00:00 HOUR	56.4	54.4

PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

34/42

2023-U107811



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangchak, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax 0 2763 2800 www.uaec consultant.com E-mail:uae@uaec consultant.com

TIME*	RESULT dB(A)	
	ผลการตรวจวัดเสียง (N3) DECEMBER 4-5, 2023 T23AY522-0020	
	L <sub>eq</sub> 5 min	L <sub>eq</sub> 5 min
00:00-00:05 HOUR	57.0	54.6
00:05-00:10 HOUR	56.6	54.3
00:10-00:15 HOUR	56.0	53.8
00:15-00:20 HOUR	55.9	53.6
00:20-00:25 HOUR	55.7	53.3
00:25-00:30 HOUR	56.3	54.5
00:30-00:35 HOUR	57.2	54.7
00:35-00:40 HOUR	56.6	54.0
00:40-00:45 HOUR	56.5	54.3
00:45-00:50 HOUR	56.4	54.8
00:50-00:55 HOUR	55.5	53.3
00:55-01:00 HOUR	55.9	53.7
01:00-01:05 HOUR	57.2	54.6
01:05-01:10 HOUR	55.8	54.2
01:10-01:15 HOUR	56.6	54.4
01:15-01:20 HOUR	55.2	52.8
01:20-01:25 HOUR	56.1	53.5
01:25-01:30 HOUR	56.6	54.1
01:30-01:35 HOUR	55.9	54.3
01:35-01:40 HOUR	56.0	53.5
01:40-01:45 HOUR	56.8	55.0
01:45-01:50 HOUR	56.1	54.1
01:50-01:55 HOUR	57.0	54.8
01:55-02:00 HOUR	56.1	53.6
02:00-02:05 HOUR	56.1	53.9
02:05-02:10 HOUR	55.8	53.4
02:10-02:15 HOUR	55.1	53.2
02:15-02:20 HOUR	56.3	54.3
02:20-02:25 HOUR	56.7	54.3
02:25-02:30 HOUR	57.4	54.8
02:30-02:35 HOUR	58.7	56.2
02:35-02:40 HOUR	56.8	54.5
02:40-02:45 HOUR	57.3	55.3
02:45-02:50 HOUR	58.4	56.3
02:50-02:55 HOUR	57.9	56.2
02:55-03:00 HOUR	55.6	53.6
03:00-03:05 HOUR	56.7	54.4
03:05-03:10 HOUR	57.6	55.4
03:10-03:15 HOUR	56.1	53.9
03:15-03:20 HOUR	56.2	54.5
03:20-03:25 HOUR	55.2	53.4
03:25-03:30 HOUR	55.8	53.6
03:30-03:35 HOUR	55.5	53.9
03:35-03:40 HOUR	56.6	54.5
03:40-03:45 HOUR	56.5	54.6
03:45-03:50 HOUR	56.4	54.5
03:50-03:55 HOUR	55.0	52.9
03:55-04:00 HOUR	55.6	54.0
04:00-04:05 HOUR	56.5	54.1
04:05-04:10 HOUR	56.4	54.3
04:10-04:15 HOUR	56.0	53.8

150 NOISES CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY BSI GROUP (THAILAND) CO., LTD.

PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

35/42

2023-U107811



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangchak, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax 0 2763 2800 www.uaec consultant.com E-mail:uae@uaec consultant.com

TIME*	RESULT dB(A)	
	ผลการตรวจวัดเสียง (N3) DECEMBER 4-5, 2023 T23AY522-0020	
	L <sub>eq</sub> 5 min	L <sub>eq</sub> 5 min
04:15-04:20 HOUR	55.5	53.4
04:20-04:25 HOUR	56.1	54.1
04:25-04:30 HOUR	55.4	53.3
04:30-04:35 HOUR	55.8	53.8
04:35-04:40 HOUR	55.6	53.1
04:40-04:45 HOUR	55.4	53.4
04:45-04:50 HOUR	55.1	52.7
04:50-04:55 HOUR	55.9	53.5
04:55-05:00 HOUR	56.0	53.8
05:00-05:05 HOUR	55.4	53.0
05:05-05:10 HOUR	56.2	54.3
05:10-05:15 HOUR	56.3	54.2
05:15-05:20 HOUR	55.3	52.9
05:20-05:25 HOUR	56.3	54.3
05:25-05:30 HOUR	55.6	53.4
05:30-05:35 HOUR	56.5	54.2
05:35-05:40 HOUR	55.3	53.7
05:40-05:45 HOUR	54.8	52.8
05:45-05:50 HOUR	56.2	53.6
05:50-05:55 HOUR	56.2	54.1
05:55-06:00 HOUR	55.7	53.9
06:00-06:05 HOUR	55.2	52.5
06:05-06:10 HOUR	56.5	54.1
06:10-06:15 HOUR	56.3	53.8
06:15-06:20 HOUR	55.4	53.9
06:20-06:25 HOUR	57.0	55.0
06:25-06:30 HOUR	55.5	53.5
06:30-06:35 HOUR	56.3	54.1
06:35-06:40 HOUR	56.1	53.9
06:40-06:45 HOUR	57.9	55.6
06:45-06:50 HOUR	58.8	56.1
06:50-06:55 HOUR	58.4	56.2
06:55-07:00 HOUR	57.3	55.1

150 NOISES CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY BSI GROUP (THAILAND) CO., LTD.

PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

35/42

2023-U107811



TIME*	RESULT dB(A)	
	ค่าที่ได้จากเครื่องวัด (N3)	DECEMBER 5-6, 2023
	L <sub>Aeq</sub> 5 min	T23AY522-0021
07:00-07:05 HOUR	59.5	56.8
07:05-07:10 HOUR	59.5	56.8
07:10-07:15 HOUR	58.6	57.0
07:15-07:20 HOUR	60.7	58.5
07:20-07:25 HOUR	59.5	57.6
07:25-07:30 HOUR	58.7	56.4
07:30-07:35 HOUR	60.6	59.0
07:35-07:40 HOUR	60.3	58.2
07:40-07:45 HOUR	60.6	58.4
07:45-07:50 HOUR	59.8	58.0
07:50-07:55 HOUR	60.1	57.7
07:55-08:00 HOUR	59.0	57.4
08:00-08:05 HOUR	60.2	58.4
08:05-08:10 HOUR	59.1	56.9
08:10-08:15 HOUR	59.3	56.9
08:15-08:20 HOUR	58.9	57.0
08:20-08:25 HOUR	60.4	57.8
08:25-08:30 HOUR	59.8	57.4
08:30-08:35 HOUR	60.1	58.0
08:35-08:40 HOUR	59.3	56.9
08:40-08:45 HOUR	59.2	57.3
08:45-08:50 HOUR	59.5	57.3
08:50-08:55 HOUR	61.6	59.1
08:55-09:00 HOUR	60.3	58.1
09:00-09:05 HOUR	60.9	58.9
09:05-09:10 HOUR	59.9	57.9
09:10-09:15 HOUR	59.4	57.1
09:15-09:20 HOUR	58.5	57.0
09:20-09:25 HOUR	58.3	56.2
09:25-09:30 HOUR	58.6	56.8
09:30-09:35 HOUR	59.7	57.4
09:35-09:40 HOUR	59.5	57.3
09:40-09:45 HOUR	60.1	57.4
09:45-09:50 HOUR	60.0	57.9
09:50-09:55 HOUR	59.2	57.2
09:55-10:00 HOUR	58.1	55.7
10:00-10:05 HOUR	58.6	56.5
10:05-10:10 HOUR	58.6	56.1
10:10-10:15 HOUR	59.5	56.6
10:15-10:20 HOUR	57.3	55.6
10:20-10:25 HOUR	57.8	55.5
10:25-10:30 HOUR	58.9	56.5
10:30-10:35 HOUR	59.1	56.4
10:35-10:40 HOUR	57.7	55.2
10:40-10:45 HOUR	58.4	56.3
10:45-10:50 HOUR	59.0	56.6
10:50-10:55 HOUR	58.5	56.6
10:55-11:00 HOUR	58.9	57.1
11:00-11:05 HOUR	58.6	56.6
11:05-11:10 HOUR	56.4	54.2
11:10-11:15 HOUR	58.0	55.3

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

37/42

2023-U107811

NO NOISES CAPTURED  
NO NOISES CAPTURED  
BY 1ST GROUP (THAILAND) CO., LTD.

TIME*	RESULT dB(A)	
	ค่าที่ได้จากเครื่องวัด (N3)	DECEMBER 5-6, 2023
	L <sub>Aeq</sub> 5 min	T23AY522-0021
11:15-11:20 HOUR	57.5	55.9
11:20-11:25 HOUR	56.0	54.5
11:25-11:30 HOUR	54.4	52.2
11:30-11:35 HOUR	54.4	52.1
11:35-11:40 HOUR	55.7	53.1
11:40-11:45 HOUR	56.3	53.9
11:45-11:50 HOUR	56.6	54.5
11:50-11:55 HOUR	56.2	54.0
11:55-12:00 HOUR	57.2	54.2
12:00-12:05 HOUR	57.2	54.9
12:05-12:10 HOUR	58.0	55.4
12:10-12:15 HOUR	57.7	55.5
12:15-12:20 HOUR	56.0	53.6
12:20-12:25 HOUR	56.8	54.2
12:25-12:30 HOUR	56.8	54.1
12:30-12:35 HOUR	54.0	51.8
12:35-12:40 HOUR	53.9	51.6
12:40-12:45 HOUR	53.7	51.5
12:45-12:50 HOUR	52.7	50.3
12:50-12:55 HOUR	53.6	51.4
12:55-13:00 HOUR	56.3	54.7
13:00-13:05 HOUR	53.6	52.1
13:05-13:10 HOUR	54.5	51.8
13:10-13:15 HOUR	54.6	52.3
13:15-13:20 HOUR	55.3	52.9
13:20-13:25 HOUR	55.0	52.7
13:25-13:30 HOUR	55.6	53.6
13:30-13:35 HOUR	59.0	57.2
13:35-13:40 HOUR	57.9	55.5
13:40-13:45 HOUR	59.2	57.3
13:45-13:50 HOUR	59.2	57.2
13:50-13:55 HOUR	59.9	57.6
13:55-14:00 HOUR	58.6	56.6
14:00-14:05 HOUR	59.4	57.1
14:05-14:10 HOUR	59.2	57.0
14:10-14:15 HOUR	59.3	57.1
14:15-14:20 HOUR	59.0	56.5
14:20-14:25 HOUR	58.0	56.1
14:25-14:30 HOUR	57.1	54.7
14:30-14:35 HOUR	54.9	52.5
14:35-14:40 HOUR	53.6	51.5
14:40-14:45 HOUR	53.5	51.5
14:45-14:50 HOUR	59.2	57.2
14:50-14:55 HOUR	58.9	56.9
14:55-15:00 HOUR	58.8	56.1
15:00-15:05 HOUR	58.3	56.6
15:05-15:10 HOUR	58.3	56.3
15:10-15:15 HOUR	58.6	57.0
15:15-15:20 HOUR	58.2	55.9
15:20-15:25 HOUR	59.7	57.9
15:25-15:30 HOUR	59.2	57.4

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

38/42

2023-U107811

NO NOISES CAPTURED  
NO NOISES CAPTURED  
BY 1ST GROUP (THAILAND) CO., LTD.



TIME*	RESULT dB(A)	
	ผลการตรวจวัดค่า (N3) DECEMBER 5-6, 2023 T23AY522-0021	
	L <sub>Aeq</sub> 5 min	L <sub>A90</sub> 5 min
15:30-15:35 HOUR	58.5	56.5
15:35-15:40 HOUR	59.6	57.8
15:40-15:45 HOUR	58.6	56.7
15:45-15:50 HOUR	60.1	58.4
15:50-15:55 HOUR	59.9	57.7
15:55-16:00 HOUR	59.3	57.3
16:00-16:05 HOUR	59.0	56.4
16:05-16:10 HOUR	59.3	58.3
16:10-16:15 HOUR	59.3	57.0
16:15-16:20 HOUR	58.1	56.2
16:20-16:25 HOUR	59.1	56.4
16:25-16:30 HOUR	59.3	57.4
16:30-16:35 HOUR	57.8	55.8
16:35-16:40 HOUR	59.2	57.2
16:40-16:45 HOUR	59.9	57.5
16:45-16:50 HOUR	58.8	56.8
16:50-16:55 HOUR	59.9	57.2
16:55-17:00 HOUR	60.3	58.2
17:00-17:05 HOUR	59.5	57.7
17:05-17:10 HOUR	58.9	56.9
17:10-17:15 HOUR	60.1	58.2
17:15-17:20 HOUR	59.2	57.5
17:20-17:25 HOUR	58.9	56.7
17:25-17:30 HOUR	59.3	57.0
17:30-17:35 HOUR	58.8	56.6
17:35-17:40 HOUR	59.0	56.4
17:40-17:45 HOUR	59.0	57.0
17:45-17:50 HOUR	58.2	56.0
17:50-17:55 HOUR	60.3	58.0
17:55-18:00 HOUR	59.2	57.1
18:00-18:05 HOUR	58.6	56.6
18:05-18:10 HOUR	59.6	57.6
18:10-18:15 HOUR	58.8	57.1
18:15-18:20 HOUR	59.1	57.2
18:20-18:25 HOUR	58.3	56.2
18:25-18:30 HOUR	59.0	56.6
18:30-18:35 HOUR	59.8	57.5
18:35-18:40 HOUR	59.8	58.0
18:40-18:45 HOUR	58.7	56.3
18:45-18:50 HOUR	59.6	58.0
18:50-18:55 HOUR	58.8	57.0
18:55-19:00 HOUR	58.2	56.1
19:00-19:05 HOUR	54.1	52.4
19:05-19:10 HOUR	54.5	52.1
19:10-19:15 HOUR	55.0	52.9
19:15-19:20 HOUR	54.3	52.4
19:20-19:25 HOUR	55.0	52.6
19:25-19:30 HOUR	55.4	52.9
19:30-19:35 HOUR	54.3	52.3
19:35-19:40 HOUR	54.5	52.5
19:40-19:45 HOUR	55.1	52.4

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

TIME*	RESULT dB(A)	
	ผลการตรวจวัดค่า (N3) DECEMBER 5-6, 2023 T23AY522-0021	
	L <sub>Aeq</sub> 5 min	L <sub>A90</sub> 5 min
19:45-19:50 HOUR	54.7	52.0
19:50-19:55 HOUR	54.9	52.7
19:55-20:00 HOUR	55.3	53.0
20:00-20:05 HOUR	54.2	52.3
20:05-20:10 HOUR	56.9	54.6
20:10-20:15 HOUR	54.7	52.8
20:15-20:20 HOUR	55.4	53.3
20:20-20:25 HOUR	55.0	53.0
20:25-20:30 HOUR	54.3	52.8
20:30-20:35 HOUR	55.4	53.1
20:35-20:40 HOUR	56.0	53.9
20:40-20:45 HOUR	54.9	53.0
20:45-20:50 HOUR	55.3	53.3
20:50-20:55 HOUR	56.5	54.6
20:55-21:00 HOUR	59.5	57.7
21:00-21:05 HOUR	60.9	58.8
21:05-21:10 HOUR	60.1	58.4
21:10-21:15 HOUR	61.2	59.0
21:15-21:20 HOUR	60.8	58.7
21:20-21:25 HOUR	58.6	56.4
21:25-21:30 HOUR	59.0	57.1
21:30-21:35 HOUR	59.5	58.0
21:35-21:40 HOUR	57.7	56.0
21:40-21:45 HOUR	58.8	56.7
21:45-21:50 HOUR	59.2	57.0
21:50-21:55 HOUR	58.2	55.9
21:55-22:00 HOUR	58.7	56.6
22:00-22:05 HOUR	57.5	55.1
22:05-22:10 HOUR	57.6	55.3
22:10-22:15 HOUR	56.4	54.2
22:15-22:20 HOUR	56.5	54.9
22:20-22:25 HOUR	57.1	54.8
22:25-22:30 HOUR	57.0	54.6
22:30-22:35 HOUR	57.9	55.7
22:35-22:40 HOUR	56.4	54.2
22:40-22:45 HOUR	56.8	54.5
22:45-22:50 HOUR	58.3	56.1
22:50-22:55 HOUR	56.2	54.6
22:55-23:00 HOUR	56.8	54.7
23:00-23:05 HOUR	57.7	55.4
23:05-23:10 HOUR	56.8	54.8
23:10-23:15 HOUR	57.1	54.8
23:15-23:20 HOUR	57.0	55.3
23:20-23:25 HOUR	56.1	54.1
23:25-23:30 HOUR	56.9	54.5
23:30-23:35 HOUR	57.3	54.9
23:35-23:40 HOUR	56.0	54.2
23:40-23:45 HOUR	56.7	55.1
23:45-23:50 HOUR	57.0	55.0
23:50-23:55 HOUR	56.6	53.6
23:55-00:00 HOUR	56.5	55.0

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

TIME*	RESULT dB(A)	
	ผลการตรวจวัดค่าเสียง (N3) DECEMBER 5-6, 2023 TZ3AY522-0021	
	L <sub>Aeq</sub> 5 min	L <sub>A90</sub> 5 min
00:00-00:05 HOUR	57.0	54.9
00:05-00:10 HOUR	57.2	55.3
00:10-00:15 HOUR	56.4	54.3
00:15-00:20 HOUR	56.6	54.6
00:20-00:25 HOUR	57.3	54.8
00:25-00:30 HOUR	57.0	55.0
00:30-00:35 HOUR	55.8	53.5
00:35-00:40 HOUR	57.6	55.9
00:40-00:45 HOUR	56.5	54.7
00:45-00:50 HOUR	57.2	55.2
00:50-00:55 HOUR	56.1	54.4
00:55-01:00 HOUR	56.6	54.8
01:00-01:05 HOUR	56.3	54.7
01:05-01:10 HOUR	56.9	55.0
01:10-01:15 HOUR	57.5	56.0
01:15-01:20 HOUR	57.2	55.0
01:20-01:25 HOUR	57.0	54.9
01:25-01:30 HOUR	57.3	55.5
01:30-01:35 HOUR	57.9	55.3
01:35-01:40 HOUR	58.7	54.6
01:40-01:45 HOUR	57.7	55.1
01:45-01:50 HOUR	56.2	54.5
01:50-01:55 HOUR	56.4	54.4
01:55-02:00 HOUR	57.4	56.5
02:00-02:05 HOUR	56.5	54.3
02:05-02:10 HOUR	57.0	54.8
02:10-02:15 HOUR	57.8	56.1
02:15-02:20 HOUR	56.1	54.3
02:20-02:25 HOUR	56.0	53.9
02:25-02:30 HOUR	57.9	55.9
02:30-02:35 HOUR	57.3	55.0
02:35-02:40 HOUR	56.0	53.6
02:40-02:45 HOUR	58.0	56.2
02:45-02:50 HOUR	57.2	55.6
02:50-02:55 HOUR	57.0	54.6
02:55-03:00 HOUR	57.4	55.4
03:00-03:05 HOUR	56.3	54.6
03:05-03:10 HOUR	56.8	54.6
03:10-03:15 HOUR	57.0	55.1
03:15-03:20 HOUR	55.9	53.5
03:20-03:25 HOUR	58.4	56.1
03:25-03:30 HOUR	57.4	54.1
03:30-03:35 HOUR	57.4	55.3
03:35-03:40 HOUR	58.0	55.9
03:40-03:45 HOUR	56.9	54.6
03:45-03:50 HOUR	57.8	55.4
03:50-03:55 HOUR	57.4	54.9
03:55-04:00 HOUR	56.5	54.3
04:00-04:05 HOUR	57.4	54.9
04:05-04:10 HOUR	56.5	54.3

\* PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
\* THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

TIME*	RESULT dB(A)	
	ผลการตรวจวัดค่าเสียง (N3) DECEMBER 5-6, 2023 TZ3AY522-0021	
	L <sub>Aeq</sub> 5 min	L <sub>A90</sub> 5 min
04:15-04:20 HOUR	57.1	55.0
04:20-04:25 HOUR	57.2	54.8
04:25-04:30 HOUR	57.2	55.1
04:30-04:35 HOUR	58.2	56.1
04:35-04:40 HOUR	58.4	56.2
04:40-04:45 HOUR	56.6	54.7
04:45-04:50 HOUR	58.1	56.3
04:50-04:55 HOUR	57.0	55.0
04:55-05:00 HOUR	56.1	56.0
05:00-05:05 HOUR	57.3	55.8
05:05-05:10 HOUR	56.4	54.3
05:10-05:15 HOUR	56.2	53.9
05:15-05:20 HOUR	57.4	55.2
05:20-05:25 HOUR	56.8	54.8
05:25-05:30 HOUR	56.5	54.5
05:30-05:35 HOUR	56.2	54.4
05:35-05:40 HOUR	57.0	54.2
05:40-05:45 HOUR	57.1	55.1
05:45-05:50 HOUR	56.8	55.2
05:50-05:55 HOUR	56.5	54.9
05:55-06:00 HOUR	57.3	54.2
06:00-06:05 HOUR	59.4	56.9
06:05-06:10 HOUR	57.8	55.4
06:10-06:15 HOUR	56.7	54.3
06:15-06:20 HOUR	58.8	56.6
06:20-06:25 HOUR	59.3	57.3
06:25-06:30 HOUR	58.3	56.7
06:30-06:35 HOUR	57.7	56.4
06:35-06:40 HOUR	56.0	55.6
06:40-06:45 HOUR	58.1	54.4
06:45-06:50 HOUR	58.0	56.3
06:50-06:55 HOUR	58.0	55.7

(MR. SILA BANJONGMAHAKUL)  
LABORATORY SUPERVISOR

DECEMBER 15, 2023

\* PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
\* THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel: 02763 2828 Fax: 02763 2800 www.uaiconsultant.com E-mail: uae@uaiconsultant.com

### ANALYSIS REPORT

**CUSTOMER NAME** : SEI THAI ELECTRIC CONDUCTOR CO., LTD.  
**ADDRESS** : 7/414 MOO 6, MAP YANG PHON PLUAK DAENG RAYONG 21140  
**CONTACT INFORMATION** : TEL : 08 8211 1367 e-mail : sasina.d@setc.sei.co.jp  
**MEASURING SOURCE** : ภูมิโรงงานตัวเครื่องปรับอากาศ (N4)  
**MEASURING TYPE** : AMBIENT (NOISE)  
**MEASURING DATE** : NOVEMBER 29 - DECEMBER 6, 2023  
**MEASURING TIME** : \*  
**MEASURING METHOD** : INTEGRATED SOUND LEVEL METER  
**MEASURED BY** : MR TOSSAPORN TANAPIBUN

**RECEIVED DATE** : NOVEMBER 29 - DECEMBER 6, 2023  
**ANALYTICAL DATE** : NOVEMBER 29 - DECEMBER 6, 2023  
**REPORT NO.** : 2023-U107813  
**WORK NO.** : 2023-000740  
**ANALYSIS NO.** : T23AY522-0022

TIME*	RESULT dB(A)	
	ภูมิโรงงานตัวเครื่องปรับอากาศ (N4)	T23AY522-0022
07:00-07:05 HOUR	63.9	62.0
07:05-07:10 HOUR	59.6	57.3
07:10-07:15 HOUR	59.1	57.1
07:15-07:20 HOUR	59.4	57.2
07:20-07:25 HOUR	60.2	58.7
07:25-07:30 HOUR	58.9	56.7
07:30-07:35 HOUR	59.9	57.7
07:35-07:40 HOUR	59.6	57.7
07:40-07:45 HOUR	59.4	57.4
07:45-07:50 HOUR	59.4	57.6
07:50-07:55 HOUR	59.2	57.4
07:55-08:00 HOUR	60.2	58.1
08:00-08:05 HOUR	59.3	56.1
08:05-08:10 HOUR	58.6	56.9
08:10-08:15 HOUR	58.7	57.1
08:15-08:20 HOUR	58.9	57.0
08:20-08:25 HOUR	61.2	59.4
08:25-08:30 HOUR	61.1	58.7
08:30-08:35 HOUR	60.9	58.9
08:35-08:40 HOUR	64.3	62.3
08:40-08:45 HOUR	61.3	59.5
08:45-08:50 HOUR	62.3	60.1
08:50-08:55 HOUR	59.5	57.8
08:55-09:00 HOUR	58.7	56.7
09:00-09:05 HOUR	59.9	57.5
09:05-09:10 HOUR	60.2	58.0
09:10-09:15 HOUR	59.7	57.4
09:15-09:20 HOUR	60.5	58.4
09:20-09:25 HOUR	60.0	58.1
09:25-09:30 HOUR	61.3	59.4
09:30-09:35 HOUR	60.8	59.3
09:35-09:40 HOUR	60.9	58.9
09:40-09:45 HOUR	59.8	58.0
09:45-09:50 HOUR	58.8	57.3
09:50-09:55 HOUR	59.0	57.0
09:55-10:00 HOUR	59.9	57.5
10:00-10:05 HOUR	59.8	58.0
10:05-10:10 HOUR	60.0	58.1
10:10-10:15 HOUR	60.2	58.1

\* PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
\* THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY RS GROUP (THAILAND) CO., LTD.

1/42



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel: 02763 2828 Fax: 02763 2800 www.uaiconsultant.com E-mail: uae@uaiconsultant.com

### RESULT dB(A)

TIME*	ภูมิโรงงานตัวเครื่องปรับอากาศ (N4)	
	NOVEMBER 29-30, 2023	T23AY522-0022
10:15-10:20 HOUR	61.4	59.4
10:20-10:25 HOUR	62.1	60.1
10:25-10:30 HOUR	61.0	59.0
10:30-10:35 HOUR	62.2	60.2
10:35-10:40 HOUR	64.2	62.2
10:40-10:45 HOUR	61.7	60.2
10:45-10:50 HOUR	62.3	59.8
10:50-10:55 HOUR	60.3	58.0
10:55-11:00 HOUR	64.9	63.1
11:00-11:05 HOUR	64.8	62.9
11:05-11:10 HOUR	63.0	61.6
11:10-11:15 HOUR	63.9	61.7
11:15-11:20 HOUR	59.3	57.7
11:20-11:25 HOUR	61.9	59.5
11:25-11:30 HOUR	63.8	62.3
11:30-11:35 HOUR	63.6	61.8
11:35-11:40 HOUR	62.7	60.9
11:40-11:45 HOUR	60.6	58.8
11:45-11:50 HOUR	59.0	57.3
11:50-11:55 HOUR	62.8	60.7
11:55-12:00 HOUR	62.9	60.7
12:00-12:05 HOUR	59.2	57.5
12:05-12:10 HOUR	59.7	58.1
12:10-12:15 HOUR	59.3	56.8
12:15-12:20 HOUR	59.9	58.0
12:20-12:25 HOUR	61.5	59.7
12:25-12:30 HOUR	60.5	58.6
12:30-12:35 HOUR	65.0	63.1
12:35-12:40 HOUR	58.7	56.5
12:40-12:45 HOUR	58.7	56.9
12:45-12:50 HOUR	58.6	56.7
12:50-12:55 HOUR	59.4	57.0
12:55-13:00 HOUR	59.8	58.3
13:00-13:05 HOUR	58.6	57.1
13:05-13:10 HOUR	60.5	58.9
13:10-13:15 HOUR	60.1	58.2
13:15-13:20 HOUR	61.7	59.9
13:20-13:25 HOUR	63.5	61.5
13:25-13:30 HOUR	64.8	63.4
13:30-13:35 HOUR	62.5	60.2
13:35-13:40 HOUR	64.4	62.1
13:40-13:45 HOUR	63.8	62.4
13:45-13:50 HOUR	63.6	61.6
13:50-13:55 HOUR	64.9	62.7
13:55-14:00 HOUR	64.1	62.5
14:00-14:05 HOUR	64.1	62.3
14:05-14:10 HOUR	60.6	58.7
14:10-14:15 HOUR	63.6	62.1
14:15-14:20 HOUR	63.7	62.2
14:20-14:25 HOUR	64.8	63.2
14:25-14:30 HOUR	64.0	61.7

\* PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
\* THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY RS GROUP (THAILAND) CO., LTD.

2/42

2023-U107813



United Analyst and Engineering Consultant Co., Ltd.  
350i Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax 0 2763 2800 www.uaeconsultant.com E-mail:uae@uaeconsultant.com

TIME*	RESULT dB(A)	
	Result dB(A) (N4)	Result dB(A) (N4)
14:30-14:35 HOUR	63.9	61.9
14:35-14:40 HOUR	64.1	62.5
14:40-14:45 HOUR	64.6	62.6
14:45-14:50 HOUR	64.8	62.7
14:50-14:55 HOUR	65.6	63.8
14:55-15:00 HOUR	63.1	61.3
15:00-15:05 HOUR	64.6	62.5
15:05-15:10 HOUR	61.9	59.9
15:10-15:15 HOUR	63.0	61.0
15:15-15:20 HOUR	60.3	58.3
15:20-15:25 HOUR	65.0	62.6
15:25-15:30 HOUR	63.3	60.9
15:30-15:35 HOUR	66.8	64.9
15:35-15:40 HOUR	64.3	62.3
15:40-15:45 HOUR	63.5	61.4
15:45-15:50 HOUR	64.1	62.3
15:50-15:55 HOUR	63.8	62.1
15:55-16:00 HOUR	61.4	59.1
16:00-16:05 HOUR	59.7	57.9
16:05-16:10 HOUR	59.9	58.0
16:10-16:15 HOUR	60.6	58.4
16:15-16:20 HOUR	60.0	58.6
16:20-16:25 HOUR	61.1	59.5
16:25-16:30 HOUR	59.8	57.3
16:30-16:35 HOUR	59.7	57.4
16:35-16:40 HOUR	60.2	58.5
16:40-16:45 HOUR	60.5	58.9
16:45-16:50 HOUR	60.6	59.2
16:50-16:55 HOUR	65.1	63.1
16:55-17:00 HOUR	59.9	58.1
17:00-17:05 HOUR	59.2	57.0
17:05-17:10 HOUR	60.3	58.4
17:10-17:15 HOUR	60.5	58.5
17:15-17:20 HOUR	59.8	57.3
17:20-17:25 HOUR	60.0	58.1
17:25-17:30 HOUR	60.5	59.1
17:30-17:35 HOUR	59.8	57.5
17:35-17:40 HOUR	60.6	58.6
17:40-17:45 HOUR	61.5	59.6
17:45-17:50 HOUR	60.6	58.9
17:50-17:55 HOUR	61.4	59.7
17:55-18:00 HOUR	63.2	61.4
18:00-18:05 HOUR	63.4	61.4
18:05-18:10 HOUR	65.0	62.6
18:10-18:15 HOUR	63.9	62.0
18:15-18:20 HOUR	63.1	61.2
18:20-18:25 HOUR	61.3	59.9
18:25-18:30 HOUR	61.0	59.3
18:30-18:35 HOUR	60.6	58.8
18:35-18:40 HOUR	61.4	59.4
18:40-18:45 HOUR	61.3	59.6

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

2023-11-07 813

3/42



United Analyst and Engineering Consultant Co., Ltd.  
350i Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax 0 2763 2800 www.uaeconsultant.com E-mail:uae@uaeconsultant.com

TIME*	RESULT dB(A)	
	Result dB(A) (N4)	Result dB(A) (N4)
18:45-18:50 HOUR	61.1	59.1
18:50-18:55 HOUR	62.7	61.2
18:55-19:00 HOUR	63.7	61.8
19:00-19:05 HOUR	63.7	61.8
19:05-19:10 HOUR	62.3	60.2
19:10-19:15 HOUR	61.0	59.2
19:15-19:20 HOUR	60.8	58.7
19:20-19:25 HOUR	60.1	58.0
19:25-19:30 HOUR	63.3	61.0
19:30-19:35 HOUR	60.1	58.0
19:35-19:40 HOUR	60.1	58.5
19:40-19:45 HOUR	59.9	58.3
19:45-19:50 HOUR	60.2	58.1
19:50-19:55 HOUR	59.4	57.9
19:55-20:00 HOUR	59.6	57.9
20:00-20:05 HOUR	60.3	58.4
20:05-20:10 HOUR	60.8	59.1
20:10-20:15 HOUR	60.6	59.0
20:15-20:20 HOUR	60.1	58.0
20:20-20:25 HOUR	60.9	59.1
20:25-20:30 HOUR	60.6	58.6
20:30-20:35 HOUR	60.9	58.7
20:35-20:40 HOUR	60.0	58.3
20:40-20:45 HOUR	61.1	58.7
20:45-20:50 HOUR	60.4	58.0
20:50-20:55 HOUR	60.8	59.0
20:55-21:00 HOUR	60.2	58.3
21:00-21:05 HOUR	60.0	58.5
21:05-21:10 HOUR	64.9	63.2
21:10-21:15 HOUR	60.4	58.8
21:15-21:20 HOUR	61.0	59.1
21:20-21:25 HOUR	61.8	59.6
21:25-21:30 HOUR	60.2	58.4
21:30-21:35 HOUR	61.6	59.5
21:35-21:40 HOUR	61.3	59.0
21:40-21:45 HOUR	61.3	59.4
21:45-21:50 HOUR	61.7	59.9
21:50-21:55 HOUR	62.5	60.4
21:55-22:00 HOUR	61.5	59.3
22:00-22:05 HOUR	59.2	57.4
22:05-22:10 HOUR	58.6	56.5
22:10-22:15 HOUR	58.3	56.5
22:15-22:20 HOUR	60.2	58.3
22:20-22:25 HOUR	58.1	56.7
22:25-22:30 HOUR	59.0	57.1
22:30-22:35 HOUR	58.5	56.2
22:35-22:40 HOUR	57.9	55.9
22:40-22:45 HOUR	58.5	57.0
22:45-22:50 HOUR	58.9	56.6
22:50-22:55 HOUR	57.7	56.3
22:55-23:00 HOUR	57.9	55.9

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

4/42

2023-11-07 813

TIME*	RESULT dB(A)	
	ผลการวัดระดับความดังเสียง (N4) NOVEMBER 29-30, 2023 T23AY522-0022	
	L <sub>Aeq</sub> 5 min	L <sub>A90</sub> 5 min
23:00-23:05 HOUR	58.2	58.3
23:05-23:10 HOUR	57.8	55.9
23:10-23:15 HOUR	57.6	55.3
23:15-23:20 HOUR	57.8	56.0
23:20-23:25 HOUR	57.5	55.4
23:25-23:30 HOUR	58.3	56.5
23:30-23:35 HOUR	58.3	55.8
23:35-23:40 HOUR	58.7	57.2
23:40-23:45 HOUR	58.0	56.0
23:45-23:50 HOUR	57.5	55.8
23:50-23:55 HOUR	57.9	55.9
00:00-00:05 HOUR	58.0	55.8
00:05-00:10 HOUR	57.8	56.3
00:10-00:15 HOUR	58.5	56.1
00:15-00:20 HOUR	57.7	55.7
00:20-00:25 HOUR	57.5	55.6
00:25-00:30 HOUR	57.4	55.6
00:30-00:35 HOUR	61.0	59.0
00:35-00:40 HOUR	59.2	56.8
00:40-00:45 HOUR	59.1	57.1
00:45-00:50 HOUR	58.2	56.3
00:50-00:55 HOUR	57.6	55.5
00:55-01:00 HOUR	58.1	55.8
01:00-01:05 HOUR	57.6	56.6
01:05-01:10 HOUR	57.9	56.0
01:10-01:15 HOUR	57.3	56.2
01:15-01:20 HOUR	55.7	55.7
01:20-01:25 HOUR	58.2	56.1
01:25-01:30 HOUR	57.6	55.2
01:30-01:35 HOUR	57.9	56.2
01:35-01:40 HOUR	58.3	56.3
01:40-01:45 HOUR	57.0	54.5
01:45-01:50 HOUR	57.5	55.1
01:50-01:55 HOUR	58.6	56.9
01:55-02:00 HOUR	58.1	56.4
02:00-02:05 HOUR	58.3	56.7
02:05-02:10 HOUR	57.2	56.2
02:10-02:15 HOUR	57.5	55.9
02:15-02:20 HOUR	58.8	57.2
02:20-02:25 HOUR	58.3	56.7
02:25-02:30 HOUR	57.6	55.5
02:30-02:35 HOUR	57.6	55.5
02:35-02:40 HOUR	58.1	56.4
02:40-02:45 HOUR	58.0	55.6
02:45-02:50 HOUR	58.5	56.6
02:50-02:55 HOUR	57.8	55.9
02:55-03:00 HOUR	57.7	55.9
03:00-03:05 HOUR	57.8	55.3
03:05-03:10 HOUR	57.9	55.9
03:10-03:15 HOUR	59.0	56.8

\* PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
 \* THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

TIME*	RESULT dB(A)	
	ผลการวัดระดับความดังเสียง (N4) NOVEMBER 29-30, 2023 T23AY522-0022	
	L <sub>Aeq</sub> 5 min	L <sub>A90</sub> 5 min
03:15-03:20 HOUR	58.8	57.0
03:20-03:25 HOUR	57.6	55.7
03:25-03:30 HOUR	58.6	56.7
03:30-03:35 HOUR	58.4	56.7
03:35-03:40 HOUR	57.6	55.2
03:40-03:45 HOUR	58.4	56.5
03:45-03:50 HOUR	58.7	56.8
03:50-03:55 HOUR	57.9	55.8
03:55-04:00 HOUR	58.4	56.8
04:00-04:05 HOUR	58.4	56.6
04:05-04:10 HOUR	57.6	55.5
04:10-04:15 HOUR	58.6	57.2
04:15-04:20 HOUR	58.8	56.7
04:20-04:25 HOUR	58.8	56.8
04:25-04:30 HOUR	58.2	56.4
04:30-04:35 HOUR	58.0	56.1
04:35-04:40 HOUR	58.4	56.3
04:40-04:45 HOUR	58.3	56.4
04:45-04:50 HOUR	58.9	56.7
04:50-04:55 HOUR	58.1	56.6
04:55-05:00 HOUR	57.7	55.5
05:00-05:05 HOUR	58.8	56.5
05:05-05:10 HOUR	59.6	57.7
05:10-05:15 HOUR	63.2	61.0
05:15-05:20 HOUR	59.4	57.9
05:20-05:25 HOUR	59.1	57.2
05:25-05:30 HOUR	60.1	59.1
05:30-05:35 HOUR	60.2	59.6
05:35-05:40 HOUR	59.0	57.1
05:40-05:45 HOUR	59.7	58.1
05:45-05:50 HOUR	58.4	56.1
05:50-05:55 HOUR	59.0	56.5
05:55-06:00 HOUR	61.4	60.0
06:00-06:05 HOUR	58.3	56.3
06:05-06:10 HOUR	58.1	56.2
06:10-06:15 HOUR	58.7	56.4
06:15-06:20 HOUR	58.2	55.8
06:20-06:25 HOUR	65.2	63.3
06:25-06:30 HOUR	64.9	62.7
06:30-06:35 HOUR	61.3	59.2
06:35-06:40 HOUR	59.4	57.8
06:40-06:45 HOUR	59.7	58.0
06:45-06:50 HOUR	59.1	57.2
06:50-06:55 HOUR	58.7	57.2
06:55-07:00 HOUR	59.8	57.7

\* PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
 \* THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.



RESULT dB(A)		RESULT dB(A)	
วันที่ตรวจวัดค่าเสียงรบกวน (N4)			
NOVEMBER 30 - DECEMBER 1, 2023			
TIME*		T23AY522-0023	
	L <sub>Aeq</sub> 5 min		L <sub>Aeq</sub> 5 min
07:00-07:05 HOUR	61.2		59.0
07:05-07:10 HOUR	61.2		59.0
07:10-07:15 HOUR	62.2		60.3
07:15-07:20 HOUR	63.7		62.0
07:20-07:25 HOUR	61.0		59.2
07:25-07:30 HOUR	61.1		59.1
07:30-07:35 HOUR	61.3		58.9
07:35-07:40 HOUR	61.9		60.4
07:40-07:45 HOUR	61.3		59.1
07:45-07:50 HOUR	62.3		60.2
07:50-07:55 HOUR	60.5		58.3
07:55-08:00 HOUR	59.8		57.8
08:00-08:05 HOUR	61.3		59.5
08:05-08:10 HOUR	60.0		58.2
08:10-08:15 HOUR	60.4		58.2
08:15-08:20 HOUR	60.0		57.6
08:20-08:25 HOUR	59.7		57.7
08:25-08:30 HOUR	60.2		58.2
08:30-08:35 HOUR	63.2		60.9
08:35-08:40 HOUR	60.9		59.0
08:40-08:45 HOUR	63.2		60.9
08:45-08:50 HOUR	64.1		62.0
08:50-08:55 HOUR	59.9		57.8
08:55-09:00 HOUR	64.0		62.5
09:00-09:05 HOUR	63.5		61.3
09:05-09:10 HOUR	64.0		62.5
09:10-09:15 HOUR	63.2		61.2
09:15-09:20 HOUR	64.5		62.7
09:20-09:25 HOUR	63.2		61.2
09:25-09:30 HOUR	64.1		62.2
09:30-09:35 HOUR	64.3		61.9
09:35-09:40 HOUR	64.1		62.1
09:40-09:45 HOUR	64.3		62.1
09:45-09:50 HOUR	63.2		60.7
09:50-09:55 HOUR	63.7		61.8
09:55-10:00 HOUR	63.1		61.3
10:00-10:05 HOUR	64.9		63.1
10:05-10:10 HOUR	66.4		64.2
10:10-10:15 HOUR	65.1		63.2
10:15-10:20 HOUR	66.5		64.7
10:20-10:25 HOUR	64.7		62.6
10:25-10:30 HOUR	61.9		59.9
10:30-10:35 HOUR	63.2		61.1
10:35-10:40 HOUR	63.2		61.6
10:40-10:45 HOUR	65.0		63.1
10:45-10:50 HOUR	65.0		63.1
10:50-10:55 HOUR	66.1		64.2
10:55-11:00 HOUR	63.7		61.4
11:00-11:05 HOUR	63.9		62.2
11:05-11:10 HOUR	62.1		60.0
11:10-11:15 HOUR	63.0		61.0

NO NOISES CERTIFIED  
ISO 9001:2015 CERTIFIED  
BY EA GROUP (THAILAND) CO., LTD.

2023-U107813

7/42

PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

8/42

2023-U107813



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangchak, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaeconsultant.com E-mail: uae@uaeconsultant.com



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangchak, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaeconsultant.com E-mail: uae@uaeconsultant.com

TIME*	RESULT dB(A)	
	จำกัดงานด้านเสียง (N4)	
	NOVEMBER 30 - DECEMBER 1, 2023	
		T23AY522-0023
	L <sub>eq</sub> 5 min	L <sub>eq</sub> 5 min
15:30-15:35 HOUR	62.8	60.8
15:35-15:40 HOUR	62.3	60.8
15:40-15:45 HOUR	60.9	59.2
15:45-15:50 HOUR	61.6	59.5
15:50-15:55 HOUR	62.1	60.3
15:55-16:00 HOUR	59.4	57.4
16:00-16:05 HOUR	59.4	57.4
16:05-16:10 HOUR	61.1	59.1
16:10-16:15 HOUR	60.9	58.8
16:15-16:20 HOUR	60.2	58.3
16:20-16:25 HOUR	60.2	58.5
16:25-16:30 HOUR	62.8	60.9
16:30-16:35 HOUR	61.3	59.5
16:35-16:40 HOUR	60.6	59.0
16:40-16:45 HOUR	59.6	57.8
16:45-16:50 HOUR	59.6	58.2
16:50-16:55 HOUR	63.8	61.8
16:55-17:00 HOUR	61.0	59.0
17:00-17:05 HOUR	60.5	59.1
17:05-17:10 HOUR	60.7	58.8
17:10-17:15 HOUR	60.5	58.7
17:15-17:20 HOUR	59.5	57.1
17:20-17:25 HOUR	60.3	58.4
17:25-17:30 HOUR	60.2	57.9
17:30-17:35 HOUR	60.4	58.7
17:35-17:40 HOUR	60.0	57.7
17:40-17:45 HOUR	60.6	58.5
17:45-17:50 HOUR	60.2	58.2
17:50-17:55 HOUR	60.2	58.6
17:55-18:00 HOUR	63.6	62.0
18:00-18:05 HOUR	65.0	62.9
18:05-18:10 HOUR	64.0	62.0
18:10-18:15 HOUR	63.5	61.2
18:15-18:20 HOUR	62.8	61.0
18:20-18:25 HOUR	60.7	58.8
18:25-18:30 HOUR	61.7	59.8
18:30-18:35 HOUR	60.9	58.8
18:35-18:40 HOUR	61.8	59.8
18:40-18:45 HOUR	62.1	60.5
18:45-18:50 HOUR	61.8	60.1
18:50-18:55 HOUR	61.8	60.2
18:55-19:00 HOUR	62.0	59.8
19:00-19:05 HOUR	60.7	58.8
19:05-19:10 HOUR	60.7	59.3
19:10-19:15 HOUR	60.7	58.7
19:15-19:20 HOUR	59.4	57.3
19:20-19:25 HOUR	59.2	56.8
19:25-19:30 HOUR	59.8	57.7
19:30-19:35 HOUR	60.5	58.9
19:35-19:40 HOUR	60.0	58.1
19:40-19:45 HOUR	60.1	57.9

TIME*	RESULT dB(A)	
	จำกัดงานด้านเสียง (N4)	
	NOVEMBER 30 - DECEMBER 1, 2023	
		T23AY522-0023
	L <sub>eq</sub> 5 min	L <sub>eq</sub> 5 min
19:45-19:50 HOUR	60.3	58.7
19:50-19:55 HOUR	59.8	57.7
19:55-20:00 HOUR	59.4	57.4
20:00-20:05 HOUR	61.1	58.8
20:05-20:10 HOUR	61.2	59.3
20:10-20:15 HOUR	60.1	58.0
20:15-20:20 HOUR	60.0	58.0
20:20-20:25 HOUR	60.2	57.9
20:25-20:30 HOUR	60.2	58.3
20:30-20:35 HOUR	60.4	58.1
20:35-20:40 HOUR	60.5	58.2
20:40-20:45 HOUR	61.7	59.9
20:45-20:50 HOUR	60.3	58.6
20:50-20:55 HOUR	61.2	59.6
20:55-21:00 HOUR	61.2	59.6
21:00-21:05 HOUR	61.5	59.6
21:05-21:10 HOUR	61.4	59.7
21:10-21:15 HOUR	61.6	59.7
21:15-21:20 HOUR	60.4	58.6
21:20-21:25 HOUR	61.1	59.4
21:25-21:30 HOUR	60.3	58.3
21:30-21:35 HOUR	60.0	58.3
21:35-21:40 HOUR	60.4	58.7
21:40-21:45 HOUR	60.5	58.6
21:45-21:50 HOUR	61.0	58.7
21:50-21:55 HOUR	61.7	59.3
21:55-22:00 HOUR	61.4	59.2
22:00-22:05 HOUR	60.3	58.6
22:05-22:10 HOUR	62.3	60.0
22:10-22:15 HOUR	60.1	58.0
22:15-22:20 HOUR	59.7	58.0
22:20-22:25 HOUR	59.9	57.8
22:25-22:30 HOUR	59.8	58.3
22:30-22:35 HOUR	59.6	57.5
22:35-22:40 HOUR	60.9	59.1
22:40-22:45 HOUR	60.9	58.9
22:45-22:50 HOUR	60.7	59.1
22:50-22:55 HOUR	60.1	58.3
22:55-23:00 HOUR	60.3	58.0
23:00-23:05 HOUR	60.1	58.2
23:05-23:10 HOUR	59.7	57.7
23:10-23:15 HOUR	60.2	58.0
23:15-23:20 HOUR	60.2	58.7
23:20-23:25 HOUR	60.4	58.5
23:25-23:30 HOUR	60.2	58.0
23:30-23:35 HOUR	59.7	57.3
23:35-23:40 HOUR	59.9	57.5
23:40-23:45 HOUR	60.2	58.5
23:45-23:50 HOUR	58.8	56.8
23:50-23:55 HOUR	59.7	57.6
23:55-00:00 HOUR	58.5	56.3





United Analyst and Engineering Consultant Co., Ltd.  
3501 Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaconsultant.com E-mail:uae@uaconsultant.com

TIME*	RESULT dB(A)	
	วันที่ตรวจวัดค่าเสียง (N4)	
	NOVEMBER 30 - DECEMBER 1, 2023	
		T23AY522-0023
	L <sub>Aeq</sub> 5 min	L <sub>A90</sub> 5 min
00:00-00:05 HOUR	58.2	56.3
00:05-00:10 HOUR	59.0	57.2
00:10-00:15 HOUR	60.3	58.1
00:15-00:20 HOUR	57.9	56.0
00:20-00:25 HOUR	58.5	56.5
00:25-00:30 HOUR	57.9	56.0
00:30-00:35 HOUR	57.6	55.5
00:35-00:40 HOUR	57.7	55.5
00:40-00:45 HOUR	58.6	56.1
00:45-00:50 HOUR	57.5	55.4
00:50-00:55 HOUR	57.4	55.5
00:55-01:00 HOUR	57.8	55.6
01:00-01:05 HOUR	57.8	55.7
01:05-01:10 HOUR	58.1	56.6
01:10-01:15 HOUR	58.2	56.7
01:15-01:20 HOUR	60.5	58.4
01:20-01:25 HOUR	59.3	57.7
01:25-01:30 HOUR	58.6	56.9
01:30-01:35 HOUR	57.5	55.6
01:35-01:40 HOUR	57.5	55.8
01:40-01:45 HOUR	57.5	55.8
01:45-01:50 HOUR	57.3	55.2
01:50-01:55 HOUR	58.1	56.2
01:55-02:00 HOUR	57.5	55.5
02:00-02:05 HOUR	58.3	56.6
02:05-02:10 HOUR	57.6	55.6
02:10-02:15 HOUR	58.3	56.6
02:15-02:20 HOUR	57.5	55.3
02:20-02:25 HOUR	58.6	56.4
02:25-02:30 HOUR	58.5	56.3
02:30-02:35 HOUR	58.4	56.5
02:35-02:40 HOUR	57.6	55.6
02:40-02:45 HOUR	58.1	56.4
02:45-02:50 HOUR	57.3	55.3
02:50-02:55 HOUR	58.4	56.4
02:55-03:00 HOUR	57.3	55.6
03:00-03:05 HOUR	57.4	55.1
03:05-03:10 HOUR	57.9	55.5
03:10-03:15 HOUR	58.5	56.3
03:15-03:20 HOUR	57.8	55.7
03:20-03:25 HOUR	58.7	57.1
03:25-03:30 HOUR	58.2	56.3
03:30-03:35 HOUR	59.0	56.8
03:35-03:40 HOUR	58.7	56.3
03:40-03:45 HOUR	57.6	55.4
03:45-03:50 HOUR	57.8	55.6
03:50-03:55 HOUR	58.6	56.8
03:55-04:00 HOUR	58.0	55.9
04:00-04:05 HOUR	57.7	55.9
04:05-04:10 HOUR	58.1	56.1
04:10-04:15 HOUR	58.7	56.8

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

11/42

2023-U107813

NO SCOPES CAPTION  
NO HOURS CAPTION  
BY 81 GROUP (THAILAND) CO., LTD.



United Analyst and Engineering Consultant Co., Ltd.  
3501 Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaconsultant.com E-mail:uae@uaconsultant.com

TIME*	RESULT dB(A)	
	วันที่ตรวจวัดค่าเสียง (N4)	
	NOVEMBER 30 - DECEMBER 1, 2023	
		T23AY522-0023
	L <sub>Aeq</sub> 5 min	L <sub>A90</sub> 5 min
04:15-04:20 HOUR	57.5	55.5
04:20-04:25 HOUR	57.3	55.2
04:25-04:30 HOUR	58.2	56.5
04:30-04:35 HOUR	57.6	55.8
04:35-04:40 HOUR	58.0	55.8
04:40-04:45 HOUR	58.8	56.4
04:45-04:50 HOUR	58.5	56.4
04:50-04:55 HOUR	58.2	56.1
04:55-05:00 HOUR	57.6	55.2
05:00-05:05 HOUR	57.6	55.8
05:05-05:10 HOUR	58.6	56.4
05:10-05:15 HOUR	57.8	55.6
05:15-05:20 HOUR	58.6	56.5
05:20-05:25 HOUR	58.6	56.6
05:25-05:30 HOUR	58.5	56.5
05:30-05:35 HOUR	59.0	56.7
05:35-05:40 HOUR	58.9	56.8
05:40-05:45 HOUR	57.9	55.9
05:45-05:50 HOUR	57.7	56.1
05:50-05:55 HOUR	58.0	56.4
05:55-06:00 HOUR	58.2	56.2
06:00-06:05 HOUR	58.3	56.2
06:05-06:10 HOUR	58.8	56.5
06:10-06:15 HOUR	58.6	56.2
06:15-06:20 HOUR	58.0	56.1
06:20-06:25 HOUR	58.3	56.4
06:25-06:30 HOUR	57.5	55.7
06:30-06:35 HOUR	57.2	55.4
06:35-06:40 HOUR	58.6	56.4
06:40-06:45 HOUR	57.5	55.7
06:45-06:50 HOUR	57.8	55.7
06:50-06:55 HOUR	58.2	56.5
06:55-07:00 HOUR	58.6	56.3

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

12/42

2023-U107813

NO SCOPES CAPTION  
NO HOURS CAPTION  
BY 81 GROUP (THAILAND) CO., LTD.



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangchak, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaec consultant.com E-mail: uaec@uaec consultant.com

TIME*	RESULT dB(A)	
	ผลการตรวจวัดตามข้อกำหนด (N4) DECEMBER 1-2, 2023 T23AY522-0024	
	L <sub>eq</sub> 5 min	L <sub>avg</sub> 5 min
07:00-07:05 HOUR	60.3	57.9
07:05-07:10 HOUR	61.2	59.4
07:10-07:15 HOUR	60.7	59.0
07:15-07:20 HOUR	60.6	58.2
07:20-07:25 HOUR	59.8	58.0
07:25-07:30 HOUR	60.0	58.3
07:30-07:35 HOUR	59.5	57.5
07:35-07:40 HOUR	60.3	58.8
07:40-07:45 HOUR	59.7	57.7
07:45-07:50 HOUR	60.3	58.7
07:50-07:55 HOUR	59.4	57.8
07:55-08:00 HOUR	60.2	58.7
08:00-08:05 HOUR	59.7	57.5
08:05-08:10 HOUR	59.0	56.8
08:10-08:15 HOUR	59.9	58.0
08:15-08:20 HOUR	59.7	57.5
08:20-08:25 HOUR	59.6	57.5
08:25-08:30 HOUR	59.2	56.7
08:30-08:35 HOUR	59.5	57.8
08:35-08:40 HOUR	60.0	58.1
08:40-08:45 HOUR	59.3	57.5
08:45-08:50 HOUR	59.3	56.9
08:50-08:55 HOUR	59.4	57.2
08:55-09:00 HOUR	63.6	62.1
09:00-09:05 HOUR	60.2	58.2
09:05-09:10 HOUR	59.6	57.9
09:10-09:15 HOUR	60.5	58.9
09:15-09:20 HOUR	60.0	57.6
09:20-09:25 HOUR	59.9	57.8
09:25-09:30 HOUR	60.3	58.3
09:30-09:35 HOUR	59.3	57.3
09:35-09:40 HOUR	59.0	57.2
09:40-09:45 HOUR	61.6	59.6
09:45-09:50 HOUR	64.8	62.8
09:50-09:55 HOUR	64.8	62.5
09:55-10:00 HOUR	63.1	60.7
10:00-10:05 HOUR	62.2	60.3
10:05-10:10 HOUR	63.0	61.0
10:10-10:15 HOUR	62.8	61.1
10:15-10:20 HOUR	64.6	63.2
10:20-10:25 HOUR	64.1	61.7
10:25-10:30 HOUR	65.0	62.7
10:30-10:35 HOUR	63.6	61.5
10:35-10:40 HOUR	61.2	59.0
10:40-10:45 HOUR	59.3	57.6
10:45-10:50 HOUR	59.7	57.8
10:50-10:55 HOUR	60.1	58.1
10:55-11:00 HOUR	59.5	57.9
11:00-11:05 HOUR	58.7	57.0
11:05-11:10 HOUR	59.6	57.6
11:10-11:15 HOUR	58.7	56.5

\* PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
\* THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

BY SRI GROUP (THAILAND) CO., LTD.

13/42

2023-U107813



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangchak, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaec consultant.com E-mail: uaec@uaec consultant.com

TIME*	RESULT dB(A)	
	ผลการตรวจวัดตามข้อกำหนด (N4) DECEMBER 1-2, 2023 T23AY522-0024	
	L <sub>eq</sub> 5 min	L <sub>avg</sub> 5 min
11:15-11:20 HOUR	58.9	57.5
11:20-11:25 HOUR	59.8	57.4
11:25-11:30 HOUR	59.4	57.5
11:30-11:35 HOUR	59.3	57.3
11:35-11:40 HOUR	59.9	58.0
11:40-11:45 HOUR	59.3	57.0
11:45-11:50 HOUR	59.6	57.9
11:50-11:55 HOUR	58.7	56.9
11:55-12:00 HOUR	58.8	56.4
12:00-12:05 HOUR	58.3	56.8
12:05-12:10 HOUR	58.9	57.4
12:10-12:15 HOUR	59.2	57.0
12:15-12:20 HOUR	59.3	57.4
12:20-12:25 HOUR	59.1	56.6
12:25-12:30 HOUR	59.2	57.5
12:30-12:35 HOUR	58.3	56.6
12:35-12:40 HOUR	59.4	57.3
12:40-12:45 HOUR	58.8	57.0
12:45-12:50 HOUR	58.8	56.5
12:50-12:55 HOUR	58.6	56.4
12:55-13:00 HOUR	58.6	56.9
13:00-13:05 HOUR	59.4	57.3
13:05-13:10 HOUR	58.8	56.7
13:10-13:15 HOUR	59.6	57.7
13:15-13:20 HOUR	59.5	57.0
13:20-13:25 HOUR	58.5	56.6
13:25-13:30 HOUR	59.5	57.5
13:30-13:35 HOUR	58.2	56.0
13:35-13:40 HOUR	58.3	56.8
13:40-13:45 HOUR	59.6	58.0
13:45-13:50 HOUR	59.3	57.2
13:50-13:55 HOUR	59.4	57.0
13:55-14:00 HOUR	59.3	57.4
14:00-14:05 HOUR	58.9	56.9
14:05-14:10 HOUR	59.4	57.0
14:10-14:15 HOUR	58.8	57.0
14:15-14:20 HOUR	63.5	61.1
14:20-14:25 HOUR	61.1	59.0
14:25-14:30 HOUR	64.8	62.8
14:30-14:35 HOUR	68.9	67.2
14:35-14:40 HOUR	63.7	61.7
14:40-14:45 HOUR	60.1	58.5
14:45-14:50 HOUR	61.1	59.1
14:50-14:55 HOUR	61.9	59.9
14:55-15:00 HOUR	59.9	58.3
15:00-15:05 HOUR	61.1	59.2
15:05-15:10 HOUR	60.6	58.8
15:10-15:15 HOUR	59.8	57.7
15:15-15:20 HOUR	59.4	57.2
15:20-15:25 HOUR	63.2	61.5
15:25-15:30 HOUR	65.0	63.3

\* PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
\* THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

BY SRI GROUP (THAILAND) CO., LTD.

14/42

2023-U107813



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangchak, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaconsultant.com E-mail: uae@uaconsultant.com

TIME*	RESULT dB(A)	
	วันที่รายงานผลการทดสอบ (N4)	
	DECEMBER 1-2, 2023	
	L <sub>avg</sub> 5 min	L <sub>avg</sub> 5 min
15:30-15:35 HOUR	59.7	57.7
15:35-15:40 HOUR	59.3	57.5
15:40-15:45 HOUR	58.5	57.8
15:45-15:50 HOUR	61.3	59.2
15:50-15:55 HOUR	63.8	61.9
15:55-16:00 HOUR	64.5	62.6
16:00-16:05 HOUR	63.2	61.6
16:05-16:10 HOUR	60.5	58.8
16:10-16:15 HOUR	60.0	57.7
16:15-16:20 HOUR	59.3	57.2
16:20-16:25 HOUR	62.5	60.5
16:25-16:30 HOUR	59.7	57.9
16:30-16:35 HOUR	59.2	57.1
16:35-16:40 HOUR	59.9	57.9
16:40-16:45 HOUR	60.1	58.4
16:45-16:50 HOUR	60.7	58.7
16:50-16:55 HOUR	59.3	57.1
16:55-17:00 HOUR	58.8	56.7
17:00-17:05 HOUR	59.4	57.2
17:05-17:10 HOUR	58.5	56.4
17:10-17:15 HOUR	59.2	57.1
17:15-17:20 HOUR	58.8	57.0
17:20-17:25 HOUR	58.4	56.2
17:25-17:30 HOUR	58.6	56.4
17:30-17:35 HOUR	58.9	57.0
17:35-17:40 HOUR	58.2	56.1
17:40-17:45 HOUR	58.1	56.2
17:45-17:50 HOUR	58.3	56.1
17:50-17:55 HOUR	60.4	58.5
17:55-18:00 HOUR	63.4	61.6
18:00-18:05 HOUR	63.9	61.7
18:05-18:10 HOUR	64.8	62.9
18:10-18:15 HOUR	63.7	61.8
18:15-18:20 HOUR	60.2	58.4
18:20-18:25 HOUR	59.0	57.3
18:25-18:30 HOUR	59.1	56.9
18:30-18:35 HOUR	58.1	55.8
18:35-18:40 HOUR	58.9	56.9
18:40-18:45 HOUR	58.3	56.6
18:45-18:50 HOUR	59.4	57.2
18:50-18:55 HOUR	58.1	55.8
18:55-19:00 HOUR	59.5	58.0
19:00-19:05 HOUR	58.3	56.5
19:05-19:10 HOUR	58.1	56.1
19:10-19:15 HOUR	58.9	56.7
19:15-19:20 HOUR	59.0	57.0
19:20-19:25 HOUR	59.6	58.0
19:25-19:30 HOUR	58.9	57.1
19:30-19:35 HOUR	59.1	57.7
19:35-19:40 HOUR	58.9	57.1
19:40-19:45 HOUR	59.6	57.6

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

15/42

2023-U107813



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangchak, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaconsultant.com E-mail: uae@uaconsultant.com

TIME*	RESULT dB(A)	
	วันที่รายงานผลการทดสอบ (N4)	
	DECEMBER 1-2, 2023	
	L <sub>avg</sub> 5 min	L <sub>avg</sub> 5 min
19:45-19:50 HOUR	59.6	57.3
19:50-19:55 HOUR	59.3	57.5
19:55-20:00 HOUR	59.0	56.9
20:00-20:05 HOUR	58.8	57.3
20:05-20:10 HOUR	59.3	57.2
20:10-20:15 HOUR	59.1	56.6
20:15-20:20 HOUR	59.6	57.2
20:20-20:25 HOUR	59.4	57.5
20:25-20:30 HOUR	59.7	57.9
20:30-20:35 HOUR	60.1	58.0
20:35-20:40 HOUR	59.8	57.6
20:40-20:45 HOUR	59.1	57.1
20:45-20:50 HOUR	60.0	58.2
20:50-20:55 HOUR	59.9	58.1
20:55-21:00 HOUR	59.0	57.0
21:00-21:05 HOUR	58.8	56.8
21:05-21:10 HOUR	60.1	58.1
21:10-21:15 HOUR	58.6	57.1
21:15-21:20 HOUR	58.5	56.5
21:20-21:25 HOUR	59.2	56.8
21:25-21:30 HOUR	58.4	56.5
21:30-21:35 HOUR	58.4	57.7
21:35-21:40 HOUR	58.9	56.7
21:40-21:45 HOUR	58.5	57.0
21:45-21:50 HOUR	59.7	57.9
21:50-21:55 HOUR	60.0	57.7
21:55-22:00 HOUR	59.7	57.4
22:00-22:05 HOUR	57.2	55.4
22:05-22:10 HOUR	56.1	53.9
22:10-22:15 HOUR	57.4	55.6
22:15-22:20 HOUR	56.2	54.6
22:20-22:25 HOUR	56.2	54.2
22:25-22:30 HOUR	56.3	54.7
22:30-22:35 HOUR	56.7	55.1
22:35-22:40 HOUR	56.7	54.3
22:40-22:45 HOUR	56.9	54.8
22:45-22:50 HOUR	56.5	54.6
22:50-22:55 HOUR	56.7	54.8
22:55-23:00 HOUR	56.6	54.5
23:00-23:05 HOUR	57.4	55.4
23:05-23:10 HOUR	56.3	54.4
23:10-23:15 HOUR	56.7	54.7
23:15-23:20 HOUR	56.6	54.6
23:20-23:25 HOUR	57.0	55.6
23:25-23:30 HOUR	56.9	54.9
23:30-23:35 HOUR	55.7	53.4
23:35-23:40 HOUR	55.5	53.8
23:40-23:45 HOUR	55.9	53.6
23:45-23:50 HOUR	55.5	53.7
23:50-23:55 HOUR	55.7	54.2
23:55-00:00 HOUR	56.6	54.4

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

15/42


2023-U107813



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangchak, Phra Khanong, Bangkok 10260  
Tel. 0 2763 2828 Fax 0 2763 2800 www.uaec consultant.com E-mail: uaec@uaec consultant.com

TIME*	RESULT dB(A)	
	ผลการตรวจวัดเสียง (N4)	
	DECEMBER 1-2, 2023	
	L <sub>eq</sub> 5 min	L <sub>eq</sub> 5 min
00:00-00:05 HOUR	56.4	54.1
00:05-00:10 HOUR	56.6	54.7
00:10-00:15 HOUR	56.7	55.1
00:15-00:20 HOUR	56.0	54.4
00:20-00:25 HOUR	57.2	55.4
00:25-00:30 HOUR	56.3	54.5
00:30-00:35 HOUR	55.9	53.9
00:35-00:40 HOUR	56.0	54.3
00:40-00:45 HOUR	56.3	54.3
00:45-00:50 HOUR	57.4	55.3
00:50-00:55 HOUR	57.5	55.4
00:55-01:00 HOUR	56.0	53.8
01:00-01:05 HOUR	56.1	54.2
01:05-01:10 HOUR	56.5	55.0
01:10-01:15 HOUR	56.6	55.1
01:15-01:20 HOUR	56.4	54.8
01:20-01:25 HOUR	57.4	56.0
01:25-01:30 HOUR	56.8	55.8
01:30-01:35 HOUR	56.8	54.7
01:35-01:40 HOUR	56.8	54.5
01:40-01:45 HOUR	56.3	54.8
01:45-01:50 HOUR	55.9	54.3
01:50-01:55 HOUR	57.3	55.1
01:55-02:00 HOUR	57.2	55.8
02:00-02:05 HOUR	57.3	55.2
02:05-02:10 HOUR	56.1	53.9
02:10-02:15 HOUR	56.1	54.7
02:15-02:20 HOUR	55.8	53.5
02:20-02:25 HOUR	56.1	54.2
02:25-02:30 HOUR	55.5	53.6
02:30-02:35 HOUR	56.1	53.8
02:35-02:40 HOUR	56.3	54.2
02:40-02:45 HOUR	55.9	54.2
02:45-02:50 HOUR	56.5	54.4
02:50-02:55 HOUR	56.3	53.9
02:55-03:00 HOUR	56.2	53.8
03:00-03:05 HOUR	56.6	54.7
03:05-03:10 HOUR	56.8	54.9
03:10-03:15 HOUR	56.6	54.1
03:15-03:20 HOUR	56.7	55.2
03:20-03:25 HOUR	56.3	54.2
03:25-03:30 HOUR	57.1	55.3
03:30-03:35 HOUR	57.3	55.8
03:35-03:40 HOUR	56.6	54.7
03:40-03:45 HOUR	56.3	54.4
03:45-03:50 HOUR	56.2	54.1
03:50-03:55 HOUR	56.0	53.8
03:55-04:00 HOUR	56.1	54.4
04:00-04:05 HOUR	57.0	55.0
04:05-04:10 HOUR	56.9	54.7
04:10-04:15 HOUR	57.0	55.1

NOTED: PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.



2023-U107813


17/42



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangchak, Phra Khanong, Bangkok 10260  
Tel. 0 2763 2828 Fax 0 2763 2800 www.uaec consultant.com E-mail: uaec@uaec consultant.com

TIME*	RESULT dB(A)	
	ผลการตรวจวัดเสียง (N4)	
	DECEMBER 1-2, 2023	
	L <sub>eq</sub> 5 min	L <sub>eq</sub> 5 min
04:15-04:20 HOUR	56.1	54.1
04:20-04:25 HOUR	57.1	55.2
04:25-04:30 HOUR	56.5	54.1
04:30-04:35 HOUR	56.1	54.2
04:35-04:40 HOUR	57.7	55.7
04:40-04:45 HOUR	56.3	53.9
04:45-04:50 HOUR	56.4	54.0
04:50-04:55 HOUR	56.6	54.3
04:55-05:00 HOUR	57.0	55.4
05:00-05:05 HOUR	56.9	55.3
05:05-05:10 HOUR	57.2	55.1
05:10-05:15 HOUR	56.6	54.5
05:15-05:20 HOUR	56.6	54.9
05:20-05:25 HOUR	57.5	55.5
05:25-05:30 HOUR	57.1	55.6
05:30-05:35 HOUR	56.8	54.5
05:35-05:40 HOUR	57.1	55.7
05:40-05:45 HOUR	57.6	55.5
05:45-05:50 HOUR	57.2	55.3
05:50-05:55 HOUR	57.4	55.8
05:55-06:00 HOUR	57.4	55.5
06:00-06:05 HOUR	56.6	54.8
06:05-06:10 HOUR	56.8	54.7
06:10-06:15 HOUR	56.0	53.8
06:15-06:20 HOUR	57.4	55.0
06:20-06:25 HOUR	56.7	54.8
06:25-06:30 HOUR	56.0	53.5
06:30-06:35 HOUR	57.2	55.5
06:35-06:40 HOUR	56.7	55.2
06:40-06:45 HOUR	58.0	55.7
06:45-06:50 HOUR	56.4	54.3
06:50-06:55 HOUR	56.7	54.9
06:55-07:00 HOUR	55.8	53.3

NOTED: PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.



2023-U107813

18/42



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaiconsultant.com E-mail:uae@uaiconsultant.com

TIME*	RESULT dB(A)	
	วันที่ตรวจวัดค่าเสียงตาม (N4) DECEMBER 2-3, 2023 T23AY522-0025	
	L <sub>Aeq</sub> 5 min	L <sub>A90</sub> 5 min
07:00-07:05 HOUR	60.1	58.2
07:05-07:10 HOUR	60.7	58.4
07:10-07:15 HOUR	60.9	58.4
07:15-07:20 HOUR	62.8	61.1
07:20-07:25 HOUR	61.0	59.3
07:25-07:30 HOUR	61.5	59.8
07:30-07:35 HOUR	60.8	58.4
07:35-07:40 HOUR	60.2	58.7
07:40-07:45 HOUR	59.7	57.7
07:45-07:50 HOUR	60.8	58.6
07:50-07:55 HOUR	60.6	59.0
07:55-08:00 HOUR	60.6	58.8
08:00-08:05 HOUR	60.6	58.8
08:05-08:10 HOUR	60.4	58.2
08:10-08:15 HOUR	60.6	58.7
08:15-08:20 HOUR	61.2	58.9
08:20-08:25 HOUR	60.4	58.2
08:25-08:30 HOUR	60.8	58.6
08:30-08:35 HOUR	60.9	59.4
08:35-08:40 HOUR	60.7	58.6
08:40-08:45 HOUR	60.1	58.4
08:45-08:50 HOUR	61.8	60.2
08:50-08:55 HOUR	64.3	62.0
08:55-09:00 HOUR	61.7	60.0
09:00-09:05 HOUR	60.8	59.2
09:05-09:10 HOUR	60.8	59.2
09:10-09:15 HOUR	60.1	58.4
09:15-09:20 HOUR	60.9	59.2
09:20-09:25 HOUR	63.3	61.5
09:25-09:30 HOUR	61.3	59.7
09:30-09:35 HOUR	64.9	63.0
09:35-09:40 HOUR	61.2	59.2
09:40-09:45 HOUR	65.4	63.5
09:45-09:50 HOUR	62.6	60.6
09:50-09:55 HOUR	63.7	61.7
09:55-10:00 HOUR	60.3	58.5
10:00-10:05 HOUR	58.4	56.4
10:05-10:10 HOUR	58.6	56.4
10:10-10:15 HOUR	59.8	57.6
10:15-10:20 HOUR	59.7	57.5
10:20-10:25 HOUR	60.1	57.7
10:25-10:30 HOUR	59.9	57.9
10:30-10:35 HOUR	60.2	58.6
10:35-10:40 HOUR	62.4	60.8
10:40-10:45 HOUR	60.5	58.5
10:45-10:50 HOUR	61.8	59.7
10:50-10:55 HOUR	61.2	59.3
10:55-11:00 HOUR	60.3	57.9
11:00-11:05 HOUR	58.1	56.5
11:05-11:10 HOUR	58.6	56.6
11:10-11:15 HOUR	57.8	56.0

DO NOT SIGN CERTIFIED  
DO NOT SIGN CERTIFIED  
BY THE GROUP (THAILAND) CO., LTD.

19/42

2023-U107813

PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaiconsultant.com E-mail:uae@uaiconsultant.com

TIME*	RESULT dB(A)	
	วันที่ตรวจวัดค่าเสียงตาม (N4) DECEMBER 2-3, 2023 T23AY522-0025	
	L <sub>Aeq</sub> 5 min	L <sub>A90</sub> 5 min
11:15-11:20 HOUR	58.0	56.3
11:20-11:25 HOUR	58.2	56.5
11:25-11:30 HOUR	60.9	58.6
11:30-11:35 HOUR	60.0	58.0
11:35-11:40 HOUR	59.6	57.6
11:40-11:45 HOUR	60.1	58.1
11:45-11:50 HOUR	59.2	57.4
11:50-11:55 HOUR	61.6	59.5
11:55-12:00 HOUR	62.2	60.2
12:00-12:05 HOUR	58.9	57.0
12:05-12:10 HOUR	58.4	56.9
12:10-12:15 HOUR	59.6	57.7
12:15-12:20 HOUR	61.3	59.6
12:20-12:25 HOUR	60.8	59.0
12:25-12:30 HOUR	60.5	58.6
12:30-12:35 HOUR	64.8	62.7
12:35-12:40 HOUR	61.6	59.6
12:40-12:45 HOUR	64.1	62.1
12:45-12:50 HOUR	64.0	62.3
12:50-12:55 HOUR	63.2	61.0
12:55-13:00 HOUR	62.8	60.8
13:00-13:05 HOUR	68.8	66.6
13:05-13:10 HOUR	63.9	62.1
13:10-13:15 HOUR	64.0	62.4
13:15-13:20 HOUR	64.4	62.7
13:20-13:25 HOUR	63.3	61.1
13:25-13:30 HOUR	62.2	60.7
13:30-13:35 HOUR	60.5	58.4
13:35-13:40 HOUR	62.2	60.6
13:40-13:45 HOUR	61.3	59.1
13:45-13:50 HOUR	60.6	58.5
13:50-13:55 HOUR	64.8	63.4
13:55-14:00 HOUR	64.2	62.7
14:00-14:05 HOUR	61.2	59.5
14:05-14:10 HOUR	60.7	59.0
14:10-14:15 HOUR	59.7	57.5
14:15-14:20 HOUR	63.2	61.3
14:20-14:25 HOUR	63.2	60.8
14:25-14:30 HOUR	62.3	60.4
14:30-14:35 HOUR	63.5	61.3
14:35-14:40 HOUR	62.2	60.5
14:40-14:45 HOUR	63.0	61.3
14:45-14:50 HOUR	64.0	61.9
14:50-14:55 HOUR	64.8	62.7
14:55-15:00 HOUR	64.2	62.4
15:00-15:05 HOUR	60.8	58.9
15:05-15:10 HOUR	63.2	61.1
15:10-15:15 HOUR	66.1	63.9
15:15-15:20 HOUR	61.6	59.7
15:20-15:25 HOUR	62.0	59.5
15:25-15:30 HOUR	67.5	65.3

DO NOT SIGN CERTIFIED  
DO NOT SIGN CERTIFIED  
BY THE GROUP (THAILAND) CO., LTD.

20/42

2023-U107813

PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangchak, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaec consultant.com E-mail: uae@uaec consultant.com

TIME*	RESULT dB(A)	
	ผลการตรวจวัดเสียงรบกวน (N4)	
	DECEMBER 2-3, 2023	
	L <sub>eq</sub> 5 min	L <sub>eq</sub> 5 min
15:30-15:35 HOUR	60.3	58.5
15:35-15:40 HOUR	61.9	60.1
15:40-15:45 HOUR	61.1	59.3
15:45-15:50 HOUR	60.3	58.5
15:50-15:55 HOUR	60.7	58.4
15:55-16:00 HOUR	60.8	58.7
16:00-16:05 HOUR	59.8	57.7
16:05-16:10 HOUR	60.7	58.8
16:10-16:15 HOUR	60.9	59.2
16:15-16:20 HOUR	60.1	58.5
16:20-16:25 HOUR	60.6	58.8
16:25-16:30 HOUR	60.8	58.5
16:30-16:35 HOUR	60.7	58.7
16:35-16:40 HOUR	60.6	58.1
16:40-16:45 HOUR	60.6	58.8
16:45-16:50 HOUR	59.9	57.5
16:50-16:55 HOUR	60.5	58.4
16:55-17:00 HOUR	62.7	60.5
17:00-17:05 HOUR	64.9	62.6
17:05-17:10 HOUR	63.9	61.9
17:10-17:15 HOUR	62.2	60.4
17:15-17:20 HOUR	62.2	60.3
17:20-17:25 HOUR	61.4	59.3
17:25-17:30 HOUR	60.3	58.3
17:30-17:35 HOUR	61.2	58.9
17:35-17:40 HOUR	60.6	58.8
17:40-17:45 HOUR	60.5	58.8
17:45-17:50 HOUR	60.2	58.3
17:50-17:55 HOUR	59.7	57.4
17:55-18:00 HOUR	60.5	58.5
18:00-18:05 HOUR	57.5	55.3
18:05-18:10 HOUR	58.6	56.7
18:10-18:15 HOUR	58.5	56.2
18:15-18:20 HOUR	59.0	57.2
18:20-18:25 HOUR	59.1	57.1
18:25-18:30 HOUR	59.7	57.4
18:30-18:35 HOUR	59.2	57.0
18:35-18:40 HOUR	58.6	56.3
18:40-18:45 HOUR	59.6	57.7
18:45-18:50 HOUR	59.4	57.3
18:50-18:55 HOUR	58.7	57.2
18:55-19:00 HOUR	59.8	58.0
19:00-19:05 HOUR	58.9	57.1
19:05-19:10 HOUR	59.7	58.1
19:10-19:15 HOUR	59.3	56.9
19:15-19:20 HOUR	58.8	56.9
19:20-19:25 HOUR	58.7	56.7
19:25-19:30 HOUR	59.0	57.1
19:30-19:35 HOUR	58.7	56.8
19:35-19:40 HOUR	59.3	57.2
19:40-19:45 HOUR	58.6	56.7

ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY KSI GROUP (THAILAND) CO., LTD.

PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

21/42

2023-U107813



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangchak, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaec consultant.com E-mail: uae@uaec consultant.com

TIME*	RESULT dB(A)	
	ผลการตรวจวัดเสียงรบกวน (N4)	
	DECEMBER 2-3, 2023	
	L <sub>eq</sub> 5 min	L <sub>eq</sub> 5 min
19:45-19:50 HOUR	59.5	57.2
19:50-19:55 HOUR	59.2	57.1
19:55-20:00 HOUR	58.1	56.2
20:00-20:05 HOUR	58.6	57.1
20:05-20:10 HOUR	57.9	56.3
20:10-20:15 HOUR	57.7	55.8
20:15-20:20 HOUR	58.8	56.9
20:20-20:25 HOUR	58.8	57.1
20:25-20:30 HOUR	57.9	55.4
20:30-20:35 HOUR	57.6	55.7
20:35-20:40 HOUR	57.8	56.4
20:40-20:45 HOUR	57.9	55.7
20:45-20:50 HOUR	58.7	56.4
20:50-20:55 HOUR	58.2	56.1
20:55-21:00 HOUR	58.8	56.9
21:00-21:05 HOUR	58.0	56.3
21:05-21:10 HOUR	58.8	56.6
21:10-21:15 HOUR	58.5	57.0
21:15-21:20 HOUR	58.2	56.3
21:20-21:25 HOUR	57.5	55.5
21:25-21:30 HOUR	58.3	56.8
21:30-21:35 HOUR	57.6	56.1
21:35-21:40 HOUR	57.5	55.7
21:40-21:45 HOUR	57.9	55.7
21:45-21:50 HOUR	58.0	55.9
21:50-21:55 HOUR	58.6	56.5
21:55-22:00 HOUR	58.2	56.2
22:00-22:05 HOUR	59.1	56.9
22:05-22:10 HOUR	58.3	56.3
22:10-22:15 HOUR	58.3	56.4
22:15-22:20 HOUR	58.9	57.1
22:20-22:25 HOUR	58.0	56.3
22:25-22:30 HOUR	58.8	57.0
22:30-22:35 HOUR	58.9	56.8
22:35-22:40 HOUR	59.0	57.0
22:40-22:45 HOUR	58.0	55.6
22:45-22:50 HOUR	58.8	56.8
22:50-22:55 HOUR	59.1	57.0
22:55-23:00 HOUR	58.9	56.9
23:00-23:05 HOUR	58.9	56.9
23:05-23:10 HOUR	59.0	56.9
23:10-23:15 HOUR	58.9	57.1
23:15-23:20 HOUR	58.8	57.1
23:20-23:25 HOUR	58.2	56.2
23:25-23:30 HOUR	59.1	56.9
23:30-23:35 HOUR	60.7	59.1
23:35-23:40 HOUR	58.7	56.7
23:40-23:45 HOUR	58.0	56.1
23:45-23:50 HOUR	58.2	55.8
23:50-23:55 HOUR	59.1	57.3
23:55-00:00 HOUR	58.9	56.9

ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY KSI GROUP (THAILAND) CO., LTD.

PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

22/42

2023-U107813





United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax 0 2763 2800 www.uaeconsultant.com E-mail:uae@uaeconsultant.com

TIME*	RESULT dB(A)	
	วันที่ตรวจวัดเสียงรบกวน (N4)	
	DECEMBER 2-3, 2023	
	L <sub>Aeq</sub> 5 min	L <sub>Aeq</sub> 5 min
00:00-00:05 HOUR	58.8	56.8
00:05-00:10 HOUR	57.6	56.0
00:10-00:15 HOUR	57.7	56.0
00:15-00:20 HOUR	57.5	55.9
00:20-00:25 HOUR	58.4	56.6
00:25-00:30 HOUR	58.8	57.2
00:30-00:35 HOUR	57.4	55.0
00:35-00:40 HOUR	58.0	56.2
00:40-00:45 HOUR	58.7	57.1
00:45-00:50 HOUR	58.3	56.4
00:50-00:55 HOUR	58.6	56.8
00:55-01:00 HOUR	58.5	56.6
01:00-01:05 HOUR	57.9	55.7
01:05-01:10 HOUR	57.5	55.6
01:10-01:15 HOUR	58.5	56.9
01:15-01:20 HOUR	58.0	55.8
01:20-01:25 HOUR	57.8	55.9
01:25-01:30 HOUR	58.5	56.8
01:30-01:35 HOUR	58.0	56.0
01:35-01:40 HOUR	57.5	55.5
01:40-01:45 HOUR	57.6	55.3
01:45-01:50 HOUR	57.8	56.4
01:50-01:55 HOUR	57.4	55.4
01:55-02:00 HOUR	58.8	57.2
02:00-02:05 HOUR	58.1	55.6
02:05-02:10 HOUR	58.6	57.0
02:10-02:15 HOUR	57.7	55.4
02:15-02:20 HOUR	57.9	56.1
02:20-02:25 HOUR	58.0	55.8
02:25-02:30 HOUR	58.1	56.2
02:30-02:35 HOUR	57.9	55.8
02:35-02:40 HOUR	57.7	55.7
02:40-02:45 HOUR	58.5	56.4
02:45-02:50 HOUR	57.9	55.8
02:50-02:55 HOUR	57.7	55.8
02:55-03:00 HOUR	58.3	56.7
03:00-03:05 HOUR	58.5	56.7
03:05-03:10 HOUR	57.6	55.8
03:10-03:15 HOUR	58.1	56.6
03:15-03:20 HOUR	58.3	56.1
03:20-03:25 HOUR	57.6	55.6
03:25-03:30 HOUR	58.0	55.8
03:30-03:35 HOUR	57.4	55.9
03:35-03:40 HOUR	57.5	55.9
03:40-03:45 HOUR	57.9	56.0
03:45-03:50 HOUR	58.5	56.4
03:50-03:55 HOUR	58.0	55.8
03:55-04:00 HOUR	57.9	56.1
04:00-04:05 HOUR	57.9	55.8
04:05-04:10 HOUR	58.2	56.3
04:10-04:15 HOUR	58.7	56.4

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY BSI GROUP (THAILAND) CO., LTD.

23/42

2023-UI07813



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax 0 2763 2800 www.uaeconsultant.com E-mail:uae@uaeconsultant.com

TIME*	RESULT dB(A)	
	วันที่ตรวจวัดเสียงรบกวน (N4)	
	DECEMBER 2-3, 2023	
	L <sub>Aeq</sub> 5 min	L <sub>Aeq</sub> 5 min
04:15-04:20 HOUR	57.5	56.1
04:20-04:25 HOUR	58.8	57.3
04:25-04:30 HOUR	58.2	56.5
04:30-04:35 HOUR	58.3	56.2
04:35-04:40 HOUR	57.6	55.9
04:40-04:45 HOUR	57.9	56.2
04:45-04:50 HOUR	57.4	55.4
04:50-04:55 HOUR	58.2	56.4
04:55-05:00 HOUR	60.4	58.1
05:00-05:05 HOUR	57.0	55.4
05:05-05:10 HOUR	58.4	56.3
05:10-05:15 HOUR	58.3	56.5
05:15-05:20 HOUR	58.7	56.6
05:20-05:25 HOUR	61.8	59.9
05:25-05:30 HOUR	61.1	58.8
05:30-05:35 HOUR	62.5	60.0
05:35-05:40 HOUR	58.9	56.9
05:40-05:45 HOUR	58.7	57.3
05:45-05:50 HOUR	60.4	58.6
05:50-05:55 HOUR	58.5	56.6
05:55-06:00 HOUR	61.6	59.5
06:00-06:05 HOUR	61.6	60.2
06:05-06:10 HOUR	60.8	58.3
06:10-06:15 HOUR	62.4	60.1
06:15-06:20 HOUR	59.0	56.9
06:20-06:25 HOUR	59.2	57.4
06:25-06:30 HOUR	58.5	56.7
06:30-06:35 HOUR	59.0	57.0
06:35-06:40 HOUR	58.4	57.0
06:40-06:45 HOUR	58.9	56.4
06:45-06:50 HOUR	59.3	57.3
06:50-06:55 HOUR	58.9	57.0
06:55-07:00 HOUR	58.7	56.6

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY BSI GROUP (THAILAND) CO., LTD.

24/42

2023-UI07813





United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10760  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaec consultant.com E-mail:uae@uaec consultant.com

TIME*	RESULT dB(A)	
	ผลการตรวจวัดระดับเสียง (N4) DECEMBER 3-4, 2023 T23AY522-0026	
	L <sub>Aeq</sub> 5 min	L <sub>A90</sub> 5 min
07:00-07:05 HOUR	62.5	60.4
07:05-07:10 HOUR	61.7	59.2
07:10-07:15 HOUR	61.2	59.4
07:15-07:20 HOUR	62.2	60.4
07:20-07:25 HOUR	61.9	60.4
07:25-07:30 HOUR	61.4	59.5
07:30-07:35 HOUR	61.2	58.8
07:35-07:40 HOUR	61.4	59.0
07:40-07:45 HOUR	61.7	59.7
07:45-07:50 HOUR	62.0	60.1
07:50-07:55 HOUR	61.2	59.5
07:55-08:00 HOUR	60.6	58.8
08:00-08:05 HOUR	61.5	59.4
08:05-08:10 HOUR	61.3	59.6
08:10-08:15 HOUR	61.3	59.8
08:15-08:20 HOUR	61.1	59.6
08:20-08:25 HOUR	61.2	58.7
08:25-08:30 HOUR	60.8	59.0
08:30-08:35 HOUR	60.7	58.9
08:35-08:40 HOUR	66.7	64.7
08:40-08:45 HOUR	65.4	63.5
08:45-08:50 HOUR	64.2	62.2
08:50-08:55 HOUR	64.3	62.3
08:55-09:00 HOUR	63.6	61.5
09:00-09:05 HOUR	63.6	61.4
09:05-09:10 HOUR	64.5	62.8
09:10-09:15 HOUR	71.0	69.2
09:15-09:20 HOUR	70.3	68.4
09:20-09:25 HOUR	66.3	64.3
09:25-09:30 HOUR	63.1	61.5
09:30-09:35 HOUR	63.4	61.5
09:35-09:40 HOUR	61.4	59.1
09:40-09:45 HOUR	62.2	60.4
09:45-09:50 HOUR	61.6	59.9
09:50-09:55 HOUR	62.6	60.8
09:55-10:00 HOUR	62.7	60.8
10:00-10:05 HOUR	62.9	60.9
10:05-10:10 HOUR	66.4	64.7
10:10-10:15 HOUR	70.2	67.9
10:15-10:20 HOUR	69.1	67.2
10:20-10:25 HOUR	64.2	61.9
10:25-10:30 HOUR	64.9	62.9
10:30-10:35 HOUR	64.3	62.5
10:35-10:40 HOUR	66.3	64.7
10:40-10:45 HOUR	63.1	60.6
10:45-10:50 HOUR	64.9	62.8
10:50-10:55 HOUR	65.3	63.4
10:55-11:00 HOUR	63.5	62.0
11:00-11:05 HOUR	63.3	61.4
11:05-11:10 HOUR	64.5	62.8
11:10-11:15 HOUR	64.1	62.2



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10760  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaec consultant.com E-mail:uae@uaec consultant.com

TIME*	RESULT dB(A)	
	ผลการตรวจวัดระดับเสียง (N4) DECEMBER 3-4, 2023 T23AY522-0026	
	L <sub>Aeq</sub> 5 min	L <sub>A90</sub> 5 min
11:15-11:20 HOUR	63.2	61.2
11:20-11:25 HOUR	61.9	60.3
11:25-11:30 HOUR	62.7	60.2
11:30-11:35 HOUR	63.7	61.8
11:35-11:40 HOUR	61.7	59.6
11:40-11:45 HOUR	60.4	58.1
11:45-11:50 HOUR	60.9	59.2
11:50-11:55 HOUR	64.1	62.3
11:55-12:00 HOUR	62.1	59.8
12:00-12:05 HOUR	61.3	59.2
12:05-12:10 HOUR	60.9	59.0
12:10-12:15 HOUR	60.7	59.1
12:15-12:20 HOUR	62.3	59.8
12:20-12:25 HOUR	60.3	58.5
12:25-12:30 HOUR	63.1	60.9
12:30-12:35 HOUR	59.7	58.0
12:35-12:40 HOUR	62.2	60.0
12:40-12:45 HOUR	60.8	59.0
12:45-12:50 HOUR	61.0	58.8
12:50-12:55 HOUR	60.3	58.8
12:55-13:00 HOUR	62.7	60.9
13:00-13:05 HOUR	63.2	61.4
13:05-13:10 HOUR	61.7	59.9
13:10-13:15 HOUR	60.6	58.6
13:15-13:20 HOUR	63.6	61.5
13:20-13:25 HOUR	62.2	60.7
13:25-13:30 HOUR	64.3	62.8
13:30-13:35 HOUR	66.7	65.0
13:35-13:40 HOUR	67.8	66.3
13:40-13:45 HOUR	66.5	64.4
13:45-13:50 HOUR	65.5	63.5
13:50-13:55 HOUR	63.0	61.0
13:55-14:00 HOUR	62.8	60.6
14:00-14:05 HOUR	62.2	59.8
14:05-14:10 HOUR	66.1	64.0
14:10-14:15 HOUR	63.4	61.9
14:15-14:20 HOUR	61.9	60.1
14:20-14:25 HOUR	62.0	59.9
14:25-14:30 HOUR	64.4	62.4
14:30-14:35 HOUR	61.3	59.2
14:35-14:40 HOUR	62.0	60.4
14:40-14:45 HOUR	61.9	60.1
14:45-14:50 HOUR	62.3	60.4
14:50-14:55 HOUR	63.4	61.6
14:55-15:00 HOUR	65.5	63.7
15:00-15:05 HOUR	64.9	63.1
15:05-15:10 HOUR	61.0	59.1
15:10-15:15 HOUR	61.0	59.0
15:15-15:20 HOUR	63.0	61.2
15:20-15:25 HOUR	63.1	60.7
15:25-15:30 HOUR	61.7	60.1



United Analyst and Engineering Consultant Co., Ltd.  
3501 Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaiconsultant.com E-mail:uae@uaiconsultant.com

TIME*	RESULT dB(A)	
	สำหรับโรงงานด้านทิศตะวันออก (N4) DECEMBER 3-4, 2023 T23AY522-0026	
	L <sub>Aeq</sub> 5 min	L <sub>Aeq</sub> 5 min
15:30-15:35 HOUR	61.6	60.0
15:35-15:40 HOUR	61.6	60.1
15:40-15:45 HOUR	62.0	60.0
15:45-15:50 HOUR	64.7	62.5
15:50-15:55 HOUR	66.7	65.1
15:55-16:00 HOUR	68.2	65.8
16:00-16:05 HOUR	68.3	66.2
16:05-16:10 HOUR	65.7	64.0
16:10-16:15 HOUR	64.3	62.6
16:15-16:20 HOUR	64.3	62.5
16:20-16:25 HOUR	63.6	61.5
16:25-16:30 HOUR	63.6	62.1
16:30-16:35 HOUR	62.8	60.7
16:35-16:40 HOUR	62.3	60.3
16:40-16:45 HOUR	63.6	61.3
16:45-16:50 HOUR	63.8	62.0
16:50-16:55 HOUR	61.4	59.4
16:55-17:00 HOUR	62.4	60.5
17:00-17:05 HOUR	63.8	61.8
17:05-17:10 HOUR	62.2	59.9
17:10-17:15 HOUR	61.7	59.5
17:15-17:20 HOUR	61.5	59.0
17:20-17:25 HOUR	61.2	59.4
17:25-17:30 HOUR	62.0	59.8
17:30-17:35 HOUR	61.5	59.1
17:35-17:40 HOUR	62.6	61.0
17:40-17:45 HOUR	63.5	61.3
17:45-17:50 HOUR	64.3	62.4
17:50-17:55 HOUR	65.2	63.0
17:55-18:00 HOUR	65.1	63.6
18:00-18:05 HOUR	64.6	63.0
18:05-18:10 HOUR	64.6	62.2
18:10-18:15 HOUR	64.1	61.7
18:15-18:20 HOUR	62.5	60.6
18:20-18:25 HOUR	62.0	59.8
18:25-18:30 HOUR	63.2	61.3
18:30-18:35 HOUR	61.8	60.1
18:35-18:40 HOUR	63.1	61.0
18:40-18:45 HOUR	62.3	60.8
18:45-18:50 HOUR	60.8	59.2
18:50-18:55 HOUR	61.9	59.8
18:55-19:00 HOUR	61.1	59.2
19:00-19:05 HOUR	62.2	60.5
19:05-19:10 HOUR	60.1	60.1
19:10-19:15 HOUR	61.7	60.0
19:15-19:20 HOUR	61.8	60.8
19:20-19:25 HOUR	60.8	59.7
19:25-19:30 HOUR	61.1	59.6
19:30-19:35 HOUR	62.0	60.3
19:35-19:40 HOUR	62.3	60.5
19:40-19:45 HOUR	63.2	61.1

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY KAS GROUP (THAILAND) CO., LTD.

27/42

2023-U107813



United Analyst and Engineering Consultant Co., Ltd.  
3501 Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaiconsultant.com E-mail:uae@uaiconsultant.com

TIME*	RESULT dB(A)	
	สำหรับโรงงานด้านทิศตะวันออก (N4) DECEMBER 3-4, 2023 T23AY522-0026	
	L <sub>Aeq</sub> 5 min	L <sub>Aeq</sub> 5 min
19:45-19:50 HOUR	63.4	62.0
19:50-19:55 HOUR	62.5	60.6
19:55-20:00 HOUR	61.5	59.7
20:00-20:05 HOUR	61.8	59.6
20:05-20:10 HOUR	60.8	59.0
20:10-20:15 HOUR	61.6	59.1
20:15-20:20 HOUR	61.5	59.4
20:20-20:25 HOUR	61.5	60.0
20:25-20:30 HOUR	62.1	60.0
20:30-20:35 HOUR	62.3	60.2
20:35-20:40 HOUR	62.5	60.6
20:40-20:45 HOUR	62.3	60.6
20:45-20:50 HOUR	61.7	59.7
20:50-20:55 HOUR	61.7	59.5
20:55-21:00 HOUR	61.2	59.4
21:00-21:05 HOUR	60.9	59.0
21:05-21:10 HOUR	61.9	59.8
21:10-21:15 HOUR	60.8	58.7
21:15-21:20 HOUR	61.2	59.1
21:20-21:25 HOUR	61.3	59.0
21:25-21:30 HOUR	61.0	59.0
21:30-21:35 HOUR	61.1	59.5
21:35-21:40 HOUR	61.9	59.6
21:40-21:45 HOUR	62.1	60.4
21:45-21:50 HOUR	61.6	59.6
21:50-21:55 HOUR	63.6	61.8
21:55-22:00 HOUR	62.2	59.9
22:00-22:05 HOUR	59.9	57.5
22:05-22:10 HOUR	59.9	58.0
22:10-22:15 HOUR	58.6	56.7
22:15-22:20 HOUR	59.1	57.5
22:20-22:25 HOUR	58.9	56.6
22:25-22:30 HOUR	60.0	57.6
22:30-22:35 HOUR	58.7	56.7
22:35-22:40 HOUR	58.7	56.7
22:40-22:45 HOUR	59.0	57.1
22:45-22:50 HOUR	58.8	57.0
22:50-22:55 HOUR	59.0	57.1
22:55-23:00 HOUR	58.7	56.7
23:00-23:05 HOUR	59.3	57.1
23:05-23:10 HOUR	59.5	57.3
23:10-23:15 HOUR	59.7	57.0
23:15-23:20 HOUR	59.7	57.6
23:20-23:25 HOUR	59.9	57.9
23:25-23:30 HOUR	59.6	57.5
23:30-23:35 HOUR	58.9	57.2
23:35-23:40 HOUR	59.1	57.6
23:40-23:45 HOUR	58.4	56.3
23:45-23:50 HOUR	58.6	56.6
23:50-23:55 HOUR	59.1	57.2
23:55-00:00 HOUR	59.5	57.7

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY KAS GROUP (THAILAND) CO., LTD.

28/42

2023-U107813



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaec consultant.com E-mail:uae@uaec consultant.com

RESULT dB(A)	
ผลการตรวจวัดระดับเสียง (N4)	
DECEMBER 3-4, 2023	
T23AY522-0026	
TIME*	L <sub>Aeq</sub> 5 min
00:00-00:05 HOUR	59.1
00:05-00:10 HOUR	56.9
00:10-00:15 HOUR	57.3
00:15-00:20 HOUR	57.5
00:20-00:25 HOUR	57.2
00:25-00:30 HOUR	56.5
00:30-00:35 HOUR	57.0
00:35-00:40 HOUR	57.5
00:40-00:45 HOUR	57.5
00:45-00:50 HOUR	57.5
00:50-00:55 HOUR	56.9
00:55-01:00 HOUR	57.2
01:00-01:05 HOUR	57.3
01:05-01:10 HOUR	57.1
01:10-01:15 HOUR	56.8
01:15-01:20 HOUR	56.9
01:20-01:25 HOUR	57.5
01:25-01:30 HOUR	56.7
01:30-01:35 HOUR	57.4
01:35-01:40 HOUR	58.0
01:40-01:45 HOUR	57.7
01:45-01:50 HOUR	57.8
01:50-01:55 HOUR	57.5
01:55-02:00 HOUR	57.4
02:00-02:05 HOUR	59.1
02:05-02:10 HOUR	57.2
02:10-02:15 HOUR	56.8
02:15-02:20 HOUR	57.7
02:20-02:25 HOUR	57.7
02:25-02:30 HOUR	56.6
02:30-02:35 HOUR	56.3
02:35-02:40 HOUR	57.3
02:40-02:45 HOUR	57.3
02:45-02:50 HOUR	57.6
02:50-02:55 HOUR	57.1
02:55-03:00 HOUR	56.4
03:00-03:05 HOUR	57.5
03:05-03:10 HOUR	57.1
03:10-03:15 HOUR	57.5
03:15-03:20 HOUR	56.4
03:20-03:25 HOUR	56.9
03:25-03:30 HOUR	57.1
03:30-03:35 HOUR	57.7
03:35-03:40 HOUR	56.5
03:40-03:45 HOUR	56.7
03:45-03:50 HOUR	57.4
03:50-03:55 HOUR	56.6
03:55-04:00 HOUR	56.6
04:00-04:05 HOUR	58.5
04:05-04:10 HOUR	56.7
04:10-04:15 HOUR	58.2



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaec consultant.com E-mail:uae@uaec consultant.com

RESULT dB(A)	
ผลการตรวจวัดระดับเสียง (N4)	
DECEMBER 3-4, 2023	
T23AY522-0026	
TIME*	L <sub>Aeq</sub> 5 min
04:15-04:20 HOUR	58.5
04:20-04:25 HOUR	59.0
04:25-04:30 HOUR	59.3
04:30-04:35 HOUR	58.5
04:35-04:40 HOUR	58.4
04:40-04:45 HOUR	60.6
04:45-04:50 HOUR	61.8
04:50-04:55 HOUR	62.4
04:55-05:00 HOUR	62.8
05:00-05:05 HOUR	60.7
05:05-05:10 HOUR	58.5
05:10-05:15 HOUR	59.3
05:15-05:20 HOUR	59.4
05:20-05:25 HOUR	61.5
05:25-05:30 HOUR	60.1
05:30-05:35 HOUR	59.6
05:35-05:40 HOUR	58.5
05:40-05:45 HOUR	58.7
05:45-05:50 HOUR	59.2
05:50-05:55 HOUR	58.3
05:55-06:00 HOUR	62.0
06:00-06:05 HOUR	58.7
06:05-06:10 HOUR	59.0
06:10-06:15 HOUR	58.6
06:15-06:20 HOUR	61.4
06:20-06:25 HOUR	59.7
06:25-06:30 HOUR	59.1
06:30-06:35 HOUR	60.0
06:35-06:40 HOUR	59.0
06:40-06:45 HOUR	60.9
06:45-06:50 HOUR	59.2
06:50-06:55 HOUR	58.4
06:55-07:00 HOUR	59.7



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaconsultant.com E-mail: uae@uaconsultant.com

TIME*	RESULT dB(A)	
	ผลการตรวจวัดค่าเสียงตาม (N4)	ผลการตรวจวัดค่าเสียงตาม (N4)
T23AY522-0027		
DECEMBER 4-5, 2023		
TIME*	L <sub>eq</sub> 5 min	L <sub>avg</sub> 5 min
07:00-07:05 HOUR	61.8	60.0
07:05-07:10 HOUR	61.0	59.2
07:10-07:15 HOUR	61.1	59.5
07:15-07:20 HOUR	61.5	59.7
07:20-07:25 HOUR	60.9	59.3
07:25-07:30 HOUR	61.3	59.1
07:30-07:35 HOUR	61.7	59.7
07:35-07:40 HOUR	63.4	61.9
07:40-07:45 HOUR	61.8	59.6
07:45-07:50 HOUR	61.0	59.2
07:50-07:55 HOUR	63.4	61.9
07:55-08:00 HOUR	65.3	62.9
08:00-08:05 HOUR	64.1	61.9
08:05-08:10 HOUR	65.7	63.6
08:10-08:15 HOUR	64.6	62.4
08:15-08:20 HOUR	63.9	62.5
08:20-08:25 HOUR	64.1	62.6
08:25-08:30 HOUR	63.7	61.5
08:30-08:35 HOUR	63.5	61.4
08:35-08:40 HOUR	64.9	62.7
08:40-08:45 HOUR	64.8	62.6
08:45-08:50 HOUR	63.4	61.4
08:50-08:55 HOUR	64.6	63.0
08:55-09:00 HOUR	65.0	62.8
09:00-09:05 HOUR	63.2	61.7
09:05-09:10 HOUR	63.3	61.5
09:10-09:15 HOUR	60.6	58.7
09:15-09:20 HOUR	63.7	61.9
09:20-09:25 HOUR	62.9	60.9
09:25-09:30 HOUR	63.1	61.4
09:30-09:35 HOUR	63.2	61.3
09:35-09:40 HOUR	63.5	61.4
09:40-09:45 HOUR	66.3	63.9
09:45-09:50 HOUR	68.0	65.5
09:50-09:55 HOUR	67.0	64.5
09:55-10:00 HOUR	67.0	64.8
10:00-10:05 HOUR	64.5	62.6
10:05-10:10 HOUR	64.5	62.7
10:10-10:15 HOUR	60.9	58.7
10:15-10:20 HOUR	65.0	63.5
10:20-10:25 HOUR	66.0	64.0
10:25-10:30 HOUR	65.0	63.6
10:30-10:35 HOUR	63.9	61.5
10:35-10:40 HOUR	63.5	62.0
10:40-10:45 HOUR	61.0	58.6
10:45-10:50 HOUR	59.7	57.8
10:50-10:55 HOUR	64.8	62.5
10:55-11:00 HOUR	63.6	61.3
11:00-11:05 HOUR	59.1	57.1
11:05-11:10 HOUR	59.7	57.7
11:10-11:15 HOUR	62.7	61.1

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.

• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

31/42

2023-U107613

100 WORKING SAMPLES  
100 WORKING SAMPLES  
BY 100 WORKING SAMPLES



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaconsultant.com E-mail: uae@uaconsultant.com

TIME*	RESULT dB(A)	
	ผลการตรวจวัดค่าเสียงตาม (N4)	ผลการตรวจวัดค่าเสียงตาม (N4)
T23AY522-0027		
DECEMBER 4-5, 2023		
TIME*	L <sub>eq</sub> 5 min	L <sub>avg</sub> 5 min
11:15-11:20 HOUR	64.4	62.5
11:20-11:25 HOUR	58.9	56.9
11:25-11:30 HOUR	64.1	62.1
11:30-11:35 HOUR	64.7	62.5
11:35-11:40 HOUR	59.8	57.8
11:40-11:45 HOUR	58.5	56.5
11:45-11:50 HOUR	58.6	56.8
11:50-11:55 HOUR	58.2	56.5
11:55-12:00 HOUR	62.5	60.5
12:00-12:05 HOUR	58.6	56.5
12:05-12:10 HOUR	58.8	57.2
12:10-12:15 HOUR	63.5	61.6
12:15-12:20 HOUR	63.2	61.4
12:20-12:25 HOUR	63.1	61.3
12:25-12:30 HOUR	61.4	59.2
12:30-12:35 HOUR	61.9	60.3
12:35-12:40 HOUR	63.1	60.8
12:40-12:45 HOUR	60.6	59.0
12:45-12:50 HOUR	64.7	62.4
12:50-12:55 HOUR	63.6	61.4
12:55-13:00 HOUR	62.0	60.0
13:00-13:05 HOUR	62.3	60.1
13:05-13:10 HOUR	61.2	59.4
13:10-13:15 HOUR	61.4	59.6
13:15-13:20 HOUR	65.2	62.7
13:20-13:25 HOUR	63.2	61.6
13:25-13:30 HOUR	62.3	59.9
13:30-13:35 HOUR	60.8	58.6
13:35-13:40 HOUR	62.0	60.1
13:40-13:45 HOUR	61.2	58.9
13:45-13:50 HOUR	64.2	62.5
13:50-13:55 HOUR	63.7	61.8
13:55-14:00 HOUR	66.6	64.4
14:00-14:05 HOUR	64.0	62.3
14:05-14:10 HOUR	60.3	58.1
14:10-14:15 HOUR	60.6	58.7
14:15-14:20 HOUR	61.8	60.1
14:20-14:25 HOUR	63.3	61.0
14:25-14:30 HOUR	64.0	62.5
14:30-14:35 HOUR	63.2	61.5
14:35-14:40 HOUR	61.8	59.8
14:40-14:45 HOUR	64.8	62.9
14:45-14:50 HOUR	63.3	60.8
14:50-14:55 HOUR	62.4	60.7
14:55-15:00 HOUR	64.1	62.5
15:00-15:05 HOUR	62.1	59.8
15:05-15:10 HOUR	61.9	59.8
15:10-15:15 HOUR	61.8	59.8
15:15-15:20 HOUR	63.7	61.4
15:20-15:25 HOUR	62.1	59.7
15:25-15:30 HOUR	62.0	60.0

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.

• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

32/42

2023-U107613

100 WORKING SAMPLES  
100 WORKING SAMPLES  
BY 100 WORKING SAMPLES



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaeconsultant.com E-mail: uaec@uaeconsultant.com



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaeconsultant.com E-mail: uaec@uaeconsultant.com

TIME*	RESULT dB(A)	
	ผลลัพธ์การวัดระดับเสียง (N4) DECEMBER 4-5, 2023 T23AY522-0027	
	L <sub>Aeq</sub> 5 min	L <sub>A90</sub> 5 min
15:30-15:35 HOUR	63.0	61.1
15:35-15:40 HOUR	60.8	59.1
15:40-15:45 HOUR	60.9	58.9
15:45-15:50 HOUR	63.7	61.9
15:50-15:55 HOUR	62.3	60.5
15:55-16:00 HOUR	60.5	58.4
16:00-16:05 HOUR	61.1	59.1
16:05-16:10 HOUR	60.6	58.7
16:10-16:15 HOUR	59.8	57.8
16:15-16:20 HOUR	61.5	59.5
16:20-16:25 HOUR	61.6	59.5
16:25-16:30 HOUR	62.6	60.3
16:30-16:35 HOUR	60.8	58.7
16:35-16:40 HOUR	61.8	59.5
16:40-16:45 HOUR	61.7	59.8
16:45-16:50 HOUR	64.1	62.0
16:50-16:55 HOUR	61.9	59.8
16:55-17:00 HOUR	65.0	63.1
17:00-17:05 HOUR	66.0	64.3
17:05-17:10 HOUR	65.2	63.3
17:10-17:15 HOUR	65.9	63.4
17:15-17:20 HOUR	67.1	65.6
17:20-17:25 HOUR	66.5	64.8
17:25-17:30 HOUR	66.4	64.5
17:30-17:35 HOUR	66.4	64.4
17:35-17:40 HOUR	66.3	64.1
17:40-17:45 HOUR	65.4	63.0
17:45-17:50 HOUR	62.2	60.0
17:50-17:55 HOUR	60.6	58.8
17:55-18:00 HOUR	61.9	60.2
18:00-18:05 HOUR	60.5	58.7
18:05-18:10 HOUR	64.7	62.7
18:10-18:15 HOUR	61.0	59.5
18:15-18:20 HOUR	61.5	59.6
18:20-18:25 HOUR	61.4	59.5
18:25-18:30 HOUR	61.4	59.1
18:30-18:35 HOUR	61.3	59.8
18:35-18:40 HOUR	60.5	59.0
18:40-18:45 HOUR	60.8	58.7
18:45-18:50 HOUR	60.7	58.4
18:50-18:55 HOUR	61.3	59.2
18:55-19:00 HOUR	61.6	59.5
19:00-19:05 HOUR	60.6	58.4
19:05-19:10 HOUR	61.3	59.2
19:10-19:15 HOUR	62.1	59.8
19:15-19:20 HOUR	61.3	59.8
19:20-19:25 HOUR	61.5	59.1
19:25-19:30 HOUR	64.5	62.8
19:30-19:35 HOUR	65.4	63.4
19:35-19:40 HOUR	65.4	63.2
19:40-19:45 HOUR	64.5	62.6

ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY BS GROUP (THAILAND) CO., LTD.

33/42

PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

2023-U107813

TIME*	RESULT dB(A)	
	ผลลัพธ์การวัดระดับเสียง (N4) DECEMBER 4-5, 2023 T23AY522-0027	
	L <sub>Aeq</sub> 5 min	L <sub>A90</sub> 5 min
19:45-19:50 HOUR	61.8	59.9
19:50-19:55 HOUR	64.1	61.7
19:55-20:00 HOUR	64.4	62.7
20:00-20:05 HOUR	65.1	63.2
20:05-20:10 HOUR	64.6	62.3
20:10-20:15 HOUR	64.7	62.8
20:15-20:20 HOUR	64.3	62.8
20:20-20:25 HOUR	63.3	61.4
20:25-20:30 HOUR	64.6	62.4
20:30-20:35 HOUR	63.4	62.0
20:35-20:40 HOUR	61.3	59.4
20:40-20:45 HOUR	62.1	59.7
20:45-20:50 HOUR	63.9	62.2
20:50-20:55 HOUR	61.9	60.0
20:55-21:00 HOUR	61.5	59.6
21:00-21:05 HOUR	60.9	59.0
21:05-21:10 HOUR	61.3	59.4
21:10-21:15 HOUR	63.4	60.9
21:15-21:20 HOUR	63.4	61.3
21:20-21:25 HOUR	62.2	60.5
21:25-21:30 HOUR	62.0	60.5
21:30-21:35 HOUR	61.3	58.9
21:35-21:40 HOUR	62.1	60.2
21:40-21:45 HOUR	61.0	58.8
21:45-21:50 HOUR	62.4	60.4
21:50-21:55 HOUR	62.3	60.5
21:55-22:00 HOUR	62.0	60.0
22:00-22:05 HOUR	58.6	56.7
22:05-22:10 HOUR	58.6	56.8
22:10-22:15 HOUR	58.9	57.1
22:15-22:20 HOUR	59.4	57.0
22:20-22:25 HOUR	58.6	56.3
22:25-22:30 HOUR	61.1	59.3
22:30-22:35 HOUR	58.0	56.5
22:35-22:40 HOUR	59.0	57.3
22:40-22:45 HOUR	59.1	56.6
22:45-22:50 HOUR	58.0	55.6
22:50-22:55 HOUR	59.1	57.3
22:55-23:00 HOUR	59.4	57.4
23:00-23:05 HOUR	59.2	57.5
23:05-23:10 HOUR	58.8	57.2
23:10-23:15 HOUR	58.5	56.8
23:15-23:20 HOUR	58.5	56.1
23:20-23:25 HOUR	58.6	56.2
23:25-23:30 HOUR	59.6	57.4
23:30-23:35 HOUR	58.0	55.7
23:35-23:40 HOUR	59.0	57.1
23:40-23:45 HOUR	61.3	59.3
23:45-23:50 HOUR	57.9	56.0
23:50-23:55 HOUR	58.6	56.9
23:55-00:00 HOUR	59.3	57.3

ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY BS GROUP (THAILAND) CO., LTD.

34/42

PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

2023-U107813




United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax 0 2763 2800 www.uaec consultant.com E-mail:uae@uaec consultant.com

TIME*	RESULT dB(A)	
	ผลการตรวจวัดเสียงตามพื้นที่ตรวจวัด (M4)	ผลการตรวจวัดเสียงตามพื้นที่ตรวจวัด (M4)
DECEMBER 4-5, 2023		
TZ3AY522-0027		
	L <sub>avg</sub> 5 min	L <sub>avg</sub> 5 min
00:00-00:05 HOUR	58.1	56.4
00:05-00:10 HOUR	59.1	57.0
00:10-00:15 HOUR	58.8	56.7
00:15-00:20 HOUR	58.9	57.3
00:20-00:25 HOUR	58.4	56.1
00:25-00:30 HOUR	59.2	57.3
00:30-00:35 HOUR	58.3	56.5
00:35-00:40 HOUR	58.5	56.7
00:40-00:45 HOUR	58.3	56.1
00:45-00:50 HOUR	59.1	57.0
00:50-00:55 HOUR	58.1	56.5
00:55-01:00 HOUR	59.0	56.9
01:00-01:05 HOUR	58.8	57.2
01:05-01:10 HOUR	58.5	56.7
01:10-01:15 HOUR	57.9	56.5
01:15-01:20 HOUR	57.9	56.4
01:20-01:25 HOUR	58.8	57.3
01:25-01:30 HOUR	57.9	56.4
01:30-01:35 HOUR	58.6	56.4
01:35-01:40 HOUR	57.8	56.3
01:40-01:45 HOUR	58.6	56.5
01:45-01:50 HOUR	58.4	56.3
01:50-01:55 HOUR	58.1	56.1
01:55-02:00 HOUR	58.7	57.1
02:00-02:05 HOUR	58.2	56.1
02:05-02:10 HOUR	58.5	56.8
02:10-02:15 HOUR	58.7	56.9
02:15-02:20 HOUR	57.8	55.9
02:20-02:25 HOUR	58.1	56.5
02:25-02:30 HOUR	58.2	56.2
02:30-02:35 HOUR	57.9	56.2
02:35-02:40 HOUR	58.6	56.2
02:40-02:45 HOUR	57.7	55.9
02:45-02:50 HOUR	59.4	57.7
02:50-02:55 HOUR	57.7	55.6
02:55-03:00 HOUR	58.1	55.6
03:00-03:05 HOUR	58.0	55.5
03:05-03:10 HOUR	57.8	55.4
03:10-03:15 HOUR	58.4	56.2
03:15-03:20 HOUR	58.1	56.0
03:20-03:25 HOUR	57.8	56.0
03:25-03:30 HOUR	58.0	56.0
03:30-03:35 HOUR	57.9	56.2
03:35-03:40 HOUR	58.0	56.3
03:40-03:45 HOUR	58.3	56.3
03:45-03:50 HOUR	57.9	56.5
03:50-03:55 HOUR	58.4	56.8
03:55-04:00 HOUR	58.4	57.0
04:00-04:05 HOUR	58.1	56.0
04:05-04:10 HOUR	58.0	56.0
04:10-04:15 HOUR	57.6	56.0

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

35/42

2023-U107813




United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax 0 2763 2800 www.uaec consultant.com E-mail:uae@uaec consultant.com

TIME*	RESULT dB(A)	
	ผลการตรวจวัดเสียงตามพื้นที่ตรวจวัด (M4)	ผลการตรวจวัดเสียงตามพื้นที่ตรวจวัด (M4)
DECEMBER 4-5, 2023		
TZ3AY522-0027		
	L <sub>avg</sub> 5 min	L <sub>avg</sub> 5 min
04:15-04:20 HOUR	57.5	55.1
04:20-04:25 HOUR	58.3	56.1
04:25-04:30 HOUR	58.0	56.1
04:30-04:35 HOUR	59.3	57.6
04:35-04:40 HOUR	58.5	56.8
04:40-04:45 HOUR	58.8	56.9
04:45-04:50 HOUR	59.2	57.2
04:50-04:55 HOUR	57.8	56.0
04:55-05:00 HOUR	58.7	56.6
05:00-05:05 HOUR	63.6	61.7
05:05-05:10 HOUR	62.5	60.1
05:10-05:15 HOUR	59.9	58.4
05:15-05:20 HOUR	58.6	56.8
05:20-05:25 HOUR	58.2	56.2
05:25-05:30 HOUR	62.7	60.9
05:30-05:35 HOUR	59.2	57.4
05:35-05:40 HOUR	59.1	56.6
05:40-05:45 HOUR	58.5	56.5
05:45-05:50 HOUR	61.2	58.8
05:50-05:55 HOUR	61.7	59.6
05:55-06:00 HOUR	60.5	58.5
06:00-06:05 HOUR	60.0	57.9
06:05-06:10 HOUR	58.4	56.4
06:10-06:15 HOUR	61.2	59.2
06:15-06:20 HOUR	58.7	56.5
06:20-06:25 HOUR	59.5	57.5
06:25-06:30 HOUR	58.7	56.9
06:30-06:35 HOUR	59.4	57.2
06:35-06:40 HOUR	59.0	57.1
06:40-06:45 HOUR	60.1	58.4
06:45-06:50 HOUR	62.7	60.6
06:50-06:55 HOUR	59.6	57.8
06:55-07:00 HOUR	56.7	54.3

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

36/42

2023-U107813







United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaec consultant.com E-mail:uae@uaec consultant.com

TIME*	RESULT dB(A)	
	ผลการตรวจวัดระดับเสียง (N4) DECEMBER 5-6, 2023 TZ3AY522-0028	
	L <sub>Aeq</sub> 5 min	L <sub>A90</sub> 5 min
07:00-07:05 HOUR	60.8	58.5
07:05-07:10 HOUR	61.1	59.7
07:10-07:15 HOUR	61.4	59.5
07:15-07:20 HOUR	60.8	60.8
07:20-07:25 HOUR	61.4	59.6
07:25-07:30 HOUR	63.3	60.8
07:30-07:35 HOUR	62.2	60.3
07:35-07:40 HOUR	61.2	59.3
07:40-07:45 HOUR	62.5	60.1
07:45-07:50 HOUR	64.6	62.5
07:50-07:55 HOUR	62.2	60.7
07:55-08:00 HOUR	62.0	59.5
08:00-08:05 HOUR	65.5	63.1
08:05-08:10 HOUR	63.1	61.1
08:10-08:15 HOUR	63.0	61.0
08:15-08:20 HOUR	64.7	63.0
08:20-08:25 HOUR	67.3	65.3
08:25-08:30 HOUR	63.7	62.0
08:30-08:35 HOUR	69.9	67.5
08:35-08:40 HOUR	63.4	61.8
08:40-08:45 HOUR	70.2	68.3
08:45-08:50 HOUR	64.9	63.3
08:50-08:55 HOUR	63.2	61.4
08:55-09:00 HOUR	62.8	60.9
09:00-09:05 HOUR	63.9	62.1
09:05-09:10 HOUR	64.0	61.9
09:10-09:15 HOUR	70.8	69.1
09:15-09:20 HOUR	63.9	62.2
09:20-09:25 HOUR	67.4	65.7
09:25-09:30 HOUR	64.6	62.9
09:30-09:35 HOUR	64.3	61.8
09:35-09:40 HOUR	64.1	62.3
09:40-09:45 HOUR	63.8	61.4
09:45-09:50 HOUR	64.1	62.2
09:50-09:55 HOUR	69.0	67.3
09:55-10:00 HOUR	64.4	62.1
10:00-10:05 HOUR	65.0	63.3
10:05-10:10 HOUR	63.2	61.1
10:10-10:15 HOUR	63.1	61.2
10:15-10:20 HOUR	63.4	61.7
10:20-10:25 HOUR	63.1	61.3
10:25-10:30 HOUR	61.8	59.3
10:30-10:35 HOUR	63.1	61.2
10:35-10:40 HOUR	63.2	61.5
10:40-10:45 HOUR	61.2	59.6
10:45-10:50 HOUR	61.0	59.1
10:50-10:55 HOUR	63.5	61.5
10:55-11:00 HOUR	63.2	61.6
11:00-11:05 HOUR	60.7	58.8
11:05-11:10 HOUR	60.7	58.8
11:10-11:15 HOUR	59.7	57.6

\* PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
\* THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY RS GROUP (THAILAND) CO., LTD.

37/42

2023-U107813



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaec consultant.com E-mail:uae@uaec consultant.com

TIME*	RESULT dB(A)	
	ผลการตรวจวัดระดับเสียง (N4) DECEMBER 5-6, 2023 TZ3AY522-0028	
	L <sub>Aeq</sub> 5 min	L <sub>A90</sub> 5 min
11:15-11:20 HOUR	60.2	57.8
11:20-11:25 HOUR	60.5	58.4
11:25-11:30 HOUR	60.0	58.2
11:30-11:35 HOUR	60.3	58.1
11:35-11:40 HOUR	61.0	58.9
11:40-11:45 HOUR	60.0	57.8
11:45-11:50 HOUR	61.6	59.6
11:50-11:55 HOUR	62.7	60.5
11:55-12:00 HOUR	61.3	59.2
12:00-12:05 HOUR	62.4	60.9
12:05-12:10 HOUR	63.5	61.2
12:10-12:15 HOUR	61.5	59.5
12:15-12:20 HOUR	61.8	60.0
12:20-12:25 HOUR	60.7	58.5
12:25-12:30 HOUR	61.8	59.8
12:30-12:35 HOUR	61.1	59.1
12:35-12:40 HOUR	66.4	64.8
12:40-12:45 HOUR	66.5	64.5
12:45-12:50 HOUR	64.2	62.1
12:50-12:55 HOUR	65.3	63.5
12:55-13:00 HOUR	67.7	65.4
13:00-13:05 HOUR	65.2	63.3
13:05-13:10 HOUR	65.4	63.2
13:10-13:15 HOUR	64.2	62.3
13:15-13:20 HOUR	64.6	62.6
13:20-13:25 HOUR	64.4	62.8
13:25-13:30 HOUR	65.0	63.2
13:30-13:35 HOUR	61.7	59.7
13:35-13:40 HOUR	62.1	60.2
13:40-13:45 HOUR	64.0	61.6
13:45-13:50 HOUR	64.8	62.4
13:50-13:55 HOUR	65.9	63.7
13:55-14:00 HOUR	65.8	63.5
14:00-14:05 HOUR	63.3	61.4
14:05-14:10 HOUR	63.4	61.5
14:10-14:15 HOUR	64.2	62.6
14:15-14:20 HOUR	63.1	61.4
14:20-14:25 HOUR	64.6	62.6
14:25-14:30 HOUR	64.6	62.8
14:30-14:35 HOUR	63.7	61.9
14:35-14:40 HOUR	64.1	61.9
14:40-14:45 HOUR	63.0	61.4
14:45-14:50 HOUR	64.5	62.4
14:50-14:55 HOUR	64.0	61.9
14:55-15:00 HOUR	63.1	60.7
15:00-15:05 HOUR	63.9	61.5
15:05-15:10 HOUR	64.3	62.8
15:10-15:15 HOUR	64.9	63.1
15:15-15:20 HOUR	63.5	61.3
15:20-15:25 HOUR	64.1	62.7
15:25-15:30 HOUR	63.1	60.9

\* PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
\* THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY RS GROUP (THAILAND) CO., LTD.

38/42

2023-U107813





United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangchak, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax 02763 2800 www.uaiconsultant.com E-mail: uae@uaiconsultant.com

TIME*	RESULT dB(A)	
	ผลการตรวจวัดค่าเสียงรบกวน (M4) DECEMBER 5-6, 2023 TZ3AY522-0028	
	L <sub>Aeq</sub> 5 min	L <sub>A90</sub> 5 min
15:30-15:35 HOUR	64.8	63.2
15:35-15:40 HOUR	65.6	64.1
15:40-15:45 HOUR	62.8	61.1
15:45-15:50 HOUR	63.9	61.8
15:50-15:55 HOUR	63.2	60.8
15:55-16:00 HOUR	63.5	61.1
16:00-16:05 HOUR	60.3	58.5
16:05-16:10 HOUR	62.9	61.3
16:10-16:15 HOUR	61.4	59.3
16:15-16:20 HOUR	62.6	60.8
16:20-16:25 HOUR	63.4	61.5
16:25-16:30 HOUR	62.4	60.0
16:30-16:35 HOUR	61.8	60.0
16:35-16:40 HOUR	63.1	61.1
16:40-16:45 HOUR	62.3	60.7
16:45-16:50 HOUR	62.0	60.0
16:50-16:55 HOUR	63.3	61.5
16:55-17:00 HOUR	66.0	63.6
17:00-17:05 HOUR	65.9	64.1
17:05-17:10 HOUR	65.7	63.5
17:10-17:15 HOUR	64.7	62.8
17:15-17:20 HOUR	63.9	62.1
17:20-17:25 HOUR	64.9	63.1
17:25-17:30 HOUR	63.0	62.9
17:30-17:35 HOUR	64.9	63.2
17:35-17:40 HOUR	64.6	62.6
17:40-17:45 HOUR	63.4	61.6
17:45-17:50 HOUR	63.6	61.7
17:50-17:55 HOUR	64.4	62.3
17:55-18:00 HOUR	65.8	63.4
18:00-18:05 HOUR	63.1	61.2
18:05-18:10 HOUR	62.5	60.6
18:10-18:15 HOUR	61.9	59.9
18:15-18:20 HOUR	62.6	60.9
18:20-18:25 HOUR	62.7	60.5
18:25-18:30 HOUR	62.6	60.9
18:30-18:35 HOUR	62.3	60.3
18:35-18:40 HOUR	63.2	61.3
18:40-18:45 HOUR	62.8	60.6
18:45-18:50 HOUR	62.5	60.3
18:50-18:55 HOUR	62.0	60.4
18:55-19:00 HOUR	61.4	59.4
19:00-19:05 HOUR	61.2	59.2
19:05-19:10 HOUR	63.0	60.7
19:10-19:15 HOUR	62.6	61.0
19:15-19:20 HOUR	62.4	60.3
19:20-19:25 HOUR	62.1	60.4
19:25-19:30 HOUR	62.7	60.9
19:30-19:35 HOUR	63.1	61.1
19:35-19:40 HOUR	62.1	60.2
19:40-19:45 HOUR	62.5	60.4

DO NOT SIGN OFF  
DO NOT SIGN OFF  
BY THE GROUP (THAILAND) CO., LTD.

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

39/42

2023-U107813



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangchak, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax 02763 2800 www.uaiconsultant.com E-mail: uae@uaiconsultant.com

TIME*	RESULT dB(A)	
	ผลการตรวจวัดค่าเสียงรบกวน (M4) DECEMBER 5-6, 2023 TZ3AY522-0028	
	L <sub>Aeq</sub> 5 min	L <sub>A90</sub> 5 min
19:45-19:50 HOUR	62.3	60.5
19:50-19:55 HOUR	62.5	60.5
19:55-20:00 HOUR	63.0	61.1
20:00-20:05 HOUR	64.5	62.4
20:05-20:10 HOUR	63.4	61.6
20:10-20:15 HOUR	63.1	61.5
20:15-20:20 HOUR	62.7	60.5
20:20-20:25 HOUR	62.9	60.6
20:25-20:30 HOUR	62.1	60.3
20:30-20:35 HOUR	61.7	59.8
20:35-20:40 HOUR	62.5	60.4
20:40-20:45 HOUR	62.2	60.2
20:45-20:50 HOUR	62.8	60.9
20:50-20:55 HOUR	63.2	61.2
20:55-21:00 HOUR	62.2	60.5
21:00-21:05 HOUR	58.9	56.8
21:05-21:10 HOUR	59.8	57.6
21:10-21:15 HOUR	59.8	57.5
21:15-21:20 HOUR	59.2	56.7
21:20-21:25 HOUR	59.1	56.7
21:25-21:30 HOUR	59.2	57.3
21:30-21:35 HOUR	59.2	57.5
21:35-21:40 HOUR	59.1	57.4
21:40-21:45 HOUR	59.7	57.3
21:45-21:50 HOUR	59.7	57.2
21:50-21:55 HOUR	62.3	60.4
21:55-22:00 HOUR	62.5	60.8
22:00-22:05 HOUR	60.8	59.2
22:05-22:10 HOUR	60.6	58.3
22:10-22:15 HOUR	59.8	57.6
22:15-22:20 HOUR	61.1	59.3
22:20-22:25 HOUR	60.4	58.1
22:25-22:30 HOUR	60.5	58.9
22:30-22:35 HOUR	59.6	57.7
22:35-22:40 HOUR	60.1	58.2
22:40-22:45 HOUR	59.6	57.9
22:45-22:50 HOUR	60.4	58.3
22:50-22:55 HOUR	60.6	59.1
22:55-23:00 HOUR	59.4	57.7
23:00-23:05 HOUR	59.6	57.8
23:05-23:10 HOUR	59.7	57.3
23:10-23:15 HOUR	59.1	57.1
23:15-23:20 HOUR	60.3	58.7
23:20-23:25 HOUR	60.6	58.6
23:25-23:30 HOUR	60.7	58.7
23:30-23:35 HOUR	60.1	58.5
23:35-23:40 HOUR	60.4	58.4
23:40-23:45 HOUR	61.6	59.5
23:45-23:50 HOUR	61.6	59.6
23:50-23:55 HOUR	60.4	58.7
23:55-00:00 HOUR	59.6	57.4

DO NOT SIGN OFF  
DO NOT SIGN OFF  
BY THE GROUP (THAILAND) CO., LTD.

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

40/42

2023-U107813

TIME*	RESULT dB(A)	
	ผลการตรวจวัดระดับเสียง (N4) DECEMBER 5-6, 2023 T23AY522-0028	
	L <sub>eq</sub> 5 min	L <sub>eq</sub> 5 min
00:00-00:05 HOUR	59.4	57.5
00:05-00:10 HOUR	60.9	59.4
00:10-00:15 HOUR	60.6	58.4
00:15-00:20 HOUR	59.4	57.3
00:20-00:25 HOUR	60.9	59.0
00:25-00:30 HOUR	60.5	58.3
00:30-00:35 HOUR	59.9	57.8
00:35-00:40 HOUR	59.8	57.9
00:40-00:45 HOUR	60.8	59.0
00:45-00:50 HOUR	60.3	58.2
00:50-00:55 HOUR	60.4	58.6
00:55-01:00 HOUR	59.5	57.4
01:00-01:05 HOUR	59.8	58.3
01:05-01:10 HOUR	60.4	58.9
01:10-01:15 HOUR	60.5	58.4
01:15-01:20 HOUR	60.9	59.2
01:20-01:25 HOUR	60.2	58.5
01:25-01:30 HOUR	59.9	57.9
01:30-01:35 HOUR	59.9	57.8
01:35-01:40 HOUR	60.8	59.4
01:40-01:45 HOUR	60.7	58.7
01:45-01:50 HOUR	59.8	58.1
01:50-01:55 HOUR	60.2	58.0
01:55-02:00 HOUR	60.6	58.2
02:00-02:05 HOUR	59.2	56.9
02:05-02:10 HOUR	58.9	56.6
02:10-02:15 HOUR	60.0	58.1
02:15-02:20 HOUR	60.6	58.4
02:20-02:25 HOUR	59.5	57.4
02:25-02:30 HOUR	59.4	57.2
02:30-02:35 HOUR	59.4	57.7
02:35-02:40 HOUR	60.4	58.6
02:40-02:45 HOUR	60.2	58.5
02:45-02:50 HOUR	59.8	58.2
02:50-02:55 HOUR	60.7	58.9
02:55-03:00 HOUR	60.5	59.0
03:00-03:05 HOUR	59.3	57.3
03:05-03:10 HOUR	60.3	58.6
03:10-03:15 HOUR	60.6	58.7
03:15-03:20 HOUR	59.9	58.5
03:20-03:25 HOUR	59.4	57.4
03:25-03:30 HOUR	60.5	58.0
03:30-03:35 HOUR	59.7	57.6
03:35-03:40 HOUR	59.8	57.4
03:40-03:45 HOUR	59.7	57.7
03:45-03:50 HOUR	60.3	58.0
03:50-03:55 HOUR	59.5	57.5
03:55-04:00 HOUR	60.8	58.6
04:00-04:05 HOUR	60.6	59.0
04:05-04:10 HOUR	60.3	58.4
04:10-04:15 HOUR	59.6	57.1

TIME*	RESULT dB(A)	
	ผลการตรวจวัดระดับเสียง (N4) DECEMBER 5-6, 2023 T23AY522-0028	
	L <sub>eq</sub> 5 min	L <sub>eq</sub> 5 min
04:15-04:20 HOUR	60.0	58.0
04:20-04:25 HOUR	59.3	57.3
04:25-04:30 HOUR	58.6	56.7
04:30-04:35 HOUR	58.4	56.6
04:35-04:40 HOUR	57.5	55.2
04:40-04:45 HOUR	58.8	56.7
04:45-04:50 HOUR	59.1	57.0
04:50-04:55 HOUR	58.8	57.2
04:55-05:00 HOUR	59.9	58.0
05:00-05:05 HOUR	59.4	57.3
05:05-05:10 HOUR	59.9	57.6
05:10-05:15 HOUR	60.1	58.1
05:15-05:20 HOUR	58.5	56.5
05:20-05:25 HOUR	58.7	56.8
05:25-05:30 HOUR	61.5	59.5
05:30-05:35 HOUR	59.1	57.1
05:35-05:40 HOUR	61.8	60.4
05:40-05:45 HOUR	60.7	58.8
05:45-05:50 HOUR	60.1	58.2
05:50-05:55 HOUR	59.4	57.5
05:55-06:00 HOUR	58.7	57.0
06:00-06:05 HOUR	59.9	57.9
06:05-06:10 HOUR	59.2	56.8
06:10-06:15 HOUR	59.4	57.9
06:15-06:20 HOUR	59.4	57.6
06:20-06:25 HOUR	60.3	58.1
06:25-06:30 HOUR	62.8	60.8
06:30-06:35 HOUR	59.4	57.1
06:35-06:40 HOUR	59.5	57.3
06:40-06:45 HOUR	58.8	56.8
06:45-06:50 HOUR	58.4	56.4
06:50-06:55 HOUR	60.3	58.5
06:55-07:00 HOUR	59.1	57.3

(MR. SILA BANDONGJAIKUK)  
 LABORATORY SUPERVISOR

DECEMBER 15, 2023



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax 0 2763 2800 www.uaeconsultant.com E-mail: uae@uaeconsultant.com

## ANALYSIS REPORT

**CUSTOMER NAME** : SETI THAI ELECTRIC CONDUCTOR CO., LTD.  
**ADDRESS** : 7/414 MOO 6, MAP YANG PHON PLUAK DAENG RAYONG 21140  
**CONTACT INFORMATION** : TEL : 08 8211 1367 e-mail : sasina.d@setc.co.jp  
**MEASURING SOURCE** : AMBIENT (NOISE)  
**MEASURING TYPE** : RECEIVED DATE : NOVEMBER 29 - DECEMBER 6, 2023  
**MEASURING DATE** : ANALYTICAL DATE : NOVEMBER 29 - DECEMBER 6, 2023  
**MEASURING TIME** : REPORT NO. : 2023-U107814  
**MEASURING METHOD** : INTEGRATED SOUND LEVEL METER  
**MEASURED BY** : MR. TOSSAPORN TANAPITRIN  
WORK NO. : 2023-000740  
ANALYSIS NO. : T23AY522-0029 - T23AY522-0035

TIME*	RESULT dB(A)	
	L <sub>Aeq</sub> 5 min	L <sub>A90</sub> 5 min
NOVEMBER 29-30, 2023		
T23AY522-0029		
07:00-07:05 HOUR	53.9	52.4
07:05-07:10 HOUR	53.6	52.2
07:10-07:15 HOUR	53.2	51.2
07:15-07:20 HOUR	53.7	52.1
07:20-07:25 HOUR	54.3	52.4
07:25-07:30 HOUR	53.8	52.3
07:30-07:35 HOUR	54.3	52.8
07:35-07:40 HOUR	54.3	52.8
07:40-07:45 HOUR	55.0	52.9
07:45-07:50 HOUR	54.5	52.4
07:50-07:55 HOUR	53.0	51.0
07:55-08:00 HOUR	52.2	50.4
08:00-08:05 HOUR	52.0	50.3
08:05-08:10 HOUR	58.0	56.0
08:10-08:15 HOUR	53.4	51.0
08:15-08:20 HOUR	54.1	52.2
08:20-08:25 HOUR	53.4	51.2
08:25-08:30 HOUR	54.3	51.2
08:30-08:35 HOUR	53.7	52.5
08:35-08:40 HOUR	54.4	51.8
08:40-08:45 HOUR	54.7	52.2
08:45-08:50 HOUR	53.6	52.8
08:50-08:55 HOUR	53.3	51.3
08:55-09:00 HOUR	52.7	50.7
09:00-09:05 HOUR	54.4	52.5
09:05-09:10 HOUR	53.3	52.2
09:10-09:15 HOUR	52.4	50.6
09:15-09:20 HOUR	54.2	52.2
09:20-09:25 HOUR	53.2	51.3
09:25-09:30 HOUR	53.4	51.8
09:30-09:35 HOUR	52.3	50.3
09:35-09:40 HOUR	55.1	53.6
09:40-09:45 HOUR	54.8	52.8
09:45-09:50 HOUR	55.3	53.1
09:50-09:55 HOUR	55.6	53.5
09:55-10:00 HOUR	56.0	54.1
10:00-10:05 HOUR	56.6	54.5
10:05-10:10 HOUR	56.2	54.6
10:10-10:15 HOUR	55.4	53.6

PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax 0 2763 2800 www.uaeconsultant.com E-mail: uae@uaeconsultant.com

TIME*	RESULT dB(A)	
	L <sub>Aeq</sub> 5 min	L <sub>A90</sub> 5 min
NOVEMBER 29-30, 2023		
T23AY522-0029		
10:15-10:20 HOUR	54.7	52.8
10:20-10:25 HOUR	55.9	53.9
10:25-10:30 HOUR	55.0	53.3
10:30-10:35 HOUR	55.1	53.0
10:35-10:40 HOUR	55.5	53.8
10:40-10:45 HOUR	55.6	54.1
10:45-10:50 HOUR	56.3	54.2
10:50-10:55 HOUR	55.2	53.0
10:55-11:00 HOUR	54.5	52.8
11:00-11:05 HOUR	55.3	52.8
11:05-11:10 HOUR	55.8	54.2
11:10-11:15 HOUR	55.8	54.1
11:15-11:20 HOUR	56.0	54.0
11:20-11:25 HOUR	54.7	52.6
11:25-11:30 HOUR	55.5	53.3
11:30-11:35 HOUR	54.7	53.1
11:35-11:40 HOUR	54.7	53.3
11:40-11:45 HOUR	55.3	53.3
11:45-11:50 HOUR	54.7	52.6
11:50-11:55 HOUR	54.1	52.5
11:55-12:00 HOUR	53.9	51.4
12:00-12:05 HOUR	55.4	53.2
12:05-12:10 HOUR	55.1	52.6
12:10-12:15 HOUR	55.6	53.4
12:15-12:20 HOUR	54.4	52.5
12:20-12:25 HOUR	54.0	52.4
12:25-12:30 HOUR	53.0	51.1
12:30-12:35 HOUR	53.5	51.5
12:35-12:40 HOUR	53.1	51.4
12:40-12:45 HOUR	54.2	52.7
12:45-12:50 HOUR	54.4	52.4
12:50-12:55 HOUR	53.1	51.3
12:55-13:00 HOUR	53.6	52.0
13:00-13:05 HOUR	55.4	53.1
13:05-13:10 HOUR	55.9	53.4
13:10-13:15 HOUR	56.6	53.4
13:15-13:20 HOUR	55.9	53.4
13:20-13:25 HOUR	56.0	54.1
13:25-13:30 HOUR	55.4	53.3
13:30-13:35 HOUR	55.1	53.2
13:35-13:40 HOUR	55.9	53.9
13:40-13:45 HOUR	56.1	54.2
13:45-13:50 HOUR	55.4	53.9
13:50-13:55 HOUR	55.0	52.8
13:55-14:00 HOUR	53.9	52.1
14:00-14:05 HOUR	53.6	52.2
14:05-14:10 HOUR	57.8	55.7
14:10-14:15 HOUR	58.3	55.8
14:15-14:20 HOUR	56.9	54.6
14:20-14:25 HOUR	57.1	55.2
14:25-14:30 HOUR	56.8	54.8

PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax 0 2763 2800 www.uaeconsultant.com E-mail: uaec@uaeconsultant.com

TIME*	RESULT dB(A)	
	วันที่ตรวจวัดเสียง (N5) NOVEMBER 29-30, 2023 T23AY522-0029	
	L <sub>eq</sub> 5 min	L <sub>eq</sub> 5 min
14:30-14:35 HOUR	55.0	54.4
14:35-14:40 HOUR	57.5	56.0
14:40-14:45 HOUR	57.8	55.6
14:45-14:50 HOUR	57.0	54.8
14:50-14:55 HOUR	56.3	54.7
14:55-15:00 HOUR	56.9	54.9
15:00-15:05 HOUR	57.0	54.9
15:05-15:10 HOUR	56.6	54.4
15:10-15:15 HOUR	56.1	54.2
15:15-15:20 HOUR	57.6	55.7
15:20-15:25 HOUR	57.8	55.9
15:25-15:30 HOUR	57.6	55.9
15:30-15:35 HOUR	57.2	55.1
15:35-15:40 HOUR	57.6	55.4
15:40-15:45 HOUR	57.6	55.5
15:45-15:50 HOUR	57.6	55.5
15:50-15:55 HOUR	57.0	55.3
15:55-16:00 HOUR	56.7	55.0
16:00-16:05 HOUR	58.2	56.5
16:05-16:10 HOUR	55.9	54.2
16:10-16:15 HOUR	57.0	54.9
16:15-16:20 HOUR	58.4	56.7
16:20-16:25 HOUR	57.8	56.2
16:25-16:30 HOUR	56.3	54.1
16:30-16:35 HOUR	57.6	55.7
16:35-16:40 HOUR	56.6	54.7
16:40-16:45 HOUR	56.9	55.0
16:45-16:50 HOUR	54.4	52.6
16:50-16:55 HOUR	54.2	52.2
16:55-17:00 HOUR	53.9	52.1
17:00-17:05 HOUR	52.9	50.9
17:05-17:10 HOUR	53.2	51.3
17:10-17:15 HOUR	54.3	52.8
17:15-17:20 HOUR	53.6	52.0
17:20-17:25 HOUR	53.5	51.5
17:25-17:30 HOUR	52.9	50.7
17:30-17:35 HOUR	53.4	51.5
17:35-17:40 HOUR	55.0	53.1
17:40-17:45 HOUR	54.4	52.5
17:45-17:50 HOUR	53.6	52.2
17:50-17:55 HOUR	53.8	52.0
17:55-18:00 HOUR	52.3	50.3
18:00-18:05 HOUR	52.6	51.1
18:05-18:10 HOUR	53.2	51.2
18:10-18:15 HOUR	54.2	51.8
18:15-18:20 HOUR	53.8	51.4
18:20-18:25 HOUR	53.8	52.2
18:25-18:30 HOUR	54.0	52.6
18:30-18:35 HOUR	54.6	52.6
18:35-18:40 HOUR	54.4	52.2
18:40-18:45 HOUR	54.4	52.2

\* PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
\* THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax 0 2763 2800 www.uaeconsultant.com E-mail: uaec@uaeconsultant.com

TIME*	RESULT dB(A)	
	วันที่ตรวจวัดเสียง (N5) NOVEMBER 29-30, 2023 T23AY522-0029	
	L <sub>eq</sub> 5 min	L <sub>eq</sub> 5 min
18:45-18:50 HOUR	54.0	51.6
18:50-18:55 HOUR	54.8	52.8
18:55-19:00 HOUR	54.4	52.2
19:00-19:05 HOUR	55.0	52.9
19:05-19:10 HOUR	54.0	51.8
19:10-19:15 HOUR	54.6	52.8
19:15-19:20 HOUR	53.8	52.0
19:20-19:25 HOUR	54.5	52.6
19:25-19:30 HOUR	54.4	52.2
19:30-19:35 HOUR	54.8	52.7
19:35-19:40 HOUR	55.8	53.5
19:40-19:45 HOUR	55.0	52.9
19:45-19:50 HOUR	55.8	54.1
19:50-19:55 HOUR	56.5	54.9
19:55-20:00 HOUR	56.3	54.3
20:00-20:05 HOUR	57.3	55.0
20:05-20:10 HOUR	56.4	54.3
20:10-20:15 HOUR	55.9	54.1
20:15-20:20 HOUR	55.0	53.0
20:20-20:25 HOUR	54.1	52.2
20:25-20:30 HOUR	54.1	52.4
20:30-20:35 HOUR	54.2	52.1
20:35-20:40 HOUR	53.3	51.1
20:40-20:45 HOUR	53.6	52.1
20:45-20:50 HOUR	54.1	52.2
20:50-20:55 HOUR	53.7	51.6
20:55-21:00 HOUR	53.3	51.2
21:00-21:05 HOUR	53.5	51.8
21:05-21:10 HOUR	53.4	51.2
21:10-21:15 HOUR	54.7	52.9
21:15-21:20 HOUR	54.2	52.5
21:20-21:25 HOUR	53.4	51.0
21:25-21:30 HOUR	52.8	50.6
21:30-21:35 HOUR	53.1	50.7
21:35-21:40 HOUR	53.2	51.1
21:40-21:45 HOUR	53.5	51.3
21:45-21:50 HOUR	52.6	50.6
21:50-21:55 HOUR	53.0	50.8
21:55-22:00 HOUR	53.7	51.5
22:00-22:05 HOUR	52.5	50.6
22:05-22:10 HOUR	52.9	50.8
22:10-22:15 HOUR	51.9	49.7
22:15-22:20 HOUR	52.1	50.5
22:20-22:25 HOUR	52.3	50.1
22:25-22:30 HOUR	52.0	50.2
22:30-22:35 HOUR	52.7	51.2
22:35-22:40 HOUR	52.0	49.9
22:40-22:45 HOUR	53.1	51.0
22:45-22:50 HOUR	53.2	51.0
22:50-22:55 HOUR	52.5	50.5
22:55-23:00 HOUR	52.8	50.7

\* PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
\* THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.





United Analyst and Engineering Consultant Co., Ltd.  
350 Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaeconsultant.com E-mail: uae@uaeconsultant.com

TIME*	RESULT dB(A)	
	หน่วยวัดความดังเสียง (NS)	
	NOVEMBER 29-30, 2023	
	T23AY522-0029	
	L <sub>Aeq</sub> 5 min	L <sub>A90</sub> 5 min
23:00-23:05 HOUR	52.1	50.2
23:05-23:10 HOUR	52.1	50.5
23:10-23:15 HOUR	53.0	51.4
23:15-23:20 HOUR	52.6	50.8
23:20-23:25 HOUR	52.2	50.1
23:25-23:30 HOUR	53.1	51.4
23:30-23:35 HOUR	53.0	51.1
23:35-23:40 HOUR	53.1	51.5
23:40-23:45 HOUR	52.2	49.9
23:45-23:50 HOUR	52.1	50.4
23:50-23:55 HOUR	52.7	50.5
23:55-00:00 HOUR	51.6	49.8
00:00-00:05 HOUR	54.5	52.6
00:05-00:10 HOUR	51.7	50.0
00:10-00:15 HOUR	51.6	49.5
00:15-00:20 HOUR	53.0	51.3
00:20-00:25 HOUR	53.1	51.0
00:25-00:30 HOUR	52.5	50.4
00:30-00:35 HOUR	52.6	50.3
00:35-00:40 HOUR	51.9	50.2
00:40-00:45 HOUR	52.3	50.7
00:45-00:50 HOUR	52.0	50.4
00:50-00:55 HOUR	52.8	50.6
00:55-01:00 HOUR	51.6	49.8
01:00-01:05 HOUR	51.9	49.5
01:05-01:10 HOUR	52.3	50.7
01:10-01:15 HOUR	51.5	49.6
01:15-01:20 HOUR	51.9	50.3
01:20-01:25 HOUR	51.6	49.2
01:25-01:30 HOUR	52.7	50.8
01:30-01:35 HOUR	51.8	50.2
01:35-01:40 HOUR	51.5	49.4
01:40-01:45 HOUR	51.7	50.0
01:45-01:50 HOUR	52.0	49.6
01:50-01:55 HOUR	52.2	50.4
01:55-02:00 HOUR	51.4	49.4
02:00-02:05 HOUR	52.2	50.8
02:05-02:10 HOUR	51.4	50.0
02:10-02:15 HOUR	51.7	50.1
02:15-02:20 HOUR	51.7	49.6
02:20-02:25 HOUR	52.3	50.1
02:25-02:30 HOUR	52.3	50.2
02:30-02:35 HOUR	52.1	50.7
02:35-02:40 HOUR	51.5	49.6
02:40-02:45 HOUR	52.2	50.2
02:45-02:50 HOUR	51.8	49.3
02:50-02:55 HOUR	52.5	50.4
02:55-03:00 HOUR	52.5	50.7
03:00-03:05 HOUR	52.5	50.4
03:05-03:10 HOUR	51.7	50.0
03:10-03:15 HOUR	52.2	50.5

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

5/42

2023-U107814

NO NOISES DETECTED  
NO NOISES DETECTED  
BY 13 GROUP (THAI) COUNTY



United Analyst and Engineering Consultant Co., Ltd.  
350 Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaeconsultant.com E-mail: uae@uaeconsultant.com

TIME*	RESULT dB(A)	
	จุดวัดเสียงด้านหน้าอาคาร (N5)	
	NOVEMBER 29-30, 2023	
	T23AY522-0029	
	L <sub>Aeq</sub> 5 min	L <sub>A90</sub> 5 min
03:15-03:20 HOUR	51.6	49.7
03:20-03:25 HOUR	52.2	50.3
03:25-03:30 HOUR	52.0	50.1
03:30-03:35 HOUR	52.6	50.8
03:35-03:40 HOUR	51.2	49.5
03:40-03:45 HOUR	51.7	49.6
03:45-03:50 HOUR	52.6	50.7
03:50-03:55 HOUR	52.3	50.9
03:55-04:00 HOUR	51.8	49.9
04:00-04:05 HOUR	51.7	49.5
04:05-04:10 HOUR	51.6	50.1
04:10-04:15 HOUR	52.5	50.5
04:15-04:20 HOUR	52.6	50.4
04:20-04:25 HOUR	52.4	50.0
04:25-04:30 HOUR	51.9	50.1
04:30-04:35 HOUR	51.8	49.8
04:35-04:40 HOUR	52.5	50.0
04:40-04:45 HOUR	52.1	50.5
04:45-04:50 HOUR	52.5	51.1
04:50-04:55 HOUR	51.7	49.7
04:55-05:00 HOUR	52.1	50.3
05:00-05:05 HOUR	52.7	50.7
05:05-05:10 HOUR	52.9	50.8
05:10-05:15 HOUR	52.6	50.8
05:15-05:20 HOUR	52.6	50.9
05:20-05:25 HOUR	52.0	49.8
05:25-05:30 HOUR	52.5	50.5
05:30-05:35 HOUR	51.9	50.4
05:35-05:40 HOUR	52.4	50.7
05:40-05:45 HOUR	51.5	49.6
05:45-05:50 HOUR	52.0	49.7
05:50-05:55 HOUR	51.8	49.7
05:55-06:00 HOUR	52.9	50.4
06:00-06:05 HOUR	52.9	50.8
06:05-06:10 HOUR	51.7	50.3
06:10-06:15 HOUR	52.1	49.8
06:15-06:20 HOUR	51.6	49.8
06:20-06:25 HOUR	51.8	49.3
06:25-06:30 HOUR	53.0	51.2
06:30-06:35 HOUR	52.5	50.7
06:35-06:40 HOUR	52.7	50.9
06:40-06:45 HOUR	53.4	51.5
06:45-06:50 HOUR	54.0	52.2
06:50-06:55 HOUR	53.2	51.2
06:55-07:00 HOUR	53.5	51.6

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

6/42

2023-U107814

NO NOISES DETECTED  
NO NOISES DETECTED  
BY 13 GROUP (THAI) COUNTY



TIME*	RESULT dB(A)	
	วันที่ตรวจวัดเสียงรบกวน (N5)	
	NOVEMBER 30 - DECEMBER 1, 2023	
	L <sub>day</sub> 5 min	L <sub>app</sub> 5 min
07:00-07:05 HOUR	55.9	53.7
07:05-07:10 HOUR	55.5	53.1
07:10-07:15 HOUR	55.3	53.2
07:15-07:20 HOUR	55.9	53.6
07:20-07:25 HOUR	55.3	53.2
07:25-07:30 HOUR	51.6	49.6
07:30-07:35 HOUR	51.2	49.5
07:35-07:40 HOUR	50.9	48.8
07:40-07:45 HOUR	50.8	49.1
07:45-07:50 HOUR	51.1	49.6
07:50-07:55 HOUR	50.2	47.8
07:55-08:00 HOUR	49.3	47.2
08:00-08:05 HOUR	49.5	47.3
08:05-08:10 HOUR	50.8	49.0
08:10-08:15 HOUR	50.0	47.5
08:15-08:20 HOUR	49.6	47.7
08:20-08:25 HOUR	49.8	47.8
08:25-08:30 HOUR	49.9	48.2
08:30-08:35 HOUR	50.6	48.2
08:35-08:40 HOUR	50.8	49.2
08:40-08:45 HOUR	51.7	49.4
08:45-08:50 HOUR	52.9	51.2
08:50-08:55 HOUR	52.8	50.6
08:55-09:00 HOUR	52.2	50.0
09:00-09:05 HOUR	50.3	48.4
09:05-09:10 HOUR	50.7	48.7
09:10-09:15 HOUR	51.5	49.7
09:15-09:20 HOUR	52.2	50.2
09:20-09:25 HOUR	52.5	50.8
09:25-09:30 HOUR	54.4	52.2
09:30-09:35 HOUR	54.0	51.9
09:35-09:40 HOUR	56.5	54.8
09:40-09:45 HOUR	58.0	56.1
09:45-09:50 HOUR	60.5	58.6
09:50-09:55 HOUR	60.1	58.1
09:55-10:00 HOUR	58.5	56.5
10:00-10:05 HOUR	55.9	53.9
10:05-10:10 HOUR	54.8	53.0
10:10-10:15 HOUR	54.8	52.3
10:15-10:20 HOUR	55.5	53.0
10:20-10:25 HOUR	56.3	54.6
10:25-10:30 HOUR	55.1	53.6
10:30-10:35 HOUR	55.2	53.1
10:35-10:40 HOUR	56.4	54.4
10:40-10:45 HOUR	55.7	53.5
10:45-10:50 HOUR	57.8	56.4
10:50-10:55 HOUR	56.8	55.0
10:55-11:00 HOUR	57.1	55.0
11:00-11:05 HOUR	56.6	54.6
11:05-11:10 HOUR	57.9	55.8
11:10-11:15 HOUR	56.5	54.5

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

TIME*	RESULT dB(A)	
	วันที่ตรวจวัดเสียงรบกวน (N5)	
	NOVEMBER 30 - DECEMBER 1, 2023	
	L <sub>day</sub> 5 min	L <sub>app</sub> 5 min
11:15-11:20 HOUR	55.0	53.3
11:20-11:25 HOUR	55.3	53.8
11:25-11:30 HOUR	56.4	54.2
11:30-11:35 HOUR	56.7	54.8
11:35-11:40 HOUR	55.7	54.1
11:40-11:45 HOUR	54.8	53.0
11:45-11:50 HOUR	55.1	52.8
11:50-11:55 HOUR	54.8	52.6
11:55-12:00 HOUR	55.0	53.2
12:00-12:05 HOUR	53.4	51.3
12:05-12:10 HOUR	53.6	51.5
12:10-12:15 HOUR	54.0	52.2
12:15-12:20 HOUR	54.2	52.2
12:20-12:25 HOUR	53.4	51.6
12:25-12:30 HOUR	53.2	51.3
12:30-12:35 HOUR	54.3	52.8
12:35-12:40 HOUR	53.4	51.4
12:40-12:45 HOUR	53.8	52.0
12:45-12:50 HOUR	54.0	51.5
12:50-12:55 HOUR	53.5	51.8
12:55-13:00 HOUR	53.2	51.4
13:00-13:05 HOUR	53.3	51.0
13:05-13:10 HOUR	54.4	52.0
13:10-13:15 HOUR	54.7	52.9
13:15-13:20 HOUR	54.8	52.8
13:20-13:25 HOUR	55.6	53.5
13:25-13:30 HOUR	54.6	52.6
13:30-13:35 HOUR	54.4	52.5
13:35-13:40 HOUR	55.4	53.3
13:40-13:45 HOUR	56.3	54.2
13:45-13:50 HOUR	56.2	54.3
13:50-13:55 HOUR	55.3	53.5
13:55-14:00 HOUR	56.5	54.6
14:00-14:05 HOUR	55.4	53.4
14:05-14:10 HOUR	54.7	52.7
14:10-14:15 HOUR	54.4	52.6
14:15-14:20 HOUR	54.4	53.0
14:20-14:25 HOUR	55.6	53.9
14:25-14:30 HOUR	53.9	52.0
14:30-14:35 HOUR	53.7	51.9
14:35-14:40 HOUR	54.6	53.1
14:40-14:45 HOUR	54.5	52.7
14:45-14:50 HOUR	54.3	52.2
14:50-14:55 HOUR	55.2	53.0
14:55-15:00 HOUR	53.4	51.8
15:00-15:05 HOUR	53.7	51.7
15:05-15:10 HOUR	53.5	51.4
15:10-15:15 HOUR	53.8	51.7
15:15-15:20 HOUR	54.0	52.2
15:20-15:25 HOUR	54.9	53.1
15:25-15:30 HOUR	53.4	51.5

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.






United Analyst and Engineering Consultant Co., Ltd.  
350i Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaec consultant.com E-mail: uaec@uaec consultant.com

TIME*	RESULT dB(A)	
	วันที่ตรวจวัดเสียง (N5)	
	NOVEMBER 30 - DECEMBER 1, 2023	
	T23AY522-0030	
	L <sub>eq</sub> 5 min	L <sub>eq</sub> 5 min
15:30-15:35 HOUR	54.4	52.8
15:35-15:40 HOUR	54.5	52.6
15:40-15:45 HOUR	56.0	54.1
15:45-15:50 HOUR	56.0	54.2
15:50-15:55 HOUR	56.2	54.5
15:55-16:00 HOUR	55.4	53.0
16:00-16:05 HOUR	55.1	53.4
16:05-16:10 HOUR	55.1	53.0
16:10-16:15 HOUR	55.6	53.5
16:15-16:20 HOUR	54.5	52.7
16:20-16:25 HOUR	54.3	52.0
16:25-16:30 HOUR	51.4	49.3
16:30-16:35 HOUR	51.8	49.7
16:35-16:40 HOUR	49.6	47.3
16:40-16:45 HOUR	49.6	48.1
16:45-16:50 HOUR	49.0	46.5
16:50-16:55 HOUR	50.2	48.1
16:55-17:00 HOUR	49.8	48.1
17:00-17:05 HOUR	49.8	47.7
17:05-17:10 HOUR	50.2	48.2
17:10-17:15 HOUR	50.0	48.4
17:15-17:20 HOUR	49.5	47.9
17:20-17:25 HOUR	49.3	47.8
17:25-17:30 HOUR	48.9	47.0
17:30-17:35 HOUR	49.1	47.3
17:35-17:40 HOUR	49.2	47.4
17:40-17:45 HOUR	49.7	47.4
17:45-17:50 HOUR	50.8	48.7
17:50-17:55 HOUR	49.8	48.2
17:55-18:00 HOUR	51.1	49.2
18:00-18:05 HOUR	50.4	48.5
18:05-18:10 HOUR	50.1	47.9
18:10-18:15 HOUR	50.7	48.8
18:15-18:20 HOUR	50.8	49.1
18:20-18:25 HOUR	49.8	47.4
18:25-18:30 HOUR	50.1	48.1
18:30-18:35 HOUR	50.1	48.1
18:35-18:40 HOUR	50.2	52.5
18:40-18:45 HOUR	52.3	50.3
18:45-18:50 HOUR	50.4	48.5
18:50-18:55 HOUR	50.2	48.1
18:55-19:00 HOUR	53.9	52.0
19:00-19:05 HOUR	52.8	50.8
19:05-19:10 HOUR	52.0	50.3
19:10-19:15 HOUR	53.0	50.9
19:15-19:20 HOUR	52.0	50.1
19:20-19:25 HOUR	54.4	52.1
19:25-19:30 HOUR	51.4	49.0
19:30-19:35 HOUR	53.4	51.4
19:35-19:40 HOUR	51.0	49.3
19:40-19:45 HOUR	53.8	51.7

PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

9/42

2023-U107814



United Analyst and Engineering Consultant Co., Ltd.  
350i Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaec consultant.com E-mail: uaec@uaec consultant.com

TIME*	RESULT dB(A)	
	วันที่ตรวจวัดเสียง (NS)	
	NOVEMBER 30 - DECEMBER 1, 2023	
	T23AY522-0030	
	L <sub>eq</sub> 5 min	L <sub>eq</sub> 5 min
19:45-19:50 HOUR	51.0	48.8
19:50-19:55 HOUR	50.0	48.3
19:55-20:00 HOUR	51.4	49.6
20:00-20:05 HOUR	51.1	49.1
20:05-20:10 HOUR	50.5	48.4
20:10-20:15 HOUR	52.4	51.0
20:15-20:20 HOUR	50.2	48.4
20:20-20:25 HOUR	51.2	48.8
20:25-20:30 HOUR	52.3	50.2
20:30-20:35 HOUR	50.7	48.5
20:35-20:40 HOUR	49.0	46.6
20:40-20:45 HOUR	49.6	47.8
20:45-20:50 HOUR	50.2	48.3
20:50-20:55 HOUR	49.3	47.2
20:55-21:00 HOUR	50.5	48.5
21:00-21:05 HOUR	49.8	47.5
21:05-21:10 HOUR	50.4	48.4
21:10-21:15 HOUR	49.7	48.0
21:15-21:20 HOUR	49.0	46.8
21:20-21:25 HOUR	50.9	48.8
21:25-21:30 HOUR	49.4	47.6
21:30-21:35 HOUR	50.1	48.6
21:35-21:40 HOUR	50.3	48.1
21:40-21:45 HOUR	50.3	48.6
21:45-21:50 HOUR	50.0	48.2
21:50-21:55 HOUR	49.9	48.0
21:55-22:00 HOUR	50.6	48.7
22:00-22:05 HOUR	49.2	47.3
22:05-22:10 HOUR	50.4	47.9
22:10-22:15 HOUR	47.4	45.6
22:15-22:20 HOUR	46.8	44.4
22:20-22:25 HOUR	47.6	45.3
22:25-22:30 HOUR	48.7	46.3
22:30-22:35 HOUR	47.8	46.1
22:35-22:40 HOUR	49.1	46.9
22:40-22:45 HOUR	49.3	47.3
22:45-22:50 HOUR	47.6	45.5
22:50-22:55 HOUR	48.0	45.6
22:55-23:00 HOUR	47.5	45.3
23:00-23:05 HOUR	48.4	46.4
23:05-23:10 HOUR	48.3	46.3
23:10-23:15 HOUR	47.9	46.0
23:15-23:20 HOUR	48.8	47.3
23:20-23:25 HOUR	47.6	45.2
23:25-23:30 HOUR	49.0	46.5
23:30-23:35 HOUR	48.6	46.6
23:35-23:40 HOUR	47.6	45.5
23:40-23:45 HOUR	47.7	45.8
23:45-23:50 HOUR	48.3	46.3
23:50-23:55 HOUR	47.1	45.4
23:55-00:00 HOUR	47.6	45.1

PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

10/42


2023-U107814



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax 0 2763 2800 www.uaec consultant.com E-mail: uae@uaec consultant.com

TIME*	RESULT dB(A)	
	วันที่ตรวจวัดเสียง (N5)	
	NOVEMBER 30 - DECEMBER 1, 2023	
	Leq 5 min	Leq 5 min
00:00-00:05 HOUR	46.6	44.8
00:05-00:10 HOUR	46.7	44.3
00:10-00:15 HOUR	47.6	45.8
00:15-00:20 HOUR	49.3	47.0
00:20-00:25 HOUR	49.8	48.1
00:25-00:30 HOUR	48.5	46.0
00:30-00:35 HOUR	49.0	46.8
00:35-00:40 HOUR	47.0	45.1
00:40-00:45 HOUR	47.1	44.9
00:45-00:50 HOUR	47.7	46.0
00:50-00:55 HOUR	46.3	44.7
00:55-01:00 HOUR	46.7	44.7
01:00-01:05 HOUR	47.3	45.3
01:05-01:10 HOUR	49.7	47.6
01:10-01:15 HOUR	50.3	48.7
01:15-01:20 HOUR	50.7	48.8
01:20-01:25 HOUR	47.1	45.3
01:25-01:30 HOUR	48.3	46.4
01:30-01:35 HOUR	48.9	47.5
01:35-01:40 HOUR	48.3	45.9
01:40-01:45 HOUR	48.6	47.0
01:45-01:50 HOUR	49.2	47.0
01:50-01:55 HOUR	49.0	47.0
01:55-02:00 HOUR	47.5	45.6
02:00-02:05 HOUR	46.6	44.2
02:05-02:10 HOUR	46.6	44.5
02:10-02:15 HOUR	46.4	45.0
02:15-02:20 HOUR	47.9	45.8
02:20-02:25 HOUR	48.5	46.5
02:25-02:30 HOUR	47.0	44.7
02:30-02:35 HOUR	47.5	45.6
02:35-02:40 HOUR	47.0	45.6
02:40-02:45 HOUR	47.1	45.4
02:45-02:50 HOUR	47.4	45.0
02:50-02:55 HOUR	48.5	46.3
02:55-03:00 HOUR	48.4	46.4
03:00-03:05 HOUR	47.8	45.9
03:05-03:10 HOUR	48.4	46.5
03:10-03:15 HOUR	47.7	45.2
03:15-03:20 HOUR	46.0	44.0
03:20-03:25 HOUR	46.6	44.3
03:25-03:30 HOUR	46.7	44.4
03:30-03:35 HOUR	49.2	47.3
03:35-03:40 HOUR	47.1	45.2
03:40-03:45 HOUR	47.3	45.2
03:45-03:50 HOUR	46.5	44.4
03:50-03:55 HOUR	47.2	45.6
03:55-04:00 HOUR	46.7	44.5
04:00-04:05 HOUR	46.7	44.4
04:05-04:10 HOUR	46.5	44.9
04:10-04:15 HOUR	46.8	45.8

PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.



11/92


2023-U107814



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax 0 2763 2800 www.uaec consultant.com E-mail: uae@uaec consultant.com

TIME*	RESULT dB(A)	
	วันที่ตรวจวัดเสียง (N5)	
	NOVEMBER 30 - DECEMBER 1, 2023	
	Leq 5 min	Leq 5 min
04:15-04:20 HOUR	49.7	49.0 5 min, 48.0
04:20-04:25 HOUR	49.2	47.3
04:25-04:30 HOUR	50.2	48.8
04:30-04:35 HOUR	48.8	46.9
04:35-04:40 HOUR	46.7	44.7
04:40-04:45 HOUR	48.0	46.0
04:45-04:50 HOUR	47.5	45.4
04:50-04:55 HOUR	46.9	45.3
04:55-05:00 HOUR	50.2	48.0
05:00-05:05 HOUR	50.2	48.2
05:05-05:10 HOUR	48.0	45.8
05:10-05:15 HOUR	49.0	47.3
05:15-05:20 HOUR	47.0	45.2
05:20-05:25 HOUR	47.8	45.7
05:25-05:30 HOUR	47.9	45.9
05:30-05:35 HOUR	49.9	48.0
05:35-05:40 HOUR	48.1	46.1
05:40-05:45 HOUR	46.2	44.3
05:45-05:50 HOUR	46.3	44.4
05:50-05:55 HOUR	46.4	44.3
05:55-06:00 HOUR	46.8	44.6
06:00-06:05 HOUR	47.7	45.6
06:05-06:10 HOUR	49.0	47.1
06:10-06:15 HOUR	47.2	45.4
06:15-06:20 HOUR	47.3	45.3
06:20-06:25 HOUR	47.2	45.4
06:25-06:30 HOUR	47.6	45.9
06:30-06:35 HOUR	48.1	46.1
06:35-06:40 HOUR	48.2	46.4
06:40-06:45 HOUR	49.4	46.9
06:45-06:50 HOUR	47.3	45.1
06:50-06:55 HOUR	46.9	45.1
06:55-07:00 HOUR	47.2	45.0

PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.



12/42

2023-U107814



United Analyst and Engineering Consultant Co., Ltd.  
33 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaiconsultant.com E-mail:uae@uaiconsultant.com

TIME*	RESULT dB(A)	
	ผลการตรวจวัดค่าเสียง (N5) DECEMBER 1-2, 2023 T23AY522-0031	
	L <sub>Aeq</sub> 5 min	L <sub>Aeq</sub> 5 min
07:00-07:05 HOUR	48.5	48.5
07:05-07:10 HOUR	50.5	49.0
07:10-07:15 HOUR	50.6	49.3
07:15-07:20 HOUR	48.4	47.5
07:20-07:25 HOUR	50.8	47.6
07:25-07:30 HOUR	50.5	49.0
07:30-07:35 HOUR	50.3	48.2
07:35-07:40 HOUR	49.6	48.1
07:40-07:45 HOUR	49.3	47.4
07:45-07:50 HOUR	48.0	47.4
07:50-07:55 HOUR	48.2	45.8
07:55-08:00 HOUR	47.4	46.3
08:00-08:05 HOUR	47.0	45.1
08:05-08:10 HOUR	48.7	45.3
08:10-08:15 HOUR	48.5	46.7
08:15-08:20 HOUR	49.2	46.5
08:20-08:25 HOUR	50.7	46.9
08:25-08:30 HOUR	50.5	48.8
08:30-08:35 HOUR	49.4	47.3
08:35-08:40 HOUR	49.4	47.5
08:40-08:45 HOUR	49.4	47.5
08:45-08:50 HOUR	48.6	47.0
08:50-08:55 HOUR	50.2	48.2
08:55-09:00 HOUR	50.2	48.3
09:00-09:05 HOUR	48.0	45.7
09:05-09:10 HOUR	47.4	45.4
09:10-09:15 HOUR	47.1	45.2
09:15-09:20 HOUR	47.7	45.4
09:20-09:25 HOUR	47.1	45.3
09:25-09:30 HOUR	48.4	46.3
09:30-09:35 HOUR	48.5	46.3
09:35-09:40 HOUR	48.2	46.1
09:40-09:45 HOUR	50.0	48.3
09:45-09:50 HOUR	52.6	50.7
09:50-09:55 HOUR	51.7	49.5
09:55-10:00 HOUR	52.8	50.8
10:00-10:05 HOUR	50.8	48.8
10:05-10:10 HOUR	51.4	49.1
10:10-10:15 HOUR	53.0	51.6
10:15-10:20 HOUR	54.1	51.6
10:20-10:25 HOUR	52.5	50.7
10:25-10:30 HOUR	51.4	49.3
10:30-10:35 HOUR	52.6	50.5
10:35-10:40 HOUR	50.1	47.8
10:40-10:45 HOUR	49.2	47.2
10:45-10:50 HOUR	49.3	47.8
10:50-10:55 HOUR	49.4	47.7
10:55-11:00 HOUR	46.9	44.8
11:00-11:05 HOUR	49.2	47.3
11:05-11:10 HOUR	49.0	46.8
11:10-11:15 HOUR	49.3	47.2

100 NOISEMETER CERTIFIED  
100 METER CERTIFIED  
BY RS GROUP (THAILAND) CO., LTD.

13/42

2023-U107814

PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.



United Analyst and Engineering Consultant Co., Ltd.  
33 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaiconsultant.com E-mail:uae@uaiconsultant.com

TIME*	RESULT dB(A)	
	ผลการตรวจวัดค่าเสียง (N5) DECEMBER 1-2, 2023 T23AY522-0031	
	L <sub>Aeq</sub> 5 min	L <sub>Aeq</sub> 5 min
11:15-11:20 HOUR	50.0	48.2
11:20-11:25 HOUR	49.3	47.8
11:25-11:30 HOUR	49.1	47.3
11:30-11:35 HOUR	50.0	48.0
11:35-11:40 HOUR	48.9	48.0
11:40-11:45 HOUR	50.1	48.5
11:45-11:50 HOUR	51.8	49.3
11:50-11:55 HOUR	51.6	49.8
11:55-12:00 HOUR	52.0	49.8
12:00-12:05 HOUR	52.3	50.7
12:05-12:10 HOUR	52.1	50.3
12:10-12:15 HOUR	52.0	50.1
12:15-12:20 HOUR	52.8	51.4
12:20-12:25 HOUR	53.2	51.0
12:25-12:30 HOUR	51.6	49.1
12:30-12:35 HOUR	53.0	51.1
12:35-12:40 HOUR	49.7	47.9
12:40-12:45 HOUR	50.8	48.4
12:45-12:50 HOUR	50.4	48.3
12:50-12:55 HOUR	51.0	48.9
12:55-13:00 HOUR	49.7	48.0
13:00-13:05 HOUR	53.8	51.9
13:05-13:10 HOUR	53.2	50.9
13:10-13:15 HOUR	52.0	50.4
13:15-13:20 HOUR	51.3	49.2
13:20-13:25 HOUR	49.2	47.7
13:25-13:30 HOUR	48.8	46.4
13:30-13:35 HOUR	49.9	48.0
13:35-13:40 HOUR	49.2	47.6
13:40-13:45 HOUR	50.7	48.9
13:45-13:50 HOUR	50.9	48.7
13:50-13:55 HOUR	52.9	51.2
13:55-14:00 HOUR	51.0	49.4
14:00-14:05 HOUR	50.6	48.1
14:05-14:10 HOUR	50.7	48.9
14:10-14:15 HOUR	47.9	45.7
14:15-14:20 HOUR	48.0	46.1
14:20-14:25 HOUR	47.0	45.0
14:25-14:30 HOUR	52.1	49.7
14:30-14:35 HOUR	52.2	50.4
14:35-14:40 HOUR	56.5	54.7
14:40-14:45 HOUR	51.8	49.8
14:45-14:50 HOUR	51.4	49.5
14:50-14:55 HOUR	53.0	51.3
14:55-15:00 HOUR	52.2	50.2
15:00-15:05 HOUR	52.3	50.0
15:05-15:10 HOUR	53.0	51.3
15:10-15:15 HOUR	53.2	51.1
15:15-15:20 HOUR	53.0	50.9
15:20-15:25 HOUR	52.6	50.7
15:25-15:30 HOUR	52.7	50.6

100 NOISEMETER CERTIFIED  
100 METER CERTIFIED  
BY RS GROUP (THAILAND) CO., LTD.

14/42

2023-U107814


PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangchak, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax 0 2763 2800 www.uaconsultant.com E-mail:uae@uaconsultant.com

TIME*	RESULT dB(A)	
	สำหรับงานพักอาศัย (N5)	
	DECEMBER 1-2, 2023	
	L <sub>eq</sub> 5 min	L <sub>eq</sub> 5 min
15:30-15:35 HOUR	52.6	50.5
15:35-15:40 HOUR	51.0	49.1
15:40-15:45 HOUR	51.1	48.9
15:45-15:50 HOUR	52.4	50.7
15:50-15:55 HOUR	50.3	48.7
15:55-16:00 HOUR	51.0	49.0
16:00-16:05 HOUR	52.4	50.2
16:05-16:10 HOUR	51.3	48.9
16:10-16:15 HOUR	51.3	49.8
16:15-16:20 HOUR	52.2	50.2
16:20-16:25 HOUR	52.3	50.1
16:25-16:30 HOUR	52.5	50.6
16:30-16:35 HOUR	52.5	51.0
16:35-16:40 HOUR	51.9	50.1
16:40-16:45 HOUR	52.5	50.1
16:45-16:50 HOUR	53.0	51.0
16:50-16:55 HOUR	53.7	51.4
16:55-17:00 HOUR	52.0	49.8
17:00-17:05 HOUR	56.7	54.7
17:05-17:10 HOUR	52.8	52.8
17:10-17:15 HOUR	52.4	50.2
17:15-17:20 HOUR	52.7	50.9
17:20-17:25 HOUR	53.6	52.2
17:25-17:30 HOUR	50.0	48.1
17:30-17:35 HOUR	50.6	48.5
17:35-17:40 HOUR	50.7	48.5
17:40-17:45 HOUR	50.5	48.6
17:45-17:50 HOUR	50.8	49.3
17:50-17:55 HOUR	50.7	48.6
17:55-18:00 HOUR	49.5	47.4
18:00-18:05 HOUR	49.4	47.1
18:05-18:10 HOUR	48.0	47.3
18:10-18:15 HOUR	49.9	48.1
18:15-18:20 HOUR	49.1	47.4
18:20-18:25 HOUR	50.1	48.4
18:25-18:30 HOUR	50.2	47.9
18:30-18:35 HOUR	49.7	47.6
18:35-18:40 HOUR	51.5	49.0
18:40-18:45 HOUR	50.8	49.0
18:45-18:50 HOUR	51.0	48.8
18:50-18:55 HOUR	50.2	47.7
18:55-19:00 HOUR	50.1	48.1
19:00-19:05 HOUR	49.1	47.6
19:05-19:10 HOUR	51.2	49.4
19:10-19:15 HOUR	50.8	49.0
19:15-19:20 HOUR	51.9	49.7
19:20-19:25 HOUR	51.2	49.4
19:25-19:30 HOUR	51.3	49.2
19:30-19:35 HOUR	51.8	49.7
19:35-19:40 HOUR	53.5	52.1
19:40-19:45 HOUR	54.8	52.9

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.



BY E&S GROUP (THAILAND) CO., LTD.

15/42


2023-U107814



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangchak, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax 0 2763 2800 www.uaconsultant.com E-mail:uae@uaconsultant.com

TIME*	RESULT dB(A)	
	สำหรับงานพักอาศัย (N5)	
	DECEMBER 1-2, 2023	
	L <sub>eq</sub> 5 min	L <sub>eq</sub> 5 min
19:45-19:50 HOUR	51.5	49.5
19:50-19:55 HOUR	53.7	51.3
19:55-20:00 HOUR	53.4	51.5
20:00-20:05 HOUR	54.0	51.6
20:05-20:10 HOUR	55.8	54.0
20:10-20:15 HOUR	55.2	52.8
20:15-20:20 HOUR	55.2	53.1
20:20-20:25 HOUR	54.7	52.4
20:25-20:30 HOUR	54.2	51.9
20:30-20:35 HOUR	52.1	50.1
20:35-20:40 HOUR	50.9	48.9
20:40-20:45 HOUR	49.8	47.5
20:45-20:50 HOUR	49.4	47.3
20:50-20:55 HOUR	50.8	49.1
20:55-21:00 HOUR	49.5	47.2
21:00-21:05 HOUR	50.6	48.8
21:05-21:10 HOUR	50.2	48.5
21:10-21:15 HOUR	49.3	47.3
21:15-21:20 HOUR	50.1	48.1
21:20-21:25 HOUR	49.1	47.2
21:25-21:30 HOUR	50.6	48.5
21:30-21:35 HOUR	49.4	47.0
21:35-21:40 HOUR	50.2	48.3
21:40-21:45 HOUR	51.4	49.3
21:45-21:50 HOUR	50.5	48.2
21:50-21:55 HOUR	49.0	47.1
21:55-22:00 HOUR	47.0	45.1
22:00-22:05 HOUR	48.7	47.0
22:05-22:10 HOUR	48.3	46.4
22:10-22:15 HOUR	48.2	46.6
22:15-22:20 HOUR	48.9	46.7
22:20-22:25 HOUR	47.0	44.9
22:25-22:30 HOUR	47.7	45.7
22:30-22:35 HOUR	49.0	46.5
22:35-22:40 HOUR	48.2	46.2
22:40-22:45 HOUR	46.2	43.8
22:45-22:50 HOUR	49.5	47.4
22:50-22:55 HOUR	50.3	48.2
22:55-23:00 HOUR	47.7	46.0
23:00-23:05 HOUR	48.1	45.6
23:05-23:10 HOUR	48.7	46.4
23:10-23:15 HOUR	48.8	46.7
23:15-23:20 HOUR	47.4	45.0
23:20-23:25 HOUR	47.3	45.4
23:25-23:30 HOUR	46.8	44.7
23:30-23:35 HOUR	46.9	44.5
23:35-23:40 HOUR	48.6	46.6
23:40-23:45 HOUR	48.3	46.5
23:45-23:50 HOUR	48.1	46.4
23:50-23:55 HOUR	47.6	45.7

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.



BY E&S GROUP (THAILAND) CO., LTD.

15/42

2023-U107814



United Analyst and Engineering Consultant Co., Ltd.  
3 Sol Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax 0 2763 2800 www.uaeconsultant.com E-mail: uae@uaeconsultant.com

TIME*	RESULT dB(A)	
	สำหรับโรงงานอุตสาหกรรม (NS)	
DECEMBER 1-2, 2023		T23AY522-0031
	L <sub>Aeq</sub> 5 min	L <sub>A90</sub> 5 min
00:00-00:05 HOUR	47.8	45.5
00:05-00:10 HOUR	46.8	44.8
00:10-00:15 HOUR	46.4	44.4
00:15-00:20 HOUR	46.3	44.6
00:20-00:25 HOUR	47.8	45.6
00:25-00:30 HOUR	46.0	44.1
00:30-00:35 HOUR	46.1	44.0
00:35-00:40 HOUR	46.2	44.1
00:40-00:45 HOUR	46.5	44.5
00:45-00:50 HOUR	46.2	44.1
00:50-00:55 HOUR	49.0	47.5
00:55-01:00 HOUR	47.9	45.1
01:00-01:05 HOUR	47.1	44.8
01:05-01:10 HOUR	48.8	46.5
01:10-01:15 HOUR	49.8	47.3
01:15-01:20 HOUR	48.4	46.5
01:20-01:25 HOUR	46.1	44.1
01:25-01:30 HOUR	46.7	44.6
01:30-01:35 HOUR	46.5	45.0
01:35-01:40 HOUR	47.2	45.4
01:40-01:45 HOUR	48.8	47.4
01:45-01:50 HOUR	50.0	48.3
01:50-01:55 HOUR	48.8	46.7
01:55-02:00 HOUR	48.9	46.6
02:00-02:05 HOUR	47.8	46.1
02:05-02:10 HOUR	46.6	44.6
02:10-02:15 HOUR	47.0	45.1
02:15-02:20 HOUR	46.2	44.0
02:20-02:25 HOUR	48.1	46.4
02:25-02:30 HOUR	48.1	46.4
02:30-02:35 HOUR	46.8	44.8
02:35-02:40 HOUR	47.2	45.1
02:40-02:45 HOUR	47.1	44.8
02:45-02:50 HOUR	46.5	44.6
02:50-02:55 HOUR	46.5	45.0
02:55-03:00 HOUR	49.6	47.9
03:00-03:05 HOUR	49.1	47.1
03:05-03:10 HOUR	47.2	45.2
03:10-03:15 HOUR	46.5	44.5
03:15-03:20 HOUR	47.0	45.4
03:20-03:25 HOUR	47.3	45.4
03:25-03:30 HOUR	46.7	44.6
03:30-03:35 HOUR	46.3	44.3
03:35-03:40 HOUR	46.4	44.5
03:40-03:45 HOUR	46.0	44.2
03:45-03:50 HOUR	47.3	45.4
03:50-03:55 HOUR	46.9	45.1
03:55-04:00 HOUR	47.3	45.4
04:00-04:05 HOUR	47.9	45.9
04:05-04:10 HOUR	48.0	46.0
04:10-04:15 HOUR	47.9	46.0

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY SGS GROUP (THAILAND) CO., LTD.

17/42

2023-U107814



United Analyst and Engineering Consultant Co., Ltd.  
3 Sol Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax 0 2763 2800 www.uaeconsultant.com E-mail: uae@uaeconsultant.com

TIME*	RESULT dB(A)	
	สำหรับโรงงานอุตสาหกรรม (NS)	
DECEMBER 1-2, 2023		T23AY522-0031
	L <sub>Aeq</sub> 5 min	L <sub>A90</sub> 5 min
04:15-04:20 HOUR	47.7	46.1
04:20-04:25 HOUR	47.2	45.0
04:25-04:30 HOUR	46.2	44.4
04:30-04:35 HOUR	47.4	45.1
04:35-04:40 HOUR	47.0	45.0
04:40-04:45 HOUR	46.7	44.7
04:45-04:50 HOUR	45.7	43.9
04:50-04:55 HOUR	46.6	44.7
04:55-05:00 HOUR	46.8	44.3
05:00-05:05 HOUR	46.8	44.7
05:05-05:10 HOUR	46.6	45.0
05:10-05:15 HOUR	46.7	44.8
05:15-05:20 HOUR	46.0	44.4
05:20-05:25 HOUR	46.2	44.0
05:25-05:30 HOUR	46.1	43.9
05:30-05:35 HOUR	47.6	45.6
05:35-05:40 HOUR	45.9	43.8
05:40-05:45 HOUR	47.4	45.1
05:45-05:50 HOUR	46.2	44.5
05:50-05:55 HOUR	46.0	44.3
05:55-06:00 HOUR	46.9	46.2
06:00-06:05 HOUR	47.9	45.0
06:05-06:10 HOUR	47.5	45.9
06:10-06:15 HOUR	47.6	46.0
06:15-06:20 HOUR	47.6	46.0
06:20-06:25 HOUR	47.3	45.4
06:25-06:30 HOUR	46.1	44.6
06:30-06:35 HOUR	47.0	45.2
06:35-06:40 HOUR	46.4	44.9
06:40-06:45 HOUR	48.1	46.4
06:45-06:50 HOUR	48.1	46.2
06:50-06:55 HOUR	46.8	44.6
06:55-07:00 HOUR	46.0	43.6

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY SGS GROUP (THAILAND) CO., LTD.

18/42

2023-U107814

TIME*	RESULT dB(A)	
	ผลการตรวจวัดระดับความดังเสียง (N5) DECEMBER 2-3, 2023 T23AY522-0032	
	L <sub>Aeq</sub> 5 min	L <sub>Aeq</sub> 5 min
07:00-07:05 HOUR	50.2	48.4
07:05-07:10 HOUR	49.7	47.7
07:10-07:15 HOUR	49.5	47.2
07:15-07:20 HOUR	49.5	47.7
07:20-07:25 HOUR	50.0	48.2
07:25-07:30 HOUR	49.5	47.4
07:30-07:35 HOUR	49.9	48.1
07:35-07:40 HOUR	48.7	46.8
07:40-07:45 HOUR	49.5	47.6
07:45-07:50 HOUR	47.7	45.7
07:50-07:55 HOUR	46.0	44.4
07:55-08:00 HOUR	46.7	44.5
08:00-08:05 HOUR	46.4	44.3
08:05-08:10 HOUR	47.7	45.7
08:10-08:15 HOUR	47.9	45.8
08:15-08:20 HOUR	49.7	47.6
08:20-08:25 HOUR	49.5	47.1
08:25-08:30 HOUR	49.2	47.0
08:30-08:35 HOUR	47.1	45.7
08:35-08:40 HOUR	46.9	45.4
08:40-08:45 HOUR	48.4	46.4
08:45-08:50 HOUR	48.1	46.4
08:50-08:55 HOUR	48.5	46.4
08:55-09:00 HOUR	46.0	44.2
09:00-09:05 HOUR	50.5	48.3
09:05-09:10 HOUR	48.9	46.7
09:10-09:15 HOUR	48.0	46.4
09:15-09:20 HOUR	50.7	48.5
09:20-09:25 HOUR	47.2	45.6
09:25-09:30 HOUR	47.8	45.7
09:30-09:35 HOUR	49.0	47.3
09:35-09:40 HOUR	47.6	45.4
09:40-09:45 HOUR	48.2	46.3
09:45-09:50 HOUR	48.9	46.5
09:50-09:55 HOUR	47.1	44.7
09:55-10:00 HOUR	47.9	46.2
10:00-10:05 HOUR	47.8	45.8
10:05-10:10 HOUR	50.4	48.4
10:10-10:15 HOUR	45.6	43.8
10:15-10:20 HOUR	48.0	46.0
10:20-10:25 HOUR	47.1	45.2
10:25-10:30 HOUR	47.6	45.7
10:30-10:35 HOUR	47.1	45.2
10:35-10:40 HOUR	47.0	45.5
10:40-10:45 HOUR	47.1	45.1
10:45-10:50 HOUR	47.7	45.8
10:50-10:55 HOUR	47.4	45.3
10:55-11:00 HOUR	46.4	44.6
11:00-11:05 HOUR	47.4	45.0
11:05-11:10 HOUR	45.7	43.5
11:10-11:15 HOUR	49.7	47.6

\* PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
 \* THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

TIME*	RESULT dB(A)	
	ผลการตรวจวัดระดับความดังเสียง (N5) DECEMBER 2-3, 2023 T23AY522-0032	
	L <sub>Aeq</sub> 5 min	L <sub>Aeq</sub> 5 min
11:15-11:20 HOUR	46.5	45.0
11:20-11:25 HOUR	49.2	47.2
11:25-11:30 HOUR	47.3	45.3
11:30-11:35 HOUR	45.9	44.5
11:35-11:40 HOUR	47.6	46.1
11:40-11:45 HOUR	49.4	47.2
11:45-11:50 HOUR	47.9	46.1
11:50-11:55 HOUR	50.1	48.7
11:55-12:00 HOUR	46.6	44.2
12:00-12:05 HOUR	46.6	45.1
12:05-12:10 HOUR	48.3	45.9
12:10-12:15 HOUR	50.6	48.6
12:15-12:20 HOUR	48.9	47.4
12:20-12:25 HOUR	49.8	47.6
12:25-12:30 HOUR	47.1	45.5
12:30-12:35 HOUR	48.0	46.5
12:35-12:40 HOUR	50.3	48.4
12:40-12:45 HOUR	47.3	45.3
12:45-12:50 HOUR	49.0	47.3
12:50-12:55 HOUR	45.7	43.7
12:55-13:00 HOUR	44.8	42.8
13:00-13:05 HOUR	46.6	45.0
13:05-13:10 HOUR	45.9	43.9
13:10-13:15 HOUR	46.4	44.5
13:15-13:20 HOUR	46.9	45.3
13:20-13:25 HOUR	48.2	46.5
13:25-13:30 HOUR	47.5	45.2
13:30-13:35 HOUR	49.1	47.0
13:35-13:40 HOUR	49.4	47.3
13:40-13:45 HOUR	46.7	44.7
13:45-13:50 HOUR	48.3	46.3
13:50-13:55 HOUR	49.4	47.6
13:55-14:00 HOUR	50.4	48.3
14:00-14:05 HOUR	49.9	48.0
14:05-14:10 HOUR	49.7	48.0
14:10-14:15 HOUR	46.5	44.6
14:15-14:20 HOUR	47.8	45.8
14:20-14:25 HOUR	48.2	46.0
14:25-14:30 HOUR	45.4	43.9
14:30-14:35 HOUR	49.7	47.8
14:35-14:40 HOUR	50.6	48.3
14:40-14:45 HOUR	49.3	47.6
14:45-14:50 HOUR	49.4	47.6
14:50-14:55 HOUR	48.8	47.2
14:55-15:00 HOUR	48.8	47.0
15:00-15:05 HOUR	50.6	48.6
15:05-15:10 HOUR	49.1	47.2
15:10-15:15 HOUR	47.7	45.7
15:15-15:20 HOUR	49.7	47.6
15:20-15:25 HOUR	46.9	44.7
15:25-15:30 HOUR	47.8	46.0

\* PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
 \* THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.



TIME*	RESULT dB(A)	
	วันที่รายงานผลการวิเคราะห์ (NS)	
	DECEMBER 2-3, 2023	
	L <sub>avg</sub> 5 min	L <sub>avg</sub> 5 min
15:30-15:35 HOUR	46.0	44.1
15:35-15:40 HOUR	48.8	46.6
15:40-15:45 HOUR	48.4	46.5
15:45-15:50 HOUR	48.4	46.8
15:50-15:55 HOUR	50.3	48.1
15:55-16:00 HOUR	47.0	45.2
16:00-16:05 HOUR	46.6	43.7
16:05-16:10 HOUR	47.3	45.2
16:10-16:15 HOUR	47.9	46.3
16:15-16:20 HOUR	47.4	45.2
16:20-16:25 HOUR	45.7	43.6
16:25-16:30 HOUR	49.2	47.3
16:30-16:35 HOUR	47.8	45.8
16:35-16:40 HOUR	50.2	48.2
16:40-16:45 HOUR	50.5	48.7
16:45-16:50 HOUR	49.3	47.1
16:50-16:55 HOUR	48.6	46.3
16:55-17:00 HOUR	48.7	46.6
17:00-17:05 HOUR	49.8	48.0
17:05-17:10 HOUR	47.4	45.4
17:10-17:15 HOUR	48.3	46.5
17:15-17:20 HOUR	49.5	47.6
17:20-17:25 HOUR	49.3	47.0
17:25-17:30 HOUR	50.6	49.1
17:30-17:35 HOUR	57.0	55.5
17:35-17:40 HOUR	51.5	49.4
17:40-17:45 HOUR	49.1	47.1
17:45-17:50 HOUR	50.5	48.5
17:50-17:55 HOUR	49.7	47.8
17:55-18:00 HOUR	50.0	48.1
18:00-18:05 HOUR	57.2	55.5
18:05-18:10 HOUR	49.3	47.4
18:10-18:15 HOUR	50.9	48.5
18:15-18:20 HOUR	48.3	46.2
18:20-18:25 HOUR	49.0	46.8
18:25-18:30 HOUR	48.4	46.8
18:30-18:35 HOUR	50.3	48.4
18:35-18:40 HOUR	50.6	49.1
18:40-18:45 HOUR	49.2	47.1
18:45-18:50 HOUR	49.5	47.9
18:50-18:55 HOUR	50.2	48.3
18:55-19:00 HOUR	50.2	48.2
19:00-19:05 HOUR	49.5	47.5
19:05-19:10 HOUR	51.2	49.0
19:10-19:15 HOUR	52.2	50.2
19:15-19:20 HOUR	52.0	49.7
19:20-19:25 HOUR	50.6	48.3
19:25-19:30 HOUR	51.3	48.8
19:30-19:35 HOUR	52.6	50.2
19:35-19:40 HOUR	54.9	52.6
19:40-19:45 HOUR	52.6	51.0

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

NO NOISES DETECTED  
NO NOISES DETECTED  
BY 18 GROUP (THAILAND) CO., LTD.

21/42

2023-U107814

TIME*	RESULT dB(A)	
	วันที่รายงานผลการวิเคราะห์ (NS)	
	DECEMBER 2-3, 2023	
	L <sub>avg</sub> 5 min	L <sub>avg</sub> 5 min
19:45-19:50 HOUR	52.2	50.2
19:50-19:55 HOUR	50.6	48.7
19:55-20:00 HOUR	50.4	48.5
20:00-20:05 HOUR	49.9	48.1
20:05-20:10 HOUR	51.2	49.2
20:10-20:15 HOUR	51.1	48.6
20:15-20:20 HOUR	53.4	51.4
20:20-20:25 HOUR	51.3	49.3
20:25-20:30 HOUR	53.3	51.7
20:30-20:35 HOUR	54.1	51.8
20:35-20:40 HOUR	52.5	50.8
20:40-20:45 HOUR	52.9	51.4
20:45-20:50 HOUR	51.8	50.0
20:50-20:55 HOUR	49.9	48.3
20:55-21:00 HOUR	50.2	47.8
21:00-21:05 HOUR	52.5	50.5
21:05-21:10 HOUR	51.8	50.6
21:10-21:15 HOUR	51.5	50.1
21:15-21:20 HOUR	51.0	49.6
21:20-21:25 HOUR	51.7	49.0
21:25-21:30 HOUR	50.5	49.7
21:30-21:35 HOUR	51.2	48.4
21:35-21:40 HOUR	50.1	49.2
21:40-21:45 HOUR	50.4	48.1
21:45-21:50 HOUR	50.1	47.9
21:50-21:55 HOUR	51.8	48.7
21:55-22:00 HOUR	50.0	49.5
22:00-22:05 HOUR	50.4	48.1
22:05-22:10 HOUR	48.6	48.5
22:10-22:15 HOUR	47.2	46.7
22:15-22:20 HOUR	47.1	45.2
22:20-22:25 HOUR	46.0	45.1
22:25-22:30 HOUR	47.6	44.1
22:30-22:35 HOUR	46.2	45.5
22:35-22:40 HOUR	46.1	44.3
22:40-22:45 HOUR	47.7	44.3
22:45-22:50 HOUR	46.6	45.9
22:50-22:55 HOUR	49.2	44.7
23:00-23:05 HOUR	48.3	47.6
23:05-23:10 HOUR	49.8	46.3
23:10-23:15 HOUR	46.9	47.7
23:15-23:20 HOUR	48.4	45.1
23:20-23:25 HOUR	49.5	47.6
23:25-23:30 HOUR	46.3	47.9
23:30-23:35 HOUR	50.5	44.6
23:35-23:40 HOUR	50.9	48.5
23:40-23:45 HOUR	49.7	48.9
23:45-23:50 HOUR	46.2	47.4
23:50-23:55 HOUR	46.3	44.4
23:55-00:00 HOUR	46.0	44.0

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

NO NOISES DETECTED  
NO NOISES DETECTED  
BY 18 GROUP (THAILAND) CO., LTD.

22/42

2023-U107814



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangchak, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax 0 2763 2800 www.laeconsultant.com E-mail: uae@laeconsultant.com

TIME*	RESULT dB(A)	
	สำหรับโรงงานด้านทิศตะวันออก (N5)	
	DECEMBER 2-3, 2023	
	L <sub>eq</sub> 5 min	L <sub>eq</sub> 5 min
00:00-00:05 HOUR	46.7	44.8
00:05-00:10 HOUR	47.7	45.9
00:10-00:15 HOUR	46.8	44.6
00:15-00:20 HOUR	47.8	45.5
00:20-00:25 HOUR	46.8	44.9
00:25-00:30 HOUR	46.3	44.1
00:30-00:35 HOUR	46.1	44.4
00:35-00:40 HOUR	46.5	44.4
00:40-00:45 HOUR	46.3	44.3
00:45-00:50 HOUR	48.0	46.0
00:50-00:55 HOUR	46.2	44.1
00:55-01:00 HOUR	47.4	45.7
01:00-01:05 HOUR	48.1	44.6
01:05-01:10 HOUR	47.9	46.1
01:10-01:15 HOUR	48.1	46.4
01:15-01:20 HOUR	46.3	44.2
01:20-01:25 HOUR	47.4	45.4
01:25-01:30 HOUR	47.1	45.1
01:30-01:35 HOUR	46.5	44.7
01:35-01:40 HOUR	46.0	44.0
01:40-01:45 HOUR	48.0	46.2
01:45-01:50 HOUR	48.1	46.2
01:50-01:55 HOUR	47.3	45.4
01:55-02:00 HOUR	46.1	44.1
02:00-02:05 HOUR	48.0	44.2
02:05-02:10 HOUR	47.8	46.6
02:10-02:15 HOUR	47.4	45.7
02:15-02:20 HOUR	47.4	45.7
02:20-02:25 HOUR	48.1	46.4
02:25-02:30 HOUR	46.3	44.1
02:30-02:35 HOUR	47.7	46.0
02:35-02:40 HOUR	47.6	45.7
02:40-02:45 HOUR	47.4	45.3
02:45-02:50 HOUR	47.1	45.3
02:50-02:55 HOUR	46.4	44.4
02:55-03:00 HOUR	47.2	44.9
03:00-03:05 HOUR	46.9	45.0
03:05-03:10 HOUR	47.4	45.7
03:10-03:15 HOUR	46.4	44.5
03:15-03:20 HOUR	47.4	45.7
03:20-03:25 HOUR	46.6	44.4
03:25-03:30 HOUR	47.0	45.1
03:30-03:35 HOUR	47.5	45.7
03:35-03:40 HOUR	46.0	44.1
03:40-03:45 HOUR	46.2	44.6
03:45-03:50 HOUR	45.8	44.4
03:50-03:55 HOUR	46.7	44.4
03:55-04:00 HOUR	46.7	44.7
04:00-04:05 HOUR	46.4	44.4
04:05-04:10 HOUR	46.1	44.2
04:10-04:15 HOUR	46.3	43.8

ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY SGS GROUP (THAILAND) CO., LTD.

PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

23/42

2023-U107814



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangchak, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax 0 2763 2800 www.laeconsultant.com E-mail: uae@laeconsultant.com

TIME*	RESULT dB(A)	
	สำหรับโรงงานด้านทิศตะวันตก (N5)	
	DECEMBER 2-3, 2023	
	L <sub>eq</sub> 5 min	L <sub>eq</sub> 5 min
04:15-04:20 HOUR	46.2	44.5
04:20-04:25 HOUR	46.4	44.8
04:25-04:30 HOUR	46.0	44.3
04:30-04:35 HOUR	46.3	44.4
04:35-04:40 HOUR	46.1	43.6
04:40-04:45 HOUR	47.1	45.7
04:45-04:50 HOUR	47.1	45.1
04:50-04:55 HOUR	46.0	44.0
04:55-05:00 HOUR	47.5	45.5
05:00-05:05 HOUR	46.6	44.6
05:05-05:10 HOUR	47.2	45.7
05:10-05:15 HOUR	46.5	44.5
05:15-05:20 HOUR	47.3	44.5
05:20-05:25 HOUR	46.8	44.7
05:25-05:30 HOUR	46.3	44.3
05:30-05:35 HOUR	46.8	44.8
05:35-05:40 HOUR	45.9	44.4
05:40-05:45 HOUR	47.2	45.1
05:45-05:50 HOUR	46.3	44.2
05:50-05:55 HOUR	46.5	44.5
05:55-06:00 HOUR	47.6	45.5
06:00-06:05 HOUR	50.5	48.5
06:05-06:10 HOUR	51.7	49.6
06:10-06:15 HOUR	50.9	49.0
06:15-06:20 HOUR	53.0	51.3
06:20-06:25 HOUR	51.4	49.4
06:25-06:30 HOUR	51.7	50.2
06:30-06:35 HOUR	52.7	50.7
06:35-06:40 HOUR	51.7	49.7
06:40-06:45 HOUR	52.9	51.2
06:45-06:50 HOUR	52.7	50.7
06:50-06:55 HOUR	51.1	49.3
06:55-07:00 HOUR	52.6	50.2

ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY SGS GROUP (THAILAND) CO., LTD.

PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

24/42

2023-U107814



United Analyst and Engineering Consultant Co., Ltd.  
350 Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaeconsultant.com E-mail: uaec@uaeconsultant.com

TIME#	RESULT dB(A)	
	วันที่วิเคราะห์ข้อมูล (N5) DECEMBER 3-4, 2023 T23AY522-0033	
	L <sub>Aeq</sub> 5 min	L <sub>A90</sub> 5 min
07:00-07:05 HOUR	53.6	51.4
07:05-07:10 HOUR	54.1	51.9
07:10-07:15 HOUR	54.1	52.5
07:15-07:20 HOUR	53.9	52.1
07:20-07:25 HOUR	55.2	53.3
07:25-07:30 HOUR	54.3	52.0
07:30-07:35 HOUR	55.8	53.5
07:35-07:40 HOUR	54.4	52.4
07:40-07:45 HOUR	55.0	53.0
07:45-07:50 HOUR	53.6	51.8
07:50-07:55 HOUR	53.1	51.7
07:55-08:00 HOUR	52.5	50.5
08:00-08:05 HOUR	52.0	50.2
08:05-08:10 HOUR	54.4	52.1
08:10-08:15 HOUR	54.9	53.2
08:15-08:20 HOUR	54.8	52.8
08:20-08:25 HOUR	54.6	52.6
08:25-08:30 HOUR	54.3	52.3
08:30-08:35 HOUR	55.3	53.7
08:35-08:40 HOUR	54.0	52.2
08:40-08:45 HOUR	55.5	53.6
08:45-08:50 HOUR	55.0	52.7
08:50-08:55 HOUR	55.0	52.9
08:55-09:00 HOUR	55.6	53.6
09:00-09:05 HOUR	58.0	56.4
09:05-09:10 HOUR	56.7	55.0
09:10-09:15 HOUR	58.1	56.4
09:15-09:20 HOUR	52.3	50.4
09:20-09:25 HOUR	50.6	48.5
09:25-09:30 HOUR	53.0	51.5
09:30-09:35 HOUR	50.2	48.1
09:35-09:40 HOUR	50.2	48.1
09:40-09:45 HOUR	49.4	47.0
09:45-09:50 HOUR	50.7	48.9
09:50-09:55 HOUR	49.4	47.6
09:55-10:00 HOUR	49.5	47.8
10:00-10:05 HOUR	50.5	48.4
10:05-10:10 HOUR	50.2	48.1
10:10-10:15 HOUR	49.4	47.6
10:15-10:20 HOUR	51.6	49.4
10:20-10:25 HOUR	51.0	48.5
10:25-10:30 HOUR	50.2	48.5
10:30-10:35 HOUR	53.8	51.3
10:35-10:40 HOUR	56.4	54.6
10:40-10:45 HOUR	56.8	54.4
10:45-10:50 HOUR	57.4	55.4
10:50-10:55 HOUR	58.9	56.8
10:55-11:00 HOUR	61.2	59.3
11:00-11:05 HOUR	60.8	58.4
11:05-11:10 HOUR	59.8	57.6
11:10-11:15 HOUR	58.6	57.0

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

NO EXCESS CANNOT  
DO MODIFICATION  
BY THE GROUP (PHILIPIN) COUNT

25/42

2023-U107814



United Analyst and Engineering Consultant Co., Ltd.  
350 Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaeconsultant.com E-mail: uaec@uaeconsultant.com

TIME#	RESULT dB(A)	
	วันที่วิเคราะห์ข้อมูล (N5) DECEMBER 3-4, 2023 T23AY522-0033	
	L <sub>Aeq</sub> 5 min	L <sub>A90</sub> 5 min
11:15-11:20 HOUR	56.6	54.9
11:20-11:25 HOUR	58.0	56.1
11:25-11:30 HOUR	56.9	54.9
11:30-11:35 HOUR	56.4	54.8
11:35-11:40 HOUR	57.2	55.0
11:40-11:45 HOUR	56.1	54.0
11:45-11:50 HOUR	55.8	54.0
11:50-11:55 HOUR	54.9	53.0
11:55-12:00 HOUR	55.6	54.1
12:00-12:05 HOUR	54.2	52.4
12:05-12:10 HOUR	54.5	52.7
12:10-12:15 HOUR	53.9	51.8
12:15-12:20 HOUR	53.3	51.1
12:20-12:25 HOUR	54.4	52.4
12:25-12:30 HOUR	53.0	50.9
12:30-12:35 HOUR	53.8	52.1
12:35-12:40 HOUR	53.4	51.1
12:40-12:45 HOUR	53.9	52.1
12:45-12:50 HOUR	53.0	50.6
12:50-12:55 HOUR	52.8	50.9
12:55-13:00 HOUR	53.5	51.4
13:00-13:05 HOUR	54.5	52.0
13:05-13:10 HOUR	54.4	52.0
13:10-13:15 HOUR	55.0	53.3
13:15-13:20 HOUR	54.4	52.3
13:20-13:25 HOUR	54.3	52.3
13:25-13:30 HOUR	56.0	54.4
13:30-13:35 HOUR	55.0	53.1
13:35-13:40 HOUR	55.6	53.6
13:40-13:45 HOUR	57.0	55.3
13:45-13:50 HOUR	57.1	54.8
13:50-13:55 HOUR	58.3	56.3
13:55-14:00 HOUR	56.8	54.8
14:00-14:05 HOUR	58.2	56.3
14:05-14:10 HOUR	56.2	54.3
14:10-14:15 HOUR	57.9	56.3
14:15-14:20 HOUR	56.8	55.3
14:20-14:25 HOUR	57.7	56.0
14:25-14:30 HOUR	56.4	54.5
14:30-14:35 HOUR	57.9	55.7
14:35-14:40 HOUR	57.6	55.8
14:40-14:45 HOUR	59.1	57.1
14:45-14:50 HOUR	58.0	56.2
14:50-14:55 HOUR	57.0	54.9
14:55-15:00 HOUR	57.3	55.1
15:00-15:05 HOUR	56.5	54.6
15:05-15:10 HOUR	56.5	54.6
15:10-15:15 HOUR	56.3	54.3
15:15-15:20 HOUR	55.9	53.9
15:20-15:25 HOUR	56.9	55.1
15:25-15:30 HOUR	56.6	54.6

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

NO EXCESS CANNOT  
DO MODIFICATION  
BY THE GROUP (PHILIPIN) COUNT

26/42

2023-U107814



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangchak, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaec consultant.com E-mail: uaec@uaec consultant.com

RESULT dB(A)		TIME*	ผลการตรวจวัดระดับเสียง (NS)		L <sub>Aeq</sub> 5 min
T23AY522-0033			DECEMBER 3-4, 2023		
15:30-15:35 HOUR	55.9	54.0			
15:35-15:40 HOUR	56.8	54.9			
15:40-15:45 HOUR	58.4	56.5			
15:45-15:50 HOUR	60.2	58.1			
15:50-15:55 HOUR	58.7	56.9			
15:55-16:00 HOUR	58.4	56.6			
16:00-16:05 HOUR	56.6	55.0			
16:05-16:10 HOUR	56.3	54.5			
16:10-16:15 HOUR	61.4	59.8			
16:15-16:20 HOUR	62.3	60.6			
16:20-16:25 HOUR	63.1	61.1			
16:25-16:30 HOUR	60.3	57.8			
16:30-16:35 HOUR	57.1	55.4			
16:35-16:40 HOUR	55.9	53.6			
16:40-16:45 HOUR	55.2	52.9			
16:45-16:50 HOUR	52.9	51.5			
16:50-16:55 HOUR	52.0	50.3			
16:55-17:00 HOUR	50.8	48.6			
17:00-17:05 HOUR	52.2	50.2			
17:05-17:10 HOUR	52.2	50.2			
17:10-17:15 HOUR	53.2	51.6			
17:15-17:20 HOUR	51.8	49.5			
17:20-17:25 HOUR	52.6	50.6			
17:25-17:30 HOUR	52.0	49.7			
17:30-17:35 HOUR	52.5	51.0			
17:35-17:40 HOUR	51.5	49.7			
17:40-17:45 HOUR	51.7	50.3			
17:45-17:50 HOUR	52.1	50.1			
17:50-17:55 HOUR	51.7	49.3			
17:55-18:00 HOUR	51.7	50.2			
18:00-18:05 HOUR	50.9	49.3			
18:05-18:10 HOUR	52.4	50.6			
18:10-18:15 HOUR	51.9	49.9			
18:15-18:20 HOUR	52.7	51.3			
18:20-18:25 HOUR	51.3	49.6			
18:25-18:30 HOUR	51.2	49.1			
18:30-18:35 HOUR	52.1	50.4			
18:35-18:40 HOUR	52.3	50.3			
18:40-18:45 HOUR	53.3	51.6			
18:45-18:50 HOUR	51.9	49.7			
18:50-18:55 HOUR	52.3	50.7			
18:55-19:00 HOUR	51.6	49.8			
19:00-19:05 HOUR	50.6	48.8			
19:05-19:10 HOUR	51.3	49.7			
19:10-19:15 HOUR	50.7	48.7			
19:15-19:20 HOUR	51.3	49.6			
19:20-19:25 HOUR	52.4	50.8			
19:25-19:30 HOUR	52.7	50.8			
19:30-19:35 HOUR	53.2	51.2			
19:35-19:40 HOUR	52.3	50.2			
19:40-19:45 HOUR	52.8	50.7			

ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY SGS GROUP (THAILAND) CO., LTD.

27/42

2023-U107814

PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangchak, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaec consultant.com E-mail: uaec@uaec consultant.com

RESULT dB(A)			TIME*	ผลการตรวจวัดระดับเสียง (NS)		
T23AY522-0033				DECEMBER 3-4, 2023		
	L <sub>Aeq</sub> 5 min	L <sub>A90</sub> 5 min				
19:45-19:50 HOUR	53.6	51.4				
19:50-19:55 HOUR	55.1	53.1				
19:55-20:00 HOUR	50.9	49.2				
20:00-20:05 HOUR	51.6	49.9				
20:05-20:10 HOUR	53.8	51.3				
20:10-20:15 HOUR	56.6	54.4				
20:15-20:20 HOUR	56.7	54.8				
20:20-20:25 HOUR	57.5	55.8				
20:25-20:30 HOUR	58.8	57.0				
20:30-20:35 HOUR	58.1	56.0				
20:35-20:40 HOUR	58.4	56.5				
20:40-20:45 HOUR	58.6	56.1				
20:45-20:50 HOUR	58.0	55.0				
20:50-20:55 HOUR	57.4	54.6				
20:55-21:00 HOUR	56.9	54.7				
21:00-21:05 HOUR	56.3	53.5				
21:05-21:10 HOUR	55.8	53.5				
21:10-21:15 HOUR	56.0	54.3				
21:15-21:20 HOUR	55.9	53.9				
21:20-21:25 HOUR	55.4	53.6				
21:25-21:30 HOUR	55.1	53.1				
21:30-21:35 HOUR	55.9	54.0				
21:35-21:40 HOUR	55.8	53.7				
21:40-21:45 HOUR	56.5	54.2				
21:45-21:50 HOUR	55.5	53.4				
21:50-21:55 HOUR	56.4	54.4				
21:55-22:00 HOUR	55.5	53.4				
22:00-22:05 HOUR	52.3	50.5				
22:05-22:10 HOUR	52.6	51.1				
22:10-22:15 HOUR	52.1	50.5				
22:15-22:20 HOUR	52.6	50.6				
22:20-22:25 HOUR	52.6	50.8				
22:25-22:30 HOUR	52.8	50.4				
22:30-22:35 HOUR	50.9	49.1				
22:35-22:40 HOUR	51.1	49.4				
22:40-22:45 HOUR	50.9	48.7				
22:45-22:50 HOUR	51.5	49.7				
22:50-22:55 HOUR	52.8	50.6				
22:55-23:00 HOUR	52.5	50.7				
23:00-23:05 HOUR	50.9	48.9				
23:05-23:10 HOUR	52.4	50.4				
23:10-23:15 HOUR	52.4	50.6				
23:15-23:20 HOUR	51.9	50.4				
23:20-23:25 HOUR	51.0	49.4				
23:25-23:30 HOUR	53.0	50.8				
23:30-23:35 HOUR	53.0	50.9				
23:35-23:40 HOUR	53.0	51.2				
23:40-23:45 HOUR	51.3	49.9				
23:45-23:50 HOUR	52.9	50.9				
23:50-23:55 HOUR	51.3	49.7				
23:55-00:00 HOUR	51.7	49.6				

ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY SGS GROUP (THAILAND) CO., LTD.

28/42

2023-U107814

PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.



United Analyst and Engineering Consultant Co., Ltd.  
3 Sol Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.02763 2828 Fax 02763 2800 www.uaeconsultant.com E-mail:uae@uaeconsultant.com

ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY KAS GROUP (THAILAND) CO., LTD.

TIME#	RESULT dB(A)	
	ค่าเฉลี่ยตามตำแหน่ง (NS)	ค่าเฉลี่ยตามตำแหน่ง (NS)
	DECEMBER 3-4, 2023	DECEMBER 3-4, 2023
	T23AY522-0033	T23AY522-0033
	L <sub>Aeq</sub> 5 min	L <sub>Aeq</sub> 5 min
00:00-00:05 HOUR	51.4	49.2
00:05-00:10 HOUR	52.8	51.2
00:10-00:15 HOUR	50.7	48.5
00:15-00:20 HOUR	52.7	50.6
00:20-00:25 HOUR	52.8	50.8
00:25-00:30 HOUR	51.6	49.8
00:30-00:35 HOUR	50.9	48.7
00:35-00:40 HOUR	52.9	51.1
00:40-00:45 HOUR	52.6	50.3
00:45-00:50 HOUR	51.6	49.5
00:50-00:55 HOUR	51.3	49.8
00:55-01:00 HOUR	52.7	50.7
01:00-01:05 HOUR	52.2	50.2
01:05-01:10 HOUR	51.9	50.4
01:10-01:15 HOUR	52.0	50.2
01:15-01:20 HOUR	51.9	49.7
01:20-01:25 HOUR	51.8	50.4
01:25-01:30 HOUR	51.7	50.0
01:30-01:35 HOUR	51.8	50.0
01:35-01:40 HOUR	51.0	49.5
01:40-01:45 HOUR	52.7	50.5
01:45-01:50 HOUR	53.0	51.2
01:50-01:55 HOUR	52.8	50.8
01:55-02:00 HOUR	52.0	49.6
02:00-02:05 HOUR	51.8	49.8
02:05-02:10 HOUR	51.3	49.4
02:10-02:15 HOUR	51.4	49.6
02:15-02:20 HOUR	52.7	51.0
02:20-02:25 HOUR	52.8	50.9
02:25-02:30 HOUR	52.4	50.4
02:30-02:35 HOUR	51.3	49.5
02:35-02:40 HOUR	51.8	49.8
02:40-02:45 HOUR	51.4	49.8
02:45-02:50 HOUR	51.8	50.2
02:50-02:55 HOUR	50.9	48.7
02:55-03:00 HOUR	50.5	48.2
03:00-03:05 HOUR	51.2	49.0
03:05-03:10 HOUR	49.9	48.2
03:10-03:15 HOUR	50.4	48.3
03:15-03:20 HOUR	50.4	48.4
03:20-03:25 HOUR	50.4	48.9
03:25-03:30 HOUR	49.7	48.1
03:30-03:35 HOUR	50.1	47.7
03:35-03:40 HOUR	51.2	48.8
03:40-03:45 HOUR	50.8	48.7
03:45-03:50 HOUR	50.7	49.1
03:50-03:55 HOUR	51.1	48.9
03:55-04:00 HOUR	50.3	48.3
04:00-04:05 HOUR	51.1	49.2
04:05-04:10 HOUR	50.8	49.3
04:10-04:15 HOUR	50.1	48.0

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

29/42

2023-U107814

ISO 9001:2015 CERTIFIED

ISO 14001:2015 CERTIFIED

BY KAS GROUP (THAILAND) CO., LTD.



United Analyst and Engineering Consultant Co., Ltd.  
3 Sol Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.02763 2828 Fax 02763 2800 www.uaeconsultant.com E-mail:uae@uaeconsultant.com

ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY KAS GROUP (THAILAND) CO., LTD.

TIME#	RESULT dB(A)	
	ค่าเฉลี่ยตามตำแหน่ง (NS)	ค่าเฉลี่ยตามตำแหน่ง (NS)
	DECEMBER 3-4, 2023	DECEMBER 3-4, 2023
	T23AY522-0033	T23AY522-0033
	L <sub>Aeq</sub> 5 min	L <sub>Aeq</sub> 5 min
04:15-04:20 HOUR	50.1	47.9
04:20-04:25 HOUR	50.1	48.3
04:25-04:30 HOUR	51.2	49.0
04:30-04:35 HOUR	50.1	48.1
04:35-04:40 HOUR	52.0	49.8
04:40-04:45 HOUR	51.5	49.2
04:45-04:50 HOUR	50.8	48.6
04:50-04:55 HOUR	51.8	49.8
04:55-05:00 HOUR	50.5	48.3
05:00-05:05 HOUR	52.2	50.5
05:05-05:10 HOUR	52.1	50.2
05:10-05:15 HOUR	51.9	50.3
05:15-05:20 HOUR	51.9	50.3
05:20-05:25 HOUR	51.7	50.1
05:25-05:30 HOUR	51.7	49.4
05:30-05:35 HOUR	51.4	49.5
05:35-05:40 HOUR	51.6	49.7
05:40-05:45 HOUR	50.6	48.3
05:45-05:50 HOUR	50.4	48.4
05:50-05:55 HOUR	51.6	49.6
05:55-06:00 HOUR	51.9	50.3
06:00-06:05 HOUR	46.6	44.5
06:05-06:10 HOUR	50.3	48.8
06:10-06:15 HOUR	49.3	47.4
06:15-06:20 HOUR	49.6	47.6
06:20-06:25 HOUR	50.7	48.2
06:25-06:30 HOUR	49.6	47.8
06:30-06:35 HOUR	50.8	49.0
06:35-06:40 HOUR	52.4	50.4
06:40-06:45 HOUR	50.9	49.0
06:45-06:50 HOUR	52.8	50.9
06:50-06:55 HOUR	52.4	50.5
06:55-07:00 HOUR	50.9	48.5

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

30/42

2023-U107814



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaeconsultant.com E-mail: uae@uaeconsultant.com

TIME*	RESULT dB(A)	
	ผลการตรวจวัดเสียงรบกวน (N5) DECEMBER 4-5, 2023 T23AY522-0034	
	L <sub>avg</sub> 5 min	L <sub>avg</sub> 5 min
07:00-07:05 HOUR	55.9	54.2
07:05-07:10 HOUR	55.7	53.7
07:10-07:15 HOUR	55.1	52.9
07:15-07:20 HOUR	54.8	53.1
07:20-07:25 HOUR	54.3	54.3
07:25-07:30 HOUR	55.6	53.6
07:30-07:35 HOUR	56.0	54.3
07:35-07:40 HOUR	56.1	54.4
07:40-07:45 HOUR	57.5	55.2
07:45-07:50 HOUR	55.5	53.2
07:50-07:55 HOUR	54.2	52.1
07:55-08:00 HOUR	54.2	52.7
08:00-08:05 HOUR	54.3	52.3
08:05-08:10 HOUR	53.5	51.4
08:10-08:15 HOUR	55.0	52.9
08:15-08:20 HOUR	55.3	53.2
08:20-08:25 HOUR	55.3	53.8
08:25-08:30 HOUR	56.2	53.9
08:30-08:35 HOUR	55.8	54.1
08:35-08:40 HOUR	57.5	55.9
08:40-08:45 HOUR	56.4	54.2
08:45-08:50 HOUR	55.8	54.0
08:50-08:55 HOUR	56.9	54.4
08:55-09:00 HOUR	55.2	53.3
09:00-09:05 HOUR	56.8	54.7
09:05-09:10 HOUR	55.9	53.7
09:10-09:15 HOUR	54.8	53.3
09:15-09:20 HOUR	57.1	55.4
09:20-09:25 HOUR	52.2	50.3
09:25-09:30 HOUR	52.5	50.6
09:30-09:35 HOUR	51.1	49.0
09:35-09:40 HOUR	54.7	52.7
09:40-09:45 HOUR	56.3	54.1
09:45-09:50 HOUR	56.3	53.8
09:50-09:55 HOUR	56.9	55.1
09:55-10:00 HOUR	59.3	57.6
10:00-10:05 HOUR	58.7	56.4
10:05-10:10 HOUR	57.6	55.6
10:10-10:15 HOUR	56.8	55.1
10:15-10:20 HOUR	56.3	54.6
10:20-10:25 HOUR	55.7	53.9
10:25-10:30 HOUR	56.7	54.7
10:30-10:35 HOUR	55.1	52.8
10:35-10:40 HOUR	56.4	54.5
10:40-10:45 HOUR	56.0	54.3
10:45-10:50 HOUR	55.9	53.9
10:50-10:55 HOUR	55.9	54.2
10:55-11:00 HOUR	55.3	53.4
11:00-11:05 HOUR	55.2	53.6
11:05-11:10 HOUR	55.4	53.2
11:10-11:15 HOUR	54.8	53.0

ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY SGS GROUP (THAILAND) CO., LTD.

31/42

2023-U107814

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaeconsultant.com E-mail: uae@uaeconsultant.com

TIME*	RESULT dB(A)	
	ผลการตรวจวัดเสียงรบกวน (N5) DECEMBER 4-5, 2023 T23AY522-0034	
	L <sub>avg</sub> 5 min	L <sub>avg</sub> 5 min
11:15-11:20 HOUR	55.9	54.5
11:20-11:25 HOUR	54.4	52.4
11:25-11:30 HOUR	55.6	53.5
11:30-11:35 HOUR	54.1	52.1
11:35-11:40 HOUR	54.4	52.7
11:40-11:45 HOUR	55.0	52.9
11:45-11:50 HOUR	54.7	52.9
11:50-11:55 HOUR	54.9	52.8
11:55-12:00 HOUR	54.4	52.4
12:00-12:05 HOUR	56.9	55.3
12:05-12:10 HOUR	57.9	55.7
12:10-12:15 HOUR	56.3	54.1
12:15-12:20 HOUR	57.0	54.9
12:20-12:25 HOUR	54.2	52.2
12:25-12:30 HOUR	52.9	51.4
12:30-12:35 HOUR	53.9	51.9
12:35-12:40 HOUR	53.3	51.1
12:40-12:45 HOUR	54.2	52.3
12:45-12:50 HOUR	53.5	51.8
12:50-12:55 HOUR	53.7	51.6
12:55-13:00 HOUR	53.4	51.3
13:00-13:05 HOUR	53.1	51.3
13:05-13:10 HOUR	54.3	52.6
13:10-13:15 HOUR	53.8	51.7
13:15-13:20 HOUR	54.5	52.1
13:20-13:25 HOUR	55.1	53.1
13:25-13:30 HOUR	55.4	53.6
13:30-13:35 HOUR	54.0	51.8
13:35-13:40 HOUR	54.5	53.1
13:40-13:45 HOUR	55.8	53.7
13:45-13:50 HOUR	57.0	54.9
13:50-13:55 HOUR	55.9	54.0
13:55-14:00 HOUR	56.1	54.1
14:00-14:05 HOUR	56.0	54.0
14:05-14:10 HOUR	55.4	53.8
14:10-14:15 HOUR	54.7	52.5
14:15-14:20 HOUR	54.9	52.8
14:20-14:25 HOUR	55.2	53.3
14:25-14:30 HOUR	55.4	53.5
14:30-14:35 HOUR	54.6	52.6
14:35-14:40 HOUR	56.2	54.3
14:40-14:45 HOUR	57.1	55.1
14:45-14:50 HOUR	56.9	54.7
14:50-14:55 HOUR	56.4	54.2
14:55-15:00 HOUR	56.4	54.6
15:00-15:05 HOUR	54.9	53.1
15:05-15:10 HOUR	55.7	53.7
15:10-15:15 HOUR	56.8	55.4
15:15-15:20 HOUR	56.6	54.7
15:20-15:25 HOUR	56.8	54.6
15:25-15:30 HOUR	57.1	55.2

ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY SGS GROUP (THAILAND) CO., LTD.

32/42

2023-U107814

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.





United Analyst and Engineering Consultant Co., Ltd.  
3 Sol Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax 0 2763 2800 www.uaeconsultant.com E-mail:uae@uaeconsultant.com

UNITED ANALYST AND ENGINEERING CONSULTANT CO., LTD.  
3 SOL UDOMSUK 41, SUKHUMVIT ROAD, BANGKOK, PHRAKHANONG, BANGKOK 10260  
TEL. 0 2763 2828 FAX 0 2763 2800 WWW.UAECONSULTANT.COM E-MAIL: UAE@UAECONSULTANT.COM

TIME*	RESULT dB(A)	
	Result dB(A) (NS)	Result dB(A) (NS)
DECEMBER 4-5, 2023		
T23AY522-0034		
15:30-15:35 HOUR	54.8	54.8
15:35-15:40 HOUR	56.9	54.2
15:40-15:45 HOUR	56.2	54.2
15:45-15:50 HOUR	58.3	56.3
15:50-15:55 HOUR	57.6	55.6
15:55-16:00 HOUR	56.6	54.3
16:00-16:05 HOUR	56.5	54.5
16:05-16:10 HOUR	58.6	56.6
16:10-16:15 HOUR	56.3	54.3
16:15-16:20 HOUR	56.1	54.1
16:20-16:25 HOUR	58.8	57.1
16:25-16:30 HOUR	59.0	57.6
16:30-16:35 HOUR	56.7	54.7
16:35-16:40 HOUR	58.8	56.5
16:40-16:45 HOUR	55.7	53.7
16:45-16:50 HOUR	56.1	54.4
16:50-16:55 HOUR	57.1	55.5
16:55-17:00 HOUR	58.5	53.5
17:00-17:05 HOUR	55.9	53.9
17:05-17:10 HOUR	55.4	54.0
17:10-17:15 HOUR	58.2	54.5
17:15-17:20 HOUR	56.5	54.9
17:20-17:25 HOUR	55.7	53.7
17:25-17:30 HOUR	55.5	53.7
17:30-17:35 HOUR	54.7	52.8
17:35-17:40 HOUR	55.8	53.9
17:40-17:45 HOUR	56.4	54.4
17:45-17:50 HOUR	55.4	53.3
17:50-17:55 HOUR	56.2	54.5
17:55-18:00 HOUR	56.3	54.4
18:00-18:05 HOUR	55.7	53.5
18:05-18:10 HOUR	57.0	54.8
18:10-18:15 HOUR	58.1	56.0
18:15-18:20 HOUR	56.5	54.8
18:20-18:25 HOUR	56.4	54.6
18:25-18:30 HOUR	57.7	55.5
18:30-18:35 HOUR	57.7	56.2
18:35-18:40 HOUR	57.6	55.7
18:40-18:45 HOUR	56.4	54.1
18:45-18:50 HOUR	56.2	54.0
18:50-18:55 HOUR	55.7	53.4
18:55-19:00 HOUR	55.5	53.5
19:00-19:05 HOUR	57.0	54.8
19:05-19:10 HOUR	56.4	54.4
19:10-19:15 HOUR	55.7	53.3
19:15-19:20 HOUR	56.4	54.1
19:20-19:25 HOUR	55.9	53.9
19:25-19:30 HOUR	55.6	53.6
19:30-19:35 HOUR	56.9	55.1
19:35-19:40 HOUR	58.0	56.1
19:40-19:45 HOUR	57.2	55.7
19:45-19:50 HOUR	57.0	55.5

NO NOISES CAPTURED  
NO NOISES CAPTURED  
BY ALL GROUP (THAILAND) COLTS.

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

33/42

2023-U107814



United Analyst and Engineering Consultant Co., Ltd.  
3 Sol Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax 0 2763 2800 www.uaeconsultant.com E-mail:uae@uaeconsultant.com

UNITED ANALYST AND ENGINEERING CONSULTANT CO., LTD.  
3 SOL UDOMSUK 41, SUKHUMVIT ROAD, BANGKOK, PHRAKHANONG, BANGKOK 10260  
TEL. 0 2763 2828 FAX 0 2763 2800 WWW.UAECONSULTANT.COM E-MAIL: UAE@UAECONSULTANT.COM

TIME*	RESULT dB(A)	
	Result dB(A) (NS)	Result dB(A) (NS)
DECEMBER 4-5, 2023		
T23AY522-0034		
19:45-19:50 HOUR	57.3	55.2
19:50-19:55 HOUR	57.1	55.4
19:55-20:00 HOUR	57.2	55.2
20:00-20:05 HOUR	57.6	55.5
20:05-20:10 HOUR	56.4	54.2
20:10-20:15 HOUR	55.7	53.4
20:15-20:20 HOUR	56.2	54.2
20:20-20:25 HOUR	55.1	53.4
20:25-20:30 HOUR	55.3	53.0
20:30-20:35 HOUR	54.4	52.4
20:35-20:40 HOUR	55.9	53.7
20:40-20:45 HOUR	55.8	53.7
20:45-20:50 HOUR	55.9	53.7
20:50-20:55 HOUR	55.2	53.2
20:55-21:00 HOUR	55.2	53.1
21:00-21:05 HOUR	56.0	54.0
21:05-21:10 HOUR	55.7	53.6
21:10-21:15 HOUR	55.5	53.6
21:15-21:20 HOUR	54.7	52.6
21:20-21:25 HOUR	54.8	52.4
21:25-21:30 HOUR	55.6	53.4
21:30-21:35 HOUR	55.9	53.5
21:35-21:40 HOUR	55.0	53.0
21:40-21:45 HOUR	55.4	53.8
21:45-21:50 HOUR	55.1	53.0
21:50-21:55 HOUR	55.1	53.2
21:55-22:00 HOUR	54.2	52.2
22:00-22:05 HOUR	53.2	51.3
22:05-22:10 HOUR	51.8	50.0
22:10-22:15 HOUR	52.5	50.4
22:15-22:20 HOUR	52.4	50.1
22:20-22:25 HOUR	52.7	50.4
22:25-22:30 HOUR	52.9	51.0
22:30-22:35 HOUR	52.5	50.9
22:35-22:40 HOUR	53.4	51.5
22:40-22:45 HOUR	52.7	50.8
22:45-22:50 HOUR	52.8	50.8
22:50-22:55 HOUR	53.6	52.2
22:55-23:00 HOUR	52.3	50.4
23:00-23:05 HOUR	53.8	51.9
23:05-23:10 HOUR	52.9	51.2
23:10-23:15 HOUR	52.4	50.2
23:15-23:20 HOUR	52.7	50.9
23:20-23:25 HOUR	52.7	50.5
23:25-23:30 HOUR	53.2	51.0
23:30-23:35 HOUR	53.4	51.8
23:35-23:40 HOUR	52.4	50.9
23:40-23:45 HOUR	52.5	50.6
23:45-23:50 HOUR	52.8	51.2
23:50-23:55 HOUR	53.1	50.8
23:55-00:00 HOUR	51.6	49.9

NO NOISES CAPTURED  
NO NOISES CAPTURED  
BY ALL GROUP (THAILAND) COLTS.

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

34/42

2023-U107814

TIME*	RESULT dB(A)	
	LAeq 5 min	LAeq 5 min
00:00-00:05 HOUR	53.0	58.7
00:05-00:10 HOUR	52.3	50.0
00:10-00:15 HOUR	53.1	51.1
00:15-00:20 HOUR	53.0	50.9
00:20-00:25 HOUR	52.6	50.4
00:25-00:30 HOUR	52.7	51.1
00:30-00:35 HOUR	52.7	50.9
00:35-00:40 HOUR	51.5	49.2
00:40-00:45 HOUR	52.5	50.6
00:45-00:50 HOUR	51.6	49.5
00:50-00:55 HOUR	52.0	50.1
00:55-01:00 HOUR	52.5	50.0
01:00-01:05 HOUR	52.5	50.9
01:05-01:10 HOUR	51.8	50.0
01:10-01:15 HOUR	52.3	50.5
01:15-01:20 HOUR	52.4	50.6
01:20-01:25 HOUR	52.7	51.1
01:25-01:30 HOUR	52.5	50.0
01:30-01:35 HOUR	52.4	50.8
01:35-01:40 HOUR	53.1	51.1
01:40-01:45 HOUR	52.2	50.4
01:45-01:50 HOUR	52.1	49.9
01:50-01:55 HOUR	53.1	51.6
01:55-02:00 HOUR	52.4	50.4
02:00-02:05 HOUR	53.0	51.3
02:05-02:10 HOUR	52.8	50.8
02:10-02:15 HOUR	52.2	50.2
02:15-02:20 HOUR	53.2	50.8
02:20-02:25 HOUR	53.1	50.6
02:25-02:30 HOUR	52.1	50.0
02:30-02:35 HOUR	51.9	49.9
02:35-02:40 HOUR	51.8	49.9
02:40-02:45 HOUR	52.6	51.1
02:45-02:50 HOUR	52.9	51.1
02:50-02:55 HOUR	51.7	50.0
02:55-03:00 HOUR	52.4	50.5
03:00-03:05 HOUR	52.6	50.8
03:05-03:10 HOUR	52.1	50.1
03:10-03:15 HOUR	51.5	49.7
03:15-03:20 HOUR	52.1	49.8
03:20-03:25 HOUR	51.6	49.8
03:25-03:30 HOUR	51.6	49.6
03:30-03:35 HOUR	51.7	49.7
03:35-03:40 HOUR	51.4	49.1
03:40-03:45 HOUR	51.6	49.8
03:45-03:50 HOUR	52.6	50.3
03:50-03:55 HOUR	51.6	49.6
03:55-04:00 HOUR	52.0	50.1
04:00-04:05 HOUR	52.1	49.9
04:05-04:10 HOUR	51.7	49.8
04:10-04:15 HOUR	51.9	50.4

TIME*	RESULT dB(A)	
	LAeq 5 min	LAeq 5 min
04:15-04:20 HOUR	51.6	49.6
04:20-04:25 HOUR	52.5	50.3
04:25-04:30 HOUR	52.2	49.8
04:30-04:35 HOUR	51.5	49.5
04:35-04:40 HOUR	52.0	49.7
04:40-04:45 HOUR	52.5	50.6
04:45-04:50 HOUR	52.4	50.8
04:50-04:55 HOUR	51.8	49.7
04:55-05:00 HOUR	51.8	50.0
05:00-05:05 HOUR	52.0	50.2
05:05-05:10 HOUR	52.8	50.5
05:10-05:15 HOUR	52.2	49.8
05:15-05:20 HOUR	52.3	50.3
05:20-05:25 HOUR	52.8	50.8
05:25-05:30 HOUR	52.7	50.7
05:30-05:35 HOUR	51.6	50.1
05:35-05:40 HOUR	51.8	49.6
05:40-05:45 HOUR	52.5	50.4
05:45-05:50 HOUR	51.8	49.8
05:50-05:55 HOUR	52.7	50.7
05:55-06:00 HOUR	53.0	51.3
06:00-06:05 HOUR	51.8	50.0
06:05-06:10 HOUR	52.4	50.3
06:10-06:15 HOUR	52.7	50.9
06:15-06:20 HOUR	52.6	50.5
06:20-06:25 HOUR	51.6	49.8
06:25-06:30 HOUR	53.4	51.4
06:30-06:35 HOUR	52.7	50.7
06:35-06:40 HOUR	52.7	50.7
06:40-06:45 HOUR	52.8	51.2
06:45-06:50 HOUR	52.3	50.5
06:50-06:55 HOUR	52.7	51.1
06:55-07:00 HOUR	52.4	50.6



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaeconsultant.com E-mail: uae@uaeconsultant.com

TIME*	RESULT dB(A)	
	วันที่วิเคราะห์ข้อมูล (NS) DECEMBER 5-6, 2023 T23AY522-0035	
	L <sub>avg</sub> 5 min	L <sub>eq</sub> 5 min
07:00-07:05 HOUR	54.7	53.2
07:05-07:10 HOUR	55.3	53.3
07:10-07:15 HOUR	54.4	52.8
07:15-07:20 HOUR	55.8	54.0
07:20-07:25 HOUR	55.1	52.8
07:25-07:30 HOUR	54.6	52.6
07:30-07:35 HOUR	54.3	52.0
07:35-07:40 HOUR	54.9	52.8
07:40-07:45 HOUR	54.8	52.9
07:45-07:50 HOUR	55.1	53.2
07:50-07:55 HOUR	54.5	52.9
07:55-08:00 HOUR	54.8	52.5
08:00-08:05 HOUR	54.1	52.1
08:05-08:10 HOUR	65.0	62.9
08:10-08:15 HOUR	55.7	54.2
08:15-08:20 HOUR	53.9	51.9
08:20-08:25 HOUR	54.6	52.8
08:25-08:30 HOUR	55.0	53.1
08:30-08:35 HOUR	54.8	52.8
08:35-08:40 HOUR	55.0	53.3
08:40-08:45 HOUR	55.1	53.5
08:45-08:50 HOUR	55.2	53.4
08:50-08:55 HOUR	55.4	53.2
08:55-09:00 HOUR	53.6	51.9
09:00-09:05 HOUR	53.2	51.4
09:05-09:10 HOUR	53.4	51.2
09:10-09:15 HOUR	53.2	51.7
09:15-09:20 HOUR	54.6	52.3
09:20-09:25 HOUR	54.4	52.4
09:25-09:30 HOUR	54.6	52.9
09:30-09:35 HOUR	54.2	52.2
09:35-09:40 HOUR	54.0	51.5
09:40-09:45 HOUR	54.1	52.5
09:45-09:50 HOUR	53.4	51.3
09:50-09:55 HOUR	54.6	52.5
09:55-10:00 HOUR	53.3	51.6
10:00-10:05 HOUR	53.5	51.8
10:05-10:10 HOUR	54.0	51.9
10:10-10:15 HOUR	53.3	50.9
10:15-10:20 HOUR	53.7	51.7
10:20-10:25 HOUR	53.8	52.0
10:25-10:30 HOUR	54.8	52.4
10:30-10:35 HOUR	55.4	53.9
10:35-10:40 HOUR	55.8	53.7
10:40-10:45 HOUR	55.4	53.1
10:45-10:50 HOUR	55.9	54.4
10:50-10:55 HOUR	55.3	53.0
10:55-11:00 HOUR	55.6	53.8
11:00-11:05 HOUR	55.0	53.5
11:05-11:10 HOUR	55.4	53.4
11:10-11:15 HOUR	54.9	53.2

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

37/42

ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY BSI GROUP (THAILAND) CO., LTD.

2023-U107814



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaeconsultant.com E-mail: uae@uaeconsultant.com

TIME*	RESULT dB(A)	
	วันที่วิเคราะห์ข้อมูล (NS) DECEMBER 5-6, 2023 T23AY522-0035	
	L <sub>avg</sub> 5 min	L <sub>eq</sub> 5 min
11:15-11:20 HOUR	55.2	53.2
11:20-11:25 HOUR	54.9	53.3
11:25-11:30 HOUR	54.8	53.0
11:30-11:35 HOUR	54.6	52.5
11:35-11:40 HOUR	54.6	52.7
11:40-11:45 HOUR	54.6	53.1
11:45-11:50 HOUR	55.1	53.5
11:50-11:55 HOUR	54.2	51.9
11:55-12:00 HOUR	53.9	51.7
12:00-12:05 HOUR	53.2	51.4
12:05-12:10 HOUR	53.6	51.6
12:10-12:15 HOUR	53.6	51.9
12:15-12:20 HOUR	54.5	52.8
12:20-12:25 HOUR	54.0	52.0
12:25-12:30 HOUR	53.6	52.0
12:30-12:35 HOUR	53.6	51.2
12:35-12:40 HOUR	53.2	51.3
12:40-12:45 HOUR	53.5	51.4
12:45-12:50 HOUR	55.6	53.6
12:50-12:55 HOUR	53.6	51.7
12:55-13:00 HOUR	54.0	51.9
13:00-13:05 HOUR	57.5	55.4
13:05-13:10 HOUR	57.8	56.3
13:10-13:15 HOUR	57.8	55.8
13:15-13:20 HOUR	57.3	55.6
13:20-13:25 HOUR	57.1	55.1
13:25-13:30 HOUR	57.5	55.7
13:30-13:35 HOUR	57.1	54.9
13:35-13:40 HOUR	57.2	55.5
13:40-13:45 HOUR	57.5	55.5
13:45-13:50 HOUR	54.8	53.1
13:50-13:55 HOUR	53.4	51.4
13:55-14:00 HOUR	52.8	51.0
14:00-14:05 HOUR	52.4	50.0
14:05-14:10 HOUR	62.0	60.5
14:10-14:15 HOUR	59.6	57.9
14:15-14:20 HOUR	60.8	58.9
14:20-14:25 HOUR	59.2	57.2
14:25-14:30 HOUR	59.4	57.9
14:30-14:35 HOUR	59.1	57.0
14:35-14:40 HOUR	58.2	56.0
14:40-14:45 HOUR	58.7	56.3
14:45-14:50 HOUR	58.8	57.2
14:50-14:55 HOUR	58.2	55.9
14:55-15:00 HOUR	58.4	57.0
15:00-15:05 HOUR	56.7	54.9
15:05-15:10 HOUR	57.0	55.5
15:10-15:15 HOUR	57.0	55.1
15:15-15:20 HOUR	56.6	54.6
15:20-15:25 HOUR	57.8	55.9
15:25-15:30 HOUR	58.3	56.2

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

38/42

ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY BSI GROUP (THAILAND) CO., LTD.

2023-U107814

TIME*	RESULT dB(A)	
	ผลลัพธ์การวิเคราะห์ (NS) DECEMBER 5-6, 2023 T23AY522-0035	
15:30-15:35 HOUR	L <sub>Aeq</sub> 5 min 57.7	L <sub>Aeq</sub> 5 min 55.8
15:35-15:40 HOUR	57.2	55.0
15:40-15:45 HOUR	57.0	55.0
15:45-15:50 HOUR	57.9	56.5
15:50-15:55 HOUR	57.2	55.5
15:55-16:00 HOUR	57.3	55.3
16:00-16:05 HOUR	57.6	55.4
16:05-16:10 HOUR	56.8	55.0
16:10-16:15 HOUR	57.4	55.7
16:15-16:20 HOUR	56.3	54.3
16:20-16:25 HOUR	56.0	53.9
16:25-16:30 HOUR	55.8	53.7
16:30-16:35 HOUR	55.1	53.1
16:35-16:40 HOUR	55.4	53.8
16:40-16:45 HOUR	56.6	55.0
16:45-16:50 HOUR	52.5	50.7
16:50-16:55 HOUR	52.9	51.1
16:55-17:00 HOUR	50.1	48.2
17:00-17:05 HOUR	51.7	50.3
17:05-17:10 HOUR	52.9	50.9
17:10-17:15 HOUR	52.6	51.2
17:15-17:20 HOUR	51.3	49.3
17:20-17:25 HOUR	50.8	48.9
17:25-17:30 HOUR	51.5	49.7
17:30-17:35 HOUR	51.4	49.8
17:35-17:40 HOUR	53.3	51.4
17:40-17:45 HOUR	51.5	49.4
17:45-17:50 HOUR	50.7	48.2
17:50-17:55 HOUR	49.7	47.7
17:55-18:00 HOUR	50.8	48.4
18:00-18:05 HOUR	49.6	47.9
18:05-18:10 HOUR	50.6	48.4
18:10-18:15 HOUR	50.4	48.6
18:15-18:20 HOUR	50.4	48.5
18:20-18:25 HOUR	51.3	49.0
18:25-18:30 HOUR	51.8	50.1
18:30-18:35 HOUR	50.7	48.6
18:35-18:40 HOUR	51.9	50.4
18:40-18:45 HOUR	52.5	50.5
18:45-18:50 HOUR	52.1	50.3
18:50-18:55 HOUR	51.4	49.5
18:55-19:00 HOUR	52.7	51.1
19:00-19:05 HOUR	53.2	51.6
19:05-19:10 HOUR	51.9	50.0
19:10-19:15 HOUR	52.6	50.6
19:15-19:20 HOUR	53.1	51.1
19:20-19:25 HOUR	53.1	51.0
19:25-19:30 HOUR	53.8	51.9
19:30-19:35 HOUR	53.0	51.1
19:35-19:40 HOUR	54.4	52.8
19:40-19:45 HOUR	52.2	49.8

TIME*	RESULT dB(A)	
	ผลลัพธ์การวิเคราะห์ (NS) DECEMBER 5-6, 2023 T23AY522-0035	
19:45-19:50 HOUR	L <sub>Aeq</sub> 5 min 54.4	L <sub>Aeq</sub> 5 min 52.4
19:50-19:55 HOUR	55.6	53.4
19:55-20:00 HOUR	55.4	53.8
20:00-20:05 HOUR	55.2	53.4
20:05-20:10 HOUR	55.6	53.6
20:10-20:15 HOUR	54.7	53.2
20:15-20:20 HOUR	53.9	52.0
20:20-20:25 HOUR	51.5	49.2
20:25-20:30 HOUR	53.6	51.2
20:30-20:35 HOUR	51.4	49.3
20:35-20:40 HOUR	51.6	49.6
20:40-20:45 HOUR	53.2	50.9
20:45-20:50 HOUR	52.2	50.1
20:50-20:55 HOUR	52.2	50.2
20:55-21:00 HOUR	51.1	49.2
21:00-21:05 HOUR	51.7	49.9
21:05-21:10 HOUR	52.0	50.0
21:10-21:15 HOUR	53.4	52.0
21:15-21:20 HOUR	52.6	50.7
21:20-21:25 HOUR	51.8	49.6
21:25-21:30 HOUR	52.1	50.5
21:30-21:35 HOUR	52.4	50.4
21:35-21:40 HOUR	51.0	48.7
21:40-21:45 HOUR	50.7	48.6
21:45-21:50 HOUR	51.2	49.2
21:50-21:55 HOUR	51.5	49.4
21:55-22:00 HOUR	51.5	49.5
22:00-22:05 HOUR	50.9	48.6
22:05-22:10 HOUR	51.3	49.7
22:10-22:15 HOUR	49.1	46.9
22:15-22:20 HOUR	49.4	47.5
22:20-22:25 HOUR	51.2	49.4
22:25-22:30 HOUR	52.5	50.5
22:30-22:35 HOUR	51.8	49.6
22:35-22:40 HOUR	51.1	49.1
22:40-22:45 HOUR	52.2	50.5
22:45-22:50 HOUR	52.1	50.1
22:50-22:55 HOUR	51.3	49.8
22:55-23:00 HOUR	50.6	48.8
23:00-23:05 HOUR	49.9	47.7
23:05-23:10 HOUR	50.8	49.1
23:10-23:15 HOUR	50.2	48.0
23:15-23:20 HOUR	50.2	48.0
23:20-23:25 HOUR	50.6	48.6
23:25-23:30 HOUR	51.2	49.4
23:30-23:35 HOUR	51.4	49.2
23:35-23:40 HOUR	51.7	49.8
23:40-23:45 HOUR	53.0	50.8
23:45-23:50 HOUR	51.3	49.0
23:50-23:55 HOUR	49.6	47.5
23:55-00:00 HOUR	48.9	47.1



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangchak, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaec consultant.com E-mail: uae@uaec consultant.com

TIME*	RESULT dB(A)	
	การตรวจวัดค่าเสียง (NS)	
	DECEMBER 5-6, 2023	
	T23AY522-0035	
	L <sub>eq</sub> 5 min	L <sub>eq</sub> 5 min
00:00-00:05 HOUR	48.6	46.8
00:05-00:10 HOUR	49.7	47.9
00:10-00:15 HOUR	47.9	45.6
00:15-00:20 HOUR	49.9	47.9
00:20-00:25 HOUR	50.8	49.4
00:25-00:30 HOUR	52.3	50.9
00:30-00:35 HOUR	51.1	49.2
00:35-00:40 HOUR	50.6	49.0
00:40-00:45 HOUR	50.7	49.2
00:45-00:50 HOUR	49.6	47.6
00:50-00:55 HOUR	49.0	46.5
00:55-01:00 HOUR	49.0	47.3
01:00-01:05 HOUR	49.0	46.8
01:05-01:10 HOUR	48.7	46.4
01:10-01:15 HOUR	48.7	46.5
01:15-01:20 HOUR	49.8	48.1
01:20-01:25 HOUR	49.2	46.8
01:25-01:30 HOUR	49.5	47.8
01:30-01:35 HOUR	49.0	46.7
01:35-01:40 HOUR	49.0	47.5
01:40-01:45 HOUR	48.9	47.2
01:45-01:50 HOUR	50.3	48.5
01:50-01:55 HOUR	49.9	47.8
01:55-02:00 HOUR	49.4	47.7
02:00-02:05 HOUR	48.6	46.6
02:05-02:10 HOUR	49.4	47.3
02:10-02:15 HOUR	48.6	46.9
02:15-02:20 HOUR	50.2	48.3
02:20-02:25 HOUR	50.9	49.1
02:25-02:30 HOUR	50.2	48.4
02:30-02:35 HOUR	48.9	46.8
02:35-02:40 HOUR	49.1	47.2
02:40-02:45 HOUR	49.5	47.3
02:45-02:50 HOUR	49.3	47.8
02:50-02:55 HOUR	46.6	44.9
02:55-03:00 HOUR	46.1	44.3
03:00-03:05 HOUR	46.4	44.4
03:05-03:10 HOUR	46.5	44.8
03:10-03:15 HOUR	46.2	44.6
03:15-03:20 HOUR	46.3	44.4
03:20-03:25 HOUR	46.6	44.9
03:25-03:30 HOUR	46.9	44.8
03:30-03:35 HOUR	46.8	44.6
03:35-03:40 HOUR	47.2	45.7
03:40-03:45 HOUR	47.0	44.8
03:45-03:50 HOUR	47.3	45.4
03:50-03:55 HOUR	46.2	44.0
03:55-04:00 HOUR	46.7	45.2
04:00-04:05 HOUR	46.7	45.1
04:05-04:10 HOUR	47.2	45.3
04:10-04:15 HOUR	47.6	45.9

150 NOISEMETER CENTERED  
BY KS GROUP (THAILAND) CO., LTD.

PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

41/42

2023-U107814



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangchak, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax.0 2763 2800 www.uaec consultant.com E-mail: uae@uaec consultant.com

TIME*	RESULT dB(A)	
	พื้นที่โรงงานอุตสาหกรรม (N5)	
	DECEMBER 5-6, 2023	
	T23AY522-0035	
	L <sub>Aeq</sub> 5 min	L <sub>A90</sub> 5 min
04:15-04:20 HOUR	46.3	44.7
04:20-04:25 HOUR	46.8	44.6
04:25-04:30 HOUR	47.0	45.4
04:30-04:35 HOUR	47.8	46.0
04:35-04:40 HOUR	47.9	46.0
04:40-04:45 HOUR	48.0	46.2
04:45-04:50 HOUR	47.5	45.4
04:50-04:55 HOUR	47.3	45.0
04:55-05:00 HOUR	48.1	46.5
05:00-05:05 HOUR	50.1	48.4
05:05-05:10 HOUR	49.2	47.7
05:10-05:15 HOUR	48.5	46.8
05:15-05:20 HOUR	48.8	46.6
05:20-05:25 HOUR	48.6	46.6
05:25-05:30 HOUR	48.2	46.3
05:30-05:35 HOUR	47.9	46.0
05:35-05:40 HOUR	46.7	44.5
05:40-05:45 HOUR	47.8	46.4
05:45-05:50 HOUR	48.2	45.8
05:50-05:55 HOUR	47.3	45.4
05:55-06:00 HOUR	47.8	45.8
06:00-06:05 HOUR	47.6	45.9
06:05-06:10 HOUR	50.4	48.3
06:10-06:15 HOUR	47.7	46.0
06:15-06:20 HOUR	47.6	45.4
06:20-06:25 HOUR	48.0	45.8
06:25-06:30 HOUR	48.4	46.4
06:30-06:35 HOUR	49.8	48.0
06:35-06:40 HOUR	48.3	46.8
06:40-06:45 HOUR	49.1	47.5
06:45-06:50 HOUR	48.0	46.5
06:50-06:55 HOUR	49.0	47.6
06:55-07:00 HOUR	49.7	47.7

150 NOISEMETER CENTERED  
BY KS GROUP (THAILAND) CO., LTD.

PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
THIS ANALYSIS REPORT APPROVES ONLY FOR SUBMITTED SAMPLES.

42/42

2023-U107814

(MR. SILA BANJONGJAIKUL)  
LABORATORY SUPERVISOR

DECEMBER 15, 2023