

ภาคผนวก ง

ผลการติดตามคุณภาพสิ่งแวดล้อม

---



ภาคผนวก ง-1

ผลการตรวจวัดคุณภาพอากาศ

---




## ANALYSIS REPORT

**PROJECT NAME** : โครงการท่าเทียบเรือ บริษัท เจซี มารีน พอร์ต จำกัด  
**CUSTOMER NAME** : JC MARINE PORT COMPANY LIMITED  
**ADDRESS** : 153/1 MOO 1 THUNG SUKHLA SI RACHA CHON BURI 20230  
**CONTACT INFORMATION** : TEL : 08 1309 5708, 0 3835 1473 e-mail : jcmarineport.info@gmail.com  
**SAMPLING SOURCE** : บริเวณกลุ่มประมงพื้นบ้านอ่าวอุดม  
**SAMPLE TYPE** : AMBIENT  
**SAMPLING DATE** : \*, \*\*, \*\*\*, \*\*\*\*, \*\*\*\*\*  
**SAMPLING TIME** : \*, \*\*, \*\*\*, \*\*\*\*, \*\*\*\*\*  
**SAMPLING BY** : MR NATTHAPONG CHAKUNTHOD  
**ANALYZED BY** : MISS JETJARIN TUMSA-AT

**RECEIVED DATE** : MARCH 22, 2024  
**ANALYTICAL DATE** : MARCH 22-28, 2024  
**ISSUE DATE** : APRIL 1, 2024  
**REPORT NO.** : 2024-U027225  
**WORK NO.** : 2022-008114  
**ANALYSIS NO.** : T24AG079-0006 - T24AG079-0010

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT				
			บริเวณกลุ่มประมงพื้นบ้านอ่าวอุดม				
			*	**	***	****	*****
TOTAL SUSPENDED PARTICULATE	mg/m <sup>3</sup>	GRAVIMETRIC (HIGH VOLUME METHOD)	0.042	0.047	0.047	0.069	0.087
PARTICULATE MATTER (≤ 10 µm)	mg/m <sup>3</sup>	GRAVIMETRIC (HIGH VOLUME METHOD)	0.026	0.027	0.036	0.040	0.061
FINE PARTICULATE MATTER as PM2.5 (≤ 2.5 µm)	µg/m <sup>3</sup>	US EPA, CODE OF FEDERAL REGULATION, 40 CFR CHAPTER I-PART 50, APPENDIX L, REFERENCE METHOD FOR THE DETERMINATION OF FINE PARTICULATE MATTER AS PM2.5 IN THE ATMOSPHERE, 2021	13.8	13.7	20.0	14.7	20.1
SAMPLE CONDITION			COMPLETE	COMPLETE	COMPLETE	COMPLETE	COMPLETE

**REMARK**  
TSP, PM10 : REFERENCE CONDITION IS 25 DEGREE CELSIUS AT 1 ATMOSPHERE.  
PM2.5 : REPORTED AS PER ACTUAL FIELD CONDITIONS DURING SAMPLING.  
TSP : US EPA, CODE OF FEDERAL REGULATIONS, 40 CFR CHAPTER I-PART 50 APPENDIX B, REFERENCE METHOD FOR THE DETERMINATION OF SUSPENDED PARTICULATE MATTER IN THE ATMOSPHERE (HIGH-VOLUME METHOD) REVISED AS OF JULY 1, 2021.  
PM10 : US EPA, CODE OF FEDERAL REGULATIONS, 40 CFR CHAPTER I-PART 50 APPENDIX J, REFERENCE METHOD FOR THE DETERMINATION OF PARTICULATE MATTER AS PM10 IN THE ATMOSPHERE (HIGH-VOLUME METHOD) REVISED AS OF JULY 1, 2021.  
\* : SAMPLING FROM 09:30 HOUR ON MARCH 16, 2024 TO 09:30 HOUR ON MARCH 17, 2024.  
\*\* : SAMPLING FROM 09:30 HOUR ON MARCH 17, 2024 TO 09:30 HOUR ON MARCH 18, 2024.  
\*\*\* : SAMPLING FROM 09:30 HOUR ON MARCH 18, 2024 TO 09:30 HOUR ON MARCH 19, 2024.  
\*\*\*\* : SAMPLING FROM 09:30 HOUR ON MARCH 19, 2024 TO 09:30 HOUR ON MARCH 20, 2024.  
\*\*\*\*\* : SAMPLING FROM 09:30 HOUR ON MARCH 20, 2024 TO 09:30 HOUR ON MARCH 21, 2024.

  
(MISS BUDSAKORN LERDPANUMAS)  
LABORATORY SUPERVISOR

APRIL 1, 2024




## ANALYSIS REPORT

**PROJECT NAME** : โครงการท่าเทียบเรือ บริษัท เจซี มารีน พอร์ต จำกัด  
**CUSTOMER NAME** : JC MARINE PORT COMPANY LIMITED  
**ADDRESS** : 153/1 MOO 1 THUNG SUKHLA SI RACHA CHON BURI 20230  
**CONTACT INFORMATION** : TEL : 08 1309 5708, 0 3835 1473 e-mail : jcmarineport.info@gmail.com  
**SAMPLING SOURCE** : บริเวณท่าเทียบเรือของโครงการ  
**SAMPLE TYPE** : AMBIENT  
**SAMPLING DATE** : \*, \*\*, \*\*\*, \*\*\*\*, \*\*\*\*\*  
**SAMPLING TIME** : \*, \*\*, \*\*\*, \*\*\*\*, \*\*\*\*\*  
**SAMPLING BY** : MR NATTHAPONG CHAKUNTHOD  
**ANALYZED BY** : MISS JETJARIN TUMSA-AT

**RECEIVED DATE** : MARCH 22, 2024  
**ANALYTICAL DATE** : MARCH 22-28, 2024  
**ISSUE DATE** : APRIL 1, 2024  
**REPORT NO.** : 2024-U027224  
**WORK NO.** : 2022-008114  
**ANALYSIS NO.** : T24AG079-0001 - T24AG079-0005

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT				
			บริเวณท่าเทียบเรือของโครงการ				
			*	**	***	****	*****
TOTAL SUSPENDED PARTICULATE	mg/m <sup>3</sup>	GRAVIMETRIC (HIGH VOLUME METHOD)	0.066	0.079	0.223	0.111	0.090
PARTICULATE MATTER (≤ 10 µm)	mg/m <sup>3</sup>	GRAVIMETRIC (HIGH VOLUME METHOD)	0.041	0.048	0.112	0.066	0.062
FINE PARTICULATE MATTER as PM2.5 (≤ 2.5 µm)	µg/m <sup>3</sup>	US EPA, CODE OF FEDERAL REGULATION, 40 CFR CHAPTER I-PART 50, APPENDIX L, REFERENCE METHOD FOR THE DETERMINATION OF FINE PARTICULATE MATTER AS PM2.5 IN THE ATMOSPHERE, 2021	14.7	16.4	23.2	21.5	34.8
SAMPLE CONDITION			COMPLETE	COMPLETE	COMPLETE	COMPLETE	COMPLETE

**REMARK**  
TSP, PM10 : REFERENCE CONDITION IS 25 DEGREE CELSIUS AT 1 ATMOSPHERE.  
PM2.5 : REPORTED AS PER ACTUAL FIELD CONDITIONS DURING SAMPLING.  
TSP : US EPA, CODE OF FEDERAL REGULATIONS, 40 CFR CHAPTER I-PART 50 APPENDIX B, REFERENCE METHOD FOR THE DETERMINATION OF SUSPENDED PARTICULATE MATTER IN THE ATMOSPHERE (HIGH-VOLUME METHOD) REVISED AS OF JULY 1, 2021.  
PM10 : US EPA, CODE OF FEDERAL REGULATIONS, 40 CFR CHAPTER I-PART 50 APPENDIX J, REFERENCE METHOD FOR THE DETERMINATION OF PARTICULATE MATTER AS PM10 IN THE ATMOSPHERE (HIGH-VOLUME METHOD) REVISED AS OF JULY 1, 2021.  
\* : SAMPLING FROM 10:00 HOUR ON MARCH 16, 2024 TO 10:00 HOUR ON MARCH 17, 2024.  
\*\* : SAMPLING FROM 10:00 HOUR ON MARCH 17, 2024 TO 10:00 HOUR ON MARCH 18, 2024.  
\*\*\* : SAMPLING FROM 10:00 HOUR ON MARCH 18, 2024 TO 10:00 HOUR ON MARCH 19, 2024.  
\*\*\*\* : SAMPLING FROM 10:00 HOUR ON MARCH 19, 2024 TO 10:00 HOUR ON MARCH 20, 2024.  
\*\*\*\*\* : SAMPLING FROM 10:00 HOUR ON MARCH 20, 2024 TO 10:00 HOUR ON MARCH 21, 2024.

  
(MISS BUDSAKORN LERDPANUMAS)  
LABORATORY SUPERVISOR

APRIL 1, 2024






## ANALYSIS REPORT

**PROJECT NAME** : โครงการท่าเทียบเรือ บริษัท เจซี มารีน พอร์ต จำกัด  
**CUSTOMER NAME** : JC MARINE PORT COMPANY LIMITED  
**ADDRESS** : 153/1 MOO 1 THUNG SUKHLA SI RACHA CHON BURI 20230  
**CONTACT INFORMATION** : TEL : 08 1309 5708, 0 3835 1473 e-mail : jcmarineport.info@gmail.com  
**SAMPLING SOURCE** : บริเวณสวนสาธารณะ  
**SAMPLE TYPE** : AMBIENT  
**SAMPLING DATE** : \* , \*\* , \*\*\* , \*\*\*\* , \*\*\*\*\*  
**SAMPLING TIME** : \* , \*\* , \*\*\* , \*\*\*\* , \*\*\*\*\*  
**SAMPLING BY** : MR NATTHAPONG CHAKUNTHOD  
**ANALYZED BY** : MISS JETJARIN TUMSA-AT

**RECEIVED DATE** : MARCH 22, 2024  
**ANALYTICAL DATE** : MARCH 22-28, 2024  
**ISSUE DATE** : APRIL 1, 2024  
**REPORT NO.** : 2024-U027227  
**WORK NO.** : 2022-008114  
**ANALYSIS NO.** : T24AG079-0016 - T24AG079-0020

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT				
			บริเวณสวนสาธารณะ				
			*	**	***	****	*****
TOTAL SUSPENDED PARTICULATE	mg/m <sup>3</sup>	GRAVIMETRIC (HIGH VOLUME METHOD)	T24AG079-0016	T24AG079-0017	T24AG079-0018	T24AG079-0019	T24AG079-0020
			0.044	0.114	0.261	0.063	0.068
PARTICULATE MATTER (≤ 10 µm)	mg/m <sup>3</sup>	GRAVIMETRIC (HIGH VOLUME METHOD)	0.033	0.066	0.113	0.052	0.055
FINE PARTICULATE MATTER as PM2.5 (≤ 2.5 µm)	µg/m <sup>3</sup>	US EPA, CODE OF FEDERAL REGULATION, 40 CFR CHAPTER I-PART 50, APPENDIX L, REFERENCE METHOD FOR THE DETERMINATION OF FINE PARTICULATE MATTER AS PM2.5 IN THE ATMOSPHERE, 2021	15.6	13.9	24.5	19.5	33.8
SAMPLE CONDITION			COMPLETE	COMPLETE	COMPLETE	COMPLETE	COMPLETE

**REMARK**  
TSP, PM10 : REFERENCE CONDITION IS 25 DEGREE CELSIUS AT 1 ATMOSPHERE.  
PM2.5 : REPORTED AS PER ACTUAL FIELD CONDITIONS DURING SAMPLING.  
TSP : US EPA, CODE OF FEDERAL REGULATIONS, 40 CFR CHAPTER I-PART 50 APPENDIX B, REFERENCE METHOD FOR THE DETERMINATION OF SUSPENDED PARTICULATE MATTER IN THE ATMOSPHERE (HIGH-VOLUME METHOD) REVISED AS OF JULY 1, 2021.  
PM10 : US EPA, CODE OF FEDERAL REGULATIONS, 40 CFR CHAPTER I-PART 50 APPENDIX J, REFERENCE METHOD FOR THE DETERMINATION OF PARTICULATE MATTER AS PM10 IN THE ATMOSPHERE (HIGH-VOLUME METHOD) REVISED AS OF JULY 1, 2021.  
\* : SAMPLING FROM 10:30 HOUR ON MARCH 16, 2024 TO 10:30 HOUR ON MARCH 17, 2024.  
\*\* : SAMPLING FROM 10:30 HOUR ON MARCH 17, 2024 TO 10:30 HOUR ON MARCH 18, 2024.  
\*\*\* : SAMPLING FROM 10:30 HOUR ON MARCH 18, 2024 TO 10:30 HOUR ON MARCH 19, 2024.  
\*\*\*\* : SAMPLING FROM 10:30 HOUR ON MARCH 19, 2024 TO 10:30 HOUR ON MARCH 20, 2024.  
\*\*\*\*\* : SAMPLING FROM 10:30 HOUR ON MARCH 20, 2024 TO 10:30 HOUR ON MARCH 21, 2024.

  
(MISS BUDSAKORN LERDPANUMAS)  
LABORATORY SUPERVISOR

APRIL 1, 2024




## ANALYSIS REPORT

**PROJECT NAME** : โครงการท่าเทียบเรือ บริษัท เจซี มารีน พอร์ต จำกัด  
**CUSTOMER NAME** : JC MARINE PORT COMPANY LIMITED  
**ADDRESS** : 153/1 MOO 1 THUNG SUKHLA SI RACHA CHON BURI 20230  
**CONTACT INFORMATION** : TEL : 08 1309 5708, 0 3835 1473 e-mail : jcmarineport.info@gmail.com  
**SAMPLING SOURCE** : บริเวณวัดโสมนัสราชวรวิหาร  
**SAMPLE TYPE** : AMBIENT  
**SAMPLING DATE** : \* , \*\* , \*\*\* , \*\*\*\* , \*\*\*\*\*  
**SAMPLING TIME** : \* , \*\* , \*\*\* , \*\*\*\* , \*\*\*\*\*  
**SAMPLING BY** : MR NATTHAPONG CHAKUNTHOD  
**ANALYZED BY** : MISS JETJARIN TUMSA-AT

**RECEIVED DATE** : MARCH 22, 2024  
**ANALYTICAL DATE** : MARCH 22-28, 2024  
**ISSUE DATE** : APRIL 1, 2024  
**REPORT NO.** : 2024-U027226  
**WORK NO.** : 2022-008114  
**ANALYSIS NO.** : T24AG079-0011 - T24AG079-0015

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT				
			บริเวณวัดโสมนัสราชวรวิหาร				
			*	**	***	****	*****
TOTAL SUSPENDED PARTICULATE	mg/m <sup>3</sup>	GRAVIMETRIC (HIGH VOLUME METHOD)	T24AG079-0011	T24AG079-0012	T24AG079-0013	T24AG079-0014	T24AG079-0015
			0.076	0.062	0.077	0.055	0.068
PARTICULATE MATTER (≤ 10 µm)	mg/m <sup>3</sup>	GRAVIMETRIC (HIGH VOLUME METHOD)	0.037	0.029	0.040	0.036	0.052
FINE PARTICULATE MATTER as PM2.5 (≤ 2.5 µm)	µg/m <sup>3</sup>	US EPA, CODE OF FEDERAL REGULATION, 40 CFR CHAPTER I-PART 50, APPENDIX L, REFERENCE METHOD FOR THE DETERMINATION OF FINE PARTICULATE MATTER AS PM2.5 IN THE ATMOSPHERE, 2021	14.0	11.6	20.9	18.4	31.4
SAMPLE CONDITION			COMPLETE	COMPLETE	COMPLETE	COMPLETE	COMPLETE

**REMARK**  
TSP, PM10 : REFERENCE CONDITION IS 25 DEGREE CELSIUS AT 1 ATMOSPHERE.  
PM2.5 : REPORTED AS PER ACTUAL FIELD CONDITIONS DURING SAMPLING.  
TSP : US EPA, CODE OF FEDERAL REGULATIONS, 40 CFR CHAPTER I-PART 50 APPENDIX B, REFERENCE METHOD FOR THE DETERMINATION OF SUSPENDED PARTICULATE MATTER IN THE ATMOSPHERE (HIGH-VOLUME METHOD) REVISED AS OF JULY 1, 2021.  
PM10 : US EPA, CODE OF FEDERAL REGULATIONS, 40 CFR CHAPTER I-PART 50 APPENDIX J, REFERENCE METHOD FOR THE DETERMINATION OF PARTICULATE MATTER AS PM10 IN THE ATMOSPHERE (HIGH-VOLUME METHOD) REVISED AS OF JULY 1, 2021.  
\* : SAMPLING FROM 09:00 HOUR ON MARCH 16, 2024 TO 09:00 HOUR ON MARCH 17, 2024.  
\*\* : SAMPLING FROM 09:00 HOUR ON MARCH 17, 2024 TO 09:00 HOUR ON MARCH 18, 2024.  
\*\*\* : SAMPLING FROM 09:00 HOUR ON MARCH 18, 2024 TO 09:00 HOUR ON MARCH 19, 2024.  
\*\*\*\* : SAMPLING FROM 09:00 HOUR ON MARCH 19, 2024 TO 09:00 HOUR ON MARCH 20, 2024.  
\*\*\*\*\* : SAMPLING FROM 09:00 HOUR ON MARCH 20, 2024 TO 09:00 HOUR ON MARCH 21, 2024.

  
(MISS BUDSAKORN LERDPANUMAS)  
LABORATORY SUPERVISOR

APRIL 1, 2024





## ANALYSIS REPORT

**PROJECT NAME** : โครงการท่าเทียบเรือ บริษัท เจซี มาร์ีน พอร์ต จำกัด  
**CUSTOMER NAME** : JC MARINE PORT COMPANY LIMITED  
**ADDRESS** : 153/1 MOO 1 THUNG SUKHLA SI RACHA CHON BURI 20230  
**CONTACT INFORMATION** : TEL : 08 1309 5708, 0 3835 1473 e-mail : jcmarineport.info@gmail.com  
**MEASURING PLACE** : บริเวณกลุ่มประมงพื้นบ้านอ่าวอุดม  
**MEASURING TYPE** : AMBIENT (AIR)  
**MEASURING DATE** : MARCH 16-21, 2024  
**MEASURING TIME** : \*  
**MEASURING METHOD** : NON-DISPERSIVE INFRARED DETECTION  
**MEASURED BY** : MR NATTHAPONG CHAKUNTHOD  
**RECEIVED DATE** : MARCH 16-21, 2024  
**ANALYTICAL DATE** : MARCH 16-21, 2024  
**ISSUE DATE** : MARCH 29, 2024  
**REPORT NO.** : 2024-U026616  
**WORK NO.** : 2022-008114  
**ANALYSIS NO.** : T24AG079-0006 - T24AG079-0010

TIME *	RESULT (ppm)				
	CARBON MONOXIDE				
	บริเวณกลุ่มประมงพื้นบ้านอ่าวอุดม				
	MARCH 16-17, 2024 T24AG079-0006	MARCH 17-18, 2024 T24AG079-0007	MARCH 18-19, 2024 T24AG079-0008	MARCH 19-20, 2024 T24AG079-0009	MARCH 20-21, 2024 T24AG079-0010
08:00-09:00 HOUR	1.18	1.15	1.17	1.19	1.23
09:00-10:00 HOUR	1.12	1.12	1.16	1.19	1.21
10:00-11:00 HOUR	1.20	1.21	1.19	1.13	1.22
11:00-12:00 HOUR	1.22	1.16	1.15	1.14	1.18
12:00-13:00 HOUR	1.19	1.18	1.23	1.21	1.16
13:00-14:00 HOUR	1.17	1.19	1.15	1.17	1.19
14:00-15:00 HOUR	1.16	1.14	1.14	1.21	1.15
15:00-16:00 HOUR	1.18	1.16	1.13	1.15	1.22
16:00-17:00 HOUR	1.19	1.14	1.17	1.20	1.17
17:00-18:00 HOUR	1.19	1.22	1.16	1.20	1.23
18:00-19:00 HOUR	1.23	1.13	1.21	1.17	1.22
19:00-20:00 HOUR	1.12	1.21	1.13	1.13	1.12
20:00-21:00 HOUR	1.14	1.13	1.22	1.14	1.17
21:00-22:00 HOUR	1.19	1.23	1.17	1.12	1.17
22:00-23:00 HOUR	1.12	1.19	1.21	1.20	1.20
23:00-00:00 HOUR	1.15	1.18	1.23	1.15	1.20
00:00-01:00 HOUR	1.20	1.20	1.13	1.13	1.17
01:00-02:00 HOUR	1.22	1.22	1.21	1.13	1.16
02:00-03:00 HOUR	1.15	1.15	1.13	1.18	1.16
03:00-04:00 HOUR	1.22	1.23	1.12	1.21	1.16
04:00-05:00 HOUR	1.18	1.17	1.17	1.13	1.19
05:00-06:00 HOUR	1.19	1.20	1.12	1.20	1.12
06:00-07:00 HOUR	1.19	1.20	1.17	1.13	1.20
07:00-08:00 HOUR	1.13	1.18	1.22	1.22	1.12

  
(MR SILA BANJONGJAIRUK)  
LABORATORY SUPERVISOR

MARCH 29, 2024



## ANALYSIS REPORT

**PROJECT NAME** : โครงการท่าเทียบเรือ บริษัท เจซี มาร์ีน พอร์ต จำกัด  
**CUSTOMER NAME** : JC MARINE PORT COMPANY LIMITED  
**ADDRESS** : 153/1 MOO 1 THUNG SUKHLA SI RACHA CHON BURI 20230  
**CONTACT INFORMATION** : TEL : 08 1309 5708, 0 3835 1473 e-mail : jcmarineport.info@gmail.com  
**MEASURING PLACE** : บริเวณท่าเทียบเรือของโครงการ  
**MEASURING TYPE** : AMBIENT (AIR)  
**MEASURING DATE** : MARCH 16-21, 2024  
**MEASURING TIME** : \*  
**MEASURING METHOD** : NON-DISPERSIVE INFRARED DETECTION  
**MEASURED BY** : MR NATTHAPONG CHAKUNTHOD  
**RECEIVED DATE** : MARCH 16-21, 2024  
**ANALYTICAL DATE** : MARCH 16-21, 2024  
**ISSUE DATE** : MARCH 29, 2024  
**REPORT NO.** : 2024-U026615  
**WORK NO.** : 2022-008114  
**ANALYSIS NO.** : T24AG079-0001 - T24AG079-0005

TIME *	RESULT (ppm)				
	CARBON MONOXIDE				
	บริเวณท่าเทียบเรือของโครงการ				
	MARCH 16-17, 2024 T24AG079-0001	MARCH 17-18, 2024 T24AG079-0002	MARCH 18-19, 2024 T24AG079-0003	MARCH 19-20, 2024 T24AG079-0004	MARCH 20-21, 2024 T24AG079-0005
08:00-09:00 HOUR	1.22	1.19	1.24	1.21	1.23
09:00-10:00 HOUR	1.16	1.17	1.22	1.21	1.20
10:00-11:00 HOUR	1.19	1.22	1.20	1.18	1.21
11:00-12:00 HOUR	1.24	1.19	1.19	1.23	1.22
12:00-13:00 HOUR	1.16	1.16	1.21	1.17	1.20
13:00-14:00 HOUR	1.19	1.16	1.22	1.16	1.20
14:00-15:00 HOUR	1.22	1.25	1.19	1.21	1.22
15:00-16:00 HOUR	1.18	1.21	1.25	1.23	1.22
16:00-17:00 HOUR	1.20	1.20	1.19	1.19	1.22
17:00-18:00 HOUR	1.18	1.23	1.25	1.22	1.16
18:00-19:00 HOUR	1.23	1.24	1.18	1.19	1.22
19:00-20:00 HOUR	1.16	1.21	1.25	1.21	1.20
20:00-21:00 HOUR	1.15	1.22	1.24	1.20	1.23
21:00-22:00 HOUR	1.11	1.16	1.18	1.19	1.19
22:00-23:00 HOUR	1.13	1.21	1.19	1.15	1.24
23:00-00:00 HOUR	1.11	1.16	1.20	1.12	1.19
00:00-01:00 HOUR	1.12	1.25	1.20	1.13	1.21
01:00-02:00 HOUR	1.15	1.25	1.21	1.15	1.21
02:00-03:00 HOUR	1.15	1.17	1.22	1.14	1.23
03:00-04:00 HOUR	1.15	1.16	1.19	1.14	1.24
04:00-05:00 HOUR	1.12	1.22	1.19	1.14	1.23
05:00-06:00 HOUR	1.15	1.18	1.25	1.11	1.22
06:00-07:00 HOUR	1.21	1.18	1.16	1.12	1.22
07:00-08:00 HOUR	1.24	1.23	1.18	1.17	1.19

  
(MR SILA BANJONGJAIRUK)  
LABORATORY SUPERVISOR

MARCH 29, 2024



## ANALYSIS REPORT

**PROJECT NAME** : โครงการท่าเทียบเรือ บริษัท เจซี มารีน พอร์ต จำกัด  
**CUSTOMER NAME** : JC MARINE PORT COMPANY LIMITED  
**ADDRESS** : 153/1 MOO 1 THUNG SUKHLA SI RACHA CHON BURI 20230  
**CONTACT INFORMATION** : TEL : 08 1309 5708, 0 3835 1473 e-mail : jcmarineport.info@gmail.com  
**MEASURING PLACE** : บริเวณสวนสาธารณะ  
**MEASURING TYPE** : AMBIENT (AIR)  
**MEASURING DATE** : MARCH 16-21, 2024  
**MEASURING TIME** : \*  
**MEASURING METHOD** : NON-DISPERSIVE INFRARED DETECTION  
**MEASURED BY** : MR NATTHAPONG CHAKUNTHOD

**RECEIVED DATE** : MARCH 16-21, 2024  
**ANALYTICAL DATE** : MARCH 16-21, 2024  
**ISSUE DATE** : MARCH 29, 2024  
**REPORT NO.** : 2024-U026618  
**WORK NO.** : 2022-008114  
**ANALYSIS NO.** : T24AG079-0016 - T24AG079-0020

TIME *	RESULT (ppm)				
	CARBON MONOXIDE				
	บริเวณสวนสาธารณะ				
	MARCH 16-17, 2024 T24AG079-0016	MARCH 17-18, 2024 T24AG079-0017	MARCH 18-19, 2024 T24AG079-0018	MARCH 19-20, 2024 T24AG079-0019	MARCH 20-21, 2024 T24AG079-0020
08:00-09:00 HOUR	1.37	1.40	1.40	1.40	1.40
09:00-10:00 HOUR	1.39	1.34	1.38	1.36	1.40
10:00-11:00 HOUR	1.34	1.33	1.33	1.39	1.34
11:00-12:00 HOUR	1.36	1.35	1.35	1.35	1.36
12:00-13:00 HOUR	1.36	1.38	1.36	1.40	1.39
13:00-14:00 HOUR	1.37	1.40	1.36	1.39	1.39
14:00-15:00 HOUR	1.34	1.32	1.36	1.37	1.40
15:00-16:00 HOUR	1.39	1.25	1.39	1.35	1.38
16:00-17:00 HOUR	1.32	1.31	1.40	1.37	1.38
17:00-18:00 HOUR	1.38	1.29	1.40	1.36	1.38
18:00-19:00 HOUR	1.35	1.30	1.35	1.34	1.34
19:00-20:00 HOUR	1.40	1.29	1.39	1.35	1.34
20:00-21:00 HOUR	1.32	1.26	1.36	1.38	1.36
21:00-22:00 HOUR	1.28	1.28	1.33	1.35	1.33
22:00-23:00 HOUR	1.25	1.28	1.36	1.36	1.37
23:00-00:00 HOUR	1.30	1.25	1.38	1.39	1.32
00:00-01:00 HOUR	1.31	1.24	1.39	1.36	1.34
01:00-02:00 HOUR	1.30	1.31	1.34	1.34	1.32
02:00-03:00 HOUR	1.27	1.40	1.36	1.39	1.35
03:00-04:00 HOUR	1.29	1.36	1.36	1.32	1.40
04:00-05:00 HOUR	1.31	1.36	1.33	1.39	1.34
05:00-06:00 HOUR	1.32	1.36	1.38	1.35	1.40
06:00-07:00 HOUR	1.34	1.35	1.32	1.33	1.33
07:00-08:00 HOUR	1.33	1.38	1.35	1.40	1.35

  
(MR SILA BANJONGJAIRUK)  
LABORATORY SUPERVISOR

MARCH 29, 2024

ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY BSI GROUP (THAILAND) CO., LTD.

\* PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
\* THIS ANALYSIS REPORT APPROVES ONLY FOR THE SAMPLES AS RECEIVED.

1/1



- End of Analysis Report -

## ANALYSIS REPORT

**PROJECT NAME** : โครงการท่าเทียบเรือ บริษัท เจซี มารีน พอร์ต จำกัด  
**CUSTOMER NAME** : JC MARINE PORT COMPANY LIMITED  
**ADDRESS** : 153/1 MOO 1 THUNG SUKHLA SI RACHA CHON BURI 20230  
**CONTACT INFORMATION** : TEL : 08 1309 5708, 0 3835 1473 e-mail : jcmarineport.info@gmail.com  
**MEASURING PLACE** : บริเวณวัดโพนเฒ่าพยอม  
**MEASURING TYPE** : AMBIENT (AIR)  
**MEASURING DATE** : MARCH 16-21, 2024  
**MEASURING TIME** : \*  
**MEASURING METHOD** : NON-DISPERSIVE INFRARED DETECTION  
**MEASURED BY** : MR NATTHAPONG CHAKUNTHOD

**RECEIVED DATE** : MARCH 16-21, 2024  
**ANALYTICAL DATE** : MARCH 16-21, 2024  
**ISSUE DATE** : MARCH 29, 2024  
**REPORT NO.** : 2024-U026617  
**WORK NO.** : 2022-008114  
**ANALYSIS NO.** : T24AG079-0011 - T24AG079-0015

TIME *	RESULT (ppm)				
	CARBON MONOXIDE				
	บริเวณวัดโพนเฒ่าพยอม				
	MARCH 16-17, 2024 T24AG079-0011	MARCH 17-18, 2024 T24AG079-0012	MARCH 18-19, 2024 T24AG079-0013	MARCH 19-20, 2024 T24AG079-0014	MARCH 20-21, 2024 T24AG079-0015
08:00-09:00 HOUR	1.92	2.06	2.00	1.92	1.93
09:00-10:00 HOUR	2.00	2.05	2.25	2.11	2.12
10:00-11:00 HOUR	2.09	2.07	1.99	2.09	2.10
11:00-12:00 HOUR	2.19	1.85	2.20	1.98	1.91
12:00-13:00 HOUR	2.13	2.16	2.01	2.04	2.22
13:00-14:00 HOUR	2.12	2.16	1.99	1.97	2.18
14:00-15:00 HOUR	2.23	1.93	2.13	2.02	1.84
15:00-16:00 HOUR	1.90	2.27	1.88	2.11	1.87
16:00-17:00 HOUR	1.85	1.95	2.05	1.87	2.12
17:00-18:00 HOUR	1.93	2.10	2.21	1.97	1.95
18:00-19:00 HOUR	2.27	2.01	1.91	1.90	1.93
19:00-20:00 HOUR	2.09	1.91	1.84	1.86	2.16
20:00-21:00 HOUR	2.26	2.26	1.86	2.16	2.04
21:00-22:00 HOUR	1.98	2.30	2.25	1.85	1.84
22:00-23:00 HOUR	2.12	1.98	1.98	1.86	2.28
23:00-00:00 HOUR	1.99	2.02	2.22	1.85	2.00
00:00-01:00 HOUR	2.03	2.08	2.25	1.94	2.01
01:00-02:00 HOUR	2.06	2.24	2.03	1.90	1.89
02:00-03:00 HOUR	2.10	1.86	1.84	1.88	1.91
03:00-04:00 HOUR	1.90	2.03	2.21	2.23	2.18
04:00-05:00 HOUR	2.11	1.98	2.23	1.84	2.21
05:00-06:00 HOUR	2.00	1.85	2.20	1.91	2.01
06:00-07:00 HOUR	2.21	2.30	2.13	2.10	1.99
07:00-08:00 HOUR	1.99	2.18	2.15	2.09	2.18

  
(MR SILA BANJONGJAIRUK)  
LABORATORY SUPERVISOR

MARCH 29, 2024

ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY BSI GROUP (THAILAND) CO., LTD.

\* PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
\* THIS ANALYSIS REPORT APPROVES ONLY FOR THE SAMPLES AS RECEIVED.

1/1



- End of Analysis Report -



## ANALYSIS REPORT

**PROJECT NAME** : โครงการท่าเทียบเรือ บริษัท เจซี มารีน พอร์ต จำกัด  
**CUSTOMER NAME** : JC MARINE PORT COMPANY LIMITED  
**ADDRESS** : 153/1 MOO 1 THUNG SUKHLA SI RACHA CHON BURI 20230  
**CONTACT INFORMATION** : TEL : 08 1309 5708, 0 3835 1473 e-mail : jcmarineport.info@gmail.com  
**MEASURING PLACE** : บริเวณท่าเทียบเรือของโครงการ  
**MEASURING TYPE** : AMBIENT (AIR)  
**MEASURING DATE** : MARCH 16-21, 2024  
**MEASURING TIME** : \*  
**MEASURING METHOD** : CHEMILUMINESCENCE  
**MEASURED BY** : MR NATTHAPONG CHAKUNTHOD  
**RECEIVED DATE** : MARCH 16-21, 2024  
**ANALYTICAL DATE** : MARCH 16-21, 2024  
**ISSUE DATE** : MARCH 29, 2024  
**REPORT NO.** : 2024-U026620  
**WORK NO.** : 2022-008114  
**ANALYSIS NO.** : T24AG079-0006 - T24AG079-0010

TIME *	RESULT (ppm)				
	NITROGEN DIOXIDE				
	บริเวณท่าเทียบเรือของโครงการ				
	MARCH 16-17, 2024 T24AG079-0006	MARCH 17-18, 2024 T24AG079-0007	MARCH 18-19, 2024 T24AG079-0008	MARCH 19-20, 2024 T24AG079-0009	MARCH 20-21, 2024 T24AG079-0010
08:00-09:00 HOUR	0.0064	0.0063	0.0064	0.0074	0.0075
09:00-10:00 HOUR	0.0064	0.0070	0.0070	0.0069	0.0068
10:00-11:00 HOUR	0.0073	0.0068	0.0072	0.0071	0.0074
11:00-12:00 HOUR	0.0063	0.0066	0.0077	0.0073	0.0072
12:00-13:00 HOUR	0.0069	0.0061	0.0066	0.0067	0.0072
13:00-14:00 HOUR	0.0063	0.0068	0.0068	0.0069	0.0075
14:00-15:00 HOUR	0.0068	0.0073	0.0071	0.0066	0.0066
15:00-16:00 HOUR	0.0069	0.0067	0.0065	0.0068	0.0073
16:00-17:00 HOUR	0.0073	0.0065	0.0068	0.0068	0.0072
17:00-18:00 HOUR	0.0077	0.0067	0.0068	0.0062	0.0073
18:00-19:00 HOUR	0.0065	0.0074	0.0065	0.0068	0.0076
19:00-20:00 HOUR	0.0077	0.0075	0.0067	0.0074	0.0070
20:00-21:00 HOUR	0.0071	0.0073	0.0068	0.0078	0.0073
21:00-22:00 HOUR	0.0076	0.0073	0.0065	0.0066	0.0073
22:00-23:00 HOUR	0.0066	0.0072	0.0067	0.0069	0.0074
23:00-00:00 HOUR	0.0075	0.0066	0.0066	0.0065	0.0073
00:00-01:00 HOUR	0.0074	0.0070	0.0072	0.0067	0.0073
01:00-02:00 HOUR	0.0072	0.0067	0.0073	0.0068	0.0070
02:00-03:00 HOUR	0.0071	0.0077	0.0063	0.0062	0.0075
03:00-04:00 HOUR	0.0073	0.0067	0.0063	0.0074	0.0076
04:00-05:00 HOUR	0.0066	0.0067	0.0067	0.0074	0.0073
05:00-06:00 HOUR	0.0068	0.0072	0.0063	0.0070	0.0073
06:00-07:00 HOUR	0.0068	0.0073	0.0069	0.0069	0.0068
07:00-08:00 HOUR	0.0071	0.0075	0.0065	0.0069	0.0068

*Sila Banjongjatriuk*  
(MR. SILA BANJONGJATRIUK)  
LABORATORY SUPERVISOR

MARCH 29, 2024

\* PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
\* THIS ANALYSIS REPORT APPROVES ONLY FOR THE SAMPLES AS RECEIVED.

1/1



- End of Analysis Report -

## ANALYSIS REPORT

**PROJECT NAME** : โครงการท่าเทียบเรือ บริษัท เจซี มารีน พอร์ต จำกัด  
**CUSTOMER NAME** : JC MARINE PORT COMPANY LIMITED  
**ADDRESS** : 153/1 MOO 1 THUNG SUKHLA SI RACHA CHON BURI 20230  
**CONTACT INFORMATION** : TEL : 08 1309 5708, 0 3835 1473 e-mail : jcmarineport.info@gmail.com  
**MEASURING PLACE** : บริเวณท่าเทียบเรือของโครงการ  
**MEASURING TYPE** : AMBIENT (AIR)  
**MEASURING DATE** : MARCH 16-21, 2024  
**MEASURING TIME** : \*  
**MEASURING METHOD** : CHEMILUMINESCENCE  
**MEASURED BY** : MR NATTHAPONG CHAKUNTHOD  
**RECEIVED DATE** : MARCH 16-21, 2024  
**ANALYTICAL DATE** : MARCH 16-21, 2024  
**ISSUE DATE** : MARCH 29, 2024  
**REPORT NO.** : 2024-U026619  
**WORK NO.** : 2022-008114  
**ANALYSIS NO.** : T24AG079-0001 - T24AG079-0005

TIME *	RESULT (ppm)				
	NITROGEN DIOXIDE				
	บริเวณท่าเทียบเรือของโครงการ				
	MARCH 16-17, 2024 T24AG079-0001	MARCH 17-18, 2024 T24AG079-0002	MARCH 18-19, 2024 T24AG079-0003	MARCH 19-20, 2024 T24AG079-0004	MARCH 20-21, 2024 T24AG079-0005
08:00-09:00 HOUR	0.0083	0.0082	0.0092	0.0091	0.0096
09:00-10:00 HOUR	0.0093	0.0078	0.0080	0.0091	0.0088
10:00-11:00 HOUR	0.0082	0.0080	0.0083	0.0093	0.0082
11:00-12:00 HOUR	0.0080	0.0087	0.0090	0.0082	0.0094
12:00-13:00 HOUR	0.0093	0.0087	0.0092	0.0084	0.0085
13:00-14:00 HOUR	0.0086	0.0078	0.0080	0.0076	0.0079
14:00-15:00 HOUR	0.0083	0.0083	0.0089	0.0082	0.0085
15:00-16:00 HOUR	0.0087	0.0090	0.0094	0.0092	0.0092
16:00-17:00 HOUR	0.0082	0.0091	0.0083	0.0086	0.0087
17:00-18:00 HOUR	0.0096	0.0086	0.0079	0.0088	0.0083
18:00-19:00 HOUR	0.0091	0.0084	0.0091	0.0081	0.0081
19:00-20:00 HOUR	0.0087	0.0091	0.0078	0.0078	0.0089
20:00-21:00 HOUR	0.0087	0.0095	0.0078	0.0074	0.0079
21:00-22:00 HOUR	0.0083	0.0086	0.0080	0.0075	0.0086
22:00-23:00 HOUR	0.0075	0.0086	0.0091	0.0075	0.0086
23:00-00:00 HOUR	0.0069	0.0084	0.0088	0.0079	0.0093
00:00-01:00 HOUR	0.0081	0.0095	0.0090	0.0074	0.0084
01:00-02:00 HOUR	0.0071	0.0085	0.0087	0.0076	0.0089
02:00-03:00 HOUR	0.0071	0.0077	0.0081	0.0079	0.0081
03:00-04:00 HOUR	0.0075	0.0090	0.0090	0.0077	0.0080
04:00-05:00 HOUR	0.0074	0.0082	0.0092	0.0074	0.0083
05:00-06:00 HOUR	0.0082	0.0081	0.0093	0.0074	0.0086
06:00-07:00 HOUR	0.0076	0.0087	0.0080	0.0075	0.0087
07:00-08:00 HOUR	0.0078	0.0078	0.0085	0.0073	0.0090

*Sila Banjongjatriuk*  
(MR. SILA BANJONGJATRIUK)  
LABORATORY SUPERVISOR

MARCH 29, 2024

\* PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
\* THIS ANALYSIS REPORT APPROVES ONLY FOR THE SAMPLES AS RECEIVED.

1/1



- End of Analysis Report -



## ANALYSIS REPORT

**PROJECT NAME** : โครงการท่าเทียบเรือ บริษัท เจซี มาร์ีน พอร์ต จำกัด  
**CUSTOMER NAME** : JC MARINE PORT COMPANY LIMITED  
**ADDRESS** : 153/1 MOD 1 THUNG SUKHLA SI RACHA CHON BURI 20230  
**CONTACT INFORMATION** : TEL : 08 1309 5708, 0 3835 1473 e-mail : jcmarineport.info@gmail.com  
**MEASURING PLACE** : บริเวณสวนสาธารณะ  
**MEASURING TYPE** : AMBIENT (AIR)  
**MEASURING DATE** : MARCH 16-21, 2024  
**MEASURING TIME** : \*  
**MEASURING METHOD** : CHEMILUMINESCENCE  
**MEASURED BY** : MR NATTHAPONG CHAKUNTHOD  
**RECEIVED DATE** : MARCH 16-21, 2024  
**ANALYTICAL DATE** : MARCH 16-21, 2024  
**ISSUE DATE** : MARCH 29, 2024  
**REPORT NO.** : 2024-U026622  
**WORK NO.** : 2022-008114  
**ANALYSIS NO.** : T24AG079-0016 - T24AG079-0020

TIME *	RESULT (ppm)				
	NITROGEN DIOXIDE				
	บริเวณสวนสาธารณะ				
	MARCH 16-17, 2024 T24AG079-0016	MARCH 17-18, 2024 T24AG079-0017	MARCH 18-19, 2024 T24AG079-0018	MARCH 19-20, 2024 T24AG079-0019	MARCH 20-21, 2024 T24AG079-0020
08:00-09:00 HOUR	0.0050	0.0044	0.0053	0.0057	0.0046
09:00-10:00 HOUR	0.0052	0.0046	0.0050	0.0058	0.0051
10:00-11:00 HOUR	0.0045	0.0052	0.0057	0.0051	0.0056
11:00-12:00 HOUR	0.0054	0.0054	0.0052	0.0062	0.0047
12:00-13:00 HOUR	0.0053	0.0047	0.0051	0.0058	0.0062
13:00-14:00 HOUR	0.0053	0.0054	0.0048	0.0055	0.0054
14:00-15:00 HOUR	0.0046	0.0055	0.0045	0.0058	0.0055
15:00-16:00 HOUR	0.0055	0.0053	0.0062	0.0054	0.0056
16:00-17:00 HOUR	0.0049	0.0057	0.0054	0.0049	0.0058
17:00-18:00 HOUR	0.0058	0.0053	0.0052	0.0052	0.0059
18:00-19:00 HOUR	0.0059	0.0058	0.0055	0.0050	0.0050
19:00-20:00 HOUR	0.0054	0.0061	0.0049	0.0047	0.0056
20:00-21:00 HOUR	0.0050	0.0051	0.0060	0.0048	0.0058
21:00-22:00 HOUR	0.0050	0.0056	0.0056	0.0053	0.0052
22:00-23:00 HOUR	0.0051	0.0050	0.0049	0.0060	0.0049
23:00-00:00 HOUR	0.0053	0.0051	0.0061	0.0047	0.0053
00:00-01:00 HOUR	0.0050	0.0045	0.0048	0.0049	0.0050
01:00-02:00 HOUR	0.0051	0.0046	0.0048	0.0049	0.0056
02:00-03:00 HOUR	0.0045	0.0049	0.0051	0.0048	0.0058
03:00-04:00 HOUR	0.0058	0.0055	0.0050	0.0050	0.0049
04:00-05:00 HOUR	0.0051	0.0046	0.0056	0.0046	0.0052
05:00-06:00 HOUR	0.0049	0.0054	0.0051	0.0050	0.0053
06:00-07:00 HOUR	0.0059	0.0052	0.0046	0.0045	0.0056
07:00-08:00 HOUR	0.0055	0.0059	0.0057	0.0048	0.0049

*Sila Banjongjairuk*

(MR SILA BANJONGJAIRUK)  
LABORATORY SUPERVISOR

MARCH 29, 2024

- PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.
- THIS ANALYSIS REPORT APPROVES ONLY FOR THE SAMPLES AS RECEIVED.

1/1



- End of Analysis Report -

## ANALYSIS REPORT

**PROJECT NAME** : โครงการท่าเทียบเรือ บริษัท เจซี มาร์ีน พอร์ต จำกัด  
**CUSTOMER NAME** : JC MARINE PORT COMPANY LIMITED  
**ADDRESS** : 153/1 MOD 1 THUNG SUKHLA SI RACHA CHON BURI 20230  
**CONTACT INFORMATION** : TEL : 08 1309 5708, 0 3835 1473 e-mail : jcmarineport.info@gmail.com  
**MEASURING PLACE** : บริเวณวัดโสมนัสราชวรวิหาร  
**MEASURING TYPE** : AMBIENT (AIR)  
**MEASURING DATE** : MARCH 16-21, 2024  
**MEASURING TIME** : \*  
**MEASURING METHOD** : CHEMILUMINESCENCE  
**MEASURED BY** : MR NATTHAPONG CHAKUNTHOD  
**RECEIVED DATE** : MARCH 16-21, 2024  
**ANALYTICAL DATE** : MARCH 16-21, 2024  
**ISSUE DATE** : MARCH 29, 2024  
**REPORT NO.** : 2024-U026621  
**WORK NO.** : 2022-008114  
**ANALYSIS NO.** : T24AG079-0011 - T24AG079-0015

TIME *	RESULT (ppm)				
	NITROGEN DIOXIDE				
	บริเวณวัดโสมนัสราชวรวิหาร				
	MARCH 16-17, 2024 T24AG079-0011	MARCH 17-18, 2024 T24AG079-0012	MARCH 18-19, 2024 T24AG079-0013	MARCH 19-20, 2024 T24AG079-0014	MARCH 20-21, 2024 T24AG079-0015
08:00-09:00 HOUR	0.0105	0.0109	0.0103	0.0096	0.0099
09:00-10:00 HOUR	0.0103	0.0098	0.0109	0.0104	0.0099
10:00-11:00 HOUR	0.0104	0.0107	0.0099	0.0103	0.0100
11:00-12:00 HOUR	0.0107	0.0100	0.0106	0.0104	0.0102
12:00-13:00 HOUR	0.0102	0.0095	0.0108	0.0103	0.0099
13:00-14:00 HOUR	0.0107	0.0099	0.0104	0.0108	0.0103
14:00-15:00 HOUR	0.0107	0.0103	0.0098	0.0099	0.0101
15:00-16:00 HOUR	0.0105	0.0098	0.0103	0.0101	0.0104
16:00-17:00 HOUR	0.0100	0.0110	0.0099	0.0108	0.0107
17:00-18:00 HOUR	0.0108	0.0107	0.0108	0.0100	0.0096
18:00-19:00 HOUR	0.0103	0.0104	0.0105	0.0095	0.0099
19:00-20:00 HOUR	0.0098	0.0098	0.0100	0.0098	0.0105
20:00-21:00 HOUR	0.0095	0.0093	0.0098	0.0104	0.0108
21:00-22:00 HOUR	0.0092	0.0092	0.0107	0.0101	0.0097
22:00-23:00 HOUR	0.0098	0.0093	0.0105	0.0097	0.0104
23:00-00:00 HOUR	0.0101	0.0087	0.0101	0.0106	0.0102
00:00-01:00 HOUR	0.0098	0.0096	0.0095	0.0109	0.0109
01:00-02:00 HOUR	0.0099	0.0092	0.0102	0.0107	0.0107
02:00-03:00 HOUR	0.0091	0.0087	0.0100	0.0105	0.0100
03:00-04:00 HOUR	0.0096	0.0095	0.0104	0.0097	0.0100
04:00-05:00 HOUR	0.0104	0.0093	0.0099	0.0106	0.0097
05:00-06:00 HOUR	0.0107	0.0101	0.0103	0.0099	0.0105
06:00-07:00 HOUR	0.0104	0.0111	0.0107	0.0105	0.0107
07:00-08:00 HOUR	0.0102	0.0106	0.0099	0.0105	0.0102

*Sila Banjongjairuk*

(MR SILA BANJONGJAIRUK)  
LABORATORY SUPERVISOR

MARCH 29, 2024

- PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.
- THIS ANALYSIS REPORT APPROVES ONLY FOR THE SAMPLES AS RECEIVED.

1/1



- End of Analysis Report -

## ANALYSIS REPORT

**PROJECT NAME** : โครงการท่าเทียบเรือ บริษัท เจซี มารีน พอร์ต จำกัด  
**CUSTOMER NAME** : JC MARINE PORT COMPANY LIMITED  
**ADDRESS** : 153/1 MOO 1 THUNG SUKHLA SI RACHA CHON BURI 20230  
**CONTACT INFORMATION** : TEL : 08 1309 5708, 0 3835 1473 e-mail : jcmarineport.info@gmail.com  
**MEASURING PLACE** : บริเวณท่าเทียบเรือของโครงการ  
**MEASURING TYPE** : AMBIENT (AIR)  
**MEASURING DATE** : MARCH 16-21, 2024  
**MEASURING TIME** : \*  
**MEASURING METHOD** : UV FLUORESCENCE  
**MEASURED BY** : MR NATTHAPONG CHAKUNTHOD

**RECEIVED DATE** : MARCH 16-21, 2024  
**ANALYTICAL DATE** : MARCH 16-21, 2024  
**ISSUE DATE** : MARCH 29, 2024  
**REPORT NO.** : 2024-U026624  
**WORK NO.** : 2022-008114  
**ANALYSIS NO.** : T24AG079-0005 - T24AG079-0010

TIME *	RESULT (ppm)				
	SULPHUR DIOXIDE				
	บริเวณท่าเทียบเรือของโครงการ				
	MARCH 16-17, 2024 T24AG079-0006	MARCH 17-18, 2024 T24AG079-0007	MARCH 18-19, 2024 T24AG079-0008	MARCH 19-20, 2024 T24AG079-0009	MARCH 20-21, 2024 T24AG079-0010
08:00-09:00 HOUR	0.0038	0.0037	0.0034	0.0037	0.0034
09:00-10:00 HOUR	0.0031	0.0035	0.0037	0.0031	0.0035
10:00-11:00 HOUR	0.0032	0.0033	0.0034	0.0031	0.0035
11:00-12:00 HOUR	0.0035	0.0033	0.0032	0.0034	0.0033
12:00-13:00 HOUR	0.0036	0.0032	0.0034	0.0034	0.0038
13:00-14:00 HOUR	0.0033	0.0037	0.0038	0.0033	0.0034
14:00-15:00 HOUR	0.0037	0.0034	0.0033	0.0031	0.0037
15:00-16:00 HOUR	0.0036	0.0033	0.0037	0.0035	0.0034
16:00-17:00 HOUR	0.0031	0.0036	0.0038	0.0035	0.0038
17:00-18:00 HOUR	0.0035	0.0033	0.0038	0.0034	0.0031
18:00-19:00 HOUR	0.0037	0.0036	0.0035	0.0035	0.0038
19:00-20:00 HOUR	0.0032	0.0033	0.0032	0.0037	0.0033
20:00-21:00 HOUR	0.0037	0.0033	0.0032	0.0036	0.0038
21:00-22:00 HOUR	0.0037	0.0034	0.0034	0.0035	0.0033
22:00-23:00 HOUR	0.0032	0.0031	0.0038	0.0038	0.0037
23:00-00:00 HOUR	0.0035	0.0038	0.0033	0.0034	0.0036
00:00-01:00 HOUR	0.0032	0.0035	0.0035	0.0035	0.0034
01:00-02:00 HOUR	0.0031	0.0036	0.0037	0.0034	0.0035
02:00-03:00 HOUR	0.0031	0.0032	0.0033	0.0032	0.0031
03:00-04:00 HOUR	0.0036	0.0032	0.0036	0.0033	0.0036
04:00-05:00 HOUR	0.0037	0.0037	0.0034	0.0037	0.0038
05:00-06:00 HOUR	0.0036	0.0037	0.0038	0.0034	0.0035
06:00-07:00 HOUR	0.0034	0.0031	0.0035	0.0038	0.0037
07:00-08:00 HOUR	0.0037	0.0034	0.0035	0.0031	0.0036
AVERAGE 24 HOUR	0.0035	0.0034	0.0035	0.0034	0.0035

*Sila Banjongjairuk*

(MR SILA BANJONGJAIRUK)  
LABORATORY SUPERVISOR

MARCH 29, 2024

ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY SGS GROUP (THAILAND) CO., LTD.

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR THE SAMPLES AS RECEIVED.

1/1



- End of Analysis Report -

## ANALYSIS REPORT

**PROJECT NAME** : โครงการท่าเทียบเรือ บริษัท เจซี มารีน พอร์ต จำกัด  
**CUSTOMER NAME** : JC MARINE PORT COMPANY LIMITED  
**ADDRESS** : 153/1 MOO 1 THUNG SUKHLA SI RACHA CHON BURI 20230  
**CONTACT INFORMATION** : TEL : 08 1309 5708, 0 3835 1473 e-mail : jcmarineport.info@gmail.com  
**MEASURING PLACE** : บริเวณท่าเทียบเรือของโครงการ  
**MEASURING TYPE** : AMBIENT (AIR)  
**MEASURING DATE** : MARCH 16-21, 2024  
**MEASURING TIME** : \*  
**MEASURING METHOD** : UV FLUORESCENCE  
**MEASURED BY** : MR NATTHAPONG CHAKUNTHOD

**RECEIVED DATE** : MARCH 16-21, 2024  
**ANALYTICAL DATE** : MARCH 16-21, 2024  
**ISSUE DATE** : MARCH 29, 2024  
**REPORT NO.** : 2024-U026623  
**WORK NO.** : 2022-008114  
**ANALYSIS NO.** : T24AG079-0001 - T24AG079-0005

TIME *	RESULT (ppm)				
	SULPHUR DIOXIDE				
	บริเวณท่าเทียบเรือของโครงการ				
	MARCH 16-17, 2024 T24AG079-0001	MARCH 17-18, 2024 T24AG079-0002	MARCH 18-19, 2024 T24AG079-0003	MARCH 19-20, 2024 T24AG079-0004	MARCH 20-21, 2024 T24AG079-0005
08:00-09:00 HOUR	0.0036	0.0038	0.0040	0.0036	0.0037
09:00-10:00 HOUR	0.0039	0.0037	0.0038	0.0042	0.0039
10:00-11:00 HOUR	0.0038	0.0039	0.0039	0.0036	0.0041
11:00-12:00 HOUR	0.0036	0.0039	0.0038	0.0037	0.0040
12:00-13:00 HOUR	0.0039	0.0042	0.0042	0.0042	0.0038
13:00-14:00 HOUR	0.0037	0.0042	0.0037	0.0041	0.0036
14:00-15:00 HOUR	0.0038	0.0039	0.0039	0.0040	0.0041
15:00-16:00 HOUR	0.0037	0.0041	0.0042	0.0036	0.0037
16:00-17:00 HOUR	0.0039	0.0038	0.0041	0.0036	0.0039
17:00-18:00 HOUR	0.0036	0.0040	0.0038	0.0041	0.0037
18:00-19:00 HOUR	0.0039	0.0042	0.0039	0.0041	0.0041
19:00-20:00 HOUR	0.0035	0.0040	0.0039	0.0036	0.0039
20:00-21:00 HOUR	0.0037	0.0039	0.0039	0.0041	0.0042
21:00-22:00 HOUR	0.0040	0.0042	0.0036	0.0036	0.0041
22:00-23:00 HOUR	0.0039	0.0040	0.0039	0.0037	0.0039
23:00-00:00 HOUR	0.0038	0.0039	0.0041	0.0041	0.0037
00:00-01:00 HOUR	0.0040	0.0037	0.0036	0.0042	0.0036
01:00-02:00 HOUR	0.0038	0.0038	0.0036	0.0042	0.0037
02:00-03:00 HOUR	0.0039	0.0041	0.0037	0.0042	0.0039
03:00-04:00 HOUR	0.0037	0.0037	0.0042	0.0040	0.0041
04:00-05:00 HOUR	0.0038	0.0038	0.0041	0.0039	0.0038
05:00-06:00 HOUR	0.0039	0.0042	0.0040	0.0040	0.0039
06:00-07:00 HOUR	0.0041	0.0037	0.0038	0.0038	0.0040
07:00-08:00 HOUR	0.0042	0.0042	0.0042	0.0036	0.0036
AVERAGE 24 HOUR	0.0038	0.0040	0.0039	0.0039	0.0039

*Sila Banjongjairuk*

(MR SILA BANJONGJAIRUK)  
LABORATORY SUPERVISOR

MARCH 29, 2024

ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY SGS GROUP (THAILAND) CO., LTD.

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR THE SAMPLES AS RECEIVED.

1/1



- End of Analysis Report -



## ANALYSIS REPORT

**PROJECT NAME** : โครงการท่าเทียบเรือ บริษัท เจซี มารีน พอร์ต จำกัด  
**CUSTOMER NAME** : JC MARINE PORT COMPANY LIMITED  
**ADDRESS** : 153/1 MOO 1 THUNG SUKHLA SI RACHA CHON BURI 20230  
**CONTACT INFORMATION** : TEL : 08 1309 5708, 0 3835 1473 e-mail : jcmarineport.info@gmail.com  
**MEASURING PLACE** : บริเวณสวนสาธารณะ  
**MEASURING TYPE** : AMBIENT (AIR)  
**MEASURING DATE** : MARCH 16-21, 2024  
**MEASURING TIME** : \*  
**MEASURING METHOD** : UV FLUORESCENCE  
**MEASURED BY** : MR NATTHAPONG CHAKUNTHOD

**RECEIVED DATE** : MARCH 16-21, 2024  
**ANALYTICAL DATE** : MARCH 16-21, 2024  
**ISSUE DATE** : MARCH 29, 2024  
**REPORT NO.** : 2024-U026626  
**WORK NO.** : 2022-008114  
**ANALYSIS NO.** : T24AG079-0016 - T24AG079-0020

TIME *	RESULT (ppm)				
	SULPHUR DIOXIDE				
	บริเวณสวนสาธารณะ				
	MARCH 16-17, 2024 T24AG079-0016	MARCH 17-18, 2024 T24AG079-0017	MARCH 18-19, 2024 T24AG079-0018	MARCH 19-20, 2024 T24AG079-0019	MARCH 20-21, 2024 T24AG079-0020
08:00-09:00 HOUR	0.0037	0.0034	0.0033	0.0038	0.0036
09:00-10:00 HOUR	0.0034	0.0037	0.0034	0.0039	0.0036
10:00-11:00 HOUR	0.0035	0.0034	0.0038	0.0034	0.0035
11:00-12:00 HOUR	0.0034	0.0034	0.0036	0.0038	0.0036
12:00-13:00 HOUR	0.0035	0.0039	0.0033	0.0038	0.0039
13:00-14:00 HOUR	0.0036	0.0034	0.0037	0.0037	0.0033
14:00-15:00 HOUR	0.0036	0.0036	0.0037	0.0036	0.0038
15:00-16:00 HOUR	0.0038	0.0039	0.0034	0.0037	0.0033
16:00-17:00 HOUR	0.0036	0.0035	0.0035	0.0036	0.0034
17:00-18:00 HOUR	0.0037	0.0038	0.0034	0.0034	0.0036
18:00-19:00 HOUR	0.0039	0.0039	0.0035	0.0034	0.0034
19:00-20:00 HOUR	0.0035	0.0039	0.0035	0.0035	0.0034
20:00-21:00 HOUR	0.0033	0.0033	0.0039	0.0035	0.0036
21:00-22:00 HOUR	0.0035	0.0033	0.0036	0.0035	0.0036
22:00-23:00 HOUR	0.0032	0.0036	0.0038	0.0032	0.0033
23:00-00:00 HOUR	0.0033	0.0037	0.0038	0.0035	0.0035
00:00-01:00 HOUR	0.0033	0.0033	0.0037	0.0035	0.0035
01:00-02:00 HOUR	0.0032	0.0034	0.0035	0.0035	0.0035
02:00-03:00 HOUR	0.0033	0.0033	0.0035	0.0034	0.0036
03:00-04:00 HOUR	0.0034	0.0039	0.0035	0.0031	0.0037
04:00-05:00 HOUR	0.0033	0.0035	0.0033	0.0034	0.0038
05:00-06:00 HOUR	0.0033	0.0037	0.0036	0.0031	0.0039
06:00-07:00 HOUR	0.0036	0.0038	0.0037	0.0033	0.0035
07:00-08:00 HOUR	0.0039	0.0037	0.0035	0.0035	0.0037
AVERAGE 24 HOUR	0.0035	0.0036	0.0036	0.0035	0.0036

*Sila Banjongjairuk*

(MR SILA BANJONGJAIRUK)  
LABORATORY SUPERVISOR

MARCH 29, 2024

ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY BSI GROUP (THAILAND) CO.,LTD.

\* PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
\* THIS ANALYSIS REPORT APPROVES ONLY FOR THE SAMPLES AS RECEIVED.

1/1



- End of Analysis Report -

## ANALYSIS REPORT

**PROJECT NAME** : โครงการท่าเทียบเรือ บริษัท เจซี มารีน พอร์ต จำกัด  
**CUSTOMER NAME** : JC MARINE PORT COMPANY LIMITED  
**ADDRESS** : 153/1 MOO 1 THUNG SUKHLA SI RACHA CHON BURI 20230  
**CONTACT INFORMATION** : TEL : 08 1309 5708, 0 3835 1473 e-mail : jcmarineport.info@gmail.com  
**MEASURING PLACE** : บริเวณวัดโพนเนินพยอม  
**MEASURING TYPE** : AMBIENT (AIR)  
**MEASURING DATE** : MARCH 16-21, 2024  
**MEASURING TIME** : \*  
**MEASURING METHOD** : UV FLUORESCENCE  
**MEASURED BY** : MR NATTHAPONG CHAKUNTHOD

**RECEIVED DATE** : MARCH 16-21, 2024  
**ANALYTICAL DATE** : MARCH 16-21, 2024  
**ISSUE DATE** : MARCH 29, 2024  
**REPORT NO.** : 2024-U026625  
**WORK NO.** : 2022-008114  
**ANALYSIS NO.** : T24AG079-0011 - T24AG079-0015

TIME *	RESULT (ppm)				
	SULPHUR DIOXIDE				
	บริเวณวัดโพนเนินพยอม				
	MARCH 16-17, 2024 T24AG079-0011	MARCH 17-18, 2024 T24AG079-0012	MARCH 18-19, 2024 T24AG079-0013	MARCH 19-20, 2024 T24AG079-0014	MARCH 20-21, 2024 T24AG079-0015
08:00-09:00 HOUR	0.0046	0.0042	0.0042	0.0044	0.0042
09:00-10:00 HOUR	0.0046	0.0043	0.0045	0.0043	0.0045
10:00-11:00 HOUR	0.0045	0.0047	0.0045	0.0043	0.0043
11:00-12:00 HOUR	0.0044	0.0042	0.0046	0.0047	0.0045
12:00-13:00 HOUR	0.0044	0.0045	0.0045	0.0043	0.0046
13:00-14:00 HOUR	0.0046	0.0045	0.0047	0.0047	0.0044
14:00-15:00 HOUR	0.0044	0.0044	0.0047	0.0046	0.0045
15:00-16:00 HOUR	0.0047	0.0045	0.0047	0.0045	0.0043
16:00-17:00 HOUR	0.0044	0.0045	0.0042	0.0045	0.0045
17:00-18:00 HOUR	0.0047	0.0042	0.0044	0.0047	0.0045
18:00-19:00 HOUR	0.0043	0.0039	0.0045	0.0043	0.0046
19:00-20:00 HOUR	0.0040	0.0038	0.0046	0.0042	0.0047
20:00-21:00 HOUR	0.0041	0.0040	0.0044	0.0046	0.0046
21:00-22:00 HOUR	0.0041	0.0041	0.0041	0.0044	0.0046
22:00-23:00 HOUR	0.0040	0.0039	0.0038	0.0045	0.0045
23:00-00:00 HOUR	0.0040	0.0038	0.0040	0.0044	0.0044
00:00-01:00 HOUR	0.0039	0.0041	0.0041	0.0047	0.0046
01:00-02:00 HOUR	0.0040	0.0040	0.0039	0.0044	0.0047
02:00-03:00 HOUR	0.0038	0.0039	0.0038	0.0042	0.0043
03:00-04:00 HOUR	0.0038	0.0041	0.0039	0.0042	0.0042
04:00-05:00 HOUR	0.0037	0.0045	0.0042	0.0045	0.0043
05:00-06:00 HOUR	0.0039	0.0045	0.0040	0.0043	0.0044
06:00-07:00 HOUR	0.0041	0.0044	0.0038	0.0047	0.0043
07:00-08:00 HOUR	0.0047	0.0043	0.0041	0.0047	0.0044
AVERAGE 24 HOUR	0.0042	0.0042	0.0043	0.0045	0.0045

*Sila Banjongjairuk*

(MR SILA BANJONGJAIRUK)  
LABORATORY SUPERVISOR

MARCH 29, 2024

ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY BSI GROUP (THAILAND) CO.,LTD.

\* PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
\* THIS ANALYSIS REPORT APPROVES ONLY FOR THE SAMPLES AS RECEIVED.

1/1



- End of Analysis Report -





United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangchak, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax 0 2763 2800 www.uaeconsultant.com E-mail: uae@uaeconsultant.com

## ANALYSIS REPORT

**PROJECT NAME** : โครงการท่าเทียบเรือ บริษัท เจซี มารีน พอร์ต จำกัด  
**CUSTOMER NAME** : JC MARINE PORT COMPANY LIMITED  
**ADDRESS** : 153/1 MOO 1 THUNG SUKHLA SI RACHA CHON BURI 20230  
**CONTACT INFORMATION** : TEL : 08 1309 5708, 0 3835 1473 e-mail : jcmarineport.info@gmail.com  
**MEASURING PLACE** : บริเวณท่าเทียบเรือของโครงการ  
**MEASURING TYPE** : AMBIENT (AIR)  
**MEASURING DATE** : MARCH 16-21, 2024  
**MEASURING TIME** : \*  
**MEASURING METHOD** : WIND SPEED & WIND DIRECTION EQUIPMENT  
**MEASURED BY** : MR NATTHAPONG CHAKUNTHOD

**RECEIVED DATE** : MARCH 16-21, 2024  
**ANALYTICAL DATE** : MARCH 16-21, 2024  
**ISSUE DATE** : MARCH 29, 2024  
**REPORT NO.** : 2024-U026628  
**WORK NO.** : 2022-008114  
**ANALYSIS NO.** : T24AG079-0006 - T24AG079-0010

TIME *	RESULT (m/s)									
	บริเวณท่าเทียบเรือของโครงการ									
	MARCH 16-17, 2024		MARCH 17-18, 2024		MARCH 18-19, 2024		MARCH 19-20, 2024		MARCH 20-21, 2024	
	T24AG079-0006 WIND SPEED DIRECTION	T24AG079-0007 WIND SPEED DIRECTION	T24AG079-0008 WIND SPEED DIRECTION	T24AG079-0009 WIND SPEED DIRECTION	T24AG079-0010 WIND SPEED DIRECTION	T24AG079-0011 WIND SPEED DIRECTION	T24AG079-0012 WIND SPEED DIRECTION	T24AG079-0013 WIND SPEED DIRECTION	T24AG079-0014 WIND SPEED DIRECTION	T24AG079-0015 WIND SPEED DIRECTION
08:00-09:00 HOUR	1.3	SW	3.2	W	2.8	SW	1.7	W	3.3	SW
09:00-10:00 HOUR	1.8	W	2.7	W	1.5	SSW	0.7	W	0.9	WNW
10:00-11:00 HOUR	3.4	WSW	1.1	W	1.4	S	3.1	SW	2.7	W
11:00-12:00 HOUR	1.9	SW	1.2	WSW	2.5	SE	1.5	WSW	1.9	SW
12:00-13:00 HOUR	2.4	SW	2.9	W	3.0	SE	2.5	SW	0.8	SSW
13:00-14:00 HOUR	3.4	SSW	1.2	SW	2.7	SSE	3.4	WNW	2.1	SSW
14:00-15:00 HOUR	2.9	SW	0.7	W	3.2	SSE	1.5	WNW	1.8	SSW
15:00-16:00 HOUR	2.8	W	3.0	SW	2.1	ESE	2.8	W	2.6	SSE
16:00-17:00 HOUR	0.9	WNW	3.2	SW	2.6	SE	2.9	SW	2.7	ENE
17:00-18:00 HOUR	2.8	W	2.9	WSW	0.8	SE	1.2	WSW	2.1	NNE
18:00-19:00 HOUR	2.0	WSW	1.6	WNW	0.9	SSW	2.4	SW	0.9	NE
19:00-20:00 HOUR	0.9	W	2.3	SSW	1.0	SE	0.6	W	3.4	E
20:00-21:00 HOUR	1.8	N	2.8	WSW	2.6	SE	2.6	WSW	0.5	ENE
21:00-22:00 HOUR	3.3	NNW	1.2	W	0.9	SE	2.7	WNW	1.4	NE
22:00-23:00 HOUR	1.2	NW	2.1	WNW	1.8	ESE	2.6	SSW	2.1	ENE
23:00-00:00 HOUR	2.4	NNW	1.7	SW	1.0	SSE	1.5	WSW	2.7	E
00:00-01:00 HOUR	1.0	NNW	1.8	SW	2.0	SSE	2.3	SSW	2.5	N
01:00-02:00 HOUR	2.1	NNW	2.8	SW	2.5	ESE	2.5	SSW	1.8	NE
02:00-03:00 HOUR	3.1	NW	1.8	WSW	2.0	S	2.0	W	0.8	E
03:00-04:00 HOUR	0.8	NW	1.4	SW	2.8	ESE	2.7	SSW	2.9	E
04:00-05:00 HOUR	1.6	N	0.5	WSW	2.4	SSE	2.5	W	3.0	E
05:00-06:00 HOUR	0.6	NW	3.2	W	1.7	SSW	3.0	SSW	2.9	S
06:00-07:00 HOUR	2.3	W	2.7	WNW	2.8	SW	2.6	WNW	2.6	SE
07:00-08:00 HOUR	2.9	WSW	1.8	WSW	1.6	WNW	1.2	W	2.6	S

*hit n*

(MR SILA BANJONGJAIKUK)  
LABORATORY SUPERVISOR

MARCH 29, 2024

ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY SGS GROUP (THAILAND) CO., LTD.

- PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.
- THIS ANALYSIS REPORT APPROVES ONLY FOR THE SAMPLES AS RECEIVED.

1/1



- End of Analysis Report -



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangchak, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax 0 2763 2800 www.uaeconsultant.com E-mail: uae@uaeconsultant.com

## ANALYSIS REPORT

**PROJECT NAME** : โครงการท่าเทียบเรือ บริษัท เจซี มารีน พอร์ต จำกัด  
**CUSTOMER NAME** : JC MARINE PORT COMPANY LIMITED  
**ADDRESS** : 153/1 MOO 1 THUNG SUKHLA SI RACHA CHON BURI 20230  
**CONTACT INFORMATION** : TEL : 08 1309 5708, 0 3835 1473 e-mail : jcmarineport.info@gmail.com  
**MEASURING PLACE** : บริเวณท่าเทียบเรือของโครงการ  
**MEASURING TYPE** : AMBIENT (AIR)  
**MEASURING DATE** : MARCH 16-21, 2024  
**MEASURING TIME** : \*  
**MEASURING METHOD** : WIND SPEED & WIND DIRECTION EQUIPMENT  
**MEASURED BY** : MR NATTHAPONG CHAKUNTHOD

**RECEIVED DATE** : MARCH 16-21, 2024  
**ANALYTICAL DATE** : MARCH 16-21, 2024  
**ISSUE DATE** : MARCH 29, 2024  
**REPORT NO.** : 2024-U026627  
**WORK NO.** : 2022-008114  
**ANALYSIS NO.** : T24AG079-0001 - T24AG079-0005

TIME *	RESULT (m/s)									
	บริเวณท่าเทียบเรือของโครงการ									
	MARCH 16-17, 2024		MARCH 17-18, 2024		MARCH 18-19, 2024		MARCH 19-20, 2024		MARCH 20-21, 2024	
	T24AG079-0001 WIND SPEED DIRECTION	T24AG079-0002 WIND SPEED DIRECTION	T24AG079-0003 WIND SPEED DIRECTION	T24AG079-0004 WIND SPEED DIRECTION	T24AG079-0005 WIND SPEED DIRECTION	T24AG079-0006 WIND SPEED DIRECTION	T24AG079-0007 WIND SPEED DIRECTION	T24AG079-0008 WIND SPEED DIRECTION	T24AG079-0009 WIND SPEED DIRECTION	T24AG079-0010 WIND SPEED DIRECTION
08:00-09:00 HOUR	2.4	SW	0.8	SSW	1.5	WNW	2.1	ENE	3.0	WNW
09:00-10:00 HOUR	1.7	WNW	1.0	SSW	2.3	NW	3.0	N	1.0	SW
10:00-11:00 HOUR	3.3	SSW	0.8	WSW	1.3	NW	1.0	E	2.4	SSW
11:00-12:00 HOUR	3.2	WNW	1.6	WNW	1.0	WNW	3.3	SSE	2.1	W
12:00-13:00 HOUR	1.8	W	1.5	SW	1.3	NW	3.3	S	1.4	SW
13:00-14:00 HOUR	1.4	W	2.4	SSW	3.4	N	0.6	SSE	1.0	W
14:00-15:00 HOUR	3.4	W	1.1	SW	0.5	NW	0.9	SE	1.9	SW
15:00-16:00 HOUR	1.8	W	1.8	WSW	3.3	NNW	3.1	SSW	1.9	W
16:00-17:00 HOUR	0.8	WSW	0.9	WSW	3.1	NNE	2.9	S	1.5	WSW
17:00-18:00 HOUR	2.6	WSW	0.7	W	2.8	ENE	0.5	ESE	3.2	SSW
18:00-19:00 HOUR	0.8	WSW	0.9	W	2.1	E	0.9	SSE	2.1	WSW
19:00-20:00 HOUR	3.2	SW	1.7	SSW	2.6	NNE	0.9	SSW	0.7	WNW
20:00-21:00 HOUR	2.3	SSW	0.6	SW	3.1	N	2.7	SW	2.6	WSW
21:00-22:00 HOUR	3.4	W	2.0	W	2.2	E	0.9	SW	2.5	WSW
22:00-23:00 HOUR	2.4	SW	3.4	WNW	2.4	E	1.3	SSW	1.5	W
23:00-00:00 HOUR	0.6	WSW	3.4	NNW	3.1	ENE	3.3	WNW	2.0	WSW
00:00-01:00 HOUR	2.9	SSW	1.5	N	0.5	E	2.8	W	1.3	WSW
01:00-02:00 HOUR	1.8	W	0.7	NW	2.8	ENE	2.1	SSW	2.8	WSW
02:00-03:00 HOUR	3.0	W	2.7	NNW	0.9	NNE	2.7	W	2.7	WSW
03:00-04:00 HOUR	1.6	SSW	2.7	NNW	1.4	ENE	2.3	W	1.1	WSW
04:00-05:00 HOUR	0.5	SSW	1.1	NW	3.3	NE	1.8	SSW	0.7	W
05:00-06:00 HOUR	2.0	SW	1.8	NW	1.9	NNE	1.0	W	0.9	WNW
06:00-07:00 HOUR	1.4	WSW	2.1	NW	2.6	ENE	2.6	SW	2.5	SW
07:00-08:00 HOUR	3.2	WNW	0.9	NNW	2.2	N	2.1	W	1.0	SSW

*hit n*

(MR SILA BANJONGJAIKUK)  
LABORATORY SUPERVISOR

MARCH 29, 2024

ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY SGS GROUP (THAILAND) CO., LTD.

- PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.
- THIS ANALYSIS REPORT APPROVES ONLY FOR THE SAMPLES AS RECEIVED.

1/1



- End of Analysis Report -



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangchak, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax 0 2763 2800 www.uaeconsultant.com E-mail: uae@uaeconsultant.com

## ANALYSIS REPORT

**PROJECT NAME** : โครงการท่าเทียบเรือ บริษัท เจซี มารีน พอร์ต จำกัด  
**CUSTOMER NAME** : JC MARINE PORT COMPANY LIMITED  
**ADDRESS** : 153/1 MOO 1 THUNG SUKHLA SI RACHA CHON BURI 20230  
**CONTACT INFORMATION** : TEL : 08 1309 5708, 0 3835 1473 e-mail : jcmarineport.info@gmail.com  
**MEASURING PLACE** : บริเวณสวนสาธารณะ  
**MEASURING TYPE** : AMBIENT (AIR)  
**MEASURING DATE** : MARCH 16-21, 2024  
**MEASURING TIME** : \*  
**MEASURING METHOD** : WIND SPEED & WIND DIRECTION EQUIPMENT  
**MEASURED BY** : MR NATTHAPONG CHAKUNTHOD  
**RECEIVED DATE** : MARCH 16-21, 2024  
**ANALYTICAL DATE** : MARCH 16-21, 2024  
**ISSUE DATE** : MARCH 29, 2024  
**REPORT NO.** : 2024-U026631  
**WORK NO.** : 2022-008114  
**ANALYSIS NO.** : T24AG079-0016 - T24AG079-0020

TIME *	RESULT (m/s)									
	บริเวณสวนสาธารณะ									
	MARCH 16-17, 2024		MARCH 17-18, 2024		MARCH 18-19, 2024		MARCH 19-20, 2024		MARCH 20-21, 2024	
	T24AG079-0016 WIND SPEED	WIND DIRECTION	T24AG079-0017 WIND SPEED	WIND DIRECTION	T24AG079-0018 WIND SPEED	WIND DIRECTION	T24AG079-0019 WIND SPEED	WIND DIRECTION	T24AG079-0020 WIND SPEED	WIND DIRECTION
08:00-09:00 HOUR	3.0	SW	3.0	SE	0.6	SW	2.6	WNW	1.3	SW
09:00-10:00 HOUR	0.6	W	2.4	SSE	3.1	SW	1.1	SW	2.9	SW
10:00-11:00 HOUR	1.1	WNW	2.9	ESE	0.8	WNW	0.5	WSW	3.2	WNW
11:00-12:00 HOUR	1.3	W	2.5	S	2.7	W	1.6	SSW	2.7	W
12:00-13:00 HOUR	1.6	WSW	0.9	SSW	1.8	WNW	0.9	W	0.9	W
13:00-14:00 HOUR	2.7	WSW	2.1	SW	3.1	WSW	3.1	SW	1.7	SW
14:00-15:00 HOUR	0.8	SW	1.1	SSW	2.5	W	2.6	WNW	1.9	SW
15:00-16:00 HOUR	1.1	WSW	1.4	W	2.5	WSW	0.9	W	1.7	WNW
16:00-17:00 HOUR	1.5	WSW	3.2	WNW	2.7	SSW	2.0	SSW	2.7	SSW
17:00-18:00 HOUR	1.6	W	2.6	WSW	1.2	WNW	0.5	WNW	2.7	SW
18:00-19:00 HOUR	1.7	SSW	1.9	SW	2.8	SSW	3.1	WSW	1.6	SW
19:00-20:00 HOUR	0.6	W	2.0	W	1.8	SW	1.1	WNW	0.5	WSW
20:00-21:00 HOUR	2.5	SW	2.8	WSW	3.1	SSW	1.5	W	2.0	SSW
21:00-22:00 HOUR	0.6	WSW	3.0	SW	2.7	WSW	0.6	WNW	1.6	WNW
22:00-23:00 HOUR	2.8	W	2.6	SW	1.2	SW	3.2	W	0.9	NW
23:00-00:00 HOUR	1.9	SSW	2.7	WNW	1.5	WSW	2.4	SW	0.8	WNW
00:00-01:00 HOUR	0.9	S	2.9	WSW	1.3	WSW	1.7	W	0.9	WNW
01:00-02:00 HOUR	3.0	SSE	3.0	SSW	2.8	WNW	0.9	SW	0.6	WNW
02:00-03:00 HOUR	0.6	ESE	1.1	SW	1.6	WNW	0.7	SW	2.4	WNW
03:00-04:00 HOUR	1.6	ESE	2.9	WSW	1.4	W	1.3	SSW	1.1	SSW
04:00-05:00 HOUR	3.0	SSW	2.3	W	2.8	WNW	1.8	SW	2.3	SW
05:00-06:00 HOUR	2.7	S	1.9	SW	1.7	WSW	1.1	WSW	2.7	WSW
06:00-07:00 HOUR	0.8	SSE	2.5	WNW	1.4	WNW	0.6	SW	0.5	W
07:00-08:00 HOUR	0.9	S	1.5	SSW	2.5	W	1.3	WNW	1.2	SW

*hit 7u*

(MR. SILA BANJONGJAIKUK)  
LABORATORY SUPERVISOR

MARCH 29, 2024

- PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.
- THIS ANALYSIS REPORT APPROVES ONLY FOR THE SAMPLES AS RECEIVED.

1/1



- End of Analysis Report -



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangchak, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax 0 2763 2800 www.uaeconsultant.com E-mail: uae@uaeconsultant.com

## ANALYSIS REPORT

**PROJECT NAME** : โครงการท่าเทียบเรือ บริษัท เจซี มารีน พอร์ต จำกัด  
**CUSTOMER NAME** : JC MARINE PORT COMPANY LIMITED  
**ADDRESS** : 153/1 MOO 1 THUNG SUKHLA SI RACHA CHON BURI 20230  
**CONTACT INFORMATION** : TEL : 08 1309 5708, 0 3835 1473 e-mail : jcmarineport.info@gmail.com  
**MEASURING PLACE** : บริเวณวัดใหม่เนินพยอม  
**MEASURING TYPE** : AMBIENT (AIR)  
**MEASURING DATE** : MARCH 16-21, 2024  
**MEASURING TIME** : \*  
**MEASURING METHOD** : WIND SPEED & WIND DIRECTION EQUIPMENT  
**MEASURED BY** : MR NATTHAPONG CHAKUNTHOD  
**RECEIVED DATE** : MARCH 16-21, 2024  
**ANALYTICAL DATE** : MARCH 16-21, 2024  
**ISSUE DATE** : MARCH 29, 2024  
**REPORT NO.** : 2024-U026629  
**WORK NO.** : 2022-008114  
**ANALYSIS NO.** : T24AG079-0011 - T24AG079-0015

TIME *	RESULT (m/s)									
	บริเวณวัดใหม่เนินพยอม									
	MARCH 16-17, 2024		MARCH 17-18, 2024		MARCH 18-19, 2024		MARCH 19-20, 2024		MARCH 20-21, 2024	
	T24AG079-0011 WIND SPEED	WIND DIRECTION	T24AG079-0012 WIND SPEED	WIND DIRECTION	T24AG079-0013 WIND SPEED	WIND DIRECTION	T24AG079-0014 WIND SPEED	WIND DIRECTION	T24AG079-0015 WIND SPEED	WIND DIRECTION
08:00-09:00 HOUR	2.1	W	3.3	SSE	1.7	WNW	2.9	WSW	3.3	WSW
09:00-10:00 HOUR	1.4	SW	1.7	ESE	1.9	SW	1.8	SW	1.2	SSW
10:00-11:00 HOUR	2.2	SSW	2.2	SSW	0.7	WSW	1.4	WSW	1.6	WNW
11:00-12:00 HOUR	2.6	WSW	1.6	ESE	2.7	WSW	2.2	W	2.3	SW
12:00-13:00 HOUR	2.7	WSW	1.6	SSE	2.2	W	1.6	WSW	0.7	WNW
13:00-14:00 HOUR	2.1	W	1.3	SE	2.6	WNW	1.9	SSW	3.4	SSW
14:00-15:00 HOUR	1.2	WSW	0.9	SSE	2.1	WNW	3.2	WSW	1.2	W
15:00-16:00 HOUR	3.1	SW	1.6	S	0.9	NW	1.7	WNW	0.6	SSW
16:00-17:00 HOUR	1.3	SW	2.7	SSE	2.5	NNW	2.6	W	1.2	WNW
17:00-18:00 HOUR	3.2	W	3.1	SSW	1.0	NW	0.8	W	1.5	SW
18:00-19:00 HOUR	0.6	SW	0.9	WSW	3.3	NW	3.1	WNW	2.9	SSW
19:00-20:00 HOUR	1.7	W	2.9	WSW	0.7	WNW	3.3	SW	2.9	WNW
20:00-21:00 HOUR	2.7	SW	1.9	W	3.0	N	1.3	WNW	1.1	W
21:00-22:00 HOUR	2.1	W	1.9	WSW	2.0	NW	0.7	WSW	1.5	W
22:00-23:00 HOUR	3.4	SSW	0.9	WSW	3.0	NNW	3.1	WSW	0.6	W
23:00-00:00 HOUR	3.0	WSW	0.9	SW	1.2	NW	2.6	SSW	1.7	W
00:00-01:00 HOUR	0.7	SW	2.2	WSW	3.0	WNW	2.1	SSW	2.1	W
01:00-02:00 HOUR	3.0	W	2.3	SW	2.4	W	0.9	W	0.7	WSW
02:00-03:00 HOUR	3.2	WNW	1.1	WNW	3.1	WNW	1.6	SW	1.9	W
03:00-04:00 HOUR	2.4	SW	1.9	SW	2.9	WNW	0.6	W	1.2	SW
04:00-05:00 HOUR	2.2	SSE	2.5	SSW	0.6	SSW	1.0	WNW	1.3	W
05:00-06:00 HOUR	2.8	E	1.2	SW	1.7	WSW	0.9	SW	2.8	SW
06:00-07:00 HOUR	3.4	E	3.0	WNW	3.4	W	2.4	WNW	0.8	WNW
07:00-08:00 HOUR	1.8	E	2.7	W	2.0	WSW	0.9	WSW	2.6	WNW

*hit 7u*

(MR. SILA BANJONGJAIKUK)  
LABORATORY SUPERVISOR

MARCH 29, 2024

- PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.
- THIS ANALYSIS REPORT APPROVES ONLY FOR THE SAMPLES AS RECEIVED.

1/1



- End of Analysis Report -



## ภาคผนวก ง-2

### ผลการตรวจวัดระดับเสียง

---





TIME*	RESULT dB(A)		
	บริเวณท่าเทียบเรือโครงการ		
	MARCH 17-18, 2024		
	T24AG080-0002		
	L <sub>Aeq</sub> 1 hour	L <sub>Amax</sub> 1 hour	L <sub>A90</sub> 1 hour
07:00-08:00 HOUR	51.3	69.9	46.1
08:00-09:00 HOUR	53.4	71.2	47.8
09:00-10:00 HOUR	53.3	84.1	49.3
10:00-11:00 HOUR	55.1	82.2	48.4
11:00-12:00 HOUR	59.4	82.3	50.3
12:00-13:00 HOUR	61.8	88.4	53.5
13:00-14:00 HOUR	59.9	85.0	52.1
14:00-15:00 HOUR	59.3	81.5	52.1
15:00-16:00 HOUR	59.6	83.7	54.4
16:00-17:00 HOUR	61.1	84.1	53.0
17:00-18:00 HOUR	60.2	80.6	51.4
18:00-19:00 HOUR	59.6	83.2	49.6
19:00-20:00 HOUR	63.9	93.0	54.9
20:00-21:00 HOUR	65.0	92.3	58.9
21:00-22:00 HOUR	59.0	89.2	50.3
22:00-23:00 HOUR	54.5	73.5	49.0
23:00-00:00 HOUR	54.5	68.5	49.7
00:00-01:00 HOUR	50.2	66.1	46.7
01:00-02:00 HOUR	50.9	67.7	47.7
02:00-03:00 HOUR	49.8	64.1	46.5
03:00-04:00 HOUR	48.6	65.6	45.6
04:00-05:00 HOUR	49.2	66.9	46.3
05:00-06:00 HOUR	49.5	63.8	46.7
06:00-07:00 HOUR	51.2	74.3	48.1
L <sub>Aeq</sub> 24 hours	58.5		
L <sub>Adn</sub>	60.7		

## ANALYSIS REPORT

PROJECT NAME	: โครงการท่าเทียบเรือ บริษัท เจซี มาร์ีน พอร์ต จำกัด	RECEIVED DATE	: MARCH 16-21, 2024
CUSTOMER NAME	: JC MARINE PORT COMPANY LIMITED	ANALYTICAL DATE	: MARCH 16-21, 2024
ADDRESS	: 153/1 MOO 1 THUNG SUKHLA SI RACHA CHON BURI 20230	ISSUE DATE	: MARCH 29, 2024
CONTACT INFORMATION	: TEL : 08 1309 5708, 0 3835 1473 e-mail : jcmarineport.info@gmail.com	REPORT NO.	: 2024-UC26642
MEASURING SOURCE	: บริเวณท่าเทียบเรือของโครงการ	WORK NO.	: 2022-008114
MEASURING TYPE	: AMBIENT (NOISE)	ANALYSIS NO.	: T24AG080-0001 - T24AG080-0005
MEASURING DATE	: MARCH 16-21, 2024		
MEASURING TIME	: *		
MEASURING METHOD	: INTEGRATED SOUND LEVEL METER		
MEASURED BY	: MR NATTHAPONG CHAKUNTHOD		

TIME*	RESULT dB(A)		
	บริเวณท่าเทียบเรือของโครงการ		
	MARCH 16-17, 2024		
	T24AG080-0001		
	L <sub>Aeq</sub> 1 hour	L <sub>Amax</sub> 1 hour	L <sub>A90</sub> 1 hour
07:00-08:00 HOUR	53.6	73.3	46.9
08:00-09:00 HOUR	53.0	73.7	48.7
09:00-10:00 HOUR	56.2	84.8	50.0
10:00-11:00 HOUR	52.7	73.2	48.6
11:00-12:00 HOUR	56.9	85.0	50.5
12:00-13:00 HOUR	63.1	89.0	54.4
13:00-14:00 HOUR	64.7	85.6	54.5
14:00-15:00 HOUR	64.9	85.3	58.6
15:00-16:00 HOUR	59.8	79.5	54.2
16:00-17:00 HOUR	64.4	89.6	56.4
17:00-18:00 HOUR	62.4	79.8	59.1
18:00-19:00 HOUR	61.3	81.0	53.4
19:00-20:00 HOUR	62.7	86.8	52.2
20:00-21:00 HOUR	64.7	86.8	54.6
21:00-22:00 HOUR	64.2	85.7	53.2
22:00-23:00 HOUR	60.1	81.5	51.5
23:00-00:00 HOUR	48.6	64.8	44.7
00:00-01:00 HOUR	49.3	66.4	45.6
01:00-02:00 HOUR	48.4	62.6	45.2
02:00-03:00 HOUR	48.1	62.7	44.6
03:00-04:00 HOUR	47.4	58.5	44.2
04:00-05:00 HOUR	47.8	69.0	44.5
05:00-06:00 HOUR	47.4	67.8	44.3
06:00-07:00 HOUR	54.4	78.6	45.5
L <sub>Aeq</sub> 24 hours	60.3		
L <sub>Adn</sub>	62.4		



TIME*	RESULT dB(A)		
	บริเวณหน้าตึกเคหะโครงการ		
	MARCH 19-20, 2024		
	T24AG080-0004		
	L <sub>Aeq</sub> 1 hour	L <sub>Amax</sub> 1 hour	L <sub>A90</sub> 1 hour
07:00-08:00 HOUR	51.7	69.1	43.7
08:00-09:00 HOUR	54.2	72.6	46.4
09:00-10:00 HOUR	54.5	79.5	47.1
10:00-11:00 HOUR	54.8	80.6	46.3
11:00-12:00 HOUR	60.3	79.3	51.5
12:00-13:00 HOUR	57.7	83.8	49.5
13:00-14:00 HOUR	56.7	76.2	50.1
14:00-15:00 HOUR	55.7	75.0	50.0
15:00-16:00 HOUR	62.0	91.3	51.7
16:00-17:00 HOUR	58.8	81.5	49.8
17:00-18:00 HOUR	62.5	86.2	50.9
18:00-19:00 HOUR	60.8	84.6	47.1
19:00-20:00 HOUR	56.3	78.5	46.7
20:00-21:00 HOUR	54.2	71.9	46.4
21:00-22:00 HOUR	54.8	73.4	46.4
22:00-23:00 HOUR	56.2	74.0	49.7
23:00-00:00 HOUR	59.0	81.9	50.6
00:00-01:00 HOUR	53.2	71.7	43.3
01:00-02:00 HOUR	48.3	62.8	43.8
02:00-03:00 HOUR	47.1	63.3	42.2
03:00-04:00 HOUR	45.7	59.4	42.6
04:00-05:00 HOUR	47.0	60.2	43.6
05:00-06:00 HOUR	52.3	66.8	43.0
06:00-07:00 HOUR	51.1	71.5	45.5
L <sub>Aeq</sub> 24 hours	56.9		
L <sub>Adn</sub>	60.8		

TIME*	RESULT dB(A)		
	บริเวณหน้าตึกเคหะโครงการ		
	MARCH 18-19, 2024		
	T24AG080-0003		
	L <sub>Aeq</sub> 1 hour	L <sub>Amax</sub> 1 hour	L <sub>A90</sub> 1 hour
07:00-08:00 HOUR	51.4	65.9	46.5
08:00-09:00 HOUR	53.0	70.9	48.4
09:00-10:00 HOUR	54.5	76.0	49.8
10:00-11:00 HOUR	54.5	79.9	48.6
11:00-12:00 HOUR	59.7	81.0	51.4
12:00-13:00 HOUR	60.0	85.7	52.9
13:00-14:00 HOUR	57.7	80.8	51.9
14:00-15:00 HOUR	57.6	75.4	52.8
15:00-16:00 HOUR	58.5	79.1	53.5
16:00-17:00 HOUR	57.4	72.2	53.5
17:00-18:00 HOUR	65.1	83.4	58.8
18:00-19:00 HOUR	62.1	84.0	53.6
19:00-20:00 HOUR	63.5	88.0	53.2
20:00-21:00 HOUR	64.8	84.5	55.9
21:00-22:00 HOUR	59.4	81.5	52.3
22:00-23:00 HOUR	59.1	76.8	51.5
23:00-00:00 HOUR	56.6	73.7	51.6
00:00-01:00 HOUR	49.8	65.5	46.2
01:00-02:00 HOUR	49.7	64.2	46.4
02:00-03:00 HOUR	48.9	60.8	45.5
03:00-04:00 HOUR	48.0	61.3	45.0
04:00-05:00 HOUR	48.5	62.4	45.3
05:00-06:00 HOUR	48.4	62.7	45.6
06:00-07:00 HOUR	51.8	74.1	46.7
L <sub>Aeq</sub> 24 hours	58.8		
L <sub>Adn</sub>	61.7		



### ANALYSIS REPORT

**PROJECT NAME** : โครงการท่าเทียบเรือ บริษัท เจซี มารีน พอร์ต จำกัด  
**CUSTOMER NAME** : JC MARINE PORT COMPANY LIMITED  
**ADDRESS** : 153/1 MOO 1 THUNG SUKHLA SI RACHA CHON BURI 20230  
**CONTACT INFORMATION** : TEL : 08 1309 5708, 0 3835 1473 e-mail : jcmarineport.info@gmail.com  
**MEASURING SOURCE** : บริเวณกลุ่มประมงพื้นบ้านอ่าวอุดม  
**MEASURING TYPE** : AMBIENT (NOISE)  
**MEASURING DATE** : MARCH 16-21, 2024  
**MEASURING TIME** : \*  
**MEASURING METHOD** : INTEGRATED SOUND LEVEL METER  
**MEASURED BY** : MR NATTHAPONG CHAKUNTHOD

**RECEIVED DATE** : MARCH 16-21, 2024  
**ANALYTICAL DATE** : MARCH 16-21, 2024  
**ISSUE DATE** : MARCH 29, 2024  
**REPORT NO.** : 2024-U026643  
**WORK NO.** : 2022-008114  
**ANALYSIS NO.** : T24AG080-0006 - T24AG080-0010

TIME*	RESULT dB(A)		
	บริเวณกลุ่มประมงพื้นบ้านอ่าวอุดม		
	MARCH 16-17, 2024		
	T24AG080-0006		
	L <sub>Aeq</sub> 1 hour	L <sub>Amax</sub> 1 hour	L <sub>A90</sub> 1 hour
07:00-08:00 HOUR	55.8	73.0	49.0
08:00-09:00 HOUR	55.6	75.0	48.9
09:00-10:00 HOUR	55.9	77.9	49.3
10:00-11:00 HOUR	55.7	74.7	47.8
11:00-12:00 HOUR	56.3	80.7	49.3
12:00-13:00 HOUR	55.9	85.0	48.1
13:00-14:00 HOUR	55.1	75.3	48.0
14:00-15:00 HOUR	53.1	69.0	47.6
15:00-16:00 HOUR	52.7	77.5	47.8
16:00-17:00 HOUR	56.4	78.8	48.3
17:00-18:00 HOUR	55.1	78.7	47.7
18:00-19:00 HOUR	55.7	79.0	47.6
19:00-20:00 HOUR	55.6	75.4	47.0
20:00-21:00 HOUR	55.6	84.1	47.5
21:00-22:00 HOUR	53.2	77.0	45.8
22:00-23:00 HOUR	51.0	67.9	45.9
23:00-00:00 HOUR	51.2	68.8	45.5
00:00-01:00 HOUR	48.2	62.2	44.3
01:00-02:00 HOUR	46.8	62.6	44.9
02:00-03:00 HOUR	50.2	70.1	44.4
03:00-04:00 HOUR	49.5	67.9	44.4
04:00-05:00 HOUR	49.1	75.9	44.3
05:00-06:00 HOUR	48.3	64.7	45.0
06:00-07:00 HOUR	54.7	77.5	47.4
L <sub>Aeq</sub> 24 hours	54.1		
L <sub>A90</sub>	58.0		

TIME*	RESULT dB(A)		
	บริเวณท่าเทียบเรือของโครงการ		
	MARCH 20-21, 2024		
	T24AG080-0005		
	L <sub>Aeq</sub> 1 hour	L <sub>Amax</sub> 1 hour	L <sub>A90</sub> 1 hour
07:00-08:00 HOUR	52.7	76.6	40.8
08:00-09:00 HOUR	56.9	76.9	44.5
09:00-10:00 HOUR	56.7	79.1	45.2
10:00-11:00 HOUR	56.7	91.5	44.4
11:00-12:00 HOUR	58.3	79.2	47.2
12:00-13:00 HOUR	62.7	83.6	49.2
13:00-14:00 HOUR	61.0	82.1	51.6
14:00-15:00 HOUR	59.5	84.3	50.8
15:00-16:00 HOUR	57.6	82.2	45.9
16:00-17:00 HOUR	55.5	84.6	44.1
17:00-18:00 HOUR	55.9	75.6	45.6
18:00-19:00 HOUR	53.7	73.1	42.1
19:00-20:00 HOUR	59.8	88.3	42.9
20:00-21:00 HOUR	52.8	72.7	42.4
21:00-22:00 HOUR	53.8	76.2	41.4
22:00-23:00 HOUR	52.4	70.0	42.0
23:00-00:00 HOUR	52.9	72.1	42.7
00:00-01:00 HOUR	53.0	78.5	39.3
01:00-02:00 HOUR	45.7	61.5	39.2
02:00-03:00 HOUR	43.6	59.6	38.2
03:00-04:00 HOUR	42.7	59.0	39.3
04:00-05:00 HOUR	45.0	63.5	40.8
05:00-06:00 HOUR	54.9	75.5	39.0
06:00-07:00 HOUR	51.6	73.2	43.2
L <sub>Aeq</sub> 24 hours	56.4		
L <sub>A90</sub>	59.3		



TIME*	RESULT dB(A)		
	บริเวณถนนประมวณพินามารดา		
	MARCH 18-19, 2024		
	T24AG080-0008		
	L <sub>Aeq</sub> 1 hour	L <sub>Amax</sub> 1 hour	L <sub>A90</sub> 1 hour
07:00-08:00 HOUR	55.9	74.9	48.2
08:00-09:00 HOUR	58.8	85.4	51.5
09:00-10:00 HOUR	55.7	78.4	50.3
10:00-11:00 HOUR	55.9	80.0	50.6
11:00-12:00 HOUR	56.2	78.2	48.2
12:00-13:00 HOUR	53.0	75.2	48.0
13:00-14:00 HOUR	53.4	75.9	47.2
14:00-15:00 HOUR	54.9	83.3	48.8
15:00-16:00 HOUR	55.4	75.3	47.8
16:00-17:00 HOUR	54.8	80.8	46.2
17:00-18:00 HOUR	56.9	77.7	48.4
18:00-19:00 HOUR	52.1	71.8	45.4
19:00-20:00 HOUR	54.6	79.4	45.0
20:00-21:00 HOUR	52.4	81.6	44.5
21:00-22:00 HOUR	53.2	75.1	44.5
22:00-23:00 HOUR	50.1	72.3	43.9
23:00-00:00 HOUR	51.3	71.4	44.1
00:00-01:00 HOUR	47.4	68.6	42.8
01:00-02:00 HOUR	44.9	66.8	42.3
02:00-03:00 HOUR	45.2	63.3	42.5
03:00-04:00 HOUR	46.2	65.4	42.7
04:00-05:00 HOUR	47.6	68.7	42.7
05:00-06:00 HOUR	49.2	68.7	42.9
06:00-07:00 HOUR	53.7	75.1	45.4
L <sub>Aeq</sub> 24 hours		53.8	
L <sub>A<sub>dn</sub></sub>		57.3	

TIME*	RESULT dB(A)		
	บริเวณถนนประมวณพินามารดา		
	MARCH 17-18, 2024		
	T24AG080-0007		
	L <sub>Aeq</sub> 1 hour	L <sub>Amax</sub> 1 hour	L <sub>A90</sub> 1 hour
07:00-08:00 HOUR	54.5	74.1	48.2
08:00-09:00 HOUR	55.6	75.6	49.5
09:00-10:00 HOUR	56.2	78.4	49.0
10:00-11:00 HOUR	56.8	79.1	47.9
11:00-12:00 HOUR	54.6	72.8	48.4
12:00-13:00 HOUR	55.5	75.6	48.2
13:00-14:00 HOUR	57.9	84.0	49.3
14:00-15:00 HOUR	58.0	96.9	49.4
15:00-16:00 HOUR	55.5	75.3	48.7
16:00-17:00 HOUR	57.8	88.8	49.3
17:00-18:00 HOUR	60.7	94.0	49.7
18:00-19:00 HOUR	55.9	89.1	47.5
19:00-20:00 HOUR	51.5	75.5	45.0
20:00-21:00 HOUR	55.0	76.6	46.8
21:00-22:00 HOUR	57.4	82.7	46.7
22:00-23:00 HOUR	50.8	70.7	46.2
23:00-00:00 HOUR	50.5	70.9	45.3
00:00-01:00 HOUR	49.2	67.8	45.1
01:00-02:00 HOUR	51.5	67.8	45.2
02:00-03:00 HOUR	47.0	60.4	44.7
03:00-04:00 HOUR	46.5	58.7	44.4
04:00-05:00 HOUR	47.5	59.2	44.8
05:00-06:00 HOUR	53.6	72.7	45.7
06:00-07:00 HOUR	55.6	81.1	47.8
L <sub>Aeq</sub> 24 hours		55.3	
L <sub>A<sub>dn</sub></sub>		59.0	



TIME*	RESULT dB(A)		
	บริเวณถนนประมณพินิจบำรุงถนน		
	MARCH 20-21, 2024		
	T24AG080-0010		
	L <sub>Aeq</sub> 1 hour	L <sub>Amax</sub> 1 hour	L <sub>A90</sub> 1 hour
07:00-08:00 HOUR	56.2	78.1	48.1
08:00-09:00 HOUR	60.2	75.3	52.5
09:00-10:00 HOUR	57.9	80.0	49.2
10:00-11:00 HOUR	57.8	79.3	50.6
11:00-12:00 HOUR	55.2	75.5	49.9
12:00-13:00 HOUR	60.9	85.5	53.0
13:00-14:00 HOUR	64.3	91.3	62.2
14:00-15:00 HOUR	61.7	79.5	59.5
15:00-16:00 HOUR	54.9	75.7	51.2
16:00-17:00 HOUR	53.9	86.2	49.3
17:00-18:00 HOUR	53.4	74.3	49.2
18:00-19:00 HOUR	55.3	83.8	49.1
19:00-20:00 HOUR	55.2	83.1	49.6
20:00-21:00 HOUR	59.3	93.0	49.3
21:00-22:00 HOUR	57.2	78.9	47.3
22:00-23:00 HOUR	56.1	72.1	46.5
23:00-00:00 HOUR	55.3	67.8	45.6
00:00-01:00 HOUR	58.6	73.7	45.3
01:00-02:00 HOUR	58.3	72.8	45.5
02:00-03:00 HOUR	54.7	68.5	45.3
03:00-04:00 HOUR	56.9	73.6	45.6
04:00-05:00 HOUR	54.2	80.5	45.9
05:00-06:00 HOUR	55.0	75.6	48.6
06:00-07:00 HOUR	57.4	80.5	49.8
L <sub>Aeq</sub> 24 hours		58.0	
L <sub>A<sub>dn</sub></sub>		63.3	

TIME*	RESULT dB(A)		
	บริเวณถนนประมณพินิจบำรุงถนน		
	MARCH 19-20, 2024		
	T24AG080-0009		
	L <sub>Aeq</sub> 1 hour	L <sub>Amax</sub> 1 hour	L <sub>A90</sub> 1 hour
07:00-08:00 HOUR	58.0	83.8	46.3
08:00-09:00 HOUR	55.7	81.2	49.4
09:00-10:00 HOUR	55.2	76.0	49.7
10:00-11:00 HOUR	54.6	80.0	46.9
11:00-12:00 HOUR	55.2	75.6	46.9
12:00-13:00 HOUR	54.1	74.6	46.6
13:00-14:00 HOUR	55.1	79.7	48.5
14:00-15:00 HOUR	55.7	81.8	47.7
15:00-16:00 HOUR	54.3	81.6	46.9
16:00-17:00 HOUR	61.3	84.5	51.7
17:00-18:00 HOUR	59.3	83.5	53.7
18:00-19:00 HOUR	57.6	80.9	51.6
19:00-20:00 HOUR	53.0	75.1	49.8
20:00-21:00 HOUR	55.0	85.4	47.2
21:00-22:00 HOUR	54.2	83.0	46.4
22:00-23:00 HOUR	51.9	86.0	46.2
23:00-00:00 HOUR	51.1	69.6	46.0
00:00-01:00 HOUR	53.3	76.6	45.7
01:00-02:00 HOUR	49.8	73.0	45.4
02:00-03:00 HOUR	54.3	66.8	45.2
03:00-04:00 HOUR	58.2	71.9	45.2
04:00-05:00 HOUR	56.9	74.9	45.4
05:00-06:00 HOUR	56.9	71.6	46.1
06:00-07:00 HOUR	54.7	79.5	47.9
L <sub>Aeq</sub> 24 hours		56.0	
L <sub>A<sub>dn</sub></sub>		61.6	

*Sila Bandongjairuk*

(MR. SILA BANDONGJAIRUK)  
LABORATORY SUPERVISOR

MARCH 29, 2024

TIME*	RESULT dB(A)		
	บริเวณวัดโสมนัสพหลโยธิน		
	MARCH 17-18, 2024		
	T24AG080-0012		
	L <sub>Aeq</sub> 1 hour	L <sub>Amax</sub> 1 hour	L <sub>A90</sub> 1 hour
07:00-08:00 HOUR	65.1	79.8	61.2
08:00-09:00 HOUR	60.4	82.2	54.4
09:00-10:00 HOUR	59.3	74.6	50.3
10:00-11:00 HOUR	59.8	84.4	50.8
11:00-12:00 HOUR	61.4	82.9	53.5
12:00-13:00 HOUR	64.3	81.1	56.4
13:00-14:00 HOUR	64.5	79.5	58.0
14:00-15:00 HOUR	65.5	80.6	59.3
15:00-16:00 HOUR	64.6	83.0	58.8
16:00-17:00 HOUR	63.0	76.9	57.2
17:00-18:00 HOUR	55.6	76.3	47.6
18:00-19:00 HOUR	52.8	76.4	44.7
19:00-20:00 HOUR	51.9	71.5	44.2
20:00-21:00 HOUR	51.4	80.5	43.2
21:00-22:00 HOUR	52.3	76.2	42.6
22:00-23:00 HOUR	51.5	72.2	42.8
23:00-00:00 HOUR	50.8	75.6	44.8
00:00-01:00 HOUR	50.2	69.6	44.7
01:00-02:00 HOUR	49.9	69.7	44.7
02:00-03:00 HOUR	48.0	66.2	43.7
03:00-04:00 HOUR	50.1	69.7	43.6
04:00-05:00 HOUR	50.4	72.0	43.3
05:00-06:00 HOUR	49.4	67.3	44.3
06:00-07:00 HOUR	56.4	79.8	49.0
L <sub>Aeq</sub> 24 hours	60.0		
L <sub>A<sub>dn</sub></sub>	61.7		

ANALYSIS REPORT			
PROJECT NAME	โครงการท่าเทียบเรือ บริษัท เจซี มารีน พอร์ต จำกัด		
CUSTOMER NAME	JC MARINE PORT COMPANY LIMITED		
ADDRESS	153/1 MOO 1 THUNG SUKHLA SI RACHA CHON BURI 20230		
CONTACT INFORMATION	TEL : 08 1309 5708, 0 3835 1473 e-mail : jcmarineport.info@gmail.com		
MEASURING SOURCE	บริเวณวัดโสมนัสพหลโยธิน		
MEASURING TYPE	AMBIENT (NOISE)	RECEIVED DATE	MARCH 16-21, 2024
MEASURING DATE	MARCH 16-21, 2024	ANALYTICAL DATE	MARCH 16-21, 2024
MEASURING TIME	*	ISSUE DATE	MARCH 29, 2024
MEASURING METHOD	INTEGRATED SOUND LEVEL METER	REPORT NO.	2024-U026644
MEASURED BY	MR NATTHAPON CHAKUNTHOD	WORK NO.	2022-008114
		ANALYSIS NO.	T24AG080-0011 - T24AG080-0015

TIME*	RESULT dB(A)		
	บริเวณวัดโสมนัสพหลโยธิน		
	MARCH 16-17, 2024		
	T24AG080-0011		
	L <sub>Aeq</sub> 1 hour	L <sub>Amax</sub> 1 hour	L <sub>A90</sub> 1 hour
07:00-08:00 HOUR	57.3	82.9	51.2
08:00-09:00 HOUR	57.5	83.0	46.9
09:00-10:00 HOUR	52.9	76.1	46.8
10:00-11:00 HOUR	56.0	78.4	48.5
11:00-12:00 HOUR	57.0	78.5	48.8
12:00-13:00 HOUR	54.1	74.6	46.4
13:00-14:00 HOUR	55.6	78.5	47.4
14:00-15:00 HOUR	56.5	82.3	47.5
15:00-16:00 HOUR	54.2	73.4	48.3
16:00-17:00 HOUR	56.7	76.6	50.9
17:00-18:00 HOUR	53.7	74.3	47.1
18:00-19:00 HOUR	53.2	75.8	45.7
19:00-20:00 HOUR	51.4	69.1	45.9
20:00-21:00 HOUR	51.9	74.6	44.4
21:00-22:00 HOUR	51.4	74.8	44.3
22:00-23:00 HOUR	50.0	72.9	41.8
23:00-00:00 HOUR	51.4	70.2	45.9
00:00-01:00 HOUR	48.7	69.8	41.7
01:00-02:00 HOUR	51.1	78.1	43.0
02:00-03:00 HOUR	49.2	68.8	44.0
03:00-04:00 HOUR	47.7	64.9	43.6
04:00-05:00 HOUR	46.5	62.0	43.9
05:00-06:00 HOUR	50.9	71.6	45.1
06:00-07:00 HOUR	55.2	72.1	47.1
L <sub>Aeq</sub> 24 hours	53.9		
L <sub>A<sub>dn</sub></sub>	58.2		





TIME*	RESULT dB(A)		
	บริษัท วิศวกรที่ปรึกษาและวิศวกรรม MARCH 19-20, 2024		
	T24AG080-0014		
	L <sub>Aeq</sub> 1 hour	L <sub>Amax</sub> 1 hour	L <sub>A90</sub> 1 hour
07:00-08:00 HOUR	58.1	74.3	53.2
08:00-09:00 HOUR	58.7	80.8	53.1
09:00-10:00 HOUR	58.2	73.0	54.4
10:00-11:00 HOUR	59.6	78.9	54.4
11:00-12:00 HOUR	55.7	73.5	50.7
12:00-13:00 HOUR	55.4	73.4	50.4
13:00-14:00 HOUR	58.7	73.5	54.1
14:00-15:00 HOUR	56.7	77.7	48.9
15:00-16:00 HOUR	54.5	72.5	47.7
16:00-17:00 HOUR	53.6	73.4	47.3
17:00-18:00 HOUR	53.4	76.3	46.0
18:00-19:00 HOUR	52.3	68.0	46.6
19:00-20:00 HOUR	50.1	69.3	43.5
20:00-21:00 HOUR	50.2	66.8	43.4
21:00-22:00 HOUR	51.9	71.1	46.6
22:00-23:00 HOUR	51.1	67.4	46.2
23:00-00:00 HOUR	50.1	67.2	45.4
00:00-01:00 HOUR	48.4	71.8	44.6
01:00-02:00 HOUR	47.7	63.3	44.3
02:00-03:00 HOUR	48.4	69.1	44.3
03:00-04:00 HOUR	47.8	65.8	44.6
04:00-05:00 HOUR	48.0	63.5	44.6
05:00-06:00 HOUR	51.4	66.9	46.1
06:00-07:00 HOUR	56.3	73.2	49.3
L <sub>Aeq</sub> 24 hours		54.8	
L <sub>Ade</sub>		58.6	

TIME*	RESULT dB(A)		
	บริษัท วิศวกรที่ปรึกษาและวิศวกรรม MARCH 18-19, 2024		
	T24AG080-0013		
	L <sub>Aeq</sub> 1 hour	L <sub>Amax</sub> 1 hour	L <sub>A90</sub> 1 hour
07:00-08:00 HOUR	56.8	75.3	50.0
08:00-09:00 HOUR	58.9	72.7	54.4
09:00-10:00 HOUR	58.2	73.2	51.5
10:00-11:00 HOUR	56.5	74.6	50.4
11:00-12:00 HOUR	56.7	78.1	50.3
12:00-13:00 HOUR	57.4	74.5	51.8
13:00-14:00 HOUR	58.2	71.9	52.7
14:00-15:00 HOUR	57.8	76.3	52.5
15:00-16:00 HOUR	54.3	72.0	49.4
16:00-17:00 HOUR	55.9	73.4	48.9
17:00-18:00 HOUR	55.8	78.5	48.2
18:00-19:00 HOUR	54.2	71.3	47.7
19:00-20:00 HOUR	55.1	71.0	49.1
20:00-21:00 HOUR	54.8	69.6	47.5
21:00-22:00 HOUR	51.2	69.5	48.8
22:00-23:00 HOUR	50.9	69.3	47.5
23:00-00:00 HOUR	50.2	65.1	45.7
00:00-01:00 HOUR	51.3	68.6	45.8
01:00-02:00 HOUR	53.8	71.1	48.4
02:00-03:00 HOUR	54.2	71.7	48.7
03:00-04:00 HOUR	50.3	63.7	48.3
04:00-05:00 HOUR	51.5	68.9	47.2
05:00-06:00 HOUR	54.1	70.6	47.9
06:00-07:00 HOUR	57.6	74.7	51.7
L <sub>Aeq</sub> 24 hours		55.6	
L <sub>Ade</sub>		60.4	

### ANALYSIS REPORT

**PROJECT NAME** : โครงการท่าเทียบเรือ บริษัท เจซี มาร์ีน พอร์ต จำกัด  
**CUSTOMER NAME** : JC MARINE PORT COMPANY LIMITED  
**ADDRESS** : 153/1 MOO 1 THUNG SUKHLA SI RACHA CHON BURI 20230  
**CONTACT INFORMATION** : TEL : 08 1309 5708, 0 3835 1473 e-mail : jcmarineport.info@gmail.com  
**MEASURING PLACE** : บริเวณท่าเทียบเรือของโครงการ  
**MEASURING TYPE** : AMBIENT (ANNOYANCE SOUND LEVEL)  
**MEASURING DATE** : MARCH 16-21, 2024  
**MEASURING TIME** : \*  
**MEASURING EQUIPMENT** : INTEGRATED SOUND LEVEL METER AND CALCULATION  
**MEASURED BY** : MR NATTHAPONG CHAKUNTHOD  
**RECEIVED DATE** : MARCH 16-21, 2024  
**ANALYTICAL DATE** : MARCH 16-21, 2024  
**ISSUE DATE** : MARCH 29, 2024  
**REPORT NO.** : 2024-U026635  
**WORK NO.** : 2022-008114  
**ANALYSIS NO.** : T24AG080-0001 - T24AG080-0005

DATE	TIME*	RESULT (dB(A)) บริเวณท่าเทียบเรือของโครงการ				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 16, 2024 T24AG080-0001	<b>DAY TIME</b> 1/					
	07:00-08:00 HOUR	53.6 <sup>1/</sup>	47.4 **	52.4 <sup>1/</sup>	45.2 **	7.2
	08:00-09:00 HOUR	53.0 <sup>1/</sup>	52.9 **	36.6 <sup>1/</sup>	47.2 **	<0.8 <sup>1/</sup>
	09:00-10:00 HOUR	56.2 <sup>1/</sup>	50.8 **	54.7 <sup>1/</sup>	48.4 **	6.3
	10:00-11:00 HOUR	52.7 <sup>1/</sup>	49.8 **	49.6 <sup>1/</sup>	47.2 **	2.4
	11:00-12:00 HOUR	56.9 <sup>1/</sup>	55.3 **	51.8 <sup>1/</sup>	49.9 **	1.9
	12:00-13:00 HOUR	63.1 <sup>1/</sup>	60.9 **	59.1 <sup>1/</sup>	52.3 **	6.8
	13:00-14:00 HOUR	64.7 <sup>1/</sup>	63.4 **	58.8 <sup>1/</sup>	53.5 **	5.3
	14:00-15:00 HOUR	64.9 <sup>1/</sup>	61.0 **	62.6 <sup>1/</sup>	56.6 **	6.0
	15:00-16:00 HOUR	59.8 <sup>1/</sup>	56.9 **	56.7 <sup>1/</sup>	52.7 **	4.0
	16:00-17:00 HOUR	64.4 <sup>1/</sup>	60.1 **	62.4 <sup>1/</sup>	55.0 **	7.4
	17:00-18:00 HOUR	62.4 <sup>1/</sup>	60.4 **	58.1 <sup>1/</sup>	57.7 **	<0.8 <sup>1/</sup>
	18:00-19:00 HOUR	61.3 <sup>1/</sup>	60.7 **	52.4 <sup>1/</sup>	50.5 **	1.9
	19:00-20:00 HOUR	62.7 <sup>1/</sup>	60.3 **	59.0 <sup>1/</sup>	51.6 **	7.4
	20:00-21:00 HOUR	64.7 <sup>1/</sup>	62.6 **	60.5 <sup>1/</sup>	53.8 **	6.7
	21:00-22:00 HOUR	64.2 <sup>1/</sup>	62.6 **	59.1 <sup>1/</sup>	51.9 **	7.2
	<b>NIGHT TIME</b> 2/					
	22:00-22:05 HOUR	50.9 <sup>2/</sup>	55.2 ***	<0.8 <sup>2/</sup>	48.9 ***	<0.8 <sup>2/</sup>
	22:05-22:10 HOUR	51.3 <sup>2/</sup>	55.2 ***	<0.8 <sup>2/</sup>	48.9 ***	<0.8 <sup>2/</sup>
	22:10-22:15 HOUR	57.1 <sup>2/</sup>	55.2 ***	55.6 <sup>2/</sup>	48.9 ***	6.7
	22:15-22:20 HOUR	56.3 <sup>2/</sup>	58.2 ***	<0.8 <sup>2/</sup>	53.1 ***	<0.8 <sup>2/</sup>
	22:20-22:25 HOUR	60.8 <sup>2/</sup>	58.2 ***	60.3 <sup>2/</sup>	53.1 ***	7.2
	22:25-22:30 HOUR	58.8 <sup>2/</sup>	58.2 ***	52.9 <sup>2/</sup>	53.1 ***	<0.8 <sup>2/</sup>
	22:30-22:35 HOUR	61.3 <sup>2/</sup>	60.3 ***	57.4 <sup>2/</sup>	50.0 ***	7.4
	22:35-22:40 HOUR	61.3 <sup>2/</sup>	60.3 ***	57.4 <sup>2/</sup>	50.0 ***	7.4
	22:40-22:45 HOUR	60.8 <sup>2/</sup>	60.3 ***	54.2 <sup>2/</sup>	50.0 ***	4.2
	22:45-22:50 HOUR	61.9 <sup>2/</sup>	62.6 ***	<0.8 <sup>2/</sup>	47.8 ***	<0.8 <sup>2/</sup>
	22:50-22:55 HOUR	62.5 <sup>2/</sup>	62.6 ***	<0.8 <sup>2/</sup>	47.8 ***	<0.8 <sup>2/</sup>
	22:55-23:00 HOUR	62.8 <sup>2/</sup>	62.6 ***	52.3 <sup>2/</sup>	47.8 ***	4.5
	23:00-23:05 HOUR	48.9 <sup>2/</sup>	46.8 ***	47.7 <sup>2/</sup>	43.5 ***	4.2
	23:05-23:10 HOUR	47.2 <sup>2/</sup>	46.8 ***	39.6 <sup>2/</sup>	43.5 ***	<0.8 <sup>2/</sup>
	23:10-23:15 HOUR	47.8 <sup>2/</sup>	46.8 ***	43.9 <sup>2/</sup>	43.5 ***	<0.8 <sup>2/</sup>
	23:15-23:20 HOUR	50.0 <sup>2/</sup>	46.5 ***	50.4 <sup>2/</sup>	43.1 ***	7.3

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR THE SAMPLES AS RECEIVED.

1/14



TIME*	RESULT dB(A)		
	บริเวณท่าเทียบเรือเป็นพยอม		
	MARCH 20-21, 2024		
	T24AG080-0015		
	L <sub>Aeq</sub> 1 hour	L <sub>Amax</sub> 1 hour	L <sub>A90</sub> 1 hour
07:00-08:00 HOUR	57.6	80.7	51.3
08:00-09:00 HOUR	56.5	77.3	47.9
09:00-10:00 HOUR	59.2	75.9	49.4
10:00-11:00 HOUR	57.2	71.7	49.3
11:00-12:00 HOUR	54.4	79.8	48.5
12:00-13:00 HOUR	58.7	81.5	50.5
13:00-14:00 HOUR	62.0	79.0	55.0
14:00-15:00 HOUR	59.4	77.3	54.1
15:00-16:00 HOUR	52.5	71.9	45.3
16:00-17:00 HOUR	52.0	71.5	44.9
17:00-18:00 HOUR	54.0	76.8	45.6
18:00-19:00 HOUR	53.7	77.0	45.4
19:00-20:00 HOUR	53.9	75.9	45.0
20:00-21:00 HOUR	53.0	70.0	45.9
21:00-22:00 HOUR	51.2	73.1	47.3
22:00-23:00 HOUR	49.0	69.5	42.4
23:00-00:00 HOUR	48.1	66.4	43.3
00:00-01:00 HOUR	49.0	74.1	40.9
01:00-02:00 HOUR	47.3	64.8	43.4
02:00-03:00 HOUR	50.2	71.3	43.7
03:00-04:00 HOUR	48.2	68.6	43.2
04:00-05:00 HOUR	48.6	69.9	42.4
05:00-06:00 HOUR	51.7	74.4	43.7
06:00-07:00 HOUR	58.4	80.1	51.3
L <sub>Aeq</sub> 24 hours		55.5	
L <sub>A90</sub>		59.4	

*hit 78*  
(MR. SILA BANJONGJATRUK)  
LABORATORY SUPERVISOR

MARCH 29, 2024

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR THE SAMPLES AS RECEIVED.

5/5

2024-U026644

- End of Analysis Report -



DATE	TIME*	RESULT (dB(A))				
		บริเวณทางเดินเชื่อมของโครงการ				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 17, 2024	<b>NIGHT TIME</b> <sup>2/</sup>					
T24AG080-0001	02:55-03:00 HOUR	47.4 <sup>2/</sup>	45.6 ***	45.7 <sup>2/</sup>	42.5 ***	3.2
	03:00-03:05 HOUR	46.2 <sup>2/</sup>	46.8 ***	<0.8 <sup>2/</sup>	43.6 ***	<0.8 <sup>2/</sup>
	03:05-03:10 HOUR	48.0 <sup>2/</sup>	46.8 ***	44.8 <sup>2/</sup>	43.6 ***	1.2
	03:10-03:15 HOUR	46.9 <sup>2/</sup>	46.8 ***	33.5 <sup>2/</sup>	43.6 ***	<0.8 <sup>2/</sup>
	03:15-03:20 HOUR	47.0 <sup>2/</sup>	44.9 ***	45.8 <sup>2/</sup>	42.1 ***	3.7
	03:20-03:25 HOUR	47.6 <sup>2/</sup>	44.9 ***	47.3 <sup>2/</sup>	42.1 ***	5.2
	03:25-03:30 HOUR	47.0 <sup>2/</sup>	44.9 ***	45.8 <sup>2/</sup>	42.1 ***	3.7
	03:30-03:35 HOUR	45.6 <sup>2/</sup>	45.5 ***	32.2 <sup>2/</sup>	42.7 ***	<0.8 <sup>2/</sup>
	03:35-03:40 HOUR	48.7 <sup>2/</sup>	45.5 ***	48.9 <sup>2/</sup>	42.7 ***	6.2
	03:40-03:45 HOUR	46.7 <sup>2/</sup>	45.5 ***	43.5 <sup>2/</sup>	42.7 ***	0.8
	03:45-03:50 HOUR	46.9 <sup>2/</sup>	46.5 ***	39.3 <sup>2/</sup>	43.9 ***	<0.8 <sup>2/</sup>
	03:50-03:55 HOUR	47.3 <sup>2/</sup>	46.5 ***	42.6 <sup>2/</sup>	43.9 ***	<0.8 <sup>2/</sup>
	03:55-04:00 HOUR	49.5 <sup>2/</sup>	46.5 ***	49.5 <sup>2/</sup>	43.9 ***	5.6
	04:00-04:05 HOUR	46.9 <sup>2/</sup>	46.6 ***	38.1 <sup>2/</sup>	43.3 ***	<0.8 <sup>2/</sup>
	04:05-04:10 HOUR	47.1 <sup>2/</sup>	46.6 ***	40.5 <sup>2/</sup>	43.3 ***	<0.8 <sup>2/</sup>
	04:10-04:15 HOUR	48.1 <sup>2/</sup>	46.6 ***	45.8 <sup>2/</sup>	43.3 ***	2.5
	04:15-04:20 HOUR	47.4 <sup>2/</sup>	46.3 ***	43.9 <sup>2/</sup>	42.9 ***	1.0
	04:20-04:25 HOUR	48.5 <sup>2/</sup>	46.3 ***	47.5 <sup>2/</sup>	42.9 ***	4.6
	04:25-04:30 HOUR	48.6 <sup>2/</sup>	46.3 ***	47.7 <sup>2/</sup>	42.9 ***	4.8
	04:30-04:35 HOUR	46.1 <sup>2/</sup>	46.1 ***	<0.8 <sup>2/</sup>	42.8 ***	<0.8 <sup>2/</sup>
	04:35-04:40 HOUR	46.9 <sup>2/</sup>	46.1 ***	42.2 <sup>2/</sup>	42.8 ***	<0.8 <sup>2/</sup>
	04:40-04:45 HOUR	48.5 <sup>2/</sup>	46.1 ***	47.8 <sup>2/</sup>	42.8 ***	5.0
	04:45-04:50 HOUR	47.1 <sup>2/</sup>	47.1 ***	<0.8 <sup>2/</sup>	43.2 ***	<0.8 <sup>2/</sup>
	04:50-04:55 HOUR	48.4 <sup>2/</sup>	47.1 ***	45.5 <sup>2/</sup>	43.2 ***	2.3
	04:55-05:00 HOUR	49.0 <sup>2/</sup>	47.1 ***	47.5 <sup>2/</sup>	43.2 ***	4.3
	05:00-05:05 HOUR	48.2 <sup>2/</sup>	46.8 ***	45.6 <sup>2/</sup>	43.5 ***	2.1
	05:05-05:10 HOUR	48.0 <sup>2/</sup>	46.8 ***	44.8 <sup>2/</sup>	43.5 ***	1.3
	05:10-05:15 HOUR	47.0 <sup>2/</sup>	46.8 ***	36.5 <sup>2/</sup>	43.5 ***	<0.8 <sup>2/</sup>
	05:15-05:20 HOUR	47.7 <sup>2/</sup>	45.9 ***	46.0 <sup>2/</sup>	42.6 ***	3.4
	05:20-05:25 HOUR	47.8 <sup>2/</sup>	45.9 ***	46.3 <sup>2/</sup>	42.6 ***	3.7
	05:25-05:30 HOUR	48.7 <sup>2/</sup>	45.9 ***	48.5 <sup>2/</sup>	42.6 ***	5.9
	05:30-05:35 HOUR	47.0 <sup>2/</sup>	45.9 ***	43.5 <sup>2/</sup>	43.2 ***	<0.8 <sup>2/</sup>
	05:35-05:40 HOUR	46.8 <sup>2/</sup>	45.9 ***	42.5 <sup>2/</sup>	43.2 ***	<0.8 <sup>2/</sup>
	05:40-05:45 HOUR	46.2 <sup>2/</sup>	45.9 ***	37.4 <sup>2/</sup>	43.2 ***	<0.8 <sup>2/</sup>
	05:45-05:50 HOUR	47.4 <sup>2/</sup>	46.1 ***	44.5 <sup>2/</sup>	43.5 ***	1.0
	05:50-05:55 HOUR	47.7 <sup>2/</sup>	46.1 ***	45.6 <sup>2/</sup>	43.5 ***	2.1
	05:55-06:00 HOUR	45.9 <sup>2/</sup>	46.1 ***	<0.8 <sup>2/</sup>	43.5 ***	<0.8 <sup>2/</sup>
	<b>DAY TIME</b> <sup>1/</sup>					
	06:00-07:00 HOUR	54.4 <sup>1/</sup>	49.4 **	52.7 <sup>1/</sup>	45.0 **	7.7
MARCH 17, 2024	<b>DAY TIME</b> <sup>1/</sup>					
T24AG080-0002	07:00-08:00 HOUR	51.3 <sup>1/</sup>	47.6 **	48.9 <sup>1/</sup>	45.2 **	3.7
	08:00-09:00 HOUR	53.4 <sup>1/</sup>	49.9 **	50.8 <sup>1/</sup>	47.2 **	3.6
	09:00-10:00 HOUR	53.3 <sup>1/</sup>	49.9 **	50.6 <sup>1/</sup>	47.6 **	3.0
	10:00-11:00 HOUR	55.1 <sup>1/</sup>	51.7 **	52.4 <sup>1/</sup>	47.9 **	4.5
	11:00-12:00 HOUR	59.4 <sup>1/</sup>	54.7 **	57.6 <sup>1/</sup>	50.0 **	7.6

DATE	TIME*	RESULT (dB(A))				
		บริเวณทางเดินเชื่อมของโครงการ				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 16, 2024	<b>NIGHT TIME</b> <sup>2/</sup>					
T24AG080-0001	23:20-23:25 HOUR	48.4 <sup>2/</sup>	46.5 ***	46.9 <sup>2/</sup>	43.1 ***	3.8
	23:25-23:30 HOUR	48.4 <sup>2/</sup>	46.5 ***	46.9 <sup>2/</sup>	43.1 ***	3.8
	23:30-23:35 HOUR	49.5 <sup>2/</sup>	47.1 ***	48.8 <sup>2/</sup>	43.1 ***	5.7
	23:35-23:40 HOUR	48.9 <sup>2/</sup>	47.1 ***	47.2 <sup>2/</sup>	43.1 ***	4.1
	23:40-23:45 HOUR	49.2 <sup>2/</sup>	47.1 ***	48.0 <sup>2/</sup>	43.1 ***	4.9
	23:45-23:50 HOUR	48.1 <sup>2/</sup>	46.6 ***	45.8 <sup>2/</sup>	42.9 ***	2.9
	23:50-23:55 HOUR	48.4 <sup>2/</sup>	46.6 ***	46.7 <sup>2/</sup>	42.9 ***	3.8
	23:55-00:00 HOUR	47.7 <sup>2/</sup>	46.6 ***	44.2 <sup>2/</sup>	42.9 ***	1.3
MARCH 17, 2024	<b>NIGHT TIME</b> <sup>2/</sup>					
T24AG080-0001	00:00-00:05 HOUR	48.3 <sup>2/</sup>	47.6 ***	43.0 <sup>2/</sup>	44.8 ***	<0.8 <sup>2/</sup>
	00:05-00:10 HOUR	49.2 <sup>2/</sup>	47.6 ***	47.1 <sup>2/</sup>	44.8 ***	2.3
	00:10-00:15 HOUR	48.3 <sup>2/</sup>	47.6 ***	43.0 <sup>2/</sup>	44.8 ***	<0.8 <sup>2/</sup>
	00:15-00:20 HOUR	49.8 <sup>2/</sup>	47.6 ***	48.8 <sup>2/</sup>	44.3 ***	4.5
	00:20-00:25 HOUR	50.5 <sup>2/</sup>	47.6 ***	50.4 <sup>2/</sup>	44.3 ***	6.1
	00:25-00:30 HOUR	46.6 <sup>2/</sup>	47.6 ***	<0.8 <sup>2/</sup>	44.3 ***	<0.8 <sup>2/</sup>
	00:30-00:35 HOUR	49.6 <sup>2/</sup>	48.2 ***	47.0 <sup>2/</sup>	43.9 ***	3.1
	00:35-00:40 HOUR	49.6 <sup>2/</sup>	48.2 ***	47.0 <sup>2/</sup>	43.9 ***	3.1
	00:40-00:45 HOUR	49.4 <sup>2/</sup>	48.2 ***	46.2 <sup>2/</sup>	43.9 ***	2.3
	00:45-00:50 HOUR	50.1 <sup>2/</sup>	47.9 ***	49.1 <sup>2/</sup>	44.8 ***	4.3
	00:50-00:55 HOUR	47.9 <sup>2/</sup>	47.9 ***	<0.8 <sup>2/</sup>	44.8 ***	<0.8 <sup>2/</sup>
	00:55-01:00 HOUR	50.3 <sup>2/</sup>	47.9 ***	49.6 <sup>2/</sup>	44.8 ***	4.8
	01:00-01:05 HOUR	49.2 <sup>2/</sup>	46.9 ***	48.3 <sup>2/</sup>	44.3 ***	4.0
	01:05-01:10 HOUR	48.5 <sup>2/</sup>	46.9 ***	46.4 <sup>2/</sup>	44.3 ***	2.1
	01:10-01:15 HOUR	47.4 <sup>2/</sup>	46.9 ***	40.8 <sup>2/</sup>	44.3 ***	<0.8 <sup>2/</sup>
	01:15-01:20 HOUR	49.7 <sup>2/</sup>	46.6 ***	49.8 <sup>2/</sup>	43.6 ***	6.2
	01:20-01:25 HOUR	48.6 <sup>2/</sup>	46.6 ***	47.3 <sup>2/</sup>	43.6 ***	3.7
	01:25-01:30 HOUR	48.0 <sup>2/</sup>	46.6 ***	45.4 <sup>2/</sup>	43.6 ***	1.8
	01:30-01:35 HOUR	47.6 <sup>2/</sup>	46.4 ***	44.4 <sup>2/</sup>	42.9 ***	1.5
	01:35-01:40 HOUR	48.4 <sup>2/</sup>	46.4 ***	47.1 <sup>2/</sup>	42.9 ***	4.2
	01:40-01:45 HOUR	47.9 <sup>2/</sup>	46.4 ***	45.6 <sup>2/</sup>	42.9 ***	2.7
	01:45-01:50 HOUR	48.6 <sup>2/</sup>	46.9 ***	46.7 <sup>2/</sup>	43.5 ***	3.2
	01:50-01:55 HOUR	48.2 <sup>2/</sup>	46.9 ***	45.3 <sup>2/</sup>	43.5 ***	1.8
	01:55-02:00 HOUR	48.1 <sup>2/</sup>	46.9 ***	44.9 <sup>2/</sup>	43.5 ***	1.4
	02:00-02:05 HOUR	46.7 <sup>2/</sup>	46.0 ***	41.4 <sup>2/</sup>	42.9 ***	<0.8 <sup>2/</sup>
	02:05-02:10 HOUR	47.7 <sup>2/</sup>	46.0 ***	45.8 <sup>2/</sup>	42.9 ***	2.9
	02:10-02:15 HOUR	46.8 <sup>2/</sup>	46.0 ***	42.1 <sup>2/</sup>	42.9 ***	<0.8 <sup>2/</sup>
	02:15-02:20 HOUR	49.3 <sup>2/</sup>	47.9 ***	46.7 <sup>2/</sup>	43.6 ***	3.1
	02:20-02:25 HOUR	49.4 <sup>2/</sup>	47.9 ***	47.1 <sup>2/</sup>	43.6 ***	3.5
	02:25-02:30 HOUR	49.2 <sup>2/</sup>	47.9 ***	46.3 <sup>2/</sup>	43.6 ***	2.7
	02:30-02:35 HOUR	48.0 <sup>2/</sup>	46.9 ***	44.5 <sup>2/</sup>	44.0 ***	<0.8 <sup>2/</sup>
	02:35-02:40 HOUR	48.5 <sup>2/</sup>	46.9 ***	46.4 <sup>2/</sup>	44.0 ***	2.4
	02:40-02:45 HOUR	47.6 <sup>2/</sup>	46.9 ***	42.3 <sup>2/</sup>	44.0 ***	<0.8 <sup>2/</sup>
	02:45-02:50 HOUR	47.5 <sup>2/</sup>	45.6 ***	46.0 <sup>2/</sup>	42.5 ***	3.5
	02:50-02:55 HOUR	47.5 <sup>2/</sup>	45.6 ***	46.0 <sup>2/</sup>	42.5 ***	3.5

DATE	TIME*	RESULT (dB(A))				
		บริเวณทางเดินเชื่อมโครงการ				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 18, 2024	<b>NIGHT TIME</b> <sup>2/</sup>					
T24AG080-0002	00:45-00:50 HOUR	50.2 <sup>2/</sup>	48.3 ***	48.7 <sup>2/</sup>	45.0 ***	3.7
	00:50-00:55 HOUR	50.3 <sup>2/</sup>	48.3 ***	49.0 <sup>2/</sup>	45.0 ***	4.0
	00:55-01:00 HOUR	49.7 <sup>2/</sup>	48.3 ***	47.1 <sup>2/</sup>	45.0 ***	2.1
	01:00-01:05 HOUR	49.4 <sup>2/</sup>	48.6 ***	44.7 <sup>2/</sup>	46.0 ***	<0.8 <sup>2/</sup>
	01:05-01:10 HOUR	50.2 <sup>2/</sup>	48.6 ***	48.1 <sup>2/</sup>	46.0 ***	2.1
	01:10-01:15 HOUR	51.0 <sup>2/</sup>	48.6 ***	50.3 <sup>2/</sup>	46.0 ***	4.3
	01:15-01:20 HOUR	50.9 <sup>2/</sup>	49.6 ***	48.0 <sup>2/</sup>	47.1 ***	0.9
	01:20-01:25 HOUR	50.0 <sup>2/</sup>	49.6 ***	42.4 <sup>2/</sup>	47.1 ***	<0.8 <sup>2/</sup>
	01:25-01:30 HOUR	51.4 <sup>2/</sup>	49.6 ***	49.7 <sup>2/</sup>	47.1 ***	2.6
	01:30-01:35 HOUR	48.9 <sup>2/</sup>	49.3 ***	<0.8 <sup>2/</sup>	46.2 ***	<0.8 <sup>2/</sup>
	01:35-01:40 HOUR	50.1 <sup>2/</sup>	49.3 ***	45.4 <sup>2/</sup>	46.2 ***	<0.8 <sup>2/</sup>
	01:40-01:45 HOUR	52.1 <sup>2/</sup>	49.3 ***	51.9 <sup>2/</sup>	46.2 ***	5.7
	01:45-01:50 HOUR	50.3 <sup>2/</sup>	49.4 ***	46.0 <sup>2/</sup>	45.4 ***	<0.8 <sup>2/</sup>
	01:50-01:55 HOUR	52.8 <sup>2/</sup>	49.4 ***	53.1 <sup>2/</sup>	45.4 ***	7.7
	01:55-02:00 HOUR	51.5 <sup>2/</sup>	49.4 ***	50.3 <sup>2/</sup>	45.4 ***	4.9
	02:00-02:05 HOUR	51.4 <sup>2/</sup>	48.8 ***	50.9 <sup>2/</sup>	45.3 ***	5.6
	02:05-02:10 HOUR	49.8 <sup>2/</sup>	48.8 ***	45.9 <sup>2/</sup>	45.3 ***	<0.8 <sup>2/</sup>
	02:10-02:15 HOUR	51.4 <sup>2/</sup>	48.8 ***	50.9 <sup>2/</sup>	45.3 ***	5.6
	02:15-02:20 HOUR	49.6 <sup>2/</sup>	48.0 ***	47.5 <sup>2/</sup>	45.1 ***	2.4
	02:20-02:25 HOUR	49.2 <sup>2/</sup>	48.0 ***	46.0 <sup>2/</sup>	45.1 ***	0.9
	02:25-02:30 HOUR	49.6 <sup>2/</sup>	48.0 ***	47.5 <sup>2/</sup>	45.1 ***	2.4
	02:30-02:35 HOUR	49.8 <sup>2/</sup>	48.0 ***	48.1 <sup>2/</sup>	45.1 ***	3.0
	02:35-02:40 HOUR	50.8 <sup>2/</sup>	48.0 ***	50.6 <sup>2/</sup>	45.1 ***	5.5
	02:40-02:45 HOUR	48.3 <sup>2/</sup>	48.0 ***	39.5 <sup>2/</sup>	45.1 ***	<0.8 <sup>2/</sup>
	02:45-02:50 HOUR	47.9 <sup>2/</sup>	46.3 ***	45.8 <sup>2/</sup>	43.9 ***	1.9
	02:50-02:55 HOUR	49.4 <sup>2/</sup>	46.3 ***	49.5 <sup>2/</sup>	43.9 ***	5.6
	02:55-03:00 HOUR	48.9 <sup>2/</sup>	46.3 ***	48.4 <sup>2/</sup>	43.9 ***	4.5
	03:00-03:05 HOUR	47.3 <sup>2/</sup>	47.5 ***	<0.8 <sup>2/</sup>	44.5 ***	<0.8 <sup>2/</sup>
	03:05-03:10 HOUR	48.1 <sup>2/</sup>	47.5 ***	42.2 <sup>2/</sup>	44.5 ***	<0.8 <sup>2/</sup>
	03:10-03:15 HOUR	48.3 <sup>2/</sup>	47.5 ***	43.6 <sup>2/</sup>	44.5 ***	<0.8 <sup>2/</sup>
	03:15-03:20 HOUR	47.6 <sup>2/</sup>	48.0 ***	<0.8 <sup>2/</sup>	45.3 ***	<0.8 <sup>2/</sup>
	03:20-03:25 HOUR	48.1 <sup>2/</sup>	48.0 ***	34.7 <sup>2/</sup>	45.3 ***	<0.8 <sup>2/</sup>
	03:25-03:30 HOUR	46.9 <sup>2/</sup>	48.0 ***	<0.8 <sup>2/</sup>	45.3 ***	<0.8 <sup>2/</sup>
	03:30-03:35 HOUR	50.4 <sup>2/</sup>	46.8 ***	50.9 <sup>2/</sup>	44.0 ***	6.9
	03:35-03:40 HOUR	50.2 <sup>2/</sup>	46.8 ***	50.5 <sup>2/</sup>	44.0 ***	6.5
	03:40-03:45 HOUR	48.5 <sup>2/</sup>	46.8 ***	46.6 <sup>2/</sup>	44.0 ***	2.6
	03:45-03:50 HOUR	48.9 <sup>2/</sup>	47.7 ***	45.7 <sup>2/</sup>	45.1 ***	<0.8 <sup>2/</sup>
	03:50-03:55 HOUR	48.9 <sup>2/</sup>	47.7 ***	45.7 <sup>2/</sup>	45.1 ***	<0.8 <sup>2/</sup>
	03:55-04:00 HOUR	48.2 <sup>2/</sup>	47.7 ***	41.6 <sup>2/</sup>	45.1 ***	<0.8 <sup>2/</sup>
	04:00-04:05 HOUR	49.4 <sup>2/</sup>	47.8 ***	47.3 <sup>2/</sup>	45.1 ***	2.2
	04:05-04:10 HOUR	48.7 <sup>2/</sup>	47.8 ***	44.4 <sup>2/</sup>	45.1 ***	<0.8 <sup>2/</sup>
	04:10-04:15 HOUR	49.6 <sup>2/</sup>	47.8 ***	47.9 <sup>2/</sup>	45.1 ***	2.8
	04:15-04:20 HOUR	50.0 <sup>2/</sup>	48.9 ***	46.5 <sup>2/</sup>	45.2 ***	1.3
	04:20-04:25 HOUR	50.9 <sup>2/</sup>	48.9 ***	49.6 <sup>2/</sup>	45.2 ***	4.4

DATE	TIME*	RESULT (dB(A))				
		บริเวณทางเดินเชื่อมโครงการ				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 17, 2024	<b>DAY TIME</b> <sup>1/</sup>					
T24AG080-0002	12:00-13:00 HOUR	61.8 <sup>1/</sup>	57.9 **	59.5 <sup>1/</sup>	54.5 **	5.0
	13:00-14:00 HOUR	59.9 <sup>1/</sup>	57.2 **	56.6 <sup>1/</sup>	51.2 **	5.4
	14:00-15:00 HOUR	59.3 <sup>1/</sup>	56.7 **	55.8 <sup>1/</sup>	50.3 **	5.5
	15:00-16:00 HOUR	59.6 <sup>1/</sup>	56.8 **	56.4 <sup>1/</sup>	52.3 **	4.1
	16:00-17:00 HOUR	61.1 <sup>1/</sup>	59.7 **	55.5 <sup>1/</sup>	53.1 **	2.4
	17:00-18:00 HOUR	60.2 <sup>1/</sup>	56.7 **	57.6 <sup>1/</sup>	51.8 **	5.8
	18:00-19:00 HOUR	59.6 <sup>1/</sup>	53.3 **	58.4 <sup>1/</sup>	50.8 **	7.6
	19:00-20:00 HOUR	63.9 <sup>1/</sup>	62.5 **	58.3 <sup>1/</sup>	53.5 **	4.8
	20:00-21:00 HOUR	65.0 <sup>1/</sup>	63.2 **	60.3 <sup>1/</sup>	56.8 **	3.5
	21:00-22:00 HOUR	59.0 <sup>1/</sup>	55.8 **	56.2 <sup>1/</sup>	50.3 **	5.9
	<b>NIGHT TIME</b> <sup>2/</sup>					
	22:00-22:05 HOUR	53.8 <sup>2/</sup>	54.6 ***	<0.8 <sup>2/</sup>	48.1 ***	<0.8 <sup>2/</sup>
	22:05-22:10 HOUR	55.7 <sup>2/</sup>	54.6 ***	52.2 <sup>2/</sup>	48.1 ***	4.1
	22:10-22:15 HOUR	55.9 <sup>2/</sup>	54.6 ***	53.0 <sup>2/</sup>	48.1 ***	4.9
	22:15-22:20 HOUR	54.7 <sup>2/</sup>	52.2 ***	54.1 <sup>2/</sup>	46.9 ***	7.2
	22:20-22:25 HOUR	54.6 <sup>2/</sup>	52.2 ***	53.9 <sup>2/</sup>	46.9 ***	7.0
	22:25-22:30 HOUR	53.6 <sup>2/</sup>	52.2 ***	51.0 <sup>2/</sup>	46.9 ***	4.1
	22:30-22:35 HOUR	55.2 <sup>2/</sup>	52.9 ***	54.3 <sup>2/</sup>	48.2 ***	6.1
	22:35-22:40 HOUR	54.4 <sup>2/</sup>	52.9 ***	52.1 <sup>2/</sup>	48.2 ***	3.9
	22:40-22:45 HOUR	53.9 <sup>2/</sup>	52.9 ***	50.0 <sup>2/</sup>	48.2 ***	1.8
	22:45-22:50 HOUR	53.0 <sup>2/</sup>	53.9 ***	<0.8 <sup>2/</sup>	48.4 ***	<0.8 <sup>2/</sup>
	22:50-22:55 HOUR	53.5 <sup>2/</sup>	53.9 ***	<0.8 <sup>2/</sup>	48.4 ***	<0.8 <sup>2/</sup>
	22:55-23:00 HOUR	54.2 <sup>2/</sup>	53.9 ***	45.4 <sup>2/</sup>	48.4 ***	<0.8 <sup>2/</sup>
	23:00-23:05 HOUR	54.7 <sup>2/</sup>	52.7 ***	53.4 <sup>2/</sup>	47.3 ***	6.1
	23:05-23:10 HOUR	54.2 <sup>2/</sup>	52.7 ***	51.9 <sup>2/</sup>	47.3 ***	4.6
	23:10-23:15 HOUR	54.9 <sup>2/</sup>	52.7 ***	53.9 <sup>2/</sup>	47.3 ***	6.6
	23:15-23:20 HOUR	53.5 <sup>2/</sup>	53.3 ***	43.0 <sup>2/</sup>	49.6 ***	<0.8 <sup>2/</sup>
	23:20-23:25 HOUR	54.3 <sup>2/</sup>	53.3 ***	50.4 <sup>2/</sup>	49.6 ***	0.8
	23:25-23:30 HOUR	54.6 <sup>2/</sup>	53.3 ***	51.7 <sup>2/</sup>	49.6 ***	2.1
	23:30-23:35 HOUR	55.4 <sup>2/</sup>	52.6 ***	55.2 <sup>2/</sup>	48.7 ***	6.5
	23:35-23:40 HOUR	54.2 <sup>2/</sup>	52.6 ***	52.1 <sup>2/</sup>	48.7 ***	3.4
	23:40-23:45 HOUR	53.6 <sup>2/</sup>	52.6 ***	49.7 <sup>2/</sup>	48.7 ***	1.0
	23:45-23:50 HOUR	54.8 <sup>2/</sup>	52.3 ***	54.2 <sup>2/</sup>	48.0 ***	6.2
	23:50-23:55 HOUR	55.2 <sup>2/</sup>	52.3 ***	55.1 <sup>2/</sup>	48.0 ***	7.1
	23:55-00:00 HOUR	53.9 <sup>2/</sup>	52.3 ***	51.8 <sup>2/</sup>	48.0 ***	3.8
MARCH 18, 2024	<b>NIGHT TIME</b> <sup>2/</sup>					
T24AG080-0002	00:00-00:05 HOUR	51.0 <sup>2/</sup>	49.3 ***	49.1 <sup>2/</sup>	46.0 ***	3.1
	00:05-00:10 HOUR	50.5 <sup>2/</sup>	49.3 ***	47.3 <sup>2/</sup>	46.0 ***	1.3
	00:10-00:15 HOUR	49.6 <sup>2/</sup>	49.3 ***	40.8 <sup>2/</sup>	46.0 ***	<0.8 <sup>2/</sup>
	00:15-00:20 HOUR	49.2 <sup>2/</sup>	49.6 ***	<0.8 <sup>2/</sup>	46.0 ***	<0.8 <sup>2/</sup>
	00:20-00:25 HOUR	50.0 <sup>2/</sup>	49.6 ***	42.4 <sup>2/</sup>	46.0 ***	<0.8 <sup>2/</sup>
	00:25-00:30 HOUR	51.1 <sup>2/</sup>	49.6 ***	48.8 <sup>2/</sup>	46.0 ***	2.8
	00:30-00:35 HOUR	50.6 <sup>2/</sup>	49.5 ***	47.1 <sup>2/</sup>	46.5 ***	<0.8 <sup>2/</sup>
	00:35-00:40 HOUR	50.0 <sup>2/</sup>	49.5 ***	43.4 <sup>2/</sup>	46.5 ***	<0.8 <sup>2/</sup>
	00:40-00:45 HOUR	49.8 <sup>2/</sup>	49.5 ***	41.0 <sup>2/</sup>	46.5 ***	<0.8 <sup>2/</sup>



DATE	TIME*	RESULT (dB(A))				
		บริเวณหน้าเทียบเรือของโครงการ				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 18, 2024	<b>NIGHT TIME</b> 2/					
T24AG080-0003	22:35-22:40 HOUR	60.2 <sup>2/</sup>	59.5 ***	54.9 <sup>2/</sup>	51.1 ***	3.8
	22:40-22:45 HOUR	60.6 <sup>2/</sup>	59.5 ***	57.1 <sup>2/</sup>	51.1 ***	6.0
	22:45-22:50 HOUR	58.7 <sup>2/</sup>	58.3 ***	51.1 <sup>2/</sup>	49.3 ***	1.8
	22:50-22:55 HOUR	59.6 <sup>2/</sup>	58.3 ***	56.7 <sup>2/</sup>	49.3 ***	7.4
	22:55-23:00 HOUR	59.3 <sup>2/</sup>	58.3 ***	55.4 <sup>2/</sup>	49.3 ***	6.1
	23:00-23:05 HOUR	58.4 <sup>2/</sup>	56.2 ***	57.4 <sup>2/</sup>	50.6 ***	6.8
	23:05-23:10 HOUR	57.4 <sup>2/</sup>	56.2 ***	54.2 <sup>2/</sup>	50.6 ***	3.6
	23:10-23:15 HOUR	58.1 <sup>2/</sup>	56.2 ***	56.6 <sup>2/</sup>	50.6 ***	6.0
	23:15-23:20 HOUR	54.9 <sup>2/</sup>	54.6 ***	46.1 <sup>2/</sup>	49.7 ***	<0.8 <sup>2/</sup>
	23:20-23:25 HOUR	55.1 <sup>2/</sup>	54.6 ***	48.5 <sup>2/</sup>	49.7 ***	<0.8 <sup>2/</sup>
	23:25-23:30 HOUR	55.5 <sup>2/</sup>	54.6 ***	51.2 <sup>2/</sup>	49.7 ***	1.5
	23:30-23:35 HOUR	57.7 <sup>2/</sup>	55.4 ***	56.8 <sup>2/</sup>	50.8 ***	6.0
	23:35-23:40 HOUR	56.3 <sup>2/</sup>	55.4 ***	52.0 <sup>2/</sup>	50.8 ***	1.2
	23:40-23:45 HOUR	57.1 <sup>2/</sup>	55.4 ***	55.2 <sup>2/</sup>	50.8 ***	4.4
	23:45-23:50 HOUR	55.6 <sup>2/</sup>	52.5 ***	55.7 <sup>2/</sup>	48.0 ***	7.7
	23:50-23:55 HOUR	55.5 <sup>2/</sup>	52.5 ***	55.5 <sup>2/</sup>	48.0 ***	7.5
	23:55-00:00 HOUR	55.6 <sup>2/</sup>	52.5 ***	55.7 <sup>2/</sup>	48.0 ***	7.7
MARCH 19, 2024	<b>NIGHT TIME</b> 2/					
T24AG080-0003	00:00-00:05 HOUR	49.7 <sup>2/</sup>	48.5 ***	46.5 <sup>2/</sup>	45.1 ***	1.4
	00:05-00:10 HOUR	49.9 <sup>2/</sup>	48.5 ***	47.3 <sup>2/</sup>	45.1 ***	2.2
	00:10-00:15 HOUR	49.0 <sup>2/</sup>	48.5 ***	42.4 <sup>2/</sup>	45.1 ***	<0.8 <sup>2/</sup>
	00:15-00:20 HOUR	49.5 <sup>2/</sup>	48.6 ***	45.2 <sup>2/</sup>	45.2 ***	<0.8 <sup>2/</sup>
	00:20-00:25 HOUR	51.6 <sup>2/</sup>	48.6 ***	51.6 <sup>2/</sup>	45.2 ***	6.4
	00:25-00:30 HOUR	48.9 <sup>2/</sup>	48.6 ***	40.1 <sup>2/</sup>	45.2 ***	<0.8 <sup>2/</sup>
	00:30-00:35 HOUR	50.1 <sup>2/</sup>	48.9 ***	46.9 <sup>2/</sup>	45.2 ***	1.7
	00:35-00:40 HOUR	49.8 <sup>2/</sup>	48.9 ***	45.5 <sup>2/</sup>	45.2 ***	<0.8 <sup>2/</sup>
	00:40-00:45 HOUR	49.6 <sup>2/</sup>	48.9 ***	44.3 <sup>2/</sup>	45.2 ***	<0.8 <sup>2/</sup>
	00:45-00:50 HOUR	50.2 <sup>2/</sup>	47.8 ***	49.5 <sup>2/</sup>	44.4 ***	5.1
	00:50-00:55 HOUR	49.1 <sup>2/</sup>	47.8 ***	46.2 <sup>2/</sup>	44.4 ***	1.8
	00:55-01:00 HOUR	50.0 <sup>2/</sup>	47.8 ***	49.0 <sup>2/</sup>	44.4 ***	4.6
	01:00-01:05 HOUR	49.3 <sup>2/</sup>	47.3 ***	48.0 <sup>2/</sup>	44.6 ***	3.4
	01:05-01:10 HOUR	49.4 <sup>2/</sup>	47.3 ***	48.2 <sup>2/</sup>	44.6 ***	3.6
	01:10-01:15 HOUR	49.2 <sup>2/</sup>	47.3 ***	47.7 <sup>2/</sup>	44.6 ***	3.1
	01:15-01:20 HOUR	50.3 <sup>2/</sup>	47.1 ***	50.5 <sup>2/</sup>	44.4 ***	6.1
	01:20-01:25 HOUR	49.3 <sup>2/</sup>	47.1 ***	48.3 <sup>2/</sup>	44.4 ***	3.9
	01:25-01:30 HOUR	49.7 <sup>2/</sup>	47.1 ***	49.2 <sup>2/</sup>	44.4 ***	4.8
	01:30-01:35 HOUR	48.3 <sup>2/</sup>	48.2 ***	34.9 <sup>2/</sup>	44.0 ***	<0.8 <sup>2/</sup>
	01:35-01:40 HOUR	49.3 <sup>2/</sup>	48.2 ***	45.8 <sup>2/</sup>	44.0 ***	1.8
	01:40-01:45 HOUR	50.0 <sup>2/</sup>	48.2 ***	48.3 <sup>2/</sup>	44.0 ***	4.3
	01:45-01:50 HOUR	49.5 <sup>2/</sup>	48.0 ***	47.2 <sup>2/</sup>	44.1 ***	3.1
	01:50-01:55 HOUR	51.2 <sup>2/</sup>	48.0 ***	51.4 <sup>2/</sup>	44.1 ***	7.3
	01:55-02:00 HOUR	49.8 <sup>2/</sup>	48.0 ***	48.1 <sup>2/</sup>	44.1 ***	4.0
	02:00-02:05 HOUR	49.1 <sup>2/</sup>	46.6 ***	48.5 <sup>2/</sup>	43.7 ***	4.8
	02:05-02:10 HOUR	48.8 <sup>2/</sup>	46.6 ***	47.8 <sup>2/</sup>	43.7 ***	4.1

DATE	TIME*	RESULT (dB(A))				
		บริเวณหน้าเทียบเรือของโครงการ				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 18, 2024	<b>NIGHT TIME</b> 2/					
T24AG080-0002	04:25-04:30 HOUR	48.9 <sup>2/</sup>	48.9 ***	<0.8 <sup>2/</sup>	45.2 ***	<0.8 <sup>2/</sup>
	04:30-04:35 HOUR	49.2 <sup>2/</sup>	47.0 ***	48.2 <sup>2/</sup>	44.6 ***	3.6
	04:35-04:40 HOUR	48.3 <sup>2/</sup>	47.0 ***	45.4 <sup>2/</sup>	44.6 ***	0.8
	04:40-04:45 HOUR	49.0 <sup>2/</sup>	47.0 ***	47.7 <sup>2/</sup>	44.6 ***	3.1
	04:45-04:50 HOUR	48.0 <sup>2/</sup>	46.7 ***	45.1 <sup>2/</sup>	44.3 ***	0.8
	04:50-04:55 HOUR	48.3 <sup>2/</sup>	46.7 ***	46.2 <sup>2/</sup>	44.3 ***	1.9
	04:55-05:00 HOUR	48.7 <sup>2/</sup>	46.7 ***	47.4 <sup>2/</sup>	44.3 ***	3.1
	05:00-05:05 HOUR	50.4 <sup>2/</sup>	47.2 ***	50.6 <sup>2/</sup>	44.7 ***	5.9
	05:05-05:10 HOUR	48.2 <sup>2/</sup>	47.2 ***	44.3 <sup>2/</sup>	44.7 ***	<0.8 <sup>2/</sup>
	05:10-05:15 HOUR	49.0 <sup>2/</sup>	47.2 ***	47.3 <sup>2/</sup>	44.7 ***	2.6
	05:15-05:20 HOUR	48.7 <sup>2/</sup>	48.0 ***	43.4 <sup>2/</sup>	44.4 ***	<0.8 <sup>2/</sup>
	05:20-05:25 HOUR	48.2 <sup>2/</sup>	48.0 ***	37.7 <sup>2/</sup>	45.4 ***	<0.8 <sup>2/</sup>
	05:25-05:30 HOUR	48.5 <sup>2/</sup>	48.0 ***	41.9 <sup>2/</sup>	45.4 ***	<0.8 <sup>2/</sup>
	05:30-05:35 HOUR	49.3 <sup>2/</sup>	48.8 ***	42.7 <sup>2/</sup>	46.0 ***	<0.8 <sup>2/</sup>
	05:35-05:40 HOUR	51.1 <sup>2/</sup>	48.8 ***	50.2 <sup>2/</sup>	46.0 ***	4.2
	05:40-05:45 HOUR	51.1 <sup>2/</sup>	48.8 ***	50.2 <sup>2/</sup>	46.0 ***	4.2
	05:45-05:50 HOUR	50.3 <sup>2/</sup>	49.3 ***	46.4 <sup>2/</sup>	46.7 ***	<0.8 <sup>2/</sup>
	05:50-05:55 HOUR	48.8 <sup>2/</sup>	49.3 ***	<0.8 <sup>2/</sup>	46.7 ***	<0.8 <sup>2/</sup>
	05:55-06:00 HOUR	49.4 <sup>2/</sup>	49.3 ***	36.0 <sup>2/</sup>	46.7 ***	<0.8 <sup>2/</sup>
	<b>DAY TIME</b> 1/					
	06:00-07:00 HOUR	51.2 <sup>2/</sup>	48.9 **	47.3 <sup>2/</sup>	46.2 **	1.1
MARCH 18, 2024	<b>DAY TIME</b> 1/					
T24AG080-0003	07:00-08:00 HOUR	51.4 <sup>2/</sup>	50.1 **	45.5 <sup>2/</sup>	45.2 **	<0.8 <sup>2/</sup>
	08:00-09:00 HOUR	53.0 <sup>2/</sup>	49.8 **	50.2 <sup>2/</sup>	46.6 **	3.6
	09:00-10:00 HOUR	54.5 <sup>2/</sup>	51.4 **	51.6 <sup>2/</sup>	48.7 **	2.9
	10:00-11:00 HOUR	54.5 <sup>2/</sup>	53.6 **	47.2 <sup>2/</sup>	47.3 **	<0.8 <sup>2/</sup>
	11:00-12:00 HOUR	59.7 <sup>2/</sup>	59.3 **	49.1 <sup>2/</sup>	52.6 **	<0.8 <sup>2/</sup>
	12:00-13:00 HOUR	60.0 <sup>2/</sup>	55.7 **	58.0 <sup>2/</sup>	52.6 **	5.4
	13:00-14:00 HOUR	57.7 <sup>2/</sup>	54.8 **	54.6 <sup>2/</sup>	49.6 **	5.0
	14:00-15:00 HOUR	57.6 <sup>2/</sup>	56.9 **	49.3 <sup>2/</sup>	51.4 **	<0.8 <sup>2/</sup>
	15:00-16:00 HOUR	58.5 <sup>2/</sup>	56.6 **	54.0 <sup>2/</sup>	52.1 **	1.9
	16:00-17:00 HOUR	57.4 <sup>2/</sup>	56.4 **	50.5 <sup>2/</sup>	51.6 **	<0.8 <sup>2/</sup>
	17:00-18:00 HOUR	65.1 <sup>2/</sup>	61.8 **	62.4 <sup>2/</sup>	57.0 **	5.4
	18:00-19:00 HOUR	62.1 <sup>2/</sup>	57.1 **	60.4 <sup>2/</sup>	53.9 **	6.5
	19:00-20:00 HOUR	63.5 <sup>2/</sup>	62.6 **	56.2 <sup>2/</sup>	51.4 **	4.8
	20:00-21:00 HOUR	64.8 <sup>2/</sup>	62.8 **	60.5 <sup>2/</sup>	54.6 **	5.9
	21:00-22:00 HOUR	59.4 <sup>2/</sup>	57.2 **	55.4 <sup>2/</sup>	50.3 **	5.1
	<b>NIGHT TIME</b> 2/					
	22:00-22:05 HOUR	57.8 <sup>2/</sup>	55.9 ***	56.3 <sup>2/</sup>	50.3 ***	6.0
	22:05-22:10 HOUR	57.7 <sup>2/</sup>	55.9 ***	56.0 <sup>2/</sup>	50.3 ***	5.7
	22:10-22:15 HOUR	57.5 <sup>2/</sup>	55.9 ***	55.4 <sup>2/</sup>	50.3 ***	5.1
	22:15-22:20 HOUR	58.2 <sup>2/</sup>	58.4 ***	<0.8 <sup>2/</sup>	49.9 ***	<0.8 <sup>2/</sup>
	22:20-22:25 HOUR	58.4 <sup>2/</sup>	58.4 ***	<0.8 <sup>2/</sup>	49.9 ***	<0.8 <sup>2/</sup>
	22:25-22:30 HOUR	59.5 <sup>2/</sup>	58.4 ***	56.0 <sup>2/</sup>	49.9 ***	6.1
	22:30-22:35 HOUR	60.1 <sup>2/</sup>	59.5 ***	54.2 <sup>2/</sup>	51.1 ***	3.1



DATE	TIME*	RESULT (dB(A))				
		บริเวณท่าเทียบเรือของโครงการ				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 19, 2024	<b>NIGHT TIME</b> <sup>2/</sup>					
T24AG080-0003	05:50-05:55 HOUR	48.3 <sup>2/</sup>	46.1 ***	47.3 <sup>2/</sup>	43.7 ***	3.6
	05:55-06:00 HOUR	47.7 <sup>2/</sup>	46.1 ***	45.6 <sup>2/</sup>	43.7 ***	1.9
	<b>DAY TIME</b> <sup>1/</sup>					
	06:00-07:00 HOUR	51.8 <sup>1/</sup>	49.2 **	48.3 <sup>1/</sup>	45.5 **	2.8
MARCH 19, 2024	<b>DAY TIME</b> <sup>1/</sup>					
T24AG080-0004	07:00-08:00 HOUR	51.7 <sup>1/</sup>	48.7 **	48.7 <sup>1/</sup>	42.7 **	6.0
	08:00-09:00 HOUR	54.2 <sup>1/</sup>	51.9 **	50.3 <sup>1/</sup>	45.7 **	4.6
	09:00-10:00 HOUR	54.5 <sup>1/</sup>	52.5 **	50.2 <sup>1/</sup>	45.9 **	4.3
	10:00-11:00 HOUR	54.8 <sup>1/</sup>	51.3 **	52.2 <sup>1/</sup>	45.8 **	6.4
	11:00-12:00 HOUR	60.3 <sup>1/</sup>	56.5 **	58.0 <sup>1/</sup>	52.0 **	6.0
	12:00-13:00 HOUR	57.7 <sup>1/</sup>	54.2 **	55.1 <sup>1/</sup>	49.2 **	5.9
	13:00-14:00 HOUR	56.7 <sup>1/</sup>	54.8 **	52.2 <sup>1/</sup>	48.9 **	3.3
	14:00-15:00 HOUR	55.7 <sup>1/</sup>	55.0 **	47.4 <sup>1/</sup>	48.3 **	<0.8 <sup>1/</sup>
	15:00-16:00 HOUR	62.0 <sup>1/</sup>	56.5 **	60.6 <sup>1/</sup>	53.4 **	7.2
	16:00-17:00 HOUR	58.8 <sup>1/</sup>	56.2 **	55.3 <sup>1/</sup>	48.1 **	7.2
	17:00-18:00 HOUR	62.5 <sup>1/</sup>	61.4 **	56.0 <sup>1/</sup>	49.5 **	6.5
	18:00-19:00 HOUR	60.8 <sup>1/</sup>	59.8 **	53.9 <sup>1/</sup>	48.5 **	5.4
	19:00-20:00 HOUR	56.3 <sup>1/</sup>	55.0 **	50.4 <sup>1/</sup>	46.0 **	4.4
	20:00-21:00 HOUR	54.2 <sup>1/</sup>	49.2 **	52.5 <sup>1/</sup>	45.9 **	6.6
	21:00-22:00 HOUR	54.8 <sup>1/</sup>	51.3 **	52.2 <sup>1/</sup>	45.4 **	6.8
	<b>NIGHT TIME</b> <sup>2/</sup>					
	22:00-22:05 HOUR	55.9 <sup>2/</sup>	54.8 ***	52.4 <sup>2/</sup>	48.8 ***	3.6
	22:05-22:10 HOUR	54.3 <sup>2/</sup>	54.8 ***	<0.8 <sup>2/</sup>	48.8 ***	<0.8 <sup>2/</sup>
	22:10-22:15 HOUR	55.9 <sup>2/</sup>	54.8 ***	52.4 <sup>2/</sup>	48.8 ***	3.6
	22:15-22:20 HOUR	58.5 <sup>2/</sup>	57.6 ***	54.2 <sup>2/</sup>	48.7 ***	5.5
	22:20-22:25 HOUR	57.8 <sup>2/</sup>	57.6 ***	47.3 <sup>2/</sup>	48.7 ***	<0.8 <sup>2/</sup>
	22:25-22:30 HOUR	55.7 <sup>2/</sup>	57.6 ***	<0.8 <sup>2/</sup>	48.7 ***	<0.8 <sup>2/</sup>
	22:30-22:35 HOUR	55.6 <sup>2/</sup>	53.7 ***	54.1 <sup>2/</sup>	47.1 ***	7.0
	22:35-22:40 HOUR	55.8 <sup>2/</sup>	53.7 ***	54.6 <sup>2/</sup>	47.1 ***	7.5
	22:40-22:45 HOUR	55.8 <sup>2/</sup>	53.7 ***	54.6 <sup>2/</sup>	47.1 ***	7.5
	22:45-22:50 HOUR	55.9 <sup>2/</sup>	55.5 ***	48.3 <sup>2/</sup>	48.8 ***	<0.8 <sup>2/</sup>
	22:50-22:55 HOUR	54.5 <sup>2/</sup>	55.5 ***	<0.8 <sup>2/</sup>	48.8 ***	<0.8 <sup>2/</sup>
	22:55-23:00 HOUR	56.3 <sup>2/</sup>	55.5 ***	51.6 <sup>2/</sup>	48.8 ***	2.8
	23:00-23:05 HOUR	62.7 <sup>2/</sup>	62.4 ***	53.9 <sup>2/</sup>	48.8 ***	5.1
	23:05-23:10 HOUR	62.3 <sup>2/</sup>	62.4 ***	<0.8 <sup>2/</sup>	48.8 ***	<0.8 <sup>2/</sup>
	23:10-23:15 HOUR	62.8 <sup>2/</sup>	62.4 ***	55.2 <sup>2/</sup>	48.8 ***	6.4
	23:15-23:20 HOUR	57.9 <sup>2/</sup>	57.0 ***	53.6 <sup>2/</sup>	49.8 ***	3.8
	23:20-23:25 HOUR	57.7 <sup>2/</sup>	57.0 ***	52.4 <sup>2/</sup>	49.8 ***	2.6
	23:25-23:30 HOUR	57.8 <sup>2/</sup>	57.0 ***	53.1 <sup>2/</sup>	49.8 ***	3.3
	23:30-23:35 HOUR	57.1 <sup>2/</sup>	54.5 ***	56.6 <sup>2/</sup>	50.0 ***	6.6
	23:35-23:40 HOUR	56.2 <sup>2/</sup>	54.5 ***	54.3 <sup>2/</sup>	50.0 ***	4.3
	23:40-23:45 HOUR	56.5 <sup>2/</sup>	54.5 ***	55.2 <sup>2/</sup>	50.0 ***	5.2
	23:45-23:50 HOUR	55.1 <sup>2/</sup>	53.4 ***	53.2 <sup>2/</sup>	46.2 ***	7.0
	23:50-23:55 HOUR	54.5 <sup>2/</sup>	53.4 ***	51.0 <sup>2/</sup>	46.2 ***	4.8
	23:55-00:00 HOUR	55.3 <sup>2/</sup>	53.4 ***	53.8 <sup>2/</sup>	46.2 ***	7.6

DATE	TIME*	RESULT (dB(A))				
		บริเวณท่าเทียบเรือของโครงการ				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 19, 2024	<b>NIGHT TIME</b> <sup>2/</sup>					
T24AG080-0003	02:10-02:15 HOUR	49.1 <sup>2/</sup>	46.6 ***	48.5 <sup>2/</sup>	43.7 ***	4.8
	02:15-02:20 HOUR	49.5 <sup>2/</sup>	47.9 ***	47.4 <sup>2/</sup>	44.2 ***	3.2
	02:20-02:25 HOUR	49.3 <sup>2/</sup>	47.9 ***	46.7 <sup>2/</sup>	44.2 ***	2.5
	02:25-02:30 HOUR	49.4 <sup>2/</sup>	47.9 ***	47.1 <sup>2/</sup>	44.2 ***	2.9
	02:30-02:35 HOUR	48.9 <sup>2/</sup>	46.0 ***	48.8 <sup>2/</sup>	43.2 ***	5.6
	02:35-02:40 HOUR	49.7 <sup>2/</sup>	46.0 ***	50.3 <sup>2/</sup>	43.2 ***	7.1
	02:40-02:45 HOUR	48.0 <sup>2/</sup>	46.0 ***	46.7 <sup>2/</sup>	43.2 ***	3.5
	02:45-02:50 HOUR	47.7 <sup>2/</sup>	45.7 ***	46.4 <sup>2/</sup>	43.0 ***	3.4
	02:50-02:55 HOUR	48.5 <sup>2/</sup>	45.7 ***	48.3 <sup>2/</sup>	43.0 ***	5.3
	02:55-03:00 HOUR	48.2 <sup>2/</sup>	45.7 ***	47.6 <sup>2/</sup>	43.0 ***	4.6
	03:00-03:05 HOUR	46.8 <sup>2/</sup>	46.7 ***	33.4 <sup>2/</sup>	43.6 ***	<0.8 <sup>2/</sup>
	03:05-03:10 HOUR	48.1 <sup>2/</sup>	46.7 ***	45.5 <sup>2/</sup>	43.6 ***	1.9
	03:10-03:15 HOUR	47.6 <sup>2/</sup>	46.7 ***	43.3 <sup>2/</sup>	43.6 ***	<0.8 <sup>2/</sup>
	03:15-03:20 HOUR	47.3 <sup>2/</sup>	45.5 ***	45.6 <sup>2/</sup>	42.8 ***	2.8
	03:20-03:25 HOUR	47.9 <sup>2/</sup>	45.5 ***	47.2 <sup>2/</sup>	42.8 ***	4.4
	03:25-03:30 HOUR	47.0 <sup>2/</sup>	45.5 ***	44.7 <sup>2/</sup>	42.8 ***	1.9
	03:30-03:35 HOUR	48.0 <sup>2/</sup>	47.9 ***	34.6 <sup>2/</sup>	44.8 ***	<0.8 <sup>2/</sup>
	03:35-03:40 HOUR	49.5 <sup>2/</sup>	47.9 ***	47.4 <sup>2/</sup>	44.8 ***	2.6
	03:40-03:45 HOUR	47.6 <sup>2/</sup>	47.9 ***	<0.8 <sup>2/</sup>	44.8 ***	<0.8 <sup>2/</sup>
	03:45-03:50 HOUR	47.9 <sup>2/</sup>	46.9 ***	44.0 <sup>2/</sup>	44.4 ***	<0.8 <sup>2/</sup>
	03:50-03:55 HOUR	48.1 <sup>2/</sup>	46.9 ***	44.9 <sup>2/</sup>	44.4 ***	<0.8 <sup>2/</sup>
	03:55-04:00 HOUR	48.9 <sup>2/</sup>	46.9 ***	47.6 <sup>2/</sup>	44.4 ***	3.2
	04:00-04:05 HOUR	48.2 <sup>2/</sup>	46.6 ***	46.1 <sup>2/</sup>	43.5 ***	2.6
	04:05-04:10 HOUR	47.9 <sup>2/</sup>	46.6 ***	45.0 <sup>2/</sup>	43.5 ***	1.5
	04:10-04:15 HOUR	48.9 <sup>2/</sup>	46.6 ***	48.0 <sup>2/</sup>	43.5 ***	4.5
	04:15-04:20 HOUR	48.7 <sup>2/</sup>	47.3 ***	46.1 <sup>2/</sup>	43.8 ***	2.3
	04:20-04:25 HOUR	49.7 <sup>2/</sup>	47.3 ***	49.0 <sup>2/</sup>	43.8 ***	5.2
	04:25-04:30 HOUR	48.8 <sup>2/</sup>	47.3 ***	46.5 <sup>2/</sup>	43.8 ***	2.7
	04:30-04:35 HOUR	47.7 <sup>2/</sup>	47.3 ***	40.1 <sup>2/</sup>	44.5 ***	<0.8 <sup>2/</sup>
	04:35-04:40 HOUR	47.6 <sup>2/</sup>	47.3 ***	38.8 <sup>2/</sup>	44.5 ***	<0.8 <sup>2/</sup>
	04:40-04:45 HOUR	48.8 <sup>2/</sup>	47.3 ***	46.5 <sup>2/</sup>	44.5 ***	2.0
	04:45-04:50 HOUR	47.6 <sup>2/</sup>	46.4 ***	44.4 <sup>2/</sup>	43.7 ***	<0.8 <sup>2/</sup>
	04:50-04:55 HOUR	48.4 <sup>2/</sup>	46.4 ***	47.1 <sup>2/</sup>	43.7 ***	3.4
	04:55-05:00 HOUR	48.9 <sup>2/</sup>	46.4 ***	48.3 <sup>2/</sup>	43.7 ***	4.6
	05:00-05:05 HOUR	49.3 <sup>2/</sup>	47.1 ***	48.3 <sup>2/</sup>	44.5 ***	3.8
	05:05-05:10 HOUR	48.1 <sup>2/</sup>	47.1 ***	44.2 <sup>2/</sup>	44.5 ***	<0.8 <sup>2/</sup>
	05:10-05:15 HOUR	48.0 <sup>2/</sup>	47.1 ***	43.7 <sup>2/</sup>	44.5 ***	<0.8 <sup>2/</sup>
	05:15-05:20 HOUR	48.2 <sup>2/</sup>	47.3 ***	43.9 <sup>2/</sup>	44.3 ***	<0.8 <sup>2/</sup>
	05:20-05:25 HOUR	48.0 <sup>2/</sup>	47.3 ***	42.7 <sup>2/</sup>	44.3 ***	<0.8 <sup>2/</sup>
	05:25-05:30 HOUR	48.6 <sup>2/</sup>	47.3 ***	45.7 <sup>2/</sup>	44.3 ***	1.4
	05:30-05:35 HOUR	48.2 <sup>2/</sup>	47.7 ***	41.6 <sup>2/</sup>	45.0 ***	<0.8 <sup>2/</sup>
	05:35-05:40 HOUR	49.0 <sup>2/</sup>	47.7 ***	46.1 <sup>2/</sup>	45.0 ***	1.1
	05:40-05:45 HOUR	48.7 <sup>2/</sup>	47.7 ***	44.8 <sup>2/</sup>	45.0 ***	<0.8 <sup>2/</sup>
	05:45-05:50 HOUR	48.9 <sup>2/</sup>	46.1 ***	48.7 <sup>2/</sup>	43.7 ***	5.0

DATE	TIME*	RESULT (dB(A))				
		บริเวณท่าเทียบเรือของโครงการ				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 20, 2024	NIGHT TIME 2/					
T24AG080-0004	03:40-03:45 HOUR	46.0 <sup>2/</sup>	44.2 ***	44.3 <sup>2/</sup>	41.3 ***	3.0
	03:45-03:50 HOUR	46.1 <sup>2/</sup>	45.2 ***	41.8 <sup>2/</sup>	42.6 ***	<0.8 <sup>2/</sup>
	03:50-03:55 HOUR	46.0 <sup>2/</sup>	45.2 ***	41.3 <sup>2/</sup>	42.6 ***	<0.8 <sup>2/</sup>
	03:55-04:00 HOUR	45.8 <sup>2/</sup>	45.2 ***	39.9 <sup>2/</sup>	42.6 ***	<0.8 <sup>2/</sup>
	04:00-04:05 HOUR	46.5 <sup>2/</sup>	45.5 ***	42.6 <sup>2/</sup>	42.6 ***	<0.8 <sup>2/</sup>
	04:05-04:10 HOUR	46.0 <sup>2/</sup>	45.5 ***	39.4 <sup>2/</sup>	42.6 ***	<0.8 <sup>2/</sup>
	04:10-04:15 HOUR	46.8 <sup>2/</sup>	45.5 ***	43.9 <sup>2/</sup>	42.6 ***	1.3
	04:15-04:20 HOUR	47.1 <sup>2/</sup>	44.9 ***	46.1 <sup>2/</sup>	42.3 ***	3.8
	04:20-04:25 HOUR	47.4 <sup>2/</sup>	44.9 ***	46.8 <sup>2/</sup>	42.3 ***	4.5
	04:25-04:30 HOUR	46.3 <sup>2/</sup>	44.9 ***	43.7 <sup>2/</sup>	42.3 ***	1.4
	04:30-04:35 HOUR	46.4 <sup>2/</sup>	45.4 ***	42.5 <sup>2/</sup>	42.1 ***	<0.8 <sup>2/</sup>
	04:35-04:40 HOUR	46.3 <sup>2/</sup>	45.4 ***	42.0 <sup>2/</sup>	42.1 ***	<0.8 <sup>2/</sup>
	04:40-04:45 HOUR	48.5 <sup>2/</sup>	45.4 ***	48.6 <sup>2/</sup>	42.1 ***	6.5
	04:45-04:50 HOUR	45.4 <sup>2/</sup>	48.6 ***	<0.8 <sup>2/</sup>	41.0 ***	<0.8 <sup>2/</sup>
	04:50-04:55 HOUR	46.4 <sup>2/</sup>	48.6 ***	<0.8 <sup>2/</sup>	41.0 ***	<0.8 <sup>2/</sup>
	04:55-05:00 HOUR	49.2 <sup>2/</sup>	48.6 ***	43.3 <sup>2/</sup>	41.0 ***	2.3
	05:00-05:05 HOUR	52.6 <sup>2/</sup>	52.1 ***	46.0 <sup>2/</sup>	41.6 ***	4.4
	05:05-05:10 HOUR	52.6 <sup>2/</sup>	52.1 ***	46.0 <sup>2/</sup>	41.6 ***	4.4
	05:10-05:15 HOUR	52.7 <sup>2/</sup>	52.1 ***	46.8 <sup>2/</sup>	41.6 ***	5.2
	05:15-05:20 HOUR	50.9 <sup>2/</sup>	49.9 ***	47.0 <sup>2/</sup>	41.1 ***	5.9
	05:20-05:25 HOUR	50.5 <sup>2/</sup>	49.9 ***	44.6 <sup>2/</sup>	41.1 ***	3.5
	05:25-05:30 HOUR	49.8 <sup>2/</sup>	49.9 ***	<0.8 <sup>2/</sup>	41.1 ***	<0.8 <sup>2/</sup>
	05:30-05:35 HOUR	50.3 <sup>2/</sup>	49.7 ***	44.4 <sup>2/</sup>	41.8 ***	2.6
	05:35-05:40 HOUR	51.0 <sup>2/</sup>	49.7 ***	48.1 <sup>2/</sup>	41.8 ***	6.3
	05:40-05:45 HOUR	51.2 <sup>2/</sup>	49.7 ***	48.9 <sup>2/</sup>	41.8 ***	7.1
	05:45-05:50 HOUR	54.5 <sup>2/</sup>	53.2 ***	51.6 <sup>2/</sup>	44.6 ***	7.0
	05:50-05:55 HOUR	54.0 <sup>2/</sup>	53.2 ***	49.3 <sup>2/</sup>	44.6 ***	4.7
	05:55-06:00 HOUR	54.0 <sup>2/</sup>	53.2 ***	49.3 <sup>2/</sup>	44.6 ***	4.7
	DAY TIME 1/					
	06:00-07:00 HOUR	51.1 <sup>2/</sup>	49.6 **	45.8 <sup>2/</sup>	44.1 **	1.7
MARCH 20, 2024	DAY TIME 1/					
T24AG080-0005	07:00-08:00 HOUR	52.7 <sup>2/</sup>	49.2 **	50.1 <sup>2/</sup>	43.1 **	7.0
	08:00-09:00 HOUR	56.9 <sup>2/</sup>	54.5 **	53.2 <sup>2/</sup>	45.4 **	7.8
	09:00-10:00 HOUR	56.7 <sup>2/</sup>	55.7 **	49.8 <sup>2/</sup>	44.5 **	5.3
	10:00-11:00 HOUR	56.7 <sup>2/</sup>	55.7 **	49.8 <sup>2/</sup>	44.9 **	4.9
	11:00-12:00 HOUR	58.3 <sup>2/</sup>	57.4 **	51.0 <sup>2/</sup>	45.3 **	5.7
	12:00-13:00 HOUR	62.7 <sup>2/</sup>	59.2 **	60.1 <sup>2/</sup>	53.0 **	7.1
	13:00-14:00 HOUR	61.0 <sup>2/</sup>	57.5 **	58.4 <sup>2/</sup>	53.2 **	5.2
	14:00-15:00 HOUR	59.5 <sup>2/</sup>	57.0 **	55.9 <sup>2/</sup>	48.9 **	7.0
	15:00-16:00 HOUR	57.6 <sup>2/</sup>	54.6 **	54.6 <sup>2/</sup>	47.5 **	7.1
	16:00-17:00 HOUR	55.5 <sup>2/</sup>	51.8 **	53.1 <sup>2/</sup>	46.4 **	6.7
	17:00-18:00 HOUR	55.9 <sup>2/</sup>	54.0 **	51.4 <sup>2/</sup>	45.5 **	5.9
	18:00-19:00 HOUR	53.7 <sup>2/</sup>	51.9 **	49.0 <sup>2/</sup>	42.9 **	6.1
	19:00-20:00 HOUR	59.8 <sup>2/</sup>	59.7 **	43.4 <sup>2/</sup>	44.3 **	<0.8 <sup>2/</sup>
	20:00-21:00 HOUR	52.8 <sup>2/</sup>	50.3 **	49.2 <sup>2/</sup>	42.7 **	6.5

DATE	TIME*	RESULT (dB(A))				
		บริเวณท่าเทียบเรือของโครงการ				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 20, 2024	NIGHT TIME 2/					
T24AG080-0004	00:00-00:05 HOUR	57.2 <sup>2/</sup>	56.8 ***	49.6 <sup>2/</sup>	44.8 ***	4.8
	00:05-00:10 HOUR	56.4 <sup>2/</sup>	56.8 ***	<0.8 <sup>2/</sup>	44.8 ***	<0.8 <sup>2/</sup>
	00:10-00:15 HOUR	57.1 <sup>2/</sup>	56.8 ***	48.3 <sup>2/</sup>	44.8 ***	3.5
	00:15-00:20 HOUR	54.5 <sup>2/</sup>	54.2 ***	45.7 <sup>2/</sup>	44.3 ***	1.4
	00:20-00:25 HOUR	54.5 <sup>2/</sup>	54.2 ***	45.7 <sup>2/</sup>	44.3 ***	1.4
	00:25-00:30 HOUR	48.1 <sup>2/</sup>	54.2 ***	<0.8 <sup>2/</sup>	44.3 ***	<0.8 <sup>2/</sup>
	00:30-00:35 HOUR	50.4 <sup>2/</sup>	49.3 ***	46.9 <sup>2/</sup>	42.2 ***	4.7
	00:35-00:40 HOUR	49.4 <sup>2/</sup>	49.3 ***	36.0 <sup>2/</sup>	42.2 ***	<0.8 <sup>2/</sup>
	00:40-00:45 HOUR	50.3 <sup>2/</sup>	49.3 ***	46.4 <sup>2/</sup>	42.2 ***	4.2
	00:45-00:50 HOUR	45.6 <sup>2/</sup>	44.6 ***	41.7 <sup>2/</sup>	41.8 ***	<0.8 <sup>2/</sup>
	00:50-00:55 HOUR	45.2 <sup>2/</sup>	44.6 ***	39.3 <sup>2/</sup>	41.8 ***	<0.8 <sup>2/</sup>
	00:55-01:00 HOUR	45.6 <sup>2/</sup>	44.6 ***	41.7 <sup>2/</sup>	41.8 ***	<0.8 <sup>2/</sup>
	01:00-01:05 HOUR	46.0 <sup>2/</sup>	44.7 ***	43.1 <sup>2/</sup>	41.6 ***	1.5
	01:05-01:10 HOUR	45.6 <sup>2/</sup>	44.7 ***	41.3 <sup>2/</sup>	41.6 ***	<0.8 <sup>2/</sup>
	01:10-01:15 HOUR	46.8 <sup>2/</sup>	44.7 ***	45.6 <sup>2/</sup>	41.6 ***	4.0
	01:15-01:20 HOUR	47.2 <sup>2/</sup>	46.4 ***	42.5 <sup>2/</sup>	42.3 ***	<0.8 <sup>2/</sup>
	01:20-01:25 HOUR	47.5 <sup>2/</sup>	46.4 ***	44.0 <sup>2/</sup>	42.3 ***	1.7
	01:25-01:30 HOUR	48.8 <sup>2/</sup>	46.4 ***	48.1 <sup>2/</sup>	42.3 ***	5.8
	01:30-01:35 HOUR	46.8 <sup>2/</sup>	48.0 ***	<0.8 <sup>2/</sup>	43.2 ***	<0.8 <sup>2/</sup>
	01:35-01:40 HOUR	48.9 <sup>2/</sup>	48.0 ***	44.6 <sup>2/</sup>	43.2 ***	1.4
	01:40-01:45 HOUR	49.1 <sup>2/</sup>	48.0 ***	45.6 <sup>2/</sup>	43.2 ***	2.4
	01:45-01:50 HOUR	49.6 <sup>2/</sup>	48.0 ***	47.5 <sup>2/</sup>	42.7 ***	4.8
	01:50-01:55 HOUR	49.4 <sup>2/</sup>	48.0 ***	46.8 <sup>2/</sup>	42.7 ***	4.1
	01:55-02:00 HOUR	50.5 <sup>2/</sup>	48.0 ***	49.9 <sup>2/</sup>	42.7 ***	7.2
	02:00-02:05 HOUR	48.2 <sup>2/</sup>	45.8 ***	47.5 <sup>2/</sup>	41.1 ***	6.4
	02:05-02:10 HOUR	47.4 <sup>2/</sup>	45.8 ***	45.3 <sup>2/</sup>	41.1 ***	4.2
	02:10-02:15 HOUR	48.0 <sup>2/</sup>	45.8 ***	47.0 <sup>2/</sup>	41.1 ***	5.9
	02:15-02:20 HOUR	47.8 <sup>2/</sup>	46.1 ***	45.9 <sup>2/</sup>	41.7 ***	4.2
	02:20-02:25 HOUR	47.0 <sup>2/</sup>	46.1 ***	42.7 <sup>2/</sup>	41.7 ***	1.0
	02:25-02:30 HOUR	46.3 <sup>2/</sup>	46.1 ***	35.8 <sup>2/</sup>	41.7 ***	<0.8 <sup>2/</sup>
	02:30-02:35 HOUR	46.4 <sup>2/</sup>	48.7 ***	<0.8 <sup>2/</sup>	40.2 ***	<0.8 <sup>2/</sup>
	02:35-02:40 HOUR	46.3 <sup>2/</sup>	48.7 ***	<0.8 <sup>2/</sup>	40.2 ***	<0.8 <sup>2/</sup>
	02:40-02:45 HOUR	49.2 <sup>2/</sup>	48.7 ***	42.6 <sup>2/</sup>	40.2 ***	2.4
	02:45-02:50 HOUR	44.0 <sup>2/</sup>	43.7 ***	35.2 <sup>2/</sup>	40.1 ***	<0.8 <sup>2/</sup>
	02:50-02:55 HOUR	46.1 <sup>2/</sup>	43.7 ***	45.4 <sup>2/</sup>	40.1 ***	5.3
	02:55-03:00 HOUR	46.5 <sup>2/</sup>	43.7 ***	46.3 <sup>2/</sup>	40.1 ***	6.2
	03:00-03:05 HOUR	46.1 <sup>2/</sup>	43.7 ***	45.4 <sup>2/</sup>	40.6 ***	4.8
	03:05-03:10 HOUR	43.9 <sup>2/</sup>	43.7 ***	33.4 <sup>2/</sup>	40.6 ***	<0.8 <sup>2/</sup>
	03:10-03:15 HOUR	45.0 <sup>2/</sup>	43.7 ***	42.1 <sup>2/</sup>	40.6 ***	1.5
	03:15-03:20 HOUR	45.1 <sup>2/</sup>	44.5 ***	39.2 <sup>2/</sup>	41.6 ***	<0.8 <sup>2/</sup>
	03:20-03:25 HOUR	45.0 <sup>2/</sup>	44.5 ***	38.4 <sup>2/</sup>	41.6 ***	<0.8 <sup>2/</sup>
	03:25-03:30 HOUR	44.7 <sup>2/</sup>	44.5 ***	34.2 <sup>2/</sup>	41.6 ***	<0.8 <sup>2/</sup>
	03:30-03:35 HOUR	46.5 <sup>2/</sup>	44.2 ***	45.6 <sup>2/</sup>	41.3 ***	4.3
	03:35-03:40 HOUR	46.9 <sup>2/</sup>	44.2 ***	46.6 <sup>2/</sup>	41.3 ***	5.3



DATE	TIME*	RESULT (dB(A))				
		บริเวณหาเทียบเรือของโครงการ				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 21, 2024	<b>NIGHT TIME</b> 2/					
T24AG080-0005	01:30-01:35 HOUR	44.7 <sup>2/</sup>	47.0 ***	<0.8 <sup>2/</sup>	40.8 ***	<0.8 <sup>2/</sup>
	01:35-01:40 HOUR	47.6 <sup>2/</sup>	47.0 ***	41.7 <sup>2/</sup>	40.8 ***	0.9
	01:40-01:45 HOUR	48.2 <sup>2/</sup>	47.0 ***	45.0 <sup>2/</sup>	40.8 ***	4.2
	01:45-01:50 HOUR	47.8 <sup>2/</sup>	46.4 ***	45.2 <sup>2/</sup>	39.4 ***	5.8
	01:50-01:55 HOUR	47.4 <sup>2/</sup>	46.4 ***	43.5 <sup>2/</sup>	39.4 ***	4.1
	01:55-02:00 HOUR	47.0 <sup>2/</sup>	46.4 ***	41.1 <sup>2/</sup>	39.4 ***	1.7
	02:00-02:05 HOUR	45.7 <sup>2/</sup>	44.1 ***	43.6 <sup>2/</sup>	37.8 ***	5.8
	02:05-02:10 HOUR	44.9 <sup>2/</sup>	44.1 ***	40.2 <sup>2/</sup>	37.8 ***	2.4
	02:10-02:15 HOUR	44.5 <sup>2/</sup>	44.1 ***	36.9 <sup>2/</sup>	37.8 ***	<0.8 <sup>2/</sup>
	02:15-02:20 HOUR	42.9 <sup>2/</sup>	40.9 ***	41.6 <sup>2/</sup>	35.6 ***	6.0
	02:20-02:25 HOUR	43.2 <sup>2/</sup>	40.9 ***	42.3 <sup>2/</sup>	35.6 ***	6.7
	02:25-02:30 HOUR	42.9 <sup>2/</sup>	40.9 ***	41.6 <sup>2/</sup>	35.6 ***	6.0
	02:30-02:35 HOUR	42.9 <sup>2/</sup>	43.7 ***	<0.8 <sup>2/</sup>	34.8 ***	<0.8 <sup>2/</sup>
	02:35-02:40 HOUR	41.8 <sup>2/</sup>	43.7 ***	<0.8 <sup>2/</sup>	34.8 ***	<0.8 <sup>2/</sup>
	02:40-02:45 HOUR	43.9 <sup>2/</sup>	43.7 ***	33.4 <sup>2/</sup>	34.8 ***	<0.8 <sup>2/</sup>
	02:45-02:50 HOUR	40.0 <sup>2/</sup>	41.9 ***	<0.8 <sup>2/</sup>	37.0 ***	<0.8 <sup>2/</sup>
	02:50-02:55 HOUR	43.9 <sup>2/</sup>	41.9 ***	42.6 <sup>2/</sup>	37.0 ***	5.6
	02:55-03:00 HOUR	44.0 <sup>2/</sup>	41.9 ***	42.8 <sup>2/</sup>	37.0 ***	5.8
	03:00-03:05 HOUR	43.4 <sup>2/</sup>	39.6 ***	44.1 <sup>2/</sup>	36.5 ***	7.6
	03:05-03:10 HOUR	39.7 <sup>2/</sup>	39.6 ***	26.3 <sup>2/</sup>	36.5 ***	<0.8 <sup>2/</sup>
	03:10-03:15 HOUR	41.6 <sup>2/</sup>	39.6 ***	40.3 <sup>2/</sup>	36.5 ***	3.8
	03:15-03:20 HOUR	42.6 <sup>2/</sup>	39.3 ***	42.9 <sup>2/</sup>	36.5 ***	6.4
	03:20-03:25 HOUR	41.8 <sup>2/</sup>	39.3 ***	41.2 <sup>2/</sup>	36.5 ***	4.7
	03:25-03:30 HOUR	42.5 <sup>2/</sup>	39.3 ***	42.7 <sup>2/</sup>	36.5 ***	6.2
	03:30-03:35 HOUR	42.6 <sup>2/</sup>	40.4 ***	41.6 <sup>2/</sup>	37.6 ***	4.0
	03:35-03:40 HOUR	43.6 <sup>2/</sup>	40.4 ***	43.8 <sup>2/</sup>	37.6 ***	6.2
	03:40-03:45 HOUR	43.4 <sup>2/</sup>	40.4 ***	43.4 <sup>2/</sup>	37.6 ***	5.8
	03:45-03:50 HOUR	43.2 <sup>2/</sup>	40.3 ***	43.1 <sup>2/</sup>	37.5 ***	5.6
	03:50-03:55 HOUR	43.0 <sup>2/</sup>	40.3 ***	42.7 <sup>2/</sup>	37.5 ***	5.2
	03:55-04:00 HOUR	43.4 <sup>2/</sup>	40.3 ***	43.5 <sup>2/</sup>	37.5 ***	6.0
	04:00-04:05 HOUR	43.5 <sup>2/</sup>	40.8 ***	43.2 <sup>2/</sup>	38.1 ***	5.1
	04:05-04:10 HOUR	43.2 <sup>2/</sup>	40.8 ***	42.5 <sup>2/</sup>	38.1 ***	4.4
	04:10-04:15 HOUR	44.0 <sup>2/</sup>	40.8 ***	44.2 <sup>2/</sup>	38.1 ***	6.1
	04:15-04:20 HOUR	44.2 <sup>2/</sup>	41.2 ***	44.2 <sup>2/</sup>	38.6 ***	5.6
	04:20-04:25 HOUR	43.8 <sup>2/</sup>	41.2 ***	43.3 <sup>2/</sup>	38.6 ***	4.7
	04:25-04:30 HOUR	43.7 <sup>2/</sup>	41.2 ***	43.1 <sup>2/</sup>	38.6 ***	4.5
	04:30-04:35 HOUR	43.5 <sup>2/</sup>	41.8 ***	41.6 <sup>2/</sup>	38.0 ***	3.6
	04:35-04:40 HOUR	44.2 <sup>2/</sup>	41.8 ***	43.5 <sup>2/</sup>	38.0 ***	5.5
	04:40-04:45 HOUR	44.2 <sup>2/</sup>	41.8 ***	43.5 <sup>2/</sup>	38.0 ***	5.5
	04:45-04:50 HOUR	42.7 <sup>2/</sup>	50.2 ***	<0.8 <sup>2/</sup>	37.6 ***	<0.8 <sup>2/</sup>
	04:50-04:55 HOUR	44.4 <sup>2/</sup>	50.2 ***	<0.8 <sup>2/</sup>	37.6 ***	<0.8 <sup>2/</sup>
	04:55-05:00 HOUR	50.5 <sup>2/</sup>	50.2 ***	41.7 <sup>2/</sup>	37.6 ***	4.1
	05:00-05:05 HOUR	56.0 <sup>2/</sup>	55.8 ***	45.5 <sup>2/</sup>	37.9 ***	7.6
	05:05-05:10 HOUR	55.4 <sup>2/</sup>	55.8 ***	<0.8 <sup>2/</sup>	37.9 ***	<0.8 <sup>2/</sup>

DATE	TIME*	RESULT (dB(A))				
		บริเวณหาเทียบเรือของโครงการ				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 20, 2024	<b>DAY TIME</b> 1/					
T24AG080-0005	21:00-22:00 HOUR	53.8 <sup>2/</sup>	53.0 **	46.1 <sup>2/</sup>	42.1 **	4.0
	<b>NIGHT TIME</b> 2/					
	22:00-22:05 HOUR	49.4 <sup>2/</sup>	49.0 ***	41.8 <sup>2/</sup>	40.4 ***	1.4
	22:05-22:10 HOUR	49.3 <sup>2/</sup>	49.0 ***	40.5 <sup>2/</sup>	40.4 ***	<0.8 <sup>2/</sup>
	22:10-22:15 HOUR	49.9 <sup>2/</sup>	49.0 ***	45.6 <sup>2/</sup>	40.4 ***	5.2
	22:15-22:20 HOUR	51.7 <sup>2/</sup>	52.6 ***	<0.8 <sup>2/</sup>	40.5 ***	<0.8 <sup>2/</sup>
	22:20-22:25 HOUR	53.0 <sup>2/</sup>	52.6 ***	45.4 <sup>2/</sup>	40.5 ***	4.9
	22:25-22:30 HOUR	53.0 <sup>2/</sup>	52.6 ***	45.4 <sup>2/</sup>	40.5 ***	4.9
	22:30-22:35 HOUR	54.4 <sup>2/</sup>	53.8 ***	48.5 <sup>2/</sup>	41.0 ***	7.5
	22:35-22:40 HOUR	54.3 <sup>2/</sup>	53.8 ***	47.7 <sup>2/</sup>	41.0 ***	6.7
	22:40-22:45 HOUR	54.3 <sup>2/</sup>	53.8 ***	47.7 <sup>2/</sup>	41.0 ***	6.7
	22:45-22:50 HOUR	51.5 <sup>2/</sup>	52.5 ***	<0.8 <sup>2/</sup>	42.1 ***	<0.8 <sup>2/</sup>
	22:50-22:55 HOUR	48.8 <sup>2/</sup>	52.5 ***	<0.8 <sup>2/</sup>	42.1 ***	<0.8 <sup>2/</sup>
	22:55-23:00 HOUR	53.4 <sup>2/</sup>	52.5 ***	49.1 <sup>2/</sup>	42.1 ***	7.0
	23:00-23:05 HOUR	53.5 <sup>2/</sup>	52.8 ***	48.2 <sup>2/</sup>	42.1 ***	6.1
	23:05-23:10 HOUR	52.5 <sup>2/</sup>	52.8 ***	<0.8 <sup>2/</sup>	42.1 ***	<0.8 <sup>2/</sup>
	23:10-23:15 HOUR	53.8 <sup>2/</sup>	52.8 ***	49.9 <sup>2/</sup>	42.1 ***	7.8
	23:15-23:20 HOUR	54.3 <sup>2/</sup>	53.7 ***	48.4 <sup>2/</sup>	42.8 ***	5.6
	23:20-23:25 HOUR	54.5 <sup>2/</sup>	53.7 ***	49.8 <sup>2/</sup>	42.8 ***	7.0
	23:25-23:30 HOUR	54.2 <sup>2/</sup>	53.7 ***	47.6 <sup>2/</sup>	42.8 ***	4.8
	23:30-23:35 HOUR	45.2 <sup>2/</sup>	47.0 ***	<0.8 <sup>2/</sup>	41.0 ***	<0.8 <sup>2/</sup>
	23:35-23:40 HOUR	48.2 <sup>2/</sup>	47.0 ***	45.0 <sup>2/</sup>	41.0 ***	4.0
	23:40-23:45 HOUR	48.7 <sup>2/</sup>	47.0 ***	46.8 <sup>2/</sup>	41.0 ***	5.8
	23:45-23:50 HOUR	53.1 <sup>2/</sup>	53.6 ***	<0.8 <sup>2/</sup>	40.1 ***	<0.8 <sup>2/</sup>
	23:50-23:55 HOUR	53.7 <sup>2/</sup>	53.6 ***	40.3 <sup>2/</sup>	40.1 ***	<0.8 <sup>2/</sup>
	23:55-00:00 HOUR	54.1 <sup>2/</sup>	53.6 ***	47.5 <sup>2/</sup>	40.1 ***	7.4
MARCH 21, 2024	<b>NIGHT TIME</b> 2/					
T24AG080-0005	00:00-00:05 HOUR	57.5 <sup>2/</sup>	57.1 ***	49.9 <sup>2/</sup>	42.3 ***	7.6
	00:05-00:10 HOUR	57.5 <sup>2/</sup>	57.1 ***	49.9 <sup>2/</sup>	42.3 ***	7.6
	00:10-00:15 HOUR	57.2 <sup>2/</sup>	57.1 ***	43.8 <sup>2/</sup>	42.3 ***	1.5
	00:15-00:20 HOUR	53.3 <sup>2/</sup>	52.7 ***	47.4 <sup>2/</sup>	40.6 ***	6.8
	00:20-00:25 HOUR	51.9 <sup>2/</sup>	52.7 ***	<0.8 <sup>2/</sup>	40.6 ***	<0.8 <sup>2/</sup>
	00:25-00:30 HOUR	44.5 <sup>2/</sup>	52.7 ***	<0.8 <sup>2/</sup>	40.6 ***	<0.8 <sup>2/</sup>
	00:30-00:35 HOUR	50.1 <sup>2/</sup>	49.9 ***	39.6 <sup>2/</sup>	39.0 ***	<0.8 <sup>2/</sup>
	00:35-00:40 HOUR	50.1 <sup>2/</sup>	49.9 ***	39.6 <sup>2/</sup>	39.0 ***	<0.8 <sup>2/</sup>
	00:40-00:45 HOUR	50.0 <sup>2/</sup>	49.9 ***	36.6 <sup>2/</sup>	39.0 ***	<0.8 <sup>2/</sup>
	00:45-00:50 HOUR	41.0 <sup>2/</sup>	39.1 ***	39.5 <sup>2/</sup>	35.9 ***	3.6
	00:50-00:55 HOUR	40.1 <sup>2/</sup>	39.1 ***	36.2 <sup>2/</sup>	35.9 ***	<0.8 <sup>2/</sup>
	00:55-01:00 HOUR	41.5 <sup>2/</sup>	39.1 ***	40.8 <sup>2/</sup>	35.9 ***	4.9
	01:00-01:05 HOUR	42.5 <sup>2/</sup>	40.7 ***	40.8 <sup>2/</sup>	36.3 ***	4.5
	01:05-01:10 HOUR	41.0 <sup>2/</sup>	40.7 ***	32.2 <sup>2/</sup>	36.3 ***	<0.8 <sup>2/</sup>
	01:10-01:15 HOUR	42.6 <sup>2/</sup>	40.7 ***	41.1 <sup>2/</sup>	36.3 ***	4.8
	01:15-01:20 HOUR	43.4 <sup>2/</sup>	43.4 ***	<0.8 <sup>2/</sup>	37.2 ***	<0.8 <sup>2/</sup>
	01:20-01:25 HOUR	44.1 <sup>2/</sup>	43.4 ***	38.8 <sup>2/</sup>	37.2 ***	1.6
	01:25-01:30 HOUR	44.8 <sup>2/</sup>	43.4 ***	42.2 <sup>2/</sup>	37.2 ***	5.0



### ANALYSIS REPORT

**PROJECT NAME** : โครงการท่าเทียบเรือ บริษัท เจซี มาร์ีน พอร์ต จำกัด  
**CUSTOMER NAME** : JC MARINE PORT COMPANY LIMITED  
**ADDRESS** : 153/1 MOO 1 THUNG SUKHLA SI RACHA CHON BURI 20230  
**CONTACT INFORMATION** : TEL : 08 1309 5708, 0 3835 1473 e-mail : jcmarineport.info@gmail.com  
**MEASURING PLACE** : บริเวณกลุ่มประมงพื้นบ้านอ่าวอุดม  
**MEASURING TYPE** : AMBIENT (ANNOYANCE SOUND LEVEL) **RECEIVED DATE** : MARCH 16-21, 2024  
**MEASURING DATE** : MARCH 16-21, 2024 **ANALYTICAL DATE** : MARCH 16-21, 2024  
**MEASURING TIME** : \* **ISSUE DATE** : MARCH 29, 2024  
**MEASURING EQUIPMENT** : INTEGRATED SOUND LEVEL METER AND CALCULATION **REPORT NO.** : 2024-U026638  
**MEASURED BY** : MR NATTHAPONG CHAKUINTHOD **WORK NO.** : 2022-008114  
**ANALYSIS NO.** : T24AG080-0006 - T24AG080-0010

DATE	TIME*	RESULT (dB(A))				
		บริเวณกลุ่มประมงพื้นบ้านอ่าวอุดม				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 16, 2024 T24AG080-0006	<b>DAY TIME</b> 1/					
	07:00-08:00 HOUR	55.8 1/	52.6 **	53.0 1/	47.3 **	5.7
	08:00-09:00 HOUR	55.6 1/	52.8 **	52.4 1/	48.4 **	4.0
	09:00-10:00 HOUR	55.9 1/	51.6 **	53.9 1/	48.0 **	5.9
	10:00-11:00 HOUR	55.7 1/	53.8 **	51.2 1/	46.8 **	4.4
	11:00-12:00 HOUR	56.3 1/	54.9 **	50.7 1/	47.5 **	3.2
	12:00-13:00 HOUR	55.9 1/	51.9 **	53.7 1/	47.6 **	6.1
	13:00-14:00 HOUR	55.1 1/	52.1 **	52.1 1/	46.8 **	5.3
	14:00-15:00 HOUR	53.1 1/	50.3 **	49.9 1/	46.1 **	3.8
	15:00-16:00 HOUR	52.7 1/	49.8 **	49.6 1/	46.6 **	3.0
	16:00-17:00 HOUR	56.4 1/	53.5 **	53.3 1/	46.9 **	6.4
	17:00-18:00 HOUR	55.1 1/	53.6 **	49.8 1/	47.0 **	2.8
	18:00-19:00 HOUR	55.7 1/	52.1 **	53.2 1/	46.5 **	6.7
	19:00-20:00 HOUR	55.6 1/	52.5 **	52.7 1/	46.0 **	6.7
	20:00-21:00 HOUR	55.6 1/	54.0 **	50.5 1/	45.8 **	4.7
	21:00-22:00 HOUR	53.2 1/	50.5 **	49.9 1/	44.1 **	5.8
	<b>NIGHT TIME</b> 2/					
	22:00-22:05 HOUR	50.5 1/	48.1 ***	49.8 1/	44.7 ***	5.1
	22:05-22:10 HOUR	51.4 1/	48.1 ***	51.7 1/	44.7 ***	7.0
	22:10-22:15 HOUR	49.0 1/	48.1 ***	44.7 1/	44.7 ***	<0.8 1/
	22:15-22:20 HOUR	48.3 1/	49.2 ***	<0.8 1/	43.9 ***	<0.8 1/
	22:20-22:25 HOUR	51.7 1/	49.2 ***	51.1 1/	43.9 ***	7.2
	22:25-22:30 HOUR	51.4 1/	49.2 ***	50.4 1/	43.9 ***	6.5
	22:30-22:35 HOUR	52.4 1/	50.2 ***	51.4 1/	44.9 ***	6.5
	22:35-22:40 HOUR	49.6 1/	50.2 ***	<0.8 1/	44.9 ***	<0.8 1/
	22:40-22:45 HOUR	51.2 1/	50.2 ***	47.3 1/	44.9 ***	2.4
	22:45-22:50 HOUR	51.8 1/	50.6 ***	48.6 1/	45.1 ***	3.5
	22:50-22:55 HOUR	50.8 1/	50.6 ***	40.3 1/	45.1 ***	<0.8 1/
	22:55-23:00 HOUR	52.3 1/	50.6 ***	50.4 1/	45.1 ***	5.3
	23:00-23:05 HOUR	51.8 1/	53.5 ***	<0.8 1/	46.3 ***	<0.8 1/
	23:05-23:10 HOUR	54.3 1/	53.5 ***	49.6 1/	46.3 ***	3.3
	23:10-23:15 HOUR	54.3 1/	53.5 ***	49.6 1/	46.3 ***	3.3
	23:15-23:20 HOUR	50.9 1/	48.0 ***	50.8 1/	43.4 ***	7.4

ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY BSI GROUP (THAILAND) CO., LTD.

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR THE SAMPLES AS RECEIVED.

1/14



DATE	TIME*	RESULT (dB(A))				
		บริเวณท่าเทียบเรือโครงการ				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 21, 2024 T24AG080-0005	<b>NIGHT TIME</b> 2/					
	05:10-05:15 HOUR	55.5 2/	55.8 ***	<0.8 1/	37.9 ***	<0.8 1/
	05:15-05:20 HOUR	53.2 2/	52.7 ***	46.6 1/	38.8 ***	7.8
	05:20-05:25 HOUR	52.9 2/	52.7 ***	42.4 1/	38.8 ***	3.6
	05:25-05:30 HOUR	52.8 2/	52.7 ***	39.4 1/	38.8 ***	<0.8 1/
	05:30-05:35 HOUR	51.2 2/	54.4 ***	<0.8 1/	39.6 ***	<0.8 1/
	05:35-05:40 HOUR	54.7 2/	54.4 ***	45.9 1/	39.6 ***	6.3
	05:40-05:45 HOUR	54.7 2/	54.4 ***	45.9 1/	39.6 ***	6.3
	05:45-05:50 HOUR	55.3 2/	58.7 ***	<0.8 1/	42.4 ***	<0.8 1/
	05:50-05:55 HOUR	53.2 2/	58.7 ***	<0.8 1/	42.4 ***	<0.8 1/
	05:55-06:00 HOUR	58.8 2/	58.7 ***	45.4 1/	42.4 ***	3.0
	<b>DAY TIME</b> 1/					
	06:00-07:00 HOUR	51.6 1/	45.8 **	50.3 1/	42.9 **	7.4

**REMARK :**

- CASE 1 CALCULATION (DURING 06:00 TO 22:00 HOUR) : SPECIFIC SOUND LEVEL CONTINUOUSLY OCCUR AT LEAST 1 HOUR, MEASURING AS L<sub>Aeq</sub> 1 hour.
- CASE 4 CALCULATION (DURING 22:00 TO 06:00 HOUR) : SPECIFIC SOUND LEVEL OCCUR IN RESTFUL AREA OR NIGHT TIME, MEASURING AS L<sub>Aeq</sub> 5 minutes.
- THERE IS NO IMPACT CAUSE ANNOYANCE SOUND LEVEL.

\*\* PERCENTILE LEVEL 90 (L<sub>90</sub>) IS THE MIDDLE VALUE OF 11 TIMES MEASURING (55 MINUTES MEASURING DURING 06:00 TO 22:00 HOUR) AND RESIDUAL SOUND LEVEL (L<sub>Aeq</sub> 5 minutes ) IS CHOSEN AT THE SAME TIME AS PERCENTILE LEVEL 90 ABOVE.

\*\*\* PERCENTILE LEVEL 90 (L<sub>90</sub>) IS THE MIDDLE VALUE OF 3 TIMES MEASURING (15 MINUTES MEASURING DURING 22:00 TO 06:00 HOUR) AND RESIDUAL SOUND LEVEL (L<sub>Aeq</sub> 5 minutes ) IS CHOSEN AT THE SAME TIME AS PERCENTILE LEVEL 90 ABOVE.

THAILAND, CO., LTD.

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR THE SAMPLES AS RECEIVED.

14/14

2024-U026635

- End of Analysis Report -

DATE	TIME*	RESULT (dB(A)) บริเวณถนนบริเวณหน้าอาคารจุด				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 17, 2024 T24AG080-0006	<b>NIGHT TIME</b> <sup>2/</sup>					
	02:55-03:00 HOUR	48.9 <sup>2/</sup>	46.7 ***	47.9 <sup>2/</sup>	42.1 ***	5.8
	03:00-03:05 HOUR	49.1 <sup>2/</sup>	52.1 ***	<0.8 <sup>2/</sup>	44.1 ***	<0.8 <sup>2/</sup>
	03:05-03:10 HOUR	52.6 <sup>2/</sup>	52.1 ***	46.0 <sup>2/</sup>	44.1 ***	1.9
	03:10-03:15 HOUR	53.3 <sup>2/</sup>	52.1 ***	50.1 <sup>2/</sup>	44.1 ***	6.0
	03:15-03:20 HOUR	50.4 <sup>2/</sup>	47.9 ***	49.8 <sup>2/</sup>	43.2 ***	6.6
	03:20-03:25 HOUR	50.3 <sup>2/</sup>	47.9 ***	49.6 <sup>2/</sup>	43.2 ***	6.4
	03:25-03:30 HOUR	50.2 <sup>2/</sup>	47.9 ***	49.3 <sup>2/</sup>	43.2 ***	6.1
	03:30-03:35 HOUR	47.5 <sup>2/</sup>	45.0 ***	46.9 <sup>2/</sup>	43.3 ***	3.6
	03:35-03:40 HOUR	45.8 <sup>2/</sup>	45.0 ***	41.1 <sup>2/</sup>	43.3 ***	<0.8 <sup>2/</sup>
	03:40-03:45 HOUR	44.9 <sup>2/</sup>	45.0 ***	<0.8 <sup>2/</sup>	43.3 ***	<0.8 <sup>2/</sup>
	03:45-03:50 HOUR	45.6 <sup>2/</sup>	45.1 ***	39.0 <sup>2/</sup>	42.4 ***	<0.8 <sup>2/</sup>
	03:50-03:55 HOUR	47.6 <sup>2/</sup>	45.1 ***	47.0 <sup>2/</sup>	42.4 ***	4.6
	03:55-04:00 HOUR	47.8 <sup>2/</sup>	45.1 ***	47.5 <sup>2/</sup>	42.4 ***	5.1
	04:00-04:05 HOUR	44.8 <sup>2/</sup>	46.2 ***	<0.8 <sup>2/</sup>	42.4 ***	<0.8 <sup>2/</sup>
	04:05-04:10 HOUR	47.4 <sup>2/</sup>	46.2 ***	44.2 <sup>2/</sup>	42.4 ***	1.8
	04:10-04:15 HOUR	46.7 <sup>2/</sup>	46.2 ***	40.1 <sup>2/</sup>	42.4 ***	<0.8 <sup>2/</sup>
	04:15-04:20 HOUR	48.9 <sup>2/</sup>	47.3 ***	46.8 <sup>2/</sup>	43.5 ***	3.3
	04:20-04:25 HOUR	47.3 <sup>2/</sup>	47.3 ***	<0.8 <sup>2/</sup>	43.5 ***	<0.8 <sup>2/</sup>
	04:25-04:30 HOUR	47.0 <sup>2/</sup>	47.3 ***	<0.8 <sup>2/</sup>	43.5 ***	<0.8 <sup>2/</sup>
	04:30-04:35 HOUR	48.8 <sup>2/</sup>	47.2 ***	46.7 <sup>2/</sup>	44.1 ***	2.6
	04:35-04:40 HOUR	48.3 <sup>2/</sup>	47.2 ***	44.8 <sup>2/</sup>	44.1 ***	<0.8 <sup>2/</sup>
	04:40-04:45 HOUR	47.0 <sup>2/</sup>	47.2 ***	<0.8 <sup>2/</sup>	44.1 ***	<0.8 <sup>2/</sup>
	04:45-04:50 HOUR	49.2 <sup>2/</sup>	51.8 ***	<0.8 <sup>2/</sup>	44.5 ***	<0.8 <sup>2/</sup>
	04:50-04:55 HOUR	53.3 <sup>2/</sup>	51.8 ***	51.0 <sup>2/</sup>	44.5 ***	6.5
	04:55-05:00 HOUR	52.4 <sup>2/</sup>	51.8 ***	46.5 <sup>2/</sup>	44.5 ***	2.0
	05:00-05:05 HOUR	48.9 <sup>2/</sup>	45.6 ***	49.2 <sup>2/</sup>	43.4 ***	5.8
	05:05-05:10 HOUR	49.3 <sup>2/</sup>	45.6 ***	49.9 <sup>2/</sup>	43.4 ***	6.5
	05:10-05:15 HOUR	48.5 <sup>2/</sup>	45.6 ***	48.4 <sup>2/</sup>	43.4 ***	5.0
	05:15-05:20 HOUR	46.7 <sup>2/</sup>	44.1 ***	46.2 <sup>2/</sup>	42.5 ***	3.7
	05:20-05:25 HOUR	45.9 <sup>2/</sup>	44.1 ***	44.2 <sup>2/</sup>	42.5 ***	1.7
	05:25-05:30 HOUR	46.7 <sup>2/</sup>	44.1 ***	46.2 <sup>2/</sup>	42.5 ***	3.7
	05:30-05:35 HOUR	47.1 <sup>2/</sup>	47.5 ***	<0.8 <sup>2/</sup>	43.8 ***	<0.8 <sup>2/</sup>
	05:35-05:40 HOUR	48.2 <sup>2/</sup>	47.5 ***	42.9 <sup>2/</sup>	43.8 ***	<0.8 <sup>2/</sup>
	05:40-05:45 HOUR	48.5 <sup>2/</sup>	47.5 ***	44.6 <sup>2/</sup>	43.8 ***	0.8
	05:45-05:50 HOUR	47.2 <sup>2/</sup>	49.0 ***	<0.8 <sup>2/</sup>	44.4 ***	<0.8 <sup>2/</sup>
	05:50-05:55 HOUR	51.2 <sup>2/</sup>	49.0 ***	50.2 <sup>2/</sup>	44.4 ***	5.8
	05:55-06:00 HOUR	48.9 <sup>2/</sup>	49.0 ***	<0.8 <sup>2/</sup>	44.4 ***	<0.8 <sup>2/</sup>
	<b>DAY TIME</b> <sup>1/</sup>					
	06:00-07:00 HOUR	54.7 <sup>2/</sup>	52.2 **	51.1 <sup>2/</sup>	46.6 **	4.5
MARCH 17, 2024 T24AG080-0007	<b>DAY TIME</b> <sup>1/</sup>					
	07:00-08:00 HOUR	54.5 <sup>2/</sup>	53.2 **	48.6 <sup>2/</sup>	46.5 **	2.1
	08:00-09:00 HOUR	55.6 <sup>2/</sup>	54.6 **	48.7 <sup>2/</sup>	48.2 **	<0.8 <sup>2/</sup>
	09:00-10:00 HOUR	56.2 <sup>2/</sup>	52.0 **	54.1 <sup>2/</sup>	47.1 **	7.0
	10:00-11:00 HOUR	56.8 <sup>2/</sup>	54.9 **	52.3 <sup>2/</sup>	48.2 **	4.1
	11:00-12:00 HOUR	54.6 <sup>2/</sup>	51.2 **	51.9 <sup>2/</sup>	47.4 **	4.5

DATE	TIME*	RESULT (dB(A)) บริเวณถนนบริเวณหน้าอาคารจุด				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 16, 2024 T24AG080-0005	<b>NIGHT TIME</b> <sup>2/</sup>					
	23:20-23:25 HOUR	50.1 <sup>2/</sup>	48.0 ***	48.9 <sup>2/</sup>	43.4 ***	5.5
	23:25-23:30 HOUR	51.1 <sup>2/</sup>	48.0 ***	51.2 <sup>2/</sup>	43.4 ***	7.8
	23:30-23:35 HOUR	49.7 <sup>2/</sup>	48.4 ***	46.8 <sup>2/</sup>	44.3 ***	2.5
	23:35-23:40 HOUR	49.3 <sup>2/</sup>	48.4 ***	45.0 <sup>2/</sup>	44.3 ***	<0.8 <sup>2/</sup>
	23:40-23:45 HOUR	47.7 <sup>2/</sup>	48.4 ***	<0.8 <sup>2/</sup>	44.3 ***	<0.8 <sup>2/</sup>
	23:45-23:50 HOUR	48.7 <sup>2/</sup>	47.8 ***	44.4 <sup>2/</sup>	45.6 ***	<0.8 <sup>2/</sup>
	23:50-23:55 HOUR	50.8 <sup>2/</sup>	47.8 ***	50.8 <sup>2/</sup>	45.6 ***	5.2
	23:55-00:00 HOUR	50.0 <sup>2/</sup>	47.8 ***	49.0 <sup>2/</sup>	45.6 ***	3.4
MARCH 17, 2024 T24AG080-0006	<b>NIGHT TIME</b> <sup>2/</sup>					
	00:00-00:05 HOUR	48.5 <sup>2/</sup>	47.2 ***	45.6 <sup>2/</sup>	42.4 ***	3.2
	00:05-00:10 HOUR	49.2 <sup>2/</sup>	47.2 ***	47.9 <sup>2/</sup>	42.4 ***	5.5
	00:10-00:15 HOUR	48.8 <sup>2/</sup>	47.2 ***	46.7 <sup>2/</sup>	42.4 ***	4.3
	00:15-00:20 HOUR	50.5 <sup>2/</sup>	47.2 ***	50.8 <sup>2/</sup>	43.5 ***	7.3
	00:20-00:25 HOUR	47.2 <sup>2/</sup>	47.2 ***	<0.8 <sup>2/</sup>	43.5 ***	<0.8 <sup>2/</sup>
	00:25-00:30 HOUR	49.2 <sup>2/</sup>	47.2 ***	47.9 <sup>2/</sup>	43.5 ***	4.4
	00:30-00:35 HOUR	48.2 <sup>2/</sup>	46.2 ***	46.9 <sup>2/</sup>	43.5 ***	3.4
	00:35-00:40 HOUR	47.1 <sup>2/</sup>	46.2 ***	42.8 <sup>2/</sup>	43.5 ***	<0.8 <sup>2/</sup>
	00:40-00:45 HOUR	47.7 <sup>2/</sup>	46.2 ***	45.4 <sup>2/</sup>	43.5 ***	1.9
	00:45-00:50 HOUR	45.2 <sup>2/</sup>	45.0 ***	34.7 <sup>2/</sup>	42.6 ***	<0.8 <sup>2/</sup>
	00:50-00:55 HOUR	46.6 <sup>2/</sup>	45.0 ***	44.5 <sup>2/</sup>	42.6 ***	1.9
	00:55-01:00 HOUR	47.5 <sup>2/</sup>	45.0 ***	46.9 <sup>2/</sup>	42.6 ***	4.3
	01:00-01:05 HOUR	49.0 <sup>2/</sup>	45.0 ***	49.8 <sup>2/</sup>	43.8 ***	6.0
	01:05-01:10 HOUR	47.4 <sup>2/</sup>	45.0 ***	46.7 <sup>2/</sup>	43.8 ***	2.9
	01:10-01:15 HOUR	46.8 <sup>2/</sup>	45.0 ***	45.1 <sup>2/</sup>	43.8 ***	1.3
	01:15-01:20 HOUR	47.0 <sup>2/</sup>	44.5 ***	46.4 <sup>2/</sup>	43.5 ***	2.9
	01:20-01:25 HOUR	46.7 <sup>2/</sup>	44.5 ***	45.7 <sup>2/</sup>	43.5 ***	2.2
	01:25-01:30 HOUR	45.4 <sup>2/</sup>	44.5 ***	41.1 <sup>2/</sup>	43.5 ***	<0.8 <sup>2/</sup>
	01:30-01:35 HOUR	46.9 <sup>2/</sup>	44.0 ***	46.8 <sup>2/</sup>	42.3 ***	4.5
	01:35-01:40 HOUR	47.8 <sup>2/</sup>	44.0 ***	48.5 <sup>2/</sup>	42.3 ***	6.2
	01:40-01:45 HOUR	45.2 <sup>2/</sup>	44.0 ***	42.0 <sup>2/</sup>	42.3 ***	<0.8 <sup>2/</sup>
	01:45-01:50 HOUR	45.8 <sup>2/</sup>	44.4 ***	43.2 <sup>2/</sup>	43.1 ***	<0.8 <sup>2/</sup>
	01:50-01:55 HOUR	45.8 <sup>2/</sup>	44.4 ***	43.2 <sup>2/</sup>	43.1 ***	<0.8 <sup>2/</sup>
	01:55-02:00 HOUR	45.8 <sup>2/</sup>	44.4 ***	43.2 <sup>2/</sup>	43.1 ***	<0.8 <sup>2/</sup>
	02:00-02:05 HOUR	54.4 <sup>2/</sup>	53.9 ***	47.8 <sup>2/</sup>	44.1 ***	3.7
	02:05-02:10 HOUR	53.6 <sup>2/</sup>	53.9 ***	<0.8 <sup>2/</sup>	44.1 ***	<0.8 <sup>2/</sup>
	02:10-02:15 HOUR	54.5 <sup>2/</sup>	53.9 ***	48.6 <sup>2/</sup>	44.1 ***	4.5
	02:15-02:20 HOUR	48.4 <sup>2/</sup>	43.4 ***	49.7 <sup>2/</sup>	41.9 ***	7.8
	02:20-02:25 HOUR	45.3 <sup>2/</sup>	43.4 ***	43.8 <sup>2/</sup>	41.9 ***	1.9
	02:25-02:30 HOUR	46.1 <sup>2/</sup>	43.4 ***	45.8 <sup>2/</sup>	41.9 ***	3.9
	02:30-02:35 HOUR	45.8 <sup>2/</sup>	44.6 ***	42.6 <sup>2/</sup>	42.4 ***	<0.8 <sup>2/</sup>
	02:35-02:40 HOUR	44.8 <sup>2/</sup>	44.6 ***	34.3 <sup>2/</sup>	42.4 ***	<0.8 <sup>2/</sup>
	02:40-02:45 HOUR	46.7 <sup>2/</sup>	44.6 ***	45.5 <sup>2/</sup>	42.4 ***	3.1
	02:45-02:50 HOUR	47.8 <sup>2/</sup>	46.7 ***	44.3 <sup>2/</sup>	42.1 ***	2.2
	02:50-02:55 HOUR	47.8 <sup>2/</sup>	46.7 ***	44.3 <sup>2/</sup>	42.1 ***	2.2



DATE	TIME*	RESULT (dB(A))				
		บริเวณถนนประมงพินบ้านฉางอุดม				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 18, 2024	<b>NIGHT TIME</b> 3/					
T24AG080-0007	00:45-00:50 HOUR	51.2 <sup>3/</sup>	49.0 ***	50.2 <sup>3/</sup>	43.5 ***	6.7
	00:50-00:55 HOUR	50.8 <sup>3/</sup>	49.0 ***	49.1 <sup>3/</sup>	43.5 ***	5.6
	00:55-01:00 HOUR	51.2 <sup>3/</sup>	49.0 ***	50.2 <sup>3/</sup>	43.5 ***	6.7
	01:00-01:05 HOUR	50.8 <sup>3/</sup>	48.5 ***	49.9 <sup>3/</sup>	44.4 ***	5.5
	01:05-01:10 HOUR	51.1 <sup>3/</sup>	48.5 ***	50.6 <sup>3/</sup>	44.4 ***	6.2
	01:10-01:15 HOUR	51.0 <sup>3/</sup>	48.5 ***	50.4 <sup>3/</sup>	44.4 ***	6.0
	01:15-01:20 HOUR	46.5 <sup>3/</sup>	51.0 ***	<0.8 <sup>3/</sup>	43.7 ***	<0.8 <sup>3/</sup>
	01:20-01:25 HOUR	52.2 <sup>3/</sup>	51.0 ***	49.0 <sup>3/</sup>	43.7 ***	5.3
	01:25-01:30 HOUR	50.5 <sup>3/</sup>	51.0 ***	<0.8 <sup>3/</sup>	43.7 ***	<0.8 <sup>3/</sup>
	01:30-01:35 HOUR	52.5 <sup>3/</sup>	53.4 ***	<0.8 <sup>3/</sup>	44.5 ***	<0.8 <sup>3/</sup>
	01:35-01:40 HOUR	54.7 <sup>3/</sup>	53.4 ***	51.8 <sup>3/</sup>	44.5 ***	7.3
	01:40-01:45 HOUR	54.7 <sup>3/</sup>	53.4 ***	51.8 <sup>3/</sup>	44.5 ***	7.3
	01:45-01:50 HOUR	48.8 <sup>3/</sup>	47.4 ***	46.2 <sup>3/</sup>	43.9 ***	2.3
	01:50-01:55 HOUR	46.4 <sup>3/</sup>	47.4 ***	<0.8 <sup>3/</sup>	43.9 ***	<0.8 <sup>3/</sup>
	01:55-02:00 HOUR	50.4 <sup>3/</sup>	47.4 ***	50.4 <sup>3/</sup>	43.9 ***	6.5
	02:00-02:05 HOUR	46.4 <sup>3/</sup>	45.9 ***	39.8 <sup>3/</sup>	43.8 ***	<0.8 <sup>3/</sup>
	02:05-02:10 HOUR	48.3 <sup>3/</sup>	45.9 ***	47.6 <sup>3/</sup>	43.8 ***	3.8
	02:10-02:15 HOUR	45.9 <sup>3/</sup>	45.9 ***	<0.8 <sup>3/</sup>	43.8 ***	<0.8 <sup>3/</sup>
	02:15-02:20 HOUR	47.4 <sup>3/</sup>	46.1 ***	44.5 <sup>3/</sup>	44.5 ***	<0.8 <sup>3/</sup>
	02:20-02:25 HOUR	46.7 <sup>3/</sup>	46.1 ***	40.8 <sup>3/</sup>	44.5 ***	<0.8 <sup>3/</sup>
	02:25-02:30 HOUR	48.0 <sup>3/</sup>	46.1 ***	46.5 <sup>3/</sup>	44.5 ***	2.0
	02:30-02:35 HOUR	45.9 <sup>3/</sup>	46.7 ***	<0.8 <sup>3/</sup>	43.7 ***	<0.8 <sup>3/</sup>
	02:35-02:40 HOUR	45.7 <sup>3/</sup>	46.7 ***	<0.8 <sup>3/</sup>	43.7 ***	<0.8 <sup>3/</sup>
	02:40-02:45 HOUR	48.5 <sup>3/</sup>	46.7 ***	46.8 <sup>3/</sup>	43.7 ***	3.1
	02:45-02:50 HOUR	48.7 <sup>3/</sup>	44.1 ***	49.9 <sup>3/</sup>	43.0 ***	6.9
	02:50-02:55 HOUR	45.7 <sup>3/</sup>	44.1 ***	43.6 <sup>3/</sup>	43.0 ***	<0.8 <sup>3/</sup>
	02:55-03:00 HOUR	45.2 <sup>3/</sup>	44.1 ***	41.7 <sup>3/</sup>	43.0 ***	<0.8 <sup>3/</sup>
	03:00-03:05 HOUR	45.4 <sup>3/</sup>	44.6 ***	40.7 <sup>3/</sup>	42.1 ***	<0.8 <sup>3/</sup>
	03:05-03:10 HOUR	46.5 <sup>3/</sup>	44.6 ***	45.0 <sup>3/</sup>	42.1 ***	2.9
	03:10-03:15 HOUR	45.0 <sup>3/</sup>	44.6 ***	37.4 <sup>3/</sup>	42.1 ***	<0.8 <sup>3/</sup>
	03:15-03:20 HOUR	47.9 <sup>3/</sup>	43.6 ***	48.9 <sup>3/</sup>	42.6 ***	6.3
	03:20-03:25 HOUR	45.8 <sup>3/</sup>	43.6 ***	44.8 <sup>3/</sup>	42.6 ***	2.2
	03:25-03:30 HOUR	45.2 <sup>3/</sup>	43.6 ***	43.1 <sup>3/</sup>	42.6 ***	<0.8 <sup>3/</sup>
	03:30-03:35 HOUR	45.7 <sup>3/</sup>	44.7 ***	41.8 <sup>3/</sup>	43.5 ***	<0.8 <sup>3/</sup>
	03:35-03:40 HOUR	45.4 <sup>3/</sup>	44.7 ***	40.1 <sup>3/</sup>	43.5 ***	<0.8 <sup>3/</sup>
	03:40-03:45 HOUR	45.8 <sup>3/</sup>	44.7 ***	42.3 <sup>3/</sup>	43.5 ***	<0.8 <sup>3/</sup>
	03:45-03:50 HOUR	45.7 <sup>3/</sup>	47.9 ***	<0.8 <sup>3/</sup>	43.9 ***	<0.8 <sup>3/</sup>
	03:50-03:55 HOUR	49.3 <sup>3/</sup>	47.9 ***	46.7 <sup>3/</sup>	43.9 ***	2.8
	03:55-04:00 HOUR	47.5 <sup>3/</sup>	47.9 ***	<0.8 <sup>3/</sup>	43.9 ***	<0.8 <sup>3/</sup>
	04:00-04:05 HOUR	49.5 <sup>3/</sup>	45.5 ***	50.3 <sup>3/</sup>	43.0 ***	7.3
	04:05-04:10 HOUR	49.6 <sup>3/</sup>	45.5 ***	50.5 <sup>3/</sup>	43.0 ***	7.5
	04:10-04:15 HOUR	47.8 <sup>3/</sup>	45.5 ***	46.9 <sup>3/</sup>	43.0 ***	3.9
	04:15-04:20 HOUR	46.4 <sup>3/</sup>	44.8 ***	44.3 <sup>3/</sup>	42.6 ***	1.7
	04:20-04:25 HOUR	46.1 <sup>3/</sup>	44.8 ***	43.2 <sup>3/</sup>	42.6 ***	<0.8 <sup>3/</sup>

DATE	TIME*	RESULT (dB(A))				
		บริเวณถนนประมงพินบ้านฉางอุดม				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 17, 2024	<b>DAY TIME</b> 3/					
T24AG080-0007	12:00-13:00 HOUR	55.5 <sup>3/</sup>	51.5 **	53.3 <sup>3/</sup>	46.6 **	6.7
	13:00-14:00 HOUR	57.9 <sup>3/</sup>	54.5 **	55.2 <sup>3/</sup>	48.7 **	6.5
	14:00-15:00 HOUR	58.0 <sup>3/</sup>	51.8 **	56.8 <sup>3/</sup>	49.2 **	7.6
	15:00-16:00 HOUR	55.5 <sup>3/</sup>	52.6 **	52.4 <sup>3/</sup>	47.6 **	4.8
	16:00-17:00 HOUR	57.8 <sup>3/</sup>	52.4 **	56.3 <sup>3/</sup>	48.8 **	7.5
	17:00-18:00 HOUR	60.7 <sup>3/</sup>	56.8 **	58.4 <sup>3/</sup>	50.9 **	7.5
	18:00-19:00 HOUR	55.9 <sup>3/</sup>	51.2 **	54.1 <sup>3/</sup>	48.0 **	6.1
	19:00-20:00 HOUR	51.5 <sup>3/</sup>	47.5 **	49.3 <sup>3/</sup>	43.6 **	5.7
	20:00-21:00 HOUR	55.0 <sup>3/</sup>	49.8 **	53.4 <sup>3/</sup>	46.3 **	7.1
	21:00-22:00 HOUR	57.4 <sup>3/</sup>	52.9 **	55.5 <sup>3/</sup>	48.2 **	7.3
	<b>NIGHT TIME</b> 3/					
	22:00-22:05 HOUR	51.4 <sup>3/</sup>	50.1 ***	48.5 <sup>3/</sup>	45.3 ***	3.2
	22:05-22:10 HOUR	49.6 <sup>3/</sup>	50.1 ***	<0.8 <sup>3/</sup>	45.3 ***	<0.8 <sup>3/</sup>
	22:10-22:15 HOUR	49.8 <sup>3/</sup>	50.1 ***	<0.8 <sup>3/</sup>	45.3 ***	<0.8 <sup>3/</sup>
	22:15-22:20 HOUR	51.7 <sup>3/</sup>	50.9 ***	47.0 <sup>3/</sup>	46.5 ***	<0.8 <sup>3/</sup>
	22:20-22:25 HOUR	52.0 <sup>3/</sup>	50.9 ***	48.5 <sup>3/</sup>	46.5 ***	2.0
	22:25-22:30 HOUR	52.2 <sup>3/</sup>	50.9 ***	49.3 <sup>3/</sup>	46.5 ***	2.8
	22:30-22:35 HOUR	50.4 <sup>3/</sup>	49.6 ***	45.7 <sup>3/</sup>	45.6 ***	<0.8 <sup>3/</sup>
	22:35-22:40 HOUR	51.7 <sup>3/</sup>	49.6 ***	50.5 <sup>3/</sup>	45.6 ***	4.9
	22:40-22:45 HOUR	51.7 <sup>3/</sup>	49.6 ***	50.5 <sup>3/</sup>	45.6 ***	4.9
	22:45-22:50 HOUR	48.4 <sup>3/</sup>	47.7 ***	43.1 <sup>3/</sup>	44.0 ***	<0.8 <sup>3/</sup>
	22:50-22:55 HOUR	49.6 <sup>3/</sup>	47.7 ***	48.1 <sup>3/</sup>	44.0 ***	4.1
	22:55-23:00 HOUR	49.6 <sup>3/</sup>	47.7 ***	48.1 <sup>3/</sup>	44.0 ***	4.1
	23:00-23:05 HOUR	51.1 <sup>3/</sup>	48.2 ***	51.0 <sup>3/</sup>	45.2 ***	5.8
	23:05-23:10 HOUR	50.6 <sup>3/</sup>	48.2 ***	49.9 <sup>3/</sup>	45.2 ***	4.7
	23:10-23:15 HOUR	51.0 <sup>3/</sup>	48.2 ***	50.8 <sup>3/</sup>	45.2 ***	5.6
	23:15-23:20 HOUR	47.4 <sup>3/</sup>	54.0 ***	<0.8 <sup>3/</sup>	46.1 ***	<0.8 <sup>3/</sup>
	23:20-23:25 HOUR	54.9 <sup>3/</sup>	54.0 ***	50.6 <sup>3/</sup>	46.1 ***	4.5
	23:25-23:30 HOUR	54.5 <sup>3/</sup>	54.0 ***	47.9 <sup>3/</sup>	46.1 ***	1.8
	23:30-23:35 HOUR	48.1 <sup>3/</sup>	45.3 ***	47.9 <sup>3/</sup>	42.8 ***	5.1
	23:35-23:40 HOUR	46.6 <sup>3/</sup>	45.3 ***	43.7 <sup>3/</sup>	42.8 ***	0.9
	23:40-23:45 HOUR	47.4 <sup>3/</sup>	45.3 ***	46.2 <sup>3/</sup>	42.8 ***	3.4
	23:45-23:50 HOUR	49.0 <sup>3/</sup>	45.7 ***	49.3 <sup>3/</sup>	44.2 ***	5.1
	23:50-23:55 HOUR	46.6 <sup>3/</sup>	45.7 ***	42.3 <sup>3/</sup>	44.2 ***	<0.8 <sup>3/</sup>
	23:55-00:00 HOUR	46.0 <sup>3/</sup>	45.7 ***	37.2 <sup>3/</sup>	44.2 ***	<0.8 <sup>3/</sup>
MARCH 18, 2024	<b>NIGHT TIME</b> 3/					
T24AG080-0007	00:00-00:05 HOUR	47.2 <sup>3/</sup>	46.6 ***	41.3 <sup>3/</sup>	43.8 ***	<0.8 <sup>3/</sup>
	00:05-00:10 HOUR	48.1 <sup>3/</sup>	46.6 ***	45.8 <sup>3/</sup>	43.8 ***	2.0
	00:10-00:15 HOUR	48.0 <sup>3/</sup>	46.6 ***	45.4 <sup>3/</sup>	43.8 ***	1.6
	00:15-00:20 HOUR	48.1 <sup>3/</sup>	48.2 ***	<0.8 <sup>3/</sup>	44.3 ***	<0.8 <sup>3/</sup>
	00:20-00:25 HOUR	49.5 <sup>3/</sup>	48.2 ***	46.6 <sup>3/</sup>	44.3 ***	2.3
	00:25-00:30 HOUR	49.8 <sup>3/</sup>	48.2 ***	47.7 <sup>3/</sup>	44.3 ***	3.4
	00:30-00:35 HOUR	48.9 <sup>3/</sup>	46.8 ***	47.7 <sup>3/</sup>	43.3 ***	4.4
	00:35-00:40 HOUR	48.3 <sup>3/</sup>	46.8 ***	46.0 <sup>3/</sup>	43.3 ***	2.7
	00:40-00:45 HOUR	46.7 <sup>3/</sup>	46.8 ***	<0.8 <sup>3/</sup>	43.3 ***	<0.8 <sup>3/</sup>



DATE	TIME*	RESULT (dB(A))				
		บริเวณถนนบริเวณหน้าอาคารชุด				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 18, 2024	<b>NIGHT TIME</b> 2/					
T24AG080-0008	22:35-22:40 HOUR	48.1 <sup>2/</sup>	45.9 ***	47.1 <sup>2/</sup>	43.1 ***	4.0
	22:40-22:45 HOUR	48.4 <sup>2/</sup>	45.9 ***	47.8 <sup>2/</sup>	43.1 ***	4.7
	22:45-22:50 HOUR	48.3 <sup>2/</sup>	46.9 ***	45.7 <sup>2/</sup>	42.4 ***	3.3
	22:50-22:55 HOUR	48.4 <sup>2/</sup>	46.9 ***	46.1 <sup>2/</sup>	42.4 ***	3.7
	22:55-23:00 HOUR	49.8 <sup>2/</sup>	46.9 ***	49.7 <sup>2/</sup>	42.4 ***	7.3
	23:00-23:05 HOUR	50.1 <sup>2/</sup>	50.6 ***	<0.8 <sup>2/</sup>	43.7 ***	<0.8 <sup>2/</sup>
	23:05-23:10 HOUR	50.7 <sup>2/</sup>	50.6 ***	37.3 <sup>2/</sup>	43.7 ***	<0.8 <sup>2/</sup>
	23:10-23:15 HOUR	51.0 <sup>2/</sup>	50.6 ***	43.4 <sup>2/</sup>	43.7 ***	<0.8 <sup>2/</sup>
	23:15-23:20 HOUR	53.6 <sup>2/</sup>	51.9 ***	51.7 <sup>2/</sup>	44.5 ***	7.2
	23:20-23:25 HOUR	53.5 <sup>2/</sup>	51.9 ***	51.4 <sup>2/</sup>	44.5 ***	6.9
	23:25-23:30 HOUR	53.4 <sup>2/</sup>	51.9 ***	51.1 <sup>2/</sup>	44.5 ***	6.6
	23:30-23:35 HOUR	49.8 <sup>2/</sup>	47.3 ***	49.2 <sup>2/</sup>	41.8 ***	7.4
	23:35-23:40 HOUR	48.8 <sup>2/</sup>	47.3 ***	46.5 <sup>2/</sup>	41.8 ***	4.7
	23:40-23:45 HOUR	49.2 <sup>2/</sup>	47.3 ***	47.7 <sup>2/</sup>	41.8 ***	5.9
	23:45-23:50 HOUR	50.6 <sup>2/</sup>	49.0 ***	48.5 <sup>2/</sup>	42.9 ***	5.6
	23:50-23:55 HOUR	50.8 <sup>2/</sup>	49.0 ***	49.1 <sup>2/</sup>	42.9 ***	6.2
	23:55-00:00 HOUR	50.7 <sup>2/</sup>	49.0 ***	48.8 <sup>2/</sup>	42.9 ***	5.9
MARCH 19, 2024	<b>NIGHT TIME</b> 2/					
T24AG080-0008	00:00-00:05 HOUR	45.4 <sup>2/</sup>	44.7 ***	40.1 <sup>2/</sup>	40.8 ***	<0.8 <sup>2/</sup>
	00:05-00:10 HOUR	47.4 <sup>2/</sup>	44.7 ***	47.1 <sup>2/</sup>	40.8 ***	6.3
	00:10-00:15 HOUR	47.1 <sup>2/</sup>	44.7 ***	46.4 <sup>2/</sup>	40.8 ***	5.6
	00:15-00:20 HOUR	46.6 <sup>2/</sup>	44.7 ***	45.1 <sup>2/</sup>	41.0 ***	4.1
	00:20-00:25 HOUR	48.1 <sup>2/</sup>	44.7 ***	48.4 <sup>2/</sup>	41.0 ***	7.4
	00:25-00:30 HOUR	47.7 <sup>2/</sup>	44.7 ***	47.7 <sup>2/</sup>	41.0 ***	6.7
	00:30-00:35 HOUR	47.2 <sup>2/</sup>	44.3 ***	47.1 <sup>2/</sup>	41.4 ***	5.7
	00:35-00:40 HOUR	44.7 <sup>2/</sup>	44.3 ***	37.1 <sup>2/</sup>	41.4 ***	<0.8 <sup>2/</sup>
	00:40-00:45 HOUR	45.1 <sup>2/</sup>	44.3 ***	40.4 <sup>2/</sup>	41.4 ***	<0.8 <sup>2/</sup>
	00:45-00:50 HOUR	48.4 <sup>2/</sup>	48.2 ***	37.9 <sup>2/</sup>	41.7 ***	<0.8 <sup>2/</sup>
	00:50-00:55 HOUR	49.1 <sup>2/</sup>	48.2 ***	44.8 <sup>2/</sup>	41.7 ***	3.1
	00:55-01:00 HOUR	49.4 <sup>2/</sup>	48.2 ***	46.2 <sup>2/</sup>	41.7 ***	4.5
	01:00-01:05 HOUR	47.5 <sup>2/</sup>	44.0 ***	47.9 <sup>2/</sup>	41.4 ***	6.5
	01:05-01:10 HOUR	43.8 <sup>2/</sup>	44.0 ***	<0.8 <sup>2/</sup>	41.4 ***	<0.8 <sup>2/</sup>
	01:10-01:15 HOUR	44.0 <sup>2/</sup>	44.0 ***	<0.8 <sup>2/</sup>	41.4 ***	<0.8 <sup>2/</sup>
	01:15-01:20 HOUR	44.1 <sup>2/</sup>	43.4 ***	38.8 <sup>2/</sup>	41.4 ***	<0.8 <sup>2/</sup>
	01:20-01:25 HOUR	46.6 <sup>2/</sup>	43.4 ***	46.8 <sup>2/</sup>	41.4 ***	5.4
	01:25-01:30 HOUR	43.7 <sup>2/</sup>	43.4 ***	34.9 <sup>2/</sup>	41.4 ***	<0.8 <sup>2/</sup>
	01:30-01:35 HOUR	44.0 <sup>2/</sup>	42.6 ***	41.4 <sup>2/</sup>	40.9 ***	<0.8 <sup>2/</sup>
	01:35-01:40 HOUR	43.1 <sup>2/</sup>	42.6 ***	36.5 <sup>2/</sup>	40.9 ***	<0.8 <sup>2/</sup>
	01:40-01:45 HOUR	43.8 <sup>2/</sup>	42.6 ***	40.6 <sup>2/</sup>	40.9 ***	<0.8 <sup>2/</sup>
	01:45-01:50 HOUR	43.3 <sup>2/</sup>	44.9 ***	<0.8 <sup>2/</sup>	41.5 ***	<0.8 <sup>2/</sup>
	01:50-01:55 HOUR	44.6 <sup>2/</sup>	44.9 ***	<0.8 <sup>2/</sup>	41.5 ***	<0.8 <sup>2/</sup>
	01:55-02:00 HOUR	46.8 <sup>2/</sup>	44.9 ***	45.3 <sup>2/</sup>	41.5 ***	3.8
	02:00-02:05 HOUR	47.2 <sup>2/</sup>	42.9 ***	48.2 <sup>2/</sup>	40.9 ***	7.3
	02:05-02:10 HOUR	43.4 <sup>2/</sup>	42.9 ***	36.8 <sup>2/</sup>	40.9 ***	<0.8 <sup>2/</sup>

DATE	TIME*	RESULT (dB(A))				
		บริเวณถนนบริเวณหน้าอาคารชุด				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 18, 2024	<b>NIGHT TIME</b> 2/					
T24AG080-0007	04:25-04:30 HOUR	48.9 <sup>2/</sup>	44.8 ***	49.8 <sup>2/</sup>	42.6 ***	7.2
	04:30-04:35 HOUR	47.6 <sup>2/</sup>	43.7 ***	48.3 <sup>2/</sup>	42.4 ***	5.9
	04:35-04:40 HOUR	46.4 <sup>2/</sup>	43.7 ***	46.1 <sup>2/</sup>	42.4 ***	3.7
	04:40-04:45 HOUR	46.0 <sup>2/</sup>	43.7 ***	45.1 <sup>2/</sup>	42.4 ***	2.7
	04:45-04:50 HOUR	45.8 <sup>2/</sup>	45.5 ***	37.0 <sup>2/</sup>	42.9 ***	<0.8 <sup>2/</sup>
	04:50-04:55 HOUR	46.3 <sup>2/</sup>	45.5 ***	41.6 <sup>2/</sup>	42.9 ***	<0.8 <sup>2/</sup>
	04:55-05:00 HOUR	46.7 <sup>2/</sup>	45.5 ***	43.5 <sup>2/</sup>	42.9 ***	<0.8 <sup>2/</sup>
	05:00-05:05 HOUR	49.2 <sup>2/</sup>	51.0 ***	<0.8 <sup>2/</sup>	44.9 ***	<0.8 <sup>2/</sup>
	05:05-05:10 HOUR	51.5 <sup>2/</sup>	51.0 ***	44.9 <sup>2/</sup>	44.9 ***	<0.8 <sup>2/</sup>
	05:10-05:15 HOUR	49.7 <sup>2/</sup>	51.0 ***	<0.8 <sup>2/</sup>	44.9 ***	<0.8 <sup>2/</sup>
	05:15-05:20 HOUR	53.2 <sup>2/</sup>	53.9 ***	<0.8 <sup>2/</sup>	45.3 ***	<0.8 <sup>2/</sup>
	05:20-05:25 HOUR	55.0 <sup>2/</sup>	53.9 ***	51.5 <sup>2/</sup>	45.3 ***	6.2
	05:25-05:30 HOUR	55.0 <sup>2/</sup>	53.9 ***	51.5 <sup>2/</sup>	45.3 ***	6.2
	05:30-05:35 HOUR	53.3 <sup>2/</sup>	52.7 ***	47.4 <sup>2/</sup>	44.9 ***	2.5
	05:35-05:40 HOUR	53.3 <sup>2/</sup>	52.7 ***	47.4 <sup>2/</sup>	44.9 ***	2.5
	05:40-05:45 HOUR	52.6 <sup>2/</sup>	52.7 ***	<0.8 <sup>2/</sup>	44.9 ***	<0.8 <sup>2/</sup>
	05:45-05:50 HOUR	55.5 <sup>2/</sup>	54.0 ***	53.2 <sup>2/</sup>	45.5 ***	7.7
	05:50-05:55 HOUR	54.9 <sup>2/</sup>	54.0 ***	50.6 <sup>2/</sup>	45.5 ***	5.1
	05:55-06:00 HOUR	55.4 <sup>2/</sup>	54.0 ***	52.8 <sup>2/</sup>	45.5 ***	7.3
	<b>DAY TIME</b> 1/					
	06:00-07:00 HOUR	55.6 <sup>2/</sup>	53.6 **	51.3 <sup>2/</sup>	46.6 **	4.7
MARCH 18, 2024	<b>DAY TIME</b> 1/					
T24AG080-0008	07:00-08:00 HOUR	55.9 <sup>2/</sup>	53.5 **	52.2 <sup>2/</sup>	47.0 **	5.2
	08:00-09:00 HOUR	58.8 <sup>2/</sup>	56.1 **	55.5 <sup>2/</sup>	51.5 **	4.0
	09:00-10:00 HOUR	55.7 <sup>2/</sup>	52.6 **	52.8 <sup>2/</sup>	48.7 **	4.1
	10:00-11:00 HOUR	55.9 <sup>2/</sup>	54.6 **	50.0 <sup>2/</sup>	49.1 **	0.9
	11:00-12:00 HOUR	56.2 <sup>2/</sup>	52.3 **	53.9 <sup>2/</sup>	47.4 **	6.5
	12:00-13:00 HOUR	53.0 <sup>2/</sup>	50.2 **	49.8 <sup>2/</sup>	47.4 **	2.4
	13:00-14:00 HOUR	53.4 <sup>2/</sup>	50.2 **	50.6 <sup>2/</sup>	45.6 **	5.0
	14:00-15:00 HOUR	54.9 <sup>2/</sup>	52.2 **	51.6 <sup>2/</sup>	46.9 **	4.7
	15:00-16:00 HOUR	55.4 <sup>2/</sup>	51.5 **	53.1 <sup>2/</sup>	46.8 **	6.3
	16:00-17:00 HOUR	54.8 <sup>2/</sup>	51.7 **	51.9 <sup>2/</sup>	45.6 **	6.3
	17:00-18:00 HOUR	56.9 <sup>2/</sup>	53.9 **	53.9 <sup>2/</sup>	46.9 **	7.0
	18:00-19:00 HOUR	52.1 <sup>2/</sup>	52.0 **	35.7 <sup>2/</sup>	44.8 **	<0.8 <sup>2/</sup>
	19:00-20:00 HOUR	54.6 <sup>2/</sup>	51.3 **	51.9 <sup>2/</sup>	44.7 **	7.2
	20:00-21:00 HOUR	52.4 <sup>2/</sup>	47.6 **	50.7 <sup>2/</sup>	43.0 **	7.7
	21:00-22:00 HOUR	53.2 <sup>2/</sup>	50.2 **	50.2 <sup>2/</sup>	44.0 **	6.2
	<b>NIGHT TIME</b> 2/					
	22:00-22:05 HOUR	51.1 <sup>2/</sup>	50.5 ***	45.2 <sup>2/</sup>	44.4 ***	0.8
	22:05-22:10 HOUR	51.5 <sup>2/</sup>	50.5 ***	47.6 <sup>2/</sup>	44.4 ***	3.2
	22:10-22:15 HOUR	51.8 <sup>2/</sup>	50.5 ***	48.9 <sup>2/</sup>	44.4 ***	4.5
	22:15-22:20 HOUR	51.3 <sup>2/</sup>	49.9 ***	48.7 <sup>2/</sup>	42.9 ***	5.8
	22:20-22:25 HOUR	49.6 <sup>2/</sup>	49.9 ***	<0.8 <sup>2/</sup>	42.9 ***	<0.8 <sup>2/</sup>
	22:25-22:30 HOUR	51.1 <sup>2/</sup>	49.9 ***	47.9 <sup>2/</sup>	42.9 ***	5.0
	22:30-22:35 HOUR	48.8 <sup>2/</sup>	45.9 ***	48.7 <sup>2/</sup>	43.1 ***	5.6

DATE	TIME*	RESULT (dB(A))				
		บริเวณถนนประมงพินนาตาราดุดม				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 19, 2024	<b>NIGHT TIME</b> <sup>2/</sup>					
T24AG080-0008	05:50-05:55 HOUR	52.6 <sup>2/</sup>	50.9 ***	50.7 <sup>2/</sup>	43.4 ***	7.3
	05:55-06:00 HOUR	52.2 <sup>2/</sup>	50.9 ***	49.3 <sup>2/</sup>	43.4 ***	5.9
	<b>DAY TIME</b> <sup>3/</sup>					
	06:00-07:00 HOUR	53.7 <sup>2/</sup>	48.5 **	52.1 <sup>2/</sup>	45.0 **	7.1
MARCH 19, 2024	<b>DAY TIME</b> <sup>1/</sup>					
T24AG080-0009	07:00-08:00 HOUR	58.0 <sup>2/</sup>	56.2 **	53.3 <sup>2/</sup>	47.2 **	6.1
	08:00-09:00 HOUR	55.7 <sup>2/</sup>	52.3 **	53.0 <sup>2/</sup>	47.5 **	5.5
	09:00-10:00 HOUR	55.2 <sup>2/</sup>	53.4 **	50.5 <sup>2/</sup>	48.4 **	2.1
	10:00-11:00 HOUR	54.6 <sup>2/</sup>	53.4 **	48.4 <sup>2/</sup>	45.3 **	3.1
	11:00-12:00 HOUR	55.2 <sup>2/</sup>	51.2 **	53.0 <sup>2/</sup>	46.2 **	6.8
	12:00-13:00 HOUR	54.1 <sup>2/</sup>	50.4 **	51.7 <sup>2/</sup>	45.7 **	6.0
	13:00-14:00 HOUR	55.1 <sup>2/</sup>	52.0 **	52.2 <sup>2/</sup>	46.6 **	5.6
	14:00-15:00 HOUR	55.7 <sup>2/</sup>	51.4 **	53.7 <sup>2/</sup>	47.1 **	6.6
	15:00-16:00 HOUR	54.3 <sup>2/</sup>	49.0 **	52.8 <sup>2/</sup>	46.3 **	6.5
	16:00-17:00 HOUR	51.3 <sup>2/</sup>	59.2 **	57.1 <sup>2/</sup>	51.9 **	5.2
	17:00-18:00 HOUR	59.3 <sup>2/</sup>	53.8 **	57.9 <sup>2/</sup>	51.4 **	6.5
	18:00-19:00 HOUR	57.6 <sup>2/</sup>	53.7 **	55.3 <sup>2/</sup>	50.2 **	5.1
	19:00-20:00 HOUR	53.0 <sup>2/</sup>	51.2 **	48.3 <sup>2/</sup>	47.9 **	<0.8 <sup>2/</sup>
	20:00-21:00 HOUR	55.0 <sup>2/</sup>	52.4 **	51.5 <sup>2/</sup>	45.6 **	5.9
	21:00-22:00 HOUR	54.2 <sup>2/</sup>	47.2 **	53.2 <sup>2/</sup>	46.0 **	7.2
	<b>NIGHT TIME</b> <sup>2/</sup>					
	22:00-22:05 HOUR	51.8 <sup>2/</sup>	50.8 ***	47.9 <sup>2/</sup>	44.9 ***	3.0
	22:05-22:10 HOUR	50.1 <sup>2/</sup>	50.8 ***	<0.8 <sup>2/</sup>	44.9 ***	<0.8 <sup>2/</sup>
	22:10-22:15 HOUR	51.3 <sup>2/</sup>	50.8 ***	44.7 <sup>2/</sup>	44.9 ***	<0.8 <sup>2/</sup>
	22:15-22:20 HOUR	55.8 <sup>2/</sup>	54.5 ***	52.9 <sup>2/</sup>	45.7 ***	7.2
	22:20-22:25 HOUR	52.1 <sup>2/</sup>	54.5 ***	<0.8 <sup>2/</sup>	45.7 ***	<0.8 <sup>2/</sup>
	22:25-22:30 HOUR	55.1 <sup>2/</sup>	54.5 ***	49.2 <sup>2/</sup>	45.7 ***	3.5
	22:30-22:35 HOUR	51.4 <sup>2/</sup>	48.0 ***	51.7 <sup>2/</sup>	44.4 ***	7.3
	22:35-22:40 HOUR	49.9 <sup>2/</sup>	48.0 ***	48.4 <sup>2/</sup>	44.4 ***	4.0
	22:40-22:45 HOUR	49.5 <sup>2/</sup>	48.0 ***	47.2 <sup>2/</sup>	44.4 ***	2.8
	22:45-22:50 HOUR	50.6 <sup>2/</sup>	48.5 ***	49.4 <sup>2/</sup>	45.6 ***	3.8
	22:50-22:55 HOUR	50.1 <sup>2/</sup>	48.5 ***	48.0 <sup>2/</sup>	45.6 ***	2.4
	22:55-23:00 HOUR	46.6 <sup>2/</sup>	48.5 ***	<0.8 <sup>2/</sup>	45.6 ***	<0.8 <sup>2/</sup>
	23:00-23:05 HOUR	50.4 <sup>2/</sup>	48.1 ***	49.5 <sup>2/</sup>	45.4 ***	4.1
	23:05-23:10 HOUR	49.3 <sup>2/</sup>	48.1 ***	46.1 <sup>2/</sup>	45.4 ***	<0.8 <sup>2/</sup>
	23:10-23:15 HOUR	50.0 <sup>2/</sup>	48.1 ***	48.5 <sup>2/</sup>	45.4 ***	3.1
	23:15-23:20 HOUR	52.3 <sup>2/</sup>	49.6 ***	52.0 <sup>2/</sup>	44.2 ***	7.8
	23:20-23:25 HOUR	50.5 <sup>2/</sup>	49.6 ***	46.2 <sup>2/</sup>	44.2 ***	2.0
	23:25-23:30 HOUR	51.2 <sup>2/</sup>	49.6 ***	49.1 <sup>2/</sup>	44.2 ***	4.9
	23:30-23:35 HOUR	52.1 <sup>2/</sup>	51.8 ***	43.3 <sup>2/</sup>	45.1 ***	<0.8 <sup>2/</sup>
	23:35-23:40 HOUR	52.2 <sup>2/</sup>	51.8 ***	44.6 <sup>2/</sup>	45.1 ***	<0.8 <sup>2/</sup>
	23:40-23:45 HOUR	52.4 <sup>2/</sup>	51.8 ***	46.5 <sup>2/</sup>	45.1 ***	1.4
	23:45-23:50 HOUR	51.6 <sup>2/</sup>	48.6 ***	51.6 <sup>2/</sup>	44.2 ***	7.4
	23:50-23:55 HOUR	46.9 <sup>2/</sup>	48.6 ***	<0.8 <sup>2/</sup>	44.2 ***	<0.8 <sup>2/</sup>
	23:55-00:00 HOUR	51.8 <sup>2/</sup>	48.6 ***	52.0 <sup>2/</sup>	44.2 ***	7.8

DATE	TIME*	RESULT (dB(A))				
		บริเวณถนนประมงพินนาตาราดุดม				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 19, 2024	<b>NIGHT TIME</b> <sup>2/</sup>					
T24AG080-0008	02:10-02:15 HOUR	43.2 <sup>2/</sup>	42.9 ***	34.4 <sup>2/</sup>	40.9 ***	<0.8 <sup>2/</sup>
	02:15-02:20 HOUR	45.7 <sup>2/</sup>	43.7 ***	44.4 <sup>2/</sup>	40.9 ***	3.5
	02:20-02:25 HOUR	45.1 <sup>2/</sup>	43.7 ***	42.5 <sup>2/</sup>	40.9 ***	1.6
	02:25-02:30 HOUR	44.0 <sup>2/</sup>	43.7 ***	35.2 <sup>2/</sup>	40.9 ***	<0.8 <sup>2/</sup>
	02:30-02:35 HOUR	45.9 <sup>2/</sup>	44.5 ***	43.3 <sup>2/</sup>	41.9 ***	1.4
	02:35-02:40 HOUR	45.4 <sup>2/</sup>	44.5 ***	41.1 <sup>2/</sup>	41.9 ***	<0.8 <sup>2/</sup>
	02:40-02:45 HOUR	43.6 <sup>2/</sup>	44.5 ***	<0.8 <sup>2/</sup>	41.9 ***	<0.8 <sup>2/</sup>
	02:45-02:50 HOUR	44.0 <sup>2/</sup>	44.9 ***	<0.8 <sup>2/</sup>	42.3 ***	<0.8 <sup>2/</sup>
	02:50-02:55 HOUR	45.9 <sup>2/</sup>	44.9 ***	42.0 <sup>2/</sup>	42.3 ***	<0.8 <sup>2/</sup>
	02:55-03:00 HOUR	46.3 <sup>2/</sup>	44.9 ***	43.7 <sup>2/</sup>	42.3 ***	1.4
	03:00-03:05 HOUR	46.3 <sup>2/</sup>	44.4 ***	44.8 <sup>2/</sup>	41.7 ***	3.1
	03:05-03:10 HOUR	47.3 <sup>2/</sup>	44.4 ***	47.2 <sup>2/</sup>	41.7 ***	5.5
	03:10-03:15 HOUR	43.7 <sup>2/</sup>	44.4 ***	<0.8 <sup>2/</sup>	41.7 ***	<0.8 <sup>2/</sup>
	03:15-03:20 HOUR	44.4 <sup>2/</sup>	43.6 ***	39.7 <sup>2/</sup>	41.0 ***	<0.8 <sup>2/</sup>
	03:20-03:25 HOUR	45.2 <sup>2/</sup>	43.6 ***	43.1 <sup>2/</sup>	41.0 ***	2.1
	03:25-03:30 HOUR	43.4 <sup>2/</sup>	43.6 ***	<0.8 <sup>2/</sup>	41.0 ***	<0.8 <sup>2/</sup>
	03:30-03:35 HOUR	44.0 <sup>2/</sup>	43.7 ***	35.2 <sup>2/</sup>	41.1 ***	<0.8 <sup>2/</sup>
	03:35-03:40 HOUR	47.3 <sup>2/</sup>	43.7 ***	47.8 <sup>2/</sup>	41.1 ***	6.7
	03:40-03:45 HOUR	47.2 <sup>2/</sup>	43.7 ***	47.6 <sup>2/</sup>	41.1 ***	6.5
	03:45-03:50 HOUR	47.8 <sup>2/</sup>	46.1 ***	45.9 <sup>2/</sup>	41.2 ***	4.7
	03:50-03:55 HOUR	47.2 <sup>2/</sup>	46.1 ***	43.7 <sup>2/</sup>	41.2 ***	2.5
	03:55-04:00 HOUR	47.2 <sup>2/</sup>	46.1 ***	43.7 <sup>2/</sup>	41.2 ***	2.5
	04:00-04:05 HOUR	47.0 <sup>2/</sup>	46.1 ***	42.7 <sup>2/</sup>	41.0 ***	1.7
	04:05-04:10 HOUR	46.6 <sup>2/</sup>	46.1 ***	40.0 <sup>2/</sup>	41.0 ***	<0.8 <sup>2/</sup>
	04:10-04:15 HOUR	48.6 <sup>2/</sup>	46.1 ***	48.0 <sup>2/</sup>	41.0 ***	7.0
	04:15-04:20 HOUR	47.1 <sup>2/</sup>	45.5 ***	45.0 <sup>2/</sup>	41.0 ***	4.0
	04:20-04:25 HOUR	48.4 <sup>2/</sup>	45.5 ***	48.3 <sup>2/</sup>	41.0 ***	7.3
	04:25-04:30 HOUR	45.5 <sup>2/</sup>	45.5 ***	<0.8 <sup>2/</sup>	41.0 ***	<0.8 <sup>2/</sup>
	04:30-04:35 HOUR	48.4 <sup>2/</sup>	46.6 ***	46.7 <sup>2/</sup>	41.4 ***	5.3
	04:35-04:40 HOUR	48.3 <sup>2/</sup>	46.6 ***	46.4 <sup>2/</sup>	41.4 ***	5.0
	04:40-04:45 HOUR	48.2 <sup>2/</sup>	46.6 ***	46.1 <sup>2/</sup>	41.4 ***	4.7
	04:45-04:50 HOUR	47.5 <sup>2/</sup>	45.7 ***	45.8 <sup>2/</sup>	41.3 ***	4.5
	04:50-04:55 HOUR	48.5 <sup>2/</sup>	45.7 ***	48.3 <sup>2/</sup>	41.3 ***	7.0
	04:55-05:00 HOUR	45.8 <sup>2/</sup>	45.7 ***	32.4 <sup>2/</sup>	41.3 ***	<0.8 <sup>2/</sup>
	05:00-05:05 HOUR	48.4 <sup>2/</sup>	46.4 ***	47.1 <sup>2/</sup>	41.2 ***	5.9
	05:05-05:10 HOUR	48.3 <sup>2/</sup>	46.4 ***	46.8 <sup>2/</sup>	41.2 ***	5.6
	05:10-05:15 HOUR	48.3 <sup>2/</sup>	46.4 ***	46.8 <sup>2/</sup>	41.2 ***	5.6
	05:15-05:20 HOUR	45.7 <sup>2/</sup>	44.1 ***	43.6 <sup>2/</sup>	41.2 ***	2.4
	05:20-05:25 HOUR	46.3 <sup>2/</sup>	44.1 ***	45.3 <sup>2/</sup>	41.2 ***	4.1
	05:25-05:30 HOUR	46.1 <sup>2/</sup>	44.1 ***	44.8 <sup>2/</sup>	41.2 ***	3.6
	05:30-05:35 HOUR	44.1 <sup>2/</sup>	45.9 ***	<0.8 <sup>2/</sup>	42.4 ***	<0.8 <sup>2/</sup>
	05:35-05:40 HOUR	49.1 <sup>2/</sup>	45.9 ***	49.3 <sup>2/</sup>	42.4 ***	6.9
	05:40-05:45 HOUR	45.8 <sup>2/</sup>	45.9 ***	<0.8 <sup>2/</sup>	42.4 ***	<0.8 <sup>2/</sup>
	05:45-05:50 HOUR	52.7 <sup>2/</sup>	50.9 ***	51.0 <sup>2/</sup>	43.4 ***	7.6



DATE	TIME*	RESULT (dB(A))				
		บริเวณถนนพระรามที่ ๖ หน้าบ้านจตุรพักตรพิมาน				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 20, 2024	<b>NIGHT TIME</b> 2/					
T24AG080-0009	03:40-03:45 HOUR	57.6 <sup>2/</sup>	57.3 ***	48.8 <sup>2/</sup>	44.5 ***	4.3
	03:45-03:50 HOUR	60.6 <sup>2/</sup>	60.5 ***	47.2 <sup>2/</sup>	46.6 ***	<0.8 <sup>2/</sup>
	03:50-03:55 HOUR	60.8 <sup>2/</sup>	60.5 ***	52.0 <sup>2/</sup>	46.6 ***	5.4
	03:55-04:00 HOUR	51.7 <sup>2/</sup>	60.5 ***	<0.8 <sup>2/</sup>	46.6 ***	<0.8 <sup>2/</sup>
	04:00-04:05 HOUR	56.3 <sup>2/</sup>	56.0 ***	47.5 <sup>2/</sup>	44.8 ***	2.7
	04:05-04:10 HOUR	56.5 <sup>2/</sup>	56.0 ***	49.9 <sup>2/</sup>	44.8 ***	5.1
	04:10-04:15 HOUR	54.3 <sup>2/</sup>	56.0 ***	<0.8 <sup>2/</sup>	44.8 ***	<0.8 <sup>2/</sup>
	04:15-04:20 HOUR	57.3 <sup>2/</sup>	56.9 ***	49.7 <sup>2/</sup>	45.1 ***	4.6
	04:20-04:25 HOUR	57.5 <sup>2/</sup>	56.9 ***	51.6 <sup>2/</sup>	45.1 ***	6.5
	04:25-04:30 HOUR	56.7 <sup>2/</sup>	56.9 ***	<0.8 <sup>2/</sup>	45.1 ***	<0.8 <sup>2/</sup>
	04:30-04:35 HOUR	52.7 <sup>2/</sup>	51.8 ***	48.4 <sup>2/</sup>	45.0 ***	3.4
	04:35-04:40 HOUR	52.5 <sup>2/</sup>	51.8 ***	47.2 <sup>2/</sup>	45.0 ***	2.2
	04:40-04:45 HOUR	52.3 <sup>2/</sup>	51.8 ***	45.7 <sup>2/</sup>	45.0 ***	<0.8 <sup>2/</sup>
	04:45-04:50 HOUR	60.4 <sup>2/</sup>	60.1 ***	51.6 <sup>2/</sup>	46.9 ***	4.7
	04:50-04:55 HOUR	57.0 <sup>2/</sup>	60.1 ***	<0.8 <sup>2/</sup>	46.9 ***	<0.8 <sup>2/</sup>
	04:55-05:00 HOUR	60.2 <sup>2/</sup>	60.1 ***	46.8 <sup>2/</sup>	46.9 ***	<0.8 <sup>2/</sup>
	05:00-05:05 HOUR	58.8 <sup>2/</sup>	58.9 ***	<0.8 <sup>2/</sup>	47.2 ***	<0.8 <sup>2/</sup>
	05:05-05:10 HOUR	59.1 <sup>2/</sup>	58.9 ***	48.6 <sup>2/</sup>	47.2 ***	1.4
	05:10-05:15 HOUR	59.5 <sup>2/</sup>	58.9 ***	53.6 <sup>2/</sup>	47.2 ***	6.4
	05:15-05:20 HOUR	52.8 <sup>2/</sup>	52.1 ***	47.5 <sup>2/</sup>	45.1 ***	2.4
	05:20-05:25 HOUR	52.8 <sup>2/</sup>	52.1 ***	47.5 <sup>2/</sup>	45.1 ***	2.4
	05:25-05:30 HOUR	52.6 <sup>2/</sup>	52.1 ***	46.0 <sup>2/</sup>	45.1 ***	0.9
	05:30-05:35 HOUR	58.8 <sup>2/</sup>	57.9 ***	54.5 <sup>2/</sup>	47.0 ***	7.5
	05:35-05:40 HOUR	56.4 <sup>2/</sup>	57.9 ***	<0.8 <sup>2/</sup>	47.0 ***	<0.8 <sup>2/</sup>
	05:40-05:45 HOUR	58.5 <sup>2/</sup>	57.9 ***	52.6 <sup>2/</sup>	47.0 ***	5.6
	05:45-05:50 HOUR	55.7 <sup>2/</sup>	54.3 ***	53.1 <sup>2/</sup>	45.3 ***	7.8
	05:50-05:55 HOUR	54.6 <sup>2/</sup>	54.3 ***	45.8 <sup>2/</sup>	45.3 ***	<0.8 <sup>2/</sup>
	05:55-06:00 HOUR	55.4 <sup>2/</sup>	54.3 ***	51.9 <sup>2/</sup>	45.3 ***	6.6
	<b>DAY TIME</b> 1/					
	06:00-07:00 HOUR	54.7 <sup>2/</sup>	50.8 **	52.4 <sup>2/</sup>	45.6 **	6.8
MARCH 20, 2024	<b>DAY TIME</b> 1/					
T24AG080-0010	07:00-08:00 HOUR	56.2 <sup>2/</sup>	52.0 **	54.1 <sup>2/</sup>	47.4 **	6.7
	08:00-09:00 HOUR	60.2 <sup>2/</sup>	55.5 **	58.4 <sup>2/</sup>	52.0 **	6.4
	09:00-10:00 HOUR	57.9 <sup>2/</sup>	53.9 **	55.7 <sup>2/</sup>	48.0 **	7.7
	10:00-11:00 HOUR	57.8 <sup>2/</sup>	56.2 **	52.7 <sup>2/</sup>	52.3 **	<0.8 <sup>2/</sup>
	11:00-12:00 HOUR	55.2 <sup>2/</sup>	52.3 **	52.1 <sup>2/</sup>	48.0 **	4.1
	12:00-13:00 HOUR	60.9 <sup>2/</sup>	57.1 **	58.6 <sup>2/</sup>	53.8 **	4.8
	13:00-14:00 HOUR	64.3 <sup>2/</sup>	61.3 **	61.3 <sup>2/</sup>	59.4 **	1.9
	14:00-15:00 HOUR	61.7 <sup>2/</sup>	59.5 **	57.7 <sup>2/</sup>	58.1 **	<0.8 <sup>2/</sup>
	15:00-16:00 HOUR	54.9 <sup>2/</sup>	51.4 **	52.3 <sup>2/</sup>	48.4 **	3.9
	16:00-17:00 HOUR	53.9 <sup>2/</sup>	51.1 **	50.7 <sup>2/</sup>	48.0 **	2.7
	17:00-18:00 HOUR	53.4 <sup>2/</sup>	50.5 **	50.3 <sup>2/</sup>	48.1 **	2.2
	18:00-19:00 HOUR	55.3 <sup>2/</sup>	49.9 **	53.8 <sup>2/</sup>	47.8 **	6.0
	19:00-20:00 HOUR	55.2 <sup>2/</sup>	50.6 **	53.4 <sup>2/</sup>	47.5 **	5.9
	20:00-21:00 HOUR	59.3 <sup>2/</sup>	53.3 **	58.0 <sup>2/</sup>	50.7 **	7.3

DATE	TIME*	RESULT (dB(A))				
		บริเวณถนนพระรามที่ ๖ หน้าบ้านจตุรพักตรพิมาน				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 20, 2024	<b>NIGHT TIME</b> 2/					
T24AG080-0009	00:00-00:05 HOUR	50.8 <sup>2/</sup>	49.7 ***	47.3 <sup>2/</sup>	44.8 ***	2.5
	00:05-00:10 HOUR	46.4 <sup>2/</sup>	49.7 ***	<0.8 <sup>2/</sup>	44.8 ***	<0.8 <sup>2/</sup>
	00:10-00:15 HOUR	50.2 <sup>2/</sup>	49.7 ***	43.6 <sup>2/</sup>	44.8 ***	<0.8 <sup>2/</sup>
	00:15-00:20 HOUR	49.6 <sup>2/</sup>	46.9 ***	49.3 <sup>2/</sup>	44.5 ***	4.8
	00:20-00:25 HOUR	46.6 <sup>2/</sup>	46.9 ***	<0.8 <sup>2/</sup>	44.5 ***	<0.8 <sup>2/</sup>
	00:25-00:30 HOUR	47.3 <sup>2/</sup>	46.9 ***	39.7 <sup>2/</sup>	44.5 ***	<0.8 <sup>2/</sup>
	00:30-00:35 HOUR	57.4 <sup>2/</sup>	57.3 ***	44.0 <sup>2/</sup>	44.2 ***	<0.8 <sup>2/</sup>
	00:35-00:40 HOUR	57.7 <sup>2/</sup>	57.3 ***	50.1 <sup>2/</sup>	44.2 ***	5.9
	00:40-00:45 HOUR	57.9 <sup>2/</sup>	57.3 ***	52.0 <sup>2/</sup>	44.2 ***	7.8
	00:45-00:50 HOUR	51.2 <sup>2/</sup>	48.8 ***	50.5 <sup>2/</sup>	44.2 ***	6.3
	00:50-00:55 HOUR	50.3 <sup>2/</sup>	48.8 ***	48.0 <sup>2/</sup>	44.2 ***	3.8
	00:55-01:00 HOUR	50.3 <sup>2/</sup>	48.8 ***	48.0 <sup>2/</sup>	44.2 ***	3.8
	01:00-01:05 HOUR	47.1 <sup>2/</sup>	50.5 ***	<0.8 <sup>2/</sup>	45.1 ***	<0.8 <sup>2/</sup>
	01:05-01:10 HOUR	51.8 <sup>2/</sup>	50.5 ***	48.9 <sup>2/</sup>	45.1 ***	3.8
	01:10-01:15 HOUR	52.3 <sup>2/</sup>	50.5 ***	50.6 <sup>2/</sup>	45.1 ***	5.5
	01:15-01:20 HOUR	51.4 <sup>2/</sup>	48.1 ***	51.7 <sup>2/</sup>	44.3 ***	7.4
	01:20-01:25 HOUR	51.2 <sup>2/</sup>	48.1 ***	51.3 <sup>2/</sup>	44.3 ***	7.0
	01:25-01:30 HOUR	51.5 <sup>2/</sup>	48.1 ***	51.8 <sup>2/</sup>	44.3 ***	7.5
	01:30-01:35 HOUR	48.3 <sup>2/</sup>	45.0 ***	48.6 <sup>2/</sup>	43.1 ***	5.5
	01:35-01:40 HOUR	47.8 <sup>2/</sup>	45.0 ***	47.6 <sup>2/</sup>	43.1 ***	4.5
	01:40-01:45 HOUR	46.4 <sup>2/</sup>	45.0 ***	43.8 <sup>2/</sup>	43.1 ***	<0.8 <sup>2/</sup>
	01:45-01:50 HOUR	48.0 <sup>2/</sup>	45.8 ***	47.0 <sup>2/</sup>	43.4 ***	3.6
	01:50-01:55 HOUR	46.9 <sup>2/</sup>	45.8 ***	43.4 <sup>2/</sup>	43.4 ***	<0.8 <sup>2/</sup>
	01:55-02:00 HOUR	48.2 <sup>2/</sup>	45.8 ***	47.5 <sup>2/</sup>	43.4 ***	4.1
	02:00-02:05 HOUR	50.7 <sup>2/</sup>	52.2 ***	<0.8 <sup>2/</sup>	43.0 ***	<0.8 <sup>2/</sup>
	02:05-02:10 HOUR	52.4 <sup>2/</sup>	52.2 ***	41.9 <sup>2/</sup>	43.0 ***	<0.8 <sup>2/</sup>
	02:10-02:15 HOUR	52.5 <sup>2/</sup>	52.2 ***	43.7 <sup>2/</sup>	43.0 ***	<0.8 <sup>2/</sup>
	02:15-02:20 HOUR	54.4 <sup>2/</sup>	54.7 ***	<0.8 <sup>2/</sup>	44.2 ***	<0.8 <sup>2/</sup>
	02:20-02:25 HOUR	55.4 <sup>2/</sup>	54.7 ***	50.1 <sup>2/</sup>	44.2 ***	5.9
	02:25-02:30 HOUR	54.6 <sup>2/</sup>	54.7 ***	<0.8 <sup>2/</sup>	44.2 ***	<0.8 <sup>2/</sup>
	02:30-02:35 HOUR	54.8 <sup>2/</sup>	54.2 ***	48.9 <sup>2/</sup>	43.3 ***	5.6
	02:35-02:40 HOUR	54.5 <sup>2/</sup>	54.2 ***	45.7 <sup>2/</sup>	43.3 ***	2.4
	02:40-02:45 HOUR	55.0 <sup>2/</sup>	54.2 ***	50.3 <sup>2/</sup>	43.3 ***	7.0
	02:45-02:50 HOUR	55.4 <sup>2/</sup>	54.5 ***	51.1 <sup>2/</sup>	43.3 ***	7.8
	02:50-02:55 HOUR	54.7 <sup>2/</sup>	54.5 ***	44.2 <sup>2/</sup>	43.3 ***	0.9
	02:55-03:00 HOUR	54.4 <sup>2/</sup>	54.5 ***	<0.8 <sup>2/</sup>	43.3 ***	<0.8 <sup>2/</sup>
	03:00-03:05 HOUR	58.8 <sup>2/</sup>	58.7 ***	45.4 <sup>2/</sup>	43.6 ***	1.8
	03:05-03:10 HOUR	58.9 <sup>2/</sup>	58.7 ***	48.4 <sup>2/</sup>	43.6 ***	4.8
	03:10-03:15 HOUR	58.6 <sup>2/</sup>	58.7 ***	<0.8 <sup>2/</sup>	43.6 ***	<0.8 <sup>2/</sup>
	03:15-03:20 HOUR	57.0 <sup>2/</sup>	56.8 ***	46.5 <sup>2/</sup>	44.3 ***	2.2
	03:20-03:25 HOUR	57.1 <sup>2/</sup>	56.8 ***	48.3 <sup>2/</sup>	44.3 ***	4.0
	03:25-03:30 HOUR	57.1 <sup>2/</sup>	56.8 ***	48.3 <sup>2/</sup>	44.3 ***	4.0
	03:30-03:35 HOUR	56.4 <sup>2/</sup>	57.3 ***	<0.8 <sup>2/</sup>	44.5 ***	<0.8 <sup>2/</sup>
	03:35-03:40 HOUR	57.4 <sup>2/</sup>	57.3 ***	44.0 <sup>2/</sup>	44.5 ***	<0.8 <sup>2/</sup>



DATE	TIME*	RESULT (dB(A))				
		บริเวณถนนบริเวณพื้นที่บ้านฉางอุดม				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 21, 2024	<b>NIGHT TIME</b> <sup>2/</sup>					
T24AG080-0010	01:30-01:35 HOUR	54.9 <sup>2/</sup>	53.9 ***	51.0 <sup>2/</sup>	43.5 ***	7.5
	01:35-01:40 HOUR	54.6 <sup>2/</sup>	53.9 ***	49.3 <sup>2/</sup>	43.5 ***	5.8
	01:40-01:45 HOUR	54.7 <sup>2/</sup>	53.9 ***	50.0 <sup>2/</sup>	43.5 ***	6.5
	01:45-01:50 HOUR	50.5 <sup>2/</sup>	61.7 ***	<0.8 <sup>2/</sup>	46.8 ***	<0.8 <sup>2/</sup>
	01:50-01:55 HOUR	61.0 <sup>2/</sup>	61.7 ***	<0.8 <sup>2/</sup>	46.8 ***	<0.8 <sup>2/</sup>
	01:55-02:00 HOUR	61.9 <sup>2/</sup>	61.7 ***	51.4 <sup>2/</sup>	46.8 ***	4.6
	02:00-02:05 HOUR	57.1 <sup>2/</sup>	56.7 ***	49.5 <sup>2/</sup>	43.5 ***	6.0
	02:05-02:10 HOUR	56.9 <sup>2/</sup>	56.7 ***	46.4 <sup>2/</sup>	43.5 ***	2.9
	02:10-02:15 HOUR	57.2 <sup>2/</sup>	56.7 ***	50.6 <sup>2/</sup>	43.5 ***	7.1
	02:15-02:20 HOUR	53.0 <sup>2/</sup>	55.3 ***	<0.8 <sup>2/</sup>	44.3 ***	<0.8 <sup>2/</sup>
	02:20-02:25 HOUR	55.8 <sup>2/</sup>	55.3 ***	49.2 <sup>2/</sup>	44.3 ***	4.9
	02:25-02:30 HOUR	52.6 <sup>2/</sup>	55.3 ***	<0.8 <sup>2/</sup>	44.3 ***	<0.8 <sup>2/</sup>
	02:30-02:35 HOUR	52.9 <sup>2/</sup>	52.6 ***	44.1 <sup>2/</sup>	43.4 ***	<0.8 <sup>2/</sup>
	02:35-02:40 HOUR	53.3 <sup>2/</sup>	52.6 ***	48.0 <sup>2/</sup>	43.4 ***	4.6
	02:40-02:45 HOUR	51.8 <sup>2/</sup>	52.6 ***	<0.8 <sup>2/</sup>	43.4 ***	<0.8 <sup>2/</sup>
	02:45-02:50 HOUR	54.0 <sup>2/</sup>	53.3 ***	48.7 <sup>2/</sup>	43.4 ***	5.3
	02:50-02:55 HOUR	53.6 <sup>2/</sup>	53.3 ***	44.8 <sup>2/</sup>	43.4 ***	1.4
	02:55-03:00 HOUR	54.0 <sup>2/</sup>	53.3 ***	48.7 <sup>2/</sup>	43.4 ***	5.3
	03:00-03:05 HOUR	61.6 <sup>2/</sup>	61.2 ***	54.0 <sup>2/</sup>	46.9 ***	7.1
	03:05-03:10 HOUR	61.3 <sup>2/</sup>	61.2 ***	47.9 <sup>2/</sup>	46.9 ***	1.0
	03:10-03:15 HOUR	61.1 <sup>2/</sup>	61.2 ***	<0.8 <sup>2/</sup>	46.9 ***	<0.8 <sup>2/</sup>
	03:15-03:20 HOUR	55.7 <sup>2/</sup>	55.1 ***	49.8 <sup>2/</sup>	45.3 ***	4.5
	03:20-03:25 HOUR	54.9 <sup>2/</sup>	55.1 ***	<0.8 <sup>2/</sup>	45.3 ***	<0.8 <sup>2/</sup>
	03:25-03:30 HOUR	55.8 <sup>2/</sup>	55.1 ***	50.5 <sup>2/</sup>	45.3 ***	5.2
	03:30-03:35 HOUR	50.8 <sup>2/</sup>	47.4 ***	51.1 <sup>2/</sup>	43.8 ***	7.3
	03:35-03:40 HOUR	50.5 <sup>2/</sup>	47.4 ***	50.6 <sup>2/</sup>	43.8 ***	6.8
	03:40-03:45 HOUR	50.8 <sup>2/</sup>	47.4 ***	51.1 <sup>2/</sup>	43.8 ***	7.3
	03:45-03:50 HOUR	52.6 <sup>2/</sup>	52.1 ***	46.0 <sup>2/</sup>	44.6 ***	1.4
	03:50-03:55 HOUR	48.4 <sup>2/</sup>	52.1 ***	<0.8 <sup>2/</sup>	44.6 ***	<0.8 <sup>2/</sup>
	03:55-04:00 HOUR	52.6 <sup>2/</sup>	52.1 ***	46.0 <sup>2/</sup>	44.6 ***	1.4
	04:00-04:05 HOUR	53.3 <sup>2/</sup>	52.2 ***	49.8 <sup>2/</sup>	44.8 ***	5.0
	04:05-04:10 HOUR	52.7 <sup>2/</sup>	52.2 ***	46.1 <sup>2/</sup>	44.8 ***	1.3
	04:10-04:15 HOUR	49.6 <sup>2/</sup>	52.2 ***	<0.8 <sup>2/</sup>	44.8 ***	<0.8 <sup>2/</sup>
	04:15-04:20 HOUR	52.3 <sup>2/</sup>	49.8 ***	51.7 <sup>2/</sup>	44.4 ***	7.3
	04:20-04:25 HOUR	48.3 <sup>2/</sup>	49.8 ***	<0.8 <sup>2/</sup>	44.4 ***	<0.8 <sup>2/</sup>
	04:25-04:30 HOUR	51.7 <sup>2/</sup>	49.8 ***	50.2 <sup>2/</sup>	44.4 ***	5.8
	04:30-04:35 HOUR	53.3 <sup>2/</sup>	52.7 ***	47.4 <sup>2/</sup>	45.6 ***	1.8
	04:35-04:40 HOUR	53.2 <sup>2/</sup>	52.7 ***	46.6 <sup>2/</sup>	45.6 ***	1.0
	04:40-04:45 HOUR	49.3 <sup>2/</sup>	52.7 ***	<0.8 <sup>2/</sup>	45.6 ***	<0.8 <sup>2/</sup>
	04:45-04:50 HOUR	55.8 <sup>2/</sup>	58.1 ***	<0.8 <sup>2/</sup>	45.5 ***	<0.8 <sup>2/</sup>
	04:50-04:55 HOUR	58.7 <sup>2/</sup>	58.1 ***	52.8 <sup>2/</sup>	45.5 ***	7.3
	04:55-05:00 HOUR	58.1 <sup>2/</sup>	58.1 ***	<0.8 <sup>2/</sup>	45.5 ***	<0.8 <sup>2/</sup>
	05:00-05:05 HOUR	55.7 <sup>2/</sup>	55.0 ***	50.4 <sup>2/</sup>	47.3 ***	3.1
	05:05-05:10 HOUR	56.4 <sup>2/</sup>	55.0 ***	53.8 <sup>2/</sup>	47.3 ***	6.5

DATE	TIME*	RESULT (dB(A))				
		บริเวณถนนบริเวณพื้นที่บ้านฉางอุดม				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 20, 2024	<b>DAY TIME</b> <sup>1/</sup>					
T24AG080-0010	21:00-22:00 HOUR	57.2 <sup>1/</sup>	53.3 **	54.9 <sup>1/</sup>	48.9 **	6.0
	<b>NIGHT TIME</b> <sup>2/</sup>					
	22:00-22:05 HOUR	55.9 <sup>1/</sup>	55.3 ***	50.0 <sup>2/</sup>	45.6 ***	4.4
	22:05-22:10 HOUR	55.8 <sup>2/</sup>	55.3 ***	49.2 <sup>2/</sup>	45.6 ***	3.6
	22:10-22:15 HOUR	55.8 <sup>2/</sup>	55.3 ***	49.2 <sup>2/</sup>	45.6 ***	3.6
	22:15-22:20 HOUR	57.1 <sup>2/</sup>	56.6 ***	50.5 <sup>2/</sup>	46.1 ***	4.4
	22:20-22:25 HOUR	56.4 <sup>2/</sup>	56.6 ***	<0.8 <sup>2/</sup>	46.1 ***	<0.8 <sup>2/</sup>
	22:25-22:30 HOUR	57.2 <sup>2/</sup>	56.6 ***	51.3 <sup>2/</sup>	46.1 ***	5.2
	22:30-22:35 HOUR	56.2 <sup>2/</sup>	56.0 ***	45.7 <sup>2/</sup>	44.8 ***	0.9
	22:35-22:40 HOUR	54.9 <sup>2/</sup>	56.0 ***	<0.8 <sup>2/</sup>	44.8 ***	<0.8 <sup>2/</sup>
	22:40-22:45 HOUR	56.4 <sup>2/</sup>	56.0 ***	48.8 <sup>2/</sup>	44.8 ***	4.0
	22:45-22:50 HOUR	55.5 <sup>2/</sup>	54.5 ***	51.6 <sup>2/</sup>	44.7 ***	6.9
	22:50-22:55 HOUR	55.4 <sup>2/</sup>	54.5 ***	51.1 <sup>2/</sup>	44.7 ***	6.4
	22:55-23:00 HOUR	55.4 <sup>2/</sup>	54.5 ***	51.1 <sup>2/</sup>	44.7 ***	6.4
	23:00-23:05 HOUR	56.5 <sup>2/</sup>	56.3 ***	46.0 <sup>2/</sup>	44.9 ***	1.1
	23:05-23:10 HOUR	56.3 <sup>2/</sup>	56.3 ***	<0.8 <sup>2/</sup>	44.9 ***	<0.8 <sup>2/</sup>
	23:10-23:15 HOUR	56.9 <sup>2/</sup>	56.3 ***	51.0 <sup>2/</sup>	44.9 ***	6.1
	23:15-23:20 HOUR	54.0 <sup>2/</sup>	53.3 ***	48.7 <sup>2/</sup>	43.9 ***	4.8
	23:20-23:25 HOUR	54.2 <sup>2/</sup>	53.3 ***	49.9 <sup>2/</sup>	43.9 ***	6.0
	23:25-23:30 HOUR	54.0 <sup>2/</sup>	53.3 ***	48.7 <sup>2/</sup>	43.9 ***	4.8
	23:30-23:35 HOUR	54.8 <sup>2/</sup>	54.2 ***	48.9 <sup>2/</sup>	43.7 ***	5.2
	23:35-23:40 HOUR	54.8 <sup>2/</sup>	54.2 ***	48.9 <sup>2/</sup>	43.7 ***	5.2
	23:40-23:45 HOUR	54.2 <sup>2/</sup>	54.2 ***	<0.8 <sup>2/</sup>	43.7 ***	<0.8 <sup>2/</sup>
	23:45-23:50 HOUR	55.3 <sup>2/</sup>	54.6 ***	50.0 <sup>2/</sup>	45.8 ***	4.2
	23:50-23:55 HOUR	55.9 <sup>2/</sup>	54.6 ***	53.0 <sup>2/</sup>	45.8 ***	7.2
	23:55-00:00 HOUR	55.4 <sup>2/</sup>	54.6 ***	50.7 <sup>2/</sup>	45.8 ***	4.9
MARCH 21, 2024	<b>NIGHT TIME</b> <sup>2/</sup>					
T24AG080-0010	00:00-00:05 HOUR	61.3 <sup>2/</sup>	61.5 ***	<0.8 <sup>2/</sup>	46.9 ***	<0.8 <sup>2/</sup>
	00:05-00:10 HOUR	61.8 <sup>2/</sup>	61.5 ***	53.0 <sup>2/</sup>	46.9 ***	6.1
	00:10-00:15 HOUR	61.8 <sup>2/</sup>	61.5 ***	53.0 <sup>2/</sup>	46.9 ***	6.1
	00:15-00:20 HOUR	59.8 <sup>2/</sup>	59.5 ***	51.0 <sup>2/</sup>	46.5 ***	4.5
	00:20-00:25 HOUR	59.2 <sup>2/</sup>	59.5 ***	<0.8 <sup>2/</sup>	46.5 ***	<0.8 <sup>2/</sup>
	00:25-00:30 HOUR	59.9 <sup>2/</sup>	59.5 ***	52.3 <sup>2/</sup>	46.5 ***	5.8
	00:30-00:35 HOUR	54.3 <sup>2/</sup>	53.1 ***	51.1 <sup>2/</sup>	44.2 ***	6.9
	00:35-00:40 HOUR	54.4 <sup>2/</sup>	53.1 ***	51.5 <sup>2/</sup>	44.2 ***	7.3
	00:40-00:45 HOUR	54.2 <sup>2/</sup>	53.1 ***	50.7 <sup>2/</sup>	44.2 ***	6.5
	00:45-00:50 HOUR	53.7 <sup>2/</sup>	53.3 ***	46.1 <sup>2/</sup>	44.1 ***	2.0
	00:50-00:55 HOUR	54.3 <sup>2/</sup>	53.3 ***	50.4 <sup>2/</sup>	44.1 ***	6.3
	00:55-01:00 HOUR	54.6 <sup>2/</sup>	53.3 ***	51.7 <sup>2/</sup>	44.1 ***	7.6
	01:00-01:05 HOUR	55.9 <sup>2/</sup>	56.0 ***	<0.8 <sup>2/</sup>	45.3 ***	<0.8 <sup>2/</sup>
	01:05-01:10 HOUR	57.0 <sup>2/</sup>	56.0 ***	53.1 <sup>2/</sup>	45.3 ***	7.8
	01:10-01:15 HOUR	55.7 <sup>2/</sup>	56.0 ***	<0.8 <sup>2/</sup>	45.3 ***	<0.8 <sup>2/</sup>
	01:15-01:20 HOUR	58.3 <sup>2/</sup>	57.8 ***	51.7 <sup>2/</sup>	43.9 ***	7.8
	01:20-01:25 HOUR	58.2 <sup>2/</sup>	57.8 ***	50.6 <sup>2/</sup>	43.9 ***	6.7
	01:25-01:30 HOUR	57.8 <sup>2/</sup>	57.8 ***	<0.8 <sup>2/</sup>	43.9 ***	<0.8 <sup>2/</sup>

## ANALYSIS REPORT

**PROJECT NAME** : โครงการท่าเทียบเรือ บริษัท เจซี มารีน พอร์ต จำกัด  
**CUSTOMER NAME** : JC MARINE PORT COMPANY LIMITED  
**ADDRESS** : 153/1 MOO 1 THUNG SUKHLA SI RACHA CHON BURI 20230  
**CONTACT INFORMATION** : TEL : 08 1309 5708, 0 3835 1473 e-mail : jcmarineport.info@gmail.com  
**MEASURING PLACE** : บริเวณวัดใหม่เนินพยอม  
**MEASURING TYPE** : AMBIENT (ANNOYANCE SOUND LEVEL) **RECEIVED DATE** : MARCH 16-21, 2024  
**MEASURING DATE** : MARCH 16-21, 2024 **ANALYTICAL DATE** : MARCH 16-21, 2024  
**MEASURING TIME** : \* **ISSUE DATE** : MARCH 29, 2024  
**MEASURING EQUIPMENT** : INTEGRATED SOUND LEVEL METER AND CALCULATION **REPORT NO.** : 2024-U026641  
**MEASURED BY** : MR NATTHAPONG CHAKINTHOD **WORK NO.** : 2022-008114  
**ANALYSIS NO.** : T24AG080-0011 - T24AG080-0015

DATE	TIME*	RESULT (dB(A))				
		บริเวณวัดใหม่เนินพยอม				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 16, 2024	<b>DAY TIME</b> 1/					
T24AG080-0011	07:00-08:00 HOUR	57.3 1/	55.6 **	52.4 1/	50.2 **	2.2
	08:00-09:00 HOUR	57.5 1/	52.9 **	55.7 1/	48.3 **	7.4
	09:00-10:00 HOUR	52.9 1/	51.4 **	47.6 1/	45.7 **	1.9
	10:00-11:00 HOUR	56.0 1/	53.0 **	53.0 1/	47.2 **	5.8
	11:00-12:00 HOUR	57.0 1/	54.7 **	53.1 1/	47.6 **	5.5
	12:00-13:00 HOUR	54.1 1/	51.9 **	50.1 1/	44.1 **	6.0
	13:00-14:00 HOUR	55.6 1/	55.4 **	42.1 1/	46.3 **	<0.8 1/
	14:00-15:00 HOUR	56.5 1/	55.6 **	49.2 1/	44.4 **	4.8
	15:00-16:00 HOUR	54.2 1/	52.7 **	48.9 1/	47.9 **	1.0
	16:00-17:00 HOUR	56.7 1/	51.2 **	55.3 1/	48.4 **	6.9
	17:00-18:00 HOUR	53.7 1/	52.8 **	46.4 1/	46.0 **	<0.8 1/
	18:00-19:00 HOUR	53.2 1/	50.2 **	50.2 1/	43.8 **	6.4
	19:00-20:00 HOUR	51.4 1/	49.8 **	46.3 1/	44.0 **	2.3
	20:00-21:00 HOUR	51.9 1/	47.5 **	49.9 1/	44.1 **	5.8
	21:00-22:00 HOUR	51.4 1/	50.0 **	45.8 1/	42.9 **	2.9
	<b>NIGHT TIME</b> 2/					
	22:00-22:05 HOUR	51.8 1/	51.6 ***	41.3 1/	41.5 ***	<0.8 1/
	22:05-22:10 HOUR	52.0 1/	51.6 ***	44.4 1/	41.5 ***	2.9
	22:10-22:15 HOUR	51.2 1/	51.6 ***	<0.8 1/	41.5 ***	<0.8 1/
	22:15-22:20 HOUR	46.4 1/	44.1 ***	45.5 1/	38.5 ***	7.0
	22:20-22:25 HOUR	46.1 1/	44.1 ***	44.8 1/	38.5 ***	6.3
	22:25-22:30 HOUR	45.9 1/	44.1 ***	44.2 1/	38.5 ***	5.7
	22:30-22:35 HOUR	47.2 1/	47.0 ***	36.7 1/	41.2 ***	<0.8 1/
	22:35-22:40 HOUR	47.7 1/	47.0 ***	42.4 1/	41.2 ***	1.2
	22:40-22:45 HOUR	47.8 1/	47.0 ***	43.1 1/	41.2 ***	1.9
	22:45-22:50 HOUR	46.6 1/	53.7 ***	<0.8 1/	43.8 ***	<0.8 1/
	22:50-22:55 HOUR	51.8 1/	53.7 ***	<0.8 1/	43.8 ***	<0.8 1/
	22:55-23:00 HOUR	54.1 1/	53.7 ***	46.5 1/	43.8 ***	2.7
	23:00-23:05 HOUR	51.4 1/	50.0 ***	48.8 1/	44.0 ***	4.8
	23:05-23:10 HOUR	52.4 1/	50.0 ***	51.7 1/	44.0 ***	7.7
	23:10-23:15 HOUR	52.4 1/	50.0 ***	51.7 1/	44.0 ***	7.7
	23:15-23:20 HOUR	52.3 1/	52.7 ***	<0.8 1/	46.9 ***	<0.8 1/

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR THE SAMPLES AS RECEIVED.

1/14



DATE	TIME*	RESULT (dB(A))				
		บริเวณถนนประมงพื้นบ้านลำลูกดง				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 21, 2024	<b>NIGHT TIME</b> 2/					
T24AG080-0010	05:10-05:15 HOUR	56.5 1/	55.0 ***	54.2 1/	47.3 ***	6.9
	05:15-05:20 HOUR	54.1 1/	53.1 ***	50.2 1/	47.6 ***	2.6
	05:20-05:25 HOUR	55.6 1/	53.1 ***	55.0 1/	47.6 ***	7.4
	05:25-05:30 HOUR	55.1 1/	53.1 ***	53.8 1/	47.6 ***	6.2
	05:30-05:35 HOUR	55.4 1/	53.1 ***	54.5 1/	48.0 ***	6.5
	05:35-05:40 HOUR	55.5 1/	53.1 ***	54.8 1/	48.0 ***	6.8
	05:40-05:45 HOUR	54.5 1/	53.1 ***	51.9 1/	48.0 ***	3.9
	05:45-05:50 HOUR	52.7 1/	51.8 ***	48.4 1/	46.8 ***	1.6
	05:50-05:55 HOUR	53.6 1/	51.8 ***	51.9 1/	46.8 ***	5.1
	05:55-06:00 HOUR	52.3 1/	51.8 ***	45.7 1/	46.8 ***	<0.8 1/
	<b>DAY TIME</b> 1/					
	06:00-07:00 HOUR	57.4 1/	54.1 **	54.7 1/	48.6 **	6.1

**REMARK :** 1/ CASE 1 CALCULATION (DURING 06:00 TO 22:00 HOUR) : SPECIFIC SOUND LEVEL CONTINUOUSLY OCCUR AT LEAST 1 HOUR, MEASURING AS L Aeq 1 hour.  
2/ CASE 4 CALCULATION (DURING 22:00 TO 06:00 HOUR) : SPECIFIC SOUND LEVEL OCCUR IN RESTFUL AREA OR NIGHT TIME, MEASURING AS L Aeq 5 minutes.  
3/ THERE IS NO IMPACT CAUSE ANNOYANCE SOUND LEVEL.  
\*\* PERCENTILE LEVEL 90 (L Aeq) IS THE MIDDLE VALUE OF 11 TIMES MEASURING (55 MINUTES MEASURING DURING 06:00 TO 22:00 HOUR) AND RESIDUAL SOUND LEVEL (L Aeq 5 minutes) IS CHOSEN AT THE SAME TIME AS PERCENTILE LEVEL 90 ABOVE.  
\*\*\* PERCENTILE LEVEL 90 (L Aeq) IS THE MIDDLE VALUE OF 3 TIMES MEASURING (15 MINUTES MEASURING DURING 22:00 TO 06:00 HOUR) AND RESIDUAL SOUND LEVEL (L Aeq 5 minutes) IS CHOSEN AT THE SAME TIME AS PERCENTILE LEVEL 90 ABOVE.

*Sila Bandongjai*

(MR. SILA BANDONGJAI) LABORATORY SUPERVISOR

MARCH 29, 2024

• PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.  
• THIS ANALYSIS REPORT APPROVES ONLY FOR THE SAMPLES AS RECEIVED.

14/14

2024-U026638

- End of Analysis Report -



DATE	TIME*	RESULT (dB(A)) บริเวณวัดโพธิ์นิพนธ์				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 17, 2024 T24AG080-0011	<b>NIGHT TIME</b> <sup>2/</sup>					
	02:55-03:00 HOUR	44.7 <sup>1/</sup>	44.0 ***	39.4 <sup>1/</sup>	41.9 ***	<0.8 <sup>1/</sup>
	03:00-03:05 HOUR	47.5 <sup>1/</sup>	48.6 ***	<0.8 <sup>1/</sup>	42.9 ***	<0.8 <sup>1/</sup>
	03:05-03:10 HOUR	45.9 <sup>1/</sup>	48.6 ***	<0.8 <sup>1/</sup>	42.9 ***	<0.8 <sup>1/</sup>
	03:10-03:15 HOUR	50.4 <sup>1/</sup>	48.6 ***	48.7 <sup>1/</sup>	42.9 ***	5.8
	03:15-03:20 HOUR	49.0 <sup>1/</sup>	46.6 ***	48.3 <sup>1/</sup>	42.8 ***	5.5
	03:20-03:25 HOUR	48.7 <sup>1/</sup>	46.6 ***	47.5 <sup>1/</sup>	42.8 ***	4.7
	03:25-03:30 HOUR	49.3 <sup>1/</sup>	46.6 ***	49.0 <sup>1/</sup>	42.8 ***	6.2
	03:30-03:35 HOUR	47.5 <sup>1/</sup>	45.2 ***	46.6 <sup>1/</sup>	42.8 ***	3.8
	03:35-03:40 HOUR	45.8 <sup>1/</sup>	45.2 ***	39.9 <sup>1/</sup>	42.8 ***	<0.8 <sup>1/</sup>
	03:40-03:45 HOUR	45.4 <sup>1/</sup>	45.2 ***	34.9 <sup>1/</sup>	42.8 ***	<0.8 <sup>1/</sup>
	03:45-03:50 HOUR	47.1 <sup>1/</sup>	44.9 ***	46.1 <sup>1/</sup>	42.4 ***	3.7
	03:50-03:55 HOUR	46.4 <sup>1/</sup>	44.9 ***	44.1 <sup>1/</sup>	42.4 ***	1.7
	03:55-04:00 HOUR	45.7 <sup>1/</sup>	44.9 ***	41.0 <sup>1/</sup>	42.4 ***	<0.8 <sup>1/</sup>
	04:00-04:05 HOUR	45.8 <sup>1/</sup>	44.3 ***	43.5 <sup>1/</sup>	42.0 ***	1.5
	04:05-04:10 HOUR	47.4 <sup>1/</sup>	44.3 ***	47.5 <sup>1/</sup>	42.0 ***	5.5
	04:10-04:15 HOUR	45.6 <sup>1/</sup>	44.3 ***	42.7 <sup>1/</sup>	42.0 ***	<0.8 <sup>1/</sup>
	04:15-04:20 HOUR	45.4 <sup>1/</sup>	45.0 ***	37.8 <sup>1/</sup>	43.0 ***	<0.8 <sup>1/</sup>
	04:20-04:25 HOUR	47.7 <sup>1/</sup>	45.0 ***	47.4 <sup>1/</sup>	43.0 ***	4.4
	04:25-04:30 HOUR	44.8 <sup>1/</sup>	45.0 ***	<0.8 <sup>1/</sup>	43.0 ***	<0.8 <sup>1/</sup>
	04:30-04:35 HOUR	44.8 <sup>1/</sup>	44.0 ***	40.1 <sup>1/</sup>	41.8 ***	<0.8 <sup>1/</sup>
	04:35-04:40 HOUR	47.9 <sup>1/</sup>	44.0 ***	48.6 <sup>1/</sup>	41.8 ***	6.8
	04:40-04:45 HOUR	46.2 <sup>1/</sup>	44.0 ***	45.2 <sup>1/</sup>	41.8 ***	3.4
	04:45-04:50 HOUR	45.7 <sup>1/</sup>	45.8 ***	<0.8 <sup>1/</sup>	43.2 ***	<0.8 <sup>1/</sup>
	04:50-04:55 HOUR	46.7 <sup>1/</sup>	45.8 ***	42.4 <sup>1/</sup>	43.2 ***	<0.8 <sup>1/</sup>
	04:55-05:00 HOUR	48.2 <sup>1/</sup>	45.8 ***	47.5 <sup>1/</sup>	43.2 ***	4.3
	05:00-05:05 HOUR	46.9 <sup>1/</sup>	47.5 ***	<0.8 <sup>1/</sup>	44.9 ***	<0.8 <sup>1/</sup>
	05:05-05:10 HOUR	48.7 <sup>1/</sup>	47.5 ***	45.5 <sup>1/</sup>	44.9 ***	<0.8 <sup>1/</sup>
	05:10-05:15 HOUR	49.7 <sup>1/</sup>	47.5 ***	48.7 <sup>1/</sup>	44.9 ***	3.8
	05:15-05:20 HOUR	48.1 <sup>1/</sup>	50.6 ***	<0.8 <sup>1/</sup>	43.2 ***	<0.8 <sup>1/</sup>
	05:20-05:25 HOUR	51.2 <sup>1/</sup>	50.6 ***	45.3 <sup>1/</sup>	43.2 ***	2.1
	05:25-05:30 HOUR	51.6 <sup>1/</sup>	50.6 ***	47.7 <sup>1/</sup>	43.2 ***	4.5
	05:30-05:35 HOUR	52.1 <sup>1/</sup>	49.9 ***	51.1 <sup>1/</sup>	43.6 ***	7.5
	05:35-05:40 HOUR	51.6 <sup>1/</sup>	49.9 ***	49.7 <sup>1/</sup>	43.6 ***	6.1
	05:40-05:45 HOUR	49.1 <sup>1/</sup>	49.9 ***	<0.8 <sup>1/</sup>	43.6 ***	<0.8 <sup>1/</sup>
	05:45-05:50 HOUR	52.6 <sup>1/</sup>	50.9 ***	50.7 <sup>1/</sup>	44.1 ***	6.6
	05:50-05:55 HOUR	52.7 <sup>1/</sup>	50.9 ***	51.0 <sup>1/</sup>	44.1 ***	6.9
	05:55-06:00 HOUR	52.4 <sup>1/</sup>	50.9 ***	50.1 <sup>1/</sup>	44.1 ***	6.0
	<b>DAY TIME</b> <sup>1/</sup>					
	06:00-07:00 HOUR	55.2 <sup>1/</sup>	49.7 **	53.8 <sup>1/</sup>	46.3 **	7.5
MARCH 17, 2024 T24AG080-0012	<b>DAY TIME</b> <sup>1/</sup>					
	07:00-08:00 HOUR	65.1 <sup>1/</sup>	63.5 **	60.0 <sup>1/</sup>	59.8 **	<0.8 <sup>1/</sup>
	08:00-09:00 HOUR	60.4 <sup>1/</sup>	56.4 **	58.2 <sup>1/</sup>	52.7 **	5.5
	09:00-10:00 HOUR	59.3 <sup>1/</sup>	55.4 **	57.0 <sup>1/</sup>	49.6 **	7.4
	10:00-11:00 HOUR	59.8 <sup>1/</sup>	56.5 **	57.1 <sup>1/</sup>	50.7 **	6.4
	11:00-12:00 HOUR	61.4 <sup>1/</sup>	56.3 **	59.8 <sup>1/</sup>	52.8 **	7.0

DATE	TIME*	RESULT (dB(A)) บริเวณวัดโพธิ์นิพนธ์				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 16, 2024 T24AG080-0011	<b>NIGHT TIME</b> <sup>2/</sup>					
	23:20-23:25 HOUR	53.0 <sup>2/</sup>	52.7 ***	44.2 <sup>1/</sup>	46.9 ***	<0.8 <sup>1/</sup>
	23:25-23:30 HOUR	54.3 <sup>2/</sup>	52.7 ***	52.2 <sup>2/</sup>	46.9 ***	5.3
	23:30-23:35 HOUR	50.2 <sup>1/</sup>	49.1 ***	46.7 <sup>2/</sup>	44.1 ***	2.6
	23:35-23:40 HOUR	50.8 <sup>2/</sup>	49.1 ***	48.9 <sup>2/</sup>	44.1 ***	4.8
	23:40-23:45 HOUR	47.2 <sup>1/</sup>	49.1 ***	<0.8 <sup>1/</sup>	44.1 ***	<0.8 <sup>1/</sup>
	23:45-23:50 HOUR	49.9 <sup>2/</sup>	47.8 ***	48.7 <sup>2/</sup>	41.0 ***	7.7
	23:50-23:55 HOUR	49.2 <sup>2/</sup>	47.8 ***	46.6 <sup>2/</sup>	41.0 ***	5.6
	23:55-00:00 HOUR	49.6 <sup>2/</sup>	47.8 ***	47.9 <sup>2/</sup>	41.0 ***	6.9
MARCH 17, 2024 T24AG080-0011	<b>NIGHT TIME</b> <sup>2/</sup>					
	00:00-00:05 HOUR	47.4 <sup>2/</sup>	48.8 ***	<0.8 <sup>1/</sup>	41.4 ***	<0.8 <sup>1/</sup>
	00:05-00:10 HOUR	46.6 <sup>2/</sup>	48.8 ***	<0.8 <sup>1/</sup>	41.4 ***	<0.8 <sup>1/</sup>
	00:10-00:15 HOUR	49.5 <sup>2/</sup>	48.8 ***	44.2 <sup>2/</sup>	41.4 ***	2.8
	00:15-00:20 HOUR	49.6 <sup>2/</sup>	47.6 ***	48.3 <sup>2/</sup>	40.6 ***	7.7
	00:20-00:25 HOUR	47.7 <sup>2/</sup>	47.6 ***	34.3 <sup>2/</sup>	40.6 ***	<0.8 <sup>1/</sup>
	00:25-00:30 HOUR	48.9 <sup>2/</sup>	47.6 ***	46.0 <sup>2/</sup>	40.6 ***	5.4
	00:30-00:35 HOUR	48.6 <sup>2/</sup>	47.0 ***	46.5 <sup>2/</sup>	41.1 ***	5.4
	00:35-00:40 HOUR	48.8 <sup>2/</sup>	47.0 ***	47.1 <sup>2/</sup>	41.1 ***	6.0
	00:40-00:45 HOUR	47.5 <sup>2/</sup>	47.0 ***	40.9 <sup>2/</sup>	41.1 ***	<0.8 <sup>1/</sup>
	00:45-00:50 HOUR	49.4 <sup>2/</sup>	48.6 ***	44.7 <sup>2/</sup>	41.9 ***	2.8
	00:50-00:55 HOUR	49.9 <sup>2/</sup>	48.6 ***	47.0 <sup>2/</sup>	41.9 ***	5.1
	00:55-01:00 HOUR	49.0 <sup>2/</sup>	48.6 ***	41.4 <sup>2/</sup>	41.9 ***	<0.8 <sup>1/</sup>
	01:00-01:05 HOUR	50.0 <sup>2/</sup>	50.3 ***	<0.8 <sup>1/</sup>	42.7 ***	<0.8 <sup>1/</sup>
	01:05-01:10 HOUR	51.6 <sup>2/</sup>	50.3 ***	48.7 <sup>2/</sup>	42.7 ***	6.0
	01:10-01:15 HOUR	49.3 <sup>2/</sup>	50.3 ***	<0.8 <sup>1/</sup>	42.7 ***	<0.8 <sup>1/</sup>
	01:15-01:20 HOUR	52.0 <sup>2/</sup>	51.5 ***	45.4 <sup>2/</sup>	42.3 ***	3.1
	01:20-01:25 HOUR	50.4 <sup>2/</sup>	51.5 ***	<0.8 <sup>1/</sup>	42.3 ***	<0.8 <sup>1/</sup>
	01:25-01:30 HOUR	50.5 <sup>2/</sup>	51.5 ***	<0.8 <sup>1/</sup>	42.3 ***	<0.8 <sup>1/</sup>
	01:30-01:35 HOUR	51.3 <sup>2/</sup>	50.8 ***	44.7 <sup>2/</sup>	42.7 ***	2.0
	01:35-01:40 HOUR	51.1 <sup>2/</sup>	50.8 ***	42.3 <sup>2/</sup>	42.7 ***	<0.8 <sup>1/</sup>
	01:40-01:45 HOUR	52.0 <sup>2/</sup>	50.8 ***	48.8 <sup>2/</sup>	42.7 ***	6.1
	01:45-01:50 HOUR	52.6 <sup>2/</sup>	51.3 ***	49.7 <sup>2/</sup>	42.9 ***	6.8
	01:50-01:55 HOUR	50.9 <sup>2/</sup>	51.3 ***	<0.8 <sup>1/</sup>	42.9 ***	<0.8 <sup>1/</sup>
	01:55-02:00 HOUR	50.3 <sup>2/</sup>	51.3 ***	<0.8 <sup>1/</sup>	42.9 ***	<0.8 <sup>1/</sup>
	02:00-02:05 HOUR	50.9 <sup>2/</sup>	49.3 ***	48.8 <sup>2/</sup>	43.2 ***	5.6
	02:05-02:10 HOUR	50.8 <sup>2/</sup>	49.3 ***	48.5 <sup>2/</sup>	43.2 ***	5.3
	02:10-02:15 HOUR	50.0 <sup>2/</sup>	49.3 ***	44.7 <sup>2/</sup>	43.2 ***	1.5
	02:15-02:20 HOUR	50.3 <sup>2/</sup>	48.7 ***	48.2 <sup>2/</sup>	44.5 ***	3.7
	02:20-02:25 HOUR	49.8 <sup>2/</sup>	48.7 ***	46.3 <sup>2/</sup>	44.5 ***	1.8
	02:25-02:30 HOUR	49.1 <sup>2/</sup>	48.7 ***	41.5 <sup>2/</sup>	44.5 ***	<0.8 <sup>1/</sup>
	02:30-02:35 HOUR	50.0 <sup>2/</sup>	46.6 ***	50.3 <sup>2/</sup>	42.8 ***	7.5
	02:35-02:40 HOUR	49.3 <sup>2/</sup>	46.6 ***	49.0 <sup>2/</sup>	42.8 ***	6.2
	02:40-02:45 HOUR	48.6 <sup>2/</sup>	46.6 ***	47.3 <sup>2/</sup>	42.8 ***	4.5
	02:45-02:50 HOUR	47.7 <sup>2/</sup>	44.0 ***	48.3 <sup>2/</sup>	41.9 ***	6.4
	02:50-02:55 HOUR	45.3 <sup>2/</sup>	44.0 ***	42.4 <sup>2/</sup>	41.9 ***	<0.8 <sup>1/</sup>

DATE	TIME*	RESULT (dB(A)) มาตรการลดเสียงรบกวน				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 18, 2024	<b>NIGHT TIME</b> 2/					
T24AG080-0012	00:45-00:50 HOUR	49.8 <sup>2/</sup>	48.3 ***	47.5 <sup>2/</sup>	44.0 ***	3.5
	00:50-00:55 HOUR	50.7 <sup>2/</sup>	48.3 ***	50.0 <sup>2/</sup>	44.0 ***	6.0
	00:55-01:00 HOUR	47.5 <sup>2/</sup>	48.3 ***	<0.8 <sup>2/</sup>	44.0 ***	<0.8 <sup>2/</sup>
	01:00-01:05 HOUR	50.8 <sup>2/</sup>	49.0 ***	49.1 <sup>2/</sup>	42.7 ***	6.4
	01:05-01:10 HOUR	51.0 <sup>2/</sup>	49.0 ***	49.7 <sup>2/</sup>	42.7 ***	7.0
	01:10-01:15 HOUR	48.3 <sup>2/</sup>	49.0 ***	<0.8 <sup>2/</sup>	42.7 ***	<0.8 <sup>2/</sup>
	01:15-01:20 HOUR	51.4 <sup>2/</sup>	48.4 ***	51.4 <sup>2/</sup>	44.2 ***	7.2
	01:20-01:25 HOUR	49.0 <sup>2/</sup>	48.4 ***	43.1 <sup>2/</sup>	44.2 ***	<0.8 <sup>2/</sup>
	01:25-01:30 HOUR	47.2 <sup>2/</sup>	48.4 ***	<0.8 <sup>2/</sup>	44.2 ***	<0.8 <sup>2/</sup>
	01:30-01:35 HOUR	50.6 <sup>2/</sup>	47.2 ***	50.9 <sup>2/</sup>	43.5 ***	7.4
	01:35-01:40 HOUR	46.9 <sup>2/</sup>	47.2 ***	<0.8 <sup>2/</sup>	43.5 ***	<0.8 <sup>2/</sup>
	01:40-01:45 HOUR	47.7 <sup>2/</sup>	47.2 ***	41.1 <sup>2/</sup>	43.5 ***	<0.8 <sup>2/</sup>
	01:45-01:50 HOUR	50.8 <sup>2/</sup>	50.4 ***	43.2 <sup>2/</sup>	43.0 ***	<0.8 <sup>2/</sup>
	01:50-01:55 HOUR	51.3 <sup>2/</sup>	50.4 ***	47.0 <sup>2/</sup>	43.0 ***	4.0
	01:55-02:00 HOUR	50.6 <sup>2/</sup>	50.4 ***	40.1 <sup>2/</sup>	43.0 ***	<0.8 <sup>2/</sup>
	02:00-02:05 HOUR	50.3 <sup>2/</sup>	48.4 ***	48.8 <sup>2/</sup>	43.3 ***	5.5
	02:05-02:10 HOUR	49.7 <sup>2/</sup>	48.4 ***	46.8 <sup>2/</sup>	43.3 ***	3.5
	02:10-02:15 HOUR	47.7 <sup>2/</sup>	48.4 ***	<0.8 <sup>2/</sup>	43.3 ***	<0.8 <sup>2/</sup>
	02:15-02:20 HOUR	45.9 <sup>2/</sup>	48.2 ***	<0.8 <sup>2/</sup>	43.0 ***	<0.8 <sup>2/</sup>
	02:20-02:25 HOUR	50.2 <sup>2/</sup>	48.2 ***	48.9 <sup>2/</sup>	43.0 ***	5.9
	02:25-02:30 HOUR	48.7 <sup>2/</sup>	48.2 ***	42.1 <sup>2/</sup>	43.0 ***	<0.8 <sup>2/</sup>
	02:30-02:35 HOUR	45.0 <sup>2/</sup>	44.7 ***	36.2 <sup>2/</sup>	42.9 ***	<0.8 <sup>2/</sup>
	02:35-02:40 HOUR	46.1 <sup>2/</sup>	44.7 ***	43.5 <sup>2/</sup>	42.9 ***	<0.8 <sup>2/</sup>
	02:40-02:45 HOUR	45.4 <sup>2/</sup>	44.7 ***	40.1 <sup>2/</sup>	42.9 ***	<0.8 <sup>2/</sup>
	02:45-02:50 HOUR	46.6 <sup>2/</sup>	45.9 ***	41.3 <sup>2/</sup>	43.0 ***	<0.8 <sup>2/</sup>
	02:50-02:55 HOUR	45.9 <sup>2/</sup>	45.9 ***	<0.8 <sup>2/</sup>	43.0 ***	<0.8 <sup>2/</sup>
	02:55-03:00 HOUR	49.2 <sup>2/</sup>	45.9 ***	49.5 <sup>2/</sup>	43.0 ***	6.5
	03:00-03:05 HOUR	46.8 <sup>2/</sup>	46.2 ***	40.9 <sup>2/</sup>	42.1 ***	<0.8 <sup>2/</sup>
	03:05-03:10 HOUR	48.9 <sup>2/</sup>	46.2 ***	48.6 <sup>2/</sup>	42.1 ***	6.5
	03:10-03:15 HOUR	49.5 <sup>2/</sup>	46.2 ***	49.8 <sup>2/</sup>	42.1 ***	7.7
	03:15-03:20 HOUR	49.9 <sup>2/</sup>	47.9 ***	48.6 <sup>2/</sup>	42.9 ***	5.7
	03:20-03:25 HOUR	48.6 <sup>2/</sup>	47.9 ***	43.3 <sup>2/</sup>	42.9 ***	<0.8 <sup>2/</sup>
	03:25-03:30 HOUR	48.1 <sup>2/</sup>	47.9 ***	37.6 <sup>2/</sup>	42.9 ***	<0.8 <sup>2/</sup>
	03:30-03:35 HOUR	46.9 <sup>2/</sup>	46.0 ***	42.6 <sup>2/</sup>	43.1 ***	<0.8 <sup>2/</sup>
	03:35-03:40 HOUR	44.9 <sup>2/</sup>	46.0 ***	<0.8 <sup>2/</sup>	43.1 ***	<0.8 <sup>2/</sup>
	03:40-03:45 HOUR	47.7 <sup>2/</sup>	46.0 ***	45.8 <sup>2/</sup>	43.1 ***	2.7
	03:45-03:50 HOUR	53.0 <sup>2/</sup>	52.3 ***	47.7 <sup>2/</sup>	43.5 ***	4.2
	03:50-03:55 HOUR	53.3 <sup>2/</sup>	52.3 ***	49.4 <sup>2/</sup>	43.5 ***	5.9
	03:55-04:00 HOUR	53.6 <sup>2/</sup>	52.3 ***	50.7 <sup>2/</sup>	43.5 ***	7.2
	04:00-04:05 HOUR	45.5 <sup>2/</sup>	45.3 ***	35.0 <sup>2/</sup>	41.8 ***	<0.8 <sup>2/</sup>
	04:05-04:10 HOUR	45.6 <sup>2/</sup>	45.3 ***	36.8 <sup>2/</sup>	41.8 ***	<0.8 <sup>2/</sup>
	04:10-04:15 HOUR	49.0 <sup>2/</sup>	45.3 ***	49.6 <sup>2/</sup>	41.8 ***	7.8
	04:15-04:20 HOUR	47.1 <sup>2/</sup>	45.3 ***	<0.8 <sup>2/</sup>	41.8 ***	<0.8 <sup>2/</sup>
	04:20-04:25 HOUR	45.4 <sup>2/</sup>	54.3 ***	<0.8 <sup>2/</sup>	41.8 ***	<0.8 <sup>2/</sup>

DATE	TIME*	RESULT (dB(A)) มาตรการลดเสียงรบกวน				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 17, 2024	<b>DAY TIME</b> 1/					
T24AG080-0012	12:00-13:00 HOUR	64.3 <sup>1/</sup>	61.7 **	60.8 <sup>1/</sup>	53.2 **	7.6
	13:00-14:00 HOUR	64.5 <sup>1/</sup>	62.6 **	60.0 <sup>1/</sup>	55.5 **	4.5
	14:00-15:00 HOUR	65.5 <sup>1/</sup>	63.4 **	61.3 <sup>1/</sup>	57.2 **	4.1
	15:00-16:00 HOUR	64.6 <sup>1/</sup>	62.3 **	60.7 <sup>1/</sup>	56.5 **	4.2
	16:00-17:00 HOUR	63.0 <sup>1/</sup>	62.0 **	56.1 <sup>1/</sup>	56.4 **	<0.8 <sup>1/</sup>
	17:00-18:00 HOUR	55.6 <sup>1/</sup>	53.9 **	50.7 <sup>1/</sup>	49.3 **	1.4
	18:00-19:00 HOUR	52.8 <sup>1/</sup>	50.6 **	48.8 <sup>1/</sup>	43.5 **	5.3
	19:00-20:00 HOUR	51.9 <sup>1/</sup>	47.5 **	49.9 <sup>1/</sup>	43.8 **	6.1
	20:00-21:00 HOUR	51.4 <sup>1/</sup>	47.0 **	49.4 <sup>1/</sup>	42.8 **	6.6
	21:00-22:00 HOUR	52.3 <sup>1/</sup>	49.6 **	49.0 <sup>1/</sup>	42.2 **	6.8
	<b>NIGHT TIME</b> 2/					
	22:00-22:05 HOUR	48.8 <sup>2/</sup>	49.0 ***	<0.8 <sup>2/</sup>	40.4 ***	<0.8 <sup>2/</sup>
	22:05-22:10 HOUR	48.3 <sup>2/</sup>	49.0 ***	<0.8 <sup>2/</sup>	40.4 ***	<0.8 <sup>2/</sup>
	22:10-22:15 HOUR	49.4 <sup>2/</sup>	49.0 ***	41.8 <sup>2/</sup>	40.4 ***	1.4
	22:15-22:20 HOUR	50.4 <sup>2/</sup>	49.8 ***	44.5 <sup>2/</sup>	39.8 ***	4.7
	22:20-22:25 HOUR	50.7 <sup>2/</sup>	49.8 ***	46.4 <sup>2/</sup>	39.8 ***	6.6
	22:25-22:30 HOUR	50.3 <sup>2/</sup>	49.8 ***	43.7 <sup>2/</sup>	39.8 ***	3.9
	22:30-22:35 HOUR	51.6 <sup>2/</sup>	50.0 ***	49.5 <sup>2/</sup>	43.4 ***	6.1
	22:35-22:40 HOUR	50.8 <sup>2/</sup>	50.0 ***	46.1 <sup>2/</sup>	43.4 ***	2.7
	22:40-22:45 HOUR	50.1 <sup>2/</sup>	50.0 ***	36.7 <sup>2/</sup>	43.4 ***	<0.8 <sup>2/</sup>
	22:45-22:50 HOUR	52.4 <sup>2/</sup>	53.9 ***	<0.8 <sup>2/</sup>	44.6 ***	<0.8 <sup>2/</sup>
	22:50-22:55 HOUR	54.4 <sup>2/</sup>	53.9 ***	47.8 <sup>2/</sup>	44.6 ***	3.2
	22:55-23:00 HOUR	54.7 <sup>2/</sup>	53.9 ***	50.0 <sup>2/</sup>	44.6 ***	5.4
	23:00-23:05 HOUR	52.8 <sup>2/</sup>	52.6 ***	42.3 <sup>2/</sup>	44.6 ***	<0.8 <sup>2/</sup>
	23:05-23:10 HOUR	53.1 <sup>2/</sup>	52.6 ***	46.5 <sup>2/</sup>	44.6 ***	1.9
	23:10-23:15 HOUR	51.0 <sup>2/</sup>	52.6 ***	<0.8 <sup>2/</sup>	44.6 ***	<0.8 <sup>2/</sup>
	23:15-23:20 HOUR	49.8 <sup>2/</sup>	49.6 ***	39.3 <sup>2/</sup>	43.6 ***	<0.8 <sup>2/</sup>
	23:20-23:25 HOUR	51.3 <sup>2/</sup>	49.6 ***	49.4 <sup>2/</sup>	43.6 ***	5.8
	23:25-23:30 HOUR	51.2 <sup>2/</sup>	49.6 ***	49.1 <sup>2/</sup>	43.6 ***	5.5
	23:30-23:35 HOUR	48.6 <sup>2/</sup>	47.7 ***	44.3 <sup>2/</sup>	42.8 ***	1.5
	23:35-23:40 HOUR	50.3 <sup>2/</sup>	47.7 ***	49.8 <sup>2/</sup>	42.8 ***	7.0
	23:40-23:45 HOUR	49.9 <sup>2/</sup>	47.7 ***	48.9 <sup>2/</sup>	42.8 ***	6.1
	23:45-23:50 HOUR	48.8 <sup>2/</sup>	48.7 ***	35.4 <sup>2/</sup>	43.5 ***	<0.8 <sup>2/</sup>
	23:50-23:55 HOUR	50.1 <sup>2/</sup>	48.7 ***	47.5 <sup>2/</sup>	43.5 ***	4.0
	23:55-00:00 HOUR	50.4 <sup>2/</sup>	48.7 ***	48.5 <sup>2/</sup>	43.5 ***	5.0
MARCH 18, 2024	<b>NIGHT TIME</b> 2/					
T24AG080-0012	00:00-00:05 HOUR	49.8 <sup>2/</sup>	47.5 ***	48.9 <sup>2/</sup>	42.6 ***	6.3
	00:05-00:10 HOUR	49.4 <sup>2/</sup>	47.5 ***	47.9 <sup>2/</sup>	42.6 ***	5.3
	00:10-00:15 HOUR	48.6 <sup>2/</sup>	47.5 ***	45.1 <sup>2/</sup>	42.6 ***	2.5
	00:15-00:20 HOUR	51.9 <sup>2/</sup>	52.2 ***	<0.8 <sup>2/</sup>	43.7 ***	<0.8 <sup>2/</sup>
	00:20-00:25 HOUR	53.2 <sup>2/</sup>	52.2 ***	49.3 <sup>2/</sup>	43.7 ***	5.6
	00:25-00:30 HOUR	48.4 <sup>2/</sup>	52.2 ***	<0.8 <sup>2/</sup>	43.7 ***	<0.8 <sup>2/</sup>
	00:30-00:35 HOUR	49.8 <sup>2/</sup>	48.4 ***	47.2 <sup>2/</sup>	43.0 ***	4.2
	00:35-00:40 HOUR	49.0 <sup>2/</sup>	48.4 ***	43.1 <sup>2/</sup>	43.0 ***	<0.8 <sup>2/</sup>
	00:40-00:45 HOUR	50.9 <sup>2/</sup>	48.4 ***	50.3 <sup>2/</sup>	43.0 ***	7.3



DATE	TIME*	RESULT (dB(A)) มาตรการในณัณพณณ				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 18, 2024	<b>NIGHT TIME</b> 2/					
T24AG080-0013	22:35-22:40 HOUR	48.1 <sup>2/</sup>	47.6 ***	41.5 <sup>1/</sup>	44.2 ***	<0.8 <sup>1/</sup>
	22:40-22:45 HOUR	49.4 <sup>2/</sup>	47.6 ***	47.7 <sup>2/</sup>	44.2 ***	3.5
	22:45-22:50 HOUR	51.1 <sup>2/</sup>	51.2 ***	<0.8 <sup>1/</sup>	47.2 ***	<0.8 <sup>1/</sup>
	22:50-22:55 HOUR	51.5 <sup>2/</sup>	51.2 ***	42.7 <sup>2/</sup>	47.2 ***	<0.8 <sup>1/</sup>
	22:55-23:00 HOUR	54.2 <sup>2/</sup>	51.2 ***	54.2 <sup>2/</sup>	47.2 ***	7.0
	23:00-23:05 HOUR	50.4 <sup>2/</sup>	48.8 ***	48.3 <sup>2/</sup>	45.0 ***	3.3
	23:05-23:10 HOUR	50.0 <sup>2/</sup>	48.8 ***	46.8 <sup>2/</sup>	45.0 ***	1.8
	23:10-23:15 HOUR	48.1 <sup>2/</sup>	48.8 ***	<0.8 <sup>1/</sup>	45.0 ***	<0.8 <sup>1/</sup>
	23:15-23:20 HOUR	51.4 <sup>2/</sup>	50.2 ***	48.2 <sup>2/</sup>	43.8 ***	4.4
	23:20-23:25 HOUR	50.1 <sup>2/</sup>	50.2 ***	<0.8 <sup>1/</sup>	43.8 ***	<0.8 <sup>1/</sup>
	23:25-23:30 HOUR	52.1 <sup>2/</sup>	50.2 ***	50.6 <sup>2/</sup>	43.8 ***	6.8
	23:30-23:35 HOUR	50.3 <sup>2/</sup>	47.6 ***	50.0 <sup>2/</sup>	44.5 ***	5.5
	23:35-23:40 HOUR	51.5 <sup>2/</sup>	47.6 ***	52.2 <sup>2/</sup>	44.5 ***	7.7
	23:40-23:45 HOUR	48.4 <sup>2/</sup>	47.6 ***	43.7 <sup>2/</sup>	44.5 ***	<0.8 <sup>1/</sup>
	23:45-23:50 HOUR	50.0 <sup>2/</sup>	48.2 ***	48.3 <sup>2/</sup>	45.3 ***	3.0
	23:50-23:55 HOUR	48.7 <sup>2/</sup>	48.2 ***	42.1 <sup>2/</sup>	45.3 ***	<0.8 <sup>1/</sup>
	23:55-00:00 HOUR	48.8 <sup>2/</sup>	48.2 ***	42.9 <sup>2/</sup>	45.3 ***	<0.8 <sup>1/</sup>
MARCH 19, 2024	<b>NIGHT TIME</b> 2/					
T24AG080-0013	00:00-00:05 HOUR	48.7 <sup>2/</sup>	49.1 ***	<0.8 <sup>1/</sup>	44.9 ***	<0.8 <sup>1/</sup>
	00:05-00:10 HOUR	50.2 <sup>2/</sup>	49.1 ***	46.7 <sup>2/</sup>	44.9 ***	1.8
	00:10-00:15 HOUR	48.8 <sup>2/</sup>	49.1 ***	<0.8 <sup>1/</sup>	44.9 ***	<0.8 <sup>1/</sup>
	00:15-00:20 HOUR	54.0 <sup>2/</sup>	52.4 ***	51.9 <sup>2/</sup>	45.8 ***	6.1
	00:20-00:25 HOUR	53.7 <sup>2/</sup>	52.4 ***	50.8 <sup>2/</sup>	45.8 ***	5.0
	00:25-00:30 HOUR	52.1 <sup>2/</sup>	52.4 ***	<0.8 <sup>1/</sup>	45.8 ***	<0.8 <sup>1/</sup>
	00:30-00:35 HOUR	51.2 <sup>2/</sup>	49.1 ***	50.0 <sup>2/</sup>	44.0 ***	6.0
	00:35-00:40 HOUR	50.6 <sup>2/</sup>	49.1 ***	48.3 <sup>2/</sup>	44.0 ***	4.3
	00:40-00:45 HOUR	51.5 <sup>2/</sup>	49.1 ***	50.8 <sup>2/</sup>	44.0 ***	6.8
	00:45-00:50 HOUR	49.8 <sup>2/</sup>	49.4 ***	42.2 <sup>2/</sup>	45.9 ***	<0.8 <sup>1/</sup>
	00:50-00:55 HOUR	50.0 <sup>2/</sup>	49.4 ***	44.1 <sup>2/</sup>	45.9 ***	<0.8 <sup>1/</sup>
	00:55-01:00 HOUR	51.0 <sup>2/</sup>	49.4 ***	48.9 <sup>2/</sup>	45.9 ***	3.0
	01:00-01:05 HOUR	52.4 <sup>2/</sup>	51.3 ***	48.9 <sup>2/</sup>	47.0 ***	1.9
	01:05-01:10 HOUR	52.7 <sup>2/</sup>	51.3 ***	50.1 <sup>2/</sup>	47.0 ***	3.1
	01:10-01:15 HOUR	52.0 <sup>2/</sup>	51.3 ***	46.7 <sup>2/</sup>	47.0 ***	<0.8 <sup>1/</sup>
	01:15-01:20 HOUR	54.2 <sup>2/</sup>	53.0 ***	51.0 <sup>2/</sup>	46.9 ***	4.1
	01:20-01:25 HOUR	54.4 <sup>2/</sup>	53.0 ***	51.8 <sup>2/</sup>	46.9 ***	4.9
	01:25-01:30 HOUR	54.8 <sup>2/</sup>	53.0 ***	53.1 <sup>2/</sup>	46.9 ***	6.2
	01:30-01:35 HOUR	54.6 <sup>2/</sup>	52.2 ***	53.9 <sup>2/</sup>	47.0 ***	6.9
	01:35-01:40 HOUR	54.4 <sup>2/</sup>	52.2 ***	53.4 <sup>2/</sup>	47.0 ***	6.4
	01:40-01:45 HOUR	54.5 <sup>2/</sup>	52.2 ***	53.6 <sup>2/</sup>	47.0 ***	6.6
	01:45-01:50 HOUR	53.2 <sup>2/</sup>	52.8 ***	45.6 <sup>2/</sup>	47.9 ***	<0.8 <sup>1/</sup>
	01:50-01:55 HOUR	53.6 <sup>2/</sup>	52.8 ***	48.9 <sup>2/</sup>	47.9 ***	1.0
	01:55-02:00 HOUR	53.2 <sup>2/</sup>	52.8 ***	45.6 <sup>2/</sup>	47.9 ***	<0.8 <sup>1/</sup>
	02:00-02:05 HOUR	53.5 <sup>2/</sup>	51.4 ***	52.3 <sup>2/</sup>	46.7 ***	5.6
	02:05-02:10 HOUR	52.5 <sup>2/</sup>	51.4 ***	49.0 <sup>2/</sup>	46.7 ***	2.3

DATE	TIME*	RESULT (dB(A)) มาตรการในณัณพณณ				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 18, 2024	<b>NIGHT TIME</b> 2/					
T24AG080-0012	04:25-04:30 HOUR	46.2 <sup>2/</sup>	54.3 ***	<0.8 <sup>1/</sup>	41.8 ***	<0.8 <sup>1/</sup>
	04:30-04:35 HOUR	56.0 <sup>2/</sup>	55.7 ***	47.2 <sup>2/</sup>	44.3 ***	2.9
	04:35-04:40 HOUR	54.2 <sup>2/</sup>	55.7 ***	<0.8 <sup>1/</sup>	44.3 ***	<0.8 <sup>1/</sup>
	04:40-04:45 HOUR	51.5 <sup>2/</sup>	55.7 ***	<0.8 <sup>1/</sup>	44.3 ***	<0.8 <sup>1/</sup>
	04:45-04:50 HOUR	50.8 <sup>2/</sup>	47.5 ***	51.1 <sup>2/</sup>	43.5 ***	7.6
	04:50-04:55 HOUR	48.4 <sup>2/</sup>	47.5 ***	44.1 <sup>2/</sup>	43.5 ***	<0.8 <sup>1/</sup>
	04:55-05:00 HOUR	46.7 <sup>2/</sup>	47.5 ***	<0.8 <sup>1/</sup>	43.5 ***	<0.8 <sup>1/</sup>
	05:00-05:05 HOUR	48.7 <sup>2/</sup>	47.8 ***	44.4 <sup>2/</sup>	42.7 ***	1.7
	05:05-05:10 HOUR	50.4 <sup>2/</sup>	47.8 ***	49.9 <sup>2/</sup>	42.7 ***	7.2
	05:10-05:15 HOUR	48.8 <sup>2/</sup>	47.8 ***	44.9 <sup>2/</sup>	42.7 ***	2.2
	05:15-05:20 HOUR	50.1 <sup>2/</sup>	47.6 ***	49.5 <sup>2/</sup>	42.8 ***	6.7
	05:20-05:25 HOUR	49.9 <sup>2/</sup>	47.6 ***	49.0 <sup>2/</sup>	42.8 ***	6.2
	05:25-05:30 HOUR	47.3 <sup>2/</sup>	47.6 ***	<0.8 <sup>1/</sup>	42.8 ***	<0.8 <sup>1/</sup>
	05:30-05:35 HOUR	48.6 <sup>2/</sup>	48.2 ***	41.0 <sup>2/</sup>	42.6 ***	<0.8 <sup>1/</sup>
	05:35-05:40 HOUR	49.8 <sup>2/</sup>	48.2 ***	47.7 <sup>2/</sup>	42.6 ***	5.1
	05:40-05:45 HOUR	49.1 <sup>2/</sup>	48.2 ***	44.8 <sup>2/</sup>	42.6 ***	2.2
	05:45-05:50 HOUR	49.8 <sup>2/</sup>	49.6 ***	39.3 <sup>2/</sup>	43.9 ***	<0.8 <sup>1/</sup>
	05:50-05:55 HOUR	50.1 <sup>2/</sup>	49.6 ***	43.5 <sup>2/</sup>	43.9 ***	<0.8 <sup>1/</sup>
	05:55-06:00 HOUR	49.8 <sup>2/</sup>	49.6 ***	39.3 <sup>2/</sup>	43.9 ***	<0.8 <sup>1/</sup>
	<b>DAY TIME</b> 1/					
	06:00-07:00 HOUR	56.4 <sup>1/</sup>	53.1 **	53.7 <sup>1/</sup>	47.1 **	6.6
MARCH 18, 2024	<b>DAY TIME</b> 1/					
T24AG080-0013	07:00-08:00 HOUR	56.8 <sup>1/</sup>	54.9 **	52.3 <sup>1/</sup>	48.7 **	3.6
	08:00-09:00 HOUR	58.9 <sup>1/</sup>	56.8 **	54.7 <sup>1/</sup>	52.5 **	2.2
	09:00-10:00 HOUR	58.2 <sup>1/</sup>	57.0 **	52.0 <sup>1/</sup>	50.0 **	2.0
	10:00-11:00 HOUR	56.5 <sup>1/</sup>	54.2 **	52.6 <sup>1/</sup>	48.8 **	3.8
	11:00-12:00 HOUR	56.7 <sup>1/</sup>	53.7 **	53.7 <sup>1/</sup>	49.4 **	4.3
	12:00-13:00 HOUR	57.4 <sup>1/</sup>	56.3 **	50.9 <sup>1/</sup>	50.6 **	<0.8 <sup>1/</sup>
	13:00-14:00 HOUR	58.2 <sup>1/</sup>	57.1 **	51.7 <sup>1/</sup>	51.2 **	<0.8 <sup>1/</sup>
	14:00-15:00 HOUR	57.8 <sup>1/</sup>	54.5 **	55.1 <sup>1/</sup>	51.0 **	4.1
	15:00-16:00 HOUR	54.3 <sup>1/</sup>	51.3 **	51.3 <sup>1/</sup>	47.7 **	3.6
	16:00-17:00 HOUR	55.9 <sup>1/</sup>	49.9 **	54.6 <sup>1/</sup>	46.9 **	7.7
	17:00-18:00 HOUR	55.8 <sup>1/</sup>	51.8 **	53.6 <sup>1/</sup>	46.5 **	7.1
	18:00-19:00 HOUR	54.2 <sup>1/</sup>	52.0 **	50.2 <sup>1/</sup>	45.6 **	4.6
	19:00-20:00 HOUR	55.1 <sup>1/</sup>	53.5 **	50.0 <sup>1/</sup>	47.7 **	2.3
	20:00-21:00 HOUR	54.8 <sup>1/</sup>	50.0 **	53.1 <sup>1/</sup>	47.0 **	6.1
	21:00-22:00 HOUR	51.2 <sup>1/</sup>	51.2 **	<0.8 <sup>1/</sup>	47.3 **	<0.8 <sup>1/</sup>
	<b>NIGHT TIME</b> 2/					
	22:00-22:05 HOUR	51.1 <sup>2/</sup>	50.8 ***	42.3 <sup>2/</sup>	48.1 ***	<0.8 <sup>1/</sup>
	22:05-22:10 HOUR	53.4 <sup>2/</sup>	50.8 ***	52.9 <sup>2/</sup>	48.1 ***	4.8
	22:10-22:15 HOUR	50.9 <sup>2/</sup>	50.8 ***	37.5 <sup>2/</sup>	48.1 ***	<0.8 <sup>1/</sup>
	22:15-22:20 HOUR	50.1 <sup>2/</sup>	46.7 ***	50.4 <sup>2/</sup>	43.8 ***	6.6
	22:20-22:25 HOUR	49.6 <sup>2/</sup>	46.7 ***	49.5 <sup>2/</sup>	43.8 ***	5.7
	22:25-22:30 HOUR	48.4 <sup>2/</sup>	46.7 ***	46.5 <sup>2/</sup>	43.8 ***	2.7
	22:30-22:35 HOUR	48.0 <sup>2/</sup>	47.6 ***	40.4 <sup>2/</sup>	44.2 ***	<0.8 <sup>1/</sup>

DATE	TIME*	RESULT (dB(A)) มาตราวัดโดยเป็นพบบน				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 19, 2024	<b>NIGHT TIME</b> 2/					
T24AG080-0013	05:50-05:55 HOUR	56.2 <sup>2/</sup>	54.6 ***	54.1 <sup>2/</sup>	47.8 ***	6.3
	05:55-06:00 HOUR	56.2 <sup>2/</sup>	54.6 ***	54.1 <sup>2/</sup>	47.8 ***	6.3
	<b>DAY TIME</b> 1/					
	06:00-07:00 HOUR	57.6 <sup>1/</sup>	54.5 **	54.7 <sup>1/</sup>	50.5 **	4.2
MARCH 19, 2024	<b>DAY TIME</b> 1/					
T24AG080-0014	07:00-08:00 HOUR	58.1 <sup>1/</sup>	56.5 **	53.0 <sup>1/</sup>	51.8 **	1.2
	08:00-09:00 HOUR	58.7 <sup>1/</sup>	55.8 **	55.6 <sup>1/</sup>	50.9 **	4.7
	09:00-10:00 HOUR	58.2 <sup>1/</sup>	55.6 **	54.7 <sup>1/</sup>	52.3 **	2.4
	10:00-11:00 HOUR	59.6 <sup>1/</sup>	56.4 **	56.8 <sup>1/</sup>	52.4 **	4.4
	11:00-12:00 HOUR	55.7 <sup>1/</sup>	53.2 **	52.1 <sup>1/</sup>	49.3 **	2.8
	12:00-13:00 HOUR	55.4 <sup>1/</sup>	55.3 **	39.0 <sup>1/</sup>	49.3 **	<0.8 <sup>3/</sup>
	13:00-14:00 HOUR	58.7 <sup>1/</sup>	55.8 **	55.6 <sup>1/</sup>	52.0 **	3.6
	14:00-15:00 HOUR	56.7 <sup>1/</sup>	52.4 **	54.7 <sup>1/</sup>	48.4 **	6.3
	15:00-16:00 HOUR	54.5 <sup>1/</sup>	53.2 **	48.6 <sup>1/</sup>	45.8 **	2.8
	16:00-17:00 HOUR	53.6 <sup>1/</sup>	49.5 **	51.5 <sup>1/</sup>	45.6 **	5.9
	17:00-18:00 HOUR	53.4 <sup>1/</sup>	52.0 **	47.8 <sup>1/</sup>	45.5 **	2.3
	18:00-19:00 HOUR	52.3 <sup>1/</sup>	50.0 **	48.4 <sup>1/</sup>	44.6 **	3.8
	19:00-20:00 HOUR	50.1 <sup>1/</sup>	48.1 **	45.8 <sup>1/</sup>	42.1 **	3.7
	20:00-21:00 HOUR	50.2 <sup>1/</sup>	50.0 **	36.7 <sup>1/</sup>	42.3 **	<0.8 <sup>3/</sup>
	21:00-22:00 HOUR	51.9 <sup>1/</sup>	49.4 **	48.3 <sup>1/</sup>	45.0 **	3.3
	<b>NIGHT TIME</b> 2/					
	22:00-22:05 HOUR	50.6 <sup>2/</sup>	50.4 ***	40.1 <sup>2/</sup>	44.6 ***	<0.8 <sup>3/</sup>
	22:05-22:10 HOUR	49.8 <sup>2/</sup>	50.4 ***	<0.8 <sup>3/</sup>	44.6 ***	<0.8 <sup>3/</sup>
	22:10-22:15 HOUR	50.5 <sup>2/</sup>	50.4 ***	37.1 <sup>2/</sup>	44.6 ***	<0.8 <sup>3/</sup>
	22:15-22:20 HOUR	52.0 <sup>2/</sup>	49.7 ***	51.1 <sup>2/</sup>	45.0 ***	6.1
	22:20-22:25 HOUR	49.7 <sup>2/</sup>	49.7 ***	<0.8 <sup>3/</sup>	45.0 ***	<0.8 <sup>3/</sup>
	22:25-22:30 HOUR	50.1 <sup>2/</sup>	49.7 ***	42.5 <sup>2/</sup>	45.0 ***	<0.8 <sup>3/</sup>
	22:30-22:35 HOUR	51.0 <sup>2/</sup>	49.7 ***	48.1 <sup>2/</sup>	45.3 ***	2.8
	22:35-22:40 HOUR	50.9 <sup>2/</sup>	49.7 ***	47.7 <sup>2/</sup>	45.3 ***	2.4
	22:40-22:45 HOUR	52.5 <sup>2/</sup>	49.7 ***	52.3 <sup>2/</sup>	45.3 ***	7.0
	22:45-22:50 HOUR	48.6 <sup>2/</sup>	51.3 ***	<0.8 <sup>3/</sup>	45.7 ***	<0.8 <sup>3/</sup>
	22:50-22:55 HOUR	51.8 <sup>2/</sup>	51.3 ***	45.2 <sup>2/</sup>	45.7 ***	<0.8 <sup>3/</sup>
	22:55-23:00 HOUR	53.2 <sup>2/</sup>	51.3 ***	51.7 <sup>2/</sup>	45.7 ***	6.0
	23:00-23:05 HOUR	49.8 <sup>2/</sup>	47.9 ***	48.3 <sup>2/</sup>	44.4 ***	3.9
	23:05-23:10 HOUR	50.0 <sup>2/</sup>	47.9 ***	48.8 <sup>2/</sup>	44.4 ***	4.4
	23:10-23:15 HOUR	48.8 <sup>2/</sup>	47.9 ***	44.5 <sup>2/</sup>	44.4 ***	<0.8 <sup>3/</sup>
	23:15-23:20 HOUR	49.2 <sup>2/</sup>	49.6 ***	<0.8 <sup>3/</sup>	45.2 ***	<0.8 <sup>3/</sup>
	23:20-23:25 HOUR	48.7 <sup>2/</sup>	49.6 ***	<0.8 <sup>3/</sup>	45.2 ***	<0.8 <sup>3/</sup>
	23:25-23:30 HOUR	49.6 <sup>2/</sup>	49.6 ***	52.4 <sup>2/</sup>	45.2 ***	7.2
	23:30-23:35 HOUR	49.5 <sup>2/</sup>	48.6 ***	45.2 <sup>2/</sup>	43.5 ***	1.7
	23:35-23:40 HOUR	50.6 <sup>2/</sup>	48.6 ***	49.3 <sup>2/</sup>	43.5 ***	5.8
	23:40-23:45 HOUR	49.5 <sup>2/</sup>	48.6 ***	45.2 <sup>2/</sup>	43.5 ***	1.7
	23:45-23:50 HOUR	50.8 <sup>2/</sup>	47.7 ***	50.9 <sup>2/</sup>	43.2 ***	7.7
	23:50-23:55 HOUR	49.0 <sup>2/</sup>	47.7 ***	46.1 <sup>2/</sup>	43.2 ***	2.9
	23:55-00:00 HOUR	50.7 <sup>2/</sup>	47.7 ***	50.7 <sup>2/</sup>	43.2 ***	7.5

DATE	TIME*	RESULT (dB(A)) มาตราวัดโดยเป็นพบบน				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 19, 2024	<b>NIGHT TIME</b> 2/					
T24AG080-0013	02:10-02:15 HOUR	53.1 <sup>2/</sup>	51.4 ***	51.2 <sup>2/</sup>	46.7 ***	4.5
	02:15-02:20 HOUR	54.7 <sup>2/</sup>	53.1 ***	52.6 <sup>2/</sup>	48.6 ***	4.0
	02:20-02:25 HOUR	53.7 <sup>2/</sup>	53.1 ***	47.8 <sup>2/</sup>	48.6 ***	<0.8 <sup>3/</sup>
	02:25-02:30 HOUR	55.0 <sup>2/</sup>	53.1 ***	53.5 <sup>2/</sup>	48.6 ***	4.9
	02:30-02:35 HOUR	55.9 <sup>2/</sup>	53.1 ***	55.7 <sup>2/</sup>	48.2 ***	7.5
	02:35-02:40 HOUR	55.1 <sup>2/</sup>	53.1 ***	53.8 <sup>2/</sup>	48.2 ***	5.6
	02:40-02:45 HOUR	54.7 <sup>2/</sup>	53.1 ***	52.6 <sup>2/</sup>	48.2 ***	4.4
	02:45-02:50 HOUR	53.8 <sup>2/</sup>	52.6 ***	50.6 <sup>2/</sup>	47.6 ***	3.0
	02:50-02:55 HOUR	54.4 <sup>2/</sup>	52.6 ***	52.7 <sup>2/</sup>	47.6 ***	5.1
	02:55-03:00 HOUR	52.8 <sup>2/</sup>	52.6 ***	42.3 <sup>2/</sup>	47.6 ***	<0.8 <sup>3/</sup>
	03:00-03:05 HOUR	51.8 <sup>2/</sup>	49.4 ***	51.1 <sup>2/</sup>	47.7 ***	3.4
	03:05-03:10 HOUR	49.5 <sup>2/</sup>	49.4 ***	36.1 <sup>2/</sup>	47.7 ***	<0.8 <sup>3/</sup>
	03:10-03:15 HOUR	50.2 <sup>2/</sup>	49.4 ***	45.5 <sup>2/</sup>	47.7 ***	<0.8 <sup>3/</sup>
	03:15-03:20 HOUR	50.1 <sup>2/</sup>	47.9 ***	49.1 <sup>2/</sup>	46.0 ***	3.1
	03:20-03:25 HOUR	52.6 <sup>2/</sup>	47.9 ***	53.8 <sup>2/</sup>	46.0 ***	7.8
	03:25-03:30 HOUR	49.0 <sup>2/</sup>	47.9 ***	45.5 <sup>2/</sup>	46.0 ***	<0.8 <sup>3/</sup>
	03:30-03:35 HOUR	49.8 <sup>2/</sup>	47.9 ***	48.3 <sup>2/</sup>	46.7 ***	1.6
	03:35-03:40 HOUR	50.2 <sup>2/</sup>	47.9 ***	49.3 <sup>2/</sup>	46.7 ***	2.6
	03:40-03:45 HOUR	49.6 <sup>2/</sup>	47.9 ***	47.7 <sup>2/</sup>	46.7 ***	1.0
	03:45-03:50 HOUR	49.8 <sup>2/</sup>	50.9 ***	<0.8 <sup>3/</sup>	47.4 ***	<0.8 <sup>3/</sup>
	03:50-03:55 HOUR	49.0 <sup>2/</sup>	50.9 ***	<0.8 <sup>3/</sup>	47.4 ***	<0.8 <sup>3/</sup>
	03:55-04:00 HOUR	50.9 <sup>2/</sup>	50.9 ***	<0.8 <sup>3/</sup>	47.4 ***	<0.8 <sup>3/</sup>
	04:00-04:05 HOUR	51.3 <sup>2/</sup>	49.0 ***	50.4 <sup>2/</sup>	46.0 ***	4.4
	04:05-04:10 HOUR	52.0 <sup>2/</sup>	49.0 ***	52.0 <sup>2/</sup>	46.0 ***	6.0
	04:10-04:15 HOUR	49.8 <sup>2/</sup>	49.0 ***	45.1 <sup>2/</sup>	46.0 ***	<0.8 <sup>3/</sup>
	04:15-04:20 HOUR	49.2 <sup>2/</sup>	49.4 ***	<0.8 <sup>3/</sup>	46.6 ***	<0.8 <sup>3/</sup>
	04:20-04:25 HOUR	53.3 <sup>2/</sup>	49.4 ***	54.0 <sup>2/</sup>	46.6 ***	7.4
	04:25-04:30 HOUR	48.7 <sup>2/</sup>	49.4 ***	<0.8 <sup>3/</sup>	46.6 ***	<0.8 <sup>3/</sup>
	04:30-04:35 HOUR	50.7 <sup>2/</sup>	51.5 ***	<0.8 <sup>3/</sup>	46.6 ***	<0.8 <sup>3/</sup>
	04:35-04:40 HOUR	50.2 <sup>2/</sup>	51.5 ***	<0.8 <sup>3/</sup>	46.6 ***	<0.8 <sup>3/</sup>
	04:40-04:45 HOUR	53.6 <sup>2/</sup>	51.5 ***	52.4 <sup>2/</sup>	46.6 ***	5.8
	04:45-04:50 HOUR	52.2 <sup>2/</sup>	51.0 ***	49.0 <sup>2/</sup>	45.7 ***	3.3
	04:50-04:55 HOUR	51.2 <sup>2/</sup>	51.0 ***	40.7 <sup>2/</sup>	45.7 ***	<0.8 <sup>3/</sup>
	04:55-05:00 HOUR	52.6 <sup>2/</sup>	51.0 ***	50.5 <sup>2/</sup>	45.7 ***	4.8
	05:00-05:05 HOUR	52.9 <sup>2/</sup>	50.7 ***	51.9 <sup>2/</sup>	45.5 ***	6.4
	05:05-05:10 HOUR	53.2 <sup>2/</sup>	50.7 ***	52.6 <sup>2/</sup>	45.5 ***	7.1
	05:10-05:15 HOUR	52.4 <sup>2/</sup>	50.7 ***	50.5 <sup>2/</sup>	45.5 ***	5.0
	05:15-05:20 HOUR	52.4 <sup>2/</sup>	51.2 ***	49.2 <sup>2/</sup>	46.0 ***	3.2
	05:20-05:25 HOUR	53.0 <sup>2/</sup>	51.2 ***	51.3 <sup>2/</sup>	46.0 ***	5.3
	05:25-05:30 HOUR	52.9 <sup>2/</sup>	51.2 ***	51.0 <sup>2/</sup>	46.0 ***	5.0
	05:30-05:35 HOUR	54.8 <sup>2/</sup>	52.9 ***	53.3 <sup>2/</sup>	47.1 ***	6.2
	05:35-05:40 HOUR	54.2 <sup>2/</sup>	52.9 ***	51.3 <sup>2/</sup>	47.1 ***	4.2
	05:40-05:45 HOUR	54.7 <sup>2/</sup>	52.9 ***	53.0 <sup>2/</sup>	47.1 ***	5.9
	05:45-05:50 HOUR	54.1 <sup>2/</sup>	54.6 ***	<0.8 <sup>3/</sup>	47.8 ***	<0.8 <sup>3/</sup>



DATE	TIME*	RESULT (dB(A)) มาตรการลดเสียงรบกวน				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 20, 2024	<b>NIGHT TIME</b> <sup>2/</sup>					
T24AG080-0014	03:40-03:45 HOUR	46.1 <sup>2/</sup>	44.5 ***	44.0 <sup>2/</sup>	42.4 ***	1.6
	03:45-03:50 HOUR	47.4 <sup>2/</sup>	45.3 ***	46.2 <sup>2/</sup>	42.1 ***	4.1
	03:50-03:55 HOUR	47.0 <sup>2/</sup>	45.3 ***	45.1 <sup>2/</sup>	42.1 ***	3.0
	03:55-04:00 HOUR	46.4 <sup>2/</sup>	45.3 ***	42.9 <sup>2/</sup>	42.1 ***	0.8
	04:00-04:05 HOUR	49.7 <sup>2/</sup>	46.7 ***	49.7 <sup>2/</sup>	42.3 ***	7.4
	04:05-04:10 HOUR	49.6 <sup>2/</sup>	46.7 ***	49.5 <sup>2/</sup>	42.3 ***	7.2
	04:10-04:15 HOUR	48.9 <sup>2/</sup>	46.7 ***	47.9 <sup>2/</sup>	42.3 ***	5.6
	04:15-04:20 HOUR	48.4 <sup>2/</sup>	45.5 ***	48.3 <sup>2/</sup>	43.0 ***	5.3
	04:20-04:25 HOUR	49.6 <sup>2/</sup>	45.5 ***	50.5 <sup>2/</sup>	43.0 ***	7.5
	04:25-04:30 HOUR	45.6 <sup>2/</sup>	45.5 ***	32.2 <sup>2/</sup>	43.0 ***	<0.8 <sup>2/</sup>
	04:30-04:35 HOUR	45.6 <sup>2/</sup>	46.2 ***	<0.8 <sup>2/</sup>	43.7 ***	<0.8 <sup>2/</sup>
	04:35-04:40 HOUR	47.2 <sup>2/</sup>	46.2 ***	43.3 <sup>2/</sup>	43.7 ***	<0.8 <sup>2/</sup>
	04:40-04:45 HOUR	47.3 <sup>2/</sup>	46.2 ***	43.8 <sup>2/</sup>	43.7 ***	<0.8 <sup>2/</sup>
	04:45-04:50 HOUR	46.9 <sup>2/</sup>	46.0 ***	42.6 <sup>2/</sup>	43.7 ***	<0.8 <sup>2/</sup>
	04:50-04:55 HOUR	46.9 <sup>2/</sup>	46.0 ***	42.6 <sup>2/</sup>	43.7 ***	<0.8 <sup>2/</sup>
	04:55-05:00 HOUR	47.9 <sup>2/</sup>	46.0 ***	46.4 <sup>2/</sup>	43.7 ***	2.7
	05:00-05:05 HOUR	46.9 <sup>2/</sup>	46.0 ***	42.6 <sup>2/</sup>	43.3 ***	<0.8 <sup>2/</sup>
	05:05-05:10 HOUR	47.6 <sup>2/</sup>	46.0 ***	45.5 <sup>2/</sup>	43.3 ***	2.2
	05:10-05:15 HOUR	49.4 <sup>2/</sup>	46.0 ***	49.7 <sup>2/</sup>	43.3 ***	6.4
	05:15-05:20 HOUR	47.0 <sup>2/</sup>	49.2 ***	<0.8 <sup>2/</sup>	44.3 ***	<0.8 <sup>2/</sup>
	05:20-05:25 HOUR	51.1 <sup>2/</sup>	49.2 ***	49.6 <sup>2/</sup>	44.3 ***	5.3
	05:25-05:30 HOUR	50.8 <sup>2/</sup>	49.2 ***	48.7 <sup>2/</sup>	44.3 ***	4.4
	05:30-05:35 HOUR	51.7 <sup>2/</sup>	50.1 ***	49.6 <sup>2/</sup>	45.8 ***	3.8
	05:35-05:40 HOUR	51.1 <sup>2/</sup>	50.1 ***	47.2 <sup>2/</sup>	45.8 ***	1.4
	05:40-05:45 HOUR	52.1 <sup>2/</sup>	50.1 ***	50.8 <sup>2/</sup>	45.8 ***	5.0
	05:45-05:50 HOUR	53.4 <sup>2/</sup>	51.9 ***	51.1 <sup>2/</sup>	46.9 ***	4.2
	05:50-05:55 HOUR	53.8 <sup>2/</sup>	51.9 ***	52.3 <sup>2/</sup>	46.9 ***	5.4
	05:55-06:00 HOUR	54.3 <sup>2/</sup>	51.9 ***	53.6 <sup>2/</sup>	46.9 ***	6.7
	<b>DAY TIME</b> <sup>1/</sup>					
	06:00-07:00 HOUR	56.3 <sup>2/</sup>	52.1 **	54.2 <sup>2/</sup>	48.6 **	5.6
MARCH 20, 2024	<b>DAY TIME</b> <sup>1/</sup>					
T24AG080-0015	07:00-08:00 HOUR	57.6 <sup>2/</sup>	54.7 **	54.5 <sup>2/</sup>	49.2 **	5.3
	08:00-09:00 HOUR	56.5 <sup>2/</sup>	53.4 **	53.6 <sup>2/</sup>	46.5 **	7.1
	09:00-10:00 HOUR	59.2 <sup>2/</sup>	59.1 **	42.8 <sup>2/</sup>	47.9 **	<0.8 <sup>2/</sup>
	10:00-11:00 HOUR	57.2 <sup>2/</sup>	54.5 **	53.9 <sup>2/</sup>	48.0 **	5.9
	11:00-12:00 HOUR	54.4 <sup>2/</sup>	50.0 **	52.4 <sup>2/</sup>	46.2 **	6.2
	12:00-13:00 HOUR	58.7 <sup>2/</sup>	54.7 **	56.5 <sup>2/</sup>	49.9 **	6.6
	13:00-14:00 HOUR	62.0 <sup>2/</sup>	58.9 **	59.1 <sup>2/</sup>	53.4 **	5.7
	14:00-15:00 HOUR	59.4 <sup>2/</sup>	57.9 **	54.1 <sup>2/</sup>	52.1 **	2.0
	15:00-16:00 HOUR	52.5 <sup>2/</sup>	50.3 **	48.5 <sup>2/</sup>	43.3 **	5.2
	16:00-17:00 HOUR	52.0 <sup>2/</sup>	50.7 **	46.1 <sup>2/</sup>	43.6 **	2.5
	17:00-18:00 HOUR	54.0 <sup>2/</sup>	50.9 **	51.1 <sup>2/</sup>	43.7 **	7.4
	18:00-19:00 HOUR	53.7 <sup>2/</sup>	52.1 **	48.6 <sup>2/</sup>	44.4 **	4.2
	19:00-20:00 HOUR	53.9 <sup>2/</sup>	51.6 **	50.0 <sup>2/</sup>	44.0 **	6.0
	20:00-21:00 HOUR	53.0 <sup>2/</sup>	51.0 **	48.7 <sup>2/</sup>	45.2 **	3.5

DATE	TIME*	RESULT (dB(A)) มาตรการลดเสียงรบกวน				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 20, 2024	<b>NIGHT TIME</b> <sup>2/</sup>					
T24AG080-0014	00:00-00:05 HOUR	48.5 <sup>2/</sup>	47.9 ***	42.6 <sup>2/</sup>	44.4 ***	<0.8 <sup>2/</sup>
	00:05-00:10 HOUR	47.4 <sup>2/</sup>	47.9 ***	<0.8 <sup>2/</sup>	44.4 ***	<0.8 <sup>2/</sup>
	00:10-00:15 HOUR	49.4 <sup>2/</sup>	47.9 ***	47.1 <sup>2/</sup>	44.4 ***	2.7
	00:15-00:20 HOUR	50.2 <sup>2/</sup>	47.3 ***	50.1 <sup>2/</sup>	43.6 ***	6.5
	00:20-00:25 HOUR	48.8 <sup>2/</sup>	47.3 ***	46.5 <sup>2/</sup>	43.6 ***	2.9
	00:25-00:30 HOUR	47.7 <sup>2/</sup>	47.3 ***	40.1 <sup>2/</sup>	43.6 ***	<0.8 <sup>2/</sup>
	00:30-00:35 HOUR	48.2 <sup>2/</sup>	46.6 ***	46.1 <sup>2/</sup>	42.7 ***	3.4
	00:35-00:40 HOUR	49.9 <sup>2/</sup>	46.6 ***	50.2 <sup>2/</sup>	42.7 ***	7.5
	00:40-00:45 HOUR	47.4 <sup>2/</sup>	46.6 ***	42.7 <sup>2/</sup>	42.7 ***	<0.8 <sup>2/</sup>
	00:45-00:50 HOUR	47.2 <sup>2/</sup>	46.5 ***	41.9 <sup>2/</sup>	43.9 ***	<0.8 <sup>2/</sup>
	00:50-00:55 HOUR	47.8 <sup>2/</sup>	46.5 ***	44.9 <sup>2/</sup>	43.9 ***	1.0
	00:55-01:00 HOUR	46.6 <sup>2/</sup>	46.5 ***	33.2 <sup>2/</sup>	43.9 ***	<0.8 <sup>2/</sup>
	01:00-01:05 HOUR	46.6 <sup>2/</sup>	46.5 ***	33.2 <sup>2/</sup>	43.8 ***	<0.8 <sup>2/</sup>
	01:05-01:10 HOUR	47.8 <sup>2/</sup>	46.5 ***	44.9 <sup>2/</sup>	43.8 ***	1.1
	01:10-01:15 HOUR	46.4 <sup>2/</sup>	46.5 ***	<0.8 <sup>2/</sup>	43.8 ***	<0.8 <sup>2/</sup>
	01:15-01:20 HOUR	46.7 <sup>2/</sup>	46.7 ***	<0.8 <sup>2/</sup>	43.1 ***	<0.8 <sup>2/</sup>
	01:20-01:25 HOUR	49.8 <sup>2/</sup>	46.7 ***	49.9 <sup>2/</sup>	43.1 ***	6.8
	01:25-01:30 HOUR	46.3 <sup>2/</sup>	46.7 ***	<0.8 <sup>2/</sup>	43.1 ***	<0.8 <sup>2/</sup>
	01:30-01:35 HOUR	49.4 <sup>2/</sup>	45.5 ***	50.1 <sup>2/</sup>	42.6 ***	7.5
	01:35-01:40 HOUR	47.4 <sup>2/</sup>	45.5 ***	45.9 <sup>2/</sup>	42.6 ***	3.3
	01:40-01:45 HOUR	47.7 <sup>2/</sup>	45.5 ***	46.7 <sup>2/</sup>	42.6 ***	4.1
	01:45-01:50 HOUR	47.8 <sup>2/</sup>	46.9 ***	43.5 <sup>2/</sup>	43.8 ***	<0.8 <sup>2/</sup>
	01:50-01:55 HOUR	46.6 <sup>2/</sup>	46.9 ***	<0.8 <sup>2/</sup>	43.8 ***	<0.8 <sup>2/</sup>
	01:55-02:00 HOUR	47.8 <sup>2/</sup>	46.9 ***	43.5 <sup>2/</sup>	43.8 ***	<0.8 <sup>2/</sup>
	02:00-02:05 HOUR	49.5 <sup>2/</sup>	45.9 ***	50.0 <sup>2/</sup>	42.5 ***	7.5
	02:05-02:10 HOUR	48.1 <sup>2/</sup>	45.9 ***	47.1 <sup>2/</sup>	42.5 ***	4.6
	02:10-02:15 HOUR	47.0 <sup>2/</sup>	45.9 ***	43.5 <sup>2/</sup>	42.5 ***	1.0
	02:15-02:20 HOUR	48.3 <sup>2/</sup>	45.7 ***	47.8 <sup>2/</sup>	43.0 ***	4.8
	02:20-02:25 HOUR	46.2 <sup>2/</sup>	45.7 ***	39.6 <sup>2/</sup>	43.0 ***	<0.8 <sup>2/</sup>
	02:25-02:30 HOUR	46.7 <sup>2/</sup>	45.7 ***	42.8 <sup>2/</sup>	43.0 ***	<0.8 <sup>2/</sup>
	02:30-02:35 HOUR	50.5 <sup>2/</sup>	47.4 ***	50.6 <sup>2/</sup>	43.2 ***	7.4
	02:35-02:40 HOUR	50.2 <sup>2/</sup>	47.4 ***	50.0 <sup>2/</sup>	43.2 ***	6.8
	02:40-02:45 HOUR	50.5 <sup>2/</sup>	47.4 ***	50.6 <sup>2/</sup>	43.2 ***	7.4
	02:45-02:50 HOUR	48.4 <sup>2/</sup>	46.3 ***	47.2 <sup>2/</sup>	43.7 ***	3.5
	02:50-02:55 HOUR	46.1 <sup>2/</sup>	46.3 ***	<0.8 <sup>2/</sup>	43.7 ***	<0.8 <sup>2/</sup>
	02:55-03:00 HOUR	45.7 <sup>2/</sup>	46.3 ***	<0.8 <sup>2/</sup>	43.7 ***	<0.8 <sup>2/</sup>
	03:00-03:05 HOUR	48.3 <sup>2/</sup>	47.0 ***	45.4 <sup>2/</sup>	43.3 ***	2.1
	03:05-03:10 HOUR	46.4 <sup>2/</sup>	47.0 ***	<0.8 <sup>2/</sup>	43.3 ***	<0.8 <sup>2/</sup>
	03:10-03:15 HOUR	49.3 <sup>2/</sup>	47.0 ***	48.4 <sup>2/</sup>	43.3 ***	5.1
	03:15-03:20 HOUR	49.7 <sup>2/</sup>	46.9 ***	49.5 <sup>2/</sup>	43.3 ***	6.2
	03:20-03:25 HOUR	49.1 <sup>2/</sup>	46.9 ***	48.1 <sup>2/</sup>	43.3 ***	4.8
	03:25-03:30 HOUR	48.6 <sup>2/</sup>	46.9 ***	46.7 <sup>2/</sup>	43.3 ***	3.4
	03:30-03:35 HOUR	47.2 <sup>2/</sup>	44.5 ***	46.9 <sup>2/</sup>	42.4 ***	4.5
	03:35-03:40 HOUR	46.4 <sup>2/</sup>	44.5 ***	44.9 <sup>2/</sup>	42.4 ***	2.5

DATE	TIME*	RESULT (dB(A))				
		มาตราวัดโหนดเสียง				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 21, 2024	<b>NIGHT TIME</b> <sup>2/</sup>					
T24AG080-0015	01:30-01:35 HOUR	46.5 <sup>2/</sup>	45.5 ***	42.6 <sup>2/</sup>	42.8 ***	<0.8 <sup>2/</sup>
	01:35-01:40 HOUR	45.4 <sup>2/</sup>	45.5 ***	<0.8 <sup>2/</sup>	42.8 ***	<0.8 <sup>2/</sup>
	01:40-01:45 HOUR	46.0 <sup>2/</sup>	45.5 ***	39.4 <sup>2/</sup>	42.8 ***	<0.8 <sup>2/</sup>
	01:45-01:50 HOUR	48.1 <sup>2/</sup>	46.7 ***	45.5 <sup>2/</sup>	41.5 ***	4.0
	01:50-01:55 HOUR	48.7 <sup>2/</sup>	46.7 ***	47.4 <sup>2/</sup>	41.5 ***	5.9
	01:55-02:00 HOUR	48.3 <sup>2/</sup>	46.7 ***	46.2 <sup>2/</sup>	41.5 ***	4.7
	02:00-02:05 HOUR	49.1 <sup>2/</sup>	47.8 ***	46.2 <sup>2/</sup>	41.2 ***	5.0
	02:05-02:10 HOUR	48.6 <sup>2/</sup>	47.8 ***	43.9 <sup>2/</sup>	41.2 ***	2.7
	02:10-02:15 HOUR	47.9 <sup>2/</sup>	47.8 ***	34.5 <sup>2/</sup>	41.2 ***	<0.8 <sup>2/</sup>
	02:15-02:20 HOUR	50.4 <sup>2/</sup>	48.9 ***	48.1 <sup>2/</sup>	43.0 ***	5.1
	02:20-02:25 HOUR	48.8 <sup>2/</sup>	48.9 ***	<0.8 <sup>2/</sup>	43.0 ***	<0.8 <sup>2/</sup>
	02:25-02:30 HOUR	51.0 <sup>2/</sup>	48.9 ***	49.8 <sup>2/</sup>	43.0 ***	6.8
	02:30-02:35 HOUR	50.9 <sup>2/</sup>	52.1 ***	<0.8 <sup>2/</sup>	45.5 ***	<0.8 <sup>2/</sup>
	02:35-02:40 HOUR	50.6 <sup>2/</sup>	52.1 ***	<0.8 <sup>2/</sup>	45.5 ***	<0.8 <sup>2/</sup>
	02:40-02:45 HOUR	54.0 <sup>2/</sup>	52.1 ***	52.5 <sup>2/</sup>	45.5 ***	7.0
	02:45-02:50 HOUR	49.7 <sup>2/</sup>	48.0 ***	47.8 <sup>2/</sup>	41.8 ***	6.0
	02:50-02:55 HOUR	49.0 <sup>2/</sup>	48.0 ***	45.1 <sup>2/</sup>	41.8 ***	3.3
	02:55-03:00 HOUR	48.0 <sup>2/</sup>	48.0 ***	<0.8 <sup>2/</sup>	41.8 ***	<0.8 <sup>2/</sup>
	03:00-03:05 HOUR	49.8 <sup>2/</sup>	48.2 ***	47.7 <sup>2/</sup>	42.9 ***	4.8
	03:05-03:10 HOUR	47.9 <sup>2/</sup>	48.2 ***	<0.8 <sup>2/</sup>	42.9 ***	<0.8 <sup>2/</sup>
	03:10-03:15 HOUR	49.7 <sup>2/</sup>	48.2 ***	47.4 <sup>2/</sup>	42.9 ***	4.5
	03:15-03:20 HOUR	48.6 <sup>2/</sup>	45.4 ***	48.8 <sup>2/</sup>	41.6 ***	7.2
	03:20-03:25 HOUR	48.8 <sup>2/</sup>	45.4 ***	49.1 <sup>2/</sup>	41.6 ***	7.5
	03:25-03:30 HOUR	47.6 <sup>2/</sup>	45.4 ***	46.6 <sup>2/</sup>	41.6 ***	5.0
	03:30-03:35 HOUR	45.7 <sup>2/</sup>	47.2 ***	<0.8 <sup>2/</sup>	41.6 ***	<0.8 <sup>2/</sup>
	03:35-03:40 HOUR	48.5 <sup>2/</sup>	47.2 ***	45.6 <sup>2/</sup>	41.6 ***	4.0
	03:40-03:45 HOUR	47.8 <sup>2/</sup>	47.2 ***	41.9 <sup>2/</sup>	41.6 ***	<0.8 <sup>2/</sup>
	03:45-03:50 HOUR	47.9 <sup>2/</sup>	45.8 ***	46.7 <sup>2/</sup>	39.7 ***	7.0
	03:50-03:55 HOUR	47.2 <sup>2/</sup>	45.8 ***	44.6 <sup>2/</sup>	39.7 ***	4.9
	03:55-04:00 HOUR	48.0 <sup>2/</sup>	45.8 ***	47.0 <sup>2/</sup>	39.7 ***	7.3
	04:00-04:05 HOUR	50.1 <sup>2/</sup>	49.7 ***	42.5 <sup>2/</sup>	41.8 ***	<0.8 <sup>2/</sup>
	04:05-04:10 HOUR	50.7 <sup>2/</sup>	49.7 ***	46.8 <sup>2/</sup>	41.8 ***	5.0
	04:10-04:15 HOUR	50.1 <sup>2/</sup>	49.7 ***	42.5 <sup>2/</sup>	41.8 ***	<0.8 <sup>2/</sup>
	04:15-04:20 HOUR	49.4 <sup>2/</sup>	48.0 ***	46.8 <sup>2/</sup>	40.6 ***	6.2
	04:20-04:25 HOUR	49.4 <sup>2/</sup>	48.0 ***	46.8 <sup>2/</sup>	40.6 ***	6.2
	04:25-04:30 HOUR	48.0 <sup>2/</sup>	48.0 ***	<0.8 <sup>2/</sup>	40.6 ***	<0.8 <sup>2/</sup>
	04:30-04:35 HOUR	45.9 <sup>2/</sup>	44.9 ***	42.0 <sup>2/</sup>	40.4 ***	1.6
	04:35-04:40 HOUR	45.1 <sup>2/</sup>	44.9 ***	34.6 <sup>2/</sup>	40.4 ***	<0.8 <sup>2/</sup>
	04:40-04:45 HOUR	47.8 <sup>2/</sup>	44.9 ***	47.7 <sup>2/</sup>	40.4 ***	7.3
	04:45-04:50 HOUR	48.1 <sup>2/</sup>	47.5 ***	42.2 <sup>2/</sup>	40.4 ***	1.8
	04:50-04:55 HOUR	46.3 <sup>2/</sup>	47.5 ***	<0.8 <sup>2/</sup>	40.4 ***	<0.8 <sup>2/</sup>
	04:55-05:00 HOUR	48.3 <sup>2/</sup>	47.5 ***	43.6 <sup>2/</sup>	40.4 ***	3.2
	05:00-05:05 HOUR	50.2 <sup>2/</sup>	49.9 ***	41.4 <sup>2/</sup>	42.1 ***	<0.8 <sup>2/</sup>
	05:05-05:10 HOUR	51.5 <sup>2/</sup>	49.9 ***	49.4 <sup>2/</sup>	42.1 ***	7.3

DATE	TIME*	RESULT (dB(A))				
		มาตราวัดโหนดเสียง				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 20, 2024	<b>DAY TIME</b> <sup>2/</sup>					
T24AG080-0015	21:00-22:00 HOUR	51.2 <sup>2/</sup>	48.0 **	48.4 <sup>2/</sup>	45.1 **	3.3
	<b>NIGHT TIME</b> <sup>2/</sup>					
	22:00-22:05 HOUR	49.2 <sup>2/</sup>	47.8 ***	46.6 <sup>2/</sup>	43.0 ***	3.6
	22:05-22:10 HOUR	50.5 <sup>2/</sup>	47.8 ***	50.2 <sup>2/</sup>	43.0 ***	7.2
	22:10-22:15 HOUR	49.1 <sup>2/</sup>	47.8 ***	46.2 <sup>2/</sup>	43.0 ***	3.2
	22:15-22:20 HOUR	49.8 <sup>2/</sup>	47.6 ***	48.8 <sup>2/</sup>	41.8 ***	7.0
	22:20-22:25 HOUR	49.0 <sup>2/</sup>	47.6 ***	46.4 <sup>2/</sup>	41.8 ***	4.6
	22:25-22:30 HOUR	46.8 <sup>2/</sup>	47.6 ***	<0.8 <sup>2/</sup>	41.8 ***	<0.8 <sup>2/</sup>
	22:30-22:35 HOUR	49.2 <sup>2/</sup>	50.0 ***	<0.8 <sup>2/</sup>	40.5 ***	<0.8 <sup>2/</sup>
	22:35-22:40 HOUR	50.5 <sup>2/</sup>	50.0 ***	43.9 <sup>2/</sup>	40.5 ***	3.4
	22:40-22:45 HOUR	49.9 <sup>2/</sup>	50.0 ***	<0.8 <sup>2/</sup>	40.5 ***	<0.8 <sup>2/</sup>
	22:45-22:50 HOUR	44.0 <sup>2/</sup>	46.9 ***	<0.8 <sup>2/</sup>	40.6 ***	<0.8 <sup>2/</sup>
	22:50-22:55 HOUR	47.4 <sup>2/</sup>	46.9 ***	40.8 <sup>2/</sup>	40.6 ***	<0.8 <sup>2/</sup>
	22:55-23:00 HOUR	48.7 <sup>2/</sup>	46.9 ***	47.0 <sup>2/</sup>	40.6 ***	6.4
	23:00-23:05 HOUR	48.3 <sup>2/</sup>	45.4 ***	48.2 <sup>2/</sup>	40.7 ***	7.5
	23:05-23:10 HOUR	47.9 <sup>2/</sup>	45.4 ***	47.3 <sup>2/</sup>	40.7 ***	6.6
	23:10-23:15 HOUR	47.6 <sup>2/</sup>	45.4 ***	46.6 <sup>2/</sup>	40.7 ***	5.9
	23:15-23:20 HOUR	46.3 <sup>2/</sup>	48.8 ***	<0.8 <sup>2/</sup>	39.5 ***	<0.8 <sup>2/</sup>
	23:20-23:25 HOUR	44.1 <sup>2/</sup>	48.8 ***	<0.8 <sup>2/</sup>	39.5 ***	<0.8 <sup>2/</sup>
	23:25-23:30 HOUR	49.1 <sup>2/</sup>	48.8 ***	40.3 <sup>2/</sup>	39.5 ***	0.8
	23:30-23:35 HOUR	49.2 <sup>2/</sup>	47.4 ***	47.5 <sup>2/</sup>	42.8 ***	4.7
	23:35-23:40 HOUR	49.3 <sup>2/</sup>	47.4 ***	47.8 <sup>2/</sup>	42.8 ***	5.0
	23:40-23:45 HOUR	48.3 <sup>2/</sup>	47.4 ***	44.0 <sup>2/</sup>	42.8 ***	1.2
	23:45-23:50 HOUR	49.1 <sup>2/</sup>	46.4 ***	48.8 <sup>2/</sup>	42.1 ***	6.7
	23:50-23:55 HOUR	47.6 <sup>2/</sup>	46.4 ***	44.4 <sup>2/</sup>	42.1 ***	2.3
	23:55-00:00 HOUR	47.6 <sup>2/</sup>	46.4 ***	44.4 <sup>2/</sup>	42.1 ***	2.3
MARCH 21, 2024	<b>NIGHT TIME</b> <sup>2/</sup>					
T24AG080-0015	00:00-00:05 HOUR	48.6 <sup>2/</sup>	47.3 ***	45.7 <sup>2/</sup>	39.7 ***	6.0
	00:05-00:10 HOUR	48.2 <sup>2/</sup>	47.3 ***	43.9 <sup>2/</sup>	39.7 ***	4.2
	00:10-00:15 HOUR	47.2 <sup>2/</sup>	47.3 ***	<0.8 <sup>2/</sup>	39.7 ***	<0.8 <sup>2/</sup>
	00:15-00:20 HOUR	53.0 <sup>2/</sup>	52.9 ***	39.6 <sup>2/</sup>	41.8 ***	<0.8 <sup>2/</sup>
	00:20-00:25 HOUR	51.4 <sup>2/</sup>	52.9 ***	<0.8 <sup>2/</sup>	41.8 ***	<0.8 <sup>2/</sup>
	00:25-00:30 HOUR	45.3 <sup>2/</sup>	52.9 ***	<0.8 <sup>2/</sup>	41.8 ***	<0.8 <sup>2/</sup>
	00:30-00:35 HOUR	48.0 <sup>2/</sup>	48.6 ***	<0.8 <sup>2/</sup>	40.5 ***	<0.8 <sup>2/</sup>
	00:35-00:40 HOUR	49.8 <sup>2/</sup>	48.6 ***	46.6 <sup>2/</sup>	40.5 ***	6.1
	00:40-00:45 HOUR	49.6 <sup>2/</sup>	48.6 ***	45.7 <sup>2/</sup>	40.5 ***	5.2
	00:45-00:50 HOUR	45.7 <sup>2/</sup>	45.5 ***	35.2 <sup>2/</sup>	40.6 ***	<0.8 <sup>2/</sup>
	00:50-00:55 HOUR	46.6 <sup>2/</sup>	45.5 ***	43.1 <sup>2/</sup>	40.6 ***	2.5
	00:55-01:00 HOUR	48.1 <sup>2/</sup>	45.5 ***	47.6 <sup>2/</sup>	40.6 ***	7.0
	01:00-01:05 HOUR	46.1 <sup>2/</sup>	45.6 ***	39.5 <sup>2/</sup>	42.8 ***	<0.8 <sup>2/</sup>
	01:05-01:10 HOUR	46.2 <sup>2/</sup>	45.6 ***	40.3 <sup>2/</sup>	42.8 ***	<0.8 <sup>2/</sup>
	01:10-01:15 HOUR	46.9 <sup>2/</sup>	45.6 ***	44.0 <sup>2/</sup>	42.8 ***	1.2
	01:15-01:20 HOUR	46.5 <sup>2/</sup>	45.7 ***	41.8 <sup>2/</sup>	42.3 ***	<0.8 <sup>2/</sup>
	01:20-01:25 HOUR	49.2 <sup>2/</sup>	45.7 ***	49.6 <sup>2/</sup>	42.3 ***	7.3
	01:25-01:30 HOUR	48.1 <sup>2/</sup>	45.7 ***	47.4 <sup>2/</sup>	42.3 ***	5.1



**REMARK :**

- 1/ CASE 1 CALCULATION (DURING 06:00 TO 22:00 HOUR) : SPECIFIC SOUND LEVEL CONTINUOUSLY OCCUR AT LEAST 1 HOUR, MEASURING AS L<sub>Aeq</sub> 1 hour.
- 2/ CASE 4 CALCULATION (DURING 22:00 TO 06:00 HOUR) : SPECIFIC SOUND LEVEL OCCUR IN RESTFUL AREA OR NIGHT TIME, MEASURING AS L<sub>Aeq</sub> 5 minutes.
- 3/ THERE IS NO IMPACT CAUSE ANNOYANCE SOUND LEVEL.

**\*\* PERCENTILE LEVEL 90 (L<sub>A90</sub>) IS THE MIDDLE VALUE OF 11 TIMES MEASURING (55 MINUTES MEASURING DURING 06:00 TO 22:00 HOUR) AND RESIDUAL SOUND LEVEL (L<sub>Aeq</sub> 5 minutes ) IS CHOSEN AT THE SAME TIME AS PERCENTILE LEVEL 90 ABOVE.**

**\*\*\* PERCENTILE LEVEL 90 (L<sub>A90</sub>) IS THE MIDDLE VALUE OF 3 TIMES MEASURING (15 MINUTES MEASURING DURING 22:00 TO 06:00 HOUR) AND RESIDUAL SOUND LEVEL (L<sub>Aeq</sub> 5 minutes ) IS CHOSEN AT THE SAME TIME AS PERCENTILE LEVEL 90 ABOVE.**

(MR. SILA BANDONGJAIKUK)  
LABORATORY SUPERVISOR

MARCH 29, 2024