

ภาคผนวก ง

หนังสือรับรองผลการตรวจวัดคุณภาพ
สิ่งแวดล้อม

Test Report 5863407

Date : 17-Apr-2024

Page 1 of 1

Client : Marriott Executive Apartments Sukhumvit Park - Bangkok
90 Soi Sukhumvit 24, Sukhumvit Rd Klongton, Klongtoey Bangkok 10110 Thailand

The following sample(s) was/were submitted and identified by client as:

Sample Name : P.1609/67 = Softener tank at basement
 Sample Description : Water

The following sample(s) was/were identified by SGS as:

SGS Sample No. : 6164117
 Sample Condition : Water appears transparent contained in a glass bottle sealed with a plastic lid and kept at a cool temperature.
 Qty.Submitted : 1 bottle
 Date Received : 3-Apr-2024 Date Commenced : 4-Apr-2024



Remark: ** Limit of detection = 100 CFU/Liter

The Laboratory have been accredited in accordance with ISO/IEC 17025.

Signed for and on behalf of
 SGS (Thailand) Ltd.



Jirapan Vilaipol
 Microbiology Laboratory Manager

***** End of Report *****

5565120

"Any holder of this document is advised that should client or third party information be supplied with respect to the goods or sample, SGS may, at its discretion, attached or indicate such information to the report but SGS makes no warranties or accepts no liable for the veracity or lack thereof of such Information."

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Publish or advertisement of the result or this document is prohibited, unless prior written approval of the Company.

Unless otherwise stated the results shown in this test report refer only to the sample(s) received and such sample(s) are retained for 15 days only.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.

Test Report 5863408

Date : 17-Apr-2024

Page 1 of 1

Client : Marriott Executive Apartments Sukhumvit Park - Bangkok
90 Soi Sukhumvit 24, Sukhumvit Rd Klongton, Klongtoey Bangkok 10110 Thailand

The following sample(s) was/were submitted and identified by client as:

Sample Name : P.1608/67 = Swimming
 Sample Description : Water

The following sample(s) was/were identified by SGS as:

SGS Sample No. : 6164116
 Sample Condition : Water appears transparent contained in a glass bottle sealed with a plastic lid and kept at a cool temperature. Sediment is showing at the bottom of the bottle.
 Qty.Submitted : 1 bottle
 Date Received : 3-Apr-2024 Date Commenced : 4-Apr-2024

Legionella spp.

Remark: ** Limit of detection = 100 CFU/Liter

The Laboratory have been accredited in accordance with ISO/IEC 17025.

Signed for and on behalf of
 SGS (Thailand) Ltd.



Jirapan Vilaipol
 Microbiology Laboratory Manager

***** End of Report *****

"Any holder of this document is advised that should client or third party information be supplied with respect to the goods or sample, SGS may, at its discretion, attached or indicate such information to the report but SGS makes no warranties or accepts no liable for the veracity or lack thereof of such Information."

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Publish or advertisement of the result or this document is prohibited, unless prior written approval of the Company.

Unless otherwise stated the results shown in this test report refer only to the sample(s) received and such sample(s) are retained for 15 days only.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.

Test Report 5863409

Date : 17-Apr-2024

Page 1 of 1

Client : Marriott Executive Apartments Sukhumvit Park - Bangkok
90 Soi Sukhumvit 24, Sukhumvit Rd Klongton, Klongtoey Bangkok 10110 Thailand

The following sample(s) was/were submitted and identified by client as:

Sample Name : P.1607/67 = AHU
 Sample Description : Water

The following sample(s) was/were identified by SGS as:

SGS Sample No. : 6164115
 Sample Condition : Water appears transparent contained in a glass bottle sealed with a plastic lid and kept at a cool temperature.
 Qty.Submitted : 1 bottle
 Date Received : 3-Apr-2024 Date Commenced : 4-Apr-2024



Remark: ** Limit of detection = 100 CFU/Liter

The Laboratory have been accredited in accordance with ISO/IEC 17025.

Signed for and on behalf of
 SGS (Thailand) Ltd.



Jirapan Vilaipol
 Microbiology Laboratory Manager

***** End of Report *****

"Any holder of this document is advised that should client or third party information be supplied with respect to the goods or sample, SGS may, at its discretion, attached or indicate such information to the report but SGS makes no warranties or accepts no liable for the veracity or lack thereof of such Information."

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Publish or advertisement of the result or this document is prohibited, unless prior written approval of the Company.

Unless otherwise stated the results shown in this test report refer only to the sample(s) received and such sample(s) are retained for 15 days only.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.

Test Report 5863410

Date : 17-Apr-2024

Page 1 of 1

Client : Marriott Executive Apartments Sukhumvit Park - Bangkok
90 Soi Sukhumvit 24, Sukhumvit Rd Klongton, Klongtoey Bangkok 10110 Thailand

The following sample(s) was/were submitted and identified by client as:

Sample Name : P.1606/67 = Guestroom No.3207
 Sample Description : Water

The following sample(s) was/were identified by SGS as:

SGS Sample No. : 6164114
 Sample Condition : Water appears transparent contained in a glass bottle sealed with a plastic lid and kept at a cool temperature. Sediment is showing at the bottom of the bottle.
 Qty.Submitted : 1 bottle
 Date Received : 3-Apr-2024 Date Commenced : 4-Apr-2024



Remark: ** Limit of detection = 100 CFU/Liter

The Laboratory have been accredited in accordance with ISO/IEC 17025.

Signed for and on behalf of
 SGS (Thailand) Ltd.



Jirapan Vilaipol
 Microbiology Laboratory Manager

***** End of Report *****

5565123

"Any holder of this document is advised that should client or third party information be supplied with respect to the goods or sample, SGS may, at its discretion, attached or indicate such information to the report but SGS makes no warranties or accepts no liable for the veracity or lack thereof of such Information."

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Publish or advertisement of the result or this document is prohibited, unless prior written approval of the Company.

Unless otherwise stated the results shown in this test report refer only to the sample(s) received and such sample(s) are retained for 15 days only.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.



บริษัท วิศวกรรมเคมี จำกัด

THAI CHEMICAL & ENGINEERING CO., LTD.

1048/2 ซ.สุขุมวิท 66/1 อ.สุขุมวิท แขวงพระโขนงใต้ เขตพระโขนง กรุงเทพฯ 10260 โทร. 0-2744-9911 แฟกซ์ 0-2393-0165

1048/2 Soi Sukhumvit 66/1, Sukhumvit Rd., Prakanong Tai, Prakanong, Bangkok 10260 TEL. 0-2744-9911 FAX 0-2393-0165

ANALYSIS REPORT

REF. NO. WP/WS 1601/67 April 05, 2024

APPLICANT : K.S & Sons Co.,Ltd. (Head Office) (Marriott Executive Apartments)

COMMODITY : หลััง LP Drinking

SAMPLING DATE : April 02, 2024 Received Date : April 03, 2024

ANALYSIS RESULT (S) :

Items	Unit	Result	Standard	Analysis Method
Total Coliform	MPN/100 ml	< 2	< 2.2	Multiple tube technique
E.Coli	MPN/100 ml	Negative	Negative	Multiple tube technique

Remark :

คุณภาพน้ำอยู่ในเกณฑ์มาตรฐาน

TR/lc

This report applies to client's self-drawn sample only.

Analyzed by ภาณุชนก อุดมทรัพย์ไพฑูริย์

Approved by ศิณณารัตน์ พลสมการะทอง



บริษัท วิศวกรรมเคมี จำกัด

THAI CHEMICAL & ENGINEERING CO., LTD.

1048/2 ซ.สุขุมวิท 66/1 อ.สุขุมวิท แขวงพระโขนงใต้ เขตพระโขนง กรุงเทพฯ 10260 โทร. 0-2744-9911 แฟกซ์ 0-2393-0165
1048/2 Soi Sukhumvit 66/1, Sukhumvit Rd., Prakanong Tai, Prakanong, Bangkok 10260 TEL. 0-2744-9911 FAX 0-2393-0165

ANALYSIS REPORT

REF. NO. WP/WS 1603/67 April 05, 2024

APPLICANT : K.S & Sons Co.,Ltd. (Head Office) (Marriott Executive Apartments)

COMMODITY : Water Drinking at Canteen

SAMPLING DATE : April 02, 2024 Received Date : April 03, 2024

ANALYSIS RESULT (S) :

Items	Unit	Result	Standard	Analysis Method
Total Coliform	MPN/100 ml	< 2	< 2.2	Multiple tube technique
E.Coli	MPN/100 ml	Negative	Negative	Multiple tube technique

Remark :

คุณภาพน้ำอยู่ในเกณฑ์มาตรฐาน

TR/lc

This report applies to client's self-drawn sample only.

Analyzed by..... ภูมิพัฒน์ ออัสพิทักษ์.....

Approved by..... ศุภณัฐ วัฒนกรพงศ์.....



บริษัท วิศวกรรมเคมี จำกัด

THAI CHEMICAL & ENGINEERING CO., LTD.

1048/2 ซ.สุขุมวิท 66/1 ถ.สุขุมวิท แขวงพระโขนงใต้ เขตพระโขนง กรุงเทพฯ 10260 โทร. 0-2744-9911 แฟกซ์ 0-2393-0165
1048/2 Soi Sukhumvit 66/1, Sukhumvit Rd., Prakanong Tai, Prakanong, Bangkok 10260 TEL. 0-2744-9911 FAX 0-2393-0165

ANALYSIS REPORT

REF. NO. WP/WS 1602/67

April 05, 2024

APPLICANT : K.S & Sons Co.,Ltd. (Head Office) (Marriott Executive Apartments)

COMMODITY : Main Kitchen Ice Machine

SAMPLING DATE : April 02, 2024 Received Date : April 03, 2024

ANALYSIS RESULT (S) :

Items	Unit	Result	Standard	Analysis Method
Total Coliform	MPN/100 ml	< 2	< 2.2	Multiple tube technique
E.Coli	MPN/100 ml	Negative	Negative	Multiple tube technique

Remark :

คุณภาพน้ำอยู่ในเกณฑ์มาตรฐาน

TR/lc

This report applies to client's self-drawn sample only.

Analyzed by..... กมลชนก จงดีหมัดไกร.....

Approved by..... ศิณณรัตน์ พงศ์ผากระสัง.....



บริษัท วิศวกรรมเคมี จำกัด

THAI CHEMICAL & ENGINEERING CO., LTD.

1048/2 ซ.สุขุมวิท 66/1 อ.สุขุมวิท แขวงพระโขนงใต้ เขตพระโขนง กรุงเทพฯ 10260 โทร. 0-2744-9911 แฟกซ์ 0-2393-0165

1048/2 Soi Sukhumvit 66/1, Sukhumvit Rd., Prakanong Tai, Prakanong, Bangkok 10260 TEL. 0-2744-9911 FAX 0-2393-0165

ANALYSIS REPORT

REF. NO. WP/WS 1605/67 April 05, 2024

APPLICANT : K.S & Sons Co.,Ltd. (Head Office) (Marriott Executive Apartments)

COMMODITY : M2GO

SAMPLING DATE : April 02, 2024 Received Date : April 03, 2024

ANALYSIS RESULT (S) :

Items	Unit	Result	Standard	Analysis Method
Total Coliform	MPN/100 ml	< 2	< 2.2	Multiple tube technique
E.Coli	MPN/100 ml	Negative	Negative	Multiple tube technique

Remark :

คุณภาพน้ำอยู่ในเกณฑ์มาตรฐาน

TR/lc

This report applies to client's self-drawn sample only.

Analyzed by... พล.ต.ท. ออ.ค.พ.น.ท.ไกร.....

Approved by... ส.อ.พ.น.ท. พล.ต.ท.อ.ค.พ.น.ท.ไกร.....



บริษัท วิศวกรรมเคมี จำกัด

THAI CHEMICAL & ENGINEERING CO., LTD.

1048/2 ซ.สุขุมวิท 66/1 จ.สุขุมวิท แขวงพระโขนงใต้ เขตพระโขนง กรุงเทพฯ 10260 โทร. 0-2744-9911 แฟกซ์ 0-2393-0165

1048/2 Soi Sukhumvit 66/1, Sukhumvit Rd., Prakanong Tai, Prakanong, Bangkok 10260 TEL. 0-2744-9911 FAX 0-2393-0165

ANALYSIS REPORT

REF. NO. WP/WS 1604/67

April 05, 2024

APPLICANT : K.S & Sons Co.,Ltd. (Head Office) (Marriott Executive Apartments)

COMMODITY : BISTRO M

SAMPLING DATE : April 02, 2024 Received Date : April 03, 2024

ANALYSIS RESULT (S) :

Items	Unit	Result	Standard	Analysis Method
Total Coliform	MPN/100 ml	< 2	< 2.2	Multiple tube technique
E.Coli	MPN/100 ml	Negative	Negative	Multiple tube technique

Remark :

คุณภาพน้ำอยู่ในเกณฑ์มาตรฐาน

TR/lc

This report applies to client's self-drawn sample only.

Analyzed by ทัศนกรรณ วงศ์พจน์ไกร

Approved by ศุภณัฐ วัฒนกรพงษ์



บริษัท วิศวกรรมเคมี จำกัด

THAI CHEMICAL & ENGINEERING CO., LTD.

1048/2 ซ.สุขุมวิท 66/1 ถนนสุขุมวิท แขวงพระโขนงใต้ เขตพระโขนง กรุงเทพฯ 10260 โทร. 0-2744-9911 แฟกซ์ 0-2393-0165

1048/2 Soi Sukhumvit 66/1, Sukhumvit Rd., Prakanong Tai, Prakanong, Bangkok 10260 TEL. 0-2744-9911 FAX 0-2393-0165

ANALYSIS REPORT

REF. NO. WP/WS 1604/67

April 05, 2024

APPLICANT : K.S & Sons Co.,Ltd. (Head Office) (Marriott Executive Apartments)

COMMODITY : BISTRO M

SAMPLING DATE : April 02, 2024 Received Date : April 03, 2024

ANALYSIS RESULT (S) :

Items	Unit	Result	Standard	Analysis Method
Total Coliform	MPN/100 ml	< 2	< 2.2	Multiple tube technique
E.Coli	MPN/100 ml	Negative	Negative	Multiple tube technique

Remark :

คุณภาพน้ำอยู่ในเกณฑ์มาตรฐาน

TR/lc

This report applies to client's self-drawn sample only.

Analyzed by... กมลชนก วงศ์พนาไกร

Approved by... สันติรัตน์ พลสมการ



บริษัท อakwa นิชิฮาระ คอร์ปอเรชั่น จำกัด
AQUA NISHIHARA CORPORATION LIMITED




WATER AND WASTEWATER ANALYSIS REPORT

Customer Information

Client Name : Operate
Sampling Date : 06/06/2024
Sampling Source : Marriott Hotel
Address : 90 อาคาร โรงแรม เมริออท เอ็กเซ็กคิวทีฟ อพาร์ทเมนต์ สุขุมวิท 71
Sampling by : Client
Sampling Method : Grab

Lab Information

Received Date : 07/06/2024
Analytical Date : 07/06/2024-24/06/2024
Report Date : 24/06/2024
Sample Code : AQAE0607-01
Lab Data : LAB24060012
Report No. : 2024/0599
Sampling Description : WT1665, ปูน สีเหลืองอ่อน มีตะกอน มีกลิ่น
: WT1666, ใส ไม่มีสี ไม่มีตะกอน ไม่มีกลิ่น

Parameter/Item	Unit	Analysis Methods #	Result		Standard
Sampling Locate			EQ	ET	
			WT1665	WT1666	
pH*	-	Electrometric Method	7.1	7.4	5-9
BOD	mg/l	STM, Part 5210B, 4500-O C	130	<10	<20
TDS	mg/l	STM, Part 2540 C	-	289	<500*
Set.S*	ml/l	Imhoff Cone	-	<0.5	<0.5
FOG*	mg/l	Soxhlet Extraction Method	66	<5.0	<20
TKN*	mg/l N	Macro-Kjeldahl Method	-	3	<35
Sulfide*	mg/l S	Iodometric Method	-	<1.0	<1.0
TSS	mg/L	STM, Part 2540 D	103	11	<30
Remark * Inhouse Method base on Standard Method APHA, AWWA, WEF. 23 rd Edition 2017 - Reported results refer to submitted sample only. - This report shall not be reproduced, except in full, without prior approval of the Company. * Test marked Not TISI Accredited in this Report are not included in the TISI Accreditation Schedule for our Laboratory Reference STM : Standard Methods for Examination of Water and Wastewater 23 rd ED., 2017 (AWWA, APHA, WEF)					
 นางสาว ประไพ แก้วสายบัว ว-321-ค-0001 ผู้จัดการห้องปฏิบัติการ 24/06/2024			AQUA NISHIHARA CORP., LTD REGISTERED LAB NO. 3-321		



Analysis/Test Report

Customer Name : K.S. & Sons Co.,Ltd.

Address : 90 Sukhumvit Soi 24, Sukhumvit Rd., Klongton, Klongtoey, Bangkok 10110

Sampling Site : Marriott Executive Apartments Sukhumvit Park-Bangkok

Sample Type : Waste Water

Sampling by : Test Tech Co., Ltd.

Sampling Method : Grab

Sampling Date : 10/06/2024

Sampling Time : 11:50 AM

Received Date : 10/06/2024

Analytical Date : 10 - 17/06/2024

Report Date : 18/06/2024

Report No. : R14185/67

Parameters	Unit	Method	TW12992 /67	Standard ^a (Type B)
			Effluent	
pH	-	SM 2023 (4500-H ⁺ B)	7.3	5.0 - 9.0
BOD	mg/L	SM 2023 (5210 B, 4500-O G)	15	≤ 30
* Total Suspended Solids	mg/L	SM 2023 (2540 D)	6	≤ 40
Total Dissolved Solids	mg/L	Based on SM 2023 (2540 C)	388	500 ^{xx}
Oil & Grease	mg/L	SM 2023 (5520 D)	< 3.0	≤ 20
Total Kjeldahl Nitrogen	mg/L as N	SM 2023 (4500 N _{org} B)	4.2	≤ 35
* Sulfide	mg/L as H ₂ S	Iodometric	< 0.30	≤ 1.0
* Settleable Solids	mL/L	Volumetric Test	< 0.5	≤ 0.5
Sample Condition		Observation	Light Yellow, Colloid	

Remark : 1. SM 2023 : Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023

2. Test marked " * " on this report are not included in scope of Accreditation

3. a : Notification of Ministry of Natural Resources and Environment : Building Effluents Standards Published in the Royal Government Gazette, Vol.122 Part 125 D, dated December 29, B.E.2548 (2005)

^{xx} These values are in addition to the TDS of the water used.

K.Kornkanok

Miss KORNKANOK KHUNPITAK

Analyst

18/06/2024



Technical Manager

18/06/2024

Reported results refer to the sample as received only.

Test report shall not be reproduced except in full, without written approved of the laboratory.

The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025



Analysis/Test Report

Customer Name : K.S. & Sons Co.,Ltd.

Address : 90 Sukhumvit Soi 24, Sukhumvit Rd., Klongton, Klongtoey, Bangkok 10110

Sampling Site : Marriott Executive Apartments Sukhumvit Park-Bangkok

Sample Type : Water Supply

Sampling by : Test Tech Co., Ltd.

Sampling Method : Grab

Sampling Date : 10/06/2024

Sampling Time : 11:50 AM

Received Date : 10/06/2024

Analytical Date : 10 - 13/06/2024

Report Date : 15/06/2024

Report No. : R14025/67

Parameters	Unit	Method	TW12991 /67
			Supply Water
Total Dissolved Solids	mg/L	Based on SM 2023 (2540 C)	252
Sample Condition		Observation	Clear

Remark : 1. SM 2023 : Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023

S. Ployrung

Miss PLOYRUNG SUTHAMMA

Analyst

15/06/2024



Technical Manager

15/06/2024

Reported results refer to the sample as received only.

Test report shall not be reproduced except in full, without written approval of the laboratory.

The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025

Analysis/Test Report

Customer Name : K.S. & Sons Co.,Ltd.

Address : 90 Sukhumvit Soi 24, Sukhumvit Rd., Klongton, Klongtoey, Bangkok 10110

Sampling Site : Marriott Executive Apartments Sukhumvit Park-Bangkok

Sample Type : Swimming Water

Sampling by : Test Tech Co., Ltd.

Sampling Method : Grab

Sampling Date : 10/06/2024

Sampling Time : 11:50 AM

Received Date : 10/06/2024

Analytical Date : 10 - 13/06/2024

Report Date : 14/06/2024

Report No. : R13945/67

Parameters	Unit	Method	TW12990 /67	Standard ^a
			Pool	
pH (25°C)	-	Based on SM 2023 (4500-H ⁺ B)	7.3	7.2-8.4
Residual Chlorine	mg/L as Cl ₂	DPD Colorimetric	0.99	0.6-1.0
Sample Condition		Observation	Clear	

Remark : 1. SM 2023 : Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023

2. a : Bangkok Metropolitan Administration published in the Royal Government Gazette, Vol.104 ,Part 205,dated October 14, B.E.2530 (1987)

R. Prangtip

Miss PRANGTIP RAKSASUK

Analyst

14/06/2024


Miss ORASA YUBUA
TEST TECH CO., LTD.
Technical Manager

14/06/2024

Reported results refer to the sample as received only.

Test report shall not be reproduced except in full, without written approved of the laboratory.

The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.



Analysis/Test Report

Customer Name : K.S. & Sons Co.,Ltd.

Address : 90 Sukhumvit Soi 24, Sukhumvit Rd., Klongton, Klongtoey, Bangkok 10110

Sampling Site : Marriott Executive Apartments Sukhumvit Park-Bangkok

Sample Type : Swimming Water

Sampling by : Test Tech Co., Ltd.

Sampling Method : Grab

Sampling Date : 10/06/2024

Sampling Time : 11:50 AM

Received Date : 10/06/2024

Analytical Date : 10 - 13/06/2024

Report Date : 14/06/2024

Report No. : R13946/67

Parameters	Unit	Method	TW12990 /67	Standard ^a
			Pool	
Coliform Bacteria	MPN/100 mL	SM 2023 (9221 B)	< 1.8	< 10
<i>E. coli</i>	/100 mL	SM 2023 (9221 F, Detection)	not found	negative
Sample Condition		Observation	Clear	

Remark : 1. SM 2023 : Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023

2. a : Bangkok Metropolitan Administration published in the Royal Government Gazette, Vol.104 ,Part 205,dated October 14,
B.E.2530 (1987)

R. Dounghatai

Miss DOUNGHATAI RERMWANICH

Analyst

14/06/2024



Miss ORASA YUBUA

Technical Manager

14/06/2024

Reported results refer to the sample as received only.

Test report shall not be reproduced except in full, without written approved of the laboratory.

The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025