

Request No. ATR6702005

Report No. 6702-0091

TEST REPORT

CUSTOMER : PTT Global Chemical Public Company Limited Branch16
ADDRESS : 9 Soi G-12, WHA Eastern Industrial Estate (Map Ta Phut), Pakorn Songkhraorat Road, Tambon Map Ta Phut,
Amphur Muang Rayong, Rayong 21150
SAMPLE SOURCE : EA Plant
SAMPLE NAME : EO Pump (P2054 A/B) SAMPLE NO : A67020091
SAMPLING DATE : 02/02/2024 SAMPLING TIME : 08:40-20:40
RECEIVED DATE : 05/02/2024 TESTED DATE : 05/02/2024 – 16/02/2024
SAMPLING INSTRUMENT : Passive Sampling REPORTED DATE : 20/02/2024


PARAMETER**	TEST METHOD	RESULT ^{/2}	STD ^{/1}	UNIT
Ethylene Oxide	OSHA 1010	ND	1.8	mg/m ³
		ND	1.0	ppm

REMARK:

^{/1} Notification of The Department of Labour Protection and Welfare B.E.2560 (2017),
Concentration Limits of Hazardous Chemicals.

^{/2} ND = Non detectable : detection limit of Ethylene Oxide is 0.05 mg/m³ or 0.03 ppm.

** Parameter have License Registration of Department of Labour Protection and Welfare No.0201-03-2564-0008
Sampling By Eastern Thai Consulting 1992 Co.,Ltd., (Mr. Sutha Songthaninai)
Analysed By SECOT Co.,Ltd. / GPS = Sampling at UTM 47 P 731246E 1404930N



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Examined By



(Miss Thanatporn Klinsohon)

20/02/2024

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

Request No. ATR6702005

Report No. 6702-0093

TEST REPORT

CUSTOMER : PTT Global Chemical Public Company Limited Branch16

ADDRESS : 9 Soi G-12, WHA Eastern Industrial Estate (Map Ta Phut), Pakorn Songkhraorat Road, Tambon Map Ta Phut,
Amphur Muang Rayong, Rayong 21150

SAMPLE SOURCE : EA Plant

SAMPLE NAME : EO Pump (ถุงยางยู่ทอ แก้วพันธ์) SAMPLE NO : A67020093

SAMPLING DATE : 02/02/2024 SAMPLING TIME : 07:00-19:00

RECEIVED DATE : 05/02/2024 TESTED DATE : 05/02/2024 – 16/02/2024

SAMPLING INSTRUMENT : Passive Sampling REPORTED DATE : 20/02/2024

PARAMETER**	TEST METHOD	RESULT ²	STD ¹	UNIT
Ethylene Oxide	OSHA 1010	ND	1.8	mg/m ³
		ND	1.0	ppm


REMARK:¹ Notification of The Department of Labour Protection and Welfare B.E.2560 (2017),

Concentration Limits of Hazardous Chemicals.

² ND = Non detectable : detection limit of Ethylene Oxide is 0.05 mg/m³ or 0.03 ppm.**** Parameter have License Registration of Department of Labour Protection and Welfare No.0201-03-2564-0008**

Sampling By Eastern Thai Consulting 1992 Co.,Ltd., (Mr. Sutha Songthaninai)

Analysed By SECOT Co.,Ltd.



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Examined By

(Miss Thanatporn Klinsoapon)

20/02/2024

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

Request No. ATR6702005

Report No. 6702-0094

TEST REPORT

CUSTOMER : PTT Global Chemical Public Company Limited Branch16
ADDRESS : 9 Soi G-12, WHA Eastern Industrial Estate (Map Ta Phut), Pakorn Songkhraorat Road, Tambon Map Ta Phut,
Amphur Muang Rayong, Rayong 21150
SAMPLE SOURCE : EA Plant
SAMPLE NAME : EO Pump (คุณวุฒิชัย ปราบภัย) SAMPLE NO : A67020094
SAMPLING DATE : 02/02/2024 SAMPLING TIME : 07:00-19:00
RECEIVED DATE : 05/02/2024 TESTED DATE : 05/02/2024 – 16/02/2024
SAMPLING INSTRUMENT : Passive Sampling REPORTED DATE : 20/02/2024


PARAMETER**	TEST METHOD	RESULT ²	STD ¹	UNIT
Ethylene Oxide	OSHA 1010	ND	1.8	mg/m ³
		ND	1.0	ppm

REMARK:

¹ Notification of The Department of Labour Protection and Welfare B.E.2560 (2017),
Concentration Limits of Hazardous Chemicals.

² ND = Non detectable : detection limit of Ethylene Oxide is 0.05 mg/m³ or 0.03 ppm.

** Parameter have License Registration of Department of Labour Protection and Welfare No.0201-03-2564-0008
Sampling By Eastern Thai Consulting 1992 Co.,Ltd., (Mr. Suttha Songthaninai)
Analysed By SECOT Co.,Ltd.



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Examined By



(Miss Thanatporn Klinsopon)

20/02/2024

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

Request No. ATR6702005

Report No. 6702-0092

TEST REPORT

CUSTOMER : PTT Global Chemical Public Company Limited Branch16
ADDRESS : 9 Soi G-12, WHA Eastern Industrial Estate (Map Ta Phut), Pakorn Songkhraorat Road, Tambon Map
Ta Phut, Amphur Muang Rayong, Rayong 21150
SAMPLE SOURCE : EA Plant
SAMPLE NAME : Tank Loading Area (Ammonia Tank)
SAMPLING DATE : 02/02/2024 SAMPLE NO. : A67020092
RECEIVED DATE : 05/02/2024 SAMPLING TIME : 08:55-20:55
SAMPLING INSTRUMENT : Personal Pump Flow rate 0.10 L/min TESTED DATE : 05/02/2024-07/02/2024
Serial No. 218403 REPORTED DATE : 13/02/2024

PARAMETER*	TEST METHOD	RESULT	STD ^{/1}	UNIT
Ammonia	Ion Chromatography Method(NIOSH6016)	< 0.200	35	mg/m ³
		< 0.280	50	ppm

REMARK:^{/1} Notification of The Department of Labour Protection and Welfare B.E.2560 (2017), Concentration Limits of Hazardous Chemicals.* Parameter have License Registration of Department of Labour Protection and Welfare No.0201-03-2564-0008 and
No.0202-03-2564-0005.


(Sampling By Mr. Suttha Songthaninai)

GPS = Sampling at UTM 47 P 731188E 1404796N

Examined By

(Miss Thanatporn Klinsoon)

13/02/2024



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

Approved By

(Mr. Kawee Suthasub)

13/02/2024

Request No. ATR6702005

Report No. 6702-0095

TEST REPORT

CUSTOMER : PTT Global Chemical Public Company Limited Branch16
ADDRESS : 9 Soi G-12, WHA Eastern Industrial Estate (Map Ta Phut), Pakorn Songkhraorat Road, Tambon Map Ta Phut, Amphur Muang Rayong, Rayong 21150
SAMPLE SOURCE : EA Plant
SAMPLE NAME : Tank Loading Area (Ammonia Tank) (ศูนย์ยุทธ แก้วพันธ์)
SAMPLING DATE : 02/02/2024 SAMPLE NO. : A67020095
RECEIVED DATE : 05/02/2024 SAMPLING TIME : 07:00-19:00
SAMPLING INSTRUMENT : Personal Pump Flow rate 0.10 L/min TESTED DATE : 05/02/2024-07/02/2024
Serial No. 218411 REPORTED DATE : 13/02/2024

PARAMETER*	TEST METHOD	RESULT	STD ^{/1}	UNIT
Ammonia	Ion Chromatography Method(NIOSH6016)	< 0.200	35	mg/m ³
		< 0.280	50	ppm

REMARK:^{/1} Notification of The Department of Labour Protection and Welfare B.E.2560 (2017), Concentration Limits of Hazardous Chemicals.


* Parameter have License Registration of Department of Labour Protection and Welfare No.0201-03-2564-0008 and No.0202-03-2564-0005.

(Sampling By Mr. Suttha Songthaninai)

Examined By

(Miss Thanatporn Klinsopon)

13/02/2024



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By

(Mr. Kawee Suthasub)

13/02/2024

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

Request No. ATR6702005

Report No. 6702-0096

TEST REPORT

CUSTOMER : PTT Global Chemical Public Company Limited Branch16
ADDRESS : 9 Soi G-12, WHA Eastern Industrial Estate (Map Ta Phut), Pakorn Songkhraorat Road, Tambon Map
Ta Phut, Amphur Muang Rayong, Rayong 21150
SAMPLE SOURCE : EA Plant
SAMPLE NAME : Tank Loading Area (Ammonia Tank) (คุณวุฒิชัย ปรานภัย)
SAMPLING DATE : 02/02/2024 SAMPLE NO. : A67020096
RECEIVED DATE : 05/02/2024 SAMPLING TIME : 07:00-19:00
SAMPLING INSTRUMENT : Personal Pump Flow rate 0.10 L/min TESTED DATE : 05/02/2024-07/02/2024
Serial No. 218405 REPORTED DATE : 13/02/2024

PARAMETER*	TEST METHOD	RESULT	STD ¹	UNIT
Ammonia	Ion Chromatography Method(NIOSH6016)	< 0.200	35	mg/m ³
		< 0.280	50	ppm


REMARK:¹ Notification of The Department of Labour Protection and Welfare B.E.2560 (2017), Concentration Limits of Hazardous Chemicals.* Parameter have License Registration of Department of Labour Protection and Welfare No.0201-03-2564-0008 and
No.0202-03-2564-0005.

(Sampling By Mr. Suttha Songthaninai)

Examined By

(Miss Thanaporn Klinsopon)

13/02/2024



Approved By

(Mr. Kawee Suthasub)

13/02/2024

REPORTED TEST REFERS TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

Request No. ATR6702010

Report No. 6702-0122

TEST REPORT

CUSTOMER : PTT Global Chemical Public Company Limited Branch16
ADDRESS : 9 Soi G-12, WHA Eastern Industrial Estate (Map Ta Phut), Pakorn Songkhraorat Road, Tambon Map Ta Phut, Amphur Muang Rayong, Rayong 21150
SAMPLE SOURCE : EA Plant
SAMPLE NAME : Wastewater Treatment Plant
SAMPLING DATE : 05/02/2024 SAMPLE NO. : A67020122
RECEIVED DATE : 09/02/2024 SAMPLING TIME : 10:30-12:30
SAMPLING INSTRUMENT : Personal Pump Flow rate 2.00 L/min TESTED DATE : 09/02/2024-10/02/2024
Serial No. 20200403062 REPORTED DATE : 13/02/2024

PARAMETER*	TEST METHOD	RESULT	STD ^{1/}	UNIT
Sulfuric acid	Ion Chromatography Method (NIOSH7908)	< 0.040	1.00	mg/m ³
		< 0.010	0.25	ppm

REMARK:^{1/} Notification of The Department of Labour Protection and Welfare B.E.2560 (2017), Concentration Limits of Hazardous Chemicals.

* Parameter have License Registration of Department of Labour Protection and Welfare No.0201-03-2564-0008 and No.0202-03-2564-0005.


(Sampling By Mr. Suttha Songthaninai)

GPS = Sampling at UTM 47 P 731233E 1404845N

Examined By

(Miss Thanatporn Klinsoapon)

13/02/2024



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By

(Mr. Kawee Suthasub)

13/02/2024

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

Request No. ATR6702010

Report No. 6702-0123

TEST REPORT


CUSTOMER : PTT Global Chemical Public Company Limited Branch16
ADDRESS : 9 Soi G-12, WHA Eastern Industrial Estate (Map Ta Phut), Pakorn Songkhraorat Road, Tambon Map Ta Phut, Amphur Muang Rayong, Rayong 21150
SAMPLE SOURCE : EA Plant
SAMPLE NAME : Wastewater Treatment Plant (คุณพีรณัฐ เพ็ชรรัตน์)
SAMPLING DATE : 05/02/2024 SAMPLE NO. : A67020123
RECEIVED DATE : 09/02/2024 SAMPLING TIME : 10:24-12:24
SAMPLING INSTRUMENT : Personal Pump Flow rate 2.00 L/min TESTED DATE : 09/02/2024-10/02/2024
Serial No. 20200403080 REPORTED DATE : 13/02/2024

PARAMETER*	TEST METHOD	RESULT	STD ^{1/}	UNIT
Sulfuric acid	Ion Chromatography Method (NIOSH7908)	< 0.040	1.00	mg/m ³
		< 0.010	0.25	ppm

REMARK:^{1/} Notification of The Department of Labour Protection and Welfare B.E.2560 (2017), Concentration Limits of Hazardous Chemicals.

* Parameter have License Registration of Department of Labour Protection and Welfare No.0201-03-2564-0008 and No.0202-03-2564-0005.


(Sampling By Mr. Suttha Songthaninai)

Examined By 
(Miss Thanatporn Klinsopon)

13/02/2024



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By 

(Mr. Kawee Suthasub)

13/02/2024

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

Request No. ATR6702010

Report No. 6702-0124

TEST REPORT

CUSTOMER : PTT Global Chemical Public Company Limited Branch16
ADDRESS : 9 Soi G-12, WHA Eastern Industrial Estate (Map Ta Phut), Pakorn Songkhraorat Road, Tambon Map Ta Phut, Amphur Muang Rayong, Rayong 21150
SAMPLE SOURCE : EA Plant
SAMPLE NAME : Wastewater Treatment Plant (คุณปรัชญา เครือแก้ว)
SAMPLING DATE : 05/02/2024 SAMPLE NO. : A67020124
RECEIVED DATE : 09/02/2024 SAMPLING TIME : 10:26-12:26
SAMPLING INSTRUMENT : Personal Pump Flow rate 2.00 L/min TESTED DATE : 09/02/2024-10/02/2024
Serial No. 20200403072 REPORTED DATE : 13/02/2024

PARAMETER*	TEST METHOD	RESULT	STD ^{/1}	UNIT
Sulfuric acid	Ion Chromatography Method (NIOSH7908)	< 0.040	1.00	mg/m ³
		< 0.010	0.25	ppm


REMARK:^{/1} Notification of The Department of Labour Protection and Welfare B.E.2560 (2017), Concentration Limits of Hazardous Chemicals.

* Parameter have License Registration of Department of Labour Protection and Welfare No.0201-03-2564-0008 and No.0202-03-2564-0005.

(Sampling By Mr. Suttha Songthaninai)

Examined By
(Miss Thanatporn Klinsopon)

13/02/2024



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By
(Mr. Kawee Suthasub)

13/02/2024

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

Request No. ATR6705046

Report No. 6705-0885

TEST REPORT

CUSTOMER : PTT Global Chemical Public Company Limited Branch16
ADDRESS : 9 Soi G-12, WHA Eastern Industrial Estate (Map Ta Phut), Pakorn Songkhraorat Road, Tambon Map Ta Phut,
Amphur Muang Rayong, Rayong 21150
SAMPLE SOURCE : EA Plant
SAMPLE NAME : EO Pump (อุปกรณ์ปั๊ม เครื่องแกว) SAMPLE NO : A67050885
SAMPLING DATE : 08/05/2024 SAMPLING TIME : 07:00-19:00
RECEIVED DATE : 16/05/2024 TESTED DATE : 16/05/2024-23/05/2024
SAMPLING INSTRUMENT : Passive Sampling REPORTED DATE : 27/05/2024

PARAMETER**	TEST METHOD	RESULT ²	STD ¹	UNIT
Ethylene Oxide	OSHA 1010	ND	1.8	mg/m ³
		ND	1.0	ppm

REMARK:

¹ Notification of The Department of Labour Protection and Welfare B.E.2560 (2017),
Concentration Limits of Hazardous Chemicals.

² ND = Non detectable : detection limit of Ethylene Oxide is 0.05 mg/m³ or 0.03 ppm.

** Parameter have License Registration of Department of Labour Protection and Welfare No.0201-03-2564-0008
Sampling By Eastern Thai Consulting 1992 Co.,Ltd., (Mr. Suttha Songthaninai)
Analysed By SECOT Co.,Ltd.



Examined By

(Miss Thanatporn Klinsopon)

27/05/2024

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY
THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL
WITHOUT THE WRITTEN APPROVAL LABORATORY

Request No. ATR6705046

Report No. 6705-0886

TEST REPORT

CUSTOMER : PTT Global Chemical Public Company Limited Branch16
ADDRESS : 9 Soi G-12, WHA Eastern Industrial Estate (Map Ta Phut), Pakorn Songkhraorat Road, Tambon Map Ta Phut,
Amphur Muang Rayong, Rayong 21150
SAMPLE SOURCE : EA Plant
SAMPLE NAME : EO Pump (คุณพีรณัฐ เพ็ชรรัตน์) SAMPLE NO : A67050886
SAMPLING DATE : 08/05/2024 SAMPLING TIME : 07:00-19:00
RECEIVED DATE : 16/05/2024 TESTED DATE : 16/05/2024-23/05/2024
SAMPLING INSTRUMENT : Passive Sampling REPORTED DATE : 27/05/2024


PARAMETER**	TEST METHOD	RESULT ²	STD ¹	UNIT
Ethylene Oxide	OSHA 1010	ND	1.8	mg/m ³
		ND	1.0	ppm

REMARK:

¹ Notification of The Department of Labour Protection and Welfare B.E.2560 (2017),
Concentration Limits of Hazardous Chemicals.

² ND = Non detectable : detection limit of Ethylene Oxide is 0.05 mg/m³ or 0.03 ppm.

** Parameter have License Registration of Department of Labour Protection and Welfare No.0201-03-2564-0008
Sampling By Eastern Thai Consulting 1992 Co.,Ltd., (Mr. Suttha Songthaninai)
Analysed By SECOT Co.,Ltd.



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Examined By

(Miss Thanatporn Klinsopon)

27/05/2024

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

Request No. LA67-R0541

Report No. R6705-0629

TEST REPORT

CUSTOMER : PTT Global Chemical Public Company Limited Branch 16
ADDRESS : 9 Soi G-12, WHA Eastern Industrial Estate (Map Ta Phut), Pakorn Songkhraorat Road,
Tambon Map Ta Phut, Amphur Muang Rayong, Rayong 21150
SAMPLE SOURCE : EA Plant
SAMPLE POINT : Tank Farm SAMPLE NO. : 11328
MEASURING DATE : 29/04/2024 RECEIVED DATE : 29/04/2024
SAMPLING INSTRUMENT : Heat Stress ; REPORTED DATE : 08/05/2024
Wet Bulb Globe Temperature (WBGT) : Serial No. TEU080011

PARAMETER*	SAMPLING TIME	RESULT				
		NWB	GT	DB	WBGT	UNIT
Heat Stress	13:30 - 14:00	28.6	36.3	34.0	30.7	°C
	14:00 - 14:30	28.6	36.6	34.3	30.8	°C
	14:30 - 15:00	28.7	36.8	34.4	30.9	°C
	15:00 - 15:30	28.9	36.6	34.1	31.0	°C
WBGT AVERAGE	13:30 - 15:30	-	-	-	30.8	°C
STANDARD		-	-	-	34.0 ^{1/2}	°C

REMARK:

Work Load is Light, Outdoor

^{/1} Regulation of The Ministry of Labour B.E. 2559 (2016)^{/2} Notification of The Ministry of Industry B.E. 2546 (2003)


NWB = Natural Wet - Bulb Temperature

GT = Globe Temperature

DB = Dry - Bulb Temperature

WBGT = Wet - Bulb Globe Temperature

* Parameter have License Registration of Department of Labour Protection and Welfare No. 0401-03-2564-0009
(Measurement By Ms. Savita Kittinoavarat)



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

Approved By.....

(MRS. WANPEN LHAOCHINDAWAT)

08/05/2024

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

Request No. LA67-R0541

Report No. R6705-0630

TEST REPORT

CUSTOMER : PTT Global Chemical Public Company Limited Branch 16

ADDRESS : 9 Soi G-12, WHA Eastern Industrial Estate (Map Ta Phut), Pakorn Songkhraorat Road,
Tambon Map Ta Phut, Amphur Muang Rayong, Rayong 21150

SAMPLE SOURCE : EA Plant

SAMPLE POINT : Reactor SAMPLE NO. : 11329

MEASURING DATE : 29/04/2024 RECEIVED DATE : 29/04/2024

SAMPLING INSTRUMENT : Heat Stress ; REPORTED DATE : 08/05/2024

Wet Bulb Globe Temperature (WBGT) : Serial No. TEU080012

PARAMETER*	SAMPLING TIME	RESULT				
		NWB	GT	DB	WBGT	UNIT
Heat Stress	13:30 - 14:00	29.5	38.2	35.5	31.8	°C
	14:00 - 14:30	30.8	47.9	36.3	34.8	°C
	14:30 - 15:00	31.0	46.9	36.6	34.7	°C
	15:00 - 15:30	29.6	38.7	36.1	32.1	°C
WBGT AVERAGE	13:30 - 15:30	-	-	-	33.4	°C
STANDARD		-	-	-	34.0 ^{1/2}	°C

REMARK:

Work Load is Light, Outdoor

^{1/1} Regulation of The Ministry of Labour B.E. 2559 (2016)^{1/2} Notification of The Ministry of Industry B.E. 2546 (2003)

NWB = Natural Wet - Bulb Temperature

GT = Globe Temperature

DB = Dry - Bulb Temperature

WBGT = Wet - Bulb Globe Temperature

* Parameter have License Registration of Department of Labour Protection and Welfare No. 0401-03-2564-0009
(Measurement By Ms. Savita Kittinoavarat)



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

REPORTED TEST REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL

WITHOUT THE WRITTEN APPROVAL LABORATORY

Approved By.....



(MRS. WANPEN LHAOCHINDAWAT)

08/05/2024