

ภาคผนวก ก

เอกสารประกอบการปฏิบัติตาม
มาตรการติดตามตรวจสอบผลกระทบสิ่งแวดล้อม

ภาคผนวก ค.1

รายงานสถิติเกี่ยวกับท่าเรือเดินทะเล

ขนาดเรือ	เดือน / จำนวนเที่ยว (เที่ยว)	ปริมาณการขนถ่าย (ลบ.ม.)						
(ตันกรอส)	มกราคม 2567	น้ำมันดิบ	น้ำมัน เบนซิน 91	น้ำมัน เบนซิน 95	น้ำมัน อากาศยาน	น้ำมันดีเซล	น้ำมันเตา	ก๊าซหุงต้ม
ต่ำกว่า 500	0	-	-	-	-	-	-	-
500-2,999	114	-	20,301	39,243	33,358	118,017	4,458	11,070
3,000-6,999	17	-	-	2,520	12,676	22,173	-	-
7,000-9,999	0	-	-	-	-	-	-	-
10,000 ขึ้นไป	11	639,923	-	-	-	-	-	-
รวม	142	639,923	20,301	41,763	46,034	140,190	4,458	11,070

ขนาดเรือ	เดือน / จำนวนเที่ยว (เที่ยว)	ปริมาณการขนถ่าย (ลบ.ม.)						
(ตันกรอส)	กุมภาพันธ์ 2567	น้ำมันดิบ	น้ำมัน เบนซิน 91	น้ำมัน เบนซิน 95	น้ำมัน อากาศยาน	น้ำมันดีเซล	น้ำมันเตา	ก๊าซหุงต้ม
ต่ำกว่า 500	0	-	-	-	-	-	-	-
500-2,999	108	-	17,988	34,987	21,584	111,456	4,662	10,431
3,000-6,999	21	-	-	-	28,610	14,782	-	-
7,000-9,999	0	-	-	-	-	-	-	-
10,000 ขึ้นไป	10	576,934	-	-	-	-	50,008	-
รวม	139	576,934	17,988	34,987	50,194	126,238	54,670	10,431

ขนาดเรือ	เดือน / จำนวนเที่ยว (เที่ยว)	ปริมาณการขนถ่าย (ลบ.ม.)						
(ตันกรอส)	มีนาคม 2567	น้ำมันดิบ	น้ำมัน เบนซิน 91	น้ำมัน เบนซิน 95	น้ำมัน อากาศยาน	น้ำมันดีเซล	น้ำมันเตา	ก๊าซหุงต้ม
ต่ำกว่า 500	0	-	-	-	-	-	-	-
500-2,999	112	-	26,685	30,178	23,072	121,559	2,731	10,280
3,000-6,999	20	-	-	2,965	15,926	18,557	-	-
7,000-9,999	0	-	-	-	-	-	-	-
10,000 ขึ้นไป	16	838,056	-	-	-	-	56,067	-
รวม	148	838,056	26,685	33,142	38,998	140,116	58,798	10,280

ขนาดเรือ	เดือน / จำนวนเที่ยว (เที่ยว)	ปริมาณการขนถ่าย (ลบ.ม.)						
(ตันกรอส)	เมษายน 2567	น้ำมันดิบ	น้ำมัน เบนซิน 91	น้ำมัน เบนซิน 95	น้ำมัน อากาศยาน	น้ำมันดีเซล	น้ำมันเตา	ก๊าซหุงต้ม
ต่ำกว่า 500	0	-	-	-	-	-	-	-
500-2,999	98	-	16,078	30,724	15,649	109,625	3,681	11,170
3,000-6,999	19	-	-	6,306	27,722	16,085	-	-
7,000-9,999	1	-	-	-	-	10,221	-	-
10,000 ขึ้นไป	10	519,574	-	-	-	-	54,097	-
รวม	128	519,574	16,078	37,030	43,371	135,931	57,778	11,170

ขนาดเรือ	เดือน / จำนวนเที่ยว (เที่ยว)	ปริมาณการขนถ่าย (ลบ.ม.)						
(ตันกรอส)	พฤษภาคม 2567	น้ำมันดิบ	น้ำมัน เบนซิน 91	น้ำมัน เบนซิน 95	น้ำมัน อากาศยาน	น้ำมันดีเซล	น้ำมันเตา	ก๊าซหุงต้ม
ต่ำกว่า 500	0	-	-	-	-	-	-	-
500-2,999	112	-	25,792	36,111	16,161	112,875	4,878	16,050
3,000-6,999	16	-	-	2,959	24,844	19,288	-	-
7,000-9,999	1	-	-	-	-	10,004	-	-
10,000 ขึ้นไป	9	517,624	-	-	-	-	-	-
รวม	138	517,624	25,792	39,070	41,005	142,167	4,878	16,050

ขนาดเรือ	เดือน / จำนวนเที่ยว (เที่ยว)	ปริมาณการขนถ่าย (ลบ.ม.)						
(ตันกรอส)	มิถุนายน 2567	น้ำมันดิบ	น้ำมัน เบนซิน 91	น้ำมัน เบนซิน 95	น้ำมัน อากาศยาน	น้ำมันดีเซล	น้ำมันเตา	ก๊าซหุงต้ม
ต่ำกว่า 500	0	-	-	-	-	-	-	-
500-2,999	107	-	25,109	29,114	18,135	120,252	4,176	13,848
3,000-6,999	10	-	-	4,418	19,810	15,100	-	-
7,000-9,999	3	-	-	-	-	19,301	-	-
10,000 ขึ้นไป	12	581,361	-	-	-	-	71,861	-
รวม	132	581,361	25,109	33,532	37,945	154,653	76,037	13,848

ภาคผนวก ง

ใบรับรองผลการตรวจวัดและวิเคราะห์คุณภาพสิ่งแวดล้อม

ใบรับรองผลการตรวจวัดและวิเคราะห์คุณภาพอากาศ
จากปล่องระบายอากาศ



บริษัท ซีคอต จำกัด

SECOT CO., LTD.

239 ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพฯ 10800

239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND

TEL : +66(0) 2959-3600 FAX : +66(0) 2959-3535 E-mail : envserv@secot.co.th

STACK EMISSION ANALYSIS REPORT

CLIENT NAME	: Star Petroleum Refining Public Co., Ltd.	REF. NO.	: Marine-223003-COA-Stk/Aug2023
SAMPLING BY	: SECOT Co., Ltd.	SAMPLING DATE	: 10/08/2023
RECEIVED DATE	: 11/08/2023	ANALYTICAL DATE	: 16/08/2023
REPORT DATE	: 17/08/2023	SAMPLE CONDITION	: Normal
STACK LOCATION	: Tank Free Vent of Asphalt Tank	OPERATOR	: Mr. Kittipong Thakoengsuk
SOURCE DESCRIPTION	: Asphalt Tank	FUEL TYPE	: -

STACK DESCRIPTION

Height	: 5.0	m	Gas Velocity	: 14.3	m/s
Diameter	: 0.46	m	Flow rate ^{1/}	: 131.7	Ncu.m/min
Temperature	: 36.0	°C	Excess Oxygen	: 20.9	%

PARAMETER	UNIT	ND (Non-detectable)	RESULT ^{1/}	ASSIGNED VALUE ^{2/}	REFERENCE METHODS
Total Hydrocarbon	ppm	<0.10	9.93	125	Flame Ionization Detector

Sudaporn S.

(Miss Sudaporn Soonthorn)

Analyst

Narisa Poowasanpetch

(Miss Narisa Poowasanpetch)

Technical Management Team

Remark : 1. Reported analysis refers to submitted sample only.

2. This report shall not be reproduced, except in full, without official approval.

3. ^{1/} At standard pressure of 760 mmHg and temperature of 25 °C, dry basis.

4. ^{2/} Assigned value in Environmental Impact Assessment Report (EIA) No.4 of Star Petroleum Refining Public Co., Ltd., Marine Terminal, Letter No. ๐ก 5102.3.1/1266 dated May 7, 2019.



บริษัท ซีคอต จำกัด

SECOT CO., LTD.

239 ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพฯ 10800

239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND

TEL : +66(0) 2959-3600 FAX : +66(0) 2959-3535 E-mail : envserv@secot.co.th

STACK EMISSION ANALYSIS REPORT

CLIENT NAME	: Star Petroleum Refining Public Co., Ltd.	REF. NO.	: Marine-223003-COA-Stk/Aug2023
SAMPLING BY	: SECOT Co., Ltd.	SAMPLING DATE	: 10/08/2023
RECEIVED DATE	: 11/08/2023	ANALYTICAL DATE	: 11/08/2023
REPORT DATE	: 17/08/2023	SAMPLE CONDITION	: Normal
STACK LOCATION	: Tank Free Vent of Asphalt Tank	OPERATOR	: Mr. Kittipong Thakoengsuk
SOURCE DESCRIPTION	: Asphalt Tank	FUEL TYPE	: -
STACK DESCRIPTION			

Height : 5.0 m

Gas Velocity : 14.3 m/s

Diameter : 0.46 m

Flow rate^{1/} : 131.7 Ncu.m/min

Temperature : 36.0 °C

Excess Oxygen : 20.9 %

PARAMETER	UNIT	ND (Non-detectable)	RESULT ^{1/}	ASSIGNED VALUE ^{2/}	REFERENCE METHODS
Hydrogen Sulfide	ppm	<0.30	ND	0.75	U.S. EPA Method 16

Sudaporn S.

(Miss Sudaporn Soonthorn)

Analyst

Narisa Poowasanpetch

(Miss Narisa Poowasanpetch)

Technical Management Team

Remark : 1. Reported analysis refers to submitted sample only.

2. This report shall not be reproduced, except in full, without official approval.

3. ^{1/} At standard pressure of 760 mmHg and temperature of 25 °C, dry basis.

4. ^{2/} Assigned value in Environmental Impact Assessment Report (EIA) No.4 of Star Petroleum Refining Public Co., Ltd., Marine Terminal, Letter No. ๐ก 5102.3.1/1266 dated May 7, 2019.

ใบรับรองผลการตรวจวัดและวิเคราะห์คุณภาพน้ำทิ้ง



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800
239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND

TEL. (662) 959-3600 FAX (662) 959-3535 Website : secot.co.th E-mail : envserv@secot.co.th

WATER AND WASTEWATER ANALYSIS REPORT

CLIENT NAME	: Star Petroleum Refining Public Co., Ltd.	REQUEST SERVICE No.	: 0069/67
SAMPLING BY	: SECOT Co., Ltd.	SAMPLING METHOD	: Grab
SAMPLING DATE	: 11/01/2024	SAMPLING TIME	: 10:47
RECEIVED DATE	: 12/01/2024	ANALYTICAL DATE	: 12-17/01/2024
REPORT DATE	: 18/01/2024	SITE OPERATOR	: Mr. Baworn Deechaiya
SAMPLE CONDITION	: Normal	FILE CODE	: 224003_Marine_January

PARAMETER	UNIT	ANALYSIS METHODS	ND (non-detectable)	STATION
				Before discharging to Refinery WWTP
pH	-	4500-H ⁺ B	< 0.10	7.90
Total Dissolved Solids	mg/l	2540 C	< 50	432
Suspended Solids	mg/l	2540 D	< 5	13
Sulfide as H ₂ S	mg/l	4500-S ²⁻ F	< 0.20	ND
Fat Oil & Grease	mg/l	5520 B	< 0.50	ND
BOD ₅	mg/l	5210 B	< 1.0	14.2
TKN	mg/l	4500-N _{org} B	< 0.20	56.7

REFERENCE : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 23rd ED., 2017 (AWWA, APHA, WEF)

(Miss Khemchuda Insorn)

Analyst

REG. NO. ว-239-ก-0005

(Mrs. Araya Tipparuk)

Technical Management Team

REG. NO. ว-239-ก-0004

- Remark :**
1. Reported analysis refers to submitted sample only.
 2. This report shall not be reproduced, except in full, without official approval.
 3. - Not available.



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800

239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND

TEL. (662) 959-3600 FAX (662) 959-3535 Website : secot.co.th E-mail : envserv@secot.co.th

WATER AND WASTEWATER ANALYSIS REPORT

CLIENT NAME	: Star Petroleum Refining Public Co., Ltd.	REQUEST SERVICE No.	: 0187/67
SAMPLING BY	: SECOT Co., Ltd.	SAMPLING METHOD	: Grab
SAMPLING DATE	: 01/02/2024	SAMPLING TIME	: 15:20
RECEIVED DATE	: 02/02/2024	ANALYTICAL DATE	: 02-08/02/2024
REPORT DATE	: 08/02/2024	SITE OPERATOR	: Mr. Baworn Deechaiya
SAMPLE CONDITION	: Normal	FILE CODE	: 224003_Marine_February

PARAMETER	UNIT	ANALYSIS METHODS	ND (non-detectable)	STATION
				Before discharging to Refinery WWTP
pH	-	4500-H ⁺ B	< 0.10	7.73
Total Dissolved Solids	mg/l	2540 C	< 50	468
Suspended Solids	mg/l	2540 D	< 5	11
Sulfide as H ₂ S	mg/l	4500-S ²⁻ F	< 0.20	ND
Fat Oil & Grease	mg/l	5520 B	< 0.50	ND
BOD ₅	mg/l	5210 B	< 1.0	9.5
TKN	mg/l	4500-N _{org} B	< 0.20	15.8

REFERENCE : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 23rd ED., 2017 (AWWA, APHA, WEF)



(Miss Khemchuda Insorn)

Analyst

REG. NO. ๖-239-ก-0005



(Mrs. Araya Tipparuk)

Technical Management Team

REG. NO. ๖-239-ก-0004

- Remark :**
1. Reported analysis refers to submitted sample only.
 2. This report shall not be reproduced, except in full, without official approval.
 3. - Not available.



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800

239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND

TEL. (662) 959-3600 FAX (662) 959-3535 Website : secot.co.th E-mail : envserv@secot.co.th

WATER AND WASTEWATER ANALYSIS REPORT

CLIENT NAME	: Star Petroleum Refining Public Co., Ltd.	REQUEST SERVICE No.	: 0435/67
SAMPLING BY	: SECOT Co., Ltd.	SAMPLING METHOD	: Grab
SAMPLING DATE	: 07/03/2024	SAMPLING TIME	: 16:45
RECEIVED DATE	: 08/03/2024	ANALYTICAL DATE	: 08-14/03/2024
REPORT DATE	: 15/03/2024	SITE OPERATOR	: Miss Mareeyanee Hawae
SAMPLE CONDITION	: Normal	FILE CODE	: 224003_Marine_March

PARAMETER	UNIT	ANALYSIS METHODS	ND (non-detectable)	STATION
				Before discharging to Refinery WWTP
pH	-	4500-H ⁺ B	< 0.10	8.84
Total Dissolved Solids	mg/l	2540 C	< 50	304
Suspended Solids	mg/l	2540 D	< 5	< 5
Sulfide as H ₂ S	mg/l	4500-S ²⁻ F	< 0.20	ND
Fat Oil & Grease	mg/l	5520 B	< 0.50	ND
BOD ₅	mg/l	5210 B	< 1.0	4.3
TKN	mg/l	4500-N _{org} B	< 0.20	31.9

REFERENCE : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 23rd ED., 2017 (AWWA, APHA, WEF)



(Miss Khemchuda Insorn)

Analyst

REG. NO. ว-239-ค-0005



(Mrs. Araya Tipparuk)

Technical Management Team

REG. NO. ว-239-ค-0004

- Remark :**
1. Reported analysis refers to submitted sample only.
 2. This report shall not be reproduced, except in full, without official approval.
 3. - Not available.



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800

239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND

TEL. (662) 959-3600 FAX (662) 959-3535 Website : secot.co.th E-mail : envserv@secot.co.th

WATER AND WASTEWATER ANALYSIS REPORT

CLIENT NAME	: Star Petroleum Refining Public Co., Ltd.	REQUEST SERVICE No.	: 0628/67
SAMPLING BY	: SECOT Co., Ltd.	SAMPLING METHOD	: Grab
SAMPLING DATE	: 01/04/2024	SAMPLING TIME	: 10:50
RECEIVED DATE	: 02/04/2024	ANALYTICAL DATE	: 02-08/04/2024
REPORT DATE	: 09/04/2024	SITE OPERATOR	: Mr. Aniwat Pimwanna
SAMPLE CONDITION	: Normal	FILE CODE	: 224003_Marine_April

PARAMETER	UNIT	ANALYSIS	ND	STATION
		METHODS	(non-detectable)	Before discharging to Refinery WWTP
pH	-	4500-H ⁺ B	< 0.10	7.21
Total Dissolved Solids	mg/l	2540 C	< 50	479
Suspended Solids	mg/l	2540 D	< 5	16
Sulfide as H ₂ S	mg/l	4500-S ²⁻ F	< 0.20	ND
Fat Oil & Grease	mg/l	5520 B	< 0.50	ND
BOD ₅	mg/l	5210 B	< 1.0	11.9
TKN	mg/l	4500-N _{org} B	< 0.20	50.8

REFERENCE : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 23rd ED., 2017 (AWWA, APHA, WEF)

(Miss Khemchuda Insorn)

Analyst

REG. NO. ว-239-ท-0005

(Mrs. Araya Tipparuk)

Technical Management Team

REG. NO. ว-239-ท-0004

- Remark :
1. Reported analysis refers to submitted sample only.
 2. This report shall not be reproduced, except in full, without official approval.
 3. - Not available.



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800
239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND

TEL. (662) 959-3600 FAX (662) 959-3535 Website : secot.co.th E-mail : envserv@secot.co.th

WATER AND WASTEWATER ANALYSIS REPORT

CLIENT NAME	: Star Petroleum Refining Public Co., Ltd.	REQUEST SERVICE No.	: 0846/67
SAMPLING BY	: SECOT Co., Ltd.	SAMPLING METHOD	: Grab
SAMPLING DATE	: 02/05/2024	SAMPLING TIME	: 11:16
RECEIVED DATE	: 03/05/2024	ANALYTICAL DATE	: 03-10/05/2024
REPORT DATE	: 13/05/2024	SITE OPERATOR	: Miss Mareeyanee Hawae
SAMPLE CONDITION	: Normal	FILE CODE	: 224003_Marine_May

PARAMETER	UNIT	ANALYSIS METHODS	ND (non-detectable)	STATION
				Before discharging to Refinery WWTP
pH	-	4500-H ⁺ B	< 0.10	7.92
Total Dissolved Solids	mg/l	2540 C	< 50	440
Suspended Solids	mg/l	2540 D	< 5	< 5
Sulfide as H ₂ S	mg/l	4500-S ²⁻ F	< 0.20	ND
Fat Oil & Grease	mg/l	5520 B	< 0.50	ND
BOD ₅	mg/l	5210 B	< 1.0	13.8
TKN	mg/l	4500-N _{org} B	< 0.20	61.7

REFERENCE : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 23rd ED., 2017 (AWWA, APHA, WEF)



(Miss Khemchuda Insorn)

Analyst

REG. NO. ๖-239-ก-0005



(Mrs. Araya Tipparuk)

Technical Management Team

REG. NO. ๖-239-ก-0004

- Remark :
1. Reported analysis refers to submitted sample only.
 2. This report shall not be reproduced, except in full, without official approval.
 3. - Not available.



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800

239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND

TEL. (662) 959-3600 FAX (662) 959-3535 Website : secot.co.th E-mail : envserv@secot.co.th

WATER AND WASTEWATER ANALYSIS REPORT

CLIENT NAME	: Star Petroleum Refining Public Co., Ltd.	REQUEST SERVICE No.	: 1138/67
SAMPLING BY	: SECOT Co., Ltd.	SAMPLING METHOD	: Grab
SAMPLING DATE	: 06/06/2024	SAMPLING TIME	: 11:34
RECEIVED DATE	: 07/06/2024	ANALYTICAL DATE	: 07-14/06/2024
REPORT DATE	: 14/06/2024	SITE OPERATOR	: Miss Mareeyanee Hawae
SAMPLE CONDITION	: Normal	FILE CODE	: 224003_Marine_June

PARAMETER	UNIT	ANALYSIS METHODS	ND (non-detectable)	STATION
				Before discharging to Refinery WWTP
pH	-	4500-H ⁺ B	< 0.10	7.50
Total Dissolved Solids	mg/l	2540 C	< 50	483
Suspended Solids	mg/l	2540 D	< 5	20
Sulfide as H ₂ S	mg/l	4500-S ²⁻ F	< 0.20	ND
Fat Oil & Grease	mg/l	5520 B	< 0.50	ND
BOD ₅	mg/l	5210 B	< 1.0	46.4
TKN	mg/l	4500-N _{org} B	< 0.20	49.0

REFERENCE : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 23rd ED., 2017 (AWWA, APHA, WEF)

(Miss Khemchuda Insorn)

Analyst

REG. NO. ว-239-ก-0005

(Mrs. Araya Tipparuk)

Technical Management Team

REG. NO. ว-239-ก-0004

- Remark :**
1. Reported analysis refers to submitted sample only.
 2. This report shall not be reproduced, except in full, without official approval.
 3. - Not available.

ใบรับรองผลการตรวจวัดและวิเคราะห์คุณภาพน้ำทะเล



บริษัท ซีคอต จำกัด SECOT CO., LTD.

239 ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800

239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND

TEL. (662) 959-3600 FAX (662) 959-3535 Website : secot.co.th E-mail : envserv@secot.co.th

WATER AND WASTEWATER ANALYSIS REPORT

CLIENT NAME	: Star Petroleum Refining Public Co., Ltd.	REQUEST SERVICE No.	: 0896/67
SAMPLING BY	: SECOT Co., Ltd.	SAMPLING METHOD	: Integrate
SAMPLING DATE	: 09/05/2024	SAMPLING TIME	: 09:42
RECEIVED DATE	: 10/05/2024	ANALYTICAL DATE	: 10-17/05/2024
REPORT DATE	: 18/05/2024	SITE OPERATOR	: Mr. Baworn Deechaiya
SAMPLE CONDITION	: Normal	FILE CODE	: 224003_CW_May

PARAMETER	UNITS	ANALYSIS METHODS	ND (non-detectable)	SATATION	STANDARD ^{1/}
				Ko Saket	
Depth	m.	Measurement	-	1.9	-
Temperature	°C	2550 B	< 0.5	32.3	$\Delta \leq 2$
pH	-	4500-H ⁺ B	< 0.10	8.09	7.0-8.5
Transparency	m.	Secchi Disc	-	1.5	$\Delta \leq 10 \%$
Fat Oil & Grease	mg/l	5520 B	< 0.50	ND	-
Fat Oil & Grease	-	Visual Testing	-	NV	NV
Suspended Solid (SS)	mg/l	2540 D	2.5	6.12	^{2/}
Ammonia Nitrogen	µg/l	4500-NH ₃ F	< 10.0	ND	-
Phenols	mg/l	5530 B-C	< 0.001	ND	≤ 0.03
Dissolved Oxygen	mg/l	4500-O G	< 0.10	6.0	≥ 4
BOD ₅	mg/l	5210 B	< 1.0	< 1.0	-
Salinity	ppt	2520 B	< 0.10	30.4	$\Delta \leq 10 \%$
Total Petroleum Hydrocarbon	µg/l	IOC/GGE(MSI)-III/3	< 0.10	ND	≤ 5
TOC [*]	µg/l	5310 B	< 0.01	1.82	-
Chromium Trivalent (Cr ³⁺)	µg/l	3113 B / Calculation	< 1.00	ND	-
Chromium Hexavalent (Cr ⁶⁺)	µg/l	3113 B	< 1.00	ND	≤ 50
Mercury (Hg)	µg/l	3112 B	< 0.05	ND	≤ 0.1


REFERENCE : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 23rd ED., 2017 (AWWA, APHA, WEF)

REFERENCE : Intergovernmental Oceanographic Commission of UNESCO (IOC), 1981



(Miss Khemchuda Insorn)

Analyst



(Mrs. Araya Tippiaruk)

Technical Management Team

Remark : 1. Reported analysis refers to submitted sample only.

2. This report shall not be reproduced, except in full, without official approval.

3. ^{1/} Notification of the National Environmental Board B.E.2564 (2021) (Class 5).

Δ : Change from natural condition, \leq : Not more than, NV : Not visible, \geq : Not less than.

^{2/} The results should not be changed by more than the sum of daily average and the standard deviation.

Daily average was calculated from hourly measurement or at least 5 samples taken at equal time interval within one day.

4. *TOC analysis was performed by The Office of Public Health and Environmental Technology Services, Faculty of Public Health, Mahidol University.

5. - Not available.



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800

239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND

TEL. (662) 959-3600 FAX (662) 959-3535 Website : secot.co.th E-mail : envserv@secot.co.th

WATER AND WASTEWATER ANALYSIS REPORT

CLIENT NAME	: Star Petroleum Refining Public Co., Ltd.	REQUEST SERVICE No.	: 0896/67
SAMPLING BY	: SECOT Co., Ltd.	SAMPLING METHOD	: Integrate
SAMPLING DATE	: 09/05/2024	SAMPLING TIME	: 09:56
RECEIVED DATE	: 10/05/2024	ANALYTICAL DATE	: 10-17/05/2024
REPORT DATE	: 18/05/2024	SITE OPERATOR	: Mr. Baworn Deechaiya
SAMPLE CONDITION	: Normal	FILE CODE	: 224003_CW_May

PARAMETER	UNITS	ANALYSIS METHODS	ND (non-detectable)	SATATION	STANDARD ^{1/}
				Open Coastal Water	
Depth	m.	Measurement	-	3.5	-
Temperature	°C	2550 B	< 0.5	32.4	$\Delta \leq 2$
Transparency	m.	Secchi Disc	< 0.10	2.0	$\Delta \leq 10 \%$
pH	-	4500-H ⁺ B	-	8.04	7.0-8.5
Fat Oil & Grease	mg/l	5520 B	< 0.50	ND	-
Fat Oil & Grease	-	Visual Testing	-	NV	NV
Suspended Solid (SS)	mg/l	2540 D	2.5	9.73	^{2/}
Ammonia Nitrogen	µg/l	4500-NH ₃ F	< 10.0	ND	-
Phenols	mg/l	5530 B-C	< 0.001	ND	≤ 0.03
Dissolved Oxygen	mg/l	4500-O G	< 0.10	6.0	≥ 4
BOD ₅	mg/l	5210 B	< 1.0	< 1.0	-
Salinity	ppt	2520 B	< 0.10	30.5	$\Delta \leq 10 \%$
Total Petroleum Hydrocarbon	µg/l	IOC/GGE(MSI)-III/3	< 0.10	ND	≤ 5
TOC [*]	mg/l	5310 B	< 0.01	1.78	-
Chromium Trivalent (Cr ³⁺)	µg/l	3113 B / Calculation	< 1.00	ND	-
Chromium Hexavalent (Cr ⁶⁺)	µg/l	3113 B	< 1.00	ND	≤ 50
Mercury (Hg)	µg/l	3112 B	< 0.05	ND	≤ 0.1

REFERENCE : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 23rd ED., 2017 (AWWA, APHA, WEF)

REFERENCE : Intergovernmental Oceanographic Commission of UNESCO (IOC), 1981

(Miss Khemchuda Insorn)

Analyst

(Mrs. Araya Tipparuk)

Technical Management Team

Remark : 1. Reported analysis refers to submitted sample only.

2. This report shall not be reproduced, except in full, without official approval.

3. ^{1/} Notification of the National Environmental Board B.E.2564 (2021) (Class 5).

Δ : Change from natural condition, \leq : Not more than, NV : Not visible, \geq : Not less than.

^{2/} The results should not be changed by more than the sum of daily average and the standard deviation.

Daily average was calculated from hourly measurement or at least 5 samples taken at equal time interval within one day.

4. *TOC analysis was performed by The Office of Public Health and Environmental Technology Services, Faculty of Public Health, Mahidol University.

5. - Not available .



บริษัท ซีคอต จำกัด SECOT CO., LTD.

239 ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800

239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND

TEL. (662) 959-3600 FAX (662) 959-3535 Website : secot.co.th E-mail : envserv@secot.co.th

WATER AND WASTEWATER ANALYSIS REPORT

CLIENT NAME	: Star Petroleum Refining Public Co., Ltd.	REQUEST SERVICE No.	: 0896/67
SAMPLING BY	: SECOT Co., Ltd.	SAMPLING METHOD	: Integrate
SAMPLING DATE	: 09/05/2024	SAMPLING TIME	: 10:12
RECEIVED DATE	: 10/05/2024	ANALYTICAL DATE	: 10-17/05/2024
REPORT DATE	: 18/05/2024	SITE OPERATOR	: Mr. Baworn Deechaiya
SAMPLE CONDITION	: Normal	FILE CODE	: 224003_CW_May

PARAMETER	UNITS	ANALYSIS METHODS	ND (non-detectable)	SATATION	STANDARD ^{1/}
				Had Sai Thong Beach	
Depth	m.	Measurement	-	2.2	-
Temperature	°C	2550 B	< 0.5	32.4	$\Delta \leq 1$
Transparency	m.	Secchi Disc	-	1.0	$\Delta \leq 10 \%$
pH	-	4500-H ⁺ B	< 0.10	7.93	7.0-8.5
Fat Oil & Grease	mg/l	5520 B	< 0.50	ND	-
Fat Oil & Grease	-	Visual Testing	-	NV	NV
Suspended Solid (SS)	mg/l	2540 D	2.5	6.65	^{2/}
Ammonia Nitrogen	µg/l	4500-NH ₃ F	< 10.0	ND	-
Phenols	mg/l	5530 B-C	< 0.001	ND	≤ 0.03
Dissolved Oxygen	mg/l	4500-O G	< 0.10	5.5	≥ 4
BOD ₅	mg/l	5210 B	< 1.0	1.4	-
Salinity	ppt	2520 B	< 0.10	29.8	$\Delta \leq 10 \%$
Total Petroleum Hydrocarbon	µg/l	IOC/GGE(MSI)-III/3	< 0.10	ND	≤ 0.5
TOC [*]	mg/l	5310 B	< 0.01	2.12	-
Chromium Trivalent (Cr ³⁺)	µg/l	3113 B / Calculation	< 1.00	ND	-
Chromium Hexavalent (Cr ⁶⁺)	µg/l	3113 B	< 1.00	ND	≤ 50
Mercury (Hg)	µg/l	3112 B	< 0.05	ND	≤ 0.1

REFERENCE : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 23rd ED., 2017 (AWWA, APHA, WEF)

REFERENCE : Intergovernmental Oceanographic Commission of UNESCO (IOC), 1981

Khemchuda Insorn

(Miss Khemchuda Insorn)

Analyst

Araya Tipparuk

(Mrs. Araya Tipparuk)

Technical Management Team

Remark : 1. Reported analysis refers to submitted sample only.

2. This report shall not be reproduced, except in full, without official approval.

3. ^{1/} Notification of the National Environmental Board B.E.2564 (2021) (Class 3).

Δ : Change from natural condition , \leq : Not more than, NV : Not visible, \geq : Not less than.

^{2/} The results should not be changed by more than the sum of daily average and the standard deviation.

Daily average was calculated from hourly measurement or at least 5 samples taken at equal time interval within one day.

4. *TOC analysis was performed by The Office of Public Health and Environmental Technology Services, Faculty of Public Health, Mahidol University.

5. - Not available .

ใบรับรองผลการตรวจวัดระดับเสียง



Noise Monitoring Result : Community Noise

MTR-SPRC PLC-Marine

Location : In front of Marine Control Office

Monitor Period : 25-28 Mar 2024

SLM Model : Cirrus CR162B

Serial No : G300709

Site Operator : Mr. Siwanon Kulawong

Calibrator Model : Cirrus CR:515

Serial No : 97097

Calibration Ref dB(A) : 94.0

Certified Date : 04 Sep 2023

SLM Reading / Adjust dB(A) : 92.7/1.0

Expire Date : 03 Sep 2024

Cal Sheet No.: CR-515-2024-076

Time	Equivalent Sound Pressure Level (dB(A))		
	25-26 Mar 2024	26-27 Mar 2024	27-28 Mar 2024
14:00 - 15:00	58.3	61.6	56.9
15:00 - 16:00	58.8	61.1	56.2
16:00 - 17:00	57.9	61.2	56.4
17:00 - 18:00	58.4	61.6	57.0
18:00 - 19:00	59.2	62.1	57.4
19:00 - 20:00	58.2	62.1	58.0
20:00 - 21:00	56.9	61.9	58.6
21:00 - 22:00	57.0	61.7	58.8
22:00 - 23:00	56.5	61.9	59.3
23:00 - 00:00	56.9	61.8	58.2
00:00 - 01:00	56.0	61.7	58.4
01:00 - 02:00	57.5	61.7	57.4
02:00 - 03:00	56.9	62.0	57.4
03:00 - 04:00	59.8	62.0	57.5
04:00 - 05:00	61.9	62.2	57.7
05:00 - 06:00	60.8	62.0	57.8
06:00 - 07:00	61.0	62.3	57.7
07:00 - 08:00	62.7	65.3	57.7
08:00 - 09:00	60.9	62.2	57.7
09:00 - 10:00	61.0	61.8	57.7
10:00 - 11:00	61.3	61.5	57.7
11:00 - 12:00	61.6	62.7	57.8
12:00 - 13:00	61.8	62.6	57.8
13:00 - 14:00	61.6	64.1	57.8
Leq(24)*	59.8	62.2	57.8
Ldn	65.7	68.4	64.3
Lmax **	85.4	90.9	70.7
Standard-24Hr	70 dB(A)		
Standard-Max	115 dB(A)		

Remark : * Average time between 14:00-14:00

** Maximum Sound Pressure Level between 14:00-14:00

(Miss Katesarin Vorradetwittaya)
Environmental Scientist

(Miss Preeda Somjai)
Technical Management Team



Noise Monitoring Result : Background Noise

MTR-SPRC PLC-Marine

Location : In front of Marine Control Office

Monitor Period : 25-28 Mar 2024

SLM Model : Cirrus CR162B

Serial No : G300709

Site Operator : Mr. Siwanon Kulawong

Calibrator Model : Cirrus CR:515

Serial No : 97097

Calibration Ref dB(A) : 94.0

Certified Date : 04 Sep 2023

SLM Reading / Adjust dB(A) : 92.7/1.0

Expire Date : 03 Sep 2024

Cal Sheet No.: CR-515-2024-076

Time	L90 (dB(A))		
	25-26 Mar 2024	26-27 Mar 2024	27-28 Mar 2024
14:00 - 15:00	57.4	60.4	54.9
15:00 - 16:00	57.3	60.2	55.2
16:00 - 17:00	56.9	60.3	55.5
17:00 - 18:00	57.3	60.7	55.8
18:00 - 19:00	57.8	61.1	56.6
19:00 - 20:00	57.1	61.2	56.2
20:00 - 21:00	54.0	61.1	57.8
21:00 - 22:00	56.4	61.1	57.5
22:00 - 23:00	55.6	61.2	57.8
23:00 - 00:00	55.5	61.1	57.2
00:00 - 01:00	55.1	61.1	57.3
01:00 - 02:00	55.9	60.9	56.7
02:00 - 03:00	55.2	60.9	56.5
03:00 - 04:00	55.4	61.1	55.6
04:00 - 05:00	60.2	61.3	55.5
05:00 - 06:00	60.0	61.1	55.5
06:00 - 07:00	59.9	61.4	55.5
07:00 - 08:00	60.0	61.2	55.5
08:00 - 09:00	59.8	61.2	55.5
09:00 - 10:00	59.8	60.4	55.5
10:00 - 11:00	59.6	60.6	55.5
11:00 - 12:00	60.3	60.5	55.5
12:00 - 13:00	60.6	60.7	55.5
13:00 - 14:00	60.3	53.9	55.5
L90(avg)*	58.3	60.8	56.2

Remark : * Average time between 14:00-14:00

(Miss Katesarin Vorradetwittaya)
Environmental Scientist

(Miss Preeda Somjai)
Technical Management Team



Noise Monitoring Result : Community Noise

MTR-SPRC PLC-Marine

Location : Between middle of Asphalt Tank and pipes rack

Monitor Period : 25-28 Mar 2024

SLM Model : Cirrus CR162B

Serial No : G302333

Site Operator : Mr. Siwanon Kulawong

Calibrator Model : Cirrus CR:515

Serial No : 97097

Calibration Ref dB(A) : 94.0

Certified Date : 04 Sep 2023

SLM Reading / Adjust dB(A) : 95.5/-1.8

Expire Date : 03 Sep 2024

Cal Sheet No.: CR-515-2024-076

Time	Equivalent Sound Pressure Level (dB(A))		
	25-26 Mar 2024	26-27 Mar 2024	27-28 Mar 2024
13:00 - 14:00	59.7	60.3	63.5
14:00 - 15:00	59.2	65.6	60.1
15:00 - 16:00	58.6	59.5	60.0
16:00 - 17:00	59.5	60.0	61.6
17:00 - 18:00	61.6	61.0	61.5
18:00 - 19:00	60.0	59.5	61.6
19:00 - 20:00	59.1	58.9	61.6
20:00 - 21:00	58.0	57.2	61.6
21:00 - 22:00	57.6	56.7	61.6
22:00 - 23:00	57.4	57.1	61.6
23:00 - 00:00	57.5	57.9	61.6
00:00 - 01:00	57.3	58.0	61.6
01:00 - 02:00	57.5	57.4	61.7
02:00 - 03:00	57.5	57.4	61.6
03:00 - 04:00	57.3	58.2	61.6
04:00 - 05:00	58.2	57.1	61.6
05:00 - 06:00	58.6	58.3	61.6
06:00 - 07:00	61.5	61.3	61.5
07:00 - 08:00	64.9	62.2	61.6
08:00 - 09:00	60.0	60.6	61.6
09:00 - 10:00	60.7	61.7	61.6
10:00 - 11:00	65.5	60.4	61.6
11:00 - 12:00	60.3	60.1	61.6
12:00 - 13:00	58.8	58.9	61.6
Leq(24)*	60.1	60.0	61.6
Ldn	65.2	65.1	68.0
Lmax **	88.5	83.7	89.1
Standard-24Hr	70 dB(A)		
Standard-Max	115 dB(A)		

Remark : * Average time between 13:00-13:00

** Maximum Sound Pressure Level between 13:00-13:00

(Miss Katesarin Vorradetwittaya)
Environmental Scientist

(Miss Preeda Somjai)
Technical Management Team



Noise Monitoring Result : Background Noise

MTR-SPRC PLC-Marine

Location : Between middle of Asphalt Tank and pipes rack

Monitor Period : 25-28 Mar 2024

SLM Model : Cirrus CR162B

Serial No : G302333

Site Operator : Mr. Siwanon Kulawong

Calibrator Model : Cirrus CR:515

Serial No : 97097

Calibration Ref dB(A) : 94.0

Certified Date : 04 Sep 2023

SLM Reading / Adjust dB(A) : 95.5/-1.8

Expire Date : 03 Sep 2024

Cal Sheet No.: CR-515-2024-076

Time	L90 (dB(A))		
	25-26 Mar 2024	26-27 Mar 2024	27-28 Mar 2024
13:00 - 14:00	55.2	55.9	55.7
14:00 - 15:00	54.9	56.6	55.4
15:00 - 16:00	54.8	55.4	55.2
16:00 - 17:00	55.9	55.5	57.8
17:00 - 18:00	56.7	56.2	57.7
18:00 - 19:00	56.2	55.5	57.8
19:00 - 20:00	56.1	55.2	57.7
20:00 - 21:00	55.8	54.9	57.8
21:00 - 22:00	55.6	54.7	57.8
22:00 - 23:00	55.2	54.8	57.8
23:00 - 00:00	55.3	55.8	57.8
00:00 - 01:00	55.3	56.0	57.7
01:00 - 02:00	55.2	55.7	57.9
02:00 - 03:00	54.9	55.7	57.7
03:00 - 04:00	55.0	55.7	57.8
04:00 - 05:00	55.7	54.7	57.8
05:00 - 06:00	56.2	55.4	57.7
06:00 - 07:00	57.6	56.8	57.8
07:00 - 08:00	57.3	57.1	57.8
08:00 - 09:00	56.0	56.6	57.8
09:00 - 10:00	55.8	56.9	57.8
10:00 - 11:00	56.6	56.8	57.7
11:00 - 12:00	55.4	56.3	57.8
12:00 - 13:00	55.1	56.0	57.8
L90(avg)*	55.8	55.9	57.5

Remark : * Average time between 13:00-13:00

(Miss Katesarin Vorradetwittaya)
Environmental Scientist

(Miss Preeda Somjai)
Technical Management Team



Noise Monitoring Result : Community Noise

MTR-SPRC PLC-Marine

Location : Ban Ao Pradu

Monitor Period : 25-28 Mar 2024

SLM Model : Cirrus CR162B

Serial No : G302237

Site Operator : Mr. Siwanon Kulawong

Calibrator Model : Cirrus CR:515

Serial No : 97097

Calibration Ref dB(A) : 94.0

Certified Date : 04 Sep 2023

SLM Reading / Adjust dB(A) : 92.2/1.5

Expire Date : 03 Sep 2024

Cal Sheet No.: CR-515-2024-076

Time	Equivalent Sound Pressure Level (dB(A))		
	25-26 Mar 2024	26-27 Mar 2024	27-28 Mar 2024
16:00 - 17:00	64.5	61.3	61.2
17:00 - 18:00	65.8	65.0	64.7
18:00 - 19:00	60.2	63.1	62.0
19:00 - 20:00	60.7	62.4	62.3
20:00 - 21:00	61.1	58.4	56.0
21:00 - 22:00	53.5	59.1	55.0
22:00 - 23:00	56.1	55.4	54.6
23:00 - 00:00	52.8	54.4	54.2
00:00 - 01:00	52.8	53.6	58.3
01:00 - 02:00	52.0	59.8	56.8
02:00 - 03:00	52.9	54.4	53.4
03:00 - 04:00	54.5	53.7	55.0
04:00 - 05:00	56.8	53.7	54.1
05:00 - 06:00	55.4	55.5	56.1
06:00 - 07:00	60.2	59.7	59.3
07:00 - 08:00	62.0	62.0	62.1
08:00 - 09:00	58.4	58.4	57.4
09:00 - 10:00	56.6	58.6	55.8
10:00 - 11:00	59.0	58.1	58.4
11:00 - 12:00	59.8	61.4	60.3
12:00 - 13:00	56.6	58.5	57.9
13:00 - 14:00	56.6	57.5	56.9
14:00 - 15:00	56.9	55.4	57.0
15:00 - 16:00	58.3	60.7	60.5
Leq(24)*	59.3	59.5	59.0
Ldn	63.2	63.7	63.4
Lmax **	88.8	86.0	87.1
Standard-24Hr	70 dB(A)		
Standard-Max	115 dB(A)		

Remark : * Average time between 16:00-16:00

** Maximum Sound Pressure Level between 16:00-16:00

(Miss Katesarin Vorradetwittaya)
Environmental Scientist

(Miss Preeda Somjai)
Technical Management Team



Noise Monitoring Result : Background Noise

MTR-SPRC PLC-Marine

Location : Ban Ao Pradu

Monitor Period : 25-28 Mar 2024

SLM Model : Cirrus CR162B

Serial No : G302237

Site Operator : Mr. Siwanon Kulawong

Calibrator Model : Cirrus CR:515

Serial No : 97097

Calibration Ref dB(A) : 94.0

Certified Date : 04 Sep 2023

SLM Reading / Adjust dB(A) : 92.2/1.5

Expire Date : 03 Sep 2024

Cal Sheet No.: CR-515-2024-076

Time	L90 (dB(A))		
	25-26 Mar 2024	26-27 Mar 2024	27-28 Mar 2024
16:00 - 17:00	55.5	53.4	52.9
17:00 - 18:00	54.0	54.5	54.5
18:00 - 19:00	53.0	54.4	54.0
19:00 - 20:00	50.9	53.6	52.2
20:00 - 21:00	50.2	53.4	52.1
21:00 - 22:00	50.0	53.0	52.0
22:00 - 23:00	50.1	52.6	52.7
23:00 - 00:00	49.3	51.7	52.3
00:00 - 01:00	49.2	51.9	52.4
01:00 - 02:00	50.0	52.3	52.4
02:00 - 03:00	50.2	52.4	52.4
03:00 - 04:00	50.9	52.4	52.6
04:00 - 05:00	50.4	52.2	52.5
05:00 - 06:00	51.5	52.4	52.5
06:00 - 07:00	52.9	53.7	53.8
07:00 - 08:00	53.4	52.3	53.5
08:00 - 09:00	51.2	51.5	51.2
09:00 - 10:00	49.7	49.5	50.2
10:00 - 11:00	49.0	51.4	51.2
11:00 - 12:00	47.4	51.9	50.1
12:00 - 13:00	47.8	53.3	47.5
13:00 - 14:00	48.0	52.0	50.4
14:00 - 15:00	50.8	50.6	49.4
15:00 - 16:00	52.5	50.7	49.9
L90(avg)*	51.2	52.5	52.1

Remark : * Average time between 16:00-16:00

(Miss Katesarin Vorradetwittaya)
Environmental Scientist

(Miss Preeda Somjai)
Technical Management Team



Noise Monitoring Result : Community Noise

MTR-SPRC PLC-Marine

Location : Wat Takuan Kongka Ram
SLM Model : Cirrus CR162B
Site Operator : Mr. Siwanon Kulawong

Monitor Period : 25-28 Mar 2024
Serial No : G302738

Calibrator Model : Cirrus CR:515
Calibration Ref dB(A) : 94.0
SLM Reading / Adjust dB(A) : 91.8/1.9
Cal Sheet No.: CR-515-2024-076

Serial No : 97097
Certified Date : 04 Sep 2023
Expire Date : 03 Sep 2024

Time	Equivalent Sound Pressure Level (dB(A))		
	25-26 Mar 2024	26-27 Mar 2024	27-28 Mar 2024
16:00 - 17:00	54.5	53.8	51.8
17:00 - 18:00	51.7	52.3	51.6
18:00 - 19:00	65.4	66.6	61.9
19:00 - 20:00	51.3	50.7	51.1
20:00 - 21:00	51.4	50.5	51.6
21:00 - 22:00	51.1	50.3	51.0
22:00 - 23:00	58.3	55.2	52.6
23:00 - 00:00	51.2	50.4	50.8
00:00 - 01:00	54.9	56.0	50.8
01:00 - 02:00	51.3	50.1	50.7
02:00 - 03:00	51.7	49.8	50.7
03:00 - 04:00	51.1	50.5	50.5
04:00 - 05:00	51.9	50.8	52.1
05:00 - 06:00	61.8	60.1	56.5
06:00 - 07:00	63.4	57.1	54.9
07:00 - 08:00	53.6	52.6	53.9
08:00 - 09:00	53.4	53.7	56.5
09:00 - 10:00	56.2	53.0	54.2
10:00 - 11:00	55.4	55.0	54.9
11:00 - 12:00	55.1	53.4	56.2
12:00 - 13:00	54.8	51.4	52.5
13:00 - 14:00	55.5	51.1	53.9
14:00 - 15:00	55.7	51.2	53.1
15:00 - 16:00	58.2	51.6	59.9
Leq(24)*	57.3	56.1	54.8
Ldn	64.1	61.6	59.7
Lmax **	80.4	74.2	78.8
Standard-24Hr	70 dB(A)		
Standard-Max	115 dB(A)		

Remark : * Average time between 16:00-16:00

** Maximum Sound Pressure Level between 16:00-16:00

(Miss Katesarin Vorradetwittaya)
 Environmental Scientist

(Miss Preeda Somjai)
 Technical Management Team



Noise Monitoring Result : Background Noise

MTR-SPRC PLC-Marine

Location : Wat Takuan Kongka Ram
SLM Model : Cirrus CR162B
Site Operator : Mr. Siwanon Kulawong

Monitor Period : 25-28 Mar 2024
Serial No : G302738

Calibrator Model : Cirrus CR:515
Calibration Ref dB(A) : 94.0
SLM Reading / Adjust dB(A) : 91.8/1.9
Cal Sheet No.: CR-515-2024-076

Serial No : 97097
Certified Date : 04 Sep 2023
Expire Date : 03 Sep 2024

Time	L90 (dB(A))		
	25-26 Mar 2024	26-27 Mar 2024	27-28 Mar 2024
16:00 - 17:00	51.3	50.7	50.0
17:00 - 18:00	51.1	50.2	49.8
18:00 - 19:00	51.2	50.0	49.9
19:00 - 20:00	50.6	49.5	49.7
20:00 - 21:00	50.4	49.5	49.7
21:00 - 22:00	50.4	49.6	50.0
22:00 - 23:00	50.7	49.6	50.2
23:00 - 00:00	50.5	49.7	49.8
00:00 - 01:00	50.5	49.7	49.8
01:00 - 02:00	50.5	49.4	49.7
02:00 - 03:00	50.4	49.3	49.7
03:00 - 04:00	50.4	49.3	49.6
04:00 - 05:00	50.5	49.3	49.7
05:00 - 06:00	50.4	49.3	49.6
06:00 - 07:00	51.5	49.7	50.3
07:00 - 08:00	51.5	49.9	50.5
08:00 - 09:00	48.7	50.0	51.8
09:00 - 10:00	51.0	50.0	51.4
10:00 - 11:00	50.4	50.3	51.3
11:00 - 12:00	49.4	49.2	52.5
12:00 - 13:00	51.2	49.2	47.9
13:00 - 14:00	50.9	49.2	48.8
14:00 - 15:00	52.1	49.1	47.7
15:00 - 16:00	52.6	49.3	47.5
L90(avg)*	50.8	49.6	50.0

Remark : * Average time between 16:00-16:00

(Miss Katesarin Vorradetwittaya)
 Environmental Scientist

(Miss Preeda Somjai)
 Technical Management Team

ใบรับรองผลการตรวจวัดนิเวศแหล่งน้ำและการประมง



สถานีวิจัยประมงศรีราชา
101/12 หมู่ 9 ต.บางพระ
อ.ศรีราชา จ.ชลบุรี 20110
โทร./โทรสาร. (038) 311379

รายงานผลการวิเคราะห์แพลงก์ตอนพืชและแพลงก์ตอนสัตว์
ตาราง ผลการวิเคราะห์แพลงก์ตอนพืชและแพลงก์ตอนสัตว์ (เก็บตัวอย่างวันที่ 9 พฤษภาคม 2567)

กลุ่ม/สกุลของแพลงก์ตอน	ปริมาณแพลงก์ตอน (หน่วยต่อลูกบาศก์เมตร)			
	S1	S2	S3	S4
แพลงก์ตอนพืช				
Division Cyanophyta				
Class Cyanophyceae				
Order Nostocales				
Family Oscillatoriaceae				
<i>Oscillatoria agardhii</i>	8,000	9,000	-	159,000
<i>Oscillatoria brevis</i>	-	-	19,000	-
<i>Oscillatoria</i> sp.	8,000	9,000	47,000	-
<i>Oscillatoria tenuis</i>	8,000	9,000	38,000	-
Family Nostocaceae				
<i>Pseudanabaena</i> sp.	76,000	82,000	19,000	376,000
Division Chlorophyta				
Class Chlorophyceae				
Order Chlorococcales				
Family Coelastraceae				
<i>Coelastrum microporum</i>	-	-	28,000	-
Family Scenedesmaceae				
<i>Scenedesmus armatus</i>	-	9,000	19,000	-

ตาราง ผลการวิเคราะห์แพลงก์ตอนพืชและแพลงก์ตอนสัตว์ (เก็บตัวอย่างวันที่ 9 พฤษภาคม 2567)

(ต่อ)

กลุ่ม/สกุลของแพลงก์ตอน	ปริมาณแพลงก์ตอน (หน่วยต่อลูกบาศก์เมตร)			
	S1	S2	S3	S4
<i>Scenedesmus dimorphus</i>	-	9,000	19,000	-
<i>Scenedesmus opoliensis</i>	-	9,000	28,000	-
<i>Scenedesmus</i> sp.	-	-	19,000	-
Order Ulotrichales				
Family Ulotrichaceae				
<i>Ulothrix</i> sp.	-	27,000	-	-
Order Zygnematales				
Family Zygnemataceae				
<i>Spirogyra</i> sp.	-	-	19,000	-
Family Desmidiaceae				
<i>Staurastrum gracile</i>	-	-	28,000	-
Class Euglenophyceae				
Order Euglenales				
Family Euglenaceae				
<i>Euglena oxyuris</i>	-	-	9,000	-
<i>Phacus platalea</i>	-	-	-	8,000
Division Chromophyta				
Class Bacillariophyceae				
Order Biddulphales				
Suborder Coscinodiscineae				
Family Thalassiosiraceae				
<i>Cyclotella meneghiniana</i>	972,000	4,941,000	115,930,000	2,505,000
<i>Lauderia annulata</i>	-	9,000	-	-
<i>Stephanodiscus rotula</i>	34,000	46,000	19,000	25,000
<i>Thalassiosira subtilis</i>	68,000	732,000	752,000	-

ตาราง ผลการวิเคราะห์แพลงก์ตอนพืชและแพลงก์ตอนสัตว์ (เก็บตัวอย่างวันที่ 9 พฤษภาคม 2567)
(ต่อ)

กลุ่ม/สกุลของแพลงก์ตอน	ปริมาณแพลงก์ตอน (หน่วยต่อลูกบาศก์เมตร)			
	S1	S2	S3	S4
Family Melosiraceae				
<i>Melosira dulbia</i>	-	-	19,000	-
<i>Paralia sulcata</i>	8,000	18,000	-	-
Family Coscinodiscaceae				
<i>Coscinodiscus</i> sp.	17,000	27,000	-	25,000
Family Heliopeltaceae				
<i>Actinoptychus</i> sp.	17,000	18,000	-	33,000
Suborder Rhizosoleniineae				
Family Rhizosoleniaceae				
<i>Guinardia striata</i>	-	-	-	25,000
<i>Rhizosolenia pungens</i>	11,661,000	17,687,000	19,000	26,887,000
<i>Rhizosolenia setigera</i>	3,634,000	6,103,000	9,000	3,006,000
Suborder Biddulphiineae				
Family Hemiaulaceae				
<i>Cerataulina pelagica</i>	2,028,000	4,877,000	564,000	585,000
Family Chaetoceraceae				
<i>Bacteriastrum furcatum</i>	-	-	-	8,000
<i>Chaetoceros affinis</i>	507,000	37,000	-	-
<i>Chaetoceros compressus</i>	1,437,000	622,000	-	8,350,000
<i>Chaetoceros costatus</i>	25,000	18,000	-	626,000
<i>Chaetoceros curvisetus</i>	80,951,000	20,743,000	940,000	241,039,000
<i>Chaetoceros didymus</i>	3,211,000	549,000	-	4,509,000
<i>Chaetoceros furcellatus</i>	-	190,320,000	2,613,200,000	501,000
<i>Chaetoceros laciniatus</i>	1,014,000	458,000	-	1,503,000
<i>Chaetoceros lorenzianus</i>	34,000	-	-	-
<i>Chaetoceros mitra</i>	25,000	9,000	-	610,000
<i>Chaetoceros peruvianus</i>	8,000	-	-	8,000

ตาราง ผลการวิเคราะห์แพลงก์ตอนพืชและแพลงก์ตอนสัตว์ (เก็บตัวอย่างวันที่ 9 พฤษภาคม 2567)

(ต่อ)

กลุ่ม/สกุลของแพลงก์ตอน	ปริมาณแพลงก์ตอน (หน่วยต่อลูกบาศก์เมตร)			
	S1	S2	S3	S4
<i>Chaetoceros pseudocurvisetus</i>	8,619,000	778,000	94,000	11,690,000
<i>Chaetoceros radicans</i>	676,000	732,000	56,000	1,712,000
<i>Chaetoceros</i> sp.	1,859,000	641,000	19,000	1,670,000
<i>Chaetoceros subtilis</i>	-	522,000	-	-
<i>Chaetoceros teres</i>	845,000	686,000	85,000	1,420,000
Family Lithodesmaceae				
<i>Odontella aurita</i>	25,000	9,000	-	8,000
<i>Triceratium favus</i>	-	-	-	8,000
Order Bacillariales				
Suborder Fragilariineae				
Family Tabellariaceae				
<i>Tabellaria fenestrata</i>	8,000	-	-	-
Family Licmophoriaceae				
<i>Licmophora ehrenbergii</i>	-	9,000	-	-
<i>Licmophora flabellata</i>	8,000	-	-	-
Suborder Bacillariineae				
Family Eunotiaceae				
<i>Eunotia pectinalis</i>	-	-	9,000	-
Family Lyrellaceae				
<i>Lyrella lyra</i>	17,000	-	-	-
Family Naviculaceae				
<i>Amphora</i> sp.	51,000	18,000	19,000	84,000
<i>Diploneis bombus</i>	8,000	9,000	-	8,000
<i>Diploneis smithii</i>	17,000	9,000	-	67,000
<i>Gyrosigma attenuatum</i>	-	-	9,000	-
<i>Gyrosigma balticum</i>	-	9,000	-	-
<i>Gyrosigma</i> sp.	-	-	9,000	-

ตาราง ผลการวิเคราะห์แพลงก์ตอนพืชและแพลงก์ตอนสัตว์ (เก็บตัวอย่างวันที่ 9 พฤษภาคม 2567)
(ต่อ)

กลุ่ม/สกุลของแพลงก์ตอน	ปริมาณแพลงก์ตอน (หน่วยต่อลูกบาศก์เมตร)			
	S1	S2	S3	S4
<i>Navicula lanceolata</i>	-	-	19,000	8,000
<i>Navicula</i> sp.	-	-	9,000	-
<i>Pinnularia gibba</i>	-	-	-	8,000
<i>Pinnularia viridis</i>	-	-	9,000	-
<i>Pleurosigma angulatum</i>	17,000	18,000	9,000	33,000
<i>Pleurosigma</i> sp.	-	37,000	-	17,000
<i>Trachyneis</i> sp.	8,000	-	19,000	17,000
Family Bacillariaceae				
<i>Cylindrotheca closterium</i>	8,000	-	-	8,000
<i>Nitzschia lorenziana</i>	-	-	-	50,000
<i>Nitzschia</i> sp.	-	9,000	-	8,000
<i>Pseudo-nitzschia</i> sp.	-	18,000	-	17,000
<i>Tryblionella hungarica</i>	-	-	9,000	8,000
<i>Tryblionella victoriae</i>	-	-	-	8,000
Family Surirellaceae				
<i>Entomoneis robusta</i>	-	-	-	8,000
Class Dinophyceae				
Order Prorocentrales				
Family Prorocentraceae				
<i>Prorocentrum mexicanum</i>	-	-	-	17,000
Order Peridinales				
Family Calciodinellaceae				
<i>Scrippsiella trochoidea</i>	25,000	256,000	1,504,000	33,000
Family Peridiniaceae				
<i>Peridinium quinquecorne</i>	-	55,000	-	-
Family Protoperidiniaceae				
<i>Protoperidinium angustum</i>	-	55,000	1,410,000	17,000

ตาราง ผลการวิเคราะห์แพลงก์ตอนพืชและแพลงก์ตอนสัตว์ (เก็บตัวอย่างวันที่ 9 พฤษภาคม 2567)

(ต่อ)

กลุ่ม/สกุลของแพลงก์ตอน	ปริมาณแพลงก์ตอน (หน่วยต่อลูกบาศก์เมตร)			
	S1	S2	S3	S4
<i>Protoperidinium conicum</i>	-	18,000	19,000	25,000
<i>Protoperidinium curtipes</i>	25,000	46,000	-	-
<i>Protoperidinium pellucidum</i>	-	37,000	-	-
<i>Protoperidinium</i> sp.	25,000	92,000	846,000	17,000
<i>Protoperidinium spinulosum</i>	17,000	9,000	-	17,000
แพลงก์ตอนสัตว์				
Phylum Protozoa				
Subphylum Plasmodroma				
Class Sarcodina				
Subclass Rhizopoda				
Order Testacida				
Family Euglyphidae				
<i>Euglypha acanthophora</i>	-	-	19,000	-
Subphylum Ciliophora				
Class Ciliata				
Subclass Spirotricha				
Order Tintinnida				
Family Codonellidae				
<i>Tintinnopsis loricata</i>	-	9,000	-	-
Order Hypotrichida				
<i>Euplotes</i> sp.	-	-	19,000	-
Subclass Peritricha				
Order Peritrichida				
<i>Vorticella</i> sp.	135,000	-	19,000	150,000

ตาราง ผลการวิเคราะห์แพลงก์ตอนพืชและแพลงก์ตอนสัตว์ (เก็บตัวอย่างวันที่ 9 พฤษภาคม 2567)
(ต่อ)


กลุ่ม/สกุลของแพลงก์ตอน	ปริมาณแพลงก์ตอน (หน่วยต่อลูกบาศก์เมตร)			
	S1	S2	S3	S4
Phylum Rotifera				
Class Monogononta				
Order Ploima				
Family Brachionidae				
<i>Keratella valga</i>	8,000	-	-	-
Family Lecanidae				
<i>Lecane harringi</i>	-	-	-	8,000
Family Asplanchnidae				
<i>Asplanchna priodonta</i>	8,000	-	-	-
Phylum Annelida				
Class Polychaeta				
Polychaete larvae	42,000	18,000	-	33,000
Phylum Arthropoda				
Class Crustacea				
Subclass Copepoda				
Copepod nautilus	490,000	256,000	160,000	635,000
Order Calanoida				
Calanoid copepod	17,000	-	-	-
Order Cyclopoida				
Cyclopoid copepod	25,000	18,000	9,000	8,000
Subclass Cirripedia				
Cirripede nauplius	17,000	-	-	-
Phylum Mollusca				
Class Bivalvia				
Pelecypod larvae	-	9,000	19,000	-

ตาราง ผลการวิเคราะห์แพลงก์ตอนพืชและแพลงก์ตอนสัตว์ (เก็บตัวอย่างวันที่ 9 พฤษภาคม 2567)
(ต่อ)

กลุ่ม/สกุลของแพลงก์ตอน	ปริมาณแพลงก์ตอน (หน่วยต่อลูกบาศก์เมตร)			
	S1	S2	S3	S4
Phylum Chordata				
Subphylum Urochordata				
Class Larvacea				
Family Oikopleuridae				
<i>Oikopleura</i> sp.	-	-	-	17,000
ชนิดของแพลงก์ตอนพืช	40	49	39	47
ชนิดของแพลงก์ตอนสัตว์	8	5	6	6
ชนิดแพลงก์ตอนรวม	48	54	45	53
ปริมาณแพลงก์ตอนพืช	118,009,000	251,449,000	2,735,897,000	307,771,000
ปริมาณแพลงก์ตอนสัตว์	742,000	310,000	245,000	851,000
ปริมาณแพลงก์ตอนรวม	118,751,000	251,759,000	2,736,142,000	308,622,000
ค่าดัชนีความหลากหลายแพลงก์ตอนพืช	1.2833	1.0185	0.1982	0.9589
ค่าดัชนีความหลากหลายแพลงก์ตอนสัตว์	1.1316	0.6941	1.1928	0.8164
ค่าดัชนีความสม่ำเสมอแพลงก์ตอนพืช	0.3479	0.2617	0.0541	0.2491
ค่าดัชนีความสม่ำเสมอแพลงก์ตอนสัตว์	0.5442	0.4313	0.6657	0.4556

หมายเหตุ : 1. สถานี S1 : เกาะสะเก็ด
2. สถานี S2 : หาดทรายทอง
3. สถานี S3 : จุดระบายน้ำทิ้งของโรงกลั่นน้ำมันลงทะเล
4. สถานี S4 : ทะเลเปิด


(นางสาวกนกวรรณ ขาวค้อน)
ผู้วิเคราะห์


(นายอลงกต อินทรชาติ)
หัวหน้าสถานีวิจัยประมงศรีราชา



สถานีวิจัยประมงศรีราชา
101/12 หมู่ 9 ต. บางพระ
อ. ศรีราชา จ. ชลบุรี 20110
โทร./โทรสาร. (038) 311379

รายงานผลการวิเคราะห์สัตว์หน้าดิน

ตาราง ผลการวิเคราะห์สัตว์หน้าดิน (เก็บตัวอย่างวันที่ 9 พฤษภาคม 2567)

ชนิดสัตว์หน้าดิน	ปริมาณสัตว์หน้าดิน (ตัวต่อตารางเมตร)			
	S1	S2	S3	S4
Phylum Annelida				
Class Sipuncula				
Order Golfingiida				
Family Sipunculidae				
<i>Sipunculus</i> sp. (หนอนถั่ว)	-	-	-	15
Class Polychaeta				
Order Eunicida				
Family Eunicidae				
<i>Marphysa</i> sp. (ไส้เดือนทะเล)	15	-	15	45
Order Terebellida				
Family Cirratulidae				
<i>Chaetozone</i> sp. (ไส้เดือนทะเล)	-	45	-	15
Phylum Mollusca				
Class Bivalvia				
Order Cardiida				
Family Psammobiidae				
<i>Soletellina</i> sp. (หอยสองฝาชนิดหนึ่ง)	-	30	-	-

ตาราง ผลการวิเคราะห์สัตว์หน้าดิน (เก็บตัวอย่างวันที่ 9 พฤษภาคม 2567)(ต่อ)

ชนิดสัตว์หน้าดิน	ปริมาณสัตว์หน้าดิน (ตัวต่อตารางเมตร)			
	S1	S2	S3	S4
Family Tellinidae <i>Tellina</i> sp. (หอยสองฝาชนิดหนึ่ง)	-	15	15	-
Order Lucinida Family Lucinidae <i>Lucina</i> sp. (หอยสองฝาชนิดหนึ่ง)	15	-	-	-
Phylum Chordata Class Leptocardii Order Amphioxiformes Family Branchiostomidae <i>Branchiostoma</i> sp. (แอมฟิออกซัส)	-	-	-	15
ชนิดสัตว์หน้าดิน	2	3	2	4
ปริมาณสัตว์หน้าดิน	30	90	30	90
ค่าดัชนีความหลากหลายสัตว์หน้าดิน	0.6931	1.0114	0.6931	1.2425

- หมายเหตุ :
1. สถานี S1 : เกาะสะเก็ด
 2. สถานี S2 : หาดทรายทอง
 3. สถานี S3 : จุดระบายน้ำทิ้งของโรงกลั่นน้ำมันลงทะเล
 4. สถานี S4 : ทะเลเปิด

อรรถวุฒิ กันทะวงศ์
.....
(นายอรรถวุฒิ กันทะวงศ์)
ผู้วิเคราะห์

อ. อธิชา
.....
(นายอรรถกต อินทรชาติ)
หัวหน้าสถานีวิจัยประมงศรีราชา



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800.

239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND

TEL. (662) 959-3600 FAX (662) 959-3535 Website : secot.co.th E-mail : envserv@secot.co.th

SOIL SAMPLES ANALYSIS REPORT

CLIENT NAME	: Star Petroleum Refining Public Co., Ltd.	REQUEST SERVICE No.	: 2175/66
SAMPLING BY	: Star Petroleum Refining Public Co., Ltd.	SAMPLING METHOD	: Grab
SAMPLING DATE	: 04/12/2023	SAMPLING TIME	: 09:44-10:05
RECEIVED DATE	: 08/12/2023	ANALYTICAL DATE	: 12-14/12/2023
REPORT DATE	: 19/12/2023	SITE OPERATOR	: Mr. Watcharakan Pramakhate
SAMPLE CONDITION	: Normal	FILE CODE	: 223003_Soil_December
SAMPLE DESCRIPTION	: 1 = Open Coastal Water (737676,139814) 2 = In front of Had Sai Thong Beach (737715,1401053) 3 = Ko Saket (735758, 1398818)		

PARAMETER	UNIT	ANALYSIS	ND	STATION		
		METHODS	(non-detectable)	1	2	3
<u>Total Petroleum Hydrocarbons</u>						
- C ₆ - C ₉ fraction	mg/kg	5035 A / 8260 D	< 0.003	ND	ND	ND
- C ₁₀ - C ₁₄ fraction	mg/kg	3540 C / 8015 D	< 0.15	ND	ND	ND
- C ₁₅ - C ₂₈ fraction	mg/kg	3540 C / 8015 D	< 1.25	ND	ND	ND
- C ₂₉ - C ₃₆ fraction	mg/kg	3540 C / 8015 D	< 0.80	ND	ND	ND

Reference method : Test Methods of Evaluating Solid Waste , Physical/Chemical Methods SW-846, 3rd edition, US EPA 2020.

Jutarat Jaemruen

(Miss Jutarat Jaemruen)

Analyst

Araya Tipparuk

(Mrs. Araya Tipparuk)

Technical Management Team

Remark : 1. Reported analysis refers to submitted sample only.

2. This report shall not be reproduced, except in full, without official approval.

ภาคผนวก จ

ข้อมูลการตรวจเทียบเครื่องมือตรวจวัด

(Calibration Data Sheets)

Sheet No. : CAL-M5006/01/23



CONTROL UNIT CALIBRATION

(Metric units, mm)

Date 16 Jan 23

Barometric press, Pb

Initial	Final	Average
759	759	759

 mmHg

Dry Gas Meter Data

Console No. M50-06

Serial No. 358794

Metering System ID

Model S110

DGM Number 333249

Correction factor (Yr) 1.0079

DGM Model MST-C2-1

Last Calibration Date 9 Dec 22

Calibrated by : Montri P.

Orifice manometer setting, ΔH mm H2O	Ref. DGM Volume V _r Liters	DGM Volume V _m Liters	Temperature (°C)				Time ⊙ min	DGM Correction factor (Y)	ΔH@ mm
			Ref DGM T _r	Dry Gas Meter					
				Inlet T _i	Outlet T _o	Avg T _m			
12.5	100.1	100.9	25	25	24	24.5	8.60	0.9968	41.8649
25.0	100.0	100.4	25	25	24	24.5	6.13	0.9998	42.6722
50.0	100.1	100.6	25	25	24	24.5	4.53	0.9963	46.5503
76.0	99.9	100.4	25	25	24	24.5	3.75	0.9949	48.5425
100.0	100.0	99.3	25	25	24	24.5	3.75	1.0031	45.5096
150.0	100.2	98.7	25	25	24	24.5	2.58	1.0070	45.2316
Average								0.9997	45.0618

Approved by : Ladawan W.

Sheet No. : CAL-PI-PS20-01/2023



PITOT TUBE CALIBRATION

Calibration Location: SECOT

Calibration Date : 06-01-2023

Calibrated duct No.: 1

Calibration Standard Pitot tube data

Pitot No. : Std-01

Coefficient (Cp) : 1

Type S Pitot No. : PS20-01

Calibrated by : Mr. Montri P.

A Side Calibration

Run No.	ΔPstd (mm H ₂ O)	ΔPs (mm H ₂ O)	Cp(s)	Deviation, δ Cp(s) - Cp(A)
1	7.50	10.75	0.8353	-0.0033
2	7.50	10.50	0.8452	0.0066
3	7.50	10.75	0.8353	-0.0033

C_{P(A)}, avg 0.8386

B Side Calibration

Run No.	ΔPstd (mm H ₂ O)	ΔPs (mm H ₂ O)	Cp(s)	Deviation, δ Cp(s) - Cp(B)
1	7.50	10.50	0.8452	0.0033
2	7.50	10.75	0.8353	-0.0066
3	7.50	10.50	0.8452	0.0033

C_{P(B)}, avg 0.8419

|CP(A)-CP(B)| = 0.0033

C_{P(Avg)} = 0.8402

Approved by : Ladawan W.

*** δ must be ≤ 0.01 for the test to be acceptable ***
 *** |Cp(A)-Cp(B)| must also be < 0.01 if average of Cp(A) and Cp(B) is to be used ***



ELECTRICAL AND ELECTRONICS INSTITUTE
FOUNDATION FOR INDUSTRIAL DEVELOPMENT

975 Moo 4, Bangpoo Industrial Estate, Soi 8, Sukhumvit Road km 37,

Phraek Sa, Mueang Samut Prakan, Samut Prakan 10280


Tel: +66 2709 4860 Fax: +66 2324 0917



Certificate No.: CP20230345EA
Operation No.: CP2023080023

Certificate of Calibration

Equipment: Sound Calibrator
Manufacturer: Cirrus Research Plc
Model/Type: CR:515
Serial No.: 97097
ID No.: -
Customer: SECOT Co.,Ltd.
Address: 239 Rimklongprapa Rd., Bangsue,
Bangkok 10800 Thailand
Received Date: 28 August 2023
Calibrated Date: 4 September 2023
Issued Date: 8 September 2023
Calibrated by: Ms. Juntaporn Kunhakom

Approved by: 
(Mr. Sittichai Swaksuriyawong)
Group Manager

This report was prepared electronically using applicable electronic signature. Printing or copy of file are considered as a copy of the document.

The reported uncertainty of measurement was based on standard uncertainty multiplied by a coverage factor (k) providing a level of confidence of approximately 95%. This certificate may not be reproduced other than in full except with the prior written approval of the Electrical and Electronics Institute, Foundation for Industrial Development.



ELECTRICAL AND ELECTRONICS INSTITUTE
FOUNDATION FOR INDUSTRIAL DEVELOPMENT

Certificate No.: CP20230345EA

Calibration Report

Equipment: Sound Calibrator
Manufacturer: Cirrus Research Plc
Model/Type: CR:515
Serial No.: 97097
ID No.: -
Ambient Temperature: (23 ± 2) °C
Relative Humidity: (50 ± 15) %
Pressure: (101.3 ± 1.5) kPa

Method of Calibration :-
IEC 60942:2017

Condition of this result of calibration

1. Reference standards instrument :-

Instrument	Model	Serial No.	Cert. No.	Due Date
1) Standard microphone	4180	2787490	AA-1024-22	6 November 2023
2) Waveform Generator	33511B	MY52302264	CK20230039EA	27 June 2024
3) Audio Analyzing DMM	2015-P	000136E	E1U225466	2 December 2023
4) Pressure humidity and Temperature Transmitter	PTU301	F0640002	CL1-P230024 CD20230196EA	20 March 2024 23 July 2024

2. This result of calibration was found accurate as shown on date and place of calibration only.

3. This certification is traceable to the international system of unit maintained at :-

- Reference standards instrument for Acoustic function
 - National Institute of Metrology (Thailand)
- Reference standards instrument for Electrical function
 - Electrical and Electronics Institute; NSC Accredited Calibration No.0119

Result of Calibration:-

1. Function : Sound pressure level

Normal Frequency (Hz)	Specified Sound Pressure level (dB)	Measured value (dB)	Deviated value ^[1] (dB)	Acceptance limit ^[3] (dB)
1000	94	94.13	0.13	±0.25

2. Function : Frequency

Normal Sound Pressure level (dB)	Specified Frequency (Hz)	Measured value (Hz)	Deviated value ^[2] (%)	Acceptance limit ^[3] (%)
94	1000	1000.3	0.0	±0.7



ELECTRICAL AND ELECTRONICS INSTITUTE
FOUNDATION FOR INDUSTRIAL DEVELOPMENT

Certificate No.: CP20230345EA

Calibration Report

3. Function : Total distortion + noise

Norminal Sound Pressure level (dB)	Norminal Frequency (Hz)	Measured value ^[4] (%)	Acceptance limit ^[5] (%)
94	1000	1.0	2.5

Uncertainty of measurement

Function	Uncertainty	Maximum-permitted uncertainty of measurement
Sound pressure level	0.10 dB	0.15 dB
Frequency	0.10 %	0.20 %
Total distortion + noise	0.40 %	0.50 %

Note: [1] The deviated value is the absolute value of the difference between the measured value and the corresponding specified sound pressure level.
[2] The deviated value is the absolute value of the difference in percent between the measured value and the corresponding specified frequency.
[3] The acceptance limit is for the deviated value.
[4] The measured value is the total distortion + noise, measured over the frequency range from 20 Hz to 20 kHz.
[5] The acceptance limit is for the Measured value.

Remarks: 1. Acceptance limit was IEC 60942:2017 Class 1.
2. Maximum-permitted uncertainty of measurement was IEC 60942:2017 Class 1.
3. The coverage factor $k = 2.00$

-- End of Report --

Sheet No. : CR-515-2024-076



SOUND LEVEL METER CALIBRATION

Calibration Location: SECOT

Calibration Date: Mar 25, 24

ACOUSTIC CALIBRATOR

Brand	Model	Serial No.	Frequency (Hz)	Ref.Calibrated (dB)	Eff.Calibrated (dB)
Cirrus	CR:515	97097	1000.00	94.0	93.7

No.	Brand	Model	Serial No.	Reading (dB)	dB Adjust
14	Cirrus	CR162B	G300709	92.7	1.0
42	Cirrus	CR162B	G302738	91.8	1.9
48	Cirrus	CR162B	G302237	92.2	1.5
50	Cirrus	CR162B	G302333	95.5	-1.8

Calibrated by :

Approved by :

Preeda S.

CAL

Calibratech Co.,Ltd.

7/106-7 Moo 2, Sukhaphrachasan 3 Rd., Bangpood, Pakkred, Nonthaburi 11120

Tel.(02) 964-6211 Fax.(02) 964-5155, e-mail : calibratech.cal@yahoo.com, calibratech.cal@hotmail.com



Certificate of Calibration

Certificate No. : 67-420019-1

Page : 1 of 2

Submitted by : Secot Co.,Ltd.

239 RimKlongprapa Road, Bangsue, Bangkok 10800 Thailand

Equipment : pH Meter with electrode

pH meter

Manufacturer : Mettler Toledo

Model : Seven2Go S2

Range : N/A

pH

Resolution : 0.01 pH

Serial No. : B924795409

ID No. : PH No.12

Electrode

Model : InLab Expert Go

Serial No. : 3051249

Environment : Ambient Temperature : (25 ± 2) °C

Relative Humidity : (50 ± 15) %

Date of Received : 13 February 2024

Date of Calibration : 20 February 2024

Date of Issue : 20 February 2024

Calibrated by : Permpon Chanpu

Calibration Method : In-house method CAL-M4201 direct measurement by using standard voltage calibrator and using certified reference material (CRM)

Reference Standard Instruments : This certification is traceable to the International System of Units

1. Multiproduct Calibrator

ID No.	Cert. No.	Due Date	Traceability
--------	-----------	----------	--------------

440001	23E1240	24 Mar 2025	National Institute of Metrology Thailand (NIMT)
--------	---------	-------------	---

2. Standard Buffer Solution

pH	Cert. No.	Lot No.	Exp. Date	Traceability
4.008	61293328	944535	27 Nov 2025	CPA Chem Ltd. Accredited to ISO 17034 and ISO/IEC 17025
6.986	61281486	944537	17 Nov 2024	CPA Chem Ltd. Accredited to ISO 17034 and ISO/IEC 17025
9.997	61281073	944536	17 Nov 2024	CPA Chem Ltd. Accredited to ISO 17034 and ISO/IEC 17025

Approved by :

(Surachai Promthong)

Laboratory Manager

The Uncertainties are for a confidence probability of approximately 95%

This certificate may not be reproduced other than in full except with the prior written approval of the Calibratech Co.,Ltd.



CAL-F0031-03

CAL

Calibratech Co.,Ltd.

7/106-7 Moo 2, Sukhaphrachasan 3 Rd., Bangpood, Pakkred, Nonthaburi 11120

Tel.(02) 964-6211 Fax.(02) 964-5155, e-mail : calibratech.cal@yahoo.com, calibratech.cal@hotmail.com

Certificate of Calibration

Certificate No. : 67-420019-1

Page : 2 of 2

Result of Calibration :

UUC Condition As-Received : Good

Function : Electrical measurement

pH meter

Performing standard curve by Multiproduct Calibrator at pH (4,7,10)

Adjustment Curve at nominal pH	Applied Voltage (mV)	Nominal Value (pH)	UUC Reading		Correction (mV)	Uncertainty (± mV)
			(pH)	(mV)		
4, 7, 10	177.4800	4	4.00	177	0	0.58
	0.0000	7	7.00	0	0	0.58
	-177.4800	10	10.00	-177	0	0.58

Function : pH meter with electrode

Performing a three - buffer standard curve using buffer nominal pH (4,7,10)

Adjustment Curve at nominal pH	Standard Buffer (pH)	UUC Reading (pH)	Correction (pH)	Uncertainty (± pH)
4, 7, 10	4.008	4.01	0.00	0.0097
	6.986	7.00	-0.01	0.011
	9.997	10.01	-0.01	0.014

Remark

UUC : Unit Under Calibration

This result of calibration was found accurate as shown on date and place of calibration only.

This reported uncertainty of measurement was based on a standard uncertainty multiplied by a coverage factor k = 2 , providing a level of confidence of approximately 95%

- o0o -

Signature



CAL-F0031-03



Request Service No. 099/67

Page 1 of 3

Calibration Certificate

Nomenclature : Brand : Mettler Toledo Type : Top-Loading Electronic Balance

Model : AG245 Serial No. : 1117293916 (198129-0)

Submitted by : Laboratory of SECOT CO., LTD.

Location of Calibration : BAL Room , 6th Floor, Secot Co., Ltd.

Calibration range : 0 – 200 g Scale division : 0.00001 g (41g)/ 0.0001 g (210g)

Calibration date : May 24, 2024

Reference Standard No. M2310081S, M2402083S, M2302167S, M2403062N, M2303005N

Traceable to : Metrological Center SCI ECO Services Company Limited.

Thai Calibration Services CO., LTD.

Ambient Condition : Temperature 24.20 – 24.70 °C

Humidity 50.70 – 52.00 % RH

Calibrated By : *Pornnapa Budthum* Approved By : *Narisara Poowasanpetch*

(Miss Pornnapa Budthum)

(Miss Narisara Poowasanpetch)

Testing Officer

Chief of Technical Management

Date : 25/05/2024

Date : 25/05/2024

Issued Date : May 25, 2024

Measurement Report

Request Service No. 099/67

Page 2 of 3

Description : Brand : Mettler Toledo

Type : Top-Loading Electronic Balance

Model : AG245

Serial No. : 1117293916 (198129-0)

Calibration range : 0 – 200 g

Scale division : 0.00001 g (41g)/ 0.0001 g (210g)

Calibration date : May 24, 2024

Ambient Condition : Temperature 24.20-24.70 °C Relative humidity 50.70-52.00 % RH

Measurement data :

1. Repeatability of Reading :

Load (g)	Standard Deviation of Reading (g)	Maximum Difference between Successive Reading (g)
50	0.000125	0.0004
100	0.000105	0.0003
150	0.000125	0.0003
200	0.000173	0.0005

2. Off-Center Loading :

A Mass of 50.0000 g was placed and moved to various position on the pan.

Unit : g

Center	Front	Left	Back	Right	Center	Maximum Difference
50.00010	50.00032	50.00048	50.00002	50.00008	50.00020	0.00038

Issued Date : May 25, 2024

3. Departure from Nominal Value :

Reading (g)	Correction (g)	Uncertainty (+/- g)
0	0.000000	± 0.000034
0.5	0.000022	± 0.000033
1	0.000037	± 0.000018
10	-0.000067	± 0.000036
20	-0.000060	± 0.000044
40	-0.000193	± 0.000072
60	-0.00032	± 0.00011
80	-0.00033	± 0.00013
100	-0.00048	± 0.00015
120	-0.00049	± 0.00017
140	-0.00040	± 0.00022
160	-0.00054	± 0.00023
180	-0.00053	± 0.00024
200	-0.00084	± 0.00027

Calibrated by : Pornnapha Budthum Approved By : Narisa Poowasanpetch

(Miss Pornnapha Budthum)

(Miss Narisa Poowasanpetch)

Testing Officer

Chief of Technical Management

Date : 25/05/2024Date : 25/05/2024

Issued Date : May 25, 2024



Calibration Certificate

Nomenclature : Brand : Sartorius Type : Top-Loading Electronic Balance

Model : BSA224S-CW Serial No. : 32191636

Submitted by : Laboratory of SECOT CO., LTD.

Location of Calibration : BAL Room , 6th Floor, Secot Co., Ltd.

Calibration range : 0 – 200 g Scale division : 0.0001 g (220 g)

Calibration date : May 22, 2023

Reference Standard No. M2402083S, M2302167S, M2403062N, M2303005N

Traceable to : Thai Calibration services Co., Ltd

Ambient Condition : Temperature 23.41-24.71 °C

Humidity 48.2-53.1 % RH

Calibrated By : Khemchuda Insorn Approved By : Narisa Poowasanpetch

(Miss Khemchuda Insorn)

(Miss Narisa Poowasanpetch)

Testing Officer

Chief of Technical Management

Date : 23/05/2024Date : 23/05/2024

Issued Date : May 23, 2024

Measurement Report

Request Service No.100/67

Page 2 of 3

Description : Brand : Sartorius

Type : Top-Loading Electronic Balance

Model : BSA224S-CW

Serial No. : 32191636

Calibration range : 0 – 200 g

Scale division : 0.0001 g (220 g)

Calibration date : May 22,2023

Ambient Condition : Temperature 23.41-24.71 °C Relative humidity 48.2-53.1 % RH

Measurement data :

1. Repeatability of Reading :

Load (g)	Standard Deviation of Reading (g)	Maximum Difference between Successive Reading (g)
50	0.00007	0.0002
100	0.00005	0.0001
150	0.00005	0.0001
200	0.00005	0.0001

2. Off-Center Loading :

A Mass of 50.0000 g was placed and moved to various position on the pan.

Unit : g

Center	Front	Left	Back	Right	Center	Maximum Difference
49.99990	49.99992	49.99988	49.99992	49.99990	49.99992	0.00004

Issued Date : May 24,2024

Request Service No. 100/67

Page 3 of 3

3. Departure from Nominal Valve :

Reading (g)	Correction (g)	Uncertainty (+/- g)
0	0.00000	± 0.00007
1	+ 0.00003	± 0.00007
5	+ 0.00004	± 0.00008
10	+ 0.00008	± 0.00008
20	+ 0.00003	± 0.00009
40	+ 0.00012	± 0.00010
60	+ 0.00004	± 0.00012
80	+ 0.00005	± 0.00013
100	+ 0.00006	± 0.00016
120	+ 0.00007	± 0.00018
140	+ 0.00008	± 0.00020
160	+ 0.00006	± 0.00022
180	+ 0.00007	± 0.00024
200	+ 0.00010	± 0.00027

Calibrated by :

Khemchuda Insorn

Approved By :

Narisa Poowasanpetch

(Miss Khemchuda Insorn)

(Miss Narisa Poowasanpetch)

Testing Officer

Chief of Technical Management

Date : 23/05/2024

Date : 23/05/2024

Issued Date : May 23,2024

Calibration Certificate

Certificate No.: 2402881-001-01
Client name: SECOT CO., LTD.
Address: 239 Rimklongprapa Road, Bangsue,
Bangsue, Bangkok 10800

Page 1 of 3

Equipment: CHAMBER (Hot Air Oven)
Manufacturer: MEMMERT
Model: UF55
Serial No.: B213.0295
ID No.: N/A
Order No.: 2402881
Operation No.: 2402881-001
Date of Receipt: 24 May 2024
Date of Calibration: 24 May 2024

Calibrated by Mr.Pheraphat Tuanjit
Scientist

Approved by *P. Jaenghant*
(Miss Preeyaporn Jaengkarnkit)
Vice President, Department of Laboratory Services
Responsible for the Technical Management Team

Date of Issue: 30 May 2024

The uncertainties are for a confidence probability of approximately 95 %.

This Certificate is issued in accordance with the conditions of accreditation granted by the Thai Laboratory Accreditation scheme which has assessed the measurement capability of the laboratory and its traceability to recognized national standards and to the units of measurement realized at the corresponding national standards laboratory. This certificate may not be reproduced other than in full except with the prior written approval of the National Food Institute.

F-CS-009 Revision: 01 Date: 20-04-65



Calibration Report

Certificate No.: 2402881-001-01
Equipment: CHAMBER (Hot Air Oven)
Model: UF55 **Serial No.:** B213.0295
Resolution: 0.1 °C **ID No.:** N/A
Manufacturer: MEMMERT
Date of Calibration: 24 May 2024

Page 2 of 3

Location: Laboratory, SECOT CO., LTD.
Environment Condition: Ambient Temperature (31.0 ± 1) °C
Relative Humidity (68 ± 5) %
Line Voltage (220 ± 3) Volt

Condition of this results of Calibration:

- This instrument was calibrated by insert 9 standard thermometer into its chamber and calibration according to W-TE-014 Based on TLAS G-20-1/02-08 (E): Guidelines for Calibration and Checks of Temperature Controlled Enclosures.
- The temperature scale used was based on ITS - 90.
- All data show below were final values and the initial data may be obtained upon request.

2. Reference Standard Instrument :

Instrument	Model	Serial No./ID No.	Certificate No.	Due Date	Through
Digital Thermometer with sensor	34972A	MY59003377	TE 670223-01	13 January 2025	NATIONAL FOOD INSTITUTE
	RTD	CH#101-109/ RTD#101-109			

- This certificate is traceable to International System of Units (SI Units).
- This certificate was certified only for the instrument we calibrated.
- This result of calibration was found accurate as shown on date and place of calibration only.

6. Condition of Calibrated item : Good

UUC Description :

Time of Record 1 Hour 9 Minute At 80.0, 104.0 and 180.0 °C
Fresh air Damper ☐ Open Position ☐
☒ Close Fan 60%
☐ Not Available

7. Result of Calibration : ☒ Without adjustment ☐ After adjustment

P. Jaenghant
30 May 2024

F-CS-012 Revision: 01 Date: 20-04-65



Calibration Report

Certificate No.: 2402881-001-01
Equipment: CHAMBER (Hot Air Oven)
Model: UF55 Serial No.: B213.0295
Resolution: 0.1 °C ID No.: N/A
Manufacturer: MEMMERT

Date of Calibration: 24 May 2024 Page 3 of 3

Calibration point: 80.0, 104.0 and 180.0 °C

Calibration result:

Calibration Condition	Temperature (°C)	Relative Humidity (%)	Line Voltage (Volt)
MIN	30.7	63.6	217.0
MAX	31.4	73.1	223.0




Table1 : Reporting of Temperature

Calibration point (°C)	Measured Temperature (°C) @ Sensor No. (Sensor No.9 is REF)									Uncertainty ± (°C)
	# 1	# 2	# 3	# 4	# 5	# 6	# 7	# 8	# 9	
80.0	79.99	79.94	80.08	80.08	80.13	79.95	79.90	80.17	80.13	0.46
104.0	103.86	103.80	104.00	103.99	104.10	103.83	103.81	104.18	104.10	0.53
180.0	179.73	179.73	180.01	180.00	180.44	179.81	180.20	180.56	180.25	0.90

Table 2 : Reporting of Characterization Result

UUC* Setting (°C)	UUC* reading (°C)			Stability ± (°C)	Uniformity (°C)	Overall Variation (°C)
	MIN	MAX	Average			
80.0	80.0	80.0	80.0	0.06	0.23	0.37
104.0	104.0	104.0	104.0	0.10	0.30	0.53
180.0	180.0	180.0	180.0	0.10	0.52	0.98

Note The quoted uncertainty include " Stability " and " Loading effect (20% of Temp Uniformity) "

UUC* = Unit Under Calibration

Stability = One-half of the greatest maximum difference of measured temperatures at any one sensors, for at least half an hour after reaching steady state.

Uniformity = The maximum difference of measured temperatures at any sensors and the measured temperature at the reference location which are observed at the same time.

Overall Variation = The difference of the maximum and minimum measured temperatures throughout observation time.

The report uncertainty of measurement was based on standard uncertainty multiplied by coverage factor k= 2, providing a level of confidence of approximately 95 %.

----- End -----

P. Jongsakul
30 May 2024

F-CS-012 Revision: 01 Date: 20-04-65



Certificate of Testing

Equipment : DO Meter
Manufacturer : Hanna
Model : HI98193
Serial No. : 06110066101
ID No. : DO No.9
Received Date : 14 November 2023
Test Date : 15 November 2023
Reference : 2311-0451DN-1
Submitted by : Secot Co.,Ltd.
239 Rimklongprapa Road,
Bangsue, Bangkok 10800
Laboratory Condition : Temperature (25 ± 5) °C
Humidity (50 ± 20) %
Test Procedure : In - house method : CP-CH9
by Comparison Technique with Azide Modification Method

Tested by : Walalak Sirithan

Approved by :

Saithip

Approved Signatory

(✓) Saithip Meangmai
() Warakorn Lernagatrakul
() Ponpan Paipim

Issue Date : 16 November 2023

Cert.No.: 23TW242
Page.: 1 of 2



Cert.No.: 23TW242

Page.: 2 of 2

Condition of this result of calibration

1. Reference Standard Instruments :

This certification is traceable to the International System of Unit through the reference standards laboratory of Industrial Calibration Center, Technology Promotion Association (Thailand-Japan).

Instruments	Serial No.	ID No.	Certificate No.	Due Date
1) Burette	-	130BU10	23CG1172	22 Mar 2025
2) Balance	1124013382	140RC006	23MM18	20 Feb 2024

2. Standard Material :-

Material	Manufacturer	Lot.No.	Assay
Sodium Thiosulfate pentahydrate	Merck	AM1763316	100.2%

Result : Dissolved Oxygen Meter Adjustment With Air 100 %
Dissolved Oxygen Probe No.: KC1N2993N

Titration Method (Azide Modification Method)	DO Meter Reading	Standard Deviation
(mg/L)	(mg/L)	(mg/L)
8.18	8.17	0.0055

This report was certified only for the instrument we tested. It is allowable to use for study the system efficiency, The environmental impact control and present to organization it may concerned. Intend to use for advertising and referral purpose is prohibited. This report may not be reproduced other in full, without written approval of the laboratory.

-o0o-

Saithip

a 1190074




TECHNOLOGY PROMOTION ASSOCIATION (THAILAND-JAPAN)
CORPORATE SERVICES 3: EQUIPMENT CALIBRATION AND TESTING SERVICES
534/4 PATTANAKARN ROAD SOI 18, SUANLUANG, SUANLUANG BANGKOK 10250
TEL.0-2717-3000-29 FAX.0-2719-9484

Certificate of Calibration

Cert.No.: 24CH511

Page.: 1 of 2

Equipment : Turbidity Meter
Manufacturer : HANNA
Model : HI 98703
Serial No. : 03090023991
ID. No. : -
Condition As-Received: Used Item
Received Date : 30 April 2024
Calibration Date : 03 May 2024
Reference : 2404-0712DN-2
Submitted by : Secot Co.,Ltd.
239 Rimklongprapa Road,
Bangsue, Bangkok 10800
Ambient Temperature : (25 ± 2.5) °C
Relative Humidity : (50 ± 20) %
Calibration Procedure : In - house method : CP-CH11
Direct measurement by
using Formazin standard solution
Calibrated by : Walalak Sirithean
Approved by : 
Approved Signatory
() Unnopphol Harachai
() Ponpan Paipim
(✓) Saithip Meangmai
Issue Date : 6 May 2024

The Uncertainties are for a confidence probability of approximately 95%

This certificate may not be reproduced other than in full, except with the prior written Approval of the head of Calibration and Testing Equipment Services.



Calibration Report

Certificate No.: 2304081-001-01
Equipment: CHAMBER (Incubator)
Model: ICP 400 Serial No.: K406.0004
Resolution: 0.1 °C ID No.: N/A
Manufacturer: MEMMERT
Date of Calibration: 27 July 2023

Page 2 of 3

Location: Laboratory, SECOT CO., LTD.
Environment Condition: Ambient Temperature (30 ± 1) °C
Relative Humidity (54 ± 1) %
Line Voltage (228 ± 0) Volt

Condition of this results of Calibration:

- This instrument was calibrated by insert 9 standard thermometer into its chamber and calibration according to W-TE-014 Based on TLAS G-20-1/02-08 (E): Guidelines for Calibration and Checks of Temperature Controlled Enclosures.
- The temperature scale used was based on ITS - 90.
- All data show below were final values and the initial data may be obtained upon request.
- Reference Standard Instrument :

Instrument	Model	Serial No./ID No.	Certificate No.	Due Date	Through
Digital Thermometer with sensor	34972A	MY49016894	TE 660380-01	22 April 2024	NATIONAL FOOD INSTITUTE
	RTD	CH#301-309/ RTD#301-309			

- This certificate is traceable to International System of Units (SI Units).
- This certificate was certified only for the instrument we calibrated.
- This result of calibration was found accurate as shown on date and place of calibration only.
- Condition of Calibrated item : Good

UUC Description :

Time of Record 1 Hour 9 Minute At 20.0 °C
Fresh air Damper ☐ Open Position ☐
☒ Close
☐ Not Available

- Result of Calibration : ☒ Without adjustment ☐ After adjustment

Hz



Calibration Report

Certificate No.: 2304081-001-01
Equipment: CHAMBER (Incubator)
Model: ICP 400 Serial No.: K406.0004
Resolution: 0.1 °C ID No.: N/A
Manufacturer: MEMMERT
Date of Calibration: 27 July 2023

Page 3 of 3

Calibration point: 20.0 °C

Calibration result:

Calibration Condition	Temperature (°C)	Relative Humidity (%)	Line Voltage (Volt)
MIN	28.6	53.0	227.3
MAX	31.4	54.1	228.1




Table1 : Reporting of Temperature

Calibration point (°C)	Measured Temperature (°C) @ Sensor No. (Sensor No.9 is REF)									Uncertainty ± (°C)
	# 1	# 2	# 3	# 4	# 5	# 6	# 7	# 8	# 9	
20.0	20.42	20.39	20.40	20.43	20.47	20.49	20.42	20.41	20.43	0.27

Table 2 : Reporting of Characterization Result

UUC* Setting (°C)	UUC* reading (°C)			Stability ± (°C)	Uniformity (°C)	Overall Variation (°C)
	MIN	MAX	Average			
20.0	20.0	20.1	20.0	0.065	0.053	0.220

Note The quoted uncertainty include " Stability " and " Loading effect (20% of Temp Uniformity) "

UUC* = Unit Under Calibration

Stability = One-half of the greatest maximum difference of measured temperatures at any one sensors, for at least half an hour after reaching steady state.

Uniformity = The maximum difference of measured temperatures at any sensors and the measured temperature at the reference location which are observed at the same time.

Overall Variation = The difference of the maximum and minimum measured temperatures throughout observation time.

The report uncertainty of measurement was based on standard uncertainty multiplied by coverage factor k= 2, providing a level of confidence of approximately 95 %.

----- End -----

Hz




Calibration Certificate

Certificate No.: 2304081-002-01
Client name: SECOT CO., LTD.
Address: 239 Rimklongprapa Road,
Bangsue, Bangsue, Bangkok 10800

Page 1 of 3

Equipment: Water Bath
Manufacturer: MEMMERT
Model: WB 29
Serial No.: I698.0051
ID No.: N/A
Order No.: 2304081
Operation No.: 2304081-002
Date of Receipt: 27 July 2023
Date of Calibration: 27 July 2023

Calibrated by Mr.Worapob Sooktong
Scientist

Approved by 
(Mr.Pheraphat Tuanjit)
Manager, Division of Calibration Laboratory
Responsible for the Technical Management Team

Date of Issue: 7 August 2023

The uncertainties are for a confidence probability of approximately 95 %.

This Certificate is issued in accordance with the conditions of accreditation granted by the Thai Laboratory Accreditation scheme which has assessed the measurement capability of the laboratory and its traceability to recognized national standards and to the units of measurement realized at the corresponding national standards laboratory. This certificate may not be reproduced other than in full except with the prior written approval of the National Food Institute.

F-CS-009 Revision: 01 Date: 20-04-65



nfi.or.th

Calibration Report

Certificate No.: 2304081-002-01
Equipment: Water Bath
Model: WB 29 Serial No.: I698.0051
Resolution: 0.1 °C ID No.: N/A
Manufacturer: MEMMERT
Date of Calibration: 27 July 2023

Page 2 of 3

Location: Laboratory, SECOT CO., LTD.
Environment Condition: Ambient Temperature (24 ± 1) °C
Relative Humidity (58 ± 2) %
Line Voltage (229 ± 1) Volt

Condition of this results of Calibration:

- This instrument was calibrated by insert 5 standard thermometer into its liquid bath and calibration according to W-TE-011 based on ASTM E715-80 (2016): Standard Specification for Gravity-Convection and Forced-Circulation Water Baths.
- The temperature scale used is ITS - 90.
- All data show below were final values and the initial data may be obtained upon request.
- Reference Standard Instrument :

Instrument	Model	Serial No./ID No.	Certificate No.	Due Date	Through
Digital Thermometer with sensor	34972A	MY49016894	TE 660380-01	22 April 2024	NATIONAL FOOD INSTITUTE
	RTD	RTD#201-205 / CH#201-205			

- This certificate is traceable to International System of Units (SI Units).
- This certificate was certified only for the instrument we calibrated.
- This result of calibration was found accurate as shown on date and place of calibration only.
- Condition of Calibrated item : Good

UUC Description:

Time of Record 1 Hour 9 Minute At 95.0 °C

7. Result of Calibration :
- | | |
|---|--------------------|
| X | Without adjustment |
| | After adjustment |

F-CS-012 Revision: 01 Date: 20-04-65



nfi.or.th


Calibration Report

Certificate No.: 2304081-002-01
Equipment: Water Bath
Model: WB 29 Serial No.: I698.0051
Resolution: 0.1 °C ID No.: N/A
Manufacturer: MEMMERT

Date of Calibration: 27 July 2023 Page 3 of 3

Calibration point: 95.0 °C
Calibration result:

Calibration Condition	Temperature (°C)	Relative Humidity (%)	Line Voltage (Volt)
Min	23.0	56.3	227.5
Max	25.0	60.2	229.6



Sensor Installation Location

Table 1 : Reporting of Temperature

Calibration Point (°C)	Measured Temperature (°C) @ Sensor No. (Sensor No.5 is REF)					Uncertainty ± (°C)
	# 1	# 2	# 3	# 4	# 5	
95.0	95.03	94.96	95.10	94.97	95.02	0.28

Table 2 : Reporting of Characterization Result

UUC* Setting (°C)	UUC* reading (°C)			Stability ± (°C)	Uniformity (°C)	Overall Variation (°C)
	MIN	MAX	Average			
95.0	94.9	95.1	95.0	0.18	0.080	0.47

Note The quoted uncertainty include " Stability " and " Loading effect (20% of Temp Uniformity) "

UUC* = Unit Under Calibration

Stability = One-half of the greatest maximum difference of measured temperatures at any one sensors, for at least half an hour after reaching steady state.

Uniformity = The maximum difference of measured temperatures at any sensors and the measured temperature at the reference location which are observed at the same time.

Overall Variation = The difference of the maximum and minimum measured temperatures throughout observation time.

The report uncertainty of measurement was based on standard uncertainty multiplied by coverage factor k= 2, providing a level of confidence of approximately 95 %.

----- End -----



ภาคผนวก จ

หนังสืออนุญาตขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน
จากกรมโรงงานอุตสาหกรรม



ที่ อก ๐๓๑๐(๑)/ ๑๑ ๐๑ ๖

กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท
เขตราชเทวี กรุงเทพฯ ๑๐๔๐๐

๒๐ กรกฎาคม ๒๕๖๖

เรื่อง ต่ออายุหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

เรียน กรรมการผู้จัดการ บริษัท ซีคอต จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารมลพิษของห้องปฏิบัติการวิเคราะห์เอกชน
ลงวันที่ ๗ เมษายน ๒๕๖๖

- สิ่งที่ส่งมาด้วย ๑. รายชื่อผู้ควบคุมดูแลห้องปฏิบัติการวิเคราะห์ จำนวน ๑ แผ่น
๒. รายชื่อเจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์ จำนวน ๑ แผ่น
๓. ขอบข่ายสารมลพิษที่ได้รับขึ้นทะเบียนจากกรมโรงงานอุตสาหกรรม จำนวน ๓๙ แผ่น

ตามหนังสือที่อ้างถึง บริษัท ซีคอต จำกัด ขอต่ออายุหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน เลขทะเบียน ว-๒๓๙ สถานที่ตั้งเลขที่ ๒๓๙ ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร ต่อกรมโรงงานอุตสาหกรรม นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว ให้บริษัท ซีคอต จำกัด ต่ออายุหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน โดยมีองค์ประกอบดังนี้

- ก. ผู้ควบคุมดูแลห้องปฏิบัติการวิเคราะห์ จำนวน ๑๐ ราย ตามสิ่งที่ส่งมาด้วย ๑
ข. เจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์ จำนวน ๓๘ ราย ตามสิ่งที่ส่งมาด้วย ๒
ค. ขอบข่ายสารมลพิษที่ได้รับขึ้นทะเบียนให้วิเคราะห์ในน้ำเสีย น้ำใต้ดิน อากาศเสีย สิ่งปฏิกูล หรือวัสดุที่ไม่ใช้แล้ว และดิน ตามสิ่งที่ส่งมาด้วย ๓

หนังสือฉบับนี้จะหมดอายุในวันที่ ๒ พฤษภาคม ๒๕๖๙ หากประสงค์จะต่ออายุหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน ให้ยื่นคำขอต่ออายุพร้อมเอกสารประกอบคำขอต่อกรมโรงงานอุตสาหกรรมภายใน ๓๐ วัน ก่อนวันสิ้นอายุของหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน ซึ่งคำขอต่ออายุดังกล่าวขอรับได้ที่กรมโรงงานอุตสาหกรรม ทั้งนี้ สามารถยื่นคำขอผ่านระบบอิเล็กทรอนิกส์ได้ที่หน้าเว็บไซต์กรมโรงงานอุตสาหกรรม

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ

(นายประสม ดำรงพงษ์)

กองวิจัยและเตือนภัยมลพิษโรงงาน
กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษและทะเบียนห้องปฏิบัติการ
โทร. ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๐๓-๕
โทรสาร ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๔๙
ไปรษณีย์อิเล็กทรอนิกส์ saraban@diw.mail.go.th



“อุตสาหกรรมก้าวไกล ประเทศไทยก้าวหน้า ร่วมกันพัฒนา อุตสาหกรรมสีเขียว”



สิ่งที่ส่งมาด้วย ๑

เอกสารแนบท้ายหนังสือรับต่ออายุขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

บริษัท ซีคอต จำกัด

เลขทะเบียน ว-๒๓๙

ที่ อก ๐๓๑๐(๑)/ ๑๑ ๐๑ ๖

ลงวันที่ ๒๐ กรกฎาคม ๒๕๖๖

ก. ผู้ควบคุมดูแลห้องปฏิบัติการวิเคราะห์ จำนวน ๑๐ ราย

๑) นายขรรชัย เกรียงไกรอุดม

ทะเบียนเลขที่ ว-๒๓๙-ค-๐๐๐๒

๒) นางสมฤดี เกรียงไกรอุดม

ทะเบียนเลขที่ ว-๒๓๙-ค-๐๐๐๓

๓) นางสาวธนา ทิพรักษ์

ทะเบียนเลขที่ ว-๒๓๙-ค-๐๐๐๔

๔) นางสาวเมษชุตตา อินทร์ศรี

ทะเบียนเลขที่ ว-๒๓๙-ค-๐๐๐๕

๕) นางสาวปรีดา สมใจ

ทะเบียนเลขที่ ว-๒๓๙-ค-๐๐๐๖

๖) นางสาวอริญญา มาตา

ทะเบียนเลขที่ ว-๒๓๙-ค-๐๐๐๗

๗) นางสาวลดาวัลย์ วงศ์เจริญ

ทะเบียนเลขที่ ว-๒๓๙-ค-๐๐๐๘

๘) นางสาวณัฏฐวรรณ เกตวันดี

ทะเบียนเลขที่ ว-๒๓๙-ค-๐๐๐๙

๙) นางสาวนริสา ภูวสรพีชญ์

ทะเบียนเลขที่ ว-๒๓๙-ค-๐๐๑๐

๑๐) นางสาวศิริวรรณ ฉิมสง่า

ทะเบียนเลขที่ ว-๒๓๙-ค-๐๐๑๑

เอกสารแนบท้ายหนังสือรับต่ออายุขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน
บริษัท ชีคอฟ จำกัด

เลขทะเบียน ว-๒๓๙

ที่ อก ๐๓๑๐(๑)/ ๑๑ ๐๑ ๖

ลงวันที่ ๒๐ กรกฎาคม ๒๕๖๖

ข. เจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์ จำนวน ๓๘ ราย

๑) นางสาวสุดาพร สุนทร	ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๐๑
๒) นางสาวสุธาทิพย์ เทียนเตี้ย	ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๐๓
๓) นางสาวสุนันทา ศิริวัฒนานนท์	ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๐๔
๔) นายบวร ดีชัยยะ	ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๐๕
๕) นางสาวเกศรินทร์ วรเดโชวิทยา	ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๐๖
๖) นายอนันต์วัน พิมวันนา	ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๐๗
๗) นายชิตพล สมประสงค์	ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๐๘
๘) นางสาวศศิธร พรหมประเสริฐ	ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๐๙
๙) นายศิวนนท์ กุลวงษ์	ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๑๐
๑๐) นางสาวอลิษา คณิวรานนท์	ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๑๑
๑๑) นางสาวสิริวรรณ แก้วชิงดวง	ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๑๒
๑๒) นางสาวปัทมวรรณ สุวรรณวิโรจน์	ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๑๓
๑๓) นางสาวกนิษฐา เจริญเชื้อ	ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๑๔
๑๔) นายวัชรกานต์ ประมาคเต	ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๑๕
๑๕) นายชอง เฮงชวลกุล	ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๑๖
๑๖) นางสาวกฤษณา จันทุม	ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๑๗
๑๗) นางสาวพรนภา บุตรธรรม	ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๑๘
๑๘) นางสาวธาริณี อาจปลิว	ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๑๙
๑๙) นายอนันต์ ช่างลื้อ	ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๒๐
๒๐) นางสาวพัชรา สมานอันท์	ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๒๑
๒๑) นางสาวจุฑาทิพย์ แจ่มเรือน	ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๒๒
๒๒) นางสาวณิศา กุ้ยอ่อน	ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๒๓
๒๓) นายกิตติพงศ์ ณะเกิงสุข	ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๒๔
๒๔) นายจิรวัฒน์ โคตรคำหาญ	ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๒๕
๒๕) นายชนะพล อัครผล	ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๒๖
๒๖) นางสาวทิพย์สุดา วรณการ	ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๒๗
๒๗) นายสิทธิชัย สว่างวงศ์ไชย	ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๒๘
๒๘) นายพิษณุ สีนามเพ็ง	ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๒๙
๒๙) นายรัตนชัย ขอบทำกิจ	ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๓๐
๓๐) นายธนาวุฒิ ด่วนแสง	ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๓๑
๓๑) นายณัฐชัย ไชยโคตร	ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๓๒
๓๒) นายณัฐดนัย กฤษณะโสม	ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๓๓
๓๓) นายศุภชัย สุขใหม่	ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๓๔
๓๔) นายรอมฎอน เหลี่ยมหมาด	ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๓๕
๓๕) นางสาวสุภาวดี บัวแก้ว	ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๓๖
๓๖) นางสาวมาริยาณี ฮาแว	ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๓๗
๓๗) นางสาววิระยา ปัจฉิมบุรณ์	ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๓๘
๓๘) นางสาวศลิษา อินริย์	ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๓๙

31/7/2566

เอกสารแนบท้ายหนังสือรับต่ออายุขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน
บริษัท ชีคอฟ จำกัด

เลขทะเบียน ว-๒๓๙

ที่ อก ๐๓๑๐(๑)/ ๑๑ ๐๑ ๖

ลงวันที่ ๒๐ กรกฎาคม ๒๕๖๖

ขอขยายสารมลพิษที่ได้รับขึ้นทะเบียนจากกรมโรงงานอุตสาหกรรม จำนวน ๓๕๕ รายการ

น้ำเสีย จำนวน 45 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Aldrin	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
2	Arsenic	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[4] 2) Digestion, Inductively Coupled Plasma Method ^[4]
3	Barium	1) Digestion, Direct Nitrous Oxide-Acetylene Flame Method ^[4] 2) Digestion, Inductively Coupled Plasma Method ^[4]
4	α-BHC	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
5	β-BHC	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
6	δ-BHC	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
7	γ-BHC	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]

31/7/2566

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
8	Biochemical Oxygen Demand	1) 5-Day BOD Test, Azide Modification Method ^[4] 2) 5-Day BOD Test, Membrane Electrode Method ^[4]
9	Cadmium	1) Digestion, Direct Air-Acetylene Flame Method ^[4] 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^[4] 3) Digestion, Inductively Coupled Plasma Method ^[4]
10	Chemical Oxygen Demand	1) Open Reflux, Titrimetric method ^[4] 2) Closed Reflux, Colorimetric method ^[4] 3) Closed Reflux, Titrimetric Method ^[4]
11	Chlordane	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
12	Chromium	1) Digestion, Direct Air-Acetylene Flame Method ^[4] 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^[4] 3) Digestion, Inductively Coupled Plasma Method ^[4]
13	Color	ADMI Weighted-Ordinate Spectrophotometric Method ^[4]
14	Copper	1) Digestion, Direct Air-Acetylene Flame Method ^[4] 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^[4] 3) Digestion, Inductively Coupled Plasma Method ^[4]
15	Cyanide	Distillation, Colorimetric method ^[4]
16	4,4'-DDD	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]

17 4,4'-DDE...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
17	4,4'-DDE	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
18	4,4'-DDT	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
19	Dieldrin	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
20	Endosulfan I	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
21	Endosulfan II	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
22	Endosulfan Sulfate	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
23	Endrin	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
24	Endrin Aldehyde	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]

25 Formaldehyde...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
25	Formaldehyde	Distillation, Colorimetric Method ^[3]
26	Free Chlorine	1) Iodometric Method ^[4] 2) DPD Colorimetric Method ^[4]
27	Heptachlor	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
28	Heptachlor epoxide	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
29	Hexavalent Chromium	1) Colorimetric Method ^[4] 2) Extraction, Air-Acetylene Flame Method ^[4]
30	Lead	1) Digestion, Direct Air-Acetylene Flame Method ^[4] 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^[4] 3) Digestion, Inductively Coupled Plasma Method ^[4]
31	Manganese	1) Digestion, Direct Air-Acetylene Flame Method ^[4] 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^[4] 3) Digestion, Inductively Coupled Plasma Method ^[4]
32	Mercury	Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[4]
33	Methoxychlor	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
34	Nickel	1) Digestion, Direct Air-Acetylene Flame Method ^[4] 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^[4] <i>จำกัด</i>

3) Digestion...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
		3) Digestion, Inductively Coupled Plasma Method ^[4]
35	Oil & Grease	1) Liquid-Liquid, Partition-Gravimetric Method ^[4] 2) Soxhlet Extraction Method ^[4]
36	pH	Electrometric Method ^[4]
37	Phenols	1) Distillation, Chloroform Extraction Method ^[4] 2) Distillation, Direct Photometric Method ^[4]
38	Selenium	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[4] 2) Digestion, Inductively Coupled Plasma Method ^[4]
39	Sulfide	1) Iodometric method ^[4] 2) Methylene blue method ^[4]
40	Temperature	Laboratory and Field Methods ^[4]
41	Total Dissolved Solids	Dried at 180 °C ^[4]
42	Total Kjeldahl Nitrogen	1) Macro Kjeldahl Method ^[4] 2) Semi-Micro Kjeldahl Method ^[4]
43	Total Suspended Solids	Dried at 103-105 °C ^[4]
44	Trivalent Chromium	1) Digestion, Direct Air-Acetylene Flame Method; Colorimetric Method; Calculation ^[4] 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method; Colorimetric Method; Calculation ^[4] 3) Digestion, Inductively Coupled Plasma Method; Colorimetric Method; Calculation ^[4]
45	Zinc	1) Digestion, Direct Air-Acetylene Flame Method ^[4] 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^[4] 3) Digestion, Inductively Coupled Plasma Method ^[4] <i>จำกัด</i>

น้ำใต้ดิน...

น้ำใต้ดิน จำนวน 125 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Acenaphthene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
2	Acetone	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
3	Aldrin	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
4	Anthracene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
5	Antimony	Digestion, Inductively Coupled Plasma Spectrometric Method ^[4]
6	Arsenic	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[4] 2) Digestion, Inductively Coupled Plasma Method ^[4]
7	Atrazine	Liquid-Liquid Extraction, Gas Chromatographic Method ^[4]
8	Barium	1) Digestion, Direct Nitrous Oxide-Acetylene Flame Method ^[4] 2) Digestion, Inductively Coupled Plasma Spectrometric Method ^[4]
9	Benz(a)anthracene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
10	Benzene	Purge and Trap Gas Chromatographic/Mass spectrometric Method ^[4]
11	Benzo(b)fluoranthene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
12	Benzo(k)fluoranthene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4] 30mg)

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
13	Benzoic acid	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
14	Benzo(a)pyrene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
15	Benzo(g,h,i)perylene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
16	Beryllium	Digestion, Inductively Coupled Plasma Spectrometric Method ^[4]
17	Bis(2-chloroethyl)ether	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
18	Bis(2-ethylhexyl)phthalate	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
19	Bromodichloromethane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
20	Bromoform	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
21	Butanol	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
22	Butyl benzyl phthalate	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
23	Cadmium	1) Digestion, Direct Air-Acetylene Flame Method ^[4] 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^[4] 3) Digestion, Inductively Coupled Plasma Spectrometric Method ^[4]
24	Carbazole	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
25	Carbon disulfide	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
26	Carbon tetrachloride	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4] 30mg)

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
27	Chlordane	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
28	p-Chloroaniline	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
29	Chlorobenzene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
30	Chlorodibromomethane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
31	Chloroform	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
32	2-Chlorophenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
33	Chromium	1) Digestion, Direct Air-Acetylene Flame Method ^[4] 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^[4] 3) Digestion, Inductively Coupled Plasma Spectrometric Method ^[4]
34	Chromium (III)	1) Digestion, Direct Air-Acetylene Flame Method; Colorimetric Method; Calculation ^[4] 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method; Colorimetric Method; Calculation ^[4] 3) Digestion, Inductively Coupled Plasma Spectrometric Method; Colorimetric Method; Calculation ^[4]
35	Chromium (VI)	1) Colorimetric Method ^[4] 2) Extraction, Air-Acetylene Flame Method ^[4]
36	Chrysene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4] <i>สม</i>

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
37	Cyanide	1) Distillation, Titrimetric Method ^[4] 2) Distillation, Colorimetric Method ^[4]
38	2,4-D	Liquid-Liquid Extraction, Gas Chromatographic Method ^[4]
39	DDD	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
40	DDE	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
41	DDT	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
42	Dibenz(a,h)anthracene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
43	Di-n-butyl phthalate	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
44	1,2-Dichlorobenzene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
45	1,3-Dichlorobenzene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
46	1,4-Dichlorobenzene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
47	3,3'-Dichlorobenzidine	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
48	1,1-Dichloroethane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
49	1,2-Dichloroethane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4] <i>สม</i>

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
50	1,1-Dichloroethylene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
51	cis-1,2-Dichloroethylene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
52	trans-1,2-Dichloroethylene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
53	2,4-Dichlorophenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
54	1,2-Dichloropropane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
55	1,3-Dichloropropane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
56	1,3-Dichloropropene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
57	Dieldrin	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
58	Diethyl phthalate	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
59	2,4-Dimethylphenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
60	2,4-Dinitrophenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
61	2,4-Dinitrotoluene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
62	2,6-Dinitrotoluene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
63	Di-n-Octyl phthalate	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
64	Endosulfan	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid...

2) Liquid-Liquid...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
		2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
65	Endrin	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
66	Ethylbenzene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
67	Fluoranthene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
68	Fluorene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
69	Heptachlor	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
70	Heptachlor epoxide	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
71	Hexachlorobenzene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
72	Hexachloro-1,3-butadiene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
73	n-Hexane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
74	α-HCH	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
75	β-HCH	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid...

2) Liquid-Liquid...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
76	γ-HCH	2) Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4] 1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
77	Hexachlorocyclopentadiene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
78	Hexachloroethane	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
79	Indeno(1,2,3-cd)pyrene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
80	Isophorone	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
81	Lead	1) Digestion, Direct Air-Acetylene Flame Method ^[4] 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^[4] 3) Digestion, Inductively Coupled Plasma Spectrometric Method ^[4]
82	Manganese	1) Digestion, Direct Air-Acetylene Flame Method ^[4] 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^[4] 3) Digestion, Inductively Coupled Plasma Spectrometric Method ^[4]
83	Mercury	Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[4]
84	Methanol	Purge and Trap Gas Chromatographic/ Mass spectrometric Method ^[4]
85	Methoxychlor	Liquid-Liquid Extraction, Gas Chromatographic Method ^[4]
86	Methyl bromide	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]

87 Methylene chloride...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
87	Methylene chloride	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
88	2-Methylphenol	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
89	2-Methylnaphthalene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
90	Methyl tert-butyl ether	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
91	Naphthalene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
92	Nickel	1) Digestion, Direct Air-Acetylene Flame Method ^[4] 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^[4] 3) Digestion, Inductively Coupled Plasma Spectrometric Method ^[4]
93	Nitrobenzene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
94	N-Nitrosodiphenylamine	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
95	N-Nitrosodi-n-propylamine	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
96	Polychlorinated Biphenyls - PCB-1016 - PCB-1221 - PCB-1232 - PCB-1242 - PCB-1248 - PCB-1254 - PCB-1260	Liquid-Liquid Extraction, Gas Chromatographic Method ^[4]
97	Pentachlorophenol	Liquid-Liquid Extraction, Gas Chromatographic Method ^[4]
98	pH	Electrometric method ^[4]

99 Phenanthrene...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
99	Phenanthrene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
100	Phenol	1) Distillation, Chloroform Extraction Method ^[4] 2) Distillation, Direct Photometric Method ^[4] 3) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
101	Pyrene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
102	Selenium	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[4] 2) Digestion, Inductively Coupled Plasma Method ^[4]
103	Silver	1) Digestion, Direct Air-Acetylene Flame Method ^[4] 2) Digestion, Inductively Coupled Plasma Method ^[4]
104	Styrene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
105	1,1,2,2-Tetrachloroethane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
106	Tetrachloroethylene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
107	Toluene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
108	TPH (C ₅ -C ₈)	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[12,25]
109	TPH (C ₈ -C ₁₆)	1) Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[9,21] 2) Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass spectrometric Method ^[9,25]
110	TPH (C ₁₆ -C ₃₅)	1) Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[9,21] <i>พิมพ์</i>

2) Separatory...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
		2) Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass spectrometric Method ^[9,25]
111	1,2,4-Trichlorobenzene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
112	1,1,1-Trichloroethane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
113	1,1,2-Trichloroethane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
114	Trichloroethylene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
115	2,4,5-Trichlorophenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
116	2,4,6-Trichlorophenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
117	1,3,5-Trimethylbenzene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
118	Vanadium	Digestion, Inductively Coupled Plasma Spectrometric Method ^[4]
119	Vinyl acetate	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
120	Vinyl chloride	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
121	m-Xylene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
122	o-Xylene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
123	p-Xylene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
124	Xylene (Total)	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4] <i>พิมพ์</i>

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
125	Zinc	1) Digestion, Direct Air-Acetylene Flame Method ^[4] 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^[4] 3) Digestion, Inductively Coupled Plasma Spectrometric Method ^[4]

อากาศเสีย (ปล่องระบาย) จำนวน 27 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Antimony	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method ^[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
2	Arsenic	1) Isokinetic Sampling, Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
3	Beryllium	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
4	Cadmium	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method ^[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
5	Carbon monoxide	Instrumental Analyzer Method ^[5]
6	Chlorine	1) Absorption Sampling, Ion Chromatographic Method ^[5] 2) Isokinetic Sampling, Ion Chromatographic Method ^[5]
7	Chromium	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method ^[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5] <i>วิมล</i>

8 Cobalt...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
8	Cobalt	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
9	Copper	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method ^[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
10	Cresol	Adsorption Sampling, Gas Chromatographic Method ^[5]
11	Dioxin/Furans	Isokinetic Sampling ^[5]
12	Hydrogen chloride	1) Absorption Sampling, Ion Chromatographic Method ^[5] 2) Isokinetic Sampling, Ion Chromatographic Method ^[5]
13	Hydrogen Fluoride	1) Absorption Sampling, Ion Chromatographic Method ^[5] 2) Isokinetic Sampling, Ion Chromatographic Method ^[5]
14	Hydrogen Sulfide	Absorption Sampling, Iodometric Method ^[5]
15	Lead	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method ^[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
16	Manganese	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method ^[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
17	Mercury	Isokinetic Sampling, Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[5]
18	Nickel	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method ^[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5] <i>วิมล</i>

19 Opacity...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
19	Opacity	Ringelmann's Method ^[2]
20	Oxides of Nitrogen	1) Absorption Sampling, Phenoldisulfonic acid Method ^[5] 2) Absorption Sampling, Ion Chromatographic Method ^[5] 3) Instrumental Analyzer Method ^[5]
21	Selenium	1) Isokinetic Sampling, Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
22	Sulfur dioxide	1) Isokinetic Sampling, Barium-Thorin Titrimetric Method ^[5] 2) Absorption Sampling, Barium-Thorin Titrimetric Method ^[5] 3) Instrumental Analyzer Method ^[5]
23	Sulfuric acid	Isokinetic Sampling, Barium-Thorin Titrimetric Method ^[5]
24	Tin	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
25	Total Suspended Particulate	1) Isokinetic Sampling, Gravimetric Method ^[5] 2) Paired Train, Isokinetic Sampling, Gravimetric Method ^[5]
26	Vanadium	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
27	Xylene	1) Adsorption Sampling, Gas Chromatographic Method ^[5] 2) Adsorption Sampling, Gas Chromatographic/Mass Spectrometric Method ^[5]

สิ่งปฏิกูล...

สิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว จำนวน 34 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Aldrin	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[1,6,9,22] 2) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[1,6,9,27] 3) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 4) Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
2	Antimony	1) Waste Extraction, Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[1,6,16] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,14] 3) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[7,16] 4) Digestion, Inductively Coupled Plasma Method ^[7,14]
3	Arsenic	1) Waste Extraction, Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[1,6,16] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,14] 3) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[7,16] 4) Digestion, Inductively Coupled Plasma Method ^[7,14]
4	Barium	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method ^[1,6,15]

2) Waste Extraction...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
5	Beryllium	2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,14] 3) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 4) Digestion, Inductively Coupled Plasma Method ^[7,14]
6	Cadmium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,14] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]
7	Chlordane	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method ^[1,6,15] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,14] 3) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 4) Digestion, Inductively Coupled Plasma Method ^[7,14]
8	Chromium	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[1,9,22] 2) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[1,9,27] 3) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 4) Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27] 1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method ^[1,6,15] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,14] <i>3) Digestion...</i>

3) Digestion...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
9	Chromium (III)	3) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 4) Digestion, Inductively Coupled Plasma Method ^[7,14] 1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method; Waste Extraction, Colorimetric Method; Calculation ^[1,6,15,17] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method; Waste Extraction, Colorimetric Method; Calculation ^[1,6,14,17]
10	Chromium (VI)	3) Digestion, Flame Atomic Absorption Spectrometric Method; Alkaline Digestion, Colorimetric Method; Calculation ^[7,8,15,17] 4) Digestion, Inductively Coupled Plasma Method; Alkaline Digestion, Colorimetric Method; Calculation ^[7,8,14,17]
11	Cobalt	1) Waste Extraction, Colorimetric Method ^[1,17] 2) Alkaline Digestion, Colorimetric Method ^[8,17]
12	Copper	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,14] 2) Digestion, Inductively Coupled Plasma Method ^[7,14] 1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method ^[1,6,15] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,14] 3) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 4) Digestion, Inductively Coupled Plasma Method ^[7,14] <i>3) Digestion...</i>

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
13	2,4-D	1) Waste Extraction, Gas Chromatographic/Mass Spectrometric Method ^[1,25] 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25]
14	DDD	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[1,9,22] 2) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[1,9,27] 3) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 4) Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
15	DDE	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[1,9,22] 2) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[1,9,27] 3) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 4) Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
16	DDT	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[1,9,22] 2) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[1,9,27] 3) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 4) Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]

17 Dieldrin...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
17	Dieldrin	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[1,9,22] 2) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[1,9,27] 3) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 4) Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
18	Endrin	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[1,9,22] 2) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[1,9,27] 3) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 4) Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
19	Heptachlor	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[1,9,22] 2) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[1,9,27] 3) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 4) Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
20	Lead	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method ^[1,6,15] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,14]

3) Digestion...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
21	Lindane	3) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 4) Digestion, Inductively Coupled Plasma Method ^[7,14] 1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[1,9,22] 2) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[1,9,27] 3) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 4) Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]
22	Mercury	1) Waste Extraction, Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[1,18] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,14] 3) Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[19] 4) Digestion, Inductively Coupled Plasma Method ^[7,14]
23	Methoxychlor	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[1,9,22] 2) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[1,9,27] 3) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 4) Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]


24 Molybdenum...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
24	Molybdenum	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,14] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]
25	Nickel	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method ^[1,6,15] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,14] 3) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 4) Digestion, Inductively Coupled Plasma Method ^[7,14]
26	Polychlorinated Biphenyls - Aroclor 1016 - Aroclor 1221 - Aroclor 1232 - Aroclor 1242 - Aroclor 1248 - Aroclor 1254 - Aroclor 1260	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[1,9,23] 2) Soxhlet Extraction, Gas Chromatographic Method ^[10,23]
27	Pentachlorophenol	1) Waste Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[1,25] 2) Ultrasonic Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[25]
28	pH	Electrometric Method ^[31,32]
29	Selenium	1) Waste Extraction, Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[1,6,20] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,14] 3) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[7,20]


4) Digestion...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
30	Silver	4) Digestion, Inductively Coupled Plasma Method ^[7,14] 1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,14] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]
31	Thallium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,14] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]
32	Trichloroethylene	1) Waste Extraction, Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[1,12,26] 2) Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[12,26]
33	Vanadium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,14] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]
34	Zinc	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method ^[1,6,15] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,14] 3) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 4) Digestion, Inductively Coupled Plasma Method ^[7,14]

ดิน จำนวน 124 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Acenaphthene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27] 

2 Acetone...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
2	Acetone	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
3	Aldrin	1) Ultrasonic Extraction, Gas Chromatographic Method ^[11,22] 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[11,27]
4	Anthracene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
5	Antimony	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[7,16] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]
6	Arsenic	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[7,16] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]
7	Atrazine	Ultrasonic Extraction, Gas Chromatographic Method ^[11,24]
8	Barium	1) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]
9	Benz(a)anthracene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
10	Benzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
11	Benzo(b)fluoranthene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
12	Benzo(k)fluoranthene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
13	Benzoic acid	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[11,27] 

14 Benzo(a)pyrene...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
14	Benzo(a)pyrene	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]
15	Benzo(g,h,i)perylene	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]
16	Beryllium	Digestion, Inductively Coupled Plasma Method ^[7,14]
17	Bis(2-chloroethyl)ether	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]
18	Bis(2-ethylhexyl)phthalate	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]
19	Bromodichloromethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,26]
20	Bromoform	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,26]
21	Butanol	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,26]
22	Butyl benzyl phthalate	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]
23	Cadmium	1) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]
24	Carbazole	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]
25	Carbon disulfide	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,26]
26	Carbon tetrachloride	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,26]
27	Chlordane	1) Ultrasonic Extraction, Gas Chromatographic Method ^[11,22] 2) Ultrasonic Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[11,27]

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
28	p-Chloroaniline	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]
29	Chlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,26]
30	Chlorodibromomethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,26]
31	Chloroform	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
32	2-Chlorophenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[11,27]
33	Chromium	1) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]
34	Chromium (III)	1) Digestion, Flame Atomic Absorption Spectrometric Method; Colorimetric Method; Calculation ^[7,8,15,17] 2) Digestion, Inductively Coupled Plasma Method; Colorimetric Method; Calculation ^[7,8,14,17]
35	Chromium (VI)	Alkaline Digestion, Colorimetric Method ^[8,17]
36	Chrysene	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]
37	Cyanide	1) Extraction, Distillation, Titrimetric Method ^[28,29,30] 2) Extraction, Distillation, Colorimetric Method ^[28,29,30]
38	2,4-D	Ultrasonic Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[24]
39	DDD	1) Ultrasonic Extraction, Gas Chromatographic Method ^[11,22] 2) Ultrasonic Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[11,27]

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
40	DDE	1) Ultrasonic Extraction, Gas Chromatographic Method ^[11,22] 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[11,27]
41	DDT	1) Ultrasonic Extraction, Gas Chromatographic Method ^[11,22] 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[11,27]
42	Dibenz(a,h)anthracene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
43	Di-n-butyl phthalate	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
44	1,2-Dichlorobenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
45	1,3-Dichlorobenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
46	1,4-Dichlorobenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
47	3,3'-Dichlorobenzidine	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
48	1,1-Dichloroethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
49	1,2-Dichloroethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
50	1,1-Dichloroethylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
51	cis-1,2-Dichloroethylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
52	trans-1,2-Dichloroethylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
53	2,4-Dichlorophenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[11,27]

54 1,2-Dichloropropane...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
54	1,2-Dichloropropane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
55	1,3-Dichloropropane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
56	1,3-Dichloropropene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
57	Dieldrin	1) Ultrasonic Extraction, Gas Chromatographic Method ^[11,22] 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[11,27]
58	Diethyl phthalate	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
59	2,4-Dimethylphenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[11,27]
60	2,4-Dinitrophenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[11,27]
61	2,4-Dinitrotoluene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
62	2,6-Dinitrotoluene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
63	Di-n-Octyl phthalate	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
64	Endosulfan	1) Ultrasonic Extraction, Gas Chromatographic Method ^[11,22] 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[11,27]
65	Endrin	1) Ultrasonic Extraction, Gas Chromatographic Method ^[11,22] 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[11,27]
66	Ethylbenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]

67 Fluoranthene...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
67	Fluoranthene	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]
68	Fluorene	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]
69	Heptachlor	1) Ultrasonic Extraction, Gas Chromatographic Method ^[11,22] 2) Ultrasonic Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[11,27]
70	Heptachlor epoxide	1) Ultrasonic Extraction, Gas Chromatographic Method ^[11,22] 2) Ultrasonic Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[11,27]
71	Hexachlorobenzene	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[11,27]
72	Hexachloro-1,3-butadiene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
73	n-Hexane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,26]
74	α -HCH	1) Ultrasonic Extraction, Gas Chromatographic Method ^[11,22] 2) Ultrasonic Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[11,27]
75	β -HCH	1) Ultrasonic Extraction, Gas Chromatographic Method ^[11,22] 2) Ultrasonic Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[11,27]
76	γ -HCH	1) Ultrasonic Extraction, Gas Chromatographic Method ^[11,22] 2) Ultrasonic Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[11,27]
77	Hexachlorocyclopentadiene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]

78 Hexachloroethane...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
78	Hexachloroethane	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
79	Indeno(1,2,3-cd)pyrene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
80	Isophorone	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
81	Lead	1) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]
82	Manganese	1) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]
83	Mercury	1) Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[19] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]
84	Methanol	Ultrasonic Extraction, Direct Aqueous Injection, Gas Chromatographic Method ^[11,21]
85	Methoxychlor	1) Ultrasonic Extraction, Gas Chromatographic Method ^[11,22] 2) Ultrasonic Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[11,27]
86	Methyl bromide	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
87	Methylene chloride	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
88	2-Methylphenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[11,27]
89	2-Methylnaphthalene	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[11,27]

90 Methyl tert-butyl ether...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
90	Methyl tert-butyl ether	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
91	Naphthalene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
92	Nickel	1) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]
93	Nitrobenzene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
94	N-Nitrosodiphenylamine	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
95	N-Nitrosodi-n-propylamine	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
96	Polychlorinated Biphenyls - Aroclor 1016 - Aroclor 1221 - Aroclor 1232 - Aroclor 1242 - Aroclor 1248 - Aroclor 1254 - Aroclor 1260	Soxhlet Extraction, Gas Chromatographic Method ^[10,23]
97	Pentachlorophenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[24]
98	Phenanthrene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
99	Phenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[11,27]
100	Pyrene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
101	Selenium	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[7,20]

2) Digestion...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
102	Silver	2) Digestion, Inductively Coupled Plasma Method ^[7,14] 1) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]
103	Styrene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
104	1,1,2,2-Tetrachloroethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
105	Tetrachloroethylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
106	Toluene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
107	TPH (C ₅ -C ₈)	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
108	TPH (C ₈ -C ₁₆)	1) Soxhlet Extraction, Gas Chromatographic Method ^[10,21] 2) Soxhlet Extraction, Gas Chromatographic/Mass spectrometric Method ^[10,26]
109	TPH (C ₁₆ -C ₃₅)	1) Soxhlet Extraction, Gas Chromatographic Method ^[10,21] 2) Soxhlet Extraction, Gas Chromatographic/Mass spectrometric Method ^[10,26]
110	1,2,4-Trichlorobenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
111	1,1,1-Trichloroethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
112	1,1,2-Trichloroethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
113	Trichloroethylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]

114 2,4,5-Trichlorophenol...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
114	2,4,5-Trichlorophenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[11,27]
115	2,4,6-Trichlorophenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[11,27]
116	1,3,5-Trimethylbenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
117	Vanadium	Digestion, Inductively Coupled Plasma Method ^[7,14]
118	Vinyl acetate	Purge and Trap, Gas Chromatographic/Mass spectrometric Method ^[13,26]
119	Vinyl chloride	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
120	m-Xylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
121	o-Xylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
122	p-Xylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
123	Xylene (Total)	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
124	Zinc	1) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]

เอกสารอ้างอิง

- กระทรวงอุตสาหกรรม. ประกาศกระทรวงอุตสาหกรรม, พ.ศ. 2548. เรื่อง การกำจัดสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว.ราชกิจจานุเบกษา. 25 มกราคม 2549. เล่มที่ 123 ตอนพิเศษ 11ง.
- กระทรวงอุตสาหกรรม. ประกาศกระทรวงอุตสาหกรรม, พ.ศ. 2549. เรื่อง กำหนดค่าปริมาณเขม่าควันที่เจือปนในอากาศที่ระบายออกจากปล่องของหม้อน้ำโรงสีข้าวที่ใช้กลบเป็นเชื้อเพลิง.ราชกิจจานุเบกษา. 4 ธันวาคม 2549. เล่มที่ 123 ตอนพิเศษ 125ง.
- สมาคมวิศวกรรมสิ่งแวดล้อมแห่งประเทศไทย. คู่มือวิเคราะห์น้ำเสีย. พิมพ์ครั้งที่ 4. กรุงเทพฯ: เรือนแก้วการพิมพ์, 2547.

4. APHA, AWWA, WEF. *Standard Methods for the Examination of Water and Wastewater*. 23rd ed. Washington, DC: APHA, 2017.
5. United States Environmental Protection Agency. *Standards of Performance for New Stationary Sources*. 40 CFR 60. Appendix A, 2023.
6. United States Environmental Protection Agency. *Test Methods for Evaluation Solid Waste Physical/Chemical Methods*. SW-846, 2020.
7. United States Environmental Protection Agency. *Test Methods for Evaluation Solid Waste Physical/Chemical Methods*. *Acid Digestion of Sediments, Sludges, and Soils*. SW-846 Method 3050B, 1996.
8. United States Environmental Protection Agency. *Test Methods for Evaluation Solid Waste Physical/Chemical Methods*. *Alkaline Digestion for Hexavalent Chromium*. SW-846 Method 3060A, 1996.
9. United States Environmental Protection Agency. *Test Methods for Evaluation Solid Waste Physical/Chemical Methods*. *Separatory Funnel Liquid-Liquid Extraction*. SW-846 Method 3510C, 1996.
10. United States Environmental Protection Agency. *Test Methods for Evaluation Solid Waste Physical/Chemical Methods*. *Soxhlet Extraction*. SW-846 Method 3540C, 1996.
11. United States Environmental Protection Agency. *Test Methods for Evaluation Solid Waste Physical/Chemical Methods*. *Ultrasonic Extraction*. SW-846 Method 3550C, 2007.
12. United States Environmental Protection Agency. *Test Methods for Evaluation Solid Waste Physical/Chemical Methods*. *Purge-and-Trap for Aqueous Samples*. SW-846 Method 5030C, 2003.
13. United States Environmental Protection Agency. *Test Methods for Evaluation Solid Waste Physical/Chemical Methods*. *Closed-System Purge-and-Trap and Extraction for Volatile Organics in Soil and Waste Samples*. SW-846 Method 5035, 1996.
14. United States Environmental Protection Agency. *Test Methods for Evaluation Solid Waste Physical/Chemical Methods*. *Inductively Coupled Plasma-optical Emission Spectrometry*. SW-846 Method 6010D, 2018.
15. United States Environmental Protection Agency. *Test Methods for Evaluation Solid Waste Physical/Chemical Methods*. *Flame Atomic Absorption Spectrophotometry*. SW-846 Method 7000B, 2007.
16. United States Environmental Protection Agency. *Test Methods for Evaluation Solid Waste Physical/Chemical Methods*. *Antimony and Arsenic (Atomic Absorption, Borohydride Reduction)*. SW-846 Method 7062, 1994.

17. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Chromium, Hexavalent (Colorimetric), SW-846 Method 7196A**, 1992.

18. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Mercury in Liquid Waste (Manual Cold-Vapor Technique, SW-846 Method 7470A**, 1994.

19. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Mercury in Solid or Semisolid Waste (Manual Cold-Vapor Technique, SW-846 Method 7471B**, 2007.

20. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Selenium (Atomic Absorption, Borohydride Reduction), SW-846 Method 7742**, 1994.

21. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Nonhalogenated Organics Using GC/FID. SW-846 Method 8015D**, 2003.

22. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Organochlorine Pesticide by Gas Chromatography. SW-846 Method 8081B**, 2007.

23. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Polychlorinated Biphenyls (PCBs) By Gas Chromatography. SW-846 Method 8082A**, 2007.

24. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Organophosphorus Compounds by Gas Chromatography. SW-846 Method 8141B**, 2007.

25. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Chlorinated Herbicides By GC Using Methylation or Pentafluorobenzoylation Derivatization. SW-846 Method 8151A**, 1996.

26. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Volatile Organic Compounds by Gas Chromatography/ Mass Spectrometry (GC/MS). SW-846 Method 8260D**, 2018.

27. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **SemiVolatile Organic Compounds by Gas Chromatography/Mass Spectrometry. SW-846 Method 8270E**, 2018. 

28. United States...

28. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Total and Amenable Cyanide: Distillation. SW-846 Method 9010C**, 2004.

29. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Cyanide Extraction Procedure for Solids and Oils. SW-846 Method 9013A**, 2014.

30. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Cyanide in Waters and Extracts Using Titrimetric and Manual Spectrophotometric. SW-846 Method 9014**, 2014.

31. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **pH Electrometric Measurement. SW-846 Method 9040C**, 2004.

32. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Solid and Waste pH. SW-846 Method 9045D**, 2004. 

ที่ อก ๐๓๑๐(๑)/ ๕๐๕๔



กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท
เขตราชเทวี กรุงเทพฯ ๑๐๔๐๐

๒๗ พฤษภาคม ๒๕๖๗

เรื่อง เปลี่ยนแปลงบุคลากรของห้องปฏิบัติการวิเคราะห์

เรียน กรรมการผู้จัดการ บริษัท ซีคอต จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารมลพิษของห้องปฏิบัติการวิเคราะห์เอกชน
ลงวันที่ ๒๑ พฤษภาคม ๒๕๖๗

ตามคำขอที่อ้างถึง บริษัท ซีคอต จำกัด ห้องปฏิบัติการวิเคราะห์เอกชน เลขทะเบียน ว-๒๓๙
สถานที่ตั้งเลขที่ ๒๓๙ ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร ขอเปลี่ยนแปลงบุคลากร
ความละเอียดแจ้งแล้ว นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว ให้ยกเลิกเจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์
จำนวน ๒ ราย ได้แก่

๑) นายวัชรกานต์ ประมาคะเต

ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๑๕

๒) นายรัตนชัย ขอบทำกิจ

ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๓๐

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ

(นายพรยศ กลั่นกรอง)

รองอธิบดี ปฏิบัติราชการแทน

อธิบดีกรมโรงงานอุตสาหกรรม

กองวิจัยและเตือนภัยมลพิษโรงงาน

กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษและทะเบียนห้องปฏิบัติการ

โทร. ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๐๓-๕

โทรสาร ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๙๙

ไปรษณีย์อิเล็กทรอนิกส์ saraban@diw.mail.go.th



ภาคผนวก ช

ใบรับรองความสามารถห้องปฏิบัติการและขอบข่ายการรับรอง
ห้องปฏิบัติการทดสอบ ตามมาตรฐาน ISO/IEC 17025
จากสำนักงานมาตรฐานอุตสาหกรรม (สมอ.)



แบบ กมช./สมอ.๒
Form NSC/TISI 2

ใบรับรองเลขที่ 24-LB0026
(Certificate No.)

ใบรับรองระบบงาน

(Certificate of Accreditation)

อาศัยอำนาจตามความในพระราชบัญญัติการมาตรฐานแห่งชาติ พ.ศ. ๒๕๕๑
(By Virtue of National Standardization Act B.E. 2551 (2008))

เลขาธิการสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม
(Secretary-General, Thai Industrial Standards Institute)

ออกใบรับรองฉบับนี้ให้
(Issues this certificate to)

บริษัท ซีคोट จำกัด ฝ่ายห้องปฏิบัติการทดสอบด้านสิ่งแวดล้อม
(Secot Company Limited, Environmental Laboratory Division)

ตั้งอยู่เลขที่
(Address)

๒๓๙ ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร
(239 Rimklongprapa Road, Bangsue, Bangkok)

ได้รับการรับรองความสามารถ
(Certificate of competence)

ตามมาตรฐานเลขที่ มอก. ๑๗๐๒๕ - ๒๕๖๑
(Standard No. TIS 17025-2561 (2018) (ISO/IEC 17025: 2017))

ข้อกำหนดทั่วไปว่าด้วยความสามารถของ ห้องปฏิบัติการทดสอบและห้องปฏิบัติการสอบเทียบ
(General requirements for the competence of testing and calibration laboratories)

หมายเลขการรับรองที่ ทดสอบ ๐๓๙๔
(Accreditation No. Testing 0394)

โดยมีรายละเอียดสาขาและขอบข่ายที่ใบรับรอง แสดงไว้ใน QR CODE และ www.tisi.go.th
(Details of the scheme and scope of the certificate are shown in QR CODE and www.tisi.go.th)

ออกให้ ณ วันที่ ๖ ธันวาคม พ.ศ. ๒๕๖๖
(Issue date : 6 December B.E. 2566 (2023))

(นายวีระศักดิ์ เพ็งหล่ง)
ผู้อำนวยการสำนักงานคณะกรรมการการมาตรฐานแห่งชาติ
ปฏิบัติราชการแทน

เลขาธิการสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม



Signed by สำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม (สมอ.)
Thai Industrial Standards Institute (TISI)
Date: 2023-12-06T08:49:04.476+07:00

d68cb6eb

กระทรวงอุตสาหกรรม สำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม
(Ministry of Industry Thailand, Thai Industrial Standards Institute)



รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ
(Scope of Accreditation for Testing)
ใบรับรองเลขที่ 24-LB0026
(Certification No. 24-LB0026)



ชื่อห้องปฏิบัติการ
(Laboratory Name)

บริษัท ซีคोट จำกัด ฝ่ายห้องปฏิบัติการทดสอบด้านสิ่งแวดล้อม
(Secot Company Limited, Environmental Laboratory Division)

หมายเลขการรับรองที่
(Accreditation No.)

ทดสอบ 0394
(Testing 0394)

ฉบับที่ 02
(Issue No.02)

ออกให้ตั้งแต่วันที่ 30 ตุลาคม พ.ศ. 2566
(Valid from) (30 October B.E.2566 (2023))

ถึงวันที่ 8 กันยายน พ.ศ. 2571
(Until) (8 September B.E.2571 (2028))

สถานภาพห้องปฏิบัติการ
(Laboratory status)

☒ถาวร (Permanent) ☐นอกสถานที่ (Site) ☐ชั่วคราว (Temporary) ☐เคลื่อนที่ (Mobile) ☐หลายสถานที่ (Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
สาขาสังแวดล้อม (environmental field) 1. น้ำและน้ำเสีย (water and wastewater)	- โลหะหนัก (heavy metals) • สารหนู (Arsenic, As) 0.000 5 mg/L ถึง 0.090 0 mg/L • สารหนู (Arsenic, As) 0.05 mg/L ถึง 4.50 mg/L • แบเรียม (Barium, Ba) 0.02 mg/L ถึง 4.50 mg/L • แคดเมียม (Cadmium, Cd) 0.01 mg/L ถึง 4.50 mg/L • โครเมียม (Chromium, Cr) 0.01 mg/L ถึง 4.50 mg/L	- Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23 rd edition, 2017, Part 3030 F and Part 3114 C - Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23 rd edition, 2017, Part 3030 E and Part 3120 B

กระทรวงอุตสาหกรรม สำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม
(Ministry of Industry, Thai Industrial Standards Institute)

รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ

(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 24-LB0026

(Certification No. 24-LB0026)



ฉบับที่ 02
(Issue No.02)

ออกให้ตั้งแต่วันที่ 30 ตุลาคม พ.ศ. 2566
(Valid from) (30 October B.E.2566 (2023))

ถึงวันที่ 8 กันยายน พ.ศ. 2571
(Until) (8 September B.E.2571 (2028))

สถานภาพห้องปฏิบัติการ
(Laboratory status)

☒ถาวร
(Permanent)

☐นอกสถานที่
(Site)

☐ชั่วคราว
(Temporary)

☐เคลื่อนที่
(Mobile)

☐หลายสถานที่
(Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
<p>สาขาสสิ่งแวดล้อม (environmental field)</p> <p>1. น้ำและน้ำเสีย (ต่อ) (water and wastewater) (cont.)</p>	<p>- โลหะหนัก (heavy metals)</p> <ul style="list-style-type: none"> ทองแดง (Copper, Cu) 0.02 mg/L ถึง 4.50 mg/L เหล็ก (Iron, Fe) 0.05 mg/L ถึง 9.00 mg/L ตะกั่ว (Lead, Pb) 0.03 mg/L ถึง 4.50 mg/L แมงกานีส (Manganese, Mn) 0.01 mg/L ถึง 9.00 mg/L นิกเกิล (Nickel, Ni) 0.01 mg/L ถึง 4.50 mg/L สังกะสี (Zinc, Zn) 0.02 mg/L ถึง 9.00 mg/L 	<p>- Standard Methods for the Examination of Water and Wastewater, APHA , AWWA, WEF, 23rd edition , 2017, Part 3030 E and Part 3120 B</p>

รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ

(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 24-LB0026

(Certification No. 24-LB0026)



ฉบับที่ 02
(Issue No.02)

ออกให้ตั้งแต่วันที่ 30 ตุลาคม พ.ศ. 2566
(Valid from) (30 October B.E.2566 (2023))

ถึงวันที่ 8 กันยายน พ.ศ. 2571
(Until) (8 September B.E.2571 (2028))

สถานภาพห้องปฏิบัติการ
(Laboratory status)

☒ถาวร
(Permanent)

☐นอกสถานที่
(Site)

☐ชั่วคราว
(Temporary)

☐เคลื่อนที่
(Mobile)

☐หลายสถานที่
(Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
<p>สาขาสสิ่งแวดล้อม (environmental field)</p> <p>1. น้ำและน้ำเสีย (ต่อ) (water and wastewater) (cont.)</p>	<p>- ซีโอดี (Chemical oxygen demand, COD) 100 mg/L ถึง 4 000 mg/L</p>	<p>- Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd edition , 2017, Part 5220 D</p>
<p>2. บริเวณทำงาน (workplace)</p>	<p>- ฝุ่นละอองรวม (Total dust) 0.10 mg/filter ถึง 2.00 mg/filter</p> <p>- ฝุ่นละอองขนาดเล็ก (Respirable dust) 0.10 mg/filter ถึง 2.00 mg/filter</p>	<p>- NIOSH Manual of Analytical Methods (NMAM) , method 0500, 4th edition , 15th August 1994 (Exclude Sampling)</p> <p>- NIOSH Manual of Analytical Methods (NMAM) , method 0600, 4th edition , 15th January 1998 (Exclude Sampling)</p>

รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ
(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 24-LB0026
(Certification No. 24-LB0026)



ฉบับที่ 02
(Issue No.02)

ออกให้ตั้งแต่วันที่ 30 ตุลาคม พ.ศ. 2566
(Valid from) (30 October B.E.2566 (2023))

ถึงวันที่ 8 กันยายน พ.ศ. 2571
(Until) (8 September B.E.2571 (2028))

สถานภาพห้องปฏิบัติการ
(Laboratory status)

☒ถาวร
(Permanent)

☐นอกสถานที่
(Site)

☐ชั่วคราว
(Temporary)

☐เคลื่อนที่
(Mobile)

☐หลายสถานที่
(Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
<p>สาขาสังแวดล้อม (environmental field)</p> <p>2. บริเวณทำงาน (ต่อ) (workplace) (cont.)</p>	<ul style="list-style-type: none"> เบนซีน (Benzene) 1.10 µg/tube ถึง 420 µg/tube โทลูอีน (Toluene) 1.10 µg/tube ถึง 420 µg/tube โทโครไซลีน (Total xylenes) 2.20 µg/tube ถึง 840 µg/tube เมตา, พารา-ไซลีน (m, p- Xylene) 1.10 µg/tube ถึง 420 µg/tube ออร์โธ-ไซลีน (o- Xylene) 1.10 µg/tube ถึง 420 µg/tube 	<ul style="list-style-type: none"> NIOSH Manual of Analytical Methods (NMAM) , method 1501, 4th edition , 15th March 2003 (Exclude Sampling)
<p>3. ปล่องระบายอากาศ (stack)</p>	<ul style="list-style-type: none"> ซัลเฟอร์ไดออกไซด์ (Sulfur dioxide) 1.00 mg/L ถึง 16 000 mg/L (solution) 	<ul style="list-style-type: none"> US.EPA , Code of Federal Regulations , 40 CFR 60 appendix A , method 6 , July 2019 (Exclude Sampling)

รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ
(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 24-LB0026
(Certification No. 24-LB0026)



ฉบับที่ 02
(Issue No.02)

ออกให้ตั้งแต่วันที่ 30 ตุลาคม พ.ศ. 2566
(Valid from) (30 October B.E.2566 (2023))

ถึงวันที่ 8 กันยายน พ.ศ. 2571
(Until) (8 September B.E.2571 (2028))

สถานภาพห้องปฏิบัติการ
(Laboratory status)

☒ถาวร
(Permanent)

☐นอกสถานที่
(Site)

☐ชั่วคราว
(Temporary)

☐เคลื่อนที่
(Mobile)

☐หลายสถานที่
(Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
<p>สาขาสังแวดล้อม (environmental field)</p> <p>3. ปล่องระบายอากาศ (ต่อ) (stack) (cont.)</p>	<ul style="list-style-type: none"> ไฮโดรเจนฟลูออไรด์ (Hydrogen fluoride) 5 µg/sample ถึง 400 µg/sample ไฮโดรเจนคลอไรด์ (Hydrogen chloride) 5 µg/sample ถึง 400 µg/sample 	<ul style="list-style-type: none"> WI-7.2-1-22 based on US.EPA , Code of Federal Regulations , 40 CFR 60 appendix A, method 26 , 2019 (Exclude Sampling)

รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ

(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 24-LB0026

(Certification No. 24-LB0026)



ฉบับที่ 02
(Issue No.02)

ออกให้ตั้งแต่วันที่ 30 ตุลาคม พ.ศ. 2566
(Valid from) (30 October B.E.2566 (2023))

ถึงวันที่ 8 กันยายน พ.ศ. 2571
(Until) (8 September B.E.2571 (2028))

สถานภาพห้องปฏิบัติการ
(Laboratory status)

☒ถาวร
(Permanent)

☒นอกสถานที่
(Site)

☐ชั่วคราว
(Temporary)

☐เคลื่อนที่
(Mobile)

☐หลายสถานที่
(Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
<p>สาขาสสิ่งแวดล้อม (environmental field)</p> <p>4. บรรยากาศทั่วไป (ambient air)</p>	<p>- สารอินทรีย์ระเหยง่าย (Volatile organic compounds, VOCs)</p> <ul style="list-style-type: none"> คลอโรอีthin (Chloroethene) 0.05 $\mu\text{g}/\text{m}^3$ ถึง 51.00 $\mu\text{g}/\text{m}^3$ (0.02 ppbv ถึง 20.00 ppbv) 1,3-บิวทาไดเีน (1,3-butadiene) 0.04 $\mu\text{g}/\text{m}^3$ ถึง 44.00 $\mu\text{g}/\text{m}^3$ (0.02 ppbv ถึง 20.00 ppbv) โบรมอมีเทน (Bromomethane) 0.08 $\mu\text{g}/\text{m}^3$ ถึง 77.00 $\mu\text{g}/\text{m}^3$ (0.02 ppbv ถึง 20.00 ppbv) อะครอลีน (Acrolein) 0.05 $\mu\text{g}/\text{m}^3$ ถึง 45.00 $\mu\text{g}/\text{m}^3$ (0.02 ppbv ถึง 20.00 ppbv) 	<p>- WI-7.2-1-24 based on US EPA , Compendium Method TO-15 , EPA/625/R-96/010b, Second edition, January 1999</p>

รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ

(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 24-LB0026

(Certification No. 24-LB0026)



ฉบับที่ 02
(Issue No.02)

ออกให้ตั้งแต่วันที่ 30 ตุลาคม พ.ศ. 2566
(Valid from) (30 October B.E.2566 (2023))

ถึงวันที่ 8 กันยายน พ.ศ. 2571
(Until) (8 September B.E.2571 (2028))

สถานภาพห้องปฏิบัติการ
(Laboratory status)

☒ถาวร
(Permanent)

☒นอกสถานที่
(Site)

☐ชั่วคราว
(Temporary)

☐เคลื่อนที่
(Mobile)

☐หลายสถานที่
(Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
<p>สาขาสสิ่งแวดล้อม (environmental field)</p> <p>4. บรรยากาศทั่วไป (ต่อ) (ambient air) (cont.)</p>	<p>- สารอินทรีย์ระเหยง่าย (Volatile organic compounds, VOCs)</p> <ul style="list-style-type: none"> อะคริโลไนไทรล์ (Acrylonitrile) 0.04 $\mu\text{g}/\text{m}^3$ ถึง 43.00 $\mu\text{g}/\text{m}^3$ (0.02 ppbv ถึง 20.00 ppbv) ไดคลอโรมีเทน (Dichloromethane) 0.14 $\mu\text{g}/\text{m}^3$ to 69.00 $\mu\text{g}/\text{m}^3$ (0.04 ppbv ถึง 20.00 ppbv) คาร์บอนไดซัลไฟด์ (Carbon disulfide) 0.06 $\mu\text{g}/\text{m}^3$ ถึง 62.00 $\mu\text{g}/\text{m}^3$ (0.02 ppbv ถึง 20.00 ppbv) ไตรคลอโรมีเทน (Trichloromethane) 0.20 $\mu\text{g}/\text{m}^3$ ถึง 97.00 $\mu\text{g}/\text{m}^3$ (0.04 ppbv ถึง 20.00 ppbv) 1,2-ไดคลอโรอีเทน (1,2-dichloroethane) 0.08 $\mu\text{g}/\text{m}^3$ ถึง 80.00 $\mu\text{g}/\text{m}^3$ (0.02 ppbv ถึง 20.00 ppbv) 	<p>- WI-7.2-1-24 based on US EPA , Compendium Method TO-15 , EPA/625/R-96/010b, Second edition, January 1999</p>

รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ

(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 24-LB0026

(Certification No. 24-LB0026)



ฉบับที่ 02
(Issue No.02)

ออกให้ตั้งแต่วันที่ 30 ตุลาคม พ.ศ. 2566
(Valid from) (30 October B.E.2566 (2023))

ถึงวันที่ 8 กันยายน พ.ศ. 2571
(Until) (8 September B.E.2571 (2028))

สถานภาพห้องปฏิบัติการ
(Laboratory status)

☒ถาวร
(Permanent)

☒นอกสถานที่
(Site)

☐ชั่วคราว
(Temporary)

☐เคลื่อนที่
(Mobile)

☐หลายสถานที่
(Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
<p>สาขาสสิ่งแวดล้อม (environmental field)</p> <p>4. บรรยากาศทั่วไป (ต่อ) (ambient air) (cont.)</p>	<p>- สารอินทรีย์ระเหยง่าย (Volatile organic compounds ,VOCs)</p> <ul style="list-style-type: none"> • เบนซีน (Benzene) 0.06 $\mu\text{g}/\text{m}^3$ ถึง 63.00 $\mu\text{g}/\text{m}^3$ (0.02 ppbv ถึง 20.00 ppbv) • คาร์บอนเตตระคลอไรด์ (Carbon tetrachloride) 0.25 $\mu\text{g}/\text{m}^3$ ถึง 125 $\mu\text{g}/\text{m}^3$ (0.04 ppbv ถึง 20.00 ppbv) • ไตรคลอโรเอทิลีน (Trichloroethylene) 0.21 $\mu\text{g}/\text{m}^3$ ถึง 107 $\mu\text{g}/\text{m}^3$ (0.04 ppbv ถึง 20.00 ppbv) • 1,2-ไดคลอโรโพรเพน (1,2-dichloropropane) 0.18 $\mu\text{g}/\text{m}^3$ ถึง 92.00 $\mu\text{g}/\text{m}^3$ (0.04 ppbv ถึง 20.00 ppbv) • เตตระคลอโรเอทิลีน (Tetrachloroethylene) 0.27 $\mu\text{g}/\text{m}^3$ ถึง 135 $\mu\text{g}/\text{m}^3$ (0.04 ppbv ถึง 20.00 ppbv) 	<p>- WI-7.2-1-24 based on US EPA , Compendium Method TO-15 , EPA/625/R-96/010b, Second edition, January 1999</p>

รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ

(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 24-LB0026

(Certification No. 24-LB0026)



ฉบับที่ 02
(Issue No.02)

ออกให้ตั้งแต่วันที่ 30 ตุลาคม พ.ศ. 2566
(Valid from) (30 October B.E.2566 (2023))

ถึงวันที่ 8 กันยายน พ.ศ. 2571
(Until) (8 September B.E.2571 (2028))

สถานภาพห้องปฏิบัติการ
(Laboratory status)

☒ถาวร
(Permanent)

☒นอกสถานที่
(Site)

☐ชั่วคราว
(Temporary)

☐เคลื่อนที่
(Mobile)

☐หลายสถานที่
(Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
<p>สาขาสสิ่งแวดล้อม (environmental field)</p> <p>4. บรรยากาศทั่วไป (ต่อ) (ambient air) (cont.)</p>	<p>- สารอินทรีย์ระเหยง่าย (Volatile organic compounds ,VOCs)</p> <ul style="list-style-type: none"> • 1,2-ไดโบรมีเอเทน (1,2-dibromoethane) 0.31 $\mu\text{g}/\text{m}^3$ ถึง 153 $\mu\text{g}/\text{m}^3$ (0.04 ppbv ถึง 20.00 ppbv) • 1,1,2,2-เตตระคลอโรเอทเทน (1,1,2,2-tetrachloroethane) 0.69 $\mu\text{g}/\text{m}^3$ ถึง 137 $\mu\text{g}/\text{m}^3$ (0.10 ppbv ถึง 20.00 ppbv) • เบนซิลคลอไรด์ (Benzyl chloride) 0.52 $\mu\text{g}/\text{m}^3$ ถึง 103 $\mu\text{g}/\text{m}^3$ (0.10 ppbv ถึง 20.00 ppbv) • 1,4-ไดคลอโรเบนซีน (1,4-dichlorobenzene) 0.24 $\mu\text{g}/\text{m}^3$ ถึง 120 $\mu\text{g}/\text{m}^3$ (0.04 ppbv ถึง 20.00 ppbv) 	<p>- WI-7.2-1-24 based on US EPA , Compendium Method TO-15 , EPA/625/R-96/010b, Second edition, January 1999</p>