

ภาคผนวก ค

สำเนาใบรายงานผลการวิเคราะห์

ค-1

คุณภาพอากาศในบรรยากาศ

ANALYSIS REPORT

PROJECT NAME : IN-PLANT GENERATOR PROJECT IN OPERATION PHASE
CUSTOMER NAME : PTT LNG COMPANY LIMITED
ADDRESS : 8/1, I-8 ROAD, MAP TA PHUT INDUSTRIAL ESTATE, MAP TA PHUT MUEANG RAYONG RAYONG 21150
CONTACT INFORMATION : TEL : 0 3897 8200 e-mail : dan.s@pttlng.com
MEASURING PLACE : วัดตากวนคงคาราม
MEASURING TYPE : AMBIENT (AIR) **RECEIVED DATE** : MARCH 22-29, 2024
MEASURING DATE : MARCH 22-29, 2024 **ANALYTICAL DATE** : MARCH 22-29, 2024
MEASURING TIME : * **ISSUE DATE** : APRIL 8, 2024
MEASURING METHOD : CHEMILUMINESCENCE **REPORT NO.** : 2024-U029498
MEASURED BY : MR THANAT LERTPRASERT **WORK NO.** : 2023-009993
ANALYSIS NO. : T24AG869-0001 - T24AG869-0007

TIME *	RESULT (ppm)		
	NITROGEN DIOXIDE		
	วัดตากวนคงคาราม		
	MARCH 22-23, 2024 T24AG869-0001	MARCH 23-24, 2024 T24AG869-0002	MARCH 24-25, 2024 T24AG869-0003
07:00-08:00 HOUR	0.0111	0.0086	0.0134
08:00-09:00 HOUR	0.0132	0.0112	0.0157
09:00-10:00 HOUR	0.0155	0.0112	0.0176
10:00-11:00 HOUR	0.0168	0.0111	0.0176
11:00-12:00 HOUR	0.0183	0.0109	0.0173
12:00-13:00 HOUR	0.0186	0.0119	0.0184
13:00-14:00 HOUR	0.0157	0.0110	0.0179
14:00-15:00 HOUR	0.0130	0.0098	0.0144
15:00-16:00 HOUR	0.0109	0.0097	0.0089
16:00-17:00 HOUR	0.0106	0.0111	0.0053
17:00-18:00 HOUR	0.0121	0.0127	0.0056
18:00-19:00 HOUR	0.0123	0.0134	0.0057
19:00-20:00 HOUR	0.0131	0.0130	0.0054
20:00-21:00 HOUR	0.0123	0.0127	0.0079
21:00-22:00 HOUR	0.0140	0.0134	0.0117
22:00-23:00 HOUR	0.0148	0.0140	0.0168
23:00-00:00 HOUR	0.0153	0.0145	0.0150
00:00-01:00 HOUR	0.0133	0.0145	0.0132
01:00-02:00 HOUR	0.0112	0.0125	0.0091
02:00-03:00 HOUR	0.0087	0.0092	0.0089
03:00-04:00 HOUR	0.0077	0.0069	0.0072
04:00-05:00 HOUR	0.0073	0.0066	0.0068
05:00-06:00 HOUR	0.0067	0.0087	0.0070
06:00-07:00 HOUR	0.0072	0.0098	0.0089



TIME *	RESULT (ppm)			
	NITROGEN DIOXIDE			
	วัดดาวนกสงคราม			
	MARCH 25-26, 2024 T24AG869-0004	MARCH 26-27, 2024 T24AG869-0005	MARCH 27-28, 2024 T24AG869-0006	MARCH 28-29, 2024 T24AG869-0007
07:00-08:00 HOUR	0.0133	0.0112	0.0063	0.0069
08:00-09:00 HOUR	0.0155	0.0135	0.0087	0.0095
09:00-10:00 HOUR	0.0168	0.0160	0.0100	0.0120
10:00-11:00 HOUR	0.0168	0.0160	0.0112	0.0136
11:00-12:00 HOUR	0.0159	0.0157	0.0113	0.0135
12:00-13:00 HOUR	0.0162	0.0152	0.0126	0.0140
13:00-14:00 HOUR	0.0149	0.0145	0.0133	0.0115
14:00-15:00 HOUR	0.0149	0.0140	0.0139	0.0088
15:00-16:00 HOUR	0.0164	0.0134	0.0140	0.0056
16:00-17:00 HOUR	0.0168	0.0132	0.0137	0.0041
17:00-18:00 HOUR	0.0178	0.0130	0.0138	0.0039
18:00-19:00 HOUR	0.0152	0.0114	0.0149	0.0045
19:00-20:00 HOUR	0.0141	0.0098	0.0159	0.0043
20:00-21:00 HOUR	0.0140	0.0111	0.0145	0.0092
21:00-22:00 HOUR	0.0155	0.0122	0.0139	0.0108
22:00-23:00 HOUR	0.0171	0.0154	0.0153	0.0180
23:00-00:00 HOUR	0.0157	0.0136	0.0158	0.0154
00:00-01:00 HOUR	0.0136	0.0119	0.0147	0.0141
01:00-02:00 HOUR	0.0108	0.0075	0.0106	0.0105
02:00-03:00 HOUR	0.0092	0.0066	0.0080	0.0078
03:00-04:00 HOUR	0.0078	0.0063	0.0062	0.0063
04:00-05:00 HOUR	0.0061	0.0064	0.0042	0.0065
05:00-06:00 HOUR	0.0060	0.0063	0.0041	0.0077
06:00-07:00 HOUR	0.0069	0.0053	0.0039	0.0086

.....

.....

APRIL 8, 2024

ANALYSIS REPORT

PROJECT NAME : IN-PLANT GENERATOR PROJECT IN OPERATION PHASE
CUSTOMER NAME : PTT LNG COMPANY LIMITED
ADDRESS : 8/1, I-8 ROAD, MAP TA PHUT INDUSTRIAL ESTATE, MAP TA PHUT MUEANG RAYONG RAYONG 21150
CONTACT INFORMATION : TEL : 0 3897 8200 e-mail : dan.s@pttlng.com
MEASURING PLACE : วัดตากวนคลองคาราม
MEASURING TYPE : AMBIENT (AIR)
MEASURING DATE : MARCH 22-29, 2024
MEASURING TIME : *
MEASURING METHOD : UV FLUORESCENCE
MEASURED BY : MR THANAT LERTPRASERT

RECEIVED DATE : MARCH 22-29, 2024
ANALYTICAL DATE : MARCH 22-29, 2024
ISSUE DATE : APRIL 8, 2024
REPORT NO. : 2024-U029506
WORK NO. : 2023-009993
ANALYSIS NO. : T24AG869-0001 - T24AG869-0007

เวลา *	RESULT (ppm)		
	SULPHUR DIOXIDE		
	วัดตากวนคลองคาราม		
	MARCH 22-23, 2024 T24AG869-0001	MARCH 23-24, 2024 T24AG869-0002	MARCH 24-25, 2024 T24AG869-0003
07:00-08:00 HOUR	0.0036	0.0027	0.0025
08:00-09:00 HOUR	0.0040	0.0029	0.0028
09:00-10:00 HOUR	0.0039	0.0029	0.0029
10:00-11:00 HOUR	0.0038	0.0029	0.0030
11:00-12:00 HOUR	0.0034	0.0027	0.0025
12:00-13:00 HOUR	0.0033	0.0030	0.0024
13:00-14:00 HOUR	0.0031	0.0028	0.0022
14:00-15:00 HOUR	0.0029	0.0025	0.0022
15:00-16:00 HOUR	0.0027	0.0022	0.0021
16:00-17:00 HOUR	0.0027	0.0019	0.0019
17:00-18:00 HOUR	0.0029	0.0018	0.0018
18:00-19:00 HOUR	0.0030	0.0019	0.0019
19:00-20:00 HOUR	0.0029	0.0022	0.0023
20:00-21:00 HOUR	0.0026	0.0025	0.0027
21:00-22:00 HOUR	0.0027	0.0020	0.0028
22:00-23:00 HOUR	0.0024	0.0015	0.0024
23:00-00:00 HOUR	0.0027	0.0016	0.0019
00:00-01:00 HOUR	0.0025	0.0015	0.0018
01:00-02:00 HOUR	0.0025	0.0012	0.0017
02:00-03:00 HOUR	0.0025	0.0017	0.0019
03:00-04:00 HOUR	0.0025	0.0024	0.0019
04:00-05:00 HOUR	0.0029	0.0030	0.0025
05:00-06:00 HOUR	0.0030	0.0028	0.0030
06:00-07:00 HOUR	0.0032	0.0033	0.0036
AVERAGE 24 HOUR	0.0030	0.0023	0.0024



เวลา *	RESULT (ppm)			
	SULPHUR DIOXIDE			
	วัดตามวันคงคาราม			
	MARCH 25-26, 2024 T24AG869-0004	MARCH 26-27, 2024 T24AG869-0005	MARCH 27-28, 2024 T24AG869-0006	MARCH 28-29, 2024 T24AG869-0007
07:00-08:00 HOUR	0.0036	0.0030	0.0038	0.0030
08:00-09:00 HOUR	0.0041	0.0029	0.0037	0.0029
09:00-10:00 HOUR	0.0041	0.0027	0.0035	0.0033
10:00-11:00 HOUR	0.0040	0.0028	0.0032	0.0035
11:00-12:00 HOUR	0.0038	0.0026	0.0030	0.0037
12:00-13:00 HOUR	0.0038	0.0025	0.0031	0.0034
13:00-14:00 HOUR	0.0035	0.0020	0.0028	0.0032
14:00-15:00 HOUR	0.0032	0.0017	0.0028	0.0032
15:00-16:00 HOUR	0.0031	0.0016	0.0023	0.0031
16:00-17:00 HOUR	0.0031	0.0016	0.0021	0.0030
17:00-18:00 HOUR	0.0030	0.0018	0.0022	0.0028
18:00-19:00 HOUR	0.0029	0.0019	0.0025	0.0026
19:00-20:00 HOUR	0.0030	0.0024	0.0027	0.0027
20:00-21:00 HOUR	0.0033	0.0027	0.0028	0.0027
21:00-22:00 HOUR	0.0032	0.0028	0.0030	0.0028
22:00-23:00 HOUR	0.0029	0.0027	0.0030	0.0029
23:00-00:00 HOUR	0.0025	0.0027	0.0027	0.0031
00:00-01:00 HOUR	0.0026	0.0025	0.0025	0.0028
01:00-02:00 HOUR	0.0026	0.0025	0.0023	0.0027
02:00-03:00 HOUR	0.0026	0.0026	0.0022	0.0026
03:00-04:00 HOUR	0.0030	0.0024	0.0023	0.0023
04:00-05:00 HOUR	0.0032	0.0025	0.0027	0.0025
05:00-06:00 HOUR	0.0026	0.0026	0.0031	0.0025
06:00-07:00 HOUR	0.0025	0.0031	0.0031	0.0027
AVERAGE 24 HOUR	0.0032	0.0024	0.0028	0.0029

APRIL 8, 2024

ANALYSIS REPORT

PROJECT NAME : IN-PLANT GENERATOR PROJECT IN OPERATION PHASE
CUSTOMER NAME : PTT LNG COMPANY LIMITED
ADDRESS : 8/1, I-8 ROAD, MAP TA PHUT INDUSTRIAL ESTATE, MAP TA PHUT MUEANG RAYONG RAYONG 21150
CONTACT INFORMATION : TEL : 0 3897 8200 e-mail : dan.s@pttlng.com
SAMPLING SOURCE : PTTLNG COMPANY LIMITED (8/1, I-8 ROAD, MAP TA PHUT INDUSTRAIL ESTATE, MAP TA PHUT, MUANG, RAYONG 21150)
SAMPLE TYPE : AMBIENT
SAMPLING DATE : *, **, ***
SAMPLING TIME : *, **, ***
SAMPLING BY : MR THANAT LERTPRASERT
ANALYZED BY : MISS JETJARIN TUMSA-AT
RECEIVED DATE : APRIL 2, 2024
ANALYTICAL DATE : APRIL 2-8, 2024
ISSUE DATE : APRIL 10, 2024
REPORT NO. : 2024-U030540
WORK NO. : 2023-009993
ANALYSIS NO. : T24AG869-0001 - T24AG869-0003

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT		
			วัดค่าทางห้องคาราม		
			* T24AG869-0001	** T24AG869-0002	*** T24AG869-0003
TOTAL SUSPENDED PARTICULATE	mg/m ³	GRAVIMETRIC (HIGH VOLUME METHOD)	0.063	0.083	0.026
PARTICULATE MATTER (≤ 10 µm)	mg/m ³	GRAVIMETRIC (HIGH VOLUME METHOD)	0.042	0.047	0.011
SAMPLE CONDITION			COMPLETE	COMPLETE	COMPLETE

REMARK
TSP, PM10 : REFERENCE CONDITION IS 25 DEGREE CELSIUS AT 1 ATMOSPHERE.
TSP : US EPA, CODE OF FEDERAL REGULATIONS, 40 CFR CHAPTER I-PART 50 APPENDIX B, REFERENCE METHOD FOR THE DETERMINATION OF SUSPENDED PARTICULATE MATTER IN THE ATMOSPHERE (HIGH-VOLUME METHOD) REVISED AS OF JULY 1, 2021.
PM10 : US EPA, CODE OF FEDERAL REGULATIONS, 40 CFR CHAPTER I-PART 50 APPENDIX J, REFERENCE METHOD FOR THE DETERMINATION OF PARTICULATE MATTER AS PM10 IN THE ATMOSPHERE (HIGH-VOLUME METHOD) REVISED AS OF JULY 1, 2021.
* : SAMPLING FROM 09:00 HOUR ON MARCH 22, 2024 TO 09:00 HOUR ON MARCH 23, 2024.
** : SAMPLING FROM 09:00 HOUR ON MARCH 23, 2024 TO 09:00 HOUR ON MARCH 24, 2024.
*** : SAMPLING FROM 09:00 HOUR ON MARCH 24, 2024 TO 09:00 HOUR ON MARCH 25, 2024.

APRIL 11, 2024



ANALYSIS REPORT

PROJECT NAME : IN-PLANT GENERATOR PROJECT IN OPERATION PHASE
CUSTOMER NAME : PTT LNG COMPANY LIMITED
ADDRESS : 8/1, I-8 ROAD, MAP TA PHUT INDUSTRIAL ESTATE, MAP TA PHUT MUEANG RAYONG RAYONG 21150
CONTACT INFORMATION : TEL : 0 3897 8200 e-mail : dan.s@pttlng.com
SAMPLING SOURCE : PTTLNG COMPANY LIMITED (8/1, I-8 ROAD, MAP TA PHUT INDUSTRIAL ESTATE, MAP TA PHUT, MUANG, RAYONG 21150)
SAMPLE TYPE : AMBIENT
SAMPLING DATE : * * * * *
SAMPLING TIME : * * * * *
SAMPLING BY : MR THANAT LERTPRASERT
ANALYZED BY : MISS JETJARIN TUMSA-AT
RECEIVED DATE : APRIL 2, 2024
ANALYTICAL DATE : APRIL 2-8, 2024
ISSUE DATE : APRIL 10, 2024
REPORT NO. : 2024-U030542
WORK NO. : 2023-009993
ANALYSIS NO. : T24AG869-0004 - T24AG869-0007

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT			
			วัดค่ากวนคงคาราม			
			* T24AG869-0004	** T24AG869-0005	*** T24AG869-0006	**** T24AG869-0007
TOTAL SUSPENDED PARTICULATE	mg/m ³	GRAVIMETRIC (HIGH VOLUME METHOD)	0.027	0.028	0.027	0.084
PARTICULATE MATTER (≤ 10 µm)	mg/m ³	GRAVIMETRIC (HIGH VOLUME METHOD)	0.017	0.014	0.017	0.034
SAMPLE CONDITION			COMPLETE	COMPLETE	COMPLETE	COMPLETE

REMARK

TSP, PM10 : REFERENCE CONDITION IS 25 DEGREE CELSIUS AT 1 ATMOSPHERE.
TSP : US EPA, CODE OF FEDERAL REGULATIONS, 40 CFR CHAPTER I-PART 50 APPENDIX B, REFERENCE METHOD FOR THE DETERMINATION OF SUSPENDED PARTICULATE MATTER IN THE ATMOSPHERE (HIGH-VOLUME METHOD) REVISED AS OF JULY 1, 2021.
PM10 : US EPA, CODE OF FEDERAL REGULATIONS, 40 CFR CHAPTER I-PART 50 APPENDIX J, REFERENCE METHOD FOR THE DETERMINATION OF PARTICULATE MATTER AS PM10 IN THE ATMOSPHERE (HIGH-VOLUME METHOD) REVISED AS OF JULY 1, 2021.
* : SAMPLING FROM 09:00 HOUR ON MARCH 25, 2024 TO 09:00 HOUR ON MARCH 26, 2024.
** : SAMPLING FROM 09:00 HOUR ON MARCH 26, 2024 TO 09:00 HOUR ON MARCH 27, 2024.
*** : SAMPLING FROM 09:00 HOUR ON MARCH 27, 2024 TO 09:00 HOUR ON MARCH 28, 2024.
**** : SAMPLING FROM 09:00 HOUR ON MARCH 28, 2024 TO 09:00 HOUR ON MARCH 29, 2024.

APRIL 11, 2024




ANALYSIS REPORT

PROJECT NAME	: IN-PLANT GENERATOR PROJECT IN OPERATION PHASE	RECEIVED DATE	: MARCH 22-29, 2024
CUSTOMER NAME	: PTT LNG COMPANY LIMITED	ANALYTICAL DATE	: MARCH 22-29, 2024
ADDRESS	: 8/1, I-8 ROAD, MAP TA PHUT INDUSTRIAL ESTATE, MAP TA PHUT MUEANG RAYONG RAYONG 21150	ISSUE DATE	: APRIL 8, 2024
CONTACT INFORMATION	: TEL : 0 3897 8200 e-mail : dan.s@pttlng.com	REPORT NO.	: 2024-U029509
MEASURING PLACE	: วัดตากวนคลองคาราม	WORK NO.	: 2023-009993
MEASURING TYPE	: AMBIENT (AIR)	ANALYSIS NO.	: T24AG869-0001 - T24AG869-0007
MEASURING DATE	: MARCH 22-29, 2024		
MEASURING TIME	: *		
MEASURING METHOD	: WIND SPEED & WIND DIRECTION EQUIPMENT		
MEASURED BY	: MR THANAT LERTPRASERT		

TIME *	RESULT (m/s)					
	วัดตากวนคลองคาราม					
	MARCH 22-23, 2024 T24AG869-0001		MARCH 23-24, 2024 T24AG869-0002		MARCH 24-25, 2024 T24AG869-0003	
	WIND SPEED	WIND DIRECTION	WIND SPEED	WIND DIRECTION	WIND SPEED	WIND DIRECTION
07:00-08:00 HOUR	1.9	S	1.0	S	1.4	SSW
08:00-09:00 HOUR	2.0	S	1.7	SSE	1.4	S
09:00-10:00 HOUR	1.9	S	1.5	S	2.1	S
10:00-11:00 HOUR	1.3	SSE	2.4	SSW	1.9	SSW
11:00-12:00 HOUR	1.7	S	1.6	SSE	1.4	SSW
12:00-13:00 HOUR	1.2	S	2.4	SW	1.0	S
13:00-14:00 HOUR	1.4	SSW	1.7	SSE	1.0	SSW
14:00-15:00 HOUR	1.6	SSW	1.8	S	1.1	S
15:00-16:00 HOUR	1.6	S	2.3	S	1.3	SSW
16:00-17:00 HOUR	2.0	SW	1.9	S	1.6	SSE
17:00-18:00 HOUR	1.6	S	1.7	S	2.6	SSW
18:00-19:00 HOUR	1.7	S	1.9	SSW	1.7	SSE
19:00-20:00 HOUR	2.2	SSW	2.1	SW	2.2	SSW
20:00-21:00 HOUR	2.2	SSW	1.6	SSE	1.9	SSW
21:00-22:00 HOUR	2.3	SSW	2.1	SSW	1.9	SSE
22:00-23:00 HOUR	1.7	S	2.4	SSW	2.1	S
23:00-00:00 HOUR	2.0	S	2.3	S	2.1	SSW
00:00-01:00 HOUR	1.5	SSW	1.7	S	2.2	S
01:00-02:00 HOUR	1.1	SSE	2.0	S	2.1	S
02:00-03:00 HOUR	0.9	SSE	2.2	SSE	1.9	S
03:00-04:00 HOUR	0.8	SE	1.7	SSW	2.3	S
04:00-05:00 HOUR	0.9	SSE	1.8	S	2.1	SW
05:00-06:00 HOUR	1.0	SE	2.0	SSW	1.9	WSW
06:00-07:00 HOUR	1.1	SSE	1.8	SSW	2.0	WSW



TIME *	RESULT (m/s)							
	วัดดาวกวนคงคาราม							
	MARCH 25-26, 2024		MARCH 26-27, 2024		MARCH 27-28, 2024		MARCH 28-29, 2024	
	T24AG869-0004		T24AG869-0005		T24AG869-0006		T24AG869-0007	
	WIND SPEED	WIND DIRECTION	WIND SPEED	WIND DIRECTION	WIND SPEED	WIND DIRECTION	WIND SPEED	WIND DIRECTION
07:00-08:00 HOUR	2.0	SSW	1.9	S	1.6	SSW	1.3	SSW
08:00-09:00 HOUR	2.1	SSW	2.1	S	1.3	S	1.0	SW
09:00-10:00 HOUR	1.8	SSE	1.6	S	1.4	S	1.2	SW
10:00-11:00 HOUR	1.6	S	1.9	SSW	1.4	S	1.0	SW
11:00-12:00 HOUR	2.0	SSE	1.9	SSW	1.1	SSW	1.2	S
12:00-13:00 HOUR	1.6	SSE	1.8	SSW	0.8	S	1.4	SE
13:00-14:00 HOUR	2.0	SSW	1.2	SSW	1.3	S	1.3	S
14:00-15:00 HOUR	1.8	SSW	1.3	SSE	1.5	SSW	2.2	SSE
15:00-16:00 HOUR	1.6	SSW	1.1	S	1.5	S	2.1	S
16:00-17:00 HOUR	2.4	SSW	1.0	SSE	1.9	SSW	1.7	SSE
17:00-18:00 HOUR	1.6	S	1.1	S	2.0	SSW	2.6	SSE
18:00-19:00 HOUR	1.6	SSW	1.5	S	2.1	S	2.0	SSW
19:00-20:00 HOUR	1.9	SSE	1.9	SSW	1.9	SSE	2.5	SSW
20:00-21:00 HOUR	2.2	SSE	2.0	S	2.3	SSW	2.8	WSW
21:00-22:00 HOUR	2.3	SSE	1.9	S	2.0	S	2.4	SSW
22:00-23:00 HOUR	1.4	SSE	1.5	S	1.4	SSW	3.4	WSW
23:00-00:00 HOUR	1.7	SW	1.9	SSW	1.2	SSW	3.6	SSW
00:00-01:00 HOUR	2.2	S	1.6	S	1.2	S	3.0	SW
01:00-02:00 HOUR	2.4	SSW	1.8	SSW	0.9	SW	2.6	WSW
02:00-03:00 HOUR	2.1	SW	1.9	SSW	1.2	SW	3.1	SSW
03:00-04:00 HOUR	2.4	SSW	1.7	S	0.8	SSW	2.5	S
04:00-05:00 HOUR	1.6	SSW	1.6	S	0.9	SSW	2.5	SW
05:00-06:00 HOUR	1.4	SSW	1.4	SW	0.8	SSW	2.6	SSW
06:00-07:00 HOUR	1.8	SSW	1.6	SSW	0.8	SW	2.4	S



APRIL 8, 2024

ค-2

คุณภาพอากาศจากแหล่งกำเนิด

ANALYSIS REPORT


PROJECT NAME : IN-PLANT GENERATOR PROJECT IN OPERATION PHASE
CUSTOMER NAME : PTT LNG COMPANY LIMITED
ADDRESS : 8/1, I-8 ROAD, MAP TA PHUT INDUSTRIAL ESTATE, MAP TA PHUT MUEANG RAYONG RAYONG 21150
CONTACT INFORMATION : TEL : 0 3897 8200 e-mail : dan.s@pttlng.com
SAMPLING SOURCE : PTT LNG COMPANY LIMITED
SAMPLE TYPE : STACK
SAMPLING DATE : MARCH 27, 2024
SAMPLING TIME : 16:40-18:00 HOUR
SAMPLING BY : MR ATTAPORN THEPTONG ๓-145-๓-0008
ANALYZED BY : MISS SUWAN KONGTHONG ๓-145-๓-0025

RECEIVED DATE : MARCH 28, 2024
ANALYTICAL DATE : MARCH 28-APRIL 2, 2024
ISSUE DATE : APRIL 3, 2024
REPORT NO. : 2024-U028257
WORK NO. : 2023-009993
ANALYSIS NO. : T24AG592-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	
			COMMON STACK UNIT B T24AG592-0001	
			ACTUAL OXYGEN	7% OXYGEN
SULPHUR DIOXIDE	ppm	ABSORPTION, BARIUM-THORIN TITRIMETRIC METHOD AT SITE (US EPA METHOD 6)	< 1.30	< 1.30
OXIDE OF NITROGEN AS NITROGEN DIOXIDE	ppm	ABSORPTION, PHENOLDISULFONIC ACID METHOD (US EPA METHOD 7)	3.60	9.96
SAMPLE CONDITION			COMPLETE	

REMARK

RESULT : REFERENCE CONDITION IS 25 DEGREE CELSIUS AT 1 ATMOSPHERE AND DRY BASIS.



APRIL 3, 2024



ANALYSIS REPORT


PROJECT NAME : IN-PLANT GENERATOR PROJECT IN OPERATION PHASE
CUSTOMER NAME : PTT LNG COMPANY LIMITED
ADDRESS : 8/1, I-8 ROAD, MAP TA PHUT INDUSTRIAL ESTATE, MAP TA PHUT MUEANG RAYONG RAYONG 21150
CONTACT INFORMATION : TEL : 0 3897 8200 e-mail : dan.s@pttng.com
SAMPLING SOURCE : PTT LNG COMPANY LIMITED
SAMPLE TYPE : STACK
SAMPLING DATE : MARCH 27, 2024
SAMPLING TIME : 16:30-17:20 HOUR
SAMPLING BY : MR ATTHAPORN THEPTONG ๖-145-๖-0008
ANALYZED BY : MISS SUWAN KONGTHONG ๖-145-๖-0025

RECEIVED DATE : MARCH 28, 2024
ANALYTICAL DATE : MARCH 28-APRIL 2, 2024
ISSUE DATE : APRIL 3, 2024
REPORT NO. : 2024-U028256
WORK NO. : 2023-009993
ANALYSIS NO. : T24AG592-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	
			COMMON STACK UNIT B T24AG592-0001	
			ACTUAL OXYGEN	7% OXYGEN
TOTAL SUSPENDED PARTICULATE	mg/m ³	ISOKINETIC, GRAVIMETRIC METHOD (US EPA METHOD 5)	1.68	4.65
SAMPLE CONDITION			COMPLETE	

REMARK

RESULT : REFERENCE CONDITION IS 25 DEGREE CELSIUS AT 1 ATMOSPHERE AND DRY BASIS.



APRIL 3, 2024



ค-3

ด้านเสียง

ANALYSIS REPORT

PROJECT NAME : IN-PLANT GENERATOR PROJECT IN OPERATION PHASE
CUSTOMER NAME : PTT LNG COMPANY LIMITED
ADDRESS : 8/1, I-8 ROAD, MAP TA PHUT INDUSTRIAL ESTATE, MAP TA PHUT MUEANG RAYONG RAYONG 21150
CONTACT INFORMATION : TEL : 0 3897 8200 e-mail : dan.s@pttng.com
MEASURING SOURCE : บริเวณเครื่องกังหันก๊าซ
MEASURING TYPE : AMBIENT (NOISE)
MEASURING DATE : MARCH 22-23, 2024
MEASURING TIME : *
MEASURING METHOD : INTEGRATED SOUND LEVEL METER
MEASURED BY : MR THANAT LERTPRASERT

RECEIVED DATE : MARCH 22-23, 2024
ANALYTICAL DATE : MARCH 22-23, 2024
ISSUE DATE : APRIL 8, 2024
REPORT NO. : 2024-U029514
WORK NO. : 2023-009993
ANALYSIS NO. : T24AG870-0001

TIME*	RESULT dB(A)		
	บริเวณเครื่องกังหันก๊าซ		
	MARCH 22-23, 2024		
	T24AG870-0001		
	L _{Aeq} 1 hour	L _{Amax} 1 hour	L _{Aeq} 8 hours
10:00-11:00 HOUR	64.3	75.9	-
11:00-12:00 HOUR	64.4	78.7	-
12:00-13:00 HOUR	63.5	68.8	-
13:00-14:00 HOUR	64.4	71.7	-
14:00-15:00 HOUR	64.7	76.9	-
15:00-16:00 HOUR	64.5	74.5	-
16:00-17:00 HOUR	64.4	71.0	-
17:00-18:00 HOUR	64.2	68.5	64.3
18:00-19:00 HOUR	64.2	69.0	-
19:00-20:00 HOUR	64.6	69.4	-
20:00-21:00 HOUR	64.3	69.8	-
21:00-22:00 HOUR	64.1	68.7	-
22:00-23:00 HOUR	63.8	68.9	-
23:00-00:00 HOUR	62.9	67.6	-
00:00-01:00 HOUR	62.7	67.4	-
01:00-02:00 HOUR	62.8	67.7	63.7
02:00-03:00 HOUR	63.1	67.5	-
03:00-04:00 HOUR	62.8	67.1	-
04:00-05:00 HOUR	63.5	68.5	-
05:00-06:00 HOUR	63.6	67.9	-
06:00-07:00 HOUR	63.8	67.9	-
07:00-08:00 HOUR	62.5	66.8	-
08:00-09:00 HOUR	62.2	68.3	-
09:00-10:00 HOUR	62.7	67.3	63.1
L _{Aeq} 24 hours		63.7	

APRIL 8, 2024



ANALYSIS REPORT

PROJECT NAME	: IN-PLANT GENERATOR PROJECT IN OPERATION PHASE		
CUSTOMER NAME	: PTT LNG COMPANY LIMITED		
ADDRESS	: 8/1, I-8 ROAD, MAP TA PHUT INDUSTRIAL ESTATE, MAP TA PHUT MUEANG RAYONG RAYONG 21150		
CONTACT INFORMATION	: TEL : 0 3897 8200 e-mail : dan.s@pttting.com		
MEASURING SOURCE	: รีมร่วด้านเหนือของพื้นที่โครงการ		
MEASURING TYPE	: AMBIENT (NOISE)	RECEIVED DATE	: MARCH 22-29, 2024
MEASURING DATE	: MARCH 22-29, 2024	ANALYTICAL DATE	: MARCH 22-29, 2024
MEASURING TIME	: *	ISSUE DATE	: APRIL 8, 2024
MEASURING METHOD	: INTEGRATED SOUND LEVEL METER	REPORT NO.	: 2024-U029515
MEASURED BY	: MR THANAT LERTPRASERT	WORK NO.	: 2023-009993
		ANALYSIS NO.	: T24AG870-0002 - T24AG870-0008

TIME*	RESULT dB(A)		
	ริมร่วด้านเหนือของพื้นที่โครงการ		
	MARCH 22-23, 2024		
	T24AG870-0002		
	L _{Aeq} 1 hour	L _{Amax} 1 hour	L _{A90} 1 hour
07:00-08:00 HOUR	51.2	79.2	44.0
08:00-09:00 HOUR	48.5	74.3	41.3
09:00-10:00 HOUR	50.6	70.6	41.0
10:00-11:00 HOUR	50.0	74.0	41.6
11:00-12:00 HOUR	53.4	79.7	47.8
12:00-13:00 HOUR	52.8	66.8	49.6
13:00-14:00 HOUR	50.2	68.0	46.4
14:00-15:00 HOUR	47.2	72.7	41.1
15:00-16:00 HOUR	50.4	69.2	41.5
16:00-17:00 HOUR	49.7	79.4	43.4
17:00-18:00 HOUR	51.5	77.6	48.2
18:00-19:00 HOUR	53.7	80.6	48.1
19:00-20:00 HOUR	52.8	67.5	49.4
20:00-21:00 HOUR	52.3	62.9	49.1
21:00-22:00 HOUR	47.4	61.6	44.3
22:00-23:00 HOUR	46.0	61.5	39.5
23:00-00:00 HOUR	44.7	69.8	39.6
00:00-01:00 HOUR	43.9	73.2	40.3
01:00-02:00 HOUR	43.1	60.1	41.5
02:00-03:00 HOUR	40.9	63.3	38.8
03:00-04:00 HOUR	41.1	55.7	38.7
04:00-05:00 HOUR	53.2	79.4	39.3
05:00-06:00 HOUR	60.2	79.5	38.8
06:00-07:00 HOUR	53.3	73.1	43.0
L _{Aeq} 24 hours		51.7	
L _{Adn}		58.8	



TIME*	RESULT dB(A)		
	ริมร่วาดนเหนือของพื้นที่โครงการ		
	MARCH 23-24, 2024		
	T24AG870-0003		
	L _{Aeq} 1 hour	L _{Amax} 1 hour	L _{A90} 1 hour
07:00-08:00 HOUR	49.6	79.6	41.8
08:00-09:00 HOUR	50.0	76.6	41.8
09:00-10:00 HOUR	49.9	77.2	42.6
10:00-11:00 HOUR	51.7	84.4	44.1
11:00-12:00 HOUR	49.4	67.9	44.9
12:00-13:00 HOUR	50.9	71.1	45.2
13:00-14:00 HOUR	52.4	73.4	46.0
14:00-15:00 HOUR	52.4	71.7	48.0
15:00-16:00 HOUR	50.9	74.5	45.7
16:00-17:00 HOUR	50.7	72.4	45.0
17:00-18:00 HOUR	52.0	76.1	43.7
18:00-19:00 HOUR	54.0	70.6	42.8
19:00-20:00 HOUR	45.0	68.5	42.2
20:00-21:00 HOUR	47.7	69.6	42.9
21:00-22:00 HOUR	47.9	78.0	43.0
22:00-23:00 HOUR	47.3	65.3	43.2
23:00-00:00 HOUR	45.4	72.2	41.8
00:00-01:00 HOUR	46.2	65.2	42.0
01:00-02:00 HOUR	53.5	75.3	42.3
02:00-03:00 HOUR	44.9	59.6	41.9
03:00-04:00 HOUR	44.6	80.9	40.8
04:00-05:00 HOUR	43.7	80.7	40.6
05:00-06:00 HOUR	61.5	80.6	40.2
06:00-07:00 HOUR	51.4	69.8	42.3
L _{Aeq} 24 hours		52.0	
L _{Adn}		59.6	

TIME*	RESULT dB(A)		
	บริเวณด้านเหนือของพื้นที่โครงการ		
	MARCH 24-25, 2024		
	T24AG870-0004		
	L _{Aeq} 1 hour	L _{Amax} 1 hour	L _{A90} 1 hour
07:00-08:00 HOUR	50.1	70.5	42.4
08:00-09:00 HOUR	49.3	75.6	42.5
09:00-10:00 HOUR	49.2	68.6	43.6
10:00-11:00 HOUR	50.8	65.2	46.1
11:00-12:00 HOUR	52.0	73.2	46.4
12:00-13:00 HOUR	51.4	69.9	46.3
13:00-14:00 HOUR	50.0	68.9	45.9
14:00-15:00 HOUR	56.6	72.2	44.9
15:00-16:00 HOUR	47.8	74.8	43.5
16:00-17:00 HOUR	49.6	80.9	43.3
17:00-18:00 HOUR	49.5	73.3	43.5
18:00-19:00 HOUR	51.8	80.1	42.8
19:00-20:00 HOUR	44.3	64.4	40.9
20:00-21:00 HOUR	50.1	64.2	41.2
21:00-22:00 HOUR	49.0	76.1	41.8
22:00-23:00 HOUR	56.6	74.1	45.2
23:00-00:00 HOUR	49.4	66.1	44.9
00:00-01:00 HOUR	56.5	68.8	41.5
01:00-02:00 HOUR	42.9	54.4	41.6
02:00-03:00 HOUR	43.0	63.2	41.2
03:00-04:00 HOUR	44.1	59.8	41.6
04:00-05:00 HOUR	42.0	78.3	40.2
05:00-06:00 HOUR	57.4	77.4	39.9
06:00-07:00 HOUR	52.3	67.3	43.3
L _{Aeq} 24 hours		51.8	
L _{Adn}		59.2	

TIME*	RESULT dB(A)		
	ริมร่วด้านเหนือของพื้นที่โครงการ		
	MARCH 25-26, 2024		
	T24AG870-0005		
	L _{Aeq} 1 hour	L _{Amax} 1 hour	L _{A90} 1 hour
07:00-08:00 HOUR	49.4	70.4	44.3
08:00-09:00 HOUR	49.6	70.1	43.7
09:00-10:00 HOUR	52.3	72.8	44.8
10:00-11:00 HOUR	51.8	73.0	45.7
11:00-12:00 HOUR	51.5	71.5	45.6
12:00-13:00 HOUR	51.3	69.6	46.2
13:00-14:00 HOUR	51.6	77.1	45.4
14:00-15:00 HOUR	56.0	77.6	44.6
15:00-16:00 HOUR	50.1	68.1	43.5
16:00-17:00 HOUR	51.1	81.2	44.7
17:00-18:00 HOUR	47.6	78.7	43.4
18:00-19:00 HOUR	55.6	79.6	48.5
19:00-20:00 HOUR	44.8	59.5	42.9
20:00-21:00 HOUR	47.4	68.5	43.5
21:00-22:00 HOUR	47.1	56.6	43.7
22:00-23:00 HOUR	52.9	71.1	43.8
23:00-00:00 HOUR	43.9	55.7	42.0
00:00-01:00 HOUR	46.9	58.8	42.5
01:00-02:00 HOUR	44.6	59.1	41.6
02:00-03:00 HOUR	44.9	82.1	41.4
03:00-04:00 HOUR	42.5	58.4	41.1
04:00-05:00 HOUR	42.0	81.2	40.6
05:00-06:00 HOUR	56.6	71.9	40.8
06:00-07:00 HOUR	53.0	75.0	44.1
L _{Aeq} 24 hours		51.1	
L _{Adn}		57.1	

TIME*	RESULT dB(A)		
	ริมทางด้านเหนือของพื้นที่โครงการ		
	MARCH 26-27, 2024		
	T24AG870-0006		
	L _{Aeq} 1 hour	L _{Amax} 1 hour	L _{A90} 1 hour
07:00-08:00 HOUR	52.1	79.2	45.2
08:00-09:00 HOUR	53.7	80.6	46.6
09:00-10:00 HOUR	53.5	70.7	48.2
10:00-11:00 HOUR	51.6	69.7	45.9
11:00-12:00 HOUR	50.7	72.0	44.8
12:00-13:00 HOUR	52.2	73.0	47.9
13:00-14:00 HOUR	54.3	79.0	47.9
14:00-15:00 HOUR	61.2	83.5	56.6
15:00-16:00 HOUR	64.3	83.4	62.3
16:00-17:00 HOUR	51.7	82.6	45.7
17:00-18:00 HOUR	47.8	66.8	43.9
18:00-19:00 HOUR	55.7	78.8	45.2
19:00-20:00 HOUR	45.0	70.2	41.9
20:00-21:00 HOUR	44.8	64.6	42.0
21:00-22:00 HOUR	45.2	73.0	42.2
22:00-23:00 HOUR	45.6	61.0	42.0
23:00-00:00 HOUR	43.1	53.3	42.0
00:00-01:00 HOUR	46.1	57.4	41.6
01:00-02:00 HOUR	43.5	71.6	41.7
02:00-03:00 HOUR	43.8	63.8	41.9
03:00-04:00 HOUR	43.8	79.1	40.7
04:00-05:00 HOUR	45.4	80.3	40.9
05:00-06:00 HOUR	52.1	79.8	40.1
06:00-07:00 HOUR	52.2	67.8	42.6
L _{Aeq} 24 hours		54.3	
L _{Adn}		56.7	

TIME*	RESULT dB(A)		
	ริมรูดานเหนือของพื้นที่โครงการ		
	MARCH 27-28, 2024		
	T24AG870-0007		
	L _{Aeq} 1 hour	L _{Amax} 1 hour	L _{A90} 1 hour
07:00-08:00 HOUR	52.4	72.3	43.3
08:00-09:00 HOUR	52.2	85.8	44.2
09:00-10:00 HOUR	49.4	70.8	43.7
10:00-11:00 HOUR	50.5	67.9	44.7
11:00-12:00 HOUR	48.4	65.3	42.8
12:00-13:00 HOUR	47.1	67.7	42.3
13:00-14:00 HOUR	46.2	64.1	42.5
14:00-15:00 HOUR	48.3	66.8	43.0
15:00-16:00 HOUR	51.4	73.5	43.1
16:00-17:00 HOUR	48.3	64.3	43.9
17:00-18:00 HOUR	47.4	74.5	43.2
18:00-19:00 HOUR	53.9	79.3	43.1
19:00-20:00 HOUR	47.9	68.0	42.4
20:00-21:00 HOUR	50.3	67.7	42.4
21:00-22:00 HOUR	45.6	59.2	42.3
22:00-23:00 HOUR	54.1	65.9	46.7
23:00-00:00 HOUR	47.2	62.6	46.1
00:00-01:00 HOUR	43.7	60.3	41.6
01:00-02:00 HOUR	41.5	60.0	40.5
02:00-03:00 HOUR	40.0	57.5	39.1
03:00-04:00 HOUR	54.1	71.4	38.9
04:00-05:00 HOUR	40.8	77.3	38.5
05:00-06:00 HOUR	41.9	77.4	40.1
06:00-07:00 HOUR	47.0	73.9	40.7
L _{Aeq} 24 hours		49.6	
L _{Adn}		55.4	

TIME*	RESULT dB(A)		
	ริมรั้วด้านเหนือของพื้นที่โครงการ		
	MARCH 28-29, 2024		
	T24AG870-0008		
	L _{Aeq} 1 hour	L _{Amax} 1 hour	L _{A90} 1 hour
07:00-08:00 HOUR	56.7	82.9	46.4
08:00-09:00 HOUR	53.4	77.2	45.3
09:00-10:00 HOUR	54.2	79.1	45.8
10:00-11:00 HOUR	50.9	71.0	44.6
11:00-12:00 HOUR	51.2	73.9	44.8
12:00-13:00 HOUR	52.0	81.7	44.3
13:00-14:00 HOUR	50.6	72.9	44.9
14:00-15:00 HOUR	50.0	68.8	45.1
15:00-16:00 HOUR	53.3	83.2	44.8
16:00-17:00 HOUR	53.1	75.7	44.9
17:00-18:00 HOUR	55.4	82.4	46.8
18:00-19:00 HOUR	52.7	73.7	46.0
19:00-20:00 HOUR	53.8	85.3	44.4
20:00-21:00 HOUR	48.9	71.7	44.2
21:00-22:00 HOUR	48.6	70.1	43.9
22:00-23:00 HOUR	46.8	66.9	43.9
23:00-00:00 HOUR	47.2	66.2	44.0
00:00-01:00 HOUR	47.4	66.0	44.3
01:00-02:00 HOUR	46.1	64.7	44.4
02:00-03:00 HOUR	48.0	79.0	44.8
03:00-04:00 HOUR	49.5	75.2	44.6
04:00-05:00 HOUR	55.5	77.3	45.3
05:00-06:00 HOUR	51.9	76.6	46.7
06:00-07:00 HOUR	56.4	79.1	48.0
L _{Aeq} 24 hours		52.4	
L _{Adn}		58.2	



APRIL 8, 2024

ANALYSIS REPORT

PROJECT NAME	: IN-PLANT GENERATOR PROJECT IN OPERATION PHASE		
CUSTOMER NAME	: PTT LNG COMPANY LIMITED		
ADDRESS	: 8/1, I-8 ROAD, MAP TA PHUT INDUSTRIAL ESTATE, MAP TA PHUT MUEANG RAYONG RAYONG 21150		
CONTACT INFORMATION	: TEL : 0 3897 8200 e-mail : dan.s@pttng.com		
MEASURING SOURCE	: วัดดากวนคงคาราม		
MEASURING TYPE	: AMBIENT (NOISE)	RECEIVED DATE	: MARCH 22-29, 2024
MEASURING DATE	: MARCH 22-29, 2024	ANALYTICAL DATE	: MARCH 22-29, 2024
MEASURING TIME	: *	ISSUE DATE	: APRIL 8, 2024
MEASURING METHOD	: INTEGRATED SOUND LEVEL METER	REPORT NO.	: 2024-U029520
MEASURED BY	: MR THANAT LERTPRASERT	WORK NO.	: 2023-009993
		ANALYSIS NO.	: T24AG870-0009 - T24AG870-0015

TIME*	RESULT dB(A)		
	วัดดากวนคงคาราม		
	MARCH 22-23, 2024		
	T24AG870-0009		
	L _{Aeq} 1 hour	L _{Amax} 1 hour	L _{A90} 1 hour
07:00-08:00 HOUR	54.2	73.1	48.6
08:00-09:00 HOUR	53.6	74.1	47.5
09:00-10:00 HOUR	54.5	77.4	48.2
10:00-11:00 HOUR	53.9	70.7	48.2
11:00-12:00 HOUR	53.1	72.2	47.8
12:00-13:00 HOUR	54.1	74.2	48.7
13:00-14:00 HOUR	52.2	70.2	47.5
14:00-15:00 HOUR	52.4	69.2	47.2
15:00-16:00 HOUR	52.1	69.6	46.9
16:00-17:00 HOUR	53.0	73.7	46.4
17:00-18:00 HOUR	51.9	70.8	45.5
18:00-19:00 HOUR	50.7	73.0	45.7
19:00-20:00 HOUR	48.2	61.5	46.5
20:00-21:00 HOUR	49.0	67.8	47.0
21:00-22:00 HOUR	48.5	61.6	47.1
22:00-23:00 HOUR	48.5	65.3	46.7
23:00-00:00 HOUR	46.7	66.4	45.4
00:00-01:00 HOUR	46.5	56.3	45.5
01:00-02:00 HOUR	45.9	56.1	45.0
02:00-03:00 HOUR	46.9	60.7	45.6
03:00-04:00 HOUR	47.6	66.6	45.7
04:00-05:00 HOUR	46.6	70.2	44.5
05:00-06:00 HOUR	50.6	71.4	45.1
06:00-07:00 HOUR	55.2	76.9	47.4
L _{Aeq} 24 hours		51.6	
L _{Adn}		56.5	



TIME*	RESULT dB(A)		
	วัดค่าความดังคาราม		
	MARCH 23-24, 2024		
	T24AG870-0010		
	L _{Aeq} 1 hour	L _{Amax} 1 hour	L _{A90} 1 hour
07:00-08:00 HOUR	54.5	72.9	48.8
08:00-09:00 HOUR	55.4	76.8	47.9
09:00-10:00 HOUR	54.7	73.8	48.0
10:00-11:00 HOUR	54.4	71.7	49.6
11:00-12:00 HOUR	54.5	74.6	50.2
12:00-13:00 HOUR	53.1	73.3	48.2
13:00-14:00 HOUR	52.6	71.6	47.6
14:00-15:00 HOUR	51.7	71.5	46.4
15:00-16:00 HOUR	52.1	70.7	46.3
16:00-17:00 HOUR	51.3	75.5	46.0
17:00-18:00 HOUR	53.8	73.6	47.3
18:00-19:00 HOUR	50.1	68.6	45.8
19:00-20:00 HOUR	49.3	67.4	46.5
20:00-21:00 HOUR	47.8	60.4	45.6
21:00-22:00 HOUR	47.5	59.9	45.7
22:00-23:00 HOUR	47.4	55.7	46.4
23:00-00:00 HOUR	46.5	58.3	45.5
00:00-01:00 HOUR	46.6	62.3	45.4
01:00-02:00 HOUR	46.9	67.6	44.9
02:00-03:00 HOUR	46.5	72.2	45.3
03:00-04:00 HOUR	46.1	66.0	44.7
04:00-05:00 HOUR	47.7	74.7	44.4
05:00-06:00 HOUR	50.3	67.8	45.5
06:00-07:00 HOUR	53.8	73.8	47.8
L _{Aeq} 24 hours		51.7	
L _{Adn}		56.1	

TIME*	RESULT dB(A)		
	วัดถาวรณดงดราม		
	MARCH 24-25, 2024		
	T24AG870-0011		
	L _{Aeq} 1 hour	L _{Amax} 1 hour	L _{A90} 1 hour
07:00-08:00 HOUR	55.3	76.5	49.2
08:00-09:00 HOUR	54.5	73.4	48.8
09:00-10:00 HOUR	53.1	70.1	47.6
10:00-11:00 HOUR	53.4	79.3	47.2
11:00-12:00 HOUR	53.2	72.7	46.8
12:00-13:00 HOUR	53.2	71.3	48.0
13:00-14:00 HOUR	52.5	74.2	47.5
14:00-15:00 HOUR	53.0	69.6	47.7
15:00-16:00 HOUR	53.4	73.5	46.5
16:00-17:00 HOUR	54.6	75.6	47.7
17:00-18:00 HOUR	53.6	76.4	46.6
18:00-19:00 HOUR	50.4	71.3	45.9
19:00-20:00 HOUR	50.0	71.8	46.4
20:00-21:00 HOUR	48.7	66.6	46.5
21:00-22:00 HOUR	47.0	62.8	45.4
22:00-23:00 HOUR	46.1	59.1	44.8
23:00-00:00 HOUR	46.2	56.8	44.7
00:00-01:00 HOUR	46.9	65.7	45.1
01:00-02:00 HOUR	47.1	62.1	44.4
02:00-03:00 HOUR	47.2	67.7	44.7
03:00-04:00 HOUR	47.7	65.7	44.8
04:00-05:00 HOUR	49.4	70.3	45.0
05:00-06:00 HOUR	50.0	66.7	45.6
06:00-07:00 HOUR	53.9	73.6	48.0
L _{Aeq} 24 hours		51.8	
L _{Adn}		56.3	

TIME*	RESULT dB(A)		
	วัดตาดวงนคราราม		
	MARCH 25-26, 2024		
	T24AG870-0012		
	L _{Aeq} 1 hour	L _{Amax} 1 hour	L _{A90} 1 hour
07:00-08:00 HOUR	53.7	74.0	49.7
08:00-09:00 HOUR	52.3	74.7	47.4
09:00-10:00 HOUR	52.4	68.9	46.9
10:00-11:00 HOUR	51.1	66.9	47.1
11:00-12:00 HOUR	50.4	67.0	46.5
12:00-13:00 HOUR	50.4	66.6	46.5
13:00-14:00 HOUR	50.0	67.5	46.0
14:00-15:00 HOUR	50.1	69.4	45.7
15:00-16:00 HOUR	50.0	68.0	44.7
16:00-17:00 HOUR	51.4	73.1	45.7
17:00-18:00 HOUR	52.0	75.7	46.6
18:00-19:00 HOUR	50.1	67.3	46.1
19:00-20:00 HOUR	49.5	68.9	46.6
20:00-21:00 HOUR	49.4	66.6	47.1
21:00-22:00 HOUR	48.2	61.3	46.1
22:00-23:00 HOUR	47.5	57.7	46.2
23:00-00:00 HOUR	46.9	61.7	45.6
00:00-01:00 HOUR	47.0	61.6	45.4
01:00-02:00 HOUR	47.4	60.8	45.7
02:00-03:00 HOUR	47.3	56.2	46.1
03:00-04:00 HOUR	47.0	58.8	45.7
04:00-05:00 HOUR	48.3	67.6	45.6
05:00-06:00 HOUR	50.7	65.7	46.1
06:00-07:00 HOUR	52.1	69.5	47.5
L _{Aeq} 24 hours		50.2	
L _{Adn}		55.5	

TIME*	RESULT dB(A)		
	วัดความดังคาราม		
	MARCH 26-27, 2024		
	T24AG870-0013		
	L _{Aeq} 1 hour	L _{Amax} 1 hour	L _{A90} 1 hour
07:00-08:00 HOUR	53.1	70.2	49.3
08:00-09:00 HOUR	52.6	69.2	47.0
09:00-10:00 HOUR	50.7	66.0	46.2
10:00-11:00 HOUR	51.1	67.7	46.4
11:00-12:00 HOUR	50.7	65.4	45.8
12:00-13:00 HOUR	49.5	67.8	45.2
13:00-14:00 HOUR	49.4	63.8	44.6
14:00-15:00 HOUR	50.9	66.5	46.6
15:00-16:00 HOUR	50.5	67.9	46.2
16:00-17:00 HOUR	53.4	71.0	47.9
17:00-18:00 HOUR	51.2	69.6	47.0
18:00-19:00 HOUR	54.9	69.3	49.9
19:00-20:00 HOUR	51.3	66.0	48.3
20:00-21:00 HOUR	50.5	64.1	48.7
21:00-22:00 HOUR	48.0	61.0	46.4
22:00-23:00 HOUR	47.6	59.2	46.0
23:00-00:00 HOUR	47.5	60.3	45.8
00:00-01:00 HOUR	47.2	58.3	45.6
01:00-02:00 HOUR	47.0	57.0	45.5
02:00-03:00 HOUR	46.4	54.5	45.3
03:00-04:00 HOUR	46.7	56.2	45.1
04:00-05:00 HOUR	47.7	61.2	45.8
05:00-06:00 HOUR	49.3	60.4	47.2
06:00-07:00 HOUR	53.7	69.7	49.0
L _{Aeq} 24 hours		50.7	
L _{Adn}		55.7	

TIME*	RESULT dB(A)		
	วัดตากวนคงคาราม		
	MARCH 27-28, 2024		
	T24AG870-0014		
	L _{Aeq} 1 hour	L _{Amax} 1 hour	L _{A90} 1 hour
07:00-08:00 HOUR	51.1	65.4	47.9
08:00-09:00 HOUR	50.6	66.8	46.4
09:00-10:00 HOUR	49.7	64.6	45.6
10:00-11:00 HOUR	49.3	65.8	45.0
11:00-12:00 HOUR	48.7	62.2	45.2
12:00-13:00 HOUR	49.2	64.2	46.0
13:00-14:00 HOUR	49.7	67.3	46.7
14:00-15:00 HOUR	50.2	66.8	47.1
15:00-16:00 HOUR	50.0	64.5	46.3
16:00-17:00 HOUR	50.9	69.8	47.2
17:00-18:00 HOUR	51.2	70.5	46.3
18:00-19:00 HOUR	52.6	73.9	47.0
19:00-20:00 HOUR	47.3	60.3	44.9
20:00-21:00 HOUR	47.0	61.9	45.0
21:00-22:00 HOUR	47.1	67.4	45.1
22:00-23:00 HOUR	46.6	57.6	45.0
23:00-00:00 HOUR	46.7	59.7	45.0
00:00-01:00 HOUR	46.4	54.5	45.0
01:00-02:00 HOUR	45.5	53.6	44.1
02:00-03:00 HOUR	45.1	53.3	43.9
03:00-04:00 HOUR	45.0	56.0	43.3
04:00-05:00 HOUR	45.4	56.6	43.5
05:00-06:00 HOUR	47.9	64.8	44.0
06:00-07:00 HOUR	51.2	68.4	46.9
L _{Aeq} 24 hours		49.1	
L _{Adn}		54.1	

TIME*	RESULT dB(A)		
	วัดความดังการาม		
	MARCH 28-29, 2024		
	T24AG870-0015		
	L _{Aeq} 1 hour	L _{Amax} 1 hour	L _{A90} 1 hour
07:00-08:00 HOUR	50.2	68.9	45.5
08:00-09:00 HOUR	49.3	63.7	44.4
09:00-10:00 HOUR	49.3	67.9	43.7
10:00-11:00 HOUR	49.7	65.5	44.8
11:00-12:00 HOUR	49.2	65.6	44.8
12:00-13:00 HOUR	49.5	63.9	45.1
13:00-14:00 HOUR	50.2	65.2	46.0
14:00-15:00 HOUR	49.5	67.8	46.0
15:00-16:00 HOUR	50.0	66.9	46.2
16:00-17:00 HOUR	50.2	73.1	46.2
17:00-18:00 HOUR	51.1	74.9	45.9
18:00-19:00 HOUR	50.6	72.3	45.9
19:00-20:00 HOUR	47.2	61.1	44.9
20:00-21:00 HOUR	47.4	59.5	45.4
21:00-22:00 HOUR	47.3	58.4	45.0
22:00-23:00 HOUR	47.0	56.5	45.1
23:00-00:00 HOUR	47.2	59.6	44.9
00:00-01:00 HOUR	46.5	58.6	44.0
01:00-02:00 HOUR	45.5	57.7	43.7
02:00-03:00 HOUR	45.2	57.4	43.4
03:00-04:00 HOUR	45.6	57.8	43.3
04:00-05:00 HOUR	47.5	63.8	43.8
05:00-06:00 HOUR	50.0	71.1	44.6
06:00-07:00 HOUR	52.6	69.2	47.2
L _{Aeq} 24 hours		49.1	
L _{Adn}		54.8	

.....



APRIL 8, 2024

ANALYSIS REPORT

PROJECT NAME : IN-PLANT GENERATOR PROJECT IN OPERATION PHASE
CUSTOMER NAME : PTT LNG COMPANY LIMITED
ADDRESS : 8/1, I-8 ROAD, MAP TA PHUT INDUSTRIAL ESTATE, MAP TA PHUT MUEANG RAYONG RAYONG 21150
CONTACT INFORMATION : TEL : 0 3897 8200 e-mail : dan.s@pttlng.com
MEASURING PLACE : ริมรั้วด้านเหนือของพื้นที่โครงการ
MEASURING TYPE : AMBIENT (ANNOYANCE SOUND LEVEL)
MEASURING DATE : MARCH 22-29, 2024
MEASURING TIME : *
MEASURING EQUIPMENT : INTEGRATED SOUND LEVEL METER AND CALCULATION
MEASURED BY : MR THANAT LERTPRASERT
RECEIVED DATE : MARCH 22-29, 2024
ANALYTICAL DATE : MARCH 22-29, 2024
ISSUE DATE : APRIL 8, 2024
REPORT NO. : 2024-U029526
WORK NO. : 2023-009993
ANALYSIS NO. : T24AG870-0002 - T24AG870-0008

DATE	TIME*	RESULT (dB(A))				
		ริมรั้วด้านเหนือของพื้นที่โครงการ				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 22, 2024 T24AG870-0002	DAY TIME ^{1/}					
	07:00-08:00 HOUR	51.2 ^{1/}	49.0 **	47.2 ^{1/}	42.1 **	5.1
	08:00-09:00 HOUR	48.5 ^{1/}	46.0 **	44.9 ^{1/}	40.2 **	4.7
	09:00-10:00 HOUR	50.6 ^{1/}	46.6 **	48.4 ^{1/}	40.6 **	7.8
	10:00-11:00 HOUR	50.0 ^{1/}	47.2 **	46.8 ^{1/}	40.2 **	6.6
	11:00-12:00 HOUR	53.4 ^{1/}	53.0 **	42.8 ^{1/}	46.5 **	<0.8 ^{3/}
	12:00-13:00 HOUR	52.8 ^{1/}	50.9 **	48.3 ^{1/}	47.9 **	<0.8 ^{3/}
	13:00-14:00 HOUR	50.2 ^{1/}	49.9 **	38.4 ^{1/}	44.2 **	<0.8 ^{3/}
	14:00-15:00 HOUR	47.2 ^{1/}	44.9 **	43.3 ^{1/}	39.8 **	3.5
	15:00-16:00 HOUR	50.4 ^{1/}	47.8 **	46.9 ^{1/}	40.7 **	6.2
	16:00-17:00 HOUR	49.7 ^{1/}	49.6 **	33.3 ^{1/}	43.2 **	<0.8 ^{3/}
	17:00-18:00 HOUR	51.5 ^{1/}	49.7 **	46.8 ^{1/}	46.9 **	<0.8 ^{3/}
	18:00-19:00 HOUR	53.7 ^{1/}	51.2 **	50.1 ^{1/}	46.8 **	3.3
	19:00-20:00 HOUR	52.8 ^{1/}	50.8 **	48.5 ^{1/}	47.7 **	0.8
	20:00-21:00 HOUR	52.3 ^{1/}	50.4 **	47.8 ^{1/}	48.1 **	<0.8 ^{3/}
	21:00-22:00 HOUR	47.4 ^{1/}	44.9 **	43.8 ^{1/}	42.6 **	1.2
	NIGHT TIME ^{2/}					
	22:00-22:05 HOUR	49.2 ^{2/}	48.9 ***	40.4 ^{2/}	44.6 ***	<0.8 ^{3/}
	22:05-22:10 HOUR	49.3 ^{2/}	48.9 ***	41.7 ^{2/}	44.6 ***	<0.8 ^{3/}
	22:10-22:15 HOUR	52.2 ^{2/}	48.9 ***	52.5 ^{2/}	44.6 ***	7.9
	22:15-22:20 HOUR	42.6 ^{2/}	40.3 ***	41.7 ^{2/}	39.1 ***	2.6
	22:20-22:25 HOUR	40.7 ^{2/}	40.3 ***	33.1 ^{2/}	39.1 ***	<0.8 ^{3/}
	22:25-22:30 HOUR	40.6 ^{2/}	40.3 ***	31.8 ^{2/}	39.1 ***	<0.8 ^{3/}
	22:30-22:35 HOUR	40.8 ^{2/}	40.3 ***	34.2 ^{2/}	38.7 ***	<0.8 ^{3/}
	22:35-22:40 HOUR	41.9 ^{2/}	40.3 ***	39.8 ^{2/}	38.7 ***	1.1
	22:40-22:45 HOUR	40.7 ^{2/}	40.3 ***	33.1 ^{2/}	38.7 ***	<0.8 ^{3/}
	22:45-22:50 HOUR	41.8 ^{2/}	41.2 ***	35.9 ^{2/}	38.3 ***	<0.8 ^{3/}
	22:50-22:55 HOUR	43.4 ^{2/}	41.2 ***	42.4 ^{2/}	38.3 ***	4.1
	22:55-23:00 HOUR	43.1 ^{2/}	41.2 ***	41.6 ^{2/}	38.3 ***	3.3
	23:00-23:05 HOUR	42.9 ^{2/}	42.5 ***	35.3 ^{2/}	38.5 ***	<0.8 ^{3/}
	23:05-23:10 HOUR	42.7 ^{2/}	42.5 ***	32.2 ^{2/}	38.5 ***	<0.8 ^{3/}
	23:10-23:15 HOUR	43.0 ^{2/}	42.5 ***	36.4 ^{2/}	38.5 ***	<0.8 ^{3/}
	23:15-23:20 HOUR	47.7 ^{2/}	47.2 ***	41.1 ^{2/}	39.2 ***	1.9



DATE	TIME*	RESULT (dB(A))				
		ริมรั้วด้านเหนือของพื้นที่โครงการ				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 22, 2024 T24AG870-0002	NIGHT TIME ^{2/}					
	23:20-23:25 HOUR	47.5 ^{2/}	47.2 ***	38.7 ^{2/}	39.2 ***	<0.8 ^{3/}
	23:25-23:30 HOUR	47.9 ^{2/}	47.2 ***	42.6 ^{2/}	39.2 ***	3.4
	23:30-23:35 HOUR	43.1 ^{2/}	42.9 ***	32.6 ^{2/}	40.1 ***	<0.8 ^{3/}
	23:35-23:40 HOUR	45.9 ^{2/}	42.9 ***	45.9 ^{2/}	40.1 ***	5.8
	23:40-23:45 HOUR	43.6 ^{2/}	42.9 ***	38.3 ^{2/}	40.1 ***	<0.8 ^{3/}
	23:45-23:50 HOUR	41.3 ^{2/}	38.5 ***	41.1 ^{2/}	37.0 ***	4.1
	23:50-23:55 HOUR	41.4 ^{2/}	38.5 ***	41.3 ^{2/}	37.0 ***	4.3
	23:55-00:00 HOUR	41.0 ^{2/}	38.5 ***	40.4 ^{2/}	37.0 ***	3.4
MARCH 23, 2024 T24AG870-0002	NIGHT TIME ^{2/}					
	00:00-00:05 HOUR	40.8 ^{2/}	40.6 ***	30.3 ^{2/}	38.9 ***	<0.8 ^{3/}
	00:05-00:10 HOUR	41.0 ^{2/}	40.6 ***	33.4 ^{2/}	38.9 ***	<0.8 ^{3/}
	00:10-00:15 HOUR	42.4 ^{2/}	40.6 ***	40.7 ^{2/}	38.9 ***	1.8
	00:15-00:20 HOUR	47.0 ^{2/}	46.4 ***	41.1 ^{2/}	39.5 ***	1.6
	00:20-00:25 HOUR	46.8 ^{2/}	46.4 ***	39.2 ^{2/}	39.5 ***	<0.8 ^{3/}
	00:25-00:30 HOUR	46.9 ^{2/}	46.4 ***	40.3 ^{2/}	39.5 ***	0.8
	00:30-00:35 HOUR	41.0 ^{2/}	40.6 ***	33.4 ^{2/}	39.4 ***	<0.8 ^{3/}
	00:35-00:40 HOUR	41.6 ^{2/}	40.6 ***	37.7 ^{2/}	39.4 ***	<0.8 ^{3/}
	00:40-00:45 HOUR	41.6 ^{2/}	40.6 ***	37.7 ^{2/}	39.4 ***	<0.8 ^{3/}
	00:45-00:50 HOUR	41.4 ^{2/}	42.2 ***	<0.8 ^{3/}	40.2 ***	<0.8 ^{3/}
	00:50-00:55 HOUR	42.4 ^{2/}	42.2 ***	31.9 ^{2/}	40.2 ***	<0.8 ^{3/}
	00:55-01:00 HOUR	44.9 ^{2/}	42.2 ***	44.6 ^{2/}	40.2 ***	4.4
	01:00-01:05 HOUR	41.8 ^{2/}	41.1 ***	36.5 ^{2/}	40.0 ***	<0.8 ^{3/}
	01:05-01:10 HOUR	41.3 ^{2/}	41.1 ***	30.8 ^{2/}	40.0 ***	<0.8 ^{3/}
	01:10-01:15 HOUR	42.0 ^{2/}	41.1 ***	37.7 ^{2/}	40.0 ***	<0.8 ^{3/}
	01:15-01:20 HOUR	42.5 ^{2/}	42.1 ***	34.9 ^{2/}	40.6 ***	<0.8 ^{3/}
	01:20-01:25 HOUR	42.4 ^{2/}	42.1 ***	33.6 ^{2/}	40.6 ***	<0.8 ^{3/}
	01:25-01:30 HOUR	42.5 ^{2/}	42.1 ***	34.9 ^{2/}	40.6 ***	<0.8 ^{3/}
	01:30-01:35 HOUR	43.9 ^{2/}	42.6 ***	41.0 ^{2/}	41.8 ***	<0.8 ^{3/}
	01:35-01:40 HOUR	43.7 ^{2/}	42.6 ***	40.2 ^{2/}	41.8 ***	<0.8 ^{3/}
	01:40-01:45 HOUR	43.6 ^{2/}	42.6 ***	39.7 ^{2/}	41.8 ***	<0.8 ^{3/}
	01:45-01:50 HOUR	44.3 ^{2/}	40.7 ***	44.8 ^{2/}	39.6 ***	5.2
	01:50-01:55 HOUR	43.8 ^{2/}	40.7 ***	43.9 ^{2/}	39.6 ***	4.3
	01:55-02:00 HOUR	43.8 ^{2/}	40.7 ***	43.9 ^{2/}	39.6 ***	4.3
	02:00-02:05 HOUR	39.6 ^{2/}	39.0 ***	33.7 ^{2/}	37.5 ***	<0.8 ^{3/}
	02:05-02:10 HOUR	41.3 ^{2/}	39.0 ***	40.4 ^{2/}	37.5 ***	2.9
	02:10-02:15 HOUR	39.1 ^{2/}	39.0 ***	25.7 ^{2/}	37.5 ***	<0.8 ^{3/}
	02:15-02:20 HOUR	40.4 ^{2/}	38.9 ***	38.1 ^{2/}	37.3 ***	0.8
	02:20-02:25 HOUR	39.9 ^{2/}	38.9 ***	36.0 ^{2/}	37.3 ***	<0.8 ^{3/}
	02:25-02:30 HOUR	38.7 ^{2/}	38.9 ***	<0.8 ^{3/}	37.3 ***	<0.8 ^{3/}
	02:30-02:35 HOUR	41.3 ^{2/}	40.6 ***	36.0 ^{2/}	39.0 ***	<0.8 ^{3/}
	02:35-02:40 HOUR	40.9 ^{2/}	40.6 ***	32.1 ^{2/}	39.0 ***	<0.8 ^{3/}
	02:40-02:45 HOUR	40.8 ^{2/}	40.6 ***	30.3 ^{2/}	39.0 ***	<0.8 ^{3/}
	02:45-02:50 HOUR	43.8 ^{2/}	38.9 ***	45.1 ^{2/}	37.2 ***	7.9
	02:50-02:55 HOUR	42.5 ^{2/}	38.9 ***	43.0 ^{2/}	37.2 ***	5.8

DATE	TIME*	RESULT (dB(A))				
		ริมรั้วด้านเหนือของพื้นที่โครงการ				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 23, 2024 T24AG870-0002	NIGHT TIME ^{2/}					
	02:55-03:00 HOUR	40.3 ^{2/}	38.9 ***	37.7 ^{2/}	37.2 ***	<0.8 ^{3/}
	03:00-03:05 HOUR	40.0 ^{2/}	39.0 ***	36.1 ^{2/}	36.9 ***	<0.8 ^{3/}
	03:05-03:10 HOUR	39.9 ^{2/}	39.0 ***	35.6 ^{2/}	36.9 ***	<0.8 ^{3/}
	03:10-03:15 HOUR	41.3 ^{2/}	39.0 ***	40.4 ^{2/}	36.9 ***	3.5
	03:15-03:20 HOUR	40.8 ^{2/}	38.8 ***	39.5 ^{2/}	37.2 ***	2.3
	03:20-03:25 HOUR	39.9 ^{2/}	38.8 ***	36.4 ^{2/}	37.2 ***	<0.8 ^{3/}
	03:25-03:30 HOUR	40.4 ^{2/}	38.8 ***	38.3 ^{2/}	37.2 ***	1.1
	03:30-03:35 HOUR	41.6 ^{2/}	39.8 ***	39.9 ^{2/}	38.0 ***	1.9
	03:35-03:40 HOUR	40.6 ^{2/}	39.8 ***	35.9 ^{2/}	38.0 ***	<0.8 ^{3/}
	03:40-03:45 HOUR	40.8 ^{2/}	39.8 ***	36.9 ^{2/}	38.0 ***	<0.8 ^{3/}
	03:45-03:50 HOUR	40.3 ^{2/}	40.9 ***	<0.8 ^{3/}	38.4 ***	<0.8 ^{3/}
	03:50-03:55 HOUR	42.0 ^{2/}	40.9 ***	38.5 ^{2/}	38.4 ***	<0.8 ^{3/}
	03:55-04:00 HOUR	44.1 ^{2/}	40.9 ***	44.3 ^{2/}	38.4 ***	5.9
	04:00-04:05 HOUR	44.3 ^{2/}	41.0 ***	44.6 ^{2/}	38.8 ***	5.8
	04:05-04:10 HOUR	41.1 ^{2/}	41.0 ***	27.7 ^{2/}	38.8 ***	<0.8 ^{3/}
	04:10-04:15 HOUR	41.5 ^{2/}	41.0 ***	34.9 ^{2/}	38.8 ***	<0.8 ^{3/}
	04:15-04:20 HOUR	40.5 ^{2/}	52.2 ***	<0.8 ^{3/}	37.6 ***	<0.8 ^{3/}
	04:20-04:25 HOUR	42.2 ^{2/}	52.2 ***	<0.8 ^{3/}	37.6 ***	<0.8 ^{3/}
	04:25-04:30 HOUR	41.8 ^{2/}	52.2 ***	<0.8 ^{3/}	37.6 ***	<0.8 ^{3/}
	04:30-04:35 HOUR	60.1 ^{2/}	61.6 ***	<0.8 ^{3/}	40.8 ***	<0.8 ^{3/}
	04:35-04:40 HOUR	61.3 ^{2/}	61.6 ***	<0.8 ^{3/}	40.8 ***	<0.8 ^{3/}
	04:40-04:45 HOUR	41.4 ^{2/}	61.6 ***	<0.8 ^{3/}	40.8 ***	<0.8 ^{3/}
	04:45-04:50 HOUR	41.1 ^{2/}	40.3 ***	36.4 ^{2/}	37.9 ***	<0.8 ^{3/}
	04:50-04:55 HOUR	41.6 ^{2/}	40.3 ***	38.7 ^{2/}	37.9 ***	0.8
	04:55-05:00 HOUR	42.0 ^{2/}	40.3 ***	40.1 ^{2/}	37.9 ***	2.2
	05:00-05:05 HOUR	40.8 ^{2/}	40.3 ***	34.2 ^{2/}	38.2 ***	<0.8 ^{3/}
	05:05-05:10 HOUR	40.1 ^{2/}	40.3 ***	<0.8 ^{3/}	38.2 ***	<0.8 ^{3/}
	05:10-05:15 HOUR	40.6 ^{2/}	40.3 ***	31.8 ^{2/}	38.2 ***	<0.8 ^{3/}
	05:15-05:20 HOUR	42.6 ^{2/}	39.8 ***	42.4 ^{2/}	37.3 ***	5.1
	05:20-05:25 HOUR	42.0 ^{2/}	39.8 ***	41.0 ^{2/}	37.3 ***	3.7
	05:25-05:30 HOUR	40.4 ^{2/}	39.8 ***	34.5 ^{2/}	37.3 ***	<0.8 ^{3/}
	05:30-05:35 HOUR	40.7 ^{2/}	53.9 ***	<0.8 ^{3/}	37.1 ***	<0.8 ^{3/}
	05:35-05:40 HOUR	39.8 ^{2/}	53.9 ***	<0.8 ^{3/}	37.1 ***	<0.8 ^{3/}
	05:40-05:45 HOUR	41.4 ^{2/}	53.9 ***	<0.8 ^{3/}	37.1 ***	<0.8 ^{3/}
	05:45-05:50 HOUR	62.3 ^{2/}	68.3 ***	<0.8 ^{3/}	58.3 ***	<0.8 ^{3/}
	05:50-05:55 HOUR	64.7 ^{2/}	68.3 ***	<0.8 ^{3/}	58.3 ***	<0.8 ^{3/}
	05:55-06:00 HOUR	69.0 ^{2/}	68.3 ***	63.7 ^{2/}	58.3 ***	5.4
	DAY TIME ^{1/}					
	06:00-07:00 HOUR	53.3 ^{1/}	51.7 **	48.2 ^{1/}	42.7 **	5.5
MARCH 23, 2024 T24AG870-0003	DAY TIME ^{1/}					
	07:00-08:00 HOUR	49.6 ^{1/}	45.6 **	47.4 ^{1/}	41.5 **	5.9
	08:00-09:00 HOUR	50.0 ^{1/}	47.8 **	46.0 ^{1/}	40.8 **	5.2
	09:00-10:00 HOUR	49.9 ^{1/}	46.5 **	47.2 ^{1/}	41.1 **	6.1
	10:00-11:00 HOUR	51.7 ^{1/}	50.7 **	44.8 ^{1/}	43.3 **	1.5
	11:00-12:00 HOUR	49.4 ^{1/}	47.9 **	44.1 ^{1/}	43.5 **	<0.8 ^{3/}

DATE	TIME*	RESULT (dB(A))				
		ริมวัดด้านเหนือของพื้นที่โครงการ				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 23, 2024 T24AG870-0003	DAY TIME ^{1/}					
	12:00-13:00 HOUR	50.9 ^{1/}	48.7 **	46.9 ^{1/}	44.0 **	2.9
	13:00-14:00 HOUR	52.4 ^{1/}	50.0 **	48.7 ^{1/}	44.5 **	4.2
	14:00-15:00 HOUR	52.4 ^{1/}	50.8 **	47.3 ^{1/}	46.8 **	<0.8 ^{3/}
	15:00-16:00 HOUR	50.9 ^{1/}	49.1 **	46.2 ^{1/}	44.7 **	1.5
	16:00-17:00 HOUR	50.7 ^{1/}	46.4 **	48.7 ^{1/}	43.6 **	5.1
	17:00-18:00 HOUR	52.0 ^{1/}	47.1 **	50.3 ^{1/}	43.5 **	6.8
	18:00-19:00 HOUR	54.0 ^{1/}	51.7 **	50.1 ^{1/}	44.2 **	5.9
	19:00-20:00 HOUR	45.0 ^{1/}	42.0 **	42.0 ^{1/}	40.4 **	1.6
	20:00-21:00 HOUR	47.7 ^{1/}	46.9 **	40.0 ^{1/}	44.7 **	<0.8 ^{3/}
	21:00-22:00 HOUR	47.9 ^{1/}	47.3 **	39.0 ^{1/}	44.9 **	<0.8 ^{3/}
	NIGHT TIME ^{2/}					
	22:00-22:05 HOUR	45.0 ^{2/}	43.1 ***	43.5 ^{2/}	41.6 ***	1.9
	22:05-22:10 HOUR	44.8 ^{2/}	43.1 ***	42.9 ^{2/}	41.6 ***	1.3
	22:10-22:15 HOUR	44.8 ^{2/}	43.1 ***	42.9 ^{2/}	41.6 ***	1.3
	22:15-22:20 HOUR	44.7 ^{2/}	44.5 ***	34.2 ^{2/}	42.6 ***	<0.8 ^{3/}
	22:20-22:25 HOUR	43.6 ^{2/}	44.5 ***	<0.8 ^{3/}	42.6 ***	<0.8 ^{3/}
	22:25-22:30 HOUR	45.8 ^{2/}	44.5 ***	42.9 ^{2/}	42.6 ***	<0.8 ^{3/}
	22:30-22:35 HOUR	51.4 ^{2/}	50.5 ***	47.1 ^{2/}	43.4 ***	3.7
	22:35-22:40 HOUR	51.0 ^{2/}	50.5 ***	44.4 ^{2/}	43.4 ***	1.0
	22:40-22:45 HOUR	51.9 ^{2/}	50.5 ***	49.3 ^{2/}	43.4 ***	5.9
	22:45-22:50 HOUR	42.5 ^{2/}	39.6 ***	42.4 ^{2/}	38.5 ***	3.9
	22:50-22:55 HOUR	40.0 ^{2/}	39.6 ***	32.4 ^{2/}	38.5 ***	<0.8 ^{3/}
	22:55-23:00 HOUR	39.2 ^{2/}	39.6 ***	<0.8 ^{3/}	38.5 ***	<0.8 ^{3/}
	23:00-23:05 HOUR	47.0 ^{2/}	43.9 ***	47.1 ^{2/}	41.6 ***	5.5
	23:05-23:10 HOUR	46.2 ^{2/}	43.9 ***	45.3 ^{2/}	41.6 ***	3.7
	23:10-23:15 HOUR	43.3 ^{2/}	43.9 ***	<0.8 ^{3/}	41.6 ***	<0.8 ^{3/}
	23:15-23:20 HOUR	43.5 ^{2/}	42.1 ***	40.9 ^{2/}	40.0 ***	0.9
	23:20-23:25 HOUR	44.1 ^{2/}	42.1 ***	42.8 ^{2/}	40.0 ***	2.8
	23:25-23:30 HOUR	44.1 ^{2/}	42.1 ***	42.8 ^{2/}	40.0 ***	2.8
	23:30-23:35 HOUR	43.6 ^{2/}	42.2 ***	41.0 ^{2/}	40.3 ***	<0.8 ^{3/}
	23:35-23:40 HOUR	44.1 ^{2/}	42.2 ***	42.6 ^{2/}	40.3 ***	2.3
	23:40-23:45 HOUR	44.1 ^{2/}	42.2 ***	42.6 ^{2/}	40.3 ***	2.3
	23:45-23:50 HOUR	47.3 ^{2/}	46.1 ***	44.1 ^{2/}	41.4 ***	2.7
	23:50-23:55 HOUR	47.4 ^{2/}	46.1 ***	44.5 ^{2/}	41.4 ***	3.1
	23:55-00:00 HOUR	46.6 ^{2/}	46.1 ***	40.0 ^{2/}	41.4 ***	<0.8 ^{3/}
MARCH 24, 2024 T24AG870-0003	NIGHT TIME ^{2/}					
	00:00-00:05 HOUR	45.8 ^{2/}	44.6 ***	42.6 ^{2/}	40.5 ***	2.1
	00:05-00:10 HOUR	45.2 ^{2/}	44.6 ***	39.3 ^{2/}	40.5 ***	<0.8 ^{3/}
	00:10-00:15 HOUR	43.4 ^{2/}	44.6 ***	<0.8 ^{3/}	40.5 ***	<0.8 ^{3/}
	00:15-00:20 HOUR	43.3 ^{2/}	42.5 ***	38.6 ^{2/}	41.1 ***	<0.8 ^{3/}
	00:20-00:25 HOUR	43.3 ^{2/}	42.5 ***	38.6 ^{2/}	41.1 ***	<0.8 ^{3/}
	00:25-00:30 HOUR	43.6 ^{2/}	42.5 ***	40.1 ^{2/}	41.1 ***	<0.8 ^{3/}
	00:30-00:35 HOUR	47.1 ^{2/}	46.2 ***	42.8 ^{2/}	42.7 ***	<0.8 ^{3/}
	00:35-00:40 HOUR	47.7 ^{2/}	46.2 ***	45.4 ^{2/}	42.7 ***	2.7
	00:40-00:45 HOUR	48.7 ^{2/}	46.2 ***	48.1 ^{2/}	42.7 ***	5.4

DATE	TIME*	RESULT (dB(A))				
		ริมรั้วด้านเหนือของพื้นที่โครงการ				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 24, 2024 T24AG870-0003	NIGHT TIME ^{2/}					
	00:45-00:50 HOUR	46.4 ^{2/}	46.0 ***	38.8 ^{2/}	42.2 ***	<0.8 ^{3/}
	00:50-00:55 HOUR	48.3 ^{2/}	46.0 ***	47.4 ^{2/}	42.2 ***	5.2
	00:55-01:00 HOUR	46.2 ^{2/}	46.0 ***	35.7 ^{2/}	42.2 ***	<0.8 ^{3/}
	01:00-01:05 HOUR	46.6 ^{2/}	59.2 ***	<0.8 ^{3/}	56.4 ***	<0.8 ^{3/}
	01:05-01:10 HOUR	60.6 ^{2/}	59.2 ***	58.0 ^{2/}	56.4 ***	1.6
	01:10-01:15 HOUR	60.8 ^{2/}	59.2 ***	58.7 ^{2/}	56.4 ***	2.3
	01:15-01:20 HOUR	46.6 ^{2/}	44.3 ***	45.7 ^{2/}	41.4 ***	4.3
	01:20-01:25 HOUR	46.7 ^{2/}	44.3 ***	46.0 ^{2/}	41.4 ***	4.6
	01:25-01:30 HOUR	43.5 ^{2/}	44.3 ***	<0.8 ^{3/}	41.4 ***	<0.8 ^{3/}
	01:30-01:35 HOUR	43.9 ^{2/}	43.3 ***	38.0 ^{2/}	40.6 ***	<0.8 ^{3/}
	01:35-01:40 HOUR	43.7 ^{2/}	43.3 ***	36.1 ^{2/}	40.6 ***	<0.8 ^{3/}
	01:40-01:45 HOUR	44.1 ^{2/}	43.3 ***	39.4 ^{2/}	40.6 ***	<0.8 ^{3/}
	01:45-01:50 HOUR	46.1 ^{2/}	42.6 ***	46.5 ^{2/}	39.9 ***	6.6
	01:50-01:55 HOUR	43.7 ^{2/}	42.6 ***	40.2 ^{2/}	39.9 ***	<0.8 ^{3/}
	01:55-02:00 HOUR	45.8 ^{2/}	42.6 ***	46.0 ^{2/}	39.9 ***	6.1
	02:00-02:05 HOUR	45.0 ^{2/}	44.6 ***	37.4 ^{2/}	41.3 ***	<0.8 ^{3/}
	02:05-02:10 HOUR	45.3 ^{2/}	44.6 ***	40.0 ^{2/}	41.3 ***	<0.8 ^{3/}
	02:10-02:15 HOUR	44.2 ^{2/}	44.6 ***	<0.8 ^{3/}	41.3 ***	<0.8 ^{3/}
	02:15-02:20 HOUR	45.6 ^{2/}	43.5 ***	44.4 ^{2/}	39.7 ***	4.7
	02:20-02:25 HOUR	46.6 ^{2/}	43.5 ***	46.7 ^{2/}	39.7 ***	7.0
	02:25-02:30 HOUR	45.1 ^{2/}	43.5 ***	43.0 ^{2/}	39.7 ***	3.3
	02:30-02:35 HOUR	43.7 ^{2/}	42.9 ***	39.0 ^{2/}	40.4 ***	<0.8 ^{3/}
	02:35-02:40 HOUR	43.9 ^{2/}	42.9 ***	40.0 ^{2/}	40.4 ***	<0.8 ^{3/}
	02:40-02:45 HOUR	44.1 ^{2/}	42.9 ***	40.9 ^{2/}	40.4 ***	<0.8 ^{3/}
	02:45-02:50 HOUR	44.6 ^{2/}	43.5 ***	41.1 ^{2/}	40.8 ***	<0.8 ^{3/}
	02:50-02:55 HOUR	45.0 ^{2/}	43.5 ***	42.7 ^{2/}	40.8 ***	1.9
	02:55-03:00 HOUR	45.4 ^{2/}	43.5 ***	43.9 ^{2/}	40.8 ***	3.1
	03:00-03:05 HOUR	45.6 ^{2/}	48.5 ***	<0.8 ^{3/}	39.1 ***	<0.8 ^{3/}
	03:05-03:10 HOUR	49.1 ^{2/}	48.5 ***	43.2 ^{2/}	39.1 ***	4.1
	03:10-03:15 HOUR	43.9 ^{2/}	48.5 ***	<0.8 ^{3/}	39.1 ***	<0.8 ^{3/}
	03:15-03:20 HOUR	45.5 ^{2/}	44.4 ***	42.0 ^{2/}	40.9 ***	1.1
	03:20-03:25 HOUR	45.2 ^{2/}	44.4 ***	40.5 ^{2/}	40.9 ***	<0.8 ^{3/}
	03:25-03:30 HOUR	45.8 ^{2/}	44.4 ***	43.2 ^{2/}	40.9 ***	2.3
	03:30-03:35 HOUR	43.5 ^{2/}	40.9 ***	43.0 ^{2/}	39.1 ***	3.9
	03:35-03:40 HOUR	42.5 ^{2/}	40.9 ***	40.4 ^{2/}	39.1 ***	1.3
	03:40-03:45 HOUR	43.4 ^{2/}	40.9 ***	42.8 ^{2/}	39.1 ***	3.7
	03:45-03:50 HOUR	41.8 ^{2/}	39.2 ***	41.3 ^{2/}	38.0 ***	3.3
	03:50-03:55 HOUR	40.3 ^{2/}	39.2 ***	36.8 ^{2/}	38.0 ***	<0.8 ^{3/}
	03:55-04:00 HOUR	40.8 ^{2/}	39.2 ***	38.7 ^{2/}	38.0 ***	<0.8 ^{3/}
	04:00-04:05 HOUR	40.3 ^{2/}	46.5 ***	<0.8 ^{3/}	38.6 ***	<0.8 ^{3/}
	04:05-04:10 HOUR	42.6 ^{2/}	46.5 ***	<0.8 ^{3/}	38.6 ***	<0.8 ^{3/}
	04:10-04:15 HOUR	47.4 ^{2/}	46.5 ***	43.1 ^{2/}	38.6 ***	4.5
	04:15-04:20 HOUR	43.7 ^{2/}	41.5 ***	42.7 ^{2/}	40.1 ***	2.6
	04:20-04:25 HOUR	43.3 ^{2/}	41.5 ***	41.6 ^{2/}	40.1 ***	1.5

DATE	TIME*	RESULT (dB(A))				
		วิธีวัดด้านเหนือของพื้นที่โครงการ				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 24, 2024 T24AG870-0003	NIGHT TIME ^{2/}					
	04:25-04:30 HOUR	42.1 ^{2/}	41.5 ***	36.2 ^{2/}	40.1 ***	<0.8 ^{3/}
	04:30-04:35 HOUR	41.5 ^{2/}	40.7 ***	36.8 ^{2/}	39.7 ***	<0.8 ^{3/}
	04:35-04:40 HOUR	41.5 ^{2/}	40.7 ***	36.8 ^{2/}	39.7 ***	<0.8 ^{3/}
	04:40-04:45 HOUR	41.5 ^{2/}	40.7 ***	36.8 ^{2/}	39.7 ***	<0.8 ^{3/}
	04:45-04:50 HOUR	41.6 ^{2/}	47.0 ***	<0.8 ^{3/}	39.3 ***	<0.8 ^{3/}
	04:50-04:55 HOUR	41.6 ^{2/}	47.0 ***	<0.8 ^{3/}	39.3 ***	<0.8 ^{3/}
	04:55-05:00 HOUR	48.1 ^{2/}	47.0 ***	44.6 ^{2/}	39.3 ***	5.3
	05:00-05:05 HOUR	41.5 ^{2/}	40.6 ***	37.2 ^{2/}	39.2 ***	<0.8 ^{3/}
	05:05-05:10 HOUR	41.3 ^{2/}	40.6 ***	36.0 ^{2/}	39.2 ***	<0.8 ^{3/}
	05:10-05:15 HOUR	41.9 ^{2/}	40.6 ***	39.0 ^{2/}	39.2 ***	<0.8 ^{3/}
	05:15-05:20 HOUR	41.7 ^{2/}	39.4 ***	40.8 ^{2/}	37.7 ***	3.1
	05:20-05:25 HOUR	40.7 ^{2/}	39.4 ***	37.8 ^{2/}	37.7 ***	<0.8 ^{3/}
	05:25-05:30 HOUR	41.2 ^{2/}	39.4 ***	39.5 ^{2/}	37.7 ***	1.8
	05:30-05:35 HOUR	47.6 ^{2/}	47.2 ***	40.0 ^{2/}	36.4 ***	3.6
	05:35-05:40 HOUR	47.5 ^{2/}	47.2 ***	38.7 ^{2/}	36.4 ***	2.3
	05:40-05:45 HOUR	47.9 ^{2/}	47.2 ***	42.6 ^{2/}	36.4 ***	6.2
	05:45-05:50 HOUR	64.5 ^{2/}	68.4 ***	<0.8 ^{3/}	57.3 ***	<0.8 ^{3/}
	05:50-05:55 HOUR	68.1 ^{2/}	68.4 ***	<0.8 ^{3/}	57.3 ***	<0.8 ^{3/}
	05:55-06:00 HOUR	68.8 ^{2/}	68.4 ***	61.2 ^{2/}	57.3 ***	3.9
MARCH 24, 2024 T24AG870-0004	DAY TIME ^{1/}					
	06:00-07:00 HOUR	51.4 ^{1/}	47.9 **	48.8 ^{1/}	41.9 **	6.9
	DAY TIME ^{1/}					
	07:00-08:00 HOUR	50.1 ^{1/}	48.8 **	44.2 ^{1/}	40.6 **	3.6
	08:00-09:00 HOUR	49.3 ^{1/}	47.0 **	45.4 ^{1/}	41.4 **	4.0
	09:00-10:00 HOUR	49.2 ^{1/}	48.2 **	42.3 ^{1/}	42.6 **	<0.8 ^{3/}
	10:00-11:00 HOUR	50.8 ^{1/}	49.4 **	45.2 ^{1/}	44.5 **	<0.8 ^{3/}
	11:00-12:00 HOUR	52.0 ^{1/}	49.3 **	48.7 ^{1/}	44.7 **	4.0
	12:00-13:00 HOUR	51.4 ^{1/}	49.2 **	47.4 ^{1/}	44.1 **	3.3
	13:00-14:00 HOUR	50.0 ^{1/}	48.8 **	43.8 ^{1/}	44.6 **	<0.8 ^{3/}
	14:00-15:00 HOUR	56.6 ^{1/}	53.2 **	53.9 ^{1/}	46.7 **	7.2
	15:00-16:00 HOUR	47.8 ^{1/}	45.2 **	44.3 ^{1/}	41.8 **	2.5
	16:00-17:00 HOUR	49.6 ^{1/}	44.6 **	47.9 ^{1/}	42.2 **	5.7
	17:00-18:00 HOUR	49.5 ^{1/}	48.3 **	43.3 ^{1/}	42.4 **	0.9
	18:00-19:00 HOUR	51.8 ^{1/}	47.5 **	49.8 ^{1/}	44.4 **	5.4
	19:00-20:00 HOUR	44.3 ^{1/}	42.6 **	39.4 ^{1/}	39.6 **	<0.8 ^{3/}
	20:00-21:00 HOUR	50.1 ^{1/}	44.0 **	48.9 ^{1/}	42.7 **	6.2
	21:00-22:00 HOUR	49.0 ^{1/}	46.3 **	45.7 ^{1/}	43.1 **	2.6
	NIGHT TIME ^{2/}					
	22:00-22:05 HOUR	44.4 ^{2/}	68.4 ***	<0.8 ^{3/}	45.0 ***	<0.8 ^{3/}
	22:05-22:10 HOUR	43.2 ^{2/}	68.4 ***	<0.8 ^{3/}	45.0 ***	<0.8 ^{3/}
	22:10-22:15 HOUR	66.9 ^{2/}	68.4 ***	<0.8 ^{3/}	45.0 ***	<0.8 ^{3/}
	22:15-22:20 HOUR	48.2 ^{2/}	47.4 ***	43.5 ^{2/}	44.7 ***	<0.8 ^{3/}
	22:20-22:25 HOUR	50.0 ^{2/}	47.4 ***	49.5 ^{2/}	44.7 ***	4.8
	22:25-22:30 HOUR	49.4 ^{2/}	47.4 ***	48.1 ^{2/}	44.7 ***	3.4
	22:30-22:35 HOUR	46.9 ^{2/}	45.9 ***	43.0 ^{2/}	44.7 ***	<0.8 ^{3/}

DATE	TIME*	RESULT (dB(A))				
		วิธีวัดด้านเหนือของพื้นที่โครงการ				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 24, 2024 T24AG870-0004	NIGHT TIME ^{2/}					
	22:35-22:40 HOUR	48.7 ^{2/}	45.9 ***	48.5 ^{2/}	44.7 ***	3.8
	22:40-22:45 HOUR	46.1 ^{2/}	45.9 ***	35.6 ^{2/}	44.7 ***	<0.8 ^{3/}
	22:45-22:50 HOUR	45.8 ^{2/}	44.4 ***	43.2 ^{2/}	43.4 ***	<0.8 ^{3/}
	22:50-22:55 HOUR	46.5 ^{2/}	44.4 ***	45.3 ^{2/}	43.4 ***	1.9
	22:55-23:00 HOUR	45.7 ^{2/}	44.4 ***	42.8 ^{2/}	43.4 ***	<0.8 ^{3/}
	23:00-23:05 HOUR	44.7 ^{2/}	44.3 ***	37.1 ^{2/}	43.1 ***	<0.8 ^{3/}
	23:05-23:10 HOUR	44.2 ^{2/}	44.3 ***	<0.8 ^{3/}	43.1 ***	<0.8 ^{3/}
	23:10-23:15 HOUR	45.6 ^{2/}	44.3 ***	42.7 ^{2/}	43.1 ***	<0.8 ^{3/}
	23:15-23:20 HOUR	45.8 ^{2/}	45.2 ***	39.9 ^{2/}	44.4 ***	<0.8 ^{3/}
	23:20-23:25 HOUR	46.0 ^{2/}	45.2 ***	41.3 ^{2/}	44.4 ***	<0.8 ^{3/}
	23:25-23:30 HOUR	46.3 ^{2/}	45.2 ***	42.8 ^{2/}	44.4 ***	<0.8 ^{3/}
	23:30-23:35 HOUR	46.0 ^{2/}	44.7 ***	43.1 ^{2/}	43.3 ***	<0.8 ^{3/}
	23:35-23:40 HOUR	47.6 ^{2/}	44.7 ***	47.5 ^{2/}	43.3 ***	4.2
	23:40-23:45 HOUR	46.0 ^{2/}	44.7 ***	43.1 ^{2/}	43.3 ***	<0.8 ^{3/}
	23:45-23:50 HOUR	53.5 ^{2/}	53.3 ***	43.0 ^{2/}	42.3 ***	<0.8 ^{3/}
	23:50-23:55 HOUR	54.0 ^{2/}	53.3 ***	48.7 ^{2/}	42.3 ***	6.4
	23:55-00:00 HOUR	53.4 ^{2/}	53.3 ***	40.0 ^{2/}	42.3 ***	<0.8 ^{3/}
MARCH 25, 2024 T24AG870-0004	NIGHT TIME ^{2/}					
	00:00-00:05 HOUR	44.0 ^{2/}	42.1 ***	42.5 ^{2/}	40.5 ***	2.0
	00:05-00:10 HOUR	43.8 ^{2/}	42.1 ***	41.9 ^{2/}	40.5 ***	1.4
	00:10-00:15 HOUR	43.1 ^{2/}	42.1 ***	39.2 ^{2/}	40.5 ***	<0.8 ^{3/}
	00:15-00:20 HOUR	41.9 ^{2/}	61.1 ***	<0.8 ^{3/}	57.8 ***	<0.8 ^{3/}
	00:20-00:25 HOUR	62.5 ^{2/}	61.1 ***	59.9 ^{2/}	57.8 ***	2.1
	00:25-00:30 HOUR	65.1 ^{2/}	61.1 ***	65.9 ^{2/}	57.8 ***	8.1
	00:30-00:35 HOUR	48.9 ^{2/}	47.3 ***	46.8 ^{2/}	43.9 ***	2.9
	00:35-00:40 HOUR	48.0 ^{2/}	47.3 ***	42.7 ^{2/}	43.9 ***	<0.8 ^{3/}
	00:40-00:45 HOUR	46.9 ^{2/}	47.3 ***	<0.8 ^{3/}	43.9 ***	<0.8 ^{3/}
	00:45-00:50 HOUR	43.0 ^{2/}	41.7 ***	40.1 ^{2/}	40.2 ***	<0.8 ^{3/}
	00:50-00:55 HOUR	42.6 ^{2/}	41.7 ***	38.3 ^{2/}	40.2 ***	<0.8 ^{3/}
	00:55-01:00 HOUR	42.3 ^{2/}	41.7 ***	36.4 ^{2/}	40.2 ***	<0.8 ^{3/}
	01:00-01:05 HOUR	42.8 ^{2/}	40.9 ***	41.3 ^{2/}	39.7 ***	1.6
	01:05-01:10 HOUR	42.9 ^{2/}	40.9 ***	41.6 ^{2/}	39.7 ***	1.9
	01:10-01:15 HOUR	42.8 ^{2/}	40.9 ***	41.3 ^{2/}	39.7 ***	1.6
	01:15-01:20 HOUR	43.3 ^{2/}	41.5 ***	41.6 ^{2/}	40.6 ***	1.0
	01:20-01:25 HOUR	42.5 ^{2/}	41.5 ***	38.6 ^{2/}	40.6 ***	<0.8 ^{3/}
	01:25-01:30 HOUR	42.7 ^{2/}	41.5 ***	39.5 ^{2/}	40.6 ***	<0.8 ^{3/}
	01:30-01:35 HOUR	43.1 ^{2/}	42.1 ***	39.2 ^{2/}	40.8 ***	<0.8 ^{3/}
	01:35-01:40 HOUR	43.3 ^{2/}	42.1 ***	40.1 ^{2/}	40.8 ***	<0.8 ^{3/}
	01:40-01:45 HOUR	42.9 ^{2/}	42.1 ***	38.2 ^{2/}	40.8 ***	<0.8 ^{3/}
	01:45-01:50 HOUR	44.0 ^{2/}	40.7 ***	44.3 ^{2/}	39.5 ***	4.8
	01:50-01:55 HOUR	41.9 ^{2/}	40.7 ***	38.7 ^{2/}	39.5 ***	<0.8 ^{3/}
	01:55-02:00 HOUR	42.5 ^{2/}	40.7 ***	40.8 ^{2/}	39.5 ***	1.3
	02:00-02:05 HOUR	42.7 ^{2/}	41.0 ***	40.8 ^{2/}	39.6 ***	1.2
	02:05-02:10 HOUR	42.5 ^{2/}	41.0 ***	40.2 ^{2/}	39.6 ***	<0.8 ^{3/}

DATE	TIME*	RESULT (dB(A))				
		ริมรั้วด้านเหนือของพื้นที่โครงการ				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 25, 2024 T24AG870-0004	NIGHT TIME ^{2/}					
	02:10-02:15 HOUR	41.5 ^{2/}	41.0 ***	34.9 ^{2/}	39.6 ***	<0.8 ^{3/}
	02:15-02:20 HOUR	43.6 ^{2/}	42.5 ***	40.1 ^{2/}	41.0 ***	<0.8 ^{3/}
	02:20-02:25 HOUR	43.6 ^{2/}	42.5 ***	40.1 ^{2/}	41.0 ***	<0.8 ^{3/}
	02:25-02:30 HOUR	43.2 ^{2/}	42.5 ***	37.9 ^{2/}	41.0 ***	<0.8 ^{3/}
	02:30-02:35 HOUR	43.8 ^{2/}	41.3 ***	43.2 ^{2/}	40.1 ***	3.1
	02:35-02:40 HOUR	43.2 ^{2/}	41.3 ***	41.7 ^{2/}	40.1 ***	1.6
	02:40-02:45 HOUR	42.1 ^{2/}	41.3 ***	37.4 ^{2/}	40.1 ***	<0.8 ^{3/}
	02:45-02:50 HOUR	43.2 ^{2/}	41.6 ***	41.1 ^{2/}	40.3 ***	0.8
	02:50-02:55 HOUR	42.1 ^{2/}	41.6 ***	35.5 ^{2/}	40.3 ***	<0.8 ^{3/}
	02:55-03:00 HOUR	43.3 ^{2/}	41.6 ***	41.4 ^{2/}	40.3 ***	1.1
	03:00-03:05 HOUR	42.3 ^{2/}	41.6 ***	37.0 ^{2/}	40.5 ***	<0.8 ^{3/}
	03:05-03:10 HOUR	42.6 ^{2/}	41.6 ***	38.7 ^{2/}	40.5 ***	<0.8 ^{3/}
	03:10-03:15 HOUR	43.6 ^{2/}	41.6 ***	42.3 ^{2/}	40.5 ***	1.8
	03:15-03:20 HOUR	42.6 ^{2/}	41.5 ***	39.1 ^{2/}	40.0 ***	<0.8 ^{3/}
	03:20-03:25 HOUR	42.4 ^{2/}	41.5 ***	38.1 ^{2/}	40.0 ***	<0.8 ^{3/}
	03:25-03:30 HOUR	41.6 ^{2/}	41.5 ***	28.2 ^{2/}	40.0 ***	<0.8 ^{3/}
	03:30-03:35 HOUR	43.0 ^{2/}	41.3 ***	41.1 ^{2/}	40.0 ***	1.1
	03:35-03:40 HOUR	42.7 ^{2/}	41.3 ***	40.1 ^{2/}	40.0 ***	<0.8 ^{3/}
	03:40-03:45 HOUR	42.1 ^{2/}	41.3 ***	37.4 ^{2/}	40.0 ***	<0.8 ^{3/}
	03:45-03:50 HOUR	46.8 ^{2/}	46.4 ***	39.2 ^{2/}	38.9 ***	<0.8 ^{3/}
	03:50-03:55 HOUR	47.4 ^{2/}	46.4 ***	43.5 ^{2/}	38.9 ***	4.6
	03:55-04:00 HOUR	46.6 ^{2/}	46.4 ***	36.1 ^{2/}	38.9 ***	<0.8 ^{3/}
	04:00-04:05 HOUR	43.4 ^{2/}	40.2 ***	43.6 ^{2/}	38.7 ***	4.9
	04:05-04:10 HOUR	41.5 ^{2/}	40.2 ***	38.6 ^{2/}	38.7 ***	<0.8 ^{3/}
	04:10-04:15 HOUR	42.1 ^{2/}	40.2 ***	40.6 ^{2/}	38.7 ***	1.9
	04:15-04:20 HOUR	42.0 ^{2/}	40.3 ***	40.1 ^{2/}	39.0 ***	1.1
	04:20-04:25 HOUR	41.1 ^{2/}	40.3 ***	36.4 ^{2/}	39.0 ***	<0.8 ^{3/}
	04:25-04:30 HOUR	41.5 ^{2/}	40.3 ***	38.3 ^{2/}	39.0 ***	<0.8 ^{3/}
	04:30-04:35 HOUR	42.5 ^{2/}	39.6 ***	42.4 ^{2/}	38.4 ***	4.0
	04:35-04:40 HOUR	41.2 ^{2/}	39.6 ***	39.1 ^{2/}	38.4 ***	<0.8 ^{3/}
	04:40-04:45 HOUR	41.3 ^{2/}	39.6 ***	39.4 ^{2/}	38.4 ***	1.0
	04:45-04:50 HOUR	41.1 ^{2/}	41.4 ***	<0.8 ^{3/}	39.4 ***	<0.8 ^{3/}
	04:50-04:55 HOUR	41.1 ^{2/}	41.4 ***	<0.8 ^{3/}	39.4 ***	<0.8 ^{3/}
	04:55-05:00 HOUR	44.1 ^{2/}	41.4 ***	43.8 ^{2/}	39.4 ***	4.4
	05:00-05:05 HOUR	40.8 ^{2/}	39.9 ***	36.5 ^{2/}	39.0 ***	<0.8 ^{3/}
	05:05-05:10 HOUR	40.7 ^{2/}	39.9 ***	36.0 ^{2/}	39.0 ***	<0.8 ^{3/}
	05:10-05:15 HOUR	40.7 ^{2/}	39.9 ***	36.0 ^{2/}	39.0 ***	<0.8 ^{3/}
	05:15-05:20 HOUR	40.7 ^{2/}	40.7 ***	<0.8 ^{3/}	39.4 ***	<0.8 ^{3/}
	05:20-05:25 HOUR	40.8 ^{2/}	40.7 ***	27.4 ^{2/}	39.4 ***	<0.8 ^{3/}
	05:25-05:30 HOUR	41.3 ^{2/}	40.7 ***	35.4 ^{2/}	39.4 ***	<0.8 ^{3/}
	05:30-05:35 HOUR	41.2 ^{2/}	45.4 ***	<0.8 ^{3/}	39.4 ***	<0.8 ^{3/}
	05:35-05:40 HOUR	41.1 ^{2/}	45.4 ***	<0.8 ^{3/}	39.4 ***	<0.8 ^{3/}
	05:40-05:45 HOUR	41.3 ^{2/}	45.4 ***	<0.8 ^{3/}	39.4 ***	<0.8 ^{3/}
	05:45-05:50 HOUR	56.6 ^{2/}	64.6 ***	<0.8 ^{3/}	56.6 ***	<0.8 ^{3/}

DATE	TIME*	RESULT (dB(A))				
		จิมวัดด้านเหนือของพื้นที่โครงการ				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 25, 2024 T24AG870-0004	NIGHT TIME ^{2/}					
	05:50-05:55 HOUR	62.1 ^{2/}	64.6 ***	<0.8 ^{3/}	56.6 ***	<0.8 ^{3/}
	05:55-06:00 HOUR	66.4 ^{2/}	64.6 ***	64.7 ^{2/}	56.6 ***	8.1
	DAY TIME ^{1/}					
	06:00-07:00 HOUR	52.3 ^{1/}	48.4 **	50.0 ^{1/}	42.8 **	7.2
MARCH 25, 2024 T24AG870-0005	DAY TIME ^{1/}					
	07:00-08:00 HOUR	49.4 ^{1/}	48.7 **	41.1 ^{1/}	43.1 **	<0.8 ^{3/}
	08:00-09:00 HOUR	49.6 ^{1/}	49.1 **	40.0 ^{1/}	42.7 **	<0.8 ^{3/}
	09:00-10:00 HOUR	52.3 ^{1/}	49.2 **	49.4 ^{1/}	43.3 **	6.1
	10:00-11:00 HOUR	51.8 ^{1/}	48.9 **	48.7 ^{1/}	43.9 **	4.8
	11:00-12:00 HOUR	51.5 ^{1/}	48.6 **	48.4 ^{1/}	44.4 **	4.0
	12:00-13:00 HOUR	51.3 ^{1/}	48.9 **	47.6 ^{1/}	45.1 **	2.5
	13:00-14:00 HOUR	51.6 ^{1/}	49.7 **	47.1 ^{1/}	43.7 **	3.4
	14:00-15:00 HOUR	56.0 ^{1/}	52.2 **	53.7 ^{1/}	46.5 **	7.2
	15:00-16:00 HOUR	50.1 ^{1/}	45.1 **	48.4 ^{1/}	42.4 **	6.0
	16:00-17:00 HOUR	51.1 ^{1/}	50.2 **	43.8 ^{1/}	46.2 **	<0.8 ^{3/}
	17:00-18:00 HOUR	47.6 ^{1/}	44.2 **	44.9 ^{1/}	42.3 **	2.6
	18:00-19:00 HOUR	55.6 ^{1/}	53.6 **	51.3 ^{1/}	46.0 **	5.3
	19:00-20:00 HOUR	44.8 ^{1/}	42.9 **	40.3 ^{1/}	41.2 **	<0.8 ^{3/}
	20:00-21:00 HOUR	47.4 ^{1/}	46.2 **	41.2 ^{1/}	44.9 **	<0.8 ^{3/}
	21:00-22:00 HOUR	47.1 ^{1/}	45.4 **	42.2 ^{1/}	43.2 **	<0.8 ^{3/}
	NIGHT TIME ^{2/}					
	22:00-22:05 HOUR	47.8 ^{2/}	46.7 ***	44.3 ^{2/}	40.9 ***	3.4
	22:05-22:10 HOUR	47.5 ^{2/}	46.7 ***	42.8 ^{2/}	40.9 ***	1.9
	22:10-22:15 HOUR	47.7 ^{2/}	46.7 ***	43.8 ^{2/}	40.9 ***	2.9
	22:15-22:20 HOUR	43.8 ^{2/}	58.8 ***	<0.8 ^{3/}	50.7 ***	<0.8 ^{3/}
	22:20-22:25 HOUR	60.2 ^{2/}	58.8 ***	57.6 ^{2/}	50.7 ***	6.9
	22:25-22:30 HOUR	59.1 ^{2/}	58.8 ***	50.3 ^{2/}	50.7 ***	<0.8 ^{3/}
	22:30-22:35 HOUR	48.3 ^{2/}	45.6 ***	48.0 ^{2/}	41.8 ***	6.2
	22:35-22:40 HOUR	46.9 ^{2/}	45.6 ***	44.0 ^{2/}	41.8 ***	2.2
	22:40-22:45 HOUR	46.5 ^{2/}	45.6 ***	42.2 ^{2/}	41.8 ***	<0.8 ^{3/}
	22:45-22:50 HOUR	46.6 ^{2/}	45.2 ***	44.0 ^{2/}	40.9 ***	3.1
	22:50-22:55 HOUR	46.4 ^{2/}	45.2 ***	43.2 ^{2/}	40.9 ***	2.3
	22:55-23:00 HOUR	46.4 ^{2/}	45.2 ***	43.2 ^{2/}	40.9 ***	2.3
	23:00-23:05 HOUR	43.7 ^{2/}	41.6 ***	42.5 ^{2/}	40.6 ***	1.9
	23:05-23:10 HOUR	41.9 ^{2/}	41.6 ***	33.1 ^{2/}	40.6 ***	<0.8 ^{3/}
	23:10-23:15 HOUR	42.2 ^{2/}	41.6 ***	36.3 ^{2/}	40.6 ***	<0.8 ^{3/}
	23:15-23:20 HOUR	43.3 ^{2/}	42.3 ***	39.4 ^{2/}	40.7 ***	<0.8 ^{3/}
	23:20-23:25 HOUR	43.6 ^{2/}	42.3 ***	40.7 ^{2/}	40.7 ***	<0.8 ^{3/}
	23:25-23:30 HOUR	42.6 ^{2/}	42.3 ***	33.8 ^{2/}	40.7 ***	<0.8 ^{3/}
	23:30-23:35 HOUR	43.6 ^{2/}	43.3 ***	34.8 ^{2/}	42.2 ***	<0.8 ^{3/}
	23:35-23:40 HOUR	43.7 ^{2/}	43.3 ***	36.1 ^{2/}	42.2 ***	<0.8 ^{3/}
	23:40-23:45 HOUR	44.0 ^{2/}	43.3 ***	38.7 ^{2/}	42.2 ***	<0.8 ^{3/}
	23:45-23:50 HOUR	44.7 ^{2/}	43.6 ***	41.2 ^{2/}	42.2 ***	<0.8 ^{3/}
	23:50-23:55 HOUR	45.2 ^{2/}	43.6 ***	43.1 ^{2/}	42.2 ***	0.9
	23:55-00:00 HOUR	46.4 ^{2/}	43.6 ***	46.2 ^{2/}	42.2 ***	4.0

DATE	TIME*	RESULT (dB(A))				
		ริมรั้วด้านเหนือของพื้นที่โครงการ				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 26, 2024	NIGHT TIME ^{2/}					
T24AG870-0005	00:00-00:05 HOUR	44.4 ^{2/}	43.9 ***	37.8 ^{2/}	42.2 ***	<0.8 ^{3/}
	00:05-00:10 HOUR	45.0 ^{2/}	43.9 ***	41.5 ^{2/}	42.2 ***	<0.8 ^{3/}
	00:10-00:15 HOUR	44.8 ^{2/}	43.9 ***	40.5 ^{2/}	42.2 ***	<0.8 ^{3/}
	00:15-00:20 HOUR	43.3 ^{2/}	50.2 ***	<0.8 ^{3/}	45.6 ***	<0.8 ^{3/}
	00:20-00:25 HOUR	49.8 ^{2/}	50.2 ***	<0.8 ^{3/}	45.6 ***	<0.8 ^{3/}
	00:25-00:30 HOUR	51.9 ^{2/}	50.2 ***	50.0 ^{2/}	45.6 ***	4.4
	00:30-00:35 HOUR	48.1 ^{2/}	44.9 ***	48.3 ^{2/}	42.7 ***	5.6
	00:35-00:40 HOUR	49.4 ^{2/}	44.9 ***	50.5 ^{2/}	42.7 ***	7.8
	00:40-00:45 HOUR	44.3 ^{2/}	44.9 ***	<0.8 ^{3/}	42.7 ***	<0.8 ^{3/}
	00:45-00:50 HOUR	42.3 ^{2/}	40.3 ***	41.0 ^{2/}	39.4 ***	1.6
	00:50-00:55 HOUR	41.8 ^{2/}	40.3 ***	39.5 ^{2/}	39.4 ***	<0.8 ^{3/}
	00:55-01:00 HOUR	41.9 ^{2/}	40.3 ***	39.8 ^{2/}	39.4 ***	<0.8 ^{3/}
	01:00-01:05 HOUR	48.3 ^{2/}	43.8 ***	49.4 ^{2/}	41.8 ***	7.6
	01:05-01:10 HOUR	43.2 ^{2/}	43.8 ***	<0.8 ^{3/}	41.8 ***	<0.8 ^{3/}
	01:10-01:15 HOUR	44.8 ^{2/}	43.8 ***	40.9 ^{2/}	41.8 ***	<0.8 ^{3/}
	01:15-01:20 HOUR	46.0 ^{2/}	43.0 ***	46.0 ^{2/}	40.6 ***	5.4
	01:20-01:25 HOUR	45.7 ^{2/}	43.0 ***	45.4 ^{2/}	40.6 ***	4.8
	01:25-01:30 HOUR	42.7 ^{2/}	43.0 ***	<0.8 ^{3/}	40.6 ***	<0.8 ^{3/}
	01:30-01:35 HOUR	43.4 ^{2/}	41.5 ***	41.9 ^{2/}	40.2 ***	1.7
	01:35-01:40 HOUR	42.4 ^{2/}	41.5 ***	38.1 ^{2/}	40.2 ***	<0.8 ^{3/}
	01:40-01:45 HOUR	42.4 ^{2/}	41.5 ***	38.1 ^{2/}	40.2 ***	<0.8 ^{3/}
	01:45-01:50 HOUR	43.5 ^{2/}	42.9 ***	37.6 ^{2/}	40.6 ***	<0.8 ^{3/}
	01:50-01:55 HOUR	43.8 ^{2/}	42.9 ***	39.5 ^{2/}	40.6 ***	<0.8 ^{3/}
	01:55-02:00 HOUR	44.1 ^{2/}	42.9 ***	40.9 ^{2/}	40.6 ***	<0.8 ^{3/}
	02:00-02:05 HOUR	44.0 ^{2/}	43.2 ***	39.3 ^{2/}	40.1 ***	<0.8 ^{3/}
	02:05-02:10 HOUR	44.5 ^{2/}	43.2 ***	41.6 ^{2/}	40.1 ***	1.5
	02:10-02:15 HOUR	46.9 ^{2/}	43.2 ***	47.5 ^{2/}	40.1 ***	7.4
	02:15-02:20 HOUR	42.1 ^{2/}	41.8 ***	33.3 ^{2/}	40.4 ***	<0.8 ^{3/}
	02:20-02:25 HOUR	42.9 ^{2/}	41.8 ***	39.4 ^{2/}	40.4 ***	<0.8 ^{3/}
	02:25-02:30 HOUR	43.0 ^{2/}	41.8 ***	39.8 ^{2/}	40.4 ***	<0.8 ^{3/}
	02:30-02:35 HOUR	46.2 ^{2/}	45.8 ***	38.6 ^{2/}	39.0 ***	<0.8 ^{3/}
	02:35-02:40 HOUR	45.9 ^{2/}	45.8 ***	32.5 ^{2/}	39.0 ***	<0.8 ^{3/}
	02:40-02:45 HOUR	46.1 ^{2/}	45.8 ***	37.3 ^{2/}	39.0 ***	<0.8 ^{3/}
	02:45-02:50 HOUR	47.0 ^{2/}	46.8 ***	36.5 ^{2/}	39.3 ***	<0.8 ^{3/}
	02:50-02:55 HOUR	42.2 ^{2/}	46.8 ***	<0.8 ^{3/}	39.3 ***	<0.8 ^{3/}
	02:55-03:00 HOUR	43.4 ^{2/}	46.8 ***	<0.8 ^{3/}	39.3 ***	<0.8 ^{3/}
	03:00-03:05 HOUR	42.3 ^{2/}	40.9 ***	39.7 ^{2/}	39.7 ***	<0.8 ^{3/}
	03:05-03:10 HOUR	41.9 ^{2/}	40.9 ***	38.0 ^{2/}	39.7 ***	<0.8 ^{3/}
	03:10-03:15 HOUR	41.5 ^{2/}	40.9 ***	35.6 ^{2/}	39.7 ***	<0.8 ^{3/}
	03:15-03:20 HOUR	43.0 ^{2/}	40.8 ***	42.0 ^{2/}	39.7 ***	2.3
	03:20-03:25 HOUR	43.6 ^{2/}	40.8 ***	43.4 ^{2/}	39.7 ***	3.7
	03:25-03:30 HOUR	42.6 ^{2/}	40.8 ***	40.9 ^{2/}	39.7 ***	1.2
	03:30-03:35 HOUR	42.0 ^{2/}	41.5 ***	35.4 ^{2/}	40.7 ***	<0.8 ^{3/}
	03:35-03:40 HOUR	42.9 ^{2/}	41.5 ***	40.3 ^{2/}	40.7 ***	<0.8 ^{3/}

DATE	TIME*	RESULT (dB(A))				
		ริมรั้วด้านเหนือของพื้นที่โครงการ				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 26, 2024 T24AG870-0005	NIGHT TIME ^{2/}					
	03:40-03:45 HOUR	43.4 ^{2/}	41.5 ***	41.9 ^{2/}	40.7 ***	1.2
	03:45-03:50 HOUR	41.6 ^{2/}	41.2 ***	34.0 ^{2/}	39.7 ***	<0.8 ^{3/}
	03:50-03:55 HOUR	42.0 ^{2/}	41.2 ***	37.3 ^{2/}	39.7 ***	<0.8 ^{3/}
	03:55-04:00 HOUR	42.4 ^{2/}	41.2 ***	39.2 ^{2/}	39.7 ***	<0.8 ^{3/}
	04:00-04:05 HOUR	43.0 ^{2/}	40.4 ***	42.5 ^{2/}	39.3 ***	3.2
	04:05-04:10 HOUR	42.0 ^{2/}	40.4 ***	39.9 ^{2/}	39.3 ***	<0.8 ^{3/}
	04:10-04:15 HOUR	41.7 ^{2/}	40.4 ***	38.8 ^{2/}	39.3 ***	<0.8 ^{3/}
	04:15-04:20 HOUR	42.1 ^{2/}	40.9 ***	38.9 ^{2/}	39.4 ***	<0.8 ^{3/}
	04:20-04:25 HOUR	41.3 ^{2/}	40.9 ***	33.7 ^{2/}	39.4 ***	<0.8 ^{3/}
	04:25-04:30 HOUR	41.7 ^{2/}	40.9 ***	37.0 ^{2/}	39.4 ***	<0.8 ^{3/}
	04:30-04:35 HOUR	43.0 ^{2/}	40.9 ***	41.8 ^{2/}	39.6 ***	2.2
	04:35-04:40 HOUR	41.8 ^{2/}	40.9 ***	37.5 ^{2/}	39.6 ***	<0.8 ^{3/}
	04:40-04:45 HOUR	41.8 ^{2/}	40.9 ***	37.5 ^{2/}	39.6 ***	<0.8 ^{3/}
	04:45-04:50 HOUR	41.5 ^{2/}	40.4 ***	38.0 ^{2/}	39.2 ***	<0.8 ^{3/}
	04:50-04:55 HOUR	41.6 ^{2/}	40.4 ***	38.4 ^{2/}	39.2 ***	<0.8 ^{3/}
	04:55-05:00 HOUR	41.8 ^{2/}	40.4 ***	39.2 ^{2/}	39.2 ***	<0.8 ^{3/}
	05:00-05:05 HOUR	41.6 ^{2/}	42.7 ***	<0.8 ^{3/}	38.8 ***	<0.8 ^{3/}
	05:05-05:10 HOUR	41.4 ^{2/}	42.7 ***	<0.8 ^{3/}	38.8 ***	<0.8 ^{3/}
	05:10-05:15 HOUR	41.4 ^{2/}	42.7 ***	<0.8 ^{3/}	38.8 ***	<0.8 ^{3/}
	05:15-05:20 HOUR	42.3 ^{2/}	41.9 ***	34.7 ^{2/}	38.7 ***	<0.8 ^{3/}
	05:20-05:25 HOUR	43.8 ^{2/}	41.9 ***	42.3 ^{2/}	38.7 ***	3.6
	05:25-05:30 HOUR	42.9 ^{2/}	41.9 ***	39.0 ^{2/}	38.7 ***	<0.8 ^{3/}
	05:30-05:35 HOUR	42.3 ^{2/}	43.9 ***	<0.8 ^{3/}	39.6 ***	<0.8 ^{3/}
	05:35-05:40 HOUR	42.0 ^{2/}	43.9 ***	<0.8 ^{3/}	39.6 ***	<0.8 ^{3/}
	05:40-05:45 HOUR	44.5 ^{2/}	43.9 ***	38.6 ^{2/}	39.6 ***	<0.8 ^{3/}
	05:45-05:50 HOUR	42.8 ^{2/}	64.1 ***	<0.8 ^{3/}	55.8 ***	<0.8 ^{3/}
	05:50-05:55 HOUR	63.2 ^{2/}	64.1 ***	<0.8 ^{3/}	55.8 ***	<0.8 ^{3/}
	05:55-06:00 HOUR	65.1 ^{2/}	64.1 ***	61.2 ^{2/}	55.8 ***	5.4
	DAY TIME ^{1/}					
	06:00-07:00 HOUR	53.0 ^{1/}	47.4 **	51.6 ^{1/}	43.6 **	8.0
MARCH 26, 2024 T24AG870-0006	DAY TIME ^{1/}					
	07:00-08:00 HOUR	52.1 ^{1/}	50.1 **	47.8 ^{1/}	44.5 **	3.3
	08:00-09:00 HOUR	53.7 ^{1/}	50.7 **	50.7 ^{1/}	45.3 **	5.4
	09:00-10:00 HOUR	53.5 ^{1/}	50.5 **	50.5 ^{1/}	46.3 **	4.2
	10:00-11:00 HOUR	51.6 ^{1/}	49.8 **	46.9 ^{1/}	44.6 **	2.3
	11:00-12:00 HOUR	50.7 ^{1/}	47.8 **	47.6 ^{1/}	43.2 **	4.4
	12:00-13:00 HOUR	52.2 ^{1/}	49.1 **	49.3 ^{1/}	45.9 **	3.4
	13:00-14:00 HOUR	54.3 ^{1/}	52.7 **	49.2 ^{1/}	46.7 **	2.5
	14:00-15:00 HOUR	61.2 ^{1/}	58.7 **	57.6 ^{1/}	54.4 **	3.2
	15:00-16:00 HOUR	64.3 ^{1/}	63.4 **	57.0 ^{1/}	58.3 **	<0.8 ^{3/}
	16:00-17:00 HOUR	51.7 ^{1/}	48.2 **	49.1 ^{1/}	44.7 **	4.4
	17:00-18:00 HOUR	47.8 ^{1/}	45.7 **	43.6 ^{1/}	42.5 **	1.1
	18:00-19:00 HOUR	55.7 ^{1/}	54.3 **	50.1 ^{1/}	44.7 **	5.4
	19:00-20:00 HOUR	45.0 ^{1/}	42.8 **	41.0 ^{1/}	40.3 **	<0.8 ^{3/}
	20:00-21:00 HOUR	44.8 ^{1/}	42.5 **	40.9 ^{1/}	40.6 **	<0.8 ^{3/}

DATE	TIME*	RESULT (dB(A))				
		ริมรั้วด้านเหนือของพื้นที่โครงการ				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 26, 2024 T24AG870-0006	DAY TIME ^{1/} 21:00-22:00 HOUR	45.2 ^{1/}	42.0 **	42.4 ^{1/}	40.9 **	1.5
	NIGHT TIME ^{2/} 22:00-22:05 HOUR	43.4 ^{2/}	42.0 ***	40.8 ^{2/}	40.8 ***	<0.8 ^{3/}
	22:05-22:10 HOUR	43.6 ^{2/}	42.0 ***	41.5 ^{2/}	40.8 ***	<0.8 ^{3/}
	22:10-22:15 HOUR	42.9 ^{2/}	42.0 ***	38.6 ^{2/}	40.8 ***	<0.8 ^{3/}
	22:15-22:20 HOUR	44.8 ^{2/}	41.6 ***	45.0 ^{2/}	40.3 ***	4.7
	22:20-22:25 HOUR	44.7 ^{2/}	41.6 ***	44.8 ^{2/}	40.3 ***	4.5
	22:25-22:30 HOUR	42.9 ^{2/}	41.6 ***	40.0 ^{2/}	40.3 ***	<0.8 ^{3/}
	22:30-22:35 HOUR	43.1 ^{2/}	43.2 ***	<0.8 ^{3/}	41.5 ***	<0.8 ^{3/}
	22:35-22:40 HOUR	44.1 ^{2/}	43.2 ***	39.8 ^{2/}	41.5 ***	<0.8 ^{3/}
	22:40-22:45 HOUR	43.6 ^{2/}	43.2 ***	36.0 ^{2/}	41.5 ***	<0.8 ^{3/}
	22:45-22:50 HOUR	44.9 ^{2/}	49.1 ***	<0.8 ^{3/}	46.3 ***	<0.8 ^{3/}
	22:50-22:55 HOUR	50.0 ^{2/}	49.1 ***	45.7 ^{2/}	46.3 ***	<0.8 ^{3/}
	22:55-23:00 HOUR	49.8 ^{2/}	49.1 ***	44.5 ^{2/}	46.3 ***	<0.8 ^{3/}
	23:00-23:05 HOUR	45.0 ^{2/}	42.7 ***	44.1 ^{2/}	41.5 ***	2.6
	23:05-23:10 HOUR	43.8 ^{2/}	42.7 ***	40.3 ^{2/}	41.5 ***	<0.8 ^{3/}
	23:10-23:15 HOUR	43.3 ^{2/}	42.7 ***	37.4 ^{2/}	41.5 ***	<0.8 ^{3/}
	23:15-23:20 HOUR	43.5 ^{2/}	41.9 ***	41.4 ^{2/}	40.6 ***	0.8
	23:20-23:25 HOUR	43.0 ^{2/}	41.9 ***	39.5 ^{2/}	40.6 ***	<0.8 ^{3/}
	23:25-23:30 HOUR	43.4 ^{2/}	41.9 ***	41.1 ^{2/}	40.6 ***	<0.8 ^{3/}
	23:30-23:35 HOUR	43.2 ^{2/}	40.9 ***	42.3 ^{2/}	40.0 ***	2.3
	23:35-23:40 HOUR	43.5 ^{2/}	40.9 ***	43.0 ^{2/}	40.0 ***	3.0
	23:40-23:45 HOUR	42.8 ^{2/}	40.9 ***	41.3 ^{2/}	40.0 ***	1.3
	23:45-23:50 HOUR	42.1 ^{2/}	41.0 ***	38.6 ^{2/}	40.0 ***	<0.8 ^{3/}
	23:50-23:55 HOUR	41.5 ^{2/}	41.0 ***	34.9 ^{2/}	40.0 ***	<0.8 ^{3/}
	23:55-00:00 HOUR	41.3 ^{2/}	41.0 ***	32.5 ^{2/}	40.0 ***	<0.8 ^{3/}
MARCH 27, 2024 T24AG870-0006	NIGHT TIME ^{2/} 00:00-00:05 HOUR	42.6 ^{2/}	42.6 ***	<0.8 ^{3/}	40.4 ***	<0.8 ^{3/}
	00:05-00:10 HOUR	47.1 ^{2/}	42.6 ***	48.2 ^{2/}	40.4 ***	7.8
	00:10-00:15 HOUR	42.1 ^{2/}	42.6 ***	<0.8 ^{3/}	40.4 ***	<0.8 ^{3/}
	00:15-00:20 HOUR	42.0 ^{2/}	48.6 ***	<0.8 ^{3/}	44.8 ***	<0.8 ^{3/}
	00:20-00:25 HOUR	44.2 ^{2/}	48.6 ***	<0.8 ^{3/}	44.8 ***	<0.8 ^{3/}
	00:25-00:30 HOUR	51.7 ^{2/}	48.6 ***	51.8 ^{2/}	44.8 ***	7.0
	00:30-00:35 HOUR	47.5 ^{2/}	46.5 ***	43.6 ^{2/}	43.5 ***	<0.8 ^{3/}
	00:35-00:40 HOUR	47.7 ^{2/}	46.5 ***	44.5 ^{2/}	43.5 ***	1.0
	00:40-00:45 HOUR	45.8 ^{2/}	46.5 ***	<0.8 ^{3/}	43.5 ***	<0.8 ^{3/}
	00:45-00:50 HOUR	43.8 ^{2/}	42.7 ***	40.3 ^{2/}	39.8 ***	<0.8 ^{3/}
	00:50-00:55 HOUR	41.3 ^{2/}	42.7 ***	<0.8 ^{3/}	39.8 ***	<0.8 ^{3/}
	00:55-01:00 HOUR	43.7 ^{2/}	42.7 ***	39.8 ^{2/}	39.8 ***	<0.8 ^{3/}
	01:00-01:05 HOUR	47.0 ^{2/}	46.5 ***	40.4 ^{2/}	40.7 ***	<0.8 ^{3/}
	01:05-01:10 HOUR	43.2 ^{2/}	46.5 ***	<0.8 ^{3/}	40.7 ***	<0.8 ^{3/}
	01:10-01:15 HOUR	43.0 ^{2/}	46.5 ***	<0.8 ^{3/}	40.7 ***	<0.8 ^{3/}
	01:15-01:20 HOUR	42.1 ^{2/}	41.7 ***	34.5 ^{2/}	40.0 ***	<0.8 ^{3/}
	01:20-01:25 HOUR	42.0 ^{2/}	41.7 ***	33.2 ^{2/}	40.0 ***	<0.8 ^{3/}
	01:25-01:30 HOUR	45.3 ^{2/}	41.7 ***	45.8 ^{2/}	40.0 ***	5.8

DATE	TIME*	RESULT (dB(A))				
		ริมรั้วด้านเหนือของพื้นที่โครงการ				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 27, 2024 T24AG870-0006	NIGHT TIME ^{2/}					
	01:30-01:35 HOUR	43.1 ^{2/}	40.7 ***	42.4 ^{2/}	39.7 ***	2.7
	01:35-01:40 HOUR	42.9 ^{2/}	40.7 ***	41.9 ^{2/}	39.7 ***	2.2
	01:40-01:45 HOUR	42.8 ^{2/}	40.7 ***	41.6 ^{2/}	39.7 ***	1.9
	01:45-01:50 HOUR	43.1 ^{2/}	41.4 ***	41.2 ^{2/}	40.9 ***	<0.8 ^{3/}
	01:50-01:55 HOUR	42.6 ^{2/}	41.4 ***	39.4 ^{2/}	40.9 ***	<0.8 ^{3/}
	01:55-02:00 HOUR	42.3 ^{2/}	41.4 ***	38.0 ^{2/}	40.9 ***	<0.8 ^{3/}
	02:00-02:05 HOUR	42.2 ^{2/}	41.8 ***	34.6 ^{2/}	40.2 ***	<0.8 ^{3/}
	02:05-02:10 HOUR	42.3 ^{2/}	41.8 ***	35.7 ^{2/}	40.2 ***	<0.8 ^{3/}
	02:10-02:15 HOUR	43.1 ^{2/}	41.8 ***	40.2 ^{2/}	40.2 ***	<0.8 ^{3/}
	02:15-02:20 HOUR	44.5 ^{2/}	43.1 ***	41.9 ^{2/}	41.0 ***	0.9
	02:20-02:25 HOUR	44.5 ^{2/}	43.1 ***	41.9 ^{2/}	41.0 ***	0.9
	02:25-02:30 HOUR	44.8 ^{2/}	43.1 ***	42.9 ^{2/}	41.0 ***	1.9
	02:30-02:35 HOUR	43.9 ^{2/}	43.5 ***	36.3 ^{2/}	40.7 ***	<0.8 ^{3/}
	02:35-02:40 HOUR	45.5 ^{2/}	43.5 ***	44.2 ^{2/}	40.7 ***	3.5
	02:40-02:45 HOUR	45.0 ^{2/}	43.5 ***	42.7 ^{2/}	40.7 ***	2.0
	02:45-02:50 HOUR	42.3 ^{2/}	40.7 ***	40.2 ^{2/}	40.0 ***	<0.8 ^{3/}
	02:50-02:55 HOUR	42.7 ^{2/}	40.7 ***	41.4 ^{2/}	40.0 ***	1.4
	02:55-03:00 HOUR	42.8 ^{2/}	40.7 ***	41.6 ^{2/}	40.0 ***	1.6
	03:00-03:05 HOUR	42.2 ^{2/}	43.4 ***	<0.8 ^{3/}	40.3 ***	<0.8 ^{3/}
	03:05-03:10 HOUR	42.2 ^{2/}	43.4 ***	<0.8 ^{3/}	40.3 ***	<0.8 ^{3/}
	03:10-03:15 HOUR	45.3 ^{2/}	43.4 ***	43.8 ^{2/}	40.3 ***	3.5
	03:15-03:20 HOUR	44.1 ^{2/}	46.5 ***	<0.8 ^{3/}	39.4 ***	<0.8 ^{3/}
	03:20-03:25 HOUR	44.7 ^{2/}	46.5 ***	<0.8 ^{3/}	39.4 ***	<0.8 ^{3/}
	03:25-03:30 HOUR	47.2 ^{2/}	46.5 ***	41.9 ^{2/}	39.4 ***	2.5
	03:30-03:35 HOUR	40.8 ^{2/}	41.7 ***	<0.8 ^{3/}	40.0 ***	<0.8 ^{3/}
	03:35-03:40 HOUR	45.6 ^{2/}	41.7 ***	46.3 ^{2/}	40.0 ***	6.3
	03:40-03:45 HOUR	42.2 ^{2/}	41.7 ***	35.6 ^{2/}	40.0 ***	<0.8 ^{3/}
	03:45-03:50 HOUR	41.8 ^{2/}	41.0 ***	37.1 ^{2/}	39.9 ***	<0.8 ^{3/}
	03:50-03:55 HOUR	42.5 ^{2/}	41.0 ***	40.2 ^{2/}	39.9 ***	<0.8 ^{3/}
	03:55-04:00 HOUR	41.7 ^{2/}	41.0 ***	36.4 ^{2/}	39.9 ***	<0.8 ^{3/}
	04:00-04:05 HOUR	42.5 ^{2/}	40.4 ***	41.3 ^{2/}	39.1 ***	2.2
	04:05-04:10 HOUR	42.6 ^{2/}	40.4 ***	41.6 ^{2/}	39.1 ***	2.5
	04:10-04:15 HOUR	42.3 ^{2/}	40.4 ***	40.8 ^{2/}	39.1 ***	1.7
	04:15-04:20 HOUR	41.2 ^{2/}	40.3 ***	36.9 ^{2/}	38.7 ***	<0.8 ^{3/}
	04:20-04:25 HOUR	42.5 ^{2/}	40.3 ***	41.5 ^{2/}	38.7 ***	2.8
	04:25-04:30 HOUR	42.1 ^{2/}	40.3 ***	40.4 ^{2/}	38.7 ***	1.7
	04:30-04:35 HOUR	41.7 ^{2/}	40.3 ***	39.1 ^{2/}	39.1 ***	<0.8 ^{3/}
	04:35-04:40 HOUR	41.3 ^{2/}	40.3 ***	37.4 ^{2/}	39.1 ***	<0.8 ^{3/}
	04:40-04:45 HOUR	43.0 ^{2/}	40.3 ***	42.7 ^{2/}	39.1 ***	3.6
	04:45-04:50 HOUR	43.1 ^{2/}	50.6 ***	<0.8 ^{3/}	39.4 ***	<0.8 ^{3/}
	04:50-04:55 HOUR	51.2 ^{2/}	50.6 ***	45.3 ^{2/}	39.4 ***	5.9
	04:55-05:00 HOUR	50.8 ^{2/}	50.6 ***	40.3 ^{2/}	39.4 ***	0.9
	05:00-05:05 HOUR	42.0 ^{2/}	40.6 ***	39.4 ^{2/}	39.5 ***	<0.8 ^{3/}
	05:05-05:10 HOUR	41.2 ^{2/}	40.6 ***	35.3 ^{2/}	39.5 ***	<0.8 ^{3/}

DATE	TIME*	RESULT (dB(A))				
		บริเวณด้านเหนือของพื้นที่โครงการ				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 27, 2024 T24AG870-0006	NIGHT TIME ^{2/}					
	05:10-05:15 HOUR	41.2 ^{2/}	40.6 ***	35.3 ^{2/}	39.5 ***	<0.8 ^{3/}
	05:15-05:20 HOUR	41.1 ^{2/}	40.0 ***	37.6 ^{2/}	38.8 ***	<0.8 ^{3/}
	05:20-05:25 HOUR	40.6 ^{2/}	40.0 ***	34.7 ^{2/}	38.8 ***	<0.8 ^{3/}
	05:25-05:30 HOUR	41.4 ^{2/}	40.0 ***	38.8 ^{2/}	38.8 ***	<0.8 ^{3/}
	05:30-05:35 HOUR	40.6 ^{2/}	40.8 ***	<0.8 ^{3/}	39.3 ***	<0.8 ^{3/}
	05:35-05:40 HOUR	41.4 ^{2/}	40.8 ***	35.5 ^{2/}	39.3 ***	<0.8 ^{3/}
	05:40-05:45 HOUR	41.5 ^{2/}	40.8 ***	36.2 ^{2/}	39.3 ***	<0.8 ^{3/}
	05:45-05:50 HOUR	58.7 ^{2/}	58.6 ***	45.3 ^{2/}	53.1 ***	<0.8 ^{3/}
	05:50-05:55 HOUR	54.7 ^{2/}	58.6 ***	<0.8 ^{3/}	53.1 ***	<0.8 ^{3/}
	05:55-06:00 HOUR	58.9 ^{2/}	58.6 ***	50.1 ^{2/}	53.1 ***	<0.8 ^{3/}
	DAY TIME ^{1/}					
	06:00-07:00 HOUR	52.2 ^{1/}	48.8 **	49.5 ^{1/}	42.2 **	7.3
MARCH 27, 2024 T24AG870-0007	DAY TIME ^{1/}					
	07:00-08:00 HOUR	52.4 ^{1/}	50.4 **	48.1 ^{1/}	42.1 **	6.0
	08:00-09:00 HOUR	52.2 ^{1/}	50.2 **	47.9 ^{1/}	43.7 **	4.2
	09:00-10:00 HOUR	49.4 ^{1/}	46.8 **	45.9 ^{1/}	42.0 **	3.9
	10:00-11:00 HOUR	50.5 ^{1/}	48.5 **	46.2 ^{1/}	43.2 **	3.0
	11:00-12:00 HOUR	48.4 ^{1/}	46.2 **	44.4 ^{1/}	41.6 **	2.8
	12:00-13:00 HOUR	47.1 ^{1/}	45.1 **	42.8 ^{1/}	41.3 **	1.5
	13:00-14:00 HOUR	46.2 ^{1/}	44.0 **	42.2 ^{1/}	41.2 **	1.0
	14:00-15:00 HOUR	48.3 ^{1/}	46.1 **	44.3 ^{1/}	41.5 **	2.8
	15:00-16:00 HOUR	51.4 ^{1/}	48.8 **	47.9 ^{1/}	42.0 **	5.9
	16:00-17:00 HOUR	48.3 ^{1/}	45.7 **	44.8 ^{1/}	42.3 **	2.5
	17:00-18:00 HOUR	47.4 ^{1/}	44.1 **	44.7 ^{1/}	42.0 **	2.7
	18:00-19:00 HOUR	53.9 ^{1/}	47.4 **	52.8 ^{1/}	44.6 **	8.2
	19:00-20:00 HOUR	47.9 ^{1/}	43.0 **	46.2 ^{1/}	40.5 **	5.7
	20:00-21:00 HOUR	50.3 ^{1/}	46.5 **	48.0 ^{1/}	44.0 **	4.0
	21:00-22:00 HOUR	45.6 ^{1/}	43.0 **	42.1 ^{1/}	41.6 **	<0.8 ^{3/}
	NIGHT TIME ^{2/}					
	22:00-22:05 HOUR	48.4 ^{2/}	45.9 ***	47.8 ^{2/}	44.2 ***	3.6
	22:05-22:10 HOUR	48.8 ^{2/}	45.9 ***	48.7 ^{2/}	44.2 ***	4.5
	22:10-22:15 HOUR	48.6 ^{2/}	45.9 ***	48.3 ^{2/}	44.2 ***	4.1
	22:15-22:20 HOUR	48.5 ^{2/}	47.7 ***	43.8 ^{2/}	45.7 ***	<0.8 ^{3/}
	22:20-22:25 HOUR	47.9 ^{2/}	47.7 ***	37.4 ^{2/}	45.7 ***	<0.8 ^{3/}
	22:25-22:30 HOUR	48.4 ^{2/}	47.7 ***	43.1 ^{2/}	45.7 ***	<0.8 ^{3/}
	22:30-22:35 HOUR	48.2 ^{2/}	59.3 ***	<0.8 ^{3/}	54.9 ***	<0.8 ^{3/}
	22:35-22:40 HOUR	58.7 ^{2/}	59.3 ***	<0.8 ^{3/}	54.9 ***	<0.8 ^{3/}
	22:40-22:45 HOUR	60.5 ^{2/}	59.3 ***	57.3 ^{2/}	54.9 ***	2.4
	22:45-22:50 HOUR	54.1 ^{2/}	52.5 ***	52.0 ^{2/}	46.4 ***	5.6
	22:50-22:55 HOUR	53.7 ^{2/}	52.5 ***	50.5 ^{2/}	46.4 ***	4.1
	22:55-23:00 HOUR	53.3 ^{2/}	52.5 ***	48.6 ^{2/}	46.4 ***	2.2
	23:00-23:05 HOUR	46.0 ^{2/}	45.4 ***	40.1 ^{2/}	43.7 ***	<0.8 ^{3/}
	23:05-23:10 HOUR	47.2 ^{2/}	45.4 ***	45.5 ^{2/}	43.7 ***	1.8
	23:10-23:15 HOUR	47.0 ^{2/}	45.4 ***	44.9 ^{2/}	43.7 ***	1.2
	23:15-23:20 HOUR	47.3 ^{2/}	46.7 ***	41.4 ^{2/}	45.2 ***	<0.8 ^{3/}

DATE	TIME*	RESULT (dB(A))				
		ริมรั้วด้านเหนือของพื้นที่โครงการ				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 27, 2024 T24AG870-0007	NIGHT TIME ^{2/}					
	23:20-23:25 HOUR	47.7 ^{2/}	46.7 ***	43.8 ^{2/}	45.2 ***	<0.8 ^{3/}
	23:25-23:30 HOUR	47.9 ^{2/}	46.7 ***	44.7 ^{2/}	45.2 ***	<0.8 ^{3/}
	23:30-23:35 HOUR	48.2 ^{2/}	46.0 ***	47.2 ^{2/}	44.0 ***	3.2
	23:35-23:40 HOUR	48.2 ^{2/}	46.0 ***	47.2 ^{2/}	44.0 ***	3.2
	23:40-23:45 HOUR	47.4 ^{2/}	46.0 ***	44.8 ^{2/}	44.0 ***	0.8
	23:45-23:50 HOUR	45.2 ^{2/}	44.8 ***	37.6 ^{2/}	41.3 ***	<0.8 ^{3/}
	23:50-23:55 HOUR	47.9 ^{2/}	44.8 ***	48.0 ^{2/}	41.3 ***	6.7
MARCH 28, 2024 T24AG870-0007	23:55-00:00 HOUR	45.6 ^{2/}	44.8 ***	40.9 ^{2/}	41.3 ***	<0.8 ^{3/}
	NIGHT TIME ^{2/}					
	00:00-00:05 HOUR	45.7 ^{2/}	41.9 ***	46.4 ^{2/}	40.5 ***	5.9
	00:05-00:10 HOUR	43.6 ^{2/}	41.9 ***	41.7 ^{2/}	40.5 ***	1.2
	00:10-00:15 HOUR	41.9 ^{2/}	41.9 ***	<0.8 ^{3/}	40.5 ***	<0.8 ^{3/}
	00:15-00:20 HOUR	42.8 ^{2/}	41.6 ***	39.6 ^{2/}	39.9 ***	<0.8 ^{3/}
	00:20-00:25 HOUR	42.5 ^{2/}	41.6 ***	38.2 ^{2/}	39.9 ***	<0.8 ^{3/}
	00:25-00:30 HOUR	44.8 ^{2/}	41.6 ***	45.0 ^{2/}	39.9 ***	5.1
	00:30-00:35 HOUR	42.5 ^{2/}	42.1 ***	34.9 ^{2/}	40.3 ***	<0.8 ^{3/}
	00:35-00:40 HOUR	44.6 ^{2/}	42.1 ***	44.0 ^{2/}	40.3 ***	3.7
	00:40-00:45 HOUR	42.1 ^{2/}	42.1 ***	<0.8 ^{3/}	40.3 ***	<0.8 ^{3/}
	00:45-00:50 HOUR	43.5 ^{2/}	43.1 ***	35.9 ^{2/}	40.1 ***	<0.8 ^{3/}
	00:50-00:55 HOUR	44.2 ^{2/}	43.1 ***	40.7 ^{2/}	40.1 ***	<0.8 ^{3/}
	00:55-01:00 HOUR	44.5 ^{2/}	43.1 ***	41.9 ^{2/}	40.1 ***	1.8
	01:00-01:05 HOUR	43.5 ^{2/}	41.5 ***	42.2 ^{2/}	40.2 ***	2.0
	01:05-01:10 HOUR	41.4 ^{2/}	41.5 ***	<0.8 ^{3/}	40.2 ***	<0.8 ^{3/}
	01:10-01:15 HOUR	42.0 ^{2/}	41.5 ***	35.4 ^{2/}	40.2 ***	<0.8 ^{3/}
	01:15-01:20 HOUR	41.2 ^{2/}	42.1 ***	<0.8 ^{3/}	39.6 ***	<0.8 ^{3/}
	01:20-01:25 HOUR	42.5 ^{2/}	42.1 ***	34.9 ^{2/}	39.6 ***	<0.8 ^{3/}
	01:25-01:30 HOUR	42.2 ^{2/}	42.1 ***	28.8 ^{2/}	39.6 ***	<0.8 ^{3/}
	01:30-01:35 HOUR	41.0 ^{2/}	39.5 ***	38.7 ^{2/}	38.7 ***	<0.8 ^{3/}
	01:35-01:40 HOUR	40.2 ^{2/}	39.5 ***	34.9 ^{2/}	38.7 ***	<0.8 ^{3/}
	01:40-01:45 HOUR	40.2 ^{2/}	39.5 ***	34.9 ^{2/}	38.7 ***	<0.8 ^{3/}
	01:45-01:50 HOUR	40.6 ^{2/}	39.4 ***	37.4 ^{2/}	38.4 ***	<0.8 ^{3/}
	01:50-01:55 HOUR	40.6 ^{2/}	39.4 ***	37.4 ^{2/}	38.4 ***	<0.8 ^{3/}
	01:55-02:00 HOUR	40.7 ^{2/}	39.4 ***	37.8 ^{2/}	38.4 ***	<0.8 ^{3/}
	02:00-02:05 HOUR	40.2 ^{2/}	39.3 ***	35.9 ^{2/}	38.0 ***	<0.8 ^{3/}
	02:05-02:10 HOUR	39.7 ^{2/}	39.3 ***	32.1 ^{2/}	38.0 ***	<0.8 ^{3/}
	02:10-02:15 HOUR	41.8 ^{2/}	39.3 ***	41.2 ^{2/}	38.0 ***	3.2
	02:15-02:20 HOUR	40.2 ^{2/}	37.8 ***	39.5 ^{2/}	37.1 ***	2.4
	02:20-02:25 HOUR	40.8 ^{2/}	37.8 ***	40.8 ^{2/}	37.1 ***	3.7
	02:25-02:30 HOUR	39.4 ^{2/}	37.8 ***	37.3 ^{2/}	37.1 ***	<0.8 ^{3/}
	02:30-02:35 HOUR	40.3 ^{2/}	38.3 ***	39.0 ^{2/}	37.5 ***	1.5
	02:35-02:40 HOUR	39.7 ^{2/}	38.3 ***	37.1 ^{2/}	37.5 ***	<0.8 ^{3/}
	02:40-02:45 HOUR	39.1 ^{2/}	38.3 ***	34.4 ^{2/}	37.5 ***	<0.8 ^{3/}
	02:45-02:50 HOUR	39.6 ^{2/}	39.0 ***	33.7 ^{2/}	38.2 ***	<0.8 ^{3/}
	02:50-02:55 HOUR	39.5 ^{2/}	39.0 ***	32.9 ^{2/}	38.2 ***	<0.8 ^{3/}


DATE	TIME*	RESULT (dB(A))				
		ริมรั้วด้านเหนือของพื้นที่โครงการ				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 28, 2024 T24AG870-0007	NIGHT TIME ^{2/}					
	02:55-03:00 HOUR	39.4 ^{2/}	39.0 ***	31.8 ^{2/}	38.2 ***	<0.8 ^{3/}
	03:00-03:05 HOUR	39.4 ^{2/}	42.9 ***	<0.8 ^{3/}	37.2 ***	<0.8 ^{3/}
	03:05-03:10 HOUR	41.7 ^{2/}	42.9 ***	<0.8 ^{3/}	37.2 ***	<0.8 ^{3/}
	03:10-03:15 HOUR	42.5 ^{2/}	42.9 ***	<0.8 ^{3/}	37.2 ***	<0.8 ^{3/}
	03:15-03:20 HOUR	39.5 ^{2/}	60.7 ***	<0.8 ^{3/}	54.5 ***	<0.8 ^{3/}
	03:20-03:25 HOUR	52.2 ^{2/}	60.7 ***	<0.8 ^{3/}	54.5 ***	<0.8 ^{3/}
	03:25-03:30 HOUR	62.8 ^{2/}	60.7 ***	61.6 ^{2/}	54.5 ***	7.1
	03:30-03:35 HOUR	54.8 ^{2/}	53.7 ***	51.3 ^{2/}	48.5 ***	2.8
	03:35-03:40 HOUR	54.3 ^{2/}	53.7 ***	48.4 ^{2/}	48.5 ***	<0.8 ^{3/}
	03:40-03:45 HOUR	54.6 ^{2/}	53.7 ***	50.3 ^{2/}	48.5 ***	1.8
	03:45-03:50 HOUR	46.9 ^{2/}	45.2 ***	45.0 ^{2/}	37.9 ***	7.1
	03:50-03:55 HOUR	45.5 ^{2/}	45.2 ***	36.7 ^{2/}	37.9 ***	<0.8 ^{3/}
	03:55-04:00 HOUR	39.3 ^{2/}	45.2 ***	<0.8 ^{3/}	37.9 ***	<0.8 ^{3/}
	04:00-04:05 HOUR	39.3 ^{2/}	41.2 ***	<0.8 ^{3/}	37.5 ***	<0.8 ^{3/}
	04:05-04:10 HOUR	44.4 ^{2/}	41.2 ***	44.6 ^{2/}	37.5 ***	7.1
	04:10-04:15 HOUR	42.0 ^{2/}	41.2 ***	37.3 ^{2/}	37.5 ***	<0.8 ^{3/}
	04:15-04:20 HOUR	39.1 ^{2/}	38.3 ***	34.4 ^{2/}	37.1 ***	<0.8 ^{3/}
	04:20-04:25 HOUR	41.0 ^{2/}	38.3 ***	40.7 ^{2/}	37.1 ***	3.6
	04:25-04:30 HOUR	38.9 ^{2/}	38.3 ***	33.0 ^{2/}	37.1 ***	<0.8 ^{3/}
	04:30-04:35 HOUR	39.5 ^{2/}	39.8 ***	<0.8 ^{3/}	37.8 ***	<0.8 ^{3/}
	04:35-04:40 HOUR	40.2 ^{2/}	39.8 ***	32.6 ^{2/}	37.8 ***	<0.8 ^{3/}
	04:40-04:45 HOUR	42.1 ^{2/}	39.8 ***	41.2 ^{2/}	37.8 ***	3.4
	04:45-04:50 HOUR	39.6 ^{2/}	43.4 ***	<0.8 ^{3/}	38.0 ***	<0.8 ^{3/}
	04:50-04:55 HOUR	39.7 ^{2/}	43.4 ***	<0.8 ^{3/}	38.0 ***	<0.8 ^{3/}
	04:55-05:00 HOUR	40.0 ^{2/}	43.4 ***	<0.8 ^{3/}	38.0 ***	<0.8 ^{3/}
	05:00-05:05 HOUR	40.4 ^{2/}	45.1 ***	<0.8 ^{3/}	39.6 ***	<0.8 ^{3/}
	05:05-05:10 HOUR	46.2 ^{2/}	45.1 ***	42.7 ^{2/}	39.6 ***	3.1
	05:10-05:15 HOUR	41.1 ^{2/}	45.1 ***	<0.8 ^{3/}	39.6 ***	<0.8 ^{3/}
	05:15-05:20 HOUR	41.0 ^{2/}	40.0 ***	37.1 ^{2/}	39.0 ***	<0.8 ^{3/}
	05:20-05:25 HOUR	41.0 ^{2/}	40.0 ***	37.1 ^{2/}	39.0 ***	<0.8 ^{3/}
	05:25-05:30 HOUR	41.3 ^{2/}	40.0 ***	38.4 ^{2/}	39.0 ***	<0.8 ^{3/}
	05:30-05:35 HOUR	41.0 ^{2/}	39.1 ***	39.5 ^{2/}	38.1 ***	1.4
	05:35-05:40 HOUR	41.3 ^{2/}	39.1 ***	40.3 ^{2/}	38.1 ***	2.2
	05:40-05:45 HOUR	41.2 ^{2/}	39.1 ***	40.0 ^{2/}	38.1 ***	1.9
	05:45-05:50 HOUR	41.2 ^{2/}	40.3 ***	36.9 ^{2/}	38.9 ***	<0.8 ^{3/}
	05:50-05:55 HOUR	41.9 ^{2/}	40.3 ***	39.8 ^{2/}	38.9 ***	0.9
	05:55-06:00 HOUR	41.4 ^{2/}	40.3 ***	37.9 ^{2/}	38.9 ***	<0.8 ^{3/}
	DAY TIME ^{1/}					
	06:00-07:00 HOUR	47.0 ^{1/}	41.8 **	45.4 ^{1/}	40.3 **	5.1
MARCH 28, 2024 T24AG870-0008	DAY TIME ^{1/}					
	07:00-08:00 HOUR	56.7 ^{1/}	54.4 **	52.8 ^{1/}	45.7 **	7.1
	08:00-09:00 HOUR	53.4 ^{1/}	50.1 **	50.7 ^{1/}	44.3 **	6.4
	09:00-10:00 HOUR	54.2 ^{1/}	50.9 **	51.5 ^{1/}	45.2 **	6.3
	10:00-11:00 HOUR	50.9 ^{1/}	48.9 **	46.6 ^{1/}	43.3 **	3.3
	11:00-12:00 HOUR	51.2 ^{1/}	49.4 **	46.5 ^{1/}	43.1 **	3.4

DATE	TIME*	RESULT (dB(A))				
		ริมรั้วด้านเหนือของพื้นที่โครงการ				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 28, 2024	DAY TIME ^{1/}					
T24AG870-0008	12:00-13:00 HOUR	52.0 ^{1/}	47.3 **	50.2 ^{1/}	43.9 **	6.3
	13:00-14:00 HOUR	50.6 ^{1/}	49.0 **	45.5 ^{1/}	43.6 **	1.9
	14:00-15:00 HOUR	50.0 ^{1/}	47.6 **	46.3 ^{1/}	44.0 **	2.3
	15:00-16:00 HOUR	53.3 ^{1/}	48.5 **	51.6 ^{1/}	44.5 **	7.1
	16:00-17:00 HOUR	53.1 ^{1/}	51.5 **	48.0 ^{1/}	43.8 **	4.2
	17:00-18:00 HOUR	55.4 ^{1/}	52.7 **	52.1 ^{1/}	45.5 **	6.6
	18:00-19:00 HOUR	52.7 ^{1/}	51.3 **	47.1 ^{1/}	44.4 **	2.7
	19:00-20:00 HOUR	53.8 ^{1/}	50.5 **	51.1 ^{1/}	44.0 **	7.1
	20:00-21:00 HOUR	48.9 ^{1/}	46.3 **	45.4 ^{1/}	43.2 **	2.2
	21:00-22:00 HOUR	48.6 ^{1/}	47.6 **	41.7 ^{1/}	42.4 **	<0.8 ^{3/}
	NIGHT TIME ^{2/}					
	22:00-22:05 HOUR	45.8 ^{2/}	44.9 ***	41.5 ^{2/}	42.5 ***	<0.8 ^{3/}
	22:05-22:10 HOUR	47.8 ^{2/}	44.9 ***	47.7 ^{2/}	42.5 ***	5.2
	22:10-22:15 HOUR	46.3 ^{2/}	44.9 ***	43.7 ^{2/}	42.5 ***	1.2
	22:15-22:20 HOUR	44.9 ^{2/}	44.7 ***	34.4 ^{2/}	42.6 ***	<0.8 ^{3/}
	22:20-22:25 HOUR	49.3 ^{2/}	44.7 ***	50.5 ^{2/}	42.6 ***	7.9
	22:25-22:30 HOUR	48.9 ^{2/}	44.7 ***	49.8 ^{2/}	42.6 ***	7.2
	22:30-22:35 HOUR	45.1 ^{2/}	43.9 ***	41.9 ^{2/}	42.6 ***	<0.8 ^{3/}
	22:35-22:40 HOUR	44.3 ^{2/}	43.9 ***	36.7 ^{2/}	42.6 ***	<0.8 ^{3/}
	22:40-22:45 HOUR	46.5 ^{2/}	43.9 ***	46.0 ^{2/}	42.6 ***	3.4
	22:45-22:50 HOUR	48.6 ^{2/}	44.8 ***	49.3 ^{2/}	42.7 ***	6.6
	22:50-22:55 HOUR	45.3 ^{2/}	44.8 ***	38.7 ^{2/}	42.7 ***	<0.8 ^{3/}
	22:55-23:00 HOUR	44.8 ^{2/}	44.8 ***	<0.8 ^{3/}	42.7 ***	<0.8 ^{3/}
	23:00-23:05 HOUR	46.4 ^{2/}	44.1 ***	45.5 ^{2/}	42.1 ***	3.4
	23:05-23:10 HOUR	47.8 ^{2/}	44.1 ***	48.4 ^{2/}	42.1 ***	6.3
	23:10-23:15 HOUR	45.8 ^{2/}	44.1 ***	43.9 ^{2/}	42.1 ***	1.8
	23:15-23:20 HOUR	44.7 ^{2/}	44.6 ***	31.3 ^{2/}	41.8 ***	<0.8 ^{3/}
	23:20-23:25 HOUR	47.2 ^{2/}	44.6 ***	46.7 ^{2/}	41.8 ***	4.9
	23:25-23:30 HOUR	46.9 ^{2/}	44.6 ***	46.0 ^{2/}	41.8 ***	4.2
	23:30-23:35 HOUR	46.6 ^{2/}	45.8 ***	41.9 ^{2/}	42.6 ***	<0.8 ^{3/}
	23:35-23:40 HOUR	46.8 ^{2/}	45.8 ***	42.9 ^{2/}	42.6 ***	<0.8 ^{3/}
	23:40-23:45 HOUR	44.4 ^{2/}	45.8 ***	<0.8 ^{3/}	42.6 ***	<0.8 ^{3/}
	23:45-23:50 HOUR	50.3 ^{2/}	49.8 ***	43.7 ^{2/}	43.6 ***	<0.8 ^{3/}
	23:50-23:55 HOUR	49.7 ^{2/}	49.8 ***	<0.8 ^{3/}	43.6 ***	<0.8 ^{3/}
	23:55-00:00 HOUR	44.7 ^{2/}	49.8 ***	<0.8 ^{3/}	43.6 ***	<0.8 ^{3/}
MARCH 29, 2024	NIGHT TIME ^{2/}					
T24AG870-0008	00:00-00:05 HOUR	45.9 ^{2/}	44.2 ***	44.0 ^{2/}	42.3 ***	1.7
	00:05-00:10 HOUR	45.3 ^{2/}	44.2 ***	41.8 ^{2/}	42.3 ***	<0.8 ^{3/}
	00:10-00:15 HOUR	46.9 ^{2/}	44.2 ***	46.6 ^{2/}	42.3 ***	4.3
	00:15-00:20 HOUR	45.8 ^{2/}	46.1 ***	<0.8 ^{3/}	43.8 ***	<0.8 ^{3/}
	00:20-00:25 HOUR	46.5 ^{2/}	46.1 ***	38.9 ^{2/}	43.8 ***	<0.8 ^{3/}
	00:25-00:30 HOUR	48.8 ^{2/}	46.1 ***	48.5 ^{2/}	43.8 ***	4.7
	00:30-00:35 HOUR	47.8 ^{2/}	46.5 ***	44.9 ^{2/}	43.9 ***	1.0
	00:35-00:40 HOUR	47.2 ^{2/}	46.5 ***	41.9 ^{2/}	43.9 ***	<0.8 ^{3/}
	00:40-00:45 HOUR	46.3 ^{2/}	46.5 ***	<0.8 ^{3/}	43.9 ***	<0.8 ^{3/}

DATE	TIME*	RESULT (dB(A))				
		วิธีวัดด้านเหนือของพื้นที่โครงการ				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 29, 2024 T24AG870-0008	NIGHT TIME ^{2/}					
	00:45-00:50 HOUR	45.8 ^{2/}	46.9 ***	<0.8 ^{3/}	43.0 ***	<0.8 ^{3/}
	00:50-00:55 HOUR	48.9 ^{2/}	46.9 ***	47.6 ^{2/}	43.0 ***	4.6
	00:55-01:00 HOUR	50.2 ^{2/}	46.9 ***	50.5 ^{2/}	43.0 ***	7.5
	01:00-01:05 HOUR	45.0 ^{2/}	45.2 ***	<0.8 ^{3/}	43.9 ***	<0.8 ^{3/}
	01:05-01:10 HOUR	49.2 ^{2/}	45.2 ***	50.0 ^{2/}	43.9 ***	6.1
	01:10-01:15 HOUR	45.0 ^{2/}	45.2 ***	<0.8 ^{3/}	43.9 ***	<0.8 ^{3/}
	01:15-01:20 HOUR	47.4 ^{2/}	43.6 ***	48.1 ^{2/}	42.9 ***	5.2
	01:20-01:25 HOUR	44.7 ^{2/}	43.6 ***	41.2 ^{2/}	42.9 ***	<0.8 ^{3/}
	01:25-01:30 HOUR	44.9 ^{2/}	43.6 ***	42.0 ^{2/}	42.9 ***	<0.8 ^{3/}
	01:30-01:35 HOUR	44.8 ^{2/}	43.8 ***	40.9 ^{2/}	43.2 ***	<0.8 ^{3/}
	01:35-01:40 HOUR	45.1 ^{2/}	43.8 ***	42.2 ^{2/}	43.2 ***	<0.8 ^{3/}
	01:40-01:45 HOUR	45.1 ^{2/}	43.8 ***	42.2 ^{2/}	43.2 ***	<0.8 ^{3/}
	01:45-01:50 HOUR	45.4 ^{2/}	46.1 ***	<0.8 ^{3/}	44.2 ***	<0.8 ^{3/}
	01:50-01:55 HOUR	46.8 ^{2/}	46.1 ***	41.5 ^{2/}	44.2 ***	<0.8 ^{3/}
	01:55-02:00 HOUR	47.3 ^{2/}	46.1 ***	44.1 ^{2/}	44.2 ***	<0.8 ^{3/}
	02:00-02:05 HOUR	46.6 ^{2/}	46.1 ***	40.0 ^{2/}	43.4 ***	<0.8 ^{3/}
	02:05-02:10 HOUR	47.0 ^{2/}	46.1 ***	42.7 ^{2/}	43.4 ***	<0.8 ^{3/}
	02:10-02:15 HOUR	46.5 ^{2/}	46.1 ***	38.9 ^{2/}	43.4 ***	<0.8 ^{3/}
	02:15-02:20 HOUR	50.1 ^{2/}	49.7 ***	42.5 ^{2/}	43.3 ***	<0.8 ^{3/}
	02:20-02:25 HOUR	49.9 ^{2/}	49.7 ***	39.4 ^{2/}	43.3 ***	<0.8 ^{3/}
	02:25-02:30 HOUR	50.0 ^{2/}	49.7 ***	41.2 ^{2/}	43.3 ***	<0.8 ^{3/}
	02:30-02:35 HOUR	47.9 ^{2/}	46.3 ***	45.8 ^{2/}	43.8 ***	2.0
	02:35-02:40 HOUR	46.9 ^{2/}	46.3 ***	41.0 ^{2/}	43.8 ***	<0.8 ^{3/}
	02:40-02:45 HOUR	47.9 ^{2/}	46.3 ***	45.8 ^{2/}	43.8 ***	2.0
	02:45-02:50 HOUR	48.0 ^{2/}	44.0 ***	48.8 ^{2/}	43.4 ***	5.4
	02:50-02:55 HOUR	45.8 ^{2/}	44.0 ***	44.1 ^{2/}	43.4 ***	<0.8 ^{3/}
	02:55-03:00 HOUR	45.5 ^{2/}	44.0 ***	43.2 ^{2/}	43.4 ***	<0.8 ^{3/}
	03:00-03:05 HOUR	45.6 ^{2/}	44.3 ***	42.7 ^{2/}	43.7 ***	<0.8 ^{3/}
	03:05-03:10 HOUR	45.0 ^{2/}	44.3 ***	39.7 ^{2/}	43.7 ***	<0.8 ^{3/}
	03:10-03:15 HOUR	45.0 ^{2/}	44.3 ***	39.7 ^{2/}	43.7 ***	<0.8 ^{3/}
	03:15-03:20 HOUR	49.5 ^{2/}	49.3 ***	39.0 ^{2/}	43.3 ***	<0.8 ^{3/}
	03:20-03:25 HOUR	49.8 ^{2/}	49.3 ***	43.2 ^{2/}	43.3 ***	<0.8 ^{3/}
	03:25-03:30 HOUR	50.0 ^{2/}	49.3 ***	44.7 ^{2/}	43.3 ***	1.4
	03:30-03:35 HOUR	52.9 ^{2/}	52.4 ***	46.3 ^{2/}	44.2 ***	2.1
	03:35-03:40 HOUR	53.0 ^{2/}	52.4 ***	47.1 ^{2/}	44.2 ***	2.9
	03:40-03:45 HOUR	49.3 ^{2/}	52.4 ***	<0.8 ^{3/}	44.2 ***	<0.8 ^{3/}
	03:45-03:50 HOUR	50.6 ^{2/}	46.1 ***	51.7 ^{2/}	44.1 ***	7.6
	03:50-03:55 HOUR	46.3 ^{2/}	46.1 ***	35.8 ^{2/}	44.1 ***	<0.8 ^{3/}
	03:55-04:00 HOUR	46.1 ^{2/}	46.1 ***	<0.8 ^{3/}	44.1 ***	<0.8 ^{3/}
	04:00-04:05 HOUR	47.3 ^{2/}	54.2 ***	<0.8 ^{3/}	46.0 ***	<0.8 ^{3/}
	04:05-04:10 HOUR	52.7 ^{2/}	54.2 ***	<0.8 ^{3/}	46.0 ***	<0.8 ^{3/}
	04:10-04:15 HOUR	55.1 ^{2/}	54.2 ***	50.8 ^{2/}	46.0 ***	4.8
	04:15-04:20 HOUR	60.0 ^{2/}	59.5 ***	53.4 ^{2/}	47.0 ***	6.4
	04:20-04:25 HOUR	59.8 ^{2/}	59.5 ***	51.0 ^{2/}	47.0 ***	4.0

DATE	TIME*	RESULT (dB(A))				
		ริมรั้วด้านเหนือของพื้นที่โครงการ				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 29, 2024 T24AG870-0008	NIGHT TIME ^{2/}					
	04:25-04:30 HOUR	59.6 ^{2/}	59.5 ***	46.2 ^{2/}	47.0 ***	<0.8 ^{3/}
	04:30-04:35 HOUR	52.3 ^{2/}	51.5 ***	47.6 ^{2/}	43.8 ***	3.8
	04:35-04:40 HOUR	52.4 ^{2/}	51.5 ***	48.1 ^{2/}	43.8 ***	4.3
	04:40-04:45 HOUR	51.8 ^{2/}	51.5 ***	43.0 ^{2/}	43.8 ***	<0.8 ^{3/}
	04:45-04:50 HOUR	50.0 ^{2/}	49.5 ***	43.4 ^{2/}	44.0 ***	<0.8 ^{3/}
	04:50-04:55 HOUR	49.8 ^{2/}	49.5 ***	41.0 ^{2/}	44.0 ***	<0.8 ^{3/}
	04:55-05:00 HOUR	50.1 ^{2/}	49.5 ***	44.2 ^{2/}	44.0 ***	<0.8 ^{3/}
	05:00-05:05 HOUR	52.4 ^{2/}	52.1 ***	43.6 ^{2/}	44.4 ***	<0.8 ^{3/}
	05:05-05:10 HOUR	52.7 ^{2/}	52.1 ***	46.8 ^{2/}	44.4 ***	2.4
	05:10-05:15 HOUR	53.0 ^{2/}	52.1 ***	48.7 ^{2/}	44.4 ***	4.3
	05:15-05:20 HOUR	50.9 ^{2/}	50.1 ***	46.2 ^{2/}	45.3 ***	0.9
	05:20-05:25 HOUR	51.0 ^{2/}	50.1 ***	46.7 ^{2/}	45.3 ***	1.4
	05:25-05:30 HOUR	48.0 ^{2/}	50.1 ***	<0.8 ^{3/}	45.3 ***	<0.8 ^{3/}
	05:30-05:35 HOUR	51.3 ^{2/}	49.4 ***	49.8 ^{2/}	45.5 ***	4.3
	05:35-05:40 HOUR	50.6 ^{2/}	49.4 ***	47.4 ^{2/}	45.5 ***	1.9
	05:40-05:45 HOUR	50.8 ^{2/}	49.4 ***	48.2 ^{2/}	45.5 ***	2.7
	05:45-05:50 HOUR	52.9 ^{2/}	51.6 ***	50.0 ^{2/}	46.2 ***	3.8
	05:50-05:55 HOUR	52.8 ^{2/}	51.6 ***	49.6 ^{2/}	46.2 ***	3.4
	05:55-06:00 HOUR	54.0 ^{2/}	51.6 ***	53.3 ^{2/}	46.2 ***	7.1
	DAY TIME ^{1/}					
	06:00-07:00 HOUR	56.4 ^{1/}	54.6 **	51.7 ^{1/}	46.7 **	5.0

- REMARK :**
- 1/ CASE 1 CALCULATION (DURING 06:00 TO 22:00 HOUR) : SPECIFIC SOUND LEVEL CONTINUOUSLY OCCUR AT LEAST 1 HOUR, MEASURING AS L_{Aeq} 1 hour.
 - 2/ CASE 4 CALCULATION (DURING 22:00 TO 06:00 HOUR) : SPECIFIC SOUND LEVEL OCCUR IN RESTFUL AREA OR NIGHT TIME, MEASURING AS L_{Aeq} 5 minutes.
 - 3/ THERE IS NO IMPACT CAUSE ANNOYANCE SOUND LEVEL
- ** PERCENTILE LEVEL 90 (L_{A90}) IS THE MIDDLE VALUE OF 11 TIMES MEASURING.
(55 MINUTES MEASURING DURING 06:00 TO 22:00 HOUR)
AND RESIDUAL SOUND LEVEL (L_{Aeq} 5 minutes) IS CHOSEN AT THE SAME TIME AS PERCENTILE LEVEL 90 ABOVE.
- *** PERCENTILE LEVEL 90 (L_{A90}) IS THE MIDDLE VALUE OF 3 TIMES MEASURING.
(15 MINUTES MEASURING DURING 22:00 TO 06:00 HOUR)
AND RESIDUAL SOUND LEVEL (L_{Aeq} 5 minutes) IS CHOSEN AT THE SAME TIME AS PERCENTILE LEVEL 90 ABOVE.



APRIL 8, 2024

ANALYSIS REPORT

PROJECT NAME	: IN-PLANT GENERATOR PROJECT IN OPERATION PHASE	RECEIVED DATE	: MARCH 22-29, 2024
CUSTOMER NAME	: PTT LNG COMPANY LIMITED	ANALYTICAL DATE	: MARCH 22-29, 2024
ADDRESS	: 8/1, I-8 ROAD, MAP TA PHUT INDUSTRIAL ESTATE, MAP TA PHUT MUEANG RAYONG RAYONG 21150	ISSUE DATE	: APRIL 8, 2024
CONTACT INFORMATION	: TEL : 0 3897 8200 e-mail : dan.s@pttlng.com	REPORT NO.	: 2024-U029532
MEASURING PLACE	: วัดตากวนคงคาราม	WORK NO.	: 2023-009993
MEASURING TYPE	: AMBIENT (ANNOYANCE SOUND LEVEL)	ANALYSIS NO.	: T24AG870-0009 - T24AG870-0015
MEASURING DATE	: MARCH 22-29, 2024		
MEASURING TIME	: *		
MEASURING EQUIPMENT	: INTEGRATED SOUND LEVEL METER AND CALCULATION		
MEASURED BY	: MR THANAT LERTPRASERT		

DATE	TIME*	RESULT (dB(A))				
		วัดตากวนคงคาราม				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 22, 2024	DAY TIME ^{1/}					
T24AG870-0009	07:00-08:00 HOUR	54.2 ^{1/}	51.5 **	50.9 ^{1/}	47.2 **	3.7
	08:00-09:00 HOUR	53.6 ^{1/}	50.9 **	50.3 ^{1/}	45.7 **	4.6
	09:00-10:00 HOUR	54.5 ^{1/}	52.1 **	50.8 ^{1/}	46.9 **	3.9
	10:00-11:00 HOUR	53.9 ^{1/}	51.5 **	50.2 ^{1/}	46.9 **	3.3
	11:00-12:00 HOUR	53.1 ^{1/}	52.1 **	46.2 ^{1/}	45.9 **	<0.8 ^{3/}
	12:00-13:00 HOUR	54.1 ^{1/}	51.5 **	50.6 ^{1/}	47.6 **	3.0
	13:00-14:00 HOUR	52.2 ^{1/}	49.7 **	48.6 ^{1/}	45.8 **	2.8
	14:00-15:00 HOUR	52.4 ^{1/}	49.0 **	49.7 ^{1/}	45.7 **	4.0
	15:00-16:00 HOUR	52.1 ^{1/}	50.0 **	47.9 ^{1/}	44.9 **	3.0
	16:00-17:00 HOUR	53.0 ^{1/}	50.6 **	49.3 ^{1/}	44.8 **	4.5
	17:00-18:00 HOUR	51.9 ^{1/}	50.0 **	47.4 ^{1/}	44.2 **	3.2
	18:00-19:00 HOUR	50.7 ^{1/}	49.3 **	45.1 ^{1/}	44.6 **	<0.8 ^{3/}
	19:00-20:00 HOUR	48.2 ^{1/}	46.3 **	43.7 ^{1/}	44.7 **	<0.8 ^{3/}
	20:00-21:00 HOUR	49.0 ^{1/}	48.9 **	32.6 ^{1/}	45.7 **	<0.8 ^{3/}
	21:00-22:00 HOUR	48.5 ^{1/}	46.6 **	44.0 ^{1/}	45.4 **	<0.8 ^{3/}
	NIGHT TIME ^{2/}					
	22:00-22:05 HOUR	49.0 ^{2/}	47.4 ***	46.9 ^{2/}	45.8 ***	1.1
	22:05-22:10 HOUR	48.3 ^{2/}	47.4 ***	44.0 ^{2/}	45.8 ***	<0.8 ^{3/}
	22:10-22:15 HOUR	49.1 ^{2/}	47.4 ***	47.2 ^{2/}	45.8 ***	1.4
	22:15-22:20 HOUR	48.0 ^{2/}	46.9 ***	44.5 ^{2/}	45.7 ***	<0.8 ^{3/}
	22:20-22:25 HOUR	47.9 ^{2/}	46.9 ***	44.0 ^{2/}	45.7 ***	<0.8 ^{3/}
	22:25-22:30 HOUR	48.0 ^{2/}	46.9 ***	44.5 ^{2/}	45.7 ***	<0.8 ^{3/}
	22:30-22:35 HOUR	47.7 ^{2/}	47.7 ***	<0.8 ^{3/}	45.7 ***	<0.8 ^{3/}
	22:35-22:40 HOUR	47.5 ^{2/}	47.7 ***	<0.8 ^{3/}	45.7 ***	<0.8 ^{3/}
	22:40-22:45 HOUR	50.7 ^{2/}	47.7 ***	50.7 ^{2/}	45.7 ***	5.0
	22:45-22:50 HOUR	47.7 ^{2/}	45.8 ***	46.2 ^{2/}	44.3 ***	1.9
	22:50-22:55 HOUR	48.2 ^{2/}	45.8 ***	47.5 ^{2/}	44.3 ***	3.2
	22:55-23:00 HOUR	48.3 ^{2/}	45.8 ***	47.7 ^{2/}	44.3 ***	3.4
	23:00-23:05 HOUR	47.4 ^{2/}	46.0 ***	44.8 ^{2/}	44.4 ***	<0.8 ^{3/}
	23:05-23:10 HOUR	47.4 ^{2/}	46.0 ***	44.8 ^{2/}	44.4 ***	<0.8 ^{3/}
	23:10-23:15 HOUR	47.4 ^{2/}	46.0 ***	44.8 ^{2/}	44.4 ***	<0.8 ^{3/}
	23:15-23:20 HOUR	46.1 ^{2/}	45.4 ***	40.8 ^{2/}	43.8 ***	<0.8 ^{3/}



DATE	TIME*	RESULT (dB(A))				
		วัดตามวงคาราม				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 22, 2024 T24AG870-0009	NIGHT TIME ^{2/}					
	23:20-23:25 HOUR	47.0 ^{2/}	45.4 ***	44.9 ^{2/}	43.8 ***	1.1
	23:25-23:30 HOUR	47.2 ^{2/}	45.4 ***	45.5 ^{2/}	43.8 ***	1.7
	23:30-23:35 HOUR	47.2 ^{2/}	45.1 ***	46.0 ^{2/}	44.0 ***	2.0
	23:35-23:40 HOUR	46.3 ^{2/}	45.1 ***	43.1 ^{2/}	44.0 ***	<0.8 ^{3/}
	23:40-23:45 HOUR	45.9 ^{2/}	45.1 ***	41.2 ^{2/}	44.0 ***	<0.8 ^{3/}
	23:45-23:50 HOUR	45.9 ^{2/}	45.5 ***	38.3 ^{2/}	44.5 ***	<0.8 ^{3/}
	23:50-23:55 HOUR	45.9 ^{2/}	45.5 ***	38.3 ^{2/}	44.5 ***	<0.8 ^{3/}
MARCH 23, 2024 T24AG870-0009	23:55-00:00 HOUR	45.9 ^{2/}	45.5 ***	38.3 ^{2/}	44.5 ***	<0.8 ^{3/}
	NIGHT TIME ^{2/}					
	00:00-00:05 HOUR	46.0 ^{2/}	44.3 ***	44.1 ^{2/}	43.4 ***	<0.8 ^{3/}
	00:05-00:10 HOUR	45.2 ^{2/}	44.3 ***	40.9 ^{2/}	43.4 ***	<0.8 ^{3/}
	00:10-00:15 HOUR	45.8 ^{2/}	44.3 ***	43.5 ^{2/}	43.4 ***	<0.8 ^{3/}
	00:15-00:20 HOUR	46.1 ^{2/}	44.4 ***	44.2 ^{2/}	43.6 ***	<0.8 ^{3/}
	00:20-00:25 HOUR	46.4 ^{2/}	44.4 ***	45.1 ^{2/}	43.6 ***	1.5
	00:25-00:30 HOUR	47.2 ^{2/}	44.4 ***	47.0 ^{2/}	43.6 ***	3.4
	00:30-00:35 HOUR	46.7 ^{2/}	45.0 ***	44.8 ^{2/}	43.8 ***	1.0
	00:35-00:40 HOUR	46.4 ^{2/}	45.0 ***	43.8 ^{2/}	43.8 ***	<0.8 ^{3/}
	00:40-00:45 HOUR	47.4 ^{2/}	45.0 ***	46.7 ^{2/}	43.8 ***	2.9
	00:45-00:50 HOUR	46.6 ^{2/}	44.7 ***	45.1 ^{2/}	43.6 ***	1.5
	00:50-00:55 HOUR	46.6 ^{2/}	44.7 ***	45.1 ^{2/}	43.6 ***	1.5
	00:55-01:00 HOUR	46.6 ^{2/}	44.7 ***	45.1 ^{2/}	43.6 ***	1.5
	01:00-01:05 HOUR	45.9 ^{2/}	44.2 ***	44.0 ^{2/}	43.3 ***	<0.8 ^{3/}
	01:05-01:10 HOUR	45.7 ^{2/}	44.2 ***	43.4 ^{2/}	43.3 ***	<0.8 ^{3/}
	01:10-01:15 HOUR	46.4 ^{2/}	44.2 ***	45.4 ^{2/}	43.3 ***	2.1
	01:15-01:20 HOUR	46.5 ^{2/}	44.1 ***	45.8 ^{2/}	43.4 ***	2.4
	01:20-01:25 HOUR	45.4 ^{2/}	44.1 ***	42.5 ^{2/}	43.4 ***	<0.8 ^{3/}
	01:25-01:30 HOUR	45.2 ^{2/}	44.1 ***	41.7 ^{2/}	43.4 ***	<0.8 ^{3/}
	01:30-01:35 HOUR	45.5 ^{2/}	44.1 ***	42.9 ^{2/}	43.4 ***	<0.8 ^{3/}
	01:35-01:40 HOUR	45.6 ^{2/}	44.1 ***	43.3 ^{2/}	43.4 ***	<0.8 ^{3/}
	01:40-01:45 HOUR	46.0 ^{2/}	44.1 ***	44.5 ^{2/}	43.4 ***	1.1
	01:45-01:50 HOUR	45.8 ^{2/}	44.4 ***	43.2 ^{2/}	43.3 ***	<0.8 ^{3/}
	01:50-01:55 HOUR	46.0 ^{2/}	44.4 ***	43.9 ^{2/}	43.3 ***	<0.8 ^{3/}
	01:55-02:00 HOUR	46.8 ^{2/}	44.4 ***	46.1 ^{2/}	43.3 ***	2.8
	02:00-02:05 HOUR	48.7 ^{2/}	44.5 ***	49.6 ^{2/}	42.8 ***	6.8
	02:05-02:10 HOUR	48.4 ^{2/}	44.5 ***	49.1 ^{2/}	42.8 ***	6.3
	02:10-02:15 HOUR	45.6 ^{2/}	44.5 ***	42.1 ^{2/}	42.8 ***	<0.8 ^{3/}
	02:15-02:20 HOUR	45.0 ^{2/}	43.9 ***	41.5 ^{2/}	43.1 ***	<0.8 ^{3/}
	02:20-02:25 HOUR	45.9 ^{2/}	43.9 ***	44.6 ^{2/}	43.1 ***	1.5
	02:25-02:30 HOUR	46.4 ^{2/}	43.9 ***	45.8 ^{2/}	43.1 ***	2.7
	02:30-02:35 HOUR	46.9 ^{2/}	45.6 ***	44.0 ^{2/}	44.7 ***	<0.8 ^{3/}
	02:35-02:40 HOUR	46.5 ^{2/}	45.6 ***	42.2 ^{2/}	44.7 ***	<0.8 ^{3/}
	02:40-02:45 HOUR	46.7 ^{2/}	45.6 ***	43.2 ^{2/}	44.7 ***	<0.8 ^{3/}
	02:45-02:50 HOUR	46.3 ^{2/}	46.1 ***	35.8 ^{2/}	44.4 ***	<0.8 ^{3/}
	02:50-02:55 HOUR	46.7 ^{2/}	46.1 ***	40.8 ^{2/}	44.4 ***	<0.8 ^{3/}

DATE	TIME*	RESULT (dB(A))				
		วัดตามวงคาราม				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 23, 2024 T24AG870-0009	NIGHT TIME ^{2/}					
	02:55-03:00 HOUR	47.7 ^{2/}	46.1 ***	45.6 ^{2/}	44.4 ***	1.2
	03:00-03:05 HOUR	47.6 ^{2/}	44.9 ***	47.3 ^{2/}	44.2 ***	3.1
	03:05-03:10 HOUR	47.4 ^{2/}	44.9 ***	46.8 ^{2/}	44.2 ***	2.6
	03:10-03:15 HOUR	46.4 ^{2/}	44.9 ***	44.1 ^{2/}	44.2 ***	<0.8 ^{3/}
	03:15-03:20 HOUR	46.2 ^{2/}	45.7 ***	39.6 ^{2/}	44.3 ***	<0.8 ^{3/}
	03:20-03:25 HOUR	46.2 ^{2/}	45.7 ***	39.6 ^{2/}	44.3 ***	<0.8 ^{3/}
	03:25-03:30 HOUR	46.3 ^{2/}	45.7 ***	40.4 ^{2/}	44.3 ***	<0.8 ^{3/}
	03:30-03:35 HOUR	46.6 ^{2/}	45.2 ***	44.0 ^{2/}	43.5 ***	<0.8 ^{3/}
	03:35-03:40 HOUR	48.5 ^{2/}	45.2 ***	48.8 ^{2/}	43.5 ***	5.3
	03:40-03:45 HOUR	47.6 ^{2/}	45.2 ***	46.9 ^{2/}	43.5 ***	3.4
	03:45-03:50 HOUR	49.9 ^{2/}	45.7 ***	50.8 ^{2/}	43.8 ***	7.0
	03:50-03:55 HOUR	48.1 ^{2/}	45.7 ***	47.4 ^{2/}	43.8 ***	3.6
	03:55-04:00 HOUR	48.4 ^{2/}	45.7 ***	48.1 ^{2/}	43.8 ***	4.3
	04:00-04:05 HOUR	47.5 ^{2/}	45.3 ***	46.5 ^{2/}	44.1 ***	2.4
	04:05-04:10 HOUR	46.9 ^{2/}	45.3 ***	44.8 ^{2/}	44.1 ***	<0.8 ^{3/}
	04:10-04:15 HOUR	46.7 ^{2/}	45.3 ***	44.1 ^{2/}	44.1 ***	<0.8 ^{3/}
	04:15-04:20 HOUR	45.0 ^{2/}	43.8 ***	41.8 ^{2/}	42.7 ***	<0.8 ^{3/}
	04:20-04:25 HOUR	45.4 ^{2/}	43.8 ***	43.3 ^{2/}	42.7 ***	<0.8 ^{3/}
	04:25-04:30 HOUR	45.2 ^{2/}	43.8 ***	42.6 ^{2/}	42.7 ***	<0.8 ^{3/}
	04:30-04:35 HOUR	47.2 ^{2/}	44.4 ***	47.0 ^{2/}	42.2 ***	4.8
	04:35-04:40 HOUR	46.2 ^{2/}	44.4 ***	44.5 ^{2/}	42.2 ***	2.3
	04:40-04:45 HOUR	47.4 ^{2/}	44.4 ***	47.4 ^{2/}	42.2 ***	5.2
	04:45-04:50 HOUR	46.5 ^{2/}	45.7 ***	41.8 ^{2/}	43.5 ***	<0.8 ^{3/}
	04:50-04:55 HOUR	47.0 ^{2/}	45.7 ***	44.1 ^{2/}	43.5 ***	<0.8 ^{3/}
	04:55-05:00 HOUR	47.0 ^{2/}	45.7 ***	44.1 ^{2/}	43.5 ***	<0.8 ^{3/}
	05:00-05:05 HOUR	47.4 ^{2/}	46.1 ***	44.5 ^{2/}	43.5 ***	1.0
	05:05-05:10 HOUR	47.6 ^{2/}	46.1 ***	45.3 ^{2/}	43.5 ***	1.8
	05:10-05:15 HOUR	47.5 ^{2/}	46.1 ***	44.9 ^{2/}	43.5 ***	1.4
	05:15-05:20 HOUR	48.2 ^{2/}	48.4 ***	<0.8 ^{3/}	44.1 ***	<0.8 ^{3/}
	05:20-05:25 HOUR	48.8 ^{2/}	48.4 ***	41.2 ^{2/}	44.1 ***	<0.8 ^{3/}
	05:25-05:30 HOUR	51.2 ^{2/}	48.4 ***	51.0 ^{2/}	44.1 ***	6.9
	05:30-05:35 HOUR	51.7 ^{2/}	50.8 ***	47.4 ^{2/}	44.7 ***	2.7
	05:35-05:40 HOUR	51.0 ^{2/}	50.8 ***	40.5 ^{2/}	44.7 ***	<0.8 ^{3/}
	05:40-05:45 HOUR	49.7 ^{2/}	50.8 ***	<0.8 ^{3/}	44.7 ***	<0.8 ^{3/}
	05:45-05:50 HOUR	52.9 ^{2/}	51.6 ***	50.0 ^{2/}	44.8 ***	5.2
	05:50-05:55 HOUR	53.0 ^{2/}	51.6 ***	50.4 ^{2/}	44.8 ***	5.6
	05:55-06:00 HOUR	52.5 ^{2/}	51.6 ***	48.2 ^{2/}	44.8 ***	3.4
	DAY TIME ^{1/}					
	06:00-07:00 HOUR	55.2 ^{1/}	52.1 **	52.3 ^{1/}	45.8 **	6.5
MARCH 23, 2024 T24AG870-0010	DAY TIME ^{1/}					
	07:00-08:00 HOUR	54.5 ^{1/}	52.0 **	50.9 ^{1/}	47.4 **	3.5
	08:00-09:00 HOUR	55.4 ^{1/}	52.8 **	51.9 ^{1/}	46.5 **	5.4
	09:00-10:00 HOUR	54.7 ^{1/}	54.0 **	46.4 ^{1/}	46.8 **	<0.8 ^{3/}
	10:00-11:00 HOUR	54.4 ^{1/}	53.6 **	46.7 ^{1/}	47.7 **	<0.8 ^{3/}
	11:00-12:00 HOUR	54.5 ^{1/}	52.9 **	49.4 ^{1/}	47.7 **	1.7

DATE	TIME*	RESULT (dB(A))				
		วัดตามวงคาราม				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 23, 2024 T24AG870-0010	DAY TIME ^{1/}					
	12:00-13:00 HOUR	53.1 ^{1/}	52.5 **	44.2 ^{1/}	47.0 **	<0.8 ^{3/}
	13:00-14:00 HOUR	52.6 ^{1/}	50.4 **	48.6 ^{1/}	46.3 **	2.3
	14:00-15:00 HOUR	51.7 ^{1/}	51.2 **	42.1 ^{1/}	45.2 **	<0.8 ^{3/}
	15:00-16:00 HOUR	52.1 ^{1/}	49.5 **	48.6 ^{1/}	44.7 **	3.9
	16:00-17:00 HOUR	51.3 ^{1/}	49.4 **	46.8 ^{1/}	45.0 **	1.8
	17:00-18:00 HOUR	53.8 ^{1/}	53.2 **	44.9 ^{1/}	46.2 **	<0.8 ^{3/}
	18:00-19:00 HOUR	50.1 ^{1/}	47.3 **	46.9 ^{1/}	43.9 **	3.0
	19:00-20:00 HOUR	49.3 ^{1/}	47.0 **	45.4 ^{1/}	44.9 **	<0.8 ^{3/}
	20:00-21:00 HOUR	47.8 ^{1/}	45.4 **	44.1 ^{1/}	43.8 **	<0.8 ^{3/}
	21:00-22:00 HOUR	47.5 ^{1/}	45.9 **	42.4 ^{1/}	44.1 **	<0.8 ^{3/}
	NIGHT TIME ^{2/}					
	22:00-22:05 HOUR	47.8 ^{2/}	46.2 ***	45.7 ^{2/}	45.0 ***	<0.8 ^{3/}
	22:05-22:10 HOUR	47.3 ^{2/}	46.2 ***	43.8 ^{2/}	45.0 ***	<0.8 ^{3/}
	22:10-22:15 HOUR	48.0 ^{2/}	46.2 ***	46.3 ^{2/}	45.0 ***	1.3
	22:15-22:20 HOUR	47.7 ^{2/}	46.9 ***	43.0 ^{2/}	46.0 ***	<0.8 ^{3/}
	22:20-22:25 HOUR	47.7 ^{2/}	46.9 ***	43.0 ^{2/}	46.0 ***	<0.8 ^{3/}
	22:25-22:30 HOUR	47.3 ^{2/}	46.9 ***	39.7 ^{2/}	46.0 ***	<0.8 ^{3/}
	22:30-22:35 HOUR	47.5 ^{2/}	45.4 ***	46.3 ^{2/}	44.5 ***	1.8
	22:35-22:40 HOUR	47.3 ^{2/}	45.4 ***	45.8 ^{2/}	44.5 ***	1.3
	22:40-22:45 HOUR	47.0 ^{2/}	45.4 ***	44.9 ^{2/}	44.5 ***	<0.8 ^{3/}
	22:45-22:50 HOUR	47.1 ^{2/}	45.1 ***	45.8 ^{2/}	44.2 ***	1.6
	22:50-22:55 HOUR	46.9 ^{2/}	45.1 ***	45.2 ^{2/}	44.2 ***	1.0
	22:55-23:00 HOUR	47.5 ^{2/}	45.1 ***	46.8 ^{2/}	44.2 ***	2.6
	23:00-23:05 HOUR	46.4 ^{2/}	44.7 ***	44.5 ^{2/}	43.7 ***	0.8
	23:05-23:10 HOUR	47.0 ^{2/}	44.7 ***	46.1 ^{2/}	43.7 ***	2.4
	23:10-23:15 HOUR	47.1 ^{2/}	44.7 ***	46.4 ^{2/}	43.7 ***	2.7
	23:15-23:20 HOUR	46.2 ^{2/}	46.2 ***	<0.8 ^{3/}	45.0 ***	<0.8 ^{3/}
	23:20-23:25 HOUR	46.3 ^{2/}	46.2 ***	32.9 ^{2/}	45.0 ***	<0.8 ^{3/}
	23:25-23:30 HOUR	47.4 ^{2/}	46.2 ***	44.2 ^{2/}	45.0 ***	<0.8 ^{3/}
	23:30-23:35 HOUR	46.2 ^{2/}	45.3 ***	41.9 ^{2/}	44.5 ***	<0.8 ^{3/}
	23:35-23:40 HOUR	46.1 ^{2/}	45.3 ***	41.4 ^{2/}	44.5 ***	<0.8 ^{3/}
	23:40-23:45 HOUR	46.4 ^{2/}	45.3 ***	42.9 ^{2/}	44.5 ***	<0.8 ^{3/}
	23:45-23:50 HOUR	46.2 ^{2/}	44.9 ***	43.3 ^{2/}	43.9 ***	<0.8 ^{3/}
	23:50-23:55 HOUR	46.4 ^{2/}	44.9 ***	44.1 ^{2/}	43.9 ***	<0.8 ^{3/}
	23:55-00:00 HOUR	46.1 ^{2/}	44.9 ***	42.9 ^{2/}	43.9 ***	<0.8 ^{3/}
MARCH 24, 2024 T24AG870-0010	NIGHT TIME ^{2/}					
	00:00-00:05 HOUR	46.3 ^{2/}	44.4 ***	44.8 ^{2/}	43.3 ***	1.5
	00:05-00:10 HOUR	46.0 ^{2/}	44.4 ***	43.9 ^{2/}	43.3 ***	<0.8 ^{3/}
	00:10-00:15 HOUR	46.3 ^{2/}	44.4 ***	44.8 ^{2/}	43.3 ***	1.5
	00:15-00:20 HOUR	46.4 ^{2/}	45.2 ***	43.2 ^{2/}	44.2 ***	<0.8 ^{3/}
	00:20-00:25 HOUR	45.9 ^{2/}	45.2 ***	40.6 ^{2/}	44.2 ***	<0.8 ^{3/}
	00:25-00:30 HOUR	46.8 ^{2/}	45.2 ***	44.7 ^{2/}	44.2 ***	<0.8 ^{3/}
	00:30-00:35 HOUR	47.0 ^{2/}	45.9 ***	43.5 ^{2/}	44.5 ***	<0.8 ^{3/}
	00:35-00:40 HOUR	47.7 ^{2/}	45.9 ***	46.0 ^{2/}	44.5 ***	1.5
	00:40-00:45 HOUR	47.0 ^{2/}	45.9 ***	43.5 ^{2/}	44.5 ***	<0.8 ^{3/}

DATE	TIME*	RESULT (dB(A))				
		วัดตามวงศการาม				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 24, 2024	NIGHT TIME ^{2/}					
T24AG870-0010	00:45-00:50 HOUR	47.2 ^{2/}	46.1 ***	43.7 ^{2/}	44.5 ***	<0.8 ^{3/}
	00:50-00:55 HOUR	46.4 ^{2/}	46.1 ***	37.6 ^{2/}	44.5 ***	<0.8 ^{3/}
	00:55-01:00 HOUR	45.9 ^{2/}	46.1 ***	<0.8 ^{3/}	44.5 ***	<0.8 ^{3/}
	01:00-01:05 HOUR	45.8 ^{2/}	45.9 ***	<0.8 ^{3/}	43.5 ***	<0.8 ^{3/}
	01:05-01:10 HOUR	47.9 ^{2/}	45.9 ***	46.6 ^{2/}	43.5 ***	3.1
	01:10-01:15 HOUR	48.2 ^{2/}	45.9 ***	47.3 ^{2/}	43.5 ***	3.8
	01:15-01:20 HOUR	45.8 ^{2/}	44.7 ***	42.3 ^{2/}	43.6 ***	<0.8 ^{3/}
	01:20-01:25 HOUR	46.2 ^{2/}	44.7 ***	43.9 ^{2/}	43.6 ***	<0.8 ^{3/}
	01:25-01:30 HOUR	46.1 ^{2/}	44.7 ***	43.5 ^{2/}	43.6 ***	<0.8 ^{3/}
	01:30-01:35 HOUR	46.8 ^{2/}	45.4 ***	44.2 ^{2/}	44.0 ***	<0.8 ^{3/}
	01:35-01:40 HOUR	46.2 ^{2/}	45.4 ***	41.5 ^{2/}	44.0 ***	<0.8 ^{3/}
	01:40-01:45 HOUR	46.3 ^{2/}	45.4 ***	42.0 ^{2/}	44.0 ***	<0.8 ^{3/}
	01:45-01:50 HOUR	46.6 ^{2/}	45.1 ***	44.3 ^{2/}	44.0 ***	<0.8 ^{3/}
	01:50-01:55 HOUR	48.7 ^{2/}	45.1 ***	49.2 ^{2/}	44.0 ***	5.2
	01:55-02:00 HOUR	46.6 ^{2/}	45.1 ***	44.3 ^{2/}	44.0 ***	<0.8 ^{3/}
	02:00-02:05 HOUR	46.4 ^{2/}	44.8 ***	44.3 ^{2/}	44.0 ***	<0.8 ^{3/}
	02:05-02:10 HOUR	46.4 ^{2/}	44.8 ***	44.3 ^{2/}	44.0 ***	<0.8 ^{3/}
	02:10-02:15 HOUR	46.0 ^{2/}	44.8 ***	42.8 ^{2/}	44.0 ***	<0.8 ^{3/}
	02:15-02:20 HOUR	46.1 ^{2/}	46.2 ***	<0.8 ^{3/}	44.3 ***	<0.8 ^{3/}
	02:20-02:25 HOUR	48.3 ^{2/}	46.2 ***	47.1 ^{2/}	44.3 ***	2.8
	02:25-02:30 HOUR	46.9 ^{2/}	46.2 ***	41.6 ^{2/}	44.3 ***	<0.8 ^{3/}
	02:30-02:35 HOUR	46.1 ^{2/}	45.9 ***	35.6 ^{2/}	44.6 ***	<0.8 ^{3/}
	02:35-02:40 HOUR	45.9 ^{2/}	45.9 ***	<0.8 ^{3/}	44.6 ***	<0.8 ^{3/}
	02:40-02:45 HOUR	46.6 ^{2/}	45.9 ***	41.3 ^{2/}	44.6 ***	<0.8 ^{3/}
	02:45-02:50 HOUR	46.9 ^{2/}	44.4 ***	46.3 ^{2/}	43.5 ***	2.8
	02:50-02:55 HOUR	45.7 ^{2/}	44.4 ***	42.8 ^{2/}	43.5 ***	<0.8 ^{3/}
	02:55-03:00 HOUR	46.1 ^{2/}	44.4 ***	44.2 ^{2/}	43.5 ***	<0.8 ^{3/}
	03:00-03:05 HOUR	45.7 ^{2/}	44.6 ***	42.2 ^{2/}	43.8 ***	<0.8 ^{3/}
	03:05-03:10 HOUR	46.1 ^{2/}	44.6 ***	43.8 ^{2/}	43.8 ***	<0.8 ^{3/}
	03:10-03:15 HOUR	46.0 ^{2/}	44.6 ***	43.4 ^{2/}	43.8 ***	<0.8 ^{3/}
	03:15-03:20 HOUR	45.7 ^{2/}	45.0 ***	40.4 ^{2/}	42.7 ***	<0.8 ^{3/}
	03:20-03:25 HOUR	46.8 ^{2/}	45.0 ***	45.1 ^{2/}	42.7 ***	2.4
	03:25-03:30 HOUR	48.1 ^{2/}	45.0 ***	48.2 ^{2/}	42.7 ***	5.5
	03:30-03:35 HOUR	46.6 ^{2/}	45.0 ***	44.5 ^{2/}	43.5 ***	1.0
	03:35-03:40 HOUR	45.8 ^{2/}	45.0 ***	41.1 ^{2/}	43.5 ***	<0.8 ^{3/}
	03:40-03:45 HOUR	44.9 ^{2/}	45.0 ***	<0.8 ^{3/}	43.5 ***	<0.8 ^{3/}
	03:45-03:50 HOUR	45.6 ^{2/}	44.9 ***	40.3 ^{2/}	42.5 ***	<0.8 ^{3/}
	03:50-03:55 HOUR	44.8 ^{2/}	44.9 ***	<0.8 ^{3/}	42.5 ***	<0.8 ^{3/}
	03:55-04:00 HOUR	46.2 ^{2/}	44.9 ***	43.3 ^{2/}	42.5 ***	0.8
	04:00-04:05 HOUR	48.0 ^{2/}	44.3 ***	48.6 ^{2/}	42.4 ***	6.2
	04:05-04:10 HOUR	46.1 ^{2/}	44.3 ***	44.4 ^{2/}	42.4 ***	2.0
	04:10-04:15 HOUR	46.0 ^{2/}	44.3 ***	44.1 ^{2/}	42.4 ***	1.7
	04:15-04:20 HOUR	46.3 ^{2/}	47.1 ***	<0.8 ^{3/}	43.2 ***	<0.8 ^{3/}
	04:20-04:25 HOUR	46.3 ^{2/}	47.1 ***	<0.8 ^{3/}	43.2 ***	<0.8 ^{3/}

DATE	TIME*	RESULT (dB(A))				
		วัดตามวงคาราม				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 24, 2024 T24AG870-0010	NIGHT TIME ^{2/}					
	04:25-04:30 HOUR	47.5 ^{2/}	47.1 ***	39.9 ^{2/}	43.2 ***	<0.8 ^{3/}
	04:30-04:35 HOUR	48.7 ^{2/}	46.6 ***	47.5 ^{2/}	42.8 ***	4.7
	04:35-04:40 HOUR	49.4 ^{2/}	46.6 ***	49.2 ^{2/}	42.8 ***	6.4
	04:40-04:45 HOUR	47.4 ^{2/}	46.6 ***	42.7 ^{2/}	42.8 ***	<0.8 ^{3/}
	04:45-04:50 HOUR	47.5 ^{2/}	46.9 ***	41.6 ^{2/}	43.5 ***	<0.8 ^{3/}
	04:50-04:55 HOUR	47.5 ^{2/}	46.9 ***	41.6 ^{2/}	43.5 ***	<0.8 ^{3/}
	04:55-05:00 HOUR	50.0 ^{2/}	46.9 ***	50.1 ^{2/}	43.5 ***	6.6
	05:00-05:05 HOUR	48.8 ^{2/}	48.8 ***	<0.8 ^{3/}	43.7 ***	<0.8 ^{3/}
	05:05-05:10 HOUR	48.6 ^{2/}	48.8 ***	<0.8 ^{3/}	43.7 ***	<0.8 ^{3/}
	05:10-05:15 HOUR	49.2 ^{2/}	48.8 ***	41.6 ^{2/}	43.7 ***	<0.8 ^{3/}
	05:15-05:20 HOUR	49.2 ^{2/}	50.7 ***	<0.8 ^{3/}	44.2 ***	<0.8 ^{3/}
	05:20-05:25 HOUR	52.5 ^{2/}	50.7 ***	50.8 ^{2/}	44.2 ***	6.6
	05:25-05:30 HOUR	51.6 ^{2/}	50.7 ***	47.3 ^{2/}	44.2 ***	3.1
	05:30-05:35 HOUR	49.2 ^{2/}	48.5 ***	43.9 ^{2/}	44.1 ***	<0.8 ^{3/}
	05:35-05:40 HOUR	49.0 ^{2/}	48.5 ***	42.4 ^{2/}	44.1 ***	<0.8 ^{3/}
	05:40-05:45 HOUR	50.9 ^{2/}	48.5 ***	50.2 ^{2/}	44.1 ***	6.1
	05:45-05:50 HOUR	50.1 ^{2/}	49.3 ***	45.4 ^{2/}	44.7 ***	<0.8 ^{3/}
	05:50-05:55 HOUR	50.6 ^{2/}	49.3 ***	47.7 ^{2/}	44.7 ***	3.0
	05:55-06:00 HOUR	51.7 ^{2/}	49.3 ***	51.0 ^{2/}	44.7 ***	6.3
	DAY TIME ^{1/}					
	06:00-07:00 HOUR	53.8 ^{1/}	51.9 **	49.3 ^{1/}	46.2 **	3.1
MARCH 24, 2024 T24AG870-0011	DAY TIME ^{1/}					
	07:00-08:00 HOUR	55.3 ^{1/}	54.0 **	49.4 ^{1/}	47.7 **	1.7
	08:00-09:00 HOUR	54.5 ^{1/}	52.2 **	50.6 ^{1/}	47.1 **	3.5
	09:00-10:00 HOUR	53.1 ^{1/}	51.7 **	47.5 ^{1/}	46.8 **	<0.8 ^{3/}
	10:00-11:00 HOUR	53.4 ^{1/}	52.1 **	47.5 ^{1/}	45.5 **	2.0
	11:00-12:00 HOUR	53.2 ^{1/}	52.6 **	44.3 ^{1/}	45.5 **	<0.8 ^{3/}
	12:00-13:00 HOUR	53.2 ^{1/}	51.1 **	49.0 ^{1/}	45.9 **	3.1
	13:00-14:00 HOUR	52.5 ^{1/}	51.2 **	46.6 ^{1/}	46.5 **	<0.8 ^{3/}
	14:00-15:00 HOUR	53.0 ^{1/}	49.5 **	50.4 ^{1/}	46.0 **	4.4
	15:00-16:00 HOUR	53.4 ^{1/}	51.9 **	48.1 ^{1/}	45.1 **	3.0
	16:00-17:00 HOUR	54.6 ^{1/}	51.7 **	51.5 ^{1/}	45.8 **	5.7
	17:00-18:00 HOUR	53.6 ^{1/}	50.5 **	50.7 ^{1/}	44.5 **	6.2
	18:00-19:00 HOUR	50.4 ^{1/}	50.3 **	34.0 ^{1/}	44.9 **	<0.8 ^{3/}
	19:00-20:00 HOUR	50.0 ^{1/}	46.4 **	47.5 ^{1/}	44.9 **	2.6
	20:00-21:00 HOUR	48.7 ^{1/}	46.9 **	44.0 ^{1/}	45.3 **	<0.8 ^{3/}
	21:00-22:00 HOUR	47.0 ^{1/}	45.0 **	42.7 ^{1/}	43.6 **	<0.8 ^{3/}
	NIGHT TIME ^{2/}					
	22:00-22:05 HOUR	46.9 ^{2/}	45.1 ***	45.2 ^{2/}	43.7 ***	1.5
	22:05-22:10 HOUR	46.7 ^{2/}	45.1 ***	44.6 ^{2/}	43.7 ***	0.9
	22:10-22:15 HOUR	45.9 ^{2/}	45.1 ***	41.2 ^{2/}	43.7 ***	<0.8 ^{3/}
	22:15-22:20 HOUR	46.1 ^{2/}	44.7 ***	43.5 ^{2/}	43.5 ***	<0.8 ^{3/}
	22:20-22:25 HOUR	46.6 ^{2/}	44.7 ***	45.1 ^{2/}	43.5 ***	1.6
	22:25-22:30 HOUR	46.2 ^{2/}	44.7 ***	43.9 ^{2/}	43.5 ***	<0.8 ^{3/}
	22:30-22:35 HOUR	45.9 ^{2/}	44.3 ***	43.8 ^{2/}	43.2 ***	<0.8 ^{3/}

DATE	TIME*	RESULT (dB(A))				
		วัดตามวงศาราม				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 24, 2024 T24AG870-0011	NIGHT TIME ^{2/}					
	22:35-22:40 HOUR	46.0 ^{2/}	44.3 ***	44.1 ^{2/}	43.2 ***	0.9
	22:40-22:45 HOUR	45.2 ^{2/}	44.3 ***	40.9 ^{2/}	43.2 ***	<0.8 ^{3/}
	22:45-22:50 HOUR	45.7 ^{2/}	44.2 ***	43.4 ^{2/}	42.9 ***	<0.8 ^{3/}
	22:50-22:55 HOUR	45.8 ^{2/}	44.2 ***	43.7 ^{2/}	42.9 ***	0.8
	22:55-23:00 HOUR	46.1 ^{2/}	44.2 ***	44.6 ^{2/}	42.9 ***	1.7
	23:00-23:05 HOUR	46.1 ^{2/}	45.4 ***	40.8 ^{2/}	44.1 ***	<0.8 ^{3/}
	23:05-23:10 HOUR	46.5 ^{2/}	45.4 ***	43.0 ^{2/}	44.1 ***	<0.8 ^{3/}
	23:10-23:15 HOUR	46.1 ^{2/}	45.4 ***	40.8 ^{2/}	44.1 ***	<0.8 ^{3/}
	23:15-23:20 HOUR	45.7 ^{2/}	44.4 ***	42.8 ^{2/}	43.0 ***	<0.8 ^{3/}
	23:20-23:25 HOUR	45.8 ^{2/}	44.4 ***	43.2 ^{2/}	43.0 ***	<0.8 ^{3/}
	23:25-23:30 HOUR	46.0 ^{2/}	44.4 ***	43.9 ^{2/}	43.0 ***	0.9
	23:30-23:35 HOUR	46.8 ^{2/}	44.5 ***	45.9 ^{2/}	43.4 ***	2.5
	23:35-23:40 HOUR	46.3 ^{2/}	44.5 ***	44.6 ^{2/}	43.4 ***	1.2
	23:40-23:45 HOUR	46.6 ^{2/}	44.5 ***	45.4 ^{2/}	43.4 ***	2.0
	23:45-23:50 HOUR	46.1 ^{2/}	44.6 ***	43.8 ^{2/}	43.6 ***	<0.8 ^{3/}
	23:50-23:55 HOUR	45.8 ^{2/}	44.6 ***	42.6 ^{2/}	43.6 ***	<0.8 ^{3/}
	23:55-00:00 HOUR	46.0 ^{2/}	44.6 ***	43.4 ^{2/}	43.6 ***	<0.8 ^{3/}
MARCH 25, 2024 T24AG870-0011	NIGHT TIME ^{2/}					
	00:00-00:05 HOUR	46.1 ^{2/}	45.8 ***	37.3 ^{2/}	43.1 ***	<0.8 ^{3/}
	00:05-00:10 HOUR	46.5 ^{2/}	45.8 ***	41.2 ^{2/}	43.1 ***	<0.8 ^{3/}
	00:10-00:15 HOUR	49.2 ^{2/}	45.8 ***	49.5 ^{2/}	43.1 ***	6.4
	00:15-00:20 HOUR	46.5 ^{2/}	45.8 ***	41.2 ^{2/}	43.9 ***	<0.8 ^{3/}
	00:20-00:25 HOUR	47.1 ^{2/}	45.8 ***	44.2 ^{2/}	43.9 ***	<0.8 ^{3/}
	00:25-00:30 HOUR	47.9 ^{2/}	45.8 ***	46.7 ^{2/}	43.9 ***	2.8
	00:30-00:35 HOUR	46.9 ^{2/}	45.6 ***	44.0 ^{2/}	44.3 ***	<0.8 ^{3/}
	00:35-00:40 HOUR	46.7 ^{2/}	45.6 ***	43.2 ^{2/}	44.3 ***	<0.8 ^{3/}
	00:40-00:45 HOUR	46.0 ^{2/}	45.6 ***	38.4 ^{2/}	44.3 ***	<0.8 ^{3/}
	00:45-00:50 HOUR	46.1 ^{2/}	45.7 ***	38.5 ^{2/}	44.4 ***	<0.8 ^{3/}
	00:50-00:55 HOUR	46.1 ^{2/}	45.7 ***	38.5 ^{2/}	44.4 ***	<0.8 ^{3/}
	00:55-01:00 HOUR	46.2 ^{2/}	45.7 ***	39.6 ^{2/}	44.4 ***	<0.8 ^{3/}
	01:00-01:05 HOUR	46.2 ^{2/}	45.4 ***	41.5 ^{2/}	43.5 ***	<0.8 ^{3/}
	01:05-01:10 HOUR	45.9 ^{2/}	45.4 ***	39.3 ^{2/}	43.5 ***	<0.8 ^{3/}
	01:10-01:15 HOUR	46.6 ^{2/}	45.4 ***	43.4 ^{2/}	43.5 ***	<0.8 ^{3/}
	01:15-01:20 HOUR	48.1 ^{2/}	46.0 ***	46.9 ^{2/}	43.9 ***	3.0
	01:20-01:25 HOUR	45.8 ^{2/}	46.0 ***	<0.8 ^{3/}	43.9 ***	<0.8 ^{3/}
	01:25-01:30 HOUR	47.2 ^{2/}	46.0 ***	44.0 ^{2/}	43.9 ***	<0.8 ^{3/}
	01:30-01:35 HOUR	46.5 ^{2/}	46.0 ***	39.9 ^{2/}	43.1 ***	<0.8 ^{3/}
	01:35-01:40 HOUR	49.2 ^{2/}	46.0 ***	49.4 ^{2/}	43.1 ***	6.3
	01:40-01:45 HOUR	49.0 ^{2/}	46.0 ***	49.0 ^{2/}	43.1 ***	5.9
	01:45-01:50 HOUR	46.2 ^{2/}	44.3 ***	44.7 ^{2/}	42.4 ***	2.3
	01:50-01:55 HOUR	45.7 ^{2/}	44.3 ***	43.1 ^{2/}	42.4 ***	<0.8 ^{3/}
	01:55-02:00 HOUR	46.4 ^{2/}	44.3 ***	45.2 ^{2/}	42.4 ***	2.8
	02:00-02:05 HOUR	45.5 ^{2/}	46.0 ***	<0.8 ^{3/}	43.7 ***	<0.8 ^{3/}
	02:05-02:10 HOUR	47.1 ^{2/}	46.0 ***	43.6 ^{2/}	43.7 ***	<0.8 ^{3/}

DATE	TIME*	RESULT (dB(A))				
		วัดตามผังคาราม				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 25, 2024 T24AG870-0011	NIGHT TIME ^{2/}					
	02:10-02:15 HOUR	46.9 ^{2/}	46.0 ***	42.6 ^{2/}	43.7 ***	<0.8 ^{3/}
	02:15-02:20 HOUR	47.3 ^{2/}	45.8 ***	45.0 ^{2/}	43.0 ***	2.0
	02:20-02:25 HOUR	48.5 ^{2/}	45.8 ***	48.2 ^{2/}	43.0 ***	5.2
	02:25-02:30 HOUR	47.3 ^{2/}	45.8 ***	45.0 ^{2/}	43.0 ***	2.0
	02:30-02:35 HOUR	48.0 ^{2/}	46.2 ***	46.3 ^{2/}	43.4 ***	2.9
	02:35-02:40 HOUR	47.8 ^{2/}	46.2 ***	45.7 ^{2/}	43.4 ***	2.3
	02:40-02:45 HOUR	47.1 ^{2/}	46.2 ***	42.8 ^{2/}	43.4 ***	<0.8 ^{3/}
	02:45-02:50 HOUR	47.4 ^{2/}	45.4 ***	46.1 ^{2/}	43.7 ***	2.4
	02:50-02:55 HOUR	46.6 ^{2/}	45.4 ***	43.4 ^{2/}	43.7 ***	<0.8 ^{3/}
	02:55-03:00 HOUR	46.7 ^{2/}	45.4 ***	43.8 ^{2/}	43.7 ***	<0.8 ^{3/}
	03:00-03:05 HOUR	46.1 ^{2/}	45.6 ***	39.5 ^{2/}	43.2 ***	<0.8 ^{3/}
	03:05-03:10 HOUR	46.1 ^{2/}	45.6 ***	39.5 ^{2/}	43.2 ***	<0.8 ^{3/}
	03:10-03:15 HOUR	48.5 ^{2/}	45.6 ***	48.4 ^{2/}	43.2 ***	5.2
	03:15-03:20 HOUR	49.4 ^{2/}	46.9 ***	48.8 ^{2/}	44.1 ***	4.7
	03:20-03:25 HOUR	48.6 ^{2/}	46.9 ***	46.7 ^{2/}	44.1 ***	2.6
	03:25-03:30 HOUR	48.6 ^{2/}	46.9 ***	46.7 ^{2/}	44.1 ***	2.6
	03:30-03:35 HOUR	47.2 ^{2/}	46.6 ***	41.3 ^{2/}	44.1 ***	<0.8 ^{3/}
	03:35-03:40 HOUR	47.5 ^{2/}	46.6 ***	43.2 ^{2/}	44.1 ***	<0.8 ^{3/}
	03:40-03:45 HOUR	48.0 ^{2/}	46.6 ***	45.4 ^{2/}	44.1 ***	1.3
	03:45-03:50 HOUR	47.2 ^{2/}	49.1 ***	<0.8 ^{3/}	43.9 ***	<0.8 ^{3/}
	03:50-03:55 HOUR	46.9 ^{2/}	49.1 ***	<0.8 ^{3/}	43.9 ***	<0.8 ^{3/}
	03:55-04:00 HOUR	47.5 ^{2/}	49.1 ***	<0.8 ^{3/}	43.9 ***	<0.8 ^{3/}
	04:00-04:05 HOUR	51.5 ^{2/}	49.2 ***	50.6 ^{2/}	43.9 ***	6.7
	04:05-04:10 HOUR	51.4 ^{2/}	49.2 ***	50.4 ^{2/}	43.9 ***	6.5
	04:10-04:15 HOUR	47.6 ^{2/}	49.2 ***	<0.8 ^{3/}	43.9 ***	<0.8 ^{3/}
	04:15-04:20 HOUR	46.3 ^{2/}	46.6 ***	<0.8 ^{3/}	43.6 ***	<0.8 ^{3/}
	04:20-04:25 HOUR	46.9 ^{2/}	46.6 ***	38.1 ^{2/}	43.6 ***	<0.8 ^{3/}
	04:25-04:30 HOUR	47.7 ^{2/}	46.6 ***	44.2 ^{2/}	43.6 ***	<0.8 ^{3/}
	04:30-04:35 HOUR	49.4 ^{2/}	49.2 ***	38.9 ^{2/}	44.2 ***	<0.8 ^{3/}
	04:35-04:40 HOUR	50.5 ^{2/}	49.2 ***	47.6 ^{2/}	44.2 ***	3.4
	04:40-04:45 HOUR	50.6 ^{2/}	49.2 ***	48.0 ^{2/}	44.2 ***	3.8
	04:45-04:50 HOUR	49.5 ^{2/}	48.5 ***	45.6 ^{2/}	44.8 ***	0.8
	04:50-04:55 HOUR	48.5 ^{2/}	48.5 ***	<0.8 ^{3/}	44.8 ***	<0.8 ^{3/}
	04:55-05:00 HOUR	49.0 ^{2/}	48.5 ***	42.4 ^{2/}	44.8 ***	<0.8 ^{3/}
	05:00-05:05 HOUR	48.8 ^{2/}	46.1 ***	48.5 ^{2/}	43.2 ***	5.3
	05:05-05:10 HOUR	49.1 ^{2/}	46.1 ***	49.1 ^{2/}	43.2 ***	5.9
	05:10-05:15 HOUR	47.6 ^{2/}	46.1 ***	45.3 ^{2/}	43.2 ***	2.1
	05:15-05:20 HOUR	47.0 ^{2/}	48.7 ***	<0.8 ^{3/}	44.7 ***	<0.8 ^{3/}
	05:20-05:25 HOUR	51.1 ^{2/}	48.7 ***	50.4 ^{2/}	44.7 ***	5.7
	05:25-05:30 HOUR	51.0 ^{2/}	48.7 ***	50.1 ^{2/}	44.7 ***	5.4
	05:30-05:35 HOUR	49.3 ^{2/}	49.4 ***	<0.8 ^{3/}	45.1 ***	<0.8 ^{3/}
	05:35-05:40 HOUR	50.6 ^{2/}	49.4 ***	47.4 ^{2/}	45.1 ***	2.3
	05:40-05:45 HOUR	51.2 ^{2/}	49.4 ***	49.5 ^{2/}	45.1 ***	4.4
	05:45-05:50 HOUR	51.0 ^{2/}	49.3 ***	49.1 ^{2/}	44.9 ***	4.2

DATE	TIME*	RESULT (dB(A))				
		วัดตามวงคาราม				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 25, 2024 T24AG870-0011	NIGHT TIME ^{2/}					
	05:50-05:55 HOUR	50.0 ^{2/}	49.3 ***	44.7 ^{2/}	44.9 ***	<0.8 ^{3/}
	05:55-06:00 HOUR	51.1 ^{2/}	49.3 ***	49.4 ^{2/}	44.9 ***	4.5
	DAY TIME ^{1/}					
	06:00-07:00 HOUR	53.9 ^{1/}	51.5 **	50.2 ^{1/}	46.5 **	3.7
MARCH 25, 2024 T24AG870-0012	DAY TIME ^{1/}					
	07:00-08:00 HOUR	53.7 ^{1/}	51.9 **	49.0 ^{1/}	47.9 **	1.1
	08:00-09:00 HOUR	52.3 ^{1/}	51.6 **	44.0 ^{1/}	46.1 **	<0.8 ^{3/}
	09:00-10:00 HOUR	52.4 ^{1/}	50.1 **	48.5 ^{1/}	45.6 **	2.9
	10:00-11:00 HOUR	51.1 ^{1/}	50.0 **	44.6 ^{1/}	45.9 **	<0.8 ^{3/}
	11:00-12:00 HOUR	50.4 ^{1/}	48.4 **	46.1 ^{1/}	45.1 **	1.0
	12:00-13:00 HOUR	50.4 ^{1/}	49.0 **	44.8 ^{1/}	45.3 **	<0.8 ^{3/}
	13:00-14:00 HOUR	50.0 ^{1/}	47.5 **	46.4 ^{1/}	44.2 **	2.2
	14:00-15:00 HOUR	50.1 ^{1/}	48.1 **	45.8 ^{1/}	44.7 **	1.1
	15:00-16:00 HOUR	50.0 ^{1/}	49.4 **	41.1 ^{1/}	44.3 **	<0.8 ^{3/}
	16:00-17:00 HOUR	51.4 ^{1/}	47.9 **	48.8 ^{1/}	44.0 **	4.8
	17:00-18:00 HOUR	52.0 ^{1/}	51.5 **	42.4 ^{1/}	45.4 **	<0.8 ^{3/}
	18:00-19:00 HOUR	50.1 ^{1/}	48.5 **	45.0 ^{1/}	44.7 **	<0.8 ^{3/}
	19:00-20:00 HOUR	49.5 ^{1/}	47.9 **	44.4 ^{1/}	45.4 **	<0.8 ^{3/}
	20:00-21:00 HOUR	49.4 ^{1/}	47.7 **	44.5 ^{1/}	46.2 **	<0.8 ^{3/}
	21:00-22:00 HOUR	48.2 ^{1/}	46.3 **	43.7 ^{1/}	44.7 **	<0.8 ^{3/}
	NIGHT TIME ^{2/}					
	22:00-22:05 HOUR	47.6 ^{2/}	45.5 ***	46.4 ^{2/}	44.1 ***	2.3
	22:05-22:10 HOUR	47.9 ^{2/}	45.5 ***	47.2 ^{2/}	44.1 ***	3.1
	22:10-22:15 HOUR	48.1 ^{2/}	45.5 ***	47.6 ^{2/}	44.1 ***	3.5
	22:15-22:20 HOUR	47.2 ^{2/}	46.0 ***	44.0 ^{2/}	44.5 ***	<0.8 ^{3/}
	22:20-22:25 HOUR	47.6 ^{2/}	46.0 ***	45.5 ^{2/}	44.5 ***	1.0
	22:25-22:30 HOUR	47.7 ^{2/}	46.0 ***	45.8 ^{2/}	44.5 ***	1.3
	22:30-22:35 HOUR	47.1 ^{2/}	45.6 ***	44.8 ^{2/}	44.4 ***	<0.8 ^{3/}
	22:35-22:40 HOUR	47.9 ^{2/}	45.6 ***	47.0 ^{2/}	44.4 ***	2.6
	22:40-22:45 HOUR	47.5 ^{2/}	45.6 ***	46.0 ^{2/}	44.4 ***	1.6
	22:45-22:50 HOUR	47.1 ^{2/}	44.8 ***	46.2 ^{2/}	43.6 ***	2.6
	22:50-22:55 HOUR	46.9 ^{2/}	44.8 ***	45.7 ^{2/}	43.6 ***	2.1
	22:55-23:00 HOUR	47.5 ^{2/}	44.8 ***	47.2 ^{2/}	43.6 ***	3.6
	23:00-23:05 HOUR	47.0 ^{2/}	46.4 ***	41.1 ^{2/}	45.3 ***	<0.8 ^{3/}
	23:05-23:10 HOUR	46.7 ^{2/}	46.4 ***	37.9 ^{2/}	45.3 ***	<0.8 ^{3/}
	23:10-23:15 HOUR	47.0 ^{2/}	46.4 ***	41.1 ^{2/}	45.3 ***	<0.8 ^{3/}
	23:15-23:20 HOUR	46.4 ^{2/}	45.9 ***	39.8 ^{2/}	44.9 ***	<0.8 ^{3/}
	23:20-23:25 HOUR	47.1 ^{2/}	45.9 ***	43.9 ^{2/}	44.9 ***	<0.8 ^{3/}
	23:25-23:30 HOUR	46.8 ^{2/}	45.9 ***	42.5 ^{2/}	44.9 ***	<0.8 ^{3/}
	23:30-23:35 HOUR	46.7 ^{2/}	46.2 ***	40.1 ^{2/}	44.5 ***	<0.8 ^{3/}
	23:35-23:40 HOUR	46.6 ^{2/}	46.2 ***	39.0 ^{2/}	44.5 ***	<0.8 ^{3/}
	23:40-23:45 HOUR	46.6 ^{2/}	46.2 ***	39.0 ^{2/}	44.5 ***	<0.8 ^{3/}
	23:45-23:50 HOUR	47.8 ^{2/}	44.7 ***	47.9 ^{2/}	43.2 ***	4.7
	23:50-23:55 HOUR	46.9 ^{2/}	44.7 ***	45.9 ^{2/}	43.2 ***	2.7
	23:55-00:00 HOUR	46.8 ^{2/}	44.7 ***	45.6 ^{2/}	43.2 ***	2.4

DATE	TIME*	RESULT (dB(A))				
		วัดค่าความดังคาราม				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 26, 2024 T24AG870-0012	NIGHT TIME ^{2/}					
	00:00-00:05 HOUR	45.9 ^{2/}	44.7 ***	42.7 ^{2/}	43.3 ***	<0.8 ^{3/}
	00:05-00:10 HOUR	46.7 ^{2/}	44.7 ***	45.4 ^{2/}	43.3 ***	2.1
	00:10-00:15 HOUR	47.0 ^{2/}	44.7 ***	46.1 ^{2/}	43.3 ***	2.8
	00:15-00:20 HOUR	47.0 ^{2/}	44.9 ***	45.8 ^{2/}	43.3 ***	2.5
	00:20-00:25 HOUR	46.9 ^{2/}	44.9 ***	45.6 ^{2/}	43.3 ***	2.3
	00:25-00:30 HOUR	47.1 ^{2/}	44.9 ***	46.1 ^{2/}	43.3 ***	2.8
	00:30-00:35 HOUR	47.7 ^{2/}	46.3 ***	45.1 ^{2/}	44.4 ***	<0.8 ^{3/}
	00:35-00:40 HOUR	46.6 ^{2/}	46.3 ***	37.8 ^{2/}	44.4 ***	<0.8 ^{3/}
	00:40-00:45 HOUR	49.0 ^{2/}	46.3 ***	48.7 ^{2/}	44.4 ***	4.3
	00:45-00:50 HOUR	46.3 ^{2/}	45.9 ***	38.7 ^{2/}	44.7 ***	<0.8 ^{3/}
	00:50-00:55 HOUR	46.4 ^{2/}	45.9 ***	39.8 ^{2/}	44.7 ***	<0.8 ^{3/}
	00:55-01:00 HOUR	46.3 ^{2/}	45.9 ***	38.7 ^{2/}	44.7 ***	<0.8 ^{3/}
	01:00-01:05 HOUR	46.4 ^{2/}	46.6 ***	<0.8 ^{3/}	44.8 ***	<0.8 ^{3/}
	01:05-01:10 HOUR	48.7 ^{2/}	46.6 ***	47.5 ^{2/}	44.8 ***	2.7
	01:10-01:15 HOUR	47.7 ^{2/}	46.6 ***	44.2 ^{2/}	44.8 ***	<0.8 ^{3/}
	01:15-01:20 HOUR	46.6 ^{2/}	46.7 ***	<0.8 ^{3/}	44.8 ***	<0.8 ^{3/}
	01:20-01:25 HOUR	47.7 ^{2/}	46.7 ***	43.8 ^{2/}	44.8 ***	<0.8 ^{3/}
	01:25-01:30 HOUR	48.5 ^{2/}	46.7 ***	46.8 ^{2/}	44.8 ***	2.0
	01:30-01:35 HOUR	46.8 ^{2/}	46.0 ***	42.1 ^{2/}	44.9 ***	<0.8 ^{3/}
	01:35-01:40 HOUR	47.5 ^{2/}	46.0 ***	45.2 ^{2/}	44.9 ***	<0.8 ^{3/}
	01:40-01:45 HOUR	47.0 ^{2/}	46.0 ***	43.1 ^{2/}	44.9 ***	<0.8 ^{3/}
	01:45-01:50 HOUR	46.7 ^{2/}	45.6 ***	43.2 ^{2/}	44.7 ***	<0.8 ^{3/}
	01:50-01:55 HOUR	47.2 ^{2/}	45.6 ***	45.1 ^{2/}	44.7 ***	<0.8 ^{3/}
	01:55-02:00 HOUR	47.0 ^{2/}	45.6 ***	44.4 ^{2/}	44.7 ***	<0.8 ^{3/}
	02:00-02:05 HOUR	47.0 ^{2/}	46.1 ***	42.7 ^{2/}	45.1 ***	<0.8 ^{3/}
	02:05-02:10 HOUR	46.9 ^{2/}	46.1 ***	42.2 ^{2/}	45.1 ***	<0.8 ^{3/}
	02:10-02:15 HOUR	47.3 ^{2/}	46.1 ***	44.1 ^{2/}	45.1 ***	<0.8 ^{3/}
	02:15-02:20 HOUR	46.9 ^{2/}	45.7 ***	43.7 ^{2/}	44.4 ***	<0.8 ^{3/}
	02:20-02:25 HOUR	47.5 ^{2/}	45.7 ***	45.8 ^{2/}	44.4 ***	1.4
	02:25-02:30 HOUR	47.3 ^{2/}	45.7 ***	45.2 ^{2/}	44.4 ***	0.8
	02:30-02:35 HOUR	48.1 ^{2/}	46.5 ***	46.0 ^{2/}	45.4 ***	<0.8 ^{3/}
	02:35-02:40 HOUR	47.5 ^{2/}	46.5 ***	43.6 ^{2/}	45.4 ***	<0.8 ^{3/}
	02:40-02:45 HOUR	47.4 ^{2/}	46.5 ***	43.1 ^{2/}	45.4 ***	<0.8 ^{3/}
	02:45-02:50 HOUR	47.3 ^{2/}	45.4 ***	45.8 ^{2/}	44.4 ***	1.4
	02:50-02:55 HOUR	47.4 ^{2/}	45.4 ***	46.1 ^{2/}	44.4 ***	1.7
	02:55-03:00 HOUR	47.2 ^{2/}	45.4 ***	45.5 ^{2/}	44.4 ***	1.1
	03:00-03:05 HOUR	47.2 ^{2/}	45.0 ***	46.2 ^{2/}	43.8 ***	2.4
	03:05-03:10 HOUR	47.9 ^{2/}	45.0 ***	47.8 ^{2/}	43.8 ***	4.0
	03:10-03:15 HOUR	48.1 ^{2/}	45.0 ***	48.2 ^{2/}	43.8 ***	4.4
	03:15-03:20 HOUR	46.2 ^{2/}	44.4 ***	44.5 ^{2/}	43.2 ***	1.3
	03:20-03:25 HOUR	46.4 ^{2/}	44.4 ***	45.1 ^{2/}	43.2 ***	1.9
	03:25-03:30 HOUR	46.1 ^{2/}	44.4 ***	44.2 ^{2/}	43.2 ***	1.0
	03:30-03:35 HOUR	46.2 ^{2/}	45.2 ***	42.3 ^{2/}	43.9 ***	<0.8 ^{3/}
	03:35-03:40 HOUR	46.4 ^{2/}	45.2 ***	43.2 ^{2/}	43.9 ***	<0.8 ^{3/}

DATE	TIME*	RESULT (dB(A))				
		วัดตามถนน				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 26, 2024 T24AG870-0012	NIGHT TIME ^{2/}					
	03:40-03:45 HOUR	46.9 ^{2/}	45.2 ***	45.0 ^{2/}	43.9 ***	1.1
	03:45-03:50 HOUR	47.6 ^{2/}	45.4 ***	46.6 ^{2/}	44.0 ***	2.6
	03:50-03:55 HOUR	46.8 ^{2/}	45.4 ***	44.2 ^{2/}	44.0 ***	<0.8 ^{3/}
	03:55-04:00 HOUR	47.5 ^{2/}	45.4 ***	46.3 ^{2/}	44.0 ***	2.3
	04:00-04:05 HOUR	47.8 ^{2/}	46.6 ***	44.6 ^{2/}	44.3 ***	<0.8 ^{3/}
	04:05-04:10 HOUR	47.6 ^{2/}	46.6 ***	43.7 ^{2/}	44.3 ***	<0.8 ^{3/}
	04:10-04:15 HOUR	48.6 ^{2/}	46.6 ***	47.3 ^{2/}	44.3 ***	3.0
	04:15-04:20 HOUR	47.8 ^{2/}	45.2 ***	47.3 ^{2/}	43.4 ***	3.9
	04:20-04:25 HOUR	47.2 ^{2/}	45.2 ***	45.9 ^{2/}	43.4 ***	2.5
	04:25-04:30 HOUR	47.6 ^{2/}	45.2 ***	46.9 ^{2/}	43.4 ***	3.5
	04:30-04:35 HOUR	48.7 ^{2/}	46.8 ***	47.2 ^{2/}	44.0 ***	3.2
	04:35-04:40 HOUR	47.7 ^{2/}	46.8 ***	43.4 ^{2/}	44.0 ***	<0.8 ^{3/}
	04:40-04:45 HOUR	47.5 ^{2/}	46.8 ***	42.2 ^{2/}	44.0 ***	<0.8 ^{3/}
	04:45-04:50 HOUR	49.3 ^{2/}	48.2 ***	45.8 ^{2/}	43.8 ***	2.0
	04:50-04:55 HOUR	48.0 ^{2/}	48.2 ***	<0.8 ^{3/}	43.8 ***	<0.8 ^{3/}
	04:55-05:00 HOUR	50.4 ^{2/}	48.2 ***	49.4 ^{2/}	43.8 ***	5.6
	05:00-05:05 HOUR	52.2 ^{2/}	51.2 ***	48.3 ^{2/}	44.6 ***	3.7
	05:05-05:10 HOUR	51.8 ^{2/}	51.2 ***	45.9 ^{2/}	44.6 ***	1.3
	05:10-05:15 HOUR	52.3 ^{2/}	51.2 ***	48.8 ^{2/}	44.6 ***	4.2
	05:15-05:20 HOUR	49.8 ^{2/}	47.5 ***	48.9 ^{2/}	44.0 ***	4.9
	05:20-05:25 HOUR	48.7 ^{2/}	47.5 ***	45.5 ^{2/}	44.0 ***	1.5
	05:25-05:30 HOUR	48.7 ^{2/}	47.5 ***	45.5 ^{2/}	44.0 ***	1.5
	05:30-05:35 HOUR	51.1 ^{2/}	48.6 ***	50.5 ^{2/}	43.9 ***	6.6
	05:35-05:40 HOUR	49.5 ^{2/}	48.6 ***	45.2 ^{2/}	43.9 ***	1.3
	05:40-05:45 HOUR	50.5 ^{2/}	48.6 ***	49.0 ^{2/}	43.9 ***	5.1
	05:45-05:50 HOUR	50.7 ^{2/}	49.6 ***	47.2 ^{2/}	45.2 ***	2.0
	05:50-05:55 HOUR	50.3 ^{2/}	49.6 ***	45.0 ^{2/}	45.2 ***	<0.8 ^{3/}
	05:55-06:00 HOUR	51.0 ^{2/}	49.6 ***	48.4 ^{2/}	45.2 ***	3.2
	DAY TIME ^{1/}					
	06:00-07:00 HOUR	52.1 ^{1/}	50.3 **	47.4 ^{1/}	46.2 **	1.2
MARCH 26, 2024 T24AG870-0013	DAY TIME ^{1/}					
	07:00-08:00 HOUR	53.1 ^{1/}	51.3 **	48.4 ^{1/}	47.6 **	0.8
	08:00-09:00 HOUR	52.6 ^{1/}	49.9 **	49.3 ^{1/}	45.9 **	3.4
	09:00-10:00 HOUR	50.7 ^{1/}	48.8 **	46.2 ^{1/}	45.2 **	1.0
	10:00-11:00 HOUR	51.1 ^{1/}	49.5 **	46.0 ^{1/}	45.1 **	0.9
	11:00-12:00 HOUR	50.7 ^{1/}	49.2 **	45.4 ^{1/}	44.7 **	<0.8 ^{3/}
	12:00-13:00 HOUR	49.5 ^{1/}	46.4 **	46.6 ^{1/}	43.3 **	3.3
	13:00-14:00 HOUR	49.4 ^{1/}	47.5 **	44.9 ^{1/}	43.4 **	1.5
	14:00-15:00 HOUR	50.9 ^{1/}	49.5 **	45.3 ^{1/}	45.8 **	<0.8 ^{3/}
	15:00-16:00 HOUR	50.5 ^{1/}	49.6 **	43.2 ^{1/}	45.0 **	<0.8 ^{3/}
	16:00-17:00 HOUR	53.4 ^{1/}	50.1 **	50.7 ^{1/}	46.5 **	4.2
	17:00-18:00 HOUR	51.2 ^{1/}	49.0 **	47.2 ^{1/}	45.3 **	1.9
	18:00-19:00 HOUR	54.9 ^{1/}	52.6 **	51.0 ^{1/}	48.8 **	2.2
	19:00-20:00 HOUR	51.3 ^{1/}	50.4 **	44.0 ^{1/}	47.1 **	<0.8 ^{3/}
	20:00-21:00 HOUR	50.5 ^{1/}	48.0 **	46.9 ^{1/}	46.4 **	<0.8 ^{3/}

DATE	TIME*	RESULT (dB(A))				
		วัดตามวงคาราม				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 26, 2024 T24AG870-0013	DAY TIME ^{1/} 21:00-22:00 HOUR	48.0 ^{1/}	45.9 **	43.8 ^{1/}	44.6 **	<0.8 ^{3/}
	NIGHT TIME ^{2/} 22:00-22:05 HOUR	46.4 ^{2/}	45.6 ***	41.7 ^{2/}	44.1 ***	<0.8 ^{3/}
	22:05-22:10 HOUR	48.1 ^{2/}	45.6 ***	47.5 ^{2/}	44.1 ***	3.4
	22:10-22:15 HOUR	46.7 ^{2/}	45.6 ***	43.2 ^{2/}	44.1 ***	<0.8 ^{3/}
	22:15-22:20 HOUR	48.1 ^{2/}	44.9 ***	48.3 ^{2/}	43.8 ***	4.5
	22:20-22:25 HOUR	47.7 ^{2/}	44.9 ***	47.5 ^{2/}	43.8 ***	3.7
	22:25-22:30 HOUR	47.0 ^{2/}	44.9 ***	45.8 ^{2/}	43.8 ***	2.0
	22:30-22:35 HOUR	47.2 ^{2/}	47.4 ***	<0.8 ^{3/}	45.6 ***	<0.8 ^{3/}
	22:35-22:40 HOUR	49.1 ^{2/}	47.4 ***	47.2 ^{2/}	45.6 ***	1.6
	22:40-22:45 HOUR	47.3 ^{2/}	47.4 ***	<0.8 ^{3/}	45.6 ***	<0.8 ^{3/}
	22:45-22:50 HOUR	48.1 ^{2/}	45.9 ***	47.1 ^{2/}	44.2 ***	2.9
	22:50-22:55 HOUR	47.8 ^{2/}	45.9 ***	46.3 ^{2/}	44.2 ***	2.1
	22:55-23:00 HOUR	46.7 ^{2/}	45.9 ***	42.0 ^{2/}	44.2 ***	<0.8 ^{3/}
	23:00-23:05 HOUR	46.7 ^{2/}	46.0 ***	41.4 ^{2/}	44.4 ***	<0.8 ^{3/}
	23:05-23:10 HOUR	48.6 ^{2/}	46.0 ***	48.1 ^{2/}	44.4 ***	3.7
	23:10-23:15 HOUR	47.9 ^{2/}	46.0 ***	46.4 ^{2/}	44.4 ***	2.0
	23:15-23:20 HOUR	47.4 ^{2/}	46.8 ***	41.5 ^{2/}	44.8 ***	<0.8 ^{3/}
	23:20-23:25 HOUR	47.7 ^{2/}	46.8 ***	43.4 ^{2/}	44.8 ***	<0.8 ^{3/}
	23:25-23:30 HOUR	47.6 ^{2/}	46.8 ***	42.9 ^{2/}	44.8 ***	<0.8 ^{3/}
	23:30-23:35 HOUR	47.7 ^{2/}	45.0 ***	47.4 ^{2/}	43.4 ***	4.0
	23:35-23:40 HOUR	47.9 ^{2/}	45.0 ***	47.8 ^{2/}	43.4 ***	4.4
	23:40-23:45 HOUR	46.6 ^{2/}	45.0 ***	44.5 ^{2/}	43.4 ***	1.1
	23:45-23:50 HOUR	46.4 ^{2/}	45.1 ***	43.5 ^{2/}	43.7 ***	<0.8 ^{3/}
	23:50-23:55 HOUR	47.2 ^{2/}	45.1 ***	46.0 ^{2/}	43.7 ***	2.3
	23:55-00:00 HOUR	47.3 ^{2/}	45.1 ***	46.3 ^{2/}	43.7 ***	2.6
MARCH 27, 2024 T24AG870-0013	NIGHT TIME ^{2/} 00:00-00:05 HOUR	48.1 ^{2/}	45.8 ***	47.2 ^{2/}	44.6 ***	2.6
	00:05-00:10 HOUR	46.9 ^{2/}	45.8 ***	43.4 ^{2/}	44.6 ***	<0.8 ^{3/}
	00:10-00:15 HOUR	46.8 ^{2/}	45.8 ***	42.9 ^{2/}	44.6 ***	<0.8 ^{3/}
	00:15-00:20 HOUR	46.4 ^{2/}	45.8 ***	40.5 ^{2/}	44.5 ***	<0.8 ^{3/}
	00:20-00:25 HOUR	46.8 ^{2/}	45.8 ***	42.9 ^{2/}	44.5 ***	<0.8 ^{3/}
	00:25-00:30 HOUR	47.0 ^{2/}	45.8 ***	43.8 ^{2/}	44.5 ***	<0.8 ^{3/}
	00:30-00:35 HOUR	47.5 ^{2/}	45.6 ***	46.0 ^{2/}	44.1 ***	1.9
	00:35-00:40 HOUR	47.9 ^{2/}	45.6 ***	47.0 ^{2/}	44.1 ***	2.9
	00:40-00:45 HOUR	47.9 ^{2/}	45.6 ***	47.0 ^{2/}	44.1 ***	2.9
	00:45-00:50 HOUR	46.8 ^{2/}	46.0 ***	42.1 ^{2/}	44.4 ***	<0.8 ^{3/}
	00:50-00:55 HOUR	47.1 ^{2/}	46.0 ***	43.6 ^{2/}	44.4 ***	<0.8 ^{3/}
	00:55-01:00 HOUR	47.0 ^{2/}	46.0 ***	43.1 ^{2/}	44.4 ***	<0.8 ^{3/}
	01:00-01:05 HOUR	46.6 ^{2/}	46.5 ***	33.2 ^{2/}	44.8 ***	<0.8 ^{3/}
	01:05-01:10 HOUR	47.5 ^{2/}	46.5 ***	43.6 ^{2/}	44.8 ***	<0.8 ^{3/}
	01:10-01:15 HOUR	48.5 ^{2/}	46.5 ***	47.2 ^{2/}	44.8 ***	2.4
	01:15-01:20 HOUR	47.0 ^{2/}	45.4 ***	44.9 ^{2/}	44.2 ***	<0.8 ^{3/}
	01:20-01:25 HOUR	46.9 ^{2/}	45.4 ***	44.6 ^{2/}	44.2 ***	<0.8 ^{3/}
	01:25-01:30 HOUR	47.0 ^{2/}	45.4 ***	44.9 ^{2/}	44.2 ***	<0.8 ^{3/}

DATE	TIME*	RESULT (dB(A))				
		วัดตามวงดคาราม				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 27, 2024 T24AG870-0013	NIGHT TIME ^{2/}					
	01:30-01:35 HOUR	45.9 ^{2/}	44.7 ***	42.7 ^{2/}	43.7 ***	<0.8 ^{3/}
	01:35-01:40 HOUR	46.0 ^{2/}	44.7 ***	43.1 ^{2/}	43.7 ***	<0.8 ^{3/}
	01:40-01:45 HOUR	46.5 ^{2/}	44.7 ***	44.8 ^{2/}	43.7 ***	1.1
	01:45-01:50 HOUR	47.6 ^{2/}	44.8 ***	47.4 ^{2/}	43.6 ***	3.8
	01:50-01:55 HOUR	47.4 ^{2/}	44.8 ***	46.9 ^{2/}	43.6 ***	3.3
	01:55-02:00 HOUR	46.5 ^{2/}	44.8 ***	44.6 ^{2/}	43.6 ***	1.0
	02:00-02:05 HOUR	46.2 ^{2/}	45.0 ***	43.0 ^{2/}	44.0 ***	<0.8 ^{3/}
	02:05-02:10 HOUR	46.8 ^{2/}	45.0 ***	45.1 ^{2/}	44.0 ***	1.1
	02:10-02:15 HOUR	46.3 ^{2/}	45.0 ***	43.4 ^{2/}	44.0 ***	<0.8 ^{3/}
	02:15-02:20 HOUR	46.8 ^{2/}	45.1 ***	44.9 ^{2/}	43.5 ***	1.4
	02:20-02:25 HOUR	46.3 ^{2/}	45.1 ***	43.1 ^{2/}	43.5 ***	<0.8 ^{3/}
	02:25-02:30 HOUR	46.4 ^{2/}	45.1 ***	43.5 ^{2/}	43.5 ***	<0.8 ^{3/}
	02:30-02:35 HOUR	46.2 ^{2/}	45.1 ***	42.7 ^{2/}	43.9 ***	<0.8 ^{3/}
	02:35-02:40 HOUR	46.8 ^{2/}	45.1 ***	44.9 ^{2/}	43.9 ***	1.0
	02:40-02:45 HOUR	46.4 ^{2/}	45.1 ***	43.5 ^{2/}	43.9 ***	<0.8 ^{3/}
	02:45-02:50 HOUR	45.9 ^{2/}	46.0 ***	<0.8 ^{3/}	45.0 ***	<0.8 ^{3/}
	02:50-02:55 HOUR	46.7 ^{2/}	46.0 ***	41.4 ^{2/}	45.0 ***	<0.8 ^{3/}
	02:55-03:00 HOUR	46.3 ^{2/}	46.0 ***	37.5 ^{2/}	45.0 ***	<0.8 ^{3/}
	03:00-03:05 HOUR	46.4 ^{2/}	45.6 ***	41.7 ^{2/}	44.3 ***	<0.8 ^{3/}
	03:05-03:10 HOUR	47.2 ^{2/}	45.6 ***	45.1 ^{2/}	44.3 ***	0.8
	03:10-03:15 HOUR	47.4 ^{2/}	45.6 ***	45.7 ^{2/}	44.3 ***	1.4
	03:15-03:20 HOUR	46.0 ^{2/}	44.3 ***	44.1 ^{2/}	42.9 ***	1.2
	03:20-03:25 HOUR	46.4 ^{2/}	44.3 ***	45.2 ^{2/}	42.9 ***	2.3
	03:25-03:30 HOUR	45.9 ^{2/}	44.3 ***	43.8 ^{2/}	42.9 ***	0.9
	03:30-03:35 HOUR	46.4 ^{2/}	45.8 ***	40.5 ^{2/}	44.2 ***	<0.8 ^{3/}
	03:35-03:40 HOUR	46.3 ^{2/}	45.8 ***	39.7 ^{2/}	44.2 ***	<0.8 ^{3/}
	03:40-03:45 HOUR	46.4 ^{2/}	45.8 ***	40.5 ^{2/}	44.2 ***	<0.8 ^{3/}
	03:45-03:50 HOUR	47.4 ^{2/}	44.7 ***	47.1 ^{2/}	43.1 ***	4.0
	03:50-03:55 HOUR	46.9 ^{2/}	44.7 ***	45.9 ^{2/}	43.1 ***	2.8
	03:55-04:00 HOUR	46.9 ^{2/}	44.7 ***	45.9 ^{2/}	43.1 ***	2.8
	04:00-04:05 HOUR	47.5 ^{2/}	45.3 ***	46.5 ^{2/}	43.8 ***	2.7
	04:05-04:10 HOUR	47.8 ^{2/}	45.3 ***	47.2 ^{2/}	43.8 ***	3.4
	04:10-04:15 HOUR	46.3 ^{2/}	45.3 ***	42.4 ^{2/}	43.8 ***	<0.8 ^{3/}
	04:15-04:20 HOUR	46.4 ^{2/}	45.7 ***	41.1 ^{2/}	43.8 ***	<0.8 ^{3/}
	04:20-04:25 HOUR	46.0 ^{2/}	45.7 ***	37.2 ^{2/}	43.8 ***	<0.8 ^{3/}
	04:25-04:30 HOUR	47.1 ^{2/}	45.7 ***	44.5 ^{2/}	43.8 ***	<0.8 ^{3/}
	04:30-04:35 HOUR	47.1 ^{2/}	46.5 ***	41.2 ^{2/}	44.7 ***	<0.8 ^{3/}
	04:35-04:40 HOUR	48.7 ^{2/}	46.5 ***	47.7 ^{2/}	44.7 ***	3.0
	04:40-04:45 HOUR	48.1 ^{2/}	46.5 ***	46.0 ^{2/}	44.7 ***	1.3
	04:45-04:50 HOUR	48.5 ^{2/}	46.3 ***	47.5 ^{2/}	44.6 ***	2.9
	04:50-04:55 HOUR	48.8 ^{2/}	46.3 ***	48.2 ^{2/}	44.6 ***	3.6
	04:55-05:00 HOUR	48.4 ^{2/}	46.3 ***	47.2 ^{2/}	44.6 ***	2.6
	05:00-05:05 HOUR	49.0 ^{2/}	46.0 ***	49.0 ^{2/}	44.4 ***	4.6
	05:05-05:10 HOUR	48.8 ^{2/}	46.0 ***	48.6 ^{2/}	44.4 ***	4.2

DATE	TIME*	RESULT (dB(A))				
		วัดตามวงศดราม				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 27, 2024	NIGHT TIME ^{2/}					
T24AG870-0013	05:10-05:15 HOUR	48.5 ^{2/}	46.0 ***	47.9 ^{2/}	44.4 ***	3.5
	05:15-05:20 HOUR	48.8 ^{2/}	48.2 ***	42.9 ^{2/}	46.4 ***	<0.8 ^{3/}
	05:20-05:25 HOUR	48.0 ^{2/}	48.2 ***	<0.8 ^{3/}	46.4 ***	<0.8 ^{3/}
	05:25-05:30 HOUR	49.2 ^{2/}	48.2 ***	45.3 ^{2/}	46.4 ***	<0.8 ^{3/}
	05:30-05:35 HOUR	48.5 ^{2/}	48.0 ***	41.9 ^{2/}	45.9 ***	<0.8 ^{3/}
	05:35-05:40 HOUR	49.7 ^{2/}	48.0 ***	47.8 ^{2/}	45.9 ***	1.9
	05:40-05:45 HOUR	50.2 ^{2/}	48.0 ***	49.2 ^{2/}	45.9 ***	3.3
	05:45-05:50 HOUR	49.9 ^{2/}	48.6 ***	47.0 ^{2/}	46.2 ***	0.8
	05:50-05:55 HOUR	50.2 ^{2/}	48.6 ***	48.1 ^{2/}	46.2 ***	1.9
	05:55-06:00 HOUR	50.1 ^{2/}	48.6 ***	47.8 ^{2/}	46.2 ***	1.6
	DAY TIME ^{1/}					
	06:00-07:00 HOUR	53.7 ^{1/}	51.5 **	49.7 ^{1/}	47.3 **	2.4
MARCH 27, 2024	DAY TIME ^{1/}					
T24AG870-0014	07:00-08:00 HOUR	51.1 ^{1/}	49.4 **	46.2 ^{1/}	46.2 **	<0.8 ^{3/}
	08:00-09:00 HOUR	50.6 ^{1/}	48.2 **	46.9 ^{1/}	44.8 **	2.1
	09:00-10:00 HOUR	49.7 ^{1/}	48.1 **	44.6 ^{1/}	44.3 **	<0.8 ^{3/}
	10:00-11:00 HOUR	49.3 ^{1/}	47.8 **	44.0 ^{1/}	44.0 **	<0.8 ^{3/}
	11:00-12:00 HOUR	48.7 ^{1/}	47.0 **	43.8 ^{1/}	43.3 **	<0.8 ^{3/}
	12:00-13:00 HOUR	49.2 ^{1/}	47.1 **	45.0 ^{1/}	44.5 **	<0.8 ^{3/}
	13:00-14:00 HOUR	49.7 ^{1/}	48.1 **	44.6 ^{1/}	45.4 **	<0.8 ^{3/}
	14:00-15:00 HOUR	50.2 ^{1/}	48.4 **	45.5 ^{1/}	45.8 **	<0.8 ^{3/}
	15:00-16:00 HOUR	50.0 ^{1/}	48.2 **	45.3 ^{1/}	44.6 **	<0.8 ^{3/}
	16:00-17:00 HOUR	50.9 ^{1/}	49.0 **	46.4 ^{1/}	45.8 **	<0.8 ^{3/}
	17:00-18:00 HOUR	51.2 ^{1/}	48.7 **	47.6 ^{1/}	45.2 **	2.4
	18:00-19:00 HOUR	52.6 ^{1/}	49.3 **	49.9 ^{1/}	46.3 **	3.6
	19:00-20:00 HOUR	47.3 ^{1/}	46.0 **	41.4 ^{1/}	43.6 **	<0.8 ^{3/}
	20:00-21:00 HOUR	47.0 ^{1/}	45.3 **	42.1 ^{1/}	43.9 **	<0.8 ^{3/}
	21:00-22:00 HOUR	47.1 ^{1/}	46.1 **	40.2 ^{1/}	43.9 **	<0.8 ^{3/}
	NIGHT TIME ^{2/}					
	22:00-22:05 HOUR	46.5 ^{2/}	45.2 ***	43.6 ^{2/}	43.7 ***	<0.8 ^{3/}
	22:05-22:10 HOUR	46.3 ^{2/}	45.2 ***	42.8 ^{2/}	43.7 ***	<0.8 ^{3/}
	22:10-22:15 HOUR	47.2 ^{2/}	45.2 ***	45.9 ^{2/}	43.7 ***	2.2
	22:15-22:20 HOUR	46.4 ^{2/}	45.5 ***	42.1 ^{2/}	44.0 ***	<0.8 ^{3/}
	22:20-22:25 HOUR	46.6 ^{2/}	45.5 ***	43.1 ^{2/}	44.0 ***	<0.8 ^{3/}
	22:25-22:30 HOUR	46.3 ^{2/}	45.5 ***	41.6 ^{2/}	44.0 ***	<0.8 ^{3/}
	22:30-22:35 HOUR	46.4 ^{2/}	45.4 ***	42.5 ^{2/}	44.0 ***	<0.8 ^{3/}
	22:35-22:40 HOUR	46.7 ^{2/}	45.4 ***	43.8 ^{2/}	44.0 ***	<0.8 ^{3/}
	22:40-22:45 HOUR	47.0 ^{2/}	45.4 ***	44.9 ^{2/}	44.0 ***	0.9
	22:45-22:50 HOUR	46.6 ^{2/}	45.0 ***	44.5 ^{2/}	43.7 ***	0.8
	22:50-22:55 HOUR	46.7 ^{2/}	45.0 ***	44.8 ^{2/}	43.7 ***	1.1
	22:55-23:00 HOUR	45.9 ^{2/}	45.0 ***	41.6 ^{2/}	43.7 ***	<0.8 ^{3/}
	23:00-23:05 HOUR	46.2 ^{2/}	45.6 ***	40.3 ^{2/}	44.2 ***	<0.8 ^{3/}
	23:05-23:10 HOUR	45.9 ^{2/}	45.6 ***	37.1 ^{2/}	44.2 ***	<0.8 ^{3/}
	23:10-23:15 HOUR	46.2 ^{2/}	45.6 ***	40.3 ^{2/}	44.2 ***	<0.8 ^{3/}
	23:15-23:20 HOUR	47.5 ^{2/}	45.2 ***	46.6 ^{2/}	43.4 ***	3.2

DATE	TIME*	RESULT (dB(A))				
		วัดตามวงศคาราม				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 27, 2024 T24AG870-0014	NIGHT TIME ^{2/}					
	23:20-23:25 HOUR	47.1 ^{2/}	45.2 ***	45.6 ^{2/}	43.4 ***	2.2
	23:25-23:30 HOUR	46.2 ^{2/}	45.2 ***	42.3 ^{2/}	43.4 ***	<0.8 ^{3/}
	23:30-23:35 HOUR	47.4 ^{2/}	45.0 ***	46.7 ^{2/}	43.6 ***	3.1
	23:35-23:40 HOUR	47.8 ^{2/}	45.0 ***	47.6 ^{2/}	43.6 ***	4.0
	23:40-23:45 HOUR	46.7 ^{2/}	45.0 ***	44.8 ^{2/}	43.6 ***	1.2
	23:45-23:50 HOUR	46.3 ^{2/}	45.8 ***	39.7 ^{2/}	44.2 ***	<0.8 ^{3/}
	23:50-23:55 HOUR	46.3 ^{2/}	45.8 ***	39.7 ^{2/}	44.2 ***	<0.8 ^{3/}
	23:55-00:00 HOUR	46.9 ^{2/}	45.8 ***	43.4 ^{2/}	44.2 ***	<0.8 ^{3/}
MARCH 28, 2024 T24AG870-0014	NIGHT TIME ^{2/}					
	00:00-00:05 HOUR	47.0 ^{2/}	44.6 ***	46.3 ^{2/}	43.2 ***	3.1
	00:05-00:10 HOUR	46.2 ^{2/}	44.6 ***	44.1 ^{2/}	43.2 ***	0.9
	00:10-00:15 HOUR	47.0 ^{2/}	44.6 ***	46.3 ^{2/}	43.2 ***	3.1
	00:15-00:20 HOUR	46.2 ^{2/}	45.9 ***	37.4 ^{2/}	44.3 ***	<0.8 ^{3/}
	00:20-00:25 HOUR	45.7 ^{2/}	45.9 ***	<0.8 ^{3/}	44.3 ***	<0.8 ^{3/}
	00:25-00:30 HOUR	47.0 ^{2/}	45.9 ***	43.5 ^{2/}	44.3 ***	<0.8 ^{3/}
	00:30-00:35 HOUR	46.4 ^{2/}	44.9 ***	44.1 ^{2/}	43.5 ***	<0.8 ^{3/}
	00:35-00:40 HOUR	46.9 ^{2/}	44.9 ***	45.6 ^{2/}	43.5 ***	2.1
	00:40-00:45 HOUR	45.6 ^{2/}	44.9 ***	40.3 ^{2/}	43.5 ***	<0.8 ^{3/}
	00:45-00:50 HOUR	46.3 ^{2/}	44.8 ***	44.0 ^{2/}	43.3 ***	<0.8 ^{3/}
	00:50-00:55 HOUR	46.1 ^{2/}	44.8 ***	43.2 ^{2/}	43.3 ***	<0.8 ^{3/}
	00:55-01:00 HOUR	46.2 ^{2/}	44.8 ***	43.6 ^{2/}	43.3 ***	<0.8 ^{3/}
	01:00-01:05 HOUR	45.2 ^{2/}	45.0 ***	34.7 ^{2/}	43.5 ***	<0.8 ^{3/}
	01:05-01:10 HOUR	45.0 ^{2/}	45.0 ***	<0.8 ^{3/}	43.5 ***	<0.8 ^{3/}
	01:10-01:15 HOUR	46.2 ^{2/}	45.0 ***	43.0 ^{2/}	43.5 ***	<0.8 ^{3/}
	01:15-01:20 HOUR	46.7 ^{2/}	43.9 ***	46.5 ^{2/}	42.5 ***	4.0
	01:20-01:25 HOUR	46.5 ^{2/}	43.9 ***	46.0 ^{2/}	42.5 ***	3.5
	01:25-01:30 HOUR	45.4 ^{2/}	43.9 ***	43.1 ^{2/}	42.5 ***	<0.8 ^{3/}
	01:30-01:35 HOUR	45.2 ^{2/}	43.4 ***	43.5 ^{2/}	42.3 ***	1.2
	01:35-01:40 HOUR	45.2 ^{2/}	43.4 ***	43.5 ^{2/}	42.3 ***	1.2
	01:40-01:45 HOUR	45.2 ^{2/}	43.4 ***	43.5 ^{2/}	42.3 ***	1.2
	01:45-01:50 HOUR	44.5 ^{2/}	43.7 ***	39.8 ^{2/}	42.7 ***	<0.8 ^{3/}
	01:50-01:55 HOUR	45.2 ^{2/}	43.7 ***	42.9 ^{2/}	42.7 ***	<0.8 ^{3/}
	01:55-02:00 HOUR	45.5 ^{2/}	43.7 ***	43.8 ^{2/}	42.7 ***	1.1
	02:00-02:05 HOUR	44.9 ^{2/}	42.9 ***	43.6 ^{2/}	41.7 ***	1.9
	02:05-02:10 HOUR	44.6 ^{2/}	42.9 ***	42.7 ^{2/}	41.7 ***	1.0
	02:10-02:15 HOUR	44.4 ^{2/}	42.9 ***	42.1 ^{2/}	41.7 ***	<0.8 ^{3/}
	02:15-02:20 HOUR	45.3 ^{2/}	43.4 ***	43.8 ^{2/}	41.8 ***	2.0
	02:20-02:25 HOUR	45.7 ^{2/}	43.4 ***	44.8 ^{2/}	41.8 ***	3.0
	02:25-02:30 HOUR	44.9 ^{2/}	43.4 ***	42.6 ^{2/}	41.8 ***	0.8
	02:30-02:35 HOUR	45.6 ^{2/}	43.3 ***	44.7 ^{2/}	42.1 ***	2.6
	02:35-02:40 HOUR	45.0 ^{2/}	43.3 ***	43.1 ^{2/}	42.1 ***	1.0
	02:40-02:45 HOUR	45.7 ^{2/}	43.3 ***	45.0 ^{2/}	42.1 ***	2.9
	02:45-02:50 HOUR	45.0 ^{2/}	44.2 ***	40.3 ^{2/}	43.0 ***	<0.8 ^{3/}
	02:50-02:55 HOUR	44.5 ^{2/}	44.2 ***	35.7 ^{2/}	43.0 ***	<0.8 ^{3/}

DATE	TIME*	RESULT (dB(A))				
		วัดตามวงศการาม				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 28, 2024	NIGHT TIME ^{2/}					
T24AG870-0014	02:55-03:00 HOUR	45.8 ^{2/}	44.2 ***	43.7 ^{2/}	43.0 ***	<0.8 ^{3/}
	03:00-03:05 HOUR	45.5 ^{2/}	43.5 ***	44.2 ^{2/}	42.3 ***	1.9
	03:05-03:10 HOUR	44.8 ^{2/}	43.5 ***	41.9 ^{2/}	42.3 ***	<0.8 ^{3/}
	03:10-03:15 HOUR	44.3 ^{2/}	43.5 ***	39.6 ^{2/}	42.3 ***	<0.8 ^{3/}
	03:15-03:20 HOUR	44.8 ^{2/}	44.0 ***	40.1 ^{2/}	42.5 ***	<0.8 ^{3/}
	03:20-03:25 HOUR	44.6 ^{2/}	44.0 ***	38.7 ^{2/}	42.5 ***	<0.8 ^{3/}
	03:25-03:30 HOUR	45.3 ^{2/}	44.0 ***	42.4 ^{2/}	42.5 ***	<0.8 ^{3/}
	03:30-03:35 HOUR	44.8 ^{2/}	43.1 ***	42.9 ^{2/}	41.4 ***	1.5
	03:35-03:40 HOUR	46.2 ^{2/}	43.1 ***	46.3 ^{2/}	41.4 ***	4.9
	03:40-03:45 HOUR	45.2 ^{2/}	43.1 ***	44.0 ^{2/}	41.4 ***	2.6
	03:45-03:50 HOUR	44.7 ^{2/}	43.5 ***	41.5 ^{2/}	40.8 ***	<0.8 ^{3/}
	03:50-03:55 HOUR	44.9 ^{2/}	43.5 ***	42.3 ^{2/}	40.8 ***	1.5
	03:55-04:00 HOUR	44.6 ^{2/}	43.5 ***	41.1 ^{2/}	40.8 ***	<0.8 ^{3/}
	04:00-04:05 HOUR	45.0 ^{2/}	43.7 ***	42.1 ^{2/}	41.8 ***	<0.8 ^{3/}
	04:05-04:10 HOUR	45.1 ^{2/}	43.7 ***	42.5 ^{2/}	41.8 ***	<0.8 ^{3/}
	04:10-04:15 HOUR	45.0 ^{2/}	43.7 ***	42.1 ^{2/}	41.8 ***	<0.8 ^{3/}
	04:15-04:20 HOUR	45.2 ^{2/}	44.0 ***	42.0 ^{2/}	42.0 ***	<0.8 ^{3/}
	04:20-04:25 HOUR	45.9 ^{2/}	44.0 ***	44.4 ^{2/}	42.0 ***	2.4
	04:25-04:30 HOUR	45.5 ^{2/}	44.0 ***	43.2 ^{2/}	42.0 ***	1.2
	04:30-04:35 HOUR	44.6 ^{2/}	44.8 ***	<0.8 ^{3/}	42.8 ***	<0.8 ^{3/}
	04:35-04:40 HOUR	45.8 ^{2/}	44.8 ***	41.9 ^{2/}	42.8 ***	<0.8 ^{3/}
	04:40-04:45 HOUR	45.0 ^{2/}	44.8 ***	34.5 ^{2/}	42.8 ***	<0.8 ^{3/}
	04:45-04:50 HOUR	45.7 ^{2/}	44.8 ***	41.4 ^{2/}	42.2 ***	<0.8 ^{3/}
	04:50-04:55 HOUR	46.4 ^{2/}	44.8 ***	44.3 ^{2/}	42.2 ***	2.1
	04:55-05:00 HOUR	44.9 ^{2/}	44.8 ***	31.5 ^{2/}	42.2 ***	<0.8 ^{3/}
	05:00-05:05 HOUR	47.3 ^{2/}	45.4 ***	45.8 ^{2/}	41.8 ***	4.0
	05:05-05:10 HOUR	46.1 ^{2/}	45.4 ***	40.8 ^{2/}	41.8 ***	<0.8 ^{3/}
	05:10-05:15 HOUR	47.1 ^{2/}	45.4 ***	45.2 ^{2/}	41.8 ***	3.4
	05:15-05:20 HOUR	46.5 ^{2/}	45.2 ***	43.6 ^{2/}	41.7 ***	1.9
	05:20-05:25 HOUR	47.1 ^{2/}	45.2 ***	45.6 ^{2/}	41.7 ***	3.9
	05:25-05:30 HOUR	47.4 ^{2/}	45.2 ***	46.4 ^{2/}	41.7 ***	4.7
	05:30-05:35 HOUR	47.5 ^{2/}	46.6 ***	43.2 ^{2/}	43.4 ***	<0.8 ^{3/}
	05:35-05:40 HOUR	47.7 ^{2/}	46.6 ***	44.2 ^{2/}	43.4 ***	0.8
	05:40-05:45 HOUR	48.8 ^{2/}	46.6 ***	47.8 ^{2/}	43.4 ***	4.4
	05:45-05:50 HOUR	49.7 ^{2/}	48.7 ***	45.8 ^{2/}	45.3 ***	<0.8 ^{3/}
	05:50-05:55 HOUR	49.3 ^{2/}	48.7 ***	43.4 ^{2/}	45.3 ***	<0.8 ^{3/}
	05:55-06:00 HOUR	48.6 ^{2/}	48.7 ***	<0.8 ^{3/}	45.3 ***	<0.8 ^{3/}
	DAY TIME ^{1/}					
	06:00-07:00 HOUR	51.2 ^{1/}	48.8 **	47.5 ^{1/}	45.4 **	2.1
MARCH 28, 2024	DAY TIME ^{1/}					
T24AG870-0015	07:00-08:00 HOUR	50.2 ^{1/}	48.8 **	44.6 ^{1/}	44.7 **	<0.8 ^{3/}
	08:00-09:00 HOUR	49.3 ^{1/}	46.9 **	45.6 ^{1/}	42.9 **	2.7
	09:00-10:00 HOUR	49.3 ^{1/}	47.2 **	45.1 ^{1/}	42.6 **	2.5
	10:00-11:00 HOUR	49.7 ^{1/}	48.0 **	44.8 ^{1/}	43.4 **	1.4
	11:00-12:00 HOUR	49.2 ^{1/}	47.8 **	43.6 ^{1/}	43.4 **	<0.8 ^{3/}

DATE	TIME*	RESULT (dB(A))				
		วัดตามวงคาราม				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 28, 2024 T24AG870-0015	DAY TIME ^{1/}					
	12:00-13:00 HOUR	49.5 ^{1/}	47.6 **	45.0 ^{1/}	43.7 **	1.3
	13:00-14:00 HOUR	50.2 ^{1/}	48.5 **	45.3 ^{1/}	44.1 **	1.2
	14:00-15:00 HOUR	49.5 ^{1/}	48.0 **	44.2 ^{1/}	44.4 **	<0.8 ^{3/}
	15:00-16:00 HOUR	50.0 ^{1/}	49.1 **	42.7 ^{1/}	45.1 **	<0.8 ^{3/}
	16:00-17:00 HOUR	50.2 ^{1/}	49.6 **	41.3 ^{1/}	43.9 **	<0.8 ^{3/}
	17:00-18:00 HOUR	51.1 ^{1/}	48.5 **	47.6 ^{1/}	44.5 **	3.1
	18:00-19:00 HOUR	50.6 ^{1/}	49.2 **	45.0 ^{1/}	44.4 **	<0.8 ^{3/}
	19:00-20:00 HOUR	47.2 ^{1/}	46.2 **	40.3 ^{1/}	43.4 **	<0.8 ^{3/}
	20:00-21:00 HOUR	47.4 ^{1/}	45.8 **	42.3 ^{1/}	43.9 **	<0.8 ^{3/}
	21:00-22:00 HOUR	47.3 ^{1/}	45.8 **	42.0 ^{1/}	43.5 **	<0.8 ^{3/}
	NIGHT TIME ^{2/}					
	22:00-22:05 HOUR	47.1 ^{2/}	46.0 ***	43.6 ^{2/}	43.8 ***	<0.8 ^{3/}
	22:05-22:10 HOUR	47.5 ^{2/}	46.0 ***	45.2 ^{2/}	43.8 ***	1.4
	22:10-22:15 HOUR	47.6 ^{2/}	46.0 ***	45.5 ^{2/}	43.8 ***	1.7
	22:15-22:20 HOUR	47.1 ^{2/}	44.8 ***	46.2 ^{2/}	43.1 ***	3.1
	22:20-22:25 HOUR	48.0 ^{2/}	44.8 ***	48.2 ^{2/}	43.1 ***	5.1
	22:25-22:30 HOUR	46.9 ^{2/}	44.8 ***	45.7 ^{2/}	43.1 ***	2.6
	22:30-22:35 HOUR	46.3 ^{2/}	46.2 ***	32.9 ^{2/}	44.3 ***	<0.8 ^{3/}
	22:35-22:40 HOUR	46.8 ^{2/}	46.2 ***	40.9 ^{2/}	44.3 ***	<0.8 ^{3/}
	22:40-22:45 HOUR	47.6 ^{2/}	46.2 ***	45.0 ^{2/}	44.3 ***	<0.8 ^{3/}
	22:45-22:50 HOUR	46.9 ^{2/}	45.4 ***	44.6 ^{2/}	43.3 ***	1.3
	22:50-22:55 HOUR	46.5 ^{2/}	45.4 ***	43.0 ^{2/}	43.3 ***	<0.8 ^{3/}
	22:55-23:00 HOUR	45.7 ^{2/}	45.4 ***	36.9 ^{2/}	43.3 ***	<0.8 ^{3/}
	23:00-23:05 HOUR	46.1 ^{2/}	45.4 ***	40.8 ^{2/}	43.3 ***	<0.8 ^{3/}
	23:05-23:10 HOUR	47.2 ^{2/}	45.4 ***	45.5 ^{2/}	43.3 ***	2.2
	23:10-23:15 HOUR	46.4 ^{2/}	45.4 ***	42.5 ^{2/}	43.3 ***	<0.8 ^{3/}
	23:15-23:20 HOUR	46.7 ^{2/}	46.1 ***	40.8 ^{2/}	43.9 ***	<0.8 ^{3/}
	23:20-23:25 HOUR	46.6 ^{2/}	46.1 ***	40.0 ^{2/}	43.9 ***	<0.8 ^{3/}
	23:25-23:30 HOUR	47.7 ^{2/}	46.1 ***	45.6 ^{2/}	43.9 ***	1.7
	23:30-23:35 HOUR	47.5 ^{2/}	46.4 ***	44.0 ^{2/}	43.8 ***	<0.8 ^{3/}
	23:35-23:40 HOUR	47.9 ^{2/}	46.4 ***	45.6 ^{2/}	43.8 ***	1.8
	23:40-23:45 HOUR	47.4 ^{2/}	46.4 ***	43.5 ^{2/}	43.8 ***	<0.8 ^{3/}
	23:45-23:50 HOUR	48.3 ^{2/}	45.9 ***	47.6 ^{2/}	43.6 ***	4.0
	23:50-23:55 HOUR	47.2 ^{2/}	45.9 ***	44.3 ^{2/}	43.6 ***	<0.8 ^{3/}
	23:55-00:00 HOUR	47.2 ^{2/}	45.9 ***	44.3 ^{2/}	43.6 ***	<0.8 ^{3/}
MARCH 29, 2024 T24AG870-0015	NIGHT TIME ^{2/}					
	00:00-00:05 HOUR	47.6 ^{2/}	45.3 ***	46.7 ^{2/}	43.3 ***	3.4
	00:05-00:10 HOUR	45.8 ^{2/}	45.3 ***	39.2 ^{2/}	43.3 ***	<0.8 ^{3/}
	00:10-00:15 HOUR	46.6 ^{2/}	45.3 ***	43.7 ^{2/}	43.3 ***	<0.8 ^{3/}
	00:15-00:20 HOUR	46.3 ^{2/}	45.6 ***	41.0 ^{2/}	43.4 ***	<0.8 ^{3/}
	00:20-00:25 HOUR	46.4 ^{2/}	45.6 ***	41.7 ^{2/}	43.4 ***	<0.8 ^{3/}
	00:25-00:30 HOUR	46.7 ^{2/}	45.6 ***	43.2 ^{2/}	43.4 ***	<0.8 ^{3/}
	00:30-00:35 HOUR	45.1 ^{2/}	46.0 ***	<0.8 ^{3/}	44.2 ***	<0.8 ^{3/}
	00:35-00:40 HOUR	47.1 ^{2/}	46.0 ***	43.6 ^{2/}	44.2 ***	<0.8 ^{3/}
	00:40-00:45 HOUR	48.5 ^{2/}	46.0 ***	47.9 ^{2/}	44.2 ***	3.7

DATE	TIME*	RESULT (dB(A))				
		วัดตามวงศคาราม				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 29, 2024	NIGHT TIME ^{2/}					
T24AG870-0015	00:45-00:50 HOUR	46.9 ^{2/}	43.6 ***	47.2 ^{2/}	42.4 ***	4.8
	00:50-00:55 HOUR	45.5 ^{2/}	43.6 ***	44.0 ^{2/}	42.4 ***	1.6
	00:55-01:00 HOUR	44.2 ^{2/}	43.6 ***	38.3 ^{2/}	42.4 ***	<0.8 ^{3/}
	01:00-01:05 HOUR	45.2 ^{2/}	43.8 ***	42.6 ^{2/}	41.9 ***	<0.8 ^{3/}
	01:05-01:10 HOUR	46.0 ^{2/}	43.8 ***	45.0 ^{2/}	41.9 ***	3.1
	01:10-01:15 HOUR	45.6 ^{2/}	43.8 ***	43.9 ^{2/}	41.9 ***	2.0
	01:15-01:20 HOUR	44.8 ^{2/}	44.7 ***	31.4 ^{2/}	42.6 ***	<0.8 ^{3/}
	01:20-01:25 HOUR	43.7 ^{2/}	44.7 ***	<0.8 ^{3/}	42.6 ***	<0.8 ^{3/}
	01:25-01:30 HOUR	46.4 ^{2/}	44.7 ***	44.5 ^{2/}	42.6 ***	1.9
	01:30-01:35 HOUR	45.5 ^{2/}	44.1 ***	42.9 ^{2/}	42.6 ***	<0.8 ^{3/}
	01:35-01:40 HOUR	45.7 ^{2/}	44.1 ***	43.6 ^{2/}	42.6 ***	1.0
	01:40-01:45 HOUR	46.3 ^{2/}	44.1 ***	45.3 ^{2/}	42.6 ***	2.7
	01:45-01:50 HOUR	44.5 ^{2/}	44.4 ***	31.1 ^{2/}	42.7 ***	<0.8 ^{3/}
	01:50-01:55 HOUR	45.8 ^{2/}	44.4 ***	43.2 ^{2/}	42.7 ***	<0.8 ^{3/}
	01:55-02:00 HOUR	46.1 ^{2/}	44.4 ***	44.2 ^{2/}	42.7 ***	1.5
	02:00-02:05 HOUR	45.7 ^{2/}	43.6 ***	44.5 ^{2/}	41.9 ***	2.6
	02:05-02:10 HOUR	45.6 ^{2/}	43.6 ***	44.3 ^{2/}	41.9 ***	2.4
	02:10-02:15 HOUR	44.9 ^{2/}	43.6 ***	42.0 ^{2/}	41.9 ***	<0.8 ^{3/}
	02:15-02:20 HOUR	45.1 ^{2/}	44.3 ***	40.4 ^{2/}	42.6 ***	<0.8 ^{3/}
	02:20-02:25 HOUR	44.9 ^{2/}	44.3 ***	39.0 ^{2/}	42.6 ***	<0.8 ^{3/}
	02:25-02:30 HOUR	44.1 ^{2/}	44.3 ***	<0.8 ^{3/}	42.6 ***	<0.8 ^{3/}
	02:30-02:35 HOUR	45.2 ^{2/}	43.0 ***	44.2 ^{2/}	41.6 ***	2.6
	02:35-02:40 HOUR	44.9 ^{2/}	43.0 ***	43.4 ^{2/}	41.6 ***	1.8
	02:40-02:45 HOUR	44.2 ^{2/}	43.0 ***	41.0 ^{2/}	41.6 ***	<0.8 ^{3/}
	02:45-02:50 HOUR	46.6 ^{2/}	44.0 ***	46.1 ^{2/}	41.9 ***	4.2
	02:50-02:55 HOUR	44.8 ^{2/}	44.0 ***	40.1 ^{2/}	41.9 ***	<0.8 ^{3/}
	02:55-03:00 HOUR	46.0 ^{2/}	44.0 ***	44.7 ^{2/}	41.9 ***	2.8
	03:00-03:05 HOUR	46.3 ^{2/}	43.2 ***	46.4 ^{2/}	41.2 ***	5.2
	03:05-03:10 HOUR	43.5 ^{2/}	43.2 ***	34.7 ^{2/}	41.2 ***	<0.8 ^{3/}
	03:10-03:15 HOUR	46.0 ^{2/}	43.2 ***	45.8 ^{2/}	41.2 ***	4.6
	03:15-03:20 HOUR	44.4 ^{2/}	44.6 ***	<0.8 ^{3/}	42.3 ***	<0.8 ^{3/}
	03:20-03:25 HOUR	44.7 ^{2/}	44.6 ***	31.3 ^{2/}	42.3 ***	<0.8 ^{3/}
	03:25-03:30 HOUR	47.8 ^{2/}	44.6 ***	48.0 ^{2/}	42.3 ***	5.7
	03:30-03:35 HOUR	45.3 ^{2/}	43.2 ***	44.1 ^{2/}	41.4 ***	2.7
	03:35-03:40 HOUR	43.9 ^{2/}	43.2 ***	38.6 ^{2/}	41.4 ***	<0.8 ^{3/}
	03:40-03:45 HOUR	45.8 ^{2/}	43.2 ***	45.3 ^{2/}	41.4 ***	3.9
	03:45-03:50 HOUR	45.5 ^{2/}	43.8 ***	43.6 ^{2/}	42.6 ***	1.0
	03:50-03:55 HOUR	45.3 ^{2/}	43.8 ***	43.0 ^{2/}	42.6 ***	<0.8 ^{3/}
	03:55-04:00 HOUR	46.6 ^{2/}	43.8 ***	46.4 ^{2/}	42.6 ***	3.8
	04:00-04:05 HOUR	45.1 ^{2/}	43.6 ***	42.8 ^{2/}	41.5 ***	1.3
	04:05-04:10 HOUR	45.3 ^{2/}	43.6 ***	43.4 ^{2/}	41.5 ***	1.9
	04:10-04:15 HOUR	44.7 ^{2/}	43.6 ***	41.2 ^{2/}	41.5 ***	<0.8 ^{3/}
	04:15-04:20 HOUR	44.8 ^{2/}	44.5 ***	36.0 ^{2/}	42.6 ***	<0.8 ^{3/}
	04:20-04:25 HOUR	45.1 ^{2/}	44.5 ***	39.2 ^{2/}	42.6 ***	<0.8 ^{3/}

DATE	TIME*	RESULT (dB(A))				
		วัดตามวงศคาราม				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
MARCH 29, 2024 T24AG870-0015	NIGHT TIME ^{2/}					
	04:25-04:30 HOUR	46.2 ^{2/}	44.5 ***	44.3 ^{2/}	42.6 ***	1.7
	04:30-04:35 HOUR	49.6 ^{2/}	46.9 ***	49.3 ^{2/}	41.8 ***	7.5
	04:35-04:40 HOUR	49.4 ^{2/}	46.9 ***	48.8 ^{2/}	41.8 ***	7.0
	04:40-04:45 HOUR	49.4 ^{2/}	46.9 ***	48.8 ^{2/}	41.8 ***	7.0
	04:45-04:50 HOUR	47.8 ^{2/}	46.0 ***	46.1 ^{2/}	42.3 ***	3.8
	04:50-04:55 HOUR	49.1 ^{2/}	46.0 ***	49.2 ^{2/}	42.3 ***	6.9
	04:55-05:00 HOUR	48.5 ^{2/}	46.0 ***	47.9 ^{2/}	42.3 ***	5.6
	05:00-05:05 HOUR	46.7 ^{2/}	46.2 ***	40.1 ^{2/}	42.8 ***	<0.8 ^{3/}
	05:05-05:10 HOUR	48.4 ^{2/}	46.2 ***	47.4 ^{2/}	42.8 ***	4.6
	05:10-05:15 HOUR	47.4 ^{2/}	46.2 ***	44.2 ^{2/}	42.8 ***	1.4
	05:15-05:20 HOUR	48.6 ^{2/}	47.4 ***	45.4 ^{2/}	43.8 ***	1.6
	05:20-05:25 HOUR	48.0 ^{2/}	47.4 ***	42.1 ^{2/}	43.8 ***	<0.8 ^{3/}
	05:25-05:30 HOUR	50.0 ^{2/}	47.4 ***	49.5 ^{2/}	43.8 ***	5.7
	05:30-05:35 HOUR	47.2 ^{2/}	48.2 ***	<0.8 ^{3/}	43.4 ***	<0.8 ^{3/}
	05:35-05:40 HOUR	49.8 ^{2/}	48.2 ***	47.7 ^{2/}	43.4 ***	4.3
	05:40-05:45 HOUR	50.7 ^{2/}	48.2 ***	50.1 ^{2/}	43.4 ***	6.7
	05:45-05:50 HOUR	52.7 ^{2/}	51.3 ***	50.1 ^{2/}	45.0 ***	5.1
	05:50-05:55 HOUR	51.9 ^{2/}	51.3 ***	46.0 ^{2/}	45.0 ***	1.0
	05:55-06:00 HOUR	52.7 ^{2/}	51.3 ***	50.1 ^{2/}	45.0 ***	5.1
	DAY TIME ^{1/}					
	06:00-07:00 HOUR	52.6 ^{1/}	49.6 **	49.6 ^{1/}	45.8 **	3.8

- REMARK :**
- 1/ CASE 1 CALCULATION (DURING 06:00 TO 22:00 HOUR) : SPECIFIC SOUND LEVEL CONTINUOUSLY OCCUR AT LEAST 1 HOUR, MEASURING AS L_{Aeq} 1 hour.
 - 2/ CASE 4 CALCULATION (DURING 22:00 TO 06:00 HOUR) : SPECIFIC SOUND LEVEL OCCUR IN RESTFUL AREA OR NIGHT TIME, MEASURING AS L_{Aeq} 5 minutes.
 - 3/ THERE IS NO IMPACT CAUSE ANNOYANCE SOUND LEVEL
 - ** PERCENTILE LEVEL 90 (L_{A90}) IS THE MIDDLE VALUE OF 11 TIMES MEASURING.
(55 MINUTES MEASURING DURING 06:00 TO 22:00 HOUR)
AND RESIDUAL SOUND LEVEL (L_{Aeq} 5 minutes) IS CHOSEN AT THE SAME TIME AS PERCENTILE LEVEL 90 ABOVE.
 - *** PERCENTILE LEVEL 90 (L_{A90}) IS THE MIDDLE VALUE OF 3 TIMES MEASURING.
(15 MINUTES MEASURING DURING 22:00 TO 06:00 HOUR)
AND RESIDUAL SOUND LEVEL (L_{Aeq} 5 minutes) IS CHOSEN AT THE SAME TIME AS PERCENTILE LEVEL 90 ABOVE.

APRIL 8, 2024

ค-4

คุณภาพน้ำทิ้ง

ANALYSIS REPORT

PROJECT NAME : IN-PLANT GENERATOR PROJECT IN OPERATION PHASE
CUSTOMER NAME : PTT LNG COMPANY LIMITED
ADDRESS : 8/1, I-8 ROAD, MAP TA PHUT INDUSTRIAL ESTATE, MAP TA PHUT MUEANG RAYONG RAYONG 21150
CONTACT INFORMATION : TEL : 0 3897 8200 e-mail : dan.s@pttng.com
SAMPLING SOURCE : WASTEWATER TREATMENT PLANT
SAMPLE TYPE : EFFLUENT
SAMPLING DATE : APRIL 19, 2024
SAMPLING TIME : 09:30 HOUR
SAMPLING METHOD : GRAB
SAMPLING BY : MR CHAI BUASOD
ANALYZED BY : MISS NAPAPORN KHUNNOKKHUM

RECEIVED DATE : APRIL 22, 2024
ANALYTICAL DATE : APRIL 22-30, 2024
ISSUE DATE : MAY 3, 2024
REPORT NO. : 2024-U036879
WORK NO. : 2023-009993
ANALYSIS NO. : T24AI256-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	DETECTION LIMIT
			EFFLUENT FROM WASTEWATER TREATMENT PLANT T24AI256-0001	
pH ^a	-	ELECTROMETRIC METHOD (AT SITE) SM: PART 4500 -H ⁺ B AND 1060 B	7.1 (34°C)	-
TEMPERATURE ^c	°C	THERMOMETER AT SITE (SM: PART 2550 B)	34	-
BIOCHEMICAL OXYGEN DEMAND ^a	mg/L	MEMBRANE ELECTRODE METHOD (SM: PART 5210 B AND PART 4500-O G)	2.3	2.0
CHEMICAL OXYGEN DEMAND ^c	mg/L	CLOSED REFLUX, COLOURIMETRIC METHOD (SM: PART 5220 D)	ND	25.0
TOTAL SUSPENDED SOLIDS ^c	mg/L	TOTAL SUSPENDED SOLIDS DRIED AT 103-105 °C (SM: PART 2540 D)	ND	5.0
TOTAL DISSOLVED SOLIDS ^b	mg/L	TOTAL DISSOLVED SOLIDS DRIED AT 180 °C (SM: PART 2540 C)	226	25
RESIDUAL CHLORINE ^c	mg/L Cl ₂	MODIFIED DPD COLOURIMETRIC METHOD (AT SITE)	ND	0.1
TOTAL KJELDAHL NITROGEN ^c	mg/L	IN-HOUSE METHOD: UAE.TP.WAS.001 (KJELDAHL METHOD); SM: PART 4500-Norg C	28.1	1.5
FAT, OIL AND GREASE ^c	mg/L	LIQUID-LIQUID, PARTITION-GRAVIMETRIC METHOD (SM: PART 5520 B)	ND	3



PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	DETECTION LIMIT
			EFFLUENT FROM WASTEWATER TREATMENT PLANT T24AI256-0001	
METALS				
CADMIUM ^c	mg/L Cd	IN-HOUSE METHOD: UAE.TP.IW.01 (NITRIC ACID DIGESTION AND DIRECT AIR ACETYLENE FLAME METHOD); SM: PART 3030 E AND PART 3111 B	ND	0.002
LEAD ^c	mg/L Pb	IN-HOUSE METHOD: UAE.TP.IW.01 (NITRIC ACID DIGESTION AND DIRECT AIR ACETYLENE FLAME METHOD); SM: PART 3030 E AND PART 3111 B	ND	0.015
MERCURY ^c	mg/L Hg	COLD VAPOUR AAS METHOD (SM: PART 3112 B)	ND	0.0005
SAMPLE CONDITION				
WATER'S COLOUR/TURBID SEDIMENT			YELLOW/CLEAR BROWN	

^a : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

^b : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

^c : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

IN-HOUSE : BASED ON STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.

ND : NON-DETECTABLE.



ANALYSIS REPORT

PROJECT NAME : IN-PLANT GENERATOR PROJECT IN OPERATION PHASE
CUSTOMER NAME : PTT LNG COMPANY LIMITED
ADDRESS : 8/1, I-8 ROAD, MAP TA PHUT INDUSTRIAL ESTATE, MAP TA PHUT MUEANG RAYONG RAYONG 21150
CONTACT INFORMATION : TEL : 0 3897 8200 e-mail : dan.s@pttng.com
SAMPLING SOURCE : WASTEWATER TREATMENT PLANT
SAMPLE TYPE : EFFLUENT
SAMPLING DATE : APRIL 19, 2024
SAMPLING TIME : 10:05 HOUR
SAMPLING METHOD : GRAB
SAMPLING BY : MR CHAI BUASOD
ANALYZED BY : MISS NAPAPORN KHUNNOKKHUM
RECEIVED DATE : APRIL 22, 2024
ANALYTICAL DATE : APRIL 22-30, 2024
ISSUE DATE : MAY 3, 2024
REPORT NO. : 2024-U036880
WORK NO. : 2023-009993
ANALYSIS NO. : T24AI256-0002

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	DETECTION LIMIT
			EFFLUENT FROM PLANT OUT BEFORE DISCHARGE T24AI256-0002	
pH ^a	-	ELECTROMETRIC METHOD (AT SITE) SM: PART 4500 -H ⁺ B AND 1060 B	7.6 (28°C)	-
TEMPERATURE ^c	°C	THERMOMETER AT SITE (SM: PART 2550 B)	28	-
BIOCHEMICAL OXYGEN DEMAND ^a	mg/L	MEMBRANE ELECTRODE METHOD (SM: PART 5210 B AND PART 4500-O G)	< 2.0	2.0
CHEMICAL OXYGEN DEMAND ^c	mg/L	CLOSED REFLUX, TITRIMETRIC METHOD (SM: PART 5220 C)	109	25.0
TOTAL SUSPENDED SOLIDS ^a	mg/L	TOTAL SUSPENDED SOLIDS DRIED AT 103-105 °C (SM: PART 2540 D)	14.4	5.0
TOTAL DISSOLVED SOLIDS ^c	mg/L	TOTAL DISSOLVED SOLIDS DRIED AT 180 °C (SM: PART 2540 C)	36,350	25
RESIDUAL CHLORINE ^c	mg/L Cl ₂	MODIFIED DPD COLOURIMETRIC METHOD (AT SITE)	0.1	0.1
TOTAL KJELDAHL NITROGEN ^c	mg/L	IN-HOUSE METHOD: UAE.TP.WAS.001 (KJELDAHL METHOD); SM: PART 4500-Norg C	ND	1.5
FAT, OIL AND GREASE ^c	mg/L	LIQUID-LIQUID, PARTITION-GRAVIMETRIC METHOD (SM: PART 5520 B)	ND	3



PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	DETECTION LIMIT
			EFFLUENT FROM PLANT OUT BEFORE DISCHARGE T24AI256-0002	
METALS				
CADMIUM ^c	mg/L Cd	IN-HOUSE METHOD: UAE.TP.IW.01 (NITRIC ACID DIGESTION AND DIRECT AIR ACETYLENE FLAME METHOD); SM: PART 3030 E AND PART 3111 B	ND	0.002
LEAD ^c	mg/L Pb	IN-HOUSE METHOD: UAE.TP.IW.01 (NITRIC ACID DIGESTION AND DIRECT AIR ACETYLENE FLAME METHOD); SM: PART 3030 E AND PART 3111 B	ND	0.015
MERCURY ^c	mg/L Hg	COLD VAPOUR AAS METHOD (SM: PART 3112 B)	ND	0.0005
SAMPLE CONDITION				
WATER'S COLOUR/TURBID			YELLOW/CLEAR	
SEDIMENT			BROWN	

^a : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

^b : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)


^c : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

IN-HOUSE : BASED ON STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23rd EDITION, 2017.

ND : NON-DETECTABLE.

.....




ค-5

สาธารณสุข อาชีวนามัย และความปลอดภัย

ANALYSIS REPORT

CUSTOMER NAME : PTT LNG COMPANY LIMITED
ADDRESS : 8/1, I-8 ROAD, MAP TA PHUT INDUSTRIAL ESTATE, MAP TA PHUT MUEANG RAYONG RAYONG 21150
CONTACT INFORMATION : TEL : 0 3897 8200 e-mail : dan.s@pttng.com
MEASURING PLACE : PTT LNG COMPANY LIMITED
MEASURING TYPE : WORKPLACE (HEAT STRESS) **RECEIVED DATE** : APRIL 22, 2024
MEASURING DATE : APRIL 22, 2024 **ANALYTICAL DATE** : APRIL 22, 2024
MEASURING TIME : * **ISSUE DATE** : MAY 3, 2024
MEASURING EQUIPMENT : WET BULB GLOBE TEMPERATURE **REPORT NO.** : 2024-U036877
MEASURED BY : MISS CHAMANDA KIMAKOM **WORK NO.** : 2023-009993
ANALYSIS NO. : T24AI697-0001 - T24AI697-0003

ANALYSIS NO.	MEASURING SITE	DURATION TIME*	RESULT (DEGREE CELSIUS)				
			NWB	DB	GT	WBGT	WBGT AVG
T24AI697-0001	ORC (คุณธนดล ทองภักดี)	10:00-12:00 HOUR	28.5	34.7	35.6	30.6	30.6
T24AI697-0002	GAS TURBINE B (คุณศุภโชค พะมณี)	10:05-12:05 HOUR	28.5	32.5	33.5	30.0	30.0
T24AI697-0003	WARM CHILLED WATER PUMP (คุณนเรศ เกาศรี)	10:10-12:10 HOUR	29.1	28.1	36.8	314	314



ANALYSIS REPORT

CUSTOMER NAME : PTT LNG COMPANY LIMITED
ADDRESS : 8/1, I-8 ROAD, MAP TA PHUT INDUSTRIAL ESTATE, MAP TA PHUT MUEANG RAYONG RAYONG 21150
CONTACT INFORMATION : TEL : 0 3897 8200 e-mail : dan.s@pttng.com
MEASURING PLACE : PTT LNG COMPANY LIMITED
MEASURING TYPE : WORKPLACE (LIGHT INTENSITY)
MEASURING DATE : APRIL 22, 2024
MEASURING TIME : *
MEASURING EQUIPMENT : LUX METER
MEASURED BY : MISS CHAMANDA KIMAKOM

RECEIVED DATE : APRIL 22, 2024
ANALYTICAL DATE : APRIL 22, 2024
ISSUE DATE : MAY 3, 2024
REPORT NO. : 2024-U036873
WORK NO. : 2023-009993
ANALYSIS NO. : T24AI695-0001 - T24AI695-0002

ANALYSIS NO.	MEASURING SITE	TIME *	RESULT (LUX)
			LIGHT INTENSITY
			SPOT MEASUREMENT
T24AI695-0001	บริเวณห้องควบคุม (MAIN CONTROL)	09:15 HOUR	586
T24AI695-0002	บริเวณห้องควบคุม (IPG CONTROL)	09:20 HOUR	411



ANALYSIS REPORT

CUSTOMER NAME : PTT LNG COMPANY LIMITED
ADDRESS : 8/1, I-8 ROAD, MAP TA PHUT INDUSTRIAL ESTATE, MAP TA PHUT MUEANG RAYONG RAYONG 21150
CONTACT INFORMATION : TEL : 0 3897 8200 e-mail : dan.s@pttng.com
MEASURING PLACE : PTT LNG COMPANY LIMITED
MEASURING TYPE : WORKPLACE (NOISE)
MEASURING DATE : APRIL 22, 2024
MEASURING TIME : *
MEASURING EQUIPMENT : INTEGRATED SOUND LEVEL METER
MEASURED BY : MISS CHAMANDA KIMAKOM

RECEIVED DATE : APRIL 22, 2024
ANALYTICAL DATE : APRIL 22, 2024
ISSUE DATE : MAY 3, 2024
REPORT NO. : 2024-U036875
WORK NO. : 2023-009993
ANALYSIS NO. : T24AI696-0001 - T24AI696-0003

ANALYSIS NO.	MEASURING SITE	TIME* (HOUR)	RESULT (dB(A))	
			L _{Aeq} 8 hours	L _{Amax} 8 hours
T24AI696-0001	พื้นที่ไลน์ผลิต ORC	09:20-17:20	79.3	80.7
T24AI696-0002	GAS TURBINE B	09:25-17:25	81.5	86.6
T24AI696-0003	WARM CHILLED WATER PUMP	09:30-17:30	66.0	70.8

