

ภาคผนวก ค

รายงานผลการติดตามตรวจสอบคุณภาพสิ่งแวดล้อม

---

## ภาคผนวก ค

### รายงานผลการตรวจวัดคุณภาพสิ่งแวดล้อม

---

ภาคผนวก ค-1 รายงานผลการติดตามตรวจสอบปริมาณของสารเจือปน  
ในอากาศที่ระบายออกจากโรงงาน

ภาคผนวก ค-2 รายงานผลการติดตามตรวจสอบคุณภาพอากาศในบรรยากาศ  
โดยทั่วไป

ภาคผนวก ค-3 รายงานผลการติดตามตรวจสอบคุณภาพอากาศบริเวณ  
ลานกองกากอ้อย

ภาคผนวก ค-4 รายงานผลการติดตามตรวจสอบระดับเสียงในบรรยากาศทั่วไป

ภาคผนวก ค-5 รายงานผลการติดตามตรวจสอบคุณภาพน้ำผิวดิน

ภาคผนวก ค-6 รายงานผลการติดตามตรวจสอบคุณภาพน้ำทิ้ง

ภาคผนวก ค-7 รายงานผลการติดตามตรวจสอบคุณภาพน้ำฝน

ภาคผนวก ค-8 รายงานผลการติดตามตรวจสอบคุณภาพน้ำใต้ดิน

ภาคผนวก ค-9 รายงานผลการติดตามตรวจสอบคุณภาพดิน

ภาคผนวก ค-10 รายงานผลการติดตามตรวจสอบทรัพยากรชีวภาพในน้ำ

ภาคผนวก ค-11 รายงานผลการติดตามตรวจสอบสารปรับปรุงดิน

ภาคผนวก ค-12 รายงานผลการติดตามตรวจสอบระดับเสียงในสถานประกอบการ

ภาคผนวก ค-13 รายงานผลการติดตามตรวจสอบระดับเสียงติดตัวบุคคล  
(Noise Dose)

ภาคผนวก ค-14 รายงานผลการติดตามตรวจสอบคุณภาพอากาศ  
ในสถานประกอบการ

ภาคผนวก ค-15 รายงานผลการติดตามตรวจสอบความร้อนในสถานประกอบการ

ภาคผนวก ค-16 รายงานผลการติดตามตรวจสอบเชื้อราและแบคทีเรีย

ภาคผนวก ค-17 รายงานผลการติดตามตรวจสอบความเข้มแสงสว่าง  
ในสถานประกอบการ

ภาคผนวก ค-1

รายงานผลการติดตามตรวจสอบปริมาณของสารเจือปน  
ในอากาศที่ระบายออกจากโรงงาน

---

## ANALYSIS REPORT

**CUSTOMER NAME** : THAI ROONG RUANG INDUSTRY CO., LTD.  
**ADDRESS** : 89 MOO 98 UM CHAN KUSUMAN SAKON NAKHON  
**CONTACT INFORMATION** : TEL : 09 5665 0649 e-mail : piyawan.pan@trrgroup.com  
**SAMPLING SOURCE** : THAI ROONG RUANG INDUSTRY CO., LTD.  
**SAMPLE TYPE** : STACK  
**SAMPLING DATE** : JANUARY 13, 2024  
**SAMPLING TIME** : 11:00-11:42 HOUR  
**SAMPLING BY** : MR SOMPONG SAKUNTHAI ๖-145-๖-0051  
**ANALYZED BY** : MISS SUWAN KONGTHONG ๖-145-๓-0025

**RECEIVED DATE** : JANUARY 15, 2024  
**ANALYTICAL DATE** : JANUARY 15-18, 2024  
**REPORT NO.** : 2024-U005401  
**WORK NO.** : 2023-008918  
**ANALYSIS NO.** : T24AA743-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	
			BOILER STACK 250 TON/HR NO.1(NORMAL OPERATION) T24AA743-0001	
			ACTUAL OXYGEN	7% OXYGEN
TOTAL SUSPENDED PARTICULATE	mg/m <sup>3</sup>	ISOKINETIC, GRAVIMETRIC METHOD (US EPA METHOD 5)	4.34	3.89
<b>SAMPLE CONDITION</b>			COMPLETE	

REMARK

RESULT : REFERENCE CONDITION IS 25 DEGREE CELSIUS AT 1 ATMOSPHERE AND DRY BASIS.

*Budsakorn ✓*

(MISS BUDSAKORN LERDPANUMAS)  
LABORATORY SUPERVISOR  
๖-145-๓-0011  
JANUARY 19, 2024



## ANALYSIS REPORT

**CUSTOMER NAME** : THAI ROONG RUANG INDUSTRY CO., LTD.  
**ADDRESS** : 89 MOO 98 UM CHAN KUSUMAN SAKON NAKHON  
**CONTACT INFORMATION** : TEL : 09 5665 0649 e-mail : piyawan.pan@trrgroup.com  
**MEASURING SOURCE** : THAI ROONG RUANG INDUSTRY CO., LTD.  
**MEASURING TYPE** : STACK  
**MEASURING DATE** : JANUARY 13, 2024  
**MEASURING TIME** : 11:10-11:20 HOUR  
**MEASURING METHOD** : U.S. EPA METHOD 6C, 7E, 10  
**MEASURED BY** : MR SOMPONG SAKUNTHAI ๖-145-๑-0051

**RECEIVED DATE** : JANUARY 13, 2024  
**ANALYTICAL DATE** : JANUARY 13, 2024  
**REPORT NO.** : 2024-U005246  
**WORK NO.** : 2023-008918  
**ANALYSIS NO.** : T24AA743-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	
			BOILER STACK 250 TON/HR NO.1(NORMAL OPERATION) T24AA743-0001	
			ACTUAL OXYGEN	7% OXYGEN
SULPHUR DIOXIDE	ppm	PORTABLE ANALYZER, ELECTROCHEMICAL METHOD AT SITE (US EPA METHOD 6C)	< 1	< 1
OXIDES OF NITROGEN AS NITROGEN DIOXIDE	ppm	PORTABLE ANALYZER, ELECTROCHEMICAL METHOD AT SITE (US EPA METHOD 7E)	79	71
CARBON MONOXIDE	ppm	PORTABLE ANALYZER, ELECTROCHEMICAL METHOD AT SITE (US EPA METHOD 10)	242	217
<b>SAMPLE CONDITION</b>			COMPLETE	

**REMARK**

**RESULT** : REFERENCE CONDITION IS 25 DEGREE CELSIUS AT 1 ATMOSPHERE AND DRY BASIS.

*Nattawat*

(MR NATTAWAT DANGSAWAT)  
LABORATORY SUPERVISOR  
๖-145-๑-0021  
JANUARY 19, 2024



## ANALYSIS REPORT

**CUSTOMER NAME** : THAI ROONG RUANG INDUSTRY CO., LTD.  
**ADDRESS** : 89 MOO 98 UM CHAN KUSUMAN SAKON NAKHON  
**CONTACT INFORMATION** : TEL : 09 5665 0649 e-mail : piyawan.pan@trrgroup.com  
**SAMPLING SOURCE** : THAI ROONG RUANG INDUSTRY CO., LTD.  
**SAMPLE TYPE** : STACK  
**SAMPLING DATE** : JANUARY 13, 2024  
**SAMPLING TIME** : 12:10-13:52 HOUR  
**SAMPLING BY** : MR SOMPONG SAKUNTHAI ๖-145-๑-0051  
**ANALYZED BY** : MISS SUWAN KONGTHONG ๖-145-๑-0025

**RECEIVED DATE** : JANUARY 15, 2024  
**ANALYTICAL DATE** : JANUARY 15-18, 2024  
**REPORT NO.** : 2024-U005402  
**WORK NO.** : 2023-008918  
**ANALYSIS NO.** : T24AA743-0002

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	
			BOILER STACK 250 TON/HR NO.1(SOOT BLOW) T24AA743-0002	
			ACTUAL OXYGEN	7% OXYGEN
TOTAL SUSPENDED PARTICULATE	mg/m <sup>3</sup>	ISOKINETIC, GRAVIMETRIC METHOD (US EPA METHOD 5)	5.55	5.03
SAMPLE CONDITION			COMPLETE	

REMARK

RESULT : REFERENCE CONDITION IS 25 DEGREE CELSIUS AT 1 ATMOSPHERE AND DRY BASIS.

*Budsakorn ✓*

(MISS BUDSAKORN LERDPANUMAS)  
LABORATORY SUPERVISOR  
๖-145-๑-0011  
JANUARY 19, 2024



## ANALYSIS REPORT

**CUSTOMER NAME** : THAI ROONG RUANG INDUSTRY CO., LTD.  
**ADDRESS** : 89 MOO 98 UM CHAN KUSUMAN SAKON NAKHON  
**CONTACT INFORMATION** : TEL : 09 5665 0649 e-mail : piyawan.pan@trrgroup.com  
**MEASURING SOURCE** : THAI ROONG RUANG INDUSTRY CO., LTD.  
**MEASURING TYPE** : STACK  
**MEASURING DATE** : JANUARY 13, 2024  
**MEASURING TIME** : 12:20-12:30 HOUR  
**MEASURING METHOD** : U.S. EPA METHOD 6C, 7E, 10  
**MEASURED BY** : MR SOMPONG SAKUNTHAI ๖-145-๖-0051

**RECEIVED DATE** : JANUARY 13, 2024  
**ANALYTICAL DATE** : JANUARY 13, 2024  
**REPORT NO.** : 2024-U005252  
**WORK NO.** : 2023-008918  
**ANALYSIS NO.** : T24AA743-0002

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	
			BOILER STACK 250 TON/HR NO.1(SOOT BLOW) T24AA743-0002	
			ACTUAL OXYGEN	7% OXYGEN
SULPHUR DIOXIDE	ppm	PORTABLE ANALYZER, ELECTROCHEMICAL METHOD AT SITE (US EPA METHOD 6C)	< 1	< 1
OXIDES OF NITROGEN AS NITROGEN DIOXIDE	ppm	PORTABLE ANALYZER, ELECTROCHEMICAL METHOD AT SITE (US EPA METHOD 7E)	81	73
CARBON MONOXIDE	ppm	PORTABLE ANALYZER, ELECTROCHEMICAL METHOD AT SITE (US EPA METHOD 10)	301	273
SAMPLE CONDITION			COMPLETE	

REMARK

RESULT : REFERENCE CONDITION IS 25 DEGREE CELSIUS AT 1 ATMOSPHERE AND DRY BASIS.

*Nattawat*

(MR NATTAWAT DANGSAWAT)  
LABORATORY SUPERVISOR  
๖-145-๓-0021  
JANUARY 19, 2024



ภาคผนวก ค-2

รายงานผลการติดตามตรวจสอบคุณภาพอากาศ  
ในบรรยากาศโดยทั่วไป

---

## ANALYSIS REPORT

**PROJECT NAME** : การตรวจวัดคุณภาพสิ่งแวดล้อม (โครงการโรงไฟฟ้าชีวมวล) ประจำปี 2567  
**CUSTOMER NAME** : THAI ROONG RUANG INDUSTRY CO., LTD.  
**ADDRESS** : 89 MOO 8 UM CHAN KUSUMAN SAKON NAKHON 47210  
**CONTACT INFORMATION** : TEL : 09 5665 0649 e-mail : piyawan.pan@trrgroup.com  
**SAMPLING SOURCE** : วัดศรีวราราม  
**SAMPLE TYPE** : AMBIENT  
**SAMPLING DATE** : \*, \*\*, \*\*\*  
**SAMPLING TIME** : \*, \*\*, \*\*\*  
**SAMPLING BY** : MR PAIRAT KUMNERDRAKSA  
**ANALYZED BY** : MISS JETJARIN TUMSA-AT  
**RECEIVED DATE** : JANUARY 23, 2024  
**ANALYTICAL DATE** : JANUARY 23-26, 2024  
**REPORT NO.** : 2024-U008206  
**WORK NO.** : 2023-008918  
**ANALYSIS NO.** : T24AB381-0001 - T24AB381-0003

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT		
			วัดศรีวราราม		
			* T24AB381-0001	** T24AB381-0002	*** T24AB381-0003
TOTAL SUSPENDED PARTICULATE MATTER	mg/m <sup>3</sup>	GRAVIMETRIC (HIGH VOLUME METHOD)	0.057	0.053	0.033
PARTICULATE MATTER (≤ 10 µm)	mg/m <sup>3</sup>	GRAVIMETRIC (HIGH VOLUME METHOD)	0.032	0.028	0.016
FINE PARTICULATE MATTER as PM2.5 (≤ 2.5 µm)	µg/m <sup>3</sup>	US EPA, CODE OF FEDERAL REGULATION, 40 CFR CHAPTER I-PART 50, APPENDIX L, REFERENCE METHOD FOR THE DETERMINATION OF FINE PARTICULATE MATTER AS PM2.5 IN THE ATMOSPHERE, 2021	4.10	20.2	8.30
SAMPLE CONDITION			COMPLETE	COMPLETE	COMPLETE

**REMARK**  
TSP, PM10 : REFERENCE CONDITION IS 25 DEGREE CELSIUS AT 1 ATMOSPHERE.  
PM2.5 : REPORTED AS PER ACTUAL FIELD CONDITIONS DURING SAMPLING.  
TSP : US EPA, CODE OF FEDERAL REGULATIONS, 40 CFR CHAPTER I-PART 50 APPENDIX B, REFERENCE METHOD FOR THE DETERMINATION OF SUSPENDED PARTICULATE MATTER IN THE ATMOSPHERE (HIGH-VOLUME METHOD) REVISED AS OF JULY 1, 2021.  
PM10 : US EPA, CODE OF FEDERAL REGULATIONS, 40 CFR CHAPTER I-PART 50 APPENDIX J, REFERENCE METHOD FOR THE DETERMINATION OF PARTICULATE MATTER AS PM10 IN THE ATMOSPHERE (HIGH-VOLUME METHOD) REVISED AS OF JULY 1, 2021.  
\* : SAMPLING FROM 10:30 HOUR ON JANUARY 12, 2024 TO 10:30 HOUR ON JANUARY 13, 2024.  
\*\* : SAMPLING FROM 10:30 HOUR ON JANUARY 13, 2024 TO 10:30 HOUR ON JANUARY 14, 2024.  
\*\*\* : SAMPLING FROM 10:30 HOUR ON JANUARY 14, 2024 TO 10:30 HOUR ON JANUARY 15, 2024.

Budsakorn ✓

(MISS BUDSAKORN LERDPANUMAS)  
LABORATORY SUPERVISOR

JANUARY 31, 2024



## ANALYSIS REPORT

**PROJECT NAME** : การตรวจวัดคุณภาพสิ่งแวดล้อม (โครงการโรงไฟฟ้าชีวมวล) ประจำปี 2567  
**CUSTOMER NAME** : THAI ROONG RUANG INDUSTRY CO., LTD.  
**ADDRESS** : 89 MOO 8 UM CHAN KUSUMAN SAKON NAKHON 47210  
**CONTACT INFORMATION** : TEL : 09 5665 0649 e-mail : piyawan.pan@trrgroup.com  
**SAMPLING SOURCE** : วัดศรีวราราม  
**SAMPLE TYPE** : AMBIENT  
**SAMPLING DATE** : \*, \*\*, \*\*\*, \*\*\*\*  
**SAMPLING TIME** : \*, \*\*, \*\*\*, \*\*\*\*  
**SAMPLING BY** : MR PAIRAT KUMNERDRAKSA  
**ANALYZED BY** : MISS JETJARIN TUMSA-AT  
**RECEIVED DATE** : JANUARY 23, 2024  
**ANALYTICAL DATE** : JANUARY 23-26, 2024  
**REPORT NO.** : 2024-U008209  
**WORK NO.** : 2023-008918  
**ANALYSIS NO.** : T24AB381-0004 - T24AB381-0007

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT			
			วัดศรีวราราม			
			*	**	***	****
			T24AB381-0004	T24AB381-0005	T24AB381-0006	T24AB381-0007
TOTAL SUSPENDED PARTICULATE MATTER	mg/m <sup>3</sup>	GRAVIMETRIC (HIGH VOLUME METHOD)	0.038	0.060	0.072	0.093
PARTICULATE MATTER (≤ 10 μm)	mg/m <sup>3</sup>	GRAVIMETRIC (HIGH VOLUME METHOD)	0.016	0.027	0.036	0.049
FINE PARTICULATE MATTER as PM2.5 (≤ 2.5 μm)	μg/m <sup>3</sup>	US EPA, CODE OF FEDERAL REGULATION, 40 CFR CHAPTER I-PART 50, APPENDIX L, REFERENCE METHOD FOR THE DETERMINATION OF FINE PARTICULATE MATTER AS PM2.5 IN THE ATMOSPHERE, 2021	4.20	12.4	17.0	23.4
SAMPLE CONDITION			COMPLETE	COMPLETE	COMPLETE	COMPLETE

### REMARK

TSP, PM10 : REFERENCE CONDITION IS 25 DEGREE CELSIUS AT 1 ATMOSPHERE.  
PM2.5 : REPORTED AS PER ACTUAL FIELD CONDITIONS DURING SAMPLING.  
TSP : US EPA, CODE OF FEDERAL REGULATIONS, 40 CFR CHAPTER I-PART 50 APPENDIX B, REFERENCE METHOD FOR THE DETERMINATION OF SUSPENDED PARTICULATE MATTER IN THE ATMOSPHERE (HIGH-VOLUME METHOD) REVISED AS OF JULY 1, 2021.  
PM10 : US EPA, CODE OF FEDERAL REGULATIONS, 40 CFR CHAPTER I-PART 50 APPENDIX J, REFERENCE METHOD FOR THE DETERMINATION OF PARTICULATE MATTER AS PM10 IN THE ATMOSPHERE (HIGH-VOLUME METHOD) REVISED AS OF JULY 1, 2021.  
\* : SAMPLING FROM 10:30 HOUR ON JANUARY 15, 2024 TO 10:30 HOUR ON JANUARY 16, 2024.  
\*\* : SAMPLING FROM 10:30 HOUR ON JANUARY 16, 2024 TO 10:30 HOUR ON JANUARY 17, 2024.  
\*\*\* : SAMPLING FROM 10:30 HOUR ON JANUARY 17, 2024 TO 10:30 HOUR ON JANUARY 18, 2024.  
\*\*\*\* : SAMPLING FROM 10:30 HOUR ON JANUARY 18, 2024 TO 10:30 HOUR ON JANUARY 19, 2024.

Budsakorn ✓

(MISS BUDSAKORN LERDPANUMAS)  
LABORATORY SUPERVISOR

JANUARY 31, 2024



## ANALYSIS REPORT

**PROJECT NAME** : การตรวจวัดคุณภาพสิ่งแวดล้อม (โครงการโรงไฟฟ้าชีวมวล) ประจำปี 2567  
**CUSTOMER NAME** : THAI ROONG RUANG INDUSTRY CO., LTD.  
**ADDRESS** : 89 MOO 8 UM CHAN KUSUMAN SAKON NAKHON 47210  
**CONTACT INFORMATION** : TEL : 09 5665 0649 e-mail : piyawan.pan@trrgroup.com  
**SAMPLING SOURCE** : วัดบ้านสนามบิน  
**SAMPLE TYPE** : AMBIENT  
**SAMPLING DATE** : \*, \*\*, \*\*\*  
**SAMPLING TIME** : \*, \*\*, \*\*\*  
**SAMPLING BY** : MR PAIRAT KUMNERDRAKSA  
**ANALYZED BY** : MISS JETJARIN TUMSA-AT

**RECEIVED DATE** : JANUARY 23, 2024  
**ANALYTICAL DATE** : JANUARY 23-26, 2024  
**REPORT NO.** : 2024-U008212  
**WORK NO.** : 2023-008918  
**ANALYSIS NO.** : T24AB381-0008 - T24AB381-0010

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT		
			วัดบ้านสนามบิน		
			* T24AB381-0008	** T24AB381-0009	*** T24AB381-0010
TOTAL SUSPENDED PARTICULATE MATTER	mg/m <sup>3</sup>	GRAVIMETRIC (HIGH VOLUME METHOD)	0.065	0.059	0.055
PARTICULATE MATTER (≤ 10 μm)	mg/m <sup>3</sup>	GRAVIMETRIC (HIGH VOLUME METHOD)	0.046	0.044	0.034
FINE PARTICULATE MATTER as PM2.5 (≤ 2.5 μm)	μg/m <sup>3</sup>	US EPA, CODE OF FEDERAL REGULATION, 40 CFR CHAPTER I-PART 50, APPENDIX L, REFERENCE METHOD FOR THE DETERMINATION OF FINE PARTICULATE MATTER AS PM2.5 IN THE ATMOSPHERE, 2021	6.40	19.3	11.7
SAMPLE CONDITION			COMPLETE	COMPLETE	COMPLETE

**REMARK**  
TSP, PM10 : REFERENCE CONDITION IS 25 DEGREE CELSIUS AT 1 ATMOSPHERE.  
PM2.5 : REPORTED AS PER ACTUAL FIELD CONDITIONS DURING SAMPLING.  
TSP : US EPA, CODE OF FEDERAL REGULATIONS, 40 CFR CHAPTER I-PART 50 APPENDIX B, REFERENCE METHOD FOR THE DETERMINATION OF SUSPENDED PARTICULATE MATTER IN THE ATMOSPHERE (HIGH-VOLUME METHOD) REVISED AS OF JULY 1, 2021.  
PM10 : US EPA, CODE OF FEDERAL REGULATIONS, 40 CFR CHAPTER I-PART 50 APPENDIX J, REFERENCE METHOD FOR THE DETERMINATION OF PARTICULATE MATTER AS PM10 IN THE ATMOSPHERE (HIGH-VOLUME METHOD) REVISED AS OF JULY 1, 2021.  
\* : SAMPLING FROM 09:30 HOUR ON JANUARY 12, 2024 TO 09:30 HOUR ON JANUARY 13, 2024.  
\*\* : SAMPLING FROM 09:30 HOUR ON JANUARY 13, 2024 TO 09:30 HOUR ON JANUARY 14, 2024.  
\*\*\* : SAMPLING FROM 09:30 HOUR ON JANUARY 14, 2024 TO 09:30 HOUR ON JANUARY 15, 2024.

Budsakorn ✓

(MISS BUDSAKORN LERDPANUMAS)  
LABORATORY SUPERVISOR

JANUARY 31, 2024



## ANALYSIS REPORT

**PROJECT NAME** : การตรวจวัดคุณภาพสิ่งแวดล้อม (โครงการโรงไฟฟ้าชีวมวล) ประจำปี 2567  
**CUSTOMER NAME** : THAI ROONG RUANG INDUSTRY CO., LTD.  
**ADDRESS** : 89 MOO 8 UM CHAN KUSUMAN SAKON NAKHON 47210  
**CONTACT INFORMATION** : TEL : 09 5665 0649 e-mail : piyawan.pan@trgroup.com  
**SAMPLING SOURCE** : วัดบ้านสนามบิน  
**SAMPLE TYPE** : AMBIENT  
**SAMPLING DATE** : \*, \*\*, \*\*\*, \*\*\*\*  
**SAMPLING TIME** : \*, \*\*, \*\*\*, \*\*\*\*  
**SAMPLING BY** : MR PAIRAT KUMNERDRAKSA  
**ANALYZED BY** : MISS JETJARIN TUMSA-AT  
**RECEIVED DATE** : JANUARY 23, 2024  
**ANALYTICAL DATE** : JANUARY 23-26, 2024  
**REPORT NO.** : 2024-U008213  
**WORK NO.** : 2023-008918  
**ANALYSIS NO.** : T24AB381-0011 - T24AB381-0014

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT			
			วัดบ้านสนามบิน			
			*	**	***	****
			T24AB381-0011	T24AB381-0012	T24AB381-0013	T24AB381-0014
TOTAL SUSPENDED PARTICULATE MATTER	mg/m <sup>3</sup>	GRAVIMETRIC (HIGH VOLUME METHOD)	0.044	0.073	0.053	0.063
PARTICULATE MATTER (≤ 10 µm)	mg/m <sup>3</sup>	GRAVIMETRIC (HIGH VOLUME METHOD)	0.027	0.063	0.024	0.043
FINE PARTICULATE MATTER as PM2.5 (≤ 2.5 µm)	µg/m <sup>3</sup>	US EPA, CODE OF FEDERAL REGULATION, 40 CFR CHAPTER I-PART 50, APPENDIX L, REFERENCE METHOD FOR THE DETERMINATION OF FINE PARTICULATE MATTER AS PM2.5 IN THE ATMOSPHERE, 2021	14.3	32.5	18.3	11.7
SAMPLE CONDITION			COMPLETE	COMPLETE	COMPLETE	COMPLETE

### REMARK

TSP, PM10 : REFERENCE CONDITION IS 25 DEGREE CELSIUS AT 1 ATMOSPHERE.  
PM2.5 : REPORTED AS PER ACTUAL FIELD CONDITIONS DURING SAMPLING.  
TSP : US EPA, CODE OF FEDERAL REGULATIONS, 40 CFR CHAPTER I-PART 50 APPENDIX B, REFERENCE METHOD FOR THE DETERMINATION OF SUSPENDED PARTICULATE MATTER IN THE ATMOSPHERE (HIGH-VOLUME METHOD) REVISED AS OF JULY 1, 2021.  
PM10 : US EPA, CODE OF FEDERAL REGULATIONS, 40 CFR CHAPTER I-PART 50 APPENDIX J, REFERENCE METHOD FOR THE DETERMINATION OF PARTICULATE MATTER AS PM10 IN THE ATMOSPHERE (HIGH-VOLUME METHOD) REVISED AS OF JULY 1, 2021.  
\* : SAMPLING FROM 09:30 HOUR ON JANUARY 15, 2024 TO 09:30 HOUR ON JANUARY 16, 2024.  
\*\* : SAMPLING FROM 09:30 HOUR ON JANUARY 16, 2024 TO 09:30 HOUR ON JANUARY 17, 2024.  
\*\*\* : SAMPLING FROM 09:30 HOUR ON JANUARY 17, 2024 TO 09:30 HOUR ON JANUARY 18, 2024.  
\*\*\*\* : SAMPLING FROM 09:30 HOUR ON JANUARY 18, 2024 TO 09:30 HOUR ON JANUARY 19, 2024.

*Budsakorn* ✓

(MISS BUDSAKORN LERDPANUMAS)  
LABORATORY SUPERVISOR

JANUARY 31, 2024



## ANALYSIS REPORT

**PROJECT NAME** : การตรวจวัดคุณภาพสิ่งแวดล้อม (โครงการโรงไฟฟ้าชีวมวล) ประจำปี 2567  
**CUSTOMER NAME** : THAI ROONG RUANG INDUSTRY CO., LTD.  
**ADDRESS** : 89 MOO 8 UM CHAN KUSUMAN SAKON NAKHON 47210  
**CONTACT INFORMATION** : TEL : 09 5665 0649 e-mail : piyawan.pan@trrgroup.com  
**SAMPLING SOURCE** : โรงเรียนแก่งดำประชาสามัคคี  
**SAMPLE TYPE** : AMBIENT  
**SAMPLING DATE** : \*, \*\*, \*\*\*  
**SAMPLING TIME** : \*, \*\*, \*\*\*  
**SAMPLING BY** : MR PAIRAT KUMNERDRAKSA  
**ANALYZED BY** : MISS JETJARIN TUMSA-AT

**RECEIVED DATE** : JANUARY 23, 2024  
**ANALYTICAL DATE** : JANUARY 23-26, 2024  
**REPORT NO.** : 2024-U008214  
**WORK NO.** : 2023-008918  
**ANALYSIS NO.** : T24AB381-0015 - T24AB381-0017

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT		
			โรงเรียนแก่งดำประชาสามัคคี		
			* T24AB381-0015	** T24AB381-0016	*** T24AB381-0017
TOTAL SUSPENDED PARTICULATE MATTER	mg/m <sup>3</sup>	GRAVIMETRIC (HIGH VOLUME METHOD)	0.054	0.044	0.047
PARTICULATE MATTER (≤ 10 µm)	mg/m <sup>3</sup>	GRAVIMETRIC (HIGH VOLUME METHOD)	0.042	0.033	0.027
FINE PARTICULATE MATTER as PM2.5 (≤ 2.5 µm)	µg/m <sup>3</sup>	US EPA, CODE OF FEDERAL REGULATION, 40 CFR CHAPTER I-PART 50, APPENDIX L, REFERENCE METHOD FOR THE DETERMINATION OF FINE PARTICULATE MATTER AS PM2.5 IN THE ATMOSPHERE, 2021	14.0	17.9	4.80
SAMPLE CONDITION			COMPLETE	COMPLETE	COMPLETE

**REMARK**  
TSP, PM10 : REFERENCE CONDITION IS 25 DEGREE CELSIUS AT 1 ATMOSPHERE.  
PM2.5 : REPORTED AS PER ACTUAL FIELD CONDITIONS DURING SAMPLING.  
TSP : US EPA, CODE OF FEDERAL REGULATIONS, 40 CFR CHAPTER I-PART 50 APPENDIX B, REFERENCE METHOD FOR THE DETERMINATION OF SUSPENDED PARTICULATE MATTER IN THE ATMOSPHERE (HIGH-VOLUME METHOD) REVISED AS OF JULY 1, 2021.  
PM10 : US EPA, CODE OF FEDERAL REGULATIONS, 40 CFR CHAPTER I-PART 50 APPENDIX J, REFERENCE METHOD FOR THE DETERMINATION OF PARTICULATE MATTER AS PM10 IN THE ATMOSPHERE (HIGH-VOLUME METHOD) REVISED AS OF JULY 1, 2021.  
\* : SAMPLING FROM 10:00 HOUR ON JANUARY 12, 2024 TO 10:00 HOUR ON JANUARY 13, 2024.  
\*\* : SAMPLING FROM 10:00 HOUR ON JANUARY 13, 2024 TO 10:00 HOUR ON JANUARY 14, 2024.  
\*\*\* : SAMPLING FROM 10:00 HOUR ON JANUARY 14, 2024 TO 10:00 HOUR ON JANUARY 15, 2024.

Budsakorn ✓

(MISS BUDSAKORN LERDPANUMAS)  
LABORATORY SUPERVISOR

JANUARY 31, 2024



## ANALYSIS REPORT

**PROJECT NAME** : การตรวจวัดคุณภาพสิ่งแวดล้อม (โครงการโรงไฟฟ้าชีวมวล) ประจำปี 2567  
**CUSTOMER NAME** : THAI ROONG RUANG INDUSTRY CO., LTD.  
**ADDRESS** : 89 MOO 8 UM CHAN KUSUMAN SAKON NAKHON 47210  
**CONTACT INFORMATION** : TEL : 09 5665 0649 e-mail : piyawan.pan@trrgroup.com  
**SAMPLING SOURCE** : โรงเรียนแก่งคำประชาสามัคคี  
**SAMPLE TYPE** : AMBIENT  
**SAMPLING DATE** : \*, \*\*, \*\*\*, \*\*\*\*  
**SAMPLING TIME** : \*, \*\*, \*\*\*, \*\*\*\*  
**SAMPLING BY** : MR PAIRAT KUMNERDRAKSA  
**ANALYZED BY** : MISS JETJARN TUMSA-AT  
**RECEIVED DATE** : JANUARY 23, 2024  
**ANALYTICAL DATE** : JANUARY 23-26, 2024  
**REPORT NO.** : 2024-U008215  
**WORK NO.** : 2023-008918  
**ANALYSIS NO.** : T24AB381-0018 - T24AB381-0021

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT			
			โรงเรียนแก่งคำประชาสามัคคี			
			*	**	***	****
			T24AB381-0018	T24AB381-0019	T24AB381-0020	T24AB381-0021
TOTAL SUSPENDED PARTICULATE MATTER	mg/m <sup>3</sup>	GRAVIMETRIC (HIGH VOLUME METHOD)	0.045	0.056	0.062	0.061
PARTICULATE MATTER (≤ 10 µm)	mg/m <sup>3</sup>	GRAVIMETRIC (HIGH VOLUME METHOD)	0.026	0.036	0.047	0.047
FINE PARTICULATE MATTER as PM2.5 (≤ 2.5 µm)	µg/m <sup>3</sup>	US EPA, CODE OF FEDERAL REGULATION, 40 CFR CHAPTER I-PART 50, APPENDIX L, REFERENCE METHOD FOR THE DETERMINATION OF FINE PARTICULATE MATTER AS PM2.5 IN THE ATMOSPHERE, 2021	3.80	6.40	12.9	10.9
SAMPLE CONDITION			COMPLETE	COMPLETE	COMPLETE	COMPLETE

### REMARK

TSP, PM10 : REFERENCE CONDITION IS 25 DEGREE CELSIUS AT 1 ATMOSPHERE.  
PM2.5 : REPORTED AS PER ACTUAL FIELD CONDITIONS DURING SAMPLING.  
TSP : US EPA, CODE OF FEDERAL REGULATIONS, 40 CFR CHAPTER I-PART 50 APPENDIX B, REFERENCE METHOD FOR THE DETERMINATION OF SUSPENDED PARTICULATE MATTER IN THE ATMOSPHERE (HIGH-VOLUME METHOD) REVISED AS OF JULY 1, 2021.  
PM10 : US EPA, CODE OF FEDERAL REGULATIONS, 40 CFR CHAPTER I-PART 50 APPENDIX J, REFERENCE METHOD FOR THE DETERMINATION OF PARTICULATE MATTER AS PM10 IN THE ATMOSPHERE (HIGH-VOLUME METHOD) REVISED AS OF JULY 1, 2021.  
\* : SAMPLING FROM 10:00 HOUR ON JANUARY 15, 2024 TO 10:00 HOUR ON JANUARY 16, 2024.  
\*\* : SAMPLING FROM 10:00 HOUR ON JANUARY 16, 2024 TO 10:00 HOUR ON JANUARY 17, 2024.  
\*\*\* : SAMPLING FROM 10:00 HOUR ON JANUARY 17, 2024 TO 10:00 HOUR ON JANUARY 18, 2024.  
\*\*\*\* : SAMPLING FROM 10:00 HOUR ON JANUARY 18, 2024 TO 10:00 HOUR ON JANUARY 19, 2024.

*Budsakorn ✓*

(MISS BUDSAKORN LERDPANUMAS)  
LABORATORY SUPERVISOR

JANUARY 31, 2024



## ANALYSIS REPORT

**PROJECT NAME** : การตรวจวัดคุณภาพสิ่งแวดล้อม (โครงการโรงไฟฟ้าชีวมวล) ประจำปี 2567  
**CUSTOMER NAME** : THAI ROONG RUANG INDUSTRY CO., LTD.  
**ADDRESS** : 89 MOO 8 UM CHAN KUSUMAN SAKON NAKHON 47210  
**CONTACT INFORMATION** : TEL : 09 5665 0649 e-mail : piyawan.pan@trrgroup.com  
**SAMPLING SOURCE** : บ้านโคกสะอาด  
**SAMPLE TYPE** : AMBIENT  
**SAMPLING DATE** : \*, \*\*, \*\*\*  
**SAMPLING TIME** : \*, \*\*, \*\*\*  
**SAMPLING BY** : MR PAIRAT KUMNERDRAKSA  
**ANALYZED BY** : MISS JETJARIN TUMSA-AT  
**RECEIVED DATE** : JANUARY 23, 2024  
**ANALYTICAL DATE** : JANUARY 23-26, 2024  
**REPORT NO.** : 2024-U008216  
**WORK NO.** : 2023-008918  
**ANALYSIS NO.** : T24AB381-0022 - T24AB381-0024

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT		
			บ้านโคกสะอาด		
			* T24AB381-0022	** T24AB381-0023	*** T24AB381-0024
TOTAL SUSPENDED PARTICULATE MATTER	mg/m <sup>3</sup>	GRAVIMETRIC (HIGH VOLUME METHOD)	0.041	0.096	0.040
PARTICULATE MATTER (≤ 10 μm)	mg/m <sup>3</sup>	GRAVIMETRIC (HIGH VOLUME METHOD)	0.029	0.030	0.025
FINE PARTICULATE MATTER as PM2.5 (≤ 2.5 μm)	μg/m <sup>3</sup>	US EPA, CODE OF FEDERAL REGULATION, 40 CFR CHAPTER I-PART 50, APPENDIX L, REFERENCE METHOD FOR THE DETERMINATION OF FINE PARTICULATE MATTER AS PM2.5 IN THE ATMOSPHERE, 2021	10.6	19.7	3.20
SAMPLE CONDITION			COMPLETE	COMPLETE	COMPLETE

### REMARK

TSP, PM10 : REFERENCE CONDITION IS 25 DEGREE CELSIUS AT 1 ATMOSPHERE.  
PM2.5 : REPORTED AS PER ACTUAL FIELD CONDITIONS DURING SAMPLING.  
TSP : US EPA, CODE OF FEDERAL REGULATIONS, 40 CFR CHAPTER I-PART 50 APPENDIX B, REFERENCE METHOD FOR THE DETERMINATION OF SUSPENDED PARTICULATE MATTER IN THE ATMOSPHERE (HIGH-VOLUME METHOD) REVISED AS OF JULY 1, 2021.  
PM10 : US EPA, CODE OF FEDERAL REGULATIONS, 40 CFR CHAPTER I-PART 50 APPENDIX J, REFERENCE METHOD FOR THE DETERMINATION OF PARTICULATE MATTER AS PM10 IN THE ATMOSPHERE (HIGH-VOLUME METHOD) REVISED AS OF JULY 1, 2021.  
\* : SAMPLING FROM 09:00 HOUR ON JANUARY 12, 2024 TO 09:00 HOUR ON JANUARY 13, 2024.  
\*\* : SAMPLING FROM 09:00 HOUR ON JANUARY 13, 2024 TO 09:00 HOUR ON JANUARY 14, 2024.  
\*\*\* : SAMPLING FROM 09:00 HOUR ON JANUARY 14, 2024 TO 09:00 HOUR ON JANUARY 15, 2024.

Budsakorn ✓

(MISS BUDSAKORN LERDPANUMAS)  
LABORATORY SUPERVISOR

JANUARY 31, 2024



## ANALYSIS REPORT

**PROJECT NAME** : การตรวจวัดคุณภาพสิ่งแวดล้อม (โครงการโรงไฟฟ้าชีวมวล) ประจำปี 2567  
**CUSTOMER NAME** : THAI ROONG RUANG INDUSTRY CO., LTD.  
**ADDRESS** : 89 MOO 8 UM CHAN KUSUMAN SAKON NAKHON 47210  
**CONTACT INFORMATION** : TEL : 09 5665 0649 e-mail : piyawan.pan@trrgroup.com  
**SAMPLING SOURCE** : บ้านโคกสะอาด  
**SAMPLE TYPE** : AMBIENT  
**SAMPLING DATE** : \*, \*\*, \*\*\*, \*\*\*\*  
**SAMPLING TIME** : \*, \*\*, \*\*\*, \*\*\*\*  
**SAMPLING BY** : MR. PAIRAT KUMNERDRAKSA  
**ANALYZED BY** : MISS JETJARN TUMSA-AT  
**RECEIVED DATE** : JANUARY 23, 2024  
**ANALYTICAL DATE** : JANUARY 23-26, 2024  
**REPORT NO.** : 2024-U008217  
**WORK NO.** : 2023-008918  
**ANALYSIS NO.** : T24AB381-0025 - T24AB381-0028

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT			
			บ้านโคกสะอาด			
			*	**	***	****
			T24AB381-0025	T24AB381-0026	T24AB381-0027	T24AB381-0028
TOTAL SUSPENDED PARTICULATE MATTER	mg/m <sup>3</sup>	GRAVIMETRIC (HIGH VOLUME METHOD)	0.036	0.046	0.053	0.046
PARTICULATE MATTER (≤ 10 μm)	mg/m <sup>3</sup>	GRAVIMETRIC (HIGH VOLUME METHOD)	0.021	0.033	0.038	0.035
FINE PARTICULATE MATTER as PM2.5 (≤ 2.5 μm)	μg/m <sup>3</sup>	US EPA, CODE OF FEDERAL REGULATION, 40 CFR CHAPTER I-PART 50, APPENDIX L, REFERENCE METHOD FOR THE DETERMINATION OF FINE PARTICULATE MATTER AS PM2.5 IN THE ATMOSPHERE, 2021	7.80	10.0	9.50	3.90
SAMPLE CONDITION			COMPLETE	COMPLETE	COMPLETE	COMPLETE

### REMARK

TSP, PM10 : REFERENCE CONDITION IS 25 DEGREE CELSIUS AT 1 ATMOSPHERE.  
PM2.5 : REPORTED AS PER ACTUAL FIELD CONDITIONS DURING SAMPLING.  
TSP : US EPA, CODE OF FEDERAL REGULATIONS, 40 CFR CHAPTER I-PART 50 APPENDIX B, REFERENCE METHOD FOR THE DETERMINATION OF SUSPENDED PARTICULATE MATTER IN THE ATMOSPHERE (HIGH-VOLUME METHOD) REVISED AS OF JULY 1, 2021.  
PM10 : US EPA, CODE OF FEDERAL REGULATIONS, 40 CFR CHAPTER I-PART 50 APPENDIX J, REFERENCE METHOD FOR THE DETERMINATION OF PARTICULATE MATTER AS PM10 IN THE ATMOSPHERE (HIGH-VOLUME METHOD) REVISED AS OF JULY 1, 2021.  
\* : SAMPLING FROM 09:00 HOUR ON JANUARY 15, 2024 TO 09:00 HOUR ON JANUARY 16, 2024.  
\*\* : SAMPLING FROM 09:00 HOUR ON JANUARY 16, 2024 TO 09:00 HOUR ON JANUARY 17, 2024.  
\*\*\* : SAMPLING FROM 09:00 HOUR ON JANUARY 17, 2024 TO 09:00 HOUR ON JANUARY 18, 2024.  
\*\*\*\* : SAMPLING FROM 09:00 HOUR ON JANUARY 18, 2024 TO 09:00 HOUR ON JANUARY 19, 2024.

*Budsakorn ✓*

(MISS BUDSAKORN LERDPANUMAS)  
LABORATORY SUPERVISOR

JANUARY 31, 2024



## ANALYSIS REPORT

**PROJECT NAME** : การตรวจวัดคุณภาพสิ่งแวดล้อม (โครงการโรงไฟฟ้าชีวมวล) ประจำปี 2567  
**CUSTOMER NAME** : THAI ROONG RUANG INDUSTRY CO., LTD.  
**ADDRESS** : 90 MOO 8 UM CHAN KUSUMAN SAKON NAKHON 47210  
**CONTACT INFORMATION** : TEL : 09 5665 0649 e-mail : piyawan.pan@trrgroup.com  
**MEASURING PLACE** : วัดศรีวราราม  
**MEASURING TYPE** : AMBIENT (AIR) **RECEIVED DATE** : JANUARY 12-19, 2024  
**MEASURING DATE** : JANUARY 12-19, 2024 **ANALYTICAL DATE** : JANUARY 12-19, 2024  
**MEASURING TIME** : \* **REPORT NO.** : 2024-U007672  
**MEASURING METHOD** : CHEMILUMINESCENCE **WORK NO.** : 2023-008918  
**MEASURED BY** : MR PAIRAT KUMNERDRAKSA **ANALYSIS NO.** : T24AB381-0001 - T24AB381-0007

TIME *	RESULT (ppm)		
	NITROGEN DIOXIDE		
	วัดศรีวราราม		
	JANUARY 12-13, 2024 T24AB381-0001	JANUARY 13-14, 2024 T24AB381-0002	JANUARY 14-15, 2024 T24AB381-0003
08:00-09:00 HOUR	0.0077	0.0044	0.0042
09:00-10:00 HOUR	0.0081	0.0046	0.0042
10:00-11:00 HOUR	0.0078	0.0051	0.0043
11:00-12:00 HOUR	0.0076	0.0059	0.0041
12:00-13:00 HOUR	0.0072	0.0061	0.0042
13:00-14:00 HOUR	0.0071	0.0055	0.0045
14:00-15:00 HOUR	0.0070	0.0051	0.0045
15:00-16:00 HOUR	0.0065	0.0043	0.0043
16:00-17:00 HOUR	0.0061	0.0051	0.0039
17:00-18:00 HOUR	0.0053	0.0055	0.0043
18:00-19:00 HOUR	0.0050	0.0064	0.0044
19:00-20:00 HOUR	0.0045	0.0064	0.0050
20:00-21:00 HOUR	0.0041	0.0066	0.0050
21:00-22:00 HOUR	0.0035	0.0065	0.0053
22:00-23:00 HOUR	0.0033	0.0067	0.0055
23:00-00:00 HOUR	0.0032	0.0072	0.0056
00:00-01:00 HOUR	0.0031	0.0076	0.0058
01:00-02:00 HOUR	0.0034	0.0075	0.0056
02:00-03:00 HOUR	0.0039	0.0059	0.0054
03:00-04:00 HOUR	0.0043	0.0044	0.0053
04:00-05:00 HOUR	0.0046	0.0032	0.0052
05:00-06:00 HOUR	0.0046	0.0032	0.0050
06:00-07:00 HOUR	0.0045	0.0035	0.0043
07:00-08:00 HOUR	0.0046	0.0039	0.0037



TIME *	RESULT (ppm)			
	NITROGEN DIOXIDE			
	วัดศรีวราราม			
	JANUARY 15-16, 2024 T24AB381-0004	JANUARY 16-17, 2024 T24AB381-0005	JANUARY 17-18, 2024 T24AB381-0006	JANUARY 18-19, 2024 T24AB381-0007
08:00-09:00 HOUR	0.0043	0.0078	0.0066	0.0081
09:00-10:00 HOUR	0.0052	0.0068	0.0066	0.0085
10:00-11:00 HOUR	0.0063	0.0064	0.0059	0.0083
11:00-12:00 HOUR	0.0067	0.0063	0.0057	0.0081
12:00-13:00 HOUR	0.0068	0.0067	0.0059	0.0084
13:00-14:00 HOUR	0.0067	0.0069	0.0063	0.0086
14:00-15:00 HOUR	0.0072	0.0074	0.0063	0.0080
15:00-16:00 HOUR	0.0068	0.0071	0.0060	0.0075
16:00-17:00 HOUR	0.0068	0.0075	0.0070	0.0071
17:00-18:00 HOUR	0.0059	0.0072	0.0079	0.0072
18:00-19:00 HOUR	0.0057	0.0065	0.0083	0.0072
19:00-20:00 HOUR	0.0054	0.0058	0.0080	0.0066
20:00-21:00 HOUR	0.0055	0.0055	0.0075	0.0060
21:00-22:00 HOUR	0.0057	0.0054	0.0076	0.0054
22:00-23:00 HOUR	0.0059	0.0054	0.0082	0.0053
23:00-00:00 HOUR	0.0057	0.0052	0.0085	0.0051
00:00-01:00 HOUR	0.0060	0.0058	0.0088	0.0049
01:00-02:00 HOUR	0.0065	0.0054	0.0085	0.0046
02:00-03:00 HOUR	0.0073	0.0057	0.0084	0.0044
03:00-04:00 HOUR	0.0078	0.0057	0.0086	0.0047
04:00-05:00 HOUR	0.0079	0.0064	0.0081	0.0062
05:00-06:00 HOUR	0.0077	0.0062	0.0087	0.0068
06:00-07:00 HOUR	0.0084	0.0062	0.0082	0.0069
07:00-08:00 HOUR	0.0078	0.0063	0.0084	0.0062

*Sila Banjongjairuk*

(MR. SILA BANJONGJAIRUK)  
LABORATORY SUPERVISOR

JANUARY 29, 2024

## ANALYSIS REPORT

**PROJECT NAME** : การตรวจวัดคุณภาพสิ่งแวดล้อม (โครงการโรงไฟฟ้าชีวมวล) ประจำปี 2567  
**CUSTOMER NAME** : THAI ROONG RUANG INDUSTRY CO., LTD.  
**ADDRESS** : 90 MOO 8 UM CHAN KUSUMAN SAKON NAKHON 47210  
**CONTACT INFORMATION** : TEL : 09 5665 0649 e-mail : piyawan.pan@trrgroup.com  
**MEASURING PLACE** : วัดบ้านสนามบิน  
**MEASURING TYPE** : AMBIENT (AIR)  
**MEASURING DATE** : JANUARY 12-19, 2024  
**MEASURING TIME** : \*  
**MEASURING METHOD** : CHEMILUMINESCENCE  
**MEASURED BY** : MR PAIRAT KUMNERDRAKSA  
**RECEIVED DATE** : JANUARY 12-19, 2024  
**ANALYTICAL DATE** : JANUARY 12-19, 2024  
**REPORT NO.** : 2024-U007673  
**WORK NO.** : 2023-008918  
**ANALYSIS NO.** : T24AB381-0008 - T24AB381-0014

TIME *	RESULT (ppm)		
	NITROGEN DIOXIDE		
	วัดบ้านสนามบิน		
	JANUARY 12-13, 2024 T24AB381-0008	JANUARY 13-14, 2024 T24AB381-0009	JANUARY 14-15, 2024 T24AB381-0010
08:00-09:00 HOUR	0.0053	0.0051	0.0061
09:00-10:00 HOUR	0.0061	0.0056	0.0059
10:00-11:00 HOUR	0.0069	0.0062	0.0062
11:00-12:00 HOUR	0.0071	0.0078	0.0061
12:00-13:00 HOUR	0.0065	0.0084	0.0055
13:00-14:00 HOUR	0.0063	0.0085	0.0055
14:00-15:00 HOUR	0.0060	0.0081	0.0058
15:00-16:00 HOUR	0.0067	0.0073	0.0065
16:00-17:00 HOUR	0.0077	0.0073	0.0070
17:00-18:00 HOUR	0.0085	0.0073	0.0072
18:00-19:00 HOUR	0.0086	0.0075	0.0073
19:00-20:00 HOUR	0.0085	0.0077	0.0066
20:00-21:00 HOUR	0.0084	0.0077	0.0064
21:00-22:00 HOUR	0.0088	0.0078	0.0059
22:00-23:00 HOUR	0.0086	0.0070	0.0058
23:00-00:00 HOUR	0.0080	0.0064	0.0056
00:00-01:00 HOUR	0.0078	0.0060	0.0055
01:00-02:00 HOUR	0.0073	0.0056	0.0056
02:00-03:00 HOUR	0.0069	0.0057	0.0052
03:00-04:00 HOUR	0.0062	0.0056	0.0050
04:00-05:00 HOUR	0.0060	0.0057	0.0049
05:00-06:00 HOUR	0.0060	0.0057	0.0051
06:00-07:00 HOUR	0.0056	0.0061	0.0054
07:00-08:00 HOUR	0.0055	0.0059	0.0049



TIME *	RESULT (ppm)			
	NITROGEN DIOXIDE			
	วัดบนสนามบิน			
	JANUARY 15-16, 2024 T24AB381-0011	JANUARY 16-17, 2024 T24AB381-0012	JANUARY 17-18, 2024 T24AB381-0013	JANUARY 18-19, 2024 T24AB381-0014
08:00-09:00 HOUR	0.0047	0.0060	0.0046	0.0047
09:00-10:00 HOUR	0.0044	0.0052	0.0041	0.0049
10:00-11:00 HOUR	0.0046	0.0047	0.0043	0.0052
11:00-12:00 HOUR	0.0048	0.0044	0.0051	0.0052
12:00-13:00 HOUR	0.0051	0.0045	0.0055	0.0052
13:00-14:00 HOUR	0.0052	0.0044	0.0061	0.0050
14:00-15:00 HOUR	0.0047	0.0045	0.0056	0.0052
15:00-16:00 HOUR	0.0046	0.0044	0.0057	0.0051
16:00-17:00 HOUR	0.0043	0.0044	0.0059	0.0053
17:00-18:00 HOUR	0.0044	0.0043	0.0067	0.0051
18:00-19:00 HOUR	0.0049	0.0043	0.0069	0.0052
19:00-20:00 HOUR	0.0055	0.0050	0.0069	0.0053
20:00-21:00 HOUR	0.0061	0.0057	0.0065	0.0057
21:00-22:00 HOUR	0.0064	0.0061	0.0064	0.0061
22:00-23:00 HOUR	0.0063	0.0061	0.0061	0.0062
23:00-00:00 HOUR	0.0063	0.0061	0.0057	0.0065
00:00-01:00 HOUR	0.0060	0.0059	0.0053	0.0065
01:00-02:00 HOUR	0.0060	0.0065	0.0048	0.0077
02:00-03:00 HOUR	0.0060	0.0063	0.0045	0.0070
03:00-04:00 HOUR	0.0062	0.0065	0.0042	0.0065
04:00-05:00 HOUR	0.0064	0.0060	0.0042	0.0063
05:00-06:00 HOUR	0.0064	0.0054	0.0043	0.0065
06:00-07:00 HOUR	0.0066	0.0054	0.0045	0.0069
07:00-08:00 HOUR	0.0064	0.0048	0.0047	0.0072

*Sila Banjongjairuk*

(MR SILA BANJONGJAIKUK)  
LABORATORY SUPERVISOR

JANUARY 29, 2024

## ANALYSIS REPORT

**PROJECT NAME** : การตรวจวัดคุณภาพสิ่งแวดล้อม (โครงการโรงไฟฟ้าชีวมวล) ประจำปี 2567  
**CUSTOMER NAME** : THAI ROONG RUANG INDUSTRY CO., LTD.  
**ADDRESS** : 90 MOO 8 UM CHAN KUSUMAN SAKON NAKHON 47210  
**CONTACT INFORMATION** : TEL : 09 5665 0649 e-mail : piyawan.pan@trrgroup.com  
**MEASURING PLACE** : โรงเรียนแก่งคำประชาสามัคคี  
**MEASURING TYPE** : AMBIENT (AIR) **RECEIVED DATE** : JANUARY 12-19, 2024  
**MEASURING DATE** : JANUARY 12-19, 2024 **ANALYTICAL DATE** : JANUARY 12-19, 2024  
**MEASURING TIME** : \* **REPORT NO.** : 2024-U007674  
**MEASURING METHOD** : CHEMILUMINESCENCE **WORK NO.** : 2023-008918  
**MEASURED BY** : MR PAIRAT KUMNERDRAKSA **ANALYSIS NO.** : T24AB381-0015 - T24AB381-0021

TIME *	RESULT (ppm)		
	NITROGEN DIOXIDE		
	โรงเรียนแก่งคำประชาสามัคคี		
	JANUARY 12-13, 2024 T24AB381-0015	JANUARY 13-14, 2024 T24AB381-0016	JANUARY 14-15, 2024 T24AB381-0017
08:00-09:00 HOUR	0.0074	0.0066	0.0055
09:00-10:00 HOUR	0.0077	0.0063	0.0059
10:00-11:00 HOUR	0.0075	0.0065	0.0066
11:00-12:00 HOUR	0.0072	0.0065	0.0065
12:00-13:00 HOUR	0.0067	0.0060	0.0064
13:00-14:00 HOUR	0.0066	0.0056	0.0069
14:00-15:00 HOUR	0.0061	0.0054	0.0080
15:00-16:00 HOUR	0.0065	0.0053	0.0086
16:00-17:00 HOUR	0.0067	0.0059	0.0082
17:00-18:00 HOUR	0.0074	0.0063	0.0085
18:00-19:00 HOUR	0.0075	0.0069	0.0088
19:00-20:00 HOUR	0.0084	0.0072	0.0091
20:00-21:00 HOUR	0.0086	0.0078	0.0084
21:00-22:00 HOUR	0.0090	0.0075	0.0081
22:00-23:00 HOUR	0.0089	0.0081	0.0073
23:00-00:00 HOUR	0.0086	0.0084	0.0075
00:00-01:00 HOUR	0.0089	0.0091	0.0070
01:00-02:00 HOUR	0.0088	0.0086	0.0069
02:00-03:00 HOUR	0.0089	0.0083	0.0062
03:00-04:00 HOUR	0.0080	0.0082	0.0060
04:00-05:00 HOUR	0.0077	0.0081	0.0060
05:00-06:00 HOUR	0.0074	0.0078	0.0066
06:00-07:00 HOUR	0.0074	0.0070	0.0074
07:00-08:00 HOUR	0.0069	0.0062	0.0074



TIME *	RESULT (ppm)			
	NITROGEN DIOXIDE			
	โรงเรียนแก่งคำประชาสามัคคี			
	JANUARY 15-16, 2024 T24AB381-0018	JANUARY 16-17, 2024 T24AB381-0019	JANUARY 17-18, 2024 T24AB381-0020	JANUARY 18-19, 2024 T24AB381-0021
08:00-09:00 HOUR	0.0073	0.0071	0.0048	0.0088
09:00-10:00 HOUR	0.0071	0.0079	0.0052	0.0094
10:00-11:00 HOUR	0.0073	0.0081	0.0059	0.0095
11:00-12:00 HOUR	0.0076	0.0084	0.0076	0.0090
12:00-13:00 HOUR	0.0074	0.0075	0.0084	0.0086
13:00-14:00 HOUR	0.0071	0.0069	0.0085	0.0079
14:00-15:00 HOUR	0.0065	0.0062	0.0084	0.0073
15:00-16:00 HOUR	0.0064	0.0064	0.0085	0.0062
16:00-17:00 HOUR	0.0065	0.0065	0.0092	0.0052
17:00-18:00 HOUR	0.0067	0.0068	0.0088	0.0046
18:00-19:00 HOUR	0.0067	0.0069	0.0087	0.0057
19:00-20:00 HOUR	0.0072	0.0074	0.0085	0.0067
20:00-21:00 HOUR	0.0075	0.0080	0.0085	0.0079
21:00-22:00 HOUR	0.0078	0.0080	0.0086	0.0073
22:00-23:00 HOUR	0.0071	0.0080	0.0086	0.0071
23:00-00:00 HOUR	0.0070	0.0074	0.0084	0.0067
00:00-01:00 HOUR	0.0067	0.0078	0.0079	0.0066
01:00-02:00 HOUR	0.0068	0.0076	0.0078	0.0061
02:00-03:00 HOUR	0.0063	0.0073	0.0073	0.0067
03:00-04:00 HOUR	0.0062	0.0070	0.0073	0.0072
04:00-05:00 HOUR	0.0056	0.0063	0.0068	0.0072
05:00-06:00 HOUR	0.0063	0.0059	0.0070	0.0070
06:00-07:00 HOUR	0.0063	0.0052	0.0073	0.0069
07:00-08:00 HOUR	0.0070	0.0048	0.0082	0.0069

*Sila Banjongjairuk*

(MR SILA BANJONGJAIKUK)  
LABORATORY SUPERVISOR

JANUARY 29, 2024

## ANALYSIS REPORT

**PROJECT NAME** : การตรวจวัดคุณภาพสิ่งแวดล้อม (โครงการโรงไฟฟ้าชีวมวล) ประจำปี 2567  
**CUSTOMER NAME** : THAI ROONG RUANG INDUSTRY CO., LTD.  
**ADDRESS** : 90 MOO 8 UM CHAN KUSUMAN SAKON NAKHON 47210  
**CONTACT INFORMATION** : TEL : 09 5665 0649 e-mail : piyawan.pan@trrgroup.com  
**MEASURING PLACE** : บ้านโคกสะอาด  
**MEASURING TYPE** : AMBIENT (AIR) **RECEIVED DATE** : JANUARY 12-19, 2024  
**MEASURING DATE** : JANUARY 12-19, 2024 **ANALYTICAL DATE** : JANUARY 12-19, 2024  
**MEASURING TIME** : \* **REPORT NO.** : 2024-U007675  
**MEASURING METHOD** : CHEMILUMINESCENCE **WORK NO.** : 2023-008918  
**MEASURED BY** : MR PAIRAT KUMNERDRAKSA **ANALYSIS NO.** : T24AB381-0022 - T24AB381-0028

TIME *	RESULT (ppm)		
	NITROGEN DIOXIDE		
	บ้านโคกสะอาด		
	JANUARY 12-13, 2024 T24AB381-0022	JANUARY 13-14, 2024 T24AB381-0023	JANUARY 14-15, 2024 T24AB381-0024
08:00-09:00 HOUR	0.0051	0.0047	0.0081
09:00-10:00 HOUR	0.0051	0.0051	0.0090
10:00-11:00 HOUR	0.0048	0.0057	0.0090
11:00-12:00 HOUR	0.0047	0.0065	0.0091
12:00-13:00 HOUR	0.0048	0.0071	0.0069
13:00-14:00 HOUR	0.0052	0.0080	0.0060
14:00-15:00 HOUR	0.0058	0.0087	0.0041
15:00-16:00 HOUR	0.0061	0.0089	0.0049
16:00-17:00 HOUR	0.0067	0.0092	0.0053
17:00-18:00 HOUR	0.0068	0.0092	0.0066
18:00-19:00 HOUR	0.0079	0.0092	0.0075
19:00-20:00 HOUR	0.0084	0.0077	0.0088
20:00-21:00 HOUR	0.0090	0.0079	0.0090
21:00-22:00 HOUR	0.0083	0.0074	0.0087
22:00-23:00 HOUR	0.0077	0.0073	0.0080
23:00-00:00 HOUR	0.0067	0.0067	0.0077
00:00-01:00 HOUR	0.0066	0.0066	0.0082
01:00-02:00 HOUR	0.0064	0.0070	0.0079
02:00-03:00 HOUR	0.0067	0.0076	0.0081
03:00-04:00 HOUR	0.0064	0.0083	0.0075
04:00-05:00 HOUR	0.0058	0.0091	0.0082
05:00-06:00 HOUR	0.0052	0.0094	0.0081
06:00-07:00 HOUR	0.0048	0.0088	0.0084
07:00-08:00 HOUR	0.0048	0.0082	0.0080



TIME *	RESULT (ppm)			
	NITROGEN DIOXIDE			
	บ้านโคกสะอาด			
	JANUARY 15-16, 2024 T24AB381-0025	JANUARY 16-17, 2024 T24AB381-0026	JANUARY 17-18, 2024 T24AB381-0027	JANUARY 18-19, 2024 T24AB381-0028
08:00-09:00 HOUR	0.0081	0.0061	0.0057	0.0094
09:00-10:00 HOUR	0.0080	0.0057	0.0058	0.0091
10:00-11:00 HOUR	0.0083	0.0056	0.0057	0.0085
11:00-12:00 HOUR	0.0075	0.0060	0.0053	0.0086
12:00-13:00 HOUR	0.0079	0.0061	0.0050	0.0086
13:00-14:00 HOUR	0.0074	0.0068	0.0050	0.0091
14:00-15:00 HOUR	0.0071	0.0069	0.0045	0.0091
15:00-16:00 HOUR	0.0057	0.0068	0.0046	0.0096
16:00-17:00 HOUR	0.0046	0.0070	0.0046	0.0093
17:00-18:00 HOUR	0.0044	0.0069	0.0054	0.0098
18:00-19:00 HOUR	0.0044	0.0066	0.0056	0.0080
19:00-20:00 HOUR	0.0048	0.0058	0.0060	0.0070
20:00-21:00 HOUR	0.0052	0.0053	0.0059	0.0055
21:00-22:00 HOUR	0.0060	0.0054	0.0057	0.0059
22:00-23:00 HOUR	0.0069	0.0060	0.0061	0.0060
23:00-00:00 HOUR	0.0076	0.0063	0.0069	0.0064
00:00-01:00 HOUR	0.0080	0.0067	0.0077	0.0067
01:00-02:00 HOUR	0.0078	0.0065	0.0086	0.0099
02:00-03:00 HOUR	0.0071	0.0066	0.0088	0.0105
03:00-04:00 HOUR	0.0069	0.0068	0.0089	0.0106
04:00-05:00 HOUR	0.0070	0.0068	0.0090	0.0105
05:00-06:00 HOUR	0.0074	0.0066	0.0090	0.0109
06:00-07:00 HOUR	0.0072	0.0061	0.0095	0.0083
07:00-08:00 HOUR	0.0066	0.0059	0.0092	0.0087

*Sila Banjongjairuk*

(MR SILA BANJONGJAIRUK)  
LABORATORY SUPERVISOR

JANUARY 29, 2024

## ANALYSIS REPORT

**PROJECT NAME** : การตรวจวัดคุณภาพสิ่งแวดล้อม (โครงการโรงไฟฟ้าชีวมวล) ประจำปี 2567  
**CUSTOMER NAME** : THAI ROONG RUANG INDUSTRY CO., LTD.  
**ADDRESS** : 90 MOO 8 UM CHAN KUSUMAN SAKON NAKHON 47210  
**CONTACT INFORMATION** : TEL : 09 5665 0649 e-mail : piyawan.pan@trrgroup.com  
**MEASURING PLACE** : วัดศรีวราราม  
**MEASURING TYPE** : AMBIENT (AIR) **RECEIVED DATE** : JANUARY 12-19, 2024  
**MEASURING DATE** : JANUARY 12-19, 2024 **ANALYTICAL DATE** : JANUARY 12-19, 2024  
**MEASURING TIME** : \* **REPORT NO.** : 2024-U007676  
**MEASURING METHOD** : UV FLUORESCENCE **WORK NO.** : 2023-008918  
**MEASURED BY** : MR PAIRAT KUMNERDRAKSA **ANALYSIS NO.** : T24AB381-0001 - T24AB381-0007

เวลา *	RESULT (ppm)		
	SULPHUR DIOXIDE		
	วัดศรีวราราม		
	JANUARY 12-13, 2024 T24AB381-0001	JANUARY 13-14, 2024 T24AB381-0002	JANUARY 14-15, 2024 T24AB381-0003
08:00-09:00 HOUR	0.0017	0.0020	0.0019
09:00-10:00 HOUR	0.0018	0.0018	0.0018
10:00-11:00 HOUR	0.0018	0.0018	0.0016
11:00-12:00 HOUR	0.0019	0.0018	0.0017
12:00-13:00 HOUR	0.0020	0.0019	0.0016
13:00-14:00 HOUR	0.0022	0.0021	0.0017
14:00-15:00 HOUR	0.0022	0.0021	0.0018
15:00-16:00 HOUR	0.0022	0.0022	0.0021
16:00-17:00 HOUR	0.0020	0.0022	0.0020
17:00-18:00 HOUR	0.0018	0.0025	0.0019
18:00-19:00 HOUR	0.0018	0.0027	0.0019
19:00-20:00 HOUR	0.0017	0.0028	0.0020
20:00-21:00 HOUR	0.0018	0.0025	0.0022
21:00-22:00 HOUR	0.0018	0.0024	0.0021
22:00-23:00 HOUR	0.0019	0.0024	0.0019
23:00-00:00 HOUR	0.0021	0.0022	0.0019
00:00-01:00 HOUR	0.0022	0.0021	0.0018
01:00-02:00 HOUR	0.0024	0.0019	0.0019
02:00-03:00 HOUR	0.0025	0.0021	0.0019
03:00-04:00 HOUR	0.0027	0.0019	0.0020
04:00-05:00 HOUR	0.0027	0.0020	0.0019
05:00-06:00 HOUR	0.0028	0.0018	0.0018
06:00-07:00 HOUR	0.0028	0.0019	0.0018
07:00-08:00 HOUR	0.0026	0.0019	0.0018
AVERAGE 24 HOUR	0.0021	0.0021	0.0019



เวลา *	RESULT (ppm)			
	SULPHUR DIOXIDE			
	วัดศรีวาราม			
	JANUARY 15-16, 2024 T24AB381-0004	JANUARY 16-17, 2024 T24AB381-0005	JANUARY 17-18, 2024 T24AB381-0006	JANUARY 18-19, 2024 T24AB381-0007
08:00-09:00 HOUR	0.0019	0.0019	0.0019	0.0019
09:00-10:00 HOUR	0.0018	0.0018	0.0018	0.0020
10:00-11:00 HOUR	0.0017	0.0020	0.0019	0.0021
11:00-12:00 HOUR	0.0016	0.0020	0.0018	0.0020
12:00-13:00 HOUR	0.0015	0.0020	0.0017	0.0018
13:00-14:00 HOUR	0.0016	0.0018	0.0019	0.0015
14:00-15:00 HOUR	0.0017	0.0018	0.0019	0.0013
15:00-16:00 HOUR	0.0017	0.0018	0.0020	0.0012
16:00-17:00 HOUR	0.0018	0.0019	0.0017	0.0012
17:00-18:00 HOUR	0.0018	0.0019	0.0017	0.0014
18:00-19:00 HOUR	0.0020	0.0019	0.0017	0.0016
19:00-20:00 HOUR	0.0019	0.0019	0.0017	0.0020
20:00-21:00 HOUR	0.0021	0.0020	0.0016	0.0021
21:00-22:00 HOUR	0.0019	0.0019	0.0016	0.0021
22:00-23:00 HOUR	0.0019	0.0020	0.0018	0.0019
23:00-00:00 HOUR	0.0018	0.0019	0.0019	0.0018
00:00-01:00 HOUR	0.0020	0.0020	0.0019	0.0018
01:00-02:00 HOUR	0.0020	0.0019	0.0020	0.0018
02:00-03:00 HOUR	0.0018	0.0019	0.0020	0.0019
03:00-04:00 HOUR	0.0016	0.0021	0.0022	0.0018
04:00-05:00 HOUR	0.0015	0.0021	0.0022	0.0018
05:00-06:00 HOUR	0.0017	0.0022	0.0021	0.0017
06:00-07:00 HOUR	0.0019	0.0021	0.0018	0.0019
07:00-08:00 HOUR	0.0020	0.0020	0.0018	0.0020
AVERAGE 24 HOUR	0.0018	0.0020	0.0019	0.0018

*Sila Banjongjairuk*

(MR SILA BANJONGJAIKUK)  
LABORATORY SUPERVISOR

JANUARY 29, 2024

## ANALYSIS REPORT

**PROJECT NAME** : การตรวจวัดคุณภาพสิ่งแวดล้อม (โครงการโรงไฟฟ้าชีวมวล) ประจำปี 2567  
**CUSTOMER NAME** : THAI ROONG RUANG INDUSTRY CO., LTD.  
**ADDRESS** : 90 MOO 8 UM CHAN KUSUMAN SAKON NAKHON 47210  
**CONTACT INFORMATION** : TEL : 09 5665 0649 e-mail : piyawan.pan@trrgroup.com  
**MEASURING PLACE** : วัดบ้านสนามบิน  
**MEASURING TYPE** : AMBIENT (AIR) **RECEIVED DATE** : JANUARY 12-19, 2024  
**MEASURING DATE** : JANUARY 12-19, 2024 **ANALYTICAL DATE** : JANUARY 12-19, 2024  
**MEASURING TIME** : \* **REPORT NO.** : 2024-U007677  
**MEASURING METHOD** : UV FLUORESCENCE **WORK NO.** : 2023-008918  
**MEASURED BY** : MR PAIRAT KUMNERDRAKSA **ANALYSIS NO.** : T24AB381-0008 - T24AB381-0014

เวลา *	RESULT (ppm)		
	SULPHUR DIOXIDE		
	วัดบ้านสนามบิน		
	JANUARY 12-13, 2024 T24AB381-0008	JANUARY 13-14, 2024 T24AB381-0009	JANUARY 14-15, 2024 T24AB381-0010
08:00-09:00 HOUR	0.0021	0.0019	0.0021
09:00-10:00 HOUR	0.0021	0.0019	0.0021
10:00-11:00 HOUR	0.0019	0.0020	0.0020
11:00-12:00 HOUR	0.0017	0.0021	0.0020
12:00-13:00 HOUR	0.0019	0.0021	0.0019
13:00-14:00 HOUR	0.0021	0.0021	0.0020
14:00-15:00 HOUR	0.0023	0.0020	0.0020
15:00-16:00 HOUR	0.0021	0.0019	0.0020
16:00-17:00 HOUR	0.0020	0.0018	0.0018
17:00-18:00 HOUR	0.0019	0.0019	0.0020
18:00-19:00 HOUR	0.0019	0.0020	0.0021
19:00-20:00 HOUR	0.0020	0.0020	0.0023
20:00-21:00 HOUR	0.0021	0.0020	0.0022
21:00-22:00 HOUR	0.0023	0.0021	0.0021
22:00-23:00 HOUR	0.0022	0.0021	0.0018
23:00-00:00 HOUR	0.0020	0.0021	0.0019
00:00-01:00 HOUR	0.0019	0.0020	0.0020
01:00-02:00 HOUR	0.0018	0.0019	0.0020
02:00-03:00 HOUR	0.0018	0.0021	0.0020
03:00-04:00 HOUR	0.0017	0.0020	0.0020
04:00-05:00 HOUR	0.0016	0.0019	0.0020
05:00-06:00 HOUR	0.0018	0.0018	0.0019
06:00-07:00 HOUR	0.0020	0.0019	0.0019
07:00-08:00 HOUR	0.0020	0.0020	0.0019
AVERAGE 24 HOUR	0.0020	0.0020	0.0020



เวลา *	RESULT (ppm)			
	SULPHUR DIOXIDE			
	วัดบ้านสนามบิน			
	JANUARY 15-16, 2024 T24AB381-0011	JANUARY 16-17, 2024 T24AB381-0012	JANUARY 17-18, 2024 T24AB381-0013	JANUARY 18-19, 2024 T24AB381-0014
08:00-09:00 HOUR	0.0020	0.0020	0.0018	0.0020
09:00-10:00 HOUR	0.0019	0.0020	0.0018	0.0019
10:00-11:00 HOUR	0.0021	0.0021	0.0019	0.0018
11:00-12:00 HOUR	0.0022	0.0020	0.0019	0.0019
12:00-13:00 HOUR	0.0021	0.0020	0.0018	0.0021
13:00-14:00 HOUR	0.0020	0.0019	0.0018	0.0023
14:00-15:00 HOUR	0.0020	0.0018	0.0019	0.0024
15:00-16:00 HOUR	0.0021	0.0018	0.0017	0.0023
16:00-17:00 HOUR	0.0023	0.0018	0.0017	0.0022
17:00-18:00 HOUR	0.0026	0.0019	0.0015	0.0019
18:00-19:00 HOUR	0.0026	0.0018	0.0016	0.0019
19:00-20:00 HOUR	0.0025	0.0018	0.0016	0.0019
20:00-21:00 HOUR	0.0022	0.0018	0.0018	0.0020
21:00-22:00 HOUR	0.0020	0.0019	0.0020	0.0020
22:00-23:00 HOUR	0.0019	0.0019	0.0022	0.0020
23:00-00:00 HOUR	0.0021	0.0019	0.0021	0.0021
00:00-01:00 HOUR	0.0022	0.0019	0.0019	0.0020
01:00-02:00 HOUR	0.0022	0.0018	0.0018	0.0020
02:00-03:00 HOUR	0.0021	0.0019	0.0020	0.0019
03:00-04:00 HOUR	0.0021	0.0018	0.0022	0.0020
04:00-05:00 HOUR	0.0020	0.0020	0.0024	0.0022
05:00-06:00 HOUR	0.0020	0.0018	0.0024	0.0024
06:00-07:00 HOUR	0.0019	0.0020	0.0023	0.0024
07:00-08:00 HOUR	0.0019	0.0018	0.0022	0.0024
AVERAGE 24 HOUR	0.0021	0.0019	0.0019	0.0021

*Sila Banjongjairuk*

(MR SILA BANJONGJAIKUK)  
LABORATORY SUPERVISOR

JANUARY 29, 2024

## ANALYSIS REPORT

**PROJECT NAME** : การตรวจวัดคุณภาพสิ่งแวดล้อม (โครงการโรงไฟฟ้าชีวมวล) ประจำปี 2567  
**CUSTOMER NAME** : THAI ROONG RUANG INDUSTRY CO., LTD.  
**ADDRESS** : 90 MOO 8 UM CHAN KUSUMAN SAKON NAKHON 47210  
**CONTACT INFORMATION** : TEL : 09 5665 0649 e-mail : piyawan.pan@trrgroup.com  
**MEASURING PLACE** : โรงเรียนแก่งคำประชาสามัคคี  
**MEASURING TYPE** : AMBIENT (AIR) **RECEIVED DATE** : JANUARY 12-19, 2024  
**MEASURING DATE** : JANUARY 12-19, 2024 **ANALYTICAL DATE** : JANUARY 12-19, 2024  
**MEASURING TIME** : \* **REPORT NO.** : 2024-U007678  
**MEASURING METHOD** : UV FLUORESCENCE **WORK NO.** : 2023-008918  
**MEASURED BY** : MR PAIRAT KUMNERDRAKSA **ANALYSIS NO.** : T24AB381-0015 - T24AB381-0021

เวลา *	RESULT (ppm)		
	SULPHUR DIOXIDE		
	โรงเรียนแก่งคำประชาสามัคคี		
	JANUARY 12-13, 2024 T24AB381-0015	JANUARY 13-14, 2024 T24AB381-0016	JANUARY 14-15, 2024 T24AB381-0017
08:00-09:00 HOUR	0.0025	0.0023	0.0016
09:00-10:00 HOUR	0.0022	0.0022	0.0015
10:00-11:00 HOUR	0.0022	0.0020	0.0016
11:00-12:00 HOUR	0.0019	0.0020	0.0017
12:00-13:00 HOUR	0.0021	0.0020	0.0018
13:00-14:00 HOUR	0.0022	0.0023	0.0020
14:00-15:00 HOUR	0.0025	0.0025	0.0021
15:00-16:00 HOUR	0.0029	0.0025	0.0023
16:00-17:00 HOUR	0.0032	0.0027	0.0024
17:00-18:00 HOUR	0.0032	0.0028	0.0028
18:00-19:00 HOUR	0.0029	0.0029	0.0028
19:00-20:00 HOUR	0.0026	0.0028	0.0030
20:00-21:00 HOUR	0.0025	0.0029	0.0031
21:00-22:00 HOUR	0.0025	0.0028	0.0033
22:00-23:00 HOUR	0.0023	0.0026	0.0034
23:00-00:00 HOUR	0.0022	0.0024	0.0032
00:00-01:00 HOUR	0.0020	0.0023	0.0031
01:00-02:00 HOUR	0.0021	0.0020	0.0026
02:00-03:00 HOUR	0.0022	0.0020	0.0022
03:00-04:00 HOUR	0.0024	0.0019	0.0020
04:00-05:00 HOUR	0.0025	0.0021	0.0021
05:00-06:00 HOUR	0.0025	0.0020	0.0021
06:00-07:00 HOUR	0.0025	0.0020	0.0019
07:00-08:00 HOUR	0.0025	0.0018	0.0017
AVERAGE 24 HOUR	0.0024	0.0023	0.0023



เวลา *	RESULT (ppm)			
	SULPHUR DIOXIDE			
	โรงเรียนแก่งคำประชาสามัคคี			
	JANUARY 15-16, 2024 T24AB381-0018	JANUARY 16-17, 2024 T24AB381-0019	JANUARY 17-18, 2024 T24AB381-0020	JANUARY 18-19, 2024 T24AB381-0021
08:00-09:00 HOUR	0.0018	0.0030	0.0023	0.0029
09:00-10:00 HOUR	0.0021	0.0029	0.0024	0.0030
10:00-11:00 HOUR	0.0024	0.0028	0.0023	0.0032
11:00-12:00 HOUR	0.0028	0.0026	0.0021	0.0028
12:00-13:00 HOUR	0.0028	0.0027	0.0021	0.0028
13:00-14:00 HOUR	0.0030	0.0023	0.0020	0.0023
14:00-15:00 HOUR	0.0028	0.0022	0.0020	0.0023
15:00-16:00 HOUR	0.0026	0.0019	0.0020	0.0020
16:00-17:00 HOUR	0.0026	0.0017	0.0022	0.0021
17:00-18:00 HOUR	0.0024	0.0017	0.0022	0.0019
18:00-19:00 HOUR	0.0023	0.0019	0.0022	0.0019
19:00-20:00 HOUR	0.0019	0.0021	0.0021	0.0017
20:00-21:00 HOUR	0.0017	0.0024	0.0021	0.0016
21:00-22:00 HOUR	0.0018	0.0026	0.0024	0.0015
22:00-23:00 HOUR	0.0019	0.0030	0.0028	0.0017
23:00-00:00 HOUR	0.0019	0.0028	0.0031	0.0019
00:00-01:00 HOUR	0.0017	0.0026	0.0032	0.0019
01:00-02:00 HOUR	0.0016	0.0023	0.0033	0.0020
02:00-03:00 HOUR	0.0019	0.0021	0.0030	0.0020
03:00-04:00 HOUR	0.0022	0.0018	0.0029	0.0021
04:00-05:00 HOUR	0.0026	0.0017	0.0029	0.0020
05:00-06:00 HOUR	0.0029	0.0019	0.0031	0.0020
06:00-07:00 HOUR	0.0031	0.0021	0.0029	0.0019
07:00-08:00 HOUR	0.0033	0.0022	0.0028	0.0022
AVERAGE 24 HOUR	0.0023	0.0023	0.0025	0.0022

*Sila Banjongjairuk*

(MR SILA BANJONGJAIKUK)  
LABORATORY SUPERVISOR

JANUARY 29, 2024

## ANALYSIS REPORT

**PROJECT NAME** : การตรวจวัดคุณภาพสิ่งแวดล้อม (โครงการโรงไฟฟ้าชีวมวล) ประจำปี 2567  
**CUSTOMER NAME** : THAI ROONG RUANG INDUSTRY CO., LTD.  
**ADDRESS** : 90 MOO 8 UM CHAN KUSUMAN SAKON NAKHON 47210  
**CONTACT INFORMATION** : TEL : 09 5665 0649 e-mail : piyawan.pan@trgroup.com  
**MEASURING PLACE** : บ้านโคกสะอาด  
**MEASURING TYPE** : AMBIENT (AIR) **RECEIVED DATE** : JANUARY 12-19, 2024  
**MEASURING DATE** : JANUARY 12-19, 2024 **ANALYTICAL DATE** : JANUARY 12-19, 2024  
**MEASURING TIME** : \* **REPORT NO.** : 2024-U007679  
**MEASURING METHOD** : UV FLUORESCENCE **WORK NO.** : 2023-008918  
**MEASURED BY** : MR PAIRAT KUMNERDRAKSA **ANALYSIS NO.** : T24AB381-0022 - T24AB381-0028

เวลา *	RESULT (ppm)		
	SULPHUR DIOXIDE		
	บ้านโคกสะอาด		
	JANUARY 12-13, 2024 T24AB381-0022	JANUARY 13-14, 2024 T24AB381-0023	JANUARY 14-15, 2024 T24AB381-0024
08:00-09:00 HOUR	0.0021	0.0023	0.0021
09:00-10:00 HOUR	0.0026	0.0027	0.0022
10:00-11:00 HOUR	0.0028	0.0027	0.0021
11:00-12:00 HOUR	0.0026	0.0026	0.0020
12:00-13:00 HOUR	0.0024	0.0022	0.0019
13:00-14:00 HOUR	0.0022	0.0020	0.0020
14:00-15:00 HOUR	0.0021	0.0020	0.0019
15:00-16:00 HOUR	0.0019	0.0020	0.0019
16:00-17:00 HOUR	0.0017	0.0021	0.0018
17:00-18:00 HOUR	0.0018	0.0019	0.0018
18:00-19:00 HOUR	0.0019	0.0019	0.0018
19:00-20:00 HOUR	0.0020	0.0019	0.0019
20:00-21:00 HOUR	0.0018	0.0020	0.0019
21:00-22:00 HOUR	0.0018	0.0021	0.0019
22:00-23:00 HOUR	0.0017	0.0020	0.0019
23:00-00:00 HOUR	0.0019	0.0019	0.0018
00:00-01:00 HOUR	0.0018	0.0017	0.0019
01:00-02:00 HOUR	0.0018	0.0017	0.0018
02:00-03:00 HOUR	0.0018	0.0019	0.0018
03:00-04:00 HOUR	0.0018	0.0019	0.0019
04:00-05:00 HOUR	0.0018	0.0019	0.0019
05:00-06:00 HOUR	0.0017	0.0018	0.0019
06:00-07:00 HOUR	0.0018	0.0018	0.0019
07:00-08:00 HOUR	0.0020	0.0019	0.0019
AVERAGE 24 HOUR	0.0020	0.0020	0.0019



เวลา *	RESULT (ppm)			
	SULPHUR DIOXIDE			
	บ้านโคกสะอาด			
	JANUARY 15-16, 2024 T24AB381-0025	JANUARY 16-17, 2024 T24AB381-0026	JANUARY 17-18, 2024 T24AB381-0027	JANUARY 18-19, 2024 T24AB381-0028
08:00-09:00 HOUR	0.0020	0.0026	0.0030	0.0019
09:00-10:00 HOUR	0.0019	0.0029	0.0027	0.0020
10:00-11:00 HOUR	0.0020	0.0029	0.0022	0.0020
11:00-12:00 HOUR	0.0020	0.0028	0.0019	0.0018
12:00-13:00 HOUR	0.0019	0.0026	0.0019	0.0017
13:00-14:00 HOUR	0.0017	0.0023	0.0019	0.0017
14:00-15:00 HOUR	0.0016	0.0021	0.0021	0.0018
15:00-16:00 HOUR	0.0016	0.0020	0.0024	0.0019
16:00-17:00 HOUR	0.0017	0.0020	0.0028	0.0019
17:00-18:00 HOUR	0.0018	0.0021	0.0026	0.0019
18:00-19:00 HOUR	0.0019	0.0023	0.0026	0.0020
19:00-20:00 HOUR	0.0019	0.0024	0.0025	0.0019
20:00-21:00 HOUR	0.0018	0.0025	0.0027	0.0020
21:00-22:00 HOUR	0.0017	0.0027	0.0022	0.0019
22:00-23:00 HOUR	0.0016	0.0028	0.0020	0.0017
23:00-00:00 HOUR	0.0019	0.0027	0.0021	0.0018
00:00-01:00 HOUR	0.0021	0.0026	0.0022	0.0017
01:00-02:00 HOUR	0.0022	0.0023	0.0022	0.0018
02:00-03:00 HOUR	0.0022	0.0022	0.0022	0.0017
03:00-04:00 HOUR	0.0021	0.0020	0.0024	0.0017
04:00-05:00 HOUR	0.0019	0.0021	0.0023	0.0018
05:00-06:00 HOUR	0.0020	0.0021	0.0020	0.0019
06:00-07:00 HOUR	0.0021	0.0025	0.0018	0.0020
07:00-08:00 HOUR	0.0025	0.0027	0.0017	0.0021
AVERAGE 24 HOUR	0.0019	0.0024	0.0023	0.0019

*Sila Banjongjairuk*

(MR SILA BANJONGJAIKUK)  
LABORATORY SUPERVISOR

JANUARY 29, 2024

## ANALYSIS REPORT

**PROJECT NAME** : การตรวจวัดคุณภาพสิ่งแวดล้อม (โครงการโรงไฟฟ้าชีวมวล) ประจำปี 2567  
**CUSTOMER NAME** : THAI ROONG RUANG INDUSTRY CO., LTD.  
**ADDRESS** : 90 MOO 8 UM CHAN KUSUMAN SAKON NAKHON 47210  
**CONTACT INFORMATION** : TEL : 09 5665 0649 e-mail : piyawan.pan@trrgroup.com  
**MEASURING PLACE** : วัดศรีวราราม  
**MEASURING TYPE** : AMBIENT (AIR) **RECEIVED DATE** : JANUARY 12-19, 2024  
**MEASURING DATE** : JANUARY 12-19, 2024 **ANALYTICAL DATE** : JANUARY 12-19, 2024  
**MEASURING TIME** : \* **REPORT NO.** : 2024-U007683  
**MEASURING METHOD** : WIND SPEED & WIND DIRECTION EQUIPMENT **WORK NO.** : 2023-008918  
**MEASURED BY** : MR PAIRAT KUMNERDRAKSA **ANALYSIS NO.** : T24AB381-0001 - T24AB381-0007

TIME *	RESULT (m/s)					
	วัดศรีวราราม					
	JANUARY 12-13, 2024		JANUARY 13-14, 2024		JANUARY 14-15, 2024	
	T24AB381-0001		T24AB381-0002		T24AB381-0003	
	WIND SPEED	WIND DIRECTION	WIND SPEED	WIND DIRECTION	WIND SPEED	WIND DIRECTION
08:00-09:00 HOUR	1.3	ESE	1.3	WNW	3.3	SW
09:00-10:00 HOUR	1.1	NNE	2.0	WSW	3.4	WSW
10:00-11:00 HOUR	1.7	SSE	2.6	WNW	2.9	W
11:00-12:00 HOUR	2.3	NE	2.9	W	3.5	NNW
12:00-13:00 HOUR	1.6	E	3.1	WSW	2.4	W
13:00-14:00 HOUR	2.4	ESE	3.5	WSW	2.8	NE
14:00-15:00 HOUR	1.9	ENE	2.3	WSW	2.2	NW
15:00-16:00 HOUR	1.4	E	2.1	WSW	2.3	NNW
16:00-17:00 HOUR	1.1	NW	2.9	W	2.1	WNW
17:00-18:00 HOUR	1.2	NW	1.6	SW	2.0	WNW
18:00-19:00 HOUR	0.9	NW	1.6	SW	1.8	ESE
19:00-20:00 HOUR	0.8	WSW	2.1	SW	2.0	NW
20:00-21:00 HOUR	1.0	NW	2.0	W	2.0	ENE
21:00-22:00 HOUR	0.9	W	2.0	W	2.5	E
22:00-23:00 HOUR	0.7	NNW	1.7	SSW	2.1	NE
23:00-00:00 HOUR	1.0	NNW	1.8	WNW	2.9	NNW
00:00-01:00 HOUR	0.7	NW	2.0	SW	3.6	N
01:00-02:00 HOUR	1.2	NW	1.5	WSW	3.6	NNE
02:00-03:00 HOUR	0.8	WSW	1.7	W	2.9	NE
03:00-04:00 HOUR	0.9	WSW	2.0	W	3.2	NE
04:00-05:00 HOUR	0.7	W	2.0	SW	3.1	N
05:00-06:00 HOUR	0.8	SW	1.8	SSW	3.0	E
06:00-07:00 HOUR	0.8	W	2.1	SSW	3.2	NNE
07:00-08:00 HOUR	0.8	WNW	2.0	SW	3.2	ENE



TIME *	RESULT (m/s)							
	วัดศรีราชม							
	JANUARY 15-16, 2024		JANUARY 16-17, 2024		JANUARY 17-18, 2024		JANUARY 18-19, 2024	
	T24AB381-0004		T24AB381-0005		T24AB381-0006		T24AB381-0007	
	WIND SPEED	WIND DIRECTION	WIND SPEED	WIND DIRECTION	WIND SPEED	WIND DIRECTION	WIND SPEED	WIND DIRECTION
08:00-09:00 HOUR	3.2	NNE	1.7	ENE	0.9	NNW	2.2	NW
09:00-10:00 HOUR	3.1	E	0.9	WSW	1.0	NNW	1.6	ENE
10:00-11:00 HOUR	3.0	NE	0.8	SW	1.1	WNW	2.3	NNE
11:00-12:00 HOUR	2.0	ENE	1.0	W	1.0	W	1.5	NNE
12:00-13:00 HOUR	2.6	N	0.7	SW	1.1	SW	2.0	N
13:00-14:00 HOUR	1.9	NW	0.9	SW	1.0	SSW	2.1	NE
14:00-15:00 HOUR	1.6	NNE	1.0	SW	1.3	S	2.2	NE
15:00-16:00 HOUR	2.1	NNE	1.0	SW	1.8	SSW	1.8	NNE
16:00-17:00 HOUR	1.7	N	1.0	SW	2.6	S	1.7	NNW
17:00-18:00 HOUR	1.6	ESE	1.4	SW	3.3	NW	1.8	NNW
18:00-19:00 HOUR	2.5	NNE	1.3	SW	2.5	NNE	1.9	N
19:00-20:00 HOUR	2.2	S	1.8	W	2.6	NNW	2.3	NW
20:00-21:00 HOUR	2.9	N	1.9	SE	1.8	NNE	1.8	SE
21:00-22:00 HOUR	2.4	NW	1.3	NE	1.7	NE	2.1	ENE
22:00-23:00 HOUR	3.7	N	1.0	ENE	1.9	E	1.9	SSE
23:00-00:00 HOUR	3.7	NW	0.9	NE	1.5	E	2.3	NE
00:00-01:00 HOUR	2.8	ENE	1.1	NNE	2.6	NE	2.3	W
01:00-02:00 HOUR	2.5	NE	0.9	E	2.1	ENE	1.7	NNW
02:00-03:00 HOUR	3.7	NE	1.0	ENE	2.1	NNE	2.3	NE
03:00-04:00 HOUR	3.3	N	1.2	SE	2.5	NW	2.3	W
04:00-05:00 HOUR	3.4	E	1.1	SSE	3.0	NNW	1.9	WSW
05:00-06:00 HOUR	3.0	NE	1.1	NNE	3.3	NNE	1.7	WSW
06:00-07:00 HOUR	2.0	NE	1.0	NNE	2.7	NNW	2.3	WNW
07:00-08:00 HOUR	2.1	N	1.1	N	2.7	NW	2.4	WNW

*Sila Banjongjairuk*

(MR SILA BANJONGJAIKUK)  
LABORATORY SUPERVISOR

JANUARY 29, 2024

## ANALYSIS REPORT

<b>PROJECT NAME</b>	: การตรวจวัดคุณภาพสิ่งแวดล้อม (โครงการโรงไฟฟ้าชีวมวล) ประจำปี 2567	<b>RECEIVED DATE</b>	: JANUARY 12-19, 2024
<b>CUSTOMER NAME</b>	: THAI ROONG RUANG INDUSTRY CO., LTD.	<b>ANALYTICAL DATE</b>	: JANUARY 12-19, 2024
<b>ADDRESS</b>	: 90 MOO 8 UM CHAN KUSUMAN SAKON NAKHON 47210	<b>REPORT NO.</b>	: 2024-U007686
<b>CONTACT INFORMATION</b>	: TEL : 09 5665 0649 e-mail : piyawan.pan@trrgroup.com	<b>WORK NO.</b>	: 2023-008918
<b>MEASURING PLACE</b>	: วัดบ้านสนามบิน	<b>ANALYSIS NO.</b>	: T24AB381-0008 - T24AB381-0014
<b>MEASURING TYPE</b>	: AMBIENT (AIR)		
<b>MEASURING DATE</b>	: JANUARY 12-19, 2024		
<b>MEASURING TIME</b>	: *		
<b>MEASURING METHOD</b>	: WIND SPEED & WIND DIRECTION EQUIPMENT		
<b>MEASURED BY</b>	: MR PAIRAT KUMNERDRAKSA		

TIME *	RESULT (m/s)					
	วัดบ้านสนามบิน					
	JANUARY 12-13, 2024 T24AB381-0008		JANUARY 13-14, 2024 T24AB381-0009		JANUARY 14-15, 2024 T24AB381-0010	
	WIND SPEED	WIND DIRECTION	WIND SPEED	WIND DIRECTION	WIND SPEED	WIND DIRECTION
08:00-09:00 HOUR	2.1	WSW	2.0	WSW	1.6	NNE
09:00-10:00 HOUR	2.8	NW	1.6	W	1.2	WSW
10:00-11:00 HOUR	3.2	NNW	2.0	NW	0.6	SW
11:00-12:00 HOUR	3.4	NW	2.6	SSW	1.3	W
12:00-13:00 HOUR	3.4	NE	2.9	WNW	1.6	WNW
13:00-14:00 HOUR	3.3	N	3.1	NW	1.3	W
14:00-15:00 HOUR	2.2	NE	3.0	NNW	2.0	S
15:00-16:00 HOUR	1.8	ENE	2.8	NNE	1.6	NW
16:00-17:00 HOUR	2.1	WNW	3.5	NE	1.6	W
17:00-18:00 HOUR	1.4	W	3.3	ESE	1.7	WNW
18:00-19:00 HOUR	1.2	W	4.6	SE	2.3	WNW
19:00-20:00 HOUR	1.2	WNW	3.2	N	3.0	WNW
20:00-21:00 HOUR	1.0	NW	4.2	NNE	2.0	NNE
21:00-22:00 HOUR	1.0	WNW	3.0	SW	2.5	NE
22:00-23:00 HOUR	1.7	WSW	3.3	NW	2.8	E
23:00-00:00 HOUR	1.9	W	2.1	WNW	2.5	ENE
00:00-01:00 HOUR	2.0	W	1.6	SSW	2.9	NNE
01:00-02:00 HOUR	1.9	W	1.3	WSW	2.3	NNW
02:00-03:00 HOUR	1.6	W	1.3	WNW	1.9	NE
03:00-04:00 HOUR	2.3	WNW	0.8	NNW	1.8	NNW
04:00-05:00 HOUR	1.8	NW	0.5	NNW	2.0	WNW
05:00-06:00 HOUR	2.3	W	0.4	Calm	1.3	NW
06:00-07:00 HOUR	2.1	W	0.4	Calm	1.2	NNW
07:00-08:00 HOUR	1.7	NNW	0.8	NW	0.8	NNW



TIME *	RESULT (m/s)							
	วัดบ้านสนามบิน							
	JANUARY 15-16, 2024		JANUARY 16-17, 2024		JANUARY 17-18, 2024		JANUARY 18-19, 2024	
	T24AB381-0011		T24AB381-0012		T24AB381-0013		T24AB381-0014	
	WIND SPEED	WIND DIRECTION	WIND SPEED	WIND DIRECTION	WIND SPEED	WIND DIRECTION	WIND SPEED	WIND DIRECTION
08:00-09:00 HOUR	1.2	NNE	2.7	NNW	2.5	SSW	1.6	ENE
09:00-10:00 HOUR	1.0	N	3.3	W	3.0	W	1.4	E
10:00-11:00 HOUR	1.1	WSW	2.8	WNW	2.1	WSW	1.3	NE
11:00-12:00 HOUR	0.7	WNW	2.7	SW	2.6	NW	1.4	SE
12:00-13:00 HOUR	0.7	WSW	2.4	W	2.2	WNW	1.7	NNE
13:00-14:00 HOUR	1.1	SW	2.0	SW	2.0	NNW	2.1	ENE
14:00-15:00 HOUR	0.9	WSW	1.5	SW	1.7	W	2.4	NNE
15:00-16:00 HOUR	0.9	SW	1.1	SW	1.5	NE	2.8	NNE
16:00-17:00 HOUR	1.0	WSW	0.7	SW	1.2	ESE	2.8	NW
17:00-18:00 HOUR	1.2	N	1.4	SW	0.8	SW	1.9	NW
18:00-19:00 HOUR	0.8	NE	1.2	SSW	1.0	WSW	2.6	NW
19:00-20:00 HOUR	0.8	NNW	2.0	S	0.9	SW	2.2	WNW
20:00-21:00 HOUR	0.7	NNE	1.8	S	0.9	W	2.0	E
21:00-22:00 HOUR	0.7	WNW	1.5	S	1.1	NNE	1.8	E
22:00-23:00 HOUR	0.8	NNW	1.8	SSW	1.5	W	3.0	NE
23:00-00:00 HOUR	0.9	WNW	2.3	SSW	1.3	N	3.2	E
00:00-01:00 HOUR	1.1	N	0.9	SSW	1.6	NNE	2.3	N
01:00-02:00 HOUR	1.8	W	0.8	SSW	2.4	ENE	2.1	NE
02:00-03:00 HOUR	1.5	NNE	0.5	SW	2.3	ENE	2.4	NE
03:00-04:00 HOUR	1.6	N	0.5	SSW	2.8	E	1.8	NNE
04:00-05:00 HOUR	2.5	N	0.4	Calm	3.7	ENE	2.2	NNE
05:00-06:00 HOUR	3.0	NW	1.0	SSW	2.4	NNE	1.9	NE
06:00-07:00 HOUR	3.1	NNW	1.4	SSW	3.4	NE	2.2	E
07:00-08:00 HOUR	2.7	W	2.1	W	1.9	ENE	2.2	SE

*Sila Banjongjairuk*

(MR SILA BANJONGJAIKUK)  
LABORATORY SUPERVISOR

JANUARY 29, 2024

ภาคผนวก ค-3

รายงานผลการติดตามตรวจสอบคุณภาพอากาศ  
บริเวณลานกองกากอ้อย

---

## ANALYSIS REPORT

**PROJECT NAME** : การตรวจวัดคุณภาพสิ่งแวดล้อม (โครงการโรงไฟฟ้าชีวมวล) ประจำปี 2567  
**CUSTOMER NAME** : THAI ROONG RUANG INDUSTRY CO., LTD.  
**ADDRESS** : 89 MOO 8 UM CHAN KUSUMAN SAKON NAKHON 47210  
**CONTACT INFORMATION** : TEL : 09 5665 0649 e-mail : piyawan.pan@trrgroup.com  
**SAMPLING SOURCE** : ภายในตาข่าย หีตทางลมพัดผ่านเหนือลม  
**SAMPLE TYPE** : AMBIENT  
**SAMPLING DATE** : \*, \*\*, \*\*\*  
**SAMPLING TIME** : \*, \*\*, \*\*\*  
**SAMPLING BY** : MR PAIRAT KUMNERDRAKSA  
**ANALYZED BY** : MISS JETJARAN TUMSA-AT  
**RECEIVED DATE** : JANUARY 23, 2024  
**ANALYTICAL DATE** : JANUARY 23-26, 2024  
**REPORT NO.** : 2024-U008218  
**WORK NO.** : 2023-008918  
**ANALYSIS NO.** : T24AB381-0029 - T24AB381-0031

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT		
			ภายในตาข่าย หีตทางลมพัดผ่านเหนือลม		
			* T24AB381-0029	** T24AB381-0030	*** T24AB381-0031
TOTAL SUSPENDED PARTICULATE MATTER	mg/m <sup>3</sup>	GRAVIMETRIC (HIGH VOLUME METHOD)	0.040	0.059	0.030
PARTICULATE MATTER ( $\leq 10 \mu\text{m}$ )	mg/m <sup>3</sup>	GRAVIMETRIC (HIGH VOLUME METHOD)	0.025	0.026	0.011
SAMPLE CONDITION			COMPLETE	COMPLETE	COMPLETE

### REMARK

TSP, PM10 : REFERENCE CONDITION IS 25 DEGREE CELSIUS AT 1 ATMOSPHERE.  
TSP : US EPA, CODE OF FEDERAL REGULATIONS, 40 CFR CHAPTER I-PART 50 APPENDIX B, REFERENCE METHOD FOR THE DETERMINATION OF SUSPENDED PARTICULATE MATTER IN THE ATMOSPHERE (HIGH-VOLUME METHOD) REVISED AS OF JULY 1, 2021.  
PM10 : US EPA, CODE OF FEDERAL REGULATIONS, 40 CFR CHAPTER I-PART 50 APPENDIX J, REFERENCE METHOD FOR THE DETERMINATION OF PARTICULATE MATTER AS PM10 IN THE ATMOSPHERE (HIGH-VOLUME METHOD) REVISED AS OF JULY 1, 2021.  
\* : SAMPLING FROM 09:45 HOUR ON JANUARY 12, 2024 TO 09:45 HOUR ON JANUARY 13, 2024.  
\*\* : SAMPLING FROM 09:45 HOUR ON JANUARY 13, 2024 TO 09:45 HOUR ON JANUARY 14, 2024.  
\*\*\* : SAMPLING FROM 09:45 HOUR ON JANUARY 14, 2024 TO 09:45 HOUR ON JANUARY 15, 2024.

Budsakorn ✓

(MISS BUDSAKORN LERDPANUMAS)  
LABORATORY SUPERVISOR

JANUARY 31, 2024



## ANALYSIS REPORT

**PROJECT NAME** : การตรวจวัดคุณภาพสิ่งแวดล้อม (โครงการโรงไฟฟ้าชีวมวล) ประจำปี 2567  
**CUSTOMER NAME** : THAI ROONG RUANG INDUSTRY CO., LTD.  
**ADDRESS** : 89 MOO 8 UM CHAN KUSUMAN SAKON NAKHON 47210  
**CONTACT INFORMATION** : TEL : 09 5665 0649 e-mail : piyawan.pan@trgroup.com  
**SAMPLING SOURCE** : ภายในตาข่าย หีตทางลมพัดผ่านเหนือลม  
**SAMPLE TYPE** : AMBIENT  
**SAMPLING DATE** : \* , \*\* , \*\*\* , \*\*\*\*  
**SAMPLING TIME** : \* , \*\* , \*\*\* , \*\*\*\*  
**SAMPLING BY** : MR PAIRAT KUMNERDRAKSA  
**ANALYZED BY** : MISS JETJARAN TUMSA-AT  
**RECEIVED DATE** : JANUARY 23, 2024  
**ANALYTICAL DATE** : JANUARY 23-26, 2024  
**REPORT NO.** : 2024-U008221  
**WORK NO.** : 2023-008918  
**ANALYSIS NO.** : T24AB381-0032 - T24AB381-0035

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT			
			ภายในตาข่าย หีตทางลมพัดผ่านเหนือลม			
			*	**	***	****
			T24AB381-0032	T24AB381-0033	T24AB381-0034	T24AB381-0035
TOTAL SUSPENDED PARTICULATE MATTER	mg/m <sup>3</sup>	GRAVIMETRIC (HIGH VOLUME METHOD)	0.028	0.039	0.061	0.086
PARTICULATE MATTER ( $\leq 10 \mu\text{m}$ )	mg/m <sup>3</sup>	GRAVIMETRIC (HIGH VOLUME METHOD)	0.012	0.023	0.033	0.073
SAMPLE CONDITION			COMPLETE	COMPLETE	COMPLETE	COMPLETE

### REMARK

TSP, PM10 : REFERENCE CONDITION IS 25 DEGREE CELSIUS AT 1 ATMOSPHERE.  
TSP : US EPA, CODE OF FEDERAL REGULATIONS, 40 CFR CHAPTER I-PART 50 APPENDIX B, REFERENCE METHOD FOR THE DETERMINATION OF SUSPENDED PARTICULATE MATTER IN THE ATMOSPHERE (HIGH-VOLUME METHOD) REVISED AS OF JULY 1, 2021.  
PM10 : US EPA, CODE OF FEDERAL REGULATIONS, 40 CFR CHAPTER I-PART 50 APPENDIX J, REFERENCE METHOD FOR THE DETERMINATION OF PARTICULATE MATTER AS PM10 IN THE ATMOSPHERE (HIGH-VOLUME METHOD) REVISED AS OF JULY 1, 2021.  
\* : SAMPLING FROM 09:45 HOUR ON JANUARY 15, 2024 TO 09:45 HOUR ON JANUARY 16, 2024.  
\*\* : SAMPLING FROM 09:45 HOUR ON JANUARY 16, 2024 TO 09:45 HOUR ON JANUARY 17, 2024.  
\*\*\* : SAMPLING FROM 09:45 HOUR ON JANUARY 17, 2024 TO 09:45 HOUR ON JANUARY 18, 2024.  
\*\*\*\* : SAMPLING FROM 09:45 HOUR ON JANUARY 18, 2024 TO 09:45 HOUR ON JANUARY 19, 2024.

*Budsakorn ✓*

(MISS BUDSAKORN LERDPANUMAS)  
LABORATORY SUPERVISOR

JANUARY 31, 2024



## ANALYSIS REPORT

**PROJECT NAME** : การตรวจวัดคุณภาพสิ่งแวดล้อม (โครงการโรงไฟฟ้าชีวมวล) ประจำปี 2567  
**CUSTOMER NAME** : THAI ROONG RUANG INDUSTRY CO., LTD.  
**ADDRESS** : 89 MOO 8 UM CHAN KUSUMAN SAKON NAKHON 47210  
**CONTACT INFORMATION** : TEL : 09 5665 0649 e-mail : piyawan.pan@trrgroup.com  
**SAMPLING SOURCE** : ภายนอกอาคาร ทิศทางลมพัดผ่านเหนือลม  
**SAMPLE TYPE** : AMBIENT  
**SAMPLING DATE** : \*, \*\*, \*\*\*  
**SAMPLING TIME** : \*, \*\*, \*\*\*  
**SAMPLING BY** : MR PAIRAT KUMNERDRAKSA  
**ANALYZED BY** : MISS JETJARIN TUMSA-AT  
**RECEIVED DATE** : JANUARY 23, 2024  
**ANALYTICAL DATE** : JANUARY 23-26, 2024  
**REPORT NO.** : 2024-U008222  
**WORK NO.** : 2023-008918  
**ANALYSIS NO.** : T24AB381-0036 - T24AB381-0038

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT		
			ภายนอกอาคาร ทิศทางลมพัดผ่านเหนือลม		
			*	**	***
			T24AB381-0036	T24AB381-0037	T24AB381-0038
TOTAL SUSPENDED PARTICULATE MATTER	mg/m <sup>3</sup>	GRAVIMETRIC (HIGH VOLUME METHOD)	0.035	0.041	0.025
PARTICULATE MATTER (≤ 10 µm)	mg/m <sup>3</sup>	GRAVIMETRIC (HIGH VOLUME METHOD)	0.016	0.020	0.013
SAMPLE CONDITION			COMPLETE	COMPLETE	COMPLETE

### REMARK

TSP, PM10 : REFERENCE CONDITION IS 25 DEGREE CELSIUS AT 1 ATMOSPHERE.  
TSP : US EPA, CODE OF FEDERAL REGULATIONS, 40 CFR CHAPTER I-PART 50 APPENDIX B, REFERENCE METHOD FOR THE DETERMINATION OF SUSPENDED PARTICULATE MATTER IN THE ATMOSPHERE (HIGH-VOLUME METHOD) REVISED AS OF JULY 1, 2021.  
PM10 : US EPA, CODE OF FEDERAL REGULATIONS, 40 CFR CHAPTER I-PART 50 APPENDIX J, REFERENCE METHOD FOR THE DETERMINATION OF PARTICULATE MATTER AS PM10 IN THE ATMOSPHERE (HIGH-VOLUME METHOD) REVISED AS OF JULY 1, 2021.  
\* : SAMPLING FROM 09:30 HOUR ON JANUARY 12, 2024 TO 09:30 HOUR ON JANUARY 13, 2024.  
\*\* : SAMPLING FROM 09:30 HOUR ON JANUARY 13, 2024 TO 09:30 HOUR ON JANUARY 14, 2024.  
\*\*\* : SAMPLING FROM 09:30 HOUR ON JANUARY 14, 2024 TO 09:30 HOUR ON JANUARY 15, 2024.

*Budsakorn ✓*

(MISS BUDSAKORN LERDPANUMAS)  
LABORATORY SUPERVISOR

JANUARY 31, 2024



## ANALYSIS REPORT

**PROJECT NAME** : การตรวจวัดคุณภาพสิ่งแวดล้อม (โครงการโรงไฟฟ้าชีวมวล) ประจำปี 2567  
**CUSTOMER NAME** : THAI ROONG RUANG INDUSTRY CO., LTD.  
**ADDRESS** : 89 MOO 8 UM CHAN KUSUMAN SAKON NAKHON 47210  
**CONTACT INFORMATION** : TEL : 09 5665 0649 e-mail : piyawan.pan@trrgroup.com  
**SAMPLING SOURCE** : ภายนอกค่าย ทิศทางลมพัดผ่านเหนือลม  
**SAMPLE TYPE** : AMBIENT  
**SAMPLING DATE** : \* \*\* \*\*\* \*\*\*\*  
**SAMPLING TIME** : \* \*\* \*\*\* \*\*\*\*  
**SAMPLING BY** : MR PAIRAT KUMNERDRAKSA  
**ANALYZED BY** : MISS JETJARAN TUMSA-AT  
**RECEIVED DATE** : JANUARY 23, 2024  
**ANALYTICAL DATE** : JANUARY 23-26, 2024  
**REPORT NO.** : 2024-U008223  
**WORK NO.** : 2023-008918  
**ANALYSIS NO.** : T24AB381-0039 - T24AB381-0042

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT			
			ภายนอกค่าย ทิศทางลมพัดผ่านเหนือลม			
			*	**	***	****
			T24AB381-0039	T24AB381-0040	T24AB381-0041	T24AB381-0042
TOTAL SUSPENDED PARTICULATE MATTER	mg/m <sup>3</sup>	GRAVIMETRIC (HIGH VOLUME METHOD)	0.026	0.038	0.050	0.044
PARTICULATE MATTER ( $\leq 10 \mu\text{m}$ )	mg/m <sup>3</sup>	GRAVIMETRIC (HIGH VOLUME METHOD)	0.012	0.023	0.029	0.029
SAMPLE CONDITION			COMPLETE	COMPLETE	COMPLETE	COMPLETE

### REMARK

TSP, PM10 : REFERENCE CONDITION IS 25 DEGREE CELSIUS AT 1 ATMOSPHERE.  
TSP : US EPA, CODE OF FEDERAL REGULATIONS, 40 CFR CHAPTER I-PART 50 APPENDIX B, REFERENCE METHOD FOR THE DETERMINATION OF SUSPENDED PARTICULATE MATTER IN THE ATMOSPHERE (HIGH-VOLUME METHOD) REVISED AS OF JULY 1, 2021.  
PM10 : US EPA, CODE OF FEDERAL REGULATIONS, 40 CFR CHAPTER I-PART 50 APPENDIX J, REFERENCE METHOD FOR THE DETERMINATION OF PARTICULATE MATTER AS PM10 IN THE ATMOSPHERE (HIGH-VOLUME METHOD) REVISED AS OF JULY 1, 2021.  
\* : SAMPLING FROM 09:30 HOUR ON JANUARY 15, 2024 TO 09:30 HOUR ON JANUARY 16, 2024.  
\*\* : SAMPLING FROM 09:30 HOUR ON JANUARY 16, 2024 TO 09:30 HOUR ON JANUARY 17, 2024.  
\*\*\* : SAMPLING FROM 09:30 HOUR ON JANUARY 17, 2024 TO 09:30 HOUR ON JANUARY 18, 2024.  
\*\*\*\* : SAMPLING FROM 09:30 HOUR ON JANUARY 18, 2024 TO 09:30 HOUR ON JANUARY 19, 2024.

Budsakorn ✓

(MISS BUDSAKORN LERDPANUMAS)  
LABORATORY SUPERVISOR

JANUARY 31, 2024



## ANALYSIS REPORT

**PROJECT NAME** : การตรวจวัดคุณภาพสิ่งแวดล้อม (โครงการโรงไฟฟ้าชีวมวล) ประจำปี 2567  
**CUSTOMER NAME** : THAI ROONG RUANG INDUSTRY CO., LTD.  
**ADDRESS** : 89 MOO 8 UM CHAN KUSUMAN SAKON NAKHON 47210  
**CONTACT INFORMATION** : TEL : 09 5665 0649 e-mail : piyawan.pan@trrgroup.com  
**SAMPLING SOURCE** : ภายในค้าย หีตทางลมพัดผ่านไต้ลม  
**SAMPLE TYPE** : AMBIENT  
**SAMPLING DATE** : \*, \*\*, \*\*\*  
**SAMPLING TIME** : \*, \*\*, \*\*\*  
**SAMPLING BY** : MR PAIRAT KUMNERDRAKSA  
**ANALYZED BY** : MISS JETJARAN TUMSA-AT  
**RECEIVED DATE** : JANUARY 23, 2024  
**ANALYTICAL DATE** : JANUARY 23-26, 2024  
**REPORT NO.** : 2024-U008224  
**WORK NO.** : 2023-008918  
**ANALYSIS NO.** : T24AB381-0043 - T24AB381-0045

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT		
			ภายในค้าย หีตทางลมพัดผ่านไต้ลม		
			* T24AB381-0043	** T24AB381-0044	*** T24AB381-0045
TOTAL SUSPENDED PARTICULATE MATTER	mg/m <sup>3</sup>	GRAVIMETRIC (HIGH VOLUME METHOD)	0.071	0.072	0.064
PARTICULATE MATTER (≤ 10 µm)	mg/m <sup>3</sup>	GRAVIMETRIC (HIGH VOLUME METHOD)	0.048	0.048	0.034
SAMPLE CONDITION			COMPLETE	COMPLETE	COMPLETE

**REMARK**  
TSP, PM10 : REFERENCE CONDITION IS 25 DEGREE CELSIUS AT 1 ATMOSPHERE.  
TSP : US EPA, CODE OF FEDERAL REGULATIONS, 40 CFR CHAPTER I-PART 50 APPENDIX B, REFERENCE METHOD FOR THE DETERMINATION OF SUSPENDED PARTICULATE MATTER IN THE ATMOSPHERE (HIGH-VOLUME METHOD) REVISED AS OF JULY 1, 2021.  
PM10 : US EPA, CODE OF FEDERAL REGULATIONS, 40 CFR CHAPTER I-PART 50 APPENDIX J, REFERENCE METHOD FOR THE DETERMINATION OF PARTICULATE MATTER AS PM10 IN THE ATMOSPHERE (HIGH-VOLUME METHOD) REVISED AS OF JULY 1, 2021.  
\* : SAMPLING FROM 10:15 HOUR ON JANUARY 12, 2024 TO 10:15 HOUR ON JANUARY 13, 2024.  
\*\* : SAMPLING FROM 10:15 HOUR ON JANUARY 13, 2024 TO 10:15 HOUR ON JANUARY 14, 2024.  
\*\*\* : SAMPLING FROM 10:15 HOUR ON JANUARY 14, 2024 TO 10:15 HOUR ON JANUARY 15, 2024.

*Budsakorn ✓*

(MISS BUDSAKORN LERDPANUMAS)  
LABORATORY SUPERVISOR

JANUARY 31, 2024



## ANALYSIS REPORT

**PROJECT NAME** : การตรวจวัดคุณภาพสิ่งแวดล้อม (โครงการโรงไฟฟ้าชีวมวล) ประจำปี 2567  
**CUSTOMER NAME** : THAI ROONG RUANG INDUSTRY CO., LTD.  
**ADDRESS** : 89 MOO 8 UM CHAN KUSUMAN SAKON NAKHON 47210  
**CONTACT INFORMATION** : TEL : 09 5665 0649 e-mail : piyawan.pan@trrgroup.com  
**SAMPLING SOURCE** : ภายในดาซาย หีตทางลมพัดผ่านไต้ลม  
**SAMPLE TYPE** : AMBIENT  
**SAMPLING DATE** : \* \*\* , \*\*\* , \*\*\*\*  
**SAMPLING TIME** : \* \*\* , \*\*\* , \*\*\*\*  
**SAMPLING BY** : MR PAIRAT KUMNERDRAKSA  
**ANALYZED BY** : MISS JETJARIN TUMSA-AT  
**RECEIVED DATE** : JANUARY 23, 2024  
**ANALYTICAL DATE** : JANUARY 23-26, 2024  
**REPORT NO.** : 2024-U008225  
**WORK NO.** : 2023-008918  
**ANALYSIS NO.** : T24AB381-0046 - T24AB381-0049

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT			
			ภายในดาซาย หีตทางลมพัดผ่านไต้ลม			
			*	**	***	****
			T24AB381-0046	T24AB381-0047	T24AB381-0048	T24AB381-0049
TOTAL SUSPENDED PARTICULATE MATTER	mg/m <sup>3</sup>	GRAVIMETRIC (HIGH VOLUME METHOD)	0.044	0.057	0.080	0.059
PARTICULATE MATTER (≤ 10 μm)	mg/m <sup>3</sup>	GRAVIMETRIC (HIGH VOLUME METHOD)	0.018	0.038	0.052	0.025
SAMPLE CONDITION			COMPLETE	COMPLETE	COMPLETE	COMPLETE

### REMARK

TSP, PM10 : REFERENCE CONDITION IS 25 DEGREE CELSIUS AT 1 ATMOSPHERE.  
TSP : US EPA, CODE OF FEDERAL REGULATIONS, 40 CFR CHAPTER I-PART 50 APPENDIX B, REFERENCE METHOD FOR THE DETERMINATION OF SUSPENDED PARTICULATE MATTER IN THE ATMOSPHERE (HIGH-VOLUME METHOD) REVISED AS OF JULY 1, 2021.  
PM10 : US EPA, CODE OF FEDERAL REGULATIONS, 40 CFR CHAPTER I-PART 50 APPENDIX J, REFERENCE METHOD FOR THE DETERMINATION OF PARTICULATE MATTER AS PM10 IN THE ATMOSPHERE (HIGH-VOLUME METHOD) REVISED AS OF JULY 1, 2021.  
\* : SAMPLING FROM 10:15 HOUR ON JANUARY 15, 2024 TO 10:15 HOUR ON JANUARY 16, 2024.  
\*\* : SAMPLING FROM 10:15 HOUR ON JANUARY 16, 2024 TO 10:15 HOUR ON JANUARY 17, 2024.  
\*\*\* : SAMPLING FROM 10:15 HOUR ON JANUARY 17, 2024 TO 10:15 HOUR ON JANUARY 18, 2024.  
\*\*\*\* : SAMPLING FROM 10:15 HOUR ON JANUARY 18, 2024 TO 10:15 HOUR ON JANUARY 19, 2024.

*Budsakorn ✓*

(MISS BUDSAKORN LERDPANUMAS)  
LABORATORY SUPERVISOR

JANUARY 31, 2024



## ANALYSIS REPORT

**PROJECT NAME** : การตรวจวัดคุณภาพสิ่งแวดล้อม (โครงการโรงไฟฟ้าชีวมวล) ประจำปี 2567  
**CUSTOMER NAME** : THAI ROONG RUANG INDUSTRY CO., LTD.  
**ADDRESS** : 89 MOO 8 UM CHAN KUSUMAN SAKON NAKHON 47210  
**CONTACT INFORMATION** : TEL : 09 5665 0649 e-mail : piyawan.pan@trrgroup.com  
**SAMPLING SOURCE** : ภายนอกค้าย หีตทางลมพัดผ่านไต้ลม  
**SAMPLE TYPE** : AMBIENT  
**SAMPLING DATE** : \* \*\* \*\*\*  
**SAMPLING TIME** : \* \*\* \*\*\*  
**SAMPLING BY** : MR PAIRAT KUMNERDRAKSA  
**ANALYZED BY** : MISS JETJARIN TUMSA-AT  
**RECEIVED DATE** : JANUARY 23, 2024  
**ANALYTICAL DATE** : JANUARY 23-26, 2024  
**REPORT NO.** : 2024-U008226  
**WORK NO.** : 2023-008918  
**ANALYSIS NO.** : T24AB381-0050 - T24AB381-0052

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT		
			ภายนอกค้าย หีตทางลมพัดผ่านไต้ลม		
			* T24AB381-0050	** T24AB381-0051	*** T24AB381-0052
TOTAL SUSPENDED PARTICULATE MATTER	mg/m <sup>3</sup>	GRAVIMETRIC (HIGH VOLUME METHOD)	0.048	0.041	0.032
PARTICULATE MATTER (≤ 10 μm)	mg/m <sup>3</sup>	GRAVIMETRIC (HIGH VOLUME METHOD)	0.035	0.026	0.019
SAMPLE CONDITION			COMPLETE	COMPLETE	COMPLETE

**REMARK**  
TSP, PM10 : REFERENCE CONDITION IS 25 DEGREE CELSIUS AT 1 ATMOSPHERE.  
TSP : US EPA, CODE OF FEDERAL REGULATIONS, 40 CFR CHAPTER I-PART 50 APPENDIX B, REFERENCE METHOD FOR THE DETERMINATION OF SUSPENDED PARTICULATE MATTER IN THE ATMOSPHERE (HIGH-VOLUME METHOD) REVISED AS OF JULY 1, 2021.  
PM10 : US EPA, CODE OF FEDERAL REGULATIONS, 40 CFR CHAPTER I-PART 50 APPENDIX J, REFERENCE METHOD FOR THE DETERMINATION OF PARTICULATE MATTER AS PM10 IN THE ATMOSPHERE (HIGH-VOLUME METHOD) REVISED AS OF JULY 1, 2021.  
\* : SAMPLING FROM 10:00 HOUR ON JANUARY 12, 2024 TO 10:00 HOUR ON JANUARY 13, 2024.  
\*\* : SAMPLING FROM 10:00 HOUR ON JANUARY 13, 2024 TO 10:00 HOUR ON JANUARY 14, 2024.  
\*\*\* : SAMPLING FROM 10:00 HOUR ON JANUARY 14, 2024 TO 10:00 HOUR ON JANUARY 15, 2024.

Budsakorn ✓

(MISS BUDSAKORN LERDPANUMAS)  
LABORATORY SUPERVISOR

JANUARY 31, 2024



## ANALYSIS REPORT

**PROJECT NAME** : การตรวจวัดคุณภาพสิ่งแวดล้อม (โครงการโรงไฟฟ้าชีวมวล) ประจำปี 2567  
**CUSTOMER NAME** : THAI ROONG RUANG INDUSTRY CO., LTD.  
**ADDRESS** : 89 MOO 8 UM CHAN KUSUMAN SAKON NAKHON 47210  
**CONTACT INFORMATION** : TEL : 09 5665 0649 e-mail : piyawan.pan@trrgroup.com  
**SAMPLING SOURCE** : ภายนอกอาคาร ทิศทางลมพัดผ่านใต้ลม  
**SAMPLE TYPE** : AMBIENT  
**SAMPLING DATE** : \* , \*\* , \*\*\* , \*\*\*\*  
**SAMPLING TIME** : \* , \*\* , \*\*\* , \*\*\*\*  
**SAMPLING BY** : MR PAIRAT KUMNERDRAKSA  
**ANALYZED BY** : MISS JETJARIN TUMSA-AT  
**RECEIVED DATE** : JANUARY 23, 2024  
**ANALYTICAL DATE** : JANUARY 23-26, 2024  
**REPORT NO.** : 2024-U008227  
**WORK NO.** : 2023-008918  
**ANALYSIS NO.** : T24AB381-0053 - T24AB381-0056

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT			
			ภายนอกอาคาร ทิศทางลมพัดผ่านใต้ลม			
			*	**	***	****
			T24AB381-0053	T24AB381-0054	T24AB381-0055	T24AB381-0056
TOTAL SUSPENDED PARTICULATE MATTER	mg/m <sup>3</sup>	GRAVIMETRIC (HIGH VOLUME METHOD)	0.037	0.044	0.065	0.054
PARTICULATE MATTER (≤ 10 µm)	mg/m <sup>3</sup>	GRAVIMETRIC (HIGH VOLUME METHOD)	0.021	0.018	0.029	0.020
SAMPLE CONDITION			COMPLETE	COMPLETE	COMPLETE	COMPLETE

### REMARK

TSP, PM10 : REFERENCE CONDITION IS 25 DEGREE CELSIUS AT 1 ATMOSPHERE.  
TSP : US EPA, CODE OF FEDERAL REGULATIONS, 40 CFR CHAPTER I-PART 50 APPENDIX B, REFERENCE METHOD FOR THE DETERMINATION OF SUSPENDED PARTICULATE MATTER IN THE ATMOSPHERE (HIGH-VOLUME METHOD) REVISED AS OF JULY 1, 2021.  
PM10 : US EPA, CODE OF FEDERAL REGULATIONS, 40 CFR CHAPTER I-PART 50 APPENDIX J, REFERENCE METHOD FOR THE DETERMINATION OF PARTICULATE MATTER AS PM10 IN THE ATMOSPHERE (HIGH-VOLUME METHOD) REVISED AS OF JULY 1, 2021.  
\* : SAMPLING FROM 10:00 HOUR ON JANUARY 15, 2024 TO 10:00 HOUR ON JANUARY 16, 2024.  
\*\* : SAMPLING FROM 10:00 HOUR ON JANUARY 16, 2024 TO 10:00 HOUR ON JANUARY 17, 2024.  
\*\*\* : SAMPLING FROM 10:00 HOUR ON JANUARY 17, 2024 TO 10:00 HOUR ON JANUARY 18, 2024.  
\*\*\*\* : SAMPLING FROM 10:00 HOUR ON JANUARY 18, 2024 TO 10:00 HOUR ON JANUARY 19, 2024.

*Budsakorn ✓*

(MISS BUDSAKORN LERDPANUMAS)  
LABORATORY SUPERVISOR

JANUARY 31, 2024



## ANALYSIS REPORT

**PROJECT NAME** : การตรวจวัดคุณภาพสิ่งแวดล้อม (โครงการโรงไฟฟ้าชีวมวล) ประจำปี 2567  
**CUSTOMER NAME** : THAI ROONG RUANG INDUSTRY CO., LTD.  
**ADDRESS** : 90 MOO 8 UM CHAN KUSUMAN SAKON NAKHON 47210  
**CONTACT INFORMATION** : TEL : 09 5665 0649 e-mail : piyawan.pan@trgroup.com  
**MEASURING PLACE** : ภายในค้าย ทิศทางลมพัดผ่านเหนือลม  
**MEASURING TYPE** : AMBIENT (AIR) **RECEIVED DATE** : JANUARY 12-19, 2024  
**MEASURING DATE** : JANUARY 12-19, 2024 **ANALYTICAL DATE** : JANUARY 12-19, 2024  
**MEASURING TIME** : \* **REPORT NO.** : 2024-U007689  
**MEASURING METHOD** : WIND SPEED & WIND DIRECTION EQUIPMENT **WORK NO.** : 2023-008918  
**MEASURED BY** : MR PAIRAT KUMNERDRAKSA **ANALYSIS NO.** : T24AB381-0029 - T24AB381-0035

TIME *	RESULT (m/s)					
	ภายในค้าย ทิศทางลมพัดผ่านเหนือลม					
	JANUARY 12-13, 2024 T24AB381-0029		JANUARY 13-14, 2024 T24AB381-0030		JANUARY 14-15, 2024 T24AB381-0031	
	WIND SPEED	WIND DIRECTION	WIND SPEED	WIND DIRECTION	WIND SPEED	WIND DIRECTION
08:00-09:00 HOUR	1.5	WSW	2.7	W	2.4	NNE
09:00-10:00 HOUR	1.5	W	2.2	WSW	3.3	NNE
10:00-11:00 HOUR	2.3	WSW	2.5	WSW	3.5	NNE
11:00-12:00 HOUR	1.4	SW	1.7	W	2.2	NW
12:00-13:00 HOUR	2.3	NNW	1.6	W	2.6	N
13:00-14:00 HOUR	1.9	WNW	1.8	W	1.7	NW
14:00-15:00 HOUR	1.5	NNW	1.0	W	1.9	N
15:00-16:00 HOUR	2.1	NW	0.9	N	2.0	NNE
16:00-17:00 HOUR	1.9	NW	0.9	NW	2.0	NNW
17:00-18:00 HOUR	2.3	NW	1.0	NE	2.1	W
18:00-19:00 HOUR	1.9	SSW	1.1	NNE	2.0	WSW
19:00-20:00 HOUR	1.9	SW	1.8	NE	2.5	S
20:00-21:00 HOUR	1.3	SSW	1.6	NNW	1.8	S
21:00-22:00 HOUR	1.2	S	1.7	SW	2.0	SW
22:00-23:00 HOUR	0.7	SSE	2.2	W	1.3	SW
23:00-00:00 HOUR	0.9	SSE	2.5	W	1.1	NNW
00:00-01:00 HOUR	1.0	SSE	1.7	S	0.9	NNE
01:00-02:00 HOUR	1.0	SSE	1.9	WNW	0.8	N
02:00-03:00 HOUR	0.9	S	1.1	N	1.0	NW
03:00-04:00 HOUR	1.1	SW	1.1	NNW	0.8	ENE
04:00-05:00 HOUR	1.5	SW	1.3	ENE	1.5	NNW
05:00-06:00 HOUR	2.0	WSW	1.4	NE	1.8	N
06:00-07:00 HOUR	1.6	WSW	2.0	E	1.3	NW
07:00-08:00 HOUR	2.2	WSW	2.4	ESE	1.4	NE



TIME *	RESULT (m/s)							
	ภาพในตาข่าย ทิศทางลมพัดผ่านเหนือลม							
	JANUARY 15-16, 2024		JANUARY 16-17, 2024		JANUARY 17-18, 2024		JANUARY 18-19, 2024	
	T24AB381-0032		T24AB381-0033		T24AB381-0034		T24AB381-0035	
	WIND SPEED	WIND DIRECTION	WIND SPEED	WIND DIRECTION	WIND SPEED	WIND DIRECTION	WIND SPEED	WIND DIRECTION
08:00-09:00 HOUR	1.2	NW	2.1	NNW	2.3	W	1.6	W
09:00-10:00 HOUR	0.9	NNE	1.6	N	2.2	SSW	1.7	WNW
10:00-11:00 HOUR	1.1	WNW	1.7	NE	2.7	SW	1.8	NW
11:00-12:00 HOUR	1.2	WNW	2.2	NNW	2.4	SW	2.0	WSW
12:00-13:00 HOUR	0.9	W	2.0	E	2.9	SSW	2.0	WSW
13:00-14:00 HOUR	0.9	WSW	2.3	NNE	2.3	SW	1.7	WSW
14:00-15:00 HOUR	1.6	WSW	1.6	NE	2.0	S	3.1	WSW
15:00-16:00 HOUR	1.4	SW	1.7	N	1.7	SW	2.9	SW
16:00-17:00 HOUR	2.8	SW	2.1	W	1.2	W	3.6	WSW
17:00-18:00 HOUR	2.6	N	1.8	NNW	1.2	WNW	3.4	SSW
18:00-19:00 HOUR	3.2	NNE	1.1	W	1.6	NE	2.3	WSW
19:00-20:00 HOUR	2.9	WSW	1.0	SSW	1.6	W	2.3	NW
20:00-21:00 HOUR	1.7	W	1.2	E	2.3	NNE	2.2	NW
21:00-22:00 HOUR	2.2	W	1.3	E	2.5	ENE	2.0	NW
22:00-23:00 HOUR	2.3	WSW	1.5	NW	2.0	N	1.4	NW
23:00-00:00 HOUR	2.3	NW	1.7	N	2.0	NE	1.3	W
00:00-01:00 HOUR	1.8	NW	2.5	NE	1.7	E	0.9	WNW
01:00-02:00 HOUR	2.3	NW	2.9	E	1.7	E	1.0	NW
02:00-03:00 HOUR	1.8	NNW	2.2	ENE	2.0	ENE	0.9	NNW
03:00-04:00 HOUR	2.0	NNE	2.3	E	2.2	E	1.0	NW
04:00-05:00 HOUR	2.3	N	2.7	NE	2.4	ENE	0.9	NNW
05:00-06:00 HOUR	2.3	NE	2.3	NW	2.2	E	1.0	NNW
06:00-07:00 HOUR	2.5	NNE	2.4	WNW	2.2	ENE	0.8	W
07:00-08:00 HOUR	2.3	NE	2.3	WNW	1.8	N	1.0	WNW

*Sila Banjongjairuk*

(MR SILA BANJONGJAIKUK)  
LABORATORY SUPERVISOR

JANUARY 29, 2024

## ANALYSIS REPORT

**PROJECT NAME** : การตรวจวัดคุณภาพสิ่งแวดล้อม (โครงการโรงไฟฟ้าชีวมวล) ประจำปี 2567  
**CUSTOMER NAME** : THAI ROONG RUANG INDUSTRY CO., LTD.  
**ADDRESS** : 90 MOO 8 UM CHAN KUSUMAN SAKON NAKHON 47210  
**CONTACT INFORMATION** : TEL : 09 5665 0649 e-mail : piyawan.pan@trrgroup.com  
**MEASURING PLACE** : ภายนอกอาคาร ทิศทางลมพัดผ่านเหนือลม  
**MEASURING TYPE** : AMBIENT (AIR) **RECEIVED DATE** : JANUARY 12-19, 2024  
**MEASURING DATE** : JANUARY 12-19, 2024 **ANALYTICAL DATE** : JANUARY 12-19, 2024  
**MEASURING TIME** : \* **REPORT NO.** : 2024-U007691  
**MEASURING METHOD** : WIND SPEED & WIND DIRECTION EQUIPMENT **WORK NO.** : 2023-008918  
**MEASURED BY** : MR PAIRAT KUMNERDRAKSA **ANALYSIS NO.** : T24AB381-0036 - T24AB381-0042

TIME *	RESULT (m/s)					
	ภายนอกอาคาร ทิศทางลมพัดผ่านเหนือลม					
	JANUARY 12-13, 2024 T24AB381-0036		JANUARY 13-14, 2024 T24AB381-0037		JANUARY 14-15, 2024 T24AB381-0038	
	WIND SPEED	WIND DIRECTION	WIND SPEED	WIND DIRECTION	WIND SPEED	WIND DIRECTION
08:00-09:00 HOUR	2.8	W	0.9	WNW	2.6	NNW
09:00-10:00 HOUR	1.9	SW	0.9	WNW	3.2	NW
10:00-11:00 HOUR	1.6	WNW	0.9	W	3.2	NNE
11:00-12:00 HOUR	1.3	W	0.7	NNE	2.2	NW
12:00-13:00 HOUR	0.8	S	0.7	N	1.9	WNW
13:00-14:00 HOUR	0.8	SSW	1.0	E	1.2	NNE
14:00-15:00 HOUR	1.0	S	0.7	NE	1.1	NW
15:00-16:00 HOUR	0.9	SSE	1.0	NNE	1.5	NW
16:00-17:00 HOUR	1.1	SSE	0.8	N	1.1	WNW
17:00-18:00 HOUR	1.0	SSE	1.2	NW	1.9	WNW
18:00-19:00 HOUR	0.8	SSW	1.4	W	2.0	SSW
19:00-20:00 HOUR	1.0	SSE	1.5	NNW	2.2	WNW
20:00-21:00 HOUR	1.2	SSE	1.8	SW	2.1	SW
21:00-22:00 HOUR	1.1	SW	2.6	SW	1.8	SW
22:00-23:00 HOUR	1.1	SW	2.1	WSW	1.8	WSW
23:00-00:00 HOUR	1.3	SSW	2.6	W	1.9	WNW
00:00-01:00 HOUR	1.4	S	3.3	W	2.1	NW
01:00-02:00 HOUR	2.3	SSW	2.3	WSW	1.9	NW
02:00-03:00 HOUR	1.6	SW	2.7	WNW	1.9	W
03:00-04:00 HOUR	1.4	WSW	3.0	W	2.0	W
04:00-05:00 HOUR	1.3	SW	3.1	WSW	2.4	NW
05:00-06:00 HOUR	1.3	WSW	3.8	W	2.2	NW
06:00-07:00 HOUR	1.0	W	3.1	W	2.9	NNW
07:00-08:00 HOUR	1.1	WSW	3.1	NNW	2.5	NW



TIME *	RESULT (m/s)							
	ภายนอกอาคาร ทิศทางลมพัดผ่านเหนือลม							
	JANUARY 15-16, 2024		JANUARY 16-17, 2024		JANUARY 17-18, 2024		JANUARY 18-19, 2024	
	T24AB381-0039		T24AB381-0040		T24AB381-0041		T24AB381-0042	
	WIND SPEED	WIND DIRECTION	WIND SPEED	WIND DIRECTION	WIND SPEED	WIND DIRECTION	WIND SPEED	WIND DIRECTION
08:00-09:00 HOUR	3.9	NNW	1.1	NNW	1.8	WSW	1.9	WNW
09:00-10:00 HOUR	3.1	WNW	0.9	WNW	2.1	WNW	2.0	NW
10:00-11:00 HOUR	2.9	NNW	1.0	WSW	1.7	W	1.5	NW
11:00-12:00 HOUR	2.6	NNE	1.0	WNW	1.6	WSW	2.1	NNW
12:00-13:00 HOUR	2.1	NNW	0.9	WSW	1.8	W	2.0	NNW
13:00-14:00 HOUR	2.0	WNW	1.3	NNW	1.8	SSW	2.5	E
14:00-15:00 HOUR	2.3	NNW	1.2	NW	1.8	WSW	2.5	NE
15:00-16:00 HOUR	2.0	WNW	1.9	NNW	2.0	WSW	2.6	ENE
16:00-17:00 HOUR	2.7	W	1.9	WNW	1.8	S	2.8	N
17:00-18:00 HOUR	3.2	NNW	2.3	WNW	2.0	NNE	2.7	NNE
18:00-19:00 HOUR	3.0	NNW	2.5	NW	1.8	N	2.7	NNW
19:00-20:00 HOUR	1.9	WNW	3.7	NW	2.9	NW	2.6	NNE
20:00-21:00 HOUR	1.5	NNW	3.0	NNW	3.4	WNW	1.9	WNW
21:00-22:00 HOUR	1.8	WNW	4.1	WNW	3.5	NNW	1.8	SW
22:00-23:00 HOUR	1.6	WSW	2.9	SW	3.2	NNE	2.1	SSW
23:00-00:00 HOUR	1.4	W	2.9	SW	2.4	NNE	1.4	SSW
00:00-01:00 HOUR	2.2	WSW	2.7	SSW	2.8	NNW	2.3	SW
01:00-02:00 HOUR	2.0	WSW	2.5	WSW	2.9	NNW	2.4	S
02:00-03:00 HOUR	2.0	WNW	1.8	WSW	1.9	N	2.4	SW
03:00-04:00 HOUR	2.4	WNW	2.2	SW	2.2	NE	2.0	SSW
04:00-05:00 HOUR	1.9	N	2.3	SSW	1.8	NNE	1.9	SSW
05:00-06:00 HOUR	1.7	N	2.3	SSW	1.9	NE	2.2	SW
06:00-07:00 HOUR	2.0	NNW	1.6	SW	1.7	NNE	1.9	SW
07:00-08:00 HOUR	1.6	NNW	2.4	WNW	2.1	NW	2.0	WSW



(MR SILA BANJONGJAIKUK)  
LABORATORY SUPERVISOR

JANUARY 29, 2024

## ANALYSIS REPORT

<b>PROJECT NAME</b>	: การตรวจวัดคุณภาพสิ่งแวดล้อม (โครงการโรงไฟฟ้าชีวมวล) ประจำปี 2567		
<b>CUSTOMER NAME</b>	: THAI ROONG RUANG INDUSTRY CO., LTD.		
<b>ADDRESS</b>	: 90 MOO 8 UM CHAN KUSUMAN SAKON NAKHON 47210		
<b>CONTACT INFORMATION</b>	: TEL : 09 5665 0649 e-mail : piyawan.pan@trrgroup.com		
<b>MEASURING PLACE</b>	: ภายในค่าย ทิศทางลมพัดผ่านไคลม		
<b>MEASURING TYPE</b>	: AMBIENT (AIR)	<b>RECEIVED DATE</b>	: JANUARY 12-19, 2024
<b>MEASURING DATE</b>	: JANUARY 12-19, 2024	<b>ANALYTICAL DATE</b>	: JANUARY 12-19, 2024
<b>MEASURING TIME</b>	: *	<b>REPORT NO.</b>	: 2024-U007692
<b>MEASURING METHOD</b>	: WIND SPEED & WIND DIRECTION EQUIPMENT	<b>WORK NO.</b>	: 2023-008918
<b>MEASURED BY</b>	: MR PAIRAT KUMNERDRAKSA	<b>ANALYSIS NO.</b>	: T24AB381-0043 - T24AB381-0049

TIME *	RESULT (m/s)					
	ภายในค่าย ทิศทางลมพัดผ่านไคลม					
	JANUARY 12-13, 2024 T24AB381-0043		JANUARY 13-14, 2024 T24AB381-0044		JANUARY 14-15, 2024 T24AB381-0045	
	WIND SPEED	WIND DIRECTION	WIND SPEED	WIND DIRECTION	WIND SPEED	WIND DIRECTION
08:00-09:00 HOUR	2.2	NNE	1.2	NNE	2.7	NNE
09:00-10:00 HOUR	1.9	NNE	1.1	NW	2.4	NW
10:00-11:00 HOUR	1.8	WNW	1.3	N	3.0	NNW
11:00-12:00 HOUR	1.6	NW	1.2	SW	3.3	W
12:00-13:00 HOUR	1.9	NW	1.4	SW	3.1	NW
13:00-14:00 HOUR	1.3	WNW	2.2	WSW	3.3	WNW
14:00-15:00 HOUR	2.1	W	2.0	SW	2.3	SW
15:00-16:00 HOUR	2.3	WNW	2.6	WSW	2.9	SSW
16:00-17:00 HOUR	2.0	NW	3.1	S	2.7	S
17:00-18:00 HOUR	1.8	NNW	3.5	SSW	3.0	SSW
18:00-19:00 HOUR	2.0	NW	2.4	SW	3.2	WSW
19:00-20:00 HOUR	2.8	ENE	2.5	SSW	2.7	SW
20:00-21:00 HOUR	1.9	N	2.4	SSW	2.8	W
21:00-22:00 HOUR	2.0	NE	1.6	S	3.2	WSW
22:00-23:00 HOUR	2.0	NNE	2.1	S	2.7	SW
23:00-00:00 HOUR	1.2	NNW	1.4	SW	2.9	SSW
00:00-01:00 HOUR	1.1	W	1.7	SSW	2.1	SSW
01:00-02:00 HOUR	0.9	W	1.3	SSW	2.4	S
02:00-03:00 HOUR	1.1	W	1.8	SW	2.5	SW
03:00-04:00 HOUR	0.9	WNW	1.4	WSW	2.3	SW
04:00-05:00 HOUR	1.1	NNW	2.5	WSW	1.6	WSW
05:00-06:00 HOUR	0.8	WNW	2.6	N	1.7	W
06:00-07:00 HOUR	0.7	N	2.8	NNE	1.3	WSW
07:00-08:00 HOUR	1.2	NW	2.4	NW	1.0	SW



TIME *	RESULT (m/s)							
	ภายในตาราย ทิศทางลมพัดผ่านโดม							
	JANUARY 15-16, 2024		JANUARY 16-17, 2024		JANUARY 17-18, 2024		JANUARY 18-19, 2024	
	T24AB381-0046		T24AB381-0047		T24AB381-0048		T24AB381-0049	
	WIND SPEED	WIND DIRECTION	WIND SPEED	WIND DIRECTION	WIND SPEED	WIND DIRECTION	WIND SPEED	WIND DIRECTION
08:00-09:00 HOUR	1.0	WSW	3.2	WSW	2.1	WNW	1.7	W
09:00-10:00 HOUR	1.1	WSW	2.6	W	2.3	WSW	1.4	WSW
10:00-11:00 HOUR	1.4	W	2.4	W	1.5	SSW	1.5	WNW
11:00-12:00 HOUR	2.3	SSW	2.3	WSW	1.1	SW	2.1	WNW
12:00-13:00 HOUR	3.1	SW	1.3	NNW	1.3	SW	1.5	NW
13:00-14:00 HOUR	2.7	SW	1.6	N	0.8	S	2.3	W
14:00-15:00 HOUR	3.1	SW	1.7	NNW	1.5	SSW	1.7	NNW
15:00-16:00 HOUR	3.0	SW	2.1	N	1.3	S	1.6	SW
16:00-17:00 HOUR	3.0	SW	2.0	NNW	1.6	SSE	1.7	WSW
17:00-18:00 HOUR	1.9	SSE	1.8	N	2.2	S	2.3	SSW
18:00-19:00 HOUR	1.6	W	2.1	N	3.1	S	2.0	WSW
19:00-20:00 HOUR	2.3	SSW	2.3	NNE	3.4	SSW	2.0	SW
20:00-21:00 HOUR	1.6	W	2.3	WSW	4.3	S	2.1	NNW
21:00-22:00 HOUR	1.3	W	3.1	W	2.8	SSE	1.9	N
22:00-23:00 HOUR	1.5	NE	2.7	W	2.7	SW	1.4	N
23:00-00:00 HOUR	1.4	NNE	3.0	NW	3.6	WSW	1.0	N
00:00-01:00 HOUR	2.0	WNW	2.6	NNW	3.2	WSW	1.0	WNW
01:00-02:00 HOUR	3.0	NW	2.6	NW	2.2	WNW	1.0	N
02:00-03:00 HOUR	3.2	W	1.9	NW	2.4	WNW	1.1	WNW
03:00-04:00 HOUR	2.6	W	1.7	NE	2.1	NNW	1.0	NW
04:00-05:00 HOUR	3.9	WSW	2.0	ENE	1.5	NNW	1.0	NW
05:00-06:00 HOUR	3.0	SW	2.3	N	1.8	NW	0.8	WNW
06:00-07:00 HOUR	2.9	SSE	2.4	N	1.8	NW	0.8	W
07:00-08:00 HOUR	2.3	WSW	2.3	WNW	1.4	WNW	1.0	NW

*Sila Banjongjairuk*

(MR SILA BANJONGJAIKUK)  
LABORATORY SUPERVISOR

JANUARY 29, 2024

## ANALYSIS REPORT

**PROJECT NAME** : การตรวจวัดคุณภาพสิ่งแวดล้อม (โครงการโรงไฟฟ้าชีวมวล) ประจำปี 2567  
**CUSTOMER NAME** : THAI ROONG RUANG INDUSTRY CO., LTD.  
**ADDRESS** : 90 MOO 8 UM CHAN KUSUMAN SAKON NAKHON 47210  
**CONTACT INFORMATION** : TEL : 09 5665 0649 e-mail : piyawan.pan@trrgroup.com  
**MEASURING PLACE** : ภายนอกอาคาร ทิศทางลมพัดผ่านใต้ลม  
**MEASURING TYPE** : AMBIENT (AIR) **RECEIVED DATE** : JANUARY 12-19, 2024  
**MEASURING DATE** : JANUARY 12-19, 2024 **ANALYTICAL DATE** : JANUARY 12-19, 2024  
**MEASURING TIME** : \* **REPORT NO.** : 2024-U007693  
**MEASURING METHOD** : WIND SPEED & WIND DIRECTION EQUIPMENT **WORK NO.** : 2023-008918  
**MEASURED BY** : MR PAIRAT KUMNERDRAKSA **ANALYSIS NO.** : T24AB381-0050 - T24AB381-0056

TIME *	RESULT (m/s)					
	ภายนอกอาคาร ทิศทางลมพัดผ่านใต้ลม					
	JANUARY 12-13, 2024 T24AB381-0050		JANUARY 13-14, 2024 T24AB381-0051		JANUARY 14-15, 2024 T24AB381-0052	
	WIND SPEED	WIND DIRECTION	WIND SPEED	WIND DIRECTION	WIND SPEED	WIND DIRECTION
08:00-09:00 HOUR	2.0	S	1.5	NW	1.7	W
09:00-10:00 HOUR	1.7	SSE	1.0	SW	1.6	W
10:00-11:00 HOUR	1.4	SSW	0.8	WNW	1.6	WNW
11:00-12:00 HOUR	1.4	S	1.0	SSW	1.6	WNW
12:00-13:00 HOUR	1.1	SW	1.2	S	1.9	WNW
13:00-14:00 HOUR	1.1	W	1.8	SSW	1.5	NW
14:00-15:00 HOUR	1.5	W	2.0	SSE	2.4	S
15:00-16:00 HOUR	1.4	NW	2.0	SSW	2.1	SSW
16:00-17:00 HOUR	1.4	N	1.5	S	1.5	NW
17:00-18:00 HOUR	1.6	N	1.8	SW	1.4	NW
18:00-19:00 HOUR	2.0	NNW	1.7	SSW	1.9	N
19:00-20:00 HOUR	2.7	NNE	1.4	WSW	1.8	NE
20:00-21:00 HOUR	2.2	NNE	0.9	SW	2.2	NE
21:00-22:00 HOUR	1.7	NE	0.9	SW	1.6	NNE
22:00-23:00 HOUR	2.4	NNW	1.0	SW	1.9	NNW
23:00-00:00 HOUR	1.6	NNW	0.9	WSW	1.5	WNW
00:00-01:00 HOUR	1.7	WNW	0.8	SW	2.4	WNW
01:00-02:00 HOUR	1.6	WSW	1.5	WSW	1.8	N
02:00-03:00 HOUR	2.4	NW	1.2	SSW	2.2	WNW
03:00-04:00 HOUR	1.6	SSW	1.7	SW	2.3	NNW
04:00-05:00 HOUR	1.5	SSW	1.9	NNW	1.8	NNW
05:00-06:00 HOUR	1.9	SW	1.8	NNW	2.6	NW
06:00-07:00 HOUR	1.9	SW	2.2	NNW	3.1	SW
07:00-08:00 HOUR	1.9	WSW	2.0	NNW	3.3	WSW



TIME *	RESULT (m/s)							
	ภายนอกอาคาร หักตามลมพัดผ่านได้ลม							
	JANUARY 15-16, 2024		JANUARY 16-17, 2024		JANUARY 17-18, 2024		JANUARY 18-19, 2024	
	T24AB381-0053		T24AB381-0054		T24AB381-0055		T24AB381-0056	
	WIND SPEED	WIND DIRECTION	WIND SPEED	WIND DIRECTION	WIND SPEED	WIND DIRECTION	WIND SPEED	WIND DIRECTION
08:00-09:00 HOUR	2.4	SW	1.6	ENE	1.0	NW	4.2	ENE
09:00-10:00 HOUR	2.5	SW	1.8	NNE	1.3	NW	2.5	NE
10:00-11:00 HOUR	3.4	SSW	2.6	NE	1.4	SW	3.2	NNE
11:00-12:00 HOUR	3.1	SSW	2.6	NE	1.8	SW	3.0	W
12:00-13:00 HOUR	2.5	SSW	2.0	NNW	1.9	SSW	3.4	W
13:00-14:00 HOUR	2.4	WSW	1.3	W	2.5	SW	2.8	NNE
14:00-15:00 HOUR	3.2	SSW	1.5	WNW	2.0	SW	2.3	NNE
15:00-16:00 HOUR	3.4	WNW	1.0	WNW	1.9	S	2.1	N
16:00-17:00 HOUR	3.7	WNW	1.0	NNW	1.2	S	2.1	NNW
17:00-18:00 HOUR	3.5	WSW	1.3	WNW	1.3	SSW	1.7	NNW
18:00-19:00 HOUR	2.9	NNE	1.1	WNW	1.4	WSW	1.4	NW
19:00-20:00 HOUR	3.0	W	1.9	N	1.7	SSW	1.3	NW
20:00-21:00 HOUR	2.7	NNE	1.4	WSW	1.9	NNW	1.2	WNW
21:00-22:00 HOUR	3.4	NE	2.0	NW	2.0	NNW	1.3	SW
22:00-23:00 HOUR	1.9	NNW	1.6	W	2.0	WNW	1.3	NW
23:00-00:00 HOUR	1.6	N	2.3	N	1.6	NNW	1.9	WSW
00:00-01:00 HOUR	1.7	NNW	2.3	NNE	1.8	N	2.2	W
01:00-02:00 HOUR	1.6	NNW	2.0	N	2.6	N	2.2	W
02:00-03:00 HOUR	1.1	WNW	2.0	NE	2.2	NNE	2.4	W
03:00-04:00 HOUR	0.7	WNW	1.6	N	3.1	NNE	1.9	WSW
04:00-05:00 HOUR	1.1	W	1.4	NW	2.9	NNE	2.4	WSW
05:00-06:00 HOUR	0.9	N	1.7	WNW	2.9	NNW	1.6	WNW
06:00-07:00 HOUR	1.2	NE	1.1	W	4.7	NNE	1.6	WNW
07:00-08:00 HOUR	1.5	NNW	0.9	NNW	2.9	N	2.6	NW

*Sila Banjongjairuk*

(MR SILA BANJONGJAIRUK)  
LABORATORY SUPERVISOR

JANUARY 29, 2024

ภาคผนวก ค-4

รายงานผลการติดตามตรวจสอบระดับเสียงในบรรยากาศทั่วไป

---

ระดับเสียงในบรรยากาศโดยทั่วไป

---

## ANALYSIS REPORT

<b>PROJECT NAME</b>	: การตรวจวัดคุณภาพสิ่งแวดล้อม (โครงการโรงไฟฟ้าชีวมวล) ประจำปี 2567		
<b>CUSTOMER NAME</b>	: THAI ROONG RUANG INDUSTRY CO., LTD.		
<b>ADDRESS</b>	: 90 MOO 8 UM CHAN KUSUMAN SAKON NAKHON 47210		
<b>CONTACT INFORMATION</b>	: TEL : 09 5665 0649 e-mail : piyawan.pan@trrgroup.com		
<b>MEASURING SOURCE</b>	: โรงเรียนแก่งค้ำประสาทสามัคคี		
<b>MEASURING TYPE</b>	: AMBIENT (NOISE)	<b>RECEIVED DATE</b>	: JANUARY 12-19, 2024
<b>MEASURING DATE</b>	: JANUARY 12-19, 2024	<b>ANALYTICAL DATE</b>	: JANUARY 12-19, 2024
<b>MEASURING TIME</b>	: *	<b>REPORT NO.</b>	: 2024-U007698
<b>MEASURING METHOD</b>	: INTEGRATED SOUND LEVEL METER	<b>WORK NO.</b>	: 2023-008918
<b>MEASURED BY</b>	: MR PAIRAT KUMNERDRAKSA	<b>ANALYSIS NO.</b>	: T24AB382-0001 - T24AB382-0007

TIME*	RESULT dB(A)		
	โรงเรียนแก่งค้ำประสาทสามัคคี		
	JANUARY 12-13, 2024		
	T24AB382-0001		
	L <sub>Aeq</sub> 1 hour	L <sub>Amax</sub> 1 hour	L <sub>A90</sub> 1 hour
07:00-08:00 HOUR	52.0	76.2	43.4
08:00-09:00 HOUR	46.7	66.3	40.4
09:00-10:00 HOUR	41.1	62.3	38.0
10:00-11:00 HOUR	46.1	71.0	37.7
11:00-12:00 HOUR	41.3	63.4	36.1
12:00-13:00 HOUR	41.5	60.0	36.4
13:00-14:00 HOUR	40.7	62.5	35.2
14:00-15:00 HOUR	42.2	65.6	36.3
15:00-16:00 HOUR	46.4	69.8	39.8
16:00-17:00 HOUR	41.7	58.6	35.9
17:00-18:00 HOUR	41.7	64.0	36.3
18:00-19:00 HOUR	43.1	57.6	40.6
19:00-20:00 HOUR	42.2	54.8	40.5
20:00-21:00 HOUR	42.6	53.8	41.0
21:00-22:00 HOUR	43.2	58.9	40.7
22:00-23:00 HOUR	41.9	59.7	39.7
23:00-00:00 HOUR	42.4	57.6	40.6
00:00-01:00 HOUR	43.1	62.0	41.5
01:00-02:00 HOUR	44.4	52.4	43.1
02:00-03:00 HOUR	45.6	52.5	45.1
03:00-04:00 HOUR	43.3	50.1	42.6
04:00-05:00 HOUR	40.9	49.6	40.3
05:00-06:00 HOUR	41.2	56.8	39.1
06:00-07:00 HOUR	42.3	55.7	37.9
L <sub>Aeq</sub> 24 hours		44.3	
L <sub>Adn</sub>		49.8	



TIME*	RESULT dB(A)		
	โรงเรียนแก่งคำประชาสามัคคี		
	JANUARY 13-14, 2024		
	T24AB382-0002		
	L <sub>Aeq</sub> 1 hour	L <sub>Amax</sub> 1 hour	L <sub>A90</sub> 1 hour
07:00-08:00 HOUR	46.0	72.0	39.6
08:00-09:00 HOUR	46.3	67.7	40.0
09:00-10:00 HOUR	45.0	66.0	38.4
10:00-11:00 HOUR	43.7	63.3	38.3
11:00-12:00 HOUR	44.6	63.5	38.5
12:00-13:00 HOUR	42.4	61.0	35.7
13:00-14:00 HOUR	44.1	65.9	36.8
14:00-15:00 HOUR	42.0	62.5	36.3
15:00-16:00 HOUR	42.5	63.8	36.6
16:00-17:00 HOUR	44.4	64.2	38.8
17:00-18:00 HOUR	46.5	69.3	39.5
18:00-19:00 HOUR	42.1	62.4	38.5
19:00-20:00 HOUR	40.9	66.6	38.5
20:00-21:00 HOUR	41.0	61.5	38.6
21:00-22:00 HOUR	40.0	53.3	38.8
22:00-23:00 HOUR	39.6	63.9	38.4
23:00-00:00 HOUR	40.6	53.1	38.9
00:00-01:00 HOUR	42.6	52.2	41.3
01:00-02:00 HOUR	44.2	53.4	43.5
02:00-03:00 HOUR	42.9	50.6	42.5
03:00-04:00 HOUR	43.4	52.2	42.4
04:00-05:00 HOUR	42.8	52.3	41.2
05:00-06:00 HOUR	41.1	58.0	40.1
06:00-07:00 HOUR	42.6	58.3	38.6
L <sub>Aeq</sub> 24 hours		43.4	
L <sub>Adn</sub>		49.1	

TIME*	RESULT dB(A)		
	โรงเรียนแก่งคำประชาสามัคคี		
	JANUARY 14-15, 2024		
	T24AB382-0003		
	L <sub>Aeq</sub> 1 hour	L <sub>Amax</sub> 1 hour	L <sub>A90</sub> 1 hour
07:00-08:00 HOUR	44.7	62.9	38.9
08:00-09:00 HOUR	44.7	65.4	37.7
09:00-10:00 HOUR	45.1	75.5	37.3
10:00-11:00 HOUR	42.9	60.8	37.5
11:00-12:00 HOUR	42.0	61.6	37.2
12:00-13:00 HOUR	41.3	61.3	36.7
13:00-14:00 HOUR	40.5	67.1	36.3
14:00-15:00 HOUR	41.1	58.8	36.2
15:00-16:00 HOUR	41.4	60.4	35.6
16:00-17:00 HOUR	43.2	62.4	36.3
17:00-18:00 HOUR	46.2	73.9	38.6
18:00-19:00 HOUR	44.4	64.1	40.9
19:00-20:00 HOUR	44.6	54.7	41.7
20:00-21:00 HOUR	42.6	55.0	40.6
21:00-22:00 HOUR	40.6	56.8	38.9
22:00-23:00 HOUR	39.4	54.7	38.0
23:00-00:00 HOUR	39.3	48.7	38.2
00:00-01:00 HOUR	41.5	51.7	40.7
01:00-02:00 HOUR	43.1	54.2	42.0
02:00-03:00 HOUR	43.5	50.9	42.9
03:00-04:00 HOUR	42.3	54.3	41.5
04:00-05:00 HOUR	40.6	52.8	39.2
05:00-06:00 HOUR	39.4	56.6	37.7
06:00-07:00 HOUR	42.6	61.8	36.9
L <sub>Aeq</sub> 24 hours		42.8	
L <sub>Adn</sub>		48.3	

TIME*	RESULT dB(A)		
	โรงเรียนแก่งคำประชาสามัคคี		
	JANUARY 15-16, 2024		
	T24AB382-0004		
	L <sub>Aeq</sub> 1 hour	L <sub>Amax</sub> 1 hour	L <sub>A90</sub> 1 hour
07:00-08:00 HOUR	52.4	78.5	41.1
08:00-09:00 HOUR	55.5	80.2	43.7
09:00-10:00 HOUR	46.0	66.1	41.7
10:00-11:00 HOUR	47.4	68.7	43.2
11:00-12:00 HOUR	48.9	67.8	42.1
12:00-13:00 HOUR	53.4	81.5	43.6
13:00-14:00 HOUR	48.1	71.2	39.0
14:00-15:00 HOUR	55.7	77.8	41.9
15:00-16:00 HOUR	54.2	76.0	42.9
16:00-17:00 HOUR	42.6	66.7	36.8
17:00-18:00 HOUR	43.3	72.7	36.8
18:00-19:00 HOUR	41.0	64.0	38.1
19:00-20:00 HOUR	39.5	56.4	37.7
20:00-21:00 HOUR	39.6	54.5	38.1
21:00-22:00 HOUR	42.6	61.9	38.4
22:00-23:00 HOUR	40.4	51.5	39.0
23:00-00:00 HOUR	40.7	48.6	39.9
00:00-01:00 HOUR	42.5	55.9	41.0
01:00-02:00 HOUR	46.4	49.9	45.6
02:00-03:00 HOUR	46.4	54.5	45.7
03:00-04:00 HOUR	45.1	56.7	44.1
04:00-05:00 HOUR	43.3	50.5	41.9
05:00-06:00 HOUR	42.0	54.7	41.1
06:00-07:00 HOUR	42.3	54.6	38.9
L <sub>Aeq</sub> 24 hours		49.0	
L <sub>Adn</sub>		52.0	

TIME*	RESULT dB(A)		
	โรงเรียนแก่งคำประชาสามัคคี		
	JANUARY 16-17, 2024		
	T24AB382-0005		
	L <sub>Aeq</sub> 1 hour	L <sub>Amax</sub> 1 hour	L <sub>A90</sub> 1 hour
07:00-08:00 HOUR	44.1	62.2	39.5
08:00-09:00 HOUR	46.4	65.2	38.6
09:00-10:00 HOUR	44.5	61.9	38.0
10:00-11:00 HOUR	46.3	72.0	39.4
11:00-12:00 HOUR	43.6	67.7	37.7
12:00-13:00 HOUR	43.7	73.3	36.9
13:00-14:00 HOUR	42.2	66.1	37.2
14:00-15:00 HOUR	41.0	57.7	37.8
15:00-16:00 HOUR	41.2	63.3	36.9
16:00-17:00 HOUR	43.7	64.7	38.8
17:00-18:00 HOUR	41.9	55.9	38.7
18:00-19:00 HOUR	42.0	56.0	39.9
19:00-20:00 HOUR	43.7	61.1	42.0
20:00-21:00 HOUR	49.1	74.3	41.9
21:00-22:00 HOUR	41.9	56.9	40.4
22:00-23:00 HOUR	41.2	53.9	39.9
23:00-00:00 HOUR	40.5	50.8	39.2
00:00-01:00 HOUR	42.0	53.6	41.0
01:00-02:00 HOUR	47.3	55.9	46.4
02:00-03:00 HOUR	47.2	53.1	46.4
03:00-04:00 HOUR	45.7	50.0	45.3
04:00-05:00 HOUR	43.4	63.6	41.9
05:00-06:00 HOUR	42.1	52.5	40.7
06:00-07:00 HOUR	45.0	71.6	41.1
L <sub>Aeq</sub> 24 hours		44.4	
L <sub>Adn</sub>		50.9	

TIME*	RESULT dB(A)		
	โรงเรียนแก่งคำประชาสามัคคี		
	JANUARY 17-18, 2024		
	T24AB382-0006		
	L <sub>Aeq</sub> 1 hour	L <sub>Amax</sub> 1 hour	L <sub>A90</sub> 1 hour
07:00-08:00 HOUR	57.5	80.9	42.8
08:00-09:00 HOUR	55.0	79.7	41.5
09:00-10:00 HOUR	50.8	82.7	41.2
10:00-11:00 HOUR	54.4	83.3	43.3
11:00-12:00 HOUR	56.3	78.8	41.8
12:00-13:00 HOUR	51.7	74.4	42.2
13:00-14:00 HOUR	51.1	75.9	37.7
14:00-15:00 HOUR	50.5	74.4	39.7
15:00-16:00 HOUR	49.9	77.6	38.0
16:00-17:00 HOUR	40.2	63.4	35.7
17:00-18:00 HOUR	42.9	65.0	36.1
18:00-19:00 HOUR	45.4	68.0	38.3
19:00-20:00 HOUR	44.1	62.3	42.0
20:00-21:00 HOUR	43.3	60.9	42.1
21:00-22:00 HOUR	52.3	78.7	42.6
22:00-23:00 HOUR	42.3	58.8	41.1
23:00-00:00 HOUR	44.6	50.8	43.4
00:00-01:00 HOUR	46.9	52.9	46.1
01:00-02:00 HOUR	47.7	54.5	47.0
02:00-03:00 HOUR	47.2	54.9	46.4
03:00-04:00 HOUR	45.5	57.1	45.4
04:00-05:00 HOUR	43.0	54.8	41.5
05:00-06:00 HOUR	41.9	59.9	40.6
06:00-07:00 HOUR	43.4	61.5	38.8
L <sub>Aeq</sub> 24 hours		50.6	
L <sub>Adn</sub>		53.6	

TIME*	RESULT dB(A)		
	โรงเรียนแก่งคำประชาสามัคคี		
	JANUARY 18-19, 2024		
	T24AB382-0007		
	L <sub>Aeq</sub> 1 hour	L <sub>Amax</sub> 1 hour	L <sub>A90</sub> 1 hour
07:00-08:00 HOUR	46.4	66.8	39.5
08:00-09:00 HOUR	47.9	65.3	40.2
09:00-10:00 HOUR	45.1	62.7	37.7
10:00-11:00 HOUR	46.2	81.4	37.3
11:00-12:00 HOUR	40.8	65.7	35.2
12:00-13:00 HOUR	42.0	60.8	35.6
13:00-14:00 HOUR	41.3	62.8	34.5
14:00-15:00 HOUR	43.5	77.4	35.9
15:00-16:00 HOUR	46.5	65.3	40.1
16:00-17:00 HOUR	43.6	62.9	35.7
17:00-18:00 HOUR	42.0	61.2	35.4
18:00-19:00 HOUR	44.3	59.5	40.8
19:00-20:00 HOUR	42.1	53.4	40.4
20:00-21:00 HOUR	42.6	54.7	40.6
21:00-22:00 HOUR	43.2	61.5	39.7
22:00-23:00 HOUR	40.6	52.0	38.5
23:00-00:00 HOUR	41.3	61.2	39.3
00:00-01:00 HOUR	41.7	61.6	40.0
01:00-02:00 HOUR	42.4	46.8	41.1
02:00-03:00 HOUR	43.6	53.6	43.2
03:00-04:00 HOUR	41.5	54.0	40.8
04:00-05:00 HOUR	39.5	54.5	38.6
05:00-06:00 HOUR	40.9	60.2	38.3
06:00-07:00 HOUR	43.0	57.5	36.7
L <sub>Aeq</sub> 24 hours		43.6	
L <sub>Adn</sub>		48.7	

*Sila Banjongjairuk*

(MR SILA BANJONGJAIKUK)  
LABORATORY SUPERVISOR

JANUARY 29, 2024

## ANALYSIS REPORT

<b>PROJECT NAME</b>	: การตรวจวัดคุณภาพสิ่งแวดล้อม (โครงการโรงไฟฟ้าชีวมวล) ประจำปี 2567	<b>RECEIVED DATE</b>	: JANUARY 12-19, 2024
<b>CUSTOMER NAME</b>	: THAI ROONG RUANG INDUSTRY CO., LTD.	<b>ANALYTICAL DATE</b>	: JANUARY 12-19, 2024
<b>ADDRESS</b>	: 90 MOO 8 UM CHAN KUSUMAN SAKON NAKHON 47210	<b>REPORT NO.</b>	: 2024-U007699
<b>CONTACT INFORMATION</b>	: TEL : 09 5665 0649 e-mail : piyawan.pan@trgroup.com	<b>WORK NO.</b>	: 2023-008918
<b>MEASURING SOURCE</b>	: บ้านโคกสะอาด	<b>ANALYSIS NO.</b>	: T24AB382-0008 - T24AB382-0014
<b>MEASURING TYPE</b>	: AMBIENT (NOISE)		
<b>MEASURING DATE</b>	: JANUARY 12-19, 2024		
<b>MEASURING TIME</b>	: *		
<b>MEASURING METHOD</b>	: INTEGRATED SOUND LEVEL METER		
<b>MEASURED BY</b>	: MR PAIRAT KUMNERDRAKSA		

TIME*	RESULT dB(A)		
	บ้านโคกสะอาด		
	JANUARY 12-13, 2024		
	T24AB382-0008		
	LAeq 1 hour	LAmx 1 hour	LA90 1 hour
07:00-08:00 HOUR	50.0	67.9	44.6
08:00-09:00 HOUR	49.6	67.1	43.7
09:00-10:00 HOUR	52.7	75.7	46.5
10:00-11:00 HOUR	49.4	75.5	44.6
11:00-12:00 HOUR	49.5	84.1	44.8
12:00-13:00 HOUR	51.7	74.6	45.4
13:00-14:00 HOUR	47.6	63.6	43.2
14:00-15:00 HOUR	49.6	70.0	44.3
15:00-16:00 HOUR	48.9	66.4	42.9
16:00-17:00 HOUR	47.8	65.5	43.2
17:00-18:00 HOUR	45.5	70.0	41.8
18:00-19:00 HOUR	46.6	66.2	39.6
19:00-20:00 HOUR	43.1	55.0	39.7
20:00-21:00 HOUR	44.2	56.5	40.2
21:00-22:00 HOUR	44.3	58.6	40.3
22:00-23:00 HOUR	47.1	73.0	39.6
23:00-00:00 HOUR	42.4	61.6	39.1
00:00-01:00 HOUR	44.1	62.3	38.4
01:00-02:00 HOUR	47.3	69.0	38.0
02:00-03:00 HOUR	39.8	52.4	37.7
03:00-04:00 HOUR	41.8	60.0	37.4
04:00-05:00 HOUR	38.6	49.0	37.3
05:00-06:00 HOUR	40.5	55.8	37.5
06:00-07:00 HOUR	42.8	55.9	38.2
<b>LAeq 24 hours</b>		47.5	
<b>LAdn</b>		51.3	



TIME*	RESULT dB(A)		
	บ้านโคกสะอาด		
	JANUARY 13-14, 2024		
	T24AB382-0009		
	L <sub>Aeq</sub> 1 hour	L <sub>Amax</sub> 1 hour	L <sub>A90</sub> 1 hour
07:00-08:00 HOUR	47.2	65.6	43.0
08:00-09:00 HOUR	51.1	73.0	43.8
09:00-10:00 HOUR	49.9	68.2	43.5
10:00-11:00 HOUR	47.3	68.6	43.2
11:00-12:00 HOUR	48.8	75.1	43.5
12:00-13:00 HOUR	50.4	72.6	44.1
13:00-14:00 HOUR	51.6	84.2	43.6
14:00-15:00 HOUR	51.7	67.3	44.2
15:00-16:00 HOUR	51.2	65.9	44.8
16:00-17:00 HOUR	53.9	71.8	46.7
17:00-18:00 HOUR	53.1	72.8	45.4
18:00-19:00 HOUR	48.4	62.3	41.6
19:00-20:00 HOUR	50.5	68.3	48.5
20:00-21:00 HOUR	48.4	59.5	45.8
21:00-22:00 HOUR	47.8	60.2	45.0
22:00-23:00 HOUR	47.9	66.1	44.4
23:00-00:00 HOUR	46.5	66.3	43.0
00:00-01:00 HOUR	44.3	68.5	40.4
01:00-02:00 HOUR	44.4	66.1	39.4
02:00-03:00 HOUR	44.4	63.8	39.9
03:00-04:00 HOUR	42.6	61.9	38.2
04:00-05:00 HOUR	41.8	59.1	37.4
05:00-06:00 HOUR	43.8	60.9	38.3
06:00-07:00 HOUR	45.9	58.6	40.3
L <sub>Aeq</sub> 24 hours		49.2	
L <sub>Adn</sub>		52.8	

TIME*	RESULT dB(A)		
	บ้านโคกสะอาด		
	JANUARY 14-15, 2024		
	T24AB382-0010		
	L <sub>Aeq</sub> 1 hour	L <sub>Amax</sub> 1 hour	L <sub>A90</sub> 1 hour
07:00-08:00 HOUR	51.2	67.4	44.4
08:00-09:00 HOUR	51.3	72.4	44.6
09:00-10:00 HOUR	52.6	71.7	44.9
10:00-11:00 HOUR	49.7	65.8	41.3
11:00-12:00 HOUR	50.4	65.3	40.7
12:00-13:00 HOUR	50.0	68.6	41.9
13:00-14:00 HOUR	50.9	75.5	38.0
14:00-15:00 HOUR	46.7	79.2	37.7
15:00-16:00 HOUR	46.5	64.1	37.9
16:00-17:00 HOUR	50.7	70.3	41.4
17:00-18:00 HOUR	49.0	67.7	40.7
18:00-19:00 HOUR	47.8	67.2	40.3
19:00-20:00 HOUR	50.1	62.3	48.5
20:00-21:00 HOUR	49.2	65.2	46.7
21:00-22:00 HOUR	47.9	63.7	44.2
22:00-23:00 HOUR	46.3	62.5	41.2
23:00-00:00 HOUR	44.7	61.4	41.0
00:00-01:00 HOUR	44.8	58.4	41.6
01:00-02:00 HOUR	42.9	57.3	40.7
02:00-03:00 HOUR	41.6	55.8	38.2
03:00-04:00 HOUR	39.6	59.3	36.3
04:00-05:00 HOUR	39.5	57.1	35.6
05:00-06:00 HOUR	42.0	59.4	36.8
06:00-07:00 HOUR	45.8	64.7	38.4
L <sub>Aeq</sub> 24 hours		48.5	
L <sub>Adn</sub>		51.7	

TIME*	RESULT dB(A)		
	บ้านโตกสะอาด		
	JANUARY 15-16, 2024		
	T24AB382-0011		
	L <sub>Aeq</sub> 1 hour	L <sub>Amax</sub> 1 hour	L <sub>A90</sub> 1 hour
07:00-08:00 HOUR	51.3	70.3	45.6
08:00-09:00 HOUR	50.0	75.8	44.8
09:00-10:00 HOUR	51.7	70.8	45.7
10:00-11:00 HOUR	52.3	73.9	44.8
11:00-12:00 HOUR	51.4	69.0	45.5
12:00-13:00 HOUR	49.5	70.1	43.4
13:00-14:00 HOUR	48.7	68.9	43.3
14:00-15:00 HOUR	49.1	64.9	43.5
15:00-16:00 HOUR	50.5	69.1	43.2
16:00-17:00 HOUR	48.2	66.4	43.4
17:00-18:00 HOUR	47.3	68.0	43.9
18:00-19:00 HOUR	44.4	62.2	41.6
19:00-20:00 HOUR	44.6	59.5	42.4
20:00-21:00 HOUR	44.4	61.5	42.3
21:00-22:00 HOUR	44.2	59.1	42.3
22:00-23:00 HOUR	43.2	55.9	40.7
23:00-00:00 HOUR	43.6	57.8	40.9
00:00-01:00 HOUR	42.2	50.2	40.8
01:00-02:00 HOUR	41.5	53.9	39.6
02:00-03:00 HOUR	40.7	52.5	39.0
03:00-04:00 HOUR	40.2	51.9	38.6
04:00-05:00 HOUR	41.8	57.4	39.3
05:00-06:00 HOUR	41.1	53.0	38.1
06:00-07:00 HOUR	46.2	67.2	38.8
L <sub>Aeq</sub> 24 hours		47.8	
L <sub>Adn</sub>		50.9	

TIME*	RESULT dB(A)		
	บ้านโคกสะอาด		
	JANUARY 16-17, 2024		
	T24AB382-0012		
	L <sub>Aeq</sub> 1 hour	L <sub>Amax</sub> 1 hour	L <sub>A90</sub> 1 hour
07:00-08:00 HOUR	44.5	63.1	40.9
08:00-09:00 HOUR	47.5	70.1	44.6
09:00-10:00 HOUR	49.6	71.8	44.4
10:00-11:00 HOUR	48.1	72.8	42.9
11:00-12:00 HOUR	49.0	87.1	42.9
12:00-13:00 HOUR	49.4	73.9	43.3
13:00-14:00 HOUR	48.2	69.9	43.0
14:00-15:00 HOUR	50.7	73.0	43.3
15:00-16:00 HOUR	46.1	64.4	41.6
16:00-17:00 HOUR	48.3	70.5	42.7
17:00-18:00 HOUR	49.3	67.9	43.6
18:00-19:00 HOUR	48.3	64.9	42.0
19:00-20:00 HOUR	47.9	76.1	42.5
20:00-21:00 HOUR	45.4	57.3	41.3
21:00-22:00 HOUR	45.8	57.6	43.1
22:00-23:00 HOUR	43.9	56.9	40.9
23:00-00:00 HOUR	42.4	53.3	40.2
00:00-01:00 HOUR	41.1	54.5	39.4
01:00-02:00 HOUR	43.7	69.2	39.1
02:00-03:00 HOUR	41.4	52.7	39.0
03:00-04:00 HOUR	41.5	55.9	38.7
04:00-05:00 HOUR	42.9	64.2	38.4
05:00-06:00 HOUR	43.8	62.1	39.3
06:00-07:00 HOUR	44.9	62.6	39.8
L <sub>Aeq</sub> 24 hours		46.9	
L <sub>Adn</sub>		50.7	

TIME*	RESULT dB(A)		
	บ้านโคกสะอาด		
	JANUARY 17-18, 2024		
	T24AB382-0013		
	L <sub>Aeq</sub> 1 hour	L <sub>Amax</sub> 1 hour	L <sub>A90</sub> 1 hour
07:00-08:00 HOUR	44.8	62.7	40.8
08:00-09:00 HOUR	46.4	67.3	42.1
09:00-10:00 HOUR	56.1	73.9	43.5
10:00-11:00 HOUR	53.1	72.0	44.4
11:00-12:00 HOUR	50.0	70.3	43.1
12:00-13:00 HOUR	51.2	86.8	44.6
13:00-14:00 HOUR	46.5	61.7	42.7
14:00-15:00 HOUR	47.3	65.3	42.8
15:00-16:00 HOUR	49.2	68.0	44.2
16:00-17:00 HOUR	50.3	67.1	44.7
17:00-18:00 HOUR	48.9	73.4	43.0
18:00-19:00 HOUR	45.7	70.9	40.1
19:00-20:00 HOUR	45.4	66.2	40.0
20:00-21:00 HOUR	44.9	63.9	40.9
21:00-22:00 HOUR	45.4	59.4	41.5
22:00-23:00 HOUR	44.2	58.1	41.3
23:00-00:00 HOUR	44.7	60.6	41.1
00:00-01:00 HOUR	45.7	61.5	40.8
01:00-02:00 HOUR	43.4	58.4	40.0
02:00-03:00 HOUR	43.1	66.4	41.5
03:00-04:00 HOUR	42.2	67.2	38.7
04:00-05:00 HOUR	43.8	67.5	39.5
05:00-06:00 HOUR	42.5	55.6	40.4
06:00-07:00 HOUR	47.0	79.0	39.5
L <sub>Aeq</sub> 24 hours		48.4	
L <sub>Adn</sub>		52.1	

TIME*	RESULT dB(A)		
	บ้านโตกสะอาด		
	JANUARY 18-19, 2024		
	T24AB382-0014		
	L <sub>Aeq</sub> 1 hour	L <sub>Amax</sub> 1 hour	L <sub>A90</sub> 1 hour
07:00-08:00 HOUR	50.8	70.8	44.9
08:00-09:00 HOUR	48.6	68.3	44.5
09:00-10:00 HOUR	49.8	65.4	44.2
10:00-11:00 HOUR	49.8	72.1	42.4
11:00-12:00 HOUR	50.1	87.6	42.0
12:00-13:00 HOUR	48.7	71.3	42.1
13:00-14:00 HOUR	48.0	67.0	41.3
14:00-15:00 HOUR	46.5	64.1	40.8
15:00-16:00 HOUR	44.4	65.5	40.6
16:00-17:00 HOUR	49.7	71.7	43.8
17:00-18:00 HOUR	48.7	63.6	43.7
18:00-19:00 HOUR	44.9	68.8	40.8
19:00-20:00 HOUR	44.8	53.8	43.0
20:00-21:00 HOUR	44.7	57.1	42.1
21:00-22:00 HOUR	45.6	58.3	42.9
22:00-23:00 HOUR	45.3	65.7	40.7
23:00-00:00 HOUR	43.2	59.4	40.4
00:00-01:00 HOUR	43.0	55.8	40.5
01:00-02:00 HOUR	41.3	54.9	39.7
02:00-03:00 HOUR	41.6	71.3	39.5
03:00-04:00 HOUR	40.3	52.4	38.9
04:00-05:00 HOUR	40.1	51.6	38.9
05:00-06:00 HOUR	41.4	67.5	38.4
06:00-07:00 HOUR	48.1	73.5	41.0
L <sub>Aeq</sub> 24 hours		47.0	
L <sub>Adn</sub>		51.0	

*Sila Banjongjairuk*

(MR SILA BANJONGJAIKUK)  
LABORATORY SUPERVISOR

JANUARY 29, 2024

## ANALYSIS REPORT

<b>PROJECT NAME</b>	: การตรวจวัดคุณภาพสิ่งแวดล้อม (โครงการโรงไฟฟ้าชีวมวล) ประจำปี 2567	<b>RECEIVED DATE</b>	: JANUARY 12-19, 2024
<b>CUSTOMER NAME</b>	: THAI ROONG RUANG INDUSTRY CO., LTD.	<b>ANALYTICAL DATE</b>	: JANUARY 12-19, 2024
<b>ADDRESS</b>	: 90 MOO 8 UM CHAN KUSUMAN SAKON NAKHON 47210	<b>REPORT NO.</b>	: 2024-U007700
<b>CONTACT INFORMATION</b>	: TEL : 09 5665 0649 e-mail : piyawan.pan@trrgroup.com	<b>WORK NO.</b>	: 2023-008918
<b>MEASURING SOURCE</b>	: โรงรีวโรงงาน	<b>ANALYSIS NO.</b>	: T24AB382-0015 - T24AB382-0021
<b>MEASURING TYPE</b>	: AMBIENT (NOISE)		
<b>MEASURING DATE</b>	: JANUARY 12-19, 2024		
<b>MEASURING TIME</b>	: *		
<b>MEASURING METHOD</b>	: INTEGRATED SOUND LEVEL METER		
<b>MEASURED BY</b>	: MR PAIRAT KUMNERDRAKSA		

TIME*	RESULT dB(A)		
	ริมรั้วโรงงาน		
	JANUARY 12-13, 2024		
	T24AB382-0015		
	L <sub>Aeq</sub> 1 hour	L <sub>Amax</sub> 1 hour	L <sub>A90</sub> 1 hour
07:00-08:00 HOUR	46.8	65.2	42.7
08:00-09:00 HOUR	46.8	65.9	41.9
09:00-10:00 HOUR	44.3	56.2	41.5
10:00-11:00 HOUR	44.5	64.2	40.4
11:00-12:00 HOUR	44.1	65.9	40.3
12:00-13:00 HOUR	43.3	61.7	40.1
13:00-14:00 HOUR	42.8	60.0	40.6
14:00-15:00 HOUR	42.8	77.0	40.1
15:00-16:00 HOUR	43.6	59.8	40.0
16:00-17:00 HOUR	44.1	62.2	40.5
17:00-18:00 HOUR	46.0	76.4	41.0
18:00-19:00 HOUR	47.8	65.6	44.1
19:00-20:00 HOUR	45.4	55.9	42.8
20:00-21:00 HOUR	46.3	59.6	43.3
21:00-22:00 HOUR	45.8	60.6	42.8
22:00-23:00 HOUR	46.2	60.1	42.1
23:00-00:00 HOUR	45.7	57.9	41.5
00:00-01:00 HOUR	42.1	57.8	39.9
01:00-02:00 HOUR	42.0	54.4	40.0
02:00-03:00 HOUR	42.5	53.2	40.4
03:00-04:00 HOUR	41.5	53.0	40.2
04:00-05:00 HOUR	41.6	57.6	40.1
05:00-06:00 HOUR	43.4	59.9	40.5
06:00-07:00 HOUR	44.9	64.9	40.8
L <sub>Aeq</sub> 24 hours		44.7	
L <sub>Adn</sub>		50.3	



TIME*	RESULT dB(A)		
	ริมรั้วโรงงาน		
	JANUARY 13-14, 2024		
	T24AB382-0016		
	L <sub>Aeq</sub> 1 hour	L <sub>Amax</sub> 1 hour	L <sub>A90</sub> 1 hour
07:00-08:00 HOUR	48.1	68.6	43.3
08:00-09:00 HOUR	45.5	61.3	42.0
09:00-10:00 HOUR	44.6	60.1	42.3
10:00-11:00 HOUR	45.1	64.2	41.7
11:00-12:00 HOUR	45.2	65.1	42.2
12:00-13:00 HOUR	44.3	66.4	41.6
13:00-14:00 HOUR	45.5	57.0	42.2
14:00-15:00 HOUR	44.3	64.8	41.5
15:00-16:00 HOUR	46.2	69.2	41.4
16:00-17:00 HOUR	44.3	70.1	41.0
17:00-18:00 HOUR	45.4	70.2	42.3
18:00-19:00 HOUR	48.7	73.1	43.8
19:00-20:00 HOUR	47.0	60.2	43.5
20:00-21:00 HOUR	44.8	63.4	41.4
21:00-22:00 HOUR	43.1	58.6	40.7
22:00-23:00 HOUR	44.5	59.8	41.3
23:00-00:00 HOUR	43.5	58.6	39.8
00:00-01:00 HOUR	44.1	54.2	41.5
01:00-02:00 HOUR	42.9	58.0	39.7
02:00-03:00 HOUR	42.1	56.4	39.7
03:00-04:00 HOUR	44.7	54.9	42.8
04:00-05:00 HOUR	49.0	63.4	48.1
05:00-06:00 HOUR	50.1	68.1	49.0
06:00-07:00 HOUR	51.3	67.8	49.7
L <sub>Aeq</sub> 24 hours		46.3	
L <sub>Adn</sub>		53.3	

TIME*	RESULT dB(A)		
	ริมรั้วโรงงาน		
	JANUARY 14-15, 2024		
	T24AB382-0017		
	L <sub>Aeq</sub> 1 hour	L <sub>Amax</sub> 1 hour	L <sub>A90</sub> 1 hour
07:00-08:00 HOUR	51.3	83.0	50.0
08:00-09:00 HOUR	47.8	68.9	42.5
09:00-10:00 HOUR	45.5	64.3	41.9
10:00-11:00 HOUR	44.1	57.9	41.4
11:00-12:00 HOUR	45.4	67.4	41.6
12:00-13:00 HOUR	45.3	60.5	41.9
13:00-14:00 HOUR	44.3	60.6	40.8
14:00-15:00 HOUR	43.1	56.6	40.5
15:00-16:00 HOUR	43.6	61.5	40.7
16:00-17:00 HOUR	46.4	64.2	40.9
17:00-18:00 HOUR	45.1	72.5	42.2
18:00-19:00 HOUR	46.1	66.3	43.0
19:00-20:00 HOUR	45.8	64.7	42.8
20:00-21:00 HOUR	44.8	56.7	42.0
21:00-22:00 HOUR	43.3	64.5	40.5
22:00-23:00 HOUR	43.4	63.5	40.4
23:00-00:00 HOUR	42.0	57.8	39.5
00:00-01:00 HOUR	43.1	59.5	39.6
01:00-02:00 HOUR	42.2	56.0	40.0
02:00-03:00 HOUR	40.8	58.9	39.1
03:00-04:00 HOUR	42.0	58.5	38.9
04:00-05:00 HOUR	42.2	58.5	38.6
05:00-06:00 HOUR	45.0	57.5	40.0
06:00-07:00 HOUR	48.8	72.4	42.5
L <sub>Aeq</sub> 24 hours		45.4	
L <sub>Adn</sub>		50.8	

TIME*	RESULT dB(A)		
	ริมรั้วโรงงาน		
	JANUARY 15-16, 2024		
	T24AB382-0018		
	L <sub>Aeq</sub> 1 hour	L <sub>Amax</sub> 1 hour	L <sub>A90</sub> 1 hour
07:00-08:00 HOUR	49.8	66.0	46.4
08:00-09:00 HOUR	47.1	66.4	42.0
09:00-10:00 HOUR	46.2	72.8	42.3
10:00-11:00 HOUR	45.4	59.0	42.2
11:00-12:00 HOUR	47.5	74.4	43.0
12:00-13:00 HOUR	46.5	69.9	41.2
13:00-14:00 HOUR	46.4	60.4	43.0
14:00-15:00 HOUR	44.2	56.5	42.0
15:00-16:00 HOUR	45.4	61.0	41.4
16:00-17:00 HOUR	45.5	63.2	41.6
17:00-18:00 HOUR	47.1	65.9	43.2
18:00-19:00 HOUR	45.4	75.3	42.2
19:00-20:00 HOUR	45.7	59.9	42.9
20:00-21:00 HOUR	47.8	71.4	41.5
21:00-22:00 HOUR	45.5	63.3	41.0
22:00-23:00 HOUR	43.4	62.2	40.4
23:00-00:00 HOUR	44.1	60.8	40.0
00:00-01:00 HOUR	44.0	59.0	39.8
01:00-02:00 HOUR	46.3	67.6	42.0
02:00-03:00 HOUR	51.4	62.0	50.3
03:00-04:00 HOUR	50.9	58.7	49.8
04:00-05:00 HOUR	49.1	62.5	47.2
05:00-06:00 HOUR	50.6	57.6	49.4
06:00-07:00 HOUR	48.3	64.7	44.8
L <sub>Aeq</sub> 24 hours		47.4	
L <sub>Adn</sub>		54.7	

TIME*	RESULT dB(A)		
	ริมรั้วโรงงาน		
	JANUARY 16-17, 2024		
	T24AB382-0019		
	L <sub>Aeq</sub> 1 hour	L <sub>Amax</sub> 1 hour	L <sub>A90</sub> 1 hour
07:00-08:00 HOUR	47.5	71.2	43.4
08:00-09:00 HOUR	45.6	66.9	41.7
09:00-10:00 HOUR	46.3	67.6	41.5
10:00-11:00 HOUR	46.2	62.4	42.7
11:00-12:00 HOUR	45.0	60.9	42.0
12:00-13:00 HOUR	44.5	60.1	41.6
13:00-14:00 HOUR	45.0	60.4	41.6
14:00-15:00 HOUR	43.4	62.6	39.8
15:00-16:00 HOUR	43.7	69.8	40.4
16:00-17:00 HOUR	43.8	64.4	40.8
17:00-18:00 HOUR	44.3	69.7	40.9
18:00-19:00 HOUR	45.5	62.8	41.7
19:00-20:00 HOUR	46.3	61.5	43.1
20:00-21:00 HOUR	44.8	57.0	42.1
21:00-22:00 HOUR	47.6	76.0	42.0
22:00-23:00 HOUR	43.9	56.2	40.8
23:00-00:00 HOUR	42.2	54.7	39.7
00:00-01:00 HOUR	42.3	54.5	39.2
01:00-02:00 HOUR	43.1	55.5	40.7
02:00-03:00 HOUR	42.3	56.0	40.1
03:00-04:00 HOUR	45.3	66.3	41.3
04:00-05:00 HOUR	47.9	55.6	45.6
05:00-06:00 HOUR	47.8	60.1	46.3
06:00-07:00 HOUR	49.7	63.7	47.0
L <sub>Aeq</sub> 24 hours		45.6	
L <sub>Adn</sub>		52.2	

TIME*	RESULT dB(A)		
	ริมรั้วโรงงาน		
	JANUARY 17-18, 2024		
	T24AB382-0020		
	L <sub>Aeq</sub> 1 hour	L <sub>Amax</sub> 1 hour	L <sub>A90</sub> 1 hour
07:00-08:00 HOUR	49.3	67.0	46.5
08:00-09:00 HOUR	45.9	66.8	42.3
09:00-10:00 HOUR	44.4	60.9	41.5
10:00-11:00 HOUR	45.4	63.3	41.4
11:00-12:00 HOUR	44.2	62.8	41.4
12:00-13:00 HOUR	43.7	62.8	41.0
13:00-14:00 HOUR	42.2	64.8	39.9
14:00-15:00 HOUR	43.0	64.7	40.6
15:00-16:00 HOUR	43.7	61.3	40.7
16:00-17:00 HOUR	45.7	62.2	42.6
17:00-18:00 HOUR	48.4	63.0	47.0
18:00-19:00 HOUR	49.8	71.0	47.7
19:00-20:00 HOUR	51.9	65.8	50.6
20:00-21:00 HOUR	51.1	65.3	49.2
21:00-22:00 HOUR	48.6	61.4	47.4
22:00-23:00 HOUR	43.9	56.4	40.7
23:00-00:00 HOUR	42.8	58.5	39.0
00:00-01:00 HOUR	44.7	56.4	41.3
01:00-02:00 HOUR	42.7	56.9	40.2
02:00-03:00 HOUR	42.8	63.2	40.1
03:00-04:00 HOUR	42.0	55.1	40.2
04:00-05:00 HOUR	42.7	55.1	40.0
05:00-06:00 HOUR	43.0	58.6	40.0
06:00-07:00 HOUR	47.9	80.0	41.7
L <sub>Aeq</sub> 24 hours		46.5	
L <sub>Adn</sub>		51.2	

TIME*	RESULT dB(A)		
	กรมวิศวกรรม		
	JANUARY 18-19, 2024		
	T24AB382-0021		
	L <sub>Aeq</sub> 1 hour	L <sub>Amax</sub> 1 hour	L <sub>A90</sub> 1 hour
07:00-08:00 HOUR	47.8	66.4	44.6
08:00-09:00 HOUR	44.1	60.2	41.6
09:00-10:00 HOUR	45.5	69.2	41.5
10:00-11:00 HOUR	44.7	65.0	41.5
11:00-12:00 HOUR	43.9	63.9	41.4
12:00-13:00 HOUR	43.0	55.7	40.1
13:00-14:00 HOUR	43.7	57.1	41.9
14:00-15:00 HOUR	42.2	57.0	40.8
15:00-16:00 HOUR	43.5	63.6	41.3
16:00-17:00 HOUR	44.7	59.0	42.5
17:00-18:00 HOUR	45.5	62.7	42.9
18:00-19:00 HOUR	49.8	68.8	47.6
19:00-20:00 HOUR	50.4	65.7	48.8
20:00-21:00 HOUR	50.7	66.9	49.7
21:00-22:00 HOUR	51.4	68.4	49.8
22:00-23:00 HOUR	46.6	58.1	44.3
23:00-00:00 HOUR	45.0	63.7	40.6
00:00-01:00 HOUR	43.5	55.5	40.8
01:00-02:00 HOUR	42.9	56.8	40.5
02:00-03:00 HOUR	42.7	59.2	40.2
03:00-04:00 HOUR	42.4	58.2	40.0
04:00-05:00 HOUR	42.0	60.1	39.6
05:00-06:00 HOUR	45.0	59.9	41.1
06:00-07:00 HOUR	47.0	69.7	41.3
L <sub>Aeq</sub> 24 hours		46.4	
L <sub>Adn</sub>		51.4	

*Sila Banjongjairuk*

(MR SILA BANJONGJAIKUK)  
LABORATORY SUPERVISOR

JANUARY 29, 2024

ระดับเสียงรบกวน

---

## ANALYSIS REPORT

**PROJECT NAME** : การตรวจวัดคุณภาพสิ่งแวดล้อม (โครงการโรงไฟฟ้าชีวมวล) ประจำปี 2567  
**CUSTOMER NAME** : THAI ROONG RUANG INDUSTRY CO., LTD.  
**ADDRESS** : 90 MOO 8 UM CHAN KUSUMAN SAKON NAKHON 47210  
**CONTACT INFORMATION** : TEL : 09 5665 0649 e-mail : piyawan.pan@trrgroup.com  
**MEASURING PLACE** : โรงเรียนแก่งคำประชาสามัคคี  
**MEASURING TYPE** : AMBIENT (ANNOYANCE SOUND LEVEL)  
**MEASURING DATE** : JANUARY 12-19, 2024  
**MEASURING TIME** : \*  
**MEASURING EQUIPMENT** : INTEGRATED SOUND LEVEL METER AND CALCULATION  
**MEASURED BY** : MR PAIRAT KUMNERDRAKSA  
**RECEIVED DATE** : JANUARY 12-19, 2024  
**ANALYTICAL DATE** : JANUARY 12-19, 2024  
**REPORT NO.** : 2024-U007694  
**WORK NO.** : 2023-008918  
**ANALYSIS NO.** : T24AB382-0001 - T24AB382-0007

DATE	TIME*	RESULT (dB(A))				
		โรงเรียนแก่งคำประชาสามัคคี				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
JANUARY 12, 2024	<b>DAY TIME</b> <sup>1/</sup>					
T24AB382-0001	07:00-08:00 HOUR	52.0 <sup>1/</sup>	49.5 **	48.4 <sup>1/</sup>	42.1 **	6.3
	08:00-09:00 HOUR	46.7 <sup>1/</sup>	46.2 **	37.1 <sup>1/</sup>	40.1 **	<0.8 <sup>3/</sup>
	09:00-10:00 HOUR	41.1 <sup>1/</sup>	40.0 **	34.6 <sup>1/</sup>	37.1 **	<0.8 <sup>3/</sup>
	10:00-11:00 HOUR	46.1 <sup>1/</sup>	39.3 **	45.1 <sup>1/</sup>	37.3 **	7.8
	11:00-12:00 HOUR	41.3 <sup>1/</sup>	37.9 **	38.6 <sup>1/</sup>	35.3 **	3.3
	12:00-13:00 HOUR	41.5 <sup>1/</sup>	39.0 **	37.9 <sup>1/</sup>	35.5 **	2.4
	13:00-14:00 HOUR	40.7 <sup>1/</sup>	39.4 **	34.8 <sup>1/</sup>	34.7 **	<0.8 <sup>3/</sup>
	14:00-15:00 HOUR	42.2 <sup>1/</sup>	38.9 **	39.5 <sup>1/</sup>	35.2 **	4.3
	15:00-16:00 HOUR	46.4 <sup>1/</sup>	42.8 **	43.9 <sup>1/</sup>	39.1 **	4.8
	16:00-17:00 HOUR	41.7 <sup>1/</sup>	39.9 **	37.0 <sup>1/</sup>	35.2 **	1.8
	17:00-18:00 HOUR	41.7 <sup>1/</sup>	40.4 **	35.8 <sup>1/</sup>	35.6 **	<0.8 <sup>3/</sup>
	18:00-19:00 HOUR	43.1 <sup>1/</sup>	41.6 **	37.8 <sup>1/</sup>	39.1 **	<0.8 <sup>3/</sup>
	19:00-20:00 HOUR	42.2 <sup>1/</sup>	40.8 **	36.6 <sup>1/</sup>	39.2 **	<0.8 <sup>3/</sup>
	20:00-21:00 HOUR	42.6 <sup>1/</sup>	41.3 **	36.7 <sup>1/</sup>	39.9 **	<0.8 <sup>3/</sup>
	21:00-22:00 HOUR	43.2 <sup>1/</sup>	40.3 **	40.1 <sup>1/</sup>	39.0 **	1.1
	<b>NIGHT TIME</b> <sup>2/</sup>					
	22:00-22:05 HOUR	41.9 <sup>2/</sup>	41.1 ***	37.2 <sup>2/</sup>	39.5 ***	<0.8 <sup>3/</sup>
	22:05-22:10 HOUR	42.7 <sup>2/</sup>	41.1 ***	40.6 <sup>2/</sup>	39.5 ***	1.1
	22:10-22:15 HOUR	41.0 <sup>2/</sup>	41.1 ***	<0.8 <sup>3/</sup>	39.5 ***	<0.8 <sup>3/</sup>
	22:15-22:20 HOUR	40.8 <sup>2/</sup>	41.9 ***	<0.8 <sup>3/</sup>	38.6 ***	<0.8 <sup>3/</sup>
	22:20-22:25 HOUR	41.3 <sup>2/</sup>	41.9 ***	<0.8 <sup>3/</sup>	38.6 ***	<0.8 <sup>3/</sup>
	22:25-22:30 HOUR	41.5 <sup>2/</sup>	41.9 ***	<0.8 <sup>3/</sup>	38.6 ***	<0.8 <sup>3/</sup>
	22:30-22:35 HOUR	43.8 <sup>2/</sup>	40.1 ***	44.4 <sup>2/</sup>	38.6 ***	5.8
	22:35-22:40 HOUR	43.3 <sup>2/</sup>	40.1 ***	43.5 <sup>2/</sup>	38.6 ***	4.9
	22:40-22:45 HOUR	40.7 <sup>2/</sup>	40.1 ***	34.8 <sup>2/</sup>	38.6 ***	<0.8 <sup>3/</sup>
	22:45-22:50 HOUR	41.8 <sup>2/</sup>	41.2 ***	35.9 <sup>2/</sup>	38.9 ***	<0.8 <sup>3/</sup>
	22:50-22:55 HOUR	41.4 <sup>2/</sup>	41.2 ***	30.9 <sup>2/</sup>	38.9 ***	<0.8 <sup>3/</sup>
	22:55-23:00 HOUR	40.6 <sup>2/</sup>	41.2 ***	<0.8 <sup>3/</sup>	38.9 ***	<0.8 <sup>3/</sup>
	23:00-23:05 HOUR	44.2 <sup>2/</sup>	39.7 ***	45.3 <sup>2/</sup>	38.7 ***	6.6
	23:05-23:10 HOUR	42.0 <sup>2/</sup>	39.7 ***	41.1 <sup>2/</sup>	38.7 ***	2.4
	23:10-23:15 HOUR	42.0 <sup>2/</sup>	39.7 ***	41.1 <sup>2/</sup>	38.7 ***	2.4
	23:15-23:20 HOUR	41.4 <sup>2/</sup>	40.6 ***	36.7 <sup>2/</sup>	38.8 ***	<0.8 <sup>3/</sup>



DATE	TIME*	RESULT (dB(A))				
		โรงเรียนแก่งคำประชาสามัคคี				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
JANUARY 12, 2024	<b>NIGHT TIME <sup>2/</sup></b>					
T24AB382-0001	23:20-23:25 HOUR	40.8 <sup>2/</sup>	40.6 ***	30.3 <sup>2/</sup>	38.8 ***	<0.8 <sup>3/</sup>
	23:25-23:30 HOUR	41.7 <sup>2/</sup>	40.6 ***	38.2 <sup>2/</sup>	38.8 ***	<0.8 <sup>3/</sup>
	23:30-23:35 HOUR	44.6 <sup>2/</sup>	40.8 ***	45.3 <sup>2/</sup>	39.6 ***	5.7
	23:35-23:40 HOUR	41.9 <sup>2/</sup>	40.8 ***	38.4 <sup>2/</sup>	39.6 ***	<0.8 <sup>3/</sup>
	23:40-23:45 HOUR	41.8 <sup>2/</sup>	40.8 ***	37.9 <sup>2/</sup>	39.6 ***	<0.8 <sup>3/</sup>
	23:45-23:50 HOUR	42.1 <sup>2/</sup>	41.3 ***	37.4 <sup>2/</sup>	40.3 ***	<0.8 <sup>3/</sup>
	23:50-23:55 HOUR	42.3 <sup>2/</sup>	41.3 ***	38.4 <sup>2/</sup>	40.3 ***	<0.8 <sup>3/</sup>
	23:55-00:00 HOUR	41.9 <sup>2/</sup>	41.3 ***	36.0 <sup>2/</sup>	40.3 ***	<0.8 <sup>3/</sup>
JANUARY 13, 2024	<b>NIGHT TIME <sup>2/</sup></b>					
T24AB382-0001	00:00-00:05 HOUR	42.1 <sup>2/</sup>	40.2 ***	40.6 <sup>2/</sup>	39.5 ***	1.1
	00:05-00:10 HOUR	42.1 <sup>2/</sup>	40.2 ***	40.6 <sup>2/</sup>	39.5 ***	1.1
	00:10-00:15 HOUR	42.5 <sup>2/</sup>	40.2 ***	41.6 <sup>2/</sup>	39.5 ***	2.1
	00:15-00:20 HOUR	42.4 <sup>2/</sup>	43.5 ***	<0.8 <sup>3/</sup>	41.3 ***	<0.8 <sup>3/</sup>
	00:20-00:25 HOUR	42.1 <sup>2/</sup>	43.5 ***	<0.8 <sup>3/</sup>	41.3 ***	<0.8 <sup>3/</sup>
	00:25-00:30 HOUR	47.3 <sup>2/</sup>	43.5 ***	48.0 <sup>2/</sup>	41.3 ***	6.7
	00:30-00:35 HOUR	42.4 <sup>2/</sup>	41.9 ***	35.8 <sup>2/</sup>	41.1 ***	<0.8 <sup>3/</sup>
	00:35-00:40 HOUR	42.0 <sup>2/</sup>	41.9 ***	28.6 <sup>2/</sup>	41.1 ***	<0.8 <sup>3/</sup>
	00:40-00:45 HOUR	42.2 <sup>2/</sup>	41.9 ***	33.4 <sup>2/</sup>	41.1 ***	<0.8 <sup>3/</sup>
	00:45-00:50 HOUR	42.9 <sup>2/</sup>	42.1 ***	38.2 <sup>2/</sup>	41.3 ***	<0.8 <sup>3/</sup>
	00:50-00:55 HOUR	43.1 <sup>2/</sup>	42.1 ***	39.2 <sup>2/</sup>	41.3 ***	<0.8 <sup>3/</sup>
	00:55-01:00 HOUR	42.9 <sup>2/</sup>	42.1 ***	38.2 <sup>2/</sup>	41.3 ***	<0.8 <sup>3/</sup>
	01:00-01:05 HOUR	43.1 <sup>2/</sup>	40.9 ***	42.1 <sup>2/</sup>	40.2 ***	1.9
	01:05-01:10 HOUR	43.0 <sup>2/</sup>	40.9 ***	41.8 <sup>2/</sup>	40.2 ***	1.6
	01:10-01:15 HOUR	43.1 <sup>2/</sup>	40.9 ***	42.1 <sup>2/</sup>	40.2 ***	1.9
	01:15-01:20 HOUR	43.2 <sup>2/</sup>	42.8 ***	35.6 <sup>2/</sup>	41.9 ***	<0.8 <sup>3/</sup>
	01:20-01:25 HOUR	43.3 <sup>2/</sup>	42.8 ***	36.7 <sup>2/</sup>	41.9 ***	<0.8 <sup>3/</sup>
	01:25-01:30 HOUR	43.5 <sup>2/</sup>	42.8 ***	38.2 <sup>2/</sup>	41.9 ***	<0.8 <sup>3/</sup>
	01:30-01:35 HOUR	44.6 <sup>2/</sup>	43.5 ***	41.1 <sup>2/</sup>	42.9 ***	<0.8 <sup>3/</sup>
	01:35-01:40 HOUR	45.5 <sup>2/</sup>	43.5 ***	44.2 <sup>2/</sup>	42.9 ***	1.3
	01:40-01:45 HOUR	45.1 <sup>2/</sup>	43.5 ***	43.0 <sup>2/</sup>	42.9 ***	<0.8 <sup>3/</sup>
	01:45-01:50 HOUR	45.2 <sup>2/</sup>	44.6 ***	39.3 <sup>2/</sup>	43.9 ***	<0.8 <sup>3/</sup>
	01:50-01:55 HOUR	45.5 <sup>2/</sup>	44.6 ***	41.2 <sup>2/</sup>	43.9 ***	<0.8 <sup>3/</sup>
	01:55-02:00 HOUR	45.7 <sup>2/</sup>	44.6 ***	42.2 <sup>2/</sup>	43.9 ***	<0.8 <sup>3/</sup>
	02:00-02:05 HOUR	46.0 <sup>2/</sup>	45.8 ***	35.5 <sup>2/</sup>	45.1 ***	<0.8 <sup>3/</sup>
	02:05-02:10 HOUR	46.0 <sup>2/</sup>	45.8 ***	35.5 <sup>2/</sup>	45.1 ***	<0.8 <sup>3/</sup>
	02:10-02:15 HOUR	46.8 <sup>2/</sup>	45.8 ***	42.9 <sup>2/</sup>	45.1 ***	<0.8 <sup>3/</sup>
	02:15-02:20 HOUR	47.2 <sup>2/</sup>	44.6 ***	46.7 <sup>2/</sup>	43.9 ***	2.8
	02:20-02:25 HOUR	46.5 <sup>2/</sup>	44.6 ***	45.0 <sup>2/</sup>	43.9 ***	1.1
	02:25-02:30 HOUR	45.8 <sup>2/</sup>	44.6 ***	42.6 <sup>2/</sup>	43.9 ***	<0.8 <sup>3/</sup>
	02:30-02:35 HOUR	45.7 <sup>2/</sup>	42.8 ***	45.6 <sup>2/</sup>	42.1 ***	3.5
	02:35-02:40 HOUR	44.8 <sup>2/</sup>	42.8 ***	43.5 <sup>2/</sup>	42.1 ***	1.4
	02:40-02:45 HOUR	44.5 <sup>2/</sup>	42.8 ***	42.6 <sup>2/</sup>	42.1 ***	<0.8 <sup>3/</sup>
	02:45-02:50 HOUR	44.3 <sup>2/</sup>	43.4 ***	40.0 <sup>2/</sup>	42.7 ***	<0.8 <sup>3/</sup>
	02:50-02:55 HOUR	44.5 <sup>2/</sup>	43.4 ***	41.0 <sup>2/</sup>	42.7 ***	<0.8 <sup>3/</sup>

DATE	TIME*	RESULT (dB(A))				
		โรงเรียนแก่งคำประชาสามัคคี				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
JANUARY 13, 2024 T24AB382-0001	<b>NIGHT TIME</b> <sup>2/</sup>					
	02:55-03:00 HOUR	44.3 <sup>2/</sup>	43.4 ***	40.0 <sup>2/</sup>	42.7 ***	<0.8 <sup>3/</sup>
	03:00-03:05 HOUR	43.5 <sup>2/</sup>	41.8 ***	41.6 <sup>2/</sup>	41.1 ***	<0.8 <sup>3/</sup>
	03:05-03:10 HOUR	43.6 <sup>2/</sup>	41.8 ***	41.9 <sup>2/</sup>	41.1 ***	0.8
	03:10-03:15 HOUR	43.6 <sup>2/</sup>	41.8 ***	41.9 <sup>2/</sup>	41.1 ***	0.8
	03:15-03:20 HOUR	43.4 <sup>2/</sup>	41.7 ***	41.5 <sup>2/</sup>	40.9 ***	<0.8 <sup>3/</sup>
	03:20-03:25 HOUR	43.4 <sup>2/</sup>	41.7 ***	41.5 <sup>2/</sup>	40.9 ***	<0.8 <sup>3/</sup>
	03:25-03:30 HOUR	43.0 <sup>2/</sup>	41.7 ***	40.1 <sup>2/</sup>	40.9 ***	<0.8 <sup>3/</sup>
	03:30-03:35 HOUR	42.6 <sup>2/</sup>	42.4 ***	32.1 <sup>2/</sup>	41.7 ***	<0.8 <sup>3/</sup>
	03:35-03:40 HOUR	43.4 <sup>2/</sup>	42.4 ***	39.5 <sup>2/</sup>	41.7 ***	<0.8 <sup>3/</sup>
	03:40-03:45 HOUR	43.6 <sup>2/</sup>	42.4 ***	40.4 <sup>2/</sup>	41.7 ***	<0.8 <sup>3/</sup>
	03:45-03:50 HOUR	42.9 <sup>2/</sup>	41.7 ***	39.7 <sup>2/</sup>	40.8 ***	<0.8 <sup>3/</sup>
	03:50-03:55 HOUR	43.5 <sup>2/</sup>	41.7 ***	41.8 <sup>2/</sup>	40.8 ***	1.0
	03:55-04:00 HOUR	42.5 <sup>2/</sup>	41.7 ***	37.8 <sup>2/</sup>	40.8 ***	<0.8 <sup>3/</sup>
	04:00-04:05 HOUR	41.7 <sup>2/</sup>	39.4 ***	40.8 <sup>2/</sup>	38.6 ***	2.2
	04:05-04:10 HOUR	41.3 <sup>2/</sup>	39.4 ***	39.8 <sup>2/</sup>	38.6 ***	1.2
	04:10-04:15 HOUR	41.3 <sup>2/</sup>	39.4 ***	39.8 <sup>2/</sup>	38.6 ***	1.2
	04:15-04:20 HOUR	41.1 <sup>2/</sup>	39.0 ***	39.9 <sup>2/</sup>	38.2 ***	1.7
	04:20-04:25 HOUR	41.2 <sup>2/</sup>	39.0 ***	40.2 <sup>2/</sup>	38.2 ***	2.0
	04:25-04:30 HOUR	41.2 <sup>2/</sup>	39.0 ***	40.2 <sup>2/</sup>	38.2 ***	2.0
	04:30-04:35 HOUR	40.9 <sup>2/</sup>	40.0 ***	36.6 <sup>2/</sup>	39.0 ***	<0.8 <sup>3/</sup>
	04:35-04:40 HOUR	41.3 <sup>2/</sup>	40.0 ***	38.4 <sup>2/</sup>	39.0 ***	<0.8 <sup>3/</sup>
	04:40-04:45 HOUR	41.0 <sup>2/</sup>	40.0 ***	37.1 <sup>2/</sup>	39.0 ***	<0.8 <sup>3/</sup>
	04:45-04:50 HOUR	40.4 <sup>2/</sup>	38.7 ***	38.5 <sup>2/</sup>	37.8 ***	<0.8 <sup>3/</sup>
	04:50-04:55 HOUR	39.9 <sup>2/</sup>	38.7 ***	36.7 <sup>2/</sup>	37.8 ***	<0.8 <sup>3/</sup>
	04:55-05:00 HOUR	39.0 <sup>2/</sup>	38.7 ***	30.2 <sup>2/</sup>	37.8 ***	<0.8 <sup>3/</sup>
	05:00-05:05 HOUR	39.7 <sup>2/</sup>	39.4 ***	30.9 <sup>2/</sup>	37.5 ***	<0.8 <sup>3/</sup>
	05:05-05:10 HOUR	40.3 <sup>2/</sup>	39.4 ***	36.0 <sup>2/</sup>	37.5 ***	<0.8 <sup>3/</sup>
	05:10-05:15 HOUR	40.8 <sup>2/</sup>	39.4 ***	38.2 <sup>2/</sup>	37.5 ***	<0.8 <sup>3/</sup>
	05:15-05:20 HOUR	40.8 <sup>2/</sup>	40.2 ***	34.9 <sup>2/</sup>	38.1 ***	<0.8 <sup>3/</sup>
	05:20-05:25 HOUR	42.8 <sup>2/</sup>	40.2 ***	42.3 <sup>2/</sup>	38.1 ***	4.2
	05:25-05:30 HOUR	43.8 <sup>2/</sup>	40.2 ***	44.3 <sup>2/</sup>	38.1 ***	6.2
	05:30-05:35 HOUR	41.7 <sup>2/</sup>	40.0 ***	39.8 <sup>2/</sup>	38.3 ***	1.5
	05:35-05:40 HOUR	41.5 <sup>2/</sup>	40.0 ***	39.2 <sup>2/</sup>	38.3 ***	0.9
	05:40-05:45 HOUR	40.6 <sup>2/</sup>	40.0 ***	34.7 <sup>2/</sup>	38.3 ***	<0.8 <sup>3/</sup>
	05:45-05:50 HOUR	40.2 <sup>2/</sup>	38.8 ***	37.6 <sup>2/</sup>	37.0 ***	<0.8 <sup>3/</sup>
	05:50-05:55 HOUR	40.7 <sup>2/</sup>	38.8 ***	39.2 <sup>2/</sup>	37.0 ***	2.2
	05:55-06:00 HOUR	39.9 <sup>2/</sup>	38.8 ***	36.4 <sup>2/</sup>	37.0 ***	<0.8 <sup>3/</sup>
	<b>DAY TIME</b> <sup>1/</sup>					
	06:00-07:00 HOUR	42.3 <sup>1/</sup>	40.9 **	36.7 <sup>1/</sup>	36.6 **	<0.8 <sup>3/</sup>
JANUARY 13, 2024 T24AB382-0002	<b>DAY TIME</b> <sup>1/</sup>					
	07:00-08:00 HOUR	46.0 <sup>1/</sup>	41.9 **	43.9 <sup>1/</sup>	38.3 **	5.6
	08:00-09:00 HOUR	46.3 <sup>1/</sup>	44.5 **	41.6 <sup>1/</sup>	38.9 **	2.7
	09:00-10:00 HOUR	45.0 <sup>1/</sup>	43.1 **	40.5 <sup>1/</sup>	37.5 **	3.0
	10:00-11:00 HOUR	43.7 <sup>1/</sup>	40.2 **	41.1 <sup>1/</sup>	36.9 **	4.2
	11:00-12:00 HOUR	44.6 <sup>1/</sup>	44.1 **	35.0 <sup>1/</sup>	37.6 **	<0.8 <sup>3/</sup>

DATE	TIME*	RESULT (dB(A))				
		โรงเรียนแก่งคำประชาสามัคคี				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
JANUARY 13, 2024	<b>DAY TIME</b> <sup>1/</sup>					
T24AB382-0002	12:00-13:00 HOUR	42.4 <sup>1/</sup>	39.6 **	39.2 <sup>1/</sup>	34.5 **	4.7
	13:00-14:00 HOUR	44.1 <sup>1/</sup>	43.2 **	36.8 <sup>1/</sup>	35.9 **	0.9
	14:00-15:00 HOUR	42.0 <sup>1/</sup>	39.1 **	38.9 <sup>1/</sup>	35.0 **	3.9
	15:00-16:00 HOUR	42.5 <sup>1/</sup>	40.9 **	37.4 <sup>1/</sup>	35.4 **	2.0
	16:00-17:00 HOUR	44.4 <sup>1/</sup>	42.1 **	40.5 <sup>1/</sup>	37.5 **	3.0
	17:00-18:00 HOUR	46.5 <sup>1/</sup>	44.6 **	42.0 <sup>1/</sup>	37.4 **	4.6
	18:00-19:00 HOUR	42.1 <sup>1/</sup>	40.9 **	35.9 <sup>1/</sup>	37.1 **	<0.8 <sup>3/</sup>
	19:00-20:00 HOUR	40.9 <sup>1/</sup>	39.7 **	34.7 <sup>1/</sup>	38.0 **	<0.8 <sup>3/</sup>
	20:00-21:00 HOUR	41.0 <sup>1/</sup>	38.3 **	37.7 <sup>1/</sup>	37.2 **	<0.8 <sup>3/</sup>
	21:00-22:00 HOUR	40.0 <sup>1/</sup>	38.5 **	34.7 <sup>1/</sup>	37.7 **	<0.8 <sup>3/</sup>
	<b>NIGHT TIME</b> <sup>2/</sup>					
	22:00-22:05 HOUR	39.2 <sup>2/</sup>	37.9 ***	36.3 <sup>2/</sup>	37.3 ***	<0.8 <sup>3/</sup>
	22:05-22:10 HOUR	39.3 <sup>2/</sup>	37.9 ***	36.7 <sup>2/</sup>	37.3 ***	<0.8 <sup>3/</sup>
	22:10-22:15 HOUR	38.7 <sup>2/</sup>	37.9 ***	34.0 <sup>2/</sup>	37.3 ***	<0.8 <sup>3/</sup>
	22:15-22:20 HOUR	39.6 <sup>2/</sup>	37.6 ***	38.3 <sup>2/</sup>	36.5 ***	1.8
	22:20-22:25 HOUR	38.9 <sup>2/</sup>	37.6 ***	36.0 <sup>2/</sup>	36.5 ***	<0.8 <sup>3/</sup>
	22:25-22:30 HOUR	39.2 <sup>2/</sup>	37.6 ***	37.1 <sup>2/</sup>	36.5 ***	<0.8 <sup>3/</sup>
	22:30-22:35 HOUR	40.0 <sup>2/</sup>	38.3 ***	38.1 <sup>2/</sup>	37.2 ***	0.9
	22:35-22:40 HOUR	39.6 <sup>2/</sup>	38.3 ***	36.7 <sup>2/</sup>	37.2 ***	<0.8 <sup>3/</sup>
	22:40-22:45 HOUR	38.9 <sup>2/</sup>	38.3 ***	33.0 <sup>2/</sup>	37.2 ***	<0.8 <sup>3/</sup>
	22:45-22:50 HOUR	39.5 <sup>2/</sup>	38.4 ***	36.0 <sup>2/</sup>	36.9 ***	<0.8 <sup>3/</sup>
	22:50-22:55 HOUR	42.1 <sup>2/</sup>	38.4 ***	42.7 <sup>2/</sup>	36.9 ***	5.8
	22:55-23:00 HOUR	39.0 <sup>2/</sup>	38.4 ***	33.1 <sup>2/</sup>	36.9 ***	<0.8 <sup>3/</sup>
	23:00-23:05 HOUR	41.6 <sup>2/</sup>	43.0 ***	<0.8 <sup>3/</sup>	37.0 ***	<0.8 <sup>3/</sup>
	23:05-23:10 HOUR	39.4 <sup>2/</sup>	43.0 ***	<0.8 <sup>3/</sup>	37.0 ***	<0.8 <sup>3/</sup>
	23:10-23:15 HOUR	39.3 <sup>2/</sup>	43.0 ***	<0.8 <sup>3/</sup>	37.0 ***	<0.8 <sup>3/</sup>
	23:15-23:20 HOUR	42.6 <sup>2/</sup>	39.0 ***	43.1 <sup>2/</sup>	37.4 ***	5.7
	23:20-23:25 HOUR	38.6 <sup>2/</sup>	39.0 ***	<0.8 <sup>3/</sup>	37.4 ***	<0.8 <sup>3/</sup>
	23:25-23:30 HOUR	39.7 <sup>2/</sup>	39.0 ***	34.4 <sup>2/</sup>	37.4 ***	<0.8 <sup>3/</sup>
	23:30-23:35 HOUR	42.7 <sup>2/</sup>	38.1 ***	43.9 <sup>2/</sup>	37.3 ***	6.6
	23:35-23:40 HOUR	39.6 <sup>2/</sup>	38.1 ***	37.3 <sup>2/</sup>	37.3 ***	<0.8 <sup>3/</sup>
	23:40-23:45 HOUR	40.6 <sup>2/</sup>	38.1 ***	40.0 <sup>2/</sup>	37.3 ***	2.7
	23:45-23:50 HOUR	40.1 <sup>2/</sup>	39.2 ***	35.8 <sup>2/</sup>	38.5 ***	<0.8 <sup>3/</sup>
	23:50-23:55 HOUR	39.2 <sup>2/</sup>	39.2 ***	<0.8 <sup>3/</sup>	38.5 ***	<0.8 <sup>3/</sup>
	23:55-00:00 HOUR	41.1 <sup>2/</sup>	39.2 ***	39.6 <sup>2/</sup>	38.5 ***	1.1
JANUARY 14, 2024	<b>NIGHT TIME</b> <sup>2/</sup>					
T24AB382-0002	00:00-00:05 HOUR	40.8 <sup>2/</sup>	40.3 ***	34.2 <sup>2/</sup>	39.6 ***	<0.8 <sup>3/</sup>
	00:05-00:10 HOUR	41.4 <sup>2/</sup>	40.3 ***	37.9 <sup>2/</sup>	39.6 ***	<0.8 <sup>3/</sup>
	00:10-00:15 HOUR	41.0 <sup>2/</sup>	40.3 ***	35.7 <sup>2/</sup>	39.6 ***	<0.8 <sup>3/</sup>
	00:15-00:20 HOUR	41.9 <sup>2/</sup>	40.0 ***	40.4 <sup>2/</sup>	39.4 ***	1.0
	00:20-00:25 HOUR	41.6 <sup>2/</sup>	40.0 ***	39.5 <sup>2/</sup>	39.4 ***	<0.8 <sup>3/</sup>
	00:25-00:30 HOUR	41.3 <sup>2/</sup>	40.0 ***	38.4 <sup>2/</sup>	39.4 ***	<0.8 <sup>3/</sup>
	00:30-00:35 HOUR	42.0 <sup>2/</sup>	41.9 ***	28.6 <sup>2/</sup>	41.1 ***	<0.8 <sup>3/</sup>
	00:35-00:40 HOUR	41.8 <sup>2/</sup>	41.9 ***	<0.8 <sup>3/</sup>	41.1 ***	<0.8 <sup>3/</sup>
	00:40-00:45 HOUR	43.8 <sup>2/</sup>	41.9 ***	42.3 <sup>2/</sup>	41.1 ***	1.2

DATE	TIME*	RESULT (dB(A))				
		โรงเรียนแก้งคำประชาสามัคคี				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
JANUARY 14, 2024	<b>NIGHT TIME</b> <sup>2/</sup>					
T24AB382-0002	00:45-00:50 HOUR	44.1 <sup>2/</sup>	43.2 ***	39.8 <sup>2/</sup>	42.6 ***	<0.8 <sup>3/</sup>
	00:50-00:55 HOUR	44.5 <sup>2/</sup>	43.2 ***	41.6 <sup>2/</sup>	42.6 ***	<0.8 <sup>3/</sup>
	00:55-01:00 HOUR	44.6 <sup>2/</sup>	43.2 ***	42.0 <sup>2/</sup>	42.6 ***	<0.8 <sup>3/</sup>
	01:00-01:05 HOUR	44.6 <sup>2/</sup>	43.9 ***	39.3 <sup>2/</sup>	43.1 ***	<0.8 <sup>3/</sup>
	01:05-01:10 HOUR	44.2 <sup>2/</sup>	43.9 ***	35.4 <sup>2/</sup>	43.1 ***	<0.8 <sup>3/</sup>
	01:10-01:15 HOUR	44.3 <sup>2/</sup>	43.9 ***	36.7 <sup>2/</sup>	43.1 ***	<0.8 <sup>3/</sup>
	01:15-01:20 HOUR	44.5 <sup>2/</sup>	42.0 ***	43.9 <sup>2/</sup>	41.2 ***	2.7
	01:20-01:25 HOUR	44.1 <sup>2/</sup>	42.0 ***	42.9 <sup>2/</sup>	41.2 ***	1.7
	01:25-01:30 HOUR	43.6 <sup>2/</sup>	42.0 ***	41.5 <sup>2/</sup>	41.2 ***	<0.8 <sup>3/</sup>
	01:30-01:35 HOUR	43.9 <sup>2/</sup>	42.2 ***	42.0 <sup>2/</sup>	41.5 ***	<0.8 <sup>3/</sup>
	01:35-01:40 HOUR	43.9 <sup>2/</sup>	42.2 ***	42.0 <sup>2/</sup>	41.5 ***	<0.8 <sup>3/</sup>
	01:40-01:45 HOUR	44.2 <sup>2/</sup>	42.2 ***	42.9 <sup>2/</sup>	41.5 ***	1.4
	01:45-01:50 HOUR	44.7 <sup>2/</sup>	43.4 ***	41.8 <sup>2/</sup>	42.7 ***	<0.8 <sup>3/</sup>
	01:50-01:55 HOUR	44.3 <sup>2/</sup>	43.4 ***	40.0 <sup>2/</sup>	42.7 ***	<0.8 <sup>3/</sup>
	01:55-02:00 HOUR	44.2 <sup>2/</sup>	43.4 ***	39.5 <sup>2/</sup>	42.7 ***	<0.8 <sup>3/</sup>
	02:00-02:05 HOUR	44.4 <sup>2/</sup>	41.5 ***	44.3 <sup>2/</sup>	40.8 ***	3.5
	02:05-02:10 HOUR	43.6 <sup>2/</sup>	41.5 ***	42.4 <sup>2/</sup>	40.8 ***	1.6
	02:10-02:15 HOUR	43.1 <sup>2/</sup>	41.5 ***	41.0 <sup>2/</sup>	40.8 ***	<0.8 <sup>3/</sup>
	02:15-02:20 HOUR	43.6 <sup>2/</sup>	42.1 ***	41.3 <sup>2/</sup>	41.5 ***	<0.8 <sup>3/</sup>
	02:20-02:25 HOUR	43.5 <sup>2/</sup>	42.1 ***	40.9 <sup>2/</sup>	41.5 ***	<0.8 <sup>3/</sup>
	02:25-02:30 HOUR	43.7 <sup>2/</sup>	42.1 ***	41.6 <sup>2/</sup>	41.5 ***	<0.8 <sup>3/</sup>
	02:30-02:35 HOUR	43.3 <sup>2/</sup>	40.7 ***	42.8 <sup>2/</sup>	40.2 ***	2.6
	02:35-02:40 HOUR	42.0 <sup>2/</sup>	40.7 ***	39.1 <sup>2/</sup>	40.2 ***	<0.8 <sup>3/</sup>
	02:40-02:45 HOUR	41.8 <sup>2/</sup>	40.7 ***	38.3 <sup>2/</sup>	40.2 ***	<0.8 <sup>3/</sup>
	02:45-02:50 HOUR	40.9 <sup>2/</sup>	40.1 ***	36.2 <sup>2/</sup>	39.5 ***	<0.8 <sup>3/</sup>
	02:50-02:55 HOUR	41.6 <sup>2/</sup>	40.1 ***	39.3 <sup>2/</sup>	39.5 ***	<0.8 <sup>3/</sup>
	02:55-03:00 HOUR	42.0 <sup>2/</sup>	40.1 ***	40.5 <sup>2/</sup>	39.5 ***	1.0
	03:00-03:05 HOUR	41.5 <sup>2/</sup>	41.6 ***	<0.8 <sup>3/</sup>	40.9 ***	<0.8 <sup>3/</sup>
	03:05-03:10 HOUR	41.9 <sup>2/</sup>	41.6 ***	33.1 <sup>2/</sup>	40.9 ***	<0.8 <sup>3/</sup>
	03:10-03:15 HOUR	42.3 <sup>2/</sup>	41.6 ***	37.0 <sup>2/</sup>	40.9 ***	<0.8 <sup>3/</sup>
	03:15-03:20 HOUR	43.3 <sup>2/</sup>	42.4 ***	39.0 <sup>2/</sup>	41.7 ***	<0.8 <sup>3/</sup>
	03:20-03:25 HOUR	43.2 <sup>2/</sup>	42.4 ***	38.5 <sup>2/</sup>	41.7 ***	<0.8 <sup>3/</sup>
	03:25-03:30 HOUR	43.6 <sup>2/</sup>	42.4 ***	40.4 <sup>2/</sup>	41.7 ***	<0.8 <sup>3/</sup>
	03:30-03:35 HOUR	43.0 <sup>2/</sup>	42.8 ***	32.5 <sup>2/</sup>	42.1 ***	<0.8 <sup>3/</sup>
	03:35-03:40 HOUR	42.9 <sup>2/</sup>	42.8 ***	29.5 <sup>2/</sup>	42.1 ***	<0.8 <sup>3/</sup>
	03:40-03:45 HOUR	43.7 <sup>2/</sup>	42.8 ***	39.4 <sup>2/</sup>	42.1 ***	<0.8 <sup>3/</sup>
	03:45-03:50 HOUR	44.3 <sup>2/</sup>	43.8 ***	37.7 <sup>2/</sup>	42.9 ***	<0.8 <sup>3/</sup>
	03:50-03:55 HOUR	44.3 <sup>2/</sup>	43.8 ***	37.7 <sup>2/</sup>	42.9 ***	<0.8 <sup>3/</sup>
	03:55-04:00 HOUR	45.4 <sup>2/</sup>	43.8 ***	43.3 <sup>2/</sup>	42.9 ***	<0.8 <sup>3/</sup>
	04:00-04:05 HOUR	45.1 <sup>2/</sup>	41.8 ***	45.4 <sup>2/</sup>	41.0 ***	4.4
	04:05-04:10 HOUR	43.9 <sup>2/</sup>	41.8 ***	42.7 <sup>2/</sup>	41.0 ***	1.7
	04:10-04:15 HOUR	44.1 <sup>2/</sup>	41.8 ***	43.2 <sup>2/</sup>	41.0 ***	2.2
	04:15-04:20 HOUR	43.9 <sup>2/</sup>	41.2 ***	43.6 <sup>2/</sup>	40.2 ***	3.4
	04:20-04:25 HOUR	42.9 <sup>2/</sup>	41.2 ***	41.0 <sup>2/</sup>	40.2 ***	0.8

DATE	TIME*	RESULT (dB(A))				
		โรงเรียนแก่งคำประชาสามัคคี				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
JANUARY 14, 2024	<b>NIGHT TIME</b> <sup>2/</sup>					
T24AB382-0002	04:25-04:30 HOUR	41.8 <sup>2/</sup>	41.2 ***	35.9 <sup>2/</sup>	40.2 ***	<0.8 <sup>3/</sup>
	04:30-04:35 HOUR	42.0 <sup>2/</sup>	40.5 ***	39.7 <sup>2/</sup>	39.7 ***	<0.8 <sup>3/</sup>
	04:35-04:40 HOUR	41.6 <sup>2/</sup>	40.5 ***	38.1 <sup>2/</sup>	39.7 ***	<0.8 <sup>3/</sup>
	04:40-04:45 HOUR	41.7 <sup>2/</sup>	40.5 ***	38.5 <sup>2/</sup>	39.7 ***	<0.8 <sup>3/</sup>
	04:45-04:50 HOUR	41.1 <sup>2/</sup>	40.7 ***	33.5 <sup>2/</sup>	39.7 ***	<0.8 <sup>3/</sup>
	04:50-04:55 HOUR	41.4 <sup>2/</sup>	40.7 ***	36.1 <sup>2/</sup>	39.7 ***	<0.8 <sup>3/</sup>
	04:55-05:00 HOUR	41.0 <sup>2/</sup>	40.7 ***	32.2 <sup>2/</sup>	39.7 ***	<0.8 <sup>3/</sup>
	05:00-05:05 HOUR	41.4 <sup>2/</sup>	39.6 ***	39.7 <sup>2/</sup>	38.7 ***	1.0
	05:05-05:10 HOUR	42.1 <sup>2/</sup>	39.6 ***	41.5 <sup>2/</sup>	38.7 ***	2.8
	05:10-05:15 HOUR	41.0 <sup>2/</sup>	39.6 ***	38.4 <sup>2/</sup>	38.7 ***	<0.8 <sup>3/</sup>
	05:15-05:20 HOUR	40.6 <sup>2/</sup>	39.4 ***	37.4 <sup>2/</sup>	38.3 ***	<0.8 <sup>3/</sup>
	05:20-05:25 HOUR	40.8 <sup>2/</sup>	39.4 ***	38.2 <sup>2/</sup>	38.3 ***	<0.8 <sup>3/</sup>
	05:25-05:30 HOUR	42.3 <sup>2/</sup>	39.4 ***	42.2 <sup>2/</sup>	38.3 ***	3.9
	05:30-05:35 HOUR	41.2 <sup>2/</sup>	40.3 ***	36.9 <sup>2/</sup>	39.1 ***	<0.8 <sup>3/</sup>
	05:35-05:40 HOUR	41.5 <sup>2/</sup>	40.3 ***	38.3 <sup>2/</sup>	39.1 ***	<0.8 <sup>3/</sup>
	05:40-05:45 HOUR	40.9 <sup>2/</sup>	40.3 ***	35.0 <sup>2/</sup>	39.1 ***	<0.8 <sup>3/</sup>
	05:45-05:50 HOUR	39.7 <sup>2/</sup>	38.9 ***	35.0 <sup>2/</sup>	36.9 ***	<0.8 <sup>3/</sup>
	05:50-05:55 HOUR	40.9 <sup>2/</sup>	38.9 ***	39.6 <sup>2/</sup>	36.9 ***	2.7
	05:55-06:00 HOUR	40.5 <sup>2/</sup>	38.9 ***	38.4 <sup>2/</sup>	36.9 ***	1.5
	<b>DAY TIME</b> <sup>1/</sup>					
	06:00-07:00 HOUR	42.6 <sup>1/</sup>	40.7 **	38.1 <sup>1/</sup>	38.0 **	<0.8 <sup>3/</sup>
JANUARY 14, 2024	<b>DAY TIME</b> <sup>1/</sup>					
T24AB382-0003	07:00-08:00 HOUR	44.7 <sup>1/</sup>	41.7 **	41.7 <sup>1/</sup>	37.3 **	4.4
	08:00-09:00 HOUR	44.7 <sup>1/</sup>	42.1 **	41.2 <sup>1/</sup>	36.4 **	4.8
	09:00-10:00 HOUR	45.1 <sup>1/</sup>	41.7 **	42.4 <sup>1/</sup>	35.9 **	6.5
	10:00-11:00 HOUR	42.9 <sup>1/</sup>	40.1 **	39.7 <sup>1/</sup>	36.2 **	3.5
	11:00-12:00 HOUR	42.0 <sup>1/</sup>	39.1 **	38.9 <sup>1/</sup>	35.5 **	3.4
	12:00-13:00 HOUR	41.3 <sup>1/</sup>	38.9 **	37.6 <sup>1/</sup>	35.7 **	1.9
	13:00-14:00 HOUR	40.5 <sup>1/</sup>	37.7 **	37.3 <sup>1/</sup>	34.9 **	2.4
	14:00-15:00 HOUR	41.1 <sup>1/</sup>	40.8 **	29.3 <sup>1/</sup>	35.9 **	<0.8 <sup>3/</sup>
	15:00-16:00 HOUR	41.4 <sup>1/</sup>	40.0 **	35.8 <sup>1/</sup>	34.6 **	1.2
	16:00-17:00 HOUR	43.2 <sup>1/</sup>	41.4 **	38.5 <sup>1/</sup>	36.2 **	2.3
	17:00-18:00 HOUR	46.2 <sup>1/</sup>	41.2 **	44.5 <sup>1/</sup>	37.8 **	6.7
	18:00-19:00 HOUR	44.4 <sup>1/</sup>	43.2 **	38.2 <sup>1/</sup>	40.3 **	<0.8 <sup>3/</sup>
	19:00-20:00 HOUR	44.6 <sup>1/</sup>	43.0 **	39.5 <sup>1/</sup>	40.6 **	<0.8 <sup>3/</sup>
	20:00-21:00 HOUR	42.6 <sup>1/</sup>	41.2 **	37.0 <sup>1/</sup>	39.2 **	<0.8 <sup>3/</sup>
	21:00-22:00 HOUR	40.6 <sup>1/</sup>	39.2 **	35.0 <sup>1/</sup>	37.9 **	<0.8 <sup>3/</sup>
	<b>NIGHT TIME</b> <sup>2/</sup>					
	22:00-22:05 HOUR	40.2 <sup>2/</sup>	38.0 ***	39.2 <sup>2/</sup>	36.4 ***	2.8
	22:05-22:10 HOUR	40.2 <sup>2/</sup>	38.0 ***	39.2 <sup>2/</sup>	36.4 ***	2.8
	22:10-22:15 HOUR	39.8 <sup>2/</sup>	38.0 ***	38.1 <sup>2/</sup>	36.4 ***	1.7
	22:15-22:20 HOUR	40.0 <sup>2/</sup>	38.4 ***	37.9 <sup>2/</sup>	37.1 ***	0.8
	22:20-22:25 HOUR	39.4 <sup>2/</sup>	38.4 ***	35.5 <sup>2/</sup>	37.1 ***	<0.8 <sup>3/</sup>
	22:25-22:30 HOUR	39.6 <sup>2/</sup>	38.4 ***	36.4 <sup>2/</sup>	37.1 ***	<0.8 <sup>3/</sup>
	22:30-22:35 HOUR	38.7 <sup>2/</sup>	37.2 ***	36.4 <sup>2/</sup>	36.0 ***	<0.8 <sup>3/</sup>

DATE	TIME*	RESULT (dB(A))				
		โรงเรียนแก่งคำประชาสามัคคี				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
JANUARY 14, 2024 T24AB382-0003	<b>NIGHT TIME <sup>2/</sup></b>					
	22:35-22:40 HOUR	39.2 <sup>2/</sup>	37.2 ***	37.9 <sup>2/</sup>	36.0 ***	1.9
	22:40-22:45 HOUR	39.2 <sup>2/</sup>	37.2 ***	37.9 <sup>2/</sup>	36.0 ***	1.9
	22:45-22:50 HOUR	37.9 <sup>2/</sup>	37.5 ***	30.3 <sup>2/</sup>	36.6 ***	<0.8 <sup>3/</sup>
	22:50-22:55 HOUR	39.0 <sup>2/</sup>	37.5 ***	36.7 <sup>2/</sup>	36.6 ***	<0.8 <sup>3/</sup>
	22:55-23:00 HOUR	39.0 <sup>2/</sup>	37.5 ***	36.7 <sup>2/</sup>	36.6 ***	<0.8 <sup>3/</sup>
	23:00-23:05 HOUR	39.2 <sup>2/</sup>	37.4 ***	37.5 <sup>2/</sup>	36.5 ***	1.0
	23:05-23:10 HOUR	39.3 <sup>2/</sup>	37.4 ***	37.8 <sup>2/</sup>	36.5 ***	1.3
	23:10-23:15 HOUR	38.9 <sup>2/</sup>	37.4 ***	36.6 <sup>2/</sup>	36.5 ***	<0.8 <sup>3/</sup>
	23:15-23:20 HOUR	38.7 <sup>2/</sup>	38.0 ***	33.4 <sup>2/</sup>	36.9 ***	<0.8 <sup>3/</sup>
	23:20-23:25 HOUR	39.4 <sup>2/</sup>	38.0 ***	36.8 <sup>2/</sup>	36.9 ***	<0.8 <sup>3/</sup>
	23:25-23:30 HOUR	40.1 <sup>2/</sup>	38.0 ***	38.9 <sup>2/</sup>	36.9 ***	2.0
	23:30-23:35 HOUR	39.1 <sup>2/</sup>	37.8 ***	36.2 <sup>2/</sup>	37.1 ***	<0.8 <sup>3/</sup>
	23:35-23:40 HOUR	39.0 <sup>2/</sup>	37.8 ***	35.8 <sup>2/</sup>	37.1 ***	<0.8 <sup>3/</sup>
	23:40-23:45 HOUR	38.9 <sup>2/</sup>	37.8 ***	35.4 <sup>2/</sup>	37.1 ***	<0.8 <sup>3/</sup>
	23:45-23:50 HOUR	39.2 <sup>2/</sup>	38.6 ***	33.3 <sup>2/</sup>	37.6 ***	<0.8 <sup>3/</sup>
	23:50-23:55 HOUR	39.7 <sup>2/</sup>	38.6 ***	36.2 <sup>2/</sup>	37.6 ***	<0.8 <sup>3/</sup>
	23:55-00:00 HOUR	39.4 <sup>2/</sup>	38.6 ***	34.7 <sup>2/</sup>	37.6 ***	<0.8 <sup>3/</sup>
JANUARY 15, 2024 T24AB382-0003	<b>NIGHT TIME <sup>2/</sup></b>					
	00:00-00:05 HOUR	39.3 <sup>2/</sup>	38.4 ***	35.0 <sup>2/</sup>	37.7 ***	<0.8 <sup>3/</sup>
	00:05-00:10 HOUR	40.0 <sup>2/</sup>	38.4 ***	37.9 <sup>2/</sup>	37.7 ***	<0.8 <sup>3/</sup>
	00:10-00:15 HOUR	39.6 <sup>2/</sup>	38.4 ***	36.4 <sup>2/</sup>	37.7 ***	<0.8 <sup>3/</sup>
	00:15-00:20 HOUR	41.1 <sup>2/</sup>	40.5 ***	35.2 <sup>2/</sup>	39.4 ***	<0.8 <sup>3/</sup>
	00:20-00:25 HOUR	41.1 <sup>2/</sup>	40.5 ***	35.2 <sup>2/</sup>	39.4 ***	<0.8 <sup>3/</sup>
	00:25-00:30 HOUR	41.8 <sup>2/</sup>	40.5 ***	38.9 <sup>2/</sup>	39.4 ***	<0.8 <sup>3/</sup>
	00:30-00:35 HOUR	41.8 <sup>2/</sup>	40.3 ***	39.5 <sup>2/</sup>	39.4 ***	<0.8 <sup>3/</sup>
	00:35-00:40 HOUR	42.0 <sup>2/</sup>	40.3 ***	40.1 <sup>2/</sup>	39.4 ***	<0.8 <sup>3/</sup>
	00:40-00:45 HOUR	42.0 <sup>2/</sup>	40.3 ***	40.1 <sup>2/</sup>	39.4 ***	<0.8 <sup>3/</sup>
	00:45-00:50 HOUR	42.2 <sup>2/</sup>	42.1 ***	28.8 <sup>2/</sup>	41.2 ***	<0.8 <sup>3/</sup>
	00:50-00:55 HOUR	43.1 <sup>2/</sup>	42.1 ***	39.2 <sup>2/</sup>	41.2 ***	<0.8 <sup>3/</sup>
	00:55-01:00 HOUR	42.8 <sup>2/</sup>	42.1 ***	37.5 <sup>2/</sup>	41.2 ***	<0.8 <sup>3/</sup>
	01:00-01:05 HOUR	42.5 <sup>2/</sup>	42.2 ***	33.7 <sup>2/</sup>	41.1 ***	<0.8 <sup>3/</sup>
	01:05-01:10 HOUR	42.3 <sup>2/</sup>	42.2 ***	28.9 <sup>2/</sup>	41.1 ***	<0.8 <sup>3/</sup>
	01:10-01:15 HOUR	43.1 <sup>2/</sup>	42.2 ***	38.8 <sup>2/</sup>	41.1 ***	<0.8 <sup>3/</sup>
	01:15-01:20 HOUR	42.1 <sup>2/</sup>	41.6 ***	35.5 <sup>2/</sup>	40.8 ***	<0.8 <sup>3/</sup>
	01:20-01:25 HOUR	42.8 <sup>2/</sup>	41.6 ***	39.6 <sup>2/</sup>	40.8 ***	<0.8 <sup>3/</sup>
	01:25-01:30 HOUR	42.8 <sup>2/</sup>	41.6 ***	39.6 <sup>2/</sup>	40.8 ***	<0.8 <sup>3/</sup>
	01:30-01:35 HOUR	42.8 <sup>2/</sup>	42.7 ***	29.4 <sup>2/</sup>	41.9 ***	<0.8 <sup>3/</sup>
	01:35-01:40 HOUR	43.0 <sup>2/</sup>	42.7 ***	34.2 <sup>2/</sup>	41.9 ***	<0.8 <sup>3/</sup>
	01:40-01:45 HOUR	43.5 <sup>2/</sup>	42.7 ***	38.8 <sup>2/</sup>	41.9 ***	<0.8 <sup>3/</sup>
	01:45-01:50 HOUR	43.7 <sup>2/</sup>	43.0 ***	38.4 <sup>2/</sup>	42.3 ***	<0.8 <sup>3/</sup>
	01:50-01:55 HOUR	43.9 <sup>2/</sup>	43.0 ***	39.6 <sup>2/</sup>	42.3 ***	<0.8 <sup>3/</sup>
	01:55-02:00 HOUR	44.1 <sup>2/</sup>	43.0 ***	40.6 <sup>2/</sup>	42.3 ***	<0.8 <sup>3/</sup>
	02:00-02:05 HOUR	43.6 <sup>2/</sup>	41.5 ***	42.4 <sup>2/</sup>	40.8 ***	1.6
	02:05-02:10 HOUR	43.5 <sup>2/</sup>	41.5 ***	42.2 <sup>2/</sup>	40.8 ***	1.4

DATE	TIME*	RESULT (dB(A))				
		โรงเรียนแก้งคำประชาสามัคคี				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
JANUARY 15, 2024	<b>NIGHT TIME</b> <sup>2/</sup>					
T24AB382-0003	02:10-02:15 HOUR	43.0 <sup>2/</sup>	41.5 ***	40.7 <sup>2/</sup>	40.8 ***	<0.8 <sup>3/</sup>
	02:15-02:20 HOUR	43.2 <sup>2/</sup>	42.6 ***	37.3 <sup>2/</sup>	41.8 ***	<0.8 <sup>3/</sup>
	02:20-02:25 HOUR	43.6 <sup>2/</sup>	42.6 ***	39.7 <sup>2/</sup>	41.8 ***	<0.8 <sup>3/</sup>
	02:25-02:30 HOUR	43.6 <sup>2/</sup>	42.6 ***	39.7 <sup>2/</sup>	41.8 ***	<0.8 <sup>3/</sup>
	02:30-02:35 HOUR	43.8 <sup>2/</sup>	42.4 ***	41.2 <sup>2/</sup>	41.6 ***	<0.8 <sup>3/</sup>
	02:35-02:40 HOUR	43.6 <sup>2/</sup>	42.4 ***	40.4 <sup>2/</sup>	41.6 ***	<0.8 <sup>3/</sup>
	02:40-02:45 HOUR	43.7 <sup>2/</sup>	42.4 ***	40.8 <sup>2/</sup>	41.6 ***	<0.8 <sup>3/</sup>
	02:45-02:50 HOUR	43.7 <sup>2/</sup>	41.4 ***	42.8 <sup>2/</sup>	40.7 ***	2.1
	02:50-02:55 HOUR	43.8 <sup>2/</sup>	41.4 ***	43.1 <sup>2/</sup>	40.7 ***	2.4
	02:55-03:00 HOUR	43.3 <sup>2/</sup>	41.4 ***	41.8 <sup>2/</sup>	40.7 ***	1.1
	03:00-03:05 HOUR	43.4 <sup>2/</sup>	40.7 ***	43.1 <sup>2/</sup>	39.9 ***	3.2
	03:05-03:10 HOUR	42.9 <sup>2/</sup>	40.7 ***	41.9 <sup>2/</sup>	39.9 ***	2.0
	03:10-03:15 HOUR	42.5 <sup>2/</sup>	40.7 ***	40.8 <sup>2/</sup>	39.9 ***	0.9
	03:15-03:20 HOUR	42.6 <sup>2/</sup>	41.0 ***	40.5 <sup>2/</sup>	40.3 ***	<0.8 <sup>3/</sup>
	03:20-03:25 HOUR	42.1 <sup>2/</sup>	41.0 ***	38.6 <sup>2/</sup>	40.3 ***	<0.8 <sup>3/</sup>
	03:25-03:30 HOUR	42.1 <sup>2/</sup>	41.0 ***	38.6 <sup>2/</sup>	40.3 ***	<0.8 <sup>3/</sup>
	03:30-03:35 HOUR	42.4 <sup>2/</sup>	40.6 ***	40.7 <sup>2/</sup>	39.8 ***	0.9
	03:35-03:40 HOUR	41.9 <sup>2/</sup>	40.6 ***	39.0 <sup>2/</sup>	39.8 ***	<0.8 <sup>3/</sup>
	03:40-03:45 HOUR	41.8 <sup>2/</sup>	40.6 ***	38.6 <sup>2/</sup>	39.8 ***	<0.8 <sup>3/</sup>
	03:45-03:50 HOUR	41.9 <sup>2/</sup>	40.5 ***	39.3 <sup>2/</sup>	39.6 ***	<0.8 <sup>3/</sup>
	03:50-03:55 HOUR	41.8 <sup>2/</sup>	40.5 ***	38.9 <sup>2/</sup>	39.6 ***	<0.8 <sup>3/</sup>
	03:55-04:00 HOUR	41.5 <sup>2/</sup>	40.5 ***	37.6 <sup>2/</sup>	39.6 ***	<0.8 <sup>3/</sup>
	04:00-04:05 HOUR	41.1 <sup>2/</sup>	40.1 ***	37.2 <sup>2/</sup>	38.9 ***	<0.8 <sup>3/</sup>
	04:05-04:10 HOUR	41.4 <sup>2/</sup>	40.1 ***	38.5 <sup>2/</sup>	38.9 ***	<0.8 <sup>3/</sup>
	04:10-04:15 HOUR	41.3 <sup>2/</sup>	40.1 ***	38.1 <sup>2/</sup>	38.9 ***	<0.8 <sup>3/</sup>
	04:15-04:20 HOUR	41.3 <sup>2/</sup>	39.3 ***	40.0 <sup>2/</sup>	38.0 ***	2.0
	04:20-04:25 HOUR	39.8 <sup>2/</sup>	39.3 ***	33.2 <sup>2/</sup>	38.0 ***	<0.8 <sup>3/</sup>
	04:25-04:30 HOUR	40.7 <sup>2/</sup>	39.3 ***	38.1 <sup>2/</sup>	38.0 ***	<0.8 <sup>3/</sup>
	04:30-04:35 HOUR	40.1 <sup>2/</sup>	39.4 ***	34.8 <sup>2/</sup>	38.0 ***	<0.8 <sup>3/</sup>
	04:35-04:40 HOUR	40.8 <sup>2/</sup>	39.4 ***	38.2 <sup>2/</sup>	38.0 ***	<0.8 <sup>3/</sup>
	04:40-04:45 HOUR	40.6 <sup>2/</sup>	39.4 ***	37.4 <sup>2/</sup>	38.0 ***	<0.8 <sup>3/</sup>
	04:45-04:50 HOUR	40.1 <sup>2/</sup>	37.9 ***	39.1 <sup>2/</sup>	36.7 ***	2.4
	04:50-04:55 HOUR	39.9 <sup>2/</sup>	37.9 ***	38.6 <sup>2/</sup>	36.7 ***	1.9
	04:55-05:00 HOUR	39.8 <sup>2/</sup>	37.9 ***	38.3 <sup>2/</sup>	36.7 ***	1.6
	05:00-05:05 HOUR	38.8 <sup>2/</sup>	38.4 ***	31.2 <sup>2/</sup>	37.4 ***	<0.8 <sup>3/</sup>
	05:05-05:10 HOUR	39.1 <sup>2/</sup>	38.4 ***	33.8 <sup>2/</sup>	37.4 ***	<0.8 <sup>3/</sup>
	05:10-05:15 HOUR	38.4 <sup>2/</sup>	38.4 ***	<0.8 <sup>3/</sup>	37.4 ***	<0.8 <sup>3/</sup>
	05:15-05:20 HOUR	39.3 <sup>2/</sup>	39.6 ***	<0.8 <sup>3/</sup>	37.0 ***	<0.8 <sup>3/</sup>
	05:20-05:25 HOUR	40.6 <sup>2/</sup>	39.6 ***	36.7 <sup>2/</sup>	37.0 ***	<0.8 <sup>3/</sup>
	05:25-05:30 HOUR	41.1 <sup>2/</sup>	39.6 ***	38.8 <sup>2/</sup>	37.0 ***	1.8
	05:30-05:35 HOUR	39.4 <sup>2/</sup>	36.5 ***	39.3 <sup>2/</sup>	34.5 ***	4.8
	05:35-05:40 HOUR	37.9 <sup>2/</sup>	36.5 ***	35.3 <sup>2/</sup>	34.5 ***	0.8
	05:40-05:45 HOUR	38.0 <sup>2/</sup>	36.5 ***	35.7 <sup>2/</sup>	34.5 ***	1.2
	05:45-05:50 HOUR	41.2 <sup>2/</sup>	37.4 ***	41.9 <sup>2/</sup>	34.2 ***	7.7

DATE	TIME*	RESULT (dB(A))				
		โรงเรียนแก่งคำประชาสามัคคี				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
JANUARY 15, 2024 T24AB382-0003	<b>NIGHT TIME <sup>2/</sup></b> 05:50-05:55 HOUR	38.9 <sup>2/</sup>	37.4 ***	36.6 <sup>2/</sup>	34.2 ***	2.4
	05:55-06:00 HOUR	37.6 <sup>2/</sup>	37.4 ***	27.1 <sup>2/</sup>	34.2 ***	<0.8 <sup>3/</sup>
	<b>DAY TIME <sup>1/</sup></b> 06:00-07:00 HOUR	42.6 <sup>1/</sup>	41.2 **	37.0 <sup>1/</sup>	36.6 **	<0.8 <sup>3/</sup>
JANUARY 15, 2024 T24AB382-0004	<b>DAY TIME <sup>1/</sup></b> 07:00-08:00 HOUR	52.4 <sup>1/</sup>	51.2 **	46.2 <sup>1/</sup>	42.6 **	3.6
	08:00-09:00 HOUR	55.5 <sup>1/</sup>	52.7 **	52.3 <sup>1/</sup>	45.8 **	6.5
	09:00-10:00 HOUR	46.0 <sup>1/</sup>	43.3 **	42.7 <sup>1/</sup>	39.8 **	2.9
	10:00-11:00 HOUR	47.4 <sup>1/</sup>	45.5 **	42.9 <sup>1/</sup>	42.7 **	<0.8 <sup>3/</sup>
	11:00-12:00 HOUR	48.9 <sup>1/</sup>	45.4 **	46.3 <sup>1/</sup>	42.1 **	4.2
	12:00-13:00 HOUR	53.4 <sup>1/</sup>	52.8 **	44.5 <sup>1/</sup>	45.8 **	<0.8 <sup>3/</sup>
	13:00-14:00 HOUR	48.1 <sup>1/</sup>	47.3 **	40.4 <sup>1/</sup>	38.1 **	2.3
	14:00-15:00 HOUR	55.7 <sup>1/</sup>	54.8 **	48.4 <sup>1/</sup>	40.9 **	7.5
	15:00-16:00 HOUR	54.2 <sup>1/</sup>	53.5 **	45.9 <sup>1/</sup>	43.0 **	2.9
	16:00-17:00 HOUR	42.6 <sup>1/</sup>	41.1 **	37.3 <sup>1/</sup>	35.9 **	1.4
	17:00-18:00 HOUR	43.3 <sup>1/</sup>	40.0 **	40.6 <sup>1/</sup>	36.1 **	4.5
	18:00-19:00 HOUR	41.0 <sup>1/</sup>	40.0 **	34.1 <sup>1/</sup>	37.1 **	<0.8 <sup>3/</sup>
	19:00-20:00 HOUR	39.5 <sup>1/</sup>	37.7 **	34.8 <sup>1/</sup>	36.8 **	<0.8 <sup>3/</sup>
	20:00-21:00 HOUR	39.6 <sup>1/</sup>	38.1 **	34.3 <sup>1/</sup>	37.0 **	<0.8 <sup>3/</sup>
	21:00-22:00 HOUR	42.6 <sup>1/</sup>	41.6 **	35.7 <sup>1/</sup>	39.8 **	<0.8 <sup>3/</sup>
	<b>NIGHT TIME <sup>2/</sup></b> 22:00-22:05 HOUR	39.0 <sup>2/</sup>	39.6 ***	<0.8 <sup>3/</sup>	38.0 ***	<0.8 <sup>3/</sup>
	22:05-22:10 HOUR	40.1 <sup>2/</sup>	39.6 ***	33.5 <sup>2/</sup>	38.0 ***	<0.8 <sup>3/</sup>
	22:10-22:15 HOUR	40.7 <sup>2/</sup>	39.6 ***	37.2 <sup>2/</sup>	38.0 ***	<0.8 <sup>3/</sup>
	22:15-22:20 HOUR	41.2 <sup>2/</sup>	39.8 ***	38.6 <sup>2/</sup>	38.4 ***	<0.8 <sup>3/</sup>
	22:20-22:25 HOUR	40.5 <sup>2/</sup>	39.8 ***	35.2 <sup>2/</sup>	38.4 ***	<0.8 <sup>3/</sup>
	22:25-22:30 HOUR	40.1 <sup>2/</sup>	39.8 ***	31.3 <sup>2/</sup>	38.4 ***	<0.8 <sup>3/</sup>
	22:30-22:35 HOUR	40.0 <sup>2/</sup>	38.7 ***	37.1 <sup>2/</sup>	37.4 ***	<0.8 <sup>3/</sup>
	22:35-22:40 HOUR	41.1 <sup>2/</sup>	38.7 ***	40.4 <sup>2/</sup>	37.4 ***	3.0
	22:40-22:45 HOUR	40.0 <sup>2/</sup>	38.7 ***	37.1 <sup>2/</sup>	37.4 ***	<0.8 <sup>3/</sup>
	22:45-22:50 HOUR	39.9 <sup>2/</sup>	38.3 ***	37.8 <sup>2/</sup>	37.7 ***	<0.8 <sup>3/</sup>
	22:50-22:55 HOUR	41.1 <sup>2/</sup>	38.3 ***	40.9 <sup>2/</sup>	37.7 ***	3.2
	22:55-23:00 HOUR	40.3 <sup>2/</sup>	38.3 ***	39.0 <sup>2/</sup>	37.7 ***	1.3
	23:00-23:05 HOUR	39.1 <sup>2/</sup>	38.6 ***	32.5 <sup>2/</sup>	37.7 ***	<0.8 <sup>3/</sup>
	23:05-23:10 HOUR	39.2 <sup>2/</sup>	38.6 ***	33.3 <sup>2/</sup>	37.7 ***	<0.8 <sup>3/</sup>
	23:10-23:15 HOUR	40.2 <sup>2/</sup>	38.6 ***	38.1 <sup>2/</sup>	37.7 ***	<0.8 <sup>3/</sup>
	23:15-23:20 HOUR	40.8 <sup>2/</sup>	40.4 ***	33.2 <sup>2/</sup>	39.3 ***	<0.8 <sup>3/</sup>
	23:20-23:25 HOUR	40.9 <sup>2/</sup>	40.4 ***	34.3 <sup>2/</sup>	39.3 ***	<0.8 <sup>3/</sup>
	23:25-23:30 HOUR	41.4 <sup>2/</sup>	40.4 ***	37.5 <sup>2/</sup>	39.3 ***	<0.8 <sup>3/</sup>
	23:30-23:35 HOUR	41.3 <sup>2/</sup>	40.4 ***	37.0 <sup>2/</sup>	39.6 ***	<0.8 <sup>3/</sup>
	23:35-23:40 HOUR	41.0 <sup>2/</sup>	40.4 ***	35.1 <sup>2/</sup>	39.6 ***	<0.8 <sup>3/</sup>
	23:40-23:45 HOUR	41.1 <sup>2/</sup>	40.4 ***	35.8 <sup>2/</sup>	39.6 ***	<0.8 <sup>3/</sup>
	23:45-23:50 HOUR	40.4 <sup>2/</sup>	39.8 ***	34.5 <sup>2/</sup>	38.8 ***	<0.8 <sup>3/</sup>
	23:50-23:55 HOUR	40.5 <sup>2/</sup>	39.8 ***	35.2 <sup>2/</sup>	38.8 ***	<0.8 <sup>3/</sup>
	23:55-00:00 HOUR	41.6 <sup>2/</sup>	39.8 ***	39.9 <sup>2/</sup>	38.8 ***	1.1

DATE	TIME*	RESULT (dB(A))				
		โรงเรียนแก่งคำประชาสามัคคี				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
JANUARY 16, 2024	<b>NIGHT TIME</b> <sup>2/</sup>					
T24AB382-0004	00:00-00:05 HOUR	41.1 <sup>2/</sup>	40.9 ***	30.6 <sup>2/</sup>	39.9 ***	<0.8 <sup>3/</sup>
	00:05-00:10 HOUR	41.0 <sup>2/</sup>	40.9 ***	27.6 <sup>2/</sup>	39.9 ***	<0.8 <sup>3/</sup>
	00:10-00:15 HOUR	41.2 <sup>2/</sup>	40.9 ***	32.4 <sup>2/</sup>	39.9 ***	<0.8 <sup>3/</sup>
	00:15-00:20 HOUR	41.6 <sup>2/</sup>	41.2 ***	34.0 <sup>2/</sup>	40.4 ***	<0.8 <sup>3/</sup>
	00:20-00:25 HOUR	41.7 <sup>2/</sup>	41.2 ***	35.1 <sup>2/</sup>	40.4 ***	<0.8 <sup>3/</sup>
	00:25-00:30 HOUR	41.5 <sup>2/</sup>	41.2 ***	32.7 <sup>2/</sup>	40.4 ***	<0.8 <sup>3/</sup>
	00:30-00:35 HOUR	41.5 <sup>2/</sup>	42.6 ***	<0.8 <sup>3/</sup>	41.8 ***	<0.8 <sup>3/</sup>
	00:35-00:40 HOUR	42.4 <sup>2/</sup>	42.6 ***	<0.8 <sup>3/</sup>	41.8 ***	<0.8 <sup>3/</sup>
	00:40-00:45 HOUR	43.0 <sup>2/</sup>	42.6 ***	35.4 <sup>2/</sup>	41.8 ***	<0.8 <sup>3/</sup>
	00:45-00:50 HOUR	43.7 <sup>2/</sup>	43.3 ***	36.1 <sup>2/</sup>	42.5 ***	<0.8 <sup>3/</sup>
	00:50-00:55 HOUR	44.8 <sup>2/</sup>	43.3 ***	42.5 <sup>2/</sup>	42.5 ***	<0.8 <sup>3/</sup>
	00:55-01:00 HOUR	43.9 <sup>2/</sup>	43.3 ***	38.0 <sup>2/</sup>	42.5 ***	<0.8 <sup>3/</sup>
	01:00-01:05 HOUR	45.0 <sup>2/</sup>	44.3 ***	39.7 <sup>2/</sup>	43.7 ***	<0.8 <sup>3/</sup>
	01:05-01:10 HOUR	45.3 <sup>2/</sup>	44.3 ***	41.4 <sup>2/</sup>	43.7 ***	<0.8 <sup>3/</sup>
	01:10-01:15 HOUR	45.4 <sup>2/</sup>	44.3 ***	41.9 <sup>2/</sup>	43.7 ***	<0.8 <sup>3/</sup>
	01:15-01:20 HOUR	45.6 <sup>2/</sup>	45.6 ***	<0.8 <sup>3/</sup>	44.8 ***	<0.8 <sup>3/</sup>
	01:20-01:25 HOUR	46.3 <sup>2/</sup>	45.6 ***	41.0 <sup>2/</sup>	44.8 ***	<0.8 <sup>3/</sup>
	01:25-01:30 HOUR	46.2 <sup>2/</sup>	45.6 ***	40.3 <sup>2/</sup>	44.8 ***	<0.8 <sup>3/</sup>
	01:30-01:35 HOUR	46.7 <sup>2/</sup>	45.1 ***	44.6 <sup>2/</sup>	44.5 ***	<0.8 <sup>3/</sup>
	01:35-01:40 HOUR	46.8 <sup>2/</sup>	45.1 ***	44.9 <sup>2/</sup>	44.5 ***	<0.8 <sup>3/</sup>
	01:40-01:45 HOUR	46.4 <sup>2/</sup>	45.1 ***	43.5 <sup>2/</sup>	44.5 ***	<0.8 <sup>3/</sup>
	01:45-01:50 HOUR	46.3 <sup>2/</sup>	46.5 ***	<0.8 <sup>3/</sup>	45.8 ***	<0.8 <sup>3/</sup>
	01:50-01:55 HOUR	47.8 <sup>2/</sup>	46.5 ***	44.9 <sup>2/</sup>	45.8 ***	<0.8 <sup>3/</sup>
	01:55-02:00 HOUR	48.2 <sup>2/</sup>	46.5 ***	46.3 <sup>2/</sup>	45.8 ***	<0.8 <sup>3/</sup>
	02:00-02:05 HOUR	47.3 <sup>2/</sup>	45.3 ***	46.0 <sup>2/</sup>	44.7 ***	1.3
	02:05-02:10 HOUR	46.7 <sup>2/</sup>	45.3 ***	44.1 <sup>2/</sup>	44.7 ***	<0.8 <sup>3/</sup>
	02:10-02:15 HOUR	46.8 <sup>2/</sup>	45.3 ***	44.5 <sup>2/</sup>	44.7 ***	<0.8 <sup>3/</sup>
	02:15-02:20 HOUR	46.7 <sup>2/</sup>	43.8 ***	46.6 <sup>2/</sup>	43.2 ***	3.4
	02:20-02:25 HOUR	46.6 <sup>2/</sup>	43.8 ***	46.4 <sup>2/</sup>	43.2 ***	3.2
	02:25-02:30 HOUR	45.8 <sup>2/</sup>	43.8 ***	44.5 <sup>2/</sup>	43.2 ***	1.3
	02:30-02:35 HOUR	46.0 <sup>2/</sup>	45.0 ***	42.1 <sup>2/</sup>	44.5 ***	<0.8 <sup>3/</sup>
	02:35-02:40 HOUR	46.3 <sup>2/</sup>	45.0 ***	43.4 <sup>2/</sup>	44.5 ***	<0.8 <sup>3/</sup>
	02:40-02:45 HOUR	46.0 <sup>2/</sup>	45.0 ***	42.1 <sup>2/</sup>	44.5 ***	<0.8 <sup>3/</sup>
	02:45-02:50 HOUR	45.7 <sup>2/</sup>	44.1 ***	43.6 <sup>2/</sup>	43.5 ***	<0.8 <sup>3/</sup>
	02:50-02:55 HOUR	46.2 <sup>2/</sup>	44.1 ***	45.0 <sup>2/</sup>	43.5 ***	1.5
	02:55-03:00 HOUR	46.0 <sup>2/</sup>	44.1 ***	44.5 <sup>2/</sup>	43.5 ***	1.0
	03:00-03:05 HOUR	45.1 <sup>2/</sup>	43.2 ***	43.6 <sup>2/</sup>	42.0 ***	1.6
	03:05-03:10 HOUR	45.4 <sup>2/</sup>	43.2 ***	44.4 <sup>2/</sup>	42.0 ***	2.4
	03:10-03:15 HOUR	44.9 <sup>2/</sup>	43.2 ***	43.0 <sup>2/</sup>	42.0 ***	1.0
	03:15-03:20 HOUR	46.1 <sup>2/</sup>	43.4 ***	45.8 <sup>2/</sup>	42.2 ***	3.6
	03:20-03:25 HOUR	44.0 <sup>2/</sup>	43.4 ***	38.1 <sup>2/</sup>	42.2 ***	<0.8 <sup>3/</sup>
	03:25-03:30 HOUR	44.1 <sup>2/</sup>	43.4 ***	38.8 <sup>2/</sup>	42.2 ***	<0.8 <sup>3/</sup>
	03:30-03:35 HOUR	44.3 <sup>2/</sup>	43.5 ***	39.6 <sup>2/</sup>	42.7 ***	<0.8 <sup>3/</sup>
	03:35-03:40 HOUR	44.9 <sup>2/</sup>	43.5 ***	42.3 <sup>2/</sup>	42.7 ***	<0.8 <sup>3/</sup>

DATE	TIME*	RESULT (dB(A))				
		โรงเรียนแก่งคำประชาสามัคคี				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
JANUARY 16, 2024 T24AB382-0004	<b>NIGHT TIME</b> <sup>2/</sup>					
	03:40-03:45 HOUR	45.2 <sup>2/</sup>	43.5 ***	43.3 <sup>2/</sup>	42.7 ***	<0.8 <sup>3/</sup>
	03:45-03:50 HOUR	44.5 <sup>2/</sup>	44.0 ***	37.9 <sup>2/</sup>	43.0 ***	<0.8 <sup>3/</sup>
	03:50-03:55 HOUR	45.1 <sup>2/</sup>	44.0 ***	41.6 <sup>2/</sup>	43.0 ***	<0.8 <sup>3/</sup>
	03:55-04:00 HOUR	46.4 <sup>2/</sup>	44.0 ***	45.7 <sup>2/</sup>	43.0 ***	2.7
	04:00-04:05 HOUR	45.8 <sup>2/</sup>	42.6 ***	46.0 <sup>2/</sup>	41.2 ***	4.8
	04:05-04:10 HOUR	45.9 <sup>2/</sup>	42.6 ***	46.2 <sup>2/</sup>	41.2 ***	5.0
	04:10-04:15 HOUR	43.8 <sup>2/</sup>	42.6 ***	40.6 <sup>2/</sup>	41.2 ***	<0.8 <sup>3/</sup>
	04:15-04:20 HOUR	40.8 <sup>2/</sup>	41.2 ***	<0.8 <sup>3/</sup>	40.4 ***	<0.8 <sup>3/</sup>
	04:20-04:25 HOUR	41.2 <sup>2/</sup>	41.2 ***	<0.8 <sup>3/</sup>	40.4 ***	<0.8 <sup>3/</sup>
	04:25-04:30 HOUR	42.9 <sup>2/</sup>	41.2 ***	41.0 <sup>2/</sup>	40.4 ***	<0.8 <sup>3/</sup>
	04:30-04:35 HOUR	43.6 <sup>2/</sup>	41.8 ***	41.9 <sup>2/</sup>	41.1 ***	0.8
	04:35-04:40 HOUR	42.4 <sup>2/</sup>	41.8 ***	36.5 <sup>2/</sup>	41.1 ***	<0.8 <sup>3/</sup>
	04:40-04:45 HOUR	42.2 <sup>2/</sup>	41.8 ***	34.6 <sup>2/</sup>	41.1 ***	<0.8 <sup>3/</sup>
	04:45-04:50 HOUR	42.0 <sup>2/</sup>	41.3 ***	36.7 <sup>2/</sup>	40.5 ***	<0.8 <sup>3/</sup>
	04:50-04:55 HOUR	42.7 <sup>2/</sup>	41.3 ***	40.1 <sup>2/</sup>	40.5 ***	<0.8 <sup>3/</sup>
	04:55-05:00 HOUR	42.7 <sup>2/</sup>	41.3 ***	40.1 <sup>2/</sup>	40.5 ***	<0.8 <sup>3/</sup>
	05:00-05:05 HOUR	42.8 <sup>2/</sup>	40.3 ***	42.2 <sup>2/</sup>	39.6 ***	2.6
	05:05-05:10 HOUR	42.1 <sup>2/</sup>	40.3 ***	40.4 <sup>2/</sup>	39.6 ***	0.8
	05:10-05:15 HOUR	42.1 <sup>2/</sup>	40.3 ***	40.4 <sup>2/</sup>	39.6 ***	0.8
	05:15-05:20 HOUR	41.7 <sup>2/</sup>	40.1 ***	39.6 <sup>2/</sup>	39.4 ***	<0.8 <sup>3/</sup>
	05:20-05:25 HOUR	41.9 <sup>2/</sup>	40.1 ***	40.2 <sup>2/</sup>	39.4 ***	0.8
	05:25-05:30 HOUR	41.8 <sup>2/</sup>	40.1 ***	39.9 <sup>2/</sup>	39.4 ***	<0.8 <sup>3/</sup>
	05:30-05:35 HOUR	42.6 <sup>2/</sup>	41.6 ***	38.7 <sup>2/</sup>	40.4 ***	<0.8 <sup>3/</sup>
	05:35-05:40 HOUR	42.9 <sup>2/</sup>	41.6 ***	40.0 <sup>2/</sup>	40.4 ***	<0.8 <sup>3/</sup>
	05:40-05:45 HOUR	43.2 <sup>2/</sup>	41.6 ***	41.1 <sup>2/</sup>	40.4 ***	<0.8 <sup>3/</sup>
	05:45-05:50 HOUR	41.2 <sup>2/</sup>	39.3 ***	39.7 <sup>2/</sup>	37.3 ***	2.4
	05:50-05:55 HOUR	40.4 <sup>2/</sup>	39.3 ***	36.9 <sup>2/</sup>	37.3 ***	<0.8 <sup>3/</sup>
	05:55-06:00 HOUR	40.4 <sup>2/</sup>	39.3 ***	36.9 <sup>2/</sup>	37.3 ***	<0.8 <sup>3/</sup>
	<b>DAY TIME</b> <sup>1/</sup>					
	06:00-07:00 HOUR	42.3 <sup>1/</sup>	40.4 **	37.8 <sup>1/</sup>	37.9 **	<0.8 <sup>3/</sup>
JANUARY 16, 2024 T24AB382-0005	<b>DAY TIME</b> <sup>1/</sup>					
	07:00-08:00 HOUR	44.1 <sup>1/</sup>	41.7 **	40.4 <sup>1/</sup>	37.9 **	2.5
	08:00-09:00 HOUR	46.4 <sup>1/</sup>	40.1 **	45.2 <sup>1/</sup>	38.3 **	6.9
	09:00-10:00 HOUR	44.5 <sup>1/</sup>	44.3 **	31.0 <sup>1/</sup>	36.9 **	<0.8 <sup>3/</sup>
	10:00-11:00 HOUR	46.3 <sup>1/</sup>	43.9 **	42.6 <sup>1/</sup>	38.2 **	4.4
	11:00-12:00 HOUR	43.6 <sup>1/</sup>	42.1 **	38.3 <sup>1/</sup>	36.6 **	1.7
	12:00-13:00 HOUR	43.7 <sup>1/</sup>	38.5 **	42.1 <sup>1/</sup>	36.4 **	5.7
	13:00-14:00 HOUR	42.2 <sup>1/</sup>	40.3 **	37.7 <sup>1/</sup>	36.2 **	1.5
	14:00-15:00 HOUR	41.0 <sup>1/</sup>	39.2 **	36.3 <sup>1/</sup>	36.6 **	<0.8 <sup>3/</sup>
	15:00-16:00 HOUR	41.2 <sup>1/</sup>	40.5 **	32.9 <sup>1/</sup>	35.1 **	<0.8 <sup>3/</sup>
	16:00-17:00 HOUR	43.7 <sup>1/</sup>	42.6 **	37.2 <sup>1/</sup>	38.3 **	<0.8 <sup>3/</sup>
	17:00-18:00 HOUR	41.9 <sup>1/</sup>	40.6 **	36.0 <sup>1/</sup>	37.9 **	<0.8 <sup>3/</sup>
	18:00-19:00 HOUR	42.0 <sup>1/</sup>	41.7 **	30.2 <sup>1/</sup>	39.2 **	<0.8 <sup>3/</sup>
	19:00-20:00 HOUR	43.7 <sup>1/</sup>	41.8 **	39.2 <sup>1/</sup>	40.2 **	<0.8 <sup>3/</sup>
	20:00-21:00 HOUR	49.1 <sup>1/</sup>	42.9 **	47.9 <sup>1/</sup>	41.5 **	6.4

DATE	TIME*	RESULT (dB(A))				
		โรงเรียนแก้งคำประชาสามัคคี				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
JANUARY 16, 2024	<b>DAY TIME</b> <sup>1/</sup>					
T24AB382-0005	21:00-22:00 HOUR	41.9 <sup>1/</sup>	40.7 **	35.7 <sup>1/</sup>	39.3 **	<0.8 <sup>3/</sup>
	<b>NIGHT TIME</b> <sup>2/</sup>					
	22:00-22:05 HOUR	41.6 <sup>2/</sup>	40.0 ***	39.5 <sup>2/</sup>	39.0 ***	<0.8 <sup>3/</sup>
	22:05-22:10 HOUR	41.2 <sup>2/</sup>	40.0 ***	38.0 <sup>2/</sup>	39.0 ***	<0.8 <sup>3/</sup>
	22:10-22:15 HOUR	40.6 <sup>2/</sup>	40.0 ***	34.7 <sup>2/</sup>	39.0 ***	<0.8 <sup>3/</sup>
	22:15-22:20 HOUR	40.7 <sup>2/</sup>	40.5 ***	30.2 <sup>2/</sup>	39.5 ***	<0.8 <sup>3/</sup>
	22:20-22:25 HOUR	40.9 <sup>2/</sup>	40.5 ***	33.3 <sup>2/</sup>	39.5 ***	<0.8 <sup>3/</sup>
	22:25-22:30 HOUR	41.0 <sup>2/</sup>	40.5 ***	34.4 <sup>2/</sup>	39.5 ***	<0.8 <sup>3/</sup>
	22:30-22:35 HOUR	41.3 <sup>2/</sup>	39.9 ***	38.7 <sup>2/</sup>	38.8 ***	<0.8 <sup>3/</sup>
	22:35-22:40 HOUR	41.0 <sup>2/</sup>	39.9 ***	37.5 <sup>2/</sup>	38.8 ***	<0.8 <sup>3/</sup>
	22:40-22:45 HOUR	41.0 <sup>2/</sup>	39.9 ***	37.5 <sup>2/</sup>	38.8 ***	<0.8 <sup>3/</sup>
	22:45-22:50 HOUR	41.1 <sup>2/</sup>	40.8 ***	32.3 <sup>2/</sup>	38.7 ***	<0.8 <sup>3/</sup>
	22:50-22:55 HOUR	40.7 <sup>2/</sup>	40.8 ***	<0.8 <sup>3/</sup>	38.7 ***	<0.8 <sup>3/</sup>
	22:55-23:00 HOUR	43.1 <sup>2/</sup>	40.8 ***	42.2 <sup>2/</sup>	38.7 ***	3.5
	23:00-23:05 HOUR	40.9 <sup>2/</sup>	39.8 ***	37.4 <sup>2/</sup>	38.2 ***	<0.8 <sup>3/</sup>
	23:05-23:10 HOUR	40.9 <sup>2/</sup>	39.8 ***	37.4 <sup>2/</sup>	38.2 ***	<0.8 <sup>3/</sup>
	23:10-23:15 HOUR	40.2 <sup>2/</sup>	39.8 ***	32.6 <sup>2/</sup>	38.2 ***	<0.8 <sup>3/</sup>
	23:15-23:20 HOUR	40.7 <sup>2/</sup>	39.6 ***	37.2 <sup>2/</sup>	38.4 ***	<0.8 <sup>3/</sup>
	23:20-23:25 HOUR	40.6 <sup>2/</sup>	39.6 ***	36.7 <sup>2/</sup>	38.4 ***	<0.8 <sup>3/</sup>
	23:25-23:30 HOUR	40.0 <sup>2/</sup>	39.6 ***	32.4 <sup>2/</sup>	38.4 ***	<0.8 <sup>3/</sup>
	23:30-23:35 HOUR	40.0 <sup>2/</sup>	39.5 ***	33.4 <sup>2/</sup>	38.1 ***	<0.8 <sup>3/</sup>
	23:35-23:40 HOUR	40.5 <sup>2/</sup>	39.5 ***	36.6 <sup>2/</sup>	38.1 ***	<0.8 <sup>3/</sup>
	23:40-23:45 HOUR	41.5 <sup>2/</sup>	39.5 ***	40.2 <sup>2/</sup>	38.1 ***	2.1
	23:45-23:50 HOUR	40.1 <sup>2/</sup>	39.3 ***	35.4 <sup>2/</sup>	38.3 ***	<0.8 <sup>3/</sup>
	23:50-23:55 HOUR	40.0 <sup>2/</sup>	39.3 ***	34.7 <sup>2/</sup>	38.3 ***	<0.8 <sup>3/</sup>
	23:55-00:00 HOUR	40.5 <sup>2/</sup>	39.3 ***	37.3 <sup>2/</sup>	38.3 ***	<0.8 <sup>3/</sup>
JANUARY 17, 2024	<b>NIGHT TIME</b> <sup>2/</sup>					
T24AB382-0005	00:00-00:05 HOUR	41.0 <sup>2/</sup>	38.9 ***	39.8 <sup>2/</sup>	38.2 ***	1.6
	00:05-00:10 HOUR	40.7 <sup>2/</sup>	38.9 ***	39.0 <sup>2/</sup>	38.2 ***	0.8
	00:10-00:15 HOUR	40.8 <sup>2/</sup>	38.9 ***	39.3 <sup>2/</sup>	38.2 ***	1.1
	00:15-00:20 HOUR	40.8 <sup>2/</sup>	40.7 ***	27.4 <sup>2/</sup>	40.0 ***	<0.8 <sup>3/</sup>
	00:20-00:25 HOUR	41.3 <sup>2/</sup>	40.7 ***	35.4 <sup>2/</sup>	40.0 ***	<0.8 <sup>3/</sup>
	00:25-00:30 HOUR	41.4 <sup>2/</sup>	40.7 ***	36.1 <sup>2/</sup>	40.0 ***	<0.8 <sup>3/</sup>
	00:30-00:35 HOUR	41.8 <sup>2/</sup>	41.3 ***	35.2 <sup>2/</sup>	40.5 ***	<0.8 <sup>3/</sup>
	00:35-00:40 HOUR	42.4 <sup>2/</sup>	41.3 ***	38.9 <sup>2/</sup>	40.5 ***	<0.8 <sup>3/</sup>
	00:40-00:45 HOUR	42.4 <sup>2/</sup>	41.3 ***	38.9 <sup>2/</sup>	40.5 ***	<0.8 <sup>3/</sup>
	00:45-00:50 HOUR	43.1 <sup>2/</sup>	42.2 ***	38.8 <sup>2/</sup>	41.5 ***	<0.8 <sup>3/</sup>
	00:50-00:55 HOUR	43.5 <sup>2/</sup>	42.2 ***	40.6 <sup>2/</sup>	41.5 ***	<0.8 <sup>3/</sup>
	00:55-01:00 HOUR	43.8 <sup>2/</sup>	42.2 ***	41.7 <sup>2/</sup>	41.5 ***	<0.8 <sup>3/</sup>
	01:00-01:05 HOUR	44.2 <sup>2/</sup>	44.7 ***	<0.8 <sup>3/</sup>	43.3 ***	<0.8 <sup>3/</sup>
	01:05-01:10 HOUR	44.8 <sup>2/</sup>	44.7 ***	31.4 <sup>2/</sup>	43.3 ***	<0.8 <sup>3/</sup>
	01:10-01:15 HOUR	44.4 <sup>2/</sup>	44.7 ***	<0.8 <sup>3/</sup>	43.3 ***	<0.8 <sup>3/</sup>
	01:15-01:20 HOUR	47.6 <sup>2/</sup>	45.4 ***	46.6 <sup>2/</sup>	44.7 ***	1.9
	01:20-01:25 HOUR	47.5 <sup>2/</sup>	45.4 ***	46.3 <sup>2/</sup>	44.7 ***	1.6
	01:25-01:30 HOUR	47.4 <sup>2/</sup>	45.4 ***	46.1 <sup>2/</sup>	44.7 ***	1.4

DATE	TIME*	RESULT (dB(A))				
		โรงเรียนแก้งคำประชาสามัคคี				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
JANUARY 17, 2024	<b>NIGHT TIME</b> <sup>2/</sup>					
T24AB382-0005	01:30-01:35 HOUR	47.1 <sup>2/</sup>	47.1 ***	<0.8 <sup>3/</sup>	46.3 ***	<0.8 <sup>3/</sup>
	01:35-01:40 HOUR	47.0 <sup>2/</sup>	47.1 ***	<0.8 <sup>3/</sup>	46.3 ***	<0.8 <sup>3/</sup>
	01:40-01:45 HOUR	47.2 <sup>2/</sup>	47.1 ***	33.8 <sup>2/</sup>	46.3 ***	<0.8 <sup>3/</sup>
	01:45-01:50 HOUR	49.9 <sup>2/</sup>	46.5 ***	50.2 <sup>2/</sup>	45.7 ***	4.5
	01:50-01:55 HOUR	49.2 <sup>2/</sup>	46.5 ***	48.9 <sup>2/</sup>	45.7 ***	3.2
	01:55-02:00 HOUR	47.6 <sup>2/</sup>	46.5 ***	44.1 <sup>2/</sup>	45.7 ***	<0.8 <sup>3/</sup>
	02:00-02:05 HOUR	47.1 <sup>2/</sup>	45.7 ***	44.5 <sup>2/</sup>	44.9 ***	<0.8 <sup>3/</sup>
	02:05-02:10 HOUR	46.8 <sup>2/</sup>	45.7 ***	43.3 <sup>2/</sup>	44.9 ***	<0.8 <sup>3/</sup>
	02:10-02:15 HOUR	47.0 <sup>2/</sup>	45.7 ***	44.1 <sup>2/</sup>	44.9 ***	<0.8 <sup>3/</sup>
	02:15-02:20 HOUR	47.0 <sup>2/</sup>	46.7 ***	38.2 <sup>2/</sup>	45.6 ***	<0.8 <sup>3/</sup>
	02:20-02:25 HOUR	47.2 <sup>2/</sup>	46.7 ***	40.6 <sup>2/</sup>	45.6 ***	<0.8 <sup>3/</sup>
	02:25-02:30 HOUR	46.9 <sup>2/</sup>	46.7 ***	36.4 <sup>2/</sup>	45.6 ***	<0.8 <sup>3/</sup>
	02:30-02:35 HOUR	46.9 <sup>2/</sup>	45.4 ***	44.6 <sup>2/</sup>	44.7 ***	<0.8 <sup>3/</sup>
	02:35-02:40 HOUR	47.8 <sup>2/</sup>	45.4 ***	47.1 <sup>2/</sup>	44.7 ***	2.4
	02:40-02:45 HOUR	47.2 <sup>2/</sup>	45.4 ***	45.5 <sup>2/</sup>	44.7 ***	0.8
	02:45-02:50 HOUR	47.3 <sup>2/</sup>	46.5 ***	42.6 <sup>2/</sup>	45.6 ***	<0.8 <sup>3/</sup>
	02:50-02:55 HOUR	47.5 <sup>2/</sup>	46.5 ***	43.6 <sup>2/</sup>	45.6 ***	<0.8 <sup>3/</sup>
	02:55-03:00 HOUR	47.5 <sup>2/</sup>	46.5 ***	43.6 <sup>2/</sup>	45.6 ***	<0.8 <sup>3/</sup>
	03:00-03:05 HOUR	47.1 <sup>2/</sup>	46.1 ***	43.2 <sup>2/</sup>	45.4 ***	<0.8 <sup>3/</sup>
	03:05-03:10 HOUR	46.2 <sup>2/</sup>	46.1 ***	32.8 <sup>2/</sup>	45.4 ***	<0.8 <sup>3/</sup>
	03:10-03:15 HOUR	46.8 <sup>2/</sup>	46.1 ***	41.5 <sup>2/</sup>	45.4 ***	<0.8 <sup>3/</sup>
	03:15-03:20 HOUR	47.4 <sup>2/</sup>	45.6 ***	45.7 <sup>2/</sup>	44.7 ***	1.0
	03:20-03:25 HOUR	46.8 <sup>2/</sup>	45.6 ***	43.6 <sup>2/</sup>	44.7 ***	<0.8 <sup>3/</sup>
	03:25-03:30 HOUR	46.6 <sup>2/</sup>	45.6 ***	42.7 <sup>2/</sup>	44.7 ***	<0.8 <sup>3/</sup>
	03:30-03:35 HOUR	46.1 <sup>2/</sup>	42.5 ***	46.6 <sup>2/</sup>	41.5 ***	5.1
	03:35-03:40 HOUR	44.1 <sup>2/</sup>	42.5 ***	42.0 <sup>2/</sup>	41.5 ***	<0.8 <sup>3/</sup>
	03:40-03:45 HOUR	43.6 <sup>2/</sup>	42.5 ***	40.1 <sup>2/</sup>	41.5 ***	<0.8 <sup>3/</sup>
	03:45-03:50 HOUR	43.6 <sup>2/</sup>	40.9 ***	43.3 <sup>2/</sup>	40.2 ***	3.1
	03:50-03:55 HOUR	43.4 <sup>2/</sup>	40.9 ***	42.8 <sup>2/</sup>	40.2 ***	2.6
	03:55-04:00 HOUR	42.8 <sup>2/</sup>	40.9 ***	41.3 <sup>2/</sup>	40.2 ***	1.1
	04:00-04:05 HOUR	42.8 <sup>2/</sup>	43.7 ***	<0.8 <sup>3/</sup>	41.7 ***	<0.8 <sup>3/</sup>
	04:05-04:10 HOUR	42.6 <sup>2/</sup>	43.7 ***	<0.8 <sup>3/</sup>	41.7 ***	<0.8 <sup>3/</sup>
	04:10-04:15 HOUR	47.0 <sup>2/</sup>	43.7 ***	47.3 <sup>2/</sup>	41.7 ***	5.6
	04:15-04:20 HOUR	44.0 <sup>2/</sup>	41.4 ***	43.5 <sup>2/</sup>	40.4 ***	3.1
	04:20-04:25 HOUR	43.7 <sup>2/</sup>	41.4 ***	42.8 <sup>2/</sup>	40.4 ***	2.4
	04:25-04:30 HOUR	42.9 <sup>2/</sup>	41.4 ***	40.6 <sup>2/</sup>	40.4 ***	<0.8 <sup>3/</sup>
	04:30-04:35 HOUR	42.9 <sup>2/</sup>	41.6 ***	40.0 <sup>2/</sup>	40.7 ***	<0.8 <sup>3/</sup>
	04:35-04:40 HOUR	43.3 <sup>2/</sup>	41.6 ***	41.4 <sup>2/</sup>	40.7 ***	<0.8 <sup>3/</sup>
	04:40-04:45 HOUR	42.8 <sup>2/</sup>	41.6 ***	39.6 <sup>2/</sup>	40.7 ***	<0.8 <sup>3/</sup>
	04:45-04:50 HOUR	41.3 <sup>2/</sup>	40.7 ***	35.4 <sup>2/</sup>	39.6 ***	<0.8 <sup>3/</sup>
	04:50-04:55 HOUR	42.1 <sup>2/</sup>	40.7 ***	39.5 <sup>2/</sup>	39.6 ***	<0.8 <sup>3/</sup>
	04:55-05:00 HOUR	42.4 <sup>2/</sup>	40.7 ***	40.5 <sup>2/</sup>	39.6 ***	0.9
	05:00-05:05 HOUR	41.9 <sup>2/</sup>	39.7 ***	40.9 <sup>2/</sup>	38.8 ***	2.1
	05:05-05:10 HOUR	41.9 <sup>2/</sup>	39.7 ***	40.9 <sup>2/</sup>	38.8 ***	2.1

DATE	TIME*	RESULT (dB(A))				
		โรงเรียนแก่งคำประชาสามัคคี				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
JANUARY 17, 2024 T24AB382-0005	<b>NIGHT TIME</b> <sup>2/</sup>					
	05:10-05:15 HOUR	41.8 <sup>2/</sup>	39.7 ***	40.6 <sup>2/</sup>	38.8 ***	1.8
	05:15-05:20 HOUR	41.7 <sup>2/</sup>	40.9 ***	37.0 <sup>2/</sup>	39.4 ***	<0.8 <sup>3/</sup>
	05:20-05:25 HOUR	42.4 <sup>2/</sup>	40.9 ***	40.1 <sup>2/</sup>	39.4 ***	<0.8 <sup>3/</sup>
	05:25-05:30 HOUR	41.5 <sup>2/</sup>	40.9 ***	35.6 <sup>2/</sup>	39.4 ***	<0.8 <sup>3/</sup>
	05:30-05:35 HOUR	41.2 <sup>2/</sup>	41.5 ***	<0.8 <sup>3/</sup>	39.5 ***	<0.8 <sup>3/</sup>
	05:35-05:40 HOUR	42.4 <sup>2/</sup>	41.5 ***	38.1 <sup>2/</sup>	39.5 ***	<0.8 <sup>3/</sup>
	05:40-05:45 HOUR	43.3 <sup>2/</sup>	41.5 ***	41.6 <sup>2/</sup>	39.5 ***	2.1
	05:45-05:50 HOUR	42.3 <sup>2/</sup>	41.7 ***	36.4 <sup>2/</sup>	39.8 ***	<0.8 <sup>3/</sup>
	05:50-05:55 HOUR	41.9 <sup>2/</sup>	41.7 ***	31.4 <sup>2/</sup>	39.8 ***	<0.8 <sup>3/</sup>
	05:55-06:00 HOUR	42.6 <sup>2/</sup>	41.7 ***	38.3 <sup>2/</sup>	39.8 ***	<0.8 <sup>3/</sup>
	<b>DAY TIME</b> <sup>1/</sup>					
	06:00-07:00 HOUR	45.0 <sup>1/</sup>	44.5 **	35.4 <sup>1/</sup>	39.7 **	<0.8 <sup>3/</sup>
JANUARY 17, 2024 T24AB382-0006	<b>DAY TIME</b> <sup>1/</sup>					
	07:00-08:00 HOUR	57.5 <sup>1/</sup>	54.1 **	54.8 <sup>1/</sup>	49.7 **	5.1
	08:00-09:00 HOUR	55.0 <sup>1/</sup>	50.1 **	53.3 <sup>1/</sup>	45.5 **	7.8
	09:00-10:00 HOUR	50.8 <sup>1/</sup>	48.1 **	47.5 <sup>1/</sup>	42.2 **	5.3
	10:00-11:00 HOUR	54.4 <sup>1/</sup>	50.9 **	51.8 <sup>1/</sup>	45.4 **	6.4
	11:00-12:00 HOUR	56.3 <sup>1/</sup>	56.0 **	44.5 <sup>1/</sup>	45.0 **	<0.8 <sup>3/</sup>
	12:00-13:00 HOUR	51.7 <sup>1/</sup>	49.5 **	47.7 <sup>1/</sup>	40.8 **	6.9
	13:00-14:00 HOUR	51.1 <sup>1/</sup>	47.4 **	48.7 <sup>1/</sup>	41.6 **	7.1
	14:00-15:00 HOUR	50.5 <sup>1/</sup>	48.7 **	45.8 <sup>1/</sup>	41.4 **	4.4
	15:00-16:00 HOUR	49.9 <sup>1/</sup>	47.0 **	46.8 <sup>1/</sup>	39.6 **	7.2
	16:00-17:00 HOUR	40.2 <sup>1/</sup>	39.5 **	31.9 <sup>1/</sup>	34.5 **	<0.8 <sup>3/</sup>
	17:00-18:00 HOUR	42.9 <sup>1/</sup>	39.9 **	39.9 <sup>1/</sup>	35.0 **	4.9
	18:00-19:00 HOUR	45.4 <sup>1/</sup>	39.3 **	44.2 <sup>1/</sup>	37.5 **	6.7
	19:00-20:00 HOUR	44.1 <sup>1/</sup>	41.4 **	40.8 <sup>1/</sup>	40.4 **	<0.8 <sup>3/</sup>
	20:00-21:00 HOUR	43.3 <sup>1/</sup>	41.7 **	38.2 <sup>1/</sup>	40.9 **	<0.8 <sup>3/</sup>
	21:00-22:00 HOUR	52.3 <sup>1/</sup>	45.1 **	51.4 <sup>1/</sup>	44.1 **	7.3
	<b>NIGHT TIME</b> <sup>2/</sup>					
	22:00-22:05 HOUR	41.8 <sup>2/</sup>	40.7 ***	38.3 <sup>2/</sup>	39.7 ***	<0.8 <sup>3/</sup>
	22:05-22:10 HOUR	41.9 <sup>2/</sup>	40.7 ***	38.7 <sup>2/</sup>	39.7 ***	<0.8 <sup>3/</sup>
	22:10-22:15 HOUR	42.1 <sup>2/</sup>	40.7 ***	39.5 <sup>2/</sup>	39.7 ***	<0.8 <sup>3/</sup>
	22:15-22:20 HOUR	42.0 <sup>2/</sup>	40.6 ***	39.4 <sup>2/</sup>	39.8 ***	<0.8 <sup>3/</sup>
	22:20-22:25 HOUR	41.9 <sup>2/</sup>	40.6 ***	39.0 <sup>2/</sup>	39.8 ***	<0.8 <sup>3/</sup>
	22:25-22:30 HOUR	42.0 <sup>2/</sup>	40.6 ***	39.4 <sup>2/</sup>	39.8 ***	<0.8 <sup>3/</sup>
	22:30-22:35 HOUR	41.7 <sup>2/</sup>	42.0 ***	<0.8 <sup>3/</sup>	41.2 ***	<0.8 <sup>3/</sup>
	22:35-22:40 HOUR	42.9 <sup>2/</sup>	42.0 ***	38.6 <sup>2/</sup>	41.2 ***	<0.8 <sup>3/</sup>
	22:40-22:45 HOUR	42.8 <sup>2/</sup>	42.0 ***	38.1 <sup>2/</sup>	41.2 ***	<0.8 <sup>3/</sup>
	22:45-22:50 HOUR	43.0 <sup>2/</sup>	41.3 ***	41.1 <sup>2/</sup>	40.3 ***	0.8
	22:50-22:55 HOUR	41.9 <sup>2/</sup>	41.3 ***	36.0 <sup>2/</sup>	40.3 ***	<0.8 <sup>3/</sup>
	22:55-23:00 HOUR	42.8 <sup>2/</sup>	41.3 ***	40.5 <sup>2/</sup>	40.3 ***	<0.8 <sup>3/</sup>
	23:00-23:05 HOUR	42.4 <sup>2/</sup>	41.7 ***	37.1 <sup>2/</sup>	40.9 ***	<0.8 <sup>3/</sup>
	23:05-23:10 HOUR	42.3 <sup>2/</sup>	41.7 ***	36.4 <sup>2/</sup>	40.9 ***	<0.8 <sup>3/</sup>
	23:10-23:15 HOUR	43.1 <sup>2/</sup>	41.7 ***	40.5 <sup>2/</sup>	40.9 ***	<0.8 <sup>3/</sup>
	23:15-23:20 HOUR	43.7 <sup>2/</sup>	42.3 ***	41.1 <sup>2/</sup>	41.4 ***	<0.8 <sup>3/</sup>

DATE	TIME*	RESULT (dB(A))				
		โรงเรียนแก้งคำประชาสามัคคี				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
JANUARY 17, 2024	<b>NIGHT TIME</b> <sup>2/</sup>					
T24AB382-0006	23:20-23:25 HOUR	43.3 <sup>2/</sup>	42.3 ***	39.4 <sup>2/</sup>	41.4 ***	<0.8 <sup>3/</sup>
	23:25-23:30 HOUR	44.2 <sup>2/</sup>	42.3 ***	42.7 <sup>2/</sup>	41.4 ***	1.3
	23:30-23:35 HOUR	44.6 <sup>2/</sup>	44.2 ***	37.0 <sup>2/</sup>	43.5 ***	<0.8 <sup>3/</sup>
	23:35-23:40 HOUR	45.0 <sup>2/</sup>	44.2 ***	40.3 <sup>2/</sup>	43.5 ***	<0.8 <sup>3/</sup>
	23:40-23:45 HOUR	45.6 <sup>2/</sup>	44.2 ***	43.0 <sup>2/</sup>	43.5 ***	<0.8 <sup>3/</sup>
	23:45-23:50 HOUR	46.1 <sup>2/</sup>	44.7 ***	43.5 <sup>2/</sup>	44.0 ***	<0.8 <sup>3/</sup>
	23:50-23:55 HOUR	45.9 <sup>2/</sup>	44.7 ***	42.7 <sup>2/</sup>	44.0 ***	<0.8 <sup>3/</sup>
	23:55-00:00 HOUR	46.1 <sup>2/</sup>	44.7 ***	43.5 <sup>2/</sup>	44.0 ***	<0.8 <sup>3/</sup>
JANUARY 18, 2024	<b>NIGHT TIME</b> <sup>2/</sup>					
T24AB382-0006	00:00-00:05 HOUR	46.1 <sup>2/</sup>	45.1 ***	42.2 <sup>2/</sup>	44.4 ***	<0.8 <sup>3/</sup>
	00:05-00:10 HOUR	46.5 <sup>2/</sup>	45.1 ***	43.9 <sup>2/</sup>	44.4 ***	<0.8 <sup>3/</sup>
	00:10-00:15 HOUR	46.4 <sup>2/</sup>	45.1 ***	43.5 <sup>2/</sup>	44.4 ***	<0.8 <sup>3/</sup>
	00:15-00:20 HOUR	46.6 <sup>2/</sup>	46.4 ***	36.1 <sup>2/</sup>	45.5 ***	<0.8 <sup>3/</sup>
	00:20-00:25 HOUR	46.7 <sup>2/</sup>	46.4 ***	37.9 <sup>2/</sup>	45.5 ***	<0.8 <sup>3/</sup>
	00:25-00:30 HOUR	46.7 <sup>2/</sup>	46.4 ***	37.9 <sup>2/</sup>	45.5 ***	<0.8 <sup>3/</sup>
	00:30-00:35 HOUR	47.2 <sup>2/</sup>	47.0 ***	36.7 <sup>2/</sup>	46.1 ***	<0.8 <sup>3/</sup>
	00:35-00:40 HOUR	47.5 <sup>2/</sup>	47.0 ***	40.9 <sup>2/</sup>	46.1 ***	<0.8 <sup>3/</sup>
	00:40-00:45 HOUR	47.6 <sup>2/</sup>	47.0 ***	41.7 <sup>2/</sup>	46.1 ***	<0.8 <sup>3/</sup>
	00:45-00:50 HOUR	47.3 <sup>2/</sup>	45.4 ***	45.8 <sup>2/</sup>	44.8 ***	1.0
	00:50-00:55 HOUR	47.3 <sup>2/</sup>	45.4 ***	45.8 <sup>2/</sup>	44.8 ***	1.0
	00:55-01:00 HOUR	47.2 <sup>2/</sup>	45.4 ***	45.5 <sup>2/</sup>	44.8 ***	<0.8 <sup>3/</sup>
	01:00-01:05 HOUR	47.5 <sup>2/</sup>	45.9 ***	45.4 <sup>2/</sup>	45.2 ***	<0.8 <sup>3/</sup>
	01:05-01:10 HOUR	47.6 <sup>2/</sup>	45.9 ***	45.7 <sup>2/</sup>	45.2 ***	<0.8 <sup>3/</sup>
	01:10-01:15 HOUR	47.7 <sup>2/</sup>	45.9 ***	46.0 <sup>2/</sup>	45.2 ***	0.8
	01:15-01:20 HOUR	47.9 <sup>2/</sup>	46.4 ***	45.6 <sup>2/</sup>	45.8 ***	<0.8 <sup>3/</sup>
	01:20-01:25 HOUR	47.8 <sup>2/</sup>	46.4 ***	45.2 <sup>2/</sup>	45.8 ***	<0.8 <sup>3/</sup>
	01:25-01:30 HOUR	47.8 <sup>2/</sup>	46.4 ***	45.2 <sup>2/</sup>	45.8 ***	<0.8 <sup>3/</sup>
	01:30-01:35 HOUR	47.7 <sup>2/</sup>	46.2 ***	45.4 <sup>2/</sup>	45.5 ***	<0.8 <sup>3/</sup>
	01:35-01:40 HOUR	47.8 <sup>2/</sup>	46.2 ***	45.7 <sup>2/</sup>	45.5 ***	<0.8 <sup>3/</sup>
	01:40-01:45 HOUR	47.6 <sup>2/</sup>	46.2 ***	45.0 <sup>2/</sup>	45.5 ***	<0.8 <sup>3/</sup>
	01:45-01:50 HOUR	47.6 <sup>2/</sup>	46.2 ***	45.0 <sup>2/</sup>	45.5 ***	<0.8 <sup>3/</sup>
	01:50-01:55 HOUR	47.8 <sup>2/</sup>	46.2 ***	45.7 <sup>2/</sup>	45.5 ***	<0.8 <sup>3/</sup>
	01:55-02:00 HOUR	47.9 <sup>2/</sup>	46.2 ***	46.0 <sup>2/</sup>	45.5 ***	<0.8 <sup>3/</sup>
	02:00-02:05 HOUR	47.8 <sup>2/</sup>	45.4 ***	47.1 <sup>2/</sup>	44.6 ***	2.5
	02:05-02:10 HOUR	47.3 <sup>2/</sup>	45.4 ***	45.8 <sup>2/</sup>	44.6 ***	1.2
	02:10-02:15 HOUR	47.3 <sup>2/</sup>	45.4 ***	45.8 <sup>2/</sup>	44.6 ***	1.2
	02:15-02:20 HOUR	47.4 <sup>2/</sup>	45.9 ***	45.1 <sup>2/</sup>	45.1 ***	<0.8 <sup>3/</sup>
	02:20-02:25 HOUR	47.1 <sup>2/</sup>	45.9 ***	43.9 <sup>2/</sup>	45.1 ***	<0.8 <sup>3/</sup>
	02:25-02:30 HOUR	47.4 <sup>2/</sup>	45.9 ***	45.1 <sup>2/</sup>	45.1 ***	<0.8 <sup>3/</sup>
	02:30-02:35 HOUR	47.2 <sup>2/</sup>	45.0 ***	46.2 <sup>2/</sup>	44.2 ***	2.0
	02:35-02:40 HOUR	47.0 <sup>2/</sup>	45.0 ***	45.7 <sup>2/</sup>	44.2 ***	1.5
	02:40-02:45 HOUR	46.7 <sup>2/</sup>	45.0 ***	44.8 <sup>2/</sup>	44.2 ***	<0.8 <sup>3/</sup>
	02:45-02:50 HOUR	46.8 <sup>2/</sup>	46.3 ***	40.2 <sup>2/</sup>	45.3 ***	<0.8 <sup>3/</sup>
	02:50-02:55 HOUR	46.4 <sup>2/</sup>	46.3 ***	33.0 <sup>2/</sup>	45.3 ***	<0.8 <sup>3/</sup>

DATE	TIME*	RESULT (dB(A))				
		โรงเรียนแก่งคำประชาสามัคคี				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
JANUARY 18, 2024	<b>NIGHT TIME <sup>2/</sup></b>					
T24AB382-0006	02:55-03:00 HOUR	47.4 <sup>2/</sup>	46.3 ***	43.9 <sup>2/</sup>	45.3 ***	<0.8 <sup>3/</sup>
	03:00-03:05 HOUR	46.4 <sup>2/</sup>	45.5 ***	42.1 <sup>2/</sup>	44.7 ***	<0.8 <sup>3/</sup>
	03:05-03:10 HOUR	46.3 <sup>2/</sup>	45.5 ***	41.6 <sup>2/</sup>	44.7 ***	<0.8 <sup>3/</sup>
	03:10-03:15 HOUR	46.5 <sup>2/</sup>	45.5 ***	42.6 <sup>2/</sup>	44.7 ***	<0.8 <sup>3/</sup>
	03:15-03:20 HOUR	46.0 <sup>2/</sup>	45.2 ***	41.3 <sup>2/</sup>	44.5 ***	<0.8 <sup>3/</sup>
	03:20-03:25 HOUR	46.4 <sup>2/</sup>	45.2 ***	43.2 <sup>2/</sup>	44.5 ***	<0.8 <sup>3/</sup>
	03:25-03:30 HOUR	46.1 <sup>2/</sup>	45.2 ***	41.8 <sup>2/</sup>	44.5 ***	<0.8 <sup>3/</sup>
	03:30-03:35 HOUR	46.1 <sup>2/</sup>	42.3 ***	46.8 <sup>2/</sup>	41.6 ***	5.2
	03:35-03:40 HOUR	46.2 <sup>2/</sup>	42.3 ***	46.9 <sup>2/</sup>	41.6 ***	5.3
	03:40-03:45 HOUR	42.4 <sup>2/</sup>	42.3 ***	29.0 <sup>2/</sup>	41.6 ***	<0.8 <sup>3/</sup>
	03:45-03:50 HOUR	43.4 <sup>2/</sup>	42.7 ***	38.1 <sup>2/</sup>	41.9 ***	<0.8 <sup>3/</sup>
	03:50-03:55 HOUR	43.8 <sup>2/</sup>	42.7 ***	40.3 <sup>2/</sup>	41.9 ***	<0.8 <sup>3/</sup>
	03:55-04:00 HOUR	43.7 <sup>2/</sup>	42.7 ***	39.8 <sup>2/</sup>	41.9 ***	<0.8 <sup>3/</sup>
	04:00-04:05 HOUR	44.7 <sup>2/</sup>	43.4 ***	41.8 <sup>2/</sup>	42.7 ***	<0.8 <sup>3/</sup>
	04:05-04:10 HOUR	44.3 <sup>2/</sup>	43.4 ***	40.0 <sup>2/</sup>	42.7 ***	<0.8 <sup>3/</sup>
	04:10-04:15 HOUR	43.4 <sup>2/</sup>	43.4 ***	<0.8 <sup>3/</sup>	42.7 ***	<0.8 <sup>3/</sup>
	04:15-04:20 HOUR	43.9 <sup>2/</sup>	40.9 ***	43.9 <sup>2/</sup>	39.9 ***	4.0
	04:20-04:25 HOUR	43.7 <sup>2/</sup>	40.9 ***	43.5 <sup>2/</sup>	39.9 ***	3.6
	04:25-04:30 HOUR	43.0 <sup>2/</sup>	40.9 ***	41.8 <sup>2/</sup>	39.9 ***	1.9
	04:30-04:35 HOUR	42.4 <sup>2/</sup>	41.3 ***	38.9 <sup>2/</sup>	40.5 ***	<0.8 <sup>3/</sup>
	04:35-04:40 HOUR	42.3 <sup>2/</sup>	41.3 ***	38.4 <sup>2/</sup>	40.5 ***	<0.8 <sup>3/</sup>
	04:40-04:45 HOUR	41.8 <sup>2/</sup>	41.3 ***	35.2 <sup>2/</sup>	40.5 ***	<0.8 <sup>3/</sup>
	04:45-04:50 HOUR	41.7 <sup>2/</sup>	41.3 ***	34.1 <sup>2/</sup>	40.4 ***	<0.8 <sup>3/</sup>
	04:50-04:55 HOUR	41.9 <sup>2/</sup>	41.3 ***	36.0 <sup>2/</sup>	40.4 ***	<0.8 <sup>3/</sup>
	04:55-05:00 HOUR	41.6 <sup>2/</sup>	41.3 ***	32.8 <sup>2/</sup>	40.4 ***	<0.8 <sup>3/</sup>
	05:00-05:05 HOUR	41.4 <sup>2/</sup>	41.0 ***	33.8 <sup>2/</sup>	39.6 ***	<0.8 <sup>3/</sup>
	05:05-05:10 HOUR	42.3 <sup>2/</sup>	41.0 ***	39.4 <sup>2/</sup>	39.6 ***	<0.8 <sup>3/</sup>
	05:10-05:15 HOUR	43.1 <sup>2/</sup>	41.0 ***	41.9 <sup>2/</sup>	39.6 ***	2.3
	05:15-05:20 HOUR	41.7 <sup>2/</sup>	41.6 ***	28.3 <sup>2/</sup>	39.8 ***	<0.8 <sup>3/</sup>
	05:20-05:25 HOUR	41.2 <sup>2/</sup>	41.6 ***	<0.8 <sup>3/</sup>	39.8 ***	<0.8 <sup>3/</sup>
	05:25-05:30 HOUR	41.3 <sup>2/</sup>	41.6 ***	<0.8 <sup>3/</sup>	39.8 ***	<0.8 <sup>3/</sup>
	05:30-05:35 HOUR	44.1 <sup>2/</sup>	40.9 ***	44.3 <sup>2/</sup>	39.4 ***	4.9
	05:35-05:40 HOUR	41.9 <sup>2/</sup>	40.9 ***	38.0 <sup>2/</sup>	39.4 ***	<0.8 <sup>3/</sup>
	05:40-05:45 HOUR	42.0 <sup>2/</sup>	40.9 ***	38.5 <sup>2/</sup>	39.4 ***	<0.8 <sup>3/</sup>
	05:45-05:50 HOUR	41.2 <sup>2/</sup>	39.5 ***	39.3 <sup>2/</sup>	37.1 ***	2.2
	05:50-05:55 HOUR	40.4 <sup>2/</sup>	39.5 ***	36.1 <sup>2/</sup>	37.1 ***	<0.8 <sup>3/</sup>
	05:55-06:00 HOUR	41.2 <sup>2/</sup>	39.5 ***	39.3 <sup>2/</sup>	37.1 ***	2.2
	<b>DAY TIME <sup>1/</sup></b>					
	06:00-07:00 HOUR	43.4 <sup>1/</sup>	40.3 **	40.5 <sup>1/</sup>	37.5 **	3.0
JANUARY 18, 2024	<b>DAY TIME <sup>1/</sup></b>					
T24AB382-0007	07:00-08:00 HOUR	46.4 <sup>1/</sup>	43.1 **	43.7 <sup>1/</sup>	36.7 **	7.0
	08:00-09:00 HOUR	47.9 <sup>1/</sup>	46.0 **	43.4 <sup>1/</sup>	38.0 **	5.4
	09:00-10:00 HOUR	45.1 <sup>1/</sup>	39.0 **	43.9 <sup>1/</sup>	37.0 **	6.9
	10:00-11:00 HOUR	46.2 <sup>1/</sup>	43.3 **	43.1 <sup>1/</sup>	35.9 **	7.2
	11:00-12:00 HOUR	40.8 <sup>1/</sup>	35.9 **	39.1 <sup>1/</sup>	33.0 **	6.1

DATE	TIME*	RESULT (dB(A))				
		โรงเรียนแก่งคำประชาสามัคคี				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
JANUARY 18, 2024	<b>DAY TIME <sup>1/</sup></b>					
T24AB382-0007	12:00-13:00 HOUR	42.0 <sup>1/</sup>	38.7 **	39.3 <sup>1/</sup>	33.6 **	5.7
	13:00-14:00 HOUR	41.3 <sup>1/</sup>	35.9 **	39.8 <sup>1/</sup>	33.7 **	6.1
	14:00-15:00 HOUR	43.5 <sup>1/</sup>	38.4 **	41.9 <sup>1/</sup>	34.2 **	7.7
	15:00-16:00 HOUR	46.5 <sup>1/</sup>	42.1 **	44.5 <sup>1/</sup>	37.6 **	6.9
	16:00-17:00 HOUR	43.6 <sup>1/</sup>	39.3 **	41.6 <sup>1/</sup>	33.8 **	7.8
	17:00-18:00 HOUR	42.0 <sup>1/</sup>	40.4 **	36.9 <sup>1/</sup>	33.6 **	3.3
	18:00-19:00 HOUR	44.3 <sup>1/</sup>	40.7 **	41.8 <sup>1/</sup>	38.1 **	3.7
	19:00-20:00 HOUR	42.1 <sup>1/</sup>	38.8 **	39.4 <sup>1/</sup>	37.4 **	2.0
	20:00-21:00 HOUR	42.6 <sup>1/</sup>	39.9 **	39.3 <sup>1/</sup>	38.2 **	1.1
	21:00-22:00 HOUR	43.2 <sup>1/</sup>	38.9 **	41.2 <sup>1/</sup>	37.1 **	4.1
	<b>NIGHT TIME <sup>2/</sup></b>					
	22:00-22:05 HOUR	40.9 <sup>2/</sup>	38.0 ***	40.8 <sup>2/</sup>	35.7 ***	5.1
	22:05-22:10 HOUR	41.4 <sup>2/</sup>	38.0 ***	41.7 <sup>2/</sup>	35.7 ***	6.0
	22:10-22:15 HOUR	40.0 <sup>2/</sup>	38.0 ***	38.7 <sup>2/</sup>	35.7 ***	3.0
	22:15-22:20 HOUR	40.2 <sup>2/</sup>	40.6 ***	<0.8 <sup>3/</sup>	36.1 ***	<0.8 <sup>3/</sup>
	22:20-22:25 HOUR	40.5 <sup>2/</sup>	40.6 ***	<0.8 <sup>3/</sup>	36.1 ***	<0.8 <sup>3/</sup>
	22:25-22:30 HOUR	40.8 <sup>2/</sup>	40.6 ***	30.3 <sup>2/</sup>	36.1 ***	<0.8 <sup>3/</sup>
	22:30-22:35 HOUR	41.9 <sup>2/</sup>	37.4 ***	43.0 <sup>2/</sup>	35.8 ***	7.2
	22:35-22:40 HOUR	41.6 <sup>2/</sup>	37.4 ***	42.5 <sup>2/</sup>	35.8 ***	6.7
	22:40-22:45 HOUR	39.3 <sup>2/</sup>	37.4 ***	37.8 <sup>2/</sup>	35.8 ***	2.0
	22:45-22:50 HOUR	40.1 <sup>2/</sup>	37.8 ***	39.2 <sup>2/</sup>	35.8 ***	3.4
	22:50-22:55 HOUR	40.0 <sup>2/</sup>	37.8 ***	39.0 <sup>2/</sup>	35.8 ***	3.2
	22:55-23:00 HOUR	39.1 <sup>2/</sup>	37.8 ***	36.2 <sup>2/</sup>	35.8 ***	<0.8 <sup>3/</sup>
	23:00-23:05 HOUR	43.0 <sup>2/</sup>	38.5 ***	44.1 <sup>2/</sup>	36.9 ***	7.2
	23:05-23:10 HOUR	42.3 <sup>2/</sup>	38.5 ***	43.0 <sup>2/</sup>	36.9 ***	6.1
	23:10-23:15 HOUR	41.8 <sup>2/</sup>	38.5 ***	42.1 <sup>2/</sup>	36.9 ***	5.2
	23:15-23:20 HOUR	40.6 <sup>2/</sup>	39.7 ***	36.3 <sup>2/</sup>	37.9 ***	<0.8 <sup>3/</sup>
	23:20-23:25 HOUR	39.6 <sup>2/</sup>	39.7 ***	<0.8 <sup>3/</sup>	37.9 ***	<0.8 <sup>3/</sup>
	23:25-23:30 HOUR	40.3 <sup>2/</sup>	39.7 ***	34.4 <sup>2/</sup>	37.9 ***	<0.8 <sup>3/</sup>
	23:30-23:35 HOUR	43.1 <sup>2/</sup>	38.6 ***	44.2 <sup>2/</sup>	37.6 ***	6.6
	23:35-23:40 HOUR	40.8 <sup>2/</sup>	38.6 ***	39.8 <sup>2/</sup>	37.6 ***	2.2
	23:40-23:45 HOUR	40.3 <sup>2/</sup>	38.6 ***	38.4 <sup>2/</sup>	37.6 ***	0.8
	23:45-23:50 HOUR	40.4 <sup>2/</sup>	38.4 ***	39.1 <sup>2/</sup>	37.5 ***	1.6
	23:50-23:55 HOUR	40.5 <sup>2/</sup>	38.4 ***	39.3 <sup>2/</sup>	37.5 ***	1.8
	23:55-00:00 HOUR	40.8 <sup>2/</sup>	38.4 ***	40.1 <sup>2/</sup>	37.5 ***	2.6
JANUARY 19, 2024	<b>NIGHT TIME <sup>2/</sup></b>					
T24AB382-0007	00:00-00:05 HOUR	41.3 <sup>2/</sup>	38.2 ***	41.4 <sup>2/</sup>	37.3 ***	4.1
	00:05-00:10 HOUR	40.7 <sup>2/</sup>	38.2 ***	40.1 <sup>2/</sup>	37.3 ***	2.8
	00:10-00:15 HOUR	41.0 <sup>2/</sup>	38.2 ***	40.8 <sup>2/</sup>	37.3 ***	3.5
	00:15-00:20 HOUR	40.6 <sup>2/</sup>	43.4 ***	<0.8 <sup>3/</sup>	38.4 ***	<0.8 <sup>3/</sup>
	00:20-00:25 HOUR	40.5 <sup>2/</sup>	43.4 ***	<0.8 <sup>3/</sup>	38.4 ***	<0.8 <sup>3/</sup>
	00:25-00:30 HOUR	46.2 <sup>2/</sup>	43.4 ***	46.0 <sup>2/</sup>	38.4 ***	7.6
	00:30-00:35 HOUR	40.9 <sup>2/</sup>	37.7 ***	41.1 <sup>2/</sup>	37.1 ***	4.0
	00:35-00:40 HOUR	40.3 <sup>2/</sup>	37.7 ***	39.8 <sup>2/</sup>	37.1 ***	2.7
	00:40-00:45 HOUR	40.5 <sup>2/</sup>	37.7 ***	40.3 <sup>2/</sup>	37.1 ***	3.2

DATE	TIME*	RESULT (dB(A))				
		โรงเรียนแก่งคำประชาสามัคคี				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
JANUARY 19, 2024 T24AB382-0007	<b>NIGHT TIME</b> <sup>2/</sup>					
	00:45-00:50 HOUR	41.1 <sup>2/</sup>	39.0 ***	39.9 <sup>2/</sup>	38.3 ***	1.6
	00:50-00:55 HOUR	41.3 <sup>2/</sup>	39.0 ***	40.4 <sup>2/</sup>	38.3 ***	2.1
	00:55-01:00 HOUR	41.1 <sup>2/</sup>	39.0 ***	39.9 <sup>2/</sup>	38.3 ***	1.6
	01:00-01:05 HOUR	41.1 <sup>2/</sup>	39.7 ***	38.5 <sup>2/</sup>	38.9 ***	<0.8 <sup>3/</sup>
	01:05-01:10 HOUR	41.0 <sup>2/</sup>	39.7 ***	38.1 <sup>2/</sup>	38.9 ***	<0.8 <sup>3/</sup>
	01:10-01:15 HOUR	41.5 <sup>2/</sup>	39.7 ***	39.8 <sup>2/</sup>	38.9 ***	0.9
	01:15-01:20 HOUR	41.2 <sup>2/</sup>	39.4 ***	39.5 <sup>2/</sup>	38.7 ***	0.8
	01:20-01:25 HOUR	41.5 <sup>2/</sup>	39.4 ***	40.3 <sup>2/</sup>	38.7 ***	1.6
	01:25-01:30 HOUR	41.5 <sup>2/</sup>	39.4 ***	40.3 <sup>2/</sup>	38.7 ***	1.6
	01:30-01:35 HOUR	42.3 <sup>2/</sup>	41.2 ***	38.8 <sup>2/</sup>	40.6 ***	<0.8 <sup>3/</sup>
	01:35-01:40 HOUR	43.7 <sup>2/</sup>	41.2 ***	43.1 <sup>2/</sup>	40.6 ***	2.5
	01:40-01:45 HOUR	43.2 <sup>2/</sup>	41.2 ***	41.9 <sup>2/</sup>	40.6 ***	1.3
	01:45-01:50 HOUR	43.0 <sup>2/</sup>	41.7 ***	40.1 <sup>2/</sup>	41.1 ***	<0.8 <sup>3/</sup>
	01:50-01:55 HOUR	43.4 <sup>2/</sup>	41.7 ***	41.5 <sup>2/</sup>	41.1 ***	<0.8 <sup>3/</sup>
	01:55-02:00 HOUR	43.6 <sup>2/</sup>	41.7 ***	42.1 <sup>2/</sup>	41.1 ***	1.0
	02:00-02:05 HOUR	43.9 <sup>2/</sup>	41.5 ***	43.2 <sup>2/</sup>	40.8 ***	2.4
	02:05-02:10 HOUR	43.8 <sup>2/</sup>	41.5 ***	42.9 <sup>2/</sup>	40.8 ***	2.1
	02:10-02:15 HOUR	44.7 <sup>2/</sup>	41.5 ***	44.9 <sup>2/</sup>	40.8 ***	4.1
	02:15-02:20 HOUR	45.2 <sup>2/</sup>	40.7 ***	46.3 <sup>2/</sup>	40.1 ***	6.2
	02:20-02:25 HOUR	44.4 <sup>2/</sup>	40.7 ***	45.0 <sup>2/</sup>	40.1 ***	4.9
	02:25-02:30 HOUR	43.7 <sup>2/</sup>	40.7 ***	43.7 <sup>2/</sup>	40.1 ***	3.6
	02:30-02:35 HOUR	43.8 <sup>2/</sup>	40.2 ***	44.3 <sup>2/</sup>	39.7 ***	4.6
	02:35-02:40 HOUR	42.9 <sup>2/</sup>	40.2 ***	42.6 <sup>2/</sup>	39.7 ***	2.9
	02:40-02:45 HOUR	42.7 <sup>2/</sup>	40.2 ***	42.1 <sup>2/</sup>	39.7 ***	2.4
	02:45-02:50 HOUR	42.5 <sup>2/</sup>	40.0 ***	41.9 <sup>2/</sup>	39.3 ***	2.6
	02:50-02:55 HOUR	42.4 <sup>2/</sup>	40.0 ***	41.7 <sup>2/</sup>	39.3 ***	2.4
	02:55-03:00 HOUR	42.3 <sup>2/</sup>	40.0 ***	41.4 <sup>2/</sup>	39.3 ***	2.1
	03:00-03:05 HOUR	41.4 <sup>2/</sup>	38.0 ***	41.7 <sup>2/</sup>	37.4 ***	4.3
	03:05-03:10 HOUR	42.0 <sup>2/</sup>	38.0 ***	42.8 <sup>2/</sup>	37.4 ***	5.4
	03:10-03:15 HOUR	41.6 <sup>2/</sup>	38.0 ***	42.1 <sup>2/</sup>	37.4 ***	4.7
	03:15-03:20 HOUR	41.7 <sup>2/</sup>	38.8 ***	41.6 <sup>2/</sup>	38.2 ***	3.4
	03:20-03:25 HOUR	41.6 <sup>2/</sup>	38.8 ***	41.4 <sup>2/</sup>	38.2 ***	3.2
	03:25-03:30 HOUR	41.2 <sup>2/</sup>	38.8 ***	40.5 <sup>2/</sup>	38.2 ***	2.3
	03:30-03:35 HOUR	40.7 <sup>2/</sup>	38.8 ***	39.2 <sup>2/</sup>	38.1 ***	1.1
	03:35-03:40 HOUR	41.5 <sup>2/</sup>	38.8 ***	41.2 <sup>2/</sup>	38.1 ***	3.1
	03:40-03:45 HOUR	41.8 <sup>2/</sup>	38.8 ***	41.8 <sup>2/</sup>	38.1 ***	3.7
	03:45-03:50 HOUR	41.4 <sup>2/</sup>	38.8 ***	40.9 <sup>2/</sup>	37.8 ***	3.1
	03:50-03:55 HOUR	42.2 <sup>2/</sup>	38.8 ***	42.5 <sup>2/</sup>	37.8 ***	4.7
	03:55-04:00 HOUR	40.9 <sup>2/</sup>	38.8 ***	39.7 <sup>2/</sup>	37.8 ***	1.9
	04:00-04:05 HOUR	40.3 <sup>2/</sup>	37.3 ***	40.3 <sup>2/</sup>	36.4 ***	3.9
	04:05-04:10 HOUR	39.5 <sup>2/</sup>	37.3 ***	38.5 <sup>2/</sup>	36.4 ***	2.1
	04:10-04:15 HOUR	39.6 <sup>2/</sup>	37.3 ***	38.7 <sup>2/</sup>	36.4 ***	2.3
	04:15-04:20 HOUR	39.4 <sup>2/</sup>	37.6 ***	37.7 <sup>2/</sup>	36.5 ***	1.2
	04:20-04:25 HOUR	39.8 <sup>2/</sup>	37.6 ***	38.8 <sup>2/</sup>	36.5 ***	2.3

DATE	TIME*	RESULT (dB(A))				
		โรงเรียนแก้งคำประชาสามัคคี				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
JANUARY 19, 2024 T24AB382-0007	<b>NIGHT TIME</b> <sup>2/</sup>					
	04:25-04:30 HOUR	39.3 <sup>2/</sup>	37.6 ***	37.4 <sup>2/</sup>	36.5 ***	0.9
	04:30-04:35 HOUR	39.2 <sup>2/</sup>	37.5 ***	37.3 <sup>2/</sup>	36.4 ***	0.9
	04:35-04:40 HOUR	40.0 <sup>2/</sup>	37.5 ***	39.4 <sup>2/</sup>	36.4 ***	3.0
	04:40-04:45 HOUR	40.2 <sup>2/</sup>	37.5 ***	39.9 <sup>2/</sup>	36.4 ***	3.5
	04:45-04:50 HOUR	39.0 <sup>2/</sup>	36.0 ***	39.0 <sup>2/</sup>	35.0 ***	4.0
	04:50-04:55 HOUR	38.7 <sup>2/</sup>	36.0 ***	38.4 <sup>2/</sup>	35.0 ***	3.4
	04:55-05:00 HOUR	37.9 <sup>2/</sup>	36.0 ***	36.4 <sup>2/</sup>	35.0 ***	1.4
	05:00-05:05 HOUR	38.3 <sup>2/</sup>	39.3 ***	<0.8 <sup>3/</sup>	36.3 ***	<0.8 <sup>3/</sup>
	05:05-05:10 HOUR	40.7 <sup>2/</sup>	39.3 ***	38.1 <sup>2/</sup>	36.3 ***	1.8
	05:10-05:15 HOUR	40.9 <sup>2/</sup>	39.3 ***	38.8 <sup>2/</sup>	36.3 ***	2.5
	05:15-05:20 HOUR	39.7 <sup>2/</sup>	43.4 ***	<0.8 <sup>3/</sup>	38.9 ***	<0.8 <sup>3/</sup>
	05:20-05:25 HOUR	40.2 <sup>2/</sup>	43.4 ***	<0.8 <sup>3/</sup>	38.9 ***	<0.8 <sup>3/</sup>
	05:25-05:30 HOUR	45.3 <sup>2/</sup>	43.4 ***	43.8 <sup>2/</sup>	38.9 ***	4.9
	05:30-05:35 HOUR	41.3 <sup>2/</sup>	38.3 ***	41.3 <sup>2/</sup>	36.5 ***	4.8
	05:35-05:40 HOUR	40.7 <sup>2/</sup>	38.3 ***	40.0 <sup>2/</sup>	36.5 ***	3.5
	05:40-05:45 HOUR	40.0 <sup>2/</sup>	38.3 ***	38.1 <sup>2/</sup>	36.5 ***	1.6
	05:45-05:50 HOUR	39.8 <sup>2/</sup>	38.4 ***	37.2 <sup>2/</sup>	34.9 ***	2.3
	05:50-05:55 HOUR	40.1 <sup>2/</sup>	38.4 ***	38.2 <sup>2/</sup>	34.9 ***	3.3
	05:55-06:00 HOUR	39.9 <sup>2/</sup>	38.4 ***	37.6 <sup>2/</sup>	34.9 ***	2.7
	<b>DAY TIME</b> <sup>1/</sup>					
	06:00-07:00 HOUR	43.0 <sup>1/</sup>	41.5 **	37.7 <sup>1/</sup>	35.7 **	2.0

- REMARK :**
- 1/ CASE 1 CALCULATION (DURING 06:00 TO 22:00 HOUR) : SPECIFIC SOUND LEVEL CONTINUOUSLY OCCUR AT LEAST 1 HOUR, MEASURING AS L<sub>Aeq</sub> 1 hour.
  - 2/ CASE 4 CALCULATION (DURING 22:00 TO 06:00 HOUR) : SPECIFIC SOUND LEVEL OCCUR IN RESTFUL AREA OR NIGHT TIME, MEASURING AS L<sub>Aeq</sub> 5 minutes.
  - 3/ THERE IS NO IMPACT CAUSE ANNOYANCE SOUND LEVEL
  - \*\* PERCENTILE LEVEL 90 (L<sub>A90</sub>) IS THE MIDDLE VALUE OF 11 TIMES MEASURING.  
(55 MINUTES MEASURING DURING 06:00 TO 22:00 HOUR)  
AND RESIDUAL SOUND LEVEL (L<sub>Aeq</sub> 5 minutes ) IS CHOSEN AT THE SAME TIME AS PERCENTILE LEVEL 90 ABOVE.
  - \*\*\* PERCENTILE LEVEL 90 (L<sub>A90</sub>) IS THE MIDDLE VALUE OF 3 TIMES MEASURING.  
(15 MINUTES MEASURING DURING 22:00 TO 06:00 HOUR)  
AND RESIDUAL SOUND LEVEL (L<sub>Aeq</sub> 5 minutes ) IS CHOSEN AT THE SAME TIME AS PERCENTILE LEVEL 90 ABOVE.

*Sila Banjongjairuk*

(MR SILA BANJONGJAIKUK)  
LABORATORY SUPERVISOR

JANUARY 29, 2024

## ANALYSIS REPORT

**PROJECT NAME** : การตรวจวัดคุณภาพสิ่งแวดล้อม (โครงการโรงไฟฟ้าชีวมวล) ประจำปี 2567  
**CUSTOMER NAME** : THAI ROONG RUANG INDUSTRY CO., LTD.  
**ADDRESS** : 90 MOO 8 UM CHAN KUSUMAN SAKON NAKHON 47210  
**CONTACT INFORMATION** : TEL : 09 5665 0649 e-mail : piyawan.pan@trrgroup.com  
**MEASURING PLACE** : บ้านโคกสะอาด  
**MEASURING TYPE** : AMBIENT (ANNOYANCE SOUND LEVEL)  
**MEASURING DATE** : JANUARY 12-19, 2024  
**MEASURING TIME** : \*  
**MEASURING EQUIPMENT** : INTEGRATED SOUND LEVEL METER AND CALCULATION  
**MEASURED BY** : MR PAIRAT KUMNERDRAKSA  
**RECEIVED DATE** : JANUARY 12-19, 2024  
**ANALYTICAL DATE** : JANUARY 12-19, 2024  
**REPORT NO.** : 2024-U007695  
**WORK NO.** : 2023-008918  
**ANALYSIS NO.** : T24AB382-0008 - T24AB382-0014

DATE	TIME*	RESULT (dB(A))				
		บ้านโคกสะอาด				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
JANUARY 12, 2024	<b>DAY TIME</b> <sup>1/</sup>					
T24AB382-0008	07:00-08:00 HOUR	50.0 <sup>1/</sup>	45.3 **	48.2 <sup>1/</sup>	41.3 **	6.9
	08:00-09:00 HOUR	49.6 <sup>1/</sup>	47.0 **	46.1 <sup>1/</sup>	41.9 **	4.2
	09:00-10:00 HOUR	52.7 <sup>1/</sup>	47.7 **	51.0 <sup>1/</sup>	43.5 **	7.5
	10:00-11:00 HOUR	49.4 <sup>1/</sup>	46.2 **	46.6 <sup>1/</sup>	41.8 **	4.8
	11:00-12:00 HOUR	49.5 <sup>1/</sup>	46.1 **	46.8 <sup>1/</sup>	42.0 **	4.8
	12:00-13:00 HOUR	51.7 <sup>1/</sup>	46.7 **	50.0 <sup>1/</sup>	43.3 **	6.7
	13:00-14:00 HOUR	47.6 <sup>1/</sup>	43.4 **	45.5 <sup>1/</sup>	40.3 **	5.2
	14:00-15:00 HOUR	49.6 <sup>1/</sup>	46.0 **	47.1 <sup>1/</sup>	42.2 **	4.9
	15:00-16:00 HOUR	48.9 <sup>1/</sup>	46.0 **	45.8 <sup>1/</sup>	40.1 **	5.7
	16:00-17:00 HOUR	47.8 <sup>1/</sup>	44.2 **	45.3 <sup>1/</sup>	40.7 **	4.6
	17:00-18:00 HOUR	45.5 <sup>1/</sup>	42.6 **	42.4 <sup>1/</sup>	39.2 **	3.2
	18:00-19:00 HOUR	46.6 <sup>1/</sup>	41.7 **	44.9 <sup>1/</sup>	38.6 **	6.3
	19:00-20:00 HOUR	43.1 <sup>1/</sup>	40.7 **	39.4 <sup>1/</sup>	37.4 **	2.0
	20:00-21:00 HOUR	44.2 <sup>1/</sup>	41.9 **	40.3 <sup>1/</sup>	38.4 **	1.9
	21:00-22:00 HOUR	44.3 <sup>1/</sup>	40.6 **	41.9 <sup>1/</sup>	37.7 **	4.2
	<b>NIGHT TIME</b> <sup>2/</sup>					
	22:00-22:05 HOUR	42.0 <sup>2/</sup>	41.0 ***	38.1 <sup>2/</sup>	37.4 ***	<0.8 <sup>3/</sup>
	22:05-22:10 HOUR	42.5 <sup>2/</sup>	41.0 ***	40.2 <sup>2/</sup>	37.4 ***	2.8
	22:10-22:15 HOUR	43.2 <sup>2/</sup>	41.0 ***	42.2 <sup>2/</sup>	37.4 ***	4.8
	22:15-22:20 HOUR	42.8 <sup>2/</sup>	41.8 ***	38.9 <sup>2/</sup>	37.0 ***	1.9
	22:20-22:25 HOUR	44.2 <sup>2/</sup>	41.8 ***	43.5 <sup>2/</sup>	37.0 ***	6.5
	22:25-22:30 HOUR	44.3 <sup>2/</sup>	41.8 ***	43.7 <sup>2/</sup>	37.0 ***	6.7
	22:30-22:35 HOUR	46.8 <sup>2/</sup>	46.0 ***	42.1 <sup>2/</sup>	37.1 ***	5.0
	22:35-22:40 HOUR	46.4 <sup>2/</sup>	46.0 ***	38.8 <sup>2/</sup>	37.1 ***	1.7
	22:40-22:45 HOUR	46.1 <sup>2/</sup>	46.0 ***	32.7 <sup>2/</sup>	37.1 ***	<0.8 <sup>3/</sup>
	22:45-22:50 HOUR	49.8 <sup>2/</sup>	51.0 ***	<0.8 <sup>3/</sup>	39.3 ***	<0.8 <sup>3/</sup>
	22:50-22:55 HOUR	51.4 <sup>2/</sup>	51.0 ***	43.8 <sup>2/</sup>	39.3 ***	4.5
	22:55-23:00 HOUR	50.7 <sup>2/</sup>	51.0 ***	<0.8 <sup>3/</sup>	39.3 ***	<0.8 <sup>3/</sup>
	23:00-23:05 HOUR	43.6 <sup>2/</sup>	38.8 ***	44.9 <sup>2/</sup>	37.3 ***	7.6
	23:05-23:10 HOUR	41.3 <sup>2/</sup>	38.8 ***	40.7 <sup>2/</sup>	37.3 ***	3.4
	23:10-23:15 HOUR	42.0 <sup>2/</sup>	38.8 ***	42.2 <sup>2/</sup>	37.3 ***	4.9
	23:15-23:20 HOUR	41.8 <sup>2/</sup>	39.7 ***	40.6 <sup>2/</sup>	36.9 ***	3.7



DATE	TIME*	RESULT (dB(A))				
		บ้านโคกสะอาด				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
JANUARY 12, 2024	<b>NIGHT TIME <sup>2/</sup></b>					
T24AB382-0008	23:20-23:25 HOUR	40.2 <sup>2/</sup>	39.7 ***	33.6 <sup>2/</sup>	36.9 ***	<0.8 <sup>3/</sup>
	23:25-23:30 HOUR	43.9 <sup>2/</sup>	39.7 ***	44.8 <sup>2/</sup>	36.9 ***	7.9
	23:30-23:35 HOUR	44.0 <sup>2/</sup>	42.0 ***	42.7 <sup>2/</sup>	37.2 ***	5.5
	23:35-23:40 HOUR	44.1 <sup>2/</sup>	42.0 ***	42.9 <sup>2/</sup>	37.2 ***	5.7
	23:40-23:45 HOUR	43.6 <sup>2/</sup>	42.0 ***	41.5 <sup>2/</sup>	37.2 ***	4.3
	23:45-23:50 HOUR	41.6 <sup>2/</sup>	38.0 ***	42.1 <sup>2/</sup>	36.0 ***	6.1
	23:50-23:55 HOUR	38.7 <sup>2/</sup>	38.0 ***	33.4 <sup>2/</sup>	36.0 ***	<0.8 <sup>3/</sup>
	23:55-00:00 HOUR	40.2 <sup>2/</sup>	38.0 ***	39.2 <sup>2/</sup>	36.0 ***	3.2
JANUARY 13, 2024	<b>NIGHT TIME <sup>2/</sup></b>					
T24AB382-0008	00:00-00:05 HOUR	41.3 <sup>2/</sup>	38.1 ***	41.5 <sup>2/</sup>	35.9 ***	5.6
	00:05-00:10 HOUR	40.5 <sup>2/</sup>	38.1 ***	39.8 <sup>2/</sup>	35.9 ***	3.9
	00:10-00:15 HOUR	39.9 <sup>2/</sup>	38.1 ***	38.2 <sup>2/</sup>	35.9 ***	2.3
	00:15-00:20 HOUR	42.2 <sup>2/</sup>	41.4 ***	37.5 <sup>2/</sup>	36.0 ***	1.5
	00:20-00:25 HOUR	43.8 <sup>2/</sup>	41.4 ***	43.1 <sup>2/</sup>	36.0 ***	7.1
	00:25-00:30 HOUR	41.5 <sup>2/</sup>	41.4 ***	28.1 <sup>2/</sup>	36.0 ***	<0.8 <sup>3/</sup>
	00:30-00:35 HOUR	46.1 <sup>2/</sup>	48.9 ***	<0.8 <sup>3/</sup>	37.8 ***	<0.8 <sup>3/</sup>
	00:35-00:40 HOUR	45.9 <sup>2/</sup>	48.9 ***	<0.8 <sup>3/</sup>	37.8 ***	<0.8 <sup>3/</sup>
	00:40-00:45 HOUR	49.2 <sup>2/</sup>	48.9 ***	40.4 <sup>2/</sup>	37.8 ***	2.6
	00:45-00:50 HOUR	42.5 <sup>2/</sup>	41.0 ***	40.2 <sup>2/</sup>	36.1 ***	4.1
	00:50-00:55 HOUR	43.4 <sup>2/</sup>	41.0 ***	42.7 <sup>2/</sup>	36.1 ***	6.6
	00:55-01:00 HOUR	41.9 <sup>2/</sup>	41.0 ***	37.6 <sup>2/</sup>	36.1 ***	1.5
	01:00-01:05 HOUR	43.7 <sup>2/</sup>	49.5 ***	<0.8 <sup>3/</sup>	37.6 ***	<0.8 <sup>3/</sup>
	01:05-01:10 HOUR	49.8 <sup>2/</sup>	49.5 ***	41.0 <sup>2/</sup>	37.6 ***	3.4
	01:10-01:15 HOUR	50.2 <sup>2/</sup>	49.5 ***	44.9 <sup>2/</sup>	37.6 ***	7.3
	01:15-01:20 HOUR	49.0 <sup>2/</sup>	48.4 ***	43.1 <sup>2/</sup>	37.5 ***	5.6
	01:20-01:25 HOUR	49.0 <sup>2/</sup>	48.4 ***	43.1 <sup>2/</sup>	37.5 ***	5.6
	01:25-01:30 HOUR	49.4 <sup>2/</sup>	48.4 ***	45.5 <sup>2/</sup>	37.5 ***	8.0
	01:30-01:35 HOUR	40.8 <sup>2/</sup>	39.8 ***	36.9 <sup>2/</sup>	36.0 ***	0.9
	01:35-01:40 HOUR	40.9 <sup>2/</sup>	39.8 ***	37.4 <sup>2/</sup>	36.0 ***	1.4
	01:40-01:45 HOUR	40.1 <sup>2/</sup>	39.8 ***	31.3 <sup>2/</sup>	36.0 ***	<0.8 <sup>3/</sup>
	01:45-01:50 HOUR	38.5 <sup>2/</sup>	47.6 ***	<0.8 <sup>3/</sup>	36.6 ***	<0.8 <sup>3/</sup>
	01:50-01:55 HOUR	47.7 <sup>2/</sup>	47.6 ***	34.3 <sup>2/</sup>	36.6 ***	<0.8 <sup>3/</sup>
	01:55-02:00 HOUR	48.4 <sup>2/</sup>	47.6 ***	43.7 <sup>2/</sup>	36.6 ***	7.1
	02:00-02:05 HOUR	41.3 <sup>2/</sup>	37.5 ***	42.0 <sup>2/</sup>	35.5 ***	6.5
	02:05-02:10 HOUR	41.5 <sup>2/</sup>	37.5 ***	42.3 <sup>2/</sup>	35.5 ***	6.8
	02:10-02:15 HOUR	38.9 <sup>2/</sup>	37.5 ***	36.3 <sup>2/</sup>	35.5 ***	0.8
	02:15-02:20 HOUR	39.3 <sup>2/</sup>	36.6 ***	39.0 <sup>2/</sup>	34.9 ***	4.1
	02:20-02:25 HOUR	37.9 <sup>2/</sup>	36.6 ***	35.0 <sup>2/</sup>	34.9 ***	<0.8 <sup>3/</sup>
	02:25-02:30 HOUR	40.0 <sup>2/</sup>	36.6 ***	40.3 <sup>2/</sup>	34.9 ***	5.4
	02:30-02:35 HOUR	38.2 <sup>2/</sup>	37.7 ***	31.6 <sup>2/</sup>	35.7 ***	<0.8 <sup>3/</sup>
	02:35-02:40 HOUR	40.1 <sup>2/</sup>	37.7 ***	39.4 <sup>2/</sup>	35.7 ***	3.7
	02:40-02:45 HOUR	38.5 <sup>2/</sup>	37.7 ***	33.8 <sup>2/</sup>	35.7 ***	<0.8 <sup>3/</sup>
	02:45-02:50 HOUR	41.7 <sup>2/</sup>	36.7 ***	43.0 <sup>2/</sup>	35.4 ***	7.6
	02:50-02:55 HOUR	39.4 <sup>2/</sup>	36.7 ***	39.1 <sup>2/</sup>	35.4 ***	3.7

DATE	TIME*	RESULT (dB(A))				
		บ้านโคกสะอาด				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
JANUARY 13, 2024	<b>NIGHT TIME</b> <sup>2/</sup>					
T24AB382-0008	02:55-03:00 HOUR	39.1 <sup>2/</sup>	36.7 ***	38.4 <sup>2/</sup>	35.4 ***	3.0
	03:00-03:05 HOUR	38.6 <sup>2/</sup>	35.7 ***	38.5 <sup>2/</sup>	34.8 ***	3.7
	03:05-03:10 HOUR	38.9 <sup>2/</sup>	35.7 ***	39.1 <sup>2/</sup>	34.8 ***	4.3
	03:10-03:15 HOUR	38.4 <sup>2/</sup>	35.7 ***	38.1 <sup>2/</sup>	34.8 ***	3.3
	03:15-03:20 HOUR	37.7 <sup>2/</sup>	38.0 ***	<0.8 <sup>3/</sup>	35.6 ***	<0.8 <sup>3/</sup>
	03:20-03:25 HOUR	38.9 <sup>2/</sup>	38.0 ***	34.6 <sup>2/</sup>	35.6 ***	<0.8 <sup>3/</sup>
	03:25-03:30 HOUR	41.2 <sup>2/</sup>	38.0 ***	41.4 <sup>2/</sup>	35.6 ***	5.8
	03:30-03:35 HOUR	46.2 <sup>2/</sup>	43.8 ***	45.5 <sup>2/</sup>	38.6 ***	6.9
	03:35-03:40 HOUR	45.9 <sup>2/</sup>	43.8 ***	44.7 <sup>2/</sup>	38.6 ***	6.1
	03:40-03:45 HOUR	45.1 <sup>2/</sup>	43.8 ***	42.2 <sup>2/</sup>	38.6 ***	3.6
	03:45-03:50 HOUR	37.9 <sup>2/</sup>	36.1 ***	36.2 <sup>2/</sup>	35.4 ***	0.8
	03:50-03:55 HOUR	37.7 <sup>2/</sup>	36.1 ***	35.6 <sup>2/</sup>	35.4 ***	<0.8 <sup>3/</sup>
	03:55-04:00 HOUR	37.7 <sup>2/</sup>	36.1 ***	35.6 <sup>2/</sup>	35.4 ***	<0.8 <sup>3/</sup>
	04:00-04:05 HOUR	38.5 <sup>2/</sup>	36.0 ***	37.9 <sup>2/</sup>	35.1 ***	2.8
	04:05-04:10 HOUR	37.6 <sup>2/</sup>	36.0 ***	35.5 <sup>2/</sup>	35.1 ***	<0.8 <sup>3/</sup>
	04:10-04:15 HOUR	38.1 <sup>2/</sup>	36.0 ***	36.9 <sup>2/</sup>	35.1 ***	1.8
	04:15-04:20 HOUR	38.8 <sup>2/</sup>	36.4 ***	38.1 <sup>2/</sup>	35.2 ***	2.9
	04:20-04:25 HOUR	37.7 <sup>2/</sup>	36.4 ***	34.8 <sup>2/</sup>	35.2 ***	<0.8 <sup>3/</sup>
	04:25-04:30 HOUR	39.0 <sup>2/</sup>	36.4 ***	38.5 <sup>2/</sup>	35.2 ***	3.3
	04:30-04:35 HOUR	38.1 <sup>2/</sup>	38.1 ***	<0.8 <sup>3/</sup>	35.4 ***	<0.8 <sup>3/</sup>
	04:35-04:40 HOUR	38.4 <sup>2/</sup>	38.1 ***	29.6 <sup>2/</sup>	35.4 ***	<0.8 <sup>3/</sup>
	04:40-04:45 HOUR	39.0 <sup>2/</sup>	38.1 ***	34.7 <sup>2/</sup>	35.4 ***	<0.8 <sup>3/</sup>
	04:45-04:50 HOUR	40.0 <sup>2/</sup>	36.4 ***	40.5 <sup>2/</sup>	35.2 ***	5.3
	04:50-04:55 HOUR	37.4 <sup>2/</sup>	36.4 ***	33.5 <sup>2/</sup>	35.2 ***	<0.8 <sup>3/</sup>
	04:55-05:00 HOUR	39.4 <sup>2/</sup>	36.4 ***	39.4 <sup>2/</sup>	35.2 ***	4.2
	05:00-05:05 HOUR	38.4 <sup>2/</sup>	37.6 ***	33.7 <sup>2/</sup>	35.3 ***	<0.8 <sup>3/</sup>
	05:05-05:10 HOUR	38.8 <sup>2/</sup>	37.6 ***	35.6 <sup>2/</sup>	35.3 ***	<0.8 <sup>3/</sup>
	05:10-05:15 HOUR	38.6 <sup>2/</sup>	37.6 ***	34.7 <sup>2/</sup>	35.3 ***	<0.8 <sup>3/</sup>
	05:15-05:20 HOUR	41.0 <sup>2/</sup>	37.6 ***	41.3 <sup>2/</sup>	35.5 ***	5.8
	05:20-05:25 HOUR	40.1 <sup>2/</sup>	37.6 ***	39.5 <sup>2/</sup>	35.5 ***	4.0
	05:25-05:30 HOUR	40.6 <sup>2/</sup>	37.6 ***	40.6 <sup>2/</sup>	35.5 ***	5.1
	05:30-05:35 HOUR	41.8 <sup>2/</sup>	40.1 ***	39.9 <sup>2/</sup>	36.0 ***	3.9
	05:35-05:40 HOUR	42.0 <sup>2/</sup>	40.1 ***	40.5 <sup>2/</sup>	36.0 ***	4.5
	05:40-05:45 HOUR	41.5 <sup>2/</sup>	40.1 ***	38.9 <sup>2/</sup>	36.0 ***	2.9
	05:45-05:50 HOUR	41.5 <sup>2/</sup>	37.3 ***	42.4 <sup>2/</sup>	35.3 ***	7.1
	05:50-05:55 HOUR	40.5 <sup>2/</sup>	37.3 ***	40.7 <sup>2/</sup>	35.3 ***	5.4
	05:55-06:00 HOUR	38.6 <sup>2/</sup>	37.3 ***	35.7 <sup>2/</sup>	35.3 ***	<0.8 <sup>3/</sup>
	<b>DAY TIME</b> <sup>1/</sup>					
	06:00-07:00 HOUR	42.8 <sup>1/</sup>	40.9 **	38.3 <sup>1/</sup>	37.5 **	0.8
JANUARY 13, 2024	<b>DAY TIME</b> <sup>1/</sup>					
T24AB382-0009	07:00-08:00 HOUR	47.2 <sup>1/</sup>	45.3 **	42.7 <sup>1/</sup>	41.0 **	1.7
	08:00-09:00 HOUR	51.1 <sup>1/</sup>	46.3 **	49.4 <sup>1/</sup>	43.4 **	6.0
	09:00-10:00 HOUR	49.9 <sup>1/</sup>	48.4 **	44.6 <sup>1/</sup>	41.8 **	2.8
	10:00-11:00 HOUR	47.3 <sup>1/</sup>	44.6 **	44.0 <sup>1/</sup>	41.5 **	2.5
	11:00-12:00 HOUR	48.8 <sup>1/</sup>	45.2 **	46.3 <sup>1/</sup>	42.1 **	4.2

DATE	TIME*	RESULT (dB(A))				
		บ้านโคกสะอาด				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
JANUARY 13, 2024	<b>DAY TIME</b> <sup>1/</sup>					
T24AB382-0009	12:00-13:00 HOUR	50.4 <sup>1/</sup>	50.0 **	39.8 <sup>1/</sup>	42.8 **	<0.8 <sup>3/</sup>
	13:00-14:00 HOUR	51.6 <sup>1/</sup>	47.8 **	49.3 <sup>1/</sup>	41.9 **	7.4
	14:00-15:00 HOUR	51.7 <sup>1/</sup>	50.6 **	45.2 <sup>1/</sup>	42.6 **	2.6
	15:00-16:00 HOUR	51.2 <sup>1/</sup>	49.3 **	46.7 <sup>1/</sup>	43.3 **	3.4
	16:00-17:00 HOUR	53.9 <sup>1/</sup>	53.1 **	46.2 <sup>1/</sup>	44.8 **	1.4
	17:00-18:00 HOUR	53.1 <sup>1/</sup>	52.1 **	46.2 <sup>1/</sup>	44.5 **	1.7
	18:00-19:00 HOUR	48.4 <sup>1/</sup>	47.0 **	42.8 <sup>1/</sup>	39.7 **	3.1
	19:00-20:00 HOUR	50.5 <sup>1/</sup>	48.8 **	45.6 <sup>1/</sup>	46.7 **	<0.8 <sup>3/</sup>
	20:00-21:00 HOUR	48.4 <sup>1/</sup>	47.0 **	42.8 <sup>1/</sup>	44.8 **	<0.8 <sup>3/</sup>
	21:00-22:00 HOUR	47.8 <sup>1/</sup>	46.9 **	40.5 <sup>1/</sup>	43.7 **	<0.8 <sup>3/</sup>
	<b>NIGHT TIME</b> <sup>2/</sup>					
	22:00-22:05 HOUR	48.0 <sup>2/</sup>	45.5 ***	47.4 <sup>2/</sup>	42.4 ***	5.0
	22:05-22:10 HOUR	47.5 <sup>2/</sup>	45.5 ***	46.2 <sup>2/</sup>	42.4 ***	3.8
	22:10-22:15 HOUR	45.2 <sup>2/</sup>	45.5 ***	<0.8 <sup>3/</sup>	42.4 ***	<0.8 <sup>3/</sup>
	22:15-22:20 HOUR	47.3 <sup>2/</sup>	45.2 ***	46.1 <sup>2/</sup>	42.8 ***	3.3
	22:20-22:25 HOUR	48.0 <sup>2/</sup>	45.2 ***	47.8 <sup>2/</sup>	42.8 ***	5.0
	22:25-22:30 HOUR	47.1 <sup>2/</sup>	45.2 ***	45.6 <sup>2/</sup>	42.8 ***	2.8
	22:30-22:35 HOUR	47.6 <sup>2/</sup>	47.5 ***	34.2 <sup>2/</sup>	42.9 ***	<0.8 <sup>3/</sup>
	22:35-22:40 HOUR	49.7 <sup>2/</sup>	47.5 ***	48.7 <sup>2/</sup>	42.9 ***	5.8
	22:40-22:45 HOUR	47.3 <sup>2/</sup>	47.5 ***	<0.8 <sup>3/</sup>	42.9 ***	<0.8 <sup>3/</sup>
	22:45-22:50 HOUR	49.8 <sup>2/</sup>	46.0 ***	50.5 <sup>2/</sup>	42.6 ***	7.9
	22:50-22:55 HOUR	47.3 <sup>2/</sup>	46.0 ***	44.4 <sup>2/</sup>	42.6 ***	1.8
	22:55-23:00 HOUR	47.8 <sup>2/</sup>	46.0 ***	46.1 <sup>2/</sup>	42.6 ***	3.5
	23:00-23:05 HOUR	48.7 <sup>2/</sup>	45.9 ***	48.5 <sup>2/</sup>	42.6 ***	5.9
	23:05-23:10 HOUR	46.4 <sup>2/</sup>	45.9 ***	39.8 <sup>2/</sup>	42.6 ***	<0.8 <sup>3/</sup>
	23:10-23:15 HOUR	46.9 <sup>2/</sup>	45.9 ***	43.0 <sup>2/</sup>	42.6 ***	<0.8 <sup>3/</sup>
	23:15-23:20 HOUR	47.0 <sup>2/</sup>	44.2 ***	46.8 <sup>2/</sup>	41.2 ***	5.6
	23:20-23:25 HOUR	46.1 <sup>2/</sup>	44.2 ***	44.6 <sup>2/</sup>	41.2 ***	3.4
	23:25-23:30 HOUR	47.1 <sup>2/</sup>	44.2 ***	47.0 <sup>2/</sup>	41.2 ***	5.8
	23:30-23:35 HOUR	44.8 <sup>2/</sup>	43.0 ***	43.1 <sup>2/</sup>	41.2 ***	1.9
	23:35-23:40 HOUR	44.6 <sup>2/</sup>	43.0 ***	42.5 <sup>2/</sup>	41.2 ***	1.3
	23:40-23:45 HOUR	45.1 <sup>2/</sup>	43.0 ***	43.9 <sup>2/</sup>	41.2 ***	2.7
	23:45-23:50 HOUR	45.8 <sup>2/</sup>	44.1 ***	43.9 <sup>2/</sup>	40.1 ***	3.8
	23:50-23:55 HOUR	47.2 <sup>2/</sup>	44.1 ***	47.3 <sup>2/</sup>	40.1 ***	7.2
	23:55-00:00 HOUR	46.9 <sup>2/</sup>	44.1 ***	46.7 <sup>2/</sup>	40.1 ***	6.6
JANUARY 14, 2024	<b>NIGHT TIME</b> <sup>2/</sup>					
T24AB382-0009	00:00-00:05 HOUR	43.6 <sup>2/</sup>	42.2 ***	41.0 <sup>2/</sup>	39.1 ***	1.9
	00:05-00:10 HOUR	42.7 <sup>2/</sup>	42.2 ***	36.1 <sup>2/</sup>	39.1 ***	<0.8 <sup>3/</sup>
	00:10-00:15 HOUR	45.2 <sup>2/</sup>	42.2 ***	45.2 <sup>2/</sup>	39.1 ***	6.1
	00:15-00:20 HOUR	43.7 <sup>2/</sup>	41.8 ***	42.2 <sup>2/</sup>	38.8 ***	3.4
	00:20-00:25 HOUR	42.9 <sup>2/</sup>	41.8 ***	39.4 <sup>2/</sup>	38.8 ***	<0.8 <sup>3/</sup>
	00:25-00:30 HOUR	43.9 <sup>2/</sup>	41.8 ***	42.7 <sup>2/</sup>	38.8 ***	3.9
	00:30-00:35 HOUR	44.4 <sup>2/</sup>	43.5 ***	40.1 <sup>2/</sup>	38.8 ***	1.3
	00:35-00:40 HOUR	45.0 <sup>2/</sup>	43.5 ***	42.7 <sup>2/</sup>	38.8 ***	3.9
	00:40-00:45 HOUR	43.9 <sup>2/</sup>	43.5 ***	36.3 <sup>2/</sup>	38.8 ***	<0.8 <sup>3/</sup>

DATE	TIME*	RESULT (dB(A))				
		บ้านโคกสะอาด				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
JANUARY 14, 2024	<b>NIGHT TIME <sup>2/</sup></b>					
T24AB382-0009	00:45-00:50 HOUR	45.6 <sup>2/</sup>	42.7 ***	45.5 <sup>2/</sup>	39.6 ***	5.9
	00:50-00:55 HOUR	45.1 <sup>2/</sup>	42.7 ***	44.4 <sup>2/</sup>	39.6 ***	4.8
	00:55-01:00 HOUR	44.0 <sup>2/</sup>	42.7 ***	41.1 <sup>2/</sup>	39.6 ***	1.5
	01:00-01:05 HOUR	42.9 <sup>2/</sup>	41.4 ***	40.6 <sup>2/</sup>	37.8 ***	2.8
	01:05-01:10 HOUR	42.5 <sup>2/</sup>	41.4 ***	39.0 <sup>2/</sup>	37.8 ***	1.2
	01:10-01:15 HOUR	41.6 <sup>2/</sup>	41.4 ***	31.1 <sup>2/</sup>	37.8 ***	<0.8 <sup>3/</sup>
	01:15-01:20 HOUR	45.3 <sup>2/</sup>	44.5 ***	40.6 <sup>2/</sup>	38.8 ***	1.8
	01:20-01:25 HOUR	45.9 <sup>2/</sup>	44.5 ***	43.3 <sup>2/</sup>	38.8 ***	4.5
	01:25-01:30 HOUR	44.0 <sup>2/</sup>	44.5 ***	<0.8 <sup>3/</sup>	38.8 ***	<0.8 <sup>3/</sup>
	01:30-01:35 HOUR	46.5 <sup>2/</sup>	44.5 ***	45.2 <sup>2/</sup>	37.5 ***	7.7
	01:35-01:40 HOUR	45.4 <sup>2/</sup>	44.5 ***	41.1 <sup>2/</sup>	37.5 ***	3.6
	01:40-01:45 HOUR	44.9 <sup>2/</sup>	44.5 ***	37.3 <sup>2/</sup>	37.5 ***	<0.8 <sup>3/</sup>
	01:45-01:50 HOUR	44.6 <sup>2/</sup>	41.5 ***	44.7 <sup>2/</sup>	37.3 ***	7.4
	01:50-01:55 HOUR	44.3 <sup>2/</sup>	41.5 ***	44.1 <sup>2/</sup>	37.3 ***	6.8
	01:55-02:00 HOUR	40.7 <sup>2/</sup>	41.5 ***	<0.8 <sup>3/</sup>	37.3 ***	<0.8 <sup>3/</sup>
	02:00-02:05 HOUR	45.4 <sup>2/</sup>	43.3 ***	44.2 <sup>2/</sup>	38.3 ***	5.9
	02:05-02:10 HOUR	44.3 <sup>2/</sup>	43.3 ***	40.4 <sup>2/</sup>	38.3 ***	2.1
	02:10-02:15 HOUR	43.7 <sup>2/</sup>	43.3 ***	36.1 <sup>2/</sup>	38.3 ***	<0.8 <sup>3/</sup>
	02:15-02:20 HOUR	45.5 <sup>2/</sup>	41.4 ***	46.4 <sup>2/</sup>	39.0 ***	7.4
	02:20-02:25 HOUR	43.2 <sup>2/</sup>	41.4 ***	41.5 <sup>2/</sup>	39.0 ***	2.5
	02:25-02:30 HOUR	43.3 <sup>2/</sup>	41.4 ***	41.8 <sup>2/</sup>	39.0 ***	2.8
	02:30-02:35 HOUR	44.7 <sup>2/</sup>	42.8 ***	43.2 <sup>2/</sup>	39.5 ***	3.7
	02:35-02:40 HOUR	44.5 <sup>2/</sup>	42.8 ***	42.6 <sup>2/</sup>	39.5 ***	3.1
	02:40-02:45 HOUR	44.3 <sup>2/</sup>	42.8 ***	42.0 <sup>2/</sup>	39.5 ***	2.5
	02:45-02:50 HOUR	44.5 <sup>2/</sup>	41.5 ***	44.5 <sup>2/</sup>	37.7 ***	6.8
	02:50-02:55 HOUR	44.1 <sup>2/</sup>	41.5 ***	43.6 <sup>2/</sup>	37.7 ***	5.9
	02:55-03:00 HOUR	44.9 <sup>2/</sup>	41.5 ***	45.2 <sup>2/</sup>	37.7 ***	7.5
	03:00-03:05 HOUR	43.4 <sup>2/</sup>	40.4 ***	43.4 <sup>2/</sup>	36.8 ***	6.6
	03:05-03:10 HOUR	42.5 <sup>2/</sup>	40.4 ***	41.3 <sup>2/</sup>	36.8 ***	4.5
	03:10-03:15 HOUR	41.9 <sup>2/</sup>	40.4 ***	39.6 <sup>2/</sup>	36.8 ***	2.8
	03:15-03:20 HOUR	41.7 <sup>2/</sup>	39.9 ***	40.0 <sup>2/</sup>	36.5 ***	3.5
	03:20-03:25 HOUR	40.9 <sup>2/</sup>	39.9 ***	37.0 <sup>2/</sup>	36.5 ***	<0.8 <sup>3/</sup>
	03:25-03:30 HOUR	41.8 <sup>2/</sup>	39.9 ***	40.3 <sup>2/</sup>	36.5 ***	3.8
	03:30-03:35 HOUR	43.9 <sup>2/</sup>	41.3 ***	43.4 <sup>2/</sup>	36.5 ***	6.9
	03:35-03:40 HOUR	43.5 <sup>2/</sup>	41.3 ***	42.5 <sup>2/</sup>	36.5 ***	6.0
	03:40-03:45 HOUR	43.6 <sup>2/</sup>	41.3 ***	42.7 <sup>2/</sup>	36.5 ***	6.2
	03:45-03:50 HOUR	43.6 <sup>2/</sup>	40.8 ***	43.4 <sup>2/</sup>	36.6 ***	6.8
	03:50-03:55 HOUR	42.6 <sup>2/</sup>	40.8 ***	40.9 <sup>2/</sup>	36.6 ***	4.3
	03:55-04:00 HOUR	40.9 <sup>2/</sup>	40.8 ***	27.5 <sup>2/</sup>	36.6 ***	<0.8 <sup>3/</sup>
	04:00-04:05 HOUR	40.6 <sup>2/</sup>	38.8 ***	38.9 <sup>2/</sup>	35.3 ***	3.6
	04:05-04:10 HOUR	39.6 <sup>2/</sup>	38.8 ***	34.9 <sup>2/</sup>	35.3 ***	<0.8 <sup>3/</sup>
	04:10-04:15 HOUR	40.8 <sup>2/</sup>	38.8 ***	39.5 <sup>2/</sup>	35.3 ***	4.2
	04:15-04:20 HOUR	40.8 <sup>2/</sup>	39.5 ***	37.9 <sup>2/</sup>	35.7 ***	2.2
	04:20-04:25 HOUR	42.6 <sup>2/</sup>	39.5 ***	42.7 <sup>2/</sup>	35.7 ***	7.0

DATE	TIME*	RESULT (dB(A))				
		บ้านโคกสะอาด				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
JANUARY 14, 2024	<b>NIGHT TIME</b> <sup>2/</sup>					
T24AB382-0009	04:25-04:30 HOUR	39.8 <sup>2/</sup>	39.5 ***	31.0 <sup>2/</sup>	35.7 ***	<0.8 <sup>3/</sup>
	04:30-04:35 HOUR	41.4 <sup>2/</sup>	41.3 ***	28.0 <sup>2/</sup>	37.3 ***	<0.8 <sup>3/</sup>
	04:35-04:40 HOUR	43.1 <sup>2/</sup>	41.3 ***	41.4 <sup>2/</sup>	37.3 ***	4.1
	04:40-04:45 HOUR	41.8 <sup>2/</sup>	41.3 ***	35.2 <sup>2/</sup>	37.3 ***	<0.8 <sup>3/</sup>
	04:45-04:50 HOUR	42.0 <sup>2/</sup>	41.7 ***	33.2 <sup>2/</sup>	37.5 ***	<0.8 <sup>3/</sup>
	04:50-04:55 HOUR	42.5 <sup>2/</sup>	41.7 ***	37.8 <sup>2/</sup>	37.5 ***	<0.8 <sup>3/</sup>
	04:55-05:00 HOUR	43.9 <sup>2/</sup>	41.7 ***	42.9 <sup>2/</sup>	37.5 ***	5.4
	05:00-05:05 HOUR	43.2 <sup>2/</sup>	41.4 ***	41.5 <sup>2/</sup>	37.4 ***	4.1
	05:05-05:10 HOUR	43.2 <sup>2/</sup>	41.4 ***	41.5 <sup>2/</sup>	37.4 ***	4.1
	05:10-05:15 HOUR	42.4 <sup>2/</sup>	41.4 ***	38.5 <sup>2/</sup>	37.4 ***	1.1
	05:15-05:20 HOUR	45.1 <sup>2/</sup>	43.3 ***	43.4 <sup>2/</sup>	37.7 ***	5.7
	05:20-05:25 HOUR	43.5 <sup>2/</sup>	43.3 ***	33.0 <sup>2/</sup>	37.7 ***	<0.8 <sup>3/</sup>
	05:25-05:30 HOUR	45.2 <sup>2/</sup>	43.3 ***	43.7 <sup>2/</sup>	37.7 ***	6.0
	05:30-05:35 HOUR	44.0 <sup>2/</sup>	42.9 ***	40.5 <sup>2/</sup>	38.1 ***	2.4
	05:35-05:40 HOUR	45.6 <sup>2/</sup>	42.9 ***	45.3 <sup>2/</sup>	38.1 ***	7.2
	05:40-05:45 HOUR	43.1 <sup>2/</sup>	42.9 ***	32.6 <sup>2/</sup>	38.1 ***	<0.8 <sup>3/</sup>
	05:45-05:50 HOUR	42.7 <sup>2/</sup>	42.3 ***	35.1 <sup>2/</sup>	37.9 ***	<0.8 <sup>3/</sup>
	05:50-05:55 HOUR	41.1 <sup>2/</sup>	42.3 ***	<0.8 <sup>3/</sup>	37.9 ***	<0.8 <sup>3/</sup>
	05:55-06:00 HOUR	44.4 <sup>2/</sup>	42.3 ***	43.2 <sup>2/</sup>	37.9 ***	5.3
	<b>DAY TIME</b> <sup>1/</sup>					
	06:00-07:00 HOUR	45.9 <sup>1/</sup>	44.6 **	40.0 <sup>1/</sup>	39.4 **	<0.8 <sup>3/</sup>
JANUARY 14, 2024	<b>DAY TIME</b> <sup>1/</sup>					
T24AB382-0010	07:00-08:00 HOUR	51.2 <sup>1/</sup>	48.8 **	47.5 <sup>1/</sup>	42.9 **	4.6
	08:00-09:00 HOUR	51.3 <sup>1/</sup>	47.6 **	48.9 <sup>1/</sup>	42.2 **	6.7
	09:00-10:00 HOUR	52.6 <sup>1/</sup>	49.2 **	49.9 <sup>1/</sup>	43.0 **	6.9
	10:00-11:00 HOUR	49.7 <sup>1/</sup>	46.7 **	46.7 <sup>1/</sup>	39.7 **	7.0
	11:00-12:00 HOUR	50.4 <sup>1/</sup>	47.5 **	47.3 <sup>1/</sup>	39.8 **	7.5
	12:00-13:00 HOUR	50.0 <sup>1/</sup>	47.1 **	46.9 <sup>1/</sup>	40.1 **	6.8
	13:00-14:00 HOUR	50.9 <sup>1/</sup>	50.3 **	42.0 <sup>1/</sup>	40.8 **	1.2
	14:00-15:00 HOUR	46.7 <sup>1/</sup>	43.5 **	43.9 <sup>1/</sup>	36.0 **	7.9
	15:00-16:00 HOUR	46.5 <sup>1/</sup>	43.9 **	43.0 <sup>1/</sup>	37.0 **	6.0
	16:00-17:00 HOUR	50.7 <sup>1/</sup>	48.8 **	46.2 <sup>1/</sup>	41.1 **	5.1
	17:00-18:00 HOUR	49.0 <sup>1/</sup>	45.9 **	46.1 <sup>1/</sup>	39.3 **	6.8
	18:00-19:00 HOUR	47.8 <sup>1/</sup>	45.1 **	44.5 <sup>1/</sup>	38.9 **	5.6
	19:00-20:00 HOUR	50.1 <sup>1/</sup>	47.0 **	47.2 <sup>1/</sup>	45.4 **	1.8
	20:00-21:00 HOUR	49.2 <sup>1/</sup>	45.7 **	46.6 <sup>1/</sup>	43.8 **	2.8
	21:00-22:00 HOUR	47.9 <sup>1/</sup>	45.1 **	44.7 <sup>1/</sup>	41.5 **	3.2
	<b>NIGHT TIME</b> <sup>2/</sup>					
	22:00-22:05 HOUR	47.6 <sup>2/</sup>	46.2 ***	45.0 <sup>2/</sup>	41.8 ***	3.2
	22:05-22:10 HOUR	48.7 <sup>2/</sup>	46.2 ***	48.1 <sup>2/</sup>	41.8 ***	6.3
	22:10-22:15 HOUR	47.1 <sup>2/</sup>	46.2 ***	42.8 <sup>2/</sup>	41.8 ***	1.0
	22:15-22:20 HOUR	45.2 <sup>2/</sup>	44.5 ***	39.9 <sup>2/</sup>	39.3 ***	<0.8 <sup>3/</sup>
	22:20-22:25 HOUR	46.1 <sup>2/</sup>	44.5 ***	44.0 <sup>2/</sup>	39.3 ***	4.7
	22:25-22:30 HOUR	46.2 <sup>2/</sup>	44.5 ***	44.3 <sup>2/</sup>	39.3 ***	5.0
	22:30-22:35 HOUR	46.9 <sup>2/</sup>	43.0 ***	47.6 <sup>2/</sup>	39.9 ***	7.7

DATE	TIME*	RESULT (dB(A))				
		บ้านโคกสะอาด				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
JANUARY 14, 2024	<b>NIGHT TIME</b> <sup>2/</sup>					
T24AB382-0010	22:35-22:40 HOUR	46.8 <sup>2/</sup>	43.0 ***	47.5 <sup>2/</sup>	39.9 ***	7.6
	22:40-22:45 HOUR	46.3 <sup>2/</sup>	43.0 ***	46.6 <sup>2/</sup>	39.9 ***	6.7
	22:45-22:50 HOUR	44.2 <sup>2/</sup>	41.8 ***	43.5 <sup>2/</sup>	37.9 ***	5.6
	22:50-22:55 HOUR	42.3 <sup>2/</sup>	41.8 ***	35.7 <sup>2/</sup>	37.9 ***	<0.8 <sup>3/</sup>
	22:55-23:00 HOUR	45.1 <sup>2/</sup>	41.8 ***	45.4 <sup>2/</sup>	37.9 ***	7.5
	23:00-23:05 HOUR	45.3 <sup>2/</sup>	41.4 ***	46.0 <sup>2/</sup>	38.4 ***	7.6
	23:05-23:10 HOUR	45.0 <sup>2/</sup>	41.4 ***	45.5 <sup>2/</sup>	38.4 ***	7.1
	23:10-23:15 HOUR	44.4 <sup>2/</sup>	41.4 ***	44.4 <sup>2/</sup>	38.4 ***	6.0
	23:15-23:20 HOUR	40.6 <sup>2/</sup>	41.6 ***	<0.8 <sup>3/</sup>	39.0 ***	<0.8 <sup>3/</sup>
	23:20-23:25 HOUR	43.8 <sup>2/</sup>	41.6 ***	42.8 <sup>2/</sup>	39.0 ***	3.8
	23:25-23:30 HOUR	44.9 <sup>2/</sup>	41.6 ***	45.2 <sup>2/</sup>	39.0 ***	6.2
	23:30-23:35 HOUR	43.1 <sup>2/</sup>	42.5 ***	37.2 <sup>2/</sup>	40.6 ***	<0.8 <sup>3/</sup>
	23:35-23:40 HOUR	44.6 <sup>2/</sup>	42.5 ***	43.4 <sup>2/</sup>	40.6 ***	2.8
	23:40-23:45 HOUR	44.7 <sup>2/</sup>	42.5 ***	43.7 <sup>2/</sup>	40.6 ***	3.1
	23:45-23:50 HOUR	45.5 <sup>2/</sup>	42.5 ***	45.5 <sup>2/</sup>	40.3 ***	5.2
	23:50-23:55 HOUR	45.7 <sup>2/</sup>	42.5 ***	45.9 <sup>2/</sup>	40.3 ***	5.6
	23:55-00:00 HOUR	46.1 <sup>2/</sup>	42.5 ***	46.6 <sup>2/</sup>	40.3 ***	6.3
JANUARY 15, 2024	<b>NIGHT TIME</b> <sup>2/</sup>					
T24AB382-0010	00:00-00:05 HOUR	46.8 <sup>2/</sup>	45.4 ***	44.2 <sup>2/</sup>	41.7 ***	2.5
	00:05-00:10 HOUR	46.1 <sup>2/</sup>	45.4 ***	40.8 <sup>2/</sup>	41.7 ***	<0.8 <sup>3/</sup>
	00:10-00:15 HOUR	45.5 <sup>2/</sup>	45.4 ***	32.1 <sup>2/</sup>	41.7 ***	<0.8 <sup>3/</sup>
	00:15-00:20 HOUR	46.8 <sup>2/</sup>	42.3 ***	47.9 <sup>2/</sup>	40.0 ***	7.9
	00:20-00:25 HOUR	45.0 <sup>2/</sup>	42.3 ***	44.7 <sup>2/</sup>	40.0 ***	4.7
	00:25-00:30 HOUR	43.2 <sup>2/</sup>	42.3 ***	38.9 <sup>2/</sup>	40.0 ***	<0.8 <sup>3/</sup>
	00:30-00:35 HOUR	44.9 <sup>2/</sup>	40.8 ***	45.8 <sup>2/</sup>	38.1 ***	7.7
	00:35-00:40 HOUR	42.5 <sup>2/</sup>	40.8 ***	40.6 <sup>2/</sup>	38.1 ***	2.5
	00:40-00:45 HOUR	45.1 <sup>2/</sup>	40.8 ***	46.1 <sup>2/</sup>	38.1 ***	8.0
	00:45-00:50 HOUR	43.8 <sup>2/</sup>	41.0 ***	43.6 <sup>2/</sup>	38.5 ***	5.1
	00:50-00:55 HOUR	42.8 <sup>2/</sup>	41.0 ***	41.1 <sup>2/</sup>	38.5 ***	2.6
	00:55-01:00 HOUR	41.3 <sup>2/</sup>	41.0 ***	32.5 <sup>2/</sup>	38.5 ***	<0.8 <sup>3/</sup>
	01:00-01:05 HOUR	43.7 <sup>2/</sup>	40.3 ***	44.0 <sup>2/</sup>	38.8 ***	5.2
	01:05-01:10 HOUR	41.7 <sup>2/</sup>	40.3 ***	39.1 <sup>2/</sup>	38.8 ***	<0.8 <sup>3/</sup>
	01:10-01:15 HOUR	42.6 <sup>2/</sup>	40.3 ***	41.7 <sup>2/</sup>	38.8 ***	2.9
	01:15-01:20 HOUR	41.7 <sup>2/</sup>	40.3 ***	39.1 <sup>2/</sup>	38.2 ***	0.9
	01:20-01:25 HOUR	43.1 <sup>2/</sup>	40.3 ***	42.9 <sup>2/</sup>	38.2 ***	4.7
	01:25-01:30 HOUR	44.9 <sup>2/</sup>	40.3 ***	46.1 <sup>2/</sup>	38.2 ***	7.9
	01:30-01:35 HOUR	42.7 <sup>2/</sup>	39.9 ***	42.5 <sup>2/</sup>	37.4 ***	5.1
	01:35-01:40 HOUR	43.7 <sup>2/</sup>	39.9 ***	44.4 <sup>2/</sup>	37.4 ***	7.0
	01:40-01:45 HOUR	42.0 <sup>2/</sup>	39.9 ***	40.8 <sup>2/</sup>	37.4 ***	3.4
	01:45-01:50 HOUR	42.6 <sup>2/</sup>	40.9 ***	40.7 <sup>2/</sup>	37.0 ***	3.7
	01:50-01:55 HOUR	40.8 <sup>2/</sup>	40.9 ***	<0.8 <sup>3/</sup>	37.0 ***	<0.8 <sup>3/</sup>
	01:55-02:00 HOUR	43.8 <sup>2/</sup>	40.9 ***	43.7 <sup>2/</sup>	37.0 ***	6.7
	02:00-02:05 HOUR	42.5 <sup>2/</sup>	39.1 ***	42.8 <sup>2/</sup>	36.2 ***	6.6
	02:05-02:10 HOUR	40.7 <sup>2/</sup>	39.1 ***	38.6 <sup>2/</sup>	36.2 ***	2.4

DATE	TIME*	RESULT (dB(A))				
		บ้านโคกสะอาด				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
JANUARY 15, 2024 T24AB382-0010	<b>NIGHT TIME</b> <sup>2/</sup>					
	02:10-02:15 HOUR	41.6 <sup>2/</sup>	39.1 ***	41.0 <sup>2/</sup>	36.2 ***	4.8
	02:15-02:20 HOUR	42.9 <sup>2/</sup>	40.0 ***	42.8 <sup>2/</sup>	36.6 ***	6.2
	02:20-02:25 HOUR	39.5 <sup>2/</sup>	40.0 ***	<0.8 <sup>3/</sup>	36.6 ***	<0.8 <sup>3/</sup>
	02:25-02:30 HOUR	41.4 <sup>2/</sup>	40.0 ***	38.8 <sup>2/</sup>	36.6 ***	2.2
	02:30-02:35 HOUR	41.2 <sup>2/</sup>	39.1 ***	40.0 <sup>2/</sup>	36.0 ***	4.0
	02:35-02:40 HOUR	42.7 <sup>2/</sup>	39.1 ***	43.2 <sup>2/</sup>	36.0 ***	7.2
	02:40-02:45 HOUR	42.0 <sup>2/</sup>	39.1 ***	41.9 <sup>2/</sup>	36.0 ***	5.9
	02:45-02:50 HOUR	41.0 <sup>2/</sup>	38.9 ***	39.8 <sup>2/</sup>	35.1 ***	4.7
	02:50-02:55 HOUR	39.6 <sup>2/</sup>	38.9 ***	34.3 <sup>2/</sup>	35.1 ***	<0.8 <sup>3/</sup>
	02:55-03:00 HOUR	42.4 <sup>2/</sup>	38.9 ***	42.8 <sup>2/</sup>	35.1 ***	7.7
	03:00-03:05 HOUR	40.0 <sup>2/</sup>	36.1 ***	40.7 <sup>2/</sup>	34.1 ***	6.6
	03:05-03:10 HOUR	36.6 <sup>2/</sup>	36.1 ***	30.0 <sup>2/</sup>	34.1 ***	<0.8 <sup>3/</sup>
	03:10-03:15 HOUR	36.5 <sup>2/</sup>	36.1 ***	28.9 <sup>2/</sup>	34.1 ***	<0.8 <sup>3/</sup>
	03:15-03:20 HOUR	40.5 <sup>2/</sup>	38.6 ***	39.0 <sup>2/</sup>	35.4 ***	3.6
	03:20-03:25 HOUR	40.1 <sup>2/</sup>	38.6 ***	37.8 <sup>2/</sup>	35.4 ***	2.4
	03:25-03:30 HOUR	42.6 <sup>2/</sup>	38.6 ***	43.4 <sup>2/</sup>	35.4 ***	8.0
	03:30-03:35 HOUR	36.7 <sup>2/</sup>	34.8 ***	35.2 <sup>2/</sup>	33.4 ***	1.8
	03:35-03:40 HOUR	36.6 <sup>2/</sup>	34.8 ***	34.9 <sup>2/</sup>	33.4 ***	1.5
	03:40-03:45 HOUR	38.0 <sup>2/</sup>	34.8 ***	38.2 <sup>2/</sup>	33.4 ***	4.8
	03:45-03:50 HOUR	40.6 <sup>2/</sup>	40.2 ***	33.0 <sup>2/</sup>	35.1 ***	<0.8 <sup>3/</sup>
	03:50-03:55 HOUR	41.1 <sup>2/</sup>	40.2 ***	36.8 <sup>2/</sup>	35.1 ***	1.7
	03:55-04:00 HOUR	40.3 <sup>2/</sup>	40.2 ***	26.9 <sup>2/</sup>	35.1 ***	<0.8 <sup>3/</sup>
	04:00-04:05 HOUR	38.6 <sup>2/</sup>	35.7 ***	38.5 <sup>2/</sup>	33.0 ***	5.5
	04:05-04:10 HOUR	36.5 <sup>2/</sup>	35.7 ***	31.8 <sup>2/</sup>	33.0 ***	<0.8 <sup>3/</sup>
	04:10-04:15 HOUR	39.1 <sup>2/</sup>	35.7 ***	39.4 <sup>2/</sup>	33.0 ***	6.4
	04:15-04:20 HOUR	37.1 <sup>2/</sup>	36.0 ***	33.6 <sup>2/</sup>	33.0 ***	<0.8 <sup>3/</sup>
	04:20-04:25 HOUR	39.8 <sup>2/</sup>	36.0 ***	40.5 <sup>2/</sup>	33.0 ***	7.5
	04:25-04:30 HOUR	39.7 <sup>2/</sup>	36.0 ***	40.3 <sup>2/</sup>	33.0 ***	7.3
	04:30-04:35 HOUR	37.7 <sup>2/</sup>	37.1 ***	31.8 <sup>2/</sup>	32.0 ***	<0.8 <sup>3/</sup>
	04:35-04:40 HOUR	39.3 <sup>2/</sup>	37.1 ***	38.3 <sup>2/</sup>	32.0 ***	6.3
	04:40-04:45 HOUR	38.2 <sup>2/</sup>	37.1 ***	34.7 <sup>2/</sup>	32.0 ***	2.7
	04:45-04:50 HOUR	41.9 <sup>2/</sup>	38.9 ***	41.9 <sup>2/</sup>	35.2 ***	6.7
	04:50-04:55 HOUR	39.6 <sup>2/</sup>	38.9 ***	34.3 <sup>2/</sup>	35.2 ***	<0.8 <sup>3/</sup>
	04:55-05:00 HOUR	42.2 <sup>2/</sup>	38.9 ***	42.5 <sup>2/</sup>	35.2 ***	7.3
	05:00-05:05 HOUR	39.1 <sup>2/</sup>	39.9 ***	<0.8 <sup>3/</sup>	33.0 ***	<0.8 <sup>3/</sup>
	05:05-05:10 HOUR	40.6 <sup>2/</sup>	39.9 ***	35.3 <sup>2/</sup>	33.0 ***	2.3
	05:10-05:15 HOUR	40.4 <sup>2/</sup>	39.9 ***	33.8 <sup>2/</sup>	33.0 ***	0.8
	05:15-05:20 HOUR	43.9 <sup>2/</sup>	41.6 ***	43.0 <sup>2/</sup>	36.6 ***	6.4
	05:20-05:25 HOUR	43.5 <sup>2/</sup>	41.6 ***	42.0 <sup>2/</sup>	36.6 ***	5.4
	05:25-05:30 HOUR	42.6 <sup>2/</sup>	41.6 ***	38.7 <sup>2/</sup>	36.6 ***	2.1
	05:30-05:35 HOUR	43.1 <sup>2/</sup>	41.2 ***	41.6 <sup>2/</sup>	35.1 ***	6.5
	05:35-05:40 HOUR	41.5 <sup>2/</sup>	41.2 ***	32.7 <sup>2/</sup>	35.1 ***	<0.8 <sup>3/</sup>
	05:40-05:45 HOUR	41.0 <sup>2/</sup>	41.2 ***	<0.8 <sup>3/</sup>	35.1 ***	<0.8 <sup>3/</sup>
	05:45-05:50 HOUR	41.6 <sup>2/</sup>	39.8 ***	39.9 <sup>2/</sup>	35.5 ***	4.4

DATE	TIME*	RESULT (dB(A))				
		บ้านโตกสะอาด				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
JANUARY 15, 2024 T24AB382-0010	<b>NIGHT TIME</b> <sup>2/</sup>					
	05:50-05:55 HOUR	43.1 <sup>2/</sup>	39.8 ***	43.4 <sup>2/</sup>	35.5 ***	7.9
	05:55-06:00 HOUR	40.8 <sup>2/</sup>	39.8 ***	36.9 <sup>2/</sup>	35.5 ***	1.4
	<b>DAY TIME</b> <sup>1/</sup>					
	06:00-07:00 HOUR	45.8 <sup>1/</sup>	42.3 **	43.2 <sup>1/</sup>	36.6 **	6.6
JANUARY 15, 2024 T24AB382-0011	<b>DAY TIME</b> <sup>1/</sup>					
	07:00-08:00 HOUR	51.3 <sup>1/</sup>	48.0 **	48.6 <sup>1/</sup>	43.7 **	4.9
	08:00-09:00 HOUR	50.0 <sup>1/</sup>	46.7 **	47.3 <sup>1/</sup>	42.7 **	4.6
	09:00-10:00 HOUR	51.7 <sup>1/</sup>	50.0 **	46.8 <sup>1/</sup>	43.3 **	3.5
	10:00-11:00 HOUR	52.3 <sup>1/</sup>	47.5 **	50.6 <sup>1/</sup>	44.4 **	6.2
	11:00-12:00 HOUR	51.4 <sup>1/</sup>	49.2 **	47.4 <sup>1/</sup>	43.5 **	3.9
	12:00-13:00 HOUR	49.5 <sup>1/</sup>	45.2 **	47.5 <sup>1/</sup>	42.0 **	5.5
	13:00-14:00 HOUR	48.7 <sup>1/</sup>	46.8 **	44.2 <sup>1/</sup>	42.4 **	1.8
	14:00-15:00 HOUR	49.1 <sup>1/</sup>	47.4 **	44.2 <sup>1/</sup>	42.4 **	1.8
	15:00-16:00 HOUR	50.5 <sup>1/</sup>	47.4 **	47.6 <sup>1/</sup>	41.6 **	6.0
	16:00-17:00 HOUR	48.2 <sup>1/</sup>	45.3 **	45.1 <sup>1/</sup>	42.3 **	2.8
	17:00-18:00 HOUR	47.3 <sup>1/</sup>	45.3 **	43.0 <sup>1/</sup>	42.5 **	<0.8 <sup>3/</sup>
	18:00-19:00 HOUR	44.4 <sup>1/</sup>	42.7 **	39.5 <sup>1/</sup>	39.9 **	<0.8 <sup>3/</sup>
	19:00-20:00 HOUR	44.6 <sup>1/</sup>	43.4 **	38.4 <sup>1/</sup>	41.1 **	<0.8 <sup>3/</sup>
	20:00-21:00 HOUR	44.4 <sup>1/</sup>	42.9 **	39.1 <sup>1/</sup>	41.1 **	<0.8 <sup>3/</sup>
	21:00-22:00 HOUR	44.2 <sup>1/</sup>	43.3 **	36.9 <sup>1/</sup>	41.0 **	<0.8 <sup>3/</sup>
	<b>NIGHT TIME</b> <sup>2/</sup>					
	22:00-22:05 HOUR	42.0 <sup>2/</sup>	43.3 ***	<0.8 <sup>3/</sup>	41.9 ***	<0.8 <sup>3/</sup>
	22:05-22:10 HOUR	45.6 <sup>2/</sup>	43.3 ***	44.7 <sup>2/</sup>	41.9 ***	2.8
	22:10-22:15 HOUR	44.8 <sup>2/</sup>	43.3 ***	42.5 <sup>2/</sup>	41.9 ***	<0.8 <sup>3/</sup>
	22:15-22:20 HOUR	43.6 <sup>2/</sup>	41.8 ***	41.9 <sup>2/</sup>	40.1 ***	1.8
	22:20-22:25 HOUR	43.5 <sup>2/</sup>	41.8 ***	41.6 <sup>2/</sup>	40.1 ***	1.5
	22:25-22:30 HOUR	42.4 <sup>2/</sup>	41.8 ***	36.5 <sup>2/</sup>	40.1 ***	<0.8 <sup>3/</sup>
	22:30-22:35 HOUR	42.0 <sup>2/</sup>	40.5 ***	39.7 <sup>2/</sup>	38.8 ***	0.9
	22:35-22:40 HOUR	41.8 <sup>2/</sup>	40.5 ***	38.9 <sup>2/</sup>	38.8 ***	<0.8 <sup>3/</sup>
	22:40-22:45 HOUR	43.9 <sup>2/</sup>	40.5 ***	44.2 <sup>2/</sup>	38.8 ***	5.4
	22:45-22:50 HOUR	41.8 <sup>2/</sup>	41.4 ***	34.2 <sup>2/</sup>	40.0 ***	<0.8 <sup>3/</sup>
	22:50-22:55 HOUR	42.2 <sup>2/</sup>	41.4 ***	37.5 <sup>2/</sup>	40.0 ***	<0.8 <sup>3/</sup>
	22:55-23:00 HOUR	42.5 <sup>2/</sup>	41.4 ***	39.0 <sup>2/</sup>	40.0 ***	<0.8 <sup>3/</sup>
	23:00-23:05 HOUR	44.3 <sup>2/</sup>	43.8 ***	37.7 <sup>2/</sup>	39.3 ***	<0.8 <sup>3/</sup>
	23:05-23:10 HOUR	45.2 <sup>2/</sup>	43.8 ***	42.6 <sup>2/</sup>	39.3 ***	3.3
	23:10-23:15 HOUR	44.0 <sup>2/</sup>	43.8 ***	33.5 <sup>2/</sup>	39.3 ***	<0.8 <sup>3/</sup>
	23:15-23:20 HOUR	45.8 <sup>2/</sup>	40.9 ***	47.1 <sup>2/</sup>	39.6 ***	7.5
	23:20-23:25 HOUR	45.5 <sup>2/</sup>	40.9 ***	46.7 <sup>2/</sup>	39.6 ***	7.1
	23:25-23:30 HOUR	42.4 <sup>2/</sup>	40.9 ***	40.1 <sup>2/</sup>	39.6 ***	<0.8 <sup>3/</sup>
	23:30-23:35 HOUR	40.9 <sup>2/</sup>	40.6 ***	32.1 <sup>2/</sup>	38.6 ***	<0.8 <sup>3/</sup>
	23:35-23:40 HOUR	41.9 <sup>2/</sup>	40.6 ***	39.0 <sup>2/</sup>	38.6 ***	<0.8 <sup>3/</sup>
	23:40-23:45 HOUR	43.3 <sup>2/</sup>	40.6 ***	43.0 <sup>2/</sup>	38.6 ***	4.4
	23:45-23:50 HOUR	41.4 <sup>2/</sup>	40.2 ***	38.2 <sup>2/</sup>	39.4 ***	<0.8 <sup>3/</sup>
	23:50-23:55 HOUR	43.5 <sup>2/</sup>	40.2 ***	43.8 <sup>2/</sup>	39.4 ***	4.4
	23:55-00:00 HOUR	40.9 <sup>2/</sup>	40.2 ***	35.6 <sup>2/</sup>	39.4 ***	<0.8 <sup>3/</sup>

DATE	TIME*	RESULT (dB(A))				
		บ้านโคกสะอาด				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
JANUARY 16, 2024 T24AB382-0011	<b>NIGHT TIME</b> <sup>2/</sup>					
	00:00-00:05 HOUR	41.3 <sup>2/</sup>	41.0 ***	32.5 <sup>2/</sup>	40.1 ***	<0.8 <sup>3/</sup>
	00:05-00:10 HOUR	41.0 <sup>2/</sup>	41.0 ***	<0.8 <sup>3/</sup>	40.1 ***	<0.8 <sup>3/</sup>
	00:10-00:15 HOUR	41.9 <sup>2/</sup>	41.0 ***	37.6 <sup>2/</sup>	40.1 ***	<0.8 <sup>3/</sup>
	00:15-00:20 HOUR	40.8 <sup>2/</sup>	40.9 ***	<0.8 <sup>3/</sup>	39.4 ***	<0.8 <sup>3/</sup>
	00:20-00:25 HOUR	42.6 <sup>2/</sup>	40.9 ***	40.7 <sup>2/</sup>	39.4 ***	1.3
	00:25-00:30 HOUR	41.8 <sup>2/</sup>	40.9 ***	37.5 <sup>2/</sup>	39.4 ***	<0.8 <sup>3/</sup>
	00:30-00:35 HOUR	42.2 <sup>2/</sup>	40.9 ***	39.3 <sup>2/</sup>	39.8 ***	<0.8 <sup>3/</sup>
	00:35-00:40 HOUR	41.7 <sup>2/</sup>	40.9 ***	37.0 <sup>2/</sup>	39.8 ***	<0.8 <sup>3/</sup>
	00:40-00:45 HOUR	42.4 <sup>2/</sup>	40.9 ***	40.1 <sup>2/</sup>	39.8 ***	<0.8 <sup>3/</sup>
	00:45-00:50 HOUR	43.1 <sup>2/</sup>	41.6 ***	40.8 <sup>2/</sup>	40.4 ***	<0.8 <sup>3/</sup>
	00:50-00:55 HOUR	43.8 <sup>2/</sup>	41.6 ***	42.8 <sup>2/</sup>	40.4 ***	2.4
	00:55-01:00 HOUR	43.0 <sup>2/</sup>	41.6 ***	40.4 <sup>2/</sup>	40.4 ***	<0.8 <sup>3/</sup>
	01:00-01:05 HOUR	42.8 <sup>2/</sup>	42.2 ***	36.9 <sup>2/</sup>	39.4 ***	<0.8 <sup>3/</sup>
	01:05-01:10 HOUR	42.3 <sup>2/</sup>	42.2 ***	28.9 <sup>2/</sup>	39.4 ***	<0.8 <sup>3/</sup>
	01:10-01:15 HOUR	44.0 <sup>2/</sup>	42.2 ***	42.3 <sup>2/</sup>	39.4 ***	2.9
	01:15-01:20 HOUR	40.7 <sup>2/</sup>	40.0 ***	35.4 <sup>2/</sup>	38.8 ***	<0.8 <sup>3/</sup>
	01:20-01:25 HOUR	41.0 <sup>2/</sup>	40.0 ***	37.1 <sup>2/</sup>	38.8 ***	<0.8 <sup>3/</sup>
	01:25-01:30 HOUR	40.6 <sup>2/</sup>	40.0 ***	34.7 <sup>2/</sup>	38.8 ***	<0.8 <sup>3/</sup>
	01:30-01:35 HOUR	42.1 <sup>2/</sup>	39.6 ***	41.5 <sup>2/</sup>	38.6 ***	2.9
	01:35-01:40 HOUR	40.3 <sup>2/</sup>	39.6 ***	35.0 <sup>2/</sup>	38.6 ***	<0.8 <sup>3/</sup>
	01:40-01:45 HOUR	40.5 <sup>2/</sup>	39.6 ***	36.2 <sup>2/</sup>	38.6 ***	<0.8 <sup>3/</sup>
	01:45-01:50 HOUR	40.5 <sup>2/</sup>	38.8 ***	38.6 <sup>2/</sup>	37.8 ***	0.8
	01:50-01:55 HOUR	40.7 <sup>2/</sup>	38.8 ***	39.2 <sup>2/</sup>	37.8 ***	1.4
	01:55-02:00 HOUR	40.1 <sup>2/</sup>	38.8 ***	37.2 <sup>2/</sup>	37.8 ***	<0.8 <sup>3/</sup>
	02:00-02:05 HOUR	39.7 <sup>2/</sup>	39.6 ***	26.3 <sup>2/</sup>	38.5 ***	<0.8 <sup>3/</sup>
	02:05-02:10 HOUR	40.9 <sup>2/</sup>	39.6 ***	38.0 <sup>2/</sup>	38.5 ***	<0.8 <sup>3/</sup>
	02:10-02:15 HOUR	39.7 <sup>2/</sup>	39.6 ***	26.3 <sup>2/</sup>	38.5 ***	<0.8 <sup>3/</sup>
	02:15-02:20 HOUR	40.5 <sup>2/</sup>	38.7 ***	38.8 <sup>2/</sup>	37.4 ***	1.4
	02:20-02:25 HOUR	40.4 <sup>2/</sup>	38.7 ***	38.5 <sup>2/</sup>	37.4 ***	1.1
	02:25-02:30 HOUR	39.7 <sup>2/</sup>	38.7 ***	35.8 <sup>2/</sup>	37.4 ***	<0.8 <sup>3/</sup>
	02:30-02:35 HOUR	40.7 <sup>2/</sup>	38.8 ***	39.2 <sup>2/</sup>	37.3 ***	1.9
	02:35-02:40 HOUR	40.5 <sup>2/</sup>	38.8 ***	38.6 <sup>2/</sup>	37.3 ***	1.3
	02:40-02:45 HOUR	40.2 <sup>2/</sup>	38.8 ***	37.6 <sup>2/</sup>	37.3 ***	<0.8 <sup>3/</sup>
	02:45-02:50 HOUR	41.6 <sup>2/</sup>	39.0 ***	41.1 <sup>2/</sup>	37.8 ***	3.3
	02:50-02:55 HOUR	43.0 <sup>2/</sup>	39.0 ***	43.8 <sup>2/</sup>	37.8 ***	6.0
	02:55-03:00 HOUR	40.6 <sup>2/</sup>	39.0 ***	38.5 <sup>2/</sup>	37.8 ***	<0.8 <sup>3/</sup>
	03:00-03:05 HOUR	40.2 <sup>2/</sup>	37.3 ***	40.1 <sup>2/</sup>	36.5 ***	3.6
	03:05-03:10 HOUR	38.5 <sup>2/</sup>	37.3 ***	35.3 <sup>2/</sup>	36.5 ***	<0.8 <sup>3/</sup>
	03:10-03:15 HOUR	38.8 <sup>2/</sup>	37.3 ***	36.5 <sup>2/</sup>	36.5 ***	<0.8 <sup>3/</sup>
	03:15-03:20 HOUR	39.2 <sup>2/</sup>	37.7 ***	36.9 <sup>2/</sup>	36.9 ***	<0.8 <sup>3/</sup>
	03:20-03:25 HOUR	38.8 <sup>2/</sup>	37.7 ***	35.3 <sup>2/</sup>	36.9 ***	<0.8 <sup>3/</sup>
	03:25-03:30 HOUR	38.6 <sup>2/</sup>	37.7 ***	34.3 <sup>2/</sup>	36.9 ***	<0.8 <sup>3/</sup>
	03:30-03:35 HOUR	43.0 <sup>2/</sup>	39.5 ***	43.4 <sup>2/</sup>	38.1 ***	5.3
	03:35-03:40 HOUR	39.9 <sup>2/</sup>	39.5 ***	32.3 <sup>2/</sup>	38.1 ***	<0.8 <sup>3/</sup>

DATE	TIME*	RESULT (dB(A))				
		มาตรฐานโศกสะอาด				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
JANUARY 16, 2024	<b>NIGHT TIME</b> <sup>2/</sup>					
T24AB382-0011	03:40-03:45 HOUR	41.8 <sup>2/</sup>	39.5 ***	40.9 <sup>2/</sup>	38.1 ***	2.8
	03:45-03:50 HOUR	40.9 <sup>2/</sup>	38.5 ***	40.2 <sup>2/</sup>	37.3 ***	2.9
	03:50-03:55 HOUR	40.1 <sup>2/</sup>	38.5 ***	38.0 <sup>2/</sup>	37.3 ***	<0.8 <sup>3/</sup>
	03:55-04:00 HOUR	40.5 <sup>2/</sup>	38.5 ***	39.2 <sup>2/</sup>	37.3 ***	1.9
	04:00-04:05 HOUR	40.7 <sup>2/</sup>	38.1 ***	40.2 <sup>2/</sup>	36.9 ***	3.3
	04:05-04:10 HOUR	39.8 <sup>2/</sup>	38.1 ***	37.9 <sup>2/</sup>	36.9 ***	1.0
	04:10-04:15 HOUR	38.7 <sup>2/</sup>	38.1 ***	32.8 <sup>2/</sup>	36.9 ***	<0.8 <sup>3/</sup>
	04:15-04:20 HOUR	42.7 <sup>2/</sup>	40.2 ***	42.1 <sup>2/</sup>	38.0 ***	4.1
	04:20-04:25 HOUR	43.6 <sup>2/</sup>	40.2 ***	43.9 <sup>2/</sup>	38.0 ***	5.9
	04:25-04:30 HOUR	43.5 <sup>2/</sup>	40.2 ***	43.8 <sup>2/</sup>	38.0 ***	5.8
	04:30-04:35 HOUR	41.6 <sup>2/</sup>	38.1 ***	42.0 <sup>2/</sup>	36.4 ***	5.6
	04:35-04:40 HOUR	41.2 <sup>2/</sup>	38.1 ***	41.3 <sup>2/</sup>	36.4 ***	4.9
	04:40-04:45 HOUR	40.4 <sup>2/</sup>	38.1 ***	39.5 <sup>2/</sup>	36.4 ***	3.1
	04:45-04:50 HOUR	42.6 <sup>2/</sup>	39.1 ***	43.0 <sup>2/</sup>	36.6 ***	6.4
	04:50-04:55 HOUR	43.0 <sup>2/</sup>	39.1 ***	43.7 <sup>2/</sup>	36.6 ***	7.1
	04:55-05:00 HOUR	40.9 <sup>2/</sup>	39.1 ***	39.2 <sup>2/</sup>	36.6 ***	2.6
	05:00-05:05 HOUR	40.3 <sup>2/</sup>	38.7 ***	38.2 <sup>2/</sup>	37.0 ***	1.2
	05:05-05:10 HOUR	42.7 <sup>2/</sup>	38.7 ***	43.5 <sup>2/</sup>	37.0 ***	6.5
	05:10-05:15 HOUR	40.2 <sup>2/</sup>	38.7 ***	37.9 <sup>2/</sup>	37.0 ***	0.9
	05:15-05:20 HOUR	41.0 <sup>2/</sup>	39.6 ***	38.4 <sup>2/</sup>	37.3 ***	1.1
	05:20-05:25 HOUR	41.0 <sup>2/</sup>	39.6 ***	38.4 <sup>2/</sup>	37.3 ***	1.1
	05:25-05:30 HOUR	41.2 <sup>2/</sup>	39.6 ***	39.1 <sup>2/</sup>	37.3 ***	1.8
	05:30-05:35 HOUR	43.1 <sup>2/</sup>	39.4 ***	43.7 <sup>2/</sup>	36.9 ***	6.8
	05:35-05:40 HOUR	40.8 <sup>2/</sup>	39.4 ***	38.2 <sup>2/</sup>	36.9 ***	1.3
	05:40-05:45 HOUR	42.6 <sup>2/</sup>	39.4 ***	42.8 <sup>2/</sup>	36.9 ***	5.9
	05:45-05:50 HOUR	39.5 <sup>2/</sup>	39.0 ***	32.9 <sup>2/</sup>	37.2 ***	<0.8 <sup>3/</sup>
	05:50-05:55 HOUR	38.5 <sup>2/</sup>	39.0 ***	<0.8 <sup>3/</sup>	37.2 ***	<0.8 <sup>3/</sup>
	05:55-06:00 HOUR	39.3 <sup>2/</sup>	39.0 ***	30.5 <sup>2/</sup>	37.2 ***	<0.8 <sup>3/</sup>
	<b>DAY TIME</b> <sup>1/</sup>					
	06:00-07:00 HOUR	46.2 <sup>1/</sup>	39.3 **	45.2 <sup>1/</sup>	38.2 **	7.0
JANUARY 16, 2024	<b>DAY TIME</b> <sup>1/</sup>					
T24AB382-0012	07:00-08:00 HOUR	44.5 <sup>1/</sup>	42.7 **	39.8 <sup>1/</sup>	39.3 **	<0.8 <sup>3/</sup>
	08:00-09:00 HOUR	47.5 <sup>1/</sup>	44.7 **	44.3 <sup>1/</sup>	42.8 **	1.5
	09:00-10:00 HOUR	49.6 <sup>1/</sup>	46.5 **	46.7 <sup>1/</sup>	42.6 **	4.1
	10:00-11:00 HOUR	48.1 <sup>1/</sup>	45.9 **	44.1 <sup>1/</sup>	41.9 **	2.2
	11:00-12:00 HOUR	49.0 <sup>1/</sup>	46.2 **	45.8 <sup>1/</sup>	41.8 **	4.0
	12:00-13:00 HOUR	49.4 <sup>1/</sup>	47.5 **	44.9 <sup>1/</sup>	41.8 **	3.1
	13:00-14:00 HOUR	48.2 <sup>1/</sup>	46.3 **	43.7 <sup>1/</sup>	41.6 **	2.1
	14:00-15:00 HOUR	50.7 <sup>1/</sup>	46.8 **	48.4 <sup>1/</sup>	42.2 **	6.2
	15:00-16:00 HOUR	46.1 <sup>1/</sup>	43.4 **	42.8 <sup>1/</sup>	39.8 **	3.0
	16:00-17:00 HOUR	48.3 <sup>1/</sup>	45.9 **	44.6 <sup>1/</sup>	41.5 **	3.1
	17:00-18:00 HOUR	49.3 <sup>1/</sup>	47.3 **	45.0 <sup>1/</sup>	42.1 **	2.9
	18:00-19:00 HOUR	48.3 <sup>1/</sup>	43.7 **	46.5 <sup>1/</sup>	40.7 **	5.8
	19:00-20:00 HOUR	47.9 <sup>1/</sup>	46.8 **	41.4 <sup>1/</sup>	40.9 **	<0.8 <sup>3/</sup>
	20:00-21:00 HOUR	45.4 <sup>1/</sup>	43.8 **	40.3 <sup>1/</sup>	40.1 **	<0.8 <sup>3/</sup>

DATE	TIME*	RESULT (dB(A))				
		มาตรฐานสากล				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
JANUARY 16, 2024 T24AB382-0012	<b>DAY TIME</b> <sup>1/</sup> 21:00-22:00 HOUR	45.8 <sup>1/</sup>	42.4 **	43.1 <sup>1/</sup>	40.7 **	2.4
	<b>NIGHT TIME</b> <sup>2/</sup> 22:00-22:05 HOUR	45.0 <sup>2/</sup>	43.4 ***	42.9 <sup>2/</sup>	40.4 ***	2.5
	22:05-22:10 HOUR	43.8 <sup>2/</sup>	43.4 ***	36.2 <sup>2/</sup>	40.4 ***	<0.8 <sup>3/</sup>
	22:10-22:15 HOUR	43.4 <sup>2/</sup>	43.4 ***	<0.8 <sup>3/</sup>	40.4 ***	<0.8 <sup>3/</sup>
	22:15-22:20 HOUR	44.3 <sup>2/</sup>	41.0 ***	44.6 <sup>2/</sup>	38.5 ***	6.1
	22:20-22:25 HOUR	43.7 <sup>2/</sup>	41.0 ***	43.4 <sup>2/</sup>	38.5 ***	4.9
	22:25-22:30 HOUR	43.9 <sup>2/</sup>	41.0 ***	43.8 <sup>2/</sup>	38.5 ***	5.3
	22:30-22:35 HOUR	42.0 <sup>2/</sup>	41.5 ***	35.4 <sup>2/</sup>	38.7 ***	<0.8 <sup>3/</sup>
	22:35-22:40 HOUR	42.4 <sup>2/</sup>	41.5 ***	38.1 <sup>2/</sup>	38.7 ***	<0.8 <sup>3/</sup>
	22:40-22:45 HOUR	41.9 <sup>2/</sup>	41.5 ***	34.3 <sup>2/</sup>	38.7 ***	<0.8 <sup>3/</sup>
	22:45-22:50 HOUR	45.4 <sup>2/</sup>	43.7 ***	43.5 <sup>2/</sup>	40.2 ***	3.3
	22:50-22:55 HOUR	44.8 <sup>2/</sup>	43.7 ***	41.3 <sup>2/</sup>	40.2 ***	1.1
	22:55-23:00 HOUR	45.0 <sup>2/</sup>	43.7 ***	42.1 <sup>2/</sup>	40.2 ***	1.9
	23:00-23:05 HOUR	44.6 <sup>2/</sup>	42.1 ***	44.0 <sup>2/</sup>	40.2 ***	3.8
	23:05-23:10 HOUR	43.8 <sup>2/</sup>	42.1 ***	41.9 <sup>2/</sup>	40.2 ***	1.7
	23:10-23:15 HOUR	42.7 <sup>2/</sup>	42.1 ***	36.8 <sup>2/</sup>	40.2 ***	<0.8 <sup>3/</sup>
	23:15-23:20 HOUR	43.4 <sup>2/</sup>	38.8 ***	44.6 <sup>2/</sup>	37.9 ***	6.7
	23:20-23:25 HOUR	41.5 <sup>2/</sup>	38.8 ***	41.2 <sup>2/</sup>	37.9 ***	3.3
	23:25-23:30 HOUR	40.7 <sup>2/</sup>	38.8 ***	39.2 <sup>2/</sup>	37.9 ***	1.3
	23:30-23:35 HOUR	40.4 <sup>2/</sup>	41.7 ***	<0.8 <sup>3/</sup>	39.1 ***	<0.8 <sup>3/</sup>
	23:35-23:40 HOUR	42.4 <sup>2/</sup>	41.7 ***	37.1 <sup>2/</sup>	39.1 ***	<0.8 <sup>3/</sup>
	23:40-23:45 HOUR	41.9 <sup>2/</sup>	41.7 ***	31.4 <sup>2/</sup>	39.1 ***	<0.8 <sup>3/</sup>
	23:45-23:50 HOUR	43.3 <sup>2/</sup>	40.1 ***	43.5 <sup>2/</sup>	38.2 ***	5.3
	23:50-23:55 HOUR	40.5 <sup>2/</sup>	40.1 ***	32.9 <sup>2/</sup>	38.2 ***	<0.8 <sup>3/</sup>
	23:55-00:00 HOUR	41.7 <sup>2/</sup>	40.1 ***	39.6 <sup>2/</sup>	38.2 ***	1.4
JANUARY 17, 2024 T24AB382-0012	<b>NIGHT TIME</b> <sup>2/</sup> 00:00-00:05 HOUR	40.7 <sup>2/</sup>	40.5 ***	30.2 <sup>2/</sup>	38.8 ***	<0.8 <sup>3/</sup>
	00:05-00:10 HOUR	41.6 <sup>2/</sup>	40.5 ***	38.1 <sup>2/</sup>	38.8 ***	<0.8 <sup>3/</sup>
	00:10-00:15 HOUR	41.6 <sup>2/</sup>	40.5 ***	38.1 <sup>2/</sup>	38.8 ***	<0.8 <sup>3/</sup>
	00:15-00:20 HOUR	40.7 <sup>2/</sup>	39.8 ***	36.4 <sup>2/</sup>	38.8 ***	<0.8 <sup>3/</sup>
	00:20-00:25 HOUR	40.8 <sup>2/</sup>	39.8 ***	36.9 <sup>2/</sup>	38.8 ***	<0.8 <sup>3/</sup>
	00:25-00:30 HOUR	40.4 <sup>2/</sup>	39.8 ***	34.5 <sup>2/</sup>	38.8 ***	<0.8 <sup>3/</sup>
	00:30-00:35 HOUR	43.4 <sup>2/</sup>	40.0 ***	43.7 <sup>2/</sup>	37.2 ***	6.5
	00:35-00:40 HOUR	40.6 <sup>2/</sup>	40.0 ***	34.7 <sup>2/</sup>	37.2 ***	<0.8 <sup>3/</sup>
	00:40-00:45 HOUR	42.3 <sup>2/</sup>	40.0 ***	41.4 <sup>2/</sup>	37.2 ***	4.2
	00:45-00:50 HOUR	40.2 <sup>2/</sup>	38.8 ***	37.6 <sup>2/</sup>	37.7 ***	<0.8 <sup>3/</sup>
	00:50-00:55 HOUR	39.6 <sup>2/</sup>	38.8 ***	34.9 <sup>2/</sup>	37.7 ***	<0.8 <sup>3/</sup>
	00:55-01:00 HOUR	40.1 <sup>2/</sup>	38.8 ***	37.2 <sup>2/</sup>	37.7 ***	<0.8 <sup>3/</sup>
	01:00-01:05 HOUR	41.6 <sup>2/</sup>	40.6 ***	37.7 <sup>2/</sup>	38.5 ***	<0.8 <sup>3/</sup>
	01:05-01:10 HOUR	41.5 <sup>2/</sup>	40.6 ***	37.2 <sup>2/</sup>	38.5 ***	<0.8 <sup>3/</sup>
	01:10-01:15 HOUR	43.1 <sup>2/</sup>	40.6 ***	42.5 <sup>2/</sup>	38.5 ***	4.0
	01:15-01:20 HOUR	41.4 <sup>2/</sup>	39.9 ***	39.1 <sup>2/</sup>	37.7 ***	1.4
	01:20-01:25 HOUR	43.0 <sup>2/</sup>	39.9 ***	43.1 <sup>2/</sup>	37.7 ***	5.4
	01:25-01:30 HOUR	40.6 <sup>2/</sup>	39.9 ***	35.3 <sup>2/</sup>	37.7 ***	<0.8 <sup>3/</sup>

DATE	TIME*	RESULT (dB(A))				
		บ้านโคกสะอาด				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
JANUARY 17, 2024	<b>NIGHT TIME</b> <sup>2/</sup>					
T24AB382-0012	01:30-01:35 HOUR	47.1 <sup>2/</sup>	45.2 ***	45.6 <sup>2/</sup>	38.1 ***	7.5
	01:35-01:40 HOUR	45.4 <sup>2/</sup>	45.2 ***	34.9 <sup>2/</sup>	38.1 ***	<0.8 <sup>3/</sup>
	01:40-01:45 HOUR	45.9 <sup>2/</sup>	45.2 ***	40.6 <sup>2/</sup>	38.1 ***	2.5
	01:45-01:50 HOUR	43.8 <sup>2/</sup>	39.9 ***	44.5 <sup>2/</sup>	37.7 ***	6.8
	01:50-01:55 HOUR	44.1 <sup>2/</sup>	39.9 ***	45.0 <sup>2/</sup>	37.7 ***	7.3
	01:55-02:00 HOUR	40.4 <sup>2/</sup>	39.9 ***	33.8 <sup>2/</sup>	37.7 ***	<0.8 <sup>3/</sup>
	02:00-02:05 HOUR	42.8 <sup>2/</sup>	40.4 ***	42.1 <sup>2/</sup>	38.2 ***	3.9
	02:05-02:10 HOUR	41.5 <sup>2/</sup>	40.4 ***	38.0 <sup>2/</sup>	38.2 ***	<0.8 <sup>3/</sup>
	02:10-02:15 HOUR	42.4 <sup>2/</sup>	40.4 ***	41.1 <sup>2/</sup>	38.2 ***	2.9
	02:15-02:20 HOUR	42.3 <sup>2/</sup>	39.6 ***	42.0 <sup>2/</sup>	37.7 ***	4.3
	02:20-02:25 HOUR	40.1 <sup>2/</sup>	39.6 ***	33.5 <sup>2/</sup>	37.7 ***	<0.8 <sup>3/</sup>
	02:25-02:30 HOUR	40.3 <sup>2/</sup>	39.6 ***	35.0 <sup>2/</sup>	37.7 ***	<0.8 <sup>3/</sup>
	02:30-02:35 HOUR	42.1 <sup>2/</sup>	39.0 ***	42.2 <sup>2/</sup>	37.3 ***	4.9
	02:35-02:40 HOUR	40.3 <sup>2/</sup>	39.0 ***	37.4 <sup>2/</sup>	37.3 ***	<0.8 <sup>3/</sup>
	02:40-02:45 HOUR	39.8 <sup>2/</sup>	39.0 ***	35.1 <sup>2/</sup>	37.3 ***	<0.8 <sup>3/</sup>
	02:45-02:50 HOUR	40.8 <sup>2/</sup>	40.3 ***	34.2 <sup>2/</sup>	38.1 ***	<0.8 <sup>3/</sup>
	02:50-02:55 HOUR	41.2 <sup>2/</sup>	40.3 ***	36.9 <sup>2/</sup>	38.1 ***	<0.8 <sup>3/</sup>
	02:55-03:00 HOUR	41.7 <sup>2/</sup>	40.3 ***	39.1 <sup>2/</sup>	38.1 ***	1.0
	03:00-03:05 HOUR	40.7 <sup>2/</sup>	38.3 ***	40.0 <sup>2/</sup>	36.9 ***	3.1
	03:05-03:10 HOUR	41.1 <sup>2/</sup>	38.3 ***	40.9 <sup>2/</sup>	36.9 ***	4.0
	03:10-03:15 HOUR	40.2 <sup>2/</sup>	38.3 ***	38.7 <sup>2/</sup>	36.9 ***	1.8
	03:15-03:20 HOUR	39.5 <sup>2/</sup>	39.3 ***	29.0 <sup>2/</sup>	37.3 ***	<0.8 <sup>3/</sup>
	03:20-03:25 HOUR	43.4 <sup>2/</sup>	39.3 ***	44.3 <sup>2/</sup>	37.3 ***	7.0
	03:25-03:30 HOUR	40.0 <sup>2/</sup>	39.3 ***	34.7 <sup>2/</sup>	37.3 ***	<0.8 <sup>3/</sup>
	03:30-03:35 HOUR	42.9 <sup>2/</sup>	39.7 ***	43.1 <sup>2/</sup>	37.7 ***	5.4
	03:35-03:40 HOUR	42.5 <sup>2/</sup>	39.7 ***	42.3 <sup>2/</sup>	37.7 ***	4.6
	03:40-03:45 HOUR	40.0 <sup>2/</sup>	39.7 ***	31.2 <sup>2/</sup>	37.7 ***	<0.8 <sup>3/</sup>
	03:45-03:50 HOUR	41.9 <sup>2/</sup>	39.8 ***	40.7 <sup>2/</sup>	37.4 ***	3.3
	03:50-03:55 HOUR	42.6 <sup>2/</sup>	39.8 ***	42.4 <sup>2/</sup>	37.4 ***	5.0
	03:55-04:00 HOUR	40.6 <sup>2/</sup>	39.8 ***	35.9 <sup>2/</sup>	37.4 ***	<0.8 <sup>3/</sup>
	04:00-04:05 HOUR	42.8 <sup>2/</sup>	39.4 ***	43.1 <sup>2/</sup>	36.5 ***	6.6
	04:05-04:10 HOUR	40.8 <sup>2/</sup>	39.4 ***	38.2 <sup>2/</sup>	36.5 ***	1.7
	04:10-04:15 HOUR	40.7 <sup>2/</sup>	39.4 ***	37.8 <sup>2/</sup>	36.5 ***	1.3
	04:15-04:20 HOUR	39.8 <sup>2/</sup>	39.5 ***	31.0 <sup>2/</sup>	37.1 ***	<0.8 <sup>3/</sup>
	04:20-04:25 HOUR	39.5 <sup>2/</sup>	39.5 ***	<0.8 <sup>3/</sup>	37.1 ***	<0.8 <sup>3/</sup>
	04:25-04:30 HOUR	41.1 <sup>2/</sup>	39.5 ***	39.0 <sup>2/</sup>	37.1 ***	1.9
	04:30-04:35 HOUR	41.5 <sup>2/</sup>	45.1 ***	<0.8 <sup>3/</sup>	38.4 ***	<0.8 <sup>3/</sup>
	04:35-04:40 HOUR	47.3 <sup>2/</sup>	45.1 ***	46.3 <sup>2/</sup>	38.4 ***	7.9
	04:40-04:45 HOUR	45.5 <sup>2/</sup>	45.1 ***	37.9 <sup>2/</sup>	38.4 ***	<0.8 <sup>3/</sup>
	04:45-04:50 HOUR	43.0 <sup>2/</sup>	40.3 ***	42.7 <sup>2/</sup>	37.2 ***	5.5
	04:50-04:55 HOUR	43.2 <sup>2/</sup>	40.3 ***	43.1 <sup>2/</sup>	37.2 ***	5.9
	04:55-05:00 HOUR	42.3 <sup>2/</sup>	40.3 ***	41.0 <sup>2/</sup>	37.2 ***	3.8
	05:00-05:05 HOUR	42.5 <sup>2/</sup>	41.0 ***	40.2 <sup>2/</sup>	38.6 ***	1.6
	05:05-05:10 HOUR	43.8 <sup>2/</sup>	41.0 ***	43.6 <sup>2/</sup>	38.6 ***	5.0

DATE	TIME*	RESULT (dB(A))				
		บ้านโดกสะอาด				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
JANUARY 17, 2024 T24AB382-0012	<b>NIGHT TIME</b> <sup>2/</sup>					
	05:10-05:15 HOUR	45.0 <sup>2/</sup>	41.0 ***	45.8 <sup>2/</sup>	38.6 ***	7.2
	05:15-05:20 HOUR	44.4 <sup>2/</sup>	42.2 ***	43.4 <sup>2/</sup>	39.5 ***	3.9
	05:20-05:25 HOUR	42.9 <sup>2/</sup>	42.2 ***	37.6 <sup>2/</sup>	39.5 ***	<0.8 <sup>3/</sup>
	05:25-05:30 HOUR	43.1 <sup>2/</sup>	42.2 ***	38.8 <sup>2/</sup>	39.5 ***	<0.8 <sup>3/</sup>
	05:30-05:35 HOUR	43.3 <sup>2/</sup>	42.3 ***	39.4 <sup>2/</sup>	38.8 ***	<0.8 <sup>3/</sup>
	05:35-05:40 HOUR	45.7 <sup>2/</sup>	42.3 ***	46.0 <sup>2/</sup>	38.8 ***	7.2
	05:40-05:45 HOUR	44.5 <sup>2/</sup>	42.3 ***	43.5 <sup>2/</sup>	38.8 ***	4.7
	05:45-05:50 HOUR	43.6 <sup>2/</sup>	41.0 ***	43.1 <sup>2/</sup>	38.5 ***	4.6
	05:50-05:55 HOUR	43.7 <sup>2/</sup>	41.0 ***	43.4 <sup>2/</sup>	38.5 ***	4.9
	05:55-06:00 HOUR	41.7 <sup>2/</sup>	41.0 ***	36.4 <sup>2/</sup>	38.5 ***	<0.8 <sup>3/</sup>
	<b>DAY TIME</b> <sup>1/</sup>					
	06:00-07:00 HOUR	44.9 <sup>1/</sup>	41.0 **	42.6 <sup>1/</sup>	39.4 **	3.2
JANUARY 17, 2024 T24AB382-0013	<b>DAY TIME</b> <sup>1/</sup>					
	07:00-08:00 HOUR	44.8 <sup>1/</sup>	42.3 **	41.2 <sup>1/</sup>	39.5 **	1.7
	08:00-09:00 HOUR	46.4 <sup>1/</sup>	43.2 **	43.6 <sup>1/</sup>	41.2 **	2.4
	09:00-10:00 HOUR	56.1 <sup>1/</sup>	55.7 **	45.5 <sup>1/</sup>	42.0 **	3.5
	10:00-11:00 HOUR	53.1 <sup>1/</sup>	50.5 **	49.6 <sup>1/</sup>	46.0 **	3.6
	11:00-12:00 HOUR	50.0 <sup>1/</sup>	47.9 **	45.8 <sup>1/</sup>	42.3 **	3.5
	12:00-13:00 HOUR	51.2 <sup>1/</sup>	50.9 **	39.4 <sup>1/</sup>	42.9 **	<0.8 <sup>3/</sup>
	13:00-14:00 HOUR	46.5 <sup>1/</sup>	44.3 **	42.5 <sup>1/</sup>	41.0 **	1.5
	14:00-15:00 HOUR	47.3 <sup>1/</sup>	45.9 **	41.7 <sup>1/</sup>	42.0 **	<0.8 <sup>3/</sup>
	15:00-16:00 HOUR	49.2 <sup>1/</sup>	46.5 **	45.9 <sup>1/</sup>	42.6 **	3.3
	16:00-17:00 HOUR	50.3 <sup>1/</sup>	49.4 **	43.0 <sup>1/</sup>	43.3 **	<0.8 <sup>3/</sup>
	17:00-18:00 HOUR	48.9 <sup>1/</sup>	44.8 **	46.8 <sup>1/</sup>	41.7 **	5.1
	18:00-19:00 HOUR	45.7 <sup>1/</sup>	41.7 **	43.5 <sup>1/</sup>	39.1 **	4.4
	19:00-20:00 HOUR	45.4 <sup>1/</sup>	44.0 **	39.8 <sup>1/</sup>	39.8 **	<0.8 <sup>3/</sup>
	20:00-21:00 HOUR	44.9 <sup>1/</sup>	42.5 **	41.2 <sup>1/</sup>	39.3 **	1.9
	21:00-22:00 HOUR	45.4 <sup>1/</sup>	43.6 **	40.7 <sup>1/</sup>	40.3 **	<0.8 <sup>3/</sup>
	<b>NIGHT TIME</b> <sup>2/</sup>					
	22:00-22:05 HOUR	44.1 <sup>2/</sup>	43.2 ***	39.8 <sup>2/</sup>	40.0 ***	<0.8 <sup>3/</sup>
	22:05-22:10 HOUR	42.4 <sup>2/</sup>	43.2 ***	<0.8 <sup>3/</sup>	40.0 ***	<0.8 <sup>3/</sup>
	22:10-22:15 HOUR	47.2 <sup>2/</sup>	43.2 ***	48.0 <sup>2/</sup>	40.0 ***	8.0
	22:15-22:20 HOUR	45.5 <sup>2/</sup>	42.7 ***	45.3 <sup>2/</sup>	39.9 ***	5.4
	22:20-22:25 HOUR	43.4 <sup>2/</sup>	42.7 ***	38.1 <sup>2/</sup>	39.9 ***	<0.8 <sup>3/</sup>
	22:25-22:30 HOUR	43.4 <sup>2/</sup>	42.7 ***	38.1 <sup>2/</sup>	39.9 ***	<0.8 <sup>3/</sup>
	22:30-22:35 HOUR	44.0 <sup>2/</sup>	42.0 ***	42.7 <sup>2/</sup>	40.1 ***	2.6
	22:35-22:40 HOUR	44.8 <sup>2/</sup>	42.0 ***	44.6 <sup>2/</sup>	40.1 ***	4.5
	22:40-22:45 HOUR	43.4 <sup>2/</sup>	42.0 ***	40.8 <sup>2/</sup>	40.1 ***	<0.8 <sup>3/</sup>
	22:45-22:50 HOUR	44.2 <sup>2/</sup>	40.7 ***	44.6 <sup>2/</sup>	39.3 ***	5.3
	22:50-22:55 HOUR	42.4 <sup>2/</sup>	40.7 ***	40.5 <sup>2/</sup>	39.3 ***	1.2
	22:55-23:00 HOUR	42.5 <sup>2/</sup>	40.7 ***	40.8 <sup>2/</sup>	39.3 ***	1.5
	23:00-23:05 HOUR	42.4 <sup>2/</sup>	41.5 ***	38.1 <sup>2/</sup>	39.2 ***	<0.8 <sup>3/</sup>
	23:05-23:10 HOUR	43.1 <sup>2/</sup>	41.5 ***	41.0 <sup>2/</sup>	39.2 ***	1.8
	23:10-23:15 HOUR	44.1 <sup>2/</sup>	41.5 ***	43.6 <sup>2/</sup>	39.2 ***	4.4
	23:15-23:20 HOUR	43.5 <sup>2/</sup>	46.4 ***	<0.8 <sup>3/</sup>	39.9 ***	<0.8 <sup>3/</sup>

DATE	TIME*	RESULT (dB(A))				
		บ้านโคกสะอาด				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
JANUARY 17, 2024	<b>NIGHT TIME</b> <sup>2/</sup>					
T24AB382-0013	23:20-23:25 HOUR	47.3 <sup>2/</sup>	46.4 ***	43.0 <sup>2/</sup>	39.9 ***	3.1
	23:25-23:30 HOUR	48.4 <sup>2/</sup>	46.4 ***	47.1 <sup>2/</sup>	39.9 ***	7.2
	23:30-23:35 HOUR	45.9 <sup>2/</sup>	43.4 ***	45.3 <sup>2/</sup>	41.1 ***	4.2
	23:35-23:40 HOUR	45.0 <sup>2/</sup>	43.4 ***	42.9 <sup>2/</sup>	41.1 ***	1.8
	23:40-23:45 HOUR	43.6 <sup>2/</sup>	43.4 ***	33.1 <sup>2/</sup>	41.1 ***	<0.8 <sup>3/</sup>
	23:45-23:50 HOUR	42.9 <sup>2/</sup>	41.2 ***	41.0 <sup>2/</sup>	39.6 ***	1.4
	23:50-23:55 HOUR	42.0 <sup>2/</sup>	41.2 ***	37.3 <sup>2/</sup>	39.6 ***	<0.8 <sup>3/</sup>
	23:55-00:00 HOUR	42.6 <sup>2/</sup>	41.2 ***	40.0 <sup>2/</sup>	39.6 ***	<0.8 <sup>3/</sup>
JANUARY 18, 2024	<b>NIGHT TIME</b> <sup>2/</sup>					
T24AB382-0013	00:00-00:05 HOUR	47.3 <sup>2/</sup>	44.8 ***	46.7 <sup>2/</sup>	39.9 ***	6.8
	00:05-00:10 HOUR	46.0 <sup>2/</sup>	44.8 ***	42.8 <sup>2/</sup>	39.9 ***	2.9
	00:10-00:15 HOUR	46.8 <sup>2/</sup>	44.8 ***	45.5 <sup>2/</sup>	39.9 ***	5.6
	00:15-00:20 HOUR	46.4 <sup>2/</sup>	42.9 ***	46.8 <sup>2/</sup>	39.9 ***	6.9
	00:20-00:25 HOUR	43.7 <sup>2/</sup>	42.9 ***	39.0 <sup>2/</sup>	39.9 ***	<0.8 <sup>3/</sup>
	00:25-00:30 HOUR	43.3 <sup>2/</sup>	42.9 ***	35.7 <sup>2/</sup>	39.9 ***	<0.8 <sup>3/</sup>
	00:30-00:35 HOUR	46.8 <sup>2/</sup>	46.4 ***	39.2 <sup>2/</sup>	39.5 ***	<0.8 <sup>3/</sup>
	00:35-00:40 HOUR	45.8 <sup>2/</sup>	46.4 ***	<0.8 <sup>3/</sup>	39.5 ***	<0.8 <sup>3/</sup>
	00:40-00:45 HOUR	48.0 <sup>2/</sup>	46.4 ***	45.9 <sup>2/</sup>	39.5 ***	6.4
	00:45-00:50 HOUR	43.5 <sup>2/</sup>	41.8 ***	41.6 <sup>2/</sup>	40.3 ***	1.3
	00:50-00:55 HOUR	43.0 <sup>2/</sup>	41.8 ***	39.8 <sup>2/</sup>	40.3 ***	<0.8 <sup>3/</sup>
	00:55-01:00 HOUR	44.2 <sup>2/</sup>	41.8 ***	43.5 <sup>2/</sup>	40.3 ***	3.2
	01:00-01:05 HOUR	44.7 <sup>2/</sup>	42.2 ***	44.1 <sup>2/</sup>	40.0 ***	4.1
	01:05-01:10 HOUR	45.1 <sup>2/</sup>	42.2 ***	45.0 <sup>2/</sup>	40.0 ***	5.0
	01:10-01:15 HOUR	43.4 <sup>2/</sup>	42.2 ***	40.2 <sup>2/</sup>	40.0 ***	<0.8 <sup>3/</sup>
	01:15-01:20 HOUR	43.0 <sup>2/</sup>	42.8 ***	32.5 <sup>2/</sup>	38.2 ***	<0.8 <sup>3/</sup>
	01:20-01:25 HOUR	43.6 <sup>2/</sup>	42.8 ***	38.9 <sup>2/</sup>	38.2 ***	<0.8 <sup>3/</sup>
	01:25-01:30 HOUR	43.7 <sup>2/</sup>	42.8 ***	39.4 <sup>2/</sup>	38.2 ***	1.2
	01:30-01:35 HOUR	43.4 <sup>2/</sup>	40.1 ***	43.7 <sup>2/</sup>	38.4 ***	5.3
	01:35-01:40 HOUR	44.5 <sup>2/</sup>	40.1 ***	45.5 <sup>2/</sup>	38.4 ***	7.1
	01:40-01:45 HOUR	40.3 <sup>2/</sup>	40.1 ***	29.8 <sup>2/</sup>	38.4 ***	<0.8 <sup>3/</sup>
	01:45-01:50 HOUR	41.6 <sup>2/</sup>	41.1 ***	35.0 <sup>2/</sup>	40.0 ***	<0.8 <sup>3/</sup>
	01:50-01:55 HOUR	42.1 <sup>2/</sup>	41.1 ***	38.2 <sup>2/</sup>	40.0 ***	<0.8 <sup>3/</sup>
	01:55-02:00 HOUR	43.3 <sup>2/</sup>	41.1 ***	42.3 <sup>2/</sup>	40.0 ***	2.3
	02:00-02:05 HOUR	43.0 <sup>2/</sup>	42.5 ***	36.4 <sup>2/</sup>	41.2 ***	<0.8 <sup>3/</sup>
	02:05-02:10 HOUR	43.3 <sup>2/</sup>	42.5 ***	38.6 <sup>2/</sup>	41.2 ***	<0.8 <sup>3/</sup>
	02:10-02:15 HOUR	43.6 <sup>2/</sup>	42.5 ***	40.1 <sup>2/</sup>	41.2 ***	<0.8 <sup>3/</sup>
	02:15-02:20 HOUR	41.8 <sup>2/</sup>	40.7 ***	38.3 <sup>2/</sup>	39.7 ***	<0.8 <sup>3/</sup>
	02:20-02:25 HOUR	42.8 <sup>2/</sup>	40.7 ***	41.6 <sup>2/</sup>	39.7 ***	1.9
	02:25-02:30 HOUR	43.2 <sup>2/</sup>	40.7 ***	42.6 <sup>2/</sup>	39.7 ***	2.9
	02:30-02:35 HOUR	42.5 <sup>2/</sup>	40.4 ***	41.3 <sup>2/</sup>	38.6 ***	2.7
	02:35-02:40 HOUR	43.0 <sup>2/</sup>	40.4 ***	42.5 <sup>2/</sup>	38.6 ***	3.9
	02:40-02:45 HOUR	43.0 <sup>2/</sup>	40.4 ***	42.5 <sup>2/</sup>	38.6 ***	3.9
	02:45-02:50 HOUR	44.2 <sup>2/</sup>	42.1 ***	43.0 <sup>2/</sup>	37.1 ***	5.9
	02:50-02:55 HOUR	43.5 <sup>2/</sup>	42.1 ***	40.9 <sup>2/</sup>	37.1 ***	3.8

DATE	TIME*	RESULT (dB(A))				
		บ้านโคกสะอาด				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
JANUARY 18, 2024	<b>NIGHT TIME</b> <sup>2/</sup>					
T24AB382-0013	02:55-03:00 HOUR	43.1 <sup>2/</sup>	42.1 ***	39.2 <sup>2/</sup>	37.1 ***	2.1
	03:00-03:05 HOUR	43.0 <sup>2/</sup>	43.8 ***	<0.8 <sup>3/</sup>	37.8 ***	<0.8 <sup>3/</sup>
	03:05-03:10 HOUR	44.2 <sup>2/</sup>	43.8 ***	36.6 <sup>2/</sup>	37.8 ***	<0.8 <sup>3/</sup>
	03:10-03:15 HOUR	44.9 <sup>2/</sup>	43.8 ***	41.4 <sup>2/</sup>	37.8 ***	3.6
	03:15-03:20 HOUR	39.8 <sup>2/</sup>	38.7 ***	36.3 <sup>2/</sup>	37.1 ***	<0.8 <sup>3/</sup>
	03:20-03:25 HOUR	40.4 <sup>2/</sup>	38.7 ***	38.5 <sup>2/</sup>	37.1 ***	1.4
	03:25-03:30 HOUR	40.8 <sup>2/</sup>	38.7 ***	39.6 <sup>2/</sup>	37.1 ***	2.5
	03:30-03:35 HOUR	44.6 <sup>2/</sup>	42.8 ***	42.9 <sup>2/</sup>	38.2 ***	4.7
	03:35-03:40 HOUR	43.2 <sup>2/</sup>	42.8 ***	35.6 <sup>2/</sup>	38.2 ***	<0.8 <sup>3/</sup>
	03:40-03:45 HOUR	39.7 <sup>2/</sup>	42.8 ***	<0.8 <sup>3/</sup>	38.2 ***	<0.8 <sup>3/</sup>
	03:45-03:50 HOUR	40.7 <sup>2/</sup>	37.5 ***	40.9 <sup>2/</sup>	36.9 ***	4.0
	03:50-03:55 HOUR	40.9 <sup>2/</sup>	37.5 ***	41.2 <sup>2/</sup>	36.9 ***	4.3
	03:55-04:00 HOUR	39.3 <sup>2/</sup>	37.5 ***	37.6 <sup>2/</sup>	36.9 ***	<0.8 <sup>3/</sup>
	04:00-04:05 HOUR	39.4 <sup>2/</sup>	39.3 ***	26.0 <sup>2/</sup>	38.0 ***	<0.8 <sup>3/</sup>
	04:05-04:10 HOUR	39.7 <sup>2/</sup>	39.3 ***	32.1 <sup>2/</sup>	38.0 ***	<0.8 <sup>3/</sup>
	04:10-04:15 HOUR	41.1 <sup>2/</sup>	39.3 ***	39.4 <sup>2/</sup>	38.0 ***	1.4
	04:15-04:20 HOUR	42.8 <sup>2/</sup>	40.2 ***	42.3 <sup>2/</sup>	38.4 ***	3.9
	04:20-04:25 HOUR	40.8 <sup>2/</sup>	40.2 ***	34.9 <sup>2/</sup>	38.4 ***	<0.8 <sup>3/</sup>
	04:25-04:30 HOUR	43.4 <sup>2/</sup>	40.2 ***	43.6 <sup>2/</sup>	38.4 ***	5.2
	04:30-04:35 HOUR	42.8 <sup>2/</sup>	41.0 ***	41.1 <sup>2/</sup>	39.4 ***	1.7
	04:35-04:40 HOUR	42.2 <sup>2/</sup>	41.0 ***	39.0 <sup>2/</sup>	39.4 ***	<0.8 <sup>3/</sup>
	04:40-04:45 HOUR	42.2 <sup>2/</sup>	41.0 ***	39.0 <sup>2/</sup>	39.4 ***	<0.8 <sup>3/</sup>
	04:45-04:50 HOUR	44.9 <sup>2/</sup>	46.1 ***	<0.8 <sup>3/</sup>	39.6 ***	<0.8 <sup>3/</sup>
	04:50-04:55 HOUR	47.0 <sup>2/</sup>	46.1 ***	42.7 <sup>2/</sup>	39.6 ***	3.1
	04:55-05:00 HOUR	48.4 <sup>2/</sup>	46.1 ***	47.5 <sup>2/</sup>	39.6 ***	7.9
	05:00-05:05 HOUR	43.8 <sup>2/</sup>	41.0 ***	43.6 <sup>2/</sup>	39.0 ***	4.6
	05:05-05:10 HOUR	43.1 <sup>2/</sup>	41.0 ***	41.9 <sup>2/</sup>	39.0 ***	2.9
	05:10-05:15 HOUR	43.4 <sup>2/</sup>	41.0 ***	42.7 <sup>2/</sup>	39.0 ***	3.7
	05:15-05:20 HOUR	41.6 <sup>2/</sup>	41.5 ***	28.2 <sup>2/</sup>	39.6 ***	<0.8 <sup>3/</sup>
	05:20-05:25 HOUR	42.3 <sup>2/</sup>	41.5 ***	37.6 <sup>2/</sup>	39.6 ***	<0.8 <sup>3/</sup>
	05:25-05:30 HOUR	43.4 <sup>2/</sup>	41.5 ***	41.9 <sup>2/</sup>	39.6 ***	2.3
	05:30-05:35 HOUR	42.7 <sup>2/</sup>	40.4 ***	41.8 <sup>2/</sup>	39.0 ***	2.8
	05:35-05:40 HOUR	42.4 <sup>2/</sup>	40.4 ***	41.1 <sup>2/</sup>	39.0 ***	2.1
	05:40-05:45 HOUR	42.9 <sup>2/</sup>	40.4 ***	42.3 <sup>2/</sup>	39.0 ***	3.3
	05:45-05:50 HOUR	40.8 <sup>2/</sup>	39.8 ***	36.9 <sup>2/</sup>	37.4 ***	<0.8 <sup>3/</sup>
	05:50-05:55 HOUR	40.2 <sup>2/</sup>	39.8 ***	32.6 <sup>2/</sup>	37.4 ***	<0.8 <sup>3/</sup>
	05:55-06:00 HOUR	42.0 <sup>2/</sup>	39.8 ***	41.0 <sup>2/</sup>	37.4 ***	3.6
	<b>DAY TIME</b> <sup>1/</sup>					
	06:00-07:00 HOUR	47.0 <sup>1/</sup>	40.2 **	46.0 <sup>1/</sup>	38.8 **	7.2
JANUARY 18, 2024	<b>DAY TIME</b> <sup>1/</sup>					
T24AB382-0014	07:00-08:00 HOUR	50.8 <sup>1/</sup>	49.2 **	45.7 <sup>1/</sup>	43.9 **	1.8
	08:00-09:00 HOUR	48.6 <sup>1/</sup>	47.0 **	43.5 <sup>1/</sup>	43.4 **	<0.8 <sup>3/</sup>
	09:00-10:00 HOUR	49.8 <sup>1/</sup>	48.1 **	44.9 <sup>1/</sup>	42.2 **	2.7
	10:00-11:00 HOUR	49.8 <sup>1/</sup>	45.6 **	47.7 <sup>1/</sup>	41.5 **	6.2
	11:00-12:00 HOUR	50.1 <sup>1/</sup>	46.4 **	47.7 <sup>1/</sup>	41.6 **	6.1

DATE	TIME*	RESULT (dB(A))				
		มาตรฐานสากล				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
JANUARY 18, 2024	<b>DAY TIME <sup>1/</sup></b>					
T24AB382-0014	12:00-13:00 HOUR	48.7 <sup>1/</sup>	44.5 **	46.6 <sup>1/</sup>	40.8 **	5.8
	13:00-14:00 HOUR	48.0 <sup>1/</sup>	45.8 **	44.0 <sup>1/</sup>	39.8 **	4.2
	14:00-15:00 HOUR	46.5 <sup>1/</sup>	42.8 **	44.1 <sup>1/</sup>	39.0 **	5.1
	15:00-16:00 HOUR	44.4 <sup>1/</sup>	42.8 **	39.3 <sup>1/</sup>	39.4 **	<0.8 <sup>3/</sup>
	16:00-17:00 HOUR	49.7 <sup>1/</sup>	48.0 **	44.8 <sup>1/</sup>	42.1 **	2.7
	17:00-18:00 HOUR	48.7 <sup>1/</sup>	46.3 **	45.0 <sup>1/</sup>	42.2 **	2.8
	18:00-19:00 HOUR	44.9 <sup>1/</sup>	41.5 **	42.2 <sup>1/</sup>	38.8 **	3.4
	19:00-20:00 HOUR	44.8 <sup>1/</sup>	44.1 **	36.5 <sup>1/</sup>	41.7 **	<0.8 <sup>3/</sup>
	20:00-21:00 HOUR	44.7 <sup>1/</sup>	42.7 **	40.4 <sup>1/</sup>	40.3 **	<0.8 <sup>3/</sup>
	21:00-22:00 HOUR	45.6 <sup>1/</sup>	43.9 **	40.7 <sup>1/</sup>	41.9 **	<0.8 <sup>3/</sup>
	<b>NIGHT TIME <sup>2/</sup></b>					
	22:00-22:05 HOUR	47.3 <sup>2/</sup>	43.4 ***	48.0 <sup>2/</sup>	40.2 ***	7.8
	22:05-22:10 HOUR	44.2 <sup>2/</sup>	43.4 ***	39.5 <sup>2/</sup>	40.2 ***	<0.8 <sup>3/</sup>
	22:10-22:15 HOUR	43.9 <sup>2/</sup>	43.4 ***	37.3 <sup>2/</sup>	40.2 ***	<0.8 <sup>3/</sup>
	22:15-22:20 HOUR	47.0 <sup>2/</sup>	46.8 ***	36.5 <sup>2/</sup>	39.6 ***	<0.8 <sup>3/</sup>
	22:20-22:25 HOUR	47.1 <sup>2/</sup>	46.8 ***	38.3 <sup>2/</sup>	39.6 ***	<0.8 <sup>3/</sup>
	22:25-22:30 HOUR	46.4 <sup>2/</sup>	46.8 ***	<0.8 <sup>3/</sup>	39.6 ***	<0.8 <sup>3/</sup>
	22:30-22:35 HOUR	44.9 <sup>2/</sup>	42.1 ***	44.7 <sup>2/</sup>	39.1 ***	5.6
	22:35-22:40 HOUR	45.3 <sup>2/</sup>	42.1 ***	45.5 <sup>2/</sup>	39.1 ***	6.4
	22:40-22:45 HOUR	42.2 <sup>2/</sup>	42.1 ***	28.8 <sup>2/</sup>	39.1 ***	<0.8 <sup>3/</sup>
	22:45-22:50 HOUR	43.6 <sup>2/</sup>	42.6 ***	39.7 <sup>2/</sup>	39.2 ***	<0.8 <sup>3/</sup>
	22:50-22:55 HOUR	44.4 <sup>2/</sup>	42.6 ***	42.7 <sup>2/</sup>	39.2 ***	3.5
	22:55-23:00 HOUR	43.6 <sup>2/</sup>	42.6 ***	39.7 <sup>2/</sup>	39.2 ***	<0.8 <sup>3/</sup>
	23:00-23:05 HOUR	43.8 <sup>2/</sup>	41.3 ***	43.2 <sup>2/</sup>	39.2 ***	4.0
	23:05-23:10 HOUR	42.3 <sup>2/</sup>	41.3 ***	38.4 <sup>2/</sup>	39.2 ***	<0.8 <sup>3/</sup>
	23:10-23:15 HOUR	43.2 <sup>2/</sup>	41.3 ***	41.7 <sup>2/</sup>	39.2 ***	2.5
	23:15-23:20 HOUR	43.8 <sup>2/</sup>	40.6 ***	44.0 <sup>2/</sup>	38.5 ***	5.5
	23:20-23:25 HOUR	42.0 <sup>2/</sup>	40.6 ***	39.4 <sup>2/</sup>	38.5 ***	0.9
	23:25-23:30 HOUR	42.5 <sup>2/</sup>	40.6 ***	41.0 <sup>2/</sup>	38.5 ***	2.5
	23:30-23:35 HOUR	42.2 <sup>2/</sup>	42.2 ***	<0.8 <sup>3/</sup>	38.7 ***	<0.8 <sup>3/</sup>
	23:35-23:40 HOUR	42.3 <sup>2/</sup>	42.2 ***	28.9 <sup>2/</sup>	38.7 ***	<0.8 <sup>3/</sup>
	23:40-23:45 HOUR	44.7 <sup>2/</sup>	42.2 ***	44.1 <sup>2/</sup>	38.7 ***	5.4
	23:45-23:50 HOUR	41.7 <sup>2/</sup>	43.9 ***	<0.8 <sup>3/</sup>	41.0 ***	<0.8 <sup>3/</sup>
	23:50-23:55 HOUR	42.5 <sup>2/</sup>	43.9 ***	<0.8 <sup>3/</sup>	41.0 ***	<0.8 <sup>3/</sup>
	23:55-00:00 HOUR	45.3 <sup>2/</sup>	43.9 ***	42.7 <sup>2/</sup>	41.0 ***	1.7
JANUARY 19, 2024	<b>NIGHT TIME <sup>2/</sup></b>					
T24AB382-0014	00:00-00:05 HOUR	44.4 <sup>2/</sup>	42.1 ***	43.5 <sup>2/</sup>	40.6 ***	2.9
	00:05-00:10 HOUR	46.0 <sup>2/</sup>	42.1 ***	46.7 <sup>2/</sup>	40.6 ***	6.1
	00:10-00:15 HOUR	43.3 <sup>2/</sup>	42.1 ***	40.1 <sup>2/</sup>	40.6 ***	<0.8 <sup>3/</sup>
	00:15-00:20 HOUR	43.8 <sup>2/</sup>	41.4 ***	43.1 <sup>2/</sup>	38.9 ***	4.2
	00:20-00:25 HOUR	43.0 <sup>2/</sup>	41.4 ***	40.9 <sup>2/</sup>	38.9 ***	2.0
	00:25-00:30 HOUR	42.3 <sup>2/</sup>	41.4 ***	38.0 <sup>2/</sup>	38.9 ***	<0.8 <sup>3/</sup>
	00:30-00:35 HOUR	44.1 <sup>2/</sup>	40.4 ***	44.7 <sup>2/</sup>	37.9 ***	6.8
	00:35-00:40 HOUR	41.7 <sup>2/</sup>	40.4 ***	38.8 <sup>2/</sup>	37.9 ***	0.9
	00:40-00:45 HOUR	41.7 <sup>2/</sup>	40.4 ***	38.8 <sup>2/</sup>	37.9 ***	0.9

DATE	TIME*	RESULT (dB(A))				
		บ้านโคกสะอาด				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
JANUARY 19, 2024	<b>NIGHT TIME</b> <sup>2/</sup>					
T24AB382-0014	00:45-00:50 HOUR	40.1 <sup>2/</sup>	39.6 ***	33.5 <sup>2/</sup>	38.9 ***	<0.8 <sup>3/</sup>
	00:50-00:55 HOUR	41.8 <sup>2/</sup>	39.6 ***	40.8 <sup>2/</sup>	38.9 ***	1.9
	00:55-01:00 HOUR	40.6 <sup>2/</sup>	39.6 ***	36.7 <sup>2/</sup>	38.9 ***	<0.8 <sup>3/</sup>
	01:00-01:05 HOUR	40.9 <sup>2/</sup>	40.0 ***	36.6 <sup>2/</sup>	38.9 ***	<0.8 <sup>3/</sup>
	01:05-01:10 HOUR	41.0 <sup>2/</sup>	40.0 ***	37.1 <sup>2/</sup>	38.9 ***	<0.8 <sup>3/</sup>
	01:10-01:15 HOUR	41.9 <sup>2/</sup>	40.0 ***	40.4 <sup>2/</sup>	38.9 ***	1.5
	01:15-01:20 HOUR	42.4 <sup>2/</sup>	40.1 ***	41.5 <sup>2/</sup>	38.2 ***	3.3
	01:20-01:25 HOUR	41.5 <sup>2/</sup>	40.1 ***	38.9 <sup>2/</sup>	38.2 ***	<0.8 <sup>3/</sup>
	01:25-01:30 HOUR	41.5 <sup>2/</sup>	40.1 ***	38.9 <sup>2/</sup>	38.2 ***	<0.8 <sup>3/</sup>
	01:30-01:35 HOUR	40.1 <sup>2/</sup>	39.4 ***	34.8 <sup>2/</sup>	38.5 ***	<0.8 <sup>3/</sup>
	01:35-01:40 HOUR	40.8 <sup>2/</sup>	39.4 ***	38.2 <sup>2/</sup>	38.5 ***	<0.8 <sup>3/</sup>
	01:40-01:45 HOUR	39.7 <sup>2/</sup>	39.4 ***	30.9 <sup>2/</sup>	38.5 ***	<0.8 <sup>3/</sup>
	01:45-01:50 HOUR	42.4 <sup>2/</sup>	39.0 ***	42.7 <sup>2/</sup>	37.1 ***	5.6
	01:50-01:55 HOUR	42.0 <sup>2/</sup>	39.0 ***	42.0 <sup>2/</sup>	37.1 ***	4.9
	01:55-02:00 HOUR	40.8 <sup>2/</sup>	39.0 ***	39.1 <sup>2/</sup>	37.1 ***	2.0
	02:00-02:05 HOUR	40.8 <sup>2/</sup>	40.7 ***	27.4 <sup>2/</sup>	38.5 ***	<0.8 <sup>3/</sup>
	02:05-02:10 HOUR	41.7 <sup>2/</sup>	40.7 ***	37.8 <sup>2/</sup>	38.5 ***	<0.8 <sup>3/</sup>
	02:10-02:15 HOUR	40.7 <sup>2/</sup>	40.7 ***	<0.8 <sup>3/</sup>	38.5 ***	<0.8 <sup>3/</sup>
	02:15-02:20 HOUR	42.1 <sup>2/</sup>	41.6 ***	35.5 <sup>2/</sup>	39.1 ***	<0.8 <sup>3/</sup>
	02:20-02:25 HOUR	40.3 <sup>2/</sup>	41.6 ***	<0.8 <sup>3/</sup>	39.1 ***	<0.8 <sup>3/</sup>
	02:25-02:30 HOUR	43.0 <sup>2/</sup>	41.6 ***	40.4 <sup>2/</sup>	39.1 ***	1.3
	02:30-02:35 HOUR	42.9 <sup>2/</sup>	40.3 ***	42.4 <sup>2/</sup>	38.4 ***	4.0
	02:35-02:40 HOUR	40.9 <sup>2/</sup>	40.3 ***	35.0 <sup>2/</sup>	38.4 ***	<0.8 <sup>3/</sup>
	02:40-02:45 HOUR	42.4 <sup>2/</sup>	40.3 ***	41.2 <sup>2/</sup>	38.4 ***	2.8
	02:45-02:50 HOUR	41.4 <sup>2/</sup>	39.0 ***	40.7 <sup>2/</sup>	37.4 ***	3.3
	02:50-02:55 HOUR	41.5 <sup>2/</sup>	39.0 ***	40.9 <sup>2/</sup>	37.4 ***	3.5
	02:55-03:00 HOUR	40.2 <sup>2/</sup>	39.0 ***	37.0 <sup>2/</sup>	37.4 ***	<0.8 <sup>3/</sup>
	03:00-03:05 HOUR	40.7 <sup>2/</sup>	39.3 ***	38.1 <sup>2/</sup>	37.7 ***	<0.8 <sup>3/</sup>
	03:05-03:10 HOUR	40.8 <sup>2/</sup>	39.3 ***	38.5 <sup>2/</sup>	37.7 ***	0.8
	03:10-03:15 HOUR	40.2 <sup>2/</sup>	39.3 ***	35.9 <sup>2/</sup>	37.7 ***	<0.8 <sup>3/</sup>
	03:15-03:20 HOUR	41.5 <sup>2/</sup>	37.5 ***	42.3 <sup>2/</sup>	37.0 ***	5.3
	03:20-03:25 HOUR	40.3 <sup>2/</sup>	37.5 ***	40.1 <sup>2/</sup>	37.0 ***	3.1
	03:25-03:30 HOUR	39.4 <sup>2/</sup>	37.5 ***	37.9 <sup>2/</sup>	37.0 ***	0.9
	03:30-03:35 HOUR	39.7 <sup>2/</sup>	38.6 ***	36.2 <sup>2/</sup>	37.5 ***	<0.8 <sup>3/</sup>
	03:35-03:40 HOUR	39.3 <sup>2/</sup>	38.6 ***	34.0 <sup>2/</sup>	37.5 ***	<0.8 <sup>3/</sup>
	03:40-03:45 HOUR	39.6 <sup>2/</sup>	38.6 ***	35.7 <sup>2/</sup>	37.5 ***	<0.8 <sup>3/</sup>
	03:45-03:50 HOUR	41.8 <sup>2/</sup>	38.7 ***	41.9 <sup>2/</sup>	37.7 ***	4.2
	03:50-03:55 HOUR	40.4 <sup>2/</sup>	38.7 ***	38.5 <sup>2/</sup>	37.7 ***	0.8
	03:55-04:00 HOUR	39.3 <sup>2/</sup>	38.7 ***	33.4 <sup>2/</sup>	37.7 ***	<0.8 <sup>3/</sup>
	04:00-04:05 HOUR	40.1 <sup>2/</sup>	38.1 ***	38.8 <sup>2/</sup>	37.3 ***	1.5
	04:05-04:10 HOUR	39.6 <sup>2/</sup>	38.1 ***	37.3 <sup>2/</sup>	37.3 ***	<0.8 <sup>3/</sup>
	04:10-04:15 HOUR	39.4 <sup>2/</sup>	38.1 ***	36.5 <sup>2/</sup>	37.3 ***	<0.8 <sup>3/</sup>
	04:15-04:20 HOUR	40.7 <sup>2/</sup>	38.2 ***	40.1 <sup>2/</sup>	37.2 ***	2.9
	04:20-04:25 HOUR	39.6 <sup>2/</sup>	38.2 ***	37.0 <sup>2/</sup>	37.2 ***	<0.8 <sup>3/</sup>

DATE	TIME*	RESULT (dB(A))				
		บ้านโคกสะอาด				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
JANUARY 19, 2024 T24AB382-0014	<b>NIGHT TIME</b> <sup>2/</sup>					
	04:25-04:30 HOUR	39.6 <sup>2/</sup>	38.2 ***	37.0 <sup>2/</sup>	37.2 ***	<0.8 <sup>3/</sup>
	04:30-04:35 HOUR	40.1 <sup>2/</sup>	39.5 ***	34.2 <sup>2/</sup>	38.0 ***	<0.8 <sup>3/</sup>
	04:35-04:40 HOUR	41.2 <sup>2/</sup>	39.5 ***	39.3 <sup>2/</sup>	38.0 ***	1.3
	04:40-04:45 HOUR	40.1 <sup>2/</sup>	39.5 ***	34.2 <sup>2/</sup>	38.0 ***	<0.8 <sup>3/</sup>
	04:45-04:50 HOUR	41.0 <sup>2/</sup>	38.4 ***	40.5 <sup>2/</sup>	37.0 ***	3.5
	04:50-04:55 HOUR	40.1 <sup>2/</sup>	38.4 ***	38.2 <sup>2/</sup>	37.0 ***	1.2
	04:55-05:00 HOUR	39.4 <sup>2/</sup>	38.4 ***	35.5 <sup>2/</sup>	37.0 ***	<0.8 <sup>3/</sup>
	05:00-05:05 HOUR	38.7 <sup>2/</sup>	40.0 ***	<0.8 <sup>3/</sup>	37.8 ***	<0.8 <sup>3/</sup>
	05:05-05:10 HOUR	40.6 <sup>2/</sup>	40.0 ***	34.7 <sup>2/</sup>	37.8 ***	<0.8 <sup>3/</sup>
	05:10-05:15 HOUR	41.9 <sup>2/</sup>	40.0 ***	40.4 <sup>2/</sup>	37.8 ***	2.6
	05:15-05:20 HOUR	39.8 <sup>2/</sup>	39.1 ***	34.5 <sup>2/</sup>	36.8 ***	<0.8 <sup>3/</sup>
	05:20-05:25 HOUR	41.9 <sup>2/</sup>	39.1 ***	41.7 <sup>2/</sup>	36.8 ***	4.9
	05:25-05:30 HOUR	40.9 <sup>2/</sup>	39.1 ***	39.2 <sup>2/</sup>	36.8 ***	2.4
	05:30-05:35 HOUR	41.2 <sup>2/</sup>	39.7 ***	38.9 <sup>2/</sup>	37.2 ***	1.7
	05:35-05:40 HOUR	41.3 <sup>2/</sup>	39.7 ***	39.2 <sup>2/</sup>	37.2 ***	2.0
	05:40-05:45 HOUR	41.5 <sup>2/</sup>	39.7 ***	39.8 <sup>2/</sup>	37.2 ***	2.6
	05:45-05:50 HOUR	42.3 <sup>2/</sup>	40.4 ***	40.8 <sup>2/</sup>	37.2 ***	3.6
	05:50-05:55 HOUR	40.3 <sup>2/</sup>	40.4 ***	<0.8 <sup>3/</sup>	37.2 ***	<0.8 <sup>3/</sup>
	05:55-06:00 HOUR	44.2 <sup>2/</sup>	40.4 ***	44.9 <sup>2/</sup>	37.2 ***	7.7
	<b>DAY TIME</b> <sup>1/</sup>					
	06:00-07:00 HOUR	48.1 <sup>1/</sup>	42.2 **	46.8 <sup>1/</sup>	39.5 **	7.3

- REMARK :**
- 1/ CASE 1 CALCULATION (DURING 06:00 TO 22:00 HOUR) : SPECIFIC SOUND LEVEL CONTINUOUSLY OCCUR AT LEAST 1 HOUR, MEASURING AS L<sub>Aeq</sub> 1 hour.
  - 2/ CASE 4 CALCULATION (DURING 22:00 TO 06:00 HOUR) : SPECIFIC SOUND LEVEL OCCUR IN RESTFUL AREA OR NIGHT TIME, MEASURING AS L<sub>Aeq</sub> 5 minutes.
  - 3/ THERE IS NO IMPACT CAUSE ANNOYANCE SOUND LEVEL
  - \*\* PERCENTILE LEVEL 90 (L<sub>A90</sub>) IS THE MIDDLE VALUE OF 11 TIMES MEASURING.  
(55 MINUTES MEASURING DURING 06:00 TO 22:00 HOUR)  
AND RESIDUAL SOUND LEVEL (L<sub>Aeq</sub> 5 minutes ) IS CHOSEN AT THE SAME TIME AS PERCENTILE LEVEL 90 ABOVE.
  - \*\*\* PERCENTILE LEVEL 90 (L<sub>A90</sub>) IS THE MIDDLE VALUE OF 3 TIMES MEASURING.  
(15 MINUTES MEASURING DURING 22:00 TO 06:00 HOUR)  
AND RESIDUAL SOUND LEVEL (L<sub>Aeq</sub> 5 minutes ) IS CHOSEN AT THE SAME TIME AS PERCENTILE LEVEL 90 ABOVE.



(MR SILA BANJONGJAIRUK)  
LABORATORY SUPERVISOR

JANUARY 29, 2024

## ANALYSIS REPORT

**PROJECT NAME** : การตรวจวัดคุณภาพสิ่งแวดล้อม (โครงการโรงไฟฟ้าชีวมวล) ประจำปี 2567  
**CUSTOMER NAME** : THAI ROONG RUANG INDUSTRY CO., LTD.  
**ADDRESS** : 90 MOO 8 UM CHAN KUSUMAN SAKON NAKHON 47210  
**CONTACT INFORMATION** : TEL : 09 5665 0649 e-mail : piyawan.pan@trrgroup.com  
**MEASURING PLACE** : ร่มร้วโรงงาน  
**MEASURING TYPE** : AMBIENT (ANNOYANCE SOUND LEVEL)  
**MEASURING DATE** : JANUARY 12-19, 2024  
**MEASURING TIME** : \*  
**MEASURING EQUIPMENT** : INTEGRATED SOUND LEVEL METER AND CALCULATION  
**MEASURED BY** : MR PAIRAT KUMNERDRAKSA  
**RECEIVED DATE** : JANUARY 12-19, 2024  
**ANALYTICAL DATE** : JANUARY 12-19, 2024  
**REPORT NO.** : 2024-U007696  
**WORK NO.** : 2023-008918  
**ANALYSIS NO.** : T24AB382-0015 - T24AB382-0021

DATE	TIME*	RESULT (dB(A))				
		ร่มร้วโรงงาน				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
JANUARY 12, 2024 T24AB382-0015	<b>DAY TIME</b> <sup>1/</sup>					
	07:00-08:00 HOUR	46.8 <sup>1/</sup>	44.7 **	42.6 <sup>1/</sup>	41.5 **	1.1
	08:00-09:00 HOUR	46.8 <sup>1/</sup>	43.6 **	44.0 <sup>1/</sup>	40.8 **	3.2
	09:00-10:00 HOUR	44.3 <sup>1/</sup>	42.8 **	39.0 <sup>1/</sup>	40.2 **	<0.8 <sup>3/</sup>
	10:00-11:00 HOUR	44.5 <sup>1/</sup>	41.7 **	41.3 <sup>1/</sup>	38.9 **	2.4
	11:00-12:00 HOUR	44.1 <sup>1/</sup>	42.9 **	37.9 <sup>1/</sup>	39.2 **	<0.8 <sup>3/</sup>
	12:00-13:00 HOUR	43.3 <sup>1/</sup>	41.3 **	39.0 <sup>1/</sup>	38.6 **	<0.8 <sup>3/</sup>
	13:00-14:00 HOUR	42.8 <sup>1/</sup>	40.6 **	38.8 <sup>1/</sup>	38.8 **	<0.8 <sup>3/</sup>
	14:00-15:00 HOUR	42.8 <sup>1/</sup>	40.8 **	38.5 <sup>1/</sup>	38.8 **	<0.8 <sup>3/</sup>
	15:00-16:00 HOUR	43.6 <sup>1/</sup>	42.3 **	37.7 <sup>1/</sup>	39.1 **	<0.8 <sup>3/</sup>
	16:00-17:00 HOUR	44.1 <sup>1/</sup>	42.0 **	39.9 <sup>1/</sup>	39.0 **	0.9
	17:00-18:00 HOUR	46.0 <sup>1/</sup>	45.3 **	37.7 <sup>1/</sup>	40.1 **	<0.8 <sup>3/</sup>
	18:00-19:00 HOUR	47.8 <sup>1/</sup>	46.0 **	43.1 <sup>1/</sup>	43.6 **	<0.8 <sup>3/</sup>
	19:00-20:00 HOUR	45.4 <sup>1/</sup>	43.4 **	41.1 <sup>1/</sup>	41.1 **	<0.8 <sup>3/</sup>
	20:00-21:00 HOUR	46.3 <sup>1/</sup>	44.9 **	40.7 <sup>1/</sup>	41.7 **	<0.8 <sup>3/</sup>
	21:00-22:00 HOUR	45.8 <sup>1/</sup>	44.7 **	39.3 <sup>1/</sup>	41.0 **	<0.8 <sup>3/</sup>
	<b>NIGHT TIME</b> <sup>2/</sup>					
	22:00-22:05 HOUR	45.1 <sup>2/</sup>	44.4 ***	39.8 <sup>2/</sup>	40.9 ***	<0.8 <sup>3/</sup>
	22:05-22:10 HOUR	45.8 <sup>2/</sup>	44.4 ***	43.2 <sup>2/</sup>	40.9 ***	2.3
	22:10-22:15 HOUR	45.1 <sup>2/</sup>	44.4 ***	39.8 <sup>2/</sup>	40.9 ***	<0.8 <sup>3/</sup>
	22:15-22:20 HOUR	46.4 <sup>2/</sup>	44.9 ***	44.1 <sup>2/</sup>	40.0 ***	4.1
	22:20-22:25 HOUR	46.9 <sup>2/</sup>	44.9 ***	45.6 <sup>2/</sup>	40.0 ***	5.6
	22:25-22:30 HOUR	47.7 <sup>2/</sup>	44.9 ***	47.5 <sup>2/</sup>	40.0 ***	7.5
	22:30-22:35 HOUR	44.6 <sup>2/</sup>	44.4 ***	34.1 <sup>2/</sup>	40.4 ***	<0.8 <sup>3/</sup>
	22:35-22:40 HOUR	46.5 <sup>2/</sup>	44.4 ***	45.3 <sup>2/</sup>	40.4 ***	4.9
	22:40-22:45 HOUR	46.1 <sup>2/</sup>	44.4 ***	44.2 <sup>2/</sup>	40.4 ***	3.8
	22:45-22:50 HOUR	47.2 <sup>2/</sup>	45.3 ***	45.7 <sup>2/</sup>	41.4 ***	4.3
	22:50-22:55 HOUR	45.1 <sup>2/</sup>	45.3 ***	<0.8 <sup>3/</sup>	41.4 ***	<0.8 <sup>3/</sup>
	22:55-23:00 HOUR	46.4 <sup>2/</sup>	45.3 ***	42.9 <sup>2/</sup>	41.4 ***	1.5
	23:00-23:05 HOUR	46.4 <sup>2/</sup>	45.4 ***	42.5 <sup>2/</sup>	41.1 ***	1.4
	23:05-23:10 HOUR	47.4 <sup>2/</sup>	45.4 ***	46.1 <sup>2/</sup>	41.1 ***	5.0
	23:10-23:15 HOUR	46.4 <sup>2/</sup>	45.4 ***	42.5 <sup>2/</sup>	41.1 ***	1.4
	23:15-23:20 HOUR	46.3 <sup>2/</sup>	44.4 ***	44.8 <sup>2/</sup>	39.9 ***	4.9



DATE	TIME*	RESULT (dB(A))				
		จักรวรรดิโรงงาน				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
JANUARY 12, 2024 T24AB382-0015	<b>NIGHT TIME</b> <sup>2/</sup>					
	23:20-23:25 HOUR	46.4 <sup>2/</sup>	44.4 ***	45.1 <sup>2/</sup>	39.9 ***	5.2
	23:25-23:30 HOUR	46.9 <sup>2/</sup>	44.4 ***	46.3 <sup>2/</sup>	39.9 ***	6.4
	23:30-23:35 HOUR	43.0 <sup>2/</sup>	43.2 ***	<0.8 <sup>3/</sup>	39.2 ***	<0.8 <sup>3/</sup>
	23:35-23:40 HOUR	46.0 <sup>2/</sup>	43.2 ***	45.8 <sup>2/</sup>	39.2 ***	6.6
	23:40-23:45 HOUR	45.5 <sup>2/</sup>	43.2 ***	44.6 <sup>2/</sup>	39.2 ***	5.4
	23:45-23:50 HOUR	44.9 <sup>2/</sup>	40.9 ***	45.7 <sup>2/</sup>	38.6 ***	7.1
	23:50-23:55 HOUR	44.0 <sup>2/</sup>	40.9 ***	44.1 <sup>2/</sup>	38.6 ***	5.5
	23:55-00:00 HOUR	41.5 <sup>2/</sup>	40.9 ***	35.6 <sup>2/</sup>	38.6 ***	<0.8 <sup>3/</sup>
JANUARY 13, 2024 T24AB382-0015	<b>NIGHT TIME</b> <sup>2/</sup>					
	00:00-00:05 HOUR	42.1 <sup>2/</sup>	41.4 ***	36.8 <sup>2/</sup>	39.0 ***	<0.8 <sup>3/</sup>
	00:05-00:10 HOUR	42.9 <sup>2/</sup>	41.4 ***	40.6 <sup>2/</sup>	39.0 ***	1.6
	00:10-00:15 HOUR	42.9 <sup>2/</sup>	41.4 ***	40.6 <sup>2/</sup>	39.0 ***	1.6
	00:15-00:20 HOUR	42.4 <sup>2/</sup>	39.7 ***	42.1 <sup>2/</sup>	38.1 ***	4.0
	00:20-00:25 HOUR	42.6 <sup>2/</sup>	39.7 ***	42.5 <sup>2/</sup>	38.1 ***	4.4
	00:25-00:30 HOUR	41.3 <sup>2/</sup>	39.7 ***	39.2 <sup>2/</sup>	38.1 ***	1.1
	00:30-00:35 HOUR	42.9 <sup>2/</sup>	40.1 ***	42.7 <sup>2/</sup>	38.5 ***	4.2
	00:35-00:40 HOUR	41.2 <sup>2/</sup>	40.1 ***	37.7 <sup>2/</sup>	38.5 ***	<0.8 <sup>3/</sup>
	00:40-00:45 HOUR	41.3 <sup>2/</sup>	40.1 ***	38.1 <sup>2/</sup>	38.5 ***	<0.8 <sup>3/</sup>
	00:45-00:50 HOUR	40.9 <sup>2/</sup>	39.6 ***	38.0 <sup>2/</sup>	38.1 ***	<0.8 <sup>3/</sup>
	00:50-00:55 HOUR	42.9 <sup>2/</sup>	39.6 ***	43.2 <sup>2/</sup>	38.1 ***	5.1
	00:55-01:00 HOUR	41.3 <sup>2/</sup>	39.6 ***	39.4 <sup>2/</sup>	38.1 ***	1.3
	01:00-01:05 HOUR	42.6 <sup>2/</sup>	40.8 ***	40.9 <sup>2/</sup>	38.7 ***	2.2
	01:05-01:10 HOUR	41.5 <sup>2/</sup>	40.8 ***	36.2 <sup>2/</sup>	38.7 ***	<0.8 <sup>3/</sup>
	01:10-01:15 HOUR	41.5 <sup>2/</sup>	40.8 ***	36.2 <sup>2/</sup>	38.7 ***	<0.8 <sup>3/</sup>
	01:15-01:20 HOUR	44.7 <sup>2/</sup>	40.8 ***	45.4 <sup>2/</sup>	38.8 ***	6.6
	01:20-01:25 HOUR	41.3 <sup>2/</sup>	40.8 ***	34.7 <sup>2/</sup>	38.8 ***	<0.8 <sup>3/</sup>
	01:25-01:30 HOUR	42.3 <sup>2/</sup>	40.8 ***	40.0 <sup>2/</sup>	38.8 ***	1.2
	01:30-01:35 HOUR	42.6 <sup>2/</sup>	40.0 ***	42.1 <sup>2/</sup>	38.2 ***	3.9
	01:35-01:40 HOUR	41.4 <sup>2/</sup>	40.0 ***	38.8 <sup>2/</sup>	38.2 ***	<0.8 <sup>3/</sup>
	01:40-01:45 HOUR	40.9 <sup>2/</sup>	40.0 ***	36.6 <sup>2/</sup>	38.2 ***	<0.8 <sup>3/</sup>
	01:45-01:50 HOUR	40.9 <sup>2/</sup>	39.3 ***	38.8 <sup>2/</sup>	37.9 ***	0.9
	01:50-01:55 HOUR	40.7 <sup>2/</sup>	39.3 ***	38.1 <sup>2/</sup>	37.9 ***	<0.8 <sup>3/</sup>
	01:55-02:00 HOUR	41.6 <sup>2/</sup>	39.3 ***	40.7 <sup>2/</sup>	37.9 ***	2.8
	02:00-02:05 HOUR	41.7 <sup>2/</sup>	40.5 ***	38.5 <sup>2/</sup>	39.0 ***	<0.8 <sup>3/</sup>
	02:05-02:10 HOUR	41.7 <sup>2/</sup>	40.5 ***	38.5 <sup>2/</sup>	39.0 ***	<0.8 <sup>3/</sup>
	02:10-02:15 HOUR	41.6 <sup>2/</sup>	40.5 ***	38.1 <sup>2/</sup>	39.0 ***	<0.8 <sup>3/</sup>
	02:15-02:20 HOUR	41.4 <sup>2/</sup>	40.4 ***	37.5 <sup>2/</sup>	38.6 ***	<0.8 <sup>3/</sup>
	02:20-02:25 HOUR	42.4 <sup>2/</sup>	40.4 ***	41.1 <sup>2/</sup>	38.6 ***	2.5
	02:25-02:30 HOUR	42.5 <sup>2/</sup>	40.4 ***	41.3 <sup>2/</sup>	38.6 ***	2.7
	02:30-02:35 HOUR	44.8 <sup>2/</sup>	40.4 ***	45.8 <sup>2/</sup>	38.7 ***	7.1
	02:35-02:40 HOUR	42.2 <sup>2/</sup>	40.4 ***	40.5 <sup>2/</sup>	38.7 ***	1.8
	02:40-02:45 HOUR	41.7 <sup>2/</sup>	40.4 ***	38.8 <sup>2/</sup>	38.7 ***	<0.8 <sup>3/</sup>
	02:45-02:50 HOUR	42.3 <sup>2/</sup>	42.1 ***	31.8 <sup>2/</sup>	40.2 ***	<0.8 <sup>3/</sup>
	02:50-02:55 HOUR	43.3 <sup>2/</sup>	42.1 ***	40.1 <sup>2/</sup>	40.2 ***	<0.8 <sup>3/</sup>

DATE	TIME*	RESULT (dB(A))				
		ริมรั้วโรงงาน				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
JANUARY 13, 2024 T24AB382-0015	<b>NIGHT TIME</b> <sup>2/</sup>					
	02:55-03:00 HOUR	42.9 <sup>2/</sup>	42.1 ***	38.2 <sup>2/</sup>	40.2 ***	<0.8 <sup>3/</sup>
	03:00-03:05 HOUR	42.8 <sup>2/</sup>	41.3 ***	40.5 <sup>2/</sup>	40.2 ***	<0.8 <sup>3/</sup>
	03:05-03:10 HOUR	41.7 <sup>2/</sup>	41.3 ***	34.1 <sup>2/</sup>	40.2 ***	<0.8 <sup>3/</sup>
	03:10-03:15 HOUR	41.9 <sup>2/</sup>	41.3 ***	36.0 <sup>2/</sup>	40.2 ***	<0.8 <sup>3/</sup>
	03:15-03:20 HOUR	41.6 <sup>2/</sup>	40.1 ***	39.3 <sup>2/</sup>	39.0 ***	<0.8 <sup>3/</sup>
	03:20-03:25 HOUR	41.3 <sup>2/</sup>	40.1 ***	38.1 <sup>2/</sup>	39.0 ***	<0.8 <sup>3/</sup>
	03:25-03:30 HOUR	41.9 <sup>2/</sup>	40.1 ***	40.2 <sup>2/</sup>	39.0 ***	1.2
	03:30-03:35 HOUR	40.9 <sup>2/</sup>	39.3 ***	38.8 <sup>2/</sup>	38.2 ***	<0.8 <sup>3/</sup>
	03:35-03:40 HOUR	40.4 <sup>2/</sup>	39.3 ***	36.9 <sup>2/</sup>	38.2 ***	<0.8 <sup>3/</sup>
	03:40-03:45 HOUR	40.7 <sup>2/</sup>	39.3 ***	38.1 <sup>2/</sup>	38.2 ***	<0.8 <sup>3/</sup>
	03:45-03:50 HOUR	41.6 <sup>2/</sup>	40.6 ***	37.7 <sup>2/</sup>	39.0 ***	<0.8 <sup>3/</sup>
	03:50-03:55 HOUR	40.8 <sup>2/</sup>	40.6 ***	30.3 <sup>2/</sup>	39.0 ***	<0.8 <sup>3/</sup>
	03:55-04:00 HOUR	41.5 <sup>2/</sup>	40.6 ***	37.2 <sup>2/</sup>	39.0 ***	<0.8 <sup>3/</sup>
	04:00-04:05 HOUR	41.8 <sup>2/</sup>	40.4 ***	39.2 <sup>2/</sup>	38.8 ***	<0.8 <sup>3/</sup>
	04:05-04:10 HOUR	42.2 <sup>2/</sup>	40.4 ***	40.5 <sup>2/</sup>	38.8 ***	1.7
	04:10-04:15 HOUR	42.1 <sup>2/</sup>	40.4 ***	40.2 <sup>2/</sup>	38.8 ***	1.4
	04:15-04:20 HOUR	42.0 <sup>2/</sup>	40.5 ***	39.7 <sup>2/</sup>	39.0 ***	<0.8 <sup>3/</sup>
	04:20-04:25 HOUR	42.6 <sup>2/</sup>	40.5 ***	41.4 <sup>2/</sup>	39.0 ***	2.4
	04:25-04:30 HOUR	41.8 <sup>2/</sup>	40.5 ***	38.9 <sup>2/</sup>	39.0 ***	<0.8 <sup>3/</sup>
	04:30-04:35 HOUR	40.8 <sup>2/</sup>	39.2 ***	38.7 <sup>2/</sup>	37.6 ***	1.1
	04:35-04:40 HOUR	40.4 <sup>2/</sup>	39.2 ***	37.2 <sup>2/</sup>	37.6 ***	<0.8 <sup>3/</sup>
	04:40-04:45 HOUR	40.9 <sup>2/</sup>	39.2 ***	39.0 <sup>2/</sup>	37.6 ***	1.4
	04:45-04:50 HOUR	41.3 <sup>2/</sup>	40.3 ***	37.4 <sup>2/</sup>	38.6 ***	<0.8 <sup>3/</sup>
	04:50-04:55 HOUR	41.6 <sup>2/</sup>	40.3 ***	38.7 <sup>2/</sup>	38.6 ***	<0.8 <sup>3/</sup>
	04:55-05:00 HOUR	41.6 <sup>2/</sup>	40.3 ***	38.7 <sup>2/</sup>	38.6 ***	<0.8 <sup>3/</sup>
	05:00-05:05 HOUR	45.0 <sup>2/</sup>	41.7 ***	45.3 <sup>2/</sup>	39.6 ***	5.7
	05:05-05:10 HOUR	42.3 <sup>2/</sup>	41.7 ***	36.4 <sup>2/</sup>	39.6 ***	<0.8 <sup>3/</sup>
	05:10-05:15 HOUR	43.3 <sup>2/</sup>	41.7 ***	41.2 <sup>2/</sup>	39.6 ***	1.6
	05:15-05:20 HOUR	42.2 <sup>2/</sup>	39.9 ***	41.3 <sup>2/</sup>	38.4 ***	2.9
	05:20-05:25 HOUR	42.0 <sup>2/</sup>	39.9 ***	40.8 <sup>2/</sup>	38.4 ***	2.4
	05:25-05:30 HOUR	40.4 <sup>2/</sup>	39.9 ***	33.8 <sup>2/</sup>	38.4 ***	<0.8 <sup>3/</sup>
	05:30-05:35 HOUR	41.7 <sup>2/</sup>	41.2 ***	35.1 <sup>2/</sup>	39.6 ***	<0.8 <sup>3/</sup>
	05:35-05:40 HOUR	42.5 <sup>2/</sup>	41.2 ***	39.6 <sup>2/</sup>	39.6 ***	<0.8 <sup>3/</sup>
	05:40-05:45 HOUR	40.5 <sup>2/</sup>	41.2 ***	<0.8 <sup>3/</sup>	39.6 ***	<0.8 <sup>3/</sup>
	05:45-05:50 HOUR	46.0 <sup>2/</sup>	43.0 ***	46.0 <sup>2/</sup>	39.7 ***	6.3
	05:50-05:55 HOUR	46.0 <sup>2/</sup>	43.0 ***	46.0 <sup>2/</sup>	39.7 ***	6.3
	05:55-06:00 HOUR	43.9 <sup>2/</sup>	43.0 ***	39.6 <sup>2/</sup>	39.7 ***	<0.8 <sup>3/</sup>
	<b>DAY TIME</b> <sup>1/</sup>					
	06:00-07:00 HOUR	44.9 <sup>1/</sup>	42.0 **	41.8 <sup>1/</sup>	39.2 **	2.6
JANUARY 13, 2024 T24AB382-0016	<b>DAY TIME</b> <sup>1/</sup>					
	07:00-08:00 HOUR	48.1 <sup>1/</sup>	46.9 **	41.9 <sup>1/</sup>	41.9 **	<0.8 <sup>3/</sup>
	08:00-09:00 HOUR	45.5 <sup>1/</sup>	44.0 **	40.2 <sup>1/</sup>	40.4 **	<0.8 <sup>3/</sup>
	09:00-10:00 HOUR	44.6 <sup>1/</sup>	43.1 **	39.3 <sup>1/</sup>	40.6 **	<0.8 <sup>3/</sup>
	10:00-11:00 HOUR	45.1 <sup>1/</sup>	42.5 **	41.6 <sup>1/</sup>	40.6 **	1.0
	11:00-12:00 HOUR	45.2 <sup>1/</sup>	43.6 **	40.1 <sup>1/</sup>	40.9 **	<0.8 <sup>3/</sup>

DATE	TIME*	RESULT (dB(A))				
		ริมรั้วโรงงาน				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
JANUARY 13, 2024	<b>DAY TIME</b> <sup>1/</sup>					
T24AB382-0016	12:00-13:00 HOUR	44.3 <sup>1/</sup>	42.4 **	39.8 <sup>1/</sup>	39.9 **	<0.8 <sup>3/</sup>
	13:00-14:00 HOUR	45.5 <sup>1/</sup>	43.4 **	41.3 <sup>1/</sup>	41.1 **	<0.8 <sup>3/</sup>
	14:00-15:00 HOUR	44.3 <sup>1/</sup>	44.2 **	27.9 <sup>1/</sup>	40.5 **	<0.8 <sup>3/</sup>
	15:00-16:00 HOUR	46.2 <sup>1/</sup>	42.6 **	43.7 <sup>1/</sup>	40.0 **	3.7
	16:00-17:00 HOUR	44.3 <sup>1/</sup>	42.5 **	39.6 <sup>1/</sup>	39.9 **	<0.8 <sup>3/</sup>
	17:00-18:00 HOUR	45.4 <sup>1/</sup>	43.9 **	40.1 <sup>1/</sup>	41.1 **	<0.8 <sup>3/</sup>
	18:00-19:00 HOUR	48.7 <sup>1/</sup>	46.4 **	44.8 <sup>1/</sup>	43.0 **	1.8
	19:00-20:00 HOUR	47.0 <sup>1/</sup>	45.2 **	42.3 <sup>1/</sup>	42.5 **	<0.8 <sup>3/</sup>
	20:00-21:00 HOUR	44.8 <sup>1/</sup>	43.8 **	37.9 <sup>1/</sup>	40.1 **	<0.8 <sup>3/</sup>
	21:00-22:00 HOUR	43.1 <sup>1/</sup>	41.5 **	38.0 <sup>1/</sup>	39.1 **	<0.8 <sup>3/</sup>
	<b>NIGHT TIME</b> <sup>2/</sup>					
	22:00-22:05 HOUR	44.6 <sup>2/</sup>	43.0 ***	42.5 <sup>2/</sup>	40.1 ***	2.4
	22:05-22:10 HOUR	43.1 <sup>2/</sup>	43.0 ***	29.7 <sup>2/</sup>	40.1 ***	<0.8 <sup>3/</sup>
	22:10-22:15 HOUR	45.2 <sup>2/</sup>	43.0 ***	44.2 <sup>2/</sup>	40.1 ***	4.1
	22:15-22:20 HOUR	44.7 <sup>2/</sup>	43.9 ***	40.0 <sup>2/</sup>	40.1 ***	<0.8 <sup>3/</sup>
	22:20-22:25 HOUR	45.0 <sup>2/</sup>	43.9 ***	41.5 <sup>2/</sup>	40.1 ***	1.4
	22:25-22:30 HOUR	45.9 <sup>2/</sup>	43.9 ***	44.6 <sup>2/</sup>	40.1 ***	4.5
	22:30-22:35 HOUR	45.6 <sup>2/</sup>	42.8 ***	45.4 <sup>2/</sup>	39.8 ***	5.6
	22:35-22:40 HOUR	41.1 <sup>2/</sup>	42.8 ***	<0.8 <sup>3/</sup>	39.8 ***	<0.8 <sup>3/</sup>
	22:40-22:45 HOUR	44.0 <sup>2/</sup>	42.8 ***	40.8 <sup>2/</sup>	39.8 ***	1.0
	22:45-22:50 HOUR	44.5 <sup>2/</sup>	43.7 ***	39.8 <sup>2/</sup>	39.9 ***	<0.8 <sup>3/</sup>
	22:50-22:55 HOUR	44.6 <sup>2/</sup>	43.7 ***	40.3 <sup>2/</sup>	39.9 ***	<0.8 <sup>3/</sup>
	22:55-23:00 HOUR	44.3 <sup>2/</sup>	43.7 ***	38.4 <sup>2/</sup>	39.9 ***	<0.8 <sup>3/</sup>
	23:00-23:05 HOUR	44.5 <sup>2/</sup>	43.0 ***	42.2 <sup>2/</sup>	38.8 ***	3.4
	23:05-23:10 HOUR	44.9 <sup>2/</sup>	43.0 ***	43.4 <sup>2/</sup>	38.8 ***	4.6
	23:10-23:15 HOUR	44.6 <sup>2/</sup>	43.0 ***	42.5 <sup>2/</sup>	38.8 ***	3.7
	23:15-23:20 HOUR	41.6 <sup>2/</sup>	41.1 ***	35.0 <sup>2/</sup>	39.0 ***	<0.8 <sup>3/</sup>
	23:20-23:25 HOUR	42.7 <sup>2/</sup>	41.1 ***	40.6 <sup>2/</sup>	39.0 ***	1.6
	23:25-23:30 HOUR	41.5 <sup>2/</sup>	41.1 ***	33.9 <sup>2/</sup>	39.0 ***	<0.8 <sup>3/</sup>
	23:30-23:35 HOUR	41.5 <sup>2/</sup>	40.9 ***	35.6 <sup>2/</sup>	38.8 ***	<0.8 <sup>3/</sup>
	23:35-23:40 HOUR	41.2 <sup>2/</sup>	40.9 ***	32.4 <sup>2/</sup>	38.8 ***	<0.8 <sup>3/</sup>
	23:40-23:45 HOUR	43.7 <sup>2/</sup>	40.9 ***	43.5 <sup>2/</sup>	38.8 ***	4.7
	23:45-23:50 HOUR	45.6 <sup>2/</sup>	42.5 ***	45.7 <sup>2/</sup>	38.4 ***	7.3
	23:50-23:55 HOUR	42.5 <sup>2/</sup>	42.5 ***	<0.8 <sup>3/</sup>	38.4 ***	<0.8 <sup>3/</sup>
	23:55-00:00 HOUR	44.2 <sup>2/</sup>	42.5 ***	42.3 <sup>2/</sup>	38.4 ***	3.9
JANUARY 14, 2024	<b>NIGHT TIME</b> <sup>2/</sup>					
T24AB382-0016	00:00-00:05 HOUR	43.0 <sup>2/</sup>	42.1 ***	38.7 <sup>2/</sup>	39.8 ***	<0.8 <sup>3/</sup>
	00:05-00:10 HOUR	43.7 <sup>2/</sup>	42.1 ***	41.6 <sup>2/</sup>	39.8 ***	1.8
	00:10-00:15 HOUR	42.4 <sup>2/</sup>	42.1 ***	33.6 <sup>2/</sup>	39.8 ***	<0.8 <sup>3/</sup>
	00:15-00:20 HOUR	44.2 <sup>2/</sup>	42.9 ***	41.3 <sup>2/</sup>	41.4 ***	<0.8 <sup>3/</sup>
	00:20-00:25 HOUR	43.7 <sup>2/</sup>	42.9 ***	39.0 <sup>2/</sup>	41.4 ***	<0.8 <sup>3/</sup>
	00:25-00:30 HOUR	42.8 <sup>2/</sup>	42.9 ***	<0.8 <sup>3/</sup>	41.4 ***	<0.8 <sup>3/</sup>
	00:30-00:35 HOUR	44.8 <sup>2/</sup>	43.5 ***	41.9 <sup>2/</sup>	41.8 ***	<0.8 <sup>3/</sup>
	00:35-00:40 HOUR	47.0 <sup>2/</sup>	43.5 ***	47.4 <sup>2/</sup>	41.8 ***	5.6
	00:40-00:45 HOUR	45.3 <sup>2/</sup>	43.5 ***	43.6 <sup>2/</sup>	41.8 ***	1.8

DATE	TIME*	RESULT (dB(A))				
		ริมรั้วโรงงาน				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
JANUARY 14, 2024	<b>NIGHT TIME</b> <sup>2/</sup>					
T24AB382-0016	00:45-00:50 HOUR	43.5 <sup>2/</sup>	42.7 ***	38.8 <sup>2/</sup>	40.3 ***	<0.8 <sup>3/</sup>
	00:50-00:55 HOUR	42.4 <sup>2/</sup>	42.7 ***	<0.8 <sup>3/</sup>	40.3 ***	<0.8 <sup>3/</sup>
	00:55-01:00 HOUR	43.6 <sup>2/</sup>	42.7 ***	39.3 <sup>2/</sup>	40.3 ***	<0.8 <sup>3/</sup>
	01:00-01:05 HOUR	43.3 <sup>2/</sup>	43.2 ***	29.9 <sup>2/</sup>	39.7 ***	<0.8 <sup>3/</sup>
	01:05-01:10 HOUR	44.0 <sup>2/</sup>	43.2 ***	39.3 <sup>2/</sup>	39.7 ***	<0.8 <sup>3/</sup>
	01:10-01:15 HOUR	43.5 <sup>2/</sup>	43.2 ***	34.7 <sup>2/</sup>	39.7 ***	<0.8 <sup>3/</sup>
	01:15-01:20 HOUR	42.8 <sup>2/</sup>	40.8 ***	41.5 <sup>2/</sup>	38.2 ***	3.3
	01:20-01:25 HOUR	42.9 <sup>2/</sup>	40.8 ***	41.7 <sup>2/</sup>	38.2 ***	3.5
	01:25-01:30 HOUR	43.9 <sup>2/</sup>	40.8 ***	44.0 <sup>2/</sup>	38.2 ***	5.8
	01:30-01:35 HOUR	41.2 <sup>2/</sup>	40.6 ***	35.3 <sup>2/</sup>	37.8 ***	<0.8 <sup>3/</sup>
	01:35-01:40 HOUR	41.1 <sup>2/</sup>	40.6 ***	34.5 <sup>2/</sup>	37.8 ***	<0.8 <sup>3/</sup>
	01:40-01:45 HOUR	44.7 <sup>2/</sup>	40.6 ***	45.6 <sup>2/</sup>	37.8 ***	7.8
	01:45-01:50 HOUR	41.0 <sup>2/</sup>	40.4 ***	35.1 <sup>2/</sup>	37.6 ***	<0.8 <sup>3/</sup>
	01:50-01:55 HOUR	42.6 <sup>2/</sup>	40.4 ***	41.6 <sup>2/</sup>	37.6 ***	4.0
	01:55-02:00 HOUR	42.5 <sup>2/</sup>	40.4 ***	41.3 <sup>2/</sup>	37.6 ***	3.7
	02:00-02:05 HOUR	42.9 <sup>2/</sup>	39.8 ***	43.0 <sup>2/</sup>	37.8 ***	5.2
	02:05-02:10 HOUR	40.0 <sup>2/</sup>	39.8 ***	29.5 <sup>2/</sup>	37.8 ***	<0.8 <sup>3/</sup>
	02:10-02:15 HOUR	42.9 <sup>2/</sup>	39.8 ***	43.0 <sup>2/</sup>	37.8 ***	5.2
	02:15-02:20 HOUR	41.6 <sup>2/</sup>	40.6 ***	37.7 <sup>2/</sup>	38.6 ***	<0.8 <sup>3/</sup>
	02:20-02:25 HOUR	39.9 <sup>2/</sup>	40.6 ***	<0.8 <sup>3/</sup>	38.6 ***	<0.8 <sup>3/</sup>
	02:25-02:30 HOUR	42.8 <sup>2/</sup>	40.6 ***	41.8 <sup>2/</sup>	38.6 ***	3.2
	02:30-02:35 HOUR	41.3 <sup>2/</sup>	40.8 ***	34.7 <sup>2/</sup>	39.1 ***	<0.8 <sup>3/</sup>
	02:35-02:40 HOUR	41.9 <sup>2/</sup>	40.8 ***	38.4 <sup>2/</sup>	39.1 ***	<0.8 <sup>3/</sup>
	02:40-02:45 HOUR	42.7 <sup>2/</sup>	40.8 ***	41.2 <sup>2/</sup>	39.1 ***	2.1
	02:45-02:50 HOUR	43.8 <sup>2/</sup>	41.0 ***	43.6 <sup>2/</sup>	39.6 ***	4.0
	02:50-02:55 HOUR	40.9 <sup>2/</sup>	41.0 ***	<0.8 <sup>3/</sup>	39.6 ***	<0.8 <sup>3/</sup>
	02:55-03:00 HOUR	42.6 <sup>2/</sup>	41.0 ***	40.5 <sup>2/</sup>	39.6 ***	0.9
	03:00-03:05 HOUR	44.1 <sup>2/</sup>	43.9 ***	33.6 <sup>2/</sup>	42.7 ***	<0.8 <sup>3/</sup>
	03:05-03:10 HOUR	45.7 <sup>2/</sup>	43.9 ***	44.0 <sup>2/</sup>	42.7 ***	1.3
	03:10-03:15 HOUR	44.3 <sup>2/</sup>	43.9 ***	36.7 <sup>2/</sup>	42.7 ***	<0.8 <sup>3/</sup>
	03:15-03:20 HOUR	45.3 <sup>2/</sup>	43.0 ***	44.4 <sup>2/</sup>	41.3 ***	3.1
	03:20-03:25 HOUR	46.3 <sup>2/</sup>	43.0 ***	46.6 <sup>2/</sup>	41.3 ***	5.3
	03:25-03:30 HOUR	45.8 <sup>2/</sup>	43.0 ***	45.6 <sup>2/</sup>	41.3 ***	4.3
	03:30-03:35 HOUR	42.4 <sup>2/</sup>	42.9 ***	<0.8 <sup>3/</sup>	41.9 ***	<0.8 <sup>3/</sup>
	03:35-03:40 HOUR	44.0 <sup>2/</sup>	42.9 ***	40.5 <sup>2/</sup>	41.9 ***	<0.8 <sup>3/</sup>
	03:40-03:45 HOUR	43.5 <sup>2/</sup>	42.9 ***	37.6 <sup>2/</sup>	41.9 ***	<0.8 <sup>3/</sup>
	03:45-03:50 HOUR	45.4 <sup>2/</sup>	42.4 ***	45.4 <sup>2/</sup>	41.3 ***	4.1
	03:50-03:55 HOUR	45.1 <sup>2/</sup>	42.4 ***	44.8 <sup>2/</sup>	41.3 ***	3.5
	03:55-04:00 HOUR	43.4 <sup>2/</sup>	42.4 ***	39.5 <sup>2/</sup>	41.3 ***	<0.8 <sup>3/</sup>
	04:00-04:05 HOUR	46.5 <sup>2/</sup>	45.8 ***	41.2 <sup>2/</sup>	42.9 ***	<0.8 <sup>3/</sup>
	04:05-04:10 HOUR	46.0 <sup>2/</sup>	45.8 ***	35.5 <sup>2/</sup>	42.9 ***	<0.8 <sup>3/</sup>
	04:10-04:15 HOUR	46.1 <sup>2/</sup>	45.8 ***	37.3 <sup>2/</sup>	42.9 ***	<0.8 <sup>3/</sup>
	04:15-04:20 HOUR	48.5 <sup>2/</sup>	47.8 ***	43.2 <sup>2/</sup>	46.7 ***	<0.8 <sup>3/</sup>
	04:20-04:25 HOUR	49.8 <sup>2/</sup>	47.8 ***	48.5 <sup>2/</sup>	46.7 ***	1.8

DATE	TIME*	RESULT (dB(A))				
		ริมรั้วโรงงาน				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
JANUARY 14, 2024 T24AB382-0016	<b>NIGHT TIME</b> <sup>2/</sup>					
	04:25-04:30 HOUR	49.8 <sup>2/</sup>	47.8 ***	48.5 <sup>2/</sup>	46.7 ***	1.8
	04:30-04:35 HOUR	49.8 <sup>2/</sup>	47.8 ***	48.5 <sup>2/</sup>	46.4 ***	2.1
	04:35-04:40 HOUR	49.3 <sup>2/</sup>	47.8 ***	47.0 <sup>2/</sup>	46.4 ***	<0.8 <sup>3/</sup>
	04:40-04:45 HOUR	48.7 <sup>2/</sup>	47.8 ***	44.4 <sup>2/</sup>	46.4 ***	<0.8 <sup>3/</sup>
	04:45-04:50 HOUR	49.4 <sup>2/</sup>	49.0 ***	41.8 <sup>2/</sup>	47.5 ***	<0.8 <sup>3/</sup>
	04:50-04:55 HOUR	51.1 <sup>2/</sup>	49.0 ***	49.9 <sup>2/</sup>	47.5 ***	2.4
	04:55-05:00 HOUR	49.6 <sup>2/</sup>	49.0 ***	43.7 <sup>2/</sup>	47.5 ***	<0.8 <sup>3/</sup>
	05:00-05:05 HOUR	50.4 <sup>2/</sup>	49.0 ***	47.8 <sup>2/</sup>	47.9 ***	<0.8 <sup>3/</sup>
	05:05-05:10 HOUR	50.6 <sup>2/</sup>	49.0 ***	48.5 <sup>2/</sup>	47.9 ***	<0.8 <sup>3/</sup>
	05:10-05:15 HOUR	50.3 <sup>2/</sup>	49.0 ***	47.4 <sup>2/</sup>	47.9 ***	<0.8 <sup>3/</sup>
	05:15-05:20 HOUR	50.7 <sup>2/</sup>	48.0 ***	50.4 <sup>2/</sup>	46.3 ***	4.1
	05:20-05:25 HOUR	48.9 <sup>2/</sup>	48.0 ***	44.6 <sup>2/</sup>	46.3 ***	<0.8 <sup>3/</sup>
	05:25-05:30 HOUR	49.8 <sup>2/</sup>	48.0 ***	48.1 <sup>2/</sup>	46.3 ***	1.8
	05:30-05:35 HOUR	50.7 <sup>2/</sup>	48.2 ***	50.1 <sup>2/</sup>	46.9 ***	3.2
	05:35-05:40 HOUR	49.4 <sup>2/</sup>	48.2 ***	46.2 <sup>2/</sup>	46.9 ***	<0.8 <sup>3/</sup>
	05:40-05:45 HOUR	48.9 <sup>2/</sup>	48.2 ***	43.6 <sup>2/</sup>	46.9 ***	<0.8 <sup>3/</sup>
	05:45-05:50 HOUR	50.8 <sup>2/</sup>	47.8 ***	50.8 <sup>2/</sup>	46.6 ***	4.2
	05:50-05:55 HOUR	50.4 <sup>2/</sup>	47.8 ***	49.9 <sup>2/</sup>	46.6 ***	3.3
	05:55-06:00 HOUR	49.8 <sup>2/</sup>	47.8 ***	48.5 <sup>2/</sup>	46.6 ***	1.9
	<b>DAY TIME</b> <sup>1/</sup>					
	06:00-07:00 HOUR	51.3 <sup>1/</sup>	49.1 **	47.3 <sup>1/</sup>	48.0 **	<0.8 <sup>3/</sup>
JANUARY 14, 2024 T24AB382-0017	<b>DAY TIME</b> <sup>1/</sup>					
	07:00-08:00 HOUR	51.3 <sup>1/</sup>	49.2 **	47.1 <sup>1/</sup>	48.0 **	<0.8 <sup>3/</sup>
	08:00-09:00 HOUR	47.8 <sup>1/</sup>	44.5 **	45.1 <sup>1/</sup>	41.6 **	3.5
	09:00-10:00 HOUR	45.5 <sup>1/</sup>	43.1 **	41.8 <sup>1/</sup>	40.2 **	1.6
	10:00-11:00 HOUR	44.1 <sup>1/</sup>	42.4 **	39.2 <sup>1/</sup>	40.1 **	<0.8 <sup>3/</sup>
	11:00-12:00 HOUR	45.4 <sup>1/</sup>	45.0 **	34.8 <sup>1/</sup>	40.7 **	<0.8 <sup>3/</sup>
	12:00-13:00 HOUR	45.3 <sup>1/</sup>	44.1 **	39.1 <sup>1/</sup>	40.9 **	<0.8 <sup>3/</sup>
	13:00-14:00 HOUR	44.3 <sup>1/</sup>	43.9 **	33.7 <sup>1/</sup>	39.9 **	<0.8 <sup>3/</sup>
	14:00-15:00 HOUR	43.1 <sup>1/</sup>	41.7 **	37.5 <sup>1/</sup>	39.2 **	<0.8 <sup>3/</sup>
	15:00-16:00 HOUR	43.6 <sup>1/</sup>	42.8 **	35.9 <sup>1/</sup>	39.4 **	<0.8 <sup>3/</sup>
	16:00-17:00 HOUR	46.4 <sup>1/</sup>	42.9 **	43.8 <sup>1/</sup>	39.9 **	3.9
	17:00-18:00 HOUR	45.1 <sup>1/</sup>	43.5 **	40.0 <sup>1/</sup>	40.7 **	<0.8 <sup>3/</sup>
	18:00-19:00 HOUR	46.1 <sup>1/</sup>	45.0 **	39.6 <sup>1/</sup>	41.5 **	<0.8 <sup>3/</sup>
	19:00-20:00 HOUR	45.8 <sup>1/</sup>	45.0 **	38.1 <sup>1/</sup>	41.8 **	<0.8 <sup>3/</sup>
	20:00-21:00 HOUR	44.8 <sup>1/</sup>	42.9 **	40.3 <sup>1/</sup>	40.5 **	<0.8 <sup>3/</sup>
	21:00-22:00 HOUR	43.3 <sup>1/</sup>	40.9 **	39.6 <sup>1/</sup>	39.1 **	<0.8 <sup>3/</sup>
	<b>NIGHT TIME</b> <sup>2/</sup>					
	22:00-22:05 HOUR	43.5 <sup>2/</sup>	43.3 ***	33.0 <sup>2/</sup>	40.4 ***	<0.8 <sup>3/</sup>
	22:05-22:10 HOUR	45.1 <sup>2/</sup>	43.3 ***	43.4 <sup>2/</sup>	40.4 ***	3.0
	22:10-22:15 HOUR	44.1 <sup>2/</sup>	43.3 ***	39.4 <sup>2/</sup>	40.4 ***	<0.8 <sup>3/</sup>
	22:15-22:20 HOUR	42.7 <sup>2/</sup>	41.3 ***	40.1 <sup>2/</sup>	39.7 ***	<0.8 <sup>3/</sup>
	22:20-22:25 HOUR	42.4 <sup>2/</sup>	41.3 ***	38.9 <sup>2/</sup>	39.7 ***	<0.8 <sup>3/</sup>
	22:25-22:30 HOUR	41.5 <sup>2/</sup>	41.3 ***	31.0 <sup>2/</sup>	39.7 ***	<0.8 <sup>3/</sup>
	22:30-22:35 HOUR	45.2 <sup>2/</sup>	43.2 ***	43.9 <sup>2/</sup>	41.0 ***	2.9

DATE	TIME*	RESULT (dB(A))				
		ริมรั้วโรงงาน				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
JANUARY 14, 2024 T24AB382-0017	<b>NIGHT TIME</b> <sup>2/</sup>					
	22:35-22:40 HOUR	45.2 <sup>2/</sup>	43.2 ***	43.9 <sup>2/</sup>	41.0 ***	2.9
	22:40-22:45 HOUR	43.8 <sup>2/</sup>	43.2 ***	37.9 <sup>2/</sup>	41.0 ***	<0.8 <sup>3/</sup>
	22:45-22:50 HOUR	41.8 <sup>2/</sup>	39.1 ***	41.5 <sup>2/</sup>	37.8 ***	3.7
	22:50-22:55 HOUR	42.0 <sup>2/</sup>	39.1 ***	41.9 <sup>2/</sup>	37.8 ***	4.1
	22:55-23:00 HOUR	41.2 <sup>2/</sup>	39.1 ***	40.0 <sup>2/</sup>	37.8 ***	2.2
	23:00-23:05 HOUR	41.8 <sup>2/</sup>	39.9 ***	40.3 <sup>2/</sup>	37.8 ***	2.5
	23:05-23:10 HOUR	40.6 <sup>2/</sup>	39.9 ***	35.3 <sup>2/</sup>	37.8 ***	<0.8 <sup>3/</sup>
	23:10-23:15 HOUR	41.2 <sup>2/</sup>	39.9 ***	38.3 <sup>2/</sup>	37.8 ***	<0.8 <sup>3/</sup>
	23:15-23:20 HOUR	41.0 <sup>2/</sup>	42.1 ***	<0.8 <sup>3/</sup>	38.8 ***	<0.8 <sup>3/</sup>
	23:20-23:25 HOUR	42.5 <sup>2/</sup>	42.1 ***	34.9 <sup>2/</sup>	38.8 ***	<0.8 <sup>3/</sup>
	23:25-23:30 HOUR	45.1 <sup>2/</sup>	42.1 ***	45.1 <sup>2/</sup>	38.8 ***	6.3
	23:30-23:35 HOUR	41.2 <sup>2/</sup>	41.2 ***	<0.8 <sup>3/</sup>	39.1 ***	<0.8 <sup>3/</sup>
	23:35-23:40 HOUR	42.6 <sup>2/</sup>	41.2 ***	40.0 <sup>2/</sup>	39.1 ***	0.9
	23:40-23:45 HOUR	42.3 <sup>2/</sup>	41.2 ***	38.8 <sup>2/</sup>	39.1 ***	<0.8 <sup>3/</sup>
	23:45-23:50 HOUR	40.5 <sup>2/</sup>	39.7 ***	35.8 <sup>2/</sup>	37.9 ***	<0.8 <sup>3/</sup>
	23:50-23:55 HOUR	40.7 <sup>2/</sup>	39.7 ***	36.8 <sup>2/</sup>	37.9 ***	<0.8 <sup>3/</sup>
	23:55-00:00 HOUR	41.7 <sup>2/</sup>	39.7 ***	40.4 <sup>2/</sup>	37.9 ***	2.5
JANUARY 15, 2024 T24AB382-0017	<b>NIGHT TIME</b> <sup>2/</sup>					
	00:00-00:05 HOUR	41.7 <sup>2/</sup>	41.2 ***	35.1 <sup>2/</sup>	38.4 ***	<0.8 <sup>3/</sup>
	00:05-00:10 HOUR	40.9 <sup>2/</sup>	41.2 ***	<0.8 <sup>3/</sup>	38.4 ***	<0.8 <sup>3/</sup>
	00:10-00:15 HOUR	41.4 <sup>2/</sup>	41.2 ***	30.9 <sup>2/</sup>	38.4 ***	<0.8 <sup>3/</sup>
	00:15-00:20 HOUR	41.3 <sup>2/</sup>	41.4 ***	<0.8 <sup>3/</sup>	38.7 ***	<0.8 <sup>3/</sup>
	00:20-00:25 HOUR	44.8 <sup>2/</sup>	41.4 ***	45.1 <sup>2/</sup>	38.7 ***	6.4
	00:25-00:30 HOUR	43.4 <sup>2/</sup>	41.4 ***	42.1 <sup>2/</sup>	38.7 ***	3.4
	00:30-00:35 HOUR	43.9 <sup>2/</sup>	40.9 ***	43.9 <sup>2/</sup>	38.6 ***	5.3
	00:35-00:40 HOUR	43.5 <sup>2/</sup>	40.9 ***	43.0 <sup>2/</sup>	38.6 ***	4.4
	00:40-00:45 HOUR	40.6 <sup>2/</sup>	40.9 ***	<0.8 <sup>3/</sup>	38.6 ***	<0.8 <sup>3/</sup>
	00:45-00:50 HOUR	44.0 <sup>2/</sup>	42.7 ***	41.1 <sup>2/</sup>	38.6 ***	2.5
	00:50-00:55 HOUR	45.3 <sup>2/</sup>	42.7 ***	44.8 <sup>2/</sup>	38.6 ***	6.2
	00:55-01:00 HOUR	42.9 <sup>2/</sup>	42.7 ***	32.4 <sup>2/</sup>	38.6 ***	<0.8 <sup>3/</sup>
	01:00-01:05 HOUR	43.7 <sup>2/</sup>	40.5 ***	43.9 <sup>2/</sup>	38.9 ***	5.0
	01:05-01:10 HOUR	42.2 <sup>2/</sup>	40.5 ***	40.3 <sup>2/</sup>	38.9 ***	1.4
	01:10-01:15 HOUR	41.7 <sup>2/</sup>	40.5 ***	38.5 <sup>2/</sup>	38.9 ***	<0.8 <sup>3/</sup>
	01:15-01:20 HOUR	41.3 <sup>2/</sup>	40.0 ***	38.4 <sup>2/</sup>	38.1 ***	<0.8 <sup>3/</sup>
	01:20-01:25 HOUR	42.9 <sup>2/</sup>	40.0 ***	42.8 <sup>2/</sup>	38.1 ***	4.7
	01:25-01:30 HOUR	41.4 <sup>2/</sup>	40.0 ***	38.8 <sup>2/</sup>	38.1 ***	<0.8 <sup>3/</sup>
	01:30-01:35 HOUR	42.6 <sup>2/</sup>	42.3 ***	33.8 <sup>2/</sup>	39.4 ***	<0.8 <sup>3/</sup>
	01:35-01:40 HOUR	42.3 <sup>2/</sup>	42.3 ***	<0.8 <sup>3/</sup>	39.4 ***	<0.8 <sup>3/</sup>
	01:40-01:45 HOUR	44.5 <sup>2/</sup>	42.3 ***	43.5 <sup>2/</sup>	39.4 ***	4.1
	01:45-01:50 HOUR	41.1 <sup>2/</sup>	39.1 ***	39.8 <sup>2/</sup>	38.0 ***	1.8
	01:50-01:55 HOUR	40.3 <sup>2/</sup>	39.1 ***	37.1 <sup>2/</sup>	38.0 ***	<0.8 <sup>3/</sup>
	01:55-02:00 HOUR	40.3 <sup>2/</sup>	39.1 ***	37.1 <sup>2/</sup>	38.0 ***	<0.8 <sup>3/</sup>
	02:00-02:05 HOUR	40.1 <sup>2/</sup>	39.3 ***	35.4 <sup>2/</sup>	38.1 ***	<0.8 <sup>3/</sup>
	02:05-02:10 HOUR	40.4 <sup>2/</sup>	39.3 ***	36.9 <sup>2/</sup>	38.1 ***	<0.8 <sup>3/</sup>

DATE	TIME*	RESULT (dB(A))				
		ริมรั้วโรงงาน				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
JANUARY 15, 2024 T24AB382-0017	<b>NIGHT TIME</b> <sup>2/</sup>					
	02:10-02:15 HOUR	39.8 <sup>2/</sup>	39.3 ***	33.2 <sup>2/</sup>	38.1 ***	<0.8 <sup>3/</sup>
	02:15-02:20 HOUR	40.0 <sup>2/</sup>	38.7 ***	37.1 <sup>2/</sup>	37.5 ***	<0.8 <sup>3/</sup>
	02:20-02:25 HOUR	40.1 <sup>2/</sup>	38.7 ***	37.5 <sup>2/</sup>	37.5 ***	<0.8 <sup>3/</sup>
	02:25-02:30 HOUR	40.0 <sup>2/</sup>	38.7 ***	37.1 <sup>2/</sup>	37.5 ***	<0.8 <sup>3/</sup>
	02:30-02:35 HOUR	39.9 <sup>2/</sup>	39.0 ***	35.6 <sup>2/</sup>	37.8 ***	<0.8 <sup>3/</sup>
	02:35-02:40 HOUR	41.1 <sup>2/</sup>	39.0 ***	39.9 <sup>2/</sup>	37.8 ***	2.1
	02:40-02:45 HOUR	40.9 <sup>2/</sup>	39.0 ***	39.4 <sup>2/</sup>	37.8 ***	1.6
	02:45-02:50 HOUR	43.4 <sup>2/</sup>	40.7 ***	43.1 <sup>2/</sup>	37.8 ***	5.3
	02:50-02:55 HOUR	41.1 <sup>2/</sup>	40.7 ***	33.5 <sup>2/</sup>	37.8 ***	<0.8 <sup>3/</sup>
	02:55-03:00 HOUR	41.3 <sup>2/</sup>	40.7 ***	35.4 <sup>2/</sup>	37.8 ***	<0.8 <sup>3/</sup>
	03:00-03:05 HOUR	40.9 <sup>2/</sup>	39.3 ***	38.8 <sup>2/</sup>	38.1 ***	<0.8 <sup>3/</sup>
	03:05-03:10 HOUR	40.8 <sup>2/</sup>	39.3 ***	38.5 <sup>2/</sup>	38.1 ***	<0.8 <sup>3/</sup>
	03:10-03:15 HOUR	40.0 <sup>2/</sup>	39.3 ***	34.7 <sup>2/</sup>	38.1 ***	<0.8 <sup>3/</sup>
	03:15-03:20 HOUR	40.3 <sup>2/</sup>	39.3 ***	36.4 <sup>2/</sup>	38.1 ***	<0.8 <sup>3/</sup>
	03:20-03:25 HOUR	39.9 <sup>2/</sup>	39.3 ***	34.0 <sup>2/</sup>	38.1 ***	<0.8 <sup>3/</sup>
	03:25-03:30 HOUR	40.2 <sup>2/</sup>	39.3 ***	35.9 <sup>2/</sup>	38.1 ***	<0.8 <sup>3/</sup>
	03:30-03:35 HOUR	44.9 <sup>2/</sup>	42.8 ***	43.7 <sup>2/</sup>	40.5 ***	3.2
	03:35-03:40 HOUR	45.4 <sup>2/</sup>	42.8 ***	44.9 <sup>2/</sup>	40.5 ***	4.4
	03:40-03:45 HOUR	44.0 <sup>2/</sup>	42.8 ***	40.8 <sup>2/</sup>	40.5 ***	<0.8 <sup>3/</sup>
	03:45-03:50 HOUR	40.3 <sup>2/</sup>	39.7 ***	34.4 <sup>2/</sup>	37.3 ***	<0.8 <sup>3/</sup>
	03:50-03:55 HOUR	39.3 <sup>2/</sup>	39.7 ***	<0.8 <sup>3/</sup>	37.3 ***	<0.8 <sup>3/</sup>
	03:55-04:00 HOUR	41.2 <sup>2/</sup>	39.7 ***	38.9 <sup>2/</sup>	37.3 ***	1.6
	04:00-04:05 HOUR	42.6 <sup>2/</sup>	38.5 ***	43.5 <sup>2/</sup>	37.6 ***	5.9
	04:05-04:10 HOUR	39.0 <sup>2/</sup>	38.5 ***	32.4 <sup>2/</sup>	37.6 ***	<0.8 <sup>3/</sup>
	04:10-04:15 HOUR	38.8 <sup>2/</sup>	38.5 ***	30.0 <sup>2/</sup>	37.6 ***	<0.8 <sup>3/</sup>
	04:15-04:20 HOUR	38.8 <sup>2/</sup>	38.5 ***	30.0 <sup>2/</sup>	37.4 ***	<0.8 <sup>3/</sup>
	04:20-04:25 HOUR	39.0 <sup>2/</sup>	38.5 ***	32.4 <sup>2/</sup>	37.4 ***	<0.8 <sup>3/</sup>
	04:25-04:30 HOUR	40.0 <sup>2/</sup>	38.5 ***	37.7 <sup>2/</sup>	37.4 ***	<0.8 <sup>3/</sup>
	04:30-04:35 HOUR	43.4 <sup>2/</sup>	42.0 ***	40.8 <sup>2/</sup>	38.3 ***	2.5
	04:35-04:40 HOUR	43.1 <sup>2/</sup>	42.0 ***	39.6 <sup>2/</sup>	38.3 ***	1.3
	04:40-04:45 HOUR	42.5 <sup>2/</sup>	42.0 ***	35.9 <sup>2/</sup>	38.3 ***	<0.8 <sup>3/</sup>
	04:45-04:50 HOUR	43.9 <sup>2/</sup>	42.5 ***	41.3 <sup>2/</sup>	39.8 ***	1.5
	04:50-04:55 HOUR	43.4 <sup>2/</sup>	42.5 ***	39.1 <sup>2/</sup>	39.8 ***	<0.8 <sup>3/</sup>
	04:55-05:00 HOUR	45.4 <sup>2/</sup>	42.5 ***	45.3 <sup>2/</sup>	39.8 ***	5.5
	05:00-05:05 HOUR	43.9 <sup>2/</sup>	42.7 ***	40.7 <sup>2/</sup>	37.7 ***	3.0
	05:05-05:10 HOUR	44.9 <sup>2/</sup>	42.7 ***	43.9 <sup>2/</sup>	37.7 ***	6.2
	05:10-05:15 HOUR	43.2 <sup>2/</sup>	42.7 ***	36.6 <sup>2/</sup>	37.7 ***	<0.8 <sup>3/</sup>
	05:15-05:20 HOUR	44.9 <sup>2/</sup>	41.8 ***	45.0 <sup>2/</sup>	37.8 ***	7.2
	05:20-05:25 HOUR	42.0 <sup>2/</sup>	41.8 ***	31.5 <sup>2/</sup>	37.8 ***	<0.8 <sup>3/</sup>
	05:25-05:30 HOUR	43.4 <sup>2/</sup>	41.8 ***	41.3 <sup>2/</sup>	37.8 ***	3.5
	05:30-05:35 HOUR	46.2 <sup>2/</sup>	44.9 ***	43.3 <sup>2/</sup>	40.6 ***	2.7
	05:35-05:40 HOUR	44.7 <sup>2/</sup>	44.9 ***	<0.8 <sup>3/</sup>	40.6 ***	<0.8 <sup>3/</sup>
	05:40-05:45 HOUR	45.8 <sup>2/</sup>	44.9 ***	41.5 <sup>2/</sup>	40.6 ***	0.9
	05:45-05:50 HOUR	47.3 <sup>2/</sup>	44.9 ***	46.6 <sup>2/</sup>	40.1 ***	6.5

DATE	TIME*	RESULT (dB(A))				
		ริมรั้วโรงงาน				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
JANUARY 15, 2024 T24AB382-0017	<b>NIGHT TIME <sup>2/</sup></b>					
	05:50-05:55 HOUR	44.9 <sup>2/</sup>	44.9 ***	<0.8 <sup>3/</sup>	40.1 ***	<0.8 <sup>3/</sup>
	05:55-06:00 HOUR	46.4 <sup>2/</sup>	44.9 ***	44.1 <sup>2/</sup>	40.1 ***	4.0
	<b>DAY TIME <sup>1/</sup></b>					
	06:00-07:00 HOUR	48.8 <sup>1/</sup>	46.6 **	44.8 <sup>1/</sup>	41.2 **	3.6
JANUARY 15, 2024 T24AB382-0018	<b>DAY TIME <sup>1/</sup></b>					
	07:00-08:00 HOUR	49.8 <sup>1/</sup>	48.0 **	45.1 <sup>1/</sup>	45.2 **	<0.8 <sup>3/</sup>
	08:00-09:00 HOUR	47.1 <sup>1/</sup>	43.8 **	44.4 <sup>1/</sup>	40.6 **	3.8
	09:00-10:00 HOUR	46.2 <sup>1/</sup>	44.1 **	42.0 <sup>1/</sup>	41.1 **	0.9
	10:00-11:00 HOUR	45.4 <sup>1/</sup>	44.0 **	39.8 <sup>1/</sup>	41.1 **	<0.8 <sup>3/</sup>
	11:00-12:00 HOUR	47.5 <sup>1/</sup>	44.6 **	44.4 <sup>1/</sup>	41.7 **	2.7
	12:00-13:00 HOUR	46.5 <sup>1/</sup>	45.3 **	40.3 <sup>1/</sup>	40.7 **	<0.8 <sup>3/</sup>
	13:00-14:00 HOUR	46.4 <sup>1/</sup>	43.4 **	43.4 <sup>1/</sup>	41.5 **	1.9
	14:00-15:00 HOUR	44.2 <sup>1/</sup>	43.2 **	37.3 <sup>1/</sup>	40.7 **	<0.8 <sup>3/</sup>
	15:00-16:00 HOUR	45.4 <sup>1/</sup>	43.0 **	41.7 <sup>1/</sup>	40.6 **	1.1
	16:00-17:00 HOUR	45.5 <sup>1/</sup>	43.9 **	40.4 <sup>1/</sup>	41.0 **	<0.8 <sup>3/</sup>
	17:00-18:00 HOUR	47.1 <sup>1/</sup>	44.3 **	43.9 <sup>1/</sup>	41.7 **	2.2
	18:00-19:00 HOUR	45.4 <sup>1/</sup>	43.2 **	41.4 <sup>1/</sup>	41.2 **	<0.8 <sup>3/</sup>
	19:00-20:00 HOUR	45.7 <sup>1/</sup>	44.0 **	40.8 <sup>1/</sup>	41.2 **	<0.8 <sup>3/</sup>
	20:00-21:00 HOUR	47.8 <sup>1/</sup>	45.1 **	44.5 <sup>1/</sup>	40.5 **	4.0
	21:00-22:00 HOUR	45.5 <sup>1/</sup>	43.4 **	41.3 <sup>1/</sup>	39.8 **	1.5
	<b>NIGHT TIME <sup>2/</sup></b>					
	22:00-22:05 HOUR	42.7 <sup>2/</sup>	41.2 ***	40.4 <sup>2/</sup>	39.8 ***	<0.8 <sup>3/</sup>
	22:05-22:10 HOUR	41.5 <sup>2/</sup>	41.2 ***	32.7 <sup>2/</sup>	39.8 ***	<0.8 <sup>3/</sup>
	22:10-22:15 HOUR	41.5 <sup>2/</sup>	41.2 ***	32.7 <sup>2/</sup>	39.8 ***	<0.8 <sup>3/</sup>
	22:15-22:20 HOUR	41.7 <sup>2/</sup>	43.3 ***	<0.8 <sup>3/</sup>	39.8 ***	<0.8 <sup>3/</sup>
	22:20-22:25 HOUR	45.5 <sup>2/</sup>	43.3 ***	44.5 <sup>2/</sup>	39.8 ***	4.7
	22:25-22:30 HOUR	44.2 <sup>2/</sup>	43.3 ***	39.9 <sup>2/</sup>	39.8 ***	<0.8 <sup>3/</sup>
	22:30-22:35 HOUR	43.0 <sup>2/</sup>	42.0 ***	39.1 <sup>2/</sup>	39.1 ***	<0.8 <sup>3/</sup>
	22:35-22:40 HOUR	45.4 <sup>2/</sup>	42.0 ***	45.7 <sup>2/</sup>	39.1 ***	6.6
	22:40-22:45 HOUR	44.0 <sup>2/</sup>	42.0 ***	42.7 <sup>2/</sup>	39.1 ***	3.6
	22:45-22:50 HOUR	43.5 <sup>2/</sup>	40.9 ***	43.0 <sup>2/</sup>	38.7 ***	4.3
	22:50-22:55 HOUR	43.8 <sup>2/</sup>	40.9 ***	43.7 <sup>2/</sup>	38.7 ***	5.0
	22:55-23:00 HOUR	41.8 <sup>2/</sup>	40.9 ***	37.5 <sup>2/</sup>	38.7 ***	<0.8 <sup>3/</sup>
	23:00-23:05 HOUR	44.1 <sup>2/</sup>	42.4 ***	42.2 <sup>2/</sup>	38.2 ***	4.0
	23:05-23:10 HOUR	43.6 <sup>2/</sup>	42.4 ***	40.4 <sup>2/</sup>	38.2 ***	2.2
	23:10-23:15 HOUR	43.3 <sup>2/</sup>	42.4 ***	39.0 <sup>2/</sup>	38.2 ***	0.8
	23:15-23:20 HOUR	45.0 <sup>2/</sup>	43.4 ***	42.9 <sup>2/</sup>	39.3 ***	3.6
	23:20-23:25 HOUR	43.6 <sup>2/</sup>	43.4 ***	33.1 <sup>2/</sup>	39.3 ***	<0.8 <sup>3/</sup>
	23:25-23:30 HOUR	45.6 <sup>2/</sup>	43.4 ***	44.6 <sup>2/</sup>	39.3 ***	5.3
	23:30-23:35 HOUR	45.6 <sup>2/</sup>	43.5 ***	44.4 <sup>2/</sup>	39.5 ***	4.9
	23:35-23:40 HOUR	44.4 <sup>2/</sup>	43.5 ***	40.1 <sup>2/</sup>	39.5 ***	<0.8 <sup>3/</sup>
	23:40-23:45 HOUR	43.5 <sup>2/</sup>	43.5 ***	<0.8 <sup>3/</sup>	39.5 ***	<0.8 <sup>3/</sup>
	23:45-23:50 HOUR	43.9 <sup>2/</sup>	42.1 ***	42.2 <sup>2/</sup>	38.7 ***	3.5
	23:50-23:55 HOUR	43.3 <sup>2/</sup>	42.1 ***	40.1 <sup>2/</sup>	38.7 ***	1.4
	23:55-00:00 HOUR	42.7 <sup>2/</sup>	42.1 ***	36.8 <sup>2/</sup>	38.7 ***	<0.8 <sup>3/</sup>

DATE	TIME*	RESULT (dB(A))				
		ริมรั้วโรงงาน				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
JANUARY 16, 2024 T24AB382-0018	<b>NIGHT TIME</b> <sup>2/</sup>					
	00:00-00:05 HOUR	45.2 <sup>2/</sup>	41.3 ***	45.9 <sup>2/</sup>	38.3 ***	7.6
	00:05-00:10 HOUR	45.1 <sup>2/</sup>	41.3 ***	45.8 <sup>2/</sup>	38.3 ***	7.5
	00:10-00:15 HOUR	42.7 <sup>2/</sup>	41.3 ***	40.1 <sup>2/</sup>	38.3 ***	1.8
	00:15-00:20 HOUR	42.3 <sup>2/</sup>	41.1 ***	39.1 <sup>2/</sup>	37.9 ***	1.2
	00:20-00:25 HOUR	40.9 <sup>2/</sup>	41.1 ***	<0.8 <sup>3/</sup>	37.9 ***	<0.8 <sup>3/</sup>
	00:25-00:30 HOUR	43.5 <sup>2/</sup>	41.1 ***	42.8 <sup>2/</sup>	37.9 ***	4.9
	00:30-00:35 HOUR	44.1 <sup>2/</sup>	42.6 ***	41.8 <sup>2/</sup>	38.8 ***	3.0
	00:35-00:40 HOUR	44.3 <sup>2/</sup>	42.6 ***	42.4 <sup>2/</sup>	38.8 ***	3.6
	00:40-00:45 HOUR	41.9 <sup>2/</sup>	42.6 ***	<0.8 <sup>3/</sup>	38.8 ***	<0.8 <sup>3/</sup>
	00:45-00:50 HOUR	45.4 <sup>2/</sup>	43.8 ***	43.3 <sup>2/</sup>	38.7 ***	4.6
	00:50-00:55 HOUR	45.1 <sup>2/</sup>	43.8 ***	42.2 <sup>2/</sup>	38.7 ***	3.5
	00:55-01:00 HOUR	45.1 <sup>2/</sup>	43.8 ***	42.2 <sup>2/</sup>	38.7 ***	3.5
	01:00-01:05 HOUR	42.3 <sup>2/</sup>	42.4 ***	<0.8 <sup>3/</sup>	38.8 ***	<0.8 <sup>3/</sup>
	01:05-01:10 HOUR	44.2 <sup>2/</sup>	42.4 ***	42.5 <sup>2/</sup>	38.8 ***	3.7
	01:10-01:15 HOUR	43.2 <sup>2/</sup>	42.4 ***	38.5 <sup>2/</sup>	38.8 ***	<0.8 <sup>3/</sup>
	01:15-01:20 HOUR	45.7 <sup>2/</sup>	43.4 ***	44.8 <sup>2/</sup>	40.9 ***	3.9
	01:20-01:25 HOUR	44.8 <sup>2/</sup>	43.4 ***	42.2 <sup>2/</sup>	40.9 ***	1.3
	01:25-01:30 HOUR	44.6 <sup>2/</sup>	43.4 ***	41.4 <sup>2/</sup>	40.9 ***	<0.8 <sup>3/</sup>
	01:30-01:35 HOUR	46.6 <sup>2/</sup>	46.3 ***	37.8 <sup>2/</sup>	44.1 ***	<0.8 <sup>3/</sup>
	01:35-01:40 HOUR	50.7 <sup>2/</sup>	46.3 ***	51.7 <sup>2/</sup>	44.1 ***	7.6
	01:40-01:45 HOUR	46.6 <sup>2/</sup>	46.3 ***	37.8 <sup>2/</sup>	44.1 ***	<0.8 <sup>3/</sup>
	01:45-01:50 HOUR	47.2 <sup>2/</sup>	45.4 ***	45.5 <sup>2/</sup>	43.7 ***	1.8
	01:50-01:55 HOUR	46.5 <sup>2/</sup>	45.4 ***	43.0 <sup>2/</sup>	43.7 ***	<0.8 <sup>3/</sup>
	01:55-02:00 HOUR	46.1 <sup>2/</sup>	45.4 ***	40.8 <sup>2/</sup>	43.7 ***	<0.8 <sup>3/</sup>
	02:00-02:05 HOUR	49.6 <sup>2/</sup>	48.4 ***	46.4 <sup>2/</sup>	46.9 ***	<0.8 <sup>3/</sup>
	02:05-02:10 HOUR	49.7 <sup>2/</sup>	48.4 ***	46.8 <sup>2/</sup>	46.9 ***	<0.8 <sup>3/</sup>
	02:10-02:15 HOUR	49.8 <sup>2/</sup>	48.4 ***	47.2 <sup>2/</sup>	46.9 ***	<0.8 <sup>3/</sup>
	02:15-02:20 HOUR	51.9 <sup>2/</sup>	50.6 ***	49.0 <sup>2/</sup>	49.2 ***	<0.8 <sup>3/</sup>
	02:20-02:25 HOUR	52.1 <sup>2/</sup>	50.6 ***	49.8 <sup>2/</sup>	49.2 ***	<0.8 <sup>3/</sup>
	02:25-02:30 HOUR	53.1 <sup>2/</sup>	50.6 ***	52.5 <sup>2/</sup>	49.2 ***	3.3
	02:30-02:35 HOUR	53.0 <sup>2/</sup>	49.8 ***	53.2 <sup>2/</sup>	48.8 ***	4.4
	02:35-02:40 HOUR	51.4 <sup>2/</sup>	49.8 ***	49.3 <sup>2/</sup>	48.8 ***	<0.8 <sup>3/</sup>
	02:40-02:45 HOUR	51.1 <sup>2/</sup>	49.8 ***	48.2 <sup>2/</sup>	48.8 ***	<0.8 <sup>3/</sup>
	02:45-02:50 HOUR	51.5 <sup>2/</sup>	48.5 ***	51.5 <sup>2/</sup>	47.6 ***	3.9
	02:50-02:55 HOUR	51.3 <sup>2/</sup>	48.5 ***	51.1 <sup>2/</sup>	47.6 ***	3.5
	02:55-03:00 HOUR	49.8 <sup>2/</sup>	48.5 ***	46.9 <sup>2/</sup>	47.6 ***	<0.8 <sup>3/</sup>
	03:00-03:05 HOUR	50.5 <sup>2/</sup>	49.5 ***	46.6 <sup>2/</sup>	48.5 ***	<0.8 <sup>3/</sup>
	03:05-03:10 HOUR	50.9 <sup>2/</sup>	49.5 ***	48.3 <sup>2/</sup>	48.5 ***	<0.8 <sup>3/</sup>
	03:10-03:15 HOUR	50.3 <sup>2/</sup>	49.5 ***	45.6 <sup>2/</sup>	48.5 ***	<0.8 <sup>3/</sup>
	03:15-03:20 HOUR	51.0 <sup>2/</sup>	49.4 ***	48.9 <sup>2/</sup>	48.2 ***	<0.8 <sup>3/</sup>
	03:20-03:25 HOUR	51.1 <sup>2/</sup>	49.4 ***	49.2 <sup>2/</sup>	48.2 ***	1.0
	03:25-03:30 HOUR	52.4 <sup>2/</sup>	49.4 ***	52.4 <sup>2/</sup>	48.2 ***	4.2
	03:30-03:35 HOUR	51.4 <sup>2/</sup>	49.5 ***	49.9 <sup>2/</sup>	48.6 ***	1.3
	03:35-03:40 HOUR	50.6 <sup>2/</sup>	49.5 ***	47.1 <sup>2/</sup>	48.6 ***	<0.8 <sup>3/</sup>

DATE	TIME*	RESULT (dB(A))				
		ริมรั้วโรงงาน				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
JANUARY 16, 2024 T24AB382-0018	<b>NIGHT TIME</b> <sup>2/</sup>					
	03:40-03:45 HOUR	51.0 <sup>2/</sup>	49.5 ***	48.7 <sup>2/</sup>	48.6 ***	<0.8 <sup>3/</sup>
	03:45-03:50 HOUR	51.4 <sup>2/</sup>	47.9 ***	51.8 <sup>2/</sup>	46.7 ***	5.1
	03:50-03:55 HOUR	50.7 <sup>2/</sup>	47.9 ***	50.5 <sup>2/</sup>	46.7 ***	3.8
	03:55-04:00 HOUR	48.9 <sup>2/</sup>	47.9 ***	45.0 <sup>2/</sup>	46.7 ***	<0.8 <sup>3/</sup>
	04:00-04:05 HOUR	48.5 <sup>2/</sup>	45.7 ***	48.3 <sup>2/</sup>	44.3 ***	4.0
	04:05-04:10 HOUR	47.3 <sup>2/</sup>	45.7 ***	45.2 <sup>2/</sup>	44.3 ***	0.9
	04:10-04:15 HOUR	46.7 <sup>2/</sup>	45.7 ***	42.8 <sup>2/</sup>	44.3 ***	<0.8 <sup>3/</sup>
	04:15-04:20 HOUR	48.2 <sup>2/</sup>	45.1 ***	48.3 <sup>2/</sup>	42.7 ***	5.6
	04:20-04:25 HOUR	48.4 <sup>2/</sup>	45.1 ***	48.7 <sup>2/</sup>	42.7 ***	6.0
	04:25-04:30 HOUR	45.8 <sup>2/</sup>	45.1 ***	40.5 <sup>2/</sup>	42.7 ***	<0.8 <sup>3/</sup>
	04:30-04:35 HOUR	46.2 <sup>2/</sup>	47.8 ***	<0.8 <sup>3/</sup>	46.6 ***	<0.8 <sup>3/</sup>
	04:35-04:40 HOUR	50.7 <sup>2/</sup>	47.8 ***	50.6 <sup>2/</sup>	46.6 ***	4.0
	04:40-04:45 HOUR	51.6 <sup>2/</sup>	47.8 ***	52.3 <sup>2/</sup>	46.6 ***	5.7
	04:45-04:50 HOUR	49.2 <sup>2/</sup>	48.8 ***	41.6 <sup>2/</sup>	48.0 ***	<0.8 <sup>3/</sup>
	04:50-04:55 HOUR	50.1 <sup>2/</sup>	48.8 ***	47.2 <sup>2/</sup>	48.0 ***	<0.8 <sup>3/</sup>
	04:55-05:00 HOUR	51.5 <sup>2/</sup>	48.8 ***	51.2 <sup>2/</sup>	48.0 ***	3.2
	05:00-05:05 HOUR	50.9 <sup>2/</sup>	48.7 ***	49.9 <sup>2/</sup>	47.8 ***	2.1
	05:05-05:10 HOUR	51.7 <sup>2/</sup>	48.7 ***	51.7 <sup>2/</sup>	47.8 ***	3.9
	05:10-05:15 HOUR	51.2 <sup>2/</sup>	48.7 ***	50.6 <sup>2/</sup>	47.8 ***	2.8
	05:15-05:20 HOUR	52.1 <sup>2/</sup>	49.7 ***	51.4 <sup>2/</sup>	48.7 ***	2.7
	05:20-05:25 HOUR	51.7 <sup>2/</sup>	49.7 ***	50.4 <sup>2/</sup>	48.7 ***	1.7
	05:25-05:30 HOUR	50.7 <sup>2/</sup>	49.7 ***	46.8 <sup>2/</sup>	48.7 ***	<0.8 <sup>3/</sup>
	05:30-05:35 HOUR	49.6 <sup>2/</sup>	47.6 ***	48.3 <sup>2/</sup>	46.6 ***	1.7
	05:35-05:40 HOUR	50.2 <sup>2/</sup>	47.6 ***	49.7 <sup>2/</sup>	46.6 ***	3.1
	05:40-05:45 HOUR	50.6 <sup>2/</sup>	47.6 ***	50.6 <sup>2/</sup>	46.6 ***	4.0
	05:45-05:50 HOUR	49.3 <sup>2/</sup>	47.4 ***	47.8 <sup>2/</sup>	45.4 ***	2.4
	05:50-05:55 HOUR	49.3 <sup>2/</sup>	47.4 ***	47.8 <sup>2/</sup>	45.4 ***	2.4
	05:55-06:00 HOUR	48.9 <sup>2/</sup>	47.4 ***	46.6 <sup>2/</sup>	45.4 ***	1.2
	<b>DAY TIME</b> <sup>1/</sup>					
	06:00-07:00 HOUR	48.3 <sup>1/</sup>	47.2 **	41.8 <sup>1/</sup>	43.8 **	<0.8 <sup>3/</sup>
JANUARY 16, 2024 T24AB382-0019	<b>DAY TIME</b> <sup>1/</sup>					
	07:00-08:00 HOUR	47.5 <sup>1/</sup>	45.7 **	42.8 <sup>1/</sup>	41.5 **	1.3
	08:00-09:00 HOUR	45.6 <sup>1/</sup>	43.1 **	42.0 <sup>1/</sup>	40.6 **	1.4
	09:00-10:00 HOUR	46.3 <sup>1/</sup>	43.5 **	43.1 <sup>1/</sup>	40.5 **	2.6
	10:00-11:00 HOUR	46.2 <sup>1/</sup>	45.6 **	37.3 <sup>1/</sup>	41.7 **	<0.8 <sup>3/</sup>
	11:00-12:00 HOUR	45.0 <sup>1/</sup>	44.4 **	36.1 <sup>1/</sup>	40.8 **	<0.8 <sup>3/</sup>
	12:00-13:00 HOUR	44.5 <sup>1/</sup>	43.6 **	37.2 <sup>1/</sup>	40.6 **	<0.8 <sup>3/</sup>
	13:00-14:00 HOUR	45.0 <sup>1/</sup>	42.6 **	41.3 <sup>1/</sup>	40.2 **	1.1
	14:00-15:00 HOUR	43.4 <sup>1/</sup>	41.7 **	38.5 <sup>1/</sup>	38.5 **	<0.8 <sup>3/</sup>
	15:00-16:00 HOUR	43.7 <sup>1/</sup>	41.4 **	39.8 <sup>1/</sup>	38.8 **	1.0
	16:00-17:00 HOUR	43.8 <sup>1/</sup>	42.6 **	37.6 <sup>1/</sup>	39.7 **	<0.8 <sup>3/</sup>
	17:00-18:00 HOUR	44.3 <sup>1/</sup>	43.3 **	37.4 <sup>1/</sup>	39.6 **	<0.8 <sup>3/</sup>
	18:00-19:00 HOUR	45.5 <sup>1/</sup>	43.7 **	40.8 <sup>1/</sup>	41.1 **	<0.8 <sup>3/</sup>
	19:00-20:00 HOUR	46.3 <sup>1/</sup>	44.3 **	42.0 <sup>1/</sup>	41.6 **	<0.8 <sup>3/</sup>
	20:00-21:00 HOUR	44.8 <sup>1/</sup>	43.1 **	39.9 <sup>1/</sup>	41.1 **	<0.8 <sup>3/</sup>

DATE	TIME*	RESULT (dB(A))				
		ริมรั้วโรงงาน				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
JANUARY 16, 2024 T24AB382-0019	<b>DAY TIME</b> <sup>1/</sup> 21:00-22:00 HOUR	47.6 <sup>1/</sup>	45.9 **	42.7 <sup>1/</sup>	40.6 **	2.1
	<b>NIGHT TIME</b> <sup>2/</sup> 22:00-22:05 HOUR	42.0 <sup>2/</sup>	42.1 ***	<0.8 <sup>3/</sup>	39.5 ***	<0.8 <sup>3/</sup>
	22:05-22:10 HOUR	45.4 <sup>2/</sup>	42.1 ***	45.7 <sup>2/</sup>	39.5 ***	6.2
	22:10-22:15 HOUR	43.7 <sup>2/</sup>	42.1 ***	41.6 <sup>2/</sup>	39.5 ***	2.1
	22:15-22:20 HOUR	43.1 <sup>2/</sup>	42.4 ***	37.8 <sup>2/</sup>	39.9 ***	<0.8 <sup>3/</sup>
	22:20-22:25 HOUR	42.2 <sup>2/</sup>	42.4 ***	<0.8 <sup>3/</sup>	39.9 ***	<0.8 <sup>3/</sup>
	22:25-22:30 HOUR	43.9 <sup>2/</sup>	42.4 ***	41.6 <sup>2/</sup>	39.9 ***	1.7
	22:30-22:35 HOUR	45.1 <sup>2/</sup>	42.4 ***	44.8 <sup>2/</sup>	39.5 ***	5.3
	22:35-22:40 HOUR	43.6 <sup>2/</sup>	42.4 ***	40.4 <sup>2/</sup>	39.5 ***	0.9
	22:40-22:45 HOUR	45.3 <sup>2/</sup>	42.4 ***	45.2 <sup>2/</sup>	39.5 ***	5.7
	22:45-22:50 HOUR	44.5 <sup>2/</sup>	41.7 ***	44.3 <sup>2/</sup>	39.1 ***	5.2
	22:50-22:55 HOUR	42.3 <sup>2/</sup>	41.7 ***	36.4 <sup>2/</sup>	39.1 ***	<0.8 <sup>3/</sup>
	22:55-23:00 HOUR	43.4 <sup>2/</sup>	41.7 ***	41.5 <sup>2/</sup>	39.1 ***	2.4
	23:00-23:05 HOUR	42.4 <sup>2/</sup>	41.8 ***	36.5 <sup>2/</sup>	39.2 ***	<0.8 <sup>3/</sup>
	23:05-23:10 HOUR	42.1 <sup>2/</sup>	41.8 ***	33.3 <sup>2/</sup>	39.2 ***	<0.8 <sup>3/</sup>
	23:10-23:15 HOUR	42.3 <sup>2/</sup>	41.8 ***	35.7 <sup>2/</sup>	39.2 ***	<0.8 <sup>3/</sup>
	23:15-23:20 HOUR	42.9 <sup>2/</sup>	40.4 ***	42.3 <sup>2/</sup>	38.1 ***	4.2
	23:20-23:25 HOUR	41.5 <sup>2/</sup>	40.4 ***	38.0 <sup>2/</sup>	38.1 ***	<0.8 <sup>3/</sup>
	23:25-23:30 HOUR	44.3 <sup>2/</sup>	40.4 ***	45.0 <sup>2/</sup>	38.1 ***	6.9
	23:30-23:35 HOUR	41.9 <sup>2/</sup>	40.2 ***	40.0 <sup>2/</sup>	38.3 ***	1.7
	23:35-23:40 HOUR	40.4 <sup>2/</sup>	40.2 ***	29.9 <sup>2/</sup>	38.3 ***	<0.8 <sup>3/</sup>
	23:40-23:45 HOUR	43.6 <sup>2/</sup>	40.2 ***	43.9 <sup>2/</sup>	38.3 ***	5.6
	23:45-23:50 HOUR	40.2 <sup>2/</sup>	39.9 ***	31.4 <sup>2/</sup>	37.9 ***	<0.8 <sup>3/</sup>
	23:50-23:55 HOUR	42.9 <sup>2/</sup>	39.9 ***	42.9 <sup>2/</sup>	37.9 ***	5.0
	23:55-00:00 HOUR	40.3 <sup>2/</sup>	39.9 ***	32.7 <sup>2/</sup>	37.9 ***	<0.8 <sup>3/</sup>
JANUARY 17, 2024 T24AB382-0019	<b>NIGHT TIME</b> <sup>2/</sup> 00:00-00:05 HOUR	42.0 <sup>2/</sup>	41.0 ***	38.1 <sup>2/</sup>	38.1 ***	<0.8 <sup>3/</sup>
	00:05-00:10 HOUR	42.2 <sup>2/</sup>	41.0 ***	39.0 <sup>2/</sup>	38.1 ***	0.9
	00:10-00:15 HOUR	43.3 <sup>2/</sup>	41.0 ***	42.4 <sup>2/</sup>	38.1 ***	4.3
	00:15-00:20 HOUR	42.9 <sup>2/</sup>	40.1 ***	42.7 <sup>2/</sup>	37.5 ***	5.2
	00:20-00:25 HOUR	43.3 <sup>2/</sup>	40.1 ***	43.5 <sup>2/</sup>	37.5 ***	6.0
	00:25-00:30 HOUR	40.6 <sup>2/</sup>	40.1 ***	34.0 <sup>2/</sup>	37.5 ***	<0.8 <sup>3/</sup>
	00:30-00:35 HOUR	41.3 <sup>2/</sup>	39.1 ***	40.3 <sup>2/</sup>	37.0 ***	3.3
	00:35-00:40 HOUR	39.7 <sup>2/</sup>	39.1 ***	33.8 <sup>2/</sup>	37.0 ***	<0.8 <sup>3/</sup>
	00:40-00:45 HOUR	40.2 <sup>2/</sup>	39.1 ***	36.7 <sup>2/</sup>	37.0 ***	<0.8 <sup>3/</sup>
	00:45-00:50 HOUR	42.4 <sup>2/</sup>	41.5 ***	38.1 <sup>2/</sup>	38.8 ***	<0.8 <sup>3/</sup>
	00:50-00:55 HOUR	43.1 <sup>2/</sup>	41.5 ***	41.0 <sup>2/</sup>	38.8 ***	2.2
	00:55-01:00 HOUR	44.1 <sup>2/</sup>	41.5 ***	43.6 <sup>2/</sup>	38.8 ***	4.8
	01:00-01:05 HOUR	43.9 <sup>2/</sup>	41.7 ***	42.9 <sup>2/</sup>	39.5 ***	3.4
	01:05-01:10 HOUR	42.2 <sup>2/</sup>	41.7 ***	35.6 <sup>2/</sup>	39.5 ***	<0.8 <sup>3/</sup>
	01:10-01:15 HOUR	41.2 <sup>2/</sup>	41.7 ***	<0.8 <sup>3/</sup>	39.5 ***	<0.8 <sup>3/</sup>
	01:15-01:20 HOUR	43.0 <sup>2/</sup>	41.1 ***	41.5 <sup>2/</sup>	39.4 ***	2.1
	01:20-01:25 HOUR	42.0 <sup>2/</sup>	41.1 ***	37.7 <sup>2/</sup>	39.4 ***	<0.8 <sup>3/</sup>
	01:25-01:30 HOUR	41.9 <sup>2/</sup>	41.1 ***	37.2 <sup>2/</sup>	39.4 ***	<0.8 <sup>3/</sup>

DATE	TIME*	RESULT (dB(A))				
		บริเวณโรงงาน				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
JANUARY 17, 2024	<b>NIGHT TIME <sup>2/</sup></b>					
T24AB382-0019	01:30-01:35 HOUR	41.7 <sup>2/</sup>	41.4 ***	32.9 <sup>2/</sup>	39.4 ***	<0.8 <sup>3/</sup>
	01:35-01:40 HOUR	43.6 <sup>2/</sup>	41.4 ***	42.6 <sup>2/</sup>	39.4 ***	3.2
	01:40-01:45 HOUR	42.3 <sup>2/</sup>	41.4 ***	38.0 <sup>2/</sup>	39.4 ***	<0.8 <sup>3/</sup>
	01:45-01:50 HOUR	44.7 <sup>2/</sup>	41.7 ***	44.7 <sup>2/</sup>	40.5 ***	4.2
	01:50-01:55 HOUR	44.0 <sup>2/</sup>	41.7 ***	43.1 <sup>2/</sup>	40.5 ***	2.6
	01:55-02:00 HOUR	45.0 <sup>2/</sup>	41.7 ***	45.3 <sup>2/</sup>	40.5 ***	4.8
	02:00-02:05 HOUR	43.2 <sup>2/</sup>	40.9 ***	42.3 <sup>2/</sup>	39.2 ***	3.1
	02:05-02:10 HOUR	42.1 <sup>2/</sup>	40.9 ***	38.9 <sup>2/</sup>	39.2 ***	<0.8 <sup>3/</sup>
	02:10-02:15 HOUR	42.7 <sup>2/</sup>	40.9 ***	41.0 <sup>2/</sup>	39.2 ***	1.8
	02:15-02:20 HOUR	43.1 <sup>2/</sup>	40.1 ***	43.1 <sup>2/</sup>	39.2 ***	3.9
	02:20-02:25 HOUR	40.9 <sup>2/</sup>	40.1 ***	36.2 <sup>2/</sup>	39.2 ***	<0.8 <sup>3/</sup>
	02:25-02:30 HOUR	40.5 <sup>2/</sup>	40.1 ***	32.9 <sup>2/</sup>	39.2 ***	<0.8 <sup>3/</sup>
	02:30-02:35 HOUR	40.0 <sup>2/</sup>	40.7 ***	<0.8 <sup>3/</sup>	38.3 ***	<0.8 <sup>3/</sup>
	02:35-02:40 HOUR	41.6 <sup>2/</sup>	40.7 ***	37.3 <sup>2/</sup>	38.3 ***	<0.8 <sup>3/</sup>
	02:40-02:45 HOUR	41.4 <sup>2/</sup>	40.7 ***	36.1 <sup>2/</sup>	38.3 ***	<0.8 <sup>3/</sup>
	02:45-02:50 HOUR	43.3 <sup>2/</sup>	42.9 ***	35.7 <sup>2/</sup>	39.6 ***	<0.8 <sup>3/</sup>
	02:50-02:55 HOUR	42.4 <sup>2/</sup>	42.9 ***	<0.8 <sup>3/</sup>	39.6 ***	<0.8 <sup>3/</sup>
	02:55-03:00 HOUR	44.2 <sup>2/</sup>	42.9 ***	41.3 <sup>2/</sup>	39.6 ***	1.7
	03:00-03:05 HOUR	43.5 <sup>2/</sup>	42.9 ***	37.6 <sup>2/</sup>	40.1 ***	<0.8 <sup>3/</sup>
	03:05-03:10 HOUR	45.8 <sup>2/</sup>	42.9 ***	45.7 <sup>2/</sup>	40.1 ***	5.6
	03:10-03:15 HOUR	44.1 <sup>2/</sup>	42.9 ***	40.9 <sup>2/</sup>	40.1 ***	0.8
	03:15-03:20 HOUR	44.6 <sup>2/</sup>	41.7 ***	44.5 <sup>2/</sup>	40.0 ***	4.5
	03:20-03:25 HOUR	42.6 <sup>2/</sup>	41.7 ***	38.3 <sup>2/</sup>	40.0 ***	<0.8 <sup>3/</sup>
	03:25-03:30 HOUR	41.9 <sup>2/</sup>	41.7 ***	31.4 <sup>2/</sup>	40.0 ***	<0.8 <sup>3/</sup>
	03:30-03:35 HOUR	46.1 <sup>2/</sup>	45.1 ***	42.2 <sup>2/</sup>	43.6 ***	<0.8 <sup>3/</sup>
	03:35-03:40 HOUR	45.8 <sup>2/</sup>	45.1 ***	40.5 <sup>2/</sup>	43.6 ***	<0.8 <sup>3/</sup>
	03:40-03:45 HOUR	46.3 <sup>2/</sup>	45.1 ***	43.1 <sup>2/</sup>	43.6 ***	<0.8 <sup>3/</sup>
	03:45-03:50 HOUR	48.1 <sup>2/</sup>	45.5 ***	47.6 <sup>2/</sup>	44.2 ***	3.4
	03:50-03:55 HOUR	45.0 <sup>2/</sup>	45.5 ***	<0.8 <sup>3/</sup>	44.2 ***	<0.8 <sup>3/</sup>
	03:55-04:00 HOUR	46.1 <sup>2/</sup>	45.5 ***	40.2 <sup>2/</sup>	44.2 ***	<0.8 <sup>3/</sup>
	04:00-04:05 HOUR	47.4 <sup>2/</sup>	47.1 ***	38.6 <sup>2/</sup>	45.6 ***	<0.8 <sup>3/</sup>
	04:05-04:10 HOUR	47.1 <sup>2/</sup>	47.1 ***	<0.8 <sup>3/</sup>	45.6 ***	<0.8 <sup>3/</sup>
	04:10-04:15 HOUR	47.2 <sup>2/</sup>	47.1 ***	33.8 <sup>2/</sup>	45.6 ***	<0.8 <sup>3/</sup>
	04:15-04:20 HOUR	50.4 <sup>2/</sup>	47.4 ***	50.4 <sup>2/</sup>	45.8 ***	4.6
	04:20-04:25 HOUR	51.1 <sup>2/</sup>	47.4 ***	51.7 <sup>2/</sup>	45.8 ***	5.9
	04:25-04:30 HOUR	49.5 <sup>2/</sup>	47.4 ***	48.3 <sup>2/</sup>	45.8 ***	2.5
	04:30-04:35 HOUR	46.0 <sup>2/</sup>	44.3 ***	44.1 <sup>2/</sup>	42.6 ***	1.5
	04:35-04:40 HOUR	44.8 <sup>2/</sup>	44.3 ***	38.2 <sup>2/</sup>	42.6 ***	<0.8 <sup>3/</sup>
	04:40-04:45 HOUR	46.4 <sup>2/</sup>	44.3 ***	45.2 <sup>2/</sup>	42.6 ***	2.6
	04:45-04:50 HOUR	47.3 <sup>2/</sup>	45.5 ***	45.6 <sup>2/</sup>	43.9 ***	1.7
	04:50-04:55 HOUR	46.5 <sup>2/</sup>	45.5 ***	42.6 <sup>2/</sup>	43.9 ***	<0.8 <sup>3/</sup>
	04:55-05:00 HOUR	45.5 <sup>2/</sup>	45.5 ***	<0.8 <sup>3/</sup>	43.9 ***	<0.8 <sup>3/</sup>
	05:00-05:05 HOUR	48.1 <sup>2/</sup>	46.6 ***	45.8 <sup>2/</sup>	45.2 ***	<0.8 <sup>3/</sup>
	05:05-05:10 HOUR	46.9 <sup>2/</sup>	46.6 ***	38.1 <sup>2/</sup>	45.2 ***	<0.8 <sup>3/</sup>

DATE	TIME*	RESULT (dB(A))				
		ริมรั้วโรงงาน				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
JANUARY 17, 2024 T24AB382-0019	<b>NIGHT TIME <sup>2/</sup></b>					
	05:10-05:15 HOUR	47.7 <sup>2/</sup>	46.6 ***	44.2 <sup>2/</sup>	45.2 ***	<0.8 <sup>3/</sup>
	05:15-05:20 HOUR	47.8 <sup>2/</sup>	46.3 ***	45.5 <sup>2/</sup>	44.8 ***	<0.8 <sup>3/</sup>
	05:20-05:25 HOUR	47.0 <sup>2/</sup>	46.3 ***	41.7 <sup>2/</sup>	44.8 ***	<0.8 <sup>3/</sup>
	05:25-05:30 HOUR	46.3 <sup>2/</sup>	46.3 ***	<0.8 <sup>3/</sup>	44.8 ***	<0.8 <sup>3/</sup>
	05:30-05:35 HOUR	48.5 <sup>2/</sup>	45.8 ***	48.2 <sup>2/</sup>	44.0 ***	4.2
	05:35-05:40 HOUR	49.2 <sup>2/</sup>	45.8 ***	49.5 <sup>2/</sup>	44.0 ***	5.5
	05:40-05:45 HOUR	46.2 <sup>2/</sup>	45.8 ***	38.6 <sup>2/</sup>	44.0 ***	<0.8 <sup>3/</sup>
	05:45-05:50 HOUR	47.6 <sup>2/</sup>	46.9 ***	42.3 <sup>2/</sup>	45.5 ***	<0.8 <sup>3/</sup>
	05:50-05:55 HOUR	49.0 <sup>2/</sup>	46.9 ***	47.8 <sup>2/</sup>	45.5 ***	2.3
	05:55-06:00 HOUR	48.3 <sup>2/</sup>	46.9 ***	45.7 <sup>2/</sup>	45.5 ***	<0.8 <sup>3/</sup>
	<b>DAY TIME <sup>1/</sup></b>					
	06:00-07:00 HOUR	49.7 <sup>1/</sup>	48.0 **	44.8 <sup>1/</sup>	46.1 **	<0.8 <sup>3/</sup>
JANUARY 17, 2024 T24AB382-0020	<b>DAY TIME <sup>1/</sup></b>					
	07:00-08:00 HOUR	49.3 <sup>1/</sup>	47.3 **	45.0 <sup>1/</sup>	44.4 **	<0.8 <sup>3/</sup>
	08:00-09:00 HOUR	45.9 <sup>1/</sup>	44.1 **	41.2 <sup>1/</sup>	41.2 **	<0.8 <sup>3/</sup>
	09:00-10:00 HOUR	44.4 <sup>1/</sup>	42.3 **	40.2 <sup>1/</sup>	39.9 **	<0.8 <sup>3/</sup>
	10:00-11:00 HOUR	45.4 <sup>1/</sup>	44.1 **	39.5 <sup>1/</sup>	40.2 **	<0.8 <sup>3/</sup>
	11:00-12:00 HOUR	44.2 <sup>1/</sup>	43.1 **	37.7 <sup>1/</sup>	40.2 **	<0.8 <sup>3/</sup>
	12:00-13:00 HOUR	43.7 <sup>1/</sup>	42.5 **	37.5 <sup>1/</sup>	40.0 **	<0.8 <sup>3/</sup>
	13:00-14:00 HOUR	42.2 <sup>1/</sup>	40.1 **	38.0 <sup>1/</sup>	38.7 **	<0.8 <sup>3/</sup>
	14:00-15:00 HOUR	43.0 <sup>1/</sup>	41.6 **	37.4 <sup>1/</sup>	39.5 **	<0.8 <sup>3/</sup>
	15:00-16:00 HOUR	43.7 <sup>1/</sup>	42.7 **	36.8 <sup>1/</sup>	40.1 **	<0.8 <sup>3/</sup>
	16:00-17:00 HOUR	45.7 <sup>1/</sup>	44.7 **	38.8 <sup>1/</sup>	42.2 **	<0.8 <sup>3/</sup>
	17:00-18:00 HOUR	48.4 <sup>1/</sup>	46.8 **	43.3 <sup>1/</sup>	45.5 **	<0.8 <sup>3/</sup>
	18:00-19:00 HOUR	49.8 <sup>1/</sup>	47.4 **	46.1 <sup>1/</sup>	46.3 **	<0.8 <sup>3/</sup>
	19:00-20:00 HOUR	51.9 <sup>1/</sup>	49.6 **	48.0 <sup>1/</sup>	48.7 **	<0.8 <sup>3/</sup>
	20:00-21:00 HOUR	51.1 <sup>1/</sup>	49.6 **	45.8 <sup>1/</sup>	47.8 **	<0.8 <sup>3/</sup>
	21:00-22:00 HOUR	48.6 <sup>1/</sup>	46.8 **	43.9 <sup>1/</sup>	45.0 **	<0.8 <sup>3/</sup>
	<b>NIGHT TIME <sup>2/</sup></b>					
	22:00-22:05 HOUR	45.1 <sup>2/</sup>	41.7 ***	45.4 <sup>2/</sup>	39.7 ***	5.7
	22:05-22:10 HOUR	43.9 <sup>2/</sup>	41.7 ***	42.9 <sup>2/</sup>	39.7 ***	3.2
	22:10-22:15 HOUR	40.1 <sup>2/</sup>	41.7 ***	<0.8 <sup>3/</sup>	39.7 ***	<0.8 <sup>3/</sup>
	22:15-22:20 HOUR	45.0 <sup>2/</sup>	43.3 ***	43.1 <sup>2/</sup>	40.2 ***	2.9
	22:20-22:25 HOUR	45.9 <sup>2/</sup>	43.3 ***	45.4 <sup>2/</sup>	40.2 ***	5.2
	22:25-22:30 HOUR	45.8 <sup>2/</sup>	43.3 ***	45.2 <sup>2/</sup>	40.2 ***	5.0
	22:30-22:35 HOUR	43.7 <sup>2/</sup>	40.3 ***	44.0 <sup>2/</sup>	38.6 ***	5.4
	22:35-22:40 HOUR	41.1 <sup>2/</sup>	40.3 ***	36.4 <sup>2/</sup>	38.6 ***	<0.8 <sup>3/</sup>
	22:40-22:45 HOUR	40.8 <sup>2/</sup>	40.3 ***	34.2 <sup>2/</sup>	38.6 ***	<0.8 <sup>3/</sup>
	22:45-22:50 HOUR	41.3 <sup>2/</sup>	41.8 ***	<0.8 <sup>3/</sup>	39.7 ***	<0.8 <sup>3/</sup>
	22:50-22:55 HOUR	45.1 <sup>2/</sup>	41.8 ***	45.4 <sup>2/</sup>	39.7 ***	5.7
	22:55-23:00 HOUR	44.2 <sup>2/</sup>	41.8 ***	43.5 <sup>2/</sup>	39.7 ***	3.8
	23:00-23:05 HOUR	42.8 <sup>2/</sup>	39.4 ***	43.1 <sup>2/</sup>	37.7 ***	5.4
	23:05-23:10 HOUR	42.0 <sup>2/</sup>	39.4 ***	41.5 <sup>2/</sup>	37.7 ***	3.8
	23:10-23:15 HOUR	40.6 <sup>2/</sup>	39.4 ***	37.4 <sup>2/</sup>	37.7 ***	<0.8 <sup>3/</sup>
	23:15-23:20 HOUR	41.0 <sup>2/</sup>	38.5 ***	40.4 <sup>2/</sup>	36.8 ***	3.6

DATE	TIME*	RESULT (dB(A))				
		ริมรั้วโรงงาน				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
JANUARY 17, 2024	<b>NIGHT TIME</b> <sup>2/</sup>					
T24AB382-0020	23:20-23:25 HOUR	40.3 <sup>2/</sup>	38.5 ***	38.6 <sup>2/</sup>	36.8 ***	1.8
	23:25-23:30 HOUR	40.2 <sup>2/</sup>	38.5 ***	38.3 <sup>2/</sup>	36.8 ***	1.5
	23:30-23:35 HOUR	41.1 <sup>2/</sup>	41.2 ***	<0.8 <sup>3/</sup>	39.2 ***	<0.8 <sup>3/</sup>
	23:35-23:40 HOUR	41.5 <sup>2/</sup>	41.2 ***	32.7 <sup>2/</sup>	39.2 ***	<0.8 <sup>3/</sup>
	23:40-23:45 HOUR	43.6 <sup>2/</sup>	41.2 ***	42.9 <sup>2/</sup>	39.2 ***	3.7
	23:45-23:50 HOUR	45.0 <sup>2/</sup>	44.0 ***	41.1 <sup>2/</sup>	40.6 ***	<0.8 <sup>3/</sup>
	23:50-23:55 HOUR	46.0 <sup>2/</sup>	44.0 ***	44.7 <sup>2/</sup>	40.6 ***	4.1
	23:55-00:00 HOUR	44.2 <sup>2/</sup>	44.0 ***	33.7 <sup>2/</sup>	40.6 ***	<0.8 <sup>3/</sup>
JANUARY 18, 2024	<b>NIGHT TIME</b> <sup>2/</sup>					
T24AB382-0020	00:00-00:05 HOUR	44.6 <sup>2/</sup>	41.8 ***	44.4 <sup>2/</sup>	39.4 ***	5.0
	00:05-00:10 HOUR	42.7 <sup>2/</sup>	41.8 ***	38.4 <sup>2/</sup>	39.4 ***	<0.8 <sup>3/</sup>
	00:10-00:15 HOUR	42.2 <sup>2/</sup>	41.8 ***	34.6 <sup>2/</sup>	39.4 ***	<0.8 <sup>3/</sup>
	00:15-00:20 HOUR	45.2 <sup>2/</sup>	43.2 ***	43.9 <sup>2/</sup>	41.2 ***	2.7
	00:20-00:25 HOUR	47.2 <sup>2/</sup>	43.2 ***	48.0 <sup>2/</sup>	41.2 ***	6.8
	00:25-00:30 HOUR	46.7 <sup>2/</sup>	43.2 ***	47.1 <sup>2/</sup>	41.2 ***	5.9
	00:30-00:35 HOUR	45.4 <sup>2/</sup>	43.0 ***	44.7 <sup>2/</sup>	40.8 ***	3.9
	00:35-00:40 HOUR	44.7 <sup>2/</sup>	43.0 ***	42.8 <sup>2/</sup>	40.8 ***	2.0
	00:40-00:45 HOUR	43.0 <sup>2/</sup>	43.0 ***	<0.8 <sup>3/</sup>	40.8 ***	<0.8 <sup>3/</sup>
	00:45-00:50 HOUR	44.1 <sup>2/</sup>	42.1 ***	42.8 <sup>2/</sup>	39.4 ***	3.4
	00:50-00:55 HOUR	43.9 <sup>2/</sup>	42.1 ***	42.2 <sup>2/</sup>	39.4 ***	2.8
	00:55-01:00 HOUR	44.1 <sup>2/</sup>	42.1 ***	42.8 <sup>2/</sup>	39.4 ***	3.4
	01:00-01:05 HOUR	41.0 <sup>2/</sup>	41.1 ***	<0.8 <sup>3/</sup>	39.6 ***	<0.8 <sup>3/</sup>
	01:05-01:10 HOUR	42.4 <sup>2/</sup>	41.1 ***	39.5 <sup>2/</sup>	39.6 ***	<0.8 <sup>3/</sup>
	01:10-01:15 HOUR	41.2 <sup>2/</sup>	41.1 ***	27.8 <sup>2/</sup>	39.6 ***	<0.8 <sup>3/</sup>
	01:15-01:20 HOUR	44.7 <sup>2/</sup>	41.0 ***	45.3 <sup>2/</sup>	39.1 ***	6.2
	01:20-01:25 HOUR	45.2 <sup>2/</sup>	41.0 ***	46.1 <sup>2/</sup>	39.1 ***	7.0
	01:25-01:30 HOUR	41.6 <sup>2/</sup>	41.0 ***	35.7 <sup>2/</sup>	39.1 ***	<0.8 <sup>3/</sup>
	01:30-01:35 HOUR	42.6 <sup>2/</sup>	39.9 ***	42.3 <sup>2/</sup>	38.7 ***	3.6
	01:35-01:40 HOUR	43.0 <sup>2/</sup>	39.9 ***	43.1 <sup>2/</sup>	38.7 ***	4.4
	01:40-01:45 HOUR	41.1 <sup>2/</sup>	39.9 ***	37.9 <sup>2/</sup>	38.7 ***	<0.8 <sup>3/</sup>
	01:45-01:50 HOUR	42.2 <sup>2/</sup>	40.8 ***	39.6 <sup>2/</sup>	39.1 ***	<0.8 <sup>3/</sup>
	01:50-01:55 HOUR	41.5 <sup>2/</sup>	40.8 ***	36.2 <sup>2/</sup>	39.1 ***	<0.8 <sup>3/</sup>
	01:55-02:00 HOUR	43.0 <sup>2/</sup>	40.8 ***	42.0 <sup>2/</sup>	39.1 ***	2.9
	02:00-02:05 HOUR	44.3 <sup>2/</sup>	41.6 ***	44.0 <sup>2/</sup>	39.3 ***	4.7
	02:05-02:10 HOUR	44.1 <sup>2/</sup>	41.6 ***	43.5 <sup>2/</sup>	39.3 ***	4.2
	02:10-02:15 HOUR	45.5 <sup>2/</sup>	41.6 ***	46.2 <sup>2/</sup>	39.3 ***	6.9
	02:15-02:20 HOUR	42.1 <sup>2/</sup>	41.2 ***	37.8 <sup>2/</sup>	38.7 ***	<0.8 <sup>3/</sup>
	02:20-02:25 HOUR	41.3 <sup>2/</sup>	41.2 ***	27.9 <sup>2/</sup>	38.7 ***	<0.8 <sup>3/</sup>
	02:25-02:30 HOUR	42.1 <sup>2/</sup>	41.2 ***	37.8 <sup>2/</sup>	38.7 ***	<0.8 <sup>3/</sup>
	02:30-02:35 HOUR	43.6 <sup>2/</sup>	41.4 ***	42.6 <sup>2/</sup>	39.1 ***	3.5
	02:35-02:40 HOUR	41.6 <sup>2/</sup>	41.4 ***	31.1 <sup>2/</sup>	39.1 ***	<0.8 <sup>3/</sup>
	02:40-02:45 HOUR	41.5 <sup>2/</sup>	41.4 ***	28.1 <sup>2/</sup>	39.1 ***	<0.8 <sup>3/</sup>
	02:45-02:50 HOUR	41.3 <sup>2/</sup>	40.4 ***	37.0 <sup>2/</sup>	38.8 ***	<0.8 <sup>3/</sup>
	02:50-02:55 HOUR	41.8 <sup>2/</sup>	40.4 ***	39.2 <sup>2/</sup>	38.8 ***	<0.8 <sup>3/</sup>

DATE	TIME*	RESULT (dB(A))				
		ริมรั้วโรงงาน				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
JANUARY 18, 2024 T24AB382-0020	<b>NIGHT TIME</b> <sup>2/</sup>					
	02:55-03:00 HOUR	42.2 <sup>2/</sup>	40.4 ***	40.5 <sup>2/</sup>	38.8 ***	1.7
	03:00-03:05 HOUR	40.9 <sup>2/</sup>	40.2 ***	35.6 <sup>2/</sup>	39.0 ***	<0.8 <sup>3/</sup>
	03:05-03:10 HOUR	41.2 <sup>2/</sup>	40.2 ***	37.3 <sup>2/</sup>	39.0 ***	<0.8 <sup>3/</sup>
	03:10-03:15 HOUR	42.3 <sup>2/</sup>	40.2 ***	41.1 <sup>2/</sup>	39.0 ***	2.1
	03:15-03:20 HOUR	41.5 <sup>2/</sup>	40.4 ***	38.0 <sup>2/</sup>	38.9 ***	<0.8 <sup>3/</sup>
	03:20-03:25 HOUR	41.4 <sup>2/</sup>	40.4 ***	37.5 <sup>2/</sup>	38.9 ***	<0.8 <sup>3/</sup>
	03:25-03:30 HOUR	42.1 <sup>2/</sup>	40.4 ***	40.2 <sup>2/</sup>	38.9 ***	1.3
	03:30-03:35 HOUR	41.5 <sup>2/</sup>	39.9 ***	39.4 <sup>2/</sup>	38.9 ***	<0.8 <sup>3/</sup>
	03:35-03:40 HOUR	41.3 <sup>2/</sup>	39.9 ***	38.7 <sup>2/</sup>	38.9 ***	<0.8 <sup>3/</sup>
	03:40-03:45 HOUR	40.6 <sup>2/</sup>	39.9 ***	35.3 <sup>2/</sup>	38.9 ***	<0.8 <sup>3/</sup>
	03:45-03:50 HOUR	41.5 <sup>2/</sup>	42.2 ***	<0.8 <sup>3/</sup>	39.5 ***	<0.8 <sup>3/</sup>
	03:50-03:55 HOUR	43.6 <sup>2/</sup>	42.2 ***	41.0 <sup>2/</sup>	39.5 ***	1.5
	03:55-04:00 HOUR	44.2 <sup>2/</sup>	42.2 ***	42.9 <sup>2/</sup>	39.5 ***	3.4
	04:00-04:05 HOUR	42.7 <sup>2/</sup>	41.5 ***	39.5 <sup>2/</sup>	39.3 ***	<0.8 <sup>3/</sup>
	04:05-04:10 HOUR	41.7 <sup>2/</sup>	41.5 ***	31.2 <sup>2/</sup>	39.3 ***	<0.8 <sup>3/</sup>
	04:10-04:15 HOUR	42.7 <sup>2/</sup>	41.5 ***	39.5 <sup>2/</sup>	39.3 ***	<0.8 <sup>3/</sup>
	04:15-04:20 HOUR	41.6 <sup>2/</sup>	40.0 ***	39.5 <sup>2/</sup>	38.0 ***	1.5
	04:20-04:25 HOUR	41.1 <sup>2/</sup>	40.0 ***	37.6 <sup>2/</sup>	38.0 ***	<0.8 <sup>3/</sup>
	04:25-04:30 HOUR	42.2 <sup>2/</sup>	40.0 ***	41.2 <sup>2/</sup>	38.0 ***	3.2
	04:30-04:35 HOUR	40.6 <sup>2/</sup>	41.2 ***	<0.8 <sup>3/</sup>	39.5 ***	<0.8 <sup>3/</sup>
	04:35-04:40 HOUR	41.6 <sup>2/</sup>	41.2 ***	34.0 <sup>2/</sup>	39.5 ***	<0.8 <sup>3/</sup>
	04:40-04:45 HOUR	44.1 <sup>2/</sup>	41.2 ***	44.0 <sup>2/</sup>	39.5 ***	4.5
	04:45-04:50 HOUR	44.3 <sup>2/</sup>	42.4 ***	42.8 <sup>2/</sup>	40.1 ***	2.7
	04:50-04:55 HOUR	44.9 <sup>2/</sup>	42.4 ***	44.3 <sup>2/</sup>	40.1 ***	4.2
	04:55-05:00 HOUR	42.8 <sup>2/</sup>	42.4 ***	35.2 <sup>2/</sup>	40.1 ***	<0.8 <sup>3/</sup>
	05:00-05:05 HOUR	41.4 <sup>2/</sup>	40.7 ***	36.1 <sup>2/</sup>	38.6 ***	<0.8 <sup>3/</sup>
	05:05-05:10 HOUR	40.9 <sup>2/</sup>	40.7 ***	30.4 <sup>2/</sup>	38.6 ***	<0.8 <sup>3/</sup>
	05:10-05:15 HOUR	44.1 <sup>2/</sup>	40.7 ***	44.4 <sup>2/</sup>	38.6 ***	5.8
	05:15-05:20 HOUR	40.8 <sup>2/</sup>	40.8 ***	<0.8 <sup>3/</sup>	38.5 ***	<0.8 <sup>3/</sup>
	05:20-05:25 HOUR	42.4 <sup>2/</sup>	40.8 ***	40.3 <sup>2/</sup>	38.5 ***	1.8
	05:25-05:30 HOUR	41.3 <sup>2/</sup>	40.8 ***	34.7 <sup>2/</sup>	38.5 ***	<0.8 <sup>3/</sup>
	05:30-05:35 HOUR	43.8 <sup>2/</sup>	42.0 ***	42.1 <sup>2/</sup>	38.7 ***	3.4
	05:35-05:40 HOUR	45.8 <sup>2/</sup>	42.0 ***	46.5 <sup>2/</sup>	38.7 ***	7.8
	05:40-05:45 HOUR	44.3 <sup>2/</sup>	42.0 ***	43.4 <sup>2/</sup>	38.7 ***	4.7
	05:45-05:50 HOUR	43.9 <sup>2/</sup>	42.0 ***	42.4 <sup>2/</sup>	39.3 ***	3.1
	05:50-05:55 HOUR	42.3 <sup>2/</sup>	42.0 ***	33.5 <sup>2/</sup>	39.3 ***	<0.8 <sup>3/</sup>
	05:55-06:00 HOUR	42.0 <sup>2/</sup>	42.0 ***	<0.8 <sup>3/</sup>	39.3 ***	<0.8 <sup>3/</sup>
JANUARY 18, 2024 T24AB382-0021	<b>DAY TIME</b> <sup>1/</sup>					
	06:00-07:00 HOUR	47.9 <sup>1/</sup>	47.7 **	34.4 <sup>1/</sup>	40.7 **	<0.8 <sup>3/</sup>
	<b>DAY TIME</b> <sup>1/</sup>					
	07:00-08:00 HOUR	47.8 <sup>1/</sup>	46.1 **	42.9 <sup>1/</sup>	43.2 **	<0.8 <sup>3/</sup>
	08:00-09:00 HOUR	44.1 <sup>1/</sup>	42.4 **	39.2 <sup>1/</sup>	40.4 **	<0.8 <sup>3/</sup>
	09:00-10:00 HOUR	45.5 <sup>1/</sup>	42.9 **	42.0 <sup>1/</sup>	40.1 **	1.9
	10:00-11:00 HOUR	44.7 <sup>1/</sup>	42.5 **	40.7 <sup>1/</sup>	40.5 **	<0.8 <sup>3/</sup>
	11:00-12:00 HOUR	43.9 <sup>1/</sup>	41.1 **	40.7 <sup>1/</sup>	39.6 **	1.1

DATE	TIME*	RESULT (dB(A))				
		ริมรั้วโรงงาน				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
JANUARY 18, 2024 T24AB382-0021	<b>DAY TIME</b> <sup>1/</sup>					
	12:00-13:00 HOUR	43.0 <sup>1/</sup>	42.1 **	35.7 <sup>1/</sup>	39.5 **	<0.8 <sup>3/</sup>
	13:00-14:00 HOUR	43.7 <sup>1/</sup>	43.5 **	30.2 <sup>1/</sup>	41.1 **	<0.8 <sup>3/</sup>
	14:00-15:00 HOUR	42.2 <sup>1/</sup>	40.7 **	36.9 <sup>1/</sup>	39.5 **	<0.8 <sup>3/</sup>
	15:00-16:00 HOUR	43.5 <sup>1/</sup>	42.4 **	37.0 <sup>1/</sup>	39.9 **	<0.8 <sup>3/</sup>
	16:00-17:00 HOUR	44.7 <sup>1/</sup>	43.0 **	39.8 <sup>1/</sup>	41.2 **	<0.8 <sup>3/</sup>
	17:00-18:00 HOUR	45.5 <sup>1/</sup>	44.0 **	40.2 <sup>1/</sup>	41.7 **	<0.8 <sup>3/</sup>
	18:00-19:00 HOUR	49.8 <sup>1/</sup>	47.6 **	45.8 <sup>1/</sup>	46.5 **	<0.8 <sup>3/</sup>
	19:00-20:00 HOUR	50.4 <sup>1/</sup>	48.2 **	46.4 <sup>1/</sup>	47.3 **	<0.8 <sup>3/</sup>
	20:00-21:00 HOUR	50.7 <sup>1/</sup>	49.9 **	43.0 <sup>1/</sup>	48.6 **	<0.8 <sup>3/</sup>
	21:00-22:00 HOUR	51.4 <sup>1/</sup>	48.7 **	48.1 <sup>1/</sup>	47.8 **	<0.8 <sup>3/</sup>
	<b>NIGHT TIME</b> <sup>2/</sup>					
	22:00-22:05 HOUR	50.1 <sup>2/</sup>	45.3 ***	51.4 <sup>2/</sup>	44.3 ***	7.1
	22:05-22:10 HOUR	48.1 <sup>2/</sup>	45.3 ***	47.9 <sup>2/</sup>	44.3 ***	3.6
	22:10-22:15 HOUR	47.0 <sup>2/</sup>	45.3 ***	45.1 <sup>2/</sup>	44.3 ***	0.8
	22:15-22:20 HOUR	46.5 <sup>2/</sup>	45.7 ***	41.8 <sup>2/</sup>	43.2 ***	<0.8 <sup>3/</sup>
	22:20-22:25 HOUR	45.7 <sup>2/</sup>	45.7 ***	<0.8 <sup>3/</sup>	43.2 ***	<0.8 <sup>3/</sup>
	22:25-22:30 HOUR	45.9 <sup>2/</sup>	45.7 ***	35.4 <sup>2/</sup>	43.2 ***	<0.8 <sup>3/</sup>
	22:30-22:35 HOUR	47.4 <sup>2/</sup>	44.0 ***	47.7 <sup>2/</sup>	41.2 ***	6.5
	22:35-22:40 HOUR	46.5 <sup>2/</sup>	44.0 ***	45.9 <sup>2/</sup>	41.2 ***	4.7
	22:40-22:45 HOUR	45.1 <sup>2/</sup>	44.0 ***	41.6 <sup>2/</sup>	41.2 ***	<0.8 <sup>3/</sup>
	22:45-22:50 HOUR	45.3 <sup>2/</sup>	42.3 ***	45.3 <sup>2/</sup>	39.2 ***	6.1
	22:50-22:55 HOUR	43.4 <sup>2/</sup>	42.3 ***	39.9 <sup>2/</sup>	39.2 ***	<0.8 <sup>3/</sup>
	22:55-23:00 HOUR	42.5 <sup>2/</sup>	42.3 ***	32.0 <sup>2/</sup>	39.2 ***	<0.8 <sup>3/</sup>
	23:00-23:05 HOUR	43.7 <sup>2/</sup>	42.5 ***	40.5 <sup>2/</sup>	40.0 ***	<0.8 <sup>3/</sup>
	23:05-23:10 HOUR	42.6 <sup>2/</sup>	42.5 ***	29.2 <sup>2/</sup>	40.0 ***	<0.8 <sup>3/</sup>
	23:10-23:15 HOUR	44.1 <sup>2/</sup>	42.5 ***	42.0 <sup>2/</sup>	40.0 ***	2.0
	23:15-23:20 HOUR	42.6 <sup>2/</sup>	40.6 ***	41.3 <sup>2/</sup>	38.6 ***	2.7
	23:20-23:25 HOUR	43.4 <sup>2/</sup>	40.6 ***	43.2 <sup>2/</sup>	38.6 ***	4.6
	23:25-23:30 HOUR	42.2 <sup>2/</sup>	40.6 ***	40.1 <sup>2/</sup>	38.6 ***	1.5
	23:30-23:35 HOUR	44.3 <sup>2/</sup>	43.7 ***	38.4 <sup>2/</sup>	39.4 ***	<0.8 <sup>3/</sup>
	23:35-23:40 HOUR	45.9 <sup>2/</sup>	43.7 ***	44.9 <sup>2/</sup>	39.4 ***	5.5
	23:40-23:45 HOUR	45.3 <sup>2/</sup>	43.7 ***	43.2 <sup>2/</sup>	39.4 ***	3.8
	23:45-23:50 HOUR	46.2 <sup>2/</sup>	45.5 ***	40.9 <sup>2/</sup>	40.0 ***	0.9
	23:50-23:55 HOUR	48.2 <sup>2/</sup>	45.5 ***	47.9 <sup>2/</sup>	40.0 ***	7.9
	23:55-00:00 HOUR	46.6 <sup>2/</sup>	45.5 ***	43.1 <sup>2/</sup>	40.0 ***	3.1
JANUARY 19, 2024 T24AB382-0021	<b>NIGHT TIME</b> <sup>2/</sup>					
	00:00-00:05 HOUR	44.7 <sup>2/</sup>	42.1 ***	44.2 <sup>2/</sup>	39.4 ***	4.8
	00:05-00:10 HOUR	43.5 <sup>2/</sup>	42.1 ***	40.9 <sup>2/</sup>	39.4 ***	1.5
	00:10-00:15 HOUR	43.6 <sup>2/</sup>	42.1 ***	41.3 <sup>2/</sup>	39.4 ***	1.9
	00:15-00:20 HOUR	44.5 <sup>2/</sup>	41.3 ***	44.7 <sup>2/</sup>	39.5 ***	5.2
	00:20-00:25 HOUR	43.7 <sup>2/</sup>	41.3 ***	43.0 <sup>2/</sup>	39.5 ***	3.5
	00:25-00:30 HOUR	43.4 <sup>2/</sup>	41.3 ***	42.2 <sup>2/</sup>	39.5 ***	2.7
	00:30-00:35 HOUR	42.2 <sup>2/</sup>	40.0 ***	41.2 <sup>2/</sup>	38.3 ***	2.9
	00:35-00:40 HOUR	40.7 <sup>2/</sup>	40.0 ***	35.4 <sup>2/</sup>	38.3 ***	<0.8 <sup>3/</sup>
	00:40-00:45 HOUR	42.1 <sup>2/</sup>	40.0 ***	40.9 <sup>2/</sup>	38.3 ***	2.6

DATE	TIME*	RESULT (dB(A))				
		บริเวณโรงงาน				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
JANUARY 19, 2024 T24AB382-0021	NIGHT TIME <sup>2/</sup>					
	00:45-00:50 HOUR	43.4 <sup>2/</sup>	43.8 ***	<0.8 <sup>3/</sup>	38.8 ***	<0.8 <sup>3/</sup>
	00:50-00:55 HOUR	44.4 <sup>2/</sup>	43.8 ***	38.5 <sup>2/</sup>	38.8 ***	<0.8 <sup>3/</sup>
	00:55-01:00 HOUR	44.2 <sup>2/</sup>	43.8 ***	36.6 <sup>2/</sup>	38.8 ***	<0.8 <sup>3/</sup>
	01:00-01:05 HOUR	44.8 <sup>2/</sup>	42.9 ***	43.3 <sup>2/</sup>	40.4 ***	2.9
	01:05-01:10 HOUR	42.8 <sup>2/</sup>	42.9 ***	<0.8 <sup>3/</sup>	40.4 ***	<0.8 <sup>3/</sup>
	01:10-01:15 HOUR	43.9 <sup>2/</sup>	42.9 ***	40.0 <sup>2/</sup>	40.4 ***	<0.8 <sup>3/</sup>
	01:15-01:20 HOUR	42.8 <sup>2/</sup>	40.7 ***	41.6 <sup>2/</sup>	38.5 ***	3.1
	01:20-01:25 HOUR	43.2 <sup>2/</sup>	40.7 ***	42.6 <sup>2/</sup>	38.5 ***	4.1
	01:25-01:30 HOUR	41.9 <sup>2/</sup>	40.7 ***	38.7 <sup>2/</sup>	38.5 ***	<0.8 <sup>3/</sup>
	01:30-01:35 HOUR	43.5 <sup>2/</sup>	40.8 ***	43.2 <sup>2/</sup>	39.1 ***	4.1
	01:35-01:40 HOUR	43.0 <sup>2/</sup>	40.8 ***	42.0 <sup>2/</sup>	39.1 ***	2.9
	01:40-01:45 HOUR	41.5 <sup>2/</sup>	40.8 ***	36.2 <sup>2/</sup>	39.1 ***	<0.8 <sup>3/</sup>
	01:45-01:50 HOUR	41.6 <sup>2/</sup>	41.0 ***	35.7 <sup>2/</sup>	39.2 ***	<0.8 <sup>3/</sup>
	01:50-01:55 HOUR	42.5 <sup>2/</sup>	41.0 ***	40.2 <sup>2/</sup>	39.2 ***	1.0
	01:55-02:00 HOUR	42.0 <sup>2/</sup>	41.0 ***	38.1 <sup>2/</sup>	39.2 ***	<0.8 <sup>3/</sup>
	02:00-02:05 HOUR	42.3 <sup>2/</sup>	41.7 ***	36.4 <sup>2/</sup>	39.9 ***	<0.8 <sup>3/</sup>
	02:05-02:10 HOUR	42.4 <sup>2/</sup>	41.7 ***	37.1 <sup>2/</sup>	39.9 ***	<0.8 <sup>3/</sup>
	02:10-02:15 HOUR	42.8 <sup>2/</sup>	41.7 ***	39.3 <sup>2/</sup>	39.9 ***	<0.8 <sup>3/</sup>
	02:15-02:20 HOUR	43.2 <sup>2/</sup>	41.5 ***	41.3 <sup>2/</sup>	38.6 ***	2.7
	02:20-02:25 HOUR	41.7 <sup>2/</sup>	41.5 ***	31.2 <sup>2/</sup>	38.6 ***	<0.8 <sup>3/</sup>
	02:25-02:30 HOUR	42.4 <sup>2/</sup>	41.5 ***	38.1 <sup>2/</sup>	38.6 ***	<0.8 <sup>3/</sup>
	02:30-02:35 HOUR	45.5 <sup>2/</sup>	41.5 ***	46.3 <sup>2/</sup>	38.7 ***	7.6
	02:35-02:40 HOUR	41.3 <sup>2/</sup>	41.5 ***	<0.8 <sup>3/</sup>	38.7 ***	<0.8 <sup>3/</sup>
	02:40-02:45 HOUR	43.7 <sup>2/</sup>	41.5 ***	42.7 <sup>2/</sup>	38.7 ***	4.0
	02:45-02:50 HOUR	43.2 <sup>2/</sup>	40.3 ***	43.1 <sup>2/</sup>	38.6 ***	4.5
	02:50-02:55 HOUR	40.4 <sup>2/</sup>	40.3 ***	27.0 <sup>2/</sup>	38.6 ***	<0.8 <sup>3/</sup>
	02:55-03:00 HOUR	41.1 <sup>2/</sup>	40.3 ***	36.4 <sup>2/</sup>	38.6 ***	<0.8 <sup>3/</sup>
	03:00-03:05 HOUR	40.8 <sup>2/</sup>	40.3 ***	34.2 <sup>2/</sup>	38.9 ***	<0.8 <sup>3/</sup>
	03:05-03:10 HOUR	42.7 <sup>2/</sup>	40.3 ***	42.0 <sup>2/</sup>	38.9 ***	3.1
	03:10-03:15 HOUR	41.3 <sup>2/</sup>	40.3 ***	37.4 <sup>2/</sup>	38.9 ***	<0.8 <sup>3/</sup>
	03:15-03:20 HOUR	41.5 <sup>2/</sup>	41.2 ***	32.7 <sup>2/</sup>	39.4 ***	<0.8 <sup>3/</sup>
	03:20-03:25 HOUR	41.8 <sup>2/</sup>	41.2 ***	35.9 <sup>2/</sup>	39.4 ***	<0.8 <sup>3/</sup>
	03:25-03:30 HOUR	42.8 <sup>2/</sup>	41.2 ***	40.7 <sup>2/</sup>	39.4 ***	1.3
	03:30-03:35 HOUR	44.3 <sup>2/</sup>	42.0 ***	43.4 <sup>2/</sup>	39.8 ***	3.6
	03:35-03:40 HOUR	42.5 <sup>2/</sup>	42.0 ***	35.9 <sup>2/</sup>	39.8 ***	<0.8 <sup>3/</sup>
	03:40-03:45 HOUR	44.7 <sup>2/</sup>	42.0 ***	44.4 <sup>2/</sup>	39.8 ***	4.6
	03:45-03:50 HOUR	41.7 <sup>2/</sup>	40.7 ***	37.8 <sup>2/</sup>	39.0 ***	<0.8 <sup>3/</sup>
	03:50-03:55 HOUR	40.8 <sup>2/</sup>	40.7 ***	27.4 <sup>2/</sup>	39.0 ***	<0.8 <sup>3/</sup>
	03:55-04:00 HOUR	42.0 <sup>2/</sup>	40.7 ***	39.1 <sup>2/</sup>	39.0 ***	<0.8 <sup>3/</sup>
	04:00-04:05 HOUR	41.0 <sup>2/</sup>	40.3 ***	35.7 <sup>2/</sup>	38.7 ***	<0.8 <sup>3/</sup>
	04:05-04:10 HOUR	41.4 <sup>2/</sup>	40.3 ***	37.9 <sup>2/</sup>	38.7 ***	<0.8 <sup>3/</sup>
	04:10-04:15 HOUR	40.5 <sup>2/</sup>	40.3 ***	30.0 <sup>2/</sup>	38.7 ***	<0.8 <sup>3/</sup>
	04:15-04:20 HOUR	40.5 <sup>2/</sup>	40.2 ***	31.7 <sup>2/</sup>	37.8 ***	<0.8 <sup>3/</sup>
	04:20-04:25 HOUR	42.5 <sup>2/</sup>	40.2 ***	41.6 <sup>2/</sup>	37.8 ***	3.8

DATE	TIME*	RESULT (dB(A))				
		บริเวณโรงงาน				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
JANUARY 19, 2024 T24AB382-0021	<b>NIGHT TIME</b> <sup>2/</sup>					
	04:25-04:30 HOUR	42.1 <sup>2/</sup>	40.2 ***	40.6 <sup>2/</sup>	37.8 ***	2.8
	04:30-04:35 HOUR	42.3 <sup>2/</sup>	38.9 ***	42.6 <sup>2/</sup>	37.9 ***	4.7
	04:35-04:40 HOUR	40.3 <sup>2/</sup>	38.9 ***	37.7 <sup>2/</sup>	37.9 ***	<0.8 <sup>3/</sup>
	04:40-04:45 HOUR	41.5 <sup>2/</sup>	38.9 ***	41.0 <sup>2/</sup>	37.9 ***	3.1
	04:45-04:50 HOUR	39.9 <sup>2/</sup>	41.3 ***	<0.8 <sup>3/</sup>	39.0 ***	<0.8 <sup>3/</sup>
	04:50-04:55 HOUR	44.7 <sup>2/</sup>	41.3 ***	45.0 <sup>2/</sup>	39.0 ***	6.0
	04:55-05:00 HOUR	44.0 <sup>2/</sup>	41.3 ***	43.7 <sup>2/</sup>	39.0 ***	4.7
	05:00-05:05 HOUR	45.3 <sup>2/</sup>	42.5 ***	45.1 <sup>2/</sup>	39.7 ***	5.4
	05:05-05:10 HOUR	44.9 <sup>2/</sup>	42.5 ***	44.2 <sup>2/</sup>	39.7 ***	4.5
	05:10-05:15 HOUR	44.8 <sup>2/</sup>	42.5 ***	43.9 <sup>2/</sup>	39.7 ***	4.2
	05:15-05:20 HOUR	43.1 <sup>2/</sup>	42.2 ***	38.8 <sup>2/</sup>	39.5 ***	<0.8 <sup>3/</sup>
	05:20-05:25 HOUR	43.1 <sup>2/</sup>	42.2 ***	38.8 <sup>2/</sup>	39.5 ***	<0.8 <sup>3/</sup>
	05:25-05:30 HOUR	44.4 <sup>2/</sup>	42.2 ***	43.4 <sup>2/</sup>	39.5 ***	3.9
	05:30-05:35 HOUR	45.4 <sup>2/</sup>	42.4 ***	45.4 <sup>2/</sup>	39.8 ***	5.6
	05:35-05:40 HOUR	43.6 <sup>2/</sup>	42.4 ***	40.4 <sup>2/</sup>	39.8 ***	<0.8 <sup>3/</sup>
	05:40-05:45 HOUR	44.0 <sup>2/</sup>	42.4 ***	41.9 <sup>2/</sup>	39.8 ***	2.1
	05:45-05:50 HOUR	45.7 <sup>2/</sup>	45.3 ***	38.1 <sup>2/</sup>	40.5 ***	<0.8 <sup>3/</sup>
	05:50-05:55 HOUR	46.9 <sup>2/</sup>	45.3 ***	44.8 <sup>2/</sup>	40.5 ***	4.3
	05:55-06:00 HOUR	47.0 <sup>2/</sup>	45.3 ***	45.1 <sup>2/</sup>	40.5 ***	4.6
	<b>DAY TIME</b> <sup>1/</sup>					
	06:00-07:00 HOUR	47.0 <sup>1/</sup>	44.7 **	43.1 <sup>1/</sup>	40.3 **	2.8

**REMARK :**

- 1/ CASE 1 CALCULATION (DURING 06:00 TO 22:00 HOUR) : SPECIFIC SOUND LEVEL CONTINUOUSLY OCCUR AT LEAST 1 HOUR, MEASURING AS L<sub>Aeq</sub> 1 hour.
- 2/ CASE 4 CALCULATION (DURING 22:00 TO 06:00 HOUR) : SPECIFIC SOUND LEVEL OCCUR IN RESTFUL AREA OR NIGHT TIME, MEASURING AS L<sub>Aeq</sub> 5 minutes.
- 3/ THERE IS NO IMPACT CAUSE ANNOYANCE SOUND LEVEL
- \*\* PERCENTILE LEVEL 90 (L<sub>A90</sub>) IS THE MIDDLE VALUE OF 11 TIMES MEASURING.  
(55 MINUTES MEASURING DURING 06:00 TO 22:00 HOUR)  
AND RESIDUAL SOUND LEVEL (L<sub>Aeq</sub> 5 minutes ) IS CHOSEN AT THE SAME TIME AS PERCENTILE LEVEL 90 ABOVE.
- \*\*\* PERCENTILE LEVEL 90 (L<sub>A90</sub>) IS THE MIDDLE VALUE OF 3 TIMES MEASURING.  
(15 MINUTES MEASURING DURING 22:00 TO 06:00 HOUR)  
AND RESIDUAL SOUND LEVEL (L<sub>Aeq</sub> 5 minutes ) IS CHOSEN AT THE SAME TIME AS PERCENTILE LEVEL 90 ABOVE.

*Sila Banjongjairuk*

(MR SILA BANJONGJAIKUK)  
LABORATORY SUPERVISOR

JANUARY 29, 2024