

ภาคผนวก ข

เอกสารประกอบผลการปฏิบัติตามมาตรการป้องกันและ
แก้ไขผลกระทบสิ่งแวดล้อม

ภาคผนวก ข-1

เอกสารขอความอนุเคราะห์
บริการน้ำประปาจากการประปาส่วนภูมิภาค



บันทึกข้อตกลงต่อท้ายสัญญาการใช้น้ำประปา

เลขที่.....

การประปาส่วนภูมิภาคสาขาภูเก็ต

บันทึกข้อตกลงฉบับนี้ทำขึ้น ณ การประปาส่วนภูมิภาคสาขาภูเก็ต เลขที่ ๑๐๖/๑๓๗ หมู่ที่ ๗ ตำบลกะทู้ อำเภอกะทู้ จังหวัดภูเก็ต เมื่อวันที่ ๒๓ มิ.ย. ๒๕๖๒ ระหว่าง การประปาส่วนภูมิภาค โดย นายธำรง คุ่มเพชร ตำแหน่ง ผู้ช่วยผู้จัดการการประปาส่วนภูมิภาคสาขาภูเก็ต ได้รับมอบอำนาจจาก ผู้ว่าการการประปาส่วนภูมิภาค ตามคำสั่งการประปาส่วนภูมิภาค ที่..... ลงวัน..... ต่อไปเป็นบันทึกข้อตกลงนี้ เรียกว่าการประปาส่วนภูมิภาค ฝ่ายหนึ่ง กับ นาย/นาง/น.ส. [REDACTED] เลขที่บัตรประจำตัวประชาชน [REDACTED] ซึ่งเป็นผู้ขอใช้น้ำประปาอยู่บ้านเลขที่ ๙๘/๑๐๐ ถนน ก.ว. หมู่ที่.....ตำบล.....อำเภอ.....จังหวัด..... ในบันทึกข้อตกลงนี้ เรียกว่า “ผู้ขอใช้น้ำ”

เนื่องจากในบริเวณพื้นที่ขอใช้น้ำประปาเป็นพื้นที่ ที่น้ำประปาไม่สามารถบริการได้ตลอด ๒๔ ชั่วโมง คู่สัญญาจึงตกลงกันมีข้อความ ดังนี้

๑. ผู้ขอใช้น้ำรับทราบข้อเท็จจริงทั้งหมดโดยละเอียดแล้ว และผู้ขอใช้น้ำขอยืนยันการตกลงไม่ร้องเรียนหรือเรียกร้องค่าเสียหายใดๆ ทั้งสิ้น จากการประปาส่วนภูมิภาค กรณีไม่สามารถบริการน้ำประปาได้ตลอด ๒๔ ชั่วโมง

๒. ผู้ขอใช้น้ำจะปฏิบัติตามคำแนะนำของการประปาส่วนภูมิภาค โดยการก่อสร้างถังสำรองน้ำไว้ใต้ดินสำหรับสำรองน้ำประปาไว้ใช้ให้เพียงพอกับความต้องการใช้น้ำ กรณีไม่สามารถบริการน้ำประปาได้ตลอด ๒๔ ชั่วโมง

๓. ในส่วนข้อความที่นอกเหนือจากที่ได้ตกลงกันในบันทึกข้อตกลงนี้ คู่สัญญาคงถือเงื่อนไขสัญญาเดิมทุกประการ และให้ถือเอาบันทึกข้อตกลงนี้เป็นส่วนหนึ่งของสัญญาเดิม

บันทึกข้อตกลงนี้ทำขึ้นเป็นสองฉบับ มีข้อความถูกต้องตรงกัน คู่สัญญา ได้อ่านเข้าใจความโดยละเอียดตลอดแล้ว จึงได้ลงลายมือชื่อไว้เป็นสำคัญต่อหน้าพยาน และคู่สัญญาต่างยึดถือไว้ฝ่ายละฉบับ

ลงชื่อ.....ผู้ขอใช้น้ำ

(.....)

ลงชื่อ.....ผ.ช.ผู้จัดการ กปภ.

(.....)

ลงชื่อ.....พยาน

(.....)

ลงชื่อ.....พยาน

(.....)

ภาคผนวก ข-2

แผนฉุกเฉินและเอกสารซ่อมแผนฉุกเฉิน

รายงาน

ฝึกซ้อมดับเพลิงและฝึกซ้อมอพยพหนีไฟ

บริษัท แกรนด์ กะตะ วิโอพี จำกัด

ตั้งอยู่เลขที่ ๙๘/๑๗ ถนนกะตะ ตำบลกะรน อำเภอเมือง จังหวัดภูเก็ต ๘๓๑๐๐

วันที่ ๑๒ สิงหาคม ๒๕๖๖

หน่วยงานฝึกซ้อมดับเพลิงและฝึกซ้อมอพยพหนีไฟ

ใบอนุญาตเลขที่ ดพฝ.๐๔๒

บริษัท ชานโต้ เซฟตี้ จำกัด

เลขที่ ๑๘๙/๒ หมู่ ๑๐ ถนนตรัง-ปะเหลียน

ตำบลโคกหล่อ อำเภอเมือง จังหวัดตรัง ๙๒๐๐๐

โทร.๐๓๕-๕๓๒๑๒๓, ๐๓๕-๕๓๒๑๒๔

โทรสาร.๐๓๕-๕๓๒๐๓๒

วันที่ ๘/๙/๖๖

แบบรายงานการฝึกซ้อมดับเพลิงและฝึกซ้อมอพยพหนีไฟ

ชื่อหน่วยงานที่ได้รับการรับรอง บริษัท ชานโต้ เซฟตี้ จำกัด
หมายเลขทะเบียน ดพฝ.๐๔๒ หมดอายุ 3 พฤศจิกายน 2567
อ้างอิงหนังสือแจ้งการฝึกอบรม เลขที่ ชด.193/2566 ลงวันที่ 29 กรกฎาคม 2566

ส่วนที่ 1 รายงานการฝึกซ้อมดับเพลิงและฝึกซ้อมอพยพหนีไฟ

1. ข้อมูลสถานประกอบกิจการที่ฝึกซ้อมดับเพลิงและฝึกซ้อมอพยพหนีไฟ

ชื่อสถานประกอบกิจการ บริษัท แกรนด์ กะตะ วิโอพี จำกัด
ประเภทกิจการ โรงแรม
ที่ตั้งเลขที่ 98/17 หมู่ที่ - ซอย - ถนน กะตะ
ตำบล/แขวง กะรน อำเภอ/เขต เมือง จังหวัด ภูเก็ต
โทรศัพท์ 076-510993 โทรสาร -

2. วัน / เดือน / ปีที่ฝึกซ้อม 12 สิงหาคม 2566

3. จำนวนผู้เข้ารับการฝึกซ้อมดับเพลิง 63 คน หญิง 36 คน ชาย 27 คน

4. จำนวนผู้เข้ารับการฝึกซ้อมอพยพหนีไฟ 63 คน หญิง 36 คน ชาย 27 คน

5. ระยะเวลาในการฝึกซ้อมอพยพหนีไฟ 2 นาที

(เริ่มตั้งแต่สัญญาณอพยพหนีไฟดังขึ้น จนถึงคนสุดท้ายมาถึงจุดรวมพล)

6. ชื่อวิทยากรผู้ดำเนินการฝึกซ้อมดับเพลิงและฝึกซ้อมหนีไฟ

1. [Redacted] 3. [Redacted]
2. [Redacted] 4. [Redacted]

7. ชื่อผู้ดูแลการฝึกซ้อม

1. [Redacted] 3. [Redacted]
2. [Redacted] 4. [Redacted]

ลงชื่อ [Redacted] ลงชื่อ [Redacted]

ผู้จัดทำรายงาน

วัน / เดือน / ปี ที่รายงาน 12 สิงหาคม 2566

ผู้มีอำนาจสั่งการผู้ควบคุมหน่วยงาน

ฝึกซ้อมดับเพลิงและฝึกซ้อมอพยพหนีไฟ

พร้อมประทับตรา(ถ้ามี)

ส่วนที่ 2 การรับรอง

ข้าพเจ้าขอรับรองว่าได้มีการฝึกซ้อมดับเพลิงและฝึกซ้อมอพยพหนีไฟตามรายละเอียดข้างต้นจริง

ลงชื่อ [Redacted] วิทยากร ลงชื่อ [Redacted] วิทยากร
() ()

ลงชื่อ [Redacted] วิทยากร ลงชื่อ [Redacted] วิทยากร
() ()

ลงชื่อ [Redacted] นายจ้าง / เจ้าของสถานประกอบกิจการที่ได้รับการฝึกซ้อมดับเพลิงและฝึกซ้อมอพยพ
() หนีไฟหรือผู้มีอำนาจกระทำการแทน

บริษัท แกรนด์ กะตะ วิโอพี จำกัด
GRAND KATA VIP CO., LTD.



บริษัท ซานโต้ เซฟตี้ จำกัด

189/2 หมู่ 10 ถ.ตรง-ปะเหลียน ต.โคกหล่อ อ.เมือง จ.ตรัง 92000

E-mail : [REDACTED]

กำหนดการฝึกซ้อมดับเพลิงและฝึกซ้อมอพยพหนีไฟ

สถานประกอบการ

บริษัท แกรนด์ ทะตะ วิโอพี จำกัด

ตั้งอยู่เลขที่ 98/17 ถนนกะตะ ตำบลกะรน อำเภอเมือง จังหวัดภูเก็ต 83100 โทร.076-510993

วันที่ฝึกซ้อม

วันที่ 12 สิงหาคม 2566

เวลา	เนื้อหาวิชา	ผู้รับผิดชอบ/วิทยากร
08.00 น. - 10.00 น.	- แผนการดับเพลิงและวิธีการดับเพลิงของสถานประกอบการ - แผนการอพยพหนีไฟและวิธีการอพยพหนีไฟของสถานประกอบการ - การค้นหา ช่วยเหลือ และเคลื่อนย้ายผู้ประสบภัย - ฝึกซ้อมดับเพลิงและฝึกซ้อมอพยพหนีไฟตามแผนของสถานประกอบการ - สรุปผลการฝึกซ้อม	[REDACTED]

เจ้าหน้าที่ประสานงานและควบคุมการฝึกซ้อม

[REDACTED]
(นายสมบุรณ์ เจริญวรชัย)
กรรมการผู้จัดการ



แบบ ดพล. ๒

ใบอนุญาตต่ออายุเป็นหน่วยงานฝึกซ้อมดับเพลิงและฝึกซ้อมอพยพหนีไฟ

ใบอนุญาตเลขที่ ดพล. ๐๔๒

กรมสวัสดิการและคุ้มครองแรงงาน

ถนนมิตรไมตรี เขตดินแดง

กรุงเทพมหานคร ๑๐๔๐๐

อนุญาตให้บริษัท ซานโต้ เซฟตี้ จำกัด ตั้งอยู่เลขที่ ๑๘๙/๒ หมู่ที่ ๑๐ ถนนตรง-ปะเหลียน ตำบลโคกหล่อ อำเภอเมืองตรัง จังหวัดตรัง ได้รับการต่ออายุเป็นหน่วยงานฝึกซ้อมดับเพลิงและฝึกซ้อมอพยพหนีไฟ ตามกฎกระทรวงการเป็นหน่วยงานฝึกอบรมการดับเพลิงขั้นต้น และการเป็นหน่วยงานฝึกซ้อมดับเพลิงและฝึกซ้อมอพยพหนีไฟ พ.ศ. ๒๕๕๖ แห่งพระราชบัญญัติความปลอดภัย อาชีวอนามัย และสภาพแวดล้อมในการทำงาน พ.ศ. ๒๕๕๔ โดยมีวิทยากรฝึกซ้อมดับเพลิงและฝึกซ้อมอพยพหนีไฟ จำนวน ๗ ราย ดังรายชื่อแนบท้ายใบอนุญาตนี้

ทั้งนี้ ตั้งแต่วันที่ ๔ พฤศจิกายน พ.ศ. ๒๕๖๔ ถึงวันที่ ๓ พฤศจิกายน พ.ศ. ๒๕๖๗

ให้ไว้ ณ วันที่ ๒๗ สิงหาคม พ.ศ. ๒๕๖๔

[Signature]

(นายวรรณรัตน์ ศรีสุขใส)

รองอธิบดี ปฏิบัติราชการแทน

อธิบดีกรมสวัสดิการและคุ้มครองแรงงาน



(นายสมบุรณ์ เจริญวรชัย)

กรรมการผู้จัดการ



เลขทะเบียนใบอนุญาตที่ ดพฟ.๖๖/๐๙๕

บริษัท ซานโต้ เซฟตี้ จำกัด SANTO SAFETY CO.,LTD.

ได้รับอนุญาตจากกรมสวัสดิการและคุ้มครองแรงงาน ใบอนุญาตเลขที่ ดพฟ.๐๕๒
มอบผู้ปฏิบัติงานนี้เพื่อแสดงว่า

บริษัท แกรนด์ กะตะ วูไอพี จำกัด
ตั้งอยู่เลขที่ ๙๘/๑๗ ถนนกะตะ ตำบลกะรน อำเภอเมือง จังหวัดภูเก็ต ๘๓๑๐๐

ได้ดำเนินการฝึกซ้อมดับเพลิงและฝึกซ้อมอพยพหนีไฟ

ตามกฎหมายว่าหนคมมาตรฐานในการบริหาร จัดการ และดำเนินการตามความปลอดภัย อาชีวอนามัย
และสภาพแวดล้อมในการทำงานเกี่ยวกับการป้องกันการก่อเกิดและระงับอัคคีภัย พ.ศ. ๒๕๕๕

เมื่อวันที่ ๑๒ สิงหาคม พ.ศ. ๒๕๖๖ จำนวนพนักงานที่ร่วมฝึกซ้อม ๖๓ คน
ให้ไว้ ณ วันที่ ๑๒ สิงหาคม พ.ศ. ๒๕๖๖

(นายสมบูรณ์ เจริญวรชัย)
กรรมการผู้จัดการ




(นายสมบูรณ์ เจริญวรชัย)
กรรมการผู้จัดการ

(นายวรรณรัตน์ ศรีสุขใส)
รองอธิบดี ปฏิบัติราชการแทน
อธิบดีกรมสวัสดิการและคุ้มครองแรงงาน

ให้ไว้ ณ วันที่ ๒๗ สิงหาคม พ.ศ. ๒๕๖๔

ทั้งนี้ ตั้งแต่วันที่ ๔ พฤศจิกายน พ.ศ. ๒๕๖๔ ถึงวันที่ ๓ พฤศจิกายน พ.ศ. ๒๕๖๗



บริษัท ซานโต้ เซฟตี้ จำกัด
ใบอนุญาตเลขที่ ดพฟ. ๐๔๒

รายชื่อวิทยากรแบบท้ายใบอนุญาตต่ออายุเป็นหน่วยงานฝึกซ้อมดับเพลิงและฝึกซ้อมอพยพหนีไฟ

วันที่ 12 สิงหาคม 2566

ลำดับที่	ชื่อ-นามสกุล	แผนก	หน้าที่รับผิดชอบ	ลายมือชื่อ
1		Executive	หัวหน้าทีมอพยพ Office	
2		Food&Beverage	ทีมอพยพ	
3		Food&Beverage	ทีมอพยพ	
4		Food&Beverage	ทีมอพยพ	
5		Food&Beverage	ทีมอพยพ	
6		Food&Beverage	ทีมอพยพ	
7		Food&Beverage	ทีมอพยพ	
8		Main Kitchen	ทีมอพยพ	
9		Main Kitchen	ทีมอพยพ	
10		Main Kitchen	ทีมอพยพ	
11		Main Kitchen	ทีมอพยพ	
12		Main Kitchen	ทีมอพยพ	
13		Main Kitchen	ทีมอพยพ	
14		Main Kitchen	ทีมอพยพ	
15		Main Kitchen	ทีมอพยพ	
16		Main Kitchen	หัวหน้าทีมอพยพ HK, PB	
17		Main Kitchen	ทีมอพยพ	
18		Main Kitchen	ทีมอพยพ	
19		Front Office	ทีมฝ่ายต้อนรับ, ประสานงาน	
20		Front Office	หัวหน้าทีมอพยพ FO	
21		Front Office	ทีมอพยพ	
22		Front Office	หัวหน้าทีมฝ่ายต้อนรับ, ประสานงาน	
23		Front Office	ทีมอพยพ	
24		Front Office	ทีมอพยพ	
25		Front Office	ทีมอพยพ	
26		Housekeeper	ทีมอพยพ	
27		Housekeeper	ทีมอพยพ HK	
28		Housekeeper	ทีมอพยพ	
29		Housekeeper	ทีมอพยพ	
30		Housekeeper	ทีมอพยพ	

วันที่ 12 สิงหาคม 2566

ลำดับที่	ชื่อ-นามสกุล	แผนก	หน้าที่รับผิดชอบ	ลายมือชื่อ
31		Housekeeper	ที่สอพพ	
32		Housekeeper	ที่สอพพ	
33		Housekeeper	ที่สอพพ	
34		Housekeeper	ที่สนน่วยดับเพลิง	
35		Housekeeper	ที่สอพพ	
36		Housekeeper	ที่สอพพ	
37		Housekeeper	ผู้เข้าช่วยเหลือเบื้องต้น	
38		Housekeeper	ที่สอพพ	
39		Housekeeper	ผู้เข้าช่วยเหลือเบื้องต้น	
40		Housekeeper	ที่สอพพ	
41		Housekeeper	ที่สอพพ	
42		Housekeeper	ที่สอพพ	
43		Housekeeper	ที่สอพพ	
44		Housekeeper	ผู้พบเห็นเหตุการณ์คนแรก	
45		Housekeeper	ที่สอพพ	
46		Engineer	หัวหน้าทีมไฟฟ้า	
47		Engineer	ที่สอพพ	
48		Engineer	หัวหน้าทีมหน่วยดับเพลิง	
49		Engineer	ที่สนน่วยดับเพลิง	
50		Engineer	ที่สอพพ	
51		Engineer	ที่สนน่วยดับเพลิง	
52		Human Resources	ผู้อำนวยการ	
53		Human Resources	เจ้าหน้าที่ฝ่ายบุคคล	
54		Human Resources	ที่สอพพ	
55		Accountant	หัวหน้าทีมปฐมพยาบาล	
56		Accountant	ที่สอพพ	
57		Accountant	ผู้ประสานงาน	
58		Accountant	ที่สอพพ	
59		Accountant	ที่สอพพ	
60		Accountant	ที่สอพพ	

รายชื่อพนักงาน
ร่วมประชุมชี้แจงและซักซ้อมแผนการดับเพลิงและแผนอพยพหนีไฟ
บริษัท แกรนด์ กะตะ วิโอพี จำกัด
วันที่ 12 สิงหาคม 2566

ลำดับที่	ชื่อ-นามสกุล	แผนก	หน้าที่รับผิดชอบ	ลายมือชื่อ
61		Accountant	ทีมอพยพ	
62		Accountant	ทีมอพยพ	
63		Sale & Marketing	ทีมอพยพ	
64				
65				
66				
67				
68				
69				
70				
71				
72				
73				
74				
75				
76				
77				
78				
79				
80				
81				
82				
83				
84				
85				
86				
87				
88				
89				
90				




(นายสมิทธิ์ เจริญทรัพย์)

กรรมการผู้จัดการ

รายชื่อพนักงาน
ร่วมฝึกซ้อมดับเพลิงและฝึกซ้อมอพยพหนีไฟ
บริษัท แกรนด์ กะตะ วิโอพี จำกัด
วันที่ 12 สิงหาคม 2566

ลำดับที่	ชื่อ-นามสกุล	แผนก
1		Executive
2		Food&Beverage
3		Food&Beverage
4		Food&Beverage
5		Food&Beverage
6		Food&Beverage
7		Food&Beverage
8		Main Kitchen
9		Main Kitchen
10		Main Kitchen
11		Main Kitchen
12		Main Kitchen
13		Main Kitchen
14		Main Kitchen
15		Main Kitchen
16		Main Kitchen
17		Main Kitchen
18		Main Kitchen
19		Front Office
20		Front Office
21		Front Office
22		Front Office
23		Front Office
24		Front Office
25		Front Office
26		Housekeeper
27		Housekeeper
28		Housekeeper
29		Housekeeper
30		Housekeeper



(นายสมิทธิ์ เจริญทรัพย์)

กรรมการผู้จัดการ

รายชื่อพนักงาน
ร่วมฝึกซ้อมดับเพลิงและฝึกซ้อมอพยพหนีไฟ
บริษัท แกรนด์ อะตอม วิโอพี จำกัด
วันที่ 12 สิงหาคม 2566

ลำดับที่	ชื่อ-นามสกุล	แผนก
31		Housekeeper
32		Housekeeper
33		Housekeeper
34		Housekeeper
35		Housekeeper
36		Housekeeper
37		Housekeeper
38		Housekeeper
39		Housekeeper
40		Housekeeper
41		Housekeeper
42		Housekeeper
43		Housekeeper
44		Housekeeper
45		Housekeeper
46		Engineer
47		Engineer
48		Engineer
49		Engineer
50		Engineer
51		Engineer
52		Human Resources
53		Human Resources
54		Human Resources
55		Accountant
56		Accountant
57		Accountant
58		Accountant
59		Accountant
60		Accountant

กรรมการผู้จัดการ

รายชื่อพนักงาน
ร่วมฝึกซ้อมดับเพลิงและฝึกซ้อมอพยพหนีไฟ
บริษัท แกรนด์ อะตอม วิโอพี จำกัด
วันที่ 12 สิงหาคม 2566

ลำดับที่	ชื่อ-นามสกุล	แผนก
61		Accountant
62		Accountant
63		Sale & Marketing



(นายสมบุรณ์ เจริญราษฎร์)

กรรมการผู้จัดการ

ประมวลภาพ
การฝึกซ้อมดับเพลิงและฝึกซ้อมอพยพหนีไฟ
บริษัท แกรนด์ กะตะ วิโอพี จำกัด
วันที่ 12 สิงหาคม 2566



ประชุมชี้แจงแผนการดับเพลิงและแผนอพยพหนีไฟ




ซักซ้อมแผนการดับเพลิงและแผนอพยพหนีไฟ

(นายสมบุรณ์ เจริญวรชัย)
กรรมการผู้จัดการ

ประมวลภาพ
การฝึกซ้อมดับเพลิงและฝึกซ้อมอพยพหนีไฟ
บริษัท แกรนด์ กะตะ วิโอพี จำกัด
วันที่ 12 สิงหาคม 2566




การจำลองสถานการณ์เกิดเหตุเพลิงไหม้



พนักงานที่พบเห็นใช้ถังดับเพลิงฉุกเฉิน

(นายสมบุรณ์ เจริญวรชัย)
กรรมการผู้จัดการ

ประมวลภาพ
การฝึกซ้อมดับเพลิงและฝึกซ้อมอพยพหนีไฟ
บริษัท แกรนด์ กะตะ วิโอพี จำกัด
วันที่ 12 สิงหาคม 2566



พนักงานโกสัเคียงช่วยนำถังดับเพลิงมาดับไฟ



ผู้อำนวยการดับเพลิงสั่งใช้แผนอพยพหนีไฟ




(นายสมบูรณ์ เจริญวรชัย)

กรรมการผู้จัดการ

ประมวลภาพ
การฝึกซ้อมดับเพลิงและฝึกซ้อมอพยพหนีไฟ
บริษัท แกรนด์ กะตะ วิโอพี จำกัด
วันที่ 12 สิงหาคม 2566



พนักงานอพยพไปยังจุดรวมพล



ทีมดับเพลิงใช้สายน้ำดับเพลิงดับไฟ



(นายสมบูรณ์ เจริญวรชัย)

กรรมการผู้จัดการ

ประมวลภาพ
การฝึกซ้อมดับเพลิงและฝึกซ้อมอพยพหนีไฟ
บริษัท แกรนด์ กะตะ วิโอที จำกัด
วันที่ 12 สิงหาคม 2566




หัวหน้าแผนกทำการตรวจนับจำนวนพนักงาน




หัวหน้าแผนกรายงานผู้อำนวยการดับเพลิงว่ามีพนักงานในแผนกสูญหาย


(นายสมบุรณ์ เจริญวรชัย)
กรรมการผู้จัดการ

ประมวลภาพ
การฝึกซ้อมดับเพลิงและฝึกซ้อมอพยพหนีไฟ
บริษัท แกรนด์ กะตะ วิโอที จำกัด
วันที่ 12 สิงหาคม 2566



ผู้อำนวยการดับเพลิงสั่งทีมค้นหา/ช่วยชีวิตทำการค้นหาพนักงานที่สูญหาย



ผู้อำนวยการดับเพลิงสั่งทีมปฐมพยาบาลเตรียมพร้อมช่วยเหลือผู้บาดเจ็บ


(นายสมบุรณ์ เจริญวรชัย)
กรรมการผู้จัดการ

ประมวลภาพ
การฝึกซ้อมดับเพลิงและฝึกซ้อมอพยพหนีไฟ
บริษัท แกรนด์ กะตะ วิไอพี จำกัด
วันที่ 12 สิงหาคม 2566



ทีมค้นหา/ช่วยชีวิตนำพนักงานที่สูญหายและได้รับบาดเจ็บไปยังจุดปฐมพยาบาล



ทีมปฐมพยาบาลทำการปฐมพยาบาลเบื้องต้นก่อนนำส่งโรงพยาบาล



กรรมการผู้จัดการ

ประมวลภาพ
การฝึกซ้อมดับเพลิงและฝึกซ้อมอพยพหนีไฟ
บริษัท แกรนด์ กะตะ วิไอพี จำกัด
วันที่ 12 สิงหาคม 2566



ผู้อำนวยการดับเพลิงได้รับรายงานว่าสามารถดับเพลิงได้แล้ว จึงสั่งยกเลิกแผนอพยพหนีไฟ



ผู้เข้าร่วมฝึกซ้อมดับเพลิงและฝึกซ้อมอพยพหนีไฟ



กรรมการผู้จัดการ

รายงาน

ฝึกอบรมการดับเพลิงขั้นต้น

บริษัท แกรนด์ กะตะ วิโอพี จำกัด

ตั้งอยู่เลขที่ ๙๘/๑๗ ถนนกะตะ ตำบลกะรน อำเภอเมือง จังหวัดภูเก็ต ๘๓๑๐๐

วันที่ ๑๑ สิงหาคม ๒๕๖๖

หน่วยงานฝึกอบรมการดับเพลิงขั้นต้น

ใบอนุญาตเลขที่ ดพต.๐๓๙

บริษัท ชานโต้ เซฟตี้ จำกัด

เลขที่ ๑๘๙/๒ หมู่ ๑๐ ถนนตรัง-ปะเหลียน

ตำบลโคกหล่อ อำเภอเมือง จังหวัดตรัง ๙๒๐๐๐

โทร.๐๙๕-๕๗๒๑๒๓, ๐๙๕-๕๗๒๑๒๔

โทรสาร.๐๙๕-๕๗๒๐๑๒

ลงชื่อ

นายวิชากร

ผู้อำนวยการ

บริษัท

แกรนด์ กะตะ วิโอพี จำกัด

8/9/66

แบบรายงานการฝึกอบรมการดับเพลิงขั้นต้น

ชื่อหน่วยงานที่ได้รับการรับรอง บริษัท ชานโต้ เซฟตี้ จำกัด
หมายเลขใบอนุญาต ดพต.039 หมดยุ 3 พฤศจิกายน 2567
อ้างอิงหนังสือแจ้งการฝึกอบรม เลขที่ ชต.190/2566 ลงวันที่ 29 กรกฎาคม 2566

ส่วนที่ 1 รายงานการฝึกอบรม

1. ข้อมูลสถานประกอบกิจการที่เข้ารับการอบรม

ชื่อสถานประกอบกิจการ บริษัท แกรนด์ กะตะ วิโอพี จำกัด
ประเภทกิจการ โรงแรม
ที่ตั้งเลขที่ 98/17 หมู่ที่ - ซอย - ถนน กะตะ
ตำบล/แขวง กะรน อำเภอ/เขต เมือง จังหวัด ภูเก็ต
โทรศัพท์ 076-510993 โทรสาร -

2. วัน เดือน ปี ที่ฝึกอบรม 11 สิงหาคม 2566

3. จำนวนผู้เข้ารับการฝึกอบรม 23 คน (แนบรายชื่อผู้ผ่านการฝึกอบรม)
ผู้หญิง 13 คน ชาย 10 คน

4. ชื่อวิทยากรผู้ทำการอบรมภาคทฤษฎี
1. [REDACTED] 3. [REDACTED]
2. [REDACTED] 4. [REDACTED]

5. ชื่อวิทยากรผู้ทำการฝึกภาคปฏิบัติ
1. [REDACTED]
2. [REDACTED]

6. ชื่อผู้ดูแลการฝึกอบรม [REDACTED]

7. สถานที่ฝึกภาคปฏิบัติ [REDACTED]

ลงชื่อ ([REDACTED]) ลงชื่อ (นายสมบุญ เจริญศรีชัย)

ผู้จัดทำรายงาน ผู้มีอำนาจกระทำการแทนหน่วยงานฝึกอบรม

วัน / เดือน / ปี ที่รายงาน 11 สิงหาคม 2566 การดับเพลิงขั้นต้น

พร้อมประทับตรา(ถ้ามี)

ส่วนที่ 2 การรับรอง

ข้าพเจ้าขอรับรองว่าได้มีการฝึกอบรมตามรายละเอียดข้างต้นจริง

ลงชื่อ [REDACTED] วิทยากร ลงชื่อ [REDACTED] วิทยากร

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]



บริษัท ซานโต้ เซฟตี้ จำกัด

189/2 หมู่ 10 ถ.ตรง-ปะเหลียน ต.โคกหล่อ อ.เมือง จ.ตรัง 92000

โทร.075-572123, 572070 แฟกซ์.075-572072

อีเมล: santosafety@hotmail.com

กำหนดการฝึกอบรมการดับเพลิงขั้นต้น

สถานประกอบการ บริษัท แกรนด์ กะตะ วิโอที จำกัด
ตั้งอยู่เลขที่ 98/17 ถนนกะตะ ตำบลกะรน อำเภอเมือง จังหวัดภูเก็ต 83100 โทร.076-510993
วันที่ฝึกอบรม วันที่ 11 สิงหาคม 2566

เวลา	เนื้อหาวิชา	ผู้รับผิดชอบ/วิทยากร
08.00 น. - 08.30 น.	- ลงทะเบียน	
08.30 น. - 08.45 น.	- ทำแบบทดสอบก่อนฝึกอบรม	
08.45 น. - 12.00 น.	ภาคทฤษฎี - ทฤษฎีการเกิดเพลิงไหม้ - การแบ่งประเภทของเพลิง และวิธีดับเพลิงประเภทต่างๆ - จิตวิทยาเมื่อเกิดอัคคีภัย - การป้องกันแหล่งกำเนิดของการติดไฟ - เครื่องดับเพลิงชนิดต่างๆ - วิธีการใช้อุปกรณ์คุ้มครองความปลอดภัยส่วนบุคคลที่ใช้ในการดับเพลิง - แผนป้องกันและระงับอัคคีภัย - การจัดระบบป้องกันและระงับอัคคีภัย การประยุกต์ใช้ระบบอุปกรณ์ที่มีอยู่ในสถานประกอบการ	
12.00 น. - 13.00 น.	พักรับประทานอาหารกลางวัน	
13.00 น. - 16.30 น.	ภาคปฏิบัติ - ฝึกดับเพลิงประเภท เอ ด้วยการใช้อุปกรณ์ดับเพลิงแบบเคลื่อนย้ายได้ที่ใช้ น้ำสะสมแรงดันหรือสารดับเพลิงที่สามารถดับเพลิงประเภท เอ - ฝึกดับเพลิงประเภท บี ด้วยการใช้อุปกรณ์ดับเพลิงแบบเคลื่อนย้ายได้ที่ใช้ สารดับเพลิงชนิดก๊าซคาร์บอน ไดออกไซด์ โฟม ผงเคมีแห้ง หรือสารดับเพลิงที่สามารถดับเพลิงประเภท บี - ฝึกดับเพลิงประเภท ซี ด้วยการใช้อุปกรณ์ดับเพลิงแบบเคลื่อนย้ายได้ที่ใช้ สารดับเพลิงชนิดก๊าซคาร์บอน ไดออกไซด์ ผงเคมีแห้ง หรือสารดับเพลิงที่สามารถดับเพลิงประเภท ซี - ฝึกดับเพลิงโดยใช้สายดับเพลิง - ทำแบบทดสอบหลังการฝึกอบรม / ตอบข้อซักถาม / สรุปผลการฝึกอบรม	

เจ้าหน้าที่ประสานงานและควบคุมการฝึกอบรม บริษัท เซียววาร์ (ช) จำกัด

พักรับประทานอาหารว่างและเครื่องดื่ม เวลา 10.30-10.45 น. และ เวลา 14.30-14.45 น.



ใบอนุญาตต่ออายุเป็นหน่วยงานฝึกอบรมการดับเพลิงขั้นต้น

ใบอนุญาตเลขที่ ดพด. ๐๓๙

กรมสวัสดิการและคุ้มครองแรงงาน
ถนนมิตรไมตรี เขตดินแดง
กรุงเทพมหานคร ๑๐๔๐๐

อนุญาตให้บริษัท ซานโต้ เซฟตี้ จำกัด ตั้งอยู่เลขที่ ๑๘๙/๒ หมู่ที่ ๑๐ ถนนตรง-ปะเหลียน ตำบลโคกหล่อ อำเภอเมืองตรัง จังหวัดตรัง ได้รับการต่ออายุเป็นหน่วยงานฝึกอบรมการดับเพลิงขั้นต้น ตามกฎกระทรวงการเป็นหน่วยงานฝึกอบรมการดับเพลิงขั้นต้น และการเป็นหน่วยงานฝึกซ้อมดับเพลิง และฝึกซ้อมอพยพหนีไฟ พ.ศ. ๒๕๕๖ แห่งพระราชบัญญัติความปลอดภัย อาชีวอนามัย และสภาพแวดล้อมในการทำงาน พ.ศ. ๒๕๕๔ โดยมีวิทยากรฝึกอบรมการดับเพลิงขั้นต้น จำนวน ๗ ราย ดังรายชื่อแนบท้าย ใบอนุญาตนี้

ทั้งนี้ ตั้งแต่วันที่ ๔ พฤศจิกายน พ.ศ. ๒๕๖๔ ถึงวันที่ ๓ พฤศจิกายน พ.ศ. ๒๕๖๗

ให้ไว้ ณ วันที่ ๒๗ สิงหาคม พ.ศ. ๒๕๖๔

รองอธิบดี ปฏิบัติราชการแทน
อธิบดีกรมสวัสดิการและคุ้มครองแรงงาน



(นายสมบุรณ์ เจริญวรชัย)

กรรมการผู้จัดการ

รายชื่อวิทยากรแนบท้ายใบอนุญาตต่ออายุเป็นหน่วยงานฝึกอบรมการดับเพลิงขั้นต้น
บริษัท ซานตี้ เซฟตี้ จำกัด
ใบอนุญาตเลขที่ ศพด. ๐๓๙

ด.
๒.
๓.
๔.
๕.
๖.
๗.



ทั้งนี้ ตั้งแต่วันที่ ๔ พฤศจิกายน พ.ศ. ๒๕๖๔ ถึงวันที่ ๓ พฤศจิกายน พ.ศ. ๒๕๖๗
ให้ไว้ ณ วันที่ ๑๗ สิงหาคม พ.ศ. ๒๕๖๔

(นายสมบุรณ์ เจริญวรชัย)
รองอธิบดี ปฏิบัติราชการแทน
อธิบดีกรมสวัสดิการและคุ้มครองแรงงาน


(นายสมบุรณ์ เจริญวรชัย)
กรรมการผู้จัดการ

รายชื่อพนักงานผ่านการฝึกอบรม
หลักสูตร. การดับเพลิงขั้นต้น
บริษัท แกรนด์ กะตะ วิโอที จำกัด
วันที่ 11 สิงหาคม 2566


ลำดับที่	ชื่อ-นามสกุล	แผนก	ลายมือชื่อ		ผลการทดสอบ/คะแนน	
			เข้า	บ่าย	ก่อนอบรม	หลังอบรม
1		AC	วิชัย	วิชัย	8	15
2		AC	อุทัย	อุทัย	11	13
3		AC	สุชน	สุชน	9	15
4		MK	พิมพร	พิมพร	13	14
5		MK	ไพรวร	ไพรวร	11	13
6		MK	อุทัย	อุทัย	11	13
7		MK	ทอง	ทอง	12	13
8		FB	เมธิกร	เมธิกร	8	14
9		FB	อุทัย	อุทัย	7	14
10		FB	วิชัย	วิชัย	11	14
11		HR	อ.เกรียง	อ.เกรียง	8	13
12	อุทัย	HR	อุทัย	อุทัย	8	13
13		HK	อ.วิชา	อ.วิชา	9	14
14	อุทัย	HK	อุทัย	อุทัย	11	15
15		HK	อุทัย	อุทัย	10	15
16	อุทัย	HK	อุทัย	อุทัย	9	14
17		HK	อุทัย	อุทัย	12	13
18		HK	อุทัย	อุทัย	10	13
19		EN	อุทัย	อุทัย	10	14
20		EN	อุทัย	อุทัย	9	14
21		FO	อุทัย	อุทัย	12	14
22		FO	อุทัย	อุทัย	10	15
23		FO	อุทัย	อุทัย	9	15
24						
25						
26						
27						
28						
29						
30						


(นายสมบุรณ์ เจริญวรชัย)
กรรมการผู้จัดการ

ประมวลภาพ
การฝึกอบรมหลักสูตร.การดับเพลิงขั้นต้น
บริษัท แกรนด์ กะตะ วิโอพี จำกัด
วันที่ 11 สิงหาคม 2566



ผู้เข้าฝึกอบรมทำแบบทดสอบความรู้ก่อนฝึกอบรม




ฝึกอบรมภาคทฤษฎี




(นายสมบูรณ์ เจริญวิทย์)

กรรมการผู้จัดการ

ประมวลภาพ
การฝึกอบรมหลักสูตร.การดับเพลิงขั้นต้น
บริษัท แกรนด์ กะตะ วิโอพี จำกัด
วันที่ 11 สิงหาคม 2566



ฝึกตัดกระแสไฟฟ้าก่อนใช้ถังดับเพลิง



ฝึกใช้ถังดับเพลิงดับไฟประเภท A




(นายสมบูรณ์ เจริญวิทย์)

กรรมการผู้จัดการ

ประมวลภาพ
การฝึกอบรมหลักสูตร.การดับเพลิงขั้นต้น
บริษัท แกรนด์ กะตะ วิไอพี จำกัด
วันที่ 11 สิงหาคม 2566



ฝึกใช้ถังดับเพลิงดับไฟประเภท C



ฝึกปิดวาล์วถังแก๊สรั่ว




(นายสมบุญ เกตุวรชัย)

กรรมการผู้จัดการ

ประมวลภาพ
การฝึกอบรมหลักสูตร.การดับเพลิงขั้นต้น
บริษัท แกรนด์ กะตะ วิไอพี จำกัด
วันที่ 11 สิงหาคม 2566



ฝึกใช้ถังดับเพลิงดับไฟที่ตุ๊กไหม้ถึงก๊าซหุงต้ม



ฝึกปิดวาล์วถังแก๊สรั่ว



(นายสมบุญ เกตุวรชัย)

กรรมการผู้จัดการ

ประมวลภาพ
การฝึกอบรมหลักสูตร.การดับเพลิงขั้นต้น
บริษัท แกรนด์ กะตะ วิโอพี จำกัด
วันที่ 11 สิงหาคม 2566



ผู้เข้าร่วมฝึกอบรมการดับเพลิงขั้นต้น


(นายสมบุรณ์ เจริญวรชัย)
กรรมการผู้จัดการ

A จำเป็น B ควรจัดให้มี
C ควรจัดให้มีความสามารถ

[illegible]

A จำเป็น B ควรจัดให้มี
C ควรจัดให้มีความสามารถ

[illegible]



บริษัท ซานโต้ เซฟตี้ จำกัด (สำนักงานใหญ่)

189/2 หมู่ 10 ถ.ตรัง-ปะเหลียน ต.โคกหล่อ อ.เมือง จ.ตรัง 92000

โทร.075-572123, 572070 แฟกซ์.075-572072

E-mail : trangsanto@hotmail.com, E-mail : santosafety@hotmail.com

ใบเสนอราคา QUOTATION

วันที่ 30 พฤษภาคม 2567
ใบเสนอราคาเลขที่ SS.6705301
เรื่อง ขอเสนอราคาฝึกอบรมดับเพลิงขั้นต้นและฝึกซ้อมอพยพหนีไฟ
เรียน ฝ่ายจัดซื้อ, CC.คุณชิดชนก (บริษัท แกรนด์ กะตะ วิไอพี จำกัด (สำนักงานใหญ่))
ที่อยู่ 58/147 หมู่ที่ 6 ตำบลราไวย์ อำเภอเมืองภูเก็ต จังหวัดภูเก็ต 83130 Tax ID. 0835561007303
โทรศัพท์/โทรสาร E-mail

ลำดับที่	จำนวน	รายละเอียด	หน่วยละ	จำนวนเงิน
1	1 รุ่น	-ค่าสมนาคุณวิทยากรฝึกอบรมการดับเพลิงขั้นต้นพร้อมหนังสือรับรอง (ฝึกรวม 3 บริษัท)	7,000.00	7,000.00
2	1 รุ่น	-ค่าสมนาคุณวิทยากรฝึกซ้อมดับเพลิงและฝึกซ้อมอพยพหนีไฟพร้อม หนังสือรับรอง	10,000.00	10,000.00
		อุปกรณ์ที่ทาง SANTO จัดเตรียมให้ประกอบด้วย		
	9 ถัง	-ถังดับเพลิง ชนิดก๊าซ CO2 ขนาด 10 ปอนด์		
	1 ถัง	-ถังดับเพลิง ชนิดผงเคมีแห้ง ABC		
	2 ถัง	-ถังดับเพลิง ชนิดน้ำยา Fire Ade 2000		
	2 ถัง	-ก๊าซหุงต้ม ขนาด 15 กก.		
	20 ลิตร	-น้ำมันเบนซิน 20 ลิตร		
	4 ลิตร	-น้ำมันพืช 4 ลิตร		
	1 ถัง	-ถังดับเพลิง ชนิดก๊าซ CO2 ขนาด 10 ปอนด์ (ใช้ฝึกซ้อมหนีไฟ)		
		จาก.คุณสมเกียรติ เลขะพานิชกุล โทร.083-00474470	รวม	17,000.00
			VAT 7%	1,190.00
		หนึ่งหมื่นแปดพันหนึ่งร้อยเก้าสิบบาทถ้วน	รวมสุทธิ	18,190.00
ราคาที่เสนอขายได้อยู่ได้	30 วัน			
กำหนดส่ง	วันฝึกอบรม			
การชำระเงิน	เงินสด			
การเสนอราคาขึ้นอยู่กับเงื่อนไขขั้นสุดท้ายของห้าง ฯ				
ห้าง ฯ หวังเป็นอย่างยิ่งว่าจะได้รับการพิจารณาสั่งซื้อจากท่าน				

ภาคผนวก ข-3

เอกสารรับรองการตรวจสอบอาคาร



ใบรับรองการก่อสร้างอาคาร คัดแปลงอาคาร หรือเคลื่อนย้ายอาคาร

เลขที่.....๗๓...../.....๒๕๖๑.....

ใบรับรองฉบับนี้แสดงว่า.....บริษัท ภูเก็ตไนน์ โอเคย์ ดีเวลลอปเม้นท์ จำกัด.....เจ้าของอาคาร
อยู่บ้านเลขที่.....๕๘/๘๗.....ตรอก/ซอย.....-.....ถนน.....-.....หมู่ที่.....๖.....
ตำบล/แขวง.....ราไวย์.....อำเภอ/เขต.....เมืองภูเก็ต.....จังหวัด.....ภูเก็ต.....
ได้ทำการ.....ก่อสร้าง.....อาคารเป็นไปโดยถูกต้องตามที่ได้รับอนุญาตในใบอนุญาต
เลขที่.....๗๒...../.....๒๕๖๑.....ลงวันที่.....๕.....เดือน.....ตุลาคม.....พ.ศ.....๒๕๖๑.....ซึ่งอาคารดังกล่าว
เป็นอาคารประเภทควบคุมการใช้ เจ้าพนักงานท้องถิ่นจึงออกใบรับรองให้ดังต่อไปนี้

ข้อ ๑. เป็นอาคาร

(๑) ชนิด.....ค.ส.ส. ๘ ชั้น (มีชั้นใต้ดิน) (อาคาร A).....จำนวน.....๑ หลัง.....
เพื่อใช้เป็น.....อาคารห้องชุด ๗๕ ห้องชุด (ห้องชุดเพื่อประกอบการค้าใช้ประโยชน์เป็นโรงแรม ๗๒ ห้อง)
(ห้องชุดเพื่อประกอบการค้าอื่นๆ ๓ ห้อง).....โดยมีที่จอดรถ ที่กับริด และทางเข้าออกของรถ
จำนวน.....-.....คัน

(๒) ชนิด.....ค.ส.ส. ๕ ชั้น (มีคาดฟ้า) (มีชั้นใต้ดิน) (อาคาร B).....จำนวน.....๑ หลัง.....
เพื่อใช้เป็น.....อาคารห้องชุด ๔๘ ห้องชุด (ห้องชุดเพื่ออยู่อาศัย ๓๒ ห้อง)
(ห้องชุดเพื่อประกอบการค้าใช้ประโยชน์เป็นโรงแรม ๑๕ ห้อง)
(ห้องชุดเพื่อประกอบการค้าอื่นๆ ๑ ห้อง).....โดยมีที่จอดรถ ที่กับริด และทางเข้าออกของรถ
จำนวน.....-.....คัน

(๓) ชนิด.....-.....จำนวน.....-.....
เพื่อใช้เป็น.....-.....โดยมีที่จอดรถ ที่กับริด และทางเข้าออกของรถ
จำนวน.....-.....คัน

ที่บ้านเลขที่.....-.....ตรอก/ซอย.....-.....ถนน.....ตัดใหม่ (ปฎัก - กะตะ).....
หมู่ที่.....-.....ตำบล/แขวง.....กะรน.....อำเภอ/เขต.....เมืองภูเก็ต.....จังหวัด.....ภูเก็ต.....
โดย.....บริษัท ภูเก็ตไนน์ โอเคย์ ดีเวลลอปเม้นท์ จำกัด.....เป็นเจ้าของอาคาร
และ.....บริษัท ภูเก็ตไนน์ โอเคย์ ดีเวลลอปเม้นท์ จำกัด.....เป็นผู้รื้อถอนอาคาร
อยู่ในที่ดินโฉนดที่ดิน เลขที่/น.ส.๓ ก เลขที่/ร.ก.๓ เลขที่.....๖๑๔๓๙ , ๖๑๕๔๒ , ๑๑๒๖๕๔.....
เป็นที่ดินของ.....บริษัท ภูเก็ตไนน์ โอเคย์ ดีเวลลอปเม้นท์ จำกัด.....

ข้อ ๒. ผู้ได้รับใบรับรองต้องปฏิบัติตามเงื่อนไข ดังต่อไปนี้

(๑) ผู้ได้รับใบรับรองต้องปฏิบัติตามหลักเกณฑ์ วิธีการ และเงื่อนไขตามที่กำหนดในกฎกระทรวง
และหรือข้อบัญญัติท้องถิ่น ซึ่งออกตามความในมาตรา ๘ (๑๑) มาตรา ๙ หรือมาตรา ๑๐ แห่งพระราชบัญญัติ
ควบคุมอาคาร พ.ศ. ๒๕๖๒

(๒) ผู้ได้รับอนุญาตต้องปฏิบัติตามมาตรการป้องกันและแก้ไขสิ่งแวดล้อมที่แนบท้ายนี้

ออกให้ ณ วันที่.....๕.....เดือน.....ตุลาคม.....พ.ศ.....๒๕๖๑.....

(ลายมือชื่อ)

(.....

ตำแหน่ง

เจ้าพนักงานท้องถิ่นผู้รับรอง

คำเตือน

๑. ห้ามเจ้าของ หรือผู้ครอบครองอาคารใช้หรือยินยอมให้บุคคลใดใช้อาคารเพื่อกิจการอื่น นอกจากที่ระบุไว้ในใบรับรองฉบับนี้
๒. ห้ามเจ้าของ หรือผู้ครอบครองอาคารเปลี่ยนการใช้อาคารประเภทควบคุมการใช้สำหรับกิจการหนึ่งไปใช้สำหรับอีกกิจการหนึ่ง เว้นแต่จะได้รับใบอนุญาตจากเจ้าพนักงานท้องถิ่น
๓. ห้ามเจ้าของ หรือผู้ครอบครองอาคารที่ต้องมีพื้นที่หรือสิ่งก่อสร้างขึ้นเพื่อใช้เป็นที่จอดรถ ที่กักเก็บรถ และทางเข้าออกของรถตามที่กำหนดในกฎกระทรวง ดัดแปลง หรือใช้ที่จอดรถ ที่กักเก็บรถ และทางเข้าออกของรถนั้นเพื่อการอื่นไม่ว่าทั้งหมดหรือบางส่วน เว้นแต่จะได้รับใบอนุญาตจากเจ้าพนักงานท้องถิ่น
๔. ผู้ได้รับใบรับรองต้องแสดงใบรับรองฉบับนี้ไว้ในที่เปิดเผยและเห็นได้ง่าย ณ อาคารนั้น

ภาคผนวก ข-4

เอกสารแต่งตั้งเจ้าหน้าที่ดูแลระบบน้ำ

นิติบุคคลอาคารชุด วีไอพี คอนโด กะตะ

ประกาศ

เรื่อง แต่งตั้งเจ้าหน้าที่ดูแลระบบน้ำ

เพื่อให้ระบบการใช้น้ำ และถังเก็บน้ำของโครงการนิติบุคคลอาคารชุด วีไอพี คอนโด กะตะ เป็นไปอย่างมีประสิทธิภาพและได้มาตรฐานตามมาตรฐานการติดตามตรวจสอบผลกระทบสิ่งแวดล้อม อันจะก่อให้เกิดความสะดวกและเป็นสุขอนามัยแก่ผู้พักอาศัยในโครงการมากยิ่งขึ้น

นิติบุคคลอาคารชุด วีไอพี คอนโด กะตะ จึงจำเป็นต้องออกประกาศแต่งตั้งลูกจ้างของนิติบุคคลอาคารชุดฯ ในการควบคุมงานเกี่ยวกับการดูแลระบบน้ำ ดังรายชื่อต่อไปนี้

1. 

2. 

โดยให้ผู้ควบคุมงานเกี่ยวกับการดูแลระบบน้ำ มีหน้าที่ดังนี้

1. ตั้งเวลาให้มีการสูบน้ำให้อยู่ในเวลาที่กำหนดซึ่งนอกช่วงเวลาใช้น้ำของผู้ที่อยู่อาศัยข้างเคียง
2. ดูแลหรือจัดให้มีการล้างทำความสะอาดถังพักน้ำเป็นประจำทุกๆ 6 เดือน
3. ตรวจสอบการแจกจ่ายน้ำและเส้นท่อให้อยู่ในสภาพดีอยู่เสมอ โดยหากพบว่าชำรุดให้ดำเนินการแก้ไขได้ทันที

ประกาศ ณ วันที่ 19 ธันวาคม 2566


ผู้จัดการนิติบุคคลอาคารชุด วีไอพี คอนโด กะตะ

ภาคผนวก ข-5

เอกสารตรวจสอบการระบายน้ำ

Grand Kata VIP
Engineer Department.
Daily Logsheets.



Page 1/2

Date: 4/6/17

Equipment.	Location	Description	Standard	Time			Remark
				09.00	17.00	01.00	
Generator	Generator room	Selector switch status	Auto/Manual	Auto	Auto		
		Batteries Voltage	Over 24 Volt	27.6	27.7		
		Fuel level	Min.250 Liter	490	485		
		Engine run Hrs.	hr / m	189 h 35 m	189/35/463	463 (9)	
MDB	MDB Room	Voltage R/S/T	Digital meter	400/400/400	400/400/400		
		Amperage R/S/T	Digital meter	193/90/1164	239/157/206		
		KWH	Digital meter	9780.3	9786.6		
		Cap bank Selector status	Auto/Manual	Auto	Auto		
		Power factor	0.95-0.98	0.96	0.94		
		cap bank working	Number	-	-		
EMDB	MDB Room	A.T.S. Selector status	Auto/Manual	Auto	Auto		
		Voltage R/S/T	Digital meter	400/400/400	399/399/399		
		Amperage R/S/T	Digital meter	58/54/193	55/49/47		
		KWH	Digital meter	1184627	1185003		
Deep Well pump	Basement Near MDB room	For raw tank pump status	Auto/Manual/Off	Auto	Auto		
		For raw Amperage	Amp. Meter	-	-		
		For raw General status	Normal	Normal	Normal		
		Raw water tank	Level	191.2	192		
	Basement Near MDB room						
Water tretment	Basement Near MDB room	Filter pump status for A	Auto/Manual/Off	Auto	Auto		
		Filter pressure for A	Not over 25 PSI	74	40		
		General status	Normal	Normal	Normal		
		Filter pump status for B	Auto/Manual/Off	Auto	Auto		
		Filter pressure for B	Not over 25 PSI	10	12		
		General status	Normal	Normal	Normal		
Booster pump Building A	Roof top building A	Booster pump status	Auto/Manual	Auto	Auto		
		Inverter status	Auto/Manual/Off	Auto	Auto		
		Booster pump Pressure	50 PSI	56 PSI	54		
		Cold water tank level	High/Med/Low	High	High		
Booster pump Building B	Roof top building B	Booster pump status	Auto/Manual	Auto	Auto		
		Inverter status	Auto/Manual/Off	Auto	Auto		
		Booster pump Pressure	50 PSI	N/A	N/A		
		Cold water tank level	High/Med/Low	High	High		

Equipment.	Location	Description	Standard	Time			Remark
				09.00	17.00	01.00	
Heat pump	Back kitchen	Temperature	55°C	53	54		
		General status	Normal	Normal	Normal		
Hot Water Tank		Pressure	In / Out	36/47	35/47		
		General status of tank1	Normal	off	off		
		General status of tank2	Normal	off	off		
waste water treatment	Basement Building A	Ejector pump status	Auto/Manual	Auto	Auto		
		Air pump status	Auto/Manual	Auto	Auto		
		Electric consumption (Kwh)	Digital Kwh Meter	17568.9	17587.0		
		General status	Normal	Normal	Normal		
	Basement Building B	Ejector pump status	Auto/Manual	Auto	Auto		
		Air pump status	Auto/Manual	Auto	Auto		
		Electric consumption (Kwh)	Digital Kwh Meter	16609.5	16627.7		
		General status	Normal	Normal	Normal		
Submersible pump	Basement Building A(1)	pump status	Auto/Manual/Off	Auto	Auto		
		General status	Normal	Normal	Normal		
	Basement Building A(2)						
	Basement Building B(1)	selector pump status	Auto/Manual/Off	Auto	Auto		
		General status	Normal	Normal	Normal		
	Basement Building B(2)	pump status	Auto/Manual/Off	off	off		
		General status	Normal	overload	overload		
	Basement Building B(3)	pump status	Auto/Manual/Off	Auto	Auto		
		General status	Normal	Normal	Normal		
Irrigation water	Basement Building B						
Checked and recorded by				10h			

บันทึกเพิ่มเติม

Grand Kata VIP.

Engineering Department.

Cold , Freezer & Consumption Record Log sheet.



Date : _____

NO.	ID Code	Name	Location	Temp. Setting(°C)	Morning shift 09.00	Afternoon shift 17.00	Night shift 01.00	Remark
1	CR-001	Chiller room	Prepare room	2.0	5.2	6.6		
2	CR-002	Freezer 4 door-upright		-18	-15.6	-17.2		
3	CR-003	Freezer 4 door-upright		-18	-14.6	-17.8		
4	CR-004	4 door-upright	Cold kitchen	2.0	5.8	4.8		
5	CR-005	3 door-Base		5.0	7.2	5.0		
6	CR-006	Ice-cream cabinet		-20	-23	-24		
7	CR-007	2 door-upright	Kitchen	2.0	2.3	3.3		
8	CR-008	3 door-Base	Hot kitchen	5.0	4.9	6.9		
9	CR-009	3 door-Base		5.0	3.0	5.9		
10	CR-010	3 door-Base	Bar at restaurant	4.0	4.7	5.4		
11	CR-011	3 door-Base		4.0	df	4.7		
12	CR-012	2 door-Base		4.0	off	off		
13	CR-013	3 door-Base	Pool bar Buil.A	2.0	2.4	df		
14	CR-014	3 door-Base	Pool bar Buil.B	2.0	df	off		
15	CR-015	2 door-Base		2.0	off	off		
Ice machine								
16	ICE-001	Ice machine	Kitchen	Normal	on	on		
17	ICE-003	Ice machine	Pool bar Buil.B	Normal	off	off		
Recorded by					Tbr			

Consumption Record

ELECTRICITY							
High Voltage 33KV PEA METER (From PEA Website)							
Item Rate code time	KWH			Peak Demand KW			KWH Per day '000
	A 'nn1 09-22	B 'nn2 22-09	C 'nn3 00-24	A 'nn5 09-22	B 'nn6 22-09	C 'nn7 00-24	
Yesterday	368.43	246.65	281.18	0.114	0.110	0.103	89626
Today							
total							

WATER (Cubic meter)			
Main Meter			
Item	CW Meter PWA	Water Truck	Total In come
Yesterday	34081.1	5358.234	9831.522
Today			
Total			

Fuel in daytank		
Item	Generator Fuel Level	Generator Runing Hours
Yesterday		
Today		
Total		

Guest OCC. _____

Unit _____

No. of guest _____

Others Record : _____

Recorded by

Acknowledged by

Grand Kata VIP
Engineer Department.
Daily Logsheets.



Page 1/2

Date: 11/6/67

Equipment.	Location	Description	Standard	Time			Remark
				09.00	17.00	01.00	
Generator	Generator room	Selector switch status	Auto/Manual	Auto	Auto		
		Batteries Voltage	Over 24 Volt	27.6	27.6		
		Fuel level	Min.250 Liter	490	490		
		Engine run Hrs.	hr / m	190/1/466	190/1/466		
MDB	MDB Room	Voltage R/S/T	Digital meter	400/400/400	400/400/400		
		Amperage R/S/T	Digital meter	247/208/205	229/207/240		
		KWH	Digital meter	9868.5	9874.4		
		Cap bank Selector status	Auto/Manual	Auto	Auto		
		Power factor	0.95-0.98	0.96	0.96		
		cap bank working	Number	-	-		
EMDB	MDB Room	A.T.S. Selector status	Auto/Manual	Auto	Auto		
		Voltage R/S/T	Digital meter	398/399/398	399/399/399		
		Amperage R/S/T	Digital meter	47/44/46	67/39/41		
		KWH	Digital meter	1189889	1190239		
Deep Well pump	Basement Near MDB room	For raw tank pump status	Auto/Manual/Off	Auto	Auto		
		For raw Amperage	Amp. Meter	0	-		
		For raw General status	Normal	Normal	Normal		
		Raw water tank	Level	190	190		
	Basement Near MDB room						
Water tretment	Basement Near MDB room	Filter pump status for A	Auto/Manual/Off	Auto	Auto		
		Filter pressure for A	Not over 25 PSI	72	70		
		General status	Normal	Normal	Normal		
		Filter pump status for B	Auto/Manual/Off	Auto	Auto		
		Filter pressure for B	Not over 25 PSI	0	-		
		General status	Normal	Normal	Normal		
Booster pump Building A	Roof top building A	Booster pump status	Auto/Manual	Auto	Auto		
		Inverter status	Auto/Manual/Off	Auto	Auto		
		Booster pump Pressure	50 PSI	56	55		
		Cold water tank level	High/Med/Low	High	High		
Booster pump Building B	Roof top building B	Booster pump status	Auto/Manual	Auto	Auto		
		Inverter status	Auto/Manual/Off	Auto	Auto		
		Booster pump Pressure	50 PSI	52	52		
		Cold water tank level	High/Med/Low	High	High		

Page 2/4

Equipment.	Location	Description	Standard	Time			Remark
				09.00	17.00	01.00	
Heat pump	Back kitchen	Temperature	55°C	58	56		
		General status	Normal	Normal	Normal		
		Pressure	In / Out	36 / 46	34 / 47		
Hot Water Tank		General status of tank1	Normal	Normal	Normal		
		General status of tank2	Normal	off	off		
waste water treatment	Basement Building A	Ejector pump status	Auto/Manual	Auto	Auto		
		Air pump status	Auto/Manual	Auto	Auto		
		Electric consumption (Kwh)	Digital Kwh Meter	17867.1	17885.4		
		General status	Normal	Normal	Normal		
	Basement Building B	Ejector pump status	Auto/Manual	Auto	Auto		
		Air pump status	Auto/Manual	Auto	Auto		
		Electric consumption (Kwh)	Digital Kwh Meter	16906.7	16925.5		
		General status	Normal	Normal			
Submersible pump	Basement Building A(1)	pump status	Auto/Manual/Off	Auto	Auto		
		General status	Normal	Normal	Normal		
	Basement Building A(2)						
	Basement Building B(1)	selector pump status	Auto/Manual/Off	Auto	Auto		
		General status	Normal	Normal	Normal		
	Basement Building B(2)	pump status	Auto/Manual/Off	Auto	Auto		
		General status	Normal	Overload	OV		
	Basement Building B(3)	pump status	Auto/Manual/Off	Auto	Auto		
General status		Normal	Normal	Normal			
Irrigation water	Basement Building B						
Checked and recorded by							

บันทึกเพิ่มเติม

Grand Kata VIP.

Engineering Department.

Cold , Freezer & Consumption Record Log sheet.



Date : _____

NO.	ID Code	Name	Location	Temp. Setting(°C)	Morning shift 09.00	Afternoon shift 17.00	Night shift 01.00	Remark
1	CR-001	Chiller room	Prepare room	2.0	2.0	6.7		
2	CR-002	Freezer 4 door-upright		-18	-18.4	DEF		
3	CR-003	Freezer 4 door-upright		-18	-16.3	-18.0		
4	CR-004	4 door-upright	Cold kitchen	2.0	6.7	6.5		
5	CR-005	3 door-Base		5.0	7.1	5.0		
6	CR-006	Ice-cream cabinet		-20	-23	-25		
7	CR-007	2 door-upright	Kitchen	2.0	DEF	4.0		
8	CR-008	3 door-Base	Hot kitchen	5.0	8F	6.5		
9	CR-009	3 door-Base		5.0	6.7	5.6		
10	CR-010	3 door-Base	Bar at restaurant	4.0	4.5	5.9		
11	CR-011	3 door-Base		4.0	4.9	4.9		
12	CR-012	2 door-Base		4.0	OFF	OFF		
13	CR-013	3 door-Base	Pool bar Buil.A	2.0	2.4	3.2		
14	CR-014	3 door-Base	Pool bar Buil.B	2.0	OFF	OFF		
15	CR-015	2 door-Base		2.0	OFF	OFF		
Ice machine								
16	ICE-001	Ice machine	Kitchen	Normal	on	ON		
17	ICE-003	Ice machine	Pool bar Buil.B	Normal	OFF	OFF		
Recorded by								

Consumption Record

ELECTRICITY

High Voltage 33KV PEA METER (From PEA Website)

Item Rate code time	KWH			Peak Demand KW			KWH Per day '000
	A 'nn1 09-22	B 'nn2 22-09	C 'nn3 00-24	A 'nn5 09-22	B 'nn6 22-09	C 'nn7 00-24	
Yesterday							
Today							
total							

WATER (Cubic meter)

Main Meter

Item	CW Meter PWA	Water Truck	Total In come
Yesterday			
Today			
Total			

Fuel in daytank

Item	Generator Fuel Level	Generator Runing Hours
Yesterday		
Today		
Total		

Guest OCC. _____

Unit _____

No. of guest _____

Others Record :

Recorded by

Acknowledged by

Grand Kata VIP
Engineer Department.
Daily Logsheets.



Page 1/2

Date: 18/6/67

Equipment.	Location	Description	Standard	Time			Remark
				09.00	17.00	01.00	
Generator	Generator room	Selector switch status	Auto/Manual	Auto	Auto		
		Batteries Voltage	Over 24 Volt	27.6	27.6		
		Fuel level	Min.250 Liter	490	490		
		Engine run Hrs.	hr / m	190/16/467	190/16/467		
MDB	MDB Room	Voltage R/S/T	Digital meter	399/399/399	400/400/400		
		Amperage R/S/T	Digital meter	910/173/194	275/194/176		
		KWH	Digital meter	9956.9	9963.7		
		Cap bank Selector status	Auto/Manual	Auto	Auto		
		Power factor	0.95-0.98	0.98	0.98		
		cap bank working	Number	-	-		
EMDB	MDB Room	A.T.S. Selector status	Auto/Manual	Auto	Auto		
		Voltage R/S/T	Digital meter	398/398/398	399/399/399		
		Amperage R/S/T	Digital meter	54/57/48	78/59/60		
		KWH	Digital meter	1195105	1195526		
Deep Well pump	Basement Near MDB room	For raw tank pump status	Auto/Manual/Off	Auto	Auto		
		For raw Amperage	Amp. Meter	-	-		
		For raw General status	Normal	Normal	Normal		
		Raw water tank	Level	190	190		
	Basement Near MDB room						
Water tretment	Basement Near MDB room	Filter pump status for A	Auto/Manual/Off	Auto	Auto		
		Filter pressure for A	Not over 25 PSI	88	40		
		General status	Normal	Normal	Normal		
		Filter pump status for B	Auto/Manual/Off	Auto	Auto		
		Filter pressure for B	Not over 25 PSI	0	0		
		General status	Normal	Normal	Normal		
Booster pump Building A	Roof top building A	Booster pump status	Auto/Manual	Auto	Auto		
		Inverter status	Auto/Manual/Off	Auto	Auto		
		Booster pump Pressure	50 PSI	56	55		
		Cold water tank level	High/Med/Low	High	High		
Booster pump Building B	Roof top building B	Booster pump status	Auto/Manual	Auto	Auto		
		Inverter status	Auto/Manual/Off	Auto	Auto		
		Booster pump Pressure	50 PSI	58	55		
		Cold water tank level	High/Med/Low	High	High		

Equipment.	Location	Description	Standard	Time			Remark
				09.00	17.00	01.00	
Heat pump	Back kitchen	Temperature	55°C	58°	56		
		General status	Normal	Normal	Normal		
		Pressure	In / Out	36 / 46	34 / 47		
Hot Water Tank		General status of tank1	Normal	off	off		
		General status of tank2	Normal	off	off		
waste water treatment	Basement Building A	Ejector pump status	Auto/Manual	Auto	Auto		
		Air pump status	Auto/Manual	Auto	Auto		
		Electric consumption (Kwh)	Digital Kwh Meter	18158.4	18179.2		
		General status	Normal	Normal	Normal		
	Basement Building B	Ejector pump status	Auto/Manual	Auto	Auto		
		Air pump status	Auto/Manual	Auto	Auto		
		Electric consumption (Kwh)	Digital Kwh Meter	17203.7	17227.4		
		General status	Normal	Normal	Normal		
Submersible pump	Basement Building A(1)	pump status	Auto/Manual/Off	Auto	Auto		
		General status	Normal	Normal	Normal		
	Basement Building A(2)						
		Basement Building B(1)	selector pump status	Auto/Manual/Off	Auto	Auto	
	General status		Normal	Normal	Normal		
	Basement Building B(2)	pump status	Auto/Manual/Off	off	off		
		General status	Normal	overload	ove		
	Basement Building B(3)	pump status	Auto/Manual/Off	Auto	Auto		
		General status	Normal	Normal	Normal		
Irrigation water	Basement Building B						
Checked and recorded by							

บันทึกเพิ่มเติม

Grand Kata VIP.

Engineering Department.

Cold , Freezer & Consumption Record Log sheet.



Date : _____

NO.	ID Code	Name	Location	Temp. Setting(°C)	Morning shift 09.00	Afternoon shift 17.00	Night shift 01.00	Remark
1	CR-001	Chiller room	Prepare room	2.0	4.0	5.7		
2	CR-002	Freezer 4 door-upright		-18	11.6	-9.2		
3	CR-003	Freezer 4 door-upright		-18	13.4	-12.6		
4	CR-004	4 door-upright	Cold kitchen	2.0	4.4	6.7		
5	CR-005	3 door-Base		5.0	6.9	5.0		
6	CR-006	Ice-cream cabinet		-20	-23	-24		
7	CR-007	2 door-upright	Kitchen	2.0	2.4	2.4		
8	CR-008	3 door-Base	Hot kitchen	5.0	8.7	5.3		
9	CR-009	3 door-Base		5.0	6.7	5.6		
10	CR-010	3 door-Base	Bar at restaurant	4.0	8.4	4.4		
11	CR-011	3 door-Base		4.0	5.4	6.3		
12	CR-012	2 door-Base		4.0	off	off		
13	CR-013	3 door-Base	Pool bar Buil.A	2.0	3.0	2.2		
14	CR-014	3 door-Base	Pool bar Buil.B	2.0	off	off		
15	CR-015	2 door-Base		2.0	off	off		
Ice machine								
16	ICE-001	Ice machine	Kitchen	Normal	on	on		
17	ICE-003	Ice machine	Pool bar Buil.B	Normal	off	off		
Recorded by								

Consumption Record

ELECTRICITY							
High Voltage 33KV PEA METER (From PEA Website)							
Item Rate code time	KWH			Peak Demand KW			KWH Per day '000
	A 'nn1 09-22	B 'nn2 22-09	C 'nn3 00-24	A 'nn5 09-22	B 'nn6 22-09	C 'nn7 00-24	
Yesterday							
Today							
total							

WATER (Cubic meter)			
Main Meter			
Item	CW Meter PWA	Water Truck	Total In come
Yesterday			
Today			
Total			

Fuel in daytank		
Item	Generator Fuel Level	Generator Runing Hours
Yesterday		
Today		
Total		

Guest OCC. _____ Unit _____ No. of guest _____

Others Record : _____

Recorded by

Acknowledged by

Grand Kata VIP
Engineer Department.
Daily Logsheets.



Page 1/2

Date: 28/6/67

Equipment.	Location	Description	Standard	Time			Remark
				09.00	17.00	01.00	
Generator	Generator room	Selector switch status	Auto/Manual	Auto	Auto		
		Batteries Voltage	Over 24 Volt	27.7	27.6		
		Fuel level	Min.250 Liter	480	480		
		Engine run Hrs.	hr / m	468 190/31/468	190/31/468		
MDB	MDB Room	Voltage R/S/T	Digital meter	401/401/401	401/401/401		
		Amperage R/S/T	Digital meter	167/167/135	263/229/232		
		KWH	Digital meter	0089.7	0089.5		
		Cap bank Selector status	Auto/Manual	Auto	Auto		
		Power factor	0.95-0.98	0.99	0.96		
		cap bank working	Number	-	-		
EMDB	MDB Room	A.T.S. Selector status	Auto/Manual	Auto	Auto		
		Voltage R/S/T	Digital meter	58/38/84	398/399/399		
		Amperage R/S/T	Digital meter	399/399/399	79/64/55		
		KWH	Digital meter	1802660	7203070		
Deep Well pump	Basement Near MDB room	For raw tank pump status	Auto/Manual/Off	Auto	Auto		
		For raw Amperage	Amp. Meter	-	-		
		For raw General status	Normal	Normal	Normal		
		Raw water tank	Level	192 cm	192		
	Basement Near MDB room						
Water tretment	Basement Near MDB room	Filter pump status for A	Auto/Manual/Off	Auto	Auto		
		Filter pressure for A	Not over 25 PSI	0	40		
		General status	Normal	Normal	Normal		
		Filter pump status for B	Auto/Manual/Off	Auto	Auto		
		Filter pressure for B	Not over 25 PSI	38	5		
		General status	Normal	Normal	Normal		
Booster pump Building A	Roof top building A	Booster pump status	Auto/Manual	Auto	Auto		
		Inverter status	Auto/Manual/Off	Auto	Auto		
		Booster pump Pressure	50 PSI	54	51		
		Cold water tank level	High/Med/Low	High	High		
Booster pump Building B	Roof top building B	Booster pump status	Auto/Manual	Auto	Auto		
		Inverter status	Auto/Manual/Off	Auto	Auto		
		Booster pump Pressure	50 PSI	56	N/A		
		Cold water tank level	High/Med/Low	High	High		

1505

Equipment.	Location	Description	Standard	Time			Remark
				09.00	17.00	01.00	
Heat pump	Back kitchen	Temperature	55°C	54°	52		
		General status	Normal	Normal	Normal		
		Pressure	In / Out	36/46	34/47		
Hot Water Tank		General status of tank1	Normal	off	off		
		General status of tank2	Normal	off	off		
waste water treatment	Basement Building A	Ejector pump status	Auto/Manual	Auto	Auto		
		Air pump status	Auto/Manual	Auto	Auto		
		Electric consumption (Kwh)	Digital Kwh Meter	18579.1	18600.7		
		General status	Normal	Normal	Normal		
	Basement Building B	Ejector pump status	Auto/Manual	Auto	Auto		
		Air pump status	Auto/Manual	Auto	Auto		
		Electric consumption (Kwh)	Digital Kwh Meter	17629.4	17647.1		
		General status	Normal	Normal	Normal		
Submersible pump	Basement Building A(1)	pump status	Auto/Manual/Off	Auto	Auto		
		General status	Normal	Normal	Normal		
	Basement Building A(2)						
	Basement Building B(1)	selector pump status	Auto/Manual/Off	Auto	Auto		
		General status	Normal	Normal	Normal		
	Basement Building B(2)	pump status	Auto/Manual/Off	off	off		
		General status	Normal	overload	Overload		
	Basement Building B(3)	pump status	Auto/Manual/Off	Auto	Auto		
		General status	Normal	Normal	Normal		
Irrigation water	Basement Building B						
Checked and recorded by							

บันทึกเพิ่มเติม

Grand Kata VIP.

Engineering Department.

Cold , Freezer & Consumption Record Log sheet.



Date : _____

NO.	ID Code	Name	Location	Temp. Setting(°C)	Morning shift 09.00	Afternoon shift 17.00	Night shift 01.00	Remark
1	CR-001	Chiller room	Prepare room	2.0	10.5	7.3		
2	CR-002	Freezer 4 door-upright		-18	-11.3	-6.6		
3	CR-003	Freezer 4 door-upright		-18	-13.4	-11.5		
4	CR-004	4 door-upright	Cold kitchen	2.0	6.2	7.0		
5	CR-005	3 door-Base		5.0	5.6	6.9		
6	CR-006	Ice-cream cabinet		-20	-21	-26		
7	CR-007	2 door-upright	Kitchen	2.0	2.0	2.1		
8	CR-008	3 door-Base	Hot kitchen	5.0	6.5	5.6		
9	CR-009	3 door-Base		5.0	df	5.0		
10	CR-010	3 door-Base	Bar at restaurant	4.0	5.6	df		
11	CR-011	3 door-Base		4.0	5.3	4.9		
12	CR-012	2 door-Base		4.0	off	off		
13	CR-013	3 door-Base	Pool bar Buil.A	2.0	3.2	2.1		
14	CR-014	3 door-Base	Pool bar Buil.B	2.0	off	off		
15	CR-015	2 door-Base		2.0	off	off		
Ice machine								
16	ICE-001	Ice machine	Kitchen	Normal	on	on		
17	ICE-003	Ice machine	Pool bar Buil.B	Normal	off	off		
Recorded by								

Consumption Record

ELECTRICITY

High Voltage 33KV PEA METER (From PEA Website)

Item Rate code time	KWH			Peak Demand KW			KWH Per day '000
	A 'nn1 09-22	B 'nn2 22-09	C 'nn3 00-24	A 'nn5 09-22	B 'nn6 22-09	C 'nn7 00-24	
Yesterday							
Today							
total							

WATER (Cubic meter)

Main Meter

Item	CW Meter PWA	Water Truck	Total In come
Yesterday			
Today			
Total			

Fuel in daytank

Item	Generator Fuel Level	Generator Runing Hours
Yesterday		
Today		
Total		

Guest OCC. _____

Unit _____

No. of guest _____

Others Record :

Recorded by

Acknowledged by

ภาคผนวก ข-6

บุคลากรควบคุมดูแลการจัดการน้ำเสียของโครงการ

นิติบุคคลอาคารชุด วีไอพี คอนโด กะตะ

ประกาศ

เรื่อง แต่งตั้งเจ้าหน้าที่ดูแลระบบบำบัดน้ำเสีย

เพื่อให้ระบบการบำบัดน้ำเสียของโครงการนิติบุคคลอาคารชุด วีไอพี คอนโด กะตะ เป็นไปอย่างมีประสิทธิภาพและได้มาตรฐานตามมาตรการติดตามตรวจสอบผลกระทบสิ่งแวดล้อม อันจะก่อให้เกิดความสะดวกและเป็นสุขอนามัยแก่ผู้พักอาศัยในโครงการมากยิ่งขึ้น

นิติบุคคลอาคารชุด วีไอพี คอนโด กะตะ จึงจำเป็นต้องออกประกาศแต่งตั้งลูกจ้างของนิติบุคคลอาคารชุดฯ ในการควบคุมงานเกี่ยวกับการดูแลระบบบำบัดน้ำเสียของโครงการฯ ดังรายชื่อต่อไปนี้

1.

2.

โดยให้ผู้ควบคุมงานเกี่ยวกับการดูแลระบบบำบัดน้ำเสีย มีหน้าที่ดังนี้


- 1.ตรวจสอบการทำงานและดูแลระบบบำบัดน้ำเสียในอาคารที่ติดตั้งตามอาคารให้มีประสิทธิภาพใช้งานได้อย่างสม่ำเสมอ
- 2.จัดทำรายงานสรุปผลดำเนินงานของระบบบำบัดน้ำเสียประจำเดือนเพื่อรายงานต่อเจ้าพนักงานท้องถิ่นทุกเดือน
- 3.จัดให้มีการเก็บตัวอย่างน้ำทิ้งหลังจากบำบัดเพื่อรายงานต่อเจ้าหน้าที่ที่เกี่ยวข้อง ตามมาตรการติดตามตรวจสอบผลกระทบสิ่งแวดล้อม
- 4.ควบคุมดูแลและจัดให้มีการจัดการกากตะกอนของระบบบำบัดน้ำเสีย

ประกาศ ณ วันที่ 13 ธันวาคม 2566

ผู้จัดการนิติบุคคลอาคารชุด วีไอพี คอนโด กะตะ

ภาคผนวก ข-7

เอกสารการสูบกากตะกอน



ข้อที่ 8. ผู้รับจ้างจะปฏิบัติงานตามสัญญาในนามของตนเอง และจะไม่นำงานทั้งหมดหรือบางส่วนไปให้บุคคลอื่นรับช่วงโดยเด็ดขาด เว้นแต่จะได้รับอนุญาตเป็นลายลักษณ์อักษรจากผู้ว่าจ้าง

ข้อที่ 9. ผู้รับจ้างยอมรับผิดชอบต่อความเสียหายอันเนื่องมาจากการกระทำของผู้รับจ้าง หรือคนงานของผู้รับจ้างที่เกิดแก่ทรัพย์สิน หรือชื่อเสียงของผู้ว่าจ้าง ของพนักงานของผู้ว่าจ้าง และของบุคคลภายนอกซึ่งอยู่ในบริเวณที่ผู้รับจ้างรับทำงานนี้ โดยผู้รับจ้างยินยอมชดเชยค่าเสียหายดังต่อไปนี้

ข้อ 9.1 ค่าเสียหายอันเกี่ยวกับทรัพย์สินตามที่แท้จริง

ข้อ 9.2 ค่าเสียหายที่เกิดขึ้นกับพนักงานของผู้ว่าจ้าง

ข้อ 9.3 ค่าเสียหายที่เกิดขึ้นจากการเสียเวลาทำงานของผู้ว่าจ้าง

ข้อ 9.4 ค่าเสียหายอื่นใด (ถ้ามี)


ข้อที่ 10. ถ้าฝ่ายหนึ่งฝ่ายใดมีความประสงค์จะเลิกสัญญานี้ก่อนครบสัญญาในข้อ 11. จะต้องแจ้งเป็นลายลักษณ์อักษรให้อีกฝ่ายหนึ่งทราบล่วงหน้า เป็นเวลาไม่น้อยกว่าสามสิบวัน แต่ถ้าผู้รับจ้างไม่ปฏิบัติตามข้อตกลงที่กำหนดไว้ในสัญญานี้ และผู้ว่าจ้างพิจารณาเห็นว่าอาจจะเกิดผลเสียหายกับผู้ว่าจ้างได้ ผู้ว่าจ้างมีสิทธิที่จะบอกเลิกสัญญาได้ทันทีโดยมีต้องแจ้งให้ผู้รับจ้างทราบล่วงหน้า และผู้รับจ้างไม่มีสิทธิเรียกร้องค่าเสียหายใดๆ จากผู้ว่าจ้าง

ข้อที่ 11. สัญญาจ้างเหมานี้กำหนด 1 ปี นับตั้งแต่วันที่ 01 มกราคม 2567 ถึงวันที่ 31 ธันวาคม 2567

สัญญานี้ทำขึ้นเป็นสองฉบับมีข้อความถูกต้องตรงกันทุกประการ คู่สัญญาทั้งสองฝ่ายได้อ่านและเข้าใจดีแล้ว จึงลงลายมือชื่อไว้เป็นสำคัญต่อหน้าพยานและเก็บสัญญาไว้คนละฉบับ

ลงชื่อ
() ... ผู้ว่าจ้าง

ลงชื่อ
() ผู้รับจ้าง

ลงชื่อ
() .. พยาน

ลงชื่อ
() พยาน



ใบอนุญาตดำเนินการกิจการทำการเก็บ ขน หรือกำจัดสิ่งปฏิกูล หรือมูลฝอย

เล่มที่ 1/67 เลขที่ 02 ปี 2567

สำนักงานเทศบาลตำบลกระนวน

(1) เจ้าพนักงานท้องถิ่นอนุญาตให้..... สัญชาติ..... ไทย.....
เลขบัตรประจำตัวประชาชน..... อยู่บ้าน/สำนักงานที่.....
ซอย..... ถนน..... ตำบล..... อำเภอ..... จังหวัด.....
หมายเลขโทรศัพท์..... โทรสาร.....
ในนามบุคคลธรรมดา ชื่อ..... ตั้งอยู่เลขที่.....
ซอย..... ถนน..... ตำบล..... อำเภอ..... จังหวัด.....
หมายเลขโทรศัพท์.....

เสียค่าธรรมเนียมปีละ..... 5,000..... บาท..... (ห้าพันบาทถ้วน)..... ตามใบเสร็จรับเงิน
เล่มที่..... เลขที่ RCP-00858/๒๔ ลงวันที่ 20 ธันวาคม 2566.....

(2) ผู้รับใบอนุญาตต้องปฏิบัติตามหลักเกณฑ์ วิธีการและเงื่อนไขที่กำหนดในข้อกำหนด
ของท้องถิ่น

(3) หากปรากฏในภายหลังว่าการประกอบกิจการที่ได้รับอนุญาตนี้เป็นการขัดต่อกฎหมายอื่น
ที่เกี่ยวข้อง โดยมีอาจแก้ไขได้ เจ้าพนักงานท้องถิ่นอาจพิจารณาให้เพิกถอนการอนุญาตนี้ได้

(4) ผู้รับใบอนุญาตต้องปฏิบัติตามเงื่อนไขเฉพาะดังต่อไปนี้ด้วย คือ

4.1 การจัดเก็บค่าธรรมเนียมการให้บริการให้บริการต้องเป็นไปตามอัตราที่กำหนดไว้
ท้ายเทศบัญญัติเทศบาลตำบลกระนวน เรื่อง การกำจัดสิ่งปฏิกูลและมูลฝอย

4.2 หลักเกณฑ์ วิธีการ และเงื่อนไขในการเก็บ ขน และกำจัดสิ่งปฏิกูลหรือมูลฝอย
ให้ถือปฏิบัติประกาศที่เทศบาลตำบลกระนวนได้ประกาศกำหนดไว้

(5) ใบอนุญาตฉบับนี้ออกให้เมื่อวันที่ 20 เดือน ธันวาคม พ.ศ. 2566


(6) ใบอนุญาตฉบับนี้สิ้นอายุวันที่ 19 เดือน ธันวาคม พ.ศ. 2567

ลงชื่อ


ปลัดเทศบาล ปฏิบัติราชการแทน
นายกเทศมนตรีตำบลกระนวน
เจ้าพนักงานท้องถิ่น

คำเตือน (1) ผู้รับใบอนุญาตต้องแสดงใบอนุญาตนี้ไว้โดยเปิดเผยและเห็นได้ง่าย ณ สถานที่ประกอบกิจการ
ตลอดเวลาที่ประกอบกิจการ หากฝ่าฝืนมีโทษปรับไม่เกิน 500 บาท

(2) หากประสงค์จะประกอบกิจการในปีต่อไปต้องยื่นคำขอต่ออนุญาตใบอนุญาตก่อนใบอนุญาตสิ้นอายุ



কম্পিউটার সফটওয়্যার



ภาคผนวก ข-8

เอกสารตรวจสอบและซ่อมบำรุงระบบไฟฟ้า

Grand Kata VIP
Engineer Department.
Daily Logsheets.



Page 1/2

Date: 4/6/17

Equipment.	Location	Description	Standard	Time			Remark
				09.00	17.00	01.00	
Generator	Generator room	Selector switch status	Auto/Manual	Auto	Auto		
		Batteries Voltage	Over 24 Volt	27.6	27.7		
		Fuel level	Min.250 Liter	490	485		
		Engine run Hrs.	hr / m	189 h 35 m	189/35/463	463 (9)	
MDB	MDB Room	Voltage R/S/T	Digital meter	400/400/400	400/400/400		
		Amperage R/S/T	Digital meter	193/90/1164	239/157/206		
		KWH	Digital meter	9780.3	9786.6		
		Cap bank Selector status	Auto/Manual	Auto	Auto		
		Power factor	0.95-0.98	0.96	0.94		
		cap bank working	Number	-	-		
EMDB	MDB Room	A.T.S. Selector status	Auto/Manual	Auto	Auto		
		Voltage R/S/T	Digital meter	400/400/400	399/399/399		
		Amperage R/S/T	Digital meter	58/54/193	55/49/47		
		KWH	Digital meter	1184827	1185003		
Deep Well pump	Basement Near MDB room	For raw tank pump status	Auto/Manual/Off	Auto	Auto		
		For raw Amperage	Amp. Meter	-	-		
		For raw General status	Normal	Normal	Normal		
		Raw water tank	Level	191.2	192		
	Basement Near MDB room						
Water tretment	Basement Near MDB room	Filter pump status for A	Auto/Manual/Off	Auto	Auto		
		Filter pressure for A	Not over 25 PSI	74	40		
		General status	Normal	Normal	Normal		
		Filter pump status for B	Auto/Manual/Off	Auto	Auto		
		Filter pressure for B	Not over 25 PSI	10	12		
		General status	Normal	Normal	Normal		
Booster pump Building A	Roof top building A	Booster pump status	Auto/Manual	Auto	Auto		
		Inverter status	Auto/Manual/Off	Auto	Auto		
		Booster pump Pressure	50 PSI	56 PSI	54		
		Cold water tank level	High/Med/Low	High	High		
Booster pump Building B	Roof top building B	Booster pump status	Auto/Manual	Auto	Auto		
		Inverter status	Auto/Manual/Off	Auto	Auto		
		Booster pump Pressure	50 PSI	N/A	N/A		
		Cold water tank level	High/Med/Low	High	High		

Equipment.	Location	Description	Standard	Time			Remark
				09.00	17.00	01.00	
Heat pump	Back kitchen	Temperature	55°C	53	54		
		General status	Normal	Normal	Normal		
		Pressure	In / Out	36/47	35/47		
Hot Water Tank		General status of tank1	Normal	off	off		
		General status of tank2	Normal	off	off		
waste water treatment	Basement Building A	Ejector pump status	Auto/Manual	Auto	Auto		
		Air pump status	Auto/Manual	Auto	Auto		
		Electric consumption (Kwh)	Digital Kwh Meter	17568.9	17587.0		
		General status	Normal	Normal	Normal		
	Basement Building B	Ejector pump status	Auto/Manual	Auto	Auto		
		Air pump status	Auto/Manual	Auto	Auto		
		Electric consumption (Kwh)	Digital Kwh Meter	16609.5	16627.7		
		General status	Normal	Normal	Normal		
Submersible pump	Basement Building A(1)	pump status	Auto/Manual/Off	Auto	Auto		
		General status	Normal	Normal	Normal		
	Basement Building A(2)						
	Basement Building B(1)	selector pump status	Auto/Manual/Off	Auto	Auto		
		General status	Normal	Normal	Normal		
	Basement Building B(2)	pump status	Auto/Manual/Off	off	off		
		General status	Normal	overload	overload		
	Basement Building B(3)	pump status	Auto/Manual/Off	Auto	Auto		
		General status	Normal	Normal	Normal		
Irrigation water	Basement Building B						
Checked and recorded by							

บันทึกเพิ่มเติม

Grand Kata VIP.

Engineering Department.

Cold , Freezer & Consumption Record Log sheet.



Date :

NO.	ID Code	Name	Location	Temp. Setting(°C)	Morning shift 09.00	Afternoon shift 17.00	Night shift 01.00	Remark
1	CR-001	Chiller room	Prepare room	2.0	5.2	6.6		
2	CR-002	Freezer 4 door-upright		-18	-15.6	-17.2		
3	CR-003	Freezer 4 door-upright		-18	-14.6	-17.8		
4	CR-004	4 door-upright	Cold kitchen	2.0	5.8	4.8		
5	CR-005	3 door-Base		5.0	7.2	5.0		
6	CR-006	Ice-cream cabinet		-20	-23	-24		
7	CR-007	2 door-upright	Kitchen	2.0	2.3	3.3		
8	CR-008	3 door-Base	Hot kitchen	5.0	4.9	6.9		
9	CR-009	3 door-Base		5.0	3.0	5.9		
10	CR-010	3 door-Base	Bar at restaurant	4.0	4.9	5.4		
11	CR-011	3 door-Base		4.0	df	4.7		
12	CR-012	2 door-Base		4.0	off	off		
13	CR-013	3 door-Base	Pool bar Buil.A	2.0	2.4	df		
14	CR-014	3 door-Base	Pool bar Buil.B	2.0	df	off		
15	CR-015	2 door-Base		2.0	off	off		
Ice machine								
16	ICE-001	Ice machine	Kitchen	Normal	on	on		
17	ICE-003	Ice machine	Pool bar Buil.B	Normal		off		
Recorded by								

Consumption Record

ELECTRICITY							
High Voltage 33KV PEA METER (From PEA Website)							
Item Rate code time	KWH			Peak Demand KW			KWH Per day '000
	A 'nn1 09-22	B 'nn2 22-09	C 'nn3 00-24	A 'nn5 09-22	B 'nn6 22-09	C 'nn7 00-24	
Yesterday	368.43	246.65	281.18	0.114	0.110	0.103	89626
Today							
total							

WATER (Cubic meter)			
Main Meter			
Item	CW Meter PWA	Water Truck	Total In come
Yesterday	34081.1	5358.234	9831.522
Today			
Total			

Fuel in daytank		
Item	Generator Fuel Level	Generator Runing Hours
Yesterday		
Today		
Total		

Guest OCC. _____

Unit _____

No. of guest _____

Others Record :

Recorded by

Acknowledged by

Grand Kata VIP
Engineer Department.
Daily Logsheets.



Page 1/2

Date: 11/6/67

Equipment.	Location	Description	Standard	Time			Remark
				09.00	17.00	01.00	
Generator	Generator room	Selector switch status	Auto/Manual	Auto	Auto		
		Batteries Voltage	Over 24 Volt	27.6	27.6		
		Fuel level	Min.250 Liter	490	490		
		Engine run Hrs.	hr / m	190/1/466	190/1/466		
MDB	MDB Room	Voltage R/S/T	Digital meter	400/400/400	400/400/400		
		Amperage R/S/T	Digital meter	247/208/205	229/207/240		
		KWH	Digital meter	9868.5	9874.4		
		Cap bank Selector status	Auto/Manual	Auto	Auto		
		Power factor	0.95-0.98	0.96	0.96		
		cap bank working	Number	-	-		
EMDB	MDB Room	A.T.S. Selector status	Auto/Manual	Auto	Auto		
		Voltage R/S/T	Digital meter	398/399/398	399/399/399		
		Amperage R/S/T	Digital meter	47/44/46	67/39/41		
		KWH	Digital meter	1189889	1190239		
Deep Well pump	Basement Near MDB room	For raw tank pump status	Auto/Manual/Off	Auto	Auto		
		For raw Amperage	Amp. Meter	0	-		
		For raw General status	Normal	Normal	Normal		
		Raw water tank	Level	190	190		
	Basement Near MDB room						
Water tretment	Basement Near MDB room	Filter pump status for A	Auto/Manual/Off	Auto	Auto		
		Filter pressure for A	Not over 25 PSI	72	70		
		General status	Normal	Normal	Normal		
		Filter pump status for B	Auto/Manual/Off	Auto	Auto		
		Filter pressure for B	Not over 25 PSI	0	-		
		General status	Normal	Normal	Normal		
Booster pump Building A	Roof top building A	Booster pump status	Auto/Manual	Auto	Auto		
		Inverter status	Auto/Manual/Off	Auto	Auto		
		Booster pump Pressure	50 PSI	56	55		
		Cold water tank level	High/Med/Low	High	High		
Booster pump Building B	Roof top building B	Booster pump status	Auto/Manual	Auto	Auto		
		Inverter status	Auto/Manual/Off	Auto	Auto		
		Booster pump Pressure	50 PSI	52	52		
		Cold water tank level	High/Med/Low	High	High		

Page 2/4

Equipment.	Location	Description	Standard	Time			Remark
				09.00	17.00	01.00	
Heat pump	Back kitchen	Temperature	55°C	58'	56		
		General status	Normal	Normal	Normal		
		Pressure	In / Out	36/46	34/47		
Hot Water Tank		General status of tank1	Normal	Normal	Normal		
		General status of tank2	Normal	off	off		
waste water treatment	Basement Building A	Ejector pump status	Auto/Manual	Auto	Auto		
		Air pump status	Auto/Manual	Auto	Auto		
		Electric consumption (Kwh)	Digital Kwh Meter	17867.1	17885.4		
		General status	Normal	Normal	Normal		
	Basement Building B	Ejector pump status	Auto/Manual	Auto	Auto		
		Air pump status	Auto/Manual	Auto	Auto		
		Electric consumption (Kwh)	Digital Kwh Meter	16906.7	16925.5		
		General status	Normal	Normal			
Submersible pump	Basement Building A(1)	pump status	Auto/Manual/Off	Auto	Auto		
		General status	Normal	Normal	Normal		
	Basement Building A(2)						
	Basement Building B(1)	selector pump status	Auto/Manual/Off	Auto	Auto		
		General status	Normal	Normal	Normal		
	Basement Building B(2)	pump status	Auto/Manual/Off	Auto	Auto		
		General status	Normal	Overload	OV		
Basement Building B(3)	pump status	Auto/Manual/Off	Auto	Auto			
	General status	Normal	Normal	Normal			
Irrigation water	Basement Building B						
Checked and recorded by							

บันทึกเพิ่มเติม

Grand Kata VIP.

Engineering Department.

Cold , Freezer & Consumption Record Log sheet.



Date : _____

NO.	ID Code	Name	Location	Temp. Setting(°C)	Morning shift 09.00	Afternoon shift 17.00	Night shift 01.00	Remark
1	CR-001	Chiller room	Prepare room	2.0	2.0	6.7		
2	CR-002	Freezer 4 door-upright		-18	-18.4	DEF		
3	CR-003	Freezer 4 door-upright		-18	-16.3	-18.0		
4	CR-004	4 door-upright	Cold kitchen	2.0	6.7	6.5		
5	CR-005	3 door-Base		5.0	7.1	5.0		
6	CR-006	Ice-cream cabinet		-20	-23	-25		
7	CR-007	2 door-upright	Kitchen	2.0	DEF	4.0		
8	CR-008	3 door-Base	Hot kitchen	5.0	8F	6.5		
9	CR-009	3 door-Base		5.0	6.7	5.6		
10	CR-010	3 door-Base	Bar at restaurant	4.0	4.5	5.9		
11	CR-011	3 door-Base		4.0	4.9	4.9		
12	CR-012	2 door-Base		4.0	OFF	OFF		
13	CR-013	3 door-Base	Pool bar Buil.A	2.0	2.4	3.2		
14	CR-014	3 door-Base	Pool bar Buil.B	2.0	OFF	OFF		
15	CR-015	2 door-Base		2.0	OFF	OFF		
Ice machine								
16	ICE-001	Ice machine	Kitchen	Normal	on	ON		
17	ICE-003	Ice machine	Pool bar Buil.B	Normal	OFF	OFF		
Recorded by								

Consumption Record

ELECTRICITY

High Voltage 33KV PEA METER (From PEA Website)

Item Rate code time	KWH			Peak Demand KW			KWH Per day '000
	A 'nn1 09-22	B 'nn2 22-09	C 'nn3 00-24	A 'nn5 09-22	B 'nn6 22-09	C 'nn7 00-24	
Yesterday							
Today							
total							

WATER (Cubic meter)

Main Meter

Item	CW Meter PWA	Water Truck	Total In come
Yesterday			
Today			
Total			

Fuel in daytank

Item	Generator Fuel Level	Generator Runing Hours
Yesterday		
Today		
Total		

Guest OCC. _____

Unit _____

No. of guest _____

Others Record : _____

Recorded by _____

Acknowledged by _____

Grand Kata VIP
Engineer Department.
Daily Logsheets.



Page 1/2

Date: 18/6/67

Equipment.	Location	Description	Standard	Time			Remark
				09.00	17.00	01.00	
Generator	Generator room	Selector switch status	Auto/Manual	Auto	Auto		
		Batteries Voltage	Over 24 Volt	27.6	27.6		
		Fuel level	Min.250 Liter	490	490		
		Engine run Hrs.	hr / m	190/16/467	190/16/467		
MDB	MDB Room	Voltage R/S/T	Digital meter	399/399/399	400/400/400		
		Amperage R/S/T	Digital meter	910/173/194	275/194/176		
		KWH	Digital meter	9956.9	9963.7		
		Cap bank Selector status	Auto/Manual	Auto	Auto		
		Power factor	0.95-0.98	0.98	0.98		
		cap bank working	Number	-	-		
EMDB	MDB Room	A.T.S. Selector status	Auto/Manual	Auto	Auto		
		Voltage R/S/T	Digital meter	398/398/398	399/399/399		
		Amperage R/S/T	Digital meter	54/57/48	78/59/60		
		KWH	Digital meter	1195105	1195526		
Deep Well pump	Basement Near MDB room	For raw tank pump status	Auto/Manual/Off	Auto	Auto		
		For raw Amperage	Amp. Meter	-	-		
		For raw General status	Normal	Normal	Normal		
		Raw water tank	Level	190	190		
	Basement Near MDB room						
Water tretment	Basement Near MDB room	Filter pump status for A	Auto/Manual/Off	Auto	Auto		
		Filter pressure for A	Not over 25 PSI	88	40		
		General status	Normal	Normal	Normal		
		Filter pump status for B	Auto/Manual/Off	Auto	Auto		
		Filter pressure for B	Not over 25 PSI	0	0		
		General status	Normal	Normal	Normal		
Booster pump Building A	Roof top building A	Booster pump status	Auto/Manual	Auto	Auto		
		Inverter status	Auto/Manual/Off	Auto	Auto		
		Booster pump Pressure	50 PSI	56	55		
		Cold water tank level	High/Med/Low	High	High		
Booster pump Building B	Roof top building B	Booster pump status	Auto/Manual	Auto	Auto		
		Inverter status	Auto/Manual/Off	Auto	Auto		
		Booster pump Pressure	50 PSI	58	55		
		Cold water tank level	High/Med/Low	High	High		

Equipment.	Location	Description	Standard	Time			Remark
				09.00	17.00	01.00	
Heat pump	Back kitchen	Temperature	55°C	58°	56		
		General status	Normal	Normal	Normal		
		Pressure	In / Out	36 / 46	34 / 47		
Hot Water Tank		General status of tank1	Normal	off	off		
		General status of tank2	Normal	off	off		
waste water treatment	Basement Building A	Ejector pump status	Auto/Manual	Auto	Auto		
		Air pump status	Auto/Manual	Auto	Auto		
		Electric consumption (Kwh)	Digital Kwh Meter	18158.4	18179.2		
		General status	Normal	Normal	Normal		
	Basement Building B	Ejector pump status	Auto/Manual	Auto	Auto		
		Air pump status	Auto/Manual	Auto	Auto		
		Electric consumption (Kwh)	Digital Kwh Meter	17203.7	17227.4		
		General status	Normal	Normal	Normal		
Submersible pump	Basement Building A(1)	pump status	Auto/Manual/Off	Auto	Auto		
		General status	Normal	Normal	Normal		
	Basement Building A(2)						
		Basement Building B(1)	selector pump status	Auto/Manual/Off	Auto	Auto	
	General status		Normal	Normal	Normal		
	Basement Building B(2)	pump status	Auto/Manual/Off	off	off		
		General status	Normal	overload	ove		
	Basement Building B(3)	pump status	Auto/Manual/Off	Auto	Auto		
		General status	Normal	Normal	Normal		
	Irrigation water	Basement Building B					
Checked and recorded by							

บันทึกเพิ่มเติม

Grand Kata VIP.

Engineering Department.

Cold , Freezer & Consumption Record Log sheet.



Date : _____

NO.	ID Code	Name	Location	Temp. Setting(°C)	Morning shift 09.00	Afternoon shift 17.00	Night shift 01.00	Remark
1	CR-001	Chiller room	Prepare room	2.0	4.0	5.7		
2	CR-002	Freezer 4 door-upright		-18	11.6	-9.2		
3	CR-003	Freezer 4 door-upright		-18	13.4	-12.6		
4	CR-004	4 door-upright	Cold kitchen	2.0	4.4	6.7		
5	CR-005	3 door-Base		5.0	6.9	5.0		
6	CR-006	Ice-cream cabinet		-20	-23	-24		
7	CR-007	2 door-upright	Kitchen	2.0	2.4	2.4		
8	CR-008	3 door-Base	Hot kitchen	5.0	8.7	5.3		
9	CR-009	3 door-Base		5.0	6.7	5.6		
10	CR-010	3 door-Base	Bar at restaurant	4.0	8.4	4.4		
11	CR-011	3 door-Base		4.0	5.4	6.3		
12	CR-012	2 door-Base		4.0	off	off		
13	CR-013	3 door-Base	Pool bar Buil.A	2.0	3.0	2.2		
14	CR-014	3 door-Base	Pool bar Buil.B	2.0	off	off		
15	CR-015	2 door-Base		2.0	off	off		
Ice machine								
16	ICE-001	Ice machine	Kitchen	Normal	on	on		
17	ICE-003	Ice machine	Pool bar Buil.B	Normal	off	off		
Recorded by								

Consumption Record

ELECTRICITY							
High Voltage 33KV PEA METER (From PEA Website)							
Item	KWH			Peak Demand KW			KWH Per day '000
	A 'nn1 09-22	B 'nn2 22-09	C 'nn3 00-24	A 'nn5 09-22	B 'nn6 22-09	C 'nn7 00-24	
Yesterday							
Today							
total							

WATER (Cubic meter)			
Main Meter			
Item	CW Meter PWA	Water Truck	Total In come
Yesterday			
Today			
Total			

Fuel in daytank		
Item	Generator Fuel Level	Generator Runing Hours
Yesterday		
Today		
Total		

Guest OCC. _____ Unit _____ No. of guest _____

Others Record : _____

Recorded by

Acknowledged by

Grand Kata VIP
Engineer Department.
Daily Logsheets.



Page 1/2

Date: 28/6/67

Equipment.	Location	Description	Standard	Time			Remark
				09.00	17.00	01.00	
Generator	Generator room	Selector switch status	Auto/Manual	Auto	Auto		
		Batteries Voltage	Over 24 Volt	27.7	27.6		
		Fuel level	Min.250 Liter	480	480		
		Engine run Hrs.	hr / m	468 190/31/468	190/31/468		
MDB	MDB Room	Voltage R/S/T	Digital meter	401/401/401	401/401/401		
		Amperage R/S/T	Digital meter	167/167/135	263/229/232		
		KWH	Digital meter	0089.7	0089.5		
		Cap bank Selector status	Auto/Manual	Auto	Auto		
		Power factor	0.95-0.98	0.99	0.96		
		cap bank working	Number	-	-		
EMDB	MDB Room	A.T.S. Selector status	Auto/Manual	Auto	Auto		
		Voltage R/S/T	Digital meter	58/38/84	398/399/399		
		Amperage R/S/T	Digital meter	399/399/399	79/64/55		
		KWH	Digital meter	1802660	7203070		
Deep Well pump	Basement Near MDB room	For raw tank pump status	Auto/Manual/Off	Auto	Auto		
		For raw Amperage	Amp. Meter	-	-		
		For raw General status	Normal	Normal	Normal		
		Raw water tank	Level	192 cm	192		
	Basement Near MDB room						
Water tretment	Basement Near MDB room	Filter pump status for A	Auto/Manual/Off	Auto	Auto		
		Filter pressure for A	Not over 25 PSI	0	40		
		General status	Normal	Normal	Normal		
		Filter pump status for B	Auto/Manual/Off	Auto	Auto		
		Filter pressure for B	Not over 25 PSI	38	5		
		General status	Normal	Normal	Normal		
Booster pump Building A	Roof top building A	Booster pump status	Auto/Manual	Auto	Auto		
		Inverter status	Auto/Manual/Off	Auto	Auto		
		Booster pump Pressure	50 PSI	54	51		
		Cold water tank level	High/Med/Low	High	High		
Booster pump Building B	Roof top building B	Booster pump status	Auto/Manual	Auto	Auto		
		Inverter status	Auto/Manual/Off	Auto	Auto		
		Booster pump Pressure	50 PSI	56	N/A		
		Cold water tank level	High/Med/Low	High	High		

1505

Equipment.	Location	Description	Standard	Time			Remark
				09.00	17.00	01.00	
Heat pump	Back kitchen	Temperature	55°C	54°	52		
		General status	Normal	Normal	Normal		
		Pressure	In / Out	36/46	34/47		
Hot Water Tank		General status of tank1	Normal	off	off		
		General status of tank2	Normal	off	off		
waste water treatment	Basement Building A	Ejector pump status	Auto/Manual	Auto	Auto		
		Air pump status	Auto/Manual	Auto	Auto		
		Electric consumption (Kwh)	Digital Kwh Meter	18579.1	18600.7		
		General status	Normal	Normal	Normal		
	Basement Building B	Ejector pump status	Auto/Manual	Auto	Auto		
		Air pump status	Auto/Manual	Auto	Auto		
		Electric consumption (Kwh)	Digital Kwh Meter	17629.4	17647.1		
		General status	Normal	Normal	Normal		
Submersible pump	Basement Building A(1)	pump status	Auto/Manual/Off	Auto	Auto		
		General status	Normal	Normal	Normal		
	Basement Building A(2)						
	Basement Building B(1)	selector pump status	Auto/Manual/Off	Auto	Auto		
		General status	Normal	Normal	Normal		
	Basement Building B(2)	pump status	Auto/Manual/Off	off	off		
		General status	Normal	overload	Overload		
	Basement Building B(3)	pump status	Auto/Manual/Off	Auto	Auto		
		General status	Normal	Normal	Normal		
Irrigation water	Basement Building B						
Checked and recorded by							

บันทึกเพิ่มเติม

Grand Kata VIP.

Engineering Department.

Cold , Freezer & Consumption Record Log sheet.



Date : _____

NO.	ID Code	Name	Location	Temp. Setting(°C)	Morning shift 09.00	Afternoon shift 17.00	Night shift 01.00	Remark
1	CR-001	Chiller room	Prepare room	2.0	10.5	7.3		
2	CR-002	Freezer 4 door-upright		-18	-11.3	-6.6		
3	CR-003	Freezer 4 door-upright		-18	-13.4	-11.5		
4	CR-004	4 door-upright	Cold kitchen	2.0	6.2	7.0		
5	CR-005	3 door-Base		5.0	5.6	6.9		
6	CR-006	Ice-cream cabinet		-20	-21	-26		
7	CR-007	2 door-upright	Kitchen	2.0	2.0	2.1		
8	CR-008	3 door-Base	Hot kitchen	5.0	6.5	5.6		
9	CR-009	3 door-Base		5.0	df	5.0		
10	CR-010	3 door-Base	Bar at restaurant	4.0	5.6	df		
11	CR-011	3 door-Base		4.0	5.3	4.9		
12	CR-012	2 door-Base		4.0	off	off		
13	CR-013	3 door-Base	Pool bar Buil.A	2.0	3.2	2.1		
14	CR-014	3 door-Base	Pool bar Buil.B	2.0	off	off		
15	CR-015	2 door-Base		2.0	off	off		
Ice machine								
16	ICE-001	Ice machine	Kitchen	Normal	on	on		
17	ICE-003	Ice machine	Pool bar Buil.B	Normal	off	off		
Recorded by								

Consumption Record

ELECTRICITY

High Voltage 33KV PEA METER (From PEA Website)

Item Rate code time	KWH			Peak Demand KW			KWH Per day '000
	A 'nn1 09-22	B 'nn2 22-09	C 'nn3 00-24	A 'nn5 09-22	B 'nn6 22-09	C 'nn7 00-24	
Yesterday							
Today							
total							

WATER (Cubic meter)

Main Meter

Item	CW Meter PWA	Water Truck	Total In come
Yesterday			
Today			
Total			

Fuel in daytank

Item	Generator Fuel Level	Generator Runing Hours
Yesterday		
Today		
Total		

Guest OCC. _____

Unit _____

No. of guest _____

Others Record :

Recorded by

Acknowledged by