

เอกสารแนบ 14
เอกสารอนุญาตห้องปฏิบัติการ



ที่ อก ๐๓๑๐(๑)/ ๒๖๔ ๓

กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท
เขตราชเทวี กรุงเทพฯ ๑๐๕๐๐

๓๑ มกราคม ๒๕๖๖

เรื่อง ต่ออายุหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

เรียน กรรมการผู้จัดการ บริษัท ตรวจวัดสิ่งแวดล้อม จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารมลพิษของห้องปฏิบัติการวิเคราะห์เอกชน
ลงวันที่ ๘ ธันวาคม ๒๕๖๕

สิ่งที่ส่งมาด้วย เอกสารแนบท้ายหนังสือรับต่ออายุขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน
บริษัท ตรวจวัดสิ่งแวดล้อม จำกัด จำนวน ๑ แผ่น

ตามหนังสือที่อ้างถึง บริษัท ตรวจวัดสิ่งแวดล้อม จำกัด ขอต่ออายุหนังสือรับขึ้นทะเบียน
ห้องปฏิบัติการวิเคราะห์เอกชน เลขทะเบียน ว-๓๐๑ สถานที่ตั้งเลขที่ ๕/๔๕ หมู่บ้าน บ้านกลางกรุง บิขทาวน์
ซอยศรีนครินทร์ ๔๖/๑ (ปราโมทย์) แขวงหนองบอน เขตประเวศ กรุงเทพมหานคร ต่อกรมโรงงานอุตสาหกรรม นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว ให้บริษัท ตรวจวัดสิ่งแวดล้อม จำกัด ต่ออายุหนังสือรับขึ้น
ทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน โดยมีองค์ประกอบดังนี้

ก. ผู้ควบคุมดูแลห้องปฏิบัติการวิเคราะห์

ข. เจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์

- ๑)
- ๒)
- ๓)
- ๔)

ค. ขอบข่ายสารมลพิษที่ได้รับขึ้นทะเบียนให้วิเคราะห์ในน้ำเสีย ตามสิ่งที่ส่งมาด้วย

หนังสือฉบับนี้จะหมดอายุในวันที่ ๓ มกราคม ๒๕๖๙ หากประสงค์จะต่ออายุหนังสือ
รับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน ให้ยื่นคำขอต่ออายุพร้อมเอกสารประกอบคำขอต่อ
กรมโรงงานอุตสาหกรรม ภายใน ๓๐ วัน ก่อนวันสิ้นอายุของหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน
ทั้งนี้ สามารถยื่นคำขอผ่านระบบอิเล็กทรอนิกส์ได้ที่หน้าเว็บไซต์กรมโรงงานอุตสาหกรรม ตาม QR Code
ท้ายหนังสือฉบับนี้

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ

กองวิจัยและเตือนภัยมลพิษโรงงาน
กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษและทะเบียนห้องปฏิบัติการ
โทร. ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๐๓-๕
โทรสาร ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๔๙
ไปรษณีย์อิเล็กทรอนิกส์ saraban@diw.mail.go.th

ยื่นคำขอผ่านระบบอิเล็กทรอนิกส์



เอกสารแนบท้ายหนังสือรับต่ออายุขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

บริษัท ตรวจวัดสิ่งแวดล้อม จำกัด

เลขทะเบียน ว-๓๐๑

ที่ อก ๐๓๑๐(๑)/ ๒๖๔ ๓

ลงวันที่ ๓๑ มกราคม ๒๕๖๖

ขอขยายสารมลพิษที่ได้รับขึ้นทะเบียนจากกรมโรงงานอุตสาหกรรม จำนวน ๔ รายการ

น้ำเสีย จำนวน 4 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Biochemical Oxygen Demand	5-Day BOD Test, Membrane Electrode Method
2	pH	Electrometric Method
3	Total Dissolved Solids	Dried at 180 °C
4	Total Suspended Solids	Dried at 103-105 °C <i>siml</i>

เอกสารอ้างอิง

APHA, AWWA, WEF. **Standard Methods for the Examination of Water and Wastewater.**

23rd ed. Washington, DC: APHA, 2017.

CERTIFICATE OF CALIBRATION

Certificate No. : CL-005-65

Page 1 of 2 Pages

MEASUREMENT ITEM : Top Load Orifice
MANUFACTURER : Thermo Scientific
MODEL/TYPE : G25A
SERIAL NUMBER : 3375
ID NUMBER : -
CONDITION AS-RECEIVED : Used item
CUSTOMER : Environmental Measurements Co., Ltd.
5/45 Baan Klang Krung Biz Town, Soi Srinagarindra 46/1
(Pramote), Nong Bon Sub-District Prawet District, Bangkok
10250

RECEIVED DATE : 17 Aug 2022
MEASUREMENT DATE : 18 Aug 2022
ISSUE DATE : 22 Aug 2022

ENVIRONMENTAL CONDITIONS:

Ambient condition in the laboratory are as follow:

Temperature	: 23.0 ± 3.0	°C
Relative Humidity	: 55.0 ± 15.0	%RH
Atmospheric Pressure	: 1010 ± 10	hPa

CALIBRATION CONDITION:

Preconditioning : 24 hours at ambient conditions.
Measurement Condition : The average values during measurement are 24.6 °C and 57.8 %RH.

TABULATION OF RESULTS:

The table on next page give the measured values.

Calibration procedure:

The Orifice gas flow device was calibrated against Standard Rotary Displacement Meter (Roots Meter) Model G65/JMC/W2-ab. The WI-CL-004 was used as a calibration guideline.

Traceability:

This certificate provides a traceability of The measurement to recognized the national standards, and to realization of the international system of units (SI) through the VSL (National Metrology Institute of Netherlands) via Certificate number: G2211901

Uncertainty of Measurement:

The reported uncertainty of measurement is based on the standard uncertainty multiplied by a coverage factor $k=2$, Which for a normal distribution corresponds to a coverage probability of approximately 95%. The standard uncertainty has been determined in accordance with the GUM "Evaluation of measurement data - Guide to the expression of uncertainty in measurement"

Calibrated by:

- ☒ Mr. Sorawit Thachalad
☐ Miss Jitraporn Lertsomphol



Approved signatory:

Mr. Parinya Booncharoen
Calibration Department Manager

THIS CERTIFICATE REPORT MAY NOT BE REPRODUCED EXCEPT IN FULL UNLESS PERMISSION FOR REPRODUCTION HAS BEEN OBTAINED
IN WRITING FROM THE LABORATORY

THAI METEOROLOGICAL DEPARTMENT

4353 Sukhumvit, Bangna, Bangkok 10260 Tel. 081-454-2804, 0-2399-0469

Calibration Certificate



Issued by : Calibration & Test Section : Meteorological Instruments Bureau

Date of Issue : 29 June, 2022 Certification No. 246722

Page : 1 of 2

Object : Wind speed and wind direction

Manufacturer : Sensor : NRG
Basic Datalogger : Symphonie

Type : Sensor : 40C Basic Datalogger : LR20

Serial No. : Sensor : 1795-00135858 Basic Datalogger : 309013229

Customer : Environmental Measurements Co., Ltd.
5/45 Baan Kiang Krung Biz Town, Soi Sinagarindra 46/1 (Pramote),
Nong Bon Sub-District, Prawet District, Bangkok 10250.

Calibration Condition : Temperature 25.1 °C Barometric Pressure 1007.1 hPa

NATIONAL STANDARD WIND TUNNEL :

: Thermal Anemometer 642 S/N 91563
: HOOK GAGE NO 1425 Pilot Tube Theodor Friedrichs Type 0800.0000 serial 9023
N.I.S.T. Test Reference Number 731/241460 : Standard Velocity at 20 - 30 m/sec
: Ultrasonic Anemometer Model DA-650-3TV (sensor TR-90AH)
Serial Number 110730029 (sensor 120629586)

JAPAN QUALITY ASSURANCE ORGANIZATION : Standard Velocity at 20 - 30 m/sec



Calibrated by : *Wattarapol Subwat* Signed: *Mr. Pisood Pimsut*
Mr. Wattarapol Subwat
Mechanical Engineer

MEASUREMENT RESULTS:

The Orifice gas flow device was calibrated by direct comparison method with the Standard Rotary Displacement Meter (Roots Meter). The humid air was used as a medium in the system. The standard conditions are 25 °C (298.15 K) and 760 mmHg for standard temperature and standard pressure respectively.

Table 1: The results of Q Standard calibration data

Plate	Flow rate m ³ /min	Pressure [Pa] mmHg	Temperature [T _a] °C	Temperature [T _m] °C	Ap_meter mmHg	Ap_orifice inH ₂ O	γ	Standard Flow [Q _s] m ³ /min
1	0.704	753.799	24.600	24.010	56.263	1.711	1.304	0.648
2	1.003	753.788	24.730	24.160	61.277	3.447	1.850	0.917
3	1.118	753.731	24.870	24.460	42.341	4.528	2.320	1.048
4	1.166	753.864	24.640	24.370	30.016	5.104	2.252	1.113
5	1.414	753.819	24.290	24.230	30.018	7.548	2.739	1.350

Slope (m): 2.04519
Intercept (b): -0.02363
Correlation coefficient (r): 0.99583
Uncertainty (k=2): 0.010 m³/min

Table 2: The results of Q actual calibration data

Plate	Flow rate m ³ /min	Pressure [Pa] mmHg	Temperature [T _a] °C	Temperature [T _m] °C	Ap_meter mmHg	Ap_orifice inH ₂ O	γ	Standard Flow [Q _s] m ³ /min
1	0.704	753.799	24.600	24.010	56.263	1.711	0.822	0.653
2	1.003	753.788	24.730	24.160	61.277	3.447	1.167	0.923
3	1.118	753.731	24.870	24.460	42.341	4.528	1.338	1.056
4	1.166	753.864	24.640	24.370	30.016	5.104	1.430	1.120
5	1.414	753.819	24.290	24.230	30.018	7.548	1.736	1.358

Slope (m): 1.28101
Intercept (b): -0.01493
Correlation coefficient (r): 0.99583
Uncertainty (k=2): 0.012 m³/min

End of Certificate of Calibration



THAI METEOROLOGICAL DEPARTMENT

4353 Sukhumvit, Bangna, Bangkok 10260 Tel. 081-454-2804, 0-2399-0469



Calibration Certificate

Issued by : Calibration & Test Section : Meteorological Instruments Bureau

Date of Issue 29 June, 2022

Certification No. 247/22

Page : 1 of 2

Object : Wind speed and wind direction

Manufacturer : Sensor : NRG
Basic Datalogger : Symphonie

Type : Sensor : 40C Basic Datalogger : LR20

Serial No. : Sensor : 1795-0017982 Basic Datalogger : 309011834

Customer : Environmental Measurements Co., Ltd.
5/45 Baan Klang Krung Biz Town, Soi Srinagarindra 48/1 (Pramote),
Nong Bon Sub-District, Prawet District, Bangkok 10250.

Calibration Condition : Temperature 25.1 °C Barometric Pressure 1004.6 hPa

NATIONAL STANDARD WIND TUNNEL :

: Thermal Anemometer 642 S/N 91563

: HOOK GAGE NO 1425 Pilot Tube Theodor Friedrichs Type 0800.0000 serial 9023

N.I.S.T. Test Reference Number 731/241460 : Standard Velocity at 20 - 30 m/sec

: Ultrasonic Anemometer Model DA-650-3TV (sensor TR-90AH)

Serial Number 110730029 (sensor 120629586)

JAPAN QUALITY ASSURANCE ORGANIZATION

: Standard Velocity at 20 - 30 m/sec

Calibrated by : *Netdrape* Signed : *P.*Mr. Watcharapol Subwat
Mechanical Engineer

Mr. Pisood Promsut

(Authorized Signatory)
for the Chief
Sub-Standard Instrument



THAI METEOROLOGICAL DEPARTMENT

4353 Sukhumvit, Bangna, Bangkok 10260 Tel. 081-454-2804, 0-2399-0469

The Result of Calibration

Certification No. 246/22

29 June, 2022

Page : 2 of 2

Standard Ultrasonic Anemometer m/sec	HOOK GAGE NO. 1425			TESTED ANEMOMETER	
	Pressure	Vacuum	Velocity	Velocity	Correction
	Inches H2O	Inches H2O	m/sec	m/sec	m/sec
1.00	-	-	-	0.92	0.08
3.02	-	-	-	2.85	0.17
5.00	-	-	-	4.95	0.05
7.00	-	-	-	6.80	0.20
9.02	-	-	-	8.96	0.06
11.01	-	-	-	10.98	0.03
13.01	-	-	-	12.81	0.20
15.01	-	-	-	15.10	-0.09
17.02	-	-	-	16.93	0.09
20.02	-	-	-	20.13	-0.11

Wind Aloft Plotting Board.

U.S. DEPARTMENT OF COMMERCE WEATHER BUREAU

WIND DIRECTION		TESTED WIND DIRECTION	
0		0	
90		90	
180		180	
270		270	

Calibrated by :

*Netdrape*Mr. Watcharapol Subwat
Mechanical Engineer

Calibration & Test Section
Meteorological Instruments Bureau

Certificate of Calibration

Customer
 Name : ENVIRONMENTAL MEASUREMENTS CO., LTD.
 Address : 545 Baan Klang Krung Biz Town, Soi Srinagarindra 46/1 (Pranome), Nongbon
 Sub-district, Prawet District, Bangkok 10250

Certificate No : 22-AFM-049
Request No : Req-2022-0583

Unit Under Calibration Details
 Measurement Item : Primary Flow Calibrator
 Manufacturer : Mesa Labs
 Model : Defender 510-M
 Serial Number : 172525
 ID : -
 Location of Calibration : LAB 4 AIR VELOCITY METER

Sensor Model : -
Sensor Serial Number : -

Calibration Environment and Details

Temperature : 23 °C ± 3 °C
 Humidity : 55 %RH ± 20 %RH
 Barometric Pressure : 1013 hPa ± 10 hPa
 Received Date : 14 March 2022
 Calibration Date : 29 March 2022
 Calibration Procedure : In-house method CP-AFM-01 by Comparison technique with Standard Primary Flow Calibrator

Reference Standard	Model	Serial Number	Traceable	Due Calibration
Air Flow Meter	Gilibrator 3 Low flow	18501010066	Sensidyne	21 May 2022
Air Flow Meter	Gilibrator 3 Standard flow	19031011003	Sensidyne	20 May 2022

Traceability :
 This certificate provides traceability of measurement to recognized national standard, and to the realization of the international System of Units (SI)

Note :

The reported uncertainty is based on standard uncertainty multiplied by the Coverage Factor k=2, providing a level of confidence approximately 95 %.

Calibration By : Mr. Noppadon Luangart
 Service Calibration Engineer

Approved By : Mr. Pacit Mathavorn
 Calibration Engineer Supervisor

Issue Date : 29 March 2022

The results related only to the item calibrated. The certificate shall not be reproduced except in full, without written approval of the Innovative Instrument Co., Ltd.
 FM-708-AFM-01 Rev.00 Issue date 01/07/19

The Result of Calibration

29 June, 2022
 Certification No. 247/22
 Page : 2 of 2

Standard Ultrasonic Anemometer m/sec	HOOK GAGE NO. 1425		TESTED ANEMOMETER	
	Pressure inches H2O	Vacuum inches H2O	Velocity m/sec	Correction m/sec
1.00	-	-	0.91	0.09
3.02	-	-	3.17	-0.15
5.00	-	-	4.98	0.02
7.00	-	-	7.14	-0.14
9.02	-	-	8.96	0.06
11.01	-	-	11.12	-0.11
13.01	-	-	13.12	-0.11
15.01	-	-	14.93	0.08
17.02	-	-	17.22	-0.20
20.02	-	-	19.91	0.11

Wind Aloft Plotting Board.	
US.DEPARTMENT OF COMMERCE WEATHER BUREAU	
WIND DIRECTION	TESTED WIND DIRECTION
0	0
90	90
180	180
270	270

Calibrated by : Mr. Watcharapol Subwat
 Mechanical Engineer





THAILAND INSTITUTE OF SCIENTIFIC AND TECHNOLOGICAL RESEARCH (TISTR)

Request No. 21-65/0709

MTC No. EEL BP. 66/0865

CALIBRATION CERTIFICATE

Submitted by : ENVIRONMENTAL MEASUREMENTS CO., LTD.
Address : 5/45 BAAN KLANG KRUNG BIZ TOWN, SOI SRINAGARINDRA 46/1 (PRAMOTE),
NONG BON SUB-DISTRICT, PRAWET DISTRICT, BANGKOK 10250.
Calibrated at : Electrical and Electronic Standards Laboratory, Industrial Metrology and Testing Service Centre.
: Soi 1C, Bangpoo Industrial Estate, Sukhumvit Rd., Muang, Samutprakan 10280.

Instrument Calibrated :

Description : Sound Calibrator
Manufacturer : BSWA TECH
Model : CA111
Serial No. : 550482
Ambient Environment
Temperature : $(23 \pm 3) ^\circ\text{C}$
Relative Humidity : $(50 \pm 15) \%$
Ambient Pressure : $(101.325 \pm 1.500) \text{ kPa}$

Standards used : 1. Digital Function Synthesizer NF Electronic DF-193A S/N 122037.
2. Measuring Amplifier Bruel&Kjaer 2636 S/N 1537484.
3. Programmable Attenuator Tamagawa TPA-303A S/N OF 2214.
4. Digital Multimeter Agilent 34401A S/N MY44005560
5. Pressure Transmitter Vaisala PTB202AD S/N T0650001.
6. Audio Analyzer Panasonic VP-7722A S/N 041477D122.
7. Condenser Microphone Bruel&Kjaer 4180 S/N 2633526.

Calibration Procedure: CP-102-04 based on IEC 60942-2003. The sound pressure level of instrument was measured by standard microphone using an insert voltage technique.

This instrument has been calibrated against standards maintained at Electrical and Electronic Standards Laboratory (EEL), which are traceable to the International System of Units through the National Institute of Metrology (Thailand).

The information on actual reading is attached herewith and the uncertainty limits quoted refer to the measured values only.

Date of Receipt : 19 Aug. 2022

Date of Calibration : 31 Aug. 2022

1 / 3

N. N. 177

The results relate only to the items tested/calibrated or value assigned.
Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

Head Office 35 Yu 3 Tambon Khlong Ha, Amphoe Khlong Luang, Chaiyapattana 12120, Thailand
Tel. (66) 0 2577 9000
Fax. (66) 0 2577 9009
E-mail : tumpa@tistr.or.th Website: www.tistr.or.th

Office/Laboratory Soi 1C, Bangpoo Industrial Estate, Sukhumvit Road, Amphoe Muang Changwat Samutprakan 10280, Thailand
Tel. (66) 0 2322 1672-80 ext. 115, 116
Fax. (66) 0 2322 9165
E-mail : mtc@tistr.or.th

Office 196 Phahonyothin Road, Chatuchak, Bangkok 10900, Thailand
Tel. (66) 0 2579 1121-30 ext. 5219, 5225, 5217
Fax. (66) 0 2579 8592
E-mail : sumalee@tistr.or.th

The results related only to the item calibrated. The certificate shall not be reproduced except in full, without written approval of the Innovative Instrument Co., Ltd.
FM-708-AFM-01 Rev.00 Issue date 01/07/19

Certificate No : 22-AFM-049
Request No : Req-2022-0583

Result of Calibration :

Calibration Point (cc/min)	STD Flow Reading (cc/min)	UUC Flow Reading (cc/min)	Correction Flow (cc/min)	Uncertainty (±) (cc/min)
500	503.6	514.59	-11.0	7.9
1000	1014	1047.1	-33	16
2000	2003	2043.5	-41	35
3000	3022	3083.2	-61	44
5000	5000	5069.0	-69	71

Note
STD : Standard
UUC : Unit Under Calibration

End of Certificate



THAILAND INSTITUTE OF SCIENTIFIC AND TECHNOLOGICAL RESEARCH (TISTR)

Request No. 21-65/0709

MTC No. EEL. BP. 66/0865

The reported expanded uncertainty is based upon a standard uncertainty multiplied by a coverage factor $k = 2$, providing a level of confidence of approximately 95%.

Nominal Output of Unit Under Test = 94 dB re 20 μ Pa at 1000 Hz

Acoustic Output in dB re 20 μ Pa, Corrected to Reference Conditions: 101.325 kPa, 23.0 °C and 50 %RH.

1. Sound Pressure Level

Standard Microphone Type	Measured Sound Pressure Level (dB)	Deviated value (dB)	Uncertainty (dB)	Tolerance limit IEC60942:2003 Class 1
1/2 inch Brüel&Kjaer4180	93.99	-0.01	± 0.10	± 0.40 dB

2. Frequency

Standard Microphone Type	Measured Frequency (Hz)	Deviated value (Hz)	Uncertainty (Hz)	Tolerance limit IEC60942:2003 Class 1
1/2 inch Brüel&Kjaer4180	1000.0	0.0	± 1.5	± 1.0 %

3. Total distortion

Standard Microphone Type	Measured Total distortion (%)	Uncertainty (%)	Tolerance limit IEC60942:2003 Class 1
1/2 inch Brüel&Kjaer4180	0.68	± 0.50	± 3.0 %

Note : 1. No adjustment.

- The calibrator pressure correction was not included.
- The microphone volume correction was not included.

Date of Calibration : 31 Aug. 2022

2 / 3

The results relate only to the items tested/calibrated or value assigned. Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang, Changwat Pathumthani 12120, Thailand
Tel. (66) 0 2577 9000
Fax. (66) 0 2577 9009
E-mail : rumpat@tistr.or.th Website: www.tistr.or.th

Office/Laboratory
Sri 1C, Bangpoo Industrial Estate, Sukhumvit Road, Amphoe Muang, Changwat Samutprakan 10280, Thailand
Tel. (66) 0 2323 1672-80 ext. 115, 116
Fax. (66) 0 2323 9165
E-mail : mtc@tistr.or.th

Office
196 Phahonyothin Road, Chatuchak, Bangkok 10900, Thailand
Tel. (66) 0 2579 1121-30 ext. 5219, 5225, 5217
Fax. (66) 0 2579 8592
E-mail : sumalee@tistr.or.th

FMBL/MTC.002 Rev.4



THAILAND INSTITUTE OF SCIENTIFIC AND TECHNOLOGICAL RESEARCH (TISTR)

Request No. 21-65/0709

MTC No. EEL. BP. 66/0865

Nominal Output of Unit Under Test = 114 dB re 20 μ Pa at 1000 Hz

Acoustic Output in dB re 20 μ Pa, Corrected to Reference Conditions : 101.325 kPa, 23.0 °C and 50 %RH

1. Sound Pressure Level

Standard Microphone Type	Measured Sound Pressure Level (dB)	Deviated value (dB)	Uncertainty (dB)	Tolerance limit IEC60942:2003 Class 1
1/2 inch Brüel&Kjaer 4180	114.00	0.00	± 0.10	± 0.40 dB

2. Frequency

Standard Microphone Type	Measured Frequency (Hz)	Deviated value (Hz)	Uncertainty (Hz)	Tolerance limit IEC60942:2003 Class 1
1/2 inch Brüel&Kjaer 4180	1000.0	0.0	± 1.5	± 1.0 %

3. Total Distortion

Standard Microphone Type	Measured Total Distortion (%)	Uncertainty (%)	Tolerance limit IEC60942:2003 Class 1
1/2 inch Brüel&Kjaer 4180	1.23	± 0.50	± 3.0 %

Note : 1. No adjustment.

- The calibrator pressure correction was not included.
- The microphone volume correction was not included.

Calibrated by :

N. N. N. N.

(Mr. Nuttapong Nijrusvanit)

Approved by :

N. N. N. N.

(Mr. Praveen Kiatyapa)

Director

Electrical and Electronic Standards Laboratory

Industrial Metrology and Testing Service Centre

Date of Calibration : 31 Aug. 2022

Date of Issue : 1 Sep. 2022

Ref : 2011265081903689001

End of Certificate

3 / 3

The results relate only to the items tested/calibrated or value assigned. Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang, Changwat Pathumthani 12120, Thailand
Tel. (66) 0 2577 9000
Fax. (66) 0 2577 9009
E-mail : rumpat@tistr.or.th Website: www.tistr.or.th

Office/Laboratory
Sri 1C, Bangpoo Industrial Estate, Sukhumvit Road, Amphoe Muang, Changwat Samutprakan 10280, Thailand
Tel. (66) 0 2323 1672-80 ext. 115, 116
Fax. (66) 0 2323 9165
E-mail : mtc@tistr.or.th

Office
196 Phahonyothin Road, Chatuchak, Bangkok 10900, Thailand
Tel. (66) 0 2579 1121-30 ext. 5219, 5225, 5217
Fax. (66) 0 2579 8592
E-mail : sumalee@tistr.or.th

FMBL/MTC.002 Rev.4



CLC
Accredited
ISO/IEC 17025

CALIBRATION LABORATORY Co., LTD.

2/10-11, 14, 55 Soi Prasert Manukit 29 Yaek 4, Prasert Manukit Rd., Ladphrao, Bangkok 10230
Tel. 02-578-0353-4 Fax: 02-578-2672 www.cal-laboratory.com E-mail: sale@cal-laboratory.com



NSC-TISI-TIS 17025
CALIBRATION 0659
CLC



REPORT OF CALIBRATION

FOR

NOMENCLATURE : VIBRATION METER
MANUFACTURER : VIBROCK
MODEL / TYPE : V9000
SERIAL NO. : 2350
DATE OF CALIBRATION : 19 August 2022

ENVIRONMENT CONDITIONS :

Temperature : $(23 \pm 2) ^\circ\text{C}$ Relative Humidity : $(55 \pm 15) \% \text{RH}$

PROCEDURE USED :

This instrument was calibrated under procedure No. WI-305-127 based on ISO 16063-21 as calibration guideline.

The calibration was performed by using Digital Multimeter, High Resolution Programmable Timer/Counter,

Accelerometer and Measuring Amplifier which maintained by the Calibration Laboratory Co., Ltd.

REFERENCE STANDARD USED :

1. Digital Multimeter, Hewlett Packard Model 34401A S/N. 3146A75935.
2. High Resolution Programmable Timer/Counter, Philips Model PM6680B S/N. SM607101.
3. Accelerometer with Measuring Amplifier, Bruel & Kjaer Model 8305, 2525 S/N. 397018, 2434988.

TRACEABILITY :

1. The measurements are traceable to International System of Units (SI), through National Institute of Metrology (Thailand) Certificate No. EE-0112-21, Due Date 26 October 2022.
2. The measurements are traceable to International System of Units (SI), through Aeronautical Radio of Thailand Ltd. Certificate No. 07-0001/22, Due Date 22 February 2023.
3. The measurements are traceable to International System of Units (SI), through National Institute of Metrology (Thailand) Certificate No. AV-0009-22, Due Date 22 June 2023.

UNCERTAINTY :

The reported expanded uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor $k = 2.00$ which for a normal distribution corresponds to a coverage probability of approximately 95 %. It has been evaluated according to the "Evaluation of the Uncertainty of Measurement in Calibration (EA-4/02 M:2021)".

Certificate No. Q22083746

F3-01-04/01-12

page 2 of 3



calibration



CLC
Accredited
ISO/IEC 17025

CALIBRATION LABORATORY Co., LTD.

2/10-11, 14, 55 Soi Prasert Manukit 29 Yaek 4, Prasert Manukit Rd., Ladphrao, Bangkok 10230
Tel. 02-578-0353-4 Fax: 02-578-2672 www.cal-laboratory.com E-mail: sale@cal-laboratory.com



NSC-TISI-TIS 17025
CALIBRATION 0659
CLC



CERTIFICATE OF CALIBRATION

FOR

NOMENCLATURE : VIBRATION METER
MANUFACTURER : VIBROCK
MODEL / TYPE : V9000
SERIAL NO. : 2350
CLID. NO. : 252101272
JOB CONTROL NO. : 220818083746

CUSTOMER : ENVIRONMENTAL MEASUREMENTS CO., LTD.

5/45 BAAN KLANG KRUNG BIZ TOWN, SOI SRINAGARINDRA 46/1 (PRAMOTE),
NONG BON SUB-DISTRICT, PRAWET DISTRICT, BANGKOK 10250

DATE OF RECEIVED : 18 August 2022

DATE OF ISSUED : 22 August 2022

Report of calibration screening must not be taken in part. Except complete. Without the approval of the Calibration Laboratory Co., Ltd.

Calibrated By :

Suwit Phuanbusabong

Calibration Engineer



Approved By :

Mongkol Yoisoontorn

Authorized Signatory

22 August 2022

This Calibration Certificate documents the traceability to national standards, which realize the units of measurement according to the International System of Units (SI)

Certificate No. Q22083746

F3-01-04/01-12

page 1 of 3



calibration



CALIBRATION LABORATORY CO., LTD.

210-11, 4, 55 Soi Prasert Manukit 29 Yaek 4, Prasert Manukit Rd., Ladphrao, Bangkok 10230
Tel: 02-578-0353-4 Fax: 02-578-2672 www.cal-laboratory.com Email:sale@cal-laboratory.com



NSC-TISI-TIS 17925
CALIBRATION 0059
CLC

CERTIFICATE OF CALIBRATION

FOR

NOMENCLATURE : VIBRATION METER
MANUFACTURER : VIBROCK
MODEL / TYPE : V9000
SERIAL NO. : 2351
CLID. NO. : 252101273
JOB CONTROL NO. : 220818083747

CUSTOMER : ENVIRONMENTAL MEASUREMENTS CO., LTD.

5/45 BAAN KLANG KRUNG BIZ TOWN, SOI SRINAGARINDRA 46/1 (PRAMOTE),
NONG BON SUB-DISTRICT, PRAWET DISTRICT, BANGKOK 10250

DATE OF RECEIVED : 18 August 2022

DATE OF ISSUED : 22 August 2022

Report of calibration screening must not be taken in part. Except complete. Without the approval of the Calibration Laboratory Co., Ltd.

Calibrated By :

Suwit Phuanbusabong
Calibration Engineer



Approved By :

Mongkol Yotsoontorn
Authorized Signatory
22 August 2022

This Calibration Certificate documents the traceability to national standards, which realize the units of measurement according to

the International System of Units (SI)

Certificate No. Q22083747

F3-011-04/01-12

page 1 of 3



@cccalibration

u.14/10



CALIBRATION LABORATORY CO., LTD.

210-11, 4, 55 Soi Prasert Manukit 29 Yaek 4, Prasert Manukit Rd., Ladphrao, Bangkok 10230
Tel: 02-578-0353-4 Fax: 02-578-2672 www.cal-laboratory.com Email:sale@cal-laboratory.com



NSC-TISI-TIS 17925
CALIBRATION 0059
CLC

CONDITION OF CALIBRATION ITEM : GOOD

MEASUREMENT RESULTS : (X) without adjustment () adjustment

CALIBRATION DATA

VELOCITY RESULT

Test point (mm/s)	(frequency)	Mode	STD Reading (mm/s)	DUC Reading (mm/s)	Correction (mm/s)	Uncertainty \pm (% of rdg.)
10	160 Hz	peak	10.00	9.88	+0.12	1.1
20	160 Hz		20.00	19.29	+0.71	1.0
40	160 Hz		40.00	38.80	+1.20	1.0
60	160 Hz		60.00	58.36	+1.64	1.0
80	160 Hz		80.00	77.75	+2.25	1.0
100	160 Hz		100.00	97.21	+2.79	1.0

Note. The Scope of Accredited TISI Certificate No. 19C087/0655 Issue 1 Page 57 of 111

This report is valid for the above stated instrument/s only.

End of Certificate

Certificate No. Q22083746

F3-011-04/01-12

page 3 of 3





CALIBRATION LABORATORY CO., LTD.

2/10-11, 14, 55 Soi Prasert Manukit 29 Yaek 4, Prasert Manukit Rd., Ladphrao, Bangkok 10230
Tel. 02-578-0353-4 Fax: 02-578-2672 www.cal-laboratory.com E-mail: sale@cal-laboratory.com



NSC-TISI-TIS 17025
CALIBRATION 0659
CLC

CONDITION OF CALIBRATION ITEM : GOOD

MEASUREMENT RESULTS : (X) without adjustment () adjustment

CALIBRATION DATA

VELOCITY RESULT

Test point		Mode	STD Reading (mm/s)	DUC Reading (mm/s)	Correction (mm/s)	Uncertainty ± (% of rdg.)
(mm/s)	(frequency)					
10	160 Hz	peak	10.00	9.68	+0.32	1.1
20	160 Hz		20.00	19.23	+0.77	1.0
40	160 Hz		40.00	39.15	+0.85	1.0
60	160 Hz		60.00	58.82	+1.18	1.0
80	160 Hz		80.00	78.21	+1.79	1.0
100	160 Hz		100.00	97.38	+2.62	1.0

Note: The Scope of Accredited TISI Certificate No. 19C087/0655 Issue 1 Page 57 of 111

This report is valid for the above stated instrument/s only.

End of Certificate

Certificate No. Q22083747

F3-011-04/01-12

page 3 of 3



CALIBRATION LABORATORY CO., LTD.

2/10-11, 14, 55 Soi Prasert Manukit 29 Yaek 4, Prasert Manukit Rd., Ladphrao, Bangkok 10230
Tel. 02-578-0353-4 Fax: 02-578-2672 www.cal-laboratory.com E-mail: sale@cal-laboratory.com



NSC-TISI-TIS 17025
CALIBRATION 0659
CLC

REPORT OF CALIBRATION

FOR

NOMENCLATURE : VIBRATION METER
MANUFACTURER : VIBROCK
MODEL / TYPE : V9000
SERIAL NO. : 2351
DATE OF CALIBRATION : 19 August 2022

ENVIRONMENT CONDITIONS :

Temperature : $(23 \pm 2) ^\circ\text{C}$ Relative Humidity : $(55 \pm 15) \% \text{RH}$

PROCEDURE USED :

This instrument was calibrated under procedure No. WI-305-127 based on ISO 16063-21 as calibration guideline.

The calibration was performed by using Digital Multimeter, High Resolution Programmable Timer/Counter, Accelerometer and Measuring Amplifier which maintained by the Calibration Laboratory Co., Ltd.

REFERENCE STANDARD USED :

1. Digital Multimeter, Hewlett Packard Model 34401A S/N. 3146A75935.
2. High Resolution Programmable Timer/Counter, Philips Model PM6680B S/N. SM607101.
3. Accelerometer with Measuring Amplifier, Bruel & Kjaer Model 8305, 2525 S/N. 397018, 2434988.

TRACEABILITY :

1. The measurements are traceable to International System of Units (SI), through National Institute of Metrology (Thailand) Certificate No. EE-0112-21, Due Date 26 October 2022.
2. The measurements are traceable to International System of Units (SI), through Aeronautical Radio of Thailand Ltd. Certificate No. 07-0001/22, Due Date 22 February 2023.
3. The measurements are traceable to International System of Units (SI), through National Institute of Metrology (Thailand) Certificate No. AV-0009-22, Due Date 22 June 2023.

UNCERTAINTY :

The reported expanded uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor $k = 2,00$ which for a normal distribution corresponds to a coverage probability of approximately 95 %.

It has been evaluated according to the "Evaluation of the Uncertainty of Measurement in Calibration (EA-4/02 M:2021)"

Certificate No. Q22083747

F3-011-04/01-12

page 2 of 3





แบบ กษ.ปบอ.๒
Form NSC/MS 2

ใบรับรองที่ 21-LB0022
(Certificate No.)

ใบรับรองระบบงาน (Certificate of Accreditation)

อัยการด้านความในพระราชบัญญัติการมาตรฐานแห่งชาติ พ.ศ. ๒๕๕๑
(By Virtue of National Standardization Act B.E. 2551 (2008))

เลขาธิการสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม
(Secretary-General, Thai Industrial Standards Institute)

ออกใบรับรองฉบับนี้ให้
(Issues this certificate to)

บริษัท ยูนิเทค แอนนาลิสต์ แอนด์ เอ็นจิเนียริ่ง คอนซัลแตนท์ จำกัด
(United Analyst and Engineering Consultant Company Limited)

ตั้งอยู่เลขที่
(Address)

๓ ซอยอุดมสุข ๔๑ ถนนสุขุมวิท แขวงบางจาก เขตพระโขนง กรุงเทพมหานคร
(3 Soi Udomsak 41, Sukhumvit Road, Bangchak, Phraekhonng, Bangkok)

ได้รับการรับรองความสามารถ
(Certificate of competence)

ตามมาตรฐานเลขที่ มอก. ๑๗๐๒๕ - ๒๕๖๑
(Standard No. TS 17025-2561 (2018) (ISO/IEC 17025: 2017))

ข้อกำหนดทั่วไปว่าด้วยความสามารถของ ห้องปฏิบัติการทดสอบและห้องปฏิบัติการสอบเทียบ
(General requirements for the competence of testing and calibration laboratories)

หมายเลขการรับรองที่ ทดสอบ ๐๒๐๗
(Accreditation No. Testing (2027))

โดยมีรายละเอียดและขอบข่ายที่ได้รับรอง แสดงใน QR CODE และ www.tisi.go.th
(Details of the scheme and scope of the certificate are shown in QR CODE and www.tisi.go.th)

ออกให้ ณ วันที่ ๑๑ ตุลาคม พ.ศ. ๒๕๖๔
(Issue date : 11 October B.E. 2564 (2021))



UNITEC ANALYST AND ENGINEERING
CONSULTANT COMPANY LIMITED



กระทรวงอุตสาหกรรม สำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม
(Ministry of Industry Thailand, The Industrial Standards Institute)



ที่ ยก ๐๓๐๔๓๒๕๔

สำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม
ถนนพระรามที่ ๒ แขวงทุ่งพญาไท
เขตราชเทวี กรุงเทพฯ ๑๐๕๐๐

๒๖๖ มกราคม ๒๕๖๖

เรื่อง สถานะการรับรองความสามารถห้องปฏิบัติการ

เรียน กรรมการผู้จัดการบริษัท ยูนิเทค แอนนาลิสต์ แอนด์ เอ็นจิเนียริ่ง คอนซัลแตนท์ จำกัด

อ้างถึง คำขออยู่ในรับรองห้องปฏิบัติการของบริษัท ยูนิเทค แอนนาลิสต์ แอนด์ เอ็นจิเนียริ่ง คอนซัลแตนท์ จำกัด
เลขที่คำขอ TEST-65-525

ตามที่อ้างถึง บริษัท ยูนิเทค แอนนาลิสต์ แอนด์ เอ็นจิเนียริ่ง คอนซัลแตนท์ จำกัด ได้ยื่นคำขอ
ต่ออายุใบรับรองห้องปฏิบัติการทดสอบสาขาสิ่งแวดล้อม และภาคภัณฑ์ เลขที่คำขอ TEST-65-525 ในระบบ
e-Accreditation นั้น

สำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรมได้ตรวจสอบแล้วพบว่าบริษัท ยูนิเทค แอนนาลิสต์
แอนด์ เอ็นจิเนียริ่ง คอนซัลแตนท์ จำกัด ได้รับการรับรองความสามารถห้องปฏิบัติการตามมาตรฐานเลขที่
มอก. 17025-2561 ใบรับรองเลขที่ 21-LB0022 หมายเลขรับรองที่ ทดสอบ ๐๒๐๗ โดยระบุวันสิ้นสุดอายุใน
วันที่ ๑๗ พฤษภาคม ๒๕๖๖ และต่อมารายชื่อ ยูนิเทค แอนนาลิสต์ แอนด์ เอ็นจิเนียริ่ง คอนซัลแตนท์ จำกัด
ได้ยื่นคำขอต่ออายุใบรับรองห้องปฏิบัติการตามขอรายชื่อที่ได้รับการรับรองเดิม และสามารถรักษาคำขอดังกล่าว
แล้วเสร็จ เมื่อวันที่ ๓ มกราคม ๒๕๖๖ ซึ่งตามพระราชบัญญัติการมาตรฐานแห่งชาติ พ.ศ. ๒๕๕๑ มาตรา ๒๕
ให้นำมาตรา ๒๐ ของพระราชบัญญัติการมาตรฐานแห่งชาติ พ.ศ. ๒๕๕๑ มาใช้บังคับแก่ผู้รับรับรอง
โดยอนุโลม ซึ่งบริษัท ยูนิเทค แอนนาลิสต์ แอนด์ เอ็นจิเนียริ่ง คอนซัลแตนท์ จำกัด ได้ปฏิบัติตาม ดังนั้นจึงถือว่า
เป็นผู้รับรับรองจนกว่าจะมีคำสั่งเป็นอย่างอื่นต่อไปรับรองจากเลขที่การดำเนินการสำนักงานมาตรฐาน
ผลิตภัณฑ์อุตสาหกรรม

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ



UNITEC ANALYST AND ENGINEERING
CONSULTANT COMPANY LIMITED

สำนักงานคณะกรรมการมาตรฐานแห่งชาติ

กลุ่มรับรองห้องปฏิบัติการ ๒

โทรศัพท์ ๐ ๒๕๓๐ ๖๕๒๕

โทรสาร ๐ ๒๕๕๔ ๓๓๓๓



รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ

(Scope of Accreditation for Testing)
ใบรับรองเลขที่ 21-LB0022
(Certification No. 21-LB0022)

ฉบับที่ 04
(Issue No. 04)
สถานที่ห้องปฏิบัติการ
(Laboratory status)
☒ถาวร
(Permanent)
☐ชั่วคราว
(Temporary)
ออกให้ตั้งแต่วันที่ 14 กุมภาพันธ์ 2565
(Valid from) (14 February B.E.2565 (2022))
ถึงวันที่ 17 พฤษภาคม พ.ศ. 2566
(Until) (17 May B.E.2566(2023))
☐เคลื่อนที่
(Mobile)
☐หลายสถานที่
(Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
สาขาสังแวดล้อม (Environmental field) 1.น้ำ(ต่อ) (water) (cont.) - น้ำผิวดิน (surface water) - น้ำใต้ดิน (ground water)	- Chloride 2.0 mg/l to 1 000 mg/l - Total hardness 4.0 mg/l to 1 000 mg/l - Total suspended solids 5.0 mg/l to 500 mg/l	- Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23 rd edition, 2017, part 4500-Cl ⁻ B - Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23 rd edition, 2017, part 2340 C - Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23 rd edition, 2017, part 2540 D

IAEA
สำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม
(Ministry of Industry, Thai Industrial Standards Institute)

กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม...
(Ministry of Industry, Thai Industrial Standards Institute)
หน้า 2/27



รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ

(Scope of Accreditation for Testing)
ใบรับรองเลขที่ 21-LB0022
(Certification No. 21-LB0022)

ชื่อห้องปฏิบัติการ
(Laboratory Name)
หน่วยเลขที่รับรองที่
(Accreditation No.)
ฉบับที่ 04
(Issue No. 04)
สถานภาพห้องปฏิบัติการ
(Laboratory status)
☒ถาวร
(Permanent)
☐ชั่วคราว
(Temporary)
ออกให้ตั้งแต่วันที่ 14 กุมภาพันธ์ 2565
(Valid from) (14 February B.E.2565 (2022))
ถึงวันที่ 17 พฤษภาคม พ.ศ. 2566
(Until) (17 May B.E.2566(2023))
☐เคลื่อนที่
(Mobile)
☐หลายสถานที่
(Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
สาขาสังแวดล้อม (Environmental field) 1.น้ำ (water) - น้ำผิวดิน (surface water) - น้ำใต้ดิน (ground water)	- Heavy metals • Copper 0.025 mg/l to 20.0 mg/l • Nickel 0.050 mg/l to 20.0 mg/l • Zinc 0.025 mg/l to 20.0 mg/l • Chromium 0.050 mg/l to 20.0 mg/l • Cadmium 0.010 mg/l to 20.0 mg/l • Lead 0.100 mg/l to 20.0 mg/l • Manganese 0.025 mg/l to 20.0 mg/l • Iron 0.050 mg/l to 20.0mg/l	- UAE: TP-HEM.005, UAE: TP-HEM.003 based on Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23 rd edition, 2017, part 3030 E and part 3111 B

IAEA
สำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม
(Ministry of Industry, Thai Industrial Standards Institute)

กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม...
(Ministry of Industry, Thai Industrial Standards Institute)
หน้า 1/27



รายละเอียดสาขาและขอบข่ายให้บริการ
(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 21-LB0022
(Certification No. 21-LB0022)

ฉบับที่ 04
(Issue No. 04)

ออกให้ตั้งแต่วันที่ 14 กุมภาพันธ์ 2565
(Valid from) (14 February B.E. 2565 (2023))

ถึงวันที่ 17 พฤษภาคม พ.ศ. 2566
(Until) (17 May B.E. 2566 (2023))

สถานภาพห้องปฏิบัติการ
(Laboratory status)

☒ถาวร
(Permanent)

☐นอกสถานที่
(Site)

☐ชั่วคราว
(Temporary)

☐เคลื่อนที่
(Mobile)

☐หลายสถานที่
(Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
สาขาส่งแวดล้อม (Environmental field) 1.น้ำ (ต่อ) (water) (cont.) - น้ำใต้ดิน (ground water)	- Volatile organic compounds (VOCs) (cont.) • Styrene 0.20 µg/l to 1000 µg/l • Tetrachloroethylene (Tetrachloroethene) 0.20 µg/l to 1 000 µg/l • Toluene 0.20 µg/l to 1 000 µg/l • Trichloroethylene (Trichloroethene) 0.20 µg/l to 1 000 µg/l • 1,1,1-Trichloroethane 0.20 µg/l to 1 000 µg/l • 1,1,2-Trichloroethane 0.20 µg/l to 1 000 µg/l • Total Xylenes(o.m.p-Xylene) (Xylene (total)) 0.60 µg/l to 3000 µg/l	- Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23 rd edition, 2017, part 6200 B

IAEA
ดำเนินการทดสอบ

กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม
(Ministry of Industry, Thai Industrial Standards Institute)

หน้า 4/27



รายละเอียดสาขาและขอบข่ายให้บริการ
(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 21-LB0022
(Certification No. 21-LB0022)

ฉบับที่ 04
(Issue No. 04)

ออกให้ตั้งแต่วันที่ 14 กุมภาพันธ์ 2565
(Valid from) (14 February B.E. 2565 (2023))

ถึงวันที่ 17 พฤษภาคม พ.ศ. 2566
(Until) (17 May B.E. 2566 (2023))

สถานภาพห้องปฏิบัติการ
(Laboratory status)

☒ถาวร
(Permanent)

☐นอกสถานที่
(Site)

☐ชั่วคราว
(Temporary)

☐เคลื่อนที่
(Mobile)

☐หลายสถานที่
(Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
สาขาส่งแวดล้อม (Environmental field) 1.น้ำ (ต่อ) (water) (cont.) - น้ำใต้ดิน (ground water)	- Volatile organic compounds (VOCs) • Benzene 0.20 µg/l to 1 000 µg/l • Carbon Tetrachloride 0.20 µg/l to 1 000 µg/l • 1,2-Dichloroethane 0.20 µg/l to 1 000 µg/l • 1,1-Dichloroethylene (1,1-Dichloroethene) 0.20 µg/l to 1 000 µg/l • cis-1,2-Dichloroethylene (cis-1,2-Dichloroethene) 0.20 µg/l to 1 000 µg/l • trans-1,2-Dichloroethylene (trans-1,2-Dichloroethene) 0.20 µg/l to 1 000 µg/l • Dichloromethane (Methylene Chloride) 0.20 µg/l to 1 000 µg/l • Ethylbenzene 0.20 µg/l to 1 000 µg/l	- Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23 rd edition, 2017, part 6200 B

IAEA
ดำเนินการทดสอบ

กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม
(Ministry of Industry, Thai Industrial Standards Institute)

หน้า 3/27



รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ
(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 21-LB0022
(Certification No. 21-LB0022)

ฉบับที่ 04
(Issue No. 04)

ออกให้ตั้งแต่วันที่ 14 กุมภาพันธ์ 2565
(Valid from) (14 February B.E.2565 (2023))

สถานที่ห้องปฏิบัติการ ☒ ถาวร ☐ ชั่วคราว
(Laboratory status) (Permanent) (Site) (Temporary)

ถึงวันที่ 17 พฤษภาคม พ.ศ. 2566
(Unit) (17 May B.E.2566(2023))

☐ เคลื่อนที่ ☐ หลายสถานที่
(Mobile) (Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
สาขาสังแวดล้อม (Environmental field) 2.น้ำเสีย (wastewater)	- Heavy metals • Copper 0.010 mg/l to 50.0 mg/l • Nickel 0.010 mg/l to 50.0 mg/l • Zinc 0.010 mg/l to 50.0 mg/l • Chromium 0.010 mg/l to 50.0 mg/l • Cadmium 0.010 mg/l to 50.0 mg/l • Lead 0.010 mg/l to 50.0 mg/l • Manganese 0.010 mg/l to 50.0 mg/l • Iron 0.010 mg/l to 50.0 mg/l	- UAE-TP-HEM.008 based on Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23 rd edition, 2017, part 3030 F and part 3120 B
	- Heavy metals • Copper 0.010 mg/l to 50.0 mg/l • Cadmium 0.010 mg/l to 50.0 mg/l • Lead 0.010 mg/l to 50.0 mg/l • Manganese 0.010 mg/l to 50.0 mg/l • Iron 0.010 mg/l to 50.0 mg/l	- Standard Methods for the Examination of Water and Wastewater, APHA, 'AWWA, WEF, 23 rd edition, 2017, part 3030 K and 3120 B

IAE
สำนักงานอุตสาหกรรม

กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม
(Ministry of Industry, Thai Industrial Standards Institute)

หน้า 6/27



รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ
(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 21-LB0022
(Certification No. 21-LB0022)

ฉบับที่ 04
(Issue No. 04)

ออกให้ตั้งแต่วันที่ 14 กุมภาพันธ์ 2565
(Valid from) (14 February B.E.2565 (2023))

สถานที่ห้องปฏิบัติการ ☒ ถาวร ☐ ชั่วคราว
(Laboratory status) (Permanent) (Site) (Temporary)

ถึงวันที่ 17 พฤษภาคม พ.ศ. 2566
(Unit) (17 May B.E.2566(2023))

☐ เคลื่อนที่ ☐ หลายสถานที่
(Mobile) (Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
สาขาสังแวดล้อม (Environmental field) 2.น้ำเสีย (wastewater)	- Heavy metals • Copper 0.050 mg/l to 50.0 mg/l • Nickel 0.100 mg/l to 50.0 mg/l • Zinc 0.050 mg/l to 50.0 mg/l • Chromium 0.100 mg/l to 50.0 mg/l • Cadmium 0.020 mg/l to 50.0 mg/l • Lead 0.200 mg/l to 50.0 mg/l • Manganese 0.050 mg/l to 50.0 mg/l • Iron 0.100 mg/l to 50.0 mg/l	- UAE-TP-HEM.004 based on Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23 rd edition, 2017, part 3030 E and part 3111 B

IAE
สำนักงานอุตสาหกรรม

กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม
(Ministry of Industry, Thai Industrial Standards Institute)

หน้า 5/27



รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ

(Scope of Accreditation for Testing)
ใบรับรองเลขที่ 21-LB0022
(Certification No. 21-LB0022)

ฉบับที่ 04
(Issue No. 04)
ออกให้ตั้งแต่วันที่ 14 กุมภาพันธ์ 2565
(Valid from) (14 February B.E.2565 (2022))
สถานที่ห้องปฏิบัติการ ☒ ถาวร (Permanent) ☐ชั่วคราว (Temporary)
สถานะห้องปฏิบัติการ ☒ถาวร (Permanent) ☐เคลื่อนที่ (Mobile) ☐หลายสถานที่ (Multisite)

ถึงวันที่ 17 พฤษภาคม พ.ศ. 2566
(Unit) (17 May B.E.2566(2023))
☐เคลื่อนที่ (Mobile) ☐หลายสถานที่ (Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
<p>สาขาสังแวดล้อม (Environmental field)</p> <p>3. น้ำและน้ำเสีย (water and wastewater)</p>	<p>- pH 2.0 to 12.0</p> <p>- Total mercury 0.020 µg/l to 3.50 µg/l</p> <p>- Total mercury 0.010 µg/l to 0.100 µg/l</p>	<p>- Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd edition, 2017, part 4500-H⁺ B</p> <p>- US EPA Method 245.7, Revision 2.0, February 2005</p> <p>- US EPA Method 1631, Revision E, August 2002</p>
<p>4. น้ำทะเล (seawater)</p>		

IAEA

ดำเนินการด้วย

กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม
(Ministry of Industry, Thai Industrial Standards Institute)

หน้า 8/27



รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ

(Scope of Accreditation for Testing)
ใบรับรองเลขที่ 21-LB0022
(Certification No. 21-LB0022)

ฉบับที่ 04
(Issue No. 04)
ออกให้ตั้งแต่วันที่ 14 กุมภาพันธ์ 2565
(Valid from) (14 February B.E.2565 (2022))
สถานที่ห้องปฏิบัติการ ☒ถาวร (Permanent) ☐ชั่วคราว (Temporary)
สถานะห้องปฏิบัติการ ☒ถาวร (Permanent) ☐เคลื่อนที่ (Mobile) ☐หลายสถานที่ (Multisite)

ถึงวันที่ 17 พฤษภาคม พ.ศ. 2566
(Unit) (17 May B.E.2566(2023))
☐เคลื่อนที่ (Mobile) ☐หลายสถานที่ (Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
<p>สาขาสังแวดล้อม (Environmental field)</p> <p>2. น้ำเสีย (ดอง) (wastewater) (cont.)</p>	<p>- COD 250 mg/l to 20 000 mg/l</p> <p>- COD 40.0 mg/l to 2 000 mg/l</p> <p>- Total suspended solids 5.0 mg/l to 5 000 mg/l</p>	<p>- Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd edition, 2017, part 5220 D</p> <p>- Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd edition, 2017, part 5220 C</p> <p>- Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd edition, 2017, part 2540 D</p>
	<p>- BOD 2.0 mg/l to 10 000 mg/l</p>	<p>- Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd edition, 2017, part 5210 B</p>
	<p>- Oil and Grease 3 mg/l to 200 mg/l</p>	<p>- Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd edition, 2017, part 5520B</p>

IAEA

ดำเนินการด้วย

กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม
(Ministry of Industry, Thai Industrial Standards Institute)

หน้า 7/27




รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ

ใบรับรองเลขที่ 21-LB0022
(Certification No. 21-LB0022)

ฉบับที่ 04
(Issue No. 04)
ออกให้ตั้งแต่วันที่ 14 กุมภาพันธ์ 2565
(Valid from) (14 February B.E. 2565 (2023))
สถานที่ห้องปฏิบัติการ ☒ ถาวร (Permanent) ☐ ชั่วคราว (Temporary)
สถานะห้องปฏิบัติการ ☒ เคลื่อนที่ (Mobile) ☐ หลายสถานที่ (Multisite)

ถึงวันที่ 17 พฤษภาคม พ.ศ. 2566
(Unit) (17 May B.E. 2566 (2023))
☐ เคลื่อนที่ (Mobile) ☐ หลายสถานที่ (Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
สาขาส่งแวดล้อม (Environmental field) 6. บรรยากาศ (ambient)	- Total suspended particulate matter $\leq 100 \mu\text{m}$ $2.0 \mu\text{g}/\text{m}^3$ to $750 \mu\text{g}/\text{m}^3$ - Particulate matter $\leq 10 \mu\text{m}$ $2.7 \mu\text{g}/\text{m}^3$ to $300 \mu\text{g}/\text{m}^3$ - Volatile organic compounds (VOCs) • Benzene 0.08 ppbv to 25 ppbv $(0.26 \mu\text{g}/\text{m}^3 \text{ to } 79.9 \mu\text{g}/\text{m}^3)$ • Bromodichloromethane 0.08 ppbv to 25 ppbv $(0.53 \mu\text{g}/\text{m}^3 \text{ to } 166 \mu\text{g}/\text{m}^3)$	- US EPA, Code of Federal Regulations, 40 CFR chapter I-part 50 appendix B, revised as of July 1, 2012 (High-Volume method) - US EPA, Code of Federal Regulations, 40 CFR chapter I-part 50 appendix J, revised as of July 1, 2012 (High-Volume method) - UAE.TP.TOX.003 based on U.S.EPA, Compendium Method TO-15, 2 nd edition, January 1999



กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม
(Ministry of Industry, Thai Industrial Standards Institute)

วันที่ 10/27

IAEA
UNITED ANALYST AND ENGINEERING
CONSULTANT COMPANY LIMITED

IAEA
UNITED ANALYST AND ENGINEERING
CONSULTANT COMPANY LIMITED

กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม
(Ministry of Industry, Thai Industrial Standards Institute)

วันที่ 9/27



รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ

ใบรับรองเลขที่ 21-LB0022
(Certification No. 21-LB0022)

ฉบับที่ 04
(Issue No. 04)
ออกให้ตั้งแต่วันที่ 14 กุมภาพันธ์ 2565
(Valid from) (14 February B.E. 2565 (2023))
สถานที่ห้องปฏิบัติการ ☒ ถาวร (Permanent) ☐ ชั่วคราว (Temporary)
สถานะห้องปฏิบัติการ ☒ เคลื่อนที่ (Mobile) ☐ หลายสถานที่ (Multisite)

ถึงวันที่ 17 พฤษภาคม พ.ศ. 2566
(Unit) (17 May B.E. 2566 (2023))
☐ เคลื่อนที่ (Mobile) ☐ หลายสถานที่ (Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
สาขาส่งแวดล้อม (Environmental field) 5. ภาคตะกอน (sludge)	- Heavy metals • Barium 5.00 mg/kg to 10000 mg/kg • Cadmium 5.00 mg/kg to 10000 mg/kg • Chromium 5.00 mg/kg to 10000 mg/kg • Cobalt 5.00 mg/kg to 10000 mg/kg • Copper 5.00 mg/kg to 10000 mg/kg • Nickel 5.00 mg/kg to 10000 mg/kg • Lead 5.00 mg/kg to 10000 mg/kg • Zinc 5.00 mg/kg to 10000 mg/kg	- US EPA Method 3050 B, Revision 2 :1996 and US EPA Method 6010D, Revision 5 : 2018



กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม
(Ministry of Industry, Thai Industrial Standards Institute)

วันที่ 9/27

IAEA
UNITED ANALYST AND ENGINEERING
CONSULTANT COMPANY LIMITED

กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม
(Ministry of Industry, Thai Industrial Standards Institute)




รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ
(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 21-LB0022
(Certification No. 21-LB0022)

ฉบับที่ 04
(Issue No. 04)
ออกให้ตั้งแต่วันที่ 14 กุมภาพันธ์ 2565
(Valid from) (14 February B.E.2565 (2023))
สถานที่ห้องปฏิบัติการ ☒ ถาวร (Permanent) ☐ชั่วคราว (Temporary)
สถานะห้องปฏิบัติการ ☒ถาวร (Permanent) ☐เคลื่อนที่ (Mobile)
ถึงวันที่ 17 พฤษภาคม พ.ศ. 2566
(Unit) (17 May B.E.2566(2023))
☐เคลื่อนที่ (Mobile) ☐หลายสถานที่ (Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
สาขาส่งแวดล้อม (Environmental field) 6. บรรยากาศ(ต่อ) (ambient) (cont.)	- Volatile organic compounds (VOCs) (cont.) • 1,3-Dichlorobenzene 0.08 ppbv to 25 ppbv (0.48 $\mu\text{g}/\text{m}^3$ to 149 $\mu\text{g}/\text{m}^3$) • 1,1-Dichloroethane 0.08 ppbv to 25 ppbv (0.32 $\mu\text{g}/\text{m}^3$ to 100 $\mu\text{g}/\text{m}^3$) • 1,2-Dichloroethane 0.08 ppbv to 25 ppbv (0.32 $\mu\text{g}/\text{m}^3$ to 100 $\mu\text{g}/\text{m}^3$) • 1,2-Dibromoethane 0.08 ppbv to 25 ppbv (0.61 $\mu\text{g}/\text{m}^3$ to 190 $\mu\text{g}/\text{m}^3$) • Freon-11 (Trichloro monofluoromethane) 0.08 ppbv to 25 ppbv (0.44 $\mu\text{g}/\text{m}^3$ to 139 $\mu\text{g}/\text{m}^3$) • Freon-113 (1,1,2-Trichloro-1,2,2-Trifluoroethane) 0.08 ppbv to 25 ppbv (0.61 $\mu\text{g}/\text{m}^3$ to 190 $\mu\text{g}/\text{m}^3$)	- UAE-TP-TOX.003 based on U.S.EPA, Compendium Method TO-15, 2 nd edition, January 1999



สำนักงานมาตรฐาน
อุตสาหกรรม

กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม
(Ministry of Industry, Thai Industrial Standards Institute)

วันที่ 12/27




รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ
(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 21-LB0022
(Certification No. 21-LB0022)

ฉบับที่ 04
(Issue No. 04)
ออกให้ตั้งแต่วันที่ 14 กุมภาพันธ์ 2565
(Valid from) (14 February B.E.2565 (2023))
สถานที่ห้องปฏิบัติการ ☒ ถาวร (Permanent) ☐ชั่วคราว (Temporary)
สถานะห้องปฏิบัติการ ☒ถาวร (Permanent) ☐เคลื่อนที่ (Mobile)
ถึงวันที่ 17 พฤษภาคม พ.ศ. 2566
(Unit) (17 May B.E.2566(2023))
☐เคลื่อนที่ (Mobile) ☐หลายสถานที่ (Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
สาขาส่งแวดล้อม (Environmental field) 6. บรรยากาศ(ต่อ) (ambient) (cont.)	- Volatile organic compounds (VOCs) (cont.) • Bromoform 0.08 ppbv to 25 ppbv (0.82 $\mu\text{g}/\text{m}^3$ to 256 $\mu\text{g}/\text{m}^3$) • Bromomethane 0.08 ppbv to 25 ppbv (0.31 $\mu\text{g}/\text{m}^3$ to 96.1 $\mu\text{g}/\text{m}^3$) • Carbon Disulfide 0.08 ppbv to 25 ppbv (0.25 $\mu\text{g}/\text{m}^3$ to 77.7 $\mu\text{g}/\text{m}^3$) • Carbon Tetrachloride 0.08 ppbv to 25 ppbv (0.50 $\mu\text{g}/\text{m}^3$ to 155 $\mu\text{g}/\text{m}^3$) • Chlorobenzene 0.08 ppbv to 25 ppbv (0.37 $\mu\text{g}/\text{m}^3$ to 115 $\mu\text{g}/\text{m}^3$) • Chloroform 0.08 ppbv to 25 ppbv (0.39 $\mu\text{g}/\text{m}^3$ to 121 $\mu\text{g}/\text{m}^3$) • 1,2-Dichlorobenzene 0.08 ppbv to 25 ppbv (0.48 $\mu\text{g}/\text{m}^3$ to 149 $\mu\text{g}/\text{m}^3$)	- UAE-TP-TOX.003 based on U.S.EPA, Compendium Method TO-15, 2 nd edition, January 1999



สำนักงานมาตรฐาน
อุตสาหกรรม

กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม
(Ministry of Industry, Thai Industrial Standards Institute)

หน้า 12/27

รายละเอียดสาขาและขอบข่ายให้บริการ
(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 21-LB0022
(Certification No. 21-LB0022)

ฉบับที่ 04 (Issue No. 04)
ออกให้ตั้งแต่วันที่ 14 กุมภาพันธ์ 2565 (Valid from) (14 February B.E.2565 (2022))
สถานที่ห้องปฏิบัติการ ☒ ถาวร (Permanent) ☐ นอกสถานที่ ☐ชั่วคราว (Temporary)
สถานที่ ☐เคลื่อนที่ (Mobile) ☐หลายสถานที่ (Multisite)
ถึงวันที่ 17 พฤษภาคม พ.ศ. 2566 (Unit) (17 May B.E.2566(2023))



สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
สาขาสังแวดล้อม (Environmental field) 6. บรรยากาศ (ต่อ) (ambient) (cont.)	- Volatile organic compounds (VOCs)(cont.) • 1,1,1-Trichloroethane 0.08 ppbv to 25 ppbv (0.43 $\mu\text{g}/\text{m}^3$ to 135 $\mu\text{g}/\text{m}^3$) • Chloromethane 0.08 ppbv to 25 ppbv (0.16 $\mu\text{g}/\text{m}^3$ to 51.1 $\mu\text{g}/\text{m}^3$) • Isobutene 0.08 ppbv to 25 ppbv (0.18 $\mu\text{g}/\text{m}^3$ to 57.3 $\mu\text{g}/\text{m}^3$) • Vinyl Chloride 0.08 ppbv to 25 ppbv (0.20 $\mu\text{g}/\text{m}^3$ to 63.4 $\mu\text{g}/\text{m}^3$) • 1,3-Butadiene 0.08 ppbv to 25 ppbv (0.18 $\mu\text{g}/\text{m}^3$ to 55.2 $\mu\text{g}/\text{m}^3$) • Acetaldehyde 0.08 ppbv to 25 ppbv (0.14 $\mu\text{g}/\text{m}^3$ to 45.0 $\mu\text{g}/\text{m}^3$) • Chloroethane 0.08 ppbv to 25 ppbv (0.21 $\mu\text{g}/\text{m}^3$ to 65.4 $\mu\text{g}/\text{m}^3$)	- UAE-TP-TOX.003 based on U.S.EPA, Compendium Method TO-15, 2 nd edition, January 1999

IAEA **สำเนาถูกต้อง**

กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม
(Ministry of Industry, Thai Industrial Standards Institute)

วันที่ 14/27

รายละเอียดสาขาและขอบข่ายให้บริการ
(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 21-LB0022
(Certification No. 21-LB0022)

ฉบับที่ 04 (Issue No. 04)
ออกให้ตั้งแต่วันที่ 14 กุมภาพันธ์ 2565 (Valid from) (14 February B.E.2565 (2022))
สถานที่ห้องปฏิบัติการ ☒ ถาวร (Permanent) ☐ นอกสถานที่ ☐ชั่วคราว (Temporary)
สถานที่ ☐เคลื่อนที่ (Mobile) ☐หลายสถานที่ (Multisite)
ถึงวันที่ 17 พฤษภาคม พ.ศ. 2566 (Unit) (17 May B.E.2566(2023))



สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
สาขาสังแวดล้อม (Environmental field) 6. บรรยากาศ (ต่อ) (ambient) (cont.)	- Volatile organic compounds (VOCs) (cont.) • Freon-114(1,2-Dichloro tetrafluoroethane) 0.08 ppbv to 25 ppbv (0.56 $\mu\text{g}/\text{m}^3$ to 174 $\mu\text{g}/\text{m}^3$) • Pentane 0.08 ppbv to 25 ppbv (0.24 $\mu\text{g}/\text{m}^3$ to 73.6 $\mu\text{g}/\text{m}^3$) • 1,1,2,2-Tetrachloroethane 0.08 ppbv to 25 ppbv (0.54 $\mu\text{g}/\text{m}^3$ to 170 $\mu\text{g}/\text{m}^3$) • Toluene 0.08 ppbv to 25 ppbv (0.30 $\mu\text{g}/\text{m}^3$ to 94.1 $\mu\text{g}/\text{m}^3$) • Tetrachloroethylene 0.08 ppbv to 25 ppbv (0.54 $\mu\text{g}/\text{m}^3$ to 168 $\mu\text{g}/\text{m}^3$) • Trichloroethylene 0.08 ppbv to 25 ppbv (0.43 $\mu\text{g}/\text{m}^3$ to 133 $\mu\text{g}/\text{m}^3$)	- UAE-TP-TOX.003 based on U.S.EPA, Compendium Method TO-15, 2 nd edition, January 1999

IAEA

กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม
(Ministry of Industry, Thai Industrial Standards Institute)

วันที่ 13/27

สำเนาถูกต้อง



รายละเอียดสาขาและขอบข่ายให้บริการ
(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 21-L80022
(Certification No. 21-L80022)

ฉบับที่ 04
(Issue No. 04)
ออกให้ตั้งแต่วันที่ 14 กุมภาพันธ์ 2565
(Valid from) (14 February B.E.2565 (2022))
สถานที่ห้องปฏิบัติการ ☒ ถาวร (Permanent)
สถานะห้องปฏิบัติการ ☐ชั่วคราว (Temporary)
สถานที่ ☐เคลื่อนที่ (Mobile)
สถานที่ ☐หลายสถานที่ (Multisite)

ถึงวันที่ 17 พฤษภาคม พ.ศ. 2566
(Until) (17 May B.E.2566(2023))



รายละเอียดสาขาและขอบข่ายให้บริการ
(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 21-L80022
(Certification No. 21-L80022)

ฉบับที่ 04
(Issue No. 04)
ออกให้ตั้งแต่วันที่ 14 กุมภาพันธ์ 2565
(Valid from) (14 February B.E.2565 (2022))
สถานที่ห้องปฏิบัติการ ☒ ถาวร (Permanent)
สถานะห้องปฏิบัติการ ☐ชั่วคราว (Temporary)
สถานที่ ☐เคลื่อนที่ (Mobile)
สถานที่ ☐หลายสถานที่ (Multisite)

ถึงวันที่ 17 พฤษภาคม พ.ศ. 2566
(Until) (17 May B.E.2566(2023))

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
สาขาสิ่งแวดล้อม (Environmental field) 6. บรรยากาศ (ต่อ) (ambient) (cont.)	<ul style="list-style-type: none">- Volatile organic compounds (VOCs) (cont.)• Acrylonitrile 0.08 ppbv to 25 ppbv (0.17 $\mu\text{g}/\text{m}^3$ to 54.2 $\mu\text{g}/\text{m}^3$)• Hexane 0.08 ppbv to 25 ppbv (0.28 $\mu\text{g}/\text{m}^3$ to 87.9 $\mu\text{g}/\text{m}^3$)• cis-1,2-Dichloroethene(cis-1,2-Dichloroethylene) 0.08 ppbv to 25 ppbv (0.31 $\mu\text{g}/\text{m}^3$ to 98.2 $\mu\text{g}/\text{m}^3$)• Methyl Ethyl Ketone (MEK) 0.08 ppbv to 25 ppbv (0.24 $\mu\text{g}/\text{m}^3$ to 73.6 $\mu\text{g}/\text{m}^3$)• Cyclohexane 0.08 ppbv to 25 ppbv (0.27 $\mu\text{g}/\text{m}^3$ to 85.9 $\mu\text{g}/\text{m}^3$)• 2-Pentanone 0.08 ppbv to 25 ppbv (0.28 $\mu\text{g}/\text{m}^3$ to 87.9 $\mu\text{g}/\text{m}^3$)	<ul style="list-style-type: none">- UAE-TP-TOX.003 based on U.S.EPA, Compendium Method TO-15, 2nd edition, January 1999

IAEA

IAEA

ดำเนินการโดย

ดำเนินการโดย

กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม
(Ministry of Industry, Thai Industrial Standards Institute)

วันที่ 16/27

ดำเนินการโดย

ดำเนินการโดย

กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม
(Ministry of Industry, Thai Industrial Standards Institute)

วันที่ 16/27

IAEA

กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม
(Ministry of Industry, Thai Industrial Standards Institute)

วันที่ 15/27



รายละเอียดสาขาและขอบข่ายให้บริการ

ใบรับรองเลขที่ 21-L80022
(Certification No. 21-L80022)

ฉบับที่ 04
(Issue No. 04)
ออกให้ตั้งแต่วันที่ 14 กุมภาพันธ์ 2565
(Valid from) (14 February B.E.2565 (2023))
สถานที่ห้องปฏิบัติการ ☒ ถาวร (Permanent) ☐ชั่วคราว (Temporary)
สถานะห้องปฏิบัติการ ☒ถาวร (Permanent) ☐เคลื่อนที่ (Mobile)
ถึงวันที่ 17 พฤษภาคม พ.ศ. 2566
(Until) (17 May B.E.2566(2023))
☐เคลื่อนที่ (Mobile) ☐หลายสถานที่ (Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
<p>สาขาส่งแวดล้อม (Environmental field) 6. บรรยากาศ(ต่อ) (ambient) (cont.)</p>	<p>- Volatile organic compounds (VOCs) (cont.)</p> <ul style="list-style-type: none"> • m,p-Xylene 0.16 ppbv to 50 ppbv (0.70 µg/m³ to 217 µg/m³) • o-Xylene 0.08 ppbv to 25 ppbv (0.35 µg/m³ to 108 µg/m³) • 1,4-Dichlorobenzene 0.08 ppbv to 25 ppbv (0.48 µg/m³ to 149 µg/m³) • 1,2,3-Trimethylbenzene 0.08 ppbv to 25 ppbv (0.39 µg/m³ to 123 µg/m³) • Benzyl Chloride 0.08 ppbv to 25 ppbv (0.41 µg/m³ to 129 µg/m³) • Propanal 0.08 ppbv to 25 ppbv (0.19 µg/m³ to 59.3 µg/m³) 	<p>- UAE-TP-TOX.003 based on U.S.EPA, Compendium Method TO-15, 2nd edition, January 1999</p>

IAEA

กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม
(Ministry of Industry, Thai Industrial Standards Institute)

วันที่ 18/27

ดำเนินการถูกต้อง



รายละเอียดสาขาและขอบข่ายให้บริการ

ใบรับรองเลขที่ 21-L80022
(Certification No. 21-L80022)

ฉบับที่ 04
(Issue No. 04)
ออกให้ตั้งแต่วันที่ 14 กุมภาพันธ์ 2565
(Valid from) (14 February B.E.2565 (2023))
สถานที่ห้องปฏิบัติการ ☒ ถาวร (Permanent) ☐ชั่วคราว (Temporary)
สถานะห้องปฏิบัติการ ☒ถาวร (Permanent) ☐เคลื่อนที่ (Mobile)
ถึงวันที่ 17 พฤษภาคม พ.ศ. 2566
(Until) (17 May B.E.2566(2023))
☐เคลื่อนที่ (Mobile) ☐หลายสถานที่ (Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
<p>สาขาส่งแวดล้อม (Environmental field) 6. บรรยากาศ(ต่อ) (ambient) (cont.)</p>	<p>- Volatile organic compounds (VOCs) (cont.)</p> <ul style="list-style-type: none"> • 1,2-Dichloropropane 0.08 ppbv to 25 ppbv (0.37 µg/m³ to 115 µg/m³) • 3-Pentanone 0.08 ppbv to 25 ppbv (0.28 µg/m³ to 87.9 µg/m³) • 1,4-Dioxane 0.08 ppbv to 25 ppbv (0.29 µg/m³ to 90.0 µg/m³) • trans-1,3-Dichloropropene 0.08 ppbv to 25 ppbv (0.36 µg/m³ to 112 µg/m³) • 1,1,2-Trichloroethane 0.08 ppbv to 25 ppbv (0.43 µg/m³ to 135 µg/m³) • 3-Hexanone 0.08 ppbv to 25 ppbv (0.33 µg/m³ to 102 µg/m³) • Ethylbenzene 0.08 ppbv to 25 ppbv (0.35 µg/m³ to 108 µg/m³) 	<p>- UAE-TP-TOX.003 based on U.S.EPA, Compendium Method TO-15, 2nd edition, January 1999</p>

IAEA

กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม
(Ministry of Industry, Thai Industrial Standards Institute)

วันที่ 19/29

ดำเนินการถูกต้อง



รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ

(Scope of Accreditation for Testing)
ใบรับรองเลขที่ 21-LB0022
(Certification No. 21-LB0022)

ฉบับที่ 03
(Issue No.)

สถานะภาพห้องปฏิบัติการ
(Laboratory status)

ออกให้ตั้งแต่วันที่ 16 สิงหาคม พ.ศ. 2564
(Valid from) (16 August B.E. 2564 (2021))

☐ถาวร
(Permanent)

☒นอกสถานที่
(Site)

☐ชั่วคราว
(Temporary)

ถึงวันที่ 17 พฤษภาคม พ.ศ. 2566
(Unit) (17 May B.E. 2566 (2023))

☐เคลื่อนที่
(Mobile)

☐หลายสถานที่
(Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
สาขาสิ่งแวดล้อม (Environmental field) 1. บรรยากาศ (ambient)	<ul style="list-style-type: none"> ระดับเสียง (sound level) ระดับเสียงเฉลี่ย (equivalent continuous sound pressure level; $L_{Aeq,T}$) ระดับเสียงสูงสุด (maximum sound level; L_{Amax}) ระดับเสียงต่ำสุด (minimum sound level; L_{Amin}) ระดับเสียงเปอร์เซ็นต์ไทล์ที่ N (percentile sound level; L_{kN}) 	<ul style="list-style-type: none"> - ISO 1996-1: 2016 - ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่อง กำหนดมาตรฐานระดับเสียงโดยทั่วไป ลงวันที่ 12 มีนาคม พ.ศ. 2540, ประกาศกรมควบคุมมลพิษ (พ.ศ. 2540) เรื่อง วิธีการคำนวณค่าระดับเสียง ลงวันที่ 11 สิงหาคม พ.ศ. 2540 และประกาศกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม เรื่อง กำหนดมาตรฐานควบคุมระดับเสียงและความสั่นสะเทือน ลงวันที่ 7 พฤศจิกายน พ.ศ. 2548

ดำเนินการด้วย

กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม
(Ministry of Industry, Thai Industrial Standards Institute)

วันที่ 20/27



รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ

(Scope of Accreditation for Testing)
ใบรับรองเลขที่ 21-LB0022
(Certification No. 21-LB0022)

ฉบับที่ 04
(Issue No.)

สถานะภาพห้องปฏิบัติการ
(Laboratory status)

ออกให้ตั้งแต่วันที่ 14 กุมภาพันธ์ 2565
(Valid from) (14 February B.E. 2565 (2022))

☐ถาวร
(Permanent)

☐นอกสถานที่
(Site)

☐ชั่วคราว
(Temporary)

ถึงวันที่ 17 พฤษภาคม พ.ศ. 2566
(Unit) (17 May B.E. 2566 (2023))

☐เคลื่อนที่
(Mobile)

☐หลายสถานที่
(Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
สาขาผลิตภัณฑ์ (Consumer products field) 1. น้ำสำหรับบริโภคและน้ำประปา (drinking water and tap water)	<ul style="list-style-type: none"> - Chloride 2.0 mg/l to 500 mg/l 	<ul style="list-style-type: none"> - Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd edition, 2017, part 4500-CI B
	<ul style="list-style-type: none"> - Total hardness 4.0 mg/l to 500 mg/l 	<ul style="list-style-type: none"> - Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd edition, 2017, part 2340 C
	<ul style="list-style-type: none"> - Fluoride 0.08 mg/l to 5.20 mg/l 	<ul style="list-style-type: none"> - Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition, 2017, part 4500-F D

กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม
(Ministry of Industry, Thai Industrial Standards Institute)

วันที่ 19/27



รายละเอียดสาขาและขอบข่ายให้บริการ
(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 21-LB0022
(Certification No. 21-LB0022)

ฉบับที่ 04
(Issue No. 04)
ออกให้ตั้งแต่วันที่ 14 กุมภาพันธ์ 2565
(Valid from) (14 February B.E.2565 (2023))
สถานที่ห้องปฏิบัติการ ☐ ถาวร (Permanent) ☒ นอกสถานที่ (Site) ☐ เคลื่อนที่ (Mobile)
สถานะภาพห้องปฏิบัติการ ☐ชั่วคราว (Temporary) ☒ถาวร (Permanent)

ถึงวันที่ 17 พฤษภาคม พ.ศ. 2566
(Unit) (17 May B.E.2566(2023))
☐ เคลื่อนที่ (Mobile)
☐ หลายสถานที่ (Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
สาขาสังแวดล้อม (Environmental field) 1. บรรยากาศ (ต่อ) (ambient) (cont.)	- ความสั่นสะเทือน (Vibration) • ความเร็วอนุภาคจุด (Velocity) 10mm/s to 30 mm/s (ทั้งแกน X,Y,Z) • ความถี่ (Frequency) 50Hz to 160 Hz (ทั้งแกน X,Y,Z)	- ประกาศคณะกรรมการ สิ่งแวดล้อมแห่งชาติ ฉบับที่ 37 (พ.ศ. 2553)เรื่องกำหนด มาตรฐานความสั่นสะเทือนเพื่อ ป้องกันผลกระทบต่ออาคาร ลง วันที่ 26 เมษายน พ.ศ. 2553 - ประกาศกระทรวง ทรัพยากรธรรมชาติและ สิ่งแวดล้อม เรื่อง กำหนด มาตรฐานควบคุมระดับเสียงและ ความสั่นสะเทือนจากการทำ เหมืองหิน ลงวันที่ 7 พฤศจิกายน พ.ศ.2548 - DIN 45669-1:2010 - DIN 45669-2:2005 - DIN 4150-3:1999
	- Fine Particulate Matter as PM _{2.5} 2.00 µg/m ³ to 200µg/m ³	- US EPA, Code of Federal Regulation, 40 CFR Chapter I -Part 50, Appendix L, Reference Method for the Determination of Fine Particulate Matter As PM _{2.5} in the Atmosphere, 2021



กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม
(Ministry of Industry, Thai Industrial Standards Institute)

วันที่ 22/27



รายละเอียดสาขาและขอบข่ายให้บริการ
(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 21-LB0022
(Certification No. 21-LB0022)

ฉบับที่ 04
(Issue No. 04)
ออกให้ตั้งแต่วันที่ 14 กุมภาพันธ์ 2565
(Valid from) (14 February B.E.2565 (2023))
สถานที่ห้องปฏิบัติการ ☐ ถาวร (Permanent) ☒ นอกสถานที่ (Site) ☐ เคลื่อนที่ (Mobile)
สถานะภาพห้องปฏิบัติการ ☐ชั่วคราว (Temporary) ☒ถาวร (Permanent)

ถึงวันที่ 17 พฤษภาคม พ.ศ. 2566
(Unit) (17 May B.E.2566(2023))
☐ เคลื่อนที่ (Mobile)
☐ หลายสถานที่ (Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
สาขาสังแวดล้อม (Environmental field) 1. บรรยากาศ (ต่อ) (ambient) (cont.)	- ระดับเสียงรบกวน • ระดับเสียงพื้นฐานหรือระดับเสียง เปอร์เซ็นต์ไทล์ที่ 90 (background noise level; L ₉₀) 30 dB(A) to 120 dB(A) • ระดับเสียงขณะไม่มีการรบกวน (residual noise level; L _{req,r}) 30 dB(A) to 120 dB(A) • ระดับเสียงขณะมีการรบกวน (specific noise level; L _{req,s}) 30 dB(A) to 120 dB(A) • ระดับการรบกวน 2 dB(A) to 40 dB(A)	- ISO 1996-1: 2016 - ประกาศคณะกรรมการสิ่งแวดล้อม แห่งชาติ ฉบับที่ 29 (พ.ศ.2550) เรื่อง ค่าระดับเสียงรบกวน ลงวันที่ 29 มิถุนายน พ.ศ.2550, ประกาศ คณะกรรมการควบคุมมลพิษ เรื่อง วิธีการตรวจวัดระดับเสียงพื้นฐาน ระดับเสียงขณะไม่มีการรบกวน การ ตรวจวัดและคำนวณระดับเสียงขณะมี การรบกวน และการคำนวณค่าระดับ การรบกวน และแบบบันทึกการ การรบกวน พ.ศ.2550, ประกาศ กระทรวงอุตสาหกรรม (พ.ศ.2548) เรื่อง กำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบ กิจการโรงงาน พ.ศ.2548 ลงวันที่ 27 ธันวาคม พ.ศ.2548และประกาศกรม โรงงานอุตสาหกรรม เรื่อง วิธีการ ตรวจวัดระดับเสียงการรบกวน ระดับ เสียงเฉลี่ย 24 ชั่วโมง และระดับเสียง สูงสุดที่เกิดจากการประกอบกิจการ โรงงาน พ.ศ.2553 ลงวันที่ 20 ธันวาคม พ.ศ.2553



กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม
(Ministry of Industry, Thai Industrial Standards Institute)

วันที่ 21/27



รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ

ใบรับรองเลขที่ 21-LB0022
(Certification No. 21-LB0022)

ฉบับที่ 04
(Issue No. 04)

ออกให้ตั้งแต่วันที่ 14 กุมภาพันธ์ 2565
(Valid from) (14 February B.E.2565 (2023))

สถานที่ห้องปฏิบัติการ ☐ ถาวร ☒ ชั่วคราว
(Laboratory status) (Permanent) (Site) (Temporary)

ถึงวันที่ 17 พฤษภาคม พ.ศ. 2566
(Unit) (17 May B.E.2566(2023))

☐ เคลื่อนที่ ☐ หลายสถานที่
(Mobile) (Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
สาขาสิ่งแวดล้อม (Environmental field) 3. สถานประกอบการ (workplace)	- ระดับเสียง (sound level) <ul style="list-style-type: none">ระดับเสียงเฉลี่ย (equivalent continuous sound pressure level; $L_{eq,T}$) 30 dB(A) to 120 dB(A)ระดับเสียงสูงสุด (maximum sound level; L_{Amax}) 30 dB(A) to 120 dB(A)ระดับเสียงต่ำสุด (minimum sound level; L_{Amin}) 30 dB(A) to 120 dB(A)ระดับเสียงเปอร์เซ็นต์ไทล์ที่ N(percentile sound level;L_{AN}) 30 dB(A) to 120 dB(A)	- ประกาศกรมสวัสดิการและคุ้มครองแรงงาน เรื่อง หลักเกณฑ์วิธีการตรวจวัด และการวิเคราะห์วิธีการตรวจวัด และการวิเคราะห์ความถี่เสียง หรือเสียงรวมทั้งระยะเวลาและประเภทกิจการที่ต้องดำเนินการ ลงวันที่ 8 กุมภาพันธ์ 2561, กฎกระทรวง (กระทรวงแรงงาน) กำหนดมาตรฐานในการบริหารจัดการและดำเนินการด้านความปลอดภัย อาชีวอนามัยและสภาพแวดล้อมในการทำงานเกี่ยวกับความร้อน แสงสว่าง และเสียง พ.ศ. 2559 ลงวันที่ 7 ตุลาคม พ.ศ.2559 และประกาศกระทรวงอุตสาหกรรม เรื่อง มาตรการคุ้มครองความปลอดภัยในการประกอบกิจการโรงงาน เกี่ยวกับسلامะล้อมในการทำงาน พ.ศ.2546 ลงวันที่ 6 พฤศจิกายน พ.ศ.2546

IAF

IAF

ดำเนินการถูกต้อง

กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม
(Ministry of Industry, Thai Industrial Standards Institute)

วันที่ 24/27



รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ

ใบรับรองเลขที่ 21-LB0022
(Certification No. 21-LB0022)

ฉบับที่ 04
(Issue No. 04)

ออกให้ตั้งแต่วันที่ 14 กุมภาพันธ์ 2565
(Valid from) (14 February B.E.2565 (2023))

สถานที่ห้องปฏิบัติการ ☐ ถาวร ☒ ชั่วคราว
(Laboratory status) (Permanent) (Site) (Temporary)

ถึงวันที่ 17 พฤษภาคม พ.ศ. 2566
(Unit) (17 May B.E.2566(2023))

☐ เคลื่อนที่ ☐ หลายสถานที่
(Mobile) (Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
สาขาสิ่งแวดล้อม (Environmental field) 2. พื้นที่ชุมชนโดยรอบสนามบิน (community areas in vicinity of airport)	- ระดับเสียงอากาศยาน (aircraft sound) <ul style="list-style-type: none">ระดับเสียงเฉลี่ยกลางวันและกลางคืน (day-night average sound level; L_{dnp}) 30 dB(A) to 120 dB(A)	- ประกาศกรมควบคุมมลพิษ (พ.ศ. 2556) เรื่อง วิธีการตรวจวัดระดับเสียงอากาศยานในพื้นที่ชุมชน ข้อ 2 วิธีการตรวจวัดระดับเสียงอากาศยานสำหรับจุดตรวจวัดชั่วคราวในพื้นที่ชุมชน ลงวันที่ 4 กันยายน พ.ศ.2556 และประกาศกรมควบคุมมลพิษ (พ.ศ.2540) เรื่องการคำนวณระดับเสียง ลงวันที่ 11 สิงหาคม พ.ศ.2540

IAF

IAF

ดำเนินการถูกต้อง

กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม
(Ministry of Industry, Thai Industrial Standards Institute)

วันที่ 23/27



รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ
(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 21-LB0022
(Certification No. 21-LB0022)

ฉบับที่ 04
(Issue No. 04)
ออกให้ตั้งแต่วันที่ 14 กุมภาพันธ์ 2565
(Valid from) (14 February B.E. 2565 (2023))
สถานที่ห้องปฏิบัติการ ☐ ถาวร (Permanent) ☒ชั่วคราว (Temporary)
สถานะห้องปฏิบัติการ ☐ถาวร (Permanent) ☒เคลื่อนที่ (Mobile)
สถานที่ ☐หลายสถานที่ (Multisite)

ถึงวันที่ 17 พฤษภาคม พ.ศ. 2566
(Until) (17 May B.E. 2566 (2023))

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
<p>สาขาสังแวดล้อม (Environmental field)</p> <p>3. สถานประกอบกิจการ (ต่อ) (workplace) (cont.)</p>	<p>- Total Dust 0.200 mg/m³ to 15.0 mg/m³</p> <p>- Respirable Dust 0.010 mg/m³ to 5.00 mg/m³</p> <p>- Sulfur dioxide 45 ppm to 1 000 ppm</p> <p>- Nitrogen oxide 45 ppm to 700 ppm</p> <p>- Carbon monoxide 45 ppm to 5000 ppm</p>	<p>- NIOSH manual of analytical method (NMAM), method 0500, fourth edition, 15th Aug. 1994</p> <p>- NIOSH manual of analytical method (NMAM), method 0600, fourth edition, 15th Aug. 1994</p> <p>- U.S. EPA, Code of Federal Regulations, 40 CFR Part 60 Appendix A, Method 6C, July 2018</p> <p>- U.S. EPA, Code of Federal Regulations, 40 CFR Part 60 Appendix A, Method 7E, July 2018</p> <p>- U.S. EPA, Code of Federal Regulations, 40 CFR Part 60 Appendix A, Method 10, July 2018</p>
<p>4. ปล่องระบายอากาศเสีย (Stack)</p>		

IAAF **สำนักงานมาตรฐาน**

กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม
(Ministry of Industry, Thai Industrial Standards Institute)

วันที่ 26/27



รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ
(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 21-LB0022
(Certification No. 21-LB0022)

ฉบับที่ 04
(Issue No. 04)
ออกให้ตั้งแต่วันที่ 14 กุมภาพันธ์ 2565
(Valid from) (14 February B.E. 2565 (2023))
สถานที่ห้องปฏิบัติการ ☐ ถาวร (Permanent) ☒ชั่วคราว (Temporary)
สถานะห้องปฏิบัติการ ☐ถาวร (Permanent) ☒เคลื่อนที่ (Mobile)
สถานที่ ☐หลายสถานที่ (Multisite)

ถึงวันที่ 17 พฤษภาคม พ.ศ. 2566
(Until) (17 May B.E. 2566 (2023))

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
<p>สาขาสังแวดล้อม (Environmental field)</p> <p>3. สถานประกอบกิจการ (ต่อ) (workplace) (cont.)</p>	<p>- ความเข้มของแสงสว่าง (light intensity) 0 Lux to 20000 Lux</p> <p>- ระดับเสียงแบบติดตัวบุคคล (noise dose)</p> <p>• ระดับเสียงเฉลี่ยตลอดเวลาการทำงาน (time weighted average) 40 dB(A) to 140 dB(A)</p> <p>• ระดับเสียงสูงสุด (peak) 115 dB(A) to 143 dB(A)</p>	<p>- กฎกระทรวง (กระทรวงแรงงาน) เรื่อง กำหนดมาตรฐานในการบริหารจัดการ และดำเนินการด้านความปลอดภัย อาชีวอนามัยและสภาพแวดล้อมในการทำงานเกี่ยวกับความร้อน แสงสว่าง และเสียง พ.ศ. 2559 ลงวันที่ 7 ตุลาคม พ.ศ. 2559</p> <p>- ประกาศกระทรวงอุตสาหกรรม เรื่อง มาตรฐานการคุ้มครองความปลอดภัยในการประกอบกิจการโรงงานเกี่ยวกับสถานะแวดล้อมในการทำงาน พ.ศ. 2546 ลงวันที่ 6 พฤศจิกายน พ.ศ. 2546</p>
	<p>- ระดับความร้อน (heat stress)</p> <p>• อุณหภูมิเวทบูล์โกลบ (wet bulb globe temperature) 20 °C to 40 °C</p>	<p>- ประกาศกระทรวงอุตสาหกรรม เรื่อง มาตรฐานการคุ้มครองความปลอดภัยในการประกอบกิจการโรงงานเกี่ยวกับสถานะแวดล้อมในการทำงาน พ.ศ. 2546 ลงวันที่ 6 พฤศจิกายน พ.ศ. 2546</p>

IAAF **สำนักงานมาตรฐาน**

กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม
(Ministry of Industry, Thai Industrial Standards Institute)

วันที่ 25/27

เอกสารแนบท้ายหนังสือเปลี่ยนแปลงบุคลากรและสามลพิษที่วิเคราะห์
บริษัท ยูนิเทค แอนาไลติกส์ แอนด์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด เลขทะเบียน ๖-๑๕๕
ที่ อภ ๐๓๑๐(๑)/ ๖ ๐ ๒ ๘ ลงวันที่ ๒ มีนาคม ๒๕๖๖

ขอเข้าขาสารมลพิษที่ได้รับขึ้นทะเบียนจากกรมโรงงานอุตสาหกรรม จำนวน ๑๖ รายการ

ดิน จำนวน 16 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Benzene	Equilibrium Headspace, Gas Chromatographic/ Mass Spectrometric Method (1,2)
2	Carbon tetrachloride	Equilibrium Headspace, Gas Chromatographic/ Mass Spectrometric Method (1,2)
3	1,2-Dichloroethane	Equilibrium Headspace, Gas Chromatographic/ Mass Spectrometric Method (1,2)
4	1,1-Dichloroethylene	Equilibrium Headspace, Gas Chromatographic/ Mass Spectrometric Method (1,2)
5	cis-1,2-Dichloroethylene	Equilibrium Headspace, Gas Chromatographic/ Mass Spectrometric Method (1,2)
6	trans-1,2-Dichloroethylene	Equilibrium Headspace, Gas Chromatographic/ Mass Spectrometric Method (1,2)
7	Ethylbenzene	Equilibrium Headspace, Gas Chromatographic/ Mass Spectrometric Method (1,2)
8	Methylene chloride	Equilibrium Headspace, Gas Chromatographic/ Mass Spectrometric Method (1,2)
9	Styrene	Equilibrium Headspace, Gas Chromatographic/ Mass Spectrometric Method (1,2)
10	Tetrachloroethylene	Equilibrium Headspace, Gas Chromatographic/ Mass Spectrometric Method (1,2)
11	Toluene	Equilibrium Headspace, Gas Chromatographic/ Mass Spectrometric Method (1,2)
12	Trichloroethylene	Equilibrium Headspace, Gas Chromatographic/ Mass Spectrometric Method (1,2)
13	m-Xylene	Equilibrium Headspace, Gas Chromatographic/ Mass Spectrometric Method (1,2)
14	o-Xylene	Equilibrium Headspace, Gas Chromatographic/ Mass Spectrometric Method (1,2)
15	p-Xylene	Equilibrium Headspace, Gas Chromatographic/ Mass Spectrometric Method (1,2)
16	Xylene (Total)	Equilibrium Headspace, Gas Chromatographic/ Mass Spectrometric Method (1,2) <i>ใช้เทคนิค Headspace</i> <i>ใช้ GC-MS</i>

เอกสารอ้างอิง...

- ๒ -

อนึ่ง หนังสือฉบับนี้จะหมดอายุพร้อมหนังสืออนุญาตขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน
ที่ อภ ๐๓๑๐(๑)/๑๘๘๔ ลงวันที่ ๙ กุมภาพันธ์ ๒๕๖๕ คือในวันที่ ๒ กุมภาพันธ์ ๒๕๖๘ ทั้งนี้ สามารถยื่นคำขอ
ผ่านระบบอิเล็กทรอนิกส์ได้ให้ทำเว็บไซต์กรมโรงงานอุตสาหกรรม ตาม QR Code ท้ายหนังสือฉบับนี้

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ



ยื่นคำขอผ่านระบบอิเล็กทรอนิกส์

กองวิจัยและเตือนภัยมลพิษโรงงาน

กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษและทะเบียนห้องปฏิบัติการ

โทร. ๐ ๒๕๓๐ ๖๓๑๒ ต่อ ๒๑๐๓-๕ โทรสาร ๐ ๒๕๓๐ ๖๓๑๒ ต่อ ๒๑๔๙

ไปรษณีย์อิเล็กทรอนิกส์ saraban@dhw.mail.go.th





ที่ ยก ๐๓๑๐(๑)/ ๑๕๕.๕.๓

กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท
เขตราชเทวี กรุงเทพฯ ๑๐๐๐๐

๒๕ ตุลาคม ๒๕๖๕

เรื่อง เปลี่ยนแปลงบุคลากรของห้องปฏิบัติการวิเคราะห์

เรียน กรรมการผู้จัดการ บริษัท ยูนิค แอนาไลต์ แอนด์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด

อ้างถึง คำขอเพิ่มเป็นตอน/เปลี่ยนแปลงบุคลากร และชนิดสารเคมีของห้องปฏิบัติการวิเคราะห์เอกชน
ลงวันที่ ๑๘ ตุลาคม ๒๕๖๕

ตามหนังสือที่อ้างถึง บริษัท ยูนิค แอนาไลต์ แอนด์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด
ห้องปฏิบัติการวิเคราะห์เอกชน เลขทะเบียน ๖-๑๕๕ สถานที่ตั้งเลขที่ ๓ ซอยอุดมสุข ๔๑ ถนนสุขุมวิท แขวงบางจาก
เขตพระโขนง กรุงเทพมหานคร ขอเปลี่ยนแปลงบุคลากรของห้องปฏิบัติการวิเคราะห์ ความละเอียดแจ้งแล้ว นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว มีความเห็นดังนี้

๑. ให้อยกเจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์ จำนวน ๔ ราย

๑)
๒)
๓)
๔)

๒. ให้เพิ่มผู้ควบคุมดูแลห้องปฏิบัติการวิเคราะห์ จำนวน ๒ ราย

๑)
๒)

๓. ให้เพิ่มเจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์ จำนวน ๑๒ ราย

๑)
๒)
๓)
๔)
๕)
๖)
๗)
๘)
๙)
๑๐)
๑๑)
๑๒)

CONSULTANT COMPANY LIMITED

อนึ่ง หนังสือฉบับนี้...

เอกสารอ้างอิง

1. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Volatile Organic Compounds in Various Sample Matrices Using Equilibrium Headspace Analysis. SW-846 Method 5021A, 2014.
2. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry. SW-846 Method 8260D, 2018.

สงวน



ที่ อก ๐๓๑๐(๑)/ ๑ ๒ ๑ ๗ ๓

กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท
เขตราชเทวี กรุงเทพฯ ๑๐๔๐๐

๐ ๑ กันยายน ๒๕๖๕

เรื่อง เปลี่ยนแปลงบุคลากรของห้องปฏิบัติการวิเคราะห์

เรียน กรรมการผู้จัดการ บริษัท ยูนิเต็ด แอนาไลส์ แอนด์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และขอคืนเอกสารของห้องปฏิบัติการวิเคราะห์ที่ออกจน
ลงวันที่ ๒๖ สิงหาคม ๒๕๖๕

ตามที่หนังสือที่อ้างถึง บริษัท ยูนิเต็ด แอนาไลส์ แอนด์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด
ห้องปฏิบัติการวิเคราะห์ที่ออกจน สหทะเบียน ๖-๑๔๔ สภาที่ตั้งเลขที่ ๓ ซอยอุดมสุข ๔๑ ถนนสุขุมวิท แขวงบางจาก
เขตพระโขนง กรุงเทพมหานคร ขอเปลี่ยนแปลงบุคลากรของห้องปฏิบัติการวิเคราะห์ ความละเอียดแล้ว นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว มีความเห็นดังนี้

๑. ให้ยกเลิกเจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์ จำนวน ๘ ราย

- ๑)
- ๒)
- ๓)
- ๔)
- ๕)
- ๖)
- ๗)
- ๘)

๒. ให้เพิ่มเจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์ จำนวน ๑๑ ราย

- ๑)
- ๒)
- ๓)
- ๔)
- ๕)
- ๖)
- ๗)
- ๘)
- ๙)
- ๑๐)
- ๑๑)

- ๒ -

อนึ่ง หนังสือฉบับนี้จะหมดอายุพร้อมหนังสือต่ออายุขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์ที่ออกจน
ที่ อก ๐๓๑๐(๑)/๑๗๗๙ ลงวันที่ ๙ กุมภาพันธ์ ๒๕๖๕ คือในวันที่ ๒ กุมภาพันธ์ ๒๕๖๕ ทั้งนี้ สามารถยื่นคำขอ
ผ่านระบบอิเล็กทรอนิกส์ได้ให้หน้าเว็บไซต์กรมโรงงานอุตสาหกรรม ตาม QR Code ที่ท้ายหนังสือฉบับนี้


จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ



ยื่นคำขอผ่านระบบอิเล็กทรอนิกส์

กองวิจัยและพัฒนาระบบพลังงาน
กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษและทะเบียนห้องปฏิบัติการ
โทร. ๐ ๒๕๓๐ ๖๓๑๒ ต่อ ๒๑๐๓-๕
โทรสาร ๐ ๒๕๓๐ ๖๓๑๒ ต่อ ๒๑๔๙
ไปรษณีย์อิเล็กทรอนิกส์ saraban@dlw.mail.go.th



Green Industry "อุตสาหกรรมก้าวไกล ประเทศไทยก้าวหน้า ร่วมกันพัฒนา อุตสาหกรรมสีเขียว"

อนึ่ง หนังสือฉบับนี้...



ที่ อก ๐๓๑๐(๑)/ ๔๗๘ ๗

กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท
เขตราชเทวี กรุงเทพฯ ๑๐๔๐๐

๒ ๑ เมษายน ๒๕๖๕

เรื่อง เปลี่ยนแปลงบุคลากรของห้องปฏิบัติการวิเคราะห์

เรียน กรรมการผู้จัดการ บริษัท ยูนิค แอนาไลต์ แอนด์ เอ็นจิเนียริง คอนสัลแตนท์ จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสามเหลี่ยมของห้องปฏิบัติการวิเคราะห์เอกชน
ลงวันที่ ๓๐ มีนาคม ๒๕๖๔

ตามหนังสือที่อ้างถึง บริษัท ยูนิค แอนาไลต์ แอนด์ เอ็นจิเนียริง คอนสัลแตนท์ จำกัด
ห้องปฏิบัติการวิเคราะห์เอกชน เลขทะเบียน ๖-๑๔๕ สถานที่ตั้งเลขที่ ๓ ซอยอุดมสุข ถนนสุขุมวิท แขวงบางจาก
เขตพระโขนง กรุงเทพมหานคร ขอเปลี่ยนแปลงบุคลากรของห้องปฏิบัติการวิเคราะห์ ความละเอียดแน่นแล้ว นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว มีความเห็นดังนี้

๑. ให้ยกเลิกบุคลากรของห้องปฏิบัติการวิเคราะห์ จำนวน ๒ ราย

๑) [REDACTED]
๒) [REDACTED]

๒. ให้ยกเลิกเจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์ จำนวน ๒ ราย

๑) [REDACTED]
๒) [REDACTED]

๓. ให้เพิ่มเจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์ จำนวน ๒ ราย

๑) [REDACTED]
๒) [REDACTED]

อนึ่ง หนังสือขึ้นทะเบียนต่ออายุ/ขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน
ที่ อก ๐๓๑๐(๑)/๑๘๗๘ ลงวันที่ ๔ กุมภาพันธ์ ๒๕๖๕ คือในวันที่ ๒ กุมภาพันธ์ ๒๕๖๕ ทั้งนี้ สามารถยื่นคำขอ
ผ่านระบบอิเล็กทรอนิกส์ได้ทันทีกับระบบโรงงานอุตสาหกรรม ตาม QR Code ท้ายหนังสือฉบับนี้

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ



ขอผ่านระบบอิเล็กทรอนิกส์

กองวิจัยและเตือนภัยมลพิษโรงงาน

กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบแลปและเอนจิเนียริงผู้ให้บริการ

โทร. ๐ ๒๕๓๐ ๖๓๑๒ ต่อ ๒๐๐๓-๕ โทรสาร ๐๒๕๓๐๖๓๑๒ ต่อ ๒๐๐๓-๕

ไปรษณีย์อิเล็กทรอนิกส์ sarabab@diw.mail.go.th

IVAE
ANALYST AND ENGINEERING
CONSULTANT COMPANY LIMITED



“อุตสาหกรรมก้าวไกล ประเทศไทยก้าวหน้า ร่วมกันพัฒนา อุตสาหกรรมสีเขียว”

- ๒ -

อนึ่ง หนังสือฉบับนี้จะหมดอายุพร้อมหนังสืออยู่ขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน
ที่ อก ๐๓๑๐(๑)/๑๘๗๘ ลงวันที่ ๔ กุมภาพันธ์ ๒๕๖๕ คือในวันที่ ๒ กุมภาพันธ์ ๒๕๖๕ ทั้งนี้ สามารถยื่นคำขอ
ผ่านระบบอิเล็กทรอนิกส์ได้ทันทีกับระบบโรงงานอุตสาหกรรม ตาม QR Code ท้ายหนังสือฉบับนี้

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ



ยื่นคำขอผ่านระบบอิเล็กทรอนิกส์

กองวิจัยและเตือนภัยมลพิษโรงงาน
กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบแลปและเอนจิเนียริงผู้ให้บริการ

โทร. ๐ ๒๕๓๐ ๖๓๑๒ ต่อ ๒๐๐๓-๕

โทรสาร ๐ ๒๕๓๐ ๖๓๑๒ ต่อ ๒๐๐๓-๕

ไปรษณีย์อิเล็กทรอนิกส์ sarabab@diw.mail.go.th

IVAE
ANALYST AND ENGINEERING
CONSULTANT COMPANY LIMITED



“อุตสาหกรรมก้าวไกล ประเทศไทยก้าวหน้า ร่วมกันพัฒนา อุตสาหกรรมสีเขียว”



ที่ อก ๐๓๑๐(๑)/ ๑๘๗ ๙

กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท
เขตราชเทวี กรุงเทพฯ ๑๐๔๐๐
๐ ๙ กุมภาพันธ์ ๒๕๖๕

เรื่อง ต่ออายุหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน
เรียน กรรมการผู้จัดการ บริษัท ยูไนเต็ด แอนาไลติกส์ คอนซิลแตนท์ จำกัด
อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารเคมีของห้องปฏิบัติการวิเคราะห์เอกชน
ลงวันที่ ๒๗ ธันวาคม ๒๕๖๔

สิ่งที่ส่งมาด้วย ๑. รายชื่อผู้ควบคุมดูแลห้องปฏิบัติการวิเคราะห์ จำนวน ๔๐ ราย
๒. รายชื่อเจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์ จำนวน ๑๐๖ ราย
๓. ขอบข่ายสารเคมีที่ได้รับขึ้นทะเบียนจากกรมโรงงานอุตสาหกรรม
ตามหนังสือที่ยังถึง บริษัท ยูไนเต็ด แอนาไลติกส์ แอนด์ เอ็นจิเนียริง คอนซิลแตนท์ จำกัด
ขอต่ออายุหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน เลขทะเบียน ๖-๑๔๕ สถานที่ตั้ง เลขที่ ๓
ซอยอุดมสุข ๔๑ ถนนสุขุมวิท แขวงบางจาก เขตพระโขนง กรุงเทพมหานคร ต่อกรมโรงงานอุตสาหกรรม นั้น
กรมโรงงานอุตสาหกรรมพิจารณาแล้ว ให้บริษัท ยูไนเต็ด แอนาไลติกส์ แอนด์ เอ็นจิเนียริง
คอนซิลแตนท์ จำกัด ต่ออายุหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน โดยมีองค์ประกอบดังนี้
ก. ผู้ควบคุมดูแลห้องปฏิบัติการวิเคราะห์ จำนวน ๔๐ ราย ตามสิ่งที่ส่งมาด้วย ๑
ข. เจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์ จำนวน ๑๐๖ ราย ตามสิ่งที่ส่งมาด้วย ๒
ค. ขอบข่ายสารเคมีที่ได้รับขึ้นทะเบียนให้วิเคราะห์ในน้ำเสีย น้ำดื่ม อากาศเสีย สิ่งปฏิกูล
หรือวัสดุที่ไม่ใช่แล้ว และดิน ตามสิ่งที่ส่งมาด้วย ๓

หนังสือฉบับนี้จะหมดอายุในวันที่ ๒ กุมภาพันธ์ ๒๕๖๘ หากประสงค์จะต่ออายุหนังสือ
รับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน ให้ยื่นคำขอต่ออายุพร้อมเอกสารประกอบคำขอต่อ
กรมโรงงานอุตสาหกรรมภายใน ๓๐ วัน ก่อนวันสิ้นอายุของหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน
ทั้งนี้ สามารถยื่นคำขอผ่านระบบอิเล็กทรอนิกส์ได้ทั้งหน้าเว็บไซต์กรมโรงงานอุตสาหกรรม ตาม QR Code ห้าย
หนังสือฉบับนี้

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ




ผู้ชำนาญการวิจัย/วิเคราะห์/ประเมินผล
ปฏิบัติการตามระเบียบข้อบังคับของราชการ
UNITED ANALYTICS AND ENGINEERING
CONSULTANT COMPANY LIMITED
ยื่นคำขอต่ออธิบดีกรมโรงงาน
อุตสาหกรรม

กองวิจัยและเตือนภัยแลพิษโรงงาน
กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบแลพิษและทะเบียนห้องปฏิบัติการ
โทร. ๐ ๒๕๓๐ ๒๓๑๒ ต่อ ๒๑๐๓-๕
โทรสาร ๐ ๒๕๓๐ ๒๓๑๒ ต่อ ๒๑๔๕
ไปรษณีย์อิเล็กทรอนิกส์ saraban@divw.go.th

-๒-

๓๖)
๓๗)
๓๘)
๓๙)
๔๐)



บริษัท วิศวกรที่ปรึกษา จำกัด



สิ่งที่ส่งมาด้วย ๑

เอกสารแนบท้ายหนังสือรับต่ออาชญากรรมเป็นหนังสือแจ้งการปฏิบัติราชการกระทรวงมหาดไทย
บริษัท ชูเน็ค แอนนาทิสต์ แอนด์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด เลขทะเบียน ๖-๑๔๕
ที่ กก ๐๓๑๐(๑)/ ๑๘๗ ๙ ลงวันที่ ๐๙ กุมภาพันธ์ ๒๕๖๕

ก. ผู้ควบคุมดูแลห้องปฏิบัติการวิเคราะห์ จำนวน ๔๐ ราย



เอกสารแนบท้ายหนังสือรับต่ออายุขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน
บริษัท ยูไนเต็ด แอเนมาลิสต์ แอนด์ เอ็นจิเนียริง คอมพิวเตอร์ จำกัด เลขทะเบียน ๖-๑๔๕
ที่ กก ๐๓๑๐(๑)/ ๑๘๗ ๙ ลงวันที่ ๐๙ กุมภาพันธ์ ๒๕๖๕

ข. เจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์ จำนวน ๑๐๖ ราย

๓๖
๓๗
๓๘
๓๙
๔๐
๔๑
๔๒
๔๓
๔๔
๔๕
๔๖
๔๗
๔๘
๔๙
๕๐
๕๑
๕๒
๕๓
๕๔
๕๕
๕๖
๕๗
๕๘
๕๙
๖๐
๖๑
๖๒
๖๓
๖๔
๖๕
๖๖
๖๗
๖๘
๖๙
๗๐
๗๑
๗๒

๑)
๒)
๓)
๔)
๕)
๖)
๗)
๘)
๙)
๑๐)
๑๑)
๑๒)
๑๓)
๑๔)
๑๕)
๑๖)
๑๗)
๑๘)
๑๙)
๒๐)
๒๑)
๒๒)
๒๓)
๒๔)
๒๕)
๒๖)
๒๗)
๒๘)
๒๙)
๓๐)
๓๑)
๓๒)
๓๓)
๓๔)
๓๕)

เอกสารแนบท้ายหนังสือรับต่ออายุขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน
บริษัท ยูไนเต็ด แอเนนาลิสต์ แอนด์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด เลขทะเบียน ๖-๑๔๕
ที่ อก ๐๑๑๐(๑)/ ๑ ๘๗ ๕ ลงวันที่ ๐ ๕ กุมภาพันธ์ ๒๕๖๕

ขอขยายสารมลพิษที่ได้รับขึ้นทะเบียนจากกรมโรงงานอุตสาหกรรม จำนวน ๓๕๗ รายการ

น้ำเสีย จำนวน 46 รายการ

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
1	Aldrin	Liquid-Liquid Extraction, Gas Chromatographic Method ^(๔)
2	Arsenic	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^(๔) 2) Digestion, Inductively Coupled Plasma Method ^(๔)
3	Barium	Digestion, Inductively Coupled Plasma Method ^(๔)
4	α-BHC	Liquid-Liquid Extraction, Gas Chromatographic Method ^(๔)
5	β-BHC	Liquid-Liquid Extraction, Gas Chromatographic Method ^(๔)
6	δ-BHC	Liquid-Liquid Extraction, Gas Chromatographic Method ^(๔)
7	γ-BHC	Liquid-Liquid Extraction, Gas Chromatographic Method ^(๔)
8	Biochemical Oxygen Demand	1) 5-Day BOD Test, Azide Modification Method ^(๔) 2) 5-Day BOD Test, Membrane Electrode Method ^(๔)
9	Cadmium	1) Digestion, Direct Air-Acetylene Flame Method ^(๔) 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^(๔) 3) Digestion, Inductively Coupled Plasma Method ^(๔)
10	Chemical Oxygen Demand	1) Closed Reflux, Titrimetric Method ^(๔) 2) Closed Reflux, Colorimetric Method ^(๔) 3) Open Reflux, Titrimetric Method ^(๔)
11	Chlordane	Liquid-Liquid Extraction, Gas Chromatographic Method ^(๔)
12	Chromium	1) Digestion, Direct Air-Acetylene Flame Method ^(๔) 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^(๔) 3) Digestion, Inductively Coupled Plasma Method ^(๔)
13	Color	ADMI Weighted-Ordinate Spectrophotometric Method ^(๔)
14	Copper	1) Digestion, Direct Air-Acetylene Flame Method ^(๔) 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^(๔)
15	Cyanide	1) Digestion, Inductively Coupled Plasma Method ^(๔) 2) FOW Injection Analysis Method ^(๔)

MM-NE06
บริษัท ยูไนเต็ด แอเนนาลิสต์ แอนด์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด
เลขทะเบียน ๖-๑๔๕
ที่ อก ๐๑๑๐(๑)/ ๑ ๘๗ ๕

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
36	Oil & Grease	1) Liquid-Liquid, Partition-Gravimetric Method ⁽⁴⁾ 2) Soxhlet Extraction Method ⁽⁴⁾ Electrometric Method ⁽⁴⁾
37	pH	
38	Phenols	1) Distillation, Chloroform Extraction Method ⁽⁴⁾ 2) Distillation, Direct Photometric Method ⁽⁴⁾
39	Selenium	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ⁽⁴⁾ 2) Digestion, Inductively Coupled Plasma Method ⁽⁴⁾
40	Sulfide	1) Iodometric Method ⁽⁴⁾ 2) Methylene Blue Method ⁽⁴⁾ Laboratory and Field Methods ⁽⁴⁾
41	Temperature	
42	Total Dissolved Solids	Dried at 180 °C ⁽⁴⁾
43	Total Kjeldahl Nitrogen	Semi-Micro-Kjeldahl Method ⁽⁴⁾
44	Total Suspended Solids	Dried at 103-105 °C ⁽⁴⁾
45	Trivalent Chromium	1) Digestion, Direct Air-Acetylene Flame Method; Colorimetric Method; Calculation ⁽⁴⁾ 2) Digestion, Inductively Coupled Plasma Method; Colorimetric Method; Calculation ⁽⁴⁾
46	Zinc	1) Digestion, Direct Air-Acetylene Flame Method ⁽⁴⁾ 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ⁽⁴⁾ 3) Digestion, Inductively Coupled Plasma Method ⁽⁴⁾

หน้าตัดที่ 126 รายการ

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
1	Acenaphthene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
2	Acetone	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
3	Aldrin	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾

4 Anthracene...

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
16	o,p'-DDT	Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾
17	4,4'-DDD	Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾
18	4,4'-DDE	Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾
19	4,4'-DDT	Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾
20	Dieldrin	Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾
21	Endosulfan I	Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾
22	Endosulfan II	Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾
23	Endosulfan sulfate	Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾
24	Endrin	Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾
25	Endrin aldehyde	Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾
26	Formaldehyde	Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾
27	Free Chlorine	Distillation, Colorimetric Method ⁽³⁾ 1) Iodometric Method ⁽⁴⁾ 2) DPD Ferrous Titrimetric Method ⁽⁴⁾
28	Heptachlor	Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾
29	Heptachlor Epoxide	Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾
30	Hexavalent Chromium	1) Colorimetric Method ⁽⁴⁾ 2) Extraction, Direct Air-Acetylene Flame Method ⁽⁴⁾
31	Lead	1) Digestion, Direct Air-Acetylene Flame Method ⁽⁴⁾ 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ⁽⁴⁾ 3) Digestion, Inductively Coupled Plasma Method ⁽⁴⁾
32	Manganese	1) Digestion, Direct Air-Acetylene Flame Method ⁽⁴⁾ 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ⁽⁴⁾ 3) Digestion, Inductively Coupled Plasma Method ⁽⁴⁾
33	Mercury	Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ⁽⁴⁾
34	Methoxychlor	Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾
35	Nickel	1) Digestion, Direct Air-Acetylene Flame Method ⁽⁴⁾ 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ⁽⁴⁾ 3) Digestion, Inductively Coupled Plasma Method ⁽⁴⁾

36 Oil & Grease...

ลำดับ	สารเคมี	วิธีวิเคราะห์
15	Benzo(g,h,i)perylene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^(a) 2) Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^(a) Digestion, Inductively Coupled Plasma Method ^(a)
16	Beryllium	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^(a)
17	Bis(2-chloroethyl)ether	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^(a)
18	Bis(2-ethylhexyl)phthalate	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^(a)
19	Bromodichloromethane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^(a)
20	Bromoform	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^(a)
21	Butanol	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^(a)
22	Butyl benzyl phthalate	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^(a)
23	Cadmium	1) Digestion, Direct Air-Acetylene Flame Method ^(a) 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^(a)
24	Carbazole	3) Digestion, Inductively Coupled Plasma Method ^(a) Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^(a)
25	Carbon disulfide	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^(a)
26	Carbon tetrachloride	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^(a)
27	Chlordane	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^(a)
28	p-Chloroaniline	2) Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^(a)
29	Chlorobenzene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^(a) Purge and Trap Gas Chromatographic/ Mass Spectrometric Method ^(a)

สำนักงานวิศวกรรม
UNITED ANALYST AND ENGINEERING
CONSULTANT COMPANY LIMITED

30 Chlorodibromomethane...

ลำดับ	สารเคมี	วิธีวิเคราะห์
4	Anthracene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^(a) 2) Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^(a) Digestion, Inductively Coupled Plasma Method ^(a)
5	Antimony	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^(a)
6	Arsenic	2) Digestion, Inductively Coupled Plasma Method ^(a) Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^(a)
7	Atrazine	1) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^(a)
8	Barium	2) Digestion, Inductively Coupled Plasma Method ^(a)
9	Benz(a)anthracene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^(a) 2) Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^(a) Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^(a)
10	Benzene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^(a)
11	Benzo(b)fluoranthene	2) Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^(a)
12	Benzo(k)fluoranthene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^(a) 2) Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^(a)
13	Benzoic acid	1) Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^(a)
14	Benzo(a)pyrene	2) Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^(a)

สำนักงานวิศวกรรม
UNITED ANALYST AND ENGINEERING
CONSULTANT COMPANY LIMITED

15 Benzo(g,h,i)perylene...

-๗-

ลำดับ	สารเคมี	วิธีวิเคราะห์
42	Dibenz(a,h)anthracene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
43	Di-n-butyl phthalate	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
44	1,2-Dichlorobenzene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
45	1,3-Dichlorobenzene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
46	1,4-Dichlorobenzene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
47	3,3'-Dichlorobenzidine	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
48	1,1-Dichloroethane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
49	1,2-Dichloroethane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
50	1,1-Dichloroethylene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
51	cis-1,2-Dichloroethylene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
52	trans-1,2-Dichloroethylene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
53	2,4-Dichlorophenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
54	1,2-Dichloropropane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
55	1,3-Dichloropropane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
56	1,3-Dichloropropene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
57	Dieldrin	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾

58 Diethyl phthalate...

-๖-

ลำดับ	สารเคมี	วิธีวิเคราะห์
30	Chlorodibromomethane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
31	Chloroform	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
32	2-Chlorophenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
33	Chromium	1) Digestion, Direct Air-Acetylene Flame Method ⁽⁴⁾ 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ⁽⁴⁾ 3) Digestion, Inductively Coupled Plasma Method ⁽⁴⁾
34	Chromium (III)	1) Digestion, Direct Air-Acetylene Flame Method; Colorimetric Method; Calculation ⁽⁴⁾ 2) Digestion, Inductively Coupled Plasma Method; Colorimetric Method; Calculation ⁽⁴⁾
35	Chromium (VI)	1) Colorimetric Method ⁽⁴⁾
36	Chrysene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
37	Cyanide	Distillation, Colorimetric Method ⁽⁴⁾
38	2,4-D	Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾
39	DDD	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
40	DDE	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
41	DDT	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾

42 Dibenz(a,h)anthracene...

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
70	Heptachlor epoxide	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
71	Hexachlorobenzene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
72	Hexachloro-1,3-butadiene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
73	n-Hexane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
74	α -HCH	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
75	β -HCH	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
76	γ -HCH	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
77	Hexachlorocyclopentadiene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
78	Hexachloroethane	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
79	Indeno(1,2,3-cd)pyrene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
80	Isophorone	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
81	Lead	1) Digestion, Direct Air-Acetylene Flame Method ⁽⁴⁾ 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ⁽⁴⁾ 3) Digestion, Inductively Coupled Plasma Method ⁽⁴⁾

MM-NE06
UNITED ANALYST AND ENGINEERING
CONSULTANT COMPANY LIMITED
ดำเนินการโดย

82 Manganese...

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
58	Diethyl phthalate	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
59	2,4-Dimethylphenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
60	2,4-Dinitrophenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
61	2,4-Dinitrotoluene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
62	2,6-Dinitrotoluene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
63	Di-n-Octyl phthalate	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
64	Endosulfan	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
65	Endrin	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
66	Ethylbenzene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
67	Fluoranthene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
68	Fluorene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
69	Heptachlor	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾

MM-NE06
UNITED ANALYST AND ENGINEERING
CONSULTANT COMPANY LIMITED
ดำเนินการโดย

70 Heptachlor epoxide...

ลำดับ	สารเคมี	วิธีวิเคราะห์
96	Polychlorinated Biphenyls - PCB 1016 - PCB 1221 - PCB 1232 - PCB-1242 - PCB-1248 - PCB-1254 - PCB-1260	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^(a) 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^(a)
97	Pentachlorophenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^(a) Electrometric Method ^(a)
98	pH	
99	Phenanthrene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^(a) 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^(a)
100	Phenol	1) Distillation, Chloroform Extraction Method ^(a) 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^(a)
101	Pyrene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^(a) 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^(a)
102	Selenium	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^(a) 2) Digestion, Inductively Coupled Plasma Method ^(a)
103	Silver	Digestion, Inductively Coupled Plasma Method ^(a)
104	Styrene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^(a)
105	1,1,2,2-Tetrachloroethane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^(a)
106	Tetrachloroethylene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^(a)
107	Toluene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^(a)

108 Toxaphene...

ลำดับ	สารเคมี	วิธีวิเคราะห์
82	Manganese	1) Digestion, Direct Air-Acetylene Flame Method ^(a) 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^(a)
83	Mercury	3) Digestion, Inductively Coupled Plasma Method ^(a) Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^(a)
84	Methanol	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^(a)
85	Methoxychlor	Liquid-Liquid Extraction, Gas Chromatographic Method ^(a)
86	Methyl bromide	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^(a)
87	Methylene chloride	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^(a)
88	2-Methylphenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^(a)
89	2-Methylnaphthalene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^(a) 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^(a)
90	Methyl tert-butyl ether	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^(a)
91	Naphthalene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^(a) 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^(a)
92	Nickel	1) Digestion, Direct Air-Acetylene Flame Method ^(a) 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^(a)
93	Nitrobenzene	3) Digestion, Inductively Coupled Plasma Method ^(a) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^(a)
94	N-Nitrosodiphenylamine	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^(a)
95	N-Nitrosodi-n-propylamine	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^(a)

96 Polychlorinated Biphenyls...

ลำดับ	สารเคมี	วิธีวิเคราะห์
124	p-Xylene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
125	Xylene (Total)	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
126	Zinc	1) Digestion, Direct Air-Acetylene Flame Method ⁽⁴⁾ 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ⁽⁴⁾ 3) Digestion, Inductively Coupled Plasma Method ⁽⁴⁾

อากาศเสีย (ปล่องระบาย) จำนวน 25 รายการ

ลำดับ	สารเคมี	วิธีวิเคราะห์
1	Antimony	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ⁽⁵⁾
2	Arsenic	1) Isokinetic Sampling, Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ⁽⁵⁾ 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ⁽⁵⁾
3	Cadmium	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method ⁽⁵⁾ 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ⁽⁵⁾
4	Carbon Monoxide	Instrumental Analyzer Method ⁽⁵⁾
5	Chlorine	Isokinetic Sampling, Ion Chromatographic Method ⁽⁵⁾
6	Chromium	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method ⁽⁵⁾ 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ⁽⁵⁾
7	Cobalt	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ⁽⁵⁾
8	Copper	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method ⁽⁵⁾ 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ⁽⁵⁾
9	Cresol	Absorption Sampling-Gas Chromatographic/Mass Spectrometric Method ⁽⁵⁾

ลำดับ	สารเคมี	วิธีวิเคราะห์
108	Toxaphene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
109	TPH (C ₅ - C ₈)	1) Purge and Trap, Gas Chromatographic Method ^(11,21) 2) Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(11,25)
110	TPH (C ₈ - C ₁₆)	Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^(9,21)
111	TPH (C ₁₆ - C ₃₅)	Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^(9,21)
112	1,2,4-Trichlorobenzene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
113	1,1,1-Trichloroethane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
114	1,1,2-Trichloroethane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
115	Trichloroethylene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
116	2,4,5-Trichlorophenol	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
117	2,4,6-Trichlorophenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
118	1,3,5-Trimethylbenzene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
119	Vanadium	Digestion, Inductively Coupled Plasma Method ⁽⁴⁾
120	Vinyl acetate	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
121	Vinyl chloride	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
122	m-Xylene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
123	o-Xylene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾

สิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว จำนวน 35 รายการ

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
1	Aldrin	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^(2,22) 2) Ultrasonic Extraction, Gas Chromatographic Method ^(10,22)
2	Antimony	Digestion, Inductively Coupled Plasma Method ^(7,13)
3	Arsenic	1) Waste Extraction, Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^(2,6,13) 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^(2,6,13)
4	Barium	3) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^(7,13) 4) Digestion, Inductively Coupled Plasma Method ^(7,13) 1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^(2,6,13)
5	Beryllium	2) Digestion, Inductively Coupled Plasma Method ^(7,13) 1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^(2,6,13)
6	Cadmium	2) Digestion, Inductively Coupled Plasma Method ^(7,13) 1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method ^(2,6,14)
7	Chlordane	2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^(2,6,13) 3) Digestion, Flame Atomic Absorption Spectrometric Method ^(7,14) 4) Digestion, Inductively Coupled Plasma Method ^(7,13)
8	Chromium	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^(2,22) 2) Ultrasonic Extraction, Gas Chromatographic Method ^(10,22) 1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method ^(2,6,13) 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^(2,6,13)


พีแอนด์เอ วิศวกรรม จำกัด
 CONSULTANT COMPANY LIMITED

3) Digestion,...

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
10	Dioxins/Furans	Isokinetic Sampling ⁽⁵⁾
11	Hydrogen Chloride	Isokinetic Sampling, Ion Chromatographic Method ⁽⁵⁾
12	Hydrogen Fluoride	Isokinetic Sampling, Ion Chromatographic Method ⁽⁵⁾
13	Hydrogen Sulfide	Absorption Sampling, Iodometric Method ⁽⁵⁾
14	Lead	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method ⁽⁵⁾ 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ⁽⁵⁾
15	Manganese	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method ⁽⁵⁾ 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ⁽⁵⁾
16	Mercury	Isokinetic Sampling, Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ⁽⁵⁾
17	Nickel	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method ⁽⁵⁾ 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ⁽⁵⁾
18	Opacity	Ringelmann's Method ⁽¹⁾
19	Oxides of Nitrogen	1) Absorption Sampling, Phenoldisulfonic acid Method ⁽⁵⁾ 2) Instrumental Analyzer Method ⁽⁵⁾
20	Selenium	1) Isokinetic Sampling, Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ⁽⁵⁾ 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ⁽⁵⁾
21	Sulfur Dioxide	1) Absorption Sampling, Barium-Thorin Titrimetric Method ⁽⁵⁾ 2) Instrumental Analyzer Method ⁽⁵⁾
22	Sulfuric Acid	Isokinetic Sampling, Barium-Thorin Titrimetric Method ⁽⁵⁾
23	Total Suspended Particulate	Isokinetic Sampling, Gravimetric Method ⁽⁵⁾
24	Vanadium	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ⁽⁵⁾
25	Xylene	1) Isokinetic Sampling, Gas Chromatographic Method ⁽⁵⁾ 2) Absorption Sampling, Gas Chromatographic Method ⁽⁵⁾


พีแอนด์เอ วิศวกรรม จำกัด
 CONSULTANT COMPANY LIMITED

สิ่งปฏิกูล...

ลำดับ	สารเคมี	วิธีวิเคราะห์
15	DDE	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^(2,9,22) 2) Ultrasonic Extraction, Gas Chromatographic Method ^(10,22)
16	DDT	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^(2,9,22) 2) Ultrasonic Extraction, Gas Chromatographic Method ^(10,22)
17	Dieldrin	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^(2,9,22) 2) Ultrasonic Extraction, Gas Chromatographic Method ^(10,22)
18	Endrin	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^(2,9,22) 2) Ultrasonic Extraction, Gas Chromatographic Method ^(10,22)
19	Heptachlor	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^(2,9,22) 2) Ultrasonic Extraction, Gas Chromatographic Method ^(10,22)
20	Lead	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method ^(2,6,14) 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^(2,6,13) 3) Digestion, Flame Atomic Absorption Spectrometric Method ^(7,14) 4) Digestion, Inductively Coupled Plasma Method ^(7,13)
21	Lindane	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^(2,9,22) 2) Ultrasonic Extraction, Gas Chromatographic Method ^(10,22)
22	Mercury	1) Waste Extraction, Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^(2,17) 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^(2,6,13)

3) Digestion,...

ลำดับ	สารเคมี	วิธีวิเคราะห์
9	Chromium (III)	3) Digestion, Flame Atomic Absorption Spectrometric Method ^(7,14) 4) Digestion, Inductively Coupled Plasma Method ^(7,13) 1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method; Waste Extraction, Colorimetric Method; Calculation ^(2,6,14,16) 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method; Waste Extraction, Colorimetric Method; Calculation ^(2,6,13,16)
10	Chromium (VI)	3) Digestion, Flame Atomic Absorption Spectrometric Method; Alkaline Digestion, Colorimetric Method; Calculation ^(7,8,14,16) 4) Digestion, Inductively Coupled Plasma Method; Alkaline Digestion, Colorimetric Method; Calculation ^(7,8,13,16) 1) Waste Extraction, Colorimetric Method ^(2,6,16) 2) Alkaline Digestion, Colorimetric Method ^(8,16)
11	Cobalt	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^(2,6,13) 2) Digestion, Inductively Coupled Plasma Method ^(7,13)
12	Copper	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method ^(2,6,14) 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^(2,6,13) 3) Digestion, Flame Atomic Absorption Spectrometric Method ^(7,14) 4) Digestion, Inductively Coupled Plasma Method ^(7,13)
13	2,4-D	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^(2,9,22) 2) Ultrasonic Extraction, Gas Chromatographic Method ^(10,22)
14	DDD	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^(2,9,22) 2) Ultrasonic Extraction, Gas Chromatographic Method ^(10,22)

ลำดับ	สารเคมี	วิธีวิเคราะห์
27	- 2,2',4,4',5,5'- Pentachlorobiphenyl - 2,3,3',4',6'- Pentachlorobiphenyl - 2,2',3,4,4',5'- Hexachlorobiphenyl - 2,2',3,4,5,5'- Hexachlorobiphenyl - 2,2',3,5,5',6'- Hexachlorobiphenyl - 2,2',4,4',5,5'- Hexachlorobiphenyl - 2,2',3,3',4,4',5'- Heptachlorobiphenyl - 2,2',3,4,4',5,5'- Heptachlorobiphenyl - 2,2',3,4,4',5',6'- Heptachlorobiphenyl - 2,2',3,3',4,4',5,5',6'- Nonachlorobiphenyl Pentachlorophenol	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^(2,9,20) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26) Electrometric Method ^(31,32) 1) Waste Extraction, Digestion, Inductively Coupled Generation/Atomic Absorption Spectrometric Method ^(24,20) 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^(24,31) 3) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^(27,28)
28	pH	
29	Selenium	

ลำดับ	สารมลพิษ	วิธีการตรวจ
23	Methoxychlor	3) Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[18] 4) Digestion, Inductively Coupled Plasma Method ^[7,13] 5) Thermal Decomposition Amalgamation and Atomic Absorption Spectrometric Method ^[19] 1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[2,9,22] 2) Ultrasonic Extraction, Gas Chromatographic Method ^[10,22]
24	Molybdenum	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[2,6,13] 2) Digestion, Inductively Coupled Plasma Method ^[7,13]
25	Nickel	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method ^[2,6,14] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[2,6,13] 3) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,14] 4) Digestion, Inductively Coupled Plasma Method ^[7,13]
26	Polychlorinated Biphenyls - Aroclor 1016 - Aroclor 1221 - Aroclor 1232 - Aroclor 1242 - Aroclor 1248 - Aroclor 1254 - Aroclor 1260 - 2-Chlorobiphenyl - 2,3-Dichlorobiphenyl - 2,2',5'-Trichlorobiphenyl - 2,4',5'-Trichlorobiphenyl - 2,2',3,5'-Tetrachlorobiphenyl - 2,2',5,5'-Tetrachlorobiphenyl - 2,3',4,4'-Tetrachlorobiphenyl - 2,2',3,4,5'-Tetrachlorobiphenyl	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[2,9,23] 2) Ultrasonic Extraction, Gas Chromatographic Method ^[10,23] 3) Digestion, Inductively Coupled Plasma Method ^[7,13] 4) Digestion, Inductively Coupled Plasma Method ^[7,13] 5) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[2,9,23] 6) Ultrasonic Extraction, Gas Chromatographic Method ^[10,23] 7) Digestion, Inductively Coupled Plasma Method ^[7,13] 8) Digestion, Inductively Coupled Plasma Method ^[7,13] 9) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[2,9,23] 10) Ultrasonic Extraction, Gas Chromatographic Method ^[10,23]

ลำดับ	สารเคมี	วิธีวิเคราะห์
31	Chloroform	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(10,25)
32	2-Chlorophenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)
33	Chromium	1) Digestion, Flame Atomic Absorption Spectrometric Method ^(7,16) 2) Digestion, Inductively Coupled Plasma Method ^(7,13)
34	Chromium (III)	1) Digestion, Flame Atomic Absorption Spectrometric Method; Alkaline Digestion, Colorimetric Method; Calculation ^(7,8,14,16) 2) Digestion, Inductively Coupled Plasma Method; Alkaline Digestion, Colorimetric Method; Calculation ^(7,8,13,16)
35	Chromium (VI)	Alkaline Digestion, Colorimetric Method ^(8,16)
36	Chrysene	1) Ultrasonic Extraction, Gas Chromatographic Method ^(10,24) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)
37	Cyanide	Extraction, Distillation, Colorimetric Method ^(28,29,30)
38	2,4-D	Ultrasonic Extraction, Gas Chromatographic Method ⁽²⁷⁾
39	DDD	1) Ultrasonic Extraction, Gas Chromatographic Method ^(10,22) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)
40	DDE	1) Ultrasonic Extraction, Gas Chromatographic Method ^(10,22) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)
41	DDT	1) Ultrasonic Extraction, Gas Chromatographic Method ^(10,22) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)
42	Dibenz(a,h)anthracene	1) Ultrasonic Extraction, Gas Chromatographic Method ^(10,22) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)

43 Di-n-butyl phthalate...

ลำดับ	สารเคมี	วิธีวิเคราะห์
15	Benzo(g,h,i)perylene	1) Ultrasonic Extraction, Gas Chromatographic Method ^(10,22) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)
16	Beryllium	Digestion, Inductively Coupled Plasma Method ^(7,13)
17	Bis(2-chloroethyl)ether	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)
18	Bis(2-ethylhexyl)phthalate	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)
19	Bromodichloromethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,25)
20	Bromoform	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,25)
21	Butanol	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,25)
22	Butyl benzyl phthalate	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)
23	Cadmium	1) Digestion, Flame Atomic Absorption Spectrometric Method ^(7,14) 2) Digestion, Inductively Coupled Plasma Method ^(7,13)
24	Carbazole	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)
25	Carbon disulfide	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,25)
26	Carbon tetrachloride	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,25)
27	Chlordane	1) Ultrasonic Extraction, Gas Chromatographic Method ^(10,22) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)
28	p-Chloroaniline	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)
29	Chlorobenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,25)
30	Chlorodibromomethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,25)

31 Chloroform...

ลำดับ	สารเคมี	วิธีวิเคราะห์
60	2,4-Dinitrophenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)
61	2,4-Dinitrotoluene	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)
62	2,6-Dinitrotoluene	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)
63	Di-n-Octyl phthalate	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)
64	Endosulfan	1) Ultrasonic Extraction, Gas Chromatographic Method ^(10,22) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)
65	Endrin	1) Ultrasonic Extraction, Gas Chromatographic Method ^(10,22) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)
66	Ethylbenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,25)
67	Fluoranthene	1) Ultrasonic Extraction, Gas Chromatographic Method ^(10,24) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)
68	Fluorene	1) Ultrasonic Extraction, Gas Chromatographic Method ^(10,24) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)
69	Heptachlor	1) Ultrasonic Extraction, Gas Chromatographic Method ^(10,22) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)
70	Heptachlor epoxide	1) Ultrasonic Extraction, Gas Chromatographic Method ^(10,22) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)

UNITED ANALYST AND CONSULTING
CONSULTANT COMPANY LIMITED

ด้านเทคนิค

71 Hexachlorobenzene...

ลำดับ	สารเคมี	วิธีวิเคราะห์
43	Di-n-butyl phthalate	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)
44	1,2-Dichlorobenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,25)
45	1,3-Dichlorobenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,25)
46	1,4-Dichlorobenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,25)
47	3,3'-Dichlorobenzidine	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)
48	1,1-Dichloroethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,25)
49	1,2-Dichloroethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,25)
50	1,1-Dichloroethylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,25)
51	cis-1,2-Dichloroethylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,25)
52	trans-1,2-Dichloroethylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,25)
53	2,4-Dichlorophenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)
54	1,2-Dichloropropane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,25)
55	1,3-Dichloropropane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,25)
56	1,3-Dichloropropene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,25)
57	Dieldrin	1) Ultrasonic Extraction, Gas Chromatographic Method ^(10,22) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)
58	Diethyl phthalate	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)
59	2,4-Dimethylphenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)

UNITED ANALYST AND CONSULTING
CONSULTANT COMPANY LIMITED

ด้านเทคนิค

60 2,4-Dinitrophenol...

ลำดับ	สารเคมี	วิธีวิเคราะห์
83	Mercury	1) Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ⁽¹⁸⁾ 2) Digestion, Inductively Coupled Plasma Method ^(7,13) 3) Thermal Decomposition Amalgamation and Atomic Absorption Spectrometric Method ⁽¹⁹⁾
84	Methanol	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,25)
85	Methoxychlor	1) Ultrasonic Extraction, Gas Chromatographic Method ^(10,22) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)
86	Methyl bromide	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,25)
87	Methylene chloride	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,25)
88	2-Methylphenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)
89	2-Methylnaphthalene	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)
90	Methyl tert-butyl ether	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,25)
91	Naphthalene	1) Ultrasonic Extraction, Gas Chromatographic Method ^(10,24) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)
92	Nickel	1) Digestion, Flame Atomic Absorption Spectrometric Method ^(7,14) 2) Digestion, Inductively Coupled Plasma Method ^(7,13)
93	Nitrobenzene	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)
94	N-Nitrosodiphenylamine	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)
95	N-Nitrosodi-n-propylamine	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)

UNITED ANALYST AND ENGINEERING
CONSULTANT COMPANY LIMITED

สำนักงาน
สำนักงาน

ลำดับ	สารเคมี	วิธีวิเคราะห์
71	Hexachlorobenzene	1) Ultrasonic Extraction, Gas Chromatographic Method ^(10,22) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)
72	Hexachloro-1,3-butadiene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,25)
73	n-Hexane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,25)
74	α -HCH	1) Ultrasonic Extraction, Gas Chromatographic Method ^(10,22) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)
75	β -HCH	1) Ultrasonic Extraction, Gas Chromatographic Method ^(10,22) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)
76	γ -HCH	1) Ultrasonic Extraction, Gas Chromatographic Method ^(10,22) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)
77	Hexachlorocyclopentadiene	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)
78	Hexachloroethane	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)
79	Indeno(1,2,3-cd)pyrene	1) Ultrasonic Extraction, Gas Chromatographic Method ^(10,24) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)
80	Isophorone	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)
81	Lead	1) Digestion, Flame Atomic Absorption Spectrometric Method ^(7,14) 2) Digestion, Inductively Coupled Plasma Method ^(7,13)
82	Manganese	1) Digestion, Flame Atomic Absorption Spectrometric Method ^(7,14) 2) Digestion, Inductively Coupled Plasma Method ^(7,13)

UNITED ANALYST AND ENGINEERING
CONSULTANT COMPANY LIMITED

สำนักงาน
สำนักงาน

-๒๑-

ลำดับ	สารเคมี	วิธีวิเคราะห์
97	- 2,2',3,4',5,5',6'-Heptachlorobiphenyl - 2,2',3,3',4,4',5,5',6'-Nonachlorobiphenyl Pentachlorophenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)
98	Phenanthrene	1) Ultrasonic Extraction, Gas Chromatographic Method ^(10,24) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)
99	Phenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)
100	Pyrene	1) Ultrasonic Extraction, Gas Chromatographic Method ^(10,24) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)
101	Selenium	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^(7,22) 2) Digestion, Inductively Coupled Plasma Method ^(7,13)
102	Silver	Digestion, Inductively Coupled Plasma Method ^(7,13)
103	Styrene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,25)
104	1,1,2,2-Tetrachloroethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,25)
105	Tetrachloroethylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,25)
106	Toluene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,25)
107	Toxaphene	Ultrasonic Extraction, Gas Chromatographic Method ^(10,22)
108	TPH (C ₅ -C ₆)	1) Purge and Trap, Gas Chromatographic Method ^(12,21) 2) Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,25)
109	TPH (C ₅ -C ₁₀)	Ultrasonic Extraction, Gas Chromatographic Method ^(10,21)
110	TPH (C ₅ -C ₃₅)	Ultrasonic Extraction, Gas Chromatographic Method ^(10,21)
111	1,2,4-Trichlorobenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,25)

112 1,1,1-Trichloroethane...

-๒๑-

ลำดับ	สารเคมี	วิธีวิเคราะห์
96	Polychlorinated Biphenyls - Aroclor 1016 - Aroclor 1221 - Aroclor 1232 - Aroclor 1242 - Aroclor 1248 - Aroclor 1254 - Aroclor 1260 Polychlorinated Biphenyls - 2-Chlorobiphenyl - 2,3-Dichlorobiphenyl - 2,2',5-Trichlorobiphenyl - 2,4',5-Trichlorobiphenyl - 2,2',3,5'-Tetrachlorobiphenyl - 2,2',5,5'-Tetrachlorobiphenyl - 2,3',4,4'-Tetrachlorobiphenyl - 2,2',3,4,5'-Pentachlorobiphenyl - 2,2',4,5,5'-Pentachlorobiphenyl - 2,3,3',4',6'-Pentachlorobiphenyl - 2,2',3,4,4',5'-Hexachlorobiphenyl - 2,2',3,4,5,5'-Hexachlorobiphenyl - 2,2',3,5,5',6'-Hexachlorobiphenyl - 2,2',4,4',5,5'-Hexachlorobiphenyl - 2,2',3,3',4,4',5'-Heptachlorobiphenyl - 2,2',3,4,4',5,5'-Heptachlorobiphenyl - 2,2',3,4,4',5,6'-Heptachlorobiphenyl	1) Ultrasonic Extraction, Gas Chromatographic Method ^(10,23) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26) Ultrasonic Extraction, Gas Chromatographic Method ^(10,23)

3. สมาคมวิศวกรรมสิ่งแวดล้อมแห่งประเทศไทย. คู่มือวิเคราะห์น้ำเสีย. พิมพ์ครั้งที่ 4. กรุงเทพฯ: เรือนแก้วการพิมพ์. 2547.
4. APHA, AWWA, WEF. **Standard Methods for the Examination of Water and Wastewater**. 23rd ed. Washington, DC: APHA, 2017.
5. United States Environmental Protection Agency. **Standards of Performance for New Stationary Sources**. 40 CFR 60. Appendix A, 2019.
6. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods**. SW-846, 1997.
7. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Acid Digestion of Sediments, Sludges, and Soils**. SW-846 Method 3050B, 1996.
8. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Alkaline Digestion for Hexavalent Chromium**. SW-846 Method 3060A, 1996.
9. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste 3. Physical/Chemical Methods. Separatory Funnel Liquid-Liquid Extraction**. SW-846 Method 3510C, 1996.
10. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Ultrasonic Extraction**. SW-846 Method 3550C, 2007.
11. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Purge and Trap for Aqueous Samples**. SW-846 Method 5030C, 2003.
12. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Closed System Purge and Trap and Extraction for Volatile Organics in Soil and Waste Sample**. SW-846 Method 5035A, 2000.
13. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Inductively Coupled Plasma-Optical Emission Spectrometry**. SW-846 Method 6010D, 2014.
14. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Flame Atomic Absorption Spectrophotometry**. SW-846 Method 7000B, 2007.
15. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Arsenic (Atomic Absorption Gaseous Hydride)**. SW-846 Method 7061A, 1992.



16. United States...

ลำดับ	สารเคมี	วิธีวิเคราะห์
112	1,1,1-Trichloroethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,25)
113	1,1,2-Trichloroethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,25)
114	Trichloroethylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,25)
115	2,4,5-Trichlorophenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,24)
116	2,4,6-Trichlorophenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,24)
117	1,3,5-Trimethylbenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,25)
118	Vanadium	Digestion, Inductively Coupled Plasma Method ^(7,13)
119	Vinyl acetate	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,25)
120	Vinyl chloride	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,25)
121	m-Xylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,25)
122	o-Xylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,25)
123	p-Xylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,25)
124	Xylene (Total)	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,25)
125	Zinc	1) Digestion, Flame Atomic Absorption Spectrometric Method ^(7,14) 2) Digestion, Inductively Coupled Plasma Method ^(7,13)

เอกสารอ้างอิง

1. กระทรวงอุตสาหกรรม. ประกาศกระทรวงอุตสาหกรรม. พ.ศ. 2549. เรื่อง กำหนดค่าปริมาณค่าวันทีเลือกในอากาศที่ระบายออกจากรถยนต์ที่ขึ้นทะเบียนในชื่อเพล.
2. กระทรวงอุตสาหกรรม. ประกาศกระทรวงอุตสาหกรรม. พ.ศ. 2548. เรื่อง กำหนดค่าวันทีเลือกในอากาศที่ระบายออกจากรถยนต์ที่ขึ้นทะเบียนในชื่อเพล.

16. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Chromium, Hexavalent (Colorimetric). SW-846 Method 7196A**, 1992.
17. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Mercury in Liquid Waste (Manual Cold Vapor Technique). SW-846 Method 7470A**, 1994.
18. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Mercury in Solid or Semisolid Waste (Manual Cold-Vapor Technique). SW-846 Method 7471B**, 1998.
19. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Mercury in Solids and Solutions by Thermal Decomposition, Amalgamation, and Atomic Absorption Spectrophotometry. SW-846 Method 7473**, 2007.
20. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Selenium (Atomic Absorption, Borohydride reduction). SW-846 Method 7742**, 1994.

