

เอกสารแนบ 15
เอกสารรับรองผลการตรวจวัดคุณภาพสิ่งแวดล้อม



บริษัท ตรวจวัดสิ่งแวดล้อม จำกัด

ENVIRONMENTAL MEASUREMENTS CO., LTD.

5/45 หมู่บ้านบ้านกลางกรุง ปิชาทวณ ชอยศรีนครินทร์ 46/1 (ปราโมทย์) แขวงหนองบอน เขตประเวศ กรุงเทพมหานคร 10250
5/45 Baan Klang Krung Blz Town, Sol Srinagarindra 46/1 (Pramote), NONG BON Sub-district, PRAWET District, BANGKOK 10250

โทรศัพท์ 0-2716-3506-7 โทรสาร 0-2716-3507

Tel: 0-2716-3506-7 Fax: 0-2716-3507

ANALYSIS REPORT


ชื่อลูกค้า : โครงการเหมืองแร่หินอุตสาหกรรมชนิดหินปูนเพื่ออุตสาหกรรมก่อสร้าง ประทานบัตรที่ 33336/16066 ของบริษัท สหศิลาเพิ่มพูล จำกัด
ที่อยู่ : หมู่ที่ 1 ตำบลหน้าพระลาน อำเภอเฉลิมพระเกียรติ จังหวัดสระบุรี
จุดเก็บตัวอย่าง : สำนักงานโครงการ
เครื่องมือที่ใช้ตรวจวัด : TSP-03, PM10-03
วันเดือนปีที่เก็บตัวอย่าง : 04-07/03/2567
ประเภทตัวอย่าง : อากาศ
เครื่องมือตรวจวิเคราะห์ : High Volume
วันที่ตรวจรับรอง : 04/03/2567
ตำแหน่งพิกัด : UTM 47 P 699442 E, 1626208 N
วันเดือนปีที่วิเคราะห์ : 11-19/03/2567
วันเดือนปีที่รายงานผล : 20/03/2567
รุ่นของอุปกรณ์สอบเทียบ : G25A
วันหมดอายุการสอบเทียบ : 28/08/2567
รหัสลูกค้า : JM-040-00

ดัชนีที่วิเคราะห์	วันที่ทำการเก็บตัวอย่าง	วิธีวิเคราะห์	หน่วย	ผลการวิเคราะห์	ค่ามาตรฐาน ¹⁾
TSP	04-05/03/2567	US.EPA 40 CFR 50, Appendix B	mg/m ³	0.261	0.330
	05-06/03/2567	US.EPA 40 CFR 50, Appendix B	mg/m ³	0.219	
	06-07/03/2567	US.EPA 40 CFR 50, Appendix B	mg/m ³	0.229	
PM10	04-05/03/2567	US.EPA 40 CFR 50, Appendix J	mg/m ³	0.119	0.120
	05-06/03/2567	US.EPA 40 CFR 50, Appendix J	mg/m ³	0.107	
	06-07/03/2567	US.EPA 40 CFR 50, Appendix J	mg/m ³	0.105	

หมายเหตุ : ¹⁾ ค่ามาตรฐาน ตามประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 24 (พ.ศ. 2547) เรื่องกำหนดมาตรฐานคุณภาพอากาศในบรรยากาศโดยทั่วไป

TSP: ฝุ่นละอองรวม เฉลี่ย 24 ชั่วโมง

PM-10: ฝุ่นละอองขนาดเล็กกว่า 10 ไมครอน เฉลี่ย 24 ชั่วโมง



Analyst



Laboratory Manager





บริษัท ตรวจวัดสิ่งแวดล้อม จำกัด

ENVIRONMENTAL MEASUREMENTS CO., LTD.

5/45 หมู่บ้านบ้านกลางกรุง บิซทาวน์ ซอยศรีนครินทร์ 46/1 (ปรางโมทย์) แขวงหนองบอน เขตประเวศ กรุงเทพมหานคร 10250
5/45 Baan Klang Krung Bliz Town, Soi Srinagarindra 46/1 (Pramote), NONG BON Sub-district, PRAWET District, BANGKOK 10250

โทรศัพท์ 0-2716-3506-7 โทรสาร 0-2716-3507
Tel: 0-2716-3506-7 Fax: 0-2716-3507

ANALYSIS REPORT


ชื่อลูกค้า : โครงการเหมืองแร่หินอุตสาหกรรมชนิดหินปูนเพื่ออุตสาหกรรมก่อสร้าง ประทานบัตรที่ 33336/16066 ของบริษัท สหศิลาเพิ่มพูล จำกัด
ที่อยู่ : หมู่ที่ 1 ตำบลหน้าพระลาน อำเภอลำลูกเกด จังหวัดสระบุรี
จุดเก็บตัวอย่าง : ชุมชนเฉลิมพระเกียรติ หมู่ที่ 1
เครื่องมือที่ใช้ตรวจวัด : TSP-01, PM10-01
วันเดือนปีที่เก็บตัวอย่าง : 04-07/03/2567
ประเภทตัวอย่าง : อากาศ
เครื่องมือตรวจวิเคราะห์ : High Volume
วันที่ตรวจรับรอง : 04/03/2567
ตำแหน่งพิกัด : UTM 47 P 700244 E, 1625916 N
วันเดือนปีที่วิเคราะห์ : 11-19/03/2567
วันเดือนปีที่รายงานผล : 20/03/2567
รุ่นของอุปกรณ์สอบเทียบ : G25A
วันหมดอายุการสอบเทียบ : 28/08/2567
รหัสลูกค้า : JM-040-00

ดัชนีที่วิเคราะห์	วันที่ทำการเก็บตัวอย่าง	วิธีวิเคราะห์	หน่วย	ผลการวิเคราะห์	ค่ามาตรฐาน ¹⁾
TSP	04-05/03/2567	US.EPA 40 CFR 50, Appendix B	mg/m ³	0.220	0.330
	05-06/03/2567	US.EPA 40 CFR 50, Appendix B	mg/m ³	0.292	
	06-07/03/2567	US.EPA 40 CFR 50, Appendix B	mg/m ³	0.220	
PM10	04-05/03/2567	US.EPA 40 CFR 50, Appendix J	mg/m ³	0.109	0.120
	05-06/03/2567	US.EPA 40 CFR 50, Appendix J	mg/m ³	0.109	
	06-07/03/2567	US.EPA 40 CFR 50, Appendix J	mg/m ³	0.108	


หมายเหตุ : ¹⁾ ค่ามาตรฐาน ตามประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 24 (พ.ศ. 2547) เรื่องกำหนดมาตรฐานคุณภาพอากาศในบรรยากาศโดยทั่วไป

TSP: ผุ่นละอองรวมเฉลี่ย 24 ชั่วโมง

PM-10: ผุ่นละอองขนาดเล็กกว่า 10 ไมครอน เฉลี่ย 24 ชั่วโมง



Analyst



Laboratory Manager





บริษัท ตรวจวัดสิ่งแวดล้อม จำกัด

ENVIRONMENTAL MEASUREMENTS CO., LTD.

5/45 หมู่บ้านบ้านกลางกรุง บิซทาวน์ ซอยศรีนครินทร์ 46/1 (ปราโมทย์) แขวงหนองบอน เขตประเวศ กรุงเทพมหานคร 10250
5/45 Baan Klang Krung Bliz Town, Sol Srinagarindra 46/1 (Pramote), NONG BON Sub-district, PRAWET District, BANGKOK 10250

โทรศัพท์ 0-2716-3506-7 โทรสาร 0-2716-3507
Tel: 0-2716-3506-7 Fax: 0-2716-3507

ANALYSIS REPORT

ชื่อลูกค้า : โครงการเหมืองแร่หินอุตสาหกรรมชนิดหินปูนเพื่ออุตสาหกรรมก่อสร้าง ประทานบัตรที่ 33336/16066 ของบริษัท สหศิลาเพิ่มพูล จำกัด
ที่อยู่ : หมู่ที่ 1 ตำบลหน้าพระลาน อำเภอลำลูกกา จังหวัดสระบุรี
จุดเก็บตัวอย่าง : โรงเรียนบ้านซับชะอม
เครื่องมือที่ใช้ตรวจวัด : TSP-07, PM10-07
วันเดือนปีที่เก็บตัวอย่าง : 04-07/03/2567
ประเภทตัวอย่าง : อากาศ
เครื่องมือตรวจวิเคราะห์ : High Volume
วันที่ตรวจรับรอง : 04/03/2567
ตำแหน่งพิกัด : UTM 47 P 698684 E, 1625755 N
วันเดือนปีที่วิเคราะห์ : 11-19/03/2567
วันเดือนปีที่รายงานผล : 20/03/2567
รุ่นของอุปกรณ์สอบเทียบ : G25A
วันหมดอายุการสอบเทียบ : 28/08/2567
รหัสลูกค้า : JM-040-00

ดัชนีที่วิเคราะห์	วันที่ทำการเก็บตัวอย่าง	วิธีวิเคราะห์	หน่วย	ผลการวิเคราะห์	ค่ามาตรฐาน ¹⁾
TSP	04-05/03/2567	US.EPA 40 CFR 50, Appendix B	mg/m ³	0.106	0.330
	05-06/03/2567	US.EPA 40 CFR 50, Appendix B	mg/m ³	0.140	
	06-07/03/2567	US.EPA 40 CFR 50, Appendix B	mg/m ³	0.120	
PM10	04-05/03/2567	US.EPA 40 CFR 50, Appendix J	mg/m ³	0.057	0.120
	05-06/03/2567	US.EPA 40 CFR 50, Appendix J	mg/m ³	0.073	
	06-07/03/2567	US.EPA 40 CFR 50, Appendix J	mg/m ³	0.066	


หมายเหตุ : ¹⁾ ค่ามาตรฐาน ตามประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 24 (พ.ศ. 2547) เรื่องกำหนดมาตรฐานคุณภาพอากาศในบรรยากาศโดยทั่วไป

TSP: ฝุ่นละอองรวม เฉลี่ย 24 ชั่วโมง

PM-10: ฝุ่นละอองขนาดเล็กกว่า 10 ไมครอน เฉลี่ย 24 ชั่วโมง



Analyst



Laboratory Manager





บริษัท ตรวจวัดสิ่งแวดล้อม จำกัด

ENVIRONMENTAL MEASUREMENTS CO., LTD.

5/45 หมู่บ้านบ้านกลางกรุง ปิซทาวน์ ซอยศรีนครินทร์ 46/1 (ปราโมทย์) แขวงหนองบอน เขตประเวศ กรุงเทพมหานคร 10250
5/45 Baan Klang Krung Blz Town, Soi Srīnagarindra 46/1 (Pramote), NONG BON Sub-district, PRAWET District, BANGKOK 10250

โทรศัพท์ 0-2716-3506-7 โทรสาร 0-2716-3507

Tel: 0-2716-3506-7 Fax: 0-2716-3507

ANALYSIS REPORT

ชื่อลูกค้า : โครงการเหมืองแร่หินอุตสาหกรรมชนิดหินปูนเพื่ออุตสาหกรรมก่อสร้าง ของบริษัท สหศิลาเพิ่มพูล จำกัด ประทานบัตรที่ 33336/16066
ที่อยู่ : หมู่ที่ 1 ตำบลหน้าพระลาน อำเภอเฉลิมพระเกียรติ จังหวัดสระบุรี
เครื่องมือที่ใช้ตรวจวัด : Smoke Opacity Meter
วันเดือนปีที่เก็บตัวอย่าง : 04/03/2567
ประเภทตัวอย่าง : ความทึบแสง
วันเดือนปีที่วิเคราะห์ : 11/03/2567
วันเดือนปีที่รายงานผล : 11/03/2567

ตำแหน่งตรวจวัด	ระบบควบคุมฝุ่นละออง	ค่าความทึบแสง (%)										ค่าเฉลี่ย (%)	ค่ามาตรฐาน ^{1/} (%)
		1	2	3	4	5	6	7	8	9	10		
บริเวณปากโม	สเปรย์น้ำ	3.1	2.9	3.3	3.5	3.0	2.7	3.6	3.9	2.9	3.5	2.9	20
บริเวณสายพานลำเลียง	สเปรย์น้ำ	1.1	1.5	1.0	0.8	1.7	1.3	1.5	0.9	0.6	1.8	1.2	20
บริเวณปลายสายพาน	สเปรย์น้ำ	0.5	0.3	0.7	0.7	0.9	1.1	0.2	0.6	0.5	1.0	0.7	20
บริเวณตะแกรงคัดขนาด	สเปรย์น้ำ	0.1	0.3	0.2	0.1	0.5	0.1	0.6	0.9	0.7	0.4	0.4	20

ค่ามาตรฐาน : ^{1/}มาตรฐานควบคุมคุณภาพการปล่อยฝุ่นละอองจากโรงโม่ บด หรือย่อยหิน ประกาศกระทรวงวิทยาศาสตร์และเทคโนโลยี พ.ศ. 2539

Field Environmental Scientist Leader

Laboratory Manager





บริษัท ตรวจวัดสิ่งแวดล้อม จำกัด

ENVIRONMENTAL MEASUREMENTS CO., LTD.

5/45 หมู่บ้านบ้านกลางกรุง บิซทาวน์ ซอยศรีนครินทร์ 46/1 (ปราโมทย์) แขวงหนองบอน เขตประเวศ กรุงเทพมหานคร 10250

โทรศัพท์ 0-2716-3506-7 โทรสาร 0-2716-3507

5/45 Baan Klang Krung Blz Town, Sol Srinagarindra 46/1 (Pramote), NONG BON Sub-district, PRAWET District, BANGKOK 10250

Tel: 0-2716-3506-7 Fax: 0-2716-3507

ANALYSIS REPORT

ชื่อลูกค้า : โครงการเหมืองแร่หินอุตสาหกรรมชนิดหินปูนเพื่ออุตสาหกรรมก่อสร้าง ของบริษัท สหคิลาเพิ่มพูล จำกัด ประทานบัตรที่ 33336/16066
ที่อยู่ : หมู่ที่ 1 ตำบลหน้าพระลาน อำเภอเฉลิมพระเกียรติ จังหวัดสระบุรี
จุดเก็บตัวอย่าง : โรงเรียนบ้านซับชะอม
เครื่องมือที่ใช้ตรวจวัด : Sound Level Meter
วันเดือนปีที่เก็บตัวอย่าง : 04-07/03/2567
ประเภทตัวอย่าง : ระดับเสียง
รุ่นของเครื่องมือตรวจวิเคราะห์ : BSWA 309 S/N: 570138
วันที่ตรวจรับรอง : 04/03/2567
ค่าที่อ่านได้จากเครื่องวัดเสียง : 94.0 dB/1,000 Hz
ตำแหน่งพิกัด : UTM 47 P 0698700 E, 1625779 N
วันเดือนปีที่วิเคราะห์ : 11/03/2567
วันเดือนปีที่รายงานผล : 11/03/2567
รุ่นของอุปกรณ์สอบเทียบ : CA111
เลขที่เอกสารสอบเทียบ : EEL. BP. 76/0866
ระดับเสียงในการสอบเทียบ : 94.0 dB/1,000 Hz
รหัสลูกค้า : JM-040-00

เวลา	ค่าระดับเสียงเฉลี่ย (Equivalent Sound Pressure Level) (dBA)					
	4 - 5 มีนาคม 2567		5 - 6 มีนาคม 2567		6 - 7 มีนาคม 2567	
	L _{eq 1 hr.}	L _{max}	L _{eq 1 hr.}	L _{max}	L _{eq 1 hr.}	L _{max}
12:30-13:30 น.	67.3	94.4	61.0	89.4	57.7	89.3
13:30-14:30 น.	60.2	88.1	48.7	68.5	51.9	68.3
14:30-15:30 น.	61.8	88.4	59.5	88.4	55.4	80.2
15:30-16:30 น.	55.2	86.4	51.9	84.6	55.4	83.9
16:30-17:30 น.	54.9	87.2	51.7	81.4	60.3	84.2
17:30-18:30 น.	63.6	86.5	55.2	85.5	56.3	83.2
18:30-19:30 น.	63.8	89.5	52.6	80.2	59.5	88.9
19:30-20:30 น.	48.9	65.5	51.2	82.6	52.6	80.2
20:30-21:30 น.	52.5	74.1	49.8	70.7	51.3	70.6
21:30-22:30 น.	53.2	75.0	51.6	70.3	51.3	84.0
22:30-23:30 น.	63.0	87.6	63.2	89.3	48.9	64.3
23:30-00:30 น.	50.7	70.7	48.0	65.6	48.0	63.9
00:30-01:30 น.	50.1	67.8	50.1	75.9	48.7	60.1
01:30-02:30 น.	50.8	82.0	47.5	60.2	51.4	63.4
02:30-03:30 น.	61.2	89.0	54.3	83.5	50.0	69.9
03:30-04:30 น.	47.3	60.0	58.0	87.3	46.8	61.1
04:30-05:30 น.	58.6	85.9	54.5	86.9	51.5	66.2
05:30-06:30 น.	61.6	89.8	51.0	71.7	52.4	74.8
06:30-07:30 น.	54.3	86.6	54.3	83.5	51.6	77.9
07:30-08:30 น.	64.3	87.4	60.7	86.1	54.6	74.4
08:30-09:30 น.	56.4	84.5	53.6	82.0	57.0	83.1
09:30-10:30 น.	64.1	89.8	53.6	81.7	55.1	78.1
10:30-11:30 น.	51.3	75.9	51.5	83.0	51.7	69.9
11:30-12:30 น.	64.7	90.3	56.6	84.2	50.3	80.6
L _{eq 24 hrs.}	60.6		56.0		54.4	
L _{dn}	65.4		62.7		58.0	
L _{max}	94.4		89.4		89.3	
Std. L _{eq 24 hrs.}	70.0 dBA ^{1/}					
Std. L _{max}	115.0 dBA ^{1/}					

หมายเหตุ: ^{1/} มาตรฐานตามประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่อง กำหนดมาตรฐานระดับเสียงโดยทั่วไป

Field Environmental Scientist Leader

Laboratory Manager



DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE(S) ONLY. 11:15/5



บริษัท ตรวจวัดสิ่งแวดล้อม จำกัด

ENVIRONMENTAL MEASUREMENTS CO., LTD.

5/45 หมู่บ้านบางกลางท่ง บิซทาวน์ ซอยศรีนครินทร์ 46/1 (ปราโมทย์) แขวงหนองบอน เขตประเวศ กรุงเทพมหานคร 10250

โทรศัพท์ 0-2716-3506-7 โทรสาร 0-2716-3507

5/45 Baan Klang Krung Biz Town, Sol Srinagarindra 46/1 (Pramote), NONG BON Sub-district, PRAWET District, BANGKOK 10250

Tel: 0-2716-3506-7 Fax: 0-2716-3507

ANALYSIS REPORT


ชื่อลูกค้า : โครงการเหมืองแร่หินอุตสาหกรรมชนิดหินปูนเพื่ออุตสาหกรรมก่อสร้าง ของบริษัท สหศิลาเพิ่มพูล จำกัด ประทานบัตรที่ 33336/16066
ที่อยู่ : หมู่ที่ 1 ตำบลหน้าพระลาน อำเภอเฉลิมพระเกียรติ จังหวัดสระบุรี
จุดเก็บตัวอย่าง : ชุมชนเฉลิมพระเกียรติ หมู่ 1
เครื่องมือที่ใช้ตรวจวัด : Sound Level Meter
วันเดือนปีที่เก็บตัวอย่าง : 04-07/03/2567
ประเภทตัวอย่าง : ระดับเสียง
รุ่นของเครื่องมือตรวจวัด : BSWA 308 S/N: 570169
วันที่ตรวจรับรอง : 04/03/2567
ค่าที่อ่านได้จากเครื่องวัดเสียง : 94.0 dB/1,000 Hz
ตำแหน่งพิกัด : UTM 47 P 0700250 E, 1625910 N
วันเดือนปีที่วิเคราะห์ : 11/03/2567
วันเดือนปีที่รายงานผล : 11/03/2567
รุ่นของอุปกรณ์สอบเทียบ : CA111
เลขที่เอกสารสอบเทียบ : EEL. BP. 76/0866
ระดับเสียงในการสอบเทียบ : 94.0 dB/1,000 Hz
รหัสลูกค้า : JM-040-00

เวลา	ค่าระดับเสียงเฉลี่ย (Equivalent Sound Pressure Level) (dBA)					
	4 - 5 มีนาคม 2567		5 - 6 มีนาคม 2567		6 - 7 มีนาคม 2567	
	L _{eq 1 hr.}	L _{max}	L _{eq 1 hr.}	L _{max}	L _{eq 1 hr.}	L _{max}
10:30-11:30 น.	66.1	91.9	67.7	85.0	68.7	97.8
11:30-12:30 น.	67.0	95.3	66.4	83.4	66.8	85.8
12:30-13:30 น.	66.1	92.5	66.3	84.1	67.2	89.3
13:30-14:30 น.	66.8	96.4	65.9	84.6	66.4	83.4
14:30-15:30 น.	67.3	90.5	65.8	87.3	66.7	88.1
15:30-16:30 น.	67.9	89.5	67.4	90.6	67.6	83.2
16:30-17:30 น.	67.3	94.2	67.6	90.8	66.8	89.0
17:30-18:30 น.	65.3	86.0	70.3	98.3	65.5	84.8
18:30-19:30 น.	65.6	89.6	68.9	98.5	64.5	81.3
19:30-20:30 น.	65.0	93.7	63.6	86.1	63.3	80.9
20:30-21:30 น.	68.2	95.9	63.8	89.8	63.1	85.3
21:30-22:30 น.	65.6	96.6	62.9	85.0	62.9	83.5
22:30-23:30 น.	68.1	101.3	62.5	82.0	62.7	87.7
23:30-00:30 น.	63.5	94.4	64.7	90.6	61.0	77.7
00:30-01:30 น.	63.9	95.2	60.4	84.8	61.6	79.1
01:30-02:30 น.	65.4	94.1	61.9	91.2	60.0	80.4
02:30-03:30 น.	64.3	95.9	62.0	88.3	61.4	85.0
03:30-04:30 น.	61.9	81.2	61.2	79.7	61.8	81.3
04:30-05:30 น.	64.9	90.6	63.6	86.6	64.3	84.3
05:30-06:30 น.	65.8	93.3	66.3	85.2	66.9	90.5
06:30-07:30 น.	69.3	94.8	68.2	88.6	67.9	83.5
07:30-08:30 น.	66.4	83.1	66.5	85.1	65.8	83.3
08:30-09:30 น.	66.8	86.7	66.5	84.1	64.6	87.0
09:30-10:30 น.	66.8	88.4	68.4	96.6	64.2	85.1
L _{eq 24 hrs.}	66.2		66.1		65.3	
L _{dn}	72.3		71.1		70.7	
L _{max}	101.3		98.5		97.8	
Std. L _{eq 24 hrs.}	70.0 dBA ^{1/}					
Std. L _{max}	115.0 dBA ^{1/}					

หมายเหตุ: ^{1/} มาตรฐานตามประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่อง กำหนดมาตรฐานระดับเสียงโดยทั่วไป



Field Environmental Scientist Leader



Laboratory Manager



DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE(S) ONLY น.15/6



บริษัท ตรวจวัดสิ่งแวดล้อม จำกัด

ENVIRONMENTAL MEASUREMENTS CO., LTD.

5/45 หมู่บ้านบ้านกลางกรุง บิซทาวน์ ซอยศรีนครินทร์ 46/1 (ปราโมทย์) แขวงหนองบอน เขตประเวศ กรุงเทพมหานคร 10250
5/45 Baan Klang Krung Biz Town, Soi Srinagarindra 46/1 (Pramote), NONG BON Sub-district, PRAWET District, BANGKOK 10250


โทรศัพท์ 0-2716-3506-7 โทรสาร 0-2716-3507
Tel: 0-2716-3506-7 Fax: 0-2716-3507

ANALYSIS REPORT


ชื่อลูกค้า : โครงการเหมืองแร่หินอุตสาหกรรมชนิดหินปูนเพื่ออุตสาหกรรมก่อสร้าง ของบริษัท สหศิลาเพิ่มพูล จำกัด ประทานบัตรที่ 33336/16066
ที่อยู่ : หมู่ที่ 1 ตำบลหน้าพระลาน อำเภอเฉลิมพระเกียรติ จังหวัดสระบุรี
จุดเก็บตัวอย่าง : สำนักงานโครงการ
เครื่องมือที่ใช้ตรวจวัด : Sound Level Meter
วันเดือนปีที่เก็บตัวอย่าง : 04-07/03/2567
ประเภทตัวอย่าง : ระดับเสียง
รุ่นของเครื่องมือตรวจวัด : BSWA 308 S/N: 570165
วันที่ตรวจรับรอง : 04/03/2567
ค่าที่อ่านได้จากเครื่องวัดเสียง : 94.0 dB/1,000 Hz
ตำแหน่งพิกัด : UTM 47 P 0699451 E, 1627341 N
วันเดือนปีที่วิเคราะห์ : 11/03/2567
วันเดือนปีที่รายงานผล : 11/03/2567
รุ่นของอุปกรณ์สอบเทียบ : CA111
เลขที่เอกสารสอบเทียบ : EEL BP. 76/0866
ระดับเสียงในการสอบเทียบ : 94.0 dB/1,000 Hz
รหัสลูกค้า : JM-040-00

เวลา	ค่าระดับเสียงเฉลี่ย (Equivalent Sound Pressure Level) (dBA)					
	4 - 5 มีนาคม 2567		5 - 6 มีนาคม 2567		6 - 7 มีนาคม 2567	
	L _{eq 1 hr.}	L _{max}	L _{eq 1 hr.}	L _{max}	L _{eq 1 hr.}	L _{max}
11:00-12:00 น.	63.8	93.4	63.5	80.7	63.1	76.7
12:00-13:00 น.	62.6	75.3	63.2	77.0	63.2	76.9
13:00-14:00 น.	63.1	78.1	64.0	83.3	63.2	74.1
14:00-15:00 น.	63.4	74.8	63.4	84.2	63.6	86.8
15:00-16:00 น.	63.1	77.4	63.2	77.3	63.4	84.1
16:00-17:00 น.	63.0	81.2	63.1	81.9	62.9	78.8
17:00-18:00 น.	63.8	78.5	64.1	80.2	63.7	77.5
18:00-19:00 น.	62.9	70.9	61.4	71.9	62.8	71.2
19:00-20:00 น.	61.5	75.1	63.8	72.0	62.0	76.0
20:00-21:00 น.	55.6	76.1	62.9	75.9	62.2	77.1
21:00-22:00 น.	54.9	70.9	55.8	72.1	54.1	70.0
22:00-23:00 น.	52.6	65.0	53.5	69.9	52.4	65.5
23:00-00:00 น.	51.6	65.6	58.6	78.6	51.4	67.3
00:00-01:00 น.	52.4	67.0	53.3	75.0	51.2	64.1
01:00-02:00 น.	52.1	72.5	52.8	69.4	50.4	65.9
02:00-03:00 น.	52.3	66.6	52.0	67.2	53.1	72.6
03:00-04:00 น.	53.9	72.4	53.1	68.3	52.8	72.8
04:00-05:00 น.	54.3	72.0	55.1	76.8	55.1	75.0
05:00-06:00 น.	59.7	80.8	57.9	80.3	58.8	75.9
06:00-07:00 น.	61.6	84.6	61.6	77.7	61.6	78.8
07:00-08:00 น.	62.1	78.0	61.0	76.4	63.1	79.6
08:00-09:00 น.	64.5	77.3	63.3	75.5	65.6	76.2
09:00-10:00 น.	64.6	83.4	65.5	97.0	67.0	85.4
10:00-11:00 น.	64.2	92.7	66.6	100.1	64.6	82.9
L _{eq 24 hrs}	61.3		61.9		61.9	
L _{dn}	64.4		64.9		64.6	
L _{max}	93.4		100.1		86.8	
Std. L _{eq 24 hrs.}	70.0 dBA ^{1/}					
Std. L _{max}	115.0 dBA ^{1/}					

หมายเหตุ: ^{1/} มาตราฐานตามประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่อง กำหนดมาตรฐานระดับเสียงโดยทั่วไป



Field Environmental Scientist Leader



Laboratory Manager





บริษัท ตรวจวัดสิ่งแวดล้อม จำกัด

ENVIRONMENTAL MEASUREMENTS CO., LTD.

5/45 หมู่บ้านบ้านกลางกรุง บิซทาวน์ ซอยศรีนagarindra 46/1 (ปรางโมทย์) แขวงหนองบอน เขตประเวศ กรุงเทพมหานคร 10250

โทรศัพท์ 0-2716-3506-7 โทรสาร 0-2716-3507

5/45 Baan Klang Krung Blz Town, Soi SrInagarindra 46/1 (Pramote), NONG BON Sub-district, PRAWET District, BANGKOK 10250

Tel: 0-2716-3506-7 Fax: 0-2716-3507

ANALYSIS REPORT

ชื่อลูกค้า : โครงการเหมืองแร่หินอุตสาหกรรมชนิดหินปูนเพื่ออุตสาหกรรมก่อสร้าง ของบริษัท สหศิลาเพิ่มพูล จำกัด ประทานบัตรที่ 33336/16066
ที่อยู่ : หมู่ที่ 1 ตำบลหน้าพระลาน อำเภอเฉลิมพระเกียรติ จังหวัดสระบุรี
จุดเก็บตัวอย่าง : ขอบแปลงประทานบัตรทางด้านทิศตะวันตก
เครื่องมือที่ใช้ตรวจวัด : Vibration Meter
วันเดือนปีที่เก็บตัวอย่าง : 04/03/2567
ประเภทตัวอย่าง : ความสั่นสะเทือน
ตำแหน่งพิกัด : UTM 47 N 0699149 E, 1625873 N

วันเดือนปีที่วิเคราะห์ : 11/03/2567

วันเดือนปีที่รายงานผล : 11/03/2567


รหัสลูกค้า : JM-040-00

Parameter	Transverse	Vertical	Longitudinal
Result			
Frequency; Hz	51	73	64
Peak Particle Velocity; mm/sec	1.778	2.604	2.096
Peak Displacement; mm	0.007	0.011	0.011
Air Overpressure	110		
Standard ^{1/}			
Peak Particle Velocity; mm/sec	50.8	50.8	50.8
Peak Displacement; mm	0.20	0.20	0.20
Measured Instrument	Brand	Model	
	Instantel	3657 V 2.61 MiniMate	

หมายเหตุ : ^{1/} มาตรฐานตามประกาศกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม เรื่อง กำหนดมาตรฐานการควบคุมระดับเสียงและความสั่นสะเทือนจากการทำเหมืองหิน (พ.ศ. 2548)

: N/A = ตรวจไม่พบ, Frequency < 1 Hz, Velocity < 0.100 mm/sec, และ Displacement < 0.0001 mm

: ระบุดำเนินงานเวลา 16:31 น.



Field Environmental Scientist Leader



Laboratory Manager





บริษัท ตรวจวัดสิ่งแวดล้อม จำกัด

ENVIRONMENTAL MEASUREMENTS CO., LTD.

5/45 หมู่บ้านกลางกรุง บิซทาวน์ ซอยศรีนครินทร์ 46/1 (ปราโมทย์) แขวงหนองบอน เขตประเวศ กรุงเทพมหานคร 10250
5/45 Baan Klang Krung Biz Town, Sol Srinagarindra 46/1 (Pramote), NONG BON Sub-district, PRAWET District, BANGKOK 10250

โทรศัพท์ 0-2716-3506-7 โทรสาร 0-2716-3507
Tel: 0-2716-3506-7 Fax: 0-2716-3507

ANALYSIS REPORT

ชื่อลูกค้า : โครงการเหมืองแร่หินอุตสาหกรรมชนิดหินปูนเพื่ออุตสาหกรรมก่อสร้าง ประทานบัตรที่ 33336/16066 ของบริษัท สหคิลาเพิ่มพูล จำกัด
ที่อยู่ : หมู่ที่ 1 ตำบลหน้าพระลาน อำเภอเฉลิมพระเกียรติ จังหวัดสระบุรี
จุดเก็บตัวอย่าง : บ่อดักตะกอน (บ.1)
วันเดือนปีที่เก็บตัวอย่าง : 04/03/2567
เวลาเก็บตัวอย่าง : 15:40 น.
ลักษณะกายภาพ : โส ไม่มีตะกอน ไม่มีกลิ่น
เลขปฏิบัติการ : WW 0650
ประเภทตัวอย่าง : น้ำผิวดิน
ตำแหน่งพิกัด : UTM 47 P 699298 E, 1625525 N
วันเดือนปีที่วิเคราะห์ : 08/03-22/04/2567
วันเดือนปีที่รายงานผล : 22/04/2567
รหัสลูกค้า : JM-040-00

ดัชนีที่วิเคราะห์	หน่วย	วิธีวิเคราะห์	ค่าต่ำสุด ที่วิเคราะห์ได้	ผลการวิเคราะห์	ค่ามาตรฐาน ¹⁾
pH	-	Electrometric Method	-	8.1	5-9
Total Suspended Solids (TSS)	mg/L	Dried at 103-105 °C	<2.5	<2.5	-
Total Dissolved Solids (TDS)	mg/L	Dried at 180 °C	<2.5	486	-
Total Hardness	mg/L as CaCO ₃	EDTA Titrimetric Method	<1.0	407	-
Turbidity	NTU	Nephelometric Method	<0.01	2.3	-
Sulfate ²⁾	mg/L as SO ₄ ²⁻	Turbidimetric Method	<0.3	163	-
Iron ³⁾	mg/L	Digestion, ICP Method	<0.02	<0.02	-

หมายเหตุ : ¹⁾ ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 8 (พ.ศ. 2537)

: ²⁾ วิเคราะห์โดย UAE

: ³⁾ วิเคราะห์โดย Perfect Group



Analyst



Laboratory Manager



NOTICE: COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE(S) ONLY. น.15/9



บริษัท ตรวจวัดสิ่งแวดล้อม จำกัด

ENVIRONMENTAL MEASUREMENTS CO., LTD.

5/45 หมู่บ้านบ้านกลางกรุง บิซทาวน์ ซอยศรีนครินทร์ 46/1 (ปราโมทย์) แขวงหนองบอน เขตประเวศ กรุงเทพมหานคร 10250

โทรศัพท์ 0-2716-3506-7 โทรสาร 0-2716-3507

5/45 Baan Klang Krung Blz Town, Sol Srinagarindra 46/1 (Pramote), NONG BON Sub-district, PRAWET District, BANGKOK 10250

Tel: 0-2716-3506-7 Fax: 0-2716-3507

ANALYSIS REPORT

ชื่อลูกค้า : โครงการเหมืองแร่หินอุตสาหกรรมชนิดหินปูนเพื่ออุตสาหกรรมก่อสร้าง ประทานบัตรที่ 33336/16066 ของบริษัท สหศิลาเพิ่มพูล จำกัด
ที่อยู่ : หมู่ที่ 1 ตำบลหน้าพระลาน อำเภอเฉลิมพระเกียรติ จังหวัดสระบุรี
จุดเก็บตัวอย่าง : บ่อตกตะกอน (บ.2)
วันเดือนปีที่เก็บตัวอย่าง : 04/03/2567
เวลาเก็บตัวอย่าง : 15:20 น.
ลักษณะกายภาพ : ขุ่น เทา ตะกอนมาก มีกลิ่น
เลขปฏิบัติการ : WW 0651
ประเภทตัวอย่าง : น้ำผิวดิน
ตำแหน่งพิกัด : UTM 47 P 699478 E, 1625078 N
วันเดือนปีที่วิเคราะห์ : 08/03-22/04/2567
วันเดือนปีที่รายงานผล : 22/04/2567
รหัสลูกค้า : JM-040-00

ดัชนีที่วิเคราะห์	หน่วย	วิธีวิเคราะห์	ค่าต่ำสุด ที่วิเคราะห์ได้	ผลการวิเคราะห์	ค่ามาตรฐาน ¹⁾
pH	-	Electrometric Method	-	8.1	5-9
Total Suspended Solids (TSS)	mg/L	Dried at 103-105 °C	<2.5	184	-
Total Dissolved Solids (TDS)	mg/L	Dried at 180 °C	<2.5	348	-
Total Hardness	mg/L as CaCO ₃	EDTA Titrimetric Method	<1.0	251	-
Turbidity	NTU	Nephelometric Method	<0.01	171	-
Sulfate ²⁾	mg/L as SO ₄ ²⁻	Turbidimetric Method	<0.3	80	-
Iron ³⁾	mg/L	Digestion, ICP Method	<0.02	0.14	-


หมายเหตุ : ¹⁾ ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 8 (พ.ศ. 2537)

²⁾ วิเคราะห์โดย UAE

³⁾ วิเคราะห์โดย Perfect Group



Analyst



Laboratory Manager



DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE(S) ONLY 15/10



บริษัท ตรวจวัดสิ่งแวดล้อม จำกัด

ENVIRONMENTAL MEASUREMENTS CO., LTD.

5/45 หมู่บ้านบ้านกลางกรุง ปิษทาวน์ ซอยศรีนครินทร์ 46/1 (ปราโมทย์) แขวงหนองบอน เขตประเวศ กรุงเทพมหานคร 10250

โทรศัพท์ 0-2716-3506-7 โทรสาร 0-2716-3507

5/45 Baan Klang Krung Biz Town, Sol Srinagarindra 46/1 (Pramote), NONG BON Sub-district, PRAWET District, BANGKOK 10250

Tel: 0-2716-3506-7 Fax: 0-2716-3507

ANALYSIS REPORT


ชื่อลูกค้า : โครงการเหมืองแร่หินอุตสาหกรรมชนิดหินปูนเพื่ออุตสาหกรรมก่อสร้างประทานบัตรที่ 33336/16066 ของบริษัท สหศิลาเพิ่มพูล จำกัด
ที่อยู่ : หมู่ที่ 1 ตำบลหน้าพระลาน อำเภอเฉลิมพระเกียรติ จังหวัดสระบุรี
จุดเก็บตัวอย่าง : บ่อบาดาลสำนักงานโครงการ
วันเดือนปีที่เก็บตัวอย่าง : 04/03/2567
เวลาเก็บตัวอย่าง : 15:20 น.
ลักษณะกายภาพ : สี ตะกอนน้อย ไม่มีกลิ่น
เลขปฏิบัติการ : WW 0652
ประเภทตัวอย่าง : น้ำใต้ดิน
ตำแหน่งพิกัด : UTM 47 P 699421 E, 1626225 N
วันเดือนปีที่วิเคราะห์ : 08/03-22/04/2567
วันเดือนปีที่รายงานผล : 22/04/2567
รหัสลูกค้า : JM-040-00

ดัชนีที่วิเคราะห์	หน่วย	วิธีวิเคราะห์	ค่าต่ำสุด ที่วิเคราะห์ได้	ผลการวิเคราะห์	ค่ามาตรฐาน ¹⁾	
					เกณฑ์กำหนด ที่เหมาะสม	เกณฑ์อนุโลม สูงสุด
pH	-	Electrometric Method	-	7.9	7.0-8.5	6.5-9.2
Total Dissolved Solids (TDS)	mg/L	Dried at 180 °C	<2.5	558	<600	1,200
Total Suspended Solids (TSS)	mg/L	Dried at 103-105 °C	<2.5	<2.5	-	-
Total Hardness	mg/L as CaCO ₃	EDTA Titrimetric Method	<1.0	517	<300	500
Turbidity	NTU	Nephelometric Method	<0.01	0.23	5	20
Sulfate ²⁾	mg/L as SO ₄ ²⁻	Turbidimetric Method	<0.03	133	<200	250
Iron (Fe) ²⁾	mg/L	Digestion, ICP Method	<0.02	<0.02	<0.5	1.0

หมายเหตุ : ¹⁾ ประกาศกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม เรื่อง กำหนดหลักเกณฑ์และมาตรการในทางวิชาการสำหรับการป้องกัน ด้านสาธารณสุขและการป้องกันในเรื่องสิ่งแวดล้อมเป็นพิษ พ.ศ. 2551 ตีพิมพ์ในราชกิจจานุเบกษา เล่ม 125 ตอนพิเศษ 85 ง ลงวันที่ 21 พฤษภาคม 2552

: ²⁾ วิเคราะห์โดย UAE

: ³⁾ วิเคราะห์โดย Perfect Group



Analyst



Laboratory Manager





บริษัท ตรวจวัดสิ่งแวดล้อม จำกัด

ENVIRONMENTAL MEASUREMENTS CO., LTD.

5/45 หมู่บ้านบางกลางกรุง บิซทาวน์ ซอยศรีนครินทร์ 46/1 (ปราโมทย์) แขวงหนองบอน เขตประเวศ กรุงเทพมหานคร 10250
5/45 Baan Klang Krung Biz Town, Soi Srinagarindra 46/1 (Pramote), NONG BON Sub-district, PRAWET District, BANGKOK 10250

โทรศัพท์ 0-2716-3506-7 โทรสาร 0-2716-3507
Tel: 0-2716-3506-7 Fax: 0-2716-3507

ANALYSIS REPORT


ชื่อลูกค้า : โครงการเหมืองแร่หินอุตสาหกรรมชนิดหินปูนเพื่ออุตสาหกรรมก่อสร้างประทานบัตรที่ 33336/16066 ของบริษัท สหศิลาเพิ่มพูล จำกัด
ที่อยู่ : หมู่ที่ 1 ตำบลหน้าพระลาน อำเภอเฉลิมพระเกียรติ จังหวัดสระบุรี
จุดเก็บตัวอย่าง : บ่อบาดาลบ้านซับชะอม
วันเดือนปีที่เก็บตัวอย่าง : 04/03/2567
เวลาเก็บตัวอย่าง : 12:00 น.
ลักษณะกายภาพ : สี ไม่มีตะกอน ไม่มีกลิ่น
เลขปฏิบัติการ : WW 0653
ประเภทตัวอย่าง : น้ำใต้ดิน
ตำแหน่งพิกัด : UTM 47 P 698558 E, 16925825 N
วันเดือนปีที่วิเคราะห์ : 08/03-22/04/2567
วันเดือนปีที่รายงานผล : 22/04/2567
รหัสลูกค้า : JM-040-00

ดัชนีที่วิเคราะห์	หน่วย	วิธีวิเคราะห์	ค่าต่ำสุด ที่วิเคราะห์ได้	ผลการวิเคราะห์	ค่ามาตรฐาน ¹⁾	
					เกณฑ์กำหนด ที่เหมาะสม	เกณฑ์อนุโลม สูงสุด
pH	-	Electrometric Method	-	8.1	7.0-8.5	6.5-9.2
Total Dissolved Solids (TDS)	mg/L	Dried at 180 °C	<2.5	698	<600	1,200
Total Suspended Solids (TSS)	mg/L	Dried at 103-105 °C	<2.5	<2.5	-	-
Total Hardness	mg/L as CaCO ₃	EDTA Titrimetric Method	<1.0	439	<300	500
Turbidity	NTU	Nephelometric Method	<0.01	0.08	5	20
Sulfate ²⁾	mg/L as SO ₄ ²⁻	Turbidimetric Method	<0.03	139	<200	250
Iron (Fe) ²⁾	mg/L	Digestion, ICP Method	<0.02	<0.02	<0.5	1.0

หมายเหตุ : ¹⁾ ประกาศกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม เรื่อง กำหนดหลักเกณฑ์และมาตรฐานการในทางวิชาการสำหรับการป้องกัน ด้านสาธารณสุขและการป้องกันในเรื่องสิ่งแวดล้อมเป็นพิษ พ.ศ. 2551 ตีพิมพ์ในราชกิจจานุเบกษา เล่ม 125 ตอนที่ 85 ง ลงวันที่ 21 พฤษภาคม 2552

: ²⁾ วิเคราะห์โดย UAE

: ³⁾ วิเคราะห์โดย Perfect Group



Analyst



Laboratory Manager





บริษัท ตรวจวัดสิ่งแวดล้อม จำกัด

ENVIRONMENTAL MEASUREMENTS CO., LTD.

5/45 หมู่บ้านบางกลางกรุง บิซทาวน์ ซอยศรีนครินทร์ 46/1 (ปรางโมทย์) แขวงหนองบอน เขตประเวศ กรุงเทพมหานคร 10250
5/45 Baan Klang Krung Bliz Town, Sol Srinagarindra 46/1 (Pramote), NONG BON Sub-district, PRAWET District, BANGKOK 10250

โทรศัพท์ 0-2716-3506-7 โทรสาร 0-2716-3507
Tel: 0-2716-3506-7 Fax: 0-2716-3507


ANALYSIS REPORT

ชื่อลูกค้า : โครงการเหมืองแร่หินอุตสาหกรรมชนิดหินปูนเพื่ออุตสาหกรรมก่อสร้างประทานบัตรที่ 33336/16066 ของบริษัท สหศิลาเพิ่มพูล จำกัด
ที่อยู่ : ตั้งอยู่ที่ หมู่ที่ 1 ตำบลหน้าพระลาน อำเภอเฉลิมพระเกียรติ จังหวัดสระบุรี
จุดเก็บตัวอย่าง : บริเวณพื้นที่เปิดหน้าเหมืองแร่จุดที่ 1
วันเดือนปีที่เก็บตัวอย่าง : 04/03/2567
เวลาเก็บตัวอย่าง : 15:50 น.
เลขปฏิบัติการ : S 083
ประเภทตัวอย่าง : ดิน
ตำแหน่งพิกัด : UTM 47 P 699261 E, 1625900 N
วันเดือนปีที่วิเคราะห์ : 10-29/03/2567
วันเดือนปีที่รายงานผล : 29/03/2567
รหัสลูกค้า : JM-040-00


ดัชนีที่วิเคราะห์	หน่วย	วิธีวิเคราะห์	ค่าต่ำสุด ที่วิเคราะห์ได้	ผลการวิเคราะห์ ³⁾	ค่ามาตรฐาน	
					1)	2)
Arsenic (As)	mg/kg	Hydride Generation Method (AAS)	<0.02	1.9	3.9	27

หมายเหตุ มาตรฐานตามประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 25 (พ.ศ. 2547) เรื่อง กำหนดมาตรฐานคุณภาพดิน

- ประเภท 1 มาตรฐานคุณภาพดินที่ใช้ประโยชน์เพื่อการอยู่อาศัยและเกษตรกรรม
- ประเภท 2 มาตรฐานคุณภาพดินที่ใช้ประโยชน์เพื่อการอื่นนอกเหนือจากประเภทที่ 1
- วิเคราะห์โดย UAE



Analyst



Laboratory Manager





บริษัท ตรวจวัดสิ่งแวดล้อม จำกัด

ENVIRONMENTAL MEASUREMENTS CO., LTD.

5/45 หมู่บ้านบ้านกลางกรุง บิซทาวน์ ซอยศรีนครินทร์ 46/1 (ปราโมทย์) แขวงหนองบอน เขตประเวศ กรุงเทพมหานคร 10250
5/45 Baan Klang Krung Biz Town, Sol Srinagarindra 46/1 (Pramote), NONG BON Sub-district, PRAWET District, BANGKOK 10250

โทรศัพท์ 0-2716-3506-7 โทรสาร 0-2716-3507
Tel: 0-2716-3506-7 Fax: 0-2716-3507

ANALYSIS REPORT

ชื่อลูกค้า : โครงการเหมืองแร่หินอุตสาหกรรมชนิดหินปูนเพื่ออุตสาหกรรมก่อสร้าง ประทานบัตรที่ 33336/16066 ของบริษัท สหศิลาเพิ่มพูล จำกัด
ที่อยู่ : ตั้งอยู่ที่ หมู่ที่ 1 ตำบลหน้าพระลาน อำเภอเฉลิมพระเกียรติ จังหวัดสระบุรี
จุดเก็บตัวอย่าง : บริเวณพื้นที่เปิดหน้าเหมืองแร่จุดที่ 2
วันเดือนปีที่เก็บตัวอย่าง : 04/03/2567
เวลาเก็บตัวอย่าง : 16:10 น.
เลขปฏิบัติการ : S 084
ประเภทตัวอย่าง : ดิน
ตำแหน่งพิกัด : UTM 47 P 699234 E, 1625872 N
วันเดือนปีที่วิเคราะห์ : 10-29/03/2567
วันเดือนปีที่รายงานผล : 29/03/2567
รหัสลูกค้า : JM-040-00


ดัชนีที่วิเคราะห์	หน่วย	วิธีวิเคราะห์	ค่าต่ำสุด ที่วิเคราะห์ได้	ผลการวิเคราะห์ ³⁾	ค่ามาตรฐาน	
					1)	2)
Arsenic (As)	mg/kg	Hydride Generation Method (AAS)	<0.02	3.0	3.9	27

หมายเหตุ มาตรฐานตามประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 25 (พ.ศ. 2547) เรื่อง กำหนดมาตรฐานคุณภาพดิน

- 1) ประเภท 1 มาตรฐานคุณภาพดินที่ใช้ประโยชน์เพื่อการอยู่อาศัยและเกษตรกรรม
- 2) ประเภท 2 มาตรฐานคุณภาพดินที่ใช้ประโยชน์เพื่อการอื่นนอกเหนือจากประเภทที่ 1
- 3) วิเคราะห์โดย UAE



Analyst



Laboratory Manager



เอกสารแบบ 16
เอกสารอนุญาตห้องปฏิบัติการ



MEASUREMENT RESULTS:

The Orifice gas flow device was calibrated by direct comparison method with the Standard Rotary Displacement Meter (Roots Meter). The Humid air was used as a medium in the system. The standard conditions are 25°C (298.15 K) and 760 mmHg for standard temperature and standard pressure respectively.

Table 1: The results of Q standard calibration data

Plate	Flow rate m ³ /min	Pressure [Pa] mmHg	Temperature [T _a] °C	Temperature [T _m] °C	Δp_meter mmHg	Δp_orifice inH ₂ O	γ	Standard Flow (Q _s) m ³ /min
1	0.704	753.799	24.600	24.010	56.263	1.711	1.304	0.648
2	1.003	753.788	24.730	24.160	61.277	3.447	1.850	0.917
3	1.118	753.731	24.870	24.460	42.341	4.528	2.120	1.048
4	1.166	753.864	24.640	24.370	30.016	5.104	2.252	1.113
5	1.414	753.819	24.290	24.230	30.018	7.548	2.739	1.350

Slope (m): 2.04519
Intercept (b): -0.02363
Correlation coefficient (r): 0.99983
Uncertainty (k=2): 0.010 m³/min

Table 2: The results of Q actual calibration data

Plate	Flow rate m ³ /min	Pressure [Pa] mmHg	Temperature [T _a] °C	Temperature [T _m] °C	Δp_meter mmHg	Δp_orifice inH ₂ O	γ	Standard Flow (Q _s) m ³ /min
1	0.704	753.799	24.600	24.010	56.263	1.711	0.822	0.653
2	1.003	753.788	24.730	24.160	61.277	3.447	1.167	0.923
3	1.118	753.731	24.870	24.460	42.341	4.528	1.338	1.056
4	1.166	753.864	24.640	24.370	30.016	5.104	1.420	1.120
5	1.414	753.819	24.290	24.230	30.018	7.548	1.726	1.358

Slope (m): 1.28101
Intercept (b): -0.01493
Correlation coefficient (r): 0.99983
Uncertainty (k=2): 0.012 m³/min

End of Certificate of Calibration



CERTIFICATE OF CALIBRATION

Certificate No. : CL-005-65

MEASUREMENT ITEM
MANUFACTURER
MODEL/TYPE
SERIAL NUMBER
ID NUMBER
CONDITION AS-RECEIVED
CUSTOMER

Top Load Orifice
Thermo Scientific
G25A
3375
Used Item
Environmental Measurements Co., Ltd.
5/45 Baan Klang Krung Bit Town, Soi Sirinagarindra 46/1
(Pranote), Nong Bon Sub-District Prawet District, Bangkok
10250

RECEIVED DATE
MEASUREMENT DATE
ISSUE DATE

:17 Aug 2022
:18 Aug 2022
:22 Aug 2022

ENVIRONMENTAL CONDITIONS:

Ambient condition in the laboratory are as follow:

Temperature : 23.0 ± 3.0 °C
Relative Humidity : 55.0 ± 15.0 %RH
Atmospheric Pressure : 1010 ± 10 hPa

CALIBRATION CONDITION:

Preconditioning : 24 hours at ambient conditions.
Measurement Condition : The average values during measurement are 24.6 °C and 57.8 %RH.

TABULATION OF RESULTS:

The table on next page give the measured values.

Calibration procedure:
The Orifice gas flow device was calibrated against Standard Rotary Displacement Meter (Roots Meter) Model G85/MCN24p. The WH-CL-004 was used as a calibration guideline.

Traceability:
This certificate provides a traceability of The measurement to realization of the national standards and to realization of the international system of units (SI) through the VSL (National Metrology Institute of Netherlands) via Certificate number: 02241501

Uncertainty of Measurement:

The reported uncertainty of measurement is based on the standard uncertainty multiplied by a coverage factor k=2, Which for a normal distribution corresponds to a coverage probability of approximately 95%. The standard uncertainty has been determined in accordance with the GUM 'Evaluation of measurement data - Guide to the expression of uncertainty in measurement'

Calibrated by:

Approved signatory:

Calibration Department Manager



THAI METEOROLOGICAL DEPARTMENT

4353 Sukhumvit, Bangna, Bangkok 10260 Tel. 081-454-2804,0-2399-0469



The Result of Calibration

Certification No. 247/22

29 June, 2022


Page : 2 of 2

Standard Ultrasonic Anemometer m/sec	HOOK GAGE NO. 1425			TESTED ANEMOMETER	
	Pressure inches H ₂ O	Vacuum inches H ₂ O	Velocity m/sec	Velocity m/sec	Correction m/sec
1.00	-	-	-	0.91	0.09
3.02	-	-	-	3.17	-0.15
5.00	-	-	-	4.98	0.02
7.00	-	-	-	7.14	-0.14
9.02	-	-	-	8.96	0.06
11.01	-	-	-	11.12	-0.11
13.01	-	-	-	13.12	-0.11
15.01	-	-	-	14.93	0.08
17.02	-	-	-	17.22	-0.20
20.02	-	-	-	19.91	0.11

Wind Aloft Plotting Board.		
U.S.DEPARTMENT OF COMMERCE WEATHER BUREAU		
WIND DIRECTION	TESTED WIND DIRECTION	
0	0	0
90	90	90
180	180	180
270	270	270

Calibrated

Mechanical Engineer



THAI METEOROLOGICAL DEPARTMENT

4353 Sukhumvit, Bangna, Bangkok 10260 Tel. 081-454-2804,0-2399-0469



Calibration Certificate

Issued by : Calibration & Test Section : Meteorological Instruments Bureau

Date of Issue 29 June, 2022

Certification No. 247/22

Page : 1 of 2

Object : Wind speed and wind direction

Manufacturer : Sensor : NRG
Basic Datalogger : Symphonie

Type : Sensor : 40C Basic Datalogger : LR20

Serial No. : Sensor : 1795-00179982 Basic Datalogger : 309011834

Customer : Environmental Measurements Co., Ltd.
5/45 Baan Klang Krung Biz Town, Soi Srinagarindra 46/1 (Pramote),
Nong Bon Sub-District, Prawet District, Bangkok 10250.

Calibration Condition : Temperature 25.1 °C Barometric Pressure 1004.6 hPa

NATIONAL STANDARD WIND TUNNEL :

: Thermal Anemometer 642 SN 91563

: HOOK GAGE NO 1425 Pitot Tube Theodor Friedrichs Type 0800.0000 serial 9023

N.I.S.T. Test Reference Number 731/241460 : Standard Velocity at 20 - 30 m/sec

: Ultrasonic Anemometer Model DA-650-3TV (sensor TR-90AH)

Serial Number 110730029 (sensor 120629586)

JAPAN QUALITY ASSURANCE ORGANIZATION

Standard Velocity at 20 m/sec



Mechanical Engineer





THAILAND INSTITUTE OF SCIENTIFIC AND TECHNOLOGICAL RESEARCH (TISTR)

Request No. 21-65/0709

MTC No. EEL. BP. 66/0865

Nominal Output of Unit Under Test = 114 dB re 20µPa at 1000 Hz

Acoustic Output in dB re 20µPa, Corrected to Reference Conditions : 101.325 kPa, 23.0 °C and 50 %RH

1. Sound Pressure Level

Standard Microphone Type	Measured Sound Pressure Level (dB)	Deviated value (dB)	Uncertainty (dB)	Tolerance limit IEC60942:2003 Class I
1/2 inch Brüel&Kjaer 4180	114.00	0.00	± 0.10	± 0.40 dB

2. Frequency

Standard Microphone Type	Measured Frequency (Hz)	Deviated value (Hz)	Uncertainty (Hz)	Tolerance limit IEC60942:2003 Class I
1/2 inch Brüel&Kjaer 4180	1000.0	0.0	± 1.5	± 1.0 %

3. Total Distortion

Standard Microphone Type	Measured Total Distortion (%)	Uncertainty (%)	Tolerance limit IEC60942:2003 Class I
1/2 inch Brüel&Kjaer 4180	1.23	± 0.50	± 3.0 %

Note : 1. No adjustment.

2. The calibrator pressure correction was not included.

3. The microphone volume correction was not included.

Calibrated by

Approved by

Electrical and Electronic Standards Laboratory
Industrial Metrology and Testing Service Centre

Date of Calibration : 31 Aug. 2022

Date of Issue : 1 Sep. 2022

Ref : 2011265081903689001

End of Certificate

3 / 3

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

FM.BLMTC.002 Rev.4

Head Office
35 Mu. 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. (66) 0 2577 9000
Fax. (66) 0 2577 9009
E-mail : rumpal@tistr.or.th Website:www.tistr.or.th

Office/Laboratory
Soi 1C, Bangpoo Industrial Estate, Sukhumvit Road,
Amphoe Muang, Changwat Samutprakan 10280, Thailand
Tel. (66) 0 2323 1672-80 ext. 115, 116
Fax. (66) 0 2323 9165
E-mail : mtc@tistr.or.th

Office
196 Phahonyothin Road, Chatuchak, Bangkok 10900,
Thailand
Tel. (66) 0 2579 1121-30 ext. 5219, 5225, 5217
Fax. (66) 0 2579 8592
E-mail : sumalee@tistr.or.th

THAILAND INSTITUTE OF SCIENTIFIC AND TECHNOLOGICAL RESEARCH (TISTR)

Request No. 21-65/0709

MTC No. EEL. BP. 66/0865

CALIBRATION CERTIFICATE

Submitted by : ENVIRONMENTAL MEASUREMENTS CO., LTD.

Address : 5/45 BAAN KLANG KRUNG BIZ TOWN, SOI SRINAGARINDRA 46/1 (PRAMOTE),
NONG BON SUB-DISTRICT, PRAWET DISTRICT, BANGKOK 10250.

Calibrated at : Electrical and Electronic Standards Laboratory, Industrial Metrology and Testing Service Centre.

: Soi 1C, Bangpoo Industrial Estate, Sukhumvit Rd., Muang, Samutprakan 10280.

Instrument Calibrated :

Description : Sound Calibrator

Manufacturer : BSWA TECH

Model : CA111

Serial No. : 550482

Ambient Environment

Temperature : (23 ± 3) °C

Relative Humidity : (50 ± 15) %

Ambient Pressure : (101.325 ± 1.500) kPa

Standards used : 1. Digital Function Synthesizer NF Electronic DE-193A S/N 122037.

2. Measuring Amplifier Brüel&Kjaer 2636 S/N 1537484.

3. Programmable Attenuator Tamagawa TPA-303A S/N OF 2214.

4. Digital Multimeter Agilent 34401A S/N MY44005560.

5. Pressure Transmitter Vaisala PTB202AD S/N T0650001.

6. Audio Analyzer Panasonic VP-7722A S/N 041477D122.

7. Condenser Microphone Brüel&Kjaer 4180 S/N 2633526.

Calibration Procedure: CP-102-04 based on IEC 60942-2003. The sound pressure level of instrument was measured by standard microphone using an insert voltage technique.

This instrument has been calibrated against standards maintained at Electrical and Electronic Standards Laboratory (EEL), which are traceable to the International System of Units through the National Institute of Metrology (Thailand).

The information on actual reading is attached herewith and the uncertainty limits quoted refer to the measured values only.

Date of Receipt : 19 Aug. 2022

Date of Calibration : 31 Aug. 2022

1 / 3

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

FM.BLMTC.002 Rev.4

Head Office
35 Mu. 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. (66) 0 2577 9000
Fax. (66) 0 2577 9009
E-mail : rumpal@tistr.or.th Website:www.tistr.or.th

Office/Laboratory
Soi 1C, Bangpoo Industrial Estate, Sukhumvit Road,
Amphoe Muang, Changwat Samutprakan 10280, Thailand
Tel. (66) 0 2323 1672-80 ext. 115, 116
Fax. (66) 0 2323 9165
E-mail : mtc@tistr.or.th

Office
196 Phahonyothin Road, Chatuchak, Bangkok 10900,
Thailand
Tel. (66) 0 2579 1121-30 ext. 5219, 5225, 5217
Fax. (66) 0 2579 8592
E-mail : sumalee@tistr.or.th



MM-C11

CALIBRATION LABORATORY Co., LTD.

210-11, 14, 55 Soi Prasert Manukit Rd., Ladphrao, Bangkok 10230
Tel. 02-578-0353-4 Fax. 02-578-2672 www.cal-laboratory.com E-mail: sale@cal-laboratory.com



CERTIFICATE OF CALIBRATION

FOR

NOMENCLATURE : DIGITAL THERMOMETER WITH PROBE
MANUFACTURER : LUTRON
MODEL / TYPE : MTM-380SD
SERIAL NO. : 1570147/N/A[LA-0013/LA-0013/A]
CLID. NO. : 232204019
JOB CONTROL NO. : 240408038373
CALIBRATION SERVICE : ☒ IN-LABORATORY ☐ ON-SITE

CUSTOMER : ENVIRONMENTAL MEASUREMENTS CO., LTD.
5/45 BAAN KLANG KRUNG BIZ TOWN, SOI SRINAGARINDRA 46/1 (PRAMOTE),
NONG BON SUB-DISTRICT, PRAWET DISTRICT, BANGKOK 10250

DATE OF RECEIVED : 08 April 2024 DATE OF ISSUED : 10 April 2024

The report of calibration shall not be reproduced except in full without approval of the Calibration Laboratory Co., Ltd.

Calibrated By :

Calibration Engineer

Approved By :

Authorized Signatory

10 April 2024

This Calibration Certificate documents the traceability to national standards, which realize the units of measurement according to

the International System of Units (SI)

Certificate No. Q24038373

F3-011-05/12-23

page 1 of 3

u.16/5



@clcalibration



THAILAND INSTITUTE OF SCIENTIFIC AND TECHNOLOGICAL RESEARCH (TISTR)

Request No. 21-65/0709

MTC No. EEL. BP. 66/0865

The reported expanded uncertainty is based upon a standard uncertainty multiplied by a coverage factor $k = 2$, providing a level of confidence of approximately 95%.

Nominal Output of Unit Under Test = 94 dB re 20μPa at 1000 Hz

Acoustic Output in dB re 20μPa, Corrected to Reference Conditions: 101.325 kPa, 23.0 °C and 50 %RH.

1. Sound Pressure Level

Standard Microphone Type	Measured Sound Pressure Level (dB)	Deviated value (dB)	Uncertainty (dB)	Tolerance limit IEC60942:2003 Class 1
1/2 inch Brüel&Kjaer4180	93.99	-0.01	± 0.10	± 0.40 dB

2. Frequency

Standard Microphone Type	Measured Frequency (Hz)	Deviated value (Hz)	Uncertainty (Hz)	Tolerance limit IEC60942:2003 Class 1
1/2 inch Brüel&Kjaer4180	1000.0	0.0	± 1.5	± 1.0 %

3. Total distortion

Standard Microphone Type	Measured Total distortion (%)	Uncertainty (%)	Tolerance limit IEC60942:2003 Class 1
1/2 inch Brüel&Kjaer4180	0.68	± 0.50	± 3.0 %

Note : 1. No adjustment.

2. The calibrator pressure correction was not included.

3. The microphone volume correction was not included.

Date of Calibration : 31 Aug. 2022

2 / 3

The results relate only to the items tested/calibrated or value assigned. Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

Head Office

35 Mu. 3 Tambon Khlong Ha, Amphoe Khlong Luang, Changwat Pathumthani 12120, Thailand
Tel. (66) 0 2577 9000
Fax (66) 0 2577 9009
E-mail : rumpal@tistr.or.th Website: www.tistr.or.th

Office/Laboratory

Soi 1C, Bangpoo Industrial Estate, Sukhumvit Road, Amphoe Muang Changwat Samutprakan 10280, Thailand
Tel. (66) 0 2323 1672-80 ext. 115, 116
Fax. (66) 0 2323 9165
E-mail : mtcd@tistr.or.th

Office

196 Phahonyothin Road, Chatuchak, Bangkok 10900, Thailand
Tel. (66) 0 2579 1121-30 ext. 5219, 5225, 5217
Fax. (66) 0 2579 8592
E-mail : sumalee@tistr.or.th

FM.BLMTC.002 Rev.4



REPORT OF CALIBRATION

FOR

NOMENCLATURE : DO METER
MANUFACTURER : YSI
MODEL / TYPE : 5000-230V/5010
SERIAL NO. : 16D101626/19D100367[DOM-01]
DATE OF CALIBRATION : 09 April 2024

ENVIRONMENT CONDITIONS :

Temperature : $(25 \pm 2.5) ^\circ\text{C}$ Relative Humidity : $(50 \pm 15) \% \text{RH}$

PROCEDURE USED :

This instrument was calibrated under procedure No. CLC-CPCH-06. The calibration was performed by direct measurement with Certified Reference Material (CRM).

REFERENCE STANDARD USED :

Dissolved Oxygen, Sigma-Aldrich Product ID QC3077-500ML.

TRACEABILITY :

The measurements are traceable to International System of Units (SI), through Merck Co., Ltd.
Lot LRAD3840, Due Date October 2024.

UNCERTAINTY :

The reported expanded uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor $k = 2$, which for a normal distribution corresponds to a coverage probability of approximately 95 %.
It has been evaluated according to the "Evaluation of the Uncertainty of Measurement (EA-4/02 M:2022)"

Certificate No. Q24038371

F3-011-05/12-23



CERTIFICATE OF CALIBRATION

FOR

NOMENCLATURE : DO METER
MANUFACTURER : YSI
MODEL / TYPE : 5000-230V/5010
SERIAL NO. : 16D101626/19D100367[DOM-01]
CLID. NO. : 272100329
JOB CONTROL NO. : 240408038371
CALIBRATION SERVICE : ☒ IN-LABORATORY ☐ ON-SITE

CUSTOMER : ENVIRONMENTAL MEASUREMENTS CO., LTD.

5/45 BAAN KLANG KRUNG BIZ TOWN, SOI SRINAGARINDRA 46/1 (PRAMOTE),
NONG BON SUB-DISTRICT, PRAWET DISTRICT, BANGKOK 10250

DATE OF RECEIVED : 08 April 2024

DATE OF ISSUED : 10 April 2024

The report of calibration shall not be reproduced except in full without approval of the Calibration Laboratory Co., Ltd.

Calibrated By :

Calibration Engineer

Approved By :

Authorized Signatory

10 April 2024

This Calibration Certificate documents the traceability to national standards, which realize the units of measurement according to the International System of Units (SI)

Certificate No. Q24038371

F3-011-05/12-23





CALIBRATION LABORATORY Co., LTD.

2/10-11, 14, 55 Soi Prasert Manukit 23 Yaek 4, Prasert Manukit Rd, Ladphrao, Bangkok 10230
Tel. 02-578-0353-4 Fax: 02-578-2672 www.cal-lab.com Email: sae@cal-lab.com



ANAB Accredited
ACCREDITED
CALIBRATION AND
DIMENSIONAL
ACDM: 2814

CERTIFICATE OF CALIBRATION

FOR

NOMENCLATURE : DIGITAL THERMOHYGRO METER
MANUFACTURER : DIGICON
MODEL / TYPE : TH-02A
SERIAL NO. : 1919E0284980[DTH-02]
CLID. NO. : 232100201
JOB CONTROL NO. : 240408038370
CALIBRATION SERVICE : ☒ IN-LABORATORY ☐ ON-SITE

CUSTOMER : ENVIRONMENTAL MEASUREMENTS CO., LTD.
5/45 BAAAN KLANG KRUNG BIZ TOWN, SOI SRINAGARINDRA 46/1 (PRAMOTE),
NONG BON SUB-DISTRICT, PRAWET DISTRICT, BANGKOK 10250

DATE OF RECEIVED : 08 April 2024

DATE OF ISSUED : 17 April 2024

The report of calibration shall not be reproduced except in full without approval of the Calibration Laboratory Co., Ltd.

Calibrated By :

Calibration Engineer

Approved By :

Authorized Signatory

17 April 2024

This Calibration Certificate documents the traceability to national standards, which realize the units of measurement according to the International System of Units (SI)

Certificate No. Q24038370

F3-011-05/12-23

page 1 of 3



@clcalibration



CALIBRATION LABORATORY Co., LTD.

2/10-11, 14, 55 Soi Prasert Manukit 23 Yaek 4, Prasert Manukit Rd, Ladphrao, Bangkok 10230
Tel. 02-578-0353-4 Fax: 02-578-2672 www.cal-lab.com Email: sae@cal-lab.com



ANAB Accredited
ACCREDITED
CALIBRATION AND
DIMENSIONAL
ACDM: 2814

CONDITION OF CALIBRATION ITEM : RECEIVED IN GOOD OPERATIONAL CONDITION
MEASUREMENT RESULTS : (X) without adjustment () adjustment

The table in the following gives the calibration results and associated measurement uncertainties of Do Meter.

CALIBRATION DATA

CORRECTION OF DO METER @ 20°C

Nominal Value (mg/L)	DUC Reading (mg/L)	Correction (mg/L)	Uncertainty (mg/L)
7.78	7.80	-0.02	± 0.38

Note. The Scope of Accredited ANAB Certificate No. ACDM-2814 Version 012 Page 5 of 67

This report is valid for the above stated instrument/s only.

End of Certificate

Certificate No. Q24038371

F3-011-05/12-23

page 3 of 3



CALIBRATION LABORATORY Co., LTD.

2110-11, 14, 55 Soi Prasert Manukit 29 Yaek 4, Prasert Manukit Rd., Ladprao, Bangkok 10230
Tel. 02-578-0353-4 Fax. 02-578-2672 www.cal-lab.com E-mail: sales@cal-lab.com



Accredited
ISO/IEC 17025

CONDITION OF CALIBRATION ITEM : RECEIVED IN GOOD OPERATIONAL CONDITION MEASUREMENT RESULTS : (X) without adjustment () adjustment

The table in the following gives the calibration results and associated measurement uncertainties of the measuring digital thermohygro meter.

CALIBRATION DATA

1. CORRECTION OF TEMPERATURE

Test point (°C)	Actual Temperature (°C)	DUC Reading (°C)	Correction (°C)	Uncertainty ± (°C)
20.0	20.00	19.7	+0.30	0.27
25.0	25.00	24.7	+0.30	
30.0	30.00	29.6	+0.40	

2. CORRECTION OF HUMIDITY

STD Temperature (°C)	STD Reading (%RH)	DUC Reading (%RH)	Correction (%RH)	Uncertainty ± (%RH)
25	40.0	33	+7.0	0.8
25	60.0	53	+7.0	0.9

Note. The Scope of Accredited ANAB Certificate No. ACDM-2814 Version 012 Page 59 of 67

This report is valid for the above stated instrument/s only.

End of Certificate

Certificate No. Q24038370

F3-011-05/12-23

page 3 of 3



@clcalibration



CALIBRATION LABORATORY Co., LTD.

2110-11, 14, 55 Soi Prasert Manukit 29 Yaek 4, Prasert Manukit Rd., Ladprao, Bangkok 10230
Tel. 02-578-0353-4 Fax. 02-578-2672 www.cal-lab.com E-mail: sales@cal-lab.com



Accredited
ISO/IEC 17025

REPORT OF CALIBRATION

FOR

NOMENCLATURE : DIGITAL THERMOHYGRO METER
MANUFACTURER : DIGICON
MODEL / TYPE : TH-02A
SERIAL NO. : 1919E0284980[DTH-02]
DATE OF CALIBRATION : 10 April 2024

ENVIRONMENT CONDITIONS :

Temperature : $(23 \pm 2) ^\circ\text{C}$ Relative Humidity : $(55 \pm 10) \% \text{RH}$

PROCEDURE USED :

This instrument was calibrated under procedure No. CLC-CPTH-11. The calibration was performed by using Chilled Mirror Hygrometer which maintained by the Calibration Laboratory Co., Ltd.

REFERENCE STANDARD USED :

Chilled Mirror Hygrometer, Edgetech Model Dew Master S/N. 44602.
Temperature & Humidity Chamber, PGC Model 9141-S116 S/N. 1304261.

TRACEABILITY :

The measurements are traceable to International System of Units (SI), through Thunder Scientific Corporation.
Certificate No. 21594, Due Date 06 July 2024.

UNCERTAINTY :

The reported expanded uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor $k = 2.00$ which for a normal distribution corresponds to a coverage probability of approximately 95 %.
It has been evaluated according to the "Evaluation of the Uncertainty of Measurement in Calibration (EA-4/02 M:2022)"

Certificate No. Q24038370

F3-011-05/12-23

page 2 of 3



@clcalibration



CALIBRATION LABORATORY Co., LTD.

2/10-11, 14, 55 Soi Prasert Manukit 29 Yaek 4, Prasert Manukit Rd., Latphrao, Bangkok 10230
Tel. 02-578-0353-4 Fax. 02-578-2672 www.ccl-laboratory.com E-mail sale@cal-laboratory.com



ACCM-3814

REPORT OF CALIBRATION

FOR

NOMENCLATURE : DIGITAL THERMOHYGRO METER
MANUFACTURER : DIGICON
MODEL / TYPE : TH-02A
SERIAL NO. : 1919E0284991[DTH-01]
DATE OF CALIBRATION : 10 April 2024

ENVIRONMENT CONDITIONS :

Temperature : $(23 \pm 2) ^\circ\text{C}$ Relative Humidity : $(55 \pm 10) \% \text{RH}$

PROCEDURE USED :

This instrument was calibrated under procedure No. CLC-CPH-11. The calibration was performed by using Chilled Mirror Hygrometer which maintained by the Calibration Laboratory Co., Ltd.

REFERENCE STANDARD USED :

Chilled Mirror Hygrometer, Edgetech Model Dew Master S/N. 44602.
Temperature & Humidity Chamber, PGC Model 9141-5116 S/N. 1304261.

TRACEABILITY :

The measurements are traceable to International System of Units (SI), through Thunder Scientific Corporation.
Certificate No. 21594, Due Date 06 July 2024.

UNCERTAINTY :

The reported expanded uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor $k = 2.00$ which for a normal distribution corresponds to a coverage probability of approximately 95%. It has been evaluated according to the "Evaluation of the Uncertainty of Measurement in Calibration (IA-4/02 M:2022)"

Certificate No. Q24038369
F3-011-05/12-23



CALIBRATION LABORATORY Co., LTD.

2/10-11, 14, 55 Soi Prasert Manukit 29 Yaek 4, Prasert Manukit Rd., Latphrao, Bangkok 10230
Tel. 02-578-0353-4 Fax. 02-578-2672 www.ccl-laboratory.com E-mail sale@cal-laboratory.com



ACCM-3814

CERTIFICATE OF CALIBRATION

FOR

NOMENCLATURE : DIGITAL THERMOHYGRO METER
MANUFACTURER : DIGICON
MODEL / TYPE : TH-02A
SERIAL NO. : 1919E0284991[DTH-01]
CLID. NO. : 232100200
JOB CONTROL NO. : 240408038369
CALIBRATION SERVICE : ☒ IN-LABORATORY ☐ ON-SITE

CUSTOMER : ENVIRONMENTAL MEASUREMENTS CO., LTD.
5/45 BAAN KLANG KRUNG BIZ TOWN, SOI SRINAGARINDRA 46/1 (PRAMOTE),
NONG BON SUB-DISTRICT, PRAWET DISTRICT, BANGKOK 10250

DATE OF RECEIVED : 08 April 2024

DATE OF ISSUED : 17 April 2024

The report of calibration shall not be reproduced except in full without approval of the Calibration Laboratory Co., Ltd.

Calibrated By :

Calibration Engineer

Approved By :

Authorized Signatory

17 April 2024

This Calibration Certificate documents the traceability to national standards, which realize the units of measurement according to the International System of Units (SI)

Certificate No. Q24038369
F3-011-05/12-23



CERTIFICATE OF CALIBRATION

FOR

NOMENCLATURE : WATER BATH
MANUFACTURER : M-LAB
MODEL / TYPE : WBN 15
SERIAL NO. : 0335[LA-007]
CLID. NO. : 332300657
JOB CONTROL NO. : 240307024795
CALIBRATION SERVICE : ☐ IN-LABORATORY ☒ ON-SITE

CUSTOMER : ENVIRONMENTAL MEASUREMENTS CO., LTD.
5/45 BAAN KLANG KRUNG BIZ TOWN, SOI SRINAGARINDRA 46/1 (PRAMOTE),
NONG BON SUB-DISTRICT, PRAWET DISTRICT, BANGKOK 10250

DATE OF RECEIVED : 07 March 2024

DATE OF ISSUED : 06 April 2024

The report of calibration shall not be reproduced except in full without approval of the Calibration Laboratory Co., Ltd.

Calibrated By :

Calibration Engineer

Approved By :

Authorized Signatory

06 April 2024

This Calibration Certificate documents the traceability to national standards, which realize the units of measurement according to the International System of Units (SI)

Certificate No. Q24024795

F3-011-45/12-23

Certificate No. Q24038369

F3-011-05/12-23

page 1 of 4

u.16/11

page 3 of 3

CALIBRATION DATA

1. CORRECTION OF TEMPERATURE

Test point (° C)	Actual Temperature (° C)	DUC Reading (° C)	Correction (° C)	Uncertainty ± (° C)
20.0	20.00	19.6	+0.40	0.27
25.0	25.00	24.6	+0.40	
30.0	30.00	29.5	+0.50	

2. CORRECTION OF HUMIDITY

STD Temperature (° C)	STD Reading (%RH)	DUC Reading (%RH)	Correction (%RH)	Uncertainty ± (%RH)
25	40.0	32	+8.0	0.8
25	60.0	52	+8.0	0.9

Note. The Scope of Accredited ANAB Certificate No. ACDM-2814 Version 012 Page S9 of 67

This report is valid for the above stated instrument/s only.

End of Certificate



@clcalibration

CONDITION OF CALIBRATION ITEM : RECEIVED IN GOOD OPERATIONAL CONDITION

MEASUREMENT RESULTS : (X) without adjustment () adjustment

The table in the following gives the calibration results and associated measurement uncertainties of the measuring water bath.

CALIBRATION DATA

1. WATER BATH PERFORMANCE

Test Point (°C)	DUC Reading (°C)	Uniformity (°C)	Stability (°C)
85.0	85.0	0.48	0.17

Certificate No. Q24024795

F3-011-05/12-23

page 3 of 4



@clcalibration

REPORT OF CALIBRATION

FOR

NOMENCLATURE : WATER BATH
MANUFACTURER : M-LAB
MODEL / TYPE : WBN 15
SERIAL NO. : 0335[LA-007]
LOCATION SITE : LABORATORY-HOT ZONE
DATE OF CALIBRATION : 04 April 2024

ENVIRONMENT CONDITIONS :

Temperature : 24 °C to 25 °C

Relative Humidity : 50% to 52%

PROCEDURE USED :

This instrument was calibrated under procedure No. WI-305-135 based on ASTM E 715-80:2016 as calibration guidelines.

The calibration was performed by using Hydra Series II which maintained by the Calibration Laboratory Co., Ltd.

REFERENCE STANDARD USED :

Hydra Series II, Fluke Model 2635A S/N. 7107303.

TRACEABILITY :

The measurements are traceable to International System of Units (SI), through Calibration Laboratory Co., Ltd.

Certificate No. Q24026699, Due Date 13 September 2024.

UNCERTAINTY :

The reported expanded uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor $k = 2.00$ which for a normal distribution corresponds to a coverage probability of approximately 95 %. It has been evaluated according to the "Evaluation of the Uncertainty of Measurement in Calibration (EA-4/02 M:2022)"

Certificate No. Q24024795

F3-011-05/12-23

page 2 of 4



@clcalibration

CERTIFICATE OF CALIBRATION

FOR

NOMENCLATURE : WATER BATH
MANUFACTURER : MEMMERT
MODEL / TYPE : WNB14
SERIAL NO. : L418.0758[L/A-004]
CLID. NO. : 332100157
JOB CONTROL NO. : 240307024794
CALIBRATION SERVICE : ☐ IN-LABORATORY ☒ ON-SITE
CUSTOMER : ENVIRONMENTAL MEASUREMENTS CO., LTD.
5/45 BAAN KLANG KRUNG BIZ TOWN, SOI SRINAGARINDRA 46/1 (PRAMOTE),
NONG BON SUB-DISTRICT, PRAWET DISTRICT, BANGKOK 10250

DATE OF RECEIVED : 07 March 2024

DATE OF ISSUED : 06 April 2024

The report of calibration shall not be reproduced except in full without approval of the Calibration Laboratory Co., Ltd.

Calibrated By :

Calibration Engineer

Approved By :

Authorized Signatory

06 April 2024

This Calibration Certificate documents the traceability to national standards, which realize the units of measurement according to the International System of Units (SI)

Certificate No. Q24024794
F3-011-05/12-23

page 1 of 4



@clcalibration


CALIBRATION DATA

2. TEMPERATURE DISTRIBUTION

Test Point (^o C.)	DUC Reading (^o C.)	STD Reading (^o C.)					Uncertainty ± (^o C.)
		Probe No. 1	Probe No. 2	Probe No. 3	Probe No. 4	Probe No. 5	
85.0	85.0	84.37	84.87	84.67	84.86	84.71	0.60

Technical Note : W = 35 cm, D = 30 cm, H = 15 cm.

The Scope of Accredited TISI Certificate No. 23-LB0092 Issue 02 Page 128 of 138



This report is valid for the above stated instrument/s only.

End of Certificate

Certificate No. Q24024795
F3-011-05/12-23

page 4 of 4



@clcalibration



CONDITION OF CALIBRATION ITEM : RECEIVED IN GOOD OPERATIONAL CONDITION

MEASUREMENT RESULTS : (X) without adjustment () adjustment

The table in the following gives the calibration results and associated measurement uncertainties of the measuring water bath.

CALIBRATION DATA

I. WATER BATH PERFORMANCE

Test Point (°C)	DUC Reading (°C)	Uniformity (°C)	Stability (°C)
95.0	95.0	0.50	0.21



REPORT OF CALIBRATION

FOR

NOMENCLATURE : WATER BATH
MANUFACTURER : MEMMERT
MODEL / TYPE : WNB14
SERIAL NO. : L418.0758[L4-004]
LOCATION SITE : LABORATORY-HOT ZONE
DATE OF CALIBRATION : 04 April 2024

ENVIRONMENT CONDITIONS :

Temperature : 24 °C to 25 °C

Relative Humidity : 50% to 52%

PROCEDURE USED :

This instrument was calibrated under procedure No. WI-305-135 based on ASTM E 715-80:2016 as calibration guidelines.

The calibration was performed by using Hydra Series II which maintained by the Calibration Laboratory Co., Ltd.

REFERENCE STANDARD USED :

Hydra Series II, Fluke Model 2635A S/N. 7107303.

TRACEABILITY :

The measurements are traceable to International System of Units (SI), through Calibration Laboratory Co., Ltd.

Certificate No. Q24026699, Due Date 13 September 2024.

UNCERTAINTY :

The reported expanded uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor $k = 2.00$ which for a normal distribution corresponds to a coverage probability of approximately 95 %.
It has been evaluated according to the "Evaluation of the Uncertainty of Measurement in Calibration (EA-4/02 M:2022)"



CERTIFICATE OF CALIBRATION

FOR

NOMENCLATURE : REFRIGERATOR
MANUFACTURER : MEDICOOL
MODEL / TYPE : BB-117
SERIAL NO. : BB117-190725001[LA-003]
CLID. NO. : 332100156
JOB CONTROL NO. : 240307024793
CALIBRATION SERVICE : ☐ IN-LABORATORY ☒ ON-SITE
CUSTOMER : ENVIRONMENTAL MEASUREMENTS CO., LTD.
5/45 BAAN KLANG KRUNG BIZ TOWN, SOI SRINAGARINDRA 46/1 (PRAMOTE),
NONG BON SUB-DISTRICT, PRAWET DISTRICT, BANGKOK 10250

DATE OF RECEIVED : 07 March 2024

DATE OF ISSUED : 06 April 2024

The report of calibration shall not be reproduced except in full without approval of the Calibration Laboratory Co., Ltd.

Calibrated By :

Calibration Engineer

Approved By :

Authorized Signatory

06 April 2024

This Calibration Certificate documents the traceability to national standards, which realize the units of measurement according to the International System of Units (SI)

Certificate No. Q24024793

F3-011-05/12-23

page 1 of 4

u.16/15



@clcalibration


CALIBRATION DATA

2. TEMPERATURE DISTRIBUTION

Test Point (° C)	DUC Reading (° C)	STD Reading (° C)					Uncertainty ± (° C)
		Probe No. 1	Probe No. 2	Probe No. 3	Probe No. 4	Probe No. 5	
95.0	95.0	96.62	96.74	96.93	96.68	96.66	0.65

Technical Note : W = 35 cm, D = 29 cm, H = 14 cm.

The Scope of Accredited TISI Certificate No. 23-LB0092 Issue 02 Page 128 of 138



This report is valid for the above stated instrument's only.

End of Certificate

Certificate No. Q24024794

F3-011-05/12-23

page 4 of 4



@clcalibration



MM-C11

CALIBRATION LABORATORY CO., LTD.

210-11, 14, 55 Soi Prasert Manukit 29 Yaek 4, Prasert Manukit Rd., Ladphrao, Bangkok 10230
Tel. 02-578-0353-4 Fax: 02-578-2872 www.cab-lab.com E-mail:sale@cal-lab.com



CONDITION OF CALIBRATION ITEM : RECEIVED IN GOOD OPERATIONAL CONDITION

MEASUREMENT RESULTS : (X) without adjustment () adjustment

The table in the following gives the calibration results and associated measurement uncertainties of the measuring refrigerator.

CALIBRATION DATA

1. REFRIGERATOR PERFORMANCE

DUC		Measured Uniformity	Measured Stability	Measured Overall
Setting (°C)	Indicating (°C)	(°C)	(°C)	Variation (°C)
4.0	4.0	0.82	1.14	2.49

Certificate No. Q24024793
F3-011-05/12-23

page 3 of 4



@clcalibration



CALIBRATION LABORATORY CO., LTD.

210-11, 14, 55 Soi Prasert Manukit 29 Yaek 4, Prasert Manukit Rd., Ladphrao, Bangkok 10230
Tel. 02-578-0353-4 Fax: 02-578-2872 www.cab-lab.com E-mail:sale@cal-lab.com



REPORT OF CALIBRATION

FOR

NOMENCLATURE : REFRIGERATOR
MANUFACTURER : MEDICOOL
MODEL / TYPE : BB-117
SERIAL NO. : BB117-190725001[L.A-003]
LOCATION SITE : LABORATORY
DATE OF CALIBRATION : 04 April 2024

ENVIRONMENT CONDITIONS :

Temperature : 24 °C to 25 °C

Relative Humidity : 50 % to 52 %

PROCEDURE USED :

This instrument was calibrated under procedure No. WJ-305-165 based on TLAS G-20-1/02-08 as calibration guidelines.
The calibration was performed by using Hydra Data Logger which maintained by the Calibration Laboratory Co., Ltd.

REFERENCE STANDARD USED :

Hydra Data Logger, Fluke Model 2620 S/N. 5592550.

TRACEABILITY :

The measurements are traceable to International System of Units (SI), through Calibration Laboratory Co., Ltd.
Certificate No. Q23065868, Due Date 22 June 2024.

UNCERTAINTY :

The reported expanded uncertainty of measurement is stated as the standard uncertainty multiplied by the coverage factor complies with the table which for a normal distribution corresponds to a coverage probability of approximately 95 %.
It has been evaluated according to the "Evaluation of the Uncertainty of Measurement in Calibration (EA-4/02 M:2022)"

Certificate No. Q24024793
F3-011-05/12-23

page 2 of 4



@clcalibration



CERTIFICATE OF CALIBRATION

FOR

NOMENCLATURE : INCUBATOR
MANUFACTURER : ACCUPLUS
MODEL / TYPE : SMART 1250
SERIAL NO. : 2059-0718-0010(LA-002)
CLID. NO. : 332100155
JOB CONTROL NO. : 240307024792
CALIBRATION SERVICE : ☐ IN-LABORATORY ☒ ON-SITE
CUSTOMER : ENVIRONMENTAL MEASUREMENTS CO., LTD.
5/45 BAAK KLANG KRUNG BIZ TOWN, SOI SRINAGARINDRA 46/1 (PRAMOTE),
NONG BON SUB-DISTRICT, PRAWET DISTRICT, BANGKOK 10250

DATE OF RECEIVED : 07 March 2024

DATE OF ISSUED : 06 April 2024

The report of calibration shall not be reproduced except in full without approval of the Calibration Laboratory Co., Ltd.

Calibrated By :

Calibration Engineer

Approved By :

Authorized Signatory

06 April 2024

This Calibration Certificate documents the traceability to national standards, which realize the units of measurement according to the International System of Units (SI)

Certificate No. Q24024792

F3-011-0512-23

page 1 of 4

u.16/17



@clcalibration


2. TEMPERATURE DISTRIBUTION

CALIBRATION DATA

DUC		Measured Temperature (°C) @ Probe No. 9 is Ref.									Uncertainty ± (°C)	Coverage factor k
Setting (°C)	Indicating (°C)	1	2	3	4	5	6	7	8	9		
4.0	4.0	3.22	3.93	3.21	3.93	3.52	3.29	3.02	3.18	3.31	1.40	2.00

Technical Note : W = 50 cm, D = 50 cm, H = 120 cm.

The Scope of Accredited TISI Certificate No. 23-LE0092 Issue 02 Page 129 of 138



This report is valid for the above stated instrument/s only.

End of Certificate

Certificate No. Q24024793

F3-011-0512-23

page 4 of 4



@clcalibration

CONDITION OF CALIBRATION ITEM : RECEIVED IN GOOD OPERATIONAL CONDITION

MEASUREMENT RESULTS : (X) without adjustment () adjustment

The table in the following gives the calibration results and associated measurement uncertainties of the measuring incubator.

CALIBRATION DATA

1. INCUBATOR PERFORMANCE

DUC		Measured Uniformity (°C)	Measured Stability (°C)	Measured Overall Variation (°C)
Setting (°C)	Indicating (°C)			
20.0	20.0	0.52	0.46	1.06



REPORT OF CALIBRATION

FOR

NOMENCLATURE : INCUBATOR
MANUFACTURER : ACCUPLUS
MODEL / TYPE : SMART i250
SERIAL NO. : 2059-0718-0010[L.A-002]
LOCATION SITE : LABORATORY
DATE OF CALIBRATION : 04 April 2024

ENVIRONMENT CONDITIONS :

Temperature : 24 °C to 25 °C

Relative Humidity : 50 % to 52 %

PROCEDURE USED :

This instrument was calibrated under procedure No. WI-305-165 based on TLAS G-20-1/02-08 as calibration guidelines.

The calibration was performed by using Hydra Data Logger which maintained by the Calibration Laboratory Co., Ltd.

REFERENCE STANDARD USED :

Hydra Data Logger, Fluke Model 2620 S/N. 5592550.

TRACEABILITY :

The measurements are traceable to International System of Units (SI) , through Calibration Laboratory Co., Ltd.

Certificate No. Q23065868, Due Date 22 June 2024.

UNCERTAINTY :

The reported expanded uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor complies with the table which for a normal distribution corresponds to a coverage probability of approximately 95 %.

It has been evaluated according to the "Evaluation of the Uncertainty of Measurement in Calibration (EA-4/02 M:2022)"



CERTIFICATE OF CALIBRATION

FOR

NOMENCLATURE : HOT AIR OVEN
MANUFACTURER : MEMMERT
MODEL / TYPE : UF110
SERIAL NO. : B422.0026[LX-0012]
CLID. NO. : 33202464
JOB CONTROL NO. : 240307024791
CALIBRATION SERVICE : ☐ IN-LABORATORY ☒ ON-SITE

CUSTOMER : ENVIRONMENTAL MEASUREMENTS CO., LTD.
5/45 BAAN KLANG KRUNG BIZ TOWN, SOI SRINAGARINDRA 46/1 (PRAMOTE),
NONG BONG SUB-DISTRICT, PRAWET DISTRICT, BANGKOK 10250

DATE OF RECEIVED : 07 March 2024

DATE OF ISSUED : 06 April 2024

The report of calibration shall not be reproduced except in full without approval of the Calibration Laboratory Co., Ltd.

Calibrated By :

Calibration Engineer

Approved By :

Authorized Signatory

06 April 2024

This Calibration Certificate documents the traceability to national standards, which realize the units of measurement according to the International System of Units (SI)

Certificate No. Q24024791
F3-011-05/12-23

page 1 of 4



@clcalibration


CALIBRATION DATA

2. TEMPERATURE DISTRIBUTION

DUC	Measured Temperature (°C) @Probe No.9 is Ref.									Uncertainty ± (°C)	Coverage factor k
	Setting (°C)	Indicating (°C)	1	2	3	4	5	6	7	8	9
20.0	20.0	20.58	20.70	20.70	20.70	20.46	20.54	20.53	20.53	20.36	20.39

Technical Note : W = 50 cm, D = 48 cm, H = 110 cm.

The Scope of Accredited TISI Certificate No. 23-LB0092 Issue 02 Page 129 of 138



This report is valid for the above stated instrument/s only.

End of Certificate

Certificate No. Q24024792
F3-011-05/12-23

page 4 of 4



@clcalibration



Accredited
ISO/IEC 17025

MM-C11

CALIBRATION LABORATORY Co., LTD.

2/10-11, 14, 55 Soi Prasert Manukit 29 Yaek 4, Prasert Manukit Rd., Ladphrao, Bangkok 10230
Tel. 02-578-0353-4 Fax: 02-578-2672 www.cal-laboratory.com Email: sale@cal-laboratory.com



ANAB
ACCREDITED
CALIBRATION AND
DIMENSIONAL MEASUREMENT
ACDM 2814

CONDITION OF CALIBRATION ITEM : RECEIVED IN GOOD OPERATIONAL CONDITION

MEASUREMENT RESULTS : (X) without adjustment () adjustment

The table in the following gives the calibration results and associated measurement uncertainties of the measuring hot air oven.

CALIBRATION DATA

1. HOT AIR OVEN PERFORMANCE

DUC		Measured Uniformity (°C)	Measured Stability (°C)	Measured Overall Variation (°C)
Setting (°C)	Indicating (°C)			
104.0	104.0	0.81	0.07	1.20
180.0	180.0	1.35	0.19	2.17

Certificate No. Q24024791

F3-011-05/12-23

page 3 of 4



@clcalibration

u.16/20



Accredited
ISO/IEC 17025

CALIBRATION LABORATORY Co., LTD.

2/10-11, 14, 55 Soi Prasert Manukit 29 Yaek 4, Prasert Manukit Rd., Ladphrao, Bangkok 10230
Tel. 02-578-0353-4 Fax: 02-578-2672 www.cal-laboratory.com Email: sale@cal-laboratory.com



ANAB
ACCREDITED
CALIBRATION AND
DIMENSIONAL MEASUREMENT
ACDM 2814

REPORT OF CALIBRATION

FOR

NOMENCLATURE : HOT AIR OVEN
MANUFACTURER : MEMMERT
MODEL / TYPE : UF110
SERIAL NO. : B422.0026[L/A-0012]
LOCATION SITE : LABORATORY-HOT ZONE
DATE OF CALIBRATION : 04 April 2024

ENVIRONMENT CONDITIONS :

Temperature : 24 °C to 25 °C

Relative Humidity : 50% to 52 %

PROCEDURE USED :

This instrument was calibrated under procedure No. CLC-CPTH-07 based on TLAS G-20 as calibration guidelines.

The calibration was performed by using Hydra Data Logger which maintained by the Calibration Laboratory Co., Ltd.

REFERENCE STANDARD USED :

Hydra Data Logger, Fluke Model 2620 S/N. 55925550.

TRACEABILITY :

The measurements are traceable to International System of Units (SI) , through Calibration Laboratory Co., Ltd.

Certificate No. Q23065868, Due Date 22 June 2024.

UNCERTAINTY :

The reported expanded uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor complies with the table which for a normal distribution corresponds to a coverage probability of approximately 95 %.

It has been evaluated according to the "Evaluation of the Uncertainty of Measurement in Calibration (EA-4/02 M:2022)"

Certificate No. Q24024791

F3-011-05/12-23

page 2 of 4



@clcalibration



CALIBRATION LABORATORY Co., LTD.

2/10-11, 14, 55 Soi Prasert Manukit 29 Yaek 4, Prasert Manukit Rd., Ladphrao, Bangkok 10230
Tel. 02-578-0353-4 Fax: 02-578-2672 www.cal-lab.com E-mail: sale@cal-lab.com



CERTIFICATE OF CALIBRATION

FOR

NOMENCLATURE : BALANCE
MANUFACTURER : METTLER TOLEDO
MODEL / TYPE : MS204TS/00
SERIAL NO. : B935191252[LA-002]
CLID. NO. : 362200356
JOB CONTROL NO. : 240307024790
CALIBRATION SERVICE : ☐ IN-LABORATORY ☒ ON-SITE

CUSTOMER : ENVIRONMENTAL MEASUREMENTS CO., LTD.
5/45 BAAN KLANG KRUNG BIZ TOWN, SOI SRINAGARINDRA 46/1 (PRAMOTE),
NONG BON SUB-DISTRICT, PRAWET DISTRICT, BANGKOK 10250

DATE OF RECEIVED : 07 March 2024 DATE OF ISSUED : 08 April 2024
The report of calibration shall not be reproduced except in full without approval of the Calibration Laboratory Co., Ltd.

Calibrated By :

Calibration Engineer

Approved By :

Authorized Signatory

08 April 2024

This Calibration Certificate documents the traceability to national standards, which realize the units of measurement according to the International System of Units (SI)

Certificate No. Q24024790

F3-011-05/12-23

page 1 of 3

u.16/21



@clcalibration



CALIBRATION LABORATORY Co., LTD.

2/10-11, 14, 55 Soi Prasert Manukit 29 Yaek 4, Prasert Manukit Rd., Ladphrao, Bangkok 10230
Tel. 02-578-0353-4 Fax: 02-578-2672 www.cal-lab.com E-mail: sale@cal-lab.com




CALIBRATION DATA

2. TEMPERATURE DISTRIBUTION

DUC	Measured Temperature (°C) @ Probe No.9 is Ref.									Uncertainty ± (°C)	Coverage factor k
	Setting (°C)	Indicating (°C)	1	2	3	4	5	6	7	8	9
104.0	104.0	104.0	103.11	104.12	103.79	103.72	103.88	103.57	104.18	103.88	2.00
180.0	180.0	180.0	178.33	180.32	178.77	179.54	179.26	179.74	179.19	180.15	2.00

Technical Note : W = 56 cm, D = 40 cm, H = 48 cm.

Note. The Scope of Accredited ANAB Certificate No. ACDM-2814 Version 012 Page 58 of 67



This report is valid for the above stated instrument's only.

End of Certificate

Certificate No. Q24024791

F3-011-05/12-23

page 4 of 4



@clcalibration



CONDITION OF CALIBRATION ITEM : RECEIVED IN GOOD OPERATIONAL CONDITION
MEASUREMENT RESULTS : (X) without adjustment () adjustment

CALIBRATION DATA

1. Error of indications

Nominal Test Value (g)	Conventional mass (g)	Display Value (g)	Error of Balance (g)	Uncertainty $\pm$ (mg)	Coverage factor <i>k</i>
Unload	0.0000	0.0000	0.0000	0.07	2.00
0.1000	0.1000	0.0999	-0.0001	0.11	2.00
0.5000	0.5000	0.5000	0.0000	0.11	2.00
1.0000	1.0000	1.0000	0.0000	0.11	2.00
2.0000	2.0000	2.0000	0.0000	0.11	2.00
5.0000	5.0000	4.9999	-0.0001	0.11	2.00
10.0000	10.0000	9.9999	-0.0001	0.11	2.00

2. Repeatability of indications

Nominal Test Value (g)	Standard Deviation of Reading (g)
200.0000	0.00005

3. Effect of eccentric application of a load on the indication

☐			☒		
	Position 1	Position 2	Position 3	Position 4	Position 5
Nominal Test Value (g)	100.0000	100.0001	100.0001	99.9999	100.0001
	Maximum Difference of Center Value (g)				0.0001

Note. The Scope of Accredited TISI Certificate No. 23-LB0092 Issue 02 Page 116 of 138

This report is valid for the above stated instrument/s only.

End of Certificate



REPORT OF CALIBRATION FOR

NOMENCLATURE : BALANCE
MANUFACTURER : METTLER TOLEDO
MODEL / TYPE : MS204TS/00
SERIAL NO. : B935191252[LA-002]
LOCATION SITE : LABORATORY - BALANCE ROOM
DATE OF CALIBRATION : 04 April 2024

ENVIRONMENT CONDITIONS :

Temperature : 24 °C to 25 °C
Relative Humidity : 50 % to 51 %

PROCEDURE USED :

This instrument was calibrated under procedure No. WI-305-46 based on EURAMET cg-18 Version 4.0 (11/2015).

The calibration was performed by Comparison with Weight Set which maintained by the Calibration Laboratory Co., Ltd.

REFERENCE STANDARD USED :

- Weight Set, Phoenix Class E2 S/N. WBS-SET-E2-01.
- Weight, Sartorius Class E2 S/N. 44329129, 43529037, 44329167, 43529293.

TRACEABILITY :

- The measurements are traceable to International System of Units (SI), through National Institute of Metrology (Thailand). Certificate No. MM-0123-22, Due Date 22 August 2024.
- The measurements are traceable to International System of Units (SI), through Sartorius Lab Instruments GmbH & Co. KG. Certificate No. M141607, M141608, M141609, M141611. Due Date 15 September 2025.

UNCERTAINTY :

The reported expanded uncertainty of measurement is stated as the standard uncertainty multiplied by the coverage factor complies with the table which for a normal distribution corresponds to a coverage probability of approximately 95%. It has been evaluated according to the "Evaluation of the Uncertainty of Measurement in Calibration (EA-4/02 M:2022)"





REPORT OF CALIBRATION

FOR

NOMENCLATURE : BALANCE
MANUFACTURER : SHIMADZU
MODEL / TYPE : AP225WD
SERIAL NO. : D316300692[LA-001]
LOCATION SITE : LABORATORY-BALANCE ROOM
DATE OF CALIBRATION : 04 April 2024

ENVIRONMENT CONDITIONS :

Temperature : 23 °C to 24 °C Relative Humidity : 49 % to 50 %

PROCEDURE USED :

This instrument was calibrated under procedure No. WI-305-46 based on EURAMET/cg-18/Version 4.0 (11/2015).

The calibration was performed by Comparison with Weight Set which maintained by the Calibration Laboratory Co., Ltd.

REFERENCE STANDARD USED :

1. Weight Set, Phoenix Class E2 S/N. WBS-SET-E2-01.
2. Weight, Sartorius Class E2 S/N. 44329129, 43529037, 44329167, 43529293.

TRACEABILITY :

1. The measurements are traceable to International System of Units (SI), through National Institute of Metrology (Thailand).
Certificate No. MM-0123-22, Due Date 22 August 2024.
2. The measurements are traceable to International System of Units (SI), through Sartorius Lab Instruments GmbH & Co. KG.
Certificate No. M141607, M141608, M141609, M141611. Due Date 15 September 2025.

UNCERTAINTY :

The reported expanded uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor $k=2$ which for a normal distribution corresponds to a coverage probability of approximately 95%. It has been evaluated according to the "Evaluation of the Uncertainty of Measurement in Calibration (EA-4/02 M:2022)".

Certificate No. Q24024789

F3-011-05/12-23



CERTIFICATE OF CALIBRATION

FOR

NOMENCLATURE : BALANCE
MANUFACTURER : SHIMADZU
MODEL / TYPE : AP225WD
SERIAL NO. : D316300692[LA-001]
CLID. NO. : 362100172
JOB CONTROL NO. : 240307024789
CALIBRATION SERVICE : ☐ IN-LABORATORY ☒ ON-SITE

CUSTOMER : ENVIRONMENTAL MEASUREMENTS CO., LTD.

545 BAAN KLANG KRUNG BIZ TOWN, SOI SRINAGARINDRA 46/1 (PRAMOTE),
NONG BON SUB-DISTRICT, PRAWET DISTRICT, BANGKOK 10250

DATE OF RECEIVED : 07 March 2024

DATE OF ISSUED : 05 April 2024

The report of calibration shall not be reproduced except in full without approval of the Calibration Laboratory Co., Ltd.

Calibrated By :

Calibration Engineer



Approved By :

Authorized Signatory

05 April 2024



This Calibration Certificate documents the traceability to national standards, which realize the units of measurement according to the International System of Units (SI)

Certificate No. Q24024789

F3-011-05/12-23





CALIBRATION LABORATORY CO., LTD.

27/0-11, 14, 55 Soi Prasert Manukit 28 Yaek 4, Prasert Manukit Rd., Ladphrao, Bangkok 10230
Tel. 02-578-0353-4 Fax. 02-578-2672 www.cal-lab.com Email: info@cal-lab.com



NO. 17025
CALIBRATION 0059
CLC



CONDITION OF CALIBRATION ITEM : RECEIVED IN GOOD OPERATIONAL CONDITION

MEASUREMENT RESULTS : (X) without adjustment () adjustment

CALIBRATION DATA

1. Error of indications

Nominal Test Value (g)	Conventional mass (g)	Display Value (g)	Error of Balance (g)	Uncertainty ± (mg)	Coverage factor k
Unload	0.0000	0.0000	0.0000	0.07	2.00
5.0000	5.0000	5.0000	0.0000	0.11	2.00
10.0000	10.0000	10.0001	+0.0001	0.11	2.00
20.0000	20.0000	20.0001	+0.0001	0.11	2.00
40.0000	40.0000	40.0001	+0.0001	0.13	2.00
60.0000	60.0000	60.0001	+0.0001	0.17	2.00
80.0000	80.0000	80.0002	+0.0002	0.17	2.00
100.0000	100.0000	100.0001	+0.0001	0.17	2.00
120.0000	120.0000	120.0001	+0.0001	0.29	2.00
140.0000	140.0000	140.0002	+0.0002	0.29	2.00
160.0000	160.0000	160.0002	+0.0002	0.29	2.00
180.0000	180.0000	180.0001	+0.0001	0.29	2.00
200.0000	200.0001	200.0001	0.0000	0.29	2.00

2. Repeatability of indications

Nominal Test Value (g)	Standard Deviation of Reading (g)
200.0000	0.00005

3. Effect of eccentric application of a load on the indication

2. Effect of eccentric application of a load on the instrument.						
 ☐	 ☒					Maximum Difference of Center Value (g)
Nominal Test Value (g)	Display Value (g)					
	Position 1	Position 2	Position 3	Position 4	Position 5	
100.0000	100.0001	100.0001	100.0002	100.0002	100.0002	0.0001

Note. The Scope of Accredited TISI Certificate No. 23-LB0092 Issue 02 Page 116 of 138

This report is valid for the above stated instrument's only.

End of Certificate

Certificate No. Q24024789

P3-011-05/12-23

page 3 of 3



@clcalibration



ที่ ยก ๐๓๔๔๒๒๔
สำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท
เขตราชเทวี กรุงเทพฯ ๑๐๔๐๐

มกราคม ๒๕๖๖

เรื่อง สถานการณ์เรื่องความสามารถห้องปฏิบัติการ

เรียน กรรมการผู้จัดการบริษัท ยูนิค แอแนลิสต์ แอนด์ เอ็นจิเนียริ่ง คอนซัลแตนท์ จำกัด

อ้างถึง คำขออายุใบรับรองห้องปฏิบัติการของบริษัท ยูนิค แอแนลิสต์ แอนด์ เอ็นจิเนียริ่ง คอนซัลแตนท์ จำกัด
เลขที่คำขอ TEST-65-525

ตามที่อ้างถึง บริษัท ยูนิค แอแนลิสต์ แอนด์ เอ็นจิเนียริ่ง คอนซัลแตนท์ จำกัด ได้ยื่นคำขอ
ต่ออายุใบรับรองห้องปฏิบัติการทดสอบสาขาสิ่งแวดลอม และโกลด์แทม เลขที่คำขอ TEST-65-525 ในระบบ
e-Accreditation นี้

สำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรมได้ตรวจสอบแล้วพบว่าบริษัท ยูนิค แอแนลิสต์
แอนด์ เอ็นจิเนียริ่ง คอนซัลแตนท์ จำกัด ได้รับการรับรองความสามารถห้องปฏิบัติการตามมาตรฐานเลขที่
มอก. 17025-2561 ใบรับรองเลขที่ 21-LB0022 หมายเลขการรับรองที่ทดสอบ ๐๒๐๗ โดยระบุวันสิ้นอายุเป็น
วันที่ ๑๙ พฤษภาคม ๒๕๖๖ และต่อมาบริษัท ยูนิค แอแนลิสต์ แอนด์ เอ็นจิเนียริ่ง คอนซัลแตนท์ จำกัด
ได้นำคำขอต่ออายุใบรับรองห้องปฏิบัติการตามขอบข่ายที่ได้รับการรับรองเดิม และสามารถรับคำขอดังกล่าว
แล้วเสร็จ เมื่อวันที่ ๒ มกราคม ๒๕๖๖ ซึ่งตามพระราชบัญญัติการมาตรฐานแห่งชาติ พ.ศ. ๒๕๕๑ มาตรา ๒๙
ให้นามตรา ๒๐ ของพระราชบัญญัติการมาตรฐานแห่งชาติ พ.ศ. ๒๕๕๑ มาใช้บังคับแก่ผู้รับใบรับรอง
โดยอนุโลม ซึ่งบริษัท ยูนิค แอแนลิสต์ แอนด์ เอ็นจิเนียริ่ง คอนซัลแตนท์ จำกัด ได้ปฏิบัติตาม ดังนั้นจึงถือว่า
เป็นผู้นำนามตรา ๒๐ ของพระราชบัญญัติการมาตรฐานแห่งชาติ พ.ศ. ๒๕๕๑ มาใช้บังคับแก่ผู้รับใบรับรอง
ผลิตภัณฑ์อุตสาหกรรม

จึงเรียนมาเพื่อทราบ



สำนักงานคณะกรรมการการมาตรฐานแห่งชาติ
กลุ่มรับรองห้องปฏิบัติการ ๒
โทรศัพท์ ๐ ๒๔๓๐ ๖๘๐๕
โทรสาร ๐ ๒๔๔๔ ๓๐๓๓



รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ
(Scope of Accreditation for Testing)
ใบรับรองเลขที่ 21-LB0022
(Certification No. 21-LB0022)

ชื่อห้องปฏิบัติการ (Laboratory Name)
หมายเลขการรับรองที่ (Accreditation No.)
ฉบับที่ 04 (Issue No. 04)
สถานะภาพห้องปฏิบัติการ (Laboratory status)
☒ ถาวร (Permanent)
☐ ชั่วคราว (Temporary)
ออกให้ตั้งแต่วันที่ 14 กุมภาพันธ์ 2565 (Valid From) (14 February / B.E. 2565 (2022))
ทดสอบ 0207 (Testing 0207)
ห้องปฏิบัติการทดสอบ บริษัท ยูนิเทค แอนาไลสต์ แอนด์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด (United Analyst and Engineering Consultant Company Limited)
ตั้งวันที่ 17 พฤษภาคม พ.ศ. 2566 (Unit) (17 May / B.E. 2566 (2023))
☐ เคลื่อนที่ (Mobile)
☐ หลายสถานที่ (Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
สาขาสิ่งแวดล้อม (Environmental field) 1. น้ำ (water) - น้ำผิวดิน (surface water) - น้ำใต้ดิน (ground water)	- Heavy metals • Copper 0.025 mg/l to 20.0 mg/l • Nickel 0.050 mg/l to 20.0 mg/l • Zinc 0.025 mg/l to 20.0 mg/l • Chromium 0.050 mg/l to 20.0 mg/l • Cadmium 0.010 mg/l to 20.0 mg/l • Lead 0.100 mg/l to 20.0 mg/l • Manganese 0.025 mg/l to 20.0 mg/l • Iron 0.050 mg/l to 20.0mg/l	- UAE.TP-HEM.005, UAE.TP-HEM.003 based on Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23 rd edition, 2017, part 3030 E and p

กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม
(Ministry of Industry, Thai Industrial Standards Institute)
UNITEC ANALYST AND ENGINEERING
CONSULTANT COMPANY LIMITED
วันที่ 1/27



ใบรับรองเลขที่ 21-LB0022
(Certificate No.)

ใบรับรองระบบงาน
(Certificate of Accreditation)

ออกโดยอำนาจตามความในพระราชบัญญัติการมาตรฐานแห่งชาติ พ.ศ. ๒๕๕๑
(By Virtue of National Standardization Act B.E. 2551 (2008))

เลขานุการสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม
(Secretary-General, Thai Industrial Standards Institute)

ออกใบรับรองฉบับนี้ให้
(Issue this certificate to)

บริษัท ยูนิเทค แอนาไลสต์ แอนด์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด
(United Analyst and Engineering Consultant Company Limited)

ตั้งอยู่เลขที่
(Address)

๓ ซอยอรรถเมรุสุข ๕๑ ถนนสุขุมวิท แขวงบางจาก เขตพระโขนง กรุงเทพมหานคร
(3, Soi Udomsak 51, Sukhumvit Road, Bangkok, Phraekhong, Bangkok)

ได้รับการรับรองความสามารถ
(Certificate of competence)

ตามมาตรฐานเลขที่ มอก. ๑๗๒๒๕ - ๒๕๖๑
(Standard No. TS 17025-2561 (2018) (ISO/IEC 17025: 2017))

ข้อกำหนดทั่วไปว่าด้วยความสามารถของ ห้องปฏิบัติการทดสอบและห้องปฏิบัติการสอบเทียบ
(General requirements for the competence of testing and calibration laboratories)

หมายเลขการรับรองที่ ทดสอบ ๐๒๐๗
(Accreditation No. Testing 0207)

โดยมีรายละเอียดสาขาและขอบข่ายที่ได้ใบรับรอง แสดงไว้ใน QR CODE และ www.tisi.go.th
(Details of the scheme and scope of the certificate are shown in QR CODE and www.tisi.go.th)

ออกให้ ณ วันที่ ๑๑ ตุลาคม พ.ศ. ๒๕๖๔
(Issue date : 11 October B.E. 2564 (2021))



กระทรวงอุตสาหกรรม สำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม
(Ministry of Industry, Thai Industrial Standards Institute)



รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ

(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 21-LB0022

(Certification No. 21-LB0022)

ฉบับที่ 04

(Issue No. 04)

ออกให้ตั้งแต่วันที่ 14 กุมภาพันธ์ 2565

(Valid from) (14 February B.E.2565 (2022))

สถานะภาพห้องปฏิบัติการ

(Laboratory status)

☒ถาวร (Permanent)

☐ชั่วคราว (Temporary)

สถานที่ (Site)

☐หลายสถานที่ (Multisite)

ถึงวันที่ 17 พฤษภาคม พ.ศ. 2566

(Unit) (17 May B.E.2566(2023))

☐เคลื่อนที่ (Mobile)

☐หลายสถานที่ (Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
สาขาสิ่งแวดล้อม (Environmental field) 1. น้ำ (ต่อ) (water) (cont.) - น้ำผิวดิน (surface water) - น้ำใต้ดิน (ground water)	- Volatile organic compounds (VOCs) • Benzene 0.20 µg/l to 1 000 µg/l • Carbon Tetrachloride 0.20 µg/l to 1 000 µg/l • 1,2-Dichloroethane 0.20 µg/l to 1 000 µg/l • 1,1-Dichloroethylene (1,1-Dichloroethene) 0.20 µg/l to 1 000 µg/l • cis-1,2-Dichloroethylene (cis-1,2-Dichloroethene) 0.20 µg/l to 1 000 µg/l • trans-1,2-Dichloroethylene (trans-1,2-Dichloroethene) 0.20 µg/l to 1 000 µg/l • Dichloromethane (Methylene Chloride) 0.20 µg/l to 1 000 µg/l • Ethylbenzene 0.20 µg/l to 1 000 µg/l	- Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23 rd edition, 2017, part 62 [Redacted]



กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม (Ministry of Industry, Thai Industrial Standards Institute)

หน้า 3/27



รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ

(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 21-LB0022

(Certification No. 21-LB0022)

ฉบับที่ 04

(Issue No. 04)

ออกให้ตั้งแต่วันที่ 14 กุมภาพันธ์ 2565

(Valid from) (14 February B.E.2565 (2022))

สถานะภาพห้องปฏิบัติการ

(Laboratory status)

☒ถาวร (Permanent)

☐ชั่วคราว (Temporary)

สถานที่ (Site)

☐หลายสถานที่ (Multisite)

ถึงวันที่ 17 พฤษภาคม พ.ศ. 2566

(Unit) (17 May B.E.2566(2023))

☐เคลื่อนที่ (Mobile)

☐หลายสถานที่ (Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
สาขาสิ่งแวดล้อม (Environmental field) 1. น้ำ (ต่อ) (water) (cont.) - น้ำผิวดิน (surface water) - น้ำใต้ดิน (ground water)	- Chloride 2.0 mg/l to 1 000 mg/l - Total hardness 4.0 mg/l to 1 000 mg/l	- Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23 rd edition, 2017, part 4500-Cl B - Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23 rd edition, 2017, part 2340 C
- น้ำผิวดิน (surface water)	- Total suspended solids 5.0 mg/l to 500 mg/l	- Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23 rd edition, 2017, part 25 [Redacted]



กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม (Ministry of Industry, Thai Industrial Standards Institute)

หน้า 2/27



รายละเอียดสาขาและขอบข่ายให้บริการ

(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 21-LB0022

(Certification No. 21-LB0022)

ฉบับที่ 04

(Issue No. 04)

ออกให้ตั้งแต่วันที่ 14 กุมภาพันธ์ 2565

(Valid from) (14 February B.E.2565 (2022))

ถึงวันที่ 17 พฤษภาคม พ.ศ. 2566

(Until) (17 May B.E.2566(2023))

สถานภาพห้องปฏิบัติการ

(Laboratory status)

☒ถาวร

(Permanent)

☐นอกสถานที่

(Site)

☐ชั่วคราว

(Temporary)

☐เคลื่อนที่

(Mobile)

☐หลายสถานที่

(Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
สาขาสังแวดล้อม (Environmental field) 2.น้ำเสีย (wastewater)	- Heavy metals • Copper 0.050 mg/l to 50.0 mg/l • Nickel 0.100 mg/l to 50.0 mg/l • Zinc 0.050 mg/l to 50.0 mg/l • Chromium 0.100 mg/l to 50.0 mg/l • Cadmium 0.020 mg/l to 50.0 mg/l • Lead 0.200 mg/l to 50.0 mg/l • Manganese 0.050 mg/l to 50.0 mg/l • Iron 0.100 mg/l to 50.0 mg/l	- I.AE.TP-HEM.004 based on Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23 rd edition, 2017, part 3030 Eand part 31



กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม
(Ministry of Industry, Thai Industrial Standards Institute)

UNITED ANALYST AND ENGINEERING
CONSULTANT COMPANY LIMITED

หน้า 5/27



รายละเอียดสาขาและขอบข่ายให้บริการ

(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 21-LB0022

(Certification No. 21-LB0022)

ฉบับที่ 04

(Issue No. 04)

ออกให้ตั้งแต่วันที่ 14 กุมภาพันธ์ 2565

(Valid from) (14 February B.E.2565 (2022))

ถึงวันที่ 17 พฤษภาคม พ.ศ. 2566

(Until) (17 May B.E.2566(2023))

สถานภาพห้องปฏิบัติการ

(Laboratory status)

☒ถาวร

(Permanent)

☐นอกสถานที่

(Site)

☐ชั่วคราว

(Temporary)


☐เคลื่อนที่

(Mobile)

☐หลายสถานที่

(Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
สาขาสังแวดล้อม (Environmental field) 1.น้ำ (ต่อ) (water) (cont.) - น้ำใต้ดิน (ground water)	- Volatile organic compounds (VOCs) (cont.) • Styrene 0.20 µg/l to 1000 µg/l • Tetrachloroethylene (Tetrachloroethene) 0.20 µg/l to 1 000 µg/l • Toluene 0.20 µg/l to 1 000 µg/l • Trichloroethylene (Trichloroethene) 0.20 µg/l to 1 000 µg/l • 1,1,1-Trichloroethane 0.20 µg/l to 1 000 µg/l • 1,1,2-Trichloroethane 0.20 µg/l to 1 000 µg/l • Total Xylenes(o,m,p-Xylene) (Xylene (total)) 0.60 µg/l to 3000 µg/l	- Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23 rd edition, 2017, part 6



กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม
(Ministry of Industry, Thai Industrial Standards Institute)

UNITED ANALYST AND ENGINEERING
CONSULTANT COMPANY LIMITED

หน้า 4/27



รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ

(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 21-LB0022

(Certification No. 21-LB0022)

ฉบับที่ 04
(Issue No. 04)

ออกให้ตั้งแต่วันที่ 14 กุมภาพันธ์ 2565
(Valid from) (14 February 2022)

ถึงวันที่ 17 พฤษภาคม พ.ศ. 2566
(Unit) (17 May B.E.2566/2023)

สถานภาพห้องปฏิบัติการ
(Laboratory status)

☒ ถาวร
(Permanent)

☐ ชั่วคราว
(Temporary)

ณสถานที่
(Site)

☐ เคลื่อนที่
(Mobile)

หลายสถานที่
(Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
สาขาสังแวดล้อม (Environmental field) 2.น้ำเสีย (ต่อ) (wastewater) (cont.)	- COD 25.0 mg/l to 20 000 mg/l	- Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23 rd edition, 2017, part 5220 D
	- COD 40.0 mg/l to 2 000 mg/l	- Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23 rd edition, 2017, part 5220 C
	- Total suspended solids 5.0 mg/l to 5 000 mg/l	- Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23 rd edition, 2017, part 2540 D
	- BOD 2.0 mg/l to 10 000 mg/l	- Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23 rd edition, 2017, part 5210 B
	- Oil and Grease 3 mg/l to 200 mg/l	- Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23 rd edition, 2017

กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม

(Ministry of Industry, Thai Industrial Standards Institute)

UNITED ANALYST AND ENGINEERING CONSULTANT COMPANY LIMITED

หน้า 7/27



รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ

(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 21-LB0022

(Certification No. 21-LB0022)

ฉบับที่ 04
(Issue No. 04)

ออกให้ตั้งแต่วันที่ 14 กุมภาพันธ์ 2565
(Valid from) (14 February B.E.2565/2022)

ถึงวันที่ 17 พฤษภาคม พ.ศ. 2566
(Unit) (17 May B.E.2566/2023)

สถานภาพห้องปฏิบัติการ
(Laboratory status)

☒ ถาวร
(Permanent)

☐ ชั่วคราว
(Temporary)

ณสถานที่
(Site)

☐ เคลื่อนที่
(Mobile)

หลายสถานที่
(Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
สาขาสังแวดล้อม (Environmental field) 2.น้ำเสีย (ต่อ) (wastewater) (cont.)	- Heavy metals • Copper 0.010 mg/l to 50.0 mg/l • Nickel 0.010 mg/l to 50.0 mg/l • Zinc 0.010 mg/l to 50.0 mg/l • Chromium 0.010 mg/l to 50.0 mg/l • Cadmium 0.010 mg/l to 50.0 mg/l • Lead 0.010 mg/l to 50.0 mg/l • Manganese 0.010 mg/l to 50.0 mg/l • Iron 0.010 mg/l to 50.0 mg/l	- UAE-TP-HEM.008 based on Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23 rd edition, 2017, part 3030 F and part 311
	- Heavy metals • Copper 0.010 mg/l to 50.0 mg/l • Cadmium 0.010 mg/l to 50.0 mg/l • Lead 0.010 mg/l to 50.0 mg/l	- Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23 rd edition, 2017, part 3030 K and 312
	- Heavy metals • Copper 0.010 mg/l to 50.0 mg/l • Cadmium 0.010 mg/l to 50.0 mg/l • Lead 0.010 mg/l to 50.0 mg/l	- Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23 rd edition, 2017, part 3030 K and 312
	- Heavy metals • Copper 0.010 mg/l to 50.0 mg/l • Cadmium 0.010 mg/l to 50.0 mg/l • Lead 0.010 mg/l to 50.0 mg/l	- Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23 rd edition, 2017, part 3030 K and 312
	- Heavy metals • Copper 0.010 mg/l to 50.0 mg/l • Cadmium 0.010 mg/l to 50.0 mg/l • Lead 0.010 mg/l to 50.0 mg/l	- Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23 rd edition, 2017, part 3030 K and 312

กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม

(Ministry of Industry, Thai Industrial Standards Institute)

UNITED ANALYST AND ENGINEERING CONSULTANT COMPANY LIMITED

หน้า 6/27





รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ
(Scope of Accreditation for Testing)
ใบรับรองเลขที่ 21-LB0022
(Certification No. 21-LB0022)

ฉบับที่ 04 (Issue No. 04)
ออกให้ตั้งแต่วันที่ 14 กุมภาพันธ์ 2565 (Valid from) (14 February B.E. 2565 (2022))
สถานที่ห้องปฏิบัติการ ☒ ถาวร (Permanent) ☐ชั่วคราว (Temporary)
สถานที่ ☐เคลื่อนที่ (Mobile) ☐หลายสถานที่ (Multisite)
ถึงวันที่ 17 พฤษภาคม พ.ศ. 2566 (Unit) (17 May B.E. 2566(2023))

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
สาขาสิ่งแวดล้อม (Environmental field) 5. ภาคตะกอน (sludge)	- Heavy metals • Barium 5.00 mg/kg to 10000 mg/kg • Cadmium 5.00 mg/kg to 10000 mg/kg • Chromium 5.00 mg/kg to 10000 mg/kg • Cobalt 5.00 mg/kg to 10000 mg/kg • Copper 5.00 mg/kg to 10000 mg/kg • Nickel 5.00 mg/kg to 10000 mg/kg • Lead 5.00 mg/kg to 10000 mg/kg • Zinc 5.00 mg/kg to 10000 mg/kg	- US EPA Method 3050 B, Revision 2 :1996 and US EPA Method 6010D, Revision [REDACTED]



กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม
(Ministry of Industry, Thai Industrial Standards Institute)

วันที่ 9/27

สำนักงานอุตสาหกรรม



รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ
(Scope of Accreditation for Testing)
ใบรับรองเลขที่ 21-LB0022
(Certification No. 21-LB0022)

ฉบับที่ 04 (Issue No. 04)
ออกให้ตั้งแต่วันที่ 14 กุมภาพันธ์ 2565 (Valid from) (14 February B.E. 2565 (2022))
สถานที่ห้องปฏิบัติการ ☒ ถาวร (Permanent) ☐ชั่วคราว (Temporary)
สถานที่ ☐เคลื่อนที่ (Mobile) ☐หลายสถานที่ (Multisite)
ถึงวันที่ 17 พฤษภาคม พ.ศ. 2566 (Unit) (17 May B.E. 2566(2023))

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
สาขาสิ่งแวดล้อม (Environmental field) 3. น้ำและน้ำเสีย (water and wastewater)	- pH 2.0 to 12.0	- Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23 rd edition, 2017, part 4500-H ⁺ B
4. น้ำทะเล (seawater)	- Total mercury 0.020 µg/l to 3.50 µg/l - Total mercury 0.010 µg/l to 0.100 µg/l	- US EPA Method 245.7, Revision 2.0, February 2005 - US EPA Method 1631, Revision E, August 2002 [REDACTED]



กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม
(Ministry of Industry, Thai Industrial Standards Institute)

วันที่ 8/27

สำนักงานอุตสาหกรรม



รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ
(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 21-LB0022
(Certification No. 21-LB0022)

ฉบับที่ 04 (Issue No. 04) ออกให้ตั้งแต่วันที่ 14 กุมภาพันธ์ 2565 (Valid from) (14 February B.E. 2565 (2022)) ถึงวันที่ 17 พฤษภาคม พ.ศ. 2566 (Until) (17 May B.E. 2566(2023))

สถานภาพห้องปฏิบัติการ ☒ ถาวร (Permanent) ☐ชั่วคราว (Temporary) ☐เคลื่อนที่ (Mobile) ☐หลายสถานที่ (Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
สารสิ่งแวดล้อม (Environmental field) 6. บรรยากาศ(ต่อ) (ambient) (cont.)	- Volatile organic compounds (VOCs) (cont.) • Bromoform 0.08 ppbv to 25 ppbv (0.82 µg/m³ to 256 µg/m³) • Bromomethane 0.08 ppbv to 25 ppbv (0.31 µg/m³ to 96.1 µg/m³) • Carbon Disulfide 0.08 ppbv to 25 ppbv (0.25 µg/m³ to 77.7 µg/m³) • Carbon Tetrachloride 0.08 ppbv to 25 ppbv (0.50 µg/m³ to 155 µg/m³) • Chlorobenzene 0.08 ppbv to 25 ppbv (0.37 µg/m³ to 115 µg/m³) • Chloroform 0.08 ppbv to 25 ppbv (0.39 µg/m³ to 121 µg/m³) • 1,2-Dichlorobenzene 0.08 ppbv to 25 ppbv (0.48 µg/m³ to 149 µg/m³)	- UAE-TP-TOX.003 based on U.S.EPA, Compendium Method January 1999



กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม
(Ministry of Industry, Thai Industrial Standards Institute)

วันที่ 13/27 ANT COMPANY LIMITED



รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ
(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 21-LB0022
(Certification No. 21-LB0022)

ฉบับที่ 04 (Issue No. 04) ออกให้ตั้งแต่วันที่ 14 กุมภาพันธ์ 2565 (Valid from) (14 February B.E. 2565 (2022)) ถึงวันที่ 17 พฤษภาคม พ.ศ. 2566 (Until) (17 May B.E. 2566(2023))

สถานภาพห้องปฏิบัติการ ☒ ถาวร (Permanent) ☐ชั่วคราว (Temporary) ☐เคลื่อนที่ (Mobile) ☐หลายสถานที่ (Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
สารสิ่งแวดล้อม (Environmental field) 6. บรรยากาศ (ambient)	- Total suspended particulate matter ≤ 100 µm 2.0 µg/m³ to 750 µg/m³ - Particulate matter ≤ 10 µm 2.7 µg/m³ to 300 µg/m³ - Volatile organic compounds (VOCs) • Benzene 0.08 ppbv to 25 ppbv (0.26 µg/m³ to 79.9 µg/m³) • Bromodichloromethane 0.08 ppbv to 25 ppbv (0.53 µg/m³ to 166 µg/m³)	- US EPA, Code of Federal Regulations, 40 CFR chapter I-part 50 appendix B, revised as of July 1, 2012 (High-Volume method) - US EPA, Code of Federal Regulations, 40 CFR chapter I-part 50 appendix J, revised as of July 1, 2012 (High-Volume method) - UAE-TP-TOX.003 based on U.S.EPA, Compendium Method TO-15, 2nd edition, January 1999



กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม
(Ministry of Industry, Thai Industrial Standards Institute)

วันที่ 10/27



รายละเอียดสาขาและขอบข่ายให้บริการ

(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 21-LB0022

(Certification No. 21-LB0022)

ฉบับที่ 04
(Issue No. 04)

ออกให้ตั้งแต่วันที่ 14 กุมภาพันธ์ 2565
(Valid from) (14 February B.E.2565 (2022))

ถึงวันที่ 17 พฤษภาคม พ.ศ. 2566
(Unit) (17 May B.E.2566(2023))

สถานภาพห้องปฏิบัติการ
(Laboratory status)

☒ถาวร
(Permanent)

☐นอกสถานที่
(Site)

☐ชั่วคราว
(Temporary)

☐เคลื่อนที่
(Mobile)

☐หลายสถานที่
(Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
สาขาสิ่งแวดล้อม (Environmental field) 6. บรรยากาศ(ต่อ) (ambient) (cont.)	- Volatile organic compounds (VOCs) (cont.) • Freon-114(1,2-Dichloro tetrafluoroethane) 0.08 ppbv to 25 ppbv (0.56 $\mu\text{g}/\text{m}^3$ to 174 $\mu\text{g}/\text{m}^3$) • Pentane 0.08 ppbv to 25 ppbv (0.24 $\mu\text{g}/\text{m}^3$ to 73.6 $\mu\text{g}/\text{m}^3$) • 1,1,2,2-Tetrachloroethane 0.08 ppbv to 25 ppbv (0.54 $\mu\text{g}/\text{m}^3$ to 170 $\mu\text{g}/\text{m}^3$) • Toluene 0.08 ppbv to 25 ppbv (0.30 $\mu\text{g}/\text{m}^3$ to 94.1 $\mu\text{g}/\text{m}^3$) • Tetrachloroethylene 0.08 ppbv to 25 ppbv (0.54 $\mu\text{g}/\text{m}^3$ to 168 $\mu\text{g}/\text{m}^3$) • Trichloroethylene 0.08 ppbv to 25 ppbv (0.43 $\mu\text{g}/\text{m}^3$ to 133 $\mu\text{g}/\text{m}^3$)	- UAE-TP-TOX.003 based on U.S.EPA, Compendium Method TO-15, 2nd edition, January 2006



กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม
(Ministry of Industry, Thai Industrial Standards Institute)

UNITED ANALYST AND ENGINEERING
CONSULTANT COMPANY LIMITED

วันที่ 15/2/2565



รายละเอียดสาขาและขอบข่ายให้บริการ

(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 21-LB0022

(Certification No. 21-LB0022)

ฉบับที่ 04
(Issue No. 04)

ออกให้ตั้งแต่วันที่ 14 กุมภาพันธ์ 2565
(Valid from) (14 February B.E.2565 (2022))

ถึงวันที่ 17 พฤษภาคม พ.ศ. 2566
(Unit) (17 May B.E.2566(2023))

สถานภาพห้องปฏิบัติการ
(Laboratory status)

☒ถาวร
(Permanent)

☐นอกสถานที่
(Site)

☐ชั่วคราว
(Temporary)

☐เคลื่อนที่
(Mobile)

☐หลายสถานที่
(Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
สาขาสิ่งแวดล้อม (Environmental field) 6. บรรยากาศ(ต่อ) (ambient) (cont.)	- Volatile organic compounds (VOCs) (cont.) • 1,3-Dichlorobenzene 0.08 ppbv to 25 ppbv (0.48 $\mu\text{g}/\text{m}^3$ to 149 $\mu\text{g}/\text{m}^3$) • 1,1-Dichloroethane 0.08 ppbv to 25 ppbv (0.32 $\mu\text{g}/\text{m}^3$ to 100 $\mu\text{g}/\text{m}^3$) • 1,2-Dichloroethane 0.08 ppbv to 25 ppbv (0.32 $\mu\text{g}/\text{m}^3$ to 100 $\mu\text{g}/\text{m}^3$) • 1,2-Dibromoethane 0.08 ppbv to 25 ppbv (0.61 $\mu\text{g}/\text{m}^3$ to 190 $\mu\text{g}/\text{m}^3$) • Freon-11 (Trichloro monofluoromethane) 0.08 ppbv to 25 ppbv (0.44 $\mu\text{g}/\text{m}^3$ to 139 $\mu\text{g}/\text{m}^3$) • Freon-113 (1,1,2-Trichloro-1,2,2-Trifluoroethane) 0.08 ppbv to 25 ppbv (0.61 $\mu\text{g}/\text{m}^3$ to 190 $\mu\text{g}/\text{m}^3$)	- UAE-TP-TOX.003 based on U.S.EPA, Compendium Method TO-15, 2nd edition, January 2006



กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม
(Ministry of Industry, Thai Industrial Standards Institute)

UNITED ANALYST AND ENGINEERING
CONSULTANT COMPANY LIMITED

วันที่ 12/27



กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม
(Ministry of Industry, Thai Industrial Standards Institute)

UNITED ANALYST AND ENGINEERING
CONSULTANT COMPANY LIMITED

วันที่ 12/27



รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ
(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 21-LB0022
(Certification No. 21-LB0022)

ฉบับที่ 04
(Issue No. 04)
ออกให้ตั้งแต่วันที่ 14 กุมภาพันธ์ 2565
(Valid from) (14 February B.E. 2565 (2022))
ถึงวันที่ 17 พฤษภาคม พ.ศ. 2566
(Until) (17 May B.E. 2566 (2023))
สถานที่ห้องปฏิบัติการ ☒ถาวร (Permanent)
สถานที่ ☐ชั่วคราว (Temporary)
สถานที่ ☐เคลื่อนที่ (Mobile)
สถานที่ ☐หลายสถานที่ (Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
สาขาสิ่งแวดล้อม (Environmental field) 6. บรรยากาศ (ต่อ) (ambient) (cont.)	- Volatile organic compounds (VOCs) (cont.) - Acrolein 0.08 ppbv to 25 ppbv (0.18 $\mu\text{g}/\text{m}^3$ to 57.3 $\mu\text{g}/\text{m}^3$) 1,1-Dichloroethene(1,1-Dichloroethylene) 0.08 ppbv to 25 ppbv (0.31 $\mu\text{g}/\text{m}^3$ to 98.2 $\mu\text{g}/\text{m}^3$) - Acetone 0.08 ppbv to 25 ppbv (0.19 $\mu\text{g}/\text{m}^3$ to 59.4 $\mu\text{g}/\text{m}^3$) - Methyl Iodide 0.08 ppbv to 25 ppbv (0.46 $\mu\text{g}/\text{m}^3$ to 145 $\mu\text{g}/\text{m}^3$) - Acetonitrile 0.08 ppbv to 25 ppbv (0.13 $\mu\text{g}/\text{m}^3$ to 41.9 $\mu\text{g}/\text{m}^3$) - Methylene Chloride (Dichloromethane) 0.08 ppbv to 25 ppbv (0.27 $\mu\text{g}/\text{m}^3$ to 85.9 $\mu\text{g}/\text{m}^3$)	- UAE-TP-TOX.003 based on U.S.EPA, Compendium Method TO-15, 2 nd edition, January 1999

กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม
(Ministry of Industry, Thai Industrial Standards Institute)
IAEA
UNIFIED ANALYST AND ENGINEERING CONSULTANT COMPANY LIMITED
หน้า 15/27



รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ
(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 21-LB0022
(Certification No. 21-LB0022)

ฉบับที่ 04
(Issue No. 04)
ออกให้ตั้งแต่วันที่ 14 กุมภาพันธ์ 2565
(Valid from) (14 February B.E. 2565 (2022))
ถึงวันที่ 17 พฤษภาคม พ.ศ. 2566
(Until) (17 May B.E. 2566 (2023))
สถานที่ห้องปฏิบัติการ ☒ถาวร (Permanent)
สถานที่ ☐ชั่วคราว (Temporary)
สถานที่ ☐เคลื่อนที่ (Mobile)
สถานที่ ☐หลายสถานที่ (Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
สาขาสิ่งแวดล้อม (Environmental field) 6. บรรยากาศ (ต่อ) (ambient) (cont.)	- Volatile organic compounds (VOCs)(cont.) 1,1,1-Trichloroethane 0.08 ppbv to 25 ppbv (0.43 $\mu\text{g}/\text{m}^3$ to 135 $\mu\text{g}/\text{m}^3$) - Chloromethane 0.08 ppbv to 25 ppbv (0.16 $\mu\text{g}/\text{m}^3$ to 51.1 $\mu\text{g}/\text{m}^3$) - Isobutene 0.08 ppbv to 25 ppbv (0.18 $\mu\text{g}/\text{m}^3$ to 57.3 $\mu\text{g}/\text{m}^3$) - Vinyl Chloride 0.08 ppbv to 25 ppbv (0.20 $\mu\text{g}/\text{m}^3$ to 63.4 $\mu\text{g}/\text{m}^3$) 1,3-Butadiene 0.08 ppbv to 25 ppbv (0.18 $\mu\text{g}/\text{m}^3$ to 55.2 $\mu\text{g}/\text{m}^3$) - Acetaldehyde 0.08 ppbv to 25 ppbv (0.14 $\mu\text{g}/\text{m}^3$ to 45.0 $\mu\text{g}/\text{m}^3$) - Chloroethane 0.08 ppbv to 25 ppbv (0.21 $\mu\text{g}/\text{m}^3$ to 65.4 $\mu\text{g}/\text{m}^3$)	- UAE-TP-TOX.003 based on U.S.EPA, Compendium Method TO-15, 2 nd edition, January 1999

กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม
(Ministry of Industry, Thai Industrial Standards Institute)
IAEA
UNIFIED ANALYST AND ENGINEERING CONSULTANT COMPANY LIMITED
หน้า 14/27



รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ

(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 21-LB0022

(Certification No. 21-LB0022)

ฉบับที่ 04
(Issue No. 04)

ออกให้ตั้งแต่วันที่ 14 กุมภาพันธ์ 2565
(Valid from) (14 February B.E.2565 (2022))

ถึงวันที่ 17 พฤษภาคม พ.ศ. 2566
(Unit) (17 May B.E.2566(2023))

สถานภาพห้องปฏิบัติการ
(Laboratory status)

☒ถาวร
(Permanent)

☐ชั่วคราว
(Temporary)

สถานที่ (Site)

☐เคลื่อนที่
(Mobile)

☐หลายสถานที่
(Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
สาขาสิ่งแวดล้อม (Environmental field) 6. บรรยากาศ (ต่อ) (ambient) (cont.)	- Volatile organic compounds (VOCs) (cont.) • 1,2-Dichloropropane 0.08 ppbv to 25 ppbv (0.37 $\mu\text{g}/\text{m}^3$ to 115 $\mu\text{g}/\text{m}^3$) • 3-Pentanone 0.08 ppbv to 25 ppbv (0.28 $\mu\text{g}/\text{m}^3$ to 87.9 $\mu\text{g}/\text{m}^3$) • 1,4-Dioxane 0.08 ppbv to 25 ppbv (0.29 $\mu\text{g}/\text{m}^3$ to 90.0 $\mu\text{g}/\text{m}^3$) • trans-1,3-Dichloropropene 0.08 ppbv to 25 ppbv (0.36 $\mu\text{g}/\text{m}^3$ to 112 $\mu\text{g}/\text{m}^3$) • 1,1,2-Trichloroethane 0.08 ppbv to 25 ppbv (0.43 $\mu\text{g}/\text{m}^3$ to 135 $\mu\text{g}/\text{m}^3$) • 3-Hexanone 0.08 ppbv to 25 ppbv (0.33 $\mu\text{g}/\text{m}^3$ to 102 $\mu\text{g}/\text{m}^3$) • Ethylbenzene 0.08 ppbv to 25 ppbv (0.35 $\mu\text{g}/\text{m}^3$ to 108 $\mu\text{g}/\text{m}^3$)	- UAE-TP-TOX.003 based on U.S.EPA, Compendium Method TO-15, 2 nd edition, January 1999

กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม
(Ministry of Industry, Thai Industrial Standards Institute)



วันที่ 17/27-1-ANT COMPANY LIMITED



รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ

(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 21-LB0022

(Certification No. 21-LB0022)

ฉบับที่ 04
(Issue No. 04)

ออกให้ตั้งแต่วันที่ 14 กุมภาพันธ์ 2565
(Valid from) (14 February B.E.2565 (2022))

ถึงวันที่ 17 พฤษภาคม พ.ศ. 2566
(Unit) (17 May B.E.2566(2023))

สถานภาพห้องปฏิบัติการ
(Laboratory status)

☒ถาวร
(Permanent)

☐ชั่วคราว
(Temporary)

สถานที่ (Site)

☐เคลื่อนที่
(Mobile)

☐หลายสถานที่
(Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
สาขาสิ่งแวดล้อม (Environmental field) 6. บรรยากาศ (ต่อ) (ambient) (cont.)	- Volatile organic compounds (VOCs) (cont.) • Acrylonitrile 0.08 ppbv to 25 ppbv (0.17 $\mu\text{g}/\text{m}^3$ to 54.2 $\mu\text{g}/\text{m}^3$) • Hexane 0.08 ppbv to 25 ppbv (0.28 $\mu\text{g}/\text{m}^3$ to 87.9 $\mu\text{g}/\text{m}^3$) • cis-1,2-Dichloroethene(cis-1,2-Dichloroethylene) 0.08 ppbv to 25 ppbv (0.31 $\mu\text{g}/\text{m}^3$ to 98.2 $\mu\text{g}/\text{m}^3$) • Methyl Ethyl Ketone (MEK) 0.08 ppbv to 25 ppbv (0.24 $\mu\text{g}/\text{m}^3$ to 73.6 $\mu\text{g}/\text{m}^3$) • Cyclohexane 0.08 ppbv to 25 ppbv (0.27 $\mu\text{g}/\text{m}^3$ to 85.9 $\mu\text{g}/\text{m}^3$) • 2-Pentanone 0.08 ppbv to 25 ppbv (0.28 $\mu\text{g}/\text{m}^3$ to 87.9 $\mu\text{g}/\text{m}^3$)	- UAE-TP-TOX.003 based on U.S.EPA, Compendium Method TO-15, 2 nd edition, January 1999

กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม
(Ministry of Industry, Thai Industrial Standards Institute)



วันที่ 16/27

ดำเนินการถูกต้อง



รายละเอียดสาขาและขอบข่ายให้บริการ
(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 21-LB0022
(Certification No. 21-LB0022)

ฉบับที่ 04
(Issue No. 04)
ออกให้ตั้งแต่วันที่ 14 กุมภาพันธ์ 2565
(Valid from) (14 February B.E.2565 (2022))
สถานที่ห้องปฏิบัติการ ☒ถาวร (Permanent) ☐ชั่วคราว (Temporary)
สถานะห้องปฏิบัติการ ☒ถาวร (Permanent) ☐เคลื่อนที่ (Mobile)
ถึงวันที่ 17 พฤษภาคม พ.ศ. 2566
(Unit) (17 May B.E.2566(2023))
หลายสถานที่ ☐หลายสถานที่ (Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
สาขาผลิตภัณฑ์ (Consumer products field) 1. น้ำสำหรับบริโภคและน้ำประปา (drinking water and tap water)	- Chloride 2.0 mg/l to 500 mg/l - Total hardness 4.0 mg/l to 500 mg/l - Fluoride 0.08 mg/l to 5.20 mg/l	- Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23 rd edition, 2017, part 4500-CI B - Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23 rd edition, 2017, part 2340 C - Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23 rd Edition, 2017, part 4500-F D



กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม
(Ministry of Industry, Thai Industrial Standards Institute)

THAI ANALYST AND ENGINEERING
CONSULTANT COMPANY LIMITED

วันที่ 19/27




รายละเอียดสาขาและขอบข่ายให้บริการ
(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 21-LB0022
(Certification No. 21-LB0022)

ฉบับที่ 04
(Issue No. 04)
ออกให้ตั้งแต่วันที่ 14 กุมภาพันธ์ 2565
(Valid from) (14 February B.E.2565 (2022))
สถานที่ห้องปฏิบัติการ ☒ถาวร (Permanent) ☐ชั่วคราว (Temporary)
สถานะห้องปฏิบัติการ ☒ถาวร (Permanent) ☐เคลื่อนที่ (Mobile)
ถึงวันที่ 17 พฤษภาคม พ.ศ. 2566
(Unit) (17 May B.E.2566(2023))
หลายสถานที่ ☐หลายสถานที่ (Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
สาขาส่งแวดล้อม (Environmental field) 6. บรรยากาศ(ดี) (ambient) (cont.)	- Volatile organic compounds (VOCs) (cont.) • m,p-Xylene 0.16 ppbv to 50 ppbv (0.70 µg/m ³ to 217 µg/m ³) • o-Xylene 0.08 ppbv to 25 ppbv (0.35 µg/m ³ to 108 µg/m ³) • 1,4-Dichlorobenzene 0.08 ppbv to 25 ppbv (0.48 µg/m ³ to 149 µg/m ³) • 1,2,3-Trimethylbenzene 0.08 ppbv to 25 ppbv (0.39 µg/m ³ to 123 µg/m ³) • Benzyl Chloride 0.08 ppbv to 25 ppbv (0.41 µg/m ³ to 129 µg/m ³) • Propanal 0.08 ppbv to 25 ppbv (0.19 µg/m ³ to 59.3 µg/m ³)	- UAE-TP-TOX.003 based on U.S.EPA, Compendium Method TO-15, 2 nd edition, January 1999



กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม
(Ministry of Industry, Thai Industrial Standards Institute)

THAI ANALYST AND ENGINEERING
CONSULTANT COMPANY LIMITED

วันที่ 18/27



รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ
(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 21-LB0022
(Certification No. 21-LB0022)

ฉบับที่ 04
(Issue No. 04)

ออกให้ตั้งแต่วันที่ 14 กุมภาพันธ์ 2565
(Valid from) (14 February B.E.2565 (2022))

ถึงวันที่ 17 พฤษภาคม พ.ศ. 2566
(Unit) (17 May B.E.2566(2023))

สถานที่ห้องปฏิบัติการ
(Laboratory status)

ถาวร (Permanent) ☐ชั่วคราว (Temporary) ☒
สถานที่ (Site) ☒เคลื่อนที่ (Mobile) ☐หลายสถานที่ (Multisite) ☐

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
สาขาสิ่งแวดล้อม (Environmental field) 1. บรรยากาศ (ต่อ) (ambient) (cont.)	- ระดับเสียงรบกวน • ระดับเสียงพื้นหรือระดับเสียง เปอร์เซ็นต์ไทล์ที่ 90 (background noise level; L_{90}) 30 dB(A) to 120 dB(A) • ระดับเสียงขณะไม่มีการรบกวน (residual noise level; $L_{Aeq,T}$) 30 dB(A) to 120 dB(A) • ระดับเสียงขณะมีการรบกวน (specific noise level; $L_{Aeq,T}$) 30 dB(A) to 120 dB(A) • ระดับการรบกวน 2 dB(A) to 40 dB(A)	- ISO 1996-1: 2016 - ประกาศคณะกรรมการสิ่งแวดล้อม แห่งชาติ ฉบับที่ 29 (พ.ศ.2550) เรื่อง ค่าระดับเสียงรบกวน ลงวันที่ 29 มิถุนายน พ.ศ.2550, ประกาศ คณะกรรมการควบคุมมลพิษ เรื่อง วิธีการตรวจวัดระดับเสียงพื้นฐาน ระดับเสียงขณะไม่มีการรบกวน การ ตรวจวัดและคำนวณระดับเสียงขณะมี การรบกวน และการคำนวณค่าระดับ การรบกวน และแบบบันทึกการ ตรวจวัดเสียงรบกวน ลงวันที่ 31 สิงหาคม พ.ศ.2550, ประกาศ กระทรวงอุตสาหกรรม (พ.ศ.2548) เรื่อง กำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบ กิจการโรงงาน พ.ศ.2548 ลงวันที่ 27 ธันวาคม พ.ศ.2548และประกาศกรม โรงงานอุตสาหกรรม เรื่อง วิธีการ ตรวจวัดระดับเสียงการรบกวน ระดับ เสียงเฉลี่ย 24 ชั่วโมง และระดับเสียง สูงสุดที่เกิดจากการประกอบกิจการ โรงงาน พ.ศ.2553 ลงวันที่ 20 ธันวาคม พ.ศ.2553



กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม
(Ministry of Industry, Thai Industrial Standards Institute)

หน้า 21/27



รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ
(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 21-LB0022
(Certification No. 21-LB0022)

ฉบับที่ 03
(Issue No.)

ออกให้ตั้งแต่วันที่ 16 สิงหาคม พ.ศ. 2564
(Valid from) (16 August B.E.2564 (2021))

ถึงวันที่ 17 พฤษภาคม พ.ศ. 2566
(Unit) (17 May B.E.2566(2023))

สถานที่ห้องปฏิบัติการ
(Laboratory status)

ถาวร (Permanent) ☐ชั่วคราว (Temporary) ☐
สถานที่ (Site) ☒เคลื่อนที่ (Mobile) ☐หลายสถานที่ (Multisite) ☐

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
สาขาสิ่งแวดล้อม (Environmental field) 1. บรรยากาศ (ambient)	- ระดับเสียง (sound level) • ระดับเสียงเฉลี่ย (equivalent continuous sound pressure level; $L_{Aeq,T}$) 30 dB(A) to 120 dB(A) • ระดับเสียงสูงสุด (maximum sound level; L_{Amax}) 30 dB(A) to 120 dB(A) • ระดับเสียงต่ำสุด (minimum sound level; L_{Amin}) 30 dB(A) to 120 dB(A) • ระดับเสียงเปอร์เซ็นต์ไทล์ที่ N (percentile sound level; L_{AN}) 30 dB(A) to 120 dB(A)	- ISO 1996-1: 2016 - ประกาศคณะกรรมการ สิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ.2540) เรื่อง กำหนด มาตรฐานระดับเสียงโดยทั่วไป ลงวันที่ 12 มีนาคม พ.ศ.2540, ประกาศกรมควบคุมมลพิษ (พ.ศ. 2540) เรื่องวิธีการคำนวณ ค่าระดับเสียง ลงวันที่ 11 สิงหาคม พ.ศ.2540 และ ประกาศกระทรวง ทรัพยากรธรรมชาติและ สิ่งแวดล้อมเรื่องกำหนด มาตรฐานความรุนแรงเสียงและ ความสั่นสะเทือน ลงวันที่ 7 พฤศจิกายน พ.ศ.2548



กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม
(Ministry of Industry, Thai Industrial Standards Institute)

หน้า 20/27




รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ
(Scope of Accreditation for Testing)
ใบรับรองเลขที่ 21-LB0022
(Certification No. 21-LB0022)

ฉบับที่ 04
(Issue No. 04)
ออกให้ตั้งแต่วันที่ 14 กุมภาพันธ์ 2565
(Valid from) (14 February 8.E.2565 (2022))
สถานที่ห้องปฏิบัติการ ☐ ถาวร (Permanent) ☒ ชั่วคราว (Temporary)
สถานะห้องปฏิบัติการ ☐ เคลื่อนที่ (Mobile) ☐ หลายสถานที่ (Multisite)

ถึงวันที่ 17 พฤษภาคม พ.ศ. 2566
(Unit) (17 May 8.E.2566(2023))

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
สาขาสิ่งแวดล้อม (Environmental field) 2. พื้นที่ชุมชนโดยรอบสนามบิน (community areas in vicinity of airport)	- ระดับเสียงอากาศยาน (aircraft sound) • ระดับเสียงเฉลี่ยกลางวันและ กลางคืน (day-night average sound level; L_{day}) 30 dB(A) to 120 dB(A)	- ประกาศกรมควบคุมเสียง (พ.ศ. 2556) เรื่อง วิธีการตรวจวัด ระดับเสียงอากาศยานในพื้นที่ ชุมชน ข้อ 2 วิธีการตรวจวัด ระดับเสียงอากาศยานสำหรับจุด ตรวจวัดชั่วคราวในพื้นที่ชุมชน ลงวันที่ 4 กันยายน พ.ศ.2556 และประกาศกรมควบคุมเสียง (พ.ศ.2540) เรื่องการคำนวณ ระดับเสียง ลงวันที่ 11 สิงหาคม พ.ศ.2540



กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม
(Ministry of Industry, Thai Industrial Standards Institute)

หน้า 23/27



รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ
(Scope of Accreditation for Testing)
ใบรับรองเลขที่ 21-LB0022
(Certification No. 21-LB0022)

ฉบับที่ 04
(Issue No. 04)
ออกให้ตั้งแต่วันที่ 14 กุมภาพันธ์ 2565
(Valid from) (14 February 8.E.2565 (2022))
สถานที่ห้องปฏิบัติการ ☐ ถาวร (Permanent) ☒ ชั่วคราว (Temporary)
สถานะห้องปฏิบัติการ ☐ เคลื่อนที่ (Mobile) ☐ หลายสถานที่ (Multisite)

ถึงวันที่ 17 พฤษภาคม พ.ศ. 2566
(Unit) (17 May 8.E.2566(2023))

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
สาขาสิ่งแวดล้อม (Environmental field) 1. บรรยากาศ (ต่อ) (ambient) (cont.)	- ความสั่นสะเทือน (Vibration) • ความเร็วอนุภาคสูงสุด (Velocity) 10mm/s to 30 mm/s (ทั้งแกน X,Y,Z) • ความถี่ (Frequency) 50Hz to 160 Hz (ทั้งแกน X,Y,Z)	- ประกาศคณะกรรมการ สิ่งแวดล้อมแห่งชาติ ฉบับที่ 37 (พ.ศ. 2553) เรื่อง กำหนด มาตรฐานความสั่นสะเทือนเพื่อ ป้องกันผลกระทบต่ออาคาร ลง วันที่ 26 เมษายน พ.ศ. 2553 - ประกาศกระทรวง ทรัพยากรธรรมชาติและ สิ่งแวดล้อม เรื่อง กำหนด มาตรฐานควบคุมระดับเสียงและ ความสั่นสะเทือนจากการทำ เหมืองหิน ลงวันที่ 7 พฤศจิกายน พ.ศ. 2548 - DIN 45669-1:2010 - DIN 45669-2:2005 - DIN 4150-3:1999 - US EPA, Code of Federal Regulation, 40 CFR Chapter I -Part 50, Appendix L, Reference Method for the Determination of Fine Particulate Matter As $PM_{2.5}$ in the Atmosphere, 2021



กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม
(Ministry of Industry, Thai Industrial Standards Institute)

หน้า 22/27

รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ

(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 21-LB0022

(Certification No. 21-LB0022)

ฉบับที่ 04

(Issue No. 04)

ออกให้ตั้งแต่วันที่ 14 กุมภาพันธ์ 2565

(Valid from) (14 February B.E.2565 (2022))

สถานภาพห้องปฏิบัติการ

☐ถาวร

(Permanent)

☒นอกสถานที่

(Site)

☐ชั่วคราว

(Temporary)

ถึงวันที่ 17 พฤษภาคม พ.ศ. 2566

(Unit) (17 May B.E.2566(2023))

☐เคลื่อนที่

(Mobile)

☐หลายสถานที่

(Multisite)



สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
สาขาสิ่งแวดล้อม (Environmental field) 3. สถานประกอบการ (ต่อ) (workplace) (cont.)	- ความเข้มของแสงสว่าง (light intensity) 0 Lux to 20000 Lux - ระดับเสียงแบบเบ็ดตัวบุคคล (noise dose) • ระดับเสียงเฉลี่ยตลอดเวลาการทำงาน (time weighted average) 40 dB(A) to 140 dB(A) • ระดับเสียงสูงสุด (peak) 115 dB(A) to 143 dB(A) - ระดับความร้อน (heat stress) • อุณหภูมิโวลุ่ม (wet bulb globe temperature) 20 °C to 40 °C	- กฎกระทรวง (กระทรวงแรงงาน) เรื่อง กำหนดมาตรฐานในการบริหารจัดการ และดำเนินการด้านความปลอดภัย อาชีวอนามัยและสภาพแวดล้อมในการทำงานเกี่ยวกับความร้อน แสงสว่าง และเสียง พ.ศ. 2559 ลงวันที่ 7 ตุลาคม พ.ศ. 2559 - ประกาศกระทรวงอุตสาหกรรม เรื่อง มาตรการคุ้มครองความปลอดภัยในการประกอบกิจการโรงงานเกี่ยวกับสภาวะแวดล้อมในการทำงาน พ.ศ. 2546 ลงวันที่ 6 พฤศจิกายน พ.ศ. 2546 - ประกาศกระทรวงอุตสาหกรรม เรื่อง มาตรการคุ้มครองความปลอดภัยในการประกอบกิจการโรงงานเกี่ยวกับสภาวะแวดล้อมในการทำงาน พ.ศ. 2546 ลงวันที่ 6 พฤศจิกายน พ.ศ. 2546

กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม

(Ministry of Industry, Thai Industrial Standards Institute)

UNIFIED ANALYST AND ENGINEERING

CONSULTANT COMPANY LIMITED

วันที่ 25/2/

รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ

(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 21-LB0022

(Certification No. 21-LB0022)

ฉบับที่ 04

(Issue No. 04)

ออกให้ตั้งแต่วันที่ 14 กุมภาพันธ์ 2565

(Valid from) (14 February B.E.2565 (2022))

สถานภาพห้องปฏิบัติการ

☐ถาวร

(Permanent)

☒นอกสถานที่

(Site)

☐ชั่วคราว

(Temporary)

ถึงวันที่ 17 พฤษภาคม พ.ศ. 2566

(Unit) (17 May B.E.2566(2023))

☐เคลื่อนที่

(Mobile)

☐หลายสถานที่

(Multisite)



สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
สาขาสิ่งแวดล้อม (Environmental field) 3. สถานประกอบการ (workplace)	- ระดับเสียง (sound level) • ระดับเสียงเฉลี่ย (equivalent continuous sound pressure level; $L_{eq,T}$) 30 dB(A) to 120 dB(A) • ระดับเสียงสูงสุด (maximum sound level; L_{Amax}) 30 dB(A) to 120 dB(A) • ระดับเสียงต่ำสุด (minimum sound level; L_{Amin}) 30 dB(A) to 120 dB(A) • ระดับเสียงแปรผันที่เฉลี่ย N(percentile sound level; L_{Np}) 30 dB(A) to 120 dB(A)	- ประกาศกระทรวงอุตสาหกรรม เรื่อง มาตรการคุ้มครองความปลอดภัยในการทำงานเกี่ยวกับสภาวะแวดล้อมในสถานที่ทำงาน พ.ศ. 2546 ลงวันที่ 6 พฤศจิกายน พ.ศ. 2546

กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม

(Ministry of Industry, Thai Industrial Standards Institute)

UNIFIED ANALYST AND ENGINEERING

CONSULTANT COMPANY LIMITED

วันที่ 24/2/





รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ
(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 21-LB0022
(Certification No. 21-LB0022)

ฉบับที่ 04 (Issue No. 04) ออกให้ตั้งแต่วันที่ 14 กุมภาพันธ์ 2565 (Valid from) (14 February B.E.2565 (2022))
สถานที่ห้องปฏิบัติการ ☐ ถาวร (Permanent) ☒ ในสถานที่ ☐ชั่วคราว (Temporary)
สถานะห้องปฏิบัติการ ☐ถาวร (Permanent) ☐เคลื่อนที่ (Mobile) ☐หลายสถานที่ (Multisite)

ถึงวันที่ 17 พฤษภาคม พ.ศ. 2566 (Unit) (17 May B.E.2566(2023))

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
สาขาสิ่งแวดล้อม (Environmental field) 5. น้ำ/น้ำเสีย/น้ำผิวดิน/น้ำทะเล (Water/Wastewater/ Surface Water/Seawater)	- pH 4.0 – 10.0	- Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23 rd edition, 2017, Part 4500-H ⁺ B (Include sampling)



กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม
(Ministry of Industry, Thai Industrial Standards Institute)

UNITED ANALYST AND ENGINEERING
CONSULTANT COMPANY LIMITED
วันที่ 27/27



รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ
(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 21-LB0022
(Certification No. 21-LB0022)

ฉบับที่ 04 (Issue No. 04) ออกให้ตั้งแต่วันที่ 14 กุมภาพันธ์ 2565 (Valid from) (14 February B.E.2565 (2022))
สถานที่ห้องปฏิบัติการ ☐ ถาวร (Permanent) ☒ ในสถานที่ ☐ชั่วคราว (Temporary)
สถานะห้องปฏิบัติการ ☐ถาวร (Permanent) ☐เคลื่อนที่ (Mobile) ☐หลายสถานที่ (Multisite)

ถึงวันที่ 17 พฤษภาคม พ.ศ. 2566 (Unit) (17 May B.E.2566(2023))

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
สาขาสิ่งแวดล้อม (Environmental field) 3. สถานที่ประกอบการ (ต่อ) (workplace) (cont.)	- Total Dust 0.200 mg/m ³ to 15.0 mg/m ³ - Respirable Dust 0.010 mg/m ³ to 5.00 mg/m ³	- NIOSH manual of analytical method (NMAM), method 0500, fourth edition, 15 th Aug, 1994 - NIOSH manual of analytical method (NMAM), method 0600, fourth edition, 15 th Aug, 1994
4. ปล่องระบายอากาศเสีย (Stack)	- Sulfur dioxide 45 ppm to 1 000 ppm - Nitrogen oxide 45 ppm to 700 ppm - Carbon monoxide 45 ppm to 5000 ppm	- U.S. EPA, Code of Federal Regulations, 40 CFR Part 60 Appendix A, Method 6C, July 2018 - U.S. EPA, Code of Federal Regulations, 40 CFR Part 60 Appendix A, Method 7E, July 2018 - U.S. EPA, Code of Federal Regulations, 40 CFR Part 60 Appendix A, Method 10, July 2018



กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม
(Ministry of Industry, Thai Industrial Standards Institute)

UNITED ANALYST AND ENGINEERING
CONSULTANT COMPANY LIMITED
วันที่ 26/27

อนึ่ง หนังสือฉบับนี้จะหมดอายุพร้อมหนังสือที่อยู่ข้างพื้นหนังสือพร้อมทั้งการปฏิบัติการวิเคราะห์เอกชน
ที่ เอก ๐๓๑๐(๑)/๑๘๘๙ ลงวันที่ ๙ กุมภาพันธ์ ๒๕๖๕ คือในวันที่ ๒ กุมภาพันธ์ ๒๕๖๘ ทั้งนี้ สามารถยื่นคำขอ
ผ่านระบบอิเล็กทรอนิกส์ได้ทันทีผ่านเว็บไซต์กรมโรงงานอุตสาหกรรม ตาม QR Code หายหนังสือฉบับนี้

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ



ผู้อำนวยการกองวิจัยและเฝ้าระวังมลพิษโรงงาน
บุรีรัมย์



ยื่นคำขอผ่านระบบอิเล็กทรอนิกส์

กองวิจัยและเฝ้าระวังมลพิษโรงงาน

กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษและทะเบียนห้องปฏิบัติการ

โทร. ๐ ๒๕๓๐ ๖๓๑๖ ต่อ ๒๑๐๓-๕ โทรสาร ๐ ๒๕๓๐ ๖๓๑๖ ต่อ ๒๑๕๔

ไปรษณีย์อิเล็กทรอนิกส์ saraban@dlw.mail.go.th



ที่ เอก ๐๓๑๐(๑)/ ๒ ๐ ๒ ๘

กรมโรงงานอุตสาหกรรม

ถนนพระรามที่ ๒ แขวงทุ่งพญาไท

เขตราชเทวี กรุงเทพฯ ๑๐๕๐๐

๒๒ มีนาคม ๒๕๖๖

เรื่อง เปลี่ยนแปลงบุคลากรและสารมลพิษที่วิเคราะห์

เรียน กรรมการผู้จัดการ บริษัท ยูนิเทค แอเนมาลิสต์ แอนด์ เอ็นจิเนียริง คอนซิลแตนท์ จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารมลพิษของห้องปฏิบัติการวิเคราะห์เอกชน

ลงวันที่ ๓๐ มกราคม ๒๕๖๖

สิ่งที่ส่งมาด้วย เอกสารแบบท้ายหนังสือเปลี่ยนแปลงบุคลากรและสารมลพิษที่วิเคราะห์

บริษัท ยูนิเทค แอเนมาลิสต์ แอนด์ เอ็นจิเนียริง คอนซิลแตนท์ จำกัด จำนวน ๒ แผ่น

ตามหนังสือที่อ้างถึง บริษัท ยูนิเทค แอเนมาลิสต์ แอนด์ เอ็นจิเนียริง คอนซิลแตนท์ จำกัด
ห้องปฏิบัติการวิเคราะห์เอกชน เลขทะเบียน ๖-๑๕๕ สถานที่ตั้งเลขที่ ๓ ซอยอุดมสุข ๔๑ ถนนสุขุมวิท
แขวงบางจาก เขตพระโขนง กรุงเทพมหานคร ขอเปลี่ยนแปลงบุคลากรและสารมลพิษที่วิเคราะห์
ความละเอียดแจ้งแล้ว นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว มีความเห็นดังนี้

๑. ให้ยกเลิกเจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์ จำนวน ๒ ราย



๓. ให้เพิ่มขอบข่ายสารมลพิษที่วิเคราะห์ที่วิเคราะห์ในเดิม ตามสิ่งที่ส่งมาด้วย

UAE
UNIFIED ANALYST AND ENGINEERING
CONSULTANT COMPANY LIMITED

อำนาจ



“อุตสาหกรรมก้าวไกล ประเทศไทยก้าวไกล ร่วมกันพัฒนา อุตสาหกรรมสีเขียว”

อนึ่ง...

เอกสารอ้างอิง

1. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Volatile Organic Compounds in Various Sample Matrices Using Equilibrium Headspace Analysis. SW-846 Method 5021A, 2014.
2. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Volatile Organic Compounds in Various Sample Matrices by Gas Chromatography/Mass Spectrometry. SW-846 Method 8260, 2014.

เอกสารแนบท้ายหนังสือเปลี่ยนแปลงการและสารเคมีที่วิเคราะห์
บริษัท ยูนิเทค แอนาไลติกส์ แอนด์ เอ็นจิเนียริ่ง คอนซัลแตนท์ จำกัด เลขทะเบียน ว-๑๔๕
ที่ อภ ๐๓๑๐(๑)/ ๖ ๐ ๒ ๘ ลงวันที่ ๒๒ มีนาคม ๒๕๖๖

ขอเข้าสารเคมีที่ได้รับขึ้นทะเบียนจากกรมโรงงานอุตสาหกรรม จำนวน ๑๖ รายการ

ดูจำนวน 16 รายการ

ลำดับที่	สารเคมี	วิธีวิเคราะห์
1	Benzene	Equilibrium Headspace, Gas Chromatographic/ Mass Spectrometric Method ^(1,2)
2	Carbon tetrachloride	Equilibrium Headspace, Gas Chromatographic/ Mass Spectrometric Method ^(1,2)
3	1,2-Dichloroethane	Equilibrium Headspace, Gas Chromatographic/ Mass Spectrometric Method ^(1,2)
4	1,1-Dichloroethylene	Equilibrium Headspace, Gas Chromatographic/ Mass Spectrometric Method ^(1,2)
5	cis-1,2-Dichloroethylene	Equilibrium Headspace, Gas Chromatographic/ Mass Spectrometric Method ^(1,2)
6	trans-1,2-Dichloroethylene	Equilibrium Headspace, Gas Chromatographic/ Mass Spectrometric Method ^(1,2)
7	Ethylbenzene	Equilibrium Headspace, Gas Chromatographic/ Mass Spectrometric Method ^(1,2)
8	Methylene chloride	Equilibrium Headspace, Gas Chromatographic/ Mass Spectrometric Method ^(1,2)
9	Styrene	Equilibrium Headspace, Gas Chromatographic/ Mass Spectrometric Method ^(1,2)
10	Tetrachloroethylene	Equilibrium Headspace, Gas Chromatographic/ Mass Spectrometric Method ^(1,2)
11	Toluene	Equilibrium Headspace, Gas Chromatographic/ Mass Spectrometric Method ^(1,2)
12	Trichloroethylene	Equilibrium Headspace, Gas Chromatographic/ Mass Spectrometric Method ^(1,2)
13	m-Xylene	Equilibrium Headspace, Gas Chromatographic/ Mass Spectrometric Method ^(1,2)
14	o-Xylene	Equilibrium Headspace, Gas Chromatographic/ Mass Spectrometric Method ^(1,2)
15	p-Xylene	Equilibrium Headspace, Gas Chromatographic/ Mass Spectrometric Method ^(1,2)
16	Xylene (Total)	Equilibrium Headspace, Gas Chromatographic/ Mass Spectrometric Method ^(1,2)

อนึ่ง หนังสือฉบับนี้จะหมดอายุพร้อมหนังสือต่ออายุขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน
ที่ อก ๐๓๑๐(๑)/๑๙๙๙ ลงวันที่ ๔ กุมภาพันธ์ ๒๕๖๕ คือในวันที่ ๒ กุมภาพันธ์ ๒๕๖๘ ทั้งนี้ สามารถยื่นคำขอ
ผ่านระบบอิเล็กทรอนิกส์ได้ที่หน้าเว็บไซต์กรมโรงงานอุตสาหกรรม ตาม QR Code ห้ายหน้าสื่อฉบับนี้

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ



ผู้อำนวยการกองวิจัยและพัฒนายุทธศาสตร์โรงงาน
ปฏิบัติงานกรมแผนอธิบดีกรมโรงงานอุตสาหกรรม



ยื่นคำขอผ่านระบบอิเล็กทรอนิกส์

กองวิจัยและพัฒนายุทธศาสตร์โรงงาน

กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบแลพิซและทะเบียนห้องปฏิบัติการ

โทร. ๐ ๒๕๓๐ ๖๓๑๒ ต่อ ๒๑๐๓-๕

โทรสาร ๐ ๒๕๓๐ ๖๓๑๒ ต่อ ๒๑๙๙

ไปรษณีย์อิเล็กทรอนิกส์ saraban@dlw.mail.go.th



“อุตสาหกรรมก้าวไกล ประเทศไทยก้าวหน้า ร่วมกันพัฒนา อุตสาหกรรมสีเขียว”



ที่ อก ๐๓๑๐(๑)/ ๑ ๕ ๕ ๕ ๓

กรมโรงงานอุตสาหกรรม

ถนนพระรามที่ ๖ แขวงทุ่งพญาไท

เขตราชเทวี กรุงเทพฯ ๑๐๔๐๐

๒๕ ตุลาคม ๒๕๖๕

เรื่อง เปลี่ยนแปลงบุคลากรของห้องปฏิบัติการวิเคราะห์


เรียน กรรมการผู้จัดการ บริษัท ยูไนเต็ด แอนาไลซิส คอนซัลแตนท์ จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และขออนุญาตสารแลพิซของห้องปฏิบัติการวิเคราะห์เอกชน
ลงวันที่ ๑๘ ตุลาคม ๒๕๖๕

ตามหนังสือที่อ้างถึง บริษัท ยูไนเต็ด แอนาไลซิส แอนด์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด
ห้องปฏิบัติการวิเคราะห์เอกชน เลขทะเบียน ๖-๕๕๕ สถานที่ตั้งเลขที่ ๓ ซอยอุดมสุข ๕๑ ถนนสุขุมวิท แขวงบางจาก
เขตพระโขนง กรุงเทพมหานคร ขอเปลี่ยนแปลงบุคลากรของห้องปฏิบัติการวิเคราะห์ ความละเอียดแจ้งแล้ว นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว มีความเห็นดังนี้

๑. ให้อยกเลิกเจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์ จำนวน ๔ ราย



CONSULTANT COMPANY LIMITED

อนึ่ง หนังสือฉบับนี้...

อนึ่ง หนังสือฉบับนี้จะหมดอายุพร้อมหนังสือตอบรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน
ที่ อก ๐๓๑๐(๑)/๑๔๙๙ ลงวันที่ ๙ กุมภาพันธ์ ๒๕๖๕ คือในวันที่ ๒ กุมภาพันธ์ ๒๕๖๘ ทั้งนี้ สามารถยื่นคำขอ
ผ่านระบบอิเล็กทรอนิกส์ได้ที่เว็บไซต์กรมโรงงานอุตสาหกรรม ตาม QR Code ท้ายหนังสือฉบับนี้

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ



ผู้ดำรงตำแหน่งอธิบดีและผู้อำนวยการโรงงาน
มูลนิธิโรงงานแห่งชาติ



ยื่นคำขอผ่านระบบอิเล็กทรอนิกส์

กองวิจัยและเตือนภัยมลพิษโรงงาน
กลุ่มมาตรฐานวิธีวิเคราะห์ที่ทดสอบมลพิษและทะเบียนห้องปฏิบัติการ
โทร. ๐ ๒๕๓๐ ๖๓๑๒ ต่อ ๒๑๐๓-๕
โทรสาร ๐ ๒๕๓๐ ๖๓๑๒ ต่อ ๒๑๔๔
ไปรษณีย์อิเล็กทรอนิกส์ saraban@diw.mail.go.th



ที่ อก ๐๓๑๐(๑)/ ๑ ๒ ๑ ๗ ๓

กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท
เขตราชเทวี กรุงเทพฯ ๑๐๔๐๐
๒๕๖๕

๐ ๑ กันยายน

เรื่อง เปลี่ยนแปลงบุคลากรของห้องปฏิบัติการวิเคราะห์

เรียน กรรมการผู้จัดการ บริษัท ยูนิเด็ค แอนาไลส์ แอนด์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด

อ้างถึง คำขอขึ้นทะเบียนต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสามเหลี่ยมห้องปฏิบัติการวิเคราะห์เอกชน
ลงวันที่ ๒๖ สิงหาคม ๒๕๖๕

ตามหนังสือที่อ้างถึง บริษัท ยูนิเด็ค แอนาไลส์ แอนด์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด
ห้องปฏิบัติการวิเคราะห์เอกชน เลขทะเบียน ๖-๑๔๕ สถานที่ตั้งเลขที่ ๓ ซอยอุดมสุข ๔๑ ถนนสุขุมวิท แขวงบางจาก
เขตพระโขนง กรุงเทพมหานคร ขอเปลี่ยนแปลงบุคลากรของห้องปฏิบัติการวิเคราะห์ ความละเอียดแจ้งแล้ว นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว มีความเห็นดังนี้

๑. ให้ยกเลิกเจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์ จำนวน ๘ ราย



UNIVERSITY ANALYST AND ENGINEERING
CONSULTANT COMPANY LIMITED

อนึ่ง หนังสือฉบับนี้...



ที่ อก ๐๓๑๐(๑)/ ๕/๗ ๗

กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท
เขตราชเทวี กรุงเทพฯ ๑๐๕๐๐

๒ ๑ เมษายน ๒๕๖๕

เรื่อง เปลี่ยนแปลงบุคลากรห้องปฏิบัติการวิเคราะห์


เรียน กรรมการผู้จัดการ บริษัท ยูนิടെค แอนาไลติกส์ แอนด์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด

อ้างถึง คำขอขึ้นทะเบียน/เปลี่ยนแปลงบุคลากร และชนิดสารเคมีของห้องปฏิบัติการวิเคราะห์เอกชน
ลงวันที่ ๓๐ มีนาคม ๒๕๖๕

ตามหนังสือที่ย่างถึง บริษัท ยูนิടെค แอนาไลติกส์ แอนด์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด
ห้องปฏิบัติการวิเคราะห์เอกชน เลขทะเบียน ว-๑๕๕ สถานที่ตั้งเลขที่ ๓ ซอยอุดมสุข ถนนสุขุมวิท แขวงบางจาก
เขตพระโขนง กรุงเทพมหานคร ขอเปลี่ยนแปลงบุคลากรของห้องปฏิบัติการวิเคราะห์ ความละเอียดแม่นยำแล้ว นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว มีความเห็นดังนี้

๑. ให้ยกเลิกผู้ควบคุมดูแลห้องปฏิบัติการวิเคราะห์ จำนวน ๒ ราย



อนึ่ง หนังสือฉบับนี้จะมีผลย้อนหลังโดยอัตโนมัติเป็นต้นไปตั้งแต่วันที่ออกใบปฏิบัติการวิเคราะห์เอกชน
ที่ อก ๐๓๑๐(๑)/๑๘๗๙ ลงวันที่ ๙ กุมภาพันธ์ ๒๕๖๕ คือในวันที่ ๒ กุมภาพันธ์ ๒๕๖๘ ทั้งนี้ สามารถยื่นคำขอ
ผ่านระบบอิเล็กทรอนิกส์ได้ทันทีผ่านเว็บไซต์กรมโรงงานอุตสาหกรรม ตาม QR Code ห้าหมื่นสี่ร้อยฉบับนี้

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ



ผู้ดำเนินการต่อรับและเปลี่ยนชนิดสิ่งปฏิกูล
ปฏิบัติการทางเคมีและสิ่งแวดล้อมโรงงาน

ยื่นคำขอผ่านระบบอิเล็กทรอนิกส์



กองวิจัยและเตือนภัยมลพิษโรงงาน
กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบเคมีและสิ่งแวดล้อม
โทร. ๐ ๒๕๓๐ ๖๓๑๒ ต่อ ๒๐๓-๕ โทรสาร ๐๒๕๓๐๖๓๑๒ ต่อ ๒๐๓๐๔๕
ไปรษณีย์อิเล็กทรอนิกส์ saraban@dw.mail.go.th



“อุตสาหกรรมก้าวไกล ประเทศไทยก้าวหน้า ร่วมกันพัฒนา อุตสาหกรรมสีเขียว”



เอกสารแนบท้ายหนังสือรับข้อเสนอผู้ขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน บริษัท ยูไนเต็ด แอมนาลิสต์ แอนด์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด เลขทะเบียน ๖-๑๔๕ ที่อก ๐๓๑๐(๑)/ ๑๘๗ ๙ ลงวันที่ ๐ ๙ กุมภาพันธ์ ๒๕๖๕

ก. ผู้ควบคุมดูแลห้องปฏิบัติการวิเคราะห์ จำนวน ๔๐ ราย



ที่อก ๐๓๑๐(๑)/ ๑๘๗ ๙

กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท
เขตราชเทวี กรุงเทพฯ ๑๐๐๐๐
๐ ๙ กุมภาพันธ์ ๒๕๖๕

เรื่อง ข้อเสนอหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

เรียน กรรมการผู้จัดการ บริษัท ยูไนเต็ด แอมนาลิสต์ แอนด์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารเคมีของห้องปฏิบัติการวิเคราะห์เอกชน
ลงวันที่ ๒๗ ธันวาคม ๒๕๖๔

สิ่งที่ส่งมาด้วย ๑. รายชื่อผู้ควบคุมดูแลห้องปฏิบัติการวิเคราะห์ จำนวน ๔๐ ราย

๒. รายชื่อเจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์ จำนวน ๑๐๖ ราย

๓. ขอบข่ายสารเคมีที่ได้รับขึ้นทะเบียนจากกรมโรงงานอุตสาหกรรม

ตามหนังสือที่อ้างถึง บริษัท ยูไนเต็ด แอมนาลิสต์ แอนด์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด ขอต่ออายุหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน เลขทะเบียน ๖-๑๔๕ สถานที่ตั้งเลขที่ ๓ ซอยอุดมสุข ๔๑ ถนนสุขุมวิท แขวงบางจาก เขตพระโขนง กรุงเทพมหานคร ต่อกรมโรงงานอุตสาหกรรม นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว ให้บริษัท ยูไนเต็ด แอมนาลิสต์ แอนด์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด ต่ออายุหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน โดยยังคงประกอบดังนี้

ก. ผู้ควบคุมดูแลห้องปฏิบัติการวิเคราะห์ จำนวน ๔๐ ราย ตามสิ่งที่ส่งมาด้วย ๑

ข. เจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์ จำนวน ๑๐๖ ราย ตามสิ่งที่ส่งมาด้วย ๒

ค. ขอบข่ายสารเคมีที่ได้รับขึ้นทะเบียนให้วิเคราะห์ในน้ำเสีย น้ำดื่ม อากาศเสีย สิ่งปฏิกูล หรือวัสดุที่ไม่ได้ใช้แล้ว และดิน ตามสิ่งที่ส่งมาด้วย ๓

หนังสือฉบับนี้จะหมดอายุในวันที่ ๒ กุมภาพันธ์ ๒๕๖๘ หากประสงค์จะต่ออายุหนังสือ รับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน ให้ยื่นคำขอต่ออายุพร้อมเอกสารประกอบคำขอต่อ

กรมโรงงานอุตสาหกรรมภายใน ๓๐ วัน ก่อนวันสิ้นสุดของหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน ทั้งนี้ สามารถยื่นคำขอผ่านระบบอิเล็กทรอนิกส์ได้ที่หน้าเว็บไซต์กรมโรงงานอุตสาหกรรม ตาม QR Code ท้าย หนังสือฉบับนี้

จึงเรียนมาเพื่อทราบ



กองวิจัยและเตือนภัยมลพิษโรงงาน
กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษและทะเบียนห้องปฏิบัติการ
โทร. ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๐๓-๕
โทรสาร ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๔๙
ไปรษณีย์อิเล็กทรอนิกส์ sarabak@div.wra.go.th

บริษัท ยูไนเต็ด แอมนาลิสต์ แอนด์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด
UNITED ANALYST AND ENGINEERING
CONSULTANT COMPANY LIMITED

สิ่งที่ส่งมาด้วย ๒


เอกสารแนบท้ายหนังสือรับต่ออายุขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกซม
บริษัท ยูไนเต็ด แอนาไลสต์ แอนด์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด เลขทะเบียน ว-๑๔๕
ที่ อก ๑๓๑๐(๑)/ ๑๘๗ ๙ ลงวันที่ ๑๙ กุมภาพันธ์ ๒๕๖๕

ข. เจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์ จำนวน ๑๐๖ ราย



ผู้ดำเนินการก่อร่างและเขียนแบบเชิงวิศวกรรม
บริษัท วิศวกรรมการเกษตรและวิศวกรรมโครงสร้าง


-๒-



ผู้ดำเนินการก่อร่างและเขียนแบบเชิงวิศวกรรม
บริษัท วิศวกรรมการเกษตรและวิศวกรรมโครงสร้าง




การดำเนินงานตามแผนปฏิบัติการ
ประจำปี ๒๕๖๓



-๑-

การดำเนินงานตามแผนปฏิบัติการ
ประจำปี ๒๕๖๓



-๒-

เอกสารแนบท้ายหนังสือรับต่ออาชญากรรมขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน
บริษัท ยูนิเทค แอแนมอลิสต์ แอนด์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด เลขทะเบียน ๖-๑๔๕
ที่ ๑๓ ๐๓๑๐(๑)/ ๑๘๗ ๙ ลงวันที่ ๐๙ กุมภาพันธ์ ๒๕๖๕

ขอขายสารมลพิษที่ได้รับขึ้นทะเบียนจากกรมโรงงานอุตสาหกรรม จำนวน ๓๕๗ รายการ

น้ำเสีย จำนวน ๔๖ รายการ

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
1	Aldrin	Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾
2	Arsenic	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ⁽⁴⁾ 2) Digestion, Inductively Coupled Plasma Method ⁽⁴⁾ Digestion, Inductively Coupled Plasma Method ⁽⁴⁾
3	Barium	Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾
4	α-BHC	Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾
5	β-BHC	Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾
6	δ-BHC	Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾
7	γ-BHC	Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾
8	Biochemical Oxygen Demand	1) 5-Day BOD Test, Azide Modification Method ⁽⁴⁾ 2) 5-Day BOD Test, Membrane Electrode Method ⁽⁴⁾
9	Cadmium	1) Digestion, Direct Air-Acetylene Flame Method ⁽⁴⁾ 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ⁽⁴⁾
10	Chemical Oxygen Demand	3) Digestion, Inductively Coupled Plasma Method ⁽⁴⁾ 1) Closed Reflux, Titrimetric Method ⁽⁴⁾ 2) Closed Reflux, Colorimetric Method ⁽⁴⁾ 3) Open Reflux, Titrimetric Method ⁽⁴⁾
11	Chlordane	Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾
12	Chromium	1) Digestion, Direct Air-Acetylene Flame Method ⁽⁴⁾ 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ⁽⁴⁾ 3) Digestion, Inductively Coupled Plasma Method ⁽⁴⁾
13	Color	ADMI Weighted-Ordinate Spectrophotometric Method ⁽⁴⁾
14	Copper	1) Digestion, Direct Air-Acetylene Flame Method ⁽⁴⁾ 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ⁽⁴⁾
15	Cyanide	3) Digestion, Inductively Coupled Plasma Method ⁽⁴⁾ 1) Digestion, Direct Air-Acetylene Flame Method ⁽⁴⁾ 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ⁽⁴⁾ 3) Digestion, Inductively Coupled Plasma Method ⁽⁴⁾

-๖-

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
16	o,p'-DDT	Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾
17	4,4'-DDD	Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾
18	4,4'-DDE	Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾
19	4,4'-DDT	Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾
20	Dieldrin	Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾
21	Endosulfan I	Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾
22	Endosulfan II	Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾
23	Endosulfan sulfate	Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾
24	Endrin	Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾
25	Endrin aldehyde	Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾
26	Formaldehyde	Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾
27	Free Chlorine	Distillation, Colorimetric Method ⁽³⁾ 1) Iodometric Method ⁽⁴⁾ 2) DPD Ferrous Titrimetric Method ⁽⁴⁾
28	Heptachlor	Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾
29	Heptachlor Epoxide	Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾
30	Hexavalent Chromium	1) Colorimetric Method ⁽⁴⁾ 2) Extraction, Direct Air-Acetylene Flame Method ⁽⁴⁾
31	Lead	1) Digestion, Direct Air-Acetylene Flame Method ⁽⁴⁾ 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ⁽⁴⁾
32	Manganese	3) Digestion, Inductively Coupled Plasma Method ⁽⁴⁾ 1) Digestion, Direct Air-Acetylene Flame Method ⁽⁴⁾ 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ⁽⁴⁾ 3) Digestion, Inductively Coupled Plasma Method ⁽⁴⁾
33	Mercury	Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ⁽⁴⁾
34	Methoxychlor	Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾
35	Nickel	1) Digestion, Direct Air-Acetylene Flame Method ⁽⁴⁾ 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ⁽⁴⁾ 3) Digestion, Inductively Coupled Plasma Method ⁽⁴⁾

36 Oil & Grease...

16 o,p'-DDT...

-๕-

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
4	Anthracene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾ Digestion, Inductively Coupled Plasma Method ⁽⁴⁾
5	Antimony	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ⁽⁴⁾
6	Arsenic	2) Digestion, Inductively Coupled Plasma Method ⁽⁴⁾ Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
7	Atrazine	1) Digestion, Electrothermal Atomic Absorption Spectrometric Method ⁽⁴⁾
8	Barium	2) Digestion, Inductively Coupled Plasma Method ⁽⁴⁾
9	Benz(a)anthracene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾ Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
10	Benzene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾
11	Benzo(b)fluoranthene	2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
12	Benzo(k)fluoranthene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
13	Benzoic acid	2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
14	Benzo(a)pyrene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾

UNITED ANALYST AND ENGINEERING
CONSULTANT COMPANY LIMITED

15 Benzo(g,h,i)perylene...

-๖-

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
36	Oil & Grease	1) Liquid-Liquid, Partition-Gravimetric Method ⁽⁴⁾ 2) Soxhlet Extraction Method ⁽⁴⁾ Electrometric Method ⁽⁴⁾
37	pH	
38	Phenols	1) Distillation, Chloroform Extraction Method ⁽⁴⁾ 2) Distillation, Direct Photometric Method ⁽⁴⁾
39	Selenium	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ⁽⁴⁾ 2) Digestion, Inductively Coupled Plasma Method ⁽⁴⁾
40	Sulfide	1) Iodometric Method ⁽⁴⁾ 2) Methylene Blue Method ⁽⁴⁾ Laboratory and Field Methods ⁽⁴⁾
41	Temperature	Dried at 180 °C ⁽⁴⁾
42	Total Dissolved Solids	Semi-Micro-Kjeldahl Method ⁽⁴⁾
43	Total Kjeldahl Nitrogen	Dried at 103-105 °C ⁽⁴⁾
44	Total Suspended Solids	1) Digestion, Direct Air-Acetylene Flame Method; Colorimetric Method; Calculation ⁽⁴⁾ 2) Digestion, Inductively Coupled Plasma Method; Colorimetric Method; Calculation ⁽⁴⁾
45	Trivalent Chromium	1) Digestion, Direct Air-Acetylene Flame Method; Colorimetric Method; Calculation ⁽⁴⁾ 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ⁽⁴⁾ 3) Digestion, Inductively Coupled Plasma Method ⁽⁴⁾
46	Zinc	

น้ำดื่ม จำนวน 126 รายการ

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
1	Acenaphthene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
2	Acetone	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
3	Aldrin	1) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾

UNITED ANALYST AND ENGINEERING
CONSULTANT COMPANY LIMITED

4 Anthracene...

-๖-

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
30	Chlorodibromomethane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^(a)
31	Chloroform	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^(a)
32	2-Chlorophenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^(a)
33	Chromium	1) Digestion, Direct Air-Acetylene Flame Method ^(a) 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^(a)
34	Chromium (III)	3) Digestion, Inductively Coupled Plasma Method ^(a) 1) Digestion, Direct Air-Acetylene Flame Method; Colorimetric Method; Calculation ^(a) 2) Digestion, Inductively Coupled Plasma Method; Colorimetric Method; Calculation ^(a)
35	Chromium (VI)	1) Colorimetric Method ^(a) 2) Extraction, Air-Acetylene Flame Method ^(a)
36	Chrysene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^(a) 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^(a)
37	Cyanide	Distillation, Colorimetric Method ^(a)
38	2,4-D	Liquid-Liquid Extraction, Gas Chromatographic Method ^(a)
39	DDD	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^(a) 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^(a)
40	DDE	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^(a) 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^(a)
41	DDT	1) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^(a) 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^(a)

42 Dibenz(a,h)anthracene...

-๕-

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
15	Benzo(g,h,i)perylene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^(a) 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^(a)
16	Beryllium	Digestion, Inductively Coupled Plasma Method ^(a)
17	Bis(2-chloroethyl)ether	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^(a)
18	Bis(2-ethylhexyl)phthalate	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^(a)
19	Bromodichloromethane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^(a)
20	Bromoform	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^(a)
21	Butanol	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^(a)
22	Butyl benzyl phthalate	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^(a)
23	Cadmium	1) Digestion, Direct Air-Acetylene Flame Method ^(a) 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^(a) 3) Digestion, Inductively Coupled Plasma Method ^(a)
24	Carbazole	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^(a)
25	Carbon disulfide	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^(a)
26	Carbon tetrachloride	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^(a)
27	Chlordane	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^(a) 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^(a)
28	p-Chloroaniline	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^(a)
29	Chlorobenzene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^(a)

30 Chlorodibromomethane...

ลำดับ	สารเคมี	วิธีวิเคราะห์
58	Diethyl phthalate	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^(a)
59	2,4-Dimethylphenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^(a)
60	2,4-Dinitrophenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^(a)
61	2,4-Dinitrotoluene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^(a)
62	2,6-Dinitrotoluene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^(a)
63	Di-n-Octyl phthalate	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^(a)
64	Endosulfan	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^(a) 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^(a)
65	Endrin	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^(a) 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^(a)
66	Ethylbenzene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^(a)
67	Fluoranthene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^(a) 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^(a)
68	Fluorene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^(a) 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^(a)
69	Heptachlor	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^(a) 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^(a)

70 Heptachlor epoxide...

ลำดับ	สารเคมี	วิธีวิเคราะห์
42	Dibenz(a,h)anthracene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^(a) 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^(a)
43	Di-n-butyl phthalate	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^(a)
44	1,2-Dichlorobenzene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^(a)
45	1,3-Dichlorobenzene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^(a)
46	1,4-Dichlorobenzene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^(a)
47	3,3'-Dichlorobenzidine	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^(a)
48	1,1-Dichloroethane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^(a)
49	1,2-Dichloroethane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^(a)
50	1,1-Dichloroethylene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^(a)
51	cis-1,2-Dichloroethylene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^(a)
52	trans-1,2-Dichloroethylene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^(a)
53	2,4-Dichlorophenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^(a)
54	1,2-Dichloropropane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^(a)
55	1,3-Dichloropropane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^(a)
56	1,3-Dichloropropene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^(a)
57	Dieldrin	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^(a) 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^(a)

58 Diethyl phthalate...

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
82	Manganese	1) Digestion, Direct Air-Acetylene Flame Method ⁽⁴⁾ 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ⁽⁴⁾
83	Mercury	3) Digestion, Inductively Coupled Plasma Method ⁽⁴⁾ Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ⁽⁴⁾
84	Methanol	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
85	Methoxychlor	Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾
86	Methyl bromide	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
87	Methylene chloride	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
88	2-Methylphenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
89	2-Methylnaphthalene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
90	Methyl tert-butyl ether	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
91	Naphthalene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
92	Nickel	1) Digestion, Direct Air-Acetylene Flame Method ⁽⁴⁾ 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ⁽⁴⁾
93	Nitrobenzene	3) Digestion, Inductively Coupled Plasma Method ⁽⁴⁾ Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
94	N-Nitrosodiphenylamine	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
95	N-Nitrosodi-n-propylamine	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾

96 Polychlorinated Biphenyls...

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
70	Heptachlor epoxide	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
71	Hexachlorobenzene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
72	Hexachloro-1,3-butadiene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
73	n-Hexane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
74	α -HCH	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
75	β -HCH	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
76	γ -HCH	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
77	Hexachlorocyclopentadiene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
78	Hexachloroethane	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
79	Indeno(1,2,3-cd)pyrene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
80	Isophorone	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
81	Lead	1) Digestion, Direct Air-Acetylene Flame Method ⁽⁴⁾ 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ⁽⁴⁾

UNITED ANALYST AND ELECTRICITY
CONSULTANT COMPANY LIMITED

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
108	Toxaphene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
109	TPH (C ₅ - C ₈)	1) Purge and Trap, Gas Chromatographic Method ^{(1),(2)} 2) Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^{(1),(2)}
110	TPH (C ₈ - C ₁₆)	Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ⁽²⁾
111	TPH (C ₁₆ - C ₃₅)	Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ⁽²⁾
112	1,2,4-Trichlorobenzene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
113	1,1,1-Trichloroethane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
114	1,1,2-Trichloroethane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
115	Trichloroethylene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
116	2,4,5-Trichlorophenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
117	2,4,6-Trichlorophenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
118	1,3,5-Trimethylbenzene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
119	Vanadium	Digestion, Inductively Coupled Plasma Method ⁽⁴⁾
120	Vinyl acetate	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
121	Vinyl chloride	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
122	m-Xylene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
123	o-Xylene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾

124 p-Xylene...

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
96	Polychlorinated Biphenyls - PCB 1016 - PCB 1221 - PCB 1232 - PCB 1242 - PCB 1248 - PCB 1254 - PCB 1260	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
97	Pentachlorophenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
98	pH	Electrometric Method ⁽⁴⁾
99	Phenanthrene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
100	Phenol	1) Distillation, Chloroform Extraction Method ⁽⁴⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
101	Pyrene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
102	Selenium	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ⁽⁴⁾ 2) Digestion, Inductively Coupled Plasma Method ⁽⁴⁾
103	Silver	Digestion, Inductively Coupled Plasma Method ⁽⁴⁾
104	Styrene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
105	1,1,2,2-Tetrachloroethane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
106	Tetrachloroethylene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
107	Toluene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾

108 Toxaphene...

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
10	Dioxins/Furans	Isokinetic Sampling ^[5]
11	Hydrogen Chloride	Isokinetic Sampling, Ion Chromatographic Method ^[5]
12	Hydrogen Fluoride	Isokinetic Sampling, Ion Chromatographic Method ^[5]
13	Hydrogen Sulfide	Absorption Sampling, Iodometric Method ^[5]
14	Lead	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method ^[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
15	Manganese	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method ^[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
16	Mercury	Isokinetic Sampling, Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[5]
17	Nickel	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method ^[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
18	Opacity	Ringelmann's Method ^[1]
19	Oxides of Nitrogen	1) Absorption Sampling, Phenoldisulfonic acid Method ^[5] 2) Instrumental Analyzer Method ^[5]
20	Selenium	1) Isokinetic Sampling, Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
21	Sulfur Dioxide	1) Absorption Sampling, Barium-Thioin Titrimetric Method ^[5] 2) Instrumental Analyzer Method ^[5]
22	Sulfuric Acid	Isokinetic Sampling, Barium-Thioin Titrimetric Method ^[5]
23	Total Suspended Particulate	Isokinetic Sampling, Gravimetric Method ^[5]
24	Vanadium	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
25	Xylene	1) Isokinetic Sampling, Gas Chromatographic Method ^[5] 2) Absorption Sampling, Gas Chromatographic Method ^[5]

สิ่งปฏิกูล...

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
124	p-Xylene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
125	Xylene (Total)	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
126	Zinc	1) Digestion, Direct Air-Acetylene Flame Method ^[4] 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^[4] 3) Digestion, Inductively Coupled Plasma Method ^[4]

อากาศเสีย (ปล่อยระบาย) จำนวน 25 รายการ

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
1	Antimony	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
2	Arsenic	1) Isokinetic Sampling, Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
3	Cadmium	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method ^[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
4	Carbon Monoxide	Instrumental Analyzer Method ^[5]
5	Chlorine	Isokinetic Sampling, Ion Chromatographic Method ^[5]
6	Chromium	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method ^[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
7	Cobalt	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
8	Copper	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method ^[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
9	Cresol	1) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5] 2) Absorption Sampling, Gas Chromatographic Method ^[5]

CONSULTANT COMPANY LIMITED
ANALYST AND ENGINEER

10 Dioxins/Furans...

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
9	Chromium (III)	3) Digestion, Flame Atomic Absorption Spectrometric Method ^(7,14) 4) Digestion, Inductively Coupled Plasma Method ^(7,13) 1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method; Waste Extraction, Colorimetric Method; Calculation ^(2,6,14,16) 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method; Waste Extraction, Colorimetric Method; Calculation ^(2,6,13,16) 3) Digestion, Flame Atomic Absorption Spectrometric Method; Alkaline Digestion, Colorimetric Method; Calculation ^(7,8,14,16) 4) Digestion, Inductively Coupled Plasma Method; Alkaline Digestion, Colorimetric Method; Calculation ^(7,8,13,16)
10	Chromium (VI)	1) Waste Extraction, Colorimetric Method ^(2,16) 2) Alkaline Digestion, Colorimetric Method ^(8,16)
11	Cobalt	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^(2,6,13)
12	Copper	2) Digestion, Inductively Coupled Plasma Method ^(7,13) 1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method ^(2,6,14) 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^(2,6,13) 3) Digestion, Flame Atomic Absorption Spectrometric Method ^(7,14) 4) Digestion, Inductively Coupled Plasma Method ^(7,13)
13	2,4-D	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^(2,9,22) 2) Ultrasonic Extraction, Gas Chromatographic Method ^(10,22)
14	DDD	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^(2,9,22) 2) Ultrasonic Extraction, Gas Chromatographic Method ^(10,22)

15 DDE...

สิ่งปลูกสรหรือวัตถุที่ไม่ใช่แล้ว จำนวน 35 รายการ

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
1	Aldrin	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^(2,9,22) 2) Ultrasonic Extraction, Gas Chromatographic Method ^(10,22)
2	Antimony	Digestion, Inductively Coupled Plasma Method ^(7,13)
3	Arsenic	1) Waste Extraction, Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^(2,6,15) 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^(2,6,13)
4	Barium	3) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^(7,15) 4) Digestion, Inductively Coupled Plasma Method ^(7,13)
5	Beryllium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^(2,6,13) 2) Digestion, Inductively Coupled Plasma Method ^(7,13)
6	Cadmium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^(2,6,14) 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^(2,6,13) 3) Digestion, Flame Atomic Absorption Spectrometric Method ^(7,14) 4) Digestion, Inductively Coupled Plasma Method ^(7,13)
7	Chlordane	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^(2,9,22) 2) Ultrasonic Extraction, Gas Chromatographic Method ^(10,22)
8	Chromium	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method ^(2,6,13) 2) Waste Extraction, Plasma Method ^(2,6,13)

3) Digestion...

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
30	Silver	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^(26.13) 2) Digestion, Inductively Coupled Plasma Method ^(7.13)
31	Thallium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^(26.13)
32	Toxaphene	2) Digestion, Inductively Coupled Plasma Method ^(7.13) 1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^(25.22) 2) Ultrasonic Extraction, Gas Chromatographic Method ^(10.22)
33	Trichloroethylene	1) Waste Extraction, Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(2.12.25) 2) Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12.25)
34	Vanadium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^(26.13)
35	Zinc	2) Digestion, Inductively Coupled Plasma Method ^(7.13) 1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method ^(26.14) 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^(26.13) 3) Digestion, Flame Atomic Absorption Spectrometric Method ^(7.14) 4) Digestion, Inductively Coupled Plasma Method ^(7.13)

ดิน จำนวน 125 รายการ

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
1	Acenaphthene	1) Ultrasonic Extraction, Gas Chromatographic Method ^(10.26) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10.26)
2	Acetone	Purge and Trap, Gas Chromatographic Method ^(10.26)

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
	- 2,2',4,5,5'-Pentachlorobiphenyl - 2,3,3',4',6-Pentachlorobiphenyl - 2,2',3,4,4',5'-Hexachlorobiphenyl - 2,2',3,4,5,5'-Hexachlorobiphenyl - 2,2',3,5,5',6-Hexachlorobiphenyl - 2,2',4,4',5,5'-Hexachlorobiphenyl - 2,2',3,3',4,4',5-Heptachlorobiphenyl - 2,2',3,4,4',5,5'-Heptachlorobiphenyl - 2,2',3,4,4',5,5',6-Heptachlorobiphenyl - 2,2',3,4',5,5',6-Heptachlorobiphenyl - 2,2',3,3',4,4',5,5',6-Nonachlorobiphenyl Pentachlorophenol	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^(25.28) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10.26) Electrometric Method ^(31.32) 1) Waste Extraction, Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^(24.28) 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^(24.13) 3) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^(24.28) 4) Digestion, Inductively Coupled Plasma Method ^(24.13)
27		
28	pH	
29	Selenium	

Abstract

15 Benzo(g,h,i)perylene...

1) Ultrasonic Extraction Method [1,2,3,4]

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
43	Di-n-butyl phthalate	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)
44	1,2-Dichlorobenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,25)
45	1,3-Dichlorobenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,25)
46	1,4-Dichlorobenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,25)
47	3,3'-Dichlorobenzidine	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)
48	1,1-Dichloroethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,25)
49	1,2-Dichloroethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,25)
50	1,1-Dichloroethylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,25)
51	cis-1,2-Dichloroethylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,25)
52	trans-1,2-Dichloroethylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,25)
53	2,4-Dichlorophenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)
54	1,2-Dichloropropane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,25)
55	1,3-Dichloropropane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,25)
56	1,3-Dichloropropene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,25)
57	Dieldrin	1) Ultrasonic Extraction, Gas Chromatographic Method ^(10,22) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
58	Diethyl phthalate	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)
59	2,4-Dimethylphenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)

60 2,4-Dinitrophenol...

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
31	Chloroform	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,25)
32	2-Chlorophenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)
33	Chromium	1) Digestion, Flame Atomic Absorption Spectrometric Method ^(7,16) 2) Digestion, Inductively Coupled Plasma Method ^(7,13)
34	Chromium (III)	1) Digestion, Flame Atomic Absorption Spectrometric Method; Alkaline Digestion, Colorimetric Method; Calculation ^(7,8,13,16) 2) Digestion, Inductively Coupled Plasma Method; Alkaline Digestion, Colorimetric Method; Calculation ^(7,8,13,16)
35	Chromium (VI)	Alkaline Digestion, Colorimetric Method ^(8,16)
36	Chrysene	1) Ultrasonic Extraction, Gas Chromatographic Method ^(10,26) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)
37	Cyanide	Extraction, Distillation, Colorimetric Method ^(28,29,30)
38	2,4-D	Ultrasonic Extraction, Gas Chromatographic Method ⁽²⁷⁾
39	DDD	1) Ultrasonic Extraction, Gas Chromatographic Method ^(10,22) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)
40	DDE	1) Ultrasonic Extraction, Gas Chromatographic Method ^(10,22) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)
41	DDT	1) Ultrasonic Extraction, Gas Chromatographic Method ^(10,22) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)
42	Dibenz(a,h)anthracene	1) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,22) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)

43 Di-n-butyl phthalate...

ลำดับ	สารเคมี	วิธีวิเคราะห์
71	Hexachlorobenzene	1) Ultrasonic Extraction, Gas Chromatographic Method ^(10,22) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)
72	Hexachloro-1,3-butadiene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,25)
73	n-Hexane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,25)
74	α -HCH	1) Ultrasonic Extraction, Gas Chromatographic Method ^(10,22)
75	β -HCH	2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)
76	γ -HCH	1) Ultrasonic Extraction, Gas Chromatographic Method ^(10,22) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)
77	Hexachlorocyclopentadiene	1) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)
78	Hexachloroethane	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)
79	Indeno(1,2,3-cd)pyrene	Ultrasonic Extraction, Gas Chromatographic Method ^(10,26) 1) Ultrasonic Extraction, Gas Chromatographic Method ^(10,24) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)
80	Isophorone	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)
81	Lead	1) Digestion, Flame Atomic Absorption Spectrometric Method ^(7,14) 2) Digestion, Inductively Coupled Plasma Atomic Absorption Spectrometric Method ^(7,14)
82	Manganese	1) Digestion, Flame Atomic Absorption Spectrometric Method ^(7,14) 2) Digestion, Inductively Coupled Plasma Atomic Absorption Spectrometric Method ^(7,14)

83 Mercury...

ลำดับ	สารเคมี	วิธีวิเคราะห์
60	2,4-Dinitrophenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)
61	2,4-Dinitrotoluene	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)
62	2,6-Dinitrotoluene	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)
63	Di-n-Octyl phthalate	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)
64	Endosulfan	1) Ultrasonic Extraction, Gas Chromatographic Method ^(10,22) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)
65	Endrin	1) Ultrasonic Extraction, Gas Chromatographic Method ^(10,22) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)
66	Ethylbenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,25)
67	Fluoranthene	1) Ultrasonic Extraction, Gas Chromatographic Method ^(10,24) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)
68	Fluorene	1) Ultrasonic Extraction, Gas Chromatographic Method ^(10,24) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)
69	Heptachlor	1) Ultrasonic Extraction, Gas Chromatographic Method ^(10,22) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)
70	Heptachlor epoxide	1) Ultrasonic Extraction, Gas Chromatographic Method ^(10,22) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)

ลำดับ	สารเคมี	วิธีวิเคราะห์
112	1,1,1-Trichloroethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^{(1)(2,25)}
113	1,1,2-Trichloroethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^{(1)(2,25)}
114	Trichloroethylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^{(1)(2,25)}
115	2,4,5-Trichlorophenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^{(1)(2,26)}
116	2,4,6-Trichlorophenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^{(1)(2,26)}
117	1,3,5-Trimethylbenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^{(1)(2,25)}
118	Vanadium	Digestion, Inductively Coupled Plasma Method ⁽⁷⁾⁽¹³⁾
119	Vinyl acetate	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^{(1)(2,25)}
120	Vinyl chloride	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^{(1)(2,25)}
121	m-Xylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^{(1)(2,25)}
122	o-Xylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^{(1)(2,25)}
123	p-Xylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^{(1)(2,25)}
124	Xylene (Total)	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^{(1)(2,25)}
125	Zinc	1) Digestion, Flame Atomic Absorption Spectrometric Method ⁽⁷⁾⁽¹⁴⁾ 2) Digestion, Inductively Coupled Plasma Method ⁽⁷⁾⁽¹³⁾

เอกสารอ้างอิง

1. กระทรวงอุตสาหกรรม. ประกาศกระทรวงอุตสาหกรรม, พ.ศ. 2549. เรื่อง กำหนดค่าปริมาณเงินเข้า

พันธุ์ที่สืบไปในอากาศที่ระบายออกจากปล่องของหม้อน้ำ

ราชกิจจานุเบกษา, 4 ธันวาคม 2549, เล่มที่ 123 ตอนพิเศษ 125

2. กระทรวงอุตสาหกรรม, ประกาศกระทรวงอุตสาหกรรม, พ.ศ. 2548

หรือวัสดุที่ไม่ใช่แล้ว ราชกิจจานุเบกษา, 25 มกราคม 2543, เล่มที่ 123 ตอนที่ 10 ก หน้า 11111-11112

1

ลำดับ	สารเคมี	วิธีวิเคราะห์
97	- 2,2',3,4',5,5',6'-Heptachlorobiphenyl - 2,2',3,3',4,4',5,5',6'-Nonachlorobiphenyl Pentachlorophenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)
98	Phenanthrene	1) Ultrasonic Extraction, Gas Chromatographic Method ^(10,24) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)
99	Phenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)
100	Pyrene	1) Ultrasonic Extraction, Gas Chromatographic Method ^(10,24) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,26)
101	Selenium	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^(7,22) 2) Digestion, Inductively Coupled Plasma Method ^(7,13)
102	Silver	Digestion, Inductively Coupled Plasma Method ^(7,13)
103	Styrene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,25)
104	1,1,2,2-Tetrachloroethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,25)
105	Tetrachloroethylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,25)
106	Toluene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,25)
107	Toxaphene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,25)
108	TPH (C ₈ -C ₁₆)	Ultrasonic Extraction, Gas Chromatographic Method ^(10,22)
109	TPH (C ₈ -C ₁₆)	1) Purge and Trap, Gas Chromatographic Method ^(12,21) 2) Purge and Trap, Gas Chromatographic Spectrometric Method ^(12,25)
110	TPH (C ₁₆ -C ₃₅)	Ultrasonic Extraction, Gas Chromatographic Spectrometric Method ^(12,25)
111	1,2,4-Trichlorobenzene	Purge and Trap, Gas Chromatographic Spectrometric Method ^(12,25)

3. สมาคมวิสาหกิจ...

112 1,1,1-Trichloroethane...

16. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Chromium, Hexavalent (Colorimetric). SW-846 Method 7196A**, 1992.
17. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Mercury in Liquid Waste (Manual Cold Vapor Technique). SW-846 Method 7470A**, 1994.
18. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Mercury in Solid or Semisolid Waste (Manual Cold-Vapor Technique). SW-846 Method 7471B**, 1998.
19. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Mercury in Solids and Solutions by Thermal Decomposition, Amalgamation, and Atomic Absorption Spectrophotometry. SW-846 Method 7473**, 2007.
20. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Selenium (Atomic Absorption, Borohydride Reduction). SW-846 Method 7742**, 1994.
21. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Nonhalogenated Organics Using GC/FID. SW-846 Method 8015D**, 2003.
22. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Organochlorine Pesticides by Gas Chromatography. SW-846 Method 8081B**, 2007.
23. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Polychlorinated Biphenyls (PCBs) by Gas Chromatography. SW-846 Method 8082A**, 2007.
24. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Polynuclear Aromatic Hydrocarbons. SW-846 Method 8100**, 1980.
25. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry. SW-846 Method 8260D**, 2018.
26. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Semivolatile Organic Compounds by Gas Chromatography/Mass Spectrometry. SW-846 Method 8270E**, 2018.
27. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Chlorinated Herbicides and Pesticides by Gas Chromatography/Mass Spectrometry. SW-846 Method 8270F**, 2018.
28. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Chlorinated Herbicides and Pesticides by Gas Chromatography/Mass Spectrometry. SW-846 Method 8270G**, 2018.

3. สมาคมวิศวกรสิ่งแวดล้อมแห่งประเทศไทย. คู่มือวิเคราะห์น้ำเสีย. พิมพ์ครั้งที่ 4. กรุงเทพมหานคร: เรือนแก้วการพิมพ์, 2547.
4. APHA, AWWA, WEF. **Standard Methods for the Examination of Water and Wastewater**. 23rd ed. Washington, DC: APHA, 2017.
5. United States Environmental Protection Agency. **Standards of Performance for New Stationary Sources**. 40 CFR 60. Appendix A, 2019.
6. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. SW-846**, 1997.
7. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Acid Digestion of Sediments, Sludges, and Soils. SW-846 Method 3050B**, 1996.
8. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Alkaline Digestion for Hexavalent Chromium. SW-846 Method 3060A**, 1996.
9. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Separatory Funnel Liquid-Liquid Extraction. SW-846 Method 3510C**, 1996.
10. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Ultrasonic Extraction. SW-846 Method 3550C**, 2007.
11. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Purge and Trap for Aqueous Samples. SW-846 Method 5030C**, 2003.
12. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Closed System Purge and Trap and Extraction for Volatile Organics in Soil and Waste Sample. SW-846 Method 5035A**, 2000.
13. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Inductively Coupled Plasma-Optical Emission Spectrometry. SW-846 Method 6010D**, 2014.
14. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Flame Atomic Absorption Spectrophotometry. SW-846 Method 7000B**, 2007.
15. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Arsenic (Atomic Absorption) Gaseous Hydride Generation Method 7061A**, 2007.

28. United States Environmental Protection Agency, Test Methods for Evaluation Solid Waste Physical/Chemical Methods, **Total and Amenable Cyanide : Distillation, SW-846 Method 9010C**, 2004.
29. United States Environmental Protection Agency, Test Methods for Evaluation Solid Waste Physical/Chemical Methods, **Cyanide Extraction Procedure for Solids and Oils, SW-846 Method 9013A**, 2014.
30. United States Environmental Protection Agency, Test Methods for Evaluation Solid Waste Physical/Chemical Methods, **Cyanide in Waters and Extracts using Titrimetric and Manual Spectrophotometric Procedures, SW-846 Method 9014**, 2014.
31. United States Environmental Protection Agency, Test Methods for Evaluation Solid Waste Physical/Chemical Methods, **pH Electrometric Measurement, SW-846 Method 9040C**, 2004.
32. United States Environmental Protection Agency, Test Methods for Evaluation Solid Waste Physical/Chemical Methods, **Soil and Waste pH, SW-846 Method 9045D**, 2004.