

## ANALYSIS REPORT

<b>CUSTOMER NAME</b>	: THE STAGE TAOPOON INTERCHANGE	<b>RECEIVED DATE</b>	: JANUARY 17, 2024
<b>ADDRESS</b>	: 318 PRACHARAT ROAD 2 BANG SUE BANG SUE BANGKOK 10800	<b>ANALYTICAL DATE</b>	: JANUARY 17-22, 2024
<b>CONTACT INFORMATION</b>	: TEL : 06 4184 2418 e-mail : sti@th.knightfrank.com	<b>REPORT NO.</b>	: 2024-U006857
<b>SAMPLING SOURCE</b>	: SWIMMING POOL	<b>WORK NO.</b>	: 2023-007104
<b>SAMPLE TYPE</b>	: WATER SAMPLE FROM SWIMMING POOL	<b>ANALYSIS NO.</b>	: T24AA998-0005
<b>SAMPLING DATE</b>	: JANUARY 17, 2024		
<b>SAMPLING TIME</b>	: 13:50 HOUR		
<b>SAMPLING METHOD °</b>	: GRAB AND STERILE TECHNIQUE		
<b>SAMPLING BY °</b>	: [REDACTED]		
<b>ANALYZED BY</b>	: [REDACTED]		

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T24AA998-0005		
AMMONIA °	mg/L NH <sub>3</sub>	PHENATE METHOD (SM: PART 4500-NH <sub>3</sub> F)	0.12	≤ 20	0.05
CALCIUM HARDNESS °	mg/L as CaCO <sub>3</sub>	EDTA TITRIMETRIC METHOD (SM: PART 3500-Ca B)	254	250-600	4.0
CHLORIDE °	mg/L Cl <sup>-</sup>	ARGENTOMETRIC METHOD (SM: PART 4500-Cl <sup>-</sup> B)	3,228	≤ 600	2.0
CYANURIC ACID °	mg/L	TURBIDIMETRIC METHOD	142	30-60	1
NITRATE °	mg/L NO <sub>3</sub> <sup>-</sup>	CADMIUM REDUCTION METHOD (SM: PART 4500-NO <sub>3</sub> <sup>-</sup> E)	0.80	≤ 50	0.09
TOTAL ALKALINITY °	mg/L as CaCO <sub>3</sub>	TITRATION METHOD (SM: PART 2320 B)	24.5	80-100	-
MICROBIOLOGY					
FAECAL COLIFORM BACTERIA °	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 E)	< 1.1	NOT DETECTED	1.1
COLIFORM BACTERIA °	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 B)	< 1.1	< 10	1.1
<i>E. coli</i> °	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: PART 9221 D AND F)	NOT DETECTED	NOT DETECTED	-
<i>Pseudomonas aeruginosa</i> °	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	NOT DETECTED	-



PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T24AA998-0005		
<i>Staphylococcus aureus</i> <sup>c</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: PART 9213 B)	NOT DETECTED	NOT DETECTED	-
<b>SAMPLE CONDITION</b> WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR -		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

<sup>b</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

<sup>c</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : RECOMMENDATIONS OF PUBLIC HEALTH COMMITTEE NO. 1/2550; CONTROL OF SWIMMING POOLS BUSINESSES OR OTHER SIMILAR BUSINESSES.

< 1.1 : LESS THAN 1.1 MPN/100 mL MEANS NOT DETECTED.

.....  
LABORATORY SUPERVISOR

JANUARY 26, 2024

## ANALYSIS REPORT

**CUSTOMER NAME** : THE STAGE TAOPOON INTERCHANGE  
**ADDRESS** : 318 PRACHARAT ROAD 2 BANG SUE BANG SUE BANGKOK 10800  
**CONTACT INFORMATION** : TEL : 06 4184 2418 e-mail : sti@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : JANUARY 17, 2024  
**SAMPLING TIME** : 13:52 HOUR  
**SAMPLING METHOD °** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY °** :   
**ANALYZED BY** :   
**RECEIVED DATE** : JANUARY 17, 2024  
**ANALYTICAL DATE** : JANUARY 17-22, 2024  
**REPORT NO.** : 2024-U006856  
**WORK NO.** : 2023-007104  
**ANALYSIS NO.** : T24AA998-0003

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T24AA998-0003		
AMMONIA °	mg/L NH <sub>3</sub>	PHENATE METHOD (SM: PART 4500-NH <sub>3</sub> F)	0.10	≤ 20	0.05
CALCIUM HARDNESS °	mg/L as CaCO <sub>3</sub>	EDTA TITRIMETRIC METHOD (SM: PART 3500-Ca B)	259	250-600	4.0
CHLORIDE °	mg/L Cl <sup>-</sup>	ARGENTOMETRIC METHOD (SM: PART 4500-Cl <sup>-</sup> B)	3,474	≤ 600	2.0
CYANURIC ACID °	mg/L	TURBIDIMETRIC METHOD	142	30-60	1
NITRATE °	mg/L NO <sub>3</sub> <sup>-</sup>	CADMIUM REDUCTION METHOD (SM: PART 4500-NO <sub>3</sub> <sup>-</sup> E)	0.84	≤ 50	0.09
TOTAL ALKALINITY °	mg/L as CaCO <sub>3</sub>	TITRATION METHOD (SM: PART 2320 B)	23.5	80-100	-
<b>MICROBIOLOGY</b>					
COLIFORM BACTERIA <sup>b</sup>	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 B)	< 1.1	< 10	1.1
<i>E. coli</i> <sup>b</sup>	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: PART 9221 D AND F)	NOT DETECTED	NOT DETECTED	-
FAECAL COLIFORM BACTERIA <sup>b</sup>	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 E)	< 1.1	NOT DETECTED	1.1
<i>Pseudomonas aeruginosa</i> °	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	NOT DETECTED	-



PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T24AA998-0003		
<i>Staphylococcus aureus</i> <sup>c</sup>	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: PART 9213 B)	NOT DETECTED	NOT DETECTED	-
<b>SAMPLE CONDITION</b> WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR -		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

<sup>b</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

<sup>c</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : RECOMMENDATIONS OF PUBLIC HEALTH COMMITTEE NO. 1/2550; CONTROL OF SWIMMING POOLS BUSINESSES OR OTHER SIMILAR BUSINESSES.

< 1.1 : LESS THAN 1.1 MPN/100 mL MEANS NOT DETECTED.

LABORATORY SUPERVISOR

JANUARY 26, 2024

## ANALYSIS REPORT

**CUSTOMER NAME** : THE STAGE TAOPOON INTERCHANGE  
**ADDRESS** : 318 PRACHARAT ROAD 2 BANG SUE BANG SUE BANGKOK 10800  
**CONTACT INFORMATION** : TEL : 06 4184 2418 e-mail : sti@th.knightfrank.com  
**SAMPLING SOURCE** : -  
**SAMPLE TYPE** : BLANK (SWIMMING POOL) **RECEIVED DATE** : JANUARY 17, 2024  
**SAMPLING DATE** : - **ANALYTICAL DATE** : JANUARY 17-23, 2024  
**SAMPLING TIME** : - **REPORT NO.** : 2024-U006847  
**SAMPLING METHOD** : - **WORK NO.** : 2023-007104  
**SAMPLING BY** : - **ANALYSIS NO.** : 2024-FB0059, 2024-TB0059  
**ANALYZED BY** : [REDACTED]

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT		DETECTION LIMIT
			1 2024-FB0059	2 2024-TB0059	
AMMONIA	mg/L NH <sub>3</sub>	PHENATE METHOD (SM: PART 4500-NH <sub>3</sub> F)	ND	ND	0.05
CALCIUM HARDNESS	mg/L as CaCO <sub>3</sub>	EDTA TITRIMETRIC METHOD (SM: PART 3500-Ca B)	ND	ND	4.0
CHLORIDE	mg/L Cl <sup>-</sup>	ARGENTOMETRIC METHOD (SM: PART 4500-Cl <sup>-</sup> B)	ND	ND	2.0
CYANURIC ACID	mg/L	TURBIDIMETRIC METHOD	ND	ND	1
NITRATE	mg/L NO <sub>3</sub> <sup>-</sup>	CADMIUM REDUCTION METHOD (SM: PART 4500-NO <sub>3</sub> <sup>-</sup> E)	ND	ND	0.09
<b>MICROBIOLOGY</b>					
FAECAL COLIFORM BACTERIA	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 E)	< 1.1	< 1.1	1.1
COLIFORM BACTERIA	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 B)	< 1.1	< 1.1	1.1
<i>E. coli</i>	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: PART 9221 D AND F)	NOT DETECTED	NOT DETECTED	-
<i>Pseudomonas aeruginosa</i>	/100 mL	MEMBRANE FILTER TECHNIQUE (ISO 16266)	NOT DETECTED	NOT DETECTED	-
<i>Staphylococcus aureus</i>	/100 mL	MEMBRANE FILTER TECHNIQUE (SM: PART 9213 B)	NOT DETECTED	NOT DETECTED	-
<b>SAMPLE CONDITION</b>					
WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR -	COLOURLESS/CLEAR -	

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.  
RESULT 1 : FIELD BLANK  
RESULT 2 : TRIP BLANK  
ND : NON-DETECTABLE.

LABORATORY SUPERVISOR

JANUARY 26, 2024



## ANALYSIS REPORT

**CUSTOMER NAME** : THE STAGE TAOPOON INTERCHANGE  
**ADDRESS** : 318 PRACHARAT ROAD 2 BANG SUE BANG SUE BANGKOK 10800  
**CONTACT INFORMATION** : TEL : 06 4184 2418 e-mail : sti@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : FEBRUARY 21, 2024  
**SAMPLING TIME** : 13:35 HOUR  
**SAMPLING METHOD <sup>c</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY <sup>c</sup>** :   
**ANALYZED BY** :   
**RECEIVED DATE** : FEBRUARY 21, 2024  
**ANALYTICAL DATE** : FEBRUARY 21-29, 2024  
**ISSUE DATE** : MARCH 4, 2024  
**REPORT NO.** : 2024-U017185  
**WORK NO.** : 2023-007104  
**ANALYSIS NO.** : T24AD585-0002

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T24AD585-0002		
MICROBIOLOGY					
COLIFORM BACTERIA <sup>b</sup>	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 B)	< 1.1	< 10	1.1
FAECAL COLIFORM BACTERIA <sup>b</sup>	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 E)	< 1.1	NOT DETECTED	1.1
SAMPLE CONDITION					
WATER'S COLOUR/TURBID			COLOURLESS/CLEAR		
SEDIMENT					

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

<sup>b</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

<sup>c</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : RECOMMENDATIONS OF PUBLIC HEALTH COMMITTEE NO. 1/2550; CONTROL OF SWIMMING POOLS BUSINESSES OR OTHER SIMILAR BUSINESSES.

< 1.1 : LESS THAN 1.1 MPN/100 mL MEANS NOT DETECTED.

LABORATORY SUPERVISOR

MARCH 4, 2024



## ANALYSIS REPORT

**CUSTOMER NAME** : THE STAGE TAOPOON INTERCHANGE  
**ADDRESS** : 318 PRACHARAT ROAD 2 BANG SUE BANG SUE BANGKOK 10800  
**CONTACT INFORMATION** : TEL : 06 4184 2418 e-mail : sti@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : FEBRUARY 21, 2024  
**SAMPLING TIME** : 13:30 HOUR  
**SAMPLING METHOD <sup>c</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY <sup>c</sup>** :   
**ANALYZED BY** :   
**RECEIVED DATE** : FEBRUARY 21, 2024  
**ANALYTICAL DATE** : FEBRUARY 21-29, 2024  
**ISSUE DATE** : MARCH 4, 2024  
**REPORT NO.** : 2024-U017184  
**WORK NO.** : 2023-007104  
**ANALYSIS NO.** : T24AD585-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T24AD585-0001		
MICROBIOLOGY					
COLIFORM BACTERIA <sup>b</sup>	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221B)	< 1.1	< 10	1.1
FAECAL COLIFORM BACTERIA <sup>b</sup>	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221E)	< 1.1	NOT DETECTED	1.1
SAMPLE CONDITION					
WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

<sup>b</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

<sup>c</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : RECOMMENDATIONS OF PUBLIC HEALTH COMMITTEE NO. 1/2550; CONTROL OF SWIMMING POOLS BUSINESSES OR OTHER SIMILAR BUSINESSES.

< 1.1 : LESS THAN 1.1 MPN/100 mL MEANS NOT DETECTED.



LABORATORY SUPERVISOR

MARCH 4, 2024





## ANALYSIS REPORT

**CUSTOMER NAME** : THE STAGE TAOPOON INTERCHANGE  
**ADDRESS** : 318 PRACHARAT ROAD 2 BANG SUE BANG SUE BANGKOK 10800  
**CONTACT INFORMATION** : TEL : 06 4184 2418 e-mail : sti@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : MARCH 20, 2024  
**SAMPLING TIME** : 13:15 HOUR  
**SAMPLING METHOD <sup>c</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY <sup>c</sup>** :   
**ANALYZED BY** : 

**RECEIVED DATE** : MARCH 20, 2024  
**ANALYTICAL DATE** : MARCH 20-28, 2024  
**ISSUE DATE** : APRIL 1, 2024  
**REPORT NO.** : 2024-U027139  
**WORK NO.** : 2023-007104  
**ANALYSIS NO.** : T24AF862-0002

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T24AF862-0002		
MICROBIOLOGY					
COLIFORM BACTERIA <sup>b</sup>	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 B)	< 1.1	< 10	1.1
FAECAL COLIFORM BACTERIA <sup>b</sup>	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 E)	< 1.1	NOT DETECTED	1.1
SAMPLE CONDITION					
WATER'S COLOUR/TURBID			COLOURLESS/CLEAR		
SEDIMENT			-		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

<sup>b</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

<sup>c</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : RECOMMENDATIONS OF PUBLIC HEALTH COMMITTEE NO. 1/2550; CONTROL OF SWIMMING POOLS BUSINESSES OR OTHER SIMILAR BUSINESSES.

< 1.1 : LESS THAN 1.1 MPN/100 mL MEANS NOT DETECTED.

LABORATORY SUPERVISOR

APRIL 2, 2024





## ANALYSIS REPORT

**CUSTOMER NAME** : THE STAGE TAOPOON INTERCHANGE  
**ADDRESS** : 318 PRACHARAT ROAD 2 BANG SUE BANG SUE BANGKOK 10800  
**CONTACT INFORMATION** : TEL : 06 4184 2418 e-mail : sti@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : MARCH 20, 2024  
**SAMPLING TIME** : 13:10 HOUR  
**SAMPLING METHOD <sup>c</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY <sup>c</sup>** :   
**ANALYZED BY** :   
**RECEIVED DATE** : MARCH 20, 2024  
**ANALYTICAL DATE** : MARCH 20-28, 2024  
**ISSUE DATE** : APRIL 1, 2024  
**REPORT NO.** : 2024-U027137  
**WORK NO.** : 2023-007104  
**ANALYSIS NO.** : T24AF862-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T24AF862-0001		
MICROBIOLOGY					
COLIFORM BACTERIA <sup>b</sup>	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221B)	< 1.1	< 10	1.1
FAECAL COLIFORM BACTERIA <sup>b</sup>	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221E)	< 1.1	NOT DETECTED	1.1
SAMPLE CONDITION					
WATER'S COLOUR/TURBID			COLOURLESS/CLEAR		
SEDIMENT			-		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

<sup>b</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

<sup>c</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : RECOMMENDATIONS OF PUBLIC HEALTH COMMITTEE NO. 1/2550; CONTROL OF SWIMMING POOLS BUSINESSES OR OTHER SIMILAR BUSINESSES.


< 1.1 : LESS THAN 1.1 MPN/100 mL MEANS NOT DETECTED.

.....  
LABORATORY SUPERVISOR

APRIL 2, 2024



## ANALYSIS REPORT

**CUSTOMER NAME** : THE STAGE TAOPOON INTERCHANGE  
**ADDRESS** : 318 PRACHARAT ROAD 2 BANG SUE BANG SUE BANGKOK 10800  
**CONTACT INFORMATION** : TEL : 06 4184 2418 e-mail : sti@th.knightfrank.com  
**SAMPLING SOURCE** : -  
**SAMPLE TYPE** : BLANK (SWIMMING POOL)  
**SAMPLING DATE** : -  
**SAMPLING TIME** : -  
**SAMPLING METHOD** : -  
**SAMPLING BY** : -  
**ANALYZED BY** :   
**RECEIVED DATE** : MARCH 20, 2024  
**ANALYTICAL DATE** : MARCH 20-28, 2024  
**ISSUE DATE** : APRIL 1, 2024  
**REPORT NO.** : 2024-U027141  
**WORK NO.** : 2023-007104  
**ANALYSIS NO.** : 2024-FB0249, 2024-TB0240

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT		DETECTION LIMIT
			1 2024-FB0249	2 2024-TB0240	
MICROBIOLOGY					
FAECAL COLIFORM BACTERIA	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 E)	< 1.1	< 1.1	1.1
COLIFORM BACTERIA	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 B)	< 1.1	< 1.1	1.1
SAMPLE CONDITION					
WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR -	COLOURLESS/CLEAR -	

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

RESULT 1 : FIELD BLANK

RESULT 2 : TRIP BLANK

.....  
  
LABORATORY SUPERVISOR

APRIL 2, 2024



## ANALYSIS REPORT

**CUSTOMER NAME** : THE STAGE TAOPOON INTERCHANGE  
**ADDRESS** : 318 PRACHARAT ROAD 2 BANG SUE BANG SUE BANGKOK 10800  
**CONTACT INFORMATION** : TEL : 06 4184 2418 e-mail : sti@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : APRIL 26, 2024  
**SAMPLING TIME** : 14:00 HOUR  
**SAMPLING METHOD** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY** :   
**ANALYZED BY** : 

**RECEIVED DATE** : APRIL 26, 2024  
**ANALYTICAL DATE** : APRIL 26 - MAY 2, 2024  
**ISSUE DATE** : MAY 8, 2024  
**REPORT NO.** : 2024-U037986  
**WORK NO.** : 2023-007104  
**ANALYSIS NO.** : T24AI788-0004

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T24AI788-0004		
MICROBIOLOGY					
COLIFORM BACTERIA	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221B)	< 1.1	< 10	1.1
FAECAL COLIFORM BACTERIA	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221E)	< 1.1	NOT DETECTED	1.1
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR		

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.



REGULATORY STANDARD : RECOMMENDATIONS OF PUBLIC HEALTH COMMITTEE NO. 1/2550; CONTROL OF SWIMMING POOLS BUSINESSES OR OTHER SIMILAR BUSINESSES.

< 1.1 : LESS THAN 1.1 MPN/100 mL MEANS NOT DETECTED.

.....  
  
LABORATORY SUPERVISOR



## ANALYSIS REPORT

**CUSTOMER NAME** : THE STAGE TAOPOON INTERCHANGE  
**ADDRESS** : 318 PRACHARAT ROAD 2 BANG SUE BANG SUE BANGKOK 10800  
**CONTACT INFORMATION** : TEL : 06 4184 2418 e-mail : sti@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : APRIL 26, 2024  
**SAMPLING TIME** : 14:05 HOUR  
**SAMPLING METHOD** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY** :   
**ANALYZED BY** : 

**RECEIVED DATE** : APRIL 26, 2024  
**ANALYTICAL DATE** : APRIL 26 - MAY 2, 2024  
**ISSUE DATE** : MAY 8, 2024  
**REPORT NO.** : 2024-U037985  
**WORK NO.** : 2023-007104  
**ANALYSIS NO.** : T24AI788-0003

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T24AI788-0003		
MICROBIOLOGY					
COLIFORM BACTERIA	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221B)	< 1.1	< 10	1.1
FAECAL COLIFORM BACTERIA	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221E)	< 1.1	NOT DETECTED	1.1
SAMPLE CONDITION					
WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR -		

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.



REGULATORY STANDARD : RECOMMENDATIONS OF PUBLIC HEALTH COMMITTEE NO. 1/2550; CONTROL OF SWIMMING POOLS BUSINESSES OR OTHER SIMILAR BUSINESSES.

< 1.1 : LESS THAN 1.1 MPN/100 mL MEANS NOT DETECTED.

.....  
  
LABORATORY SUPERVISOR



## ANALYSIS REPORT

**CUSTOMER NAME** : THE STAGE TAOPOON INTERCHANGE  
**ADDRESS** : 318 PRACHARAT ROAD 2 BANG SUE BANG SUE BANGKOK 10800  
**CONTACT INFORMATION** : TEL : 06 4184 2418 e-mail : sti@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : MAY 27, 2024  
**SAMPLING TIME** : 13:18 HOUR  
**SAMPLING METHOD** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY** :   
**ANALYZED BY** :   
**RECEIVED DATE** : MAY 27, 2024  
**ANALYTICAL DATE** : MAY 27 - JUNE 2, 2024  
**ISSUE DATE** : JUNE 5, 2024  
**REPORT NO.** : 2024-U048334  
**WORK NO.** : 2023-007104  
**ANALYSIS NO.** : T24AL307-0002

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T24AL307-0002		
MICROBIOLOGY					
COLIFORM BACTERIA	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221B)	< 1.1	< 10	1.1
FAECAL COLIFORM BACTERIA	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221E)	< 1.1	NOT DETECTED	1.1
SAMPLE CONDITION			COLOURLESS/CLEAR -		
WATER'S COLOUR/TURBID					
SEDIMENT					

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : RECOMMENDATIONS OF PUBLIC HEALTH COMMITTEE NO. 1/2550; CONTROL OF SWIMMING POOLS BUSINESSES OR OTHER SIMILAR BUSINESSES.

< 1.1 : LESS THAN 1.1 MPN/100 mL MEANS NOT DETECTED.

.....  
  
 LABORATORY SUPERVISOR



## ANALYSIS REPORT

**CUSTOMER NAME** : THE STAGE TAOPOON INTERCHANGE  
**ADDRESS** : 318 PRACHARAT ROAD 2 BANG SUE BANG SUE BANGKOK 10800  
**CONTACT INFORMATION** : TEL : 06 4184 2418 e-mail : sti@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : MAY 27, 2024  
**SAMPLING TIME** : 13:20 HOUR  
**SAMPLING METHOD** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY** :   
**ANALYZED BY** :   
**RECEIVED DATE** : MAY 27, 2024  
**ANALYTICAL DATE** : MAY 27 - JUNE 2, 2024  
**ISSUE DATE** : JUNE 5, 2024  
**REPORT NO.** : 2024-U048333  
**WORK NO.** : 2023-007104  
**ANALYSIS NO.** : T24AL307-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T24AL307-0001		
MICROBIOLOGY					
COLIFORM BACTERIA	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 B)	< 1.1	< 10	1.1
FAECAL COLIFORM BACTERIA	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 E)	< 1.1	NOT DETECTED	1.1
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR		

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.


REGULATORY STANDARD : RECOMMENDATIONS OF PUBLIC HEALTH COMMITTEE NO. 1/2550; CONTROL OF SWIMMING POOLS BUSINESSES OR OTHER SIMILAR BUSINESSES.

< 1.1 : LESS THAN 1.1 MPN/100 mL MEANS NOT DETECTED.

.....  
  
LABORATORY SUPERVISOR



## ANALYSIS REPORT

**CUSTOMER NAME** : THE STAGE TAOPOON INTERCHANGE  
**ADDRESS** : 318 PRACHARAT ROAD 2 BANG SUE BANG SUE BANGKOK 10800  
**CONTACT INFORMATION** : TEL : 06 4184 2418 e-mail : sti@th.knightfrank.com  
**SAMPLING SOURCE** : -  
**SAMPLE TYPE** : BLANK (SWIMMING POOL)  
**SAMPLING DATE** : -  
**SAMPLING TIME** : -  
**SAMPLING METHOD** : -  
**SAMPLING BY** : -  
**ANALYZED BY** :   
**RECEIVED DATE** : MAY 27, 2024  
**ANALYTICAL DATE** : MAY 27 - JUNE 2, 2024  
**ISSUE DATE** : JUNE 5, 2024  
**REPORT NO.** : 2024-U048332  
**WORK NO.** : 2023-007104  
**ANALYSIS NO.** : 2024-FB0503, 2024-TB0492

ANALYSED BY

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT		DETECTION LIMIT
			1 2024-FB0503	2 2024-TB0492	
MICROBIOLOGY					
FAECAL COLIFORM BACTERIA	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 E)	< 1.1	< 1.1	1.1
COLIFORM BACTERIA	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 B)	< 1.1	< 1.1	1.1
SAMPLE CONDITION					
WATER'S COLOUR/TURBID			COLOURLESS/CLEAR	COLOURLESS/CLEAR	
SEDIMENT			-	-	



SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.  
RESULT 1 : FIELD BLANK  
RESULT 2 : TRIP BLANK

.....  
  
LABORATORY SUPERVISOR





## ANALYSIS REPORT

**CUSTOMER NAME** : THE STAGE TAOPOON INTERCHANGE  
**ADDRESS** : 318 PRACHARAT ROAD 2 BANG SUE BANG SUE BANGKOK 10800  
**CONTACT INFORMATION** : TEL : 06 4184 2418 e-mail : sti@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : JUNE 11, 2024  
**SAMPLING TIME** : 13:35 HOUR  
**SAMPLING METHOD <sup>c</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY <sup>c</sup>** :   
**ANALYZED BY** : 

**RECEIVED DATE** : JUNE 11, 2024  
**ANALYTICAL DATE** : JUNE 11-19, 2024  
**ISSUE DATE** : JUNE 21, 2024  
**REPORT NO.** : 2024-U054489  
**WORK NO.** : 2023-007104  
**ANALYSIS NO.** : T24AM774-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (SHALLOW ZONE) T24AM774-0001		
MICROBIOLOGY					
COLIFORM BACTERIA <sup>b</sup>	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 B AND C)	< 1.1	< 10	1.1
FAECAL COLIFORM BACTERIA <sup>b</sup>	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 B, C AND E)	< 1.1	NOT DETECTED	1.1
SAMPLE CONDITION					
WATER'S COLOUR/TURBID			COLOURLESS/CLEAR		
SEDIMENT			-		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

<sup>b</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

<sup>c</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 24<sup>th</sup> EDITION, 2023.

REGULATORY STANDARD : RECOMMENDATIONS OF PUBLIC HEALTH COMMITTEE NO. 1/2550; CONTROL OF SWIMMING POOLS BUSINESSES OR OTHER SIMILAR BUSINESSES.

< 1.1 : LESS THAN 1.1 MPN/100 mL MEANS NOT DETECTED.

.....  
  
LABORATORY SUPERVISOR



## ANALYSIS REPORT

**CUSTOMER NAME** : THE STAGE TAOPOON INTERCHANGE  
**ADDRESS** : 318 PRACHARAT ROAD 2 BANG SUE BANG SUE BANGKOK 10800  
**CONTACT INFORMATION** : TEL : 06 4184 2418 e-mail : sti@th.knightfrank.com  
**SAMPLING SOURCE** : SWIMMING POOL  
**SAMPLE TYPE** : WATER SAMPLE FROM SWIMMING POOL  
**SAMPLING DATE** : JUNE 11, 2024  
**SAMPLING TIME** : 13:40 HOUR  
**SAMPLING METHOD <sup>c</sup>** : GRAB AND STERILE TECHNIQUE  
**SAMPLING BY <sup>c</sup>** :   
**ANALYZED BY** :   
**RECEIVED DATE** : JUNE 11, 2024  
**ANALYTICAL DATE** : JUNE 11-19, 2024  
**ISSUE DATE** : JUNE 21, 2024  
**REPORT NO.** : 2024-U054490  
**WORK NO.** : 2023-007104  
**ANALYSIS NO.** : T24AM774-0002

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			SWIMMING POOL (DEEP ZONE) T24AM774-0002		
MICROBIOLOGY					
COLIFORM BACTERIA <sup>b</sup>	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 B AND C)	< 1.1	< 10	1.1
FAECAL COLIFORM BACTERIA <sup>b</sup>	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 B, C AND E)	< 1.1	NOT DETECTED	1.1
SAMPLE CONDITION					
WATER'S COLOUR/TURBID			COLOURLESS/CLEAR		
SEDIMENT			-		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

<sup>b</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

<sup>c</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 24<sup>th</sup> EDITION, 2023.

REGULATORY STANDARD : RECOMMENDATIONS OF PUBLIC HEALTH COMMITTEE NO. 1/2550; CONTROL OF SWIMMING POOLS BUSINESSES OR OTHER SIMILAR BUSINESSES.

< 1.1 : LESS THAN 1.1 MPN/100 mL MEANS NOT DETECTED.

LABORATORY SUPERVISOR



## ANALYSIS REPORT

**CUSTOMER NAME** : THE STAGE TAOPOON INTERCHANGE  
**ADDRESS** : 318 PRACHARAT ROAD 2 BANG SUE BANG SUE BANGKOK 10800  
**CONTACT INFORMATION** : TEL : 06 4184 2418 e-mail : sti@th.knightfrank.com  
**SAMPLING SOURCE** : -  
**SAMPLE TYPE** : BLANK (SWIMMING POOL) **RECEIVED DATE** : JUNE 11, 2024  
**SAMPLING DATE** : - **ANALYTICAL DATE** : JUNE 11-19, 2024  
**SAMPLING TIME** : - **ISSUE DATE** : JUNE 21, 2024  
**SAMPLING METHOD** : - **REPORT NO.** : 2024-U054493  
**SAMPLING BY** : - **WORK NO.** : 2023-007104  
**ANALYZED BY** :  **ANALYSIS NO.** : 2024-FB0558, 2024-TB0547

ANALYZED BY

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT		DETECTION LIMIT
			1 2024-FB0558	2 2024-TB0547	
MICROBIOLOGY					
COLIFORM BACTERIA	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221B AND C)	< 1.1	< 1.1	1.1
FAECAL COLIFORM BACTERIA	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221B, C AND E)	< 1.1	< 1.1	1.1
SAMPLE CONDITION					
WATER'S COLOUR/TURBID			COLOURLESS/CLEAR	COLOURLESS/CLEAR	
SEDIMENT			-	-	

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 24<sup>th</sup> EDITION, 2023.

RESULT 1 : FIELD BLANK

RESULT 2 : TRIP BLANK

.....  
  
LABORATORY SUPERVISOR



## ANALYSIS REPORT

**CUSTOMER NAME** : THE STAGE TAOPOON INTERCHANGE  
**ADDRESS** : 318 PRACHARAT ROAD 2 BANG SUE BANG SUE BANGKOK 10800  
**CONTACT INFORMATION** : TEL : 06 4184 2418 e-mail : sti@th.knightfrank.com  
**SAMPLING SOURCE** : UNDERGROUND WATER TANK  
**SAMPLE TYPE** : WATER SUPPLY  
**SAMPLING DATE** : JANUARY 17, 2024  
**SAMPLING TIME** : 14:00 HOUR  
**SAMPLING METHOD °** : GRAB, GRAB AND STERILE TECHNIQUE  
**SAMPLING BY °** :   
**ANALYZED BY** :   
**RECEIVED DATE** : JANUARY 17, 2024  
**ANALYTICAL DATE** : JANUARY 17-20, 2024  
**REPORT NO.** : 2024-U006849  
**WORK NO.** : 2023-007104  
**ANALYSIS NO.** : T24AA998-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			UNDERGROUND WATER TANK T24AA998-0001		
ODOUR °	-	OBSERVATION METHOD	NONE	NONE	-
COLOUR °	Pt-Co	VISUAL COMPARISON METHOD (SM: PART 2120 B)	ND	≤ 20	5
TURBIDITY °	Silica Scale Unit	NEPHELOMETRIC METHOD (SM: PART 2130 B)	0.09	≤ 5.0	0.01
MICROBIOLOGY					
<i>E. coli</i> °	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: PART 9221 D AND F)	NOT DETECTED	NOT DETECTED	-
<b>SAMPLE CONDITION</b>					
WATER'S COLOUR/TURBID			COLOURLESS/CLEAR		
SEDIMENT			BROWN		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

<sup>b</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

<sup>c</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BOTTLED DRINKING WATER QUALITY STANDARDS, NOTIFICATION OF THE MINISTRY OF PUBLIC HEALTH, NO.61, B.E. 2524 (1981) ISSUED UNDER THE FOOD ACT, B.E. 2522 (1979), PUBLISHED IN THE ROYAL GOVERNMENT GAZETTE, VOL 98, PART 157 (SPECIAL ISSUED), DATED SEPTEMBER 24, B.E. 2524 (1981).

ND : NON-DETECTABLE.

.....  
[Signature]  
LABORATORY SUPERVISOR

JANUARY 26, 2024



## ANALYSIS REPORT

**CUSTOMER NAME** : THE STAGE TAOPOON INTERCHANGE  
**ADDRESS** : 318 PRACHARAT ROAD 2 BANG SUE BANG SUE BANGKOK 10800  
**CONTACT INFORMATION** : TEL : 06 4184 2418 e-mail : sti@th.knightfrank.com  
**SAMPLING SOURCE** : ROOF WATER TANK  
**SAMPLE TYPE** : WATER SUPPLY  
**SAMPLING DATE** : JANUARY 17, 2024  
**SAMPLING TIME** : 13:40 HOUR  
**SAMPLING METHOD °** : GRAB, GRAB AND STERILE TECHNIQUE  
**SAMPLING BY °** :   
**ANALYZED BY** :   
**RECEIVED DATE** : JANUARY 17, 2024  
**ANALYTICAL DATE** : JANUARY 17-20, 2024  
**REPORT NO.** : 2024-U006850  
**WORK NO.** : 2023-007104  
**ANALYSIS NO.** : T24AA998-0002

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			ROOF WATER TANK T24AA998-0002		
ODOUR °	-	OBSERVATION METHOD	NONE	NONE	-
COLOUR °	Pt-Co	VISUAL COMPARISON METHOD (SM: PART 2120 B)	ND	≤ 20	5
TURBIDITY °	Silica Scale Unit	NEPHELOMETRIC METHOD (SM: PART 2130 B)	0.06	≤ 5.0	0.01
MICROBIOLOGY					
<i>E. coli</i> °	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: PART 9221 D AND F)	NOT DETECTED	NOT DETECTED	-
<b>SAMPLE CONDITION</b>					
WATER'S COLOUR/TURBID			COLOURLESS/CLEAR		
SEDIMENT			-		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

<sup>b</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

<sup>c</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : BOTTLED DRINKING WATER QUALITY STANDARDS, NOTIFICATION OF THE MINISTRY OF PUBLIC HEALTH, NO.61, B.E. 2524 (1981) ISSUED UNDER THE FOOD ACT, B.E. 2522 (1979), PUBLISHED IN THE ROYAL GOVERNMENT GAZETTE, VOL 98, PART 157 (SPECIAL ISSUED), DATED SEPTEMBER 24, B.E. 2524 (1981).

ND : NON-DETECTABLE.

LABORATORY SUPERVISOR

JANUARY 26, 2024



## ANALYSIS REPORT

**CUSTOMER NAME** : THE STAGE TAOPOON INTERCHANGE  
**ADDRESS** : 318 PRACHARAT ROAD 2 BANG SUE BANG SUE BANGKOK 10800  
**CONTACT INFORMATION** : TEL : 06 4184 2418 e-mail : sti@th.knightfrank.com  
**SAMPLING SOURCE** : -  
**SAMPLE TYPE** : BLANK (WATER SUPPLY) **RECEIVED DATE** : JANUARY 17, 2024  
**SAMPLING DATE** : - **ANALYTICAL DATE** : JANUARY 17-21, 2024  
**SAMPLING TIME** : - **REPORT NO.** : 2024-U006848  
**SAMPLING METHOD** : - **WORK NO.** : 2023-007104  
**SAMPLING BY** : - **ANALYSIS NO.** : 2024-FB0060, 2024-TB0060  
**ANALYZED BY** : [REDACTED]

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT		DETECTION LIMIT
			1 2024-FB0060	2 2024-TB0060	
TURBIDITY	Silica Scale Unit	NEPHELOMETRIC METHOD (SM: PART 2130 B)	ND	ND	0.01
MICROBIOLOGY					
<i>E. coli</i>	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: PART 9221 D AND F)	NOT DETECTED	NOT DETECTED	-
<b>SAMPLE CONDITION</b>					
WATER'S COLOUR/TURBID			COLOURLESS/CLEAR	COLOURLESS/CLEAR	
SEDIMENT			-	-	

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.  
 RESULT 1 : FIELD BLANK  
 RESULT 2 : TRIP BLANK  
 ND : NON-DETECTABLE.

.....  
 [REDACTED]  
 .....  
 LABORATORY SUPERVISOR

JANUARY 26, 2024



## ANALYSIS REPORT

**CUSTOMER NAME** : THE STAGE TAOPOON INTERCHANGE  
**ADDRESS** : 318 PRACHARAT ROAD 2 BANG SUE BANG SUE BANGKOK 10800  
**CONTACT INFORMATION** : TEL : 06 4184 2418 e-mail : sti@th.knightfrank.com  
**SAMPLING SOURCE** : UNDERGROUND WATER TANK  
**SAMPLE TYPE** : WATER SUPPLY  
**SAMPLING DATE** : APRIL 26, 2024  
**SAMPLING TIME** : 14:15 HOUR  
**SAMPLING METHOD** : GRAB, GRAB AND STERILE TECHNIQUE  
**SAMPLING BY** :  
**ANALYZED BY** :  
**RECEIVED DATE** : APRIL 26, 2024  
**ANALYTICAL DATE** : APRIL 26 - MAY 1, 2024  
**ISSUE DATE** : MAY 8, 2024  
**REPORT NO.** : 2024-U037982  
**WORK NO.** : 2023-007104  
**ANALYSIS NO.** : T24AI788-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			UNDERGROUND WATER TANK T24AI788-0001		
ODOUR	-	OBSERVATION METHOD	NONE	NONE	-
COLOUR	Hazen Unit	VISUAL COMPARISON METHOD (SM: PART 2120 B)	ND	≤ 20	5
TURBIDITY	Silica Scale Unit	NEPHELOMETRIC METHOD (SM: PART 2130 B)	0.14	≤ 5.0	0.01
MICROBIOLOGY					
<i>E. coli</i>	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: PART 9221 D AND F)	NOT DETECTED	NOT DETECTED	-
<b>SAMPLE CONDITION</b>					
WATER'S COLOUR/TURBID					
SEDIMENT					

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.  
 REGULATORY STANDARD : BOTTLED DRINKING WATER QUALITY STANDARDS, NOTIFICATION OF THE MINISTRY OF PUBLIC HEALTH, NO.61, B.E. 2524 (1981) ISSUED UNDER THE FOOD ACT, B.E. 2522 (1979), PUBLISHED IN THE ROYAL GOVERNMENT GAZETTE, VOL 98, PART 157 (SPECIAL ISSUED), DATED SEPTEMBER 24, B.E. 2524 (1981).  
 ND : NON-DETECTABLE.

.....  
  
 LABORATORY SUPERVISOR





## ANALYSIS REPORT

**CUSTOMER NAME** : THE STAGE TAOPOON INTERCHANGE  
**ADDRESS** : 318 PRACHARAT ROAD 2 BANG SUE BANG SUE BANGKOK 10800  
**CONTACT INFORMATION** : TEL : 06 4184 2418 e-mail : sti@th.knightfrank.com  
**SAMPLING SOURCE** : ROOF WATER TANK  
**SAMPLE TYPE** : WATER SUPPLY  
**SAMPLING DATE** : APRIL 26, 2024  
**SAMPLING TIME** : 13:50 HOUR  
**SAMPLING METHOD** : GRAB, GRAB AND STERILE TECHNIQUE  
**SAMPLING BY** :   
**ANALYZED BY** :   
**RECEIVED DATE** : APRIL 26, 2024  
**ANALYTICAL DATE** : APRIL 26 - MAY 1, 2024  
**ISSUE DATE** : MAY 8, 2024  
**REPORT NO.** : 2024-U037983  
**WORK NO.** : 2023-007104  
**ANALYSIS NO.** : T24AI788-0002


PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			ROOF WATER TANK T24AI788-0002		
ODOUR	-	OBSERVATION METHOD	NONE	NONE	-
COLOUR	Hazen Unit	VISUAL COMPARISON METHOD (SM: PART 2120 B)	ND	≤ 20	5
TURBIDITY	Silica Scale Unit	NEPHELOMETRIC METHOD (SM: PART 2130 B)	0.10	≤ 5.0	0.01
MICROBIOLOGY					
<i>E. coli</i>	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: PART 9221 D AND F)	NOT DETECTED	NOT DETECTED	-
<b>SAMPLE CONDITION</b>					
WATER'S COLOUR/TURBID			COLOURLESS/CLEAR		
SEDIMENT			YELLOW		

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.  
 REGULATORY STANDARD : BOTTLED DRINKING WATER QUALITY STANDARDS, NOTIFICATION OF THE MINISTRY OF PUBLIC HEALTH, NO.61, B.E. 2524 (1981) ISSUED UNDER THE FOOD ACT, B.E. 2522 (1979), PUBLISHED IN THE ROYAL GOVERNMENT GAZETTE, VOL 98, PART 157 (SPECIAL ISSUED), DATED SEPTEMBER 24, B.E. 2524 (1981).  
 ND : NON-DETECTABLE.

.....  
  
 LABORATORY SUPERVISOR



## ANALYSIS REPORT

**CUSTOMER NAME** : THE STAGE TAOPOON INTERCHANGE  
**ADDRESS** : 318 PRACHARAT ROAD 2 BANG SUE BANG SUE BANGKOK 10800  
**CONTACT INFORMATION** : TEL : 06 4184 2418 e-mail : sti@th.knightfrank.com  
**SAMPLING SOURCE** : -  
**SAMPLE TYPE** : BLANK (WATER SUPPLY) **RECEIVED DATE** : APRIL 26, 2024  
**SAMPLING DATE** : - **ANALYTICAL DATE** : APRIL 26 - MAY 1, 2024  
**SAMPLING TIME** : - **ISSUE DATE** : MAY 8, 2024  
**SAMPLING METHOD** : - **REPORT NO.** : 2024-U037989  
**SAMPLING BY** : - **WORK NO.** : 2023-007104  
**ANALYZED BY** :  **ANALYSIS NO.** : 2024-FB0410, 2024-TB0399

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT		DETECTION LIMIT
			1 2024-FB0410	2 2024-TB0399	
TURBIDITY	Silica Scale Unit	NEPHELOMETRIC METHOD (SM: PART 2130 B)	ND	ND	0.01
MICROBIOLOGY					
<i>E. coli</i>	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: PART 9221 D AND F)	NOT DETECTED	NOT DETECTED	-
<b>SAMPLE CONDITION</b>					
WATER'S COLOUR/TURBID			COLOURLESS/CLEAR	COLOURLESS/CLEAR	
SEDIMENT			-	-	

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

RESULT 1 : FIELD BLANK

RESULT 2 : TRIP BLANK

ND : NON-DETECTABLE.

.....  
  
.....  
LABORATORY SUPERVISOR



## ANALYSIS REPORT

**CUSTOMER NAME** : THE STAGE TAOPOON INTERCHANGE  
**ADDRESS** : 318 PRACHARAT ROAD 2 BANG SUE BANG SUE BANGKOK 10800  
**CONTACT INFORMATION** : TEL : 06 4184 2418 e-mail : sti@th.knightfrank.com  
**SAMPLING SOURCE** : -  
**SAMPLE TYPE** : EFFLUENT  
**SAMPLING DATE** : JANUARY 17, 2024  
**SAMPLING TIME** : 14:04 HOUR  
**SAMPLING METHOD** : GRAB  
**SAMPLING BY** :   
**ANALYZED BY** :   
**RECEIVED DATE** : JANUARY 17, 2024  
**ANALYTICAL DATE** : JANUARY 17-23, 2024  
**REPORT NO.** : 2024-U006859  
**WORK NO.** : 2023-007104  
**ANALYSIS NO.** : T24AA998-0007

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			บอตรวจคุณภาพน้ำ T24AA998-0007		
pH <sup>a</sup>	-	ELECTROMETRIC METHOD (AT SITE) SM: PART 4500-H <sup>+</sup> B AND 1060 B	7.7 (29°C)	5-9	-
BIOCHEMICAL OXYGEN DEMAND <sup>a</sup>	mg/L	MEMBRANE ELECTRODE METHOD (SM: PART 5210 B AND PART 4500-O G)	54.9	≤ 20	2.0
SUSPENDED SOLIDS <sup>a</sup>	mg/L	SUSPENDED SOLIDS DRIED AT 103-105 °C (SM: PART 2540 D)	26.8	≤ 30	5.0
TOTAL DISSOLVED SOLIDS <sup>b</sup>	mg/L	IN-HOUSE METHOD: UAE.TP.WAO.007 (TOTAL DISSOLVED SOLIDS DRIED AT 103-105 °C); SM: PART 2540 C	440	500*	25
SETTLEABLE SOLIDS <sup>c</sup>	mL/L	IMHOFF CONE (SM: PART 2540 F)	< 0.1	≤ 0.5	0.1
SULPHIDE <sup>b</sup>	mg/L	IODOMETRIC METHOD (SM: PART 4500-S <sub>2</sub> -F)	2.8	≤ 1.0	0.50
TOTAL KJELDAHL NITROGEN <sup>b</sup>	mg/L	IN-HOUSE METHOD: UAE.TP.WAS.001 (KJELDAHL METHOD); SM: PART 4500-Norg C	62.7	≤ 35	1.5
FAT, OIL AND GREASE <sup>a</sup>	mg/L	LIQUID-LIQUID, PARTITION-GRAVIMETRIC METHOD (SM: PART 5520 B)	5	≤ 20	3
<b>SAMPLE CONDITION</b> WATER'S COLOUR/TURBID SEDIMENT			YELLOW/TURBID BROWN		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

<sup>b</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

<sup>c</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

IN-HOUSE : BASED ON STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : RANGE OR MAXIMUM PERMITTED VALUE FOR BUILDING EFFLUENT STANDARDS CLASS A, NOTIFICATION OF THE MINISTRY OF RESOURCES AND ENVIRONMENT, PUBLISHED IN THE ROYAL GOVERNMENT GAZETTE, VOL 122, PART 125 D, DATED DECEMBER 29, 2005 AND VOL 139 SPECIAL PART 171 D, DATED JULY 21, 2022.

500\* : PERMITTED EXCESS VALUE TO TOTAL DISSOLVED SOLIDS OF ACTUAL TAP WATER USED.

...  ...

LABORATORY SUPERVISOR

JANUARY 26, 2024



## ANALYSIS REPORT

**CUSTOMER NAME** : THE STAGE TAOPOON INTERCHANGE  
**ADDRESS** : 318 PRACHARAT ROAD 2 BANG SUE BANG SUE BANGKOK 10800  
**CONTACT INFORMATION** : TEL : 06 4184 2418 e-mail : sti@th.knightfrank.com  
**SAMPLING SOURCE** : -  
**SAMPLE TYPE** : WATER SUPPLY  
**SAMPLING DATE** : JANUARY 17, 2024  
**SAMPLING TIME** : 13:54 HOUR  
**SAMPLING METHOD <sup>c</sup>** : GRAB  
**SAMPLING BY <sup>c</sup>** :   
**ANALYZED BY** : 

**RECEIVED DATE** : JANUARY 17, 2024  
**ANALYTICAL DATE** : JANUARY 17-19, 2024  
**REPORT NO.** : 2024-U006860  
**WORK NO.** : 2023-007104  
**ANALYSIS NO.** : T24AA998-0008

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	DETECTION LIMIT
			WATER SUPPLY T24AA998-0008	
TOTAL DISSOLVED SOLIDS <sup>b</sup>	mg/L	TOTAL DISSOLVED SOLIDS DRIED AT 180 °C (SM: PART 2540 C)	314	25
<b>SAMPLE CONDITION</b> WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR -	

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

<sup>b</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

<sup>c</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

.....  


LABORATORY SUPERVISOR

JANUARY 26, 2024



## ANALYSIS REPORT

**CUSTOMER NAME** : THE STAGE TAOPOON INTERCHANGE  
**ADDRESS** : 318 PRACHARAT ROAD 2 BANG SUE BANG SUE BANGKOK 10800  
**CONTACT INFORMATION** : TEL : 06 4184 2418 e-mail : sti@th.knightfrank.com  
**SAMPLING SOURCE** : -  
**SAMPLE TYPE** : EFFLUENT  
**SAMPLING DATE** : FEBRUARY 21, 2024  
**SAMPLING TIME** : 13:50 HOUR  
**SAMPLING METHOD** : GRAB  
**SAMPLING BY** :   
**ANALYZED BY** :   
**RECEIVED DATE** : FEBRUARY 21, 2024  
**ANALYTICAL DATE** : FEBRUARY 21-28, 2024  
**ISSUE DATE** : FEBRUARY 29, 2024  
**REPORT NO.** : 2024-U017186  
**WORK NO.** : 2023-007104  
**ANALYSIS NO.** : T24AD585-0003

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			บอตรวจคุณภาพน้ำ T24AD585-0003		
pH <sup>a</sup>	-	ELECTROMETRIC METHOD (AT SITE) SM: PART 4500-H <sup>+</sup> B AND 1060 B	7.2 (30°C)	5-9	-
BIOCHEMICAL OXYGEN DEMAND <sup>a</sup>	mg/L	MEMBRANE ELECTRODE METHOD (SM: PART 5210 B AND PART 4500-O G)	31.3	≤ 20	2.0
SUSPENDED SOLIDS <sup>a</sup>	mg/L	SUSPENDED SOLIDS DRIED AT 103-105 °C (SM: PART 2540 D)	33.3	≤ 30	5.0
TOTAL DISSOLVED SOLIDS <sup>b</sup>	mg/L	IN-HOUSE METHOD: UAE.TP.WAO.007 (TOTAL DISSOLVED SOLIDS DRIED AT 103-105 °C); SM: PART 2540 C	432	500*	25
SETTLABLE SOLIDS <sup>c</sup>	mL/L	IMHOFF CONE (SM: PART 2540 F)	< 0.1	≤ 0.5	0.1
SULPHIDE <sup>b</sup>	mg/L	IODOMETRIC METHOD (SM: PART 4500 -S <sup>2-</sup> F)	2.8	≤ 1.0	0.50
TOTAL KJELDAHL NITROGEN <sup>b</sup>	mg/L	IN-HOUSE METHOD: UAE.TP.WAS.001 (KJELDAHL METHOD); SM: PART 4500-Norg C	38.5	≤ 35	1.5
FAT, OIL AND GREASE <sup>c</sup>	mg/L	LIQUID-LIQUID, PARTITION-GRAVIMETRIC METHOD (SM: PART 5520 B)	ND	≤ 20	3
<b>SAMPLE CONDITION</b> WATER'S COLOUR/TURBID SEDIMENT			YELLOW/TURBID BROWN		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

<sup>b</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

<sup>c</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

IN-HOUSE : BASED ON STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : RANGE OR MAXIMUM PERMITTED VALUE FOR BUILDING EFFLUENT STANDARDS CLASS A, NOTIFICATION OF THE MINISTRY OF RESOURCES AND ENVIRONMENT, PUBLISHED IN THE ROYAL GOVERNMENT GAZETTE, VOL 122, PART 125 D, DATED DECEMBER 29, 2005 AND VOL 139 SPECIAL PART 171 D, DATED JULY 21, 2022.

500\* : PERMITTED EXCESS VALUE TO TOTAL DISSOLVED SOLIDS OF ACTUAL TAP WATER USED.

ND : NON-DETECTABLE.

.....  
[Signature]  
LABORATORY SUPERVISOR

MARCH 4, 2024



## ANALYSIS REPORT

**CUSTOMER NAME** : THE STAGE TAOPOON INTERCHANGE  
**ADDRESS** : 318 PRACHARAT ROAD 2 BANG SUE BANG SUE BANGKOK 10800  
**CONTACT INFORMATION** : TEL : 06 4184 2418 e-mail : sti@th.knightfrank.com  
**SAMPLING SOURCE** : -  
**SAMPLE TYPE** : WATER SUPPLY  
**SAMPLING DATE** : FEBRUARY 21, 2024  
**SAMPLING TIME** : 13:40 HOUR  
**SAMPLING METHOD <sup>c</sup>** : GRAB  
**SAMPLING BY <sup>c</sup>** :   
**ANALYZED BY** :   
**RECEIVED DATE** : FEBRUARY 21, 2024  
**ANALYTICAL DATE** : FEBRUARY 21-28, 2024  
**ISSUE DATE** : FEBRUARY 29, 2024  
**REPORT NO.** : 2024-U017187  
**WORK NO.** : 2023-007104  
**ANALYSIS NO.** : T24AD585-0004

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	DETECTION LIMIT
			WATER SUPPLY T24AD585-0004	
TOTAL DISSOLVED SOLIDS <sup>b</sup>	mg/L	TOTAL DISSOLVED SOLIDS DRIED AT 180 °C (SM: PART 2540 C)	277	25
<b>SAMPLE CONDITION</b> WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR	

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

<sup>b</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

<sup>c</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

.....  
[Signature]  
LABORATORY SUPERVISOR

MARCH 4, 2024





## ANALYSIS REPORT

**CUSTOMER NAME** : THE STAGE TAOPOON INTERCHANGE  
**ADDRESS** : 318 PRACHARAT ROAD 2 BANG SUE BANG SUE BANGKOK 10800  
**CONTACT INFORMATION** : TEL : 06 4184 2418 e-mail : sti@th.knightfrank.com  
**SAMPLING SOURCE** : -  
**SAMPLE TYPE** : EFFLUENT  
**SAMPLING DATE** : MARCH 20, 2024  
**SAMPLING TIME** : 13:25 HOUR  
**SAMPLING METHOD** : GRAB  
**SAMPLING BY** :   
**ANALYZED BY** :   
**RECEIVED DATE** : MARCH 20, 2024  
**ANALYTICAL DATE** : MARCH 20-28, 2024  
**ISSUE DATE** : MARCH 28, 2024  
**REPORT NO.** : 2024-U026463  
**WORK NO.** : 2023-007104  
**ANALYSIS NO.** : T24AF862-0003

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			บอตรวจคุณภาพน้ำ T24AF862-0003		
pH <sup>a</sup>	-	ELECTROMETRIC METHOD (AT SITE) SM: PART 4500-H* B AND 1060 B	7.4 (30°C)	5-9	-
BIOCHEMICAL OXYGEN DEMAND <sup>a</sup>	mg/L	MEMBRANE ELECTRODE METHOD (SM: PART 5210 B AND PART 4500-O G)	50.8	≤ 20	2.0
SUSPENDED SOLIDS <sup>a</sup>	mg/L	SUSPENDED SOLIDS DRIED AT 103-105 °C (SM: PART 2540 D)	36.1	≤ 30	5.0
TOTAL DISSOLVED SOLIDS <sup>b</sup>	mg/L	IN-HOUSE METHOD: UAE.TP.WAO.007 (TOTAL DISSOLVED SOLIDS DRIED AT 103-105 °C); SM: PART 2540 C	371	500*	25
SETTLEABLE SOLIDS <sup>c</sup>	mL/L	IMHOFF CONE (SM: PART 2540 F)	< 0.1	≤ 0.5	0.1
SULPHIDE <sup>b</sup>	mg/L	IODOMETRIC METHOD (SM: PART 4500-S <sup>2</sup> -F)	0.60	≤ 1.0	0.50
TOTAL KJELDAHL NITROGEN <sup>b</sup>	mg/L	IN-HOUSE METHOD: UAE.TP.WAS.001 (KJELDAHL METHOD); SM: PART 4500-Norg C	52.2	≤ 35	1.5





PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			บอตรวจคุณภาพน้ำ T24AF862-0003		
FAT, OIL AND GREASE <sup>a</sup>	mg/L	LIQUID-LIQUID, PARTITION-GRAVIMETRIC METHOD (SM: PART 5520 B)	5	≤ 20	3
<b>SAMPLE CONDITION</b> WATER'S COLOUR/TURBID SEDIMENT			YELLOW/TURBID BROWN		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

<sup>b</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

<sup>c</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

IN-HOUSE : BASED ON STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : RANGE OR MAXIMUM PERMITTED VALUE FOR BUILDING EFFLUENT STANDARDS CLASS A, NOTIFICATION OF THE MINISTRY OF RESOURCES AND ENVIRONMENT, PUBLISHED IN THE ROYAL GOVERNMENT GAZETTE, VOL 122, PART 125 D, DATED DECEMBER 29, 2005 AND VOL 139 SPECIAL PART 171 D, DATED JULY 21, 2022.

500\* : PERMITTED EXCESS VALUE TO TOTAL DISSOLVED SOLIDS OF ACTUAL TAP WATER USED.

<sup>^</sup> : CUSTOMER INFORMATION.

.....  
[Signature Box]  
.....

LABORATORY SUPERVISOR

APRIL 2, 2024

## ANALYSIS REPORT

**CUSTOMER NAME** : THE STAGE TAOPOON INTERCHANGE  
**ADDRESS** : 318 PRACHARAT ROAD 2 BANG SUE BANG SUE BANGKOK 10800  
**CONTACT INFORMATION** : TEL : 06 4184 2418 e-mail : sti@th.knightfrank.com  
**SAMPLING SOURCE** : -  
**SAMPLE TYPE** : WATER SUPPLY  
**SAMPLING DATE** : MARCH 20, 2024  
**SAMPLING TIME** : 13:20 HOUR  
**SAMPLING METHOD <sup>c</sup>** : GRAB  
**SAMPLING BY <sup>c</sup>** :   
**ANALYZED BY** :   
**RECEIVED DATE** : MARCH 20, 2024  
**ANALYTICAL DATE** : MARCH 20-26, 2024  
**ISSUE DATE** : MARCH 28, 2024  
**REPORT NO.** : 2024-U026464  
**WORK NO.** : 2023-007104  
**ANALYSIS NO.** : T24AF862-0004

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	DETECTION LIMIT
			WATER SUPPLY T24AF862-0004	
TOTAL DISSOLVED SOLIDS <sup>b</sup>	mg/L	TOTAL DISSOLVED SOLIDS DRIED AT 180 °C (SM: PART 2540 C)	228	25
<b>SAMPLE CONDITION</b> WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR -	

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

<sup>b</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

<sup>c</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED



SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

.....  
[Signature]  
LABORATORY SUPERVISOR

APRIL 2, 2024



## ANALYSIS REPORT

**CUSTOMER NAME** : THE STAGE TAOPOON INTERCHANGE  
**ADDRESS** : 318 PRACHARAT ROAD 2 BANG SUE BANG SUE BANGKOK 10800  
**CONTACT INFORMATION** : TEL : 06 4184 2418 e-mail : sti@th.knightfrank.com  
**SAMPLING SOURCE** : -  
**SAMPLE TYPE** : EFFLUENT  
**SAMPLING DATE** : APRIL 26, 2024  
**SAMPLING TIME** : 14:20 HOUR  
**SAMPLING METHOD** : GRAB  
**SAMPLING BY** :   
**ANALYZED BY** : 

**RECEIVED DATE** : APRIL 26, 2024  
**ANALYTICAL DATE** : APRIL 26 - MAY 7, 2024  
**ISSUE DATE** : MAY 7, 2024  
**REPORT NO.** : 2024-U037987  
**WORK NO.** : 2023-007104  
**ANALYSIS NO.** : T24AI788-0005

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			บดตรวจคุณภาพน้ำ T24AI788-0005		
pH	-	ELECTROMETRIC METHOD (AT SITE) SM: PART 4500-H <sup>+</sup> B AND 1060 B	7.6 (32°C)	5-9	-
BIOCHEMICAL OXYGEN DEMAND	mg/L	MEMBRANE ELECTRODE METHOD (SM: PART 5210 B AND PART 4500-O G)	77.2	≤ 20	2.0
SUSPENDED SOLIDS	mg/L	SUSPENDED SOLIDS DRIED AT 103-105 °C (SM: PART 2540 D)	28.2	≤ 30	5.0
TOTAL DISSOLVED SOLIDS	mg/L	IN-HOUSE METHOD: UAE.TP.WAO.007 (TOTAL DISSOLVED SOLIDS DRIED AT 103-105 °C); SM: PART 2540 C	360	500*	25
SETTLABLE SOLIDS	mL/L	IMHOFF CONE (SM: PART 2540 F)	< 0.1	≤ 0.5	0.1
SULPHIDE	mg/L	IODOMETRIC METHOD (SM: PART 4500-S <sup>2-</sup> F)	2.8	≤ 1.0	0.50
TOTAL KJELDAHL NITROGEN	mg/L	IN-HOUSE METHOD: UAE.TP.WAS.001 (KJELDAHL METHOD); SM: PART 4500-Norg C	62.3	≤ 35	1.5
FAT, OIL AND GREASE	mg/L	LIQUID-LIQUID, PARTITION-GRAVIMETRIC METHOD (SM: PART 5520 B)	6	≤ 20	3
<b>SAMPLE CONDITION</b> WATER'S COLOUR/TURBID SEDIMENT			YELLOW/TURBID BROWN		

IN-HOUSE : BASED ON STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : RANGE OR MAXIMUM PERMITTED VALUE FOR BUILDING EFFLUENT STANDARDS CLASS A, NOTIFICATION OF THE MINISTRY OF RESOURCES AND ENVIRONMENT, PUBLISHED IN THE ROYAL GOVERNMENT GAZETTE, VOL 122, PART 125 D, DATED DECEMBER 29, 2005 AND VOL 139 SPECIAL PART 171 D, DATED JULY 21, 2022.

500\* : PERMITTED EXCESS VALUE TO TOTAL DISSOLVED SOLIDS OF ACTUAL TAP WATER USED.

.....  
  
 LABORATORY SUPERVISOR



## ANALYSIS REPORT

**CUSTOMER NAME** : THE STAGE TAOPOON INTERCHANGE  
**ADDRESS** : 318 PRACHARAT ROAD 2 BANG SUE BANG SUE BANGKOK 10800  
**CONTACT INFORMATION** : TEL : 06 4184 2418 e-mail : sti@th.knightfrank.com  
**SAMPLING SOURCE** : -  
**SAMPLE TYPE** : WATER SUPPLY  
**SAMPLING DATE** : APRIL 26, 2024  
**SAMPLING TIME** : 14:03 HOUR  
**SAMPLING METHOD** : GRAB  
**SAMPLING BY** :   
**ANALYZED BY** :   
**RECEIVED DATE** : APRIL 26, 2024  
**ANALYTICAL DATE** : APRIL 26 - MAY 3, 2024  
**ISSUE DATE** : MAY 7, 2024  
**REPORT NO.** : 2024-U037988  
**WORK NO.** : 2023-007104  
**ANALYSIS NO.** : T24AI788-0006

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	DETECTION LIMIT
			WATER SUPPLY T24AI788-0006	
TOTAL DISSOLVED SOLIDS	mg/L	TOTAL DISSOLVED SOLIDS DRIED AT 180 °C (SM: PART 2540 C)	201	25
<b>SAMPLE CONDITION</b> WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR -	

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

.....  
LABORATORY SUPERVISOR



## ANALYSIS REPORT

**CUSTOMER NAME** : THE STAGE TAOPOON INTERCHANGE  
**ADDRESS** : 318 PRACHARAT ROAD 2 BANG SUE BANG SUE BANGKOK 10800  
**CONTACT INFORMATION** : TEL : 06 4184 2418 e-mail : sti@th.knightfrank.com  
**SAMPLING SOURCE** : -  
**SAMPLE TYPE** : EFFLUENT  
**SAMPLING DATE** : MAY 27, 2024  
**SAMPLING TIME** : 13:30 HOUR  
**SAMPLING METHOD** : GRAB  
**SAMPLING BY** :   
**ANALYZED BY** :   
**RECEIVED DATE** : MAY 27, 2024  
**ANALYTICAL DATE** : MAY 27 - JUNE 4, 2024  
**ISSUE DATE** : JUNE 4, 2024  
**REPORT NO.** : 2024-U048336  
**WORK NO.** : 2023-007104  
**ANALYSIS NO.** : T24AL307-0004

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			ปลอดภัยคุณภาพน้ำ T24AL307-0004		
pH	-	ELECTROMETRIC METHOD (AT SITE) SM: PART 4500-H <sup>+</sup> B AND 1060 B	7.5 (31°C)	5-9	-
BIOCHEMICAL OXYGEN DEMAND	mg/L	MEMBRANE ELECTRODE METHOD (SM: PART 5210 B AND PART 4500-O G)	55.5	≤ 20	2.0
SUSPENDED SOLIDS	mg/L	SUSPENDED SOLIDS DRIED AT 103-105 °C (SM: PART 2540 D)	31.3	≤ 30	5.0
TOTAL DISSOLVED SOLIDS	mg/L	IN-HOUSE METHOD: UAE.TP.WAO.007 (TOTAL DISSOLVED SOLIDS DRIED AT 103-105 °C); SM: PART 2540 C	508	500*	25
SETTLEABLE SOLIDS	mL/L	IMHOFF CONE (SM: PART 2540 F)	< 0.1	≤ 0.5	0.1
SULPHIDE	mg/L	IODOMETRIC METHOD (SM: PART 4500-S <sup>2-</sup> F)	3.1	≤ 1.0	0.50
TOTAL KJELDAHL NITROGEN	mg/L	IN-HOUSE METHOD: UAE.TP.WAS.001 (KJELDAHL METHOD); SM: PART 4500-Norg C	61.6	≤ 35	1.5
FAT, OIL AND GREASE	mg/L	LIQUID-LIQUID, PARTITION-GRAVIMETRIC METHOD (SM: PART 5520 B)	3	≤ 20	3
<b>SAMPLE CONDITION</b> WATER'S COLOUR/TURBID SEDIMENT			YELLOW/TURBID BROWN		

IN-HOUSE : BASED ON STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

REGULATORY STANDARD : RANGE OR MAXIMUM PERMITTED VALUE FOR BUILDING EFFLUENT STANDARDS CLASS A, NOTIFICATION OF THE MINISTRY OF RESOURCES AND ENVIRONMENT, PUBLISHED IN THE ROYAL GOVERNMENT GAZETTE, VOL 122, PART 125 D, DATED DECEMBER 29, 2005 AND VOL 139 SPECIAL PART 171 D, DATED JULY 21, 2022.

500\* : PERMITTED EXCESS VALUE TO TOTAL DISSOLVED SOLIDS OF ACTUAL TAP WATER USED.

...  ..  
LABORATORY SUPERVISOR



## ANALYSIS REPORT

**CUSTOMER NAME** : THE STAGE TAOPOON INTERCHANGE  
**ADDRESS** : 318 PRACHARAT ROAD 2 BANG SUE BANG SUE BANGKOK 10800  
**CONTACT INFORMATION** : TEL : 06 4184 2418 e-mail : sti@th.knightfrank.com  
**SAMPLING SOURCE** : -  
**SAMPLE TYPE** : WATER SUPPLY  
**SAMPLING DATE** : MAY 27, 2024  
**SAMPLING TIME** : 13:23 HOUR  
**SAMPLING METHOD** : GRAB  
**SAMPLING BY** :   
**ANALYZED BY** :   
**RECEIVED DATE** : MAY 27, 2024  
**ANALYTICAL DATE** : MAY 27-31, 2024  
**ISSUE DATE** : JUNE 4, 2024  
**REPORT NO.** : 2024-U048335  
**WORK NO.** : 2023-007104  
**ANALYSIS NO.** : T24AL307-0003

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	DETECTION LIMIT
			WATER SUPPLY T24AL307-0003	
TOTAL DISSOLVED SOLIDS	mg/L	TOTAL DISSOLVED SOLIDS DRIED AT 180 °C (SM: PART 2540 C)	288	25
<b>SAMPLE CONDITION</b> WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR -	

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 23<sup>rd</sup> EDITION, 2017.

.....  
LABORATORY SUPERVISOR



## ANALYSIS REPORT

**CUSTOMER NAME** : THE STAGE TAOPOON INTERCHANGE  
**ADDRESS** : 318 PRACHARAT ROAD 2 BANG SUE BANG SUE BANGKOK 10800  
**CONTACT INFORMATION** : TEL : 06 4184 2418 e-mail : sti@th.knightfrank.com  
**SAMPLING SOURCE** : -  
**SAMPLE TYPE** : EFFLUENT  
**SAMPLING DATE** : JUNE 11, 2024  
**SAMPLING TIME** : 13:45 HOUR  
**SAMPLING METHOD** : GRAB  
**SAMPLING BY** :  
**ANALYZED BY** :  
**RECEIVED DATE** : JUNE 11, 2024  
**ANALYTICAL DATE** : JUNE 11-18, 2024  
**ISSUE DATE** : JUNE 19, 2024  
**REPORT NO.** : 2024-U054491  
**WORK NO.** : 2023-007104  
**ANALYSIS NO.** : T24AM774-0003

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			บอตรวจคุณภาพน้ำ T24AM774-0003		
pH <sup>a</sup>	-	ELECTROMETRIC METHOD (AT SITE) SM: PART 4500-H <sup>+</sup> B AND 1060 B	7.0 (31°C)	5-9	-
BIOCHEMICAL OXYGEN DEMAND <sup>a</sup>	mg/L	MEMBRANE ELECTRODE METHOD (SM: PART 5210 B AND PART 4500-O G)	79.6	≤ 20	2.0
SUSPENDED SOLIDS <sup>a</sup>	mg/L	SUSPENDED SOLIDS DRIED AT 103-105 °C (SM: PART 2540 D)	22.5	≤ 30	5.0
TOTAL DISSOLVED SOLIDS <sup>b</sup>	mg/L	IN-HOUSE METHOD: UAE.TP.WAO.007 (TOTAL DISSOLVED SOLIDS DRIED AT 103-105 °C); SM: PART 2540 C	446	500*	25
SETTLEABLE SOLIDS <sup>c</sup>	mL/L	IMHOFF CONE (SM: PART 2540 F)	< 0.1	≤ 0.5	0.1
SULPHIDE <sup>c</sup>	mg/L	IODOMETRIC METHOD (SM: PART 4500-S <sup>2-</sup> F)	3.3	≤ 1.0	0.50
TOTAL KJELDAHL NITROGEN <sup>b</sup>	mg/L	IN-HOUSE METHOD: UAE.TP.WAS.001 (KJELDAHL METHOD); SM: PART 4500-Norg C	68.6	≤ 35	1.5
FAT, OIL AND GREASE <sup>a</sup>	mg/L	LIQUID-LIQUID, PARTITION-GRAVIMETRIC METHOD (SM: PART 5520 B)	8	≤ 20	3
<b>SAMPLE CONDITION</b> WATER'S COLOUR/TURBID SEDIMENT			YELLOW/TURBID BROWN		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

<sup>b</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

<sup>c</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED


IN-HOUSE : BASED ON STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 24<sup>th</sup> EDITION, 2023.

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 24<sup>th</sup> EDITION, 2023.

REGULATORY STANDARD : RANGE OR MAXIMUM PERMITTED VALUE FOR BUILDING EFFLUENT STANDARDS CLASS A, NOTIFICATION OF THE MINISTRY OF RESOURCES AND ENVIRONMENT, PUBLISHED IN THE ROYAL GOVERNMENT GAZETTE, VOL 122, PART 125 D, DATED DECEMBER 29, 2005 AND VOL 139 SPECIAL PART 171 D, DATED JULY 21, 2022.

500\* : PERMITTED EXCESS VALUE TO TOTAL DISSOLVED SOLIDS OF ACTUAL TAP WATER USED.

<sup>^</sup> : CUSTOMER INFORMATION

.....  
  
 LABORATORY SUPERVISOR





## ANALYSIS REPORT

**CUSTOMER NAME** : THE STAGE TAOPOON INTERCHANGE  
**ADDRESS** : 318 PRACHARAT ROAD 2 BANG SUE BANG SUE BANGKOK 10800  
**CONTACT INFORMATION** : TEL : 06 4184 2418 e-mail : sti@th.knightfrank.com  
**SAMPLING SOURCE** : -  
**SAMPLE TYPE** : WATER SUPPLY  
**SAMPLING DATE** : JUNE 11, 2024  
**SAMPLING TIME** : 13:20 HOUR  
**SAMPLING METHOD <sup>c</sup>** : GRAB  
**SAMPLING BY <sup>c</sup>** :   
**ANALYZED BY** :   
**RECEIVED DATE** : JUNE 11, 2024  
**ANALYTICAL DATE** : JUNE 11-17, 2024  
**ISSUE DATE** : JUNE 19, 2024  
**REPORT NO.** : 2024-U054492  
**WORK NO.** : 2023-007104  
**ANALYSIS NO.** : T24AM774-0004

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	DETECTION LIMIT
			WATER SUPPLY T24AM774-0004	
TOTAL DISSOLVED SOLIDS <sup>b</sup>	mg/L	TOTAL DISSOLVED SOLIDS DRIED AT 180 °C (SM: PART 2540 C)	245	25
<b>SAMPLE CONDITION</b> WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR -	

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

<sup>b</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

<sup>c</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 24<sup>th</sup> EDITION, 2023.

.....  
LABORATORY SUPERVISOR

