

ภาคผนวก ค

-
- สำเนาใบรับรองมาตรฐาน ISO/IEC 17025/2017
 - สำเนาใบรับรองมาตรฐาน ISO 9001/2015
 - สำเนาใบรับรองมาตรฐาน ISO 45001/2018



แบบ กษ.ร./ส.บ.๒

ใบรับรองเลขที่ 19T184/0960

ใบรับรองห้องปฏิบัติการ

อาศัยอำนาจตามความในพระราชบัญญัติการมาตรฐานแห่งชาติ พ.ศ. ๒๕๕๑

เลขานุการสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม

ออกใบรับรองฉบับนี้ให้

บริษัท เอสซีเอส (ประเทศไทย) จำกัด

ห้องปฏิบัติการทดสอบสิ่งแวดล้อม (สาขาระยอง)

มีห้องปฏิบัติการตั้งอยู่เลขที่

๑/๒๐๙, ๑/๒๑๑ หมู่ที่ ๑ ซอยสุขุมวิท ๒ ถนนสุขุมวิท

ตำบลบ้านฉาง อำเภอบ้านฉาง จังหวัดระยอง

ได้รับการรับรองความสามารถห้องปฏิบัติการทดสอบ

ตามมาตรฐานเลขที่ มอก. 17025-2561 (ISO/IEC 17025 : 2017)

ข้อกำหนดทั่วไปว่าด้วยความสามารถห้องปฏิบัติการทดสอบและสอบเทียบ

หมายเลขการรับรองที่ ทดสอบ ๐๔๗๐

โดยมีสาขาการรับรองตามรายละเอียดแนบท้ายใบรับรอง

ตั้งแต่ วันที่ ๑๑ พฤศจิกายน พ.ศ. ๒๕๖๒

ถึง วันที่ ๑๐ พฤศจิกายน พ.ศ. ๒๕๖๔

ออกให้ ณ วันที่ ๒๙ พฤศจิกายน พ.ศ. ๒๕๖๒

ลงชื่อ

เลขานุการสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม



กระทรวงอุตสาหกรรม สำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม

รายละเอียดแนบท้ายใบรับรองห้องปฏิบัติการทดสอบ

ใบรับรองเลขที่ 19T184/0960

ชื่อห้องปฏิบัติการ

ห้องปฏิบัติการทดสอบสิ่งแวดล้อม (สาขาระยอง)

ที่อยู่ บริษัท เอสซีเอส (ประเทศไทย) จำกัด

เลขที่ 1/209, 1/211 หมู่ที่ 1 ซอยสุขุมวิท 2 ถนนสุขุมวิท ตำบลบ้านฉาง

อำเภอบ้านฉาง จังหวัดระยอง

หมายเลขการรับรองที่

ทดสอบ 0470

สถานภาพห้องปฏิบัติการ

☒ถาวร

☐นอกสถานที่

☐ชั่วคราว

☐เคลื่อนที่

สาขาการทดสอบ	รายการทดสอบ	วิธีทดสอบ
สารสิ่งแวดล้อม น้ำและน้ำเสีย (water and wastewater)	- Arsenic 0.01 mg/l to 0.50 mg/l - Barium 0.01 mg/l to 10 mg/l - Cadmium 0.002 mg/l to 10 mg/l - Chromium 0.01 mg/l to 10 mg/l - Copper 0.01 mg/l to 10 mg/l - Iron 0.02 mg/l to 10 mg/l - Lead 0.01 mg/l to 10 mg/l - Manganese 0.01 mg/l to 5 mg/l - Nickel 0.004 mg/l to 10 mg/l - Selenium 0.01 mg/l to 0.50 mg/l - Silver 0.01 mg/l to 10 mg/l - Zinc 0.02 mg/l to 10 mg/l	- Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23 rd edition, 2017, part 3120 B, part 3030 F and part 3030 K

ฉบับที่ 1 ตั้งแต่วันที่ 11 พฤศจิกายน พ.ศ. 2562 หน้า 1/4

กระทรวงอุตสาหกรรม สำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม

รายละเอียดแบบท้ายใบรับรองห้องปฏิบัติการทดสอบ

ใบรับรองเลขที่ 19T184/0960

หมายเลขการรับรองที่

ทดสอบ 0470

สถานภาพห้องปฏิบัติการ

☒ ถาวร

☐ นอกสถานที่

☐ชั่วคราว

☐เคลื่อนที่

สาขาการทดสอบ	รายการทดสอบ	วิธีทดสอบ
สาขาสังแวดล้อม น้ำและน้ำเสีย (water and wastewater) (ต่อ)	<ul style="list-style-type: none"> - Biochemical oxygen demand (BOD) 2 mg/l to 5 000 mg/l - Chemical oxygen demand (COD) 40 mg/l to 10 000 mg/l - Chloride 1 mg/l to 10 000 mg/l - Chromium hexavalent 0.01 mg/l to 2.00 mg/l - Oil and grease 2 mg/l to 100 mg/l - pH 2.0 to 11.0 	<ul style="list-style-type: none"> - Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd edition, 2017, part 5210 B and part 4500-O G - Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd edition, 2017, part 5220 C - Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd edition, 2017, part 4500-Cl⁻ D - Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd edition, 2017, part 3500-Cr B - Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd edition, 2017, part 5520 B - Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd edition, 2017, part 4500-H⁺ B

ฉบับที่ 1 ตั้งแต่วันที่ 11 พฤศจิกายน พ.ศ. 2562 หน้า 2/4
กระทรวงอุตสาหกรรม สำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม

รายละเอียดแบบท้ายใบรับรองห้องปฏิบัติการทดสอบ

ใบรับรองเลขที่ 19T184/0960

ทดสอบ 0470

หมายเลขการรับรองที่

☒ ถาวร


☐ นอกสถานที่

☐ชั่วคราว

☐เคลื่อนที่

สาขาการทดสอบ	รายการทดสอบ	วิธีทดสอบ
สาขาสังแวดล้อม น้ำและน้ำเสีย (water and wastewater) (ต่อ)	<ul style="list-style-type: none"> - Phenol 0.01 mg/l to 1.00 mg/l - Sulfate 1 mg/l to 40 mg/l - Total hardness 1 mg/l to 1 000 mg/l (expressed as CaCO₃) - Total solids (TS) 2.5 mg/l to 10 000 mg/l - Total dissolved solids (TDS) 2.5 mg/l to 20 000 mg/l 	<ul style="list-style-type: none"> - Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd edition, 2017, part 5530 D - Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd edition, 2017, part 4500-SO₄²⁻ E - Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd edition, 2017, part 2340 C - Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd edition, 2017, part 2540 B - Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd edition, 2017, part 2540 C (dried at 180 °C and at 103 - 105 °C)

ฉบับที่ 1 ตั้งแต่วันที่ 11 พฤศจิกายน พ.ศ. 2562 หน้า 3/4
กระทรวงอุตสาหกรรม สำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม



รายละเอียดแบบท้ายใบรับรองห้องปฏิบัติการทดสอบ
ใบรับรองเลขที่ 19T184/0960

หมายเลขการรับรองที่

ทดสอบ 0470

สถานภาพห้องปฏิบัติการ

☒ ถาวร

☐ นอกสถานที่

☐ชั่วคราว

☐เคลื่อนที่

สาขาการทดสอบ	รายการทดสอบ	วิธีทดสอบ
สาขาสีและน้ำเสีย (water and wastewater) (ต่อ)	- Total suspended solids (TSS) 2.5 mg/L to 10 000 mg/L	- Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23 rd edition, 2017, part 2540 D

ออกให้ ณ วันที่ ๒๕ พฤศจิกายน พ.ศ. 2562

ลงชื่อ



เลขาธิการสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม

ฉบับที่ 1 ตั้งแต่วันที่ 11 ตุลาคม พ.ศ. 2562 หน้า 4/4

กระทรวงอุตสาหกรรม สำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม

ใบรับรองเลขที่ 23-LB0119
(Certificate No.)

ใบรับรองระบบงาน

(Certificate of Accreditation)

อาศัยอำนาจตามความในพระราชบัญญัติการมาตรฐานแห่งชาติ พ.ศ. ๒๕๕๑
(By Virtue of National Standardization Act B.E. 2551 (2008))

เลขาธิการสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม
(Secretary-General, Thai Industrial Standards Institute)

ออกใบรับรองฉบับนี้ให้
(Issues this certificate to)

บริษัท เอสจีเอส (ประเทศไทย) จำกัด ห้องปฏิบัติการทดสอบสิ่งแวดล้อม (สาขารอยง)
SGS (Thailand) Limited, Environmental Laboratory (Rayong Branch)

ตั้งอยู่เลขที่
(Address)

๑/๒๐๔ และ ๑/๒๑๑ หมู่ที่ ๑ ตำบลบ้านฉาง อำเภอบ้านฉาง จังหวัดระยอง
1/209 and 1/211 Moo 1, Ban Chang, Ban Chang, Rayong

ได้รับการรับรองความสามารถ
(Certificate of competence)

ตามมาตรฐานเลขที่ มอก. ๑๗๐๒๕ - ๒๕๖๑
(Standard No. TS 17025-2561 (2018) (ISO/IEC 17025: 2017))

ข้อกำหนดทั่วไปว่าด้วยความสามารถของ ห้องปฏิบัติการทดสอบและห้องปฏิบัติการสอบเทียบ
General requirements for the competence of testing and calibration laboratories

หมายเลขการรับรองที่ ทดสอบ ๐๔๗๐
(Accreditation No. Testing 0470)

โดยมีรายละเอียดสาขาและขอบข่ายที่ได้ใบรับรอง แสดงไว้ใน QR CODE และ www.tisi.go.th
(Details of the scheme and scope of the certificate are shown in QR CODE and www.tisi.go.th)

ออกให้ ณ วันที่ ๒๐ กุมภาพันธ์ พ.ศ. ๒๕๖๒
(Issue date : 20 February B.E. 2562 (2023))



ออกให้โดย สำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม (มอก.)
The Industrial Standard Institute (TISI)
Date: 20 Feb 2023 (2023)
035500dc

เลขาธิการสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม



กระทรวงอุตสาหกรรม สำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม
(Ministry of Industry, Thailand, The Industrial Standards Institute)



รายละเอียดสาขาและขอบข่ายให้บริการ

(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 23-LB0119

(Certification No. 23-LB0119)

บริษัท เอสจีเอส (ประเทศไทย) จำกัด ห้องปฏิบัติการทดสอบสิ่งแวดล้อม (สาขารยอง)

ทดสอบ 0470

(Testing 0470)

ชื่อห้องปฏิบัติการ

(Laboratory Name)

หมายเลขการรับรอง

(Accreditation No.)

ฉบับที่ 03

(Issue No. 03)

สถานภาพห้องปฏิบัติการ

(Laboratory status)

ถาวร

(Permanent)

นอกสถานที่

(Site)

ชั่วคราว

(Temporary)

เคลื่อนที่

(Mobile)

หลายสถานที่

(Multisite)

ถึงวันที่ 10 พฤศจิกายน พ.ศ. 2570

(Unit) (10 November B.E. 2570 (2027))

เคลื่อนที่

(Mobile)

หลายสถานที่

(Multisite)

ถาวร

(Permanent)

นอกสถานที่

(Site)

ชั่วคราว

(Temporary)

เคลื่อนที่

(Mobile)

หลายสถานที่

(Multisite)

ถึงวันที่ 10 พฤศจิกายน พ.ศ. 2570

(Unit) (10 November B.E. 2570 (2027))

เคลื่อนที่

(Mobile)

หลายสถานที่

(Multisite)

ถาวร

(Permanent)

นอกสถานที่

(Site)

ชั่วคราว

(Temporary)

เคลื่อนที่

(Mobile)

หลายสถานที่

(Multisite)

ถึงวันที่ 10 พฤศจิกายน พ.ศ. 2570

(Unit) (10 November B.E. 2570 (2027))

เคลื่อนที่

(Mobile)

หลายสถานที่

(Multisite)

ถาวร

(Permanent)

สาขาการทดสอบ

(Field of Testing)

สิ่งแวดล้อม

(Environmental field)

1. น้ำและน้ำเสีย

(Water and wastewater)

พารามิเตอร์ทดสอบ

(Parameter)

แอมโมเนีย

(Ammonia)

ไนโตรเจน

(Nitrogen)

ฟอสฟอรัส

(Phosphorus)

สังกะสี

(Zinc)

โครเมียม

(Chromium)

ทองแดง

(Copper)

เหล็ก

(Iron)

สังกะสี

(Zinc)

โครเมียม

(Chromium)

ทองแดง

(Copper)

เหล็ก

(Iron)

สังกะสี

(Zinc)

โครเมียม

(Chromium)

ทองแดง

(Copper)

เหล็ก

(Iron)

สังกะสี

(Zinc)

โครเมียม

(Chromium)

ทองแดง

(Copper)

เหล็ก

(Iron)

สังกะสี

(Zinc)

โครเมียม

(Chromium)

ทองแดง

(Copper)

เหล็ก

(Iron)

สังกะสี

(Zinc)

โครเมียม



รายละเอียดสาขาและขอบข่ายให้บริการ

(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 23-LB0119

(Certification No. 23-LB0119)

บริษัท เอสจีเอส (ประเทศไทย) จำกัด ห้องปฏิบัติการทดสอบสิ่งแวดล้อม (สาขารยอง)

ทดสอบ 0470

(Testing 0470)

ชื่อห้องปฏิบัติการ

(Laboratory Name)

หมายเลขการรับรอง

(Accreditation No.)

ฉบับที่ 03

(Issue No. 03)

สถานภาพห้องปฏิบัติการ

(Laboratory status)

ถาวร

(Permanent)

นอกสถานที่

(Site)

ชั่วคราว

(Temporary)

เคลื่อนที่

(Mobile)

หลายสถานที่

(Multisite)

ถึงวันที่ 10 พฤศจิกายน พ.ศ. 2570

(Unit) (10 November B.E. 2570 (2027))

เคลื่อนที่

(Mobile)

หลายสถานที่

(Multisite)

ถาวร

(Permanent)

นอกสถานที่

(Site)

ชั่วคราว

(Temporary)

เคลื่อนที่

(Mobile)

หลายสถานที่

(Multisite)

ถึงวันที่ 10 พฤศจิกายน พ.ศ. 2570

(Unit) (10 November B.E. 2570 (2027))

เคลื่อนที่

(Mobile)

หลายสถานที่

(Multisite)

ถาวร

(Permanent)

นอกสถานที่

(Site)

ชั่วคราว

(Temporary)

เคลื่อนที่

(Mobile)

หลายสถานที่

(Multisite)

ถึงวันที่ 10 พฤศจิกายน พ.ศ. 2570

(Unit) (10 November B.E. 2570 (2027))

เคลื่อนที่

(Mobile)

หลายสถานที่

(Multisite)

ถาวร

(Permanent)

สาขาการทดสอบ

(Field of Testing)

สิ่งแวดล้อม

(Environmental field)

1. น้ำและน้ำเสีย

(Water and wastewater)

พารามิเตอร์ทดสอบ

(Parameter)

ความต้องการออกซิเจนชีวเคมี

(Biochemical oxygen demand)

(BOD)

ความต้องการออกซิเจนเคมี

(Chemical oxygen demand)

(COD)

คลอไรด์

(Chloride)

โครเมียม

(Chromium)

เหล็ก

(Iron)

สังกะสี

(Zinc)

โครเมียม

(Chromium)

ทองแดง

(Copper)

เหล็ก

(Iron)

สังกะสี

(Zinc)

โครเมียม

(Chromium)

ทองแดง

(Copper)

เหล็ก

(Iron)

สังกะสี

(Zinc)

โครเมียม

(Chromium)

ทองแดง

(Copper)

เหล็ก

(Iron)

สังกะสี

(Zinc)

โครเมียม

(Chromium)

ทองแดง

(Copper)

เหล็ก

(Iron)

สังกะสี

(Zinc)

โครเมียม

(Chromium)

ทองแดง



รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ
(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 23-LB0119

(Certification No. 23-LB0119)

ฉบับที่ 03 ออกให้ตั้งแต่วันที่ 25 ธันวาคม พ.ศ. 2566
(Issue No. 03) (Valid from) (25 December B.E. 2566 (2023))
สถานที่ห้องปฏิบัติการ ☒ ถาวร ☐ ชั่วคราว
(Laboratory status) (Permanent) (Site) (Temporary)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
สาขาสังแวดล้อม (Environmental field) 1. น้ำและน้ำเสีย (ต่อ) (Water and wastewater) ((Cont.))	<ul style="list-style-type: none">- Sulfate (SO_4^{2-}) 1 mg/L to 40 mg/L- Total hardness 1 mg/L to 1 000 mg/L (expressed as CaCO_3)- Total solids (TS) 2.5 mg/L to 10 000 mg/L- Total dissolved solids (TDS) 2.5 mg/L to 20 000 mg/L- Total suspended solids (TSS) 2.5 mg/L to 10 000 mg/L	<ul style="list-style-type: none">- Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd edition, 2017, part 4500-SO_4^{2-}-E- Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd edition, 2017, part 2340 C- Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd edition, 2017, part 2540 B- Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd edition, 2017, part 2540 C- ENWA-10243 based on Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd edition, 2017, part 2540 C (dried at 103 - 105 °C)- Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd edition, 2017, part 2540



รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ
(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 23-LB0119

(Certification No. 23-LB0119)

ฉบับที่ 03 ออกให้ตั้งแต่วันที่ 25 ธันวาคม พ.ศ. 2566
(Issue No. 03) (Valid from) (25 December B.E. 2566 (2023))
สถานที่ห้องปฏิบัติการ ☒ ถาวร ☐ ชั่วคราว
(Laboratory status) (Permanent) (Site) (Temporary)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
สาขาสังแวดล้อม (Environmental field) 2. อากาศที่ระบายออก (Emission air)	<ul style="list-style-type: none">- Hydrogen chloride (HCl) 1.54 µg/sample to 257.00 µg/sample- Hydrogen chloride (HCl) 15.42 µg/sample to 2 570.00 µg/sample- Hydrogen fluoride (HF) 1.05 µg/sample to 263.25 µg/sample- Hydrogen fluoride (HF) 10.53 µg/sample to 2 632.50 µg/sample	<ul style="list-style-type: none">- US EPA, Code of Federal Regulations, 40 CFR 60 appendix A Method 26, 30 May 2023 (Exclude sampling)- US EPA, Code of Federal Regulations, 40 CFR 60 appendix A Method 26A, 7 October 2020 (Exclude sampling)- US EPA, Code of Federal Regulations, 40 CFR 60 appendix A Method 26, 30 May 2023 (Exclude sampling)- US EPA, Code of Federal Regulations, 40 CFR 60 appendix A Method 26A, 7 October 2020 (Exclude sampling)
3. บรรยากาศของสถานที่ทำงาน (Workplace air)	<ul style="list-style-type: none">- Benzene 1 µg/tube to 20 µg/tube- Ethylbenzene 1 µg/tube to 20 µg/tube	<ul style="list-style-type: none">- NIOSH Manual of Analytical Method (NMAM), 4th edition, method 1501, Issue 3, 15 March 2003 (Exclude sampling)- NIOSH Manual of Analytical Method (NMAM), 4th edition, method 1501, Issue 3, 15 March 2003 (Exclude sampling)

ABS Quality Evaluations

Certificate Of Conformance

This is to certify that the Quality Management System of:

SGS (Thailand) Ltd.

**100 Nanglinchee Road, Chongnonsee, Yannawa,
Bangkok 10120
Thailand**

(WITH ADDITIONAL FACILITIES LISTED ON ATTACHED ANNEX)

has been assessed by ABS Quality Evaluations, Inc. and found to be in conformance with the requirements set forth by:

ISO 9001:2015

The Quality Management System is applicable to:

**PROVISION OF PHYSICAL INSPECTION, FUMIGATION, PEST CONTROL AND LABORATORY TESTING AND
CALIBRATION**

This certificate may be found on the ABS QE Website (www.abs-qe.com). For certificates issued in the People's Republic of China information may also be verified on the CNCA website (www.cnca.gov.cn).

Certificate No: 52229
Certification Date: 30 July 2015
Effective Date: 23 July 2020
Expiration Date: 24 July 2023
Revision Date: 23 July 2020



Validity of this certificate is based on the successful completion of the periodic surveillance audits of the management system defined by the above scope and is contingent upon prompt written notification to ABS Quality Evaluations, Inc. of significant changes to the management system or components thereof.

ABS Quality Evaluations, Inc. 1701 City Plaza Drive, Spring, TX 77389, U.S.A.
Validity of this certificate may be confirmed at www.abs-qe.com/cert_validation.

Copyright 2011-2020 ABS Quality Evaluations, Inc. All rights reserved.

ABS Quality Evaluations

ISO 9001:2015

Certificate Of Conformance

ANNEX

Certificate No: 52229

SGS (Thailand) Ltd.

At Below Facilities:

Facility:	Facility 1 - Rayong Branch 1208 and 1211 Moo 1 T. Ban Chang, A. Ban Chang, Rayong 21130 Thailand Activity: Inspection & Testing.	Facility:	Facility 2 - Sriracha Office 144, 146 Sriracha Nakorn 1 Road, T. Sriracha, A. Sriracha, Chonburi 20110 Thailand Activity: Inspection, Fumigation & Pest Control.
Facility:	Facility 3 - Nakornratchasima Office 130/46 Surasara Road, T. Nai-Muang, A. Muang Nakornratchasima, 30000 Thailand Activity: Inspection & Fumigation.	Facility:	Facility 4 - Hat Yai Branch 37, 39 and 61 Soi 10 Thekkasem Road, T. Hat Yai, A. Hat Yai, Songkhla 90110 Thailand Activity: Inspection, Fumigation, Pest Control & Testing.
Facility:	Facility 5 - Rama III Branch, Laboratory Services 41/16 - 20, 41/23 Rama III Road Soi 59, Chongnonsee, Yannawa, Bangkok 10120 Thailand Activity: Testing.	Facility:	Facility 6 - SGS (Cambodia) Limited No. 1076 A-D Street 371, Phum Trea II Sangkat Steung Meanchey, Khan Meanchey, Phnom Penh, Cambodia Activity: Inspection.



Validity of this certificate may be confirmed at www.abs-qe.com/cert_validation.

Copyright 2011-2020 ABS Quality Evaluations, Inc. All rights reserved.

ABS Quality Evaluations

Certificate Of Conformance

This is to certify that the Quality Management System of:

SGS (Thailand) Ltd.
100 Nanglinchee Road
Chongnonsee, Yannawa
Bangkok 10120
Thailand

(WITH ADDITIONAL FACILITIES LISTED ON ATTACHED ANNEX)

has been assessed by ABS Quality Evaluations, Inc. and found to be in conformance with the requirements set forth by:

ISO 9001:2015

The Quality Management System is applicable to:

PROVISION OF PHYSICAL INSPECTION, FUMIGATION, PEST CONTROL AND LABORATORY TESTING AND CALIBRATION

This certificate may be found on the ABS QE Website (www.abs-qe.com). For certificates issued in the People's Republic of China information may also be verified on the CNCA website (www.cnca.gov.cn).

Certificate No: 52229
Certification Date: 30 July 2015
Effective Date: 14 July 2023
Expiration Date: 24 July 2026
Revision Date: 20 July 2023



Validity of this certificate is based on the successful completion of the periodic surveillance audits of the management system defined by the above scope and is contingent upon prompt written notification to ABS Quality Evaluations, Inc. of significant changes to the management system or components thereof.

ABS Quality Evaluations, Inc. 1701 City Plaza Drive, Spring, TX 77389, U.S.A.
Validity of this certificate may be confirmed at www.abs-qe.com/cert_validation.

Copyright 2011-2023 ABS Quality Evaluations, Inc. All rights reserved.

ABS Quality Evaluations

ISO 9001:2015

Certificate Of Conformance

ANNEX

Certificate No: 52229

SGS (Thailand) Ltd.

At Below Facilities:

Facility:	100 Nanglinchee Road, Chongnonsee, Yannawa, Bangkok 10120 Thailand	Facility:	Rayong Branch 1/269 and 1/21 Moo 1 T. Ban Chang, A. Ban Chang, Rayong 21130 Thailand	Facility:	Nakornratchasima Office 134/46 Suranaree Road, T. Na-Muang, A. Muang Nakornratchasima, 30000 Thailand
Activity:	Management of QMS, Inspection Service	Activity:	Inspection & Testing	Activity:	Inspection & Fumigation
Facility:	Siracha Office 144, 146 Siracha Nakorn 1 Road, T. Siracha, A. Siracha, Chonburi 20110 Thailand	Facility:	Rama III Branch, Laboratory Services 10/101-4, 12 Rama III Road, Soi 59, Chongnonsee, Yannawa, Bangkok 10120 Thailand	Facility:	
Activity:	Inspection, Fumigation & Pest Control	Activity:	Testing	Activity:	



Validity of this certificate may be confirmed at www.abs-qe.com/cert_validation.

Copyright 2011-2023 ABS Quality Evaluations, Inc. All rights reserved.

ABS Quality Evaluations

ISO 9001:2015

Certificate Of Conformance

ANNEX

Certificate No: 52229

SGS (Thailand) Ltd.

At Below Facilities:

Facility:	SGS (Cambodia) Limited No.1076 A-D Street 371 Phum Trea J.Sangkat Slueng Meanchey, Khan Meanchey, Phnom Penh,	Facility:	Rama III Branch - Soft Line & Hard goods Laboratory Services 1025/1 Soi Rama III 61, Rama III Road Chongnonsee, Yannaawa Bangkok 10120 Thailand
Activity:	Cambodia Inspection.	Activity:	Thailand Testing



Validity of this certificate may be confirmed at www.abs-qe.com/cert_validation.

Copyright 2011-2023 ABS Quality Evaluations, Inc. All rights reserved.

ABS Quality Evaluations

Certificate Of Conformance

This is to certify that the Health and Safety Management System of:

SGS (Thailand) Ltd.

100 Nanglinchee Road, Chongnonsee, Yannaawa,

Bangkok 10120

Thailand

(WITH ADDITIONAL FACILITIES LISTED ON ATTACHED ANNEX)

has been assessed by ABS Quality Evaluations, Inc. and found to be in conformance with the requirements set forth by:

ISO 45001:2018

The Health and Safety Management System is applicable to:

PROVISION OF PHYSICAL INSPECTION, FUMIGATION, PEST CONTROL AND LABORATORY TESTING AND CALIBRATION

This certificate may be found on the ABS QE Website (www.abs-qe.com). For certificates issued in the People's Republic of China information may also be verified on the CNCA website (www.CNCA.gov.cn).

Certificate No:
Effective Date:
Expiration Date:
Revision Date:

61139
07 September 2020
06 September 2023
07 September 2020

Dominic Townsend, President



Validity of this certificate is based on the successful completion of the periodic surveillance audits of the management system defined by the above scope and is contingent upon prompt written notification to ABS Quality Evaluations, Inc. of significant changes to the management system or components thereof.

ABS Quality Evaluations, Inc. 1701 City Plaza Drive, Spring, TX 77389, U.S.A.
Validity of this certificate may be confirmed at www.abs-qe.com/cert_validation.

Copyright 2011-2020 ABS Quality Evaluations, Inc. All rights reserved.

ABS Quality Evaluations

ISO 45001:2018

Certificate Of Conformance

ANNEX

Certificate No: 61139

SGS (Thailand) Ltd.

At Below Facilities:

Facility:
Facility 1 - Rayong Branch
1/209 and 1/211 Moo 1 T. Ban Chang,
A. Ban Chang,
Rayong 21130
Thailand

Activity:
Inspection & Testing.

Facility:
Facility 3 - Nakornratchasima Office
13/048 Suranara Road, T. Nai Muang,
A. Muang Nakornratchasima,
30000
Thailand

Activity:
Inspection & Fumigation.

Facility:
Facility 5 - Rama III Branch, Laboratory Services
41/116 - 20, 41/23 Rama III Road Soi 59,
Chongnonsee, Yannawa,
Bangkok 10120
Thailand

Activity:
Testing.

Facility:
Facility 2 - Sriracha Office
144, 146 Sriracha Nakorn 1 Road,
T. Sriracha, A. Sriracha,
Choroburi 20110
Thailand

Activity:
Inspection, Fumigation & Pest Control.

Facility:
Facility 4 - Hat Yai Branch
57, 59 and 61 Soi 10 Phrakasam Road,
T. Hat Yai, A. Hat Yai,
Songkhla 90110
Thailand

Activity:
Inspection, Fumigation, Pest Control & Testing.

Facility:
Facility 7 - Eastern Seaboard Office, Automotive Laboratory Service
Eastern Seaboard Industrial Estate 300/109 Moo 1,
Ta Si, Phukdaeng,
Rayong 21140
Thailand

Activity:
Testing.



ABS Quality Evaluations

Certificate Of Conformance

This is to certify that the Occupational Health and Safety Management of:

SGS (Thailand) Ltd.

100 Nanglinchee Road

Chongnonsee, Yannawa

Bangkok 10120

Thailand

(WITH ADDITIONAL FACILITIES LISTED ON ATTACHED ANNEX)

has been assessed by ABS Quality Evaluations, Inc. and found to be in conformance with the requirements set forth by:

ISO 45001:2018

The Occupational Health and Safety Management is applicable to:

PROVISION OF PHYSICAL INSPECTION, FUMIGATION, PEST CONTROL AND LABORATORY TESTING AND CALIBRATION

This certificate may be found on the ABS QE Website (www.abs-qe.com). For certificates issued in the People's Republic of China information may also be verified on the CNCA website (www.cnca.gov.cn).

Certificate No: 61139

Certification Date: 07 September 2020

Effective Date: 14 July 2023

Expiration Date: 06 September 2026

Revision Date: 20 July 2023

Dominic Townsend, President



Validity of this certificate is based on the successful completion of the periodic surveillance audits of the management system defined by the above scope and is contingent upon prompt, written notification to ABS Quality Evaluations, Inc. of significant changes to the management system or components thereof.

ABS Quality Evaluations, Inc. 1701 City Plaza Drive, Spring, TX 77389, U.S.A.
Validity of this certificate may be confirmed at www.abs-qe.com/cert_validation.

Copyright 2011-2023 ABS Quality Evaluations, Inc. All rights reserved.

ABS Quality Evaluations

ISO 45001:2018

Certificate Of Conformance

ANNEX

Certificate No: 61139

SGS (Thailand) Ltd.

At Below Facilities:

Facility: 100 Nanglnchee Road, Chongnorse, Yarnawa,
Bangkok 10120
Thailand

Activity: Management of OHS, Inspection Services

Facility: Siracha Office
144, 146 Siracha Nakorn 1 Road,
T. Siracha, A. Siracha,
Chonburi 20110
Thailand

Activity: Inspection, Fumigation & Pest Control.

Facility: Hat Ya Branch
57, 59 and 61 Soi 10 Phelkasom Road,
T. Hat Ya, A. Hat Ya,
Songkhla 90110
Thailand

Activity: Inspection, Fumigation, Pest Control & Testing.

Facility: Rayong Branch
1/209 and 1/21 Moo 1 T. Ban Chang,
A. Ban Chang,
Rayong 21130
Thailand

Activity: Inspection & Testing.

Facility: Nakhonrathasima Office
1340/46 Suranarai Road, T. Nai-Muang,
A. Muang Nakhonrathasima,
30000
Thailand

Activity: Inspection & Fumigation.

Facility: Rama III Branch, Laboratory Services
10,10/1-4, 12 Rama III Road Soi 59,
Chongnorse, Yarnawa,
Bangkok 10120
Thailand

Activity: Testing.

ABS Quality Evaluations

ISO 45001:2018

Certificate Of Conformance

ANNEX

Certificate No: 61139

SGS (Thailand) Ltd.

At Below Facilities:

Facility: Eastern Seaboard Office, Automotive Laboratory Services
Eastern Seaboard Industrial Estate 300/109 Moo 1,
Ta Sit, Phludkaeng,
Rayong 21140
Thailand

Activity: Testing.

Facility: Rama III Branch - Soil Line & Hard goods Laboratory Services
1025/1 Soi Rama III 61, Rama III Road
Chongnorse, Yarnawa
Bangkok 10120
Thailand

Activity: Testing



Validity of this certificate may be confirmed at www.abs-qe.com/cert_validation.

Copyright 2011-2023 ABS Quality Evaluations, Inc. All rights reserved.

Validity of this certificate may be confirmed at www.abs-qe.com/cert_validation.

Copyright 2011-2023 ABS Quality Evaluations, Inc. All rights reserved.