

ภาคผนวก ง

---

---

ผลการติดตามตรวจสอบคุณภาพสิ่งแวดล้อม

ภาคผนวก ง-1

---

---

ผลการติดตามตรวจสอบคุณภาพอากาศในบรรยากาศโดยทั่วไป



ใบรายงานผลการวิเคราะห์

ข้อมูลคำ  
ที่ผู้  
ข้อมูลผู้ติดต่อ  
สถานที่ตรวจวัด  
ประเภทการตรวจวัด  
วันที่ตรวจวัด  
เวลาที่ตรวจวัด  
ผู้ตรวจวัด  
ผู้ตรวจวัด

: บริษัท นาสันแสงทางทอง จำกัด  
: 424 ถนนกำแพงเพชร 6 แขวงดอนเมือง เขตดอนเมือง กรุงเทพมหานคร 10210  
: โทรศัพท์ : 08 7936 0775 อีเมล : kirana@pt.co.th  
: วิทยาสงา (คลังน้ำมันปิโตร)  
: อาคารในบริเวณภาคใต้ทั่วไป  
: 22-27 พฤศจิกายน 2567  
: 6 ธันวาคม 2567  
: 2024-U11-4072  
: 2023-006625  
: T24BC009-0006 - T24BC009-0010

เวลา *	ผลการวิเคราะห์ (ส่วนในล้านส่วน)				
	ก๊าซในโตรเจนไดออกไซด์				
	22-23 พฤศจิกายน 2567 T24BC009-0006	23-24 พฤศจิกายน 2567 T24BC009-0007	24-25 พฤศจิกายน 2567 T24BC009-0008	25-26 พฤศจิกายน 2567 T24BC009-0009	26-27 พฤศจิกายน 2567 T24BC009-0010
08:00-09:00 น.	0.0035	0.0027	0.0047	0.0034	0.0032
09:00-10:00 น.	0.0031	0.0020	0.0044	0.0028	0.0028
10:00-11:00 น.	0.0026	0.0021	0.0041	0.0023	0.0027
11:00-12:00 น.	0.0025	0.0020	0.0038	0.0024	0.0027
12:00-13:00 น.	0.0028	0.0024	0.0036	0.0025	0.0026
13:00-14:00 น.	0.0032	0.0029	0.0035	0.0027	0.0030
14:00-15:00 น.	0.0038	0.0036	0.0036	0.0032	0.0035
15:00-16:00 น.	0.0044	0.0042	0.0037	0.0036	0.0040
16:00-17:00 น.	0.0052	0.0045	0.0039	0.0038	0.0042
17:00-18:00 น.	0.0056	0.0046	0.0036	0.0041	0.0041
18:00-19:00 น.	0.0057	0.0049	0.0038	0.0040	0.0041
19:00-20:00 น.	0.0054	0.0051	0.0035	0.0042	0.0042
20:00-21:00 น.	0.0052	0.0058	0.0036	0.0036	0.0044
21:00-22:00 น.	0.0052	0.0063	0.0033	0.0032	0.0045
22:00-23:00 น.	0.0049	0.0062	0.0033	0.0027	0.0044
23:00-00:00 น.	0.0048	0.0057	0.0037	0.0025	0.0040
00:00-01:00 น.	0.0048	0.0052	0.0040	0.0024	0.0035
01:00-02:00 น.	0.0049	0.0050	0.0044	0.0023	0.0032
02:00-03:00 น.	0.0051	0.0048	0.0040	0.0027	0.0032
03:00-04:00 น.	0.0046	0.0052	0.0042	0.0031	0.0033
04:00-05:00 น.	0.0051	0.0057	0.0041	0.0035	0.0035
05:00-06:00 น.	0.0049	0.0061	0.0044	0.0037	0.0040
06:00-07:00 น.	0.0045	0.0057	0.0041	0.0038	0.0042
07:00-08:00 น.	0.0037	0.0052	0.0040	0.0035	0.0040
ค่าเฉลี่ย 24 ชั่วโมง	0.0044	0.0045	0.0039	0.0032	0.0036

(นายศิลา บรรจงใจกิจ)  
ผู้ควบคุมห้องปฏิบัติการ

ใบรายงานผลการวิเคราะห์

ข้อมูลคำ  
ที่ผู้  
ข้อมูลผู้ติดต่อ  
สถานที่ตรวจวัด  
ประเภทการตรวจวัด  
วันที่ตรวจวัด  
เวลาที่ตรวจวัด  
ผู้ตรวจวัด  
ผู้ตรวจวัด

: บริษัท นาสันแสงทางทอง จำกัด  
: 424 ถนนกำแพงเพชร 6 แขวงดอนเมือง เขตดอนเมือง กรุงเทพมหานคร 10210  
: โทรศัพท์ : 08 7936 0775 อีเมล : kirana@pt.co.th  
: วิทยาสงา (คลังน้ำมันปิโตร)  
: อาคารในบริเวณภาคใต้ทั่วไป  
: 22-27 พฤศจิกายน 2567  
: 6 ธันวาคม 2567  
: 2024-U11-4069  
: 2023-006625  
: T24BC009-0006 - T24BC009-0010

เวลา *	ผลการวิเคราะห์ (ส่วนในล้านส่วน)				
	ก๊าซในโตรเจนไดออกไซด์				
	22-23 พฤศจิกายน 2567 T24BC009-0006	23-24 พฤศจิกายน 2567 T24BC009-0007	24-25 พฤศจิกายน 2567 T24BC009-0008	25-26 พฤศจิกายน 2567 T24BC009-0009	26-27 พฤศจิกายน 2567 T24BC009-0010
08:00-09:00 น.	0.0193	0.0205	0.0195	0.0199	0.0204
09:00-10:00 น.	0.0160	0.0183	0.0170	0.0183	0.0181
10:00-11:00 น.	0.0136	0.0155	0.0143	0.0162	0.0139
11:00-12:00 น.	0.0130	0.0141	0.0140	0.0146	0.0123
12:00-13:00 น.	0.0125	0.0144	0.0137	0.0141	0.0129
13:00-14:00 น.	0.0126	0.0141	0.0133	0.0137	0.0125
14:00-15:00 น.	0.0141	0.0154	0.0140	0.0153	0.0140
15:00-16:00 น.	0.0159	0.0148	0.0151	0.0160	0.0159
16:00-17:00 น.	0.0186	0.0159	0.0192	0.0183	0.0185
17:00-18:00 น.	0.0199	0.0161	0.0205	0.0188	0.0208
18:00-19:00 น.	0.0205	0.0170	0.0212	0.0195	0.0214
19:00-20:00 น.	0.0196	0.0180	0.0196	0.0195	0.0203
20:00-21:00 น.	0.0193	0.0175	0.0190	0.0203	0.0191
21:00-22:00 น.	0.0180	0.0166	0.0181	0.0213	0.0167
22:00-23:00 น.	0.0170	0.0150	0.0165	0.0212	0.0158
23:00-00:00 น.	0.0156	0.0145	0.0147	0.0198	0.0151
00:00-01:00 น.	0.0160	0.0150	0.0140	0.0192	0.0155
01:00-02:00 น.	0.0172	0.0157	0.0144	0.0183	0.0154
02:00-03:00 น.	0.0190	0.0161	0.0156	0.0177	0.0154
03:00-04:00 น.	0.0207	0.0167	0.0160	0.0158	0.0158
04:00-05:00 น.	0.0204	0.0164	0.0166	0.0147	0.0154
05:00-06:00 น.	0.0201	0.0172	0.0180	0.0161	0.0158
06:00-07:00 น.	0.0200	0.0188	0.0195	0.0186	0.0173
07:00-08:00 น.	0.0213	0.0203	0.0211	0.0220	0.0207

(นายศิลา บรรจงใจกิจ)  
ผู้ควบคุมห้องปฏิบัติการ





ใบรายงานผลการวิเคราะห์

ข้อมูลค่า

: บริษัท นาสีเอ็นจิเนียริ่ง จำกัด

: 424 ถนนกำแพงเพชร 6 แขวงดอนเมือง กรุงเทพมหานคร 10210

: โทรศัพท์ : 08 7936 0775 อีเมล : kirana@fpt.co.th

: อีเมล : kirana@fpt.co.th

สถานที่ตรวจวัด

: อาคารศูนย์รวมการค้าโดยทั่วไป

: 22-27 พฤศจิกายน 2567

: \*

: WIND SPEED & WIND DIRECTION EQUIPMENT

: บบจุฬาลงกรณ์มหาวิทยาลัย

วันที่รับจ้าง : 22-27 พฤศจิกายน 2567

วันที่รับจ้าง : 22-27 พฤศจิกายน 2567

วันที่รับจ้าง : 6 ธันวาคม 2567

เลขที่ใบรายงานผล : 2024-1114073

เลขที่งาน : 2023-006625

หมายเลขปฏิบัติงาน : T24BC009-0006 - T24BC009-0010

ผลการวิเคราะห์ (เมตร/วินาที)

เวลา *	ทิศทางลม (คำสั่งบันทึก)					
	22-23 พฤศจิกายน 2567	23-24 พฤศจิกายน 2567	24-25 พฤศจิกายน 2567	25-26 พฤศจิกายน 2567	26-27 พฤศจิกายน 2567	รวมค่าเฉลี่ย
	T24BC009-0006	T24BC009-0007	T24BC009-0008	T24BC009-0009	T24BC009-0010	
07:00-08:00 น.	2.2 WSW	1.9 WSW	3.1 NW	3.3 W	1.6 WNW	
08:00-09:00 น.	2.1 WSW	2.1 WSW	3.2 WNW	2.3 WNW	2.3 NW	
09:00-10:00 น.	2.5 SW	2.8 W	3.3 W	2.9 WNW	2.2 WNW	
10:00-11:00 น.	2.0 SW	2.6 WSW	3.0 WNW	1.7 WNW	3.3 NW	
11:00-12:00 น.	1.8 WNW	2.4 W	2.7 NW	1.4 W	2.6 WNW	
12:00-13:00 น.	1.2 SW	3.1 WSW	2.8 WNW	1.1 WNW	3.3 NW	
13:00-14:00 น.	1.0 WNW	2.7 WSW	1.8 NW	1.0 W	2.3 WNW	
14:00-15:00 น.	0.9 SW	2.1 W	2.9 NW	1.5 WNW	3.4 WNW	
15:00-16:00 น.	1.1 WSW	2.6 WSW	2.2 WNW	1.8 WNW	2.7 NW	
16:00-17:00 น.	1.2 WSW	2.3 WSW	2.3 NW	1.4 WSW	1.4 WNW	
17:00-18:00 น.	2.5 SW	2.0 WSW	2.0 WNW	2.4 WSW	2.5 NW	
18:00-19:00 น.	0.9 WNW	2.1 W	2.1 NW	1.7 WSW	2.4 WNW	
19:00-20:00 น.	1.0 SW	2.3 WSW	2.0 WNW	1.8 WNW	2.2 NW	
20:00-21:00 น.	1.4 SW	2.8 W	1.7 WNW	1.6 W	2.9 WNW	
21:00-22:00 น.	1.8 WSW	2.2 W	1.6 NW	2.3 WNW	2.5 NW	
22:00-23:00 น.	2.3 SW	2.1 WSW	1.9 NW	1.3 WNW	3.1 WNW	
23:00-00:00 น.	3.3 SW	2.3 W	2.5 WNW	1.9 W	3.3 NW	
00:00-01:00 น.	2.4 WSW	3.2 WNW	2.9 W	1.0 NW	2.1 NE	
01:00-02:00 น.	3.1 W	3.0 WNW	2.8 WNW	2.2 NW	1.9 ENE	
02:00-03:00 น.	3.2 WSW	2.5 NW	2.3 W	0.8 W	2.0 E	
03:00-04:00 น.	2.2 WSW	3.4 WNW	3.2 WNW	1.2 WNW	1.7 ENE	
04:00-05:00 น.	2.7 W	3.0 WNW	2.2 W	2.4 WNW	2.4 E	
05:00-06:00 น.	1.7 WSW	2.9 W	2.5 WNW	1.5 NW	2.0 E	
06:00-07:00 น.	2.1 W	1.7 WNW	2.4 WNW	1.4 NW	1.7 E	

8

(นายคณิศ นรพงศ์จักร)

ผู้ควบคุมห้องปฏิบัติการ









ใบรายงานผลการวิเคราะห์

ข้อมูลทั่วไป

บริษัท บางฟุ้งแสงทางชล จำกัด  
: 424 ถนนกำแพงเพชร 6 แขวงดอนเมือง กรุงเทพมหานคร 10210  
โทรศัพท์ : 08 7936 0775 อีเมล : kirana@fpt.co.th  
: โรงเรียนสอนภาษาพิชยาม (คลังน้ำขึ้นนครลำปาง)  
: อาคารในบริเวณภาคใต้โดยทั่วไป  
วันที่ตรวจวัด : 16-21 พฤศจิกายน 2567  
เวลาที่ตรวจวัด : \*  
วิธีการตรวจวัด : WIND SPEED & WIND DIRECTION EQUIPMENT  
ผู้ตรวจวัด : นายจุฑาพร สมนพพร

วันที่รับตัวอย่าง : 16-21 พฤศจิกายน 2567  
วันที่ตรวจวัด : 16-21 พฤศจิกายน 2567  
วันที่ออกรายงานผล : 6 ธันวาคม 2567  
เลขที่ใบรายงานผล : 2024-U113626  
เลขที่งาน : 2023-006620  
หมายเลขปฏิบัติงาน : T2488507-0001 - T2488507-0005

เวลา *	ผลการวิเคราะห์ (เมตร/วินาที)									
	โรงเรียนสวนป่านพิชยาม (คลังน้ำขึ้นนครลำปาง)					โรงเรียนสวนป่านพิชยาม (คลังน้ำขึ้นนครลำปาง)				
	16 - 17 พฤศจิกายน 2567	17 - 18 พฤศจิกายน 2567	18 - 19 พฤศจิกายน 2567	19 - 20 พฤศจิกายน 2567	20 - 21 พฤศจิกายน 2567	16 - 17 พฤศจิกายน 2567	17 - 18 พฤศจิกายน 2567	18 - 19 พฤศจิกายน 2567	19 - 20 พฤศจิกายน 2567	20 - 21 พฤศจิกายน 2567
T2488507-0001	T2488507-0002	T2488507-0003	T2488507-0004	T2488507-0005	T2488507-0006	T2488507-0007	T2488507-0008	T2488507-0009	T2488507-0010	T2488507-0011
ความถี่ลม	ทิศทางลม	ความเร็วลม	ทิศทางลม	ความเร็วลม	ทิศทางลม	ความถี่ลม	ทิศทางลม	ความเร็วลม	ทิศทางลม	ความเร็วลม
07:00-08:00 น.	3.3	NE	1.8	NNE	1.9	NE	3.0	ENE	1.9	NE
08:00-09:00 น.	2.7	ENE	2.1	NNE	1.6	NE	2.5	NE	1.3	ENE
09:00-10:00 น.	3.0	ENE	2.6	NE	1.7	ENE	2.7	ENE	1.7	ENE
10:00-11:00 น.	2.3	NE	3.0	NNE	2.1	ENE	3.1	NE	2.0	NE
11:00-12:00 น.	3.1	ENE	3.2	NE	2.0	NE	2.3	NE	1.2	ENE
12:00-13:00 น.	2.3	NE	2.4	NNE	1.5	ENE	2.9	ENE	1.6	NE
13:00-14:00 น.	3.1	ENE	1.5	NE	1.2	NE	2.5	NE	1.4	ENE
14:00-15:00 น.	2.6	NE	2.7	NNE	2.3	ENE	2.7	ENE	2.3	NE
15:00-16:00 น.	3.1	ENE	2.6	NNE	2.2	ENE	2.3	ENE	2.0	NE
16:00-17:00 น.	3.0	NE	2.9	NNE	2.3	NE	1.5	NE	1.6	NE
17:00-18:00 น.	2.6	ENE	3.1	NE	2.4	NE	1.9	ENE	2.1	ENE
18:00-19:00 น.	2.7	NE	2.5	NE	2.9	ENE	1.7	ENE	1.8	NE
19:00-20:00 น.	2.3	ENE	2.3	NNE	2.1	ENE	1.8	NE	1.5	NE
20:00-21:00 น.	2.9	NE	1.6	NNE	3.0	NE	1.5	ENE	1.7	NNE
21:00-22:00 น.	2.4	NE	2.0	NE	2.6	ENE	2.1	ENE	1.6	ENE
22:00-23:00 น.	3.1	ENE	2.2	NNE	3.0	NE	1.5	NE	1.7	NE
23:00-00:00 น.	2.3	NE	2.1	NNE	2.9	ENE	2.1	ENE	2.3	NE
00:00-01:00 น.	2.6	NNE	1.6	ENE	3.2	ENE	2.3	NE	2.1	ENE
01:00-02:00 น.	3.1	NNE	1.4	NE	3.1	NE	3.2	NE	2.9	ENE
02:00-03:00 น.	2.7	NE	1.6	ENE	2.7	ENE	2.7	ENE	2.5	E
03:00-04:00 น.	2.2	NNE	2.5	NE	1.8	ENE	2.4	NE	2.9	ENE
04:00-05:00 น.	1.8	NE	2.1	ENE	2.7	NE	2.0	NE	2.3	NE
05:00-06:00 น.	2.1	NNE	1.8	ENE	2.1	NE	2.1	ENE	2.6	ENE
06:00-07:00 น.	2.2	NE	2.3	ENE	2.4	ENE	2.0	NE	3.2	ENE

(นายศิลา บุตรใจดี)  
ผู้อำนวยการปฏิบัติงาน

- ห้ามคัดลอกใบรายงานผลการวิเคราะห์แต่เพียงบางส่วน โดยไม่ได้รับอนุญาตจากห้องปฏิบัติการเป็นลายลักษณ์อักษร
- ใบรายงานผลนี้ให้เฉพาะกับตัวอย่างที่นำมาทดสอบเท่านั้น





ภาคผนวก ง-2

---

ผลการติดตามตรวจสอบคุณภาพน้ำทิ้ง

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	DETECTION LIMIT
MICROBIOLOGY				
COLIFORM BACTERIA <sup>b</sup>	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 B AND C)	1,700	1.8
FAECAL COLIFORM BACTERIA <sup>b</sup>	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 B, C AND E)	1,100	1.8
SAMPLE CONDITION				
WATER'S COLOUR/TURBID SEDIMENT			YELLOW/TURBID BROWN	

® : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

b. : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

g.: VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER. APHA. AWWA. WEF. 24<sup>TH</sup> EDITION, 2023.

ND : NOT DETECTED.

ND : NOT DETECTED.

*Piyapol S.*  
(MRS PIYAPAT SUTTAMANUTWONG)  
LABORATORY SUPERVISOR

212

- End of Analysis Report -

2024-U070630

## ANALYSIS REPORT

CUSTOMER NAME	: BAW5 PIPELINE TRANSPORTATION
ADDRESS	: 424 KAMPHAENG PHET 6 RD DON MUEANG DON MUEANG BANGKOK 10210
CONTACT INFORMATION	: TEL : 08 8424 3384 e-mail : sununtha.p@pft.co.th
SAMPLING SOURCE	: บริษัทผู้ผลิตท่อโพลีเอทิลีน (ลูกค้าบริษัท)
SAMPLE TYPE	: EFFLUENT
SAMPLING DATE	: JULY 18, 2024
SAMPLING TIME	: 15:00 HOUR
SAMPLING METHOD	: GRAB, GRAB AND STERILE TECHNIQUE
SAMPLING BY	: MR PEERAPAT BANYATSRIN
ANALYZED BY	: MISS NAPAPORN KHUNNOKKHAM
RECEIVED DATE	
ANALYTICAL DATE	
ISSUE DATE	
REPORT NO.	
WORK NO.	
ANALYSIS NO.	

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	DETECTION LIMIT
pH <sup>a</sup>	-	ELECTROMETRIC METHOD (AT SITE) SM: PART 4500 -H <sup>+</sup> B AND 1060 B	8.6 (3°C)	-
ELECTRICAL CONDUCTIVITY <sup>c</sup>	µS/cm	ELECTRICAL CONDUCTIVITY METHOD (AT SITE) SM: PART 2510 B AND 1060 B	160 (3°C)	0.1
DISSOLVED OXYGEN <sup>c</sup>	mg/L	MEMBRANE ELECTRODE METHOD (AT SITE) SM: PART 4500-O G	5.2	0.5
BIOCHEMICAL OXYGEN DEMAND <sup>a</sup>	mg/L	MEMBRANE ELECTRODE METHOD (SM: PART 5210 B AND PART 4500-O G)	< 2.0	2.0
TOTAL SUSPENDED SOLIDS <sup>a</sup>	mg/L	TOTAL SUSPENDED SOLIDS DRIED AT 103-105 °C (SM: PART 2540 D)	36.4	5.0
TOTAL DISSOLVED SOLIDS <sup>b</sup>	mg/L	TOTAL DISSOLVED SOLIDS DRIED AT 180 °C (SM: PART 2540 C)	123	25
FAT, OIL AND GREASE <sup>c</sup>	mg/L	LIQUID-LIQUID, PARTITION-GRAVIMETRIC METHOD (SM: PART 5520 B)	ND	3
TOTAL PETROLEUM HYDROCARBONS <sup>c</sup>	mg/L	SOXHLET EXTRACTION METHOD (SM: PART 5520 D AND PART 5520 F)	ND	3

 $1/2$ 

**CUSTOMER NAME**

CUSTOMER NAME	: BAFS PIPELINE TRANSPORTATION
ADDRESS	: 424 KAMPHAENG PHET 6 RD DON MUEANG DON MUEANG BANGKOK 10210
CONTACT INFORMATION	: TEL : 08 8424 3384 e-mail : sununtha.p@ppt.co.th
SAMPLING SOURCE	: รายละเอียดทางเทคนิค (เอกสารแนบ)
SAMPLE TYPE	: EFFLUENT
SAMPLING DATE	: AUGUST 16, 2024
SAMPLING TIME	: 09:40 HOUR
SAMPLING METHOD	: GRAB, GRAB AND STERILE TECHNIQUE
SAMPLING BY	: MR PEERAPAT BANYATSEIN
ANALYZED BY	: MISS NAPAPORN KHUNNOKKHAM
RECEIVED DATE	
ANALYTICAL DATE	
ISSUE DATE	
REPORT NO.	
WORK NO.	
ANALYSIS NO.	

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT		DETECTION LIMIT
			unimol/mg	unimol/mg	
pH <sup>a</sup>	-	ELECTROMETRIC METHOD (AT SITE) SM: PART 4500 -H <sup>+</sup> B AND 1060 B	8.2 (32°C)	-	-
ELECTRICAL CONDUCTIVITY <sup>c</sup>	µS/cm	ELECTRICAL CONDUCTIVITY METHOD (AT SITE) SM: PART 2510 B AND 1060 B	174 (32°C)	0.1	0.1
DISSOLVED OXYGEN <sup>c</sup>	mg/L	MEMBRANE ELECTRODE METHOD (AT SITE) SM: PART 4500-O G	4.9	0.5	0.5
BIOCHEMICAL OXYGEN DEMAND <sup>a</sup>	mg/L	MEMBRANE ELECTRODE METHOD (SM: PART 5210 B AND PART 4500-O G)	< 2.0	2.0	2.0
TOTAL SUSPENDED SOLIDS <sup>a</sup>	mg/L	TOTAL SUSPENDED SOLIDS DRIED AT 103-105 °C (SM: PART 2540 D)	140	5.0	5.0
TOTAL DISSOLVED SOLIDS <sup>b</sup>	mg/L	TOTAL DISSOLVED SOLIDS DRIED AT 180 °C (SM: PART 2540 C)	208	25	25
FAT, OIL AND GREASE <sup>c</sup>	mg/L	LIQUID-LIQUID, PARTITION-GRAVIMETRIC METHOD (SM: PART 5520 B)	ND	3	3
TOTAL PETROLEUM HYDROCARBONS <sup>c</sup>	mg/L	SOXHLET EXTRACTION METHOD (SM: PART 5520 D AND PART 5520 F)	ND	3	3

- PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.
- THIS ANALYSIS REPORT APPROVES ONLY FOR THE SAMPLES AS RECEIVED.



PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	DETECTION LIMIT
MICROBIOLOGY				
COLIFORM BACTERIA <sup>b</sup>	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 B AND C)	4,600	1.8
FAECAL COLIFORM BACTERIA <sup>b</sup>	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 B, C AND E)	3,300	1.8
<b>SAMPLE CONDITION</b> WATER'S COLOUR/TURBID SEDIMENT			YELLOW/TURBID BROWN	

a : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)  
b : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)  
c : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED  
SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 24<sup>TH</sup> EDITION, 2023.  
ND : NOT DETECTED.

*Piyapal S.*  
(MRS PIYAPAT SUTTAMANUTWONG)  
LABORATORY SUPERVISOR

- PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.
- THIS ANALYSIS REPORT APPROVES ONLY FOR THE SAMPLES AS RECEIVED.

2024-U079560

- End of Analysis Report -

ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY BSI GROUP (UK-ALAND) CO



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangchak, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax 0 2763 2800 www.uaeconsultant.com E-mail: uaec@uaeconsultant.com



United Analyst and Engineering Consultant Co., Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road, Bangchak, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax 0 2763 2800 www.uaeconsultant.com E-mail: uaec@uaeconsultant.com

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT ผลการวิเคราะห์ (ผลการวิเคราะห์) T24W668-0001	DETECTION LIMIT
MICROBIOLOGY				
COLIFORM BACTERIA <sup>b</sup>	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 B AND C)	3,300	1.8
	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 B, C AND E)	3,300	1.8
SAMPLE CONDITION				
WATER'S COLOUR/TURBID SEDIMENT			YELLOW/TURBID BROWN	

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)  
<sup>b</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)  
<sup>c</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 24<sup>th</sup> EDITION, 2023.

ND : NOT DETECTED.

*Piyapat S.*  
(MRS PIYAPAT SUTTAMANUTWONG)  
LABORATORY SUPERVISOR









PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	DETECTION LIMIT
MICROBIOLOGY				
COLIFORM BACTERIA <sup>b</sup>	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 B AND C)	49	1.8
FAECAL COLIFORM BACTERIA <sup>b</sup>	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 B, C AND E)	22	1.8
<b>SAMPLE CONDITION</b>				
WATER'S COLOUR/TURBID SEDIMENT			YELLOW/TURBID BROWN	

a : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

<sup>b</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

° : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM  
STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER. APHA. AWWA. WEF. 24<sup>th</sup> EDITION, 2023.

ND : NOT DETECTED.

0  
1  
0  
1  
1  
0  
0  
0  
1  
1  
1

Siyapol S.  
(MRS PIYAPAT SUTTAMANUTWONG)  
LABORATORY SUPERVISOR

- PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION BY THE LABORATORY.
- THIS ANALYSIS REPORT APPROVES ONLY FOR THE SAMPLES AS RECEIVED.

212

- End of Analysis Report -

2024-U070635

## ANALYSIS REPORT

CUSTOMER NAME	: BAFS PIPELINE TRANSPORTATION
ADDRESS	: 424 KAMPHAENG PHET 6 RD DON MUEANG DON MUEANG BANGKOK 10210
CONTACT INFORMATION	
SAMPLING SOURCE	: TEL : 08 7936 0775 e-mail : kirana@pct.co.th
SAMPLE TYPE	: น้ำที่ไหลจากท่อโรงงาน (ส่งมาขึ้นรถบรรทุก)
SAMPLING DATE	: EFFLUENT
SAMPLING TIME	: JULY 18, 2024
SAMPLING METHOD	: 09:15 HOUR
SAMPLING BY	: GRAB, GRAB AND STERILE TECHNIQUE
ANALYZED BY	: MR PEERAPAT BANYSATIN
	: MISS AKSARIN BLUNKONG
RECEIVED DATE	
ANALYTICAL DATE	
ISSUE DATE	
REPORT NO.	
WORK NO.	
ANALYSIS NO.	

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT ប្រភេទផលប៉ះពាល់សរុប (សរុបសរុបសរុប) T24AQ434-0001	DETECTION LIMIT
pH <sup>a</sup>	-	ELECTROMETRIC METHOD (AT SITE) SM: PART 4500 -H <sup>+</sup> B AND 1060 B	7.6 (30°C)	-
ELECTRICAL CONDUCTIVITY <sup>c</sup>	µS/cm	ELECTRICAL CONDUCTIVITY METHOD (AT SITE) SM: PART 2510 B AND 1060 B	128 (30°C)	0.1
DISSOLVED OXYGEN <sup>c</sup>	mg/L	MEMBRANE ELECTRODE METHOD (AT SITE) SM: PART 4500-O G	5.1	0.5
BIOCHEMICAL OXYGEN DEMAND <sup>a</sup>	mg/L	MEMBRANE ELECTRODE METHOD (SM: PART 5210 B AND PART 4500-O G)	< 2.0	2.0
TOTAL SUSPENDED SOLIDS <sup>a</sup>	mg/L	TOTAL SUSPENDED SOLIDS DRIED AT 103-05 °C (SM: PART 2540 D)	46.4	5.0
TOTAL DISSOLVED SOLIDS <sup>b</sup>	mg/L	TOTAL DISSOLVED SOLIDS DRIED AT 180 °C (SM: PART 2540 C)	82	25
FAT, OIL AND GREASE <sup>c</sup>	mg/L	SOX-HLET EXTRACTION METHOD (SM: PART 5520 D)	ND	3
TOTAL PETROLEUM HYDROCARBONS <sup>c</sup>	mg/L	SOX-HLET EXTRACTION METHOD (SM: PART 5520 D AND PART 5520 F)	ND	3

- PROHIBITED TO PARTIALLY COPY ANALYSIS REPORT PRIOR TO WRITTEN PERMISSION
- THIS ANALYSIS REPORT APPROVES ONLY FOR THE SAMPLES AS RECEIVED.

 $1/2$ 

ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
BY BSI GROUP (THAILAND) CO.,LTD.

100





PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT มาตรฐานห้องปฏิบัติการ (อ้างอิงตามเกณฑ์) T24V991-0001	DETECTION LIMIT
MICROBIOLOGY				
COLIFORM BACTERIA <sup>b</sup>	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 B AND C)	170	18
FAECAL COLIFORM BACTERIA <sup>b</sup>	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 B, C AND E)	13	18
SAMPLE CONDITION				
WATER'S COLOUR/TURBID SEDIMENT			YELLOW/CLEAR BROWN	

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

<sup>b</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

<sup>c</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 24<sup>th</sup> EDITION, 2023.

ND : NOT DETECTED.

*Piyapol S.*  
(MRS PIYAPAT SUTTAMANUTWONG)  
LABORATORY SUPERVISOR

## ANALYSIS REPORT

**CUSTOMER NAME** : BAFS PIPELINE TRANSPORTATION  
**ADDRESS** : 424 KAMPHAENG PHET 6 RD DON MUEANG DON MUEANG BANGKOK 10210  
**CONTACT INFORMATION** : TEL : 08 7936 0775 e-mail : kirana@fpt.co.th  
**SAMPLE SOURCE** : บริษัทน้ำพริกผดุงการ (ผลิตภัณฑ์น้ำพริก)  
**SAMPLE TYPE** : EFFLUENT  
**SAMPLING DATE** : SEPTEMBER 19, 2024  
**SAMPLING TIME** : 09:30 HOUR  
**SAMPLING METHOD** : GRAB, GRAB AND STERILE TECHNIQUE  
**SAMPLING BY** : MR PEERAPAT BANYATSIIN  
**ANALYZED BY** : MISS AKSARIN BUNKONG  
**RECEIVED DATE** : SEPTEMBER 20, 2024  
**ANALYTICAL DATE** : SEPTEMBER 20-30, 2024  
**ISSUE DATE** : OCTOBER 2, 2024  
**REPORT NO.** : 2024-U091650  
**WORK NO.** : 2023-006620  
**ANALYSIS NO.** : T24V991-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT มาตรฐานห้องปฏิบัติการ (อ้างอิงตามเกณฑ์) T24V991-0001	DETECTION LIMIT
pH <sup>a</sup>	-	ELECTROMETRIC METHOD (AT SITE) SM: PART 4500 -H <sup>+</sup> B AND 1060 B	8.0 (30.3°C)	-
ELECTRICAL CONDUCTIVITY <sup>b</sup>	µS/cm	ELECTRICAL CONDUCTIVITY METHOD (AT SITE) SM: PART 2510 B AND 1060 B	279 (30.3°C)	0.1
DISSOLVED OXYGEN <sup>c</sup>	mg/L	MEMBRANE ELECTRODE METHOD (AT SITE) SM: PART 4500-O G	5.0	0.5
BIOCHEMICAL OXYGEN DEMAND <sup>a</sup>	mg/L	MEMBRANE ELECTRODE METHOD (SM: PART 5210 B AND PART 4500-O G)	< 2.0	2.0
TOTAL SUSPENDED SOLIDS <sup>a</sup>	mg/L	TOTAL SUSPENDED SOLIDS DRIED AT 103-105 °C (SM: PART 2540 D)	6.6	5.0
TOTAL DISSOLVED SOLIDS <sup>b</sup>	mg/L	TOTAL DISSOLVED SOLIDS DRIED AT 180 °C (SM: PART 2540 C)	132	25
FAT, OIL AND GREASE <sup>c</sup>	mg/L	SOXHLET EXTRACTION METHOD (SM: PART 5520 D)	ND	3
TOTAL PETROLEUM HYDROCARBONS <sup>c</sup>	mg/L	SOXHLET EXTRACTION METHOD (SM: PART 5520 D AND PART 5520 F)	ND	3







ภาคผนวก ง-3

---

---

ผลการตรวจวัดระดับเสียงโดยทั่วไป





เวลา *	ผลการตรวจ (ฉบับแปล)		
	จรรยาบรรณวิศวกร (ฉบับแก้ไขล่าสุด)		
	25-26 พฤศจิกายน 2567		
เวลา *	T24BC009-0004		Lag 1 hour
	Lag 1 hour	Lamax 1 hour	
07:00-08:00 น.	56.1	75.4	49.1
08:00-09:00 น.	56.2	74.4	49.2
09:00-10:00 น.	56.0	76.0	47.7
10:00-11:00 น.	56.7	73.2	52.2
11:00-12:00 น.	55.3	74.7	50.6
12:00-13:00 น.	57.2	83.3	49.6
13:00-14:00 น.	55.6	85.4	46.7
14:00-15:00 น.	57.4	82.7	48.8
15:00-16:00 น.	57.1	81.9	50.0
16:00-17:00 น.	57.2	75.1	50.4
17:00-18:00 น.	56.9	81.1	48.2
18:00-19:00 น.	53.5	71.4	48.1
19:00-20:00 น.	51.4	70.4	44.8
20:00-21:00 น.	48.8	73.2	43.2
21:00-22:00 น.	47.3	66.1	43.2
22:00-23:00 น.	45.2	63.0	42.6
23:00-00:00 น.	46.6	65.7	43.3
00:00-01:00 น.	43.7	62.8	41.3
01:00-02:00 น.	45.0	64.5	41.5
02:00-03:00 น.	51.0	74.8	40.4
03:00-04:00 น.	53.7	76.5	44.8
04:00-05:00 น.	58.5	85.0	46.2
05:00-06:00 น.	56.5	76.5	48.7
06:00-07:00 น.	56.2	76.2	49.1
Lag 24 hours	55.0		
L <sub>adj</sub>	60.4		

เวลา *	ผลการตรวจ (ฉบับแปล)		
	จรรยาบรรณวิศวกร (ฉบับแก้ไขล่าสุด)		
	24-25 พฤศจิกายน 2567		
เวลา *	T24BC009-0003		Lag 1 hour
	Lag 1 hour	Lamax 1 hour	
07:00-08:00 น.	57.2	72.9	48.5
08:00-09:00 น.	56.3	80.5	48.7
09:00-10:00 น.	55.7	79.5	49.9
10:00-11:00 น.	56.9	81.4	46.3
11:00-12:00 น.	55.7	75.6	49.4
12:00-13:00 น.	55.4	77.7	47.1
13:00-14:00 น.	57.1	75.8	49.1
14:00-15:00 น.	57.0	80.7	50.7
15:00-16:00 น.	57.3	74.3	49.9
16:00-17:00 น.	54.4	73.9	48.2
17:00-18:00 น.	53.0	71.4	48.1
18:00-19:00 น.	50.2	68.3	44.7
19:00-20:00 น.	48.2	71.7	43.3
20:00-21:00 น.	46.2	62.9	43.1
21:00-22:00 น.	45.1	61.5	42.5
22:00-23:00 น.	46.3	64.2	43.6
23:00-00:00 น.	43.4	58.9	41.3
00:00-01:00 น.	44.7	62.6	41.2
01:00-02:00 น.	50.0	71.8	40.7
02:00-03:00 น.	52.2	72.5	46.2
03:00-04:00 น.	57.3	79.3	46.5
04:00-05:00 น.	56.0	73.9	48.6
05:00-06:00 น.	55.7	74.7	49.1
06:00-07:00 น.	56.3	72.3	49.3
Lag 24 hours	54.6		
L <sub>adj</sub>	60.3		

ข้อมูลคำ

ที่ : บริษัท บางส่วนส่งทางฟอ จำกัด

ขอ : 424 ถนนบางนาเพชร 6 แขวงคลองเตย เขตคลองเตย กรุงเทพมหานคร 10210

ขอ : โทรศัพท์ : 08 7936 0775 อีเมล : kiranat@ipt.co.th

สถานที่ตรวจวัด : บริเวณด้านหน้าโครงการ (คลังน้ำมันปิโตร)

ประเภทการตรวจวัด : ระดับเสียงโดยทั่วไป

วันที่ตรวจวัด : 22-27 พฤศจิกายน 2567

เวลาตรวจวัด : \*

ผลการตรวจวัด : มาตราส่วนเสียง

ผู้ตรวจวัด : นายจุฑา สวนเพชร

ใบรายงานผลการวิเคราะห์

วันที่รับแจ้ง : 22-27 พฤศจิกายน 2567

วันที่ตรวจวัด : 22-27 พฤศจิกายน 2567

วันที่ออกรายงานผล : 6 ธันวาคม 2567

เลขที่ใบรายงานผล : 2024-U114067

เลขที่งาน : 2023-006625

หมายเลขปฏิบัติการ : T24BC009-0001 - T24BC009-0005

เวลา *	ผลการวิเคราะห์ (เดซิเบล)	
	บริเวณด้านหน้าโครงการ (คลังน้ำมันปิโตร)	
เวลา *	22-23 พฤศจิกายน 2567	
	T24BC009-0001	
เวลา *	L <sub>Aeq</sub> 5 min	
	L <sub>A90</sub> 5 min	
07:00-07:05 น.	65.3	50.7
07:05-07:10 น.	52.8	49.2
07:10-07:15 น.	57.7	50.6
07:15-07:20 น.	52.8	49.8
07:20-07:25 น.	57.1	50.2
07:25-07:30 น.	54.8	50.8
07:30-07:35 น.	53.4	50.8
07:35-07:40 น.	53.2	50.2
07:40-07:45 น.	56.5	50.7
07:45-07:50 น.	53.9	50.5
07:50-07:55 น.	53.1	48.3
07:55-08:00 น.	59.5	49.3
08:00-08:05 น.	59.6	50.0
08:05-08:10 น.	56.2	48.8
08:10-08:15 น.	58.2	50.9
08:15-08:20 น.	55.8	51.9
08:20-08:25 น.	58.3	51.7
08:25-08:30 น.	57.2	52.8
08:30-08:35 น.	54.2	53.1
08:35-08:40 น.	54.4	52.8
08:40-08:45 น.	56.0	53.7
08:45-08:50 น.	55.5	52.6
08:50-08:55 น.	56.2	52.2
08:55-09:00 น.	58.0	52.2
09:00-09:05 น.	57.0	53.2
09:05-09:10 น.	53.9	52.8
09:10-09:15 น.	54.0	52.1
09:15-09:20 น.	55.5	52.8
09:20-09:25 น.	54.0	50.8
09:25-09:30 น.	54.4	50.6
09:30-09:35 น.	57.7	50.0
09:35-09:40 น.	52.7	47.2
09:40-09:45 น.	49.5	45.2
09:45-09:50 น.	55.3	45.5
09:50-09:55 น.	53.7	45.1
09:55-10:00 น.	58.7	50.5
10:00-10:05 น.	53.6	48.5
10:05-10:10 น.	52.7	46.3

• นำนิตถำในใบรำนผลการวิเคราะห์เพื่อเพิ่มมำงส่วน โดยนั้ได้รับมำยจากห้องปฏิบัติการเป็นลำนสภกณั้การ

• ใบรำนผลที่รับรำนผลเฉพาะกั้นถำมำงที่นำนทดสอบท่งนั้



เวลา *	ผลการวิเคราะห์ (เดซิเบล)	
	บริเวณด้านหน้าโครงการ (คลังน้ำมันปิโตร)	
เวลา *	26-27 พฤศจิกายน 2567	
	T24BC009-0005	
เวลา *	L <sub>Aeq</sub> 1 hour	
	L <sub>Amax</sub> 1 hour	
07:00-08:00 น.	56.3	72.5
08:00-09:00 น.	56.8	80.5
09:00-10:00 น.	56.4	79.5
10:00-11:00 น.	56.1	81.4
11:00-12:00 น.	56.3	73.8
12:00-13:00 น.	55.3	73.7
13:00-14:00 น.	55.6	73.6
14:00-15:00 น.	56.4	74.6
15:00-16:00 น.	56.6	73.8
16:00-17:00 น.	56.6	76.2
17:00-18:00 น.	54.4	72.8
18:00-19:00 น.	52.1	67.4
19:00-20:00 น.	50.0	66.6
20:00-21:00 น.	48.5	65.6
21:00-22:00 น.	45.9	61.2
22:00-23:00 น.	45.7	61.4
23:00-00:00 น.	44.9	61.2
00:00-01:00 น.	44.5	61.2
01:00-02:00 น.	44.2	59.7
02:00-03:00 น.	49.7	67.6
03:00-04:00 น.	53.9	76.4
04:00-05:00 น.	55.0	73.3
05:00-06:00 น.	56.4	74.7
06:00-07:00 น.	55.4	70.0
L <sub>Aeq</sub> 24 hours	54.3	59.3
L <sub>Amin</sub>		

.....  
(นายจุฑา สวนเพชร)  
ผู้ควบคุมห้องปฏิบัติการ

• นำนิตถำในใบรำนผลการวิเคราะห์เพื่อเพิ่มมำงส่วน โดยนั้ได้รับมำยจากห้องปฏิบัติการเป็นลำนสภกณั้การ

• ใบรำนผลที่รับรำนผลเฉพาะกั้นถำมำงที่นำนทดสอบท่งนั้



เวลา *	ผลการตรวจ (เดซิเบล)	
	บริเวณหน้าโครงการ (ตลิ่งแม่น้ำพิชิต) T24BC009-0001	
	L <sub>Aeq</sub> 5 min	L <sub>A90</sub> 5 min
14:30-14:35 น.	57.5	51.2
14:35-14:40 น.	54.9	50.1
14:40-14:45 น.	56.7	49.4
14:45-14:50 น.	53.7	49.8
14:50-14:55 น.	59.7	48.3
14:55-15:00 น.	54.5	47.8
15:00-15:05 น.	59.3	46.9
15:05-15:10 น.	56.0	47.8
15:10-15:15 น.	59.3	48.1
15:15-15:20 น.	62.2	49.9
15:20-15:25 น.	56.7	49.8
15:25-15:30 น.	55.2	48.5
15:30-15:35 น.	51.8	48.4
15:35-15:40 น.	51.7	48.0
15:40-15:45 น.	52.3	47.5
15:45-15:50 น.	54.3	47.4
15:50-15:55 น.	52.1	48.3
15:55-16:00 น.	55.9	48.3
16:00-16:05 น.	51.7	48.1
16:05-16:10 น.	53.1	48.5
16:10-16:15 น.	49.8	47.8
16:15-16:20 น.	50.7	47.8
16:20-16:25 น.	54.7	48.9
16:25-16:30 น.	56.1	49.4
16:30-16:35 น.	51.6	47.8
16:35-16:40 น.	51.9	48.1
16:40-16:45 น.	53.1	47.7
16:45-16:50 น.	50.5	47.5
16:50-16:55 น.	58.1	48.6
16:55-17:00 น.	51.5	49.1
17:00-17:05 น.	56.3	47.2
17:05-17:10 น.	47.6	44.8
17:10-17:15 น.	48.7	45.1
17:15-17:20 น.	49.4	46.4
17:20-17:25 น.	53.1	51.2
17:25-17:30 น.	55.2	44.8
17:30-17:35 น.	49.0	44.4
17:35-17:40 น.	47.4	44.7
17:40-17:45 น.	52.0	45.4
17:45-17:50 น.	48.9	44.4
17:50-17:55 น.	46.4	44.2
17:55-18:00 น.	48.6	44.3
18:00-18:05 น.	50.4	44.0
18:05-18:10 น.	49.1	43.2
18:10-18:15 น.	50.6	43.8
18:15-18:20 น.	48.3	44.7
18:20-18:25 น.	46.6	43.1
18:25-18:30 น.	48.3	43.2
18:30-18:35 น.	46.1	43.3
18:35-18:40 น.	48.1	43.0
18:40-18:45 น.	48.8	43.2
18:45-18:50 น.	46.4	42.5

เวลา *	ผลการตรวจ (เดซิเบล)	
	บริเวณหน้าโครงการ (ตลิ่งแม่น้ำพิชิต) T24BC009-0001	
	L <sub>Aeq</sub> 5 min	L <sub>A90</sub> 5 min
10:10-10:15 น.	55.7	50.1
10:15-10:20 น.	63.3	52.2
10:20-10:25 น.	53.3	50.4
10:25-10:30 น.	57.2	50.9
10:30-10:35 น.	56.5	50.3
10:35-10:40 น.	53.2	47.3
10:40-10:45 น.	53.8	48.6
10:45-10:50 น.	58.2	52.5
10:50-10:55 น.	54.7	49.1
10:55-11:00 น.	58.6	49.1
11:00-11:05 น.	51.4	49.2
11:05-11:10 น.	56.1	50.7
11:10-11:15 น.	51.0	46.5
11:15-11:20 น.	50.4	45.0
11:20-11:25 น.	61.5	43.7
11:25-11:30 น.	55.6	46.0
11:30-11:35 น.	56.0	45.2
11:35-11:40 น.	54.8	45.2
11:40-11:45 น.	57.7	48.0
11:45-11:50 น.	52.5	47.0
11:50-11:55 น.	52.3	46.8
11:55-12:00 น.	52.0	47.4
12:00-12:05 น.	53.8	48.6
12:05-12:10 น.	53.7	47.7
12:10-12:15 น.	52.5	47.2
12:15-12:20 น.	59.8	47.9
12:20-12:25 น.	59.3	48.7
12:25-12:30 น.	53.8	47.7
12:30-12:35 น.	57.2	49.4
12:35-12:40 น.	59.5	49.5
12:40-12:45 น.	58.5	50.3
12:45-12:50 น.	54.7	49.5
12:50-12:55 น.	55.7	49.3
12:55-13:00 น.	60.4	48.8
13:00-13:05 น.	54.2	48.7
13:05-13:10 น.	59.8	50.4
13:10-13:15 น.	52.5	49.6
13:15-13:20 น.	57.9	49.3
13:20-13:25 น.	56.8	49.2
13:25-13:30 น.	54.9	49.6
13:30-13:35 น.	59.8	47.6
13:35-13:40 น.	58.1	50.8
13:40-13:45 น.	55.1	52.4
13:45-13:50 น.	58.5	52.8
13:50-13:55 น.	54.1	51.0
13:55-14:00 น.	56.6	52.6
14:00-14:05 น.	54.1	50.9
14:05-14:10 น.	61.5	50.7
14:10-14:15 น.	58.2	51.3
14:15-14:20 น.	52.2	49.9
14:20-14:25 น.	54.3	51.7
14:25-14:30 น.	57.0	53.1





เวลา *	ผลการตรวจ (โดยตนเอง)	
	ชมรมด้านนิติการ (คลังสินค้าฟู้ดส์)	
	L Avg 5 min	L Avg 5 min
07:00-07:05 น.	55.3	50.4
07:05-07:10 น.	55.4	50.3
07:10-07:15 น.	54.8	48.9
07:15-07:20 น.	54.1	48.5
07:20-07:25 น.	57.1	48.1
07:25-07:30 น.	60.8	47.9
07:30-07:35 น.	53.7	46.3
07:35-07:40 น.	53.3	43.5
07:40-07:45 น.	56.3	51.1
07:45-07:50 น.	56.6	51.8
07:50-07:55 น.	58.3	52.6
07:55-08:00 น.	54.8	52.2
08:00-08:05 น.	57.1	47.1
08:05-08:10 น.	53.1	48.9
08:10-08:15 น.	57.0	48.8
08:15-08:20 น.	53.3	48.8
08:20-08:25 น.	52.3	48.6
08:25-08:30 น.	55.5	50.9
08:30-08:35 น.	54.8	51.2
08:35-08:40 น.	55.8	47.8
08:40-08:45 น.	53.1	46.2
08:45-08:50 น.	57.3	45.4
08:50-08:55 น.	60.3	46.3
08:55-09:00 น.	56.3	46.4
09:00-09:05 น.	55.8	47.9
09:05-09:10 น.	57.0	46.2
09:10-09:15 น.	56.3	46.0
09:15-09:20 น.	58.2	46.3
09:20-09:25 น.	57.7	49.0
09:25-09:30 น.	56.6	47.5
09:30-09:35 น.	57.3	48.5
09:35-09:40 น.	57.0	49.1
09:40-09:45 น.	58.3	51.7
09:45-09:50 น.	57.2	52.8
09:50-09:55 น.	54.2	53.1
09:55-10:00 น.	54.4	52.8
10:00-10:05 น.	56.0	53.7
10:05-10:10 น.	55.5	52.6
10:10-10:15 น.	56.2	52.2
10:15-10:20 น.	58.0	52.2
10:20-10:25 น.	57.0	53.2
10:25-10:30 น.	53.9	52.8
10:30-10:35 น.	54.0	52.1
10:35-10:40 น.	55.5	52.8
10:40-10:45 น.	54.0	50.8
10:45-10:50 น.	54.4	50.6
10:50-10:55 น.	57.7	50.0
10:55-11:00 น.	52.7	47.2
11:00-11:05 น.	49.5	45.2
11:05-11:10 น.	55.3	45.5
11:10-11:15 น.	53.7	45.1
11:15-11:20 น.	58.7	50.5

เวลา *	ผลการตรวจ (โดยตนเอง)	
	ชมรมด้านนิติการ (คลังสินค้าฟู้ดส์)	
	L Avg 5 min	L Avg 5 min
03:30-03:35 น.	53.3	47.7
03:35-03:40 น.	56.5	48.9
03:40-03:45 น.	52.0	48.4
03:45-03:50 น.	56.2	49.5
03:50-03:55 น.	55.4	47.2
03:55-04:00 น.	55.9	48.2
04:00-04:05 น.	56.6	47.3
04:05-04:10 น.	57.9	48.6
04:10-04:15 น.	57.6	51.5
04:15-04:20 น.	52.1	49.7
04:20-04:25 น.	55.6	50.3
04:25-04:30 น.	57.7	50.3
04:30-04:35 น.	56.2	46.9
04:35-04:40 น.	55.9	46.0
04:40-04:45 น.	51.6	49.4
04:45-04:50 น.	58.8	48.7
04:50-04:55 น.	54.9	50.5
04:55-05:00 น.	53.1	47.8
05:00-05:05 น.	55.7	52.7
05:05-05:10 น.	57.7	52.8
05:10-05:15 น.	54.4	48.8
05:15-05:20 น.	52.2	46.5
05:20-05:25 น.	56.7	50.2
05:25-05:30 น.	51.6	47.8
05:30-05:35 น.	57.3	48.2
05:35-05:40 น.	54.7	50.4
05:40-05:45 น.	60.0	51.4
05:45-05:50 น.	57.4	48.6
05:50-05:55 น.	55.3	48.3
05:55-06:00 น.	55.6	48.9
06:00-06:05 น.	57.2	50.0
06:05-06:10 น.	60.6	50.2
06:10-06:15 น.	57.0	48.4
06:15-06:20 น.	52.8	47.1
06:20-06:25 น.	54.3	47.0
06:25-06:30 น.	59.0	48.2
06:30-06:35 น.	54.5	46.9
06:35-06:40 น.	54.5	49.2
06:40-06:45 น.	55.7	48.3
06:45-06:50 น.	57.2	50.8
06:50-06:55 น.	54.6	49.2
06:55-07:00 น.	57.6	50.0



เวลา *	ผลการตรวจ (เดลิเวอรี่)	
	บริเวณหน้าโครงการ (ลงท้ายไฟล์)	
	T24BC009-0002	
	L <sub>avg</sub> 5 min	L <sub>eq</sub> 5 min
15:40-15:45 น.	54.3	51.7
15:45-15:50 น.	57.0	53.1
15:50-15:55 น.	57.5	51.2
15:55-16:00 น.	54.9	50.1
16:00-16:05 น.	58.7	49.4
16:05-16:10 น.	53.7	49.8
16:10-16:15 น.	59.7	48.3
16:15-16:20 น.	54.5	47.8
16:20-16:25 น.	59.3	46.9
16:25-16:30 น.	56.0	47.8
16:30-16:35 น.	59.3	48.1
16:35-16:40 น.	62.2	49.9
16:40-16:45 น.	56.7	49.8
16:45-16:50 น.	55.2	48.5
16:50-16:55 น.	51.8	48.4
16:55-17:00 น.	51.7	48.0
17:00-17:05 น.	52.3	47.5
17:05-17:10 น.	54.3	47.4
17:10-17:15 น.	52.1	48.3
17:15-17:20 น.	55.9	48.3
17:20-17:25 น.	51.7	48.1
17:25-17:30 น.	53.1	48.5
17:30-17:35 น.	49.8	47.8
17:35-17:40 น.	50.7	47.8
17:40-17:45 น.	54.7	48.9
17:45-17:50 น.	56.1	49.4
17:50-17:55 น.	51.6	47.8
17:55-18:00 น.	51.9	48.1
18:00-18:05 น.	53.1	47.7
18:05-18:10 น.	50.5	47.5
18:10-18:15 น.	58.1	48.6
18:15-18:20 น.	51.5	49.1
18:20-18:25 น.	56.3	47.2
18:25-18:30 น.	47.6	44.8
18:30-18:35 น.	48.7	45.1
18:35-18:40 น.	49.4	46.4
18:40-18:45 น.	53.1	51.2
18:45-18:50 น.	55.2	44.8
18:50-18:55 น.	49.0	44.4
18:55-19:00 น.	47.4	44.7
19:00-19:05 น.	52.0	45.4
19:05-19:10 น.	48.9	44.4
19:10-19:15 น.	46.4	44.2
19:15-19:20 น.	48.6	44.3
19:20-19:25 น.	50.4	44.0
19:25-19:30 น.	49.1	43.2
19:30-19:35 น.	50.6	43.8
19:35-19:40 น.	48.3	44.7
19:40-19:45 น.	46.6	43.1
19:45-19:50 น.	48.3	43.2
19:50-19:55 น.	46.1	43.3
19:55-20:00 น.	48.1	43.0

• นำข้อมูลไปใช้งานผลการตรวจเพิ่มเติมบางส่วน โดยไม่ได้รับอนุญาตจากห้องปฏิบัติการเป็นลายลักษณ์อักษร

• ใบรายงานผลนี้ไม่ถือเป็นหลักฐานยืนยันความถูกต้องของข้อมูล

เวลา *	ผลการตรวจ (เดลิเวอรี่)	
	บริเวณด้านหน้าโครงการ (คลังน้ำมันฟิเจอร์)	
	T248C009-0002	
	L <sub>avg</sub> 5 min	L <sub>avg</sub> 5 min
11:20-11:25 น.	53.6	48.5
11:25-11:30 น.	52.7	46.3
11:30-11:35 น.	55.7	50.1
11:35-11:40 น.	63.3	52.2
11:40-11:45 น.	53.3	50.4
11:45-11:50 น.	57.2	50.9
11:50-11:55 น.	56.5	50.3
11:55-12:00 น.	53.2	47.3
12:00-12:05 น.	53.8	48.6
12:05-12:10 น.	58.2	52.5
12:10-12:15 น.	54.7	49.1
12:15-12:20 น.	58.6	49.1
12:20-12:25 น.	51.4	49.2
12:25-12:30 น.	56.1	50.7
12:30-12:35 น.	51.0	46.5
12:35-12:40 น.	50.4	45.0
12:40-12:45 น.	61.5	43.7
12:45-12:50 น.	55.6	46.0
12:50-12:55 น.	56.0	45.2
12:55-13:00 น.	54.8	45.2
13:00-13:05 น.	57.7	48.0
13:05-13:10 น.	52.5	47.0
13:10-13:15 น.	52.3	46.8
13:15-13:20 น.	52.0	47.4
13:20-13:25 น.	53.8	48.6
13:25-13:30 น.	53.7	47.7
13:30-13:35 น.	52.5	47.2
13:35-13:40 น.	59.8	47.9
13:40-13:45 น.	59.3	48.7
13:45-13:50 น.	53.8	47.7
13:50-13:55 น.	57.2	49.4
13:55-14:00 น.	59.5	49.5
14:00-14:05 น.	58.5	50.3
14:05-14:10 น.	54.7	49.5
14:10-14:15 น.	55.7	49.3
14:15-14:20 น.	60.4	48.8
14:20-14:25 น.	54.2	48.7
14:25-14:30 น.	59.8	50.4
14:30-14:35 น.	52.5	49.6
14:35-14:40 น.	57.9	49.3
14:40-14:45 น.	56.8	49.2
14:45-14:50 น.	54.9	49.6
14:50-14:55 น.	59.8	47.6
14:55-15:00 น.	58.1	50.8
15:00-15:05 น.	55.1	52.4
15:05-15:10 น.	58.5	52.8
15:10-15:15 น.	54.1	51.0
15:15-15:20 น.	56.6	52.6
15:20-15:25 น.	54.1	50.9
15:25-15:30 น.	61.5	50.7
15:30-15:35 น.	58.2	51.3
15:35-15:40 น.	52.2	49.9

• นำข้อมูลไปใช้งานผลการตรวจเพิ่มเติมบางส่วน โดยไม่ได้รับอนุญาตจากห้องปฏิบัติการเป็นลายลักษณ์อักษร

• ใบรายงานผลนี้ไม่ถือเป็นหลักฐานยืนยันความถูกต้องของข้อมูล

เวลา *	ผลการตรวจ (เฉลี่ยต่อ)	
	บริเวณหน้าโครงการ (ตลิ่งด้านฟลอร์)	
	T24BC009-0002	
	L <sub>avg</sub> 5 min	L <sub>avg</sub> 5 min
00:20-00:25 น.	41.7	40.5
00:25-00:30 น.	43.4	41.5
00:30-00:35 น.	42.1	41.2
00:35-00:40 น.	43.8	41.9
00:40-00:45 น.	44.4	41.4
00:45-00:50 น.	43.3	41.2
00:50-00:55 น.	41.6	40.5
00:55-01:00 น.	51.4	41.9
01:00-01:05 น.	43.6	41.5
01:05-01:10 น.	43.4	42.1
01:10-01:15 น.	45.7	41.8
01:15-01:20 น.	42.3	40.0
01:20-01:25 น.	44.6	40.2
01:25-01:30 น.	42.9	40.1
01:30-01:35 น.	43.3	40.3
01:35-01:40 น.	43.1	40.8
01:40-01:45 น.	43.1	40.2
01:45-01:50 น.	41.3	38.6
01:50-01:55 น.	53.1	40.0
01:55-02:00 น.	41.9	40.6
02:00-02:05 น.	42.6	40.6
02:05-02:10 น.	43.0	40.5
02:10-02:15 น.	50.1	41.1
02:15-02:20 น.	60.1	49.4
02:20-02:25 น.	59.2	51.0
02:25-02:30 น.	56.5	48.1
02:30-02:35 น.	49.7	42.5
02:35-02:40 น.	45.7	43.4
02:40-02:45 น.	52.7	44.9
02:45-02:50 น.	47.3	43.4
02:50-02:55 น.	53.4	44.0
02:55-03:00 น.	48.9	44.5
03:00-03:05 น.	56.0	45.7
03:05-03:10 น.	47.8	44.7
03:10-03:15 น.	50.5	47.3
03:15-03:20 น.	54.6	49.3
03:20-03:25 น.	55.4	48.8
03:25-03:30 น.	54.8	47.5
03:30-03:35 น.	52.2	48.3
03:35-03:40 น.	48.7	45.1
03:40-03:45 น.	65.4	46.4
03:45-03:50 น.	57.5	45.3
03:50-03:55 น.	50.3	43.8
03:55-04:00 น.	53.1	46.0
04:00-04:05 น.	53.4	47.1
04:05-04:10 น.	59.0	44.2
04:10-04:15 น.	53.3	45.5
04:15-04:20 น.	63.2	49.0
04:20-04:25 น.	52.4	48.2
04:25-04:30 น.	57.0	49.0
04:30-04:35 น.	61.2	49.4
04:35-04:40 น.	57.5	48.5

• ห้ามคัดลอก/นำงานผลการตรวจและข้อมูลบางส่วน โดยมิได้รับอนุญาตจากห้องปฏิบัติการเป็นลายลักษณ์อักษร

• ใบงานทั้งหมดนี้รับรองเฉพาะกับตัวอย่างที่นำมาทดสอบเท่านั้น

เวลา *	ผลการตรวจ (เฉลี่ยต่อ)	
	บริเวณหน้าโครงการ (คลังน้ำมันฟอส)	
	T24BC009-0002	
	L <sub>avg</sub> 5 min	L <sub>avg</sub> 5 min
20:00-20:05 น.	48.8	43.2
20:05-20:10 น.	46.4	42.5
20:10-20:15 น.	45.7	42.8
20:15-20:20 น.	51.8	43.8
20:20-20:25 น.	49.7	43.6
20:25-20:30 น.	49.7	44.3
20:30-20:35 น.	45.8	42.9
20:35-20:40 น.	45.9	43.4
20:40-20:45 น.	45.6	43.2
20:45-20:50 น.	47.1	42.5
20:50-20:55 น.	46.9	42.7
20:55-21:00 น.	51.1	43.2
21:00-21:05 น.	45.4	43.3
21:05-21:10 น.	43.3	42.1
21:10-21:15 น.	44.9	43.0
21:15-21:20 น.	45.5	43.7
21:20-21:25 น.	44.7	43.3
21:25-21:30 น.	44.7	42.3
21:30-21:35 น.	43.2	42.4
21:35-21:40 น.	44.1	42.9
21:40-21:45 น.	44.2	43.0
21:45-21:50 น.	46.0	43.2
21:50-21:55 น.	46.0	42.9
21:55-22:00 น.	44.8	42.7
22:00-22:05 น.	48.3	42.4
22:05-22:10 น.	43.9	42.1
22:10-22:15 น.	46.4	42.3
22:15-22:20 น.	43.2	42.2
22:20-22:25 น.	43.3	41.9
22:25-22:30 น.	45.8	42.6
22:30-22:35 น.	43.7	41.5
22:35-22:40 น.	46.0	42.8
22:40-22:45 น.	47.5	46.1
22:45-22:50 น.	46.7	44.7
22:50-22:55 น.	47.7	44.6
22:55-23:00 น.	44.9	43.9
23:00-23:05 น.	45.9	44.1
23:05-23:10 น.	51.0	43.2
23:10-23:15 น.	45.0	43.4
23:15-23:20 น.	46.2	42.8
23:20-23:25 น.	43.6	41.9
23:25-23:30 น.	44.6	41.9
23:30-23:35 น.	42.8	41.4
23:35-23:40 น.	44.1	40.7
23:40-23:45 น.	41.8	40.6
23:45-23:50 น.	44.8	41.2
23:50-23:55 น.	43.8	41.9
23:55-00:00 น.	44.9	41.8
00:00-00:05 น.	43.2	41.4
00:05-00:10 น.	42.9	40.9
00:10-00:15 น.	42.1	40.8
00:15-00:20 น.	44.2	39.8

• ห้ามคัดลอก/นำงานผลการตรวจและข้อมูลบางส่วน โดยมิได้รับอนุญาตจากห้องปฏิบัติการเป็นลายลักษณ์อักษร

• ใบงานทั้งหมดนี้รับรองเฉพาะกับตัวอย่างที่นำมาทดสอบเท่านั้น



เวลา *	ผลการตรวจ (เดย์มอล)	
	วันที่ดำเนินการตรวจ (คลังบ้านพิชิต)	วันที่ดำเนินการตรวจ (คลังบ้านพิชิต)
	T248C009-0003	
	L <sub>Aeq</sub> 5 min	L <sub>Aeq</sub> 5 min
07:00-07:05 น.	60.0	51.4
07:05-07:10 น.	57.4	48.6
07:10-07:15 น.	55.3	48.3
07:15-07:20 น.	55.6	48.9
07:20-07:25 น.	57.2	50.0
07:25-07:30 น.	60.6	50.2
07:30-07:35 น.	57.0	48.4
07:35-07:40 น.	52.8	47.1
07:40-07:45 น.	54.3	47.0
07:45-07:50 น.	59.0	48.2
07:50-07:55 น.	54.5	46.9
07:55-08:00 น.	54.5	49.2
08:00-08:05 น.	55.7	48.3
08:05-08:10 น.	57.2	50.8
08:10-08:15 น.	54.6	49.2
08:15-08:20 น.	57.6	50.0
08:20-08:25 น.	55.3	50.4
08:25-08:30 น.	55.4	50.3
08:30-08:35 น.	54.8	48.9
08:35-08:40 น.	54.1	48.5
08:40-08:45 น.	57.1	48.1
08:45-08:50 น.	60.8	47.9
08:50-08:55 น.	53.7	46.3
08:55-09:00 น.	53.3	43.5
09:00-09:05 น.	56.3	51.1
09:05-09:10 น.	56.6	51.8
09:10-09:15 น.	58.3	52.6
09:15-09:20 น.	54.8	52.2
09:20-09:25 น.	57.1	47.1
09:25-09:30 น.	53.1	48.9
09:30-09:35 น.	57.0	48.8
09:35-09:40 น.	53.3	48.8
09:40-09:45 น.	52.3	48.6
09:45-09:50 น.	55.5	50.9
09:50-09:55 น.	54.8	51.2
09:55-10:00 น.	55.8	47.8
10:00-10:05 น.	53.1	46.2
10:05-10:10 น.	57.3	45.4
10:10-10:15 น.	60.3	46.3
10:15-10:20 น.	56.3	46.4
10:20-10:25 น.	55.8	47.9
10:25-10:30 น.	57.0	46.2
10:30-10:35 น.	56.3	46.0
10:35-10:40 น.	58.2	46.3
10:40-10:45 น.	54.4	47.0
10:45-10:50 น.	53.2	45.7
10:50-10:55 น.	57.2	50.3
10:55-11:00 น.	58.5	50.4
11:00-11:05 น.	53.0	48.4
11:05-11:10 น.	56.5	50.5
11:10-11:15 น.	59.9	51.3
11:15-11:20 น.	53.2	48.9

เวลา *	ผลการตรวจ (เดย์มอล)	
	วันที่ดำเนินการตรวจ (คลังบ้านพิชิต)	วันที่ดำเนินการตรวจ (คลังบ้านพิชิต)
	T248C009-0002	
	L <sub>Aeq</sub> 5 min	L <sub>A90</sub> 5 min
04:40-04:45 น.	56.0	49.9
04:45-04:50 น.	56.4	49.1
04:50-04:55 น.	53.3	47.7
04:55-05:00 น.	56.5	48.9
05:00-05:05 น.	52.0	48.4
05:05-05:10 น.	56.2	49.5
05:10-05:15 น.	55.4	47.2
05:15-05:20 น.	55.9	48.2
05:20-05:25 น.	56.6	47.3
05:25-05:30 น.	57.9	48.6
05:30-05:35 น.	57.6	51.5
05:35-05:40 น.	52.1	49.7
05:40-05:45 น.	55.6	50.3
05:45-05:50 น.	57.7	50.3
05:50-05:55 น.	56.2	46.9
05:55-06:00 น.	55.9	46.0
06:00-06:05 น.	51.6	49.4
06:05-06:10 น.	58.8	48.7
06:10-06:15 น.	54.9	50.5
06:15-06:20 น.	53.1	47.8
06:20-06:25 น.	55.7	52.7
06:25-06:30 น.	57.7	52.8
06:30-06:35 น.	54.4	48.8
06:35-06:40 น.	52.2	46.5
06:40-06:45 น.	56.7	50.2
06:45-06:50 น.	51.6	47.8
06:50-06:55 น.	57.3	48.2
06:55-07:00 น.	54.7	50.4



เวลา *	ผลการตรวจ (เดซิเบล)		
	บริเวณหน้าโครงการ (ตลิ่งแม่น้ำเจ้าพระยา)		
	24-25 พฤศจิกายน 2567		
	L <sub>Aeq</sub> 5 min	L <sub>A90</sub> 5 min	
15:40-15:45 น.	56.5	48.4	
15:45-15:50 น.	57.9	48.1	
15:50-15:55 น.	56.9	48.0	
15:55-16:00 น.	60.8	48.4	
16:00-16:05 น.	56.4	48.8	
16:05-16:10 น.	57.2	48.3	
16:10-16:15 น.	57.0	49.2	
16:15-16:20 น.	54.2	48.9	
16:20-16:25 น.	53.7	48.0	
16:25-16:30 น.	53.1	47.9	
16:30-16:35 น.	51.9	48.2	
16:35-16:40 น.	54.1	47.9	
16:40-16:45 น.	53.0	47.8	
16:45-16:50 น.	52.6	48.4	
16:50-16:55 น.	52.9	48.1	
16:55-17:00 น.	51.2	48.0	
17:00-17:05 น.	53.9	48.7	
17:05-17:10 น.	53.0	48.6	
17:10-17:15 น.	51.1	47.8	
17:15-17:20 น.	53.3	48.5	
17:20-17:25 น.	54.6	48.6	
17:25-17:30 น.	51.0	47.7	
17:30-17:35 น.	55.0	48.4	
17:35-17:40 น.	52.3	48.4	
17:40-17:45 น.	53.4	47.4	
17:45-17:50 น.	52.9	46.7	
17:50-17:55 น.	50.1	47.1	
17:55-18:00 น.	52.9	46.8	
18:00-18:05 น.	50.4	48.0	
18:05-18:10 น.	51.9	45.0	
18:10-18:15 น.	49.2	45.4	
18:15-18:20 น.	50.3	48.0	
18:20-18:25 น.	53.6	45.1	
18:25-18:30 น.	49.0	44.4	
18:30-18:35 น.	46.9	44.5	
18:35-18:40 น.	50.3	44.9	
18:40-18:45 น.	49.7	44.2	
18:45-18:50 น.	47.8	43.7	
18:50-18:55 น.	49.6	44.1	
18:55-19:00 น.	49.3	44.4	
19:00-19:05 น.	47.9	43.2	
19:05-19:10 น.	49.5	43.5	
19:10-19:15 น.	47.2	44.0	
19:15-19:20 น.	47.4	43.1	
19:20-19:25 น.	48.5	43.2	
19:25-19:30 น.	46.2	42.9	
19:30-19:35 น.	46.9	42.9	
19:35-19:40 น.	50.3	43.5	
19:40-19:45 น.	48.0	43.1	
19:45-19:50 น.	47.7	43.6	
19:50-19:55 น.	48.8	43.4	
19:55-20:00 น.	47.8	43.5	

• ท่านคัดค้านใบรายงานผลการตรวจแต่เพียงบางส่วน โดยไม่ได้รับอนุญาตจากห้องปฏิบัติการเป็นลายลักษณ์อักษร

• ใบรายงานผลนี้จะมีผลเฉพาะกับตัวอย่างที่นำมาทดสอบเท่านั้น

15/30

2024-U114067

เวลา *	ผลการตรวจ (เดซิเบล)		
	บริเวณหน้าโครงการ (ตลิ่งแม่น้ำเจ้าพระยา)		
	24-25 พฤศจิกายน 2567		
	L <sub>Aeq</sub> 5 min	L <sub>A90</sub> 5 min	
11:20-11:25 น.	55.5	49.8	
11:25-11:30 น.	57.3	51.4	
11:30-11:35 น.	53.9	48.2	
11:35-11:40 น.	56.2	48.9	
11:40-11:45 น.	54.8	50.9	
11:45-11:50 น.	55.4	49.9	
11:50-11:55 น.	54.8	47.8	
11:55-12:00 น.	50.9	47.1	
12:00-12:05 น.	58.8	47.2	
12:05-12:10 น.	53.3	46.3	
12:10-12:15 น.	53.2	45.1	
12:15-12:20 น.	58.2	44.5	
12:20-12:25 น.	56.7	47.0	
12:25-12:30 น.	54.2	46.1	
12:30-12:35 น.	53.6	46.0	
12:35-12:40 น.	54.9	47.7	
12:40-12:45 น.	53.2	47.8	
12:45-12:50 น.	53.0	47.3	
12:50-12:55 น.	52.2	47.3	
12:55-13:00 น.	56.8	48.3	
13:00-13:05 น.	56.5	48.2	
13:05-13:10 น.	53.1	47.5	
13:10-13:15 น.	58.5	48.7	
13:15-13:20 น.	59.4	49.1	
13:20-13:25 น.	56.2	49.0	
13:25-13:30 น.	55.9	49.5	
13:30-13:35 น.	57.6	49.4	
13:35-13:40 น.	59.5	49.6	
13:40-13:45 น.	54.4	49.1	
13:45-13:50 น.	57.7	49.9	
13:50-13:55 น.	56.5	49.2	
13:55-14:00 น.	56.0	49.0	
14:00-14:05 น.	58.3	49.8	
14:05-14:10 น.	53.7	49.6	
14:10-14:15 น.	58.9	48.5	
14:15-14:20 น.	57.5	50.0	
14:20-14:25 น.	55.0	51.0	
14:25-14:30 น.	59.2	50.2	
14:30-14:35 น.	56.1	50.9	
14:35-14:40 น.	55.8	52.5	
14:40-14:45 น.	56.3	51.9	
14:45-14:50 น.	57.8	50.9	
14:50-14:55 น.	57.4	52.0	
14:55-15:00 น.	53.2	50.4	
15:00-15:05 น.	57.9	51.2	
15:05-15:10 น.	57.6	52.2	
15:10-15:15 น.	54.9	50.6	
15:15-15:20 น.	54.6	50.9	
15:20-15:25 น.	57.9	51.3	
15:25-15:30 น.	55.6	50.5	
15:30-15:35 น.	57.3	49.2	
15:35-15:40 น.	56.6	48.6	

• ท่านคัดค้านใบรายงานผลการตรวจแต่เพียงบางส่วน โดยไม่ได้รับอนุญาตจากห้องปฏิบัติการเป็นลายลักษณ์อักษร

• ใบรายงานผลนี้จะมีผลเฉพาะกับตัวอย่างที่นำมาทดสอบเท่านั้น

14/30

2024-U114067

เวลา *	ผลการตรวจ (เดซิเบล)	
	จนกว่าด้านหน้าโครงการ (คส.บ้านพักจิตร) 24-25 พฤศจิกายน 2567 T24BC009-0003	
	L <sub>Aeq</sub> 5 min	L <sub>A90</sub> 5 min
00:20-00:25 น.	43.4	41.4
00:25-00:30 น.	42.5	41.3
00:30-00:35 น.	48.6	41.9
00:35-00:40 น.	42.9	40.8
00:40-00:45 น.	44.0	41.2
00:45-00:50 น.	44.3	41.0
00:50-00:55 น.	42.8	40.2
00:55-01:00 น.	43.9	40.5
01:00-01:05 น.	43.0	40.2
01:05-01:10 น.	42.3	39.5
01:10-01:15 น.	48.1	40.4
01:15-01:20 น.	42.5	40.4
01:20-01:25 น.	41.9	39.6
01:25-01:30 น.	48.0	40.3
01:30-01:35 น.	46.0	40.9
01:35-01:40 น.	51.4	45.0
01:40-01:45 น.	51.1	45.8
01:45-01:50 น.	53.3	44.6
01:50-01:55 น.	54.9	46.0
01:55-02:00 น.	52.4	47.2
02:00-02:05 น.	54.6	46.5
02:05-02:10 น.	48.5	43.0
02:10-02:15 น.	49.5	43.7
02:15-02:20 น.	50.8	44.7
02:20-02:25 น.	51.7	44.6
02:25-02:30 น.	50.6	44.4
02:30-02:35 น.	49.7	45.9
02:35-02:40 น.	55.3	47.5
02:40-02:45 น.	51.6	46.8
02:45-02:50 น.	52.7	47.4
02:50-02:55 น.	53.4	48.8
02:55-03:00 น.	52.1	47.0
03:00-03:05 น.	60.1	47.0
03:05-03:10 น.	54.9	46.8
03:10-03:15 น.	49.5	44.5
03:15-03:20 น.	59.2	46.2
03:20-03:25 น.	55.5	46.2
03:25-03:30 น.	54.7	44.0
03:30-03:35 น.	53.2	45.8
03:35-03:40 น.	58.3	48.1
03:40-03:45 น.	55.7	46.2
03:45-03:50 น.	55.1	47.3
03:50-03:55 น.	62.2	49.2
03:55-04:00 น.	54.9	48.4
04:00-04:05 น.	56.5	49.5
04:05-04:10 น.	58.8	49.3
04:10-04:15 น.	55.4	48.1
04:15-04:20 น.	56.3	49.4
04:20-04:25 น.	54.2	48.8
04:25-04:30 น.	54.7	48.6
04:30-04:35 น.	55.9	48.1
04:35-04:40 น.	54.0	48.3

• ห้ามคัดค้านในรายงานผลการตรวจแต่เพียงบางส่วน โดยไม่ได้รับอนุญาตจากห้องปฏิบัติการเป็นลายลักษณ์อักษร

• ใบงานแผ่นนี้รับรองเฉพาะกับข้อมูลทางด้านข้างที่นำมาทดสอบเท่านั้น

17/30

2024-U114067

เวลา *	ผลการตรวจ (เดซิเบล)	
	จนกว่าด้านหน้าโครงการ (คส.บ้านพักจิตร) 24-25 พฤศจิกายน 2567 T24BC009-0003	
	L <sub>Aeq</sub> 5 min	L <sub>A90</sub> 5 min
20:00-20:05 น.	47.6	43.8
20:05-20:10 น.	46.5	42.7
20:10-20:15 น.	46.4	43.1
20:15-20:20 น.	48.3	43.2
20:20-20:25 น.	46.2	42.9
20:25-20:30 น.	45.1	42.4
20:30-20:35 น.	48.0	43.1
20:35-20:40 น.	45.5	43.5
20:40-20:45 น.	44.0	42.7
20:45-20:50 น.	44.8	42.7
20:50-20:55 น.	44.3	43.1
20:55-21:00 น.	44.4	43.1
21:00-21:05 น.	44.5	42.7
21:05-21:10 น.	44.6	42.8
21:10-21:15 น.	45.1	42.9
21:15-21:20 น.	44.5	42.9
21:20-21:25 น.	47.1	42.8
21:25-21:30 น.	45.0	42.5
21:30-21:35 น.	45.6	42.5
21:35-21:40 น.	45.8	42.3
21:40-21:45 น.	43.6	42.0
21:45-21:50 น.	46.1	42.5
21:50-21:55 น.	43.5	41.9
21:55-22:00 น.	44.7	42.4
22:00-22:05 น.	46.6	44.4
22:05-22:10 น.	45.2	43.1
22:10-22:15 น.	46.9	43.7
22:15-22:20 น.	46.2	45.0
22:20-22:25 น.	46.3	44.4
22:25-22:30 น.	49.4	43.9
22:30-22:35 น.	45.0	43.7
22:35-22:40 น.	46.0	43.5
22:40-22:45 น.	47.3	42.6
22:45-22:50 น.	44.8	42.7
22:50-22:55 น.	44.5	42.1
22:55-23:00 น.	43.9	41.3
23:00-23:05 น.	43.2	41.3
23:05-23:10 น.	43.8	41.3
23:10-23:15 น.	44.0	41.3
23:15-23:20 น.	43.4	41.2
23:20-23:25 น.	44.0	41.3
23:25-23:30 น.	43.3	41.4
23:30-23:35 น.	43.5	41.3
23:35-23:40 น.	43.7	40.6
23:40-23:45 น.	42.3	40.7
23:45-23:50 น.	42.8	41.2
23:50-23:55 น.	43.1	40.5
23:55-00:00 น.	42.8	41.2
00:00-00:05 น.	43.9	41.5
00:05-00:10 น.	42.7	41.2
00:10-00:15 น.	42.7	41.2
00:15-00:20 น.	47.9	41.7

• ห้ามคัดค้านในรายงานผลการตรวจแต่เพียงบางส่วน โดยไม่ได้รับอนุญาตจากห้องปฏิบัติการเป็นลายลักษณ์อักษร

• ใบงานแผ่นนี้รับรองเฉพาะกับข้อมูลทางด้านข้างที่นำมาทดสอบเท่านั้น

16/30

2024-U114067



เวลา *	ผลการตรวจ (ต่อใบผล)	
	วันที่ดำเนินการตรวจ (ฉบับบันทึกผล)	
	T24BC009-0004	
	L <sub>Aeq</sub> 5 min	L <sub>Aeq</sub> 5 min
07:00-07:05 น.	57.5	48.6
07:05-07:10 น.	58.0	48.3
07:10-07:15 น.	53.7	47.0
07:15-07:20 น.	54.4	48.1
07:20-07:25 น.	57.4	48.3
07:25-07:30 น.	55.9	48.9
07:30-07:35 น.	54.6	49.2
07:35-07:40 น.	56.7	49.2
07:40-07:45 น.	56.3	50.6
07:45-07:50 น.	55.0	49.8
07:50-07:55 น.	56.2	49.5
07:55-08:00 น.	54.7	49.5
08:00-08:05 น.	56.3	49.2
08:05-08:10 น.	57.8	48.4
08:10-08:15 น.	53.9	47.4
08:15-08:20 น.	55.2	45.8
08:20-08:25 น.	58.6	49.5
08:25-08:30 น.	55.1	49.1
08:30-08:35 น.	55.8	48.1
08:35-08:40 น.	55.6	51.7
08:40-08:45 น.	56.9	49.5
08:45-08:50 น.	55.7	50.8
08:50-08:55 น.	55.9	50.5
08:55-09:00 น.	55.2	48.0
09:00-09:05 น.	52.7	48.8
09:05-09:10 น.	56.2	49.9
09:10-09:15 น.	54.1	50.0
09:15-09:20 น.	54.0	48.2
09:20-09:25 น.	54.3	48.6
09:25-09:30 น.	56.1	48.3
09:30-09:35 น.	58.0	47.1
09:35-09:40 น.	54.7	46.3
09:40-09:45 น.	56.6	46.7
09:45-09:50 น.	58.6	46.3
09:50-09:55 น.	56.3	46.2
09:55-10:00 น.	57.0	47.1
10:00-10:05 น.	57.4	47.6
10:05-10:10 น.	56.5	46.8
10:10-10:15 น.	57.8	47.4
10:15-10:20 น.	57.0	49.1
10:20-10:25 น.	58.3	51.7
10:25-10:30 น.	57.2	52.8
10:30-10:35 น.	54.2	53.1
10:35-10:40 น.	54.4	52.8
10:40-10:45 น.	56.0	53.7
10:45-10:50 น.	55.5	52.6
10:50-10:55 น.	56.2	52.2
10:55-11:00 น.	58.0	52.2
11:00-11:05 น.	57.0	53.2
11:05-11:10 น.	53.9	52.8
11:10-11:15 น.	54.0	52.1
11:15-11:20 น.	55.5	52.8

• นำผลค่าในรายงานผลการตรวจแต่เพียงบางส่วน โดยไม่ได้ขออนุญาตจากห้องปฏิบัติการเป็นลายลักษณ์อักษร

• ใบรายงานผลนี้รับรองเฉพาะกับตัวอย่างที่นำมาทดสอบเท่านั้น

เวลา *	ผลการตรวจ (ต่อใบผล)	
	วันที่ดำเนินการตรวจ (ฉบับบันทึกผล)	
	T24BC009-0003	
	L <sub>Aeq</sub> 5 min	L <sub>Aeq</sub> 5 min
04:40-04:45 น.	56.4	48.4
04:45-04:50 น.	56.6	47.9
04:50-04:55 น.	56.7	49.9
04:55-05:00 น.	54.4	48.5
05:00-05:05 น.	56.8	49.5
05:05-05:10 น.	57.6	50.9
05:10-05:15 น.	54.1	48.3
05:15-05:20 น.	55.8	48.2
05:20-05:25 น.	54.6	49.9
05:25-05:30 น.	57.5	47.8
05:30-05:35 น.	55.4	48.3
05:35-05:40 น.	52.3	48.6
05:40-05:45 น.	57.3	50.7
05:45-05:50 น.	56.3	51.7
05:50-05:55 น.	53.8	48.3
05:55-06:00 น.	53.9	49.6
06:00-06:05 น.	57.2	51.5
06:05-06:10 น.	53.0	48.3
06:10-06:15 น.	54.7	47.4
06:15-06:20 น.	55.7	50.3
06:20-06:25 น.	55.8	49.6
06:25-06:30 น.	57.3	48.4
06:30-06:35 น.	55.0	49.4
06:35-06:40 น.	57.8	50.2
06:40-06:45 น.	57.3	49.3
06:45-06:50 น.	58.0	49.3
06:50-06:55 น.	56.3	48.7
06:55-07:00 น.	55.0	48.6

• นำผลค่าในรายงานผลการตรวจแต่เพียงบางส่วน โดยไม่ได้ขออนุญาตจากห้องปฏิบัติการเป็นลายลักษณ์อักษร

• ใบรายงานผลนี้รับรองเฉพาะกับตัวอย่างที่นำมาทดสอบเท่านั้น



เวลา *	ผลการตรวจ (เฉลี่ยรอบ)	
	รับตรวจหน้าโครงการ (ส่งบันทึกผล)	
	T24BC009-0004	
	L <sub>Aeq</sub> 5 min	L <sub>Aeq</sub> 5 min
15:40-15:45 น.	55.1	52.4
15:45-15:50 น.	58.5	52.8
15:50-15:55 น.	54.1	51.0
15:55-16:00 น.	56.6	52.6
16:00-16:05 น.	54.1	50.9
16:05-16:10 น.	61.5	50.7
16:10-16:15 น.	58.2	51.3
16:15-16:20 น.	52.2	49.9
16:20-16:25 น.	54.3	51.7
16:25-16:30 น.	57.0	53.1
16:30-16:35 น.	57.5	51.2
16:35-16:40 น.	54.9	50.1
16:40-16:45 น.	58.7	49.4
16:45-16:50 น.	53.7	49.8
16:50-16:55 น.	59.7	48.3
16:55-17:00 น.	54.5	47.8
17:00-17:05 น.	59.3	46.9
17:05-17:10 น.	56.0	47.8
17:10-17:15 น.	59.3	48.1
17:15-17:20 น.	62.2	49.9
17:20-17:25 น.	56.7	49.8
17:25-17:30 น.	55.2	48.5
17:30-17:35 น.	51.8	48.4
17:35-17:40 น.	51.7	48.0
17:40-17:45 น.	52.3	47.5
17:45-17:50 น.	54.3	47.4
17:50-17:55 น.	52.1	48.3
17:55-18:00 น.	55.9	48.3
18:00-18:05 น.	51.7	48.1
18:05-18:10 น.	53.1	48.5
18:10-18:15 น.	49.8	47.8
18:15-18:20 น.	50.7	47.8
18:20-18:25 น.	54.7	48.9
18:25-18:30 น.	56.1	49.4
18:30-18:35 น.	51.6	47.8
18:35-18:40 น.	51.9	48.1
18:40-18:45 น.	53.1	47.7
18:45-18:50 น.	50.5	47.5
18:50-18:55 น.	58.1	48.6
18:55-19:00 น.	51.5	49.1
19:00-19:05 น.	56.3	47.2
19:05-19:10 น.	47.6	44.8
19:10-19:15 น.	48.7	45.1
19:15-19:20 น.	49.4	46.4
19:20-19:25 น.	53.1	51.2
19:25-19:30 น.	55.2	44.8
19:30-19:35 น.	49.0	44.4
19:35-19:40 น.	47.4	44.7
19:40-19:45 น.	52.0	45.4
19:45-19:50 น.	48.9	44.4
19:50-19:55 น.	46.4	44.2
19:55-20:00 น.	48.6	44.3

• นำผลค่าปริมาณงานผลการตรวจแต่ละช่วงเวลา ส่วน โดยทั่วไปได้ข้อมูภาคจากห้องปฏิบัติการเป็นฐานสังเกตการณ์

• ปริมาณผลที่ได้ของผลเฉพาะกับช่วงเวลาที่นำมาทดสอบเท่านั้น

เวลา *	ผลการตรวจ (เฉลี่ยรอบ)	
	รับตรวจหน้าโครงการ (ส่งบันทึกผล)	
	T24BC009-0004	
	L <sub>Aeq</sub> 5 min	L <sub>Aeq</sub> 5 min
11:20-11:25 น.	54.0	50.8
11:25-11:30 น.	54.4	50.6
11:30-11:35 น.	57.7	50.0
11:35-11:40 น.	52.7	47.2
11:40-11:45 น.	49.5	45.2
11:45-11:50 น.	55.3	45.5
11:50-11:55 น.	53.7	45.1
11:55-12:00 น.	58.7	50.5
12:00-12:05 น.	53.6	48.5
12:05-12:10 น.	52.7	46.3
12:10-12:15 น.	55.7	50.1
12:15-12:20 น.	63.3	52.2
12:20-12:25 น.	53.3	50.4
12:25-12:30 น.	57.2	50.9
12:30-12:35 น.	56.5	50.3
12:35-12:40 น.	53.2	47.3
12:40-12:45 น.	53.8	48.6
12:45-12:50 น.	58.2	52.5
12:50-12:55 น.	54.7	49.1
12:55-13:00 น.	58.6	49.1
13:00-13:05 น.	51.4	49.2
13:05-13:10 น.	56.1	50.7
13:10-13:15 น.	51.0	46.5
13:15-13:20 น.	50.4	45.0
13:20-13:25 น.	61.5	43.7
13:25-13:30 น.	55.6	46.0
13:30-13:35 น.	56.0	45.2
13:35-13:40 น.	54.8	45.2
13:40-13:45 น.	57.7	48.0
13:45-13:50 น.	52.5	47.0
13:50-13:55 น.	52.3	46.8
13:55-14:00 น.	52.0	47.4
14:00-14:05 น.	53.8	48.6
14:05-14:10 น.	53.7	47.7
14:10-14:15 น.	52.5	47.2
14:15-14:20 น.	59.8	47.9
14:20-14:25 น.	59.3	48.7
14:25-14:30 น.	53.8	47.7
14:30-14:35 น.	57.2	49.4
14:35-14:40 น.	59.5	49.5
14:40-14:45 น.	58.5	50.3
14:45-14:50 น.	54.7	49.5
14:50-14:55 น.	55.7	49.3
14:55-15:00 น.	60.4	48.8
15:00-15:05 น.	54.2	48.7
15:05-15:10 น.	59.8	50.4
15:10-15:15 น.	52.5	49.6
15:15-15:20 น.	57.9	49.3
15:20-15:25 น.	56.8	49.2
15:25-15:30 น.	54.9	49.6
15:30-15:35 น.	59.8	47.6
15:35-15:40 น.	58.1	50.8

• นำผลค่าปริมาณงานผลการตรวจแต่ละช่วงเวลา ส่วน โดยทั่วไปได้ข้อมูภาคจากห้องปฏิบัติการเป็นฐานสังเกตการณ์

• ปริมาณผลที่ได้ของผลเฉพาะกับช่วงเวลาที่นำมาทดสอบเท่านั้น

เวลา *	ผลการตรวจ (โดยอัตโนมัติ)	
	จรรยาบรรณวิศวกร (ฉบับแก้ไขล่าสุด) 25-26 พฤศจิกายน 2567 T248C009-0004	
	L <sub>Aeq</sub> 5 min	L <sub>A90</sub> 5 min
00:20-00:25 น.	41.8	40.6
00:25-00:30 น.	44.8	41.2
00:30-00:35 น.	43.8	41.9
00:35-00:40 น.	44.9	41.8
00:40-00:45 น.	43.2	41.4
00:45-00:50 น.	42.9	40.9
00:50-00:55 น.	42.1	40.8
00:55-01:00 น.	44.2	39.8
01:00-01:05 น.	41.7	40.5
01:05-01:10 น.	43.4	41.5
01:10-01:15 น.	42.1	41.2
01:15-01:20 น.	43.8	41.9
01:20-01:25 น.	44.4	41.4
01:25-01:30 น.	43.3	41.2
01:30-01:35 น.	41.6	40.5
01:35-01:40 น.	51.4	41.9
01:40-01:45 น.	43.6	41.5
01:45-01:50 น.	43.4	42.1
01:50-01:55 น.	45.7	41.8
01:55-02:00 น.	42.3	40.0
02:00-02:05 น.	44.6	40.2
02:05-02:10 น.	42.9	40.1
02:10-02:15 น.	43.3	40.3
02:15-02:20 น.	43.1	40.8
02:20-02:25 น.	43.1	40.2
02:25-02:30 น.	41.3	38.6
02:30-02:35 น.	53.1	40.0
02:35-02:40 น.	41.9	40.6
02:40-02:45 น.	42.6	40.6
02:45-02:50 น.	43.0	40.5
02:50-02:55 น.	50.1	41.1
02:55-03:00 น.	60.1	49.4
03:00-03:05 น.	59.2	51.0
03:05-03:10 น.	56.5	48.1
03:10-03:15 น.	49.7	42.5
03:15-03:20 น.	45.7	43.4
03:20-03:25 น.	52.7	44.9
03:25-03:30 น.	47.3	43.4
03:30-03:35 น.	53.4	44.0
03:35-03:40 น.	48.9	44.5
03:40-03:45 น.	56.0	45.7
03:45-03:50 น.	47.8	44.7
03:50-03:55 น.	50.5	47.3
03:55-04:00 น.	54.6	49.3
04:00-04:05 น.	55.4	48.8
04:05-04:10 น.	54.8	47.5
04:10-04:15 น.	52.2	48.3
04:15-04:20 น.	48.7	45.1
04:20-04:25 น.	65.4	46.4
04:25-04:30 น.	57.5	45.3
04:30-04:35 น.	50.3	43.8
04:35-04:40 น.	53.1	46.0

• นำผลคำนวณปริมาณผลการตรวจแต่ละชั่วโมงมา ส่วน โดยไม่ได้แยกจากห้องปฏิบัติการเป็นลายลักษณ์อักษร

• ใบงานแนบนี้ขึ้นของผลเฉพาะกับตัวอย่างที่นำมาทดสอบเท่านั้น

เวลา *	ผลการตรวจ (โดยอัตโนมัติ)	
	จรรยาบรรณวิศวกร (ฉบับแก้ไขล่าสุด) 25-26 พฤศจิกายน 2567 T248C009-0004	
	L <sub>Aeq</sub> 5 min	L <sub>A90</sub> 5 min
20:00-20:05 น.	50.4	44.0
20:05-20:10 น.	49.1	43.2
20:10-20:15 น.	50.6	43.8
20:15-20:20 น.	48.3	44.7
20:20-20:25 น.	46.6	43.1
20:25-20:30 น.	48.3	43.2
20:30-20:35 น.	46.1	43.3
20:35-20:40 น.	48.1	43.0
20:40-20:45 น.	48.8	43.2
20:45-20:50 น.	46.4	42.5
20:50-20:55 น.	45.7	42.8
20:55-21:00 น.	51.8	43.8
21:00-21:05 น.	49.7	43.6
21:05-21:10 น.	49.7	44.3
21:10-21:15 น.	45.8	42.9
21:15-21:20 น.	45.9	43.4
21:20-21:25 น.	45.6	43.2
21:25-21:30 น.	47.1	42.5
21:30-21:35 น.	46.9	42.7
21:35-21:40 น.	51.1	43.2
21:40-21:45 น.	45.4	43.3
21:45-21:50 น.	43.3	42.1
21:50-21:55 น.	44.9	43.0
21:55-22:00 น.	45.5	43.7
22:00-22:05 น.	44.7	43.3
22:05-22:10 น.	44.7	42.3
22:10-22:15 น.	43.2	42.4
22:15-22:20 น.	44.1	42.9
22:20-22:25 น.	44.2	43.0
22:25-22:30 น.	46.0	43.2
22:30-22:35 น.	46.0	42.9
22:35-22:40 น.	44.8	42.7
22:40-22:45 น.	48.3	42.4
22:45-22:50 น.	43.9	42.1
22:50-22:55 น.	46.4	42.3
22:55-23:00 น.	43.2	42.2
23:00-23:05 น.	43.3	41.9
23:05-23:10 น.	45.8	42.6
23:10-23:15 น.	43.7	41.5
23:15-23:20 น.	46.0	42.8
23:20-23:25 น.	47.5	46.1
23:25-23:30 น.	46.7	44.7
23:30-23:35 น.	47.7	44.6
23:35-23:40 น.	44.9	43.9
23:40-23:45 น.	45.9	44.1
23:45-23:50 น.	51.0	43.2
23:50-23:55 น.	45.0	43.4
23:55-00:00 น.	46.2	42.8
00:00-00:05 น.	43.6	41.9
00:05-00:10 น.	44.6	41.9
00:10-00:15 น.	42.8	41.4
00:15-00:20 น.	44.1	40.7

• นำผลคำนวณปริมาณผลการตรวจแต่ละชั่วโมงมา ส่วน โดยไม่ได้แยกจากห้องปฏิบัติการเป็นลายลักษณ์อักษร

• ใบงานแนบนี้ขึ้นของผลเฉพาะกับตัวอย่างที่นำมาทดสอบเท่านั้น



เวลา *	ผลการตรวจ (เฉลี่ยต่อ)	
	จรรยาบรรณวิศวกร (ฉบับปรับปรุง 2567) T24BC09-0005	
	L <sub>avg</sub> 5 min	L <sub>avg</sub> 5 min
07:00-07:05 น.	55.7	52.7
07:05-07:10 น.	57.7	52.8
07:10-07:15 น.	54.4	48.8
07:15-07:20 น.	52.2	46.5
07:20-07:25 น.	56.7	50.2
07:25-07:30 น.	51.6	47.8
07:30-07:35 น.	57.3	48.2
07:35-07:40 น.	54.7	50.4
07:40-07:45 น.	60.0	51.4
07:45-07:50 น.	57.4	48.6
07:50-07:55 น.	55.3	48.3
07:55-08:00 น.	55.6	48.9
08:00-08:05 น.	57.2	50.0
08:05-08:10 น.	60.6	50.2
08:10-08:15 น.	57.0	48.4
08:15-08:20 น.	52.8	47.1
08:20-08:25 น.	54.3	47.0
08:25-08:30 น.	59.0	48.2
08:30-08:35 น.	54.5	46.9
08:35-08:40 น.	54.5	49.2
08:40-08:45 น.	55.7	48.3
08:45-08:50 น.	57.2	50.8
08:50-08:55 น.	54.6	49.2
08:55-09:00 น.	57.6	50.0
09:00-09:05 น.	55.3	50.4
09:05-09:10 น.	55.4	50.3
09:10-09:15 น.	54.8	48.9
09:15-09:20 น.	54.1	48.5
09:20-09:25 น.	57.1	48.1
09:25-09:30 น.	60.8	47.9
09:30-09:35 น.	53.7	46.3
09:35-09:40 น.	53.3	43.5
09:40-09:45 น.	56.3	51.1
09:45-09:50 น.	56.6	51.8
09:50-09:55 น.	58.3	52.6
09:55-10:00 น.	54.8	52.2
10:00-10:05 น.	57.1	47.1
10:05-10:10 น.	53.1	48.9
10:10-10:15 น.	57.0	48.8
10:15-10:20 น.	53.3	48.8
10:20-10:25 น.	52.3	48.6
10:25-10:30 น.	55.5	50.9
10:30-10:35 น.	54.8	51.2
10:35-10:40 น.	55.8	47.8
10:40-10:45 น.	53.1	46.2
10:45-10:50 น.	57.3	45.4
10:50-10:55 น.	60.3	46.3
10:55-11:00 น.	56.3	46.4
11:00-11:05 น.	55.8	47.9
11:05-11:10 น.	57.0	46.2
11:10-11:15 น.	56.3	46.0
11:15-11:20 น.	58.2	46.3

• นำผลค่าปริมาณงานผลการตรวจแบบเพิ่มบางส่วน โดยนำข้อมูลจากห้องปฏิบัติการเป็นฐานสังเกตการณ์  
• นำรายงานผลนี้ขึ้นของผลเฉพาะกับค่ามาตรฐานที่นำมาทดสอบเท่านั้น

เวลา *	ผลการตรวจ (เฉลี่ยต่อ)	
	จรรยาบรรณวิศวกร (ฉบับปรับปรุง 2567) T24BC09-0004	
	L <sub>avg</sub> 5 min	L <sub>avg</sub> 5 min
04:40-04:45 น.	53.4	47.1
04:45-04:50 น.	59.0	44.2
04:50-04:55 น.	53.3	45.5
04:55-05:00 น.	63.2	49.0
05:00-05:05 น.	52.4	48.2
05:05-05:10 น.	57.0	49.0
05:10-05:15 น.	61.2	49.4
05:15-05:20 น.	57.5	48.5
05:20-05:25 น.	56.0	49.9
05:25-05:30 น.	56.4	49.1
05:30-05:35 น.	53.3	47.7
05:35-05:40 น.	56.5	48.9
05:40-05:45 น.	52.0	48.4
05:45-05:50 น.	56.2	49.5
05:50-05:55 น.	55.4	47.2
05:55-06:00 น.	55.9	48.2
06:00-06:05 น.	56.6	47.3
06:05-06:10 น.	57.9	48.6
06:10-06:15 น.	57.6	51.5
06:15-06:20 น.	52.1	49.7
06:20-06:25 น.	55.6	50.3
06:25-06:30 น.	57.7	50.3
06:30-06:35 น.	56.2	46.9
06:35-06:40 น.	55.9	46.0
06:40-06:45 น.	51.6	49.4
06:45-06:50 น.	58.8	48.7
06:50-06:55 น.	54.9	50.5
06:55-07:00 น.	53.1	47.8

• นำผลค่าปริมาณงานผลการตรวจแบบเพิ่มบางส่วน โดยนำข้อมูลจากห้องปฏิบัติการเป็นฐานสังเกตการณ์  
• นำรายงานผลนี้ขึ้นของผลเฉพาะกับค่ามาตรฐานที่นำมาทดสอบเท่านั้น



เวลา *	ผลการตรวจ (เดซิเบล)	
	บริเวณหน้าโครงการ (คลื่นนิ่งพิจิตร) T248C009-0005	
	L <sub>Aeq</sub> 5 min	L <sub>A90</sub> 5 min
15:40-15:45 น.	55.4	50.6
15:45-15:50 น.	57.5	51.3
15:50-15:55 น.	55.8	50.0
15:55-16:00 น.	56.5	49.3
16:00-16:05 น.	57.3	49.0
16:05-16:10 น.	55.5	49.2
16:10-16:15 น.	58.8	48.0
16:15-16:20 น.	57.8	49.0
16:20-16:25 น.	56.9	49.4
16:25-16:30 น.	57.2	49.6
16:30-16:35 น.	56.8	49.4
16:35-16:40 น.	57.7	50.5
16:40-16:45 น.	54.9	49.6
16:45-16:50 น.	56.6	49.0
16:50-16:55 น.	54.0	49.3
16:55-17:00 น.	52.7	48.6
17:00-17:05 น.	53.2	49.0
17:05-17:10 น.	54.7	49.6
17:10-17:15 น.	54.2	49.2
17:15-17:20 น.	54.0	48.8
17:20-17:25 น.	54.8	48.7
17:25-17:30 น.	53.3	49.0
17:30-17:35 น.	53.6	48.0
17:35-17:40 น.	52.8	48.0
17:40-17:45 น.	56.2	48.1
17:45-17:50 น.	54.4	48.3
17:50-17:55 น.	55.3	48.1
17:55-18:00 น.	55.5	48.8
18:00-18:05 น.	54.4	48.3
18:05-18:10 น.	52.8	47.6
18:10-18:15 น.	53.3	48.0
18:15-18:20 น.	52.0	48.0
18:20-18:25 น.	53.0	47.6
18:25-18:30 น.	51.3	45.7
18:30-18:35 น.	50.0	46.3
18:35-18:40 น.	51.9	47.6
18:40-18:45 น.	52.8	48.1
18:45-18:50 น.	52.4	45.9
18:50-18:55 น.	48.6	45.6
18:55-19:00 น.	49.5	45.8
19:00-19:05 น.	52.1	46.2
19:05-19:10 น.	50.9	45.8
19:10-19:15 น.	49.2	45.4
19:15-19:20 น.	49.9	45.6
19:20-19:25 น.	50.4	45.0
19:25-19:30 น.	49.7	44.7
19:30-19:35 น.	52.0	45.5
19:35-19:40 น.	49.1	45.6
19:40-19:45 น.	50.5	44.5
19:45-19:50 น.	47.4	43.6
19:50-19:55 น.	47.2	43.8
19:55-20:00 น.	49.3	44.3

• นำผลคำนวณจากผลการตรวจแต่เพียงบางส่วน ไปใช้ในการพยากรณ์การปล่อยมลพิษเป็นการเป็นลักษณะ  
• ใบงานแผ่นนี้ยังขาดเฉพาะส่วนต่างๆที่นำมาผสมเท่านั้น

เวลา *	ผลการตรวจ (เดซิเบล)	
	บริเวณหน้าโครงการ (คลื่นนิ่งพิจิตร) T248C009-0005	
	L <sub>Aeq</sub> 5 min	L <sub>A90</sub> 5 min
11:20-11:25 น.	54.2	50.2
11:25-11:30 น.	54.9	49.8
11:30-11:35 น.	57.3	51.2
11:35-11:40 น.	58.2	51.1
11:40-11:45 น.	55.3	51.1
11:45-11:50 น.	56.1	51.7
11:50-11:55 น.	54.8	50.2
11:55-12:00 น.	55.0	49.7
12:00-12:05 น.	54.2	50.1
12:05-12:10 น.	56.0	51.0
12:10-12:15 น.	55.7	49.0
12:15-12:20 น.	54.1	47.8
12:20-12:25 น.	53.2	47.2
12:25-12:30 น.	54.9	47.5
12:30-12:35 น.	52.6	45.6
12:35-12:40 น.	55.8	46.7
12:40-12:45 น.	57.2	46.4
12:45-12:50 น.	54.2	46.1
12:50-12:55 น.	55.1	47.1
12:55-13:00 น.	57.7	48.7
13:00-13:05 น.	54.7	48.4
13:05-13:10 น.	54.3	48.4
13:10-13:15 น.	53.7	48.1
13:15-13:20 น.	54.0	47.7
13:20-13:25 น.	54.7	48.5
13:25-13:30 น.	55.0	49.2
13:30-13:35 น.	55.2	48.3
13:35-13:40 น.	59.3	48.7
13:40-13:45 น.	55.6	49.0
13:45-13:50 น.	55.3	49.3
13:50-13:55 น.	55.3	48.4
13:55-14:00 น.	56.5	48.0
14:00-14:05 น.	58.2	47.7
14:05-14:10 น.	56.0	48.5
14:10-14:15 น.	56.1	47.9
14:15-14:20 น.	57.1	47.7
14:20-14:25 น.	56.7	48.8
14:25-14:30 น.	55.3	49.0
14:30-14:35 น.	54.6	48.3
14:35-14:40 น.	55.8	48.9
14:40-14:45 น.	55.2	49.6
14:45-14:50 น.	55.9	49.2
14:50-14:55 น.	56.1	48.6
14:55-15:00 น.	57.9	50.4
15:00-15:05 น.	56.9	51.0
15:05-15:10 น.	56.7	50.5
15:10-15:15 น.	56.2	50.8
15:15-15:20 น.	56.4	50.8
15:20-15:25 น.	56.9	50.8
15:25-15:30 น.	57.9	50.8
15:30-15:35 น.	56.3	50.4
15:35-15:40 น.	55.7	49.9

• นำผลคำนวณจากผลการตรวจแต่เพียงบางส่วน ไปใช้ในการพยากรณ์การปล่อยมลพิษเป็นการเป็นลักษณะ  
• ใบงานแผ่นนี้ยังขาดเฉพาะส่วนต่างๆที่นำมาผสมเท่านั้น





เวลา *	ผลการตรวจ (โดยแบบ)	
	จำนวนการตรวจ (ครั้งต่อปี)	
	26-27 พฤศจิกายน 2567	
	T248C009-0005	
	L <sub>avg</sub> 5 min	L <sub>avg</sub> 5 min
04:40-04:45 น.	55.2	49.2
04:45-04:50 น.	55.3	48.4
04:50-04:55 น.	53.8	48.0
04:55-05:00 น.	53.1	47.4
05:00-05:05 น.	57.9	47.7
05:05-05:10 น.	56.8	47.6
05:10-05:15 น.	54.1	47.0
05:15-05:20 น.	54.5	47.6
05:20-05:25 น.	55.6	48.0
05:25-05:30 น.	58.2	47.9
05:30-05:35 น.	55.0	48.4
05:35-05:40 น.	57.0	49.0
05:40-05:45 น.	54.2	49.5
05:45-05:50 น.	57.4	49.0
05:50-05:55 น.	57.6	48.2
05:55-06:00 น.	55.2	47.7
06:00-06:05 น.	54.9	50.0
06:05-06:10 น.	57.2	49.8
06:10-06:15 น.	54.0	48.8
06:15-06:20 น.	54.5	48.8
06:20-06:25 น.	55.0	50.9
06:25-06:30 น.	55.6	50.2
06:30-06:35 น.	54.8	47.8
06:35-06:40 น.	54.6	48.3
06:40-06:45 น.	56.4	49.0
06:45-06:50 น.	55.6	48.3
06:50-06:55 น.	56.6	49.7
06:55-07:00 น.	54.8	50.1

(นายธิดา นพวงใจ)

ผู้ควบคุมห้องปฏิบัติการ



ผลการวิเคราะห์ (โดยนิตย)			
รับด้านหน้าโครงการ (คลังน้ำมันศรีสำโรง)			
T2488507-0007			
เวลา *	Lag 1 hour	Lmax 1 hour	Lag 1 hour
07:00-08:00 น.	59.0	76.9	51.8
08:00-09:00 น.	60.6	80.3	54.4
09:00-10:00 น.	60.7	88.1	54.6
10:00-11:00 น.	59.9	82.5	52.9
11:00-12:00 น.	57.7	83.0	51.7
12:00-13:00 น.	59.2	82.4	52.1
13:00-14:00 น.	58.6	76.8	52.0
14:00-15:00 น.	58.2	75.8	52.5
15:00-16:00 น.	58.4	79.1	53.0
16:00-17:00 น.	58.1	75.7	52.4
17:00-18:00 น.	57.8	78.7	51.8
18:00-19:00 น.	56.2	72.8	50.4
19:00-20:00 น.	56.0	71.0	51.7
20:00-21:00 น.	55.6	65.9	51.3
21:00-22:00 น.	58.8	78.1	54.9
22:00-23:00 น.	56.9	68.9	52.1
23:00-00:00 น.	56.5	69.5	53.3
00:00-01:00 น.	55.0	66.8	51.0
01:00-02:00 น.	55.6	69.4	52.2
02:00-03:00 น.	56.0	65.5	52.9
03:00-04:00 น.	56.5	67.7	53.4
04:00-05:00 น.	56.1	69.8	51.3
05:00-06:00 น.	57.6	75.0	51.8
06:00-07:00 น.	58.7	74.8	52.2
Lag 24 hours	58.0		

**ข้อมูล**  
ที่อยู่ที่ : บริษัท มาทีส์สแองท์ จำกัด  
: 424 ถนนพหลโยธิน 6 แขวงคลองเมือง เขตดอนเมือง กรุงเทพมหานคร 10210  
โทรศัพท์ : 08 7936 0775 อีเมล : kranak@fpt.co.th  
: รับด้านหน้าโครงการ (คลังน้ำมันศรีสำโรง)  
: ระดับเสียงโดยทั่วไป  
: 16-21 พฤศจิกายน 2567  
: \*  
: มอดรับเสียง  
: นายสมพล สอนเพชร  
ผู้ตรวจ : นายสมพล สอนเพชร

**ข้อมูล**  
ที่อยู่ที่ : บริษัท มาทีส์สแองท์ จำกัด  
: 424 ถนนพหลโยธิน 6 แขวงคลองเมือง เขตดอนเมือง กรุงเทพมหานคร 10210  
โทรศัพท์ : 08 7936 0775 อีเมล : kranak@fpt.co.th  
: รับด้านหน้าโครงการ (คลังน้ำมันศรีสำโรง)  
: ระดับเสียงโดยทั่วไป  
: 16-21 พฤศจิกายน 2567  
: \*  
: มอดรับเสียง  
: นายสมพล สอนเพชร  
ผู้ตรวจ : นายสมพล สอนเพชร

ผลการวิเคราะห์ (โดยนิตย)			
รับด้านหน้าโครงการ (คลังน้ำมันศรีสำโรง)			
T2488507-0006			
เวลา *	Lag 1 hour	Lmax 1 hour	Lag 1 hour
07:00-08:00 น.	60.0	77.8	54.2
08:00-09:00 น.	60.4	84.0	54.8
09:00-10:00 น.	60.5	80.5	53.5
10:00-11:00 น.	58.8	82.2	52.3
11:00-12:00 น.	59.0	88.0	51.9
12:00-13:00 น.	58.1	82.2	51.5
13:00-14:00 น.	57.8	78.3	51.7
14:00-15:00 น.	57.9	77.3	51.9
15:00-16:00 น.	58.2	73.4	52.5
16:00-17:00 น.	58.3	77.1	52.3
17:00-18:00 น.	56.8	74.2	50.8
18:00-19:00 น.	56.4	72.0	50.9
19:00-20:00 น.	55.5	67.0	50.9
20:00-21:00 น.	58.4	76.1	54.1
21:00-22:00 น.	56.6	69.0	52.0
22:00-23:00 น.	55.8	68.5	51.8
23:00-00:00 น.	54.4	66.0	50.3
00:00-01:00 น.	54.7	65.2	51.3
01:00-02:00 น.	55.1	66.6	51.6
02:00-03:00 น.	55.3	66.5	51.8
03:00-04:00 น.	55.1	70.5	50.7
04:00-05:00 น.	56.2	72.6	50.9
05:00-06:00 น.	57.1	72.2	51.2
06:00-07:00 น.	58.5	76.4	51.5
Lag 24 hours	57.7		

เวลา *	ผลการวิเคราะห์ (เดย์เอด)		
	รับคำนวณหาโครงการ (คลังน้ำมันลำปาง)		
	19 - 20 พฤศจิกายน 2567 T248B507-0009		
	Lreq 1 hour	Lmax 1 hour	Lavg 1 hour
07:00-08:00 น.	59.7	80.0	53.1
08:00-09:00 น.	60.4	80.1	54.1
09:00-10:00 น.	60.6	85.4	53.8
10:00-11:00 น.	60.3	80.7	52.6
11:00-12:00 น.	59.2	83.6	51.6
12:00-13:00 น.	58.3	80.7	50.9
13:00-14:00 น.	58.0	79.4	51.7
14:00-15:00 น.	59.3	78.6	52.9
15:00-16:00 น.	58.7	73.3	52.9
16:00-17:00 น.	59.5	76.4	54.0
17:00-18:00 น.	58.6	79.1	51.6
18:00-19:00 น.	57.5	74.2	51.3
19:00-20:00 น.	56.3	72.9	50.9
20:00-21:00 น.	57.9	73.2	53.3
21:00-22:00 น.	56.7	71.9	52.9
22:00-23:00 น.	55.8	67.7	51.1
23:00-00:00 น.	55.7	67.2	51.8
00:00-01:00 น.	55.1	67.6	50.7
01:00-02:00 น.	56.2	67.2	53.1
02:00-03:00 น.	55.9	65.6	52.2
03:00-04:00 น.	56.2	69.6	52.0
04:00-05:00 น.	55.7	67.1	51.2
05:00-06:00 น.	57.1	71.0	51.1
06:00-07:00 น.	57.2	70.5	50.7
Lavg 24 hours		58.1	

เวลา *	ผลการวิเคราะห์ (เดย์เอด)		
	รับคำนวณโครงการ (คลังน้ำมันศรีบาง)		
	18 - 19 พฤศจิกายน 2567		
	T248B507-0008		
	L <sub>req</sub> 1 hour	L <sub>max</sub> 1 hour	L <sub>eqo</sub> 1 hour
07:00-08:00 น.	59.9	79.0	53.6
08:00-09:00 น.	60.2	80.0	53.2
09:00-10:00 น.	60.2	81.1	52.9
10:00-11:00 น.	59.5	83.0	52.6
11:00-12:00 น.	59.1	79.2	52.4
12:00-13:00 น.	57.9	81.3	51.9
13:00-14:00 น.	59.2	78.1	52.5
14:00-15:00 น.	59.1	77.9	53.0
15:00-16:00 น.	59.1	75.8	53.4
16:00-17:00 น.	58.5	79.0	51.7
17:00-18:00 น.	57.9	76.5	51.9
18:00-19:00 น.	56.9	75.5	51.3
19:00-20:00 น.	57.5	74.5	52.6
20:00-21:00 น.	56.5	68.7	52.7
21:00-22:00 น.	55.9	66.2	52.1
22:00-23:00 น.	56.1	67.8	52.7
23:00-00:00 น.	55.7	66.5	51.6
00:00-01:00 น.	56.8	68.3	53.7
01:00-02:00 น.	55.5	66.4	51.8
02:00-03:00 น.	56.4	67.5	52.8
03:00-04:00 น.	56.2	65.9	52.6
04:00-05:00 น.	57.0	68.6	52.1
05:00-06:00 น.	56.3	72.9	50.5
06:00-07:00 น.	58.3	79.0	51.5
L <sub>req</sub> 24 hours		58.0	

ข้อมูลทั่วไป

ที่ตั้ง : บริษัท มาทีส์แอสแตงทอ จำกัด

ที่อยู่ : 424 ถนนกำแพงเพชร 6 แขวงคลองจั่น เขตดอนเมือง กรุงเทพมหานคร 10210

ข้อมูลผู้ติดต่อ : โทรศัพท์ : 08 7936 0775 อีเมล : kirana@pt.co.th

สถานที่ตรวจวัด : บริษัท มาทีส์แอสแตงทอ จำกัด (คลังน้ำมันศรีสำโรง)

วันที่ตรวจวัด : ระดับเสียงโดยทั่วไป

เวลาที่ตรวจวัด : 16-21 พฤศจิกายน 2567

อุปกรณ์ตรวจวัด : \*

ผู้ตรวจวัด : มาทีส์แอสแตงทอ จำกัด

ผู้ตรวจวัด : นายณัฐพล สอนเพชร

วันที่รับส่งข้อมูล : 16-21 พฤศจิกายน 2567

วันที่ตรวจวัด : 16-21 พฤศจิกายน 2567

วันที่ออกรายงานผล : 6 ธันวาคม 2567

เลขที่ใบรายงานผล : 2024-U113630

เลขที่งาน : 2023-006620

หมายเลขใบปฏิบัติการ : T248B507-0006 - T248B507-0010

ใบรายงานผลการวิเคราะห์

ข้อมูลทั่วไป

ที่ตั้ง : บริษัท มาทีส์แอสแตงทอ จำกัด

ที่อยู่ : 424 ถนนกำแพงเพชร 6 แขวงคลองจั่น เขตดอนเมือง กรุงเทพมหานคร 10210

ข้อมูลผู้ติดต่อ : โทรศัพท์ : 08 7936 0775 อีเมล : kirana@pt.co.th

สถานที่ตรวจวัด : บริษัท มาทีส์แอสแตงทอ จำกัด (คลังน้ำมันศรีสำโรง)

วันที่ตรวจวัด : ระดับเสียงโดยทั่วไป

เวลาที่ตรวจวัด : 16-21 พฤศจิกายน 2567

อุปกรณ์ตรวจวัด : \*

ผู้ตรวจวัด : มาทีส์แอสแตงทอ จำกัด

ผู้ตรวจวัด : นายณัฐพล สอนเพชร

เวลา *	ผลการวิเคราะห์ (เดซิเบลเอ)	
	รับรู้ด้านหน้าโครงการ (คลังน้ำมันศรีสำโรง)	รับรู้ด้านหลังโครงการ (คลังน้ำมันศรีสำโรง)
	T248B507-0006	
	L <sub>Aeq</sub> 5 min	L <sub>Aeq</sub> 5 min
07:00-07:05 น.	57.2	52.1
07:05-07:10 น.	59.0	53.9
07:10-07:15 น.	59.8	54.2
07:15-07:20 น.	57.7	53.4
07:20-07:25 น.	62.1	55.3
07:25-07:30 น.	60.3	54.7
07:30-07:35 น.	60.3	54.7
07:35-07:40 น.	62.5	55.7
07:40-07:45 น.	58.4	52.4
07:45-07:50 น.	58.9	54.1
07:50-07:55 น.	58.5	53.8
07:55-08:00 น.	61.7	54.9
08:00-08:05 น.	61.6	55.2
08:05-08:10 น.	59.9	54.7
08:10-08:15 น.	61.2	55.7
08:15-08:20 น.	59.6	53.8
08:20-08:25 น.	60.9	54.5
08:25-08:30 น.	59.4	54.0
08:30-08:35 น.	58.3	54.8
08:35-08:40 น.	60.5	55.5
08:40-08:45 น.	61.4	56.9
08:45-08:50 น.	61.2	55.8
08:50-08:55 น.	60.6	54.8
08:55-09:00 น.	59.2	52.5
09:00-09:05 น.	62.0	54.2
09:05-09:10 น.	62.1	54.6
09:10-09:15 น.	63.6	56.3
09:15-09:20 น.	59.3	52.7
09:20-09:25 น.	57.9	53.4
09:25-09:30 น.	62.4	53.5
09:30-09:35 น.	59.4	53.4
09:35-09:40 น.	58.8	52.5
09:40-09:45 น.	59.1	52.2
09:45-09:50 น.	58.5	54.2
09:50-09:55 น.	60.1	55.7
09:55-10:00 น.	57.9	52.3
10:00-10:05 น.	59.4	54.9
10:05-10:10 น.	61.1	53.8

• นำนิตถำบใบบำงำนผลกำรวิเคราะห์แต่เพียงมำงส่วน โดยไม่ได้รับอนุญาตจากห้องปฏิบัติการเป็นอำยลักษณ์เอ็กภ

• ใบบำงำนผลใบบำงำนผลเฉพาะกับควำมยำงที่นำมำทดสอบเทำนั้

ผลการวิเคราะห์ (เดซิเบลเอ)

รับรู้ด้านหน้าโครงการ (คลังน้ำมันศรีสำโรง)

20 - 21 พฤศจิกายน 2567

T248B507-0010

L<sub>Aeq</sub> 1 hour

L<sub>Amax</sub> 1 hour

L<sub>A90</sub> 1 hour

59.7

76.4

52.8

60.6

77.0

54.3

60.9

78.8

55.3

61.2

80.4

54.7

59.2

80.4

52.1

58.6

80.9

52.1

58.4

76.1

51.8

58.7

76.3

52.7

59.2

75.8

53.9

58.5

72.8

52.8

59.5

75.0

54.4

57.6

73.1

50.8

56.6

71.9

50.5

56.0

66.5

51.4

59.3

72.4

54.4

57.1

70.0

52.9

56.1

67.5

51.0

56.0

68.3

51.8

54.8

65.7

51.0

55.9

65.4

52.7

56.4

68.9

52.6

56.5

66.3

51.9

56.2

69.7

51.7

57.8

72.6

50.8

(นายศิลา บรรจงใจกิจ)

ผู้อำนวยการ

• นำนิตถำบใบบำงำนผลกำรวิเคราะห์แต่เพียงมำงส่วน โดยไม่ได้รับอนุญาตจากห้องปฏิบัติการเป็นอำยลักษณ์เอ็กภ

• ใบบำงำนผลใบบำงำนผลเฉพาะกับควำมยำงที่นำมำทดสอบเทำนั้



เวลา *	ผลการตรวจ (เฉลี่ยผล)	
	รับด้านหน้าโครงการ (ตั้งบ้านนครลำปาง) T24B8507-0006	
	L <sub>Aeq</sub> 5 min	L <sub>Aeq</sub> 5 min
14:30-14:35 น.	56.5	51.4
14:35-14:40 น.	56.5	52.1
14:40-14:45 น.	59.2	52.2
14:45-14:50 น.	56.0	51.1
14:50-14:55 น.	57.1	51.9
14:55-15:00 น.	56.5	51.8
15:00-15:05 น.	58.2	52.2
15:05-15:10 น.	57.1	51.1
15:10-15:15 น.	58.2	52.5
15:15-15:20 น.	57.5	51.7
15:20-15:25 น.	57.0	51.2
15:25-15:30 น.	57.6	51.8
15:30-15:35 น.	59.8	53.7
15:35-15:40 น.	57.2	53.1
15:40-15:45 น.	58.1	53.8
15:45-15:50 น.	60.3	54.5
15:50-15:55 น.	58.7	52.8
15:55-16:00 น.	57.4	52.5
16:00-16:05 น.	58.5	52.5
16:05-16:10 น.	60.0	53.6
16:10-16:15 น.	59.2	52.6
16:15-16:20 น.	59.4	51.7
16:20-16:25 น.	58.2	51.6
16:25-16:30 น.	57.1	52.0
16:30-16:35 น.	56.9	52.6
16:35-16:40 น.	57.9	52.6
16:40-16:45 น.	56.2	51.3
16:45-16:50 น.	57.5	52.5
16:50-16:55 น.	58.5	51.7
16:55-17:00 น.	58.5	52.1
17:00-17:05 น.	55.7	49.4
17:05-17:10 น.	57.1	50.8
17:10-17:15 น.	56.8	50.4
17:15-17:20 น.	56.8	51.8
17:20-17:25 น.	57.2	52.0
17:25-17:30 น.	59.8	52.9
17:30-17:35 น.	56.3	50.8
17:35-17:40 น.	55.9	51.1
17:40-17:45 น.	55.5	49.9
17:45-17:50 น.	56.5	49.8
17:50-17:55 น.	56.7	51.6
17:55-18:00 น.	55.8	50.5
18:00-18:05 น.	57.4	51.8
18:05-18:10 น.	55.3	51.0
18:10-18:15 น.	57.6	51.4
18:15-18:20 น.	56.5	51.6
18:20-18:25 น.	56.3	50.1
18:25-18:30 น.	56.5	51.8
18:30-18:35 น.	56.0	49.9
18:35-18:40 น.	56.9	49.3
18:40-18:45 น.	55.6	50.0
18:45-18:50 น.	56.4	50.6

เวลา *	ผลการตรวจ (เฉลี่ยผล)	
	รับด้านหน้าโครงการ (ตั้งบ้านนครลำปาง) T24B8507-0006	
	L <sub>Aeq</sub> 5 min	L <sub>Aeq</sub> 5 min
10:10-10:15 น.	60.1	51.8
10:15-10:20 น.	59.0	51.4
10:20-10:25 น.	58.0	52.1
10:25-10:30 น.	57.5	51.4
10:30-10:35 น.	59.5	52.7
10:35-10:40 น.	60.1	54.9
10:40-10:45 น.	55.9	50.2
10:45-10:50 น.	55.9	50.0
10:50-10:55 น.	58.3	52.5
10:55-11:00 น.	58.0	53.2
11:00-11:05 น.	64.2	54.5
11:05-11:10 น.	59.7	53.2
11:10-11:15 น.	56.4	50.9
11:15-11:20 น.	56.6	51.6
11:20-11:25 น.	56.1	51.3
11:25-11:30 น.	59.2	53.0
11:30-11:35 น.	59.4	52.6
11:35-11:40 น.	58.9	52.0
11:40-11:45 น.	58.0	50.9
11:45-11:50 น.	58.3	52.2
11:50-11:55 น.	55.9	50.4
11:55-12:00 น.	57.8	51.7
12:00-12:05 น.	55.8	51.3
12:05-12:10 น.	60.8	51.3
12:10-12:15 น.	57.8	50.8
12:15-12:20 น.	56.4	50.1
12:20-12:25 น.	55.2	48.1
12:25-12:30 น.	58.3	52.1
12:30-12:35 น.	58.2	52.1
12:35-12:40 น.	58.2	53.3
12:40-12:45 น.	58.1	51.7
12:45-12:50 น.	60.0	54.5
12:50-12:55 น.	57.7	51.7
12:55-13:00 น.	56.9	51.3
13:00-13:05 น.	57.3	50.7
13:05-13:10 น.	57.7	52.1
13:10-13:15 น.	58.9	52.4
13:15-13:20 น.	56.0	50.5
13:20-13:25 น.	56.5	51.9
13:25-13:30 น.	56.5	51.7
13:30-13:35 น.	58.9	52.1
13:35-13:40 น.	59.3	51.7
13:40-13:45 น.	57.1	51.4
13:45-13:50 น.	57.8	50.5
13:50-13:55 น.	58.0	52.9
13:55-14:00 น.	58.0	51.2
14:00-14:05 น.	57.3	50.9
14:05-14:10 น.	56.8	52.5
14:10-14:15 น.	60.4	54.6
14:15-14:20 น.	60.2	52.7
14:20-14:25 น.	57.9	51.7
14:25-14:30 น.	57.0	51.8

เวลา *	ผลการตรวจ (โดยเฉลี่ย)	
	บริเวณด้านหน้าโครงการ (คลังน้ำมันศรีสำโรง) T248B507-0006	
	L <sub>Aeq</sub> 5 min	L <sub>A90</sub> 5 min
23:10-23:15 น.	53.2	49.1
23:15-23:20 น.	54.8	50.8
23:20-23:25 น.	54.5	50.2
23:25-23:30 น.	54.2	50.3
23:30-23:35 น.	54.6	50.3
23:35-23:40 น.	53.8	49.5
23:40-23:45 น.	55.5	50.3
23:45-23:50 น.	54.8	50.4
23:50-23:55 น.	55.3	50.5
23:55-00:00 น.	53.9	49.0
00:00-00:05 น.	54.0	50.3
00:05-00:10 น.	53.0	49.2
00:10-00:15 น.	53.8	49.7
00:15-00:20 น.	55.7	51.1
00:20-00:25 น.	55.3	51.4
00:25-00:30 น.	55.0	51.0
00:30-00:35 น.	55.4	52.5
00:35-00:40 น.	54.6	51.8
00:40-00:45 น.	54.7	51.6
00:45-00:50 น.	55.4	51.9
00:50-00:55 น.	54.6	51.6
00:55-01:00 น.	54.3	51.1
01:00-01:05 น.	54.4	51.2
01:05-01:10 น.	54.6	51.3
01:10-01:15 น.	55.9	51.5
01:15-01:20 น.	54.6	51.4
01:20-01:25 น.	55.0	51.5
01:25-01:30 น.	55.3	50.9
01:30-01:35 น.	54.7	51.7
01:35-01:40 น.	55.0	51.6
01:40-01:45 น.	55.3	51.6
01:45-01:50 น.	55.6	52.2
01:50-01:55 น.	54.7	52.1
01:55-02:00 น.	55.5	51.6
02:00-02:05 น.	55.9	53.0
02:05-02:10 น.	55.8	52.8
02:10-02:15 น.	55.3	51.8
02:15-02:20 น.	55.8	52.3
02:20-02:25 น.	55.8	53.1
02:25-02:30 น.	56.1	53.3
02:30-02:35 น.	55.7	51.3
02:35-02:40 น.	55.2	51.4
02:40-02:45 น.	54.1	51.8
02:45-02:50 น.	55.1	50.9
02:50-02:55 น.	54.4	50.7
02:55-03:00 น.	53.6	50.1
03:00-03:05 น.	54.7	50.1
03:05-03:10 น.	54.8	50.9
03:10-03:15 น.	54.8	50.7
03:15-03:20 น.	54.2	50.1
03:20-03:25 น.	54.8	50.6
03:25-03:30 น.	54.7	50.7

• ห้ามคัดค้านใบรายงานผลการตรวจแต่เพียงบางส่วน โดยไม่ได้รับอนุญาตจากห้องปฏิบัติการเป็นลายลักษณ์อักษร  
• ใบรายงานผลนี้จะมีผลเฉพาะกับตัวอย่างที่นำมาทดสอบเท่านั้น

เวลา *	ผลการตรวจ (โดยเฉลี่ย)	
	บริเวณด้านหน้าโครงการ (คลังน้ำมันศรีสำโรง) T248B507-0006	
	L <sub>Aeq</sub> 5 min	L <sub>A90</sub> 5 min
18:50-18:55 น.	55.8	50.7
18:55-19:00 น.	55.8	51.2
19:00-19:05 น.	55.7	51.0
19:05-19:10 น.	54.4	49.5
19:10-19:15 น.	55.7	50.4
19:15-19:20 น.	55.1	49.7
19:20-19:25 น.	55.6	49.0
19:25-19:30 น.	54.7	49.3
19:30-19:35 น.	55.9	51.0
19:35-19:40 น.	55.9	51.6
19:40-19:45 น.	55.5	51.4
19:45-19:50 น.	56.7	52.1
19:50-19:55 น.	55.0	50.8
19:55-20:00 น.	55.5	51.4
20:00-20:05 น.	56.4	52.6
20:05-20:10 น.	56.8	52.7
20:10-20:15 น.	59.0	53.5
20:15-20:20 น.	57.3	52.6
20:20-20:25 น.	60.4	53.5
20:25-20:30 น.	58.9	55.1
20:30-20:35 น.	58.2	54.6
20:35-20:40 น.	58.4	54.6
20:40-20:45 น.	57.8	55.2
20:45-20:50 น.	59.6	57.2
20:50-20:55 น.	59.0	55.1
20:55-21:00 น.	57.0	53.4
21:00-21:05 น.	58.1	54.8
21:05-21:10 น.	57.8	53.4
21:10-21:15 น.	57.4	52.8
21:15-21:20 น.	57.2	52.4
21:20-21:25 น.	57.0	52.8
21:25-21:30 น.	55.8	51.6
21:30-21:35 น.	56.0	52.4
21:35-21:40 น.	55.2	50.9
21:40-21:45 น.	55.7	51.6
21:45-21:50 น.	56.0	51.0
21:50-21:55 น.	55.3	50.1
21:55-22:00 น.	56.1	51.0
22:00-22:05 น.	54.7	49.9
22:05-22:10 น.	55.5	50.3
22:10-22:15 น.	56.1	51.8
22:15-22:20 น.	55.5	51.0
22:20-22:25 น.	55.9	51.9
22:25-22:30 น.	57.2	51.8
22:30-22:35 น.	55.6	52.3
22:35-22:40 น.	56.3	53.0
22:40-22:45 น.	55.7	51.5
22:45-22:50 น.	55.0	51.9
22:50-22:55 น.	55.5	52.2
22:55-23:00 น.	55.7	50.8
23:00-23:05 น.	53.6	49.4
23:05-23:10 น.	53.7	49.8

• ห้ามคัดค้านใบรายงานผลการตรวจแต่เพียงบางส่วน โดยไม่ได้รับอนุญาตจากห้องปฏิบัติการเป็นลายลักษณ์อักษร  
• ใบรายงานผลนี้จะมีผลเฉพาะกับตัวอย่างที่นำมาทดสอบเท่านั้น



เวลา *	ผลการตรวจ (เฉลี่ย)	
	จุดเริ่มต้นโครงการ (คลองน้ำเค็มลำปาง)	จุดสิ้นสุดโครงการ (คลองน้ำเค็มลำปาง)
	T248B507-0007	
	L <sub>avg</sub> 5 min	L <sub>avg</sub> 5 min
07:00-07:05 น.	59.7	52.1
07:05-07:10 น.	60.1	54.5
07:10-07:15 น.	57.6	51.5
07:15-07:20 น.	57.2	51.5
07:20-07:25 น.	61.1	53.4
07:25-07:30 น.	59.2	52.0
07:30-07:35 น.	60.6	52.1
07:35-07:40 น.	57.7	51.3
07:40-07:45 น.	56.7	51.2
07:45-07:50 น.	55.6	50.4
07:50-07:55 น.	58.0	50.9
07:55-08:00 น.	60.5	55.6
08:00-08:05 น.	60.0	54.4
08:05-08:10 น.	60.7	55.0
08:10-08:15 น.	59.4	54.0
08:15-08:20 น.	57.8	53.5
08:20-08:25 น.	63.1	56.5
08:25-08:30 น.	59.8	54.3
08:30-08:35 น.	60.1	55.0
08:35-08:40 น.	62.0	55.3
08:40-08:45 น.	59.6	54.0
08:45-08:50 น.	58.1	52.5
08:50-08:55 น.	59.1	52.5
08:55-09:00 น.	63.3	55.5
09:00-09:05 น.	60.8	54.5
09:05-09:10 น.	61.0	55.3
09:10-09:15 น.	65.2	55.6
09:15-09:20 น.	60.1	52.8
09:20-09:25 น.	61.0	53.1
09:25-09:30 น.	58.4	52.8
09:30-09:35 น.	59.4	54.6
09:35-09:40 น.	58.4	54.9
09:40-09:45 น.	60.7	55.8
09:45-09:50 น.	60.5	55.1
09:50-09:55 น.	59.8	54.1
09:55-10:00 น.	57.9	51.5
10:00-10:05 น.	59.5	53.5
10:05-10:10 น.	64.3	54.0
10:10-10:15 น.	62.1	55.2
10:15-10:20 น.	58.8	52.0
10:20-10:25 น.	58.5	53.1
10:25-10:30 น.	60.9	52.0
10:30-10:35 น.	57.6	52.0
10:35-10:40 น.	57.9	52.6
10:40-10:45 น.	58.0	51.1
10:45-10:50 น.	58.0	53.6
10:50-10:55 น.	60.1	54.0
10:55-11:00 น.	56.8	50.7
11:00-11:05 น.	56.7	51.9
11:05-11:10 น.	58.3	51.1
11:10-11:15 น.	60.8	51.9
11:15-11:20 น.	58.4	51.5

• ห้ามคัดลอกข้อมูลผลการตรวจและข้อมูลบางส่วน โดยไม่ได้รับอนุญาตจากห้องปฏิบัติการเป็นลายลักษณ์อักษร  
• ใบรายงานผลนี้รับรองผลเฉพาะกับข้อมูลที่ได้มาเท่านั้น

ISO 9001:2015 CERTIFIED  
ISO 14001:2015 CERTIFIED  
UAE ESI GROUP (THAILAND) CO., LTD.

7/30

2024-U113630

เวลา *	ผลการตรวจ (เฉลี่ย)	
	จุดเริ่มต้นโครงการ (คลองน้ำเค็มลำปาง)	จุดสิ้นสุดโครงการ (คลองน้ำเค็มลำปาง)
	T248B507-0006	
	L <sub>avg</sub> 5 min	L <sub>avg</sub> 5 min
03:30-03:35 น.	55.0	50.6
03:35-03:40 น.	56.0	51.5
03:40-03:45 น.	56.4	52.4
03:45-03:50 น.	55.1	51.8
03:50-03:55 น.	55.0	50.8
03:55-04:00 น.	55.1	50.0
04:00-04:05 น.	57.1	52.1
04:05-04:10 น.	57.7	52.2
04:10-04:15 น.	57.1	51.2
04:15-04:20 น.	55.3	50.8
04:20-04:25 น.	55.7	50.5
04:25-04:30 น.	55.8	50.3
04:30-04:35 น.	56.0	50.6
04:35-04:40 น.	55.8	51.4
04:40-04:45 น.	56.2	51.5
04:45-04:50 น.	55.5	50.4
04:50-04:55 น.	56.4	50.9
04:55-05:00 น.	55.6	50.5
05:00-05:05 น.	56.6	51.1
05:05-05:10 น.	56.3	49.8
05:10-05:15 น.	57.1	52.3
05:15-05:20 น.	56.2	51.0
05:20-05:25 น.	56.9	51.6
05:25-05:30 น.	56.7	51.4
05:30-05:35 น.	57.0	51.1
05:35-05:40 น.	56.7	51.2
05:40-05:45 น.	57.3	51.1
05:45-05:50 น.	58.0	52.6
05:50-05:55 น.	58.7	52.2
05:55-06:00 น.	56.9	50.3
06:00-06:05 น.	56.5	49.7
06:05-06:10 น.	56.9	50.1
06:10-06:15 น.	58.0	50.1
06:15-06:20 น.	57.3	51.0
06:20-06:25 น.	56.7	48.9
06:25-06:30 น.	58.5	52.3
06:30-06:35 น.	59.7	52.0
06:35-06:40 น.	58.7	51.6
06:40-06:45 น.	60.3	54.2
06:45-06:50 น.	58.5	51.4
06:50-06:55 น.	58.0	51.5
06:55-07:00 น.	60.4	54.4

• ห้ามคัดลอกข้อมูลผลการตรวจและข้อมูลบางส่วน โดยไม่ได้รับอนุญาตจากห้องปฏิบัติการเป็นลายลักษณ์อักษร  
• ใบรายงานผลนี้รับรองผลเฉพาะกับข้อมูลที่ได้มาเท่านั้น

6/30

2024-U113630



เวลา *	ผลการตรวจ (เดย์มอนด์)	
	จิมรี่ด้านหน้าโครงการ (คลังน้ำมันศรีสำโรง) T248B507-0007	
	L <sub>Aeq</sub> 5 min	L <sub>Aeq</sub> 5 min
15:40-15:45 น.	58.2	53.0
15:45-15:50 น.	57.1	52.5
15:50-15:55 น.	56.4	51.9
15:55-16:00 น.	57.3	52.9
16:00-16:05 น.	58.8	53.1
16:05-16:10 น.	56.9	52.2
16:10-16:15 น.	57.6	52.4
16:15-16:20 น.	57.8	51.7
16:20-16:25 น.	58.2	51.8
16:25-16:30 น.	59.5	52.0
16:30-16:35 น.	59.5	53.7
16:35-16:40 น.	57.5	52.7
16:40-16:45 น.	57.5	52.4
16:45-16:50 น.	58.1	52.6
16:50-16:55 น.	57.3	52.4
16:55-17:00 น.	57.3	52.4
17:00-17:05 น.	58.7	52.5
17:05-17:10 น.	59.4	52.4
17:10-17:15 น.	58.6	51.9
17:15-17:20 น.	59.1	51.2
17:20-17:25 น.	56.7	50.2
17:25-17:30 น.	57.1	51.8
17:30-17:35 น.	57.2	51.8
17:35-17:40 น.	57.5	51.9
17:40-17:45 น.	56.0	50.7
17:45-17:50 น.	56.8	51.8
17:50-17:55 น.	57.8	51.9
17:55-18:00 น.	56.9	51.2
18:00-18:05 น.	55.3	49.6
18:05-18:10 น.	55.9	50.1
18:10-18:15 น.	56.4	49.5
18:15-18:20 น.	56.2	52.1
18:20-18:25 น.	56.3	52.3
18:25-18:30 น.	58.9	52.0
18:30-18:35 น.	56.4	50.4
18:35-18:40 น.	55.5	50.4
18:40-18:45 น.	54.6	49.6
18:45-18:50 น.	56.1	49.7
18:50-18:55 น.	56.2	51.7
18:55-19:00 น.	55.4	50.7
19:00-19:05 น.	55.7	51.6
19:05-19:10 น.	55.1	51.3
19:10-19:15 น.	56.9	51.8
19:15-19:20 น.	56.1	51.7
19:20-19:25 น.	55.3	50.1
19:25-19:30 น.	54.7	51.1
19:30-19:35 น.	55.8	51.3
19:35-19:40 น.	56.4	51.3
19:40-19:45 น.	56.2	52.2
19:45-19:50 น.	57.1	52.5
19:50-19:55 น.	56.0	51.9
19:55-20:00 น.	56.1	52.1

เวลา *	ผลการตรวจ (เดย์มอนด์)	
	จิมรี่ด้านหน้าโครงการ (คลังน้ำมันศรีสำโรง) T248B507-0007	
	L <sub>Aeq</sub> 5 min	L <sub>Aeq</sub> 5 min
11:20-11:25 น.	56.4	51.8
11:25-11:30 น.	58.7	52.1
11:30-11:35 น.	57.6	51.5
11:35-11:40 น.	56.1	50.9
11:40-11:45 น.	55.6	49.8
11:45-11:50 น.	55.9	50.0
11:50-11:55 น.	57.6	52.0
11:55-12:00 น.	57.4	51.8
12:00-12:05 น.	61.4	54.4
12:05-12:10 น.	61.6	53.9
12:10-12:15 น.	56.7	51.1
12:15-12:20 น.	58.4	52.0
12:20-12:25 น.	55.9	51.0
12:25-12:30 น.	61.0	53.4
12:30-12:35 น.	59.2	52.4
12:35-12:40 น.	57.1	51.2
12:40-12:45 น.	58.7	51.3
12:45-12:50 น.	59.4	53.2
12:50-12:55 น.	57.2	50.9
12:55-13:00 น.	59.1	52.1
13:00-13:05 น.	57.0	51.6
13:05-13:10 น.	59.1	51.5
13:10-13:15 น.	59.3	51.9
13:15-13:20 น.	57.6	51.6
13:20-13:25 น.	56.3	50.4
13:25-13:30 น.	59.0	52.8
13:30-13:35 น.	58.5	52.1
13:35-13:40 น.	59.2	53.8
13:40-13:45 น.	58.7	52.4
13:45-13:50 น.	60.6	54.5
13:50-13:55 น.	58.4	52.0
13:55-14:00 น.	57.1	51.9
14:00-14:05 น.	57.3	51.1
14:05-14:10 น.	58.2	51.8
14:10-14:15 น.	58.6	52.6
14:15-14:20 น.	56.7	50.9
14:20-14:25 น.	58.1	52.7
14:25-14:30 น.	58.2	53.3
14:30-14:35 น.	58.0	53.5
14:35-14:40 น.	60.0	53.5
14:40-14:45 น.	59.5	53.4
14:45-14:50 น.	57.6	51.2
14:50-14:55 น.	57.0	52.3
14:55-15:00 น.	58.3	52.0
15:00-15:05 น.	57.8	52.3
15:05-15:10 น.	59.4	53.5
15:10-15:15 น.	58.6	53.3
15:15-15:20 น.	60.1	52.8
15:20-15:25 น.	59.0	53.1
15:25-15:30 น.	58.7	53.1
15:30-15:35 น.	60.0	54.1
15:35-15:40 น.	56.8	51.8

เวลา *	ผลการตรวจ (เฉลี่ยตาม)	
	รับรู้ด้านน้ำโครงการ (คลังน้ำมันศรีสำโรง)	
	T248B507-0007	
	L <sub>Aeq</sub> 5 min	L <sub>Aeq</sub> 5 min
00:20-00:25 น.	54.2	50.7
00:25-00:30 น.	54.3	50.6
00:30-00:35 น.	54.6	50.7
00:35-00:40 น.	54.3	50.4
00:40-00:45 น.	56.1	51.2
00:45-00:50 น.	56.6	52.5
00:50-00:55 น.	55.5	51.5
00:55-01:00 น.	54.5	50.3
01:00-01:05 น.	54.7	51.1
01:05-01:10 น.	53.8	50.6
01:10-01:15 น.	54.5	51.0
01:15-01:20 น.	57.7	51.4
01:20-01:25 น.	55.6	52.3
01:25-01:30 น.	55.3	51.5
01:30-01:35 น.	55.7	52.7
01:35-01:40 น.	54.7	52.0
01:40-01:45 น.	55.9	52.8
01:45-01:50 น.	55.8	52.8
01:50-01:55 น.	55.4	52.8
01:55-02:00 น.	56.4	53.3
02:00-02:05 น.	55.8	53.3
02:05-02:10 น.	55.2	52.6
02:10-02:15 น.	56.2	52.9
02:15-02:20 น.	55.6	52.7
02:20-02:25 น.	55.8	53.2
02:25-02:30 น.	55.6	51.9
02:30-02:35 น.	56.8	53.4
02:35-02:40 น.	55.1	51.9
02:40-02:45 น.	56.4	52.6
02:45-02:50 น.	56.7	53.4
02:50-02:55 น.	55.7	52.9
02:55-03:00 น.	56.7	52.9
03:00-03:05 น.	56.9	54.3
03:05-03:10 น.	56.9	53.4
03:10-03:15 น.	56.3	52.7
03:15-03:20 น.	56.9	53.5
03:20-03:25 น.	56.7	53.7
03:25-03:30 น.	56.7	53.8
03:30-03:35 น.	56.8	52.4
03:35-03:40 น.	56.7	53.5
03:40-03:45 น.	56.5	53.4
03:45-03:50 น.	55.8	51.3
03:50-03:55 น.	55.8	51.8
03:55-04:00 น.	55.2	51.1
04:00-04:05 น.	54.9	50.3
04:05-04:10 น.	55.2	50.0
04:10-04:15 น.	55.7	50.8
04:15-04:20 น.	55.5	49.6
04:20-04:25 น.	56.0	51.3
04:25-04:30 น.	55.6	51.3
04:30-04:35 น.	56.0	50.8
04:35-04:40 น.	56.5	51.4

• นำผลค่าปริมาณงานผลการตรวจเฉลี่ยตามส่วน โดยนำข้อมูลที่ได้มาประกอบเป็นแผนผังการเป็นแผนผังลักษณะ  
• นำปริมาณงานผลตรวจเฉลี่ยตามส่วน โดยนำข้อมูลที่ได้มาประกอบเป็นแผนผังการเป็นแผนผังลักษณะ

เวลา *	ผลการตรวจ (เฉลี่ยตาม)	
	รับรู้ด้านน้ำโครงการ (คลังน้ำมันศรีสำโรง)	
	T248B507-0007	
	L <sub>Aeq</sub> 5 min	L <sub>Aeq</sub> 5 min
20:00-20:05 น.	55.6	51.9
20:05-20:10 น.	54.9	51.3
20:10-20:15 น.	54.7	50.5
20:15-20:20 น.	55.2	50.9
20:20-20:25 น.	56.1	51.1
20:25-20:30 น.	55.7	51.2
20:30-20:35 น.	55.8	51.4
20:35-20:40 น.	55.7	52.2
20:40-20:45 น.	55.8	52.3
20:45-20:50 น.	56.8	51.8
20:50-20:55 น.	55.1	51.2
20:55-21:00 น.	55.4	50.6
21:00-21:05 น.	56.5	52.9
21:05-21:10 น.	57.4	52.8
21:10-21:15 น.	59.2	53.1
21:15-21:20 น.	57.4	52.6
21:20-21:25 น.	61.2	54.4
21:25-21:30 น.	59.2	55.3
21:30-21:35 น.	58.8	55.6
21:35-21:40 น.	59.1	55.5
21:40-21:45 น.	58.0	55.9
21:45-21:50 น.	60.2	58.0
21:50-21:55 น.	59.5	55.7
21:55-22:00 น.	57.1	53.5
22:00-22:05 น.	58.8	56.0
22:05-22:10 น.	57.8	54.1
22:10-22:15 น.	58.0	53.7
22:15-22:20 น.	57.7	53.5
22:20-22:25 น.	57.5	53.5
22:25-22:30 น.	55.3	51.1
22:30-22:35 น.	56.9	52.7
22:35-22:40 น.	55.5	50.9
22:40-22:45 น.	55.4	51.4
22:45-22:50 น.	56.4	50.4
22:50-22:55 น.	55.2	50.0
22:55-23:00 น.	56.1	50.1
23:00-23:05 น.	55.0	50.5
23:05-23:10 น.	55.9	51.8
23:10-23:15 น.	56.5	53.1
23:15-23:20 น.	56.7	52.2
23:20-23:25 น.	56.7	52.9
23:25-23:30 น.	57.9	53.6
23:30-23:35 น.	56.6	53.8
23:35-23:40 น.	57.0	54.2
23:40-23:45 น.	56.5	53.4
23:45-23:50 น.	56.2	53.9
23:50-23:55 น.	56.5	53.8
23:55-00:00 น.	56.4	52.1
00:00-00:05 น.	54.7	51.6
00:05-00:10 น.	54.8	51.9
00:10-00:15 น.	54.1	51.2
00:15-00:20 น.	55.4	50.8

• นำผลค่าปริมาณงานผลการตรวจเฉลี่ยตามส่วน โดยนำข้อมูลที่ได้มาประกอบเป็นแผนผังการเป็นแผนผังลักษณะ  
• นำปริมาณงานผลตรวจเฉลี่ยตามส่วน โดยนำข้อมูลที่ได้มาประกอบเป็นแผนผังการเป็นแผนผังลักษณะ



เวลา *	ผลการตรวจ (เดย์นอต)	
	ชนิดงานที่ตรวจ (ลงบันทึกค่าจ้าง) 18 - 19 พฤศจิกายน 2567 T248B507-0008	
	L.Aeq 5 min	L.Aeq 5 min
07:00-07:05 น.	59.2	52.2
07:05-07:10 น.	58.2	51.8
07:10-07:15 น.	59.9	52.3
07:15-07:20 น.	58.5	52.1
07:20-07:25 น.	57.9	50.6
07:25-07:30 น.	60.0	54.1
07:30-07:35 น.	60.6	53.5
07:35-07:40 น.	60.1	53.7
07:40-07:45 น.	61.5	55.7
07:45-07:50 น.	59.8	53.9
07:50-07:55 น.	59.5	54.0
07:55-08:00 น.	62.1	55.9
08:00-08:05 น.	61.8	54.0
08:05-08:10 น.	61.5	55.5
08:10-08:15 น.	59.4	53.3
08:15-08:20 น.	59.3	53.5
08:20-08:25 น.	61.0	53.9
08:25-08:30 น.	60.4	53.0
08:30-08:35 น.	61.4	52.9
08:35-08:40 น.	59.5	52.7
08:40-08:45 น.	57.9	52.2
08:45-08:50 น.	56.9	51.8
08:50-08:55 น.	60.1	52.9
08:55-09:00 น.	60.2	54.1
09:00-09:05 น.	60.2	52.7
09:05-09:10 น.	60.4	53.0
09:10-09:15 น.	59.0	52.5
09:15-09:20 น.	57.1	51.6
09:20-09:25 น.	62.6	54.7
09:25-09:30 น.	60.0	53.4
09:30-09:35 น.	58.6	52.3
09:35-09:40 น.	60.4	53.1
09:40-09:45 น.	60.2	54.9
09:45-09:50 น.	58.5	52.3
09:50-09:55 น.	59.3	52.3
09:55-10:00 น.	62.9	53.7
10:00-10:05 น.	61.0	53.4
10:05-10:10 น.	60.2	52.8
10:10-10:15 น.	62.2	52.6
10:15-10:20 น.	59.3	51.8
10:20-10:25 น.	60.2	53.0
10:25-10:30 น.	58.6	52.7
10:30-10:35 น.	58.7	52.6
10:35-10:40 น.	57.2	52.5
10:40-10:45 น.	59.4	53.4
10:45-10:50 น.	58.6	51.8
10:50-10:55 น.	58.1	51.9
10:55-11:00 น.	58.0	51.4
11:00-11:05 น.	60.4	53.7
11:05-11:10 น.	62.1	52.4
11:10-11:15 น.	60.7	53.5
11:15-11:20 น.	57.7	50.2

• งานวัดค่าในรายงานผลการตรวจและประเมินงาน ส่วน โดยไม่ได้ระบุค่าจากห้องปฏิบัติการเป็นลายลักษณ์อักษร

• ใบรายงานผลส่งตรงผลเฉพาะกับข้อมูลทางด้านความถี่ตามทดสอบเท่านั้น

เวลา *	ผลการตรวจ (เดย์นอต)	
	ชนิดงานที่ตรวจ (ลงบันทึกค่าจ้าง) 17 - 18 พฤศจิกายน 2567 T248B507-0007	
	L.Aeq 3 min	L.Aeq 5 min
04:40-04:45 น.	57.1	52.3
04:45-04:50 น.	56.9	52.8
04:50-04:55 น.	57.0	51.5
04:55-05:00 น.	56.7	51.8
05:00-05:05 น.	56.6	50.5
05:05-05:10 น.	57.8	51.2
05:10-05:15 น.	57.1	51.8
05:15-05:20 น.	57.6	52.0
05:20-05:25 น.	57.5	51.6
05:25-05:30 น.	58.0	51.8
05:30-05:35 น.	58.2	51.8
05:35-05:40 น.	58.4	52.5
05:40-05:45 น.	57.5	52.0
05:45-05:50 น.	57.1	51.1
05:50-05:55 น.	57.7	51.8
05:55-06:00 น.	57.3	51.5
06:00-06:05 น.	58.0	51.5
06:05-06:10 น.	57.8	50.1
06:10-06:15 น.	58.2	52.5
06:15-06:20 น.	58.2	52.1
06:20-06:25 น.	59.2	52.9
06:25-06:30 น.	58.8	52.6
06:30-06:35 น.	58.7	52.1
06:35-06:40 น.	58.3	52.0
06:40-06:45 น.	58.6	52.3
06:45-06:50 น.	59.3	53.4
06:50-06:55 น.	60.2	53.7
06:55-07:00 น.	58.4	51.8

• งานวัดค่าในรายงานผลการตรวจและประเมินงาน ส่วน โดยไม่ได้ระบุค่าจากห้องปฏิบัติการเป็นลายลักษณ์อักษร

• ใบรายงานผลส่งตรงผลเฉพาะกับข้อมูลทางด้านความถี่ตามทดสอบเท่านั้น



เวลา *	ผลการวิเคราะห์ (เฉลี่ยผล)		
	บริเวณหน้าโครงการ (คลองน้ำยมตลิ่งล่าง)		
	L <sub>avg</sub> 5 min	L <sub>avg</sub> 5 min	
15:40-15:45 น.	60.3	54.4	
15:45-15:50 น.	57.7	51.7	
15:50-15:55 น.	58.1	53.5	
15:55-16:00 น.	59.6	53.5	
16:00-16:05 น.	57.7	51.5	
16:05-16:10 น.	60.6	53.3	
16:10-16:15 น.	58.8	52.4	
16:15-16:20 น.	59.0	51.6	
16:20-16:25 น.	59.6	52.7	
16:25-16:30 น.	58.5	52.0	
16:30-16:35 น.	60.4	53.2	
16:35-16:40 น.	56.0	49.8	
16:40-16:45 น.	57.1	51.6	
16:45-16:50 น.	57.6	51.7	
16:50-16:55 น.	56.7	50.8	
16:55-17:00 น.	56.6	51.5	
17:00-17:05 น.	57.6	51.5	
17:05-17:10 น.	57.4	51.9	
17:10-17:15 น.	58.4	53.2	
17:15-17:20 น.	58.4	52.3	
17:20-17:25 น.	58.4	51.6	
17:25-17:30 น.	60.3	52.3	
17:30-17:35 น.	58.7	52.7	
17:35-17:40 น.	57.0	51.7	
17:40-17:45 น.	56.5	51.4	
17:45-17:50 น.	56.5	51.1	
17:50-17:55 น.	57.2	52.0	
17:55-18:00 น.	56.8	51.9	
18:00-18:05 น.	57.6	51.2	
18:05-18:10 น.	58.5	51.5	
18:10-18:15 น.	56.2	50.1	
18:15-18:20 น.	56.3	49.9	
18:20-18:25 น.	55.8	50.3	
18:25-18:30 น.	56.3	51.3	
18:30-18:35 น.	57.1	52.0	
18:35-18:40 น.	57.2	51.3	
18:40-18:45 น.	55.3	50.1	
18:45-18:50 น.	56.4	51.3	
18:50-18:55 น.	56.8	51.3	
18:55-19:00 น.	57.7	52.0	
19:00-19:05 น.	55.1	49.7	
19:05-19:10 น.	56.6	50.5	
19:10-19:15 น.	57.7	51.8	
19:15-19:20 น.	57.6	53.5	
19:20-19:25 น.	57.9	54.2	
19:25-19:30 น.	59.9	54.0	
19:30-19:35 น.	58.0	52.8	
19:35-19:40 น.	56.7	52.1	
19:40-19:45 น.	56.7	52.6	
19:45-19:50 น.	57.1	52.0	
19:50-19:55 น.	57.7	53.3	
19:55-20:00 น.	56.9	52.5	

- ห้ามคัดถ่ายในใบรายงานผลการศึกษาแต่เพียงบางส่วน โดยไม่ได้รับอนุญาตจากห้องปฏิบัติการเป็นลายลักษณ์อักษร
- ใบรายงานผลที่ได้รับรองผลเฉพาะกับตัวอย่างที่นำมาทดสอบเท่านั้น

2024-U113630

เวลา *	ผลการวิเคราะห์ (เดย์เทสต์)	
	ปริมาณน้ำโครงการ (คลังน้ำขึ้นต่อลำปาง)	
	18 - 19 พฤศจิกายน 2567	
	T248B507-0008	
	L <sub>avg</sub> 5 min	L <sub>avg</sub> 5 min
11:20-11:25 น.	58.1	52.3
11:25-11:30 น.	59.1	52.1
11:30-11:35 น.	56.4	50.7
11:35-11:40 น.	57.6	52.7
11:40-11:45 น.	56.8	50.1
11:45-11:50 น.	59.7	54.6
11:50-11:55 น.	59.7	52.8
11:55-12:00 น.	56.5	49.8
12:00-12:05 น.	56.6	51.5
12:05-12:10 น.	59.4	51.9
12:10-12:15 น.	60.4	52.2
12:15-12:20 น.	55.9	51.2
12:20-12:25 น.	57.3	52.4
12:25-12:30 น.	58.7	51.9
12:30-12:35 น.	58.0	52.2
12:35-12:40 น.	58.3	52.3
12:40-12:45 น.	56.3	50.2
12:45-12:50 น.	56.7	51.1
12:50-12:55 น.	58.2	51.8
12:55-13:00 น.	57.1	51.0
13:00-13:05 น.	60.3	55.4
13:05-13:10 น.	61.3	53.8
13:10-13:15 น.	57.3	51.2
13:15-13:20 น.	59.1	52.4
13:20-13:25 น.	55.6	50.8
13:25-13:30 น.	59.8	52.6
13:30-13:35 น.	58.1	52.2
13:35-13:40 น.	58.6	53.1
13:40-13:45 น.	60.2	53.0
13:45-13:50 น.	60.4	53.9
13:50-13:55 น.	58.2	52.2
13:55-14:00 น.	58.3	52.2
14:00-14:05 น.	57.3	51.6
14:05-14:10 น.	57.9	51.4
14:10-14:15 น.	59.8	52.0
14:15-14:20 น.	57.3	51.5
14:20-14:25 น.	57.5	51.9
14:25-14:30 น.	60.5	54.5
14:30-14:35 น.	59.6	53.2
14:35-14:40 น.	59.2	53.9
14:40-14:45 น.	59.4	52.9
14:45-14:50 น.	61.6	55.4
14:50-14:55 น.	58.9	53.0
14:55-15:00 น.	58.3	53.1
15:00-15:05 น.	58.6	53.1
15:05-15:10 น.	59.3	52.6
15:10-15:15 น.	59.9	53.2
15:15-15:20 น.	57.8	51.0
15:20-15:25 น.	58.6	52.2
15:25-15:30 น.	59.3	53.8
15:30-15:35 น.	59.3	54.7
15:35-15:40 น.	59.5	53.6

- ห้ามคัดค้านใบรายงานผลการวิเคราะห์แต่เพียงบางส่วน โดยไม่ได้รับการเป็นลายลักษณ์อักษร
- ใบรายงานผลได้รับรองผลเฉพาะกับตัวอย่ำงที่นำมาทดสอบเท่านั้น

14/30 2024-U113630

เวลา *	ผลการตรวจ (เดย์มอล)	
	รับด้านหน้าโครงการ (คลังน้ำมันครุบาง)	18 - 19 พฤศจิกายน 2567
T248B507-0008		
	L.Aeq 5 min	L.Aeq 5 min
00:20-00:25 น.	57.4	53.8
00:25-00:30 น.	57.3	53.7
00:30-00:35 น.	56.2	53.3
00:35-00:40 น.	57.2	54.5
00:40-00:45 น.	56.7	53.5
00:45-00:50 น.	55.9	53.6
00:50-00:55 น.	57.0	54.6
00:55-01:00 น.	56.5	52.4
01:00-01:05 น.	54.8	51.9
01:05-01:10 น.	55.9	52.9
01:10-01:15 น.	55.3	52.3
01:15-01:20 น.	55.0	50.7
01:20-01:25 น.	55.0	51.4
01:25-01:30 น.	55.3	51.6
01:30-01:35 น.	55.8	52.4
01:35-01:40 น.	55.1	51.6
01:40-01:45 น.	55.4	51.2
01:45-01:50 น.	57.3	53.7
01:50-01:55 น.	56.0	52.4
01:55-02:00 น.	54.8	50.8
02:00-02:05 น.	55.5	52.5
02:05-02:10 น.	54.9	51.3
02:10-02:15 น.	56.3	52.7
02:15-02:20 น.	57.9	52.4
02:20-02:25 น.	56.2	53.3
02:25-02:30 น.	56.4	52.4
02:30-02:35 น.	57.3	53.9
02:35-02:40 น.	56.5	53.6
02:40-02:45 น.	56.1	53.1
02:45-02:50 น.	55.1	52.9
02:50-02:55 น.	55.8	52.6
02:55-03:00 น.	56.9	53.2
03:00-03:05 น.	56.6	53.5
03:05-03:10 น.	56.5	53.3
03:10-03:15 น.	56.1	53.0
03:15-03:20 น.	56.7	53.6
03:20-03:25 น.	56.1	53.1
03:25-03:30 น.	55.5	51.1
03:30-03:35 น.	56.7	52.9
03:35-03:40 น.	56.0	51.7
03:40-03:45 น.	56.2	52.2
03:45-03:50 น.	56.4	52.2
03:50-03:55 น.	55.9	51.8
03:55-04:00 น.	55.8	50.3
04:00-04:05 น.	57.1	52.6
04:05-04:10 น.	57.3	52.3
04:10-04:15 น.	56.7	51.6
04:15-04:20 น.	57.6	53.0
04:20-04:25 น.	56.9	52.4
04:25-04:30 น.	57.3	52.9
04:30-04:35 น.	57.9	51.7
04:35-04:40 น.	57.3	52.5

• ท่านได้ดำเนินการตามผลการตรวจและข้อมูลบางส่วน โดยไม่ได้สังเกตจากห้องปฏิบัติการเป็นลายลักษณ์อักษร

• ในรายงานผลได้รับรองผลเฉพาะกับข้อมูลทางด้านช่างที่นำมาทดสอบเท่านั้น

17/30

2024-U113630

เวลา *	ผลการตรวจ (เดย์มอล)	
	รับด้านหน้าโครงการ (คลังน้ำมันครุบาง)	18 - 19 พฤศจิกายน 2567
T248B507-0008		
	L.Aeq 5 min	L.Aeq 5 min
20:00-20:05 น.	57.0	53.8
20:05-20:10 น.	55.9	52.5
20:10-20:15 น.	57.7	53.4
20:15-20:20 น.	56.4	52.6
20:20-20:25 น.	56.8	52.7
20:25-20:30 น.	56.1	52.7
20:30-20:35 น.	55.8	51.9
20:35-20:40 น.	56.9	53.0
20:40-20:45 น.	56.2	52.7
20:45-20:50 น.	56.4	52.5
20:50-20:55 น.	55.9	52.0
20:55-21:00 น.	56.0	52.2
21:00-21:05 น.	55.4	51.8
21:05-21:10 น.	55.3	51.7
21:10-21:15 น.	55.1	51.4
21:15-21:20 น.	56.0	52.1
21:20-21:25 น.	56.8	52.7
21:25-21:30 น.	56.9	53.0
21:30-21:35 น.	55.7	52.0
21:35-21:40 น.	55.6	52.4
21:40-21:45 น.	55.6	52.3
21:45-21:50 น.	56.8	52.1
21:50-21:55 น.	55.2	51.0
21:55-22:00 น.	56.0	51.3
22:00-22:05 น.	55.3	51.9
22:05-22:10 น.	56.2	52.4
22:10-22:15 น.	55.5	51.6
22:15-22:20 น.	55.7	52.1
22:20-22:25 น.	56.8	52.8
22:25-22:30 น.	57.3	53.4
22:30-22:35 น.	55.5	52.5
22:35-22:40 น.	56.6	53.1
22:40-22:45 น.	56.0	53.2
22:45-22:50 น.	55.8	53.0
22:50-22:55 น.	56.5	53.4
22:55-23:00 น.	55.5	51.9
23:00-23:05 น.	55.1	51.5
23:05-23:10 น.	55.5	51.4
23:10-23:15 น.	56.1	52.1
23:15-23:20 น.	55.1	51.2
23:20-23:25 น.	56.0	52.2
23:25-23:30 น.	54.9	51.3
23:30-23:35 น.	55.8	52.4
23:35-23:40 น.	56.1	52.1
23:40-23:45 น.	55.1	51.1
23:45-23:50 น.	56.0	51.1
23:50-23:55 น.	55.6	51.6
23:55-00:00 น.	56.6	52.0
00:00-00:05 น.	56.3	53.1
00:05-00:10 น.	56.6	53.9
00:10-00:15 น.	56.3	53.5
00:15-00:20 น.	57.3	53.7

• ท่านได้ดำเนินการตามผลการตรวจและข้อมูลบางส่วน โดยไม่ได้สังเกตจากห้องปฏิบัติการเป็นลายลักษณ์อักษร

• ในรายงานผลได้รับรองผลเฉพาะกับข้อมูลทางด้านช่างที่นำมาทดสอบเท่านั้น

16/30

2024-U113630



เวลา *	ผลการตรวจ (เฉลี่ย)	
	บริเวณหน้าโครงการ (คลังน้ำมันเตา)	
	T248B507-0009	
	L <sub>Aeq</sub> 5 min	L <sub>A90</sub> 5 min
07:00-07:05 น.	59.0	52.5
07:05-07:10 น.	59.0	51.7
07:10-07:15 น.	58.7	53.1
07:15-07:20 น.	58.7	52.9
07:20-07:25 น.	60.4	53.9
07:25-07:30 น.	60.0	53.6
07:30-07:35 น.	59.3	52.5
07:35-07:40 น.	60.0	53.4
07:40-07:45 น.	59.2	53.0
07:45-07:50 น.	60.1	54.7
07:50-07:55 น.	62.1	55.2
07:55-08:00 น.	58.4	51.7
08:00-08:05 น.	61.2	54.2
08:05-08:10 น.	58.9	52.0
08:10-08:15 น.	60.4	52.7
08:15-08:20 น.	58.9	52.3
08:20-08:25 น.	58.7	51.9
08:25-08:30 น.	60.6	54.2
08:30-08:35 น.	59.9	53.0
08:35-08:40 น.	60.7	54.6
08:40-08:45 น.	60.4	54.8
08:45-08:50 น.	60.3	54.4
08:50-08:55 น.	58.9	53.9
08:55-09:00 น.	63.6	56.2
09:00-09:05 น.	62.9	54.3
09:05-09:10 น.	60.8	55.6
09:10-09:15 น.	59.0	53.5
09:15-09:20 น.	59.4	53.9
09:20-09:25 น.	60.6	54.0
09:25-09:30 น.	61.3	53.4
09:30-09:35 น.	63.4	54.2
09:35-09:40 น.	59.9	53.6
09:40-09:45 น.	58.0	52.2
09:45-09:50 น.	57.1	51.7
09:50-09:55 น.	60.5	53.4
09:55-10:00 น.	60.1	55.0
10:00-10:05 น.	62.8	54.8
10:05-10:10 น.	60.7	52.5
10:10-10:15 น.	58.7	51.7
10:15-10:20 น.	57.6	51.8
10:20-10:25 น.	61.9	55.0
10:25-10:30 น.	59.6	52.9
10:30-10:35 น.	58.2	51.8
10:35-10:40 น.	59.1	52.7
10:40-10:45 น.	61.7	55.2
10:45-10:50 น.	58.7	50.7
10:50-10:55 น.	58.8	50.9
10:55-11:00 น.	61.9	53.9
11:00-11:05 น.	60.9	53.5
11:05-11:10 น.	60.6	52.7
11:10-11:15 น.	62.5	50.9
11:15-11:20 น.	56.9	49.7

เวลา *	ผลการวิเคราะห์ (เฉลี่ยต่อ)	
	บริเวณหน้าโครงการ (คลังน้ำมันเตา)	
	18 - 19 พฤศจิกายน 2567	
	T248B507-0008	
	L <sub>eq</sub> 5 min	L <sub>90</sub> 5 min
04:40-04:45 น.	56.5	51.9
04:45-04:50 น.	56.1	50.2
04:50-04:55 น.	56.9	51.8
04:55-05:00 น.	56.3	50.8
05:00-05:05 น.	54.7	49.3
05:05-05:10 น.	54.8	48.9
05:10-05:15 น.	55.6	50.3
05:15-05:20 น.	55.8	48.9
05:20-05:25 น.	56.2	51.2
05:25-05:30 น.	55.5	50.5
05:30-05:35 น.	56.6	50.1
05:35-05:40 น.	57.1	50.5
05:40-05:45 น.	57.1	51.6
05:45-05:50 น.	57.6	52.6
05:50-05:55 น.	56.9	50.5
05:55-06:00 น.	56.9	51.1
06:00-06:05 น.	57.0	49.2
06:05-06:10 น.	57.9	50.7
06:10-06:15 น.	57.6	51.1
06:15-06:20 น.	58.6	51.8
06:20-06:25 น.	58.3	50.2
06:25-06:30 น.	58.2	51.3
06:30-06:35 น.	59.3	51.6
06:35-06:40 น.	59.7	52.4
06:40-06:45 น.	58.1	51.9
06:45-06:50 น.	57.8	51.4
06:50-06:55 น.	58.2	51.9
06:55-07:00 น.	58.6	53.1



เวลา *	ผลการตรวจ (เฉลี่ยผล)	
	รับด้านหน้าโครงการ (คลังน้ำมันศรีลำปำง) T248B507-0009	
	L <sub>avg</sub> 5 min	L <sub>avg</sub> 5 min
15:40-15:45 น.	58.3	53.0
15:45-15:50 น.	59.6	53.1
15:50-15:55 น.	58.9	53.1
15:55-16:00 น.	58.7	53.0
16:00-16:05 น.	59.9	53.9
16:05-16:10 น.	59.2	53.2
16:10-16:15 น.	58.2	52.9
16:15-16:20 น.	58.4	51.5
16:20-16:25 น.	60.1	53.1
16:25-16:30 น.	60.4	54.3
16:30-16:35 น.	59.9	55.2
16:35-16:40 น.	58.6	54.4
16:40-16:45 น.	61.1	55.3
16:45-16:50 น.	59.1	53.3
16:50-16:55 น.	59.2	54.3
16:55-17:00 น.	59.1	54.0
17:00-17:05 น.	57.8	51.7
17:05-17:10 น.	62.7	54.1
17:10-17:15 น.	57.5	51.4
17:15-17:20 น.	56.8	51.2
17:20-17:25 น.	59.0	53.0
17:25-17:30 น.	59.4	51.8
17:30-17:35 น.	60.9	52.9
17:35-17:40 น.	55.5	48.9
17:40-17:45 น.	57.1	51.0
17:45-17:50 น.	57.7	51.7
17:50-17:55 น.	56.6	50.2
17:55-18:00 น.	56.1	50.8
18:00-18:05 น.	56.1	50.3
18:05-18:10 น.	57.6	51.7
18:10-18:15 น.	58.4	53.0
18:15-18:20 น.	57.9	51.9
18:20-18:25 น.	58.7	50.9
18:25-18:30 น.	60.7	52.0
18:30-18:35 น.	56.4	51.2
18:35-18:40 น.	56.2	50.3
18:40-18:45 น.	56.3	51.1
18:45-18:50 น.	55.5	50.1
18:50-18:55 น.	57.2	51.5
18:55-19:00 น.	55.6	51.4
19:00-19:05 น.	55.8	50.3
19:05-19:10 น.	55.8	50.2
19:10-19:15 น.	56.3	50.1
19:15-19:20 น.	55.8	50.0
19:20-19:25 น.	55.6	50.5
19:25-19:30 น.	56.0	51.2
19:30-19:35 น.	58.0	52.4
19:35-19:40 น.	56.8	51.8
19:40-19:45 น.	55.7	50.9
19:45-19:50 น.	55.6	50.8
19:50-19:55 น.	55.8	51.8
19:55-20:00 น.	57.6	53.2

• ห้ามคัดค้านใบรายงานผลการตรวจแต่เพียงบางส่วน โดยไม่ได้รับอนุญาตจากห้องปฏิบัติการเป็นลายลักษณ์อักษร

• ใบรายงานผลนี้ของผลเฉพาะกับตัวอย่างที่นำมาทดสอบเท่านั้น

เวลา *	ผลการตรวจ (เฉลี่ยผล)	
	รับด้านหน้าโครงการ (คลังน้ำมันศรีลำปำง) T248B507-0009	
	L <sub>avg</sub> 5 min	L <sub>avg</sub> 5 min
11:20-11:25 น.	59.8	51.5
11:25-11:30 น.	59.2	52.0
11:30-11:35 น.	59.3	51.6
11:35-11:40 น.	57.1	51.9
11:40-11:45 น.	56.6	50.9
11:45-11:50 น.	56.4	51.0
11:50-11:55 น.	58.5	51.6
11:55-12:00 น.	57.8	51.5
12:00-12:05 น.	60.5	53.8
12:05-12:10 น.	62.5	52.8
12:10-12:15 น.	57.8	52.1
12:15-12:20 น.	55.7	50.2
12:20-12:25 น.	57.1	50.9
12:25-12:30 น.	56.9	50.7
12:30-12:35 น.	56.6	50.6
12:35-12:40 น.	57.2	52.1
12:40-12:45 น.	56.3	49.9
12:45-12:50 น.	59.5	54.0
12:50-12:55 น.	57.7	50.8
12:55-13:00 น.	55.1	49.2
13:00-13:05 น.	55.4	49.9
13:05-13:10 น.	58.9	51.1
13:10-13:15 น.	58.4	52.0
13:15-13:20 น.	56.3	51.3
13:20-13:25 น.	58.2	53.0
13:25-13:30 น.	60.4	52.7
13:30-13:35 น.	57.2	52.0
13:35-13:40 น.	58.5	52.3
13:40-13:45 น.	56.9	50.8
13:45-13:50 น.	57.7	51.9
13:50-13:55 น.	57.9	51.5
13:55-14:00 น.	57.5	50.7
14:00-14:05 น.	57.4	52.5
14:05-14:10 น.	61.8	54.4
14:10-14:15 น.	57.8	50.9
14:15-14:20 น.	60.3	52.5
14:20-14:25 น.	55.4	50.4
14:25-14:30 น.	59.6	51.6
14:30-14:35 น.	57.9	52.2
14:35-14:40 น.	59.6	53.2
14:40-14:45 น.	59.0	53.9
14:45-14:50 น.	59.8	53.9
14:50-14:55 น.	59.8	53.8
14:55-15:00 น.	60.0	53.3
15:00-15:05 น.	58.5	52.3
15:05-15:10 น.	58.5	52.4
15:10-15:15 น.	59.0	51.8
15:15-15:20 น.	58.3	51.8
15:20-15:25 น.	58.4	52.8
15:25-15:30 น.	59.5	54.2
15:30-15:35 น.	58.6	53.3
15:35-15:40 น.	57.9	51.9

• ห้ามคัดค้านใบรายงานผลการตรวจแต่เพียงบางส่วน โดยไม่ได้รับอนุญาตจากห้องปฏิบัติการเป็นลายลักษณ์อักษร

• ใบรายงานผลนี้ของผลเฉพาะกับตัวอย่างที่นำมาทดสอบเท่านั้น

เวลา *	ผลการวิเคราะห์ (เดย์แอนด์)	
	บริเวณหน้าโครงการ (หลังบ้านตลาดใหม่)	
	19 - 20 พฤศจิกายน 2567	
	T248B507-0009	
	L Avg 5 min	L Avg 5 min
00:20-00:25 น.	55.3	50.7
00:25-00:30 น.	54.2	50.9
00:30-00:35 น.	54.7	50.5
00:35-00:40 น.	56.0	51.6
00:40-00:45 น.	54.5	50.2
00:45-00:50 น.	55.7	50.5
00:50-00:55 น.	55.0	51.4
00:55-01:00 น.	55.9	50.6
01:00-01:05 น.	56.1	52.6
01:05-01:10 น.	55.9	53.0
01:10-01:15 น.	55.4	52.2
01:15-01:20 น.	57.2	53.4
01:20-01:25 น.	56.7	53.5
01:25-01:30 น.	56.1	52.9
01:30-01:35 น.	55.4	52.1
01:35-01:40 น.	56.6	53.3
01:40-01:45 น.	56.3	53.4
01:45-01:50 น.	54.9	52.2
01:50-01:55 น.	56.8	54.2
01:55-02:00 น.	56.4	53.2
02:00-02:05 น.	56.0	53.3
02:05-02:10 น.	57.0	54.4
02:10-02:15 น.	56.9	54.0
02:15-02:20 น.	55.7	51.3
02:20-02:25 น.	55.7	52.3
02:25-02:30 น.	56.0	52.2
02:30-02:35 น.	56.3	52.2
02:35-02:40 น.	55.0	51.1
02:40-02:45 น.	54.4	50.2
02:45-02:50 น.	56.2	52.5
02:50-02:55 น.	55.4	51.7
02:55-03:00 น.	55.1	51.2
03:00-03:05 น.	55.6	52.2
03:05-03:10 น.	55.2	51.3
03:10-03:15 น.	56.5	52.5
03:15-03:20 น.	57.8	50.8
03:20-03:25 น.	55.3	51.9
03:25-03:30 น.	56.4	52.7
03:30-03:35 น.	57.2	53.4
03:35-03:40 น.	56.4	53.1
03:40-03:45 น.	55.3	51.9
03:45-03:50 น.	55.7	51.7
03:50-03:55 น.	55.3	51.5
03:55-04:00 น.	56.7	52.1
04:00-04:05 น.	56.2	52.6
04:05-04:10 น.	56.1	52.4
04:10-04:15 น.	55.2	51.8
04:15-04:20 น.	56.3	52.8
04:20-04:25 น.	55.3	51.7
04:25-04:30 น.	54.9	50.9
04:30-04:35 น.	56.1	51.4
04:35-04:40 น.	55.6	50.3

เวลา *	ผลการวิเคราะห์ (เดย์แอนด์)	
	ปริมาณน้ำบริโภค (ลิตร/วินาที)	
	19 - 20 พฤศจิกายน 2567	
	T24BB507-0009	
	Lavg 5 min	Lavg 5 min
20:00-20:05 น.	55.5	51.2
20:05-20:10 น.	56.8	52.5
20:10-20:15 น.	58.0	52.2
20:15-20:20 น.	57.7	52.6
20:20-20:25 น.	58.1	53.6
20:25-20:30 น.	57.6	53.2
20:30-20:35 น.	59.8	54.4
20:35-20:40 น.	57.7	53.2
20:40-20:45 น.	57.6	54.0
20:45-20:50 น.	57.8	53.6
20:50-20:55 น.	58.5	53.7
20:55-21:00 น.	58.0	53.4
21:00-21:05 น.	57.6	54.6
21:05-21:10 น.	56.4	52.9
21:10-21:15 น.	58.7	54.1
21:15-21:20 น.	56.7	52.7
21:20-21:25 น.	57.9	53.3
21:25-21:30 น.	56.9	52.9
21:30-21:35 น.	55.4	51.5
21:35-21:40 น.	57.1	53.2
21:40-21:45 น.	56.2	52.8
21:45-21:50 น.	55.8	51.7
21:50-21:55 น.	54.9	50.3
21:55-22:00 น.	55.3	51.0
22:00-22:05 น.	55.3	51.1
22:05-22:10 น.	55.3	51.0
22:10-22:15 น.	54.8	50.7
22:15-22:20 น.	56.4	52.0
22:20-22:25 น.	56.9	52.6
22:25-22:30 น.	57.5	52.9
22:30-22:35 น.	55.1	51.1
22:35-22:40 น.	54.9	51.4
22:40-22:45 น.	55.0	51.1
22:45-22:50 น.	56.6	51.2
22:50-22:55 น.	54.7	49.8
22:55-23:00 น.	55.5	49.7
23:00-23:05 น.	54.2	50.1
23:05-23:10 น.	55.5	51.0
23:10-23:15 น.	54.9	50.2
23:15-23:20 น.	55.2	50.8
23:20-23:25 น.	56.7	52.4
23:25-23:30 น.	56.8	52.2
23:30-23:35 น.	54.8	51.6
23:35-23:40 น.	56.8	52.8
23:40-23:45 น.	55.6	52.3
23:45-23:50 น.	55.4	52.0
23:50-23:55 น.	56.3	52.5
23:55-00:00 น.	54.9	51.0
00:00-00:05 น.	54.5	50.9
00:05-00:10 น.	55.0	50.7
00:10-00:15 น.	55.5	51.0
00:15-00:20 น.	54.5	50.5



เวลา *	ผลการวิเคราะห์ (เดย์แลด)	
	รับรู้ด้านหน้าโครงการ (คลังน้ำมันศรีสำโรง)	
	T248B507-0010	
	L <sub>avg</sub> 5 min	L <sub>avg</sub> 5 min
07:00-07:05 น.	57.8	51.5
07:05-07:10 น.	59.1	52.9
07:10-07:15 น.	56.8	50.8
07:15-07:20 น.	59.5	52.6
07:20-07:25 น.	59.8	52.7
07:25-07:30 น.	60.7	54.2
07:30-07:35 น.	61.0	54.0
07:35-07:40 น.	61.5	54.8
07:40-07:45 น.	59.5	52.7
07:45-07:50 น.	59.1	52.6
07:50-07:55 น.	59.3	53.4
07:55-08:00 น.	60.3	55.0
08:00-08:05 น.	60.5	54.7
08:05-08:10 น.	60.1	54.0
08:10-08:15 น.	59.7	54.1
08:15-08:20 น.	61.7	56.4
08:20-08:25 น.	62.4	56.5
08:25-08:30 น.	61.4	55.7
08:30-08:35 น.	59.9	54.1
08:35-08:40 น.	60.3	53.5
08:40-08:45 น.	59.6	53.8
08:45-08:50 น.	59.8	54.5
08:50-08:55 น.	61.1	55.1
08:55-09:00 น.	58.7	52.3
09:00-09:05 น.	62.6	56.6
09:05-09:10 น.	60.4	54.5
09:10-09:15 น.	61.8	55.1
09:15-09:20 น.	60.1	53.9
09:20-09:25 น.	58.9	52.5
09:25-09:30 น.	60.9	55.6
09:30-09:35 น.	60.3	54.5
09:35-09:40 น.	59.8	55.1
09:40-09:45 น.	60.8	56.8
09:45-09:50 น.	60.7	56.4
09:50-09:55 น.	61.0	55.4
09:55-10:00 น.	61.8	55.8
10:00-10:05 น.	63.7	56.9
10:05-10:10 น.	61.6	55.1
10:10-10:15 น.	62.0	56.4
10:15-10:20 น.	62.4	56.3
10:20-10:25 น.	61.0	54.3
10:25-10:30 น.	60.2	53.4
10:30-10:35 น.	59.1	53.0
10:35-10:40 น.	61.8	55.3
10:40-10:45 น.	59.2	52.6
10:45-10:50 น.	58.8	52.7
10:50-10:55 น.	62.3	55.1
10:55-11:00 น.	58.5	51.3
11:00-11:05 น.	59.8	52.0
11:05-11:10 น.	59.7	51.9
11:10-11:15 น.	61.2	52.1
11:15-11:20 น.	57.6	50.8

• ห้ามคัดทำเป็นงานผลการวิเคราะห์แต่เพียงบางส่วน โดยไม่ได้รับอนุญาตจากห้องปฏิบัติการเป็นลายลักษณ์อักษร

• ใบรายงานผลนี้รับรองเฉพาะกับตัวอย่างที่นำมาทดสอบเท่านั้น

เวลา *	ผลการวิเคราะห์ (เดย์แลด)	
	รับรู้ด้านหน้าโครงการ (คลังน้ำมันศรีสำโรง)	
	T248B507-0009	
	L <sub>avg</sub> 5 min	L <sub>avg</sub> 5 min
04:40-04:45 น.	55.8	50.6
04:45-04:50 น.	55.8	50.6
04:50-04:55 น.	55.3	50.0
04:55-05:00 น.	55.0	49.4
05:00-05:05 น.	56.7	50.8
05:05-05:10 น.	56.6	50.4
05:10-05:15 น.	56.6	51.0
05:15-05:20 น.	57.6	52.0
05:20-05:25 น.	56.5	50.7
05:25-05:30 น.	57.0	51.3
05:30-05:35 น.	58.2	51.8
05:35-05:40 น.	57.1	51.6
05:40-05:45 น.	56.0	50.0
05:45-05:50 น.	56.6	49.8
05:50-05:55 น.	58.0	52.3
05:55-06:00 น.	57.2	51.2
06:00-06:05 น.	53.8	48.1
06:05-06:10 น.	55.1	47.8
06:10-06:15 น.	57.4	50.7
06:15-06:20 น.	57.3	47.2
06:20-06:25 น.	58.3	51.5
06:25-06:30 น.	56.7	50.7
06:30-06:35 น.	56.5	50.0
06:35-06:40 น.	56.7	50.7
06:40-06:45 น.	56.7	50.4
06:45-06:50 น.	58.7	53.3
06:50-06:55 น.	58.2	51.5
06:55-07:00 น.	58.7	52.9

• ห้ามคัดทำเป็นงานผลการวิเคราะห์แต่เพียงบางส่วน โดยไม่ได้รับอนุญาตจากห้องปฏิบัติการเป็นลายลักษณ์อักษร

• ใบรายงานผลนี้รับรองเฉพาะกับตัวอย่างที่นำมาทดสอบเท่านั้น



เวลา *	ผลการตรวจ (เฉลี่ยผล)	
	บริเวณหน้าโครงการ (คลังน้ำมันตราช่าง)	
	L <sub>avg</sub> 5 min	L <sub>avg</sub> 5 min
T248B507-0010		
15:40-15:45 น.	59.9	54.5
15:45-15:50 น.	59.7	54.2
15:50-15:55 น.	59.2	54.0
15:55-16:00 น.	59.2	53.2
16:00-16:05 น.	56.8	51.2
16:05-16:10 น.	57.5	51.6
16:10-16:15 น.	57.9	51.0
16:15-16:20 น.	57.8	51.1
16:20-16:25 น.	58.1	52.3
16:25-16:30 น.	59.8	54.8
16:30-16:35 น.	59.5	54.7
16:35-16:40 น.	56.4	51.7
16:40-16:45 น.	58.4	53.2
16:45-16:50 น.	59.8	53.7
16:50-16:55 น.	59.3	53.9
16:55-17:00 น.	58.7	53.3
17:00-17:05 น.	59.9	54.8
17:05-17:10 น.	59.6	54.2
17:10-17:15 น.	59.7	52.9
17:15-17:20 น.	59.2	52.2
17:20-17:25 น.	58.0	51.8
17:25-17:30 น.	60.5	54.7
17:30-17:35 น.	60.1	55.0
17:35-17:40 น.	58.0	53.6
17:40-17:45 น.	59.5	54.6
17:45-17:50 น.	57.1	52.1
17:50-17:55 น.	60.1	55.2
17:55-18:00 น.	60.9	54.8
18:00-18:05 น.	58.4	51.4
18:05-18:10 น.	60.4	52.9
18:10-18:15 น.	58.0	51.3
18:15-18:20 น.	57.3	50.8
18:20-18:25 น.	59.4	53.1
18:25-18:30 น.	57.3	51.1
18:30-18:35 น.	57.8	50.8
18:35-18:40 น.	54.3	47.7
18:40-18:45 น.	55.4	48.8
18:45-18:50 น.	56.5	49.5
18:50-18:55 น.	57.4	50.2
18:55-19:00 น.	55.2	48.5
19:00-19:05 น.	55.4	48.6
19:05-19:10 น.	57.0	50.4
19:10-19:15 น.	58.2	52.1
19:15-19:20 น.	57.9	52.2
19:20-19:25 น.	56.0	49.5
19:25-19:30 น.	58.4	52.1
19:30-19:35 น.	56.1	50.5
19:35-19:40 น.	55.1	49.4
19:40-19:45 น.	56.1	50.6
19:45-19:50 น.	53.9	48.6
19:50-19:55 น.	57.3	52.1
19:55-20:00 น.	55.3	50.5

• ห้ามคัดลอกข้อมูลรายงานผลการตรวจแต่เพียงบางส่วน โดยไม่ได้รับอนุญาตจากห้องปฏิบัติการเป็นลายลักษณ์อักษร

• ใบรายงานผลเป็นของเฉพาะกรณีตัวอย่างที่นำมาทดสอบเท่านั้น

27/30

2024-U113630

เวลา *	ผลการตรวจ (เฉลี่ยผล)	
	บริเวณหน้าโครงการ (คลังน้ำมันตราช่าง)	
	L <sub>avg</sub> 5 min	L <sub>avg</sub> 5 min
T248B507-0010		
11:20-11:25 น.	58.4	52.3
11:25-11:30 น.	60.7	54.2
11:30-11:35 น.	57.9	51.5
11:35-11:40 น.	58.7	52.6
11:40-11:45 น.	59.5	53.5
11:45-11:50 น.	58.5	52.0
11:50-11:55 น.	57.3	51.8
11:55-12:00 น.	59.3	53.1
12:00-12:05 น.	62.9	55.2
12:05-12:10 น.	59.4	51.6
12:10-12:15 น.	55.4	49.0
12:15-12:20 น.	54.8	49.3
12:20-12:25 น.	58.5	52.6
12:25-12:30 น.	59.0	53.3
12:30-12:35 น.	58.9	52.5
12:35-12:40 น.	58.4	52.7
12:40-12:45 น.	56.8	51.3
12:45-12:50 น.	55.6	49.8
12:50-12:55 น.	56.5	50.2
12:55-13:00 น.	60.0	53.9
13:00-13:05 น.	60.6	54.4
13:05-13:10 น.	58.9	52.4
13:10-13:15 น.	57.5	52.3
13:15-13:20 น.	55.4	49.8
13:20-13:25 น.	55.5	50.0
13:25-13:30 น.	58.5	52.1
13:30-13:35 น.	57.9	51.5
13:35-13:40 น.	59.1	52.6
13:40-13:45 น.	57.5	50.7
13:45-13:50 น.	61.7	54.6
13:50-13:55 น.	57.2	51.1
13:55-14:00 น.	55.3	48.8
14:00-14:05 น.	55.7	49.9
14:05-14:10 น.	60.4	53.5
14:10-14:15 น.	57.3	51.5
14:15-14:20 น.	55.5	50.2
14:20-14:25 น.	59.6	53.9
14:25-14:30 น.	59.9	53.3
14:30-14:35 น.	59.1	53.1
14:35-14:40 น.	61.2	54.4
14:40-14:45 น.	58.3	51.2
14:45-14:50 น.	59.2	53.1
14:50-14:55 น.	58.3	52.2
14:55-15:00 น.	55.9	50.5
15:00-15:05 น.	60.1	54.2
15:05-15:10 น.	61.0	54.5
15:10-15:15 น.	58.4	52.3
15:15-15:20 น.	59.7	53.8
15:20-15:25 น.	56.6	51.6
15:25-15:30 น.	55.9	51.2
15:30-15:35 น.	58.3	53.2
15:35-15:40 น.	60.0	54.8

• ห้ามคัดลอกข้อมูลรายงานผลการตรวจแต่เพียงบางส่วน โดยไม่ได้รับอนุญาตจากห้องปฏิบัติการเป็นลายลักษณ์อักษร

• ใบรายงานผลเป็นของเฉพาะกรณีตัวอย่างที่นำมาทดสอบเท่านั้น

26/30

2024-U113630

เวลา *	ผลการตรวจ (เฉลี่ย)	
	จำนวนการตรวจ (เฉลี่ย) 20 - 21 พฤศจิกายน 2567	
		T248B507-0010
		L <sub>avg</sub> 5 min
00:20-00:25 น.	57.4	53.3
00:25-00:30 น.	57.8	53.7
00:30-00:35 น.	54.4	51.1
00:35-00:40 น.	57.4	53.3
00:40-00:45 น.	56.5	52.5
00:45-00:50 น.	54.6	50.9
00:50-00:55 น.	56.9	52.6
00:55-01:00 น.	54.8	50.0
01:00-01:05 น.	52.1	48.1
01:05-01:10 น.	53.7	49.7
01:10-01:15 น.	54.2	49.8
01:15-01:20 น.	53.6	48.9
01:20-01:25 น.	55.0	50.7
01:25-01:30 น.	54.7	51.5
01:30-01:35 น.	53.7	50.6
01:35-01:40 น.	56.5	52.7
01:40-01:45 น.	55.1	51.2
01:45-01:50 น.	55.4	51.9
01:50-01:55 น.	55.6	52.3
01:55-02:00 น.	56.4	52.8
02:00-02:05 น.	56.3	53.2
02:05-02:10 น.	56.1	52.6
02:10-02:15 น.	54.7	50.9
02:15-02:20 น.	56.7	53.5
02:20-02:25 น.	56.6	53.0
02:25-02:30 น.	55.0	51.0
02:30-02:35 น.	54.0	50.3
02:35-02:40 น.	56.1	52.6
02:40-02:45 น.	56.1	52.7
02:45-02:50 น.	53.5	50.3
02:50-02:55 น.	57.0	54.2
02:55-03:00 น.	56.7	52.7
03:00-03:05 น.	55.4	52.4
03:05-03:10 น.	57.5	54.4
03:10-03:15 น.	57.5	54.2
03:15-03:20 น.	55.4	52.2
03:20-03:25 น.	57.7	54.1
03:25-03:30 น.	57.8	54.3
03:30-03:35 น.	58.0	55.2
03:35-03:40 น.	55.7	52.6
03:40-03:45 น.	54.0	51.4
03:45-03:50 น.	55.1	52.5
03:50-03:55 น.	55.8	52.4
03:55-04:00 น.	55.0	51.5
04:00-04:05 น.	56.8	53.9
04:05-04:10 น.	55.2	51.2
04:10-04:15 น.	58.2	53.9
04:15-04:20 น.	55.7	52.0
04:20-04:25 น.	55.4	51.8
04:25-04:30 น.	57.3	53.5
04:30-04:35 น.	57.9	54.4
04:35-04:40 น.	58.4	55.3

• จำนวนการตรวจเฉลี่ยตามผลการตรวจแต่ละวัน ส่วนใหญ่ได้มาจากข้อมูลการตรวจเป็นรายชั่วโมง

• จำนวนการตรวจเฉลี่ยตามผลการตรวจแต่ละวัน ส่วนใหญ่ได้มาจากข้อมูลการตรวจเป็นรายชั่วโมง

เวลา *	ผลการตรวจ (เฉลี่ย)	
	จำนวนการตรวจ (เฉลี่ย) 20 - 21 พฤศจิกายน 2567	
		T248B507-0010
		L <sub>avg</sub> 5 min
20:00-20:05 น.	54.5	50.1
20:05-20:10 น.	55.6	51.2
20:10-20:15 น.	54.1	49.3
20:15-20:20 น.	55.8	50.9
20:20-20:25 น.	56.2	51.6
20:25-20:30 น.	55.0	50.4
20:30-20:35 น.	57.7	53.3
20:35-20:40 น.	57.4	53.2
20:40-20:45 น.	55.7	51.7
20:45-20:50 น.	55.5	51.8
20:50-20:55 น.	54.5	50.8
20:55-21:00 น.	58.2	54.5
21:00-21:05 น.	55.5	51.0
21:05-21:10 น.	58.7	53.5
21:10-21:15 น.	59.3	53.9
21:15-21:20 น.	59.7	53.9
21:20-21:25 น.	59.3	54.3
21:25-21:30 น.	59.2	55.7
21:30-21:35 น.	60.0	56.2
21:35-21:40 น.	59.2	55.8
21:40-21:45 น.	60.2	57.2
21:45-21:50 น.	58.8	55.2
21:50-21:55 น.	60.3	54.4
21:55-22:00 น.	59.2	53.8
22:00-22:05 น.	59.3	55.9
22:05-22:10 น.	57.6	53.4
22:10-22:15 น.	58.4	54.3
22:15-22:20 น.	56.6	52.8
22:20-22:25 น.	58.7	54.6
22:25-22:30 น.	58.5	53.9
22:30-22:35 น.	55.1	50.8
22:35-22:40 น.	57.5	53.0
22:40-22:45 น.	56.1	52.0
22:45-22:50 น.	54.8	50.3
22:50-22:55 น.	54.5	49.8
22:55-23:00 น.	55.0	49.9
23:00-23:05 น.	55.1	49.9
23:05-23:10 น.	55.0	49.8
23:10-23:15 น.	55.0	50.4
23:15-23:20 น.	58.0	53.8
23:20-23:25 น.	57.8	53.5
23:25-23:30 น.	58.4	54.1
23:30-23:35 น.	54.2	50.2
23:35-23:40 น.	55.2	51.1
23:40-23:45 น.	55.1	50.9
23:45-23:50 น.	56.8	52.2
23:50-23:55 น.	54.2	49.4
23:55-00:00 น.	56.0	51.9
00:00-00:05 น.	54.5	50.7
00:05-00:10 น.	56.0	52.4
00:10-00:15 น.	54.6	50.5
00:15-00:20 น.	55.2	51.0

• จำนวนการตรวจเฉลี่ยตามผลการตรวจแต่ละวัน ส่วนใหญ่ได้มาจากข้อมูลการตรวจเป็นรายชั่วโมง

• จำนวนการตรวจเฉลี่ยตามผลการตรวจแต่ละวัน ส่วนใหญ่ได้มาจากข้อมูลการตรวจเป็นรายชั่วโมง






United Analyst and Engineering Consultant Co., Ltd.

3 Soi Udomsuk 41, Sukhumvit Road, Bangchak, Phrakhanong, Bangkok 10260  
Tel.0 2763 2828 Fax 0 2763 2800 www.laeconsultant.com E-mail: lae@laeconsultant.com

เวลา *	ผลการตรวจ (เฉลี่ยผล)	
	รับวัดค่าบนโต๊ะการ (คลังน้ำมันศรีสำโรง)	
	20 - 21 พฤศจิกายน 2567	
	L <sub>avg</sub> 5 min	L <sub>avg</sub> 5 min
04:40-04:45 น.	55.2	51.8
04:45-04:50 น.	55.8	51.8
04:50-04:55 น.	55.0	51.0
04:55-05:00 น.	55.1	51.4
05:00-05:05 น.	57.1	53.1
05:05-05:10 น.	57.1	53.2
05:10-05:15 น.	55.4	51.8
05:15-05:20 น.	57.9	54.8
05:20-05:25 น.	54.9	51.2
05:25-05:30 น.	54.6	50.1
05:30-05:35 น.	56.3	51.5
05:35-05:40 น.	57.4	52.4
05:40-05:45 น.	56.8	52.0
05:45-05:50 น.	55.4	50.0
05:50-05:55 น.	55.6	49.6
05:55-06:00 น.	54.2	47.1
06:00-06:05 น.	57.4	50.0
06:05-06:10 น.	57.6	50.4
06:10-06:15 น.	57.3	50.6
06:15-06:20 น.	59.0	52.1
06:20-06:25 น.	57.3	50.5
06:25-06:30 น.	58.2	51.6
06:30-06:35 น.	59.0	52.0
06:35-06:40 น.	57.1	50.9
06:40-06:45 น.	55.7	49.3
06:45-06:50 น.	57.2	50.4
06:50-06:55 น.	59.5	53.1
06:55-07:00 น.	57.4	51.0



(นางศุภา บวรจโรจิกษ)  
ผู้ควบคุมห้องปฏิบัติการ



- ห้ามคัดค้านในงานผลการวิเคราะห์แล้เป็นงานส่วน โดยไม่ได้ขออนุญาตจากห้องปฏิบัติการเป็นลายลักษณ์อักษร
- ในรายงานผลเป็นรองผลเฉพาะกับตัวมางที่นำมาทดสอบเท่านั้น

30/30

2024-U113630

ภาคผนวก ง-4

---

ผลการติดตามตรวจสอบคุณภาพน้ำผิวดิน



## ANALYSIS REPORT

**CUSTOMER NAME** : BAFS PIPELINE TRANSPORTATION  
**ADDRESS** : 424 KAMPHAENG PHET 6 RD DON MUEANG DON MUEANG BANGKOK 10210  
**CONTACT INFORMATION** : TEL : 08 7936 0775 e-mail : kirana@fpt.co.th  
**SAMPLING SOURCE** : แม่น้ำวังช่วงบริเวณโรงเรียนบ้านหนองวัวแดง (คลองน้ำมันนครลำปาง)  
**SAMPLE TYPE** : SURFACE WATER  
**SAMPLING DATE** : NOVEMBER 14, 2024  
**SAMPLING TIME** : 12:10 HOUR  
**SAMPLING METHOD** : GRAB, GRAB AND STERILE TECHNIQUE  
**SAMPLING BY** : MR PEERAPAT BANYATSIN  
**ANALYZED BY** : MISS JITSAMON NGAMKANA

**RECEIVED DATE** : NOVEMBER 15, 2024  
**ANALYTICAL DATE** : NOVEMBER 15-26, 2024  
**ISSUE DATE** : NOVEMBER 28, 2024  
**REPORT NO.** : 2024-U111412  
**WORK NO.** : 2023-006620  
**ANALYSIS NO.** : T24BA909-0002

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	DETECTION LIMIT	LIMIT OF QUANTITATION (LOQ)
			แม่น้ำวังช่วงบริเวณ โรงเรียนบ้านหนองวัวแดง (คลองน้ำมันนครลำปาง) T24BA909-0002		
pH <sup>a</sup>	-	ELECTROMETRIC METHOD (AT SITE) SM: PART 4500-H <sup>+</sup> B AND 1060 B	8.2 (28.2°C)	-	-
ELECTRICAL CONDUCTIVITY <sup>b</sup>	µS/cm	ELECTRICAL CONDUCTIVITY METHOD (AT SITE) SM: PART 2510 B AND 1060 B	379 (28.2°C)	0.1	-
DISSOLVED OXYGEN <sup>c</sup>	mg/L	MEMBRANE ELECTRODE METHOD (AT SITE) SM: PART 4500-O G	4.8	0.5	-
BIOCHEMICAL OXYGEN DEMAND <sup>c</sup>	mg/L	MEMBRANE ELECTRODE METHOD (SM: PART 5210 B AND PART 4500-O G)	< 2.0	-	2.0
TOTAL SUSPENDED SOLIDS <sup>a</sup>	mg/L	TOTAL SUSPENDED SOLIDS DRIED AT 103-105 °C (SM: PART 2540 D)	< 5.0	-	5.0
TOTAL DISSOLVED SOLIDS <sup>b</sup>	mg/L	TOTAL DISSOLVED SOLIDS DRIED AT 180 °C (SM: PART 2540 C)	206	-	25
FAT, OIL AND GREASE <sup>c</sup>	mg/L	SOXHLET EXTRACTION METHOD (SM: PART 5520 D)	< 3	-	3
TOTAL PETROLEUM HYDROCARBONS <sup>c</sup>	mg/L	SOXHLET EXTRACTION METHOD (SM: PART 5520 D AND PART 5520 F)	< 3	-	3
<b>MICROBIOLOGY</b>					
COLIFORM BACTERIA <sup>b</sup>	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 B AND C)	49	1.8	-
FAECAL COLIFORM BACTERIA <sup>b</sup>	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 B, C AND E)	7.8	1.8	-
<b>SAMPLE CONDITION</b> WATER'S COLOUR/TURBID SEDIMENT			YELLOW/CLEAR BROWN		

<sup>a</sup> : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

<sup>b</sup> : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

<sup>c</sup> : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 24<sup>th</sup> EDITION, 2023.

*Piyapat S.*

(MRS PIYAPAT SUTTAMANUTWONG)  
LABORATORY SUPERVISOR

