

ANALYSIS REPORT

Customer Name : MI Development Co., Ltd.
Address : 599/9 Lat Krabang Road, Lat Krabang, Lat Krabang, Bangkok 10520
Project Name : วัดลานบุญ
Project Location : เลขที่ 10 ซอยชาวพัฒนา แขวงลาดกระบัง เขตลาดกระบัง กรุงเทพมหานคร
Sampling Source : Ambient Air Quality
Sampling Point : วัดลานบุญ แขวงลาดกระบัง เขตลาดกระบัง กรุงเทพมหานคร
GPS. Coordinate : UTM (WGS84) 47P 0686010 E, 1517907 N
Sampling Date : December 19-20, 2024
Sampling Time : 10:20
Sampling Method : U.S. EPA 40 CFR Part 50
Sampling By : Mr.Suchapong Rungrueang
Analyzed By : Environment Research & Technology Co., Ltd.

Quotation No. : ER2024-02084
Analysis No. : 2024-AG501
Received Date : December 21, 2024
Analytical Date : December 21-24, 2024
Report No. : 2024-RABB145
Report Date : December 25, 2024

Parameter	Unit	Method of Analysis	Result	Standard ¹
Total Suspended Particulate (TSP) 24 Hours Average	mg/m ³	High-Volume, Gravimetric	0.093	0.330
Particulate Size Less Than 10 Micron (PM10) 24 Hours Average	mg/m ³	PM10 Size Selective, High-Volume, Gravimetric	0.051	0.120

Remark : ¹ Notification of National Environmental Board, No.10, B.E.2538 (1995), published in the Royal Government Gazette No.112 Part 42D dated May 25, B.E.2538 (1995) and Notification No.24, B.E.2547 (2004), published in the Royal Government Gazette No.121 Special Part 104D dated September 22, B.E.2547 (2004), under the Enhancement and Conservation of National Environmental Quality Act B.E.2535 (1992).

ANALYSIS REPORT

Customer Name

Address

Project Name

Project Location

Measured Source

Measured Point

GPS. Coordinate

Measured Date

Measured By

Analyzed By

Measured Instrument

: MI Development Co., Ltd.

: 599/9 Lat Krabang Road, Lat Krabang, Lat Krabang, Bangkok 10520

: วัดลานบุญ

: เลขที่ 10 ซอยชาวพัฒนา แขวงลาดกระบัง เขตลาดกระบัง กรุงเทพมหานคร

: Ambient Air Quality

: วัดลานบุญ แขวงลาดกระบัง เขตลาดกระบัง กรุงเทพมหานคร

: UTM (WGS84) 47P 0686010 E, 1517907 N

: December 19-20, 2024

: Mr.Suchapong Rungrueang

: Environment Research & Technology Co., Ltd.

: CO NDIR Analyzer Horiba Model APMA-370 Serial Number GFB0BLNC

Quotation No.

Analysis No.

Report No.

Report Date

: ER2024-02084

: 2024-AG501-001

: 2025-RAAA036

: January 7, 2025

Interval Time	Result CO (ppm)		Standard ^{1'}
	1 hr Avg	8 hr Avg	
10:00-11:00	0.4	-	
11:00-12:00	0.5	-	
12:00-13:00	0.5	-	
13:00-14:00	0.5	-	
14:00-15:00	0.5	-	
15:00-16:00	0.7	-	
16:00-17:00	0.7	-	
17:00-18:00	0.6	0.6	
18:00-19:00	0.6	0.6	
19:00-20:00	0.5	0.6	
20:00-21:00	0.5	0.6	
21:00-22:00	0.5	0.6	
22:00-23:00	0.5	0.6	
23:00-00:00	0.4	0.5	
00:00-01:00	0.5	0.5	
01:00-02:00	0.5	0.5	
02:00-03:00	0.4	0.5	
03:00-04:00	0.4	0.5	
04:00-05:00	0.5	0.5	
05:00-06:00	0.5	0.5	
06:00-07:00	0.5	0.5	
07:00-08:00	0.6	0.5	
08:00-09:00	0.5	0.5	
09:00-10:00	0.5	0.5	
24 Hours Average	0.5	-	-
1 Hour Maximum	0.7	-	30
8 Hours Maximum	-	0.6	9

Remark : ^{1'} Notification of National Environmental Board, No.10, B.E.2538 (1995), published in the Royal Government Gazette No.112 Part 42D dated May 25, B.E.2538 (1995), under the Enhancement and Conservation of National Environmental Quality Act B.E.2535 (1992).

Analysis Report

Customer Name : Mi Development Co.,Ltd
Address : 599/9 Lat Krabang Road, Lat Krabang,
Lat Krabang, Bangkok 10520
Tel : 0-2780-3588 Fax: -

Page 1 of 1
Report No: 240712035

#Sampling Source : Courtyard by Marriott Bangkok Suvarnabhumi Airport

#Sampling Date : 12-Jul-24

#Sampling Method : Grab

Received Date : 12-Jul-24

#Sampling By : Admin-Envilab

Testing Date : Jul 12-17,2024

Approved Date : 26-Jul-24

Item	Unit	Method of Analysis	Result	Standard
Sample Name			Effluent 1	
Sample Type			Wastewater	
Analysis No.			240712035	
#Sampling Time			11:50 AM	
Physical Appearance			Turbid yellow odour sediment	
pH at 25 deg C	-	APHA:4500-H(B)	7.2	5.0-9.0
BOD 5 Days*	mg/L	APHA:4500-O(C)5210 B	30	≤20
TSS	mg/L	APHA:2540 D	38	≤30
#TDS@	mg/L	Dried 103-105 C	190	≤500
#Fat,Oil & Grease	mg/L	APHA:5520 B	<0.5	≤20
#N-TKN	mg/L N	APHA:4500-Norg(B)	29	≤35
#Settleable Solid	ml/L	APHA:2540 F	<0.1	≤0.5
#Sulfide	mg/L S	APHA:4500-S(F)	5.1	≤1.0
#Coliform, Fecal	MPN/100 mL	APHA:9221 E	>160,000	ไม่ได้กำหนด

Standard : กำหนดมาตรฐานควบคุมการระบายน้ำทิ้งจากอาคารบางประเภท และบางขนาด ตามประกาศกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม พ.ศ.2548 อาคารประเภท ก

Remark # : " Test marked # in this report are not included in the TISI Accreditation Schedule for our Laboratory "

APHA : Standard Method for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition 2017

@ : ปริมาณสารละลายทั้งหมด (TDS) ที่เพิ่มขึ้นจากน้ำใช้ปกติ (TDS น้ำเสียที่หักลบกับ TDS ของน้ำใช้แล้ว)

* Add AUT of Nitrification inhibitor

Environment & Laboratory Co.,Ltd.

FTM48V1 - 5 February, 2010

Original-Customer : The above results are valid only for the analyzed/tested sample(s) as indicated in this report.

No part of this report or certificate may be reproduced in any form without written consent from the laboratory.

Sampling : Sampling is not included in the TISI Accreditation schedule for our Laboratory

Analysis Report

Customer Name : Mi Development Co.,Ltd
Address : 599/9 Lat Krabang Road, Lat Krabang,
Lat Krabang, Bangkok 10520
Tel : 0-2780-3588

Page 1 of 1
Report No: 240712036

#Sampling Source : Courtyard by Marriott Bangkok Suvarnabhumi Airport
: -

#Sampling Date : 12-Jul-24

#Sampling Method : Grab

Received Date : 12-Jul-24

#Sampling By : Admin-Envilab

Testing Date : Jul 12-17,2024

Approved Date : 26-Jul-24

Item	Unit	Method of Analysis	Result	
Sample Name			Effluent 2	Standard
Sample Type			Wastewater	
Analysis No.			240712036	
#Sampling Time			11:40 AM	
Physical Appearance			Clear yellow sediment	
pH at 25 deg C	-	APHA:4500-H(B)	7.1	5.0-9.0
BOD 5 Days*	mg/L	APHA:4500-O(C)5210 B	11	≤20
TSS	mg/L	APHA:2540 D	17	≤30
#TDS@	mg/L	Dried 103-105 C	305	≤500
#Fat,Oil & Grease	mg/L	APHA:5520 B	<0.5	≤20
#N-TKN	mg/L N	APHA:4500-Norg(B)	<0.28	≤35
#Settleable Solid	ml/L	APHA:2540 F	<0.1	≤0.5
#Sulfide	mg/L S	APHA:4500-S(F)	<1.0	≤1.0
#Coliform, Fecal	MPN/100 mL	APHA:9221 E	>16,000	ไม่ได้กำหนด

Standard : กำหนดมาตรฐานควบคุมการระบายน้ำจากอาคารบางประเภท และบางขนาด ตามประกาศกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม
พ.ศ.2548 อาคารประเภท ก

Remark # : " Test marked # in this report are not included in the TISI Accreditation Schedule for our Laboratory "

APHA : Standard Method for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition 2017

@ : ปริมาณสารละลายทั้งหมด (TDS) ที่เพิ่มขึ้นจากน้ำใช้ปกติ (TDS น้ำเสียที่หักลบกับ TDS ของน้ำใช้แล้ว)

* Add AUT of Nitrification inhibitor

Environment & Laboratory Co.,Ltd.

FTM48V1 - 5 February, 2010

Original-Customer : The above results are valid only for the analyzed/tested sample(s) as indicated in this report.

No part of this report or certificate may be reproduced in any form without written consent from the laboratory.

Sampling : Sampling is not included in the TISI Accreditation schedule for our Laboratory

Analysis Report

Customer Name : Mi Development Co.,Ltd
Address : 599/9 Lat Krabang Road, Lat Krabang,
Lat Krabang, Bangkok 10520
Tel : 0-2780-3588

Page 1 of 1
Report No: 240712037

#Sampling Source : Courtyard by Marriott Bangkok Suvarnabhumi Airport
#Sampling Date : 12-Jul-24 #Sampling Method : Grab
Received Date : 12-Jul-24 #Sampling By : Admin-Envilab
Testing Date : Jul 12-17,2024 Approved Date : 26-Jul-24

Item	Unit	Method of Analysis	Result	Standard
Sample Name			Effluent 3	
Sample Type			Wastewater	
Analysis No.			240712037	
#Sampling Time			12:05 PM	
Physical Appearance			Turbid yellow sediment	
pH at 25 deg C	-	APHA:4500-H(B)	7.5	5.0-9.0
BOD 5 Days*	mg/L	APHA:4500-O(C)5210 B	14	≤20
TSS	mg/L	APHA:2540 D	26	≤30
#TDS@	mg/L	Dried 103-105 C	510	≤500
#Fat,Oil & Grease	mg/L	APHA:5520 B	<0.5	≤20
#N-TKN	mg/L N	APHA:4500-Norg(B)	18	≤35
#Settleable Solid	ml/L	APHA:2540 F	<0.1	≤0.5
#Sulfide	mg/L S	APHA:4500-S(F)	<1.0	≤1.0
#Coliform, Fecal	MPN/100 mL	APHA:9221 E	11,000	ไม่ได้กำหนด

Standard : กำหนดมาตรฐานควบคุมการระบายน้ำจากอาคารบางประเภท และบางขนาด ตามประกาศกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม พ.ศ.2548 อาคารประเภท ก

Remark # : " Test marked # in this report are not included in the TISI Accreditation Schedule for our Laboratory "

APHA : Standard Method for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition 2017

@ : ปริมาณสารละลายทั้งหมด (TDS) ที่เพิ่มขึ้นจากน้ำใช้ปกติ (TDS น้ำเสียที่หักลบกับ TDS ของน้ำใช้แล้ว)

* Add AUT of Nitrification inhibitor

Environment & Laboratory Co.,Ltd.

FTM48V1 - 5 February , 2010

Original-Customer : The above results are valid only for the analyzed/tested sample(s) as indicated in this report.

No part of this report or certificate may be reproduced in any form without written consent from the laboratory.

Sampling : Sampling is not included in the TISI Accreditation schedule for our Laboratory

Analysis Report

Customer Name : Mi Development Co.,Ltd
Address : 599/9 Lat Krabang Road, Lat Krabang,
Lat Krabang, Bangkok 10520
Tel : 0-2780-3588 Fax: -

Page 1 of 1
Report No: 240712038

#Sampling Source : Courtyard by Marriott Bangkok Suvarnabhumi Airport
: -

#Sampling Date : 12-Jul-24

#Sampling Method : Grab

Received Date : 12-Jul-24

#Sampling By : Admin-Envilab

Testing Date : Jul 12-17,2024

Approved Date : 26-Jul-24

Item	Unit	Method of Analysis	Result	Standard
Sample Name			Effluent 4	
Sample Type			Wastewater	
Analysis No.			240712038	
#Sampling Time			11:30 AM	
Physical Appearance			Clear yellow sediment	
pH at 25 deg C	-	APHA:4500-H(B)	7.3	5.0-9.0
#BOD 5 Days*	mg/L	APHA:4500-O(C)5210 B	3.2	≤20
TSS	mg/L	APHA:2540 D	6.8	≤30
#TDS@	mg/L	Dried 103-105 C	140	≤500
#Fat,Oil & Grease	mg/L	APHA:5520 B	2.5	≤20
#N-TKN	mg/L N	APHA:4500-Norg(B)	<0.28	≤35
#Settleable Solid	ml/L	APHA:2540 F	<0.1	≤0.5
#Sulfide	mg/L S	APHA:4500-S(F)	<1.0	≤1.0
#Coliform, Fecal	MPN/100 mL	APHA:9221 E	3,500	ไม่ได้กำหนด

Standard : กำหนดมาตรฐานควบคุมการระบายน้ำทิ้งจากอาคารบางประเภท และบางขนาด ตามประกาศกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม พ.ศ.2548 อาคารประเภท ก

Remark # : " Test marked # in this report are not included in the TISI Accreditation Schedule for our Laboratory "

APHA : Standard Method for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition 2017

@ : ปริมาณสารละลายทั้งหมด (TDS) ที่เพิ่มขึ้นจากน้ำใช้ปกติ (TDS น้ำเสียที่หักลบกับ TDS ของน้ำใช้แล้ว)

* Add AUT of Nitrification inhibitor

Environment & Laboratory Co.,Ltd.

FTM48V1 - 5 February, 2010

Original-Customer : The above results are valid only for the analyzed/tested sample(s) as indicated in this report.

No part of this report or certificate may be reproduced in any form without written consent from the laboratory.

Sampling : Sampling is not included in the TISI Accreditation schedule for our Laboratory

Analysis Report

Customer Name : Mi Development Co.,Ltd
Address : 599/9 Lat Krabang Road, Lat Krabang,
Lat Krabang, Bangkok 10520
Tel : 0-2780-3588

Page 1 of 1

Report No: 240712039

Fax: -

Sampling Source : Courtyard by Marriott Bangkok Suvarnabhumi Airport

: -

Sampling Date : 12-Jul-24

Sampling Method : Grab

Received Date : 12-Jul-24

Sampling By : Admin-Envilab

Testing Date : Jul 15,2024

Approved Date : 26-Jul-24

Item	Unit	Method of Analysis	Result
Sample Name			น้ำประปา
Sample Type			น้ำประปา
Analysis No.			240712039
Sampling Time			12:10 PM
Physical Appearance			Clear
TDS	mg/L	Dried 103-105 C	200

Remark : -

Environment & Laboratory Co.,Ltd.

FTM48V1 - 5 February, 2010

Original-Customer : The above results are valid only for the analyzed/tested sample(s) as indicated in this report.
No part of this report or certificate may be reproduced in any form without written consent from the laboratory.

Analysis Report

Customer Name : Mi Development Co.,Ltd
Address : 599/9 Lat Krabang Road, Lat Krabang,
Lat Krabang, Bangkok 10520
Tel : 0-2780-3588

Page 1 of 1
Report No: 240816054

Fax: -

#Sampling Source : Courtyard by Marriott Bangkok Suvarnabhumi Airport

#Sampling Date : 16-Aug-24

#Sampling Method : Grab

Received Date : 16-Aug-24

#Sampling By : Admin-Envilab

Testing Date : Aug 16-21,2024

Approved Date : 27-Aug-24

Item	Unit	Method of Analysis	Result	
Sample Name			Effluent 1	Standard
Sample Type			Wastewater	
Analysis No.			240816054	
#Sampling Time			1:50 PM	
Physical Appearance			Turbid yellow sediment	
pH at 25 deg C	-	APHA:4500-H(B)	7.2	5.0-9.0
BOD 5 Days*	mg/L	APHA:4500-O(C)5210 B	34	≤20
TSS	mg/L	APHA:2540 D	120	≤30
#TDS@	mg/L	Dried 103-105 C	129	≤500
#Fat,Oil & Grease	mg/L	APHA:5520 B	<5.0	≤20
#N-TKN	mg/L N	APHA:4500-Norg(B)	18	≤35
#Settleable Solid	ml/L	APHA:2540 F	3.5	≤0.5
#Sulfide	mg/L S	APHA:4500-S(F)	1.1	≤1.0
#Coliform, Fecal	MPN/100 mL	APHA:9221 E	>160,000	ไม่ได้กำหนด

Standard : กำหนดมาตรฐานควบคุมการระบายน้ำทิ้งจากอาคารบางประเภทและบางขนาด ตามประกาศกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม พ.ศ.2548 อาคารประเภท ก.

Remark # : " Test marked # in this report are not included in the TISI Accreditation Schedule for our Laboratory "

APHA : Standard Method for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition 2017

@ : ปริมาณสารละลายทั้งหมด (TDS) ที่เพิ่มขึ้นจากน้ำใช้ปกติ (TDS น้ำเสียที่หักลบกับ TDS ของน้ำใช้แล้ว)

* Add AUT of Nitrification inhibitor

Environment & Laboratory Co.,Ltd.

FTM48V1 - 5 February , 2010

Original-Customer : The above results are valid only for the analyzed/tested sample(s) as indicated in this report.

No part of this report or certificate may be reproduced in any form without written consent from the laboratory.

Sampling : Sampling is not included in the TISI Accreditation schedule for our Laboratory

Analysis Report

Customer Name : Mi Development Co.,Ltd
Address : 599/9 Lat Krabang Road, Lat Krabang,
Lat Krabang, Bangkok 10520
Tel : 0-2780-3588

Page 1 of 1
Report No: 240816055

#Sampling Source : Courtyard by Marriott Bangkok Suvarnabhumi Airport
#Sampling Date : 16-Aug-24
Received Date : 16-Aug-24
Testing Date : Aug 16-21,2024
#Sampling Method : Grab
#Sampling By : Admin-Envilab
Approved Date : 27-Aug-24

Item	Unit	Method of Analysis	Result	Standard
Sample Name			Effluent 2	
Sample Type			Wastewater	
Analysis No.			240816055	
#Sampling Time			1:40 PM	
Physical Appearance			Turbid yellow sediment	
pH at 25 deg C	-	APHA:4500-H(B)	6.9	5.0-9.0
BOD 5 Days*	mg/L	APHA:4500-O(C)5210 B	6.0	≤20
TSS	mg/L	APHA:2540 D	8.6	≤30
#TDS@	mg/L	Dried 103-105 C	199	≤500
#Fat,Oil & Grease	mg/L	APHA:5520 B	0.6	≤20
#N-TKN	mg/L N	APHA:4500-Norg(B)	<0.28	≤35
#Settleable Solid	ml/L	APHA:2540 F	<0.1	≤0.5
#Sulfide	mg/L S	APHA:4500-S(F)	<1.0	≤1.0
#Coliform, Fecal	MPN/100 mL	APHA:9221 E	>16,000	ไม่ได้กำหนด

Standard : กำหนดมาตรฐานควบคุมการระบายน้ำทิ้งจากอาคารบางประเภทและบางขนาด ตามประกาศกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม พ.ศ.2548 อาคารประเภท ก.

Remark # : " Test marked # in this report are not included in the TISI Accreditation Schedule for our Laboratory "

APHA : Standard Method for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition 2017

@ : ปริมาณสารละลายทั้งหมด (TDS) ที่เพิ่มขึ้นจากน้ำใช้ปกติ (TDS น้ำเสียที่หักลบกับ TDS ของน้ำใช้แล้ว)

* Add AUT of Nitrification inhibitor

Environment & Laboratory Co.,Ltd.

FTM48V1 - 5 February, 2010

Original-Customer : The above results are valid only for the analyzed/tested sample(s) as indicated in this report.

No part of this report or certificate may be reproduced in any form without written consent from the laboratory.

Sampling : Sampling is not included in the TISI Accreditation schedule for our Laboratory

Analysis Report

Customer Name : Mi Development Co.,Ltd
Address : 599/9 Lat Krabang Road, Lat Krabang,
Lat Krabang, Bangkok 10520
Tel : 0-2780-3588

Page 1 of 1
Report No: 240816056

Fax: -

#Sampling Source : Courtyard by Marriott Bangkok Suvarnabhumi Airport

: -

#Sampling Date : 16-Aug-24

#Sampling Method : Grab

Received Date : 16-Aug-24

#Sampling By : Admin-Envilab

Testing Date : Aug 16-21,2024

Approved Date : 27-Aug-24

Item	Unit	Method of Analysis	Result	
Sample Name			Effluent 3	Standard
Sample Type			Wastewater	
Analysis No.			240816056	
#Sampling Time			1:20 PM	
Physical Appearance			Turbid yellow odour sediment	
pH at 25 deg C	-	APHA:4500-H(B)	7.2	5.0-9.0
BOD 5 Days*	mg/L	APHA:4500-O(C)5210 B	29	≤20
TSS	mg/L	APHA:2540 D	57	≤30
#TDS@	mg/L	Dried 103-105 C	479	≤500
#Fat,Oil & Grease	mg/L	APHA:5520 B	<0.5	≤20
#N-TKN	mg/L N	APHA:4500-Norg(B)	20	≤35
#Settleable Solid	ml/L	APHA:2540 F	0.1	≤0.5
#Sulfide	mg/L S	APHA:4500-S(F)	1.5	≤1.0
#Coliform, Fecal	MPN/100 mL	APHA:9221 E	>160,000	ไม่ได้กำหนด

Standard : กำหนดมาตรฐานควบคุมการระบายน้ำทิ้งจากอาคารบางประเภทและบางขนาด ตามประกาศกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม พ.ศ.2548 อาคารประเภท ก.

Remark # : " Test marked # in this report are not included in the TISI Accreditation Schedule for our Laboratory "

APHA : Standard Method for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition 2017

@ : ปริมาณสารละลายทั้งหมด (TDS) ที่เพิ่มขึ้นจากน้ำใช้ปกติ (TDS น้ำเสียที่หักลบกับ TDS ของน้ำใช้แล้ว)

* Add AUT of Nitrification inhibitor

Environment & Laboratory Co.,Ltd.

FTM48V1 - 5 February, 2010

Original-Customer : The above results are valid only for the analyzed/tested sample(s) as indicated in this report.

No part of this report or certificate may be reproduced in any form without written consent from the laboratory.

Sampling : Sampling is not included in the TISI Accreditation schedule for our Laboratory

Analysis Report

Customer Name : Mi Development Co.,Ltd
Address : 599/9 Lat Krabang Road, Lat Krabang,
Lat Krabang, Bangkok 10520
Tel : 0-2780-3588

Page 1 of 1
Report No: 240816057

Fax: -

#Sampling Source : Courtyard by Marriott Bangkok Suvarnabhumi Airport
: -
#Sampling Date : 16-Aug-24 #Sampling Method : Grab
Received Date : 16-Aug-24 #Sampling By : Admin-Envilab
Testing Date : Aug 16-28,2024 Approved Date : 28-Aug-24

Item	Unit	Method of Analysis	Result	Standard
Sample Name			Effluent 4	Standard
Sample Type			Wastewater	
Analysis No.			240816057	
#Sampling Time			1:30 PM	
Physical Appearance			Turbid odour sediment	
pH at 25 deg C	-	APHA:4500-H(B)	7.3	5.0-9.0
#BOD 5 Days*	mg/L	APHA:4500-O(C)5210 B	9.3	≤20
TSS	mg/L	APHA:2540 D	5.4	≤30
#TDS@	mg/L	Dried 103-105° C	279	≤500
#Fat,Oil & Grease	mg/L	APHA:5520 B	5.0	≤20
#N-TKN	mg/L N	APHA:4500-Norg(B)	2.8	≤35
#Settleable Solid	ml/L	APHA:2540 F	<0.1	≤0.5
#Sulfide	mg/L S	APHA:4500-S(F)	8.3	≤1.0
#Coliform, Fecal	MPN/100 mL	APHA:9221 E	>160,000	ไม่ได้กำหนด

Standard : กำหนดมาตรฐานควบคุมการระบายน้ำทิ้งจากอาคารบางประเภทและบางขนาด ตามประกาศกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม พ.ศ.2548 อาคารประเภท ก.

Remark # : " Test marked # in this report are not included in the TISI Accreditation Schedule for our Laboratory "

APHA : Standard Method for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition 2017

@ : ปริมาณสารละลายทั้งหมด (TDS) ที่เพิ่มขึ้นจากน้ำใช้ปกติ (TDS น้ำเสียที่หักลบกับ TDS ของน้ำใช้แล้ว)

* Add AUT of Nitrification inhibitor

Environment & Laboratory Co.,Ltd.

FTM48V1 - 5 February, 2010

Original-Customer : The above results are valid only for the analyzed/tested sample(s) as indicated in this report.

No part of this report or certificate may be reproduced in any form without written consent from the laboratory.

Sampling : Sampling is not included in the TISI Accreditation schedule for our Laboratory

Analysis Report

Customer Name : Mi Development Co.,Ltd
Address : 599/9 Lat Krabang Road, Lat Krabang,
Lat Krabang, Bangkok 10520
Tel : 0-2780-3588

Page 1 of 1
Report No: 240816058

Fax: -

Sampling Source : Courtyard by Marriott Bangkok Suvarnabhumi Airport

: -

Sampling Date : 16-Aug-24

Sampling Method : Grab

Received Date : 16-Aug-24

Sampling By : Admin-Envilab

Testing Date : Aug 20,2024

Approved Date : 27-Aug-24

Item	Unit	Method of Analysis	Result
Sample Name			น้ำประปา
Sample Type			น้ำประปา
Analysis No.			240816058
Sampling Time			4:30 PM
Physical Appearance			Clear
TDS	mg/L	Dried 103-105 C	166

Remark : -

Environment & Laboratory Co.,Ltd.

FTM48V1 - 5 February, 2010

Analysis Report

Customer Name : Mi Development Co.,Ltd
Address : 599/9 Lat Krabang Road, Lat Krabang,
Lat Krabang, Bangkok 10520
Tel : 0-2780-3588

Page 1 of 1
Report No: 240912026

Fax: -

#Sampling Source : Courtyard by Marriott Bangkok Suvarnabhumi Airport
#Sampling Date : 12-Sep-24
Received Date : 12-Sep-24
Testing Date : Sep 12-19,2024
#Sampling Method : Grab
#Sampling By : Admin-Envilab
Approved Date : 24-Sep-24

Item	Unit	Method of Analysis	Result	Standard
Sample Name			Effluent 1	
Sample Type			Wastewater	
Analysis No.			240912026	
#Sampling Time			1:55 PM	
Physical Appearance			Turbid yellow sediment	
pH at 25 deg C	-	APHA:4500-H(B)	7.1	5.5-9.0
BOD 5 Days*	mg/L	APHA:4500-O(C)5210 B	37	≤20
TSS	mg/L	APHA:2540 D	78	≤30
#TDS	mg/L	APHA:2540 C	280	≤1,000
#Fat,Oil & Grease	mg/L	APHA:5520 B	4.8	≤20
#N-TKN	mg/L N	APHA:4500-Norg(B)	24	≤35
#Sulfide	mg/L S	APHA:4500-S(E)	1.1	≤1.0
#Settleable Solid	ml/L	APHA:2540 F	<0.1	-
#Coliform, Fecal	MPN/100 ml	APHA:9221 E	>16,000	ไม่ได้กำหนด

Standard : ประกาศกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม เรื่อง กำหนดมาตรฐานควบคุมการระบายน้ำทิ้งจากอาคารบางประเภทและบางขนาด พ.ศ. 2567 อาคารประเภท ก.

Remark # : " Test marked # in this report are not included in the TISI Accreditation Schedule for our Laboratory "

APHA : Standard Method for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition 2017

* Add AUT of Nitrification inhibitor

Environment & Laboratory Co.,Ltd.

FTM48V1 - 5 February, 2010

Original-Customer : The above results are valid only for the analyzed/tested sample(s) as indicated in this report.

No part of this report or certificate may be reproduced in any form without written consent from the laboratory.

Sampling : Sampling is not included in the TISI Accreditation schedule for our Laboratory

Analysis Report

Customer Name : Mi Development Co.,Ltd
Address : 599/9 Lat Krabang Road, Lat Krabang,
Lat Krabang, Bangkok 10520
Tel : 0-2780-3588

Page 1 of 1
Report No: 240912027

#Sampling Source : Courtyard by Marriott Bangkok Suvarnabhumi Airport
#Sampling Date : 12-Sep-24
Received Date : 12-Sep-24
Testing Date : Sep 12-19,2024
#Sampling Method : Grab
#Sampling By : Admin-Envilab
Approved Date : 24-Sep-24

Item	Unit	Method of Analysis	Result	Standard
Sample Name			Effluent 2	
Sample Type			Wastewater	
Analysis No.			240912027	
#Sampling Time			2:15 PM	
Physical Appearance			Turbid yellow sediment	
pH at 25 deg C	-	APHA:4500-H(B)	6.8	5.5-9.0
BOD 5 Days*	mg/L	APHA:4500-O(C)5210 B	7.0	≤20
TSS	mg/L	APHA:2540 D	10	≤30
#TDS	mg/L	APHA:2540 C	310	≤1,000
#Fat,Oil & Grease	mg/L	APHA:5520 B	0.7	≤20
#N-TKN	mg/L N	APHA:4500-Norg(B)	<0.28	≤35
#Sulfide	mg/L S	APHA:4500-S(F)	<1.0	≤1.0
#Settleable Solid	ml/L	APHA:2540 F	<0.1	-
#Coliform, Fecal	MPN/100 mL	APHA:9221 E	1,700	ไม่ได้กำหนด

Standard : ประกาศกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม เรื่อง กำหนดมาตรฐานควบคุมการระบายน้ำทิ้งจากอาคารบางประเภทและบางขนาด พ.ศ. 2567 อาคารประเภท ก.

Remark # : " Test marked # in this report are not included in the TISI Accreditation Schedule for our Laboratory "

APHA : Standard Method for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition 2017

* Add AUT of Nitrification inhibitor

Environment & Laboratory Co.,Ltd.

FTM48V1 - 5 February, 2010

Original-Customer : The above results are valid only for the analyzed/tested sample(s) as indicated in this report.

No part of this report or certificate may be reproduced in any form without written consent from the laboratory.

Sampling : Sampling is not included in the TISI Accreditation schedule for our Laboratory

Analysis Report

Customer Name : Mi Development Co.,Ltd
Address : 599/9 Lat Krabang Road, Lat Krabang,
Lat Krabang, Bangkok 10520
Tel : 0-2780-3588

Page 1 of 1
Report No: 240912028

Fax: -

#Sampling Source : Courtyard by Marriott Bangkok Suvarnabhumi Airport
: -
#Sampling Date : 12-Sep-24
Received Date : 12-Sep-24
Testing Date : Sep 12-19,2024
#Sampling Method : Grab
#Sampling By : Admin-Envilab
Approved Date : 24-Sep-24

Item	Unit	Method of Analysis	Result	Standard
Sample Name			Effluent 3	
Sample Type			Wastewater	
Analysis No.			240912028	
#Sampling Time			2:25 PM	
Physical Appearance			Turbid yellow sediment	
pH at 25 deg C	-	APHA:4500-H(B)	7.2	5.5-9.0
BOD 5 Days*	mg/L	APHA:4500-O(C)5210 B	11	≤20
TSS	mg/L	APHA:2540 D	40	≤30
#TDS	mg/L	APHA:2540 C	485	≤1,000
#Fat,Oil & Grease	mg/L	APHA:5520 B	<0.5	≤20
#N-TKN	mg/L N	APHA:4500-Norg(B)	20	≤35
#Sulfide	mg/L S	APHA:4500-S(F)	1.0	≤1.0
#Settleable Solid	ml/L	APHA:2540 F	<0.1	-
#Coliform, Fecal	MPN/100 mL	APHA:9221 E	110	ไม่ได้กำหนด

Standard : ประกาศกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม เรื่อง กำหนดมาตรฐานควบคุมการระบายน้ำทิ้งจากอาคารบางประเภทและบางขนาด พ.ศ. 2567 อาคารประเภท ก.

Remark # : " Test marked # in this report are not included in the TISI Accreditation Schedule for our Laboratory "

APHA : Standard Method for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition 2017

* Add AUT of Nitrification inhibitor

Environment & Laboratory Co.,Ltd.

FTM48V1 - 5 February, 2010

Original-Customer : The above results are valid only for the analyzed/tested sample(s) as indicated in this report.

No part of this report or certificate may be reproduced in any form without written consent from the laboratory.

Sampling : Sampling is not included in the TISI Accreditation schedule for our Laboratory

Analysis Report

Customer Name : Mi Development Co.,Ltd
Address : 599/9 Lat Krabang Road, Lat Krabang,
Lat Krabang, Bangkok 10520
Tel : 0-2780-3588 Fax: -

Page 1 of 1
Report No: 240912029

#Sampling Source : Courtyard by Marriott Bangkok Suvarnabhumi Airport
#Sampling Date : 12-Sep-24 #Sampling Method : Grab
Received Date : 12-Sep-24 #Sampling By : Admin-Envilab
Testing Date : Sep 12-19,2024 Approved Date : 24-Sep-24

Item	Unit	Method of Analysis	Result	Standard
Sample Name			Effluent 4	
Sample Type			Wastewater	
Analysis No.			240912029	
#Sampling Time			2:45 PM	
Physical Appearance			Turbid yellow odour sediment	
pH at 25 deg C	-	APHA:4500-H(B)	6.5	5.5-9.0
BOD 5 Days*	mg/L	APHA:4500-O(C)5210 B	259	≤20
TSS	mg/L	APHA:2540 D	38	≤30
#TDS	mg/L	APHA:2540 C	420	≤1,000
#Fat,Oil & Grease	mg/L	APHA:5520 B	18	≤20
#N-TKN	mg/L N	APHA:4500-Norg(B)	23	≤35
#Sulfide	mg/L S	APHA:4500-S(F)	7.8	≤1.0
#Settleable Solid	ml/L	APHA:2540 F	<0.1	-
#Coliform, Fecal	MPN/100 mL	APHA:9221 E	>160,000	ไม่ได้กำหนด

Standard : ประกาศกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม เรื่อง กำหนดมาตรฐานควบคุมการระบายน้ำทิ้งจากอาคารบางประเภทและบางขนาด พ.ศ. 2567 อาคารประเภท ก.

Remark # : " Test marked # in this report are not included in the TISI Accreditation Schedule for our Laboratory "

APHA : Standard Method for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition 2017

* Add AUT of Nitrification inhibitor

Environment & Laboratory Co.,Ltd.

FTM48V1 - 5 February, 2010

Original-Customer : The above results are valid only for the analyzed/tested sample(s) as indicated in this report.

No part of this report or certificate may be reproduced in any form without written consent from the laboratory.

Sampling : Sampling is not included in the TISI Accreditation schedule for our Laboratory

Analysis Report

Customer Name : Mi Development Co.,Ltd
Address : 599/9 Lat Krabang Road, Lat Krabang,
Lat Krabang, Bangkok 10520
Tel : 0-2780-3588

Page 1 of 1
Report No: 240912030

Fax: -

Sampling Source : Courtyard by Marriott Bangkok Suvarnabhumi Airport
Sampling Date : 12-Sep-24
Received Date : 12-Sep-24
Testing Date : Sep 16,2024
Sampling Method : Grab
Sampling By : Admin-Envilab
Approved Date : 24-Sep-24

Item	Unit	Method of Analysis	Result
Sample Name			น้ำประปา
Sample Type			น้ำประปา
Analysis No.			240912030
Sampling Time			2:35 PM
Physical Appearance			Clear
TDS	mg/L	APHA 2540 C	172

Remark : APHA : Standard Method for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition 2017

Environment & Laboratory Co.,Ltd.

FTM48V1 - 5 February, 2010

Original-Customer : The above results are valid only for the analyzed/tested sample(s) as indicated in this report.
No part of this report or certificate may be reproduced in any form without written consent from the laboratory.

Analysis Report

Customer Name : Mi Development Co.,Ltd
Address : 599/9 Lat Krabang Road, Lat Krabang,
Lat Krabang, Bangkok 10520
Tel : 0-2780-3588 Fax: -

Page 1 of 1
Report No: 241010007

#Sampling Source : Courtyard by Marriott Bangkok Suvarnabhumi Airport
: -
#Sampling Date : 10-Oct-24 #Sampling Method : Grab
Received Date : 10-Oct-24 #Sampling By : Admin-Envilab
Testing Date : Oct 10-21,2024 Approved Date : 24-Oct-24

Item	Unit	Method of Analysis	Result	Standard
Sample Name			Effluent 1	
Sample Type			Wastewater	
Analysis No.			241010007	
#Sampling Time			11:50 AM	
Physical Appearance			Turbid yellow sediment	
pH at 25 deg C	-	APHA:4500-H(B)	7.1	5.5-9.0
BOD 5 Days*	mg/L	APHA:4500-O(C)5210 B	47	≤20
TSS	mg/L	APHA:2540 D	114	≤30
#TDS	mg/L	APHA:2540 C	265	≤1,000
#Fat,Oil & Grease	mg/L	APHA:5520 B	1.6	≤20
#N-TKN	mg/L N	APHA:4500-Norg(B)	20	≤35
#Sulfide	mg/L S	APHA:4500-S(F)	<1.0	≤1.0
#Settleable Solid	ml/L	APHA:2540 F	4.0	-
#Coliform, Fecal	MPN/100 mL	APHA:9221 E	160,000	ไม่ได้กำหนด

Standard : ประกาศกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม เรื่อง กำหนดมาตรฐานควบคุมการระบายน้ำทิ้งจากอาคารบางประเภทและบางขนาด พ.ศ. 2567 อาคารประเภท ก.

Remark # : " Test marked # in this report are not included in the TISI Accreditation Schedule for our Laboratory "

APHA : Standard Method for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition 2017

* Add AUT of Nitrification inhibitor

Environment & Laboratory Co.,Ltd.

FTM48V1 - 5 February , 2010

Original-Customer : The above results are valid only for the analyzed/tested sample(s) as indicated in this report.

No part of this report or certificate may be reproduced in any form without written consent from the laboratory.

Sampling : Sampling is not included in the TISI Accreditation schedule for our Laboratory

Analysis Report

Customer Name : Mi Development Co.,Ltd
Address : 599/9 Lat Krabang Road, Lat Krabang,
Lat Krabang, Bangkok 10520
Tel : 0-2780-3588

Page 1 of 1
Report No: 241010008

Fax: -

#Sampling Source : Courtyard by Marriott Bangkok Suvarnabhumi Airport
: -
#Sampling Date : 10-Oct-24
Received Date : 10-Oct-24
Testing Date : Oct 10-21,2024
#Sampling Method : Grab
#Sampling By : Admin-Envilab
Approved Date : 24-Oct-24

Item	Unit	Method of Analysis	Result	Standard
Sample Name			Effluent 2	
Sample Type			Wastewater	
Analysis No.			241010008	
#Sampling Time			12:00 PM	
Physical Appearance			Turbid yellow sediment	
pH at 25 deg C	-	APHA:4500-H(B)	6.9	5.5-9.0
BOD 5 Days*	mg/L	APHA:4500-O(C)5210 B	10	≤20
TSS	mg/L	APHA:2540 D	17	≤30
#TDS	mg/L	APHA:2540 C	235	≤1,000
#Fat,Oil & Grease	mg/L	APHA:5520 B	0.9	≤20
#N-TKN	mg/L N	APHA:4500-Norg(B)	<0.28	≤35
#Sulfide	mg/L S	APHA:4500-S(F)	<1.0	≤1.0
#Settleable Solid	ml/L	APHA:2540 F	<0.1	-
#Coliform, Fecal	MPN/100 mL	APHA:9221 E	>160,000	ไม่ได้กำหนด

Standard : ประกาศกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม เรื่อง กำหนดมาตรฐานควบคุมการระบายน้ำทิ้งจากอาคารบางประเภทและบางขนาด พ.ศ. 2567 อาคารประเภท ก.

Remark # : " Test marked # in this report are not included in the TISI Accreditation Schedule for our Laboratory "

APHA : Standard Method for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition 2017

* Add AUT of Nitrification inhibitor

Environment & Laboratory Co.,Ltd.

FTM48V1 - 5 February, 2010

Original-Customer : The above results are valid only for the analyzed/tested sample(s) as indicated in this report.

No part of this report or certificate may be reproduced in any form without written consent from the laboratory.

Sampling : Sampling is not included in the TISI Accreditation schedule for our Laboratory

Analysis Report

Customer Name : Mi Development Co.,Ltd
Address : 599/9 Lat Krabang Road, Lat Krabang,
Lat Krabang, Bangkok 10520
Tel : 0-2780-3588

Page 1 of 1
Report No: 241010009

Fax: -

#Sampling Source : Courtyard by Marriott Bangkok Suvarnabhumi Airport

: -

#Sampling Date : 10-Oct-24

#Sampling Method : Grab

Received Date : 10-Oct-24

#Sampling By : Admin-Envilab

Testing Date : Oct 10-17,2024

Approved Date : 24-Oct-24

Item	Unit	Method of Analysis	Result	
Sample Name			Effluent 3	Standard
Sample Type			Wastewater	
Analysis No.			241010009	
#Sampling Time			12:15 PM	
Physical Appearance			Turbid yellow sediment	
pH at 25 deg C	-	APHA:4500-H(B)	7.1	5.5-9.0
BOD 5 Days*	mg/L	APHA:4500-O(C)5210 B	13	≤20
TSS	mg/L	APHA:2540 D	28	≤30
#TDS	mg/L	APHA:2540 C	485	≤1,000
#Fat,Oil & Grease	mg/L	APHA:5520 B	2.6	≤20
#N-TKN	mg/L N	APHA:4500-Norg(B)	12	≤35
#Sulfide	mg/L S	APHA:4500-S(F)	1.4	≤1.0
#Settleable Solid	ml/L	APHA:2540 F	<0.1	-
#Coliform, Fecal	MPN/100 mL	APHA:9221 E	1,600	ไม่ได้กำหนด

Standard : ประกาศกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม เรื่อง กำหนดมาตรฐานควบคุมการระบายน้ำทิ้งจากอาคารบางประเภทและบางขนาด พ.ศ. 2567 อาคารประเภท ก.

Remark # : " Test marked # in this report are not included in the TISI Accreditation Schedule for our Laboratory "

APHA : Standard Method for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition 2017

* Add AUT of Nitrification inhibitor

Environment & Laboratory Co.,Ltd.

FTM48V1 - 5 February , 2010

Original-Customer : The above results are valid only for the analyzed/tested sample(s) as indicated in this report.

No part of this report or certificate may be reproduced in any form without written consent from the laboratory.

Sampling : Sampling is not included in the TISI Accreditation schedule for our Laboratory

Analysis Report

Customer Name : Mi Development Co.,Ltd
Address : 599/9 Lat Krabang Road, Lat Krabang,
Lat Krabang, Bangkok 10520
Tel : 0-2780-3588

Page 1 of 1
Report No: 241010010

Fax: -

#Sampling Source : Courtyard by Marriott Bangkok Suvarnabhumi Airport
: -
#Sampling Date : 10-Oct-24 #Sampling Method : Grab
Received Date : 10-Oct-24 #Sampling By : Admin-Envilab
Testing Date : Oct 10-17,2024 Approved Date : 24-Oct-24

Item	Unit	Method of Analysis	Result	Standard
Sample Name			Effluent 4	
Sample Type			Wastewater	
Analysis No.			241010010	
#Sampling Time			11:40 AM	
Physical Appearance			Turbid yellow sediment	
pH at 25 deg C	-	APHA:4500-H(B)	7.4	5.5-9.0
#BOD 5 Days*	mg/L	APHA:4500-O(C)5210 B	3.1	≤20
TSS	mg/L	APHA:2540 D	<5.0	≤30
#TDS	mg/L	APHA:2540 C	550	≤1,000
#Fat,Oil & Grease	mg/L	APHA:5520 B	3.8	≤20
#N-TKN	mg/L N	APHA:4500-Norg(B)	6.7	≤35
#Sulfide	mg/L S	APHA:4500-S(F)	5.4	≤1.0
#Settleable Solid	ml/L	APHA:2540 F	<0.1	-
#Coliform, Fecal	MPN/100 mL	APHA:9221 E	>160,000	ไม่ได้กำหนด

Standard : ประกาศกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม เรื่อง กำหนดมาตรฐานควบคุมการระบายน้ำทิ้งจากอาคารบางประเภทและบางขนาด พ.ศ. 2567 อาคารประเภท ก.

Remark # : " Test marked # in this report are not included in the TISI Accreditation Schedule for our Laboratory "

APHA : Standard Method for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition 2017

* Add AUT of Nitrification inhibitor

Environment & Laboratory Co.,Ltd.

FTM48V1 - 5 February, 2010

Original-Customer : The above results are valid only for the analyzed/tested sample(s) as indicated in this report.

No part of this report or certificate may be reproduced in any form without written consent from the laboratory.

Sampling : Sampling is not included in the TISI Accreditation schedule for our Laboratory

Analysis Report

Customer Name : Mi Development Co.,Ltd
Address : 599/9 Lat Krabang Road, Lat Krabang,
Lat Krabang, Bangkok 10520
Tel : 0-2780-3588

Page 1 of 1
Report No: 241010011

Fax: -

Sampling Source : Courtyard by Marriott Bangkok Suvarnabhumi Airport
: -
Sampling Date : 10-Oct-24 Sampling Method : Grab
Received Date : 10-Oct-24 Sampling By : Admin-Envilab
Testing Date : Oct 11,2024 Approved Date : 24-Oct-24

Item	Unit	Method of Analysis	Result
Sample Name			น้ำประปา
Sample Type			น้ำประปา
Analysis No.			241010011
Sampling Time			12:30 PM
Physical Appearance			Clear
TDS	mg/L	APHA:2540 C	144

Remark : APHA : Standard Method for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition 2017"

Environment & Laboratory Co.,Ltd.

FTM48V1 - 5 February, 2010

Analysis Report

Customer Name : Mi Development Co.,Ltd
Address : 599/9 Lat Krabang Road, Lat Krabang,
Lat Krabang, Bangkok 10520
Tel : 0-2780-3588

Page 1 of 1
Report No: 241115008

Fax: -

#Sampling Source : Courtyard by Marriott Bangkok Suvarnabhumi Airport
: -

#Sampling Date : 15-Nov-24

#Sampling Method : Grab

Received Date : 15-Nov-24

#Sampling By : Admin-Envilab

Testing Date : Nov 15-20,2024

Approved Date : 29-Nov-24

Item	Unit	Method of Analysis	Result	Standard
Sample Name			Effluent 1	
Sample Type			Wastewater	
Analysis No.			241115008	
#Sampling Time			11:20 AM	
Physical Appearance			Turbid yellow sediment	
pH at 25 deg C	-	APHA:4500-H(B)	6.8	5.5-9.0
BOD 5 Days*	mg/L	APHA:4500-O(C)5210 B	14	≤20
TSS	mg/L	APHA:2540 D	48	≤30
#TDS	mg/L	APHA:2540 C	285	≤1,000
#Fat,Oil & Grease	mg/L	APHA:5520 B	<0.5	≤20
#N-TKN	mg/L N	APHA:4500-Norg(B)	<0.28	≤35
#Sulfide	mg/L S	APHA:4500-S(F)	1.0	≤1.0
#Settleable Solid	ml/L	APHA:2540 F	0.2	-
#Coliform, Fecal	MPN/100 mL	APHA:9221 E	>160,000	ไม่ได้กำหนด

Standard : ประกาศกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม เรื่อง กำหนดมาตรฐานควบคุมการระบายน้ำทิ้งจากอาคารบางประเภทและบางขนาด พ.ศ. 2567 อาคารประเภท ก.

Remark # : " Test marked # in this report are not included in the TISI Accreditation Schedule for our Laboratory "

APHA : Standard Method for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition 2017

* Add AUT of Nitrification inhibitor

Environment & Laboratory Co.,Ltd.

FTM48V1 - 5 February , 2010

Original-Customer : The above results are valid only for the analyzed/tested sample(s) as indicated in this report.

No part of this report or certificate may be reproduced in any form without written consent from the laboratory.

Sampling : Sampling is not included in the TISI Accreditation schedule for our Laboratory

Analysis Report

Customer Name : Mi Development Co.,Ltd
Address : 599/9 Lat Krabang Road, Lat Krabang,
Lat Krabang, Bangkok 10520
Tel : 0-2780-3588

Page 1 of 1
Report No: 241115009

Fax: -

#Sampling Source : Courtyard by Marriott Bangkok Suvarnabhumi Airport

: -

#Sampling Date : 15-Nov-24

#Sampling Method : Grab

Received Date : 15-Nov-24

#Sampling By : Admin-Envilab

Testing Date : Nov 15-20,2024

Approved Date : 29-Nov-24

Item	Unit	Method of Analysis	Result	Standard
Sample Name			Effluent 2	Standard
Sample Type			Wastewater	
Analysis No.			241115009	
#Sampling Time			11:40 AM	
Physical Appearance			Turbid yellow sediment	
pH at 25 deg C	-	APHA:4500-H(B)	6.8	5.5-9.0
BOD 5 Days*	mg/L	APHA:4500-O(C)5210 B	13	≤20
TSS	mg/L	APHA:2540 D	53	≤30
#TDS	mg/L	APHA:2540 C	295	≤1,000
#Fat,Oil & Grease	mg/L	APHA:5520 B	0.9	≤20
#N-TKN	mg/L N	APHA:4500-Norg(B)	<0.28	≤35
#Sulfide	mg/L S	APHA:4500-S(F)	1.4	≤1.0
#Settleable Solid	ml/L	APHA:2540 F	0.8	-
#Coliform, Fecal	MPN/100 mL	APHA:9221 E	>160,000	ไม่ได้กำหนด

Standard : ประกาศกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม เรื่อง กำหนดมาตรฐานควบคุมการระบายน้ำทิ้งจากอาคารบางประเภทและบางขนาด พ.ศ. 2567 อาคารประเภท ก.

Remark # : " Test marked # in this report are not included in the TISI Accreditation Schedule for our Laboratory "

APHA : Standard Method for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition 2017

* Add AUT of Nitrification inhibitor

Environment & Laboratory Co.,Ltd.

FTM48V1 - 5 February , 2010

Original-Customer : The above results are valid only for the analyzed/tested sample(s) as indicated in this report.

No part of this report or certificate may be reproduced in any form without written consent from the laboratory.

Sampling : Sampling is not included in the TISI Accreditation schedule for our Laboratory

Analysis Report

Customer Name : Mi Development Co.,Ltd
Address : 599/9 Lat Krabang Road, Lat Krabang,
Lat Krabang, Bangkok 10520
Tel : 0-2780-3588 Fax: -

Page 1 of 1
Report No: 241115010

#Sampling Source	:	Courtyard by Marriott Bangkok Suvarnabhumi Airport		
	:	-		
#Sampling Date	:	15-Nov-24	#Sampling Method	: Grab
Received Date	:	15-Nov-24	#Sampling By	: Admin-Envilab
Testing Date	:	Nov 15-20,2024	Approved Date	: 29-Nov-24
Item	Unit	Method of Analysis	Result	
Sample Name			Effluent 3	<u>Standard</u>
Sample Type			Wastewater	
Analysis No.			241115010	
#Sampling Time			11:50 AM	
Physical Appearance			Turbid black odour sediment	
pH at 25 deg C	-	APHA:4500-H(B)	7.1	5.5-9.0
BOD 5 Days*	mg/L	APHA:4500-O(C)5210 B	31	≤20
TSS	mg/L	APHA:2540 D	54	≤30
#TDS	mg/L	APHA:2540 C	465	≤1,000
#Fat,Oil & Grease	mg/L	APHA:5520 B	1.4	≤20
#N-TKN	mg/L N	APHA:4500-Norg(B)	30	≤35
#Sulfide	mg/L S	APHA:4500-S(F)	5.3	≤1.0
#Settleable Solid	ml/L	APHA:2540 F	0.2	-
#Coliform, Fecal	MPN/100 mL	APHA:9221 E	>160,000	ไม่ได้กำหนด

Standard : ประกาศกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม เรื่อง กำหนดมาตรฐานควบคุมการระบายน้ำทิ้งจากอาคารบางประเภทและบางขนาด พ.ศ. 2567 อาคารประเภท ก.

Remark # : " Test marked # in this report are not included in the TISI Accreditation Schedule for our Laboratory "

APHA : Standard Method for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition 2017

* Add AUT of Nitrification inhibitor

Environment & Laboratory Co.,Ltd.

FTM48V1 - 5 February , 2010

Original-Customer : The above results are valid only for the analyzed/tested sample(s) as indicated in this report.
No part of this report or certificate may be reproduced in any form without written consent from the laboratory.
Sampling : Sampling is not included in the TISI Accreditation schedule for our Laboratory

Analysis Report

Customer Name : Mi Development Co.,Ltd
Address : 599/9 Lat Krabang Road, Lat Krabang,
Lat Krabang, Bangkok 10520
Tel : 0-2780-3588

Page 1 of 1
Report No: 241115011

#Sampling Source	:	Courtyard by Marriott Bangkok Suvarnabhumi Airport		
	:	-		
#Sampling Date	:	15-Nov-24	#Sampling Method	: Grab
Received Date	:	15-Nov-24	#Sampling By	: Admin-Envilab
Testing Date	:	Nov 15-20,2024	Approved Date	: 29-Nov-24
Item	Unit	Method of Analysis	Result	Standard
Sample Name			Effluent 4	Standard
Sample Type			Wastewater	
Analysis No.			241115011	
#Sampling Time			11:10 AM	
Physical Appearance			Turbid black odour sediment	
pH at 25 deg C	-	APHA:4500-H(B)	7.1	5.5-9.0
BOD 5 Days*	mg/L	APHA:4500-O(C)5210 B	7.5	≤20
TSS	mg/L	APHA:2540 D	11	≤30
#TDS	mg/L	APHA:2540 C	505	≤1,000
#Fat,Oil & Grease	mg/L	APHA:5520 B	5.0	≤20
#N-TKN	mg/L N	APHA:4500-Norg(B)	9.8	≤35
#Sulfide	mg/L S	APHA:4500-S(F)	2.2	≤1.0
#Settleable Solid	ml/L	APHA:2540 F	<0.1	-
#Coliform, Fecal	MPN/100 mL	APHA:9221 E	22,000	ไม่ได้กำหนด

Standard : ประกาศกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม เรื่อง กำหนดมาตรฐานควบคุมการระบายน้ำทิ้งจากอาคารบางประเภทและบางขนาด พ.ศ. 2567 อาคารประเภท ก.

Remark # : " Test marked # in this report are not included in the TISI Accreditation Schedule for our Laboratory "

APHA : Standard Method for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition 2017

* Add AUT of Nitrification inhibitor

Environment & Laboratory Co.,Ltd.

FTM48V1 - 5 February, 2010

Original-Customer : The above results are valid only for the analyzed/tested sample(s) as indicated in this report.

No part of this report or certificate may be reproduced in any form without written consent from the laboratory.

Sampling : Sampling is not included in the TISI Accreditation schedule for our Laboratory

Analysis Report

Customer Name : Mi Development Co.,Ltd
Address : 599/9 Lat Krabang Road, Lat Krabang,
Lat Krabang, Bangkok 10520
Tel : 0-2780-3588

Page 1 of 1
Report No: 241115012

Fax: -

Sampling Source : Courtyard by Marriott Bangkok Suvarnabhumi Airport
: -
Sampling Date : 15-Nov-24 Sampling Method : Grab
Received Date : 15-Nov-24 Sampling By : Admin-Envilab
Testing Date : Nov 18,2024 Approved Date : 29-Nov-24

Item	Unit	Method of Analysis	Result
Sample Name			น้ำประปา
Sample Type			น้ำประปา
Analysis No.			241115012
Sampling Time			3:20 PM
Physical Appearance			Clear
TDS	mg/L	APHA:2540 C	154

Remark : APHA : Standard Method for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition 2017

Environment & Laboratory Co.,Ltd.

FTM48V1 - 5 February, 2010

Original-Customer : The above results are valid only for the analyzed/tested sample(s) as indicated in this report.
No part of this report or certificate may be reproduced in any form without written consent from the laboratory.

Analysis Report

Customer Name : Mi Development Co.,Ltd
 Address : 599/9 Lat Krabang Road, Lat Krabang,
 Lat Krabang, Bangkok 10520
 Tel : 0-2780-3588

Page 1 of 1
 Report No: 241212078

#Sampling Source : Courtyard by Marriott Bangkok Suvarnabhumi Airport
 : -
 #Sampling Date : 12-Dec-24 #Sampling Method : Grab
 Received Date : 12-Dec-24 #Sampling By : Customer
 Testing Date : Dec 12-18,2024 Approved Date : 26-Dec-24

Item	Unit	Method of Analysis	Result	Standard
Sample Name			Effluent 1	
Sample Type			Wastewater	
Analysis No.			241212078	
#Sampling Time			11:50 AM	
Physical Appearance			Turbid yellow sediment	
pH at 25 deg C	-	APHA:4500-H(B)	7.2	5.5-9.0
BOD 5 Days*	mg/L	APHA:4500-O(C)5210 B	9.6	≤20
TSS	mg/L	APHA:2540 D	43	≤30
#TDS	mg/L	APHA:2540 C	355	≤1,000
#Fat,Oil & Grease	mg/L	APHA:5520 B	0.8	≤20
#N-TKN	mg/L N	APHA:4500-Norg(B)	20	≤35
#Sulfide	mg/L S	APHA:4500-S(F)	<1.0	≤1.0
#Settleable Solid	ml/L	APHA:2540 F	<0.1	-
#Coliform, Fecal	MPN/100 mL	APHA:9221 E	>160,000	ไม่ได้กำหนด

Standard : ประกาศกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม เรื่อง กำหนดมาตรฐานควบคุมการระบายน้ำทิ้งจากอาคารบางประเภทและบางขนาด
 พ.ศ. 2567 อาคารประเภท ก.

Remark # : " Test marked # in this report are not included in the TISI Accreditation Schedule for our Laboratory "

APHA : Standard Method for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition 2017

* Add AUT of Nitrification inhibitor

Environment & Laboratory Co.,Ltd.

FTM48V1 - 5 February, 2010

Original-Customer : The above results are valid only for the analyzed/tested sample(s) as indicated in this report.

No part of this report or certificate may be reproduced in any form without written consent from the laboratory.

Sampling : Sampling is not included in the TISI Accreditation schedule for our Laboratory

Analysis Report

Customer Name : Mi Development Co.,Ltd
Address : 599/9 Lat Krabang Road, Lat Krabang,
Lat Krabang, Bangkok 10520
Tel : 0-2780-3588

Page 1 of 1
Report No: 241212079

Fax: -

#Sampling Source : Courtyard by Marriott Bangkok Suvarnabhumi Airport

#Sampling Date : 12-Dec-24

#Sampling Method : Grab

Received Date : 12-Dec-24

#Sampling By : Admin-Envilab

Testing Date : Dec 12-19,2024

Approved Date : 26-Dec-24

Item	Unit	Method of Analysis	Result	Standard
Sample Name			Effluent 2	
Sample Type			Wastewater	
Analysis No.			241212079	
#Sampling Time			12:05 PM	
Physical Appearance			Clear yellow sediment	
pH at 25 deg C	-	APHA:4500-H(B)	6.9	5.5-9.0
BOD 5 Days*	mg/L	APHA:4500-O(C)5210 B	6.0	≤20
TSS	mg/L	APHA:2540 D	25	≤30
#TDS	mg/L	APHA:2540 C	370	≤1,000
#Fat,Oil & Grease	mg/L	APHA:5520 B	2.2	≤20
#N-TKN	mg/L N	APHA:4500-Norg(B)	<0.28	≤35
#Sulfide	mg/L S	APHA:4500-S(F)	<1.0	≤1.0
#Settleable Solid	ml/L	APHA:2540 F	1.5	-
#Coliform, Fecal	MPN/100 mL	APHA:9221 E	2,200	ไม่ได้กำหนด

Standard : ประกาศกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม เรื่อง กำหนดมาตรฐานควบคุมการระบายน้ำทิ้งจากอาคารบางประเภทและบางขนาด พ.ศ. 2567 อาคารประเภท ก.

Remark # : " Test marked # in this report are not included in the TISI Accreditation Schedule for our Laboratory "

APHA : Standard Method for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition 2017

* Add AUT of Nitrification inhibitor

Environment & Laboratory Co.,Ltd.

FTM48V1 - 5 February, 2010

Original-Customer : The above results are valid only for the analyzed/tested sample(s) as indicated in this report.

No part of this report or certificate may be reproduced in any form without written consent from the laboratory.

Sampling : Sampling is not included in the TISI Accreditation schedule for our Laboratory

Analysis Report

Customer Name : Mi Development Co.,Ltd
Address : 599/9 Lat Krabang Road, Lat Krabang,
Lat Krabang, Bangkok 10520
Tel : 0-2780-3588

Page 1 of 1
Report No: 241212080

Fax: -

#Sampling Source : Courtyard by Marriott Bangkok Suvarnabhumi Airport

: -

#Sampling Date : 12-Dec-24

#Sampling Method : Grab

Received Date : 12-Dec-24

#Sampling By : Admin-Envilab

Testing Date : Dec 12-19,2024

Approved Date : 26-Dec-24

Item	Unit	Method of Analysis	Result	Standard
Sample Name			Effluent 3	
Sample Type			น้ำเสีย	
Analysis No.			241212080	
#Sampling Time			1:45 PM	
Physical Appearance			Turbid yellow odour sediment	
pH at 25 deg C	-	APHA:4500-H(B)	7.1	5.5-9.0
BOD 5 Days*	mg/L	APHA:4500-O(C)5210 B	17	≤20
TSS	mg/L	APHA:2540 D	70	≤30
#TDS	mg/L	APHA:2540 C	590	≤1,000
#Fat,Oil & Grease	mg/L	APHA:5520 B	1.6	≤20
#N-TKN	mg/L N	APHA:4500-Norg(B)	14	≤35
#Sulfide	mg/L S	APHA:4500-S(F)	4.5	≤1.0
#Settleable Solid	ml/L	APHA:2540 F	<0.1	-
#Coliform, Fecal	MPN/100 mL	APHA:9221 E	>160,000	ไม่ได้กำหนด

Standard : ประกาศกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม เรื่อง กำหนดมาตรฐานควบคุมการระบายน้ำทิ้งจากอาคารบางประเภทและบางขนาด พ.ศ. 2567 อาคารประเภท ก.

Remark # : " Test marked # in this report are not included in the TISI Accreditation Schedule for our Laboratory "

APHA : Standard Method for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition 2017

* Add AUT of Nitrification inhibitor

Environment & Laboratory Co.,Ltd.

FTM48V1 - 5 February, 2010

Original-Customer : The above results are valid only for the analyzed/tested sample(s) as indicated in this report.

No part of this report or certificate may be reproduced in any form without written consent from the laboratory.

Sampling : Sampling is not included in the TISI Accreditation schedule for our Laboratory

Analysis Report

Customer Name : Mi Development Co.,Ltd
Address : 599/9 Lat Krabang Road, Lat Krabang,
Lat Krabang, Bangkok 10520
Tel : 0-2780-3588

Page 1 of 1
Report No: 241212081

Fax: -

#Sampling Source : Courtyard by Marriott Bangkok Suvarnabhumi Airport

: -

#Sampling Date : 12-Dec-24

#Sampling Method : Grab

Received Date : 12-Dec-24

#Sampling By : Admin-Envilab

Testing Date : Dec 12-19,2024

Approved Date : 26-Dec-24

Item	Unit	Method of Analysis	Result	Standard
Sample Name			Effluent 4	
Sample Type			Wastewater	
Analysis No.			241212081	
#Sampling Time			11:40 AM	
Physical Appearance			Turbid yellow sediment	
pH at 25 deg C	-	APHA:4500-H(B)	7.1	5.5-9.0
#BOD 5 Days*	mg/L	APHA:4500-O(C)5210 B	3.4	≤20
TSS	mg/L	APHA:2540 D	30	≤30
#TDS	mg/L	APHA:2540 C	530	≤1,000
#Fat,Oil & Grease	mg/L	APHA:5520 B	<0.5	≤20
#N-TKN	mg/L N	APHA:4500-Norg(B)	15	≤35
#Sulfide	mg/L S	APHA:4500-S(F)	<1.0	≤1.0
#Settleable Solid	ml/L	APHA:2540 F	0.3	-
#Coliform, Fecal	MPN/100 mL	APHA:9221 E	7,000	ไม่ได้กำหนด

Standard : ประกาศกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม เรื่อง กำหนดมาตรฐานควบคุมการระบายน้ำทิ้งจากอาคารบางประเภทและบางขนาด พ.ศ. 2567 อาคารประเภท ก.

Remark # : " Test marked # in this report are not included in the TISI Accreditation Schedule for our Laboratory "

APHA : Standard Method for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition 2017

* Add AUT of Nitrification inhibitor

Environment & Laboratory Co.,Ltd.

FTM48V1 - 5 February, 2010

Original-Customer : The above results are valid only for the analyzed/tested sample(s) as indicated in this report.

No part of this report or certificate may be reproduced in any form without written consent from the laboratory.

Sampling : Sampling is not included in the TISI Accreditation schedule for our Laboratory

Analysis Report

Customer Name : Mi Development Co.,Ltd
Address : 599/9 Lat Krabang Road, Lat Krabang,
Lat Krabang, Bangkok 10520
Tel : 0-2780-3588

Page 1 of 1
Report No: 241212082

Fax: -

Sampling Source : Courtyard by Marriott Bangkok Suvarnabhumi Airport

: -

Sampling Date : 12-Dec-24

Sampling Method : Grab

Received Date : 12-Dec-24

Sampling By : Admin-Envilab

Testing Date : Dec 17,2024

Approved Date : 26-Dec-24

Item	Unit	Method of Analysis	Result
Sample Name			น้ำประปา
Sample Type			น้ำประปา
Analysis No.			241212082
Sampling Time			1:50 PM
Physical Appearance			Clear
TDS	mg/L	APHA 2540 C	230

Remark : APHA : Standard Method for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition 2017

Environment & Laboratory Co.,Ltd.

FTM48V1 - 5 February, 2010

Analysis Report

Customer Name : Mi Development Co.,Ltd
Address : 599/9 Lat Krabang Road, Lat Krabang,
Lat Krabang, Bangkok 10520
Tel : 0-2780-3588

Page 1 of 1
Report No: 240712040

#Sampling Source : Courtyard by Marriott Bangkok Suvarnabhumi Airport
: -
#Sampling Date : 12-Jul-24
Received Date : 12-Jul-24
Testing Date : Jul 12-17,2024
#Sampling Method : Grab
#Sampling By : Admin-Envilab
Approved Date : 26-Jul-24

Item	Unit	Method of Analysis	Result	Standard
Sample Name			สระว่ายน้ำ	
Sample Type			น้ำสระว่ายน้ำ	
Analysis No.			240712040	
#Sampling Time			11:20 AM	
Physical Appearance			Clear	
pH at 25 deg C	-	APHA:4500-H(B)	7.4	7.2-8.4
#Chlorine, Free	mg/L Cl2	APHA:4500-Cl(G)	<0.1	0.6-1.0
#E.coli	MPN/100 mL	APHA:9221 G	ND	ต้องไม่พบ
#Coliform, Total	MPN/100 mL	APHA:9221 B	ND	≤10

Standard : ค่าแนะนำของคณะกรรมการสาธารณสุข ฉบับที่ 1/2550 เรื่อง การควบคุมการประกอบกิจการสระว่ายน้ำ หรือกิจการอื่นๆ ในทำนองเดียวกัน

Remark # : " Test marked # in this report are not included in the TISI Accreditation Schedule for our Laboratory "

APHA : Standard Method for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition 2017

ND : Not Detectable

Environment & Laboratory Co.,Ltd.

FTM48V1 - 5 February , 2010

Original-Customer : The above results are valid only for the analyzed/tested sample(s) as indicated in this report.

No part of this report or certificate may be reproduced in any form without written consent from the laboratory.

Sampling : Sampling is not included in the TISI Accreditation schedule for our Laboratory

Analysis Report

Customer Name : Mi Development Co.,Ltd
Address : 599/9 Lat Krabang Road, Lat Krabang,
Lat Krabang, Bangkok 10520
Tel : 0-2780-3588 Fax: -

Page 1 of 1
Report No: 240816059

#Sampling Source : Courtyard by Marriott Bangkok Suvarnabhumi Airport

#Sampling Date : 16-Aug-24

#Sampling Method : Grab

Received Date : 16-Aug-24

#Sampling By : Admin-Envilab

Testing Date : Aug 16-31,2024

Approved Date : 03-Sep-24

Item	Unit	Method of Analysis	Result	
Sample Name			น้ำสระว่ายน้ำ	Standard
Sample Type			น้ำสระว่ายน้ำ	
Analysis No.			240816059	
#Sampling Time			11:15 PM	
Physical Appearance			Clear	
pH at 25 deg C	-	APHA:4500-H(B)	7.4	7.2-8.4
#Chlorine, Free	mg/L Cl ₂	APHA:4500-Cl(G)	<0.1	0.6-1.0
#Coliform, Total	MPN/100 mL	APHA:9221 B	ND	≤10
#E.coli	MPN/100 mL	APHA:9221 G	ND	ต้องไม่พบ
#Legionella Spp.	CFU/L	ISO 11731 : 2017	ND [Ⓢ]	-

Standard : กำหนดค่าของคณะกรรมการสาธารณสุข ฉบับที่ 1/2550 เรื่อง การควบคุมการประกอบกิจการสระว่ายน้ำ หรือกิจการอื่นๆ ในทำนองเดียวกัน

Remark # : " Test marked # in this report are not included in the TISI Accreditation Schedule for our Laboratory "

APHA : Standard Method for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition 2017

ND : Not Detectable

Ⓢ : Analytical by Subcontract, TEST TECH CO.,LTD.

Environment & Laboratory Co.,Ltd.

FTM48V1 - 5 February , 2010

Original-Customer : The above results are valid only for the analyzed/tested sample(s) as indicated in this report.

No part of this report or certificate may be reproduced in any form without written consent from the laboratory.

Sampling : Sampling is not included in the TISI Accreditation schedule for our Laboratory

Analysis Report

Customer Name : Mi Development Co.,Ltd
Address : 599/9 Lat Krabang Road, Lat Krabang,
Lat Krabang, Bangkok 10520
Tel : 0-2780-3588

Page 1 of 1
Report No: 240912031

Fax: -

#Sampling Source : Courtyard by Marriott Bangkok Suvarnabhumi Airport
: -

#Sampling Date : 12-Sep-24

#Sampling Method : Grab

Received Date : 12-Sep-24

#Sampling By : Admin-Envilab

Testing Date : Sep 12-18,2024

Approved Date : 24-Sep-24

Item	Unit	Method of Analysis	Result	
Sample Name			น้ำสระว่ายน้ำ	Standard
Sample Type			น้ำสระว่ายน้ำ	
Analysis No.			240912031	
#Sampling Time			1:40 PM	
Physical Appearance			Clear	
pH at 25 deg C	-	APHA:4500-H(B)	7.4	7.2-8.4
#Chlorine, Free	mg/L Cl ₂	APHA:4500-Cl(G)	2.0	0.6-1.0
#Coliform, Total	MPN/100 mL	APHA:9221 B	ND	≤10
#E.coli	MPN/100 mL	APHA:9221 G	ND	ต้องไม่พบ

Standard : ค่าแนะนำของคณะกรรมการสาธารณสุข ฉบับที่ 1/2550 เรื่อง การควบคุมการประกอบกิจการสระว่ายน้ำ หรือกิจการอื่นๆ ในทำนองเดียวกัน

Remark # : " Test marked # in this report are not included in the TISI Accreditation Schedule for our Laboratory "

APHA : Standard Method for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition 2017

ND : Not Detectable

Environment & Laboratory Co.,Ltd.

FTM48V1 - 5 February, 2010

Original-Customer : The above results are valid only for the analyzed/tested sample(s) as indicated in this report.

No part of this report or certificate may be reproduced in any form without written consent from the laboratory.

Sampling : Sampling is not included in the TISI Accreditation schedule for our Laboratory

Analysis Report

Customer Name : Mi Development Co.,Ltd
Address : 599/9 Lat Krabang Road, Lat Krabang,
Lat Krabang, Bangkok 10520
Tel : 0-2780-3588

Page 1 of 2
Report No: 241010012

Fax: -

#Sampling Source : Courtyard by Marriott Bangkok Suvarnabhumi Airport

: -

#Sampling Date : 10-Oct-24

#Sampling Method : Grab

Received Date : 10-Oct-24

#Sampling By : Admin-Envilab

Testing Date : Oct 10-18,2024

Approved Date : 24-Oct-24

Item	Unit	Method of Analysis	Result	
Sample Name			น้ำสระว่ายน้ำ	Standard
Sample Type			น้ำสระว่ายน้ำ	
Analysis No.			241010012	
#Sampling Time			11:30 AM	
Physical Appearance			Clear	
pH at 25 deg C	-	APHA:4500-H(B)	7.3	7.2-8.4
#Chlorine, Free	mg/L Cl ₂	APHA:4500-Cl(G)	0.7	0.6-1.0
#Alkalinity, Total	mg/L CaCO ₃	APHA:2320 B	22	80-100
#Calcium-H	mg/L Ca	APHA:3500-Ca(B)	38	250-600
#Chloride	mg/L Cl	APHA:4500-Cl(B)	1,460	≤600
#Cyanuric acid	mg/L	Colorimetric	4	30-60
#N-Ammonia	mg/L N	APHA:4500-NH ₃ (C)	<0.14	≤20
#Nitrate	mg/L NO ₃	APHA:4500-NO ₃ (D)	4.9	≤50
#Coliform, Total	MPN/100 mL	APHA:9221 B	ND	≤10
#Coliform, Fecal	MPN/100 mL	APHA:9221 E	ND	ต้องไม่พบ
#E.coli	MPN/100 mL	APHA:9221 G	ND	ต้องไม่พบ
#S.aureus	/100 mL	APHA2012 : 9213 B	ND	ต้องไม่พบ
#P.aeruginosa	/500 mL	ISO 16266 : 2006	ND	ต้องไม่พบ
#Combine Chlorine	mg/L	APHA:4500-Cl(G)	<0.1	0.5-1.0

Standard : ค่าแนะนำของคณะกรรมการสาธารณสุข ฉบับที่ 1/2550 เรื่อง การควบคุมการประกอบกิจการสระว่ายน้ำ หรือกิจการอื่นๆ ในทำนองเดียวกัน

Environment & Laboratory Co.,Ltd.

FTM48V1 - 5 February, 2010

Original-Customer : The above results are valid only for the analyzed/tested sample(s) as indicated in this report.

No part of this report or certificate may be reproduced in any form without written consent from the laboratory.

Sampling : Sampling is not included in the TISI Accreditation schedule for our Laboratory

Analysis Report

Customer Name : Mi Development Co.,Ltd
Address : 599/9 Lat Krabang Road, Lat Krabang,
Lat Krabang, Bangkok 10520
Tel : 0-2780-3588

Page 2 of 2
Report No: 241010012

Fax: -

#Sampling Source : Courtyard by Marriott Bangkok Suvarnabhumi Airport

: -

#Sampling Date : 10-Oct-24

#Sampling Method : Grab

Received Date : 10-Oct-24

#Sampling By : Admin-Envilab

Testing Date : Oct 10-18,2024

Approved Date : 24-Oct-24

Item	Unit	Method of Analysis	Result
Sample Name			น้ำสระวน้ำ
Sample Type			น้ำสระวน้ำ
Analysis No.			241010012
#Sampling Time			11:30 AM
Physical Appearance			Clear

Remark # : " Test marked # in this report are not included in the TISI Accreditation Schedule for our Laboratory "

APHA : Standard Method for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition 2017

: " Test marked # in this report are not included in the TISI Accreditation Schedule for our Laboratory "

ND : Not Detectable

Environment & Laboratory Co.,Ltd.

FTM48V1 - 5 February, 2010

Original-Customer : The above results are valid only for the analyzed/tested sample(s) as indicated in this report.

No part of this report or certificate may be reproduced in any form without written consent from the laboratory.

Sampling : Sampling is not included in the TISI Accreditation schedule for our Laboratory

Analysis Report

Customer Name : Mi Development Co.,Ltd
Address : 599/9 Lat Krabang Road, Lat Krabang,
Lat Krabang, Bangkok 10520
Tel : 0-2780-3588

Page 1 of 1
Report No: 240816081

Fax: -

Sampling Source : Courtyard by Marriott Bangkok Suvarnabhumi Airport
: -

Sampling Date : 16-Aug-24

Sampling Method : Grab

Received Date : 16-Aug-24

Sampling By : Admin-Envilab

Testing Date : Aug 21-31,2024

Approved Date : 02-Sep-24

Item	Unit	Method of Analysis	Result
Sample Name			อ่างรองรับน้ำ
Sample Type			น้ำจากท่อฝังดิน
Analysis No.			240816081
Sampling Time			2:20 PM
Physical Appearance			Turbid yellow sediment
Legionella Spp.	CFU/L	ISO 11731 : 2017	ND [Ⓢ]

Remark : ND : Not Detectable

Ⓢ : Analytical by Subcontractor TEST TECH CO.,LTD.

Environment & Laboratory Co.,Ltd.

FTM48V1 - 5 February, 2010

Analysis Report

Customer Name : Mi Development Co.,Ltd
Address : 599/9 Lat Krabang Road, Lat Krabang,
Lat Krabang, Bangkok 10520
Tel : 0-2780-3588

Page 1 of 1
Report No: 240816082

Fax: -

Sampling Source : Courtyard by Marriott Bangkok Suvarnabhumi Airport

Sampling Date : 16-Aug-24

Sampling Method : Grab

Received Date : 16-Aug-24

Sampling By : Admin-Envilab

Testing Date : Aug 21-31,2024

Approved Date : 02-Sep-24

Item	Unit	Method of Analysis	Result
Sample Name			ท่อน้ำทิ้ง
Sample Type			น้ำจากท่อฝังดิน
Analysis No.			240816082
Sampling Time			2:25 PM
Physical Appearance			Turbid yellow sediment
Legionella Spp.	CFU/L	ISO 11731 : 2017	ND [Ⓢ]

Remark : ND : Not Detectable

Ⓢ : Analytical by Subcontract / TEST TECH CO.,LTD.

Environment & Laboratory Co.,Ltd.

FTM48V1 - 5 February, 2010

Original-Customer : The above results are valid only for the analyzed/tested sample(s) as indicated in this report.
No part of this report or certificate may be reproduced in any form without written consent from the laboratory.

Analysis Report

Customer Name : Mi Development Co.,Ltd
Address : 599/9 Lat Krabang Road, Lat Krabang,
Lat Krabang, Bangkok 10520
Tel : 0-2780-3588

Page 1 of 1
Report No: 240816084

Fax: -

Sampling Source : Courtyard by Marriott Bangkok Suvarnabhumi Airport

: -

Sampling Date : 16-Aug-24

Sampling Method : Grab

Received Date : 16-Aug-24

Sampling By : Admin-Envilab

Testing Date : Aug 21-31,2024

Approved Date : 02-Sep-24

Item	Unit	Method of Analysis	Result
Sample Name			น้ำในห้องพัก-Hot water
Sample Type			Water
Analysis No.			240816084
Sampling Time			3:28 PM
Physical Appearance			Clear
Legionella Spp.	CFU/L	ISO 11731 : 2017	ND [Ⓢ]

Remark : ND : Not Detectable

Ⓢ : Analytical by Subcontract / TEST TECH CO.,LTD.

Environment & Laboratory Co.,Ltd.

FTM48V1 - 5 February, 2010

Original-Customer : The above results are valid only for the analyzed/tested sample(s) as indicated in this report.
No part of this report or certificate may be reproduced in any form without written consent from the laboratory.

Analysis Report

Customer Name : Mi Development Co.,Ltd
Address : 599/9 Lat Krabang Road, Lat Krabang,
Lat Krabang, Bangkok 10520
Tel : 0-2780-3588

Page 1 of 1
Report No: 240816085

Fax: -

Sampling Source : Courtyard by Marriott Bangkok Suvarnabhumi Airport
: -

Sampling Date : 16-Aug-24

Sampling Method : Grab

Received Date : 16-Aug-24

Sampling By : Admin-Envilab

Testing Date : Aug 21-31,2024

Approved Date : 02-Sep-24

Item	Unit	Method of Analysis	Result
Sample Name			น้ำในห้องพัก-Cool water
Sample Type			Water
Analysis No.			240816085
Sampling Time			3:26 PM
Physical Appearance			Clear
Legionella Spp.	CFU/L	ISO 11731 : 2017	ND [Ⓢ]

Remark : ND : Not Detectable

Ⓢ : Analytical by Subcontract / TEST TECH CO.,LTD.

Environment & Laboratory Co.,Ltd.

FTM48V1 - 5 February, 2010

Original-Customer : The above results are valid only for the analyzed/tested sample(s) as indicated in this report.
No part of this report or certificate may be reproduced in any form without written consent from the laboratory.

Analysis Report

Customer Name : Mi Development Co.,Ltd
Address : 599/9 Lat Krabang Road, Lat Krabang,
Lat Krabang, Bangkok 10520
Tel : 0-2780-3588

Fax: -

Page 1 of 1

Report No: 240816086

Sampling Source : Courtyard by Marriott Bangkok Suvarnabhumi Airport
: -

Sampling Date : 16-Aug-24

Sampling Method : Grab

Received Date : 16-Aug-24

Sampling By : Admin-Envilab

Testing Date : Aug 21-31,2024

Approved Date : 02-Sep-24

Item	Unit	Method of Analysis	Result
Sample Name			น้ำจาก Water Tank
Sample Type			Water
Analysis No.			240816086
Sampling Time			4:11 PM
Physical Appearance			Clear
Legionella Spp.	CFU/L	ISO 11731 : 2017	ND [Ⓢ]

Remark : ND : Not Detectable

Ⓢ : Analytical by Subcontract : TEST TECH CO.,LTD.

Environment & Laboratory Co.,Ltd.

FTM48V1 - 5 February, 2010

Analysis Report

Customer Name : Mi Development Co.,Ltd
Address : 599/9 Lat Krabang Road, Lat Krabang,
Lat Krabang, Bangkok 10520
Tel : 0-2780-3588

Page 1 of 1
Report No: 240816087

Fax: -

Sampling Source : Courtyard by Marriott Bangkok Suvarnabhumi Airport

: -

Sampling Date : 16-Aug-24

Sampling Method : Grab

Received Date : 16-Aug-24

Sampling By : Admin-Envilab

Testing Date : Aug 21-31,2024

Approved Date : 02-Sep-24

Item	Unit	Method of Analysis	Result
Sample Name			น้ำใช้จาก AHU Tank
Sample Type			Water
Analysis No.			240816087
Sampling Time			3:52 PM
Physical Appearance			Clear
Legionella Spp.	CFU/L	ISO 11731 : 2017	ND [Ⓢ]

Remark : ND : Not Detectable

Ⓢ : Analytical by Subcontract : TEST TECH CO.,LTD.

Environment & Laboratory Co.,Ltd.

FTM48V1 - 5 February, 2010

Original-Customer : The above results are valid only for the analyzed/tested sample(s) as indicated in this report.

No part of this report or certificate may be reproduced in any form without written consent from the laboratory.

Sampling : Sampling is not included in the TISI Accreditation schedule for our Laboratory

Analysis Report

Customer Name : Mi Development Co.,Ltd
Address : 599/9 Lat Krabang Road, Lat Krabang,
Lat Krabang, Bangkok 10520
Tel : 0-2780-3588

Page 1 of 1
Report No: 240816083

Fax: -

Sampling Source : Courtyard by Marriott Bangkok Suvarnabhumi Airport
: -

Sampling Date : 16-Aug-24

Sampling Method : Grab

Received Date : 16-Aug-24

Sampling By : Admin-Envilab

Testing Date : Aug 19-21,2024

Approved Date : 27-Aug-24

Item	Unit	Method of Analysis	Result
Sample Name			น้ำใช้ในครัว
Sample Type			Water
Analysis No.			240816083
Sampling Time			3:09 PM
Physical Appearance			Clear
E.coli	MPN/100 mL	APHA 9221 G	ND

Remark : APHA : Standard Method for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition 2017
ND : Not Detectable

Environment & Laboratory Co.,Ltd.

FTM48V1 - 5 February, 2010

Original-Customer : The above results are valid only for the analyzed/tested sample(s) as indicated in this report.
No part of this report or certificate may be reproduced in any form without written consent from the laboratory.

Analysis Report

Customer Name : Mi Development Co.,Ltd
Address : 599/9 Lat Krabang Road, Lat Krabang,
Lat Krabang, Bangkok 10520
Tel : 0-2780-3588

Page 1 of 1

Report No: 241115035

Fax: -

Sampling Source	: Courtyard by Marriott Bangkok Suvarnabhumi Airport		
Sampling Date	: 15-Nov-24	Sampling Method	: Grab
Received Date	: 15-Nov-24	Sampling By	: Admin-Envilab
Testing Date	: Nov 20-30,2024	Approved Date	: 11-Dec-24
Item	Unit	Method of Analysis	Result
Sample Name			หอฝึกเดิน-อ้างรองรับน้ำ
Sample Type			น้ำ
Analysis No.			241115035
Sampling Time			2:22 PM
Physical Appearance			Clear yellow sediment
Legionella Spp.	/L	APHA 2023-9268	ND [Ⓢ]

Remark : APHA : Standard Method for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition 2017
ND : Not Detectable
Ⓢ : Analytical by Analytical Laboratory Service Co.,Ltd.

Environment & Laboratory Co.,Ltd.

FTM48V1 - 5 February, 2010

Original-Customer : The above results are valid only for the analyzed/tested sample(s) as indicated in this report.
No part of this report or certificate may be reproduced in any form without written consent from the laboratory.

Analysis Report

Customer Name : Mi Development Co.,Ltd
Address : 599/9 Lat Krabang Road, Lat Krabang,
Lat Krabang, Bangkok 10520
Tel : 0-2780-3588

Page 1 of 1
Report No: 241115036

Fax: -

Sampling Source : Courtyard by Marriott Bangkok Suvarnabhumi Airport
: -
Sampling Date : 15-Nov-24
Received Date : 15-Nov-24
Testing Date : Nov 20-30,2024
Sampling Method : Grab
Sampling By : Admin-Envilab
Approved Date : 11-Dec-24

Item	Unit	Method of Analysis	Result
Sample Name			หอผึ่งเย็น-ท่อน้ำทิ้ง
Sample Type			น้ำ
Analysis No.			241115036
Sampling Time			2:25 PM
Physical Appearance			Clear yellow sediment
Legionella Spp.	/L	APHA 2023 : 9268	ND [Ⓢ]

Remark : APHA : Standard Method for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition 2017
ND : Not Detectable
Ⓢ : Analytical by Analytical Laboratory Service Co.,Ltd.

Environment & Laboratory Co.,Ltd.

FTM48V1 - 5 February, 2010

Original-Customer : The above results are valid only for the analyzed/tested sample(s) as indicated in this report.
No part of this report or certificate may be reproduced in any form without written consent from the laboratory.

Analysis Report

Customer Name : Mi Development Co.,Ltd
Address : 599/9 Lat Krabang Road, Lat Krabang,
Lat Krabang, Bangkok 10520
Tel : 0-2780-3588

Page 1 of 1
Report No: 241115038

Fax: -

Sampling Source	: Courtyard by Marriott Bangkok Suvarnabhumi Airport		
Sampling Date	: 15-Nov-24	Sampling Method	: Grab
Received Date	: 15-Nov-24	Sampling By	: Admin-Envilab
Testing Date	: Nov 20-30,2024	Approved Date	: 11-Dec-24
Item	Unit	Method of Analysis	Result
Sample Name			Hot water No.6103
Sample Type			น้ำใช้ห้องพัก
Analysis No.			241115038
Sampling Time			3:10 PM
Physical Appearance			Clear
Legionella Spp.	/L	APHA 2023 9268	500 [©]

Remark : APHA : Standard Method for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition 2017
© : Analytical by Analytical Laboratory Service Co.,Ltd.

Environment & Laboratory Co.,Ltd.

FTM48V1 - 5 February, 2010

Original-Customer : The above results are valid only for the analyzed/tested sample(s) as indicated in this report.
No part of this report or certificate may be reproduced in any form without written consent from the laboratory.

Analysis Report

Customer Name : Mi Development Co.,Ltd
Address : 599/9 Lat Krabang Road, Lat Krabang,
Lat Krabang, Bangkok 10520
Tel : 0-2780-3588

Page 1 of 1
Report No: 241115039

Fax: -

Sampling Source : Courtyard by Marriott Bangkok Suvarnabhumi Airport
: -

Sampling Date : 15-Nov-24

Sampling Method : Grab

Received Date : 15-Nov-24

Sampling By : Admin-Envilab

Testing Date : Nov 20-30,2024

Approved Date : 11-Dec-24

Item	Unit	Method of Analysis	Result
Sample Name			Cool water No.6103
Sample Type			น้ำใช้ห้องพัก
Analysis No.			241115039
Sampling Time			3:15 PM
Physical Appearance			Clear
Legionella Spp.	/L	APHA 2023 : 9268	ND [Ⓢ]

Remark : APHA : Standard Method for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition 2017

ND : Not Detectable

Ⓢ : Analytical by Analytical Laboratory Service Co.,Ltd.

Environment & Laboratory Co.,Ltd.

FTM48V1 - 5 February, 2010

Original-Customer : The above results are valid only for the analyzed/tested sample(s) as indicated in this report.

No part of this report or certificate may be reproduced in any form without written consent from the laboratory.

Sampling : Sampling is not included in the TISI Accreditation schedule for our Laboratory

Analysis Report

Customer Name : Mi Development Co.,Ltd
Address : 599/9 Lat Krabang Road, Lat Krabang,
Lat Krabang, Bangkok 10520
Tel : 0-2780-3588

Page 1 of 1
Report No: 241115040

Fax: -

Sampling Source	: Courtyard by Marriott Bangkok Suvarnabhumi Airport		
Sampling Date	: 15-Nov-24	Sampling Method	: Grab
Received Date	: 15-Nov-24	Sampling By	: Admin-Envilab
Testing Date	: Nov 20-30,2024	Approved Date	: 11-Dec-24
Item	Unit	Method of Analysis	Result
Sample Name			น้ำจาก Water Tank
Sample Type			น้ำ
Analysis No.			241115040
Sampling Time			3:25 PM
Physical Appearance			Clear
Legionella Spp.	/L	APHA 2023 : 9268	ND [Ⓢ]

Remark : APHA : Standard Method for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition 2017
ND : Not Detectable
Ⓢ : Analytical by Analytical Laboratory Service Co.,Ltd.

Environment & Laboratory Co.,Ltd.

FTM48V1 - 5 February, 2010

Original-Customer : The above results are valid only for the analyzed/tested sample(s) as indicated in this report.
No part of this report or certificate may be reproduced in any form without written consent from the laboratory.
Sampling : Sampling is not included in the TISI Accreditation schedule for our Laboratory

Analysis Report

Customer Name : Mi Development Co.,Ltd
Address : 599/9 Lat Krabang Road, Lat Krabang,
Lat Krabang, Bangkok 10520
Tel : 0-2780-3588

Page 1 of 1
Report No: 241115041

Fax: -

Sampling Source : Courtyard by Marriott Bangkok Suvarnabhumi Airport

Sampling Date : 15-Nov-24

Sampling Method : Grab

Received Date : 15-Nov-24

Sampling By : Admin-Envilab

Testing Date : Nov 20-30,2024

Approved Date : 11-Dec-24

Item	Unit	Method of Analysis	Result
Sample Name			น้ำใช้จาก AHU Tank
Sample Type			น้ำ
Analysis No.			241115041
Sampling Time			2:40 PM
Physical Appearance			Clear
Legionella Spp.	/L	APHA 2023 : 9268	ND [Ⓢ]

Remark : APHA : Standard Method for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition 2017

ND : Not Detectable

Ⓢ : Analytical by Analytical Laboratory Service Co.,Ltd.

Environment & Laboratory Co.,Ltd.

ว-029

FTM48V1 - 5 February, 2010

Original-Customer : The above results are valid only for the analyzed/tested sample(s) as indicated in this report.

No part of this report or certificate may be reproduced in any form without written consent from the laboratory.

Sampling : Sampling is not included in the TISI Accreditation schedule for our Laboratory

Analysis Report

Customer Name : Mi Development Co.,Ltd
Address : 599/9 Lat Krabang Road, Lat Krabang,
Lat Krabang, Bangkok 10520
Tel : 0-2780-3588

Page 1 of 1
Report No: 241115037

Fax: -

Sampling Source : Courtyard by Marriott Bangkok Suvarnabhumi Airport

: -

Sampling Date : 15-Nov-24

Sampling Method : Grab

Received Date : 15-Nov-24

Sampling By : Admin-Envilab

Testing Date : Nov 18-20,2024

Approved Date : 29-Nov-24

Item	Unit	Method of Analysis	Result
Sample Name			น้ำไขหองศรี
Sample Type			น้ำ
Analysis No.			241115037
Sampling Time			1:50 PM
Physical Appearance			Clear
E.coli	MPN/100 mL	APHA9221 G	ND
			ND

Standard : ตามประกาศกระทรวงสาธารณสุขฉบับที่ 61 (พ.ศ.2524) และฉบับที่ 135 (พ.ศ.2534) และฉบับที่ 6 (พ.ศ.2553) เรื่องน้ำบริโภคในภาชนะบรรจุที่ปิดสนิท

Remark : APHA : Standard Method for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition 2017
ND : Not Detectable

Environment & Laboratory Co.,Ltd.

FTM48V1 - 5 February , 2010

Analysis Report

Customer Name : Mi Development Co.,Ltd
Address : 599/9 Lat Krabang Road, Lat Krabang,
Lat Krabang, Bangkok 10520
Tel : 0-2780-3588

Page 1 of 1
Report No: 241115013

Fax: -

#Sampling Source : Courtyard by Marriott Bangkok Suvarnabhumi Airport

: -

#Sampling Date : 15-Nov-24

#Sampling Method : Grab

Received Date : 15-Nov-24

#Sampling By : Admin-Envilab

Testing Date : Nov 15-20,2024

Approved Date : 29-Nov-24

Item	Unit	Method of Analysis	Result	
Sample Name			สระว่ายน้ำ	Standard
Sample Type			น้ำสระว่ายน้ำ	
Analysis No.			241115013	
#Sampling Time			11:00 AM	
Physical Appearance			Clear	
pH at 25 deg C	-	APHA:4500-H(B)	7.6	7.2-8.4
#Chlorine, Free	mg/L Cl ₂	APHA:4500-Cl(G)	0.2	0.6-1.0
#Coliform, Total	MPN/100 mL	APHA:9221 B	ND	≤10
#E.coli	MPN/100 mL	APHA:9221 G	ND	ต้องไม่พบ

Standard : ค่าแนะนำของคณะกรรมการสาธารณสุข ฉบับที่ 1/2550 เรื่อง การควบคุมการประกอบกิจการสระว่ายน้ำ หรือกิจการอื่นๆ ในทำนองเดียวกัน

Remark # : " Test marked # in this report are not included in the TISI Accreditation Schedule for our Laboratory "

APHA : Standard Method for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition 2017

ND : Not Detectable

Environment & Laboratory Co.,Ltd.

FTM48V1 - 5 February, 2010

Original-Customer : The above results are valid only for the analyzed/tested sample(s) as indicated in this report.

No part of this report or certificate may be reproduced in any form without written consent from the laboratory.

Sampling : Sampling is not included in the TISI Accreditation schedule for our Laboratory

Analysis Report

Customer Name : Mi Development Co.,Ltd
Address : 599/9 Lat Krabang Road, Lat Krabang,
Lat Krabang, Bangkok 10520
Tel : 0-2780-3588

Page 1 of 1
Report No: 241212083

Fax: -

#Sampling Source : Courtyard by Marriott Bangkok Suvarnabhumi Airport

#Sampling Date : 12-Dec-24

#Sampling Method : Grab

Received Date : 12-Dec-24

#Sampling By : Admin-Envilab

Testing Date : Dec 12-18,2024

Approved Date : 26-Dec-24

Item	Unit	Method of Analysis	Result	Standard
Sample Name			สระว่านน้ำ	
Sample Type			น้ำสระว่านน้ำ	
Analysis No.			241212083	
#Sampling Time			11:35 AM	
Physical Appearance			Clear	
pH at 25 deg C	-	APHA:4500-H(B)	7.6	7.2-8.4
#Chlorine, Free	mg/L Cl2	APHA:4500-Cl(G)	0.2	0.6-1.0
#Coliform, Total	MPN/100 mL	APHA:9221 B	ND	≤10
#E.coli	MPN/100 mL	APHA:9221 G	ND	ต้องไม่พบ

Standard : ค่าแนะนำของคณะกรรมการสาธารณสุข ฉบับที่ 1/2550 เรื่อง การควบคุมการประกอบกิจการสระว่านน้ำ หรือกิจการอื่นๆ ในทำนองเดียวกัน

Remark # : " Test marked # in this report are not included in the TISI Accreditation Schedule for our Laboratory "

APHA : Standard Method for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd Edition 2017

ND : Not Detectable

Environment & Laboratory Co.,Ltd.

FTM48V1 - 5 February , 2010

Original-Customer : The above results are valid only for the analyzed/tested sample(s) as indicated in this report.

No part of this report or certificate may be reproduced in any form without written consent from the laboratory.

Sampling : Sampling is not included in the TISI Accreditation schedule for our Laboratory