

ภาคผนวก ค

สำเนาใบรายงานผลการวิเคราะห์

ค-1

คุณภาพอากาศในบรรยากาศ

ANALYSIS REPORT

PROJECT NAME	: IN-PLANT GENERATOR PROJECT IN OPERATION PHASE		
CUSTOMER NAME	: PTT LNG COMPANY LIMITED		
ADDRESS	: 8/1, I-8 ROAD, MAP TA PHUT INDUSTRIAL ESTATE, MAP TA PHUT MUEANG RAYONG RAYONG 21150		
CONTACT INFORMATION	: TEL : 0 3897 8200 e-mail : dan.s@pttlng.com		
MEASURING PLACE	: วัดตากวนคงคาราม		
MEASURING TYPE	: AMBIENT (AIR)	RECEIVED DATE	: SEPTEMBER 12-19, 2024
MEASURING DATE	: SEPTEMBER 12-19, 2024	ANALYTICAL DATE	: SEPTEMBER 12-19, 2024
MEASURING TIME	: *	ISSUE DATE	: SEPTEMBER 26, 2024
MEASURING METHOD	: CHEMILUMINESCENCE	REPORT NO.	: 2024-U090106
MEASURED BY		WORK NO.	: 2023-009993
		ANALYSIS NO.	: T24AV901-0001 - T24AV901-0007

TIME *	RESULT (ppm)		
	NITROGEN DIOXIDE		
	วัดตากวนคงคาราม		
	SEPTEMBER 12-13, 2024 T24AV901-0001	SEPTEMBER 13-14, 2024 T24AV901-0002	SEPTEMBER 14-15, 2024 T24AV901-0003
07:00-08:00 HOUR	0.0131	0.0142	0.0151
08:00-09:00 HOUR	0.0119	0.0128	0.0141
09:00-10:00 HOUR	0.0098	0.0103	0.0128
10:00-11:00 HOUR	0.0091	0.0104	0.0116
11:00-12:00 HOUR	0.0092	0.0101	0.0106
12:00-13:00 HOUR	0.0090	0.0109	0.0096
13:00-14:00 HOUR	0.0097	0.0125	0.0099
14:00-15:00 HOUR	0.0100	0.0139	0.0100
15:00-16:00 HOUR	0.0117	0.0155	0.0123
16:00-17:00 HOUR	0.0126	0.0156	0.0133
17:00-18:00 HOUR	0.0129	0.0152	0.0139
18:00-19:00 HOUR	0.0134	0.0148	0.0137
19:00-20:00 HOUR	0.0137	0.0143	0.0142
20:00-21:00 HOUR	0.0148	0.0139	0.0141
21:00-22:00 HOUR	0.0149	0.0128	0.0137
22:00-23:00 HOUR	0.0150	0.0120	0.0135
23:00-00:00 HOUR	0.0132	0.0115	0.0139
00:00-01:00 HOUR	0.0121	0.0124	0.0144
01:00-02:00 HOUR	0.0110	0.0136	0.0142
02:00-03:00 HOUR	0.0103	0.0148	0.0140
03:00-04:00 HOUR	0.0098	0.0152	0.0131
04:00-05:00 HOUR	0.0107	0.0146	0.0129
05:00-06:00 HOUR	0.0131	0.0151	0.0136
06:00-07:00 HOUR	0.0153	0.0151	0.0142



TIME *	RESULT (ppm)			
	NITROGEN DIOXIDE			
	วัดตามวงดงตาราง			
	SEPTEMBER 15-16, 2024 T24AV901-0004	SEPTEMBER 16-17, 2024 T24AV901-0005	SEPTEMBER 17-18, 2024 T24AV901-0006	SEPTEMBER 18-19, 2024 T24AV901-0007
07:00-08:00 HOUR	0.0145	0.0144	0.0139	0.0134
08:00-09:00 HOUR	0.0135	0.0127	0.0127	0.0120
09:00-10:00 HOUR	0.0119	0.0106	0.0101	0.0103
10:00-11:00 HOUR	0.0105	0.0094	0.0090	0.0096
11:00-12:00 HOUR	0.0096	0.0093	0.0091	0.0093
12:00-13:00 HOUR	0.0099	0.0090	0.0095	0.0089
13:00-14:00 HOUR	0.0111	0.0095	0.0115	0.0098
14:00-15:00 HOUR	0.0118	0.0105	0.0127	0.0098
15:00-16:00 HOUR	0.0126	0.0124	0.0142	0.0117
16:00-17:00 HOUR	0.0126	0.0139	0.0150	0.0121
17:00-18:00 HOUR	0.0125	0.0138	0.0153	0.0131
18:00-19:00 HOUR	0.0127	0.0135	0.0151	0.0135
19:00-20:00 HOUR	0.0131	0.0132	0.0143	0.0141
20:00-21:00 HOUR	0.0138	0.0131	0.0131	0.0144
21:00-22:00 HOUR	0.0140	0.0128	0.0119	0.0139
22:00-23:00 HOUR	0.0132	0.0129	0.0112	0.0135
23:00-00:00 HOUR	0.0121	0.0128	0.0111	0.0130
00:00-01:00 HOUR	0.0111	0.0135	0.0115	0.0137
01:00-02:00 HOUR	0.0106	0.0137	0.0114	0.0138
02:00-03:00 HOUR	0.0102	0.0147	0.0114	0.0133
03:00-04:00 HOUR	0.0098	0.0145	0.0117	0.0123
04:00-05:00 HOUR	0.0113	0.0141	0.0123	0.0124
05:00-06:00 HOUR	0.0132	0.0138	0.0136	0.0131
06:00-07:00 HOUR	0.0153	0.0143	0.0143	0.0141

LABORATORY SUPERVISOR

ANALYSIS REPORT

PROJECT NAME	: IN-PLANT GENERATOR PROJECT IN OPERATION PHASE	RECEIVED DATE	: SEPTEMBER 12-19, 2024
CUSTOMER NAME	: PTT LNG COMPANY LIMITED	ANALYTICAL DATE	: SEPTEMBER 12-19, 2024
ADDRESS	: 8/1, I-8 ROAD, MAP TA PHUT INDUSTRIAL ESTATE, MAP TA PHUT MUEANG RAYONG RAYONG 21150	ISSUE DATE	: SEPTEMBER 26, 2024
CONTACT INFORMATION	: TEL : 0 3897 8200 e-mail : dan.s@pttting.com	REPORT NO.	: 2024-U090107
MEASURING PLACE	: วัดตากวนคลองคาราม	WORK NO.	: 2023-009993
MEASURING TYPE	: AMBIENT (AIR)	ANALYSIS NO.	: T24AV901-0001 - T24AV901-0007
MEASURING DATE	: SEPTEMBER 12-19, 2024		
MEASURING TIME	: *		
MEASURING METHOD	: UV FLUORESCENCE		
MEASURED BY			



เวลา *	RESULT (ppm)		
	SULPHUR DIOXIDE		
	วัดตากวนคลองคาราม		
	SEPTEMBER 12-13, 2024 T24AV901-0001	SEPTEMBER 13-14, 2024 T24AV901-0002	SEPTEMBER 14-15, 2024 T24AV901-0003
07:00-08:00 HOUR	0.0059	0.0053	0.0055
08:00-09:00 HOUR	0.0060	0.0052	0.0040
09:00-10:00 HOUR	0.0046	0.0035	0.0032
10:00-11:00 HOUR	0.0035	0.0045	0.0035
11:00-12:00 HOUR	0.0029	0.0039	0.0035
12:00-13:00 HOUR	0.0029	0.0042	0.0029
13:00-14:00 HOUR	0.0050	0.0048	0.0040
14:00-15:00 HOUR	0.0057	0.0039	0.0035
15:00-16:00 HOUR	0.0049	0.0051	0.0043
16:00-17:00 HOUR	0.0063	0.0054	0.0039
17:00-18:00 HOUR	0.0059	0.0067	0.0059
18:00-19:00 HOUR	0.0062	0.0051	0.0042
19:00-20:00 HOUR	0.0061	0.0063	0.0039
20:00-21:00 HOUR	0.0080	0.0058	0.0044
21:00-22:00 HOUR	0.0073	0.0084	0.0051
22:00-23:00 HOUR	0.0064	0.0062	0.0033
23:00-00:00 HOUR	0.0067	0.0083	0.0046
00:00-01:00 HOUR	0.0057	0.0069	0.0046
01:00-02:00 HOUR	0.0055	0.0055	0.0043
02:00-03:00 HOUR	0.0061	0.0067	0.0039
03:00-04:00 HOUR	0.0054	0.0067	0.0040
04:00-05:00 HOUR	0.0048	0.0065	0.0062
05:00-06:00 HOUR	0.0070	0.0061	0.0065
06:00-07:00 HOUR	0.0055	0.0055	0.0065
AVERAGE 24 HOUR	0.0056	0.0057	0.0044



เวลา *	RESULT (ppm)			
	SULPHUR DIOXIDE			
	วัดตามวันคงคาราม			
	SEPTEMBER 15-16, 2024 T24AV901-0004	SEPTEMBER 16-17, 2024 T24AV901-0005	SEPTEMBER 17-18, 2024 T24AV901-0006	SEPTEMBER 18-19, 2024 T24AV901-0007
07:00-08:00 HOUR	0.0050	0.0060	0.0056	0.0047
08:00-09:00 HOUR	0.0052	0.0041	0.0042	0.0048
09:00-10:00 HOUR	0.0052	0.0029	0.0045	0.0041
10:00-11:00 HOUR	0.0043	0.0035	0.0041	0.0038
11:00-12:00 HOUR	0.0043	0.0030	0.0036	0.0039
12:00-13:00 HOUR	0.0039	0.0040	0.0052	0.0032
13:00-14:00 HOUR	0.0042	0.0040	0.0045	0.0041
14:00-15:00 HOUR	0.0052	0.0042	0.0057	0.0038
15:00-16:00 HOUR	0.0057	0.0062	0.0060	0.0041
16:00-17:00 HOUR	0.0050	0.0047	0.0057	0.0063
17:00-18:00 HOUR	0.0069	0.0055	0.0059	0.0050
18:00-19:00 HOUR	0.0050	0.0053	0.0070	0.0069
19:00-20:00 HOUR	0.0058	0.0054	0.0070	0.0049
20:00-21:00 HOUR	0.0055	0.0053	0.0051	0.0057
21:00-22:00 HOUR	0.0045	0.0038	0.0049	0.0047
22:00-23:00 HOUR	0.0047	0.0041	0.0054	0.0052
23:00-00:00 HOUR	0.0052	0.0035	0.0050	0.0048
00:00-01:00 HOUR	0.0049	0.0031	0.0046	0.0044
01:00-02:00 HOUR	0.0054	0.0032	0.0057	0.0049
02:00-03:00 HOUR	0.0040	0.0041	0.0053	0.0047
03:00-04:00 HOUR	0.0051	0.0058	0.0049	0.0043
04:00-05:00 HOUR	0.0051	0.0049	0.0046	0.0043
05:00-06:00 HOUR	0.0049	0.0049	0.0060	0.0038
06:00-07:00 HOUR	0.0055	0.0070	0.0051	0.0047
AVERAGE 24 HOUR	0.0050	0.0045	0.0052	0.0046

LABORATORY SUPERVISOR

ANALYSIS REPORT

PROJECT NAME : IN-PLANT GENERATOR PROJECT IN OPERATION PHASE
CUSTOMER NAME : PTT LNG COMPANY LIMITED
ADDRESS : 8/1, I-8 ROAD, MAP TA PHUT INDUSTRIAL ESTATE, MAP TA PHUT MUEANG RAYONG RAYONG 21150
CONTACT INFORMATION : TEL : 0 3897 8200 e-mail : dan.s@pttlng.com
SAMPLING SOURCE : วัดดาวนคองคาราม
SAMPLE TYPE : AMBIENT
SAMPLING DATE : * ** *** ****
SAMPLING TIME : * ** *** ****
SAMPLING BY : 
ANALYZED BY : 

RECEIVED DATE : SEPTEMBER 20, 2024
ANALYTICAL DATE : SEPTEMBER 20-25, 2024
ISSUE DATE : SEPTEMBER 30, 2024
REPORT NO. : 2024-U090361
WORK NO. : 2023-009993
ANALYSIS NO. : T24AV901-0004 - T24AV901-0007

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT			
			วัดดาวนคองคาราม			
			*	**	***	****
			T24AV901-0004	T24AV901-0005	T24AV901-0006	T24AV901-0007
TOTAL SUSPENDED PARTICULATE MATTER	mg/m ³	GRAVIMETRIC (HIGH VOLUME METHOD)	0.045	0.072	0.045	0.042
PARTICULATE MATTER as PM10 (≤ 10 µm)	mg/m ³	GRAVIMETRIC (HIGH VOLUME METHOD)	0.030	0.013	0.010	0.022
SAMPLE CONDITION			COMPLETE	COMPLETE	COMPLETE	COMPLETE

REMARK
TSP, PM10 : REFERENCE CONDITION IS 25 DEGREE CELSIUS AT 1 ATMOSPHERE.
TSP : US EPA, CODE OF FEDERAL REGULATIONS, 40 CFR CHAPTER I-PART 50 APPENDIX B, REFERENCE METHOD FOR THE DETERMINATION OF SUSPENDED PARTICULATE MATTER IN THE ATMOSPHERE (HIGH-VOLUME METHOD) REVISED AS OF JULY 1, 2021.
PM10 : US EPA, CODE OF FEDERAL REGULATIONS, 40 CFR CHAPTER I-PART 50 APPENDIX J, REFERENCE METHOD FOR THE DETERMINATION OF PARTICULATE MATTER AS PM10 IN THE ATMOSPHERE (HIGH-VOLUME METHOD) REVISED AS OF JULY 1, 2021.
* : SAMPLING FROM 10:00 HOUR ON SEPTEMBER 15, 2024 TO 10:00 HOUR ON SEPTEMBER 16, 2024.
** : SAMPLING FROM 10:00 HOUR ON SEPTEMBER 16, 2024 TO 10:00 HOUR ON SEPTEMBER 17, 2024.
*** : SAMPLING FROM 10:00 HOUR ON SEPTEMBER 17, 2024 TO 10:00 HOUR ON SEPTEMBER 18, 2024.
**** : SAMPLING FROM 10:00 HOUR ON SEPTEMBER 18, 2024 TO 10:00 HOUR ON SEPTEMBER 19, 2024.

LABORATORY SUPERVISOR



ANALYSIS REPORT

PROJECT NAME : IN-PLANT GENERATOR PROJECT IN OPERATION PHASE
CUSTOMER NAME : PTT LNG COMPANY LIMITED
ADDRESS : 8/1, I-8 ROAD, MAP TA PHUT INDUSTRIAL ESTATE, MAP TA PHUT MUEANG RAYONG RAYONG 21150
CONTACT INFORMATION : TEL : 0 3897 8200 e-mail : dan.s@pttlng.com
SAMPLING SOURCE : วัดตากวนคงคาราม
SAMPLE TYPE : AMBIENT
SAMPLING DATE : *, **, ***
SAMPLING TIME : *, **, ***
SAMPLING BY : 
ANALYZED BY : 
RECEIVED DATE : SEPTEMBER 20, 2024
ANALYTICAL DATE : SEPTEMBER 20-25, 2024
ISSUE DATE : SEPTEMBER 30, 2024
REPORT NO. : 2024-U090360
WORK NO. : 2023-009993
ANALYSIS NO. : T24AV901-0001 - T24AV901-0003



PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT		
			วัดตากวนคงคาราม		
			* T24AV901-0001	** T24AV901-0002	*** T24AV901-0003
TOTAL SUSPENDED PARTICULATE MATTER	mg/m ³	GRAVIMETRIC (HIGH VOLUME METHOD)	0.034	0.031	0.034
PARTICULATE MATTER as PM10 (≤ 10 µm)	mg/m ³	GRAVIMETRIC (HIGH VOLUME METHOD)	0.017	0.018	0.016
SAMPLE CONDITION			COMPLETE	COMPLETE	COMPLETE

REMARK
TSP, PM10 : REFERENCE CONDITION IS 25 DEGREE CELSIUS AT 1 ATMOSPHERE.
TSP : US EPA, CODE OF FEDERAL REGULATIONS, 40 CFR CHAPTER I-PART 50 APPENDIX B, REFERENCE METHOD FOR THE DETERMINATION OF SUSPENDED PARTICULATE MATTER IN THE ATMOSPHERE (HIGH-VOLUME METHOD) REVISED AS OF JULY 1, 2021.
PM10 : US EPA, CODE OF FEDERAL REGULATIONS, 40 CFR CHAPTER I-PART 50 APPENDIX J, REFERENCE METHOD FOR THE DETERMINATION OF PARTICULATE MATTER AS PM10 IN THE ATMOSPHERE (HIGH-VOLUME METHOD) REVISED AS OF JULY 1, 2021.
* : SAMPLING FROM 10:00 HOUR ON SEPTEMBER 12, 2024 TO 10:00 HOUR ON SEPTEMBER 13, 2024.
** : SAMPLING FROM 10:00 HOUR ON SEPTEMBER 13, 2024 TO 10:00 HOUR ON SEPTEMBER 14, 2024.
*** : SAMPLING FROM 10:00 HOUR ON SEPTEMBER 14, 2024 TO 10:00 HOUR ON SEPTEMBER 15, 2024.

LABORATORY SUPERVISOR



ANALYSIS REPORT

PROJECT NAME : IN-PLANT GENERATOR PROJECT IN OPERATION PHASE
CUSTOMER NAME : PTT LNG COMPANY LIMITED
ADDRESS : 8/1, I-8 ROAD, MAP TA PHUT INDUSTRIAL ESTATE, MAP TA PHUT MUEANG RAYONG RAYONG 21150
CONTACT INFORMATION : TEL : 0 3897 8200 e-mail : dan.s@pttlng.com
SAMPLING SOURCE : วัดดาวนคองคาราม
SAMPLE TYPE : AMBIENT
SAMPLING DATE : * ** *** ****
SAMPLING TIME : * ** *** ****
SAMPLING BY : 
ANALYZED BY : 
RECEIVED DATE : SEPTEMBER 20, 2024
ANALYTICAL DATE : SEPTEMBER 20-25, 2024
ISSUE DATE : SEPTEMBER 30, 2024
REPORT NO. : 2024-U090361
WORK NO. : 2023-009993
ANALYSIS NO. : T24AV901-0004 - T24AV901-0007

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT			
			วัดดาวนคองคาราม			
			*	**	***	****
			T24AV901-0004	T24AV901-0005	T24AV901-0006	T24AV901-0007
TOTAL SUSPENDED PARTICULATE MATTER	mg/m ³	GRAVIMETRIC (HIGH VOLUME METHOD)	0.045	0.072	0.045	0.042
PARTICULATE MATTER as PM10 (≤ 10 µm)	mg/m ³	GRAVIMETRIC (HIGH VOLUME METHOD)	0.030	0.013	0.010	0.022
SAMPLE CONDITION			COMPLETE	COMPLETE	COMPLETE	COMPLETE

REMARK
TSP, PM10 : REFERENCE CONDITION IS 25 DEGREE CELSIUS AT 1 ATMOSPHERE.
TSP : US EPA, CODE OF FEDERAL REGULATIONS, 40 CFR CHAPTER I-PART 50 APPENDIX B, REFERENCE METHOD FOR THE DETERMINATION OF SUSPENDED PARTICULATE MATTER IN THE ATMOSPHERE (HIGH-VOLUME METHOD) REVISED AS OF JULY 1, 2021.
PM10 : US EPA, CODE OF FEDERAL REGULATIONS, 40 CFR CHAPTER I-PART 50 APPENDIX J, REFERENCE METHOD FOR THE DETERMINATION OF PARTICULATE MATTER AS PM10 IN THE ATMOSPHERE (HIGH-VOLUME METHOD) REVISED AS OF JULY 1, 2021.
* : SAMPLING FROM 10:00 HOUR ON SEPTEMBER 15, 2024 TO 10:00 HOUR ON SEPTEMBER 16, 2024.
** : SAMPLING FROM 10:00 HOUR ON SEPTEMBER 16, 2024 TO 10:00 HOUR ON SEPTEMBER 17, 2024.
*** : SAMPLING FROM 10:00 HOUR ON SEPTEMBER 17, 2024 TO 10:00 HOUR ON SEPTEMBER 18, 2024.
**** : SAMPLING FROM 10:00 HOUR ON SEPTEMBER 18, 2024 TO 10:00 HOUR ON SEPTEMBER 19, 2024.

LABORATORY SUPERVISOR



ANALYSIS REPORT

PROJECT NAME	: IN-PLANT GENERATOR PROJECT IN OPERATION PHASE	RECEIVED DATE	: SEPTEMBER 12-19, 2024
CUSTOMER NAME	: PTT LNG COMPANY LIMITED	ANALYTICAL DATE	: SEPTEMBER 12-19, 2024
ADDRESS	: 8/1, I-8 ROAD, MAP TA PHUT INDUSTRIAL ESTATE, MAP TA PHUT MUEANG RAYONG RAYONG 21150	ISSUE DATE	: SEPTEMBER 26, 2024
CONTACT INFORMATION	: TEL : 0 3897 8200 e-mail : dan.s@pttng.com	REPORT NO.	: 2024-U090108
MEASURING PLACE	: วัดตากวนคลองคาราม	WORK NO.	: 2023-009993
MEASURING TYPE	: AMBIENT (AIR)	ANALYSIS NO.	: T24AV901-0001 - T24AV901-0007
MEASURING DATE	: SEPTEMBER 12-19, 2024		
MEASURING TIME	: *		
MEASURING METHOD	: WIND SPEED & WIND DIRECTION EQUIPMENT		
MEASURED BY	: XXXXXXXXXX		

TIME *	RESULT (m/s)					
	วัดตากวนคลองคาราม					
	SEPTEMBER 12-13, 2024 T24AV901-0001		SEPTEMBER 13-14, 2024 T24AV901-0002		SEPTEMBER 14-15, 2024 T24AV901-0003	
	WIND SPEED	WIND DIRECTION	WIND SPEED	WIND DIRECTION	WIND SPEED	WIND DIRECTION
07:00-08:00 HOUR	1.9	S	1.1	SW	1.3	SW
08:00-09:00 HOUR	1.9	SSW	1.8	S	0.7	WSW
09:00-10:00 HOUR	2.6	SE	1.2	SSW	2.8	SE
10:00-11:00 HOUR	1.3	S	2.6	WSW	1.7	SW
11:00-12:00 HOUR	2.2	SSW	2.5	SE	0.5	SW
12:00-13:00 HOUR	1.6	SW	2.8	S	2.3	SSE
13:00-14:00 HOUR	2.0	SE	0.5	S	0.6	S
14:00-15:00 HOUR	1.6	S	1.2	SW	2.5	S
15:00-16:00 HOUR	0.5	SSE	1.0	SW	1.0	S
16:00-17:00 HOUR	1.6	SSE	1.5	SSW	1.4	S
17:00-18:00 HOUR	1.6	SSW	1.2	SW	2.4	SSE
18:00-19:00 HOUR	1.0	SW	1.8	S	2.5	SSW
19:00-20:00 HOUR	2.3	SSW	1.4	SSW	2.3	SSW
20:00-21:00 HOUR	1.3	SSW	0.7	SSE	2.8	SSW
21:00-22:00 HOUR	1.7	SSW	0.9	SSW	1.0	S
22:00-23:00 HOUR	1.5	S	2.4	SSE	1.6	SSE
23:00-00:00 HOUR	2.3	S	0.9	SSW	0.7	S
00:00-01:00 HOUR	0.5	SW	2.0	SSE	2.9	SSE
01:00-02:00 HOUR	0.6	SW	2.0	SW	1.6	SSW
02:00-03:00 HOUR	2.9	S	1.7	S	0.5	SSW
03:00-04:00 HOUR	2.9	SW	1.7	SW	1.9	S
04:00-05:00 HOUR	1.3	S	2.5	SSE	0.9	SSE
05:00-06:00 HOUR	3.0	SSW	1.1	SSE	2.2	SW
06:00-07:00 HOUR	2.3	SSW	2.8	SSW	1.2	SSW



TIME *	RESULT (m/s)							
	วัดความเร็วลม							
	SEPTEMBER 15-16, 2024		SEPTEMBER 16-17, 2024		SEPTEMBER 17-18, 2024		SEPTEMBER 18-19, 2024	
	T24AV901-0004		T24AV901-0005		T24AV901-0006		T24AV901-0007	
	WIND SPEED	WIND DIRECTION	WIND SPEED	WIND DIRECTION	WIND SPEED	WIND DIRECTION	WIND SPEED	WIND DIRECTION
07:00-08:00 HOUR	1.6	SSE	0.7	SSE	1.2	SSW	3.0	SSW
08:00-09:00 HOUR	1.6	SSW	0.7	S	3.0	S	1.9	S
09:00-10:00 HOUR	2.1	SSW	1.6	SSE	1.6	SSE	1.9	SSE
10:00-11:00 HOUR	2.1	SW	2.6	SSE	2.2	SW	1.3	SW
11:00-12:00 HOUR	2.2	SSW	2.3	S	1.3	SSW	1.9	SW
12:00-13:00 HOUR	1.3	SSE	1.1	SSE	1.1	SSE	1.6	SW
13:00-14:00 HOUR	1.3	SSE	1.3	SSW	1.8	SSW	2.1	SSE
14:00-15:00 HOUR	0.9	SSW	0.9	S	1.1	S	0.6	S
15:00-16:00 HOUR	2.2	SW	1.2	S	1.5	SSE	0.9	SSE
16:00-17:00 HOUR	1.3	SSW	0.6	S	3.0	S	1.9	SW
17:00-18:00 HOUR	1.9	SW	0.5	S	0.6	SW	1.2	SSE
18:00-19:00 HOUR	1.9	SW	0.7	WSW	2.9	SSW	3.0	SE
19:00-20:00 HOUR	2.7	S	3.0	SW	2.6	SSE	1.1	WSW
20:00-21:00 HOUR	1.5	SE	0.9	SSW	1.2	SE	1.2	S
21:00-22:00 HOUR	2.5	S	2.4	S	1.7	S	1.3	S
22:00-23:00 HOUR	0.9	SSW	0.7	S	2.1	SW	2.4	SW
23:00-00:00 HOUR	1.6	SSE	2.7	SW	1.8	S	1.3	SW
00:00-01:00 HOUR	1.0	SSW	2.0	S	0.8	S	0.7	S
01:00-02:00 HOUR	2.2	SSE	1.7	SSW	1.1	S	1.0	SSE
02:00-03:00 HOUR	2.1	SSW	2.0	SSW	2.8	SSW	2.1	SSW
03:00-04:00 HOUR	2.6	S	1.4	S	0.5	WSW	1.4	SW
04:00-05:00 HOUR	2.6	SSW	1.8	S	2.6	SSE	1.7	SSE
05:00-06:00 HOUR	2.6	SSE	2.4	WSW	1.9	S	0.6	WSW
06:00-07:00 HOUR	1.9	SSE	3.0	SW	1.7	SSW	1.4	S

LABORATORY SUPERVISOR

ค-2

คุณภาพอากาศจากแหล่งกำเนิด

ANALYSIS REPORT

PROJECT NAME : IN-PLANT GENERATOR PROJECT IN OPERATION PHASE
CUSTOMER NAME : PTT LNG COMPANY LIMITED
ADDRESS : 8/1, I-8 ROAD, MAP TA PHUT INDUSTRIAL ESTATE, MAP TA PHUT MUEANG RAYONG RAYONG 21150
CONTACT INFORMATION : TEL : 0 3897 8200 e-mail : dan.s@ptt lng.com
SAMPLING SOURCE : PTT LNG COMPANY LIMITED
SAMPLE TYPE : STACK
SAMPLING DATE : SEPTEMBER 16, 2024
SAMPLING TIME : 15:10-16:20 HOUR
SAMPLING BY :
ANALYZED BY :
RECEIVED DATE : SEPTEMBER 17, 2024
ANALYTICAL DATE : SEPTEMBER 17-20, 2024
ISSUE DATE : SEPTEMBER 23, 2024
REPORT NO. : 2024-U088360
WORK NO. : 2023-009993
ANALYSIS NO. : T24AV530-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	
			COMMON STACK UNIT B T24AV530-0001	
			ACTUAL OXYGEN	7% OXYGEN
SULPHUR DIOXIDE	ppm	ABSORPTION, BARIUM-THORIN TITRIMETRIC METHOD AT SITE (US EPA METHOD 6)	< 1.30	< 1.30
OXIDE OF NITROGEN AS NITROGEN DIOXIDE	ppm	ABSORPTION, PHENOLDISULFONIC ACID METHOD (US EPA METHOD 7)	2.33	6.80
SAMPLE CONDITION			COMPLETE	

REMARK
RESULT : REFERENCE CONDITION IS 25 DEGREE CELSIUS AT 1 ATMOSPHERE AND DRY BASIS.

LABORATORY SUPERVISOR
๗-145-๓-0011



ANALYSIS REPORT

PROJECT NAME : IN-PLANT GENERATOR PROJECT IN OPERATION PHASE
CUSTOMER NAME : PTT LNG COMPANY LIMITED
ADDRESS : 8/1, I-8 ROAD, MAP TA PHUT INDUSTRIAL ESTATE, MAP TA PHUT MUEANG RAYONG RAYONG 21150
CONTACT INFORMATION : TEL : 0 3897 8200 e-mail : dan.s@ptting.com
SAMPLING SOURCE : PTT LNG COMPANY LIMITED
SAMPLE TYPE : STACK
SAMPLING DATE : SEPTEMBER 16, 2024
SAMPLING TIME : 15:00-15:44 HOUR
SAMPLING BY : XXXXXXXXXX
ANALYZED BY : XXXXXXXXXX

RECEIVED DATE : SEPTEMBER 17, 2024
ANALYTICAL DATE : SEPTEMBER 17-20, 2024
ISSUE DATE : SEPTEMBER 23, 2024
REPORT NO. : 2024-U088359
WORK NO. : 2023-009993
ANALYSIS NO. : T24AV530-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	
			COMMON STACK UNIT B T24AV530-0001	
			ACTUAL OXYGEN	7% OXYGEN
TOTAL SUSPENDED PARTICULATE	mg/m ³	ISOKINETIC, GRAVIMETRIC METHOD (US EPA METHOD 5)	1.59	4.63
SAMPLE CONDITION			COMPLETE	

REMARK

RESULT : REFERENCE CONDITION IS 25 DEGREE CELSIUS AT 1 ATMOSPHERE AND DRY BASIS.

Budsakorn ✓

(MISS BUDSAKORN LERDPANUMAS)
LABORATORY SUPERVISOR
๓-145-๓-0011



ค-3

ด้านเสียง

ANALYSIS REPORT

PROJECT NAME : IN-PLANT GENERATOR PROJECT IN OPERATION PHASE
CUSTOMER NAME : PTT LNG COMPANY LIMITED
ADDRESS : 8/1, I-8 ROAD, MAP TA PHUT INDUSTRIAL ESTATE, MAP TA PHUT MUEANG RAYONG RAYONG 21150
CONTACT INFORMATION : TEL : 0 3897 8200 e-mail : dan.s@ptt lng.com
MEASURING SOURCE : บริเวณเครื่องกังหันก๊าซ
MEASURING TYPE : AMBIENT (NOISE)
MEASURING DATE : SEPTEMBER 12-13, 2024
MEASURING TIME : *
MEASURING METHOD : INTEGRATED SOUND LEVEL METER
MEASURED BY : XXXXXXXXXX
RECEIVED DATE : SEPTEMBER 12-13, 2024
ANALYTICAL DATE : SEPTEMBER 12-13, 2024
ISSUE DATE : SEPTEMBER 26, 2024
REPORT NO. : 2024-U090098
WORK NO. : 2023-009993
ANALYSIS NO. : T24AV902-0001

TIME*	RESULT dB(A)		
	บริเวณเครื่องกังหันก๊าซ		
	SEPTEMBER 12-13, 2024		
	T24AV902-0001		
	L _{Aeq} 1 hour	L _{Amax} 1 hour	L _{Aeq} 8 hours
07:00-08:00 HOUR	67.6	81.5	-
08:00-09:00 HOUR	66.9	72.6	-
09:00-10:00 HOUR	66.9	72.4	-
10:00-11:00 HOUR	67.0	72.3	-
11:00-12:00 HOUR	66.8	71.8	-
12:00-13:00 HOUR	66.8	71.7	-
13:00-14:00 HOUR	66.9	72.2	-
14:00-15:00 HOUR	66.8	72.5	67.0
15:00-16:00 HOUR	66.9	72.6	-
16:00-17:00 HOUR	66.9	72.5	-
17:00-18:00 HOUR	66.9	71.1	-
18:00-19:00 HOUR	66.9	71.7	-
19:00-20:00 HOUR	66.9	72.2	-
20:00-21:00 HOUR	66.7	71.2	-
21:00-22:00 HOUR	66.8	72.3	-
22:00-23:00 HOUR	66.7	71.7	66.8
23:00-00:00 HOUR	67.1	72.1	-
00:00-01:00 HOUR	66.9	71.8	-
01:00-02:00 HOUR	66.2	69.8	-
02:00-03:00 HOUR	64.2	67.7	-
03:00-04:00 HOUR	64.0	67.1	-
04:00-05:00 HOUR	63.9	65.8	-
05:00-06:00 HOUR	64.0	66.4	-
06:00-07:00 HOUR	63.8	66.1	65.2
L _{Aeq} 24 hours		66.4	

LABORATORY SUPERVISOR



ANALYSIS REPORT

PROJECT NAME	: IN-PLANT GENERATOR PROJECT IN OPERATION PHASE	RECEIVED DATE	: SEPTEMBER 12-19, 2024
CUSTOMER NAME	: PTT LNG COMPANY LIMITED	ANALYTICAL DATE	: SEPTEMBER 12-19, 2024
ADDRESS	: 8/1, I-8 ROAD, MAP TA PHUT INDUSTRIAL ESTATE, MAP TA PHUT MUEANG RAYONG RAYONG 21150	ISSUE DATE	: SEPTEMBER 26, 2024
CONTACT INFORMATION	: TEL : 0 3897 8200 e-mail : dan.s@pttting.com	REPORT NO.	: 2024-U090099
MEASURING SOURCE	: รังวัดด้านเหนือของพื้นที่โครงการ	WORK NO.	: 2023-009993
MEASURING TYPE	: AMBIENT (NOISE)	ANALYSIS NO.	: T24AV902-0002 - T24AV902-0008
MEASURING DATE	: SEPTEMBER 12-19, 2024		
MEASURING TIME	: *		
MEASURING METHOD	: INTEGRATED SOUND LEVEL METER		
MEASURED BY	: [REDACTED]		

TIME*	RESULT dB(A)		
	ริมรั้วด้านเหนือของพื้นที่โครงการ		
	SEPTEMBER 12-13, 2024		
	T24AV902-0002		
	L _{Aeq} 1 hour	L _{Amax} 1 hour	L _{A90} 1 hour
07:00-08:00 HOUR	59.5	80.2	53.1
08:00-09:00 HOUR	60.9	82.3	53.0
09:00-10:00 HOUR	60.6	81.6	54.7
10:00-11:00 HOUR	56.4	76.7	49.2
11:00-12:00 HOUR	58.1	76.1	55.0
12:00-13:00 HOUR	56.7	83.4	49.5
13:00-14:00 HOUR	59.3	83.1	51.3
14:00-15:00 HOUR	56.2	80.6	51.3
15:00-16:00 HOUR	57.5	81.8	49.5
16:00-17:00 HOUR	60.0	83.0	52.6
17:00-18:00 HOUR	60.1	78.5	53.3
18:00-19:00 HOUR	56.5	84.2	46.7
19:00-20:00 HOUR	54.3	74.7	46.0
20:00-21:00 HOUR	54.6	79.6	45.9
21:00-22:00 HOUR	50.2	69.3	45.6
22:00-23:00 HOUR	50.0	71.1	45.7
23:00-00:00 HOUR	56.7	70.3	45.5
00:00-01:00 HOUR	58.5	66.5	46.3
01:00-02:00 HOUR	57.6	75.1	48.0
02:00-03:00 HOUR	54.0	68.3	46.6
03:00-04:00 HOUR	50.7	67.2	46.2
04:00-05:00 HOUR	48.2	71.3	45.8
05:00-06:00 HOUR	52.3	75.2	46.5
06:00-07:00 HOUR	59.5	83.3	50.7
L _{Aeq} 24 hours		57.4	
L _{Adn}		62.6	



TIME*	RESULT dB(A)		
	ริมรั้วด้านเหนือของพื้นที่โครงการ		
	SEPTEMBER 13-14, 2024		
	T24AV902-0003		
	L _{Aeq} 1 hour	L _{Amax} 1 hour	L _{A90} 1 hour
07:00-08:00 HOUR	61.7	83.2	52.8
08:00-09:00 HOUR	61.6	85.5	55.6
09:00-10:00 HOUR	58.5	81.2	54.9
10:00-11:00 HOUR	57.0	81.6	51.1
11:00-12:00 HOUR	57.0	75.5	51.8
12:00-13:00 HOUR	56.1	75.1	50.3
13:00-14:00 HOUR	58.9	80.8	52.0
14:00-15:00 HOUR	58.4	75.2	52.4
15:00-16:00 HOUR	58.0	74.7	52.1
16:00-17:00 HOUR	61.8	94.7	53.0
17:00-18:00 HOUR	59.7	78.2	54.5
18:00-19:00 HOUR	57.6	74.3	51.9
19:00-20:00 HOUR	55.1	72.1	50.7
20:00-21:00 HOUR	53.7	76.3	49.9
21:00-22:00 HOUR	51.0	67.6	48.0
22:00-23:00 HOUR	49.8	80.1	46.1
23:00-00:00 HOUR	54.1	68.7	46.3
00:00-01:00 HOUR	60.7	71.9	48.3
01:00-02:00 HOUR	61.1	73.8	54.8
02:00-03:00 HOUR	54.1	69.8	50.2
03:00-04:00 HOUR	53.5	71.8	49.9
04:00-05:00 HOUR	52.0	73.8	49.7
05:00-06:00 HOUR	54.5	74.8	51.4
06:00-07:00 HOUR	61.8	87.9	55.3
L _{Aeq} 24 hours		58.3	
L _{Adn}		64.2	

TIME*	RESULT dB(A)		
	ริมทางด้านเหนือของพื้นที่โครงการ		
	SEPTEMBER 14-15, 2024		
	T24AV902-0004		
	L _{Aeq} 1 hour	L _{Amax} 1 hour	L _{A90} 1 hour
07:00-08:00 HOUR	61.7	82.2	55.4
08:00-09:00 HOUR	59.5	82.8	54.0
09:00-10:00 HOUR	57.4	81.6	50.5
10:00-11:00 HOUR	60.5	80.1	53.6
11:00-12:00 HOUR	59.3	83.3	52.9
12:00-13:00 HOUR	56.2	77.8	48.9
13:00-14:00 HOUR	58.8	79.0	52.1
14:00-15:00 HOUR	56.8	80.6	52.4
15:00-16:00 HOUR	58.8	82.8	53.2
16:00-17:00 HOUR	57.7	81.1	52.0
17:00-18:00 HOUR	59.1	79.2	51.6
18:00-19:00 HOUR	55.7	75.6	47.8
19:00-20:00 HOUR	53.1	70.9	48.1
20:00-21:00 HOUR	51.6	68.4	47.5
21:00-22:00 HOUR	51.8	76.1	48.2
22:00-23:00 HOUR	51.6	74.5	47.3
23:00-00:00 HOUR	52.7	66.1	48.9
00:00-01:00 HOUR	53.2	67.7	50.3
01:00-02:00 HOUR	53.2	69.5	49.8
02:00-03:00 HOUR	52.0	66.1	49.4
03:00-04:00 HOUR	51.6	64.1	49.8
04:00-05:00 HOUR	53.2	66.2	50.9
05:00-06:00 HOUR	55.1	75.0	51.3
06:00-07:00 HOUR	58.3	77.8	51.1
L _{Aeq} 24 hours		56.9	
L _{Adn}		61.3	

TIME*	RESULT dB(A)		
	ริมรั้วด้านเหนือของพื้นที่โครงการ		
	SEPTEMBER 15-16, 2024		
	T24AV902-0005		
	L _{Aeq} 1 hour	L _{Amax} 1 hour	L _{A90} 1 hour
07:00-08:00 HOUR	56.7	80.6	47.4
08:00-09:00 HOUR	55.6	79.6	47.7
09:00-10:00 HOUR	53.4	76.7	46.9
10:00-11:00 HOUR	53.7	82.8	47.2
11:00-12:00 HOUR	53.7	76.8	47.4
12:00-13:00 HOUR	51.7	73.3	47.0
13:00-14:00 HOUR	53.7	77.8	47.5
14:00-15:00 HOUR	51.4	67.2	47.4
15:00-16:00 HOUR	51.9	71.8	46.6
16:00-17:00 HOUR	56.1	76.5	49.5
17:00-18:00 HOUR	55.9	78.5	49.9
18:00-19:00 HOUR	54.5	72.7	48.0
19:00-20:00 HOUR	60.2	76.2	54.4
20:00-21:00 HOUR	58.1	76.0	53.8
21:00-22:00 HOUR	55.8	69.8	53.8
22:00-23:00 HOUR	54.0	67.6	51.9
23:00-00:00 HOUR	54.5	71.2	52.6
00:00-01:00 HOUR	54.0	65.9	51.8
01:00-02:00 HOUR	52.6	66.5	50.2
02:00-03:00 HOUR	51.0	71.3	48.2
03:00-04:00 HOUR	50.3	69.1	48.2
04:00-05:00 HOUR	51.1	69.9	48.3
05:00-06:00 HOUR	52.9	76.7	49.2
06:00-07:00 HOUR	59.1	76.2	51.4
L _{Aeq} 24 hours		55.1	
L _{Adn}		60.8	

TIME*	RESULT dB(A)		
	ริมรั้วด้านเหนือของพื้นที่โครงการ		
	SEPTEMBER 16-17, 2024		
	T24AV902-0006		
	LAeq 1 hour	LAmx 1 hour	LA90 1 hour
07:00-08:00 HOUR	61.1	79.9	53.6
08:00-09:00 HOUR	60.3	77.9	54.4
09:00-10:00 HOUR	57.6	79.6	51.5
10:00-11:00 HOUR	55.6	71.6	49.7
11:00-12:00 HOUR	56.4	85.5	49.0
12:00-13:00 HOUR	53.9	75.0	48.2
13:00-14:00 HOUR	57.2	78.3	50.5
14:00-15:00 HOUR	58.1	82.9	49.4
15:00-16:00 HOUR	55.7	81.9	48.8
16:00-17:00 HOUR	59.0	87.9	49.8
17:00-18:00 HOUR	59.2	78.2	51.6
18:00-19:00 HOUR	59.8	80.8	51.8
19:00-20:00 HOUR	54.4	74.7	46.9
20:00-21:00 HOUR	51.8	72.0	45.7
21:00-22:00 HOUR	55.0	78.1	50.9
22:00-23:00 HOUR	51.9	75.2	48.8
23:00-00:00 HOUR	51.4	66.5	48.7
00:00-01:00 HOUR	53.2	66.8	50.3
01:00-02:00 HOUR	53.4	68.4	51.6
02:00-03:00 HOUR	51.7	69.7	50.1
03:00-04:00 HOUR	53.0	67.7	50.5
04:00-05:00 HOUR	51.3	69.4	48.0
05:00-06:00 HOUR	53.1	69.5	47.8
06:00-07:00 HOUR	59.2	81.0	51.4
LAeq 24 hours		56.6	
LAdn		61.1	

TIME*	RESULT dB(A)		
	ริมรั้วด้านเหนือของพื้นที่โครงการ		
	SEPTEMBER 17-18, 2024		
	T24AV902-0007		
	L _{Aeq} 1 hour	L _{Amax} 1 hour	L _{A90} 1 hour
07:00-08:00 HOUR	59.1	78.3	53.7
08:00-09:00 HOUR	60.1	80.4	56.3
09:00-10:00 HOUR	60.0	80.7	53.6
10:00-11:00 HOUR	54.9	75.9	51.4
11:00-12:00 HOUR	57.2	80.6	54.6
12:00-13:00 HOUR	55.0	80.2	52.1
13:00-14:00 HOUR	57.4	80.0	52.5
14:00-15:00 HOUR	54.8	71.4	52.2
15:00-16:00 HOUR	55.6	84.1	52.0
16:00-17:00 HOUR	57.9	84.7	52.5
17:00-18:00 HOUR	56.7	77.1	51.4
18:00-19:00 HOUR	54.9	76.6	47.5
19:00-20:00 HOUR	52.0	70.9	47.0
20:00-21:00 HOUR	52.5	74.7	46.8
21:00-22:00 HOUR	48.9	65.0	46.7
22:00-23:00 HOUR	49.5	73.2	46.8
23:00-00:00 HOUR	53.5	63.4	46.8
00:00-01:00 HOUR	53.2	62.7	47.1
01:00-02:00 HOUR	51.6	68.9	47.8
02:00-03:00 HOUR	49.5	64.1	47.2
03:00-04:00 HOUR	48.3	61.5	46.9
04:00-05:00 HOUR	47.8	64.3	46.8
05:00-06:00 HOUR	50.9	75.6	47.0
06:00-07:00 HOUR	56.9	78.7	50.0
L _{Aeq} 24 hours		55.5	
L _{Adn}		59.6	

TIME*	RESULT dB(A)		
	ริมรั้วด้านเหนือของพื้นที่โครงการ		
	SEPTEMBER 18-19, 2024		
	T24AV902-0008		
	L _{Aeq} 1 hour	L _{Amax} 1 hour	L _{A90} 1 hour
07:00-08:00 HOUR	59.8	79.1	53.2
08:00-09:00 HOUR	59.5	81.1	55.2
09:00-10:00 HOUR	58.1	79.0	55.6
10:00-11:00 HOUR	55.8	78.1	52.5
11:00-12:00 HOUR	56.5	84.0	52.0
12:00-13:00 HOUR	54.3	72.9	51.5
13:00-14:00 HOUR	57.1	77.6	52.9
14:00-15:00 HOUR	56.6	73.6	53.5
15:00-16:00 HOUR	56.1	74.7	52.6
16:00-17:00 HOUR	59.2	86.6	54.3
17:00-18:00 HOUR	57.4	75.7	52.5
18:00-19:00 HOUR	56.0	82.7	50.8
19:00-20:00 HOUR	53.2	74.9	50.0
20:00-21:00 HOUR	52.0	66.3	49.4
21:00-22:00 HOUR	49.9	63.2	48.3
22:00-23:00 HOUR	49.4	73.5	47.1
23:00-00:00 HOUR	49.5	62.5	47.0
00:00-01:00 HOUR	52.7	74.1	48.2
01:00-02:00 HOUR	56.8	72.7	54.3
02:00-03:00 HOUR	52.3	74.8	49.2
03:00-04:00 HOUR	51.7	71.2	49.1
04:00-05:00 HOUR	51.3	72.5	49.6
05:00-06:00 HOUR	52.8	64.7	50.6
06:00-07:00 HOUR	58.4	78.1	53.4
L _{Aeq} 24 hours		55.9	
L _{Adn}		60.8	

LABORATORY SUPERVISOR

ANALYSIS REPORT

PROJECT NAME	: IN-PLANT GENERATOR PROJECT IN OPERATION PHASE	RECEIVED DATE	: SEPTEMBER 12-19, 2024
CUSTOMER NAME	: PTT LNG COMPANY LIMITED	ANALYTICAL DATE	: SEPTEMBER 12-19, 2024
ADDRESS	: 8/1, I-8 ROAD, MAP TA PHUT INDUSTRIAL ESTATE, MAP TA PHUT MUEANG RAYONG RAYONG 21150	ISSUE DATE	: SEPTEMBER 26, 2024
CONTACT INFORMATION	: TEL : 0 3897 8200 e-mail : dan.s@pttting.com	REPORT NO.	: 2024-U090100
MEASURING SOURCE	: วัดดาวกวนคงคาราม	WORK NO.	: 2023-009993
MEASURING TYPE	: AMBIENT (NOISE)	ANALYSIS NO.	: T24AV902-0009 - T24AV902-0015
MEASURING DATE	: SEPTEMBER 12-19, 2024		
MEASURING TIME	: *		
MEASURING METHOD	: INTEGRATED SOUND LEVEL METER		
MEASURED BY	: [REDACTED]		

TIME*	RESULT dB(A)		
	วัดดาวกวนคงคาราม		
	SEPTEMBER 12-13, 2024		
	T24AV902-0009		
	L _{Aeq} 1 hour	L _{Amax} 1 hour	L _{A90} 1 hour
07:00-08:00 HOUR	52.2	71.1	46.1
08:00-09:00 HOUR	49.3	70.6	41.0
09:00-10:00 HOUR	49.5	69.8	40.4
10:00-11:00 HOUR	47.7	69.3	41.0
11:00-12:00 HOUR	50.0	66.6	43.3
12:00-13:00 HOUR	52.3	70.2	44.9
13:00-14:00 HOUR	50.3	77.9	43.8
14:00-15:00 HOUR	53.7	87.8	42.6
15:00-16:00 HOUR	50.3	76.1	43.8
16:00-17:00 HOUR	51.1	73.8	44.7
17:00-18:00 HOUR	53.8	82.6	43.7
18:00-19:00 HOUR	47.8	68.1	41.3
19:00-20:00 HOUR	44.1	62.7	40.9
20:00-21:00 HOUR	45.5	61.9	42.1
21:00-22:00 HOUR	46.3	61.9	44.3
22:00-23:00 HOUR	46.8	62.1	45.0
23:00-00:00 HOUR	46.5	74.6	45.8
00:00-01:00 HOUR	46.9	71.3	45.7
01:00-02:00 HOUR	47.0	61.3	46.0
02:00-03:00 HOUR	44.9	58.2	40.5
03:00-04:00 HOUR	42.6	63.2	41.3
04:00-05:00 HOUR	49.2	90.5	40.9
05:00-06:00 HOUR	47.0	84.6	40.5
06:00-07:00 HOUR	51.1	84.9	42.4
L _{Aeq} 24 hours		49.5	
L _{Adn}		54.4	



TIME*	RESULT dB(A)		
	วัดตากวนคลองการาม		
	SEPTEMBER 13-14, 2024		
	T24AV902-0010		
	L _{Aeq} 1 hour	L _{Amax} 1 hour	L _{A90} 1 hour
07:00-08:00 HOUR	52.3	77.9	44.8
08:00-09:00 HOUR	49.0	72.9	42.7
09:00-10:00 HOUR	49.5	76.9	42.8
10:00-11:00 HOUR	49.3	67.7	44.7
11:00-12:00 HOUR	51.6	72.7	46.2
12:00-13:00 HOUR	53.0	88.8	45.2
13:00-14:00 HOUR	51.2	80.8	43.1
14:00-15:00 HOUR	48.7	71.6	43.6
15:00-16:00 HOUR	47.4	63.6	43.1
16:00-17:00 HOUR	47.8	64.1	42.1
17:00-18:00 HOUR	50.0	80.4	43.1
18:00-19:00 HOUR	48.4	71.3	42.4
19:00-20:00 HOUR	48.5	72.1	44.1
20:00-21:00 HOUR	51.8	76.6	47.4
21:00-22:00 HOUR	50.0	82.4	45.7
22:00-23:00 HOUR	47.5	70.1	45.2
23:00-00:00 HOUR	46.4	84.8	44.2
00:00-01:00 HOUR	50.8	66.7	45.2
01:00-02:00 HOUR	60.4	83.5	57.5
02:00-03:00 HOUR	51.3	79.7	48.0
03:00-04:00 HOUR	48.5	64.0	47.4
04:00-05:00 HOUR	51.2	61.5	49.9
05:00-06:00 HOUR	52.4	71.5	49.6
06:00-07:00 HOUR	51.8	77.5	47.8
L _{Aeq} 24 hours		51.7	
L _{Adn}		59.5	

TIME*	RESULT dB(A)		
	วัดถาวรณคองการารม		
	SEPTEMBER 14-15, 2024		
	T24AV902-0011		
	L _{Aeq} 1 hour	L _{Amax} 1 hour	L _{A90} 1 hour
07:00-08:00 HOUR	53.6	76.3	48.7
08:00-09:00 HOUR	52.8	78.5	45.2
09:00-10:00 HOUR	52.0	75.9	44.6
10:00-11:00 HOUR	49.8	79.1	41.8
11:00-12:00 HOUR	48.5	75.4	42.7
12:00-13:00 HOUR	47.5	68.7	42.2
13:00-14:00 HOUR	50.2	72.8	45.1
14:00-15:00 HOUR	50.2	72.4	44.6
15:00-16:00 HOUR	48.2	72.3	42.7
16:00-17:00 HOUR	49.1	67.2	42.3
17:00-18:00 HOUR	49.0	68.4	42.4
18:00-19:00 HOUR	50.7	85.5	42.0
19:00-20:00 HOUR	48.8	75.9	44.2
20:00-21:00 HOUR	50.9	82.6	45.0
21:00-22:00 HOUR	49.8	61.2	46.9
22:00-23:00 HOUR	48.0	60.2	46.2
23:00-00:00 HOUR	47.4	59.7	45.3
00:00-01:00 HOUR	48.1	73.4	46.1
01:00-02:00 HOUR	48.3	63.7	47.1
02:00-03:00 HOUR	47.9	68.3	46.5
03:00-04:00 HOUR	47.3	62.9	46.2
04:00-05:00 HOUR	47.7	70.5	45.7
05:00-06:00 HOUR	47.6	75.4	44.4
06:00-07:00 HOUR	52.9	86.0	44.9
L _{Aeq} 24 hours		49.9	
L _{Adn}		55.5	

TIME*	RESULT dB(A)		
	วัดตาดวนคงคาราม		
	SEPTEMBER 15-16, 2024		
	T24AV902-0012		
	L _{Aeq} 1 hour	L _{Amax} 1 hour	L _{A90} 1 hour
07:00-08:00 HOUR	51.4	73.9	43.2
08:00-09:00 HOUR	51.5	75.2	43.0
09:00-10:00 HOUR	52.2	82.4	44.6
10:00-11:00 HOUR	50.6	76.4	45.0
11:00-12:00 HOUR	51.6	69.8	46.4
12:00-13:00 HOUR	51.4	76.2	46.1
13:00-14:00 HOUR	53.4	64.8	46.7
14:00-15:00 HOUR	56.1	75.2	45.9
15:00-16:00 HOUR	52.1	87.5	43.6
16:00-17:00 HOUR	51.7	86.8	44.0
17:00-18:00 HOUR	49.6	90.8	43.9
18:00-19:00 HOUR	48.7	71.0	40.7
19:00-20:00 HOUR	45.0	77.4	41.8
20:00-21:00 HOUR	45.0	71.6	41.0
21:00-22:00 HOUR	46.3	80.3	40.8
22:00-23:00 HOUR	46.4	66.5	44.2
23:00-00:00 HOUR	45.7	83.8	43.6
00:00-01:00 HOUR	46.0	57.8	42.0
01:00-02:00 HOUR	42.6	64.5	40.6
02:00-03:00 HOUR	42.8	67.9	40.6
03:00-04:00 HOUR	40.0	66.6	38.8
04:00-05:00 HOUR	41.4	68.2	39.5
05:00-06:00 HOUR	46.6	75.0	41.0
06:00-07:00 HOUR	54.5	79.4	44.5
L _{Aeq} 24 hours		50.3	
L _{Adn}		54.7	

TIME*	RESULT dB(A)		
	วัดตากวนคงคาราม		
	SEPTEMBER 16-17, 2024		
	T24AV902-0013		
	L _{Aeq} 1 hour	L _{Amax} 1 hour	L _{A90} 1 hour
07:00-08:00 HOUR	52.6	70.9	47.5
08:00-09:00 HOUR	50.8	73.9	43.6
09:00-10:00 HOUR	50.6	71.1	42.6
10:00-11:00 HOUR	48.3	69.3	41.4
11:00-12:00 HOUR	49.0	69.9	43.0
12:00-13:00 HOUR	49.8	67.8	43.5
13:00-14:00 HOUR	54.4	86.1	43.1
14:00-15:00 HOUR	47.9	66.4	42.7
15:00-16:00 HOUR	48.3	69.1	42.9
16:00-17:00 HOUR	49.5	90.3	41.6
17:00-18:00 HOUR	50.1	75.8	41.3
18:00-19:00 HOUR	48.9	70.3	42.0
19:00-20:00 HOUR	46.9	61.9	43.0
20:00-21:00 HOUR	48.7	68.6	45.2
21:00-22:00 HOUR	48.6	63.6	45.6
22:00-23:00 HOUR	47.3	59.1	45.3
23:00-00:00 HOUR	46.7	70.4	45.2
00:00-01:00 HOUR	48.2	62.3	45.5
01:00-02:00 HOUR	52.3	63.7	50.4
02:00-03:00 HOUR	47.8	60.1	45.7
03:00-04:00 HOUR	46.1	59.9	44.6
04:00-05:00 HOUR	48.7	68.5	45.5
05:00-06:00 HOUR	49.2	73.7	45.1
06:00-07:00 HOUR	51.4	74.2	45.2
L _{Aeq} 24 hours		49.7	
L _{Adn}		55.7	

TIME*	RESULT dB(A)		
	วัดตามถนนสาธารณะ		
	SEPTEMBER 17-18, 2024		
	T24AV902-0014		
	L _{Aeq} 1 hour	L _{Amax} 1 hour	L _{A90} 1 hour
07:00-08:00 HOUR	54.1	71.4	48.9
08:00-09:00 HOUR	53.4	68.9	47.9
09:00-10:00 HOUR	52.7	70.0	47.5
10:00-11:00 HOUR	52.7	71.6	47.3
11:00-12:00 HOUR	52.3	69.1	47.0
12:00-13:00 HOUR	52.1	68.8	47.4
13:00-14:00 HOUR	51.3	69.0	46.7
14:00-15:00 HOUR	52.0	66.5	47.3
15:00-16:00 HOUR	51.9	67.9	46.5
16:00-17:00 HOUR	53.3	73.0	47.3
17:00-18:00 HOUR	52.1	71.7	46.3
18:00-19:00 HOUR	51.7	70.3	47.3
19:00-20:00 HOUR	49.8	65.4	47.1
20:00-21:00 HOUR	49.4	64.3	47.4
21:00-22:00 HOUR	47.8	59.3	46.2
22:00-23:00 HOUR	47.3	57.9	45.9
23:00-00:00 HOUR	46.7	58.2	45.3
00:00-01:00 HOUR	46.8	56.8	45.4
01:00-02:00 HOUR	46.6	57.2	45.0
02:00-03:00 HOUR	46.8	57.0	45.1
03:00-04:00 HOUR	47.2	59.2	45.4
04:00-05:00 HOUR	47.8	67.2	45.2
05:00-06:00 HOUR	49.9	64.4	45.9
06:00-07:00 HOUR	54.1	72.6	48.3
L _{Aeq} 24 hours		51.1	
L _{Adn}		56.0	

TIME*	RESULT dB(A)		
	วัดค่ากวนคงคาราม		
	SEPTEMBER 18-19, 2024		
	T24AV902-0015		
	L _{Aeq} 1 hour	L _{Amax} 1 hour	L _{A90} 1 hour
07:00-08:00 HOUR	53.0	68.1	48.7
08:00-09:00 HOUR	52.6	69.5	47.6
09:00-10:00 HOUR	52.1	67.1	46.8
10:00-11:00 HOUR	51.5	67.2	47.1
11:00-12:00 HOUR	51.1	66.0	47.1
12:00-13:00 HOUR	50.8	66.1	46.9
13:00-14:00 HOUR	50.7	65.2	46.7
14:00-15:00 HOUR	50.5	66.3	46.5
15:00-16:00 HOUR	50.6	65.4	45.8
16:00-17:00 HOUR	51.1	68.5	46.4
17:00-18:00 HOUR	52.2	70.5	46.8
18:00-19:00 HOUR	50.7	68.1	46.3
19:00-20:00 HOUR	48.6	64.1	46.0
20:00-21:00 HOUR	48.0	59.9	46.0
21:00-22:00 HOUR	47.5	59.3	45.7
22:00-23:00 HOUR	47.2	56.7	45.8
23:00-00:00 HOUR	46.7	56.9	45.4
00:00-01:00 HOUR	46.6	58.5	45.3
01:00-02:00 HOUR	46.6	57.7	45.0
02:00-03:00 HOUR	46.3	59.5	45.1
03:00-04:00 HOUR	46.0	58.4	44.5
04:00-05:00 HOUR	47.1	66.0	44.5
05:00-06:00 HOUR	49.5	64.0	45.0
06:00-07:00 HOUR	52.2	68.0	47.4
L _{Aeq} 24 hours		50.1	
L _{Adn}		55.1	

LABORATORY SUPERVISOR

ANALYSIS REPORT

PROJECT NAME : IN-PLANT GENERATOR PROJECT IN OPERATION PHASE
CUSTOMER NAME : PTT LNG COMPANY LIMITED
ADDRESS : 8/1, I-8 ROAD, MAP TA PHUT INDUSTRIAL ESTATE, MAP TA PHUT MUEANG RAYONG RAYONG 21150
CONTACT INFORMATION : TEL : 0 3897 8200 e-mail : dan.s@pttng.com
MEASURING PLACE : รังวัดด้านเหนือของพื้นที่โครงการ
MEASURING TYPE : AMBIENT (ANNOYANCE NOISE)
MEASURING DATE : SEPTEMBER 12-19, 2024
MEASURING TIME : *
MEASURING EQUIPMENT : INTEGRATED SOUND LEVEL METER AND CALCULATION
MEASURED BY : XXXXXXXXXX

RECEIVED DATE : SEPTEMBER 12-19, 2024
ANALYTICAL DATE : SEPTEMBER 12-19, 2024
ISSUE DATE : SEPTEMBER 26, 2024
REPORT NO. : 2024-U090101
WORK NO. : 2023-009993
ANALYSIS NO. : T24AV902-0002 - T24AV902-0008

DATE	TIME*	RESULT (dB(A))				
		ริมรั้วด้านเหนือของพื้นที่โครงการ				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 12, 2024 T24AV902-0002	DAY TIME ^{1/}					
	07:00-08:00 HOUR	59.5 ^{1/}	56.6 **	56.4 ^{1/}	50.2 **	6.2
	08:00-09:00 HOUR	60.9 ^{1/}	57.4 **	58.3 ^{1/}	50.7 **	7.6
	09:00-10:00 HOUR	60.6 ^{1/}	56.8 **	58.3 ^{1/}	50.7 **	7.6
	10:00-11:00 HOUR	56.4 ^{1/}	51.5 **	54.7 ^{1/}	46.9 **	7.8
	11:00-12:00 HOUR	58.1 ^{1/}	54.6 **	55.5 ^{1/}	51.5 **	4.0
	12:00-13:00 HOUR	56.7 ^{1/}	52.7 **	54.5 ^{1/}	46.9 **	7.6
	13:00-14:00 HOUR	59.3 ^{1/}	55.3 **	57.1 ^{1/}	49.4 **	7.7
	14:00-15:00 HOUR	56.2 ^{1/}	51.6 **	54.4 ^{1/}	47.8 **	6.6
	15:00-16:00 HOUR	57.5 ^{1/}	52.3 **	55.9 ^{1/}	47.8 **	8.1
	16:00-17:00 HOUR	60.0 ^{1/}	57.3 **	56.7 ^{1/}	49.6 **	7.1
	17:00-18:00 HOUR	60.1 ^{1/}	56.7 **	57.4 ^{1/}	51.2 **	6.2
	18:00-19:00 HOUR	56.5 ^{1/}	55.1 **	50.9 ^{1/}	44.6 **	6.3
	19:00-20:00 HOUR	54.3 ^{1/}	49.8 **	52.4 ^{1/}	45.0 **	7.4
	20:00-21:00 HOUR	54.6 ^{1/}	49.4 **	53.0 ^{1/}	44.9 **	8.1
	21:00-22:00 HOUR	50.2 ^{1/}	47.6 **	46.7 ^{1/}	42.9 **	3.8
	NIGHT TIME ^{2/}					
	22:00-22:05 HOUR	48.2 ^{2/}	47.4 ***	43.5 ^{2/}	42.7 ***	0.8
	22:05-22:10 HOUR	47.5 ^{2/}	47.4 ***	34.1 ^{2/}	42.7 ***	<0.8 ^{3/}
	22:10-22:15 HOUR	49.7 ^{2/}	47.4 ***	48.8 ^{2/}	42.7 ***	6.1
	22:15-22:20 HOUR	48.2 ^{2/}	50.7 ***	<0.8 ^{3/}	44.0 ***	<0.8 ^{3/}
	22:20-22:25 HOUR	52.7 ^{2/}	50.7 ***	51.4 ^{2/}	44.0 ***	7.4
	22:25-22:30 HOUR	50.1 ^{2/}	50.7 ***	<0.8 ^{3/}	44.0 ***	<0.8 ^{3/}
	22:30-22:35 HOUR	50.6 ^{2/}	47.9 ***	50.3 ^{2/}	43.0 ***	7.3
	22:35-22:40 HOUR	48.0 ^{2/}	47.9 ***	34.6 ^{2/}	43.0 ***	<0.8 ^{3/}
	22:40-22:45 HOUR	50.2 ^{2/}	47.9 ***	49.3 ^{2/}	43.0 ***	6.3
	22:45-22:50 HOUR	51.8 ^{2/}	49.2 ***	51.3 ^{2/}	42.7 ***	8.6
	22:50-22:55 HOUR	50.0 ^{2/}	49.2 ***	45.3 ^{2/}	42.7 ***	2.6
	22:55-23:00 HOUR	49.7 ^{2/}	49.2 ***	43.1 ^{2/}	42.7 ***	<0.8 ^{3/}
	23:00-23:05 HOUR	54.7 ^{2/}	54.0 ***	49.4 ^{2/}	45.5 ***	3.9
	23:05-23:10 HOUR	55.3 ^{2/}	54.0 ***	52.4 ^{2/}	45.5 ***	6.9
	23:10-23:15 HOUR	54.7 ^{2/}	54.0 ***	49.4 ^{2/}	45.5 ***	3.9



DATE	TIME*	RESULT (dB(A))				
		ริมรั้วด้านเหนือของพื้นที่โครงการ				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 12, 2024	NIGHT TIME ^{2/}					
T24AV902-0002	23:15-23:20 HOUR	53.6 ^{2/}	56.2 ***	<0.8 ^{3/}	46.2 ***	<0.8 ^{3/}
	23:20-23:25 HOUR	55.9 ^{2/}	56.2 ***	<0.8 ^{3/}	46.2 ***	<0.8 ^{3/}
	23:25-23:30 HOUR	57.5 ^{2/}	56.2 ***	54.6 ^{2/}	46.2 ***	8.4
	23:30-23:35 HOUR	57.0 ^{2/}	56.7 ***	48.2 ^{2/}	43.9 ***	4.3
	23:35-23:40 HOUR	57.2 ^{2/}	56.7 ***	50.6 ^{2/}	43.9 ***	6.7
	23:40-23:45 HOUR	57.3 ^{2/}	56.7 ***	51.4 ^{2/}	43.9 ***	7.5
	23:45-23:50 HOUR	58.0 ^{2/}	57.3 ***	52.7 ^{2/}	44.5 ***	8.2
	23:50-23:55 HOUR	57.9 ^{2/}	57.3 ***	52.0 ^{2/}	44.5 ***	7.5
	23:55-00:00 HOUR	58.0 ^{2/}	57.3 ***	52.7 ^{2/}	44.5 ***	8.2
SEPTEMBER 13, 2024	NIGHT TIME ^{2/}					
T24AV902-0002	00:00-00:05 HOUR	59.5 ^{2/}	59.6 ***	<0.8 ^{3/}	46.9 ***	<0.8 ^{3/}
	00:05-00:10 HOUR	58.4 ^{2/}	59.6 ***	<0.8 ^{3/}	46.9 ***	<0.8 ^{3/}
	00:10-00:15 HOUR	60.1 ^{2/}	59.6 ***	53.5 ^{2/}	46.9 ***	6.6
	00:15-00:20 HOUR	58.3 ^{2/}	58.0 ***	49.5 ^{2/}	45.1 ***	4.4
	00:20-00:25 HOUR	58.5 ^{2/}	58.0 ***	51.9 ^{2/}	45.1 ***	6.8
	00:25-00:30 HOUR	58.4 ^{2/}	58.0 ***	50.8 ^{2/}	45.1 ***	5.7
	00:30-00:35 HOUR	59.6 ^{2/}	59.2 ***	52.0 ^{2/}	46.4 ***	5.6
	00:35-00:40 HOUR	59.1 ^{2/}	59.2 ***	<0.8 ^{3/}	46.4 ***	<0.8 ^{3/}
	00:40-00:45 HOUR	59.6 ^{2/}	59.2 ***	52.0 ^{2/}	46.4 ***	5.6
	00:45-00:50 HOUR	55.9 ^{2/}	55.7 ***	45.4 ^{2/}	42.5 ***	2.9
	00:50-00:55 HOUR	56.2 ^{2/}	55.7 ***	49.6 ^{2/}	42.5 ***	7.1
	00:55-01:00 HOUR	56.3 ^{2/}	55.7 ***	50.4 ^{2/}	42.5 ***	7.9
	01:00-01:05 HOUR	57.6 ^{2/}	57.1 ***	51.0 ^{2/}	47.0 ***	4.0
	01:05-01:10 HOUR	57.7 ^{2/}	57.1 ***	51.8 ^{2/}	47.0 ***	4.8
	01:10-01:15 HOUR	57.5 ^{2/}	57.1 ***	49.9 ^{2/}	47.0 ***	2.9
	01:15-01:20 HOUR	58.3 ^{2/}	57.3 ***	54.4 ^{2/}	48.2 ***	6.2
	01:20-01:25 HOUR	57.7 ^{2/}	57.3 ***	50.1 ^{2/}	48.2 ***	1.9
	01:25-01:30 HOUR	57.3 ^{2/}	57.3 ***	<0.8 ^{3/}	48.2 ***	<0.8 ^{3/}
	01:30-01:35 HOUR	57.7 ^{2/}	58.1 ***	<0.8 ^{3/}	47.3 ***	<0.8 ^{3/}
	01:35-01:40 HOUR	57.1 ^{2/}	58.1 ***	<0.8 ^{3/}	47.3 ***	<0.8 ^{3/}
	01:40-01:45 HOUR	59.0 ^{2/}	58.1 ***	54.7 ^{2/}	47.3 ***	7.4
	01:45-01:50 HOUR	57.3 ^{2/}	56.3 ***	53.4 ^{2/}	46.9 ***	6.5
	01:50-01:55 HOUR	56.6 ^{2/}	56.3 ***	47.8 ^{2/}	46.9 ***	0.9
	01:55-02:00 HOUR	56.7 ^{2/}	56.3 ***	49.1 ^{2/}	46.9 ***	2.2
	02:00-02:05 HOUR	57.8 ^{2/}	56.7 ***	54.3 ^{2/}	46.1 ***	8.2
	02:05-02:10 HOUR	55.6 ^{2/}	56.7 ***	<0.8 ^{3/}	46.1 ***	<0.8 ^{3/}
	02:10-02:15 HOUR	54.4 ^{2/}	56.7 ***	<0.8 ^{3/}	46.1 ***	<0.8 ^{3/}
	02:15-02:20 HOUR	53.1 ^{2/}	52.3 ***	48.4 ^{2/}	45.5 ***	2.9
	02:20-02:25 HOUR	52.6 ^{2/}	52.3 ***	43.8 ^{2/}	45.5 ***	<0.8 ^{3/}
	02:25-02:30 HOUR	54.1 ^{2/}	52.3 ***	52.4 ^{2/}	45.5 ***	6.9
	02:30-02:35 HOUR	51.7 ^{2/}	52.4 ***	<0.8 ^{3/}	45.1 ***	<0.8 ^{3/}
	02:35-02:40 HOUR	50.1 ^{2/}	52.4 ***	<0.8 ^{3/}	45.1 ***	<0.8 ^{3/}
	02:40-02:45 HOUR	54.6 ^{2/}	52.4 ***	53.6 ^{2/}	45.1 ***	8.5
	02:45-02:50 HOUR	55.4 ^{2/}	53.8 ***	53.3 ^{2/}	45.3 ***	8.0

DATE	TIME*	RESULT (dB(A))				
		ริมรั้วด้านเหนือของพื้นที่โครงการ				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 13, 2024	NIGHT TIME ^{2/}					
T24AV902-0002	02:50-02:55 HOUR	51.3 ^{2/}	53.8 ***	<0.8 ^{3/}	45.3 ***	<0.8 ^{3/}
	02:55-03:00 HOUR	49.4 ^{2/}	53.8 ***	<0.8 ^{3/}	45.3 ***	<0.8 ^{3/}
	03:00-03:05 HOUR	51.0 ^{2/}	50.8 ***	40.5 ^{2/}	44.7 ***	<0.8 ^{3/}
	03:05-03:10 HOUR	51.2 ^{2/}	50.8 ***	43.6 ^{2/}	44.7 ***	<0.8 ^{3/}
	03:10-03:15 HOUR	51.6 ^{2/}	50.8 ***	46.9 ^{2/}	44.7 ***	2.2
	03:15-03:20 HOUR	51.8 ^{2/}	53.3 ***	<0.8 ^{3/}	45.8 ***	<0.8 ^{3/}
	03:20-03:25 HOUR	51.8 ^{2/}	53.3 ***	<0.8 ^{3/}	45.8 ***	<0.8 ^{3/}
	03:25-03:30 HOUR	55.3 ^{2/}	53.3 ***	54.0 ^{2/}	45.8 ***	8.2
	03:30-03:35 HOUR	47.3 ^{2/}	45.6 ***	45.4 ^{2/}	43.8 ***	1.6
	03:35-03:40 HOUR	47.0 ^{2/}	45.6 ***	44.4 ^{2/}	43.8 ***	<0.8 ^{3/}
	03:40-03:45 HOUR	46.9 ^{2/}	45.6 ***	44.0 ^{2/}	43.8 ***	<0.8 ^{3/}
	03:45-03:50 HOUR	47.0 ^{2/}	45.2 ***	45.3 ^{2/}	43.7 ***	1.6
	03:50-03:55 HOUR	49.6 ^{2/}	45.2 ***	50.6 ^{2/}	43.7 ***	6.9
	03:55-04:00 HOUR	48.2 ^{2/}	45.2 ***	48.2 ^{2/}	43.7 ***	4.5
	04:00-04:05 HOUR	46.7 ^{2/}	45.6 ***	43.2 ^{2/}	43.9 ***	<0.8 ^{3/}
	04:05-04:10 HOUR	47.9 ^{2/}	45.6 ***	47.0 ^{2/}	43.9 ***	3.1
	04:10-04:15 HOUR	48.1 ^{2/}	45.6 ***	47.5 ^{2/}	43.9 ***	3.6
	04:15-04:20 HOUR	47.9 ^{2/}	44.6 ***	48.2 ^{2/}	43.1 ***	5.1
	04:20-04:25 HOUR	47.8 ^{2/}	44.6 ***	48.0 ^{2/}	43.1 ***	4.9
	04:25-04:30 HOUR	46.0 ^{2/}	44.6 ***	43.4 ^{2/}	43.1 ***	<0.8 ^{3/}
	04:30-04:35 HOUR	47.9 ^{2/}	46.0 ***	46.4 ^{2/}	43.7 ***	2.7
	04:35-04:40 HOUR	49.5 ^{2/}	46.0 ***	49.9 ^{2/}	43.7 ***	6.2
	04:40-04:45 HOUR	46.9 ^{2/}	46.0 ***	42.6 ^{2/}	43.7 ***	<0.8 ^{3/}
	04:45-04:50 HOUR	46.3 ^{2/}	48.7 ***	<0.8 ^{3/}	43.3 ***	<0.8 ^{3/}
	04:50-04:55 HOUR	50.3 ^{2/}	48.7 ***	48.2 ^{2/}	43.3 ***	4.9
	04:55-05:00 HOUR	50.7 ^{2/}	48.7 ***	49.4 ^{2/}	43.3 ***	6.1
	05:00-05:05 HOUR	53.2 ^{2/}	53.2 ***	<0.8 ^{3/}	45.1 ***	<0.8 ^{3/}
	05:05-05:10 HOUR	52.6 ^{2/}	53.2 ***	<0.8 ^{3/}	45.1 ***	<0.8 ^{3/}
	05:10-05:15 HOUR	53.8 ^{2/}	53.2 ***	47.9 ^{2/}	45.1 ***	2.8
	05:15-05:20 HOUR	51.6 ^{2/}	50.2 ***	49.0 ^{2/}	44.1 ***	4.9
	05:20-05:25 HOUR	51.6 ^{2/}	50.2 ***	49.0 ^{2/}	44.1 ***	4.9
	05:25-05:30 HOUR	51.3 ^{2/}	50.2 ***	47.8 ^{2/}	44.1 ***	3.7
	05:30-05:35 HOUR	51.7 ^{2/}	49.6 ***	50.5 ^{2/}	43.7 ***	6.8
	05:35-05:40 HOUR	50.0 ^{2/}	49.6 ***	42.4 ^{2/}	43.7 ***	<0.8 ^{3/}
	05:40-05:45 HOUR	50.4 ^{2/}	49.6 ***	45.7 ^{2/}	43.7 ***	2.0
	05:45-05:50 HOUR	51.4 ^{2/}	52.5 ***	<0.8 ^{3/}	46.3 ***	<0.8 ^{3/}
	05:50-05:55 HOUR	52.1 ^{2/}	52.5 ***	<0.8 ^{3/}	46.3 ***	<0.8 ^{3/}
	05:55-06:00 HOUR	55.0 ^{2/}	52.5 ***	54.4 ^{2/}	46.3 ***	8.1
	DAY TIME ^{1/}					
	06:00-07:00 HOUR	59.5 ^{1/}	56.3 **	56.7 ^{1/}	48.2 **	8.5
SEPTEMBER 13, 2024	DAY TIME ^{1/}					
T24AV902-0003	07:00-08:00 HOUR	61.7 ^{1/}	59.4 **	57.8 ^{1/}	51.1 **	6.7
	08:00-09:00 HOUR	61.6 ^{1/}	59.4 **	57.6 ^{1/}	53.8 **	3.8
	09:00-10:00 HOUR	58.5 ^{1/}	55.9 **	55.0 ^{1/}	53.4 **	1.6
	10:00-11:00 HOUR	57.0 ^{1/}	55.2 **	52.3 ^{1/}	49.8 **	2.5

DATE	TIME*	RESULT (dB(A))				
		ริมรั้วด้านเหนือของพื้นที่โครงการ				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 13, 2024	DAY TIME ^{1/}					
T24AV902-0003	11:00-12:00 HOUR	57.0 ^{1/}	53.8 **	54.2 ^{1/}	49.6 **	4.6
	12:00-13:00 HOUR	56.1 ^{1/}	53.4 **	52.8 ^{1/}	48.6 **	4.2
	13:00-14:00 HOUR	58.9 ^{1/}	56.2 **	55.6 ^{1/}	50.2 **	5.4
	14:00-15:00 HOUR	58.4 ^{1/}	56.9 **	53.1 ^{1/}	51.1 **	2.0
	15:00-16:00 HOUR	58.0 ^{1/}	54.1 **	55.7 ^{1/}	50.3 **	5.4
	16:00-17:00 HOUR	61.8 ^{1/}	58.2 **	59.3 ^{1/}	52.4 **	6.9
	17:00-18:00 HOUR	59.7 ^{1/}	57.1 **	56.2 ^{1/}	52.3 **	3.9
	18:00-19:00 HOUR	57.6 ^{1/}	53.7 **	55.3 ^{1/}	49.5 **	5.8
	19:00-20:00 HOUR	55.1 ^{1/}	53.1 **	50.8 ^{1/}	50.0 **	0.8
	20:00-21:00 HOUR	53.7 ^{1/}	52.5 **	47.5 ^{1/}	48.5 **	<0.8 ^{3/}
	21:00-22:00 HOUR	51.0 ^{1/}	49.0 **	46.7 ^{1/}	46.3 **	<0.8 ^{3/}
	NIGHT TIME ^{2/}					
	22:00-22:05 HOUR	50.2 ^{2/}	47.9 ***	49.3 ^{2/}	44.2 ***	5.1
	22:05-22:10 HOUR	50.1 ^{2/}	47.9 ***	49.1 ^{2/}	44.2 ***	4.9
	22:10-22:15 HOUR	49.1 ^{2/}	47.9 ***	45.9 ^{2/}	44.2 ***	1.7
	22:15-22:20 HOUR	48.1 ^{2/}	51.7 ***	<0.8 ^{3/}	44.1 ***	<0.8 ^{3/}
	22:20-22:25 HOUR	50.6 ^{2/}	51.7 ***	<0.8 ^{3/}	44.1 ***	<0.8 ^{3/}
	22:25-22:30 HOUR	52.0 ^{2/}	51.7 ***	43.2 ^{2/}	44.1 ***	<0.8 ^{3/}
	22:30-22:35 HOUR	50.1 ^{2/}	47.5 ***	49.6 ^{2/}	44.2 ***	5.4
	22:35-22:40 HOUR	49.8 ^{2/}	47.5 ***	48.9 ^{2/}	44.2 ***	4.7
	22:40-22:45 HOUR	50.8 ^{2/}	47.5 ***	51.1 ^{2/}	44.2 ***	6.9
	22:45-22:50 HOUR	47.9 ^{2/}	47.4 ***	41.3 ^{2/}	44.8 ***	<0.8 ^{3/}
	22:50-22:55 HOUR	49.3 ^{2/}	47.4 ***	47.8 ^{2/}	44.8 ***	3.0
	22:55-23:00 HOUR	46.8 ^{2/}	47.4 ***	<0.8 ^{3/}	44.8 ***	<0.8 ^{3/}
	23:00-23:05 HOUR	48.8 ^{2/}	48.9 ***	<0.8 ^{3/}	45.1 ***	<0.8 ^{3/}
	23:05-23:10 HOUR	49.6 ^{2/}	48.9 ***	44.3 ^{2/}	45.1 ***	<0.8 ^{3/}
	23:10-23:15 HOUR	49.8 ^{2/}	48.9 ***	45.5 ^{2/}	45.1 ***	<0.8 ^{3/}
	23:15-23:20 HOUR	49.6 ^{2/}	50.3 ***	<0.8 ^{3/}	45.0 ***	<0.8 ^{3/}
	23:20-23:25 HOUR	50.5 ^{2/}	50.3 ***	40.0 ^{2/}	45.0 ***	<0.8 ^{3/}
	23:25-23:30 HOUR	52.0 ^{2/}	50.3 ***	50.1 ^{2/}	45.0 ***	5.1
	23:30-23:35 HOUR	50.6 ^{2/}	55.2 ***	<0.8 ^{3/}	44.6 ***	<0.8 ^{3/}
	23:35-23:40 HOUR	51.8 ^{2/}	55.2 ***	<0.8 ^{3/}	44.6 ***	<0.8 ^{3/}
	23:40-23:45 HOUR	53.2 ^{2/}	55.2 ***	<0.8 ^{3/}	44.6 ***	<0.8 ^{3/}
	23:45-23:50 HOUR	58.3 ^{2/}	58.1 ***	47.8 ^{2/}	46.4 ***	1.4
	23:50-23:55 HOUR	58.4 ^{2/}	58.1 ***	49.6 ^{2/}	46.4 ***	3.2
	23:55-00:00 HOUR	57.7 ^{2/}	58.1 ***	<0.8 ^{3/}	46.4 ***	<0.8 ^{3/}
SEPTEMBER 14, 2024	NIGHT TIME ^{2/}					
T24AV902-0003	00:00-00:05 HOUR	59.3 ^{2/}	60.8 ***	<0.8 ^{3/}	49.2 ***	<0.8 ^{3/}
	00:05-00:10 HOUR	56.7 ^{2/}	60.8 ***	<0.8 ^{3/}	49.2 ***	<0.8 ^{3/}
	00:10-00:15 HOUR	60.1 ^{2/}	60.8 ***	<0.8 ^{3/}	49.2 ***	<0.8 ^{3/}
	00:15-00:20 HOUR	60.7 ^{2/}	60.3 ***	53.1 ^{2/}	46.4 ***	6.7
	00:20-00:25 HOUR	60.5 ^{2/}	60.3 ***	50.0 ^{2/}	46.4 ***	3.6
	00:25-00:30 HOUR	60.9 ^{2/}	60.3 ***	55.0 ^{2/}	46.4 ***	8.6
	00:30-00:35 HOUR	61.0 ^{2/}	60.3 ***	55.7 ^{2/}	47.6 ***	8.1
	00:35-00:40 HOUR	60.7 ^{2/}	60.3 ***	53.1 ^{2/}	47.6 ***	5.5

DATE	TIME*	RESULT (dB(A))				
		ริมรั้วด้านเหนือของพื้นที่โครงการ				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 14, 2024	NIGHT TIME ^{2/}					
T24AV902-0003	00:40-00:45 HOUR	60.5 ^{2/}	60.3 ***	50.0 ^{2/}	47.6 ***	2.4
	00:45-00:50 HOUR	62.4 ^{2/}	62.4 ***	<0.8 ^{3/}	49.3 ***	<0.8 ^{3/}
	00:50-00:55 HOUR	60.1 ^{2/}	62.4 ***	<0.8 ^{3/}	49.3 ***	<0.8 ^{3/}
	00:55-01:00 HOUR	63.0 ^{2/}	62.4 ***	57.1 ^{2/}	49.3 ***	7.8
	01:00-01:05 HOUR	58.4 ^{2/}	58.0 ***	50.8 ^{2/}	52.5 ***	<0.8 ^{3/}
	01:05-01:10 HOUR	59.0 ^{2/}	58.0 ***	55.1 ^{2/}	52.5 ***	2.6
	01:10-01:15 HOUR	57.8 ^{2/}	58.0 ***	<0.8 ^{3/}	52.5 ***	<0.8 ^{3/}
	01:15-01:20 HOUR	58.3 ^{2/}	60.6 ***	<0.8 ^{3/}	55.5 ***	<0.8 ^{3/}
	01:20-01:25 HOUR	60.6 ^{2/}	60.6 ***	<0.8 ^{3/}	55.5 ***	<0.8 ^{3/}
	01:25-01:30 HOUR	62.6 ^{2/}	60.6 ***	61.3 ^{2/}	55.5 ***	5.8
	01:30-01:35 HOUR	60.4 ^{2/}	61.1 ***	<0.8 ^{3/}	53.6 ***	<0.8 ^{3/}
	01:35-01:40 HOUR	61.6 ^{2/}	61.1 ***	55.0 ^{2/}	53.6 ***	1.4
	01:40-01:45 HOUR	61.5 ^{2/}	61.1 ***	53.9 ^{2/}	53.6 ***	<0.8 ^{3/}
	01:45-01:50 HOUR	62.9 ^{2/}	62.6 ***	54.1 ^{2/}	52.8 ***	1.3
	01:50-01:55 HOUR	62.8 ^{2/}	62.6 ***	52.3 ^{2/}	52.8 ***	<0.8 ^{3/}
	01:55-02:00 HOUR	62.9 ^{2/}	62.6 ***	54.1 ^{2/}	52.8 ***	1.3
	02:00-02:05 HOUR	54.4 ^{2/}	53.6 ***	49.7 ^{2/}	51.2 ***	<0.8 ^{3/}
	02:05-02:10 HOUR	55.9 ^{2/}	53.6 ***	55.0 ^{2/}	51.2 ***	3.8
	02:10-02:15 HOUR	55.1 ^{2/}	53.6 ***	52.8 ^{2/}	51.2 ***	1.6
	02:15-02:20 HOUR	53.1 ^{2/}	50.2 ***	53.0 ^{2/}	48.1 ***	4.9
	02:20-02:25 HOUR	51.4 ^{2/}	50.2 ***	48.2 ^{2/}	48.1 ***	<0.8 ^{3/}
	02:25-02:30 HOUR	54.1 ^{2/}	50.2 ***	54.8 ^{2/}	48.1 ***	6.7
	02:30-02:35 HOUR	52.7 ^{2/}	53.6 ***	<0.8 ^{3/}	48.1 ***	<0.8 ^{3/}
	02:35-02:40 HOUR	53.7 ^{2/}	53.6 ***	40.3 ^{2/}	48.1 ***	<0.8 ^{3/}
	02:40-02:45 HOUR	56.6 ^{2/}	53.6 ***	56.6 ^{2/}	48.1 ***	8.5
	02:45-02:50 HOUR	52.6 ^{2/}	51.8 ***	47.9 ^{2/}	47.2 ***	<0.8 ^{3/}
	02:50-02:55 HOUR	53.6 ^{2/}	51.8 ***	51.9 ^{2/}	47.2 ***	4.7
	02:55-03:00 HOUR	52.6 ^{2/}	51.8 ***	47.9 ^{2/}	47.2 ***	<0.8 ^{3/}
	03:00-03:05 HOUR	52.4 ^{2/}	50.9 ***	50.1 ^{2/}	48.2 ***	1.9
	03:05-03:10 HOUR	49.7 ^{2/}	50.9 ***	<0.8 ^{3/}	48.2 ***	<0.8 ^{3/}
	03:10-03:15 HOUR	53.7 ^{2/}	50.9 ***	53.5 ^{2/}	48.2 ***	5.3
	03:15-03:20 HOUR	53.5 ^{2/}	50.8 ***	53.2 ^{2/}	47.9 ***	5.3
	03:20-03:25 HOUR	51.3 ^{2/}	50.8 ***	44.7 ^{2/}	47.9 ***	<0.8 ^{3/}
	03:25-03:30 HOUR	53.9 ^{2/}	50.8 ***	54.0 ^{2/}	47.9 ***	6.1
	03:30-03:35 HOUR	51.0 ^{2/}	51.2 ***	<0.8 ^{3/}	49.4 ***	<0.8 ^{3/}
	03:35-03:40 HOUR	54.0 ^{2/}	51.2 ***	53.8 ^{2/}	49.4 ***	4.4
	03:40-03:45 HOUR	53.7 ^{2/}	51.2 ***	53.1 ^{2/}	49.4 ***	3.7
	03:45-03:50 HOUR	54.6 ^{2/}	52.7 ***	53.1 ^{2/}	49.7 ***	3.4
	03:50-03:55 HOUR	53.3 ^{2/}	52.7 ***	47.4 ^{2/}	49.7 ***	<0.8 ^{3/}
	03:55-04:00 HOUR	56.9 ^{2/}	52.7 ***	57.8 ^{2/}	49.7 ***	8.1
	04:00-04:05 HOUR	50.9 ^{2/}	48.8 ***	49.7 ^{2/}	47.6 ***	2.1
	04:05-04:10 HOUR	49.7 ^{2/}	48.8 ***	45.4 ^{2/}	47.6 ***	<0.8 ^{3/}
	04:10-04:15 HOUR	50.3 ^{2/}	48.8 ***	48.0 ^{2/}	47.6 ***	<0.8 ^{3/}
	04:15-04:20 HOUR	52.1 ^{2/}	53.0 ***	<0.8 ^{3/}	49.2 ***	<0.8 ^{3/}

DATE	TIME*	RESULT (dB(A))				
		ริมรั้วด้านเหนือของพื้นที่โครงการ				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 14, 2024	NIGHT TIME ^{2/}					
T24AV902-0003	04:20-04:25 HOUR	50.4 ^{2/}	53.0 ***	<0.8 ^{3/}	49.2 ***	<0.8 ^{3/}
	04:25-04:30 HOUR	54.0 ^{2/}	53.0 ***	50.1 ^{2/}	49.2 ***	0.9
	04:30-04:35 HOUR	52.4 ^{2/}	52.4 ***	<0.8 ^{3/}	49.7 ***	<0.8 ^{3/}
	04:35-04:40 HOUR	51.4 ^{2/}	52.4 ***	<0.8 ^{3/}	49.7 ***	<0.8 ^{3/}
	04:40-04:45 HOUR	55.1 ^{2/}	52.4 ***	54.8 ^{2/}	49.7 ***	5.1
	04:45-04:50 HOUR	51.7 ^{2/}	50.2 ***	49.4 ^{2/}	48.3 ***	1.1
	04:50-04:55 HOUR	51.1 ^{2/}	50.2 ***	46.8 ^{2/}	48.3 ***	<0.8 ^{3/}
	04:55-05:00 HOUR	51.0 ^{2/}	50.2 ***	46.3 ^{2/}	48.3 ***	<0.8 ^{3/}
	05:00-05:05 HOUR	53.1 ^{2/}	50.6 ***	52.5 ^{2/}	48.5 ***	4.0
	05:05-05:10 HOUR	52.2 ^{2/}	50.6 ***	50.1 ^{2/}	48.5 ***	1.6
	05:10-05:15 HOUR	51.6 ^{2/}	50.6 ***	47.7 ^{2/}	48.5 ***	<0.8 ^{3/}
	05:15-05:20 HOUR	53.1 ^{2/}	52.9 ***	42.6 ^{2/}	50.5 ***	<0.8 ^{3/}
	05:20-05:25 HOUR	55.2 ^{2/}	52.9 ***	54.3 ^{2/}	50.5 ***	3.8
	05:25-05:30 HOUR	54.9 ^{2/}	52.9 ***	53.6 ^{2/}	50.5 ***	3.1
	05:30-05:35 HOUR	53.3 ^{2/}	54.3 ***	<0.8 ^{3/}	51.2 ***	<0.8 ^{3/}
	05:35-05:40 HOUR	53.7 ^{2/}	54.3 ***	<0.8 ^{3/}	51.2 ***	<0.8 ^{3/}
	05:40-05:45 HOUR	57.4 ^{2/}	54.3 ***	57.5 ^{2/}	51.2 ***	6.3
	05:45-05:50 HOUR	54.8 ^{2/}	53.8 ***	50.9 ^{2/}	49.3 ***	1.6
	05:50-05:55 HOUR	54.1 ^{2/}	53.8 ***	45.3 ^{2/}	49.3 ***	<0.8 ^{3/}
	05:55-06:00 HOUR	56.4 ^{2/}	53.8 ***	55.9 ^{2/}	49.3 ***	6.6
	DAY TIME ^{1/}					
	06:00-07:00 HOUR	61.8 ^{1/}	61.4 **	51.2 ^{1/}	54.0 **	<0.8 ^{3/}
SEPTEMBER 14, 2024	DAY TIME ^{1/}					
T24AV902-0004	07:00-08:00 HOUR	61.7 ^{1/}	60.4 **	55.8 ^{1/}	53.6 **	2.2
	08:00-09:00 HOUR	59.5 ^{1/}	56.1 **	56.8 ^{1/}	51.6 **	5.2
	09:00-10:00 HOUR	57.4 ^{1/}	54.2 **	54.6 ^{1/}	49.8 **	4.8
	10:00-11:00 HOUR	60.5 ^{1/}	57.2 **	57.8 ^{1/}	51.9 **	5.9
	11:00-12:00 HOUR	59.3 ^{1/}	55.4 **	57.0 ^{1/}	51.0 **	6.0
	12:00-13:00 HOUR	56.2 ^{1/}	54.3 **	51.7 ^{1/}	47.8 **	3.9
	13:00-14:00 HOUR	58.8 ^{1/}	54.5 **	56.8 ^{1/}	50.6 **	6.2
	14:00-15:00 HOUR	56.8 ^{1/}	53.5 **	54.1 ^{1/}	50.6 **	3.5
	15:00-16:00 HOUR	58.8 ^{1/}	59.2 **	<0.8 ^{3/}	52.6 **	<0.8 ^{3/}
	16:00-17:00 HOUR	57.7 ^{1/}	54.8 **	54.6 ^{1/}	49.7 **	4.9
	17:00-18:00 HOUR	59.1 ^{1/}	56.8 **	55.2 ^{1/}	49.2 **	6.0
	18:00-19:00 HOUR	55.7 ^{1/}	51.5 **	53.6 ^{1/}	46.1 **	7.5
	19:00-20:00 HOUR	53.1 ^{1/}	50.8 **	49.2 ^{1/}	46.8 **	2.4
	20:00-21:00 HOUR	51.6 ^{1/}	50.7 **	44.3 ^{1/}	46.5 **	<0.8 ^{3/}
	21:00-22:00 HOUR	51.8 ^{1/}	50.2 **	46.7 ^{1/}	46.9 **	<0.8 ^{3/}
	NIGHT TIME ^{2/}					
	22:00-22:05 HOUR	52.5 ^{2/}	48.5 ***	53.3 ^{2/}	45.0 ***	8.3
	22:05-22:10 HOUR	51.1 ^{2/}	48.5 ***	50.6 ^{2/}	45.0 ***	5.6
	22:10-22:15 HOUR	49.0 ^{2/}	48.5 ***	42.4 ^{2/}	45.0 ***	<0.8 ^{3/}
	22:15-22:20 HOUR	54.0 ^{2/}	49.7 ***	55.0 ^{2/}	46.3 ***	8.7
	22:20-22:25 HOUR	51.3 ^{2/}	49.7 ***	49.2 ^{2/}	46.3 ***	2.9
	22:25-22:30 HOUR	49.5 ^{2/}	49.7 ***	<0.8 ^{3/}	46.3 ***	<0.8 ^{3/}

DATE	TIME*	RESULT (dB(A))				
		ริมรั้วด้านเหนือของพื้นที่โครงการ				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 14, 2024	NIGHT TIME ^{2/}					
T24AV902-0004	22:30-22:35 HOUR	50.7 ^{2/}	49.1 ***	48.6 ^{2/}	45.5 ***	3.1
	22:35-22:40 HOUR	51.8 ^{2/}	49.1 ***	51.5 ^{2/}	45.5 ***	6.0
	22:40-22:45 HOUR	51.2 ^{2/}	49.1 ***	50.0 ^{2/}	45.5 ***	4.5
	22:45-22:50 HOUR	50.4 ^{2/}	50.8 ***	<0.8 ^{3/}	47.2 ***	<0.8 ^{3/}
	22:50-22:55 HOUR	52.4 ^{2/}	50.8 ***	50.3 ^{2/}	47.2 ***	3.1
	22:55-23:00 HOUR	52.8 ^{2/}	50.8 ***	51.5 ^{2/}	47.2 ***	4.3
	23:00-23:05 HOUR	52.6 ^{2/}	51.3 ***	49.7 ^{2/}	47.7 ***	2.0
	23:05-23:10 HOUR	53.9 ^{2/}	51.3 ***	53.4 ^{2/}	47.7 ***	5.7
	23:10-23:15 HOUR	52.1 ^{2/}	51.3 ***	47.4 ^{2/}	47.7 ***	<0.8 ^{3/}
	23:15-23:20 HOUR	52.6 ^{2/}	51.7 ***	48.3 ^{2/}	47.8 ***	<0.8 ^{3/}
	23:20-23:25 HOUR	54.2 ^{2/}	51.7 ***	53.6 ^{2/}	47.8 ***	5.8
	23:25-23:30 HOUR	52.2 ^{2/}	51.7 ***	45.6 ^{2/}	47.8 ***	<0.8 ^{3/}
	23:30-23:35 HOUR	51.9 ^{2/}	49.9 ***	50.6 ^{2/}	46.6 ***	4.0
	23:35-23:40 HOUR	53.8 ^{2/}	49.9 ***	54.5 ^{2/}	46.6 ***	7.9
	23:40-23:45 HOUR	51.9 ^{2/}	49.9 ***	50.6 ^{2/}	46.6 ***	4.0
	23:45-23:50 HOUR	51.8 ^{2/}	49.5 ***	50.9 ^{2/}	46.1 ***	4.8
	23:50-23:55 HOUR	53.0 ^{2/}	49.5 ***	53.4 ^{2/}	46.1 ***	7.3
	23:55-00:00 HOUR	51.6 ^{2/}	49.5 ***	50.4 ^{2/}	46.1 ***	4.3
SEPTEMBER 15, 2024	NIGHT TIME ^{2/}					
T24AV902-0004	00:00-00:05 HOUR	51.5 ^{2/}	51.0 ***	44.9 ^{2/}	47.9 ***	<0.8 ^{3/}
	00:05-00:10 HOUR	53.2 ^{2/}	51.0 ***	52.2 ^{2/}	47.9 ***	4.3
	00:10-00:15 HOUR	53.2 ^{2/}	51.0 ***	52.2 ^{2/}	47.9 ***	4.3
	00:15-00:20 HOUR	53.1 ^{2/}	51.2 ***	51.6 ^{2/}	47.7 ***	3.9
	00:20-00:25 HOUR	54.6 ^{2/}	51.2 ***	54.9 ^{2/}	47.7 ***	7.2
	00:25-00:30 HOUR	53.1 ^{2/}	51.2 ***	51.6 ^{2/}	47.7 ***	3.9
	00:30-00:35 HOUR	52.4 ^{2/}	51.1 ***	49.5 ^{2/}	48.5 ***	1.0
	00:35-00:40 HOUR	52.1 ^{2/}	51.1 ***	48.2 ^{2/}	48.5 ***	<0.8 ^{3/}
	00:40-00:45 HOUR	53.9 ^{2/}	51.1 ***	53.7 ^{2/}	48.5 ***	5.2
	00:45-00:50 HOUR	54.3 ^{2/}	51.4 ***	54.2 ^{2/}	49.3 ***	4.9
	00:50-00:55 HOUR	53.3 ^{2/}	51.4 ***	51.8 ^{2/}	49.3 ***	2.5
	00:55-01:00 HOUR	52.6 ^{2/}	51.4 ***	49.4 ^{2/}	49.3 ***	<0.8 ^{3/}
	01:00-01:05 HOUR	53.0 ^{2/}	53.2 ***	<0.8 ^{3/}	49.0 ***	<0.8 ^{3/}
	01:05-01:10 HOUR	54.6 ^{2/}	53.2 ***	52.0 ^{2/}	49.0 ***	3.0
	01:10-01:15 HOUR	55.1 ^{2/}	53.2 ***	53.6 ^{2/}	49.0 ***	4.6
	01:15-01:20 HOUR	53.2 ^{2/}	51.1 ***	52.0 ^{2/}	48.2 ***	3.8
	01:20-01:25 HOUR	52.0 ^{2/}	51.1 ***	47.7 ^{2/}	48.2 ***	<0.8 ^{3/}
	01:25-01:30 HOUR	53.8 ^{2/}	51.1 ***	53.5 ^{2/}	48.2 ***	5.3
	01:30-01:35 HOUR	51.9 ^{2/}	52.5 ***	<0.8 ^{3/}	49.1 ***	<0.8 ^{3/}
	01:35-01:40 HOUR	52.3 ^{2/}	52.5 ***	<0.8 ^{3/}	49.1 ***	<0.8 ^{3/}
	01:40-01:45 HOUR	54.2 ^{2/}	52.5 ***	52.3 ^{2/}	49.1 ***	3.2
	01:45-01:50 HOUR	52.5 ^{2/}	49.8 ***	52.2 ^{2/}	47.5 ***	4.7
	01:50-01:55 HOUR	53.1 ^{2/}	49.8 ***	53.4 ^{2/}	47.5 ***	5.9
	01:55-02:00 HOUR	50.9 ^{2/}	49.8 ***	47.4 ^{2/}	47.5 ***	<0.8 ^{3/}
	02:00-02:05 HOUR	51.5 ^{2/}	50.6 ***	47.2 ^{2/}	48.1 ***	<0.8 ^{3/}

DATE	TIME*	RESULT (dB(A))				
		ริมรั้วด้านเหนือของพื้นที่โครงการ				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 15, 2024	NIGHT TIME ^{2/}					
T24AV902-0004	02:05-02:10 HOUR	52.9 ^{2/}	50.6 ***	52.0 ^{2/}	48.1 ***	3.9
	02:10-02:15 HOUR	52.2 ^{2/}	50.6 ***	50.1 ^{2/}	48.1 ***	2.0
	02:15-02:20 HOUR	52.2 ^{2/}	49.5 ***	51.9 ^{2/}	47.5 ***	4.4
	02:20-02:25 HOUR	52.1 ^{2/}	49.5 ***	51.6 ^{2/}	47.5 ***	4.1
	02:25-02:30 HOUR	51.1 ^{2/}	49.5 ***	49.0 ^{2/}	47.5 ***	1.5
	02:30-02:35 HOUR	51.6 ^{2/}	50.3 ***	48.7 ^{2/}	48.2 ***	<0.8 ^{3/}
	02:35-02:40 HOUR	51.9 ^{2/}	50.3 ***	49.8 ^{2/}	48.2 ***	1.6
	02:40-02:45 HOUR	52.1 ^{2/}	50.3 ***	50.4 ^{2/}	48.2 ***	2.2
	02:45-02:50 HOUR	51.7 ^{2/}	50.6 ***	48.2 ^{2/}	48.4 ***	<0.8 ^{3/}
	02:50-02:55 HOUR	52.7 ^{2/}	50.6 ***	51.5 ^{2/}	48.4 ***	3.1
	02:55-03:00 HOUR	51.7 ^{2/}	50.6 ***	48.2 ^{2/}	48.4 ***	<0.8 ^{3/}
	03:00-03:05 HOUR	51.8 ^{2/}	51.2 ***	45.9 ^{2/}	49.2 ***	<0.8 ^{3/}
	03:05-03:10 HOUR	51.4 ^{2/}	51.2 ***	40.9 ^{2/}	49.2 ***	<0.8 ^{3/}
	03:10-03:15 HOUR	53.0 ^{2/}	51.2 ***	51.3 ^{2/}	49.2 ***	2.1
	03:15-03:20 HOUR	51.3 ^{2/}	50.3 ***	47.4 ^{2/}	49.0 ***	<0.8 ^{3/}
	03:20-03:25 HOUR	50.9 ^{2/}	50.3 ***	45.0 ^{2/}	49.0 ***	<0.8 ^{3/}
	03:25-03:30 HOUR	51.0 ^{2/}	50.3 ***	45.7 ^{2/}	49.0 ***	<0.8 ^{3/}
	03:30-03:35 HOUR	52.1 ^{2/}	49.3 ***	51.9 ^{2/}	48.2 ***	3.7
	03:35-03:40 HOUR	51.0 ^{2/}	49.3 ***	49.1 ^{2/}	48.2 ***	0.9
	03:40-03:45 HOUR	50.5 ^{2/}	49.3 ***	47.3 ^{2/}	48.2 ***	<0.8 ^{3/}
	03:45-03:50 HOUR	51.0 ^{2/}	50.1 ***	46.7 ^{2/}	48.1 ***	<0.8 ^{3/}
	03:50-03:55 HOUR	51.5 ^{2/}	50.1 ***	48.9 ^{2/}	48.1 ***	0.8
	03:55-04:00 HOUR	52.5 ^{2/}	50.1 ***	51.8 ^{2/}	48.1 ***	3.7
	04:00-04:05 HOUR	52.4 ^{2/}	52.1 ***	43.6 ^{2/}	49.9 ***	<0.8 ^{3/}
	04:05-04:10 HOUR	52.2 ^{2/}	52.1 ***	38.8 ^{2/}	49.9 ***	<0.8 ^{3/}
	04:10-04:15 HOUR	52.5 ^{2/}	52.1 ***	44.9 ^{2/}	49.9 ***	<0.8 ^{3/}
	04:15-04:20 HOUR	53.3 ^{2/}	52.2 ***	49.8 ^{2/}	50.3 ***	<0.8 ^{3/}
	04:20-04:25 HOUR	53.7 ^{2/}	52.2 ***	51.4 ^{2/}	50.3 ***	1.1
	04:25-04:30 HOUR	52.8 ^{2/}	52.2 ***	46.9 ^{2/}	50.3 ***	<0.8 ^{3/}
	04:30-04:35 HOUR	53.1 ^{2/}	50.5 ***	52.6 ^{2/}	48.8 ***	3.8
	04:35-04:40 HOUR	52.0 ^{2/}	50.5 ***	49.7 ^{2/}	48.8 ***	0.9
	04:40-04:45 HOUR	52.8 ^{2/}	50.5 ***	51.9 ^{2/}	48.8 ***	3.1
	04:45-04:50 HOUR	53.2 ^{2/}	53.6 ***	<0.8 ^{3/}	51.1 ***	<0.8 ^{3/}
	04:50-04:55 HOUR	54.8 ^{2/}	53.6 ***	51.6 ^{2/}	51.1 ***	<0.8 ^{3/}
	04:55-05:00 HOUR	54.4 ^{2/}	53.6 ***	49.7 ^{2/}	51.1 ***	<0.8 ^{3/}
	05:00-05:05 HOUR	53.3 ^{2/}	53.6 ***	<0.8 ^{3/}	50.3 ***	<0.8 ^{3/}
	05:05-05:10 HOUR	56.2 ^{2/}	53.6 ***	55.7 ^{2/}	50.3 ***	5.4
	05:10-05:15 HOUR	53.6 ^{2/}	53.6 ***	<0.8 ^{3/}	50.3 ***	<0.8 ^{3/}
	05:15-05:20 HOUR	55.7 ^{2/}	55.5 ***	45.2 ^{2/}	50.3 ***	<0.8 ^{3/}
	05:20-05:25 HOUR	54.7 ^{2/}	55.5 ***	<0.8 ^{3/}	50.3 ***	<0.8 ^{3/}
	05:25-05:30 HOUR	57.4 ^{2/}	55.5 ***	55.9 ^{2/}	50.3 ***	5.6
	05:30-05:35 HOUR	54.9 ^{2/}	53.1 ***	53.2 ^{2/}	50.1 ***	3.1
	05:35-05:40 HOUR	55.4 ^{2/}	53.1 ***	54.5 ^{2/}	50.1 ***	4.4
	05:40-05:45 HOUR	53.5 ^{2/}	53.1 ***	45.9 ^{2/}	50.1 ***	<0.8 ^{3/}

DATE	TIME*	RESULT (dB(A))				
		ริมรั้วด้านเหนือของพื้นที่โครงการ				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 15, 2024	NIGHT TIME ^{2/}					
T24AV902-0004	05:45-05:50 HOUR	53.5 ^{2/}	54.0 ***	<0.8 ^{3/}	49.4 ***	<0.8 ^{3/}
	05:50-05:55 HOUR	54.4 ^{2/}	54.0 ***	46.8 ^{2/}	49.4 ***	<0.8 ^{3/}
	05:55-06:00 HOUR	55.9 ^{2/}	54.0 ***	54.4 ^{2/}	49.4 ***	5.0
	DAY TIME ^{1/}					
	06:00-07:00 HOUR	58.3 ^{1/}	57.0 **	52.4 ^{1/}	49.3 **	3.1
SEPTEMBER 15, 2024	DAY TIME ^{1/}					
T24AV902-0005	07:00-08:00 HOUR	56.7 ^{1/}	54.3 **	53.0 ^{1/}	45.9 **	7.1
	08:00-09:00 HOUR	55.6 ^{1/}	54.9 **	47.3 ^{1/}	46.2 **	1.1
	09:00-10:00 HOUR	53.4 ^{1/}	50.4 **	50.4 ^{1/}	45.8 **	4.6
	10:00-11:00 HOUR	53.7 ^{1/}	51.2 **	50.1 ^{1/}	46.2 **	3.9
	11:00-12:00 HOUR	53.7 ^{1/}	53.0 **	45.4 ^{1/}	46.6 **	<0.8 ^{3/}
	12:00-13:00 HOUR	51.7 ^{1/}	48.8 **	48.6 ^{1/}	45.9 **	2.7
	13:00-14:00 HOUR	53.7 ^{1/}	49.7 **	51.5 ^{1/}	46.5 **	5.0
	14:00-15:00 HOUR	51.4 ^{1/}	48.8 **	47.9 ^{1/}	45.4 **	2.5
	15:00-16:00 HOUR	51.9 ^{1/}	51.9 **	<0.8 ^{3/}	44.8 **	<0.8 ^{3/}
	16:00-17:00 HOUR	56.1 ^{1/}	53.4 **	52.8 ^{1/}	48.4 **	4.4
	17:00-18:00 HOUR	55.9 ^{1/}	53.2 **	52.6 ^{1/}	48.1 **	4.5
	18:00-19:00 HOUR	54.5 ^{1/}	52.0 **	50.9 ^{1/}	46.6 **	4.3
	19:00-20:00 HOUR	60.2 ^{1/}	58.2 **	55.9 ^{1/}	53.2 **	2.7
	20:00-21:00 HOUR	58.1 ^{1/}	55.0 **	55.2 ^{1/}	52.3 **	2.9
	21:00-22:00 HOUR	55.8 ^{1/}	54.5 **	49.9 ^{1/}	52.4 **	<0.8 ^{3/}
	NIGHT TIME ^{2/}					
	22:00-22:05 HOUR	53.9 ^{2/}	53.5 ***	46.3 ^{2/}	51.0 ***	<0.8 ^{3/}
	22:05-22:10 HOUR	54.4 ^{2/}	53.5 ***	50.1 ^{2/}	51.0 ***	<0.8 ^{3/}
	22:10-22:15 HOUR	53.9 ^{2/}	53.5 ***	46.3 ^{2/}	51.0 ***	<0.8 ^{3/}
	22:15-22:20 HOUR	53.8 ^{2/}	51.9 ***	52.3 ^{2/}	50.4 ***	1.9
	22:20-22:25 HOUR	53.4 ^{2/}	51.9 ***	51.1 ^{2/}	50.4 ***	<0.8 ^{3/}
	22:25-22:30 HOUR	53.2 ^{2/}	51.9 ***	50.3 ^{2/}	50.4 ***	<0.8 ^{3/}
	22:30-22:35 HOUR	53.8 ^{2/}	52.6 ***	50.6 ^{2/}	50.5 ***	<0.8 ^{3/}
	22:35-22:40 HOUR	53.6 ^{2/}	52.6 ***	49.7 ^{2/}	50.5 ***	<0.8 ^{3/}
	22:40-22:45 HOUR	53.4 ^{2/}	52.6 ***	48.7 ^{2/}	50.5 ***	<0.8 ^{3/}
	22:45-22:50 HOUR	54.7 ^{2/}	52.2 ***	54.1 ^{2/}	50.3 ***	3.8
	22:50-22:55 HOUR	54.6 ^{2/}	52.2 ***	53.9 ^{2/}	50.3 ***	3.6
	22:55-23:00 HOUR	54.6 ^{2/}	52.2 ***	53.9 ^{2/}	50.3 ***	3.6
	23:00-23:05 HOUR	55.0 ^{2/}	52.9 ***	53.8 ^{2/}	51.1 ***	2.7
	23:05-23:10 HOUR	55.2 ^{2/}	52.9 ***	54.3 ^{2/}	51.1 ***	3.2
	23:10-23:15 HOUR	54.1 ^{2/}	52.9 ***	50.9 ^{2/}	51.1 ***	<0.8 ^{3/}
	23:15-23:20 HOUR	54.3 ^{2/}	53.4 ***	50.0 ^{2/}	51.7 ***	<0.8 ^{3/}
	23:20-23:25 HOUR	55.1 ^{2/}	53.4 ***	53.2 ^{2/}	51.7 ***	1.5
	23:25-23:30 HOUR	53.8 ^{2/}	53.4 ***	46.2 ^{2/}	51.7 ***	<0.8 ^{3/}
	23:30-23:35 HOUR	54.1 ^{2/}	52.2 ***	52.6 ^{2/}	49.7 ***	2.9
	23:35-23:40 HOUR	53.8 ^{2/}	52.2 ***	51.7 ^{2/}	49.7 ***	2.0
	23:40-23:45 HOUR	54.0 ^{2/}	52.2 ***	52.3 ^{2/}	49.7 ***	2.6
	23:45-23:50 HOUR	55.8 ^{2/}	53.8 ***	54.5 ^{2/}	51.4 ***	3.1
	23:50-23:55 HOUR	55.1 ^{2/}	53.8 ***	52.2 ^{2/}	51.4 ***	0.8

DATE	TIME*	RESULT (dB(A))				
		ริมรั้วด้านเหนือของพื้นที่โครงการ				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 15, 2024	NIGHT TIME ^{2/}					
T24AV902-0005	23:55-00:00 HOUR	53.3 ^{2/}	53.8 ***	<0.8 ^{3/}	51.4 ***	<0.8 ^{3/}
SEPTEMBER 16, 2024	NIGHT TIME ^{2/}					
T24AV902-0005	00:00-00:05 HOUR	54.5 ^{2/}	53.6 ***	50.2 ^{2/}	51.1 ***	<0.8 ^{3/}
	00:05-00:10 HOUR	55.2 ^{2/}	53.6 ***	53.1 ^{2/}	51.1 ***	2.0
	00:10-00:15 HOUR	54.9 ^{2/}	53.6 ***	52.0 ^{2/}	51.1 ***	0.9
	00:15-00:20 HOUR	54.6 ^{2/}	52.8 ***	52.9 ^{2/}	50.5 ***	2.4
	00:20-00:25 HOUR	54.6 ^{2/}	52.8 ***	52.9 ^{2/}	50.5 ***	2.4
	00:25-00:30 HOUR	54.0 ^{2/}	52.8 ***	50.8 ^{2/}	50.5 ***	<0.8 ^{3/}
	00:30-00:35 HOUR	54.2 ^{2/}	51.9 ***	53.3 ^{2/}	49.5 ***	3.8
	00:35-00:40 HOUR	53.2 ^{2/}	51.9 ***	50.3 ^{2/}	49.5 ***	0.8
	00:40-00:45 HOUR	53.2 ^{2/}	51.9 ***	50.3 ^{2/}	49.5 ***	0.8
	00:45-00:50 HOUR	53.0 ^{2/}	51.1 ***	51.5 ^{2/}	49.0 ***	2.5
	00:50-00:55 HOUR	52.0 ^{2/}	51.1 ***	47.7 ^{2/}	49.0 ***	<0.8 ^{3/}
	00:55-01:00 HOUR	53.6 ^{2/}	51.1 ***	53.0 ^{2/}	49.0 ***	4.0
	01:00-01:05 HOUR	52.3 ^{2/}	51.5 ***	47.6 ^{2/}	49.5 ***	<0.8 ^{3/}
	01:05-01:10 HOUR	53.7 ^{2/}	51.5 ***	52.7 ^{2/}	49.5 ***	3.2
	01:10-01:15 HOUR	52.9 ^{2/}	51.5 ***	50.3 ^{2/}	49.5 ***	0.8
	01:15-01:20 HOUR	52.7 ^{2/}	51.3 ***	50.1 ^{2/}	48.6 ***	1.5
	01:20-01:25 HOUR	52.4 ^{2/}	51.3 ***	48.9 ^{2/}	48.6 ***	<0.8 ^{3/}
	01:25-01:30 HOUR	53.4 ^{2/}	51.3 ***	52.2 ^{2/}	48.6 ***	3.6
	01:30-01:35 HOUR	52.3 ^{2/}	51.2 ***	48.8 ^{2/}	48.6 ***	<0.8 ^{3/}
	01:35-01:40 HOUR	52.9 ^{2/}	51.2 ***	51.0 ^{2/}	48.6 ***	2.4
	01:40-01:45 HOUR	51.4 ^{2/}	51.2 ***	40.9 ^{2/}	48.6 ***	<0.8 ^{3/}
	01:45-01:50 HOUR	52.3 ^{2/}	50.1 ***	51.3 ^{2/}	48.1 ***	3.2
	01:50-01:55 HOUR	52.2 ^{2/}	50.1 ***	51.0 ^{2/}	48.1 ***	2.9
	01:55-02:00 HOUR	52.3 ^{2/}	50.1 ***	51.3 ^{2/}	48.1 ***	3.2
	02:00-02:05 HOUR	50.3 ^{2/}	50.2 ***	36.9 ^{2/}	47.5 ***	<0.8 ^{3/}
	02:05-02:10 HOUR	52.5 ^{2/}	50.2 ***	51.6 ^{2/}	47.5 ***	4.1
	02:10-02:15 HOUR	53.1 ^{2/}	50.2 ***	53.0 ^{2/}	47.5 ***	5.5
	02:15-02:20 HOUR	50.5 ^{2/}	49.2 ***	47.6 ^{2/}	46.9 ***	<0.8 ^{3/}
	02:20-02:25 HOUR	50.2 ^{2/}	49.2 ***	46.3 ^{2/}	46.9 ***	<0.8 ^{3/}
	02:25-02:30 HOUR	50.6 ^{2/}	49.2 ***	48.0 ^{2/}	46.9 ***	1.1
	02:30-02:35 HOUR	51.5 ^{2/}	48.4 ***	51.6 ^{2/}	45.7 ***	5.9
	02:35-02:40 HOUR	51.1 ^{2/}	48.4 ***	50.8 ^{2/}	45.7 ***	5.1
	02:40-02:45 HOUR	48.6 ^{2/}	48.4 ***	38.1 ^{2/}	45.7 ***	<0.8 ^{3/}
	02:45-02:50 HOUR	51.6 ^{2/}	48.7 ***	51.5 ^{2/}	46.2 ***	5.3
	02:50-02:55 HOUR	51.2 ^{2/}	48.7 ***	50.6 ^{2/}	46.2 ***	4.4
	02:55-03:00 HOUR	48.5 ^{2/}	48.7 ***	<0.8 ^{3/}	46.2 ***	<0.8 ^{3/}
	03:00-03:05 HOUR	50.8 ^{2/}	48.2 ***	50.3 ^{2/}	46.4 ***	3.9
	03:05-03:10 HOUR	48.8 ^{2/}	48.2 ***	42.9 ^{2/}	46.4 ***	<0.8 ^{3/}
	03:10-03:15 HOUR	48.4 ^{2/}	48.2 ***	37.9 ^{2/}	46.4 ***	<0.8 ^{3/}
	03:15-03:20 HOUR	48.3 ^{2/}	49.0 ***	<0.8 ^{3/}	48.0 ***	<0.8 ^{3/}
	03:20-03:25 HOUR	52.3 ^{2/}	49.0 ***	52.6 ^{2/}	48.0 ***	4.6
	03:25-03:30 HOUR	51.2 ^{2/}	49.0 ***	50.2 ^{2/}	48.0 ***	2.2

DATE	TIME*	RESULT (dB(A))				
		ริมรั้วด้านเหนือของพื้นที่โครงการ				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 16, 2024	NIGHT TIME ^{2/}					
T24AV902-0005	03:30-03:35 HOUR	50.0 ^{2/}	48.3 ***	48.1 ^{2/}	47.0 ***	1.1
	03:35-03:40 HOUR	48.9 ^{2/}	48.3 ***	43.0 ^{2/}	47.0 ***	<0.8 ^{3/}
	03:40-03:45 HOUR	50.4 ^{2/}	48.3 ***	49.2 ^{2/}	47.0 ***	2.2
	03:45-03:50 HOUR	52.0 ^{2/}	47.8 ***	52.9 ^{2/}	45.8 ***	7.1
	03:50-03:55 HOUR	50.8 ^{2/}	47.8 ***	50.8 ^{2/}	45.8 ***	5.0
	03:55-04:00 HOUR	48.5 ^{2/}	47.8 ***	43.2 ^{2/}	45.8 ***	<0.8 ^{3/}
	04:00-04:05 HOUR	51.1 ^{2/}	49.6 ***	48.8 ^{2/}	46.9 ***	1.9
	04:05-04:10 HOUR	49.9 ^{2/}	49.6 ***	41.1 ^{2/}	46.9 ***	<0.8 ^{3/}
	04:10-04:15 HOUR	50.9 ^{2/}	49.6 ***	48.0 ^{2/}	46.9 ***	1.1
	04:15-04:20 HOUR	50.7 ^{2/}	49.7 ***	46.8 ^{2/}	48.1 ***	<0.8 ^{3/}
	04:20-04:25 HOUR	48.7 ^{2/}	49.7 ***	<0.8 ^{3/}	48.1 ***	<0.8 ^{3/}
	04:25-04:30 HOUR	52.2 ^{2/}	49.7 ***	51.6 ^{2/}	48.1 ***	3.5
	04:30-04:35 HOUR	49.6 ^{2/}	49.1 ***	43.0 ^{2/}	47.5 ***	<0.8 ^{3/}
	04:35-04:40 HOUR	49.8 ^{2/}	49.1 ***	44.5 ^{2/}	47.5 ***	<0.8 ^{3/}
	04:40-04:45 HOUR	50.8 ^{2/}	49.1 ***	48.9 ^{2/}	47.5 ***	1.4
	04:45-04:50 HOUR	54.5 ^{2/}	50.1 ***	55.5 ^{2/}	48.3 ***	7.2
	04:50-04:55 HOUR	50.5 ^{2/}	50.1 ***	42.9 ^{2/}	48.3 ***	<0.8 ^{3/}
	04:55-05:00 HOUR	51.1 ^{2/}	50.1 ***	47.2 ^{2/}	48.3 ***	<0.8 ^{3/}
	05:00-05:05 HOUR	50.6 ^{2/}	48.7 ***	49.1 ^{2/}	46.8 ***	2.3
	05:05-05:10 HOUR	50.2 ^{2/}	48.7 ***	47.9 ^{2/}	46.8 ***	1.1
	05:10-05:15 HOUR	51.4 ^{2/}	48.7 ***	51.1 ^{2/}	46.8 ***	4.3
	05:15-05:20 HOUR	53.0 ^{2/}	50.9 ***	51.8 ^{2/}	47.7 ***	4.1
	05:20-05:25 HOUR	50.9 ^{2/}	50.9 ***	<0.8 ^{3/}	47.7 ***	<0.8 ^{3/}
	05:25-05:30 HOUR	54.4 ^{2/}	50.9 ***	54.8 ^{2/}	47.7 ***	7.1
	05:30-05:35 HOUR	52.9 ^{2/}	52.0 ***	48.6 ^{2/}	48.8 ***	<0.8 ^{3/}
	05:35-05:40 HOUR	51.9 ^{2/}	52.0 ***	<0.8 ^{3/}	48.8 ***	<0.8 ^{3/}
	05:40-05:45 HOUR	54.2 ^{2/}	52.0 ***	53.2 ^{2/}	48.8 ***	4.4
	05:45-05:50 HOUR	51.5 ^{2/}	54.7 ***	<0.8 ^{3/}	49.8 ***	<0.8 ^{3/}
	05:50-05:55 HOUR	54.2 ^{2/}	54.7 ***	<0.8 ^{3/}	49.8 ***	<0.8 ^{3/}
	05:55-06:00 HOUR	55.6 ^{2/}	54.7 ***	51.3 ^{2/}	49.8 ***	1.5
	DAY TIME ^{1/}					
	06:00-07:00 HOUR	59.1 ^{1/}	57.2 **	54.6 ^{1/}	50.0 **	4.6
SEPTEMBER 16, 2024	DAY TIME ^{1/}					
T24AV902-0006	07:00-08:00 HOUR	61.1 ^{1/}	57.9 **	58.3 ^{1/}	51.7 **	6.6
	08:00-09:00 HOUR	60.3 ^{1/}	57.0 **	57.6 ^{1/}	53.5 **	4.1
	09:00-10:00 HOUR	57.6 ^{1/}	53.5 **	55.5 ^{1/}	49.5 **	6.0
	10:00-11:00 HOUR	55.6 ^{1/}	53.3 **	51.7 ^{1/}	48.3 **	3.4
	11:00-12:00 HOUR	56.4 ^{1/}	54.2 **	52.4 ^{1/}	47.3 **	5.1
	12:00-13:00 HOUR	53.9 ^{1/}	51.4 **	50.3 ^{1/}	46.9 **	3.4
	13:00-14:00 HOUR	57.2 ^{1/}	53.0 **	55.1 ^{1/}	49.1 **	6.0
	14:00-15:00 HOUR	58.1 ^{1/}	54.8 **	55.4 ^{1/}	48.6 **	6.8
	15:00-16:00 HOUR	55.7 ^{1/}	52.7 **	52.7 ^{1/}	47.8 **	4.9
	16:00-17:00 HOUR	59.0 ^{1/}	54.8 **	56.9 ^{1/}	49.2 **	7.7
	17:00-18:00 HOUR	59.2 ^{1/}	57.7 **	53.9 ^{1/}	51.1 **	2.8
	18:00-19:00 HOUR	59.8 ^{1/}	55.6 **	57.7 ^{1/}	49.7 **	8.0

DATE	TIME*	RESULT (dB(A))				
		ริมรั้วด้านเหนือของพื้นที่โครงการ				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 16, 2024	DAY TIME ^{1/}					
T24AV902-0006	19:00-20:00 HOUR	54.4 ^{1/}	51.8 **	50.9 ^{1/}	46.0 **	4.9
	20:00-21:00 HOUR	51.8 ^{1/}	49.0 **	48.6 ^{1/}	44.1 **	4.5
	21:00-22:00 HOUR	55.0 ^{1/}	52.3 **	51.7 ^{1/}	49.4 **	2.3
	NIGHT TIME ^{2/}					
	22:00-22:05 HOUR	51.4 ^{2/}	49.9 ***	49.1 ^{2/}	47.3 ***	1.8
	22:05-22:10 HOUR	54.2 ^{2/}	49.9 ***	55.2 ^{2/}	47.3 ***	7.9
	22:10-22:15 HOUR	52.4 ^{2/}	49.9 ***	51.8 ^{2/}	47.3 ***	4.5
	22:15-22:20 HOUR	53.7 ^{2/}	51.1 ***	53.2 ^{2/}	47.2 ***	6.0
	22:20-22:25 HOUR	49.9 ^{2/}	51.1 ***	<0.8 ^{3/}	47.2 ***	<0.8 ^{3/}
	22:25-22:30 HOUR	50.1 ^{2/}	51.1 ***	<0.8 ^{3/}	47.2 ***	<0.8 ^{3/}
	22:30-22:35 HOUR	50.5 ^{2/}	49.7 ***	45.8 ^{2/}	46.4 ***	<0.8 ^{3/}
	22:35-22:40 HOUR	50.7 ^{2/}	49.7 ***	46.8 ^{2/}	46.4 ***	<0.8 ^{3/}
	22:40-22:45 HOUR	50.5 ^{2/}	49.7 ***	45.8 ^{2/}	46.4 ***	<0.8 ^{3/}
	22:45-22:50 HOUR	51.4 ^{2/}	51.6 ***	<0.8 ^{3/}	48.2 ***	<0.8 ^{3/}
	22:50-22:55 HOUR	53.3 ^{2/}	51.6 ***	51.4 ^{2/}	48.2 ***	3.2
	22:55-23:00 HOUR	52.4 ^{2/}	51.6 ***	47.7 ^{2/}	48.2 ***	<0.8 ^{3/}
	23:00-23:05 HOUR	50.6 ^{2/}	48.7 ***	49.1 ^{2/}	47.6 ***	1.5
	23:05-23:10 HOUR	49.9 ^{2/}	48.7 ***	46.7 ^{2/}	47.6 ***	<0.8 ^{3/}
	23:10-23:15 HOUR	50.0 ^{2/}	48.7 ***	47.1 ^{2/}	47.6 ***	<0.8 ^{3/}
	23:15-23:20 HOUR	49.4 ^{2/}	49.0 ***	41.8 ^{2/}	46.3 ***	<0.8 ^{3/}
	23:20-23:25 HOUR	51.4 ^{2/}	49.0 ***	50.7 ^{2/}	46.3 ***	4.4
	23:25-23:30 HOUR	52.2 ^{2/}	49.0 ***	52.4 ^{2/}	46.3 ***	6.1
	23:30-23:35 HOUR	49.6 ^{2/}	51.1 ***	<0.8 ^{3/}	47.8 ***	<0.8 ^{3/}
	23:35-23:40 HOUR	51.4 ^{2/}	51.1 ***	42.6 ^{2/}	47.8 ***	<0.8 ^{3/}
	23:40-23:45 HOUR	53.8 ^{2/}	51.1 ***	53.5 ^{2/}	47.8 ***	5.7
	23:45-23:50 HOUR	49.6 ^{2/}	49.6 ***	<0.8 ^{3/}	47.2 ***	<0.8 ^{3/}
	23:50-23:55 HOUR	52.9 ^{2/}	49.6 ***	53.2 ^{2/}	47.2 ***	6.0
	23:55-00:00 HOUR	53.1 ^{2/}	49.6 ***	53.5 ^{2/}	47.2 ***	6.3
SEPTEMBER 17, 2024	NIGHT TIME ^{2/}					
T24AV902-0006	00:00-00:05 HOUR	50.3 ^{2/}	50.7 ***	<0.8 ^{3/}	49.1 ***	<0.8 ^{3/}
	00:05-00:10 HOUR	51.6 ^{2/}	50.7 ***	47.3 ^{2/}	49.1 ***	<0.8 ^{3/}
	00:10-00:15 HOUR	52.4 ^{2/}	50.7 ***	50.5 ^{2/}	49.1 ***	1.4
	00:15-00:20 HOUR	51.7 ^{2/}	52.7 ***	<0.8 ^{3/}	49.0 ***	<0.8 ^{3/}
	00:20-00:25 HOUR	52.6 ^{2/}	52.7 ***	<0.8 ^{3/}	49.0 ***	<0.8 ^{3/}
	00:25-00:30 HOUR	54.6 ^{2/}	52.7 ***	53.1 ^{2/}	49.0 ***	4.1
	00:30-00:35 HOUR	53.7 ^{2/}	52.5 ***	50.5 ^{2/}	48.9 ***	1.6
	00:35-00:40 HOUR	53.0 ^{2/}	52.5 ***	46.4 ^{2/}	48.9 ***	<0.8 ^{3/}
	00:40-00:45 HOUR	52.3 ^{2/}	52.5 ***	<0.8 ^{3/}	48.9 ***	<0.8 ^{3/}
	00:45-00:50 HOUR	52.7 ^{2/}	54.4 ***	<0.8 ^{3/}	51.8 ***	<0.8 ^{3/}
	00:50-00:55 HOUR	55.6 ^{2/}	54.4 ***	52.4 ^{2/}	51.8 ***	<0.8 ^{3/}
	00:55-01:00 HOUR	55.1 ^{2/}	54.4 ***	49.8 ^{2/}	51.8 ***	<0.8 ^{3/}
	01:00-01:05 HOUR	52.4 ^{2/}	50.9 ***	50.1 ^{2/}	49.1 ***	1.0
	01:05-01:10 HOUR	52.1 ^{2/}	50.9 ***	48.9 ^{2/}	49.1 ***	<0.8 ^{3/}
	01:10-01:15 HOUR	51.2 ^{2/}	50.9 ***	42.4 ^{2/}	49.1 ***	<0.8 ^{3/}
	01:15-01:20 HOUR	51.9 ^{2/}	51.7 ***	41.4 ^{2/}	49.9 ***	<0.8 ^{3/}

DATE	TIME*	RESULT (dB(A))				
		ริมรั้วด้านเหนือของพื้นที่โครงการ				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 17, 2024	NIGHT TIME ^{2/}					
T24AV902-0006	01:20-01:25 HOUR	53.2 ^{2/}	51.7 ***	50.9 ^{2/}	49.9 ***	1.0
	01:25-01:30 HOUR	54.4 ^{2/}	51.7 ***	54.1 ^{2/}	49.9 ***	4.2
	01:30-01:35 HOUR	54.8 ^{2/}	52.2 ***	54.3 ^{2/}	50.5 ***	3.8
	01:35-01:40 HOUR	54.0 ^{2/}	52.2 ***	52.3 ^{2/}	50.5 ***	1.8
	01:40-01:45 HOUR	54.4 ^{2/}	52.2 ***	53.4 ^{2/}	50.5 ***	2.9
	01:45-01:50 HOUR	53.2 ^{2/}	52.0 ***	50.0 ^{2/}	50.2 ***	<0.8 ^{3/}
	01:50-01:55 HOUR	53.8 ^{2/}	52.0 ***	52.1 ^{2/}	50.2 ***	1.9
	01:55-02:00 HOUR	53.8 ^{2/}	52.0 ***	52.1 ^{2/}	50.2 ***	1.9
	02:00-02:05 HOUR	52.7 ^{2/}	50.5 ***	51.7 ^{2/}	49.0 ***	2.7
	02:05-02:10 HOUR	52.1 ^{2/}	50.5 ***	50.0 ^{2/}	49.0 ***	1.0
	02:10-02:15 HOUR	51.3 ^{2/}	50.5 ***	46.6 ^{2/}	49.0 ***	<0.8 ^{3/}
	02:15-02:20 HOUR	51.7 ^{2/}	50.2 ***	49.4 ^{2/}	48.4 ***	1.0
	02:20-02:25 HOUR	53.9 ^{2/}	50.2 ***	54.5 ^{2/}	48.4 ***	6.1
	02:25-02:30 HOUR	51.7 ^{2/}	50.2 ***	49.4 ^{2/}	48.4 ***	1.0
	02:30-02:35 HOUR	51.4 ^{2/}	50.0 ***	48.8 ^{2/}	48.2 ***	<0.8 ^{3/}
	02:35-02:40 HOUR	51.0 ^{2/}	50.0 ***	47.1 ^{2/}	48.2 ***	<0.8 ^{3/}
	02:40-02:45 HOUR	50.4 ^{2/}	50.0 ***	42.8 ^{2/}	48.2 ***	<0.8 ^{3/}
	02:45-02:50 HOUR	51.8 ^{2/}	49.7 ***	50.6 ^{2/}	47.6 ***	3.0
	02:50-02:55 HOUR	49.7 ^{2/}	49.7 ***	<0.8 ^{3/}	47.6 ***	<0.8 ^{3/}
	02:55-03:00 HOUR	51.3 ^{2/}	49.7 ***	49.2 ^{2/}	47.6 ***	1.6
	03:00-03:05 HOUR	51.2 ^{2/}	51.3 ***	<0.8 ^{3/}	49.1 ***	<0.8 ^{3/}
	03:05-03:10 HOUR	52.7 ^{2/}	51.3 ***	50.1 ^{2/}	49.1 ***	1.0
	03:10-03:15 HOUR	53.0 ^{2/}	51.3 ***	51.1 ^{2/}	49.1 ***	2.0
	03:15-03:20 HOUR	52.2 ^{2/}	52.6 ***	<0.8 ^{3/}	49.6 ***	<0.8 ^{3/}
	03:20-03:25 HOUR	53.5 ^{2/}	52.6 ***	49.2 ^{2/}	49.6 ***	<0.8 ^{3/}
	03:25-03:30 HOUR	54.5 ^{2/}	52.6 ***	53.0 ^{2/}	49.6 ***	3.4
	03:30-03:35 HOUR	54.8 ^{2/}	52.3 ***	54.2 ^{2/}	49.7 ***	4.5
	03:35-03:40 HOUR	54.0 ^{2/}	52.3 ***	52.1 ^{2/}	49.7 ***	2.4
	03:40-03:45 HOUR	51.4 ^{2/}	52.3 ***	<0.8 ^{3/}	49.7 ***	<0.8 ^{3/}
	03:45-03:50 HOUR	51.6 ^{2/}	49.5 ***	50.4 ^{2/}	48.1 ***	2.3
	03:50-03:55 HOUR	53.0 ^{2/}	49.5 ***	53.4 ^{2/}	48.1 ***	5.3
	03:55-04:00 HOUR	51.7 ^{2/}	49.5 ***	50.7 ^{2/}	48.1 ***	2.6
	04:00-04:05 HOUR	52.7 ^{2/}	51.6 ***	49.2 ^{2/}	49.0 ***	<0.8 ^{3/}
	04:05-04:10 HOUR	53.6 ^{2/}	51.6 ***	52.3 ^{2/}	49.0 ***	3.3
	04:10-04:15 HOUR	53.4 ^{2/}	51.6 ***	51.7 ^{2/}	49.0 ***	2.7
	04:15-04:20 HOUR	50.9 ^{2/}	49.1 ***	49.2 ^{2/}	46.7 ***	2.5
	04:20-04:25 HOUR	51.2 ^{2/}	49.1 ***	50.0 ^{2/}	46.7 ***	3.3
	04:25-04:30 HOUR	49.9 ^{2/}	49.1 ***	45.2 ^{2/}	46.7 ***	<0.8 ^{3/}
	04:30-04:35 HOUR	51.5 ^{2/}	48.6 ***	51.4 ^{2/}	45.8 ***	5.6
	04:35-04:40 HOUR	49.0 ^{2/}	48.6 ***	41.4 ^{2/}	45.8 ***	<0.8 ^{3/}
	04:40-04:45 HOUR	49.8 ^{2/}	48.6 ***	46.6 ^{2/}	45.8 ***	0.8
	04:45-04:50 HOUR	50.3 ^{2/}	48.9 ***	47.7 ^{2/}	45.8 ***	1.9
	04:50-04:55 HOUR	50.0 ^{2/}	48.9 ***	46.5 ^{2/}	45.8 ***	<0.8 ^{3/}
	04:55-05:00 HOUR	51.0 ^{2/}	48.9 ***	49.8 ^{2/}	45.8 ***	4.0

DATE	TIME*	RESULT (dB(A))				
		ริมรั้วด้านเหนือของพื้นที่โครงการ				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 17, 2024	NIGHT TIME ^{2/}					
T24AV902-0006	05:00-05:05 HOUR	52.4 ^{2/}	50.3 ***	51.2 ^{2/}	45.8 ***	5.4
	05:05-05:10 HOUR	53.2 ^{2/}	50.3 ***	53.1 ^{2/}	45.8 ***	7.3
	05:10-05:15 HOUR	53.2 ^{2/}	50.3 ***	53.1 ^{2/}	45.8 ***	7.3
	05:15-05:20 HOUR	51.6 ^{2/}	53.2 ***	<0.8 ^{3/}	47.0 ***	<0.8 ^{3/}
	05:20-05:25 HOUR	50.8 ^{2/}	53.2 ***	<0.8 ^{3/}	47.0 ***	<0.8 ^{3/}
	05:25-05:30 HOUR	53.7 ^{2/}	53.2 ***	47.1 ^{2/}	47.0 ***	<0.8 ^{3/}
	05:30-05:35 HOUR	52.8 ^{2/}	53.4 ***	<0.8 ^{3/}	48.5 ***	<0.8 ^{3/}
	05:35-05:40 HOUR	54.0 ^{2/}	53.4 ***	48.1 ^{2/}	48.5 ***	<0.8 ^{3/}
	05:40-05:45 HOUR	53.9 ^{2/}	53.4 ***	47.3 ^{2/}	48.5 ***	<0.8 ^{3/}
	05:45-05:50 HOUR	53.9 ^{2/}	52.9 ***	50.0 ^{2/}	47.5 ***	2.5
	05:50-05:55 HOUR	53.0 ^{2/}	52.9 ***	39.6 ^{2/}	47.5 ***	<0.8 ^{3/}
	05:55-06:00 HOUR	53.2 ^{2/}	52.9 ***	44.4 ^{2/}	47.5 ***	<0.8 ^{3/}
	DAY TIME ^{1/}					
	06:00-07:00 HOUR	59.2 ^{1/}	57.8 **	53.6 ^{1/}	49.9 **	3.7
SEPTEMBER 17, 2024	DAY TIME ^{1/}					
T24AV902-0007	07:00-08:00 HOUR	59.1 ^{1/}	56.3 **	55.9 ^{1/}	51.4 **	4.5
	08:00-09:00 HOUR	60.1 ^{1/}	57.1 **	57.1 ^{1/}	55.4 **	1.7
	09:00-10:00 HOUR	60.0 ^{1/}	53.3 **	59.0 ^{1/}	50.8 **	8.2
	10:00-11:00 HOUR	54.9 ^{1/}	52.4 **	51.3 ^{1/}	51.0 **	<0.8 ^{3/}
	11:00-12:00 HOUR	57.2 ^{1/}	56.4 **	49.5 ^{1/}	53.4 **	<0.8 ^{3/}
	12:00-13:00 HOUR	55.0 ^{1/}	53.1 **	50.5 ^{1/}	50.9 **	<0.8 ^{3/}
	13:00-14:00 HOUR	57.4 ^{1/}	54.4 **	54.4 ^{1/}	51.8 **	2.6
	14:00-15:00 HOUR	54.8 ^{1/}	52.1 **	51.5 ^{1/}	50.8 **	<0.8 ^{3/}
	15:00-16:00 HOUR	55.6 ^{1/}	54.1 **	50.3 ^{1/}	50.1 **	<0.8 ^{3/}
	16:00-17:00 HOUR	57.9 ^{1/}	55.4 **	54.3 ^{1/}	51.1 **	3.2
	17:00-18:00 HOUR	56.7 ^{1/}	53.9 **	53.5 ^{1/}	48.9 **	4.6
	18:00-19:00 HOUR	54.9 ^{1/}	51.8 **	52.0 ^{1/}	46.2 **	5.8
	19:00-20:00 HOUR	52.0 ^{1/}	49.5 **	48.4 ^{1/}	45.3 **	3.1
	20:00-21:00 HOUR	52.5 ^{1/}	47.9 **	50.7 ^{1/}	45.4 **	5.3
	21:00-22:00 HOUR	48.9 ^{1/}	46.5 **	45.2 ^{1/}	44.8 **	<0.8 ^{3/}
	NIGHT TIME ^{2/}					
	22:00-22:05 HOUR	48.9 ^{2/}	48.5 ***	41.3 ^{2/}	46.3 ***	<0.8 ^{3/}
	22:05-22:10 HOUR	47.6 ^{2/}	48.5 ***	<0.8 ^{3/}	46.3 ***	<0.8 ^{3/}
	22:10-22:15 HOUR	51.4 ^{2/}	48.5 ***	51.3 ^{2/}	46.3 ***	5.0
	22:15-22:20 HOUR	48.1 ^{2/}	50.0 ***	<0.8 ^{3/}	46.4 ***	<0.8 ^{3/}
	22:20-22:25 HOUR	50.7 ^{2/}	50.0 ***	45.4 ^{2/}	46.4 ***	<0.8 ^{3/}
	22:25-22:30 HOUR	48.8 ^{2/}	50.0 ***	<0.8 ^{3/}	46.4 ***	<0.8 ^{3/}
	22:30-22:35 HOUR	50.2 ^{2/}	48.7 ***	47.9 ^{2/}	45.9 ***	2.0
	22:35-22:40 HOUR	49.7 ^{2/}	48.7 ***	45.8 ^{2/}	45.9 ***	<0.8 ^{3/}
	22:40-22:45 HOUR	49.0 ^{2/}	48.7 ***	40.2 ^{2/}	45.9 ***	<0.8 ^{3/}
	22:45-22:50 HOUR	50.4 ^{2/}	47.1 ***	50.7 ^{2/}	44.5 ***	6.2
	22:50-22:55 HOUR	49.4 ^{2/}	47.1 ***	48.5 ^{2/}	44.5 ***	4.0
	22:55-23:00 HOUR	48.8 ^{2/}	47.1 ***	46.9 ^{2/}	44.5 ***	2.4
	23:00-23:05 HOUR	50.6 ^{2/}	50.6 ***	<0.8 ^{3/}	45.4 ***	<0.8 ^{3/}
	23:05-23:10 HOUR	52.5 ^{2/}	50.6 ***	51.0 ^{2/}	45.4 ***	5.6

DATE	TIME*	RESULT (dB(A))				
		ริมรั้วด้านเหนือของพื้นที่โครงการ				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 17, 2024	NIGHT TIME ^{2/}					
T24AV902-0007	23:10-23:15 HOUR	51.5 ^{2/}	50.6 ***	47.2 ^{2/}	45.4 ***	1.8
	23:15-23:20 HOUR	51.3 ^{2/}	50.8 ***	44.7 ^{2/}	44.9 ***	<0.8 ^{3/}
	23:20-23:25 HOUR	53.6 ^{2/}	50.8 ***	53.4 ^{2/}	44.9 ***	8.5
	23:25-23:30 HOUR	52.0 ^{2/}	50.8 ***	48.8 ^{2/}	44.9 ***	3.9
	23:30-23:35 HOUR	53.6 ^{2/}	54.6 ***	<0.8 ^{3/}	46.1 ***	<0.8 ^{3/}
	23:35-23:40 HOUR	55.7 ^{2/}	54.6 ***	52.2 ^{2/}	46.1 ***	6.1
	23:40-23:45 HOUR	55.2 ^{2/}	54.6 ***	49.3 ^{2/}	46.1 ***	3.2
	23:45-23:50 HOUR	53.6 ^{2/}	53.0 ***	47.7 ^{2/}	45.6 ***	2.1
	23:50-23:55 HOUR	54.2 ^{2/}	53.0 ***	51.0 ^{2/}	45.6 ***	5.4
	23:55-00:00 HOUR	54.8 ^{2/}	53.0 ***	53.1 ^{2/}	45.6 ***	7.5
SEPTEMBER 18, 2024	NIGHT TIME ^{2/}					
T24AV902-0007	00:00-00:05 HOUR	53.4 ^{2/}	52.2 ***	50.2 ^{2/}	45.6 ***	4.6
	00:05-00:10 HOUR	54.2 ^{2/}	52.2 ***	52.9 ^{2/}	45.6 ***	7.3
	00:10-00:15 HOUR	53.4 ^{2/}	52.2 ***	50.2 ^{2/}	45.6 ***	4.6
	00:15-00:20 HOUR	53.7 ^{2/}	52.1 ***	51.6 ^{2/}	46.3 ***	5.3
	00:20-00:25 HOUR	52.4 ^{2/}	52.1 ***	43.6 ^{2/}	46.3 ***	<0.8 ^{3/}
	00:25-00:30 HOUR	53.3 ^{2/}	52.1 ***	50.1 ^{2/}	46.3 ***	3.8
	00:30-00:35 HOUR	53.6 ^{2/}	50.8 ***	53.4 ^{2/}	45.5 ***	7.9
	00:35-00:40 HOUR	52.3 ^{2/}	50.8 ***	50.0 ^{2/}	45.5 ***	4.5
	00:40-00:45 HOUR	53.3 ^{2/}	50.8 ***	52.7 ^{2/}	45.5 ***	7.2
	00:45-00:50 HOUR	52.6 ^{2/}	52.2 ***	45.0 ^{2/}	46.6 ***	<0.8 ^{3/}
	00:50-00:55 HOUR	52.7 ^{2/}	52.2 ***	46.1 ^{2/}	46.6 ***	<0.8 ^{3/}
	00:55-01:00 HOUR	52.8 ^{2/}	52.2 ***	46.9 ^{2/}	46.6 ***	<0.8 ^{3/}
	01:00-01:05 HOUR	53.1 ^{2/}	50.4 ***	52.8 ^{2/}	46.8 ***	6.0
	01:05-01:10 HOUR	52.7 ^{2/}	50.4 ***	51.8 ^{2/}	46.8 ***	5.0
	01:10-01:15 HOUR	51.8 ^{2/}	50.4 ***	49.2 ^{2/}	46.8 ***	2.4
	01:15-01:20 HOUR	51.4 ^{2/}	49.4 ***	50.1 ^{2/}	46.3 ***	3.8
	01:20-01:25 HOUR	51.1 ^{2/}	49.4 ***	49.2 ^{2/}	46.3 ***	2.9
	01:25-01:30 HOUR	50.3 ^{2/}	49.4 ***	46.0 ^{2/}	46.3 ***	<0.8 ^{3/}
	01:30-01:35 HOUR	50.4 ^{2/}	53.9 ***	<0.8 ^{3/}	47.3 ***	<0.8 ^{3/}
	01:35-01:40 HOUR	50.5 ^{2/}	53.9 ***	<0.8 ^{3/}	47.3 ***	<0.8 ^{3/}
	01:40-01:45 HOUR	54.4 ^{2/}	53.9 ***	47.8 ^{2/}	47.3 ***	<0.8 ^{3/}
	01:45-01:50 HOUR	50.1 ^{2/}	48.8 ***	47.2 ^{2/}	46.1 ***	1.1
	01:50-01:55 HOUR	49.6 ^{2/}	48.8 ***	44.9 ^{2/}	46.1 ***	<0.8 ^{3/}
	01:55-02:00 HOUR	51.2 ^{2/}	48.8 ***	50.5 ^{2/}	46.1 ***	4.4
	02:00-02:05 HOUR	50.1 ^{2/}	47.5 ***	49.6 ^{2/}	45.2 ***	4.4
	02:05-02:10 HOUR	50.0 ^{2/}	47.5 ***	49.4 ^{2/}	45.2 ***	4.2
	02:10-02:15 HOUR	48.4 ^{2/}	47.5 ***	44.1 ^{2/}	45.2 ***	<0.8 ^{3/}
	02:15-02:20 HOUR	51.0 ^{2/}	48.0 ***	51.0 ^{2/}	46.7 ***	4.3
	02:20-02:25 HOUR	50.3 ^{2/}	48.0 ***	49.4 ^{2/}	46.7 ***	2.7
	02:25-02:30 HOUR	48.5 ^{2/}	48.0 ***	41.9 ^{2/}	46.7 ***	<0.8 ^{3/}
	02:30-02:35 HOUR	47.9 ^{2/}	48.9 ***	<0.8 ^{3/}	46.3 ***	<0.8 ^{3/}
	02:35-02:40 HOUR	49.2 ^{2/}	48.9 ***	40.4 ^{2/}	46.3 ***	<0.8 ^{3/}
	02:40-02:45 HOUR	48.5 ^{2/}	48.9 ***	<0.8 ^{3/}	46.3 ***	<0.8 ^{3/}

DATE	TIME*	RESULT (dB(A))				
		ริมรั้วด้านเหนือของพื้นที่โครงการ				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 18, 2024	NIGHT TIME ^{2/}					
T24AV902-0007	02:45-02:50 HOUR	51.9 ^{2/}	46.6 ***	53.4 ^{2/}	45.1 ***	8.3
	02:50-02:55 HOUR	48.0 ^{2/}	46.6 ***	45.4 ^{2/}	45.1 ***	<0.8 ^{3/}
	02:55-03:00 HOUR	47.6 ^{2/}	46.6 ***	43.7 ^{2/}	45.1 ***	<0.8 ^{3/}
	03:00-03:05 HOUR	49.9 ^{2/}	45.3 ***	51.1 ^{2/}	44.6 ***	6.5
	03:05-03:10 HOUR	50.1 ^{2/}	45.3 ***	51.4 ^{2/}	44.6 ***	6.8
	03:10-03:15 HOUR	47.6 ^{2/}	45.3 ***	46.7 ^{2/}	44.6 ***	2.1
	03:15-03:20 HOUR	47.8 ^{2/}	45.5 ***	46.9 ^{2/}	44.6 ***	2.3
	03:20-03:25 HOUR	47.8 ^{2/}	45.5 ***	46.9 ^{2/}	44.6 ***	2.3
	03:25-03:30 HOUR	48.2 ^{2/}	45.5 ***	47.9 ^{2/}	44.6 ***	3.3
	03:30-03:35 HOUR	47.6 ^{2/}	45.0 ***	47.1 ^{2/}	44.6 ***	2.5
	03:35-03:40 HOUR	47.3 ^{2/}	45.0 ***	46.4 ^{2/}	44.6 ***	1.8
	03:40-03:45 HOUR	47.3 ^{2/}	45.0 ***	46.4 ^{2/}	44.6 ***	1.8
	03:45-03:50 HOUR	47.4 ^{2/}	46.7 ***	42.1 ^{2/}	45.5 ***	<0.8 ^{3/}
	03:50-03:55 HOUR	48.5 ^{2/}	46.7 ***	46.8 ^{2/}	45.5 ***	1.3
	03:55-04:00 HOUR	48.7 ^{2/}	46.7 ***	47.4 ^{2/}	45.5 ***	1.9
	04:00-04:05 HOUR	47.3 ^{2/}	46.1 ***	44.1 ^{2/}	45.5 ***	<0.8 ^{3/}
	04:05-04:10 HOUR	47.4 ^{2/}	46.1 ***	44.5 ^{2/}	45.5 ***	<0.8 ^{3/}
	04:10-04:15 HOUR	47.2 ^{2/}	46.1 ***	43.7 ^{2/}	45.5 ***	<0.8 ^{3/}
	04:15-04:20 HOUR	48.0 ^{2/}	45.9 ***	46.8 ^{2/}	45.4 ***	1.4
	04:20-04:25 HOUR	47.5 ^{2/}	45.9 ***	45.4 ^{2/}	45.4 ***	<0.8 ^{3/}
	04:25-04:30 HOUR	47.1 ^{2/}	45.9 ***	43.9 ^{2/}	45.4 ***	<0.8 ^{3/}
	04:30-04:35 HOUR	47.4 ^{2/}	46.0 ***	44.8 ^{2/}	45.3 ***	<0.8 ^{3/}
	04:35-04:40 HOUR	48.8 ^{2/}	46.0 ***	48.6 ^{2/}	45.3 ***	3.3
	04:40-04:45 HOUR	47.4 ^{2/}	46.0 ***	44.8 ^{2/}	45.3 ***	<0.8 ^{3/}
	04:45-04:50 HOUR	47.1 ^{2/}	45.8 ***	44.2 ^{2/}	44.4 ***	<0.8 ^{3/}
	04:50-04:55 HOUR	47.8 ^{2/}	45.8 ***	46.5 ^{2/}	44.4 ***	2.1
	04:55-05:00 HOUR	49.6 ^{2/}	45.8 ***	50.3 ^{2/}	44.4 ***	5.9
	05:00-05:05 HOUR	50.5 ^{2/}	51.0 ***	<0.8 ^{3/}	45.1 ***	<0.8 ^{3/}
	05:05-05:10 HOUR	52.3 ^{2/}	51.0 ***	49.4 ^{2/}	45.1 ***	4.3
	05:10-05:15 HOUR	52.2 ^{2/}	51.0 ***	49.0 ^{2/}	45.1 ***	3.9
	05:15-05:20 HOUR	50.4 ^{2/}	48.8 ***	48.3 ^{2/}	46.0 ***	2.3
	05:20-05:25 HOUR	52.2 ^{2/}	48.8 ***	52.5 ^{2/}	46.0 ***	6.5
	05:25-05:30 HOUR	48.3 ^{2/}	48.8 ***	<0.8 ^{3/}	46.0 ***	<0.8 ^{3/}
	05:30-05:35 HOUR	49.8 ^{2/}	48.4 ***	47.2 ^{2/}	45.1 ***	2.1
	05:35-05:40 HOUR	48.6 ^{2/}	48.4 ***	38.1 ^{2/}	45.1 ***	<0.8 ^{3/}
	05:40-05:45 HOUR	49.7 ^{2/}	48.4 ***	46.8 ^{2/}	45.1 ***	1.7
	05:45-05:50 HOUR	50.7 ^{2/}	50.8 ***	<0.8 ^{3/}	46.6 ***	<0.8 ^{3/}
	05:50-05:55 HOUR	50.7 ^{2/}	50.8 ***	<0.8 ^{3/}	46.6 ***	<0.8 ^{3/}
	05:55-06:00 HOUR	52.5 ^{2/}	50.8 ***	50.6 ^{2/}	46.6 ***	4.0
	DAY TIME ^{1/}					
	06:00-07:00 HOUR	56.9 ^{1/}	55.7 **	50.7 ^{1/}	48.7 **	2.0
SEPTEMBER 18, 2024	DAY TIME ^{1/}					
T24AV902-0008	07:00-08:00 HOUR	59.8 ^{1/}	57.3 **	56.2 ^{1/}	51.7 **	4.5
	08:00-09:00 HOUR	59.5 ^{1/}	56.7 **	56.3 ^{1/}	54.3 **	2.0
	09:00-10:00 HOUR	58.1 ^{1/}	55.6 **	54.5 ^{1/}	54.3 **	<0.8 ^{3/}

DATE	TIME*	RESULT (dB(A))				
		ริมรั้วด้านเหนือของพื้นที่โครงการ				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 18, 2024	DAY TIME ^{1/}					
T24AV902-0008	10:00-11:00 HOUR	55.8 ^{1/}	55.1 **	47.5 ^{1/}	51.1 **	<0.8 ^{3/}
	11:00-12:00 HOUR	56.5 ^{1/}	54.8 **	51.6 ^{1/}	50.6 **	1.0
	12:00-13:00 HOUR	54.3 ^{1/}	53.1 **	48.1 ^{1/}	51.0 **	<0.8 ^{3/}
	13:00-14:00 HOUR	57.1 ^{1/}	54.0 **	54.2 ^{1/}	51.7 **	2.5
	14:00-15:00 HOUR	56.6 ^{1/}	54.4 **	52.6 ^{1/}	52.1 **	<0.8 ^{3/}
	15:00-16:00 HOUR	56.1 ^{1/}	54.4 **	51.2 ^{1/}	51.7 **	<0.8 ^{3/}
	16:00-17:00 HOUR	59.2 ^{1/}	57.7 **	53.9 ^{1/}	53.4 **	<0.8 ^{3/}
	17:00-18:00 HOUR	57.4 ^{1/}	56.2 **	51.2 ^{1/}	49.9 **	1.3
	18:00-19:00 HOUR	56.0 ^{1/}	54.6 **	50.4 ^{1/}	49.0 **	1.4
	19:00-20:00 HOUR	53.2 ^{1/}	50.9 **	49.3 ^{1/}	48.5 **	0.8
	20:00-21:00 HOUR	52.0 ^{1/}	50.1 **	47.5 ^{1/}	48.1 **	<0.8 ^{3/}
	21:00-22:00 HOUR	49.9 ^{1/}	47.7 **	45.9 ^{1/}	46.1 **	<0.8 ^{3/}
	NIGHT TIME ^{2/}					
	22:00-22:05 HOUR	48.2 ^{2/}	48.0 ***	37.7 ^{2/}	45.8 ***	<0.8 ^{3/}
	22:05-22:10 HOUR	51.4 ^{2/}	48.0 ***	51.7 ^{2/}	45.8 ***	5.9
	22:10-22:15 HOUR	48.9 ^{2/}	48.0 ***	44.6 ^{2/}	45.8 ***	<0.8 ^{3/}
	22:15-22:20 HOUR	48.1 ^{2/}	50.0 ***	<0.8 ^{3/}	45.6 ***	<0.8 ^{3/}
	22:20-22:25 HOUR	49.4 ^{2/}	50.0 ***	<0.8 ^{3/}	45.6 ***	<0.8 ^{3/}
	22:25-22:30 HOUR	50.7 ^{2/}	50.0 ***	45.4 ^{2/}	45.6 ***	<0.8 ^{3/}
	22:30-22:35 HOUR	49.5 ^{2/}	48.8 ***	44.2 ^{2/}	46.7 ***	<0.8 ^{3/}
	22:35-22:40 HOUR	49.5 ^{2/}	48.8 ***	44.2 ^{2/}	46.7 ***	<0.8 ^{3/}
	22:40-22:45 HOUR	50.4 ^{2/}	48.8 ***	48.3 ^{2/}	46.7 ***	1.6
	22:45-22:50 HOUR	48.0 ^{2/}	46.7 ***	45.1 ^{2/}	45.7 ***	<0.8 ^{3/}
	22:50-22:55 HOUR	48.9 ^{2/}	46.7 ***	47.9 ^{2/}	45.7 ***	2.2
	22:55-23:00 HOUR	47.5 ^{2/}	46.7 ***	42.8 ^{2/}	45.7 ***	<0.8 ^{3/}
	23:00-23:05 HOUR	48.6 ^{2/}	47.1 ***	46.3 ^{2/}	45.3 ***	1.0
	23:05-23:10 HOUR	48.6 ^{2/}	47.1 ***	46.3 ^{2/}	45.3 ***	1.0
	23:10-23:15 HOUR	48.5 ^{2/}	47.1 ***	45.9 ^{2/}	45.3 ***	<0.8 ^{3/}
	23:15-23:20 HOUR	48.7 ^{2/}	47.9 ***	44.0 ^{2/}	45.9 ***	<0.8 ^{3/}
	23:20-23:25 HOUR	49.0 ^{2/}	47.9 ***	45.5 ^{2/}	45.9 ***	<0.8 ^{3/}
	23:25-23:30 HOUR	48.9 ^{2/}	47.9 ***	45.0 ^{2/}	45.9 ***	<0.8 ^{3/}
	23:30-23:35 HOUR	49.4 ^{2/}	48.8 ***	43.5 ^{2/}	46.1 ***	<0.8 ^{3/}
	23:35-23:40 HOUR	49.3 ^{2/}	48.8 ***	42.7 ^{2/}	46.1 ***	<0.8 ^{3/}
	23:40-23:45 HOUR	50.3 ^{2/}	48.8 ***	48.0 ^{2/}	46.1 ***	1.9
	23:45-23:50 HOUR	50.2 ^{2/}	49.1 ***	46.7 ^{2/}	46.1 ***	<0.8 ^{3/}
	23:50-23:55 HOUR	50.4 ^{2/}	49.1 ***	47.5 ^{2/}	46.1 ***	1.4
	23:55-00:00 HOUR	51.2 ^{2/}	49.1 ***	50.0 ^{2/}	46.1 ***	3.9
SEPTEMBER 19, 2024	NIGHT TIME ^{2/}					
T24AV902-0008	00:00-00:05 HOUR	52.6 ^{2/}	51.4 ***	49.4 ^{2/}	47.5 ***	1.9
	00:05-00:10 HOUR	52.9 ^{2/}	51.4 ***	50.6 ^{2/}	47.5 ***	3.1
	00:10-00:15 HOUR	52.3 ^{2/}	51.4 ***	48.0 ^{2/}	47.5 ***	<0.8 ^{3/}
	00:15-00:20 HOUR	50.9 ^{2/}	50.1 ***	46.2 ^{2/}	46.1 ***	<0.8 ^{3/}
	00:20-00:25 HOUR	52.5 ^{2/}	50.1 ***	51.8 ^{2/}	46.1 ***	5.7
	00:25-00:30 HOUR	52.6 ^{2/}	50.1 ***	52.0 ^{2/}	46.1 ***	5.9
	00:30-00:35 HOUR	51.5 ^{2/}	51.0 ***	44.9 ^{2/}	47.4 ***	<0.8 ^{3/}

DATE	TIME*	RESULT (dB(A))				
		ริมรั้วด้านเหนือของพื้นที่โครงการ				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 19, 2024	NIGHT TIME ^{2/}					
T24AV902-0008	00:35-00:40 HOUR	52.1 ^{2/}	51.0 ***	48.6 ^{2/}	47.4 ***	1.2
	00:40-00:45 HOUR	52.4 ^{2/}	51.0 ***	49.8 ^{2/}	47.4 ***	2.4
	00:45-00:50 HOUR	53.3 ^{2/}	57.3 ***	<0.8 ^{3/}	53.5 ***	<0.8 ^{3/}
	00:50-00:55 HOUR	53.4 ^{2/}	57.3 ***	<0.8 ^{3/}	53.5 ***	<0.8 ^{3/}
	00:55-01:00 HOUR	54.8 ^{2/}	57.3 ***	<0.8 ^{3/}	53.5 ***	<0.8 ^{3/}
	01:00-01:05 HOUR	56.3 ^{2/}	55.8 ***	49.7 ^{2/}	52.4 ***	<0.8 ^{3/}
	01:05-01:10 HOUR	56.9 ^{2/}	55.8 ***	53.4 ^{2/}	52.4 ***	1.0
	01:10-01:15 HOUR	56.1 ^{2/}	55.8 ***	47.3 ^{2/}	52.4 ***	<0.8 ^{3/}
	01:15-01:20 HOUR	53.9 ^{2/}	55.4 ***	<0.8 ^{3/}	53.1 ***	<0.8 ^{3/}
	01:20-01:25 HOUR	59.0 ^{2/}	55.4 ***	59.5 ^{2/}	53.1 ***	6.4
	01:25-01:30 HOUR	60.2 ^{2/}	55.4 ***	61.5 ^{2/}	53.1 ***	8.4
	01:30-01:35 HOUR	59.0 ^{2/}	53.4 ***	60.6 ^{2/}	52.1 ***	8.5
	01:35-01:40 HOUR	55.8 ^{2/}	53.4 ***	55.1 ^{2/}	52.1 ***	3.0
	01:40-01:45 HOUR	54.2 ^{2/}	53.4 ***	49.5 ^{2/}	52.1 ***	<0.8 ^{3/}
	01:45-01:50 HOUR	54.3 ^{2/}	52.5 ***	52.6 ^{2/}	51.4 ***	1.2
	01:50-01:55 HOUR	54.9 ^{2/}	52.5 ***	54.2 ^{2/}	51.4 ***	2.8
	01:55-02:00 HOUR	54.8 ^{2/}	52.5 ***	53.9 ^{2/}	51.4 ***	2.5
	02:00-02:05 HOUR	54.2 ^{2/}	52.5 ***	52.3 ^{2/}	50.8 ***	1.5
	02:05-02:10 HOUR	55.1 ^{2/}	52.5 ***	54.6 ^{2/}	50.8 ***	3.8
	02:10-02:15 HOUR	53.7 ^{2/}	52.5 ***	50.5 ^{2/}	50.8 ***	<0.8 ^{3/}
	02:15-02:20 HOUR	52.0 ^{2/}	50.8 ***	48.8 ^{2/}	48.3 ***	<0.8 ^{3/}
	02:20-02:25 HOUR	50.7 ^{2/}	50.8 ***	<0.8 ^{3/}	48.3 ***	<0.8 ^{3/}
	02:25-02:30 HOUR	52.5 ^{2/}	50.8 ***	50.6 ^{2/}	48.3 ***	2.3
	02:30-02:35 HOUR	51.0 ^{2/}	50.9 ***	37.6 ^{2/}	47.8 ***	<0.8 ^{3/}
	02:35-02:40 HOUR	50.3 ^{2/}	50.9 ***	<0.8 ^{3/}	47.8 ***	<0.8 ^{3/}
	02:40-02:45 HOUR	52.8 ^{2/}	50.9 ***	51.3 ^{2/}	47.8 ***	3.5
	02:45-02:50 HOUR	51.3 ^{2/}	47.2 ***	52.2 ^{2/}	46.1 ***	6.1
	02:50-02:55 HOUR	51.6 ^{2/}	47.2 ***	52.6 ^{2/}	46.1 ***	6.5
	02:55-03:00 HOUR	49.2 ^{2/}	47.2 ***	47.9 ^{2/}	46.1 ***	1.8
	03:00-03:05 HOUR	49.5 ^{2/}	47.5 ***	48.2 ^{2/}	46.3 ***	1.9
	03:05-03:10 HOUR	48.7 ^{2/}	47.5 ***	45.5 ^{2/}	46.3 ***	<0.8 ^{3/}
	03:10-03:15 HOUR	50.3 ^{2/}	47.5 ***	50.1 ^{2/}	46.3 ***	3.8
	03:15-03:20 HOUR	50.0 ^{2/}	48.8 ***	46.8 ^{2/}	47.5 ***	<0.8 ^{3/}
	03:20-03:25 HOUR	50.6 ^{2/}	48.8 ***	48.9 ^{2/}	47.5 ***	1.4
	03:25-03:30 HOUR	50.3 ^{2/}	48.8 ***	48.0 ^{2/}	47.5 ***	<0.8 ^{3/}
	03:30-03:35 HOUR	50.0 ^{2/}	50.9 ***	<0.8 ^{3/}	49.4 ***	<0.8 ^{3/}
	03:35-03:40 HOUR	51.9 ^{2/}	50.9 ***	48.0 ^{2/}	49.4 ***	<0.8 ^{3/}
	03:40-03:45 HOUR	52.3 ^{2/}	50.9 ***	49.7 ^{2/}	49.4 ***	<0.8 ^{3/}
	03:45-03:50 HOUR	53.8 ^{2/}	52.3 ***	51.5 ^{2/}	50.3 ***	1.2
	03:50-03:55 HOUR	53.2 ^{2/}	52.3 ***	48.9 ^{2/}	50.3 ***	<0.8 ^{3/}
	03:55-04:00 HOUR	54.8 ^{2/}	52.3 ***	54.2 ^{2/}	50.3 ***	3.9
	04:00-04:05 HOUR	50.6 ^{2/}	48.2 ***	49.9 ^{2/}	47.1 ***	2.8
	04:05-04:10 HOUR	49.4 ^{2/}	48.2 ***	46.2 ^{2/}	47.1 ***	<0.8 ^{3/}
	04:10-04:15 HOUR	50.0 ^{2/}	48.2 ***	48.3 ^{2/}	47.1 ***	1.2

DATE	TIME*	RESULT (dB(A))				
		วิธีวัดด้านเหนือของพื้นที่โครงการ				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 19, 2024	NIGHT TIME ^{2/}					
T24AV902-0008	04:15-04:20 HOUR	51.1 ^{2/}	50.6 ***	44.5 ^{2/}	47.9 ***	<0.8 ^{3/}
	04:20-04:25 HOUR	49.7 ^{2/}	50.6 ***	<0.8 ^{3/}	47.9 ***	<0.8 ^{3/}
	04:25-04:30 HOUR	51.8 ^{2/}	50.6 ***	48.6 ^{2/}	47.9 ***	<0.8 ^{3/}
	04:30-04:35 HOUR	53.7 ^{2/}	50.2 ***	54.1 ^{2/}	48.6 ***	5.5
	04:35-04:40 HOUR	51.0 ^{2/}	50.2 ***	46.3 ^{2/}	48.6 ***	<0.8 ^{3/}
	04:40-04:45 HOUR	52.9 ^{2/}	50.2 ***	52.6 ^{2/}	48.6 ***	4.0
	04:45-04:50 HOUR	51.6 ^{2/}	48.5 ***	51.7 ^{2/}	47.4 ***	4.3
	04:50-04:55 HOUR	50.9 ^{2/}	48.5 ***	50.2 ^{2/}	47.4 ***	2.8
	04:55-05:00 HOUR	50.5 ^{2/}	48.5 ***	49.2 ^{2/}	47.4 ***	1.8
	05:00-05:05 HOUR	52.0 ^{2/}	50.9 ***	48.5 ^{2/}	49.4 ***	<0.8 ^{3/}
	05:05-05:10 HOUR	51.8 ^{2/}	50.9 ***	47.5 ^{2/}	49.4 ***	<0.8 ^{3/}
	05:10-05:15 HOUR	51.0 ^{2/}	50.9 ***	37.6 ^{2/}	49.4 ***	<0.8 ^{3/}
	05:15-05:20 HOUR	52.0 ^{2/}	52.4 ***	<0.8 ^{3/}	50.1 ***	<0.8 ^{3/}
	05:20-05:25 HOUR	52.9 ^{2/}	52.4 ***	46.3 ^{2/}	50.1 ***	<0.8 ^{3/}
	05:25-05:30 HOUR	53.9 ^{2/}	52.4 ***	51.6 ^{2/}	50.1 ***	1.5
	05:30-05:35 HOUR	52.5 ^{2/}	51.4 ***	49.0 ^{2/}	49.1 ***	<0.8 ^{3/}
	05:35-05:40 HOUR	52.2 ^{2/}	51.4 ***	47.5 ^{2/}	49.1 ***	<0.8 ^{3/}
	05:40-05:45 HOUR	53.7 ^{2/}	51.4 ***	52.8 ^{2/}	49.1 ***	3.7
	05:45-05:50 HOUR	52.5 ^{2/}	52.4 ***	39.1 ^{2/}	49.6 ***	<0.8 ^{3/}
	05:50-05:55 HOUR	52.9 ^{2/}	52.4 ***	46.3 ^{2/}	49.6 ***	<0.8 ^{3/}
	05:55-06:00 HOUR	55.0 ^{2/}	52.4 ***	54.5 ^{2/}	49.6 ***	4.9
	DAY TIME ^{1/}					
	06:00-07:00 HOUR	58.4 ^{1/}	55.7 **	55.1 ^{1/}	51.5 **	3.6

- REMARK :**
- 1/ CASE 1 CALCULATION (DURING 06:00 TO 22:00 HOUR) : SPECIFIC SOUND LEVEL CONTINUOUSLY OCCUR AT LEAST 1 HOUR, MEASURING AS L_{Aeq} 1 hour.
 - 2/ CASE 4 CALCULATION (DURING 22:00 TO 06:00 HOUR) : SPECIFIC SOUND LEVEL OCCUR IN RESTFUL AREA OR NIGHT TIME, MEASURING AS L_{Aeq} 5 minutes.
 - 3/ THERE IS NO IMPACT CAUSE ANNOYANCE SOUND LEVEL
- ** PERCENTILE LEVEL 90 (L_{A90}) IS THE MIDDLE VALUE OF 11 TIMES MEASURING.
(55 MINUTES MEASURING DURING 06:00 TO 22:00 HOUR)
AND RESIDUAL SOUND LEVEL (L_{Aeq} 5 minutes) IS CHOSEN AT THE SAME TIME AS PERCENTILE LEVEL 90 ABOVE.
- *** PERCENTILE LEVEL 90 (L_{A90}) IS THE MIDDLE VALUE OF 3 TIMES MEASURING.
(15 MINUTES MEASURING DURING 22:00 TO 06:00 HOUR)
AND RESIDUAL SOUND LEVEL (L_{Aeq} 5 minutes) IS CHOSEN AT THE SAME TIME AS PERCENTILE LEVEL 90 ABOVE.

LABORATORY SUPERVISOR

ANALYSIS REPORT

PROJECT NAME : IN-PLANT GENERATOR PROJECT IN OPERATION PHASE
CUSTOMER NAME : PTT LNG COMPANY LIMITED
ADDRESS : 8/1, I-8 ROAD, MAP TA PHUT INDUSTRIAL ESTATE, MAP TA PHUT MUEANG RAYONG RAYONG 21150
CONTACT INFORMATION : TEL : 0 3897 8200 e-mail : dan.s@pttling.com
MEASURING PLACE : วัดตากวนคงคาราม
MEASURING TYPE : AMBIENT (ANNOYANCE NOISE)
MEASURING DATE : SEPTEMBER 12-19, 2024
MEASURING TIME : *
MEASURING EQUIPMENT : INTEGRATED SOUND LEVEL METER AND CALCULATION
MEASURED BY : XXXXXXXXXX
RECEIVED DATE : SEPTEMBER 12-19, 2024
ANALYTICAL DATE : SEPTEMBER 12-19, 2024
ISSUE DATE : SEPTEMBER 26, 2024
REPORT NO. : 2024-U090102
WORK NO. : 2023-009993
ANALYSIS NO. : T24AV902-0009 - T24AV902-0015

DATE	TIME*	RESULT (dB(A))				
		วัดตากวนคงคาราม				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 12, 2024	DAY TIME ^{1/}					
T24AV902-0009	07:00-08:00 HOUR	52.2 ^{1/}	50.1 **	48.0 ^{1/}	44.4 **	3.6
	08:00-09:00 HOUR	49.3 ^{1/}	46.9 **	45.6 ^{1/}	40.2 **	5.4
	09:00-10:00 HOUR	49.5 ^{1/}	46.9 **	46.0 ^{1/}	39.0 **	7.0
	10:00-11:00 HOUR	47.7 ^{1/}	47.4 **	35.9 ^{1/}	39.5 **	<0.8 ^{3/}
	11:00-12:00 HOUR	50.0 ^{1/}	47.0 **	47.0 ^{1/}	42.2 **	4.8
	12:00-13:00 HOUR	52.3 ^{1/}	48.9 **	49.6 ^{1/}	43.7 **	5.9
	13:00-14:00 HOUR	50.3 ^{1/}	46.8 **	47.7 ^{1/}	41.8 **	5.9
	14:00-15:00 HOUR	53.7 ^{1/}	49.9 **	51.4 ^{1/}	44.1 **	7.3
	15:00-16:00 HOUR	50.3 ^{1/}	46.9 **	47.6 ^{1/}	42.4 **	5.2
	16:00-17:00 HOUR	51.1 ^{1/}	47.9 **	48.3 ^{1/}	43.9 **	4.4
	17:00-18:00 HOUR	53.8 ^{1/}	48.2 **	52.4 ^{1/}	45.1 **	7.3
	18:00-19:00 HOUR	47.8 ^{1/}	44.0 **	45.5 ^{1/}	40.2 **	5.3
	19:00-20:00 HOUR	44.1 ^{1/}	42.8 **	38.2 ^{1/}	39.7 **	<0.8 ^{3/}
	20:00-21:00 HOUR	45.5 ^{1/}	44.7 **	37.8 ^{1/}	41.9 **	<0.8 ^{3/}
	21:00-22:00 HOUR	46.3 ^{1/}	44.7 **	41.2 ^{1/}	42.9 **	<0.8 ^{3/}
	NIGHT TIME ^{2/}					
	22:00-22:05 HOUR	46.4 ^{2/}	44.6 ***	44.7 ^{2/}	42.5 ***	2.2
	22:05-22:10 HOUR	47.1 ^{2/}	44.6 ***	46.5 ^{2/}	42.5 ***	4.0
	22:10-22:15 HOUR	48.1 ^{2/}	44.6 ***	48.5 ^{2/}	42.5 ***	6.0
	22:15-22:20 HOUR	45.7 ^{2/}	44.6 ***	42.2 ^{2/}	43.1 ***	<0.8 ^{3/}
	22:20-22:25 HOUR	48.0 ^{2/}	44.6 ***	48.3 ^{2/}	43.1 ***	5.2
	22:25-22:30 HOUR	47.2 ^{2/}	44.6 ***	46.7 ^{2/}	43.1 ***	3.6
	22:30-22:35 HOUR	47.0 ^{2/}	44.8 ***	46.0 ^{2/}	42.1 ***	3.9
	22:35-22:40 HOUR	45.0 ^{2/}	44.8 ***	34.5 ^{2/}	42.1 ***	<0.8 ^{3/}
	22:40-22:45 HOUR	45.8 ^{2/}	44.8 ***	41.9 ^{2/}	42.1 ***	<0.8 ^{3/}
	22:45-22:50 HOUR	46.4 ^{2/}	46.9 ***	<0.8 ^{3/}	44.3 ***	<0.8 ^{3/}
	22:50-22:55 HOUR	47.3 ^{2/}	46.9 ***	39.7 ^{2/}	44.3 ***	<0.8 ^{3/}
	22:55-23:00 HOUR	47.1 ^{2/}	46.9 ***	36.6 ^{2/}	44.3 ***	<0.8 ^{3/}
	23:00-23:05 HOUR	47.0 ^{2/}	44.3 ***	46.7 ^{2/}	43.5 ***	3.2
	23:05-23:10 HOUR	46.8 ^{2/}	44.3 ***	46.2 ^{2/}	43.5 ***	2.7
	23:10-23:15 HOUR	46.6 ^{2/}	44.3 ***	45.7 ^{2/}	43.5 ***	2.2



DATE	TIME*	RESULT (dB(A))				
		วัดตามจุดการาม				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 12, 2024	NIGHT TIME ^{2/}					
T24AV902-0009	23:15-23:20 HOUR	46.8 ^{2/}	44.5 ***	45.9 ^{2/}	42.2 ***	3.7
	23:20-23:25 HOUR	46.6 ^{2/}	44.5 ***	45.4 ^{2/}	42.2 ***	3.2
	23:25-23:30 HOUR	45.0 ^{2/}	44.5 ***	38.4 ^{2/}	42.2 ***	<0.8 ^{3/}
	23:30-23:35 HOUR	43.2 ^{2/}	44.8 ***	<0.8 ^{3/}	43.5 ***	<0.8 ^{3/}
	23:35-23:40 HOUR	46.5 ^{2/}	44.8 ***	44.6 ^{2/}	43.5 ***	1.1
	23:40-23:45 HOUR	48.2 ^{2/}	44.8 ***	48.5 ^{2/}	43.5 ***	5.0
	23:45-23:50 HOUR	46.5 ^{2/}	45.7 ***	41.8 ^{2/}	44.9 ***	<0.8 ^{3/}
	23:50-23:55 HOUR	46.8 ^{2/}	45.7 ***	43.3 ^{2/}	44.9 ***	<0.8 ^{3/}
	23:55-00:00 HOUR	46.7 ^{2/}	45.7 ***	42.8 ^{2/}	44.9 ***	<0.8 ^{3/}
SEPTEMBER 13, 2024	NIGHT TIME ^{2/}					
T24AV902-0009	00:00-00:05 HOUR	46.8 ^{2/}	45.4 ***	44.2 ^{2/}	43.3 ***	0.9
	00:05-00:10 HOUR	47.4 ^{2/}	45.4 ***	46.1 ^{2/}	43.3 ***	2.8
	00:10-00:15 HOUR	46.9 ^{2/}	45.4 ***	44.6 ^{2/}	43.3 ***	1.3
	00:15-00:20 HOUR	45.4 ^{2/}	45.6 ***	<0.8 ^{3/}	42.6 ***	<0.8 ^{3/}
	00:20-00:25 HOUR	46.8 ^{2/}	45.6 ***	43.6 ^{2/}	42.6 ***	1.0
	00:25-00:30 HOUR	47.1 ^{2/}	45.6 ***	44.8 ^{2/}	42.6 ***	2.2
	00:30-00:35 HOUR	47.2 ^{2/}	45.8 ***	44.6 ^{2/}	44.4 ***	<0.8 ^{3/}
	00:35-00:40 HOUR	48.3 ^{2/}	45.8 ***	47.7 ^{2/}	44.4 ***	3.3
	00:40-00:45 HOUR	46.7 ^{2/}	45.8 ***	42.4 ^{2/}	44.4 ***	<0.8 ^{3/}
	00:45-00:50 HOUR	46.7 ^{2/}	45.3 ***	44.1 ^{2/}	43.4 ***	<0.8 ^{3/}
	00:50-00:55 HOUR	46.6 ^{2/}	45.3 ***	43.7 ^{2/}	43.4 ***	<0.8 ^{3/}
	00:55-01:00 HOUR	46.8 ^{2/}	45.3 ***	44.5 ^{2/}	43.4 ***	1.1
	01:00-01:05 HOUR	47.0 ^{2/}	45.8 ***	43.8 ^{2/}	44.4 ***	<0.8 ^{3/}
	01:05-01:10 HOUR	47.3 ^{2/}	45.8 ***	45.0 ^{2/}	44.4 ***	<0.8 ^{3/}
	01:10-01:15 HOUR	48.7 ^{2/}	45.8 ***	48.6 ^{2/}	44.4 ***	4.2
	01:15-01:20 HOUR	47.0 ^{2/}	44.8 ***	46.0 ^{2/}	42.5 ***	3.5
	01:20-01:25 HOUR	46.9 ^{2/}	44.8 ***	45.7 ^{2/}	42.5 ***	3.2
	01:25-01:30 HOUR	46.8 ^{2/}	44.8 ***	45.5 ^{2/}	42.5 ***	3.0
	01:30-01:35 HOUR	46.2 ^{2/}	44.2 ***	44.9 ^{2/}	42.0 ***	2.9
	01:35-01:40 HOUR	46.6 ^{2/}	44.2 ***	45.9 ^{2/}	42.0 ***	3.9
	01:40-01:45 HOUR	46.4 ^{2/}	44.2 ***	45.4 ^{2/}	42.0 ***	3.4
	01:45-01:50 HOUR	46.5 ^{2/}	44.0 ***	45.9 ^{2/}	42.6 ***	3.3
	01:50-01:55 HOUR	46.8 ^{2/}	44.0 ***	46.6 ^{2/}	42.6 ***	4.0
	01:55-02:00 HOUR	46.8 ^{2/}	44.0 ***	46.6 ^{2/}	42.6 ***	4.0
	02:00-02:05 HOUR	42.5 ^{2/}	43.0 ***	<0.8 ^{3/}	39.9 ***	<0.8 ^{3/}
	02:05-02:10 HOUR	41.5 ^{2/}	43.0 ***	<0.8 ^{3/}	39.9 ***	<0.8 ^{3/}
	02:10-02:15 HOUR	43.3 ^{2/}	43.0 ***	34.5 ^{2/}	39.9 ***	<0.8 ^{3/}
	02:15-02:20 HOUR	48.1 ^{2/}	45.3 ***	47.9 ^{2/}	43.1 ***	4.8
	02:20-02:25 HOUR	47.1 ^{2/}	45.3 ***	45.4 ^{2/}	43.1 ***	2.3
	02:25-02:30 HOUR	46.9 ^{2/}	45.3 ***	44.8 ^{2/}	43.1 ***	1.7
	02:30-02:35 HOUR	46.2 ^{2/}	42.9 ***	46.5 ^{2/}	39.8 ***	6.7
	02:35-02:40 HOUR	45.5 ^{2/}	42.9 ***	45.0 ^{2/}	39.8 ***	5.2
	02:40-02:45 HOUR	44.5 ^{2/}	42.9 ***	42.4 ^{2/}	39.8 ***	2.6
	02:45-02:50 HOUR	41.3 ^{2/}	40.5 ***	36.6 ^{2/}	39.3 ***	<0.8 ^{3/}

DATE	TIME*	RESULT (dB(A))				
		วัดตามวงศดราม				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 13, 2024	NIGHT TIME ^{2/}					
T24AV902-0009	02:50-02:55 HOUR	41.2 ^{2/}	40.5 ***	35.9 ^{2/}	39.3 ***	<0.8 ^{3/}
	02:55-03:00 HOUR	42.4 ^{2/}	40.5 ***	40.9 ^{2/}	39.3 ***	1.6
	03:00-03:05 HOUR	40.3 ^{2/}	41.2 ***	<0.8 ^{3/}	39.3 ***	<0.8 ^{3/}
	03:05-03:10 HOUR	40.1 ^{2/}	41.2 ***	<0.8 ^{3/}	39.3 ***	<0.8 ^{3/}
	03:10-03:15 HOUR	41.7 ^{2/}	41.2 ***	35.1 ^{2/}	39.3 ***	<0.8 ^{3/}
	03:15-03:20 HOUR	43.6 ^{2/}	43.0 ***	37.7 ^{2/}	41.5 ***	<0.8 ^{3/}
	03:20-03:25 HOUR	43.3 ^{2/}	43.0 ***	34.5 ^{2/}	41.5 ***	<0.8 ^{3/}
	03:25-03:30 HOUR	43.5 ^{2/}	43.0 ***	36.9 ^{2/}	41.5 ***	<0.8 ^{3/}
	03:30-03:35 HOUR	43.4 ^{2/}	40.3 ***	43.5 ^{2/}	39.2 ***	4.3
	03:35-03:40 HOUR	43.6 ^{2/}	40.3 ***	43.9 ^{2/}	39.2 ***	4.7
	03:40-03:45 HOUR	40.6 ^{2/}	40.3 ***	31.8 ^{2/}	39.2 ***	<0.8 ^{3/}
	03:45-03:50 HOUR	43.1 ^{2/}	41.7 ***	40.5 ^{2/}	40.2 ***	<0.8 ^{3/}
	03:50-03:55 HOUR	43.5 ^{2/}	41.7 ***	41.8 ^{2/}	40.2 ***	1.6
	03:55-04:00 HOUR	42.0 ^{2/}	41.7 ***	33.2 ^{2/}	40.2 ***	<0.8 ^{3/}
	04:00-04:05 HOUR	42.0 ^{2/}	41.2 ***	37.3 ^{2/}	39.5 ***	<0.8 ^{3/}
	04:05-04:10 HOUR	44.8 ^{2/}	41.2 ***	45.3 ^{2/}	39.5 ***	5.8
	04:10-04:15 HOUR	43.8 ^{2/}	41.2 ***	43.3 ^{2/}	39.5 ***	3.8
	04:15-04:20 HOUR	41.7 ^{2/}	47.3 ***	<0.8 ^{3/}	39.8 ***	<0.8 ^{3/}
	04:20-04:25 HOUR	43.3 ^{2/}	47.3 ***	<0.8 ^{3/}	39.8 ***	<0.8 ^{3/}
	04:25-04:30 HOUR	41.7 ^{2/}	47.3 ***	<0.8 ^{3/}	39.8 ***	<0.8 ^{3/}
	04:30-04:35 HOUR	51.8 ^{2/}	56.6 ***	<0.8 ^{3/}	39.6 ***	<0.8 ^{3/}
	04:35-04:40 HOUR	52.7 ^{2/}	56.6 ***	<0.8 ^{3/}	39.6 ***	<0.8 ^{3/}
	04:40-04:45 HOUR	56.8 ^{2/}	56.6 ***	46.3 ^{2/}	39.6 ***	6.7
	04:45-04:50 HOUR	42.6 ^{2/}	40.0 ***	42.1 ^{2/}	38.6 ***	3.5
	04:50-04:55 HOUR	43.3 ^{2/}	40.0 ***	43.6 ^{2/}	38.6 ***	5.0
	04:55-05:00 HOUR	42.3 ^{2/}	40.0 ***	41.4 ^{2/}	38.6 ***	2.8
	05:00-05:05 HOUR	40.8 ^{2/}	40.0 ***	36.1 ^{2/}	38.4 ***	<0.8 ^{3/}
	05:05-05:10 HOUR	41.4 ^{2/}	40.0 ***	38.8 ^{2/}	38.4 ***	<0.8 ^{3/}
	05:10-05:15 HOUR	41.6 ^{2/}	40.0 ***	39.5 ^{2/}	38.4 ***	1.1
	05:15-05:20 HOUR	42.1 ^{2/}	44.2 ***	<0.8 ^{3/}	39.3 ***	<0.8 ^{3/}
	05:20-05:25 HOUR	41.6 ^{2/}	44.2 ***	<0.8 ^{3/}	39.3 ***	<0.8 ^{3/}
	05:25-05:30 HOUR	43.4 ^{2/}	44.2 ***	<0.8 ^{3/}	39.3 ***	<0.8 ^{3/}
	05:30-05:35 HOUR	45.8 ^{2/}	47.3 ***	<0.8 ^{3/}	40.3 ***	<0.8 ^{3/}
	05:35-05:40 HOUR	48.0 ^{2/}	47.3 ***	42.7 ^{2/}	40.3 ***	2.4
	05:40-05:45 HOUR	43.9 ^{2/}	47.3 ***	<0.8 ^{3/}	40.3 ***	<0.8 ^{3/}
	05:45-05:50 HOUR	49.0 ^{2/}	52.4 ***	<0.8 ^{3/}	41.5 ***	<0.8 ^{3/}
	05:50-05:55 HOUR	53.4 ^{2/}	52.4 ***	49.5 ^{2/}	41.5 ***	8.0
	05:55-06:00 HOUR	49.5 ^{2/}	52.4 ***	<0.8 ^{3/}	41.5 ***	<0.8 ^{3/}
	DAY TIME ^{1/}					
	06:00-07:00 HOUR	51.1 ^{1/}	47.0 **	49.0 ^{1/}	41.9 **	7.1
SEPTEMBER 13, 2024	DAY TIME ^{1/}					
T24AV902-0010	07:00-08:00 HOUR	52.3 ^{1/}	52.0 **	40.5 ^{1/}	43.6 **	<0.8 ^{3/}
	08:00-09:00 HOUR	49.0 ^{1/}	47.3 **	44.1 ^{1/}	40.8 **	3.3
	09:00-10:00 HOUR	49.5 ^{1/}	47.6 **	45.0 ^{1/}	41.2 **	3.8
	10:00-11:00 HOUR	49.3 ^{1/}	46.7 **	45.8 ^{1/}	42.8 **	3.0

DATE	TIME*	RESULT (dB(A))				
		วัดตามวงคาราม				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 13, 2024	DAY TIME ^{1/}					
T24AV902-0010	11:00-12:00 HOUR	51.6 ^{1/}	48.1 **	49.0 ^{1/}	43.9 **	5.1
	12:00-13:00 HOUR	53.0 ^{1/}	47.9 **	51.4 ^{1/}	44.8 **	6.6
	13:00-14:00 HOUR	51.2 ^{1/}	46.5 **	49.4 ^{1/}	42.7 **	6.7
	14:00-15:00 HOUR	48.7 ^{1/}	46.2 **	45.1 ^{1/}	41.8 **	3.3
	15:00-16:00 HOUR	47.4 ^{1/}	44.9 **	43.8 ^{1/}	41.7 **	2.1
	16:00-17:00 HOUR	47.8 ^{1/}	46.3 **	42.5 ^{1/}	41.5 **	1.0
	17:00-18:00 HOUR	50.0 ^{1/}	47.2 **	46.8 ^{1/}	41.9 **	4.9
	18:00-19:00 HOUR	48.4 ^{1/}	43.3 **	46.8 ^{1/}	41.0 **	5.8
	19:00-20:00 HOUR	48.5 ^{1/}	45.5 **	45.5 ^{1/}	42.1 **	3.4
	20:00-21:00 HOUR	51.8 ^{1/}	48.9 **	48.7 ^{1/}	45.7 **	3.0
	21:00-22:00 HOUR	50.0 ^{1/}	46.6 **	47.3 ^{1/}	44.3 **	3.0
	NIGHT TIME ^{2/}					
	22:00-22:05 HOUR	46.5 ^{2/}	46.2 ***	37.7 ^{2/}	44.8 ***	<0.8 ^{3/}
	22:05-22:10 HOUR	46.3 ^{2/}	46.2 ***	32.9 ^{2/}	44.8 ***	<0.8 ^{3/}
	22:10-22:15 HOUR	47.7 ^{2/}	46.2 ***	45.4 ^{2/}	44.8 ***	<0.8 ^{3/}
	22:15-22:20 HOUR	46.1 ^{2/}	45.6 ***	39.5 ^{2/}	44.6 ***	<0.8 ^{3/}
	22:20-22:25 HOUR	46.5 ^{2/}	45.6 ***	42.2 ^{2/}	44.6 ***	<0.8 ^{3/}
	22:25-22:30 HOUR	45.6 ^{2/}	45.6 ***	<0.8 ^{3/}	44.6 ***	<0.8 ^{3/}
	22:30-22:35 HOUR	49.7 ^{2/}	47.5 ***	48.7 ^{2/}	44.7 ***	4.0
	22:35-22:40 HOUR	45.9 ^{2/}	47.5 ***	<0.8 ^{3/}	44.7 ***	<0.8 ^{3/}
	22:40-22:45 HOUR	51.7 ^{2/}	47.5 ***	52.6 ^{2/}	44.7 ***	7.9
	22:45-22:50 HOUR	46.4 ^{2/}	45.4 ***	42.5 ^{2/}	44.0 ***	<0.8 ^{3/}
	22:50-22:55 HOUR	45.7 ^{2/}	45.4 ***	36.9 ^{2/}	44.0 ***	<0.8 ^{3/}
	22:55-23:00 HOUR	46.4 ^{2/}	45.4 ***	42.5 ^{2/}	44.0 ***	<0.8 ^{3/}
	23:00-23:05 HOUR	45.4 ^{2/}	43.3 ***	44.2 ^{2/}	42.1 ***	2.1
	23:05-23:10 HOUR	44.4 ^{2/}	43.3 ***	40.9 ^{2/}	42.1 ***	<0.8 ^{3/}
	23:10-23:15 HOUR	45.1 ^{2/}	43.3 ***	43.4 ^{2/}	42.1 ***	1.3
	23:15-23:20 HOUR	44.4 ^{2/}	43.8 ***	38.5 ^{2/}	41.9 ***	<0.8 ^{3/}
	23:20-23:25 HOUR	43.0 ^{2/}	43.8 ***	<0.8 ^{3/}	41.9 ***	<0.8 ^{3/}
	23:25-23:30 HOUR	45.4 ^{2/}	43.8 ***	43.3 ^{2/}	41.9 ***	1.4
	23:30-23:35 HOUR	45.7 ^{2/}	49.7 ***	<0.8 ^{3/}	43.4 ***	<0.8 ^{3/}
	23:35-23:40 HOUR	46.8 ^{2/}	49.7 ***	<0.8 ^{3/}	43.4 ***	<0.8 ^{3/}
	23:40-23:45 HOUR	50.9 ^{2/}	49.7 ***	47.7 ^{2/}	43.4 ***	4.3
	23:45-23:50 HOUR	46.2 ^{2/}	45.5 ***	40.9 ^{2/}	43.3 ***	<0.8 ^{3/}
	23:50-23:55 HOUR	46.5 ^{2/}	45.5 ***	42.6 ^{2/}	43.3 ***	<0.8 ^{3/}
	23:55-00:00 HOUR	46.8 ^{2/}	45.5 ***	43.9 ^{2/}	43.3 ***	<0.8 ^{3/}
SEPTEMBER 14, 2024	NIGHT TIME ^{2/}					
T24AV902-0010	00:00-00:05 HOUR	46.1 ^{2/}	45.4 ***	40.8 ^{2/}	43.0 ***	<0.8 ^{3/}
	00:05-00:10 HOUR	46.5 ^{2/}	45.4 ***	43.0 ^{2/}	43.0 ***	<0.8 ^{3/}
	00:10-00:15 HOUR	47.2 ^{2/}	45.4 ***	45.5 ^{2/}	43.0 ***	2.5
	00:15-00:20 HOUR	47.7 ^{2/}	45.8 ***	46.2 ^{2/}	43.5 ***	2.7
	00:20-00:25 HOUR	47.1 ^{2/}	45.8 ***	44.2 ^{2/}	43.5 ***	<0.8 ^{3/}
	00:25-00:30 HOUR	45.5 ^{2/}	45.8 ***	<0.8 ^{3/}	43.5 ***	<0.8 ^{3/}
	00:30-00:35 HOUR	47.8 ^{2/}	47.6 ***	37.3 ^{2/}	43.9 ***	<0.8 ^{3/}
	00:35-00:40 HOUR	46.8 ^{2/}	47.6 ***	<0.8 ^{3/}	43.9 ***	<0.8 ^{3/}

DATE	TIME*	RESULT (dB(A))				
		วัดตามวงคาราม				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 14, 2024	NIGHT TIME ^{2/}					
T24AV902-0010	00:40-00:45 HOUR	50.3 ^{2/}	47.6 ***	50.0 ^{2/}	43.9 ***	6.1
	00:45-00:50 HOUR	50.0 ^{2/}	57.1 ***	<0.8 ^{3/}	49.9 ***	<0.8 ^{3/}
	00:50-00:55 HOUR	53.9 ^{2/}	57.1 ***	<0.8 ^{3/}	49.9 ***	<0.8 ^{3/}
	00:55-01:00 HOUR	57.7 ^{2/}	57.1 ***	51.8 ^{2/}	49.9 ***	1.9
	01:00-01:05 HOUR	62.1 ^{2/}	59.7 ***	61.4 ^{2/}	56.9 ***	4.5
	01:05-01:10 HOUR	62.2 ^{2/}	59.7 ***	61.6 ^{2/}	56.9 ***	4.7
	01:10-01:15 HOUR	60.2 ^{2/}	59.7 ***	53.6 ^{2/}	56.9 ***	<0.8 ^{3/}
	01:15-01:20 HOUR	58.6 ^{2/}	62.0 ***	<0.8 ^{3/}	60.4 ***	<0.8 ^{3/}
	01:20-01:25 HOUR	63.5 ^{2/}	62.0 ***	61.2 ^{2/}	60.4 ***	0.8
	01:25-01:30 HOUR	61.8 ^{2/}	62.0 ***	<0.8 ^{3/}	60.4 ***	<0.8 ^{3/}
	01:30-01:35 HOUR	60.7 ^{2/}	56.5 ***	61.6 ^{2/}	54.2 ***	7.4
	01:35-01:40 HOUR	60.0 ^{2/}	56.5 ***	60.4 ^{2/}	54.2 ***	6.2
	01:40-01:45 HOUR	58.1 ^{2/}	56.5 ***	56.0 ^{2/}	54.2 ***	1.8
	01:45-01:50 HOUR	54.4 ^{2/}	54.3 ***	41.0 ^{2/}	53.2 ***	<0.8 ^{3/}
	01:50-01:55 HOUR	57.8 ^{2/}	54.3 ***	58.2 ^{2/}	53.2 ***	5.0
	01:55-02:00 HOUR	58.2 ^{2/}	54.3 ***	58.9 ^{2/}	53.2 ***	5.7
	02:00-02:05 HOUR	55.4 ^{2/}	51.2 ***	56.3 ^{2/}	49.0 ***	7.3
	02:05-02:10 HOUR	54.0 ^{2/}	51.2 ***	53.8 ^{2/}	49.0 ***	4.8
	02:10-02:15 HOUR	52.6 ^{2/}	51.2 ***	50.0 ^{2/}	49.0 ***	1.0
	02:15-02:20 HOUR	51.1 ^{2/}	47.1 ***	51.9 ^{2/}	45.3 ***	6.6
	02:20-02:25 HOUR	48.1 ^{2/}	47.1 ***	44.2 ^{2/}	45.3 ***	<0.8 ^{3/}
	02:25-02:30 HOUR	48.1 ^{2/}	47.1 ***	44.2 ^{2/}	45.3 ***	<0.8 ^{3/}
	02:30-02:35 HOUR	49.4 ^{2/}	48.5 ***	45.1 ^{2/}	46.0 ***	<0.8 ^{3/}
	02:35-02:40 HOUR	51.8 ^{2/}	48.5 ***	52.1 ^{2/}	46.0 ***	6.1
	02:40-02:45 HOUR	49.5 ^{2/}	48.5 ***	45.6 ^{2/}	46.0 ***	<0.8 ^{3/}
	02:45-02:50 HOUR	50.3 ^{2/}	47.3 ***	50.3 ^{2/}	45.4 ***	4.9
	02:50-02:55 HOUR	48.8 ^{2/}	47.3 ***	46.5 ^{2/}	45.4 ***	1.1
	02:55-03:00 HOUR	48.7 ^{2/}	47.3 ***	46.1 ^{2/}	45.4 ***	<0.8 ^{3/}
	03:00-03:05 HOUR	49.6 ^{2/}	46.9 ***	49.3 ^{2/}	45.2 ***	4.1
	03:05-03:10 HOUR	49.3 ^{2/}	46.9 ***	48.6 ^{2/}	45.2 ***	3.4
	03:10-03:15 HOUR	47.7 ^{2/}	46.9 ***	43.0 ^{2/}	45.2 ***	<0.8 ^{3/}
	03:15-03:20 HOUR	47.6 ^{2/}	47.1 ***	41.0 ^{2/}	45.8 ***	<0.8 ^{3/}
	03:20-03:25 HOUR	48.8 ^{2/}	47.1 ***	46.9 ^{2/}	45.8 ***	1.1
	03:25-03:30 HOUR	49.2 ^{2/}	47.1 ***	48.0 ^{2/}	45.8 ***	2.2
	03:30-03:35 HOUR	49.3 ^{2/}	46.5 ***	49.1 ^{2/}	45.2 ***	3.9
	03:35-03:40 HOUR	49.3 ^{2/}	46.5 ***	49.1 ^{2/}	45.2 ***	3.9
	03:40-03:45 HOUR	47.8 ^{2/}	46.5 ***	44.9 ^{2/}	45.2 ***	<0.8 ^{3/}
	03:45-03:50 HOUR	46.7 ^{2/}	46.9 ***	<0.8 ^{3/}	45.8 ***	<0.8 ^{3/}
	03:50-03:55 HOUR	47.8 ^{2/}	46.9 ***	43.5 ^{2/}	45.8 ***	<0.8 ^{3/}
	03:55-04:00 HOUR	48.3 ^{2/}	46.9 ***	45.7 ^{2/}	45.8 ***	<0.8 ^{3/}
	04:00-04:05 HOUR	50.4 ^{2/}	49.0 ***	47.8 ^{2/}	48.4 ***	<0.8 ^{3/}
	04:05-04:10 HOUR	49.5 ^{2/}	49.0 ***	42.9 ^{2/}	48.4 ***	<0.8 ^{3/}
	04:10-04:15 HOUR	49.8 ^{2/}	49.0 ***	45.1 ^{2/}	48.4 ***	<0.8 ^{3/}
	04:15-04:20 HOUR	50.8 ^{2/}	49.9 ***	46.5 ^{2/}	49.2 ***	<0.8 ^{3/}

DATE	TIME*	RESULT (dB(A))				
		วัดตามวงคาราม				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 14, 2024	NIGHT TIME ^{2/}					
T24AV902-0010	04:20-04:25 HOUR	51.8 ^{2/}	49.9 ***	50.3 ^{2/}	49.2 ***	1.1
	04:25-04:30 HOUR	50.2 ^{2/}	49.9 ***	41.4 ^{2/}	49.2 ***	<0.8 ^{3/}
	04:30-04:35 HOUR	50.6 ^{2/}	49.3 ***	47.7 ^{2/}	48.3 ***	<0.8 ^{3/}
	04:35-04:40 HOUR	51.6 ^{2/}	49.3 ***	50.7 ^{2/}	48.3 ***	2.4
	04:40-04:45 HOUR	52.0 ^{2/}	49.3 ***	51.7 ^{2/}	48.3 ***	3.4
	04:45-04:50 HOUR	52.0 ^{2/}	50.3 ***	50.1 ^{2/}	47.7 ***	2.4
	04:50-04:55 HOUR	52.2 ^{2/}	50.3 ***	50.7 ^{2/}	47.7 ***	3.0
	04:55-05:00 HOUR	52.4 ^{2/}	50.3 ***	51.2 ^{2/}	47.7 ***	3.5
	05:00-05:05 HOUR	52.5 ^{2/}	50.2 ***	51.6 ^{2/}	48.1 ***	3.5
	05:05-05:10 HOUR	51.0 ^{2/}	50.2 ***	46.3 ^{2/}	48.1 ***	<0.8 ^{3/}
	05:10-05:15 HOUR	51.5 ^{2/}	50.2 ***	48.6 ^{2/}	48.1 ***	<0.8 ^{3/}
	05:15-05:20 HOUR	52.5 ^{2/}	50.5 ***	51.2 ^{2/}	48.5 ***	2.7
	05:20-05:25 HOUR	52.8 ^{2/}	50.5 ***	51.9 ^{2/}	48.5 ***	3.4
	05:25-05:30 HOUR	51.7 ^{2/}	50.5 ***	48.5 ^{2/}	48.5 ***	<0.8 ^{3/}
	05:30-05:35 HOUR	53.2 ^{2/}	51.9 ***	50.3 ^{2/}	50.2 ***	<0.8 ^{3/}
	05:35-05:40 HOUR	53.4 ^{2/}	51.9 ***	51.1 ^{2/}	50.2 ***	0.9
	05:40-05:45 HOUR	53.9 ^{2/}	51.9 ***	52.6 ^{2/}	50.2 ***	2.4
	05:45-05:50 HOUR	51.6 ^{2/}	50.6 ***	47.7 ^{2/}	46.4 ***	1.3
	05:50-05:55 HOUR	50.3 ^{2/}	50.6 ***	<0.8 ^{3/}	46.4 ***	<0.8 ^{3/}
	05:55-06:00 HOUR	52.9 ^{2/}	50.6 ***	52.0 ^{2/}	46.4 ***	5.6
	DAY TIME ^{1/}					
	06:00-07:00 HOUR	51.8 ^{1/}	49.1 **	48.5 ^{1/}	46.7 **	1.8
SEPTEMBER 14, 2024	DAY TIME ^{1/}					
T24AV902-0011	07:00-08:00 HOUR	53.6 ^{1/}	49.4 **	51.5 ^{1/}	47.2 **	4.3
	08:00-09:00 HOUR	52.8 ^{1/}	51.5 **	46.9 ^{1/}	44.3 **	2.6
	09:00-10:00 HOUR	52.0 ^{1/}	47.0 **	50.3 ^{1/}	44.2 **	6.1
	10:00-11:00 HOUR	49.8 ^{1/}	45.2 **	48.0 ^{1/}	40.4 **	7.6
	11:00-12:00 HOUR	48.5 ^{1/}	47.6 **	41.2 ^{1/}	41.9 **	<0.8 ^{3/}
	12:00-13:00 HOUR	47.5 ^{1/}	46.0 **	42.2 ^{1/}	41.1 **	1.1
	13:00-14:00 HOUR	50.2 ^{1/}	47.8 **	46.5 ^{1/}	43.4 **	3.1
	14:00-15:00 HOUR	50.2 ^{1/}	48.6 **	45.1 ^{1/}	43.0 **	2.1
	15:00-16:00 HOUR	48.2 ^{1/}	47.0 **	42.0 ^{1/}	41.4 **	<0.8 ^{3/}
	16:00-17:00 HOUR	49.1 ^{1/}	46.8 **	45.2 ^{1/}	40.8 **	4.4
	17:00-18:00 HOUR	49.0 ^{1/}	46.7 **	45.1 ^{1/}	40.9 **	4.2
	18:00-19:00 HOUR	50.7 ^{1/}	47.8 **	47.6 ^{1/}	43.5 **	4.1
	19:00-20:00 HOUR	48.8 ^{1/}	46.5 **	44.9 ^{1/}	43.4 **	1.5
	20:00-21:00 HOUR	50.9 ^{1/}	46.4 **	49.0 ^{1/}	43.8 **	5.2
	21:00-22:00 HOUR	49.8 ^{1/}	47.5 **	45.9 ^{1/}	45.4 **	<0.8 ^{3/}
	NIGHT TIME ^{2/}					
	22:00-22:05 HOUR	49.3 ^{2/}	46.3 ***	49.3 ^{2/}	44.3 ***	5.0
	22:05-22:10 HOUR	48.2 ^{2/}	46.3 ***	46.7 ^{2/}	44.3 ***	2.4
	22:10-22:15 HOUR	48.6 ^{2/}	46.3 ***	47.7 ^{2/}	44.3 ***	3.4
	22:15-22:20 HOUR	48.4 ^{2/}	45.4 ***	48.4 ^{2/}	44.3 ***	4.1
	22:20-22:25 HOUR	48.9 ^{2/}	45.4 ***	49.3 ^{2/}	44.3 ***	5.0
	22:25-22:30 HOUR	47.6 ^{2/}	45.4 ***	46.6 ^{2/}	44.3 ***	2.3

DATE	TIME*	RESULT (dB(A))				
		วัดตามองค์การ				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 14, 2024	NIGHT TIME ^{2/}					
T24AV902-0011	22:30-22:35 HOUR	47.1 ^{2/}	46.3 ***	42.4 ^{2/}	45.0 ***	<0.8 ^{3/}
	22:35-22:40 HOUR	47.1 ^{2/}	46.3 ***	42.4 ^{2/}	45.0 ***	<0.8 ^{3/}
	22:40-22:45 HOUR	47.4 ^{2/}	46.3 ***	43.9 ^{2/}	45.0 ***	<0.8 ^{3/}
	22:45-22:50 HOUR	47.2 ^{2/}	47.3 ***	<0.8 ^{3/}	44.9 ***	<0.8 ^{3/}
	22:50-22:55 HOUR	48.1 ^{2/}	47.3 ***	43.4 ^{2/}	44.9 ***	<0.8 ^{3/}
	22:55-23:00 HOUR	47.9 ^{2/}	47.3 ***	42.0 ^{2/}	44.9 ***	<0.8 ^{3/}
	23:00-23:05 HOUR	46.6 ^{2/}	47.3 ***	<0.8 ^{3/}	44.8 ***	<0.8 ^{3/}
	23:05-23:10 HOUR	47.8 ^{2/}	47.3 ***	41.2 ^{2/}	44.8 ***	<0.8 ^{3/}
	23:10-23:15 HOUR	48.1 ^{2/}	47.3 ***	43.4 ^{2/}	44.8 ***	<0.8 ^{3/}
	23:15-23:20 HOUR	47.9 ^{2/}	46.0 ***	46.4 ^{2/}	43.6 ***	2.8
	23:20-23:25 HOUR	48.7 ^{2/}	46.0 ***	48.4 ^{2/}	43.6 ***	4.8
	23:25-23:30 HOUR	48.3 ^{2/}	46.0 ***	47.4 ^{2/}	43.6 ***	3.8
	23:30-23:35 HOUR	46.6 ^{2/}	45.0 ***	44.5 ^{2/}	43.8 ***	<0.8 ^{3/}
	23:35-23:40 HOUR	46.4 ^{2/}	45.0 ***	43.8 ^{2/}	43.8 ***	<0.8 ^{3/}
	23:40-23:45 HOUR	46.2 ^{2/}	45.0 ***	43.0 ^{2/}	43.8 ***	<0.8 ^{3/}
	23:45-23:50 HOUR	48.7 ^{2/}	45.1 ***	49.2 ^{2/}	44.1 ***	5.1
	23:50-23:55 HOUR	46.3 ^{2/}	45.1 ***	43.1 ^{2/}	44.1 ***	<0.8 ^{3/}
	23:55-00:00 HOUR	46.5 ^{2/}	45.1 ***	43.9 ^{2/}	44.1 ***	<0.8 ^{3/}
SEPTEMBER 15, 2024	NIGHT TIME ^{2/}					
T24AV902-0011	00:00-00:05 HOUR	45.3 ^{2/}	45.4 ***	<0.8 ^{3/}	43.9 ***	<0.8 ^{3/}
	00:05-00:10 HOUR	48.2 ^{2/}	45.4 ***	48.0 ^{2/}	43.9 ***	4.1
	00:10-00:15 HOUR	46.5 ^{2/}	45.4 ***	43.0 ^{2/}	43.9 ***	<0.8 ^{3/}
	00:15-00:20 HOUR	47.0 ^{2/}	46.1 ***	42.7 ^{2/}	44.8 ***	<0.8 ^{3/}
	00:20-00:25 HOUR	46.9 ^{2/}	46.1 ***	42.2 ^{2/}	44.8 ***	<0.8 ^{3/}
	00:25-00:30 HOUR	47.1 ^{2/}	46.1 ***	43.2 ^{2/}	44.8 ***	<0.8 ^{3/}
	00:30-00:35 HOUR	48.5 ^{2/}	45.4 ***	48.6 ^{2/}	44.0 ***	4.6
	00:35-00:40 HOUR	47.3 ^{2/}	45.4 ***	45.8 ^{2/}	44.0 ***	1.8
	00:40-00:45 HOUR	47.0 ^{2/}	45.4 ***	44.9 ^{2/}	44.0 ***	0.9
	00:45-00:50 HOUR	48.8 ^{2/}	48.6 ***	38.3 ^{2/}	45.6 ***	<0.8 ^{3/}
	00:50-00:55 HOUR	47.7 ^{2/}	48.6 ***	<0.8 ^{3/}	45.6 ***	<0.8 ^{3/}
	00:55-01:00 HOUR	52.4 ^{2/}	48.6 ***	53.1 ^{2/}	45.6 ***	7.5
	01:00-01:05 HOUR	49.3 ^{2/}	48.2 ***	45.8 ^{2/}	45.9 ***	<0.8 ^{3/}
	01:05-01:10 HOUR	48.7 ^{2/}	48.2 ***	42.1 ^{2/}	45.9 ***	<0.8 ^{3/}
	01:10-01:15 HOUR	48.1 ^{2/}	48.2 ***	<0.8 ^{3/}	45.9 ***	<0.8 ^{3/}
	01:15-01:20 HOUR	47.8 ^{2/}	47.3 ***	41.2 ^{2/}	46.3 ***	<0.8 ^{3/}
	01:20-01:25 HOUR	48.5 ^{2/}	47.3 ***	45.3 ^{2/}	46.3 ***	<0.8 ^{3/}
	01:25-01:30 HOUR	47.9 ^{2/}	47.3 ***	42.0 ^{2/}	46.3 ***	<0.8 ^{3/}
	01:30-01:35 HOUR	47.9 ^{2/}	46.8 ***	44.4 ^{2/}	45.4 ***	<0.8 ^{3/}
	01:35-01:40 HOUR	49.1 ^{2/}	46.8 ***	48.2 ^{2/}	45.4 ***	2.8
	01:40-01:45 HOUR	47.7 ^{2/}	46.8 ***	43.4 ^{2/}	45.4 ***	<0.8 ^{3/}
	01:45-01:50 HOUR	48.0 ^{2/}	46.7 ***	45.1 ^{2/}	46.0 ***	<0.8 ^{3/}
	01:50-01:55 HOUR	48.3 ^{2/}	46.7 ***	46.2 ^{2/}	46.0 ***	<0.8 ^{3/}
	01:55-02:00 HOUR	48.2 ^{2/}	46.7 ***	45.9 ^{2/}	46.0 ***	<0.8 ^{3/}
	02:00-02:05 HOUR	48.0 ^{2/}	45.5 ***	47.4 ^{2/}	44.9 ***	2.5

DATE	TIME*	RESULT (dB(A))				
		วัดตามองค์การ				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 15, 2024	NIGHT TIME ^{2/}					
T24AV902-0011	02:05-02:10 HOUR	48.1 ^{2/}	45.5 ***	47.6 ^{2/}	44.9 ***	2.7
	02:10-02:15 HOUR	47.7 ^{2/}	45.5 ***	46.7 ^{2/}	44.9 ***	1.8
	02:15-02:20 HOUR	47.6 ^{2/}	46.1 ***	45.3 ^{2/}	45.3 ***	<0.8 ^{3/}
	02:20-02:25 HOUR	48.7 ^{2/}	46.1 ***	48.2 ^{2/}	45.3 ***	2.9
	02:25-02:30 HOUR	47.4 ^{2/}	46.1 ***	44.5 ^{2/}	45.3 ***	<0.8 ^{3/}
	02:30-02:35 HOUR	46.6 ^{2/}	45.6 ***	42.7 ^{2/}	44.5 ***	<0.8 ^{3/}
	02:35-02:40 HOUR	47.0 ^{2/}	45.6 ***	44.4 ^{2/}	44.5 ***	<0.8 ^{3/}
	02:40-02:45 HOUR	47.2 ^{2/}	45.6 ***	45.1 ^{2/}	44.5 ***	<0.8 ^{3/}
	02:45-02:50 HOUR	46.8 ^{2/}	46.1 ***	41.5 ^{2/}	43.9 ***	<0.8 ^{3/}
	02:50-02:55 HOUR	48.4 ^{2/}	46.1 ***	47.5 ^{2/}	43.9 ***	3.6
	02:55-03:00 HOUR	50.4 ^{2/}	46.1 ***	51.4 ^{2/}	43.9 ***	7.5
	03:00-03:05 HOUR	47.5 ^{2/}	45.6 ***	46.0 ^{2/}	44.2 ***	1.8
	03:05-03:10 HOUR	47.8 ^{2/}	45.6 ***	46.8 ^{2/}	44.2 ***	2.6
	03:10-03:15 HOUR	47.1 ^{2/}	45.6 ***	44.8 ^{2/}	44.2 ***	<0.8 ^{3/}
	03:15-03:20 HOUR	47.1 ^{2/}	46.7 ***	39.5 ^{2/}	45.6 ***	<0.8 ^{3/}
	03:20-03:25 HOUR	46.7 ^{2/}	46.7 ***	<0.8 ^{3/}	45.6 ***	<0.8 ^{3/}
	03:25-03:30 HOUR	47.0 ^{2/}	46.7 ***	38.2 ^{2/}	45.6 ***	<0.8 ^{3/}
	03:30-03:35 HOUR	47.9 ^{2/}	47.1 ***	43.2 ^{2/}	45.6 ***	<0.8 ^{3/}
	03:35-03:40 HOUR	46.7 ^{2/}	47.1 ***	<0.8 ^{3/}	45.6 ***	<0.8 ^{3/}
	03:40-03:45 HOUR	48.1 ^{2/}	47.1 ***	44.2 ^{2/}	45.6 ***	<0.8 ^{3/}
	03:45-03:50 HOUR	47.9 ^{2/}	46.4 ***	45.6 ^{2/}	45.6 ***	<0.8 ^{3/}
	03:50-03:55 HOUR	47.0 ^{2/}	46.4 ***	41.1 ^{2/}	45.6 ***	<0.8 ^{3/}
	03:55-04:00 HOUR	47.0 ^{2/}	46.4 ***	41.1 ^{2/}	45.6 ***	<0.8 ^{3/}
	04:00-04:05 HOUR	46.7 ^{2/}	44.7 ***	45.4 ^{2/}	43.8 ***	1.6
	04:05-04:10 HOUR	46.7 ^{2/}	44.7 ***	45.4 ^{2/}	43.8 ***	1.6
	04:10-04:15 HOUR	47.3 ^{2/}	44.7 ***	46.8 ^{2/}	43.8 ***	3.0
	04:15-04:20 HOUR	47.1 ^{2/}	45.3 ***	45.4 ^{2/}	44.3 ***	1.1
	04:20-04:25 HOUR	46.7 ^{2/}	45.3 ***	44.1 ^{2/}	44.3 ***	<0.8 ^{3/}
	04:25-04:30 HOUR	46.2 ^{2/}	45.3 ***	41.9 ^{2/}	44.3 ***	<0.8 ^{3/}
	04:30-04:35 HOUR	49.6 ^{2/}	48.8 ***	44.9 ^{2/}	44.2 ***	<0.8 ^{3/}
	04:35-04:40 HOUR	51.9 ^{2/}	48.8 ***	52.0 ^{2/}	44.2 ***	7.8
	04:40-04:45 HOUR	46.4 ^{2/}	48.8 ***	<0.8 ^{3/}	44.2 ***	<0.8 ^{3/}
	04:45-04:50 HOUR	46.6 ^{2/}	45.5 ***	43.1 ^{2/}	44.4 ***	<0.8 ^{3/}
	04:50-04:55 HOUR	46.2 ^{2/}	45.5 ***	40.9 ^{2/}	44.4 ***	<0.8 ^{3/}
	04:55-05:00 HOUR	46.6 ^{2/}	45.5 ***	43.1 ^{2/}	44.4 ***	<0.8 ^{3/}
	05:00-05:05 HOUR	45.8 ^{2/}	44.1 ***	43.9 ^{2/}	42.8 ***	1.1
	05:05-05:10 HOUR	46.7 ^{2/}	44.1 ***	46.2 ^{2/}	42.8 ***	3.4
	05:10-05:15 HOUR	46.7 ^{2/}	44.1 ***	46.2 ^{2/}	42.8 ***	3.4
	05:15-05:20 HOUR	46.0 ^{2/}	46.3 ***	<0.8 ^{3/}	43.0 ***	<0.8 ^{3/}
	05:20-05:25 HOUR	44.9 ^{2/}	46.3 ***	<0.8 ^{3/}	43.0 ***	<0.8 ^{3/}
	05:25-05:30 HOUR	47.0 ^{2/}	46.3 ***	41.7 ^{2/}	43.0 ***	<0.8 ^{3/}
	05:30-05:35 HOUR	44.8 ^{2/}	51.4 ***	<0.8 ^{3/}	43.1 ***	<0.8 ^{3/}
	05:35-05:40 HOUR	45.1 ^{2/}	51.4 ***	<0.8 ^{3/}	43.1 ***	<0.8 ^{3/}
	05:40-05:45 HOUR	52.3 ^{2/}	51.4 ***	48.0 ^{2/}	43.1 ***	4.9

DATE	TIME*	RESULT (dB(A))				
		วัดค่าความดังการรบกวน				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 15, 2024	NIGHT TIME ^{2/}					
T24AV902-0011	05:45-05:50 HOUR	48.0 ^{2/}	47.4 ***	42.1 ^{2/}	42.6 ***	<0.8 ^{3/}
	05:50-05:55 HOUR	48.7 ^{2/}	47.4 ***	45.8 ^{2/}	42.6 ***	3.2
	05:55-06:00 HOUR	48.4 ^{2/}	47.4 ***	44.5 ^{2/}	42.6 ***	1.9
	DAY TIME ^{1/}					
	06:00-07:00 HOUR	52.9 ^{1/}	50.8 **	48.7 ^{1/}	43.8 **	4.9
SEPTEMBER 15, 2024	DAY TIME ^{1/}					
T24AV902-0012	07:00-08:00 HOUR	51.4 ^{1/}	49.2 **	47.4 ^{1/}	41.5 **	5.9
	08:00-09:00 HOUR	51.5 ^{1/}	47.2 **	49.5 ^{1/}	42.6 **	6.9
	09:00-10:00 HOUR	52.2 ^{1/}	47.6 **	50.4 ^{1/}	44.0 **	6.4
	10:00-11:00 HOUR	50.6 ^{1/}	48.4 **	46.6 ^{1/}	43.6 **	3.0
	11:00-12:00 HOUR	51.6 ^{1/}	50.1 **	46.3 ^{1/}	45.1 **	1.2
	12:00-13:00 HOUR	51.4 ^{1/}	49.7 **	46.5 ^{1/}	44.8 **	1.7
	13:00-14:00 HOUR	53.4 ^{1/}	50.6 **	50.2 ^{1/}	46.2 **	4.0
	14:00-15:00 HOUR	56.1 ^{1/}	52.6 **	53.5 ^{1/}	46.3 **	7.2
	15:00-16:00 HOUR	52.1 ^{1/}	48.6 **	49.5 ^{1/}	45.1 **	4.4
	16:00-17:00 HOUR	51.7 ^{1/}	51.4 **	39.9 ^{1/}	43.1 **	<0.8 ^{3/}
	17:00-18:00 HOUR	49.6 ^{1/}	48.7 **	42.3 ^{1/}	45.5 **	<0.8 ^{3/}
	18:00-19:00 HOUR	48.7 ^{1/}	47.0 **	43.8 ^{1/}	39.6 **	4.2
	19:00-20:00 HOUR	45.0 ^{1/}	42.5 **	41.4 ^{1/}	40.4 **	1.0
	20:00-21:00 HOUR	45.0 ^{1/}	41.9 **	42.1 ^{1/}	39.5 **	2.6
	21:00-22:00 HOUR	46.3 ^{1/}	45.8 **	36.7 ^{1/}	41.1 **	<0.8 ^{3/}
	NIGHT TIME ^{2/}					
	22:00-22:05 HOUR	45.3 ^{2/}	45.1 ***	34.8 ^{2/}	42.1 ***	<0.8 ^{3/}
	22:05-22:10 HOUR	46.2 ^{2/}	45.1 ***	42.7 ^{2/}	42.1 ***	<0.8 ^{3/}
	22:10-22:15 HOUR	46.4 ^{2/}	45.1 ***	43.5 ^{2/}	42.1 ***	1.4
	22:15-22:20 HOUR	49.9 ^{2/}	45.8 ***	50.8 ^{2/}	44.5 ***	6.3
	22:20-22:25 HOUR	47.5 ^{2/}	45.8 ***	45.6 ^{2/}	44.5 ***	1.1
	22:25-22:30 HOUR	46.0 ^{2/}	45.8 ***	35.5 ^{2/}	44.5 ***	<0.8 ^{3/}
	22:30-22:35 HOUR	45.3 ^{2/}	44.6 ***	40.0 ^{2/}	43.7 ***	<0.8 ^{3/}
	22:35-22:40 HOUR	45.0 ^{2/}	44.6 ***	37.4 ^{2/}	43.7 ***	<0.8 ^{3/}
	22:40-22:45 HOUR	45.1 ^{2/}	44.6 ***	38.5 ^{2/}	43.7 ***	<0.8 ^{3/}
	22:45-22:50 HOUR	45.0 ^{2/}	44.4 ***	39.1 ^{2/}	43.4 ***	<0.8 ^{3/}
	22:50-22:55 HOUR	46.4 ^{2/}	44.4 ***	45.1 ^{2/}	43.4 ***	1.7
	22:55-23:00 HOUR	45.1 ^{2/}	44.4 ***	39.8 ^{2/}	43.4 ***	<0.8 ^{3/}
	23:00-23:05 HOUR	45.2 ^{2/}	43.0 ***	44.2 ^{2/}	41.5 ***	2.7
	23:05-23:10 HOUR	45.6 ^{2/}	43.0 ***	45.1 ^{2/}	41.5 ***	3.6
	23:10-23:15 HOUR	43.6 ^{2/}	43.0 ***	37.7 ^{2/}	41.5 ***	<0.8 ^{3/}
	23:15-23:20 HOUR	44.1 ^{2/}	43.8 ***	35.3 ^{2/}	41.7 ***	<0.8 ^{3/}
	23:20-23:25 HOUR	44.6 ^{2/}	43.8 ***	39.9 ^{2/}	41.7 ***	<0.8 ^{3/}
	23:25-23:30 HOUR	45.4 ^{2/}	43.8 ***	43.3 ^{2/}	41.7 ***	1.6
	23:30-23:35 HOUR	46.4 ^{2/}	44.4 ***	45.1 ^{2/}	43.5 ***	1.6
	23:35-23:40 HOUR	46.7 ^{2/}	44.4 ***	45.8 ^{2/}	43.5 ***	2.3
	23:40-23:45 HOUR	47.1 ^{2/}	44.4 ***	46.8 ^{2/}	43.5 ***	3.3
	23:45-23:50 HOUR	46.9 ^{2/}	45.5 ***	44.3 ^{2/}	40.2 ***	4.1
	23:50-23:55 HOUR	43.7 ^{2/}	45.5 ***	<0.8 ^{3/}	40.2 ***	<0.8 ^{3/}

DATE	TIME*	RESULT (dB(A))				
		วัดค่าความดังคาราม				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 15, 2024	NIGHT TIME ^{2/}					
T24AV902-0012	23:55-00:00 HOUR	46.6 ^{2/}	45.5 ***	43.1 ^{2/}	40.2 ***	2.9
SEPTEMBER 16, 2024	NIGHT TIME ^{2/}					
T24AV902-0012	00:00-00:05 HOUR	45.5 ^{2/}	44.5 ***	41.6 ^{2/}	41.8 ***	<0.8 ^{3/}
	00:05-00:10 HOUR	43.5 ^{2/}	44.5 ***	<0.8 ^{3/}	41.8 ***	<0.8 ^{3/}
	00:10-00:15 HOUR	43.1 ^{2/}	44.5 ***	<0.8 ^{3/}	41.8 ***	<0.8 ^{3/}
	00:15-00:20 HOUR	48.2 ^{2/}	45.2 ***	48.2 ^{2/}	42.5 ***	5.7
	00:20-00:25 HOUR	49.0 ^{2/}	45.2 ***	49.7 ^{2/}	42.5 ***	7.2
	00:25-00:30 HOUR	48.6 ^{2/}	45.2 ***	48.9 ^{2/}	42.5 ***	6.4
	00:30-00:35 HOUR	45.2 ^{2/}	43.0 ***	44.2 ^{2/}	41.8 ***	2.4
	00:35-00:40 HOUR	47.6 ^{2/}	43.0 ***	48.8 ^{2/}	41.8 ***	7.0
	00:40-00:45 HOUR	42.9 ^{2/}	43.0 ***	<0.8 ^{3/}	41.8 ***	<0.8 ^{3/}
	00:45-00:50 HOUR	42.1 ^{2/}	42.7 ***	<0.8 ^{3/}	39.9 ***	<0.8 ^{3/}
	00:50-00:55 HOUR	41.7 ^{2/}	42.7 ***	<0.8 ^{3/}	39.9 ***	<0.8 ^{3/}
	00:55-01:00 HOUR	45.5 ^{2/}	42.7 ***	45.3 ^{2/}	39.9 ***	5.4
	01:00-01:05 HOUR	44.8 ^{2/}	40.6 ***	45.7 ^{2/}	39.1 ***	6.6
	01:05-01:10 HOUR	41.3 ^{2/}	40.6 ***	36.0 ^{2/}	39.1 ***	<0.8 ^{3/}
	01:10-01:15 HOUR	41.7 ^{2/}	40.6 ***	38.2 ^{2/}	39.1 ***	<0.8 ^{3/}
	01:15-01:20 HOUR	43.9 ^{2/}	41.2 ***	43.6 ^{2/}	39.3 ***	4.3
	01:20-01:25 HOUR	41.8 ^{2/}	41.2 ***	35.9 ^{2/}	39.3 ***	<0.8 ^{3/}
	01:25-01:30 HOUR	41.6 ^{2/}	41.2 ***	34.0 ^{2/}	39.3 ***	<0.8 ^{3/}
	01:30-01:35 HOUR	43.0 ^{2/}	41.0 ***	41.7 ^{2/}	39.7 ***	2.0
	01:35-01:40 HOUR	43.6 ^{2/}	41.0 ***	43.1 ^{2/}	39.7 ***	3.4
	01:40-01:45 HOUR	43.0 ^{2/}	41.0 ***	41.7 ^{2/}	39.7 ***	2.0
	01:45-01:50 HOUR	41.0 ^{2/}	41.1 ***	<0.8 ^{3/}	39.8 ***	<0.8 ^{3/}
	01:50-01:55 HOUR	41.6 ^{2/}	41.1 ***	35.0 ^{2/}	39.8 ***	<0.8 ^{3/}
	01:55-02:00 HOUR	42.6 ^{2/}	41.1 ***	40.3 ^{2/}	39.8 ***	<0.8 ^{3/}
	02:00-02:05 HOUR	41.7 ^{2/}	42.7 ***	<0.8 ^{3/}	40.0 ***	<0.8 ^{3/}
	02:05-02:10 HOUR	42.5 ^{2/}	42.7 ***	<0.8 ^{3/}	40.0 ***	<0.8 ^{3/}
	02:10-02:15 HOUR	46.4 ^{2/}	42.7 ***	47.0 ^{2/}	40.0 ***	7.0
	02:15-02:20 HOUR	43.2 ^{2/}	39.5 ***	43.8 ^{2/}	38.8 ***	5.0
	02:20-02:25 HOUR	41.6 ^{2/}	39.5 ***	40.4 ^{2/}	38.8 ***	1.6
	02:25-02:30 HOUR	40.9 ^{2/}	39.5 ***	38.3 ^{2/}	38.8 ***	<0.8 ^{3/}
	02:30-02:35 HOUR	41.0 ^{2/}	42.3 ***	<0.8 ^{3/}	40.0 ***	<0.8 ^{3/}
	02:35-02:40 HOUR	40.9 ^{2/}	42.3 ***	<0.8 ^{3/}	40.0 ***	<0.8 ^{3/}
	02:40-02:45 HOUR	41.9 ^{2/}	42.3 ***	<0.8 ^{3/}	40.0 ***	<0.8 ^{3/}
	02:45-02:50 HOUR	45.5 ^{2/}	40.2 ***	47.0 ^{2/}	39.1 ***	7.9
	02:50-02:55 HOUR	40.8 ^{2/}	40.2 ***	34.9 ^{2/}	39.1 ***	<0.8 ^{3/}
	02:55-03:00 HOUR	41.6 ^{2/}	40.2 ***	39.0 ^{2/}	39.1 ***	<0.8 ^{3/}
	03:00-03:05 HOUR	40.6 ^{2/}	38.6 ***	39.3 ^{2/}	37.6 ***	1.7
	03:05-03:10 HOUR	40.1 ^{2/}	38.6 ***	37.8 ^{2/}	37.6 ***	<0.8 ^{3/}
	03:10-03:15 HOUR	40.8 ^{2/}	38.6 ***	39.8 ^{2/}	37.6 ***	2.2
	03:15-03:20 HOUR	39.8 ^{2/}	39.0 ***	35.1 ^{2/}	38.3 ***	<0.8 ^{3/}
	03:20-03:25 HOUR	39.0 ^{2/}	39.0 ***	<0.8 ^{3/}	38.3 ***	<0.8 ^{3/}
	03:25-03:30 HOUR	39.4 ^{2/}	39.0 ***	31.8 ^{2/}	38.3 ***	<0.8 ^{3/}

DATE	TIME*	RESULT (dB(A))				
		วัดตามองค์การ				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 16, 2024	NIGHT TIME ^{2/}					
T24AV902-0012	03:30-03:35 HOUR	39.8 ^{2/}	38.1 ***	37.9 ^{2/}	37.2 ***	<0.8 ^{3/}
	03:35-03:40 HOUR	39.7 ^{2/}	38.1 ***	37.6 ^{2/}	37.2 ***	<0.8 ^{3/}
	03:40-03:45 HOUR	39.6 ^{2/}	38.1 ***	37.3 ^{2/}	37.2 ***	<0.8 ^{3/}
	03:45-03:50 HOUR	39.6 ^{2/}	38.4 ***	36.4 ^{2/}	37.0 ***	<0.8 ^{3/}
	03:50-03:55 HOUR	39.3 ^{2/}	38.4 ***	35.0 ^{2/}	37.0 ***	<0.8 ^{3/}
	03:55-04:00 HOUR	41.3 ^{2/}	38.4 ***	41.2 ^{2/}	37.0 ***	4.2
	04:00-04:05 HOUR	39.5 ^{2/}	38.6 ***	35.2 ^{2/}	37.7 ***	<0.8 ^{3/}
	04:05-04:10 HOUR	40.3 ^{2/}	38.6 ***	38.4 ^{2/}	37.7 ***	<0.8 ^{3/}
	04:10-04:15 HOUR	38.8 ^{2/}	38.6 ***	28.3 ^{2/}	37.7 ***	<0.8 ^{3/}
	04:15-04:20 HOUR	39.2 ^{2/}	39.8 ***	<0.8 ^{3/}	38.4 ***	<0.8 ^{3/}
	04:20-04:25 HOUR	41.3 ^{2/}	39.8 ***	39.0 ^{2/}	38.4 ***	<0.8 ^{3/}
	04:25-04:30 HOUR	41.2 ^{2/}	39.8 ***	38.6 ^{2/}	38.4 ***	<0.8 ^{3/}
	04:30-04:35 HOUR	44.1 ^{2/}	43.4 ***	38.8 ^{2/}	39.3 ***	<0.8 ^{3/}
	04:35-04:40 HOUR	44.3 ^{2/}	43.4 ***	40.0 ^{2/}	39.3 ***	<0.8 ^{3/}
	04:40-04:45 HOUR	41.0 ^{2/}	43.4 ***	<0.8 ^{3/}	39.3 ***	<0.8 ^{3/}
	04:45-04:50 HOUR	41.3 ^{2/}	40.8 ***	34.7 ^{2/}	39.6 ***	<0.8 ^{3/}
	04:50-04:55 HOUR	40.9 ^{2/}	40.8 ***	27.5 ^{2/}	39.6 ***	<0.8 ^{3/}
	04:55-05:00 HOUR	41.3 ^{2/}	40.8 ***	34.7 ^{2/}	39.6 ***	<0.8 ^{3/}
	05:00-05:05 HOUR	41.4 ^{2/}	43.9 ***	<0.8 ^{3/}	39.2 ***	<0.8 ^{3/}
	05:05-05:10 HOUR	46.1 ^{2/}	43.9 ***	45.1 ^{2/}	39.2 ***	5.9
	05:10-05:15 HOUR	45.7 ^{2/}	43.9 ***	44.0 ^{2/}	39.2 ***	4.8
	05:15-05:20 HOUR	44.1 ^{2/}	41.7 ***	43.4 ^{2/}	39.3 ***	4.1
	05:20-05:25 HOUR	42.4 ^{2/}	41.7 ***	37.1 ^{2/}	39.3 ***	<0.8 ^{3/}
	05:25-05:30 HOUR	43.5 ^{2/}	41.7 ***	41.8 ^{2/}	39.3 ***	2.5
	05:30-05:35 HOUR	44.3 ^{2/}	47.5 ***	<0.8 ^{3/}	41.0 ***	<0.8 ^{3/}
	05:35-05:40 HOUR	48.7 ^{2/}	47.5 ***	45.5 ^{2/}	41.0 ***	4.5
	05:40-05:45 HOUR	42.8 ^{2/}	47.5 ***	<0.8 ^{3/}	41.0 ***	<0.8 ^{3/}
	05:45-05:50 HOUR	45.6 ^{2/}	48.4 ***	<0.8 ^{3/}	42.9 ***	<0.8 ^{3/}
	05:50-05:55 HOUR	51.2 ^{2/}	48.4 ***	51.0 ^{2/}	42.9 ***	8.1
	05:55-06:00 HOUR	50.0 ^{2/}	48.4 ***	47.9 ^{2/}	42.9 ***	5.0
	DAY TIME ^{1/}					
	06:00-07:00 HOUR	54.5 ^{1/}	52.2 **	50.6 ^{1/}	44.0 **	6.6
SEPTEMBER 16, 2024	DAY TIME ^{1/}					
T24AV902-0013	07:00-08:00 HOUR	52.6 ^{1/}	50.7 **	48.1 ^{1/}	46.4 **	1.7
	08:00-09:00 HOUR	50.8 ^{1/}	49.1 **	45.9 ^{1/}	42.3 **	3.6
	09:00-10:00 HOUR	50.6 ^{1/}	46.1 **	48.7 ^{1/}	42.2 **	6.5
	10:00-11:00 HOUR	48.3 ^{1/}	45.2 **	45.4 ^{1/}	39.9 **	5.5
	11:00-12:00 HOUR	49.0 ^{1/}	46.8 **	45.0 ^{1/}	41.8 **	3.2
	12:00-13:00 HOUR	49.8 ^{1/}	46.6 **	47.0 ^{1/}	41.9 **	5.1
	13:00-14:00 HOUR	54.4 ^{1/}	49.3 **	52.8 ^{1/}	44.6 **	8.2
	14:00-15:00 HOUR	47.9 ^{1/}	45.3 **	44.4 ^{1/}	41.2 **	3.2
	15:00-16:00 HOUR	48.3 ^{1/}	47.8 **	38.7 ^{1/}	41.0 **	<0.8 ^{3/}
	16:00-17:00 HOUR	49.5 ^{1/}	49.1 **	38.9 ^{1/}	43.0 **	<0.8 ^{3/}
	17:00-18:00 HOUR	50.1 ^{1/}	46.7 **	47.4 ^{1/}	40.2 **	7.2
	18:00-19:00 HOUR	48.9 ^{1/}	44.3 **	47.1 ^{1/}	41.1 **	6.0

DATE	TIME*	RESULT (dB(A))				
		วัดค่าความดังเสียง				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 16, 2024	DAY TIME ^{1/}					
T24AV902-0013	19:00-20:00 HOUR	46.9 ^{1/}	45.1 **	42.2 ^{1/}	42.0 **	<0.8 ^{3/}
	20:00-21:00 HOUR	48.7 ^{1/}	46.6 **	44.5 ^{1/}	43.6 **	0.9
	21:00-22:00 HOUR	48.6 ^{1/}	46.2 **	44.9 ^{1/}	43.8 **	1.1
	NIGHT TIME ^{2/}					
	22:00-22:05 HOUR	47.4 ^{2/}	46.1 ***	44.5 ^{2/}	44.2 ***	<0.8 ^{3/}
	22:05-22:10 HOUR	47.2 ^{2/}	46.1 ***	43.7 ^{2/}	44.2 ***	<0.8 ^{3/}
	22:10-22:15 HOUR	48.1 ^{2/}	46.1 ***	46.8 ^{2/}	44.2 ***	2.6
	22:15-22:20 HOUR	46.7 ^{2/}	46.6 ***	33.3 ^{2/}	44.7 ***	<0.8 ^{3/}
	22:20-22:25 HOUR	47.8 ^{2/}	46.6 ***	44.6 ^{2/}	44.7 ***	<0.8 ^{3/}
	22:25-22:30 HOUR	46.8 ^{2/}	46.6 ***	36.3 ^{2/}	44.7 ***	<0.8 ^{3/}
	22:30-22:35 HOUR	47.9 ^{2/}	45.0 ***	47.8 ^{2/}	42.7 ***	5.1
	22:35-22:40 HOUR	46.0 ^{2/}	45.0 ***	42.1 ^{2/}	42.7 ***	<0.8 ^{3/}
	22:40-22:45 HOUR	48.3 ^{2/}	45.0 ***	48.6 ^{2/}	42.7 ***	5.9
	22:45-22:50 HOUR	46.7 ^{2/}	45.8 ***	42.4 ^{2/}	43.8 ***	<0.8 ^{3/}
	22:50-22:55 HOUR	47.0 ^{2/}	45.8 ***	43.8 ^{2/}	43.8 ***	<0.8 ^{3/}
	22:55-23:00 HOUR	47.1 ^{2/}	45.8 ***	44.2 ^{2/}	43.8 ***	<0.8 ^{3/}
	23:00-23:05 HOUR	47.7 ^{2/}	46.0 ***	45.8 ^{2/}	44.4 ***	1.4
	23:05-23:10 HOUR	46.3 ^{2/}	46.0 ***	37.5 ^{2/}	44.4 ***	<0.8 ^{3/}
	23:10-23:15 HOUR	46.6 ^{2/}	46.0 ***	40.7 ^{2/}	44.4 ***	<0.8 ^{3/}
	23:15-23:20 HOUR	46.4 ^{2/}	44.6 ***	44.7 ^{2/}	42.5 ***	2.2
	23:20-23:25 HOUR	46.1 ^{2/}	44.6 ***	43.8 ^{2/}	42.5 ***	1.3
	23:25-23:30 HOUR	46.2 ^{2/}	44.6 ***	44.1 ^{2/}	42.5 ***	1.6
	23:30-23:35 HOUR	45.2 ^{2/}	47.0 ***	<0.8 ^{3/}	43.9 ***	<0.8 ^{3/}
	23:35-23:40 HOUR	46.6 ^{2/}	47.0 ***	<0.8 ^{3/}	43.9 ***	<0.8 ^{3/}
	23:40-23:45 HOUR	47.8 ^{2/}	47.0 ***	43.1 ^{2/}	43.9 ***	<0.8 ^{3/}
	23:45-23:50 HOUR	47.1 ^{2/}	45.0 ***	45.9 ^{2/}	43.6 ***	2.3
	23:50-23:55 HOUR	46.5 ^{2/}	45.0 ***	44.2 ^{2/}	43.6 ***	<0.8 ^{3/}
	23:55-00:00 HOUR	46.7 ^{2/}	45.0 ***	44.8 ^{2/}	43.6 ***	1.2
SEPTEMBER 17, 2024	NIGHT TIME ^{2/}					
T24AV902-0013	00:00-00:05 HOUR	46.1 ^{2/}	45.4 ***	40.8 ^{2/}	43.2 ***	<0.8 ^{3/}
	00:05-00:10 HOUR	47.4 ^{2/}	45.4 ***	46.1 ^{2/}	43.2 ***	2.9
	00:10-00:15 HOUR	46.9 ^{2/}	45.4 ***	44.6 ^{2/}	43.2 ***	1.4
	00:15-00:20 HOUR	46.7 ^{2/}	45.4 ***	43.8 ^{2/}	43.1 ***	<0.8 ^{3/}
	00:20-00:25 HOUR	46.9 ^{2/}	45.4 ***	44.6 ^{2/}	43.1 ***	1.5
	00:25-00:30 HOUR	46.6 ^{2/}	45.4 ***	43.4 ^{2/}	43.1 ***	<0.8 ^{3/}
	00:30-00:35 HOUR	47.8 ^{2/}	46.3 ***	45.5 ^{2/}	44.3 ***	1.2
	00:35-00:40 HOUR	47.5 ^{2/}	46.3 ***	44.3 ^{2/}	44.3 ***	<0.8 ^{3/}
	00:40-00:45 HOUR	48.0 ^{2/}	46.3 ***	46.1 ^{2/}	44.3 ***	1.8
	00:45-00:50 HOUR	48.5 ^{2/}	50.0 ***	<0.8 ^{3/}	46.7 ***	<0.8 ^{3/}
	00:50-00:55 HOUR	49.4 ^{2/}	50.0 ***	<0.8 ^{3/}	46.7 ***	<0.8 ^{3/}
	00:55-01:00 HOUR	52.3 ^{2/}	50.0 ***	51.4 ^{2/}	46.7 ***	4.7
	01:00-01:05 HOUR	52.8 ^{2/}	50.5 ***	51.9 ^{2/}	48.6 ***	3.3
	01:05-01:10 HOUR	52.7 ^{2/}	50.5 ***	51.7 ^{2/}	48.6 ***	3.1
	01:10-01:15 HOUR	52.3 ^{2/}	50.5 ***	50.6 ^{2/}	48.6 ***	2.0
	01:15-01:20 HOUR	51.1 ^{2/}	51.0 ***	37.7 ^{2/}	49.4 ***	<0.8 ^{3/}

DATE	TIME*	RESULT (dB(A))				
		วัดค่าทางคงคาราม				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 17, 2024	NIGHT TIME ^{2/}					
T24AV902-0013	01:20-01:25 HOUR	54.3 ^{2/}	51.0 ***	54.6 ^{2/}	49.4 ***	5.2
	01:25-01:30 HOUR	52.2 ^{2/}	51.0 ***	49.0 ^{2/}	49.4 ***	<0.8 ^{3/}
	01:30-01:35 HOUR	54.0 ^{2/}	49.7 ***	55.0 ^{2/}	47.7 ***	7.3
	01:35-01:40 HOUR	53.3 ^{2/}	49.7 ***	53.8 ^{2/}	47.7 ***	6.1
	01:40-01:45 HOUR	50.7 ^{2/}	49.7 ***	46.8 ^{2/}	47.7 ***	<0.8 ^{3/}
	01:45-01:50 HOUR	49.6 ^{2/}	47.7 ***	48.1 ^{2/}	46.7 ***	1.4
	01:50-01:55 HOUR	51.0 ^{2/}	47.7 ***	51.3 ^{2/}	46.7 ***	4.6
	01:55-02:00 HOUR	51.1 ^{2/}	47.7 ***	51.4 ^{2/}	46.7 ***	4.7
	02:00-02:05 HOUR	48.6 ^{2/}	46.1 ***	48.0 ^{2/}	44.5 ***	3.5
	02:05-02:10 HOUR	49.2 ^{2/}	46.1 ***	49.3 ^{2/}	44.5 ***	4.8
	02:10-02:15 HOUR	47.9 ^{2/}	46.1 ***	46.2 ^{2/}	44.5 ***	1.7
	02:15-02:20 HOUR	48.9 ^{2/}	46.7 ***	47.9 ^{2/}	45.0 ***	2.9
	02:20-02:25 HOUR	48.0 ^{2/}	46.7 ***	45.1 ^{2/}	45.0 ***	<0.8 ^{3/}
	02:25-02:30 HOUR	47.5 ^{2/}	46.7 ***	42.8 ^{2/}	45.0 ***	<0.8 ^{3/}
	02:30-02:35 HOUR	47.4 ^{2/}	44.6 ***	47.2 ^{2/}	42.8 ***	4.4
	02:35-02:40 HOUR	48.1 ^{2/}	44.6 ***	48.5 ^{2/}	42.8 ***	5.7
	02:40-02:45 HOUR	47.1 ^{2/}	44.6 ***	46.5 ^{2/}	42.8 ***	3.7
	02:45-02:50 HOUR	46.1 ^{2/}	45.1 ***	42.2 ^{2/}	43.2 ***	<0.8 ^{3/}
	02:50-02:55 HOUR	46.1 ^{2/}	45.1 ***	42.2 ^{2/}	43.2 ***	<0.8 ^{3/}
	02:55-03:00 HOUR	47.2 ^{2/}	45.1 ***	46.0 ^{2/}	43.2 ***	2.8
	03:00-03:05 HOUR	45.8 ^{2/}	44.4 ***	43.2 ^{2/}	42.8 ***	<0.8 ^{3/}
	03:05-03:10 HOUR	45.7 ^{2/}	44.4 ***	42.8 ^{2/}	42.8 ***	<0.8 ^{3/}
	03:10-03:15 HOUR	45.5 ^{2/}	44.4 ***	42.0 ^{2/}	42.8 ***	<0.8 ^{3/}
	03:15-03:20 HOUR	46.1 ^{2/}	45.7 ***	38.5 ^{2/}	44.6 ***	<0.8 ^{3/}
	03:20-03:25 HOUR	46.3 ^{2/}	45.7 ***	40.4 ^{2/}	44.6 ***	<0.8 ^{3/}
	03:25-03:30 HOUR	46.6 ^{2/}	45.7 ***	42.3 ^{2/}	44.6 ***	<0.8 ^{3/}
	03:30-03:35 HOUR	46.9 ^{2/}	45.4 ***	44.6 ^{2/}	44.1 ***	<0.8 ^{3/}
	03:35-03:40 HOUR	46.5 ^{2/}	45.4 ***	43.0 ^{2/}	44.1 ***	<0.8 ^{3/}
	03:40-03:45 HOUR	45.5 ^{2/}	45.4 ***	32.1 ^{2/}	44.1 ***	<0.8 ^{3/}
	03:45-03:50 HOUR	45.9 ^{2/}	44.1 ***	44.2 ^{2/}	42.8 ***	1.4
	03:50-03:55 HOUR	46.1 ^{2/}	44.1 ***	44.8 ^{2/}	42.8 ***	2.0
	03:55-04:00 HOUR	45.8 ^{2/}	44.1 ***	43.9 ^{2/}	42.8 ***	1.1
	04:00-04:05 HOUR	46.4 ^{2/}	45.9 ***	39.8 ^{2/}	44.5 ***	<0.8 ^{3/}
	04:05-04:10 HOUR	47.0 ^{2/}	45.9 ***	43.5 ^{2/}	44.5 ***	<0.8 ^{3/}
	04:10-04:15 HOUR	47.0 ^{2/}	45.9 ***	43.5 ^{2/}	44.5 ***	<0.8 ^{3/}
	04:15-04:20 HOUR	46.5 ^{2/}	45.7 ***	41.8 ^{2/}	44.7 ***	<0.8 ^{3/}
	04:20-04:25 HOUR	47.3 ^{2/}	45.7 ***	45.2 ^{2/}	44.7 ***	<0.8 ^{3/}
	04:25-04:30 HOUR	46.0 ^{2/}	45.7 ***	37.2 ^{2/}	44.7 ***	<0.8 ^{3/}
	04:30-04:35 HOUR	51.7 ^{2/}	50.8 ***	47.4 ^{2/}	44.6 ***	2.8
	04:35-04:40 HOUR	52.1 ^{2/}	50.8 ***	49.2 ^{2/}	44.6 ***	4.6
	04:40-04:45 HOUR	51.4 ^{2/}	50.8 ***	45.5 ^{2/}	44.6 ***	0.9
	04:45-04:50 HOUR	47.1 ^{2/}	45.5 ***	45.0 ^{2/}	43.8 ***	1.2
	04:50-04:55 HOUR	47.2 ^{2/}	45.5 ***	45.3 ^{2/}	43.8 ***	1.5
	04:55-05:00 HOUR	47.1 ^{2/}	45.5 ***	45.0 ^{2/}	43.8 ***	1.2

DATE	TIME*	RESULT (dB(A))				
		วัดตามวงศคาราม				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 17, 2024	NIGHT TIME ^{2/}					
T24AV902-0013	05:00-05:05 HOUR	46.4 ^{2/}	44.8 ***	44.3 ^{2/}	42.9 ***	1.4
	05:05-05:10 HOUR	46.4 ^{2/}	44.8 ***	44.3 ^{2/}	42.9 ***	1.4
	05:10-05:15 HOUR	46.6 ^{2/}	44.8 ***	44.9 ^{2/}	42.9 ***	2.0
	05:15-05:20 HOUR	46.9 ^{2/}	47.0 ***	<0.8 ^{3/}	44.5 ***	<0.8 ^{3/}
	05:20-05:25 HOUR	46.4 ^{2/}	47.0 ***	<0.8 ^{3/}	44.5 ***	<0.8 ^{3/}
	05:25-05:30 HOUR	49.0 ^{2/}	47.0 ***	47.7 ^{2/}	44.5 ***	3.2
	05:30-05:35 HOUR	47.9 ^{2/}	51.7 ***	<0.8 ^{3/}	44.2 ***	<0.8 ^{3/}
	05:35-05:40 HOUR	49.7 ^{2/}	51.7 ***	<0.8 ^{3/}	44.2 ***	<0.8 ^{3/}
	05:40-05:45 HOUR	51.4 ^{2/}	51.7 ***	<0.8 ^{3/}	44.2 ***	<0.8 ^{3/}
	05:45-05:50 HOUR	52.2 ^{2/}	49.8 ***	51.5 ^{2/}	44.2 ***	7.3
	05:50-05:55 HOUR	50.9 ^{2/}	49.8 ***	47.4 ^{2/}	44.2 ***	3.2
	05:55-06:00 HOUR	50.3 ^{2/}	49.8 ***	43.7 ^{2/}	44.2 ***	<0.8 ^{3/}
	DAY TIME ^{1/}					
	06:00-07:00 HOUR	51.4 ^{1/}	50.5 **	44.1 ^{1/}	43.3 **	0.8
SEPTEMBER 17, 2024	DAY TIME ^{1/}					
T24AV902-0014	07:00-08:00 HOUR	54.1 ^{1/}	52.0 **	49.9 ^{1/}	47.2 **	2.7
	08:00-09:00 HOUR	53.4 ^{1/}	51.9 **	48.1 ^{1/}	46.6 **	1.5
	09:00-10:00 HOUR	52.7 ^{1/}	51.6 **	46.2 ^{1/}	46.3 **	<0.8 ^{3/}
	10:00-11:00 HOUR	52.7 ^{1/}	51.5 **	46.5 ^{1/}	45.5 **	1.0
	11:00-12:00 HOUR	52.3 ^{1/}	50.7 **	47.2 ^{1/}	45.8 **	1.4
	12:00-13:00 HOUR	52.1 ^{1/}	50.3 **	47.4 ^{1/}	46.0 **	1.4
	13:00-14:00 HOUR	51.3 ^{1/}	49.1 **	47.3 ^{1/}	45.0 **	2.3
	14:00-15:00 HOUR	52.0 ^{1/}	49.0 **	49.0 ^{1/}	45.0 **	4.0
	15:00-16:00 HOUR	51.9 ^{1/}	50.4 **	46.6 ^{1/}	45.0 **	1.6
	16:00-17:00 HOUR	53.3 ^{1/}	52.3 **	46.4 ^{1/}	46.6 **	<0.8 ^{3/}
	17:00-18:00 HOUR	52.1 ^{1/}	49.5 **	48.6 ^{1/}	44.7 **	3.9
	18:00-19:00 HOUR	51.7 ^{1/}	48.8 **	48.6 ^{1/}	45.8 **	2.8
	19:00-20:00 HOUR	49.8 ^{1/}	47.3 **	46.2 ^{1/}	45.2 **	1.0
	20:00-21:00 HOUR	49.4 ^{1/}	47.4 **	45.1 ^{1/}	45.8 **	<0.8 ^{3/}
	21:00-22:00 HOUR	47.8 ^{1/}	46.4 **	42.2 ^{1/}	44.9 **	<0.8 ^{3/}
	NIGHT TIME ^{2/}					
	22:00-22:05 HOUR	47.4 ^{2/}	45.1 ***	46.5 ^{2/}	43.6 ***	2.9
	22:05-22:10 HOUR	47.7 ^{2/}	45.1 ***	47.2 ^{2/}	43.6 ***	3.6
	22:10-22:15 HOUR	47.2 ^{2/}	45.1 ***	46.0 ^{2/}	43.6 ***	2.4
	22:15-22:20 HOUR	47.4 ^{2/}	45.2 ***	46.4 ^{2/}	44.0 ***	2.4
	22:20-22:25 HOUR	47.4 ^{2/}	45.2 ***	46.4 ^{2/}	44.0 ***	2.4
	22:25-22:30 HOUR	47.1 ^{2/}	45.2 ***	45.6 ^{2/}	44.0 ***	1.6
	22:30-22:35 HOUR	46.9 ^{2/}	45.5 ***	44.3 ^{2/}	44.0 ***	<0.8 ^{3/}
	22:35-22:40 HOUR	47.5 ^{2/}	45.5 ***	46.2 ^{2/}	44.0 ***	2.2
	22:40-22:45 HOUR	47.7 ^{2/}	45.5 ***	46.7 ^{2/}	44.0 ***	2.7
	22:45-22:50 HOUR	47.2 ^{2/}	46.1 ***	43.7 ^{2/}	44.6 ***	<0.8 ^{3/}
	22:50-22:55 HOUR	47.3 ^{2/}	46.1 ***	44.1 ^{2/}	44.6 ***	<0.8 ^{3/}
	22:55-23:00 HOUR	47.0 ^{2/}	46.1 ***	42.7 ^{2/}	44.6 ***	<0.8 ^{3/}
	23:00-23:05 HOUR	46.7 ^{2/}	45.6 ***	43.2 ^{2/}	44.1 ***	<0.8 ^{3/}
	23:05-23:10 HOUR	47.5 ^{2/}	45.6 ***	46.0 ^{2/}	44.1 ***	1.9

DATE	TIME*	RESULT (dB(A))				
		วัดค่าความดังการรบกวน				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 17, 2024	NIGHT TIME ^{2/}					
T24AV902-0014	23:10-23:15 HOUR	47.1 ^{2/}	45.6 ***	44.8 ^{2/}	44.1 ***	<0.8 ^{3/}
	23:15-23:20 HOUR	46.4 ^{2/}	45.6 ***	41.7 ^{2/}	43.9 ***	<0.8 ^{3/}
	23:20-23:25 HOUR	46.8 ^{2/}	45.6 ***	43.6 ^{2/}	43.9 ***	<0.8 ^{3/}
	23:25-23:30 HOUR	46.9 ^{2/}	45.6 ***	44.0 ^{2/}	43.9 ***	<0.8 ^{3/}
	23:30-23:35 HOUR	47.2 ^{2/}	44.9 ***	46.3 ^{2/}	43.6 ***	2.7
	23:35-23:40 HOUR	46.8 ^{2/}	44.9 ***	45.3 ^{2/}	43.6 ***	1.7
	23:40-23:45 HOUR	46.4 ^{2/}	44.9 ***	44.1 ^{2/}	43.6 ***	<0.8 ^{3/}
	23:45-23:50 HOUR	46.1 ^{2/}	45.3 ***	41.4 ^{2/}	44.2 ***	<0.8 ^{3/}
	23:50-23:55 HOUR	46.3 ^{2/}	45.3 ***	42.4 ^{2/}	44.2 ***	<0.8 ^{3/}
	23:55-00:00 HOUR	46.4 ^{2/}	45.3 ***	42.9 ^{2/}	44.2 ***	<0.8 ^{3/}
SEPTEMBER 18, 2024	NIGHT TIME ^{2/}					
T24AV902-0014	00:00-00:05 HOUR	46.7 ^{2/}	44.3 ***	46.0 ^{2/}	42.8 ***	3.2
	00:05-00:10 HOUR	46.2 ^{2/}	44.3 ***	44.7 ^{2/}	42.8 ***	1.9
	00:10-00:15 HOUR	47.3 ^{2/}	44.3 ***	47.3 ^{2/}	42.8 ***	4.5
	00:15-00:20 HOUR	46.3 ^{2/}	45.7 ***	40.4 ^{2/}	44.2 ***	<0.8 ^{3/}
	00:20-00:25 HOUR	46.8 ^{2/}	45.7 ***	43.3 ^{2/}	44.2 ***	<0.8 ^{3/}
	00:25-00:30 HOUR	47.4 ^{2/}	45.7 ***	45.5 ^{2/}	44.2 ***	1.3
	00:30-00:35 HOUR	47.0 ^{2/}	44.9 ***	45.8 ^{2/}	43.7 ***	2.1
	00:35-00:40 HOUR	47.0 ^{2/}	44.9 ***	45.8 ^{2/}	43.7 ***	2.1
	00:40-00:45 HOUR	47.1 ^{2/}	44.9 ***	46.1 ^{2/}	43.7 ***	2.4
	00:45-00:50 HOUR	46.5 ^{2/}	45.6 ***	42.2 ^{2/}	44.4 ***	<0.8 ^{3/}
	00:50-00:55 HOUR	46.6 ^{2/}	45.6 ***	42.7 ^{2/}	44.4 ***	<0.8 ^{3/}
	00:55-01:00 HOUR	46.6 ^{2/}	45.6 ***	42.7 ^{2/}	44.4 ***	<0.8 ^{3/}
	01:00-01:05 HOUR	46.2 ^{2/}	44.7 ***	43.9 ^{2/}	43.4 ***	<0.8 ^{3/}
	01:05-01:10 HOUR	46.4 ^{2/}	44.7 ***	44.5 ^{2/}	43.4 ***	1.1
	01:10-01:15 HOUR	47.2 ^{2/}	44.7 ***	46.6 ^{2/}	43.4 ***	3.2
	01:15-01:20 HOUR	47.2 ^{2/}	44.7 ***	46.6 ^{2/}	43.2 ***	3.4
	01:20-01:25 HOUR	46.0 ^{2/}	44.7 ***	43.1 ^{2/}	43.2 ***	<0.8 ^{3/}
	01:25-01:30 HOUR	46.5 ^{2/}	44.7 ***	44.8 ^{2/}	43.2 ***	1.6
	01:30-01:35 HOUR	46.0 ^{2/}	44.4 ***	43.9 ^{2/}	42.8 ***	1.1
	01:35-01:40 HOUR	46.9 ^{2/}	44.4 ***	46.3 ^{2/}	42.8 ***	3.5
	01:40-01:45 HOUR	47.2 ^{2/}	44.4 ***	47.0 ^{2/}	42.8 ***	4.2
	01:45-01:50 HOUR	46.5 ^{2/}	44.6 ***	45.0 ^{2/}	43.3 ***	1.7
	01:50-01:55 HOUR	46.4 ^{2/}	44.6 ***	44.7 ^{2/}	43.3 ***	1.4
	01:55-02:00 HOUR	46.6 ^{2/}	44.6 ***	45.3 ^{2/}	43.3 ***	2.0
	02:00-02:05 HOUR	46.8 ^{2/}	45.0 ***	45.1 ^{2/}	42.9 ***	2.2
	02:05-02:10 HOUR	47.4 ^{2/}	45.0 ***	46.7 ^{2/}	42.9 ***	3.8
	02:10-02:15 HOUR	46.3 ^{2/}	45.0 ***	43.4 ^{2/}	42.9 ***	<0.8 ^{3/}
	02:15-02:20 HOUR	46.4 ^{2/}	45.5 ***	42.1 ^{2/}	43.6 ***	<0.8 ^{3/}
	02:20-02:25 HOUR	46.9 ^{2/}	45.5 ***	44.3 ^{2/}	43.6 ***	<0.8 ^{3/}
	02:25-02:30 HOUR	46.7 ^{2/}	45.5 ***	43.5 ^{2/}	43.6 ***	<0.8 ^{3/}
	02:30-02:35 HOUR	47.0 ^{2/}	45.0 ***	45.7 ^{2/}	43.5 ***	2.2
	02:35-02:40 HOUR	47.0 ^{2/}	45.0 ***	45.7 ^{2/}	43.5 ***	2.2
	02:40-02:45 HOUR	46.7 ^{2/}	45.0 ***	44.8 ^{2/}	43.5 ***	1.3

DATE	TIME*	RESULT (dB(A))				
		วัดตามวงคาราม				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 18, 2024	NIGHT TIME ^{2/}					
T24AV902-0014	02:45-02:50 HOUR	46.5 ^{2/}	44.9 ***	44.4 ^{2/}	43.5 ***	0.9
	02:50-02:55 HOUR	46.7 ^{2/}	44.9 ***	45.0 ^{2/}	43.5 ***	1.5
	02:55-03:00 HOUR	46.9 ^{2/}	44.9 ***	45.6 ^{2/}	43.5 ***	2.1
	03:00-03:05 HOUR	46.7 ^{2/}	46.2 ***	40.1 ^{2/}	44.6 ***	<0.8 ^{3/}
	03:05-03:10 HOUR	46.9 ^{2/}	46.2 ***	41.6 ^{2/}	44.6 ***	<0.8 ^{3/}
	03:10-03:15 HOUR	47.4 ^{2/}	46.2 ***	44.2 ^{2/}	44.6 ***	<0.8 ^{3/}
	03:15-03:20 HOUR	47.2 ^{2/}	45.7 ***	44.9 ^{2/}	44.0 ***	0.9
	03:20-03:25 HOUR	47.1 ^{2/}	45.7 ***	44.5 ^{2/}	44.0 ***	<0.8 ^{3/}
	03:25-03:30 HOUR	46.9 ^{2/}	45.7 ***	43.7 ^{2/}	44.0 ***	<0.8 ^{3/}
	03:30-03:35 HOUR	46.7 ^{2/}	45.7 ***	42.8 ^{2/}	43.6 ***	<0.8 ^{3/}
	03:35-03:40 HOUR	47.4 ^{2/}	45.7 ***	45.5 ^{2/}	43.6 ***	1.9
	03:40-03:45 HOUR	47.3 ^{2/}	45.7 ***	45.2 ^{2/}	43.6 ***	1.6
	03:45-03:50 HOUR	48.2 ^{2/}	47.9 ***	39.4 ^{2/}	44.8 ***	<0.8 ^{3/}
	03:50-03:55 HOUR	47.3 ^{2/}	47.9 ***	<0.8 ^{3/}	44.8 ***	<0.8 ^{3/}
	03:55-04:00 HOUR	47.6 ^{2/}	47.9 ***	<0.8 ^{3/}	44.8 ***	<0.8 ^{3/}
	04:00-04:05 HOUR	48.8 ^{2/}	45.8 ***	48.8 ^{2/}	43.6 ***	5.2
	04:05-04:10 HOUR	48.7 ^{2/}	45.8 ***	48.6 ^{2/}	43.6 ***	5.0
	04:10-04:15 HOUR	46.9 ^{2/}	45.8 ***	43.4 ^{2/}	43.6 ***	<0.8 ^{3/}
	04:15-04:20 HOUR	45.9 ^{2/}	46.7 ***	<0.8 ^{3/}	44.1 ***	<0.8 ^{3/}
	04:20-04:25 HOUR	46.1 ^{2/}	46.7 ***	<0.8 ^{3/}	44.1 ***	<0.8 ^{3/}
	04:25-04:30 HOUR	46.7 ^{2/}	46.7 ***	<0.8 ^{3/}	44.1 ***	<0.8 ^{3/}
	04:30-04:35 HOUR	47.9 ^{2/}	45.9 ***	46.6 ^{2/}	43.2 ***	3.4
	04:35-04:40 HOUR	48.5 ^{2/}	45.9 ***	48.0 ^{2/}	43.2 ***	4.8
	04:40-04:45 HOUR	48.7 ^{2/}	45.9 ***	48.5 ^{2/}	43.2 ***	5.3
	04:45-04:50 HOUR	48.2 ^{2/}	46.2 ***	46.9 ^{2/}	43.8 ***	3.1
	04:50-04:55 HOUR	48.1 ^{2/}	46.2 ***	46.6 ^{2/}	43.8 ***	2.8
	04:55-05:00 HOUR	48.1 ^{2/}	46.2 ***	46.6 ^{2/}	43.8 ***	2.8
	05:00-05:05 HOUR	48.4 ^{2/}	47.2 ***	45.2 ^{2/}	44.7 ***	<0.8 ^{3/}
	05:05-05:10 HOUR	48.5 ^{2/}	47.2 ***	45.6 ^{2/}	44.7 ***	0.9
	05:10-05:15 HOUR	47.9 ^{2/}	47.2 ***	42.6 ^{2/}	44.7 ***	<0.8 ^{3/}
	05:15-05:20 HOUR	48.0 ^{2/}	47.3 ***	42.7 ^{2/}	44.0 ***	<0.8 ^{3/}
	05:20-05:25 HOUR	49.3 ^{2/}	47.3 ***	48.0 ^{2/}	44.0 ***	4.0
	05:25-05:30 HOUR	50.5 ^{2/}	47.3 ***	50.7 ^{2/}	44.0 ***	6.7
	05:30-05:35 HOUR	49.8 ^{2/}	48.2 ***	47.7 ^{2/}	44.4 ***	3.3
	05:35-05:40 HOUR	50.4 ^{2/}	48.2 ***	49.4 ^{2/}	44.4 ***	5.0
	05:40-05:45 HOUR	50.4 ^{2/}	48.2 ***	49.4 ^{2/}	44.4 ***	5.0
	05:45-05:50 HOUR	51.3 ^{2/}	49.2 ***	50.1 ^{2/}	44.7 ***	5.4
	05:50-05:55 HOUR	51.1 ^{2/}	49.2 ***	49.6 ^{2/}	44.7 ***	4.9
	05:55-06:00 HOUR	51.2 ^{2/}	49.2 ***	49.9 ^{2/}	44.7 ***	5.2
	DAY TIME ^{1/}					
	06:00-07:00 HOUR	54.1 ^{1/}	52.4 **	49.2 ^{1/}	46.7 **	2.5
SEPTEMBER 18, 2024	DAY TIME ^{1/}					
T24AV902-0015	07:00-08:00 HOUR	53.0 ^{1/}	51.7 **	47.1 ^{1/}	47.7 **	<0.8 ^{3/}
	08:00-09:00 HOUR	52.6 ^{1/}	51.1 **	47.3 ^{1/}	45.9 **	1.4
	09:00-10:00 HOUR	52.1 ^{1/}	49.7 **	48.4 ^{1/}	45.2 **	3.2

DATE	TIME*	RESULT (dB(A))				
		วัดตามวงคาราม				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 18, 2024	DAY TIME ^{1/}					
T24AV902-0015	10:00-11:00 HOUR	51.5 ^{1/}	50.4 **	45.0 ^{1/}	45.6 **	<0.8 ^{3/}
	11:00-12:00 HOUR	51.1 ^{1/}	48.8 **	47.2 ^{1/}	45.5 **	1.7
	12:00-13:00 HOUR	50.8 ^{1/}	49.2 **	45.7 ^{1/}	45.6 **	<0.8 ^{3/}
	13:00-14:00 HOUR	50.7 ^{1/}	49.1 **	45.6 ^{1/}	45.3 **	<0.8 ^{3/}
	14:00-15:00 HOUR	50.5 ^{1/}	48.9 **	45.4 ^{1/}	45.4 **	<0.8 ^{3/}
	15:00-16:00 HOUR	50.6 ^{1/}	49.1 **	45.3 ^{1/}	44.8 **	<0.8 ^{3/}
	16:00-17:00 HOUR	51.1 ^{1/}	49.3 **	46.4 ^{1/}	45.0 **	1.4
	17:00-18:00 HOUR	52.2 ^{1/}	50.5 **	47.3 ^{1/}	45.7 **	1.6
	18:00-19:00 HOUR	50.7 ^{1/}	47.7 **	47.7 ^{1/}	45.0 **	2.7
	19:00-20:00 HOUR	48.6 ^{1/}	47.5 **	42.1 ^{1/}	45.0 **	<0.8 ^{3/}
	20:00-21:00 HOUR	48.0 ^{1/}	45.9 **	43.8 ^{1/}	44.3 **	<0.8 ^{3/}
	21:00-22:00 HOUR	47.5 ^{1/}	46.2 **	41.6 ^{1/}	44.7 **	<0.8 ^{3/}
	NIGHT TIME ^{2/}					
	22:00-22:05 HOUR	47.3 ^{2/}	45.5 ***	45.6 ^{2/}	44.1 ***	1.5
	22:05-22:10 HOUR	47.2 ^{2/}	45.5 ***	45.3 ^{2/}	44.1 ***	1.2
	22:10-22:15 HOUR	47.8 ^{2/}	45.5 ***	46.9 ^{2/}	44.1 ***	2.8
	22:15-22:20 HOUR	47.1 ^{2/}	44.8 ***	46.2 ^{2/}	43.5 ***	2.7
	22:20-22:25 HOUR	47.3 ^{2/}	44.8 ***	46.7 ^{2/}	43.5 ***	3.2
	22:25-22:30 HOUR	47.1 ^{2/}	44.8 ***	46.2 ^{2/}	43.5 ***	2.7
	22:30-22:35 HOUR	47.0 ^{2/}	45.1 ***	45.5 ^{2/}	44.0 ***	1.5
	22:35-22:40 HOUR	47.3 ^{2/}	45.1 ***	46.3 ^{2/}	44.0 ***	2.3
	22:40-22:45 HOUR	47.2 ^{2/}	45.1 ***	46.0 ^{2/}	44.0 ***	2.0
	22:45-22:50 HOUR	46.9 ^{2/}	45.5 ***	44.3 ^{2/}	44.4 ***	<0.8 ^{3/}
	22:50-22:55 HOUR	46.8 ^{2/}	45.5 ***	43.9 ^{2/}	44.4 ***	<0.8 ^{3/}
	22:55-23:00 HOUR	47.0 ^{2/}	45.5 ***	44.7 ^{2/}	44.4 ***	<0.8 ^{3/}
	23:00-23:05 HOUR	46.5 ^{2/}	44.9 ***	44.4 ^{2/}	43.7 ***	<0.8 ^{3/}
	23:05-23:10 HOUR	46.5 ^{2/}	44.9 ***	44.4 ^{2/}	43.7 ***	<0.8 ^{3/}
	23:10-23:15 HOUR	46.8 ^{2/}	44.9 ***	45.3 ^{2/}	43.7 ***	1.6
	23:15-23:20 HOUR	46.7 ^{2/}	45.9 ***	42.0 ^{2/}	44.5 ***	<0.8 ^{3/}
	23:20-23:25 HOUR	46.8 ^{2/}	45.9 ***	42.5 ^{2/}	44.5 ***	<0.8 ^{3/}
	23:25-23:30 HOUR	46.8 ^{2/}	45.9 ***	42.5 ^{2/}	44.5 ***	<0.8 ^{3/}
	23:30-23:35 HOUR	46.8 ^{2/}	44.9 ***	45.3 ^{2/}	43.6 ***	1.7
	23:35-23:40 HOUR	46.8 ^{2/}	44.9 ***	45.3 ^{2/}	43.6 ***	1.7
	23:40-23:45 HOUR	46.6 ^{2/}	44.9 ***	44.7 ^{2/}	43.6 ***	1.1
	23:45-23:50 HOUR	46.8 ^{2/}	44.8 ***	45.5 ^{2/}	43.3 ***	2.2
	23:50-23:55 HOUR	46.5 ^{2/}	44.8 ***	44.6 ^{2/}	43.3 ***	1.3
	23:55-00:00 HOUR	46.6 ^{2/}	44.8 ***	44.9 ^{2/}	43.3 ***	1.6
SEPTEMBER 19, 2024	NIGHT TIME ^{2/}					
T24AV902-0015	00:00-00:05 HOUR	46.4 ^{2/}	44.2 ***	45.4 ^{2/}	42.8 ***	2.6
	00:05-00:10 HOUR	46.3 ^{2/}	44.2 ***	45.1 ^{2/}	42.8 ***	2.3
	00:10-00:15 HOUR	46.8 ^{2/}	44.2 ***	46.3 ^{2/}	42.8 ***	3.5
	00:15-00:20 HOUR	46.5 ^{2/}	45.6 ***	42.2 ^{2/}	44.3 ***	<0.8 ^{3/}
	00:20-00:25 HOUR	46.2 ^{2/}	45.6 ***	40.3 ^{2/}	44.3 ***	<0.8 ^{3/}
	00:25-00:30 HOUR	47.0 ^{2/}	45.6 ***	44.4 ^{2/}	44.3 ***	<0.8 ^{3/}
	00:30-00:35 HOUR	47.0 ^{2/}	44.6 ***	46.3 ^{2/}	43.3 ***	3.0

DATE	TIME*	RESULT (dB(A))				
		วัดตามวงศการาม				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 19, 2024	NIGHT TIME ^{2/}					
T24AV902-0015	00:35-00:40 HOUR	47.1 ^{2/}	44.6 ***	46.5 ^{2/}	43.3 ***	3.2
	00:40-00:45 HOUR	47.2 ^{2/}	44.6 ***	46.7 ^{2/}	43.3 ***	3.4
	00:45-00:50 HOUR	46.6 ^{2/}	45.4 ***	43.4 ^{2/}	43.7 ***	<0.8 ^{3/}
	00:50-00:55 HOUR	46.3 ^{2/}	45.4 ***	42.0 ^{2/}	43.7 ***	<0.8 ^{3/}
	00:55-01:00 HOUR	46.1 ^{2/}	45.4 ***	40.8 ^{2/}	43.7 ***	<0.8 ^{3/}
	01:00-01:05 HOUR	45.8 ^{2/}	44.5 ***	42.9 ^{2/}	43.0 ***	<0.8 ^{3/}
	01:05-01:10 HOUR	47.2 ^{2/}	44.5 ***	46.9 ^{2/}	43.0 ***	3.9
	01:10-01:15 HOUR	47.4 ^{2/}	44.5 ***	47.3 ^{2/}	43.0 ***	4.3
	01:15-01:20 HOUR	46.4 ^{2/}	45.0 ***	43.8 ^{2/}	43.5 ***	<0.8 ^{3/}
	01:20-01:25 HOUR	46.8 ^{2/}	45.0 ***	45.1 ^{2/}	43.5 ***	1.6
	01:25-01:30 HOUR	46.7 ^{2/}	45.0 ***	44.8 ^{2/}	43.5 ***	1.3
	01:30-01:35 HOUR	46.3 ^{2/}	45.0 ***	43.4 ^{2/}	43.6 ***	<0.8 ^{3/}
	01:35-01:40 HOUR	46.3 ^{2/}	45.0 ***	43.4 ^{2/}	43.6 ***	<0.8 ^{3/}
	01:40-01:45 HOUR	46.2 ^{2/}	45.0 ***	43.0 ^{2/}	43.6 ***	<0.8 ^{3/}
	01:45-01:50 HOUR	45.9 ^{2/}	45.2 ***	40.6 ^{2/}	44.2 ***	<0.8 ^{3/}
	01:50-01:55 HOUR	47.0 ^{2/}	45.2 ***	45.3 ^{2/}	44.2 ***	1.1
	01:55-02:00 HOUR	46.4 ^{2/}	45.2 ***	43.2 ^{2/}	44.2 ***	<0.8 ^{3/}
	02:00-02:05 HOUR	46.1 ^{2/}	44.6 ***	43.8 ^{2/}	43.7 ***	<0.8 ^{3/}
	02:05-02:10 HOUR	46.0 ^{2/}	44.6 ***	43.4 ^{2/}	43.7 ***	<0.8 ^{3/}
	02:10-02:15 HOUR	45.9 ^{2/}	44.6 ***	43.0 ^{2/}	43.7 ***	<0.8 ^{3/}
	02:15-02:20 HOUR	46.1 ^{2/}	44.2 ***	44.6 ^{2/}	42.9 ***	1.7
	02:20-02:25 HOUR	47.2 ^{2/}	44.2 ***	47.2 ^{2/}	42.9 ***	4.3
	02:25-02:30 HOUR	46.4 ^{2/}	44.2 ***	45.4 ^{2/}	42.9 ***	2.5
	02:30-02:35 HOUR	46.6 ^{2/}	44.0 ***	46.1 ^{2/}	42.8 ***	3.3
	02:35-02:40 HOUR	46.1 ^{2/}	44.0 ***	44.9 ^{2/}	42.8 ***	2.1
	02:40-02:45 HOUR	46.6 ^{2/}	44.0 ***	46.1 ^{2/}	42.8 ***	3.3
	02:45-02:50 HOUR	46.4 ^{2/}	44.7 ***	44.5 ^{2/}	43.7 ***	0.8
	02:50-02:55 HOUR	45.9 ^{2/}	44.7 ***	42.7 ^{2/}	43.7 ***	<0.8 ^{3/}
	02:55-03:00 HOUR	46.4 ^{2/}	44.7 ***	44.5 ^{2/}	43.7 ***	0.8
	03:00-03:05 HOUR	46.1 ^{2/}	44.3 ***	44.4 ^{2/}	43.2 ***	1.2
	03:05-03:10 HOUR	46.3 ^{2/}	44.3 ***	45.0 ^{2/}	43.2 ***	1.8
	03:10-03:15 HOUR	46.1 ^{2/}	44.3 ***	44.4 ^{2/}	43.2 ***	1.2
	03:15-03:20 HOUR	45.6 ^{2/}	44.8 ***	40.9 ^{2/}	43.0 ***	<0.8 ^{3/}
	03:20-03:25 HOUR	45.9 ^{2/}	44.8 ***	42.4 ^{2/}	43.0 ***	<0.8 ^{3/}
	03:25-03:30 HOUR	46.5 ^{2/}	44.8 ***	44.6 ^{2/}	43.0 ***	1.6
	03:30-03:35 HOUR	45.9 ^{2/}	44.1 ***	44.2 ^{2/}	42.6 ***	1.6
	03:35-03:40 HOUR	46.1 ^{2/}	44.1 ***	44.8 ^{2/}	42.6 ***	2.2
	03:40-03:45 HOUR	45.7 ^{2/}	44.1 ***	43.6 ^{2/}	42.6 ***	1.0
	03:45-03:50 HOUR	46.0 ^{2/}	45.7 ***	37.2 ^{2/}	43.4 ***	<0.8 ^{3/}
	03:50-03:55 HOUR	45.5 ^{2/}	45.7 ***	<0.8 ^{3/}	43.4 ***	<0.8 ^{3/}
	03:55-04:00 HOUR	46.1 ^{2/}	45.7 ***	38.5 ^{2/}	43.4 ***	<0.8 ^{3/}
	04:00-04:05 HOUR	46.9 ^{2/}	45.1 ***	45.2 ^{2/}	43.1 ***	2.1
	04:05-04:10 HOUR	46.3 ^{2/}	45.1 ***	43.1 ^{2/}	43.1 ***	<0.8 ^{3/}
	04:10-04:15 HOUR	46.5 ^{2/}	45.1 ***	43.9 ^{2/}	43.1 ***	0.8

DATE	TIME*	RESULT (dB(A))				
		วัดตามวงคาราม				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 19, 2024	NIGHT TIME ^{2/}					
T24AV902-0015	04:15-04:20 HOUR	46.4 ^{2/}	45.7 ***	41.1 ^{2/}	43.5 ***	<0.8 ^{3/}
	04:20-04:25 HOUR	46.5 ^{2/}	45.7 ***	41.8 ^{2/}	43.5 ***	<0.8 ^{3/}
	04:25-04:30 HOUR	46.9 ^{2/}	45.7 ***	43.7 ^{2/}	43.5 ***	<0.8 ^{3/}
	04:30-04:35 HOUR	47.3 ^{2/}	44.8 ***	46.7 ^{2/}	42.3 ***	4.4
	04:35-04:40 HOUR	47.6 ^{2/}	44.8 ***	47.4 ^{2/}	42.3 ***	5.1
	04:40-04:45 HOUR	46.6 ^{2/}	44.8 ***	44.9 ^{2/}	42.3 ***	2.6
	04:45-04:50 HOUR	47.5 ^{2/}	47.4 ***	34.1 ^{2/}	43.1 ***	<0.8 ^{3/}
	04:50-04:55 HOUR	47.3 ^{2/}	47.4 ***	<0.8 ^{3/}	43.1 ***	<0.8 ^{3/}
	04:55-05:00 HOUR	48.4 ^{2/}	47.4 ***	44.5 ^{2/}	43.1 ***	1.4
	05:00-05:05 HOUR	49.4 ^{2/}	48.2 ***	46.2 ^{2/}	43.9 ***	2.3
	05:05-05:10 HOUR	48.8 ^{2/}	48.2 ***	42.9 ^{2/}	43.9 ***	<0.8 ^{3/}
	05:10-05:15 HOUR	49.5 ^{2/}	48.2 ***	46.6 ^{2/}	43.9 ***	2.7
	05:15-05:20 HOUR	48.5 ^{2/}	46.6 ***	47.0 ^{2/}	42.8 ***	4.2
	05:20-05:25 HOUR	49.4 ^{2/}	46.6 ***	49.2 ^{2/}	42.8 ***	6.4
	05:25-05:30 HOUR	49.2 ^{2/}	46.6 ***	48.7 ^{2/}	42.8 ***	5.9
	05:30-05:35 HOUR	49.3 ^{2/}	47.4 ***	47.8 ^{2/}	43.6 ***	4.2
	05:35-05:40 HOUR	48.7 ^{2/}	47.4 ***	45.8 ^{2/}	43.6 ***	2.2
	05:40-05:45 HOUR	50.1 ^{2/}	47.4 ***	49.8 ^{2/}	43.6 ***	6.2
	05:45-05:50 HOUR	50.2 ^{2/}	50.7 ***	<0.8 ^{3/}	45.9 ***	<0.8 ^{3/}
	05:50-05:55 HOUR	50.1 ^{2/}	50.7 ***	<0.8 ^{3/}	45.9 ***	<0.8 ^{3/}
	05:55-06:00 HOUR	50.4 ^{2/}	50.7 ***	<0.8 ^{3/}	45.9 ***	<0.8 ^{3/}
	DAY TIME ^{1/}					
	06:00-07:00 HOUR	52.2 ^{1/}	50.7 **	46.9 ^{1/}	45.9 **	1.0

- REMARK :**
- 1/ CASE 1 CALCULATION (DURING 06:00 TO 22:00 HOUR) : SPECIFIC SOUND LEVEL CONTINUOUSLY OCCUR AT LEAST 1 HOUR, MEASURING AS L_{Aeq} 1 hour.
 - 2/ CASE 4 CALCULATION (DURING 22:00 TO 06:00 HOUR) : SPECIFIC SOUND LEVEL OCCUR IN RESTFUL AREA OR NIGHT TIME, MEASURING AS L_{Aeq} 5 minutes.
 - 3/ THERE IS NO IMPACT CAUSE ANNOYANCE SOUND LEVEL
- ** PERCENTILE LEVEL 90 (L_{A90}) IS THE MIDDLE VALUE OF 11 TIMES MEASURING.
(55 MINUTES MEASURING DURING 06:00 TO 22:00 HOUR)
AND RESIDUAL SOUND LEVEL (L_{Aeq} 5 minutes) IS CHOSEN AT THE SAME TIME AS PERCENTILE LEVEL 90 ABOVE.
- *** PERCENTILE LEVEL 90 (L_{A90}) IS THE MIDDLE VALUE OF 3 TIMES MEASURING.
(15 MINUTES MEASURING DURING 22:00 TO 06:00 HOUR)
AND RESIDUAL SOUND LEVEL (L_{Aeq} 5 minutes) IS CHOSEN AT THE SAME TIME AS PERCENTILE LEVEL 90 ABOVE.

LABORATORY SUPERVISOR

ค-4

คุณภาพน้ำทิ้ง

ANALYSIS REPORT

PROJECT NAME : IN-PLANT GENERATOR PROJECT IN OPERATION PHASE
CUSTOMER NAME : PTT LNG COMPANY LIMITED
ADDRESS : 8/1, I-8 ROAD, MAP TA PHUT INDUSTRIAL ESTATE, MAP TA PHUT MUEANG RAYONG RAYONG 21150
CONTACT INFORMATION : TEL : 0 3897 8200 e-mail : dan.s@ptt lng.com
SAMPLING SOURCE : WASTEWATER TREATMENT PLANT
SAMPLE TYPE : EFFLUENT
SAMPLING DATE : DECEMBER 25, 2024
SAMPLING TIME : 08:40 HOUR
SAMPLING METHOD : GRAB
SAMPLING BY : XXXXXXXXXX
ANALYZED BY : XXXXXXXXXX

RECEIVED DATE : DECEMBER 26, 2024
ANALYTICAL DATE : DECEMBER 26, 2024 - JANUARY 7, 2025
ISSUE DATE : JANUARY 14, 2025
REPORT NO. : 2025-U002833
WORK NO. : 2023-009993
ANALYSIS NO. : T25AA139-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	DETECTION LIMIT	LIMIT OF QUANTITATION (LOQ)
			EFFLUENT FROM WASTEWATER TREATMENT PLANT T25AA139-0001		
pH ^a	-	ELECTROMETRIC METHOD (AT SITE) SM: PART 4500-H ⁺ B AND 1060 B	8.3 (28.4°C)	-	-
TEMPERATURE ^c	°C	THERMOMETER (AT SITE) SM: PART 2550 B	28.4	-	-
BIOCHEMICAL OXYGEN DEMAND* ^c	mg/L	MEMBRANE ELECTRODE METHOD (SM: PART 5210 B AND PART 4500-O G)	6.8	-	2.0
CHEMICAL OXYGEN DEMAND ^a	mg/L	CLOSED REFLUX, COLOURIMETRIC METHOD (SM: PART 5220 D)	38.6	-	25.0
TOTAL SUSPENDED SOLIDS ^a	mg/L	TOTAL SUSPENDED SOLIDS DRIED AT 103-105 °C (SM: PART 2540 D)	< 5.0	-	5.0
TOTAL DISSOLVED SOLIDS ^b	mg/L	TOTAL DISSOLVED SOLIDS DRIED AT 180 °C (SM: PART 2540 C)	328	-	25
RESIDUAL CHLORINE ^c	mg/L Cl ₂	MODIFIED DPD COLOURIMETRIC METHOD (AT SITE)	ND	0.1	-
TOTAL KJELDAHL NITROGEN ^b	mg/L	IN-HOUSE METHOD: UAE.TP.WAS.001 (KJELDAHL METHOD); SM: PART 4500-Norg C	24.6	1.5	5.0
OIL AND GREASE ^a	mg/L	LIQUID-LIQUID, PARTITION-GRAVIMETRIC METHOD (SM: PART 5520 B)	< 3	-	3



PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	DETECTION LIMIT	LIMIT OF QUANTITATION (LOQ)
			EFFLUENT FROM WASTEWATER TREATMENT PLANT T25AA139-0001		
METALS					
CADMIUM ^a	mg/L Cd	UAE.TP.HEM.004 BASED ON SM: PART 3030 E AND PART 3111 B	ND	0.005	0.020
LEAD ^a	mg/L Pb	UAE.TP.HEM.004 BASED ON SM: PART 3030 E AND PART 3111 B	ND	0.020	0.200
MERCURY ^c	mg/L Hg	COLD VAPOUR AAS METHOD (SM: PART 3112 B)	0.0005	0.0005	-
SAMPLE CONDITION					
WATER'S COLOUR/TURBID SEDIMENT			YELLOW/TURBID BROWN		

^a : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

^b : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

^c : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 24th EDITION, 2023.

* : ADDITION OF NITRIFICATION INHIBITION (TCMP) FOLLOW TO THE SM: 5210B,5(e).

ND : NOT DETECTED.

.....
[REDACTED]
.....

LABORATORY SUPERVISOR

ANALYSIS REPORT

PROJECT NAME	: IN-PLANT GENERATOR PROJECT IN OPERATION PHASE	RECEIVED DATE	: DECEMBER 26, 2024
CUSTOMER NAME	: PTT LNG COMPANY LIMITED	ANALYTICAL DATE	: DECEMBER 26, 2024 - JANUARY 7, 2025
ADDRESS	: 8/1, I-8 ROAD, MAP TA PHUT INDUSTRIAL ESTATE, MAP TA PHUT MUEANG RAYONG RAYONG 21150	ISSUE DATE	: JANUARY 14, 2025
CONTACT INFORMATION	: TEL : 0 3897 8200 e-mail : dan.s@pttlng.com	REPORT NO.	: 2025-U002834
SAMPLING SOURCE	: WASTEWATER TREATMENT PLANT	WORK NO.	: 2023-009993
SAMPLE TYPE	: EFFLUENT	ANALYSIS NO.	: T25AA139-0002
SAMPLING DATE	: DECEMBER 25, 2024		
SAMPLING TIME	: 08:50 HOUR		
SAMPLING METHOD	: GRAB		
SAMPLING BY	: [REDACTED]		
ANALYZED BY	: [REDACTED]		

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	DETECTION LIMIT	LIMIT OF QUANTITATION (LOQ)
			EFFLUENT FROM PLANT OUT BEFORE DISCHARGE T25AA139-0002		
pH ^a	-	ELECTROMETRIC METHOD (AT SITE) SM: PART 4500-H ⁺ B AND 1060 B	7.2 (24.4°C)	-	-
TEMPERATURE ^c	°C	THERMOMETER (AT SITE) SM: PART 2550 B	24.4	-	-
BIOCHEMICAL OXYGEN DEMAND ^a	mg/L	MEMBRANE ELECTRODE METHOD (SM: PART 5210 B AND PART 4500-O G)	< 2.0	-	2.0
CHEMICAL OXYGEN DEMAND ^c	mg/L	CLOSED REFLUX, TITRIMETRIC METHOD (SM: PART 5220 C)	49.0	-	40.0
TOTAL SUSPENDED SOLIDS ^a	mg/L	TOTAL SUSPENDED SOLIDS DRIED AT 103-105 °C (SM: PART 2540 D)	5.8	-	5.0
TOTAL DISSOLVED SOLIDS ^c	mg/L	TOTAL DISSOLVED SOLIDS DRIED AT 180 °C (SM: PART 2540 C)	34,560	-	25
RESIDUAL CHLORINE ^c	mg/L Cl ₂	MODIFIED DPD COLOURIMETRIC METHOD (AT SITE)	ND	0.1	-
TOTAL KJELDAHL NITROGEN ^c	mg/L	IN-HOUSE METHOD: UAE.TP.WAS.001 (KJELDAHL METHOD); SM: PART 4500-Norg C	ND	1.5	5.0
OIL AND GREASE ^a	mg/L	LIQUID-LIQUID, PARTITION-GRAVIMETRIC METHOD (SM: PART 5520 B)	< 3	-	3



PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	DETECTION LIMIT	LIMIT OF QUANTITATION (LOQ)
			EFFLUENT FROM PLANT OUT BEFORE DISCHARGE T25AA139-0002		
METALS					
CADMIUM ^a	mg/L Cd	UAE.TP.HEM.004 BASED ON SM: PART 3030 E AND PART 3111 B	ND	0.005	0.020
LEAD ^a	mg/L Pb	UAE.TP.HEM.004 BASED ON SM: PART 3030 E AND PART 3111 B	ND	0.020	0.200
MERCURY ^c	mg/L Hg	COLD VAPOUR AAS METHOD (SM: PART 3112 B)	ND	0.0005	-
SAMPLE CONDITION					
WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR YELLOW		

^a : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

^b : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

^c : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT STILL NOT ACCREDITED

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 24th EDITION, 2023.

ND : NOT DETECTED.

LABORATORY SUPERVISOR

ค-5

สาธารณสุข อาชีวนามัย และความปลอดภัย

ANALYSIS REPORT

CUSTOMER NAME : PTT LNG COMPANY LIMITED
ADDRESS : 8/1, I-8 ROAD, MAP TA PHUT INDUSTRIAL ESTATE, MAP TA PHUT MUEANG RAYONG RAYONG 21150
CONTACT INFORMATION : TEL : 0 3897 8200 e-mail : dan.s@ptt lng.com
MEASURING PLACE : PTT LNG COMPANY LIMITED
MEASURING TYPE : WORKPLACE (HEAT STRESS) **RECEIVED DATE** : OCTOBER 7, 2024
MEASURING DATE : OCTOBER 7, 2024 **ANALYTICAL DATE** : OCTOBER 7, 2024
MEASURING TIME : * **ISSUE DATE** : OCTOBER 15, 2024
MEASURING EQUIPMENT : WET BULB GLOBE TEMPERATURE **REPORT NO.** : 2024-U095625
MEASURED BY : XXXXXXXXXX **WORK NO.** : 2023-009993
ANALYSIS NO. : T24AX894-0001 - T24AX894-0003

ANALYSIS NO.	MEASURING SITE	DURATION TIME*	RESULT (DEGREE CELSIUS)				
			NWB	DB	GT	WBGT	WBGT AVG
T24AX894-0001	ORC (คุณวีระยุทธ โภชนาหาร)	10:00-12:00 HOUR	28.6	33.5	34.5	30.3	30.3
T24AX894-0002	GAS TURBINE A (คุณบุญชู จันทร์เปื้อง)	10:05-12:05 HOUR	28.4	31.6	32.6	29.6	29.6
T24AX894-0003	WARM CHILLED WATER PUMP (คุณกรเดช เมฆอรุณ)	10:10-12:10 HOUR	28.7	33.5	34.5	30.4	30.4

LABORATORY SUPERVISOR



ANALYSIS REPORT

CUSTOMER NAME : PTT LNG COMPANY LIMITED
ADDRESS : 8/1, I-8 ROAD, MAP TA PHUT INDUSTRIAL ESTATE, MAP TA PHUT MUEANG RAYONG RAYONG 21150
CONTACT INFORMATION : TEL : 0 3897 8200 e-mail : dan.s@pttng.com
MEASURING PLACE : PTT LNG COMPANY LIMITED
MEASURING TYPE : WORKPLACE (LIGHT INTENSITY) **RECEIVED DATE** : OCTOBER 7, 2024
MEASURING DATE : OCTOBER 7, 2024 **ANALYTICAL DATE** : OCTOBER 7, 2024
MEASURING TIME : * **ISSUE DATE** : OCTOBER 15, 2024
MEASURING EQUIPMENT : LUX METER **REPORT NO.** : 2024-U095627
MEASURED BY : XXXXXXXXXX **WORK NO.** : 2023-009993
ANALYSIS NO. : T24AX896-0001 - T24AX896-0002

ANALYSIS NO.	MEASURING SITE	TIME *	RESULT (LUX)
			LIGHT INTENSITY
			SPOT MEASUREMENT
T24AX896-0001	บริเวณห้องควบคุม (MAIN CONTROL)	09:45 HOUR	548
T24AX896-0002	บริเวณห้องควบคุม (IPG CONTROL)	10:00 HOUR	480

XXXXXXXXXX
LABORATORY SUPERVISOR



ANALYSIS REPORT

CUSTOMER NAME : PTT LNG COMPANY LIMITED
ADDRESS : 8/1, I-8 ROAD, MAP TA PHUT INDUSTRIAL ESTATE, MAP TA PHUT MUEANG RAYONG RAYONG 21150
CONTACT INFORMATION : TEL : 0 3897 8200 e-mail : dan.s@pttng.com
MEASURING PLACE : PTT LNG COMPANY LIMITED
MEASURING TYPE : WORKPLACE (NOISE)
MEASURING DATE : OCTOBER 7, 2024
MEASURING TIME : *
MEASURING EQUIPMENT : INTEGRATED SOUND LEVEL METER
MEASURED BY : XXXXXXXXXX
RECEIVED DATE : OCTOBER 7, 2024
ANALYTICAL DATE : OCTOBER 7, 2024
ISSUE DATE : OCTOBER 15, 2024
REPORT NO. : 2024-U095626
WORK NO. : 2023-009993
ANALYSIS NO. : T24AX895-0001 - T24AX895-0003

ANALYSIS NO.	MEASURING SITE	TIME* (HOUR)	RESULT (dB(A))	
			L _{Aeq} 8 hours	L _{Amax} 8 hours
T24AX895-0001	พื้นที่โล่งผลิต ORC	09:00-17:00	78.2	82.0
T24AX895-0002	GAS TURBINE A	09:05-17:05	78.5	85.8
T24AX895-0003	WARM CHILLED WATER PUMP	09:10-17:10	79.8	84.0

XXXXXXXXXX
LABORATORY SUPERVISOR

