

ภาคผนวก ค

ใบรายงานผลวิเคราะห์



Analysis Report CH2400039



TESTING
No.0009

Client : Dcondo Campus Resort Juristic Person Condominium
222 Moo 1, Suthep Rd., Tambon Suthep, Amphoe Mueang Chiang Mai, Chiang
Mai, Thailand, 50200
P/O : ----
Project : ----
Project Location: Dcondo Campus Resort Juristic Person Condominium

Work Order : CH2400039
Report Number : CH2400039-AA
Date Received : Jul 03, 2024
Date Reported : Jul 09, 2024
Date Analysis Commenced : Jul 03, 2024
No. of samples received : 2
Temperature : 2.9 °C
Sampled by : Takdanai Ubonsri

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. No part of this report may be reproduced in any form without written consent from the laboratory.

ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Signatories

Siriluk Bunnak
Section Head



Analysis Report CH2400039

Report Number : CH2400039-AA



TESTING
No.0009

Sample Receipt and Conditions

Sample ID	Sample Name	Sample Description	GPS	Conditions
CH2400039-001	น้ำทิ้ง	----	----	1x Plastic bottle - Preserved with H ₂ SO ₄ , 1x Plastic Bottle, 1x Plastic Bottle - Preserved with Zinc Acetate and NaOH, 1x Oil & Grease, refrigerated
CH2400039-002	น้ำสระว่ายน้ำ	----	----	1x Sterile Bottle - Preserved with Sodium Thiosulfate, refrigerated

Brief Method Summaries

The methods in the analysis report are short format, refer to full test methods in accordance with the ISO/IEC 17025 certificate no. specified in the analysis report.

Method	Testing Lab	Method Descriptions
EN0021	Bangkok	In-house method : STM 04-003 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500 - H (B)
EN0032	Bangkok	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500 - S2 (C, F)
EN0035	Bangkok	In-house method : STM 04-100 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500-Norg (D)
EN0044	Bangkok	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 5210 B and part 4500 - O (G)
EN0048	Bangkok	In - house method : STM 04-014 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 5520 B
EN0093	Bangkok	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 F
EN0099	Bangkok	In-house method : STM 04-010 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 C
EN0102	Bangkok	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D
MC6009	Bangkok	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 9221 B
MC6020	Bangkok	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 23rd ed., 2017, Part 9221 B, E



Analysis Report CH2400039

Report Number : CH2400039-AA



TESTING
No.0009

Sub-Matrix: WASTEWATER

Client Sample ID

น้ำทิ้ง

(Matrix: WATER)

Sampling Date

Jul 02, 2024 01:00 PM

Method

Testing Lab

Analytes

LOD

LOQ

Unit

Guideline

CH2400039-001

MNRE 2548
Type A

MOPH
1/2550

Result

Chemical Parameters

EN0044	Bangkok	BOD (5 days at 20°C)	----	2.0	mg/L	≤20	----	20.5	----	----
EN0048	Bangkok	Oil & Grease	----	3	mg/L	≤20	----	<3	----	----
EN0021	Bangkok	pH at 25°C	----	1.0	pH Unit	5-9	----	7.9	----	----
EN0032	Bangkok	Sulfides	----	0.5	mg/L	≤1	----	<0.5 *	----	----
EN0035	Bangkok	Total Kjeldahl Nitrogen as N	0.15	1.0	mg/L	≤35	----	18.6	----	----

Physical and Aggregate Properties

EN0093	Bangkok	Settleable Solids	----	0.1	mL/L/hr	≤0.5	----	<0.1 *	----	----
EN0099	Bangkok	Total Dissolved Solids at 103-105°C	----	5	mg/L	≤500	----	280	----	----
EN0102	Bangkok	Total Suspended Solids	----	5	mg/L	≤30	----	9	----	----



Analysis Report CH2400039

Report Number : CH2400039-AA



TESTING
No.0009

Sub-Matrix: PROCESS WATER

Client Sample ID

น้ำสระว่ายน้ำ

(Matrix: WATER)

Sampling Date

Jul 02, 2024 01:10 PM

Method	Testing Lab	Analytes	LOD	LOQ	Unit	Guideline		CH2400039-002	_____	_____
						MNRE 2548 Type A	MOPH 1/2550	Result	----	----
Microbiological Parameters										
MC6009	Bangkok	Total Coliforms	----	----	MPN/100mL	----	<10	<1.1	----	----
MC6020	Bangkok	Fecal Coliforms	----	----	in 100mL	----	Not Detected	Not Detected	----	----

Guideline: MNRE 2548 Type A: Building: Notification of The Ministry of Natural Resources and Environment on Effluent from building Type A (Guideline for TDS are in addition to the TDS of the water used not more than 500 mg/L)

MOPH 1/2550: Recommendations of The Public Health Committee on Swimming Pool Operations

Comment: The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Sampling is not included in scope of accreditation ISO/IEC 17025

- Key:
- ° LOD : Limit of Detection
 - ° "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
 - ° Result(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.

----- END OF REPORT -----



Analysis Report CH2400038



TESTING
No.0009

Client : Dcondo Campus Resort Juristic Person Condominium
222 Moo 1, Suthep Rd., Tambon Suthep, Amphoe Mueang Chiang Mai, Chiang
Mai, Thailand, 50200
P/O : ----
Project : ----
Project Location: Dcondo Campus Resort Juristic Person Condominium

Work Order : CH2400038
Report Number : CH2400038-AA
Date Received : Aug 06, 2024
Date Reported : Aug 16, 2024
Date Analysis Commenced : Aug 06, 2024
No. of samples received : 2
Temperature : 4.0 °C
Sampled by : Chaloamkiat Amornsriserm

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. No part of this report may be reproduced in any form without written consent from the laboratory.

ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Signatories

Nanthawadee Somboon

Specialist 2

ALS Laboratory Group (Thailand) Co.,Ltd. Bangkok Life Sciences

104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand T +662 760 3000



Analysis Report CH2400038

Report Number : CH2400038-AA



TESTING
No.0009

Sample Receipt and Conditions

Sample ID	Sample Name	Sample Description	GPS	Conditions
CH2400038-001	น้ำทิ้ง	----	----	1x Plastic bottle - Preserved with H ₂ SO ₄ , 2x Plastic Bottle, 1x Plastic Bottle - Preserved with Zinc Acetate and NaOH, 1x Oil & Grease, refrigerated
CH2400038-002	น้ำสระว่ายน้ำ	----	----	1x Sterile Bottle - Preserved with Sodium Thiosulfate, refrigerated

Brief Method Summaries

The methods in the analysis report are short format, refer to full test methods in accordance with the ISO/IEC 17025 certificate no. specified in the analysis report.

Method	Testing Lab	Method Descriptions
EN0021	Bangkok	In-house method : STM 04-003 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500 - H (B)
EN0032	Bangkok	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500 - S2 (C, F)
EN0035	Bangkok	In-house method : STM 04-100 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500-Norg (D)
EN0044	Bangkok	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 5210 B and part 4500 - O (G)
EN0048	Bangkok	In - house method : STM 04-014 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 5520 B
EN0093	Bangkok	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 F
EN0099	Bangkok	In-house method : STM 04-010 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 C
EN0102	Bangkok	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D
MC6009	Bangkok	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 9221 B
MC6020	Bangkok	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 23rd ed., 2017, Part 9221 B, E



Analysis Report CH2400038

Report Number : CH2400038-AA



TESTING
No.0009

Sub-Matrix: WASTEWATER

Client Sample ID

(Matrix: WATER)

Sub-Matrix: WASTEWATER (Matrix: WATER)							Client Sample ID		น้ำทิ้ง	----	----
							Sampling Date		Aug 05, 2024 10:25 AM	----	----
Method	Testing Lab	Analytes	LOD	LOQ	Unit	Guideline		CH2400038-001	-----	-----	
						MNRE 2548 Type A	MOPH 1/2550	Result	----	----	
Chemical Parameters											
EN0044	Bangkok	BOD (5 days at 20°C)	----	2.0	mg/L	≤20	----	6.5	----	----	
EN0048	Bangkok	Oil & Grease	----	3	mg/L	≤20	----	<3	----	----	
EN0021	Bangkok	pH at 25°C	----	1.0	pH Unit	5-9	----	7.2	----	----	
EN0032	Bangkok	Sulfides	----	0.5	mg/L	≤1	----	<0.5 *	----	----	
EN0035	Bangkok	Total Kjeldahl Nitrogen as N	0.15	1.0	mg/L	≤35	----	4.4	----	----	
Physical and Aggregate Properties											
EN0093	Bangkok	Settleable Solids	----	0.1	mL/L/hr	≤0.5	----	<0.1 *	----	----	
EN0099	Bangkok	Total Dissolved Solids at 103-105°C	----	5	mg/L	≤500	----	284	----	----	
EN0102	Bangkok	Total Suspended Solids	----	5	mg/L	≤30	----	11	----	----	



Analysis Report CH2400038

Report Number : CH2400038-AA



TESTING
No.0009

Sub-Matrix: PROCESS WATER

Client Sample ID

น้ำสระว่ายน้ำ

(Matrix: WATER)

Sampling Date

Aug 05, 2024 10:05 AM

Method	Testing Lab	Analytes	LOD	LOQ	Unit	Guideline		CH2400038-002	_____	_____
						MNRE 2548 Type A	MOPH 1/2550	Result	----	----
Microbiological Parameters										
MC6009	Bangkok	Total Coliforms	----	----	MPN/100mL	----	<10	<1.1	----	----
MC6020	Bangkok	Fecal Coliforms	----	----	in 100mL	----	Not Detected	Not Detected	----	----

Guideline: MNRE 2548 Type A: Building: Notification of The Ministry of Natural Resources and Environment on Effluent from building Type A (Guideline for TDS are in addition to the TDS of the water used not more than 500 mg/L)

MOPH 1/2550: Recommendations of The Public Health Committee on Swimming Pool Operations

Comment: The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Sampling is not included in scope of accreditation ISO/IEC 17025

- Key:
- ° LOD : Limit of Detection
 - ° "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
 - ° Result(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.

----- END OF REPORT -----



Analysis Report CH2400038



Accreditation No.1031/47

Client : Dcondo Campus Resort Juristic Person Condominium
222 Moo 1, Suthep Rd., Tambon Suthep, Amphoe Mueang Chiang Mai, Chiang
Mai, Thailand, 50200
P/O : ----
Project : ----
Project Location: Dcondo Campus Resort Juristic Person Condominium

Work Order : CH2400038
Report Number : CH2400038-AB
Date Received : Aug 06, 2024
Date Reported : Aug 16, 2024
Date Analysis Commenced : Aug 06, 2024
No. of samples received : 3
Temperature : 4.0 °C
Sampled by : Chaloamkiat Amornsriserm

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. No part of this report may be reproduced in any form without written consent from the laboratory.

ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Signatories

Kittitee Jamjumroon
Scientist (3)



Analysis Report CH2400038

Report Number : CH2400038-AB



Accreditation No.1031/47

Sample Receipt and Conditions

Sample ID	Sample Name	Sample Description	GPS	Conditions
CH2400038-003	อาคาร A : น้ำดี 1	----	----	1x Sterile Bottle - Preserved with Sodium Thiosulfate, refrigerated
CH2400038-004	อาคาร B : น้ำดี 2	----	----	1x Sterile Bottle - Preserved with Sodium Thiosulfate, refrigerated
CH2400038-005	อาคาร C : น้ำดี 3	----	----	1x Sterile Bottle - Preserved with Sodium Thiosulfate, refrigerated

Brief Method Summaries

The methods in the analysis report are short format, refer to full test methods in accordance with the ISO/IEC 17025 certificate no. specified in the analysis report.

Method	Testing Lab	Method Descriptions
MC6012	Bangkok	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 9221 F



Analysis Report CH2400038

Report Number : CH2400038-AB



Accreditation No.1031/47

Sub-Matrix: PROCESS WATER							Client Sample ID	อาคาร A : น้ำดี 1	อาคาร B : น้ำดี 2	อาคาร C : น้ำดี 3
(Matrix: WATER)										
							Sampling Date	Aug 05, 2024 10:10 AM	Aug 05, 2024 10:15 AM	Aug 05, 2024 10:20 AM
Method	Testing Lab	Analytes	LOD	LOQ	Unit	Guideline		CH2400038-003	CH2400038-004	CH2400038-005
							----	Result	Result	Result
Microbiological Parameters										
MC6012	Bangkok	Escherichia coli	----	----	in 100mL	----	----	Detected	Not Detected	Not Detected

Guideline: ----

Comment: The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Sampling is not included in scope of accreditation ISO/IEC 17025

Key:

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

----- END OF REPORT -----



Analysis Report CH2400040



TESTING
No.0009

Client : Dcondo Campus Resort Juristic Person Condominium
222 Moo 1, Suthep Rd., Tambon Suthep, Amphoe Mueang Chiang Mai, Chiang
Mai, Thailand, 50200
P/O : ----
Project : ----
Project Location: Dcondo Campus Resort Juristic Person Condominium

Work Order : CH2400040
Report Number : CH2400040-AA
Date Received : Sep 04, 2024
Date Reported : Sep 10, 2024
Date Analysis Commenced : Sep 04, 2024
No. of samples received : 2
Temperature : 2.0 °C
Sampled by : Natthakit Sapankaew

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. No part of this report may be reproduced in any form without written consent from the laboratory.

ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Signatories

Nanthawadee Somboon
Specialist 2



Analysis Report CH2400040

Report Number : CH2400040-AA



TESTING
No.0009

Sample Receipt and Conditions

Sample ID	Sample Name	Sample Description	GPS	Conditions
CH2400040-001	น้ำทิ้ง	----	----	1x Plastic bottle - Preserved with H ₂ SO ₄ , 1x Plastic Bottle, 1x Plastic Bottle - Preserved with Zinc Acetate and NaOH, 1x Oil & Grease, refrigerated
CH2400040-002	น้ำสระว่ายน้ำ	----	----	1x Sterile Bottle - Preserved with Sodium Thiosulfate, refrigerated

Brief Method Summaries

The methods in the analysis report are short format, refer to full test methods in accordance with the ISO/IEC 17025 certificate no. specified in the analysis report.

Method	Testing Lab	Method Descriptions
EN0021	Bangkok	In-house method : STM 04-003 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500 - H (B)
EN0032	Bangkok	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500 - S2 (C, F)
EN0035	Bangkok	In-house method : STM 04-100 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500-Norg (D)
EN0044	Bangkok	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 5210 B and part 4500 - O (G)
EN0048	Bangkok	In - house method : STM 04-014 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 5520 B
EN0093	Bangkok	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 F
EN0100	Bangkok	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 C
EN0102	Bangkok	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D
MC6009	Bangkok	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 9221 B
MC6020	Bangkok	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 23rd ed., 2017, Part 9221 B, E



Analysis Report CH2400040

Report Number : CH2400040-AA



TESTING
No.0009

Sub-Matrix: WASTEWATER

Client Sample ID

น้ำทิ้ง

(Matrix: WATER)

Sampling Date

Sep 03, 2024 10:10 AM

Method

Testing Lab

Analytes

LOD

LOQ

Unit

Guideline

CH2400040-001

MNRE 2567
Type A

MOPH
1/2550

Result

Chemical Parameters

EN0044	Bangkok	BOD (5 days at 20°C)	----	2.0	mg/L	≤20	----	28.4	----	----
EN0048	Bangkok	Oil & Grease	----	3	mg/L	≤20	----	5	----	----
EN0021	Bangkok	pH at 25°C	----	1	pH Unit	5.5-9	----	7.44	----	----
EN0032	Bangkok	Sulfides	----	0.5	mg/L	≤1	----	<0.5 *	----	----
EN0035	Bangkok	Total Kjeldahl Nitrogen as N	0.15	1.0	mg/L	≤35	----	56.8	----	----

Physical and Aggregate Properties

EN0093	Bangkok	Settleable Solids	----	0.1	mL/L/hr	----	----	1 *	----	----
EN0100	Bangkok	Total Dissolved Solids at 180°C	----	5	mg/L	≤1000	----	276	----	----
EN0102	Bangkok	Total Suspended Solids	----	5	mg/L	≤30	----	82	----	----



Analysis Report CH2400040

Report Number : CH2400040-AA



TESTING
No.0009

Sub-Matrix: PROCESS WATER							Client Sample ID		น้ำสระว่ายน้ำ		---		---	
(Matrix: WATER)							Sampling Date		Sep 03, 2024 10:15 AM		----		----	
Method	Testing Lab	Analytes	LOD	LOQ	Unit	Guideline		CH2400040-002		-----		-----		
						MNRE 2567 Type A	MOPH 1/2550	Result		----		----		
Microbiological Parameters														
MC6009	Bangkok	Total Coliforms	----	----	MPN/100mL	----	<10	<1.1		----		----		
MC6020	Bangkok	Fecal Coliforms	----	----	in 100mL	----	Not Detected	Not Detected		----		----		

Guideline: MNRE 2567 Type A: Building: Notification of The Ministry of Natural Resources and Environment on Effluent from building Type A

MOPH 1/2550: Recommendations of The Public Health Committee on Swimming Pool Operations

Comment: The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Sampling is not included in scope of accreditation ISO/IEC 17025

- Key:
- LOD : Limit of Detection
 - "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
 - Result(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.

----- END OF REPORT -----



Analysis Report CH2400041



TESTING
No.0009

Client : Dcondo Campus Resort Juristic Person Condominium
222 Moo 1, Suthep Rd., Tambon Suthep, Amphoe Mueang Chiang Mai, Chiang
Mai, Thailand, 50200
P/O : ----
Project : ----
Project Location: Dcondo Campus Resort Juristic Person Condominium

Work Order : CH2400041
Report Number : CH2400041-AA
Date Received : Oct 03, 2024
Date Reported : Oct 15, 2024
Date Analysis Commenced : Oct 03, 2024
No. of samples received : 1
Temperature : 2.9 °C
Sampled by : Phanudeth Petchaut

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. No part of this report may be reproduced in any form without written consent from the laboratory.

ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Signatories

Kanokkorn Anek
Assistant General Manager



Analysis Report CH2400041

Report Number : CH2400041-AA



TESTING
No.0009

Sample Receipt and Conditions

Sample ID	Sample Name	Sample Description	GPS	Conditions
CH2400041-001	น้ำทิ้ง	----	----	1x Plastic bottle - Preserved with H2SO4, 1x Plastic Bottle, 1x Plastic Bottle - Preserved with Zinc Acetate and NaOH, 1x Oil & Grease, refrigerated

Brief Method Summaries

The methods in the analysis report are short format, refer to full test methods in accordance with the ISO/IEC 17025 certificate no. specified in the analysis report.

Method	Testing Lab	Method Descriptions
EN0021	Bangkok	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500 - H (B)
EN0032	Bangkok	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500 - S2 (C, F)
EN0035	Bangkok	In-house method : STM 04-100 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-Norg (D)
EN0044	Bangkok	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5210 B and part 4500 - O (G)
EN0048	Bangkok	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5520 B
EN0093	Bangkok	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 F
EN0100	Bangkok	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 C
EN0102	Bangkok	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 D



Analysis Report CH2400041

Report Number : CH2400041-AA



TESTING
No.0009

Sub-Matrix: WASTEWATER

Client Sample ID

(Matrix: WATER)

Sub-Matrix: WASTEWATER (Matrix: WATER)							Client Sample ID		น้ำทิ้ง	----	----
								Sampling Date	Oct 02, 2024 01:30 PM	----	----
Method	Testing Lab	Analytes	LOD	LOQ	Unit	Guideline		CH2400041-001	-----	-----	
						MNRE 2567 Type A	----	Result	----	----	
Chemical Parameters											
EN0044	Bangkok	BOD (5 days at 20°C)	----	2.0	mg/L	≤20	----	22.1	----	----	
EN0048	Bangkok	Oil & Grease	----	3	mg/L	≤20	----	<3	----	----	
EN0021	Bangkok	pH at 25°C	----	1.0	pH Unit	5.5-9	----	7.5	----	----	
EN0032	Bangkok	Sulfides	----	0.5	mg/L	≤1	----	<0.5 *	----	----	
EN0035	Bangkok	Total Kjeldahl Nitrogen as N	0.15	1.0	mg/L	≤35	----	12.2	----	----	
Physical and Aggregate Properties											
EN0093	Bangkok	Settleable Solids	----	0.1	mL/L/hr	----	----	<0.1 *	----	----	
EN0100	Bangkok	Total Dissolved Solids at 180°C	----	5	mg/L	≤1000	----	248	----	----	
EN0102	Bangkok	Total Suspended Solids	----	5	mg/L	≤30	----	18	----	----	

Guideline: MNRE 2567 Type A: Building: Notification of The Ministry of Natural Resources and Environment on Effluent from building Type A

Comment: The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Sampling is not included in scope of accreditation ISO/IEC 17025

- Key:
- ° LOD : Limit of Detection
 - ° "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
 - ° Result(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.

----- END OF REPORT -----



Analysis Report CH2400041



TESTING
No.0009

Client : Dcondo Campus Resort Juristic Person Condominium
222 Moo 1, Suthep Rd., Tambon Suthep, Amphoe Mueang Chiang Mai, Chiang
Mai, Thailand, 50200
P/O : ----
Project : ----
Project Location: Dcondo Campus Resort Juristic Person Condominium

Work Order : CH2400041
Report Number : CH2400041-AB
Date Received : Oct 03, 2024
Date Reported : Oct 15, 2024
Date Analysis Commenced : Oct 03, 2024
No. of samples received : 1
Temperature : 2.9 °C
Sampled by : Phanudeth Petchaut

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. No part of this report may be reproduced in any form without written consent from the laboratory.

ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Signatories

Kittitee Jamjumroon

Scientist (3)

ALS Laboratory Group (Thailand) Co.,Ltd. Bangkok Life Sciences

104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand T +662 760 3000



Analysis Report CH2400041

Report Number : CH2400041-AB



TESTING
No.0009

Sample Receipt and Conditions

Sample ID	Sample Name	Sample Description	GPS	Conditions
CH2400041-002	น้ำสระว่ายน้ำ	----	----	1x Sterile Bottle - Preserved with Sodium Thiosulfate, refrigerated

Brief Method Summaries

The methods in the analysis report are short format, refer to full test methods in accordance with the ISO/IEC 17025 certificate no. specified in the analysis report.

Method	Testing Lab	Method Descriptions
MC6009	Bangkok	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023. Part 9221 B
MC6020	Bangkok	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023. Part 9221 E



Analysis Report CH2400041

Report Number : CH2400041-AB



TESTING
No.0009

Sub-Matrix: PROCESS WATER							Client Sample ID		น้ำสระว่ายน้ำ		---		---	
(Matrix: WATER)							Sampling Date		Oct 02, 2024 01:35 PM		----		----	
Method	Testing Lab	Analytes	LOD	LOQ	Unit	Guideline		CH2400041-002		-----		-----		
						MOPH 1/2550	----	Result		----		----		
Microbiological Parameters														
MC6009	Bangkok	Total Coliforms	----	----	MPN/100mL	<10	----	<1.1		----		----		
MC6020	Bangkok	Fecal Coliforms	----	----	in 100mL	Not Detected	----	Not Detected		----		----		

Guideline: MOPH 1/2550: Recommendations of The Public Health Committee on Swimming Pool Operations

Comment: The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Sampling is not included in scope of accreditation ISO/IEC 17025

- Key:
- LOD : Limit of Detection
 - "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

----- END OF REPORT -----



Analysis Report CH2400041



Accreditation No.1031/47

Client : Dcondo Campus Resort Juristic Person Condominium
222 Moo 1, Suthep Rd., Tambon Suthep, Amphoe Mueang Chiang Mai, Chiang
Mai, Thailand, 50200
P/O : ----
Project : ----
Project Location: Dcondo Campus Resort Juristic Person Condominium

Work Order : CH2400041
Report Number : CH2400041-AC
Date Received : Oct 03, 2024
Date Reported : Oct 15, 2024
Date Analysis Commenced : Oct 03, 2024
No. of samples received : 3
Temperature : 2.9 °C
Sampled by : Phanudeth Petchaut

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. No part of this report may be reproduced in any form without written consent from the laboratory.

ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Signatories

Kittitee Jamjumroon
Scientist (3)



Analysis Report CH2400041

Report Number : CH2400041-AC



Accreditation No.1031/47

Sample Receipt and Conditions

Sample ID	Sample Name	Sample Description	GPS	Conditions
CH2400041-003	อาคาร A : น้ำดี 1	----	----	1x Sterile Bottle - Preserved with Sodium Thiosulfate, refrigerated
CH2400041-004	อาคาร B : น้ำดี 2	----	----	1x Sterile Bottle - Preserved with Sodium Thiosulfate, refrigerated
CH2400041-005	อาคาร C : น้ำดี 3	----	----	1x Sterile Bottle - Preserved with Sodium Thiosulfate, refrigerated

Brief Method Summaries

The methods in the analysis report are short format, refer to full test methods in accordance with the ISO/IEC 17025 certificate no. specified in the analysis report.

Method	Testing Lab	Method Descriptions
MC6012	Bangkok	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023. Part 9221 F



Analysis Report CH2400041

Report Number : CH2400041-AC



Accreditation No.1031/47

Sub-Matrix: PROCESS WATER							Client Sample ID		อาคาร A : น้ำดี 1		อาคาร B : น้ำดี 2		อาคาร C : น้ำดี 3	
(Matrix: WATER)														
							Sampling Date		Oct 02, 2024 01:40 PM		Oct 02, 2024 01:45 PM		Oct 02, 2024 01:50 PM	
Method	Testing Lab	Analytes	LOD	LOQ	Unit	Guideline		CH2400041-003		CH2400041-004		CH2400041-005		
						----	----	Result		Result		Result		
Microbiological Parameters														
MC6012	Bangkok	Escherichia coli	----	----	in 100mL	----	----	Not Detected		Not Detected		Not Detected		

Guideline: ----

Comment: The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Sampling is not included in scope of accreditation ISO/IEC 17025

- Key:
- LOD : Limit of Detection
 - "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

----- END OF REPORT -----



Analysis Report CH2400042



TESTING
No.0009

Client : Dcondo Campus Resort Juristic Person Condominium
222 Moo 1, Suthep Rd., Tambon Suthep, Amphoe Mueang Chiang Mai, Chiang
Mai, Thailand, 50200
P/O : ----
Project : ----
Project Location: Dcondo Campus Resort Juristic Person Condominium

Work Order : CH2400042
Report Number : CH2400042-AA
Date Received : Nov 06, 2024
Date Reported : Nov 12, 2024
Date Analysis Commenced : Nov 06, 2024
No. of samples received : 2
Temperature : 2.5 °C
Sampled by : Sitthichok Taseeda

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. No part of this report may be reproduced in any form without written consent from the laboratory.

ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Signatories

Kittitee Jamjumroon
Scientist (3)



Analysis Report CH2400042

Report Number : CH2400042-AA



TESTING
No.0009

Sample Receipt and Conditions

Sample ID	Sample Name	Sample Description	GPS	Conditions
CH2400042-001	น้ำทิ้ง	----	----	1x Plastic bottle - Preserved with H ₂ SO ₄ , 2x Plastic Bottle, 1x Plastic Bottle - Preserved with Zinc Acetate and NaOH, 1x Oil & Grease, refrigerated
CH2400042-002	น้ำสระว่ายน้ำ	----	----	1x Sterile Bottle - Preserved with Sodium Thiosulfate, refrigerated

Brief Method Summaries

The methods in the analysis report are short format, refer to full test methods in accordance with the ISO/IEC 17025 certificate no. specified in the analysis report.

Method	Testing Lab	Method Descriptions
EN0021	Bangkok	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500 - H (B)
EN0032	Bangkok	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500 - S2 (C, F)
EN0035	Bangkok	In-house method : STM 04-100 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-Norg (D)
EN0044	Bangkok	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5210 B and part 4500 - O (G)
EN0048	Bangkok	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5520 B
EN0093	Bangkok	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 F
EN0100	Bangkok	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 C
EN0102	Bangkok	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 D
MC6009	Bangkok	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023. Part 9221 B
MC6020	Bangkok	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023. Part 9221 E



Analysis Report CH2400042

Report Number : CH2400042-AA



TESTING
No.0009

Sub-Matrix: WASTEWATER

Client Sample ID

น้ำทิ้ง

(Matrix: WATER)

Sampling Date

Nov 05, 2024 01:45 PM

Method

Testing Lab

Analytes

LOD

LOQ

Unit

Guideline

CH2400042-001

MNRE 2567
Type A

MOPH
1/2550

Result

Chemical Parameters

EN0044	Bangkok	BOD (5 days at 20°C)	----	2.0	mg/L	≤20	----	3.9	----	----
EN0048	Bangkok	Oil & Grease	----	3	mg/L	≤20	----	<3	----	----
EN0021	Bangkok	pH at 25°C	----	1.0	pH Unit	5.5-9	----	8.1	----	----
EN0032	Bangkok	Sulfides	----	0.5	mg/L	≤1	----	<0.5 *	----	----
EN0035	Bangkok	Total Kjeldahl Nitrogen as N	0.15	1.0	mg/L	≤35	----	1.7	----	----

Physical and Aggregate Properties

EN0093	Bangkok	Settleable Solids	----	0.1	mL/L/hr	----	----	<0.1 *	----	----
EN0100	Bangkok	Total Dissolved Solids at 180°C	----	5	mg/L	≤1000	----	272	----	----
EN0102	Bangkok	Total Suspended Solids	----	5	mg/L	≤30	----	6	----	----



Analysis Report CH2400042

Report Number : CH2400042-AA



TESTING
No.0009

Sub-Matrix: PROCESS WATER						Client Sample ID		น้ำสระว่ายน้ำ	---	---
(Matrix: WATER)						Sampling Date		Nov 05, 2024 01:50 PM	----	----
Method	Testing Lab	Analytes	LOD	LOQ	Unit	Guideline		CH2400042-002	-----	-----
						MNRE 2567 Type A	MOPH 1/2550	Result	----	----
Microbiological Parameters										
MC6009	Bangkok	Total Coliforms	----	----	MPN/100mL	----	<10	<1.1	----	----
MC6020	Bangkok	Fecal Coliforms	----	----	in 100mL	----	Not Detected	Not Detected	----	----

Guideline: MNRE 2567 Type A: Building: Notification of The Ministry of Natural Resources and Environment on Effluent from building Type A

MOPH 1/2550: Recommendations of The Public Health Committee on Swimming Pool Operations

Comment: The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Sampling is not included in scope of accreditation ISO/IEC 17025

- Key:
- LOD : Limit of Detection
 - "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
 - Result(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.

----- END OF REPORT -----



Analysis Report CH2400043



TESTING
No.0009

Client : Dcondo Campus Resort Juristic Person Condominium
222 Moo 1, Suthep Rd., Tambon Suthep, Amphoe Mueang Chiang Mai, Chiang
Mai, Thailand, 50200
P/O : ----
Project : ----
Project Location: Dcondo Campus Resort Juristic Person Condominium

Work Order : CH2400043
Report Number : CH2400043-AA
Date Received : Dec 04, 2024
Date Reported : Dec 11, 2024
Date Analysis Commenced : Dec 04, 2024
No. of samples received : 2
Temperature : 3.2 °C
Sampled by : Chaloamkiat Amornsriserm

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

Signatories

Nanthawadee Somboon
Specialist 2



Analysis Report CH2400043

Report Number : CH2400043-AA



TESTING
No.0009

Sample Receipt and Conditions

Sample ID	Sample Name	Sample Description	GPS	Conditions
CH2400043-001	น้ำทิ้ง	----	----	1x Plastic bottle - Preserved with H ₂ SO ₄ , 1x Plastic Bottle, 1x Plastic Bottle - Preserved with Zinc Acetate and NaOH, 1x Oil & Grease, refrigerated
CH2400043-002	น้ำสระว่ายน้ำ	----	----	1x Sterile Bottle - Preserved with Sodium Thiosulfate, refrigerated

Brief Method Summaries

The methods in the analysis report are short format, refer to full test methods in accordance with the ISO/IEC 17025 certificate no. specified in the analysis report.

Method	Testing Lab	Method Descriptions
EN0021	Bangkok	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500 - H (B)
EN0032	Bangkok	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500 - S2 (C, F)
EN0035	Bangkok	In-house method : STM 04-100 based onStandard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-Norg (D)
EN0044	Bangkok	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5210 B and part 4500 - O (G)
EN0048	Bangkok	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5520 B
EN0093	Bangkok	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 F
EN0100	Bangkok	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 C
EN0102	Bangkok	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 D
MC6009	Bangkok	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023. Part 9221 B
MC6020	Bangkok	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023. Part 9221 E



Analysis Report CH2400043

Report Number : CH2400043-AA



TESTING
No.0009

Sub-Matrix: WASTEWATER

Client Sample ID

น้ำทิ้ง

(Matrix: WATER)

Sampling Date

Dec 03, 2024 03:40 PM

Method

Testing Lab

Analytes

LOD

LOQ

Unit

Guideline

CH2400043-001

MNRE 2548
Type A

MOPH
1/2550

Result

Chemical Parameters

EN0044	Bangkok	BOD (5 days at 20°C)	----	2.0	mg/L	≤20	----	13.8	----	----
EN0048	Bangkok	Oil & Grease	----	3	mg/L	≤20	----	5	----	----
EN0021	Bangkok	pH at 25°C	----	1.0	pH Unit	5-9	----	7.6	----	----
EN0032	Bangkok	Sulfides	----	0.5	mg/L	≤1	----	<0.5 *	----	----
EN0035	Bangkok	Total Kjeldahl Nitrogen as N	0.15	1.0	mg/L	≤35	----	4.2	----	----

Physical and Aggregate Properties

EN0093	Bangkok	Settleable Solids	----	0.1	mL/L/hr	≤0.5	----	<0.1 *	----	----
EN0100	Bangkok	Total Dissolved Solids at 180°C	----	5	mg/L	----	----	208	----	----
EN0102	Bangkok	Total Suspended Solids	----	5	mg/L	≤30	----	14	----	----



Analysis Report CH2400043

Report Number : CH2400043-AA



TESTING
No.0009

Sub-Matrix: PROCESS WATER							Client Sample ID		น้ำสระว่ายน้ำ		---		---	
(Matrix: WATER)							Sampling Date		Dec 03, 2024 03:30 PM		----		----	
Method	Testing Lab	Analytes	LOD	LOQ	Unit	Guideline		CH2400043-002		-----		-----		
						MNRE 2548 Type A	MOPH 1/2550	Result		----		----		
Microbiological Parameters														
MC6009	Bangkok	Total Coliforms	----	----	MPN/100mL	----	<10	<1.1		----		----		
MC6020	Bangkok	Fecal Coliforms	----	----	in 100mL	----	Not Detected	Not Detected		----		----		

Guideline: MNRE 2548 Type A: Building: Notification of The Ministry of Natural Resources and Environment on Effluent from building Type A (Guideline for TDS are in addition to the TDS of the water used not more than 500 mg/L)

MOPH 1/2550: Recommendations of The Public Health Committee on Swimming Pool Operations

Comment: The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Sampling is not included in scope of accreditation ISO/IEC 17025

Key:

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Result(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.

----- END OF REPORT -----



Analysis Report CH2400037



TESTING
No.0009

Client : Dcondo Campus Resort Juristic Person Condominium
222 Moo 1, Suthep Rd., Tambon Suthep, Amphoe Mueang Chiang Mai, Chiang
Mai, Thailand, 50200
P/O : ----
Project : ----
Project Location: Dcondo Campus Resort Juristic Person Condominium

Work Order : CH2400037
Report Number : CH2400037-AA
Date Received : Jun 04, 2024
Date Reported : Jun 13, 2024
Date Analysis Commenced : Jun 04, 2024
No. of samples received : 1
Temperature : 3.2 °C
Sampled by : Sitthichok Taseeda

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. No part of this report may be reproduced in any form without written consent from the laboratory.

ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Signatories

Kittitee Jamjumroon
Scientist (3)



Analysis Report CH2400037

Report Number : CH2400037-AA



TESTING
No.0009

Sample Receipt and Conditions

Sample ID	Sample Name	Sample Description	GPS	Conditions
CH2400037-001	น้ำสระว่ายน้ำ	----	----	1x Plastic Bottle, 1x Sterile Bottle - Preserved with Sodium Thiosulfate, refrigerated

Brief Method Summaries

The methods in the analysis report are short format, refer to full test methods in accordance with the ISO/IEC 17025 certificate no. specified in the analysis report.

Method	Testing Lab	Method Descriptions
EN0002	Bangkok	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4110 B
EN0007	Bangkok	Colorimetric Method
EN0017	Bangkok	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500 - NH3 (F)
EN0021	Bangkok	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500 - H (B)
EN0026	Bangkok	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500 - Cl (F)
EN0028	Bangkok	Calculation
EN0039	Bangkok	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 3500 - Ca (B)
MC6009	Bangkok	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 9221 B
MC6012	Bangkok	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 9221 B,F
MC6020	Bangkok	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 23rd ed., 2017, Part 9221 B, E
MC6035	Bangkok	In-house method based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, Part 9213 F
MC6037	Bangkok	In-house method : STM 01-054 based on Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 23rd ed., 2017, Part 9213 B



Analysis Report CH2400037

Report Number : CH2400037-AA



TESTING
No.0009

Sub-Matrix: PROCESS WATER

Client Sample ID

(Matrix: WATER)

Sub-Matrix: PROCESS WATER							Client Sample ID		น้ำสระว่ายน้ำ		----	----	
(Matrix: WATER)													
								Sampling Date		Jun 03, 2024 10:30 AM		----	----
Method	Testing Lab	Analytes	LOD	LOQ	Unit	Guideline		CH2400037-001		-----	-----		
						MOPH 1/2550	----	Result		----	----		
Chemical Parameters													
EN0017	Bangkok	Ammonia Nitrogen	0.02	0.05	mg/L	≤20	----	Not Detected *		----	----		
EN0039	Bangkok	Calcium Hardness as CaCO3	----	1	mg/L	250-600	----	75 *		----	----		
EN0002	Bangkok	Chloride as Cl	0.06	0.2	mg/L	≤600	----	96.2 *		----	----		
EN0028	Bangkok	Combined Chlorine	----	0.1	mg/L	0.5-1	----	0.790 *		----	----		
EN0007	Bangkok	Cyanuric Acid	2	7	mg/L	30-60	----	24 *		----	----		
EN0002	Bangkok	Nitrate as NO3	0.3	0.8	mg/L	≤50	----	7.7 *		----	----		
EN0021	Bangkok	pH at 25°C	----	1.0	pH Unit	7.2-8.4	----	7.6 *		----	----		
EN0026	Bangkok	Residual Free Chlorine	----	0.1	mg/L	0.6-1	----	0.96 *		----	----		
Microbiological Parameters													
MC6009	Bangkok	Total Coliforms	----	----	MPN/100mL	<10	----	<1.1		----	----		
MC6012	Bangkok	Escherichia coli	----	----	in 100mL	Not Detected	----	Not Detected		----	----		
MC6020	Bangkok	Fecal Coliforms	----	----	in 100mL	Not Detected	----	Not Detected		----	----		
MC6035	Bangkok	Pseudomonas aeruginosa	----	----	in 100mL	Not Detected	----	Not Detected *		----	----		
MC6037	Bangkok	Staphylococcus aureus	----	----	in 100mL	Not Detected	----	Not Detected		----	----		

Guideline: MOPH 1/2550: Recommendations of The Public Health Committee on Swimming Pool Operations

Comment: The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Sampling is not included in scope of accreditation ISO/IEC 17025

Key:

- ° LOD : Limit of Detection
- ° "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- ° Result(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.



Analysis Report CH2400037

Report Number : CH2400037-AA



TESTING
No.0009

----- END OF REPORT -----



Analysis Report CH2400009



Accreditation No.1031/47

Client : Dcondo Campus Resort Juristic Person Condominium
222 Moo 1, Suthep Rd., Tambon Suthep, Amphoe Mueang Chiang Mai, Chiang
Mai, Thailand, 50200
P/O : ----
Project : ----
Project Location: Dcondo Campus Resort Juristic Person Condominium

Work Order : CH2400009
Report Number : CH2400009-AB
Date Received : Jan 10, 2024
Date Reported : Jan 19, 2024
Date Analysis Commenced : Jan 11, 2024
No. of samples received : 1
Sampled by : Tanakron Insuta

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. This document shall not be reproduced, except in full.

Signatories

Nanthawadee Somboon
Specialist 1



Analysis Report CH2400009

Report Number : CH2400009-AB



Accreditation No.1031/47

Sample Receipt and Conditions

Sample ID	Sample Name	Sample Description	GPS	Conditions
CH2400009-002	น้ำประปา	----	----	1x 500mL Plastic Bottle, refrigerated

Brief Method Summaries

The methods in the analysis report are short format, refer to full test methods in accordance with the ISO/IEC 17025 certificate no. specified in the analysis report.

Method	Testing Lab	Method Descriptions
EN0100	Bangkok	In-house method : STM 04-011 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 C



Analysis Report CH2400009

Report Number : CH2400009-AB



Accreditation No.1031/47

Sub-Matrix: PROCESS WATER						Client Sample ID		น้ำประปา	---	---
(Matrix: WATER)						Sampling Date		Jan 09, 2024 10:00 AM	---	---
Method	Testing Lab	Analytes	LOD	LOQ	Unit	Guideline		CH2400009-002	-----	-----
						----	----	Result	----	----
Physical and Aggregate Properties										
EN0100	Bangkok	Total Dissolved Solids at 180°C	----	5	mg/L	----	----	140	----	----

Guideline: ---

Comment: The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Sampling is not included in scope of accreditation ISO/IEC 17025

Key:

- ° LOD : Limit of Detection
- ° "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

----- END OF REPORT -----

ภาคผนวก ง

กฎหมายที่เกี่ยวข้อง

ประกาศกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม

เรื่อง กำหนดมาตรฐานควบคุมการระบายน้ำทิ้ง

จากอาคารบางประเภทและบางขนาด

โดยที่ได้มีการปฏิรูประบบราชการโดยให้มีการจัดตั้งกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อมขึ้นมา และให้โอนภารกิจของกระทรวงวิทยาศาสตร์ เทคโนโลยีและสิ่งแวดล้อม ในส่วนที่เกี่ยวข้องกับพระราชบัญญัติส่งเสริมและรักษาคุณภาพสิ่งแวดล้อมแห่งชาติ พ.ศ. ๒๕๓๕ ไปเป็นของกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม ประกอบกับเป็นการสมควรให้คณะกรรมการควบคุมมลพิษ เป็นผู้พิจารณาเห็นชอบกับวิธีการตรวจหาค่ามาตรฐานการระบายน้ำทิ้ง นอกเหนือจากวิธีการที่กำหนดไว้ แทนกรมควบคุมมลพิษ จึงสมควรแก้ไขปรับปรุงประกาศกระทรวงวิทยาศาสตร์ เทคโนโลยีและสิ่งแวดล้อม เรื่อง กำหนดมาตรฐานควบคุมการระบายน้ำทิ้งจากอาคารบางประเภทและบางขนาด

อาศัยอำนาจตามความในมาตรา ๕๕ แห่งพระราชบัญญัติส่งเสริมและรักษาคุณภาพสิ่งแวดล้อมแห่งชาติ พ.ศ. ๒๕๓๕ แก้ไขโดยมาตรา ๑๑๔ แห่งพระราชกฤษฎีกาแก้ไขบทบัญญัติให้สอดคล้องกับการโอนอำนาจหน้าที่ของส่วนราชการ ให้เป็นไปตามพระราชบัญญัติปรับปรุงกระทรวง ทบวง กรม พ.ศ. ๒๕๔๕ พ.ศ. ๒๕๔๕ อันเป็นพระราชบัญญัติที่มีบทบัญญัติบางประการเกี่ยวกับการจำกัดสิทธิและเสรีภาพของบุคคล ซึ่งมาตรา ๒๕ ประกอบกับมาตรา ๓๕ มาตรา ๔๘ มาตรา ๕๐ และมาตรา ๕๑ ของรัฐธรรมนูญแห่งราชอาณาจักรไทยบัญญัติให้กระทำได้ โดยอาศัยอำนาจตามบทบัญญัติแห่งกฎหมาย รัฐมนตรีว่าการกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม โดยคำแนะนำของคณะกรรมการควบคุมมลพิษ และโดยความเห็นชอบของคณะกรรมการสิ่งแวดล้อมแห่งชาติ จึงออกประกาศไว้ ดังต่อไปนี้

ข้อ ๑ ให้ยกเลิกประกาศกระทรวงวิทยาศาสตร์ เทคโนโลยีและสิ่งแวดล้อม เรื่อง กำหนดมาตรฐานควบคุมการระบายน้ำทิ้งจากอาคารบางประเภทและบางขนาด ลงวันที่ ๑๐ มกราคม พ.ศ. ๒๕๓๗

ข้อ ๒ ในประกาศนี้

“อาคาร” หมายความว่า อาคารที่ก่อสร้างขึ้น ไม่ว่าจะมิลักษณะเป็นอาคารหลังเดียว หรือเป็นกลุ่มของอาคารซึ่งตั้งอยู่ภายในพื้นที่ซึ่งเป็นบริเวณเดียวกัน และไม่ว่าจะมีท่อระบายน้ำท่อเดียว หรือมีหลายท่อที่เชื่อมติดต่อกันระหว่างอาคารหรือไม่ก็ตาม ซึ่งได้แก่

(๑) อาคารชุด ตามกฎหมายว่าด้วยอาคารชุด

(๒) โรงแรม ตามกฎหมายว่าด้วยโรงแรม

- (๓) หอพัก ตามกฎหมายว่าด้วยหอพัก
- (๔) สถานบริการประเภทสถานอาบน้ำ นวดหรืออบตัว ซึ่งมีผู้ให้บริการแก่ลูกค้า ตามกฎหมายว่าด้วยสถานบริการ
- (๕) โรงพยาบาลของทางราชการหรือสถานพยาบาล ตามกฎหมายว่าด้วยสถานพยาบาล
- (๖) อาคารโรงเรียนเอกชน ตามกฎหมายว่าด้วยโรงเรียนเอกชน โรงเรียนของทางราชการ อาคารสถาบันอุดมศึกษาของเอกชน ตามกฎหมายว่าด้วยสถาบันอุดมศึกษาของเอกชนและสถาบันอุดมศึกษาของทางราชการ
- (๗) อาคารที่ทำการของทางราชการ รัฐวิสาหกิจ หรือองค์การระหว่างประเทศและของเอกชน
- (๘) อาคารของศูนย์การค้าหรือห้างสรรพสินค้า
- (๙) ตลาด ตามกฎหมายว่าด้วยการสาธารณสุข แต่ไม่รวมถึง ท่าเทียบเรือประมง สะพานปลา หรือกิจการแพปลา
- (๑๐) กัฏดาการหรือร้านอาหาร
- “น้ำทิ้ง” หมายความว่า น้ำเสียที่ผ่านระบบบำบัดน้ำเสียแล้วจนเป็นไปตามมาตรฐานควบคุมการระบายน้ำทิ้งตามที่กำหนดไว้ในประกาศนี้
- ข้อ ๓ ให้แบ่งประเภทของอาคารตามข้อ ๒ ออกเป็น ๕ ประเภท คือ
- (๑) อาคารประเภท ก.
- (๒) อาคารประเภท ข.
- (๓) อาคารประเภท ค.
- (๔) อาคารประเภท ง.
- (๕) อาคารประเภท จ.
- ข้อ ๔ อาคารประเภท ก. หมายความว่า อาคารดังต่อไปนี้
- (๑) อาคารชุดที่มีจำนวนห้องสำหรับใช้เป็นที่อยู่อาศัยรวมกันทุกชั้นของอาคาร หรือกลุ่มของอาคาร ตั้งแต่ ๕๐๐ ห้องนอนขึ้นไป
- (๒) โรงแรมที่มีจำนวนห้องสำหรับใช้เป็นห้องพักรวมกันทุกชั้นของอาคาร หรือกลุ่มของอาคาร ตั้งแต่ ๒๐๐ ห้องขึ้นไป
- (๓) โรงพยาบาลของทางราชการ รัฐวิสาหกิจหรือสถานพยาบาล ตามกฎหมายว่าด้วยสถานพยาบาล ที่มีเตียงสำหรับผู้ป่วยไว้ค้างคืนรวมกันทุกชั้นของอาคารหรือกลุ่มของอาคารตั้งแต่ ๓๐ เตียงขึ้นไป

(๔) อาคารโรงเรียนเอกชน โรงเรียนของทางราชการ สถาบันอุดมศึกษาของเอกชน หรือสถาบันอุดมศึกษาของทางราชการที่มีพื้นที่ใช้สอยรวมกันทุกชั้นของอาคารหรือกลุ่มของอาคารตั้งแต่ ๒๕,๐๐๐ ตารางเมตรขึ้นไป

(๕) อาคารที่ทำการของทางราชการ รัฐวิสาหกิจ องค์การระหว่างประเทศ หรือของเอกชน ที่มีพื้นที่ใช้สอยรวมกันทุกชั้นของอาคารหรือกลุ่มของอาคารตั้งแต่ ๕๕,๐๐๐ ตารางเมตรขึ้นไป

(๖) อาคารของศูนย์การค้าหรือห้างสรรพสินค้าที่มีพื้นที่ใช้สอยรวมกันทุกชั้นของอาคารหรือกลุ่มของอาคารตั้งแต่ ๒๕,๐๐๐ ตารางเมตรขึ้นไป

(๗) ตลาดที่มีพื้นที่ใช้สอยรวมกันทุกชั้นของอาคารหรือกลุ่มของอาคารตั้งแต่ ๒,๕๐๐ ตารางเมตรขึ้นไป

(๘) กภัตตาคารหรือร้านอาหารที่มีพื้นที่ให้บริการรวมกันทุกชั้นของอาคารหรือกลุ่มของอาคารตั้งแต่ ๒,๕๐๐ ตารางเมตรขึ้นไป

ข้อ ๕ อาคารประเภท ข. หมายความว่า อาคารดังต่อไปนี้

(๑) อาคารชุดที่มีจำนวนห้องสำหรับใช้เป็นที่อยู่อาศัยรวมกันทุกชั้นของอาคาร หรือกลุ่มของอาคารตั้งแต่ ๑๐๐ ห้องนอน แต่ไม่ถึง ๕๐๐ ห้องนอน

(๒) โรงแรมที่มีจำนวนห้องสำหรับใช้เป็นห้องพักรวมกันทุกชั้นของอาคาร หรือกลุ่มของอาคารตั้งแต่ ๖๐ ห้อง แต่ไม่ถึง ๒๐๐ ห้อง

(๓) หอพักที่มีจำนวนห้องสำหรับใช้เป็นที่อยู่อาศัยรวมกันทุกชั้นของอาคาร หรือกลุ่มของอาคารตั้งแต่ ๒๕๐ ห้องขึ้นไป

(๔) สถานบริการที่มีพื้นที่ใช้สอยรวมกันทุกชั้นของอาคาร หรือกลุ่มของอาคารตั้งแต่ ๕,๐๐๐ ตารางเมตรขึ้นไป

(๕) โรงพยาบาลของทางราชการ รัฐวิสาหกิจ หรือสถานพยาบาล ตามกฎหมายว่าด้วยสถานพยาบาล ที่มีเตียงสำหรับผู้ป่วยไว้ค้างคืนรวมกันทุกชั้นของอาคารหรือกลุ่มของอาคารตั้งแต่ ๑๐ เตียง แต่ไม่ถึง ๓๐ เตียง

(๖) อาคารโรงเรียนเอกชน โรงเรียนของทางราชการ สถาบันอุดมศึกษาของเอกชน หรือสถาบันอุดมศึกษาของทางราชการที่มีพื้นที่ใช้สอยรวมกันทุกชั้นของอาคารหรือกลุ่มของอาคารตั้งแต่ ๕,๐๐๐ ตารางเมตร แต่ไม่ถึง ๒๕,๐๐๐ ตารางเมตร

(๓) อาคารที่ทำการของทางราชการ รัฐวิสาหกิจ องค์การระหว่างประเทศ หรือของเอกชน ที่มีพื้นที่ใช้สอยรวมกันทุกชั้นของอาคารหรือกลุ่มของอาคารตั้งแต่ ๑๐,๐๐๐ ตารางเมตร แต่ไม่ถึง ๕๕,๐๐๐ ตารางเมตร

(๔) อาคารของศูนย์การค้าหรือห้างสรรพสินค้าที่มีพื้นที่ใช้สอยรวมกันทุกชั้นของอาคารหรือกลุ่มของอาคารตั้งแต่ ๕,๐๐๐ ตารางเมตร แต่ไม่ถึง ๒๕,๐๐๐ ตารางเมตร

(๕) ตลาดที่มีพื้นที่ใช้สอยรวมกันทุกชั้นของอาคารหรือกลุ่มของอาคารตั้งแต่ ๑,๕๐๐ ตารางเมตร แต่ไม่ถึง ๒,๕๐๐ ตารางเมตร

(๑๐) กิตติาคารหรือร้านอาหารที่มีพื้นที่ให้บริการรวมกันทุกชั้นของอาคารหรือกลุ่มของอาคาร ตั้งแต่ ๕๐๐ ตารางเมตร แต่ไม่ถึง ๒,๕๐๐ ตารางเมตร

ข้อ ๖ อาคารประเภท ก. หมายความว่า อาคารดังต่อไปนี้

(๑) อาคารชุดที่มีจำนวนห้องสำหรับใช้เป็นที่อยู่อาศัยรวมกันทุกชั้นของอาคาร หรือกลุ่มของอาคาร ไม่ถึง ๑๐๐ ห้องนอน

(๒) โรงแรมที่มีจำนวนห้องสำหรับใช้เป็นที่อยู่พักรวมกันทุกชั้นของอาคาร หรือกลุ่มของอาคาร ไม่ถึง ๖๐ ห้อง

(๓) หอพักที่มีจำนวนห้องสำหรับใช้เป็นที่อยู่อาศัยรวมกันทุกชั้นของอาคาร หรือกลุ่มของอาคาร ตั้งแต่ ๕๐ ห้อง แต่ไม่ถึง ๒๕๐ ห้อง

(๔) สถานบริการที่มีพื้นที่ใช้สอยรวมกันทุกชั้นของอาคาร หรือกลุ่มของอาคารตั้งแต่ ๑,๐๐๐ ตารางเมตร แต่ไม่ถึง ๕,๐๐๐ ตารางเมตร

(๕) อาคารที่ทำการของทางราชการ รัฐวิสาหกิจ องค์การระหว่างประเทศ หรือของเอกชน ที่มีพื้นที่ใช้สอยรวมกันทุกชั้นของอาคารหรือกลุ่มของอาคารตั้งแต่ ๕,๐๐๐ ตารางเมตร แต่ไม่ถึง ๑๐,๐๐๐ ตารางเมตร

(๖) ตลาดที่มีพื้นที่ใช้สอยรวมกันทุกชั้นของอาคารหรือกลุ่มของอาคารตั้งแต่ ๑,๐๐๐ ตารางเมตร แต่ไม่ถึง ๑,๕๐๐ ตารางเมตร

(๗) กิตติาคารหรือร้านอาหารที่มีพื้นที่ให้บริการรวมกันทุกชั้นของอาคาร หรือกลุ่มของอาคาร ตั้งแต่ ๒๕๐ ตารางเมตร แต่ไม่ถึง ๕๐๐ ตารางเมตร

ข้อ ๗ อาคารประเภท ง. หมายความว่า อาคารดังต่อไปนี้

(๑) หอพักที่มีจำนวนห้องสำหรับใช้เป็นที่อยู่อาศัยรวมกันทุกชั้นของอาคาร หรือกลุ่มของอาคาร ตั้งแต่ ๑๐ ห้อง แต่ไม่ถึง ๕๐ ห้อง

(๒) ตลาดที่มีพื้นที่ใช้สอยรวมกันทุกชั้นของอาคาร หรือกลุ่มของอาคารตั้งแต่ ๕๐๐ ตารางเมตร แต่ไม่ถึง ๑,๐๐๐ ตารางเมตร

(๓) กัฏาคารหรือร้านอาหารที่มีพื้นที่ให้บริการรวมกันทุกชั้นของอาคาร หรือกลุ่มของอาคาร ตั้งแต่ ๑๐๐ ตารางเมตร แต่ไม่ถึง ๒๕๐ ตารางเมตร

ข้อ ๘ อาคารประเภท จ. หมายความว่า กัฏาคารหรือร้านอาหารที่มีพื้นที่ให้บริการรวมกันทุกชั้นไม่ถึง ๑๐๐ ตารางเมตร

ข้อ ๙ มาตรฐานควบคุมการระบายน้ำทิ้งจากอาคาร ประเภท ก. ต้องมีค่าดังต่อไปนี้

(๑) ความเป็นกรดและด่าง (PH) ต้องมีค่าระหว่าง ๕-๙

(๒) บีโอดี (BOD) ต้องมีค่าไม่เกิน ๒๐ มิลลิกรัมต่อลิตร

(๓) สารแขวนลอย (Suspended Solids) ต้องมีค่าไม่เกิน ๓๐ มิลลิกรัมต่อลิตร

(๔) ซัลไฟด์ (Sulfide) ต้องมีค่าไม่เกิน ๑.๐ มิลลิกรัมต่อลิตร

(๕) สารที่ละลายได้ทั้งหมด (Total Dissolved Solids) ต้องมีค่าเพิ่มขึ้นจากปริมาณสารละลายในน้ำใช้ตามปกติไม่เกิน ๕๐๐ มิลลิกรัมต่อลิตร

(๖) ตะกอนหนัก (Settleable Solids) ต้องมีค่าไม่เกิน ๐.๕ มิลลิกรัมต่อลิตร

(๗) น้ำมันและไขมัน (Fat Oil and Grease) ต้องมีค่าไม่เกิน ๒๐ มิลลิกรัมต่อลิตร

(๘) ทีเคเอ็น (TKN) ต้องมีค่าไม่เกิน ๓๕ มิลลิกรัมต่อลิตร

ข้อ ๑๐ มาตรฐานควบคุมการระบายน้ำทิ้งจากอาคาร ประเภท ข. ต้องเป็นไปตามข้อ ๙ เว้นแต่

(๑) บีโอดี ต้องมีค่าไม่เกิน ๓๐ มิลลิกรัมต่อลิตร

(๒) สารแขวนลอย ต้องมีค่าไม่เกิน ๔๐ มิลลิกรัมต่อลิตร

ข้อ ๑๑ มาตรฐานควบคุมการระบายน้ำทิ้งจากอาคาร ประเภท ค. ต้องเป็นไปตามข้อ ๙ เว้นแต่

(๑) บีโอดี ต้องมีค่าไม่เกิน ๔๐ มิลลิกรัมต่อลิตร

(๒) สารแขวนลอย ต้องมีค่าไม่เกิน ๕๐ มิลลิกรัมต่อลิตร

(๓) ซัลไฟด์ ต้องมีค่าไม่เกิน ๓.๐ มิลลิกรัมต่อลิตร

(๔) ค่าทีเคเอ็น ต้องมีค่าไม่เกิน ๔๐ มิลลิกรัมต่อลิตร

ข้อ ๑๒ มาตรฐานควบคุมการระบายน้ำทิ้งจากอาคาร ประเภท ง. ต้องเป็นไปตามข้อ ๘
เว้นแต่

(๑) บีโอดี ต้องมีค่าไม่เกิน ๕๐ มิลลิกรัมต่อลิตร

(๒) สารแขวนลอย ต้องมีค่าไม่เกิน ๕๐ มิลลิกรัมต่อลิตร

(๓) ซัลไฟด์ ต้องมีค่าไม่เกิน ๔.๐ มิลลิกรัมต่อลิตร

(๔) ค่าทีเคเอ็น ต้องมีค่าไม่เกิน ๔๐ มิลลิกรัมต่อลิตร

ข้อ ๑๓ มาตรฐานควบคุมการระบายน้ำทิ้งจากอาคาร ประเภท จ. ต้องมีค่าดังต่อไปนี้

(๑) ความเป็นกรดและด่างต้องมีค่าระหว่าง ๕-๙

(๒) บีโอดี ต้องมีค่าไม่เกิน ๒๐๐ มิลลิกรัมต่อลิตร

(๓) สารแขวนลอย ต้องมีค่าไม่เกิน ๖๐ มิลลิกรัมต่อลิตร

(๔) น้ำมันและไขมัน ต้องมีค่าไม่เกิน ๑๐๐ มิลลิกรัมต่อลิตร

ข้อ ๑๔ การตรวจสอบมาตรฐานการระบายน้ำทิ้งจากอาคาร ให้ใช้วิธีการดังต่อไปนี้

(๑) การตรวจสอบค่าความเป็นกรดและด่างให้กระทำโดยใช้เครื่องวัดความเป็นกรดและด่าง
ของน้ำ (PH Meter)

(๒) การตรวจสอบค่าบีโอดีให้กระทำโดยใช้วิธีการอะไซด์โมดิฟิเคชัน (Azide Modification)
ที่อุณหภูมิ ๒๐ องศาเซลเซียส เป็นเวลา ๕ วัน ติดต่อกันหรือวิธีการอื่นที่คณะกรรมการควบคุมมลพิษ
ให้ความเห็นชอบ

(๓) การตรวจสอบค่าสารแขวนลอยให้กระทำโดยใช้วิธีการกรองผ่านกระดาษกรองใยแก้ว
(Glass Fibre Filter Disc)

(๔) การตรวจสอบค่าซัลไฟด์ให้กระทำโดยใช้วิธีการไตเตรท (Titrate)

(๕) การตรวจสอบค่าสารที่ละลายได้ทั้งหมดให้กระทำโดยใช้วิธีการระเหยแห้งระหว่างอุณหภูมิ
๑๐๓ องศาเซลเซียส ถึงอุณหภูมิ ๑๐๕ องศาเซลเซียส ในเวลา ๑ ชั่วโมง

(๖) การตรวจสอบค่าตะกอนหนักให้กระทำโดยใช้วิธีการกรวยอิมฮอฟฟ์ (Imhoff cone)
ขนาดบรรจุ ๑,๐๐๐ ลูกบาศก์เซนติเมตร ในเวลา ๑ ชั่วโมง

(๓) การตรวจสอบค่าน้ำมันและไขมันให้กระทำโดยใช้วิธีการสกัดด้วยตัวทำละลาย แล้วแยกหาน้ำหนักของน้ำมันและไขมัน

(๔) การตรวจสอบค่าที่เคเอ็นให้กระทำโดยใช้วิธีการเจลดาคัล (Kjeldahl)

ข้อ ๑๕ การคิดคำนวณพื้นที่ใช้สอย จำนวนอาคารและจำนวนห้องของอาคาร หรือกลุ่มของอาคาร ให้เป็นไปตามวิธีการที่คณะกรรมการควบคุมมลพิษกำหนด โดยประกาศในราชกิจจานุเบกษา

ข้อ ๑๖ วิธีการเก็บตัวอย่างน้ำ ความถี่ และระยะเวลาในการเก็บตัวอย่างน้ำ ให้เป็นไปตามที่คณะกรรมการควบคุมมลพิษกำหนด โดยประกาศในราชกิจจานุเบกษา

ข้อ ๑๗ ประกาศนี้ให้ใช้บังคับตั้งแต่วันถัดจากวันประกาศในราชกิจจานุเบกษาเป็นต้นไป

ประกาศ ณ วันที่ ๓ พฤศจิกายน พ.ศ. ๒๕๔๘

ยงยุทธ ดิยะไพรัช

รัฐมนตรีว่าการกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม

ประกาศกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม
เรื่อง กำหนดมาตรฐานควบคุมการระบายน้ำทิ้งจากอาคารบางประเภทและบางขนาด
พ.ศ. ๒๕๖๗

โดยที่เป็นการสมควรปรับปรุงการกำหนดมาตรฐานควบคุมการระบายน้ำทิ้งจากอาคาร ให้เหมาะสมตามความก้าวหน้าในทางวิทยาศาสตร์ เทคโนโลยี และความเปลี่ยนแปลงทางเศรษฐกิจ สังคม ของประเทศ และให้สอดคล้องกับสภาพการณ์ปัจจุบัน

อาศัยอำนาจตามความในมาตรา ๕๕ แห่งพระราชบัญญัติส่งเสริมและรักษาคุณภาพสิ่งแวดล้อมแห่งชาติ พ.ศ. ๒๕๓๕ รัฐมนตรีว่าการกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม โดยคำแนะนำของคณะกรรมการควบคุมมลพิษ และโดยความเห็นชอบของคณะกรรมการสิ่งแวดล้อมแห่งชาติ จึงออกประกาศไว้ ดังต่อไปนี้

ข้อ ๑ ให้ยกเลิกประกาศกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม เรื่อง กำหนดมาตรฐานควบคุมการระบายน้ำทิ้งจากอาคารบางประเภทและบางขนาด ฉบับลงวันที่ ๗ พฤศจิกายน พ.ศ. ๒๕๔๘

ข้อ ๒ ในประกาศนี้

“อาคาร” หมายความว่า อาคารที่ก่อสร้างขึ้น ไม่ว่าจะมียุทธศาสตร์เป็นอาคารหลังเดียวหรือเป็นกลุ่มของอาคารซึ่งตั้งอยู่ภายในพื้นที่ซึ่งเป็นบริเวณเดียวกัน และไม่มียุทธศาสตร์น้ำท่วมหรือมีหลายท่อที่เชื่อมติดต่อกันระหว่างอาคารหรือไม่ก็ตาม

“น้ำทิ้ง” หมายความว่า น้ำที่เกิดจากกิจกรรมของอาคารที่ระบายหรือจะระบายลงสู่แหล่งน้ำสาธารณะหรือออกสู่สิ่งแวดล้อม

ข้อ ๓ ให้แบ่งอาคาร ออกเป็น ๓ ชนิด คือ

ชนิดที่ ๑ อาคารอยู่อาศัย หมายถึง อาคารที่มีวัตถุประสงค์ให้เป็นที่พักอาศัยของบุคคล ทั้งการอยู่อาศัยอย่างถาวรหรือชั่วคราว ได้แก่

(๑) อาคารชุด ตามกฎหมายว่าด้วยอาคารชุด

(๒) หอพัก ตามกฎหมายว่าด้วยหอพัก

(๓) หอพัก ห้องเช่า ห้องแบ่งเช่า หรือกิจการอื่นในทำนองเดียวกันตามกฎหมายว่าด้วยการสาธารณสุข

(๔) สถานรับเลี้ยงเด็ก ตามกฎหมายว่าด้วยคุ้มครองเด็ก

(๕) สถานดูแลผู้สูงอายุหรือผู้มีภาวะพึ่งพิง ตามกฎหมายว่าด้วยสถานประกอบการเพื่อสุขภาพ

(๖) ที่พักอาศัยสำหรับลูกจ้างประเภทกิจกรรมก่อสร้าง ตามกฎหมายว่าด้วยการคุ้มครองแรงงาน

ชนิดที่ ๒ อาคารพาณิชยกรรม หมายถึง อาคารที่ใช้ประโยชน์ในการพาณิชยกรรม หรือบริการธุรกิจ อย่างเดียวหรือหลายอย่าง ได้แก่

(๑) โรงแรม ตามกฎหมายว่าด้วยโรงแรม

- (๒) ศูนย์การค้าหรือห้างสรรพสินค้า
 (๓) ตลาด ตามกฎหมายว่าด้วยการสาธารณสุข
 (๔) สถานบริการประเภทสถานอาบน้ำ นวดหรืออบตัว ตามกฎหมายว่าด้วยสถานบริการ
 (๕) ภัตตาคารหรือร้านอาหาร
 (๖) อาคารที่ทำการของทางราชการ รัฐวิสาหกิจ หรือองค์การระหว่างประเทศและของเอกชน
 (๗) อาคารโรงเรียนเอกชน ตามกฎหมายว่าด้วยโรงเรียนเอกชน โรงเรียนของทางราชการ อาคารสถาบันอุดมศึกษาของเอกชน ตามกฎหมายว่าด้วยสถาบันอุดมศึกษาของเอกชนและสถาบันอุดมศึกษาของทางราชการ

ชนิดที่ ๓ อาคารสถานพยาบาล หมายถึง สถานพยาบาล ตามกฎหมายว่าด้วยสถานพยาบาล ประเภทที่รับผู้ป่วยไว้ค้างคืน

ข้อ ๔ ให้แบ่งขนาดของอาคาร ออกเป็น ๔ ประเภท ดังต่อไปนี้

ประเภทอาคาร	หน่วย	อาคาร ประเภท ก.	อาคาร ประเภท ข.	อาคาร ประเภท ค.	อาคาร ประเภท ง.
๑. อาคารอยู่อาศัย					
อาคารชุด	ห้องชุด	ตั้งแต่ ๕๐๐ ขึ้นไป	ตั้งแต่ ๑๐๐ แต่ไม่ถึง ๕๐๐	ไม่ถึง ๑๐๐	-
หอพัก	ห้อง	-	ตั้งแต่ ๒๕๐ ขึ้นไป	ตั้งแต่ ๕๐ แต่ไม่ถึง ๒๕๐	ไม่ถึง ๕๐
หอพัก ห้องเช่า ห้องแบ่งเช่า หรือกิจการอื่นในทำนอง เดียวกัน ตามกฎหมาย ว่าด้วยการสาธารณสุข	ห้อง	-	ตั้งแต่ ๒๕๐ ขึ้นไป	ตั้งแต่ ๕๐ แต่ไม่ถึง ๒๕๐	ไม่ถึง ๕๐
สถานรับเลี้ยงเด็ก	-	-	-	-	ทุกขนาด
สถานดูแลผู้สูงอายุหรือ ผู้มีภาวะพึ่งพิง	-	-	-	-	ทุกขนาด
ที่พักอาศัยสำหรับลูกจ้าง ประเภทกิจกรรมก่อสร้าง	-	-	-	-	ทุกขนาด
๒. อาคารพาณิชย์					
โรงแรม	ห้อง	ตั้งแต่ ๒๐๐ ขึ้นไป	ตั้งแต่ ๖๐ แต่ไม่ถึง ๒๐๐	ไม่ถึง ๖๐	-
สถานบริการประเภท สถานอาบน้ำ นวดหรืออบตัว	ตาราง เมตร	-	ตั้งแต่ ๕,๐๐๐ ขึ้นไป	ตั้งแต่ ๑,๐๐๐ แต่ไม่ถึง ๕,๐๐๐	ไม่ถึง ๑,๐๐๐
โรงเรียนเอกชน โรงเรียนของ ทางราชการ สถาบันอุดมศึกษา ของเอกชนหรือสถาบัน อุดมศึกษาของทางราชการ		ตั้งแต่ ๒๕,๐๐๐ ขึ้นไป	ตั้งแต่ ๕,๐๐๐ แต่ไม่ถึง ๒๕,๐๐๐	-	ไม่ถึง ๕,๐๐๐

ประเภทอาคาร	หน่วย	อาคาร ประเภท ก.	อาคาร ประเภท ข.	อาคาร ประเภท ค.	อาคาร ประเภท ง.
อาคารที่ทำการของทาง ราชการ รัฐวิสาหกิจ หรือ องค์การระหว่างประเทศและ ของเอกชน		ตั้งแต่ ๕๕,๐๐๐ ขึ้นไป	ตั้งแต่ ๑๐,๐๐๐ แต่ไม่ถึง ๕๕,๐๐๐	ตั้งแต่ ๕,๐๐๐ แต่ไม่ถึง ๑๐,๐๐๐	ไม่ถึง ๕,๐๐๐
ศูนย์การค้า หรือห้างสรรพสินค้า		ตั้งแต่ ๒๕,๐๐๐ ขึ้นไป	ตั้งแต่ ๕,๐๐๐ แต่ไม่ถึง ๒๕,๐๐๐	-	ไม่ถึง ๕,๐๐๐
ตลาด		ตั้งแต่ ๒,๕๐๐ ขึ้นไป	ตั้งแต่ ๑,๕๐๐ แต่ไม่ถึง ๒,๕๐๐	ตั้งแต่ ๑,๐๐๐ แต่ไม่ถึง ๑,๕๐๐	ไม่ถึง ๑,๐๐๐
ภัตตาคารหรือร้านอาหาร		ตั้งแต่ ๒,๕๐๐ ขึ้นไป	ตั้งแต่ ๕๐๐ แต่ไม่ถึง ๒,๕๐๐	ตั้งแต่ ๒๕๐ แต่ไม่ถึง ๕๐๐	ไม่ถึง ๒๕๐
๓. อาคารสถานพยาบาล	เตียง	ตั้งแต่ ๓๐ ขึ้นไป	ตั้งแต่ ๑๐ แต่ไม่ถึง ๓๐	-	ไม่ถึง ๑๐

ข้อ ๕ กำหนดมาตรฐานควบคุมการระบายน้ำทิ้งจากอาคารไว้ ดังต่อไปนี้

พารามิเตอร์	ค่ามาตรฐาน			
	อาคาร ประเภท ก.	อาคาร ประเภท ข.	อาคาร ประเภท ค.	อาคาร ประเภท ง.
๑. ความเป็นกรดและด่าง (pH)	๕.๕ - ๙.๐	๕.๕ - ๙.๐	๕.๕ - ๙.๐	๕.๕ - ๙.๐
๒. บีโอดี (Biochemical Oxygen Demand)	ไม่เกิน ๒๐ มิลลิกรัมต่อลิตร	ไม่เกิน ๓๐ มิลลิกรัมต่อลิตร	ไม่เกิน ๔๐ มิลลิกรัมต่อลิตร	ไม่เกิน ๕๐ มิลลิกรัมต่อลิตร สำหรับอาคารอยู่อาศัย
				ไม่เกิน ๑๐๐ มิลลิกรัมต่อลิตร สำหรับอาคารพาณิชย์ และอาคารสถานพยาบาล
๓. ของแข็งแขวนลอยทั้งหมด (Total Suspended Solids)	ไม่เกิน ๓๐ มิลลิกรัมต่อลิตร	ไม่เกิน ๔๐ มิลลิกรัมต่อลิตร	ไม่เกิน ๕๐ มิลลิกรัมต่อลิตร	ไม่เกิน ๖๐ มิลลิกรัมต่อลิตร
๔. ของแข็งละลายน้ำทั้งหมด (Total Dissolved Solids)	ไม่เกิน ๑,๐๐๐ มิลลิกรัมต่อลิตร	ไม่เกิน ๑,๐๐๐ มิลลิกรัมต่อลิตร	ไม่เกิน ๑,๓๐๐ มิลลิกรัมต่อลิตร	-

พารามิเตอร์	ค่ามาตรฐาน			
	อาคาร ประเภท ก.	อาคาร ประเภท ข.	อาคาร ประเภท ค.	อาคาร ประเภท ง.
	สำหรับอาคารอยู่อาศัยและอาคารพาณิชย์	สำหรับอาคารอยู่อาศัยและอาคารพาณิชย์	สำหรับอาคารอยู่อาศัยและอาคารพาณิชย์	
	เพิ่มขึ้นจากปริมาณในน้ำใช้ปกติไม่เกิน ๑,๐๐๐ สำหรับอาคารสถานพยาบาล	เพิ่มขึ้นจากปริมาณในน้ำใช้ปกติไม่เกิน ๑,๐๐๐ สำหรับอาคารสถานพยาบาล	-	-
๕. ซัลไฟด์ (Sulfide)	ไม่เกิน ๑.๐ มิลลิกรัมต่อลิตร	ไม่เกิน ๑.๐ มิลลิกรัมต่อลิตร	ไม่เกิน ๑.๐ มิลลิกรัมต่อลิตร	-
๖. ทีเคเอ็น (Total Kjeldahl Nitrogen)	ไม่เกิน ๓๕ มิลลิกรัมต่อลิตร	ไม่เกิน ๓๕ มิลลิกรัมต่อลิตร	ไม่เกิน ๔๐ มิลลิกรัมต่อลิตร	-
๗. น้ำมันและไขมัน (Oil and Grease)	ไม่เกิน ๒๐ มิลลิกรัมต่อลิตร	ไม่เกิน ๒๐ มิลลิกรัมต่อลิตร	ไม่เกิน ๒๐ มิลลิกรัมต่อลิตร	ไม่เกิน ๒๐ มิลลิกรัมต่อลิตร สำหรับอาคารอยู่อาศัย
				ไม่เกิน ๕๐ มิลลิกรัมต่อลิตร สำหรับอาคารพาณิชย์และอาคารสถานพยาบาล
๘. แบคทีเรียกลุ่มโคลิฟอร์มทั้งหมด (Total Coliform Bacteria) (สำหรับอาคารสถานพยาบาล)	ไม่เกิน ๕,๐๐๐ (เอ็มพีเอ็นต่อ ๑๐๐ มิลลิกรัม)	ไม่เกิน ๕,๐๐๐ (เอ็มพีเอ็นต่อ ๑๐๐ มิลลิกรัม)	-	-
๙. แบคทีเรียกลุ่มฟีคอลโคลิฟอร์ม (Fecal Coliform Bacteria) (สำหรับอาคารสถานพยาบาล)	ไม่เกิน ๑,๐๐๐ (เอ็มพีเอ็นต่อ ๑๐๐ มิลลิกรัม)	ไม่เกิน ๑,๐๐๐ (เอ็มพีเอ็นต่อ ๑๐๐ มิลลิกรัม)	-	-
๑๐. คลอรีนอิสระ (Free Chlorine) (สำหรับอาคารสถานพยาบาล)	ไม่เกิน ๑.๐ มิลลิกรัมต่อลิตร	ไม่เกิน ๑.๐ มิลลิกรัมต่อลิตร	-	-

ข้อ ๖ การตรวจสอบมาตรฐานควบคุมการระบายน้ำทิ้งจากอาคารให้ใช้วิธีการ ดังต่อไปนี้

๖.๑ ความเป็นกรดและด่าง ให้ใช้เครื่องวัดความเป็นกรดและด่างของน้ำ (pH Meter) ที่มีความละเอียดไม่ต่ำกว่า ๐.๑ หน่วย

๖.๒ บีโอดี ให้ใช้วิธีบ่มตัวอย่างที่อุณหภูมิ ๒๐ องศาเซลเซียส เป็นเวลา ๕ วันติดต่อกัน และหาค่าออกซิเจนละลายด้วยวิธีเอไซด์มอดิฟิเคชัน (Azide Modification) หรือวิธีเมมเบรนอิเล็กโทรด (Membrane Electrode) หรือวิธีออปติคัลโพรบ (Optical Probe)

๖.๓ ของแข็งแขวนลอยทั้งหมด ให้ใช้วิธีการกรองผ่านกระดาษกรองใยแก้ว (Glass Fiber Filter) และอบแห้งที่อุณหภูมิ ตั้งแต่ ๑๐๓ ถึง ๑๐๕ องศาเซลเซียส เป็นเวลาอย่างน้อย ๑ ชั่วโมง

๖.๔ ของแข็งละลายน้ำทั้งหมด ให้ใช้วิธีระเหยตัวอย่างที่กรองผ่านกระดาษกรองใยแก้ว (Glass Fiber Filter) และอบแห้งที่อุณหภูมิ ๑๘๐ องศาเซลเซียส เป็นเวลาอย่างน้อย ๑ ชั่วโมง

๖.๕ ซัลไฟด์ ให้ใช้วิธีไอโอดิเมทริก (Iodometric Method) หรือวิธีเมทิลีนบลู (Methylene Blue Method)

๖.๖ ทีเคเอ็น ให้ใช้วิธีเจลดาล์ (Kjeldahl)

๖.๗ น้ำมันและไขมัน ให้ใช้วิธีสกัดด้วยตัวทำละลายแล้วแยกหาน้ำหนักของน้ำมันและไขมัน

๖.๘ แบคทีเรียกลุ่มโคลิฟอร์มทั้งหมดและแบคทีเรียกลุ่มฟิคอลโคลิฟอร์ม ให้ใช้วิธีมัลติเพิล ทิวบ์ เฟอร์เมนเทชัน เทคนิค (Multiple Tube Fermentation Technique)

๖.๙ คลอรีนอิสระ ให้ใช้วิธีไทเทรต (Titrimetric method) หรือวิธีเทียบสี (Colorimetric method) หรือวิธีไอโอดิเมทริก อิเล็กโทรด (Iodometric Electrode Technique)

ข้อ ๗ การคิดคำนวณขนาดของอาคารตามข้อ ๔ ให้เป็นไปตามวิธีการที่คณะกรรมการควบคุมมลพิษกำหนด โดยประกาศในราชกิจจานุเบกษา

ข้อ ๘ การตรวจสอบค่ามาตรฐานน้ำทิ้งตามข้อ ๖ ต้องเป็นไปตามคู่มือวิเคราะห์น้ำและน้ำเสียของสมาคมวิศวกรรมสิ่งแวดล้อมแห่งประเทศไทย หรือ Standard Methods for the Examination of Water and Wastewater ซึ่ง American Public Health Association, American Water Works Association และ Water Environment Federation ของประเทศสหรัฐอเมริกากำหนดฉบับล่าสุด หรือตามที่คณะกรรมการควบคุมมลพิษประกาศในราชกิจจานุเบกษา

ข้อ ๙ การเก็บตัวอย่างน้ำทิ้งเพื่อการตรวจสอบมาตรฐานควบคุมการระบายน้ำทิ้งตามข้อ ๕ ให้เป็น ดังต่อไปนี้

๙.๑ ให้เก็บในจุดระบายทิ้งลงสู่แหล่งน้ำสาธารณะหรือออกสู่สิ่งแวดล้อมหรือจุดอื่นที่สามารถใช้เป็นตัวแทนของน้ำทิ้งที่ระบายออกจากอาคาร ในกรณีมีการระบายทิ้งหลายจุดให้เก็บทุกจุด

๙.๒ วิธีการเก็บตัวอย่างน้ำทิ้ง ณ จุดเก็บตัวอย่างตามข้อ ๙.๑ ให้เก็บแบบจ้วง (Grab Sampling)

ข้อ ๑๐ ประกาศนี้ให้ใช้บังคับตั้งแต่วันถัดจากวันประกาศในราชกิจจานุเบกษาเป็นต้นไป

ประกาศ ณ วันที่ ๒๘ มิถุนายน พ.ศ. ๒๕๖๗

พลตำรวจเอก พัชรวาท วงษ์สุวรรณ

รัฐมนตรีว่าการกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม

คำแนะนำของคณะกรรมการสาธารณสุข

ฉบับที่ 1 / 2550

เรื่อง การควบคุมการประกอบกิจการสระว่ายน้ำ หรือกิจการอื่นๆ ในทำนองเดียวกัน

การประกอบกิจการสระว่ายน้ำ หรือกิจการอื่นๆ ในทำนองเดียวกัน เป็นกิจการที่ถูกควบคุมในลักษณะที่เป็นกิจการที่เป็นอันตรายต่อสุขภาพ ตามมาตรา 31 แห่งพระราชบัญญัติการสาธารณสุข พ.ศ. 2535 ซึ่งการประกอบกิจการนี้เป็นแหล่งที่ผู้ใช้บริการเข้ามาชุมนุมอยู่ร่วมกันในสระว่ายน้ำ สวนน้ำ สวนสนุกที่มีลักษณะเช่นเดียวกับสระว่ายน้ำ อันอาจก่อให้เกิดผลกระทบต่อสุขภาพของประชาชน เนื่องจากการก่อสร้างสระว่ายน้ำ หรือกิจการอื่นๆ ในทำนองเดียวกันเพิ่มมากขึ้น ทั้งสโมสร สนามกีฬา สวนสนุก และชุมชนในท้องถิ่นทั่วไป ซึ่งถ้าสระว่ายน้ำ เหล่านี้ขาดการดูแลและบำรุงรักษาตามหลักสุขาภิบาล การอนามัยสิ่งแวดล้อม การดูแลคุณภาพน้ำ รวมทั้งมาตรการด้านความปลอดภัยอย่างถูกต้อง สระว่ายน้ำอาจกลายเป็นแหล่งแพร่เชื้อโรคต่างๆ ได้ เช่น โรคเยื่อตาอักเสบ หูอักเสบ โรคผิวหนัง โรคระบบทางเดินหายใจ โรคระบบทางเดินอาหาร รวมทั้งโรคไม่ติดเชื้อต่างๆ อันมีผลมาจากการใช้สารเคมี เช่น อาการผิวหนังเนื่องจากแพ้สารเคมี อาการเจ็บคอ ไอ แน่นหน้าอก อาการคลื่นไส้อาเจียน เนื่องจากแพ้สารเคมี นอกจากนั้นยังรวมถึงอุบัติเหตุต่างๆ ด้วย

อาศัยอำนาจตามความในมาตรา 10(3) แห่งพระราชบัญญัติการสาธารณสุข พ.ศ. 2535 คณะกรรมการสาธารณสุขจึงได้มีมติในคราวการประชุมครั้งที่ 43-3/2549 เมื่อวันที่ 27 มิถุนายน 2549 เห็นชอบให้ออกคำแนะนำแก่ราชการส่วนท้องถิ่นในการออกข้อกำหนดท้องถิ่นเกี่ยวกับหลักเกณฑ์ในการควบคุมกำกับดูแลการประกอบกิจการสระว่ายน้ำหรือกิจการอื่นๆ ในทำนองเดียวกัน ดังต่อไปนี้

ข้อ 1 กรณีที่ในเขตราชการส่วนท้องถิ่นใด มีการประกอบกิจการสระว่ายน้ำและกิจการอื่นๆ ในทำนองเดียวกัน ราชการส่วนท้องถิ่นนั้นอาจออกข้อกำหนดของท้องถิ่นกำหนดให้กิจการดังกล่าว เป็นกิจการที่ต้องควบคุมในท้องถิ่นนั้นได้ ตามมาตรา 32 (1) แห่งพระราชบัญญัติการสาธารณสุข พ.ศ. 2535

ข้อ 2 เพื่อประโยชน์ในการควบคุมหรือกำกับดูแลสถานประกอบการสระว่ายน้ำหรือกิจการอื่นๆ ในทำนองเดียวกัน ราชการส่วนท้องถิ่นอาจพิจารณาออกข้อกำหนดของท้องถิ่น กำหนดหลักเกณฑ์ และเงื่อนไขทั่วไป ให้ผู้ดำเนินกิจการปฏิบัติเกี่ยวกับสภาพหรือสุขลักษณะของสถานที่ที่ใช้ในการประกอบการ และมาตรการป้องกันอันตรายต่อสุขภาพ ตามมาตรา 32(2) แห่งพระราชบัญญัติการสาธารณสุข พ.ศ. 2535 ตามหลักเกณฑ์ด้านสุขลักษณะในการควบคุมการประกอบการสระว่ายน้ำหรือกิจการอื่นๆ ในทำนองเดียวกันที่แนบมาพร้อมนี้

ข้อ 3 กรณีที่ราชการส่วนท้องถิ่นได้ออกข้อกำหนดของท้องถิ่นว่าด้วยการประกอบการสระว่ายน้ำหรือกิจการอื่นๆ ในทำนองเดียวกัน ควรจัดให้มีการประชาสัมพันธ์ และประชุมชี้แจงข้อกำหนดของท้องถิ่นดังกล่าวเพื่อให้ผู้ประกอบการได้ทราบโดยทั่วกันด้วย ทั้งนี้เพื่อประโยชน์ในการบังคับใช้ต่อไป

ให้ไว้ ณ วันที่ 20 มกราคม 2550



(นายปราชญ์ บุญวงศ์โรจน์)

ปลัดกระทรวงสาธารณสุข

หลักเกณฑ์ด้านสุขลักษณะ ในการควบคุมการประกอบกิจการสระว่ายน้ำ หรือกิจการอื่นๆในทำนองเดียวกัน

คำแนะนำนี้ให้ใช้กับกิจการสระว่ายน้ำที่เป็นบริการสาธารณะ(Public swimming pool) เช่น กิจการสระว่ายน้ำที่ให้บริการแก่ประชาชนโดยทั่วไป ซึ่งรวมถึงสระว่ายน้ำที่เป็นสวนน้ำ สวนสนุก ที่มีลักษณะเช่นเดียวกับสระว่ายน้ำที่ให้บริการในลักษณะเพื่อการค้า และสระว่ายน้ำที่เปิดให้บริการสาธารณะที่มีใช้การค้าแต่เพื่อสวัสดิการ เช่น สระว่ายน้ำที่ราชการส่วนท้องถิ่นจัดไว้เพื่อสาธารณะประโยชน์ รวมทั้ง สระว่ายน้ำที่เป็นของสโมสรของโรงงานที่บริการเฉพาะพนักงาน หรือหน่วยงานองค์กรที่บริการในกลุ่มเฉพาะ ยกเว้นสระว่ายน้ำส่วนบุคคลหรือที่มีได้ให้บริการแก่สาธารณะ

1. สถานที่ตั้ง

1.1 สถานที่ตั้ง ควรห่างจากแหล่งซึ่งอาจทำให้เกิดการปนเปื้อนน้ำในสระว่ายน้ำ เช่น สถานที่เลี้ยงสัตว์ สถานที่ทิ้งหรือรวบรวมมูลฝอย เป็นต้น

1.2 ควรมีรั้วหรือกำแพงเพื่อสุขอนามัยและความปลอดภัยของผู้ใช้บริการ และเพื่อป้องกันไม่ให้บุคคลภายนอกที่ไม่ได้รับอนุญาตไปใช้สระว่ายน้ำ ในช่วงที่ไม่เปิดให้บริการ รวมทั้งป้องกันสัตว์เข้ามาในบริเวณสระว่ายน้ำ

1.3 สถานที่ตั้งและบริเวณของสระว่ายน้ำ รวมทั้งระบบสาธารณูปโภคต้องอยู่ในที่น้ำท่วมไม่ถึง พื้นดินแข็งแรงไม่ทรุดง่าย อยู่ในบริเวณที่มีไฟฟ้า และน้ำประปาเพียงพอ มีทางเข้าออกสะดวก

2. สระว่ายน้ำและอาคารประกอบ

2.1 โครงสร้างสระว่ายน้ำ ควรสร้างด้วยคอนกรีตเสริมเหล็ก หรือวัสดุที่มีความมั่นคงแข็งแรง น้ำซึมไม่ได้ ผนังเรียบ อยู่ในสภาพดี และทำความสะอาดง่าย

2.2 ต้องมีรางระบายน้ำล้นมีฝาปิดรอบสระว่ายน้ำ มีความกว้าง 30-40 เซนติเมตร ไม่เป็นสนิม แข็งแรง ทำความสะอาดง่าย อยู่ในสภาพดี และไม่มีน้ำล้นออกจากราง

2.3 ต้องมีอุปกรณ์ เครื่องมือสำหรับใช้ทำความสะอาดสระว่ายน้ำ ได้แก่ เครื่องดูดตะกอน แปรงขัดสระชนิดลวดทองเหลืองและพลาสติก รวมทั้งตะแกรงข้อนวัสดุแขวนลอย

2.4 ต้องมีที่ว่างสำหรับใช้เป็นทางเดินรอบสระว่ายน้ำ มีความกว้างไม่น้อยกว่า 1.20 เมตร ไม่ลื่น ไม่มีน้ำขัง ทำความสะอาดง่าย

2.5 กรณีที่สระว่ายน้ำใดมีการใช้ระบบการไหลเวียนน้ำเป็นแบบระบบสกินเมอร์ ควรต้องมีข้อกำหนดเกี่ยวกับการป้องกันอันตรายจากระบบนี้ด้วย

2.6 ความลึกของน้ำ มีป้ายบอกความลึกหรือเลขบอกระดับความลึกที่สามารถมองเห็นได้ชัดเจน ในกรณีที่สระว่ายน้ำนั้นมีความลึกตั้งแต่ 1.5 เมตรขึ้นไป โดยมีตัวเลขแสดงความลึกเป็นระยะๆ อย่างน้อย 3 ระยะ

2.7 ต้องจัดให้มีแสงสว่างเพียงพอทั่วบริเวณสระว่ายน้ำ เพื่อให้มองเห็นได้ชัดเจน ในกรณีที่มีการเปิดใช้สระในเวลากลางคืน

2.8 อาคารประกอบทำด้วยวัสดุมั่นคงแข็งแรง พื้นเรียบ ไม่ลื่น ไม่ดูดซับน้ำ ทำความสะอาดง่าย พื้นลาดเอียงเล็กน้อยเพื่อการระบายน้ำที่ดี

2.9 พื้น ควรทำด้วยวัสดุแข็งแรง เรียบ ไม่ดูดซับน้ำ ทำความสะอาดง่าย ไม่ลื่น อยู่ในสภาพดี

2.10 จัดให้มีห้องเปลี่ยนเสื้อผ้า ตู้เก็บสิ่งของ ที่วางหรือเก็บรองเท้า สำหรับผู้ให้บริการ ในบริเวณทางเข้าสระว่ายน้ำ และมีจำนวนเพียงพอ

2.11 จัดให้มีอ่างล้างมือ บริเวณล้างตัวก่อนลงสระ และที่ล้างเท้า ทางเข้าบริเวณสระว่ายน้ำ และเติมคลอรีนลงในที่ล้างเท้าเพื่อป้องกันการติดเชื้อ

2.12 มีการรักษาความสะอาดรอบอาคารประกอบและพื้นที่โดยรอบอย่างสม่ำเสมอ

2.13 คู่มือให้มีการนำสัตว์ทุกชนิดเข้าไปในบริเวณสระว่ายน้ำ หรืออาคารประกอบ

3. ข้อปฏิบัติสำหรับผู้ประกอบกิจการ

3.1 จัดให้มีผู้ควบคุมดูแล ซึ่งผ่านการฝึกอบรมการดูแลคุณภาพน้ำในสระว่ายน้ำตามหลักสุขาภิบาลสิ่งแวดล้อม เพื่อให้มีความรู้เกี่ยวกับการควบคุมคุณภาพน้ำ และการดูแลรักษาสระว่ายน้ำ

3.2 ต้องมีเจ้าหน้าที่ความปลอดภัยประจำสระ (Life guard) อย่างน้อย 1 คน ต่อผู้ให้บริการไม่เกิน 100 คน กรณีที่เกิน 100 คน เศษของ 100 คน ให้คิดเป็น 100 คน และต้องเป็นผู้ที่มีความชำนาญในการว่ายน้ำและผ่านการอบรมการช่วยชีวิตคนจมน้ำ สามารถให้การปฐมพยาบาลได้ โดยต้องอยู่ประจำสระว่ายน้ำตลอดเวลาที่เปิดบริการ

3.3 ต้องมีการจัดการและควบคุมคุณภาพน้ำให้อยู่ในเกณฑ์มาตรฐาน ดังนี้

3.3.1 ค่าความเป็นกรด-ด่าง (pH)	7.2 – 8.4
3.3.2 คลอรีนอิสระ (Free chlorine)	0.6– 1.0 ส่วนในล้านส่วน
3.3.3 คลอรีนที่รวมกับสารอื่น (Combined chlorine)	0.5 -1.0 ส่วนในล้านส่วน
3.3.4 ค่าความเป็นด่าง (Alkalinity)	80 – 100 ส่วนในล้านส่วน
3.3.5 ความกระด้าง (Calcium hardness)	250 -600 ส่วนในล้านส่วน
3.3.6 กรดไซยานูริก (Cyanuric acid)	30-60 ส่วนในล้านส่วน
3.3.7 คลอไรด์ (Chloride)	ไม่เกิน 600 ส่วนในล้านส่วน

- 3.3.8 แอมโมเนีย (Ammonia) ไม่เกิน 20 ส่วนในล้านส่วน
- 3.3.9 ไนเตรท (Nitrate) ไม่เกิน 50 ส่วนในล้านส่วน
- 3.3.10 โคลิฟอร์มทั้งหมด (Total Coliform Bacteria) น้อยกว่า 10 ต่อ 100 มิลลิลิตร โดยวิธีเอ็มพีเอ็น (Most Probable Numbers) ในอัตราส่วน 100 มิลลิลิตร
- 3.3.11 ตรวจไม่พบฟีคัลโคลิฟอร์ม (Fecal coliform)
- 3.3.12 ตรวจไม่พบจุลินทรีย์หรือตัวบ่งชี้จุลินทรีย์ที่ทำให้เกิดโรค

(ได้แก่ *Escherichia coli* *Staphylococcus aureus* *Pseudomonas aeruginosa*)

3.4 จัดให้มีการเก็บตัวอย่างเพื่อตรวจวิเคราะห์คุณภาพน้ำ ตามเกณฑ์มาตรฐานดังนี้

3.4.1 การเก็บตัวอย่างต้องทำอย่างน้อย 2 จุด โดยเก็บจากส่วนลึกและส่วนตื้น ขณะที่ผู้ใช้สระว่ายน้ำมากที่สุด

3.4.2 ตรวจวิเคราะห์ปริมาณคลอรีนอิสระคงเหลือ และค่าความเป็นกรด-ด่าง อย่างน้อยวันละ 2 ครั้ง ก่อนเปิดและหลังปิดบริการ หากมีผู้ใช้บริการเป็นจำนวนมาก หรือเป็นวันที่มีแสงแดดจัดควรตรวจสอบปริมาณคลอรีน และค่าความเป็นกรด-ด่างในระหว่างวันด้วย กรณีใช้คลอรีนชนิดกรดไตรคลอโรไฮไดรอนิก ต้องตรวจหาค่ากรดไฮไดรอนิกด้วย

3.4.3 ตรวจวิเคราะห์ปริมาณโคลิฟอร์มทั้งหมด (Total Coliform Bacteria) และฟีคัลโคลิฟอร์ม (Fecal coliform) อย่างน้อยเดือนละ 1 ครั้ง

3.4.4 ตรวจวิเคราะห์คุณภาพน้ำทางเคมี และชีวภาพ ตามเกณฑ์มาตรฐานตามที่กำหนดในข้อ 3.3 ครบทุกข้อมูล อย่างน้อยปีละ 1 ครั้ง เพื่อประกอบการพิจารณาขอหรือต่อใบอนุญาต

3.5 จัดหาเครื่องมือสำหรับตรวจวิเคราะห์คุณภาพน้ำไว้ประจำ รวมทั้งบันทึกผลการตรวจวิเคราะห์ และข้อมูลอื่นที่จำเป็น ดังนี้

3.5.1 เครื่องมือที่ใช้ตรวจวิเคราะห์ปริมาณคลอรีน ต้องสามารถตรวจวิเคราะห์ได้ในช่วง 0.2 – 2 ส่วนในล้านส่วน

3.5.2 เครื่องมือที่ใช้ตรวจวิเคราะห์ค่าความเป็นกรด-ด่าง ต้องสามารถตรวจวัดได้ อย่างน้อยช่วง 3-9 และสามารถอ่านค่าได้ช่วงละ 1

3.5.3 มีการบันทึกข้อมูลจำนวนผู้ใช้สระว่ายน้ำในแต่ละวัน แยกเพศและอายุ ระยะเวลาที่ใช้สระว่ายน้ำ

3.6 ต้องจัดให้มีป้ายแสดงข้อปฏิบัติสำหรับผู้ใช้บริการติดไว้ในบริเวณสระว่ายน้ำ ให้มองเห็นชัดเจน และควรมีข้อความอย่างน้อยดังนี้

3.6.1 ต้องสวมชุดว่ายน้ำที่สะอาด

3.6.2 ต้องชำระล้างร่างกายก่อนลงสระทุกครั้ง

3.6.3 ผู้ที่เป็นโรคตาแดง โรคผิวหนัง เป็นหวัด หนาวน้ำหวก หรือโรคติดต่ออื่นๆ ห้ามลงเล่นในสระว่ายน้ำ

3.6.4 ห้ามนำสัตว์เลี้ยงเข้ามาในบริเวณสระว่ายน้ำ

3.6.5 ห้ามปัสสาวะ บ้วนน้ำลาย หรือส่งน้ำมูลลงในน้ำ

3.6.6 ห้ามทำสระว่ายน้ำสกปรก

3.6.7 จำนวนผู้ใช้บริการมากที่สุด ที่สระว่ายน้ำสามารถรองรับได้

3.6.8 วิธีการปฐมพยาบาลช่วยคนจมน้ำ

3.7 ต้องดูแลบำรุงรักษาเครื่องกรองน้ำตามระยะเวลาที่สมควรเพื่อให้ทำงานได้เต็มประสิทธิภาพ

4. การจัดการเกี่ยวกับสารเคมี

4.1 สถานที่เก็บสารเคมี ต้องมีป้ายระบุว่า “สถานที่เก็บสารเคมีอันตราย” และ “ห้ามเข้า” มีการระบายอากาศดี และมีการป้องกันน้ำซึมเข้าภาชนะบรรจุสารเคมี และมีการจัดเก็บสารเคมีเป็นไปตามกฎหมายที่เกี่ยวข้อง

4.2 สารเคมีที่ใช้ต้องมีฉลากระบุชื่อสารเคมี ส่วนผสม หรือส่วนประกอบที่เป็นอันตราย วิธีการใช้และวิธีการปฐมพยาบาลในกรณีฉุกเฉิน หรือตามที่กฎหมายอื่นกำหนด

4.3 ในการใช้สารเคมีต้องปฏิบัติตามที่ระบุไว้ในฉลาก และไม่นำสารเคมีหมดอายุมาใช้ ในกรณีที่ไม่มีการเติมสารเคมีแบบอัตโนมัติให้เติมสารเคมีลงในสระว่ายน้ำในขณะที่ปิดบริการแล้ว

4.4 สถานที่ทำงานที่เกี่ยวข้องกับการใช้สารเคมี ต้องมีแสงสว่างเพียงพอ เพื่อป้องกันการเกิดอุบัติเหตุอันเนื่องจากพนักงานไม่สามารถมองเห็นสิ่งต่าง ๆ ได้อย่างชัดเจน ค่ามาตรฐานแสงสว่างในบริเวณต่างๆ ควรเป็นดังนี้

- ห้องสูบน้ำจ่ายสารเคมีไม่น้อยกว่า 100 ลักซ์
- ห้องเครื่องกรองน้ำไม่น้อยกว่า 50 ลักซ์
- ห้องหรือสถานที่เก็บสารเคมีไม่น้อยกว่า 50 ลักซ์

4.5 ต้องมีมาตรการในการป้องกันการสัมผัสสารเคมีของพนักงาน เช่น กำหนดขั้นตอนการทำงานที่ปลอดภัย จัดหาอุปกรณ์ป้องกันอันตรายส่วนบุคคลที่เหมาะสมให้พนักงาน รวมทั้งประเมินการสัมผัสสารเคมีอันตรายของพนักงานที่ทำหน้าที่เติมสารเคมี และมีผลไว้ให้เจ้าหน้าที่ตรวจสอบอย่างน้อยปีละหนึ่งครั้ง

4.6 ในขณะทำงานกับสารเคมี ให้ผู้ปฏิบัติงานสวมอุปกรณ์ป้องกันอันตรายส่วนบุคคลที่เหมาะสม เช่น สวมหน้ากาก และสวมถุงมือในขณะปฏิบัติเกี่ยวกับสารเคมี เป็นต้น

4.7 ห้ามสูบบุหรี่ ดื่มน้ำหรือรับประทานอาหารในห้องจัดเก็บสารเคมี

4.8 ดูแลความสะอาดอย่างสม่ำเสมอ หากสารเคมีหกรั่วไหล ต้องทำความสะอาดทันที

5. การจัดการสิ่งปฏิกูล น้ำเสีย และมูลฝอย

5.1. จัดให้มีห้องน้ำ ห้องส้วม และการบำบัดสิ่งปฏิกูลดังนี้

5.1.1 มีห้องน้ำ ห้องส้วมแยกจากกัน โดยมีแบบและจำนวนตามที่กำหนดในกฎหมายว่าด้วยการควบคุมอาคารและกฎหมายอื่นที่เกี่ยวข้อง

5.1.2 ลักษณะของห้องส้วม การบำบัด และการกำจัดสิ่งปฏิกูลต้องถูกต้องตามหลักสุขาภิบาล

5.1.3 ต้องดูแลรักษาความสะอาดของห้องน้ำและห้องส้วมเป็นประจำทุกวันที่เปิดให้บริการ

5.1.4 ภายในห้องน้ำควรมีวัสดุอุปกรณ์ตามความจำเป็นและเหมาะสม

5.2 มีการบำบัดน้ำเสียให้มีคุณภาพได้มาตรฐานก่อนระบายสู่ท่อระบายน้ำสาธารณะ ซึ่งส่วนประกอบของระบบการจัดการน้ำเสีย ประกอบด้วย

5.2.1 ตะแกรงคัดมูลฝอย สำหรับคัดเศษมูลฝอยจากน้ำเสีย

5.2.2 ระบบรวบรวมน้ำเสีย น้ำจากส่วนต่างๆของอาคารไหลมารวมกันที่ถังรวบรวมน้ำเพื่อรอการบำบัด น้ำที่ล้นออกจากบ่อรวบรวมนี้จะไหลเข้าสู่บ่อบำบัด

5.2.4 ระบบบำบัดน้ำเสียต้องมีวิธีการบำบัดน้ำเสียที่เหมาะสม ไม่ก่อให้เกิดเหตุเดือดร้อนรำคาญและเป็นอันตรายต่อสุขภาพของชุมชน

5.2.5 รางระบายน้ำทิ้ง รางหรือท่อสำหรับระบายน้ำทิ้ง ควรมีตะแกรงวางปิดรางเพื่อกรองเศษผงต่างๆ และป้องกันหนู นอกจากนี้ทางเปิดของท่อระบายน้ำออกสู่ท่อสาธารณะควรมีตะแกรงปิดเพื่อป้องกันหนูด้วย

5.3 จัดให้มีการจัดการมูลฝอยดังนี้

5.3.1 ควรมีการคัดแยกมูลฝอยและมีภาชนะรองรับมูลฝอยแยกตามประเภท

5.3.2 มีภาชนะรองรับมูลฝอยที่เพียงพอตามหลักสุขาภิบาล

5.3.3 ล้างทำความสะอาดภาชนะรองรับมูลฝอยและบริเวณที่วางภาชนะอยู่เสมอ

5.3.4 รวบรวมมูลฝอยจากภาชนะรองรับมูลฝอยไปยังที่พักมูลฝอยรวม หรือนำไปกำจัดทุกวัน โดยเฉพาะมูลฝอยที่เน่าเสียได้ง่าย

5.3.5 กำจัดมูลฝอยด้วยวิธีที่ถูกต้องตามหลักสุขาภิบาล และเป็นไปตามข้อกำหนดท้องถิ่น

5.3.6 ดูแลมิให้เกิดการทิ้งมูลฝอยเกลื่อนกลาดภายในสถานประกอบกิจการและบริเวณโดยรอบ

6. การสุขาภิบาลอาหารและน้ำดื่ม

6.1 ในกรณีมีการจำหน่ายอาหาร ต้องปฏิบัติตามหลักสุขาภิบาลอาหาร และตามข้อกำหนดของท้องถิ่น

6.2 ต้องมีน้ำดื่มที่ได้คุณภาพตามมาตรฐานน้ำดื่มไว้บริการอย่างเพียงพอ

6.3 ลักษณะการนำน้ำมาดื่ม ต้องไม่ก่อให้เกิดความสกปรกหรือการปนเปื้อน เช่น ใช้ระบบน้ำกด ใช้แก้วส่วนตัว ใช้แก้วกระดาษที่ใช้ครั้งเดียวแล้วทิ้ง และใช้แก้วส่วนกลางที่ใช้ดื่มเพียงครั้งเดียว แล้วนำไปล้างทำความสะอาดก่อนนำมาใช้ใหม่ เป็นต้น ทั้งนี้ให้จัดทำป้ายหรือมีข้อความการปฏิบัติไว้ด้วย

7. การป้องกันควบคุมสัตว์และแมลงนำโรค

7.1 ภายในสถานประกอบกิจการไม่ควรมีหนู แมลงวัน และแมลงสาบ

7.2 ต้องมีการป้องกัน ควบคุม กำจัดสัตว์และแมลงนำโรคโดยเฉพาะหนู แมลงวัน และแมลงสาบอย่างถูกต้องตามหลักสุขาภิบาล

8. การดูแลสุขภาพและความปลอดภัย

8.1 ต้องกำหนดให้มีผู้ดูแลด้วย กรณีที่นำเด็กอายุต่ำกว่า 10 ปี ที่ยังว่ายน้ำไม่เป็นและผู้สูงอายุที่ไม่สามารถดูแลตัวเองได้มาใช้บริการสระว่ายน้ำ

8.2 จัดให้มีอุปกรณ์ช่วยชีวิต ดังนี้

8.2.1 โฟมช่วยชีวิต อย่างน้อย 2 อัน

8.2.2 ห่วงชูชีพ ขนาดเส้นผ่าศูนย์กลางภายใน 15 นิ้ว หรือทุ่นลอย ผูกไว้กับเชือกยาวไม่น้อยกว่าความกว้างของสระว่ายน้ำ อย่างน้อย 2 อัน

8.2.3 ไม้ช่วยชีวิต หรือวัตถุอื่นใด มีความยาวไม่น้อยกว่า 3.5 เมตร น้ำหนักเบา อย่างน้อย 1 อัน และต้องวางไว้ที่ปลายคู่อส่วนของสระว่ายน้ำ

8.2.4 เครื่องช่วยหายใจ สำหรับผู้ใหญ่ และสำหรับเด็ก อย่างละ 1 ชุด

8.2.5 ห้องปฐมพยาบาลพร้อมชุดปฐมพยาบาลที่พร้อมใช้งานได้ตลอดเวลาไว้ประจำสระว่ายน้ำและอยู่ในบริเวณที่ใกล้ที่สุด

8.3 มีอุปกรณ์สื่อสารที่สามารถติดต่อบุคคลหรือสถานที่สำคัญๆ เช่น โรงพยาบาล และสถานีตำรวจ เพื่อขอความช่วยเหลือเมื่อเกิดเหตุฉุกเฉินต่างๆ เช่น เพลิงไหม้ หรือมีคนจมน้ำ และต้องปิดประกาศหมายเลขโทรศัพท์ของสถานที่ดังกล่าวไว้ในที่เห็นได้ชัดเจนและเป็นข้อมูลปัจจุบันอยู่เสมอ

9. เหตุรำคาญ

มีการควบคุมมิให้เกิดเหตุรำคาญ ซึ่งมาจากกิจกรรมการดำเนินการต่างๆ
