

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รบกวนบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 12, 2024	NIGHT TIME ^{2/}					
T24AV481-0004	23:50-23:55 HOUR	50.9 ^{2/}	48.8 ***	49.7 ^{2/}	48.1 ***	1.6
	23:55-00:00 HOUR	49.6 ^{2/}	48.8 ***	44.9 ^{2/}	48.1 ***	<0.8 ^{3/}
SEPTEMBER 13, 2024	NIGHT TIME ^{2/}					
T24AV481-0004	00:00-00:05 HOUR	48.9 ^{2/}	46.5 ***	48.2 ^{2/}	45.9 ***	2.3
	00:05-00:10 HOUR	49.1 ^{2/}	46.5 ***	48.6 ^{2/}	45.9 ***	2.7
	00:10-00:15 HOUR	48.8 ^{2/}	46.5 ***	47.9 ^{2/}	45.9 ***	2.0
	00:15-00:20 HOUR	48.9 ^{2/}	48.1 ***	44.2 ^{2/}	47.5 ***	<0.8 ^{3/}
	00:20-00:25 HOUR	48.8 ^{2/}	48.1 ***	43.5 ^{2/}	47.5 ***	<0.8 ^{3/}
	00:25-00:30 HOUR	49.1 ^{2/}	48.1 ***	45.2 ^{2/}	47.5 ***	<0.8 ^{3/}
	00:30-00:35 HOUR	49.3 ^{2/}	48.7 ***	43.4 ^{2/}	48.0 ***	<0.8 ^{3/}
	00:35-00:40 HOUR	49.7 ^{2/}	48.7 ***	45.8 ^{2/}	48.0 ***	<0.8 ^{3/}
	00:40-00:45 HOUR	49.5 ^{2/}	48.7 ***	44.8 ^{2/}	48.0 ***	<0.8 ^{3/}
	00:45-00:50 HOUR	49.8 ^{2/}	47.8 ***	48.5 ^{2/}	47.4 ***	1.1
	00:50-00:55 HOUR	49.6 ^{2/}	47.8 ***	47.9 ^{2/}	47.4 ***	<0.8 ^{3/}
	00:55-01:00 HOUR	49.8 ^{2/}	47.8 ***	48.5 ^{2/}	47.4 ***	1.1
	01:00-01:05 HOUR	50.0 ^{2/}	48.2 ***	48.3 ^{2/}	47.2 ***	1.1
	01:05-01:10 HOUR	50.2 ^{2/}	48.2 ***	48.9 ^{2/}	47.2 ***	1.7
	01:10-01:15 HOUR	49.4 ^{2/}	48.2 ***	46.2 ^{2/}	47.2 ***	<0.8 ^{3/}
	01:15-01:20 HOUR	49.5 ^{2/}	48.2 ***	46.6 ^{2/}	47.7 ***	<0.8 ^{3/}
	01:20-01:25 HOUR	49.7 ^{2/}	48.2 ***	47.4 ^{2/}	47.7 ***	<0.8 ^{3/}
	01:25-01:30 HOUR	50.3 ^{2/}	48.2 ***	49.1 ^{2/}	47.7 ***	1.4
	01:30-01:35 HOUR	50.7 ^{2/}	50.0 ***	45.4 ^{2/}	47.8 ***	<0.8 ^{3/}
	01:35-01:40 HOUR	50.6 ^{2/}	50.0 ***	44.7 ^{2/}	47.8 ***	<0.8 ^{3/}
	01:40-01:45 HOUR	52.5 ^{2/}	50.0 ***	51.9 ^{2/}	47.8 ***	4.1
	01:45-01:50 HOUR	51.2 ^{2/}	53.6 ***	<0.8 ^{3/}	49.4 ***	<0.8 ^{3/}
	01:50-01:55 HOUR	54.2 ^{2/}	53.6 ***	48.3 ^{2/}	49.4 ***	<0.8 ^{3/}
	01:55-02:00 HOUR	56.7 ^{2/}	53.6 ***	56.8 ^{2/}	49.4 ***	7.4
	02:00-02:05 HOUR	50.7 ^{2/}	48.6 ***	49.5 ^{2/}	48.0 ***	1.5
	02:05-02:10 HOUR	50.5 ^{2/}	48.6 ***	49.0 ^{2/}	48.0 ***	1.0
	02:10-02:15 HOUR	50.1 ^{2/}	48.6 ***	47.8 ^{2/}	48.0 ***	<0.8 ^{3/}
	02:15-02:20 HOUR	49.3 ^{2/}	47.9 ***	46.7 ^{2/}	47.3 ***	<0.8 ^{3/}
	02:20-02:25 HOUR	49.3 ^{2/}	47.9 ***	46.7 ^{2/}	47.3 ***	<0.8 ^{3/}
	02:25-02:30 HOUR	49.5 ^{2/}	47.9 ***	47.4 ^{2/}	47.3 ***	<0.8 ^{3/}
	02:30-02:35 HOUR	49.6 ^{2/}	48.3 ***	46.7 ^{2/}	47.8 ***	<0.8 ^{3/}
	02:35-02:40 HOUR	49.8 ^{2/}	48.3 ***	47.5 ^{2/}	47.8 ***	<0.8 ^{3/}
	02:40-02:45 HOUR	49.9 ^{2/}	48.3 ***	47.8 ^{2/}	47.8 ***	<0.8 ^{3/}
	02:45-02:50 HOUR	49.8 ^{2/}	48.1 ***	47.9 ^{2/}	47.6 ***	<0.8 ^{3/}
	02:50-02:55 HOUR	49.8 ^{2/}	48.1 ***	47.9 ^{2/}	47.6 ***	<0.8 ^{3/}
	02:55-03:00 HOUR	49.3 ^{2/}	48.1 ***	46.1 ^{2/}	47.6 ***	<0.8 ^{3/}
	03:00-03:05 HOUR	49.1 ^{2/}	48.0 ***	45.6 ^{2/}	47.4 ***	<0.8 ^{3/}
	03:05-03:10 HOUR	49.5 ^{2/}	48.0 ***	47.2 ^{2/}	47.4 ***	<0.8 ^{3/}
	03:10-03:15 HOUR	49.1 ^{2/}	48.0 ***	45.6 ^{2/}	47.4 ***	<0.8 ^{3/}
	03:15-03:20 HOUR	48.3 ^{2/}	47.2 ***	44.8 ^{2/}	46.6 ***	<0.8 ^{3/}
	03:20-03:25 HOUR	48.2 ^{2/}	47.2 ***	44.3 ^{2/}	46.6 ***	<0.8 ^{3/}

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รื้อถอนบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 13, 2024 T24AV481-0004	NIGHT TIME ^{2/}					
	03:25-03:30 HOUR	48.0 ^{2/}	47.2 ***	43.3 ^{2/}	46.6 ***	<0.8 ^{3/}
	03:30-03:35 HOUR	47.9 ^{2/}	47.0 ***	43.6 ^{2/}	46.4 ***	<0.8 ^{3/}
	03:35-03:40 HOUR	48.4 ^{2/}	47.0 ***	45.8 ^{2/}	46.4 ***	<0.8 ^{3/}
	03:40-03:45 HOUR	47.6 ^{2/}	47.0 ***	41.7 ^{2/}	46.4 ***	<0.8 ^{3/}
	03:45-03:50 HOUR	47.3 ^{2/}	46.3 ***	43.4 ^{2/}	45.7 ***	<0.8 ^{3/}
	03:50-03:55 HOUR	47.8 ^{2/}	46.3 ***	45.5 ^{2/}	45.7 ***	<0.8 ^{3/}
	03:55-04:00 HOUR	48.2 ^{2/}	46.3 ***	46.7 ^{2/}	45.7 ***	1.0
	04:00-04:05 HOUR	48.7 ^{2/}	47.7 ***	44.8 ^{2/}	46.8 ***	<0.8 ^{3/}
	04:05-04:10 HOUR	47.9 ^{2/}	47.7 ***	37.4 ^{2/}	46.8 ***	<0.8 ^{3/}
	04:10-04:15 HOUR	48.0 ^{2/}	47.7 ***	39.2 ^{2/}	46.8 ***	<0.8 ^{3/}
	04:15-04:20 HOUR	48.2 ^{2/}	46.4 ***	46.5 ^{2/}	45.5 ***	1.0
	04:20-04:25 HOUR	48.2 ^{2/}	46.4 ***	46.5 ^{2/}	45.5 ***	1.0
	04:25-04:30 HOUR	48.2 ^{2/}	46.4 ***	46.5 ^{2/}	45.5 ***	1.0
	04:30-04:35 HOUR	48.5 ^{2/}	47.1 ***	45.9 ^{2/}	46.2 ***	<0.8 ^{3/}
	04:35-04:40 HOUR	48.2 ^{2/}	47.1 ***	44.7 ^{2/}	46.2 ***	<0.8 ^{3/}
	04:40-04:45 HOUR	47.9 ^{2/}	47.1 ***	43.2 ^{2/}	46.2 ***	<0.8 ^{3/}
	04:45-04:50 HOUR	48.0 ^{2/}	46.5 ***	45.7 ^{2/}	45.6 ***	<0.8 ^{3/}
	04:50-04:55 HOUR	47.9 ^{2/}	46.5 ***	45.3 ^{2/}	45.6 ***	<0.8 ^{3/}
	04:55-05:00 HOUR	47.8 ^{2/}	46.5 ***	44.9 ^{2/}	45.6 ***	<0.8 ^{3/}
	05:00-05:05 HOUR	47.8 ^{2/}	47.0 ***	43.1 ^{2/}	46.1 ***	<0.8 ^{3/}
	05:05-05:10 HOUR	47.1 ^{2/}	47.0 ***	33.7 ^{2/}	46.1 ***	<0.8 ^{3/}
	05:10-05:15 HOUR	47.6 ^{2/}	47.0 ***	41.7 ^{2/}	46.1 ***	<0.8 ^{3/}
	05:15-05:20 HOUR	47.6 ^{2/}	47.3 ***	38.8 ^{2/}	46.1 ***	<0.8 ^{3/}
	05:20-05:25 HOUR	48.7 ^{2/}	47.3 ***	46.1 ^{2/}	46.1 ***	<0.8 ^{3/}
	05:25-05:30 HOUR	48.4 ^{2/}	47.3 ***	44.9 ^{2/}	46.1 ***	<0.8 ^{3/}
	05:30-05:35 HOUR	47.4 ^{2/}	45.7 ***	45.5 ^{2/}	43.6 ***	1.9
	05:35-05:40 HOUR	49.3 ^{2/}	45.7 ***	49.8 ^{2/}	43.6 ***	6.2
	05:40-05:45 HOUR	46.0 ^{2/}	45.7 ***	37.2 ^{2/}	43.6 ***	<0.8 ^{3/}
	05:45-05:50 HOUR	47.9 ^{2/}	45.6 ***	47.0 ^{2/}	40.7 ***	6.3
	05:50-05:55 HOUR	46.1 ^{2/}	45.6 ***	39.5 ^{2/}	40.7 ***	<0.8 ^{3/}
	05:55-06:00 HOUR	48.6 ^{2/}	45.6 ***	48.6 ^{2/}	40.7 ***	7.9
SEPTEMBER 13, 2024 T24AV481-0005	DAY TIME ^{1/}					
	06:00-07:00 HOUR	47.6 ^{1/}	43.9 **	45.2 ^{1/}	40.5 **	4.7
	DAY TIME ^{1/}					
	07:00-08:00 HOUR	48.2 ^{1/}	45.7 **	44.6 ^{1/}	41.0 **	3.6
	08:00-09:00 HOUR	52.5 ^{1/}	50.1 **	48.8 ^{1/}	41.7 **	7.1
	09:00-10:00 HOUR	57.6 ^{1/}	56.3 **	51.7 ^{1/}	52.6 **	<0.8 ^{3/}
	10:00-11:00 HOUR	60.6 ^{1/}	58.1 **	57.0 ^{1/}	53.0 **	4.0
	11:00-12:00 HOUR	61.6 ^{1/}	59.5 **	57.4 ^{1/}	53.2 **	4.2
	12:00-13:00 HOUR	50.9 ^{1/}	45.5 **	49.4 ^{1/}	42.0 **	7.4
	13:00-14:00 HOUR	60.0 ^{1/}	56.7 **	57.3 ^{1/}	51.4 **	5.9
	14:00-15:00 HOUR	61.8 ^{1/}	60.4 **	56.2 ^{1/}	52.9 **	3.3
	15:00-16:00 HOUR	62.0 ^{1/}	60.6 **	56.4 ^{1/}	52.8 **	3.6
	16:00-17:00 HOUR	57.4 ^{1/}	55.4 **	53.1 ^{1/}	48.0 **	5.1
	17:00-18:00 HOUR	55.1 ^{1/}	54.1 **	48.2 ^{1/}	50.8 **	<0.8 ^{3/}

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รบกวนบริเวณที่วางอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 13, 2024	DAY TIME ^{1/}					
T24AV481-0005	18:00-19:00 HOUR	53.5 ^{1/}	51.0 ^{**}	49.9 ^{1/}	49.9 ^{**}	<0.8 ^{3/}
	19:00-20:00 HOUR	49.6 ^{1/}	44.7 ^{**}	47.9 ^{1/}	42.5 ^{**}	5.4
	20:00-21:00 HOUR	45.8 ^{1/}	43.9 ^{**}	41.3 ^{1/}	42.6 ^{**}	<0.8 ^{3/}
	21:00-22:00 HOUR	46.2 ^{1/}	42.8 ^{**}	43.5 ^{1/}	42.1 ^{**}	1.4
	NIGHT TIME ^{2/}					
	22:00-22:05 HOUR	50.0 ^{2/}	45.4 ^{***}	51.2 ^{2/}	44.0 ^{***}	7.2
	22:05-22:10 HOUR	48.4 ^{2/}	45.4 ^{***}	48.4 ^{2/}	44.0 ^{***}	4.4
	22:10-22:15 HOUR	46.2 ^{2/}	45.4 ^{***}	41.5 ^{2/}	44.0 ^{***}	<0.8 ^{3/}
	22:15-22:20 HOUR	47.5 ^{2/}	45.5 ^{***}	46.2 ^{2/}	43.8 ^{***}	2.4
	22:20-22:25 HOUR	46.6 ^{2/}	45.5 ^{***}	43.1 ^{2/}	43.8 ^{***}	<0.8 ^{3/}
	22:25-22:30 HOUR	45.9 ^{2/}	45.5 ^{***}	38.3 ^{2/}	43.8 ^{***}	<0.8 ^{3/}
	22:30-22:35 HOUR	48.1 ^{2/}	45.0 ^{***}	48.2 ^{2/}	43.9 ^{***}	4.3
	22:35-22:40 HOUR	46.4 ^{2/}	45.0 ^{***}	43.8 ^{2/}	43.9 ^{***}	<0.8 ^{3/}
	22:40-22:45 HOUR	46.5 ^{2/}	45.0 ^{***}	44.2 ^{2/}	43.9 ^{***}	<0.8 ^{3/}
	22:45-22:50 HOUR	46.3 ^{2/}	44.2 ^{***}	45.1 ^{2/}	43.2 ^{***}	1.9
	22:50-22:55 HOUR	46.3 ^{2/}	44.2 ^{***}	45.1 ^{2/}	43.2 ^{***}	1.9
	22:55-23:00 HOUR	45.6 ^{2/}	44.2 ^{***}	43.0 ^{2/}	43.2 ^{***}	<0.8 ^{3/}
	23:00-23:05 HOUR	47.0 ^{2/}	45.3 ^{***}	45.1 ^{2/}	43.9 ^{***}	1.2
	23:05-23:10 HOUR	46.9 ^{2/}	45.3 ^{***}	44.8 ^{2/}	43.9 ^{***}	0.9
	23:10-23:15 HOUR	48.5 ^{2/}	45.3 ^{***}	48.7 ^{2/}	43.9 ^{***}	4.8
	23:15-23:20 HOUR	46.2 ^{2/}	43.7 ^{***}	45.6 ^{2/}	42.9 ^{***}	2.7
	23:20-23:25 HOUR	46.2 ^{2/}	43.7 ^{***}	45.6 ^{2/}	42.9 ^{***}	2.7
	23:25-23:30 HOUR	44.5 ^{2/}	43.7 ^{***}	39.8 ^{2/}	42.9 ^{***}	<0.8 ^{3/}
	23:30-23:35 HOUR	44.4 ^{2/}	43.6 ^{***}	39.7 ^{2/}	42.1 ^{***}	<0.8 ^{3/}
	23:35-23:40 HOUR	44.3 ^{2/}	43.6 ^{***}	39.0 ^{2/}	42.1 ^{***}	<0.8 ^{3/}
	23:40-23:45 HOUR	44.2 ^{2/}	43.6 ^{***}	38.3 ^{2/}	42.1 ^{***}	<0.8 ^{3/}
	23:45-23:50 HOUR	44.1 ^{2/}	43.0 ^{***}	40.6 ^{2/}	41.6 ^{***}	<0.8 ^{3/}
	23:50-23:55 HOUR	46.6 ^{2/}	43.0 ^{***}	47.1 ^{2/}	41.6 ^{***}	5.5
	23:55-00:00 HOUR	43.7 ^{2/}	43.0 ^{***}	38.4 ^{2/}	41.6 ^{***}	<0.8 ^{3/}
SEPTEMBER 14, 2024	NIGHT TIME ^{2/}					
T24AV481-0005	00:00-00:05 HOUR	43.2 ^{2/}	42.8 ^{***}	35.6 ^{2/}	42.0 ^{***}	<0.8 ^{3/}
	00:05-00:10 HOUR	44.0 ^{2/}	42.8 ^{***}	40.8 ^{2/}	42.0 ^{***}	<0.8 ^{3/}
	00:10-00:15 HOUR	43.5 ^{2/}	42.8 ^{***}	38.2 ^{2/}	42.0 ^{***}	<0.8 ^{3/}
	00:15-00:20 HOUR	43.0 ^{2/}	43.0 ^{***}	<0.8 ^{3/}	42.1 ^{***}	<0.8 ^{3/}
	00:20-00:25 HOUR	43.3 ^{2/}	43.0 ^{***}	34.5 ^{2/}	42.1 ^{***}	<0.8 ^{3/}
	00:25-00:30 HOUR	44.0 ^{2/}	43.0 ^{***}	40.1 ^{2/}	42.1 ^{***}	<0.8 ^{3/}
	00:30-00:35 HOUR	44.2 ^{2/}	42.4 ^{***}	42.5 ^{2/}	40.8 ^{***}	1.7
	00:35-00:40 HOUR	44.7 ^{2/}	42.4 ^{***}	43.8 ^{2/}	40.8 ^{***}	3.0
	00:40-00:45 HOUR	44.3 ^{2/}	42.4 ^{***}	42.8 ^{2/}	40.8 ^{***}	2.0
	00:45-00:50 HOUR	43.3 ^{2/}	42.1 ^{***}	40.1 ^{2/}	41.1 ^{***}	<0.8 ^{3/}
	00:50-00:55 HOUR	43.5 ^{2/}	42.1 ^{***}	40.9 ^{2/}	41.1 ^{***}	<0.8 ^{3/}
	00:55-01:00 HOUR	44.0 ^{2/}	42.1 ^{***}	42.5 ^{2/}	41.1 ^{***}	1.4
	01:00-01:05 HOUR	44.2 ^{2/}	43.9 ^{***}	35.4 ^{2/}	41.3 ^{***}	<0.8 ^{3/}
	01:05-01:10 HOUR	43.6 ^{2/}	43.9 ^{***}	<0.8 ^{3/}	41.3 ^{***}	<0.8 ^{3/}
	01:10-01:15 HOUR	48.0 ^{2/}	43.9 ^{***}	48.9 ^{2/}	41.3 ^{***}	7.6

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รบกวนบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 14, 2024	NIGHT TIME ^{2/}					
T24AV481-0005	01:15-01:20 HOUR	42.5 ^{2/}	40.6 ***	41.0 ^{2/}	39.6 ***	1.4
	01:20-01:25 HOUR	41.1 ^{2/}	40.6 ***	34.5 ^{2/}	39.6 ***	<0.8 ^{3/}
	01:25-01:30 HOUR	41.8 ^{2/}	40.6 ***	38.6 ^{2/}	39.6 ***	<0.8 ^{3/}
	01:30-01:35 HOUR	41.4 ^{2/}	40.4 ***	37.5 ^{2/}	39.5 ***	<0.8 ^{3/}
	01:35-01:40 HOUR	41.5 ^{2/}	40.4 ***	38.0 ^{2/}	39.5 ***	<0.8 ^{3/}
	01:40-01:45 HOUR	41.9 ^{2/}	40.4 ***	39.6 ^{2/}	39.5 ***	<0.8 ^{3/}
	01:45-01:50 HOUR	41.4 ^{2/}	41.0 ***	33.8 ^{2/}	39.4 ***	<0.8 ^{3/}
	01:50-01:55 HOUR	42.1 ^{2/}	41.0 ***	38.6 ^{2/}	39.4 ***	<0.8 ^{3/}
	01:55-02:00 HOUR	42.7 ^{2/}	41.0 ***	40.8 ^{2/}	39.4 ***	1.4
	02:00-02:05 HOUR	42.7 ^{2/}	41.5 ***	39.5 ^{2/}	39.8 ***	<0.8 ^{3/}
	02:05-02:10 HOUR	42.7 ^{2/}	41.5 ***	39.5 ^{2/}	39.8 ***	<0.8 ^{3/}
	02:10-02:15 HOUR	43.1 ^{2/}	41.5 ***	41.0 ^{2/}	39.8 ***	1.2
	02:15-02:20 HOUR	43.1 ^{2/}	44.0 ***	<0.8 ^{3/}	41.7 ***	<0.8 ^{3/}
	02:20-02:25 HOUR	45.7 ^{2/}	44.0 ***	43.8 ^{2/}	41.7 ***	2.1
	02:25-02:30 HOUR	47.2 ^{2/}	44.0 ***	47.4 ^{2/}	41.7 ***	5.7
	02:30-02:35 HOUR	46.0 ^{2/}	44.0 ***	44.7 ^{2/}	42.8 ***	1.9
	02:35-02:40 HOUR	46.0 ^{2/}	44.0 ***	44.7 ^{2/}	42.8 ***	1.9
	02:40-02:45 HOUR	45.7 ^{2/}	44.0 ***	43.8 ^{2/}	42.8 ***	1.0
	02:45-02:50 HOUR	45.8 ^{2/}	45.1 ***	40.5 ^{2/}	43.9 ***	<0.8 ^{3/}
	02:50-02:55 HOUR	45.7 ^{2/}	45.1 ***	39.8 ^{2/}	43.9 ***	<0.8 ^{3/}
	02:55-03:00 HOUR	45.9 ^{2/}	45.1 ***	41.2 ^{2/}	43.9 ***	<0.8 ^{3/}
	03:00-03:05 HOUR	45.3 ^{2/}	45.6 ***	<0.8 ^{3/}	43.7 ***	<0.8 ^{3/}
	03:05-03:10 HOUR	45.4 ^{2/}	45.6 ***	<0.8 ^{3/}	43.7 ***	<0.8 ^{3/}
	03:10-03:15 HOUR	44.9 ^{2/}	45.6 ***	<0.8 ^{3/}	43.7 ***	<0.8 ^{3/}
	03:15-03:20 HOUR	48.3 ^{2/}	48.2 ***	34.9 ^{2/}	47.3 ***	<0.8 ^{3/}
	03:20-03:25 HOUR	50.7 ^{2/}	48.2 ***	50.1 ^{2/}	47.3 ***	2.8
	03:25-03:30 HOUR	50.8 ^{2/}	48.2 ***	50.3 ^{2/}	47.3 ***	3.0
	03:30-03:35 HOUR	50.6 ^{2/}	47.7 ***	50.5 ^{2/}	45.9 ***	4.6
	03:35-03:40 HOUR	50.9 ^{2/}	47.7 ***	51.1 ^{2/}	45.9 ***	5.2
	03:40-03:45 HOUR	50.2 ^{2/}	47.7 ***	49.6 ^{2/}	45.9 ***	3.7
	03:45-03:50 HOUR	47.4 ^{2/}	44.7 ***	47.1 ^{2/}	42.0 ***	5.1
	03:50-03:55 HOUR	47.0 ^{2/}	44.7 ***	46.1 ^{2/}	42.0 ***	4.1
	03:55-04:00 HOUR	46.0 ^{2/}	44.7 ***	43.1 ^{2/}	42.0 ***	1.1
	04:00-04:05 HOUR	45.1 ^{2/}	46.3 ***	<0.8 ^{3/}	44.5 ***	<0.8 ^{3/}
	04:05-04:10 HOUR	45.3 ^{2/}	46.3 ***	<0.8 ^{3/}	44.5 ***	<0.8 ^{3/}
	04:10-04:15 HOUR	49.1 ^{2/}	46.3 ***	48.9 ^{2/}	44.5 ***	4.4
	04:15-04:20 HOUR	48.7 ^{2/}	49.6 ***	<0.8 ^{3/}	48.5 ***	<0.8 ^{3/}
	04:20-04:25 HOUR	49.7 ^{2/}	49.6 ***	36.3 ^{2/}	48.5 ***	<0.8 ^{3/}
	04:25-04:30 HOUR	51.0 ^{2/}	49.6 ***	48.4 ^{2/}	48.5 ***	<0.8 ^{3/}
	04:30-04:35 HOUR	52.0 ^{2/}	50.4 ***	49.9 ^{2/}	49.2 ***	<0.8 ^{3/}
	04:35-04:40 HOUR	52.0 ^{2/}	50.4 ***	49.9 ^{2/}	49.2 ***	<0.8 ^{3/}
	04:40-04:45 HOUR	50.5 ^{2/}	50.4 ***	37.1 ^{2/}	49.2 ***	<0.8 ^{3/}
	04:45-04:50 HOUR	50.3 ^{2/}	45.3 ***	51.6 ^{2/}	44.3 ***	7.3
	04:50-04:55 HOUR	48.1 ^{2/}	45.3 ***	47.9 ^{2/}	44.3 ***	3.6

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รบกวนบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 14, 2024	NIGHT TIME ^{2/}					
T24AV481-0005	04:55-05:00 HOUR	47.5 ^{2/}	45.3 ***	46.5 ^{2/}	44.3 ***	2.2
	05:00-05:05 HOUR	45.8 ^{2/}	44.1 ***	43.9 ^{2/}	43.0 ***	0.9
	05:05-05:10 HOUR	45.5 ^{2/}	44.1 ***	42.9 ^{2/}	43.0 ***	<0.8 ^{3/}
	05:10-05:15 HOUR	45.1 ^{2/}	44.1 ***	41.2 ^{2/}	43.0 ***	<0.8 ^{3/}
	05:15-05:20 HOUR	45.6 ^{2/}	43.0 ***	45.1 ^{2/}	42.2 ***	2.9
	05:20-05:25 HOUR	45.2 ^{2/}	43.0 ***	44.2 ^{2/}	42.2 ***	2.0
	05:25-05:30 HOUR	43.6 ^{2/}	43.0 ***	37.7 ^{2/}	42.2 ***	<0.8 ^{3/}
	05:30-05:35 HOUR	43.8 ^{2/}	44.3 ***	<0.8 ^{3/}	41.3 ***	<0.8 ^{3/}
	05:35-05:40 HOUR	44.3 ^{2/}	44.3 ***	<0.8 ^{3/}	41.3 ***	<0.8 ^{3/}
	05:40-05:45 HOUR	45.3 ^{2/}	44.3 ***	41.4 ^{2/}	41.3 ***	<0.8 ^{3/}
	05:45-05:50 HOUR	46.9 ^{2/}	44.3 ***	46.4 ^{2/}	41.2 ***	5.2
	05:50-05:55 HOUR	44.7 ^{2/}	44.3 ***	37.1 ^{2/}	41.2 ***	<0.8 ^{3/}
	05:55-06:00 HOUR	45.5 ^{2/}	44.3 ***	42.3 ^{2/}	41.2 ***	1.1
	DAY TIME ^{1/}					
	06:00-07:00 HOUR	49.2 ^{1/}	46.1 **	46.3 ^{1/}	41.8 **	4.5
SEPTEMBER 14, 2024	DAY TIME ^{1/}					
T24AV481-0006	07:00-08:00 HOUR	48.5 ^{1/}	46.0 **	44.9 ^{1/}	40.1 **	4.8
	08:00-09:00 HOUR	45.5 ^{1/}	44.2 **	39.6 ^{1/}	39.4 **	<0.8 ^{3/}
	09:00-10:00 HOUR	47.2 ^{1/}	47.4 **	<0.8 ^{3/}	39.7 **	<0.8 ^{3/}
	10:00-11:00 HOUR	50.4 ^{1/}	48.5 **	45.9 ^{1/}	44.0 **	1.9
	11:00-12:00 HOUR	50.9 ^{1/}	46.8 **	48.8 ^{1/}	42.7 **	6.1
	12:00-13:00 HOUR	46.6 ^{1/}	43.4 **	43.8 ^{1/}	39.3 **	4.5
	13:00-14:00 HOUR	51.5 ^{1/}	51.1 **	40.9 ^{1/}	44.1 **	<0.8 ^{3/}
	14:00-15:00 HOUR	51.9 ^{1/}	49.5 **	48.2 ^{1/}	46.3 **	1.9
	15:00-16:00 HOUR	53.3 ^{1/}	51.7 **	48.2 ^{1/}	45.2 **	3.0
	16:00-17:00 HOUR	56.6 ^{1/}	53.0 **	54.1 ^{1/}	46.9 **	7.2
	17:00-18:00 HOUR	47.8 ^{1/}	44.1 **	45.4 ^{1/}	40.7 **	4.7
	18:00-19:00 HOUR	47.3 ^{1/}	44.2 **	44.4 ^{1/}	40.3 **	4.1
	19:00-20:00 HOUR	46.7 ^{1/}	43.9 **	43.5 ^{1/}	42.5 **	1.0
	20:00-21:00 HOUR	46.5 ^{1/}	45.1 **	40.9 ^{1/}	43.5 **	<0.8 ^{3/}
	21:00-22:00 HOUR	45.3 ^{1/}	43.5 **	40.6 ^{1/}	42.3 **	<0.8 ^{3/}
	NIGHT TIME ^{2/}					
	22:00-22:05 HOUR	45.9 ^{2/}	43.5 ***	45.2 ^{2/}	42.3 ***	2.9
	22:05-22:10 HOUR	45.5 ^{2/}	43.5 ***	44.2 ^{2/}	42.3 ***	1.9
	22:10-22:15 HOUR	45.6 ^{2/}	43.5 ***	44.4 ^{2/}	42.3 ***	2.1
	22:15-22:20 HOUR	44.6 ^{2/}	42.0 ***	44.1 ^{2/}	41.0 ***	3.1
	22:20-22:25 HOUR	44.4 ^{2/}	42.0 ***	43.7 ^{2/}	41.0 ***	2.7
	22:25-22:30 HOUR	43.6 ^{2/}	42.0 ***	41.5 ^{2/}	41.0 ***	<0.8 ^{3/}
	22:30-22:35 HOUR	44.0 ^{2/}	43.4 ***	38.1 ^{2/}	41.1 ***	<0.8 ^{3/}
	22:35-22:40 HOUR	43.3 ^{2/}	43.4 ***	<0.8 ^{3/}	41.1 ***	<0.8 ^{3/}
	22:40-22:45 HOUR	45.7 ^{2/}	43.4 ***	44.8 ^{2/}	41.1 ***	3.7
	22:45-22:50 HOUR	45.1 ^{2/}	43.6 ***	42.8 ^{2/}	41.4 ***	1.4
	22:50-22:55 HOUR	44.1 ^{2/}	43.6 ***	37.5 ^{2/}	41.4 ***	<0.8 ^{3/}
	22:55-23:00 HOUR	45.5 ^{2/}	43.6 ***	44.0 ^{2/}	41.4 ***	2.6
	23:00-23:05 HOUR	46.6 ^{2/}	44.8 ***	44.9 ^{2/}	43.0 ***	1.9



DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รบกวนบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 14, 2024	NIGHT TIME ^{2/}					
T24AV481-0006	23:05-23:10 HOUR	46.5 ^{2/}	44.8 ***	44.6 ^{2/}	43.0 ***	1.6
	23:10-23:15 HOUR	47.0 ^{2/}	44.8 ***	46.0 ^{2/}	43.0 ***	3.0
	23:15-23:20 HOUR	46.5 ^{2/}	45.2 ***	43.6 ^{2/}	44.1 ***	<0.8 ^{3/}
	23:20-23:25 HOUR	45.2 ^{2/}	45.2 ***	<0.8 ^{3/}	44.1 ***	<0.8 ^{3/}
	23:25-23:30 HOUR	46.8 ^{2/}	45.2 ***	44.7 ^{2/}	44.1 ***	<0.8 ^{3/}
	23:30-23:35 HOUR	45.0 ^{2/}	43.9 ***	41.5 ^{2/}	42.8 ***	<0.8 ^{3/}
	23:35-23:40 HOUR	46.2 ^{2/}	43.9 ***	45.3 ^{2/}	42.8 ***	2.5
	23:40-23:45 HOUR	45.5 ^{2/}	43.9 ***	43.4 ^{2/}	42.8 ***	<0.8 ^{3/}
	23:45-23:50 HOUR	47.0 ^{2/}	43.9 ***	47.1 ^{2/}	42.5 ***	4.6
	23:50-23:55 HOUR	45.3 ^{2/}	43.9 ***	42.7 ^{2/}	42.5 ***	<0.8 ^{3/}
	23:55-00:00 HOUR	45.9 ^{2/}	43.9 ***	44.6 ^{2/}	42.5 ***	2.1
SEPTEMBER 15, 2024	NIGHT TIME ^{2/}					
T24AV481-0006	00:00-00:05 HOUR	45.8 ^{2/}	46.6 ***	<0.8 ^{3/}	44.8 ***	<0.8 ^{3/}
	00:05-00:10 HOUR	47.0 ^{2/}	46.6 ***	39.4 ^{2/}	44.8 ***	<0.8 ^{3/}
	00:10-00:15 HOUR	46.7 ^{2/}	46.6 ***	33.3 ^{2/}	44.8 ***	<0.8 ^{3/}
	00:15-00:20 HOUR	46.5 ^{2/}	44.9 ***	44.4 ^{2/}	42.8 ***	1.6
	00:20-00:25 HOUR	48.1 ^{2/}	44.9 ***	48.3 ^{2/}	42.8 ***	5.5
	00:25-00:30 HOUR	45.1 ^{2/}	44.9 ***	34.6 ^{2/}	42.8 ***	<0.8 ^{3/}
	00:30-00:35 HOUR	45.6 ^{2/}	43.0 ***	45.1 ^{2/}	41.7 ***	3.4
	00:35-00:40 HOUR	44.6 ^{2/}	43.0 ***	42.5 ^{2/}	41.7 ***	0.8
	00:40-00:45 HOUR	44.8 ^{2/}	43.0 ***	43.1 ^{2/}	41.7 ***	1.4
	00:45-00:50 HOUR	42.2 ^{2/}	42.6 ***	<0.8 ^{3/}	41.2 ***	<0.8 ^{3/}
	00:50-00:55 HOUR	42.6 ^{2/}	42.6 ***	<0.8 ^{3/}	41.2 ***	<0.8 ^{3/}
	00:55-01:00 HOUR	44.4 ^{2/}	42.6 ***	42.7 ^{2/}	41.2 ***	1.5
	01:00-01:05 HOUR	45.9 ^{2/}	48.7 ***	<0.8 ^{3/}	45.9 ***	<0.8 ^{3/}
	01:05-01:10 HOUR	45.9 ^{2/}	48.7 ***	<0.8 ^{3/}	45.9 ***	<0.8 ^{3/}
	01:10-01:15 HOUR	49.2 ^{2/}	48.7 ***	42.6 ^{2/}	45.9 ***	<0.8 ^{3/}
	01:15-01:20 HOUR	50.5 ^{2/}	48.1 ***	49.8 ^{2/}	47.3 ***	2.5
	01:20-01:25 HOUR	50.8 ^{2/}	48.1 ***	50.5 ^{2/}	47.3 ***	3.2
	01:25-01:30 HOUR	50.6 ^{2/}	48.1 ***	50.0 ^{2/}	47.3 ***	2.7
	01:30-01:35 HOUR	47.4 ^{2/}	46.7 ***	42.1 ^{2/}	46.0 ***	<0.8 ^{3/}
	01:35-01:40 HOUR	47.4 ^{2/}	46.7 ***	42.1 ^{2/}	46.0 ***	<0.8 ^{3/}
	01:40-01:45 HOUR	47.7 ^{2/}	46.7 ***	43.8 ^{2/}	46.0 ***	<0.8 ^{3/}
	01:45-01:50 HOUR	47.7 ^{2/}	45.4 ***	46.8 ^{2/}	44.7 ***	2.1
	01:50-01:55 HOUR	47.6 ^{2/}	45.4 ***	46.6 ^{2/}	44.7 ***	1.9
	01:55-02:00 HOUR	47.8 ^{2/}	45.4 ***	47.1 ^{2/}	44.7 ***	2.4
	02:00-02:05 HOUR	48.1 ^{2/}	46.2 ***	46.6 ^{2/}	45.3 ***	1.3
	02:05-02:10 HOUR	48.0 ^{2/}	46.2 ***	46.3 ^{2/}	45.3 ***	1.0
	02:10-02:15 HOUR	47.5 ^{2/}	46.2 ***	44.6 ^{2/}	45.3 ***	<0.8 ^{3/}
	02:15-02:20 HOUR	48.7 ^{2/}	45.5 ***	48.9 ^{2/}	44.7 ***	4.2
	02:20-02:25 HOUR	48.2 ^{2/}	45.5 ***	47.9 ^{2/}	44.7 ***	3.2
	02:25-02:30 HOUR	47.8 ^{2/}	45.5 ***	46.9 ^{2/}	44.7 ***	2.2
	02:30-02:35 HOUR	47.9 ^{2/}	46.6 ***	45.0 ^{2/}	45.8 ***	<0.8 ^{3/}
	02:35-02:40 HOUR	48.0 ^{2/}	46.6 ***	45.4 ^{2/}	45.8 ***	<0.8 ^{3/}

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รื้อถอนบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 15, 2024	NIGHT TIME ^{2/}					
T24AV481-0006	02:40-02:45 HOUR	48.1 ^{2/}	46.6 ***	45.8 ^{2/}	45.8 ***	<0.8 ^{3/}
	02:45-02:50 HOUR	48.1 ^{2/}	47.0 ***	44.6 ^{2/}	46.2 ***	<0.8 ^{3/}
	02:50-02:55 HOUR	47.8 ^{2/}	47.0 ***	43.1 ^{2/}	46.2 ***	<0.8 ^{3/}
	02:55-03:00 HOUR	47.8 ^{2/}	47.0 ***	43.1 ^{2/}	46.2 ***	<0.8 ^{3/}
	03:00-03:05 HOUR	48.3 ^{2/}	45.6 ***	48.0 ^{2/}	44.8 ***	3.2
	03:05-03:10 HOUR	48.0 ^{2/}	45.6 ***	47.3 ^{2/}	44.8 ***	2.5
	03:10-03:15 HOUR	48.0 ^{2/}	45.6 ***	47.3 ^{2/}	44.8 ***	2.5
	03:15-03:20 HOUR	47.9 ^{2/}	46.2 ***	46.0 ^{2/}	45.3 ***	<0.8 ^{3/}
	03:20-03:25 HOUR	47.9 ^{2/}	46.2 ***	46.0 ^{2/}	45.3 ***	<0.8 ^{3/}
	03:25-03:30 HOUR	47.5 ^{2/}	46.2 ***	44.6 ^{2/}	45.3 ***	<0.8 ^{3/}
	03:30-03:35 HOUR	47.5 ^{2/}	45.8 ***	45.6 ^{2/}	44.8 ***	0.8
	03:35-03:40 HOUR	47.6 ^{2/}	45.8 ***	45.9 ^{2/}	44.8 ***	1.1
	03:40-03:45 HOUR	47.5 ^{2/}	45.8 ***	45.6 ^{2/}	44.8 ***	0.8
	03:45-03:50 HOUR	47.9 ^{2/}	46.5 ***	45.3 ^{2/}	45.5 ***	<0.8 ^{3/}
	03:50-03:55 HOUR	48.0 ^{2/}	46.5 ***	45.7 ^{2/}	45.5 ***	<0.8 ^{3/}
	03:55-04:00 HOUR	47.8 ^{2/}	46.5 ***	44.9 ^{2/}	45.5 ***	<0.8 ^{3/}
	04:00-04:05 HOUR	48.0 ^{2/}	47.0 ***	44.1 ^{2/}	45.6 ***	<0.8 ^{3/}
	04:05-04:10 HOUR	48.2 ^{2/}	47.0 ***	45.0 ^{2/}	45.6 ***	<0.8 ^{3/}
	04:10-04:15 HOUR	49.1 ^{2/}	47.0 ***	47.9 ^{2/}	45.6 ***	2.3
	04:15-04:20 HOUR	48.2 ^{2/}	46.7 ***	45.9 ^{2/}	45.0 ***	0.9
	04:20-04:25 HOUR	48.0 ^{2/}	46.7 ***	45.1 ^{2/}	45.0 ***	<0.8 ^{3/}
	04:25-04:30 HOUR	50.1 ^{2/}	46.7 ***	50.4 ^{2/}	45.0 ***	5.4
	04:30-04:35 HOUR	48.0 ^{2/}	46.6 ***	45.4 ^{2/}	45.7 ***	<0.8 ^{3/}
	04:35-04:40 HOUR	47.7 ^{2/}	46.6 ***	44.2 ^{2/}	45.7 ***	<0.8 ^{3/}
	04:40-04:45 HOUR	47.6 ^{2/}	46.6 ***	43.7 ^{2/}	45.7 ***	<0.8 ^{3/}
	04:45-04:50 HOUR	47.5 ^{2/}	47.0 ***	40.9 ^{2/}	45.9 ***	<0.8 ^{3/}
	04:50-04:55 HOUR	47.7 ^{2/}	47.0 ***	42.4 ^{2/}	45.9 ***	<0.8 ^{3/}
	04:55-05:00 HOUR	47.1 ^{2/}	47.0 ***	33.7 ^{2/}	45.9 ***	<0.8 ^{3/}
	05:00-05:05 HOUR	47.6 ^{2/}	46.3 ***	44.7 ^{2/}	45.4 ***	<0.8 ^{3/}
	05:05-05:10 HOUR	47.9 ^{2/}	46.3 ***	45.8 ^{2/}	45.4 ***	<0.8 ^{3/}
	05:10-05:15 HOUR	47.7 ^{2/}	46.3 ***	45.1 ^{2/}	45.4 ***	<0.8 ^{3/}
	05:15-05:20 HOUR	47.5 ^{2/}	43.5 ***	48.3 ^{2/}	42.2 ***	6.1
	05:20-05:25 HOUR	46.5 ^{2/}	43.5 ***	46.5 ^{2/}	42.2 ***	4.3
	05:25-05:30 HOUR	46.2 ^{2/}	43.5 ***	45.9 ^{2/}	42.2 ***	3.7
	05:30-05:35 HOUR	44.8 ^{2/}	44.5 ***	36.0 ^{2/}	43.1 ***	<0.8 ^{3/}
	05:35-05:40 HOUR	45.4 ^{2/}	44.5 ***	41.1 ^{2/}	43.1 ***	<0.8 ^{3/}
	05:40-05:45 HOUR	46.0 ^{2/}	44.5 ***	43.7 ^{2/}	43.1 ***	<0.8 ^{3/}
	05:45-05:50 HOUR	46.1 ^{2/}	43.6 ***	45.5 ^{2/}	41.8 ***	3.7
	05:50-05:55 HOUR	46.3 ^{2/}	43.6 ***	46.0 ^{2/}	41.8 ***	4.2
	05:55-06:00 HOUR	45.4 ^{2/}	43.6 ***	43.7 ^{2/}	41.8 ***	1.9
	DAY TIME ^{1/}					
	06:00-07:00 HOUR	46.5 ^{1/}	42.5 **	44.3 ^{1/}	40.3 **	4.0
SEPTEMBER 15, 2024	DAY TIME ^{1/}					
T24AV481-0007	07:00-08:00 HOUR	51.7 ^{1/}	48.1 **	49.2 ^{1/}	43.2 **	6.0
	08:00-09:00 HOUR	47.0 ^{1/}	45.9 **	40.5 ^{1/}	41.5 **	<0.8 ^{3/}

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รื้อถอนบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 15, 2024	DAY TIME ^{1/}					
T24AV481-0007	09:00-10:00 HOUR	45.9 ^{1/}	43.6 ^{**}	42.0 ^{1/}	40.6 ^{**}	1.4
	10:00-11:00 HOUR	48.2 ^{1/}	47.0 ^{**}	42.0 ^{1/}	41.7 ^{**}	<0.8 ^{3/}
	11:00-12:00 HOUR	46.5 ^{1/}	42.8 ^{**}	44.1 ^{1/}	39.3 ^{**}	4.8
	12:00-13:00 HOUR	47.9 ^{1/}	43.8 ^{**}	45.8 ^{1/}	42.1 ^{**}	3.7
	13:00-14:00 HOUR	49.0 ^{1/}	46.5 ^{**}	45.4 ^{1/}	40.8 ^{**}	4.6
	14:00-15:00 HOUR	50.7 ^{1/}	47.0 ^{**}	48.3 ^{1/}	41.0 ^{**}	7.3
	15:00-16:00 HOUR	48.2 ^{1/}	46.5 ^{**}	43.3 ^{1/}	41.1 ^{**}	2.2
	16:00-17:00 HOUR	46.1 ^{1/}	45.0 ^{**}	39.6 ^{1/}	41.1 ^{**}	<0.8 ^{3/}
	17:00-18:00 HOUR	49.3 ^{1/}	47.6 ^{**}	44.4 ^{1/}	42.7 ^{**}	1.7
	18:00-19:00 HOUR	47.9 ^{1/}	44.6 ^{**}	45.2 ^{1/}	42.4 ^{**}	2.8
	19:00-20:00 HOUR	49.4 ^{1/}	45.2 ^{**}	47.3 ^{1/}	43.6 ^{**}	3.7
	20:00-21:00 HOUR	47.5 ^{1/}	46.1 ^{**}	41.9 ^{1/}	43.3 ^{**}	<0.8 ^{3/}
	21:00-22:00 HOUR	45.8 ^{1/}	43.8 ^{**}	41.5 ^{1/}	43.2 ^{**}	<0.8 ^{3/}
	NIGHT TIME ^{2/}					
	22:00-22:05 HOUR	45.6 ^{2/}	42.6 ^{***}	45.6 ^{2/}	41.4 ^{***}	4.2
	22:05-22:10 HOUR	43.8 ^{2/}	42.6 ^{***}	40.6 ^{2/}	41.4 ^{***}	<0.8 ^{3/}
	22:10-22:15 HOUR	43.0 ^{2/}	42.6 ^{***}	35.4 ^{2/}	41.4 ^{***}	<0.8 ^{3/}
	22:15-22:20 HOUR	43.7 ^{2/}	42.8 ^{***}	39.4 ^{2/}	40.9 ^{***}	<0.8 ^{3/}
	22:20-22:25 HOUR	42.3 ^{2/}	42.8 ^{***}	<0.8 ^{3/}	40.9 ^{***}	<0.8 ^{3/}
	22:25-22:30 HOUR	42.5 ^{2/}	42.8 ^{***}	<0.8 ^{3/}	40.9 ^{***}	<0.8 ^{3/}
	22:30-22:35 HOUR	43.1 ^{2/}	42.5 ^{***}	37.2 ^{2/}	40.9 ^{***}	<0.8 ^{3/}
	22:35-22:40 HOUR	44.2 ^{2/}	42.5 ^{***}	42.3 ^{2/}	40.9 ^{***}	1.4
	22:40-22:45 HOUR	42.7 ^{2/}	42.5 ^{***}	32.2 ^{2/}	40.9 ^{***}	<0.8 ^{3/}
	22:45-22:50 HOUR	45.6 ^{2/}	43.2 ^{***}	44.9 ^{2/}	40.7 ^{***}	4.2
	22:50-22:55 HOUR	44.6 ^{2/}	43.2 ^{***}	42.0 ^{2/}	40.7 ^{***}	1.3
	22:55-23:00 HOUR	44.9 ^{2/}	43.2 ^{***}	43.0 ^{2/}	40.7 ^{***}	2.3
	23:00-23:05 HOUR	45.5 ^{2/}	44.2 ^{***}	42.6 ^{2/}	42.6 ^{***}	<0.8 ^{3/}
	23:05-23:10 HOUR	45.7 ^{2/}	44.2 ^{***}	43.4 ^{2/}	42.6 ^{***}	0.8
	23:10-23:15 HOUR	45.6 ^{2/}	44.2 ^{***}	43.0 ^{2/}	42.6 ^{***}	<0.8 ^{3/}
	23:15-23:20 HOUR	46.6 ^{2/}	44.3 ^{***}	45.7 ^{2/}	43.0 ^{***}	2.7
	23:20-23:25 HOUR	46.3 ^{2/}	44.3 ^{***}	45.0 ^{2/}	43.0 ^{***}	2.0
	23:25-23:30 HOUR	45.2 ^{2/}	44.3 ^{***}	40.9 ^{2/}	43.0 ^{***}	<0.8 ^{3/}
	23:30-23:35 HOUR	44.2 ^{2/}	46.8 ^{***}	<0.8 ^{3/}	43.1 ^{***}	<0.8 ^{3/}
	23:35-23:40 HOUR	45.8 ^{2/}	46.8 ^{***}	<0.8 ^{3/}	43.1 ^{***}	<0.8 ^{3/}
	23:40-23:45 HOUR	47.1 ^{2/}	46.8 ^{***}	38.3 ^{2/}	43.1 ^{***}	<0.8 ^{3/}
	23:45-23:50 HOUR	48.8 ^{2/}	47.6 ^{***}	45.6 ^{2/}	43.8 ^{***}	1.8
	23:50-23:55 HOUR	48.5 ^{2/}	47.6 ^{***}	44.2 ^{2/}	43.8 ^{***}	<0.8 ^{3/}
	23:55-00:00 HOUR	48.4 ^{2/}	47.6 ^{***}	43.7 ^{2/}	43.8 ^{***}	<0.8 ^{3/}
SEPTEMBER 16, 2024	NIGHT TIME ^{2/}					
T24AV481-0007	00:00-00:05 HOUR	46.2 ^{2/}	46.0 ^{***}	35.7 ^{2/}	43.6 ^{***}	<0.8 ^{3/}
	00:05-00:10 HOUR	47.6 ^{2/}	46.0 ^{***}	45.5 ^{2/}	43.6 ^{***}	1.9
	00:10-00:15 HOUR	46.7 ^{2/}	46.0 ^{***}	41.4 ^{2/}	43.6 ^{***}	<0.8 ^{3/}
	00:15-00:20 HOUR	49.2 ^{2/}	46.4 ^{***}	49.0 ^{2/}	43.8 ^{***}	5.2
	00:20-00:25 HOUR	49.5 ^{2/}	46.4 ^{***}	49.6 ^{2/}	43.8 ^{***}	5.8
	00:25-00:30 HOUR	46.4 ^{2/}	46.4 ^{***}	<0.8 ^{3/}	43.8 ^{***}	<0.8 ^{3/}

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รบกวนบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 16, 2024	NIGHT TIME ^{2/}					
T24AV481-0007	04:10-04:15 HOUR	50.7 ^{2/}	48.4 ***	49.8 ^{2/}	46.7 ***	3.1
	04:15-04:20 HOUR	49.7 ^{2/}	48.6 ***	46.2 ^{2/}	47.2 ***	<0.8 ^{3/}
	04:20-04:25 HOUR	49.4 ^{2/}	48.6 ***	44.7 ^{2/}	47.2 ***	<0.8 ^{3/}
	04:25-04:30 HOUR	49.6 ^{2/}	48.6 ***	45.7 ^{2/}	47.2 ***	<0.8 ^{3/}
	04:30-04:35 HOUR	49.6 ^{2/}	48.5 ***	46.1 ^{2/}	47.1 ***	<0.8 ^{3/}
	04:35-04:40 HOUR	49.4 ^{2/}	48.5 ***	45.1 ^{2/}	47.1 ***	<0.8 ^{3/}
	04:40-04:45 HOUR	49.5 ^{2/}	48.5 ***	45.6 ^{2/}	47.1 ***	<0.8 ^{3/}
	04:45-04:50 HOUR	49.2 ^{2/}	46.3 ***	49.1 ^{2/}	45.0 ***	4.1
	04:50-04:55 HOUR	49.1 ^{2/}	46.3 ***	48.9 ^{2/}	45.0 ***	3.9
	04:55-05:00 HOUR	48.3 ^{2/}	46.3 ***	47.0 ^{2/}	45.0 ***	2.0
	05:00-05:05 HOUR	48.4 ^{2/}	47.0 ***	45.8 ^{2/}	45.7 ***	<0.8 ^{3/}
	05:05-05:10 HOUR	48.0 ^{2/}	47.0 ***	44.1 ^{2/}	45.7 ***	<0.8 ^{3/}
	05:10-05:15 HOUR	48.0 ^{2/}	47.0 ***	44.1 ^{2/}	45.7 ***	<0.8 ^{3/}
	05:15-05:20 HOUR	47.8 ^{2/}	44.5 ***	48.1 ^{2/}	42.3 ***	5.8
	05:20-05:25 HOUR	47.1 ^{2/}	44.5 ***	46.6 ^{2/}	42.3 ***	4.3
	05:25-05:30 HOUR	46.2 ^{2/}	44.5 ***	44.3 ^{2/}	42.3 ***	2.0
	05:30-05:35 HOUR	43.5 ^{2/}	45.5 ***	<0.8 ^{3/}	43.2 ***	<0.8 ^{3/}
	05:35-05:40 HOUR	45.0 ^{2/}	45.5 ***	<0.8 ^{3/}	43.2 ***	<0.8 ^{3/}
	05:40-05:45 HOUR	48.5 ^{2/}	45.5 ***	48.5 ^{2/}	43.2 ***	5.3
	05:45-05:50 HOUR	45.8 ^{2/}	48.8 ***	<0.8 ^{3/}	46.0 ***	<0.8 ^{3/}
	05:50-05:55 HOUR	46.9 ^{2/}	48.8 ***	<0.8 ^{3/}	46.0 ***	<0.8 ^{3/}
	05:55-06:00 HOUR	50.2 ^{2/}	48.8 ***	47.6 ^{2/}	46.0 ***	1.6
	DAY TIME ^{1/}					
	06:00-07:00 HOUR	53.4 ^{1/}	50.0 **	50.7 ^{1/}	48.8 **	1.9

- REMARK :**
- 1/ CASE 1 CALCULATION (DURING 06:00 TO 22:00 HOUR) ; SPECIFIC SOUND LEVEL CONTINUOUSLY OCCUR AT LEAST 1 HOUR, MEASURING AS L_{Aeq} 1 hour.
 - 2/ CASE 4 CALCULATION (DURING 22:00 TO 06:00 HOUR) ; SPECIFIC SOUND LEVEL OCCUR IN RESTFUL AREA OR NIGHT TIME, MEASURING AS L_{Aeq} 5 minutes.
 - 3/ THERE IS NO IMPACT CAUSE ANNOYANCE SOUND LEVEL
- ** PERCENTILE LEVEL 90 (L_{A90}) IS THE MIDDLE VALUE OF 11 TIMES MEASURING.
(55 MINUTES MEASURING DURING 06:00 TO 22:00 HOUR)
AND RESIDUAL SOUND LEVEL (L_{Aeq} 5 minutes) IS CHOSEN AT THE SAME TIME AS PERCENTILE LEVEL 90 ABOVE.
- *** PERCENTILE LEVEL 90 (L_{A90}) IS THE MIDDLE VALUE OF 3 TIMES MEASURING.
(15 MINUTES MEASURING DURING 22:00 TO 06:00 HOUR)
AND RESIDUAL SOUND LEVEL (L_{Aeq} 5 minutes) IS CHOSEN AT THE SAME TIME AS PERCENTILE LEVEL 90 ABOVE.

(MR. SIDA BANJONGJAIROK)
LABORATORY SUPERVISOR

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รบกวนบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 16, 2024	NIGHT TIME ^{2/}					
T24AW335-0001	23:10-23:15 HOUR	50.7 ^{2/}	46.8 ***	51.5 ^{2/}	45.4 ***	6.1
	23:15-23:20 HOUR	49.4 ^{2/}	46.6 ***	49.1 ^{2/}	45.0 ***	4.1
	23:20-23:25 HOUR	50.0 ^{2/}	46.6 ***	50.3 ^{2/}	45.0 ***	5.3
	23:25-23:30 HOUR	50.3 ^{2/}	46.6 ***	50.8 ^{2/}	45.0 ***	5.8
	23:30-23:35 HOUR	48.6 ^{2/}	47.7 ***	44.5 ^{2/}	46.4 ***	<0.8 ^{3/}
	23:35-23:40 HOUR	52.5 ^{2/}	47.7 ***	53.7 ^{2/}	46.4 ***	7.3
	23:40-23:45 HOUR	48.8 ^{2/}	47.7 ***	45.3 ^{2/}	46.4 ***	<0.8 ^{3/}
	23:45-23:50 HOUR	49.3 ^{2/}	45.1 ***	50.2 ^{2/}	43.7 ***	6.5
	23:50-23:55 HOUR	47.7 ^{2/}	45.1 ***	47.2 ^{2/}	43.7 ***	3.5
	23:55-00:00 HOUR	47.4 ^{2/}	45.1 ***	46.6 ^{2/}	43.7 ***	2.9
SEPTEMBER 17, 2024	NIGHT TIME ^{2/}					
T24AW335-0001	00:00-00:05 HOUR	47.5 ^{2/}	44.6 ***	47.3 ^{2/}	43.2 ***	4.1
	00:05-00:10 HOUR	49.7 ^{2/}	44.6 ***	51.1 ^{2/}	43.2 ***	7.9
	00:10-00:15 HOUR	47.0 ^{2/}	44.6 ***	46.4 ^{2/}	43.2 ***	3.2
	00:15-00:20 HOUR	46.5 ^{2/}	43.8 ***	46.2 ^{2/}	42.5 ***	3.7
	00:20-00:25 HOUR	46.4 ^{2/}	43.8 ***	45.9 ^{2/}	42.5 ***	3.4
	00:25-00:30 HOUR	46.2 ^{2/}	43.8 ***	45.6 ^{2/}	42.5 ***	3.1
	00:30-00:35 HOUR	47.4 ^{2/}	44.9 ***	46.7 ^{2/}	43.5 ***	3.2
	00:35-00:40 HOUR	47.6 ^{2/}	44.9 ***	47.2 ^{2/}	43.5 ***	3.7
	00:40-00:45 HOUR	47.0 ^{2/}	44.9 ***	45.7 ^{2/}	43.5 ***	2.2
	00:45-00:50 HOUR	47.6 ^{2/}	45.0 ***	47.1 ^{2/}	43.7 ***	3.4
	00:50-00:55 HOUR	47.4 ^{2/}	45.0 ***	46.7 ^{2/}	43.7 ***	3.0
	00:55-01:00 HOUR	46.3 ^{2/}	45.0 ***	43.3 ^{2/}	43.7 ***	<0.8 ^{3/}
	01:00-01:05 HOUR	46.5 ^{2/}	44.3 ***	45.5 ^{2/}	43.0 ***	2.5
	01:05-01:10 HOUR	46.3 ^{2/}	44.3 ***	45.1 ^{2/}	43.0 ***	2.1
	01:10-01:15 HOUR	46.3 ^{2/}	44.3 ***	44.9 ^{2/}	43.0 ***	1.9
	01:15-01:20 HOUR	46.1 ^{2/}	43.4 ***	45.8 ^{2/}	41.9 ***	3.9
	01:20-01:25 HOUR	46.5 ^{2/}	43.4 ***	46.6 ^{2/}	41.9 ***	4.7
	01:25-01:30 HOUR	46.5 ^{2/}	43.4 ***	46.5 ^{2/}	41.9 ***	4.6
	01:30-01:35 HOUR	47.6 ^{2/}	43.9 ***	48.2 ^{2/}	42.6 ***	5.6
	01:35-01:40 HOUR	47.5 ^{2/}	43.9 ***	48.0 ^{2/}	42.6 ***	5.4
	01:40-01:45 HOUR	47.9 ^{2/}	43.9 ***	48.6 ^{2/}	42.6 ***	6.0
	01:45-01:50 HOUR	47.1 ^{2/}	43.6 ***	47.5 ^{2/}	42.3 ***	5.2
	01:50-01:55 HOUR	47.7 ^{2/}	43.6 ***	48.5 ^{2/}	42.3 ***	6.2
	01:55-02:00 HOUR	46.8 ^{2/}	43.6 ***	47.0 ^{2/}	42.3 ***	4.7
	02:00-02:05 HOUR	46.4 ^{2/}	44.5 ***	44.9 ^{2/}	43.1 ***	1.8
	02:05-02:10 HOUR	47.2 ^{2/}	44.5 ***	46.8 ^{2/}	43.1 ***	3.7
	02:10-02:15 HOUR	46.6 ^{2/}	44.5 ***	45.5 ^{2/}	43.1 ***	2.4
	02:15-02:20 HOUR	47.4 ^{2/}	45.3 ***	46.3 ^{2/}	43.7 ***	2.6
	02:20-02:25 HOUR	46.1 ^{2/}	45.3 ***	41.5 ^{2/}	43.7 ***	<0.8 ^{3/}
	02:25-02:30 HOUR	48.0 ^{2/}	45.3 ***	47.6 ^{2/}	43.7 ***	3.9
	02:30-02:35 HOUR	46.0 ^{2/}	43.8 ***	45.0 ^{2/}	42.2 ***	2.8
	02:35-02:40 HOUR	47.8 ^{2/}	43.8 ***	48.6 ^{2/}	42.2 ***	6.4
	02:40-02:45 HOUR	46.4 ^{2/}	43.8 ***	45.9 ^{2/}	42.2 ***	3.7

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รบกวนบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 17, 2024	NIGHT TIME ^{2/}					
T24AW335-0001	02:45-02:50 HOUR	46.3 ^{2/}	42.5 ^{***}	46.9 ^{2/}	41.2 ^{***}	5.7
	02:50-02:55 HOUR	47.2 ^{2/}	42.5 ^{***}	48.4 ^{2/}	41.2 ^{***}	7.2
	02:55-03:00 HOUR	45.6 ^{2/}	42.5 ^{***}	45.7 ^{2/}	41.2 ^{***}	4.5
	03:00-03:05 HOUR	44.9 ^{2/}	43.2 ^{***}	43.0 ^{2/}	41.6 ^{***}	1.4
	03:05-03:10 HOUR	47.5 ^{2/}	43.2 ^{***}	48.5 ^{2/}	41.6 ^{***}	6.9
	03:10-03:15 HOUR	46.0 ^{2/}	43.2 ^{***}	45.7 ^{2/}	41.6 ^{***}	4.1
	03:15-03:20 HOUR	46.7 ^{2/}	43.5 ^{***}	46.8 ^{2/}	42.0 ^{***}	4.8
	03:20-03:25 HOUR	46.2 ^{2/}	43.5 ^{***}	45.8 ^{2/}	42.0 ^{***}	3.8
	03:25-03:30 HOUR	47.0 ^{2/}	43.5 ^{***}	47.3 ^{2/}	42.0 ^{***}	5.3
	03:30-03:35 HOUR	45.8 ^{2/}	44.1 ^{***}	43.8 ^{2/}	42.6 ^{***}	1.2
	03:35-03:40 HOUR	45.4 ^{2/}	44.1 ^{***}	42.5 ^{2/}	42.6 ^{***}	<0.8 ^{3/}
	03:40-03:45 HOUR	46.9 ^{2/}	44.1 ^{***}	46.6 ^{2/}	42.6 ^{***}	4.0
	03:45-03:50 HOUR	45.5 ^{2/}	42.4 ^{***}	45.5 ^{2/}	41.2 ^{***}	4.3
	03:50-03:55 HOUR	46.0 ^{2/}	42.4 ^{***}	46.6 ^{2/}	41.2 ^{***}	5.4
	03:55-04:00 HOUR	45.2 ^{2/}	42.4 ^{***}	45.0 ^{2/}	41.2 ^{***}	3.8
	04:00-04:05 HOUR	45.1 ^{2/}	44.6 ^{***}	38.1 ^{2/}	43.3 ^{***}	<0.8 ^{3/}
	04:05-04:10 HOUR	45.3 ^{2/}	44.6 ^{***}	40.0 ^{2/}	43.3 ^{***}	<0.8 ^{3/}
	04:10-04:15 HOUR	47.7 ^{2/}	44.6 ^{***}	47.8 ^{2/}	43.3 ^{***}	4.5
	04:15-04:20 HOUR	47.1 ^{2/}	44.3 ^{***}	46.8 ^{2/}	42.7 ^{***}	4.1
	04:20-04:25 HOUR	47.1 ^{2/}	44.3 ^{***}	46.9 ^{2/}	42.7 ^{***}	4.2
	04:25-04:30 HOUR	47.7 ^{2/}	44.3 ^{***}	48.1 ^{2/}	42.7 ^{***}	5.4
	04:30-04:35 HOUR	47.2 ^{2/}	44.0 ^{***}	47.4 ^{2/}	42.4 ^{***}	5.0
	04:35-04:40 HOUR	46.5 ^{2/}	44.0 ^{***}	46.0 ^{2/}	42.4 ^{***}	3.6
	04:40-04:45 HOUR	46.9 ^{2/}	44.0 ^{***}	46.9 ^{2/}	42.4 ^{***}	4.5
	04:45-04:50 HOUR	47.7 ^{2/}	44.3 ^{***}	48.0 ^{2/}	42.7 ^{***}	5.3
	04:50-04:55 HOUR	46.3 ^{2/}	44.3 ^{***}	44.8 ^{2/}	42.7 ^{***}	2.1
	04:55-05:00 HOUR	46.2 ^{2/}	44.3 ^{***}	44.7 ^{2/}	42.7 ^{***}	2.0
	05:00-05:05 HOUR	45.9 ^{2/}	45.1 ^{***}	41.1 ^{2/}	43.5 ^{***}	<0.8 ^{3/}
	05:05-05:10 HOUR	47.8 ^{2/}	45.1 ^{***}	47.5 ^{2/}	43.5 ^{***}	4.0
	05:10-05:15 HOUR	47.1 ^{2/}	45.1 ^{***}	45.9 ^{2/}	43.5 ^{***}	2.4
	05:15-05:20 HOUR	47.6 ^{2/}	44.3 ^{***}	47.9 ^{2/}	42.8 ^{***}	5.1
	05:20-05:25 HOUR	45.1 ^{2/}	44.3 ^{***}	40.6 ^{2/}	42.8 ^{***}	<0.8 ^{3/}
	05:25-05:30 HOUR	46.7 ^{2/}	44.3 ^{***}	46.1 ^{2/}	42.8 ^{***}	3.3
	05:30-05:35 HOUR	47.7 ^{2/}	43.8 ^{***}	48.4 ^{2/}	42.3 ^{***}	6.1
	05:35-05:40 HOUR	46.4 ^{2/}	43.8 ^{***}	46.0 ^{2/}	42.3 ^{***}	3.7
	05:40-05:45 HOUR	46.0 ^{2/}	43.8 ^{***}	44.9 ^{2/}	42.3 ^{***}	2.6
	05:45-05:50 HOUR	48.0 ^{2/}	45.3 ^{***}	47.6 ^{2/}	43.8 ^{***}	3.8
	05:50-05:55 HOUR	47.1 ^{2/}	45.3 ^{***}	45.3 ^{2/}	43.8 ^{***}	1.5
	05:55-06:00 HOUR	48.6 ^{2/}	45.3 ^{***}	48.9 ^{2/}	43.8 ^{***}	5.1
	DAY TIME ^{1/}					
	06:00-07:00 HOUR	53.4 ^{1/}	50.0 ^{**}	50.7 ^{1/}	48.7 ^{**}	2.0
SEPTEMBER 17, 2024	DAY TIME ^{1/}					
T24AW335-0002	07:00-08:00 HOUR	50.9 ^{1/}	49.9 ^{**}	44.2 ^{1/}	48.5 ^{**}	<0.8 ^{3/}
	08:00-09:00 HOUR	55.9 ^{1/}	50.7 ^{**}	54.3 ^{1/}	49.0 ^{**}	5.3
	09:00-10:00 HOUR	55.1 ^{1/}	50.6 ^{**}	53.2 ^{1/}	49.5 ^{**}	3.7

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รบกวนบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 17, 2024	DAY TIME ^{1/}					
T24AW335-0002	10:00-11:00 HOUR	55.1 ^{1/}	50.0 **	53.5 ^{1/}	48.7 **	4.8
	11:00-12:00 HOUR	56.1 ^{1/}	50.6 **	54.7 ^{1/}	49.4 **	5.3
	12:00-13:00 HOUR	54.8 ^{1/}	50.1 **	53.0 ^{1/}	48.9 **	4.1
	13:00-14:00 HOUR	55.1 ^{1/}	50.8 **	53.1 ^{1/}	49.2 **	3.9
	14:00-15:00 HOUR	54.1 ^{1/}	49.8 **	52.1 ^{1/}	48.0 **	4.1
	15:00-16:00 HOUR	54.5 ^{1/}	50.1 **	52.6 ^{1/}	49.0 **	3.6
	16:00-17:00 HOUR	56.1 ^{1/}	51.1 **	54.5 ^{1/}	49.9 **	4.6
	17:00-18:00 HOUR	55.4 ^{1/}	50.1 **	53.9 ^{1/}	48.5 **	5.4
	18:00-19:00 HOUR	52.7 ^{1/}	50.0 **	49.3 ^{1/}	48.8 **	<0.8 ^{3/}
	19:00-20:00 HOUR	51.4 ^{1/}	50.1 **	45.5 ^{1/}	48.4 **	<0.8 ^{3/}
	20:00-21:00 HOUR	51.2 ^{1/}	49.8 **	45.5 ^{1/}	48.2 **	<0.8 ^{3/}
	21:00-22:00 HOUR	51.5 ^{1/}	50.0 **	46.1 ^{1/}	48.6 **	<0.8 ^{3/}
	NIGHT TIME ^{2/}					
	22:00-22:05 HOUR	49.0 ^{2/}	48.7 ***	40.9 ^{2/}	46.9 ***	<0.8 ^{3/}
	22:05-22:10 HOUR	49.7 ^{2/}	48.7 ***	45.8 ^{2/}	46.9 ***	<0.8 ^{3/}
	22:10-22:15 HOUR	48.4 ^{2/}	48.7 ***	<0.8 ^{3/}	46.9 ***	<0.8 ^{3/}
	22:15-22:20 HOUR	51.2 ^{2/}	48.2 ***	51.3 ^{2/}	46.6 ***	4.7
	22:20-22:25 HOUR	46.7 ^{2/}	48.2 ***	<0.8 ^{3/}	46.6 ***	<0.8 ^{3/}
	22:25-22:30 HOUR	49.6 ^{2/}	48.2 ***	47.0 ^{2/}	46.6 ***	<0.8 ^{3/}
	22:30-22:35 HOUR	47.0 ^{2/}	46.2 ***	42.6 ^{2/}	44.7 ***	<0.8 ^{3/}
	22:35-22:40 HOUR	47.8 ^{2/}	46.2 ***	45.6 ^{2/}	44.7 ***	0.9
	22:40-22:45 HOUR	48.4 ^{2/}	46.2 ***	47.4 ^{2/}	44.7 ***	2.7
	22:45-22:50 HOUR	49.5 ^{2/}	47.4 ***	48.3 ^{2/}	46.1 ***	2.2
	22:50-22:55 HOUR	48.6 ^{2/}	47.4 ***	45.3 ^{2/}	46.1 ***	<0.8 ^{3/}
	22:55-23:00 HOUR	48.8 ^{2/}	47.4 ***	46.2 ^{2/}	46.1 ***	<0.8 ^{3/}
	23:00-23:05 HOUR	49.3 ^{2/}	47.8 ***	47.0 ^{2/}	46.2 ***	0.8
	23:05-23:10 HOUR	49.5 ^{2/}	47.8 ***	47.5 ^{2/}	46.2 ***	1.3
	23:10-23:15 HOUR	48.5 ^{2/}	47.8 ***	43.3 ^{2/}	46.2 ***	<0.8 ^{3/}
	23:15-23:20 HOUR	48.6 ^{2/}	47.5 ***	45.1 ^{2/}	45.8 ***	<0.8 ^{3/}
	23:20-23:25 HOUR	48.8 ^{2/}	47.5 ***	46.0 ^{2/}	45.8 ***	<0.8 ^{3/}
	23:25-23:30 HOUR	49.3 ^{2/}	47.5 ***	47.6 ^{2/}	45.8 ***	1.8
	23:30-23:35 HOUR	47.4 ^{2/}	46.7 ***	42.3 ^{2/}	44.9 ***	<0.8 ^{3/}
	23:35-23:40 HOUR	51.1 ^{2/}	46.7 ***	52.1 ^{2/}	44.9 ***	7.2
	23:40-23:45 HOUR	47.6 ^{2/}	46.7 ***	43.3 ^{2/}	44.9 ***	<0.8 ^{3/}
	23:45-23:50 HOUR	48.7 ^{2/}	45.8 ***	48.6 ^{2/}	44.2 ***	4.4
	23:50-23:55 HOUR	47.0 ^{2/}	45.8 ***	43.8 ^{2/}	44.2 ***	<0.8 ^{3/}
	23:55-00:00 HOUR	46.7 ^{2/}	45.8 ***	42.6 ^{2/}	44.2 ***	<0.8 ^{3/}
SEPTEMBER 18, 2024	NIGHT TIME ^{2/}					
T24AW335-0002	00:00-00:05 HOUR	46.4 ^{2/}	46.4 ***	<0.8 ^{3/}	45.0 ***	<0.8 ^{3/}
	00:05-00:10 HOUR	47.7 ^{2/}	46.4 ***	44.9 ^{2/}	45.0 ***	<0.8 ^{3/}
	00:10-00:15 HOUR	47.4 ^{2/}	46.4 ***	43.7 ^{2/}	45.0 ***	<0.8 ^{3/}
	00:15-00:20 HOUR	47.3 ^{2/}	46.4 ***	42.8 ^{2/}	44.6 ***	<0.8 ^{3/}
	00:20-00:25 HOUR	45.8 ^{2/}	46.4 ***	38.5 ^{2/}	44.6 ***	<0.8 ^{3/}
	00:25-00:30 HOUR	47.5 ^{2/}	46.4 ***	44.0 ^{2/}	44.6 ***	<0.8 ^{3/}
	00:30-00:35 HOUR	46.7 ^{2/}	45.8 ***	42.4 ^{2/}	44.1 ***	<0.8 ^{3/}

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รื้อถอนบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 18, 2024	NIGHT TIME ^{2/}					
T24AW335-0002	00:35-00:40 HOUR	46.8 ^{2/}	45.8 ***	42.9 ^{2/}	44.1 ***	<0.8 ^{3/}
	00:40-00:45 HOUR	46.1 ^{2/}	45.8 ***	37.3 ^{2/}	44.1 ***	<0.8 ^{3/}
	00:45-00:50 HOUR	46.6 ^{2/}	45.7 ***	42.3 ^{2/}	44.0 ***	<0.8 ^{3/}
	00:50-00:55 HOUR	46.8 ^{2/}	45.7 ***	43.5 ^{2/}	44.0 ***	<0.8 ^{3/}
	00:55-01:00 HOUR	47.0 ^{2/}	45.7 ***	44.1 ^{2/}	44.0 ***	<0.8 ^{3/}
	01:00-01:05 HOUR	47.8 ^{2/}	45.9 ***	46.2 ^{2/}	44.5 ***	1.7
	01:05-01:10 HOUR	46.9 ^{2/}	45.9 ***	43.1 ^{2/}	44.5 ***	<0.8 ^{3/}
	01:10-01:15 HOUR	46.8 ^{2/}	45.9 ***	42.1 ^{2/}	44.5 ***	<0.8 ^{3/}
	01:15-01:20 HOUR	46.8 ^{2/}	45.3 ***	44.5 ^{2/}	44.1 ***	<0.8 ^{3/}
	01:20-01:25 HOUR	47.6 ^{2/}	45.3 ***	46.7 ^{2/}	44.1 ***	2.6
	01:25-01:30 HOUR	46.4 ^{2/}	45.3 ***	42.7 ^{2/}	44.1 ***	<0.8 ^{3/}
	01:30-01:35 HOUR	47.1 ^{2/}	46.7 ***	40.2 ^{2/}	44.9 ***	<0.8 ^{3/}
	01:35-01:40 HOUR	47.7 ^{2/}	46.7 ***	44.1 ^{2/}	44.9 ***	<0.8 ^{3/}
	01:40-01:45 HOUR	48.0 ^{2/}	46.7 ***	45.1 ^{2/}	44.9 ***	<0.8 ^{3/}
	01:45-01:50 HOUR	47.3 ^{2/}	46.2 ***	43.8 ^{2/}	44.9 ***	<0.8 ^{3/}
	01:50-01:55 HOUR	46.2 ^{2/}	46.2 ***	<0.8 ^{3/}	44.9 ***	<0.8 ^{3/}
	01:55-02:00 HOUR	47.9 ^{2/}	46.2 ***	46.1 ^{2/}	44.9 ***	1.2
	02:00-02:05 HOUR	47.2 ^{2/}	46.1 ***	43.7 ^{2/}	44.7 ***	<0.8 ^{3/}
	02:05-02:10 HOUR	47.6 ^{2/}	46.1 ***	45.2 ^{2/}	44.7 ***	<0.8 ^{3/}
	02:10-02:15 HOUR	46.1 ^{2/}	46.1 ***	27.5 ^{2/}	44.7 ***	<0.8 ^{3/}
	02:15-02:20 HOUR	46.3 ^{2/}	46.2 ***	33.3 ^{2/}	44.4 ***	<0.8 ^{3/}
	02:20-02:25 HOUR	47.4 ^{2/}	46.2 ***	44.3 ^{2/}	44.4 ***	<0.8 ^{3/}
	02:25-02:30 HOUR	47.2 ^{2/}	46.2 ***	43.1 ^{2/}	44.4 ***	<0.8 ^{3/}
	02:30-02:35 HOUR	46.4 ^{2/}	45.9 ***	39.6 ^{2/}	44.4 ***	<0.8 ^{3/}
	02:35-02:40 HOUR	47.0 ^{2/}	45.9 ***	43.5 ^{2/}	44.4 ***	<0.8 ^{3/}
	02:40-02:45 HOUR	46.9 ^{2/}	45.9 ***	43.0 ^{2/}	44.4 ***	<0.8 ^{3/}
	02:45-02:50 HOUR	47.2 ^{2/}	45.4 ***	45.3 ^{2/}	44.2 ***	1.1
	02:50-02:55 HOUR	46.2 ^{2/}	45.4 ***	41.2 ^{2/}	44.2 ***	<0.8 ^{3/}
	02:55-03:00 HOUR	46.4 ^{2/}	45.4 ***	42.6 ^{2/}	44.2 ***	<0.8 ^{3/}
	03:00-03:05 HOUR	45.1 ^{2/}	45.5 ***	<0.8 ^{3/}	44.2 ***	<0.8 ^{3/}
	03:05-03:10 HOUR	47.1 ^{2/}	45.5 ***	45.0 ^{2/}	44.2 ***	0.8
	03:10-03:15 HOUR	46.9 ^{2/}	45.5 ***	44.2 ^{2/}	44.2 ***	<0.8 ^{3/}
	03:15-03:20 HOUR	47.5 ^{2/}	46.1 ***	44.9 ^{2/}	44.8 ***	<0.8 ^{3/}
	03:20-03:25 HOUR	46.3 ^{2/}	46.1 ***	36.3 ^{2/}	44.8 ***	<0.8 ^{3/}
	03:25-03:30 HOUR	47.4 ^{2/}	46.1 ***	44.5 ^{2/}	44.8 ***	<0.8 ^{3/}
	03:30-03:35 HOUR	46.4 ^{2/}	45.2 ***	43.2 ^{2/}	43.8 ***	<0.8 ^{3/}
	03:35-03:40 HOUR	46.3 ^{2/}	45.2 ***	42.9 ^{2/}	43.8 ***	<0.8 ^{3/}
	03:40-03:45 HOUR	47.2 ^{2/}	45.2 ***	45.9 ^{2/}	43.8 ***	2.1
	03:45-03:50 HOUR	46.6 ^{2/}	44.3 ***	45.6 ^{2/}	43.2 ***	2.4
	03:50-03:55 HOUR	45.9 ^{2/}	44.3 ***	43.8 ^{2/}	43.2 ***	<0.8 ^{3/}
	03:55-04:00 HOUR	45.7 ^{2/}	44.3 ***	43.0 ^{2/}	43.2 ***	<0.8 ^{3/}
	04:00-04:05 HOUR	45.9 ^{2/}	45.0 ***	41.6 ^{2/}	43.2 ***	<0.8 ^{3/}
	04:05-04:10 HOUR	45.2 ^{2/}	45.0 ***	35.5 ^{2/}	43.2 ***	<0.8 ^{3/}
	04:10-04:15 HOUR	46.7 ^{2/}	45.0 ***	45.0 ^{2/}	43.2 ***	1.8

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่หรือถนนบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 18, 2024	NIGHT TIME ^{2/}					
T24AW335-0002	04:15-04:20 HOUR	47.8 ^{2/}	46.3 ***	45.3 ^{2/}	44.6 ***	<0.8 ^{3/}
	04:20-04:25 HOUR	47.6 ^{2/}	46.3 ***	44.7 ^{2/}	44.6 ***	<0.8 ^{3/}
	04:25-04:30 HOUR	46.6 ^{2/}	46.3 ***	38.4 ^{2/}	44.6 ***	<0.8 ^{3/}
	04:30-04:35 HOUR	47.7 ^{2/}	46.6 ***	44.2 ^{2/}	45.3 ***	<0.8 ^{3/}
	04:35-04:40 HOUR	47.0 ^{2/}	46.6 ***	39.5 ^{2/}	45.3 ***	<0.8 ^{3/}
	04:40-04:45 HOUR	47.8 ^{2/}	46.6 ***	44.7 ^{2/}	45.3 ***	<0.8 ^{3/}
	04:45-04:50 HOUR	47.1 ^{2/}	45.8 ***	44.2 ^{2/}	44.6 ***	<0.8 ^{3/}
	04:50-04:55 HOUR	46.7 ^{2/}	45.8 ***	42.4 ^{2/}	44.6 ***	<0.8 ^{3/}
	04:55-05:00 HOUR	46.5 ^{2/}	45.8 ***	41.6 ^{2/}	44.6 ***	<0.8 ^{3/}
	05:00-05:05 HOUR	46.5 ^{2/}	45.6 ***	42.2 ^{2/}	43.9 ***	<0.8 ^{3/}
	05:05-05:10 HOUR	46.2 ^{2/}	45.6 ***	40.4 ^{2/}	43.9 ***	<0.8 ^{3/}
	05:10-05:15 HOUR	47.1 ^{2/}	45.6 ***	44.9 ^{2/}	43.9 ***	1.0
	05:15-05:20 HOUR	47.4 ^{2/}	45.8 ***	45.3 ^{2/}	44.4 ***	0.9
	05:20-05:25 HOUR	45.4 ^{2/}	45.8 ***	<0.8 ^{3/}	44.4 ***	<0.8 ^{3/}
	05:25-05:30 HOUR	47.2 ^{2/}	45.8 ***	44.7 ^{2/}	44.4 ***	<0.8 ^{3/}
	05:30-05:35 HOUR	46.9 ^{2/}	45.7 ***	43.7 ^{2/}	44.5 ***	<0.8 ^{3/}
	05:35-05:40 HOUR	47.7 ^{2/}	45.7 ***	46.5 ^{2/}	44.5 ***	2.0
	05:40-05:45 HOUR	46.4 ^{2/}	45.7 ***	41.0 ^{2/}	44.5 ***	<0.8 ^{3/}
	05:45-05:50 HOUR	46.1 ^{2/}	45.8 ***	37.1 ^{2/}	44.1 ***	<0.8 ^{3/}
	05:50-05:55 HOUR	46.8 ^{2/}	45.8 ***	42.8 ^{2/}	44.1 ***	<0.8 ^{3/}
	05:55-06:00 HOUR	47.3 ^{2/}	45.8 ***	45.0 ^{2/}	44.1 ***	0.9
	DAY TIME ^{1/}					
	06:00-07:00 HOUR	52.4 ^{1/}	48.9 **	49.8 ^{1/}	47.6 **	2.2
SEPTEMBER 18, 2024	DAY TIME ^{1/}					
T24AW335-0003	07:00-08:00 HOUR	54.5 ^{1/}	50.6 **	52.2 ^{1/}	49.0 **	3.2
	08:00-09:00 HOUR	52.2 ^{1/}	47.8 **	50.2 ^{1/}	46.0 **	4.2
	09:00-10:00 HOUR	52.7 ^{1/}	48.4 **	50.7 ^{1/}	47.0 **	3.7
	10:00-11:00 HOUR	53.9 ^{1/}	49.6 **	51.9 ^{1/}	48.2 **	3.7
	11:00-12:00 HOUR	68.2 ^{1/}	62.0 **	67.0 ^{1/}	60.7 **	6.3
	12:00-13:00 HOUR	59.9 ^{1/}	54.0 **	58.6 ^{1/}	52.3 **	6.3
	13:00-14:00 HOUR	55.0 ^{1/}	50.4 **	53.2 ^{1/}	49.2 **	4.0
	14:00-15:00 HOUR	53.8 ^{1/}	49.3 **	51.9 ^{1/}	47.9 **	4.0
	15:00-16:00 HOUR	53.8 ^{1/}	49.3 **	51.9 ^{1/}	48.0 **	3.9
	16:00-17:00 HOUR	54.1 ^{1/}	50.2 **	51.8 ^{1/}	48.5 **	3.3
	17:00-18:00 HOUR	52.9 ^{1/}	50.2 **	49.6 ^{1/}	48.9 **	<0.8 ^{3/}
	18:00-19:00 HOUR	52.0 ^{1/}	49.5 **	48.4 ^{1/}	47.7 **	<0.8 ^{3/}
	19:00-20:00 HOUR	49.9 ^{1/}	48.4 **	44.6 ^{1/}	47.3 **	<0.8 ^{3/}
	20:00-21:00 HOUR	49.5 ^{1/}	47.5 **	45.2 ^{1/}	46.3 **	<0.8 ^{3/}
	21:00-22:00 HOUR	51.1 ^{1/}	50.2 **	43.8 ^{1/}	48.5 **	<0.8 ^{3/}
	NIGHT TIME ^{2/}					
	22:00-22:05 HOUR	48.5 ^{2/}	47.2 ***	45.6 ^{2/}	45.5 ***	<0.8 ^{3/}
	22:05-22:10 HOUR	47.6 ^{2/}	47.2 ***	40.0 ^{2/}	45.5 ***	<0.8 ^{3/}
	22:10-22:15 HOUR	49.8 ^{2/}	47.2 ***	49.3 ^{2/}	45.5 ***	3.8
	22:15-22:20 HOUR	50.6 ^{2/}	49.1 ***	48.2 ^{2/}	48.0 ***	<0.8 ^{3/}
	22:20-22:25 HOUR	51.3 ^{2/}	49.1 ***	50.3 ^{2/}	48.0 ***	2.3

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รบกวนบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 19, 2024	NIGHT TIME ^{2/}					
T24AW335-0003	02:00-02:05 HOUR	46.3 ^{2/}	45.0 ***	43.4 ^{2/}	43.2 ***	<0.8 ^{3/}
	02:05-02:10 HOUR	48.7 ^{2/}	45.0 ***	49.3 ^{2/}	43.2 ***	6.1
	02:10-02:15 HOUR	45.2 ^{2/}	45.0 ***	35.4 ^{2/}	43.2 ***	<0.8 ^{3/}
	02:15-02:20 HOUR	47.5 ^{2/}	46.3 ***	44.3 ^{2/}	45.2 ***	<0.8 ^{3/}
	02:20-02:25 HOUR	47.8 ^{2/}	46.3 ***	45.3 ^{2/}	45.2 ***	<0.8 ^{3/}
	02:25-02:30 HOUR	45.2 ^{2/}	46.3 ***	<0.8 ^{3/}	45.2 ***	<0.8 ^{3/}
	02:30-02:35 HOUR	46.3 ^{2/}	45.4 ***	42.0 ^{2/}	43.6 ***	<0.8 ^{3/}
	02:35-02:40 HOUR	47.7 ^{2/}	45.4 ***	46.8 ^{2/}	43.6 ***	3.2
	02:40-02:45 HOUR	46.1 ^{2/}	45.4 ***	40.9 ^{2/}	43.6 ***	<0.8 ^{3/}
	02:45-02:50 HOUR	48.7 ^{2/}	45.8 ***	48.5 ^{2/}	44.2 ***	4.3
	02:50-02:55 HOUR	46.8 ^{2/}	45.8 ***	43.0 ^{2/}	44.2 ***	<0.8 ^{3/}
	02:55-03:00 HOUR	45.0 ^{2/}	45.8 ***	<0.8 ^{3/}	44.2 ***	<0.8 ^{3/}
	03:00-03:05 HOUR	52.0 ^{2/}	48.4 ***	52.6 ^{2/}	46.9 ***	5.7
	03:05-03:10 HOUR	49.5 ^{2/}	48.4 ***	46.0 ^{2/}	46.9 ***	<0.8 ^{3/}
	03:10-03:15 HOUR	47.0 ^{2/}	48.4 ***	<0.8 ^{3/}	46.9 ***	<0.8 ^{3/}
	03:15-03:20 HOUR	45.0 ^{2/}	43.8 ***	41.9 ^{2/}	42.6 ***	<0.8 ^{3/}
	03:20-03:25 HOUR	45.9 ^{2/}	43.8 ***	44.6 ^{2/}	42.6 ***	2.0
	03:25-03:30 HOUR	45.3 ^{2/}	43.8 ***	42.7 ^{2/}	42.6 ***	<0.8 ^{3/}
	03:30-03:35 HOUR	46.8 ^{2/}	45.3 ***	44.4 ^{2/}	43.5 ***	0.9
	03:35-03:40 HOUR	47.3 ^{2/}	45.3 ***	45.9 ^{2/}	43.5 ***	2.4
	03:40-03:45 HOUR	44.6 ^{2/}	45.3 ***	<0.8 ^{3/}	43.5 ***	<0.8 ^{3/}
	03:45-03:50 HOUR	45.9 ^{2/}	44.7 ***	42.8 ^{2/}	43.6 ***	<0.8 ^{3/}
	03:50-03:55 HOUR	46.5 ^{2/}	44.7 ***	44.7 ^{2/}	43.6 ***	1.1
	03:55-04:00 HOUR	45.4 ^{2/}	44.7 ***	39.8 ^{2/}	43.6 ***	<0.8 ^{3/}
	04:00-04:05 HOUR	47.8 ^{2/}	46.7 ***	44.1 ^{2/}	45.2 ***	<0.8 ^{3/}
	04:05-04:10 HOUR	49.7 ^{2/}	46.7 ***	49.6 ^{2/}	45.2 ***	4.4
	04:10-04:15 HOUR	47.8 ^{2/}	46.7 ***	44.3 ^{2/}	45.2 ***	<0.8 ^{3/}
	04:15-04:20 HOUR	51.5 ^{2/}	46.4 ***	52.9 ^{2/}	44.9 ***	8.0
	04:20-04:25 HOUR	47.5 ^{2/}	46.4 ***	43.9 ^{2/}	44.9 ***	<0.8 ^{3/}
	04:25-04:30 HOUR	47.3 ^{2/}	46.4 ***	43.1 ^{2/}	44.9 ***	<0.8 ^{3/}
	04:30-04:35 HOUR	51.1 ^{2/}	48.3 ***	50.8 ^{2/}	47.0 ***	3.8
	04:35-04:40 HOUR	49.5 ^{2/}	48.3 ***	46.3 ^{2/}	47.0 ***	<0.8 ^{3/}
	04:40-04:45 HOUR	45.6 ^{2/}	48.3 ***	<0.8 ^{3/}	47.0 ***	<0.8 ^{3/}
	04:45-04:50 HOUR	47.0 ^{2/}	46.9 ***	33.3 ^{2/}	45.1 ***	<0.8 ^{3/}
	04:50-04:55 HOUR	48.0 ^{2/}	46.9 ***	44.5 ^{2/}	45.1 ***	<0.8 ^{3/}
	04:55-05:00 HOUR	48.4 ^{2/}	46.9 ***	46.1 ^{2/}	45.1 ***	1.0
	05:00-05:05 HOUR	47.2 ^{2/}	45.7 ***	44.8 ^{2/}	44.3 ***	<0.8 ^{3/}
	05:05-05:10 HOUR	46.7 ^{2/}	45.7 ***	42.9 ^{2/}	44.3 ***	<0.8 ^{3/}
	05:10-05:15 HOUR	46.6 ^{2/}	45.7 ***	42.4 ^{2/}	44.3 ***	<0.8 ^{3/}
	05:15-05:20 HOUR	45.9 ^{2/}	44.7 ***	42.8 ^{2/}	43.0 ***	<0.8 ^{3/}
	05:20-05:25 HOUR	46.9 ^{2/}	44.7 ***	45.7 ^{2/}	43.0 ***	2.7
	05:25-05:30 HOUR	45.3 ^{2/}	44.7 ***	39.5 ^{2/}	43.0 ***	<0.8 ^{3/}
	05:30-05:35 HOUR	45.1 ^{2/}	46.5 ***	<0.8 ^{3/}	44.7 ***	<0.8 ^{3/}
	05:35-05:40 HOUR	47.6 ^{2/}	46.5 ***	44.1 ^{2/}	44.7 ***	<0.8 ^{3/}

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รบกวนบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 19, 2024	NIGHT TIME ^{2/}					
T24AW335-0003	05:40-05:45 HOUR	47.7 ^{2/}	46.5 ***	44.6 ^{2/}	44.7 ***	<0.8 ^{3/}
	05:45-05:50 HOUR	47.9 ^{2/}	47.0 ***	43.5 ^{2/}	45.7 ***	<0.8 ^{3/}
	05:50-05:55 HOUR	49.7 ^{2/}	47.0 ***	49.4 ^{2/}	45.7 ***	3.7
	05:55-06:00 HOUR	47.9 ^{2/}	47.0 ***	43.7 ^{2/}	45.7 ***	<0.8 ^{3/}
	DAY TIME ^{1/}					
	06:00-07:00 HOUR	46.6 ^{1/}	45.1 **	41.3 ^{1/}	43.5 **	<0.8 ^{3/}
SEPTEMBER 19, 2024	DAY TIME ^{1/}					
T24AW335-0004	07:00-08:00 HOUR	50.3 ^{1/}	47.3 **	47.3 ^{1/}	46.0 **	1.3
	08:00-09:00 HOUR	49.9 ^{1/}	46.6 **	47.2 ^{1/}	45.4 **	1.8
	09:00-10:00 HOUR	50.9 ^{1/}	47.7 **	48.1 ^{1/}	46.2 **	1.9
	10:00-11:00 HOUR	56.8 ^{1/}	52.5 **	54.8 ^{1/}	51.3 **	3.5
	11:00-12:00 HOUR	57.3 ^{1/}	53.7 **	54.8 ^{1/}	52.0 **	2.8
	12:00-13:00 HOUR	51.9 ^{1/}	47.4 **	50.0 ^{1/}	45.9 **	4.1
	13:00-14:00 HOUR	60.0 ^{1/}	55.4 **	58.2 ^{1/}	54.1 **	4.1
	14:00-15:00 HOUR	60.9 ^{1/}	55.6 **	59.4 ^{1/}	54.2 **	5.2
	15:00-16:00 HOUR	60.8 ^{1/}	56.4 **	58.8 ^{1/}	54.9 **	3.9
	16:00-17:00 HOUR	55.0 ^{1/}	49.1 **	53.7 ^{1/}	47.6 **	6.1
	17:00-18:00 HOUR	51.1 ^{1/}	46.3 **	49.4 ^{1/}	44.9 **	4.5
	18:00-19:00 HOUR	51.7 ^{1/}	47.8 **	49.4 ^{1/}	46.1 **	3.3
	19:00-20:00 HOUR	51.6 ^{1/}	47.9 **	49.2 ^{1/}	46.4 **	2.8
	20:00-21:00 HOUR	50.2 ^{1/}	46.7 **	47.6 ^{1/}	45.4 **	2.2
	21:00-22:00 HOUR	50.0 ^{1/}	47.0 **	47.0 ^{1/}	45.8 **	1.2
	NIGHT TIME ^{2/}					
	22:00-22:05 HOUR	49.4 ^{2/}	45.4 ***	50.3 ^{2/}	44.3 ***	6.0
	22:05-22:10 HOUR	47.0 ^{2/}	45.4 ***	44.8 ^{2/}	44.3 ***	<0.8 ^{3/}
	22:10-22:15 HOUR	48.0 ^{2/}	45.4 ***	47.5 ^{2/}	44.3 ***	3.2
	22:15-22:20 HOUR	47.2 ^{2/}	45.0 ***	46.2 ^{2/}	43.8 ***	2.4
	22:20-22:25 HOUR	47.8 ^{2/}	45.0 ***	47.5 ^{2/}	43.8 ***	3.7
	22:25-22:30 HOUR	48.3 ^{2/}	45.0 ***	48.5 ^{2/}	43.8 ***	4.7
	22:30-22:35 HOUR	46.9 ^{2/}	45.2 ***	45.1 ^{2/}	43.6 ***	1.5
	22:35-22:40 HOUR	48.0 ^{2/}	45.2 ***	47.8 ^{2/}	43.6 ***	4.2
	22:40-22:45 HOUR	48.5 ^{2/}	45.2 ***	48.7 ^{2/}	43.6 ***	5.1
	22:45-22:50 HOUR	47.9 ^{2/}	43.9 ***	48.7 ^{2/}	42.6 ***	6.1
	22:50-22:55 HOUR	48.6 ^{2/}	43.9 ***	49.8 ^{2/}	42.6 ***	7.2
	22:55-23:00 HOUR	46.7 ^{2/}	43.9 ***	46.4 ^{2/}	42.6 ***	3.8
	23:00-23:05 HOUR	47.4 ^{2/}	44.4 ***	47.3 ^{2/}	43.0 ***	4.3
	23:05-23:10 HOUR	46.6 ^{2/}	44.4 ***	45.5 ^{2/}	43.0 ***	2.5
	23:10-23:15 HOUR	47.6 ^{2/}	44.4 ***	47.8 ^{2/}	43.0 ***	4.8
	23:15-23:20 HOUR	46.2 ^{2/}	44.1 ***	45.0 ^{2/}	42.6 ***	2.4
	23:20-23:25 HOUR	47.6 ^{2/}	44.1 ***	48.1 ^{2/}	42.6 ***	5.5
	23:25-23:30 HOUR	46.5 ^{2/}	44.1 ***	45.8 ^{2/}	42.6 ***	3.2
	23:30-23:35 HOUR	47.5 ^{2/}	44.1 ***	47.9 ^{2/}	42.7 ***	5.2
	23:35-23:40 HOUR	47.6 ^{2/}	44.1 ***	48.0 ^{2/}	42.7 ***	5.3
	23:40-23:45 HOUR	47.4 ^{2/}	44.1 ***	47.7 ^{2/}	42.7 ***	5.0
	23:45-23:50 HOUR	47.0 ^{2/}	43.8 ***	47.2 ^{2/}	42.6 ***	4.6

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รบกวนบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 19, 2024	NIGHT TIME ^{2/}					
T24AW335-0004	23:50-23:55 HOUR	46.8 ^{2/}	43.8 ***	46.7 ^{2/}	42.6 ***	4.1
	23:55-00:00 HOUR	46.3 ^{2/}	43.8 ***	45.8 ^{2/}	42.6 ***	3.2
SEPTEMBER 20, 2024	NIGHT TIME ^{2/}					
T24AW335-0004	00:00-00:05 HOUR	46.9 ^{2/}	44.9 ***	45.5 ^{2/}	43.5 ***	2.0
	00:05-00:10 HOUR	46.3 ^{2/}	44.9 ***	43.9 ^{2/}	43.5 ***	<0.8 ^{3/}
	00:10-00:15 HOUR	46.9 ^{2/}	44.9 ***	45.7 ^{2/}	43.5 ***	2.2
	00:15-00:20 HOUR	47.3 ^{2/}	45.0 ***	46.3 ^{2/}	43.3 ***	3.0
	00:20-00:25 HOUR	46.8 ^{2/}	45.0 ***	45.2 ^{2/}	43.3 ***	1.9
	00:25-00:30 HOUR	47.4 ^{2/}	45.0 ***	46.8 ^{2/}	43.3 ***	3.5
	00:30-00:35 HOUR	48.0 ^{2/}	45.5 ***	47.3 ^{2/}	44.2 ***	3.1
	00:35-00:40 HOUR	46.6 ^{2/}	45.5 ***	43.3 ^{2/}	44.2 ***	<0.8 ^{3/}
	00:40-00:45 HOUR	48.0 ^{2/}	45.5 ***	47.4 ^{2/}	44.2 ***	3.2
	00:45-00:50 HOUR	47.0 ^{2/}	44.0 ***	46.9 ^{2/}	42.7 ***	4.2
	00:50-00:55 HOUR	46.6 ^{2/}	44.0 ***	46.2 ^{2/}	42.7 ***	3.5
	00:55-01:00 HOUR	47.0 ^{2/}	44.0 ***	47.0 ^{2/}	42.7 ***	4.3
	01:00-01:05 HOUR	46.2 ^{2/}	44.2 ***	44.9 ^{2/}	42.7 ***	2.2
	01:05-01:10 HOUR	47.8 ^{2/}	44.2 ***	48.2 ^{2/}	42.7 ***	5.5
	01:10-01:15 HOUR	46.1 ^{2/}	44.2 ***	44.6 ^{2/}	42.7 ***	1.9
	01:15-01:20 HOUR	46.3 ^{2/}	44.9 ***	43.8 ^{2/}	43.4 ***	<0.8 ^{3/}
	01:20-01:25 HOUR	47.5 ^{2/}	44.9 ***	46.9 ^{2/}	43.4 ***	3.5
	01:25-01:30 HOUR	47.1 ^{2/}	44.9 ***	46.2 ^{2/}	43.4 ***	2.8
	01:30-01:35 HOUR	47.2 ^{2/}	45.3 ***	45.6 ^{2/}	43.8 ***	1.8
	01:35-01:40 HOUR	47.0 ^{2/}	45.3 ***	45.2 ^{2/}	43.8 ***	1.4
	01:40-01:45 HOUR	47.2 ^{2/}	45.3 ***	45.8 ^{2/}	43.8 ***	2.0
	01:45-01:50 HOUR	47.1 ^{2/}	43.9 ***	47.3 ^{2/}	42.5 ***	4.8
	01:50-01:55 HOUR	47.5 ^{2/}	43.9 ***	48.0 ^{2/}	42.5 ***	5.5
	01:55-02:00 HOUR	46.7 ^{2/}	43.9 ***	46.4 ^{2/}	42.5 ***	3.9
	02:00-02:05 HOUR	46.4 ^{2/}	44.3 ***	45.1 ^{2/}	42.7 ***	2.4
	02:05-02:10 HOUR	47.5 ^{2/}	44.3 ***	47.7 ^{2/}	42.7 ***	5.0
	02:10-02:15 HOUR	47.2 ^{2/}	44.3 ***	47.1 ^{2/}	42.7 ***	4.4
	02:15-02:20 HOUR	46.5 ^{2/}	44.7 ***	44.8 ^{2/}	43.2 ***	1.6
	02:20-02:25 HOUR	46.7 ^{2/}	44.7 ***	45.3 ^{2/}	43.2 ***	2.1
	02:25-02:30 HOUR	47.3 ^{2/}	44.7 ***	46.8 ^{2/}	43.2 ***	3.6
	02:30-02:35 HOUR	46.7 ^{2/}	43.7 ***	46.8 ^{2/}	42.3 ***	4.5
	02:35-02:40 HOUR	47.8 ^{2/}	43.7 ***	48.6 ^{2/}	42.3 ***	6.3
	02:40-02:45 HOUR	46.0 ^{2/}	43.7 ***	45.2 ^{2/}	42.3 ***	2.9
	02:45-02:50 HOUR	47.2 ^{2/}	43.5 ***	47.7 ^{2/}	42.2 ***	5.5
	02:50-02:55 HOUR	46.5 ^{2/}	43.5 ***	46.5 ^{2/}	42.2 ***	4.3
	02:55-03:00 HOUR	47.4 ^{2/}	43.5 ***	48.1 ^{2/}	42.2 ***	5.9
	03:00-03:05 HOUR	46.8 ^{2/}	44.6 ***	45.7 ^{2/}	43.1 ***	2.6
	03:05-03:10 HOUR	46.4 ^{2/}	44.6 ***	44.7 ^{2/}	43.1 ***	1.6
	03:10-03:15 HOUR	46.7 ^{2/}	44.6 ***	45.6 ^{2/}	43.1 ***	2.5
	03:15-03:20 HOUR	46.4 ^{2/}	45.0 ***	43.9 ^{2/}	43.6 ***	<0.8 ^{3/}
	03:20-03:25 HOUR	46.1 ^{2/}	45.0 ***	42.8 ^{2/}	43.6 ***	<0.8 ^{3/}

ISO 9001:2015 CERTIFIED
ISO 14001:2015 CERTIFIED
BY ISI GROUP (THAILAND) CO.,LTD.

- 2024-U090022

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รื้อถอนบริเวณที่ทางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 20, 2024	DAY TIME ^{1/}					
T24AW335-0005	18:00-19:00 HOUR	50.4 ^{1/}	47.4 **	47.4 ^{1/}	46.0 **	1.4
	19:00-20:00 HOUR	55.6 ^{1/}	52.0 **	53.1 ^{1/}	50.6 **	2.5
	20:00-21:00 HOUR	53.8 ^{1/}	50.9 **	50.7 ^{1/}	49.3 **	1.4
	21:00-22:00 HOUR	53.4 ^{1/}	50.4 **	50.4 ^{1/}	48.8 **	1.6
	NIGHT TIME ^{2/}					
	22:00-22:05 HOUR	55.1 ^{2/}	50.1 ***	56.5 ^{2/}	48.7 ***	7.8
	22:05-22:10 HOUR	50.4 ^{2/}	50.1 ***	41.7 ^{2/}	48.7 ***	<0.8 ^{3/}
	22:10-22:15 HOUR	53.3 ^{2/}	50.1 ***	53.5 ^{2/}	48.7 ***	4.8
	22:15-22:20 HOUR	52.7 ^{2/}	51.6 ***	49.0 ^{2/}	50.3 ***	<0.8 ^{3/}
	22:20-22:25 HOUR	51.4 ^{2/}	51.6 ***	<0.8 ^{3/}	50.3 ***	<0.8 ^{3/}
	22:25-22:30 HOUR	52.7 ^{2/}	51.6 ***	49.1 ^{2/}	50.3 ***	<0.8 ^{3/}
	22:30-22:35 HOUR	52.4 ^{2/}	52.8 ***	<0.8 ^{3/}	51.7 ***	<0.8 ^{3/}
	22:35-22:40 HOUR	53.6 ^{2/}	52.8 ***	49.1 ^{2/}	51.7 ***	<0.8 ^{3/}
	22:40-22:45 HOUR	52.8 ^{2/}	52.8 ***	<0.8 ^{3/}	51.7 ***	<0.8 ^{3/}
	22:45-22:50 HOUR	51.1 ^{2/}	48.2 ***	51.0 ^{2/}	46.9 ***	4.1
	22:50-22:55 HOUR	50.8 ^{2/}	48.2 ***	50.3 ^{2/}	46.9 ***	3.4
	22:55-23:00 HOUR	52.2 ^{2/}	48.2 ***	53.0 ^{2/}	46.9 ***	6.1
	23:00-23:05 HOUR	48.2 ^{2/}	46.5 ***	46.2 ^{2/}	45.1 ***	1.1
	23:05-23:10 HOUR	46.7 ^{2/}	46.5 ***	35.2 ^{2/}	45.1 ***	<0.8 ^{3/}
	23:10-23:15 HOUR	47.6 ^{2/}	46.5 ***	43.9 ^{2/}	45.1 ***	<0.8 ^{3/}
	23:15-23:20 HOUR	50.0 ^{2/}	44.8 ***	51.4 ^{2/}	43.5 ***	7.9
	23:20-23:25 HOUR	47.2 ^{2/}	44.8 ***	46.6 ^{2/}	43.5 ***	3.1
	23:25-23:30 HOUR	47.5 ^{2/}	44.8 ***	47.1 ^{2/}	43.5 ***	3.6
	23:30-23:35 HOUR	46.8 ^{2/}	44.0 ***	46.6 ^{2/}	42.7 ***	3.9
	23:35-23:40 HOUR	45.7 ^{2/}	44.0 ***	43.7 ^{2/}	42.7 ***	1.0
	23:40-23:45 HOUR	47.3 ^{2/}	44.0 ***	47.5 ^{2/}	42.7 ***	4.8
	23:45-23:50 HOUR	47.4 ^{2/}	43.5 ***	48.1 ^{2/}	42.0 ***	6.1
	23:50-23:55 HOUR	45.0 ^{2/}	43.5 ***	42.8 ^{2/}	42.0 ***	0.8
	23:55-00:00 HOUR	47.6 ^{2/}	43.5 ***	48.5 ^{2/}	42.0 ***	6.5
SEPTEMBER 21, 2024	NIGHT TIME ^{2/}					
T24AW335-0005	00:00-00:05 HOUR	47.4 ^{2/}	43.0 ***	48.4 ^{2/}	41.7 ***	6.7
	00:05-00:10 HOUR	46.9 ^{2/}	43.0 ***	47.7 ^{2/}	41.7 ***	6.0
	00:10-00:15 HOUR	45.0 ^{2/}	43.0 ***	43.7 ^{2/}	41.7 ***	2.0
	00:15-00:20 HOUR	46.5 ^{2/}	44.1 ***	45.8 ^{2/}	43.0 ***	2.8
	00:20-00:25 HOUR	47.6 ^{2/}	44.1 ***	48.0 ^{2/}	43.0 ***	5.0
	00:25-00:30 HOUR	46.7 ^{2/}	44.1 ***	46.2 ^{2/}	43.0 ***	3.2
	00:30-00:35 HOUR	46.0 ^{2/}	44.6 ***	43.4 ^{2/}	43.4 ***	<0.8 ^{3/}
	00:35-00:40 HOUR	45.8 ^{2/}	44.6 ***	42.7 ^{2/}	43.4 ***	<0.8 ^{3/}
	00:40-00:45 HOUR	48.7 ^{2/}	44.6 ***	49.5 ^{2/}	43.4 ***	6.1
	00:45-00:50 HOUR	46.6 ^{2/}	47.7 ***	<0.8 ^{3/}	46.4 ***	<0.8 ^{3/}
	00:50-00:55 HOUR	46.7 ^{2/}	47.7 ***	<0.8 ^{3/}	46.4 ***	<0.8 ^{3/}
	00:55-01:00 HOUR	51.4 ^{2/}	47.7 ***	52.0 ^{2/}	46.4 ***	5.6
	01:00-01:05 HOUR	47.0 ^{2/}	45.5 ***	44.5 ^{2/}	44.3 ***	<0.8 ^{3/}
	01:05-01:10 HOUR	46.5 ^{2/}	45.5 ***	42.4 ^{2/}	44.3 ***	<0.8 ^{3/}
	01:10-01:15 HOUR	47.8 ^{2/}	45.5 ***	47.0 ^{2/}	44.3 ***	2.7

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รบกวนบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 21, 2024	NIGHT TIME ^{2/}					
T24AW335-0005	01:15-01:20 HOUR	49.1 ^{2/}	46.7 ***	48.4 ^{2/}	45.2 ***	3.2
	01:20-01:25 HOUR	48.7 ^{2/}	46.7 ***	47.3 ^{2/}	45.2 ***	2.1
	01:25-01:30 HOUR	48.5 ^{2/}	46.7 ***	46.9 ^{2/}	45.2 ***	1.7
	01:30-01:35 HOUR	47.8 ^{2/}	43.4 ***	48.9 ^{2/}	42.2 ***	6.7
	01:35-01:40 HOUR	46.2 ^{2/}	43.4 ***	46.0 ^{2/}	42.2 ***	3.8
	01:40-01:45 HOUR	46.2 ^{2/}	43.4 ***	46.0 ^{2/}	42.2 ***	3.8
	01:45-01:50 HOUR	46.2 ^{2/}	44.5 ***	44.4 ^{2/}	42.9 ***	1.5
	01:50-01:55 HOUR	46.7 ^{2/}	44.5 ***	45.6 ^{2/}	42.9 ***	2.7
	01:55-02:00 HOUR	47.5 ^{2/}	44.5 ***	47.5 ^{2/}	42.9 ***	4.6
	02:00-02:05 HOUR	47.2 ^{2/}	44.0 ***	47.4 ^{2/}	42.4 ***	5.0
	02:05-02:10 HOUR	45.3 ^{2/}	44.0 ***	42.4 ^{2/}	42.4 ***	<0.8 ^{3/}
	02:10-02:15 HOUR	46.2 ^{2/}	44.0 ***	45.2 ^{2/}	42.4 ***	2.8
	02:15-02:20 HOUR	47.4 ^{2/}	44.9 ***	46.8 ^{2/}	43.5 ***	3.3
	02:20-02:25 HOUR	46.3 ^{2/}	44.9 ***	43.8 ^{2/}	43.5 ***	<0.8 ^{3/}
	02:25-02:30 HOUR	47.5 ^{2/}	44.9 ***	47.0 ^{2/}	43.5 ***	3.5
	02:30-02:35 HOUR	46.3 ^{2/}	44.3 ***	45.1 ^{2/}	42.9 ***	2.2
	02:35-02:40 HOUR	47.1 ^{2/}	44.3 ***	46.9 ^{2/}	42.9 ***	4.0
	02:40-02:45 HOUR	46.6 ^{2/}	44.3 ***	45.8 ^{2/}	42.9 ***	2.9
	02:45-02:50 HOUR	47.3 ^{2/}	44.5 ***	47.1 ^{2/}	43.0 ***	4.1
	02:50-02:55 HOUR	46.5 ^{2/}	44.5 ***	45.3 ^{2/}	43.0 ***	2.3
	02:55-03:00 HOUR	45.8 ^{2/}	44.5 ***	43.0 ^{2/}	43.0 ***	<0.8 ^{3/}
	03:00-03:05 HOUR	46.8 ^{2/}	44.6 ***	45.9 ^{2/}	43.1 ***	2.8
	03:05-03:10 HOUR	45.9 ^{2/}	44.6 ***	42.9 ^{2/}	43.1 ***	<0.8 ^{3/}
	03:10-03:15 HOUR	46.8 ^{2/}	44.6 ***	45.8 ^{2/}	43.1 ***	2.7
	03:15-03:20 HOUR	46.1 ^{2/}	44.0 ***	44.9 ^{2/}	42.5 ***	2.4
	03:20-03:25 HOUR	46.7 ^{2/}	44.0 ***	46.3 ^{2/}	42.5 ***	3.8
	03:25-03:30 HOUR	44.8 ^{2/}	44.0 ***	39.9 ^{2/}	42.5 ***	<0.8 ^{3/}
	03:30-03:35 HOUR	47.4 ^{2/}	45.0 ***	46.8 ^{2/}	43.5 ***	3.3
	03:35-03:40 HOUR	47.3 ^{2/}	45.0 ***	46.4 ^{2/}	43.5 ***	2.9
	03:40-03:45 HOUR	47.5 ^{2/}	45.0 ***	47.0 ^{2/}	43.5 ***	3.5
	03:45-03:50 HOUR	47.0 ^{2/}	44.6 ***	46.2 ^{2/}	42.8 ***	3.4
	03:50-03:55 HOUR	46.7 ^{2/}	44.6 ***	45.4 ^{2/}	42.8 ***	2.6
	03:55-04:00 HOUR	45.9 ^{2/}	44.6 ***	43.2 ^{2/}	42.8 ***	<0.8 ^{3/}
	04:00-04:05 HOUR	46.3 ^{2/}	43.3 ***	46.3 ^{2/}	42.1 ***	4.2
	04:05-04:10 HOUR	45.9 ^{2/}	43.3 ***	45.3 ^{2/}	42.1 ***	3.2
	04:10-04:15 HOUR	47.4 ^{2/}	43.3 ***	48.2 ^{2/}	42.1 ***	6.1
	04:15-04:20 HOUR	46.6 ^{2/}	44.7 ***	45.2 ^{2/}	43.5 ***	1.7
	04:20-04:25 HOUR	46.7 ^{2/}	44.7 ***	45.4 ^{2/}	43.5 ***	1.9
	04:25-04:30 HOUR	45.8 ^{2/}	44.7 ***	42.1 ^{2/}	43.5 ***	<0.8 ^{3/}
	04:30-04:35 HOUR	48.0 ^{2/}	43.8 ***	49.0 ^{2/}	42.5 ***	6.5
	04:35-04:40 HOUR	46.2 ^{2/}	43.8 ***	45.4 ^{2/}	42.5 ***	2.9
	04:40-04:45 HOUR	45.5 ^{2/}	43.8 ***	43.5 ^{2/}	42.5 ***	1.0
	04:45-04:50 HOUR	44.5 ^{2/}	42.2 ***	43.5 ^{2/}	40.9 ***	2.6
	04:50-04:55 HOUR	44.6 ^{2/}	42.2 ***	43.8 ^{2/}	40.9 ***	2.9

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รบกวนบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 21, 2024	NIGHT TIME ^{2/}					
T24AW335-0005	04:55-05:00 HOUR	45.1 ^{2/}	42.2 ***	44.9 ^{2/}	40.9 ***	4.0
	05:00-05:05 HOUR	45.8 ^{2/}	41.9 ***	46.5 ^{2/}	40.6 ***	5.9
	05:05-05:10 HOUR	45.0 ^{2/}	41.9 ***	45.1 ^{2/}	40.6 ***	4.5
	05:10-05:15 HOUR	45.0 ^{2/}	41.9 ***	45.1 ^{2/}	40.6 ***	4.5
	05:15-05:20 HOUR	44.9 ^{2/}	42.4 ***	44.2 ^{2/}	41.1 ***	3.1
	05:20-05:25 HOUR	45.3 ^{2/}	42.4 ***	45.2 ^{2/}	41.1 ***	4.1
	05:25-05:30 HOUR	44.1 ^{2/}	42.4 ***	42.2 ^{2/}	41.1 ***	1.1
	05:30-05:35 HOUR	45.1 ^{2/}	43.2 ***	43.5 ^{2/}	41.6 ***	1.9
	05:35-05:40 HOUR	47.1 ^{2/}	43.2 ***	47.8 ^{2/}	41.6 ***	6.2
	05:40-05:45 HOUR	44.6 ^{2/}	43.2 ***	41.9 ^{2/}	41.6 ***	<0.8 ^{3/}
	05:45-05:50 HOUR	45.2 ^{2/}	42.7 ***	44.6 ^{2/}	41.3 ***	3.3
	05:50-05:55 HOUR	44.8 ^{2/}	42.7 ***	43.5 ^{2/}	41.3 ***	2.2
	05:55-06:00 HOUR	45.7 ^{2/}	42.7 ***	45.6 ^{2/}	41.3 ***	4.3
	DAY TIME ^{1/}					
	06:00-07:00 HOUR	45.4 ^{1/}	42.9 **	41.8 ^{1/}	41.3 **	<0.8 ^{3/}
SEPTEMBER 21, 2024	DAY TIME ^{1/}					
T24AW335-0006	07:00-08:00 HOUR	57.9 ^{1/}	53.4 **	56.0 ^{1/}	52.2 **	3.8
	08:00-09:00 HOUR	55.8 ^{1/}	53.4 **	52.1 ^{1/}	51.8 **	<0.8 ^{3/}
	09:00-10:00 HOUR	56.3 ^{1/}	53.8 **	52.7 ^{1/}	52.3 **	<0.8 ^{3/}
	10:00-11:00 HOUR	57.5 ^{1/}	54.1 **	54.8 ^{1/}	52.6 **	2.2
	11:00-12:00 HOUR	71.7 ^{1/}	67.7 **	69.5 ^{1/}	66.0 **	3.5
	12:00-13:00 HOUR	63.5 ^{1/}	58.7 **	61.8 ^{1/}	57.1 **	4.7
	13:00-14:00 HOUR	58.6 ^{1/}	55.1 **	56.0 ^{1/}	54.0 **	2.0
	14:00-15:00 HOUR	57.6 ^{1/}	54.1 **	55.0 ^{1/}	53.0 **	2.0
	15:00-16:00 HOUR	57.2 ^{1/}	54.2 **	54.2 ^{1/}	53.1 **	1.1
	16:00-17:00 HOUR	57.8 ^{1/}	54.6 **	55.0 ^{1/}	53.5 **	1.5
	17:00-18:00 HOUR	56.6 ^{1/}	53.9 **	53.3 ^{1/}	52.5 **	0.8
	18:00-19:00 HOUR	55.2 ^{1/}	52.2 **	52.2 ^{1/}	50.9 **	1.3
	19:00-20:00 HOUR	52.3 ^{1/}	51.1 **	46.0 ^{1/}	49.4 **	<0.8 ^{3/}
	20:00-21:00 HOUR	51.6 ^{1/}	50.1 **	46.3 ^{1/}	48.8 **	<0.8 ^{3/}
	21:00-22:00 HOUR	53.2 ^{1/}	52.1 **	46.6 ^{1/}	50.3 **	<0.8 ^{3/}
	NIGHT TIME ^{2/}					
	22:00-22:05 HOUR	50.9 ^{2/}	50.0 ***	46.6 ^{2/}	48.2 ***	<0.8 ^{3/}
	22:05-22:10 HOUR	49.2 ^{2/}	50.0 ***	<0.8 ^{3/}	48.2 ***	<0.8 ^{3/}
	22:10-22:15 HOUR	51.6 ^{2/}	50.0 ***	49.4 ^{2/}	48.2 ***	1.2
	22:15-22:20 HOUR	52.7 ^{2/}	51.5 ***	49.5 ^{2/}	50.3 ***	<0.8 ^{3/}
	22:20-22:25 HOUR	52.9 ^{2/}	51.5 ***	50.4 ^{2/}	50.3 ***	<0.8 ^{3/}
	22:25-22:30 HOUR	51.8 ^{2/}	51.5 ***	42.7 ^{2/}	50.3 ***	<0.8 ^{3/}
	22:30-22:35 HOUR	51.7 ^{2/}	51.0 ***	46.1 ^{2/}	49.9 ***	<0.8 ^{3/}
	22:35-22:40 HOUR	53.9 ^{2/}	51.0 ***	53.8 ^{2/}	49.9 ***	3.9
	22:40-22:45 HOUR	52.5 ^{2/}	51.0 ***	50.2 ^{2/}	49.9 ***	<0.8 ^{3/}
	22:45-22:50 HOUR	51.9 ^{2/}	50.7 ***	48.8 ^{2/}	49.4 ***	<0.8 ^{3/}
	22:50-22:55 HOUR	52.2 ^{2/}	50.7 ***	49.9 ^{2/}	49.4 ***	<0.8 ^{3/}
	22:55-23:00 HOUR	50.8 ^{2/}	50.7 ***	36.6 ^{2/}	49.4 ***	<0.8 ^{3/}
	23:00-23:05 HOUR	51.0 ^{2/}	50.3 ***	46.1 ^{2/}	49.2 ***	<0.8 ^{3/}

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รื้อถอนบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 21, 2024	NIGHT TIME ^{2/}					
T24AW335-0006	23:05-23:10 HOUR	51.7 ^{2/}	50.3 ***	49.1 ^{2/}	49.2 ***	<0.8 ^{3/}
	23:10-23:15 HOUR	52.5 ^{2/}	50.3 ***	51.6 ^{2/}	49.2 ***	2.4
	23:15-23:20 HOUR	52.2 ^{2/}	50.2 ***	50.9 ^{2/}	48.5 ***	2.4
	23:20-23:25 HOUR	51.4 ^{2/}	50.2 ***	48.3 ^{2/}	48.5 ***	<0.8 ^{3/}
	23:25-23:30 HOUR	50.8 ^{2/}	50.2 ***	44.3 ^{2/}	48.5 ***	<0.8 ^{3/}
	23:30-23:35 HOUR	52.5 ^{2/}	50.5 ***	51.2 ^{2/}	48.7 ***	2.5
	23:35-23:40 HOUR	51.5 ^{2/}	50.5 ***	47.8 ^{2/}	48.7 ***	<0.8 ^{3/}
	23:40-23:45 HOUR	51.4 ^{2/}	50.5 ***	47.1 ^{2/}	48.7 ***	<0.8 ^{3/}
	23:45-23:50 HOUR	50.4 ^{2/}	49.0 ***	47.8 ^{2/}	47.5 ***	<0.8 ^{3/}
	23:50-23:55 HOUR	50.1 ^{2/}	49.0 ***	46.7 ^{2/}	47.5 ***	<0.8 ^{3/}
	23:55-00:00 HOUR	50.1 ^{2/}	49.0 ***	46.7 ^{2/}	47.5 ***	<0.8 ^{3/}
SEPTEMBER 22, 2024	NIGHT TIME ^{2/}					
T24AW335-0006	00:00-00:05 HOUR	47.5 ^{2/}	47.0 ***	40.2 ^{2/}	45.9 ***	<0.8 ^{3/}
	00:05-00:10 HOUR	49.5 ^{2/}	47.0 ***	48.8 ^{2/}	45.9 ***	2.9
	00:10-00:15 HOUR	48.6 ^{2/}	47.0 ***	46.5 ^{2/}	45.9 ***	<0.8 ^{3/}
	00:15-00:20 HOUR	49.7 ^{2/}	47.2 ***	49.1 ^{2/}	45.6 ***	3.5
	00:20-00:25 HOUR	47.6 ^{2/}	47.2 ***	40.1 ^{2/}	45.6 ***	<0.8 ^{3/}
	00:25-00:30 HOUR	48.5 ^{2/}	47.2 ***	45.6 ^{2/}	45.6 ***	<0.8 ^{3/}
	00:30-00:35 HOUR	49.0 ^{2/}	47.5 ***	46.6 ^{2/}	46.1 ***	<0.8 ^{3/}
	00:35-00:40 HOUR	47.9 ^{2/}	47.5 ***	41.0 ^{2/}	46.1 ***	<0.8 ^{3/}
	00:40-00:45 HOUR	49.1 ^{2/}	47.5 ***	47.2 ^{2/}	46.1 ***	1.1
	00:45-00:50 HOUR	49.4 ^{2/}	47.1 ***	48.4 ^{2/}	45.7 ***	2.7
	00:50-00:55 HOUR	48.0 ^{2/}	47.1 ***	43.7 ^{2/}	45.7 ***	<0.8 ^{3/}
	00:55-01:00 HOUR	47.4 ^{2/}	47.1 ***	38.7 ^{2/}	45.7 ***	<0.8 ^{3/}
	01:00-01:05 HOUR	47.8 ^{2/}	47.3 ***	41.5 ^{2/}	46.1 ***	<0.8 ^{3/}
	01:05-01:10 HOUR	48.8 ^{2/}	47.3 ***	46.4 ^{2/}	46.1 ***	<0.8 ^{3/}
	01:10-01:15 HOUR	48.4 ^{2/}	47.3 ***	44.9 ^{2/}	46.1 ***	<0.8 ^{3/}
	01:15-01:20 HOUR	48.0 ^{2/}	46.5 ***	45.7 ^{2/}	45.3 ***	<0.8 ^{3/}
	01:20-01:25 HOUR	48.0 ^{2/}	46.5 ***	45.7 ^{2/}	45.3 ***	<0.8 ^{3/}
	01:25-01:30 HOUR	49.0 ^{2/}	46.5 ***	48.3 ^{2/}	45.3 ***	3.0
	01:30-01:35 HOUR	48.6 ^{2/}	48.1 ***	41.5 ^{2/}	46.6 ***	<0.8 ^{3/}
	01:35-01:40 HOUR	50.2 ^{2/}	48.1 ***	49.1 ^{2/}	46.6 ***	2.5
	01:40-01:45 HOUR	49.2 ^{2/}	48.1 ***	45.7 ^{2/}	46.6 ***	<0.8 ^{3/}
	01:45-01:50 HOUR	48.4 ^{2/}	48.2 ***	37.4 ^{2/}	46.8 ***	<0.8 ^{3/}
	01:50-01:55 HOUR	49.3 ^{2/}	48.2 ***	45.5 ^{2/}	46.8 ***	<0.8 ^{3/}
	01:55-02:00 HOUR	49.3 ^{2/}	48.2 ***	45.8 ^{2/}	46.8 ***	<0.8 ^{3/}
	02:00-02:05 HOUR	47.8 ^{2/}	46.3 ***	45.4 ^{2/}	44.6 ***	0.8
	02:05-02:10 HOUR	49.9 ^{2/}	46.3 ***	50.4 ^{2/}	44.6 ***	5.8
	02:10-02:15 HOUR	46.4 ^{2/}	46.3 ***	34.3 ^{2/}	44.6 ***	<0.8 ^{3/}
	02:15-02:20 HOUR	49.5 ^{2/}	48.6 ***	45.2 ^{2/}	46.9 ***	<0.8 ^{3/}
	02:20-02:25 HOUR	50.5 ^{2/}	48.6 ***	48.8 ^{2/}	46.9 ***	1.9
	02:25-02:30 HOUR	47.8 ^{2/}	48.6 ***	<0.8 ^{3/}	46.9 ***	<0.8 ^{3/}
	02:30-02:35 HOUR	48.3 ^{2/}	46.8 ***	46.0 ^{2/}	45.5 ***	<0.8 ^{3/}
	02:35-02:40 HOUR	49.6 ^{2/}	46.8 ***	49.4 ^{2/}	45.5 ***	3.9



DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รื้อถอนบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 22, 2024	NIGHT TIME ^{2/}					
T24AW335-0006	02:40-02:45 HOUR	48.0 ^{2/}	46.8 ***	44.8 ^{2/}	45.5 ***	<0.8 ^{3/}
	02:45-02:50 HOUR	50.0 ^{2/}	47.9 ***	48.8 ^{2/}	46.7 ***	2.1
	02:50-02:55 HOUR	49.2 ^{2/}	47.9 ***	46.4 ^{2/}	46.7 ***	<0.8 ^{3/}
	02:55-03:00 HOUR	46.7 ^{2/}	47.9 ***	<0.8 ^{3/}	46.7 ***	<0.8 ^{3/}
	03:00-03:05 HOUR	53.4 ^{2/}	49.3 ***	54.3 ^{2/}	47.5 ***	6.8
	03:05-03:10 HOUR	50.5 ^{2/}	49.3 ***	47.3 ^{2/}	47.5 ***	<0.8 ^{3/}
	03:10-03:15 HOUR	49.0 ^{2/}	49.3 ***	<0.8 ^{3/}	47.5 ***	<0.8 ^{3/}
	03:15-03:20 HOUR	46.7 ^{2/}	46.2 ***	40.7 ^{2/}	45.1 ***	<0.8 ^{3/}
	03:20-03:25 HOUR	48.2 ^{2/}	46.2 ***	46.9 ^{2/}	45.1 ***	1.8
	03:25-03:30 HOUR	47.1 ^{2/}	46.2 ***	42.8 ^{2/}	45.1 ***	<0.8 ^{3/}
	03:30-03:35 HOUR	48.7 ^{2/}	47.2 ***	46.3 ^{2/}	46.1 ***	<0.8 ^{3/}
	03:35-03:40 HOUR	49.7 ^{2/}	47.2 ***	49.1 ^{2/}	46.1 ***	3.0
	03:40-03:45 HOUR	47.3 ^{2/}	47.2 ***	34.7 ^{2/}	46.1 ***	<0.8 ^{3/}
	03:45-03:50 HOUR	47.9 ^{2/}	47.0 ***	43.9 ^{2/}	45.6 ***	<0.8 ^{3/}
	03:50-03:55 HOUR	47.5 ^{2/}	47.0 ***	41.0 ^{2/}	45.6 ***	<0.8 ^{3/}
	03:55-04:00 HOUR	48.0 ^{2/}	47.0 ***	44.1 ^{2/}	45.6 ***	<0.8 ^{3/}
	04:00-04:05 HOUR	49.9 ^{2/}	48.4 ***	47.5 ^{2/}	46.7 ***	0.8
	04:05-04:10 HOUR	51.7 ^{2/}	48.4 ***	51.9 ^{2/}	46.7 ***	5.2
	04:10-04:15 HOUR	49.1 ^{2/}	48.4 ***	44.2 ^{2/}	46.7 ***	<0.8 ^{3/}
	04:15-04:20 HOUR	52.4 ^{2/}	48.1 ***	53.4 ^{2/}	46.7 ***	6.7
	04:20-04:25 HOUR	49.7 ^{2/}	48.1 ***	47.5 ^{2/}	46.7 ***	0.8
	04:25-04:30 HOUR	49.7 ^{2/}	48.1 ***	47.6 ^{2/}	46.7 ***	0.9
	04:30-04:35 HOUR	52.8 ^{2/}	50.1 ***	52.4 ^{2/}	48.7 ***	3.7
	04:35-04:40 HOUR	51.6 ^{2/}	50.1 ***	49.3 ^{2/}	48.7 ***	<0.8 ^{3/}
	04:40-04:45 HOUR	47.4 ^{2/}	50.1 ***	<0.8 ^{3/}	48.7 ***	<0.8 ^{3/}
	04:45-04:50 HOUR	48.0 ^{2/}	48.3 ***	<0.8 ^{3/}	46.7 ***	<0.8 ^{3/}
	04:50-04:55 HOUR	49.7 ^{2/}	48.3 ***	47.1 ^{2/}	46.7 ***	<0.8 ^{3/}
	04:55-05:00 HOUR	50.2 ^{2/}	48.3 ***	48.7 ^{2/}	46.7 ***	2.0
	05:00-05:05 HOUR	48.8 ^{2/}	47.8 ***	44.8 ^{2/}	46.4 ***	<0.8 ^{3/}
	05:05-05:10 HOUR	48.4 ^{2/}	47.8 ***	42.5 ^{2/}	46.4 ***	<0.8 ^{3/}
	05:10-05:15 HOUR	49.0 ^{2/}	47.8 ***	45.8 ^{2/}	46.4 ***	<0.8 ^{3/}
	05:15-05:20 HOUR	48.3 ^{2/}	46.8 ***	46.0 ^{2/}	45.2 ***	0.8
	05:20-05:25 HOUR	48.1 ^{2/}	46.8 ***	45.0 ^{2/}	45.2 ***	<0.8 ^{3/}
	05:25-05:30 HOUR	46.4 ^{2/}	46.8 ***	<0.8 ^{3/}	45.2 ***	<0.8 ^{3/}
	05:30-05:35 HOUR	47.2 ^{2/}	47.7 ***	<0.8 ^{3/}	46.0 ***	<0.8 ^{3/}
	05:35-05:40 HOUR	49.5 ^{2/}	47.7 ***	47.8 ^{2/}	46.0 ***	1.8
	05:40-05:45 HOUR	49.2 ^{2/}	47.7 ***	46.9 ^{2/}	46.0 ***	0.9
	05:45-05:50 HOUR	50.5 ^{2/}	49.4 ***	47.0 ^{2/}	48.1 ***	<0.8 ^{3/}
	05:50-05:55 HOUR	51.5 ^{2/}	49.4 ***	50.4 ^{2/}	48.1 ***	2.3
	05:55-06:00 HOUR	49.4 ^{2/}	49.4 ***	29.7 ^{2/}	48.1 ***	<0.8 ^{3/}
	DAY TIME ^{1/}					
	06:00-07:00 HOUR	48.4 ^{1/}	46.7 **	43.5 ^{1/}	45.5 **	<0.8 ^{3/}
SEPTEMBER 22, 2024	DAY TIME ^{1/}					
T24AW335-0007	07:00-08:00 HOUR	52.8 ^{1/}	48.4 **	50.8 ^{1/}	46.9 **	3.9
	08:00-09:00 HOUR	52.8 ^{1/}	48.4 **	50.8 ^{1/}	46.9 **	3.9

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รบกวนบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 22, 2024	DAY TIME ^{1/}					
T24AW335-0007	09:00-10:00 HOUR	52.8 ^{1/}	48.3 ^{**}	50.9 ^{1/}	47.1 ^{**}	3.8
	10:00-11:00 HOUR	58.4 ^{1/}	54.3 ^{**}	56.3 ^{1/}	53.0 ^{**}	3.3
	11:00-12:00 HOUR	59.2 ^{1/}	54.1 ^{**}	57.6 ^{1/}	52.7 ^{**}	4.9
	12:00-13:00 HOUR	53.7 ^{1/}	48.9 ^{**}	52.0 ^{1/}	47.7 ^{**}	4.3
	13:00-14:00 HOUR	61.5 ^{1/}	57.0 ^{**}	59.6 ^{1/}	55.6 ^{**}	4.0
	14:00-15:00 HOUR	62.6 ^{1/}	57.5 ^{**}	61.0 ^{1/}	56.2 ^{**}	4.8
	15:00-16:00 HOUR	62.5 ^{1/}	58.0 ^{**}	60.6 ^{1/}	56.4 ^{**}	4.2
	16:00-17:00 HOUR	56.6 ^{1/}	50.1 ^{**}	55.5 ^{1/}	48.8 ^{**}	6.7
	17:00-18:00 HOUR	53.4 ^{1/}	48.4 ^{**}	51.7 ^{1/}	46.9 ^{**}	4.8
	18:00-19:00 HOUR	53.4 ^{1/}	49.2 ^{**}	51.3 ^{1/}	48.1 ^{**}	3.2
	19:00-20:00 HOUR	52.1 ^{1/}	49.0 ^{**}	49.2 ^{1/}	47.5 ^{**}	1.7
	20:00-21:00 HOUR	51.4 ^{1/}	48.5 ^{**}	48.3 ^{1/}	47.1 ^{**}	1.2
	21:00-22:00 HOUR	51.3 ^{1/}	47.6 ^{**}	48.9 ^{1/}	46.4 ^{**}	2.5
	NIGHT TIME ^{2/}					
	22:00-22:05 HOUR	49.8 ^{2/}	44.6 ^{***}	51.3 ^{2/}	43.4 ^{***}	7.9
	22:05-22:10 HOUR	46.5 ^{2/}	44.6 ^{***}	44.9 ^{2/}	43.4 ^{***}	1.5
	22:10-22:15 HOUR	48.7 ^{2/}	44.6 ^{***}	49.6 ^{2/}	43.4 ^{***}	6.2
	22:15-22:20 HOUR	46.6 ^{2/}	45.5 ^{***}	43.1 ^{2/}	43.9 ^{***}	<0.8 ^{3/}
	22:20-22:25 HOUR	47.6 ^{2/}	45.5 ^{***}	46.4 ^{2/}	43.9 ^{***}	2.5
	22:25-22:30 HOUR	48.1 ^{2/}	45.5 ^{***}	47.6 ^{2/}	43.9 ^{***}	3.7
	22:30-22:35 HOUR	46.4 ^{2/}	45.4 ^{***}	42.6 ^{2/}	44.1 ^{***}	<0.8 ^{3/}
	22:35-22:40 HOUR	48.0 ^{2/}	45.4 ^{***}	47.6 ^{2/}	44.1 ^{***}	3.5
	22:40-22:45 HOUR	48.1 ^{2/}	45.4 ^{***}	47.7 ^{2/}	44.1 ^{***}	3.6
	22:45-22:50 HOUR	47.5 ^{2/}	44.4 ^{***}	47.6 ^{2/}	43.0 ^{***}	4.6
	22:50-22:55 HOUR	47.7 ^{2/}	44.4 ^{***}	48.0 ^{2/}	43.0 ^{***}	5.0
	22:55-23:00 HOUR	47.0 ^{2/}	44.4 ^{***}	46.5 ^{2/}	43.0 ^{***}	3.5
	23:00-23:05 HOUR	47.1 ^{2/}	44.1 ^{***}	47.0 ^{2/}	42.8 ^{***}	4.2
	23:05-23:10 HOUR	46.4 ^{2/}	44.1 ^{***}	45.5 ^{2/}	42.8 ^{***}	2.7
	23:10-23:15 HOUR	47.5 ^{2/}	44.1 ^{***}	47.9 ^{2/}	42.8 ^{***}	5.1
	23:15-23:20 HOUR	46.3 ^{2/}	43.6 ^{***}	45.9 ^{2/}	42.2 ^{***}	3.7
	23:20-23:25 HOUR	46.7 ^{2/}	43.6 ^{***}	46.8 ^{2/}	42.2 ^{***}	4.6
	23:25-23:30 HOUR	46.4 ^{2/}	43.6 ^{***}	46.2 ^{2/}	42.2 ^{***}	4.0
	23:30-23:35 HOUR	47.0 ^{2/}	45.0 ^{***}	45.8 ^{2/}	43.3 ^{***}	2.5
	23:35-23:40 HOUR	46.4 ^{2/}	45.0 ^{***}	43.7 ^{2/}	43.3 ^{***}	<0.8 ^{3/}
	23:40-23:45 HOUR	47.4 ^{2/}	45.0 ^{***}	46.7 ^{2/}	43.3 ^{***}	3.4
	23:45-23:50 HOUR	46.5 ^{2/}	44.2 ^{***}	45.7 ^{2/}	42.9 ^{***}	2.8
	23:50-23:55 HOUR	46.1 ^{2/}	44.2 ^{***}	44.5 ^{2/}	42.9 ^{***}	1.6
	23:55-00:00 HOUR	46.7 ^{2/}	44.2 ^{***}	46.2 ^{2/}	42.9 ^{***}	3.3
SEPTEMBER 23, 2024	NIGHT TIME ^{2/}					
T24AW335-0007	00:00-00:05 HOUR	47.2 ^{2/}	44.3 ^{***}	47.0 ^{2/}	42.7 ^{***}	4.3
	00:05-00:10 HOUR	47.7 ^{2/}	44.3 ^{***}	48.1 ^{2/}	42.7 ^{***}	5.4
	00:10-00:15 HOUR	47.4 ^{2/}	44.3 ^{***}	47.5 ^{2/}	42.7 ^{***}	4.8
	00:15-00:20 HOUR	47.5 ^{2/}	42.9 ^{***}	48.6 ^{2/}	41.7 ^{***}	6.9
	00:20-00:25 HOUR	46.1 ^{2/}	42.9 ^{***}	46.3 ^{2/}	41.7 ^{***}	4.6
	00:25-00:30 HOUR	46.6 ^{2/}	42.9 ^{***}	47.2 ^{2/}	41.7 ^{***}	5.5

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รบกวนบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 23, 2024	NIGHT TIME ^{2/}					
T24AW335-0007	00:30-00:35 HOUR	46.7 ^{2/}	45.0 ***	44.7 ^{2/}	43.7 ***	1.0
	00:35-00:40 HOUR	46.0 ^{2/}	45.0 ***	42.3 ^{2/}	43.7 ***	<0.8 ^{3/}
	00:40-00:45 HOUR	47.6 ^{2/}	45.0 ***	47.1 ^{2/}	43.7 ***	3.4
	00:45-00:50 HOUR	47.2 ^{2/}	43.8 ***	47.5 ^{2/}	42.6 ***	4.9
	00:50-00:55 HOUR	46.8 ^{2/}	43.8 ***	46.8 ^{2/}	42.6 ***	4.2
	00:55-01:00 HOUR	46.1 ^{2/}	43.8 ***	45.2 ^{2/}	42.6 ***	2.6
	01:00-01:05 HOUR	46.1 ^{2/}	43.0 ***	46.2 ^{2/}	41.8 ***	4.4
	01:05-01:10 HOUR	47.6 ^{2/}	43.0 ***	48.7 ^{2/}	41.8 ***	6.9
	01:10-01:15 HOUR	46.1 ^{2/}	43.0 ***	46.2 ^{2/}	41.8 ***	4.4
	01:15-01:20 HOUR	46.9 ^{2/}	44.1 ***	46.7 ^{2/}	42.9 ***	3.8
	01:20-01:25 HOUR	47.3 ^{2/}	44.1 ***	47.4 ^{2/}	42.9 ***	4.5
	01:25-01:30 HOUR	47.1 ^{2/}	44.1 ***	47.2 ^{2/}	42.9 ***	4.3
	01:30-01:35 HOUR	47.2 ^{2/}	44.4 ***	46.9 ^{2/}	43.1 ***	3.8
	01:35-01:40 HOUR	47.5 ^{2/}	44.4 ***	47.7 ^{2/}	43.1 ***	4.6
	01:40-01:45 HOUR	46.5 ^{2/}	44.4 ***	45.5 ^{2/}	43.1 ***	2.4
	01:45-01:50 HOUR	46.8 ^{2/}	44.8 ***	45.5 ^{2/}	43.5 ***	2.0
	01:50-01:55 HOUR	47.6 ^{2/}	44.8 ***	47.4 ^{2/}	43.5 ***	3.9
	01:55-02:00 HOUR	48.0 ^{2/}	44.8 ***	48.1 ^{2/}	43.5 ***	4.6
	02:00-02:05 HOUR	46.8 ^{2/}	43.7 ***	46.8 ^{2/}	42.3 ***	4.5
	02:05-02:10 HOUR	46.5 ^{2/}	43.7 ***	46.3 ^{2/}	42.3 ***	4.0
	02:10-02:15 HOUR	46.2 ^{2/}	43.7 ***	45.7 ^{2/}	42.3 ***	3.4
	02:15-02:20 HOUR	47.9 ^{2/}	45.1 ***	47.7 ^{2/}	43.8 ***	3.9
	02:20-02:25 HOUR	46.6 ^{2/}	45.1 ***	44.2 ^{2/}	43.8 ***	<0.8 ^{3/}
	02:25-02:30 HOUR	47.1 ^{2/}	45.1 ***	45.7 ^{2/}	43.8 ***	1.9
	02:30-02:35 HOUR	46.2 ^{2/}	45.2 ***	42.5 ^{2/}	43.9 ***	<0.8 ^{3/}
	02:35-02:40 HOUR	48.5 ^{2/}	45.2 ***	48.7 ^{2/}	43.9 ***	4.8
	02:40-02:45 HOUR	47.6 ^{2/}	45.2 ***	46.9 ^{2/}	43.9 ***	3.0
	02:45-02:50 HOUR	46.7 ^{2/}	43.6 ***	46.7 ^{2/}	42.1 ***	4.6
	02:50-02:55 HOUR	46.4 ^{2/}	43.6 ***	46.2 ^{2/}	42.1 ***	4.1
	02:55-03:00 HOUR	48.0 ^{2/}	43.6 ***	49.0 ^{2/}	42.1 ***	6.9
	03:00-03:05 HOUR	46.9 ^{2/}	43.6 ***	47.1 ^{2/}	42.1 ***	5.0
	03:05-03:10 HOUR	46.8 ^{2/}	43.6 ***	47.0 ^{2/}	42.1 ***	4.9
	03:10-03:15 HOUR	46.4 ^{2/}	43.6 ***	46.2 ^{2/}	42.1 ***	4.1
	03:15-03:20 HOUR	46.0 ^{2/}	44.8 ***	43.0 ^{2/}	43.5 ***	<0.8 ^{3/}
	03:20-03:25 HOUR	46.0 ^{2/}	44.8 ***	43.0 ^{2/}	43.5 ***	<0.8 ^{3/}
	03:25-03:30 HOUR	48.1 ^{2/}	44.8 ***	48.4 ^{2/}	43.5 ***	4.9
	03:30-03:35 HOUR	47.0 ^{2/}	44.6 ***	46.3 ^{2/}	43.4 ***	2.9
	03:35-03:40 HOUR	47.5 ^{2/}	44.6 ***	47.3 ^{2/}	43.4 ***	3.9
	03:40-03:45 HOUR	47.9 ^{2/}	44.6 ***	48.2 ^{2/}	43.4 ***	4.8
	03:45-03:50 HOUR	47.2 ^{2/}	44.9 ***	46.4 ^{2/}	43.4 ***	3.0
	03:50-03:55 HOUR	46.5 ^{2/}	44.9 ***	44.4 ^{2/}	43.4 ***	1.0
	03:55-04:00 HOUR	48.2 ^{2/}	44.9 ***	48.4 ^{2/}	43.4 ***	5.0
	04:00-04:05 HOUR	47.6 ^{2/}	44.1 ***	48.0 ^{2/}	42.9 ***	5.1
	04:05-04:10 HOUR	47.4 ^{2/}	44.1 ***	47.7 ^{2/}	42.9 ***	4.8

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รบกวนบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 23, 2024	NIGHT TIME ^{2/}					
T24AW335-0007	04:10-04:15 HOUR	47.6 ^{2/}	44.1 ***	48.0 ^{2/}	42.9 ***	5.1
	04:15-04:20 HOUR	47.0 ^{2/}	44.9 ***	45.9 ^{2/}	43.7 ***	2.2
	04:20-04:25 HOUR	46.9 ^{2/}	44.9 ***	45.6 ^{2/}	43.7 ***	1.9
	04:25-04:30 HOUR	47.8 ^{2/}	44.9 ***	47.8 ^{2/}	43.7 ***	4.1
	04:30-04:35 HOUR	46.6 ^{2/}	43.5 ***	46.8 ^{2/}	42.1 ***	4.7
	04:35-04:40 HOUR	47.2 ^{2/}	43.5 ***	47.8 ^{2/}	42.1 ***	5.7
	04:40-04:45 HOUR	46.6 ^{2/}	43.5 ***	46.7 ^{2/}	42.1 ***	4.6
	04:45-04:50 HOUR	46.6 ^{2/}	44.5 ***	45.4 ^{2/}	43.1 ***	2.3
	04:50-04:55 HOUR	47.1 ^{2/}	44.5 ***	46.5 ^{2/}	43.1 ***	3.4
	04:55-05:00 HOUR	48.0 ^{2/}	44.5 ***	48.4 ^{2/}	43.1 ***	5.3
	05:00-05:05 HOUR	46.6 ^{2/}	44.3 ***	45.8 ^{2/}	42.9 ***	2.9
	05:05-05:10 HOUR	46.9 ^{2/}	44.3 ***	46.5 ^{2/}	42.9 ***	3.6
	05:10-05:15 HOUR	47.5 ^{2/}	44.3 ***	47.7 ^{2/}	42.9 ***	4.8
	05:15-05:20 HOUR	46.4 ^{2/}	44.5 ***	44.8 ^{2/}	43.1 ***	1.7
	05:20-05:25 HOUR	46.8 ^{2/}	44.5 ***	46.1 ^{2/}	43.1 ***	3.0
	05:25-05:30 HOUR	46.4 ^{2/}	44.5 ***	44.9 ^{2/}	43.1 ***	1.8
	05:30-05:35 HOUR	46.0 ^{2/}	45.3 ***	40.9 ^{2/}	43.8 ***	<0.8 ^{3/}
	05:35-05:40 HOUR	47.5 ^{2/}	45.3 ***	46.4 ^{2/}	43.8 ***	2.6
	05:40-05:45 HOUR	49.0 ^{2/}	45.3 ***	49.6 ^{2/}	43.8 ***	5.8
	05:45-05:50 HOUR	48.4 ^{2/}	46.0 ***	47.6 ^{2/}	44.5 ***	3.1
	05:50-05:55 HOUR	47.9 ^{2/}	46.0 ***	46.5 ^{2/}	44.5 ***	2.0
	05:55-06:00 HOUR	50.1 ^{2/}	46.0 ***	51.0 ^{2/}	44.5 ***	6.5
	DAY TIME ^{1/}					
	06:00-07:00 HOUR	48.4 ^{1/}	44.2 **	46.3 ^{1/}	43.0 **	3.3

REMARK :

- 1/ CASE 1 CALCULATION (DURING 06:00 TO 22:00 HOUR) : SPECIFIC SOUND LEVEL CONTINUOUSLY OCCUR AT LEAST 1 HOUR, MEASURING AS L_{Aeq} 1 hour.
- 2/ CASE 4 CALCULATION (DURING 22:00 TO 06:00 HOUR) : SPECIFIC SOUND LEVEL OCCUR IN RESTFUL AREA OR NIGHT TIME, MEASURING AS L_{Aeq} 5 minutes.
- 3/ THERE IS NO IMPACT CAUSE ANNOYANCE SOUND LEVEL

**** PERCENTILE LEVEL 90 (L_{A90}) IS THE MIDDLE VALUE OF 11 TIMES MEASURING.**
(55 MINUTES MEASURING DURING 06:00 TO 22:00 HOUR)
AND RESIDUAL SOUND LEVEL (L_{Aeq} 5 minutes) IS CHOSEN AT THE SAME TIME AS PERCENTILE LEVEL 90 ABOVE.

***** PERCENTILE LEVEL 90 (L_{A90}) IS THE MIDDLE VALUE OF 3 TIMES MEASURING.**
(15 MINUTES MEASURING DURING 22:00 TO 06:00 HOUR)
AND RESIDUAL SOUND LEVEL (L_{Aeq} 5 minutes) IS CHOSEN AT THE SAME TIME AS PERCENTILE LEVEL 90 ABOVE.

(MR SILA BANJONGJAIKUK)
LABORATORY SUPERVISOR

ANALYSIS REPORT

PROJECT NAME	: โครงการดิเอนโคई งานรายงานผลการปฏิบัติตามมาตรการป้องกันและแก้ไขผลกระทบสิ่งแวดล้อม ระหว่างดำเนินการก่อสร้าง CLUBHOUSE และ งานปรับเปลี่ยนบันไดวนออกเป็นพื้นที่ห้องอาหาร (ระยะฐานราก)
CUSTOMER NAME	: ENERGY COMPLEX COMPANY LIMITED
ADDRESS	: 555/1 VIBHAVADI-RANGSIT ROAD CHATUCHAK CHATUCHAK BANGKOK 10900
CONTACT INFORMATION	: TEL : 0 2537 1885 e-mail : anupon.d@energycomplex.co.th
MEASURING PLACE	: ภายในพื้นที่รื้อถอนบริเวณที่วางหน้าอาคาร C
MEASURING TYPE	: AMBIENT (ANNOYANCE NOISE)
MEASURING DATE	: SEPTEMBER 23-30, 2024
MEASURING TIME	: *
MEASURING EQUIPMENT	: INTEGRATED SOUND LEVEL METER AND CALCULATION
MEASURED BY	: MR DANUPORN KONGSRI
RECEIVED DATE	: SEPTEMBER 23-30, 2024
ANALYTICAL DATE	: SEPTEMBER 23-30, 2024
ISSUE DATE	: OCTOBER 4, 2024
REPORT NO.	: 2024-U092433
WORK NO.	: 2024-006278
ANALYSIS NO.	: T24AX019-0001 - T24AX019-0007

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รื้อถอนบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 23, 2024	DAY TIME ^{1/}					
T24AX019-0001	07:00-08:00 HOUR	51.9 ^{1/}	49.8 **	47.7 ^{1/}	47.5 **	<0.8 ^{3/}
	08:00-09:00 HOUR	54.2 ^{1/}	52.8 **	48.6 ^{1/}	50.4 **	<0.8 ^{3/}
	09:00-10:00 HOUR	55.7 ^{1/}	52.8 **	52.6 ^{1/}	50.4 **	2.2
	10:00-11:00 HOUR	55.4 ^{1/}	53.5 **	50.9 ^{1/}	51.0 **	<0.8 ^{3/}
	11:00-12:00 HOUR	59.4 ^{1/}	56.7 **	56.1 ^{1/}	54.4 **	1.7
	12:00-13:00 HOUR	53.8 ^{1/}	51.1 **	50.5 ^{1/}	49.0 **	1.5
	13:00-14:00 HOUR	54.0 ^{1/}	52.5 **	48.7 ^{1/}	50.3 **	<0.8 ^{3/}
	14:00-15:00 HOUR	53.9 ^{1/}	50.8 **	51.0 ^{1/}	48.6 **	2.4
	15:00-16:00 HOUR	56.7 ^{1/}	54.9 **	52.0 ^{1/}	52.6 **	<0.8 ^{3/}
	16:00-17:00 HOUR	56.0 ^{1/}	53.7 **	52.1 ^{1/}	51.2 **	0.9
	17:00-18:00 HOUR	53.0 ^{1/}	51.5 **	47.7 ^{1/}	49.3 **	<0.8 ^{3/}
	18:00-19:00 HOUR	56.9 ^{1/}	54.4 **	53.3 ^{1/}	52.2 **	1.1
	19:00-20:00 HOUR	55.3 ^{1/}	51.3 **	53.1 ^{1/}	48.9 **	4.2
	20:00-21:00 HOUR	54.2 ^{1/}	52.4 **	49.5 ^{1/}	50.1 **	<0.8 ^{3/}
	21:00-22:00 HOUR	51.3 ^{1/}	50.1 **	45.1 ^{1/}	47.5 **	<0.8 ^{3/}
	NIGHT TIME ^{2/}					
	22:00-22:05 HOUR	48.0 ^{2/}	46.2 ***	46.3 ^{2/}	44.2 ***	2.1
	22:05-22:10 HOUR	50.3 ^{2/}	46.2 ***	51.2 ^{2/}	44.2 ***	7.0
	22:10-22:15 HOUR	48.6 ^{2/}	46.2 ***	47.9 ^{2/}	44.2 ***	3.7
	22:15-22:20 HOUR	49.9 ^{2/}	47.3 ***	49.4 ^{2/}	45.0 ***	4.4
	22:20-22:25 HOUR	47.4 ^{2/}	47.3 ***	34.0 ^{2/}	45.0 ***	<0.8 ^{3/}
	22:25-22:30 HOUR	49.8 ^{2/}	47.3 ***	49.2 ^{2/}	45.0 ***	4.2
	22:30-22:35 HOUR	47.5 ^{2/}	46.3 ***	44.3 ^{2/}	44.3 ***	<0.8 ^{3/}
	22:35-22:40 HOUR	47.5 ^{2/}	46.3 ***	44.3 ^{2/}	44.3 ***	<0.8 ^{3/}
	22:40-22:45 HOUR	48.7 ^{2/}	46.3 ***	48.0 ^{2/}	44.3 ***	3.7
	22:45-22:50 HOUR	48.6 ^{2/}	46.3 ***	47.7 ^{2/}	44.2 ***	3.5
	22:50-22:55 HOUR	48.6 ^{2/}	46.3 ***	47.7 ^{2/}	44.2 ***	3.5
	22:55-23:00 HOUR	49.1 ^{2/}	46.3 ***	48.9 ^{2/}	44.2 ***	4.7
	23:00-23:05 HOUR	48.1 ^{2/}	46.9 ***	44.9 ^{2/}	44.5 ***	<0.8 ^{3/}
	23:05-23:10 HOUR	48.9 ^{2/}	46.9 ***	47.6 ^{2/}	44.5 ***	3.1



DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รบกวนบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 23, 2024	NIGHT TIME ^{2/}					
T24AX019-0001	23:10-23:15 HOUR	49.7 ^{2/}	46.9 ***	49.5 ^{2/}	44.5 ***	5.0
	23:15-23:20 HOUR	48.1 ^{2/}	47.4 ***	42.8 ^{2/}	45.2 ***	<0.8 ^{3/}
	23:20-23:25 HOUR	49.0 ^{2/}	47.4 ***	46.9 ^{2/}	45.2 ***	1.7
	23:25-23:30 HOUR	49.5 ^{2/}	47.4 ***	48.3 ^{2/}	45.2 ***	3.1
	23:30-23:35 HOUR	47.3 ^{2/}	46.7 ***	41.4 ^{2/}	44.3 ***	<0.8 ^{3/}
	23:35-23:40 HOUR	49.2 ^{2/}	46.7 ***	48.6 ^{2/}	44.3 ***	4.3
	23:40-23:45 HOUR	47.8 ^{2/}	46.7 ***	44.3 ^{2/}	44.3 ***	<0.8 ^{3/}
	23:45-23:50 HOUR	47.4 ^{2/}	45.8 ***	45.3 ^{2/}	43.6 ***	1.7
	23:50-23:55 HOUR	47.4 ^{2/}	45.8 ***	45.3 ^{2/}	43.6 ***	1.7
	23:55-00:00 HOUR	47.1 ^{2/}	45.8 ***	44.2 ^{2/}	43.6 ***	<0.8 ^{3/}
SEPTEMBER 24, 2024	NIGHT TIME ^{2/}					
T24AX019-0001	00:00-00:05 HOUR	45.8 ^{2/}	45.4 ***	38.2 ^{2/}	43.0 ***	<0.8 ^{3/}
	00:05-00:10 HOUR	47.6 ^{2/}	45.4 ***	46.6 ^{2/}	43.0 ***	3.6
	00:10-00:15 HOUR	46.9 ^{2/}	45.4 ***	44.6 ^{2/}	43.0 ***	1.6
	00:15-00:20 HOUR	45.8 ^{2/}	45.4 ***	38.2 ^{2/}	43.0 ***	<0.8 ^{3/}
	00:20-00:25 HOUR	47.2 ^{2/}	45.4 ***	45.5 ^{2/}	43.0 ***	2.5
	00:25-00:30 HOUR	46.1 ^{2/}	45.4 ***	40.8 ^{2/}	43.0 ***	<0.8 ^{3/}
	00:30-00:35 HOUR	47.2 ^{2/}	46.6 ***	41.3 ^{2/}	44.3 ***	<0.8 ^{3/}
	00:35-00:40 HOUR	47.7 ^{2/}	46.6 ***	44.2 ^{2/}	44.3 ***	<0.8 ^{3/}
	00:40-00:45 HOUR	47.4 ^{2/}	46.6 ***	42.7 ^{2/}	44.3 ***	<0.8 ^{3/}
	00:45-00:50 HOUR	47.4 ^{2/}	45.4 ***	46.1 ^{2/}	43.0 ***	3.1
	00:50-00:55 HOUR	46.6 ^{2/}	45.4 ***	43.4 ^{2/}	43.0 ***	<0.8 ^{3/}
	00:55-01:00 HOUR	46.8 ^{2/}	45.4 ***	44.2 ^{2/}	43.0 ***	1.2
	01:00-01:05 HOUR	45.5 ^{2/}	44.4 ***	42.0 ^{2/}	42.1 ***	<0.8 ^{3/}
	01:05-01:10 HOUR	45.3 ^{2/}	44.4 ***	41.0 ^{2/}	42.1 ***	<0.8 ^{3/}
	01:10-01:15 HOUR	46.6 ^{2/}	44.4 ***	45.6 ^{2/}	42.1 ***	3.5
	01:15-01:20 HOUR	46.9 ^{2/}	45.8 ***	43.4 ^{2/}	43.3 ***	<0.8 ^{3/}
	01:20-01:25 HOUR	46.8 ^{2/}	45.8 ***	42.9 ^{2/}	43.3 ***	<0.8 ^{3/}
	01:25-01:30 HOUR	46.7 ^{2/}	45.8 ***	42.4 ^{2/}	43.3 ***	<0.8 ^{3/}
	01:30-01:35 HOUR	46.8 ^{2/}	46.9 ***	<0.8 ^{3/}	44.6 ***	<0.8 ^{3/}
	01:35-01:40 HOUR	47.2 ^{2/}	46.9 ***	38.4 ^{2/}	44.6 ***	<0.8 ^{3/}
	01:40-01:45 HOUR	47.1 ^{2/}	46.9 ***	36.6 ^{2/}	44.6 ***	<0.8 ^{3/}
	01:45-01:50 HOUR	49.3 ^{2/}	48.5 ***	44.6 ^{2/}	46.3 ***	<0.8 ^{3/}
	01:50-01:55 HOUR	49.2 ^{2/}	48.5 ***	43.9 ^{2/}	46.3 ***	<0.8 ^{3/}
	01:55-02:00 HOUR	48.6 ^{2/}	48.5 ***	35.2 ^{2/}	46.3 ***	<0.8 ^{3/}
	02:00-02:05 HOUR	49.5 ^{2/}	54.1 ***	<0.8 ^{3/}	51.8 ***	<0.8 ^{3/}
	02:05-02:10 HOUR	56.8 ^{2/}	54.1 ***	56.5 ^{2/}	51.8 ***	4.7
	02:10-02:15 HOUR	58.0 ^{2/}	54.1 ***	58.7 ^{2/}	51.8 ***	6.9
	02:15-02:20 HOUR	56.0 ^{2/}	51.8 ***	56.9 ^{2/}	49.3 ***	7.6
	02:20-02:25 HOUR	56.0 ^{2/}	51.8 ***	56.9 ^{2/}	49.3 ***	7.6
	02:25-02:30 HOUR	56.0 ^{2/}	51.8 ***	56.9 ^{2/}	49.3 ***	7.6
	02:30-02:35 HOUR	50.6 ^{2/}	49.5 ***	47.1 ^{2/}	47.6 ***	<0.8 ^{3/}
	02:35-02:40 HOUR	52.1 ^{2/}	49.5 ***	51.6 ^{2/}	47.6 ***	4.0
	02:40-02:45 HOUR	53.4 ^{2/}	49.5 ***	54.1 ^{2/}	47.6 ***	6.5

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รบกวนบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 24, 2024	NIGHT TIME ^{2/}					
T24AX019-0001	02:45-02:50 HOUR	50.8 ^{2/}	48.8 ***	49.5 ^{2/}	46.7 ***	2.8
	02:50-02:55 HOUR	52.2 ^{2/}	48.8 ***	52.5 ^{2/}	46.7 ***	5.8
	02:55-03:00 HOUR	51.1 ^{2/}	48.8 ***	50.2 ^{2/}	46.7 ***	3.5
	03:00-03:05 HOUR	49.8 ^{2/}	46.3 ***	50.2 ^{2/}	44.1 ***	6.1
	03:05-03:10 HOUR	49.7 ^{2/}	46.3 ***	50.0 ^{2/}	44.1 ***	5.9
	03:10-03:15 HOUR	47.9 ^{2/}	46.3 ***	45.8 ^{2/}	44.1 ***	1.7
	03:15-03:20 HOUR	48.6 ^{2/}	46.7 ***	47.1 ^{2/}	44.5 ***	2.6
	03:20-03:25 HOUR	46.8 ^{2/}	46.7 ***	33.4 ^{2/}	44.5 ***	<0.8 ^{3/}
	03:25-03:30 HOUR	47.6 ^{2/}	46.7 ***	43.3 ^{2/}	44.5 ***	<0.8 ^{3/}
	03:30-03:35 HOUR	48.2 ^{2/}	46.7 ***	45.9 ^{2/}	44.3 ***	1.6
	03:35-03:40 HOUR	47.1 ^{2/}	46.7 ***	39.5 ^{2/}	44.3 ***	<0.8 ^{3/}
	03:40-03:45 HOUR	46.7 ^{2/}	46.7 ***	<0.8 ^{3/}	44.3 ***	<0.8 ^{3/}
	03:45-03:50 HOUR	47.6 ^{2/}	44.7 ***	47.5 ^{2/}	42.5 ***	5.0
	03:50-03:55 HOUR	47.5 ^{2/}	44.7 ***	47.3 ^{2/}	42.5 ***	4.8
	03:55-04:00 HOUR	47.1 ^{2/}	44.7 ***	46.4 ^{2/}	42.5 ***	3.9
	04:00-04:05 HOUR	45.9 ^{2/}	45.8 ***	32.5 ^{2/}	43.5 ***	<0.8 ^{3/}
	04:05-04:10 HOUR	46.8 ^{2/}	45.8 ***	42.9 ^{2/}	43.5 ***	<0.8 ^{3/}
	04:10-04:15 HOUR	47.2 ^{2/}	45.8 ***	44.6 ^{2/}	43.5 ***	1.1
	04:15-04:20 HOUR	47.5 ^{2/}	45.7 ***	45.8 ^{2/}	43.4 ***	2.4
	04:20-04:25 HOUR	48.4 ^{2/}	45.7 ***	48.1 ^{2/}	43.4 ***	4.7
	04:25-04:30 HOUR	48.0 ^{2/}	45.7 ***	47.1 ^{2/}	43.4 ***	3.7
	04:30-04:35 HOUR	47.9 ^{2/}	46.9 ***	44.0 ^{2/}	44.7 ***	<0.8 ^{3/}
	04:35-04:40 HOUR	46.9 ^{2/}	46.9 ***	<0.8 ^{3/}	44.7 ***	<0.8 ^{3/}
	04:40-04:45 HOUR	48.2 ^{2/}	46.9 ***	45.3 ^{2/}	44.7 ***	<0.8 ^{3/}
	04:45-04:50 HOUR	49.7 ^{2/}	47.9 ***	48.0 ^{2/}	45.6 ***	2.4
	04:50-04:55 HOUR	48.7 ^{2/}	47.9 ***	44.0 ^{2/}	45.6 ***	<0.8 ^{3/}
	04:55-05:00 HOUR	48.1 ^{2/}	47.9 ***	37.6 ^{2/}	45.6 ***	<0.8 ^{3/}
	05:00-05:05 HOUR	48.2 ^{2/}	48.5 ***	<0.8 ^{3/}	46.2 ***	<0.8 ^{3/}
	05:05-05:10 HOUR	50.3 ^{2/}	48.5 ***	48.6 ^{2/}	46.2 ***	2.4
	05:10-05:15 HOUR	50.0 ^{2/}	48.5 ***	47.7 ^{2/}	46.2 ***	1.5
	05:15-05:20 HOUR	49.0 ^{2/}	50.6 ***	<0.8 ^{3/}	48.4 ***	<0.8 ^{3/}
	05:20-05:25 HOUR	51.0 ^{2/}	50.6 ***	43.4 ^{2/}	48.4 ***	<0.8 ^{3/}
	05:25-05:30 HOUR	48.2 ^{2/}	50.6 ***	<0.8 ^{3/}	48.4 ***	<0.8 ^{3/}
	05:30-05:35 HOUR	54.0 ^{2/}	51.3 ***	53.7 ^{2/}	48.9 ***	4.8
	05:35-05:40 HOUR	54.2 ^{2/}	51.3 ***	54.1 ^{2/}	48.9 ***	5.2
	05:40-05:45 HOUR	50.5 ^{2/}	51.3 ***	<0.8 ^{3/}	48.9 ***	<0.8 ^{3/}
	05:45-05:50 HOUR	54.7 ^{2/}	53.7 ***	50.8 ^{2/}	51.3 ***	<0.8 ^{3/}
	05:50-05:55 HOUR	53.5 ^{2/}	53.7 ***	<0.8 ^{3/}	51.3 ***	<0.8 ^{3/}
	05:55-06:00 HOUR	53.7 ^{2/}	53.7 ***	<0.8 ^{3/}	51.3 ***	<0.8 ^{3/}
	DAY TIME ^{1/}					
	06:00-07:00 HOUR	54.0 ^{1/}	51.9 **	49.8 ^{1/}	49.6 **	<0.8 ^{3/}
SEPTEMBER 24, 2024	DAY TIME ^{1/}					
T24AX019-0002	07:00-08:00 HOUR	56.1 ^{1/}	53.9 **	52.1 ^{1/}	51.5 **	<0.8 ^{3/}
	08:00-09:00 HOUR	57.1 ^{1/}	55.1 **	52.8 ^{1/}	52.8 **	<0.8 ^{3/}
	09:00-10:00 HOUR	58.3 ^{1/}	56.2 **	54.1 ^{1/}	53.9 **	<0.8 ^{3/}



DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รบกวนบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 24, 2024	DAY TIME ^{1/}					
T24AX019-0002	10:00-11:00 HOUR	59.0 ^{1/}	56.8 **	55.0 ^{1/}	54.6 **	<0.8 ^{3/}
	11:00-12:00 HOUR	58.5 ^{1/}	56.5 **	54.2 ^{1/}	54.2 **	<0.8 ^{3/}
	12:00-13:00 HOUR	58.9 ^{1/}	55.7 **	56.1 ^{1/}	53.6 **	2.5
	13:00-14:00 HOUR	59.6 ^{1/}	56.4 **	56.8 ^{1/}	54.1 **	2.7
	14:00-15:00 HOUR	57.6 ^{1/}	56.4 **	51.4 ^{1/}	53.8 **	<0.8 ^{3/}
	15:00-16:00 HOUR	58.6 ^{1/}	57.0 **	53.5 ^{1/}	54.7 **	<0.8 ^{3/}
	16:00-17:00 HOUR	58.7 ^{1/}	56.3 **	55.0 ^{1/}	54.2 **	0.8
	17:00-18:00 HOUR	60.1 ^{1/}	55.8 **	58.1 ^{1/}	53.6 **	4.5
	18:00-19:00 HOUR	58.2 ^{1/}	55.5 **	54.9 ^{1/}	53.0 **	1.9
	19:00-20:00 HOUR	56.6 ^{1/}	55.3 **	50.7 ^{1/}	52.8 **	<0.8 ^{3/}
	20:00-21:00 HOUR	54.2 ^{1/}	51.2 **	51.2 ^{1/}	49.0 **	2.2
	21:00-22:00 HOUR	53.8 ^{1/}	52.0 **	49.1 ^{1/}	49.6 **	<0.8 ^{3/}
	NIGHT TIME ^{2/}					
	22:00-22:05 HOUR	54.3 ^{2/}	51.4 ***	54.2 ^{2/}	48.9 ***	5.3
	22:05-22:10 HOUR	53.6 ^{2/}	51.4 ***	52.6 ^{2/}	48.9 ***	3.7
	22:10-22:15 HOUR	52.7 ^{2/}	51.4 ***	49.8 ^{2/}	48.9 ***	0.9
	22:15-22:20 HOUR	53.5 ^{2/}	51.0 ***	52.9 ^{2/}	48.7 ***	4.2
	22:20-22:25 HOUR	51.4 ^{2/}	51.0 ***	43.8 ^{2/}	48.7 ***	<0.8 ^{3/}
	22:25-22:30 HOUR	53.7 ^{2/}	51.0 ***	53.4 ^{2/}	48.7 ***	4.7
	22:30-22:35 HOUR	52.5 ^{2/}	52.0 ***	45.9 ^{2/}	49.5 ***	<0.8 ^{3/}
	22:35-22:40 HOUR	53.4 ^{2/}	52.0 ***	50.8 ^{2/}	49.5 ***	1.3
	22:40-22:45 HOUR	53.0 ^{2/}	52.0 ***	49.1 ^{2/}	49.5 ***	<0.8 ^{3/}
	22:45-22:50 HOUR	53.4 ^{2/}	49.9 ***	53.8 ^{2/}	47.7 ***	6.1
	22:50-22:55 HOUR	52.7 ^{2/}	49.9 ***	52.5 ^{2/}	47.7 ***	4.8
	22:55-23:00 HOUR	51.6 ^{2/}	49.9 ***	49.7 ^{2/}	47.7 ***	2.0
	23:00-23:05 HOUR	53.2 ^{2/}	50.1 ***	53.3 ^{2/}	47.7 ***	5.6
	23:05-23:10 HOUR	51.9 ^{2/}	50.1 ***	50.2 ^{2/}	47.7 ***	2.5
	23:10-23:15 HOUR	53.1 ^{2/}	50.1 ***	53.1 ^{2/}	47.7 ***	5.4
	23:15-23:20 HOUR	52.1 ^{2/}	51.2 ***	47.8 ^{2/}	48.7 ***	<0.8 ^{3/}
	23:20-23:25 HOUR	51.5 ^{2/}	51.2 ***	42.7 ^{2/}	48.7 ***	<0.8 ^{3/}
	23:25-23:30 HOUR	53.0 ^{2/}	51.2 ***	51.3 ^{2/}	48.7 ***	2.6
	23:30-23:35 HOUR	52.3 ^{2/}	50.2 ***	51.1 ^{2/}	48.0 ***	3.1
	23:35-23:40 HOUR	53.3 ^{2/}	50.2 ***	53.4 ^{2/}	48.0 ***	5.4
	23:40-23:45 HOUR	51.3 ^{2/}	50.2 ***	47.8 ^{2/}	48.0 ***	<0.8 ^{3/}
	23:45-23:50 HOUR	52.8 ^{2/}	49.9 ***	52.7 ^{2/}	47.5 ***	5.2
	23:50-23:55 HOUR	51.6 ^{2/}	49.9 ***	49.7 ^{2/}	47.5 ***	2.2
	23:55-00:00 HOUR	50.2 ^{2/}	49.9 ***	41.4 ^{2/}	47.5 ***	<0.8 ^{3/}
SEPTEMBER 25, 2024	NIGHT TIME ^{2/}					
T24AX019-0002	00:00-00:05 HOUR	50.9 ^{2/}	48.8 ***	49.7 ^{2/}	46.5 ***	3.2
	00:05-00:10 HOUR	51.3 ^{2/}	48.8 ***	50.7 ^{2/}	46.5 ***	4.2
	00:10-00:15 HOUR	50.8 ^{2/}	48.8 ***	49.5 ^{2/}	46.5 ***	3.0
	00:15-00:20 HOUR	51.6 ^{2/}	48.9 ***	51.3 ^{2/}	46.6 ***	4.7
	00:20-00:25 HOUR	51.7 ^{2/}	48.9 ***	51.5 ^{2/}	46.6 ***	4.9
	00:25-00:30 HOUR	51.1 ^{2/}	48.9 ***	50.1 ^{2/}	46.6 ***	3.5
	00:30-00:35 HOUR	48.9 ^{2/}	48.3 ***	43.0 ^{2/}	45.9 ***	<0.8 ^{3/}

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รบกวนบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 25, 2024	NIGHT TIME ^{2/}					
T24AX019-0002	00:35-00:40 HOUR	48.9 ^{2/}	48.3 ***	43.0 ^{2/}	45.9 ***	<0.8 ^{3/}
	00:40-00:45 HOUR	49.6 ^{2/}	48.3 ***	46.7 ^{2/}	45.9 ***	0.8
	00:45-00:50 HOUR	50.5 ^{2/}	47.4 ***	50.6 ^{2/}	45.2 ***	5.4
	00:50-00:55 HOUR	49.2 ^{2/}	47.4 ***	47.5 ^{2/}	45.2 ***	2.3
	00:55-01:00 HOUR	50.3 ^{2/}	47.4 ***	50.2 ^{2/}	45.2 ***	5.0
	01:00-01:05 HOUR	49.3 ^{2/}	46.9 ***	48.6 ^{2/}	44.7 ***	3.9
	01:05-01:10 HOUR	48.6 ^{2/}	46.9 ***	46.7 ^{2/}	44.7 ***	2.0
	01:10-01:15 HOUR	49.6 ^{2/}	46.9 ***	49.3 ^{2/}	44.7 ***	4.6
	01:15-01:20 HOUR	48.7 ^{2/}	47.3 ***	46.1 ^{2/}	45.0 ***	1.1
	01:20-01:25 HOUR	49.9 ^{2/}	47.3 ***	49.4 ^{2/}	45.0 ***	4.4
	01:25-01:30 HOUR	48.7 ^{2/}	47.3 ***	46.1 ^{2/}	45.0 ***	1.1
	01:30-01:35 HOUR	47.6 ^{2/}	47.2 ***	40.0 ^{2/}	44.9 ***	<0.8 ^{3/}
	01:35-01:40 HOUR	48.5 ^{2/}	47.2 ***	45.6 ^{2/}	44.9 ***	<0.8 ^{3/}
	01:40-01:45 HOUR	49.9 ^{2/}	47.2 ***	49.6 ^{2/}	44.9 ***	4.7
	01:45-01:50 HOUR	48.8 ^{2/}	47.1 ***	46.9 ^{2/}	44.7 ***	2.2
	01:50-01:55 HOUR	48.2 ^{2/}	47.1 ***	44.7 ^{2/}	44.7 ***	<0.8 ^{3/}
	01:55-02:00 HOUR	48.3 ^{2/}	47.1 ***	45.1 ^{2/}	44.7 ***	<0.8 ^{3/}
	02:00-02:05 HOUR	47.9 ^{2/}	47.2 ***	42.6 ^{2/}	45.1 ***	<0.8 ^{3/}
	02:05-02:10 HOUR	49.5 ^{2/}	47.2 ***	48.6 ^{2/}	45.1 ***	3.5
	02:10-02:15 HOUR	48.7 ^{2/}	47.2 ***	46.4 ^{2/}	45.1 ***	1.3
	02:15-02:20 HOUR	49.2 ^{2/}	46.1 ***	49.3 ^{2/}	43.9 ***	5.4
	02:20-02:25 HOUR	49.5 ^{2/}	46.1 ***	49.8 ^{2/}	43.9 ***	5.9
	02:25-02:30 HOUR	47.9 ^{2/}	46.1 ***	46.2 ^{2/}	43.9 ***	2.3
	02:30-02:35 HOUR	48.3 ^{2/}	47.0 ***	45.4 ^{2/}	44.8 ***	<0.8 ^{3/}
	02:35-02:40 HOUR	47.3 ^{2/}	47.0 ***	38.5 ^{2/}	44.8 ***	<0.8 ^{3/}
	02:40-02:45 HOUR	48.8 ^{2/}	47.0 ***	47.1 ^{2/}	44.8 ***	2.3
	02:45-02:50 HOUR	48.1 ^{2/}	46.2 ***	46.6 ^{2/}	44.2 ***	2.4
	02:50-02:55 HOUR	48.4 ^{2/}	46.2 ***	47.4 ^{2/}	44.2 ***	3.2
	02:55-03:00 HOUR	48.0 ^{2/}	46.2 ***	46.3 ^{2/}	44.2 ***	2.1
	03:00-03:05 HOUR	47.7 ^{2/}	46.0 ***	45.8 ^{2/}	43.6 ***	2.2
	03:05-03:10 HOUR	48.2 ^{2/}	46.0 ***	47.2 ^{2/}	43.6 ***	3.6
	03:10-03:15 HOUR	48.1 ^{2/}	46.0 ***	46.9 ^{2/}	43.6 ***	3.3
	03:15-03:20 HOUR	47.4 ^{2/}	45.9 ***	45.1 ^{2/}	43.7 ***	1.4
	03:20-03:25 HOUR	47.1 ^{2/}	45.9 ***	43.9 ^{2/}	43.7 ***	<0.8 ^{3/}
	03:25-03:30 HOUR	47.4 ^{2/}	45.9 ***	45.1 ^{2/}	43.7 ***	1.4
	03:30-03:35 HOUR	48.0 ^{2/}	46.0 ***	46.7 ^{2/}	43.6 ***	3.1
	03:35-03:40 HOUR	46.7 ^{2/}	46.0 ***	41.4 ^{2/}	43.6 ***	<0.8 ^{3/}
	03:40-03:45 HOUR	47.2 ^{2/}	46.0 ***	44.0 ^{2/}	43.6 ***	<0.8 ^{3/}
	03:45-03:50 HOUR	46.9 ^{2/}	45.3 ***	44.8 ^{2/}	43.0 ***	1.8
	03:50-03:55 HOUR	46.7 ^{2/}	45.3 ***	44.1 ^{2/}	43.0 ***	1.1
	03:55-04:00 HOUR	46.8 ^{2/}	45.3 ***	44.5 ^{2/}	43.0 ***	1.5
	04:00-04:05 HOUR	45.1 ^{2/}	44.3 ***	40.4 ^{2/}	41.8 ***	<0.8 ^{3/}
	04:05-04:10 HOUR	45.3 ^{2/}	44.3 ***	41.4 ^{2/}	41.8 ***	<0.8 ^{3/}
	04:10-04:15 HOUR	46.4 ^{2/}	44.3 ***	45.2 ^{2/}	41.8 ***	3.4

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รบกวนบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 25, 2024	NIGHT TIME ^{2/}					
T24AX019-0002	04:15-04:20 HOUR	46.6 ^{2/}	45.2 ***	44.0 ^{2/}	42.7 ***	1.3
	04:20-04:25 HOUR	46.5 ^{2/}	45.2 ***	43.6 ^{2/}	42.7 ***	0.9
	04:25-04:30 HOUR	46.2 ^{2/}	45.2 ***	42.3 ^{2/}	42.7 ***	<0.8 ^{3/}
	04:30-04:35 HOUR	46.9 ^{2/}	45.3 ***	44.8 ^{2/}	43.1 ***	1.7
	04:35-04:40 HOUR	46.6 ^{2/}	45.3 ***	43.7 ^{2/}	43.1 ***	<0.8 ^{3/}
	04:40-04:45 HOUR	46.7 ^{2/}	45.3 ***	44.1 ^{2/}	43.1 ***	1.0
	04:45-04:50 HOUR	46.2 ^{2/}	45.1 ***	42.7 ^{2/}	42.8 ***	<0.8 ^{3/}
	04:50-04:55 HOUR	45.7 ^{2/}	45.1 ***	39.8 ^{2/}	42.8 ***	<0.8 ^{3/}
	04:55-05:00 HOUR	46.3 ^{2/}	45.1 ***	43.1 ^{2/}	42.8 ***	<0.8 ^{3/}
	05:00-05:05 HOUR	46.6 ^{2/}	46.4 ***	36.1 ^{2/}	44.2 ***	<0.8 ^{3/}
	05:05-05:10 HOUR	46.6 ^{2/}	46.4 ***	36.1 ^{2/}	44.2 ***	<0.8 ^{3/}
	05:10-05:15 HOUR	48.6 ^{2/}	46.4 ***	47.6 ^{2/}	44.2 ***	3.4
	05:15-05:20 HOUR	46.9 ^{2/}	46.7 ***	36.4 ^{2/}	44.3 ***	<0.8 ^{3/}
	05:20-05:25 HOUR	46.8 ^{2/}	46.7 ***	33.4 ^{2/}	44.3 ***	<0.8 ^{3/}
	05:25-05:30 HOUR	48.3 ^{2/}	46.7 ***	46.2 ^{2/}	44.3 ***	1.9
	05:30-05:35 HOUR	49.3 ^{2/}	49.7 ***	<0.8 ^{3/}	47.2 ***	<0.8 ^{3/}
	05:35-05:40 HOUR	50.3 ^{2/}	49.7 ***	44.4 ^{2/}	47.2 ***	<0.8 ^{3/}
	05:40-05:45 HOUR	49.3 ^{2/}	49.7 ***	<0.8 ^{3/}	47.2 ***	<0.8 ^{3/}
	05:45-05:50 HOUR	51.0 ^{2/}	50.9 ***	37.6 ^{2/}	48.4 ***	<0.8 ^{3/}
	05:50-05:55 HOUR	50.6 ^{2/}	50.9 ***	<0.8 ^{3/}	48.4 ***	<0.8 ^{3/}
	05:55-06:00 HOUR	52.6 ^{2/}	50.9 ***	50.7 ^{2/}	48.4 ***	2.3
	DAY TIME ^{1/}					
	06:00-07:00 HOUR	56.4 ^{1/}	53.0 **	53.7 ^{1/}	50.9 **	2.8
SEPTEMBER 25, 2024	DAY TIME ^{1/}					
T24AX019-0003	07:00-08:00 HOUR	55.9 ^{1/}	53.5 **	52.2 ^{1/}	51.4 **	0.8
	08:00-09:00 HOUR	54.5 ^{1/}	52.5 **	50.2 ^{1/}	50.3 **	<0.8 ^{3/}
	09:00-10:00 HOUR	55.1 ^{1/}	53.5 **	50.0 ^{1/}	51.3 **	<0.8 ^{3/}
	10:00-11:00 HOUR	56.2 ^{1/}	54.0 **	52.2 ^{1/}	51.6 **	<0.8 ^{3/}
	11:00-12:00 HOUR	63.9 ^{1/}	62.2 ***	59.0 ^{1/}	59.6 **	<0.8 ^{3/}
	12:00-13:00 HOUR	56.9 ^{1/}	53.5 **	54.2 ^{1/}	51.4 **	2.8
	13:00-14:00 HOUR	54.9 ^{1/}	52.5 **	51.2 ^{1/}	50.2 **	1.0
	14:00-15:00 HOUR	54.4 ^{1/}	52.5 **	49.9 ^{1/}	50.2 **	<0.8 ^{3/}
	15:00-16:00 HOUR	55.9 ^{1/}	53.9 **	51.6 ^{1/}	51.8 **	<0.8 ^{3/}
	16:00-17:00 HOUR	55.7 ^{1/}	53.9 **	51.0 ^{1/}	51.6 **	<0.8 ^{3/}
	17:00-18:00 HOUR	55.4 ^{1/}	53.3 **	51.2 ^{1/}	51.0 **	<0.8 ^{3/}
	18:00-19:00 HOUR	57.2 ^{1/}	55.6 **	52.1 ^{1/}	53.6 **	<0.8 ^{3/}
	19:00-20:00 HOUR	57.0 ^{1/}	54.9 **	52.8 ^{1/}	52.6 **	<0.8 ^{3/}
	20:00-21:00 HOUR	52.7 ^{1/}	50.9 **	48.0 ^{1/}	48.6 **	<0.8 ^{3/}
	21:00-22:00 HOUR	51.8 ^{1/}	49.1 **	48.5 ^{1/}	47.1 **	1.4
	NIGHT TIME ^{2/}					
	22:00-22:05 HOUR	50.2 ^{2/}	49.0 ***	47.0 ^{2/}	47.0 ***	<0.8 ^{3/}
	22:05-22:10 HOUR	48.8 ^{2/}	49.0 ***	<0.8 ^{3/}	47.0 ***	<0.8 ^{3/}
	22:10-22:15 HOUR	51.1 ^{2/}	49.0 ***	49.9 ^{2/}	47.0 ***	2.9
	22:15-22:20 HOUR	51.0 ^{2/}	48.6 ***	50.3 ^{2/}	46.5 ***	3.8
	22:20-22:25 HOUR	50.9 ^{2/}	48.6 ***	50.0 ^{2/}	46.5 ***	3.5

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รบกวนบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 25, 2024	NIGHT TIME ^{2/}					
T24AX019-0003	22:25-22:30 HOUR	50.5 ^{2/}	48.6 ***	49.0 ^{2/}	46.5 ***	2.5
	22:30-22:35 HOUR	51.2 ^{2/}	48.4 ***	51.0 ^{2/}	45.9 ***	5.1
	22:35-22:40 HOUR	50.2 ^{2/}	48.4 ***	48.5 ^{2/}	45.9 ***	2.6
	22:40-22:45 HOUR	50.6 ^{2/}	48.4 ***	49.6 ^{2/}	45.9 ***	3.7
	22:45-22:50 HOUR	50.7 ^{2/}	48.6 ***	49.5 ^{2/}	46.2 ***	3.3
	22:50-22:55 HOUR	50.0 ^{2/}	48.6 ***	47.4 ^{2/}	46.2 ***	1.2
	22:55-23:00 HOUR	50.6 ^{2/}	48.6 ***	49.3 ^{2/}	46.2 ***	3.1
	23:00-23:05 HOUR	51.4 ^{2/}	48.4 ***	51.4 ^{2/}	45.9 ***	5.5
	23:05-23:10 HOUR	49.6 ^{2/}	48.4 ***	46.4 ^{2/}	45.9 ***	<0.8 ^{3/}
	23:10-23:15 HOUR	50.1 ^{2/}	48.4 ***	48.2 ^{2/}	45.9 ***	2.3
	23:15-23:20 HOUR	50.7 ^{2/}	47.9 ***	50.5 ^{2/}	45.6 ***	4.9
	23:20-23:25 HOUR	49.4 ^{2/}	47.9 ***	47.1 ^{2/}	45.6 ***	1.5
	23:25-23:30 HOUR	48.1 ^{2/}	47.9 ***	37.6 ^{2/}	45.6 ***	<0.8 ^{3/}
	23:30-23:35 HOUR	50.4 ^{2/}	47.2 ***	50.6 ^{2/}	45.0 ***	5.6
	23:35-23:40 HOUR	48.6 ^{2/}	47.2 ***	46.0 ^{2/}	45.0 ***	1.0
	23:40-23:45 HOUR	49.0 ^{2/}	47.2 ***	47.3 ^{2/}	45.0 ***	2.3
	23:45-23:50 HOUR	47.0 ^{2/}	47.1 ***	<0.8 ^{3/}	44.8 ***	<0.8 ^{3/}
	23:50-23:55 HOUR	48.4 ^{2/}	47.1 ***	45.5 ^{2/}	44.8 ***	<0.8 ^{3/}
	23:55-00:00 HOUR	47.9 ^{2/}	47.1 ***	43.2 ^{2/}	44.8 ***	<0.8 ^{3/}
SEPTEMBER 26, 2024	NIGHT TIME ^{2/}					
T24AX019-0003	00:00-00:05 HOUR	47.1 ^{2/}	45.8 ***	44.2 ^{2/}	43.6 ***	<0.8 ^{3/}
	00:05-00:10 HOUR	47.6 ^{2/}	45.8 ***	45.9 ^{2/}	43.6 ***	2.3
	00:10-00:15 HOUR	47.0 ^{2/}	45.8 ***	43.8 ^{2/}	43.6 ***	<0.8 ^{3/}
	00:15-00:20 HOUR	48.3 ^{2/}	46.7 ***	46.2 ^{2/}	44.4 ***	1.8
	00:20-00:25 HOUR	47.1 ^{2/}	46.7 ***	39.5 ^{2/}	44.4 ***	<0.8 ^{3/}
	00:25-00:30 HOUR	47.5 ^{2/}	46.7 ***	42.8 ^{2/}	44.4 ***	<0.8 ^{3/}
	00:30-00:35 HOUR	48.4 ^{2/}	46.3 ***	47.2 ^{2/}	44.0 ***	3.2
	00:35-00:40 HOUR	46.4 ^{2/}	46.3 ***	33.0 ^{2/}	44.0 ***	<0.8 ^{3/}
	00:40-00:45 HOUR	47.4 ^{2/}	46.3 ***	43.9 ^{2/}	44.0 ***	<0.8 ^{3/}
	00:45-00:50 HOUR	48.0 ^{2/}	45.4 ***	47.5 ^{2/}	43.2 ***	4.3
	00:50-00:55 HOUR	47.9 ^{2/}	45.4 ***	47.3 ^{2/}	43.2 ***	4.1
	00:55-01:00 HOUR	47.4 ^{2/}	45.4 ***	46.1 ^{2/}	43.2 ***	2.9
	01:00-01:05 HOUR	48.4 ^{2/}	46.4 ***	47.1 ^{2/}	44.2 ***	2.9
	01:05-01:10 HOUR	47.7 ^{2/}	46.4 ***	44.8 ^{2/}	44.2 ***	<0.8 ^{3/}
	01:10-01:15 HOUR	47.6 ^{2/}	46.4 ***	44.4 ^{2/}	44.2 ***	<0.8 ^{3/}
	01:15-01:20 HOUR	46.6 ^{2/}	46.2 ***	39.0 ^{2/}	44.2 ***	<0.8 ^{3/}
	01:20-01:25 HOUR	46.4 ^{2/}	46.2 ***	35.9 ^{2/}	44.2 ***	<0.8 ^{3/}
	01:25-01:30 HOUR	48.1 ^{2/}	46.2 ***	46.6 ^{2/}	44.2 ***	2.4
	01:30-01:35 HOUR	48.5 ^{2/}	46.4 ***	47.3 ^{2/}	44.1 ***	3.2
	01:35-01:40 HOUR	48.3 ^{2/}	46.4 ***	46.8 ^{2/}	44.1 ***	2.7
	01:40-01:45 HOUR	47.7 ^{2/}	46.4 ***	44.8 ^{2/}	44.1 ***	<0.8 ^{3/}
	01:45-01:50 HOUR	46.6 ^{2/}	46.0 ***	40.7 ^{2/}	43.6 ***	<0.8 ^{3/}
	01:50-01:55 HOUR	47.8 ^{2/}	46.0 ***	46.1 ^{2/}	43.6 ***	2.5
	01:55-02:00 HOUR	48.0 ^{2/}	46.0 ***	46.7 ^{2/}	43.6 ***	3.1

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รบกวนบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 26, 2024	NIGHT TIME ^{2/}					
T24AX019-0003	02:00-02:05 HOUR	46.5 ^{2/}	44.7 ***	44.8 ^{2/}	42.3 ***	2.5
	02:05-02:10 HOUR	47.0 ^{2/}	44.7 ***	46.1 ^{2/}	42.3 ***	3.8
	02:10-02:15 HOUR	46.2 ^{2/}	44.7 ***	43.9 ^{2/}	42.3 ***	1.6
	02:15-02:20 HOUR	46.4 ^{2/}	45.2 ***	43.2 ^{2/}	42.8 ***	<0.8 ^{3/}
	02:20-02:25 HOUR	47.3 ^{2/}	45.2 ***	46.1 ^{2/}	42.8 ***	3.3
	02:25-02:30 HOUR	46.2 ^{2/}	45.2 ***	42.3 ^{2/}	42.8 ***	<0.8 ^{3/}
	02:30-02:35 HOUR	45.9 ^{2/}	45.2 ***	40.6 ^{2/}	42.8 ***	<0.8 ^{3/}
	02:35-02:40 HOUR	46.3 ^{2/}	45.2 ***	42.8 ^{2/}	42.8 ***	<0.8 ^{3/}
	02:40-02:45 HOUR	47.2 ^{2/}	45.2 ***	45.9 ^{2/}	42.8 ***	3.1
	02:45-02:50 HOUR	46.7 ^{2/}	46.3 ***	39.1 ^{2/}	44.0 ***	<0.8 ^{3/}
	02:50-02:55 HOUR	47.4 ^{2/}	46.3 ***	43.9 ^{2/}	44.0 ***	<0.8 ^{3/}
	02:55-03:00 HOUR	46.2 ^{2/}	46.3 ***	<0.8 ^{3/}	44.0 ***	<0.8 ^{3/}
	03:00-03:05 HOUR	50.0 ^{2/}	46.1 ***	50.7 ^{2/}	43.9 ***	6.8
	03:05-03:10 HOUR	48.0 ^{2/}	46.1 ***	46.5 ^{2/}	43.9 ***	2.6
	03:10-03:15 HOUR	46.2 ^{2/}	46.1 ***	32.8 ^{2/}	43.9 ***	<0.8 ^{3/}
	03:15-03:20 HOUR	45.7 ^{2/}	44.3 ***	43.1 ^{2/}	42.1 ***	1.0
	03:20-03:25 HOUR	45.2 ^{2/}	44.3 ***	40.9 ^{2/}	42.1 ***	<0.8 ^{3/}
	03:25-03:30 HOUR	45.5 ^{2/}	44.3 ***	42.3 ^{2/}	42.1 ***	<0.8 ^{3/}
	03:30-03:35 HOUR	46.8 ^{2/}	45.1 ***	44.9 ^{2/}	42.7 ***	2.2
	03:35-03:40 HOUR	46.2 ^{2/}	45.1 ***	42.7 ^{2/}	42.7 ***	<0.8 ^{3/}
	03:40-03:45 HOUR	45.9 ^{2/}	45.1 ***	41.2 ^{2/}	42.7 ***	<0.8 ^{3/}
	03:45-03:50 HOUR	46.1 ^{2/}	45.0 ***	42.6 ^{2/}	42.8 ***	<0.8 ^{3/}
	03:50-03:55 HOUR	46.8 ^{2/}	45.0 ***	45.1 ^{2/}	42.8 ***	2.3
	03:55-04:00 HOUR	45.7 ^{2/}	45.0 ***	40.4 ^{2/}	42.8 ***	<0.8 ^{3/}
	04:00-04:05 HOUR	46.7 ^{2/}	46.2 ***	40.1 ^{2/}	43.7 ***	<0.8 ^{3/}
	04:05-04:10 HOUR	47.9 ^{2/}	46.2 ***	46.0 ^{2/}	43.7 ***	2.3
	04:10-04:15 HOUR	47.0 ^{2/}	46.2 ***	42.3 ^{2/}	43.7 ***	<0.8 ^{3/}
	04:15-04:20 HOUR	49.4 ^{2/}	46.4 ***	49.4 ^{2/}	44.0 ***	5.4
	04:20-04:25 HOUR	47.7 ^{2/}	46.4 ***	44.8 ^{2/}	44.0 ***	0.8
	04:25-04:30 HOUR	46.5 ^{2/}	46.4 ***	33.1 ^{2/}	44.0 ***	<0.8 ^{3/}
	04:30-04:35 HOUR	48.5 ^{2/}	48.0 ***	41.9 ^{2/}	45.9 ***	<0.8 ^{3/}
	04:35-04:40 HOUR	48.0 ^{2/}	48.0 ***	<0.8 ^{3/}	45.9 ***	<0.8 ^{3/}
	04:40-04:45 HOUR	48.6 ^{2/}	48.0 ***	42.7 ^{2/}	45.9 ***	<0.8 ^{3/}
	04:45-04:50 HOUR	49.0 ^{2/}	47.5 ***	46.7 ^{2/}	45.3 ***	1.4
	04:50-04:55 HOUR	49.2 ^{2/}	47.5 ***	47.3 ^{2/}	45.3 ***	2.0
	04:55-05:00 HOUR	48.7 ^{2/}	47.5 ***	45.5 ^{2/}	45.3 ***	<0.8 ^{3/}
	05:00-05:05 HOUR	48.1 ^{2/}	46.0 ***	46.9 ^{2/}	43.4 ***	3.5
	05:05-05:10 HOUR	47.0 ^{2/}	46.0 ***	43.1 ^{2/}	43.4 ***	<0.8 ^{3/}
	05:10-05:15 HOUR	48.7 ^{2/}	46.0 ***	48.4 ^{2/}	43.4 ***	5.0
	05:15-05:20 HOUR	47.8 ^{2/}	45.7 ***	46.6 ^{2/}	43.1 ***	3.5
	05:20-05:25 HOUR	47.9 ^{2/}	45.7 ***	46.9 ^{2/}	43.1 ***	3.8
	05:25-05:30 HOUR	47.3 ^{2/}	45.7 ***	45.2 ^{2/}	43.1 ***	2.1
	05:30-05:35 HOUR	46.9 ^{2/}	48.2 ***	<0.8 ^{3/}	46.0 ***	<0.8 ^{3/}
	05:35-05:40 HOUR	50.0 ^{2/}	48.2 ***	48.3 ^{2/}	46.0 ***	2.3

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รถถนนบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 26, 2024	NIGHT TIME ^{2/}					
T24AX019-0003	05:40-05:45 HOUR	49.1 ^{2/}	48.2 ***	44.8 ^{2/}	46.0 ***	<0.8 ^{3/}
	05:45-05:50 HOUR	49.5 ^{2/}	50.3 ***	<0.8 ^{3/}	48.2 ***	<0.8 ^{3/}
	05:50-05:55 HOUR	50.5 ^{2/}	50.3 ***	40.0 ^{2/}	48.2 ***	<0.8 ^{3/}
	05:55-06:00 HOUR	51.9 ^{2/}	50.3 ***	49.8 ^{2/}	48.2 ***	1.6
	DAY TIME ^{1/}					
	06:00-07:00 HOUR	51.5 ^{1/}	48.1 **	48.8 ^{1/}	46.1 **	2.7
SEPTEMBER 26, 2024	DAY TIME ^{1/}					
T24AX019-0004	07:00-08:00 HOUR	52.7 ^{1/}	51.3 **	47.1 ^{1/}	49.0 **	<0.8 ^{3/}
	08:00-09:00 HOUR	53.4 ^{1/}	51.9 **	48.1 ^{1/}	49.7 **	<0.8 ^{3/}
	09:00-10:00 HOUR	53.3 ^{1/}	51.8 **	48.0 ^{1/}	49.4 **	<0.8 ^{3/}
	10:00-11:00 HOUR	56.6 ^{1/}	54.0 **	53.1 ^{1/}	51.9 **	1.2
	11:00-12:00 HOUR	59.0 ^{1/}	56.0 **	56.0 ^{1/}	53.5 **	2.5
	12:00-13:00 HOUR	55.0 ^{1/}	52.3 **	51.7 ^{1/}	50.1 **	1.6
	13:00-14:00 HOUR	59.8 ^{1/}	57.6 **	55.8 ^{1/}	55.5 **	<0.8 ^{3/}
	14:00-15:00 HOUR	58.9 ^{1/}	56.1 **	55.7 ^{1/}	54.0 **	1.7
	15:00-16:00 HOUR	60.3 ^{1/}	57.3 **	57.3 ^{1/}	55.0 **	2.3
	16:00-17:00 HOUR	57.4 ^{1/}	53.0 **	55.4 ^{1/}	50.8 **	4.6
	17:00-18:00 HOUR	53.4 ^{1/}	51.5 **	48.9 ^{1/}	49.1 **	<0.8 ^{3/}
	18:00-19:00 HOUR	53.6 ^{1/}	51.3 **	49.7 ^{1/}	48.8 **	0.9
	19:00-20:00 HOUR	54.6 ^{1/}	51.7 **	51.5 ^{1/}	49.6 **	1.9
	20:00-21:00 HOUR	51.1 ^{1/}	49.8 **	45.2 ^{1/}	47.5 **	<0.8 ^{3/}
	21:00-22:00 HOUR	50.5 ^{1/}	49.3 **	44.3 ^{1/}	47.0 **	<0.8 ^{3/}
	NIGHT TIME ^{2/}					
	22:00-22:05 HOUR	48.2 ^{2/}	47.9 ***	39.4 ^{2/}	45.5 ***	<0.8 ^{3/}
	22:05-22:10 HOUR	48.8 ^{2/}	47.9 ***	44.5 ^{2/}	45.5 ***	<0.8 ^{3/}
	22:10-22:15 HOUR	48.5 ^{2/}	47.9 ***	42.6 ^{2/}	45.5 ***	<0.8 ^{3/}
	22:15-22:20 HOUR	47.9 ^{2/}	47.7 ***	37.4 ^{2/}	45.5 ***	<0.8 ^{3/}
	22:20-22:25 HOUR	48.6 ^{2/}	47.7 ***	44.3 ^{2/}	45.5 ***	<0.8 ^{3/}
	22:25-22:30 HOUR	49.4 ^{2/}	47.7 ***	47.5 ^{2/}	45.5 ***	2.0
	22:30-22:35 HOUR	48.5 ^{2/}	47.3 ***	45.3 ^{2/}	45.0 ***	<0.8 ^{3/}
	22:35-22:40 HOUR	49.3 ^{2/}	47.3 ***	48.0 ^{2/}	45.0 ***	3.0
	22:40-22:45 HOUR	48.5 ^{2/}	47.3 ***	45.3 ^{2/}	45.0 ***	<0.8 ^{3/}
	22:45-22:50 HOUR	47.1 ^{2/}	46.6 ***	40.5 ^{2/}	44.5 ***	<0.8 ^{3/}
	22:50-22:55 HOUR	49.2 ^{2/}	46.6 ***	48.7 ^{2/}	44.5 ***	4.2
	22:55-23:00 HOUR	47.7 ^{2/}	46.6 ***	44.2 ^{2/}	44.5 ***	<0.8 ^{3/}
	23:00-23:05 HOUR	47.2 ^{2/}	45.8 ***	44.6 ^{2/}	43.6 ***	1.0
	23:05-23:10 HOUR	48.5 ^{2/}	45.8 ***	48.2 ^{2/}	43.6 ***	4.6
	23:10-23:15 HOUR	47.7 ^{2/}	45.8 ***	46.2 ^{2/}	43.6 ***	2.6
	23:15-23:20 HOUR	47.0 ^{2/}	46.8 ***	36.5 ^{2/}	44.5 ***	<0.8 ^{3/}
	23:20-23:25 HOUR	49.4 ^{2/}	46.8 ***	48.9 ^{2/}	44.5 ***	4.4
	23:25-23:30 HOUR	48.2 ^{2/}	46.8 ***	45.6 ^{2/}	44.5 ***	1.1
	23:30-23:35 HOUR	48.1 ^{2/}	45.7 ***	47.4 ^{2/}	43.7 ***	3.7
	23:35-23:40 HOUR	47.0 ^{2/}	45.7 ***	44.1 ^{2/}	43.7 ***	<0.8 ^{3/}
	23:40-23:45 HOUR	47.9 ^{2/}	45.7 ***	46.9 ^{2/}	43.7 ***	3.2
	23:45-23:50 HOUR	47.2 ^{2/}	46.5 ***	41.9 ^{2/}	44.2 ***	<0.8 ^{3/}

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รบกวนบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 26, 2024	NIGHT TIME ^{2/}					
T24AX019-0004	23:50-23:55 HOUR	47.7 ^{2/}	46.5 ***	44.5 ^{2/}	44.2 ***	<0.8 ^{3/}
	23:55-00:00 HOUR	46.6 ^{2/}	46.5 ***	33.2 ^{2/}	44.2 ***	<0.8 ^{3/}
SEPTEMBER 27, 2024	NIGHT TIME ^{2/}					
T24AX019-0004	00:00-00:05 HOUR	47.9 ^{2/}	46.5 ***	45.3 ^{2/}	44.4 ***	0.9
	00:05-00:10 HOUR	48.4 ^{2/}	46.5 ***	46.9 ^{2/}	44.4 ***	2.5
	00:10-00:15 HOUR	47.1 ^{2/}	46.5 ***	41.2 ^{2/}	44.4 ***	<0.8 ^{3/}
	00:15-00:20 HOUR	49.0 ^{2/}	46.1 ***	48.9 ^{2/}	44.0 ***	4.9
	00:20-00:25 HOUR	47.8 ^{2/}	46.1 ***	45.9 ^{2/}	44.0 ***	1.9
	00:25-00:30 HOUR	47.3 ^{2/}	46.1 ***	44.1 ^{2/}	44.0 ***	<0.8 ^{3/}
	00:30-00:35 HOUR	48.2 ^{2/}	46.9 ***	45.3 ^{2/}	44.5 ***	0.8
	00:35-00:40 HOUR	46.6 ^{2/}	46.9 ***	<0.8 ^{3/}	44.5 ***	<0.8 ^{3/}
	00:40-00:45 HOUR	48.9 ^{2/}	46.9 ***	47.6 ^{2/}	44.5 ***	3.1
	00:45-00:50 HOUR	48.5 ^{2/}	46.7 ***	46.8 ^{2/}	44.4 ***	2.4
	00:50-00:55 HOUR	47.2 ^{2/}	46.7 ***	40.6 ^{2/}	44.4 ***	<0.8 ^{3/}
	00:55-01:00 HOUR	47.4 ^{2/}	46.7 ***	42.1 ^{2/}	44.4 ***	<0.8 ^{3/}
	01:00-01:05 HOUR	47.3 ^{2/}	47.0 ***	38.5 ^{2/}	44.5 ***	<0.8 ^{3/}
	01:05-01:10 HOUR	47.2 ^{2/}	47.0 ***	36.7 ^{2/}	44.5 ***	<0.8 ^{3/}
	01:10-01:15 HOUR	47.9 ^{2/}	47.0 ***	43.6 ^{2/}	44.5 ***	<0.8 ^{3/}
	01:15-01:20 HOUR	48.7 ^{2/}	49.6 ***	<0.8 ^{3/}	47.4 ***	<0.8 ^{3/}
	01:20-01:25 HOUR	48.5 ^{2/}	49.6 ***	<0.8 ^{3/}	47.4 ***	<0.8 ^{3/}
	01:25-01:30 HOUR	49.9 ^{2/}	49.6 ***	41.1 ^{2/}	47.4 ***	<0.8 ^{3/}
	01:30-01:35 HOUR	58.1 ^{2/}	54.9 ***	58.3 ^{2/}	52.6 ***	5.7
	01:35-01:40 HOUR	58.7 ^{2/}	54.9 ***	59.4 ^{2/}	52.6 ***	6.8
	01:40-01:45 HOUR	57.2 ^{2/}	54.9 ***	56.3 ^{2/}	52.6 ***	3.7
	01:45-01:50 HOUR	54.0 ^{2/}	52.2 ***	52.3 ^{2/}	49.7 ***	2.6
	01:50-01:55 HOUR	55.6 ^{2/}	52.2 ***	55.9 ^{2/}	49.7 ***	6.2
	01:55-02:00 HOUR	53.2 ^{2/}	52.2 ***	49.3 ^{2/}	49.7 ***	<0.8 ^{3/}
	02:00-02:05 HOUR	53.6 ^{2/}	49.7 ***	54.3 ^{2/}	47.3 ***	7.0
	02:05-02:10 HOUR	54.0 ^{2/}	49.7 ***	55.0 ^{2/}	47.3 ***	7.7
	02:10-02:15 HOUR	49.0 ^{2/}	49.7 ***	<0.8 ^{3/}	47.3 ***	<0.8 ^{3/}
	02:15-02:20 HOUR	47.0 ^{2/}	45.1 ***	45.5 ^{2/}	42.8 ***	2.7
	02:20-02:25 HOUR	47.5 ^{2/}	45.1 ***	46.8 ^{2/}	42.8 ***	4.0
	02:25-02:30 HOUR	46.0 ^{2/}	45.1 ***	41.7 ^{2/}	42.8 ***	<0.8 ^{3/}
	02:30-02:35 HOUR	46.9 ^{2/}	45.9 ***	43.0 ^{2/}	43.5 ***	<0.8 ^{3/}
	02:35-02:40 HOUR	48.0 ^{2/}	45.9 ***	46.8 ^{2/}	43.5 ***	3.3
	02:40-02:45 HOUR	45.5 ^{2/}	45.9 ***	<0.8 ^{3/}	43.5 ***	<0.8 ^{3/}
	02:45-02:50 HOUR	47.0 ^{2/}	46.4 ***	41.1 ^{2/}	44.0 ***	<0.8 ^{3/}
	02:50-02:55 HOUR	47.6 ^{2/}	46.4 ***	44.4 ^{2/}	44.0 ***	<0.8 ^{3/}
	02:55-03:00 HOUR	47.3 ^{2/}	46.4 ***	43.0 ^{2/}	44.0 ***	<0.8 ^{3/}
	03:00-03:05 HOUR	48.1 ^{2/}	43.7 ***	49.1 ^{2/}	41.3 ***	7.8
	03:05-03:10 HOUR	45.9 ^{2/}	43.7 ***	44.9 ^{2/}	41.3 ***	3.6
	03:10-03:15 HOUR	47.1 ^{2/}	43.7 ***	47.4 ^{2/}	41.3 ***	6.1
	03:15-03:20 HOUR	45.0 ^{2/}	45.2 ***	<0.8 ^{3/}	42.8 ***	<0.8 ^{3/}
	03:20-03:25 HOUR	46.0 ^{2/}	45.2 ***	41.3 ^{2/}	42.8 ***	<0.8 ^{3/}

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รบกวนบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 27, 2024	NIGHT TIME ^{2/}					
T24AX019-0004	03:25-03:30 HOUR	47.7 ^{2/}	45.2 ***	47.1 ^{2/}	42.8 ***	4.3
	03:30-03:35 HOUR	46.1 ^{2/}	45.3 ***	41.4 ^{2/}	43.0 ***	<0.8 ^{3/}
	03:35-03:40 HOUR	46.5 ^{2/}	45.3 ***	43.3 ^{2/}	43.0 ***	<0.8 ^{3/}
	03:40-03:45 HOUR	46.7 ^{2/}	45.3 ***	44.1 ^{2/}	43.0 ***	1.1
	03:45-03:50 HOUR	45.6 ^{2/}	44.9 ***	40.3 ^{2/}	42.7 ***	<0.8 ^{3/}
	03:50-03:55 HOUR	46.4 ^{2/}	44.9 ***	44.1 ^{2/}	42.7 ***	1.4
	03:55-04:00 HOUR	47.3 ^{2/}	44.9 ***	46.6 ^{2/}	42.7 ***	3.9
	04:00-04:05 HOUR	46.5 ^{2/}	44.6 ***	45.0 ^{2/}	42.1 ***	2.9
	04:05-04:10 HOUR	46.2 ^{2/}	44.6 ***	44.1 ^{2/}	42.1 ***	2.0
	04:10-04:15 HOUR	45.2 ^{2/}	44.6 ***	39.3 ^{2/}	42.1 ***	<0.8 ^{3/}
	04:15-04:20 HOUR	46.5 ^{2/}	44.6 ***	45.0 ^{2/}	42.3 ***	2.7
	04:20-04:25 HOUR	46.6 ^{2/}	44.6 ***	45.3 ^{2/}	42.3 ***	3.0
	04:25-04:30 HOUR	46.3 ^{2/}	44.6 ***	44.4 ^{2/}	42.3 ***	2.1
	04:30-04:35 HOUR	46.7 ^{2/}	46.3 ***	39.1 ^{2/}	44.0 ***	<0.8 ^{3/}
	04:35-04:40 HOUR	47.4 ^{2/}	46.3 ***	43.9 ^{2/}	44.0 ***	<0.8 ^{3/}
	04:40-04:45 HOUR	45.6 ^{2/}	46.3 ***	<0.8 ^{3/}	44.0 ***	<0.8 ^{3/}
	04:45-04:50 HOUR	47.3 ^{2/}	45.8 ***	45.0 ^{2/}	43.3 ***	1.7
	04:50-04:55 HOUR	49.1 ^{2/}	45.8 ***	49.4 ^{2/}	43.3 ***	6.1
	04:55-05:00 HOUR	48.1 ^{2/}	45.8 ***	47.2 ^{2/}	43.3 ***	3.9
	05:00-05:05 HOUR	47.3 ^{2/}	46.5 ***	42.6 ^{2/}	44.2 ***	<0.8 ^{3/}
	05:05-05:10 HOUR	48.3 ^{2/}	46.5 ***	46.6 ^{2/}	44.2 ***	2.4
	05:10-05:15 HOUR	49.6 ^{2/}	46.5 ***	49.7 ^{2/}	44.2 ***	5.5
	05:15-05:20 HOUR	47.5 ^{2/}	46.4 ***	44.0 ^{2/}	44.1 ***	<0.8 ^{3/}
	05:20-05:25 HOUR	47.1 ^{2/}	46.4 ***	41.8 ^{2/}	44.1 ***	<0.8 ^{3/}
	05:25-05:30 HOUR	47.7 ^{2/}	46.4 ***	44.8 ^{2/}	44.1 ***	<0.8 ^{3/}
	05:30-05:35 HOUR	47.2 ^{2/}	49.0 ***	<0.8 ^{3/}	46.6 ***	<0.8 ^{3/}
	05:35-05:40 HOUR	48.3 ^{2/}	49.0 ***	<0.8 ^{3/}	46.6 ***	<0.8 ^{3/}
	05:40-05:45 HOUR	50.5 ^{2/}	49.0 ***	48.2 ^{2/}	46.6 ***	1.6
	05:45-05:50 HOUR	51.2 ^{2/}	50.2 ***	47.3 ^{2/}	47.5 ***	<0.8 ^{3/}
	05:50-05:55 HOUR	50.0 ^{2/}	50.2 ***	<0.8 ^{3/}	47.5 ***	<0.8 ^{3/}
	05:55-06:00 HOUR	51.4 ^{2/}	50.2 ***	48.2 ^{2/}	47.5 ***	<0.8 ^{3/}
	DAY TIME ^{1/}					
	06:00-07:00 HOUR	52.1 ^{1/}	51.3 **	44.4 ^{1/}	48.9 **	<0.8 ^{3/}
SEPTEMBER 27, 2024	DAY TIME ^{1/}					
T24AX019-0005	07:00-08:00 HOUR	54.1 ^{1/}	51.8 **	50.2 ^{1/}	49.5 **	<0.8 ^{3/}
	08:00-09:00 HOUR	54.8 ^{1/}	53.1 **	49.9 ^{1/}	50.5 **	<0.8 ^{3/}
	09:00-10:00 HOUR	56.1 ^{1/}	54.6 **	50.8 ^{1/}	52.2 **	<0.8 ^{3/}
	10:00-11:00 HOUR	53.4 ^{1/}	51.4 **	49.1 ^{1/}	49.2 **	<0.8 ^{3/}
	11:00-12:00 HOUR	53.6 ^{1/}	52.2 **	48.0 ^{1/}	49.9 **	<0.8 ^{3/}
	12:00-13:00 HOUR	54.6 ^{1/}	52.2 **	50.9 ^{1/}	50.1 **	0.8
	13:00-14:00 HOUR	54.3 ^{1/}	53.0 **	48.4 ^{1/}	50.8 **	<0.8 ^{3/}
	14:00-15:00 HOUR	53.3 ^{1/}	52.0 **	47.4 ^{1/}	49.6 **	<0.8 ^{3/}
	15:00-16:00 HOUR	54.7 ^{1/}	52.6 **	50.5 ^{1/}	50.3 **	<0.8 ^{3/}
	16:00-17:00 HOUR	54.6 ^{1/}	51.9 **	51.3 ^{1/}	49.6 **	1.7
	17:00-18:00 HOUR	57.1 ^{1/}	54.3 **	53.9 ^{1/}	51.7 **	2.2

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รบกวนบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 27, 2024	DAY TIME ^{1/}					
T24AX019-0005	18:00-19:00 HOUR	54.7 ^{1/}	52.3 **	51.0 ^{1/}	50.1 **	0.9
	19:00-20:00 HOUR	57.6 ^{1/}	53.8 **	55.3 ^{1/}	51.5 **	3.8
	20:00-21:00 HOUR	55.3 ^{1/}	51.7 **	52.8 ^{1/}	49.5 **	3.3
	21:00-22:00 HOUR	52.9 ^{1/}	51.4 **	47.6 ^{1/}	49.0 **	<0.8 ^{3/}
	NIGHT TIME ^{2/}					
	22:00-22:05 HOUR	52.6 ^{2/}	50.1 ***	52.0 ^{2/}	47.8 ***	4.2
	22:05-22:10 HOUR	49.9 ^{2/}	50.1 ***	<0.8 ^{3/}	47.8 ***	<0.8 ^{3/}
	22:10-22:15 HOUR	52.5 ^{2/}	50.1 ***	51.8 ^{2/}	47.8 ***	4.0
	22:15-22:20 HOUR	51.7 ^{2/}	50.4 ***	48.8 ^{2/}	47.9 ***	0.9
	22:20-22:25 HOUR	51.5 ^{2/}	50.4 ***	48.0 ^{2/}	47.9 ***	<0.8 ^{3/}
	22:25-22:30 HOUR	52.5 ^{2/}	50.4 ***	51.3 ^{2/}	47.9 ***	3.4
	22:30-22:35 HOUR	51.9 ^{2/}	50.7 ***	48.7 ^{2/}	47.7 ***	1.0
	22:35-22:40 HOUR	53.6 ^{2/}	50.7 ***	53.5 ^{2/}	47.7 ***	5.8
	22:40-22:45 HOUR	51.9 ^{2/}	50.7 ***	48.7 ^{2/}	47.7 ***	1.0
	22:45-22:50 HOUR	51.7 ^{2/}	48.9 ***	51.5 ^{2/}	45.0 ***	6.5
	22:50-22:55 HOUR	50.0 ^{2/}	48.9 ***	46.5 ^{2/}	45.0 ***	1.5
	22:55-23:00 HOUR	51.0 ^{2/}	48.9 ***	49.8 ^{2/}	45.0 ***	4.8
	23:00-23:05 HOUR	50.1 ^{2/}	47.5 ***	49.6 ^{2/}	45.2 ***	4.4
	23:05-23:10 HOUR	48.7 ^{2/}	47.5 ***	45.5 ^{2/}	45.2 ***	<0.8 ^{3/}
	23:10-23:15 HOUR	49.6 ^{2/}	47.5 ***	48.4 ^{2/}	45.2 ***	3.2
	23:15-23:20 HOUR	50.6 ^{2/}	47.8 ***	50.4 ^{2/}	45.4 ***	5.0
	23:20-23:25 HOUR	48.1 ^{2/}	47.8 ***	39.3 ^{2/}	45.4 ***	<0.8 ^{3/}
	23:25-23:30 HOUR	48.3 ^{2/}	47.8 ***	41.7 ^{2/}	45.4 ***	<0.8 ^{3/}
	23:30-23:35 HOUR	48.8 ^{2/}	47.5 ***	45.9 ^{2/}	45.3 ***	<0.8 ^{3/}
	23:35-23:40 HOUR	49.1 ^{2/}	47.5 ***	47.0 ^{2/}	45.3 ***	1.7
	23:40-23:45 HOUR	48.6 ^{2/}	47.5 ***	45.1 ^{2/}	45.3 ***	<0.8 ^{3/}
	23:45-23:50 HOUR	49.6 ^{2/}	48.4 ***	46.4 ^{2/}	45.8 ***	<0.8 ^{3/}
	23:50-23:55 HOUR	48.7 ^{2/}	48.4 ***	39.9 ^{2/}	45.8 ***	<0.8 ^{3/}
	23:55-00:00 HOUR	50.1 ^{2/}	48.4 ***	48.2 ^{2/}	45.8 ***	2.4
SEPTEMBER 28, 2024	NIGHT TIME ^{2/}					
T24AX019-0005	00:00-00:05 HOUR	49.4 ^{2/}	48.2 ***	46.2 ^{2/}	45.8 ***	<0.8 ^{3/}
	00:05-00:10 HOUR	49.2 ^{2/}	48.2 ***	45.3 ^{2/}	45.8 ***	<0.8 ^{3/}
	00:10-00:15 HOUR	48.5 ^{2/}	48.2 ***	39.7 ^{2/}	45.8 ***	<0.8 ^{3/}
	00:15-00:20 HOUR	48.5 ^{2/}	47.7 ***	43.8 ^{2/}	45.4 ***	<0.8 ^{3/}
	00:20-00:25 HOUR	50.1 ^{2/}	47.7 ***	49.4 ^{2/}	45.4 ***	4.0
	00:25-00:30 HOUR	49.4 ^{2/}	47.7 ***	47.5 ^{2/}	45.4 ***	2.1
	00:30-00:35 HOUR	47.9 ^{2/}	48.7 ***	<0.8 ^{3/}	46.5 ***	<0.8 ^{3/}
	00:35-00:40 HOUR	48.5 ^{2/}	48.7 ***	<0.8 ^{3/}	46.5 ***	<0.8 ^{3/}
	00:40-00:45 HOUR	50.6 ^{2/}	48.7 ***	49.1 ^{2/}	46.5 ***	2.6
	00:45-00:50 HOUR	47.7 ^{2/}	48.1 ***	<0.8 ^{3/}	45.6 ***	<0.8 ^{3/}
	00:50-00:55 HOUR	49.2 ^{2/}	48.1 ***	45.7 ^{2/}	45.6 ***	<0.8 ^{3/}
	00:55-01:00 HOUR	50.6 ^{2/}	48.1 ***	50.0 ^{2/}	45.6 ***	4.4
	01:00-01:05 HOUR	49.1 ^{2/}	47.2 ***	47.6 ^{2/}	44.7 ***	2.9
	01:05-01:10 HOUR	48.9 ^{2/}	47.2 ***	47.0 ^{2/}	44.7 ***	2.3
	01:10-01:15 HOUR	49.5 ^{2/}	47.2 ***	48.6 ^{2/}	44.7 ***	3.9

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รบกวนบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 28, 2024	NIGHT TIME ^{2/}					
T24AX019-0005	01:15-01:20 HOUR	48.4 ^{2/}	48.1 ***	39.6 ^{2/}	45.7 ***	<0.8 ^{3/}
	01:20-01:25 HOUR	49.5 ^{2/}	48.1 ***	46.9 ^{2/}	45.7 ***	1.2
	01:25-01:30 HOUR	49.7 ^{2/}	48.1 ***	47.6 ^{2/}	45.7 ***	1.9
	01:30-01:35 HOUR	49.4 ^{2/}	46.6 ***	49.2 ^{2/}	44.2 ***	5.0
	01:35-01:40 HOUR	46.8 ^{2/}	46.6 ***	36.3 ^{2/}	44.2 ***	<0.8 ^{3/}
	01:40-01:45 HOUR	46.4 ^{2/}	46.6 ***	<0.8 ^{3/}	44.2 ***	<0.8 ^{3/}
	01:45-01:50 HOUR	47.8 ^{2/}	45.4 ***	47.1 ^{2/}	43.3 ***	3.8
	01:50-01:55 HOUR	47.9 ^{2/}	45.4 ***	47.3 ^{2/}	43.3 ***	4.0
	01:55-02:00 HOUR	46.7 ^{2/}	45.4 ***	43.8 ^{2/}	43.3 ***	<0.8 ^{3/}
	02:00-02:05 HOUR	47.4 ^{2/}	46.2 ***	44.2 ^{2/}	44.0 ***	<0.8 ^{3/}
	02:05-02:10 HOUR	46.9 ^{2/}	46.2 ***	41.6 ^{2/}	44.0 ***	<0.8 ^{3/}
	02:10-02:15 HOUR	47.6 ^{2/}	46.2 ***	45.0 ^{2/}	44.0 ***	1.0
	02:15-02:20 HOUR	47.6 ^{2/}	47.3 ***	38.8 ^{2/}	44.9 ***	<0.8 ^{3/}
	02:20-02:25 HOUR	47.6 ^{2/}	47.3 ***	38.8 ^{2/}	44.9 ***	<0.8 ^{3/}
	02:25-02:30 HOUR	47.8 ^{2/}	47.3 ***	41.2 ^{2/}	44.9 ***	<0.8 ^{3/}
	02:30-02:35 HOUR	47.4 ^{2/}	44.8 ***	46.9 ^{2/}	42.5 ***	4.4
	02:35-02:40 HOUR	48.1 ^{2/}	44.8 ***	48.4 ^{2/}	42.5 ***	5.9
	02:40-02:45 HOUR	46.0 ^{2/}	44.8 ***	42.8 ^{2/}	42.5 ***	<0.8 ^{3/}
	02:45-02:50 HOUR	47.0 ^{2/}	44.5 ***	46.4 ^{2/}	42.2 ***	4.2
	02:50-02:55 HOUR	47.6 ^{2/}	44.5 ***	47.7 ^{2/}	42.2 ***	5.5
	02:55-03:00 HOUR	46.0 ^{2/}	44.5 ***	43.7 ^{2/}	42.2 ***	1.5
	03:00-03:05 HOUR	46.9 ^{2/}	46.3 ***	41.0 ^{2/}	43.9 ***	<0.8 ^{3/}
	03:05-03:10 HOUR	47.2 ^{2/}	46.3 ***	42.9 ^{2/}	43.9 ***	<0.8 ^{3/}
	03:10-03:15 HOUR	47.8 ^{2/}	46.3 ***	45.5 ^{2/}	43.9 ***	1.6
	03:15-03:20 HOUR	46.1 ^{2/}	45.6 ***	39.5 ^{2/}	43.2 ***	<0.8 ^{3/}
	03:20-03:25 HOUR	47.8 ^{2/}	45.6 ***	46.8 ^{2/}	43.2 ***	3.6
	03:25-03:30 HOUR	45.9 ^{2/}	45.6 ***	37.1 ^{2/}	43.2 ***	<0.8 ^{3/}
	03:30-03:35 HOUR	47.3 ^{2/}	45.1 ***	46.3 ^{2/}	42.8 ***	3.5
	03:35-03:40 HOUR	47.7 ^{2/}	45.1 ***	47.2 ^{2/}	42.8 ***	4.4
	03:40-03:45 HOUR	47.7 ^{2/}	45.1 ***	47.2 ^{2/}	42.8 ***	4.4
	03:45-03:50 HOUR	47.1 ^{2/}	44.6 ***	46.5 ^{2/}	42.4 ***	4.1
	03:50-03:55 HOUR	47.6 ^{2/}	44.6 ***	47.6 ^{2/}	42.4 ***	5.2
	03:55-04:00 HOUR	46.7 ^{2/}	44.6 ***	45.5 ^{2/}	42.4 ***	3.1
	04:00-04:05 HOUR	46.6 ^{2/}	45.8 ***	41.9 ^{2/}	43.5 ***	<0.8 ^{3/}
	04:05-04:10 HOUR	46.1 ^{2/}	45.8 ***	37.3 ^{2/}	43.5 ***	<0.8 ^{3/}
	04:10-04:15 HOUR	46.2 ^{2/}	45.8 ***	38.6 ^{2/}	43.5 ***	<0.8 ^{3/}
	04:15-04:20 HOUR	48.0 ^{2/}	45.3 ***	47.7 ^{2/}	43.0 ***	4.7
	04:20-04:25 HOUR	47.3 ^{2/}	45.3 ***	46.0 ^{2/}	43.0 ***	3.0
	04:25-04:30 HOUR	46.9 ^{2/}	45.3 ***	44.8 ^{2/}	43.0 ***	1.8
	04:30-04:35 HOUR	46.9 ^{2/}	45.1 ***	45.2 ^{2/}	42.9 ***	2.3
	04:35-04:40 HOUR	46.2 ^{2/}	45.1 ***	42.7 ^{2/}	42.9 ***	<0.8 ^{3/}
	04:40-04:45 HOUR	47.3 ^{2/}	45.1 ***	46.3 ^{2/}	42.9 ***	3.4
	04:45-04:50 HOUR	48.2 ^{2/}	46.3 ***	46.7 ^{2/}	44.2 ***	2.5
	04:50-04:55 HOUR	46.9 ^{2/}	46.3 ***	41.0 ^{2/}	44.2 ***	<0.8 ^{3/}

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รบกวนบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 28, 2024	NIGHT TIME ^{2/}					
T24AX019-0005	04:55-05:00 HOUR	48.5 ^{2/}	46.3 ***	47.5 ^{2/}	44.2 ***	3.3
	05:00-05:05 HOUR	47.3 ^{2/}	46.6 ***	42.0 ^{2/}	44.4 ***	<0.8 ^{3/}
	05:05-05:10 HOUR	47.4 ^{2/}	46.6 ***	42.7 ^{2/}	44.4 ***	<0.8 ^{3/}
	05:10-05:15 HOUR	47.8 ^{2/}	46.6 ***	44.6 ^{2/}	44.4 ***	<0.8 ^{3/}
	05:15-05:20 HOUR	47.5 ^{2/}	47.2 ***	38.7 ^{2/}	44.9 ***	<0.8 ^{3/}
	05:20-05:25 HOUR	48.1 ^{2/}	47.2 ***	43.8 ^{2/}	44.9 ***	<0.8 ^{3/}
	05:25-05:30 HOUR	48.6 ^{2/}	47.2 ***	46.0 ^{2/}	44.9 ***	1.1
	05:30-05:35 HOUR	47.7 ^{2/}	45.4 ***	46.8 ^{2/}	43.1 ***	3.7
	05:35-05:40 HOUR	47.7 ^{2/}	45.4 ***	46.8 ^{2/}	43.1 ***	3.7
	05:40-05:45 HOUR	47.0 ^{2/}	45.4 ***	44.9 ^{2/}	43.1 ***	1.8
	05:45-05:50 HOUR	47.3 ^{2/}	49.7 ***	<0.8 ^{3/}	47.5 ***	<0.8 ^{3/}
	05:50-05:55 HOUR	46.0 ^{2/}	49.7 ***	<0.8 ^{3/}	47.5 ***	<0.8 ^{3/}
	05:55-06:00 HOUR	51.7 ^{2/}	49.7 ***	50.4 ^{2/}	47.5 ***	2.9
	DAY TIME ^{1/}					
	06:00-07:00 HOUR	50.1 ^{1/}	48.0 **	45.9 ^{1/}	45.7 **	<0.8 ^{3/}
SEPTEMBER 28, 2024	DAY TIME ^{1/}					
T24AX019-0006	07:00-08:00 HOUR	55.3 ^{1/}	53.7 **	50.2 ^{1/}	51.3 **	<0.8 ^{3/}
	08:00-09:00 HOUR	55.3 ^{1/}	53.3 **	51.0 ^{1/}	51.0 **	<0.8 ^{3/}
	09:00-10:00 HOUR	57.0 ^{1/}	54.8 **	53.0 ^{1/}	52.4 **	<0.8 ^{3/}
	10:00-11:00 HOUR	61.1 ^{1/}	58.4 ***	57.8 ^{1/}	56.1 **	1.7
	11:00-12:00 HOUR	66.6 ^{1/}	64.7 ***	62.1 ^{1/}	62.5 **	<0.8 ^{3/}
	12:00-13:00 HOUR	61.6 ^{1/}	57.1 **	59.7 ^{1/}	54.8 **	4.9
	13:00-14:00 HOUR	57.6 ^{1/}	55.2 **	53.9 ^{1/}	53.2 **	<0.8 ^{3/}
	14:00-15:00 HOUR	60.0 ^{1/}	57.9 **	55.8 ^{1/}	55.5 **	<0.8 ^{3/}
	15:00-16:00 HOUR	60.0 ^{1/}	57.6 **	56.3 ^{1/}	55.2 **	1.1
	16:00-17:00 HOUR	56.6 ^{1/}	54.4 ***	52.6 ^{1/}	52.2 **	<0.8 ^{3/}
	17:00-18:00 HOUR	55.9 ^{1/}	54.7 **	49.7 ^{1/}	52.3 **	<0.8 ^{3/}
	18:00-19:00 HOUR	54.7 ^{1/}	52.9 **	50.0 ^{1/}	50.4 **	<0.8 ^{3/}
	19:00-20:00 HOUR	52.5 ^{1/}	50.8 **	47.6 ^{1/}	48.3 **	<0.8 ^{3/}
	20:00-21:00 HOUR	53.2 ^{1/}	52.0 **	47.0 ^{1/}	49.7 **	<0.8 ^{3/}
	21:00-22:00 HOUR	53.3 ^{1/}	51.7 **	48.2 ^{1/}	49.4 **	<0.8 ^{3/}
	NIGHT TIME ^{2/}					
	22:00-22:05 HOUR	50.2 ^{2/}	49.9 ***	41.4 ^{2/}	47.8 ***	<0.8 ^{3/}
	22:05-22:10 HOUR	50.2 ^{2/}	49.9 ***	41.4 ^{2/}	47.8 ***	<0.8 ^{3/}
	22:10-22:15 HOUR	51.0 ^{2/}	49.9 ***	47.5 ^{2/}	47.8 ***	<0.8 ^{3/}
	22:15-22:20 HOUR	52.3 ^{2/}	50.6 ***	50.4 ^{2/}	48.2 ***	2.2
	22:20-22:25 HOUR	51.1 ^{2/}	50.6 ***	44.5 ^{2/}	48.2 ***	<0.8 ^{3/}
	22:25-22:30 HOUR	51.3 ^{2/}	50.6 ***	46.0 ^{2/}	48.2 ***	<0.8 ^{3/}
	22:30-22:35 HOUR	51.1 ^{2/}	51.1 ***	<0.8 ^{3/}	48.6 ***	<0.8 ^{3/}
	22:35-22:40 HOUR	52.6 ^{2/}	51.1 ***	50.3 ^{2/}	48.6 ***	1.7
	22:40-22:45 HOUR	52.8 ^{2/}	51.1 ***	50.9 ^{2/}	48.6 ***	2.3
	22:45-22:50 HOUR	52.0 ^{2/}	48.4 ***	52.5 ^{2/}	46.3 ***	6.2
	22:50-22:55 HOUR	51.3 ^{2/}	48.4 ***	51.2 ^{2/}	46.3 ***	4.9
	22:55-23:00 HOUR	49.4 ^{2/}	48.4 ***	45.5 ^{2/}	46.3 ***	<0.8 ^{3/}
	23:00-23:05 HOUR	48.6 ^{2/}	48.3 ***	39.8 ^{2/}	45.9 ***	<0.8 ^{3/}

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รบกวนบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 28, 2024	NIGHT TIME ^{2/}					
T24AX019-0006	23:05-23:10 HOUR	48.6 ^{2/}	48.3 ***	39.8 ^{2/}	45.9 ***	<0.8 ^{3/}
	23:10-23:15 HOUR	50.2 ^{2/}	48.3 ***	48.7 ^{2/}	45.9 ***	2.8
	23:15-23:20 HOUR	50.5 ^{2/}	48.4 ***	49.3 ^{2/}	46.1 ***	3.2
	23:20-23:25 HOUR	49.3 ^{2/}	48.4 ***	45.0 ^{2/}	46.1 ***	<0.8 ^{3/}
	23:25-23:30 HOUR	49.5 ^{2/}	48.4 ***	46.0 ^{2/}	46.1 ***	<0.8 ^{3/}
	23:30-23:35 HOUR	50.9 ^{2/}	47.0 ***	51.6 ^{2/}	44.7 ***	6.9
	23:35-23:40 HOUR	49.2 ^{2/}	47.0 ***	48.2 ^{2/}	44.7 ***	3.5
	23:40-23:45 HOUR	48.3 ^{2/}	47.0 ***	45.4 ^{2/}	44.7 ***	<0.8 ^{3/}
	23:45-23:50 HOUR	48.5 ^{2/}	46.5 ***	47.2 ^{2/}	44.1 ***	3.1
	23:50-23:55 HOUR	47.1 ^{2/}	46.5 ***	41.2 ^{2/}	44.1 ***	<0.8 ^{3/}
	23:55-00:00 HOUR	47.9 ^{2/}	46.5 ***	45.3 ^{2/}	44.1 ***	1.2
SEPTEMBER 29, 2024	NIGHT TIME ^{2/}					
T24AX019-0006	00:00-00:05 HOUR	47.2 ^{2/}	45.9 ***	44.3 ^{2/}	43.5 ***	0.8
	00:05-00:10 HOUR	48.1 ^{2/}	45.9 ***	47.1 ^{2/}	43.5 ***	3.6
	00:10-00:15 HOUR	48.0 ^{2/}	45.9 ***	46.8 ^{2/}	43.5 ***	3.3
	00:15-00:20 HOUR	49.4 ^{2/}	46.5 ***	49.3 ^{2/}	43.9 ***	5.4
	00:20-00:25 HOUR	47.5 ^{2/}	46.5 ***	43.6 ^{2/}	43.9 ***	<0.8 ^{3/}
	00:25-00:30 HOUR	48.3 ^{2/}	46.5 ***	46.6 ^{2/}	43.9 ***	2.7
	00:30-00:35 HOUR	47.0 ^{2/}	47.0 ***	<0.8 ^{3/}	44.6 ***	<0.8 ^{3/}
	00:35-00:40 HOUR	45.9 ^{2/}	47.0 ***	<0.8 ^{3/}	44.6 ***	<0.8 ^{3/}
	00:40-00:45 HOUR	48.2 ^{2/}	47.0 ***	45.0 ^{2/}	44.6 ***	<0.8 ^{3/}
	00:45-00:50 HOUR	48.2 ^{2/}	46.8 ***	45.6 ^{2/}	44.4 ***	1.2
	00:50-00:55 HOUR	48.1 ^{2/}	46.8 ***	45.2 ^{2/}	44.4 ***	0.8
	00:55-01:00 HOUR	47.0 ^{2/}	46.8 ***	36.5 ^{2/}	44.4 ***	<0.8 ^{3/}
	01:00-01:05 HOUR	46.7 ^{2/}	45.4 ***	43.8 ^{2/}	43.1 ***	<0.8 ^{3/}
	01:05-01:10 HOUR	46.8 ^{2/}	45.4 ***	44.2 ^{2/}	43.1 ***	1.1
	01:10-01:15 HOUR	47.2 ^{2/}	45.4 ***	45.5 ^{2/}	43.1 ***	2.4
	01:15-01:20 HOUR	47.5 ^{2/}	47.7 ***	<0.8 ^{3/}	45.3 ***	<0.8 ^{3/}
	01:20-01:25 HOUR	48.8 ^{2/}	47.7 ***	45.3 ^{2/}	45.3 ***	<0.8 ^{3/}
	01:25-01:30 HOUR	49.4 ^{2/}	47.7 ***	47.5 ^{2/}	45.3 ***	2.2
	01:30-01:35 HOUR	49.2 ^{2/}	47.2 ***	47.9 ^{2/}	44.9 ***	3.0
	01:35-01:40 HOUR	47.8 ^{2/}	47.2 ***	41.9 ^{2/}	44.9 ***	<0.8 ^{3/}
	01:40-01:45 HOUR	49.5 ^{2/}	47.2 ***	48.6 ^{2/}	44.9 ***	3.7
	01:45-01:50 HOUR	49.1 ^{2/}	46.9 ***	48.1 ^{2/}	44.6 ***	3.5
	01:50-01:55 HOUR	48.8 ^{2/}	46.9 ***	47.3 ^{2/}	44.6 ***	2.7
	01:55-02:00 HOUR	48.8 ^{2/}	46.9 ***	47.3 ^{2/}	44.6 ***	2.7
	02:00-02:05 HOUR	47.0 ^{2/}	45.9 ***	43.5 ^{2/}	43.6 ***	<0.8 ^{3/}
	02:05-02:10 HOUR	48.6 ^{2/}	45.9 ***	48.3 ^{2/}	43.6 ***	4.7
	02:10-02:15 HOUR	46.2 ^{2/}	45.9 ***	37.4 ^{2/}	43.6 ***	<0.8 ^{3/}
	02:15-02:20 HOUR	48.7 ^{2/}	45.1 ***	49.2 ^{2/}	42.9 ***	6.3
	02:20-02:25 HOUR	49.2 ^{2/}	45.1 ***	50.1 ^{2/}	42.9 ***	7.2
	02:25-02:30 HOUR	47.3 ^{2/}	45.1 ***	46.3 ^{2/}	42.9 ***	3.4
	02:30-02:35 HOUR	45.9 ^{2/}	45.8 ***	32.5 ^{2/}	43.5 ***	<0.8 ^{3/}
	02:35-02:40 HOUR	47.8 ^{2/}	45.8 ***	46.5 ^{2/}	43.5 ***	3.0

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รบกวนบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 29, 2024	NIGHT TIME ^{2/}					
T24AX019-0006	02:40-02:45 HOUR	46.4 ^{2/}	45.8 ***	40.5 ^{2/}	43.5 ***	<0.8 ^{3/}
	02:45-02:50 HOUR	47.0 ^{2/}	46.6 ***	39.4 ^{2/}	44.4 ***	<0.8 ^{3/}
	02:50-02:55 HOUR	47.0 ^{2/}	46.6 ***	39.4 ^{2/}	44.4 ***	<0.8 ^{3/}
	02:55-03:00 HOUR	47.7 ^{2/}	46.6 ***	44.2 ^{2/}	44.4 ***	<0.8 ^{3/}
	03:00-03:05 HOUR	49.5 ^{2/}	46.8 ***	49.2 ^{2/}	44.7 ***	4.5
	03:05-03:10 HOUR	47.7 ^{2/}	46.8 ***	43.4 ^{2/}	44.7 ***	<0.8 ^{3/}
	03:10-03:15 HOUR	47.1 ^{2/}	46.8 ***	38.3 ^{2/}	44.7 ***	<0.8 ^{3/}
	03:15-03:20 HOUR	47.0 ^{2/}	45.4 ***	44.9 ^{2/}	43.2 ***	1.7
	03:20-03:25 HOUR	47.9 ^{2/}	45.4 ***	47.3 ^{2/}	43.2 ***	4.1
	03:25-03:30 HOUR	46.1 ^{2/}	45.4 ***	40.8 ^{2/}	43.2 ***	<0.8 ^{3/}
	03:30-03:35 HOUR	47.6 ^{2/}	46.7 ***	43.3 ^{2/}	44.2 ***	<0.8 ^{3/}
	03:35-03:40 HOUR	48.2 ^{2/}	46.7 ***	45.9 ^{2/}	44.2 ***	1.7
	03:40-03:45 HOUR	46.7 ^{2/}	46.7 ***	<0.8 ^{3/}	44.2 ***	<0.8 ^{3/}
	03:45-03:50 HOUR	47.3 ^{2/}	46.7 ***	41.4 ^{2/}	44.2 ***	<0.8 ^{3/}
	03:50-03:55 HOUR	47.5 ^{2/}	46.7 ***	42.8 ^{2/}	44.2 ***	<0.8 ^{3/}
	03:55-04:00 HOUR	46.7 ^{2/}	46.7 ***	<0.8 ^{3/}	44.2 ***	<0.8 ^{3/}
	04:00-04:05 HOUR	47.6 ^{2/}	47.3 ***	38.8 ^{2/}	45.0 ***	<0.8 ^{3/}
	04:05-04:10 HOUR	49.3 ^{2/}	47.3 ***	48.0 ^{2/}	45.0 ***	3.0
	04:10-04:15 HOUR	46.4 ^{2/}	47.3 ***	<0.8 ^{3/}	45.0 ***	<0.8 ^{3/}
	04:15-04:20 HOUR	48.8 ^{2/}	46.0 ***	48.6 ^{2/}	43.7 ***	4.9
	04:20-04:25 HOUR	46.9 ^{2/}	46.0 ***	42.6 ^{2/}	43.7 ***	<0.8 ^{3/}
	04:25-04:30 HOUR	48.0 ^{2/}	46.0 ***	46.7 ^{2/}	43.7 ***	3.0
	04:30-04:35 HOUR	49.0 ^{2/}	45.7 ***	49.3 ^{2/}	43.3 ***	6.0
	04:35-04:40 HOUR	48.5 ^{2/}	45.7 ***	48.3 ^{2/}	43.3 ***	5.0
	04:40-04:45 HOUR	45.6 ^{2/}	45.7 ***	<0.8 ^{3/}	43.3 ***	<0.8 ^{3/}
	04:45-04:50 HOUR	47.1 ^{2/}	46.1 ***	43.2 ^{2/}	43.7 ***	<0.8 ^{3/}
	04:50-04:55 HOUR	47.4 ^{2/}	46.1 ***	44.5 ^{2/}	43.7 ***	0.8
	04:55-05:00 HOUR	48.4 ^{2/}	46.1 ***	47.5 ^{2/}	43.7 ***	3.8
	05:00-05:05 HOUR	47.0 ^{2/}	45.6 ***	44.4 ^{2/}	43.2 ***	1.2
	05:05-05:10 HOUR	47.2 ^{2/}	45.6 ***	45.1 ^{2/}	43.2 ***	1.9
	05:10-05:15 HOUR	48.0 ^{2/}	45.6 ***	47.3 ^{2/}	43.2 ***	4.1
	05:15-05:20 HOUR	46.4 ^{2/}	46.0 ***	38.8 ^{2/}	43.6 ***	<0.8 ^{3/}
	05:20-05:25 HOUR	46.6 ^{2/}	46.0 ***	40.7 ^{2/}	43.6 ***	<0.8 ^{3/}
	05:25-05:30 HOUR	46.3 ^{2/}	46.0 ***	37.5 ^{2/}	43.6 ***	<0.8 ^{3/}
	05:30-05:35 HOUR	47.4 ^{2/}	48.1 ***	<0.8 ^{3/}	45.8 ***	<0.8 ^{3/}
	05:35-05:40 HOUR	49.3 ^{2/}	48.1 ***	46.1 ^{2/}	45.8 ***	<0.8 ^{3/}
	05:40-05:45 HOUR	49.1 ^{2/}	48.1 ***	45.2 ^{2/}	45.8 ***	<0.8 ^{3/}
	05:45-05:50 HOUR	50.3 ^{2/}	48.9 ***	47.7 ^{2/}	46.6 ***	1.1
	05:50-05:55 HOUR	52.5 ^{2/}	48.9 ***	53.0 ^{2/}	46.6 ***	6.4
	05:55-06:00 HOUR	51.1 ^{2/}	48.9 ***	50.1 ^{2/}	46.6 ***	3.5
	DAY TIME ^{1/}					
	06:00-07:00 HOUR	50.7 ^{1/}	48.4 **	46.8 ^{1/}	46.1 **	<0.8 ^{3/}
SEPTEMBER 29, 2024	DAY TIME ^{1/}					
T24AX019-0007	07:00-08:00 HOUR	52.8 ^{1/}	50.5 **	48.9 ^{1/}	48.4 **	<0.8 ^{3/}
	08:00-09:00 HOUR	54.9 ^{1/}	51.9 **	51.9 ^{1/}	49.7 **	2.2

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รบกวนบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 29, 2024	DAY TIME ^{1/}					
T24AX019-0007	09:00-10:00 HOUR	52.9 ^{1/}	51.2 **	48.0 ^{1/}	48.6 **	<0.8 ^{3/}
	10:00-11:00 HOUR	54.8 ^{1/}	53.6 **	48.6 ^{1/}	51.2 **	<0.8 ^{3/}
	11:00-12:00 HOUR	57.6 ^{1/}	55.3 **	53.7 ^{1/}	53.0 **	<0.8 ^{3/}
	12:00-13:00 HOUR	53.6 ^{1/}	51.6 **	49.3 ^{1/}	49.3 **	<0.8 ^{3/}
	13:00-14:00 HOUR	58.5 ^{1/}	56.5 **	54.2 ^{1/}	54.2 **	<0.8 ^{3/}
	14:00-15:00 HOUR	60.2 ^{1/}	57.4 **	57.0 ^{1/}	55.0 **	2.0
	15:00-16:00 HOUR	57.9 ^{1/}	56.2 **	53.0 ^{1/}	53.7 **	<0.8 ^{3/}
	16:00-17:00 HOUR	54.6 ^{1/}	53.4 **	48.4 ^{1/}	51.1 **	<0.8 ^{3/}
	17:00-18:00 HOUR	58.1 ^{1/}	55.7 **	54.4 ^{1/}	53.3 **	1.1
	18:00-19:00 HOUR	58.6 ^{1/}	56.8 **	53.9 ^{1/}	54.7 **	<0.8 ^{3/}
	19:00-20:00 HOUR	57.9 ^{1/}	56.1 **	53.2 ^{1/}	53.8 **	<0.8 ^{3/}
	20:00-21:00 HOUR	55.8 ^{1/}	52.8 **	52.8 ^{1/}	50.4 **	2.4
	21:00-22:00 HOUR	52.2 ^{1/}	50.2 **	47.9 ^{1/}	48.0 **	<0.8 ^{3/}
	NIGHT TIME ^{2/}					
	22:00-22:05 HOUR	49.4 ^{2/}	47.0 ***	48.7 ^{2/}	44.7 ***	4.0
	22:05-22:10 HOUR	47.2 ^{2/}	47.0 ***	36.7 ^{2/}	44.7 ***	<0.8 ^{3/}
	22:10-22:15 HOUR	48.3 ^{2/}	47.0 ***	45.4 ^{2/}	44.7 ***	<0.8 ^{3/}
	22:15-22:20 HOUR	47.7 ^{2/}	46.6 ***	44.2 ^{2/}	44.3 ***	<0.8 ^{3/}
	22:20-22:25 HOUR	47.9 ^{2/}	46.6 ***	45.0 ^{2/}	44.3 ***	<0.8 ^{3/}
	22:25-22:30 HOUR	46.9 ^{2/}	46.6 ***	38.1 ^{2/}	44.3 ***	<0.8 ^{3/}
	22:30-22:35 HOUR	47.1 ^{2/}	46.4 ***	41.8 ^{2/}	44.1 ***	<0.8 ^{3/}
	22:35-22:40 HOUR	47.2 ^{2/}	46.4 ***	42.5 ^{2/}	44.1 ***	<0.8 ^{3/}
	22:40-22:45 HOUR	47.7 ^{2/}	46.4 ***	44.8 ^{2/}	44.1 ***	<0.8 ^{3/}
	22:45-22:50 HOUR	48.5 ^{2/}	45.7 ***	48.3 ^{2/}	43.3 ***	5.0
	22:50-22:55 HOUR	46.9 ^{2/}	45.7 ***	43.7 ^{2/}	43.3 ***	<0.8 ^{3/}
	22:55-23:00 HOUR	48.9 ^{2/}	45.7 ***	49.1 ^{2/}	43.3 ***	5.8
	23:00-23:05 HOUR	47.7 ^{2/}	46.5 ***	44.5 ^{2/}	44.2 ***	<0.8 ^{3/}
	23:05-23:10 HOUR	46.4 ^{2/}	46.5 ***	<0.8 ^{3/}	44.2 ***	<0.8 ^{3/}
	23:10-23:15 HOUR	47.3 ^{2/}	46.5 ***	42.6 ^{2/}	44.2 ***	<0.8 ^{3/}
	23:15-23:20 HOUR	47.4 ^{2/}	47.3 ***	34.0 ^{2/}	45.0 ***	<0.8 ^{3/}
	23:20-23:25 HOUR	47.6 ^{2/}	47.3 ***	38.8 ^{2/}	45.0 ***	<0.8 ^{3/}
	23:25-23:30 HOUR	48.0 ^{2/}	47.3 ***	42.7 ^{2/}	45.0 ***	<0.8 ^{3/}
	23:30-23:35 HOUR	47.7 ^{2/}	47.3 ***	40.1 ^{2/}	44.6 ***	<0.8 ^{3/}
	23:35-23:40 HOUR	48.2 ^{2/}	47.3 ***	43.9 ^{2/}	44.6 ***	<0.8 ^{3/}
	23:40-23:45 HOUR	47.5 ^{2/}	47.3 ***	37.0 ^{2/}	44.6 ***	<0.8 ^{3/}
	23:45-23:50 HOUR	47.5 ^{2/}	46.3 ***	44.3 ^{2/}	43.9 ***	<0.8 ^{3/}
	23:50-23:55 HOUR	47.6 ^{2/}	46.3 ***	44.7 ^{2/}	43.9 ***	0.8
	23:55-00:00 HOUR	46.6 ^{2/}	46.3 ***	37.8 ^{2/}	43.9 ***	<0.8 ^{3/}
SEPTEMBER 30, 2024	NIGHT TIME ^{2/}					
T24AX019-0007	00:00-00:05 HOUR	47.6 ^{2/}	45.6 ***	46.3 ^{2/}	43.1 ***	3.2
	00:05-00:10 HOUR	47.4 ^{2/}	45.6 ***	45.7 ^{2/}	43.1 ***	2.6
	00:10-00:15 HOUR	47.2 ^{2/}	45.6 ***	45.1 ^{2/}	43.1 ***	2.0
	00:15-00:20 HOUR	47.9 ^{2/}	45.0 ***	47.8 ^{2/}	42.7 ***	5.1
	00:20-00:25 HOUR	46.5 ^{2/}	45.0 ***	44.2 ^{2/}	42.7 ***	1.5
	00:25-00:30 HOUR	47.2 ^{2/}	45.0 ***	46.2 ^{2/}	42.7 ***	3.5

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รบกวนบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 30, 2024	NIGHT TIME ^{2/}					
T24AX019-0007	00:30-00:35 HOUR	47.5 ^{2/}	45.9 ***	45.4 ^{2/}	43.6 ***	1.8
	00:35-00:40 HOUR	46.0 ^{2/}	45.9 ***	32.6 ^{2/}	43.6 ***	<0.8 ^{3/}
	00:40-00:45 HOUR	47.3 ^{2/}	45.9 ***	44.7 ^{2/}	43.6 ***	1.1
	00:45-00:50 HOUR	47.3 ^{2/}	46.5 ***	42.6 ^{2/}	44.3 ***	<0.8 ^{3/}
	00:50-00:55 HOUR	46.6 ^{2/}	46.5 ***	33.2 ^{2/}	44.3 ***	<0.8 ^{3/}
	00:55-01:00 HOUR	48.5 ^{2/}	46.5 ***	47.2 ^{2/}	44.3 ***	2.9
	01:00-01:05 HOUR	47.9 ^{2/}	46.1 ***	46.2 ^{2/}	43.6 ***	2.6
	01:05-01:10 HOUR	47.5 ^{2/}	46.1 ***	44.9 ^{2/}	43.6 ***	1.3
	01:10-01:15 HOUR	46.1 ^{2/}	46.1 ***	<0.8 ^{3/}	43.6 ***	<0.8 ^{3/}
	01:15-01:20 HOUR	48.4 ^{2/}	46.5 ***	46.9 ^{2/}	44.1 ***	2.8
	01:20-01:25 HOUR	48.0 ^{2/}	46.5 ***	45.7 ^{2/}	44.1 ***	1.6
	01:25-01:30 HOUR	48.1 ^{2/}	46.5 ***	46.0 ^{2/}	44.1 ***	1.9
	01:30-01:35 HOUR	47.9 ^{2/}	47.5 ***	40.3 ^{2/}	45.0 ***	<0.8 ^{3/}
	01:35-01:40 HOUR	47.7 ^{2/}	47.5 ***	37.2 ^{2/}	45.0 ***	<0.8 ^{3/}
	01:40-01:45 HOUR	48.2 ^{2/}	47.5 ***	42.9 ^{2/}	45.0 ***	<0.8 ^{3/}
	01:45-01:50 HOUR	47.9 ^{2/}	46.6 ***	45.0 ^{2/}	44.4 ***	<0.8 ^{3/}
	01:50-01:55 HOUR	48.1 ^{2/}	46.6 ***	45.8 ^{2/}	44.4 ***	1.4
	01:55-02:00 HOUR	48.2 ^{2/}	46.6 ***	46.1 ^{2/}	44.4 ***	1.7
	02:00-02:05 HOUR	46.5 ^{2/}	45.4 ***	43.0 ^{2/}	42.9 ***	<0.8 ^{3/}
	02:05-02:10 HOUR	47.3 ^{2/}	45.4 ***	45.8 ^{2/}	42.9 ***	2.9
	02:10-02:15 HOUR	46.4 ^{2/}	45.4 ***	42.5 ^{2/}	42.9 ***	<0.8 ^{3/}
	02:15-02:20 HOUR	47.2 ^{2/}	46.1 ***	43.7 ^{2/}	43.6 ***	<0.8 ^{3/}
	02:20-02:25 HOUR	46.7 ^{2/}	46.1 ***	40.8 ^{2/}	43.6 ***	<0.8 ^{3/}
	02:25-02:30 HOUR	47.1 ^{2/}	46.1 ***	43.2 ^{2/}	43.6 ***	<0.8 ^{3/}
	02:30-02:35 HOUR	47.0 ^{2/}	46.0 ***	43.1 ^{2/}	43.9 ***	<0.8 ^{3/}
	02:35-02:40 HOUR	47.3 ^{2/}	46.0 ***	44.4 ^{2/}	43.9 ***	<0.8 ^{3/}
	02:40-02:45 HOUR	47.9 ^{2/}	46.0 ***	46.4 ^{2/}	43.9 ***	2.5
	02:45-02:50 HOUR	46.8 ^{2/}	46.2 ***	40.9 ^{2/}	43.7 ***	<0.8 ^{3/}
	02:50-02:55 HOUR	47.1 ^{2/}	46.2 ***	42.8 ^{2/}	43.7 ***	<0.8 ^{3/}
	02:55-03:00 HOUR	47.3 ^{2/}	46.2 ***	43.8 ^{2/}	43.7 ***	<0.8 ^{3/}
	03:00-03:05 HOUR	47.1 ^{2/}	45.9 ***	43.9 ^{2/}	43.5 ***	<0.8 ^{3/}
	03:05-03:10 HOUR	47.8 ^{2/}	45.9 ***	46.3 ^{2/}	43.5 ***	2.8
	03:10-03:15 HOUR	47.7 ^{2/}	45.9 ***	46.0 ^{2/}	43.5 ***	2.5
	03:15-03:20 HOUR	47.1 ^{2/}	46.2 ***	42.8 ^{2/}	43.9 ***	<0.8 ^{3/}
	03:20-03:25 HOUR	45.8 ^{2/}	46.2 ***	<0.8 ^{3/}	43.9 ***	<0.8 ^{3/}
	03:25-03:30 HOUR	46.9 ^{2/}	46.2 ***	41.6 ^{2/}	43.9 ***	<0.8 ^{3/}
	03:30-03:35 HOUR	47.9 ^{2/}	45.9 ***	46.6 ^{2/}	43.7 ***	2.9
	03:35-03:40 HOUR	48.2 ^{2/}	45.9 ***	47.3 ^{2/}	43.7 ***	3.6
	03:40-03:45 HOUR	48.3 ^{2/}	45.9 ***	47.6 ^{2/}	43.7 ***	3.9
	03:45-03:50 HOUR	47.7 ^{2/}	46.1 ***	45.6 ^{2/}	43.7 ***	1.9
	03:50-03:55 HOUR	47.4 ^{2/}	46.1 ***	44.5 ^{2/}	43.7 ***	0.8
	03:55-04:00 HOUR	47.6 ^{2/}	46.1 ***	45.3 ^{2/}	43.7 ***	1.6
	04:00-04:05 HOUR	47.0 ^{2/}	45.0 ***	45.7 ^{2/}	42.6 ***	3.1
	04:05-04:10 HOUR	48.1 ^{2/}	45.0 ***	48.2 ^{2/}	42.6 ***	5.6

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รบกวนบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 30, 2024 T24AX019-0007	NIGHT TIME ^{2/}					
	04:10-04:15 HOUR	47.1 ^{2/}	45.0 ***	45.9 ^{2/}	42.6 ***	3.3
	04:15-04:20 HOUR	46.7 ^{2/}	45.7 ***	42.8 ^{2/}	43.3 ***	<0.8 ^{3/}
	04:20-04:25 HOUR	46.8 ^{2/}	45.7 ***	43.3 ^{2/}	43.3 ***	<0.8 ^{3/}
	04:25-04:30 HOUR	46.5 ^{2/}	45.7 ***	41.8 ^{2/}	43.3 ***	<0.8 ^{3/}
	04:30-04:35 HOUR	46.1 ^{2/}	46.2 ***	<0.8 ^{3/}	43.8 ***	<0.8 ^{3/}
	04:35-04:40 HOUR	48.7 ^{2/}	46.2 ***	48.1 ^{2/}	43.8 ***	4.3
	04:40-04:45 HOUR	47.6 ^{2/}	46.2 ***	45.0 ^{2/}	43.8 ***	1.2
	04:45-04:50 HOUR	47.8 ^{2/}	46.7 ***	44.3 ^{2/}	44.4 ***	<0.8 ^{3/}
	04:50-04:55 HOUR	47.5 ^{2/}	46.7 ***	42.8 ^{2/}	44.4 ***	<0.8 ^{3/}
	04:55-05:00 HOUR	49.0 ^{2/}	46.7 ***	48.1 ^{2/}	44.4 ***	3.7
	05:00-05:05 HOUR	47.4 ^{2/}	46.1 ***	44.5 ^{2/}	44.3 ***	<0.8 ^{3/}
	05:05-05:10 HOUR	47.6 ^{2/}	46.1 ***	45.3 ^{2/}	44.3 ***	1.0
	05:10-05:15 HOUR	48.5 ^{2/}	46.1 ***	47.8 ^{2/}	44.3 ***	3.5
	05:15-05:20 HOUR	48.1 ^{2/}	46.0 ***	46.9 ^{2/}	43.7 ***	3.2
	05:20-05:25 HOUR	47.4 ^{2/}	46.0 ***	44.8 ^{2/}	43.7 ***	1.1
	05:25-05:30 HOUR	46.3 ^{2/}	46.0 ***	37.5 ^{2/}	43.7 ***	<0.8 ^{3/}
	05:30-05:35 HOUR	47.2 ^{2/}	46.8 ***	39.6 ^{2/}	44.5 ***	<0.8 ^{3/}
	05:35-05:40 HOUR	47.9 ^{2/}	46.8 ***	44.4 ^{2/}	44.5 ***	<0.8 ^{3/}
	05:40-05:45 HOUR	48.7 ^{2/}	46.8 ***	47.2 ^{2/}	44.5 ***	2.7
	05:45-05:50 HOUR	51.2 ^{2/}	52.6 ***	<0.8 ^{3/}	50.0 ***	<0.8 ^{3/}
	05:50-05:55 HOUR	50.6 ^{2/}	52.6 ***	<0.8 ^{3/}	50.0 ***	<0.8 ^{3/}
	05:55-06:00 HOUR	54.1 ^{2/}	52.6 ***	51.8 ^{2/}	50.0 ***	1.8
	DAY TIME ^{1/}					
	06:00-07:00 HOUR	52.5 ^{1/}	49.5 **	49.5 ^{1/}	47.3 **	2.2

- REMARK :**
- 1/ CASE 1 CALCULATION (DURING 06:00 TO 22:00 HOUR) : SPECIFIC SOUND LEVEL CONTINUOUSLY OCCUR AT LEAST 1 HOUR, MEASURING AS L_{Aeq} 1 hour.
 - 2/ CASE 4 CALCULATION (DURING 22:00 TO 06:00 HOUR) : SPECIFIC SOUND LEVEL OCCUR IN RESTFUL AREA OR NIGHT TIME, MEASURING AS L_{Aeq} 5 minutes.
 - 3/ THERE IS NO IMPACT CAUSE ANNOYANCE SOUND LEVEL
 - ** PERCENTILE LEVEL 90 (L_{A90}) IS THE MIDDLE VALUE OF 11 TIMES MEASURING.
(55 MINUTES MEASURING DURING 06:00 TO 22:00 HOUR)
AND RESIDUAL SOUND LEVEL (L_{Aeq} 5 minutes) IS CHOSEN AT THE SAME TIME AS PERCENTILE LEVEL 90 ABOVE.
 - *** PERCENTILE LEVEL 90 (L_{A90}) IS THE MIDDLE VALUE OF 3 TIMES MEASURING.
(15 MINUTES MEASURING DURING 22:00 TO 06:00 HOUR)
AND RESIDUAL SOUND LEVEL (L_{Aeq} 5 minutes) IS CHOSEN AT THE SAME TIME AS PERCENTILE LEVEL 90 ABOVE.

(M)
LABORATORY SUPERVISOR

ANALYSIS REPORT

PROJECT NAME	: โครงการดีเอนโคปี งานรายงานผลการปฏิบัติตามมาตรการป้องกันและแก้ไขผลกระทบสิ่งแวดล้อม ระหว่างดำเนินการก่อสร้าง CLUBHOUSE และ งานปรับเปลี่ยนบันไดวนออกเป็นพื้นที่ห้องอาหาร (ระยะฐานราก)				
CUSTOMER NAME	: ENERGY COMPLEX COMPANY LIMITED				
ADDRESS	: 555/1 VIBHAVADI-RANGSIT ROAD CHATUCHAK CHATUCHAK BANGKOK 10900				
CONTACT INFORMATION	: TEL : 0 2537 1885 e-mail : anupon.d@energycomplex.co.th				
MEASURING PLACE	: ภายในพื้นที่รื้อถอนบริเวณที่วางหน้าอาคาร C				
MEASURING TYPE	: AMBIENT (ANNOYANCE NOISE)		RECEIVED DATE	: SEPTEMBER 30-OCTOBER 7, 2024	
MEASURING DATE	: SEPTEMBER 30-OCTOBER 7, 2024		ANALYTICAL DATE	: SEPTEMBER 30-OCTOBER 7, 2024	
MEASURING TIME	: *		ISSUE DATE	: OCTOBER 11, 2024	
MEASURING EQUIPMENT	: INTEGRATED SOUND LEVEL METER AND CALCULATION		REPORT NO.	: 2024-U094830	
MEASURED BY	: MR DANUPORN KONGSRI		WORK NO.	: 2024-006278	
			ANALYSIS NO.	: T24AX623-0001 - T24AX623-0007	

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รื้อถอนบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 30, 2024	DAY TIME ^{1/}					
T24AX623-0001	07:00-08:00 HOUR	54.5 ^{1/}	50.0 ^{**}	52.6 ^{1/}	48.5 ^{**}	4.1
	08:00-09:00 HOUR	50.6 ^{1/}	47.4 ^{**}	47.8 ^{1/}	46.0 ^{**}	1.8
	09:00-10:00 HOUR	55.1 ^{1/}	49.1 ^{**}	53.8 ^{1/}	47.8 ^{**}	6.0
	10:00-11:00 HOUR	58.8 ^{1/}	55.4 ^{**}	56.1 ^{1/}	54.0 ^{**}	2.1
	11:00-12:00 HOUR	55.4 ^{1/}	51.3 ^{**}	53.3 ^{1/}	50.0 ^{**}	3.3
	12:00-13:00 HOUR	54.7 ^{1/}	50.7 ^{**}	52.5 ^{1/}	49.3 ^{**}	3.2
	13:00-14:00 HOUR	53.1 ^{1/}	47.9 ^{**}	51.5 ^{1/}	46.6 ^{**}	4.9
	14:00-15:00 HOUR	49.6 ^{1/}	46.9 ^{**}	46.3 ^{1/}	45.8 ^{**}	<0.8 ^{3/}
	15:00-16:00 HOUR	50.2 ^{1/}	47.4 ^{**}	47.0 ^{1/}	46.1 ^{**}	0.9
	16:00-17:00 HOUR	50.1 ^{1/}	47.2 ^{**}	47.0 ^{1/}	45.9 ^{**}	1.1
	17:00-18:00 HOUR	50.8 ^{1/}	48.3 ^{**}	47.2 ^{1/}	46.9 ^{**}	<0.8 ^{3/}
	18:00-19:00 HOUR	50.1 ^{1/}	46.7 ^{**}	47.4 ^{1/}	45.2 ^{**}	2.2
	19:00-20:00 HOUR	49.9 ^{1/}	46.5 ^{**}	47.2 ^{1/}	45.2 ^{**}	2.0
	20:00-21:00 HOUR	50.2 ^{1/}	47.4 ^{**}	47.0 ^{1/}	46.1 ^{**}	0.9
	21:00-22:00 HOUR	49.6 ^{1/}	47.0 ^{**}	46.1 ^{1/}	45.6 ^{**}	<0.8 ^{3/}
	NIGHT TIME ^{2/}					
	22:00-22:05 HOUR	46.9 ^{2/}	43.9 ^{***}	47.0 ^{2/}	42.5 ^{***}	4.5
	22:05-22:10 HOUR	46.1 ^{2/}	43.9 ^{***}	45.1 ^{2/}	42.5 ^{***}	2.6
	22:10-22:15 HOUR	46.2 ^{2/}	43.9 ^{***}	45.2 ^{2/}	42.5 ^{***}	2.7
	22:15-22:20 HOUR	46.2 ^{2/}	45.3 ^{***}	41.8 ^{2/}	43.9 ^{***}	<0.8 ^{3/}
	22:20-22:25 HOUR	47.7 ^{2/}	45.3 ^{***}	47.1 ^{2/}	43.9 ^{***}	3.2
	22:25-22:30 HOUR	47.8 ^{2/}	45.3 ^{***}	47.2 ^{2/}	43.9 ^{***}	3.3
	22:30-22:35 HOUR	46.0 ^{2/}	45.0 ^{***}	42.2 ^{2/}	43.5 ^{***}	<0.8 ^{3/}
	22:35-22:40 HOUR	47.9 ^{2/}	45.0 ^{***}	47.8 ^{2/}	43.5 ^{***}	4.3
	22:40-22:45 HOUR	47.9 ^{2/}	45.0 ^{***}	47.8 ^{2/}	43.5 ^{***}	4.3
	22:45-22:50 HOUR	46.1 ^{2/}	43.6 ^{***}	45.4 ^{2/}	42.4 ^{***}	3.0
	22:50-22:55 HOUR	46.2 ^{2/}	43.6 ^{***}	45.8 ^{2/}	42.4 ^{***}	3.4
	22:55-23:00 HOUR	47.8 ^{2/}	43.6 ^{***}	48.7 ^{2/}	42.4 ^{***}	6.3
	23:00-23:05 HOUR	46.9 ^{2/}	43.9 ^{***}	46.8 ^{2/}	42.8 ^{***}	4.0
	23:05-23:10 HOUR	46.7 ^{2/}	43.9 ^{***}	46.4 ^{2/}	42.8 ^{***}	3.6



DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รบกวนบริเวณที่ทางมหาวิทยาลัย C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
SEPTEMBER 30, 2024	NIGHT TIME ^{2/}					
T24AX623-0001	23:10-23:15 HOUR	46.4 ^{2/}	43.9 ***	45.9 ^{2/}	42.8 ***	3.1
	23:15-23:20 HOUR	46.7 ^{2/}	44.6 ***	45.5 ^{2/}	43.0 ***	2.5
	23:20-23:25 HOUR	46.3 ^{2/}	44.6 ***	44.3 ^{2/}	43.0 ***	1.3
	23:25-23:30 HOUR	46.6 ^{2/}	44.6 ***	45.2 ^{2/}	43.0 ***	2.2
	23:30-23:35 HOUR	45.6 ^{2/}	42.6 ***	45.5 ^{2/}	41.3 ***	4.2
	23:35-23:40 HOUR	47.1 ^{2/}	42.6 ***	48.1 ^{2/}	41.3 ***	6.8
	23:40-23:45 HOUR	45.8 ^{2/}	42.6 ***	45.9 ^{2/}	41.3 ***	4.6
	23:45-23:50 HOUR	45.2 ^{2/}	44.0 ***	41.9 ^{2/}	42.5 ***	<0.8 ^{3/}
	23:50-23:55 HOUR	46.7 ^{2/}	44.0 ***	46.4 ^{2/}	42.5 ***	3.9
	23:55-00:00 HOUR	46.7 ^{2/}	44.0 ***	46.4 ^{2/}	42.5 ***	3.9
OCTOBER 1, 2024	NIGHT TIME ^{2/}					
T24AX623-0001	00:00-00:05 HOUR	45.7 ^{2/}	42.4 ***	46.0 ^{2/}	41.2 ***	4.8
	00:05-00:10 HOUR	45.3 ^{2/}	42.4 ***	45.1 ^{2/}	41.2 ***	3.9
	00:10-00:15 HOUR	45.2 ^{2/}	42.4 ***	45.1 ^{2/}	41.2 ***	3.9
	00:15-00:20 HOUR	45.2 ^{2/}	43.6 ***	43.1 ^{2/}	42.4 ***	<0.8 ^{3/}
	00:20-00:25 HOUR	45.1 ^{2/}	43.6 ***	42.6 ^{2/}	42.4 ***	<0.8 ^{3/}
	00:25-00:30 HOUR	46.3 ^{2/}	43.6 ***	46.0 ^{2/}	42.4 ***	3.6
	00:30-00:35 HOUR	44.8 ^{2/}	42.6 ***	43.9 ^{2/}	41.4 ***	2.5
	00:35-00:40 HOUR	45.7 ^{2/}	42.6 ***	45.7 ^{2/}	41.4 ***	4.3
	00:40-00:45 HOUR	44.9 ^{2/}	42.6 ***	44.0 ^{2/}	41.4 ***	2.6
	00:45-00:50 HOUR	44.2 ^{2/}	42.6 ***	42.0 ^{2/}	41.3 ***	<0.8 ^{3/}
	00:50-00:55 HOUR	45.2 ^{2/}	42.6 ***	44.8 ^{2/}	41.3 ***	3.5
	00:55-01:00 HOUR	45.5 ^{2/}	42.6 ***	45.4 ^{2/}	41.3 ***	4.1
	01:00-01:05 HOUR	46.0 ^{2/}	43.9 ***	44.8 ^{2/}	42.4 ***	2.4
	01:05-01:10 HOUR	47.6 ^{2/}	43.9 ***	48.2 ^{2/}	42.4 ***	5.8
	01:10-01:15 HOUR	45.9 ^{2/}	43.9 ***	44.6 ^{2/}	42.4 ***	2.2
	01:15-01:20 HOUR	47.2 ^{2/}	43.9 ***	47.4 ^{2/}	42.5 ***	4.9
	01:20-01:25 HOUR	46.1 ^{2/}	43.9 ***	45.0 ^{2/}	42.5 ***	2.5
	01:25-01:30 HOUR	47.1 ^{2/}	43.9 ***	47.2 ^{2/}	42.5 ***	4.7
	01:30-01:35 HOUR	49.1 ^{2/}	45.2 ***	49.9 ^{2/}	43.8 ***	6.1
	01:35-01:40 HOUR	47.7 ^{2/}	45.2 ***	47.0 ^{2/}	43.8 ***	3.2
	01:40-01:45 HOUR	47.1 ^{2/}	45.2 ***	45.5 ^{2/}	43.8 ***	1.7
	01:45-01:50 HOUR	47.4 ^{2/}	43.3 ***	48.2 ^{2/}	42.0 ***	6.2
	01:50-01:55 HOUR	47.4 ^{2/}	43.3 ***	48.2 ^{2/}	42.0 ***	6.2
	01:55-02:00 HOUR	47.3 ^{2/}	43.3 ***	48.0 ^{2/}	42.0 ***	6.0
	02:00-02:05 HOUR	45.6 ^{2/}	45.1 ***	38.6 ^{2/}	43.8 ***	<0.8 ^{3/}
	02:05-02:10 HOUR	46.1 ^{2/}	45.1 ***	42.4 ^{2/}	43.8 ***	<0.8 ^{3/}
	02:10-02:15 HOUR	47.1 ^{2/}	45.1 ***	45.8 ^{2/}	43.8 ***	2.0
	02:15-02:20 HOUR	49.3 ^{2/}	44.7 ***	50.4 ^{2/}	43.4 ***	7.0
	02:20-02:25 HOUR	48.6 ^{2/}	44.7 ***	49.3 ^{2/}	43.4 ***	5.9
	02:25-02:30 HOUR	47.8 ^{2/}	44.7 ***	48.0 ^{2/}	43.4 ***	4.6
	02:30-02:35 HOUR	47.2 ^{2/}	46.6 ***	41.4 ^{2/}	45.3 ***	<0.8 ^{3/}
	02:35-02:40 HOUR	46.2 ^{2/}	46.6 ***	<0.8 ^{3/}	45.3 ***	<0.8 ^{3/}
	02:40-02:45 HOUR	51.4 ^{2/}	46.6 ***	52.6 ^{2/}	45.3 ***	7.3

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รบกวนบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
OCTOBER 1, 2024	NIGHT TIME ^{2/}					
T24AX623-0001	02:45-02:50 HOUR	47.8 ^{2/}	45.2 ***	47.3 ^{2/}	43.6 ***	3.7
	02:50-02:55 HOUR	48.3 ^{2/}	45.2 ***	48.3 ^{2/}	43.6 ***	4.7
	02:55-03:00 HOUR	48.6 ^{2/}	45.2 ***	48.9 ^{2/}	43.6 ***	5.3
	03:00-03:05 HOUR	46.4 ^{2/}	44.9 ***	43.9 ^{2/}	43.6 ***	<0.8 ^{3/}
	03:05-03:10 HOUR	46.8 ^{2/}	44.9 ***	45.3 ^{2/}	43.6 ***	1.7
	03:10-03:15 HOUR	46.9 ^{2/}	44.9 ***	45.5 ^{2/}	43.6 ***	1.9
	03:15-03:20 HOUR	47.1 ^{2/}	46.5 ***	41.2 ^{2/}	45.1 ***	<0.8 ^{3/}
	03:20-03:25 HOUR	51.2 ^{2/}	46.5 ***	52.4 ^{2/}	45.1 ***	7.3
	03:25-03:30 HOUR	49.3 ^{2/}	46.5 ***	49.0 ^{2/}	45.1 ***	3.9
	03:30-03:35 HOUR	49.3 ^{2/}	45.0 ***	50.3 ^{2/}	43.6 ***	6.7
	03:35-03:40 HOUR	46.6 ^{2/}	45.0 ***	44.5 ^{2/}	43.6 ***	0.9
	03:40-03:45 HOUR	45.7 ^{2/}	45.0 ***	40.7 ^{2/}	43.6 ***	<0.8 ^{3/}
	03:45-03:50 HOUR	47.5 ^{2/}	47.5 ***	<0.8 ^{3/}	46.2 ***	<0.8 ^{3/}
	03:50-03:55 HOUR	47.5 ^{2/}	47.5 ***	<0.8 ^{3/}	46.2 ***	<0.8 ^{3/}
	03:55-04:00 HOUR	52.0 ^{2/}	47.5 ***	53.2 ^{2/}	46.2 ***	7.0
	04:00-04:05 HOUR	50.1 ^{2/}	45.2 ***	51.4 ^{2/}	43.8 ***	7.6
	04:05-04:10 HOUR	49.2 ^{2/}	45.2 ***	50.0 ^{2/}	43.8 ***	6.2
	04:10-04:15 HOUR	46.9 ^{2/}	45.2 ***	44.9 ^{2/}	43.8 ***	1.1
	04:15-04:20 HOUR	45.9 ^{2/}	43.7 ***	44.8 ^{2/}	42.5 ***	2.3
	04:20-04:25 HOUR	49.0 ^{2/}	43.7 ***	50.5 ^{2/}	42.5 ***	8.0
	04:25-04:30 HOUR	47.2 ^{2/}	43.7 ***	47.6 ^{2/}	42.5 ***	5.1
	04:30-04:35 HOUR	48.8 ^{2/}	47.1 ***	46.8 ^{2/}	45.6 ***	1.2
	04:35-04:40 HOUR	46.4 ^{2/}	47.1 ***	<0.8 ^{3/}	45.6 ***	<0.8 ^{3/}
	04:40-04:45 HOUR	49.8 ^{2/}	47.1 ***	49.5 ^{2/}	45.6 ***	3.9
	04:45-04:50 HOUR	53.4 ^{2/}	48.8 ***	54.6 ^{2/}	47.4 ***	7.2
	04:50-04:55 HOUR	51.2 ^{2/}	48.8 ***	50.5 ^{2/}	47.4 ***	3.1
	04:55-05:00 HOUR	48.8 ^{2/}	48.8 ***	32.1 ^{2/}	47.4 ***	<0.8 ^{3/}
	05:00-05:05 HOUR	50.5 ^{2/}	45.9 ***	51.6 ^{2/}	44.5 ***	7.1
	05:05-05:10 HOUR	49.7 ^{2/}	45.9 ***	50.4 ^{2/}	44.5 ***	5.9
	05:10-05:15 HOUR	47.5 ^{2/}	45.9 ***	45.4 ^{2/}	44.5 ***	0.9
	05:15-05:20 HOUR	48.5 ^{2/}	47.5 ***	44.4 ^{2/}	46.3 ***	<0.8 ^{3/}
	05:20-05:25 HOUR	46.1 ^{2/}	47.5 ***	<0.8 ^{3/}	46.3 ***	<0.8 ^{3/}
	05:25-05:30 HOUR	47.4 ^{2/}	47.5 ***	<0.8 ^{3/}	46.3 ***	<0.8 ^{3/}
	05:30-05:35 HOUR	49.6 ^{2/}	50.1 ***	<0.8 ^{3/}	48.9 ***	<0.8 ^{3/}
	05:35-05:40 HOUR	49.3 ^{2/}	50.1 ***	<0.8 ^{3/}	48.9 ***	<0.8 ^{3/}
	05:40-05:45 HOUR	50.9 ^{2/}	50.1 ***	46.1 ^{2/}	48.9 ***	<0.8 ^{3/}
	05:45-05:50 HOUR	50.9 ^{2/}	50.2 ***	45.9 ^{2/}	48.9 ***	<0.8 ^{3/}
	05:50-05:55 HOUR	55.4 ^{2/}	50.2 ***	56.9 ^{2/}	48.9 ***	8.0
	05:55-06:00 HOUR	48.6 ^{2/}	50.2 ***	<0.8 ^{3/}	48.9 ***	<0.8 ^{3/}
	DAY TIME ^{1/}					
	06:00-07:00 HOUR	52.8 ^{1/}	48.6 **	50.7 ^{1/}	47.4 ** -	3.3
OCTOBER 1, 2024	DAY TIME ^{1/}					
T24AX623-0002	07:00-08:00 HOUR	54.2 ^{1/}	50.6 **	51.7 ^{1/}	49.3 **	2.4
	08:00-09:00 HOUR	53.5 ^{1/}	48.4 **	51.9 ^{1/}	46.6 **	5.3
	09:00-10:00 HOUR	56.7 ^{1/}	51.6 **	55.1 ^{1/}	49.9 **	5.2

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รบกวนบริเวณที่วางอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
OCTOBER 1, 2024	DAY TIME ^{2/}					
T24AX623-0002	10:00-11:00 HOUR	59.6 ^{1/}	54.3 **	58.1 ^{1/}	52.7 **	5.4
	11:00-12:00 HOUR	60.5 ^{1/}	54.5 **	59.3 ^{1/}	53.1 **	6.2
	12:00-13:00 HOUR	75.0 ^{1/}	71.4 **	72.5 ^{1/}	69.7 **	2.8
	13:00-14:00 HOUR	55.4 ^{1/}	52.7 **	52.1 ^{1/}	51.4 **	<0.8 ^{3/}
	14:00-15:00 HOUR	52.0 ^{1/}	48.6 **	49.3 ^{1/}	47.2 **	2.1
	15:00-16:00 HOUR	50.7 ^{1/}	47.6 **	47.8 ^{1/}	46.0 **	1.8
	16:00-17:00 HOUR	52.0 ^{1/}	49.0 **	49.0 ^{1/}	47.4 **	1.6
	17:00-18:00 HOUR	51.0 ^{1/}	49.8 **	45.0 ^{1/}	48.0 **	<0.8 ^{3/}
	18:00-19:00 HOUR	49.6 ^{1/}	48.0 **	44.6 ^{1/}	46.8 **	<0.8 ^{3/}
	19:00-20:00 HOUR	50.0 ^{1/}	48.3 **	45.1 ^{1/}	47.1 **	<0.8 ^{3/}
	20:00-21:00 HOUR	49.6 ^{1/}	48.0 **	44.5 ^{1/}	46.9 **	<0.8 ^{3/}
	21:00-22:00 HOUR	49.0 ^{1/}	47.9 **	42.4 ^{1/}	46.2 **	<0.8 ^{3/}
	NIGHT TIME ^{2/}					
	22:00-22:05 HOUR	45.2 ^{2/}	44.9 ***	36.9 ^{2/}	43.5 ***	<0.8 ^{3/}
	22:05-22:10 HOUR	45.9 ^{2/}	44.9 ***	42.0 ^{2/}	43.5 ***	<0.8 ^{3/}
	22:10-22:15 HOUR	47.2 ^{2/}	44.9 ***	46.4 ^{2/}	43.5 ***	2.9
	22:15-22:20 HOUR	46.7 ^{2/}	44.6 ***	45.6 ^{2/}	43.4 ***	2.2
	22:20-22:25 HOUR	46.1 ^{2/}	44.6 ***	43.7 ^{2/}	43.4 ***	<0.8 ^{3/}
	22:25-22:30 HOUR	46.2 ^{2/}	44.6 ***	44.1 ^{2/}	43.4 ***	<0.8 ^{3/}
	22:30-22:35 HOUR	47.2 ^{2/}	46.7 ***	40.8 ^{2/}	45.0 ***	<0.8 ^{3/}
	22:35-22:40 HOUR	47.7 ^{2/}	46.7 ***	44.0 ^{2/}	45.0 ***	<0.8 ^{3/}
	22:40-22:45 HOUR	47.8 ^{2/}	46.7 ***	44.3 ^{2/}	45.0 ***	<0.8 ^{3/}
	22:45-22:50 HOUR	47.6 ^{2/}	46.1 ***	45.2 ^{2/}	44.9 ***	<0.8 ^{3/}
	22:50-22:55 HOUR	47.6 ^{2/}	46.1 ***	45.3 ^{2/}	44.9 ***	<0.8 ^{3/}
	22:55-23:00 HOUR	47.0 ^{2/}	46.1 ***	42.5 ^{2/}	44.9 ***	<0.8 ^{3/}
	23:00-23:05 HOUR	47.1 ^{2/}	46.2 ***	42.7 ^{2/}	44.4 ***	<0.8 ^{3/}
	23:05-23:10 HOUR	47.8 ^{2/}	46.2 ***	45.6 ^{2/}	44.4 ***	1.2
	23:10-23:15 HOUR	47.3 ^{2/}	46.2 ***	43.8 ^{2/}	44.4 ***	<0.8 ^{3/}
	23:15-23:20 HOUR	47.9 ^{2/}	46.7 ***	44.7 ^{2/}	45.5 ***	<0.8 ^{3/}
	23:20-23:25 HOUR	47.8 ^{2/}	46.7 ***	44.3 ^{2/}	45.5 ***	<0.8 ^{3/}
	23:25-23:30 HOUR	47.0 ^{2/}	46.7 ***	38.7 ^{2/}	45.5 ***	<0.8 ^{3/}
	23:30-23:35 HOUR	46.3 ^{2/}	45.1 ***	43.2 ^{2/}	43.9 ***	<0.8 ^{3/}
	23:35-23:40 HOUR	46.6 ^{2/}	45.1 ***	44.1 ^{2/}	43.9 ***	<0.8 ^{3/}
	23:40-23:45 HOUR	46.1 ^{2/}	45.1 ***	42.3 ^{2/}	43.9 ***	<0.8 ^{3/}
	23:45-23:50 HOUR	47.5 ^{2/}	46.4 ***	43.7 ^{2/}	45.2 ***	<0.8 ^{3/}
	23:50-23:55 HOUR	47.4 ^{2/}	46.4 ***	43.5 ^{2/}	45.2 ***	<0.8 ^{3/}
	23:55-00:00 HOUR	47.4 ^{2/}	46.4 ***	43.6 ^{2/}	45.2 ***	<0.8 ^{3/}
OCTOBER 2, 2024	NIGHT TIME ^{2/}					
T24AX623-0002	00:00-00:05 HOUR	47.2 ^{2/}	45.3 ***	45.8 ^{2/}	43.9 ***	1.9
	00:05-00:10 HOUR	46.2 ^{2/}	45.3 ***	42.0 ^{2/}	43.9 ***	<0.8 ^{3/}
	00:10-00:15 HOUR	46.0 ^{2/}	45.3 ***	40.7 ^{2/}	43.9 ***	<0.8 ^{3/}
	00:15-00:20 HOUR	47.3 ^{2/}	45.7 ***	45.2 ^{2/}	44.4 ***	0.8
	00:20-00:25 HOUR	47.3 ^{2/}	45.7 ***	45.3 ^{2/}	44.4 ***	0.9
	00:25-00:30 HOUR	46.5 ^{2/}	45.7 ***	41.8 ^{2/}	44.4 ***	<0.8 ^{3/}
	00:30-00:35 HOUR	46.0 ^{2/}	45.3 ***	40.5 ^{2/}	43.8 ***	<0.8 ^{3/}

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รบกวนบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
OCTOBER 2, 2024	NIGHT TIME ^{2/}					
T24AX623-0002	00:35-00:40 HOUR	46.5 ^{2/}	45.3 ***	43.4 ^{2/}	43.8 ***	<0.8 ^{3/}
	00:40-00:45 HOUR	46.5 ^{2/}	45.3 ***	43.3 ^{2/}	43.8 ***	<0.8 ^{3/}
	00:45-00:50 HOUR	46.8 ^{2/}	45.9 ***	42.5 ^{2/}	44.7 ***	<0.8 ^{3/}
	00:50-00:55 HOUR	45.9 ^{2/}	45.9 ***	27.7 ^{2/}	44.7 ***	<0.8 ^{3/}
	00:55-01:00 HOUR	47.9 ^{2/}	45.9 ***	46.6 ^{2/}	44.7 ***	1.9
	01:00-01:05 HOUR	47.5 ^{2/}	45.9 ***	45.4 ^{2/}	44.3 ***	1.1
	01:05-01:10 HOUR	46.9 ^{2/}	45.9 ***	42.9 ^{2/}	44.3 ***	<0.8 ^{3/}
	01:10-01:15 HOUR	47.4 ^{2/}	45.9 ***	45.1 ^{2/}	44.3 ***	0.8
	01:15-01:20 HOUR	46.9 ^{2/}	45.4 ***	44.6 ^{2/}	44.3 ***	<0.8 ^{3/}
	01:20-01:25 HOUR	46.4 ^{2/}	45.4 ***	42.4 ^{2/}	44.3 ***	<0.8 ^{3/}
	01:25-01:30 HOUR	46.8 ^{2/}	45.4 ***	44.2 ^{2/}	44.3 ***	<0.8 ^{3/}
	01:30-01:35 HOUR	46.1 ^{2/}	45.0 ***	42.5 ^{2/}	43.9 ***	<0.8 ^{3/}
	01:35-01:40 HOUR	49.0 ^{2/}	45.0 ***	49.7 ^{2/}	43.9 ***	5.8
	01:40-01:45 HOUR	46.6 ^{2/}	45.0 ***	44.5 ^{2/}	43.9 ***	<0.8 ^{3/}
	01:45-01:50 HOUR	47.4 ^{2/}	45.7 ***	45.6 ^{2/}	44.3 ***	1.3
	01:50-01:55 HOUR	46.4 ^{2/}	45.7 ***	41.5 ^{2/}	44.3 ***	<0.8 ^{3/}
	01:55-02:00 HOUR	47.2 ^{2/}	45.7 ***	44.8 ^{2/}	44.3 ***	<0.8 ^{3/}
	02:00-02:05 HOUR	46.5 ^{2/}	46.1 ***	38.5 ^{2/}	44.4 ***	<0.8 ^{3/}
	02:05-02:10 HOUR	47.3 ^{2/}	46.1 ***	43.9 ^{2/}	44.4 ***	<0.8 ^{3/}
	02:10-02:15 HOUR	47.4 ^{2/}	46.1 ***	44.6 ^{2/}	44.4 ***	<0.8 ^{3/}
	02:15-02:20 HOUR	46.0 ^{2/}	45.2 ***	41.4 ^{2/}	43.6 ***	<0.8 ^{3/}
	02:20-02:25 HOUR	47.3 ^{2/}	45.2 ***	46.3 ^{2/}	43.6 ***	2.7
	02:25-02:30 HOUR	46.1 ^{2/}	45.2 ***	41.8 ^{2/}	43.6 ***	<0.8 ^{3/}
	02:30-02:35 HOUR	46.3 ^{2/}	45.1 ***	43.0 ^{2/}	43.5 ***	<0.8 ^{3/}
	02:35-02:40 HOUR	46.7 ^{2/}	45.1 ***	44.6 ^{2/}	43.5 ***	1.1
	02:40-02:45 HOUR	47.0 ^{2/}	45.1 ***	45.4 ^{2/}	43.5 ***	1.9
	02:45-02:50 HOUR	46.3 ^{2/}	47.0 ***	<0.8 ^{3/}	45.4 ***	<0.8 ^{3/}
	02:50-02:55 HOUR	48.4 ^{2/}	47.0 ***	45.8 ^{2/}	45.4 ***	<0.8 ^{3/}
	02:55-03:00 HOUR	47.9 ^{2/}	47.0 ***	43.6 ^{2/}	45.4 ***	<0.8 ^{3/}
	03:00-03:05 HOUR	47.2 ^{2/}	45.8 ***	44.6 ^{2/}	44.7 ***	<0.8 ^{3/}
	03:05-03:10 HOUR	48.2 ^{2/}	45.8 ***	47.4 ^{2/}	44.7 ***	2.7
	03:10-03:15 HOUR	46.3 ^{2/}	45.8 ***	40.1 ^{2/}	44.7 ***	<0.8 ^{3/}
	03:15-03:20 HOUR	47.4 ^{2/}	46.1 ***	44.5 ^{2/}	44.8 ***	<0.8 ^{3/}
	03:20-03:25 HOUR	47.4 ^{2/}	46.1 ***	44.5 ^{2/}	44.8 ***	<0.8 ^{3/}
	03:25-03:30 HOUR	48.5 ^{2/}	46.1 ***	47.7 ^{2/}	44.8 ***	2.9
	03:30-03:35 HOUR	48.3 ^{2/}	48.1 ***	38.7 ^{2/}	46.3 ***	<0.8 ^{3/}
	03:35-03:40 HOUR	49.5 ^{2/}	48.1 ***	46.9 ^{2/}	46.3 ***	<0.8 ^{3/}
	03:40-03:45 HOUR	52.5 ^{2/}	48.1 ***	53.6 ^{2/}	46.3 ***	7.3
	03:45-03:50 HOUR	49.1 ^{2/}	48.1 ***	45.3 ^{2/}	46.6 ***	<0.8 ^{3/}
	03:50-03:55 HOUR	50.0 ^{2/}	48.1 ***	48.4 ^{2/}	46.6 ***	1.8
	03:55-04:00 HOUR	49.5 ^{2/}	48.1 ***	46.9 ^{2/}	46.6 ***	<0.8 ^{3/}
	04:00-04:05 HOUR	49.7 ^{2/}	46.8 ***	49.5 ^{2/}	45.0 ***	4.5
	04:05-04:10 HOUR	48.2 ^{2/}	46.8 ***	45.6 ^{2/}	45.0 ***	<0.8 ^{3/}
	04:10-04:15 HOUR	46.5 ^{2/}	46.8 ***	<0.8 ^{3/}	45.0 ***	<0.8 ^{3/}

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่ทดสอบบริเวณที่ทางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
OCTOBER 2, 2024 T24AX623-0002	NIGHT TIME ^{2/}					
	04:15-04:20 HOUR	54.8 ^{2/}	52.6 ***	53.7 ^{2/}	51.2 ***	2.5
	04:20-04:25 HOUR	48.8 ^{2/}	52.6 ***	<0.8 ^{3/}	51.2 ***	<0.8 ^{3/}
	04:25-04:30 HOUR	53.6 ^{2/}	52.6 ***	49.7 ^{2/}	51.2 ***	<0.8 ^{3/}
	04:30-04:35 HOUR	53.1 ^{2/}	48.5 ***	54.2 ^{2/}	46.9 ***	7.3
	04:35-04:40 HOUR	47.8 ^{2/}	48.5 ***	<0.8 ^{3/}	46.9 ***	<0.8 ^{3/}
	04:40-04:45 HOUR	49.5 ^{2/}	48.5 ***	45.7 ^{2/}	46.9 ***	<0.8 ^{3/}
	04:45-04:50 HOUR	46.4 ^{2/}	45.3 ***	43.0 ^{2/}	44.0 ***	<0.8 ^{3/}
	04:50-04:55 HOUR	48.2 ^{2/}	45.3 ***	48.1 ^{2/}	44.0 ***	4.1
	04:55-05:00 HOUR	46.8 ^{2/}	45.3 ***	44.4 ^{2/}	44.0 ***	<0.8 ^{3/}
	05:00-05:05 HOUR	50.1 ^{2/}	51.5 ***	<0.8 ^{3/}	50.3 ***	<0.8 ^{3/}
	05:05-05:10 HOUR	52.4 ^{2/}	51.5 ***	48.1 ^{2/}	50.3 ***	<0.8 ^{3/}
	05:10-05:15 HOUR	56.5 ^{2/}	51.5 ***	57.9 ^{2/}	50.3 ***	7.6
	05:15-05:20 HOUR	53.1 ^{2/}	50.3 ***	52.9 ^{2/}	49.1 ***	3.8
	05:20-05:25 HOUR	51.2 ^{2/}	50.3 ***	47.0 ^{2/}	49.1 ***	<0.8 ^{3/}
	05:25-05:30 HOUR	51.7 ^{2/}	50.3 ***	49.1 ^{2/}	49.1 ***	<0.8 ^{3/}
	05:30-05:35 HOUR	50.8 ^{2/}	49.9 ***	46.4 ^{2/}	48.3 ***	<0.8 ^{3/}
	05:35-05:40 HOUR	51.8 ^{2/}	49.9 ***	50.4 ^{2/}	48.3 ***	2.1
	05:40-05:45 HOUR	51.5 ^{2/}	49.9 ***	49.4 ^{2/}	48.3 ***	1.1
	05:45-05:50 HOUR	51.4 ^{2/}	50.4 ***	47.5 ^{2/}	48.9 ***	<0.8 ^{3/}
	05:50-05:55 HOUR	55.0 ^{2/}	50.4 ***	56.2 ^{2/}	48.9 ***	7.3
	05:55-06:00 HOUR	47.5 ^{2/}	50.4 ***	<0.8 ^{3/}	48.9 ***	<0.8 ^{3/}
	DAY TIME ^{1/}					
	06:00-07:00 HOUR	53.9 ^{1/}	51.4 **	50.3 ^{1/}	49.6 **	<0.8 ^{3/}
OCTOBER 2, 2024 T24AX623-0003	DAY TIME ^{1/}					
	07:00-08:00 HOUR	51.8 ^{1/}	48.3 **	49.2 ^{1/}	47.0 **	2.2
	08:00-09:00 HOUR	57.1 ^{1/}	49.9 **	56.2 ^{1/}	48.6 **	7.6
	09:00-10:00 HOUR	53.4 ^{1/}	51.2 **	49.4 ^{1/}	49.9 **	<0.8 ^{3/}
	10:00-11:00 HOUR	71.6 ^{1/}	64.7 **	70.6 ^{1/}	63.3 **	7.3
	11:00-12:00 HOUR	67.3 ^{1/}	61.4 **	66.0 ^{1/}	59.6 **	6.4
	12:00-13:00 HOUR	67.5 ^{1/}	62.4 **	65.9 ^{1/}	61.0 **	4.9
	13:00-14:00 HOUR	52.3 ^{1/}	47.7 **	50.5 ^{1/}	46.3 **	4.2
	14:00-15:00 HOUR	50.0 ^{1/}	47.2 **	46.8 ^{1/}	45.6 **	1.2
	15:00-16:00 HOUR	50.1 ^{1/}	47.2 **	47.0 ^{1/}	45.8 **	1.2
	16:00-17:00 HOUR	50.5 ^{1/}	48.1 **	46.8 ^{1/}	46.8 **	<0.8 ^{3/}
	17:00-18:00 HOUR	49.6 ^{1/}	47.3 **	45.7 ^{1/}	45.8 **	<0.8 ^{3/}
	18:00-19:00 HOUR	49.6 ^{1/}	46.9 **	46.3 ^{1/}	45.4 **	0.9
	19:00-20:00 HOUR	49.4 ^{1/}	46.6 **	46.2 ^{1/}	45.2 **	1.0
	20:00-21:00 HOUR	48.8 ^{1/}	45.8 **	45.8 ^{1/}	44.4 **	1.4
	21:00-22:00 HOUR	48.9 ^{1/}	45.6 **	46.2 ^{1/}	44.6 **	1.6
	NIGHT TIME ^{2/}					
	22:00-22:05 HOUR	46.6 ^{2/}	44.5 ***	45.3 ^{2/}	43.2 ***	2.1
	22:05-22:10 HOUR	46.3 ^{2/}	44.5 ***	44.7 ^{2/}	43.2 ***	1.5
	22:10-22:15 HOUR	47.9 ^{2/}	44.5 ***	48.3 ^{2/}	43.2 ***	5.1
	22:15-22:20 HOUR	49.0 ^{2/}	44.1 ***	50.3 ^{2/}	42.6 ***	7.7
	22:20-22:25 HOUR	47.7 ^{2/}	44.1 ***	48.3 ^{2/}	42.6 ***	5.7

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รบกวนบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
OCTOBER 2, 2024	NIGHT TIME ^{2/}					
T24AX623-0003	22:25-22:30 HOUR	45.9 ^{2/}	44.1 ***	44.2 ^{2/}	42.6 ***	1.6
	22:30-22:35 HOUR	46.4 ^{2/}	43.2 ***	46.6 ^{2/}	42.1 ***	4.5
	22:35-22:40 HOUR	46.3 ^{2/}	43.2 ***	46.4 ^{2/}	42.1 ***	4.3
	22:40-22:45 HOUR	46.2 ^{2/}	43.2 ***	46.2 ^{2/}	42.1 ***	4.1
	22:45-22:50 HOUR	46.1 ^{2/}	43.4 ***	45.8 ^{2/}	42.0 ***	3.8
	22:50-22:55 HOUR	45.8 ^{2/}	43.4 ***	45.0 ^{2/}	42.0 ***	3.0
	22:55-23:00 HOUR	45.4 ^{2/}	43.4 ***	44.1 ^{2/}	42.0 ***	2.1
	23:00-23:05 HOUR	46.2 ^{2/}	45.0 ***	43.1 ^{2/}	43.4 ***	<0.8 ^{3/}
	23:05-23:10 HOUR	46.2 ^{2/}	45.0 ***	43.2 ^{2/}	43.4 ***	<0.8 ^{3/}
	23:10-23:15 HOUR	47.3 ^{2/}	45.0 ***	46.3 ^{2/}	43.4 ***	2.9
	23:15-23:20 HOUR	46.6 ^{2/}	43.5 ***	46.7 ^{2/}	42.1 ***	4.6
	23:20-23:25 HOUR	46.5 ^{2/}	43.5 ***	46.4 ^{2/}	42.1 ***	4.3
	23:25-23:30 HOUR	47.2 ^{2/}	43.5 ***	47.8 ^{2/}	42.1 ***	5.7
	23:30-23:35 HOUR	47.0 ^{2/}	44.1 ***	46.8 ^{2/}	42.7 ***	4.1
	23:35-23:40 HOUR	46.6 ^{2/}	44.1 ***	46.0 ^{2/}	42.7 ***	3.3
	23:40-23:45 HOUR	47.1 ^{2/}	44.1 ***	47.1 ^{2/}	42.7 ***	4.4
	23:45-23:50 HOUR	47.1 ^{2/}	43.4 ***	47.6 ^{2/}	42.1 ***	5.5
	23:50-23:55 HOUR	47.6 ^{2/}	43.4 ***	48.5 ^{2/}	42.1 ***	6.4
	23:55-00:00 HOUR	46.8 ^{2/}	43.4 ***	47.1 ^{2/}	42.1 ***	5.0
OCTOBER 3, 2024	NIGHT TIME ^{2/}					
T24AX623-0003	00:00-00:05 HOUR	47.1 ^{2/}	44.9 ***	46.1 ^{2/}	43.4 ***	2.7
	00:05-00:10 HOUR	47.5 ^{2/}	44.9 ***	47.0 ^{2/}	43.4 ***	3.6
	00:10-00:15 HOUR	47.8 ^{2/}	44.9 ***	47.7 ^{2/}	43.4 ***	4.3
	00:15-00:20 HOUR	47.6 ^{2/}	45.2 ***	46.9 ^{2/}	43.8 ***	3.1
	00:20-00:25 HOUR	47.1 ^{2/}	45.2 ***	45.5 ^{2/}	43.8 ***	1.7
	00:25-00:30 HOUR	47.4 ^{2/}	45.2 ***	46.3 ^{2/}	43.8 ***	2.5
	00:30-00:35 HOUR	47.2 ^{2/}	44.3 ***	47.1 ^{2/}	43.0 ***	4.1
	00:35-00:40 HOUR	47.4 ^{2/}	44.3 ***	47.4 ^{2/}	43.0 ***	4.4
	00:40-00:45 HOUR	46.4 ^{2/}	44.3 ***	45.1 ^{2/}	43.0 ***	2.1
	00:45-00:50 HOUR	46.1 ^{2/}	45.0 ***	42.5 ^{2/}	43.7 ***	<0.8 ^{3/}
	00:50-00:55 HOUR	46.1 ^{2/}	45.0 ***	42.6 ^{2/}	43.7 ***	<0.8 ^{3/}
	00:55-01:00 HOUR	47.4 ^{2/}	45.0 ***	46.7 ^{2/}	43.7 ***	3.0
	01:00-01:05 HOUR	47.6 ^{2/}	43.5 ***	48.5 ^{2/}	42.0 ***	6.5
	01:05-01:10 HOUR	46.1 ^{2/}	43.5 ***	45.6 ^{2/}	42.0 ***	3.6
	01:10-01:15 HOUR	46.5 ^{2/}	43.5 ***	46.4 ^{2/}	42.0 ***	4.4
	01:15-01:20 HOUR	46.9 ^{2/}	45.3 ***	44.7 ^{2/}	43.8 ***	0.9
	01:20-01:25 HOUR	47.9 ^{2/}	45.3 ***	47.3 ^{2/}	43.8 ***	3.5
	01:25-01:30 HOUR	46.6 ^{2/}	45.3 ***	43.7 ^{2/}	43.8 ***	<0.8 ^{3/}
	01:30-01:35 HOUR	49.1 ^{2/}	44.4 ***	50.3 ^{2/}	43.2 ***	7.1
	01:35-01:40 HOUR	47.8 ^{2/}	44.4 ***	48.1 ^{2/}	43.2 ***	4.9
	01:40-01:45 HOUR	47.4 ^{2/}	44.4 ***	47.5 ^{2/}	43.2 ***	4.3
	01:45-01:50 HOUR	47.2 ^{2/}	44.2 ***	47.2 ^{2/}	42.7 ***	4.5
	01:50-01:55 HOUR	47.5 ^{2/}	44.2 ***	47.8 ^{2/}	42.7 ***	5.1
	01:55-02:00 HOUR	47.6 ^{2/}	44.2 ***	47.9 ^{2/}	42.7 ***	5.2

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รบกวนบริเวณที่ทางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
OCTOBER 3, 2024	NIGHT TIME ^{2/}					
T24AX623-0003	02:00-02:05 HOUR	46.6 ^{2/}	44.4 ***	45.5 ^{2/}	43.0 ***	2.5
	02:05-02:10 HOUR	47.3 ^{2/}	44.4 ***	47.2 ^{2/}	43.0 ***	4.2
	02:10-02:15 HOUR	47.1 ^{2/}	44.4 ***	46.7 ^{2/}	43.0 ***	3.7
	02:15-02:20 HOUR	47.2 ^{2/}	44.0 ***	47.3 ^{2/}	42.6 ***	4.7
	02:20-02:25 HOUR	47.0 ^{2/}	44.0 ***	47.1 ^{2/}	42.6 ***	4.5
	02:25-02:30 HOUR	47.4 ^{2/}	44.0 ***	47.7 ^{2/}	42.6 ***	5.1
	02:30-02:35 HOUR	46.6 ^{2/}	44.8 ***	45.1 ^{2/}	43.4 ***	1.7
	02:35-02:40 HOUR	46.4 ^{2/}	44.8 ***	44.3 ^{2/}	43.4 ***	0.9
	02:40-02:45 HOUR	46.5 ^{2/}	44.8 ***	44.7 ^{2/}	43.4 ***	1.3
	02:45-02:50 HOUR	46.5 ^{2/}	44.3 ***	45.6 ^{2/}	43.0 ***	2.6
	02:50-02:55 HOUR	46.9 ^{2/}	44.3 ***	46.4 ^{2/}	43.0 ***	3.4
	02:55-03:00 HOUR	47.7 ^{2/}	44.3 ***	48.0 ^{2/}	43.0 ***	5.0
	03:00-03:05 HOUR	47.4 ^{2/}	45.5 ***	46.0 ^{2/}	44.2 ***	1.8
	03:05-03:10 HOUR	46.3 ^{2/}	45.5 ***	41.3 ^{2/}	44.2 ***	<0.8 ^{3/}
	03:10-03:15 HOUR	49.2 ^{2/}	45.5 ***	49.8 ^{2/}	44.2 ***	5.6
	03:15-03:20 HOUR	46.4 ^{2/}	43.8 ***	46.0 ^{2/}	42.3 ***	3.7
	03:20-03:25 HOUR	46.2 ^{2/}	43.8 ***	45.4 ^{2/}	42.3 ***	3.1
	03:25-03:30 HOUR	45.5 ^{2/}	43.8 ***	43.5 ^{2/}	42.3 ***	1.2
	03:30-03:35 HOUR	45.8 ^{2/}	44.7 ***	42.3 ^{2/}	43.4 ***	<0.8 ^{3/}
	03:35-03:40 HOUR	46.7 ^{2/}	44.7 ***	45.4 ^{2/}	43.4 ***	2.0
	03:40-03:45 HOUR	46.6 ^{2/}	44.7 ***	45.2 ^{2/}	43.4 ***	1.8
	03:45-03:50 HOUR	46.7 ^{2/}	47.1 ***	<0.8 ^{3/}	45.5 ***	<0.8 ^{3/}
	03:50-03:55 HOUR	48.2 ^{2/}	47.1 ***	44.5 ^{2/}	45.5 ***	<0.8 ^{3/}
	03:55-04:00 HOUR	50.1 ^{2/}	47.1 ***	50.1 ^{2/}	45.5 ***	4.6
	04:00-04:05 HOUR	46.9 ^{2/}	42.9 ***	47.6 ^{2/}	41.3 ***	6.3
	04:05-04:10 HOUR	44.3 ^{2/}	42.9 ***	41.7 ^{2/}	41.3 ***	<0.8 ^{3/}
	04:10-04:15 HOUR	46.0 ^{2/}	42.9 ***	46.1 ^{2/}	41.3 ***	4.8
	04:15-04:20 HOUR	46.6 ^{2/}	43.8 ***	46.4 ^{2/}	42.3 ***	4.1
	04:20-04:25 HOUR	45.9 ^{2/}	43.8 ***	44.7 ^{2/}	42.3 ***	2.4
	04:25-04:30 HOUR	47.2 ^{2/}	43.8 ***	47.5 ^{2/}	42.3 ***	5.2
	04:30-04:35 HOUR	46.0 ^{2/}	44.6 ***	43.4 ^{2/}	43.2 ***	<0.8 ^{3/}
	04:35-04:40 HOUR	46.3 ^{2/}	44.6 ***	44.3 ^{2/}	43.2 ***	1.1
	04:40-04:45 HOUR	47.8 ^{2/}	44.6 ***	48.0 ^{2/}	43.2 ***	4.8
	04:45-04:50 HOUR	46.1 ^{2/}	44.4 ***	44.3 ^{2/}	42.9 ***	1.4
	04:50-04:55 HOUR	46.9 ^{2/}	44.4 ***	46.4 ^{2/}	42.9 ***	3.5
	04:55-05:00 HOUR	46.3 ^{2/}	44.4 ***	44.9 ^{2/}	42.9 ***	2.0
	05:00-05:05 HOUR	46.6 ^{2/}	43.8 ***	46.3 ^{2/}	42.5 ***	3.8
	05:05-05:10 HOUR	46.1 ^{2/}	43.8 ***	45.4 ^{2/}	42.5 ***	2.9
	05:10-05:15 HOUR	46.2 ^{2/}	43.8 ***	45.4 ^{2/}	42.5 ***	2.9
	05:15-05:20 HOUR	45.2 ^{2/}	45.1 ***	30.6 ^{2/}	43.9 ***	<0.8 ^{3/}
	05:20-05:25 HOUR	48.3 ^{2/}	45.1 ***	48.5 ^{2/}	43.9 ***	4.6
	05:25-05:30 HOUR	47.7 ^{2/}	45.1 ***	47.1 ^{2/}	43.9 ***	3.2
	05:30-05:35 HOUR	48.0 ^{2/}	43.6 ***	49.0 ^{2/}	42.4 ***	6.6
	05:35-05:40 HOUR	46.9 ^{2/}	43.6 ***	47.2 ^{2/}	42.4 ***	4.8

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รบกวนบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
OCTOBER 3, 2024	NIGHT TIME ^{2/}					
T24AX623-0003	05:40-05:45 HOUR	46.8 ^{2/}	43.6 ***	47.0 ^{2/}	42.4 ***	4.6
	05:45-05:50 HOUR	47.1 ^{2/}	44.6 ***	46.5 ^{2/}	43.4 ***	3.1
	05:50-05:55 HOUR	47.3 ^{2/}	44.6 ***	47.0 ^{2/}	43.4 ***	3.6
	05:55-06:00 HOUR	47.1 ^{2/}	44.6 ***	46.5 ^{2/}	43.4 ***	3.1
	DAY TIME ^{1/}					
	06:00-07:00 HOUR	47.9 ^{1/}	44.9 **	44.9 ^{1/}	43.6 **	1.3
OCTOBER 3, 2024	DAY TIME ^{1/}					
T24AX623-0004	07:00-08:00 HOUR	52.8 ^{1/}	47.2 **	51.4 ^{1/}	45.8 **	5.6
	08:00-09:00 HOUR	58.3 ^{1/}	52.6 **	56.9 ^{1/}	51.3 **	5.6
	09:00-10:00 HOUR	58.4 ^{1/}	54.6 **	56.1 ^{1/}	53.1 **	3.0
	10:00-11:00 HOUR	58.4 ^{1/}	53.1 **	56.9 ^{1/}	51.6 **	5.3
	11:00-12:00 HOUR	54.7 ^{1/}	51.2 **	52.1 ^{1/}	49.8 **	2.3
	12:00-13:00 HOUR	54.0 ^{1/}	47.6 **	52.9 ^{1/}	46.0 **	6.9
	13:00-14:00 HOUR	53.3 ^{1/}	45.9 **	52.4 ^{1/}	44.5 **	7.9
	14:00-15:00 HOUR	50.1 ^{1/}	45.5 **	48.3 ^{1/}	44.1 **	4.2
	15:00-16:00 HOUR	49.3 ^{1/}	45.2 **	47.2 ^{1/}	43.8 **	3.4
	16:00-17:00 HOUR	49.7 ^{1/}	45.5 **	47.6 ^{1/}	44.1 **	3.5
	17:00-18:00 HOUR	50.4 ^{1/}	46.8 **	47.9 ^{1/}	45.2 **	2.7
	18:00-19:00 HOUR	50.0 ^{1/}	45.6 **	48.0 ^{1/}	44.3 **	3.7
	19:00-20:00 HOUR	50.2 ^{1/}	46.6 **	47.7 ^{1/}	45.3 **	2.4
	20:00-21:00 HOUR	50.0 ^{1/}	45.9 **	47.9 ^{1/}	44.7 **	3.2
	21:00-22:00 HOUR	49.2 ^{1/}	45.0 **	47.1 ^{1/}	43.4 **	3.7
	NIGHT TIME ^{2/}					
	22:00-22:05 HOUR	46.3 ^{2/}	43.4 ***	46.3 ^{2/}	41.8 ***	4.5
	22:05-22:10 HOUR	46.2 ^{2/}	43.4 ***	46.0 ^{2/}	41.8 ***	4.2
	22:10-22:15 HOUR	47.6 ^{2/}	43.4 ***	48.5 ^{2/}	41.8 ***	6.7
	22:15-22:20 HOUR	47.0 ^{2/}	42.2 ***	48.2 ^{2/}	40.8 ***	7.4
	22:20-22:25 HOUR	46.9 ^{2/}	42.2 ***	48.1 ^{2/}	40.8 ***	7.3
	22:25-22:30 HOUR	46.6 ^{2/}	42.2 ***	47.7 ^{2/}	40.8 ***	6.9
	22:30-22:35 HOUR	46.4 ^{2/}	43.0 ***	46.8 ^{2/}	41.6 ***	5.2
	22:35-22:40 HOUR	45.9 ^{2/}	43.0 ***	45.7 ^{2/}	41.6 ***	4.1
	22:40-22:45 HOUR	47.1 ^{2/}	43.0 ***	48.0 ^{2/}	41.6 ***	6.4
	22:45-22:50 HOUR	45.9 ^{2/}	43.2 ***	45.6 ^{2/}	42.0 ***	3.6
	22:50-22:55 HOUR	46.3 ^{2/}	43.2 ***	46.3 ^{2/}	42.0 ***	4.3
	22:55-23:00 HOUR	47.8 ^{2/}	43.2 ***	48.9 ^{2/}	42.0 ***	6.9
	23:00-23:05 HOUR	46.6 ^{2/}	44.3 ***	45.8 ^{2/}	43.2 ***	2.6
	23:05-23:10 HOUR	46.1 ^{2/}	44.3 ***	44.4 ^{2/}	43.2 ***	1.2
	23:10-23:15 HOUR	47.8 ^{2/}	44.3 ***	48.2 ^{2/}	43.2 ***	5.0
	23:15-23:20 HOUR	47.1 ^{2/}	43.6 ***	47.5 ^{2/}	42.2 ***	5.3
	23:20-23:25 HOUR	47.4 ^{2/}	43.6 ***	48.0 ^{2/}	42.2 ***	5.8
	23:25-23:30 HOUR	47.5 ^{2/}	43.6 ***	48.2 ^{2/}	42.2 ***	6.0
	23:30-23:35 HOUR	47.7 ^{2/}	43.0 ***	48.9 ^{2/}	41.6 ***	7.3
	23:35-23:40 HOUR	46.8 ^{2/}	43.0 ***	47.5 ^{2/}	41.6 ***	5.9
	23:40-23:45 HOUR	46.0 ^{2/}	43.0 ***	46.0 ^{2/}	41.6 ***	4.4
	23:45-23:50 HOUR	47.8 ^{2/}	43.9 ***	48.5 ^{2/}	42.4 ***	6.1

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รบกวนบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
OCTOBER 3, 2024	NIGHT TIME ^{2/}					
T24AX623-0004	23:50-23:55 HOUR	46.1 ^{2/}	43.9 ***	45.2 ^{2/}	42.4 ***	2.8
	23:55-00:00 HOUR	47.3 ^{2/}	43.9 ***	47.6 ^{2/}	42.4 ***	5.2
OCTOBER 4, 2024	NIGHT TIME ^{2/}					
T24AX623-0004	00:00-00:05 HOUR	47.1 ^{2/}	44.4 ***	46.8 ^{2/}	43.1 ***	3.7
	00:05-00:10 HOUR	47.3 ^{2/}	44.4 ***	47.1 ^{2/}	43.1 ***	4.0
	00:10-00:15 HOUR	48.2 ^{2/}	44.4 ***	48.8 ^{2/}	43.1 ***	5.7
	00:15-00:20 HOUR	47.5 ^{2/}	43.3 ***	48.4 ^{2/}	42.0 ***	6.4
	00:20-00:25 HOUR	46.5 ^{2/}	43.3 ***	46.8 ^{2/}	42.0 ***	4.8
	00:25-00:30 HOUR	47.4 ^{2/}	43.3 ***	48.3 ^{2/}	42.0 ***	6.3
	00:30-00:35 HOUR	48.8 ^{2/}	44.6 ***	49.8 ^{2/}	43.4 ***	6.4
	00:35-00:40 HOUR	48.1 ^{2/}	44.6 ***	48.5 ^{2/}	43.4 ***	5.1
	00:40-00:45 HOUR	48.3 ^{2/}	44.6 ***	48.9 ^{2/}	43.4 ***	5.5
	00:45-00:50 HOUR	47.3 ^{2/}	47.9 ***	<0.8 ^{3/}	46.6 ***	<0.8 ^{3/}
	00:50-00:55 HOUR	46.3 ^{2/}	47.9 ***	<0.8 ^{3/}	46.6 ***	<0.8 ^{3/}
	00:55-01:00 HOUR	52.2 ^{2/}	47.9 ***	53.3 ^{2/}	46.6 ***	6.7
	01:00-01:05 HOUR	46.6 ^{2/}	44.5 ***	45.4 ^{2/}	43.1 ***	2.3
	01:05-01:10 HOUR	48.2 ^{2/}	44.5 ***	48.9 ^{2/}	43.1 ***	5.8
	01:10-01:15 HOUR	48.4 ^{2/}	44.5 ***	49.1 ^{2/}	43.1 ***	6.0
	01:15-01:20 HOUR	49.2 ^{2/}	45.5 ***	49.7 ^{2/}	44.0 ***	5.7
	01:20-01:25 HOUR	47.5 ^{2/}	45.5 ***	46.0 ^{2/}	44.0 ***	2.0
	01:25-01:30 HOUR	50.0 ^{2/}	45.5 ***	51.2 ^{2/}	44.0 ***	7.2
	01:30-01:35 HOUR	47.3 ^{2/}	49.2 ***	<0.8 ^{3/}	47.7 ***	<0.8 ^{3/}
	01:35-01:40 HOUR	53.2 ^{2/}	49.2 ***	53.9 ^{2/}	47.7 ***	6.2
	01:40-01:45 HOUR	46.4 ^{2/}	49.2 ***	<0.8 ^{3/}	47.7 ***	<0.8 ^{3/}
	01:45-01:50 HOUR	48.9 ^{2/}	45.5 ***	49.3 ^{2/}	44.3 ***	5.0
	01:50-01:55 HOUR	50.4 ^{2/}	45.5 ***	51.7 ^{2/}	44.3 ***	7.4
	01:55-02:00 HOUR	50.7 ^{2/}	45.5 ***	52.1 ^{2/}	44.3 ***	7.8
	02:00-02:05 HOUR	49.1 ^{2/}	47.2 ***	47.5 ^{2/}	45.9 ***	1.6
	02:05-02:10 HOUR	49.5 ^{2/}	47.2 ***	48.7 ^{2/}	45.9 ***	2.8
	02:10-02:15 HOUR	48.0 ^{2/}	47.2 ***	43.4 ^{2/}	45.9 ***	<0.8 ^{3/}
	02:15-02:20 HOUR	48.6 ^{2/}	48.3 ***	39.1 ^{2/}	47.0 ***	<0.8 ^{3/}
	02:20-02:25 HOUR	46.0 ^{2/}	48.3 ***	<0.8 ^{3/}	47.0 ***	<0.8 ^{3/}
	02:25-02:30 HOUR	48.4 ^{2/}	48.3 ***	34.4 ^{2/}	47.0 ***	<0.8 ^{3/}
	02:30-02:35 HOUR	49.8 ^{2/}	45.1 ***	51.0 ^{2/}	43.6 ***	7.4
	02:35-02:40 HOUR	47.7 ^{2/}	45.1 ***	47.3 ^{2/}	43.6 ***	3.7
	02:40-02:45 HOUR	46.0 ^{2/}	45.1 ***	41.8 ^{2/}	43.6 ***	<0.8 ^{3/}
	02:45-02:50 HOUR	50.5 ^{2/}	46.9 ***	51.0 ^{2/}	45.5 ***	5.5
	02:50-02:55 HOUR	46.7 ^{2/}	46.9 ***	<0.8 ^{3/}	45.5 ***	<0.8 ^{3/}
	02:55-03:00 HOUR	46.9 ^{2/}	46.9 ***	<0.8 ^{3/}	45.5 ***	<0.8 ^{3/}
	03:00-03:05 HOUR	46.3 ^{2/}	45.1 ***	43.3 ^{2/}	43.8 ***	<0.8 ^{3/}
	03:05-03:10 HOUR	49.8 ^{2/}	45.1 ***	51.1 ^{2/}	43.8 ***	7.3
	03:10-03:15 HOUR	44.5 ^{2/}	45.1 ***	<0.8 ^{3/}	43.8 ***	<0.8 ^{3/}
	03:15-03:20 HOUR	48.3 ^{2/}	44.9 ***	48.7 ^{2/}	43.5 ***	5.2
	03:20-03:25 HOUR	45.2 ^{2/}	44.9 ***	36.5 ^{2/}	43.5 ***	<0.8 ^{3/}

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รบกวนบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
OCTOBER 4, 2024 T24AX623-0004	NIGHT TIME ^{2/}					
	03:25-03:30 HOUR	46.1 ^{2/}	44.9 ***	42.7 ^{2/}	43.5 ***	<0.8 ^{3/}
	03:30-03:35 HOUR	48.1 ^{2/}	48.3 ***	<0.8 ^{3/}	46.9 ***	<0.8 ^{3/}
	03:35-03:40 HOUR	45.7 ^{2/}	48.3 ***	<0.8 ^{3/}	46.9 ***	<0.8 ^{3/}
	03:40-03:45 HOUR	51.1 ^{2/}	48.3 ***	50.8 ^{2/}	46.9 ***	3.9
	03:45-03:50 HOUR	45.5 ^{2/}	42.3 ***	45.7 ^{2/}	41.1 ***	4.6
	03:50-03:55 HOUR	46.4 ^{2/}	42.3 ***	47.2 ^{2/}	41.1 ***	6.1
	03:55-04:00 HOUR	47.0 ^{2/}	42.3 ***	48.3 ^{2/}	41.1 ***	7.2
	04:00-04:05 HOUR	45.9 ^{2/}	42.5 ***	46.2 ^{2/}	41.0 ***	5.2
	04:05-04:10 HOUR	45.0 ^{2/}	42.5 ***	44.4 ^{2/}	41.0 ***	3.4
	04:10-04:15 HOUR	45.8 ^{2/}	42.5 ***	46.1 ^{2/}	41.0 ***	5.1
	04:15-04:20 HOUR	46.5 ^{2/}	43.6 ***	46.3 ^{2/}	42.2 ***	4.1
	04:20-04:25 HOUR	46.1 ^{2/}	43.6 ***	45.6 ^{2/}	42.2 ***	3.4
	04:25-04:30 HOUR	47.2 ^{2/}	43.6 ***	47.6 ^{2/}	42.2 ***	5.4
	04:30-04:35 HOUR	48.0 ^{2/}	43.3 ***	49.2 ^{2/}	41.8 ***	7.4
	04:35-04:40 HOUR	45.6 ^{2/}	43.3 ***	44.9 ^{2/}	41.8 ***	3.1
	04:40-04:45 HOUR	46.3 ^{2/}	43.3 ***	46.3 ^{2/}	41.8 ***	4.5
	04:45-04:50 HOUR	46.9 ^{2/}	43.8 ***	47.0 ^{2/}	42.4 ***	4.6
	04:50-04:55 HOUR	47.3 ^{2/}	43.8 ***	47.8 ^{2/}	42.4 ***	5.4
	04:55-05:00 HOUR	46.8 ^{2/}	43.8 ***	46.7 ^{2/}	42.4 ***	4.3
	05:00-05:05 HOUR	47.6 ^{2/}	43.4 ***	48.6 ^{2/}	42.1 ***	6.5
	05:05-05:10 HOUR	47.4 ^{2/}	43.4 ***	48.2 ^{2/}	42.1 ***	6.1
	05:10-05:15 HOUR	46.9 ^{2/}	43.4 ***	47.4 ^{2/}	42.1 ***	5.3
	05:15-05:20 HOUR	47.0 ^{2/}	42.8 ***	47.8 ^{2/}	41.4 ***	6.4
	05:20-05:25 HOUR	46.0 ^{2/}	42.8 ***	46.2 ^{2/}	41.4 ***	4.8
	05:25-05:30 HOUR	46.5 ^{2/}	42.8 ***	47.2 ^{2/}	41.4 ***	5.8
	05:30-05:35 HOUR	46.5 ^{2/}	42.1 ***	47.6 ^{2/}	40.7 ***	6.9
	05:35-05:40 HOUR	46.8 ^{2/}	42.1 ***	47.9 ^{2/}	40.7 ***	7.2
	05:40-05:45 HOUR	47.1 ^{2/}	42.1 ***	48.4 ^{2/}	40.7 ***	7.7
	05:45-05:50 HOUR	45.0 ^{2/}	43.9 ***	41.4 ^{2/}	42.6 ***	<0.8 ^{3/}
	05:50-05:55 HOUR	47.3 ^{2/}	43.9 ***	47.6 ^{2/}	42.6 ***	5.0
	05:55-06:00 HOUR	46.9 ^{2/}	43.9 ***	46.8 ^{2/}	42.6 ***	4.2
	DAY TIME ^{1/}					
	06:00-07:00 HOUR	47.2 ^{1/}	43.2 **	45.0 ^{1/}	41.9 **	3.1
OCTOBER 4, 2024 T24AX623-0005	DAY TIME ^{1/}					
	07:00-08:00 HOUR	53.3 ^{1/}	46.9 **	52.2 ^{1/}	45.6 **	6.6
	08:00-09:00 HOUR	52.4 ^{1/}	47.4 **	50.7 ^{1/}	46.1 **	4.6
	09:00-10:00 HOUR	55.8 ^{1/}	48.8 **	54.8 ^{1/}	47.2 **	7.6
	10:00-11:00 HOUR	53.1 ^{1/}	47.2 **	51.8 ^{1/}	45.4 **	6.4
	11:00-12:00 HOUR	52.1 ^{1/}	46.4 **	50.7 ^{1/}	44.8 **	5.9
	12:00-13:00 HOUR	52.0 ^{1/}	46.1 **	50.7 ^{1/}	44.8 **	5.9
	13:00-14:00 HOUR	52.0 ^{1/}	46.7 **	50.5 ^{1/}	45.5 **	5.0
	14:00-15:00 HOUR	54.3 ^{1/}	49.1 **	52.7 ^{1/}	47.8 **	4.9
	15:00-16:00 HOUR	53.5 ^{1/}	48.0 **	52.1 ^{1/}	46.5 **	5.6
	16:00-17:00 HOUR	53.3 ^{1/}	48.3 **	51.7 ^{1/}	46.5 **	5.2
	17:00-18:00 HOUR	53.2 ^{1/}	47.6 **	51.8 ^{1/}	46.5 **	5.3

ISO 9001:2015 CERTIFIED
ISO 14001:2015 CERTIFIED
BY BSI GROUP (THAILAND) CO.,LTD.

- 2024-U094830

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รบกวนบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
OCTOBER 5, 2024 T24AX623-0005	NIGHT TIME ^{2/}					
	01:15-01:20 HOUR	48.2 ^{2/}	45.8 ***	47.5 ^{2/}	44.4 ***	3.1
	01:20-01:25 HOUR	46.8 ^{2/}	45.8 ***	43.3 ^{2/}	44.4 ***	<0.8 ^{3/}
	01:25-01:30 HOUR	47.2 ^{2/}	45.8 ***	44.6 ^{2/}	44.4 ***	<0.8 ^{3/}
	01:30-01:35 HOUR	47.8 ^{2/}	45.1 ***	47.5 ^{2/}	43.9 ***	3.6
	01:35-01:40 HOUR	46.1 ^{2/}	45.1 ***	42.2 ^{2/}	43.9 ***	<0.8 ^{3/}
	01:40-01:45 HOUR	46.3 ^{2/}	45.1 ***	43.1 ^{2/}	43.9 ***	<0.8 ^{3/}
	01:45-01:50 HOUR	47.0 ^{2/}	46.1 ***	42.8 ^{2/}	44.8 ***	<0.8 ^{3/}
	01:50-01:55 HOUR	45.2 ^{2/}	46.1 ***	<0.8 ^{3/}	44.8 ***	<0.8 ^{3/}
	01:55-02:00 HOUR	48.3 ^{2/}	46.1 ***	47.1 ^{2/}	44.8 ***	2.3
	02:00-02:05 HOUR	46.1 ^{2/}	45.8 ***	37.3 ^{2/}	44.0 ***	<0.8 ^{3/}
	02:05-02:10 HOUR	47.7 ^{2/}	45.8 ***	46.1 ^{2/}	44.0 ***	2.1
	02:10-02:15 HOUR	47.1 ^{2/}	45.8 ***	44.2 ^{2/}	44.0 ***	<0.8 ^{3/}
	02:15-02:20 HOUR	46.7 ^{2/}	45.4 ***	43.8 ^{2/}	44.0 ***	<0.8 ^{3/}
	02:20-02:25 HOUR	45.5 ^{2/}	45.4 ***	33.8 ^{2/}	44.0 ***	<0.8 ^{3/}
	02:25-02:30 HOUR	46.4 ^{2/}	45.4 ***	42.4 ^{2/}	44.0 ***	<0.8 ^{3/}
	02:30-02:35 HOUR	46.7 ^{2/}	45.8 ***	42.4 ^{2/}	44.4 ***	<0.8 ^{3/}
	02:35-02:40 HOUR	46.9 ^{2/}	45.8 ***	43.2 ^{2/}	44.4 ***	<0.8 ^{3/}
	02:40-02:45 HOUR	51.0 ^{2/}	45.8 ***	52.4 ^{2/}	44.4 ***	8.0
	02:45-02:50 HOUR	51.3 ^{2/}	46.5 ***	52.5 ^{2/}	45.4 ***	7.1
	02:50-02:55 HOUR	47.6 ^{2/}	46.5 ***	44.1 ^{2/}	45.4 ***	<0.8 ^{3/}
	02:55-03:00 HOUR	47.5 ^{2/}	46.5 ***	43.6 ^{2/}	45.4 ***	<0.8 ^{3/}
	03:00-03:05 HOUR	46.5 ^{2/}	44.9 ***	44.4 ^{2/}	43.7 ***	<0.8 ^{3/}
	03:05-03:10 HOUR	46.7 ^{2/}	44.9 ***	45.1 ^{2/}	43.7 ***	1.4
	03:10-03:15 HOUR	46.7 ^{2/}	44.9 ***	45.1 ^{2/}	43.7 ***	1.4
	03:15-03:20 HOUR	44.5 ^{2/}	43.8 ***	39.0 ^{2/}	42.7 ***	<0.8 ^{3/}
	03:20-03:25 HOUR	46.7 ^{2/}	43.8 ***	46.6 ^{2/}	42.7 ***	3.9
	03:25-03:30 HOUR	45.4 ^{2/}	43.8 ***	43.3 ^{2/}	42.7 ***	<0.8 ^{3/}
	03:30-03:35 HOUR	46.0 ^{2/}	46.3 ***	<0.8 ^{3/}	44.7 ***	<0.8 ^{3/}
	03:35-03:40 HOUR	48.9 ^{2/}	46.3 ***	48.3 ^{2/}	44.7 ***	3.6
	03:40-03:45 HOUR	47.7 ^{2/}	46.3 ***	45.1 ^{2/}	44.7 ***	<0.8 ^{3/}
	03:45-03:50 HOUR	47.6 ^{2/}	46.7 ***	43.3 ^{2/}	45.2 ***	<0.8 ^{3/}
	03:50-03:55 HOUR	46.9 ^{2/}	46.7 ***	36.6 ^{2/}	45.2 ***	<0.8 ^{3/}
	03:55-04:00 HOUR	49.3 ^{2/}	46.7 ***	48.8 ^{2/}	45.2 ***	3.6
	04:00-04:05 HOUR	51.1 ^{2/}	46.8 ***	52.1 ^{2/}	45.7 ***	6.4
	04:05-04:10 HOUR	47.3 ^{2/}	46.8 ***	40.0 ^{2/}	45.7 ***	<0.8 ^{3/}
	04:10-04:15 HOUR	48.0 ^{2/}	46.8 ***	44.8 ^{2/}	45.7 ***	<0.8 ^{3/}
	04:15-04:20 HOUR	47.7 ^{2/}	46.3 ***	45.1 ^{2/}	44.7 ***	<0.8 ^{3/}
	04:20-04:25 HOUR	47.7 ^{2/}	46.3 ***	45.0 ^{2/}	44.7 ***	<0.8 ^{3/}
	04:25-04:30 HOUR	45.8 ^{2/}	46.3 ***	<0.8 ^{3/}	44.7 ***	<0.8 ^{3/}
	04:30-04:35 HOUR	47.3 ^{2/}	46.4 ***	43.0 ^{2/}	44.6 ***	<0.8 ^{3/}
	04:35-04:40 HOUR	50.2 ^{2/}	46.4 ***	50.8 ^{2/}	44.6 ***	6.2
	04:40-04:45 HOUR	46.1 ^{2/}	46.4 ***	<0.8 ^{3/}	44.6 ***	<0.8 ^{3/}
	04:45-04:50 HOUR	48.2 ^{2/}	50.3 ***	<0.8 ^{3/}	48.8 ***	<0.8 ^{3/}
	04:50-04:55 HOUR	51.8 ^{2/}	50.3 ***	49.4 ^{2/}	48.8 ***	<0.8 ^{3/}

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่ทดสอบบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
OCTOBER 5, 2024 T24AX623-0005	NIGHT TIME ^{2/}					
	04:55-05:00 HOUR	51.7 ^{2/}	50.3 ***	49.0 ^{2/}	48.8 ***	<0.8 ^{3/}
	05:00-05:05 HOUR	50.7 ^{2/}	51.1 ***	<0.8 ^{3/}	49.9 ***	<0.8 ^{3/}
	05:05-05:10 HOUR	52.7 ^{2/}	51.1 ***	50.6 ^{2/}	49.9 ***	<0.8 ^{3/}
	05:10-05:15 HOUR	55.1 ^{2/}	51.1 ***	55.8 ^{2/}	49.9 ***	5.9
	05:15-05:20 HOUR	54.4 ^{2/}	50.6 ***	55.1 ^{2/}	49.0 ***	6.1
	05:20-05:25 HOUR	52.1 ^{2/}	50.6 ***	49.7 ^{2/}	49.0 ***	<0.8 ^{3/}
	05:25-05:30 HOUR	50.4 ^{2/}	50.6 ***	<0.8 ^{3/}	49.0 ***	<0.8 ^{3/}
	05:30-05:35 HOUR	48.0 ^{2/}	48.0 ***	<0.8 ^{3/}	46.6 ***	<0.8 ^{3/}
	05:35-05:40 HOUR	48.9 ^{2/}	48.0 ***	44.7 ^{2/}	46.6 ***	<0.8 ^{3/}
	05:40-05:45 HOUR	51.1 ^{2/}	48.0 ***	51.1 ^{2/}	46.6 ***	4.5
	05:45-05:50 HOUR	50.9 ^{2/}	47.7 ***	51.0 ^{2/}	46.1 ***	4.9
	05:50-05:55 HOUR	48.7 ^{2/}	47.7 ***	44.8 ^{2/}	46.1 ***	<0.8 ^{3/}
	05:55-06:00 HOUR	49.0 ^{2/}	47.7 ***	46.3 ^{2/}	46.1 ***	<0.8 ^{3/}
	DAY TIME ^{1/}					
	06:00-07:00 HOUR	55.5 ^{1/}	54.2 **	49.7 ^{1/}	52.4 **	<0.8 ^{3/}
OCTOBER 5, 2024 T24AX623-0006	DAY TIME ^{1/}					
	07:00-08:00 HOUR	54.9 ^{1/}	51.9 **	51.9 ^{1/}	50.6 **	1.3
	08:00-09:00 HOUR	55.0 ^{1/}	50.0 **	53.3 ^{1/}	48.5 **	4.8
	09:00-10:00 HOUR	55.9 ^{1/}	52.3 **	53.4 ^{1/}	50.9 **	2.5
	10:00-11:00 HOUR	54.7 ^{1/}	51.9 **	51.5 ^{1/}	50.3 **	1.2
	11:00-12:00 HOUR	56.7 ^{1/}	53.6 **	53.8 ^{1/}	52.2 **	1.6
	12:00-13:00 HOUR	56.2 ^{1/}	52.0 **	54.1 ^{1/}	50.5 **	3.6
	13:00-14:00 HOUR	55.7 ^{1/}	49.1 **	54.6 ^{1/}	47.9 **	6.7
	14:00-15:00 HOUR	51.1 ^{1/}	47.4 **	48.7 ^{1/}	46.3 **	2.4
	15:00-16:00 HOUR	49.5 ^{1/}	46.5 **	46.5 ^{1/}	45.0 **	1.5
	16:00-17:00 HOUR	50.0 ^{1/}	47.1 **	46.9 ^{1/}	45.6 **	1.3
	17:00-18:00 HOUR	49.6 ^{1/}	46.3 **	46.9 ^{1/}	45.0 **	1.9
	18:00-19:00 HOUR	49.6 ^{1/}	46.6 **	46.6 ^{1/}	45.1 **	1.5
	19:00-20:00 HOUR	49.8 ^{1/}	47.3 **	46.2 ^{1/}	45.8 **	<0.8 ^{3/}
	20:00-21:00 HOUR	54.2 ^{1/}	53.4 **	46.5 ^{1/}	51.8 **	<0.8 ^{3/}
	21:00-22:00 HOUR	59.0 ^{1/}	52.7 **	57.8 ^{1/}	51.6 **	6.2
	NIGHT TIME ^{2/}					
	22:00-22:05 HOUR	50.2 ^{2/}	46.8 ***	50.6 ^{2/}	45.1 ***	5.5
	22:05-22:10 HOUR	47.4 ^{2/}	46.8 ***	41.5 ^{2/}	45.1 ***	<0.8 ^{3/}
	22:10-22:15 HOUR	50.0 ^{2/}	46.8 ***	50.1 ^{2/}	45.1 ***	5.0
	22:15-22:20 HOUR	50.6 ^{2/}	47.8 ***	50.3 ^{2/}	46.6 ***	3.7
	22:20-22:25 HOUR	47.3 ^{2/}	47.8 ***	<0.8 ^{3/}	46.6 ***	<0.8 ^{3/}
	22:25-22:30 HOUR	49.6 ^{2/}	47.8 ***	47.8 ^{2/}	46.6 ***	1.2
	22:30-22:35 HOUR	47.3 ^{2/}	48.1 ***	<0.8 ^{3/}	46.8 ***	<0.8 ^{3/}
	22:35-22:40 HOUR	46.4 ^{2/}	48.1 ***	<0.8 ^{3/}	46.8 ***	<0.8 ^{3/}
	22:40-22:45 HOUR	50.7 ^{2/}	48.1 ***	50.3 ^{2/}	46.8 ***	3.5
	22:45-22:50 HOUR	49.4 ^{2/}	49.8 ***	<0.8 ^{3/}	48.3 ***	<0.8 ^{3/}
	22:50-22:55 HOUR	49.3 ^{2/}	49.8 ***	<0.8 ^{3/}	48.3 ***	<0.8 ^{3/}
	22:55-23:00 HOUR	51.5 ^{2/}	49.8 ***	49.7 ^{2/}	48.3 ***	1.4
	23:00-23:05 HOUR	49.1 ^{2/}	48.2 ***	45.0 ^{2/}	46.8 ***	<0.8 ^{3/}

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่ออกถนนบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
OCTOBER 5, 2024 T24AX623-0006	NIGHT TIME ^{2/}					
	23:05-23:10 HOUR	51.2 ^{2/}	48.2 ***	51.2 ^{2/}	46.8 ***	4.4
	23:10-23:15 HOUR	49.8 ^{2/}	48.2 ***	47.7 ^{2/}	46.8 ***	0.9
	23:15-23:20 HOUR	49.7 ^{2/}	46.0 ***	50.2 ^{2/}	44.6 ***	5.6
	23:20-23:25 HOUR	50.5 ^{2/}	46.0 ***	51.6 ^{2/}	44.6 ***	7.0
	23:25-23:30 HOUR	49.8 ^{2/}	46.0 ***	50.5 ^{2/}	44.6 ***	5.9
	23:30-23:35 HOUR	48.4 ^{2/}	44.0 ***	49.4 ^{2/}	42.7 ***	6.7
	23:35-23:40 HOUR	47.1 ^{2/}	44.0 ***	47.2 ^{2/}	42.7 ***	4.5
	23:40-23:45 HOUR	46.2 ^{2/}	44.0 ***	45.2 ^{2/}	42.7 ***	2.5
	23:45-23:50 HOUR	46.0 ^{2/}	45.0 ***	42.3 ^{2/}	43.5 ***	<0.8 ^{3/}
	23:50-23:55 HOUR	46.5 ^{2/}	45.0 ***	44.1 ^{2/}	43.5 ***	<0.8 ^{3/}
	23:55-00:00 HOUR	47.1 ^{2/}	45.0 ***	46.0 ^{2/}	43.5 ***	2.5
OCTOBER 6, 2024 T24AX623-0006	NIGHT TIME ^{2/}					
	00:00-00:05 HOUR	47.2 ^{2/}	44.6 ***	46.8 ^{2/}	43.4 ***	3.4
	00:05-00:10 HOUR	47.8 ^{2/}	44.6 ***	47.9 ^{2/}	43.4 ***	4.5
	00:10-00:15 HOUR	48.1 ^{2/}	44.6 ***	48.6 ^{2/}	43.4 ***	5.2
	00:15-00:20 HOUR	47.4 ^{2/}	45.7 ***	45.4 ^{2/}	44.3 ***	1.1
	00:20-00:25 HOUR	47.6 ^{2/}	45.7 ***	46.0 ^{2/}	44.3 ***	1.7
	00:25-00:30 HOUR	48.0 ^{2/}	45.7 ***	47.0 ^{2/}	44.3 ***	2.7
	00:30-00:35 HOUR	48.5 ^{2/}	45.4 ***	48.5 ^{2/}	44.0 ***	4.5
	00:35-00:40 HOUR	48.2 ^{2/}	45.4 ***	47.9 ^{2/}	44.0 ***	3.9
	00:40-00:45 HOUR	48.8 ^{2/}	45.4 ***	49.1 ^{2/}	44.0 ***	5.1
	00:45-00:50 HOUR	49.2 ^{2/}	44.2 ***	50.6 ^{2/}	42.9 ***	7.7
	00:50-00:55 HOUR	47.8 ^{2/}	44.2 ***	48.3 ^{2/}	42.9 ***	5.4
	00:55-01:00 HOUR	47.1 ^{2/}	44.2 ***	46.9 ^{2/}	42.9 ***	4.0
	01:00-01:05 HOUR	48.0 ^{2/}	44.6 ***	48.4 ^{2/}	43.3 ***	5.1
	01:05-01:10 HOUR	48.1 ^{2/}	44.6 ***	48.5 ^{2/}	43.3 ***	5.2
	01:10-01:15 HOUR	47.5 ^{2/}	44.6 ***	47.5 ^{2/}	43.3 ***	4.2
	01:15-01:20 HOUR	46.9 ^{2/}	45.3 ***	44.9 ^{2/}	43.7 ***	1.2
	01:20-01:25 HOUR	47.4 ^{2/}	45.3 ***	46.3 ^{2/}	43.7 ***	2.6
	01:25-01:30 HOUR	47.0 ^{2/}	45.3 ***	45.1 ^{2/}	43.7 ***	1.4
	01:30-01:35 HOUR	47.9 ^{2/}	45.3 ***	47.5 ^{2/}	43.8 ***	3.7
	01:35-01:40 HOUR	46.9 ^{2/}	45.3 ***	44.7 ^{2/}	43.8 ***	0.9
	01:40-01:45 HOUR	47.7 ^{2/}	45.3 ***	46.9 ^{2/}	43.8 ***	3.1
	01:45-01:50 HOUR	48.7 ^{2/}	45.3 ***	49.0 ^{2/}	43.7 ***	5.3
	01:50-01:55 HOUR	47.1 ^{2/}	45.3 ***	45.3 ^{2/}	43.7 ***	1.6
	01:55-02:00 HOUR	47.9 ^{2/}	45.3 ***	47.5 ^{2/}	43.7 ***	3.8
	02:00-02:05 HOUR	48.6 ^{2/}	45.3 ***	48.9 ^{2/}	44.1 ***	4.8
	02:05-02:10 HOUR	47.6 ^{2/}	45.3 ***	46.8 ^{2/}	44.1 ***	2.7
	02:10-02:15 HOUR	47.9 ^{2/}	45.3 ***	47.4 ^{2/}	44.1 ***	3.3
	02:15-02:20 HOUR	47.8 ^{2/}	44.2 ***	48.3 ^{2/}	42.9 ***	5.4
	02:20-02:25 HOUR	47.5 ^{2/}	44.2 ***	47.8 ^{2/}	42.9 ***	4.9
	02:25-02:30 HOUR	47.4 ^{2/}	44.2 ***	47.6 ^{2/}	42.9 ***	4.7
	02:30-02:35 HOUR	47.8 ^{2/}	46.3 ***	45.5 ^{2/}	44.9 ***	<0.8 ^{3/}
	02:35-02:40 HOUR	48.2 ^{2/}	46.3 ***	46.7 ^{2/}	44.9 ***	1.8

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รบกวนบริเวณที่วางหน่วยอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
OCTOBER 6, 2024 T24AX623-0006	NIGHT TIME ^{2/}					
	02:40-02:45 HOUR	49.0 ^{2/}	46.3 ***	48.7 ^{2/}	44.9 ***	3.8
	02:45-02:50 HOUR	46.3 ^{2/}	46.7 ***	<0.8 ^{3/}	45.3 ***	<0.8 ^{3/}
	02:50-02:55 HOUR	48.9 ^{2/}	46.7 ***	47.9 ^{2/}	45.3 ***	2.6
	02:55-03:00 HOUR	49.3 ^{2/}	46.7 ***	48.9 ^{2/}	45.3 ***	3.6
	03:00-03:05 HOUR	47.6 ^{2/}	46.2 ***	44.9 ^{2/}	44.5 ***	<0.8 ^{3/}
	03:05-03:10 HOUR	49.3 ^{2/}	46.2 ***	49.4 ^{2/}	44.5 ***	4.9
	03:10-03:15 HOUR	48.1 ^{2/}	46.2 ***	46.6 ^{2/}	44.5 ***	2.1
	03:15-03:20 HOUR	48.5 ^{2/}	46.8 ***	46.5 ^{2/}	45.4 ***	1.1
	03:20-03:25 HOUR	49.0 ^{2/}	46.8 ***	48.0 ^{2/}	45.4 ***	2.6
	03:25-03:30 HOUR	47.6 ^{2/}	46.8 ***	42.8 ^{2/}	45.4 ***	<0.8 ^{3/}
	03:30-03:35 HOUR	50.2 ^{2/}	46.3 ***	50.9 ^{2/}	45.1 ***	5.8
	03:35-03:40 HOUR	49.7 ^{2/}	46.3 ***	50.0 ^{2/}	45.1 ***	4.9
	03:40-03:45 HOUR	51.1 ^{2/}	46.3 ***	52.3 ^{2/}	45.1 ***	7.2
	03:45-03:50 HOUR	47.1 ^{2/}	44.6 ***	46.5 ^{2/}	43.4 ***	3.1
	03:50-03:55 HOUR	47.7 ^{2/}	44.6 ***	47.8 ^{2/}	43.4 ***	4.4
	03:55-04:00 HOUR	48.5 ^{2/}	44.6 ***	49.3 ^{2/}	43.4 ***	5.9
	04:00-04:05 HOUR	46.5 ^{2/}	47.5 ***	<0.8 ^{3/}	46.4 ***	<0.8 ^{3/}
	04:05-04:10 HOUR	52.4 ^{2/}	47.5 ***	53.7 ^{2/}	46.4 ***	7.3
	04:10-04:15 HOUR	49.0 ^{2/}	47.5 ***	46.6 ^{2/}	46.4 ***	<0.8 ^{3/}
	04:15-04:20 HOUR	47.4 ^{2/}	48.4 ***	<0.8 ^{3/}	47.1 ***	<0.8 ^{3/}
	04:20-04:25 HOUR	51.3 ^{2/}	48.4 ***	51.2 ^{2/}	47.1 ***	4.1
	04:25-04:30 HOUR	51.2 ^{2/}	48.4 ***	51.0 ^{2/}	47.1 ***	3.9
	04:30-04:35 HOUR	51.6 ^{2/}	47.2 ***	52.6 ^{2/}	45.8 ***	6.8
	04:35-04:40 HOUR	47.6 ^{2/}	47.2 ***	39.6 ^{2/}	45.8 ***	<0.8 ^{3/}
	04:40-04:45 HOUR	51.7 ^{2/}	47.2 ***	52.9 ^{2/}	45.8 ***	7.1
	04:45-04:50 HOUR	53.5 ^{2/}	53.0 ***	47.2 ^{2/}	51.7 ***	<0.8 ^{3/}
	04:50-04:55 HOUR	53.0 ^{2/}	53.0 ***	<0.8 ^{3/}	51.7 ***	<0.8 ^{3/}
	04:55-05:00 HOUR	55.6 ^{2/}	53.0 ***	55.1 ^{2/}	51.7 ***	3.4
	05:00-05:05 HOUR	57.2 ^{2/}	52.6 ***	58.4 ^{2/}	51.1 ***	7.3
	05:05-05:10 HOUR	56.5 ^{2/}	52.6 ***	57.3 ^{2/}	51.1 ***	6.2
	05:10-05:15 HOUR	56.0 ^{2/}	52.6 ***	56.4 ^{2/}	51.1 ***	5.3
	05:15-05:20 HOUR	54.3 ^{2/}	54.1 ***	44.8 ^{2/}	52.9 ***	<0.8 ^{3/}
	05:20-05:25 HOUR	57.5 ^{2/}	54.1 ***	57.9 ^{2/}	52.9 ***	5.0
	05:25-05:30 HOUR	59.0 ^{2/}	54.1 ***	60.3 ^{2/}	52.9 ***	7.4
	05:30-05:35 HOUR	55.9 ^{2/}	52.4 ***	56.4 ^{2/}	51.2 ***	5.2
	05:35-05:40 HOUR	56.4 ^{2/}	52.4 ***	57.2 ^{2/}	51.2 ***	6.0
	05:40-05:45 HOUR	54.2 ^{2/}	52.4 ***	52.4 ^{2/}	51.2 ***	1.2
	05:45-05:50 HOUR	54.4 ^{2/}	52.7 ***	52.5 ^{2/}	51.2 ***	1.3
	05:50-05:55 HOUR	54.9 ^{2/}	52.7 ***	54.0 ^{2/}	51.2 ***	2.8
	05:55-06:00 HOUR	57.1 ^{2/}	52.7 ***	58.2 ^{2/}	51.2 ***	7.0
OCTOBER 6, 2024 T24AX623-0007	DAY TIME ^{1/}					
	06:00-07:00 HOUR	52.8 ^{1/}	48.5 **	50.8 ^{1/}	47.3 **	3.5
	DAY TIME ^{1/}					
	07:00-08:00 HOUR	50.4 ^{1/}	47.7 **	47.1 ^{1/}	46.3 **	0.8
	08:00-09:00 HOUR	53.8 ^{1/}	47.4 **	52.7 ^{1/}	46.1 **	6.6

DATE	TIME*	RESULT (dB(A))				
		ภาพในพื้นที่รถถนนบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
OCTOBER 6, 2024	DAY TIME ^{1/}					
T24AX623-0007	09:00-10:00 HOUR	52.6 ^{1/}	49.4 **	49.8 ^{1/}	48.0 **	1.8
	10:00-11:00 HOUR	54.3 ^{1/}	51.3 **	51.3 ^{1/}	50.0 **	1.3
	11:00-12:00 HOUR	55.3 ^{1/}	52.2 **	52.4 ^{1/}	50.9 **	1.5
	12:00-13:00 HOUR	56.4 ^{1/}	53.1 **	53.7 ^{1/}	51.5 **	2.2
	13:00-14:00 HOUR	56.9 ^{1/}	49.8 **	56.0 ^{1/}	48.6 **	7.4
	14:00-15:00 HOUR	52.7 ^{1/}	48.4 **	50.7 ^{1/}	46.8 **	3.9
	15:00-16:00 HOUR	50.0 ^{1/}	47.1 **	46.9 ^{1/}	45.4 **	1.5
	16:00-17:00 HOUR	50.1 ^{1/}	46.9 **	47.3 ^{1/}	45.6 **	1.7
	17:00-18:00 HOUR	51.6 ^{1/}	47.7 **	49.3 ^{1/}	46.3 **	3.0
	18:00-19:00 HOUR	50.1 ^{1/}	46.8 **	47.4 ^{1/}	45.5 **	1.9
	19:00-20:00 HOUR	50.4 ^{1/}	48.2 **	46.4 ^{1/}	46.6 **	<0.8 ^{3/}
	20:00-21:00 HOUR	50.1 ^{1/}	47.3 **	46.9 ^{1/}	45.7 **	1.2
	21:00-22:00 HOUR	49.5 ^{1/}	46.4 **	46.6 ^{1/}	45.0 **	1.6
	NIGHT TIME ^{2/}					
	22:00-22:05 HOUR	46.7 ^{2/}	44.2 ***	46.1 ^{2/}	42.9 ***	3.2
	22:05-22:10 HOUR	47.3 ^{2/}	44.2 ***	47.3 ^{2/}	42.9 ***	4.4
	22:10-22:15 HOUR	46.7 ^{2/}	44.2 ***	46.2 ^{2/}	42.9 ***	3.3
	22:15-22:20 HOUR	47.0 ^{2/}	43.9 ***	47.1 ^{2/}	42.6 ***	4.5
	22:20-22:25 HOUR	46.4 ^{2/}	43.9 ***	45.8 ^{2/}	42.6 ***	3.2
	22:25-22:30 HOUR	46.2 ^{2/}	43.9 ***	45.4 ^{2/}	42.6 ***	2.8
	22:30-22:35 HOUR	47.8 ^{2/}	45.4 ***	47.0 ^{2/}	43.8 ***	3.2
	22:35-22:40 HOUR	47.4 ^{2/}	45.4 ***	46.2 ^{2/}	43.8 ***	2.4
	22:40-22:45 HOUR	47.4 ^{2/}	45.4 ***	46.1 ^{2/}	43.8 ***	2.3
	22:45-22:50 HOUR	47.2 ^{2/}	44.9 ***	46.4 ^{2/}	43.3 ***	3.1
	22:50-22:55 HOUR	46.3 ^{2/}	44.9 ***	43.8 ^{2/}	43.3 ***	<0.8 ^{3/}
	22:55-23:00 HOUR	47.7 ^{2/}	44.9 ***	47.4 ^{2/}	43.3 ***	4.1
	23:00-23:05 HOUR	46.0 ^{2/}	44.5 ***	43.8 ^{2/}	43.3 ***	<0.8 ^{3/}
	23:05-23:10 HOUR	46.7 ^{2/}	44.5 ***	45.8 ^{2/}	43.3 ***	2.5
	23:10-23:15 HOUR	46.5 ^{2/}	44.5 ***	45.1 ^{2/}	43.3 ***	1.8
	23:15-23:20 HOUR	46.4 ^{2/}	44.1 ***	45.5 ^{2/}	42.8 ***	2.7
	23:20-23:25 HOUR	46.8 ^{2/}	44.1 ***	46.4 ^{2/}	42.8 ***	3.6
	23:25-23:30 HOUR	46.9 ^{2/}	44.1 ***	46.7 ^{2/}	42.8 ***	3.9
	23:30-23:35 HOUR	46.3 ^{2/}	44.1 ***	45.3 ^{2/}	42.5 ***	2.8
	23:35-23:40 HOUR	46.2 ^{2/}	44.1 ***	45.1 ^{2/}	42.5 ***	2.6
	23:40-23:45 HOUR	45.4 ^{2/}	44.1 ***	42.4 ^{2/}	42.5 ***	<0.8 ^{3/}
	23:45-23:50 HOUR	46.6 ^{2/}	44.5 ***	45.5 ^{2/}	42.9 ***	2.6
	23:50-23:55 HOUR	46.1 ^{2/}	44.5 ***	44.0 ^{2/}	42.9 ***	1.1
	23:55-00:00 HOUR	45.6 ^{2/}	44.5 ***	42.0 ^{2/}	42.9 ***	<0.8 ^{3/}
OCTOBER 7, 2024	NIGHT TIME ^{2/}					
T24AX623-0007	00:00-00:05 HOUR	47.2 ^{2/}	43.7 ***	47.6 ^{2/}	42.2 ***	5.4
	00:05-00:10 HOUR	46.2 ^{2/}	43.7 ***	45.6 ^{2/}	42.2 ***	3.4
	00:10-00:15 HOUR	44.9 ^{2/}	43.7 ***	41.8 ^{2/}	42.2 ***	<0.8 ^{3/}
	00:15-00:20 HOUR	46.0 ^{2/}	44.0 ***	44.7 ^{2/}	42.6 ***	2.1
	00:20-00:25 HOUR	44.9 ^{2/}	44.0 ***	40.9 ^{2/}	42.6 ***	<0.8 ^{3/}
	00:25-00:30 HOUR	46.7 ^{2/}	44.0 ***	46.4 ^{2/}	42.6 ***	3.8

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รบกวนบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
OCTOBER 7, 2024	NIGHT TIME ^{2/}					
T24AX623-0007	00:30-00:35 HOUR	47.4 ^{2/}	46.0 ***	44.8 ^{2/}	44.9 ***	<0.8 ^{3/}
	00:35-00:40 HOUR	47.8 ^{2/}	46.0 ***	46.2 ^{2/}	44.9 ***	1.3
	00:40-00:45 HOUR	48.5 ^{2/}	46.0 ***	47.9 ^{2/}	44.9 ***	3.0
	00:45-00:50 HOUR	49.2 ^{2/}	45.5 ***	49.8 ^{2/}	44.2 ***	5.6
	00:50-00:55 HOUR	47.3 ^{2/}	45.5 ***	45.8 ^{2/}	44.2 ***	1.6
	00:55-01:00 HOUR	48.5 ^{2/}	45.5 ***	48.4 ^{2/}	44.2 ***	4.2
	01:00-01:05 HOUR	47.8 ^{2/}	45.5 ***	46.8 ^{2/}	44.2 ***	2.6
	01:05-01:10 HOUR	48.0 ^{2/}	45.5 ***	47.4 ^{2/}	44.2 ***	3.2
	01:10-01:15 HOUR	49.6 ^{2/}	45.5 ***	50.4 ^{2/}	44.2 ***	6.2
	01:15-01:20 HOUR	48.1 ^{2/}	44.3 ***	48.7 ^{2/}	43.1 ***	5.6
	01:20-01:25 HOUR	48.2 ^{2/}	44.3 ***	48.9 ^{2/}	43.1 ***	5.8
	01:25-01:30 HOUR	48.1 ^{2/}	44.3 ***	48.7 ^{2/}	43.1 ***	5.6
	01:30-01:35 HOUR	46.8 ^{2/}	55.0 ***	<0.8 ^{3/}	53.7 ***	<0.8 ^{3/}
	01:35-01:40 HOUR	53.3 ^{2/}	55.0 ***	<0.8 ^{3/}	53.7 ***	<0.8 ^{3/}
	01:40-01:45 HOUR	59.6 ^{2/}	55.0 ***	60.7 ^{2/}	53.7 ***	7.0
	01:45-01:50 HOUR	59.6 ^{2/}	56.3 ***	59.9 ^{2/}	54.9 ***	5.0
	01:50-01:55 HOUR	59.1 ^{2/}	56.3 ***	58.9 ^{2/}	54.9 ***	4.0
	01:55-02:00 HOUR	59.3 ^{2/}	56.3 ***	59.4 ^{2/}	54.9 ***	4.5
	02:00-02:05 HOUR	59.4 ^{2/}	56.7 ***	59.0 ^{2/}	55.5 ***	3.5
	02:05-02:10 HOUR	59.6 ^{2/}	56.7 ***	59.4 ^{2/}	55.5 ***	3.9
	02:10-02:15 HOUR	59.9 ^{2/}	56.7 ***	60.1 ^{2/}	55.5 ***	4.6
	02:15-02:20 HOUR	48.8 ^{2/}	49.0 ***	<0.8 ^{3/}	47.7 ***	<0.8 ^{3/}
	02:20-02:25 HOUR	49.6 ^{2/}	49.0 ***	43.9 ^{2/}	47.7 ***	<0.8 ^{3/}
	02:25-02:30 HOUR	49.8 ^{2/}	49.0 ***	45.3 ^{2/}	47.7 ***	<0.8 ^{3/}
	02:30-02:35 HOUR	50.4 ^{2/}	48.1 ***	49.4 ^{2/}	46.7 ***	2.7
	02:35-02:40 HOUR	50.4 ^{2/}	48.1 ***	49.6 ^{2/}	46.7 ***	2.9
	02:40-02:45 HOUR	50.3 ^{2/}	48.1 ***	49.3 ^{2/}	46.7 ***	2.6
	02:45-02:50 HOUR	51.2 ^{2/}	48.0 ***	51.4 ^{2/}	46.7 ***	4.7
	02:50-02:55 HOUR	48.9 ^{2/}	48.0 ***	44.7 ^{2/}	46.7 ***	<0.8 ^{3/}
	02:55-03:00 HOUR	50.3 ^{2/}	48.0 ***	49.4 ^{2/}	46.7 ***	2.7
	03:00-03:05 HOUR	51.2 ^{2/}	46.9 ***	52.2 ^{2/}	45.4 ***	6.8
	03:05-03:10 HOUR	50.5 ^{2/}	46.9 ***	51.0 ^{2/}	45.4 ***	5.6
	03:10-03:15 HOUR	50.5 ^{2/}	46.9 ***	50.9 ^{2/}	45.4 ***	5.5
	03:15-03:20 HOUR	50.8 ^{2/}	47.6 ***	51.0 ^{2/}	46.1 ***	4.9
	03:20-03:25 HOUR	51.0 ^{2/}	47.6 ***	51.4 ^{2/}	46.1 ***	5.3
	03:25-03:30 HOUR	50.1 ^{2/}	47.6 ***	49.5 ^{2/}	46.1 ***	3.4
	03:30-03:35 HOUR	51.0 ^{2/}	52.3 ***	<0.8 ^{3/}	50.9 ***	<0.8 ^{3/}
	03:35-03:40 HOUR	50.3 ^{2/}	52.3 ***	<0.8 ^{3/}	50.9 ***	<0.8 ^{3/}
	03:40-03:45 HOUR	54.9 ^{2/}	52.3 ***	54.4 ^{2/}	50.9 ***	3.5
	03:45-03:50 HOUR	50.4 ^{2/}	50.2 ***	39.5 ^{2/}	48.9 ***	<0.8 ^{3/}
	03:50-03:55 HOUR	50.5 ^{2/}	50.2 ***	41.2 ^{2/}	48.9 ***	<0.8 ^{3/}
	03:55-04:00 HOUR	51.7 ^{2/}	50.2 ***	49.2 ^{2/}	48.9 ***	<0.8 ^{3/}
	04:00-04:05 HOUR	53.4 ^{2/}	49.2 ***	54.3 ^{2/}	47.9 ***	6.4
	04:05-04:10 HOUR	54.0 ^{2/}	49.2 ***	55.2 ^{2/}	47.9 ***	7.3

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รบกวนบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
OCTOBER 7, 2024 T24AX623-0007	NIGHT TIME ^{2/}					
	04:10-04:15 HOUR	51.4 ^{2/}	49.2 ***	50.5 ^{2/}	47.9 ***	2.6
	04:15-04:20 HOUR	49.4 ^{2/}	47.6 ***	47.6 ^{2/}	46.2 ***	1.4
	04:20-04:25 HOUR	50.2 ^{2/}	47.6 ***	49.8 ^{2/}	46.2 ***	3.6
	04:25-04:30 HOUR	49.4 ^{2/}	47.6 ***	47.8 ^{2/}	46.2 ***	1.6
	04:30-04:35 HOUR	51.2 ^{2/}	48.1 ***	51.3 ^{2/}	46.6 ***	4.7
	04:35-04:40 HOUR	49.3 ^{2/}	48.1 ***	46.1 ^{2/}	46.6 ***	<0.8 ^{3/}
	04:40-04:45 HOUR	51.5 ^{2/}	48.1 ***	51.9 ^{2/}	46.6 ***	5.3
	04:45-04:50 HOUR	49.7 ^{2/}	48.2 ***	47.3 ^{2/}	46.7 ***	<0.8 ^{3/}
	04:50-04:55 HOUR	52.5 ^{2/}	48.2 ***	53.4 ^{2/}	46.7 ***	6.7
	04:55-05:00 HOUR	50.5 ^{2/}	48.2 ***	49.8 ^{2/}	46.7 ***	3.1
	05:00-05:05 HOUR	49.8 ^{2/}	47.9 ***	48.4 ^{2/}	46.5 ***	1.9
	05:05-05:10 HOUR	49.8 ^{2/}	47.9 ***	48.2 ^{2/}	46.5 ***	1.7
	05:10-05:15 HOUR	50.8 ^{2/}	47.9 ***	50.7 ^{2/}	46.5 ***	4.2
	05:15-05:20 HOUR	49.7 ^{2/}	46.9 ***	49.5 ^{2/}	45.6 ***	3.9
	05:20-05:25 HOUR	49.5 ^{2/}	46.9 ***	49.1 ^{2/}	45.6 ***	3.5
	05:25-05:30 HOUR	51.6 ^{2/}	46.9 ***	52.8 ^{2/}	45.6 ***	7.2
	05:30-05:35 HOUR	47.7 ^{2/}	46.1 ***	45.6 ^{2/}	44.7 ***	0.9
	05:35-05:40 HOUR	48.0 ^{2/}	46.1 ***	46.5 ^{2/}	44.7 ***	1.8
	05:40-05:45 HOUR	48.1 ^{2/}	46.1 ***	46.8 ^{2/}	44.7 ***	2.1
	05:45-05:50 HOUR	48.1 ^{2/}	45.3 ***	47.8 ^{2/}	43.9 ***	3.9
	05:50-05:55 HOUR	48.8 ^{2/}	45.3 ***	49.3 ^{2/}	43.9 ***	5.4
	05:55-06:00 HOUR	49.0 ^{2/}	45.3 ***	49.6 ^{2/}	43.9 ***	5.7
	DAY TIME ^{1/}					
	06:00-07:00 HOUR	52.0 ^{1/}	48.5 **	49.4 ^{1/}	47.1 **	2.3

- REMARK :**
- 1/ CASE 1 CALCULATION (DURING 06:00 TO 22:00 HOUR) : SPECIFIC SOUND LEVEL CONTINUOUSLY OCCUR AT LEAST 1 HOUR, MEASURING AS L_{Aeq} 1 hour.
 - 2/ CASE 4 CALCULATION (DURING 22:00 TO 06:00 HOUR) : SPECIFIC SOUND LEVEL OCCUR IN RESTFUL AREA OR NIGHT TIME, MEASURING AS L_{Aeq} 5 minutes.
 - 3/ THERE IS NO IMPACT CAUSE ANNOYANCE SOUND LEVEL
- ** PERCENTILE LEVEL 90 (L_{A90}) IS THE MIDDLE VALUE OF 11 TIMES MEASURING.
(55 MINUTES MEASURING DURING 06:00 TO 22:00 HOUR)
AND RESIDUAL SOUND LEVEL (L_{Aeq} 5 minutes) IS CHOSEN AT THE SAME TIME AS PERCENTILE LEVEL 90 ABOVE.
- *** PERCENTILE LEVEL 90 (L_{A90}) IS THE MIDDLE VALUE OF 3 TIMES MEASURING.
(15 MINUTES MEASURING DURING 22:00 TO 06:00 HOUR)
AND RESIDUAL SOUND LEVEL (L_{Aeq} 5 minutes) IS CHOSEN AT THE SAME TIME AS PERCENTILE LEVEL 90 ABOVE.

(MR SIRA BANJONGJAIROK)
LABORATORY SUPERVISOR



ANALYSIS REPORT

PROJECT NAME	: โครงการดีเอนโค๊ท งานรื้อถอนอาคารปฏิบัติตามมาตรการป้องกันและแก้ไขผลกระทบสิ่งแวดล้อม ระหว่างดำเนินการก่อสร้าง CLUBHOUSE และ งานปรับเปลี่ยนบันไดวนออกเป็นพื้นที่ห้องอาหาร (ระยะฐานราก)				
CUSTOMER NAME	: ENERGY COMPLEX COMPANY LIMITED				
ADDRESS	: 555/1 VIBHAVADI-RANGSIT ROAD CHATUCHAK CHATUCHAK BANGKOK 10900				
CONTACT INFORMATION	: TEL : 0 2537 1885 e-mail : anupon.d@energycomplex.co.th				
MEASURING PLACE	: ภายในพื้นที่รื้อถอนบริเวณที่วางหน้าอาคาร C				
MEASURING TYPE	: AMBIENT (ANNOYANCE NOISE)	RECEIVED DATE	: OCTOBER 7-14, 2024		
MEASURING DATE	: OCTOBER 7-14, 2024	ANALYTICAL DATE	: OCTOBER 7-14, 2024		
MEASURING TIME	: *	ISSUE DATE	: OCTOBER 18, 2024		
MEASURING EQUIPMENT	: INTEGRATED SOUND LEVEL METER AND CALCULATION	REPORT NO.	: 2024-U096709		
MEASURED BY	: MR DANUPORN KONGSRI	WORK NO.	: 2024-006278		
		ANALYSIS NO.	: T24AY197-0001 - T24AY197-0007		

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รื้อถอนบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
OCTOBER 7, 2024	DAY TIME ^{1/}					
T24AY197-0001	07:00-08:00 HOUR	53.8 ^{1/}	49.2 **	52.0 ^{1/}	47.8 **	4.2
	08:00-09:00 HOUR	54.9 ^{1/}	47.9 **	53.9 ^{1/}	46.4 **	7.5
	09:00-10:00 HOUR	51.5 ^{1/}	48.2 **	48.8 ^{1/}	46.9 **	1.9
	10:00-11:00 HOUR	54.9 ^{1/}	51.1 **	52.6 ^{1/}	49.6 **	3.0
	11:00-12:00 HOUR	51.0 ^{1/}	47.7 **	48.3 ^{1/}	46.2 **	2.1
	12:00-13:00 HOUR	52.0 ^{1/}	49.4 **	48.5 ^{1/}	48.0 **	<0.8 ^{3/}
	13:00-14:00 HOUR	54.3 ^{1/}	49.1 **	52.7 ^{1/}	47.9 **	4.8
	14:00-15:00 HOUR	52.1 ^{1/}	47.8 **	50.1 ^{1/}	46.6 **	3.5
	15:00-16:00 HOUR	56.2 ^{1/}	52.3 **	53.9 ^{1/}	51.1 **	2.8
	16:00-17:00 HOUR	52.7 ^{1/}	48.7 **	50.5 ^{1/}	47.4 **	3.1
	17:00-18:00 HOUR	49.0 ^{1/}	46.3 **	45.7 ^{1/}	44.9 **	0.8
	18:00-19:00 HOUR	48.1 ^{1/}	45.7 **	44.4 ^{1/}	44.4 **	<0.8 ^{3/}
	19:00-20:00 HOUR	48.9 ^{1/}	45.3 **	46.4 ^{1/}	43.9 **	2.5
	20:00-21:00 HOUR	51.3 ^{1/}	48.5 **	48.1 ^{1/}	47.1 **	1.0
	21:00-22:00 HOUR	51.7 ^{1/}	48.9 **	48.5 ^{1/}	47.5 **	1.0
	NIGHT TIME ^{2/}					
	22:00-22:05 HOUR	44.0 ^{2/}	49.5 ***	<0.8 ^{3/}	48.1 ***	<0.8 ^{3/}
	22:05-22:10 HOUR	51.9 ^{2/}	49.5 ***	51.1 ^{2/}	48.1 ***	3.0
	22:10-22:15 HOUR	51.5 ^{2/}	49.5 ***	50.2 ^{2/}	48.1 ***	2.1
	22:15-22:20 HOUR	52.3 ^{2/}	49.5 ***	52.0 ^{2/}	48.0 ***	4.0
	22:20-22:25 HOUR	51.5 ^{2/}	49.5 ***	50.1 ^{2/}	48.0 ***	2.1
	22:25-22:30 HOUR	52.7 ^{2/}	49.5 ***	52.9 ^{2/}	48.0 ***	4.9
	22:30-22:35 HOUR	52.7 ^{2/}	49.2 ***	53.1 ^{2/}	47.9 ***	5.2
	22:35-22:40 HOUR	52.4 ^{2/}	49.2 ***	52.7 ^{2/}	47.9 ***	4.8
	22:40-22:45 HOUR	52.8 ^{2/}	49.2 ***	53.3 ^{2/}	47.9 ***	5.4
	22:45-22:50 HOUR	52.5 ^{2/}	50.3 ***	51.6 ^{2/}	48.6 ***	3.0
	22:50-22:55 HOUR	52.5 ^{2/}	50.3 ***	51.5 ^{2/}	48.6 ***	2.9
	22:55-23:00 HOUR	52.2 ^{2/}	50.3 ***	50.6 ^{2/}	48.6 ***	2.0
	23:00-23:05 HOUR	53.0 ^{2/}	48.8 ***	53.9 ^{2/}	47.0 ***	6.9
	23:05-23:10 HOUR	51.5 ^{2/}	48.8 ***	51.1 ^{2/}	47.0 ***	4.1



DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รบกวนบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
OCTOBER 7, 2024	NIGHT TIME ^{2/}					
T24AY197-0001	23:10-23:15 HOUR	52.9 ^{2/}	48.8 ***	53.8 ^{2/}	47.0 ***	6.8
	23:15-23:20 HOUR	52.0 ^{2/}	49.2 ***	51.8 ^{2/}	47.8 ***	4.0
	23:20-23:25 HOUR	53.5 ^{2/}	49.2 ***	54.4 ^{2/}	47.8 ***	6.6
	23:25-23:30 HOUR	53.5 ^{2/}	49.2 ***	54.4 ^{2/}	47.8 ***	6.6
	23:30-23:35 HOUR	53.2 ^{2/}	50.4 ***	53.0 ^{2/}	49.0 ***	4.0
	23:35-23:40 HOUR	54.4 ^{2/}	50.4 ***	55.2 ^{2/}	49.0 ***	6.2
	23:40-23:45 HOUR	52.5 ^{2/}	50.4 ***	51.3 ^{2/}	49.0 ***	2.3
	23:45-23:50 HOUR	53.0 ^{2/}	49.9 ***	53.1 ^{2/}	48.5 ***	4.6
	23:50-23:55 HOUR	53.2 ^{2/}	49.9 ***	53.4 ^{2/}	48.5 ***	4.9
	23:55-00:00 HOUR	53.5 ^{2/}	49.9 ***	54.1 ^{2/}	48.5 ***	5.6
OCTOBER 8, 2024	NIGHT TIME ^{2/}					
T24AY197-0001	00:00-00:05 HOUR	53.0 ^{2/}	50.6 ***	52.2 ^{2/}	49.0 ***	3.2
	00:05-00:10 HOUR	53.3 ^{2/}	50.6 ***	53.0 ^{2/}	49.0 ***	4.0
	00:10-00:15 HOUR	53.5 ^{2/}	50.6 ***	53.3 ^{2/}	49.0 ***	4.3
	00:15-00:20 HOUR	52.8 ^{2/}	50.8 ***	51.5 ^{2/}	49.4 ***	2.1
	00:20-00:25 HOUR	52.5 ^{2/}	50.8 ***	50.7 ^{2/}	49.4 ***	1.3
	00:25-00:30 HOUR	52.8 ^{2/}	50.8 ***	51.4 ^{2/}	49.4 ***	2.0
	00:30-00:35 HOUR	54.4 ^{2/}	59.6 ***	<0.8 ^{3/}	58.3 ***	<0.8 ^{3/}
	00:35-00:40 HOUR	64.0 ^{2/}	59.6 ***	65.0 ^{2/}	58.3 ***	6.7
	00:40-00:45 HOUR	64.6 ^{2/}	59.6 ***	65.9 ^{2/}	58.3 ***	7.6
	00:45-00:50 HOUR	47.1 ^{2/}	54.4 ***	<0.8 ^{3/}	53.2 ***	<0.8 ^{3/}
	00:50-00:55 HOUR	58.6 ^{2/}	54.4 ***	59.6 ^{2/}	53.2 ***	6.4
	00:55-01:00 HOUR	58.3 ^{2/}	54.4 ***	59.0 ^{2/}	53.2 ***	5.8
	01:00-01:05 HOUR	52.1 ^{2/}	49.7 ***	51.4 ^{2/}	48.2 ***	3.2
	01:05-01:10 HOUR	54.6 ^{2/}	49.7 ***	56.0 ^{2/}	48.2 ***	7.8
	01:10-01:15 HOUR	52.5 ^{2/}	49.7 ***	52.3 ^{2/}	48.2 ***	4.1
	01:15-01:20 HOUR	51.8 ^{2/}	51.2 ***	46.1 ^{2/}	49.8 ***	<0.8 ^{3/}
	01:20-01:25 HOUR	51.9 ^{2/}	51.2 ***	46.8 ^{2/}	49.8 ***	<0.8 ^{3/}
	01:25-01:30 HOUR	52.9 ^{2/}	51.2 ***	51.0 ^{2/}	49.8 ***	1.2
	01:30-01:35 HOUR	56.1 ^{2/}	53.4 ***	55.7 ^{2/}	51.9 ***	3.8
	01:35-01:40 HOUR	56.1 ^{2/}	53.4 ***	55.7 ^{2/}	51.9 ***	3.8
	01:40-01:45 HOUR	57.2 ^{2/}	53.4 ***	57.8 ^{2/}	51.9 ***	5.9
	01:45-01:50 HOUR	57.2 ^{2/}	53.7 ***	57.5 ^{2/}	52.3 ***	5.2
	01:50-01:55 HOUR	57.2 ^{2/}	53.7 ***	57.6 ^{2/}	52.3 ***	5.3
	01:55-02:00 HOUR	58.4 ^{2/}	53.7 ***	59.6 ^{2/}	52.3 ***	7.3
	02:00-02:05 HOUR	54.3 ^{2/}	53.5 ***	49.6 ^{2/}	52.2 ***	<0.8 ^{3/}
	02:05-02:10 HOUR	53.0 ^{2/}	53.5 ***	<0.8 ^{3/}	52.2 ***	<0.8 ^{3/}
	02:10-02:15 HOUR	57.8 ^{2/}	53.5 ***	58.7 ^{2/}	52.2 ***	6.5
	02:15-02:20 HOUR	60.4 ^{2/}	57.0 ***	60.8 ^{2/}	55.5 ***	5.3
	02:20-02:25 HOUR	60.3 ^{2/}	57.0 ***	60.6 ^{2/}	55.5 ***	5.1
	02:25-02:30 HOUR	60.0 ^{2/}	57.0 ***	59.9 ^{2/}	55.5 ***	4.4
	02:30-02:35 HOUR	51.3 ^{2/}	51.7 ***	<0.8 ^{3/}	50.1 ***	<0.8 ^{3/}
	02:35-02:40 HOUR	56.7 ^{2/}	51.7 ***	58.1 ^{2/}	50.1 ***	8.0
	02:40-02:45 HOUR	53.9 ^{2/}	51.7 ***	53.0 ^{2/}	50.1 ***	2.9

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่ออกนอกบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
OCTOBER 8, 2024 T24AY197-0001	NIGHT TIME ^{2/}					
	02:45-02:50 HOUR	52.6 ^{2/}	48.5 ***	53.5 ^{2/}	47.0 ***	6.5
	02:50-02:55 HOUR	51.6 ^{2/}	48.5 ***	51.6 ^{2/}	47.0 ***	4.6
	02:55-03:00 HOUR	50.8 ^{2/}	48.5 ***	49.9 ^{2/}	47.0 ***	2.9
	03:00-03:05 HOUR	51.9 ^{2/}	48.4 ***	52.3 ^{2/}	46.8 ***	5.5
	03:05-03:10 HOUR	50.6 ^{2/}	48.4 ***	49.6 ^{2/}	46.8 ***	2.8
	03:10-03:15 HOUR	52.1 ^{2/}	48.4 ***	52.7 ^{2/}	46.8 ***	5.9
	03:15-03:20 HOUR	50.2 ^{2/}	47.3 ***	50.0 ^{2/}	46.0 ***	4.0
	03:20-03:25 HOUR	49.4 ^{2/}	47.3 ***	48.1 ^{2/}	46.0 ***	2.1
	03:25-03:30 HOUR	48.6 ^{2/}	47.3 ***	45.7 ^{2/}	46.0 ***	<0.8 ^{3/}
	03:30-03:35 HOUR	48.7 ^{2/}	47.2 ***	46.4 ^{2/}	45.6 ***	0.8
	03:35-03:40 HOUR	50.8 ^{2/}	47.2 ***	51.3 ^{2/}	45.6 ***	5.7
	03:40-03:45 HOUR	50.7 ^{2/}	47.2 ***	51.1 ^{2/}	45.6 ***	5.5
	03:45-03:50 HOUR	49.4 ^{2/}	48.4 ***	45.6 ^{2/}	47.0 ***	<0.8 ^{3/}
	03:50-03:55 HOUR	50.2 ^{2/}	48.4 ***	48.4 ^{2/}	47.0 ***	1.4
	03:55-04:00 HOUR	50.8 ^{2/}	48.4 ***	50.1 ^{2/}	47.0 ***	3.1
	04:00-04:05 HOUR	51.7 ^{2/}	49.2 ***	51.2 ^{2/}	47.8 ***	3.4
	04:05-04:10 HOUR	50.9 ^{2/}	49.2 ***	49.0 ^{2/}	47.8 ***	1.2
	04:10-04:15 HOUR	49.5 ^{2/}	49.2 ***	40.0 ^{2/}	47.8 ***	<0.8 ^{3/}
	04:15-04:20 HOUR	52.4 ^{2/}	50.1 ***	51.6 ^{2/}	48.8 ***	2.8
	04:20-04:25 HOUR	54.0 ^{2/}	50.1 ***	54.6 ^{2/}	48.8 ***	5.8
	04:25-04:30 HOUR	52.7 ^{2/}	50.1 ***	52.2 ^{2/}	48.8 ***	3.4
	04:30-04:35 HOUR	53.5 ^{2/}	48.6 ***	54.8 ^{2/}	47.4 ***	7.4
	04:35-04:40 HOUR	53.4 ^{2/}	48.6 ***	54.6 ^{2/}	47.4 ***	7.2
	04:40-04:45 HOUR	50.7 ^{2/}	48.6 ***	49.5 ^{2/}	47.4 ***	2.1
	04:45-04:50 HOUR	48.6 ^{2/}	47.3 ***	45.7 ^{2/}	46.0 ***	<0.8 ^{3/}
	04:50-04:55 HOUR	48.2 ^{2/}	47.3 ***	44.0 ^{2/}	46.0 ***	<0.8 ^{3/}
	04:55-05:00 HOUR	50.6 ^{2/}	47.3 ***	50.9 ^{2/}	46.0 ***	4.9
	05:00-05:05 HOUR	47.7 ^{2/}	46.1 ***	45.7 ^{2/}	44.6 ***	1.1
	05:05-05:10 HOUR	48.1 ^{2/}	46.1 ***	46.7 ^{2/}	44.6 ***	2.1
	05:10-05:15 HOUR	47.9 ^{2/}	46.1 ***	46.1 ^{2/}	44.6 ***	1.5
	05:15-05:20 HOUR	50.2 ^{2/}	47.5 ***	49.9 ^{2/}	46.2 ***	3.7
	05:20-05:25 HOUR	51.2 ^{2/}	47.5 ***	51.7 ^{2/}	46.2 ***	5.5
	05:25-05:30 HOUR	50.3 ^{2/}	47.5 ***	50.1 ^{2/}	46.2 ***	3.9
	05:30-05:35 HOUR	49.4 ^{2/}	45.9 ***	49.8 ^{2/}	44.5 ***	5.3
	05:35-05:40 HOUR	49.1 ^{2/}	45.9 ***	49.3 ^{2/}	44.5 ***	4.8
	05:40-05:45 HOUR	50.2 ^{2/}	45.9 ***	51.1 ^{2/}	44.5 ***	6.6
	05:45-05:50 HOUR	49.8 ^{2/}	45.7 ***	50.7 ^{2/}	44.0 ***	6.7
	05:50-05:55 HOUR	48.1 ^{2/}	45.7 ***	47.4 ^{2/}	44.0 ***	3.4
	05:55-06:00 HOUR	49.0 ^{2/}	45.7 ***	49.2 ^{2/}	44.0 ***	5.2
OCTOBER 8, 2024 T24AY197-0002	DAY TIME ^{1/}					
	06:00-07:00 HOUR	47.3 ^{1/}	44.6 **	44.0 ^{1/}	43.2 **	0.8
	07:00-08:00 HOUR	50.6 ^{1/}	46.2 **	48.6 ^{1/}	45.0 **	3.6
	08:00-09:00 HOUR	58.2 ^{1/}	52.4 **	56.9 ^{1/}	51.0 **	5.9
	09:00-10:00 HOUR	51.8 ^{1/}	49.1 **	48.5 ^{1/}	47.6 **	0.9

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รบกวนบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
OCTOBER 8, 2024	DAY TIME ^{1/}					
T24AY197-0002	10:00-11:00 HOUR	50.4 ^{1/}	46.1 **	48.4 ^{1/}	44.7 **	3.7
	11:00-12:00 HOUR	51.5 ^{1/}	46.8 **	49.7 ^{1/}	45.5 **	4.2
	12:00-13:00 HOUR	51.4 ^{1/}	46.5 **	49.7 ^{1/}	45.3 **	4.4
	13:00-14:00 HOUR	56.9 ^{1/}	53.0 **	54.6 ^{1/}	51.6 **	3.0
	14:00-15:00 HOUR	53.1 ^{1/}	46.3 **	52.1 ^{1/}	44.8 **	7.3
	15:00-16:00 HOUR	52.6 ^{1/}	46.8 **	51.3 ^{1/}	45.5 **	5.8
	16:00-17:00 HOUR	52.3 ^{1/}	46.3 **	51.0 ^{1/}	44.7 **	6.3
	17:00-18:00 HOUR	49.8 ^{1/}	45.8 **	47.6 ^{1/}	44.4 **	3.2
	18:00-19:00 HOUR	50.8 ^{1/}	46.3 **	48.9 ^{1/}	44.9 **	4.0
	19:00-20:00 HOUR	49.6 ^{1/}	45.7 **	47.3 ^{1/}	44.4 **	2.9
	20:00-21:00 HOUR	49.9 ^{1/}	46.5 **	47.2 ^{1/}	45.2 **	2.0
	21:00-22:00 HOUR	50.8 ^{1/}	46.3 **	48.9 ^{1/}	44.9 **	4.0
	NIGHT TIME ^{2/}					
	22:00-22:05 HOUR	47.6 ^{2/}	44.3 ***	47.9 ^{2/}	42.9 ***	5.0
	22:05-22:10 HOUR	48.1 ^{2/}	44.3 ***	48.8 ^{2/}	42.9 ***	5.9
	22:10-22:15 HOUR	49.3 ^{2/}	44.3 ***	50.7 ^{2/}	42.9 ***	7.8
	22:15-22:20 HOUR	47.8 ^{2/}	44.8 ***	47.9 ^{2/}	43.6 ***	4.3
	22:20-22:25 HOUR	49.2 ^{2/}	44.8 ***	50.2 ^{2/}	43.6 ***	6.6
	22:25-22:30 HOUR	48.6 ^{2/}	44.8 ***	49.2 ^{2/}	43.6 ***	5.6
	22:30-22:35 HOUR	49.5 ^{2/}	44.8 ***	50.7 ^{2/}	43.7 ***	7.0
	22:35-22:40 HOUR	48.4 ^{2/}	44.8 ***	48.9 ^{2/}	43.7 ***	5.2
	22:40-22:45 HOUR	48.4 ^{2/}	44.8 ***	48.8 ^{2/}	43.7 ***	5.1
	22:45-22:50 HOUR	49.2 ^{2/}	44.1 ***	50.6 ^{2/}	42.8 ***	7.8
	22:50-22:55 HOUR	46.5 ^{2/}	44.1 ***	45.8 ^{2/}	42.8 ***	3.0
	22:55-23:00 HOUR	48.5 ^{2/}	44.1 ***	49.6 ^{2/}	42.8 ***	6.8
	23:00-23:05 HOUR	47.9 ^{2/}	44.3 ***	48.3 ^{2/}	42.8 ***	5.5
	23:05-23:10 HOUR	46.5 ^{2/}	44.3 ***	45.4 ^{2/}	42.8 ***	2.6
	23:10-23:15 HOUR	47.8 ^{2/}	44.3 ***	48.3 ^{2/}	42.8 ***	5.5
	23:15-23:20 HOUR	47.5 ^{2/}	44.0 ***	48.0 ^{2/}	42.5 ***	5.5
	23:20-23:25 HOUR	46.9 ^{2/}	44.0 ***	46.7 ^{2/}	42.5 ***	4.2
	23:25-23:30 HOUR	47.7 ^{2/}	44.0 ***	48.4 ^{2/}	42.5 ***	5.9
	23:30-23:35 HOUR	46.9 ^{2/}	42.3 ***	48.0 ^{2/}	41.1 ***	6.9
	23:35-23:40 HOUR	47.0 ^{2/}	42.3 ***	48.2 ^{2/}	41.1 ***	7.1
	23:40-23:45 HOUR	46.5 ^{2/}	42.3 ***	47.4 ^{2/}	41.1 ***	6.3
	23:45-23:50 HOUR	47.5 ^{2/}	43.3 ***	48.4 ^{2/}	42.0 ***	6.4
	23:50-23:55 HOUR	47.2 ^{2/}	43.3 ***	47.9 ^{2/}	42.0 ***	5.9
	23:55-00:00 HOUR	47.8 ^{2/}	43.3 ***	48.8 ^{2/}	42.0 ***	6.8
OCTOBER 9, 2024	NIGHT TIME ^{2/}					
T24AY197-0002	00:00-00:05 HOUR	47.8 ^{2/}	43.5 ***	48.8 ^{2/}	42.0 ***	6.8
	00:05-00:10 HOUR	46.4 ^{2/}	43.5 ***	46.4 ^{2/}	42.0 ***	4.4
	00:10-00:15 HOUR	46.9 ^{2/}	43.5 ***	47.3 ^{2/}	42.0 ***	5.3
	00:15-00:20 HOUR	46.7 ^{2/}	43.1 ***	47.2 ^{2/}	41.8 ***	5.4
	00:20-00:25 HOUR	46.4 ^{2/}	43.1 ***	46.6 ^{2/}	41.8 ***	4.8
	00:25-00:30 HOUR	46.7 ^{2/}	43.1 ***	47.1 ^{2/}	41.8 ***	5.3
	00:30-00:35 HOUR	47.4 ^{2/}	43.5 ***	48.2 ^{2/}	42.2 ***	6.0

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รบกวนบริเวณที่ทางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
OCTOBER 9, 2024	NIGHT TIME ^{2/}					
T24AY197-0002	00:35-00:40 HOUR	47.3 ^{2/}	43.5 ***	48.0 ^{2/}	42.2 ***	5.8
	00:40-00:45 HOUR	47.3 ^{2/}	43.5 ***	48.0 ^{2/}	42.2 ***	5.8
	00:45-00:50 HOUR	47.7 ^{2/}	45.3 ***	47.1 ^{2/}	43.9 ***	3.2
	00:50-00:55 HOUR	49.2 ^{2/}	45.3 ***	49.9 ^{2/}	43.9 ***	6.0
	00:55-01:00 HOUR	48.9 ^{2/}	45.3 ***	49.5 ^{2/}	43.9 ***	5.6
	01:00-01:05 HOUR	49.7 ^{2/}	45.0 ***	50.9 ^{2/}	43.7 ***	7.2
	01:05-01:10 HOUR	49.3 ^{2/}	45.0 ***	50.3 ^{2/}	43.7 ***	6.6
	01:10-01:15 HOUR	49.2 ^{2/}	45.0 ***	50.1 ^{2/}	43.7 ***	6.4
	01:15-01:20 HOUR	48.6 ^{2/}	44.9 ***	49.1 ^{2/}	43.5 ***	5.6
	01:20-01:25 HOUR	49.0 ^{2/}	44.9 ***	49.9 ^{2/}	43.5 ***	6.4
	01:25-01:30 HOUR	48.5 ^{2/}	44.9 ***	49.1 ^{2/}	43.5 ***	5.6
	01:30-01:35 HOUR	48.4 ^{2/}	45.1 ***	48.7 ^{2/}	43.5 ***	5.2
	01:35-01:40 HOUR	49.2 ^{2/}	45.1 ***	50.1 ^{2/}	43.5 ***	6.6
	01:40-01:45 HOUR	48.9 ^{2/}	45.1 ***	49.5 ^{2/}	43.5 ***	6.0
	01:45-01:50 HOUR	48.1 ^{2/}	49.0 ***	<0.8 ^{3/}	47.5 ***	<0.8 ^{3/}
	01:50-01:55 HOUR	49.7 ^{2/}	49.0 ***	44.4 ^{2/}	47.5 ***	<0.8 ^{3/}
	01:55-02:00 HOUR	47.1 ^{2/}	49.0 ***	<0.8 ^{3/}	47.5 ***	<0.8 ^{3/}
	02:00-02:05 HOUR	51.7 ^{2/}	54.7 ***	<0.8 ^{3/}	53.3 ***	<0.8 ^{3/}
	02:05-02:10 HOUR	59.1 ^{2/}	54.7 ***	60.1 ^{2/}	53.3 ***	6.8
	02:10-02:15 HOUR	59.2 ^{2/}	54.7 ***	60.4 ^{2/}	53.3 ***	7.1
	02:15-02:20 HOUR	58.7 ^{2/}	54.1 ***	59.9 ^{2/}	52.6 ***	7.3
	02:20-02:25 HOUR	58.5 ^{2/}	54.1 ***	59.6 ^{2/}	52.6 ***	7.0
	02:25-02:30 HOUR	56.7 ^{2/}	54.1 ***	56.2 ^{2/}	52.6 ***	3.6
	02:30-02:35 HOUR	50.1 ^{2/}	47.1 ***	50.0 ^{2/}	45.8 ***	4.2
	02:35-02:40 HOUR	50.2 ^{2/}	47.1 ***	50.3 ^{2/}	45.8 ***	4.5
	02:40-02:45 HOUR	49.0 ^{2/}	47.1 ***	47.4 ^{2/}	45.8 ***	1.6
	02:45-02:50 HOUR	51.2 ^{2/}	47.5 ***	51.8 ^{2/}	46.1 ***	5.7
	02:50-02:55 HOUR	51.6 ^{2/}	47.5 ***	52.4 ^{2/}	46.1 ***	6.3
	02:55-03:00 HOUR	49.3 ^{2/}	47.5 ***	47.7 ^{2/}	46.1 ***	1.6
	03:00-03:05 HOUR	49.5 ^{2/}	46.0 ***	50.0 ^{2/}	44.9 ***	5.1
	03:05-03:10 HOUR	48.7 ^{2/}	46.0 ***	48.3 ^{2/}	44.9 ***	3.4
	03:10-03:15 HOUR	49.3 ^{2/}	46.0 ***	49.5 ^{2/}	44.9 ***	4.6
	03:15-03:20 HOUR	49.2 ^{2/}	43.9 ***	50.6 ^{2/}	42.6 ***	8.0
	03:20-03:25 HOUR	47.5 ^{2/}	43.9 ***	48.0 ^{2/}	42.6 ***	5.4
	03:25-03:30 HOUR	47.8 ^{2/}	43.9 ***	48.6 ^{2/}	42.6 ***	6.0
	03:30-03:35 HOUR	48.7 ^{2/}	45.0 ***	49.3 ^{2/}	43.7 ***	5.6
	03:35-03:40 HOUR	49.0 ^{2/}	45.0 ***	49.8 ^{2/}	43.7 ***	6.1
	03:40-03:45 HOUR	48.2 ^{2/}	45.0 ***	48.5 ^{2/}	43.7 ***	4.8
	03:45-03:50 HOUR	50.8 ^{2/}	45.5 ***	52.3 ^{2/}	44.4 ***	7.9
	03:50-03:55 HOUR	49.5 ^{2/}	45.5 ***	50.4 ^{2/}	44.4 ***	6.0
	03:55-04:00 HOUR	49.3 ^{2/}	45.5 ***	49.9 ^{2/}	44.4 ***	5.5
	04:00-04:05 HOUR	48.6 ^{2/}	49.1 ***	<0.8 ^{3/}	47.6 ***	<0.8 ^{3/}
	04:05-04:10 HOUR	50.1 ^{2/}	49.1 ***	46.0 ^{2/}	47.6 ***	<0.8 ^{3/}
	04:10-04:15 HOUR	52.8 ^{2/}	49.1 ***	53.4 ^{2/}	47.6 ***	5.8

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รบกวนบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
OCTOBER 9, 2024	NIGHT TIME ^{2/}					
T24AY197-0002	04:15-04:20 HOUR	50.1 ^{2/}	46.9 ***	50.3 ^{2/}	45.3 ***	5.0
	04:20-04:25 HOUR	49.7 ^{2/}	46.9 ***	49.5 ^{2/}	45.3 ***	4.2
	04:25-04:30 HOUR	51.8 ^{2/}	46.9 ***	53.1 ^{2/}	45.3 ***	7.8
	04:30-04:35 HOUR	49.0 ^{2/}	44.5 ***	50.2 ^{2/}	43.1 ***	7.1
	04:35-04:40 HOUR	48.4 ^{2/}	44.5 ***	49.1 ^{2/}	43.1 ***	6.0
	04:40-04:45 HOUR	48.2 ^{2/}	44.5 ***	48.8 ^{2/}	43.1 ***	5.7
	04:45-04:50 HOUR	49.0 ^{2/}	44.6 ***	50.1 ^{2/}	43.2 ***	6.9
	04:50-04:55 HOUR	49.2 ^{2/}	44.6 ***	50.3 ^{2/}	43.2 ***	7.1
	04:55-05:00 HOUR	47.6 ^{2/}	44.6 ***	47.5 ^{2/}	43.2 ***	4.3
	05:00-05:05 HOUR	47.0 ^{2/}	42.4 ***	48.2 ^{2/}	41.1 ***	7.1
	05:05-05:10 HOUR	46.8 ^{2/}	42.4 ***	47.8 ^{2/}	41.1 ***	6.7
	05:10-05:15 HOUR	47.3 ^{2/}	42.4 ***	48.7 ^{2/}	41.1 ***	7.6
	05:15-05:20 HOUR	47.9 ^{2/}	44.2 ***	48.5 ^{2/}	42.7 ***	5.8
	05:20-05:25 HOUR	48.1 ^{2/}	44.2 ***	48.7 ^{2/}	42.7 ***	6.0
	05:25-05:30 HOUR	48.5 ^{2/}	44.2 ***	49.5 ^{2/}	42.7 ***	6.8
	05:30-05:35 HOUR	48.8 ^{2/}	44.6 ***	49.8 ^{2/}	43.2 ***	6.6
	05:35-05:40 HOUR	48.9 ^{2/}	44.6 ***	49.9 ^{2/}	43.2 ***	6.7
	05:40-05:45 HOUR	49.8 ^{2/}	44.6 ***	51.2 ^{2/}	43.2 ***	8.0
	05:45-05:50 HOUR	49.7 ^{2/}	50.2 ***	<0.8 ^{3/}	48.6 ***	<0.8 ^{3/}
	05:50-05:55 HOUR	47.0 ^{2/}	50.2 ***	<0.8 ^{3/}	48.6 ***	<0.8 ^{3/}
	05:55-06:00 HOUR	49.5 ^{2/}	50.2 ***	<0.8 ^{3/}	48.6 ***	<0.8 ^{3/}
	DAY TIME ^{1/}					
	06:00-07:00 HOUR	57.8 ^{1/}	54.7 **	54.9 ^{1/}	53.2 **	1.7
OCTOBER 9, 2024	DAY TIME ^{1/}					
T24AY197-0003	07:00-08:00 HOUR	51.9 ^{1/}	46.9 **	50.2 ^{1/}	45.5 **	4.7
	08:00-09:00 HOUR	49.6 ^{1/}	46.3 **	46.9 ^{1/}	44.9 **	2.0
	09:00-10:00 HOUR	52.8 ^{1/}	48.0 **	51.1 ^{1/}	46.6 **	4.5
	10:00-11:00 HOUR	53.8 ^{1/}	47.7 **	52.6 ^{1/}	46.4 **	6.2
	11:00-12:00 HOUR	51.0 ^{1/}	46.8 **	48.9 ^{1/}	45.4 **	3.5
	12:00-13:00 HOUR	54.3 ^{1/}	48.9 **	52.8 ^{1/}	47.6 **	5.2
	13:00-14:00 HOUR	52.2 ^{1/}	47.9 **	50.2 ^{1/}	46.4 **	3.8
	14:00-15:00 HOUR	53.9 ^{1/}	48.0 **	52.6 ^{1/}	46.7 **	5.9
	15:00-16:00 HOUR	52.7 ^{1/}	47.5 **	51.1 ^{1/}	46.0 **	5.1
	16:00-17:00 HOUR	50.2 ^{1/}	45.3 **	48.5 ^{1/}	44.0 **	4.5
	17:00-18:00 HOUR	49.9 ^{1/}	45.9 **	47.7 ^{1/}	44.6 **	3.1
	18:00-19:00 HOUR	50.1 ^{1/}	45.7 **	48.1 ^{1/}	44.4 **	3.7
	19:00-20:00 HOUR	49.3 ^{1/}	45.1 **	47.2 ^{1/}	43.7 **	3.5
	20:00-21:00 HOUR	49.9 ^{1/}	46.0 **	47.6 ^{1/}	44.7 **	2.9
	21:00-22:00 HOUR	50.6 ^{1/}	46.1 **	48.7 ^{1/}	44.7 **	4.0
	NIGHT TIME ^{2/}					
	22:00-22:05 HOUR	47.7 ^{2/}	44.7 ***	47.6 ^{2/}	43.6 ***	4.0
	22:05-22:10 HOUR	49.4 ^{2/}	44.7 ***	50.6 ^{2/}	43.6 ***	7.0
	22:10-22:15 HOUR	48.7 ^{2/}	44.7 ***	49.6 ^{2/}	43.6 ***	6.0
	22:15-22:20 HOUR	46.9 ^{2/}	45.8 ***	43.2 ^{2/}	44.4 ***	<0.8 ^{3/}
	22:20-22:25 HOUR	48.8 ^{2/}	45.8 ***	48.7 ^{2/}	44.4 ***	4.3

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รบกวนบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
OCTOBER 9, 2024	NIGHT TIME ^{2/}					
T24AY197-0003	22:25-22:30 HOUR	49.0 ^{2/}	45.8 ***	49.1 ^{2/}	44.4 ***	4.7
	22:30-22:35 HOUR	49.0 ^{2/}	44.4 ***	50.1 ^{2/}	42.9 ***	7.2
	22:35-22:40 HOUR	49.0 ^{2/}	44.4 ***	50.2 ^{2/}	42.9 ***	7.3
	22:40-22:45 HOUR	49.1 ^{2/}	44.4 ***	50.2 ^{2/}	42.9 ***	7.3
	22:45-22:50 HOUR	48.7 ^{2/}	44.0 ***	50.0 ^{2/}	42.8 ***	7.2
	22:50-22:55 HOUR	47.8 ^{2/}	44.0 ***	48.4 ^{2/}	42.8 ***	5.6
	22:55-23:00 HOUR	47.0 ^{2/}	44.0 ***	47.0 ^{2/}	42.8 ***	4.2
	23:00-23:05 HOUR	47.7 ^{2/}	43.9 ***	48.4 ^{2/}	42.3 ***	6.1
	23:05-23:10 HOUR	47.0 ^{2/}	43.9 ***	47.2 ^{2/}	42.3 ***	4.9
	23:10-23:15 HOUR	47.7 ^{2/}	43.9 ***	48.4 ^{2/}	42.3 ***	6.1
	23:15-23:20 HOUR	46.5 ^{2/}	44.1 ***	45.8 ^{2/}	42.6 ***	3.2
	23:20-23:25 HOUR	47.2 ^{2/}	44.1 ***	47.2 ^{2/}	42.6 ***	4.6
	23:25-23:30 HOUR	47.8 ^{2/}	44.1 ***	48.3 ^{2/}	42.6 ***	5.7
	23:30-23:35 HOUR	47.1 ^{2/}	42.6 ***	48.2 ^{2/}	41.3 ***	6.9
	23:35-23:40 HOUR	46.4 ^{2/}	42.6 ***	47.1 ^{2/}	41.3 ***	5.8
	23:40-23:45 HOUR	47.2 ^{2/}	42.6 ***	48.4 ^{2/}	41.3 ***	7.1
	23:45-23:50 HOUR	48.0 ^{2/}	44.6 ***	48.4 ^{2/}	43.1 ***	5.3
	23:50-23:55 HOUR	47.8 ^{2/}	44.6 ***	48.0 ^{2/}	43.1 ***	4.9
	23:55-00:00 HOUR	48.1 ^{2/}	44.6 ***	48.6 ^{2/}	43.1 ***	5.5
OCTOBER 10, 2024	NIGHT TIME ^{2/}					
T24AY197-0003	00:00-00:05 HOUR	47.8 ^{2/}	43.8 ***	48.5 ^{2/}	42.4 ***	6.1
	00:05-00:10 HOUR	48.1 ^{2/}	43.8 ***	49.1 ^{2/}	42.4 ***	6.7
	00:10-00:15 HOUR	48.5 ^{2/}	43.8 ***	49.7 ^{2/}	42.4 ***	7.3
	00:15-00:20 HOUR	46.4 ^{2/}	42.1 ***	47.3 ^{2/}	40.7 ***	6.6
	00:20-00:25 HOUR	46.4 ^{2/}	42.1 ***	47.4 ^{2/}	40.7 ***	6.7
	00:25-00:30 HOUR	45.2 ^{2/}	42.1 ***	45.4 ^{2/}	40.7 ***	4.7
	00:30-00:35 HOUR	44.1 ^{2/}	43.9 ***	34.4 ^{2/}	42.5 ***	<0.8 ^{3/}
	00:35-00:40 HOUR	46.2 ^{2/}	43.9 ***	45.4 ^{2/}	42.5 ***	2.9
	00:40-00:45 HOUR	47.3 ^{2/}	43.9 ***	47.6 ^{2/}	42.5 ***	5.1
	00:45-00:50 HOUR	48.4 ^{2/}	43.4 ***	49.8 ^{2/}	42.2 ***	7.6
	00:50-00:55 HOUR	47.8 ^{2/}	43.4 ***	48.8 ^{2/}	42.2 ***	6.6
	00:55-01:00 HOUR	47.2 ^{2/}	43.4 ***	47.9 ^{2/}	42.2 ***	5.7
	01:00-01:05 HOUR	46.1 ^{2/}	46.6 ***	<0.8 ^{3/}	45.5 ***	<0.8 ^{3/}
	01:05-01:10 HOUR	46.4 ^{2/}	46.6 ***	<0.8 ^{3/}	45.5 ***	<0.8 ^{3/}
	01:10-01:15 HOUR	51.4 ^{2/}	46.6 ***	52.6 ^{2/}	45.5 ***	7.1
	01:15-01:20 HOUR	48.5 ^{2/}	44.2 ***	49.6 ^{2/}	42.7 ***	6.9
	01:20-01:25 HOUR	48.2 ^{2/}	44.2 ***	49.1 ^{2/}	42.7 ***	6.4
	01:25-01:30 HOUR	47.1 ^{2/}	44.2 ***	47.0 ^{2/}	42.7 ***	4.3
	01:30-01:35 HOUR	46.9 ^{2/}	51.2 ***	<0.8 ^{3/}	49.6 ***	<0.8 ^{3/}
	01:35-01:40 HOUR	46.9 ^{2/}	51.2 ***	<0.8 ^{3/}	49.6 ***	<0.8 ^{3/}
	01:40-01:45 HOUR	48.2 ^{2/}	51.2 ***	<0.8 ^{3/}	49.6 ***	<0.8 ^{3/}
	01:45-01:50 HOUR	57.8 ^{2/}	54.4 ***	58.2 ^{2/}	53.0 ***	5.2
	01:50-01:55 HOUR	56.6 ^{2/}	54.4 ***	55.5 ^{2/}	53.0 ***	2.5
	01:55-02:00 HOUR	55.9 ^{2/}	54.4 ***	53.6 ^{2/}	53.0 ***	<0.8 ^{3/}

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รบกวนบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
OCTOBER 10, 2024	NIGHT TIME ^{2/}					
T24AY197-0003	02:00-02:05 HOUR	57.4 ^{2/}	54.2 ***	57.5 ^{2/}	52.7 ***	4.8
	02:05-02:10 HOUR	55.5 ^{2/}	54.2 ***	52.8 ^{2/}	52.7 ***	<0.8 ^{3/}
	02:10-02:15 HOUR	57.9 ^{2/}	54.2 ***	58.4 ^{2/}	52.7 ***	5.7
	02:15-02:20 HOUR	50.9 ^{2/}	45.7 ***	52.4 ^{2/}	44.6 ***	7.8
	02:20-02:25 HOUR	48.6 ^{2/}	45.7 ***	48.6 ^{2/}	44.6 ***	4.0
	02:25-02:30 HOUR	49.7 ^{2/}	45.7 ***	50.5 ^{2/}	44.6 ***	5.9
	02:30-02:35 HOUR	50.7 ^{2/}	46.0 ***	51.9 ^{2/}	44.8 ***	7.1
	02:35-02:40 HOUR	50.1 ^{2/}	46.0 ***	50.9 ^{2/}	44.8 ***	6.1
	02:40-02:45 HOUR	49.8 ^{2/}	46.0 ***	50.5 ^{2/}	44.8 ***	5.7
	02:45-02:50 HOUR	51.2 ^{2/}	46.9 ***	52.1 ^{2/}	45.6 ***	6.5
	02:50-02:55 HOUR	49.2 ^{2/}	46.9 ***	48.4 ^{2/}	45.6 ***	2.8
	02:55-03:00 HOUR	51.9 ^{2/}	46.9 ***	53.3 ^{2/}	45.6 ***	7.7
	03:00-03:05 HOUR	50.6 ^{2/}	45.4 ***	52.0 ^{2/}	44.1 ***	7.9
	03:05-03:10 HOUR	48.1 ^{2/}	45.4 ***	47.8 ^{2/}	44.1 ***	3.7
	03:10-03:15 HOUR	49.6 ^{2/}	45.4 ***	50.6 ^{2/}	44.1 ***	6.5
	03:15-03:20 HOUR	49.9 ^{2/}	45.3 ***	51.0 ^{2/}	44.0 ***	7.0
	03:20-03:25 HOUR	49.0 ^{2/}	45.3 ***	49.5 ^{2/}	44.0 ***	5.5
	03:25-03:30 HOUR	49.1 ^{2/}	45.3 ***	49.8 ^{2/}	44.0 ***	5.8
	03:30-03:35 HOUR	49.0 ^{2/}	46.0 ***	49.1 ^{2/}	44.7 ***	4.4
	03:35-03:40 HOUR	50.3 ^{2/}	46.0 ***	51.3 ^{2/}	44.7 ***	6.6
	03:40-03:45 HOUR	51.1 ^{2/}	46.0 ***	52.6 ^{2/}	44.7 ***	7.9
	03:45-03:50 HOUR	48.4 ^{2/}	49.1 ***	<0.8 ^{3/}	47.5 ***	<0.8 ^{3/}
	03:50-03:55 HOUR	48.3 ^{2/}	49.1 ***	<0.8 ^{3/}	47.5 ***	<0.8 ^{3/}
	03:55-04:00 HOUR	51.2 ^{2/}	49.1 ***	49.9 ^{2/}	47.5 ***	2.4
	04:00-04:05 HOUR	53.5 ^{2/}	53.4 ***	40.6 ^{2/}	52.2 ***	<0.8 ^{3/}
	04:05-04:10 HOUR	56.4 ^{2/}	53.4 ***	56.4 ^{2/}	52.2 ***	4.2
	04:10-04:15 HOUR	58.1 ^{2/}	53.4 ***	59.3 ^{2/}	52.2 ***	7.1
	04:15-04:20 HOUR	59.0 ^{2/}	54.2 ***	60.2 ^{2/}	52.8 ***	7.4
	04:20-04:25 HOUR	59.3 ^{2/}	54.2 ***	60.7 ^{2/}	52.8 ***	7.9
	04:25-04:30 HOUR	58.5 ^{2/}	54.2 ***	59.4 ^{2/}	52.8 ***	6.6
	04:30-04:35 HOUR	58.0 ^{2/}	53.3 ***	59.2 ^{2/}	52.1 ***	7.1
	04:35-04:40 HOUR	58.5 ^{2/}	53.3 ***	60.0 ^{2/}	52.1 ***	7.9
	04:40-04:45 HOUR	57.7 ^{2/}	53.3 ***	58.8 ^{2/}	52.1 ***	6.7
	04:45-04:50 HOUR	59.0 ^{2/}	54.0 ***	60.4 ^{2/}	52.6 ***	7.8
	04:50-04:55 HOUR	58.8 ^{2/}	54.0 ***	60.0 ^{2/}	52.6 ***	7.4
	04:55-05:00 HOUR	58.8 ^{2/}	54.0 ***	60.1 ^{2/}	52.6 ***	7.5
	05:00-05:05 HOUR	59.5 ^{2/}	54.5 ***	60.9 ^{2/}	53.2 ***	7.7
	05:05-05:10 HOUR	59.6 ^{2/}	54.5 ***	60.9 ^{2/}	53.2 ***	7.7
	05:10-05:15 HOUR	58.3 ^{2/}	54.5 ***	58.9 ^{2/}	53.2 ***	5.7
	05:15-05:20 HOUR	53.1 ^{2/}	48.8 ***	54.2 ^{2/}	47.5 ***	6.7
	05:20-05:25 HOUR	48.9 ^{2/}	48.8 ***	33.7 ^{2/}	47.5 ***	<0.8 ^{3/}
	05:25-05:30 HOUR	48.8 ^{2/}	48.8 ***	30.6 ^{2/}	47.5 ***	<0.8 ^{3/}
	05:30-05:35 HOUR	50.5 ^{2/}	54.1 ***	<0.8 ^{3/}	52.7 ***	<0.8 ^{3/}
	05:35-05:40 HOUR	54.2 ^{2/}	54.1 ***	42.1 ^{2/}	52.7 ***	<0.8 ^{3/}

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่โครงการบริเวณทางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
OCTOBER 10, 2024	NIGHT TIME ^{2/}					
T24AY197-0003	05:40-05:45 HOUR	57.5 ^{2/}	54.1 ***	57.8 ^{2/}	52.7 ***	5.1
	05:45-05:50 HOUR	59.4 ^{2/}	55.3 ***	60.2 ^{2/}	53.8 ***	6.4
	05:50-05:55 HOUR	56.7 ^{2/}	55.3 ***	54.2 ^{2/}	53.8 ***	<0.8 ^{3/}
	05:55-06:00 HOUR	50.6 ^{2/}	55.3 ***	<0.8 ^{3/}	53.8 ***	<0.8 ^{3/}
	DAY TIME ^{1/}					
	06:00-07:00 HOUR	50.0 ^{1/}	44.5 **	48.6 ^{1/}	43.2 **	5.4
OCTOBER 10, 2024	DAY TIME ^{1/}					
T24AY197-0004	07:00-08:00 HOUR	51.5 ^{1/}	47.0 **	49.6 ^{1/}	45.8 **	3.8
	08:00-09:00 HOUR	52.4 ^{1/}	47.8 **	50.6 ^{1/}	46.4 **	4.2
	09:00-10:00 HOUR	52.9 ^{1/}	47.2 **	51.5 ^{1/}	45.7 **	5.8
	10:00-11:00 HOUR	50.5 ^{1/}	46.7 **	48.2 ^{1/}	45.0 **	3.2
	11:00-12:00 HOUR	51.1 ^{1/}	46.3 **	49.4 ^{1/}	45.0 **	4.4
	12:00-13:00 HOUR	53.6 ^{1/}	47.1 **	52.5 ^{1/}	45.7 **	6.8
	13:00-14:00 HOUR	62.7 ^{1/}	56.9 **	61.4 ^{1/}	55.5 **	5.9
	14:00-15:00 HOUR	59.2 ^{1/}	53.6 **	57.8 ^{1/}	52.3 **	5.5
	15:00-16:00 HOUR	60.6 ^{1/}	55.2 **	59.1 ^{1/}	54.0 **	5.1
	16:00-17:00 HOUR	55.9 ^{1/}	49.9 **	54.6 ^{1/}	48.2 **	6.4
	17:00-18:00 HOUR	50.3 ^{1/}	46.2 **	48.2 ^{1/}	44.5 **	3.7
	18:00-19:00 HOUR	50.2 ^{1/}	46.3 **	47.9 ^{1/}	45.1 **	2.8
	19:00-20:00 HOUR	51.0 ^{1/}	48.0 **	48.0 ^{1/}	46.4 **	1.6
	20:00-21:00 HOUR	50.8 ^{1/}	47.4 **	48.1 ^{1/}	45.8 **	2.3
	21:00-22:00 HOUR	51.0 ^{1/}	46.4 **	49.2 ^{1/}	45.1 **	4.1
	NIGHT TIME ^{2/}					
	22:00-22:05 HOUR	49.4 ^{2/}	45.5 ***	50.2 ^{2/}	44.2 ***	6.0
	22:05-22:10 HOUR	48.6 ^{2/}	45.5 ***	48.6 ^{2/}	44.2 ***	4.4
	22:10-22:15 HOUR	49.0 ^{2/}	45.5 ***	49.4 ^{2/}	44.2 ***	5.2
	22:15-22:20 HOUR	48.7 ^{2/}	44.3 ***	49.7 ^{2/}	43.0 ***	6.7
	22:20-22:25 HOUR	48.6 ^{2/}	44.3 ***	49.7 ^{2/}	43.0 ***	6.7
	22:25-22:30 HOUR	48.8 ^{2/}	44.3 ***	49.9 ^{2/}	43.0 ***	6.9
	22:30-22:35 HOUR	48.6 ^{2/}	45.1 ***	49.1 ^{2/}	43.8 ***	5.3
	22:35-22:40 HOUR	49.8 ^{2/}	45.1 ***	51.0 ^{2/}	43.8 ***	7.2
	22:40-22:45 HOUR	49.0 ^{2/}	45.1 ***	49.8 ^{2/}	43.8 ***	6.0
	22:45-22:50 HOUR	47.9 ^{2/}	46.4 ***	45.5 ^{2/}	44.9 ***	<0.8 ^{3/}
	22:50-22:55 HOUR	49.0 ^{2/}	46.4 ***	48.6 ^{2/}	44.9 ***	3.7
	22:55-23:00 HOUR	50.0 ^{2/}	46.4 ***	50.5 ^{2/}	44.9 ***	5.6
	23:00-23:05 HOUR	49.8 ^{2/}	46.5 ***	50.0 ^{2/}	45.0 ***	5.0
	23:05-23:10 HOUR	50.0 ^{2/}	46.5 ***	50.4 ^{2/}	45.0 ***	5.4
	23:10-23:15 HOUR	51.4 ^{2/}	46.5 ***	52.7 ^{2/}	45.0 ***	7.7
	23:15-23:20 HOUR	50.4 ^{2/}	45.5 ***	51.8 ^{2/}	44.2 ***	7.6
	23:20-23:25 HOUR	49.7 ^{2/}	45.5 ***	50.6 ^{2/}	44.2 ***	6.4
	23:25-23:30 HOUR	49.9 ^{2/}	45.5 ***	50.9 ^{2/}	44.2 ***	6.7
	23:30-23:35 HOUR	49.8 ^{2/}	46.5 ***	50.1 ^{2/}	45.2 ***	4.9
	23:35-23:40 HOUR	49.8 ^{2/}	46.5 ***	50.0 ^{2/}	45.2 ***	4.8
	23:40-23:45 HOUR	50.3 ^{2/}	46.5 ***	51.0 ^{2/}	45.2 ***	5.8
	23:45-23:50 HOUR	50.3 ^{2/}	45.3 ***	51.6 ^{2/}	43.8 ***	7.8

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รบกวนบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
OCTOBER 10, 2024	NIGHT TIME ^{2/}					
T24AY197-0004	23:50-23:55 HOUR	50.1 ^{2/}	45.3 ***	51.3 ^{2/}	43.8 ***	7.5
	23:55-00:00 HOUR	49.9 ^{2/}	45.3 ***	51.1 ^{2/}	43.8 ***	7.3
OCTOBER 11, 2024	NIGHT TIME ^{2/}					
T24AY197-0004	00:00-00:05 HOUR	49.7 ^{2/}	45.8 ***	50.4 ^{2/}	44.7 ***	5.7
	00:05-00:10 HOUR	50.1 ^{2/}	45.8 ***	51.0 ^{2/}	44.7 ***	6.3
	00:10-00:15 HOUR	49.4 ^{2/}	45.8 ***	49.9 ^{2/}	44.7 ***	5.2
	00:15-00:20 HOUR	49.7 ^{2/}	46.8 ***	49.5 ^{2/}	45.6 ***	3.9
	00:20-00:25 HOUR	50.3 ^{2/}	46.8 ***	50.8 ^{2/}	45.6 ***	5.2
	00:25-00:30 HOUR	50.0 ^{2/}	46.8 ***	50.1 ^{2/}	45.6 ***	4.5
	00:30-00:35 HOUR	49.0 ^{2/}	44.0 ***	50.4 ^{2/}	42.6 ***	7.8
	00:35-00:40 HOUR	47.7 ^{2/}	44.0 ***	48.3 ^{2/}	42.6 ***	5.7
	00:40-00:45 HOUR	49.0 ^{2/}	44.0 ***	50.4 ^{2/}	42.6 ***	7.8
	00:45-00:50 HOUR	47.9 ^{2/}	43.6 ***	48.9 ^{2/}	42.1 ***	6.8
	00:50-00:55 HOUR	47.3 ^{2/}	43.6 ***	47.8 ^{2/}	42.1 ***	5.7
	00:55-01:00 HOUR	48.7 ^{2/}	43.6 ***	50.0 ^{2/}	42.1 ***	7.9
	01:00-01:05 HOUR	48.7 ^{2/}	46.6 ***	47.6 ^{2/}	44.9 ***	2.7
	01:05-01:10 HOUR	50.7 ^{2/}	46.6 ***	51.5 ^{2/}	44.9 ***	6.6
	01:10-01:15 HOUR	50.7 ^{2/}	46.6 ***	51.5 ^{2/}	44.9 ***	6.6
	01:15-01:20 HOUR	50.1 ^{2/}	46.3 ***	50.8 ^{2/}	44.8 ***	6.0
	01:20-01:25 HOUR	50.1 ^{2/}	46.3 ***	50.7 ^{2/}	44.8 ***	5.9
	01:25-01:30 HOUR	49.9 ^{2/}	46.3 ***	50.5 ^{2/}	44.8 ***	5.7
	01:30-01:35 HOUR	50.1 ^{2/}	48.8 ***	47.1 ^{2/}	47.6 ***	<0.8 ^{3/}
	01:35-01:40 HOUR	49.2 ^{2/}	48.8 ***	41.0 ^{2/}	47.6 ***	<0.8 ^{3/}
	01:40-01:45 HOUR	53.5 ^{2/}	48.8 ***	54.6 ^{2/}	47.6 ***	7.0
	01:45-01:50 HOUR	50.9 ^{2/}	54.8 ***	<0.8 ^{3/}	53.6 ***	<0.8 ^{3/}
	01:50-01:55 HOUR	51.6 ^{2/}	54.8 ***	<0.8 ^{3/}	53.6 ***	<0.8 ^{3/}
	01:55-02:00 HOUR	57.3 ^{2/}	54.8 ***	56.7 ^{2/}	53.6 ***	3.1
	02:00-02:05 HOUR	58.3 ^{2/}	54.0 ***	59.2 ^{2/}	52.6 ***	6.6
	02:05-02:10 HOUR	58.7 ^{2/}	54.0 ***	59.9 ^{2/}	52.6 ***	7.3
	02:10-02:15 HOUR	58.5 ^{2/}	54.0 ***	59.7 ^{2/}	52.6 ***	7.1
	02:15-02:20 HOUR	50.4 ^{2/}	55.5 ***	<0.8 ^{3/}	54.3 ***	<0.8 ^{3/}
	02:20-02:25 HOUR	50.0 ^{2/}	55.5 ***	<0.8 ^{3/}	54.3 ***	<0.8 ^{3/}
	02:25-02:30 HOUR	57.6 ^{2/}	55.5 ***	56.3 ^{2/}	54.3 ***	2.0
	02:30-02:35 HOUR	53.5 ^{2/}	54.8 ***	<0.8 ^{3/}	53.4 ***	<0.8 ^{3/}
	02:35-02:40 HOUR	50.6 ^{2/}	54.8 ***	<0.8 ^{3/}	53.4 ***	<0.8 ^{3/}
	02:40-02:45 HOUR	53.3 ^{2/}	54.8 ***	<0.8 ^{3/}	53.4 ***	<0.8 ^{3/}
	02:45-02:50 HOUR	50.6 ^{2/}	48.4 ***	49.6 ^{2/}	46.9 ***	2.7
	02:50-02:55 HOUR	52.8 ^{2/}	48.4 ***	53.8 ^{2/}	46.9 ***	6.9
	02:55-03:00 HOUR	50.0 ^{2/}	48.4 ***	48.0 ^{2/}	46.9 ***	1.1
	03:00-03:05 HOUR	51.2 ^{2/}	46.2 ***	52.6 ^{2/}	45.1 ***	7.5
	03:05-03:10 HOUR	50.2 ^{2/}	46.2 ***	51.0 ^{2/}	45.1 ***	5.9
	03:10-03:15 HOUR	49.3 ^{2/}	46.2 ***	49.4 ^{2/}	45.1 ***	4.3
	03:15-03:20 HOUR	50.0 ^{2/}	49.1 ***	45.8 ^{2/}	47.7 ***	<0.8 ^{3/}
	03:20-03:25 HOUR	52.0 ^{2/}	49.1 ***	52.0 ^{2/}	47.7 ***	4.3

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รบกวนบริเวณที่วางน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
OCTOBER 11, 2024 T24AY197-0004	NIGHT TIME ^{2/}					
	03:25-03:30 HOUR	50.6 ^{2/}	49.1 ***	48.4 ^{2/}	47.7 ***	<0.8 ^{3/}
	03:30-03:35 HOUR	52.0 ^{2/}	47.0 ***	53.4 ^{2/}	45.7 ***	7.7
	03:35-03:40 HOUR	50.3 ^{2/}	47.0 ***	50.5 ^{2/}	45.7 ***	4.8
	03:40-03:45 HOUR	51.0 ^{2/}	47.0 ***	51.8 ^{2/}	45.7 ***	6.1
	03:45-03:50 HOUR	51.1 ^{2/}	48.5 ***	50.5 ^{2/}	47.0 ***	3.5
	03:50-03:55 HOUR	49.5 ^{2/}	48.5 ***	45.5 ^{2/}	47.0 ***	<0.8 ^{3/}
	03:55-04:00 HOUR	53.3 ^{2/}	48.5 ***	54.5 ^{2/}	47.0 ***	7.5
	04:00-04:05 HOUR	50.6 ^{2/}	47.3 ***	50.9 ^{2/}	46.2 ***	4.7
	04:05-04:10 HOUR	50.5 ^{2/}	47.3 ***	50.7 ^{2/}	46.2 ***	4.5
	04:10-04:15 HOUR	50.4 ^{2/}	47.3 ***	50.4 ^{2/}	46.2 ***	4.2
	04:15-04:20 HOUR	47.7 ^{2/}	44.4 ***	47.9 ^{2/}	43.1 ***	4.8
	04:20-04:25 HOUR	49.0 ^{2/}	44.4 ***	50.2 ^{2/}	43.1 ***	7.1
	04:25-04:30 HOUR	48.7 ^{2/}	44.4 ***	49.6 ^{2/}	43.1 ***	6.5
	04:30-04:35 HOUR	47.9 ^{2/}	44.2 ***	48.4 ^{2/}	42.7 ***	5.7
	04:35-04:40 HOUR	48.6 ^{2/}	44.2 ***	49.7 ^{2/}	42.7 ***	7.0
	04:40-04:45 HOUR	47.9 ^{2/}	44.2 ***	48.5 ^{2/}	42.7 ***	5.8
	04:45-04:50 HOUR	47.8 ^{2/}	42.8 ***	49.1 ^{2/}	41.6 ***	7.5
	04:50-04:55 HOUR	48.0 ^{2/}	42.8 ***	49.5 ^{2/}	41.6 ***	7.9
	04:55-05:00 HOUR	46.7 ^{2/}	42.8 ***	47.4 ^{2/}	41.6 ***	5.8
	05:00-05:05 HOUR	47.1 ^{2/}	43.4 ***	47.6 ^{2/}	42.1 ***	5.5
	05:05-05:10 HOUR	46.3 ^{2/}	43.4 ***	46.1 ^{2/}	42.1 ***	4.0
	05:10-05:15 HOUR	47.1 ^{2/}	43.4 ***	47.6 ^{2/}	42.1 ***	5.5
	05:15-05:20 HOUR	47.4 ^{2/}	43.9 ***	47.8 ^{2/}	42.5 ***	5.3
	05:20-05:25 HOUR	48.2 ^{2/}	43.9 ***	49.1 ^{2/}	42.5 ***	6.6
	05:25-05:30 HOUR	48.4 ^{2/}	43.9 ***	49.5 ^{2/}	42.5 ***	7.0
	05:30-05:35 HOUR	48.5 ^{2/}	43.9 ***	49.7 ^{2/}	42.4 ***	7.3
	05:35-05:40 HOUR	47.5 ^{2/}	43.9 ***	47.9 ^{2/}	42.4 ***	5.5
	05:40-05:45 HOUR	48.7 ^{2/}	43.9 ***	49.9 ^{2/}	42.4 ***	7.5
	05:45-05:50 HOUR	48.3 ^{2/}	43.1 ***	49.7 ^{2/}	41.8 ***	7.9
	05:50-05:55 HOUR	47.7 ^{2/}	43.1 ***	48.8 ^{2/}	41.8 ***	7.0
	05:55-06:00 HOUR	47.9 ^{2/}	43.1 ***	49.1 ^{2/}	41.8 ***	7.3
	DAY TIME ^{1/}					
	06:00-07:00 HOUR	47.9 ^{1/}	44.3 **	45.4 ^{1/}	43.0 **	2.4
OCTOBER 11, 2024 T24AY197-0005	DAY TIME ^{1/}					
	07:00-08:00 HOUR	55.1 ^{1/}	49.5 **	53.7 ^{1/}	48.1 **	5.6
	08:00-09:00 HOUR	54.3 ^{1/}	50.1 **	52.2 ^{1/}	48.6 **	3.6
	09:00-10:00 HOUR	52.2 ^{1/}	49.8 **	48.5 ^{1/}	48.2 **	<0.8 ^{3/}
	10:00-11:00 HOUR	53.0 ^{1/}	48.6 **	51.0 ^{1/}	47.2 **	3.8
	11:00-12:00 HOUR	61.3 ^{1/}	55.0 **	60.1 ^{1/}	53.6 **	6.5
	12:00-13:00 HOUR	56.0 ^{1/}	50.2 **	54.7 ^{1/}	48.5 **	6.2
	13:00-14:00 HOUR	54.4 ^{1/}	48.3 **	53.2 ^{1/}	46.6 **	6.6
	14:00-15:00 HOUR	54.8 ^{1/}	48.2 **	53.7 ^{1/}	47.1 **	6.6
	15:00-16:00 HOUR	58.6 ^{1/}	56.0 **	55.1 ^{1/}	54.7 **	<0.8 ^{3/}
	16:00-17:00 HOUR	49.9 ^{1/}	46.8 **	47.0 ^{1/}	45.4 **	1.6
	17:00-18:00 HOUR	49.3 ^{1/}	46.7 **	45.8 ^{1/}	45.3 **	<0.8 ^{3/}

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รบกวนบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
OCTOBER 11, 2024	DAY TIME ^{1/}					
T24AY197-0005	18:00-19:00 HOUR	50.2 ^{1/}	47.4 ^{**}	47.0 ^{1/}	46.1 ^{**}	0.9
	19:00-20:00 HOUR	50.1 ^{1/}	47.2 ^{**}	47.0 ^{1/}	46.1 ^{**}	0.9
	20:00-21:00 HOUR	49.8 ^{1/}	46.6 ^{**}	47.0 ^{1/}	45.3 ^{**}	1.7
	21:00-22:00 HOUR	51.1 ^{1/}	47.8 ^{**}	48.4 ^{1/}	46.6 ^{**}	1.8
	NIGHT TIME ^{2/}					
	22:00-22:05 HOUR	47.6 ^{2/}	44.8 ^{***}	47.4 ^{2/}	43.6 ^{***}	3.8
	22:05-22:10 HOUR	48.7 ^{2/}	44.8 ^{***}	49.4 ^{2/}	43.6 ^{***}	5.8
	22:10-22:15 HOUR	48.1 ^{2/}	44.8 ^{***}	48.3 ^{2/}	43.6 ^{***}	4.7
	22:15-22:20 HOUR	48.1 ^{2/}	45.2 ^{***}	48.1 ^{2/}	43.8 ^{***}	4.3
	22:20-22:25 HOUR	47.2 ^{2/}	45.2 ^{***}	46.0 ^{2/}	43.8 ^{***}	2.2
	22:25-22:30 HOUR	47.8 ^{2/}	45.2 ^{***}	47.4 ^{2/}	43.8 ^{***}	3.6
	22:30-22:35 HOUR	47.1 ^{2/}	42.7 ^{***}	48.2 ^{2/}	41.2 ^{***}	7.0
	22:35-22:40 HOUR	45.9 ^{2/}	42.7 ^{***}	46.0 ^{2/}	41.2 ^{***}	4.8
	22:40-22:45 HOUR	44.4 ^{2/}	42.7 ^{***}	42.4 ^{2/}	41.2 ^{***}	1.2
	22:45-22:50 HOUR	46.8 ^{2/}	44.5 ^{***}	45.9 ^{2/}	43.1 ^{***}	2.8
	22:50-22:55 HOUR	48.4 ^{2/}	44.5 ^{***}	49.1 ^{2/}	43.1 ^{***}	6.0
	22:55-23:00 HOUR	48.1 ^{2/}	44.5 ^{***}	48.6 ^{2/}	43.1 ^{***}	5.5
	23:00-23:05 HOUR	47.8 ^{2/}	45.3 ^{***}	47.2 ^{2/}	43.9 ^{***}	3.3
	23:05-23:10 HOUR	48.5 ^{2/}	45.3 ^{***}	48.6 ^{2/}	43.9 ^{***}	4.7
	23:10-23:15 HOUR	47.7 ^{2/}	45.3 ^{***}	47.0 ^{2/}	43.9 ^{***}	3.1
	23:15-23:20 HOUR	46.9 ^{2/}	44.0 ^{***}	46.9 ^{2/}	42.7 ^{***}	4.2
	23:20-23:25 HOUR	48.0 ^{2/}	44.0 ^{***}	48.9 ^{2/}	42.7 ^{***}	6.2
	23:25-23:30 HOUR	47.0 ^{2/}	44.0 ^{***}	47.0 ^{2/}	42.7 ^{***}	4.3
	23:30-23:35 HOUR	47.3 ^{2/}	44.8 ^{***}	46.8 ^{2/}	43.6 ^{***}	3.2
	23:35-23:40 HOUR	48.0 ^{2/}	44.8 ^{***}	48.1 ^{2/}	43.6 ^{***}	4.5
	23:40-23:45 HOUR	47.7 ^{2/}	44.8 ^{***}	47.5 ^{2/}	43.6 ^{***}	3.9
	23:45-23:50 HOUR	48.2 ^{2/}	45.4 ^{***}	48.0 ^{2/}	44.0 ^{***}	4.0
	23:50-23:55 HOUR	49.6 ^{2/}	45.4 ^{***}	50.5 ^{2/}	44.0 ^{***}	6.5
	23:55-00:00 HOUR	48.8 ^{2/}	45.4 ^{***}	49.1 ^{2/}	44.0 ^{***}	5.1
OCTOBER 12, 2024	NIGHT TIME ^{2/}					
T24AY197-0005	00:00-00:05 HOUR	48.9 ^{2/}	46.3 ^{***}	48.5 ^{2/}	44.8 ^{***}	3.7
	00:05-00:10 HOUR	48.5 ^{2/}	46.3 ^{***}	47.4 ^{2/}	44.8 ^{***}	2.6
	00:10-00:15 HOUR	50.6 ^{2/}	46.3 ^{***}	51.6 ^{2/}	44.8 ^{***}	6.8
	00:15-00:20 HOUR	50.3 ^{2/}	46.3 ^{***}	51.1 ^{2/}	44.8 ^{***}	6.3
	00:20-00:25 HOUR	49.5 ^{2/}	46.3 ^{***}	49.7 ^{2/}	44.8 ^{***}	4.9
	00:25-00:30 HOUR	48.9 ^{2/}	46.3 ^{***}	48.4 ^{2/}	44.8 ^{***}	3.6
	00:30-00:35 HOUR	46.6 ^{2/}	47.0 ^{***}	<0.8 ^{3/}	45.8 ^{***}	<0.8 ^{3/}
	00:35-00:40 HOUR	46.8 ^{2/}	47.0 ^{***}	<0.8 ^{3/}	45.8 ^{***}	<0.8 ^{3/}
	00:40-00:45 HOUR	49.1 ^{2/}	47.0 ^{***}	47.8 ^{2/}	45.8 ^{***}	2.0
	00:45-00:50 HOUR	50.5 ^{2/}	47.3 ^{***}	50.8 ^{2/}	45.7 ^{***}	5.1
	00:50-00:55 HOUR	49.2 ^{2/}	47.3 ^{***}	47.8 ^{2/}	45.7 ^{***}	2.1
	00:55-01:00 HOUR	50.6 ^{2/}	47.3 ^{***}	50.8 ^{2/}	45.7 ^{***}	5.1
	01:00-01:05 HOUR	50.0 ^{2/}	48.3 ^{***}	48.0 ^{2/}	47.0 ^{***}	1.0
	01:05-01:10 HOUR	51.1 ^{2/}	48.3 ^{***}	51.0 ^{2/}	47.0 ^{***}	4.0
	01:10-01:15 HOUR	49.8 ^{2/}	48.3 ^{***}	47.3 ^{2/}	47.0 ^{***}	<0.8 ^{3/}



DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รถถนนบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
OCTOBER 12, 2024	NIGHT TIME ^{2/}					
T24AY197-0005	01:15-01:20 HOUR	51.2 ^{2/}	46.9 ***	52.1 ^{2/}	45.4 ***	6.7
	01:20-01:25 HOUR	49.5 ^{2/}	46.9 ***	49.1 ^{2/}	45.4 ***	3.7
	01:25-01:30 HOUR	50.0 ^{2/}	46.9 ***	50.1 ^{2/}	45.4 ***	4.7
	01:30-01:35 HOUR	49.5 ^{2/}	48.2 ***	46.6 ^{2/}	46.8 ***	<0.8 ^{3/}
	01:35-01:40 HOUR	51.4 ^{2/}	48.2 ***	51.6 ^{2/}	46.8 ***	4.8
	01:40-01:45 HOUR	49.0 ^{2/}	48.2 ***	44.0 ^{2/}	46.8 ***	<0.8 ^{3/}
	01:45-01:50 HOUR	49.5 ^{2/}	52.8 ***	<0.8 ^{3/}	51.5 ***	<0.8 ^{3/}
	01:50-01:55 HOUR	50.6 ^{2/}	52.8 ***	<0.8 ^{3/}	51.5 ***	<0.8 ^{3/}
	01:55-02:00 HOUR	57.7 ^{2/}	52.8 ***	59.0 ^{2/}	51.5 ***	7.5
	02:00-02:05 HOUR	52.7 ^{2/}	55.0 ***	<0.8 ^{3/}	53.6 ***	<0.8 ^{3/}
	02:05-02:10 HOUR	54.8 ^{2/}	55.0 ***	<0.8 ^{3/}	53.6 ***	<0.8 ^{3/}
	02:10-02:15 HOUR	55.9 ^{2/}	55.0 ***	51.5 ^{2/}	53.6 ***	<0.8 ^{3/}
	02:15-02:20 HOUR	53.9 ^{2/}	49.9 ***	54.7 ^{2/}	48.5 ***	6.2
	02:20-02:25 HOUR	50.6 ^{2/}	49.9 ***	45.5 ^{2/}	48.5 ***	<0.8 ^{3/}
	02:25-02:30 HOUR	49.7 ^{2/}	49.9 ***	<0.8 ^{3/}	48.5 ***	<0.8 ^{3/}
	02:30-02:35 HOUR	49.9 ^{2/}	48.2 ***	47.9 ^{2/}	46.8 ***	1.1
	02:35-02:40 HOUR	49.6 ^{2/}	48.2 ***	46.9 ^{2/}	46.8 ***	<0.8 ^{3/}
	02:40-02:45 HOUR	53.2 ^{2/}	48.2 ***	54.5 ^{2/}	46.8 ***	7.7
	02:45-02:50 HOUR	51.2 ^{2/}	48.3 ***	51.0 ^{2/}	46.8 ***	4.2
	02:50-02:55 HOUR	51.4 ^{2/}	48.3 ***	51.4 ^{2/}	46.8 ***	4.6
	02:55-03:00 HOUR	49.3 ^{2/}	48.3 ***	45.4 ^{2/}	46.8 ***	<0.8 ^{3/}
	03:00-03:05 HOUR	49.7 ^{2/}	47.2 ***	49.2 ^{2/}	45.8 ***	3.4
	03:05-03:10 HOUR	50.9 ^{2/}	47.2 ***	51.4 ^{2/}	45.8 ***	5.6
	03:10-03:15 HOUR	49.5 ^{2/}	47.2 ***	48.6 ^{2/}	45.8 ***	2.8
	03:15-03:20 HOUR	48.9 ^{2/}	46.5 ***	48.3 ^{2/}	45.3 ***	3.0
	03:20-03:25 HOUR	49.2 ^{2/}	46.5 ***	48.8 ^{2/}	45.3 ***	3.5
	03:25-03:30 HOUR	49.1 ^{2/}	46.5 ***	48.7 ^{2/}	45.3 ***	3.4
	03:30-03:35 HOUR	50.5 ^{2/}	46.9 ***	51.0 ^{2/}	45.5 ***	5.5
	03:35-03:40 HOUR	49.0 ^{2/}	46.9 ***	47.8 ^{2/}	45.5 ***	2.3
	03:40-03:45 HOUR	49.5 ^{2/}	46.9 ***	49.0 ^{2/}	45.5 ***	3.5
	03:45-03:50 HOUR	49.5 ^{2/}	47.2 ***	48.6 ^{2/}	45.8 ***	2.8
	03:50-03:55 HOUR	50.8 ^{2/}	47.2 ***	51.4 ^{2/}	45.8 ***	5.6
	03:55-04:00 HOUR	47.5 ^{2/}	47.2 ***	39.2 ^{2/}	45.8 ***	<0.8 ^{3/}
	04:00-04:05 HOUR	48.2 ^{2/}	47.7 ***	41.6 ^{2/}	46.2 ***	<0.8 ^{3/}
	04:05-04:10 HOUR	52.8 ^{2/}	47.7 ***	54.2 ^{2/}	46.2 ***	8.0
	04:10-04:15 HOUR	48.5 ^{2/}	47.7 ***	43.6 ^{2/}	46.2 ***	<0.8 ^{3/}
	04:15-04:20 HOUR	47.1 ^{2/}	44.6 ***	46.6 ^{2/}	43.3 ***	3.3
	04:20-04:25 HOUR	47.9 ^{2/}	44.6 ***	48.2 ^{2/}	43.3 ***	4.9
	04:25-04:30 HOUR	47.3 ^{2/}	44.6 ***	47.0 ^{2/}	43.3 ***	3.7
	04:30-04:35 HOUR	47.6 ^{2/}	45.2 ***	46.9 ^{2/}	43.7 ***	3.2
	04:35-04:40 HOUR	47.9 ^{2/}	45.2 ***	47.5 ^{2/}	43.7 ***	3.8
	04:40-04:45 HOUR	46.9 ^{2/}	45.2 ***	45.0 ^{2/}	43.7 ***	1.3
	04:45-04:50 HOUR	47.4 ^{2/}	46.3 ***	43.7 ^{2/}	44.8 ***	<0.8 ^{3/}
	04:50-04:55 HOUR	50.8 ^{2/}	46.3 ***	51.9 ^{2/}	44.8 ***	7.1

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รบกวนบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
OCTOBER 12, 2024	NIGHT TIME ^{2/}					
T24AY197-0005	04:55-05:00 HOUR	47.9 ^{2/}	46.3 ***	45.8 ^{2/}	44.8 ***	1.0
	05:00-05:05 HOUR	47.9 ^{2/}	45.5 ***	47.1 ^{2/}	44.2 ***	2.9
	05:05-05:10 HOUR	48.4 ^{2/}	45.5 ***	48.4 ^{2/}	44.2 ***	4.2
	05:10-05:15 HOUR	48.1 ^{2/}	45.5 ***	47.7 ^{2/}	44.2 ***	3.5
	05:15-05:20 HOUR	47.5 ^{2/}	45.5 ***	46.1 ^{2/}	44.2 ***	1.9
	05:20-05:25 HOUR	47.4 ^{2/}	45.5 ***	45.9 ^{2/}	44.2 ***	1.7
	05:25-05:30 HOUR	46.7 ^{2/}	45.5 ***	43.7 ^{2/}	44.2 ***	<0.8 ^{3/}
	05:30-05:35 HOUR	49.2 ^{2/}	46.9 ***	48.4 ^{2/}	45.7 ***	2.7
	05:35-05:40 HOUR	47.3 ^{2/}	46.9 ***	40.1 ^{2/}	45.7 ***	<0.8 ^{3/}
	05:40-05:45 HOUR	48.4 ^{2/}	46.9 ***	45.9 ^{2/}	45.7 ***	<0.8 ^{3/}
	05:45-05:50 HOUR	49.4 ^{2/}	53.0 ***	<0.8 ^{3/}	51.9 ***	<0.8 ^{3/}
	05:50-05:55 HOUR	58.1 ^{2/}	53.0 ***	59.5 ^{2/}	51.9 ***	7.6
	05:55-06:00 HOUR	55.1 ^{2/}	53.0 ***	53.8 ^{2/}	51.9 ***	1.9
	DAY TIME ^{1/}					
	06:00-07:00 HOUR	48.0 ^{1/}	45.7 **	44.1 ^{1/}	44.0 **	<0.8 ^{3/}
OCTOBER 12, 2024	DAY TIME ^{1/}					
T24AY197-0006	07:00-08:00 HOUR	51.0 ^{1/}	46.2 **	49.3 ^{1/}	45.0 **	4.3
	08:00-09:00 HOUR	50.0 ^{1/}	45.8 **	47.9 ^{1/}	44.3 **	3.6
	09:00-10:00 HOUR	50.8 ^{1/}	47.0 **	48.5 ^{1/}	45.6 **	2.9
	10:00-11:00 HOUR	50.2 ^{1/}	45.9 **	48.2 ^{1/}	44.6 **	3.6
	11:00-12:00 HOUR	53.6 ^{1/}	48.2 **	52.1 ^{1/}	46.8 **	5.3
	12:00-13:00 HOUR	56.6 ^{1/}	49.6 **	55.6 ^{1/}	48.2 **	7.4
	13:00-14:00 HOUR	50.3 ^{1/}	46.4 **	48.0 ^{1/}	45.0 **	3.0
	14:00-15:00 HOUR	49.8 ^{1/}	44.9 **	48.1 ^{1/}	43.6 **	4.5
	15:00-16:00 HOUR	48.2 ^{1/}	44.6 **	45.7 ^{1/}	43.2 **	2.5
	16:00-17:00 HOUR	47.7 ^{1/}	43.3 **	45.7 ^{1/}	42.0 **	3.7
	17:00-18:00 HOUR	48.1 ^{1/}	43.9 **	46.0 ^{1/}	42.6 **	3.4
	18:00-19:00 HOUR	48.7 ^{1/}	45.7 **	45.7 ^{1/}	44.2 **	1.5
	19:00-20:00 HOUR	49.8 ^{1/}	45.8 **	47.6 ^{1/}	44.5 **	3.1
	20:00-21:00 HOUR	50.6 ^{1/}	46.8 **	48.3 ^{1/}	45.5 **	2.8
	21:00-22:00 HOUR	49.5 ^{1/}	45.3 **	47.4 ^{1/}	44.0 **	3.4
	NIGHT TIME ^{2/}					
	22:00-22:05 HOUR	45.0 ^{2/}	42.1 ***	44.8 ^{2/}	40.6 ***	4.2
	22:05-22:10 HOUR	46.1 ^{2/}	42.1 ***	46.8 ^{2/}	40.6 ***	6.2
	22:10-22:15 HOUR	43.3 ^{2/}	42.1 ***	40.3 ^{2/}	40.6 ***	<0.8 ^{3/}
	22:15-22:20 HOUR	44.4 ^{2/}	45.1 ***	<0.8 ^{3/}	43.7 ***	<0.8 ^{3/}
	22:20-22:25 HOUR	45.1 ^{2/}	45.1 ***	<0.8 ^{3/}	43.7 ***	<0.8 ^{3/}
	22:25-22:30 HOUR	47.6 ^{2/}	45.1 ***	47.0 ^{2/}	43.7 ***	3.3
	22:30-22:35 HOUR	48.3 ^{2/}	45.8 ***	47.7 ^{2/}	44.5 ***	3.2
	22:35-22:40 HOUR	49.6 ^{2/}	45.8 ***	50.3 ^{2/}	44.5 ***	5.8
	22:40-22:45 HOUR	49.4 ^{2/}	45.8 ***	49.9 ^{2/}	44.5 ***	5.4
	22:45-22:50 HOUR	50.0 ^{2/}	45.3 ***	51.2 ^{2/}	44.1 ***	7.1
	22:50-22:55 HOUR	50.0 ^{2/}	45.3 ***	51.1 ^{2/}	44.1 ***	7.0
	22:55-23:00 HOUR	48.6 ^{2/}	45.3 ***	48.8 ^{2/}	44.1 ***	4.7
	23:00-23:05 HOUR	49.7 ^{2/}	44.9 ***	51.0 ^{2/}	43.3 ***	7.7



DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่ออกบวกรวดที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
OCTOBER 12, 2024	NIGHT TIME ^{2/}					
T24AY197-0006	23:05-23:10 HOUR	48.8 ^{2/}	44.9 ***	49.5 ^{2/}	43.3 ***	6.2
	23:10-23:15 HOUR	49.0 ^{2/}	44.9 ***	49.8 ^{2/}	43.3 ***	6.5
	23:15-23:20 HOUR	48.3 ^{2/}	44.5 ***	48.9 ^{2/}	43.2 ***	5.7
	23:20-23:25 HOUR	43.9 ^{2/}	44.5 ***	<0.8 ^{3/}	43.2 ***	<0.8 ^{3/}
	23:25-23:30 HOUR	45.4 ^{2/}	44.5 ***	41.0 ^{2/}	43.2 ***	<0.8 ^{3/}
	23:30-23:35 HOUR	45.3 ^{2/}	44.7 ***	39.4 ^{2/}	43.3 ***	<0.8 ^{3/}
	23:35-23:40 HOUR	48.0 ^{2/}	44.7 ***	48.2 ^{2/}	43.3 ***	4.9
	23:40-23:45 HOUR	44.2 ^{2/}	44.7 ***	<0.8 ^{3/}	43.3 ***	<0.8 ^{3/}
	23:45-23:50 HOUR	44.4 ^{2/}	46.4 ***	<0.8 ^{3/}	45.0 ***	<0.8 ^{3/}
	23:50-23:55 HOUR	46.4 ^{2/}	46.4 ***	<0.8 ^{3/}	45.0 ***	<0.8 ^{3/}
	23:55-00:00 HOUR	49.7 ^{2/}	46.4 ***	49.9 ^{2/}	45.0 ***	4.9
OCTOBER 13, 2024	NIGHT TIME ^{2/}					
T24AY197-0006	00:00-00:05 HOUR	50.5 ^{2/}	48.3 ***	49.4 ^{2/}	46.8 ***	2.6
	00:05-00:10 HOUR	51.9 ^{2/}	48.3 ***	52.3 ^{2/}	46.8 ***	5.5
	00:10-00:15 HOUR	53.1 ^{2/}	48.3 ***	54.3 ^{2/}	46.8 ***	7.5
	00:15-00:20 HOUR	51.3 ^{2/}	47.5 ***	51.9 ^{2/}	46.1 ***	5.8
	00:20-00:25 HOUR	49.6 ^{2/}	47.5 ***	48.5 ^{2/}	46.1 ***	2.4
	00:25-00:30 HOUR	49.8 ^{2/}	47.5 ***	48.9 ^{2/}	46.1 ***	2.8
	00:30-00:35 HOUR	49.9 ^{2/}	51.6 ***	<0.8 ^{3/}	50.1 ***	<0.8 ^{3/}
	00:35-00:40 HOUR	48.2 ^{2/}	51.6 ***	<0.8 ^{3/}	50.1 ***	<0.8 ^{3/}
	00:40-00:45 HOUR	56.2 ^{2/}	51.6 ***	57.4 ^{2/}	50.1 ***	7.3
	00:45-00:50 HOUR	50.7 ^{2/}	47.6 ***	50.9 ^{2/}	46.2 ***	4.7
	00:50-00:55 HOUR	50.0 ^{2/}	47.6 ***	49.2 ^{2/}	46.2 ***	3.0
	00:55-01:00 HOUR	50.7 ^{2/}	47.6 ***	50.8 ^{2/}	46.2 ***	4.6
	01:00-01:05 HOUR	49.2 ^{2/}	47.3 ***	47.8 ^{2/}	45.9 ***	1.9
	01:05-01:10 HOUR	52.2 ^{2/}	47.3 ***	53.6 ^{2/}	45.9 ***	7.7
	01:10-01:15 HOUR	52.1 ^{2/}	47.3 ***	53.3 ^{2/}	45.9 ***	7.4
	01:15-01:20 HOUR	49.2 ^{2/}	53.7 ***	<0.8 ^{3/}	52.0 ***	<0.8 ^{3/}
	01:20-01:25 HOUR	48.5 ^{2/}	53.7 ***	<0.8 ^{3/}	52.0 ***	<0.8 ^{3/}
	01:25-01:30 HOUR	58.2 ^{2/}	53.7 ***	59.4 ^{2/}	52.0 ***	7.4
	01:30-01:35 HOUR	49.1 ^{2/}	45.2 ***	49.8 ^{2/}	43.8 ***	6.0
	01:35-01:40 HOUR	48.1 ^{2/}	45.2 ***	47.9 ^{2/}	43.8 ***	4.1
	01:40-01:45 HOUR	47.3 ^{2/}	45.2 ***	46.1 ^{2/}	43.8 ***	2.3
	01:45-01:50 HOUR	49.1 ^{2/}	44.7 ***	50.2 ^{2/}	43.2 ***	7.0
	01:50-01:55 HOUR	48.5 ^{2/}	44.7 ***	49.2 ^{2/}	43.2 ***	6.0
	01:55-02:00 HOUR	46.6 ^{2/}	44.7 ***	45.2 ^{2/}	43.2 ***	2.0
	02:00-02:05 HOUR	46.9 ^{2/}	47.2 ***	<0.8 ^{3/}	45.7 ***	<0.8 ^{3/}
	02:05-02:10 HOUR	47.7 ^{2/}	47.2 ***	40.6 ^{2/}	45.7 ***	<0.8 ^{3/}
	02:10-02:15 HOUR	47.9 ^{2/}	47.2 ***	42.9 ^{2/}	45.7 ***	<0.8 ^{3/}
	02:15-02:20 HOUR	48.8 ^{2/}	44.6 ***	49.7 ^{2/}	43.2 ***	6.5
	02:20-02:25 HOUR	47.8 ^{2/}	44.6 ***	47.9 ^{2/}	43.2 ***	4.7
	02:25-02:30 HOUR	46.8 ^{2/}	44.6 ***	45.9 ^{2/}	43.2 ***	2.7
	02:30-02:35 HOUR	47.8 ^{2/}	46.2 ***	45.8 ^{2/}	44.7 ***	1.1
	02:35-02:40 HOUR	48.5 ^{2/}	46.2 ***	47.7 ^{2/}	44.7 ***	3.0

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รบกวนบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
OCTOBER 13, 2024	NIGHT TIME ^{2/}					
T24AY197-0006	02:40-02:45 HOUR	48.8 ^{2/}	46.2 ^{***}	48.4 ^{2/}	44.7 ^{***}	3.7
	02:45-02:50 HOUR	47.8 ^{2/}	44.0 ^{***}	48.5 ^{2/}	42.6 ^{***}	5.9
	02:50-02:55 HOUR	47.9 ^{2/}	44.0 ^{***}	48.7 ^{2/}	42.6 ^{***}	6.1
	02:55-03:00 HOUR	46.3 ^{2/}	44.0 ^{***}	45.4 ^{2/}	42.6 ^{***}	2.8
	03:00-03:05 HOUR	47.0 ^{2/}	41.9 ^{***}	48.4 ^{2/}	40.5 ^{***}	7.9
	03:05-03:10 HOUR	46.4 ^{2/}	41.9 ^{***}	47.6 ^{2/}	40.5 ^{***}	7.1
	03:10-03:15 HOUR	46.3 ^{2/}	41.9 ^{***}	47.3 ^{2/}	40.5 ^{***}	6.8
	03:15-03:20 HOUR	46.0 ^{2/}	42.6 ^{***}	46.4 ^{2/}	41.0 ^{***}	5.4
	03:20-03:25 HOUR	46.6 ^{2/}	42.6 ^{***}	47.4 ^{2/}	41.0 ^{***}	6.4
	03:25-03:30 HOUR	46.1 ^{2/}	42.6 ^{***}	46.6 ^{2/}	41.0 ^{***}	5.6
	03:30-03:35 HOUR	46.8 ^{2/}	42.1 ^{***}	47.9 ^{2/}	40.7 ^{***}	7.2
	03:35-03:40 HOUR	46.6 ^{2/}	42.1 ^{***}	47.7 ^{2/}	40.7 ^{***}	7.0
	03:40-03:45 HOUR	44.9 ^{2/}	42.1 ^{***}	44.6 ^{2/}	40.7 ^{***}	3.9
	03:45-03:50 HOUR	47.4 ^{2/}	43.4 ^{***}	48.2 ^{2/}	41.9 ^{***}	6.3
	03:50-03:55 HOUR	46.3 ^{2/}	43.4 ^{***}	46.3 ^{2/}	41.9 ^{***}	4.4
	03:55-04:00 HOUR	47.2 ^{2/}	43.4 ^{***}	47.9 ^{2/}	41.9 ^{***}	6.0
	04:00-04:05 HOUR	47.9 ^{2/}	53.3 ^{***}	<0.8 ^{3/}	52.1 ^{***}	<0.8 ^{3/}
	04:05-04:10 HOUR	47.2 ^{2/}	53.3 ^{***}	<0.8 ^{3/}	52.1 ^{***}	<0.8 ^{3/}
	04:10-04:15 HOUR	56.5 ^{2/}	53.3 ^{***}	56.7 ^{2/}	52.1 ^{***}	4.6
	04:15-04:20 HOUR	46.2 ^{2/}	49.3 ^{***}	<0.8 ^{3/}	47.8 ^{***}	<0.8 ^{3/}
	04:20-04:25 HOUR	46.1 ^{2/}	49.3 ^{***}	<0.8 ^{3/}	47.8 ^{***}	<0.8 ^{3/}
	04:25-04:30 HOUR	46.5 ^{2/}	49.3 ^{***}	<0.8 ^{3/}	47.8 ^{***}	<0.8 ^{3/}
	04:30-04:35 HOUR	47.3 ^{2/}	44.9 ^{***}	46.6 ^{2/}	43.5 ^{***}	3.1
	04:35-04:40 HOUR	46.3 ^{2/}	44.9 ^{***}	43.8 ^{2/}	43.5 ^{***}	<0.8 ^{3/}
	04:40-04:45 HOUR	48.0 ^{2/}	44.9 ^{***}	48.1 ^{2/}	43.5 ^{***}	4.6
	04:45-04:50 HOUR	47.0 ^{2/}	48.4 ^{***}	<0.8 ^{3/}	47.1 ^{***}	<0.8 ^{3/}
	04:50-04:55 HOUR	47.8 ^{2/}	48.4 ^{***}	<0.8 ^{3/}	47.1 ^{***}	<0.8 ^{3/}
	04:55-05:00 HOUR	48.0 ^{2/}	48.4 ^{***}	<0.8 ^{3/}	47.1 ^{***}	<0.8 ^{3/}
	05:00-05:05 HOUR	58.0 ^{2/}	53.0 ^{***}	59.4 ^{2/}	51.8 ^{***}	7.6
	05:05-05:10 HOUR	58.0 ^{2/}	53.0 ^{***}	59.3 ^{2/}	51.8 ^{***}	7.5
	05:10-05:15 HOUR	58.2 ^{2/}	53.0 ^{***}	59.6 ^{2/}	51.8 ^{***}	7.8
	05:15-05:20 HOUR	48.7 ^{2/}	43.7 ^{***}	50.0 ^{2/}	42.3 ^{***}	7.7
	05:20-05:25 HOUR	47.4 ^{2/}	43.7 ^{***}	48.1 ^{2/}	42.3 ^{***}	5.8
	05:25-05:30 HOUR	47.3 ^{2/}	43.7 ^{***}	47.8 ^{2/}	42.3 ^{***}	5.5
	05:30-05:35 HOUR	46.7 ^{2/}	44.7 ^{***}	45.5 ^{2/}	43.0 ^{***}	2.5
	05:35-05:40 HOUR	47.8 ^{2/}	44.7 ^{***}	47.9 ^{2/}	43.0 ^{***}	4.9
	05:40-05:45 HOUR	46.6 ^{2/}	44.7 ^{***}	45.1 ^{2/}	43.0 ^{***}	2.1
	05:45-05:50 HOUR	47.9 ^{2/}	46.3 ^{***}	45.9 ^{2/}	44.8 ^{***}	1.1
	05:50-05:55 HOUR	47.8 ^{2/}	46.3 ^{***}	45.4 ^{2/}	44.8 ^{***}	<0.8 ^{3/}
	05:55-06:00 HOUR	46.3 ^{2/}	46.3 ^{***}	<0.8 ^{3/}	44.8 ^{***}	<0.8 ^{3/}
	DAY TIME ^{1/}					
	06:00-07:00 HOUR	50.2 ^{1/}	45.2 ^{**}	48.5 ^{1/}	43.7 ^{**}	4.8
OCTOBER 13, 2024	DAY TIME ^{1/}					
T24AY197-0007	07:00-08:00 HOUR	54.1 ^{1/}	50.7 ^{**}	51.4 ^{1/}	49.2 ^{**}	2.2
	08:00-09:00 HOUR	52.3 ^{1/}	49.5 ^{**}	49.1 ^{1/}	48.2 ^{**}	0.9



DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รบกวนบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
OCTOBER 13, 2024	DAY TIME ^{1/}					
T24AY197-0007	09:00-10:00 HOUR	55.1 ^{1/}	52.0 **	52.2 ^{1/}	50.6 **	1.6
	10:00-11:00 HOUR	54.7 ^{1/}	51.8 **	51.6 ^{1/}	50.4 **	1.2
	11:00-12:00 HOUR	56.9 ^{1/}	52.8 **	54.8 ^{1/}	51.7 **	3.1
	12:00-13:00 HOUR	55.1 ^{1/}	49.4 **	53.7 ^{1/}	48.1 **	5.6
	13:00-14:00 HOUR	49.4 ^{1/}	46.1 **	46.7 ^{1/}	44.7 **	2.0
	14:00-15:00 HOUR	50.2 ^{1/}	46.9 **	47.5 ^{1/}	45.6 **	1.9
	15:00-16:00 HOUR	49.4 ^{1/}	46.6 **	46.2 ^{1/}	45.4 **	0.8
	16:00-17:00 HOUR	48.1 ^{1/}	45.6 **	44.5 ^{1/}	44.3 **	<0.8 ^{3/}
	17:00-18:00 HOUR	48.6 ^{1/}	45.2 **	45.9 ^{1/}	44.0 **	1.9
	18:00-19:00 HOUR	48.3 ^{1/}	45.6 **	45.0 ^{1/}	44.3 **	<0.8 ^{3/}
	19:00-20:00 HOUR	48.8 ^{1/}	45.5 **	46.1 ^{1/}	44.4 **	1.7
	20:00-21:00 HOUR	48.8 ^{1/}	46.2 **	45.3 ^{1/}	44.7 **	<0.8 ^{3/}
	21:00-22:00 HOUR	49.4 ^{1/}	46.3 **	46.5 ^{1/}	45.1 **	1.4
	NIGHT TIME ^{2/}					
	22:00-22:05 HOUR	45.4 ^{2/}	42.6 ***	45.2 ^{2/}	41.2 ***	4.0
	22:05-22:10 HOUR	45.2 ^{2/}	42.6 ***	44.8 ^{2/}	41.2 ***	3.6
	22:10-22:15 HOUR	45.1 ^{2/}	42.6 ***	44.6 ^{2/}	41.2 ***	3.4
	22:15-22:20 HOUR	44.7 ^{2/}	43.6 ***	41.3 ^{2/}	42.2 ***	<0.8 ^{3/}
	22:20-22:25 HOUR	45.0 ^{2/}	43.6 ***	42.3 ^{2/}	42.2 ***	<0.8 ^{3/}
	22:25-22:30 HOUR	46.9 ^{2/}	43.6 ***	47.1 ^{2/}	42.2 ***	4.9
	22:30-22:35 HOUR	44.3 ^{2/}	41.5 ***	44.1 ^{2/}	40.1 ***	4.0
	22:35-22:40 HOUR	44.4 ^{2/}	41.5 ***	44.3 ^{2/}	40.1 ***	4.2
	22:40-22:45 HOUR	45.0 ^{2/}	41.5 ***	45.5 ^{2/}	40.1 ***	5.4
	22:45-22:50 HOUR	45.6 ^{2/}	42.9 ***	45.3 ^{2/}	41.3 ***	4.0
	22:50-22:55 HOUR	44.4 ^{2/}	42.9 ***	42.2 ^{2/}	41.3 ***	0.9
	22:55-23:00 HOUR	45.7 ^{2/}	42.9 ***	45.6 ^{2/}	41.3 ***	4.3
	23:00-23:05 HOUR	44.1 ^{2/}	42.3 ***	42.4 ^{2/}	41.0 ***	1.4
	23:05-23:10 HOUR	45.9 ^{2/}	42.3 ***	46.5 ^{2/}	41.0 ***	5.5
	23:10-23:15 HOUR	44.1 ^{2/}	42.3 ***	42.4 ^{2/}	41.0 ***	1.4
	23:15-23:20 HOUR	44.4 ^{2/}	42.9 ***	42.2 ^{2/}	41.4 ***	0.8
	23:20-23:25 HOUR	44.8 ^{2/}	42.9 ***	43.2 ^{2/}	41.4 ***	1.8
	23:25-23:30 HOUR	44.7 ^{2/}	42.9 ***	43.1 ^{2/}	41.4 ***	1.7
	23:30-23:35 HOUR	45.6 ^{2/}	42.9 ***	45.2 ^{2/}	41.6 ***	3.6
	23:35-23:40 HOUR	46.3 ^{2/}	42.9 ***	46.7 ^{2/}	41.6 ***	5.1
	23:40-23:45 HOUR	45.7 ^{2/}	42.9 ***	45.4 ^{2/}	41.6 ***	3.8
	23:45-23:50 HOUR	45.4 ^{2/}	43.2 ***	44.4 ^{2/}	41.6 ***	2.8
	23:50-23:55 HOUR	44.2 ^{2/}	43.2 ***	40.3 ^{2/}	41.6 ***	<0.8 ^{3/}
	23:55-00:00 HOUR	45.2 ^{2/}	43.2 ***	43.9 ^{2/}	41.6 ***	2.3
OCTOBER 14, 2024	NIGHT TIME ^{2/}					
T24AY197-0007	00:00-00:05 HOUR	45.1 ^{2/}	42.0 ***	45.3 ^{2/}	40.7 ***	4.6
	00:05-00:10 HOUR	45.3 ^{2/}	42.0 ***	45.6 ^{2/}	40.7 ***	4.9
	00:10-00:15 HOUR	45.7 ^{2/}	42.0 ***	46.3 ^{2/}	40.7 ***	5.6
	00:15-00:20 HOUR	44.9 ^{2/}	42.4 ***	44.3 ^{2/}	40.9 ***	3.4
	00:20-00:25 HOUR	45.8 ^{2/}	42.4 ***	46.1 ^{2/}	40.9 ***	5.2
	00:25-00:30 HOUR	45.1 ^{2/}	42.4 ***	44.7 ^{2/}	40.9 ***	3.8

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รบกวนบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
OCTOBER 14, 2024	NIGHT TIME ^{2/}					
T24AY197-0007	00:30-00:35 HOUR	46.5 ^{2/}	43.3 ***	46.6 ^{2/}	41.7 ***	4.9
	00:35-00:40 HOUR	46.1 ^{2/}	43.3 ***	45.9 ^{2/}	41.7 ***	4.2
	00:40-00:45 HOUR	45.3 ^{2/}	43.3 ***	44.1 ^{2/}	41.7 ***	2.4
	00:45-00:50 HOUR	46.6 ^{2/}	42.3 ***	47.6 ^{2/}	40.9 ***	6.7
	00:50-00:55 HOUR	44.7 ^{2/}	42.3 ***	44.1 ^{2/}	40.9 ***	3.2
	00:55-01:00 HOUR	45.9 ^{2/}	42.3 ***	46.5 ^{2/}	40.9 ***	5.6
	01:00-01:05 HOUR	45.4 ^{2/}	43.2 ***	44.5 ^{2/}	41.8 ***	2.7
	01:05-01:10 HOUR	45.5 ^{2/}	43.2 ***	44.6 ^{2/}	41.8 ***	2.8
	01:10-01:15 HOUR	47.4 ^{2/}	43.2 ***	48.3 ^{2/}	41.8 ***	6.5
	01:15-01:20 HOUR	46.7 ^{2/}	44.2 ***	46.1 ^{2/}	42.6 ***	3.5
	01:20-01:25 HOUR	46.8 ^{2/}	44.2 ***	46.3 ^{2/}	42.6 ***	3.7
	01:25-01:30 HOUR	45.6 ^{2/}	44.2 ***	43.1 ^{2/}	42.6 ***	<0.8 ^{3/}
	01:30-01:35 HOUR	48.3 ^{2/}	43.5 ***	49.5 ^{2/}	42.2 ***	7.3
	01:35-01:40 HOUR	45.7 ^{2/}	43.5 ***	44.8 ^{2/}	42.2 ***	2.6
	01:40-01:45 HOUR	46.7 ^{2/}	43.5 ***	46.9 ^{2/}	42.2 ***	4.7
	01:45-01:50 HOUR	44.0 ^{2/}	44.0 ***	19.8 ^{2/}	42.6 ***	<0.8 ^{3/}
	01:50-01:55 HOUR	45.3 ^{2/}	44.0 ***	42.6 ^{2/}	42.6 ***	<0.8 ^{3/}
	01:55-02:00 HOUR	45.7 ^{2/}	44.0 ***	43.9 ^{2/}	42.6 ***	1.3
	02:00-02:05 HOUR	45.6 ^{2/}	44.6 ***	41.8 ^{2/}	43.2 ***	<0.8 ^{3/}
	02:05-02:10 HOUR	45.9 ^{2/}	44.6 ***	43.1 ^{2/}	43.2 ***	<0.8 ^{3/}
	02:10-02:15 HOUR	45.6 ^{2/}	44.6 ***	41.8 ^{2/}	43.2 ***	<0.8 ^{3/}
	02:15-02:20 HOUR	45.9 ^{2/}	44.2 ***	44.1 ^{2/}	43.0 ***	1.1
	02:20-02:25 HOUR	47.1 ^{2/}	44.2 ***	46.9 ^{2/}	43.0 ***	3.9
	02:25-02:30 HOUR	45.5 ^{2/}	44.2 ***	42.6 ^{2/}	43.0 ***	<0.8 ^{3/}
	02:30-02:35 HOUR	47.2 ^{2/}	44.9 ***	46.3 ^{2/}	43.6 ***	2.7
	02:35-02:40 HOUR	47.9 ^{2/}	44.9 ***	47.9 ^{2/}	43.6 ***	4.3
	02:40-02:45 HOUR	43.6 ^{2/}	44.9 ***	<0.8 ^{3/}	43.6 ***	<0.8 ^{3/}
	02:45-02:50 HOUR	45.8 ^{2/}	42.4 ***	46.2 ^{2/}	41.1 ***	5.1
	02:50-02:55 HOUR	45.3 ^{2/}	42.4 ***	45.2 ^{2/}	41.1 ***	4.1
	02:55-03:00 HOUR	44.6 ^{2/}	42.4 ***	43.6 ^{2/}	41.1 ***	2.5
	03:00-03:05 HOUR	44.2 ^{2/}	42.1 ***	42.9 ^{2/}	40.8 ***	2.1
	03:05-03:10 HOUR	45.6 ^{2/}	42.1 ***	46.1 ^{2/}	40.8 ***	5.3
	03:10-03:15 HOUR	44.1 ^{2/}	42.1 ***	42.8 ^{2/}	40.8 ***	2.0
	03:15-03:20 HOUR	47.5 ^{2/}	44.1 ***	47.8 ^{2/}	42.8 ***	5.0
	03:20-03:25 HOUR	44.0 ^{2/}	44.1 ***	<0.8 ^{3/}	42.8 ***	<0.8 ^{3/}
	03:25-03:30 HOUR	47.7 ^{2/}	44.1 ***	48.3 ^{2/}	42.8 ***	5.5
	03:30-03:35 HOUR	47.5 ^{2/}	43.5 ***	48.3 ^{2/}	42.3 ***	6.0
	03:35-03:40 HOUR	45.9 ^{2/}	43.5 ***	45.3 ^{2/}	42.3 ***	3.0
	03:40-03:45 HOUR	45.2 ^{2/}	43.5 ***	43.5 ^{2/}	42.3 ***	1.2
	03:45-03:50 HOUR	45.7 ^{2/}	46.1 ***	<0.8 ^{3/}	44.6 ***	<0.8 ^{3/}
	03:50-03:55 HOUR	46.1 ^{2/}	46.1 ***	<0.8 ^{3/}	44.6 ***	<0.8 ^{3/}
	03:55-04:00 HOUR	50.0 ^{2/}	46.1 ***	50.7 ^{2/}	44.6 ***	6.1
	04:00-04:05 HOUR	49.1 ^{2/}	45.6 ***	49.6 ^{2/}	44.0 ***	5.6
	04:05-04:10 HOUR	48.2 ^{2/}	45.6 ***	47.8 ^{2/}	44.0 ***	3.8

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่ออกตรวจบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
OCTOBER 14, 2024	NIGHT TIME ^{2/}					
T24AY197-0007	04:10-04:15 HOUR	48.0 ^{2/}	45.6 ***	47.3 ^{2/}	44.0 ***	3.3
	04:15-04:20 HOUR	46.4 ^{2/}	44.7 ***	44.5 ^{2/}	43.3 ***	1.2
	04:20-04:25 HOUR	47.8 ^{2/}	44.7 ***	47.8 ^{2/}	43.3 ***	4.5
	04:25-04:30 HOUR	47.5 ^{2/}	44.7 ***	47.3 ^{2/}	43.3 ***	4.0
	04:30-04:35 HOUR	46.7 ^{2/}	44.7 ***	45.4 ^{2/}	43.2 ***	2.2
	04:35-04:40 HOUR	47.7 ^{2/}	44.7 ***	47.6 ^{2/}	43.2 ***	4.4
	04:40-04:45 HOUR	46.5 ^{2/}	44.7 ***	44.7 ^{2/}	43.2 ***	1.5
	04:45-04:50 HOUR	46.4 ^{2/}	49.0 ***	<0.8 ^{3/}	47.5 ***	<0.8 ^{3/}
	04:50-04:55 HOUR	49.8 ^{2/}	49.0 ***	45.0 ^{2/}	47.5 ***	<0.8 ^{3/}
	04:55-05:00 HOUR	53.1 ^{2/}	49.0 ***	53.9 ^{2/}	47.5 ***	6.4
	05:00-05:05 HOUR	53.5 ^{2/}	53.0 ***	46.5 ^{2/}	51.7 ***	<0.8 ^{3/}
	05:05-05:10 HOUR	54.6 ^{2/}	53.0 ***	52.3 ^{2/}	51.7 ***	<0.8 ^{3/}
	05:10-05:15 HOUR	55.8 ^{2/}	53.0 ***	55.6 ^{2/}	51.7 ***	3.9
	05:15-05:20 HOUR	45.4 ^{2/}	45.9 ***	<0.8 ^{3/}	44.5 ***	<0.8 ^{3/}
	05:20-05:25 HOUR	45.9 ^{2/}	45.9 ***	26.0 ^{2/}	44.5 ***	<0.8 ^{3/}
	05:25-05:30 HOUR	46.9 ^{2/}	45.9 ***	42.9 ^{2/}	44.5 ***	<0.8 ^{3/}
	05:30-05:35 HOUR	45.6 ^{2/}	44.1 ***	43.3 ^{2/}	42.7 ***	<0.8 ^{3/}
	05:35-05:40 HOUR	47.8 ^{2/}	44.1 ***	48.4 ^{2/}	42.7 ***	5.7
	05:40-05:45 HOUR	46.5 ^{2/}	44.1 ***	45.7 ^{2/}	42.7 ***	3.0
	05:45-05:50 HOUR	47.9 ^{2/}	44.0 ***	48.6 ^{2/}	42.4 ***	6.2
	05:50-05:55 HOUR	47.6 ^{2/}	44.0 ***	48.1 ^{2/}	42.4 ***	5.7
	05:55-06:00 HOUR	46.9 ^{2/}	44.0 ***	46.9 ^{2/}	42.4 ***	4.5
	DAY TIME ^{1/}					
	06:00-07:00 HOUR	48.9 ^{1/}	43.8 **	47.3 ^{1/}	42.6 **	4.7

- REMARK :**
- 1/ CASE 1 CALCULATION (DURING 06:00 TO 22:00 HOUR) : SPECIFIC SOUND LEVEL CONTINUOUSLY OCCUR AT LEAST 1 HOUR, MEASURING AS L_{Aeq} 1 hour.
 - 2/ CASE 4 CALCULATION (DURING 22:00 TO 06:00 HOUR) : SPECIFIC SOUND LEVEL OCCUR IN RESTFUL AREA OR NIGHT TIME, MEASURING AS L_{Aeq} 5 minutes.
 - 3/ THERE IS NO IMPACT CAUSE ANNOYANCE SOUND LEVEL
- ** PERCENTILE LEVEL 90 (L_{A90}) IS THE MIDDLE VALUE OF 11 TIMES MEASURING.
(55 MINUTES MEASURING DURING 06:00 TO 22:00 HOUR)
AND RESIDUAL SOUND LEVEL (L_{Aeq} 5 minutes) IS CHOSEN AT THE SAME TIME AS PERCENTILE LEVEL 90 ABOVE.
- *** PERCENTILE LEVEL 90 (L_{A90}) IS THE MIDDLE VALUE OF 3 TIMES MEASURING.
(15 MINUTES MEASURING DURING 22:00 TO 06:00 HOUR)
AND RESIDUAL SOUND LEVEL (L_{Aeq} 5 minutes) IS CHOSEN AT THE SAME TIME AS PERCENTILE LEVEL 90 ABOVE.

.....
(M.....
LABORATORY SUPERVISOR

ANALYSIS REPORT

PROJECT NAME : โครงการดีเอ็นเค งานรายงานผลการปฏิบัติตามมาตรการป้องกันและแก้ไขผลกระทบสิ่งแวดล้อม ระหว่างดำเนินการก่อสร้าง CLUBHOUSE และ งานปรับเปลี่ยนบันไดวนออกเป็นพื้นที่ห้องอาหาร (ระยะฐานราก)

CUSTOMER NAME : ENERGY COMPLEX COMPANY LIMITED

ADDRESS : 555/1 VIBHAVADI-RANGSIT ROAD CHATUCHAK CHATUCHAK BANGKOK 10900

CONTACT INFORMATION : TEL : 0 2537 1885 e-mail : anupon.d@energycomplex.co.th

MEASURING PLACE : ภายในพื้นที่รอกถนนบริเวณที่ว่างหน้าอาคาร C

MEASURING TYPE : AMBIENT (ANNOYANCE NOISE)

MEASURING DATE : OCTOBER 14-18, 2024

MEASURING TIME : *

MEASURING EQUIPMENT : INTEGRATED SOUND LEVEL METER AND CALCULATION

MEASURED BY : MR DANUPORN KONGSRI

RECEIVED DATE : OCTOBER 14-18, 2024

ANALYTICAL DATE : OCTOBER 14-18, 2024

ISSUE DATE : OCTOBER 24, 2024

REPORT NO. : 2024-U099191

WORK NO. : 2024-006278

ANALYSIS NO. : T24AY773-0001 - T24AY773-0004

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รอกถนนบริเวณที่ว่างหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
OCTOBER 14, 2024	DAY TIME ^{1/}					
T24AY773-0001	07:00-08:00 HOUR	54.5 ^{1/}	49.4 **	52.9 ^{1/}	48.0 **	4.9
	08:00-09:00 HOUR	56.7 ^{1/}	51.1 **	55.3 ^{1/}	49.9 **	5.4
	09:00-10:00 HOUR	53.4 ^{1/}	49.1 **	51.4 ^{1/}	47.8 **	3.6
	10:00-11:00 HOUR	50.6 ^{1/}	46.3 **	48.6 ^{1/}	45.0 **	3.6
	11:00-12:00 HOUR	51.1 ^{1/}	46.4 **	49.3 ^{1/}	45.0 **	4.3
	12:00-13:00 HOUR	50.8 ^{1/}	45.9 **	49.1 ^{1/}	44.6 **	4.5
	13:00-14:00 HOUR	55.0 ^{1/}	47.8 **	54.1 ^{1/}	46.5 **	7.6
	14:00-15:00 HOUR	53.0 ^{1/}	46.9 **	51.8 ^{1/}	45.5 **	6.3
	15:00-16:00 HOUR	50.4 ^{1/}	46.7 **	48.0 ^{1/}	45.2 **	2.8
	16:00-17:00 HOUR	48.7 ^{1/}	44.4 **	46.7 ^{1/}	43.2 **	3.5
	17:00-18:00 HOUR	48.0 ^{1/}	43.6 **	46.0 ^{1/}	42.2 **	3.8
	18:00-19:00 HOUR	47.7 ^{1/}	43.1 **	45.9 ^{1/}	41.9 **	4.0
	19:00-20:00 HOUR	47.4 ^{1/}	43.7 **	45.0 ^{1/}	42.4 **	2.6
	20:00-21:00 HOUR	46.3 ^{1/}	42.0 **	44.3 ^{1/}	40.6 **	3.7
	21:00-22:00 HOUR	47.5 ^{1/}	43.6 **	45.2 ^{1/}	42.0 **	3.2
	NIGHT TIME ^{2/}					
	22:00-22:05 HOUR	45.7 ^{2/}	42.8 ***	45.5 ^{2/}	41.3 ***	4.2
	22:05-22:10 HOUR	44.0 ^{2/}	42.8 ***	40.9 ^{2/}	41.3 ***	<0.8 ^{3/}
	22:10-22:15 HOUR	46.0 ^{2/}	42.8 ***	46.1 ^{2/}	41.3 ***	4.8
	22:15-22:20 HOUR	46.1 ^{2/}	42.1 ***	47.0 ^{2/}	40.7 ***	6.3
	22:20-22:25 HOUR	45.6 ^{2/}	42.1 ***	45.9 ^{2/}	40.7 ***	5.2
	22:25-22:30 HOUR	45.9 ^{2/}	42.1 ***	46.5 ^{2/}	40.7 ***	5.8
	22:30-22:35 HOUR	45.0 ^{2/}	41.1 ***	45.7 ^{2/}	39.8 ***	5.9
	22:35-22:40 HOUR	45.6 ^{2/}	41.1 ***	46.7 ^{2/}	39.8 ***	6.9
	22:40-22:45 HOUR	45.3 ^{2/}	41.1 ***	46.3 ^{2/}	39.8 ***	6.5
	22:45-22:50 HOUR	44.9 ^{2/}	43.7 ***	41.9 ^{2/}	42.3 ***	<0.8 ^{3/}
	22:50-22:55 HOUR	46.0 ^{2/}	43.7 ***	45.2 ^{2/}	42.3 ***	2.9
	22:55-23:00 HOUR	44.1 ^{2/}	43.7 ***	37.0 ^{2/}	42.3 ***	<0.8 ^{3/}
	23:00-23:05 HOUR	46.4 ^{2/}	44.4 ***	45.0 ^{2/}	43.1 ***	1.9
	23:05-23:10 HOUR	49.0 ^{2/}	44.4 ***	50.2 ^{2/}	43.1 ***	7.1



DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รบกวนบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
OCTOBER 14, 2024	NIGHT TIME ^{2/}					
T24AY773-0001	23:10-23:15 HOUR	49.0 ^{2/}	44.4 ***	50.2 ^{2/}	43.1 ***	7.1
	23:15-23:20 HOUR	50.6 ^{2/}	46.2 ***	51.7 ^{2/}	44.9 ***	6.8
	23:20-23:25 HOUR	50.5 ^{2/}	46.2 ***	51.6 ^{2/}	44.9 ***	6.7
	23:25-23:30 HOUR	49.9 ^{2/}	46.2 ***	50.5 ^{2/}	44.9 ***	5.6
	23:30-23:35 HOUR	49.9 ^{2/}	46.0 ***	50.6 ^{2/}	44.7 ***	5.9
	23:35-23:40 HOUR	49.1 ^{2/}	46.0 ***	49.2 ^{2/}	44.7 ***	4.5
	23:40-23:45 HOUR	48.9 ^{2/}	46.0 ***	48.8 ^{2/}	44.7 ***	4.1
	23:45-23:50 HOUR	48.7 ^{2/}	46.0 ***	48.4 ^{2/}	44.7 ***	3.7
	23:50-23:55 HOUR	49.1 ^{2/}	46.0 ***	49.3 ^{2/}	44.7 ***	4.6
	23:55-00:00 HOUR	48.9 ^{2/}	46.0 ***	48.8 ^{2/}	44.7 ***	4.1
OCTOBER 15, 2024	NIGHT TIME ^{2/}					
T24AY773-0001	00:00-00:05 HOUR	50.6 ^{2/}	46.1 ***	51.7 ^{2/}	44.7 ***	7.0
	00:05-00:10 HOUR	50.2 ^{2/}	46.1 ***	51.0 ^{2/}	44.7 ***	6.3
	00:10-00:15 HOUR	50.2 ^{2/}	46.1 ***	51.1 ^{2/}	44.7 ***	6.4
	00:15-00:20 HOUR	50.1 ^{2/}	47.7 ***	49.4 ^{2/}	46.2 ***	3.2
	00:20-00:25 HOUR	50.6 ^{2/}	47.7 ***	50.6 ^{2/}	46.2 ***	4.4
	00:25-00:30 HOUR	49.6 ^{2/}	47.7 ***	48.1 ^{2/}	46.2 ***	1.9
	00:30-00:35 HOUR	51.9 ^{2/}	48.2 ***	52.5 ^{2/}	46.8 ***	5.7
	00:35-00:40 HOUR	46.6 ^{2/}	48.2 ***	<0.8 ^{3/}	46.8 ***	<0.8 ^{3/}
	00:40-00:45 HOUR	46.7 ^{2/}	48.2 ***	<0.8 ^{3/}	46.8 ***	<0.8 ^{3/}
	00:45-00:50 HOUR	46.6 ^{2/}	53.9 ***	<0.8 ^{3/}	52.5 ***	<0.8 ^{3/}
	00:50-00:55 HOUR	58.3 ^{2/}	53.9 ***	59.3 ^{2/}	52.5 ***	6.8
	00:55-01:00 HOUR	54.9 ^{2/}	53.9 ***	50.8 ^{2/}	52.5 ***	<0.8 ^{3/}
	01:00-01:05 HOUR	53.9 ^{2/}	54.0 ***	<0.8 ^{3/}	52.4 ***	<0.8 ^{3/}
	01:05-01:10 HOUR	53.3 ^{2/}	54.0 ***	<0.8 ^{3/}	52.4 ***	<0.8 ^{3/}
	01:10-01:15 HOUR	54.1 ^{2/}	54.0 ***	41.6 ^{2/}	52.4 ***	<0.8 ^{3/}
	01:15-01:20 HOUR	49.0 ^{2/}	44.5 ***	50.2 ^{2/}	43.1 ***	7.1
	01:20-01:25 HOUR	48.5 ^{2/}	44.5 ***	49.3 ^{2/}	43.1 ***	6.2
	01:25-01:30 HOUR	49.2 ^{2/}	44.5 ***	50.5 ^{2/}	43.1 ***	7.4
	01:30-01:35 HOUR	49.1 ^{2/}	45.4 ***	49.6 ^{2/}	44.1 ***	5.5
	01:35-01:40 HOUR	48.6 ^{2/}	45.4 ***	48.8 ^{2/}	44.1 ***	4.7
	01:40-01:45 HOUR	48.4 ^{2/}	45.4 ***	48.4 ^{2/}	44.1 ***	4.3
	01:45-01:50 HOUR	48.4 ^{2/}	46.5 ***	46.9 ^{2/}	45.3 ***	1.6
	01:50-01:55 HOUR	51.3 ^{2/}	46.5 ***	52.6 ^{2/}	45.3 ***	7.3
	01:55-02:00 HOUR	50.3 ^{2/}	46.5 ***	51.0 ^{2/}	45.3 ***	5.7
	02:00-02:05 HOUR	50.3 ^{2/}	47.1 ***	50.4 ^{2/}	45.6 ***	4.8
	02:05-02:10 HOUR	48.6 ^{2/}	47.1 ***	46.2 ^{2/}	45.6 ***	<0.8 ^{3/}
	02:10-02:15 HOUR	49.5 ^{2/}	47.1 ***	48.7 ^{2/}	45.6 ***	3.1
	02:15-02:20 HOUR	51.6 ^{2/}	47.1 ***	52.7 ^{2/}	45.7 ***	7.0
	02:20-02:25 HOUR	49.8 ^{2/}	47.1 ***	49.4 ^{2/}	45.7 ***	3.7
	02:25-02:30 HOUR	49.9 ^{2/}	47.1 ***	49.7 ^{2/}	45.7 ***	4.0
	02:30-02:35 HOUR	49.1 ^{2/}	45.6 ***	49.5 ^{2/}	44.3 ***	5.2
	02:35-02:40 HOUR	49.1 ^{2/}	45.6 ***	49.5 ^{2/}	44.3 ***	5.2
	02:40-02:45 HOUR	48.4 ^{2/}	45.6 ***	48.2 ^{2/}	44.3 ***	3.9

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รบกวนบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
OCTOBER 15, 2024	NIGHT TIME ^{2/}					
T24AY773-0001	02:45-02:50 HOUR	48.6 ^{2/}	44.5 ***	49.5 ^{2/}	43.0 ***	6.5
	02:50-02:55 HOUR	48.9 ^{2/}	44.5 ***	49.9 ^{2/}	43.0 ***	6.9
	02:55-03:00 HOUR	49.6 ^{2/}	44.5 ***	51.0 ^{2/}	43.0 ***	8.0
	03:00-03:05 HOUR	48.2 ^{2/}	47.0 ***	45.1 ^{2/}	45.7 ***	<0.8 ^{3/}
	03:05-03:10 HOUR	48.9 ^{2/}	47.0 ***	47.3 ^{2/}	45.7 ***	1.6
	03:10-03:15 HOUR	48.1 ^{2/}	47.0 ***	44.6 ^{2/}	45.7 ***	<0.8 ^{3/}
	03:15-03:20 HOUR	51.1 ^{2/}	51.5 ***	<0.8 ^{3/}	50.2 ***	<0.8 ^{3/}
	03:20-03:25 HOUR	56.3 ^{2/}	51.5 ***	57.5 ^{2/}	50.2 ***	7.3
	03:25-03:30 HOUR	50.1 ^{2/}	51.5 ***	<0.8 ^{3/}	50.2 ***	<0.8 ^{3/}
	03:30-03:35 HOUR	49.5 ^{2/}	50.0 ***	<0.8 ^{3/}	48.7 ***	<0.8 ^{3/}
	03:35-03:40 HOUR	54.9 ^{2/}	50.0 ***	56.1 ^{2/}	48.7 ***	7.4
	03:40-03:45 HOUR	49.5 ^{2/}	50.0 ***	<0.8 ^{3/}	48.7 ***	<0.8 ^{3/}
	03:45-03:50 HOUR	48.8 ^{2/}	46.2 ***	48.4 ^{2/}	44.9 ***	3.5
	03:50-03:55 HOUR	49.2 ^{2/}	46.2 ***	49.1 ^{2/}	44.9 ***	4.2
	03:55-04:00 HOUR	51.0 ^{2/}	46.2 ***	52.3 ^{2/}	44.9 ***	7.4
	04:00-04:05 HOUR	50.0 ^{2/}	45.0 ***	51.3 ^{2/}	43.7 ***	7.6
	04:05-04:10 HOUR	50.1 ^{2/}	45.0 ***	51.5 ^{2/}	43.7 ***	7.8
	04:10-04:15 HOUR	50.0 ^{2/}	45.0 ***	51.4 ^{2/}	43.7 ***	7.7
	04:15-04:20 HOUR	48.7 ^{2/}	47.3 ***	46.2 ^{2/}	45.8 ***	<0.8 ^{3/}
	04:20-04:25 HOUR	51.0 ^{2/}	47.3 ***	51.6 ^{2/}	45.8 ***	5.8
	04:25-04:30 HOUR	49.9 ^{2/}	47.3 ***	49.4 ^{2/}	45.8 ***	3.6
	04:30-04:35 HOUR	49.6 ^{2/}	46.4 ***	49.8 ^{2/}	45.0 ***	4.8
	04:35-04:40 HOUR	48.8 ^{2/}	46.4 ***	48.1 ^{2/}	45.0 ***	3.1
	04:40-04:45 HOUR	47.3 ^{2/}	46.4 ***	43.2 ^{2/}	45.0 ***	<0.8 ^{3/}
	04:45-04:50 HOUR	46.9 ^{2/}	44.8 ***	45.8 ^{2/}	43.4 ***	2.4
	04:50-04:55 HOUR	49.6 ^{2/}	44.8 ***	50.9 ^{2/}	43.4 ***	7.5
	04:55-05:00 HOUR	48.1 ^{2/}	44.8 ***	48.3 ^{2/}	43.4 ***	4.9
	05:00-05:05 HOUR	48.7 ^{2/}	45.1 ***	49.3 ^{2/}	43.7 ***	5.6
	05:05-05:10 HOUR	48.1 ^{2/}	45.1 ***	48.1 ^{2/}	43.7 ***	4.4
	05:10-05:15 HOUR	48.7 ^{2/}	45.1 ***	49.1 ^{2/}	43.7 ***	5.4
	05:15-05:20 HOUR	48.8 ^{2/}	44.3 ***	49.9 ^{2/}	43.0 ***	6.9
	05:20-05:25 HOUR	48.5 ^{2/}	44.3 ***	49.5 ^{2/}	43.0 ***	6.5
	05:25-05:30 HOUR	47.6 ^{2/}	44.3 ***	47.9 ^{2/}	43.0 ***	4.9
	05:30-05:35 HOUR	47.6 ^{2/}	44.3 ***	47.9 ^{2/}	43.1 ***	4.8
	05:35-05:40 HOUR	48.4 ^{2/}	44.3 ***	49.2 ^{2/}	43.1 ***	6.1
	05:40-05:45 HOUR	46.4 ^{2/}	44.3 ***	45.3 ^{2/}	43.1 ***	2.2
	05:45-05:50 HOUR	48.3 ^{2/}	49.1 ***	<0.8 ^{3/}	47.7 ***	<0.8 ^{3/}
	05:50-05:55 HOUR	48.6 ^{2/}	49.1 ***	<0.8 ^{3/}	47.7 ***	<0.8 ^{3/}
	05:55-06:00 HOUR	49.9 ^{2/}	49.1 ***	45.1 ^{2/}	47.7 ***	<0.8 ^{3/}
	DAY TIME ^{1/}					
	06:00-07:00 HOUR	53.1 ^{1/}	47.1 **	51.8 ^{1/}	45.8 **	6.0
OCTOBER 15, 2024	DAY TIME ^{1/}					
T24AY773-0002	07:00-08:00 HOUR	50.0 ^{1/}	47.3 **	46.7 ^{1/}	45.7 **	1.0
	08:00-09:00 HOUR	50.2 ^{1/}	47.2 **	47.2 ^{1/}	45.6 **	1.6
	09:00-10:00 HOUR	53.4 ^{1/}	49.2 **	51.3 ^{1/}	47.9 **	3.4

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รบกวนบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
OCTOBER 15, 2024	DAY TIME ^{1/}					
T24AY773-0002	10:00-11:00 HOUR	60.0 ^{1/}	56.8 **	57.2 ^{1/}	55.3 **	1.9
	11:00-12:00 HOUR	59.5 ^{1/}	53.0 **	58.4 ^{1/}	51.3 **	7.1
	12:00-13:00 HOUR	50.8 ^{1/}	47.9 **	47.7 ^{1/}	46.3 **	1.4
	13:00-14:00 HOUR	50.6 ^{1/}	47.3 **	47.9 ^{1/}	46.0 **	1.9
	14:00-15:00 HOUR	50.3 ^{1/}	47.6 **	47.0 ^{1/}	46.3 **	<0.8 ^{3/}
	15:00-16:00 HOUR	49.9 ^{1/}	47.3 **	46.4 ^{1/}	45.8 **	<0.8 ^{3/}
	16:00-17:00 HOUR	48.5 ^{1/}	46.0 **	44.9 ^{1/}	44.6 **	<0.8 ^{3/}
	17:00-18:00 HOUR	44.5 ^{1/}	41.5 **	41.5 ^{1/}	40.2 **	1.3
	18:00-19:00 HOUR	44.0 ^{1/}	40.8 **	41.2 ^{1/}	39.6 **	1.6
	19:00-20:00 HOUR	42.9 ^{1/}	40.1 **	39.7 ^{1/}	38.4 **	1.3
	20:00-21:00 HOUR	43.2 ^{1/}	40.2 **	40.2 ^{1/}	38.8 **	1.4
	21:00-22:00 HOUR	42.2 ^{1/}	39.6 **	38.7 ^{1/}	38.0 **	<0.8 ^{3/}
	NIGHT TIME ^{2/}					
	22:00-22:05 HOUR	44.0 ^{2/}	44.5 ***	<0.8 ^{3/}	43.0 ***	<0.8 ^{3/}
	22:05-22:10 HOUR	46.6 ^{2/}	44.5 ***	45.5 ^{2/}	43.0 ***	2.5
	22:10-22:15 HOUR	47.9 ^{2/}	44.5 ***	48.2 ^{2/}	43.0 ***	5.2
	22:15-22:20 HOUR	47.2 ^{2/}	45.2 ***	46.0 ^{2/}	43.9 ***	2.1
	22:20-22:25 HOUR	48.5 ^{2/}	45.2 ***	48.8 ^{2/}	43.9 ***	4.9
	22:25-22:30 HOUR	48.6 ^{2/}	45.2 ***	48.9 ^{2/}	43.9 ***	5.0
	22:30-22:35 HOUR	48.5 ^{2/}	44.3 ***	49.5 ^{2/}	42.9 ***	6.6
	22:35-22:40 HOUR	48.0 ^{2/}	44.3 ***	48.6 ^{2/}	42.9 ***	5.7
	22:40-22:45 HOUR	47.6 ^{2/}	44.3 ***	47.8 ^{2/}	42.9 ***	4.9
	22:45-22:50 HOUR	47.2 ^{2/}	44.6 ***	46.8 ^{2/}	43.2 ***	3.6
	22:50-22:55 HOUR	47.5 ^{2/}	44.6 ***	47.5 ^{2/}	43.2 ***	4.3
	22:55-23:00 HOUR	47.0 ^{2/}	44.6 ***	46.2 ^{2/}	43.2 ***	3.0
	23:00-23:05 HOUR	47.0 ^{2/}	44.3 ***	46.7 ^{2/}	43.0 ***	3.7
	23:05-23:10 HOUR	47.7 ^{2/}	44.3 ***	48.0 ^{2/}	43.0 ***	5.0
	23:10-23:15 HOUR	46.3 ^{2/}	44.3 ***	44.8 ^{2/}	43.0 ***	1.8
	23:15-23:20 HOUR	39.5 ^{2/}	38.0 ***	37.0 ^{2/}	36.5 ***	<0.8 ^{3/}
	23:20-23:25 HOUR	40.1 ^{2/}	38.0 ***	38.9 ^{2/}	36.5 ***	2.4
	23:25-23:30 HOUR	39.9 ^{2/}	38.0 ***	38.4 ^{2/}	36.5 ***	1.9
	23:30-23:35 HOUR	40.3 ^{2/}	38.6 ***	38.3 ^{2/}	37.2 ***	1.1
	23:35-23:40 HOUR	41.8 ^{2/}	38.6 ***	42.0 ^{2/}	37.2 ***	4.8
	23:40-23:45 HOUR	41.9 ^{2/}	38.6 ***	42.1 ^{2/}	37.2 ***	4.9
	23:45-23:50 HOUR	41.4 ^{2/}	39.3 ***	40.1 ^{2/}	37.8 ***	2.3
	23:50-23:55 HOUR	41.3 ^{2/}	39.3 ***	39.9 ^{2/}	37.8 ***	2.1
	23:55-00:00 HOUR	40.9 ^{2/}	39.3 ***	38.8 ^{2/}	37.8 ***	1.0
OCTOBER 16, 2024	NIGHT TIME ^{2/}					
T24AY773-0002	00:00-00:05 HOUR	41.8 ^{2/}	38.2 ***	42.3 ^{2/}	36.9 ***	5.4
	00:05-00:10 HOUR	42.0 ^{2/}	38.2 ***	42.7 ^{2/}	36.9 ***	5.8
	00:10-00:15 HOUR	41.3 ^{2/}	38.2 ***	41.4 ^{2/}	36.9 ***	4.5
	00:15-00:20 HOUR	40.3 ^{2/}	38.4 ***	38.7 ^{2/}	36.9 ***	1.8
	00:20-00:25 HOUR	40.4 ^{2/}	38.4 ***	39.2 ^{2/}	36.9 ***	2.3
	00:25-00:30 HOUR	40.6 ^{2/}	38.4 ***	39.7 ^{2/}	36.9 ***	2.8
	00:30-00:35 HOUR	40.1 ^{2/}	38.0 ***	38.9 ^{2/}	36.6 ***	2.3

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รบกวนบริเวณที่วางหน่วยอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
OCTOBER 16, 2024	NIGHT TIME ^{2/}					
T24AY773-0002	00:35-00:40 HOUR	41.1 ^{2/}	38.0 ***	41.2 ^{2/}	36.6 ***	4.6
	00:40-00:45 HOUR	40.1 ^{2/}	38.0 ***	38.9 ^{2/}	36.6 ***	2.3
	00:45-00:50 HOUR	40.3 ^{2/}	39.0 ***	37.6 ^{2/}	37.4 ***	<0.8 ^{3/}
	00:50-00:55 HOUR	40.4 ^{2/}	39.0 ***	37.9 ^{2/}	37.4 ***	<0.8 ^{3/}
	00:55-01:00 HOUR	40.2 ^{2/}	39.0 ***	37.2 ^{2/}	37.4 ***	<0.8 ^{3/}
	01:00-01:05 HOUR	40.4 ^{2/}	42.0 ***	<0.8 ^{3/}	40.7 ***	<0.8 ^{3/}
	01:05-01:10 HOUR	45.3 ^{2/}	42.0 ***	45.6 ^{2/}	40.7 ***	4.9
	01:10-01:15 HOUR	45.0 ^{2/}	42.0 ***	45.1 ^{2/}	40.7 ***	4.4
	01:15-01:20 HOUR	42.4 ^{2/}	41.7 ***	37.3 ^{2/}	40.4 ***	<0.8 ^{3/}
	01:20-01:25 HOUR	42.0 ^{2/}	41.7 ***	32.5 ^{2/}	40.4 ***	<0.8 ^{3/}
	01:25-01:30 HOUR	44.9 ^{2/}	41.7 ***	45.1 ^{2/}	40.4 ***	4.7
	01:30-01:35 HOUR	47.2 ^{2/}	43.7 ***	47.5 ^{2/}	42.7 ***	4.8
	01:35-01:40 HOUR	46.2 ^{2/}	43.7 ***	45.7 ^{2/}	42.7 ***	3.0
	01:40-01:45 HOUR	46.6 ^{2/}	43.7 ***	46.5 ^{2/}	42.7 ***	3.8
	01:45-01:50 HOUR	47.2 ^{2/}	46.6 ***	41.5 ^{2/}	45.3 ***	<0.8 ^{3/}
	01:50-01:55 HOUR	46.4 ^{2/}	46.6 ***	<0.8 ^{3/}	45.3 ***	<0.8 ^{3/}
	01:55-02:00 HOUR	50.7 ^{2/}	46.6 ***	51.6 ^{2/}	45.3 ***	6.3
	02:00-02:05 HOUR	48.1 ^{2/}	44.0 ***	49.0 ^{2/}	42.7 ***	6.3
	02:05-02:10 HOUR	46.4 ^{2/}	44.0 ***	45.8 ^{2/}	42.7 ***	3.1
	02:10-02:15 HOUR	47.8 ^{2/}	44.0 ***	48.4 ^{2/}	42.7 ***	5.7
	02:15-02:20 HOUR	46.5 ^{2/}	47.2 ***	<0.8 ^{3/}	45.8 ***	<0.8 ^{3/}
	02:20-02:25 HOUR	46.3 ^{2/}	47.2 ***	<0.8 ^{3/}	45.8 ***	<0.8 ^{3/}
	02:25-02:30 HOUR	45.0 ^{2/}	47.2 ***	<0.8 ^{3/}	45.8 ***	<0.8 ^{3/}
	02:30-02:35 HOUR	47.6 ^{2/}	45.2 ***	46.8 ^{2/}	44.0 ***	2.8
	02:35-02:40 HOUR	47.1 ^{2/}	45.2 ***	45.6 ^{2/}	44.0 ***	1.6
	02:40-02:45 HOUR	49.6 ^{2/}	45.2 ***	50.7 ^{2/}	44.0 ***	6.7
	02:45-02:50 HOUR	46.7 ^{2/}	44.5 ***	45.6 ^{2/}	43.2 ***	2.4
	02:50-02:55 HOUR	47.6 ^{2/}	44.5 ***	47.7 ^{2/}	43.2 ***	4.5
	02:55-03:00 HOUR	46.4 ^{2/}	44.5 ***	44.9 ^{2/}	43.2 ***	1.7
	03:00-03:05 HOUR	47.4 ^{2/}	48.3 ***	<0.8 ^{3/}	46.8 ***	<0.8 ^{3/}
	03:05-03:10 HOUR	47.5 ^{2/}	48.3 ***	<0.8 ^{3/}	46.8 ***	<0.8 ^{3/}
	03:10-03:15 HOUR	47.2 ^{2/}	48.3 ***	<0.8 ^{3/}	46.8 ***	<0.8 ^{3/}
	03:15-03:20 HOUR	49.4 ^{2/}	46.5 ***	49.3 ^{2/}	45.0 ***	4.3
	03:20-03:25 HOUR	49.6 ^{2/}	46.5 ***	49.7 ^{2/}	45.0 ***	4.7
	03:25-03:30 HOUR	51.2 ^{2/}	46.5 ***	52.4 ^{2/}	45.0 ***	7.4
	03:30-03:35 HOUR	47.2 ^{2/}	47.1 ***	31.9 ^{2/}	46.0 ***	<0.8 ^{3/}
	03:35-03:40 HOUR	46.5 ^{2/}	47.1 ***	<0.8 ^{3/}	46.0 ***	<0.8 ^{3/}
	03:40-03:45 HOUR	47.7 ^{2/}	47.1 ***	41.8 ^{2/}	46.0 ***	<0.8 ^{3/}
	03:45-03:50 HOUR	47.7 ^{2/}	46.6 ***	44.0 ^{2/}	45.4 ***	<0.8 ^{3/}
	03:50-03:55 HOUR	48.5 ^{2/}	46.6 ***	47.1 ^{2/}	45.4 ***	1.7
	03:55-04:00 HOUR	51.5 ^{2/}	46.6 ***	52.8 ^{2/}	45.4 ***	7.4
	04:00-04:05 HOUR	46.5 ^{2/}	46.4 ***	32.7 ^{2/}	45.0 ***	<0.8 ^{3/}
	04:05-04:10 HOUR	48.8 ^{2/}	46.4 ***	48.1 ^{2/}	45.0 ***	3.1
	04:10-04:15 HOUR	47.1 ^{2/}	46.4 ***	41.6 ^{2/}	45.0 ***	<0.8 ^{3/}

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รบกวนบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
OCTOBER 16, 2024 T24AY773-0002	NIGHT TIME ^{2/}					
	04:15-04:20 HOUR	50.0 ^{2/}	46.1 ***	50.7 ^{2/}	44.8 ***	5.9
	04:20-04:25 HOUR	49.3 ^{2/}	46.1 ***	49.5 ^{2/}	44.8 ***	4.7
	04:25-04:30 HOUR	47.4 ^{2/}	46.1 ***	44.5 ^{2/}	44.8 ***	<0.8 ^{3/}
	04:30-04:35 HOUR	50.5 ^{2/}	48.2 ***	49.6 ^{2/}	46.7 ***	2.9
	04:35-04:40 HOUR	50.6 ^{2/}	48.2 ***	49.9 ^{2/}	46.7 ***	3.2
	04:40-04:45 HOUR	50.4 ^{2/}	48.2 ***	49.4 ^{2/}	46.7 ***	2.7
	04:45-04:50 HOUR	51.2 ^{2/}	55.0 ***	<0.8 ^{3/}	53.5 ***	<0.8 ^{3/}
	04:50-04:55 HOUR	56.6 ^{2/}	55.0 ***	54.5 ^{2/}	53.5 ***	1.0
	04:55-05:00 HOUR	54.3 ^{2/}	55.0 ***	<0.8 ^{3/}	53.5 ***	<0.8 ^{3/}
	05:00-05:05 HOUR	47.8 ^{2/}	51.3 ***	<0.8 ^{3/}	49.9 ***	<0.8 ^{3/}
	05:05-05:10 HOUR	47.0 ^{2/}	51.3 ***	<0.8 ^{3/}	49.9 ***	<0.8 ^{3/}
	05:10-05:15 HOUR	52.6 ^{2/}	51.3 ***	49.6 ^{2/}	49.9 ***	<0.8 ^{3/}
	05:15-05:20 HOUR	55.1 ^{2/}	52.4 ***	54.7 ^{2/}	51.3 ***	3.4
	05:20-05:25 HOUR	57.0 ^{2/}	52.4 ***	58.2 ^{2/}	51.3 ***	6.9
	05:25-05:30 HOUR	55.6 ^{2/}	52.4 ***	55.7 ^{2/}	51.3 ***	4.4
	05:30-05:35 HOUR	46.8 ^{2/}	46.7 ***	31.3 ^{2/}	45.2 ***	<0.8 ^{3/}
	05:35-05:40 HOUR	49.5 ^{2/}	46.7 ***	49.2 ^{2/}	45.2 ***	4.0
	05:40-05:45 HOUR	49.0 ^{2/}	46.7 ***	48.0 ^{2/}	45.2 ***	2.8
	05:45-05:50 HOUR	48.2 ^{2/}	47.2 ***	44.4 ^{2/}	45.9 ***	<0.8 ^{3/}
	05:50-05:55 HOUR	48.7 ^{2/}	47.2 ***	46.2 ^{2/}	45.9 ***	<0.8 ^{3/}
	05:55-06:00 HOUR	49.5 ^{2/}	47.2 ***	48.6 ^{2/}	45.9 ***	2.7
	DAY TIME ^{1/}					
	06:00-07:00 HOUR	52.2 ^{1/}	47.5 **	50.4 ^{1/}	46.0 **	4.4
OCTOBER 16, 2024 T24AY773-0003	DAY TIME ^{1/}					
	07:00-08:00 HOUR	58.6 ^{1/}	56.1 **	55.0 ^{1/}	54.7 **	<0.8 ^{3/}
	08:00-09:00 HOUR	50.7 ^{1/}	47.2 **	48.1 ^{1/}	45.8 **	2.3
	09:00-10:00 HOUR	53.3 ^{1/}	48.3 **	51.6 ^{1/}	46.9 **	4.7
	10:00-11:00 HOUR	50.0 ^{1/}	47.4 **	46.5 ^{1/}	45.8 **	<0.8 ^{3/}
	11:00-12:00 HOUR	50.5 ^{1/}	45.9 **	48.7 ^{1/}	44.7 **	4.0
	12:00-13:00 HOUR	49.8 ^{1/}	47.1 **	46.5 ^{1/}	45.7 **	0.8
	13:00-14:00 HOUR	54.0 ^{1/}	48.6 **	52.5 ^{1/}	47.2 **	5.3
	14:00-15:00 HOUR	56.1 ^{1/}	52.5 **	53.6 ^{1/}	51.1 **	2.5
	15:00-16:00 HOUR	54.4 ^{1/}	50.8 **	51.9 ^{1/}	49.5 **	2.4
	16:00-17:00 HOUR	49.2 ^{1/}	46.8 **	45.5 ^{1/}	45.2 **	<0.8 ^{3/}
	17:00-18:00 HOUR	47.8 ^{1/}	44.9 **	44.7 ^{1/}	43.7 **	1.0
	18:00-19:00 HOUR	46.8 ^{1/}	44.8 **	42.5 ^{1/}	43.3 **	<0.8 ^{3/}
	19:00-20:00 HOUR	47.6 ^{1/}	44.7 **	44.5 ^{1/}	43.3 **	1.2
	20:00-21:00 HOUR	49.8 ^{1/}	46.9 **	46.7 ^{1/}	45.6 **	1.1
	21:00-22:00 HOUR	46.8 ^{1/}	42.2 **	45.0 ^{1/}	40.9 **	4.1
	NIGHT TIME ^{2/}					
	22:00-22:05 HOUR	43.5 ^{2/}	42.9 ***	37.3 ^{2/}	41.5 ***	<0.8 ^{3/}
	22:05-22:10 HOUR	46.4 ^{2/}	42.9 ***	46.9 ^{2/}	41.5 ***	5.4
	22:10-22:15 HOUR	46.8 ^{2/}	42.9 ***	47.5 ^{2/}	41.5 ***	6.0
	22:15-22:20 HOUR	45.8 ^{2/}	44.1 ***	43.8 ^{2/}	43.0 ***	0.8
	22:20-22:25 HOUR	47.0 ^{2/}	44.1 ***	46.9 ^{2/}	43.0 ***	3.9

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รบกวนบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
OCTOBER 16, 2024	NIGHT TIME ^{2/}					
T24AY773-0003	22:25-22:30 HOUR	46.5 ^{2/}	44.1 ***	45.7 ^{2/}	43.0 ***	2.7
	22:30-22:35 HOUR	46.3 ^{2/}	43.2 ***	46.3 ^{2/}	41.8 ***	4.5
	22:35-22:40 HOUR	47.1 ^{2/}	43.2 ***	47.8 ^{2/}	41.8 ***	6.0
	22:40-22:45 HOUR	47.2 ^{2/}	43.2 ***	48.0 ^{2/}	41.8 ***	6.2
	22:45-22:50 HOUR	43.2 ^{2/}	40.4 ***	42.9 ^{2/}	39.3 ***	3.6
	22:50-22:55 HOUR	44.8 ^{2/}	40.4 ***	45.8 ^{2/}	39.3 ***	6.5
	22:55-23:00 HOUR	44.1 ^{2/}	40.4 ***	44.6 ^{2/}	39.3 ***	5.3
	23:00-23:05 HOUR	43.3 ^{2/}	40.1 ***	43.4 ^{2/}	38.6 ***	4.8
	23:05-23:10 HOUR	40.6 ^{2/}	40.1 ***	34.3 ^{2/}	38.6 ***	<0.8 ^{3/}
	23:10-23:15 HOUR	40.9 ^{2/}	40.1 ***	36.2 ^{2/}	38.6 ***	<0.8 ^{3/}
	23:15-23:20 HOUR	44.2 ^{2/}	39.7 ***	45.2 ^{2/}	38.4 ***	6.8
	23:20-23:25 HOUR	42.5 ^{2/}	39.7 ***	42.2 ^{2/}	38.4 ***	3.8
	23:25-23:30 HOUR	40.0 ^{2/}	39.7 ***	31.7 ^{2/}	38.4 ***	<0.8 ^{3/}
	23:30-23:35 HOUR	43.3 ^{2/}	40.3 ***	43.2 ^{2/}	38.9 ***	4.3
	23:35-23:40 HOUR	44.0 ^{2/}	40.3 ***	44.6 ^{2/}	38.9 ***	5.7
	23:40-23:45 HOUR	43.0 ^{2/}	40.3 ***	42.7 ^{2/}	38.9 ***	3.8
	23:45-23:50 HOUR	42.4 ^{2/}	40.6 ***	40.8 ^{2/}	39.2 ***	1.6
	23:50-23:55 HOUR	43.4 ^{2/}	40.6 ***	43.1 ^{2/}	39.2 ***	3.9
	23:55-00:00 HOUR	42.7 ^{2/}	40.6 ***	41.5 ^{2/}	39.2 ***	2.3
OCTOBER 17, 2024	NIGHT TIME ^{2/}					
T24AY773-0003	00:00-00:05 HOUR	41.5 ^{2/}	39.5 ***	40.1 ^{2/}	38.0 ***	2.1
	00:05-00:10 HOUR	44.1 ^{2/}	39.5 ***	45.2 ^{2/}	38.0 ***	7.2
	00:10-00:15 HOUR	43.6 ^{2/}	39.5 ***	44.5 ^{2/}	38.0 ***	6.5
	00:15-00:20 HOUR	41.8 ^{2/}	41.8 ***	22.5 ^{2/}	40.4 ***	<0.8 ^{3/}
	00:20-00:25 HOUR	42.5 ^{2/}	41.8 ***	37.1 ^{2/}	40.4 ***	<0.8 ^{3/}
	00:25-00:30 HOUR	42.9 ^{2/}	41.8 ***	39.2 ^{2/}	40.4 ***	<0.8 ^{3/}
	00:30-00:35 HOUR	46.1 ^{2/}	44.5 ***	43.9 ^{2/}	43.0 ***	0.9
	00:35-00:40 HOUR	46.5 ^{2/}	44.5 ***	45.3 ^{2/}	43.0 ***	2.3
	00:40-00:45 HOUR	46.6 ^{2/}	44.5 ***	45.5 ^{2/}	43.0 ***	2.5
	00:45-00:50 HOUR	46.4 ^{2/}	42.2 ***	47.3 ^{2/}	40.7 ***	6.6
	00:50-00:55 HOUR	45.7 ^{2/}	42.2 ***	46.2 ^{2/}	40.7 ***	5.5
	00:55-01:00 HOUR	44.5 ^{2/}	42.2 ***	43.6 ^{2/}	40.7 ***	2.9
	01:00-01:05 HOUR	45.1 ^{2/}	43.1 ***	43.9 ^{2/}	41.7 ***	2.2
	01:05-01:10 HOUR	46.1 ^{2/}	43.1 ***	46.0 ^{2/}	41.7 ***	4.3
	01:10-01:15 HOUR	46.4 ^{2/}	43.1 ***	46.6 ^{2/}	41.7 ***	4.9
	01:15-01:20 HOUR	47.0 ^{2/}	44.5 ***	46.5 ^{2/}	43.1 ***	3.4
	01:20-01:25 HOUR	46.9 ^{2/}	44.5 ***	46.1 ^{2/}	43.1 ***	3.0
	01:25-01:30 HOUR	46.1 ^{2/}	44.5 ***	44.1 ^{2/}	43.1 ***	1.0
	01:30-01:35 HOUR	46.7 ^{2/}	43.9 ***	46.5 ^{2/}	42.4 ***	4.1
	01:35-01:40 HOUR	47.0 ^{2/}	43.9 ***	47.1 ^{2/}	42.4 ***	4.7
	01:40-01:45 HOUR	46.3 ^{2/}	43.9 ***	45.6 ^{2/}	42.4 ***	3.2
	01:45-01:50 HOUR	47.3 ^{2/}	44.3 ***	47.3 ^{2/}	43.0 ***	4.3
	01:50-01:55 HOUR	46.3 ^{2/}	44.3 ***	44.9 ^{2/}	43.0 ***	1.9
	01:55-02:00 HOUR	46.7 ^{2/}	44.3 ***	46.0 ^{2/}	43.0 ***	3.0

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รบกวนบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
OCTOBER 17, 2024	NIGHT TIME ^{2/}					
T24AY773-0003	02:00-02:05 HOUR	46.7 ^{2/}	44.4 ***	45.9 ^{2/}	43.2 ***	2.7
	02:05-02:10 HOUR	45.7 ^{2/}	44.4 ***	42.7 ^{2/}	43.2 ***	<0.8 ^{3/}
	02:10-02:15 HOUR	47.0 ^{2/}	44.4 ***	46.6 ^{2/}	43.2 ***	3.4
	02:15-02:20 HOUR	46.2 ^{2/}	46.0 ***	35.7 ^{2/}	44.7 ***	<0.8 ^{3/}
	02:20-02:25 HOUR	48.0 ^{2/}	46.0 ***	46.6 ^{2/}	44.7 ***	1.9
	02:25-02:30 HOUR	47.3 ^{2/}	46.0 ***	44.5 ^{2/}	44.7 ***	<0.8 ^{3/}
	02:30-02:35 HOUR	52.8 ^{2/}	54.3 ***	<0.8 ^{3/}	53.0 ***	<0.8 ^{3/}
	02:35-02:40 HOUR	57.3 ^{2/}	54.3 ***	57.2 ^{2/}	53.0 ***	4.2
	02:40-02:45 HOUR	56.2 ^{2/}	54.3 ***	54.6 ^{2/}	53.0 ***	1.6
	02:45-02:50 HOUR	46.7 ^{2/}	50.2 ***	<0.8 ^{3/}	48.9 ***	<0.8 ^{3/}
	02:50-02:55 HOUR	45.8 ^{2/}	50.2 ***	<0.8 ^{3/}	48.9 ***	<0.8 ^{3/}
	02:55-03:00 HOUR	55.4 ^{2/}	50.2 ***	56.9 ^{2/}	48.9 ***	8.0
	03:00-03:05 HOUR	46.8 ^{2/}	45.0 ***	45.2 ^{2/}	43.7 ***	1.5
	03:05-03:10 HOUR	47.2 ^{2/}	45.0 ***	46.2 ^{2/}	43.7 ***	2.5
	03:10-03:15 HOUR	47.9 ^{2/}	45.0 ***	47.9 ^{2/}	43.7 ***	4.2
	03:15-03:20 HOUR	47.5 ^{2/}	45.5 ***	46.2 ^{2/}	44.1 ***	2.1
	03:20-03:25 HOUR	47.3 ^{2/}	45.5 ***	45.6 ^{2/}	44.1 ***	1.5
	03:25-03:30 HOUR	47.1 ^{2/}	45.5 ***	45.0 ^{2/}	44.1 ***	0.9
	03:30-03:35 HOUR	49.9 ^{2/}	44.9 ***	51.2 ^{2/}	43.8 ***	7.4
	03:35-03:40 HOUR	47.4 ^{2/}	44.9 ***	46.8 ^{2/}	43.8 ***	3.0
	03:40-03:45 HOUR	46.4 ^{2/}	44.9 ***	44.2 ^{2/}	43.8 ***	<0.8 ^{3/}
	03:45-03:50 HOUR	47.3 ^{2/}	47.2 ***	34.9 ^{2/}	45.7 ***	<0.8 ^{3/}
	03:50-03:55 HOUR	47.2 ^{2/}	47.2 ***	24.2 ^{2/}	45.7 ***	<0.8 ^{3/}
	03:55-04:00 HOUR	49.2 ^{2/}	47.2 ***	47.8 ^{2/}	45.7 ***	2.1
	04:00-04:05 HOUR	51.5 ^{2/}	46.7 ***	52.7 ^{2/}	45.1 ***	7.6
	04:05-04:10 HOUR	50.6 ^{2/}	46.7 ***	51.4 ^{2/}	45.1 ***	6.3
	04:10-04:15 HOUR	48.1 ^{2/}	46.7 ***	45.6 ^{2/}	45.1 ***	<0.8 ^{3/}
	04:15-04:20 HOUR	48.1 ^{2/}	45.9 ***	47.1 ^{2/}	44.5 ***	2.6
	04:20-04:25 HOUR	46.7 ^{2/}	45.9 ***	41.8 ^{2/}	44.5 ***	<0.8 ^{3/}
	04:25-04:30 HOUR	49.7 ^{2/}	45.9 ***	50.3 ^{2/}	44.5 ***	5.8
	04:30-04:35 HOUR	47.0 ^{2/}	45.3 ***	45.1 ^{2/}	43.9 ***	1.2
	04:35-04:40 HOUR	49.4 ^{2/}	45.3 ***	50.3 ^{2/}	43.9 ***	6.4
	04:40-04:45 HOUR	46.7 ^{2/}	45.3 ***	44.2 ^{2/}	43.9 ***	<0.8 ^{3/}
	04:45-04:50 HOUR	48.8 ^{2/}	46.8 ***	47.5 ^{2/}	45.2 ***	2.3
	04:50-04:55 HOUR	51.2 ^{2/}	46.8 ***	52.2 ^{2/}	45.2 ***	7.0
	04:55-05:00 HOUR	48.3 ^{2/}	46.8 ***	45.9 ^{2/}	45.2 ***	<0.8 ^{3/}
	05:00-05:05 HOUR	50.2 ^{2/}	49.2 ***	46.4 ^{2/}	47.8 ***	<0.8 ^{3/}
	05:05-05:10 HOUR	48.9 ^{2/}	49.2 ***	<0.8 ^{3/}	47.8 ***	<0.8 ^{3/}
	05:10-05:15 HOUR	53.3 ^{2/}	49.2 ***	54.2 ^{2/}	47.8 ***	6.4
	05:15-05:20 HOUR	49.6 ^{2/}	45.0 ***	50.8 ^{2/}	43.7 ***	7.1
	05:20-05:25 HOUR	50.1 ^{2/}	45.0 ***	51.4 ^{2/}	43.7 ***	7.7
	05:25-05:30 HOUR	48.2 ^{2/}	45.0 ***	48.4 ^{2/}	43.7 ***	4.7
	05:30-05:35 HOUR	47.5 ^{2/}	44.9 ***	47.0 ^{2/}	43.6 ***	3.4
	05:35-05:40 HOUR	47.0 ^{2/}	44.9 ***	45.9 ^{2/}	43.6 ***	2.3

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่หรือถนนบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
OCTOBER 17, 2024	NIGHT TIME ^{2/}					
T24AY773-0003	05:40-05:45 HOUR	46.3 ^{2/}	44.9 ***	43.8 ^{2/}	43.6 ***	<0.8 ^{3/}
	05:45-05:50 HOUR	49.4 ^{2/}	49.9 ***	<0.8 ^{3/}	48.6 ***	<0.8 ^{3/}
	05:50-05:55 HOUR	47.7 ^{2/}	49.9 ***	<0.8 ^{3/}	48.6 ***	<0.8 ^{3/}
	05:55-06:00 HOUR	53.9 ^{2/}	49.9 ***	54.8 ^{2/}	48.6 ***	6.2
	DAY TIME ^{1/}					
	06:00-07:00 HOUR	57.2 ^{1/}	54.4 **	54.0 ^{1/}	53.0 **	1.0
OCTOBER 17, 2024	DAY TIME ^{1/}					
T24AY773-0004	07:00-08:00 HOUR	50.9 ^{1/}	48.0 **	47.8 ^{1/}	46.5 **	1.3
	08:00-09:00 HOUR	50.5 ^{1/}	47.4 **	47.6 ^{1/}	45.7 **	1.9
	09:00-10:00 HOUR	54.6 ^{1/}	48.7 **	53.3 ^{1/}	47.3 **	6.0
	10:00-11:00 HOUR	61.4 ^{1/}	55.6 **	60.1 ^{1/}	54.4 **	5.7
	11:00-12:00 HOUR	52.7 ^{1/}	49.3 **	50.0 ^{1/}	47.9 **	2.1
	12:00-13:00 HOUR	57.6 ^{1/}	51.9 **	56.2 ^{1/}	50.3 **	5.9
	13:00-14:00 HOUR	50.1 ^{1/}	47.3 **	46.9 ^{1/}	45.6 **	1.3
	14:00-15:00 HOUR	51.4 ^{1/}	48.4 **	48.4 ^{1/}	47.1 **	1.3
	15:00-16:00 HOUR	53.5 ^{1/}	50.0 **	50.9 ^{1/}	48.7 **	2.2
	16:00-17:00 HOUR	49.1 ^{1/}	45.5 **	46.6 ^{1/}	44.1 **	2.5
	17:00-18:00 HOUR	45.4 ^{1/}	42.2 **	42.6 ^{1/}	41.0 **	1.6
	18:00-19:00 HOUR	45.6 ^{1/}	43.0 **	42.1 ^{1/}	41.6 **	<0.8 ^{3/}
	19:00-20:00 HOUR	47.4 ^{1/}	43.3 **	45.3 ^{1/}	41.9 **	3.4
	20:00-21:00 HOUR	50.0 ^{1/}	47.2 **	46.8 ^{1/}	45.7 **	1.1
	21:00-22:00 HOUR	47.1 ^{1/}	43.8 **	44.4 ^{1/}	42.3 **	2.1
	NIGHT TIME ^{2/}					
	22:00-22:05 HOUR	47.4 ^{2/}	42.9 ***	48.5 ^{2/}	41.4 ***	7.1
	22:05-22:10 HOUR	46.6 ^{2/}	42.9 ***	47.1 ^{2/}	41.4 ***	5.7
	22:10-22:15 HOUR	46.8 ^{2/}	42.9 ***	47.5 ^{2/}	41.4 ***	6.1
	22:15-22:20 HOUR	46.1 ^{2/}	44.7 ***	43.4 ^{2/}	43.3 ***	<0.8 ^{3/}
	22:20-22:25 HOUR	46.3 ^{2/}	44.7 ***	44.0 ^{2/}	43.3 ***	<0.8 ^{3/}
	22:25-22:30 HOUR	47.8 ^{2/}	44.7 ***	48.0 ^{2/}	43.3 ***	4.7
	22:30-22:35 HOUR	47.4 ^{2/}	45.3 ***	46.3 ^{2/}	43.9 ***	2.4
	22:35-22:40 HOUR	47.4 ^{2/}	45.3 ***	46.3 ^{2/}	43.9 ***	2.4
	22:40-22:45 HOUR	47.7 ^{2/}	45.3 ***	46.9 ^{2/}	43.9 ***	3.0
	22:45-22:50 HOUR	46.8 ^{2/}	45.2 ***	44.8 ^{2/}	43.6 ***	1.2
	22:50-22:55 HOUR	47.8 ^{2/}	45.2 ***	47.3 ^{2/}	43.6 ***	3.7
	22:55-23:00 HOUR	47.6 ^{2/}	45.2 ***	46.9 ^{2/}	43.6 ***	3.3
	23:00-23:05 HOUR	47.2 ^{2/}	44.8 ***	46.5 ^{2/}	43.3 ***	3.2
	23:05-23:10 HOUR	47.2 ^{2/}	44.8 ***	46.4 ^{2/}	43.3 ***	3.1
	23:10-23:15 HOUR	47.1 ^{2/}	44.8 ***	46.3 ^{2/}	43.3 ***	3.0
	23:15-23:20 HOUR	46.9 ^{2/}	44.3 ***	46.4 ^{2/}	42.9 ***	3.5
	23:20-23:25 HOUR	47.5 ^{2/}	44.3 ***	47.7 ^{2/}	42.9 ***	4.8
	23:25-23:30 HOUR	46.7 ^{2/}	44.3 ***	45.9 ^{2/}	42.9 ***	3.0
	23:30-23:35 HOUR	46.8 ^{2/}	44.1 ***	46.5 ^{2/}	42.6 ***	3.9
	23:35-23:40 HOUR	47.3 ^{2/}	44.1 ***	47.4 ^{2/}	42.6 ***	4.8
	23:40-23:45 HOUR	47.1 ^{2/}	44.1 ***	47.1 ^{2/}	42.6 ***	4.5
	23:45-23:50 HOUR	46.6 ^{2/}	45.0 ***	44.5 ^{2/}	43.6 ***	0.9

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รถถนนบริเวณที่ทางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
OCTOBER 17, 2024 T24AY773-0004	NIGHT TIME ^{2/}					
	23:50-23:55 HOUR	46.9 ^{2/}	45.0 ***	45.3 ^{2/}	43.6 ***	1.7
	23:55-00:00 HOUR	47.6 ^{2/}	45.0 ***	47.0 ^{2/}	43.6 ***	3.4
OCTOBER 18, 2024 T24AY773-0004	NIGHT TIME ^{2/}					
	00:00-00:05 HOUR	48.2 ^{2/}	45.8 ***	47.5 ^{2/}	44.4 ***	3.1
	00:05-00:10 HOUR	48.5 ^{2/}	45.8 ***	48.2 ^{2/}	44.4 ***	3.8
	00:10-00:15 HOUR	48.1 ^{2/}	45.8 ***	47.3 ^{2/}	44.4 ***	2.9
	00:15-00:20 HOUR	48.7 ^{2/}	46.6 ***	47.6 ^{2/}	45.3 ***	2.3
	00:20-00:25 HOUR	48.8 ^{2/}	46.6 ***	47.8 ^{2/}	45.3 ***	2.5
	00:25-00:30 HOUR	49.0 ^{2/}	46.6 ***	48.3 ^{2/}	45.3 ***	3.0
	00:30-00:35 HOUR	48.1 ^{2/}	46.1 ***	46.7 ^{2/}	44.8 ***	1.9
	00:35-00:40 HOUR	48.7 ^{2/}	46.1 ***	48.1 ^{2/}	44.8 ***	3.3
	00:40-00:45 HOUR	48.4 ^{2/}	46.1 ***	47.5 ^{2/}	44.8 ***	2.7
	00:45-00:50 HOUR	49.9 ^{2/}	46.4 ***	50.4 ^{2/}	44.7 ***	5.7
	00:50-00:55 HOUR	49.5 ^{2/}	46.4 ***	49.6 ^{2/}	44.7 ***	4.9
	00:55-01:00 HOUR	49.9 ^{2/}	46.4 ***	50.4 ^{2/}	44.7 ***	5.7
	01:00-01:05 HOUR	48.4 ^{2/}	44.3 ***	49.2 ^{2/}	42.8 ***	6.4
	01:05-01:10 HOUR	45.8 ^{2/}	44.3 ***	43.3 ^{2/}	42.8 ***	<0.8 ^{3/}
	01:10-01:15 HOUR	46.4 ^{2/}	44.3 ***	45.3 ^{2/}	42.8 ***	2.5
	01:15-01:20 HOUR	46.8 ^{2/}	43.2 ***	47.4 ^{2/}	41.6 ***	5.8
	01:20-01:25 HOUR	47.4 ^{2/}	43.2 ***	48.3 ^{2/}	41.6 ***	6.7
	01:25-01:30 HOUR	46.7 ^{2/}	43.2 ***	47.1 ^{2/}	41.6 ***	5.5
	01:30-01:35 HOUR	45.5 ^{2/}	43.1 ***	44.9 ^{2/}	41.8 ***	3.1
	01:35-01:40 HOUR	45.7 ^{2/}	43.1 ***	45.2 ^{2/}	41.8 ***	3.4
	01:40-01:45 HOUR	45.6 ^{2/}	43.1 ***	44.9 ^{2/}	41.8 ***	3.1
	01:45-01:50 HOUR	45.0 ^{2/}	44.6 ***	37.9 ^{2/}	43.2 ***	<0.8 ^{3/}
	01:50-01:55 HOUR	46.1 ^{2/}	44.6 ***	43.7 ^{2/}	43.2 ***	<0.8 ^{3/}
	01:55-02:00 HOUR	46.1 ^{2/}	44.6 ***	43.8 ^{2/}	43.2 ***	<0.8 ^{3/}
	02:00-02:05 HOUR	51.1 ^{2/}	50.7 ***	43.8 ^{2/}	49.1 ***	<0.8 ^{3/}
	02:05-02:10 HOUR	48.7 ^{2/}	50.7 ***	<0.8 ^{3/}	49.1 ***	<0.8 ^{3/}
	02:10-02:15 HOUR	46.2 ^{2/}	50.7 ***	<0.8 ^{3/}	49.1 ***	<0.8 ^{3/}
	02:15-02:20 HOUR	47.6 ^{2/}	44.5 ***	47.7 ^{2/}	43.2 ***	4.5
	02:20-02:25 HOUR	46.8 ^{2/}	44.5 ***	45.9 ^{2/}	43.2 ***	2.7
	02:25-02:30 HOUR	48.1 ^{2/}	44.5 ***	48.6 ^{2/}	43.2 ***	5.4
	02:30-02:35 HOUR	46.4 ^{2/}	43.9 ***	45.9 ^{2/}	42.5 ***	3.4
	02:35-02:40 HOUR	46.1 ^{2/}	43.9 ***	45.2 ^{2/}	42.5 ***	2.7
	02:40-02:45 HOUR	47.2 ^{2/}	43.9 ***	47.4 ^{2/}	42.5 ***	4.9
	02:45-02:50 HOUR	47.8 ^{2/}	46.0 ***	46.0 ^{2/}	44.5 ***	1.5
	02:50-02:55 HOUR	47.4 ^{2/}	46.0 ***	44.9 ^{2/}	44.5 ***	<0.8 ^{3/}
	02:55-03:00 HOUR	49.7 ^{2/}	46.0 ***	50.3 ^{2/}	44.5 ***	5.8
	03:00-03:05 HOUR	47.4 ^{2/}	44.9 ***	46.8 ^{2/}	43.6 ***	3.2
	03:05-03:10 HOUR	47.7 ^{2/}	44.9 ***	47.4 ^{2/}	43.6 ***	3.8
	03:10-03:15 HOUR	47.0 ^{2/}	44.9 ***	45.9 ^{2/}	43.6 ***	2.3
	03:15-03:20 HOUR	47.7 ^{2/}	46.3 ***	45.0 ^{2/}	45.1 ***	<0.8 ^{3/}
	03:20-03:25 HOUR	48.0 ^{2/}	46.3 ***	46.0 ^{2/}	45.1 ***	0.9

DATE	TIME*	RESULT (dB(A))				
		ภายในพื้นที่รบกวนบริเวณที่วางหน้าอาคาร C				
		SPECIFIC SOUND LEVEL	RESIDUAL SOUND LEVEL	RATING LEVEL	BACKGROUND SOUND LEVEL	ANNOYANCE SOUND LEVEL
OCTOBER 18, 2024	NIGHT TIME ^{2/}					
T24AY773-0004	03:25-03:30 HOUR	48.5 ^{2/}	46.3 ***	47.4 ^{2/}	45.1 ***	2.3
	03:30-03:35 HOUR	49.4 ^{2/}	46.6 ***	49.1 ^{2/}	45.3 ***	3.8
	03:35-03:40 HOUR	48.6 ^{2/}	46.6 ***	47.1 ^{2/}	45.3 ***	1.8
	03:40-03:45 HOUR	49.4 ^{2/}	46.6 ***	49.1 ^{2/}	45.3 ***	3.8
	03:45-03:50 HOUR	49.4 ^{2/}	47.3 ***	48.2 ^{2/}	45.9 ***	2.3
	03:50-03:55 HOUR	47.0 ^{2/}	47.3 ***	<0.8 ^{3/}	45.9 ***	<0.8 ^{3/}
	03:55-04:00 HOUR	46.8 ^{2/}	47.3 ***	<0.8 ^{3/}	45.9 ***	<0.8 ^{3/}
	04:00-04:05 HOUR	50.0 ^{2/}	46.4 ***	50.5 ^{2/}	45.0 ***	5.5
	04:05-04:10 HOUR	50.5 ^{2/}	46.4 ***	51.4 ^{2/}	45.0 ***	6.4
	04:10-04:15 HOUR	46.6 ^{2/}	46.4 ***	36.7 ^{2/}	45.0 ***	<0.8 ^{3/}
	04:15-04:20 HOUR	48.3 ^{2/}	45.2 ***	48.4 ^{2/}	44.0 ***	4.4
	04:20-04:25 HOUR	48.8 ^{2/}	45.2 ***	49.2 ^{2/}	44.0 ***	5.2
	04:25-04:30 HOUR	48.3 ^{2/}	45.2 ***	48.3 ^{2/}	44.0 ***	4.3
	04:30-04:35 HOUR	48.9 ^{2/}	46.1 ***	48.6 ^{2/}	44.6 ***	4.0
	04:35-04:40 HOUR	48.0 ^{2/}	46.1 ***	46.6 ^{2/}	44.6 ***	2.0
	04:40-04:45 HOUR	48.5 ^{2/}	46.1 ***	47.8 ^{2/}	44.6 ***	3.2
	04:45-04:50 HOUR	50.8 ^{2/}	47.2 ***	51.3 ^{2/}	45.9 ***	5.4
	04:50-04:55 HOUR	49.7 ^{2/}	47.2 ***	49.0 ^{2/}	45.9 ***	3.1
	04:55-05:00 HOUR	49.9 ^{2/}	47.2 ***	49.6 ^{2/}	45.9 ***	3.7
	05:00-05:05 HOUR	50.3 ^{2/}	48.1 ***	49.3 ^{2/}	46.8 ***	2.5
	05:05-05:10 HOUR	50.6 ^{2/}	48.1 ***	49.9 ^{2/}	46.8 ***	3.1
	05:10-05:15 HOUR	50.1 ^{2/}	48.1 ***	48.6 ^{2/}	46.8 ***	1.8
	05:15-05:20 HOUR	51.5 ^{2/}	46.6 ***	52.8 ^{2/}	45.2 ***	7.6
	05:20-05:25 HOUR	47.2 ^{2/}	46.6 ***	41.2 ^{2/}	45.2 ***	<0.8 ^{3/}
	05:25-05:30 HOUR	48.1 ^{2/}	46.6 ***	45.7 ^{2/}	45.2 ***	<0.8 ^{3/}
	05:30-05:35 HOUR	48.2 ^{2/}	47.6 ***	42.4 ^{2/}	46.2 ***	<0.8 ^{3/}
	05:35-05:40 HOUR	48.4 ^{2/}	47.6 ***	43.9 ^{2/}	46.2 ***	<0.8 ^{3/}
	05:40-05:45 HOUR	52.4 ^{2/}	47.6 ***	53.7 ^{2/}	46.2 ***	7.5
	05:45-05:50 HOUR	52.9 ^{2/}	52.2 ***	47.3 ^{2/}	50.7 ***	<0.8 ^{3/}
	05:50-05:55 HOUR	53.0 ^{2/}	52.2 ***	48.0 ^{2/}	50.7 ***	<0.8 ^{3/}
	05:55-06:00 HOUR	51.0 ^{2/}	52.2 ***	<0.8 ^{3/}	50.7 ***	<0.8 ^{3/}
	DAY TIME ^{1/}					
	06:00-07:00 HOUR	57.4 ^{1/}	54.5 **	54.3 ^{1/}	53.0 **	1.3

REMARK :

- 1/ CASE 1 CALCULATION (DURING 06:00 TO 22:00 HOUR) : SPECIFIC SOUND LEVEL CONTINUOUSLY OCCUR AT LEAST 1 HOUR, MEASURING AS L_{Aeq} 1 hour.
- 2/ CASE 4 CALCULATION (DURING 22:00 TO 06:00 HOUR) : SPECIFIC SOUND LEVEL OCCUR IN RESTFUL AREA OR NIGHT TIME, MEASURING AS L_{Aeq} 5 minutes.
- 3/ THERE IS NO IMPACT CAUSE ANNOYANCE SOUND LEVEL
- ** PERCENTILE LEVEL 90 (L_{A90}) IS THE MIDDLE VALUE OF 11 TIMES MEASURING.
(55 MINUTES MEASURING DURING 06:00 TO 22:00 HOUR)
AND RESIDUAL SOUND LEVEL (L_{Aeq} 5 minutes) IS CHOSEN AT THE SAME TIME AS PERCENTILE LEVEL 90 ABOVE.
- *** PERCENTILE LEVEL 90 (L_{A90}) IS THE MIDDLE VALUE OF 3 TIMES MEASURING.
(15 MINUTES MEASURING DURING 22:00 TO 06:00 HOUR)
AND RESIDUAL SOUND LEVEL (L_{Aeq} 5 minutes) IS CHOSEN AT THE SAME TIME AS PERCENTILE LEVEL 90 ABOVE.

(M)
LABORATORY SUPERVISOR

ANALYSIS REPORT

PROJECT NAME	: โครงการเคเอนโคเ งานรายงานผลการปฏิบัติตามมาตรการป้องกันและแก้ไขผลกระทบสิ่งแวดล้อม ระหว่างดำเนินการก่อสร้าง CLUBHOUSE และ งานปรับเปลี่ยนบันไดวนออกเป็นพื้นที่ห้องอาหาร (ระยะฐานราก)		
CUSTOMER NAME	: ENERGY COMPLEX COMPANY LIMITED		
ADDRESS	: 555/1 VIBHAVADI-RANGSIT ROAD CHATUCHAK CHATUCHAK BANGKOK 10900		
CONTACT INFORMATION	: TEL : 0 2537 1885 e-mail : anupon.d@energycomplex.co.th		
MEASURING PLACE	: ภายในพื้นที่รื้อถอนบริเวณที่วางหน้าอาคาร C		
MEASURING TYPE	: AMBIENT (VIBRATION)	RECEIVED DATE	: JULY 11-15, 2024
MEASURING DATE	: JULY 11-15, 2024	ANALYTICAL DATE	: JULY 11-15, 2024
MEASURING TIME	: *	ISSUE DATE	: JULY 19, 2024
MEASURING EQUIPMENT	: VIBRATION METER	REPORT NO.	: 2024-U064738
MEASURED BY	: MR DANUPORN KONGSRI	WORK NO.	: 2024-006278
		ANALYSIS NO.	: T24AQ010-0001 - T24AQ010-0004

DATE	TIME *	RESULT					
		ภายในพื้นที่รื้อถอนบริเวณที่วางหน้าอาคาร C					
		TRANSVERSE				VERTICAL	
		X-AXIS (LONGITUDINAL)		Y-AXIS (TRANSVERSE)		Z-AXIS (VERTICAL)	
		VELOCITY (mm/s)	FREQUENCY (Hz)	VELOCITY (mm/s)	FREQUENCY (Hz)	VELOCITY (mm/s)	FREQUENCY (Hz)
JULY 11, 2024							
T24AQ010-0001	08:37:32 HOUR	0.118	44.7	0.331	24.2	0.118	42.6
	08:37:33 HOUR	0.039	44.3	0.315	83.9	0.110	57.6
	08:37:34 HOUR	0.126	28.0	0.323	82.7	0.134	34.2
JULY 12, 2024							
T24AQ010-0001-T24AQ010-0002	08:46:25 HOUR	0.095	38.9	0.244	20.3	0.252	62.7
	13:34:57 HOUR	0.110	77.9	0.355	36.5	0.102	65.5
JULY 13, 2024							
T24AQ010-0002-T24AQ010-0003	08:18:52 HOUR	0.063	27.2	0.173	41.7	0.236	37.3
	08:42:28 HOUR	0.087	72.5	0.087	18.9	0.221	55.5
	08:53:17 HOUR	0.150	14.3	0.236	45.8	0.252	40.2
JULY 14, 2024							
T24AQ010-0003-T24AQ010-0004	07:31:28 HOUR	0.118	61.8	0.229	60.6	0.213	50.3
	11:41:32 HOUR	0.158	13.0	0.339	71.2	0.205	66.0
	12:13:16 HOUR	0.047	56.0	0.181	25.7	0.284	59.7
	15:01:02 HOUR	0.071	29.1	0.244	33.9	0.039	32.9
JULY 15, 2024							
T24AQ010-0004	06:47:24 HOUR	0.024	25.1	0.323	33.0	0.221	60.8

(Signature)
LABORATORY SUPERVISOR



ANALYSIS REPORT

PROJECT NAME	: โครงการดิเอนโคฟี งานรายงานผลการปฏิบัติตามมาตรการป้องกันและแก้ไขผลกระทบสิ่งแวดล้อม ระหว่างดำเนินการก่อสร้าง CLUBHOUSE และ งานปรับเปลี่ยนบันไดวนออกเป็นพื้นที่ห้องอาหาร (ระยะฐานราก)						
CUSTOMER NAME	: ENERGY COMPLEX COMPANY LIMITED						
ADDRESS	: 555/1 VIBHAVADI-RANGSIT ROAD CHATUCHAK CHATUCHAK BANGKOK 10900						
CONTACT INFORMATION	: TEL : 0 2537 1885 e-mail : anupon.d@energycomplex.co.th						
MEASURING PLACE	: ภายในพื้นที่รื้อถอนบริเวณที่ว่างหน้าอาคาร C						
MEASURING TYPE	: AMBIENT (VIBRATION)			RECEIVED DATE	: JULY 15-22, 2024		
MEASURING DATE	: JULY 15-22, 2024			ANALYTICAL DATE	: JULY 15-22, 2024		
MEASURING TIME	: *			ISSUE DATE	: JULY 26, 2024		
MEASURING EQUIPMENT	: VIBRATION METER			REPORT NO.	: 2024-U067882		
MEASURED BY	: MR DANUPORN KONGSRI			WORK NO.	: 2024-006278		
				ANALYSIS NO.	: T24AQ546-0001 - T24AQ546-0007		

DATE	TIME *	RESULT					
		ภายในพื้นที่รื้อถอนบริเวณที่ว่างหน้าอาคาร C					
		TRANSVERSE				VERTICAL	
		X-AXIS (LONGITUDINAL)		Y-AXIS (TRANSVERSE)		Z-AXIS (VERTICAL)	
		VELOCITY (mm/s)	FREQUENCY (Hz)	VELOCITY (mm/s)	FREQUENCY (Hz)	VELOCITY (mm/s)	FREQUENCY (Hz)
JULY 15, 2024							
T24AQ546-0001	11:09:03 HOUR	0.047	2.9	0.165	4.9	0.276	6.6
	15:16:00 HOUR	0.252	2.3	0.063	7.7	0.158	6.2
JULY 16, 2024							
T24AQ546-0001-T24AQ546-0002	09:00:16 HOUR	0.197	5.3	0.063	3.9	0.221	13.4
	10:39:10 HOUR	0.292	4.2	0.102	5.3	0.118	10.0
	10:48:47 HOUR	0.102	2.6	0.055	6.5	0.307	6.8
	17:00:45 HOUR	0.189	2.9	0.039	7.3	0.362	5.5
JULY 17, 2024							
T24AQ546-0002-T24AQ546-0003	08:11:36 HOUR	0.126	3.8	0.173	4.0	0.244	10.8
	09:50:40 HOUR	0.213	2.9	0.047	2.9	0.362	8.8
JULY 18, 2024							
T24AQ546-0003-T24AQ546-0004	16:20:09 HOUR	0.008	4.0	0.047	7.4	0.299	9.5
JULY 19, 2024							
T24AQ546-0004-T24AQ546-0005	16:21:49 HOUR	0.126	4.4	0.142	6.2	0.284	10.4
JULY 20, 2024							
T24AQ546-0005-T24AQ546-0006	09:12:34 HOUR	0.252	2.1	0.181	2.5	0.378	12.4
	14:41:18 HOUR	0.079	5.1	0.055	6.1	0.347	5.5
JULY 21, 2024							
T24AQ546-0006-T24AQ546-0007	17:01:45 HOUR	0.142	4.0	0.032	4.2	0.236	14.4
	17:22:53 HOUR	0.102	3.9	0.055	7.2	0.323	14.0





DATE	TIME *	RESULT					
		ภายในพื้นที่รถถนนบริเวณที่ทางหน้าอาคาร C					
		TRANSVERSE				VERTICAL	
		X-AXIS (LONGITUDINAL)		Y-AXIS (TRANSVERSE)		Z-AXIS (VERTICAL)	
		VELOCITY (mm/s)	FREQUENCY (Hz)	VELOCITY (mm/s)	FREQUENCY (Hz)	VELOCITY (mm/s)	FREQUENCY (Hz)
JULY 22, 2024 T24AQ546-0007	03:11:48 HOUR	0.276	5.3	0.087	5.9	0.394	6.2
	06:57:59 HOUR	0.158	2.1	0.142	6.9	0.370	8.7

(MR SILE BANJONGJAIROK)
LABORATORY SUPERVISOR

ANALYSIS REPORT

PROJECT NAME	: โครงการดีเอ็นเค งานรายงานผลการปฏิบัติตามมาตรการป้องกันและแก้ไขผลกระทบสิ่งแวดล้อม ระหว่างดำเนินการก่อสร้าง CLUBHOUSE และ งานปรับเปลี่ยนบันไดวนออกเป็นพื้นที่ห้องอาหาร (ระยะฐานราก)		
CUSTOMER NAME	: ENERGY COMPLEX COMPANY LIMITED		
ADDRESS	: 555/1 VIBHAVADI-RANGSIT ROAD CHATUCHAK CHATUCHAK BANGKOK 10900		
CONTACT INFORMATION	: TEL : 0 2537 1885 e-mail : anupon.d@energycomplex.co.th		
MEASURING PLACE	: ภายในพื้นที่รื้อถอนบริเวณที่ว่างหน้าอาคาร C		
MEASURING TYPE	: AMBIENT (VIBRATION)	RECEIVED DATE	: JULY 22-29, 2024
MEASURING DATE	: JULY 22-29, 2024	ANALYTICAL DATE	: JULY 22-29, 2024
MEASURING TIME	: *	ISSUE DATE	: AUGUST 1, 2024
MEASURING EQUIPMENT	: VIBRATION METER	REPORT NO.	: 2024-U070297
MEASURED BY	: MR DANUPORN KONGSRI	WORK NO.	: 2024-006278
		ANALYSIS NO.	: T24AR032-0001 - T24AR032-0007

DATE	TIME *	RESULT					
		ภายในพื้นที่รื้อถอนบริเวณที่ว่างหน้าอาคาร C					
		TRANSVERSE				VERTICAL	
		X-AXIS (LONGITUDINAL)		Y-AXIS (TRANSVERSE)		Z-AXIS (VERTICAL)	
		VELOCITY (mm/s)	FREQUENCY (Hz)	VELOCITY (mm/s)	FREQUENCY (Hz)	VELOCITY (mm/s)	FREQUENCY (Hz)
JULY 22, 2024 T24AR032-0001	07:58:39 HOUR	0.165	3.4	0.331	7.9	0.158	10.5
	09:39:45 HOUR	0.063	6.1	0.260	6.5	0.339	13.1
	13:52:45 HOUR	0.102	3.1	0.016	6.9	0.315	8.6
JULY 23, 2024 T24AR032-0001-T24AR032-0002	15:14:47 HOUR	0.260	6.2	0.134	2.6	0.323	14.3
	15:30:30 HOUR	0.126	6.5	0.292	4.0	0.252	5.9
	19:29:18 HOUR	0.229	5.6	0.386	4.7	0.394	9.0
JULY 24, 2024 T24AR032-0002-T24AR032-0003	09:55:36 HOUR	0.110	6.8	0.134	3.1	0.260	10.0
JULY 25, 2024 T24AR032-0003-T24AR032-0004	03:07:02 HOUR	0.213	4.7	0.118	7.8	0.268	9.6
	10:02:11 HOUR	0.087	6.9	0.032	3.6	0.307	7.5
	14:14:01 HOUR	0.150	6.4	0.229	3.0	0.095	11.7
	17:29:09 HOUR	0.039	6.4	0.378	3.9	0.158	9.5
JULY 26, 2024 T24AR032-0004-T24AR032-0005	09:49:17 HOUR	0.229	2.2	0.276	6.6	0.008	12.5
	11:40:09 HOUR	0.134	2.5	0.079	6.4	0.299	12.0



(M
LA



ANALYSIS REPORT

PROJECT NAME : โครงการดีเอ็นเค มี งานรายงานผลการปฏิบัติงานตามมาตรการป้องกันและแก้ไขผลกระทบสิ่งแวดล้อม ระหว่างดำเนินการก่อสร้าง CLUBHOUSE และ งานปรับเปลี่ยนบ้านเรือนออกเป็นพื้นที่ห้องอาหาร (ระยะฐานราก)
CUSTOMER NAME : ENERGY COMPLEX COMPANY LIMITED
ADDRESS : 555/1 VIBHAVADI-RANGSIT ROAD CHATUCHAK CHATUCHAK BANGKOK 10900
CONTACT INFORMATION : TEL : 0 2537 1885 e-mail : anupon.d@energycomplex.co.th
MEASURING PLACE : ภายในพื้นที่รื้อถอนบริเวณที่วางหน้าอาคาร C
MEASURING TYPE : AMBIENT (VIBRATION) **RECEIVED DATE** : JULY 29-AUGUST 5, 2024
MEASURING DATE : JULY 29-AUGUST 5, 2024 **ANALYTICAL DATE** : JULY 29-AUGUST 5, 2024
MEASURING TIME : * **ISSUE DATE** : AUGUST 8, 2024
MEASURING EQUIPMENT : VIBRATION METER **REPORT NO.** : 2024-U072410
MEASURED BY : MR DANUPORN KONGSRI **WORK NO.** : 2024-006278
ANALYSIS NO. : T24AR492-0001 - T24AR492-0007

DATE	TIME *	RESULT					
		ภายในพื้นที่รื้อถอนบริเวณที่วางหน้าอาคาร C					
		TRANSVERSE				VERTICAL	
		X-AXIS (LONGITUDINAL)		Y-AXIS (TRANSVERSE)		Z-AXIS (VERTICAL)	
		VELOCITY (mm/s)	FREQUENCY (Hz)	VELOCITY (mm/s)	FREQUENCY (Hz)	VELOCITY (mm/s)	FREQUENCY (Hz)
JULY 29, 2024 T24AR492-0001	09:16:56 HOUR	0.087	2.6	0.008	6.4	0.339	11.7
	17:17:27 HOUR	0.299	4.4	0.150	6.1	0.102	5.5
JULY 30, 2024 T24AR492-0001-T24AR492-0002	06:53:46 HOUR	0.032	4.6	0.126	2.2	0.252	7.9
	16:43:25 HOUR	0.024	6.5	0.181	6.2	0.386	11.2
JULY 31, 2024 T24AR492-0002-T24AR492-0003	15:19:41 HOUR	0.268	2.7	0.008	4.0	0.087	7.5
AUGUST 1, 2024 T24AR492-0003-T24AR492-0004	14:30:40 HOUR	0.252	3.5	0.087	4.4	0.268	13.5
AUGUST 2, 2024 T24AR492-0004-T24AR492-0005	12:51:37 HOUR	0.268	3.3	0.071	7.2	0.307	12.7
AUGUST 3, 2024 T24AR492-0005-T24AR492-0006	16:23:45 HOUR	0.229	4.9	0.110	2.2	0.102	14.4
AUGUST 4, 2024 T24AR492-0006-T24AR492-0007	13:35:11 HOUR	0.260	4.7	0.118	4.9	0.331	9.6
	17:43:12 HOUR	0.213	3.6	0.087	2.1	0.213	13.1
	19:00:41 HOUR	0.229	2.9	0.110	2.6	0.355	12.9
AUGUST 5, 2024 T24AR492-0007	06:28:08 HOUR	0.110	6.1	0.173	5.2	0.284	6.9

(M) 
LABORATORY SUPERVISOR

