

ภาคผนวก ค

เอกสารประกอบการปฏิบัติตามมาตรการฯ

Check Sheet ที่เกี่ยวข้องกับการดูแลระบบสาธารณูปโภค
และระบบสุขาภิบาล

BUILDING <u>2777 N Hen</u> <u>NOGUSO</u>		Ref No : <u>W1-S24-064: P003</u>	
PREVENTIVE MAINTENANCE CHECKLIST FOR GENERATOR		Date : <u>9/19/84</u>	
EQUIPMENT NUMBER		TYPE OF MAINTENANCE	
LOCATION <u>2777 N Hen</u>		Rated : <u>1</u> KVA	W M 2M Q R Y
EQUIPMENT DESCRIPTION		AV	A Type
NO.	DESCRIPTION	AV	Remarks
1	Check main circuit breaker status / <u>normal</u>	M	
2	Check selector switch for correct position / <u>normal</u>	M	
3	Check battery electrolyte level / <u>normal</u>	M	
4	Check voltage & current of battery / <u>normal</u>	M	
5	Check fuel tank level and fuel line system / <u>normal</u>	M	
6	Check oil level of engine crankcase / <u>normal</u>	M	
7	Check coolant level from cooling system / <u>normal</u>	M	
8	Check heater for cooling system and thermostat / <u>normal</u>	M	
9	Check engine start system and test run by manual / <u>normal</u>	M	
10	Check engine control and security system (oil temp, oil pressure, speed, voltage and frequency) / <u>normal</u>	M	
11	Check generator vibration and sound for any abnormal noise / <u>normal</u>	M	
12	Check for any signs of corrosion on engine / <u>normal</u>	M	
13	Check oil and water leakage at pipe or hose connections / <u>normal</u>	M	
14	Check operation of ATS and switchgear / <u>normal</u>	M	
15	Check air intake system / <u>normal</u>	M	
16	Check belts and hoses condition / <u>normal</u>	M	
17	Check and change engine oil lubricating, oil filter, fuel filter and air filter / <u>normal</u>	M	
18	Check and clean engine radiator / <u>normal</u>	M	
19	Check tightness of electrical connections and grounding connection system / <u>normal</u>	M	
Comment :			
Note : 1. M = Monthly, 2. Q = Quarterly, 3. R = Semi-Annual, 4. Y = Yearly			
PM by : <u>[Signature]</u>		Approved by :	
Signature :		Signature :	
Date : <u>9/19/84</u>		Date : <u>9/19/84</u>	

BUILDING: 01721 400 000 426										Ref: WI-KN-004/P002			
PREVENTIVE MAINTENANCE CHECKLIST FOR POWER TRANSFORMER										Rev. Date: 3/18/14			
EQUIPMENT NUMBER:		TYPE OF MAINTENANCE:		W		M		2M		Q		Y	
LOCATION: 01721 400 000 426		Rated		kVA		kV		A Type:					
NO.	TASK DESCRIPTION	PM Code	Measure	Status	Units	Remarks							
			Meat	(kVA)	(kV)								
1.	Check general condition of transformer / ~~transformer~~	M		N									
2.	Check body, seal, bushing and termination condition / ~~transformer~~	M		N									
3.	Check and inspect for any sign of bumps, erosion, abnormal heat & ~~transformer~~	M		N									
4.	Check cooling system condition and test function operation by manual / ~~transformer~~	M		N									
5.	Check and record the ambient temperature / ~~transformer~~	M		N									
6.	Check temperature of transformer operation / ~~transformer~~	M	28°C	N									
7.	Check condition of silica gel, if any / ~~transformer~~	M		N									
8.	Check grounding connection condition / ~~transformer~~	Q		N									
Turn OFF													
9.	Make thermal scan before / ~~transformer~~	Y											
10.	Check and record transformer heat (dB) before / ~~transformer~~	Y	dB				By vendor						
11.	Open the bushing and conduct visual inspection on all of the components before / ~~transformer~~	Y					By vendor						
12.	Check tap changer operation / ~~transformer~~	Y											
13.	Check transformer ratio / ~~transformer~~	Y					By vendor						
14.	Check electric strength / ~~transformer~~	Y					By vendor						
15.	Check transformer winding insulation resistance / ~~transformer~~	Y					By vendor						
16.	Check & test function of ventilation fan (cooling system) and controller / ~~transformer~~	Y					By vendor						
17.	Check & replace temperature sensor for transformer coils (if required) / ~~transformer~~	Y					By vendor						
18.	Check & tighten the bolts & nuts, power cables & control wiring terminals / ~~transformer~~	Y					By vendor						
19.	Check & clean the transformer and use high pressure pump/spray to clean the / ~~transformer~~	Y					By vendor						
20.	Visual inspect the condition of the insulation, support, installation of / ~~transformer~~	Y					By vendor						
21.	Conduct cable major insulation test with ground / ~~transformer~~	Y					By vendor						
22.	Visual check & ensure that all the safety device installation inside the / ~~transformer~~	Y					By vendor						
Close the Bushing & Turn ON the Switchgear & Check The Status of The Transformer At Normal Operating Condition / ~~transformer~~													
23.	Make thermal scan after / ~~transformer~~	Y					By vendor						
Comment :													
Note : 1. N = Normal ; A = Abnormal ; Y = Fail													
PM by :		Approved by :											
Signature : <i>[Signature]</i>		Signature :											

ระเบียบ ข้อบังคับ นิติบุคคลอาคารชุดดิอาร์ท แอท ทองหล่อ

ลำดับที่	วันที่	ชื่อผู้แทน	การมีส่วนร่วมของภาคประชาสังคม			อัตราส่วน การมีส่วนร่วม ภาคประชาสังคม
			พื้นที่ที่ ทำงาน	พื้นที่ที่ ทำงาน	รวมพื้นที่ ทั้งหมด	
1	1	52/2	51.83	4.21	56.04	1.07%
2	1	52/3	64.31	4.77	69.08	1.32%
3	1	52/4	36.27	4.08	40.35	0.77%
4	1	52/5	36.22	4.11	40.33	0.77%
5	1	52/6	32.55	4.00	36.55	0.70%
6	1	52/7	62.51	4.28	66.86	1.28%
7	2	52/8	51.98	4.07	56.05	1.07%
8	2	52/9	64.31	4.78	69.40	1.32%
9	2	52/10	36.27	4.08	40.35	0.77%
10	2	52/11	36.22	4.11	40.33	0.77%
11	2	52/12	32.55	4.00	36.55	0.70%
12	2	52/14	67.72	4.32	72.04	1.38%
13	2	52/15	40.00	4.53	44.53	0.85%
14	2	52/16	40.00	4.53	44.53	0.85%
15	2	52/17	67.72	4.32	72.04	1.38%
16	2	52/18	32.55	4.00	36.55	0.70%
17	2	52/19	36.22	4.11	40.33	0.77%
18	2	52/20	36.27	4.08	40.35	0.77%
19	2	52/21	64.31	4.77	69.08	1.32%
20	2	52/22	51.98	4.07	56.05	1.07%
21	3	52/23	51.98	4.07	56.05	1.07%
22	3	52/24	64.31	4.78	69.40	1.32%
23	3	52/25	36.27	4.08	40.35	0.77%
24	3	52/26	36.22	4.11	40.33	0.77%
25	3	52/27	32.55	4.00	36.55	0.70%
26	3	52/28	67.72	4.32	72.04	1.38%
27	3	52/29	40.00	4.53	44.53	0.85%
28	3	52/30	40.00	4.53	44.53	0.85%
29	3	52/31	67.72	4.32	72.04	1.38%
30	3	52/32	32.55	4.00	36.55	0.70%
31	3	52/33	36.22	4.11	40.33	0.77%
32	3	52/34	36.27	4.08	40.35	0.77%
33	3	52/35	64.31	4.77	69.08	1.32%

ลงชื่อ... พนักงานเจ้าหน้าที่

34	3	52/36	51.98	4.07	56.05	1.07%
35	4	52/37	51.98	4.07	56.05	1.07%
36	4	52/38	64.31	4.78	69.40	1.32%
37	4	52/39	36.27	4.08	40.35	0.77%
38	4	52/40	36.22	4.11	40.33	0.77%
39	4	52/41	32.55	4.00	36.55	0.70%
40	4	52/42	67.72	4.32	72.04	1.38%
41	4	52/43	40.00	4.53	44.53	0.85%
42	4	52/44	40.00	4.53	44.53	0.85%
43	4	52/45	67.72	4.32	72.04	1.38%
44	4	52/46	32.55	4.00	36.55	0.70%
45	4	52/47	36.27	4.11	40.33	0.77%
46	4	52/48	36.22	4.08	40.35	0.77%
47	4	52/49	64.31	4.77	69.08	1.32%
48	4	52/50	51.98	4.07	56.05	1.07%
49	5	52/51	51.98	4.07	56.05	1.07%
50	5	52/52	64.31	4.78	69.40	1.32%
51	5	52/53	36.27	4.08	40.35	0.77%
52	5	52/54	36.22	4.11	40.33	0.77%
53	5	52/55	32.55	4.00	36.55	0.70%
54	5	52/56	67.72	4.32	72.04	1.38%
55	5	52/57	40.00	4.53	44.53	0.85%
56	5	52/58	40.00	4.53	44.53	0.85%
57	5	52/59	67.72	4.32	72.04	1.38%
58	5	52/60	32.55	4.00	36.55	0.70%
59	5	52/61	36.27	4.11	40.33	0.77%
60	5	52/62	36.22	4.08	40.35	0.77%
61	5	52/63	64.31	4.77	69.08	1.32%
62	5	52/64	51.98	4.07	56.05	1.07%
63	6	52/65	51.98	4.07	56.05	1.07%
64	6	52/66	64.31	4.78	69.40	1.32%
65	6	52/67	36.27	4.08	40.35	0.77%
66	6	52/68	36.22	4.11	40.33	0.77%
67	6	52/69	32.55	4.00	36.55	0.70%
68	6	52/70	67.72	4.32	72.04	1.38%
69	6	52/71	40.00	4.53	44.53	0.85%

ลงชื่อ... พนักงานเจ้าหน้าที่

70	6	52/72	40.00	4.53	44.53	0.85%
71	6	52/73	67.72	4.32	72.04	1.38%
72	6	52/74	32.55	4.00	36.55	0.70%
73	6	52/75	36.22	4.11	40.33	0.77%
74	6	52/76	36.27	4.08	40.35	0.77%
75	6	52/77	64.31	4.77	69.08	1.32%
76	6	52/78	51.98	4.07	56.05	1.07%
77	7	52/79	51.98	4.07	56.05	1.07%
78	7	52/80	64.31	4.78	69.40	1.32%
79	7	52/81	36.27	4.08	40.35	0.77%
80	7	52/82	36.22	4.11	40.33	0.77%
81	7	52/83	32.55	4.00	36.55	0.70%
82	7	52/84	67.72	4.32	72.04	1.38%
83	7	52/85	40.00	4.53	44.53	0.85%
84	7	52/86	40.00	4.53	44.53	0.85%
85	7	52/87	67.72	4.32	72.04	1.38%
86	7	52/88	32.55	4.00	36.55	0.70%
87	7	52/89	36.22	4.11	40.33	0.77%
88	7	52/90	36.27	4.08	40.35	0.77%
89	7	52/91	64.31	4.77	69.08	1.32%
90	7	52/92	51.98	4.07	56.05	1.07%
91	8	52/93	64.31	4.78	69.40	1.32%
92	8	52/94	36.27	4.08	40.35	0.77%
93	8	52/95	36.22	4.11	40.33	0.77%
94	8	52/96	32.55	4.00	36.55	0.70%
95	8	52/97	67.72	4.32	72.04	1.38%
96	8	52/98	40.00	4.53	44.53	0.85%
97	8	52/99	40.00	4.53	44.53	0.85%
98	8	52/100	67.72	4.32	72.04	1.38%
99	8	52/101	32.55	4.00	36.55	0.70%
100	8	52/102	36.22	4.11	40.33	0.77%
101	8	52/103	36.27	4.08	40.35	0.77%
102	8	52/104	64.31	4.77	69.08	1.32%
รวม			4788.82	435.07	5224.49	100.00%

ได้ลงนามเป็นมติของคณะกรรมการแล้วเมื่อวันที่ ๒๖ ธ.ค. ๒๕๖๕

ลงชื่อ... พนักงานเจ้าหน้าที่

หมวดที่ ๘ การถือกรรมสิทธิ์ของบุคคลหรือนิติบุคคลซึ่งกฎหมายถือว่าเกินกว่าหนึ่งคน

ข้อ 32. คนต่างถิ่นและนิติบุคคลซึ่งกฎหมายถือว่าเกินกว่าหนึ่งคนต่างถิ่น อาจถือกรรมสิทธิ์ในที่ดินได้ ดังนี้เกินกว่าหนึ่งคน

32.1 คนต่างถิ่นซึ่งได้รับอนุญาตให้เข้ามาในประเทศไทยตามกฎหมายว่าด้วยการลงทุน

32.2 คนต่างถิ่นซึ่งได้รับอนุญาตให้เข้ามาในประเทศไทยตามกฎหมายว่าด้วยการส่งเสริมการลงทุน

32.3 นิติบุคคลที่มีทุนจดทะเบียนเกิน ๑๗ และ ๑๘ แห่งประมวลกฎหมายอาญา ซึ่งจดทะเบียนเป็นนิติบุคคล

ตามกฎหมายไทย

32.4 นิติบุคคลซึ่งเกินกว่าหนึ่งคนตามกฎหมายว่าด้วยการประกอบอาชีพค้าขาย

และได้รับบัตรส่งเสริมการลงทุนตามกฎหมายว่าด้วยการส่งเสริมการลงทุน

32.5 คนต่างถิ่นหรือนิติบุคคลซึ่งกฎหมายถือว่าเกินกว่าหนึ่งคนต่างถิ่นซึ่งนำเงินเข้ามาในประเทศไทย

ตามกฎหมายว่าด้วยการประกอบอาชีพค้าขาย

ข้อ 33. อาณาเขตของที่ดินของบุคคลหรือนิติบุคคลซึ่งเกินกว่าหนึ่งคนต่างถิ่นหรือเกินกว่าหนึ่งคน

ซึ่งมีอยู่ ๔๑ เขตของที่ดินทั้งหมดในอาณาเขต

หมวดที่ ๙ การระดมทุนของประชาชน

ข้อ 34. วัตถุประสงค์ของการจัดให้มีการระดมทุนโดยประชาชน (๑) ซึ่งภายในหนึ่งปี (๑๒) วันนับแต่

วันเริ่มเป็นปฏิทินของนิติบุคคลหรือบุคคลอื่นใด

34.1 ที่ระดมทุนโดยประชาชน

34.2 ที่ระดมทุนโดยประชาชน

34.3 แต่ทั้งนี้ผู้ระดมทุน

34.4 ที่ระดมทุนโดยประชาชน

ข้อ 35. การระดมทุนโดยประชาชน

บุคคลต่อไปนี้ถือเป็นการระดมทุนโดยประชาชน

35.1 ผู้จัดการ

35.2 คณะกรรมการบริหารของนิติบุคคลหรือบุคคลอื่นใด

35.3 เจ้าของบริษัทหรือบุคคลอื่นใดซึ่งมีหน้าที่รับผิดชอบในการระดมทุนโดยประชาชน

หรือของนิติบุคคลหรือบุคคลอื่นใดซึ่งมีหน้าที่รับผิดชอบในการระดมทุนโดยประชาชน

ข้อ 36. การระดมทุนโดยประชาชน

นิติบุคคลซึ่งเกินกว่าหนึ่งคนตามกฎหมายว่าด้วยการประกอบอาชีพค้าขาย

และได้รับบัตรส่งเสริมการลงทุนตามกฎหมายว่าด้วยการส่งเสริมการลงทุน

นิติบุคคลซึ่งเกินกว่าหนึ่งคนตามกฎหมายว่าด้วยการประกอบอาชีพค้าขาย

และได้รับบัตรส่งเสริมการลงทุนตามกฎหมายว่าด้วยการส่งเสริมการลงทุน

นิติบุคคลซึ่งเกินกว่าหนึ่งคนตามกฎหมายว่าด้วยการประกอบอาชีพค้าขาย

และได้รับบัตรส่งเสริมการลงทุนตามกฎหมายว่าด้วยการส่งเสริมการลงทุน

ภาคผนวก ค2-6

ตัวอย่างเอกสาร ทส.1 และ ทส.2

แบบบันทึกการประเมินผลสัมฤทธิ์และข้อมูลซึ่งแสดงผลการดำเนินงานของระบบบำบัดน้ำเสีย
ของแหล่งกำเนิดมลพิษ

ซึ่งมีแผนผังแสดงการทำงานของระบบปฏิกิริยาเคมี ดังนี้

[illegible][illegible]

๒. ไก่มีลักษณะปากเป็นรูปเคียวมีการเคลื่อนไหวของกระดูกขาและปีกที่ผิดปกติ ไม่ยอมลงจากคอกหรือวิ่งตามการนำที่ผู้ทักกับและตามหาไก่ และที่ผิดปกติและทำการอุปเอียงเป็นปกติและขี้มูลเป็นก้อน

ขอรับรางวัลการันตีคุณภาพดีเยี่ยม สาขาการช่างฝีมือช่างอุตสาหกรรม
 _____ ให้เกียรติและมอบรางวัลนี้ให้แก่คุณ _____
 _____ ผู้ควบคุมงานช่างฝีมือ

 โปรดดูรายละเอียดที่ _____

 _____ ผู้รับรางวัลการันตีคุณภาพดีเยี่ยม

 โปรดดูรายละเอียดที่ _____

ภาคผนวก ค3-2