


## เอกสารแนบ 4

---

เอกสารผลการตรวจวัดคุณภาพสิ่งแวดล้อม

## ANALYSIS REPORT


CUSTOMER NAME : เดอะ โกลด์ พหลโยธิน พาร์ค (อาคาร ดี)  
ADDRESS : ถนนพหลโยธิน แขวงจอมพล เขตจตุจักร กรุงเทพมหานคร 10900.  
SAMPLING LOCATION : ป่อเกรอะ  
SAMPLING METHOD : GRAB  
SAMPLING CONDITION : NORMAL  
CHARACTERISTICS OF WATER : เทาขุ่น มีตะกอน มีกลิ่น  
SAMPLING DATE : JULY 18, 2024  
SAMPLING TIME : 13:00  
SAMPLING BY :   
REPORT NO. : RN240711856  
SAMPLING SOURCE : WASTEWATER  
RECEIVED DATE : JULY 18, 2024  
ANALYTICAL DATE : JULY 18-30, 2024  
REPORT DATE : JULY 31, 2024

PARAMETER	UNIT	METHODS OF ANALYSIS	RESULT	MDL	STANDARD*
pH	-	Electrometric (SM: 4500-H <sup>+</sup> B.)	7.3 at 25°C	-	-
Biochemical Oxygen Demand	mg/l	Membrane Electrode (SM: 4500-O G, 5210 B.)	88.5	2.0	-
Total Suspended Solids	mg/l	Total Suspended Solids Dried at 103-105°C (SM: 2540 D.)	1,147.0	-	-
Sulfide as H <sub>2</sub> S	mg/l	Iodometric (SM: 4500-S <sup>2-</sup> F.)	<1.0	-	-
Total Kjeldahl Nitrogen	mg/l	Macro Kjeldahl (SM: 4500-N <sub>org</sub> B)	51.0	-	-
Oil & Grease	mg/l	Liquid-Liquid Partition-Gravimetric (SM: 5520 B.)	8.2	1.4	-
Total Coliform Bacteria	MPN/100 ml	MPN Test	>2.4 x 10 <sup>6</sup>	-	-

SM : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 24<sup>th</sup> ED.,2023 (AWWA,APHA, WEF)


Remark : 1. - Not available .

2. \* Notification of the Ministry of Natural Resources and Environment, dated November 7, B.E. 2548 (2005), which was published in the Royal Government Gazette, Vol. 122, Part 125D dated December 19, B.E. 2548 (2005) . (Category A)

  
LABORATORY SUPERVISOR

\*\*\* Reported analysis refers to submitted sample only. Report analysis shall not be reproduced except in full, without written approval of Laboratory.\*\*\*

ANALYSIS REPORT

CUSTOMER NAME : เดอะ โกลด์ พหลโยธิน พาร์ค (อาคาร ดี)  
ADDRESS : ถนนพหลโยธิน แขวงจอมพล เขตจตุจักร กรุงเทพมหานคร 10900.  
SAMPLING LOCATION : บ่อพักน้ำใส  
SAMPLING METHOD : GRAB  
SAMPLING CONDITION : NORMAL  
CHARACTERISTICS OF WATER : เหลืองขุ่น ไม่มีตะกอน ไม่มีกลิ่น  
SAMPLING DATE : JULY 18, 2024  
SAMPLING TIME : 13:00  
SAMPLING BY :   
REPORT NO. : RN240711857  
SAMPLING SOURCE : WASTEWATER  
RECEIVED DATE : JULY 18, 2024  
ANALYTICAL DATE : JULY 18-30, 2024  
REPORT DATE : JULY 31, 2024

PARAMETER	UNIT	METHODS OF ANALYSIS	RESULT	MDL	STANDARD*
pH	-	Electrometric (SM: 4500-H <sup>+</sup> B.)	7.6 at 25°C	-	5-9
Biochemical Oxygen Demand	mg/l	Membrane Electrode (SM: 4500-O G, 5210 B.)	6.0	2.0	≤20
Total Suspended Solids	mg/l	Total Suspended Solids Dried at 103-105°C (SM: 2540 D.)	28.0	-	≤30
Sulfide as H <sub>2</sub> S	mg/l	Iodometric (SM: 4500-S <sup>2-</sup> F.)	<1.0	-	≤1.0
Total Kjeldahl Nitrogen	mg/l	Macro Kjeldahl (SM: 4500-N <sub>org</sub> B)	3.2	-	≤35
Oil & Grease	mg/l	Liquid-Liquid Partition-Gravimetric (SM: 5520 B.)	N.D.	1.4	≤20
Total Coliform Bacteria	MPN/100 ml	MPN Test	>2.4 x 10 <sup>6</sup>	-	-

SM : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 24<sup>th</sup> ED., 2023 (AWWA, APHA, WEF)


Remark : 1. - Not available .

2. \* Notification of the Ministry of Natural Resources and Environment, dated November 7, B.E. 2548 (2005), which was published in the Royal Government Gazette, Vol. 122, Part 125D dated December 19, B.E. 2548 (2005) . (Category A)
3. N.D. (Not Detectable) หมายถึง ตรวจไม่พบ

  
LABORATORY SUPERVISOR

\*\*\* Reported analysis refers to submitted sample only. Report analysis shall not be reproduced except in full, without written approval of Laboratory.\*\*\*


ANALYSIS REPORT

CUSTOMER NAME : เดอะ โกลด์ พหลโยธิน พาร์ค (อาคาร ดี)  
ADDRESS : ถนนพหลโยธิน แขวงจอมพล เขตจตุจักร กรุงเทพมหานคร 10900.  
SAMPLING LOCATION : ป่อเกรอะ  
SAMPLING METHOD : GRAB  
SAMPLING CONDITION : NORMAL  
CHARACTERISTICS OF WATER : ดำขุ่น มีตะกอน มีกลิ่น  
SAMPLING DATE : AUGUST 21, 2024  
SAMPLING TIME : 12:30  
SAMPLING BY :   
REPORT NO. : RN240812100  
SAMPLING SOURCE : WASTEWATER  
RECEIVED DATE : AUGUST 21, 2024  
ANALYTICAL DATE : AUGUST 21-30, 2024  
REPORT DATE : AUGUST 30, 2024

PARAMETER	UNIT	METHODS OF ANALYSIS	RESULT	MDL	STANDARD*
pH	-	Electrometric (SM: 4500-H <sup>+</sup> B.)	6.1 at 25°C	-	-
Biochemical Oxygen Demand	mg/l	Membrane Electrode (SM: 4500-O G, 5210 B.)	160.0	2.0	-
Total Suspended Solids	mg/l	Total Suspended Solids Dried at 103-105°C (SM: 2540 D.)	5,230.0	-	-
Sulfide as H <sub>2</sub> S	mg/l	Iodometric (SM: 4500-S <sup>2-</sup> F.)	<1.0	-	-
Total Kjeldahl Nitrogen	mg/l	Macro Kjeldahl (SM: 4500-N <sub>org</sub> B)	114.0	-	-
Oil & Grease	mg/l	Liquid-Liquid Partition-Gravimetric (SM: 5520 B.)	6.8	1.4	-
Total Coliform Bacteria	MPN/100 ml	MPN Test	>2.4 x 10 <sup>6</sup>	-	-

SM : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 24<sup>th</sup> ED.,2023 (AWWA,APHA, WEF)

Remark : 1. Notification of the Ministry of Natural Resources and Environment, dated November 7, B.E. 2548 (2005), which was published in the Royal Government Gazette, Vol. 122, Part 125D dated December 19, B.E. 2548 (2005) . (Category A)

  
LABORATORY SUPERVISOR

\*\*\* Reported analysis refers to submitted sample only. Report analysis shall not be reproduced except in full, without written approval of Laboratory.\*\*\*

ANALYSIS REPORT

CUSTOMER NAME : เดอะ โกลด์ พลัสอิน พาร์ค (อาคาร ดี)

ADDRESS : ถนนพลโยธิน แขวงจอมพล เขตจตุจักร กรุงเทพมหานคร 10900.

SAMPLING LOCATION : บ่อพักน้ำใส

SAMPLING METHOD : GRAB

SAMPLING CONDITION : NORMAL

CHARACTERISTICS OF WATER : เหลืองขุ่น มีตะกอน มีกลิ่น

SAMPLING DATE : AUGUST 21, 2024

SAMPLING TIME : 12:20

SAMPLING BY : นายธวัชชัย จักรพันธุ์

REPORT NO. : RN240812101

SAMPLING SOURCE : WASTEWATER

RECEIVED DATE : AUGUST 21, 2024


ANALYTICAL DATE : AUGUST 21-30, 2024

REPORT DATE : AUGUST 30, 2024

PARAMETER	UNIT	METHODS OF ANALYSIS	RESULT	MDL	STANDARD*
pH	-	Electrometric (SM: 4500-H <sup>+</sup> B.)	6.7 at 25°C	-	5-9
Biochemical Oxygen Demand	mg/l	Membrane Electrode (SM: 4500-O <sub>2</sub> G, 5210 B.)	10.6	2.0	≤20
Total Suspended Solids	mg/l	Total Suspended Solids Dried at 103-105°C (SM: 2540 D.)	8.0	-	≤30
Sulfide as H <sub>2</sub> S	mg/l	Iodometric (SM: 4500-S <sup>2-</sup> F.)	<1.0	-	≤1.0
Total Kjeldahl Nitrogen	mg/l	Macro Kjeldahl (SM: 4500-N <sub>org</sub> B)	5.9	-	≤35
Oil & Grease	mg/l	Liquid-Liquid Partition-Gravimetric (SM: 5520 B.)	Not Detectable	1.4	≤20
Total Coliform Bacteria	MPN/100 ml	MPN Test	1.1 x 10 <sup>6</sup>	-	-

SM : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 24<sup>th</sup> ED.,2023 (AWWA,APHA, WEF)

Remark : 1. \* Notification of the Ministry of Natural Resources and Environment, dated November 7, B.E. 2548 (2005), which was published in the Royal Government Gazette, Vol. 122, Part 125D dated December 19, B.E. 2548 (2005) . (Category A)




(MR TAWATCHAI CHONGVUTICHA)

LABORATORY SUPERVISOR

\*\*\* Reported analysis refers to submitted sample only. Report analysis shall not be reproduced except in full, without written approval of Laboratory.\*\*\*



ANALYSIS REPORT

CUSTOMER NAME : เดอะ โกลด์ พหลโยธิน พาร์ค (อาคาร ดี)  
ADDRESS : ถนนพหลโยธิน แขวงจอมพล เขตจตุจักร กรุงเทพมหานคร 10900.  
SAMPLING LOCATION : บ่อเกรอะ  
SAMPLING METHOD : GRAB  
SAMPLING CONDITION : NORMAL  
CHARACTERISTICS OF WATER : ดำขุ่น มีตะกอน มีกลิ่น  
SAMPLING DATE : SEPTEMBER 11, 2024  
SAMPLING TIME : 13:00  
SAMPLING BY :   
REPORT NO. : RN240912330  
SAMPLING SOURCE : WASTEWATER  
RECEIVED DATE : SEPTEMBER 11, 2024  
ANALYTICAL DATE : SEPTEMBER 11-20, 2024  
REPORT DATE : SEPTEMBER 23, 2024

PARAMETER	UNIT	METHODS OF ANALYSIS	RESULT	MDL	STANDARD*
pH	-	Electrometric (SM: 4500-H <sup>+</sup> B.)	7.4 at 25°C	-	-
Biochemical Oxygen Demand	mg/l	Azide Modification (SM: 4500-O C, 5210 B.)	90.0	2.0	-
Total Suspended Solids	mg/l	Total Suspended Solids Dried at 103-105°C (SM: 2540 D.)	670.0	-	-
Sulfide as H <sub>2</sub> S	mg/l	Iodometric (SM: 4500-S <sup>2-</sup> F.)	<1.0	-	-
Total Kjeldahl Nitrogen	mg/l	Macro Kjeldahl (SM: 4500-N <sub>org</sub> B)	76.0	-	-
Oil & Grease	mg/l	Liquid-Liquid Partition-Gravimetric (SM: 5520 B.)	8.0	1.4	-
Total Coliform Bacteria	MPN/100 ml	MPN Test	>2.4 x 10 <sup>6</sup>	-	-

SM : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 24<sup>th</sup> ED.,2023 (AWWA,APHA, WEF)

Remark : 1. Notification of the Ministry of Natural Resources and Environment, dated June 28, B.E. 2567 (2024), which was published in the Royal Government Gazette, Vol. 141, Part 233D dated August 27, B.E. 2567 (2024) . (Category A)

  
LABORATORY SUPERVISOR

\*\*\* Reported analysis refers to submitted sample only. Report analysis shall not be reproduced except in full, without written approval of Laboratory.\*\*\*

ANALYSIS REPORT

CUSTOMER NAME : เดอะ โกลด์ พหลโยธิน พาร์ค (อาคาร ดี)

ADDRESS : ถนนพหลโยธิน แขวงจอมพล เขตจตุจักร กรุงเทพมหานคร 10900.

SAMPLING LOCATION : บ่อพักน้ำใส

SAMPLING METHOD : GRAB

SAMPLING CONDITION : NORMAL

CHARACTERISTICS OF WATER : เหลืองใส ไม่มีตะกอน ไม่มีกลิ่น

SAMPLING DATE : SEPTEMBER 11, 2024

SAMPLING TIME : 13:00

SAMPLING BY :

REPORT NO. : RN240912331

SAMPLING SOURCE : WASTEWATER

RECEIVED DATE : SEPTEMBER 11, 2024

ANALYTICAL DATE : SEPTEMBER 11-20, 2024

REPORT DATE : SEPTEMBER 23, 2024

PARAMETER	UNIT	METHODS OF ANALYSIS	RESULT	MDL	STANDARD*
pH	-	Electrometric (SM: 4500-H <sup>+</sup> B.)	7.6 at 25°C	-	5.5-9.0
Biochemical Oxygen Demand	mg/l	Azide Modification (SM: 4500-O C, 5210 B. )	11.5	2.0	≤20
Total Suspended Solids	mg/l	Total Suspended Solids Dried at 103-105°C (SM: 2540 D.)	22.0	-	≤30
Sulfide as H <sub>2</sub> S	mg/l	Iodometric (SM: 4500-S <sup>2-</sup> F.)	<1.0	-	≤1.0
Total Kjeldahl Nitrogen	mg/l	Macro Kjeldahl (SM: 4500-N <sub>org</sub> B)	11.0	-	≤35
Oil & Grease	mg/l	Liquid-Liquid Partition-Gravimetric (SM: 5520 B.)	Not Detected	1.4	≤20
Total Coliform Bacteria	MPN/100 ml	MPN Test	5.3 x 10 <sup>4</sup>	-	-


SM : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 24<sup>th</sup> ED.,2023 (AWWA,APHA, WEF)

Remark : 1. Notification of the Ministry of Natural Resources and Environment, dated June 28, B.E. 2567 (2024), which was published in the Royal Government Gazette, Vol. 141, Part 233D dated August 27, B.E. 2567 (2024) . (Category A)

LABORATORY SUPERVISOR

\*\*\* Reported analysis refers to submitted sample only. Report analysis shall not be reproduced except in full, without written approval of Laboratory.\*\*\*


ANALYSIS REPORT

CUSTOMER NAME : เดอะ ไอนด์ พหลโยธิน พาร์ค (อาคาร ดี)  
ADDRESS : ถนนพหลโยธิน แขวงจอมพล เขตจตุจักร กรุงเทพมหานคร 10900.  
SAMPLING LOCATION : บ่อเกรอะ  
SAMPLING METHOD : GRAB  
SAMPLING CONDITION : NORMAL  
CHARACTERISTICS OF WATER : ดำขุ่น มีตะกอน มีกลิ่น  
SAMPLING DATE : OCTOBER 30, 2024  
SAMPLING TIME : 10:50  
SAMPLING BY :   
REPORT NO. : RN241012589  
SAMPLING SOURCE : WASTEWATER  
RECEIVED DATE : OCTOBER 30, 2024  
ANALYTICAL DATE : OCTOBER 30-NOVEMBER 06, 2024  
REPORT DATE : NOVEMBER 08, 2024

PARAMETER	UNIT	METHODS OF ANALYSIS	RESULT	MDL	STANDARD*
pH	-	Electrometric (SM: 4500-H <sup>+</sup> B.)	7.1 at 25°C	-	-
Biochemical Oxygen Demand	mg/l	Membrane Electrode (SM: 4500-O G, 5210 B.)	103.0	2.0	-
Total Suspended Solids	mg/l	Total Suspended Solids Dried at 103-105°C (SM: 2540 D.)	220.0	-	-
Sulfide as H <sub>2</sub> S	mg/l	Iodometric (SM: 4500-S <sup>2-</sup> F.)	<1.0	-	-
Total Kjeldahl Nitrogen	mg/l	Macro Kjeldahl (SM: 4500-N <sub>org</sub> B)	87.0	-	-
Oil & Grease	mg/l	Liquid-Liquid Partition-Gravimetric (SM: 5520 B.)	7.2	1.4	-
Total Coliform Bacteria	MPN/100 ml	MPN Test	>2.4 x 10 <sup>6</sup>	-	-

SM : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 24<sup>th</sup> ED.,2023 (AWWA,APHA, WEF)


Remark : 1. Notification of the Ministry of Natural Resources and Environment, dated June 28, B.E. 2567 (2024), which was published in the Royal Government Gazette, Vol. 141, Part 233D dated August 27, B.E. 2567 (2024) . (Category A)



\*\*\* Reported analysis refers to submitted sample only. Report analysis shall not be reproduced except in full, without written approval of Laboratory.\*\*\*




ANALYSIS REPORT

CUSTOMER NAME : เดอะ โกลด์ พหลโยธิน พาร์ค (อาคาร ดี)  
ADDRESS : ถนนพหลโยธิน แขวงจอมพล เขตจตุจักร กรุงเทพมหานคร 10900.  
SAMPLING LOCATION : บ่อพักน้ำใส  
SAMPLING METHOD : GRAB  
SAMPLING CONDITION : NORMAL  
CHARACTERISTICS OF WATER : เหลืองขุ่น ไม่มีตะกอน ไม่มีกลิ่น  
SAMPLING DATE : OCTOBER 30, 2024  
SAMPLING TIME : 10:50  
SAMPLING BY :   
REPORT NO. : RN241012590  
SAMPLING SOURCE : WASTEWATER  
RECEIVED DATE : OCTOBER 30, 2024  
ANALYTICAL DATE : OCTOBER 30-NOVEMBER 06, 2024  
REPORT DATE : NOVEMBER 08, 2024

PARAMETER	UNIT	METHODS OF ANALYSIS	RESULT	MDL	STANDARD
pH	-	Electrometric (SM: 4500-H <sup>+</sup> B.)	7.8 at 25°C	-	5.5-9.0
Biochemical Oxygen Demand	mg/l	Membrane Electrode (SM: 4500-O <sub>2</sub> G, 5210 B.)	12.0	2.0	≤20
Total Suspended Solids	mg/l	Total Suspended Solids Dried at 103-105°C (SM: 2540 D.)	30.0	-	≤30
Sulfide as H <sub>2</sub> S	mg/l	Iodometric (SM: 4500-S <sup>2-</sup> F.)	<1.0	-	≤1.0
Total Kjeldahl Nitrogen	mg/l	Macro Kjeldahl (SM: 4500-N <sub>org</sub> B)	4.3	-	≤35
Oil & Grease	mg/l	Liquid-Liquid Partition-Gravimetric (SM: 5520 B.)	Not Detected	1.4	≤20
Total Coliform Bacteria	MPN/100 ml	MPN Test	>2.4 x 10 <sup>6</sup>	-	-

SM : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 24<sup>th</sup> ED.,2023 (AWWA,APHA, WEF)


Remark : 1. Notification of the Ministry of Natural Resources and Environment, dated June 28, B.E. 2567 (2024), which was published in the Royal Government Gazette, Vol. 141, Part 233D dated August 27, B.E. 2567 (2024) . (Category A)



\*\*\* Reported analysis refers to submitted sample only. Report analysis shall not be reproduced except in full, without written approval of Laboratory.\*\*\*




## ANALYSIS REPORT

CUSTOMER NAME : เดอะ โกลด์ พหลโยธิน พาร์ค (อาคาร ดี)  
ADDRESS : ถนนพหลโยธิน แขวงจอมพล เขตจตุจักร กรุงเทพมหานคร 10900.  
SAMPLING LOCATION : ปอเกรอะ  
SAMPLING METHOD : GRAB  
SAMPLING CONDITION : NORMAL  
CHARACTERISTICS OF WATER : ดำขุ่น มีตะกอน มีกลิ่น  
SAMPLING DATE : NOVEMBER 22, 2024  
SAMPLING TIME : 11:30  
SAMPLING BY :   
REPORT NO. : RN241112793  
SOURCE : WASTEWATER  
RECEIVED DATE : NOVEMBER 22, 2024  
DATE : NOVEMBER 22-DECEMBER 06, 2024  
REPORT DATE : DECEMBER 12, 2024

PARAMETER	UNIT	METHODS OF ANALYSIS	RESULT	MDL	STANDARD*
pH	-	Electrometric (SM: 4500-H <sup>+</sup> B.)	7.5 at 25°C	-	-
Biochemical Oxygen Demand	mg/l	Membrane Electrode (SM: 4500-O G, 5210 B.)	54.0	2.0	-
Total Suspended Solids	mg/l	Total Suspended Solids Dried at 103-105°C (SM: 2540 D.)	950.0	-	-
Sulfide as H <sub>2</sub> S	mg/l	Iodometric (SM: 4500-S <sup>2-</sup> F.)	<1.0	-	-
Total Kjeldahl Nitrogen	mg/l	Macro Kjeldahl (SM: 4500-N <sub>org</sub> B)	36.0	-	-
Oil & Grease	mg/l	Liquid-Liquid Partition-Gravimetric (SM: 5520 B.)	6.4	1.4	-
Total Coliform Bacteria	MPN/100 ml	MPN Test	2.1 x 10 <sup>5</sup>	-	-


SM : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 24<sup>th</sup> ED., 2023 (AWWA, APHA, WEF)

Remark : 1. \* Notification of the Ministry of Natural Resources and Environment, dated June 28, B.E. 2567 (2024), which was published in the Royal Government Gazette, Vol. 141, Part 233D dated August 27, B.E. 2567 (2024) . (Category A)



\*\*\* Reported analysis refers to submitted sample only. Report analysis shall not be reproduced except in full, without written approval of Laboratory.\*\*\*


ANALYSIS REPORT

CUSTOMER NAME : เดอะ โสไน์ พหลโยธิน พาร์ค (อาคาร ดี)  
ADDRESS : ถนนพหลโยธิน แขวงจอมพล เขตจตุจักร กรุงเทพมหานคร 10900.  
SAMPLING LOCATION : บ่อพักน้ำใส  
SAMPLING METHOD : GRAB  
SAMPLING CONDITION : NORMAL  
CHARACTERISTICS OF WATER : เหลืองขุ่น ไม่มีตะกอน ไม่มีกลิ่น  
SAMPLING DATE : NOVEMBER 22, 2024  
SAMPLING TIME : 11:30  
SAMPLING BY :   
REPORT NO. : RN241112794  
SOURCE : WASTEWATER  
RECEIVED DATE : NOVEMBER 22, 2024  
DATE : NOVEMBER 22-DECEMBER 06, 2024  
REPORT DATE : DECEMBER 12, 2024

PARAMETER	UNIT	METHODS OF ANALYSIS	RESULT	MDL	STANDARD
pH	-	Electrometric (SM: 4500-H <sup>+</sup> B.)	7.8 at 25°C	-	5.5-9.0
Biochemical Oxygen Demand	mg/l	Membrane Electrode (SM: 4500-O G, 5210 B.)	29.3	2.0	≤20
Total Suspended Solids	mg/l	Total Suspended Solids Dried at 103-105°C (SM: 2540 D.)	62.0	-	≤30
Sulfide as H <sub>2</sub> S	mg/l	Iodometric (SM: 4500-S <sup>2-</sup> F.)	<1.0	-	≤1.0
Total Kjeldahl Nitrogen	mg/l	Macro Kjeldahl (SM: 4500-N <sub>org</sub> B.)	15.0	-	≤35
Oil & Grease	mg/l	Liquid-Liquid Partition-Gravimetric (SM: 5520 B.)	Not Detected	1.4	≤20
Total Coliform Bacteria	MPN/100 ml	MPN Test	4.4 × 10 <sup>4</sup>	-	-

SM : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 24<sup>th</sup> ED., 2023 (AWWA, APHA, WEF)

Remark : 1. Notification of the Ministry of Natural Resources and Environment, dated June 28, B.E. 2567 (2024), which was published in the Royal Government Gazette, Vol. 141, Part 233D dated August 27, B.E. 2567 (2024) . (Category A)



\*\*\* Reported analysis refers to submitted sample only. Report analysis shall not be reproduced except in full, without written approval of Laboratory.\*\*\*




## ANALYSIS REPORT

CUSTOMER NAME	: เดอะ ไชน์ พหลโยธิน พาร์ค (อาคาร ดี)	REPORT NO.	: RN241213045
ADDRESS	: ถนนพหลโยธิน แขวงจอมพล เขตจตุจักร กรุงเทพมหานคร 10900.	SAMPLING SOURCE	: WASTEWATER
SAMPLING LOCATION	: ปอกระจะ	RECEIVED DATE	: DECEMBER 18, 2024
SAMPLING METHOD	: GRAB	ANALYTICAL DATE	: DECEMBER 18-27, 2024
SAMPLING CONDITION	: NORMAL	REPORT DATE	: JANUARY 08, 2025
CHARACTERISTICS OF WATER	: ดำขุ่น มีตะกอน มีกลิ่น		
SAMPLING DATE	: DECEMBER 18, 2024		
SAMPLING TIME	: 11:40		
SAMPLING BY			

PARAMETER	UNIT	METHODS OF ANALYSIS	RESULT	MDL	STANDARD*
pH	-	Electrometric (SM: 4500-H <sup>+</sup> B.)	7.3 at 25°C	-	-
Biochemical Oxygen Demand	mg/l	Membrane Electrode (SM: 4500-O G, 5210 B.)	71.8	2.0	-
Total Suspended Solids	mg/l	Total Suspended Solids Dried at 103-105°C (SM: 2540 D.)	265.0	-	-
Sulfide as H <sub>2</sub> S	mg/l	Iodometric (SM: 4500-S <sup>2-</sup> F.)	<1.0	-	-
Total Kjeldahl Nitrogen	mg/l	Macro Kjeldahl (SM: 4500-N <sub>org</sub> B)	62.0	-	-
Oil & Grease	mg/l	Liquid-Liquid Partition-Gravimetric (SM: 5520 B.)	Not Detected	1.4	-
Total Coliform Bacteria	MPN/100 ml	MPN Test	1.2 x 10 <sup>5</sup>	-	-

SM : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 24<sup>th</sup> ED., 2023 (AWWA, APHA, WEF)


Remark : 1. Notification of the Ministry of Natural Resources and Environment, dated June 28, B.E. 2567 (2024), which was published in the Royal Government Gazette, Vol. 141, Part 233D dated August 27, B.E. 2567 (2024) . (Category A)



\*\*\* Reported analysis refers to submitted sample only. Report analysis shall not be reproduced except in full, without written approval of Laboratory.\*\*\*




ANALYSIS REPORT

CUSTOMER NAME : เดอะ โกลด์ พหลโยธิน พาร์ค (อาคาร ดี)  
ADDRESS : ถนนพหลโยธิน แขวงจอมพล เขตจตุจักร กรุงเทพมหานคร 10900.  
SAMPLING LOCATION : บ่อพักน้ำใส  
SAMPLING METHOD : GRAB  
SAMPLING CONDITION : NORMAL  
CHARACTERISTICS OF WATER : เหลืองขุ่น ไม่มีตะกอน ไม่มีกลิ่น  
SAMPLING DATE : DECEMBER 18, 2024  
SAMPLING TIME : 11:40  
SAMPLING BY :   
REPORT NO. : RN241213046  
SAMPLING SOURCE : WASTEWATER  
RECEIVED DATE : DECEMBER 18, 2024  
ANALYTICAL DATE : DECEMBER 18-27, 2024  
REPORT DATE : JANUARY 08, 2025

PARAMETER	UNIT	METHODS OF ANALYSIS	RESULT	MDL	STANDARD
pH	-	Electrometric (SM: 4500-H <sup>+</sup> B.)	7.6 at 25°C	-	5.5-9.0
Biochemical Oxygen Demand	mg/l	Membrane Electrode (SM: 4500-O G, 5210 B.)	25.4	2.0	≤20
Total Suspended Solids	mg/l	Total Suspended Solids Dried at 103-105°C (SM: 2540 D.)	46.0	-	≤30
Sulfide as H <sub>2</sub> S	mg/l	Iodometric (SM: 4500-S <sup>2-</sup> F.)	<1.0	-	≤1.0
Total Kjeldahl Nitrogen	mg/l	Macro Kjeldahl (SM: 4500-N <sub>org</sub> B)	37.0	-	≤35
Oil & Grease	mg/l	Liquid-Liquid Partition-Gravimetric (SM: 5520 B.)	Not Detected	1.4	≤20
Total Coliform Bacteria	MPN/100 ml	MPN Test	2.0 x 10 <sup>4</sup>	-	-

SM : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 24<sup>th</sup> ED.,2023 (AWWA,APHA, WEF)

Remark : 1. Notification of the Ministry of Natural Resources and Environment, dated June 28, B.E. 2567 (2024), which was published in the Royal Government Gazette, Vol. 141, Part 233D dated August 27, B.E. 2567 (2024) . (Category A)



\*\*\* Reported analysis refers to submitted sample only. Report analysis shall not be reproduced except in full, without written approval of Laboratory.\*\*\*