

## ภาคผนวกที่ 1

สำเนาหนังสือเห็นชอบในรายงานการวิเคราะห์ผลกระทบ  
สิ่งแวดล้อม โครงการ บมจ.บิกซี ซูเปอร์เซ็นเตอร์ สาขาภูเก็ต  
(ระยะดำเนินการ)

## ภาคผนวกที่ 2

ใบรายงานผลการวิเคราะห์จากห้องปฏิบัติการ


## ANALYSIS REPORT



**Customer Name** : Big C Supercenter PCL.  
**Address** : 88/9 Soi Samanchan-Barbos, Phra Khanong, Khlong Toei, Bangkok 10110  
**Project Name** : บมจ.บิ๊กซี ซูเปอร์เซ็นเตอร์ สาขาภูเก็ต  
**Project Location** : เลขที่ 72 หมู่ที่ 5 ตำบลวิชิต อำเภอเมืองภูเก็ต จังหวัดภูเก็ต  
**Sampling Source** : Wastewater Sampling  
**Sampling Point** : บ่อปรับอัตราการไหล  
**GPS. Coordinate** : -  
**Sampling Date** : September 5, 2024  
**Sampling Time** : 12:23  
**Sampling Method** : Grab  
**Sampling By** : Mr.Naruedom Chotikan  
**Analyzed By** : Environment Research & Technology Co., Ltd.  
**Physical Properties** : Turbid, Light Yellow, Sediment, Odor

**Quotation No.** : MR2023-01035  
**Analysis No.** : 2024-AE433-002  
**Received Date** : September 7, 2024  
**Analytical Date** : September 7-23, 2024  
**Report No.** : 2024-RAAS792  
**Report Date** : September 26, 2024

Parameter	Unit	Method of Analysis <sup>1'</sup>	Result
pH	-	Electrometric	3.7
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	158
Total Suspended Solids	mg/L	Dried at 103-105°C	2,675
Sulfide	mg/L	ZnS Precipitation, Iodometric	3.1
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	388
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	31
Total Coliform Bacteria	MPN/100 mL	Most Probable Number	7,900
Ammonia as Nitrogen	mg/L	Distillation, Titrimetric	13
Residual Chlorine	mg/L	Iodometric	<0.3

**Remark :** <sup>1'</sup> Standard Method for Examination of Water and Wastewater, 24<sup>th</sup> Edition, 2023.

  
 (Ms. Yuwadee Na Ranong)  
 Laboratory Reviewer


  
 (Mr. Virat Hemvannanukul)  
 Laboratory Supervisor

## ANALYSIS REPORT

**Customer Name** : Big C Supercenter PCL.  
**Address** : 88/9 Soi Samanchan-Barbos, Phra Khanong, Khlong Toei, Bangkok 10110  
**Project Name** : มมจ.บิกซี ซูเปอร์เซ็นเตอร์ สาขาภูเก็ต  
**Project Location** : เลขที่ 72 หมู่ที่ 5 ตำบลวิชิต อำเภอเมืองภูเก็ต จังหวัดภูเก็ต  
**Sampling Source** : Wastewater Sampling  
**Sampling Point** : บ่อพักน้ำสุดท้ายก่อนปล่อยออกนอกโครงการ  
**GPS. Coordinate** : -  
**Sampling Date** : September 5, 2024  
**Sampling Time** : 12:17  
**Sampling Method** : Grab  
**Sampling By** : Mr.Naruedom Chotikan  
**Analyzed By** : Environment Research & Technology Co., Ltd.  
**Physical Properties** : Turbid, Light Yellow, Sediment, Odor

**Quotation No.** : MR2023-01035  
**Analysis No.** : 2024-AE433-003  
**Received Date** : September 7, 2024  
**Analytical Date** : September 7-23, 2024  
**Report No.** : 2024-RAAS793  
**Report Date** : September 26, 2024

Parameter	Unit	Method of Analysis <sup>1'</sup>	Result	Standard <sup>2'</sup>
pH	-	Electrometric	3.6	5.5-9.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	<2.0	20
Total Suspended Solids	mg/L	Dried at 103-105°C	17	30
Sulfide	mg/L	ZnS Precipitation, Iodometric	<0.4	1.0
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	7.9	35
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	1.2	20
Total Coliform Bacteria	MPN/100 mL	Most Probable Number	<1.8	-
Ammonia as Nitrogen	mg/L	Distillation, Titrimetric	4.3	-
Residual Chlorine	mg/L	Iodometric	<0.3	-

**Remark :** <sup>1'</sup> Standard Method for Examination of Water and Wastewater, 24<sup>th</sup> Edition, 2023.

<sup>2'</sup> Notification of the Ministry of Natural Resources and Environment B.E.2567 (2024), published in the Royal Government Gazette No.141 Special Part 233D dated August 27, B.E.2567 (2024), Maximum permitted value for building Type A.



(Ms.Yuwadee Na Ranong)  
Laboratory Reviewer




(Mr.Virat Hemvannanukul)  
Laboratory Supervisor




## ANALYSIS REPORT

<b>Customer Name</b>	: Big C Supercenter PCL.	<b>Quotation No.</b>	: MR2023-01035
<b>Address</b>	: 88/9 Soi Samanchan-Barbos, Phra Khanong, Khlong Toei, Bangkok 10110	<b>Analysis No.</b>	: 2024-AG592-002
<b>Project Name</b>	: บมจ.บิ๊กซี ซูเปอร์เซ็นเตอร์ สาขาภูเก็ต	<b>Received Date</b>	: December 24, 2024
<b>Project Location</b>	: เลขที่ 72 หมู่ที่ 5 ตำบลวิชิต อำเภอเมืองภูเก็ต จังหวัดภูเก็ต	<b>Analytical Date</b>	: December 24, 2024-January 8, 2025
<b>Sampling Source</b>	: Wastewater Sampling	<b>Report No.</b>	: 2025-RAAA615
<b>Sampling Point</b>	: บ่อปรับอัตราการไหล	<b>Report Date</b>	: January 10, 2025
<b>GPS. Coordinate</b>	: -		
<b>Sampling Date</b>	: December 21, 2024		
<b>Sampling Time</b>	: 13:25		
<b>Sampling Method</b>	: Grab		
<b>Sampling By</b>	: Mr.Naruedom Chotikan		
<b>Analyzed By</b>	: Environment Research & Technology Co., Ltd.		
<b>Physical Properties</b>	: Turbid, Yellow, Sediment, Odor		

Parameter	Unit	Method of Analysis <sup>1'</sup>	Result
pH	-	Electrometric	6.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	151
Total Suspended Solids	mg/L	Dried at 103-105°C	2,300
Sulfide	mg/L	ZnS Precipitation, Iodometric	2.8
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	281
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	8.5
Total Coliform Bacteria	MPN/100 mL	Most Probable Number	>1,600,000
Ammonia as Nitrogen	mg/L	Distillation, Titrimetric	16
Residual Chlorine	mg/L	Iodometric	18

Remark : <sup>1'</sup> Standard Method for Examination of Water and Wastewater, 24<sup>th</sup> Edition, 2023.



(Ms. Yuwadee Na Ranong)  
Laboratory Reviewer




(Mr. Virat Hemvannanukul)  
Laboratory Supervisor

## ANALYSIS REPORT

**Customer Name** : Big C Supercenter PCL.  
**Address** : 88/9 Soi Samanchan-Barbos, Phra Khanong, Khlong Toei, Bangkok 10110  
**Project Name** : บมจ.บีคซี ซูเปอร์เซ็นเตอร์ สาขาภูเก็ต  
**Project Location** : เลขที่ 72 หมู่ที่ 5 ตำบลวิชิต อำเภอเมืองภูเก็ต จังหวัดภูเก็ต  
**Sampling Source** : Wastewater Sampling  
**Sampling Point** : ปลั๊กน้ำสุดท้ายก่อนปล่อยออกนอกโครงการ  
**GPS. Coordinate** : -  
**Sampling Date** : December 21, 2024  
**Sampling Time** : 13:17  
**Sampling Method** : Grab  
**Sampling By** : Mr.Naruedom Chotikan  
**Analyzed By** : Environment Research & Technology Co., Ltd.  
**Physical Properties** : Turbid, Yellow, Sediment, Odor

**Quotation No.** : MR2023-01035  
**Analysis No.** : 2024-AG592-003  
**Received Date** : December 24, 2024  
**Analytical Date** : December 24, 2024-January 9, 2025  
**Report No.** : 2025-RAAA263  
**Report Date** : January 10, 2025

Parameter	Unit	Method of Analysis <sup>1'</sup>	Result	Standard <sup>2'</sup>
pH	-	Electrometric	6.5	5.5-9.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	110	20
Total Suspended Solids	mg/L	Dried at 103-105°C	127	30
Sulfide	mg/L	ZnS Precipitation, Iodometric	<0.4	1.0
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	35	35
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	3.4	20
Total Coliform Bacteria	MPN/100 mL	Most Probable Number	92,000	-
Ammonia as Nitrogen	mg/L	Distillation, Titrimetric	16	-
Residual Chlorine	mg/L	Iodometric	75	-

Remark : <sup>1'</sup> Standard Method for Examination of Water and Wastewater, 24<sup>th</sup> Edition, 2023.

<sup>2'</sup> Notification of the Ministry of Natural Resources and Environment B.E.2567 (2024), published in the Royal Government Gazette No.141 Special Part 233D dated August 27, B.E.2567 (2024), Maximum permitted value for building Type A.



(Ms.Yuwadee Na Ranong)  
Laboratory Reviewer




(Mr.Virat Hemvannanukul)  
Laboratory Supervisor



## ANALYSIS REPORT

**Customer Name** : Big C Supercenter PCL.  
**Address** : 88/9 Soi Samanchan-Barbos, Phra Khanong, Khlong Toei, Bangkok 10110  
**Project Name** : บมจ.บิ๊กซี ซูเปอร์เซ็นเตอร์ สาขาภูเก็ต  
**Project Location** : เลขที่ 72 หมู่ที่ 5 ตำบลวิชิต อำเภอเมืองภูเก็ต จังหวัดภูเก็ต  
**Sampling Source** : Surface Water Sampling  
**Sampling Point** : คลองขุดเขี้ยว  
**GPS. Coordinate** : UTM (WGS84) 47N 0430328 E, 0873365 N  
**Sampling Date** : September 5, 2024  
**Sampling Time** : 12:48  
**Sampling Method** : Grab  
**Sampling By** : Mr.Naruedom Chotikan  
**Analyzed By** : Environment Research & Technology Co., Ltd.  
**Physical Properties** : Turbid, Light Yellow, Sediment, Odor

**Quotation No.** : MR2023-01035  
**Analysis No.** : 2024-AE433-001  
**Received Date** : September 7, 2024  
**Analytical Date** : September 7-23, 2024  
**Report No.** : 2024-RAAS791  
**Report Date** : September 26, 2024



Parameter	Unit	Method of Analysis <sup>1'</sup>	Result	Standard <sup>2'</sup>	
				Class 3	Class 4
pH	-	Electrometric	6.4	5.0-9.0	5.0-9.0
Dissolved Oxygen	mg/L	Membrane Electrode	5.2	≥4.0	≥2.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	5.7	2.0	4.0
Total Coliform Bacteria	MPN/100 mL	Most Probable Number	7,000	20,000	-
Nitrate as Nitrogen	mg/L	Brucine	0.68	5.0	5.0
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	1.6	-	-
Total Suspended Solids	mg/L	Dried at 103-105°C	85	-	-

**Remark :** <sup>1'</sup> Standard Method for Examination of Water and Wastewater, 24<sup>th</sup> Edition, 2023.

<sup>2'</sup> Notification of the National Environment Board, No.8, B.E.2537 (1994), issued under the Enhancement and Conservation of National Environmental Quality Act B.E.2535 (1992), published in the Royal Government Gazette No.111 Part 16, dated February 24, B.E.2537 (1994). (Standard Value of Surface Water for Class 3, 4)



(Ms.Yuwadee Na Ranong)  
Laboratory Reviewer

(Mr.Virat Hemvannanukul)  
Laboratory Supervisor

## ANALYSIS REPORT

<b>Customer Name</b>	: Big C Supercenter PCL.	<b>Quotation No.</b>	: MR2023-01035
<b>Address</b>	: 88/9 Soi Samanchan-Barbos, Phra Khanong, Khlong Toei, Bangkok 10110	<b>Analysis No.</b>	: 2024-AG592-001
<b>Project Name</b>	: บมจ.บิ๊กซี ซูเปอร์เซ็นเตอร์ สาขาภูเก็ต	<b>Received Date</b>	: December 24, 2024
<b>Project Location</b>	: เลขที่ 72 หมู่ที่ 5 ตำบลวิชิต อำเภอเมืองภูเก็ต จังหวัดภูเก็ต	<b>Analytical Date</b>	: December 24, 2024-January 8, 2025
<b>Sampling Source</b>	: Surface Water Sampling	<b>Report No.</b>	: 2025-RAAA261
<b>Sampling Point</b>	: คลองขุดเขีย	<b>Report Date</b>	: January 10, 2025
<b>GPS. Coordinate</b>	: UTM (WGS84) 47N 0430328 E, 0873365 N		
<b>Sampling Date</b>	: December 21, 2024		
<b>Sampling Time</b>	: 15:09		
<b>Sampling Method</b>	: Grab		
<b>Sampling By</b>	: Mr.Naruedom Chotikan		
<b>Analyzed By</b>	: Environment Research & Technology Co., Ltd.		
<b>Physical Properties</b>	: Turbid, Light Yellow, Sediment, Odor		

Parameter	Unit	Method of Analysis <sup>1'</sup>	Result	Standard <sup>2'</sup>	
				Class 3	Class 4
pH	-	Electrometric	7.0	5.0-9.0	5.0-9.0
Dissolved Oxygen	mg/L	Membrane Electrode	3.0	≥4.0	≥2.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	5.4	2.0	4.0
Total Coliform Bacteria	MPN/100 mL	Most Probable Number	92,000	20,000	-
Nitrate as Nitrogen	mg/L	Brucine	0.09	5.0	5.0
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	<1.0	-	-
Total Suspended Solids	mg/L	Dried at 103-105°C	15	-	-

**Remark :** <sup>1'</sup> Standard Method for Examination of Water and Wastewater, 24<sup>th</sup> Edition, 2023.

<sup>2'</sup> Notification of the National Environment Board, No.8, B.E.2537 (1994), issued under the Enhancement and Conservation of National Environmental Quality Act B.E.2535 (1992), published in the Royal Government Gazette No.111 Part 16, dated February 24, B.E.2537 (1994). (Standard Value of Surface Water for Class 3, 4)



(Ms.Yuwadee Na Ranong)  
Laboratory Reviewer




(Mr.Virat Hemvannanukul)  
Laboratory Supervisor



### ภาคผนวกที่ 3

สำเนาเอกสารขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน  
บริษัท เอ็นไวรอนเมนต์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด

ที่ อก ๐๓๑๐(๑)/ ๖๔๗๖



กรมโรงงานอุตสาหกรรม  
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท  
เขตราชเทวี กรุงเทพฯ ๑๐๕๐๐

๐๓ กรกฎาคม ๒๕๖๗

เรื่อง ต่ออายุหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

เรียน กรรมการผู้จัดการ บริษัท เอ็นไวรอนเมนต์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารมลพิษของห้องปฏิบัติการวิเคราะห์เอกชน  
ลงวันที่ ๒๔ เมษายน ๒๕๖๗

- สิ่งที่ส่งมาด้วย ๑. รายชื่อผู้ควบคุมห้องปฏิบัติการวิเคราะห์เอกชน จำนวน ๑ แผ่น  
๒. รายชื่อเจ้าหน้าที่ห้องปฏิบัติการวิเคราะห์เอกชน จำนวน ๒ แผ่น  
๓. ขอบข่ายสารมลพิษที่ได้รับขึ้นทะเบียนจากกรมโรงงานอุตสาหกรรม จำนวน ๑๔ แผ่น

ตามคำขอที่อ้างถึง บริษัท เอ็นไวรอนเมนต์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด ขอต่ออายุหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน เลขทะเบียน ว-๐๙๙ สถานที่ตั้งเลขที่ ๒๕/๑๑๔ หมู่ที่ ๖ ซอยชินเขต ๑ ถนนงามวงศ์วาน แขวงทุ่งสองห้อง เขตหลักสี่ กรุงเทพมหานคร ต่อกรมโรงงานอุตสาหกรรม นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว ให้บริษัท เอ็นไวรอนเมนต์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด ต่ออายุหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน โดยมีองค์ประกอบดังนี้

- ก. ผู้ควบคุมห้องปฏิบัติการวิเคราะห์เอกชน จำนวน ๒๐ ราย ตามสิ่งที่ส่งมาด้วย ๑  
ข. เจ้าหน้าที่ห้องปฏิบัติการวิเคราะห์เอกชน ๖๑ ราย ตามสิ่งที่ส่งมาด้วย ๒  
ค. ขอบข่ายชนิดสารมลพิษที่ได้รับขึ้นทะเบียนให้วิเคราะห์ในน้ำ/น้ำเสีย น้ำใต้ดิน อากาศเสีย  
สิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว และดิน ตามสิ่งที่ส่งมาด้วย ๓

หนังสือฉบับนี้จะหมดอายุในวันที่ ๑๘ พฤษภาคม ๒๕๗๑ หากประสงค์จะต่ออายุหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน ให้ยื่นคำขอต่ออายุพร้อมเอกสารประกอบคำขอต่อกรมโรงงานอุตสาหกรรม ภายใน ๖๐ วัน ก่อนวันสิ้นอายุของหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ

(นายพรยศ กลั่นกรอง)

รองอธิบดี ปฏิบัติราชการแทน  
อธิบดีกรมโรงงานอุตสาหกรรม

กองวิจัยและเตือนภัยมลพิษโรงงาน

กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษและทะเบียนห้องปฏิบัติการ

โทร. ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๐๓-๕

โทรสาร ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๙๙

ไปรษณีย์อิเล็กทรอนิกส์ saraban@diw.mail.go.th



“อุตสาหกรรมก้าวไกล ประเทศไทยก้าวหน้า ร่วมกันพัฒนา อุตสาหกรรมสีเขียว”



เอกสารแนบท้ายหนังสือต่ออายุรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

บริษัท เอ็นไวรอนเมนต์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด

เลขทะเบียน ว-๐๙๙

ที่ อก ๐๓๑๐(๑)/ ๖๔๗ ๖

ลงวันที่ ๐๓ กรกฎาคม ๒๕๖๗

ก. ผู้ควบคุมห้องปฏิบัติการวิเคราะห์เอกชน จำนวน ๒๐ ราย

- ๑) นางสาวสุดารัตน์ เขจรรักษ์
- ๒) นางสาวพิชิตา เขียววรภัย
- ๓) นางสาววลิตา โพธิ์เจริญ
- ๔) ว่าที่ร้อยตรีวันชนะ สีหามาตร
- ๕) นางสาวรัชนีวรรณ ภูประเสริฐ
- ๖) นางสาวปณิชา พรหมชัย
- ๗) นางณัฐรดา เลี้ยงรักษา
- ๘) นายมงคล บุรภักดิ์
- ๙) นางสาวธนิดา บุญรุ่งเรือง
- ๑๐) นางสาวมิตา แต่งไทย
- ๑๑) นางสาวไรวินทร์ โพธิ์สิทธิ์
- ๑๒) นางสาวณัฐนิชา เสริมมิตวงศ์
- ๑๓) นายนพสิทธิ์ ทวีพรประดิษฐ์
- ๑๔) นางสาวธิดารัตน์ ปุกกะ
- ๑๕) นายอภิชาติ พูลพล
- ๑๖) นายนิทัศน์ ศิริชาติ
- ๑๗) นายสุทธิชาญ สังข์ทอง
- ๑๘) นางสาวยุวดี ณ ระนอง
- ๑๙) นางสาวสุภาวรรณ สุวรรณภา
- ๒๐) นางสาวนภาพรสิริ หมีนวงษ์

- ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๐๑
- ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๐๒
- ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๐๓
- ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๐๔
- ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๐๕
- ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๐๖
- ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๐๗
- ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๐๘
- ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๐๙
- ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๑๐
- ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๑๑
- ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๑๒
- ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๑๓
- ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๑๔
- ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๑๕
- ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๑๖
- ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๑๗
- ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๑๘
- ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๑๙
- ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๒๐

วิภา



เอกสารแนบท้ายหนังสือต่ออายุรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

บริษัท เอ็นไวรอนเมนต์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด

เลขทะเบียน ว-๐๙๙

ที่ อก ๐๓๑๐(๑)/ ๖๔๗ ๖

ลงวันที่ ๐๓ กรกฎาคม ๒๕๖๗

ข. เจ้าหน้าที่ห้องปฏิบัติการวิเคราะห์เอกชน จำนวน ๖๑ ราย

๑) นางสาวณัฐธิดา ขาวสุทธิ	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๐๒
๒) นางสาวสุธิดา ทองประภา	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๐๕
๓) นายจิรยุทธ์ สามารถ	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๐๗
๔) นายอัษฎา ไชยวงศ์	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๐๘
๕) นางสาวณัฐริสา บุญหนัก	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๐๙
๖) นายนฤตม์ โชติกาญจน์	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๑๒
๗) นางสาวพรทิพย์ อัมภรัตน์	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๑๓
๘) นายอัศววัฒน์ คชบก	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๑๕
๙) นางสาวธัญพิชชา สุตเขียน	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๑๖
๑๐) นางสาวพาขวัญ นนพละ	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๑๗
๑๑) นางสาววิมลรัตน์ แปรทอง	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๑๘
๑๒) นางสาวจรรยาวิทย์ ขำแบ่ง	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๑๙
๑๓) นางสาวธาราภรณ์ สมัยใหม่	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๒๐
๑๔) นางสาวรัตนชนก ชนะคำ	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๒๑
๑๕) นางสาวกมลทิพย์ พุ่มตาก้อง	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๒๒
๑๖) นางสาวสุพัตรา ผาสุขพัคตร์	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๒๓
๑๗) นางสาวฉัตรยาลักษณ์ บรรดิษฐ์	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๒๔
๑๘) นางสาวอาภัสรา หล้าสูงเนิน	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๒๕
๑๙) นางสาวพิมพ์ิศา ทับพันธ์	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๒๖
๒๐) นางสาวอัจฉรี แก้วเพชรวงศ์	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๒๗
๒๑) นางสาวชลธิชา กันยานุช	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๒๘
๒๒) นางสาวพิชามณูช ยังฝ่อง	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๒๙
๒๓) นางสาวณิชารีย์ ปริญญานุวัตร	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๐
๒๔) นายวัชรพล บุตรดีขัน	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๑
๒๕) นางสาวณัฐติมา ปัดชา	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๒
๒๖) นายวัชรพงษ์ พูลเขตกิจ	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๓
๒๗) นายศิวักร วงสุตาล	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๔
๒๘) นางสาววิภา จาระณะ	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๕
๒๙) นางสาวธัญญาภรณ์ คณะศรี	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๖
๓๐) นางสาวพัชรพร อนุสร	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๗
๓๑) นายธนากร อริยพงษ์โสภณ	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๘
๓๒) นางสาวบุษกร สมรักษ์	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๙
๓๓) นางสาววิลาวัลย์ แก้วยม	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๔๐
๓๔) นางสาวธัญญาลักษณ์ แสงโยธา	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๔๑
๓๕) นายสุชาพงศ์ รุ่งเรือง	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๔๒

วิภา

๓๖) นายสิทธิพร...

- ๓๖) นายสิทธิพร วงษ์คำ
- ๓๗) นางเตชินี สืบเสระ
- ๓๘) นางสาวธัญพร คนแรง
- ๓๙) นายภาณุพล โพธิ์แดง
- ๔๐) นายวัชรานุกร กองแสง
- ๔๑) นางสาวสุธาทิพย์ อิ่มน้อย
- ๔๒) นางสาวชมพูนุท กสิชีวิน
- ๔๓) นางสาวรวีวรรณ สุขารมย์
- ๔๔) นางสาวกัญญาลักษณ์ กระทาง
- ๔๕) นางสาวปิยธิดา ประแดงโค
- ๔๖) นางสาวปวีตรา นาเหล็ก
- ๔๗) นางสาวทักษพร ไกรสิงห์
- ๔๘) นางสาวเบญจวรรณ คำหงษา
- ๔๙) นางสาวพัชชา แก้วย้อย
- ๕๐) นางสาวณัฐชา สัมฤทธิ์ดี
- ๕๑) นายรอมซี กาเต๊ะ
- ๕๒) นางสาวอังคณา อุ่นตา
- ๕๓) นายสุริยะ ชูทอง
- ๕๔) นายฉันทวิชญ์ เหลวกุล
- ๕๕) นายศิวาวุธ ธรรมนิทา
- ๕๖) นายอนุวัฒน์ เรืองอ่อน
- ๕๗) นายฉัตรชัย โยวะผุย
- ๕๘) นายกลยุทธิ์ อินทร์คำ
- ๕๙) นางสาวนันทชา เนื่อนวล
- ๖๐) นางสาวจิตตวรรณ ลิ้มสมบูรณ์
- ๖๑) ว่าที่ร้อยตรีณัฐพล สุธธิมล

- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๔๓
- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๔๔
- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๔๕
- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๔๖
- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๔๗
- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๔๘
- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๔๙
- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๕๐
- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๕๑
- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๕๒
- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๕๓
- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๕๔
- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๕๕
- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๕๖
- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๕๗
- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๕๘
- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๕๙
- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๖๐
- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๖๑
- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๖๒
- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๖๓
- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๖๔
- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๖๕
- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๖๖
- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๖๗
- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๖๘

วิมล



เอกสารแนบท้ายหนังสือต่ออายุรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

บริษัท เอ็นไวรอนเมนต์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด

เลขทะเบียน ว-๐๙๙

ที่ อก ๐๓๑๐(๑)/ ๖๔๗๖

ลงวันที่ ๐๓ กรกฎาคม ๒๕๖๗

ขอขยายสารมลพิษที่ได้รับขึ้นทะเบียนจากกรมโรงงานอุตสาหกรรม จำนวน ๑๙๓ รายการ

น้ำ/น้ำเสีย จำนวน 27 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Arsenic	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method <sup>[4]</sup>
2	Barium	2) Digestion, Inductively Coupled Plasma Method <sup>[4]</sup>
3	Biochemical Oxygen Demand	Digestion, Inductively Coupled Plasma Method <sup>[4]</sup> 1) 5-Day BOD Test, Azide Modification Method <sup>[4]</sup> 2) 5-Day BOD Test, Membrane Electrode Method <sup>[4]</sup>
4	Cadmium	Digestion, Inductively Coupled Plasma Method <sup>[4]</sup>
5	Chemical Oxygen Demand	Closed Reflux, Titrimetric Method <sup>[4]</sup>
6	Chromium	Digestion, Inductively Coupled Plasma Method <sup>[4]</sup>
7	Color	ADMI Weighted-Ordinate Spectrophotometric Method <sup>[4]</sup>
8	Copper	Digestion, Inductively Coupled Plasma Method <sup>[4]</sup>
9	Cyanide	Distillation, Colorimetric Method <sup>[4]</sup>
10	Formaldehyde	Distillation, Colorimetric Method <sup>[3]</sup>
11	Free Chlorine	1) Iodometric Method <sup>[4]</sup> 2) DPD Colorimetric Method <sup>[4]</sup>
12	Hexavalent Chromium	Colorimetric Method <sup>[4]</sup>
13	Lead	1) Digestion, Electrothermal Atomic Absorption Spectrometric Method <sup>[4]</sup> 2) Digestion, Inductively Coupled Plasma Method <sup>[4]</sup>
14	Manganese	Digestion, Inductively Coupled Plasma Method <sup>[4]</sup>
15	Mercury	Digestion, Cold-Vapor Atomic Absorption Spectrometric Method <sup>[4]</sup>
16	Nickel	Digestion, Inductively Coupled Plasma Method <sup>[4]</sup>
17	Oil & Grease	Liquid-Liquid, Partition-Gravimetric Method <sup>[4]</sup>
18	pH	Electrometric Method <sup>[4]</sup>
19	Phenols	Distillation, Direct Photometric Method <sup>[4]</sup>
20	Selenium	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method <sup>[4]</sup> 2) Digestion, Inductively Coupled Plasma Method <sup>[4]</sup>



ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
21	Sulfide	Iodometric Method <sup>[4]</sup>
22	Temperature	Laboratory and Field Methods <sup>[4]</sup>
23	Total Dissolved Solids	Dried at 180 °C <sup>[4]</sup>
24	Total Kjeldahl Nitrogen	1) Macro-Kjeldahl Method <sup>[4]</sup> 2) Semi-Micro-Kjeldahl Method <sup>[4]</sup>
25	Total Suspended Solids	Dried from 103 to 105 °C <sup>[4]</sup>
26	Trivalent Chromium	Digestion, Inductively Coupled Plasma Method; Colorimetric Method; Calculation <sup>[4]</sup>
27	Zinc	Digestion, Inductively Coupled Plasma Method <sup>[4]</sup>

น้ำใต้ดิน จำนวน 61 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Acetone	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method <sup>[4]</sup>
2	Antimony	Digestion, Inductively Coupled Plasma Method <sup>[4]</sup>
3	Arsenic	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method <sup>[4]</sup> 2) Digestion, Inductively Coupled Plasma Method <sup>[4]</sup>
4	Barium	Digestion, Inductively Coupled Plasma Method <sup>[4]</sup>
5	Benzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method <sup>[4]</sup>
6	Beryllium	Digestion, Inductively Coupled Plasma Method <sup>[4]</sup>
7	Bromodichloromethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method <sup>[4]</sup>
8	Bromoform	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method <sup>[4]</sup>
9	Cadmium	Digestion, Inductively Coupled Plasma Method <sup>[4]</sup>
10	Carbon disulfide	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method <sup>[4]</sup>
11	Carbon tetrachloride	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method <sup>[4]</sup>
12	Chlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method <sup>[4]</sup>

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
13	Chlorodibromomethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method <sup>[4]</sup>
14	Chloroform	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method <sup>[4]</sup>
15	Chromium	Digestion, Inductively Coupled Plasma Method <sup>[4]</sup>
16	Chromium (III)	Digestion, Inductively Coupled Plasma Method; Colorimetric Method; Calculation <sup>[4]</sup>
17	Chromium (VI)	Colorimetric Method <sup>[4]</sup>
18	Cyanide	Distillation, Colorimetric Method <sup>[4]</sup>
19	1,2-Dichlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method <sup>[4]</sup>
20	1,3-Dichlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method <sup>[4]</sup>
21	1,4-Dichlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method <sup>[4]</sup>
22	1,1-Dichloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method <sup>[4]</sup>
23	1,2-Dichloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method <sup>[4]</sup>
24	1,1-Dichloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method <sup>[4]</sup>
25	cis-1,2-Dichloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method <sup>[4]</sup>
26	trans-1,2-Dichloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method <sup>[4]</sup>
27	1,2-Dichloropropane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method <sup>[4]</sup>
28	1,3-Dichloropropane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method <sup>[4]</sup>
29	1,3-Dichloropropene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method <sup>[4]</sup>
30	Ethylbenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method <sup>[4]</sup>

30/1



ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
31	Hexachloro-1,3-butadiene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method <sup>[4]</sup>
32	Lead	1) Digestion, Electrothermal Atomic Absorption Spectrometric Method <sup>[4]</sup> 2) Digestion, Inductively Coupled Plasma Method <sup>[4]</sup>
33	Manganese	Digestion, Inductively Coupled Plasma Method <sup>[4]</sup>
34	Mercury	Digestion, Cold-Vapor Atomic Absorption Spectrometric Method <sup>[4]</sup>
35	Methyl bromide	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method <sup>[4]</sup>
36	Methylene chloride	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method <sup>[4]</sup>
37	Methyl tert-butyl ether	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method <sup>[4]</sup>
38	Naphthalene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method <sup>[4]</sup>
39	Nickel	Digestion, Inductively Coupled Plasma Method <sup>[4]</sup>
40	pH	Electrometric Method <sup>[4]</sup>
41	Selenium	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method <sup>[4]</sup> 2) Digestion, Inductively Coupled Plasma Method <sup>[4]</sup>
42	Silver	Digestion, Inductively Coupled Plasma Method <sup>[4]</sup>
43	Styrene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method <sup>[4]</sup>
44	1,1,2,2-Tetrachloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method <sup>[4]</sup>
45	Tetrachloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method <sup>[4]</sup>
46	Toluene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method <sup>[4]</sup>
47	TPH (C <sub>5</sub> -C <sub>8</sub> )	Purge and Trap, Gas Chromatographic Method <sup>[11,19]</sup>
48	TPH (C <sub>&gt;8</sub> -C <sub>16</sub> )	Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method <sup>[9,19]</sup>

3mm



ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
49	TPH (C <sub>16</sub> -C <sub>35</sub> )	Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method <sup>[9,19]</sup>
50	1,2,4-Trichlorobenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method <sup>[4]</sup>
51	1,1,1-Trichloroethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method <sup>[4]</sup>
52	1,1,2-Trichloroethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method <sup>[4]</sup>
53	Trichloroethylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method <sup>[4]</sup>
54	1,3,5-Trimethylbenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method <sup>[4]</sup>
55	Vanadium	Digestion, Inductively Coupled Plasma Method <sup>[4]</sup>
56	Vinyl chloride	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method <sup>[4]</sup>
57	m-Xylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method <sup>[4]</sup>
59	o-Xylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method <sup>[4]</sup>
59	p-Xylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method <sup>[4]</sup>
60	Xylene (Total)	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method <sup>[4]</sup>
61	Zinc	Digestion, Inductively Coupled Plasma Method <sup>[4]</sup>

อากาศเสีย (ปล่อยระบาย) จำนวน 26 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Antimony	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method <sup>[5]</sup>
2	Arsenic	1) Isokinetic Sampling, Digestion, Hydride Generation/Atomic Absorption Spectrometric Method <sup>[5]</sup> 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method <sup>[5]</sup>

3mg

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
3	Beryllium	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method <sup>[5]</sup>
4	Cadmium	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method <sup>[5]</sup>
5	Carbon Monoxide	Instrumental Analyzer Method <sup>[5]</sup>
6	Chlorine	1) Absorption Sampling, Ion Chromatographic Method <sup>[5]</sup> 2) Isokinetic Sampling, Ion Chromatographic Method <sup>[5]</sup>
7	Chromium	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method <sup>[5]</sup>
8	Cobalt	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method <sup>[5]</sup>
9	Copper	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method <sup>[5]</sup>
10	Dioxins/Furans	Isokinetic Sampling <sup>[5]</sup>
11	Hydrogen Chloride	1) Absorption Sampling, Ion Chromatographic Method <sup>[5]</sup> 2) Isokinetic Sampling, Ion Chromatographic Method <sup>[5]</sup>
12	Hydrogen Fluoride	1) Absorption Sampling, Ion Chromatographic Method <sup>[5]</sup> 2) Isokinetic Sampling, Ion Chromatographic Method <sup>[5]</sup>
13	Hydrogen Sulfide	Absorption Sampling, Iodometric Method <sup>[5]</sup>
14	Lead	1) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method <sup>[5]</sup> 2) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method <sup>[5]</sup>
15	Manganese	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method <sup>[5]</sup>
16	Mercury	Isokinetic Sampling, Digestion, Cold-Vapor Atomic Absorption Spectrometric Method <sup>[5]</sup>
17	Nickel	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method <sup>[5]</sup>
18	Opacity	Ringelmann's Method <sup>[2]</sup>
19	Oxides of Nitrogen	1) Absorption Sampling, Alkaline Permanganate/Colorimetric Method <sup>[5]</sup> 2) Instrumental Analyzer Method <sup>[5]</sup>
20	Selenium	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method <sup>[5]</sup>

31/10/2564



ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
21	Sulfur Dioxide	1) Isokinetic Sampling, Barium-Thorin Titrimetric Method <sup>[5]</sup> 2) Absorption Sampling, Barium-Thorin Titrimetric Method <sup>[5]</sup> 3) Instrumental Analyzer Method <sup>[5]</sup>
22	Sulfuric Acid	Isokinetic Sampling, Barium-Thorin Titrimetric Method <sup>[5]</sup>
23	Tin	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method <sup>[5]</sup>
24	Total Suspended Particulate	Isokinetic Sampling, Gravimetric Method <sup>[5]</sup>
25	Vanadium	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method <sup>[5]</sup>
26	Xylene	Adsorption Sampling, Gas Chromatographic Method <sup>[5]</sup>

สิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว จำนวน 20 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Antimony	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method <sup>[1,6,13]</sup> 2) Digestion, Inductively Coupled Plasma Method <sup>[7,13]</sup>
2	Arsenic	1) Waste Extraction, Digestion, Hydride Generation/Atomic Absorption Spectrometric Method <sup>[1,6,14]</sup> 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method <sup>[1,6,13]</sup> 3) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method <sup>[7,14]</sup> 4) Digestion, Inductively Coupled Plasma Method <sup>[7,13]</sup>
3	Barium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method <sup>[1,6,13]</sup> 2) Digestion, Inductively Coupled Plasma Method <sup>[7,13]</sup>
4	Beryllium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method <sup>[1,6,13]</sup> 2) Digestion, Inductively Coupled Plasma Method <sup>[7,13]</sup>
5	Cadmium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method <sup>[1,6,13]</sup> 2) Digestion, Inductively Coupled Plasma Method <sup>[7,13]</sup>



ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
6	Chromium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method <sup>[1,6,13]</sup>
7	Chromium (III)	2) Digestion, Inductively Coupled Plasma Method <sup>[7,13]</sup> 1) Waste Extraction, Digestion, Inductively Coupled Plasma Method; Waste Extraction, Colorimetric Method; Calculation <sup>[1,6,13,15]</sup>
8	Chromium (VI)	2) Digestion, Inductively Coupled Plasma Method; Alkaline Digestion, Colorimetric Method; Calculation <sup>[7,8,13,15]</sup> 1) Waste Extraction, Colorimetric Method <sup>[1,15]</sup>
9	Cobalt	2) Alkaline Digestion, Colorimetric Method <sup>[8,15]</sup> 1) Waste Extraction, Digestion, Inductively Coupled Plasma Method <sup>[1,6,13]</sup>
10	Copper	2) Digestion, Inductively Coupled Plasma Method <sup>[7,13]</sup> 1) Waste Extraction, Digestion, Inductively Coupled Plasma Method <sup>[1,6,13]</sup>
11	Lead	2) Digestion, Inductively Coupled Plasma Method <sup>[7,13]</sup> 1) Waste Extraction, Digestion, Inductively Coupled Plasma Method <sup>[1,6,13]</sup>
12	Mercury	2) Digestion, Inductively Coupled Plasma Method <sup>[7,13]</sup> 1) Waste Extraction, Digestion, Cold-Vapor Atomic Absorption Spectrometric Method <sup>[1,6,16]</sup>
13	Molybdenum	2) Digestion, Cold-Vapor Atomic Absorption Spectrometric Method <sup>[17]</sup> 1) Waste Extraction, Digestion, Inductively Coupled Plasma Method <sup>[1,6,13]</sup>
14	Nickel	2) Digestion, Inductively Coupled Plasma Method <sup>[7,13]</sup> 1) Waste Extraction, Digestion, Inductively Coupled Plasma Method <sup>[1,6,13]</sup>
15	pH	2) Digestion, Inductively Coupled Plasma Method <sup>[7,13]</sup> Electrometric Method <sup>[21,22]</sup>
16	Selenium	1) Waste Extraction, Digestion, Hydride Generation/ Atomic Absorption Spectrometric Method <sup>[1,6,18]</sup> 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method <sup>[1,6,13]</sup>

พิมพ์

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
17	Silver	3) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method <sup>[7,18]</sup> 4) Digestion, Inductively Coupled Plasma Method <sup>[7,13]</sup> 1) Waste Extraction, Digestion, Inductively Coupled Plasma Method <sup>[1,6,13]</sup> 2) Digestion, Inductively Coupled Plasma Method <sup>[7,13]</sup>
18	Thallium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method <sup>[1,6,13]</sup> 2) Digestion, Inductively Coupled Plasma Method <sup>[7,13]</sup>
19	Vanadium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method <sup>[1,6,13]</sup> 2) Digestion, Inductively Coupled Plasma Method <sup>[7,13]</sup>
20	Zinc	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method <sup>[1,6,13]</sup> 2) Digestion, Inductively Coupled Plasma Method <sup>[7,13]</sup>

ดิน จำนวน 59 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Acetone	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method <sup>[12,20]</sup>
2	Antimony	Digestion, Inductively Coupled Plasma Method <sup>[7,13]</sup>
3	Arsenic	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method <sup>[7,14]</sup> 2) Digestion, Inductively Coupled Plasma Method <sup>[7,13]</sup>
4	Barium	Digestion, Inductively Coupled Plasma Method <sup>[7,13]</sup>
5	Benzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method <sup>[12,20]</sup>
6	Beryllium	Digestion, Inductively Coupled Plasma Method <sup>[7,13]</sup>
7	Bromodichloromethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method <sup>[12,20]</sup>
8	Bromoform	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method <sup>[12,20]</sup>
9	Cadmium	Digestion, Inductively Coupled Plasma Method <sup>[7,13]</sup>

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
10	Carbon disulfide	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method <sup>[12,20]</sup>
11	Carbon tetrachloride	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method <sup>[12,20]</sup>
12	Chlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method <sup>[12,20]</sup>
13	Chlorodibromomethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method <sup>[12,20]</sup>
14	Chloroform	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method <sup>[12,20]</sup>
15	Chromium	Digestion, Inductively Coupled Plasma Method <sup>[7,13]</sup>
16	Chromium (III)	Digestion, Inductively Coupled Plasma Method; Alkaline Digestion, Colorimetric Method; Calculation <sup>[7,8,13,15]</sup>
17	Chromium (VI)	Alkaline Digestion, Colorimetric Method <sup>[8,15]</sup>
18	1,2-Dichlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method <sup>[12,20]</sup>
19	1,3-Dichlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method <sup>[12,20]</sup>
20	1,4-Dichlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method <sup>[12,20]</sup>
21	1,1-Dichloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method <sup>[12,20]</sup>
22	1,2-Dichloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method <sup>[12,20]</sup>
23	1,1-Dichloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method <sup>[12,20]</sup>
24	cis-1,2-Dichloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method <sup>[12,20]</sup>
25	trans-1,2-Dichloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method <sup>[12,20]</sup>
26	1,2-Dichloropropane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method <sup>[12,20]</sup>
27	1,3-Dichloropropane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method <sup>[12,20]</sup>



ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
28	1,3-Dichloropropene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method <sup>[12,20]</sup>
29	Ethylbenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method <sup>[12,20]</sup>
30	Hexachloro-1,3-butadiene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method <sup>[12,20]</sup>
31	Lead	Digestion, Inductively Coupled Plasma Method <sup>[7,13]</sup>
32	Manganese	Digestion, Inductively Coupled Plasma Method <sup>[7,13]</sup>
33	Mercury	Digestion, Cold-Vapor Atomic Absorption Spectrometric Method <sup>[17]</sup>
34	Methyl bromide	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method <sup>[12,20]</sup>
35	Methylene chloride	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method <sup>[12,20]</sup>
36	Methyl tert-butyl ether	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method <sup>[12,20]</sup>
37	Naphthalene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method <sup>[12,20]</sup>
38	Nickel	Digestion, Inductively Coupled Plasma Method <sup>[7,13]</sup>
39	Selenium	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method <sup>[7,18]</sup> 2) Digestion, Inductively Coupled Plasma Method <sup>[7,13]</sup>
40	Silver	Digestion, Inductively Coupled Plasma Method <sup>[7,13]</sup>
41	Styrene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method <sup>[12,20]</sup>
42	1,1,2,2-Tetrachloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method <sup>[12,20]</sup>
43	Tetrachloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method <sup>[12,20]</sup>
44	Toluene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method <sup>[12,20]</sup>
45	TPH (C <sub>5</sub> -C <sub>8</sub> )	Purge and Trap, Gas Chromatographic Method <sup>[12,19]</sup>
46	TPH (C <sub>&gt;8</sub> -C <sub>16</sub> )	Ultrasonic Extraction, Gas Chromatographic Method <sup>[10,19]</sup>

อินท

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
47	TPH (C <sub>&gt;16</sub> -C <sub>35</sub> )	Ultrasonic Extraction, Gas Chromatographic Method <sup>[10,19]</sup>
48	1,2,4-Trichlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method <sup>[12,20]</sup>
49	1,1,1-Trichloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method <sup>[12,20]</sup>
50	1,1,2-Trichloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method <sup>[12,20]</sup>
51	Trichloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method <sup>[12,20]</sup>
52	1,3,5-Trimethylbenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method <sup>[12,20]</sup>
53	Vanadium	Digestion, Inductively Coupled Plasma Method <sup>[7,13]</sup>
54	Vinyl chloride	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method <sup>[12,20]</sup>
55	m-Xylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method <sup>[12,20]</sup>
56	o-Xylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method <sup>[12,20]</sup>
57	p-Xylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method <sup>[12,20]</sup>
58	Xylene (Total)	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method <sup>[12,20]</sup>
59	Zinc	Digestion, Inductively Coupled Plasma Method <sup>[7,13]</sup>

#### เอกสารอ้างอิง

- กระทรวงอุตสาหกรรม. ประกาศกระทรวงอุตสาหกรรม, พ.ศ. 2566. เรื่อง การจัดการสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว. ราชกิจจานุเบกษา. 31 พฤษภาคม 2566. เล่มที่ 140 ตอนพิเศษ 126 ง.
- กระทรวงอุตสาหกรรม. ประกาศกระทรวงอุตสาหกรรม, พ.ศ. 2549. เรื่อง กำหนดค่าปริมาณเขม่าควันที่เจือปนในอากาศที่ระบายออกจากปล่องของหม้อน้ำโรงสีข้าวที่ใช้กลบเป็นเชื้อเพลิง. ราชกิจจานุเบกษา. 4 ธันวาคม 2549. เล่มที่ 123 ตอนพิเศษ 125ง.
- สมาคมวิศวกรรมสิ่งแวดล้อมแห่งประเทศไทย. คู่มือวิเคราะห์น้ำเสีย. พิมพ์ครั้งที่ 4. กรุงเทพฯ: เรือนแก้วการพิมพ์, 2547.
- APHA, AWWA, WEF. Standard Methods for the Examination of Water and Wastewater. 24<sup>th</sup> ed. Washington, DC: APHA, 2023.



5. United States Environmental Protection Agency. **Standards of Performance for New Stationary Sources**. 40 CFR 60. Appendix A, 2023.

6. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. SW-846**, 1997.

7. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Acid Digestion of Sludges and Sediments and Soils. SW-846 Method 3050B**, 1996.

8. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Alkaline Digestion for Hexavalent Chromium. SW-846 Method 3060A**, 1996.

9. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Separatory Funnel Liquid-Liquid Extraction. SW-846 Method 3510C**, 1996.

10. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Ultrasonic Extraction. SW-846 Method 3550C**, 2007.

11. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Purge-and-Trap for Aqueous Samples. SW-846 Method 5030C**, 2003.

12. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Closed-System Purge-and-Trap and Extraction for Volatile Organics in Soil and Waste Samples. SW-846 Method 5035A**, 2002.

13. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Inductively Coupled Plasma - Atomic Emission Spectrometry. SW-846 Method 6010D**, 2018.

14. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Antimony and Arsenic (Atomic Absorption, Borohydride Reduction). SW-846 Method 7062**, 1994.

15. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Chromium, Hexavalent (Colorimetric). SW-846 Method 7196A**, 1992.

16. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Mercury in Liquid Waste (Manual Cold-Vapor Technique). SW-846 Method 7470A**, 1994.

17. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Mercury in Solid or Semisolid Waste (Manual Cold-Vapor Technique). SW-846 Method 7471B**, 2007.

18. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Selenium (Atomic Absorption, Borohydride Reduction). SW-846 Method 7742**, 1994. *3mg/L*



19. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Nonhalogenated Organics Using GC/FID. SW-846 Method 8015D**, 2003.

20. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/ Chemical Methods. **Volatile Organic Compounds by Gas Chromatography/ Mass Spectrometry (GC/MS). SW-846 Method 8260C**, 1996.

21. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **pH Electrometric Measurement. SW-846 Method 9040C**, 2004.

22. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Soil and Waste pH. SW-846 Method 9045D**, 2004.

3mgl

ที่ อก ๐๓๑๐(๑)/ ๑๑ ๕'๒ ๓



กรมโรงงานอุตสาหกรรม

ถนนพระรามที่ ๖ แขวงทุ่งพญาไท

เขตราชเทวี กรุงเทพฯ ๑๐๕๐๐

## ๒๑ พฤศจิกายน ๒๕๖๗

เรื่อง เปลี่ยนแปลงบุคลากรและสารมลพิษที่วิเคราะห์

เรียน กรรมการผู้จัดการ บริษัท เอ็นไวรอนเมนต์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารมลพิษของห้องปฏิบัติการวิเคราะห์เอกชน  
ลงวันที่ ๒๓ กันยายน ๒๕๖๗

สิ่งที่ส่งมาด้วย เอกสารแนบท้ายหนังสือเปลี่ยนแปลงบุคลากรและสารมลพิษที่วิเคราะห์

บริษัท เอ็นไวรอนเมนต์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด จำนวน ๒ แผ่น

ตามคำขอที่อ้างถึง บริษัท เอ็นไวรอนเมนต์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด ห้องปฏิบัติการวิเคราะห์  
เอกชน เลขทะเบียน ว-๐๙๙ สถานที่ตั้งเลขที่ ๒๕/๑๑๔ หมู่ที่ ๖ ซอยชินเขต ๑ ถนนงามวงศ์วาน แขวงทุ่งสองห้อง  
เขตหลักสี่ กรุงเทพมหานคร ขอเปลี่ยนแปลงบุคลากรและสารมลพิษที่วิเคราะห์ ต่อกรมโรงงานอุตสาหกรรม นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว มีความเห็นดังนี้

๑. ให้ยกเลิกเจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์ จำนวน ๒ ราย

๑) นางสาวกมลทิพย์ พุ่มตาก้อง

ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๒๒

๒) นายศิวารุธ ธรรมนิทา

ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๖๒

๒. ให้เพิ่มขอบข่ายชนิดสารมลพิษที่วิเคราะห์ในน้ำ/น้ำเสีย น้ำใต้ดิน และดิน ตามสิ่งที่ส่งมาด้วย

อนึ่ง หนังสือฉบับนี้จะหมดอายุพร้อมหนังสือต่ออายุรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

ในวันที่ ๑๘ พฤษภาคม ๒๕๗๑

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ

(นายธีรทัศน์ อิศรางกูร ณ อยุธยา)

รองอธิบดี ปฏิบัติราชการแทน

อธิบดีกรมโรงงานอุตสาหกรรม

กองวิจัยและเตือนภัยมลพิษโรงงาน

กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษและทะเบียนห้องปฏิบัติการ

โทร. ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๐๓-๕

โทรสาร ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๙๙

ไปรษณีย์อิเล็กทรอนิกส์ saraban@diw.mail.go.th



เอกสารแนบท้ายหนังสือเปลี่ยนแปลงบุคลากรและสารมลพิษที่วิเคราะห์

บริษัท เอ็นไวรอนเม้นท์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด

เลขทะเบียน ว-๐๙๙

ที่ อก ๐๓๑๐(๑)/ ๑๑ ๕๒ ๓

ลงวันที่ ๒๑ พฤศจิกายน ๒๕๖๗

ขอข่ายสารมลพิษที่ได้รับขึ้นทะเบียนจากกรมโรงงานอุตสาหกรรม จำนวน ๔๗ รายการ

น้ำ/น้ำเสีย จำนวน 19 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Aldrin	Liquid-Liquid Extraction, Gas Chromatographic Method <sup>[1]</sup>
2	$\alpha$ -BHC	Liquid-Liquid Extraction, Gas Chromatographic Method <sup>[1]</sup>
3	$\beta$ -BHC	Liquid-Liquid Extraction, Gas Chromatographic Method <sup>[1]</sup>
4	$\delta$ -BHC	Liquid-Liquid Extraction, Gas Chromatographic Method <sup>[1]</sup>
5	$\gamma$ -BHC	Liquid-Liquid Extraction, Gas Chromatographic Method <sup>[1]</sup>
6	Chlordane	Liquid-Liquid Extraction, Gas Chromatographic Method <sup>[1]</sup>
7	o,p'-DDT	Liquid-Liquid Extraction, Gas Chromatographic Method <sup>[1]</sup>
8	4,4'-DDD	Liquid-Liquid Extraction, Gas Chromatographic Method <sup>[1]</sup>
9	4,4'-DDE	Liquid-Liquid Extraction, Gas Chromatographic Method <sup>[1]</sup>
10	4,4'-DDT	Liquid-Liquid Extraction, Gas Chromatographic Method <sup>[1]</sup>
11	Dieldrin	Liquid-Liquid Extraction, Gas Chromatographic Method <sup>[1]</sup>
12	Endosulfan I	Liquid-Liquid Extraction, Gas Chromatographic Method <sup>[1]</sup>
13	Endosulfan II	Liquid-Liquid Extraction, Gas Chromatographic Method <sup>[1]</sup>
14	Endosulfan sulfate	Liquid-Liquid Extraction, Gas Chromatographic Method <sup>[1]</sup>
15	Endrin	Liquid-Liquid Extraction, Gas Chromatographic Method <sup>[1]</sup>
16	Endrin aldehyde	Liquid-Liquid Extraction, Gas Chromatographic Method <sup>[1]</sup>
17	Heptachlor	Liquid-Liquid Extraction, Gas Chromatographic Method <sup>[1]</sup>
18	Heptachlor epoxide	Liquid-Liquid Extraction, Gas Chromatographic Method <sup>[1]</sup>
19	Methoxychlor	Liquid-Liquid Extraction, Gas Chromatographic Method <sup>[1]</sup>

น้ำใต้ดิน จำนวน 14 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Aldrin	Liquid-Liquid Extraction, Gas Chromatographic Method <sup>[1]</sup>
2	Chlordane	Liquid-Liquid Extraction, Gas Chromatographic Method <sup>[1]</sup>
3	DDD	Liquid-Liquid Extraction, Gas Chromatographic Method <sup>[1]</sup>
4	DDE	Liquid-Liquid Extraction, Gas Chromatographic Method <sup>[1]</sup>
5	DDT	Liquid-Liquid Extraction, Gas Chromatographic Method <sup>[1]</sup>
6	Dieldrin	Liquid-Liquid Extraction, Gas Chromatographic Method <sup>[1]</sup>

7 Endosulfan...



ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
7	Endosulfan	Liquid-Liquid Extraction, Gas Chromatographic Method <sup>[1]</sup>
8	Endrin	Liquid-Liquid Extraction, Gas Chromatographic Method <sup>[1]</sup>
9	Heptachlor	Liquid-Liquid Extraction, Gas Chromatographic Method <sup>[1]</sup>
10	Heptachlor epoxide	Liquid-Liquid Extraction, Gas Chromatographic Method <sup>[1]</sup>
11	$\alpha$ -HCH	Liquid-Liquid Extraction, Gas Chromatographic Method <sup>[1]</sup>
12	$\beta$ -HCH	Liquid-Liquid Extraction, Gas Chromatographic Method <sup>[1]</sup>
13	$\gamma$ -HCH	Liquid-Liquid Extraction, Gas Chromatographic Method <sup>[1]</sup>
14	Methoxychlor	Liquid-Liquid Extraction, Gas Chromatographic Method <sup>[1]</sup>

**ดิน จำนวน 14 รายการ**

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Aldrin	Ultrasonic Extraction, Gas Chromatographic Method <sup>[2,3]</sup>
2	Chlordane	Ultrasonic Extraction, Gas Chromatographic Method <sup>[2,3]</sup>
3	DDD	Ultrasonic Extraction, Gas Chromatographic Method <sup>[2,3]</sup>
4	DDE	Ultrasonic Extraction, Gas Chromatographic Method <sup>[2,3]</sup>
5	DDT	Ultrasonic Extraction, Gas Chromatographic Method <sup>[2,3]</sup>
6	Dieldrin	Ultrasonic Extraction, Gas Chromatographic Method <sup>[2,3]</sup>
7	Endosulfan	Ultrasonic Extraction, Gas Chromatographic Method <sup>[2,3]</sup>
8	Endrin	Ultrasonic Extraction, Gas Chromatographic Method <sup>[2,3]</sup>
9	Heptachlor	Ultrasonic Extraction, Gas Chromatographic Method <sup>[2,3]</sup>
10	Heptachlor epoxide	Ultrasonic Extraction, Gas Chromatographic Method <sup>[2,3]</sup>
11	$\alpha$ -HCH	Ultrasonic Extraction, Gas Chromatographic Method <sup>[2,3]</sup>
12	$\beta$ -HCH	Ultrasonic Extraction, Gas Chromatographic Method <sup>[2,3]</sup>
13	$\gamma$ -HCH	Ultrasonic Extraction, Gas Chromatographic Method <sup>[2,3]</sup>
14	Methoxychlor	Ultrasonic Extraction, Gas Chromatographic Method <sup>[2,3]</sup>

**เอกสารอ้างอิง**

1. APHA, AWWA, WEF. **Standard Methods for the Examination of Water and Wastewater.** 24<sup>th</sup> ed. Washington, DC: APHA, 2023.
2. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Ultrasonic Extraction. SW-846 Method 3550C,** 2007.
3. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Organochlorine Pesticides by Gas Chromatography. SW-846 Method 8081B,** 2007.

## ภาคผนวกที่ 4


เอกสารสอบเทียบเครื่องมือตรวจวัด

## Calibration Report


**Customer Name** : Big C Supercenter Public Company Limited  
**Address** : 88/9 Soi Samanchan-Barbos, Phara Khanong, Khlong Toei, Bangkok 10110  
**Project Name** : บมจ.บีที ซีพีแอลเซ็นเตอร์ สาขาภูเก็ต  
**Sampling Date** : กรกฎาคม - ธันวาคม 2567

### Water

Item	Equipment	Manufacturer	Model	Serial Number	Calibration Date
1	pH Meter	WATERPROOF	pHTestr30	3015168	August 22, 2024
2	DO Meter	YSI	5000-115	17H104220	November 30, 2023
3	DO Meter	YSI	5000-115V	03C1280 AC	September 4, 2024
4	Incubator	Accuplus	Smart i250	2059-0218-0002	December 12, 2023
5	Incubator	Hotpack	352601	78633	November 29, 2024
6	Electronic Balance	Mettler Toledo	MS204S/01	B334691537	January 15, 2024
7	Hot Air oven	Binder	FED 115 E2	11-22823	January 3, 2024
8	KjelDigester Standard	Buchi	K-449	1000299283	July 4, 2024
9	Distillation Unit	Buchi	K-355	100142231	July 4, 2024
10	Electronic Balance	Mettler Toledo	MS204TS/00	B547728937	January 15, 2024
11	Incubator	Memmert	IF 160	D522.0070	January 4, 2024

  
(Ms. Napajart Muenwong)  
Environmental Scientist



  
(Ms. Panicha Promchai)  
Laboratory Supervisor