

ภาคผนวก ค

ใบรายงานผลการวิเคราะห์

ภาคผนวก ค-1

คุณภาพอากาศในบรรยากาศโดยทั่วไป

### ใบรายงานผลการวิเคราะห์

**ชื่อโครงการ** : การปฏิบัติตามมาตรการป้องกันและแก้ไขผลกระทบสิ่งแวดล้อม และมาตรการติดตามตรวจสอบผลกระทบสิ่งแวดล้อมโครงการวางระบบจำหน่ายก๊าซธรรมชาติไปยังนิคมอุตสาหกรรมปิ่นทอง 5

**ชื่อลูกค้า** : บริษัท ปตท. จำกัด (มหาชน)

**ที่อยู่** : 555 ถนนวิภาวดีรังสิต แขวงจตุจักร เขตจตุจักร กรุงเทพมหานคร 10900

**ข้อมูลผู้ติดต่อ** : โทรศัพท์ : 08 3009 3838 อีเมล : chayut.b@pttplc.com

**สถานที่ซัดตัวอย่าง** : หมู่ 8 บ้านมาบแสนสุข ตำบลเขาคันทรง อำเภอศรีราชา จังหวัดชลบุรี

**ชนิดตัวอย่าง** : อากาศในบรรยากาศโดยทั่วไป

**วันที่ซัดตัวอย่าง** : \* , \*\* , \*\*\* , \*\*\*\* , \*\*\*\*\*

**เวลาที่ซัดตัวอย่าง** : \* , \*\* , \*\*\* , \*\*\*\* , \*\*\*\*\*

**ผู้ซัดตัวอย่าง** : นายชนินทร์ พานแก้ว

**ผู้วิเคราะห์** : นางสาวเจตจรินทร์ ทาสะอาด

**วันที่รับตัวอย่าง** : 30 มิถุนายน 2568

**วันที่วิเคราะห์** : 30 มิถุนายน - 2 กรกฎาคม 2568

**วันที่ออกรายงานผล** : 7 กรกฎาคม 2568

**เลขที่ใบรายงานผล** : 2025-U061627

**เลขที่งาน** : 2025-004491

**หมายเลขปฏิบัติการ** : T25A0436-0001 - T25A0436-0005

ดัชนี	หน่วย	วิธีการวิเคราะห์	ผลการวิเคราะห์				
			หมู่ 8 บ้านมาบแสนสุข ตำบลเขาคันทรง อำเภอศรีราชา จังหวัดชลบุรี				
			*	**	***	****	*****
			T25A0436-0001	T25A0436-0002	T25A0436-0003	T25A0436-0004	T25A0436-0005
ฝุ่นละอองรวม (TSP) <sup>a</sup>	มิลลิกรัมต่อลูกบาศก์เมตร	US EPA, CODE OF FEDERAL REGULATIONS, 40 CFR CHAPTER I-PART 50 APPENDIX B, REFERENCE METHOD FOR THE DETERMINATION OF SUSPENDED PARTICULATE MATTER IN THE ATMOSPHERE (HIGH-VOLUME METHOD) REVISED AS OF JULY 1, 2021.	0.069	0.064	0.067	0.047	0.059
สภาพตัวอย่าง			สมบูรณ์	สมบูรณ์	สมบูรณ์	สมบูรณ์	สมบูรณ์

<sup>a</sup> : อยู่ในขอบข่ายที่ได้รับการรับรอง ISO/IEC 17025 จากหน่วยรับรองระดับประเทศ สำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม

#### หมายเหตุ

TSP : ค่าเฉลี่ยแบบสามสถานะมาตรฐานที่อุณหภูมิ 25 องศาเซลเซียส และความดัน 1 บรรยากาศ

\* : ซัดตัวอย่างเมื่อเวลา 10:00 น. วันที่ 25 มิถุนายน 2568 ถึงเวลา 10:00 น. วันที่ 26 มิถุนายน 2568

\*\* : ซัดตัวอย่างเมื่อเวลา 10:00 น. วันที่ 26 มิถุนายน 2568 ถึงเวลา 10:00 น. วันที่ 27 มิถุนายน 2568

\*\*\* : ซัดตัวอย่างเมื่อเวลา 10:00 น. วันที่ 27 มิถุนายน 2568 ถึงเวลา 10:00 น. วันที่ 28 มิถุนายน 2568

\*\*\*\* : ซัดตัวอย่างเมื่อเวลา 10:00 น. วันที่ 28 มิถุนายน 2568 ถึงเวลา 10:00 น. วันที่ 29 มิถุนายน 2568

\*\*\*\*\* : ซัดตัวอย่างเมื่อเวลา 10:00 น. วันที่ 29 มิถุนายน 2568 ถึงเวลา 10:00 น. วันที่ 30 มิถุนายน 2568

**บุษกร เลิศภาณุมาศ**

(นางสาวบุษกร เลิศภาณุมาศ)  
ผู้ควบคุมห้องปฏิบัติการ

ภาคผนวก ค-2

ระดับเสียง



### ใบรายงานผลการวิเคราะห์

**ชื่อโครงการ** : การปฏิบัติตามมาตรการป้องกันและแก้ไขผลกระทบสิ่งแวดล้อม และมาตรการติดตามตรวจสอบผลกระทบสิ่งแวดล้อม  
**ชื่อลูกค้า** : บริษัท ปตท. จำกัด (มหาชน)  
**ที่อยู่** : 555 ถนนวิภาวดีรังสิต แขวงจตุจักร เขตจตุจักร กรุงเทพมหานคร 10900  
**ข้อมูลผู้ติดต่อ** : โทรศัพท์ : 08 3009 3838 อีเมล : chayut.b@pttcl.com  
**สถานที่ตรวจวัด** : ม.8 บ้านนาแม่แสนสุข ต.เขาคันทรง อ.ศรีราชา จ.ชลบุรี  
**ประเภทการตรวจวัด** : ระดับเสียงโดยทั่วไป  
**วันที่ตรวจวัด** : 25-30 มิถุนายน 2568  
**เวลาที่ตรวจวัด** : \*  
**อุปกรณ์ตรวจวัด** : มาตรฐานระดับเสียง \*\*  
**ผู้ตรวจวัด** : นายชนินทร์ พานแก้ว

**วันที่รับตัวอย่าง** : 25-30 มิถุนายน 2568  
**วันที่วิเคราะห์** : 25-30 มิถุนายน 2568  
**วันที่ออกรายงานผล** : 3 กรกฎาคม 2568  
**เลขที่ใบรายงานผล** : 2025-U060937  
**เลขที่งาน** : 2025-004491  
**หมายเลขปฏิบัติการ** : T25A0436-0001 - T25A0436-0005

เวลา *	ผลการวิเคราะห์ (เดซิเบลเอ)			
	ม.8 บ้านนาแม่แสนสุข ต.เขาคันทรง อ.ศรีราชา จ.ชลบุรี			
	25 - 26 มิถุนายน 2568			
	T25A0436-0001			
	L <sub>Aeq</sub> 1 hour	L <sub>Amax</sub> 1 hour	L <sub>A90</sub> 1 hour	L <sub>Aeq</sub> 8 hours
07:00-08:00 น.	57.7	72.1	55.4	-
08:00-09:00 น.	56.4	72.2	53.8	-
09:00-10:00 น.	57.5	74.5	54.7	-
10:00-11:00 น.	56.4	72.9	53.9	-
11:00-12:00 น.	56.0	71.5	53.4	-
12:00-13:00 น.	55.7	71.8	53.5	-
13:00-14:00 น.	55.4	70.7	53.0	-
14:00-15:00 น.	55.1	70.4	52.8	56.4
15:00-16:00 น.	55.5	70.9	53.2	-
16:00-17:00 น.	55.4	71.6	53.0	-
17:00-18:00 น.	55.2	70.6	52.8	-
18:00-19:00 น.	55.7	71.1	53.1	-
19:00-20:00 น.	56.7	72.5	54.3	-
20:00-21:00 น.	56.5	72.3	54.2	-
21:00-22:00 น.	55.5	71.1	53.2	-
22:00-23:00 น.	55.4	71.0	52.6	55.8
23:00-00:00 น.	55.5	71.4	53.0	-
00:00-01:00 น.	55.9	71.7	53.6	-
01:00-02:00 น.	56.5	71.6	54.1	-
02:00-03:00 น.	57.0	73.2	54.9	-
03:00-04:00 น.	56.1	73.5	53.8	-
04:00-05:00 น.	55.5	71.3	52.3	-
05:00-06:00 น.	57.3	74.8	54.5	-
06:00-07:00 น.	58.5	74.4	56.4	56.6
L <sub>Aeq</sub> 24 hours	56.3			
L <sub>Adn</sub>	62.9			

เวลา *	ผลการวิเคราะห์ (เดซิเบลเอ)			
	ม.8 บ้านนาแม่แสนสุข ต.เขาคันทรง อ.ศรีราชา จ.ชลบุรี			
	26 - 27 มิถุนายน 2568			
	T25A0436-0002			
	L <sub>Aeq</sub> 1 hour	L <sub>Amax</sub> 1 hour	L <sub>A90</sub> 1 hour	L <sub>Aeq</sub> 8 hours
07:00-08:00 น.	54.6	72.6	52.0	-
08:00-09:00 น.	57.3	73.0	55.1	-
09:00-10:00 น.	55.3	71.1	52.5	-
10:00-11:00 น.	53.0	68.6	50.4	-
11:00-12:00 น.	52.9	67.6	50.6	-
12:00-13:00 น.	51.8	67.4	49.5	-
13:00-14:00 น.	53.2	69.3	50.6	-
14:00-15:00 น.	52.6	67.4	49.9	54.2
15:00-16:00 น.	52.8	67.9	50.2	-
16:00-17:00 น.	53.5	68.8	51.3	-
17:00-18:00 น.	54.6	70.5	52.3	-
18:00-19:00 น.	55.9	72.5	53.9	-
19:00-20:00 น.	56.1	71.2	53.4	-
20:00-21:00 น.	54.9	70.6	52.2	-
21:00-22:00 น.	54.0	74.0	50.6	-
22:00-23:00 น.	59.0	75.3	56.4	55.5
23:00-00:00 น.	61.1	77.3	58.8	-
00:00-01:00 น.	60.5	75.6	58.2	-
01:00-02:00 น.	57.6	73.9	54.6	-
02:00-03:00 น.	55.6	71.5	53.6	-
03:00-04:00 น.	54.0	69.8	52.0	-
04:00-05:00 น.	53.8	69.9	51.5	-
05:00-06:00 น.	54.6	70.0	52.3	-
06:00-07:00 น.	55.7	71.7	53.0	57.5
L <sub>Aeq</sub> 24 hours	56.0			
L <sub>Adn</sub>	63.8			



เวลา *	ผลการวิเคราะห์ (เดซิเบลเอ)			
	ม.8 บ้านมามแสนสุข ต.เขาดินทรง อ.ศรีราชา จ.ชลบุรี			
	27 - 28 มิถุนายน 2568			
	T25A0436-0003			
	L <sub>Aeq</sub> 1 hour	L <sub>Amax</sub> 1 hour	L <sub>A90</sub> 1 hour	L <sub>Aeq</sub> 8 hours
07:00-08:00 น.	55.4	71.0	53.3	-
08:00-09:00 น.	56.5	71.3	53.9	-
09:00-10:00 น.	56.8	72.1	54.6	-
10:00-11:00 น.	56.2	72.1	53.8	-
11:00-12:00 น.	56.4	71.9	53.8	-
12:00-13:00 น.	56.3	71.9	54.1	-
13:00-14:00 น.	56.8	73.4	54.7	-
14:00-15:00 น.	56.5	71.5	54.2	56.4
15:00-16:00 น.	56.3	72.1	53.9	-
16:00-17:00 น.	56.6	73.1	54.3	-
17:00-18:00 น.	57.3	72.2	54.6	-
18:00-19:00 น.	56.6	72.4	54.2	-
19:00-20:00 น.	57.1	72.8	54.7	-
20:00-21:00 น.	57.4	72.7	55.1	-
21:00-22:00 น.	57.6	72.1	55.3	-
22:00-23:00 น.	55.4	71.4	52.6	56.8
23:00-00:00 น.	53.9	69.2	51.5	-
00:00-01:00 น.	53.8	69.7	51.3	-
01:00-02:00 น.	55.1	70.5	52.7	-
02:00-03:00 น.	54.0	68.9	51.1	-
03:00-04:00 น.	56.4	73.0	53.4	-
04:00-05:00 น.	53.6	70.3	50.7	-
05:00-06:00 น.	55.1	70.9	52.5	-
06:00-07:00 น.	56.4	71.5	53.8	54.9
L <sub>Aeq</sub> 24 hours	56.1			
L <sub>Adn</sub>	61.7			

เวลา *	ผลการวิเคราะห์ (เดซิเบลเอ)			
	ม.8 บ้านมามแสนสุข ต.เขาดินทรง อ.ศรีราชา จ.ชลบุรี			
	28 - 29 มิถุนายน 2568			
	T25A0436-0004			
	L <sub>Aeq</sub> 1 hour	L <sub>Amax</sub> 1 hour	L <sub>A90</sub> 1 hour	L <sub>Aeq</sub> 8 hours
07:00-08:00 น.	56.8	72.2	54.5	-
08:00-09:00 น.	56.8	73.0	54.4	-
09:00-10:00 น.	57.2	73.5	54.2	-
10:00-11:00 น.	60.0	76.2	57.6	-
11:00-12:00 น.	58.9	75.5	56.1	-
12:00-13:00 น.	56.9	72.1	54.6	-
13:00-14:00 น.	58.8	74.9	56.3	-
14:00-15:00 น.	59.0	75.2	56.7	58.2
15:00-16:00 น.	59.2	75.4	56.8	-
16:00-17:00 น.	58.6	74.5	56.0	-
17:00-18:00 น.	57.1	72.0	54.8	-
18:00-19:00 น.	56.2	70.9	53.8	-
19:00-20:00 น.	56.6	71.8	54.1	-
20:00-21:00 น.	55.5	71.4	53.4	-
21:00-22:00 น.	54.7	70.2	52.5	-
22:00-23:00 น.	54.9	70.2	53.0	56.9
23:00-00:00 น.	55.8	72.7	53.4	-
00:00-01:00 น.	56.9	71.6	54.6	-
01:00-02:00 น.	56.8	72.6	54.3	-
02:00-03:00 น.	55.5	71.7	52.9	-
03:00-04:00 น.	54.7	69.7	52.1	-
04:00-05:00 น.	55.1	71.2	52.8	-
05:00-06:00 น.	55.8	71.5	53.4	-
06:00-07:00 น.	56.0	72.1	53.5	55.9
L <sub>Aeq</sub> 24 hours	57.1			
L <sub>Adn</sub>	62.5			

เวลา *	ผลการวิเคราะห์ (เดซิเบลเอ)			
	ม.8 บ้านบางแสนสุข ต.เขาตันหยง อ.ศรีราชา จ.ชลบุรี			
	29 - 30 มิถุนายน 2568			
	T25A0436-0005			
	L <sub>Aeq</sub> 1 hour	L <sub>Amax</sub> 1 hour	L <sub>A90</sub> 1 hour	L <sub>Aeq</sub> 8 hours
07:00-08:00 น.	55.3	71.2	52.9	-
08:00-09:00 น.	55.8	71.3	53.5	-
09:00-10:00 น.	55.8	72.1	53.2	-
10:00-11:00 น.	55.0	71.2	52.2	-
11:00-12:00 น.	53.8	69.5	51.6	-
12:00-13:00 น.	54.0	68.8	51.7	-
13:00-14:00 น.	55.1	70.9	52.8	-
14:00-15:00 น.	55.8	71.3	53.4	55.1
15:00-16:00 น.	55.9	70.8	53.5	-
16:00-17:00 น.	55.3	71.0	53.1	-
17:00-18:00 น.	56.4	72.5	54.0	-
18:00-19:00 น.	56.5	71.8	53.9	-
19:00-20:00 น.	56.6	71.2	54.4	-
20:00-21:00 น.	56.9	72.9	54.6	-
21:00-22:00 น.	57.5	72.3	54.9	-
22:00-23:00 น.	56.2	71.9	53.7	56.4
23:00-00:00 น.	55.8	72.7	53.2	-
00:00-01:00 น.	55.8	73.1	52.9	-
01:00-02:00 น.	60.0	75.7	57.1	-
02:00-03:00 น.	62.2	78.7	59.6	-
03:00-04:00 น.	62.1	78.3	59.5	-
04:00-05:00 น.	60.4	78.4	57.6	-
05:00-06:00 น.	58.7	74.4	56.1	-
06:00-07:00 น.	57.1	73.2	54.6	59.7
L <sub>Aeq</sub> 24 hours	57.5			
L <sub>Adn</sub>	65.4			

\*\* ISO 1996-1 : 2016

\*\* ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ลงวันที่ 15 (พ.ศ. 2540) เรื่อง กำหนดมาตรฐานระดับเสียงโดยทั่วไป ลงวันที่ 12 มีนาคม พ.ศ. 2540

\*\* ประกาศกรมควบคุมมลพิษ (พ.ศ. 2540) เรื่อง วิธีการคำนวณค่าระดับเสียง ลงวันที่ 11 สิงหาคม พ.ศ. 2540

\*\* ประกาศกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม เรื่อง กำหนดมาตรฐานควบคุมระดับเสียงและความสั่นสะเทือน ลงวันที่ 7 พฤศจิกายน พ.ศ. 2548

\*\* ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน

พ.ศ. 2553 ลงวันที่ 20 ธันวาคม พ.ศ. 2553



(นายศิลา บรรจงใจรักษ์)  
ผู้ควบคุมห้องปฏิบัติการ

ภาคผนวก ค-3

คุณภาพน้ำทิ้งจากกิจกรรมการทดสอบท่อทางชลสถิต  
(Hydrostatic Test)



### ใบรายงานผลการวิเคราะห์

ชื่อลูกค้า	: บริษัท ปตท. จำกัด (มหาชน)		
ที่อยู่	: 555 ถนนวิภาวดีรังสิต แขวงจตุจักร เขตจตุจักร กรุงเทพมหานคร 10900		
ข้อมูลผู้ติดต่อ	: โทรศัพท์ : 08 3009 3838 อีเมล : chayut.b@pttplc.com		
สถานที่เก็บตัวอย่าง	: -		
ชนิดตัวอย่าง	: น้ำทิ้ง	วันที่รับตัวอย่าง	: 21 มกราคม 2568
วันที่เก็บ	: 21 มกราคม 2568	วันที่วิเคราะห์	: 21-22 มกราคม 2568
เวลาเก็บ	: 10:56 น.	วันที่ออกรายงานผล	: 22 มกราคม 2568
วิธีเก็บ	: จ้วงเก็บ 1 ครั้ง	เลขที่ใบรายงานผล	: 2025-U005369
ผู้เก็บตัวอย่าง	: นายมานิตย์ ปานโชติ	เลขที่งาน	: 2024-006762
ผู้วิเคราะห์	: นางสาวนภาพร ชื่นนภขุม	หมายเลขปฏิบัติการ	: T25AB209-0001

ดัชนี	หน่วย	วิธีการวิเคราะห์	ผลการวิเคราะห์	ค่าต่ำสุด ที่สามารถวัดได้
			HYDROSTATIC TEST T25AB209-0001	
ความเป็นกรดและด่าง <sup>a</sup>	-	ELECTROMETRIC METHOD (AT SITE) SM: PART 4500-H <sup>+</sup> B AND 1060 B	8.8 (32.8°C)	-
อุณหภูมิ <sup>c</sup>	องศาเซลเซียส	THERMOMETER (AT SITE) SM: PART 2550 B	32.8	-
ของแข็งแขวนลอยทั้งหมด <sup>a</sup>	มิลลิกรัมต่อลิตร	TOTAL SUSPENDED SOLIDS DRIED AT 103-105 °C (SM: PART 2540 D)	< 5.0	5.0
สภาพตัวอย่าง				
สี/ลักษณะของน้ำ			เหลือง/ขุ่น	
สีของตะกอน			น้ำตาล	

<sup>a</sup> : อยู่ในขอบข่ายที่ได้รับการรับรอง ISO/IEC 17025 จากหน่วยรับรองระดับประเทศ สำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม

<sup>b</sup> : อยู่ในขอบข่ายที่ได้รับการรับรอง ISO/IEC 17025 จากหน่วยรับรองระดับประเทศ กรมวิทยาศาสตร์บริการ

<sup>c</sup> : รายการทดสอบที่ได้รับการทวนสอบโดยระบบคุณภาพของห้องปฏิบัติการ แต่ไม่อยู่ในขอบข่ายที่ได้รับการรับรอง

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 24<sup>th</sup> EDITION, 2023.

*Wibubk Sinuk.*

(MISS WILAILAK SRISUK)  
LABORATORY SUPERVISOR



ภาคผนวก ง

เอกสารสอบเทียบเครื่องมือเก็บตัวอย่างและ  
เครื่องมือวิเคราะห์

List of Instruments Certification for Air & Noise Quality Analysis

No.	Instrument/Equipment	Parameter	Manufacturer	Model/Serial No.	Calibrator	Certification No.	Date of Calibration	Due date of Calibration	Remark
Ambient									
1	Orifice Transfer Standard Calibrator	Total Suspended Particulate (TSP)	Tisch Environmental,Inc.	TE-5025A 3383	Jirantee Associates Co., Ltd.	COF-039-67	27 Sep 24	26 Sep 25	-
2	U-Tube Manometer	Total Suspended Particulate (TSP)	Dwyer	121-36-W/M -	Technology Promotion Association (Thailand-Japan)	25P112	19 Feb 25	18 Feb 26	-
3	Aneroid Barometer	Total Suspended Particulate (TSP)	Barigo, Germany	-	Technology Promotion Association (Thailand-Japan)	24P1856	4 Jun 24	3 Jun 25	-
4	Digital Thermo - Hygrometer	Total Suspended Particulate (TSP)	Digicon	TH-02 435031148	Technology Promotion Association (Thailand-Japan)	24H1487	15 Jul 24	14 Jul 25	-
5	Sound Level Calibrator (Acoustic Calibrator)	Calibrate Sound Level Meter	Larson Davis	CAL150 6307	Innovative Instrument Co.,Ltd.	24-ACT-120	10 Sep 24	9 Sep 25	-
6	Sound Level Meter	$L_{Aeq\ 24\ hrs}$ , $L_{Aeq\ 1\ hr}$ , $L_{Amax}$ , $L_{A90}$ , $L_{Adn}$	Larson Davis	LxT2 0005286	Innovative Instrument Co.,Ltd.	24-SLM-234	10 Jul 24	9 Jul 25	-

List of Instruments Certification for Water Quality Analysis

No.	Instrument/Equipment	Parameter	Manufacturer	Model/Serial No.	Calibrator	Certification No.	Date of Calibration	Due date of Calibration	Remark
Water									
1	pH Meter	pH	Horiba	LAQUA-PH210 HA1G0008	Technology Promotion Association (Thailand-Japan)	24CH1153/1	18 Sep 24	17 Sep 25	-



## CERTIFICATE OF CALIBRATION

Certificate No. : COF-039-67

Page 1 of 2 Pages

**MEASUREMENT ITEM** : Top Load Orifice  
**MANUFACTURER** : TISCH  
**MODEL/TYPE** : TE-5025A  
**SERIAL NUMBER** : 3383  
**ID NUMBER** : UAE.EFM.063/2560  
**CONDITION AS-RECEIVED** : Used Item  
**CUSTOMER** : United Analyst and Engineering Consultant Co., Ltd.  
81 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260

**RECEIVED DATE** : 16 Sep 2024  
**MEASUREMENT DATE** : 27 Sep 2024  
**ISSUE DATE** : 27 Sep 2024

**ENVIRONMENTAL CONDITIONS:**  
Ambient condition in the laboratory are as follow:  
Temperature : 23.0 ± 3.0 °C  
Relative Humidity : 55.0 ± 15.0 %RH  
Atmospheric Pressure : 1010 ± 10 hPa

**CALIBRATION CONDITION:**  
Preconditioning : 24 hours at ambient conditions.  
Measurement Condition : The average values during measurement are 23.9 °C and 49.0 %RH.

**NOTED:** The certificate is valid only to the item calibrated on date and place of calibration.

**TABULATION OF RESULTS:**  
The table on next page give the measured values.

**Calibration procedure:**  
The Orifice gas flow device was calibrated against Standard Rotary Displacement Meter (Roots Meter) Model G65/MC/W2-dp. The WP-CL-004 was used as a calibration guideline.

**Traceability:**  
This certificate provides a traceability of the measurement to realization of the national standards and to realization of the international system of units (SI) through the NIMT (National Metrology Institute of Thailand) via Certificate number: NM-0063-23.

**Uncertainty of Measurement:**  
The reported uncertainty of measurement is based on the standard uncertainty multiplied by a coverage factor k=2. Which for a normal distribution corresponds to a coverage probability of approximately 95%. The standard uncertainty has been determined in accordance with the GUM "Evaluation of measurement data - Guide to the expression of uncertainty in measurement".

### MEASUREMENT RESULTS:

The Orifice gas flow device was calibrated by direct comparison method with the Standard Rotary Displacement Meter (Roots Meter). The Humid air was used as a medium in the system. The standard conditions are 25 °C (298.15 K) and 760 mmHg for standard temperature and standard pressure respectively.

Table 1: The results of Q Standard calibration data

Plate	Flow rate m <sup>3</sup> /min	Pressure [Pa] mmHg	Temperature [Ta] °C	Temperature [Tm] °C	Ap_meter mmHg	Ap_Orifice inH <sub>2</sub> O	Y	Standard Flow [Qs] m <sup>3</sup> /min
1	0.703	758.131	23.92	22.49	56.556	1.738	1.319	0.654
2	1.000	758.205	23.70	22.81	63.034	1.473	1.865	0.922
3	1.121	758.284	23.64	22.69	62.633	1.642	2.057	1.064
4	1.167	758.274	23.64	22.65	31.359	5.197	2.282	1.125
5	1.409	758.325	24.00	23.14	30.402	7.654	2.768	1.358

Slope (n): 2.05577  
Intercept (b): -0.02807  
Correlation coefficient (r): 0.99985  
Uncertainty (k=2): 0.015 m<sup>3</sup>/min

Table 2: The results of Q actual calibration data

Plate	Flow rate m <sup>3</sup> /min	Pressure [Pa] mmHg	Temperature [Ta] °C	Temperature [Tm] °C	Ap_meter mmHg	Ap_Orifice inH <sub>2</sub> O	Y	Standard Flow [Qs] m <sup>3</sup> /min
1	0.703	758.131	23.92	22.49	56.556	1.738	0.825	0.653
2	1.000	758.205	23.70	22.81	63.034	1.473	1.166	0.920
3	1.121	758.284	23.64	22.69	62.633	1.642	1.348	1.061
4	1.167	758.274	23.64	22.65	31.359	5.197	1.426	1.123
5	1.409	758.325	24.00	23.14	30.402	7.654	1.732	1.357

Slope (n): 1.28763  
Intercept (b): -0.01756  
Correlation coefficient (r): 0.99985  
Uncertainty (k=2): 0.015 m<sup>3</sup>/min

\*\*\*End of Certificate of Calibration\*\*\*

Calibrated by:  
☐ Mr. Sorawit Thachalad  
☒ Miss Jittrapon Lertsomphol



Approved signatory:  
Mr. Parinya Booncharoen  
Calibration Department Manager



THIS CERTIFICATE REPORT MAY NOT BE REPRODUCED EXCEPT IN FULL UNLESS PERMISSION FOR REPRODUCTION IS IN WRITING FROM THE LABORATORY

เอกสารไม่ควบคุม

เอกสารไม่ควบคุม



TECHNOLOGY PROMOTION ASSOCIATION (THAILAND-JAPAN)  
CORPORATE SERVICES 3: EQUIPMENT CALIBRATION AND TESTING SERVICES  
534/4 PATTANAKARN ROAD SOI 18, SUANLUANG, SUANLUANG, BANGKOK 10250  
TEL. 0-2717-3000-24 FAX. 0-2719-9484

## Certificate of Calibration

Certificate No. : 25P112  
Page : 1 of 2

**Equipment :** U-Tube Manometer  
**Manufacturer:** Dwyer  
**Model :** 121-36-W/M  
**Serial No.:** -  
**ID No.:** UAE.EFM.181/2561  
**Condition As-Received:** Used Item  
**Received Date:** 10 February 2025  
**Calibration Date:** 19 February 2025  
**Reference:** 2502-0083WSC  
**Ambient Temperature:** ( 23 ± 2 ) °C  
**Relative Humidity:** ( 50 ± 15 ) %  
**Atmospheric Pressure:** 1012 mbar

This certificate may not be reproduced other than in full, except with the prior written approval of the head of Corporate Services 3: Equipment Calibration and Testing Services.

**Submitted by:** United Analyst and Engineering Consultant Co., Ltd.  
81 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phrakhanong, Bangkok 10260

**Procedure used:** The calibration was conducted by direct comparison method against Pressure Measuring Instruments Standard according to In-house calibration procedure CP-P04, using \* DKD-R 6-1; Calibration of Pressure Gauges, Edition 03/2014 \* as a guidelines.

### Condition of this result of calibration

1. Reference standards instruments :

Instrument	Model	Serial No.	Certificate No.	Due Date
1) Pressure Calibrator	PC106P	1189	MP-0113-24	10 Jul 2025

- This result of calibration was made on requested at the point specified by customer.
- Scale and conversion factor is 1 kPa = 4.0146293 inH<sub>2</sub>O
- This instrument was used clean air as pressure media.
- This instrument was installed in vertical orientation and center of connector was used as the reference level.
- The certificate is valid only to the item calibrated on date and place of calibration.
- This Certification is traceable to the International System of Unit maintained at:-  
National Institute of Metrology Thailand (NIMT)

Calibrated by : Nopparat Phongam  
Issue Date : 21 February 2025

Approved Signatory : Attapol P.  
[ ] Phasinee Prabpai  
[ ] Sura Suwannasri  
[x] Attapol Panurach

เอกสารไม่ควบคุม  
B 0250406



Cert.No.: 25P112  
Page: 2 of 2

**Result of calibration:- Without adjustment**  
**Function:- Pressure Measurement**  
**Increasing Pressure**

**Range:** 0 inH<sub>2</sub>O to 36 inH<sub>2</sub>O  
**Scale Interval:** 0.1 inH<sub>2</sub>O (The Fifth Estimate)

UUC Indication				
Applied Pressure (inH <sub>2</sub> O)	High-port side (inH <sub>2</sub> O)	Low-port side (inH <sub>2</sub> O)	ΔP (inH <sub>2</sub> O)	Error (inH <sub>2</sub> O)
0.00	0.00	0.00	0.00	0.00
2.00	1.00	-0.98	1.98	-0.02
4.00	2.00	-1.98	3.98	-0.02
6.00	3.00	-3.02	6.02	0.02
8.00	4.00	-4.02	8.02	0.02
10.00	5.00	-5.04	10.04	0.04
12.00	6.00	-6.04	12.04	0.04
14.00	7.00	-7.06	14.06	0.06
16.00	8.00	-8.06	16.06	0.06
18.00	9.00	-9.06	18.06	0.06
20.00	10.00	-10.06	20.06	0.06
22.00	11.00	-11.08	22.08	0.08
24.00	12.00	-12.08	24.08	0.08
26.00	13.02	-13.10	26.12	0.12
28.00	14.02	-14.10	28.12	0.12
30.00	15.02	-15.10	30.12	0.12
32.00	16.02	-16.10	32.12	0.12
34.00	17.02	-17.08	34.10	0.10
35.50	17.86	-17.92	35.78	0.28

The uncertainty of measurement was ± 0.11 inH<sub>2</sub>O  
\* UUC = Unit Under Calibration  
\* ΔP = High-port side - Low-port side  
The reported uncertainty of measurement was based on a standard uncertainty multiplied by a coverage factor k = 2, providing a level of confidence of approximately 95 %.

-o-o-

Attapol P.

เอกสารไม่ควบคุม  
a 1037943



## Certificate of Calibration

Certificate No. : 24P1856  
Page : 1 of 2

Equipment : Aneroid Barometer  
Manufacturer : Barigo  
Model : -  
Serial No. : -  
ID No. : UAE.EMA2.110/2555

This certificate may not be reproduced other than in full,  
except with the prior written approval of the head of  
Corporate Services 3: Equipment Calibration and Testing Services.

Condition As-Received: Used Item  
Received Date: 24 May 2024  
Calibration Date: 04 June 2024

Reference: 2405-0919WSC  
Ambient Temperature: ( 23 ± 2 ) °C  
Relative Humidity: ( 50 ± 15 ) %  
Atmospheric Pressure: 1006 mbar

Submitted by: United Analyst and Engineering Consultant Co.,Ltd.

81 Soi Udomsuk 41, Sukhumvit Road,  
Bangchak, Phrakhanong, Bangkok 10260

Procedure used: The calibration was conducted by direct comparison method against Pressure Measuring Instruments  
Standard according to in-house calibration procedure CP-P10, using \* DKD-R 6-1 ; Calibration of Pressure  
Gauges, Edition 03/2014 \* as a guidelines.

### Condition of this result of calibration

1.Reference standards instruments :

Instrument	Model	Serial No.	Certificate No.	Due Date
1) Standard Barometer	DPI142	1422505046	MP-0094-24	03 May 2025

2.This instrument was installed in vertical orientation and center of the dial was used as the reference level.

3.This result of calibration was made on requested at the point specified by customer.

4.This result of calibration instrument was in absolute pressure.

5.This instrument was used clean air as pressure media.

6.The certificate is valid only to the item calibrated on date and place of calibration.

7.This Certification is traceable to the International System of Unit maintained through:-

-National Institute of Metrology Thailand (NIMT)

Calibrated by : Suksan Khankaew  
Issue Date : 06 June 2024

Approved Signatory : Athapol P.  
[ ] Phalinee Prabpaipal  
[ ] Sura Suwannasri  
[x] Athapol Panurach

เอกสารไม่ควบคุม  
B 0316956



Result of calibration:- Without adjustment  
Function:- Absolute Pressure Measurement

Range: 720 mmHg to 800 mmHg  
Scale Interval: 1 mmHg ( The Fifth Estimate )

### Increasing Pressure

Applied Pressure (mmHg)	720.43	730.67	740.34	751.52	756.56	761.83	773.53	798.76
UUC* Indication (mmHg)	720.0	730.0	740.0	750.0	755.0	760.0	770.0	790.0
Error (mmHg)	-0.43	-0.67	-0.34	-1.52	-1.56	-1.83	-3.53	-8.76

### Decreasing Pressure

Applied Pressure (mmHg)	798.76	773.60	761.89	756.65	751.59	740.72	730.68	720.59
UUC* Indication (mmHg)	790.0	770.0	760.0	755.0	750.0	740.0	730.0	720.0
Error (mmHg)	-8.76	-3.60	-1.89	-1.65	-1.59	-0.72	-0.68	-0.59

The uncertainty of measurement was ± 0.24 mmHg

\* UUC = Unit Under Calibration

The reported uncertainty of measurement was based on a standard uncertainty multiplied  
by a coverage factor k = 2, providing a level of confidence of approximately 95 %.

-000-

เอกสารไม่ควบคุม  
a 1165502



## Certificate of Calibration

Certificate No. : 24H1487  
Page : 1 of 2

Equipment : Digital Thermo-Hygrometer  
Manufacturer : Digicon  
Model : TH-02A  
Serial No. : 435031148  
ID No. : UAE.EFM.006/2567

This certificate may not be reproduced other than in full,  
except with the prior written approval of the head of  
Corporate Services 3: Equipment Calibration and Testing Services.

Condition As-Received: New Item  
Received Date: 10 July 2024  
Calibration Date: 15 July 2024  
to 17 July 2024

Reference: 2407-0393WSC  
Ambient Temperature: ( 25 ± 3 ) °C  
Relative Humidity: ( 50 ± 20 ) %

Submitted by: United Analyst and Engineering Consultant Co.,Ltd.

81 Soi Udomsuk 41, Sukhumvit Road, Bangchak,  
Phrakhanong, Bangkok 10260

Procedure used: Calibration were conducted using in-house calibration procedure CP-H03 according to comparison  
with standard chilled mirror sensor for humidity measurement function and comparison with standard  
temperature probe for temperature measurement function into humidity / temperature chamber.

### Condition of this result of calibration

1.Reference standards instruments :

Instrument	Model	Serial No.	Certificate No.	Due Date
1) Standard Chilled Mirror Hygrometer Sensor	Dew Prime II	31863	21619	25 Sep 2024
2) Handheld Thermometer With Sensor	1523	5717096	2311321	08 Nov 2024

2.The certificate is valid only to the item calibrated on date and place of calibration.

3.This Certification is traceable to the International System of Unit maintained through:-

-Thunder Scientific Corporation, NVLAB Accreditation No. Calibration 200582-0

-Technology Promotion Association (Thailand-Japan), NSC-ONSC Accredited No. Calibration 0008

Calibrated by : Surasit Phansudnoi  
Issue Date : 17 July 2024

Approved Signatory : Viporn  
[ ] Chakrit Waewwanjua  
[x] Viporn Tantiyawutti  
[ ] Unnophol Harachai

เอกสารไม่ควบคุม



Result of Calibration:- Without Adjustment  
Function: Humidity Measurement.

Reference Temperature (°C)	Standard Humidity (%R.H.)	UUC* Reading (%R.H.)	Error (%R.H.)	Uncertainty of Measurement (±%R.H.)
25.0	40.1	39	-1.1	1.4
25.0	50.1	48	-2.1	1.6
25.0	60.0	58	-2.0	1.6
25.0	70.2	68	-2.2	1.6

Result of Calibration:- Without Adjustment  
Function: Temperature Measurement.

Standard Temperature (°C)	UUC* Reading (°C)	Error (°C)	Uncertainty of Measurement (±°C)
20.014	20.3	0.286	0.42
24.984	25.2	0.216	0.42
30.050	30.1	0.050	0.42
40.027	40.0	-0.027	0.42

UUC\* : Unit Under Calibration

The reported uncertainty of measurement was base on standard uncertainty multiplied  
by coverage factor k = 2.00, providing confidence level approximately 95%.

-000-

เอกสารไม่ควบคุม



Certificate of Calibration

Customer

Name : UNITED ANALYST AND ENGINEERING  
CONSULTANT CO.,LTD.  
Address : 81 Soi Udonsuk 41, Sukhumvit Road, Bangchak,  
Prakanong, Bangkok 10260

Certificate No : 24-ACT-120  
Request No : Req-2024-1896

Unit Under Calibration Details

Measurement item : Acoustic Calibrator  
Manufacturer : LARSON DAVIS  
Model : CAL150  
Serial Number : 6307  
ID : UAE-EFM.049/2563  
Class : 2  
Range : 94 , 114 dB / 1000 Hz  
Instrument Status : Used

Calibration Environment and Details

Temperature : ( 23 ±2 °C )  
Humidity : ( 50 ± 20 %RH )  
Barometric Pressure : ( 1013 ±10.0 hPa )  
Received Date : 26 August 2024  
Calibration Date : 10 September 2024  
Location of Calibration : LAB 1 Acoustic  
Calibration Procedure : In-house method CP-ACT-02 based on IEC 60942:2017 Electroacoustics - Sound calibrators


Reference Standard	Model	Serial Number	Traceable	Due Calibration
Sound Calibrator	SV 35A	58079	EEI	12 June 2025
THD Multimeter	2015	1047765	NIMT	16 January 2025

Traceability : This certificate provides traceability of measurement to recognized national standard, and to the realization of the international System of Units (SI).

Note

The reported uncertainty is based on standard uncertainty multiplied by the Coverage Factor  $k=2$ , providing a level of confidence approximately 95 %.

Calibrated By :   
Mr. Noppadon Luangari  
Service Calibration Engineer

Approved By :   
Mr. Pacit Mathavorn  
Calibration Engineer Supervisor  
Issue Date : 10 September 2024

The results related only to the item calibrated. The certificate shall not be reproduced except in full, without written approval of the laboratory.  
FM-708-ACT-02 Rev.03 Issue date 5/6/24

เอกสารไม่ควบคุม

Certificate No : 24-ACT-120

Request No : Req-2024-1896

Sound pressure level

Calibration Results : Without Adjustment

Calibration Range (dB)	Without Adjustment (dB)		Adjustment (dB)		Uncertainty ( ± dB )	Acceptance limit Class 2 ( ± dB )	Result
	Measured	Deviated value	Measured	Deviated value			
94 dB / 1000 Hz	93.96	-0.04	-	-	0.13	0.40	Pass
114 dB / 1000 Hz	114.04	0.04	-	-	0.13	0.40	Pass

Frequency of Sound pressure level

Calibration Range (Hz)	Without Adjustment		Adjustment		Uncertainty ( ± % )	Acceptance limit Class 2 ( ± % )	Result
	Measured (Hz)	Deviated	Measured (Hz)	Deviated			
94 dB / 1000 Hz	999.14	0.09	-	-	0.01	1.7	Pass
114 dB / 1000 Hz	999.11	0.09	-	-	0.01	1.7	Pass

Total Harmonic Distortion plus Noise of Sound pressure level (THD+N %)

Calibration Range (Hz)	Without Adjustment	Adjustment	Uncertainty ( ± % )	Acceptance limit Class 2 ( ± % )	Result
	Measured (%)	Measured (%)			
94 dB / 1000 Hz	0.12	-	0.40	3.0	Pass
114 dB / 1000 Hz	0.23	-	0.40	3.0	Pass

Note :

Function	Maximum-permitted Uncertainty of measurement
Sound pressure level	0.35 dB
Frequency	0.20%
Total distortion+noise	1.00%

- Acceptance limit was IEC60942:2017 Class 1

- The calibration results exclude the calibrator pressure correction

- The calibration results exclude the microphone volume correction

The results related only to the item calibrated. The certificate shall not be reproduced except in full, without written approval of the laboratory.  
FM-708-ACT-02 Rev.03 Issue date 5/6/24

เอกสารไม่ควบคุม

Certificate No : 24-ACT-120

Request No : Req-2024-1896

Decision Rule for Statements of Conformity


The standard decision rule employed for the statements of conformity to each calibration result will be applied using ILAC-G8:09/2019: Guidelines on the Reporting of Compliance with Specification as following Fig. and statements

Pass - The measurement result plus the expanded uncertainty with a 95% coverage probability were within the limit.

Pass<sup>1</sup> - The measurement result was within the limit. However, a portion of the expanded uncertainty of measurement at 95% exceeds the limit.

Fail<sup>1</sup> - The measurement result was out of the limit. However, a portion of the expanded uncertainty of measurement at 95% is within the limit.

Fail - The measurement result plus the expanded uncertainty with a 95% coverage probability were outside the limit.



End of Calibration

The results related only to the item calibrated. The certificate shall not be reproduced except in full, without written approval of the laboratory.  
FM-708-ACT-02 Rev.03 Issue date 5/6/24

เอกสารไม่ควบคุม

Certificate of Calibration

Customer

Name : UNITED ANALYST AND ENGINEERING CONSULTANT CO.,LTD.  
Address : 81 Soi Udonsuk 41, Sukhumvit Road, Bangchak, Prakanong, Bangkok  
10260

Certificate No : 24-SLM-234  
Request No : Req-2024-1453

Unit Under Calibration Details

Measurement item : Sound Level Meter  
Manufacturer : Larson Davis  
Model : LxT2  
Serial Number : 0005286  
ID : UAE-EFM.102/2562  
Resolution : 0.1 dB  
Microphone Class : 2  
Microphone Model : 375B02  
Microphone S/N : 011740  
Preamplifier Model : PRMLxT2B  
Preamplifier S/N : 056087  
Instrument Status : Used

Calibration Environment and Details


Temperature : 23 °C ± 2 °C  
Humidity : 50 %RH ± 20 %RH  
Barometric Pressure : 1013 hPa ± 10 hPa  
Received Date : 1 July 2024  
Calibrated Date : 10 July 2024  
Calibration Procedure : In-house method CP-SLM-01 based on IEC 61672-3 : 2013 Electroacoustics - Sound level meters - Part 3: Periodic tests  
Location of Calibration : Lab Acoustic


Reference Standard

Instrument	Brand	Model	SN.	Due calibration	Traceability
Standard Microphone	GRAS	40AN	188273	20 August 2024	GRAS
Multifrequency Calibrator	Quest	Quest-cal	EFA000234	26 July 2024	TSI
Audio Generator	Svante	Svan401	131	8 October 2024	WK Electric

Note

The reported uncertainty is based on standard uncertainty multiplied by the Coverage Factor  $k=2$ , providing a level of confidence approximately 95 %.

Calibrated By :   
Mr. Noppadon Luangari  
Service Calibration Engineer

Approved By :   
Mr. Pacit Mathavorn  
Calibration Engineer Supervisor  
Issue Date : 10 July 2024

The results related only to the item calibrated. The certificate shall not be reproduced except in full, without written approval of the laboratory.  
FM-708-SLM-01 Rev.04 Issue date 5/6/24

เอกสารไม่ควบคุม

Certificate No : 24-SLM-234  
Request No : Req-2024-1453

1. Indication at the calibration check frequency

UUC Setting	Nominal	Before Adjust			After Adjust		UNCERTAINTY (± dB)	Acceptance Limit (± dB)	Result
	Level	UUC (dB)	ERR (dB)		UUC (dB)	ERR (dB)			
Calibrator Setting									
1000 Hz 114 dB	113.76	114.4	0.64		113.8	+0.04	0.20	0.30	Pass

Note : Absolute sensitivity was established by the use of Sound Calibrator Brand SVANTEK, Model SV 35A, SN. 58079

2. Self-generated noise, Microphone installed

UUC Setting	Measured	UNCERTAINTY
FAST / 37-139		
UUC Weighting	(dB)	(± dB)
A	31.3	0.10

3. Self-generated noise, Microphone replaced by the electrical input signal device

UUC Setting	Measured	UNCERTAINTY
FAST / 37-139		
UUC Weighting	(dB)	(± dB)
A	31.1	0.10
C	30.6	0.10
Z	34.9	0.10

4. Acoustic signal test of frequency weightings (Without Windscreen)

UUC Setting	Deviation from various Frequency Weighting Response curve			UNCERTAINTY (± dB)	Acceptance Limit (± dB)	Result
	A	C	Z			
FAST / 37-139						
STD Setting	(dB)	(dB)	(dB)			
125 Hz	0.0	0.1	0.1	0.60	1.5	Pass
1000 Hz	0.0	0.0	0.0	0.60	1.0	Pass
4000 Hz	1.2	1.2	1.2	0.60	3.0	Pass
8000 Hz	2.7	2.8	2.9	0.70	5.0	Pass1

The results related only to the item calibrated. The certificate shall not be reproduced except in full, without written approval of **เอกสารไม่ควบคุม**  
FSM-708-SLM-01 Rev.04 Issue date 5/6/24

Certificate No : 24-SLM-234  
Request No : Req-2024-1453

5. Electrical signal test of frequency weightings, Weighting network response with relative to 1 kHz

UUC Setting	Deviation from various Frequency Weighting Response curve			UNCERTAINTY (± dB)	Acceptance Limit (± dB)	Result
	A (dB)	C (dB)	Z (dB)			
FAST / 37-139						
STD Setting						
63 Hz	-0.1	0.0	0.0	0.20	2.0	Pass
125 Hz	-0.1	0.0	0.0		1.5	Pass
250 Hz	-0.1	0.0	0.0		1.5	Pass
500 Hz	0.0	0.1	0.0		1.5	Pass
1000 Hz	0.0	0.0	0.0		1.0	Pass
2000 Hz	0.0	0.1	0.0		2.0	Pass
4000 Hz	0.0	0.0	0.0		3.0	Pass
8000 Hz	0.0	0.0	0.0		5.0	Pass
16000 Hz	0.0	-0.1	-0.1		+5, -INF.	Pass

6. Frequency and time weightings at 1kHz

UUC Setting	STD	Measured		UNCERTAINTY (± dB)	Acceptance Limit (± dB)	Result
	REF	UUC (dB)	ERR (dB)			
FAST / 37-139						
UUC Weighting						
A	114.00	114.0	0.0	0.20	0.20	Pass
C	114.00	114.0	0.0		0.20	Pass
Z	114.00	114.0	0.0		0.20	Pass

UUC Setting	STD	Measured		UNCERTAINTY (± dB)	Acceptance Limit (± dB)	Result
	REF	UUC (dB)	ERR (dB)			
37-139 / A						
UUC Time Response						
Fast	114.00	114.0	0.0	0.20	0.10	Pass1
Slow	114.00	114.0	0.0		0.10	Pass1
Loq	114.00	114.0	0.0		0.10	Pass1

The results related only to the item calibrated. The certificate shall not be reproduced except in full, without written approval of **เอกสารไม่ควบคุม**  
FSM-708-SLM-01 Rev.04 Issue date 5/6/24

Certificate No : 24-SLM-234  
Request No : Req-2024-1453

7. Long Term Stability

UUC Setting	Measured	UNCERTAINTY (± dB)	Acceptance Limit (± dB)	Result
FAST / A / 37-139	UUC			
STD Setting	(dB)			
Initial	114.0			
Final	114.0			
Deviated	0.0	0.10	0.30	Pass

8. Level linearity on the reference level range

UUC Setting	Anticipated	Deviation		UNCERTAINTY (± dB)	Acceptance Limit (± dB)	Result
	REF	UUC	ERR			
FAST / A / 37-139						
STD dB	(dB)	(dB)	(dB)			
139.00	139	139.0	0.0	0.30	1.1	Pass
134.00	134	134.0	0.0		1.1	Pass
129.00	129	129.0	0.0		1.1	Pass
124.00	124	124.0	0.0		1.1	Pass
119.00	119	119.0	0.0		1.1	Pass
114.00	114	114.0	0.0		1.1	Pass
109.00	109	109.0	0.0		1.1	Pass
104.00	104	104.0	0.0		1.1	Pass
99.00	99	99.0	0.0		1.1	Pass
94.00	94	94.0	0.0		1.1	Pass
89.00	89	89.0	0.0		1.1	Pass
84.00	84	84.0	0.0		1.1	Pass
79.00	79	79.0	0.0		1.1	Pass
74.00	74	74.0	0.0		1.1	Pass
69.00	69	69.0	0.0		1.1	Pass
64.00	64	64.0	0.0		1.1	Pass
59.00	59	59.0	0.0		1.1	Pass
54.00	54	54.0	0.0		1.1	Pass
49.00	49	49.1	0.1		1.1	Pass
44.00	44	44.2	0.2		1.1	Pass
43.00	43	43.3	0.3		1.1	Pass
42.00	42	42.3	0.3		1.1	Pass
41.00	41	41.4	0.4		1.1	Pass

The results related only to the item calibrated. The certificate shall not be reproduced except in full, without written approval of **เอกสารไม่ควบคุม**  
FSM-708-SLM-01 Rev.04 Issue date 5/6/24

Certificate No : 24-SLM-234  
Request No : Req-2024-1453

9. Level linearity including the level range control

UUC Setting	STD	Measured		UNCERTAINTY (± dB)	Acceptance Limit (± dB)	Result
	REF	UUC (dB)	ERR (dB)			
FAST / A						
UUC Range						
37-139	46.30	46.4	0.1	0.30	1.1	Pass
	114	114.0	0.0		1.1	Pass

10. Tone burst response

UUC Setting	STD	Anticipated	Measured		UNCERTAINTY (± dB)	Acceptance Limit (± dB)	Result
	Toneburst	Ref	UUC	ERR			
A / 37-139							
UUC Time Response	(ms)	(dB)	(dB)	(dB)			
Fast	200	135.0	134.9	-0.1	0.20	1.0	Pass
	2	118.0	117.6	-0.4		+1.0, -2.5	Pass
	0.25	109.0	108.6	-0.4		+1.5, -5.0	Pass
Slow	200	128.6	128.5	-0.1		1.0	Pass
	2	109.0	108.9	-0.1		+1.0, -5.0	Pass
	200	129.0	129.0	0.0		1.0	Pass
SEL	2	109.0	109.0	0.0		+1.0, -2.5	Pass
	0.25	100.0	99.8	-0.2		+1.5, -5.0	Pass

11. Peak C Sound level

UUC Setting	Anticipated	Measured		UNCERTAINTY (± dB)	Acceptance Limit (± dB)	Result
	REF	UUC (dB)	ERR (dB)			
FAST / C / 95-142						
STD Setting	(dB)	(dB)	(dB)			
Complete cycle	137.4	136.8	-0.60	0.20	3.0	Pass
Positive half cycle	136.4	136.2	-0.20		2.0	Pass
Negative half cycle	136.4	136.2	-0.20		2.0	Pass

The results related only to the item calibrated. The certificate shall not be reproduced except in full, without written approval of **เอกสารไม่ควบคุม**  
FSM-708-SLM-01 Rev.04 Issue date 5/6/24



Certificate No : 24-SLM-234  
Request No : Req-2024-1453

#### 12. Overload indication

UUC Setting	Measured	UNCERTAINTY	Acceptance	Result
FAST / A / 37-139	UUC	( ± dB)	( ± dB)	
STD Setting	(dB)			
Positive one-half cycle	145.5			
Negative one-half cycle	145.4			
Deviated	0.1	0.20	1.5	Pass

#### 13. High Level Stability

UUC Setting	Measured	UNCERTAINTY	Acceptance	Result
FAST / A / 37-139	UUC	( ± dB)	( ± dB)	
STD Setting	(dB)			
Initial	138.0			
Final	138.0			
Deviated	0.0	0.10	0.30	Pass

Note :

Function	Maximum-permitted Uncertainty of measurement
1. Indication at the calibration check frequency	Not applicable
2. Self-generated noise, Microphone installed	Not applicable
3. Self-generated noise, Microphone replaced by the electrical input signal device	Not applicable
4. Acoustic signal test of frequency weightings at 10 Hz to 4 kHz	0.60 dB
4. Acoustic signal test of frequency weightings at >4 kHz to 10 kHz	0.70 dB
5. Electrical signal test of frequency weightings, Weighting network response with relative to 1 kHz	0.20 dB
6. Frequency and time weightings at 1kHz	0.20 dB
7. Long Term Stability	0.10 dB
8. Level linearity on the reference level range	0.30 dB
9. Level linearity including the level range control	0.30 dB
10. Tone burst response	0.30 dB
11. Peak C Sound level	0.35 dB
12. Overload indication	0.25 dB
13. High Level Stability	0.10 dB

\* Acceptance limit and Maximum-permitted Uncertainty was IEC 61672-1:2013

The results related only to the item calibrated. The certificate shall not be reproduced except in full, without written approval of

เอกสารไม่ควบคุม

FSM-708-SLM-01 Rev.04 Issue date 5/6/24

Certificate No : 24-SLM-234  
Request No : Req-2024-1453

#### Decision Rule for Statements of Conformity


The standard decision rule employed for the statements of conformity to each calibration result will be applied using ILAC-G8:09:2019: Guidelines on the Reporting of Compliance with Specification as following Fig. and statements

Pass = The measurement result plus the expanded uncertainty with a 95% coverage probability were within the limit.

Pass<sup>1</sup> = The measurement result was within the limit. However, a portion of the expanded uncertainty of measurement at 95% exceeds the limit.

Fail<sup>1</sup> = The measurement result was out of the limit. However, a portion of the expanded uncertainty of measurement at 95% is within the limit.

Fail = The measurement result plus the expanded uncertainty with a 95% coverage probability were outside the limit.



The results related only to the item calibrated. The certificate shall not be reproduced except in full, without written approval of

เอกสารไม่ควบคุม

FSM-708-SLM-01 Rev.04 Issue date 5/6/24



TECHNOLOGY PROMOTION ASSOCIATION (THAILAND-JAPAN)  
CORPORATE SERVICES 3: EQUIPMENT CALIBRATION AND TESTING SERVICES  
534/4 PATTANAKARN ROAD SOI 18, SUANLUANG, SUANLUANG BANGKOK 10250  
TEL.0-2717-3000-29 FAX.0-2719-9484



## Certificate of Calibration

Cert.No.: 24CH1153/1  
Page.: 1 of 3

This Certificate was issued to replace to the Certificate No. 24CH1153

**Equipment :** pH Meter  
**Manufacturer :** Horiba  
**Model :** LAQUA-PH210  
**Serial No. :** HA1G0008  
**ID No. :** UAE,EFM,201/2564(EFM,pH,09/64)  
**Condition As-Received:** Used Item  
**Received Date :** 17 September 2024  
**Calibration Date :** 18 September , 25 October 2024  
**Reference :** 2409-0632WSC-1  
**Submitted by :** United Analyst and Engineering Consultant Co.,Ltd.  
3 Soi Udomsuk 41, Sukhumvit Road,  
Bangchak, Phrakhanong, Bangkok 10260

**Ambient Temperature :** (25 ± 2.5) °C  
**Relative Humidity :** (50 ± 15) %  
**Calibration Procedure :** In - house method :  
- CP-CH5 by direct measurement with DC voltage standard and direct measurement with certified reference material (CRM)  
- CP-CH8 by comparison with temperature standard

**Calibrated by :** Warakorn Lemgagtrakul

**Approved by :** Approved Signatory

( ) Unnopphol Harachai  
( ) Ponpan Paipim  
(✓) Saithip Meangmai

**Issue Date :** 28 October 2024

The Uncertainties are for a confidence probability of approximately 95%

This certificate may not be reproduced other than in full, except with the prior written Approval of the head of Corporate Services 3 : Equipment Calibration and Testing Services.

Cert.No.: 24CH1153/1  
Page.: 2 of 3

#### Condition of this calibration result

1. Reference Standard Instrument

Instrument	Serial No.	ID No.	Cert. No.	Due Date
1)Document Process Calibrator	54030049	130RC116	24E2759	25 Aug 2025
2)Ref. Standard Thermometer	4982054	110RC044	24I757	14 July 2025

- This Certification is traceable to SI Through Technology Promotion Association (Thailand - Japan)

2. Certified Reference Materials :The measurement results are traceable to SI through Hach Lenge GmbH Ltd., Deutsche Akkreditierungsstelle, Accredited No.D-RM-15184-01-00  
:The measurement results are traceable to SI through CPA chem Ltd., ANSLASQ National Accreditation Board, Accredited No. AR-1835

Buffer Solution	Manufacturer	Lot No.	Exp. date
pH 4.006	Hach Lenge GmbH	C03146	23 Feb 2026
pH 7.000	Hach Lenge GmbH	C03020	13 Dec 2024
pH 9.997	CPA chem	970853	25 Apr 2025

3. This certificate is valid only to the item calibrated on date and place of calibration.

#### Calibration Results

Function : mV Measurement

Performing standard curve by Document Process Calibrator at pH (4,7)(7,10)

Unit Under Calibration	Nominal Value	Standard Voltage Input	Actual Reading	Uncertainty of Measurement	Coverage factor
	pH	mV	mV	pH	k
pH Meter	4.00	177.48	177.5	4.01	0.058
S/N: HA1G0008	7.00	0.00	0.0	7.02	0.058
	7.00	0.00	0.0	7.02	0.058
	10.00	-177.48	-177.5	10.01	0.058



รายการใบรับรองสอบเทียบเครื่องมือหลักประจำห้องปฏิบัติการสำหรับวิเคราะห์คุณภาพสิ่งแวดล้อม

No.	Instrument/Equipment	Parameter	Manufacturer	Model/Serial No.	Calibrator	Certification No.	Date of Calibration	Due date of Calibration	Remark
เครื่องมือสำหรับวิเคราะห์คุณภาพอากาศ									
1	Analytical Balance (Readability 0.1 mg)	ฝุ่นละอองขนาดไม่เกิน 10 ไมครอน	Mettler-Toledo	MS204TS/00 C252436235	National Food Institute, Ministry of Industry, Thailand	<a href="#">2502228-003-01</a>	19 Mar 25	18 Mar 26	-
2	Hot Air Oven		Memmert	UF55 / B216.1666	National Food Institute, Ministry of Industry, Thailand	<a href="#">2500116-001-01</a>	8 Oct 24	7 Oct 25	-
เครื่องมือสำหรับวิเคราะห์คุณภาพน้ำ									
3	Analytical Balance (Readability 0.01 mg)	ของแข็งแขวนลอย (Total Suspended Solids : TSS)	Mettler-Toledo	XSR205DU / C009071872	National Food Institute, Ministry of Industry, Thailand	<a href="#">2402283-001-01</a>	2 Apr 24	1 Apr 25	-
4	Hot Air Oven		Memmert	UF55 / B216.1666	National Food Institute, Ministry of Industry, Thailand	<a href="#">2500116-001-01</a>	8 Oct 24	7 Oct 25	-

## Calibration Certificate

Certificate No.: 2502228-003-01  
Client name: UNITED ANALYST AND ENGINEERING CONSULTANT CO.,LTD.  
Address: 3 Soi Udomsuk 41, Sukhumvit Road,  
Bangchack, Prakhnong, Bangkok 10260

Page 1 of 3

Equipment: Electronic Balance  
Manufacturer: METTLER TOLEDO  
Model: MS204TS/00  
Serial No.: C252436235  
ID No.: UAE.AIR.023/2566  
Order No.: 2502228  
Operation No.: 2502228-003  
Date of Receipt: 19 March 2025  
Date of Calibration: 19 March 2025

Calibrated by Mr.Yothin Charoensuk  
Scientist  
Approved by *N. Niyodats*  
(Mr.Pheraphat Tuanjit)  
Manager, Division of Calibration Laboratory  
Responsible for the Technical Management Team  
Date of Issue: 25 March 2025

The uncertainties are for a confidence probability of approximately 95%

This Certificate is issued in accordance with the conditions of accreditation granted by the Thai Laboratory Accreditation Scheme which has assessed the measurement capability of the laboratory and its traceability to recognized national standards and to the units of measurement realized at the corresponding national standards laboratory. This certificate may not be reproduced other than in full except with the prior written approval of the National Food Institute.

FCS-009 Revision: 01 Date: 20-04-65

2008 ๒๕๕๒-๒๕๖๕ ๓๕ หมู่ ๑๐ ตำบลบ้านใหม่ อำเภอเมือง จังหวัดนนทบุรี  
2008 Soi 35, Arun Amarin Road, Bang Yi Khan Subdistrict, Bang Phli District, Bangkok 10700, Thailand  
Tel : +66(0) 2422 8688 Fax : +66(0) 2422 8545

เอกสารไม่ควบคุม



## Calibration Report

Certificate No.: 2502228-003-01  
Equipment: Electronic Balance  
Manufacturer: METTLER TOLEDO  
Model: MS204TS/00  
Serial No.: C252436235  
Capacity: 220 g  
Resolution: 0.0001 g  
ID No.: UAE.AIR.023/2566

Page 2 of 3

Date of Calibration: 19 March 2025  
Environment Condition: Ambient Temperature: 21.1 ± 0.6 °C Relative Humidity: 55 ± 0.75 %  
Place of Calibration: 206 Balance Room 2, UNITED ANALYST AND ENGINEERING CONSULTANT CO.,LTD.

Condition of Equipment: Good Condition  
Condition of This Results of Calibration:  
1. Calibration Method: NFI Method W-MA-001 In-House Method based on UKAS Lab 14 : 2019  
2. Reference Standards:  
Reference Standard Model Serial No. Calibrated By Certificate No. Due Date  
Standard Weight Class E2 1mg to 200g 8505567572 TCS M24041005 19 April 2025  
Instrument Model Serial No. Calibrated By Certificate No. Due Date  
Thermo-Hygro Meter 608-H1 NFI.BTH 017/23 Quality Reborn QR25-0542 10 February 2026  
3. This certification is traceable to SI UNIT  
4. This certificate was certified only for the instrument we calibrated.  
5. This result of calibration was found accurate as shown on date and place of calibration only.

### Calibration Results:


#### 1. Repeatability of Reading:

Nominal Value ( g )	Standard Deviation of Reading ( g )
100	0.000052
200	0.000079

#### 2. Off-Center Error:

A mass of 200 g was placed and moved to various position on pan.

The balance reading obtained is given in the table.



1	2	3	4	5	6	(Maximum Difference)
( g )	( g )	( g )	( g )	( g )	( g )	( g )
99.9997	99.9995	99.9995	99.9997	99.9999	99.9998	0.0003

FCS-012 Revision: 01 Date: 20-04-65

2008 ๒๕๕๒-๒๕๖๕ ๓๕ หมู่ ๑๐ ตำบลบ้านใหม่ อำเภอเมือง จังหวัดนนทบุรี  
2008 Soi 35, Arun Amarin Road, Bang Yi Khan Subdistrict, Bang Phli District, Bangkok 10700, Thailand  
Tel : +66(0) 2422 8688 Fax : +66(0) 2422 8545

เอกสารไม่ควบคุม



## Calibration Report

Certificate No.: 2502228-003-01  
Equipment: Electronic Balance  
Manufacturer: METTLER TOLEDO  
Model: MS204TS/00  
Serial No.: C252436235  
Capacity: 220 g  
Resolution: 0.0001 g  
ID No.: UAE.AIR.023/2566

Date of Calibration: 19 March 2025  
Page 3 of 3

Calibration Results: (Continued)  
Calibration Range: 0-200 g  
Calibration Adjustment: Internal Calibration  
3. Departure from Nominal Value:

Nominal Value ( g )	Standard Value ( g )	Average Reading ( g )	Correction ( ± g )	Uncertainty ( ± g )	Coverage Factor k
Unload	0.00000	0.0000	0.0000	0.000089	2.00
0.1	0.10001	0.1001	-0.0001	0.000089	2.00
1	1.00000	1.0000	0.0000	0.000089	2.00
3	3.00003	3.0000	0.0000	0.000091	2.00
5	5.00002	5.0000	0.0000	0.000090	2.00
10	10.00001	9.9999	0.0001	0.000092	2.00
20	20.00003	20.0000	0.0000	0.000096	2.00
50	50.00003	49.9998	0.0002	0.00012	2.00
70	70.00006	69.9998	0.0003	0.00013	2.00
100	100.00006	99.9998	0.0003	0.00016	2.00
150	150.00009	150.0000	0.0001	0.00021	2.00
200	200.00013	200.0000	0.0001	0.00029	2.00

The reported uncertainty of measurement was based on a standard uncertainty multiplied by a coverage factor k, providing a level of confidence of approximately 95 %.

----- End -----

FCS-012 Revision: 01 Date: 20-04-65

2008 ๒๕๕๒-๒๕๖๕ ๓๕ หมู่ ๑๐ ตำบลบ้านใหม่ อำเภอเมือง จังหวัดนนทบุรี  
2008 Soi 35, Arun Amarin Road, Bang Yi Khan Subdistrict, Bang Phli District, Bangkok 10700, Thailand  
Tel : +66(0) 2422 8688 Fax : +66(0) 2422 8545

เอกสารไม่ควบคุม



## Calibration Certificate

Certificate No.: 2402283-001-01  
Client name: UNITED ANALYST AND ENGINEERING CONSULTANT CO., LTD.  
Address: 3 Soi Udomsuk 41, Sukhumvit Road,  
Bangchack, Prakhnong, Bangkok 10260

Page 1 of 4

Equipment: Electronic Balance  
Manufacturer: METTLER TOLEDO  
Model: XSR205DU  
Serial No.: C009071872  
ID No.: UAE.WAO.012/2563  
Order No.: 2402283  
Operation No.: 2402283-001  
Date of Receipt: 2 April 2024  
Date of Calibration: 2 April 2024

Calibrated by Mr.Jerawut Prapawuttipong  
Scientist  
Approved by *N. Niyodats*  
(Mr.Pheraphat Tuanjit)  
Manager, Division of Calibration Laboratory  
Responsible for the Technical Management Team  
Date of Issue: 9 April 2024

The uncertainties are for a confidence probability of approximately 95%

This Certificate is issued in accordance with the conditions of accreditation granted by the Thai Laboratory Accreditation Scheme which has assessed the measurement capability of the laboratory and its traceability to recognized national standards and to the units of measurement realized at the corresponding national standards laboratory. This certificate may not be reproduced other than in full except with the prior written approval of the National Food Institute.

FCS-009 Revision: 01 Date: 20-04-65

2008 ๒๕๕๒-๒๕๖๕ ๓๕ หมู่ ๑๐ ตำบลบ้านใหม่ อำเภอเมือง จังหวัดนนทบุรี  
2008 Soi 35, Arun Amarin Road, Bang Yi Khan Subdistrict, Bang Phli District, Bangkok 10700, Thailand  
Tel : +66(0) 2422 8688 Fax : +66(0) 2422 8545

เอกสารไม่ควบคุม





## Calibration Report

**Certificate No.:** 2402283-001-01  
**Equipment:** Electronic Balance  
**Model:** XSR2050U  
**Serial No.:** C099071872  
**Capacity:** 220 g  
**Manufacturer:** METTLER TOLEDO  
**Resolution:** 0.00001 g / 0.0001 g  
**ID No.:** UAE.WAO.012/2563

**Date of Calibration:** 2 April 2024 Page 2 of 4

**Environment Condition:** Ambient Temperature: 24.5 ± 0.5 °C Relative Humidity: 47.5 ± 2.5 %

**Place of Calibration:** Laboratory, UNITED ANALYST AND ENGINEERING CONSULTANT CO., LTD.

**Condition of Equipment:** Good Condition

### Condition of This Results of Calibration:

1. Calibration Method: NFI Method W-MA-001 In-House Method based on UKAS Lab 14 : 2019

2. Reference Standards:

Reference Standard	Model	Serial No.	Calibrated By	Certificate No.	Due Date
Standard Weight Class E2	1mg to 200g	8505567572	TCS	M23040535	8 April 2024
Instrument	Model	Serial No.	Calibrated By	Certificate No.	Due Date
Thermo-Hygro Meter	608-H1	NFI.BTH 016/23	Quality Reborn	QR24-0343	9 February 2025

3. This certification is traceable to SI UNIT

4. This certificate was certified only for the instrument we calibrated.

5. This result of calibration was found accurate as shown on date and place of calibration only.

### Calibration Results:


#### 1. Repeatability of Reading:

Nominal Value (g)	Standard Deviation of Reading (g)
40	0.000052
80	0.000063
100	0.000048
200	0.000053

#### 2. Off-Center Error:

A mass of 100 g was placed and moved to various position on pan.

The balance reading obtained is given in the table.



1	2	3	4	5	6	(Maximum Difference)
(g)	(g)	(g)	(g)	(g)	(g)	(g)
100.0002	100.0001	100.0002	99.9999	100.0001	100.0001	0.0003

F-CS-012 Revision: 01 Date: 20-04-65



เอกสารไม่ควบคุม

## Calibration Report

**Certificate No.:** 2402283-001-01  
**Equipment:** Electronic Balance  
**Model:** XSR2050U  
**Serial No.:** C099071872  
**Capacity:** 220 g  
**Manufacturer:** METTLER TOLEDO  
**Resolution:** 0.00001 g / 0.0001 g  
**ID No.:** UAE.WAO.012/2563

**Date of Calibration:** 2 April 2024 Page 4 of 4

**Calibration Results:** (Continued)

**Calibration Range:** 81 - 200 g

**Calibration Adjustment:** Internal Calibration

**3. Departure from Nominal Value:** (Range: 81 - 200 g ; Resolution: 0.0001 g)

Nominal Value (g)	Standard Value (g)	Average Reading (g)	Correction (g)	Uncertainty (± g)	Coverage Factor #
90	90.00010	90.0000	0.0001	0.00015	2.00
100	100.00006	100.0000	0.0001	0.00015	2.00
110	110.00007	110.0001	0.0000	0.00017	2.00
120	120.00009	120.0000	0.0001	0.00018	2.00
130	130.00010	130.0000	0.0001	0.00019	2.00
140	140.00014	140.0000	0.0001	0.00020	2.00
150	150.00009	150.0001	0.0000	0.00020	2.00
160	160.00010	160.0001	0.0000	0.00022	2.00
170	170.00012	170.0001	0.0000	0.00023	2.00
200	200.00016	200.0000	0.0002	0.00028	2.00

The reported uncertainty of measurement was based on a standard uncertainty multiplied by a coverage factor k, providing a level of confidence of approximately 95 %.

----- End -----

F-CS-012 Revision: 01 Date: 20-04-65



เอกสารไม่ควบคุม

## Calibration Report

**Certificate No.:** 2402283-001-01  
**Equipment:** Electronic Balance  
**Model:** XSR2050U  
**Serial No.:** C099071872  
**Capacity:** 220 g  
**Manufacturer:** METTLER TOLEDO  
**Resolution:** 0.00001 g / 0.0001 g  
**ID No.:** UAE.WAO.012/2563

**Date of Calibration:** 2 April 2024 Page 3 of 4

**Calibration Results:** (Continued)


**Calibration Range:** 0 - 80 g

**Calibration Adjustment:** Internal Calibration

**3. Departure from Nominal Value:** (Range: 0 - 80 g ; Resolution: 0.00001 g)

Nominal Value (g)	Standard Value (g)	Average Reading (g)	Correction (g)	Uncertainty (± g)	Coverage Factor #
Unloaded	0.000000	0.00000	0.00000	0.0000088	2.00
0.001	0.001003	0.00101	-0.00001	0.0000091	2.00
0.005	0.005003	0.00499	0.00001	0.0000094	2.00
0.01	0.010003	0.01000	0.00000	0.0000091	2.00
0.05	0.049996	0.05000	0.00000	0.0000098	2.00
0.1	0.100011	0.10000	0.00001	0.000011	2.00
0.5	0.500016	0.50001	0.00001	0.000014	2.00
1	1.000003	1.00002	-0.00002	0.000016	2.00
2	2.000023	2.00001	0.00001	0.000017	2.00
5	5.000017	5.00002	0.00000	0.000020	2.00
10	10.000009	10.00000	0.00001	0.000026	2.00
20	20.000031	20.00002	0.00001	0.000037	2.00
30	30.000040	30.00003	0.00001	0.000052	2.00
50	50.000028	50.00004	-0.00001	0.000068	2.00
80	80.000068	80.00005	0.00002	0.00011	2.00

F-CS-012 Revision: 01 Date: 20-04-65



เอกสารไม่ควบคุม

## Calibration Certificate

**Certificate No.:** 2400141-001-01  
**Client name:** UNITED ANALYST AND ENGINEERING CONSULTANT CO.,LTD.  
**Address:** 3 Soi Udomsuk 41, Sukhumvit Road, Bangkok, Prakhonong, Bangkok 10260

**Equipment:** CHAMBER (Hot Air Oven)

**Manufacturer:** MEMMERT

**Model:** UF 55

**Serial No.:** B216.1666

**ID No.:** UAE.WAO.027/2559

**Order No.:** 2400141

**Operation No.:** 2400141-001

**Date of Receipt:** 11 October 2023

**Date of Calibration:** 11 October 2023

**Calibrated by** Mr.Worapob Sooktong  
Scientist


**Approved by** (Mr.Pheraphat Tuanjit)  
Manager, Division of Calibration Laboratory  
Responsible for the Technical Management Team

**Date of Issue:** 16 October 2023

The uncertainties are for a confidence probability of approximately 95 %.

This Certificate is issued in accordance with the conditions of accreditation granted by the Thai Laboratory Accreditation scheme which has assessed the measurement capability of the laboratory and its traceability to recognized national standards and to the units of measurement realized at the corresponding national standards laboratory. This certificate may not be reproduced other than in full except with the prior written approval of the National Food Institute.

F-CS-009 Revision: 01 Date: 20-04-65



เอกสารไม่ควบคุม

## Calibration Report

**Certificate No.:** 2400141-001-01  
**Equipment:** CHAMBER (Hot Air Oven)  
Model: UF 55 Serial No.: B216.1666  
Resolution: 0.1 °C ID No.: UAE.WAO.027/2559  
Manufacturer: MEMMERT  
**Date of Calibration:** 11 October 2023 Page 2 of 3

**Location:** Laboratory, Floor 2, UNITED ANALYST AND ENGINEERING CONSULTANT CO.,LTD.  
**Environment Condition:** Ambient Temperature ( 28 ± 1 ) °C  
Relative Humidity ( 63 ± 2 ) %  
Line Voltage ( 228 ± 1 ) Volt

### Condition of this results of Calibration:

- This instrument was calibrated by insert 9 standard thermometer into its chamber and calibration according to W-TE-014 Based on TLAS G-20-1/02-08 (E): Guidelines for Calibration and Checks of Temperature Controlled Enclosures.  
- The temperature scale used was based on ITS - 90.  
- All data show below were final values and the initial data may be obtained upon request.

### 2. Reference Standard Instrument :

Instrument	Model	Serial No./ID No.	Certificate No.	Due Date	Through
Digital Thermometer with sensor	34972A	MY49016894	TE 660380-01	22 April 2024	NATIONAL FOOD INSTITUTE
	RTD	CHP201-209/ RTD#201-209			


- This certificate is traceable to International System of Units (SI Units).
- This certificate was certified only for the instrument we calibrated.
- This result of calibration was found accurate as shown on date and place of calibration only.
- Condition of Calibrated item : Good

### UUC Description :

Time of Record 1 Hour 9 Minute At 104.0, 140.0 and 180.0 °C  
Fresh air Damper ☒ Open Position ☐  
☒ Close  
☐ Not Available

- Result of Calibration : ☒ Without adjustment ☐ After adjustment

F-CS-012 Revision: 01 Date: 20-04-65



## Calibration Report

**Certificate No.:** 2400141-001-01  
**Equipment:** CHAMBER (Hot Air Oven)  
Model: UF 55 Serial No.: B216.1666  
Resolution: 0.1 °C ID No.: UAE.WAO.027/2559  
Manufacturer: MEMMERT  
**Date of Calibration:** 11 October 2023 Page 3 of 3

**Calibration point:** 104.0, 140.0 and 180.0 °C

### Calibration result:

Calibration Condition	Temperature (°C)	Relative Humidity (%)	Line Voltage (Volt)
MIN	28.2	61.4	227.4
MAX	28.3	65.1	229.3




Table1 : Reporting of Temperature

Calibration point (°C)	Measured Temperature (°C) @ Sensor No. (Sensor No.9 is REF)									Uncertainty ± (°C)
	# 1	# 2	# 3	# 4	# 5	# 6	# 7	# 8	# 9	
104.0	104.05	103.98	104.02	104.08	104.00	104.05	103.99	104.17	104.00	0.53
140.0	140.09	139.99	139.91	140.05	139.99	139.91	139.97	140.26	139.97	0.73
180.0	180.46	180.33	180.25	180.28	180.33	179.96	180.31	180.64	180.16	0.90

Table 2 : Reporting of Characterization Result

UUC* Setting (°C)	UUC* reading (°C)			Stability ± (°C)	Uniformity (°C)	Overall Variation (°C)
	MIN	MAX	Average			
104.0	104.0	104.0	104.0	0.090	0.18	0.38
140.0	140.0	140.1	140.0	0.075	0.28	0.47
180.0	180.0	180.1	180.0	0.13	0.48	0.88

Note: The quoted uncertainty include " Stability " and " Loading effect (20% of Temp Uniformity) "

UUC\* = Unit Under Calibration

Stability = One-half of the greatest maximum difference of measured temperatures at any one sensors, for at least half an hour after reaching steady state.

Uniformity = The maximum difference of measured temperatures at any sensors and the measured temperature at the reference location which are observed at the same time.

Overall Variation = The difference of the maximum and minimum measured temperatures throughout observation time.

The report uncertainty of measurement was based on standard uncertainty multiplied by coverage factor k= 2, providing a level of confidence of approximately 95 %.

----- End -----

F-CS-012 Revision: 01 Date: 20-04-65



ภาคผนวก จ

เอกสารขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน  
ของบริษัท ยูไนเต็ด แอนนาลิสต์ แอนด์ เอ็นจิเนียริง  
คอนซัลแตนท์ จำกัด



ที่ อก ๐๓๑๐(๑)/ ๑ ๕ ๕ ๑



กรมโรงงานอุตสาหกรรม  
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท  
เขตราชเทวี กรุงเทพฯ ๑๐๕๐๐

๒๕ กุมภาพันธ์ ๒๕๖๕

เรื่อง ยกเลิกบุคลากรของห้องปฏิบัติการวิเคราะห์

เรียน กรรมการผู้จัดการ บริษัท ยูโนเด็ค แอนนาลิสต์ แอนด์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และขณิฉาสรรณลพิษของห้องปฏิบัติการวิเคราะห์เอกชน  
ลงวันที่ ๑๘ กุมภาพันธ์ ๒๕๖๕

ตามคำขอที่อ้างถึง บริษัท ยูโนเด็ค แอนนาลิสต์ แอนด์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด  
ห้องปฏิบัติการวิเคราะห์เอกชน เลขทะเบียน ๖-๑๕๕๕ สถานที่ตั้งเลขที่ ๓ ซอยอุดมสุข ๔๑ ถนนสุขุมวิท  
แขวงบางจาก เขตพระโขนง กรุงเทพมหานคร ขอยกเลิกบุคลากร ความละเอียดแจ้งแล้ว นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว ให้ออกเลิกเจ้าหน้าที่ห้องปฏิบัติการวิเคราะห์เอกชน  
จำนวน ๓ ราย ได้แก่

- นายอภิสิทธิ์ ศรีคงแก้ว
- นางสาวนันธิดา พรหมกัญ
- นายภูวดล เปิงมา

ทะเบียนเลขที่ ๖-๑๕๕๕-๖-๐๐๕๕  
ทะเบียนเลขที่ ๖-๑๕๕๕-๖-๐๐๕๖  
ทะเบียนเลขที่ ๖-๑๕๕๕-๖-๐๐๕๗

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ

(นายธีรวัฒน์ อิศรางกูร ณ อยุธยา)  
รองอธิบดี ปฏิบัติราชการแทน  
อธิบดีกรมโรงงานอุตสาหกรรม

กองวิจัยและเฒือนกัยมลพิษโรงงาน

กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษและทะเบียนห้องปฏิบัติการ

โทร. ๐ ๒๕๓๐ ๖๓๑๒ ต่อ ๒๑๐๓-๕

โทรสาร ๐ ๒๕๓๐ ๖๓๑๒ ต่อ ๒๑๐๓๔

ไปรษณีย์อิเล็กทรอนิกส์ saraban@diw.mail.go.th



สำเนาถูกต้อง



"อุตสาหกรรมก้าวไกล ประเทศไทยก้าวหน้า ร่วมกันพัฒนา อุตสาหกรรมสีเขียว"



สิ่งที่ส่งมาด้วย ๑

เอกสารแนบท้ายหนังสือต่ออายุขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

บริษัท ยูโนเด็ค แอนนาลิสต์ แอนด์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด เลขทะเบียน ๖-๑๕๕๕

ที่ อก ๐๓๑๐(๑)/ ๑ ๐ ๕ ๕

ลงวันที่ ๐๗ กุมภาพันธ์ ๒๕๖๕

ก. ผู้ควบคุมห้องปฏิบัติการวิเคราะห์เอกชน จำนวน ๔๐ ราย

- นางสาวกฤษกรณ กัทธธิกุล
- นายบรนต์ อิมพัล
- นางสาวนันธิดา บุญไชย
- นางปิยะพัชร สุทธิมนัสวงษ์
- นางสาวเบญจวรรณ วิริโยทัย
- นายพนรัตน์ วงศ์อนุรักษชัย
- นางสาวอริยวรรณ บุญลา
- นายสุวิทย์ จอดนอก
- นางสาวโชติภา สมบูรณ์
- นางสาวบุษกร เลิศกาญจนา
- นางสาววิไลลักษณ์ ศรีสุข
- นายศิลา บรรจงใจรักษ์
- นายปฏิกรณ์ คณะนา
- นายธีรวัฒน์ ชนมัง
- นางสาวศิริพร ศรีประคิษฐ์
- นางสาวสวดีศรี วิจิตร
- นางสาวพรพรรณ อูราภิรักษ์
- นายภูวดล พานิชย์เลิศอำไพ
- นายณัฐวัฒน์ แดงสวัสดิ์
- นายเอกรัตน์ ปละคามินทร์
- นางสาวนิศากรรัตน์ ศรีสุกุลสิทธิโชค
- นางสาวเจตจิราพร ทำสะอาด
- นางสาวสุวรรณ คงทอง
- นางสาววรรกร พัดสองชั้น
- นายวิรุฬห์ โมกแก้ว
- นายธีรพงษ์ เทพดนตรี
- นายอนุชา สยวดี
- นายกรวิทย์ เชื้อศรีสกุล
- นายสุทธิธระ อุดมจันทร์
- นางสาวกัญญ์ อ่อนคำ
- นางพริ้มพรรณ กอนสิน
- นายคุณันต์ คุนธนาบุญ
- นางสาวศิริภาพ เหมือนเว
- นางศิวานันท์ ขำนิล
- นางสาวพรนิกา ธีระจินดาชล

ทะเบียนเลขที่ ๖-๑๕๕๕-๖-๐๐๐๑  
ทะเบียนเลขที่ ๖-๑๕๕๕-๖-๐๐๐๒  
ทะเบียนเลขที่ ๖-๑๕๕๕-๖-๐๐๐๓  
ทะเบียนเลขที่ ๖-๑๕๕๕-๖-๐๐๐๔  
ทะเบียนเลขที่ ๖-๑๕๕๕-๖-๐๐๐๕  
ทะเบียนเลขที่ ๖-๑๕๕๕-๖-๐๐๐๖  
ทะเบียนเลขที่ ๖-๑๕๕๕-๖-๐๐๐๗  
ทะเบียนเลขที่ ๖-๑๕๕๕-๖-๐๐๐๘  
ทะเบียนเลขที่ ๖-๑๕๕๕-๖-๐๐๐๙  
ทะเบียนเลขที่ ๖-๑๕๕๕-๖-๐๐๑๐  
ทะเบียนเลขที่ ๖-๑๕๕๕-๖-๐๐๑๑  
ทะเบียนเลขที่ ๖-๑๕๕๕-๖-๐๐๑๒  
ทะเบียนเลขที่ ๖-๑๕๕๕-๖-๐๐๑๓  
ทะเบียนเลขที่ ๖-๑๕๕๕-๖-๐๐๑๔  
ทะเบียนเลขที่ ๖-๑๕๕๕-๖-๐๐๑๕  
ทะเบียนเลขที่ ๖-๑๕๕๕-๖-๐๐๑๖  
ทะเบียนเลขที่ ๖-๑๕๕๕-๖-๐๐๑๗  
ทะเบียนเลขที่ ๖-๑๕๕๕-๖-๐๐๑๘  
ทะเบียนเลขที่ ๖-๑๕๕๕-๖-๐๐๑๙  
ทะเบียนเลขที่ ๖-๑๕๕๕-๖-๐๐๒๐  
ทะเบียนเลขที่ ๖-๑๕๕๕-๖-๐๐๒๑  
ทะเบียนเลขที่ ๖-๑๕๕๕-๖-๐๐๒๒  
ทะเบียนเลขที่ ๖-๑๕๕๕-๖-๐๐๒๓  
ทะเบียนเลขที่ ๖-๑๕๕๕-๖-๐๐๒๔  
ทะเบียนเลขที่ ๖-๑๕๕๕-๖-๐๐๒๕  
ทะเบียนเลขที่ ๖-๑๕๕๕-๖-๐๐๒๖  
ทะเบียนเลขที่ ๖-๑๕๕๕-๖-๐๐๒๗  
ทะเบียนเลขที่ ๖-๑๕๕๕-๖-๐๐๒๘  
ทะเบียนเลขที่ ๖-๑๕๕๕-๖-๐๐๒๙  
ทะเบียนเลขที่ ๖-๑๕๕๕-๖-๐๐๓๐  
ทะเบียนเลขที่ ๖-๑๕๕๕-๖-๐๐๓๑  
ทะเบียนเลขที่ ๖-๑๕๕๕-๖-๐๐๓๒  
ทะเบียนเลขที่ ๖-๑๕๕๕-๖-๐๐๓๓  
ทะเบียนเลขที่ ๖-๑๕๕๕-๖-๐๐๓๔  
ทะเบียนเลขที่ ๖-๑๕๕๕-๖-๐๐๓๕  
ทะเบียนเลขที่ ๖-๑๕๕๕-๖-๐๐๓๖  
ทะเบียนเลขที่ ๖-๑๕๕๕-๖-๐๐๓๗  
ทะเบียนเลขที่ ๖-๑๕๕๕-๖-๐๐๓๘  
ทะเบียนเลขที่ ๖-๑๕๕๕-๖-๐๐๓๙  
ทะเบียนเลขที่ ๖-๑๕๕๕-๖-๐๐๔๐



สำเนาถูกต้อง

๓๖) นายนาเคนทร์...

ที่ อก ๐๓๑๐(๑)/ ๑ ๐ ๕ ๕



กรมโรงงานอุตสาหกรรม  
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท  
เขตราชเทวี กรุงเทพฯ ๑๐๕๐๐

๐๗ กุมภาพันธ์ ๒๕๖๕

เรื่อง ต่ออายุหนังสือขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

เรียน กรรมการผู้จัดการ บริษัท ยูโนเด็ค แอนนาลิสต์ แอนด์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และขณิฉาสรรณลพิษของห้องปฏิบัติการวิเคราะห์เอกชน  
ลงวันที่ ๓ ธันวาคม ๒๕๖๓

- รายชื่อผู้ควบคุมห้องปฏิบัติการวิเคราะห์เอกชน จำนวน ๔๐ ราย
- รายชื่อเจ้าหน้าที่ห้องปฏิบัติการวิเคราะห์เอกชน จำนวน ๑๕๕ ราย
- ขอขย้ายสารมลพิษที่ได้รับขึ้นทะเบียนจากกรมโรงงานอุตสาหกรรม

ตามคำขอที่อ้างถึง บริษัท ยูโนเด็ค แอนนาลิสต์ แอนด์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด ขอต่ออายุ  
หนังสือขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน เลขทะเบียน ๖-๑๕๕๕ สถานที่ตั้งเลขที่ ๓ ซอยอุดมสุข ๔๑  
ถนนสุขุมวิท แขวงบางจาก เขตพระโขนง กรุงเทพมหานคร ต่อกรมโรงงานอุตสาหกรรม นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว ให้บริษัท ยูโนเด็ค แอนนาลิสต์ แอนด์ เอ็นจิเนียริง  
คอนซัลแตนท์ จำกัด ต่ออายุหนังสือขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน โดยมีองค์ประกอบดังนี้

- ผู้ควบคุมห้องปฏิบัติการวิเคราะห์เอกชน จำนวน ๔๐ ราย ตามสิ่งที่ส่งมาด้วย ๑
  - เจ้าหน้าที่ห้องปฏิบัติการวิเคราะห์เอกชน จำนวน ๑๕๕ ราย ตามสิ่งที่ส่งมาด้วย ๒
  - ขอขย้ายสารมลพิษที่ได้รับขึ้นทะเบียนให้วิเคราะห์ในน้ำ/น้ำเสีย น้ำใต้ดิน อากาศเสีย
- สิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว และดิน ตามสิ่งที่ส่งมาด้วย ๓

หนังสือฉบับนี้จะหมดอายุในวันที่ ๒ กุมภาพันธ์ ๒๕๖๖ หากประสงค์จะต่ออายุหนังสือ  
รับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน ให้ยื่นคำขอต่ออายุพร้อมเอกสารประกอบคำขอต่อกรมโรงงาน  
อุตสาหกรรมภายใน ๖๐ วัน ก่อนวันสิ้นสุดของหนังสือขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ

(นายธีรวัฒน์ อิศรางกูร ณ อยุธยา)  
รองอธิบดี ปฏิบัติราชการแทน  
อธิบดีกรมโรงงานอุตสาหกรรม

กองวิจัยและเฒือนกัยมลพิษโรงงาน

กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษและทะเบียนห้องปฏิบัติการ

โทร. ๐ ๒๕๓๐ ๖๓๑๒ ต่อ ๒๑๐๓-๕

โทรสาร ๐ ๒๕๓๐ ๖๓๑๒ ต่อ ๒๑๐๓๔

ไปรษณีย์อิเล็กทรอนิกส์ saraban@diw.mail.go.th



"อุตสาหกรรมก้าวไกล ประเทศไทยก้าวหน้า ร่วมกันพัฒนา อุตสาหกรรมสีเขียว"



- ๒ -

- ๓๖) นายนาเคนทร์ พันธุ์ชาติกุล
- ๓๗) นายณัฏฐพงศ์ บุญพวง
- ๓๘) นางสุพรรณมา แก้วชื่อนอก
- ๓๙) นางสาวสริน โขชัยชัยพัฒน์กุล
- ๔๐) นางมานิดา แย้มโย

ทะเบียนเลขที่ ๖-๑๕๕๕-๖-๐๐๔๐  
ทะเบียนเลขที่ ๖-๑๕๕๕-๖-๐๐๔๑  
ทะเบียนเลขที่ ๖-๑๕๕๕-๖-๐๐๔๒  
ทะเบียนเลขที่ ๖-๑๕๕๕-๖-๐๐๔๓  
ทะเบียนเลขที่ ๖-๑๕๕๕-๖-๐๐๔๔

๓๖) นายนาเคนทร์...



สำเนาถูกต้อง





เอกสารแนบท้ายหนังสือต่ออาชญาบัตรขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

บริษัท ยูนิเทค แอนาไลติกส์ แอนด์ เอ็นจิเนียริ่ง คอนซัลแตนท์ จำกัด เลขทะเบียน ๖-๑๔๔  
ที่ออก ๐๓๑๐(๑) ๑๐ ๘ ๙ ลงวันที่ ๐๗ กุมภาพันธ์ ๒๕๖๘

ขอขยายสารมลพิษที่ได้รับขึ้นทะเบียนจากกรมโรงงานอุตสาหกรรม จำนวน ๑๔๗ รายการ

น้ำ/น้ำเสีย จำนวน 46 รายการ

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
1	Aldrin	Liquid-Liquid Extraction, Gas Chromatographic Method <sup>(4)</sup>
2	Arsenic	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method <sup>(4)</sup> 2) Digestion, Inductively Coupled Plasma Method <sup>(4)</sup>
3	Barium	Digestion, Inductively Coupled Plasma Method <sup>(4)</sup>
4	α-BHC	Liquid-Liquid Extraction, Gas Chromatographic Method <sup>(4)</sup>
5	β-BHC	Liquid-Liquid Extraction, Gas Chromatographic Method <sup>(4)</sup>
6	δ-BHC	Liquid-Liquid Extraction, Gas Chromatographic Method <sup>(4)</sup>
7	γ-BHC	Liquid-Liquid Extraction, Gas Chromatographic Method <sup>(4)</sup>
8	Biochemical Oxygen Demand	1) 5-Day BOD Test, Azide Modification Method <sup>(4)</sup> 2) 5-Day BOD Test, Membrane Electrode Method <sup>(4)</sup>
9	Cadmium	1) Digestion, Direct Air-Acetylene Flame Method <sup>(4)</sup> 2) Digestion, Inductively Coupled Plasma Method <sup>(4)</sup>
10	Chemical Oxygen Demand	1) Closed Reflux, Titrimetric Method <sup>(4)</sup> 2) Closed Reflux, Colorimetric Method <sup>(4)</sup> 3) Open Reflux, Titrimetric Method <sup>(4)</sup>
11	Chlordane	Liquid-Liquid Extraction, Gas Chromatographic Method <sup>(4)</sup>
12	Chromium	1) Digestion, Direct Air-Acetylene Flame Method <sup>(4)</sup> 2) Digestion, Inductively Coupled Plasma Method <sup>(4)</sup>
13	Color	ADMI Weighted-Ordinate Spectrophotometric Method <sup>(4)</sup>
14	Copper	1) Digestion, Direct Air-Acetylene Flame Method <sup>(4)</sup> 2) Digestion, Inductively Coupled Plasma Method <sup>(4)</sup>
15	Cyanide	1) Distillation, Colorimetric Method <sup>(4)</sup> 2) Total Cyanide after Distillation, by Flow Injection Analysis Method <sup>(4)</sup>
16	o,p'-DDT	Liquid-Liquid Extraction, Gas Chromatographic Method <sup>(4)</sup>
17	4,4'-DDD	Liquid-Liquid Extraction, Gas Chromatographic Method <sup>(4)</sup>
18	4,4'-DDE	Liquid-Liquid Extraction, Gas Chromatographic Method <sup>(4)</sup>
19	4,4'-DDT	Liquid-Liquid Extraction, Gas Chromatographic Method <sup>(4)</sup>
20	Dieldrin	Liquid-Liquid Extraction, Gas Chromatographic Method <sup>(4)</sup>
21	Endosulfan I	Liquid-Liquid Extraction, Gas Chromatographic Method <sup>(4)</sup>
22	Endosulfan II	Liquid-Liquid Extraction, Gas Chromatographic Method <sup>(4)</sup>
23	Endosulfan sulfate	Liquid-Liquid Extraction, Gas Chromatographic Method <sup>(4)</sup>
24	Endrin	Liquid-Liquid Extraction, Gas Chromatographic Method <sup>(4)</sup>

25 Endrin aldehyde...

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
25	Endrin aldehyde	Liquid-Liquid Extraction, Gas Chromatographic Method <sup>(4)</sup>
26	Formaldehyde	Distillation, Colorimetric Method <sup>(2)</sup>
27	Free Chlorine	1) Iodometric Method <sup>(4)</sup> 2) DPD Ferrous Titrimetric Method <sup>(4)</sup>
28	Heptachlor	Liquid-Liquid Extraction, Gas Chromatographic Method <sup>(4)</sup>
29	Heptachlor Epoxide	Liquid-Liquid Extraction, Gas Chromatographic Method <sup>(4)</sup>
30	Hexavalent Chromium	Colorimetric Method <sup>(4)</sup>
31	Lead	1) Digestion, Direct Air-Acetylene Flame Method <sup>(4)</sup> 2) Digestion, Inductively Coupled Plasma Method <sup>(4)</sup>
32	Manganese	1) Digestion, Direct Air-Acetylene Flame Method <sup>(4)</sup> 2) Digestion, Inductively Coupled Plasma Method <sup>(4)</sup>
33	Mercury	Digestion, Cold-Vapor Atomic Absorption Spectrometric Method <sup>(4)</sup>
34	Methoxychlor	Liquid-Liquid Extraction, Gas Chromatographic Method <sup>(4)</sup>
35	Nickel	1) Digestion, Direct Air-Acetylene Flame Method <sup>(4)</sup> 2) Digestion, Inductively Coupled Plasma Method <sup>(4)</sup>
36	Oil & Grease	1) Liquid-Liquid, Partition-Gravimetric Method <sup>(4)</sup> 2) Soxhlet Extraction Method <sup>(4)</sup>
37	pH	Electrometric Method <sup>(4)</sup>
38	Phenols	1) Distillation, Chloroform Extraction Method <sup>(4)</sup> 2) Distillation, Direct Photometric Method <sup>(4)</sup>
39	Selenium	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method <sup>(4)</sup> 2) Digestion, Inductively Coupled Plasma Method <sup>(4)</sup>
40	Sulfide	1) Iodometric Method <sup>(4)</sup> 2) Methylene Blue Method <sup>(4)</sup>
41	Temperature	Laboratory and Field Methods <sup>(4)</sup>
42	Total Dissolved Solids	Dried at 180 °C <sup>(4)</sup>
43	Total Kjeldahl Nitrogen	Semi-Micro-Kjeldahl Method <sup>(4)</sup>
44	Total Suspended Solids	Dried from 103 to 105 °C <sup>(4)</sup>
45	Trivalent Chromium	1) Digestion, Direct Air-Acetylene Flame Method; Colorimetric Method; Calculation <sup>(4)</sup> 2) Digestion, Inductively Coupled Plasma Method; Colorimetric Method; Calculation <sup>(4)</sup>
46	Zinc	1) Digestion, Direct Air-Acetylene Flame Method <sup>(4)</sup> 2) Digestion, Inductively Coupled Plasma Method <sup>(4)</sup>

น้ำได้ดิน...

น้ำได้ดิน จำนวน 126 รายการ

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
1	Acenaphthene	1) Liquid-Liquid Extraction, Gas Chromatographic Method <sup>(4)</sup> 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
2	Acetone	Purge and Trap Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
3	Aldrin	1) Liquid-Liquid Extraction, Gas Chromatographic Method <sup>(4)</sup> 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
4	Anthracene	1) Liquid-Liquid Extraction, Gas Chromatographic Method <sup>(4)</sup> 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
5	Antimony	Digestion, Inductively Coupled Plasma Method <sup>(4)</sup>
6	Arsenic	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method <sup>(4)</sup> 2) Digestion, Inductively Coupled Plasma Method <sup>(4)</sup>
7	Atrazine	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
8	Barium	Digestion, Inductively Coupled Plasma Method <sup>(4)</sup>
9	Benz(a)anthracene	1) Liquid-Liquid Extraction, Gas Chromatographic Method <sup>(4)</sup> 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
10	Benzene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
11	Benzo(b)fluoranthene	1) Liquid-Liquid Extraction, Gas Chromatographic Method <sup>(4)</sup> 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
12	Benzo(k)fluoranthene	1) Liquid-Liquid Extraction, Gas Chromatographic Method <sup>(4)</sup> 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
13	Benzoic acid	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>

14 Benzo(a)pyrene...

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
14	Benzo(a)pyrene	1) Liquid-Liquid Extraction, Gas Chromatographic Method <sup>(4)</sup> 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
15	Benzo(g,h,i)perylene	1) Liquid-Liquid Extraction, Gas Chromatographic Method <sup>(4)</sup> 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
16	Beryllium	Digestion, Inductively Coupled Plasma Method <sup>(4)</sup>
17	Bis(2-chloroethyl)ether	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
18	Bis(2-ethylhexyl)phthalate	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
19	Bromodichloromethane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
20	Bromoform	Purge and Trap Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
21	Butanol	Purge and Trap Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
22	Butyl benzyl phthalate	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
23	Cadmium	1) Digestion, Direct Air-Acetylene Flame Method <sup>(4)</sup> 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method <sup>(4)</sup> 3) Digestion, Inductively Coupled Plasma Method <sup>(4)</sup>
24	Carbazole	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
25	Carbon disulfide	Purge and Trap Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
26	Carbon tetrachloride	Purge and Trap Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
27	Chlordane	1) Liquid-Liquid Extraction, Gas Chromatographic Method <sup>(4)</sup> 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
28	p-Chloroaniline	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>

29 Chlorobenzene...

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
29	Chlorobenzene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
30	Chlorodibromomethane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
31	Chloroform	Purge and Trap Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
32	2-Chlorophenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
33	Chromium	1) Digestion, Direct Air-Acetylene Flame Method <sup>(4)</sup> 2) Digestion, Inductively Coupled Plasma Method <sup>(4)</sup>
34	Chromium (III)	1) Digestion, Direct Air-Acetylene Flame Method; Colorimetric Method; Calculation <sup>(4)</sup> 2) Digestion, Inductively Coupled Plasma Method; Colorimetric Method; Calculation <sup>(4)</sup>
35	Chromium (VI)	Colorimetric Method <sup>(4)</sup>
36	Chrysene	1) Liquid-Liquid Extraction, Gas Chromatographic Method <sup>(4)</sup> 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
37	Cyanide	Distillation, Colorimetric Method <sup>(4)</sup>
38	2,4-D	Liquid-Liquid Extraction, Gas Chromatographic Method <sup>(4)</sup>
39	DDD	1) Liquid-Liquid Extraction, Gas Chromatographic Method <sup>(4)</sup> 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
40	DDE	1) Liquid-Liquid Extraction, Gas Chromatographic Method <sup>(4)</sup> 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
41	DDT	1) Liquid-Liquid Extraction, Gas Chromatographic Method <sup>(4)</sup> 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
42	Dibenz(a,h)anthracene	1) Liquid-Liquid Extraction, Gas Chromatographic Method <sup>(4)</sup> 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>

43 Di-n-butyl phthalate...

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
43	Di-n-butyl phthalate	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
44	1,2-Dichlorobenzene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
45	1,3-Dichlorobenzene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
46	1,4-Dichlorobenzene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
47	3,3'-Dichlorobenzidine	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
48	1,1-Dichloroethane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
49	1,2-Dichloroethane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
50	1,1-Dichloroethylene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
51	cis-1,2-Dichloroethylene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
52	trans-1,2-Dichloroethylene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
53	2,4-Dichlorophenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
54	1,2-Dichloropropane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
55	1,3-Dichloropropane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
56	1,3-Dichloropropene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
57	Dieldrin	1) Liquid-Liquid Extraction, Gas Chromatographic Method <sup>(4)</sup> 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
58	Diethyl phthalate	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
59	2,4-Dimethylphenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
60	2,4-Dinitrophenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>

61 2,4-Dinitrotoluene...

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
61	2,4-Dinitrotoluene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
62	2,6-Dinitrotoluene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
63	Di-n-Octyl phthalate	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
64	Endosulfan	1) Liquid-Liquid Extraction, Gas Chromatographic Method <sup>(4)</sup> 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
65	Endrin	1) Liquid-Liquid Extraction, Gas Chromatographic Method <sup>(4)</sup> 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
66	Ethylbenzene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
67	Fluoranthene	1) Liquid-Liquid Extraction, Gas Chromatographic Method <sup>(4)</sup> 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
68	Fluorene	1) Liquid-Liquid Extraction, Gas Chromatographic Method <sup>(4)</sup> 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
69	Heptachlor	1) Liquid-Liquid Extraction, Gas Chromatographic Method <sup>(4)</sup> 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
70	Heptachlor epoxide	1) Liquid-Liquid Extraction, Gas Chromatographic Method <sup>(4)</sup> 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
71	Hexachlorobenzene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
72	Hexachloro-1,3-butadiene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
73	n-Hexane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>

74  $\alpha$ -HCH...

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
74	$\alpha$ -HCH	1) Liquid-Liquid Extraction, Gas Chromatographic Method <sup>(4)</sup> 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
75	$\beta$ -HCH	1) Liquid-Liquid Extraction, Gas Chromatographic Method <sup>(4)</sup> 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
76	$\gamma$ -HCH	1) Liquid-Liquid Extraction, Gas Chromatographic Method <sup>(4)</sup> 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
77	Hexachlorocyclopentadiene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
78	Hexachloroethane	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
79	Indeno(1,2,3-cd)pyrene	1) Liquid-Liquid Extraction, Gas Chromatographic Method <sup>(4)</sup> 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
80	Isophorone	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
81	Lead	1) Digestion, Direct Air-Acetylene Flame Method <sup>(4)</sup> 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method <sup>(4)</sup> 3) Digestion, Inductively Coupled Plasma Method <sup>(4)</sup>
82	Manganese	1) Digestion, Direct Air-Acetylene Flame Method <sup>(4)</sup> 2) Digestion, Inductively Coupled Plasma Method <sup>(4)</sup>
83	Mercury	Digestion, Cold-Vapor Atomic Absorption Spectrometric Method <sup>(4)</sup>
84	Methanol	Purge and Trap Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
85	Methoxychlor	1) Liquid-Liquid Extraction, Gas Chromatographic Method <sup>(4)</sup> 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
86	Methyl bromide	Purge and Trap Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>

87 Methylene chloride...



ลำดับ	สารมลพิษ	วิธีวิเคราะห์
87	Methylene chloride	Purge and Trap Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
88	2-Methylphenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
89	2-Methylnaphthalene	1) Liquid-Liquid Extraction, Gas Chromatographic Method <sup>(4)</sup> 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
90	Methyl tert-butyl ether	Purge and Trap Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
91	Naphthalene	1) Liquid-Liquid Extraction, Gas Chromatographic Method <sup>(4)</sup> 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
92	Nickel	1) Digestion, Direct Air-Acetylene Flame Method <sup>(4)</sup> 2) Digestion, Inductively Coupled Plasma Method <sup>(4)</sup>
93	Nitrobenzene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
94	N-Nitrosodiphenylamine	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
95	N-Nitrosodi-n-propylamine	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
96	Polychlorinated Biphenyls - PCB 1016 - PCB 1221 - PCB 1232 - PCB-1242 - PCB-1248 - PCB-1254 - PCB-1260	1) Liquid-Liquid Extraction, Gas Chromatographic Method <sup>(4)</sup> 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
97	Pentachlorophenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
98	pH	Electrometric Method <sup>(4)</sup>
99	Phenanthrene	1) Liquid-Liquid Extraction, Gas Chromatographic Method <sup>(4)</sup> 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>

100 Phenol...

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
100	Phenol	1) Distillation, Chloroform Extraction Method <sup>(4)</sup> 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
101	Pyrene	1) Liquid-Liquid Extraction, Gas Chromatographic Method <sup>(4)</sup> 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
102	Selenium	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method <sup>(4)</sup> 2) Digestion, Inductively Coupled Plasma Method <sup>(4)</sup>
103	Silver	Digestion, Inductively Coupled Plasma Method <sup>(4)</sup>
104	Styrene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
105	1,1,2,2-Tetrachloroethane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
106	Tetrachloroethylene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
107	Toluene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
108	Toxaphene	1) Liquid-Liquid Extraction, Gas Chromatographic Method <sup>(4)</sup> 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
109	TPH (C <sub>5</sub> - C <sub>8</sub> )	1) Purge and Trap, Gas Chromatographic Method <sup>(12,22)</sup> 2) Purge and Trap, Gas Chromatographic/Mass spectrometric Method <sup>(12,27)</sup>
110	TPH (C <sub>9-8</sub> - C <sub>16</sub> )	Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method <sup>(9,22)</sup>
111	TPH (C <sub>16</sub> - C <sub>35</sub> )	Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method <sup>(9,22)</sup>
112	1,2,4-Trichlorobenzene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
113	1,1,1-Trichloroethane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
114	1,1,2-Trichloroethane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
115	Trichloroethylene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>

116 2,4,5-Trichlorophenol...

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
116	2,4,5-Trichlorophenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
117	2,4,6-Trichlorophenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
118	1,3,5-Trimethylbenzene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
119	Vanadium	Digestion, Inductively Coupled Plasma Method <sup>(4)</sup>
120	Vinyl acetate	Purge and Trap Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
121	Vinyl chloride	Purge and Trap Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
122	m-Xylene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
123	o-Xylene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
124	p-Xylene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
125	Xylene (Total)	Purge and Trap Gas Chromatographic/Mass Spectrometric Method <sup>(4)</sup>
126	Zinc	1) Digestion, Direct Air-Acetylene Flame Method <sup>(4)</sup> 2) Digestion, Inductively Coupled Plasma Method <sup>(4)</sup>

อากาศเสีย (ปล่อยระบาย) จำนวน 25 รายการ

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
1	Antimony	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method <sup>(5)</sup>
2	Arsenic	1) Isokinetic Sampling, Digestion, Hydride Generation/Atomic Absorption Spectrometric Method <sup>(5)</sup> 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method <sup>(5)</sup>
3	Cadmium	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method <sup>(5)</sup> 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method <sup>(5)</sup>
4	Carbon Monoxide	Instrumental Analyzer Method <sup>(5)</sup>
5	Chlorine	Isokinetic Sampling, Ion Chromatographic Method <sup>(5)</sup>
6	Chromium	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method <sup>(5)</sup>

Chromium (หต)

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
6	Chromium (หต)	2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method <sup>(5)</sup>
7	Cobalt	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method <sup>(5)</sup>
8	Copper	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method <sup>(5)</sup> 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method <sup>(5)</sup>
9	Cresol	Absorption Sampling, Gas Chromatographic Method <sup>(5)</sup>
10	Dioxins/Furans	Isokinetic Sampling <sup>(5)</sup>
11	Hydrogen Chloride	Isokinetic Sampling, Ion Chromatographic Method <sup>(5)</sup>
12	Hydrogen Fluoride	Isokinetic Sampling, Ion Chromatographic Method <sup>(5)</sup>
13	Hydrogen Sulfide	Absorption Sampling, Iodometric Method <sup>(5)</sup>
14	Lead	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method <sup>(5)</sup> 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method <sup>(5)</sup>
15	Manganese	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method <sup>(5)</sup> 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method <sup>(5)</sup>
16	Mercury	Isokinetic Sampling, Digestion, Cold-Vapor Atomic Absorption Spectrometric Method <sup>(5)</sup>
17	Nickel	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method <sup>(5)</sup> 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method <sup>(5)</sup>
18	Opacity	Ringelmann's Method <sup>(1)</sup>
19	Oxides of Nitrogen	1) Absorption Sampling, Phenoldisulfonic acid Method <sup>(5)</sup> 2) Instrumental Analyzer Method <sup>(5)</sup>
20	Selenium	1) Isokinetic Sampling, Digestion, Hydride Generation/Atomic Absorption Spectrometric Method <sup>(5)</sup> 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method <sup>(5)</sup>
21	Sulfur Dioxide	1) Absorption Sampling, Barium-Thorin Titrimetric Method <sup>(5)</sup> 2) Instrumental Analyzer Method <sup>(5)</sup>
22	Sulfuric Acid	Isokinetic Sampling, Barium-Thorin Titrimetric Method <sup>(5)</sup>

23 Total Suspended Particulate...



ลำดับ	สารมลพิษ	วิธีวิเคราะห์
23	Total Suspended Particulate	Isokinetic Sampling, Gravimetric Method <sup>(3)</sup>
24	Vanadium	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method <sup>(3)</sup>
25	Xylene	1) Bag Sampling, Gas Chromatographic Method <sup>(3)</sup> 2) Adsorption Sampling, Gas Chromatographic Method <sup>(5)</sup>

สิ่งปลูกหรือวัสดุที่มิใช่แล้ว จำนวน 35 รายการ

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
1	Aldrin	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method <sup>(3,9,23)</sup> 2) Ultrasonic Extraction, Gas Chromatographic Method <sup>(10,23)</sup>
2	Antimony	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method <sup>(3,6,14)</sup> 2) Digestion, Inductively Coupled Plasma Method <sup>(7,14)</sup>
3	Arsenic	1) Waste Extraction, Digestion, Hydride Generation/Atomic Absorption Spectrometric Method <sup>(3,6,16)</sup> 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method <sup>(3,6,14)</sup> 3) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method <sup>(7,14)</sup> 4) Digestion, Inductively Coupled Plasma Method <sup>(7,14)</sup>
4	Barium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method <sup>(3,6,14)</sup> 2) Digestion, Inductively Coupled Plasma Method <sup>(7,14)</sup>
5	Beryllium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method <sup>(3,6,14)</sup> 2) Digestion, Inductively Coupled Plasma Method <sup>(7,14)</sup>
6	Cadmium	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method <sup>(3,6,15)</sup> 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method <sup>(3,6,14)</sup> 3) Digestion, Flame Atomic Absorption Spectrometric Method <sup>(7,15)</sup> 4) Digestion, Inductively Coupled Plasma Method <sup>(7,14)</sup>
7	Chlordane	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method <sup>(3,9,23)</sup> 2) Ultrasonic Extraction, Gas Chromatographic Method <sup>(10,23)</sup>

8 Chromium...

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
8	Chromium	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method <sup>(3,6,15)</sup> 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method <sup>(3,6,14)</sup> 3) Digestion, Flame Atomic Absorption Spectrometric Method <sup>(7,15)</sup> 4) Digestion, Inductively Coupled Plasma Method <sup>(7,14)</sup>
9	Chromium (III)	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method; Waste Extraction, Colorimetric Method; Calculation <sup>(3,6,15,17)</sup> 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method; Waste Extraction, Colorimetric Method; Calculation <sup>(3,6,14,17)</sup> 3) Digestion, Flame Atomic Absorption Spectrometric Method; Alkaline Digestion, Colorimetric Method; Calculation <sup>(7,8,15,17)</sup> 4) Digestion, Inductively Coupled Plasma Method; Alkaline Digestion, Colorimetric Method; Calculation <sup>(7,8,14,17)</sup>
10	Chromium (VI)	1) Waste Extraction, Colorimetric Method <sup>(3,17)</sup> 2) Alkaline Digestion, Colorimetric Method <sup>(8,17)</sup>
11	Cobalt	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method <sup>(3,6,14)</sup> 2) Digestion, Inductively Coupled Plasma Method <sup>(7,14)</sup>
12	Copper	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method <sup>(3,6,15)</sup> 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method <sup>(3,6,14)</sup> 3) Digestion, Flame Atomic Absorption Spectrometric Method <sup>(7,15)</sup> 4) Digestion, Inductively Coupled Plasma Method <sup>(7,14)</sup>
13	2,4-D	1) Waste Extraction, Gas Chromatographic Method <sup>(3,26)</sup> 2) Ultrasonic Extraction, Gas Chromatographic Method <sup>(10,23)</sup>
14	DDD	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method <sup>(3,9,23)</sup> 2) Ultrasonic Extraction, Gas Chromatographic Method <sup>(10,23)</sup>

15 DDE...

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
15	DDE	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method <sup>(3,9,23)</sup> 2) Ultrasonic Extraction, Gas Chromatographic Method <sup>(10,23)</sup>
16	DDT	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method <sup>(3,9,23)</sup> 2) Ultrasonic Extraction, Gas Chromatographic Method <sup>(10,23)</sup>
17	Dieldrin	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method <sup>(3,9,23)</sup> 2) Ultrasonic Extraction, Gas Chromatographic Method <sup>(10,23)</sup>
18	Endrin	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method <sup>(3,9,23)</sup> 2) Ultrasonic Extraction, Gas Chromatographic Method <sup>(10,23)</sup>
19	Heptachlor	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method <sup>(3,9,23)</sup> 2) Ultrasonic Extraction, Gas Chromatographic Method <sup>(10,23)</sup>
20	Lead	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method <sup>(3,6,15)</sup> 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method <sup>(3,6,14)</sup> 3) Digestion, Flame Atomic Absorption Spectrometric Method <sup>(7,15)</sup> 4) Digestion, Inductively Coupled Plasma Method <sup>(7,14)</sup>
21	Lindane	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method <sup>(3,9,23)</sup> 2) Ultrasonic Extraction, Gas Chromatographic Method <sup>(10,23)</sup>
22	Mercury	1) Waste Extraction, Digestion, Cold-Vapor Atomic Absorption Spectrometric Method <sup>(3,19)</sup> 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method <sup>(3,6,14)</sup> 3) Digestion, Cold-Vapor Atomic Absorption Spectrometric Method <sup>(19)</sup> 4) Digestion, Inductively Coupled Plasma Method <sup>(7,14)</sup>

Mercury (สับ)...

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
22	Mercury (สับ)	5) Thermal Decomposition Amalgamation and Atomic Absorption Spectrometric Method <sup>(20)</sup>
23	Methoxychlor	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method <sup>(3,9,23)</sup> 2) Ultrasonic Extraction, Gas Chromatographic Method <sup>(10,23)</sup>
24	Molybdenum	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method <sup>(3,6,14)</sup> 2) Digestion, Inductively Coupled Plasma Method <sup>(7,14)</sup>
25	Nickel	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method <sup>(3,6,15)</sup> 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method <sup>(3,6,14)</sup> 3) Digestion, Flame Atomic Absorption Spectrometric Method <sup>(7,15)</sup> 4) Digestion, Inductively Coupled Plasma Method <sup>(7,14)</sup>
26	Polychlorinated Biphenyls - Aroclor 1016 - Aroclor 1221 - Aroclor 1232 - Aroclor 1242 - Aroclor 1248 - Aroclor 1254 - Aroclor 1260 - 2-Chlorobiphenyl - 2,3-Dichlorobiphenyl - 2,2',5-Trichlorobiphenyl - 2,4',5-Trichlorobiphenyl - 2,2',3,5'-Tetrachlorobiphenyl - 2,2',5,5'-Tetrachlorobiphenyl - 2,3',4,4'-Tetrachlorobiphenyl - 2,2',3,4,5'-Pentachlorobiphenyl - 2,2',4,5,5'-Pentachlorobiphenyl - 2,3,3',4,6'-Pentachlorobiphenyl	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method <sup>(3,9,24)</sup> 2) Ultrasonic Extraction, Gas Chromatographic Method <sup>(10,24)</sup>

Polychlorinated Biphenyls(สับ)...

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
27	Polychlorinated Biphenyls(คปบ) - 2,2',3,4,4',5'- Hexachlorobiphenyl - 2,2',3,4,5,5'- Hexachlorobiphenyl - 2,2',3,5,5',6'- Hexachlorobiphenyl - 2,2',4,4',5,5'- Hexachlorobiphenyl - 2,2',3,3',4,4',5'- Heptachlorobiphenyl - 2,2',3,4,4',5,5'- Heptachlorobiphenyl - 2,2',3,4,5,5',6'- Heptachlorobiphenyl - 2,2',3,3',4,4',5,5',6'- Nonachlorobiphenyl Pentachlorophenol	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(3,9,28)</sup> 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(10,28)</sup> Electrometric Method <sup>(31,32)</sup>
28	pH	
29	Selenium	1) Waste Extraction, Digestion, Hydride Generation/Atomic Absorption Spectrometric Method <sup>(3,6,21)</sup> 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method <sup>(3,6,14)</sup> 3) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method <sup>(7,21)</sup> 4) Digestion, Inductively Coupled Plasma Method <sup>(7,14)</sup>
30	Silver	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method <sup>(3,6,14)</sup> 2) Digestion, Inductively Coupled Plasma Method <sup>(7,14)</sup>
31	Thallium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method <sup>(3,6,14)</sup> 2) Digestion, Inductively Coupled Plasma Method <sup>(7,14)</sup>

32 Toxaphene...

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
32	Toxaphene	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method <sup>(3,9,23)</sup> 2) Ultrasonic Extraction, Gas Chromatographic Method <sup>(10,23)</sup>
33	Trichloroethylene	1) Waste Extraction, Purge and Trap, Gas Chromatographic/Mass Spectrometric Method <sup>(3,12,27)</sup> 2) Waste Extraction, Equilibrium Headspace, Gas Chromatographic/Mass Spectrometric Method <sup>(3,11,27)</sup> 3) Purge and Trap, Gas Chromatographic/Mass Spectrometric Method <sup>(3,27)</sup> 4) Equilibrium Headspace, Gas Chromatographic/Mass Spectrometric Method <sup>(11,27)</sup>
34	Vanadium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method <sup>(3,6,14)</sup> 2) Digestion, Inductively Coupled Plasma Method <sup>(7,14)</sup>
35	Zinc	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method <sup>(3,6,15)</sup> 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method <sup>(3,6,14)</sup> 3) Digestion, Flame Atomic Absorption Spectrometric Method <sup>(7,15)</sup> 4) Digestion, Inductively Coupled Plasma Method <sup>(7,14)</sup>

ดิน จำนวน 125 รายการ

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
1	Acenaphthene	1) Ultrasonic Extraction, Gas Chromatographic Method <sup>(10,25)</sup> 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(10,28)</sup>
2	Acetone	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method <sup>(13,27)</sup>
3	Aldrin	1) Ultrasonic Extraction, Gas Chromatographic Method <sup>(10,25)</sup> 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(10,28)</sup>
4	Anthracene	1) Ultrasonic Extraction, Gas Chromatographic Method <sup>(10,25)</sup>

Anthracene (คปอ)...

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
4	Anthracene (คปอ)	2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(10,28)</sup> Digestion, Inductively Coupled Plasma Method <sup>(7,14)</sup>
5	Antimony	
6	Arsenic	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method <sup>(7,14)</sup> 2) Digestion, Inductively Coupled Plasma Method <sup>(7,14)</sup>
7	Atrazine	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(10,28)</sup>
8	Barium	Digestion, Inductively Coupled Plasma Method <sup>(7,14)</sup>
9	Benz(a)anthracene	1) Ultrasonic Extraction, Gas Chromatographic Method <sup>(10,25)</sup> 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(10,28)</sup>
10	Benzene	1) Purge and Trap, Gas Chromatographic/Mass Spectrometric Method <sup>(13,27)</sup> 2) Equilibrium Headspace, Gas Chromatographic/Mass Spectrometric Method <sup>(11,27)</sup>
11	Benzo(b)fluoranthene	1) Ultrasonic Extraction, Gas Chromatographic Method <sup>(10,25)</sup> 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(10,28)</sup>
12	Benzo(k)fluoranthene	1) Ultrasonic Extraction, Gas Chromatographic Method <sup>(10,25)</sup> 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(10,28)</sup>
13	Benzoic acid	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(10,28)</sup>
14	Benzo(a)pyrene	1) Ultrasonic Extraction, Gas Chromatographic Method <sup>(10,25)</sup> 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(10,28)</sup>
15	Benzo(g,h,i)perylene	1) Ultrasonic Extraction, Gas Chromatographic Method <sup>(10,25)</sup> 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(10,28)</sup>
16	Beryllium	Digestion, Inductively Coupled Plasma Method <sup>(7,14)</sup>

17 Bis(2-chloroethyl)ether...

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
17	Bis(2-chloroethyl)ether	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(10,28)</sup>
18	Bis(2-ethylhexyl)phthalate	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(10,28)</sup>
19	Bromodichloromethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method <sup>(13,27)</sup>
20	Bromoform	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method <sup>(13,27)</sup>
21	Butanol	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method <sup>(13,27)</sup>
22	Butyl benzyl phthalate	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(10,28)</sup>
23	Cadmium	1) Digestion, Flame Atomic Absorption Spectrometric Method <sup>(7,15)</sup> 2) Digestion, Inductively Coupled Plasma Method <sup>(7,14)</sup>
24	Carbazole	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(10,28)</sup>
25	Carbon disulfide	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method <sup>(13,27)</sup>
26	Carbon tetrachloride	1) Purge and Trap, Gas Chromatographic/Mass Spectrometric Method <sup>(13,27)</sup> 2) Equilibrium Headspace, Gas Chromatographic/Mass Spectrometric Method <sup>(11,27)</sup>
27	Chlordane	1) Ultrasonic Extraction, Gas Chromatographic Method <sup>(10,23)</sup> 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(10,28)</sup>
28	p-Chloroaniline	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(10,28)</sup>
29	Chlorobenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method <sup>(13,27)</sup>
30	Chlorodibromomethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method <sup>(13,27)</sup>
31	Chloroform	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method <sup>(13,27)</sup>
32	2-Chlorophenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(10,28)</sup>

33 Chromium...



ลำดับ	สารมลพิษ	วิธีวิเคราะห์
33	Chromium	1) Digestion, Flame Atomic Absorption Spectrometric Method <sup>(7,15)</sup>
34	Chromium (III)	2) Digestion, Inductively Coupled Plasma Method <sup>(7,14)</sup> 1) Digestion, Flame Atomic Absorption Spectrometric Method; Alkaline Digestion, Colorimetric Method; Calculation <sup>(7,8,15,17)</sup>
35	Chromium (VI)	2) Digestion, Inductively Coupled Plasma Method; Alkaline Digestion, Colorimetric Method; Calculation <sup>(7,8,14,17)</sup>
36	Chrysene	Alkaline Digestion, Colorimetric Method <sup>(8,17)</sup> 1) Ultrasonic Extraction, Gas Chromatographic Method <sup>(10,25)</sup> 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(10,28)</sup>
37	Cyanide	Extraction, Distillation, Colorimetric Method <sup>(29,30)</sup>
38	2,4-D	Ultrasonic Extraction, Gas Chromatographic Method <sup>(26)</sup>
39	DDD	1) Ultrasonic Extraction, Gas Chromatographic Method <sup>(10,23)</sup> 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(10,28)</sup>
40	DDE	1) Ultrasonic Extraction, Gas Chromatographic Method <sup>(10,23)</sup> 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(10,28)</sup>
41	DDT	1) Ultrasonic Extraction, Gas Chromatographic Method <sup>(10,23)</sup> 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(10,28)</sup>
42	Dibenz(a,h)anthracene	1) Ultrasonic Extraction, Gas Chromatographic Method <sup>(10,25)</sup> 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(10,28)</sup>
43	Di-n-butyl phthalate	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(10,28)</sup>
44	1,2-Dichlorobenzene	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(10,28)</sup> Purge and Trap, Gas Chromatographic/Mass Spectrometric Method <sup>(13,27)</sup>

45 1,3-Dichlorobenzene...

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
45	1,3-Dichlorobenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method <sup>(13,27)</sup>
46	1,4-Dichlorobenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method <sup>(13,27)</sup>
47	3,3'-Dichlorobenzidine	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(10,28)</sup>
48	1,1-Dichloroethane	1) Purge and Trap, Gas Chromatographic/Mass Spectrometric Method <sup>(13,27)</sup> 2) Equilibrium Headspace, Gas Chromatographic/Mass Spectrometric Method <sup>(11,27)</sup>
49	1,2-Dichloroethane	1) Purge and Trap, Gas Chromatographic/Mass Spectrometric Method <sup>(13,27)</sup> 2) Equilibrium Headspace, Gas Chromatographic/Mass Spectrometric Method <sup>(11,27)</sup>
50	1,1-Dichloroethylene	1) Purge and Trap, Gas Chromatographic/Mass Spectrometric Method <sup>(13,27)</sup> 2) Equilibrium Headspace, Gas Chromatographic/Mass Spectrometric Method <sup>(11,27)</sup>
51	cis-1,2-Dichloroethylene	1) Purge and Trap, Gas Chromatographic/Mass Spectrometric Method <sup>(13,27)</sup> 2) Equilibrium Headspace, Gas Chromatographic/Mass Spectrometric Method <sup>(11,27)</sup>
52	trans-1,2-Dichloroethylene	1) Purge and Trap, Gas Chromatographic/Mass Spectrometric Method <sup>(13,27)</sup> 2) Equilibrium Headspace, Gas Chromatographic/Mass Spectrometric Method <sup>(11,27)</sup>
53	2,4-Dichlorophenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(10,28)</sup>
54	1,2-Dichloropropane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method <sup>(13,27)</sup>
55	1,3-Dichloropropane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method <sup>(13,27)</sup>
56	1,3-Dichloropropene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method <sup>(13,27)</sup>
57	Dieldrin	1) Ultrasonic Extraction, Gas Chromatographic Method <sup>(10,23)</sup> 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(10,28)</sup>

58 Diethyl phthalate...

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
58	Diethyl phthalate	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(10,28)</sup>
59	2,4-Dimethylphenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(10,28)</sup>
60	2,4-Dinitrophenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(10,28)</sup>
61	2,4-Dinitrotoluene	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(10,28)</sup>
62	2,6-Dinitrotoluene	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(10,28)</sup>
63	Di-n-Octyl phthalate	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(10,28)</sup>
64	Endosulfan	1) Ultrasonic Extraction, Gas Chromatographic Method <sup>(10,23)</sup> 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(10,28)</sup>
65	Endrin	1) Ultrasonic Extraction, Gas Chromatographic Method <sup>(10,23)</sup> 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(10,28)</sup>
66	Ethylbenzene	1) Purge and Trap, Gas Chromatographic/Mass Spectrometric Method <sup>(13,27)</sup> 2) Equilibrium Headspace, Gas Chromatographic/Mass Spectrometric Method <sup>(11,27)</sup>
67	Fluoranthene	1) Ultrasonic Extraction, Gas Chromatographic Method <sup>(10,25)</sup> 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(10,28)</sup>
68	Fluorene	1) Ultrasonic Extraction, Gas Chromatographic Method <sup>(10,25)</sup> 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(10,28)</sup>
69	Heptachlor	1) Ultrasonic Extraction, Gas Chromatographic Method <sup>(10,25)</sup> 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(10,28)</sup>
70	Heptachlor epoxide	1) Ultrasonic Extraction, Gas Chromatographic Method <sup>(10,23)</sup>

Heptachlor epoxide (ค็)...

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
70	Heptachlor epoxide (ค็)	2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(10,28)</sup>
71	Hexachlorobenzene	1) Ultrasonic Extraction, Gas Chromatographic Method <sup>(10,23)</sup> 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(10,28)</sup>
72	Hexachloro-1,3-butadiene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method <sup>(13,27)</sup>
73	n-Hexane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method <sup>(13,27)</sup>
74	α-HCH	1) Ultrasonic Extraction, Gas Chromatographic Method <sup>(10,23)</sup> 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(10,28)</sup>
75	β-HCH	1) Ultrasonic Extraction, Gas Chromatographic Method <sup>(10,23)</sup> 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(10,28)</sup>
76	γ-HCH	1) Ultrasonic Extraction, Gas Chromatographic Method <sup>(10,23)</sup> 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(10,28)</sup>
77	Hexachlorocyclopentadiene	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(10,28)</sup>
78	Hexachloroethane	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(10,28)</sup>
79	Indeno(1,2,3-cd)pyrene	1) Ultrasonic Extraction, Gas Chromatographic Method <sup>(10,25)</sup> 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(10,28)</sup>
80	Isophorone	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(10,28)</sup>
81	Lead	1) Digestion, Flame Atomic Absorption Spectrometric Method <sup>(7,15)</sup> 2) Digestion, Inductively Coupled Plasma Method <sup>(7,14)</sup>
82	Manganese	1) Digestion, Flame Atomic Absorption Spectrometric Method <sup>(7,15)</sup> 2) Digestion, Inductively Coupled Plasma Method <sup>(7,14)</sup>

83 Mercury...

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
83	Mercury	1) Digestion, Cold-Vapor Atomic Absorption Spectrometric Method <sup>(19)</sup> 2) Thermal Decomposition Amalgamation and Atomic Absorption Spectrometric Method <sup>(20)</sup>
84	Methanol	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method <sup>(13,27)</sup>
85	Methoxychlor	1) Ultrasonic Extraction, Gas Chromatographic Method <sup>(10,23)</sup> 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(10,28)</sup>
86	Methyl bromide	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method <sup>(13,27)</sup>
87	Methylene chloride	1) Purge and Trap, Gas Chromatographic/Mass Spectrometric Method <sup>(13,27)</sup> 2) Equilibrium Headspace, Gas Chromatographic/Mass Spectrometric Method <sup>(11,27)</sup>
88	2-Methylphenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(10,28)</sup>
89	2-Methylnaphthalene	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(10,28)</sup>
90	Methyl tert-butyl ether	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method <sup>(13,27)</sup>
91	Naphthalene	1) Ultrasonic Extraction, Gas Chromatographic Method <sup>(10,23)</sup> 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(10,28)</sup>
92	Nickel	1) Digestion, Flame Atomic Absorption Spectrometric Method <sup>(7,15)</sup> 2) Digestion, Inductively Coupled Plasma Method <sup>(7,14)</sup>
93	Nitrobenzene	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(10,28)</sup>
94	N-Nitrosodiphenylamine	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(10,28)</sup>
95	N-Nitrosodi-n-propylamine	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(10,28)</sup>
96	Polychlorinated Biphenyls - Aroclor 1016	1) Ultrasonic Extraction, Gas Chromatographic Method <sup>(10,28)</sup>

Polychlorinated Biphenyls(ต่อ)...

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
96	<p>Polychlorinated Biphenyls(๓๖)</p> <ul style="list-style-type: none"> <li>- Aroclor 1221</li> <li>- Aroclor 1232</li> <li>- Aroclor 1242</li> <li>- Aroclor 1248</li> <li>- Aroclor 1254</li> <li>- Aroclor 1260</li> </ul> <p>Polychlorinated Biphenyls</p> <ul style="list-style-type: none"> <li>- 2-Chlorobiphenyl</li> <li>- 2,3-Dichlorobiphenyl</li> <li>- 2,2',5-Trichlorobiphenyl</li> <li>- 2,4',5-Trichlorobiphenyl</li> <li>- 2,2',3,5-Tetrachlorobiphenyl</li> <li>- 2,2',5,5'-Tetrachlorobiphenyl</li> <li>- 2,3',4,4'-Tetrachlorobiphenyl</li> <li>- 2,2',3,4,5'-</li> </ul> <p>Pentachlorobiphenyl</p> <ul style="list-style-type: none"> <li>- 2,2',4,5,5'-</li> </ul> <p>Pentachlorobiphenyl</p> <ul style="list-style-type: none"> <li>- 2,3,3',4,6'-</li> </ul> <p>Pentachlorobiphenyl</p> <ul style="list-style-type: none"> <li>- 2,2',3,4,4',5'-</li> </ul> <p>Hexachlorobiphenyl</p> <ul style="list-style-type: none"> <li>- 2,2',3,4,5,5'-</li> </ul> <p>Hexachlorobiphenyl</p> <ul style="list-style-type: none"> <li>- 2,2',3,5,5',6'-</li> </ul> <p>Hexachlorobiphenyl</p> <ul style="list-style-type: none"> <li>- 2,2',4,4',5,5'-</li> </ul> <p>Hexachlorobiphenyl</p> <ul style="list-style-type: none"> <li>- 2,2',3,3',4,4',5'-</li> </ul> <p>Heptachlorobiphenyl</p> <ul style="list-style-type: none"> <li>- 2,2',3,4,4',5,5'-</li> </ul> <p>Heptachlorobiphenyl</p> <ul style="list-style-type: none"> <li>- 2,2',3,4,4',5,6'-</li> </ul> <p>Heptachlorobiphenyl</p> <ul style="list-style-type: none"> <li>- 2,2',3,4',5,5',6'-</li> </ul> <p>Heptachlorobiphenyl</p> <ul style="list-style-type: none"> <li>- 2,2',3,3',4,4',5,5',6'-</li> </ul> <p>Nonachlorobiphenyl</p>	<p>2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method<sup>(10,28)</sup></p> <p>Ultrasonic Extraction, Gas Chromatographic Method<sup>(10,24)</sup></p>

97 Pentachlorophenol.

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
97	Pentachlorophenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>[10,28]</sup>
98	Phenanthrene	1) Ultrasonic Extraction, Gas Chromatographic Method <sup>[10,25]</sup> 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>[10,28]</sup>
99	Phenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>[10,28]</sup>
100	Pyrene	1) Ultrasonic Extraction, Gas Chromatographic Method <sup>[10,25]</sup> 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>[10,28]</sup>
101	Selenium	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method <sup>[7,21]</sup> 2) Digestion, Inductively Coupled Plasma Method <sup>[7,14]</sup>
102	Silver	Digestion, Inductively Coupled Plasma Method <sup>[7,14]</sup>
103	Styrene	1) Purge and Trap, Gas Chromatographic/Mass Spectrometric Method <sup>[13,27]</sup> 2) Equilibrium Headspace, Gas Chromatographic/Mass Spectrometric Method <sup>[13,27]</sup>
104	1,1,2,2-Tetrachloroethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method <sup>[13,27]</sup>
105	Tetrachloroethylene	1) Purge and Trap, Gas Chromatographic/Mass Spectrometric Method <sup>[13,27]</sup> 2) Equilibrium Headspace, Gas Chromatographic/Mass Spectrometric Method <sup>[11,27]</sup>
106	Toluene	1) Purge and Trap, Gas Chromatographic/Mass Spectrometric Method <sup>[13,27]</sup> 2) Equilibrium Headspace, Gas Chromatographic/Mass Spectrometric Method <sup>[11,27]</sup>
107	Toxaphene	Ultrasonic Extraction, Gas Chromatographic Method <sup>[10,23]</sup>
108	TPH (C <sub>5</sub> -C <sub>8</sub> )	1) Purge and Trap, Gas Chromatographic Method <sup>[13,27]</sup> 2) Purge and Trap, Gas Chromatographic/Mass Spectrometric Method <sup>[11,27]</sup>
109	TPH (C <sub>8</sub> -C <sub>16</sub> )	Ultrasonic Extraction, Gas Chromatographic Method <sup>[10,22]</sup>
110	TPH (C <sub>16</sub> -C <sub>35</sub> )	Ultrasonic Extraction, Gas Chromatographic Method <sup>[10,22]</sup>

111 1,2,4-Trichlorobenzene..

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
111	1,2,4-Trichlorobenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method <sup>(13,27)</sup>
112	1,1,1-Trichloroethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method <sup>(13,27)</sup>
113	1,1,2-Trichloroethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method <sup>(13,27)</sup>
114	Trichloroethylene	1) Purge and Trap, Gas Chromatographic/Mass Spectrometric Method <sup>(13,27)</sup> 2) Equilibrium Headspace, Gas Chromatographic/Mass Spectrometric Method <sup>(11,27)</sup>
115	2,4,5-Trichlorophenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(10,28)</sup>
116	2,4,6-Trichlorophenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method <sup>(10,28)</sup>
117	1,3,5-Trimethylbenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method <sup>(13,27)</sup>
118	Vanadium	Digestion, Inductively Coupled Plasma Method <sup>(7,14)</sup>
119	Vinyl acetate	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method <sup>(13,27)</sup>
120	Vinyl chloride	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method <sup>(13,27)</sup>
121	m-Xylene	1) Purge and Trap, Gas Chromatographic/Mass Spectrometric Method <sup>(13,27)</sup> 2) Equilibrium Headspace, Gas Chromatographic/Mass Spectrometric Method <sup>(11,27)</sup>
122	o-Xylene	1) Purge and Trap, Gas Chromatographic/Mass Spectrometric Method <sup>(13,27)</sup> 2) Equilibrium Headspace, Gas Chromatographic/Mass Spectrometric Method <sup>(11,27)</sup>
123	p-Xylene	1) Purge and Trap, Gas Chromatographic/Mass Spectrometric Method <sup>(13,27)</sup> 2) Equilibrium Headspace, Gas Chromatographic/Mass Spectrometric Method <sup>(11,27)</sup>
124	Xylene (Total)	1) Purge and Trap, Gas Chromatographic/Mass Spectrometric Method <sup>(13,27)</sup> 2) Equilibrium Headspace, Gas Chromatographic/Mass Spectrometric Method <sup>(11,27)</sup>

125 Zinc



ลำดับ	สารพิษ	วิธีวิเคราะห์
125	Zinc	1) Digestion, Flame Atomic Absorption Spectrometric Method <sup>(7,13)</sup> 2) Digestion, Inductively Coupled Plasma Method <sup>(7,14)</sup>

## เอกสารอ้างอิง

- กระทรวงอุตสาหกรรม. ประกาศกระทรวงอุตสาหกรรม, พ.ศ. 2549. เรื่อง กำหนดค่าปริมาณธาตุหนักที่เจือปนในอากาศที่ระบายจากปล่องของหม้อน้ำโรงสีข้าวที่ใช้แก๊สเป็นเชื้อเพลิง. ราชกิจจานุเบกษา. 4 ธันวาคม 2549. เล่มที่ 123 ตอนพิเศษ 125ง.
- สมาคมวิศวกรรมสิ่งแวดล้อมแห่งประเทศไทย. คู่มือวิเคราะห์น้ำเสีย. พิมพ์ครั้งที่ 4. กรุงเทพฯ: เรือนแก้วการพิมพ์, 2547.
- กระทรวงอุตสาหกรรม. ประกาศกระทรวงอุตสาหกรรม, พ.ศ. 2566. เรื่อง การจัดการสิ่งแวดล้อมหรือวัสดุที่ไม่ใช้แล้ว. ราชกิจจานุเบกษา. 31 พฤษภาคม 2566. เล่มที่ 140 ตอนพิเศษ 126 ง.
- APHA, AWWA, WEF. Standard Methods for the Examination of Water and Wastewater. 24<sup>th</sup> ed. Washington, DC: APHA, 2023.
- United States Environmental Protection Agency. Standards of Performance for New Stationary Sources. 40 CFR 60. Appendix A, 2020.
- United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. SW-846, 2014.
- United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Acid Digestion of Sediments, Sludges, and Soils. SW-846 Method 3050B, 1996.
- United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Alkaline Digestion for Hexavalent Chromium. SW-846 Method 3060A, 1996.
- United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste 3. Physical/Chemical Methods. Separatory Funnel Liquid-Liquid Extraction. SW-846 Method 3510C, 1996.
- United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Ultrasonic Extraction. SW-846 Method 3550C, 2007.
- United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Volatile Organic Compounds in Various Sample Matrices Using Equilibrium Headspace Analysis. SW-846 Method 5021A, 2014.
- United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Purge and Trap for Aqueous Samples. SW-846 Method 5030C, 2003.
- United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Closed System Purge and Trap and Extraction for Volatile Organics in Soil and Waste Sample. SW-846 Method 5035A, 2000.
- United States...

- United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Inductively Coupled Plasma-Optical Emission Spectrometry. SW-846 Method 6010D, 2014.
- United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Flame Atomic Absorption Spectrophotometry. SW-846 Method 7000B, 2007.
- United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Arsenic (Atomic Absorption, Gaseous Hydride). SW-846 Method 7061A, 1992.
- United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Chromium, Hexavalent (Colorimetric). SW-846 Method 7196A, 1992.
- United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Mercury in Liquid Waste (Manual Cold Vapor Technique). SW-846 Method 7470A, 1994.
- United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Mercury in Solid or Semisolid Waste (Manual Cold-Vapor Technique). SW-846 Method 7471B, 1998.
- United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Mercury in Solids and Solutions by Thermal Decomposition, Amalgamation, and Atomic Absorption Spectrophotometry. SW-846 Method 7473, 2007.
- United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Selenium (Atomic Absorption, Borohydride Reduction). SW-846 Method 7742, 1994.
- United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Nonhalogenated Organics Using GC/FID. SW-846 Method 8015D, 2003.
- United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Organochlorine Pesticides by Gas Chromatography. SW-846 Method 8081B, 2007.
- United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Polychlorinated Biphenyls (PCBs) by Gas Chromatography. SW-846 Method 8082A, 2007.
- United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Organochlorine Pesticides by Gas Chromatography. SW-846 Method 8081B, 2007.
- United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Chlorinated Herbicides by GC Using Methylation or Pentafluorobenzoylation Derivatization. SW-846 Method 8151A, 1996.
- United States...

- United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry. SW-846 Method 8260D, 2018.
- United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Semivolatile Organic Compounds by Gas Chromatography/Mass Spectrometry. SW-846 Method 8270E, 2018.
- United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Cyanide Extraction Procedure for Solids and Oils. SW-846 Method 9013A, 2014.
- United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Cyanide in Waters and Extracts using Titrimetric and Manual Spectrophotometric Procedures. SW-846 Method 9014, 2014.
- United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. pH Electrometric Measurement. SW-846 Method 9040C, 2004.
- United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Soil and Waste pH. SW-846 Method 9045D, 2004.

แบบ กษบ./กษบ.๒  
Form NSC/TSI 2



ใบรับรองระบบงาน  
(Certificate of Accreditation)

อาศัยอำนาจตามความในพระราชบัญญัติการมาตรฐานแห่งชาติ พ.ศ. ๒๕๕๑  
(By Virtue of National Standardization Act B.E. 2551 (2008))

เลขาธิการสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม  
(Secretary-General, Thai Industrial Standards Institute)

ออกใบรับรองฉบับนี้ให้  
(Issues this certificate to)

บริษัท ยูนิเทค แอนาไลติก แอนด์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด  
(United Analyst and Engineering Consultant Company Limited)

ตั้งอยู่เลขที่  
(Address)

๓ ซอยอุดมสุข ๔๑ ถนนสุขุมวิท แขวงบางจาก เขตพระโขนง กรุงเทพมหานคร  
(3, Soi Udomsuk 41, Sukhumvit Road, Bangkok, Phraekhanong, Bangkok)

ได้รับการรับรองความสามารถ  
(Certificate of competence)

ตามมาตรฐานเลขที่ มอก. ๑๙๐๒๕ - ๒๕๖๑  
(Standard No. TS 17025-2561 (2018) ISO/IEC 17025: 2017)

ข้อกำหนดทั่วไปว่าด้วยความสามารถของ ห้องปฏิบัติการทดสอบและห้องปฏิบัติการสอบเทียบ  
(General requirements for the competence of testing and calibration laboratories)

หมายเลขการรับรองที่ ทดสอบ ๐๒๐๗  
(Accreditation No. Testing 0207)

โดยมีรายละเอียดสาขาและขอบข่ายที่ได้ใบรับรอง แสดงไว้ใน QR CODE และ www.tisi.go.th  
(Details of the scheme and scope of the certificate are shown in QR CODE and www.tisi.go.th)

ออกให้ ณ วันที่ ๑๑ ตุลาคม พ.ศ. ๒๕๖๔  
(Issue date : 11 October B.E. 2564 (2021))

(นายเอกนิติ รมยานนท์)  
ผู้อำนวยการสำนักงานคณะกรรมการมาตรฐานผลิตภัณฑ์อุตสาหกรรม  
ผู้อำนวยการระบบ  
และผู้อำนวยการมาตรฐานผลิตภัณฑ์อุตสาหกรรม  
UNITED ANALYST AND ENGINEERING CONSULTANT COMPANY LIMITED

นางสาวอุกตอง R/M

กระทรวงอุตสาหกรรม สำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม  
(Ministry of Industry Thailand, The Industrial Standards Institute)

กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบผลิตภัณฑ์และประเมินปัจจัยปฏิบัติการ กองวิจัยและพัฒนามาตรฐานผลิตภัณฑ์ สำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม โทร. ๐ ๒๖๓๘ ๖๖๖๖ ต่อ ๒๐๐-๕

รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ

(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 21-LB0022

(Certification No. 21-LB0022)



ชื่อห้องปฏิบัติการ

(Laboratory Name)

หมายเลขการรับรองที่

(Accreditation No.)

ฉบับที่ 07

(Issue No. 07)

สถานภาพห้องปฏิบัติการ

(Laboratory status)

บริษัท ยูไนเค็ด แอนาไลติก แอนด์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด

(United Analyst and Engineering Consultant Company Limited)

ทดสอบ 0207

(Testing 0207)

ออกให้ตั้งแต่วันที่ 19 กุมภาพันธ์ พ.ศ. 2567

(Valid from)

(19 February B.E. 2567 (2024))

☒ถาวร ☐นอกสถานที่ ☐ชั่วคราว

(Permanent)

(Site)

(Temporary)

ถึงวันที่ 17 พฤษภาคม พ.ศ. 2571

(Until)

(17 May B.E. 2571 (2028))

☐เคลื่อนที่ ☐หลายสถานที่

(Mobile)

(Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
<p>สาขาสิ่งแวดล้อม (Environmental field)</p> <p>1. น้ำ (Water)</p> <p>- น้ำผิวดิน (Surface water)</p> <p>- น้ำใต้ดิน (Ground water)</p>	<p>- Heavy metals</p> <p>• Copper (Cu) 0.025 mg/L to 20.0 mg/L</p> <p>• Nickel (Ni) 0.050 mg/L to 20.0 mg/L</p> <p>• Zinc (Zn) 0.025 mg/L to 20.0 mg/L</p> <p>• Chromium (Cr) 0.050 mg/L to 20.0 mg/L</p> <p>• Cadmium (Cd) 0.010 mg/L to 20.0 mg/L</p> <p>• Lead (Pb) 0.100 mg/L to 20.0 mg/L</p> <p>• Manganese (Mn) 0.025 mg/L to 20.0 mg/L</p> <p>• Iron (Fe) 0.050 mg/L to 20.0 mg/L</p>	<p>- UAE.TP.HEM.005, UAE.TP.HEM.003 based on Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 24<sup>th</sup> Edition, 2023, part 3030 E and part 3111 B</p>



ดำเนินการถูกต้อง

กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม  
(Ministry of Industry, Thai Industrial Standards Institute)

หน้าที่ 1/36

รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ

(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 21-LB0022

(Certification No. 21-LB0022)



ฉบับที่ 07

(Issue No. 07)

สถานภาพห้องปฏิบัติการ

(Laboratory status)

ออกให้ตั้งแต่วันที่ 19 กุมภาพันธ์ พ.ศ. 2567

(Valid from)

(19 February B.E. 2567 (2024))

☒ถาวร ☐นอกสถานที่ ☐ชั่วคราว

(Permanent)

(Site)

(Temporary)

ถึงวันที่ 17 พฤษภาคม พ.ศ. 2571

(Until)

(17 May B.E. 2571 (2028))

☐เคลื่อนที่ ☐หลายสถานที่

(Mobile)

(Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
<p>สาขาสิ่งแวดล้อม (Environmental field)</p> <p>1. น้ำ (Water) (ต่อ)</p> <p>- น้ำผิวดิน (Surface water)</p> <p>- น้ำใต้ดิน (Ground water)</p>	<p>- Chloride (Cl<sup>-</sup>) 2.0 mg/L to 1 000 mg/L</p> <p>- Total hardness 4.0 mg/L to 1 000 mg/L</p> <p>- pH 2.0 to 12.0</p> <p>- Total suspended solids (TSS) 5.0 mg/L to 500 mg/L</p>	<p>- Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 24<sup>th</sup> Edition, 2023, part 4500-Cl<sup>-</sup> B</p> <p>- Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 24<sup>th</sup> Edition, 2023, part 2340 C</p> <p>- Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 24<sup>th</sup> Edition, 2023, part 4500-H<sup>+</sup> B</p> <p>- Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 24<sup>th</sup> Edition, 2023, part 2540 D</p>



ดำเนินการถูกต้อง

กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม  
(Ministry of Industry, Thai Industrial Standards Institute)

หน้าที่ 2/36

รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ

(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 21-LB0022

(Certification No. 21-LB0022)



ฉบับที่ 07

(Issue No. 07)

สถานภาพห้องปฏิบัติการ

(Laboratory status)

ออกให้ตั้งแต่วันที่ 19 กุมภาพันธ์ พ.ศ. 2567

(Valid from)

(19 February B.E. 2567 (2024))

☒ถาวร ☐นอกสถานที่ ☐ชั่วคราว

(Permanent)

(Site)

(Temporary)

ถึงวันที่ 17 พฤษภาคม พ.ศ. 2571

(Until)

(17 May B.E. 2571 (2028))

☐เคลื่อนที่ ☐หลายสถานที่

(Mobile)

(Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
<p>สาขาสิ่งแวดล้อม (Environmental field)</p> <p>1. น้ำ (ต่อ)</p> <p>(Water) (cont.)</p> <p>- น้ำใต้ดิน (ต่อ) (Ground water) (cont.)</p>	<p>- Volatile organic compounds (VOCs)</p> <p>• Benzene 0.20 µg/L to 1 000 µg/L (0.000 2 mg/L to 1.00 mg/L)</p> <p>• Carbon Tetrachloride 0.20 µg/L to 1 000 µg/L (0.000 2 mg/L to 1.00 mg/L)</p> <p>• 1,2-Dichloroethane 0.20 µg/L to 1 000 µg/L (0.000 2 mg/L to 1.00 mg/L)</p> <p>• 1,1-Dichloroethylene (1,1-Dichloroethene) 0.20 µg/L to 1 000 µg/L (0.000 2 mg/L to 1.00 mg/L)</p> <p>• cis-1,2-Dichloroethylene (cis-1,2-Dichloroethene) 0.20 µg/L to 1 000 µg/L (0.000 2 mg/L to 1.00 mg/L)</p> <p>• trans-1,2-Dichloroethylene (trans-1,2-Dichloroethene) 0.20 µg/L to 1 000 µg/L (0.000 2 mg/L to 1.00 mg/L)</p>	<p>- Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 24<sup>th</sup> Edition, 2023, part 6200 B</p>



ดำเนินการถูกต้อง

กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม  
(Ministry of Industry, Thai Industrial Standards Institute)

หน้าที่ 3/36

รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ

(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 21-LB0022

(Certification No. 21-LB0022)



ฉบับที่ 07

(Issue No. 07)

สถานภาพห้องปฏิบัติการ

(Laboratory status)

ออกให้ตั้งแต่วันที่ 19 กุมภาพันธ์ พ.ศ. 2567

(Valid from)

(19 February B.E. 2567 (2024))

☒ถาวร ☐นอกสถานที่ ☐ชั่วคราว

(Permanent)

(Site)

(Temporary)

ถึงวันที่ 17 พฤษภาคม พ.ศ. 2571

(Until)

(17 May B.E. 2571 (2028))

☐เคลื่อนที่ ☐หลายสถานที่

(Mobile)

(Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
<p>สาขาสิ่งแวดล้อม (Environmental field)</p> <p>1. น้ำ (ต่อ)</p> <p>(Water) (cont.)</p> <p>- น้ำใต้ดิน (ต่อ) (Ground water) (cont.)</p>	<p>- Volatile organic compounds (VOCs) (cont.)</p> <p>• Dichloromethane (Methylene Chloride) 0.20 µg/L to 1 000 µg/L (0.000 2 mg/L to 1.00 mg/L)</p> <p>• Ethylbenzene 0.20 µg/L to 1 000 µg/L (0.000 2 mg/L to 1.00 mg/L)</p> <p>• Styrene 0.20 µg/L to 1 000 µg/L (0.000 2 mg/L to 1.00 mg/L)</p> <p>• Tetrachloroethylene (Tetrachloroethene)/ (Perchloroethylene) 0.20 µg/L to 1 000 µg/L (0.000 2 mg/L to 1.00 mg/L)</p> <p>• Toluene 0.20 µg/L to 1 000 µg/L (0.000 2 mg/L to 1.00 mg/L)</p> <p>• Trichloroethylene (Trichloroethene) 0.20 µg/L to 1 000 µg/L (0.000 2 mg/L to 1.00 mg/L)</p>	<p>- Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 24<sup>th</sup> Edition, 2023, part 6200 B</p>



ดำเนินการถูกต้อง

กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม  
(Ministry of Industry, Thai Industrial Standards Institute)

หน้าที่ 4/36



รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ

(Scope of Accreditation for Testing)  
ใบรับรองเลขที่ 21-LB0022  
(Certification No. 21-LB0022)



ฉบับที่ 07  
(Issue No. 07)

ออกให้ตั้งแต่วันที่ 19 กุมภาพันธ์ พ.ศ. 2567  
(Valid from) (19 February B.E. 2567 (2024))

ถึงวันที่ 17 พฤษภาคม พ.ศ. 2571  
(Until) (17 May B.E. 2571 (2028))

สถานภาพห้องปฏิบัติการ  
(Laboratory status)

☒ ถาวร  
(Permanent)

☐ นอกสถานที่  
(Site)

☐ชั่วคราว  
(Temporary)

☐เคลื่อนที่  
(Mobile)

☐หลายสถานที่  
(Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
<p>สาขาส่งแวดล้อม (Environmental field)</p> <p>1. น้ำ (ต่อ) (Water) ((cont.))</p> <p>- น้ำใต้ดิน (ต่อ) (Ground water) ((cont.))</p>	<p>- Volatile organic compounds (VOCs) (cont.)</p> <ul style="list-style-type: none"> <li>1,1,1-Trichloroethane 0.20 µg/L to 1 000 µg/L (0.000 2 mg/L to 1.00 mg/L)</li> <li>1,1,2-Trichloroethane 0.20 µg/L to 1 000 µg/L (0.000 2 mg/L to 1.00 mg/L)</li> <li>Total xylenes หรือ Xylene (total) 0.60 µg/L to 3 000 µg/L (0.000 6 mg/L to 3.00 mg/L)</li> <li>o-Xylene 0.20 µg/L to 1 000 µg/L (0.000 2 mg/L to 1.00 mg/L)</li> <li>m,p-Xylene 0.40 µg/L to 2 000 µg/L (0.000 4 mg/L to 2.00 mg/L)</li> </ul>	<p>- Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 24<sup>th</sup> Edition, 2023, part 6200 B</p>

UAE  
UNITED ANALYST AND ENGINEERING  
CONSULTANT COMPANY LIMITED

ดำเนินการถูกต้อง

กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม  
(Ministry of Industry, Thai Industrial Standards Institute)

หน้าที่ 5/36

รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ

(Scope of Accreditation for Testing)  
ใบรับรองเลขที่ 21-LB0022  
(Certification No. 21-LB0022)



ฉบับที่ 07  
(Issue No. 07)

ออกให้ตั้งแต่วันที่ 19 กุมภาพันธ์ พ.ศ. 2567  
(Valid from) (19 February B.E. 2567 (2024))

ถึงวันที่ 17 พฤษภาคม พ.ศ. 2571  
(Until) (17 May B.E. 2571 (2028))

สถานภาพห้องปฏิบัติการ  
(Laboratory status)

☒ ถาวร  
(Permanent)

☐นอกสถานที่  
(Site)

☐ชั่วคราว  
(Temporary)

☐เคลื่อนที่  
(Mobile)

☐หลายสถานที่  
(Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
<p>สาขาส่งแวดล้อม (Environmental field)</p> <p>2. น้ำเสีย (ต่อ) (Wastewater) ((cont.))</p>	<p>- Heavy metals</p> <ul style="list-style-type: none"> <li>Copper (Cu) 0.050 mg/L to 50.0 mg/L</li> <li>Nickel (Ni) 0.100 mg/L to 50.0 mg/L</li> <li>Zinc (Zn) 0.050 mg/L to 50.0 mg/L</li> <li>Chromium (Cr) 0.100 mg/L to 50.0 mg/L</li> <li>Cadmium (Cd) 0.020 mg/L to 50.0 mg/L</li> <li>Lead (Pb) 0.200 mg/L to 50.0 mg/L</li> <li>Manganese (Mn) 0.050 mg/L to 50.0 mg/L</li> <li>Iron (Fe) 0.100 mg/L to 50.0 mg/L</li> </ul> <p>- Heavy metals</p> <ul style="list-style-type: none"> <li>Copper (Cu) 0.010 mg/L to 50.0 mg/L</li> <li>Nickel (Ni) 0.010 mg/L to 50.0 mg/L</li> <li>Zinc (Zn) 0.010 mg/L to 50.0 mg/L</li> </ul>	<p>- UAE.TP.HEM.004 based on Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 24<sup>th</sup> Edition, 2023, part 3030 E and part 3111 B</p> <p>- UAE.TP.HEM.008 based on Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 24<sup>th</sup> Edition, 2023, part 3030 F and part 3120 B</p>

UAE  
UNITED ANALYST AND ENGINEERING  
CONSULTANT COMPANY LIMITED

ดำเนินการถูกต้อง

กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม  
(Ministry of Industry, Thai Industrial Standards Institute)

หน้าที่ 6/36

รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ

(Scope of Accreditation for Testing)  
ใบรับรองเลขที่ 21-LB0022  
(Certification No. 21-LB0022)



ฉบับที่ 07  
(Issue No. 07)

ออกให้ตั้งแต่วันที่ 19 กุมภาพันธ์ พ.ศ. 2567  
(Valid from) (19 February B.E. 2567 (2024))

ถึงวันที่ 17 พฤษภาคม พ.ศ. 2571  
(Until) (17 May B.E. 2571 (2028))

สถานภาพห้องปฏิบัติการ  
(Laboratory status)

☒ ถาวร  
(Permanent)

☐นอกสถานที่  
(Site)

☐ชั่วคราว  
(Temporary)

☐เคลื่อนที่  
(Mobile)

☐หลายสถานที่  
(Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
<p>สาขาส่งแวดล้อม (Environmental field)</p> <p>2. น้ำเสีย (ต่อ) (Wastewater) ((cont.))</p>	<p>- Heavy metals (cont.)</p> <ul style="list-style-type: none"> <li>Chromium (Cr) 0.010 mg/L to 50.0 mg/L</li> <li>Cadmium (Cd) 0.010 mg/L to 50.0 mg/L</li> <li>Lead (Pb) 0.010 mg/L to 50.0 mg/L</li> <li>Manganese (Mn) 0.010 mg/L to 50.0 mg/L</li> <li>Iron (Fe) 0.010 mg/L to 50.0 mg/L</li> </ul> <p>- Heavy metals</p> <ul style="list-style-type: none"> <li>Copper (Cu) 0.010 mg/L to 50.0 mg/L</li> <li>Cadmium (Cd) 0.010 mg/L to 50.0 mg/L</li> <li>Lead (Pb) 0.010 mg/L to 50.0 mg/L</li> <li>Silver (Ag) 0.010 mg/L to 2.00 mg/L</li> </ul>	<p>- UAE.TP.HEM.008 based on Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 24<sup>th</sup> Edition, 2023, part 3030 F and part 3120 B</p> <p>- UAE.TP.HEM.037 based on Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 24<sup>th</sup> Edition, 2023, part 3030 K and 3120 B</p>

UAE  
UNITED ANALYST AND ENGINEERING  
CONSULTANT COMPANY LIMITED

ดำเนินการถูกต้อง

กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม  
(Ministry of Industry, Thai Industrial Standards Institute)

หน้าที่ 7/36

รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ

(Scope of Accreditation for Testing)  
ใบรับรองเลขที่ 21-LB0022  
(Certification No. 21-LB0022)



ฉบับที่ 07  
(Issue No. 07)

ออกให้ตั้งแต่วันที่ 19 กุมภาพันธ์ พ.ศ. 2567  
(Valid from) (19 February B.E. 2567 (2024))

ถึงวันที่ 17 พฤษภาคม พ.ศ. 2571  
(Until) (17 May B.E. 2571 (2028))

สถานภาพห้องปฏิบัติการ  
(Laboratory status)

☒ ถาวร  
(Permanent)

☐นอกสถานที่  
(Site)

☐ชั่วคราว  
(Temporary)

☐เคลื่อนที่  
(Mobile)

☐หลายสถานที่  
(Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
<p>สาขาส่งแวดล้อม (Environmental field)</p> <p>2. น้ำเสีย (ต่อ) (Wastewater) ((cont.))</p>	<p>- Chemical oxygen demand (COD) 25.0 mg/L to 20 000 mg/L</p> <p>- Chemical oxygen demand (COD) 40.0 mg/L to 2 000 mg/L</p> <p>- Total suspended solids (TSS) 5.0 mg/L to 5 000 mg/L</p> <p>- Biochemical oxygen demand (BOD) 2.0 mg/L to 10 000 mg/L</p>	<p>- Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 24<sup>th</sup> Edition, 2023, part 5220 D</p> <p>- Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 24<sup>th</sup> Edition, 2023, part 5220 C</p> <p>- Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 24<sup>th</sup> Edition, 2023, part 2540 D</p> <p>- Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 24<sup>th</sup> Edition, 2023, part 5210 B and 4500-O G</p>

UAE  
UNITED ANALYST AND ENGINEERING  
CONSULTANT COMPANY LIMITED

ดำเนินการถูกต้อง

กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม  
(Ministry of Industry, Thai Industrial Standards Institute)

หน้าที่ 8/36

หน้าที่ 12/36



รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ

(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 21-LB0022

(Certification No. 21-LB0022)

ฉบับที่ 07  
(Issue No. 07)

ออกให้ตั้งแต่วันที่ 19 กุมภาพันธ์ พ.ศ. 2567  
(Valid from)

(19 February B.E. 2567 (2024))

ถึงวันที่ 17 พฤษภาคม พ.ศ. 2571  
(Until) (17 May B.E. 2571 (2028))

สถานภาพห้องปฏิบัติการ  
(Laboratory status)

☒ถาวร  
(Permanent)

☐นอกสถานที่  
(Site)

☐ชั่วคราว  
(Temporary)

☐เคลื่อนที่  
(Mobile)

☐หลายสถานที่  
(Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
สาขาสิ่งแวดล้อม (Environmental field) 5. ดิน (ต่อ) (Soil) (cont.)	<ul style="list-style-type: none"> <li>- Volatile organic compounds (VOCs) (cont.)</li> <li>• Tetrachloroethene (Tetrachloroethylene) 0.001 mg/kg to 0.200 mg/kg</li> <li>• Ethylbenzene 0.001 mg/kg to 0.200 mg/kg</li> <li>• m, p-Xylene 0.002 mg/kg to 0.400 mg/kg</li> <li>• o-Xylene 0.001 mg/kg to 0.200 mg/kg</li> <li>• Styrene 0.001 mg/kg to 0.200 mg/kg</li> <li>• Total Xylenes หรือ Xylene (total) 0.003 mg/kg to 0.600 mg/kg</li> </ul>	<ul style="list-style-type: none"> <li>- US EPA Method 5021A, Revision 2 :2014 and US EPA Method 8260D, Revision 4 :2018</li> </ul>

UAE  
UNITED ANALYST AND ENGINEERING  
CONSULTANT COMPANY LIMITED

ดำเนินการถูกต้อง

กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม  
(Ministry of Industry, Thai Industrial Standards Institute)

หน้าที่ 13/36

รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ

(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 21-LB0022

(Certification No. 21-LB0022)

ฉบับที่ 07  
(Issue No. 07)

ออกให้ตั้งแต่วันที่ 19 กุมภาพันธ์ พ.ศ. 2567  
(Valid from)

(19 February B.E. 2567 (2024))

ถึงวันที่ 17 พฤษภาคม พ.ศ. 2571  
(Until) (17 May B.E. 2571 (2028))

สถานภาพห้องปฏิบัติการ  
(Laboratory status)

☒ถาวร  
(Permanent)

☐นอกสถานที่  
(Site)

☐ชั่วคราว  
(Temporary)

☐เคลื่อนที่  
(Mobile)

☐หลายสถานที่  
(Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
สาขาสิ่งแวดล้อม (Environmental field) 6. บรรยากาศ (ต่อ) (Ambient)	<ul style="list-style-type: none"> <li>- Total suspended particulate matter (TSP) 2.0 µg/m³ to 750 µg/m³ (0.002 mg/m³ to 0.750 mg/m³)</li> <li>- Particulate matter as PM<sub>10</sub> 2.7 µg/m³ to 300 µg/m³ (0.003 mg/m³ to 0.300 mg/m³)</li> </ul>	<ul style="list-style-type: none"> <li>- US EPA, Code of Federal Regulations, 40 CFR chapter I-part 50 appendix B, Reference Method for the Determination of Suspended Particulate Matter in the Atmosphere (High-Volume method) Revised as of July 1, 2021</li> <li>- US EPA, Code of Federal Regulations, 40 CFR chapter I-part 50 appendix J, Reference Method for the Determination of Particulate Matter as PM<sub>10</sub> in the Atmosphere (High-Volume method) Revised as of July 1, 2021</li> </ul>

UAE  
UNITED ANALYST AND ENGINEERING  
CONSULTANT COMPANY LIMITED

ดำเนินการถูกต้อง

กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม  
(Ministry of Industry, Thai Industrial Standards Institute)

หน้าที่ 14/36

รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ

(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 21-LB0022

(Certification No. 21-LB0022)

ฉบับที่ 07  
(Issue No. 07)

ออกให้ตั้งแต่วันที่ 19 กุมภาพันธ์ พ.ศ. 2567  
(Valid from)

(19 February B.E. 2567 (2024))

ถึงวันที่ 17 พฤษภาคม พ.ศ. 2571  
(Until) (17 May B.E. 2571 (2028))

สถานภาพห้องปฏิบัติการ  
(Laboratory status)

☒ถาวร  
(Permanent)

☐นอกสถานที่  
(Site)

☐ชั่วคราว  
(Temporary)

☐เคลื่อนที่  
(Mobile)

☐หลายสถานที่  
(Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
สาขาสิ่งแวดล้อม (Environmental field) 6. บรรยากาศ (ต่อ) (Ambient) (cont.)	<ul style="list-style-type: none"> <li>- Fine particulate matter as PM<sub>2.5</sub> 2.00 µg/m³ to 200 µg/m³ (0.002 mg/m³ to 0.200 mg/m³)</li> <li>- Volatile organic compounds (VOCs)</li> <li>• Benzene 0.08 ppbv to 25 ppbv (0.26 µg/m³ to 79.9 µg/m³)</li> <li>• Bromodichloromethane 0.08 ppbv to 25 ppbv (0.53 µg/m³ to 166 µg/m³)</li> <li>• Bromoform 0.08 ppbv to 25 ppbv (0.82 µg/m³ to 256 µg/m³)</li> <li>• Bromomethane 0.08 ppbv to 25 ppbv (0.31 µg/m³ to 96.1 µg/m³)</li> </ul>	<ul style="list-style-type: none"> <li>- US EPA, Code of Federal Regulation, 40 CFR Chapter I -Part 50, Appendix L, Reference Method for the Determination of Fine Particulate Matter As PM<sub>2.5</sub> in the Atmosphere Revised as of October 15, 2021</li> <li>- UAE.TP.TOX.003 based on U.S.EPA, Compendium Method TO-15, 2<sup>nd</sup> edition, January 1999</li> </ul>

UAE  
UNITED ANALYST AND ENGINEERING  
CONSULTANT COMPANY LIMITED

ดำเนินการถูกต้อง

กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม  
(Ministry of Industry, Thai Industrial Standards Institute)

หน้าที่ 15/36

รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ

(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 21-LB0022

(Certification No. 21-LB0022)

ฉบับที่ 07  
(Issue No. 07)

ออกให้ตั้งแต่วันที่ 19 กุมภาพันธ์ พ.ศ. 2567  
(Valid from)

(19 February B.E. 2567 (2024))

ถึงวันที่ 17 พฤษภาคม พ.ศ. 2571  
(Until) (17 May B.E. 2571 (2028))

สถานภาพห้องปฏิบัติการ  
(Laboratory status)

☒ถาวร  
(Permanent)

☐นอกสถานที่  
(Site)

☐ชั่วคราว  
(Temporary)

☐เคลื่อนที่  
(Mobile)

☐หลายสถานที่  
(Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
สาขาสิ่งแวดล้อม (Environmental field) 6. บรรยากาศ (ต่อ) (Ambient) (cont.)	<ul style="list-style-type: none"> <li>- Volatile organic compounds (VOCs) (cont.)</li> <li>• Carbon Disulfide 0.08 ppbv to 25 ppbv (0.25 µg/m³ to 77.7 µg/m³)</li> <li>• Carbon Tetrachloride 0.08 ppbv to 25 ppbv (0.50 µg/m³ to 155 µg/m³)</li> <li>• Chlorobenzene 0.08 ppbv to 25 ppbv (0.37 µg/m³ to 115 µg/m³)</li> <li>• Chloroform 0.08 ppbv to 25 ppbv (0.39 µg/m³ to 121 µg/m³)</li> <li>• 1,2-Dichlorobenzene 0.08 ppbv to 25 ppbv (0.48 µg/m³ to 149 µg/m³)</li> <li>• 1,3-Dichlorobenzene 0.08 ppbv to 25 ppbv (0.48 µg/m³ to 149 µg/m³)</li> <li>• 1,1-Dichloroethane 0.08 ppbv to 25 ppbv (0.32 µg/m³ to 100 µg/m³)</li> </ul>	<ul style="list-style-type: none"> <li>- UAE.TP.TOX.003 based on U.S.EPA, Compendium Method TO-15, 2<sup>nd</sup> edition, January 1999</li> </ul>

UAE  
UNITED ANALYST AND ENGINEERING  
CONSULTANT COMPANY LIMITED

ดำเนินการถูกต้อง

กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม  
(Ministry of Industry, Thai Industrial Standards Institute)

หน้าที่ 16/36

รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ

(Scope of Accreditation for Testing)  
ใบรับรองเลขที่ 21-LB0022  
(Certification No. 21-LB0022)



ฉบับที่ 07  
(Issue No. 07)

ออกให้ตั้งแต่วันที่ 19 กุมภาพันธ์ พ.ศ. 2567  
(Valid from) (19 February B.E. 2567 (2024))

ถึงวันที่ 17 พฤษภาคม พ.ศ. 2571  
(Until) (17 May B.E. 2571 (2028))

สถานภาพห้องปฏิบัติการ  
(Laboratory status)

☒ ถาวร (Permanent)  
☐ นอกสถานที่ (Site)  
☐ชั่วคราว (Temporary)

☐เคลื่อนที่ (Mobile)  
☐หลายสถานที่ (Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
<p>สาขาสังแวดล้อม (Environmental Field)</p> <p>6. บรรยากาศ (ต่อ) (Ambient) (cont.)</p>	<p>- Volatile organic compounds (VOCs) (cont.)</p> <ul style="list-style-type: none"> <li>1,2-Dichloroethane 0.08 ppbv to 25 ppbv (0.32 <math>\mu\text{g}/\text{m}^3</math> to 100 <math>\mu\text{g}/\text{m}^3</math>)</li> <li>1,2-Dibromoethane 0.08 ppbv to 25 ppbv (0.61 <math>\mu\text{g}/\text{m}^3</math> to 190 <math>\mu\text{g}/\text{m}^3</math>)</li> <li>Freon-11 (Trichloromono-fluoromethane) 0.08 ppbv to 25 ppbv (0.44 <math>\mu\text{g}/\text{m}^3</math> to 139 <math>\mu\text{g}/\text{m}^3</math>)</li> <li>Freon-113 (1,1,2-Trichloro-1,2,2-Trifluoroethane) 0.08 ppbv to 25 ppbv (0.61 <math>\mu\text{g}/\text{m}^3</math> to 190 <math>\mu\text{g}/\text{m}^3</math>)</li> <li>Freon-114 (1,2-Dichloro tetrafluoroethane) 0.08 ppbv to 25 ppbv (0.56 <math>\mu\text{g}/\text{m}^3</math> to 174 <math>\mu\text{g}/\text{m}^3</math>)</li> <li>Pentane 0.08 ppbv to 25 ppbv (0.24 <math>\mu\text{g}/\text{m}^3</math> to 73.6 <math>\mu\text{g}/\text{m}^3</math>)</li> </ul>	<p>- UAE.TP.TOX.003 based on U.S.EPA, Compendium Method TO-15, 2<sup>nd</sup> edition, January 1999</p>

UAE  
UNITED ANALYST AND ENGINEERING  
CONSULTANT COMPANY LIMITED

ดำเนินการถูกต้อง

กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม  
(Ministry of Industry, Thai Industrial Standards Institute)

หน้าที่ 17/36

รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ

(Scope of Accreditation for Testing)  
ใบรับรองเลขที่ 21-LB0022  
(Certification No. 21-LB0022)



ฉบับที่ 07  
(Issue No. 07)

ออกให้ตั้งแต่วันที่ 19 กุมภาพันธ์ พ.ศ. 2567  
(Valid from) (19 February B.E. 2567 (2024))

ถึงวันที่ 17 พฤษภาคม พ.ศ. 2571  
(Until) (17 May B.E. 2571 (2028))

สถานภาพห้องปฏิบัติการ  
(Laboratory status)

☒ ถาวร (Permanent)  
☐ นอกสถานที่ (Site)  
☐ชั่วคราว (Temporary)

☐เคลื่อนที่ (Mobile)  
☐หลายสถานที่ (Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
<p>สาขาสังแวดล้อม (Environmental Field)</p> <p>6. บรรยากาศ (ต่อ) (Ambient) (cont.)</p>	<p>- Volatile organic compounds (VOCs) (cont.)</p> <ul style="list-style-type: none"> <li>1,1,2,2-Tetrachloroethane 0.08 ppbv to 25 ppbv (0.54 <math>\mu\text{g}/\text{m}^3</math> to 170 <math>\mu\text{g}/\text{m}^3</math>)</li> <li>Toluene 0.08 ppbv to 25 ppbv (0.30 <math>\mu\text{g}/\text{m}^3</math> to 94.1 <math>\mu\text{g}/\text{m}^3</math>)</li> <li>Tetrachloroethylene 0.08 ppbv to 25 ppbv (0.54 <math>\mu\text{g}/\text{m}^3</math> to 168 <math>\mu\text{g}/\text{m}^3</math>)</li> <li>Trichloroethylene 0.08 ppbv to 25 ppbv (0.43 <math>\mu\text{g}/\text{m}^3</math> to 133 <math>\mu\text{g}/\text{m}^3</math>)</li> <li>1,1,1-Trichloroethane 0.08 ppbv to 25 ppbv (0.43 <math>\mu\text{g}/\text{m}^3</math> to 135 <math>\mu\text{g}/\text{m}^3</math>)</li> <li>Chloromethane 0.08 ppbv to 25 ppbv (0.16 <math>\mu\text{g}/\text{m}^3</math> to 51.1 <math>\mu\text{g}/\text{m}^3</math>)</li> <li>Isobutene 0.08 ppbv to 25 ppbv (0.18 <math>\mu\text{g}/\text{m}^3</math> to 57.3 <math>\mu\text{g}/\text{m}^3</math>)</li> </ul>	<p>- UAE.TP.TOX.003 based on U.S.EPA, Compendium Method TO-15, 2<sup>nd</sup> edition, January 1999</p>

UAE  
UNITED ANALYST AND ENGINEERING  
CONSULTANT COMPANY LIMITED

ดำเนินการถูกต้อง

กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม  
(Ministry of Industry, Thai Industrial Standards Institute)

หน้าที่ 18/36

รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ

(Scope of Accreditation for Testing)  
ใบรับรองเลขที่ 21-LB0022  
(Certification No. 21-LB0022)



ฉบับที่ 07  
(Issue No. 07)

ออกให้ตั้งแต่วันที่ 19 กุมภาพันธ์ พ.ศ. 2567  
(Valid from) (19 February B.E. 2567 (2024))

ถึงวันที่ 17 พฤษภาคม พ.ศ. 2571  
(Until) (17 May B.E. 2571 (2028))

สถานภาพห้องปฏิบัติการ  
(Laboratory status)

☒ ถาวร (Permanent)  
☐ นอกสถานที่ (Site)  
☐ชั่วคราว (Temporary)

☐เคลื่อนที่ (Mobile)  
☐หลายสถานที่ (Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
<p>สาขาสังแวดล้อม (Environmental Field)</p> <p>6. บรรยากาศ (ต่อ) (Ambient) (cont.)</p>	<p>- Volatile organic compounds (VOCs) (cont.)</p> <ul style="list-style-type: none"> <li>Vinyl Chloride 0.08 ppbv to 25 ppbv (0.20 <math>\mu\text{g}/\text{m}^3</math> to 63.4 <math>\mu\text{g}/\text{m}^3</math>)</li> <li>1,3-Butadiene 0.08 ppbv to 25 ppbv (0.18 <math>\mu\text{g}/\text{m}^3</math> to 55.2 <math>\mu\text{g}/\text{m}^3</math>)</li> <li>Acetaldehyde 0.08 ppbv to 25 ppbv (0.14 <math>\mu\text{g}/\text{m}^3</math> to 45.0 <math>\mu\text{g}/\text{m}^3</math>)</li> <li>Chloroethane 0.08 ppbv to 25 ppbv (0.21 <math>\mu\text{g}/\text{m}^3</math> to 65.4 <math>\mu\text{g}/\text{m}^3</math>)</li> <li>Acrolein 0.08 ppbv to 25 ppbv (0.18 <math>\mu\text{g}/\text{m}^3</math> to 57.3 <math>\mu\text{g}/\text{m}^3</math>)</li> <li>1,1-Dichloroethene (1,1-Dichloroethylene) 0.08 ppbv to 25 ppbv (0.31 <math>\mu\text{g}/\text{m}^3</math> to 98.2 <math>\mu\text{g}/\text{m}^3</math>)</li> <li>Acetone 0.08 ppbv to 25 ppbv (0.19 <math>\mu\text{g}/\text{m}^3</math> to 59.4 <math>\mu\text{g}/\text{m}^3</math>)</li> </ul>	<p>- UAE.TP.TOX.003 based on U.S.EPA, Compendium Method TO-15, 2<sup>nd</sup> edition, January 1999</p>

UAE  
UNITED ANALYST AND ENGINEERING  
CONSULTANT COMPANY LIMITED

ดำเนินการถูกต้อง

กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม  
(Ministry of Industry, Thai Industrial Standards Institute)

หน้าที่ 19/36

รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ

(Scope of Accreditation for Testing)  
ใบรับรองเลขที่ 21-LB0022  
(Certification No. 21-LB0022)



ฉบับที่ 07  
(Issue No. 07)

ออกให้ตั้งแต่วันที่ 19 กุมภาพันธ์ พ.ศ. 2567  
(Valid from) (19 February B.E. 2567 (2024))

ถึงวันที่ 17 พฤษภาคม พ.ศ. 2571  
(Until) (17 May B.E. 2571 (2028))

สถานภาพห้องปฏิบัติการ  
(Laboratory status)

☒ ถาวร (Permanent)  
☐ นอกสถานที่ (Site)  
☐ชั่วคราว (Temporary)

☐เคลื่อนที่ (Mobile)  
☐หลายสถานที่ (Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
<p>สาขาสังแวดล้อม (Environmental Field)</p> <p>6. บรรยากาศ (ต่อ) (Ambient) (cont.)</p>	<p>- Volatile organic compounds (VOCs) (cont.)</p> <ul style="list-style-type: none"> <li>Methyl iodide 0.08 ppbv to 25 ppbv (0.46 <math>\mu\text{g}/\text{m}^3</math> to 145 <math>\mu\text{g}/\text{m}^3</math>)</li> <li>Acetonitrile 0.08 ppbv to 25 ppbv (0.13 <math>\mu\text{g}/\text{m}^3</math> to 41.9 <math>\mu\text{g}/\text{m}^3</math>)</li> <li>Methylene Chloride (Dichloromethane) 0.08 ppbv to 25 ppbv (0.27 <math>\mu\text{g}/\text{m}^3</math> to 85.9 <math>\mu\text{g}/\text{m}^3</math>)</li> <li>Acrylonitrile 0.08 ppbv to 25 ppbv (0.17 <math>\mu\text{g}/\text{m}^3</math> to 54.2 <math>\mu\text{g}/\text{m}^3</math>)</li> <li>Hexane 0.08 ppbv to 25 ppbv (0.28 <math>\mu\text{g}/\text{m}^3</math> to 87.9 <math>\mu\text{g}/\text{m}^3</math>)</li> <li>cis-1,2-Dichloroethene (cis-1,2-Dichloroethylene) 0.08 ppbv to 25 ppbv (0.31 <math>\mu\text{g}/\text{m}^3</math> to 98.2 <math>\mu\text{g}/\text{m}^3</math>)</li> </ul>	<p>- UAE.TP.TOX.003 based on U.S.EPA, Compendium Method TO-15, 2<sup>nd</sup> edition, January 1999</p>

UAE  
UNITED ANALYST AND ENGINEERING  
CONSULTANT COMPANY LIMITED

ดำเนินการถูกต้อง

กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม  
(Ministry of Industry, Thai Industrial Standards Institute)

หน้าที่ 20/36



รายละเอียดสาขาและขอบข่ายให้บริการ  
(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 21-LB0022  
(Certification No. 21-LB0022)



ฉบับที่ 07  
(Issue No. 07)

ออกให้ตั้งแต่วันที่ 19 กุมภาพันธ์ พ.ศ. 2567  
(Valid from) (19 February B.E. 2567 (2024))

ถึงวันที่ 17 พฤษภาคม พ.ศ. 2571  
(Until) (17 May B.E. 2571 (2028))

สถานภาพห้องปฏิบัติการ  
(Laboratory status)

☒ ถาวร (Permanent)  
☐ นอกสถานที่ (Site)  
☐ชั่วคราว (Temporary)

☐เคลื่อนที่ (Mobile)  
☐หลายสถานที่ (Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
สาขาสิ่งแวดล้อม (Environmental field) 6. บรรยากาศ (ต่อ) (Ambient) (cont.)	<ul style="list-style-type: none"> <li>- Volatile organic compounds (VOCs) (cont.)</li> <li>• Methyl Ethyl Ketone (MEK) 0.08 ppbv to 25 ppbv (0.24 µg/m³ to 73.6 µg/m³)</li> <li>• Cyclohexane 0.08 ppbv to 25 ppbv (0.27 µg/m³ to 85.9 µg/m³)</li> <li>• 2-Pentanone 0.08 ppbv to 25 ppbv (0.28 µg/m³ to 87.9 µg/m³)</li> <li>• 1,2-Dichloropropane 0.08 ppbv to 25 ppbv (0.37 µg/m³ to 115 µg/m³)</li> <li>• 3-Pentanone 0.08 ppbv to 25 ppbv (0.28 µg/m³ to 87.9 µg/m³)</li> <li>• 1,4-Dioxane 0.08 ppbv to 25 ppbv (0.29 µg/m³ to 90.0 µg/m³)</li> <li>• trans-1,3-Dichloropropene 0.08 ppbv to 25 ppbv (0.36 µg/m³ to 112 µg/m³)</li> </ul>	<ul style="list-style-type: none"> <li>- UAE.TP.TOX.003 based on U.S.EPA, Compendium Method TO-15, 2<sup>nd</sup> edition, January 1999</li> </ul>

UAE  
UNITED ANALYST AND ENGINEERING  
CONSULTANT COMPANY LIMITED

ดำเนินการถูกต้อง Rk

กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม  
(Ministry of Industry, Thai Industrial Standards Institute)

หน้า 21/36

รายละเอียดสาขาและขอบข่ายให้บริการ  
(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 21-LB0022  
(Certification No. 21-LB0022)



ฉบับที่ 07  
(Issue No. 07)

ออกให้ตั้งแต่วันที่ 19 กุมภาพันธ์ พ.ศ. 2567  
(Valid from) (19 February B.E. 2567 (2024))

ถึงวันที่ 17 พฤษภาคม พ.ศ. 2571  
(Until) (17 May B.E. 2571 (2028))

สถานภาพห้องปฏิบัติการ  
(Laboratory status)

☒ ถาวร (Permanent)  
☐ นอกสถานที่ (Site)  
☐ชั่วคราว (Temporary)

☐เคลื่อนที่ (Mobile)  
☐หลายสถานที่ (Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
สาขาสิ่งแวดล้อม (Environmental field) 6. บรรยากาศ (ต่อ) (Ambient) (cont.)	<ul style="list-style-type: none"> <li>- Volatile organic compounds (VOCs) (cont.)</li> <li>• 1,1,2-Trichloroethane 0.08 ppbv to 25 ppbv (0.43 µg/m³ to 135 µg/m³)</li> <li>• 3-Hexanone 0.08 ppbv to 25 ppbv (0.33 µg/m³ to 102 µg/m³)</li> <li>• Ethylbenzene 0.08 ppbv to 25 ppbv (0.35 µg/m³ to 108 µg/m³)</li> <li>• m,p-Xylene 0.16 ppbv to 50 ppbv (0.70 µg/m³ to 217 µg/m³)</li> <li>• o-Xylene 0.08 ppbv to 25 ppbv (0.35 µg/m³ to 108 µg/m³)</li> <li>• 1,4-Dichlorobenzene 0.08 ppbv to 25 ppbv (0.48 µg/m³ to 149 µg/m³)</li> <li>• 1,2,3-Trimethylbenzene 0.08 ppbv to 25 ppbv (0.39 µg/m³ to 123 µg/m³)</li> </ul>	<ul style="list-style-type: none"> <li>- UAE.TP.TOX.003 based on U.S.EPA, Compendium Method TO-15, 2<sup>nd</sup> edition, January 1999</li> </ul>

UAE  
UNITED ANALYST AND ENGINEERING  
CONSULTANT COMPANY LIMITED

ดำเนินการถูกต้อง Rk

กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม  
(Ministry of Industry, Thai Industrial Standards Institute)

หน้า 22/36

รายละเอียดสาขาและขอบข่ายให้บริการ  
(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 21-LB0022  
(Certification No. 21-LB0022)



ฉบับที่ 07  
(Issue No. 07)

ออกให้ตั้งแต่วันที่ 19 กุมภาพันธ์ พ.ศ. 2567  
(Valid from) (19 February B.E. 2567 (2024))

ถึงวันที่ 17 พฤษภาคม พ.ศ. 2571  
(Until) (17 May B.E. 2571 (2028))

สถานภาพห้องปฏิบัติการ  
(Laboratory status)

☒ ถาวร (Permanent)  
☐ นอกสถานที่ (Site)  
☐ชั่วคราว (Temporary)

☐เคลื่อนที่ (Mobile)  
☐หลายสถานที่ (Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
สาขาสิ่งแวดล้อม (Environmental field) 6. บรรยากาศ (ต่อ) (Ambient) (cont.)	<ul style="list-style-type: none"> <li>- Volatile organic compounds (VOCs) (cont.)</li> <li>• Benzyl Chloride 0.08 ppbv to 25 ppbv (0.41 µg/m³ to 129 µg/m³)</li> <li>• Propanal 0.08 ppbv to 25 ppbv (0.19 µg/m³ to 59.3 µg/m³)</li> </ul>	<ul style="list-style-type: none"> <li>- UAE.TP.TOX.003 based on U.S.EPA, Compendium Method TO-15, 2<sup>nd</sup> edition, January 1999</li> </ul>
7. สถานประกอบการ (Workplace)	<ul style="list-style-type: none"> <li>- Total dust 0.200 mg/m³ to 15.0 mg/m³</li> <li>- Respirable dust 0.010 mg/m³ to 5.00 mg/m³</li> <li>- Nitrogen dioxide 0.500 mg/m³ to 13.4 mg/m³ (0.266 ppm to 7.11 ppm)</li> <li>- Particulate Matter (PM<sub>2.5</sub>) 7 µg/m³ to 2240 µg/m³ (0.007 mg/m³ to 2.24 mg/m³)</li> </ul>	<ul style="list-style-type: none"> <li>- NIOSH manual of analytical method (NMAM), method 0500, fourth edition, 15<sup>th</sup> Aug, 1994</li> <li>- NIOSH manual of analytical method (NMAM), method 0600, fourth edition, 15<sup>th</sup> Aug, 1994</li> <li>- NIOSH Manual of Analytical Methods (NMAM), method 6014, 4<sup>th</sup> Edition, 15 Aug, 1994</li> <li>- US EPA, Compendium of Methods for the Determination of Metals Method IP-10 A, April 1990</li> </ul>

UAE  
UNITED ANALYST AND ENGINEERING  
CONSULTANT COMPANY LIMITED

ดำเนินการถูกต้อง Rk

กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม  
(Ministry of Industry, Thai Industrial Standards Institute)

หน้า 23/36

รายละเอียดสาขาและขอบข่ายให้บริการ  
(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 21-LB0022  
(Certification No. 21-LB0022)



ชื่อห้องปฏิบัติการ  
(Laboratory Name)

บริษัท ยูนิเทค แอนาไลซิส แอนด์ เอ็นจิเนียริ่ง คอนซัลแตนท์ จำกัด

หมายเลขการรับรอง  
(Accreditation No.)

ทดสอบ 0207  
(Testing 0207)

ฉบับที่ 07  
(Issue No. 07)

ออกให้ตั้งแต่วันที่ 19 กุมภาพันธ์ พ.ศ. 2567  
(Valid from) (19 February B.E. 2567 (2024))

ถึงวันที่ 17 พฤษภาคม พ.ศ. 2571  
(Until) (17 May B.E. 2571 (2028))

สถานภาพห้องปฏิบัติการ  
(Laboratory status)

☒ ถาวร (Permanent)  
☐ นอกสถานที่ (Site)  
☐ชั่วคราว (Temporary)

☐เคลื่อนที่ (Mobile)  
☐หลายสถานที่ (Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
สาขาโภชนาภัณฑ์ (Consumer products field) 1. น้ำดื่ม และน้ำประปา (Drinking water and tap water)	<ul style="list-style-type: none"> <li>- Chloride (Cl<sup>-</sup>) 2.0 mg/L to 500 mg/L</li> <li>- Total hardness 4.0 mg/L to 500 mg/L</li> <li>- Fluoride (F<sup>-</sup>) 0.08 mg/L to 5.00 mg/L</li> </ul>	<ul style="list-style-type: none"> <li>- Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 24<sup>th</sup> Edition, 2023, part 4500-Cl<sup>-</sup> B</li> <li>- Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 24<sup>th</sup> Edition, 2023, part 2340 C</li> <li>- Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 24<sup>th</sup> Edition, 2023, part 4500-F<sup>-</sup> D</li> </ul>

UAE  
UNITED ANALYST AND ENGINEERING  
CONSULTANT COMPANY LIMITED

ดำเนินการถูกต้อง Rk

กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม  
(Ministry of Industry, Thai Industrial Standards Institute)

หน้า 24/36





รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ  
(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 21-LB0022  
(Certification No. 21-LB0022)



ฉบับที่ 07  
(Issue No. 07)

ออกให้ตั้งแต่วันที่ 19 กุมภาพันธ์ พ.ศ. 2567  
(Valid from) (19 February B.E. 2567 (2024))

ถึงวันที่ 17 พฤษภาคม พ.ศ. 2571  
(Until) (17 May B.E. 2571 (2028))

สถานภาพห้องปฏิบัติการ  
(Laboratory status)

☐ ถาวร (Permanent)  
☒ นอกสถานที่ (Site)  
☐ชั่วคราว (Temporary)

☐เคลื่อนที่ (Mobile)  
☐หลายสถานที่ (Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
สาขาสิ่งแวดล้อม (Environmental field) 3. สถานประกอบการ (ต่อ) (Workplace) (cont.)	<ul style="list-style-type: none"> <li>- ระดับเสียง (sound level)</li> <li>• ระดับเสียงเฉลี่ย (equivalent continuous sound pressure level; <math>L_{Aeq}</math>) 30.0 dB(A) to 120.0 dB(A)</li> <li>• ระดับเสียงสูงสุด (maximum sound level; <math>L_{Amax}</math>) 30.0 dB(A) to 120.0 dB(A)</li> <li>• ระดับเสียงต่ำสุด (minimum sound level; <math>L_{Amin}</math>) 30.0 dB(A) to 120.0 dB(A)</li> <li>• ระดับเสียงเปอร์เซ็นต์ไทล์ที่ N (percentile sound level; <math>L_{A(N)}</math>) 30.0 dB(A) to 120.0 dB(A)</li> </ul>	<ul style="list-style-type: none"> <li>- ประกาศกรมสวัสดิการและคุ้มครองแรงงาน เรื่อง หลักเกณฑ์ วิธีการตรวจวัด และการวิเคราะห์ผลการทำงานเกี่ยวกับระดับความรบกวน แสงสว่าง หรือเสียง รวมทั้งระยะเวลาและประเภทกิจการที่ต้องดำเนินการ ลงวันที่ 8 กุมภาพันธ์ พ.ศ. 2561</li> <li>- กฎกระทรวง (กระทรวงแรงงาน) กำหนดมาตรฐานในการบริหารจัดการ และดำเนินการด้านความปลอดภัย อาชีวอนามัยและสภาพแวดล้อมในการทำงานเกี่ยวกับความรบกวน แสงสว่าง และเสียง พ.ศ. 2559 ลงวันที่ 7 ตุลาคม พ.ศ. 2559</li> <li>- ประกาศกระทรวงอุตสาหกรรม เรื่อง มาตรการคุ้มครองความปลอดภัยในการประกอบกิจการโรงงานเกี่ยวกับสภาวะแวดล้อมในการทำงาน พ.ศ. 2546 ลงวันที่ 6 พฤศจิกายน พ.ศ. 2546</li> </ul>

UAE  
UNITED ANALYST AND ENGINEERING  
SOURIN TANT COMPANY LIMITED

UAE  
UNITED ANALYST AND ENGINEERING  
SOURIN TANT COMPANY LIMITED

กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม  
(Ministry of Industry, Thai Industrial Standards Institute)

หน้าที่ 29/36

รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ  
(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 21-LB0022  
(Certification No. 21-LB0022)



ฉบับที่ 07  
(Issue No. 07)

ออกให้ตั้งแต่วันที่ 19 กุมภาพันธ์ พ.ศ. 2567  
(Valid from) (19 February B.E. 2567 (2024))

ถึงวันที่ 17 พฤษภาคม พ.ศ. 2571  
(Until) (17 May B.E. 2571 (2028))

สถานภาพห้องปฏิบัติการ  
(Laboratory status)

☐ ถาวร (Permanent)  
☒ นอกสถานที่ (Site)  
☐ชั่วคราว (Temporary)

☐เคลื่อนที่ (Mobile)  
☐หลายสถานที่ (Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
สาขาสิ่งแวดล้อม (Environmental field) 3. สถานประกอบการ (ต่อ) (Workplace) (cont.)	<ul style="list-style-type: none"> <li>- ระดับเสียงแบบติดตัวบุคคล (noise dose)</li> <li>• ระดับเสียงเฉลี่ยตลอดเวลาการทำงาน (time weighted average) 40.0 dB(A) to 140.0 dB(A)</li> <li>• ระดับเสียงสูงสุด (peak) 115.0 dB(A) to 143.0 dB(A)</li> </ul>	<ul style="list-style-type: none"> <li>- ประกาศกรมสวัสดิการและคุ้มครองแรงงาน เรื่อง หลักเกณฑ์ วิธีการตรวจวัด และการวิเคราะห์ผลการทำงานเกี่ยวกับระดับความรบกวน แสงสว่าง หรือเสียง รวมทั้งระยะเวลาและประเภทกิจการที่ต้องดำเนินการ ลงวันที่ 8 กุมภาพันธ์ พ.ศ. 2561</li> <li>- กฎกระทรวง (กระทรวงแรงงาน) กำหนดมาตรฐานในการบริหารจัดการ และดำเนินการด้านความปลอดภัย อาชีวอนามัยและสภาพแวดล้อมในการทำงานเกี่ยวกับความรบกวน แสงสว่าง และเสียง พ.ศ. 2559 ลงวันที่ 7 ตุลาคม พ.ศ. 2559</li> <li>- ประกาศกระทรวงอุตสาหกรรม เรื่อง มาตรการคุ้มครองความปลอดภัยในการประกอบกิจการโรงงานเกี่ยวกับสภาวะแวดล้อมในการทำงาน พ.ศ. 2546 ลงวันที่ 6 พฤศจิกายน พ.ศ. 2546</li> </ul>

UAE  
UNITED ANALYST AND ENGINEERING  
SOURIN TANT COMPANY LIMITED

UAE  
UNITED ANALYST AND ENGINEERING  
SOURIN TANT COMPANY LIMITED

กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม  
(Ministry of Industry, Thai Industrial Standards Institute)

หน้าที่ 30/36

รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ  
(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 21-LB0022  
(Certification No. 21-LB0022)



ฉบับที่ 07  
(Issue No. 07)

ออกให้ตั้งแต่วันที่ 19 กุมภาพันธ์ พ.ศ. 2567  
(Valid from) (19 February B.E. 2567 (2024))

ถึงวันที่ 17 พฤษภาคม พ.ศ. 2571  
(Until) (17 May B.E. 2571 (2028))

สถานภาพห้องปฏิบัติการ  
(Laboratory status)

☐ ถาวร (Permanent)  
☒ นอกสถานที่ (Site)  
☐ชั่วคราว (Temporary)

☐เคลื่อนที่ (Mobile)  
☐หลายสถานที่ (Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
สาขาสิ่งแวดล้อม (Environmental field) 3. สถานประกอบการ (ต่อ) (Workplace) (cont.)	<ul style="list-style-type: none"> <li>- ความเข้มของแสงสว่าง (light intensity) 0 Lux to 20 000 Lux</li> </ul>	<ul style="list-style-type: none"> <li>- ประกาศกรมสวัสดิการและคุ้มครองแรงงาน เรื่อง หลักเกณฑ์ วิธีการตรวจวัด และการวิเคราะห์ผลการทำงานเกี่ยวกับระดับความรบกวน แสงสว่าง หรือเสียง รวมทั้งระยะเวลาและประเภทกิจการที่ต้องดำเนินการ ลงวันที่ 8 กุมภาพันธ์ พ.ศ. 2561</li> <li>- กฎกระทรวง (กระทรวงแรงงาน) กำหนดมาตรฐานในการบริหารจัดการ และดำเนินการด้านความปลอดภัย อาชีวอนามัยและสภาพแวดล้อมในการทำงานเกี่ยวกับความรบกวน แสงสว่าง และเสียง พ.ศ. 2559 ลงวันที่ 7 ตุลาคม พ.ศ. 2559</li> <li>- ประกาศกระทรวงอุตสาหกรรม เรื่อง มาตรการคุ้มครองความปลอดภัยในการประกอบกิจการโรงงานเกี่ยวกับสภาวะแวดล้อมในการทำงาน พ.ศ. 2546 ลงวันที่ 6 พฤศจิกายน พ.ศ. 2546</li> </ul>

UAE  
UNITED ANALYST AND ENGINEERING  
SOURIN TANT COMPANY LIMITED

UAE  
UNITED ANALYST AND ENGINEERING  
SOURIN TANT COMPANY LIMITED

กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม  
(Ministry of Industry, Thai Industrial Standards Institute)

หน้าที่ 31/36

รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ  
(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 21-LB0022  
(Certification No. 21-LB0022)



ฉบับที่ 07  
(Issue No. 07)

ออกให้ตั้งแต่วันที่ 19 กุมภาพันธ์ พ.ศ. 2567  
(Valid from) (19 February B.E. 2567 (2024))

ถึงวันที่ 17 พฤษภาคม พ.ศ. 2571  
(Until) (17 May B.E. 2571 (2028))

สถานภาพห้องปฏิบัติการ  
(Laboratory status)

☐ ถาวร (Permanent)  
☒ นอกสถานที่ (Site)  
☐ชั่วคราว (Temporary)

☐เคลื่อนที่ (Mobile)  
☐หลายสถานที่ (Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
สาขาสิ่งแวดล้อม (Environmental field) 3. สถานประกอบการ (ต่อ) (Workplace) (cont.)	<ul style="list-style-type: none"> <li>- ระดับความร้อน (heat stress)</li> <li>• อุณหภูมิเวทบอลบิลบ (wet bulb globe temperature) 20.0 °C to 40.0 °C</li> </ul>	<ul style="list-style-type: none"> <li>- ประกาศกรมสวัสดิการและคุ้มครองแรงงาน เรื่อง หลักเกณฑ์ วิธีการตรวจวัด และการวิเคราะห์ผลการทำงานเกี่ยวกับระดับความรบกวน แสงสว่าง หรือเสียง รวมทั้งระยะเวลาและประเภทกิจการที่ต้องดำเนินการ ลงวันที่ 8 กุมภาพันธ์ พ.ศ. 2561</li> <li>- กฎกระทรวง (กระทรวงแรงงาน) กำหนดมาตรฐานในการบริหารจัดการ และดำเนินการด้านความปลอดภัย อาชีวอนามัยและสภาพแวดล้อมในการทำงานเกี่ยวกับความรบกวน แสงสว่าง และเสียง พ.ศ. 2559 ลงวันที่ 7 ตุลาคม พ.ศ. 2559</li> <li>- ประกาศกระทรวงอุตสาหกรรม เรื่อง มาตรการคุ้มครองความปลอดภัยในการประกอบกิจการโรงงานเกี่ยวกับสภาวะแวดล้อมในการทำงาน พ.ศ. 2546 ลงวันที่ 6 พฤศจิกายน พ.ศ. 2546</li> </ul>

UAE  
UNITED ANALYST AND ENGINEERING  
SOURIN TANT COMPANY LIMITED

UAE  
UNITED ANALYST AND ENGINEERING  
SOURIN TANT COMPANY LIMITED

กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม  
(Ministry of Industry, Thai Industrial Standards Institute)

หน้าที่ 32/36

รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ  
(Scope of Accreditation for Testing)  
ใบรับรองเลขที่ 21-LB0022  
(Certification No. 21-LB0022)



ฉบับที่ 07  
(Issue No. 07)  
ออกให้ตั้งแต่วันที่ 19 กุมภาพันธ์ พ.ศ. 2567  
(Valid from) (19 February B.E. 2567 (2024))  
สถานภาพห้องปฏิบัติการ ☐ ถาวร ☒ นอกสถานที่ ☐ชั่วคราว  
(Laboratory status) (Permanent) (Site) (Temporary)

ถึงวันที่ 17 พฤษภาคม พ.ศ. 2571  
(Until) (17 May B.E. 2571 (2028))  
☐เคลื่อนที่ ☐หลายสถานที่  
(Mobile) (Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
สาขาสิ่งแวดล้อม (Environmental field) 4. ปล่องระบายอากาศเสีย (Stack)	- Sulfur dioxide at actual oxygen 45 ppm to 1 000 ppm  - Sulfur dioxide at 7% oxygen 34 ppm to 2 355 ppm  - Oxide of nitrogen at actual oxygen 45 ppm to 700 ppm  - Oxide of nitrogen at 7% oxygen 34 ppm to 1 649 ppm	- US EPA, Code of Federal Regulations, 40 CFR Part 60 Appendix A, Method 6C, July 2021  - US EPA, Code of Federal Regulations, 40 CFR Part 60 Appendix A, Method 6C, July 2021  - US EPA, Code of Federal Regulations, 40 CFR Part 60 Appendix A, Method 7E, July 2021  - US EPA, Code of Federal Regulations, 40 CFR Part 60 Appendix A, Method 7E, July 2021



ดำเนินการถูกต้อง R/H

กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม  
(Ministry of Industry, Thai Industrial Standards Institute)

หน้าที่ 33/36

รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ  
(Scope of Accreditation for Testing)  
ใบรับรองเลขที่ 21-LB0022  
(Certification No. 21-LB0022)



ฉบับที่ 07  
(Issue No. 07)  
ออกให้ตั้งแต่วันที่ 19 กุมภาพันธ์ พ.ศ. 2567  
(Valid from) (19 February B.E. 2567 (2024))  
สถานภาพห้องปฏิบัติการ ☐ ถาวร ☒ นอกสถานที่ ☐ชั่วคราว  
(Laboratory status) (Permanent) (Site) (Temporary)

ถึงวันที่ 17 พฤษภาคม พ.ศ. 2571  
(Until) (17 May B.E. 2571 (2028))  
☐เคลื่อนที่ ☐หลายสถานที่  
(Mobile) (Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
สาขาสิ่งแวดล้อม (Environmental field) 4. ปล่องระบายอากาศเสีย (ต่อ) (Stack) (cont.)	- Carbon monoxide at actual oxygen 45 ppm to 1 200 ppm  - Carbon monoxide at 7% oxygen 34 ppm to 2 826 ppm	- US EPA, Code of Federal Regulations, 40 CFR Part 60 Appendix A, Method 10, July 2021  - US EPA, Code of Federal Regulations, 40 CFR Part 60 Appendix A, Method 10, July 2021
5. น้ำเสีย และน้ำผิวดิน (Wastewater and surface water)	- pH 4.0 to 10.0	- Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 24 <sup>th</sup> Edition, 2023, part 4500-H <sup>+</sup> B and 1060 B (Grab samples)
6. น้ำทะเล (Sea water)	- pH 4.0 to 10.0	- Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 24 <sup>th</sup> Edition, 2023, part 4500-H <sup>+</sup> B and 1060 B (Grab samples and Composite samples)



ดำเนินการถูกต้อง R/H

กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม  
(Ministry of Industry, Thai Industrial Standards Institute)

หน้าที่ 34/36

รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ  
(Scope of Accreditation for Testing)  
ใบรับรองเลขที่ 21-LB0022  
(Certification No. 21-LB0022)



ฉบับที่ 07  
(Issue No. 07)  
ออกให้ตั้งแต่วันที่ 19 กุมภาพันธ์ พ.ศ. 2567  
(Valid from) (19 February B.E. 2567 (2024))  
สถานภาพห้องปฏิบัติการ ☐ ถาวร ☒ นอกสถานที่ ☐ชั่วคราว  
(Laboratory status) (Permanent) (Site) (Temporary)

ถึงวันที่ 17 พฤษภาคม พ.ศ. 2571  
(Until) (17 May B.E. 2571 (2028))  
☐เคลื่อนที่ ☐หลายสถานที่  
(Mobile) (Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
สาขาสิ่งแวดล้อม (Environmental field) 7. น้ำใต้ดิน (Ground water)	- pH 4.0 to 10.0	- Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 24 <sup>th</sup> Edition, 2023, part 4500-H <sup>+</sup> B, ประกาศกรม โรงงานอุตสาหกรรม เรื่อง คู่มือการ เก็บตัวอย่างดินและ น้ำใต้ดิน ลงวันที่ 20 เมษายน 2560  - Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 24 <sup>th</sup> Edition, 2023, part 4500-H <sup>+</sup> B, หลักเกณฑ์การ ปฏิบัติ ในการเก็บตัวอย่างน้ำใต้ดิน กรมควบคุมมลพิษ มีนาคม 2553



ดำเนินการถูกต้อง R/H

กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม  
(Ministry of Industry, Thai Industrial Standards Institute)

หน้าที่ 35/36

รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ  
(Scope of Accreditation for Testing)  
ใบรับรองเลขที่ 21-LB0022  
(Certification No. 21-LB0022)



ฉบับที่ 07  
(Issue No. 07)  
ออกให้ตั้งแต่วันที่ 19 กุมภาพันธ์ พ.ศ. 2567  
(Valid from) (19 February B.E. 2567 (2024))  
สถานภาพห้องปฏิบัติการ ☐ ถาวร ☒ นอกสถานที่ ☐ชั่วคราว  
(Laboratory status) (Permanent) (Site) (Temporary)

ถึงวันที่ 17 พฤษภาคม พ.ศ. 2571  
(Until) (17 May B.E. 2571 (2028))  
☐เคลื่อนที่ ☐หลายสถานที่  
(Mobile) (Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
สาขาผลิตภัณฑ์ (Consumer products field) น้ำบริโภค (Drinking water) • บรรจุในภาชนะปิดสนิท • ไม่บรรจุในภาชนะบรรจุ	- pH 4.0 to 10.0	- Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 24 <sup>th</sup> Edition, 2023, part 4500-H <sup>+</sup> B, Quick Guide To Drinking Water Sample Collection US EPA Second Edition September 2016



ดำเนินการถูกต้อง R/H

กระทรวงอุตสาหกรรมสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม  
(Ministry of Industry, Thai Industrial Standards Institute)

หน้าที่ 36/36



ที่ อว 0303/2951

## ใบรับรองความสามารถห้องปฏิบัติการทดสอบ

ใบรับรองฉบับนี้ให้ไว้เพื่อแสดงว่า

บริษัท ยูไอนด์ แอนาไลติกส์ แอนด์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด  
เลขที่ 3 ซอยอุดมสุข 41 ถนนสุขุมวิท แขวงบางจาก เขตพระโขนง  
กรุงเทพมหานคร 10260


ได้ผ่านการประเมินความสามารถห้องปฏิบัติการทดสอบตามมาตรฐาน ISO/IEC 17025 : 2017  
และข้อกำหนด กฎระเบียบ และเงื่อนไขการรับรองความสามารถห้องปฏิบัติการทดสอบ  
ของสำนักบริหารและรับรองห้องปฏิบัติการ กรมวิทยาศาสตร์บริการ

หมายเลขการรับรองระบบงานที่ ทดสอบ - 0063

รายละเอียดการรับรองที่จะขยายการรับรองแนบท้าย

ออกให้ ณ วันที่ : 20 มีนาคม 2568

หมดอายุ วันที่ : 19 มีนาคม 2572

ลงชื่อ :   
(นางจันทน์ วรสรพรวิทย์)

ผู้อำนวยการสำนักบริหารและรับรองห้องปฏิบัติการ



  
ผู้อำนวยการ

สำนักบริหารและรับรองห้องปฏิบัติการ กรมวิทยาศาสตร์บริการ  
กระทรวงการอุดมศึกษา วิทยาศาสตร์ วิจัยและนวัตกรรม

ที่ อว 0303/2951

ที่ อว 0303/2951

### ขอบข่ายการรับรองความสามารถห้องปฏิบัติการทดสอบ

ชื่อห้องปฏิบัติการ : บริษัท ยูไอนด์ แอนาไลติกส์ แอนด์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด  
สถานที่ตั้ง : เลขที่ 3 ซอยอุดมสุข 41 ถนนสุขุมวิท แขวงบางจาก เขตพระโขนง  
กรุงเทพมหานคร 10260

หมายเลขการรับรองระบบงานที่ : ทดสอบ - 0063  
สถานะของห้องปฏิบัติการ : ☒ ถาวร ☐ นอกสถานที่ ☐ชั่วคราว ☐เคลื่อนที่

ลำดับ ที่	วัสดุ/ ผลิตภัณฑ์ที่ทดสอบ	รายการที่ทดสอบ/ ช่วงของการทดสอบ	วิธีทดสอบ/ เทคนิคที่ใช้
1	น้ำ	- Total coliforms MPN/100 mL  - Fecal coliforms MPN/100 mL  - E. coli MPN/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 <sup>th</sup> ed., 2023, part 9221 B, C  Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 <sup>th</sup> ed., 2023, part 9221 B, C, E  Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 <sup>th</sup> ed., 2023, part 9221 B, C, E, F



  
ผู้อำนวยการ

ออกครั้งแรก ณ วันที่ 21 กันยายน 2553

ฉบับที่ 11

สำนักบริหารและรับรองห้องปฏิบัติการ กรมวิทยาศาสตร์บริการ กระทรวงการอุดมศึกษา วิทยาศาสตร์ วิจัยและนวัตกรรม

### ขอบข่ายการรับรองความสามารถห้องปฏิบัติการทดสอบ

ชื่อห้องปฏิบัติการ : บริษัท ยูไอนด์ แอนาไลติกส์ แอนด์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด  
สถานที่ตั้ง : เลขที่ 3 ซอยอุดมสุข 41 ถนนสุขุมวิท แขวงบางจาก เขตพระโขนง  
กรุงเทพมหานคร 10260

หมายเลขการรับรองระบบงานที่ : ทดสอบ - 0063  
สถานะของห้องปฏิบัติการ : ☒ ถาวร ☐ นอกสถานที่ ☐ชั่วคราว ☐เคลื่อนที่

ลำดับ ที่	วัสดุ/ ผลิตภัณฑ์ที่ทดสอบ	รายการที่ทดสอบ/ ช่วงของการทดสอบ	วิธีทดสอบ/ เทคนิคที่ใช้
1 (ต่อ)	น้ำ	- Standard plate count CFU/mL  - E. coli Detected or not detected/100 mL  - Salmonella spp. Detected or not detected/100 mL  - Total coliform bacteria Detected or not detected/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 <sup>th</sup> ed., 2023, part 9215 B  Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 <sup>th</sup> ed., 2023, part 9221 D, F  ISO 19250 : 2010  Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 <sup>th</sup> ed., 2023, part 9221 D



  
ผู้อำนวยการ

ออกครั้งแรก ณ วันที่ 21 กันยายน 2553

ฉบับที่ 11

สำนักบริหารและรับรองห้องปฏิบัติการ กรมวิทยาศาสตร์บริการ กระทรวงการอุดมศึกษา วิทยาศาสตร์ วิจัยและนวัตกรรม



## ขอข่ายการรับรองความสามารถห้องปฏิบัติการทดสอบ

ชื่อห้องปฏิบัติการ : บริษัท ยูโนเค็ด แอนนาลิสต์ แอนด์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด  
 สถานที่ตั้ง : เลขที่ 3 ซอยอุดมสุข 41 ถนนสุขุมวิท แขวงบางจาก เขตพระโขนง  
 กรุงเทพมหานคร 10260  
 หมายเลขการรับรองระบบงานที่ : ทดสอบ - 0063  
 สถานะของห้องปฏิบัติการ : ☒ ถาวร ☐ นอกสถานที่ ☐ชั่วคราว ☐เคลื่อนที่

ลำดับ ที่	วัสดุ / ผลิตภัณฑ์ที่ทดสอบ	รายการที่ทดสอบ / ช่วงของการทดสอบ	วิธีทดสอบ / เทคนิคที่ใช้
1 (ต่อ)	น้ำ	- <i>Clostridium perfringens</i> Detected or not detected/100 mL  - สารที่ละลายได้ทั้งหมด ที่อุณหภูมิ 180 °C 25 mg/L ถึง 1 000 mg/L  - สารทั้งหมด ที่อุณหภูมิ 103 °C ถึง 105 °C 25 mg/L ถึง 1 000 mg/L  - อินทรีย์คาร์บอนทั้งหมด 0.50 mg/L ถึง 100 mg/L  - ฟีนอล 0.005 mg/L ถึง 0.100 mg/L	ISO 14189: 2016  Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 <sup>th</sup> ed., 2023, part 2540 C  Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 <sup>th</sup> ed., 2023, part 2540 B  Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 <sup>th</sup> ed., 2023, part 5310 B  In-house method : UAE.TP.WAS.009 based on ISO 14189: 2016

ออกครั้งแรก ณ วันที่ 21 กันยายน 2553

ฉบับที่ 11

สำนักบริหารและรับรองห้องปฏิบัติการ กรมวิทยาศาสตร์บริการ กระทรวงการอุดมศึกษา วิทยาศาสตร์ วิจัยและนวัตกรรม

LAF-30-10/10-24

หน้า 3/23

ที่ ฮว 0303/2951

## ขอข่ายการรับรองความสามารถห้องปฏิบัติการทดสอบ

ชื่อห้องปฏิบัติการ : บริษัท ยูโนเค็ด แอนนาลิสต์ แอนด์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด  
 สถานที่ตั้ง : เลขที่ 3 ซอยอุดมสุข 41 ถนนสุขุมวิท แขวงบางจาก เขตพระโขนง  
 กรุงเทพมหานคร 10260  
 หมายเลขการรับรองระบบงานที่ : ทดสอบ - 0063  
 สถานะของห้องปฏิบัติการ : ☐ ถาวร ☒ นอกสถานที่ ☐ชั่วคราว ☐เคลื่อนที่

ลำดับ ที่	วัสดุ / ผลิตภัณฑ์ที่ทดสอบ	รายการที่ทดสอบ / ช่วงของการทดสอบ	วิธีทดสอบ / เทคนิคที่ใช้
1 (ต่อ)	น้ำ	- สภาพนำไฟฟ้า 100 µS/cm ถึง 13 000 µS/cm  - ความเค็ม 0.5 ppt ถึง 6.0 ppt	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 <sup>th</sup> ed., 2023, part 2510 B, 1060 B (Grab samples)  Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 <sup>th</sup> ed., 2023, part 2520 B, 1060 B (Grab samples)

ออกครั้งแรก ณ วันที่ 21 กันยายน 2553

ฉบับที่ 11

สำนักบริหารและรับรองห้องปฏิบัติการ กรมวิทยาศาสตร์บริการ กระทรวงการอุดมศึกษา วิทยาศาสตร์ วิจัยและนวัตกรรม

LAF-30-10/10-24

หน้า 5/23

## ขอข่ายการรับรองความสามารถห้องปฏิบัติการทดสอบ

ชื่อห้องปฏิบัติการ : บริษัท ยูโนเค็ด แอนนาลิสต์ แอนด์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด  
 สถานที่ตั้ง : เลขที่ 3 ซอยอุดมสุข 41 ถนนสุขุมวิท แขวงบางจาก เขตพระโขนง  
 กรุงเทพมหานคร 10260  
 หมายเลขการรับรองระบบงานที่ : ทดสอบ - 0063  
 สถานะของห้องปฏิบัติการ : ☒ ถาวร ☐ นอกสถานที่ ☐ชั่วคราว ☐เคลื่อนที่

ลำดับ ที่	วัสดุ / ผลิตภัณฑ์ที่ทดสอบ	รายการที่ทดสอบ / ช่วงของการทดสอบ	วิธีทดสอบ / เทคนิคที่ใช้
1 (ต่อ)	น้ำ	- โปรท 0.500 µg/L ถึง 2 000 µg/L  - โซยาโนล 0.005 mg/L ถึง 0.100 mg/L  - แพลงก์ตอนพืช (สกุล) <i>Scenedesmus</i> spp. <i>Pediastrum</i> spp. <i>Euglena</i> spp. <i>Phacus</i> spp. <i>Coelastrum</i> spp. <i>Pandorina morum</i> Cells/Volume, Colony/Volume	In-house method : UAE.TP.HEM.002 based on Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 <sup>th</sup> ed., 2023 part 3112 B  ISO 14403-2 : 2012  Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 <sup>th</sup> ed., 2023, part 10200 F

ออกครั้งแรก ณ วันที่ 21 กันยายน 2553

ฉบับที่ 11

สำนักบริหารและรับรองห้องปฏิบัติการ กรมวิทยาศาสตร์บริการ กระทรวงการอุดมศึกษา วิทยาศาสตร์ วิจัยและนวัตกรรม

LAF-30-10/10-24

หน้า 4/23

ที่ ฮว 0303/2951

## ขอข่ายการรับรองความสามารถห้องปฏิบัติการทดสอบ

ชื่อห้องปฏิบัติการ : บริษัท ยูโนเค็ด แอนนาลิสต์ แอนด์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด  
 สถานที่ตั้ง : เลขที่ 3 ซอยอุดมสุข 41 ถนนสุขุมวิท แขวงบางจาก เขตพระโขนง  
 กรุงเทพมหานคร 10260  
 หมายเลขการรับรองระบบงานที่ : ทดสอบ - 0063  
 สถานะของห้องปฏิบัติการ : ☒ ถาวร ☐ นอกสถานที่ ☐ชั่วคราว ☐เคลื่อนที่

ลำดับ ที่	วัสดุ / ผลิตภัณฑ์ที่ทดสอบ	รายการที่ทดสอบ / ช่วงของการทดสอบ	วิธีทดสอบ / เทคนิคที่ใช้
2	น้ำเสีย	- Total coliforms MPN/100 mL  - Fecal coliforms MPN/100 mL  - <i>E. coli</i> MPN/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 <sup>th</sup> ed., 2023, part 9221 B, C  Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 <sup>th</sup> ed., 2023, part 9221 B, C, E  Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 <sup>th</sup> ed., 2023, part 9221 B, C, E, F

ออกครั้งแรก ณ วันที่ 21 กันยายน 2553

ฉบับที่ 11

สำนักบริหารและรับรองห้องปฏิบัติการ กรมวิทยาศาสตร์บริการ กระทรวงการอุดมศึกษา วิทยาศาสตร์ วิจัยและนวัตกรรม

LAF-30-10/10-24

หน้า 6/23



## ขอข่ายการรับรองความสามารถห้องปฏิบัติการทดสอบ

ชื่อห้องปฏิบัติการ : บริษัท ยูไนเต็ด แอนาไลติก แอนด์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด  
 สถานที่ตั้ง : เลขที่ 3 ซอยอุดมสุข 41 ถนนสุขุมวิท แขวงบางจาก เขตพระโขนง กรุงเทพมหานคร 10260  
 หมายเลขการรับรองระบบงานที่ : ทดสอบ - 0063  
 สถานะของห้องปฏิบัติการ : ☒ถาวร ☐นอกสถานที่ ☐ชั่วคราว ☐เคลื่อนที่

ลำดับ ที่	วัสดุ / ผลิตภัณฑ์ที่ทดสอบ	รายการที่ทดสอบ / ช่วงของการทดสอบ	วิธีทดสอบ / เทคนิคที่ใช้
2	น้ำเสีย	- Fecal coliforms CFU/100 mL  - Enterococci CFU/100 mL  - สารที่ละลายได้ทั้งหมด ที่อุณหภูมิ 180 °C 25 mg/L ถึง 6 000 mg/L	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 <sup>th</sup> ed., 2023, part 9222 D  Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 <sup>th</sup> ed., 2023, part 9230 C  Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 <sup>th</sup> ed., 2023, part 2540 C



สำเนาถูกต้อง

ออกครั้งแรก ณ วันที่ 21 กันยายน 2553

ฉบับที่ 11

สำนักบริหารและรับรองห้องปฏิบัติการ กรมวิทยาศาสตร์บริการ กระทรวงการอุดมศึกษา วิทยาศาสตร์ วิจัยและนวัตกรรม

LAF-30-10/10-24

หน้า 7/23

## ขอข่ายการรับรองความสามารถห้องปฏิบัติการทดสอบ

ชื่อห้องปฏิบัติการ : บริษัท ยูไนเต็ด แอนาไลติก แอนด์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด  
 สถานที่ตั้ง : เลขที่ 3 ซอยอุดมสุข 41 ถนนสุขุมวิท แขวงบางจาก เขตพระโขนง กรุงเทพมหานคร 10260  
 หมายเลขการรับรองระบบงานที่ : ทดสอบ - 0063  
 สถานะของห้องปฏิบัติการ : ☒ถาวร ☐นอกสถานที่ ☐ชั่วคราว ☐เคลื่อนที่

ลำดับ ที่	วัสดุ / ผลิตภัณฑ์ที่ทดสอบ	รายการที่ทดสอบ / ช่วงของการทดสอบ	วิธีทดสอบ / เทคนิคที่ใช้
2 (ต่อ)	น้ำเสีย	- แบคทีเรีย 0.20 µg/L ถึง 500 µg/L - เลปโตสไปรillum 0.20 µg/L ถึง 500 µg/L - โฟซิลิน 0.20 µg/L ถึง 500 µg/L - ออโร-โกลีน 0.20 µg/L ถึง 500 µg/L - เมตาพารา-โกลีน 0.40 µg/L ถึง 1 000 µg/L - โกลีนทั้งหมด 0.60 µg/L ถึง 1 500 µg/L	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 <sup>th</sup> ed., 2023, part 6200 B



สำเนาถูกต้อง

ออกครั้งแรก ณ วันที่ 21 กันยายน 2553

ฉบับที่ 11

สำนักบริหารและรับรองห้องปฏิบัติการ กรมวิทยาศาสตร์บริการ กระทรวงการอุดมศึกษา วิทยาศาสตร์ วิจัยและนวัตกรรม

LAF-30-10/10-24

หน้า 9/23

## ขอข่ายการรับรองความสามารถห้องปฏิบัติการทดสอบ

ชื่อห้องปฏิบัติการ : บริษัท ยูไนเต็ด แอนาไลติก แอนด์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด  
 สถานที่ตั้ง : เลขที่ 3 ซอยอุดมสุข 41 ถนนสุขุมวิท แขวงบางจาก เขตพระโขนง กรุงเทพมหานคร 10260  
 หมายเลขการรับรองระบบงานที่ : ทดสอบ - 0063  
 สถานะของห้องปฏิบัติการ : ☒ถาวร ☐นอกสถานที่ ☐ชั่วคราว ☐เคลื่อนที่

ลำดับ ที่	วัสดุ / ผลิตภัณฑ์ที่ทดสอบ	รายการที่ทดสอบ / ช่วงของการทดสอบ	วิธีทดสอบ / เทคนิคที่ใช้
2 (ต่อ)	น้ำเสีย	- ไนโตรเจน ในรูปที่เคเอ็น 5.0 mg/L ถึง 500 mg/L  - ซี 10 ADMI ถึง 300 ADMI  - โซยาไนต์ 0.005 mg/L ถึง 0.100 mg/L	In - house method : UAE.TP.WAS.001 based on Standard Methods for the Examination of Water and Wastewater, AWWA & WEF, 24 <sup>th</sup> ed., 2023, part 4500 - N <sub>org</sub> C  Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 <sup>th</sup> ed., 2023, part 2120 F  ISO 14403-2 : 2012



สำเนาถูกต้อง

ออกครั้งแรก ณ วันที่ 21 กันยายน 2553

ฉบับที่ 11

สำนักบริหารและรับรองห้องปฏิบัติการ กรมวิทยาศาสตร์บริการ กระทรวงการอุดมศึกษา วิทยาศาสตร์ วิจัยและนวัตกรรม

LAF-30-10/10-24

หน้า 8/23

## ขอข่ายการรับรองความสามารถห้องปฏิบัติการทดสอบ

ชื่อห้องปฏิบัติการ : บริษัท ยูไนเต็ด แอนาไลติก แอนด์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด  
 สถานที่ตั้ง : เลขที่ 3 ซอยอุดมสุข 41 ถนนสุขุมวิท แขวงบางจาก เขตพระโขนง กรุงเทพมหานคร 10260  
 หมายเลขการรับรองระบบงานที่ : ทดสอบ - 0063  
 สถานะของห้องปฏิบัติการ : ☒ถาวร ☐นอกสถานที่ ☐ชั่วคราว ☐เคลื่อนที่

ลำดับ ที่	วัสดุ / ผลิตภัณฑ์ที่ทดสอบ	รายการที่ทดสอบ / ช่วงของการทดสอบ	วิธีทดสอบ / เทคนิคที่ใช้
2 (ต่อ)	น้ำเสีย	- แพลงก์ตอนพืช (สกล) Scenedesmus spp. Pediastrum spp. Euglena spp. Phacus spp. Coelastrum spp. Cells/Volume, Colony/Volume  - แอมโมเนีย-ไนโตรเจน 5.0 mg/L ถึง 500 mg/L  - ซัลไฟด์ 0.50 mg/L ถึง 3.0 mg/L	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 <sup>th</sup> ed., 2023, part 10200 F  Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 <sup>th</sup> ed., 2023, part 4500 NH <sub>3</sub> C  Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 <sup>th</sup> ed., 2023, part 4500 S <sup>2</sup> F



สำเนาถูกต้อง

ออกครั้งแรก ณ วันที่ 21 กันยายน 2553

ฉบับที่ 11

สำนักบริหารและรับรองห้องปฏิบัติการ กรมวิทยาศาสตร์บริการ กระทรวงการอุดมศึกษา วิทยาศาสตร์ วิจัยและนวัตกรรม

LAF-30-10/10-24

หน้า 10/23

## ขอข่ายการรับรองความสามารถห้องปฏิบัติการทดสอบ

ชื่อห้องปฏิบัติการ : บริษัท ยูโนเต็ด แอนาไลติก แอนด์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด  
 สถานที่ตั้ง : เลขที่ 3 ซอยอุดมสุข 41 ถนนสุขุมวิท แขวงบางจาก เขตพระโขนง  
 กรุงเทพมหานคร 10260

หมายเลขการรับรองระบบงานที่ : ทดสอบ - 0063

สถานะของห้องปฏิบัติการ : ☐ ถาวร ☒ นอกสถานที่ ☐ชั่วคราว ☐เคลื่อนที่

ลำดับ ที่	วัสดุ / ผลิตภัณฑ์ที่ทดสอบ	รายการที่ทดสอบ / ช่วงของการทดสอบ	วิธีทดสอบ / เทคนิคที่ใช้
2 (ต่อ)	น้ำเสีย	- สภาพน้ำไฟฟ้า 100 $\mu\text{S}/\text{cm}$ ถึง 13 000 $\mu\text{S}/\text{cm}$  - ความเค็ม 0.5 ppt ถึง 6.0 ppt	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 <sup>th</sup> ed., 2023, part 2510 B, 1060 B (Grab samples)  Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 <sup>th</sup> ed., 2023, part 2520 B, 1060 B (Grab samples)

**UAE**  
UNITED ANALYST AND ENGINEERING  
CONSULTANT COMPANY LIMITED

สำเนาถูกต้อง

ออกครั้งแรก ณ วันที่ 21 กันยายน 2553

ฉบับที่ 11

สำนักบริหารและรับรองห้องปฏิบัติการ กรมวิทยาศาสตร์บริการ กระทรวงการอุดมศึกษา วิทยาศาสตร์ วิจัยและนวัตกรรม

LAF-30-10/10-24

หน้า 11/23

## ขอข่ายการรับรองความสามารถห้องปฏิบัติการทดสอบ

ชื่อห้องปฏิบัติการ : บริษัท ยูโนเต็ด แอนาไลติก แอนด์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด  
 สถานที่ตั้ง : เลขที่ 3 ซอยอุดมสุข 41 ถนนสุขุมวิท แขวงบางจาก เขตพระโขนง  
 กรุงเทพมหานคร 10260

หมายเลขการรับรองระบบงานที่ : ทดสอบ - 0063

สถานะของห้องปฏิบัติการ : ☒ ถาวร ☐ นอกสถานที่ ☐ชั่วคราว ☐เคลื่อนที่

ลำดับ ที่	วัสดุ / ผลิตภัณฑ์ที่ทดสอบ	รายการที่ทดสอบ / ช่วงของการทดสอบ	วิธีทดสอบ / เทคนิคที่ใช้
3 (ต่อ)	น้ำทะเล	- บีโตรเลียมไฮโดรคาร์บอน 0.05 $\mu\text{g}/\text{L}$ ถึง 3.00 $\mu\text{g}/\text{L}$  - ฟอสเฟต-ฟอสฟอรัส 1.50 $\mu\text{g}/\text{L}$ ถึง 150 $\mu\text{g}/\text{L}$  - แอมโมเนีย-ไนโตรเจน 50.0 $\mu\text{g}/\text{L}$ ถึง 1 000 $\mu\text{g}/\text{L}$	Intergovernmental Oceanographic Commission, Manual for Monitoring Oil and Dissolved/ Dispersed Petroleum Hydrocarbons in Marine Waters and on Beaches, 1984  In - house method : UAE.TP.WAT.002 based on Practical Handbook of Seawater Analysis Strickland and Parson, 1972  In - house method : UAE.TP.WAT.001 based on Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 <sup>th</sup> ed., 2023, part 4500 $\text{NH}_3$ H

**UAE**  
UNITED ANALYST AND ENGINEERING  
CONSULTANT COMPANY LIMITED

สำเนาถูกต้อง

ออกครั้งแรก ณ วันที่ 21 กันยายน 2553

ฉบับที่ 11

สำนักบริหารและรับรองห้องปฏิบัติการ กรมวิทยาศาสตร์บริการ กระทรวงการอุดมศึกษา วิทยาศาสตร์ วิจัยและนวัตกรรม

LAF-30-10/10-24

หน้า 13/23

## ขอข่ายการรับรองความสามารถห้องปฏิบัติการทดสอบ

ชื่อห้องปฏิบัติการ : บริษัท ยูโนเต็ด แอนาไลติก แอนด์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด  
 สถานที่ตั้ง : เลขที่ 3 ซอยอุดมสุข 41 ถนนสุขุมวิท แขวงบางจาก เขตพระโขนง  
 กรุงเทพมหานคร 10260

หมายเลขการรับรองระบบงานที่ : ทดสอบ - 0063

สถานะของห้องปฏิบัติการ : ☒ ถาวร ☐ นอกสถานที่ ☐ชั่วคราว ☐เคลื่อนที่

ลำดับ ที่	วัสดุ / ผลิตภัณฑ์ที่ทดสอบ	รายการที่ทดสอบ / ช่วงของการทดสอบ	วิธีทดสอบ / เทคนิคที่ใช้
3	น้ำทะเล	- Total coliforms MPN/100 mL  - Fecal coliforms CFU/100 mL  - Enterococci CFU/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 <sup>th</sup> ed., 2023, part 9221 B, C  Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 <sup>th</sup> ed., 2023, part 9222 D  Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 <sup>th</sup> ed., 2023, part 9230 C

**UAE**  
UNITED ANALYST AND ENGINEERING  
CONSULTANT COMPANY LIMITED

สำเนาถูกต้อง

ออกครั้งแรก ณ วันที่ 21 กันยายน 2553

ฉบับที่ 11

สำนักบริหารและรับรองห้องปฏิบัติการ กรมวิทยาศาสตร์บริการ กระทรวงการอุดมศึกษา วิทยาศาสตร์ วิจัยและนวัตกรรม

LAF-30-10/10-24

หน้า 12/23

## ขอข่ายการรับรองความสามารถห้องปฏิบัติการทดสอบ

ชื่อห้องปฏิบัติการ : บริษัท ยูโนเต็ด แอนาไลติก แอนด์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด  
 สถานที่ตั้ง : เลขที่ 3 ซอยอุดมสุข 41 ถนนสุขุมวิท แขวงบางจาก เขตพระโขนง  
 กรุงเทพมหานคร 10260

หมายเลขการรับรองระบบงานที่ : ทดสอบ - 0063

สถานะของห้องปฏิบัติการ : ☒ ถาวร ☐ นอกสถานที่ ☐ชั่วคราว ☐เคลื่อนที่

ลำดับ ที่	วัสดุ / ผลิตภัณฑ์ที่ทดสอบ	รายการที่ทดสอบ / ช่วงของการทดสอบ	วิธีทดสอบ / เทคนิคที่ใช้
4	น้ำแข็ง	- Total coliforms MPN/100 mL  - Fecal coliforms MPN/100 mL  - E. coli MPN/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 <sup>th</sup> ed., 2023, part 9221 B, C  Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 <sup>th</sup> ed., 2023, part 9221 B, C, E  Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 <sup>th</sup> ed., 2023, part 9221 B, C, E, F

**UAE**  
UNITED ANALYST AND ENGINEERING  
CONSULTANT COMPANY LIMITED

สำเนาถูกต้อง

ออกครั้งแรก ณ วันที่ 21 กันยายน 2553

ฉบับที่ 11

สำนักบริหารและรับรองห้องปฏิบัติการ กรมวิทยาศาสตร์บริการ กระทรวงการอุดมศึกษา วิทยาศาสตร์ วิจัยและนวัตกรรม

LAF-30-10/10-24

หน้า 14/23



## ขอข่ายการรับรองความสามารถห้องปฏิบัติการทดสอบ

ชื่อห้องปฏิบัติการ : บริษัท ยูไนเต็ด แอนาไลซิส แอนด์ เอ็นจิเนียริ่ง คอนซัลแตนท์ จำกัด  
 สถานที่ตั้ง : เลขที่ 3 ซอยอุดมสุข 41 ถนนสุขุมวิท แขวงบางจาก เขตพระโขนง  
 กรุงเทพมหานคร 10260

หมายเลขการรับรองระบบงานที่ : ทดสอบ - 0063

สถานะของห้องปฏิบัติการ : ☒ ถาวร ☐ นอกสถานที่ ☐ชั่วคราว ☐เคลื่อนที่

ลำดับ ที่	วัสดุ / ผลิตภัณฑ์ที่ทดสอบ	รายการที่ทดสอบ / ช่วงของการทดสอบ	วิธีทดสอบ / เทคนิคที่ใช้
4 (ต่อ)	น้ำแข็ง	- Standard plate count CFU/mL	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 <sup>th</sup> ed., 2023, part 9215 B
		- <i>E. coli</i> Detected or not detected/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 <sup>th</sup> ed., 2023, part 9221 D, F
		- <i>Salmonella</i> spp. Detected or not detected/100 mL	ISO 19250 : 2010
		- <i>Clostridium perfringens</i> Detected or not detected/100 mL	ISO 14189 : 2016



ถ้าเป็นถูกต้อง

ออกครั้งแรก ณ วันที่ 21 กันยายน 2553

ฉบับที่ 11

สำนักบริหารและรับรองห้องปฏิบัติการ กรมวิทยาศาสตร์บริการ กระทรวงการอุดมศึกษา วิทยาศาสตร์ วิจัยและนวัตกรรม

LA-F-30-10/10-24

หน้า 15/23

ที่ อว 0303/2951

## ขอข่ายการรับรองความสามารถห้องปฏิบัติการทดสอบ

ชื่อห้องปฏิบัติการ : บริษัท ยูไนเต็ด แอนาไลซิส แอนด์ เอ็นจิเนียริ่ง คอนซัลแตนท์ จำกัด  
 สถานที่ตั้ง : เลขที่ 3 ซอยอุดมสุข 41 ถนนสุขุมวิท แขวงบางจาก เขตพระโขนง  
 กรุงเทพมหานคร 10260

หมายเลขการรับรองระบบงานที่ : ทดสอบ - 0063

สถานะของห้องปฏิบัติการ : ☒ ถาวร ☐ นอกสถานที่ ☐ชั่วคราว ☐เคลื่อนที่

ลำดับ ที่	วัสดุ / ผลิตภัณฑ์ที่ทดสอบ	รายการที่ทดสอบ / ช่วงของการทดสอบ	วิธีทดสอบ / เทคนิคที่ใช้
4 (ต่อ)	น้ำแข็ง	- สารทั้งหมด ที่อุณหภูมิ 103 °C ถึง 105 °C 25 mg/L ถึง 1 000 mg/L	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 <sup>th</sup> ed., 2023, part 2540 B
5	น้ำสะอาด	- Total coliforms MPN/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 <sup>th</sup> ed., 2023, part 9221 B, C
		- Fecal coliforms MPN/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 <sup>th</sup> ed., 2023, part 9221 B, C, E



ถ้าเป็นถูกต้อง

ออกครั้งแรก ณ วันที่ 21 กันยายน 2553

ฉบับที่ 11

สำนักบริหารและรับรองห้องปฏิบัติการ กรมวิทยาศาสตร์บริการ กระทรวงการอุดมศึกษา วิทยาศาสตร์ วิจัยและนวัตกรรม

LA-F-30-10/10-24

หน้า 16/23

ที่ อว 0303/2951

## ขอข่ายการรับรองความสามารถห้องปฏิบัติการทดสอบ

ชื่อห้องปฏิบัติการ : บริษัท ยูไนเต็ด แอนาไลซิส แอนด์ เอ็นจิเนียริ่ง คอนซัลแตนท์ จำกัด  
 สถานที่ตั้ง : เลขที่ 3 ซอยอุดมสุข 41 ถนนสุขุมวิท แขวงบางจาก เขตพระโขนง  
 กรุงเทพมหานคร 10260

หมายเลขการรับรองระบบงานที่ : ทดสอบ - 0063

สถานะของห้องปฏิบัติการ : ☒ ถาวร ☐ นอกสถานที่ ☐ชั่วคราว ☐เคลื่อนที่

ลำดับ ที่	วัสดุ / ผลิตภัณฑ์ที่ทดสอบ	รายการที่ทดสอบ / ช่วงของการทดสอบ	วิธีทดสอบ / เทคนิคที่ใช้
5 (ต่อ)	น้ำสะอาด	- <i>E. coli</i> MPN/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 <sup>th</sup> ed., 2023, part 9221 B, C, E, F
		- Standard plate count CFU/mL	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 <sup>th</sup> ed., 2023, part 9215 B
		- <i>E. coli</i> Detected or not detected/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 <sup>th</sup> ed., 2023, part 9221 D, F
		- <i>Salmonella</i> spp. Detected or not detected/100 mL	ISO 19250 : 2010



ถ้าเป็นถูกต้อง

ออกครั้งแรก ณ วันที่ 21 กันยายน 2553

ฉบับที่ 11

สำนักบริหารและรับรองห้องปฏิบัติการ กรมวิทยาศาสตร์บริการ กระทรวงการอุดมศึกษา วิทยาศาสตร์ วิจัยและนวัตกรรม

LA-F-30-10/10-24

หน้า 17/23

## ขอข่ายการรับรองความสามารถห้องปฏิบัติการทดสอบ

ชื่อห้องปฏิบัติการ : บริษัท ยูไนเต็ด แอนาไลซิส แอนด์ เอ็นจิเนียริ่ง คอนซัลแตนท์ จำกัด  
 สถานที่ตั้ง : เลขที่ 3 ซอยอุดมสุข 41 ถนนสุขุมวิท แขวงบางจาก เขตพระโขนง  
 กรุงเทพมหานคร 10260

หมายเลขการรับรองระบบงานที่ : ทดสอบ - 0063

สถานะของห้องปฏิบัติการ : ☒ ถาวร ☐ นอกสถานที่ ☐ชั่วคราว ☐เคลื่อนที่

ลำดับ ที่	วัสดุ / ผลิตภัณฑ์ที่ทดสอบ	รายการที่ทดสอบ / ช่วงของการทดสอบ	วิธีทดสอบ / เทคนิคที่ใช้
6	น้ำบริโภคในภาชนะ บรรจุที่ปิดสนิท	- <i>E. coli</i> Detected or not detected/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 <sup>th</sup> ed., 2023, part 9221 D, F
		- Total coliform bacteria Detected or not detected/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 <sup>th</sup> ed., 2023, part 9221 D
		- <i>Clostridium perfringens</i> Detected or not detected/100 mL	ISO 14189 : 2016



ถ้าเป็นถูกต้อง

ออกครั้งแรก ณ วันที่ 21 กันยายน 2553

ฉบับที่ 11

สำนักบริหารและรับรองห้องปฏิบัติการ กรมวิทยาศาสตร์บริการ กระทรวงการอุดมศึกษา วิทยาศาสตร์ วิจัยและนวัตกรรม

LA-F-30-10/10-24

หน้า 18/23



## ขอข่ายการรับรองความสามารถห้องปฏิบัติการทดสอบ

ชื่อห้องปฏิบัติการ : บริษัท ยูโนเด็ค แอนาไลซิส แอนด์ เอ็นจิเนียริ่ง คอนซัลแตนท์ จำกัด  
 สถานที่ตั้ง : เลขที่ 3 ซอยอุดมสุข 41 ถนนสุขุมวิท แขวงบางจาก เขตพระโขนง  
 กรุงเทพมหานคร 10260

หมายเลขการรับรองระบบงานที่ : ทดสอบ - 0063  
 สถานะของห้องปฏิบัติการ : ☒ ถาวร ☐ นอกสถานที่ ☐ชั่วคราว ☐ เคลื่อนที่

ลำดับ ที่	วัสดุ / ผลิตภัณฑ์ที่ทดสอบ	รายการที่ทดสอบ / ช่วงของการทดสอบ	วิธีทดสอบ / เทคนิคที่ใช้
7	น้ำปราศจากไอออน	- อินทรีย์คาร์บอนทั้งหมด 250 µg/L ถึง 2 000 µg/L	Standard Methods for the Examination of Water and Wastewater, APHA AWWA & WEF, 24 <sup>th</sup> ed., 2023, part 5310 C
8	น้ำดื่ม	- Total coliforms MPN/100 mL  - Fecal coliforms MPN/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA AWWA & WEF, 24 <sup>th</sup> ed., 2023, part 9221 B, C  Standard Methods for the Examination of Water and Wastewater, APHA AWWA & WEF, 24 <sup>th</sup> ed., 2023, part 9221 B, C, E



ดำเนินการถูกต้อง

ออกครั้งแรก ณ วันที่ 21 กันยายน 2553

ฉบับที่ 11

สำนักบริหารและรับรองห้องปฏิบัติการ กรมวิทยาศาสตร์บริการ กระทรวงการอุดมศึกษา วิทยาศาสตร์ วิจัยและนวัตกรรม

LAF-30-10/10-24

หน้า 19/23

## ขอข่ายการรับรองความสามารถห้องปฏิบัติการทดสอบ

ชื่อห้องปฏิบัติการ : บริษัท ยูโนเด็ค แอนาไลซิส แอนด์ เอ็นจิเนียริ่ง คอนซัลแตนท์ จำกัด  
 สถานที่ตั้ง : เลขที่ 3 ซอยอุดมสุข 41 ถนนสุขุมวิท แขวงบางจาก เขตพระโขนง  
 กรุงเทพมหานคร 10260

หมายเลขการรับรองระบบงานที่ : ทดสอบ - 0063  
 สถานะของห้องปฏิบัติการ : ☒ ถาวร ☐ นอกสถานที่ ☐ชั่วคราว ☐ เคลื่อนที่

ลำดับ ที่	วัสดุ / ผลิตภัณฑ์ที่ทดสอบ	รายการที่ทดสอบ / ช่วงของการทดสอบ	วิธีทดสอบ / เทคนิคที่ใช้
8 (ต่อ)	น้ำดื่ม	- E. coli MPN/100 mL  - Fecal coliforms CFU/100 mL  - Enterococci CFU/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA AWWA & WEF, 24 <sup>th</sup> ed., 2023, part 9221 B, C, E, F  Standard Methods for the Examination of Water and Wastewater, APHA AWWA & WEF, 24 <sup>th</sup> ed., 2023, part 9222 D  Standard Methods for the Examination of Water and Wastewater, APHA AWWA & WEF, 24 <sup>th</sup> ed., 2023, part 9230 C



ดำเนินการถูกต้อง

ออกครั้งแรก ณ วันที่ 21 กันยายน 2553

ฉบับที่ 11

สำนักบริหารและรับรองห้องปฏิบัติการ กรมวิทยาศาสตร์บริการ กระทรวงการอุดมศึกษา วิทยาศาสตร์ วิจัยและนวัตกรรม

LAF-30-10/10-24

หน้า 20/23

## ขอข่ายการรับรองความสามารถห้องปฏิบัติการทดสอบ

ชื่อห้องปฏิบัติการ : บริษัท ยูโนเด็ค แอนาไลซิส แอนด์ เอ็นจิเนียริ่ง คอนซัลแตนท์ จำกัด  
 สถานที่ตั้ง : เลขที่ 3 ซอยอุดมสุข 41 ถนนสุขุมวิท แขวงบางจาก เขตพระโขนง  
 กรุงเทพมหานคร 10260

หมายเลขการรับรองระบบงานที่ : ทดสอบ - 0063  
 สถานะของห้องปฏิบัติการ : ☒ ถาวร ☐ นอกสถานที่ ☐ชั่วคราว ☐ เคลื่อนที่

ลำดับ ที่	วัสดุ / ผลิตภัณฑ์ที่ทดสอบ	รายการที่ทดสอบ / ช่วงของการทดสอบ	วิธีทดสอบ / เทคนิคที่ใช้
8 (ต่อ)	น้ำดื่ม	- E. coli Detected or not detected/100 mL  - Salmonella spp. Detected or not detected/100 mL  - Total coliform bacteria Detected or not detected/100 mL  - Clostridium perfringens Detected or not detected/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA AWWA & WEF, 24 <sup>th</sup> ed., 2023, part 9221 D, F  ISO 19250 : 2010  Standard Methods for the Examination of Water and Wastewater, APHA AWWA & WEF, 24 <sup>th</sup> ed., 2023, part 9221 D  ISO 14189 : 2016



ดำเนินการถูกต้อง

ออกครั้งแรก ณ วันที่ 21 กันยายน 2553

ฉบับที่ 11

สำนักบริหารและรับรองห้องปฏิบัติการ กรมวิทยาศาสตร์บริการ กระทรวงการอุดมศึกษา วิทยาศาสตร์ วิจัยและนวัตกรรม

LAF-30-10/10-24

หน้า 21/23

## ขอข่ายการรับรองความสามารถห้องปฏิบัติการทดสอบ

ชื่อห้องปฏิบัติการ : บริษัท ยูโนเด็ค แอนาไลซิส แอนด์ เอ็นจิเนียริ่ง คอนซัลแตนท์ จำกัด  
 สถานที่ตั้ง : เลขที่ 3 ซอยอุดมสุข 41 ถนนสุขุมวิท แขวงบางจาก เขตพระโขนง  
 กรุงเทพมหานคร 10260

หมายเลขการรับรองระบบงานที่ : ทดสอบ - 0063  
 สถานะของห้องปฏิบัติการ : ☒ ถาวร ☐ นอกสถานที่ ☐ชั่วคราว ☐ เคลื่อนที่

ลำดับ ที่	วัสดุ / ผลิตภัณฑ์ที่ทดสอบ	รายการที่ทดสอบ / ช่วงของการทดสอบ	วิธีทดสอบ / เทคนิคที่ใช้
9	น้ำส้วม	- Total coliforms MPN/100 mL  - Fecal coliforms MPN/100 mL  - E. coli MPN/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA AWWA & WEF, 24 <sup>th</sup> ed., 2023, part 9221 B, C  Standard Methods for the Examination of Water and Wastewater, APHA AWWA & WEF, 24 <sup>th</sup> ed., 2023, part 9221 B, C, E  Standard Methods for the Examination of Water and Wastewater, APHA AWWA & WEF, 24 <sup>th</sup> ed., 2023, part 9221 B, C, E, F



ดำเนินการถูกต้อง

ออกครั้งแรก ณ วันที่ 21 กันยายน 2553

ฉบับที่ 11

สำนักบริหารและรับรองห้องปฏิบัติการ กรมวิทยาศาสตร์บริการ กระทรวงการอุดมศึกษา วิทยาศาสตร์ วิจัยและนวัตกรรม

LAF-30-10/10-24

หน้า 22/23

