ภาคผนวก ข

เอกสารประกอบมาตรการป้องกันและแก้ไขผลกระทบสิ่งแวดล้อม

ภาคผนวก ข-1

ข้อร้องเรียนรายเดือน ม.ค. – มิ.ย. พ.ศ. 2567 NPP5A สาขา 2

ตารางบันทึกข้อร้องเรียนผลกระทบสิ่งแวดล้อมประจำปี 2568
โครงการเพิ่มกำลังการผลิตโรงผลิตเรือกระดาษ ในส่วนของโรงไฟฟ้า (หม้อสารเคมีกลับคืน)
บริษัท เนชั่นแนล เทคาเวอร์ แพลนท์ 5 จำกัด สาขา2

Jan-68

ลำดับที่	วันที่	ประเภทข้อร้องเรียน	ผลการแก้ไขที่ดำเนิน	หมายเหตุ	วิธีการแก้ไขปัญหา	ข้อคิดเห็นเพิ่มเติม
			ไม่มีข้อร้องเรียน			

Feb-68

ลำดับที่	วันที่	ประเภทข้อร้องเรียน	ผลการแก้ไขที่ดำเนิน	หมายเหตุ	วิธีการแก้ไขปัญหา	ข้อคิดเห็นเพิ่มเติม
			ไม่มีข้อร้องเรียน			

Mar-68

ลำดับที่	วันที่	ประเภทข้อร้องเรียน	ผลการแก้ไขที่ดำเนิน	หมายเหตุ	วิธีการแก้ไขปัญหา	ข้อคิดเห็นเพิ่มเติม
			ไม่มีข้อร้องเรียน			

Apr-68

ลำดับที่	วันที่	ประเภทข้อร้องเรียน	ผลการแก้ไขที่ดำเนิน	หมายเหตุ	วิธีการแก้ไขปัญหา	ข้อคิดเห็นเพิ่มเติม
			ไม่มีข้อร้องเรียน			

May-68

ลำดับที่	วันที่	ประเภทข้อร้องเรียน	ผลการแก้ไขที่ดำเนิน	หมายเหตุ	วิธีการแก้ไขปัญหา	ข้อคิดเห็นเพิ่มเติม
1	31/05/2568	กลิ่น	นางนงนาถ เฉินโฉม ผู้จากผู้ประกอบกิจการบ้านอยู่ 4 ตำบลกาหลง อ. เขาไม้แก้วมีเรื่องร้องเรียนเรื่องกลิ่นจากโรงงาน	เวลา15.45 ของวันที่ 31/5/68 เกิดเหตุการณ์ไฟ ดับ ทาง บริษัทจึงทำให้ระบบแจ้งเตือนขัดข้องไม่ได้ประกอบกับพนักงานมีการ start gas ออก จนถึงเวลา 00.30 น. ทางการบำบัดก๊าซกลับเข้าสู่ระบบได้ปกติ	ระบบทำ start gas ขึ้นมีการ ออกแล้ว ทำแสงแบ่งเครื่องกลับคืนระบบออกจากตามเดิม	ดำเนินการแก้ไขเรียบร้อย

Jun-68

ลำดับที่	วันที่	ประเภทข้อร้องเรียน	ผลการแก้ไขที่ดำเนิน	หมายเหตุ	วิธีการแก้ไขปัญหา	ข้อคิดเห็นเพิ่มเติม
			ไม่มีข้อร้องเรียน			

ภาคผนวก ข-2

สำเนาลงรับหนังสือนำส่งราชการ EIA ก.ค.-ธ.ค.

พ.ศ. 2567 NPP5A สาขา 2

สำนักงานอุตสาหกรรมจังหวัดปราจีนบุรี
เลขที่รับ 899
วันที่ ๓๑ ม.ค. ๒๕๖๘
เวลา

ที่ NPP5A SHEQ-030/2568

บริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 5๐ จำกัด
125 หมู่ 2 ตำบลท่าตูม อำเภอศรีมหาโพธิ
จังหวัดปราจีนบุรี

วันที่ 27 มกราคม 2568

เรื่อง นำส่งรายงานผลการปฏิบัติตามมาตรการป้องกันและแก้ไขผลกระทบสิ่งแวดล้อม และมาตรการติดตามตรวจสอบผลกระทบสิ่งแวดล้อม ระยะดำเนินการ ระหว่างเดือนกรกฎาคมถึงธันวาคม พ.ศ.2567

เรียน อุตสาหกรรมจังหวัดปราจีนบุรี

สิ่งที่ส่งมาด้วย รายงานผลการปฏิบัติตามมาตรการป้องกันและแก้ไขผลกระทบสิ่งแวดล้อม และมาตรการติดตามตรวจสอบผลกระทบสิ่งแวดล้อม โครงการเพิ่มกำลังการผลิตโรงงานผลิตเยื่อกระดาษในส่วนของโรงไฟฟ้า (หม้อสารเคมีกลับคืน) ของบริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 5๐ จำกัด ระยะดำเนินการระหว่างเดือนกรกฎาคมถึงธันวาคม พ.ศ.2567

ด้วยบริษัทฯ จะต้องดำเนินการติดตามตรวจสอบคุณภาพสิ่งแวดล้อม และการปฏิบัติตามมาตรการลดผลกระทบสิ่งแวดล้อมตามที่เสนอไว้ในรายงานการวิเคราะห์ผลกระทบสิ่งแวดล้อม ที่ได้รับความเห็นชอบจากสำนักงานนโยบายและแผนทรัพยากรธรรมชาติและสิ่งแวดล้อมแล้ว นั้น

นั้นนี้บริษัทฯ ได้ปฏิบัติตามมาตรการดังกล่าวอย่างสม่ำเสมอ และเพื่อให้เป็นไปตามระเบียบที่กำหนด บริษัทฯ จึงขอนำส่งผลการปฏิบัติตามมาตรการป้องกันและแก้ไขผลกระทบสิ่งแวดล้อม และมาตรการติดตามตรวจสอบผลกระทบสิ่งแวดล้อม โครงการเพิ่มกำลังการผลิตโรงงานผลิตเยื่อกระดาษในส่วนของโรงไฟฟ้า (หม้อสารเคมีกลับคืน) ระยะดำเนินการระหว่างเดือนกรกฎาคมถึงธันวาคม พ.ศ.2567 ซึ่งมีรายละเอียดตามสิ่งที่ส่งมาด้วยนี้ ให้ท่านโปรดนำเสนอผู้บริหารสำนักงานนโยบายและแผนทรัพยากรธรรมชาติและสิ่งแวดล้อม, สำนักงานสาธารณสุขจังหวัดปราจีนบุรี, นายกองค์การบริหารส่วนตำบลท่าตูมอำเภอศรีมหาโพธิ จังหวัดปราจีนบุรี, ผู้ว่าราชการจังหวัดปราจีนบุรี,นายกองค์การบริหารส่วนจังหวัดปราจีนบุรี, ผู้อำนวยการกองบริการงานอนุบาลโรงงาน 2 กรมโรงงานอุตสาหกรรม, สำนักงานสิ่งแวดล้อมและควบคุมมลพิษที่ 7, เลขาธิการสำนักงานคณะกรรมการกำกับกิจการพลังงาน, เลขาธิการสำนักงานนโยบายและแผนพลังงาน, สำนักงานทรัพยากรธรรมชาติและสิ่งแวดล้อม จังหวัดปราจีนบุรี และสำนักงานนโยบายและแผนทรัพยากรธรรมชาติและสิ่งแวดล้อมพระนครศรีอยุธยา

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ

[redacted]

ผู้จัดการฝ่ายสิ่งแวดล้อม และระบบมาตรฐาน
ผู้รับมอบอำนาจ
บริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 5๐ จำกัด

หน่วยงานความปลอดภัย อาชีวอนามัย สิ่งแวดล้อม และระบบคุณภาพ
คุณปิยนา นาฬิน, คุณสกาวเดือน ไชยชนะ
โทรศัพท์ 085-835-2755, 085-835-1857

ที่ NPP5A SHEQ-030/2568

บริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 5๐ จำกัด
125 หมู่ 2 ตำบลท่าตูม อำเภอศรีมหาโพธิ
จังหวัดปราจีนบุรี

วันที่ 27 มกราคม 2568

เรื่อง นำส่งรายงานผลการปฏิบัติตามมาตรการป้องกันและแก้ไขผลกระทบสิ่งแวดล้อม และมาตรการติดตามตรวจสอบผลกระทบสิ่งแวดล้อม ระยะดำเนินการ ระหว่างเดือนกรกฎาคมถึงธันวาคม พ.ศ.2567

เรียน นายกองค์การบริหารส่วนจังหวัดปราจีนบุรี

สิ่งที่ส่งมาด้วย รายงานผลการปฏิบัติตามมาตรการป้องกันและแก้ไขผลกระทบสิ่งแวดล้อม และมาตรการติดตามตรวจสอบผลกระทบสิ่งแวดล้อม โครงการเพิ่มกำลังการผลิตโรงงานผลิตเยื่อกระดาษในส่วนของโรงไฟฟ้า (หม้อสารเคมีกลับคืน) ของบริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 5๐ จำกัด ระยะดำเนินการระหว่างเดือนกรกฎาคมถึงธันวาคม พ.ศ.2567

ด้วยบริษัทฯ จะต้องดำเนินการติดตามตรวจสอบคุณภาพสิ่งแวดล้อม และการปฏิบัติตามมาตรการลดผลกระทบสิ่งแวดล้อมตามที่เสนอไว้ในรายงานการวิเคราะห์ผลกระทบสิ่งแวดล้อม ที่ได้รับความเห็นชอบจากสำนักงานนโยบายและแผนทรัพยากรธรรมชาติและสิ่งแวดล้อมแล้ว และบริษัทฯ ต้องเสนอรายงานผลการปฏิบัติตามมาตรการดังกล่าวโดยสรุปให้หน่วยงานราชการทราบทุก ๆ เดือน

นั้นนี้บริษัทฯ ได้ปฏิบัติตามมาตรการดังกล่าวอย่างสม่ำเสมอ และเพื่อให้เป็นไปตามระเบียบที่กำหนด บริษัทฯ จึงขอนำส่งผลการปฏิบัติตามมาตรการป้องกันและแก้ไขผลกระทบสิ่งแวดล้อม และมาตรการติดตามตรวจสอบผลกระทบสิ่งแวดล้อม โครงการเพิ่มกำลังการผลิตโรงงานผลิตเยื่อกระดาษในส่วนของโรงไฟฟ้า (หม้อสารเคมีกลับคืน) ระยะดำเนินการระหว่างเดือนกรกฎาคมถึงธันวาคม พ.ศ.2567 ซึ่งมีรายละเอียดตามสิ่งที่ส่งมาด้วยนี้ ให้ท่านโปรดนำเสนอผู้บริหารสำนักงานนโยบายและแผนทรัพยากรธรรมชาติและสิ่งแวดล้อม, สำนักงานสาธารณสุขจังหวัดปราจีนบุรี, ผู้ว่าราชการจังหวัดปราจีนบุรี, นายกองค์การบริหารส่วนตำบลท่าตูมอำเภอศรีมหาโพธิ จังหวัดปราจีนบุรี, ผู้อำนวยการกองบริการงานอนุบาลโรงงาน 2 กรมโรงงานอุตสาหกรรม, สำนักงานสิ่งแวดล้อมและควบคุมมลพิษที่ 7, เลขาธิการสำนักงานคณะกรรมการกำกับกิจการพลังงาน, เลขาธิการสำนักงานนโยบายและแผนพลังงาน, สำนักงานทรัพยากรธรรมชาติและสิ่งแวดล้อม จังหวัดปราจีนบุรี และสำนักงานนโยบายและแผนทรัพยากรธรรมชาติและสิ่งแวดล้อมพระนครศรีอยุธยา

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ

[redacted]

ผู้จัดการฝ่ายสิ่งแวดล้อม และระบบมาตรฐาน
ผู้รับมอบอำนาจ
บริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 5๐ จำกัด

[redacted]

หน่วยงานความปลอดภัย อาชีวอนามัย สิ่งแวดล้อม และระบบคุณภาพ
คุณปิยนา นาฬิน, คุณสกาวเดือน ไชยชนะ
โทรศัพท์ 085-835-2755, 085-835-1857

ที่ NPPSA SEEQ-026/2568

บริษัท เนชั่นแนล เพาเวอร์ แทลเลนท์ 5ย จำกัด
125 หมู่ 2 ตำบลท่าตูม อำเภอศรีมหาโพธิ
จังหวัดปราจีนบุรี

วันที่ 27 มกราคม 2568

เรื่อง นำส่งรายงานผลการปฏิบัติตามมาตรการป้องกันและแก้ไขผลกระทบสิ่งแวดล้อม และมาตรการติดตามตรวจสอบผลกระทบสิ่งแวดล้อม ระยะสิ้นฤดูการ ระหว่างเดือนกรกฎาคมถึงธันวาคม พ.ศ.2567

เรียน สำนักงานสาธารณสุขจังหวัดปราจีนบุรี

สิ่งที่ส่งมาด้วย รายงานผลการปฏิบัติตามมาตรการป้องกันและแก้ไขผลกระทบสิ่งแวดล้อม และมาตรการติดตามตรวจสอบผลกระทบสิ่งแวดล้อม โครงการเพิ่มกำลังการผลิตโรงงานผลิตเยื่อกระดาษในส่วนของโรงไฟฟ้า (หม้อสารเคมีกลับคืน) ของบริษัท เนชั่นแนล เพาเวอร์ แทลเลนท์ 5ย จำกัด ระยะดำเนินการระหว่างเดือนกรกฎาคมถึงธันวาคม พ.ศ.2567

ด้วยบริษัทฯ จะต้องดำเนินการติดตามตรวจสอบคุณภาพสิ่งแวดล้อม และการปฏิบัติตามมาตรการผลผลกระทบสิ่งแวดล้อมตามที่เสนอไว้ในรายงานการวิเคราะห์ผลกระทบสิ่งแวดล้อม ที่ได้รับความเห็นชอบจากสำนักงานนโยบายและแผนทรัพยากรธรรมชาติและสิ่งแวดล้อมแล้ว นั้น บริษัทฯ ต้องเสนอรายงานผลการปฏิบัติตามมาตรการดังกล่าวโดยสรุปให้หน่วยงานราชการทราบทุก 6 เดือน

ทั้งนี้บริษัทฯ ได้ปฏิบัติตามมาตรการดังกล่าวอย่างเคร่งครัด และเพื่อให้เป็นไปตามระเบียบที่กำหนด บริษัทฯ จึงขอนำส่งผลการปฏิบัติตามมาตรการป้องกันและแก้ไขผลกระทบสิ่งแวดล้อม และมาตรการติดตามตรวจสอบผลกระทบสิ่งแวดล้อม โครงการเพิ่มกำลังการผลิตโรงงานผลิตเยื่อกระดาษในส่วนของโรงไฟฟ้า (หม้อสารเคมีกลับคืน) ระยะสิ้นฤดูการ ระหว่างเดือนกรกฎาคมถึงธันวาคม พ.ศ.2567 ซึ่งมีรายละเอียดตามสิ่งที่ส่งมาด้วยและนำส่งถึงท่านด้วยเช่นกัน

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ

[redacted]

ผู้จัดการฝ่ายสิ่งแวดล้อม และระบบมาตรฐาน
ผู้รับมอบอำนาจ
บริษัท เนชั่นแนล เพาเวอร์ แทลเลนท์ 5ย จำกัด

หน่วยงานควบคุมมลพิษ อาชีวอนามัย สิ่งแวดล้อม และระบบคุณภาพ
คุณจิตรา นามอง, คุณสกาวเดือน ไชยชนะ
โทรศัพท์ 085-835-2735, 085-835-1867

[redacted]

ที่ NPPSA SEEQ-026/2568

บริษัท เนชั่นแนล เพาเวอร์ แทลเลนท์ 5ย จำกัด
125 หมู่ 2 ตำบลท่าตูม อำเภอศรีมหาโพธิ
จังหวัดปราจีนบุรี

วันที่ 27 มกราคม 2568

เรื่อง นำส่งรายงานผลการปฏิบัติตามมาตรการป้องกันและแก้ไขผลกระทบสิ่งแวดล้อม และมาตรการติดตามตรวจสอบผลกระทบสิ่งแวดล้อม ระยะสิ้นฤดูการ ระหว่างเดือนกรกฎาคมถึงธันวาคม พ.ศ.2567

เรียน ผู้ว่าราชการจังหวัดปราจีนบุรี

สิ่งที่ส่งมาด้วย รายงานผลการปฏิบัติตามมาตรการป้องกันและแก้ไขผลกระทบสิ่งแวดล้อม และมาตรการติดตามตรวจสอบผลกระทบสิ่งแวดล้อม โครงการเพิ่มกำลังการผลิตโรงงานผลิตเยื่อกระดาษในส่วนของโรงไฟฟ้า (หม้อสารเคมีกลับคืน) ของบริษัท เนชั่นแนล เพาเวอร์ แทลเลนท์ 5ย จำกัด ระยะดำเนินการระหว่างเดือนกรกฎาคมถึงธันวาคม พ.ศ.2567

ด้วยบริษัทฯ จะต้องดำเนินการติดตามตรวจสอบคุณภาพสิ่งแวดล้อม และการปฏิบัติตามมาตรการผลผลกระทบสิ่งแวดล้อมตามที่เสนอไว้ในรายงานการวิเคราะห์ผลกระทบสิ่งแวดล้อม ที่ได้รับความเห็นชอบจากสำนักงานนโยบายและแผนทรัพยากรธรรมชาติและสิ่งแวดล้อมแล้ว นั้น บริษัทฯ ต้องเสนอรายงานผลการปฏิบัติตามมาตรการดังกล่าวโดยสรุปให้หน่วยงานราชการทราบทุก 6 เดือน

ทั้งนี้บริษัทฯ ได้ปฏิบัติตามมาตรการดังกล่าวอย่างเคร่งครัด และเพื่อให้เป็นไปตามระเบียบที่กำหนด บริษัทฯ จึงขอนำส่งผลการปฏิบัติตามมาตรการป้องกันและแก้ไขผลกระทบสิ่งแวดล้อม และมาตรการติดตามตรวจสอบผลกระทบสิ่งแวดล้อม โครงการเพิ่มกำลังการผลิตโรงงานผลิตเยื่อกระดาษในส่วนของโรงไฟฟ้า (หม้อสารเคมีกลับคืน) ระยะสิ้นฤดูการ ระหว่างเดือนกรกฎาคมถึงธันวาคม พ.ศ.2567 ซึ่งมีรายละเอียดตามสิ่งที่ส่งมาด้วยและนำส่งถึงท่านด้วยเช่นกัน

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ

[redacted]

ผู้จัดการฝ่ายสิ่งแวดล้อม และระบบมาตรฐาน
ผู้รับมอบอำนาจ
บริษัท เนชั่นแนล เพาเวอร์ แทลเลนท์ 5ย จำกัด

หน่วยงานควบคุมมลพิษ อาชีวอนามัย สิ่งแวดล้อม และระบบคุณภาพ
คุณจิตรา นามอง, คุณสกาวเดือน ไชยชนะ
โทรศัพท์ 085-835-2735, 085-835-1867

[redacted]

31 ม.ค. 2568

ที่ NPPSA SHEQ-059/2568

บริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 3๘ จำกัด
125 หมู่ 2 ตำบลท่าตูม อำเภอศรีมหาโพธิ
จังหวัดปราจีนบุรี

วันที่ 27 มกราคม 2568

เรื่อง นำส่งรายงานผลการปฏิบัติตามมาตรการป้องกันและแก้ไขผลกระทบสิ่งแวดล้อม และมาตรการติดตามตรวจสอบผลกระทบสิ่งแวดล้อม ระยะดำเนินการ ระหว่างเดือนมกราคม ถึงธันวาคม พ.ศ.2567

เรียน นายกองค์การบริหารส่วนตำบลท่าตูม อำเภอศรีมหาโพธิ จังหวัดปราจีนบุรี

สิ่งที่ส่งมาด้วย รายงานผลการปฏิบัติตามมาตรการป้องกันและแก้ไขผลกระทบสิ่งแวดล้อม และมาตรการติดตามตรวจสอบผลกระทบสิ่งแวดล้อม โครงการเพิ่มกำลังการผลิตโรงงานผลิตเยื่อกระดาษในส่วนของโรงไฟฟ้า (หม้อสารเคมีกลับคืน) ของบริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 3๘ จำกัด ระยะดำเนินการ ระหว่างเดือนมกราคม ถึงธันวาคม พ.ศ.2567

ด้วยบริษัทฯ จะต้องดำเนินการติดตามตรวจสอบคุณภาพสิ่งแวดล้อม และการปฏิบัติตามมาตรการลดผลกระทบสิ่งแวดล้อมตามที่เสนอไว้ในรายงานการวิเคราะห์ผลกระทบสิ่งแวดล้อม ที่ได้รับความเห็นชอบจากสำนักงานนโยบายและแผนทรัพยากรธรรมชาติและสิ่งแวดล้อมด้วยแล้ว และบริษัทฯ ต้องเสนอรายงานผลการปฏิบัติตามมาตรการดังกล่าว โดยสรุปให้หน่วยงานราชการทราบทุก 6 เดือน

ทั้งนี้บริษัทฯ ได้ปฏิบัติตามมาตรการดังกล่าวอย่างสม่ำเสมอ และเพื่อให้เป็นไปตามระเบียบที่กำหนด บริษัทฯ จึงขอนำส่งผลการปฏิบัติตามมาตรการป้องกันและแก้ไขผลกระทบสิ่งแวดล้อม และมาตรการติดตามตรวจสอบผลกระทบสิ่งแวดล้อม โครงการเพิ่มกำลังการผลิตโรงงานผลิตเยื่อกระดาษในส่วนของโรงไฟฟ้า (หม้อสารเคมีกลับคืน) ระยะดำเนินการ ระหว่างเดือนมกราคม ถึงธันวาคม พ.ศ.2567 ซึ่งมีรายละเอียดตามสิ่งที่ส่งมาด้วย และนำส่งอย่างสม่ำเสมอ, สำนักงานนโยบายและแผนทรัพยากรธรรมชาติและสิ่งแวดล้อม, สำนักงานสาธารณสุขจังหวัดปราจีนบุรี, นายอำเภอศรีมหาโพธิ จังหวัดปราจีนบุรี, ผู้ว่าราชการจังหวัดปราจีนบุรี, อุตสาหกรรมจังหวัดปราจีนบุรี, ผู้อำนวยการกองบริการงานอนุญาตโรงงาน 2 กรมโรงงานอุตสาหกรรม, สำนักงานสิ่งแวดล้อมและควบคุมมลพิษที่ 7, เลขาธิการสำนักงานคณะกรรมการกำกับกิจการพลังงาน, เลขาธิการสำนักงานนโยบายและแผนพลังงาน, สำนักงานทรัพยากรธรรมชาติและสิ่งแวดล้อม จังหวัดปราจีนบุรี และสำนักงานนโยบายและแผนทรัพยากรธรรมชาติและสิ่งแวดล้อมจังหวัดสระแก้ว

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ

[redacted]

ผู้จัดการฝ่ายสิ่งแวดล้อม และระบบมาตรฐาน
ผู้รับมอบอำนาจ
บริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 3๘ จำกัด

[redacted]

หน่วยงานติดต่อ: ฝ่ายสิ่งแวดล้อม และระบบคุณภาพ
คุณสิทธา นาคล้อง, คุณสกาวลักษณ์ ไชยชนะ
โทรศัพท์ 085-855-2735, 085-855-1867

กองบริการงานอนุญาตโรงงาน 3
รับที่ 509/61
วันที่ 30 ม.ค. 2568
เวลา 11.01 น.

สำเนา

ที่ NPPSA SHEQ-331/2568

บริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 3๘ จำกัด
125 หมู่ 2 ตำบลท่าตูม อำเภอศรีมหาโพธิ
จังหวัดปราจีนบุรี

วันที่ 27 มกราคม 2568

เรื่อง นำส่งรายงานผลการปฏิบัติตามมาตรการป้องกันและแก้ไขผลกระทบสิ่งแวดล้อม และมาตรการติดตามตรวจสอบผลกระทบสิ่งแวดล้อม ระยะดำเนินการ ระหว่างเดือนมกราคม ถึงธันวาคม พ.ศ.2567

เรียน ผู้อำนวยการกองบริการงานอนุญาตโรงงาน 3 กรมโรงงานอุตสาหกรรม

สิ่งที่ส่งมาด้วย รายงานผลการปฏิบัติตามมาตรการป้องกันและแก้ไขผลกระทบสิ่งแวดล้อม และมาตรการติดตามตรวจสอบผลกระทบสิ่งแวดล้อม โครงการเพิ่มกำลังการผลิตโรงงานผลิตเยื่อกระดาษในส่วนของโรงไฟฟ้า (หม้อสารเคมีกลับคืน) ของบริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 3๘ จำกัด ระยะดำเนินการ ระหว่างเดือนมกราคม ถึงธันวาคม พ.ศ.2567

ด้วยบริษัทฯ จะต้องดำเนินการติดตามตรวจสอบคุณภาพสิ่งแวดล้อม และการปฏิบัติตามมาตรการลดผลกระทบสิ่งแวดล้อมตามที่เสนอไว้ในรายงานการวิเคราะห์ผลกระทบสิ่งแวดล้อม ที่ได้รับความเห็นชอบจากสำนักงานนโยบายและแผนทรัพยากรธรรมชาติและสิ่งแวดล้อมด้วยแล้ว และบริษัทฯ ต้องเสนอรายงานผลการปฏิบัติตามมาตรการดังกล่าว โดยสรุปให้หน่วยงานราชการทราบทุก 6 เดือน

ทั้งนี้บริษัทฯ ได้ปฏิบัติตามมาตรการดังกล่าวอย่างสม่ำเสมอ และเพื่อให้เป็นไปตามระเบียบที่กำหนด บริษัทฯ จึงขอนำส่งผลการปฏิบัติตามมาตรการป้องกันและแก้ไขผลกระทบสิ่งแวดล้อม และมาตรการติดตามตรวจสอบผลกระทบสิ่งแวดล้อม โครงการเพิ่มกำลังการผลิตโรงงานผลิตเยื่อกระดาษในส่วนของโรงไฟฟ้า (หม้อสารเคมีกลับคืน) ระยะดำเนินการ ระหว่างเดือนมกราคม ถึงธันวาคม พ.ศ.2567 ซึ่งมีรายละเอียดตามสิ่งที่ส่งมาด้วย และนำส่งอย่างสม่ำเสมอ, สำนักงานนโยบายและแผนทรัพยากรธรรมชาติและสิ่งแวดล้อม, สำนักงานสาธารณสุขจังหวัดปราจีนบุรี, นายอำเภอศรีมหาโพธิ จังหวัดปราจีนบุรี, ผู้ว่าราชการจังหวัดปราจีนบุรี, นายกองค์การบริหารส่วนตำบลท่าตูม อำเภอศรีมหาโพธิ จังหวัดปราจีนบุรี, อุตสาหกรรมจังหวัดปราจีนบุรี, สำนักงานสิ่งแวดล้อมและควบคุมมลพิษที่ 7, เลขาธิการสำนักงานคณะกรรมการกำกับกิจการพลังงาน, เลขาธิการสำนักงานนโยบายและแผนพลังงาน, สำนักงานทรัพยากรธรรมชาติและสิ่งแวดล้อม จังหวัดปราจีนบุรี และสำนักงานนโยบายและแผนทรัพยากรธรรมชาติและสิ่งแวดล้อมจังหวัดสระแก้ว

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ

[redacted]

ผู้จัดการฝ่ายสิ่งแวดล้อม และระบบมาตรฐาน
ผู้รับมอบอำนาจ
บริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 3๘ จำกัด

หน่วยงานติดต่อ: ฝ่ายสิ่งแวดล้อม และระบบคุณภาพ
คุณสิทธา นาคล้อง, คุณสกาวลักษณ์ ไชยชนะ
โทรศัพท์ 085-855-2735, 085-855-1867

สำเนา

ที่ NPPSA SHEQ-034/2568

บริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 5(0 จำกัด
123 หมู่ 2 ตำบลท่าตูม อำเภอศรีมหาโพธิ
จังหวัดปราจีนบุรี

วันที่ 27 มกราคม 2568

เรื่อง ขอส่งรายงานผลการปฏิบัติตามมาตรการที่กำหนดไว้ในรายงานการวิเคราะห์ผลกระทบสิ่งแวดล้อม โครงการเพิ่มกำลังการผลิตโรงงานผลิตเยื่อกระดาษในส่วนของโรงไฟฟ้า (หม้อสารเคมีกลับคืน) ของบริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 5(0 จำกัด ระยะดำเนินการระหว่างเดือนกรกฎาคมถึงธันวาคม พ.ศ.2567

เรียน เลขาธิการสำนักงานคณะกรรมการกำกับกิจการพลังงาน

สิ่งที่ส่งมาด้วย 1. รายงานผลการปฏิบัติตามมาตรการที่กำหนดไว้ในรายงานการวิเคราะห์ผลกระทบสิ่งแวดล้อม โครงการเพิ่มกำลังการผลิตโรงงานผลิตเยื่อกระดาษในส่วนของโรงไฟฟ้า (หม้อสารเคมีกลับคืน) ของบริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 5(0 จำกัด ระยะดำเนินการระหว่างเดือนกรกฎาคมถึงธันวาคม พ.ศ.2567 จำนวน 3 ชุด

2. แผ่นซีดีรอมที่บรรจุไฟล์ข้อความรายงานผลการปฏิบัติตามมาตรการฯ จำนวน 3 แผ่น

ด้วยบริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 5(0 จำกัด (บริษัทฯ) โครงการเพิ่มกำลังการผลิตโรงงานผลิตเยื่อกระดาษในส่วนของโรงไฟฟ้า (หม้อสารเคมีกลับคืน) ที่ตั้งโครงการตำบลท่าตูม อำเภอศรีมหาโพธิ จังหวัดปราจีนบุรี สถานะโครงการระยะดำเนินการ เลขที่ใบอนุญาตประกอบกิจการพลังงาน กพช 01-1(2)52-044 และมีเลขที่รายงานตามระบบ SMART EIA เอชที 12139 จะเรื่องปฏิบัติตามมาตรการป้องกันและแก้ไขผลกระทบสิ่งแวดล้อม และมาตรการติดตามตรวจสอบผลกระทบสิ่งแวดล้อมที่เสนอไว้ในรายงานการวิเคราะห์ผลกระทบสิ่งแวดล้อม ที่ได้รับความเห็นชอบจากสำนักงานนโยบายและแผนทรัพยากรธรรมชาติและสิ่งแวดล้อม และบริษัทฯ ต้องเสนอรายงานผลการปฏิบัติตามมาตรการดังกล่าว ให้สรุปให้หน่วยงานราชการทราบทุก 6 เดือน

ทั้งนี้บริษัทฯ ได้ปฏิบัติตามมาตรการดังกล่าวอย่างเคร่งครัดแล้ว และเพื่อให้เป็นไปตามระเบียบที่กำหนด บริษัทฯ จึงขอนำส่งผลการปฏิบัติตามมาตรการป้องกันและแก้ไขผลกระทบสิ่งแวดล้อม และมาตรการติดตามตรวจสอบผลกระทบสิ่งแวดล้อม โครงการเพิ่มกำลังการผลิตโรงงานผลิตเยื่อกระดาษในส่วนของโรงไฟฟ้า (หม้อสารเคมีกลับคืน) ระยะดำเนินการระหว่างเดือนกรกฎาคมถึงธันวาคม พ.ศ.2567 ซึ่งมีรายละเอียดตามสิ่งที่ส่งมาด้วยมาเพื่อพิจารณาและ โปรดตรวจรับรองรายงานฯ ส่งให้สำนักงานทรัพยากรธรรมชาติและสิ่งแวดล้อม จังหวัดปราจีนบุรี และสำนักงานนโยบายและแผนทรัพยากรธรรมชาติและสิ่งแวดล้อมต่อไป

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ

[redacted]

ผู้จัดการฝ่ายสิ่งแวดล้อมและระบบมาตรฐาน
ผู้รับมอบอำนาจ
บริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 5(0 จำกัด

หน่วยงานประสานงานด้านสิ่งแวดล้อม
คุณปิยนา นาฬิง, คุณสรายุทธ ไชยรบ
โทรศัพท์ 085-835-2755, 085-835-1867

[redacted]

31.9.66

สำเนา

ที่ NPPSA SHEQ-032/2568

บริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 5(0 จำกัด
123 หมู่ 2 ตำบลท่าตูม อำเภอศรีมหาโพธิ
จังหวัดปราจีนบุรี

วันที่ 27 มกราคม 2569

เรื่อง นำส่งรายงานผลการปฏิบัติตามมาตรการป้องกันและแก้ไขผลกระทบสิ่งแวดล้อม และมาตรการติดตามตรวจสอบผลกระทบสิ่งแวดล้อม ระยะดำเนินการ ระหว่างเดือนกรกฎาคมถึงธันวาคม พ.ศ.2567

เรียน ผู้อำนวยการสำนักงานสิ่งแวดล้อมและควบคุมมลพิษที่ 7

สิ่งที่ส่งมาด้วย รายงานผลการปฏิบัติตามมาตรการป้องกันและแก้ไขผลกระทบสิ่งแวดล้อม และมาตรการติดตามตรวจสอบผลกระทบสิ่งแวดล้อม โครงการเพิ่มกำลังการผลิตโรงงานผลิตเยื่อกระดาษในส่วนของโรงไฟฟ้า (หม้อสารเคมีกลับคืน) ของบริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 5(0 จำกัด ระยะดำเนินการระหว่างเดือนกรกฎาคมถึงธันวาคม พ.ศ.2567

ด้วยบริษัทฯ จะต้องดำเนินการติดตามตรวจสอบคุณภาพสิ่งแวดล้อม และการปฏิบัติตามมาตรการลดผลกระทบสิ่งแวดล้อมตามที่เสนอไว้ในรายงานการวิเคราะห์ผลกระทบสิ่งแวดล้อม ซึ่งได้รับความเห็นชอบจากสำนักงานนโยบายและแผนทรัพยากรธรรมชาติและสิ่งแวดล้อมด้วยแล้ว และบริษัทฯ ต้องเสนอรายงานผลการปฏิบัติตามมาตรการดังกล่าว ให้สรุปให้หน่วยงานราชการทราบทุก 6 เดือน

ทั้งนี้บริษัทฯ ได้ปฏิบัติตามมาตรการดังกล่าวอย่างเคร่งครัดแล้ว และเพื่อให้เป็นไปตามระเบียบที่กำหนด บริษัทฯ จึงขอนำส่งผลการปฏิบัติตามมาตรการป้องกันและแก้ไขผลกระทบสิ่งแวดล้อม และมาตรการติดตามตรวจสอบผลกระทบสิ่งแวดล้อม โครงการเพิ่มกำลังการผลิตโรงงานผลิตเยื่อกระดาษในส่วนของโรงไฟฟ้า (หม้อสารเคมีกลับคืน) ระยะดำเนินการระหว่างเดือนกรกฎาคมถึงธันวาคม พ.ศ.2567 ซึ่งมีรายละเอียดตามสิ่งที่ส่งมาด้วยและนำส่งมอบสำนักงานนโยบายและแผนทรัพยากรธรรมชาติและสิ่งแวดล้อม สำนักงานสาธารณสุขจังหวัดปราจีนบุรี นายอำเภอศรีมหาโพธิ จังหวัดปราจีนบุรี ผู้ว่าราชการจังหวัดปราจีนบุรี,นายกองค์การบริหารส่วนตำบลท่าตูม อำเภอศรีมหาโพธิ จังหวัดปราจีนบุรี, อุตสาหกรรมจังหวัดปราจีนบุรี, ผู้อำนวยการกองบริการงานอนุญาตโรงงาน 2 กรมโรงงานอุตสาหกรรม, เลขาธิการสำนักงานคณะกรรมการกำกับกิจการพลังงาน, เลขาธิการสำนักงานนโยบายและแผนพลังงาน, สำนักงานทรัพยากรธรรมชาติและสิ่งแวดล้อม จังหวัดปราจีนบุรี และสำนักงานนโยบายและแผนทรัพยากรธรรมชาติและสิ่งแวดล้อมระยะต่างๆ

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ

[redacted]

ผู้จัดการฝ่ายสิ่งแวดล้อมและระบบมาตรฐาน
ผู้รับมอบอำนาจ
บริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 5(0 จำกัด

หน่วยงานประสานงานด้านสิ่งแวดล้อม
คุณปิยนา นาฬิง, คุณสรายุทธ ไชยรบ
โทรศัพท์ 085-835-2755, 085-835-1867

[redacted]

31/1/68

สำเนา

ที่ NPPSA SHEQ-033/2568

บริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 510 จำกัด
125 หมู่ 2 ตำบลท่าตูม อำเภอศรีมหาโพธิ
จังหวัดปราจีนบุรี

วันที่ 27 มกราคม 2568

เรื่อง แจ้งรายงานผลการปฏิบัติตามมาตรการป้องกันและแก้ไขผลกระทบสิ่งแวดล้อม และมาตรการติดตามตรวจสอบผลกระทบสิ่งแวดล้อม ระยะดำเนินการ ระหว่างเดือนกรกฎาคมถึงธันวาคม พ.ศ.2567

เรียน เลขาธิการสำนักงานนโยบายและแผนพลังงาน

สิ่งที่ส่งมาด้วย รายงานผลการปฏิบัติตามมาตรการป้องกันและแก้ไขผลกระทบสิ่งแวดล้อม และมาตรการติดตามตรวจสอบผลกระทบสิ่งแวดล้อม โครงการเพิ่มกำลังการผลิตโรงงานผลิตเยื่อกระดาษในส่วนของโรงไฟฟ้า (หม้อสารเหลือทิ้ง) ของบริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 510 จำกัด ระยะดำเนินการระหว่างเดือนกรกฎาคมถึงธันวาคม พ.ศ.2567

ด้วยบริษัทฯ จะต้องดำเนินการติดตามตรวจสอบคุณภาพสิ่งแวดล้อม และการปฏิบัติตามมาตรการลดผลกระทบสิ่งแวดล้อมตามที่เสนอไว้ในรายงานการวิเคราะห์ผลกระทบสิ่งแวดล้อม ซึ่งได้รับความเห็นชอบจากสำนักงานนโยบายและแผนทรัพยากรธรรมชาติและสิ่งแวดล้อมล้วงแล้ว และบริษัทฯ ขอแสดงรายงานผลการปฏิบัติตามมาตรการดังกล่าวโดยสรุปให้หน่วยงานราชการจำนวนชุด 6 เล่ม

ทั้งนี้บริษัทฯ ได้ปฏิบัติตามมาตรการดังกล่าวอย่างเข้มงวด และเพื่อให้เป็นไปตามระเบียบที่กำหนด บริษัทฯ จึงขอนำส่งผลการปฏิบัติตามมาตรการป้องกันและแก้ไขผลกระทบที่เกิดขึ้น และมาตรการติดตามตรวจสอบผลกระทบสิ่งแวดล้อม โครงการเพิ่มกำลังการผลิตโรงงานผลิตเยื่อกระดาษในส่วนของโรงไฟฟ้า (หม้อสารเหลือทิ้ง) ระยะดำเนินการระหว่างเดือนกรกฎาคมถึงธันวาคม พ.ศ.2567 ซึ่งมีรายละเอียดตามสิ่งที่ส่งมาด้วยและนำส่งสำนักงานนโยบายและแผนทรัพยากรธรรมชาติและสิ่งแวดล้อม, สำนักงานสาธารณสุขจังหวัดปราจีนบุรี, นายอำเภอศรีมหาโพธิ จังหวัดปราจีนบุรี, ผู้ว่าราชการจังหวัดปราจีนบุรี, นายกองค์การบริหารส่วนตำบลท่าตูม อำเภอศรีมหาโพธิ จังหวัดปราจีนบุรี, อุตสาหกรรมจังหวัดปราจีนบุรี, ผู้อำนวยการสำนักโรงงานอุตสาหกรรมราชธานี 5 กรมโรงงานอุตสาหกรรม, สำนักงานสิ่งแวดล้อมและควบคุมมลพิษที่ 7, เลขาธิการสำนักงานคณะกรรมการกำกับหลักทรัพย์และตลาดหลักทรัพย์ และสำนักงานทรัพยากรธรรมชาติและสิ่งแวดล้อม จังหวัดปราจีนบุรี และสำนักงานนโยบายและแผนทรัพยากรธรรมชาติและสิ่งแวดล้อมจราจำเป็นต้น

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ

[redacted]

ผู้จัดการฝ่ายสิ่งแวดล้อม และระบบมาตรฐาน
ผู้รับมอบอำนาจ
บริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 510 จำกัด

หน่วยงานความมั่นคงเกี่ยว อาชีวอนามัย สิ่งแวดล้อม และระบบคุณภาพ
คุณปิยนา นาคพิน, คุณสุภาภรณ์ ไชยานนท์
โทรศัพท์ 085-833-2735, 085-833-1867

ได้รับเอกสารแล้ว
[redacted]
31 มค. 2568

ภาคผนวก ข-3

ผลการตรวจวัด VOCs PP11 รายเดือน ม.ค. - มิ.ย. พ.ศ. 2568

ค่าที่ใช้เทียบ : 1 ppm

Plant	Floor	Area	Jan	Feb	Mar	Apr	May	Jun	Remark
			VOCs(ppm)						
Recover Boiler	# G	Space Dome	0.10	0.10	0.20	0.20	<0.1	0.20	
		Denim Plant Side	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
		Quick Lime Side	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
		ESP Side	0.20	0.20	0.20	0.10	<0.1	<0.1	
	# 1	Space Dome	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
		Denim Plant Side	0.30	0.10	0.20	<0.1	<0.1	0.20	
		Quick Lime Side	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
		ESP Side	<0.1	0.10	0.10	<0.1	0.20	0.20	
	# 2	Space Dome	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
		Denim Plant Side*	0.20	<0.1	0.10	0.30	0.30	<0.1	
		Quick Lime Side*	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
		ESP Side	0.20	0.20	0.10	0.34	<0.1	<0.1	
		[illegible] Mixing Tank*	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
		[illegible] Mixing Tank*	0.50	0.10	<0.1	<0.1	0.20	0.20	
		SD gas fan*	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
	# 3	Space Dome	0.10	0.20	0.10	<0.1	<0.1	<0.1	
		Denim Plant Side	0.90	0.10	0.70	<0.1	<0.1	0.30	
		Quick Lime Side	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
		ESP Side	0.10	<0.1	0.20	<0.1	<0.1	<0.1	
		HVLC fan*	0.50	0.40	0.10	0.10	0.30	0.20	
	# 4	Space Dome	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
		Denim Plant Side	0.10	0.20	0.10	<0.1	0.10	0.10	
		Quick Lime Side	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
		ESP Side	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
	# 5*	Space Dome	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
		Denim Plant Side	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
		Quick Lime Side	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
		ESP Side	0.20	0.80	0.10	0.40	0.10	0.20	
	# 6*	Space Dome	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
		Denim Plant Side	0.20	0.60	0.10	0.20	0.10	0.20	
		Quick Lime Side	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
		ESP Side	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	

Plant	Floor	Area	Jan	Feb	Mar	Apr	May	Jun	Remark
			VOCs(ppm)						
Recover Boiler	# 7*	Space Dome	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
		Denim Plant Side	0.20	0.90	0.70	0.20	0.50	0.10	
		Quick Lime Side	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
		ESP Side	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
	# 8*	Space Dome	0.20	0.10	<0.1	<0.1	0.10	<0.1	
		Denim Plant Side	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
		Quick Lime Side	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
		ESP Side	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
	# 9*	Space Dome	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
		Denim Plant Side	0.90	0.10	0.70	0.30	0.90	0.50	
		Quick Lime Side	0.60	0.30	0.30	0.10	0.10	<0.1	
		ESP Side	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
	# 10*	Space Dome	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
		Denim Plant Side	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
		Quick Lime Side	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
		ESP Side	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
	# 11*	Space Dome	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
		Denim Plant Side	0.80	0.70	0.20	0.20	0.10	0.10	
		Quick Lime Side	<0.1	0.90	0.50	0.70	0.20	0.40	
		ESP Side	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
	# 12*	Space Dome	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
		Denim Plant Side	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
		Quick Lime Side	0.40	0.30	0.50	0.30	0.30	0.10	
		ESP Side	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
	# 13*	Space Dome	0.20	0.10	<0.1	<0.1	<0.1	0.20	
		Denim Plant Side	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
		Quick Lime Side	0.90	0.40	0.80	0.80	0.70	0.90	
		ESP Side	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	

Plant	Floor	Area	Jan	Feb	Mar	Apr	May	Jun	Remark
			VOCs(ppm)						
Evaporation		[illegible] Evap*	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
		Quench #1*	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
		Quench #2*	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
		Quench #3*	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
		Quench #4*	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
		Port-A outlet quench*	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
		[illegible] WBL T004	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
		[illegible] WBL T005	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
		[illegible] SBL Tank	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
		[illegible] Spill	0.90	0.75	0.80	0.32	0.20	0.20	[illegible]
		[illegible] Firing	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
		[illegible] warm	0.50	0.40	0.40	0.50	0.37	0.45	[illegible]
		[illegible] condensate*	0.40	0.50	0.50	0.50	0.20	0.80	[illegible]
		[illegible] foul*	<0.1	<0.1	<0.1	0.20	0.10	0.10	

*[illegible] EIA

ภาคผนวก ข-4

คู่มือบำรุงรักษาระบบบำบัดมลพิษอากาศ

การบำรุงรักษาเชิงป้องกันสำหรับเครื่องกรองจับฝุ่นแบบไฟฟ้าสถิตย์

1. **วัตถุประสงค์ (Objective)**

   เพื่อรับประกันว่า ESP ได้รับการบำรุงรักษาตามข้อกำหนดของผู้ผลิต และระบบการจัดการสิ่งแวดล้อม

2. **ขอบข่าย (Scope)**

   เครื่องจักรและอุปกรณ์ ESP ในบริษัท NPP5 NPP11 และNPP10

3. **คำจำกัดความ (Definition)**

   3.1 Maximo โปรแกรมสำเร็จรูปซึ่งใช้ในการบริหารงานซ่อมบำรุงเป็นหลัก นอกจากนี้ยังมีส่วนช่วย

   3.2 PM Module ระบบการจัดการซ่อมบำรุงส่วนที่จัดเก็บข้อมูลการบำรุงรักษาเชิงป้องกันใน "Maximo"

   3.3 Equipment Module ระบบการจัดการซ่อมบำรุง ส่วนที่จัดเก็บข้อมูลเครื่องจักรและอุปกรณ์ใน "Maximo

   3.4 ISO Related "E" การแยกความสำคัญของเครื่องจักรและอุปกรณ์ที่มีผลกระทบต่อสิ่งแวดล้อม ใน "Maximo"

   3.5 ESP Electrostatic Precipitator เครื่องกรองจับฝุ่นแบบไฟฟ้าสถิตย์

4. **ขั้นตอนการดำเนินงาน (Procedure)**

   4.1 เครื่องจักรและอุปกรณ์ของ ESP จะได้รับการลงทะเบียนหมายเลขเครื่องจักรและจัดเก็บข้อมูลไว้ในระบบ "Maximo" Equipment Module

   4.2 การตรวจสอบเครื่องจักรประจำวัน จะมีรายละเอียดตามเอกสารแนบ 6.3 (รายละเอียดการบำรุงรักษาเครื่องจักรและอุปกรณ์เชิงป้องกัน)

   4.3 การบำรุงรักษาเชิงป้องกันสำหรับเครื่องจักรและอุปกรณ์ในแผนก Recovery Boiler ที่ระบุใน "Maximo" "Equipment Module" ISO related "E" จะได้รับการดำเนินการตามคำแนะนำของผู้ผลิต และมีกำหนดการบำรุงรักษาตามที่ได้ระบุใน "Maximo" PM Module

5. **บันทึก (Record)**

   5.1 บันทึกของงานซ่อมบำรุงทั้งหมดจะได้รับการระบุใน Work order / Work request และป้อนข้อมูลเข้าสู่โหมดประวัติ (history module) ของ "Maximo"

6. **เอกสารแนบ (Related Document)**

   6.1 รายการเครื่องจักรและอุปกรณ์ที่มีผลกระทบต่อสิ่งแวดล้อมของ ESP

ISO 14001 *ENVIRONMENTAL MANAGEMENT SYSTEM*

WORK INSTRUCTION Document No. WI-E-5 5A 11-EM-007

Issued by: Suwit P. Edition No. 01

Effective date: 30 Aug 2017

Approved by: Natthawat K. Page 1 (3)

ประวัติการแก้ไขเอกสาร

เลขที่เอกสาร	แก้ไขครั้งที่	รายละเอียดการแก้ไข	ผู้จัดทำเอกสาร
WI-E-5 5A 11-EM-007	01	ปรับแก้รูปแบบเอกสารพร้อมทั้งรับรองเอกสารใหม่	สุวิทย์ ไพรี่บุปผา

EMS-File No. .....

เอกสารแนบ 6.1 รายการเครื่องจักรและอุปกรณ์ที่มีผลกระทบต่อสิ่งแวดล้อมของ ESP

ITEM	DESCRIPTION	TYPE
1	Drag scraper ESP # 1	Conveyor
2	Drag scraper ESP # 2	Conveyor
3	Collecting conveyor ESP # 1	Conveyor
4	Collecting conveyor ESP # 2	Conveyor
5	Rotary feeder ESP # 1	Valve
6	Rotary feeder ESP # 2	Valve
7	Precipitator transfer conveyor # 1	Conveyor
8	Precipitator transfer conveyor # 2	Conveyor
9	Ins heater blower, precipitator # 1	Fan
10	Emitting rapper # C, precipitator # 2	Conveyor
11	Ins. Heater blower, precipitator # 2	Fan

6.2 รายการการบำรุงรักษาเครื่องจักรและอุปกรณ์ที่เกี่ยวข้องกันที่มีผลกระทบต่อสิ่งแวดล้อมใน ESP

6.3 รายละเอียดการบำรุงรักษาเครื่องจักรและอุปกรณ์ที่เกี่ยวข้องกัน

6.4 ขั้นตำแหน่งความปลอดภัย

7. เอกสารอ้างอิง (Reference)

7.1 MN-E-PUH-MR-001 Environment Manual

7.2 WP-QES-PUH-OC-006 Operation Control Procedure

เอกสารแนบ 6.3 รายละเอียดการบำรุงรักษาเครื่องจักรและอุปกรณ์ที่เชื่อมโยงกัน

ITEM	INSPECTION	FREQUENCY			
		DAILY	WEEKLY	MONTHLY	YEARLY
1	ตรวจสอบสภาพเครื่องจักรด้วยประสาทสัมผัส	X			
2	ตรวจสอบยึดจาระบี		X	X	
3	เปิดถังทำความสะอาดและเปลี่ยนจาระบีใหม่				X
4	ตรวจสอบระดับน้ำมันหล่อลื่น, เติมน้ำมันหล่อลื่น		X	X	
5	เปลี่ยนน้ำมันหล่อลื่น				X
6	ตรวจสอบวัดอุณหภูมิเครื่องจักร	X	X	X	
7	ตรวจสอบวัดแรงดันต่างๆ	X	X	X	
8	ตรวจสอบการรั่วซึมต่างๆ (Packing, Mechanical)	X		X	
9	ตรวจสอบการสั่นสะเทือน			X	
10	ตรวจสอบการขาดสลอนต่างๆ (Bolts, Nuts)			X	X
11	ตรวจสอบสายพานและการปรับแต่ง	X		X	
12	ตรวจสอบโซ่, หล่อลื่น ใช้และปรับแต่ง	X		X	
13	ตรวจวัดสภาพลูกปืนตั้งแต่เครื่องวัดความร้อนลูกปืน			X	
14	ตรวจสอบคุณภาพน้ำมันหล่อลื่น				X
15	ตรวจสอบระบบห้ามล้อต่างๆ			X	X
16	ตรวจสอบขั้วต่อแรงดัน, ปรับแต่งและพิสูจน์แรงดันและการทำงาน				X
17	ตรวจสอบระบบการระบายน้ำอัดในมิติ	X		X	
18	ตรวจสอบอุปกรณ์, ชิ้นส่วนต่างๆและเปลี่ยนตามอายุการใช้งานหรือผู้ผลิตแนะนำ				X
19	ทำความสะอาดตามจุดต่างๆ	X	X	X	X

เอกสารแนบ 6.2 รายการการบำรุงรักษาเครื่องจักรและอุปกรณ์ที่เชื่อมโยงในที่มีผลกระทบต่อสิ่งแวดล้อมใน ESP

ITEM	DESCRIPTION	PM NUMBER	FREQUENCY			
			DAILY	WEEKLY	MONTHLY	YEARLY
1	Drag scraper ESP # 1	PM4543			X	
2	Drag scraper ESP # 2	PM4544			X	
3	Collecting conveyor ESP # 1	PM4545			X	
4	Collecting conveyor ESP # 2	PM4546			X	
5	Rotary feeder ESP # 1	PM4547			X	
6	Rotary feeder ESP # 2	PM4548			X	
7	Precipitator transfer conveyor # 1	PM4549			X	
8	Precipitator transfer conveyor # 2	PM4550			X	

ก่อนตรวจสอบเครื่องหรือปฏิบัติงานที่เกี่ยวกับตัวเครื่องปรับไฟแรงสูง

อันตราย: ไฟแรงสูง
แรงไฟปกติขณะเดินเครื่องอยู่ในระหว่าง 80,000 V – 90,000 V
ปฏิบัติตามกฎข้อบังคับเรื่องการต่อสายระบบไฟแรงสูงลงดินก่อนการตรวจหรือซ่อมเครื่อง นี่เป็นเรื่องสำคัญยิ่งชีวิต

- ตรวจสภาพอุปกรณ์ชิ้นส่วนและปลายสายไฟของอุปกรณ์สายดินว่าต่อสายเรียบร้อยถูกต้องดี
- ปิดสวิทช์จ่ายไฟทุกตัวในตู้ไฟ
- แขวนป้าย "กำลังทำงาน" ให้เห็นชัดเจนข้างหน้าตู้ควบคุมเครื่อง
- ล็อกขั้นสำหรับล็อกเครื่องเรียงไฟชิ้นงานธรรมดาเป็นสายไฟแรงสูงเข้ากับอุปกรณ์สายดินที่มีไว้ลูกกุญแจ : "ทำขึ้นเองเนื่องจากต้องสายพิเศษกับเครื่องกรองคุ้นสูงมี"

ก่อนเข้าปฏิบัติงานในห้องเทอง

ระวังอันตรายและอุบัติเหตุ
ก่อนเข้าห้องเทอกระบอก ใช้ไฟฉายตรวจดูอย่างละเอียดให้แน่ใจว่ามีรูอีเกาะตัวกันเป็นแผงอยู่หรือไม่และมีอากาศละลุดออกมาจากชิ้นส่วนต่าง ๆ หรือไม่
ถ้ามีก็ต้องเคาะแผ่นรูอีที่ค้างอยู่ให้หลุดออกมาเสียก่อน ก่อนที่จะเข้าไปในห้องเทอกระบอก ตรวจดูอากาศดูและเปิดพัดลมดูที่ดำให้รูอีเกาะตัวกันก่อนที่จะเริ่มเดินเครื่องใหม่
ปล่อยให้เครื่องเทอทำงานต่อไปทุกครั้งในขณะที่บนเครื่องให้เย็นลง ทั้งนี้เพื่อลดโอกาสให้รูอีเกาะตัวและอุดตันท่อ

ก่อนเข้าปฏิบัติงานในห้องกรอง

เวลาเข้าไปปฏิบัติงานในห้องเทอกระบอกทุกครั้ง ต้องมีคนสองคนเข้าไปด้วยกันเสมอ หนึ่งเป็นคนรับผิดชอบอยู่ด้วย ทั้งสองคนต้องรู้จักเป็นอย่างดีว่าอุปกรณ์และเครื่องมือนั้นเป็นประเภทใดชนิดใด มีโอกาสก่อให้เกิดอันตรายอย่างไรบ้าง และต้องรู้ว่าจะใช้งานอย่างไรถึงจะปลอดภัยและรักษาความปลอดภัยอย่างไรบ้าง ผู้ปฏิบัติงานต้องรู้จักโครงสร้างและการทำงานของเครื่องทำความสะอาดเป็นอย่างดี และรู้ว่าจะต้องทำอย่างไรเมื่อเกิดความผิดพลาดขึ้นมา นอกจากนั้นควรจะต้องคำนึงถึงโอกาสที่จะเกิดไฟไหม้หรือการระเบิดด้วยต้องใช้อุปกรณ์และชุดป้องกันเสมอทุกครั้ง

เอกสารแนบ 6.4 ข้อกำหนดความปลอดภัย

ข้อกำหนดความปลอดภัยทั่วไป

เจ้าหน้าที่พนักงานทุกคนที่ทำงานในโรงกรองต้องรับรู้และเข้าใจกฎระเบียบความปลอดภัยที่กำหนดไว้ดังต่อไปนี้ ถ้ามีกฎระเบียบความปลอดภัยอื่นๆ อีกที่เกี่ยวกับความปลอดภัยของเจ้าหน้าที่พนักงาน ไม่ว่าจะเป็นกฎทั่วไปหรือกฎโดยเฉพาะใดๆ ก็ตาม ก็ต้องปฏิบัติตามกฎหน่วยนั้นด้วย

การรักษาความปลอดภัยของเจ้าหน้าที่พนักงาน

- ใช้หมวกนิรภัยและรองเท้าหุ้มส้นที่มีหัวเหล็กเสริมไว้ตลอดเวลาที่ทำงานในพื้นที่ทุกครั้งที่ทำงานข้างบนเครื่องในบริเวณที่ไม่มีราวกั้น
- ถ้ามีโอกาสเสี่ยงต่อการสูดแก๊สหรือละอองเป็นจำนวนที่มากจนก่อให้เกิดอันตรายหรือระคายเคือง ต้องใช้หน้ากากช่วยหายใจที่เหมาะสม
- ในกรณีที่ใช้หน้ากากช่วยหายใจเป็นการเพิ่มเติมแล้ว เจ้าหน้าที่วิศวกรฝึกวิศวกรความปลอดภัยที่รับผิดชอบประจำโรงงานต้องเป็นผู้กำหนดว่าจะใช้หน้ากากประเภทใด

หมายเหตุ : อย่าสับว่าหน้ากากป้องกันไอฝุ่นและเครื่องช่วยหายใจแบบผสมอื่นๆ นิยมนำมาใช้งานได้

- ถ้าปริมาณออกซิเจนต่ำกว่า 20% หรือถ้าในแก๊สมีสารอันตรายหลายประเภท ต้องใช้หน้ากากแบบที่มีท่อลากช่วยหายใจด้วย
- สวมชุดป้องกันที่ส่วนการรับรองในกรณีที่ตัวหนังสือต่อการสูดแก๊สหรือละอองที่เป็นอันตราย
- เมื่อเสร็จการใช้งานแล้ว ต้องทำความสะอาดชุดป้องกันให้เรียบร้อย โดยไม่ให้เจ้าหน้าที่พนักงานต้องสัมผัสต่ออันตรายใดๆ ที่อาจเกิดขึ้น

ข้อกำหนดความปลอดภัยเฉพาะ

- ตรวจเป็นประจำสม่ำเสมอว่า อุปกรณ์ชิ้นส่วนสายดินที่แยกอยู่ในห้องเก็บต่างหากนั้น อยู่ในสภาพดี สะอาด สายไฟยังทำงานดี และปลายทั้งสองข้างยังเรียบร้อย ให้ไฟเป็นปกติ และที่ยึด อุปกรณ์สายดินติดกับช่องสำหรับตรวจดูเครื่องต้องสะอาด ตรวจอุปกรณ์ป้องกันอันตรายอื่นๆ ด้วยว่าอยู่ในสภาพดี ก่อนการปฏิบัติงานใด ๆ ในโรงกรอง ควรตรวจสิ่งต่อไปนี้
- ไฟฉายและเครื่องมือใดก็ตามที่ต่อกับไฟสลับและใช้ในการตรวจเครื่องหรือที่ผู้ปฏิบัติงานใดก็ตามภายในเครื่อง **ต้องใช้ไฟฉายที่ใช้ถ่าน 5v โวลท์อย่างเดียวเท่านั้น**

- ปฏิบัติตามคำสั่งทุกข้อที่ระบุไว้ในบทที่ว่าด้วย "ก่อนการตรวจหรือปฏิบัติงานเกี่ยวกับเครื่องเป่าไฟแรงสูง" อยู่ในหน้าที่แล้ว
- ต่อไฟระบบขึ้นลงทุกระดับของตึกโดยใช้อุปกรณ์ขึ้นส่วนต่อสายดินที่มีไว้สำหรับการนี้โดยทำตามคำชี้แจงที่ระบุไว้ในภาพตอน : **"คำชี้แจงเรื่องการต่อสายดินกับเครื่องกรองฝุ่นจุลี"**
- ปิดหัดลมดูดเก็ดร้อน อยู่ในตอนสายฉนวน
- เปิดช่องตรวจและระบายลมให้ฝุ่นหยุดไหลในเครื่องกรองลดลงของที่จะเข้าไปได้ หรือไม่อย่างนั้นอาจจะบางเครื่องปล่อยให้หัดลมหมุนช้าลงหรือแม้แต่เปิดทางไฟไว้ลึกน้อยเพื่อทำให้ฝุ่นหยุดลดลงได้ ถ้าเป็นกรณีอย่างนี้ก็เปิดประตูล็อกค้างไว้ให้แน่นหนาขึ้นตลอดเวลา เพราะอาจจะทำให้ดันตรายบาดเจ็บได้ **ระวังไฟลวก!** เครื่องบางส่วนอาจร้อนสูงกว่าส่วนอื่น
- หยุดอุปกรณ์ต่างๆ ของฝุ่นจุลีทุกชิ้นด้วยการปลดสวิทช์อุปกรณ์และชิ้นส่วนต่าง ๆ ที่เชื่อมโยงให้อยู่ในสถานะปิด และปิดค้างไว้ให้เรียบร้อย

สายพานและเครื่องเป่าลม

- ปิดเครื่องทุกหน่วยที่เชื่อมโยงเกี่ยวข้อง ปิดสวิทช์ด้านไว้แขวนป้าย **"ซ่อมอยู่ห้ามเปิด"** ไว้ที่สวิทช์ทุกส่วนที่เกี่ยวข้องก่อนเริ่มตรวจซ่อมหรือบำรุงรักษาระบบสายพานหรือเครื่องเป่าลม

หมายเหตุ! การตรวจซ่อมส่วนหนึ่งส่วนใดในระบบสายพานมักจะหมายถึงว่าต้องเปิดเครื่องส่วนอื่นด้วย ในกรณีอย่างนี้ต้องทำตามขั้นตอนที่ชี้แจงไว้ข้างต้น

- ถ้าการตรวจซ่อมบำรุงเกี่ยวโยงกับอุปกรณ์หลายส่วน ก็ต้องคัมเครื่องอุปกรณ์ทุกชิ้นทุกส่วนและแขวนป้ายแจกไว้ที่สวิทช์แต่ละตัว
- ถ้าต้องเข้าไปในห้องกรอง ต้องปฏิบัติตามคำชี้แจงที่ระบุไว้ในบทที่ว่าด้วย "ก่อนเข้าปฏิบัติงานในห้องกรอง" อยู่ในหน้าที่แล้ว

หัดลมดูดเก็ดร้อน

ดูในหัวข้อเรื่องอุปกรณ์ส่วนนี้โดยเฉพาะ

การต่อสายดินกับเครื่องดักกรองฝุ่นจุลี

คำชี้แจงเรื่องวิธีต่อสายดินข้างล่างนี้ใช้กับเครื่องดักกรองฝุ่นจุลีหัวไฟฟ้าที่มีเครื่องแปลงไฟเครื่องเป่าไฟต่อกับอุปกรณ์สายดิน **หมอแหลมอยู่ในตู้ควบคุมต่างหาก**

ตู้สายดินติดตั้งไว้อยู่ข้างนอกพื้นของเครื่องดักกรองที่มีไว้สำหรับการตรวจซ่อมเครื่องให้สะดวก

ก่อนตรวจซ่อมหรือปฏิบัติงานที่เกี่ยวข้องกับเครื่องปรับกระแสไฟแรงสูงหรือระบบขั้วไฟในเครื่องดังกล่าว ต้องกับสวิทช์ไฟแรงสูงในทุกส่วนของระบบที่เกี่ยวข้องแล้วต่อสายดิน **ข้อบังคับนี้บังเกิดจากอุบัติ ต้องต่อสวิทช์และต่อสายลงดินระบบทุกส่วนและระบบรอบข้างที่จะตรวจซ่อม**

ขั้นตอนการลงสายและต่อสายลงดิน

ต้องปฏิบัติตามวิธีและขั้นตอนต่อไปนี้อย่างเคร่งครัด

1. ปิดสวิทช์หมอแปลงเครื่องเป่าไฟที่เกี่ยวข้อง (ตามปกติปิดจากที่อุปกรณ์)
2. ปิดสวิทช์ย่อยไฟในหมอแปลงผู้อุปกรณ์เครื่องเป่าไฟ แขวนป้าย "กำลังทำงาน" ไว้เต็มแน่นหนาไม่ให้ผู้
3. ตรวจดูให้แน่ใจก่อนใช้ว่าปลายสายไฟต่อสายดินทุกส่วนต่อไว้กับเครื่องอุปกรณ์ (เช่นมีแม่เหล็กดูดติดอยู่)
4. ตรวจดูให้แน่ใจว่าตัวสลักปิดที่ขั้นไว้อยู่ในสภาพที่สะอาดเรียบร้อยไม่ชำรุด สลักปิดนี้ติดไว้ข้างช่องตรวจอุปกรณ์เครื่องเป่าลมด้านนอก
5. เสาสลักขั้นที่ติดกับแท่งยึดสายกับแผ่นเหล็กสลักยึดเข้าขั้นให้แน่น
6. คลายล็อคแล้วเปิดฝาช่องตรวจผู้ตัวนำไฟแรงสูงของระบบที่เกี่ยวข้อง เอาขั้วต่อต่อนตัวต่อกับตัวนำไฟแรงสูงโดยตรง **เวลาปฏิบัติงานในห้องดักกรอง**
7. คลายล็อคแล้วเปิดฝาช่องตรวจประจำระบบขั้วไปที่เกี่ยวข้อง ขันตัวปลายขั้วต่อติดกับแท่งสลักให้แน่น แล้วเกี่ยวขั้วต่อต่อนตัวไว้กับขอเกี่ยวสายดินที่ติดไว้ผู้ด้านในช่างฝาช่องตรวจประจำระบบขั้วหลายประตูของเครื่องดักกรอง

> หมายเหตุ
> ถ้าฝาช่องตรวจอุปกรณ์เครื่องเป่าเปิดอยู่ระหว่างระบบขั้วไฟฟ้าหลายประตูของระบบ ต้องต่อสายลงดินเข้ากับทั้งสองระบบ ก่อนการปฏิบัติงานใด ๆ ในเครื่องดักกรอง

เวลาปฏิบัติงานเกี่ยวกับห้องตรวจกับความร้อน

คลายล็อคแล้วเปิดฝาช่องตรวจของระบบที่เกี่ยวข้อง ขันตัวสลักขั้นติดกับแท่งสลักสลักยึดให้แน่น เกี่ยวขั้วต่อต่อสายขั้วเกี่ยวไว้กับขอเกี่ยวสายดินของห้องตรวจที่ติดไว้อยู่บนฝาหรือบริเวณใกล้เคียง

หลังการตรวจซ่อม

1. ปลดชิ้นส่วนอุปกรณ์สายดินที่ต่อไว้ออกให้หมดแล้วนำไปเก็บไว้ในตู้อุปกรณ์สายดิน
2. ปิดและล็อคฝาช่องตรวจเครื่องชุบบาน
3. ปลดป้าย "ห้ามใช้งาน" ลงจากตู้คุมเครื่องและตั้งเปิดสวิทช์จ่ายไฟ

ภาคผนวก ข-5

สถิติ ESP Trip รายเดือน ม.ค. - มิ.ย. พ.ศ. 2568

รายงานการตรวจวัด Monitor Voltage ของ ระบบดักเก็บฝุ่นแบบไฟฟ้าสถิตย์ (ESP)

บริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 5 จำกัด สาขา 2

ประจำเดือน มกราคม 2568

ส่วนที่ 1 สรุปผลการตรวจสอบ

ลำดับ	อุปกรณ์ / เครื่องมือวัด	NPP11
1	ESP#1	Recovery Boiler
	Check Sec Volt Normal > 35 KV Abnormal ต่ำกว่า < 35 KV เกิน 10 sec	✓
2	ESP#2	Recovery Boiler
	Check Sec Volt Normal > 35 KV Abnormal ต่ำกว่า < 35 KV เกิน 10 sec	✓
3	ESP#3	Recovery Boiler
	Check Sec Volt Normal > 35 KV Abnormal ต่ำกว่า < 35 KV เกิน 10 sec	×

หมายเหตุ ✓ หมายถึง ผลปกติ

× หมายถึง ผลผิดปกติ

ส่วนที่ 2 การติดตามการแก้ไขและปรับปรุง ในช่วงเดือนที่ผ่านมา

07-01-2025 ESP3 Inspection repair gap Collecting and Emitting plate

รายงานการตรวจวัด Monitor Voltage ของ ระบบดักเก็บฝุ่นแบบไฟฟ้าสถิตย์ (ESP)

บริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 5 จำกัด สาขา 2

ประจำเดือน กุมภาพันธ์ 2568

ส่วนที่ 1 สรุปผลการตรวจสอบ

ลำดับ	อุปกรณ์ / เครื่องมือวัด	NPP11
1	ESP#1	Recovery Boiler
	Check Sec Volt Normal > 35 KV Abnormal ต่ำกว่า < 35 KV เกิน 10 sec	✓
2	ESP#2	Recovery Boiler
	Check Sec Volt Normal > 35 KV Abnormal ต่ำกว่า < 35 KV เกิน 10 sec	✓
3	ESP#3	Recovery Boiler
	Check Sec Volt Normal > 35 KV Abnormal ต่ำกว่า < 35 KV เกิน 10 sec	✓

หมายเหตุ ✓ หมายถึง ผลปกติ

× หมายถึง ผลผิดปกติ

ส่วนที่ 2 การติดตามการแก้ไขและปรับปรุง ในช่วงเดือนที่ผ่านมา

รายงานการตรวจวัด Monitor Voltage ของ ระบบดักเขม้าฝุ่นแบบไฟฟ้าสถิตย์ (ESP)

บริษัท เนชั่นแนล เคาเวอ์ แหลบท์ 5 จำกัด สาขา 2

ประจำเดือน มีนาคม 2568

ส่วนที่ 1 สรุปผลการตรวจสอบ

ลำดับ	อุปกรณ์ / เครื่องมือวัด	NPP11
1	ESP#1	Recovery Boiler
	Check Sec Volt Normal > 35 KV Abnormal ต่ำกว่า < 35 KV เกิน 10 sec	✓
2	ESP#2	Recovery Boiler
	Check Sec Volt Normal > 35 KV Abnormal ต่ำกว่า < 35 KV เกิน 10 sec	✓
3	ESP#3	Recovery Boiler
	Check Sec Volt Normal > 35 KV Abnormal ต่ำกว่า < 35 KV เกิน 10 sec	✓

หมายเหตุ ✓ หมายถึง ผลปกติ

× หมายถึง ผลผิดปกติ

ส่วนที่ 2 การติดตามการแก้ไขและปรับปรุง ในช่วงเดือนที่ผ่านมา

รายงานการตรวจวัด Monitor Voltage ของ ระบบดักเขม้าฝุ่นแบบไฟฟ้าสถิตย์ (ESP)

บริษัท เนชั่นแนล เคาเวอ์ แหลบท์ 5 จำกัด สาขา 2

ประจำเดือน กุมภาพันธ์ 2568

ส่วนที่ 1 สรุปผลการตรวจสอบ

ลำดับ	อุปกรณ์ / เครื่องมือวัด	NPP11
1	ESP#1	Power Boiler
	Check Sec Volt Normal > 35 KV Abnormal ต่ำกว่า < 35 KV เกิน 10 sec	✓
2	ESP#2	Recovery Boiler
	Check Sec Volt Normal > 35 KV Abnormal ต่ำกว่า < 35 KV เกิน 10 sec	✓
3	ESP#3	Recovery Boiler
	Check Sec Volt Normal > 35 KV Abnormal ต่ำกว่า < 35 KV เกิน 10 sec	✓

หมายเหตุ ✓ หมายถึง ผลปกติ

× หมายถึง ผลผิดปกติ

ส่วนที่ 2 การติดตามการแก้ไขและปรับปรุง ในช่วงเดือนที่ผ่านมา

รายงานการตรวจวัด Monitor Voltage ของ ระบบดักเก็บฝุ่นแบบไฟฟ้าสถิตย์ (ESP)

บริษัท เนชั่นแนล เคาเวอ์ แหลบท์ 5 จำกัด สาขา 2

ประจำเดือน พฤษภาคม 2568

ส่วนที่ 1 สรุปผลการตรวจสอบ

ลำดับ	อุปกรณ์ / เครื่องมือวัด	NPP11
1	ESP#1	Power Boiler
	Check Sec Volt Normal > 35 KV Abnormal ต่ำกว่า < 35 KV เกิน 10 sec	✓
2	ESP#2	Recovery Boiler
	Check Sec Volt Normal > 35 KV Abnormal ต่ำกว่า < 35 KV เกิน 10 sec	✓
3	ESP#3	Recovery Boiler
	Check Sec Volt Normal > 35 KV Abnormal ต่ำกว่า < 35 KV เกิน 10 sec	×

หมายเหตุ ✓ หมายถึง ผลปกติ

× หมายถึง ผลผิดปกติ

ส่วนที่ 2 การติดตามการแก้ไขและปรับปรุง ในช่วงเดือนที่ผ่านมา

05-05-2023 ESP3 Inspection repair gap Collecting and Emitting plate

รายงานการตรวจวัด Monitor Voltage ของ ระบบดักเก็บฝุ่นแบบไฟฟ้าสถิตย์ (ESP)

บริษัท เนชั่นแนล เคาเวอ์ แหลบท์ 5 จำกัด สาขา 2

ประจำเดือน มิถุนายน 2568

ส่วนที่ 1 สรุปผลการตรวจสอบ

ลำดับ	อุปกรณ์ / เครื่องมือวัด	NPP11
1	ESP#1	Power Boiler
	Check Sec Volt Normal > 35 KV Abnormal ต่ำกว่า < 35 KV เกิน 10 sec	✓
2	ESP#2	Recovery Boiler
	Check Sec Volt Normal > 35 KV Abnormal ต่ำกว่า < 35 KV เกิน 10 sec	✓
3	ESP#3	Recovery Boiler
	Check Sec Volt Normal > 35 KV Abnormal ต่ำกว่า < 35 KV เกิน 10 sec	✓

หมายเหตุ ✓ หมายถึง ผลปกติ

× หมายถึง ผลผิดปกติ

ส่วนที่ 2 การติดตามการแก้ไขและปรับปรุง ในช่วงเดือนที่ผ่านมา

ภาคผนวก ข-6

ผล CEMs Emission NPP รายเดือน ม.ค. - มิ.ย. พ.ศ. 2568

Emission at Recovery Boiler NPP11

Jan-25

Date	H2S	SO2	CO	O2	Opacity	Dust	NOx	TRS
Emission limit	72 ppm	54 ppm	690 ppm	-	-	150 mg/Nm3	180 ppm	-
1	0.19	20.74	113.32	8.11	48.43	74.78	92.46	0.88
2	0.22	21.88	31.86	8.28	47.45	81.64	103.10	0.88
3	0.21	14.34	134.78	8.09	48.50	102.13	101.50	0.87
4	0.19	13.95	105.44	8.00	48.10	102.63	104.14	0.87
5	0.17	11.58	151.79	8.12	47.67	103.03	108.32	0.88
6	0.15	11.72	91.64	8.45	48.56	111.14	112.81	0.91
7	0.18	23.25	20.51	8.20	35.24	68.41	100.20	0.81
8	0.18	18.43	77.06	8.17	38.34	59.91	66.00	0.77
9	0.11	13.36	206.06	7.95	32.53	62.64	23.30	0.77
10	0.10	11.88	222.78	8.13	32.77	67.12	80.57	0.77
11	0.09	11.72	117.19	8.29	33.70	69.95	113.88	0.80
12	0.09	11.60	149.01	8.23	35.17	72.17	114.46	0.80
13	0.09	11.11	229.29	8.08	32.20	68.99	109.83	0.80
14	0.09	12.05	169.81	7.83	31.50	69.73	99.52	0.80
15	0.09	12.54	321.84	7.75	30.43	68.76	94.54	0.80
16	0.09	12.37	135.25	7.80	29.87	66.16	91.87	0.80
17	0.09	11.44	121.34	8.43	32.67	74.79	113.75	0.80
18	0.09	11.33	111.38	8.31	35.67	76.59	108.20	1.00
19	0.09	11.49	37.15	8.39	36.13	78.17	106.38	0.80
20	0.11	11.78	238.05	7.78	34.67	73.83	100.72	0.80
21	0.11	21.11	247.96	7.71	32.12	68.00	115.49	0.80
22	0.10	17.16	317.62	7.77	33.93	69.53	118.64	0.80
23	0.13	14.29	300.19	7.85	32.56	66.65	136.89	0.80
24	0.09	16.48	174.06	8.05	33.89	64.50	125.51	0.80
25	0.09	14.10	223.07	8.04	31.04	62.04	128.18	0.80
26	0.10	11.84	201.02	7.78	29.03	59.91	135.73	0.80
27	0.08	11.29	208.13	7.99	36.29	62.49	133.10	0.80
28	0.08	11.31	188.23	7.90	35.29	63.30	141.20	0.80
29	0.08	8.32	123.82	8.09	34.92	65.61	142.08	0.80
30	0.08	2.70	162.05	8.00	36.16	66.48	139.30	0.80
31	0.09	2.76	131.18	7.98	38.01	71.00	136.18	0.80
Average	0.12	13.22	163.32	8.05	36.54	73.29	109.61	0.82
Max	0.22	23.25	321.84	8.45	48.56	111.14	142.08	1.00
Min	0.08	2.70	20.51	7.71	29.03	59.91	23.30	0.77

Emission at Recovery Boiler NPP11

Feb-25

Date	H2S	SO2	CO	O2	Opacity	Dust	NOx	TRS
Emission limit	72 ppm	54 ppm	690 ppm	-	-	150 mg/Nm3	180 ppm	-
1	0.17	3.08	278.13	7.77	38.34	67.50	146.17	0.76
2	0.11	3.70	132.13	7.97	42.38	71.31	136.50	0.76
3	0.13	3.82	323.27	7.69	35.92	68.21	137.91	0.75
4	0.13	4.17	241.92	7.69	32.84	68.64	142.63	0.75
5	0.29	3.92	294.36	7.62	38.24	66.12	159.18	0.91
6	0.39	5.61	163.10	7.60	40.84	69.74	145.94	0.63
7	0.33	5.55	187.53	7.58	39.24	69.41	128.95	0.63
8	0.29	4.88	156.81	7.78	37.83	68.14	129.95	0.78
9	0.26	3.37	104.41	8.04	41.83	72.14	133.12	1.04
10	0.24	3.13	98.35	7.92	43.82	75.93	116.50	1.02
11	0.26	3.34	155.37	7.83	42.82	68.25	100.08	1.00
12	0.30	3.19	94.14	7.85	40.73	68.45	100.94	1.00
13	0.36	5.56	254.03	7.96	43.92	71.53	89.98	1.10
14	0.39	12.77	222.68	9.54	42.34	79.72	71.92	1.20
15	0.38	9.55	127.18	9.75	45.92	80.43	82.23	1.20
16								
17								
18								
19								
20								
21								
22								
23								
24								
25								
26								
27								
28								
Average	0.27	5.04	188.89	8.04	40.47	71.03	121.47	0.90
Max	0.39	12.77	323.27	9.75	45.92	80.43	159.18	1.20
Min	0.11	3.08	94.14	7.58	32.84	66.12	71.92	0.63

Emission at Recovery Boiler NPP11

Mar-25

Date	H2S	SO2	CO	O2	Opacity	Dust	NOx	TRS
Emission limit	72 ppm	54 ppm	690 ppm	-	-	150 mg/Nm3	180 ppm	-
1								
2								
3								
4	0.46	MA	180.07	7.71	43.65	105.51	145.34	0.44
5	0.61	MA	165.34	7.49	35.54	70.23	50.52	0.51
6	0.98	MA	178.26	7.76	34.75	77.85	61.53	0.54
7	5.28	MA	323.02	7.41	32.85	85.46	109.93	0.78
8	7.85	MA	99.32	7.28	41.84	85.16	88.88	1.18
9	8.32	9.17	209.85	6.96	28.43	80.35	78.56	6.13
10	8.49	5.13	183.47	7.16	29.23	71.59	84.12	8.30
11	8.71	5.17	69.11	7.31	27.93	69.77	94.43	8.20
12	8.59	9.06	190.24	7.09	30.53	71.02	90.66	8.40
13	6.54	11.65	134.11	6.85	30.23	75.18	93.40	8.60
14	2.36	13.88	245.42	6.71	28.93	65.68	93.14	8.40
15	3.54	10.55	110.70	7.03	30.54	72.43	125.35	5.00
16	4.08	10.23	70.80	7.15	38.93	79.85	130.87	2.50
17	3.43	8.03	109.44	7.29	29.38	67.85	137.10	3.80
18	3.62	6.30	68.89	7.49	42.93	90.85	133.49	1.00
19	3.95	5.92	115.92	7.23	34.92	88.88	98.54	3.60
20	3.52	16.03	147.75	7.00	42.02	84.18	97.13	3.70
21	3.63	5.87	67.10	7.37	41.92	90.88	125.86	3.60
22	3.60	18.03	150.14	6.83	39.84	82.79	64.47	3.50
23	3.71	11.72	182.14	6.90	38.02	84.27	66.57	3.56
24	3.66	8.34	175.31	6.82	29.43	70.54	48.73	3.70
25	3.11	13.64	238.29	5.96	28.54	74.31	46.33	3.70
26	3.55	21.40	165.45	6.87	35.02	83.99	68.99	3.70
27	3.57	18.15	150.74	6.61	35.66	86.57	65.46	3.50
28	3.60	15.87	236.14	6.91	32.83	82.35	77.52	3.60
29	3.66	7.12	318.92	7.12	28.67	66.73	87.41	3.60
30	3.70	10.34	187.29	7.02	27.92	63.87	80.65	3.70
31	3.80	9.34	160.27	6.93	29.45	67.93	79.39	3.70
Average	4.28	10.91	165.48	7.08	33.93	78.43	90.16	3.96
Max	8.71	21.40	323.02	7.76	43.65	105.51	145.34	8.60
Min	0.46	5.13	67.10	5.96	27.92	63.87	46.33	0.44

*4-8 [illegible] 2568 Analyzer SO2 Supply [illegible]

Emission at Recovery Boiler NPP11

Apr-25

Date	H2S	SO2	CO	O2	Opacity	Dust	NOx	TRS
Emission limit	72 ppm	54 ppm	690 ppm	-	-	150 mg/Nm3	180 ppm	-
1	3.91	9.62	240.49	7.24	32.64	69.72	85.80	4.03
2	5.11	7.79	225.30	7.49	38.68	84.65	87.92	5.62
3	8.08	7.82	168.89	7.21	33.93	74.27	93.08	7.97
4	6.43	5.13	173.56	7.20	32.97	72.54	86.80	5.14
5	3.07	6.90	233.03	7.12	32.65	74.31	93.43	3.18
6	3.23	3.42	246.12	7.25	33.01	75.90	110.65	3.38
7	3.61	3.23	60.37	7.75	36.12	85.58	115.63	3.72
8	3.73	3.44	15.25	7.96	-	DEF	119.03	3.81
9	3.93	4.82	130.29	7.12	-	DEF	82.96	3.82
10	3.53	7.83	205.89	7.52	-	DEF	76.87	3.55
11	3.41	5.80	230.87	7.27	29.73	48.14	59.46	3.50
12	3.48	12.73	205.55	7.16	27.03	38.78	33.03	0.10
13	3.46	11.73	381.91	7.09	28.45	33.44	27.45	3.70
14	3.45	14.42	305.54	7.19	29.53	34.31	33.71	3.20
15	3.37	11.44	141.94	7.32	30.11	35.87	42.65	3.30
16	3.36	14.62	215.65	7.23	31.72	33.46	35.04	3.70
17	3.42	9.33	127.42	7.43	36.03	58.54	35.86	3.50
18	3.49	8.87	155.20	7.35	41.94	76.75	31.13	1.00
19	3.47	13.66	238.83	7.20	42.33	76.15	19.74	3.60
20	3.62	12.72	156.70	7.66	40.12	78.55	25.56	4.00
21	3.43	12.96	227.93	7.53	38.67	78.39	94.94	3.60
22	3.41	14.66	139.15	7.31	37.03	79.56	113.74	3.50
23	3.55	12.64	90.45	7.43	42.55	82.20	120.02	3.60
24	3.51	16.54	102.76	7.40	41.84	84.46	116.16	3.50
25	3.72	16.48	96.34	7.28	42.95	83.48	119.06	3.80
26	4.00	12.21	131.02	7.60	41.23	83.78	117.11	4.00
27	3.81	14.73	147.99	7.25	41.58	88.20	112.27	3.80
28	3.67	13.83	261.64	7.18	40.12	88.97	116.39	3.70
29	3.69	13.01	139.34	7.41	39.53	91.33	132.92	3.70
30	3.55	7.46	145.27	7.39	40.93	88.54	135.16	3.60
Average	3.85	10.33	178.02	7.35	36.42	70.37	82.45	3.69
Max	8.08	16.54	381.91	7.96	42.95	91.33	135.16	7.97
Min	3.07	3.23	15.25	7.09	27.03	33.44	19.74	0.10

*8-10 [illegible] 2568 card controller Dust [illegible]

Emission at Recovery Boiler NPP11

May-25

Date	H2S	SO2	CO	O2	Opacity	Dust	NOx	TRS
Emission limit	72 ppm	54 ppm	690 ppm	-	-	150 mg/Nm3	180 ppm	-
1	3.55	10.83	79.02	7.50	38.60	84.17	135.86	3.60
2	3.49	12.99	164.47	7.15	35.72	83.26	140.63	3.55
3	3.57	14.51	152.21	7.32	35.11	82.64	162.77	3.67
4	3.63	9.68	176.53	7.38	33.20	83.63	115.03	3.68
5	3.80	12.76	100.80	7.72	32.40	84.53	109.30	4.07
6	4.83	14.76	215.38	7.23	31.45	82.80	98.33	3.16
7	4.36	16.33	351.09	8.16	45.06	112.82	117.75	3.55
8	3.63	182.97	11.12	7.28	30.55	85.64	100.88	3.78
9	4.31	14.94	185.05	7.20	29.63	84.68	82.69	4.09
10	4.22	11.92	241.59	7.25	28.02	82.29	29.75	4.72
11	4.60	6.86	219.97	7.32	31.85	89.81	96.58	4.70
12	4.98	12.74	150.99	7.45	30.76	89.55	94.74	5.10
13	DEF	DEF	DEF	DEF	-	DEF	DEF	DEF
14	DEF	DEF	DEF	DEF	-	DEF	DEF	DEF
15	5.30	3.46	285.42	7.09	-	DEF	130.14	4.50
16	4.27	5.13	255.03	7.17	-	DEF	131.42	4.30
17	4.44	8.42	214.17	7.32	-	DEF	128.22	4.50
18	4.36	15.15	200.63	7.14	-	DEF	116.71	1.00
19	4.36	20.88	432.76	7.03	-	DEF	95.56	4.40
20	4.36	24.08	344.69	6.93	-	DEF	102.63	4.50
21	4.41	16.70	290.47	7.12	-	DEF	110.96	4.40
22	3.98	18.79	406.73	6.79	-	DEF	93.17	3.90
23	3.75	5.06	387.24	6.91	-	DEF	88.06	3.80
24	3.78	5.52	280.68	7.04	-	DEF	59.26	3.80
25	3.74	5.65	312.37	7.06	-	DEF	50.76	3.70
26	3.73	6.00	209.84	7.14	-	DEF	108.84	3.80
27	3.76	6.53	355.73	6.93	-	DEF	99.46	3.80
28	4.16	7.07	340.20	7.56	-	DEF	96.43	4.40
29	3.82	6.57	176.65	7.08	-	DEF	110.11	3.50
30	3.81	5.70	304.86	7.96	-	DEF	110.93	4.10
31	หยุดซ่อมบำรุง							
Average	4.11	17.21	244.49	7.26	33.53	87.15	104.18	3.93
Max	5.30	182.97	432.76	8.16	45.06	112.82	162.77	5.10
Min	3.49	3.46	11.12	6.79	28.02	82.29	29.75	1.00

*13-14 พฤษภาคม 2568 CEMs error

*13-30 พฤษภาคม 2568 card controller dust ขำรุด

Emission at Recovery Boiler NPP11

Jun-25

Date	H2S	SO2	CO	O2	Opacity	Dust	NOx	TRS
Emission limit	72 ppm	54 ppm	690 ppm	-	-	150 mg/Nm3	180 ppm	-
1	หยุดซ่อมบำรุง							
2	3.42	5.30	154.58	7.19	41.92	84.17	101.37	3.42
3	3.39	5.23	123.14	7.07	40.12	81.08	102.75	3.65
4	3.39	5.19	98.34	7.01	39.57	77.47	97.35	3.44
5	3.41	5.37	93.56	7.06	38.12	77.66	92.00	3.46
6	3.40	5.37	200.03	7.06	35.01	75.43	76.28	3.49
7	หยุดซ่อมบำรุง							
8								
9	3.67	5.59	68.36	7.12	27.35	64.16	72.94	3.77
10	3.52	4.98	113.89	6.69	27.88	65.03	137.53	3.62
11	3.34	3.99	158.09	6.50	27.10	67.98	126.48	3.40
12	3.31	5.66	80.06	6.70	29.74	67.47	125.53	3.30
13	3.29	4.85	69.00	6.52	31.02	69.38	128.47	3.30
14	3.28	6.46	112.14	6.55	30.73	69.49	126.73	3.50
15	3.36	4.24	116.76	6.76	31.14	68.35	128.41	3.40
16	3.33	3.83	129.52	6.52	31.83	68.17	130.19	3.40
17	3.31	4.91	115.45	6.45	31.93	74.58	120.45	3.30
18	3.31	5.34	138.02	6.42	32.77	73.09	113.83	1.00
19	3.34	3.91	143.70	6.52	35.06	75.66	114.15	3.40
20	3.33	7.66	97.27	6.52	34.82	77.91	105.67	3.40
21	3.43	5.89	116.96	6.67	33.05	78.70	109.99	3.60
22	3.32	4.62	86.58	6.78	29.94	75.10	110.35	3.00
23	3.04	7.31	68.40	6.73	30.74	81.20	108.15	3.00
24	3.02	11.60	91.62	6.59	28.83	78.49	102.93	3.20
25	2.92	6.68	176.28	6.45	29.04	73.93	104.93	3.10
26	2.92	7.02	141.87	6.59	30.54	76.22	106.16	3.00
27	2.89	10.17	106.67	6.54	30.55	76.70	102.42	3.10
28	2.85	9.12	144.80	6.34	31.72	74.04	131.68	2.90
29	2.93	12.92	124.47	6.57	31.92	78.30	131.90	3.00
30	3.76	8.59	47.75	7.72	30.65	82.54	103.04	3.60
Average	3.28	6.36	115.46	6.73	32.34	74.53	111.54	3.25
Max	3.76	12.92	200.03	7.72	41.92	84.17	137.53	3.77
Min	2.85	3.83	47.75	6.34	27.10	64.16	72.94	1.00

ภาคผนวก ข-7

หนังสือรับแจ้งการมีบุคลากรด้านสิ่งแวดล้อมประจำโรงงาน

ที่ อก ๐๓๑๗/ ๗ ๘๕ ๑

กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท
เขตราชเทวี กรุงเทพฯ ๑๐๔๐๐

๐๖ สิงหาคม ๒๕๖๗

เรื่อง หนังสือรับแจ้งการมีบุคลากรด้านสิ่งแวดล้อมประจำโรงงาน

เรียน ผู้รับใบอนุญาตประกอบกิจการโรงงาน บริษัท เนชั่นแนล เพาเวอร์ แพลนท์ ๕ เอ จำกัด

อ้างถึง คำขอเลขที่ ๑๐๘๓ ลงรับวันที่ ๑ สิงหาคม ๒๕๖๗

ตามคำขอที่อ้างถึง ท่านแจ้งการเพิ่มเติมบุคลากรด้านสิ่งแวดล้อมประจำโรงงาน ของ บริษัท เนชั่นแนล เพาเวอร์ แพลนท์ ๕ เอ จำกัด ทะเบียนโรงงานเลขที่ ๑๐๒๕๐๑๐๐๓๒๕๔๐๕ (๓-๘๘-๓/๔๐ ปจ) ผลิตกระแสไฟฟ้า ผลิตไอน้ำ และผลิตพลังงานไฟฟ้าจากเชื้อเพลิงชีวมวล ขนาดกำลังการผลิต ๓๒.๙ เมกะวัตต์ ตั้งอยู่ ณ เลขที่ ๑๒๕ หมู่ที่ ๒ ตำบลท่าตูม อำเภอศรีมหาโพธิ จังหวัดปราจีนบุรี โทรศัพท์ ๐ ๓๗๒๐ ๘๘๐๐ ต่อ ๖๗๖๐ ความละเอียดแจ้งแล้ว นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว รับแจ้งการเพิ่มเติมบุคลากรด้านสิ่งแวดล้อมประจำโรงงาน และให้ท่านยื่นคำขอแจ้งการมีบุคลากรด้านสิ่งแวดล้อมประจำโรงงานครั้งต่อไป ภายในวันที่ ๓๐ มีนาคม ๒๕๗๐ โดยมีบุคลากรด้านสิ่งแวดล้อมประจำโรงงาน ดังนี้

ผู้จัดการสิ่งแวดล้อม	นายวิชัย เพ็ชรดี

ลำดับ	ผู้ควบคุมระบบบำบัด	เลขทะเบียน	มลพิษน้ำ	มลพิษอากาศ	มลพิษกากอุตสาหกรรม
๑	[redacted]		✓		
๒				✓	

ลำดับ	ผู้ปฏิบัติงานประจำระบบบำบัด	มลพิษน้ำ	มลพิษอากาศ	มลพิษกากอุตสาหกรรม
๑	[redacted]		✓	
๒		✓		
๓			✓	
๔		✓	✓	

ลำดับ ๕...

ลำดับ	ผู้ปฏิบัติงานประจำระบบบำบัด	มลพิษน้ำ	มลพิษอากาศ	มลพิษกากอุตสาหกรรม
๕	[redacted]	✓		
๖		✓	✓	

หมายเหตุ ๑. การแจ้งการมี/ยกเลิก/เพิ่มเติม/เปลี่ยนแปลง บุคลากรด้านสิ่งแวดล้อมประจำโรงงาน ต้องส่งหนังสือฉบับนี้ด้วย
๒. ยกเลิกหนังสือรับแจ้งการมีบุคลากรด้านสิ่งแวดล้อมประจำโรงงาน ที่ อก ๐๓๑๓/๒๑๖๓ ลงวันที่ ๖ มีนาคม ๒๕๖๗

จึงเรียนมาเพื่อโปรดทราบ

ขอแสดงความนับถือ

[redacted]

(ผู้อำนวยการกองส่งเสริมเทคโนโลยีสิ่งแวดล้อมโรงงาน
ปฏิบัติราชการแทนอธิบดีกรมโรงงานอุตสาหกรรม)

กองส่งเสริมเทคโนโลยีสิ่งแวดล้อมโรงงาน
กลุ่มกำกับบุคลากรด้านสิ่งแวดล้อมประจำโรงงาน
โทรศัพท์ ๐ ๒๔๓๐ ๖๓๑๕ ต่อ ๒๔๐๕
โทรสาร ๐ ๒๔๓๐ ๖๓๑๕ ต่อ ๒๔๙๙
ไปรษณีย์อิเล็กทรอนิกส์ saraban@diw.mail.go.th

ภาคผนวก ข-8

แผนและผลซ่อมบำรุง ESP ประจำปี พ.ศ. 2568

ผลงานการทำ Preventive Maintenance ปี 2568 ของ NPP 5A สายงาน

	2568	January		February		March		April		May		June		หมายเหตุ
		Plan	Actual	Plan	Actual	Plan	Actual	Plan	Actual	Plan	Actual	Plan	Actual	
PP11	Automation	360	264	1063	830	0	0	0	0	0	0	22	16	
	Electrical	8	0	313	0	3	0	0	0	0	0	12	0	
	Mechanical	24	9	167	138	15	0	18	0	26	0	15	0	
	NIS	116	97	124	116	85	83	82	77	53	80	82	77	
	Operation	418	404	424	210	508	327	532	524	432	424	422	413	
	อื่นๆ(ถ้ามี)	0	0	0	0	0	0	0	0	0	0	0	0	
	Total PP11	926	774	2091	1294	611	410	632	601	541	504	553	506	

Work Location	REPORTDATE	WONUM	DESCRIPTION	COMPANY
WL5132 – Mechanical PPS,6,10,11	31-Jan-25 05:00 AM	25040803	WEEKLY – INSPECTION CAMERA	NPPSA_PP1
WL5132 – Mechanical PPS,6,10,11	31-Jan-25 05:00 AM	25040804	4070420 Recovery Boiler Bed Camera Right Side	NPPSA_PP1
WL5132 – Mechanical PPS,6,10,11	31-Jan-25 05:00 AM	25040805	4070170 Recovery Boiler Bed Camera Left Side	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	31-Jan-25 05:08 AM	25040836	MONTHLY – PM FOR SCRUBBER FAN (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	31-Jan-25 05:13 AM	25040862	MONTHLY – PM FOR FIRE FIGHTING SWITCH GEAR (E)	NPPSA_PP1
MS0794 – Electrical Service (Power) PL	31-Jan-25 05:45 AM	25041185	2 Weeks – PM Inspection Absorption Chiller PPL1	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:00 AM	25053111	MONTHLY – INSPECTION PH TR	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:00 AM	25053112	2820T100 PH INDICATION FEED OF WATER	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:00 AM	25053113	2820T101 PH INDICATION OF DEMIN WATER	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:00 AM	25053114	2820T104 PH INDICATION OF EFFLUENT TANK	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:00 AM	25053115	2820T125 PH INDICATION AFTER CATION EXCHANGE	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:00 AM	25053116	2820T127 PH INDICATION AFTER ANION EXCHANGER	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:00 AM	25053117	2820T225 PH INDICATION AFTER CATION EXCHANGER	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:00 AM	25053118	2820T227 PH INDICATION AFTER ANION EXCHANGER	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:00 AM	25053119	MONTHLY – INSPECTION PH TR	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:00 AM	25053120	4520Q507 NAOCH	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:01 AM	25053121	MONTHLY – INSPECTION PH	NPPSA_PP1
WL5132 – Mechanical PPS,6,10,11	07-Feb-25 05:01 AM	25053122	WEEKLY – INSPECTION CAMERA	NPPSA_PP1
WL5132 – Mechanical PPS,6,10,11	07-Feb-25 05:01 AM	25053123	4070420 Recovery Boiler Bed Camera Right Side	NPPSA_PP1
WL5132 – Mechanical PPS,6,10,11	07-Feb-25 05:01 AM	25053124	4070170 Recovery Boiler Bed Camera Left Side	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:01 AM	25053125	MONTHLY – PM FOR EL.SPRAYER DIVERT (A)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:01 AM	25053126	MONTHLY – PM FOR EL.SPRAYER DIVERT (A)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:01 AM	25053127	MONTHLY – PM FOR EL.SPRAYER DIVERT (A)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:02 AM	25053128	MONTHLY – PM FOR EL.SPRAYER DIVERT (A)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:02 AM	25053129	WEEKLY – PM FOR GENERATOR (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:02 AM	25053130	WEEKLY – PM FOR LUB OIL PUMP FEED WATER PUMP 3 (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:03 AM	25053131	2 MONTHS – PM FOR AGITATOR-DISSOLVING TANK SEE LONG DESCRIPTION (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:03 AM	25053132	2 MONTHS – PM FOR ASH CRUSHER, ESP BANK (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:03 AM	25053133	MONTHLY – PM FOR AIR COMPRESSOR NO.1 (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:03 AM	25053134	MONTHLY – PM FOR AIR COMPRESSOR NO.2 (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:03 AM	25053135	MONTHLY – PM FOR AIR COMPRESSOR NO.3 (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:03 AM	25053136	MONTHLY – PM FOR AIR COMPRESSOR NO.4 (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:04 AM	25053137	WEEKLY – PM FOR INDUCED DRAFT FAN, CELL NO.1 (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:04 AM	25053138	WEEKLY – PM FOR INDUCED DRAFT FAN, CELL NO.2 (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:04 AM	25053139	MONTHLY – PM FOR TRANSFORMER TE2(E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:05 AM	25053140	MONTHLY – PM FOR BATTERY CHARGER 110 VDC MILL WIDE (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:05 AM	25053141	MONTHLY – PM FOR MCC MILL WIDE, UPS (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:05 AM	25053142	MONTHLY – PM FOR BATTERY CHARGER 110 VDC MILL WIDE (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:05 AM	25053143	MONTHLY – PM FOR MCC MILL WIDE, UPS (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:05 AM	25053144	MONTHLY – PM FOR MCC RECOVERY BOILER, UPS (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:05 AM	25053145	2 WEEKS – PM VISUAL CHECK AND BASIC PDM FOR AGITATOR-DISSOLVING TANK SEE LONG DESCRIPTION (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:06 AM	25053146	MONTHLY – PM REFILL LUBRICANT FOR AGITATOR-DISSOLVING TANK SEE LONG DESCRIPTION (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:06 AM	25053147	MONTHLY – PM REFILL LUBRICANT FOR AGITATOR-DISSOLVING TANK SEE LONG DESCRIPTION (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:06 AM	25053148	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR ASH COLLECTING CONVEYOR (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:06 AM	25053149	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR DRAG SCRAPER, ESP # 1 SEE LONG DESCRIPTION (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:06 AM	25053150	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR DRAG SCRAPER, ESP # 2 SEE LONG DESCRIPTION (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:07 AM	25053151	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR COLLECTING CONVEYOR, ESP # 1 (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:07 AM	25053152	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR COLLECTING CONVEYOR, ESP # 2 (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:07 AM	25053153	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SCRAPER CONVEYOR ESP 5 (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:08 AM	25053154	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR COLLECTING CONVEYOR ESP 5 (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:08 AM	25053155	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR ESP TRANSFER CONVEYOR #1 (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:08 AM	25053156	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR ESP TRANSFER CONVEYOR #2 (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:09 AM	25053157	MONTHLY – PM FOR AIR COMPRESSOR NO.1 (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:09 AM	25053158	MONTHLY – PM FOR AIR COMPRESSOR NO.2 (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:10 AM	25053159	MONTHLY – PM FOR AIR COMPRESSOR NO.3 (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:11 AM	25053160	MONTHLY – PM FOR AIR COMPRESSOR NO.4 (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:11 AM	25053161	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR PRIMARY FD FAN (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:12 AM	25053162	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR SECONDARY FD FAN (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:12 AM	25053163	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR TERTIARY FD FAN (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:13 AM	25053164	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR ID FAN # 1 (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:14 AM	25053165	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR ID FAN # 2 (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:14 AM	25053167	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR ID FAN #3 (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:15 AM	25053168	MONTHLY – PM FOR FIRE FIGHTING RECOVERY BOILER (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:15 AM	25053169	MONTHLY – PM ROUTE REFILL LUBRICANT CHAIN CONVEYOR (GROUP1) (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:15 AM	25053170	MONTHLY – PM ROUTE REFILL LUBRICANT PUMP A (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:15 AM	25053171	MONTHLY – PM ROUTE REFILL LUBRICANT PUMP B (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:16 AM	25053172	MONTHLY – PM ROUTE REFILL LUBRICANT PUMP C (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:16 AM	25053173	MONTHLY – PM ROUTE REFILL LUBRICANT PUMP D (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:16 AM	25053174	MONTHLY – PM ROUTE REFILL LUBRICANT MIXING FAN FOR [illegible] (GROUP1) (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:16 AM	25053175	MONTHLY – PM ROUTE REFILL LUBRICANT PUMP E (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:16 AM	25053176	MONTHLY – PM ROUTE REFILL LUBRICANT PUMP F (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:16 AM	25053177	MONTHLY – PM ROUTE REFILL LUBRICANT PUMP G (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:16 AM	25053178	MONTHLY CLEANING AIR SUPPLY FILTER 4610A18	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:16 AM	25053179	MONTHLY CLEANING AIR SUPPLY FILTER 4610A21	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:16 AM	25053180	MONTHLY CLEANING AIR SUPPLY FILTER 2820A21	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:17 AM	25053181	MONTHLY CLEANING AIR SUPPLY FILTER 2820A22	NPPSA_PP1
MS0109 – Automation Service (Instrument)	07-Feb-25 05:17 AM	25053182	calibrate Hot Stack flue gas analyzer (505H805)	NPPSA_PP1
MS0109 – Automation Service (Instrument)	07-Feb-25 05:17 AM	25053184	Monthly PM flued meter "Tank" (SO 14808)	NPPSA_PP1
MS0109 – Automation Service (Instrument)	07-Feb-25 05:17 AM	25053186	Monthly PM for 4802B8M DO after Dissolved pumps	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:18 AM	25053185	2 MONTHS – PM FOR MOTOR ROTARY FEEDER, ESP # 1 (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:18 AM	25053186	2 MONTHS – PM FOR MOTOR ROTARY FEEDER, ESP # 2 (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:18 AM	25053187	2 MONTHS – PM FOR MOTOR ROTARY FEED ESP#3 (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:18 AM	25053188	2 MONTHS – PM FOR MOTOR SCREW CONVEYOR ESP 5 (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:18 AM	25053189	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR FW PUMP #1 (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:19 AM	25053190	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR FW PUMP #2 (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:20 AM	25053191	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR FW PUMP #3 (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:21 AM	25053192	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR DUMP TANK PUMP (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:21 AM	25053193	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SPILL COLLECTION PUMP (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:22 AM	25053194	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SCRUBBER RECIRCULATION PUMP (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:22 AM	25053195	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR GREEN LIQ TRANSFER PUMP #1 (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:22 AM	25053196	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR GREEN LIQ TRANSFER PUMP #2 (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:23 AM	25053197	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SPOUT COOLING WATER PUMP #1 (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:24 AM	25053198	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SPOUT COOLING WATER PUMP #2 (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:24 AM	25053199	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR CIRCULATION PUMP (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:25 AM	25053200	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR CONDENSATE FEED PUMP #1 (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:25 AM	25053201	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR CONDENSATE FEED PUMP #2 (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:26 AM	25053202	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR FIRING LIQUOR PUMP (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:26 AM	25053203	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR FIRING LIQUOR PUMP (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:27 AM	25053204	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR CONDENSATE PUMP NO. 1 (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:27 AM	25053205	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR CONDENSATE PUMP NO. 2 (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:28 AM	25053206	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 1, LEFT (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:28 AM	25053207	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 2, LEFT (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:29 AM	25053208	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 3, RIGHT (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:29 AM	25053209	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 4, LEFT (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:30 AM	25053210	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 5, RIGHT (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:30 AM	25053211	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 6, LEFT (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:30 AM	25053212	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 7, RIGHT (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:31 AM	25053213	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 8, LEFT (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:31 AM	25053214	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 9, RIGHT (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:32 AM	25053215	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 10, LEFT (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:32 AM	25053216	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 11, RIGHT (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:33 AM	25053217	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 12, LEFT (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:33 AM	25053218	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 13, RIGHT (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:33 AM	25053219	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 14, LEFT (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:33 AM	25053220	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 15, LEFT (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:34 AM	25053221	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 16, RIGHT (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:34 AM	25053222	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 17, LEFT (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:35 AM	25053223	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 18, RIGHT (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:35 AM	25053224	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 19, LEFT (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:35 AM	25053225	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 20, RIGHT (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:36 AM	25053226	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 21, LEFT (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:36 AM	25053227	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 22, RIGHT (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:37 AM	25053228	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 23, LEFT (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:37 AM	25053229	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 24, RIGHT (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:38 AM	25053230	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 25, LEFT (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:38 AM	25053231	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 26, RIGHT (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:38 AM	25053232	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 27, LEFT (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:39 AM	25053233	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 28, RIGHT (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:39 AM	25053234	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 29, LEFT (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:40 AM	25053235	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 30, RIGHT (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:40 AM	25053236	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 31, LEFT (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:41 AM	25053237	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 32, RIGHT (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:41 AM	25053238	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 33, LEFT (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:41 AM	25053239	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 34, RIGHT (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:42 AM	25053240	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 35, LEFT (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:42 AM	25053241	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 36, RIGHT (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:43 AM	25053242	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 37, RIGHT (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:43 AM	25053243	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 38, LEFT (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:44 AM	25053244	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 39, LEFT (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:44 AM	25053245	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 40, RIGHT (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:44 AM	25053246	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 41, LEFT (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:45 AM	25053247	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 42, RIGHT (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:45 AM	25053248	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 43, RIGHT (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:46 AM	25053249	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 44 (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:46 AM	25053250	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 45, LEFT (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:46 AM	25053251	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 46, RIGHT (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:47 AM	25053252	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 47, LEFT (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:47 AM	25053253	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 48, RIGHT (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:48 AM	25053254	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 49, LEFT (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:48 AM	25053255	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 50, RIGHT (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:48 AM	25053256	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 51, LEFT (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:49 AM	25053257	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 52, RIGHT (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:49 AM	25053258	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 53L, LEFT (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:49 AM	25053259	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 53R, RIGHT (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:50 AM	25053260	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 55L, LEFT (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:50 AM	25053261	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 56L, RIGHT (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:51 AM	25053262	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 57, LEFT (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:51 AM	25053263	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 58L, RIGHT (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:51 AM	25053264	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 59, LEFT (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:52 AM	25053265	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 59R, RIGHT (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:52 AM	25053266	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER #61 LEFT (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:52 AM	25053267	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER #62 RIGHT (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:52 AM	25053268	WEEKLY – PM ROUTE CHECK WATCH GEAR (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:52 AM	25053269	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR STEAM TURBINE 32P00030 (PC)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	07-Feb-25 05:54 AM	25053270	MONTHLY – PM FOR SCRUBBER FAN (E)	NPPSA_PP1
WL5132 – Mechanical PPS,6,10,11	07-Feb-25 05:54 AM	25053271	2 WEEKS – PM FOR 315 KV SUBSTATION AREA (E)	NPPSA_PP1
WL8390 – SHEQ & BSD	07-Feb-25 05:54 AM	25053272	YEARLY – PM FOR FIRE FIGHTING MILL WIDE (E)	NPPSA_PP1
WL8390 – SHEQ & BSD	07-Feb-25 05:54 AM	25053273	YEARLY – PM FOR CO2 FIRE ALARM & FIRE FIGHTING OF TURBINE (E)	NPPSA_PP1
WL8390 – SHEQ & BSD	07-Feb-25 05:54 AM	25053274	YEARLY – PM FOR FIRE FIGHTING SWITCH GEAR (E)	NPPSA_PP1
WL8390 – SHEQ & BSD	07-Feb-25 05:54 AM	25053275	YEARLY – PM FOR FIRE FIGHTING EVAPORATION (E)	NPPSA_PP1
WL8390 – SHEQ & BSD	07-Feb-25 05:54 AM	25053276	YEARLY – PM FOR FIRE FIGHTING RECOVERY BOILER (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	14-Feb-25 05:00 AM	25061306	2 WEEKS – INSPECTION DOSING PUMP	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	14-Feb-25 05:00 AM	25061307	2820P013 CAUSTIC DOSING PUMP #1	NPPSA_PP1

WL1101 – PPL6_10_11 OPERATION	14-Feb-25 01:00 AM	2509014 CAUSTIC DOSING PUMP #3	NPPSA_PP1
WL1512 – Mechanical PPS 6,18,11	14-Feb-25 01:00 AM	2510611335	WEEKLY – INSPECTION CAMERA
WL1512 – Mechanical PPS/A,18,11	14-Feb-25 01:00 AM	2510611660	4039829 Recovery Boiler Bed Camera Right Side
WL1512 – Mechanical PPS/A,18,11	14-Feb-25 01:00 AM	2510611941	4039270 Recovery Boiler Bed Camera Left Side
WL1501 – PPL6_10_11 OPERATION	14-Feb-25 01:00 AM	2510612342	MONTHLY – PM FOR CONDUCTIVITY INDICATION OF FEED WATER (A)
WL1502 – PPL6_10_11 OPERATION	14-Feb-25 01:00 AM	2510612344	MONTHLY – PM FOR CONDUCTIVITY INDICATION OF DEMIN WATER (B)
WL1503 – PPL6_10_11 OPERATION	14-Feb-25 01:00 AM	2510612344	MONTHLY – PM FOR CONDUCTIVITY INDICATION AFTER ANION EXCHANGER (A)
WL1504 – PPL6_10_11 OPERATION	14-Feb-25 01:01 AM	2510612503	MONTHLY – PM FOR CONDUCTIVITY INDICATION AFTER MIXED BED EXCHANGER (A)
WL1502 – PPL6_10_11 OPERATION	14-Feb-25 01:01 AM	2510612346	MONTHLY – PM FOR CONDUCTIVITY INDICATION AFTER ANION EXCHANGER (A)
WL1503 – PPL6_10_11 OPERATION	14-Feb-25 01:01 AM	2510612347	MONTHLY – PM FOR CONDUCTIVITY INDICATION AFTER MIXED BED EXCHANGER (A)
WL1302 – PPL6_10_11 OPERATION	14-Feb-25 01:01 AM	2510612348	MONTHLY – PM FOR CONDUCT. SUMP (A)
WL1305 – PPL6_10_11 OPERATION	14-Feb-25 01:01 AM	2510612349	MONTHLY – PM FOR CONDUCTIVITY SUMP PIT (A)
WL1420 – PPL6_10_11 OPERATION	14-Feb-25 01:02 AM	2510611950	MONTHLY – PM FOR condensate from Flare Stack (A)
WL1420 – PPL6_10_11 OPERATION	14-Feb-25 01:02 AM	2510612351	MONTHLY – PM FOR COND TRM EVAP PLANT (A)
WL1502 – PPL6_10_11 OPERATION	14-Feb-25 01:02 AM	2510612352	MONTHLY – PM FOR COND FROM TURBINE (A)
WL1302 – PPL6_10_11 OPERATION	14-Feb-25 01:03 AM	2510612353	MONTHLY – PM FOR COND FROM POLY TRPS 9 (A)
M56003 – Automation Service (Instrument)	14-Feb-25 01:03 AM	2510612354	MONTHLY – PM FOR RECOVERY BOILER OS2100 (02100) (A)
M56003 – Automation Service (Instrument)	14-Feb-25 01:03 AM	2510612355	MONTHLY – PM FOR RECOVERY BOILER OS2100 (02100) (B/WB) (A)
M56003 – Automation Service (Instrument)	14-Feb-25 01:03 AM	2510612356	MONTHLY – PM FOR NELL MIDE OS2103 (A)
M56003 – Automation Service (Instrument)	14-Feb-25 01:03 AM	2510612357	MONTHLY – PM FOR NELL MIDE OS2104 (A)
M56003 – Automation Service (Instrument)	14-Feb-25 01:03 AM	2510612358	MONTHLY – PM FOR EVAPORATOR OS2105 (A)
M56003 – Automation Service (Instrument)	14-Feb-25 01:03 AM	2510612359	MONTHLY – PM FOR EVAPORATOR OS2106 (A)
M56010 – Automation Service (Instrument)	14-Feb-25 01:03 AM	2510612360	MONTHLY – PM FOR UPS A FOR DCS BOILER PP11 (A)
M56010 – Automation Service (Instrument)	14-Feb-25 01:04 AM	2510612361	MONTHLY – PM FOR UPS B FOR DCS BOILER PP11 (A)
M56005 – Automation Service (Instrument)	14-Feb-25 01:04 AM	2510612362	MONTHLY – PM FOR UPS FOR INSTRUMENT RECOVERY BOILER (A)
M56010 – Automation Service (Instrument)	14-Feb-25 01:04 AM	2510612363	MONTHLY – PM FOR UPS A FOR DCS TURBINE PP11 (A)
M56010 – Automation Service (Instrument)	14-Feb-25 01:04 AM	2510612364	MONTHLY – PM FOR UPS B FOR DCS TURBINE PP11 (A)
M56010 – Automation Service (Instrument)	14-Feb-25 01:04 AM	2510612365	MONTHLY – PM FOR UPS A FOR DCS EVAP PP11 (A)
M56010 – Automation Service (Instrument)	14-Feb-25 01:04 AM	2510612366	MONTHLY – PM FOR UPS B FOR DCS EVAP PP11 (A)
M56005 – Automation Service (Instrument)	14-Feb-25 01:04 AM	2510612367	MONTHLY – PM FOR UPS 01 FOR DCS CONTROL ROOM PP11 (A)
M56010 – Automation Service (Instrument)	14-Feb-25 01:04 AM	2510612368	MONTHLY – PM FOR BATTERY FOR 4500PS-A DCS BOILER PP11 (A)
M56010 – Automation Service (Instrument)	14-Feb-25 01:04 AM	2510612369	MONTHLY – PM FOR BATTERY FOR 4500PS-B DCS BOILER PP11 (A)
M56010 – Automation Service (Instrument)	14-Feb-25 01:05 AM	2510612370	MONTHLY – PM FOR BATTERY FOR 4500PS-C INSTRUMENT PP11 (A)
M56010 – Automation Service (Instrument)	14-Feb-25 01:05 AM	2510612371	MONTHLY – PM FOR BATTERY FOR 2500PS-A DCS TURBINE PP11 (A)
M56010 – Automation Service (Instrument)	14-Feb-25 01:05 AM	2510612372	MONTHLY – PM FOR BATTERY FOR 2500PS-B DCS TURBINE PP11 (A)
M56010 – Automation Service (Instrument)	14-Feb-25 01:05 AM	2510612373	MONTHLY – PM FOR BATTERY FOR 4500PS-A DCS EVAP PP11 (A)
M56005 – Automation Service (Instrument)	14-Feb-25 01:05 AM	2510612374	MONTHLY – PM FOR BATTERY FOR 4500PS-B DCS EVAP PP11 (A)
M56005 – Automation Service (Instrument)	14-Feb-25 01:06 AM	2510612375	MONTHLY – PM FOR BATTERY FOR 4500PS-C DCS CONTROL ROOM PP11 (A)
WL1309 – PPL6_10_11 OPERATION	14-Feb-25 01:06 AM	2510612376	MONTHLY – PM FOR START-UP BURNER #1 (F)
WL1310 – PPL6_10_11 OPERATION	14-Feb-25 01:06 AM	2510612377	MONTHLY – PM FOR START-UP BURNER #2 (F)
WL1435 – PPL6_10_11 OPERATION	14-Feb-25 01:06 AM	2510612378	MONTHLY – PM FOR START-UP BURNER #3 (L)
WL1310 – PPL6_10_11 OPERATION	14-Feb-25 01:06 AM	2510612379	MONTHLY – PM FOR START-UP BURNER #4 (F)
M56014 – Mechanical Service (Rail Service)	14-Feb-25 01:06 AM	2510612389	YEARLY – PM FOR RECOVERY BOILER CHUNK 1 OFFICE SIDE (R)
M56014 – Mechanical Service (Rail Service)	14-Feb-25 01:07 AM	2510612390	YEARLY – PM FOR RECOVERY BOILER CHUNK (E)
WL1412 – PPL6_10_11 OPERATION	14-Feb-25 01:08 AM	2510612682	WEEKLY – PM FOR EVAPORATION (I)
WL1438 – PPL6_10_11 OPERATION	14-Feb-25 01:08 AM	2510612830	WEEKLY – PM FOR LUP OIL PUMP FEED WATER PUMP 3 (G)
WL1520 – PPL6_10_11 OPERATION	14-Feb-25 01:30 AM	2510612350	WEEKLY – PM FOR REDUCED DRAFT FAN, CELL NO.1 (I)
WL1502 – PPL6_10_11 OPERATION	14-Feb-25 01:00 AM	2510613026	WEEKLY – PM FOR REDUCED DRAFT FAN, CELL NO.2 (I)
WL1309 – PPL6_10_11 OPERATION	14-Feb-25 01:09 AM	2510613696	MONTHLY – PM FOR BATTERY CHARGER 110 + DC for 230V SYSTEM (E)
WL1420 – PPL6_10_11 OPERATION	14-Feb-25 01:09 AM	2510614087	MONTHLY – INSPECTION AGITATOR
WL1428 – PPL6_10_11 OPERATION	14-Feb-25 01:09 AM	2510614088	4039281 AGITATOR-MIX TANK 301 LOSS DESCRIPTION
WL1561 – PPL6_10_11 OPERATION	14-Feb-25 01:09 AM	2510613389	AGSMIXER AGITATOR-MIXING VANE 561 LOSS DESCRIPTION
WL1529 – PPL6_10_11 OPERATION	14-Feb-25 01:09 AM	2510613490	AGSMIXER AGITATOR-OXYGEN SCAVENGER TNK
WL1530 – PPL6_10_11 OPERATION	14-Feb-25 01:09 AM	2510612830	AGSMIXER AGITATOR-PHOSPHATE TANK
WL1403 – PPL6_10_11 OPERATION	14-Feb-25 01:10 AM	2510613898	2 WEEKS - PM VISUAL CHECK AND BASIC PDM FOR AGITATOR-DISSOLVING TANK 516 LOSS DESCRIPTION (PS)
WL1302 – PPL6_10_11 OPERATION	14-Feb-25 01:10 AM	2510612350	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR CSP TRANSFER CONVEYOR #1 (PD)
WL1567 – PPL6_10_11 OPERATION	14-Feb-25 01:11 AM	2510613396	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR CSP TRANSFER CONVEYOR #2 (PD)
WL1303 – PPL6_10_11 OPERATION	14-Feb-25 01:11 AM	2510613306	MONTHLY – PM ROUTE CHECK MOTOR AMPERAGE (PD)
WL1532 – PPL6_10_11 OPERATION	14-Feb-25 01:12 AM	2510612516	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR PRIMARY TD FAN (FD)
WL1302 – PPL6_10_11 OPERATION	14-Feb-25 01:12 AM	2510613398	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR SECONDARY FD FAN (FD)
WL1302 – PPL6_10_11 OPERATION	14-Feb-25 01:13 AM	2510613399	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR TERTIARY FD FAN (FD)
WL1545 – PPL6_10_11 OPERATION	14-Feb-25 01:13 AM	2510613400	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR ID FAN A (PD)
WL1540 – PPL6_10_11 OPERATION	14-Feb-25 01:14 AM	2510613401	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR ID FAN B (PD)
WL1539 – PPL6_10_11 OPERATION	14-Feb-25 01:14 AM	2510613402	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR ID FAN #3 (FD)
WL1301 – PPL6_10_11 OPERATION	14-Feb-25 01:15 AM	2510613403	MONTHLY – PM FOR FIRE PROTECTION SKILL BOOK (E)
WL1308 – PPL6_10_11 OPERATION	14-Feb-25 01:15 AM	2510613404	MONTHLY – PM FOR CO2 FIRE ALARM & FIRE RESPONSE OF TURBINE (E)
WL1310 – PPL6_10_11 OPERATION	14-Feb-25 01:15 AM	2510613405	MONTHLY – PM FOR FIRE PROTECTION EVAPORATION (E)
WL1302 – PPL6_10_11 OPERATION	14-Feb-25 01:15 AM	2510612406	2 MONTHS – PM ROUTE OIL GREASE MOTOR COOLING TOWER (PD)
WL1539 – PPL6_10_11 OPERATION	14-Feb-25 01:16 AM	2510613407	MONTHLY – PM ROUTE REFILL LUBRICANT CHAIN CONVEYOR (GROUP1) (PD)
WL1420 – PPL6_10_11 OPERATION	14-Feb-25 01:16 AM	2510613408	MONTHLY – PM ROUTE REFILL LUBRICANT CHAIN CONVEYOR (GROUP2) (PD)
WL1302 – PPL6_10_11 OPERATION	14-Feb-25 01:16 AM	2510612409	MONTHLY – PM ROUTE REFILL OIL FAN COOLING TOWER (PD)
WL1323 – PPL6_10_11 OPERATION	14-Feb-25 01:17 AM	2510612413	MONTHLY CLEANING AIR 90 PPL9 FILTER 2523886
WL1312 – PPL6_10_11 OPERATION	14-Feb-25 01:17 AM	2510612413	MONTHLY CLEANING AIR 90 PPL9 FILTER 4523886
WL1309 – PPL6_10_11 OPERATION	14-Feb-25 01:17 AM	2510612419	MONTHLY CLEANING AIR 20 PPL9 FILTER 4523887
WL1320 – PPL6_10_11 OPERATION	14-Feb-25 01:18 AM	2510612418	MONTHLY CLEANING AIR 90 PPL9 FILTER 4523888
WL1309 – PPL6_10_11 OPERATION	14-Feb-25 01:18 AM	2510612421	MONTHLY CLEANING AIR 90 PPL9 FILTER 4634420
WL1323 – PPL6_10_11 OPERATION	14-Feb-25 01:18 AM	2510612422	MONTHLY CLEANING AIR 90 PPL9 FILTER 4634421
WL1323 – PPL6_10_11 OPERATION	14-Feb-25 01:18 AM	2510612422	MONTHLY CLEANING AIR 20 PPL9 FILTER 4634422
WL1309 – PPL6_10_11 OPERATION	14-Feb-25 01:18 AM	2510612424	MONTHLY CLEANING AIR 20 PPL9 FILTER 4634423
WL1313 – PPL6_10_11 OPERATION	14-Feb-25 01:18 AM	2510612425	MONTHLY CLEANING AIR 90 PPL9 FILTER 4634425A
WL1339 – PPL6_10_11 OPERATION	14-Feb-25 01:18 AM	2510612426	MONTHLY CLEANING AIR 90 PPL9 FILTER 4634425B
M56001 – Automation Service (Instrument)	14-Feb-25 01:19 AM	2510612427	2 weekly check 445 Stack flue gas analyzers
M56019 – Automation Service (Instrument)	14-Feb-25 01:19 AM	2510612428	calibrate 460 Stack flue gas analyzer (SO2/O2)
WL1353 – PPL6_10_11 OPERATION	14-Feb-25 01:19 AM	2510612429	PM FOR FEEDWATER BOOST VALVE 4634N/358
WL1302 – PPL6_10_11 OPERATION	14-Feb-25 01:20 AM	2510614086	PM FOR RAPID DRAIN DOWNCOMER 4634N/1338
WL1309 – PPL6_10_11 OPERATION	14-Feb-25 01:20 AM	2510612431	PM FOR RAPID DRAIN DOWNCOMER 4634N/1528
WL1309 – PPL6_10_11 OPERATION	14-Feb-25 01:20 AM	2510612432	PM FOR START-UP BLOCK VLV 4634N/334
WL1309 – PPL6_10_11 OPERATION	14-Feb-25 01:20 AM	2510612434	PM FOR MAIN STEAM LINE DRAIN 4634N/334
WL1309 – PPL6_10_11 OPERATION	14-Feb-25 01:20 AM	2510612435	PM FOR DISC CONT BLOWDOWN 4634N/338
WL1309 – PPL6_10_11 OPERATION	14-Feb-25 01:20 AM	2510612436	PM FOR STEAM VLV BYPASS 4634N/335
WL1309 – PPL6_10_11 OPERATION	14-Feb-25 01:21 AM	2510612437	MONTHLY – PM FOR RECOVERY CHANGEOVER THRUSH
WL1302 – PPL6_10_11 OPERATION	14-Feb-25 01:21 AM	2510612438	MONTHLY – PM FOR EVAPORATION TRANSFORMER TR4E (E)
WL1302 – PPL6_10_11 OPERATION	14-Feb-25 01:21 AM	2510612439	MONTHLY – PM FOR TURBO GEN. Transformer T201 (E)
WL1309 – PPL6_10_11 OPERATION	14-Feb-25 01:21 AM	2510612440	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR SW PUMP #3 (FD)
WL1309 – PPL6_10_11 OPERATION	14-Feb-25 01:22 AM	2510612441	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR FIRING LIQUOR PUMP (PD)
WL1309 – PPL6_10_11 OPERATION	14-Feb-25 01:23 AM	2510612442	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR FIRING LIQUOR PUMP (PD)
WL1562 – PPL6_10_11 OPERATION	14-Feb-25 01:23 AM	2510612443	WEEKLY – PM ROUTE CHECK SWITCHGEAR (PD)
WL1302 – PPL6_10_11 OPERATION	14-Feb-25 01:24 AM	2510613444	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR STEAM TURBINE GENERATOR (PD)
M56004 – Automation Service (Control)	14-Feb-25 01:24 AM	2510612445	2 WEEKS – PM FOR PLC TURBINE & GENERATOR GOVERNOR CONTROL (A)
M56003 – Automation Service (Control)	14-Feb-25 01:25 AM	2510612446	2 WEEKS – PM FOR HMI TURBINE & GENERATOR GOVERNOR CONTROL (A)
M56004 – Automation Service (Control)	14-Feb-25 01:25 AM	2510612447	2 WEEKS – PM FOR HMI BOOSTING MASTER (MODPSC) (A)
M56004 – Automation Service (Control)	14-Feb-25 01:25 AM	2510612448	2 WEEKS – PM FOR HMI BOOSTING MASTER (MODPSC) (A)
M56004 – Automation Service (Control)	14-Feb-25 01:25 AM	2510612449	2 WEEKS – PM FOR HMI TRPS (A)
M56004 – Automation Service (Control)	14-Feb-25 01:25 AM	2510612450	2 WEEKS – PM FOR HMI ABSORPTION CHILLER #3 (A)
M56004 – Automation Service (Control)	14-Feb-25 01:25 AM	2510612451	2 WEEKS – PM FOR HMI ABSORPTION CHILLER #2 (A)
M56004 – Automation Service (Control)	14-Feb-25 01:25 AM	2510612452	2 WEEKS – PM FOR HMI ABSORPTION CHILLER #1 (A)
M56004 – Automation Service (Control)	14-Feb-25 01:26 AM	2510612453	2 WEEKS – PM FOR PLC BOOSTING MASTER (MODPSC) (A)
M56004 – Automation Service (Control)	14-Feb-25 01:26 AM	2510612454	2 WEEKS – PM FOR PLC BOOSTING MASTER (MODPSC) (A)
M56004 – Automation Service (Control)	14-Feb-25 01:26 AM	2510612455	2 WEEKS – PM FOR PLC TRPS (A)
M56004 – Automation Service (Control)	14-Feb-25 01:26 AM	2510612457	2 WEEKS – PM FOR PLC ABSORPTION CHILLER #3 (A)
M56004 – Automation Service (Control)	14-Feb-25 01:26 AM	2510612458	2 WEEKS – PM FOR PLC ABSORPTION CHILLER #2 (A)
M56004 – Automation Service (Control)	14-Feb-25 01:26 AM	2510612459	2 WEEKS – PM FOR PLC ABSORPTION CHILLER #1 (A)
M56009 – Electrical Service (Power) PPL	14-Feb-25 01:27 AM	2510612460	2 Weeks – PM Inspection Absorption Chiller PP13
M56009 – Electrical Service (Control)	14-Feb-25 01:30 AM	2510612466	Monthly – Inspect Thermocouple PP12
M56009 – Electrical Service (Control)	14-Feb-25 01:30 AM	2510612470	Monthly – Inspect Partial Discharge PP13
WL1309 – PPL6_10_11 OPERATION	23-Feb-25 05:00 AM	2510071800	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR COOLING WATER PUMP NO.1 (PD)
WL1505 – PPL6_10_11 OPERATION	23-Feb-25 05:00 AM	2510071801	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR COOLING WATER PUMP NO.2 (PD)
WL1310 – PPL6_10_11 OPERATION	23-Feb-25 05:01 AM	2510071802	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR COOLING WATER PUMP NO.3 (PD)
WL1309 – PPL6_10_11 OPERATION	23-Feb-25 05:01 AM	2510071803	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR CONTROL OIL PUMP #1 (PD)
WL1309 – PPL6_10_11 OPERATION	23-Feb-25 05:01 AM	2510071804	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR CONTROL OIL PUMP # 2 (PD)
WL1309 – PPL6_10_11 OPERATION	23-Feb-25 05:02 AM	2510071805	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR LUBE OIL PUMP #1 (TG)
WL1503 – PPL6_10_11 OPERATION	23-Feb-25 05:03 AM	2510071806	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR LUBE OIL PUMP # 2 (PD)
WL1512 – Mechanical PPS 6,18,11	23-Feb-25 05:03 AM	2510071807	WEEKLY – INSPECTION CAMERA
WL1512 – Mechanical PPS 6,18,11	23-Feb-25 05:03 AM	2510071809	4039829 Recovery Boiler Bed Camera Right Side
WL1512 – Mechanical PPS/A,18,11	23-Feb-25 05:03 AM	2510071809	4039270 Recovery Boiler Bed Camera Left Side
WL1309 – PPL6_10_11 OPERATION	23-Feb-25 05:03 AM	2510071810	WEEKLY – PM FOR GENERATION (E)
WL1503 – PPL6_10_11 OPERATION	23-Feb-25 05:04 AM	2510071811	WEEKLY – PM FOR LUP OIL PUMP FEED WATER PUMP 3 (E)
WL1309 – PPL6_10_11 OPERATION	23-Feb-25 05:04 AM	2510071812	2 MONTHS – PM FOR SEALING AIR FAN # 1 (L)
WL1309 – PPL6_10_11 OPERATION	23-Feb-25 05:04 AM	2510071813	2 MONTHS – PM FOR SEALING AIR FAN # 2 (L)
WL1302 – PPL6_10_11 OPERATION	23-Feb-25 05:04 AM	2510071814	2 MONTHS – PM FOR FIRING LIQ TNK AGITATOR (GL)
WL1309 – PPL6_10_11 OPERATION	23-Feb-25 05:05 AM	2510071815	2 MONTHS – PM FOR FIRING LIQ TNK AGITATOR (GL)
WL1439 – PPL6_10_11 OPERATION	23-Feb-25 05:05 AM	2510071816	WEEKLY – PM FOR REDUCED DRAFT FAN, CELL NO.1 (E)
WL1309 – PPL6_10_11 OPERATION	23-Feb-25 05:05 AM	2510071817	WEEKLY – PM FOR REDUCED DRAFT FAN, CELL NO. 2 (E)
WL1309 – PPL6_10_11 OPERATION	23-Feb-25 05:06 AM	2510071818	2 MONTHS – PM FOR TURBINE MOTOR (E)
WL1302 – PPL6_10_11 OPERATION	23-Feb-25 05:06 AM	2510071819	2 MONTHS – PM FOR CLEAN CONDENSER FAN (E)
WL1309 – PPL6_10_11 OPERATION	23-Feb-25 05:06 AM	2510071820	2 MONTHS – PM FOR VAPOR FAN (E)
WL1537 – Mechanical PPS/A,18,11	23-Feb-25 05:06 AM	2510071823	MONTHLY – PM FOR TDS #1 AGITATION AMP (E)
WL1328 – PPL6_10_11 OPERATION	23-Feb-25 05:07 AM	2510071822	2 WEEKS – PM VISUAL CHECK AND BASIC PDM FOR AGITATION-DISSOLVING TANK 516 LOSS DESCRIPTION (PS)
WL1567 – PPL6_10_11 OPERATION	23-Feb-25 05:07 AM	2510071823	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR CSP TRANSFER CONVEYOR #1 (PD)
WL1303 – PPL6_10_11 OPERATION	23-Feb-25 05:07 AM	2510071824	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR CSP TRANSFER CONVEYOR #2 (PD)
WL1309 – PPL6_10_11 OPERATION	23-Feb-25 05:08 AM	2510071825	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR PRIMARY FD FAN (FD)
WL1429 – PPL6_10_11 OPERATION	23-Feb-25 05:08 AM	2510071826	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR SECONDARY FD FAN (FD)
WL1309 – PPL6_10_11 OPERATION	23-Feb-25 05:09 AM	2510071827	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR TERTIARY FD FAN (FD)
WL1567 – PPL6_10_11 OPERATION	23-Feb-25 05:09 AM	2510071828	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR ID FAN A (PD)
WL1309 – PPL6_10_11 OPERATION	23-Feb-25 05:10 AM	2510071829	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR ID FAN B (PD)
WL1529 – PPL6_10_11 OPERATION	23-Feb-25 05:10 AM	2510071830	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR ID FAN #3 (FD)
M56018 – Calibration Service (Instrument)	23-Feb-25 05:12 AM	2510071831	monthly inspection Evaporator DCS Controller (A)
M56003 – Automation Service (Instrument)	23 Feb-25 05:12 AM	2510071832	monthly inspection Mill Wide DCS Controller (A)
M56003 – Automation Service (Instrument)	23-Feb-25 05:13 AM	2510071833	monthly inspection Bed Blower DCS Controller (A)
M56003 – Automation Service (Instrument)	23 Feb-25 05:13 AM	2510071834	monthly inspection Recovery Boiler DCS Controller (A)
M56018 – Calibration Service (Instrument)	23 Feb-25 05:14 AM	2510071835	monthly inspection for BUS OCT Power Distrib. (A)
M56018 – Calibration Service (Instrument)	23-Feb-25 05:15 AM	2510071836	monthly inspection for Evaporator DCS Power Distrib. (A)
M56003 – Automation Service (Instrument)	23-Feb-25 05:15 AM	2510071837	monthly inspection for Millwide DCS Power Distrib. (A)
M56003 – Automation Service (Instrument)	23-Feb-25 05:15 AM	2510071838	calibrate 460 Stack flue gas analyzer (SO2/O2/CO)
WL1309 – PPL6_10_11 OPERATION	23-Feb-25 05:15 AM	2510071839	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR PM FLNP #3 (PD)
WL1539 – PPL6_10_11 OPERATION	23-Feb-25 05:16 AM	2510071840	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR TRIPNG LIQUOR PUMP (PD)
WL1309 – PPL6_10_11 OPERATION	23-Feb-25 05:17 AM	2510071841	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR FIRING LIQUOR PUMP (PD)
WL1302 – PPL6_10_11 OPERATION	23-Feb-25 05:17 AM	2510071842	WEEKLY – PM ROUTE CHECK SWITCHGEAR (PD)
WL1309 – PPL6_10_11 OPERATION	23-Feb-25 05:17 AM	2510071844	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR STEAM TURBINE GENERATOR (PD)
WL1303 – PPL6_10_11 OPERATION	23-Feb-25 05:18 AM	2510071845	MONTHLY – PM FOR BOOSTBLOWER 1, LEFT (E)
WL1309 – PPL6_10_11 OPERATION	23-Feb-25 05:18 AM	2510071846	MONTHLY – PM FOR BOOSTBLOWER 1, LEFT (E)
WL1512 – Mechanical PPS 6,18,11	23-Feb-25 05:19 AM	2510071847	2 WEEKS – PM FOR 316 KV SWEDATION AMP (E)
WL1512 – Mechanical PPS 6,18,11	28-Feb-25 05:00 AM	2510083895	WEEKLY – INSPECTION CAMERA
WL1512 – Mechanical PPS/A,18,11	28-Feb-25 05:00 AM	2510083896	4039829 Recovery Boiler Bed Camera Right Side
WL1512 – Mechanical PPS/A,18,11	28-Feb-25 05:00 AM	2510083897	4039270 Recovery Boiler Bed Camera Left Side
M56019 – Automation Service (Instrument)	28-Feb-25 05:00 AM	2510083898	MONTHLY – PM FOR MILLWIDE DCS CONTROLLER (A)
WL1309 – PPL6_10_11 OPERATION	28-Feb-25 05:00 AM	2510083899	MONTHLY – PM FOR START-UP BURNER #1 (E)
WL1310 – PPL6_10_11 OPERATION	28-Feb-25 05:00 AM	2510083900	MONTHLY – PM FOR START-UP BURNER #2 (E)
WL1309 – PPL6_10_11 OPERATION	28-Feb-25 05:01 AM	2510083901	MONTHLY – PM FOR ELECTROSTATIC PRECIPITATOR (E)
WL1303 – PPL6_10_11 OPERATION	28-Feb-25 05:01 AM	2510083902	MONTHLY – PM FOR ELECTROSTATIC PRECIPITATOR # 2 (E)
WL1302 – PPL6_10_11 OPERATION	28-Feb-25 05:01 AM	2510083903	MONTHLY – PM FOR ESP #2(E)
WL1309 – PPL6_10_11 OPERATION	28-Feb-25 05:02 AM	2510083904	WEEKLY – PM FOR GENERATOR (E)
WL1309 – PPL6_10_11 OPERATION	28-Feb-25 05:02 AM	2510083905	WEEKLY – PM FOR LUP OIL PUMP FEED WATER PUMP 3 (E)
WL1529 – PPL6_10_11 OPERATION	28-Feb-25 05:02 AM	2510083906	2 MONTHS – PM FOR SEALAIR BOOSTER FAN # 1 (E)

WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:01 AM 25083877	2 MONTHS – PM FOR SCRUBBER FAN (E)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:04 AM 25083878	2 MONTHS – PM FOR HVAC GAS FAN (E)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:04 AM 25083880	WEEKLY – PM FOR INDUCED DRAFT FAN, CELL NO.1 (E)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:05 AM 25083881	WEEKLY – PM FOR INDUCED DRAFT FAN, CELL NO.2 (E)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:05 AM 25083882	MONTHLY – PM FOR INDUCED DRAFT FAN, CELL NO.2 (E)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:06 AM 25083883	MONTHLY – PM FOR RECOVERY TRANSFORMER T1(2)(E)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:06 AM 25083885	MONTHLY – PM FOR TRANSFORMER T141(E)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:06 AM 25083886	MONTHLY – PM FOR TRANSFORMER T411(E)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:06 AM 25083887	MONTHLY – PM FOR RECTIFIER #A, PRECIPITATOR # 1 (E)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:07 AM 25083888	MONTHLY – PM FOR RECTIFIER #B, PRECIPITATOR # 1 (E)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:07 AM 25083889	MONTHLY – PM FOR RECTIFIER #C, PRECIPITATOR # 1 (E)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:07 AM 25083890	MONTHLY – PM FOR RECTIFIER #A, PRECIPITATOR # 2 (E)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:07 AM 25083891	MONTHLY – PM FOR RECTIFIER #B, PRECIPITATOR # 2 (E)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:08 AM 25083892	MONTHLY – PM FOR RECTIFIER #C, PRECIPITATOR # 2 (E)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:08 AM 25083893	MONTHLY – PM FOR RECTIFIER #A, PRECIPITATOR #3 (E)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:08 AM 25083894	MONTHLY – PM FOR RECTIFIER #B, PRECIPITATOR #3 (E)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:09 AM 25083895	MONTHLY – PM FOR RECTIFIER #C, PRECIPITATOR #3 (E)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:09 AM 25083896	MONTHLY – PM FOR MILL WIDE TRANSFORMER TH251(E)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:09 AM 25083897	MONTHLY – PM FOR MILL WIDE TRANSFORMER TH252(E)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:09 AM 25083898	MONTHLY – PM FOR MILL WIDE TRANSFORMER TH291(E)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:10 AM 25083899	MONTHLY – PM FOR MILL WIDE TRANSFORMER TH294(E)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:10 AM 25083900	MONTHLY – PM FOR TL250F POWER BACK UP PROVIE EQ#T (E)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:10 AM 25083901	MONTHLY – PM FOR GARZ , TURBO GENERATOR TRANSFORMER TG1,2 (E)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:10 AM 25083902	MONTHLY – PM FOR GROUNDING TRANSFORMER (E)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:11 AM 25083903	MONTHLY – PM FOR BATTERY FOR 220VL01 CHARGER 110 VDC MILL WIDE BANNING (E)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:11 AM 25083904	MONTHLY – PM FOR BATTERY FOR 220VL01 CHARGER 110 VDC MILL WIDE BANNING (E)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:11 AM 25083905	MONTHLY – PM FOR BATTERY 110 VDC FOR Communication 315 KV (E)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:11 AM 25083906	MONTHLY – PM FOR BATTERY FOR 2Y06TU01 CHARGER 48VDC FOR 11kV TAPP11 (E)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:11 AM 25083907	MONTHLY – PM FOR BATTERY FOR 4G02P503 MCC RECOVERY BOILER, UPS (E)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:12 AM 25083908	MONTHLY – PM FOR BATTERY FOR 20VHL01 CHARGER 110 VDC FOR 220 V SYSTEM (E)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:12 AM 25083909	MONTHLY – PM FOR BATTERY FOR 20G0U501 MCC MILL WIDE, UPS (E)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:12 AM 25083910	MONTHLY – PM FOR CHARGER 110 VDC FOR Communication 115 KV (E)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:12 AM 25083911	MONTHLY – PM FOR CHARGER 48VDC FOR 11kV TAPP11 (E)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:12 AM 25083912	MONTHLY – PM FOR SCRUBBER FAN (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:13 AM 25083113	MONTHLY – INSPECTION PUMP	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:13 AM 25083114	2B2P01 DEMIN WATER BOOSTER PUMP #1	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:13 AM 25083115	2B2P04 DEMIN WATER BOOSTER PUMP #2	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:14 AM 25083116	2B2P08 DEMIN WATER TRANSFER PUMP # 1	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:14 AM 25083117	2B2P010 DEMIN WATER TRANSFER PUMP #2	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:14 AM 25083118	2B2P011 EFFLUENT SAMPLING PUMP	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:14 AM 25083119	2 WEEKS – PM VISUAL CHECK AND BASIC PDM FOR AGITATOR-DISSOLVING TANK 511 LONG DESCRIPTION (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:15 AM 25083120	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR ESP TRANSFER CONVEYOR # 1 (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:15 AM 25083121	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR ESP TRANSFER CONVEYOR #2 (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:16 AM 25083122	4 MONTHS – PM ROUTE INSPECTION AND CLEAN GROUP 3 FOR AREA 180 (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:16 AM 25083123	4 MONTHS – PM ROUTE INSPECTION AND CLEAN GROUP 4 FOR AREA 294 (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:17 AM 25083124	4 MONTHS – PM ROUTE INSPECTION AND CLEAN GROUP 5 FOR AREA 250 (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:17 AM 25083125	4 MONTHS – PM ROUTE INSPECTION AND CLEAN GROUP 6 FOR AREA 452 (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:17 AM 25083127	4 MONTHS – PM ROUTE INSPECTION AND CLEAN GROUP 7 FOR AREA 453 (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:18 AM 25083128	4 MONTHS – PM ROUTE INSPECTION AND CLEAN GROUP 15 FOR AREA 463 (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:18 AM 25083129	4 MONTHS – PM ROUTE INSPECTION AND CLEAN GROUP 16 FOR AREA 441 (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:18 AM 25083130	4 MONTHS – PM ROUTE INSPECTION AND CLEAN GROUP 17 FOR AREA 451 (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:19 AM 25083132	4 MONTHS – PM ROUTE INSPECTION AND CLEAN GROUP 18 FOR AREA 461 (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:19 AM 25083131	4 MONTHS – PM ROUTE INSPECTION AND CLEAN GROUP 19 FOR AREA 464 (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:19 AM 25083133	MONTHLY – ROUTE PM FOR INSPECTION FABRIC EXPANSION JOINT (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:20 AM 25083135	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR PRIMARY ID FAN (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:21 AM 25083137	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR SECONDARY ID FAN (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:21 AM 25083138	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR TERTIARY ID FAN (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:22 AM 25083139	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR ID FAN # 1 (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:23 AM 25083140	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR ID FAN # 2 (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:24 AM 25083142	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR ID FAN #3 (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:25 AM 25083143	MONTHLY – PM FOR FIRE FIGHTING SWITCH GEAR (E)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:25 AM 25083144	3 MONTHS – PM ROUTE RE GREASE MOTOR AREA 481 GROUP 2(PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:25 AM 25083145	MONTHLY – PM ROUTE REFILL LUBRICANT BEARING FAN FOR EDRAM (GROUP 2) (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:26 AM 25083146	MONTHLY – PM ROUTE REFILL LUBRICANT BEARING FAN FOR EDRAM (GROUP 3) (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:26 AM 25083147	MONTHLY – PM REFILL LUBRICANT FOR AGITATOR STRONG LIQUOR STORAGE TANK (PO)	NPPSA_PP1
MS0103 – Automation Service (Instrument)	28-Feb-25 01:26 AM 25083148	2 weeks check 453 Stack flue gas analyzer	NPPSA_PP1
MS0103 – Automation Service (Instrument)	28-Feb-25 01:26 AM 25083149	calibrate 453 Stack flue gas analyzer (BI00A400)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:27 AM 25083150	PM FOR [illegible]	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:27 AM 25083151	PM FOR SOOTBLWR STEAM HDR [illegible] (E)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:27 AM 25083152	MONTHLY – PM FOR AUX [illegible] FEED WATER PUMP #2 (E)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:28 AM 25083153	MONTHLY – PM FOR AUX [illegible] FEED WATER PUMP [illegible] (E)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:28 AM 25083154	MONTHLY – PM FOR PORT DUT DOING TRANSFORMER TCT (E)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:29 AM 25083155	MONTHLY – PM FOR VSD OF FIRING LIQUOR PUMP #1 (E)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:29 AM 25083156	MONTHLY – PM FOR VSD OF FIRING LIQUOR PUMP #2 (E)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:29 AM 25083157	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR TW PUMP #2 (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:30 AM 25083158	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR COOLING WATER PUMP NO. 1 (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:30 AM 25083159	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR COOLING WATER PUMP NO. 2 (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:31 AM 25083160	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR ACID DOSING PUMP #1 (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:31 AM 25083161	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR ACID DOSING PUMP #2 (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:32 AM 25083162	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR EMERGENCY DEL PUMP (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:32 AM 25083163	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR GLAND COND DRAIN PUMP (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:33 AM 25083164	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR CIRCULATION 1 A PUMP (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:33 AM 25083165	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR CIRCULATION 1 B PUMP (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:34 AM 25083166	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR CIRCULATION 1 C PUMP (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:35 AM 25083167	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR CIRCULATION 1 D PUMP (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:35 AM 25083169	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR CIRCULATION 1 A PUMP (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:35 AM 25083170	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR CIRCULATION 1 B PUMP (PO)	NPPSA_PP1

WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:36 AM 25083171	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR CIRCULATION 1 C PUMP (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:37 AM 25083172	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR CIRCULATION 1 D PUMP (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:37 AM 25083173	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR CIRCULATION 2 PUMP (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:38 AM 25083174	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR EFFECT II LIQ. TRANSF. PUMP (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	28-Feb-25 01:38 AM 25083175	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR EFFECT III CIRCULATE PUMP (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	07-Mar-25 01:03 AM 25094035	WEEKLY – PM FOR GENERATOR (E)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	07-Mar-25 01:08 AM 25094038	WEEKLY – PM FOR LUF OIL PUMP FEED WATER PUMP 3 (E)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	07-Mar-25 01:08 AM 25094043	WEEKLY – PM FOR INDUCED DRAFT FAN, CELL NO.1 (E)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	07-Mar-25 01:09 AM 25094047	WEEKLY – PM FOR INDUCED DRAFT FAN, CELL NO.2 (E)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	07-Mar-25 01:10 AM 25094051	MONTHLY – PM FOR BATTERY CHARGER 110 VDC MILL WIDE (E)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	07-Mar-25 01:10 AM 25094052	MONTHLY – PM FOR BACK MILL WIDE, UPS (E)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	07-Mar-25 01:10 AM 25094053	MONTHLY – PM FOR BATTERY CHARGER 110VDC MILL WIDE (E)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	07-Mar-25 01:10 AM 25094054	MONTHLY – PM FOR BACK MILL WIDE, UPS (E)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	07-Mar-25 01:10 AM 25094056	2 WEEKS – PM VISUAL CHECK AND BASIC PDM FOR AGITATOR-DISSOLVING TANK 511 LONG DESCRIPTION (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	07-Mar-25 01:11 AM 25094060	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR ASH COLLECTING CONVEYOR (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	07-Mar-25 01:11 AM 25094063	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR DRAG SCRAPER, ESP # 1 SEC LONG DESCRIPTION (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	07-Mar-25 01:12 AM 25094065	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR DRAG SCRAPER, ESP # 2 SEC LONG DESCRIPTION (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	07-Mar-25 01:12 AM 25094067	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR COLLECTING CONVEYOR, ESP # 1 (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	07-Mar-25 01:13 AM 25094068	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR COLLECTING CONVEYOR, ESP # 2 (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	07-Mar-25 01:13 AM 25094069	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SCRAPER CONVEYOR ESP 3 (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	07-Mar-25 01:14 AM 25094070	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR COLLECTING CONVEYOR ESP 3 (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	07-Mar-25 01:14 AM 25094071	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR ESP TRANSFER CONVEYOR # 1 (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	07-Mar-25 01:15 AM 25094072	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR ESP TRANSFER CONVEYOR #2 (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	07-Mar-25 01:19 AM 25094073	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR PRIMARY ID FAN (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	07-Mar-25 01:20 AM 25094079	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR SECONDARY ID FAN (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	07-Mar-25 01:21 AM 25094080	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR TERTIARY ID FAN (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	07-Mar-25 01:21 AM 25094081	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR ID FAN # 1 (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	07-Mar-25 01:22 AM 25094082	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR ID FAN # 2 (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	07-Mar-25 01:23 AM 25094083	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR ID FAN #3 (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	07-Mar-25 01:26 AM 25094093	MONTHLY – PM ROUTE REFILL LUBRICANT CHAIN CONVEYOR (GROUP1) (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	07-Mar-25 01:26 AM 25094094	MONTHLY – PM ROUTE REFILL LUBRICANT PUMP A (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	07-Mar-25 01:26 AM 25094095	MONTHLY – PM ROUTE REFILL LUBRICANT PUMP B (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	07-Mar-25 01:27 AM 25094096	MONTHLY – PM ROUTE REFILL LUBRICANT PUMP C (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	07-Mar-25 01:27 AM 25094097	MONTHLY – PM ROUTE REFILL LUBRICANT PUMP D (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	07-Mar-25 01:27 AM 25094099	MONTHLY – PM ROUTE REFILL LUBRICANT PUMP E (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	07-Mar-25 01:27 AM 25094400	MONTHLY – PM ROUTE REFILL LUBRICANT PUMP F (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	07-Mar-25 01:27 AM 25094401	MONTHLY – PM ROUTE REFILL LUBRICANT PUMP G (PO)	NPPSA_PP1
MS0103 – Automation Service (Instrument)	07-Mar-25 01:28 AM 25094408	calibrate 453 Stack flue gas analyzer (BI00A400)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	07-Mar-25 01:29 AM 25094405	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR FW PUMP #1 (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	07-Mar-25 01:30 AM 25094410	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR FW PUMP #2 (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	07-Mar-25 01:31 AM 25094411	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR FW PUMP #3 (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	07-Mar-25 01:32 AM 25094413	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR EFFECT [illegible] LIQ. TRANSF. PUMP (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	07-Mar-25 01:32 AM 25094414	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR EFFECT IV CIRCULATE PUMP (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	07-Mar-25 01:33 AM 25094415	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR EFFECT V CIRCULATE PUMP (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	07-Mar-25 01:34 AM 25094416	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR PRIMARY CONDENSATE PUMP (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	07-Mar-25 01:34 AM 25094417	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR FOUL CONDENSATE PUMP (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	07-Mar-25 01:35 AM 25094418	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SEC. CONDENSATE PUMP (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	07-Mar-25 01:35 AM 25094419	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR FOUL COND. [illegible] (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	07-Mar-25 01:36 AM 25094420	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR VACUUM PUMP (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	07-Mar-25 01:36 AM 25094421	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR VACUUM PUMP (STANDBY) (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	07-Mar-25 01:37 AM 25094422	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR REFLUX CONDENSATE (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	07-Mar-25 01:37 AM 25094423	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR WASH LIQUOR PUMP (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	07-Mar-25 01:38 AM 25094424	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR COMBINED CONDENSATE (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	07-Mar-25 01:38 AM 25094425	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR FEED LIQUOR PUMP (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	07-Mar-25 01:39 AM 25094426	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR FIRING LIQ FLASH TNK PUMP#1 (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	07-Mar-25 01:40 AM 25094427	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR FIRING LIQ FLASH TNK PUMP#2 (PO)	NPPSA_PP1
MS0024 – Predictive Maintenance	14-Mar-25 01:20 AM 25106967	Monthly vibration check for Plan 282	NPPSA_PP1
MS0024 – Predictive Maintenance	14-Mar-25 01:20 AM 25106968	Monthly vibration check for Plan 282	NPPSA_PP1
MS0024 – Predictive Maintenance	14-Mar-25 01:20 AM 25106969	Monthly vibration check for Plan 255	NPPSA_PP1
MS0024 – Predictive Maintenance	14-Mar-25 01:20 AM 25106970	Monthly vibration check for Plan 482	NPPSA_PP1
MS0024 – Predictive Maintenance	14-Mar-25 01:21 AM 25106971	Monthly vibration check for Plan 463	NPPSA_PP1
MS0024 – Predictive Maintenance	14-Mar-25 01:21 AM 25106972	Monthly oil Sampling for area 463	NPPSA_PP1
MS0024 – Predictive Maintenance	14-Mar-25 01:21 AM 25106973	Monthly oil Sampling for area 282	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	14-Mar-25 01:27 AM 25106997	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR DESUPERHEATER PUMP (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	14-Mar-25 01:28 AM 25106998	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR STRONG LIQUOR PUMP (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	14-Mar-25 01:28 AM 25107000	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR STRONG LIQUOR PUMP (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	14-Mar-25 01:29 AM 25107001	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR MAKEUP WATER PUMP (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	14-Mar-25 01:30 AM 25107002	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SECONDARY CONDENSATE PUMP 1 (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	14-Mar-25 01:30 AM 25107003	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SUMP PUMP (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	14-Mar-25 01:31 AM 25107004	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR STRONG LIQUOR PUMP (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	14-Mar-25 01:31 AM 25107005	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR DUMP TANK PUMP (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	14-Mar-25 01:32 AM 25107007	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR MILL COLLECTION PUMP (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	14-Mar-25 01:32 AM 25107009	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SCRUBBER RECIRCULATION PUMP (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	14-Mar-25 01:33 AM 25107009	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR GREEN LIQ TRANSFER PUMP #1 (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	14-Mar-25 01:33 AM 25107010	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR GREEN LIQ TRANSFER PUMP #2 (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	14-Mar-25 01:34 AM 25107011	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SPOUT COOLING WATER PUMP #1 (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	14-Mar-25 01:34 AM 25107012	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SPOUT COOLING WATER PUMP #2 (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	14-Mar-25 01:35 AM 25107013	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR CIRCULATION PUMP (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	14-Mar-25 01:35 AM 25107014	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR CONDENSATE FEED PUMP(MAIN) (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	14-Mar-25 01:36 AM 25107015	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR CONDENSATE FEED PUMP(STBY) (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	14-Mar-25 01:36 AM 25107016	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR FIRING LIQUOR PUMP (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	14-Mar-25 01:37 AM 25107017	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR FIRING LIQUOR PUMP (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	14-Mar-25 01:38 AM 25107020	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR FIRING LIQUOR PUMP (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	14-Mar-25 01:39 AM 25107021	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR FIRING LIQUOR PUMP (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	14-Mar-25 01:40 AM 25107022	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR CONDENSATE PUMP NO. 1 (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	14-Mar-25 01:40 AM 25107024	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR CONDENSATE PUMP NO. 2 (PO)	NPPSA_PP1
WL1320 – PP5,6,10,11 OPERATION	14-Mar-25 01:41 AM 25107025	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 1, LIFT (PO)	NPPSA_PP1

WL1320 - PPS,6,10,11 OPERATION	14-Mar-25 01:41 AM	[illegible]	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 2, LEFT (PO)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	14-Mar-25 01:42 AM	[illegible]	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 3, RIGHT (PO)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	14-Mar-25 01:42 AM	[illegible]	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 4, LEFT (PO)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	14-Mar-25 01:43 AM	[illegible]	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 5, RIGHT (PO)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	14-Mar-25 01:43 AM	[illegible]	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 6, LEFT (PO)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	14-Mar-25 01:44 AM	[illegible]	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 7, RIGHT (PO)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	14-Mar-25 01:44 AM	[illegible]	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 8, LEFT (PO)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	14-Mar-25 01:44 AM	[illegible]	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 9, RIGHT (PO)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	14-Mar-25 01:45 AM	[illegible]	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 10, LEFT (PO)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	14-Mar-25 01:45 AM	[illegible]	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 11, RIGHT (PO)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	14-Mar-25 01:46 AM	[illegible]	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 12, LEFT (PO)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	14-Mar-25 01:46 AM	[illegible]	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 13, RIGHT (PO)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	14-Mar-25 01:47 AM	[illegible]	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 14, LEFT (PO)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	14-Mar-25 01:47 AM	[illegible]	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 15, LEFT (PO)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	14-Mar-25 01:48 AM	[illegible]	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 16, RIGHT (PO)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	14-Mar-25 01:48 AM	[illegible]	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 17, LEFT (PO)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	14-Mar-25 01:49 AM	[illegible]	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 18, RIGHT (PO)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	14-Mar-25 01:49 AM	[illegible]	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 19, LEFT (PO)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	14-Mar-25 01:50 AM	[illegible]	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 20, RIGHT (PO)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	14-Mar-25 01:50 AM	[illegible]	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 21, LEFT (PO)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	14-Mar-25 01:51 AM	[illegible]	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 22, RIGHT (PO)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	14-Mar-25 01:51 AM	[illegible]	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 23, LEFT (PO)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	14-Mar-25 01:52 AM	[illegible]	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 24, RIGHT (PO)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	14-Mar-25 01:52 AM	[illegible]	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 25, LEFT (PO)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	14-Mar-25 01:53 AM	[illegible]	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 26, RIGHT (PO)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	14-Mar-25 01:53 AM	[illegible]	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 27, LEFT (PO)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	14-Mar-25 01:53 AM	[illegible]	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 28, RIGHT (PO)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	14-Mar-25 01:54 AM	[illegible]	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 29, LEFT (PO)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	14-Mar-25 01:54 AM	[illegible]	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 30, RIGHT (PO)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	14-Mar-25 01:55 AM	[illegible]	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 31, LEFT (PO)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	14-Mar-25 01:55 AM	[illegible]	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 32, RIGHT (PO)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	14-Mar-25 01:56 AM	[illegible]	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 33, LEFT (PO)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	14-Mar-25 01:56 AM	[illegible]	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 34, RIGHT (PO)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	14-Mar-25 01:57 AM	[illegible]	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 35, LEFT (PO)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	14-Mar-25 01:57 AM	[illegible]	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 36, RIGHT (PO)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	14-Mar-25 01:58 AM	[illegible]	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 37, RIGHT (PO)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	14-Mar-25 01:58 AM	[illegible]	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 38, LEFT (PO)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	14-Mar-25 01:58 AM	[illegible]	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 39, LEFT (PO)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	14-Mar-25 01:59 AM	[illegible]	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 40, RIGHT (PO)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	14-Mar-25 02:00 AM	[illegible]	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 41, LEFT (PO)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	14-Mar-25 02:00 AM	[illegible]	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 42, RIGHT (PO)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	14-Mar-25 02:01 AM	[illegible]	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 43, RIGHT (PO)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	14-Mar-25 02:01 AM	[illegible]	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 44 (PO)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	14-Mar-25 02:02 AM	[illegible]	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 45, LEFT (PO)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	14-Mar-25 02:03 AM	[illegible]	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 46, RIGHT (PO)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	14-Mar-25 02:03 AM	[illegible]	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 47, LEFT (PO)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	14-Mar-25 02:04 AM	[illegible]	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 48, RIGHT (PO)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	14-Mar-25 02:04 AM	[illegible]	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 49, LEFT (PO)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	14-Mar-25 02:05 AM	[illegible]	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 50, RIGHT (PO)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	14-Mar-25 02:05 AM	[illegible]	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 51, LEFT (PO)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	14-Mar-25 02:06 AM	[illegible]	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 52, RIGHT (PO)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	14-Mar-25 02:07 AM	[illegible]	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 53, LEFT (PO)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	14-Mar-25 02:07 AM	[illegible]	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 54, RIGHT (PO)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	14-Mar-25 02:08 AM	[illegible]	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 55, LEFT (PO)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	14-Mar-25 02:09 AM	[illegible]	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 56, RIGHT (PO)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	14-Mar-25 02:09 AM	[illegible]	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 57, LEFT (PO)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	14-Mar-25 02:10 AM	[illegible]	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 58, RIGHT (PO)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	14-Mar-25 02:11 AM	[illegible]	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 59, LEFT (PO)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	14-Mar-25 02:12 AM	[illegible]	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 60, RIGHT (PO)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	14-Mar-25 02:12 AM	[illegible]	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER #61 LEFT (PO)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	14-Mar-25 02:13 AM	[illegible]	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER # 62 RIGHT (PO)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	14-Mar-25 02:13 AM	[illegible]	WEEKLY - PM ROUTE CHECK SWITCHGEAR (PE)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	14-Mar-25 02:14 AM	[illegible]	WEEKLY - PM ROUTE CHECK SWITCHGEAR (PE)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	14-Mar-25 02:14 AM	[illegible]	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR STEAM TURBINE, STANDBY (PO)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	14-Mar-25 02:15 AM	[illegible]	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR STEAM TURBINE, STANDBY (PO)	NPPSA_PPI
MA0104 - Automation Service (Control)	14-Mar-25 02:16 AM	[illegible]	2 WEEKS - PM FOR PLC TURBINE & GENERATOR GOVERNOR CONTROL (A)	NPPSA_PPI
MA0104 - Automation Service (Control)	14-Mar-25 02:16 AM	[illegible]	2 WEEKS - PM FOR HMI TURBINE & GENERATOR GOVERNOR CONTROL (A)	NPPSA_PPI
MA0104 - Automation Service (Control)	14-Mar-25 02:16 AM	[illegible]	2 WEEKS - PM FOR HMI RODDING MASTER (40SCP60) (A)	NPPSA_PPI
MA0104 - Automation Service (Control)	14-Mar-25 02:17 AM	[illegible]	2 WEEKS - PM FOR HMI RODDING MASTER (40SCP61) (A)	NPPSA_PPI
MA0104 - Automation Service (Control)	14-Mar-25 02:18 AM	[illegible]	2 WEEKS - PM FOR HMI BMS (A)	NPPSA_PPI
MA0104 - Automation Service (Control)	14-Mar-25 02:18 AM	[illegible]	2 WEEKS - PM FOR HMI ABSORPTION CHILLER #1 (A)	NPPSA_PPI
MA0104 - Automation Service (Control)	14-Mar-25 02:19 AM	[illegible]	2 WEEKS - PM FOR HMI ABSORPTION CHILLER #2 (A)	NPPSA_PPI
MA0104 - Automation Service (Control)	14-Mar-25 02:19 AM	[illegible]	2 WEEKS - PM FOR HMI ABSORPTION CHILLER #3 (A)	NPPSA_PPI
MA0104 - Automation Service (Control)	14-Mar-25 02:19 AM	[illegible]	2 WEEKS - PM FOR PLC RODDING MASTER (40SCP60) (A)	NPPSA_PPI
MA0104 - Automation Service (Control)	14-Mar-25 02:20 AM	[illegible]	2 WEEKS - PM FOR PLC RODDING MASTER (40SCP61) (A)	NPPSA_PPI
MA0104 - Automation Service (Control)	14-Mar-25 02:20 AM	[illegible]	2 WEEKS - PM FOR PLC BMS (A)	NPPSA_PPI
MA0104 - Automation Service (Control)	14-Mar-25 02:21 AM	[illegible]	2 WEEKS - PM FOR PLC ABSORPTION CHILLER #1 (A)	NPPSA_PPI
MA0104 - Automation Service (Control)	14-Mar-25 02:21 AM	[illegible]	2 WEEKS - PM FOR PLC ABSORPTION CHILLER #2 (A)	NPPSA_PPI
MA0104 - Automation Service (Control)	14-Mar-25 02:22 AM	[illegible]	2 WEEKS - PM FOR PLC ABSORPTION CHILLER #3 (A)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	14-Mar-25 02:22 AM	[illegible]	MONTHLY - PM FOR BMS (E)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	14-Mar-25 02:22 AM	[illegible]	MONTHLY - PM FOR BOX MAIN SUPPLY BURNER (E)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	14-Mar-25 02:22 AM	[illegible]	MONTHLY - PM FOR AH411 MCC 690V RECOVERY BOILER #2 (E)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	14-Mar-25 02:23 AM	[illegible]	MONTHLY - PM FOR AH412 MCC 690V RECOVERY BOILER #2 (E)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	14-Mar-25 02:23 AM	[illegible]	MONTHLY - PM FOR AL412 MCC 400V ESP#2 (E)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	14-Mar-25 02:23 AM	[illegible]	MONTHLY - PM FOR SCRUBBER FAN (E)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	14-Mar-25 02:23 AM	[illegible]	MONTHLY - PM FOR AH431 MCC 690V EVAPORATOR PULP 2 (E)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	14-Mar-25 02:23 AM	[illegible]	MONTHLY - PM FOR AH311 MCC, PREV MILL WIDE #1 (E)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	14-Mar-25 02:24 AM	[illegible]	MONTHLY - PM FOR AH312 MCC, PREV MILL WIDE #2 (E)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	14-Mar-25 02:24 AM	[illegible]	MONTHLY - PM FOR AL251 EMERGENCY POWER SUPPLY 400 VAC (E)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	14-Mar-25 02:24 AM	[illegible]	MONTHLY - PM FOR AL252 NORMAL POWER SUPPLY 400 VAC (E)	NPPSA_PPI
WL5215 - Electrical PSD (DWG/Substation)*	08-Mar-24 05:00 AM	[illegible]	4 YEARS (SD) - PM FOR CHARGER 110 VDC FOR Communication 115 kV (E)	NPPSA_PPI
WL5215 - Electrical PSD (DWG/Substation)*	08-Mar-24 05:00 AM	[illegible]	4 YEARS (SD) - PM FOR CHARGER 48VDC FOR 115KV MTT11 (E)	NPPSA_PPI
WL5212 - Mechanical PSD (Turbine & Utilit	08-Mar-24 05:01 AM	[illegible]	YEARLY (SD) - PM FOR CLEAN COOLER AIR COMPRESSOR NO.1 (M)	NPPSA_PPI
WL5212 - Mechanical PSD (Turbine & Utilit	08-Mar-24 05:02 AM	[illegible]	YEARLY (SD) - PM FOR CLEAN COOLER AIR COMPRESSOR NO.2 (M)	NPPSA_PPI
WL5212 - Mechanical PSD (Turbine & Utilit	08-Mar-24 05:03 AM	[illegible]	YEARLY (SD) - PM FOR CLEAN COOLER AIR COMPRESSOR NO.3 (M)	NPPSA_PPI
WL5212 - Mechanical PSD (Turbine & Utilit	08-Mar-24 05:04 AM	[illegible]	YEARLY (SD) - PM FOR CLEAN COOLER AIR COMPRESSOR NO.4 (M)	NPPSA_PPI
WL5212 - Mechanical PSD (Turbine & Utilit	08-Mar-24 05:05 AM	[illegible]	YEARLY (SD) - PM FOR CLEAN COOLER AND WATER COOLER AIR COMPRESSOR (M)	NPPSA_PPI
WL5212 - Mechanical PSD (Turbine & Utilit	25-Mar-24 09:51 AM	[illegible]	YEARLY (SD) - PM FOR RED OIL PUMP ... TYPE (M)	NPPSA_PPI
WL5212 - Mechanical PSD (Turbine & Utilit	25-Mar-24 09:57 AM	[illegible]	YEARLY (SD) - PM FOR COOLING WATER PUMP NO.3 (M)	NPPSA_PPI
WL5212 - Mechanical PSD (Turbine & Utilit	25-Mar-24 10:02 AM	[illegible]	YEARLY (SD) - PM FOR COOLING WATER PUMP NO.2 (M)	NPPSA_PPI
WL5212 - Mechanical PSD (Turbine & Utilit	25-Mar-24 10:06 AM	[illegible]	YEARLY (SD) - PM FOR COOLING WATER PUMP NO.1 (M)	NPPSA_PPI
WL5212 - Mechanical PSD (Turbine & Utilit	25-Mar-24 10:12 AM	[illegible]	YEARLY (SD) - PM FOR DESUPERHEATER PUMP (M)	NPPSA_PPI
WL5212 - Mechanical PSD (Turbine & Utilit	25-Mar-24 10:16 AM	[illegible]	YEARLY (SD) - PM FOR STRONG BL PUMP #2 (M)	NPPSA_PPI
WL5212 - Mechanical PSD (Turbine & Utilit	25-Mar-24 10:21 AM	[illegible]	YEARLY (SD) - PM FOR STRONG BL PUMP #1 (M)	NPPSA_PPI
WL5212 - Mechanical PSD (Turbine & Utilit	25-Mar-24 10:27 AM	[illegible]	YEARLY (SD) - PM FOR BLACK LIQUOR JUMBO TANK PUMP No.3 (M)	NPPSA_PPI
WL5212 - Mechanical PSD (Turbine & Utilit	25-Mar-24 10:33 AM	[illegible]	YEARLY (SD) - PM FOR BLACK LIQUOR JUMBO TANK PUMP No.2 (M)	NPPSA_PPI
WL5212 - Mechanical PSD (Turbine & Utilit	25-Mar-24 10:37 AM	[illegible]	YEARLY (SD) - PM FOR BLACK LIQUOR JUMBO TANK PUMP No.1 (M)	NPPSA_PPI
WL5212 - Mechanical PSD (Turbine & Utilit	25-Mar-24 10:42 AM	[illegible]	YEARLY (SD) - PM FOR FEED LIQUOR PUMP (M)	NPPSA_PPI
WL5212 - Mechanical PSD (Turbine & Utilit	25-Mar-24 10:47 AM	[illegible]	YEARLY (SD) - PM FOR COMBINED CONDENSATE (M)	NPPSA_PPI
WL5212 - Mechanical PSD (Turbine & Utilit	25-Mar-24 10:50 AM	[illegible]	YEARLY (SD) - PM FOR WASH LIQUOR PUMP (M)	NPPSA_PPI
WL5212 - Mechanical PSD (Turbine & Utilit	25-Mar-24 10:54 AM	[illegible]	YEARLY (SD) - PM FOR SPILL LIQUOR PUMP (M)	NPPSA_PPI
WL5212 - Mechanical PSD (Turbine & Utilit	25-Mar-24 10:58 AM	[illegible]	YEARLY (SD) - PM FOR STRIPPED FEED PUMP (M)	NPPSA_PPI
WL5212 - Mechanical PSD (Turbine & Utilit	25-Mar-24 11:01 AM	[illegible]	YEARLY (SD) - PM FOR FEED LIQUOR PUMP (NEW) (M)	NPPSA_PPI
WL5212 - Mechanical PSD (Turbine & Utilit	25-Mar-24 11:06 AM	[illegible]	YEARLY (SD) - PM FOR FIRING LIQ FLASH TNK PUMP#1 (M)	NPPSA_PPI
WL5212 - Mechanical PSD (Turbine & Utilit	25-Mar-24 11:10 AM	[illegible]	YEARLY (SD) - PM FOR FIRING LIQ FLASH TNK PUMP#2 (M)	NPPSA_PPI
WL5212 - Mechanical PSD (Turbine & Utilit	25-Mar-24 11:13 AM	[illegible]	YEARLY (SD) - PM FOR NA2SO3 LIQUID PUMP (M)	NPPSA_PPI
WL5212 - Mechanical PSD (Turbine & Utilit	25-Mar-24 11:19 AM	[illegible]	YEARLY (SD) - PM FOR STRONG LIQUOR PUMP (M)	NPPSA_PPI
WL5212 - Mechanical PSD (Turbine & Utilit	25-Mar-24 11:21 AM	[illegible]	YEARLY (SD) - PM FOR STRONG LIQUOR PUMP (M)	NPPSA_PPI
WL5212 - Mechanical PSD (Turbine & Utilit	25-Mar-24 11:28 AM	[illegible]	YEARLY (SD) - PM FOR STRONG LIQUOR PUMP (M)	NPPSA_PPI
WL5212 - Mechanical PSD (Turbine & Utilit	25-Mar-24 11:32 AM	[illegible]	YEARLY (SD) - PM FOR FIRING LIQUOR PUMP (M)	NPPSA_PPI
WL5212 - Mechanical PSD (Turbine & Utilit	25-Mar-24 11:37 AM	[illegible]	YEARLY (SD) - PM FOR FIRING LIQUOR PUMP (M)	NPPSA_PPI
WL5212 - Mechanical PSD (Turbine & Utilit	25-Mar-24 11:42 AM	[illegible]	YEARLY (SD) - PM FOR CIRCULATION 1.B PUMP (M)	NPPSA_PPI
WL5212 - Mechanical PSD (Turbine & Utilit	25-Mar-24 11:46 AM	[illegible]	YEARLY (SD) - PM FOR CIRCULATION 1.A PUMP (M)	NPPSA_PPI
WL5212 - Mechanical PSD (Turbine & Utilit	25-Mar-24 11:51 AM	[illegible]	YEARLY (SD) - PM FOR CIRCULATION 1.D PUMP (M)	NPPSA_PPI
WL5212 - Mechanical PSD (Turbine & Utilit	25-Mar-24 11:56 AM	[illegible]	YEARLY (SD) - PM FOR CIRCULATION 1.C PUMP (M)	NPPSA_PPI
WL5212 - Mechanical PSD (Turbine & Utilit	25-Mar-24 12:01 PM	[illegible]	YEARLY (SD) - PM FOR CIRCULATION 1.B PUMP (M)	NPPSA_PPI
WL5212 - Mechanical PSD (Turbine & Utilit	25-Mar-24 12:05 PM	[illegible]	YEARLY (SD) - PM FOR CIRCULATION 1.A PUMP (M)	NPPSA_PPI
WL5212 - Mechanical PSD (Turbine & Utilit	25-Mar-24 12:10 PM	[illegible]	YEARLY (SD) - PM FOR CIRCULATION 1.D PUMP (M)	NPPSA_PPI
WL5212 - Mechanical PSD (Turbine & Utilit	25-Mar-24 12:14 PM	[illegible]	YEARLY (SD) - PM FOR CIRCULATION 1.C PUMP (M)	NPPSA_PPI
WL5212 - Mechanical PSD (Turbine & Utilit	25-Mar-24 12:19 PM	[illegible]	YEARLY (SD) - PM FOR PRIMARY CONDENSATE PUMP (M)	NPPSA_PPI
WL5212 - Mechanical PSD (Turbine & Utilit	25-Mar-24 12:24 PM	[illegible]	YEARLY (SD) - PM FOR EFFECT 1-4 LIQ. TRANSF PUMP (M)	NPPSA_PPI
WL5212 - Mechanical PSD (Turbine & Utilit	25-Mar-24 12:29 PM	[illegible]	YEARLY (SD) - PM FOR CIRCULATION 2 PUMP (M)	NPPSA_PPI
WL5212 - Mechanical PSD (Turbine & Utilit	25-Mar-24 12:33 PM	[illegible]	YEARLY (SD) - PM FOR EFFECT [illegible] LIQ TRANSF PUMP (M)	NPPSA_PPI
WL5212 - Mechanical PSD (Turbine & Utilit	25-Mar-24 12:35 PM	[illegible]	YEARLY (SD) - PM FOR EFFECT III CIRCULATE PUMP (M)	NPPSA_PPI
WL5212 - Mechanical PSD (Turbine & Utilit	25-Mar-24 12:39 PM	[illegible]	YEARLY (SD) - PM FOR SEC. CONDENSATE B PUMP (M)	NPPSA_PPI
WL5212 - Mechanical PSD (Turbine & Utilit	25-Mar-24 12:44 PM	[illegible]	YEARLY (SD) - PM FOR EFFECT V CIRCULATE PUMP (M)	NPPSA_PPI
WL5212 - Mechanical PSD (Turbine & Utilit	25-Mar-24 12:47 PM	[illegible]	YEARLY (SD) - PM FOR EFFECT IV CIRCULATE PUMP (M)	NPPSA_PPI
WL5212 - Mechanical PSD (Turbine & Utilit	25-Mar-24 12:51 PM	[illegible]	YEARLY (SD) - PM FOR VACUUM PUMP (STANDBY) (M)	NPPSA_PPI
WL5212 - Mechanical PSD (Turbine & Utilit	25-Mar-24 12:55 PM	[illegible]	YEARLY (SD) - PM FOR VACUUM PUMP (M)	NPPSA_PPI
WL5212 - Mechanical PSD (Turbine & Utilit	25-Mar-24 01:01 PM	[illegible]	YEARLY (SD) - PM FOR FOUL COND. VAC. PIT DRAI (M)	NPPSA_PPI
WL5212 - Mechanical PSD (Turbine & Utilit	25-Mar-24 01:05 PM	[illegible]	YEARLY (SD) - PM FOR FOUL CONDENSATE PUMP (M)	NPPSA_PPI
WL5212 - Mechanical PSD (Turbine & Utilit	25-Mar-24 01:15 PM	[illegible]	YEARLY (SD) - PM FOR SUMP PUMP (M)	NPPSA_PPI
WL5212 - Mechanical PSD (Turbine & Utilit	25-Mar-24 01:20 PM	[illegible]	YEARLY (SD) - PM FOR SECONDARY CONDENSATE PUMP 1 (M)	NPPSA_PPI
WL5212 - Mechanical PSD (Turbine & Utilit	25-Mar-24 01:25 PM	[illegible]	YEARLY (SD) - PM FOR WARM WATER PUMP (M)	NPPSA_PPI
WL5212 - Mechanical PSD (Turbine & Utilit	25-Mar-24 01:30 PM	[illegible]	YEARLY (SD) - PM FOR REFLUX CONDENSATE (M)	NPPSA_PPI
WL5212 - Mechanical PSD (Turbine & Utilit	25-Mar-24 01:42 PM	[illegible]	YEARLY (SD) - PM FOR STRIPPED COND. PUMP (M)	NPPSA_PPI
WL5212 - Mechanical PSD (Turbine & Utilit	10-Apr-24 09:06 AM	[illegible]	YEARLY (SD) - PM REGREASE FOR TRIP THROTTLE VALVE T011 (M)	NPPSA_PPI
WL5112 - Mechanical PPS,6,10,11	06-Dec-24 01:00 AM	[illegible]	WEEKLY - INSPECTION CAMERA	NPPSA_PPI
WL5112 - Mechanical PPS,6,10,11	06-Dec-24 01:00 AM	[illegible]	60006199 Recovery Boiler Bed Camera Right Side	NPPSA_PPI
WL5112 - Mechanical PPS,6,10,11	06-Dec-24 01:00 AM	[illegible]	60006170 Recovery Boiler Bed Camera Left Side	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:00 AM	[illegible]	MONTHLY - PM FOR START-UP BURNER #5 (E)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:00 AM	[illegible]	MONTHLY - PM FOR START-UP BURNER #4 (E)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:00 AM	[illegible]	MONTHLY - PM FOR ELECTROSTATIC PRECIPITATOR (E)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:01 AM	[illegible]	MONTHLY - PM FOR ELECTROSTATIC PRECIPITATOR # 2 (E)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:01 AM	[illegible]	MONTHLY - PM FOR ESP (EHE)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:03 AM	[illegible]	MONTHLY - PM FOR INDUCED DRAFT FAN, CELL NO.2 (E)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:03 AM	[illegible]	MONTHLY - PM FOR PRELIMINARY TRANSFORMER T[illegible] (E)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:03 AM	[illegible]	MONTHLY - PM FOR TRANSFORMER T143 (E)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:03 AM	[illegible]	MONTHLY - PM FOR TRANSFORMER T44 (E)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:03 AM	[illegible]	MONTHLY - PM FOR RECTIFIER # A, PRECIPITATOR # 1 (E)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:04 AM	[illegible]	MONTHLY - PM FOR RECTIFIER # B, PRECIPITATOR # 1 (E)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:04 AM	[illegible]	MONTHLY - PM FOR RECTIFIER # C, PRECIPITATOR # 1 (E)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:04 AM	[illegible]	MONTHLY - PM FOR RECTIFIER # A, PRECIPITATOR # 2 (E)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:04 AM	[illegible]	MONTHLY - PM FOR RECTIFIER # B, PRECIPITATOR # 2 (E)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:04 AM	[illegible]	MONTHLY - PM FOR RECTIFIER # C, PRECIPITATOR # 2 (E)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:04 AM	[illegible]	MONTHLY - PM FOR RECTIFIER #A, PRECIPITATOR # 3 (E)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:05 AM	[illegible]	MONTHLY - PM FOR RECTIFIER #B, PRECIPITATOR #3 (E)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:05 AM	[illegible]	MONTHLY - PM FOR RECTIFIER #C, PRECIPITATOR #3 (E)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:05 AM	[illegible]	MONTHLY - PM FOR MILL WIDE TRANSFORMER TH21 (E)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:05 AM	[illegible]	MONTHLY - PM FOR MILL WIDE TRANSFORMER TH22 (E)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:05 AM	[illegible]	MONTHLY - PM FOR MILL WIDE TRANSFORMER TH25 (E)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:06 AM	[illegible]	MONTHLY - PM FOR MILL WIDE TRANSFORMER TH26 (E)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:06 AM	[illegible]	MONTHLY - PM FOR TL250C POWER BACK UP FROM DCAT (E)	NPPSA_PPI
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:06 AM	[illegible]	MONTHLY - PM FOR AAP3, TURBO GENERATOR TRANSFORMER T011 (E)	NPPSA_PPI

WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:06 AM	245469108	MONTHLY - PM FOR GROUNDING TRANSFORMER (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:06 AM	245469109	MONTHLY - PM FOR BATTERY FOR 250VL01 CHARGER 110 VDC MILL WIDE BANK#1 (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:06 AM	245469110	MONTHLY - PM FOR BATTERY FOR 250VL01 CHARGER 110 VDC MILL WIDE BANK#2 (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:07 AM	245469111	MONTHLY - PM FOR BATTERY 110 VDC FOR Communication 115 kV (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:07 AM	245469112	MONTHLY - PM FOR BATTERY FOR 204BT401 CHARGER 48VDC FOR 115Kv WP711 (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:07 AM	245469113	MONTHLY - PM FOR BATTERY FOR 369UPS01 MCC RECOVERY BOILER, UPS (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:07 AM	245469114	MONTHLY - PM FOR BATTERY FOR 204VL01 CHARGER 110 VDC FOR 22KV SYSTEM (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:07 AM	245469115	MONTHLY - PM FOR BATTERY FOR 293UPS01 MCC MILL WIDE, UPS (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:07 AM	245469116	MONTHLY - PM FOR CHARGER 110 VDC FOR Communication 115 kV (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:07 AM	245469117	MONTHLY - PM FOR CHARGER 48VDC FOR 115KV WP711 (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:07 AM	245469118	MONTHLY - PM FOR SCRUBBER FAN (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:08 AM	245469119	MONTHLY - INSPECTION PUMP	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:08 AM	245469120	292P001 DEMIN WATER BOOSTER PUMP #1	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:08 AM	245469121	292P004 DEMIN WATER BOOSTER PUMP #2	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:08 AM	245469122	292P009 DEMIN WATER TRANSFER PUMP # 1	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:08 AM	245469123	292P010 DEMIN WATER TRANSFER PUMP #2	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:09 AM	245469124	292B011 EFFLUENT MIXING PUMP	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:10 AM	245469126	MONTHLY - ROUTE PM FOR INSPECTION FABRIC EXPANSION JOINT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:15 AM	245469137	MONTHLY - PM FOR FIRE FIGHTING SWITCH GEAR (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:15 AM	245469138	3 MONTHS - PM ROUTE RE GREASE MOTOR AREA 465 GROUP 1 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:15 AM	245469139	MONTHLY - PM ROUTE REFILL LUBRICANT BEARING FAN FOR EXHAM GROUP 2 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:15 AM	245469140	MONTHLY - PM ROUTE REFILL LUBRICANT BEARING FAN FOR EXHAM GROUP 3 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:15 AM	245469141	MONTHLY - PM REFILL LUBRICANT FOR AGITATOR STRONG LIQUOR STORAGE TANK (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:16 AM	245469144	PM FOR FEEDWTR BYPASS VLV 481HV172	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:16 AM	245469145	PM FOR FEEDWTR STEAM 481HV301	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:16 AM	245469146	MONTHLY - PM FOR AL21 SKV 6.6KV FEED WATER PUMP P001 (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:17 AM	245469147	MONTHLY - PM FOR AL21 SWG 6.6KV FEED WATER PUMP P002 (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:17 AM	245469148	MONTHLY - PM FOR BOAT OUT GOING TRANSFORMER TC3 (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:17 AM	245469149	MONTHLY - PM FOR VSD OF FIRING LIQUOR PUMP #1 (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:17 AM	245469150	MONTHLY - PM FOR VSD OF FIRING LIQUOR PUMP #2 (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:18 AM	245469152	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR COOLING WATER PUMP NO.1 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:19 AM	245469153	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR COOLING WATER PUMP NO.2 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:19 AM	245469154	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR ACID DOSING PUMP #1 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:20 AM	245469155	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR ACID DOSING PUMP #2 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:20 AM	245469156	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR EMERGENCY EFL PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:20 AM	245469157	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR GLAND COND DRAIN PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:22 AM	245469158	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR CIRCULATION 1 A PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:22 AM	245469159	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR CIRCULATION 1 B PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:22 AM	245469160	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR CIRCULATION 1 C PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:23 AM	245469161	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR CIRCULATION 1 D PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:23 AM	245469164	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR CIRCULATION 1 A PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:23 AM	245469167	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR CIRCULATION 1 B PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:24 AM	245469169	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR CIRCULATION 1 C PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:24 AM	245469170	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR CIRCULATION 1 D PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:24 AM	245469172	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR CIRCULATION 2 PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:25 AM	245469174	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR EFFECT III LIQ. TRANSF PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:25 AM	245469177	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR EFFECT III CIRCULATE PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:26 AM	245469178	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR EFFECT III-B LIQ TRANSF PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:26 AM	245469179	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR EFFECT IV CIRCULATE PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:26 AM	245469180	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR EFFECT V CIRCULATE PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:27 AM	245469183	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR PRIMARY CONDENSATE PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:27 AM	245469184	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR FOUL CONDENSATE PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:27 AM	245469185	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SEC. CONDENSATE II PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:28 AM	245469186	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR FOUL COND. VAC. PIT (heN) (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:28 AM	245469187	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR VACUUM PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:29 AM	245469188	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR VACUUM PUMP (STANDBY) (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:29 AM	245469189	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR REFLUX CONDENSATE (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:30 AM	245469190	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR WASH LIQUOR PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:30 AM	245469192	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR COMBINED CONDENSATE (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:31 AM	245469193	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR FEED LIQUOR PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:31 AM	245469194	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR FIRING LIQ FLASH TNK PUMP#1 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:32 AM	245469195	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR FIRING LIQ FLASH TNK PUMP#2 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:32 AM	245469196	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR DESUPERHEATER PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:32 AM	245469197	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR STRONG LIQUOR PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:33 AM	245469198	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR STRONG LIQUOR PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:33 AM	245469199	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR WARM WATER PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:34 AM	245469200	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SECONDARY CONDENSATE PUMP 1 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:34 AM	245469201	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SUMP PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:35 AM	245469202	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR STRONG LIQUOR PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:35 AM	245469221	MONTHLY - PM FOR RWS (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:35 AM	245469222	MONTHLY - PM FOR BOX MAIN SUPPLY RUBBER (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:36 AM	245469223	MONTHLY - PM FOR AH411 MCC 690V RECOVERY BOILER #1 (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:36 AM	245469224	MONTHLY - PM FOR AH412 MCC 690V RECOVERY BOILER #2 (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:36 AM	245469225	MONTHLY - PM FOR AL412 MCC 400V 25B01 (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:36 AM	245469226	MONTHLY - PM FOR AH311 MCC 690V EVAPORATION PLANT 2 (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:39 AM	245469227	MONTHLY - PM FOR AH211 MCC 690V MILL WIDE #1 (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:39 AM	245469228	MONTHLY - PM FOR AH211 MCC 690V MILL WIDE #2 (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:40 AM	245469229	MONTHLY - PM FOR AL281 EMERGENCY POWER SUPPLY 400 VAC (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	06-Dec-24 01:40 AM	245469230	MONTHLY - PM FOR AL251 NORMAL POWER SUPPLY 400 VAC (E)	NPPSA_PP1
WN0250 - Electrical Services (Power) (P1	06-Dec-24 01:00 AM	245469332	2 Weeks - PM Inspection Absorption Chiller PP13	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:00 AM	245478810	MONTHLY - INSPECTION PH TR	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:00 AM	245478811	292QT100 PH INDICATION FEED OF WATER	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:00 AM	245478812	292QT102 PH INDICATION OF DEMIN WATER	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:00 AM	245478813	292QT104 PH INDICATION OF EFFLUENT TANK	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:00 AM	245478814	292QT120 PH INDICATION AFTER CATION EXCHANGE	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:00 AM	245478815	292QT127 PH INDICATION AFTER ANION EXCHANGER	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:00 AM	245478816	292QT129 PH INDICATION AFTER CATION EXCHANGER	NPPSA_PP1

WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:00 AM	245478817	292QT127 PH INDICATION AFTER ANION EXCHANGER	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:00 AM	245478818	MONTHLY - INSPECTION PH TR	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:00 AM	245478819	25ADE069 M4Z5GA	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:01 AM	245478820	MONTHLY - INSPECTION PH	NPPSA_PP1
WL5112 - Mechanical PPS,6,10,11	13-Dec-24 01:01 AM	245478821	WEEKLY - INSPECTION CAMERA	NPPSA_PP1
WL5112 - Mechanical PPS,6,10,11	13-Dec-24 01:01 AM	245478822	46X0069 Recovery Boiler Bed Camera Right Side	NPPSA_PP1
WL5112 - Mechanical PPS,6,10,11	13-Dec-24 01:01 AM	245478823	46X0070 Recovery Boiler Bed Camera Left Side	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:01 AM	245478826	MONTHLY - PM FOR BL SPRAYER DIVERT (A)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:01 AM	245478827	MONTHLY - PM FOR BL SPRAYER DIVERT (A)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:01 AM	245478828	MONTHLY - PM FOR BL SPRAYER DIVERT (A)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:01 AM	245478829	MONTHLY - PM FOR BL SPRAYER DIVERT (A)	NPPSA_PP1
WL5112 - Mechanical PPS,6,10,11	13-Dec-24 01:03 AM	245478830	3 MONTHS - PM FOR CONTAM CONDENS. (A)	NPPSA_PP1
WL5112 - Mechanical PPS,6,10,11	13-Dec-24 01:03 AM	245478831	3 MONTHS - PM FOR PRIM. CONDENS. (A)	NPPSA_PP1
WL5112 - Mechanical PPS,6,10,11	13-Dec-24 01:03 AM	245478832	3 MONTHS - PM FOR SECOND CONDENS (A)	NPPSA_PP1
WL5112 - Mechanical PPS,6,10,11	13-Dec-24 01:03 AM	245478833	3 MONTHS - PM FOR FOUL. CONDENS. (A)	NPPSA_PP1
WL5112 - Mechanical PPS,6,10,11	13-Dec-24 01:03 AM	245478834	3 MONTHS - PM FOR SECOND. CONDENS. (A)	NPPSA_PP1
WL5112 - Mechanical PPS,6,10,11	13-Dec-24 01:03 AM	245478836	3 MONTHS - PM FOR BOILER WRT CONDUCTIVITY (A)	NPPSA_PP1
WL5112 - Mechanical PPS,6,10,11	13-Dec-24 01:03 AM	245478837	3 MONTHS - PM FOR COOLING WATER TO SPENT BL LOW (A)	NPPSA_PP1
WL5112 - Mechanical PPS,6,10,11	13-Dec-24 01:04 AM	245478838	3 MONTHS - PM FOR COOLING WATER TO CONDENSATE CONDUCT (A)	NPPSA_PP1
WL5112 - Mechanical PPS,6,10,11	13-Dec-24 01:04 AM	245478840	3 MONTHS - PM FOR CONDENSATE CONDUCT (A)	NPPSA_PP1
WL5112 - Mechanical PPS,6,10,11	13-Dec-24 01:04 AM	245478841	3 MONTHS - PM FOR CONDENSATE FROM PAPER MACHINE (A)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:04 AM	245478842	WEEKLY - PM FOR SYNCRATION (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:04 AM	245478843	WEEKLY - PM FOR LUB OIL PUMP FEED WATER PUMP A (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:05 AM	245478844	2 MONTHS - PM FOR AGITATOR SBL MIX TANK SEE LONG DISCRIPTION (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:05 AM	245478845	3 MONTHS - PM FOR ASH CRUSHER, SEE BANK (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:05 AM	245478847	MONTHLY - PM FOR AIR COMPRESSOR NO.1 (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:06 AM	245478848	MONTHLY - PM FOR AIR COMPRESSOR NO.2 (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:06 AM	245478850	MONTHLY - PM FOR AIR COMPRESSOR NO.3 (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:06 AM	245478851	MONTHLY - PM FOR AIR COMPRESSOR NO.4 (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:07 AM	245478852	WEEKLY - PM FOR INDUCED DRAFT FAN, CELL NO.1 (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:07 AM	245478853	WEEKLY - PM FOR INDUCED DRAFT FAN, CELL NO.2 (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:07 AM	245478854	MONTHLY - PM FOR TRANSFORMER TE22 (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:07 AM	245478855	MONTHLY - PM FOR BATTERY CHARGER 110 VDC MILL WIDE (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:08 AM	245478856	MONTHLY - PM FOR MCC MILL WIDE, UPS (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:08 AM	245478857	MONTHLY - PM FOR BATTERY CHARGER 110 VDC MILL WIDE (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:08 AM	245478858	MONTHLY - PM FOR MCC MILL WIDE, UPS (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:08 AM	245478859	MONTHLY - PM FOR MCC RECOVERY BOILER, UPS (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:08 AM	245478860	2 WEEKS - PM VISUAL CHECK AND BASIC PDM FOR AGITATOR DISSOLVING TANK SEE LONG DESCRIPTION (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:08 AM	245478861	MONTHLY - PM REFILL LUBRICANT FOR AGITATOR DISSOLVING TANK SEE LONG DESCRIPTION (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:08 AM	245478862	MONTHLY - PM REFILL LUBRICANT FOR AGITATOR DISSOLVING TANK SEE LONG DESCRIPTION (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:08 AM	245478863	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR ASH COLLECTING CONVEYOR (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:09 AM	245478864	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR DRAG SCRAPER, ESP # 1 SEE LONG DESCRIPTION (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:09 AM	245478865	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR DRAG SCRAPER, ESP # 2 SEE LONG DESCRIPTION (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:09 AM	245478866	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR COLLECTING CONVEYOR, ESP # 1 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:10 AM	245478867	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR COLLECTING CONVEYOR, ESP # 2 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:10 AM	245478868	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SCRAPER CONVEYOR ESP.1 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:10 AM	245478870	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR COLLECTING CONVEYOR ESP.2 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:11 AM	245478871	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR ESP TRANSFER CONVEYOR # 1 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:11 AM	245478872	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR ESP TRANSFER CONVEYOR #2 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:12 AM	245478873	4 MONTHS - PM ROUTE INSPECTION AND CLEAN GROUP 1 FOR AREA 182 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:12 AM	245478874	4 MONTHS - PM ROUTE CLEAN FOR AREA 162,172,182 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:12 AM	245478875	4 MONTHS - PM ROUTE INSPECTION AND CLEAN GROUP 1 FOR AREA 250 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:12 AM	245478876	4 MONTHS - PM ROUTE INSPECTION AND CLEAN GROUP 1 FOR AREA 462 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:13 AM	245478877	4 MONTHS - PM ROUTE INSPECTION AND CLEAN GROUP 2 FOR AREA 462 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:13 AM	245478879	4 MONTHS - PM ROUTE INSPECTION AND CLEAN GROUP 3 FOR AREA 462 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:13 AM	245478880	4 MONTHS - PM ROUTE INSPECTION AND CLEAN GROUP 1 FOR AREA 463 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:14 AM	245478881	4 MONTHS - PM ROUTE INSPECTION AND CLEAN GROUP 2 FOR AREA 463 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:14 AM	245478882	4 MONTHS - PM ROUTE INSPECTION AND CLEAN GROUP 3 FOR AREA 463 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:14 AM	245478883	4 MONTHS - PM ROUTE INSPECTION AND CLEAN GROUP 4 FOR AREA 463 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:14 AM	245478884	4 MONTHS - PM ROUTE INSPECTION AND CLEAN GROUP 5 FOR AREA 463 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:15 AM	245478885	4 MONTHS - PM ROUTE INSPECTION AND CLEAN GROUP 6 FOR AREA 463 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:15 AM	245478886	4 MONTHS - PM ROUTE INSPECTION AND CLEAN GROUP 7 FOR AREA 463 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:15 AM	245478887	4 MONTHS - PM ROUTE INSPECTION AND CLEAN GROUP 8 FOR AREA 463 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:15 AM	245478888	MONTHLY - PM FOR AIR COMPRESSOR NO.1 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:16 AM	245478889	MONTHLY - PM FOR AIR COMPRESSOR NO.2 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:17 AM	245478890	MONTHLY - PM FOR AIR COMPRESSOR NO.3 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:17 AM	245478891	MONTHLY - PM FOR AIR COMPRESSOR NO.4 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:18 AM	245478892	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR PRIMARY FD FAN (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:19 AM	245478893	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR SECONDARY FD FAN (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:19 AM	245478894	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR TERTIARY FD FAN (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:20 AM	245478895	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR ID FAN # 1 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:21 AM	245478896	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR ID FAN # 2 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:21 AM	245478898	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR ID FAN #3 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:21 AM	245478902	MONTHLY - PM FOR FIRE FIGHTING RECOVERY BOILER (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:22 AM	245478903	3 MONTHS - PM ROUTE RE GREASE MOTOR AREA 242&280 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:22 AM	245478905	3 MONTHS - PM ROUTE RE GREASE MOTOR AREA 320&405 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:22 AM	245478906	3 MONTHS - PM ROUTE RE GREASE MOTOR AREA 451 GROUP 1 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:22 AM	245478907	3 MONTHS - PM ROUTE RE GREASE MOTOR AREA 451 GROUP 2 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:23 AM	245478909	3 MONTHS - PM ROUTE RE GREASE MOTOR AREA 451 GROUP 3 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:23 AM	245478911	3 MONTHS - PM ROUTE RE GREASE MOTOR AREA 451 GROUP 4 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:24 AM	245478912	3 MONTHS - PM ROUTE RE GREASE MOTOR AREA 463 GROUP 1 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:24 AM	245478913	3 MONTHS - PM ROUTE RE GREASE MOTOR AREA 463 GROUP 2 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:24 AM	245478915	MONTHLY - PM ROUTE REFILL LUBRICANT CHAIN CONVEYOR (GROUP1) (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:24 AM	245478916	MONTHLY - PM ROUTE REFILL LUBRICANT PUMP A (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:24 AM	245478917	MONTHLY - PM ROUTE REFILL LUBRICANT PUMP B (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:24 AM	245478920	MONTHLY - PM ROUTE REFILL LUBRICANT PUMP C (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Dec-24 01:24 AM	245478921	MONTHLY - PM ROUTE REFILL LUBRICANT PUMP D (PO)	NPPSA_PP1

WL1320 – PPS.6,10,11 OPERATION	13-Dec-24 01:25 AM	245479022	MONTHLY - PM ROUTE REFILL LUBRICANT BEARING FAN FOR ID FAN GROUP(S) (PO)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	13-Dec-24 01:25 AM	245479023	MONTHLY - PM ROUTE REFILL LUBRICANT PUMP E (PO)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	13-Dec-24 01:25 AM	245479024	MONTHLY - PM ROUTE REFILL LUBRICANT PUMP F (PO)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	13-Dec-24 01:26 AM	245479025	MONTHLY - PM ROUTE REFILL LUBRICANT PUMP G (PO)	NPPSA_PPI
WL1520 – PPS.6,10,11 OPERATION	13-Dec-24 01:26 AM	245479026	MONTHLY CLEANING AIR SUPPLY FILTER 461AS26	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	13-Dec-24 01:26 AM	245479027	MONTHLY CLEANING AIR SUPPLY FILTER 461AS27	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	13-Dec-24 01:27 AM	245479029	MONTHLY CLEANING AIR SUPPLY FILTER 261AS21	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	13-Dec-24 01:26 AM	245479030	MONTHLY CLEANING AIR SUPPLY FILTER 261AS22	NPPSA_PPI
MS0100 – Automation Service (Instrument)	13-Dec-24 01:26 AM	245479031	calibrate 460 Stack flue gas analyzer (20QS4806)	NPPSA_PPI
MS0100 – Automation Service (Instrument)	13-Dec-24 01:27 AM	245479032	Monthly PM Dust meter "Sick" (BQ 1480B)	NPPSA_PPI
MS0100 – Automation Service (Instrument)	13-Dec-24 01:27 AM	245479033	Monthly PM for 4610D9 DO after Feed water pump	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	13-Dec-24 01:28 AM	245479034	2 MONTHS – PM FOR MOTOR ROTARY FEEDER, ESP # 1 (E)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	13-Dec-24 01:28 AM	245479035	2 MONTHS – PM FOR MOTOR ROTARY FEEDER, ESP # 2 (E)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	13-Dec-24 01:28 AM	245479037	2 MONTHS – PM FOR MOTOR ROTARY FEED ESP#3 (E)	NPPSA_PPI
WL1520 – PPS.6,10,11 OPERATION	13-Dec-24 01:29 AM	245479038	2 MONTHS – PM FOR MOTOR SCREW CONVEYER ESP,3 (E)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	13-Dec-24 01:29 AM	245479040	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR FW PUMP #1 (PO)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	13-Dec-24 01:29 AM	245479041	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR FW PUMP #2 (PO)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	13-Dec-24 01:30 AM	245479042	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR HA PUMP 03 (PO)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	13-Dec-24 01:31 AM	245479043	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR DUMP TANK PUMP (PO)	NPPSA_PPI
WL1520 – PPS.6,10,11 OPERATION	13-Dec-24 01:32 AM	245479044	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SPILL COLLECTION PUMP (PO)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	13-Dec-24 01:32 AM	245479045	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SCRUBBER RECIRCULATION PUMP (PO)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	13-Dec-24 01:33 AM	245479046	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR GREEN LIQ TRANSFER PUMP #1 (PO)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	13-Dec-24 01:33 AM	245479047	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR GREEN LIQ TRANSFER PUMP #2 (PO)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	13-Dec-24 01:33 AM	245479048	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SPOUT COOLING WATER PUMP #1 (PO)	NPPSA_PPI
WL1520 – PPS.6,10,11 OPERATION	13-Dec-24 01:34 AM	245479049	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SPOUT COOLING WATER PUMP #2 (PO)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	13-Dec-24 01:34 AM	245479050	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR CIRCULATION PUMP (PO)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	13-Dec-24 01:35 AM	245479051	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR CONDENSATE FEED PUMP#A (PO)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	13-Dec-24 01:35 AM	245479052	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR CONDENSATE FEED PUMP#B (PO)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	13-Dec-24 01:36 AM	245479053	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR FIRING LIQUOR PUMP (PO)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	13-Dec-24 01:36 AM	245479054	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR FIRING LIQUOR PUMP (PO)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	13-Dec-24 01:37 AM	245479055	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR CONDENSATE PUMP NO. 1 (PO)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	13-Dec-24 01:37 AM	245479056	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR CONDENSATE PUMP NO. 2 (PO)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	13-Dec-24 01:38 AM	245479057	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 1, LEFT (PO)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	13-Dec-24 01:39 AM	245479058	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 3, LEFT (PO)	NPPSA_PPI
WL1520 – PPS.6,10,11 OPERATION	13-Dec-24 01:40 AM	245479059	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 3, RIGHT (PO)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	13-Dec-24 01:41 AM	245479061	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 4, LEFT (PO)	NPPSA_PPI
WL1520 – PPS.6,10,11 OPERATION	13-Dec-24 01:43 AM	245479062	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 5, RIGHT (PO)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	13-Dec-24 01:43 AM	245479063	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 6, LEFT (PO)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	13-Dec-24 01:44 AM	245479064	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 7, RIGHT (PO)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	13-Dec-24 01:44 AM	245479065	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 8, LEFT (PO)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	13-Dec-24 01:44 AM	245479066	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 9, RIGHT (PO)	NPPSA_PPI
WL1520 – PPS.6,10,11 OPERATION	13-Dec-24 01:45 AM	245479067	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 10, LEFT (PO)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	13-Dec-24 01:46 AM	245479068	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 11, RIGHT (PO)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	13-Dec-24 01:46 AM	245479069	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 12, LEFT (PO)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	13-Dec-24 01:48 AM	245479070	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 13, RIGHT (PO)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	13-Dec-24 01:49 AM	245479071	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 14, LEFT (PO)	NPPSA_PPI
WL1520 – PPS.6,10,11 OPERATION	13-Dec-24 01:49 AM	245479072	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 15, LEFT (PO)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	13-Dec-24 01:50 AM	245479074	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 16, RIGHT (PO)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	13-Dec-24 01:51 AM	245479075	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 17, LEFT (PO)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	13-Dec-24 01:51 AM	245479076	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 18, RIGHT (PO)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	13-Dec-24 01:52 AM	245479078	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 19, LEFT (PO)	NPPSA_PPI
WL1520 – PPS.6,10,11 OPERATION	13-Dec-24 01:53 AM	245479079	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 20, RIGHT (PO)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	13-Dec-24 01:54 AM	245479080	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 21, LEFT (PO)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	13-Dec-24 01:55 AM	245479082	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 22, RIGHT (PO)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	13-Dec-24 01:55 AM	245479083	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 23, LEFT (PO)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	13-Dec-24 01:56 AM	245479084	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 24, RIGHT (PO)	NPPSA_PPI
WL1520 – PPS.6,10,11 OPERATION	13-Dec-24 01:56 AM	245479085	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 25, LEFT (PO)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	13-Dec-24 01:57 AM	245479086	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 26, RIGHT (PO)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	13-Dec-24 01:57 AM	245479087	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 27, LEFT (PO)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	13-Dec-24 01:58 AM	245479088	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 28, RIGHT (PO)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	13-Dec-24 01:58 AM	245479089	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 29, LEFT (PO)	NPPSA_PPI
WL1520 – PPS.6,10,11 OPERATION	13-Dec-24 01:59 AM	245479091	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 30, RIGHT (PO)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	13-Dec-24 01:59 AM	245479092	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 31, LEFT (PO)	NPPSA_PPI
WL1520 – PPS.6,10,11 OPERATION	13-Dec-24 02:00 AM	245479093	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 32, RIGHT (PO)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	13-Dec-24 02:01 AM	245479094	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 33, LEFT (PO)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	13-Dec-24 02:01 AM	245479095	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 34, RIGHT (PO)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	13-Dec-24 02:02 AM	245479096	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 35, LEFT (PO)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	13-Dec-24 02:02 AM	245479097	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 36, RIGHT (PO)	NPPSA_PPI
WL1520 – PPS.6,10,11 OPERATION	13-Dec-24 02:03 AM	245479098	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 37, RIGHT (PO)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	13-Dec-24 02:03 AM	245479099	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 38, LEFT (PO)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	13-Dec-24 02:03 AM	245479100	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 39, LEFT (PO)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	13-Dec-24 02:04 AM	245479101	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 40, RIGHT (PO)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	13-Dec-24 02:04 AM	245479102	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 41, LEFT (PO)	NPPSA_PPI
WL1520 – PPS.6,10,11 OPERATION	13-Dec-24 02:05 AM	245479103	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 42, RIGHT (PO)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	13-Dec-24 02:05 AM	245479104	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 43, RIGHT (PO)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	13-Dec-24 02:06 AM	245479105	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 44 (PO)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	13-Dec-24 02:06 AM	245479106	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 45, LEFT (PO)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	13-Dec-24 02:07 AM	245479107	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 46, RIGHT (PO)	NPPSA_PPI
WL1520 – PPS.6,10,11 OPERATION	13-Dec-24 02:08 AM	245479108	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 47, LEFT (PO)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	13-Dec-24 02:08 AM	245479109	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 48, RIGHT (PO)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	13-Dec-24 02:09 AM	245479111	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 49, LEFT (PO)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	13-Dec-24 02:09 AM	245479112	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 50, RIGHT (PO)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	13-Dec-24 02:10 AM	245479113	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 51, LEFT (PO)	NPPSA_PPI
WL1520 – PPS.6,10,11 OPERATION	13-Dec-24 02:10 AM	245479114	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 52, RIGHT (PO)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	13-Dec-24 02:11 AM	245479115	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 28A, LEFT (PO)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	13-Dec-24 02:12 AM	245479116	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 33A, RIGHT (PO)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	13-Dec-24 02:12 AM	245479117	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 38B, LEFT (PO)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	13-Dec-24 02:13 AM	245479118	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 36A, RIGHT (PO)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	13-Dec-24 02:14 AM	245479119	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 36T, LEFT (PO)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	13-Dec-24 02:14 AM	245479120	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 38A, RIGHT (PO)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	13-Dec-24 02:15 AM	245479122	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 39A, LEFT (PO)	NPPSA_PPI
WL1520 – PPS.6,10,11 OPERATION	13-Dec-24 02:16 AM	245479123	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 58D, RIGHT (PO)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	13-Dec-24 02:16 AM	245479124	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 60, LEFT (PO)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	13-Dec-24 02:17 AM	245479125	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 62 RIGHT (PO)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	13-Dec-24 02:18 AM	245479126	WEEKLY - PM ROUTE CHECK FAST GEAR (PO)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	13-Dec-24 02:18 AM	245479127	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR STEAM TURBINE 32900kW (PO)	NPPSA_PPI
WL1520 – PPS.6,10,11 OPERATION	13-Dec-24 02:19 AM	245479128	MONTHLY - PM FOR SCRUBBER FAN (E)	NPPSA_PPI
WS1132 – Mechanical PPS.6,10,11	13-Dec-24 02:20 AM	245479129	2 WEEKS - PM FOR 11 KV SUBSTATION HAP2 (E)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	20-Dec-24 01:00 AM	245488888	2 WEEKS - INSPECTION DOSING PUMP	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	20-Dec-24 01:00 AM	245488897	2009213 CAUSTIC DOSING PUMP B1	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	20-Dec-24 01:00 AM	245488898	2009214 CAUSTIC DOSING PUMP B2	NPPSA_PPI
WS1132 – Mechanical PPS.6,10,11	20-Dec-24 01:00 AM	245488899	WEEKLY - INSPECTION CAMERA	NPPSA_PPI
WS1132 – Mechanical PPS.6,10,11	20-Dec-24 01:00 AM	245488700	9100269 Recovery Boiler Bed Camera Right Side	NPPSA_PPI
WS1132 – Mechanical PPS.6,10,11	20-Dec-24 01:00 AM	245488701	9100270 Recovery Boiler Bed Camera Left Side	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	20-Dec-24 01:00 AM	245488702	3 MONTHS – PM FOR CONDUCTIVITY DUMP PIT (A)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	20-Dec-24 01:00 AM	245488703	MONTHLY - PM FOR CONDUCTIVITY INDICATION OF FEED WATER (A)	NPPSA_PPI
WL1520 – PPS.6,10,11 OPERATION	20-Dec-24 01:00 AM	245488704	MONTHLY - PM FOR CONDUCTIVITY INDICATION OF DEMIN WATER (A)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	20-Dec-24 01:01 AM	245488705	MONTHLY - PM FOR CONDUCTIVITY INDICATION AFTER ANION EXCHANGER (A)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	20-Dec-24 01:01 AM	245488707	MONTHLY - PM FOR CONDUCTIVITY INDICATION AFTER MIXED BED EXCHANGER (A)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	20-Dec-24 01:02 AM	245488708	MONTHLY - PM FOR CONDUCTIVITY INDICATION AFTER ANION EXCHANGER (A)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	20-Dec-24 01:02 AM	245488709	MONTHLY - PM FOR CONDUCTIVITY INDICATION AFTER MIXED BED EXCHANGER (A)	NPPSA_PPI
WL1520 – PPS.6,10,11 OPERATION	20-Dec-24 01:02 AM	245488710	MONTHLY - PM FOR CONDUCT. SUM (A)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	20-Dec-24 01:03 AM	245488711	MONTHLY - PM FOR CONDUCTIVITY SUMP PIT (A)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	20-Dec-24 01:03 AM	245488712	MONTHLY - PM FOR condensate from Rare Jon (A)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	20-Dec-24 01:03 AM	245488713	MONTHLY - PM FOR COND FROM EVAP PLANT (A)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	20-Dec-24 01:03 AM	245488714	MONTHLY - PM FOR COND FROM TURBINE (A)	NPPSA_PPI
WL1520 – PPS.6,10,11 OPERATION	20-Dec-24 01:04 AM	245488715	MONTHLY - PM FOR COND FROM PULP DRYER (A)	NPPSA_PPI
MS0100 – Automation Service (Instrument)	20-Dec-24 01:03 AM	245488716	MONTHLY - PM FOR RECOVERY BOILER OS2101, 0S2201 (A)	NPPSA_PPI
MS0100 – Automation Service (Instrument)	20-Dec-24 01:03 AM	245488717	MONTHLY - PM FOR RECOVERY BOILER OS2102, 0S2202 (A)	NPPSA_PPI
MS0100 – Automation Service (Instrument)	20-Dec-24 01:03 AM	245488718	MONTHLY - PM FOR WELL MIDE OS2103 (A)	NPPSA_PPI
MS0100 – Automation Service (Instrument)	20-Dec-24 01:04 AM	245488719	MONTHLY - PM FOR WELL MIDE OS2104 (A)	NPPSA_PPI
MS0100 – Automation Service (Instrument)	20-Dec-24 01:04 AM	245488720	MONTHLY - PM FOR EVAPORATOR OS2105 (A)	NPPSA_PPI
MS0100 – Automation Service (Instrument)	20-Dec-24 01:04 AM	245488721	MONTHLY - PM FOR EVAPORATOR OS2106 (A)	NPPSA_PPI
MS0100 – Automation Service (Instrument)	20-Dec-24 01:04 AM	245488722	MONTHLY - PM FOR UPS A FOR DCS BOILER PP11 (A)	NPPSA_PPI
MS0100 – Automation Service (Instrument)	20-Dec-24 01:04 AM	245488723	MONTHLY - PM FOR UPS B FOR DCS BOILER PP11 (A)	NPPSA_PPI
MS0100 – Automation Service (Instrument)	20-Dec-24 01:04 AM	245488724	MONTHLY - PM FOR UPS FOR INSTRUMENT RECOVERY BOILER (A)	NPPSA_PPI
MS0100 – Automation Service (Instrument)	20-Dec-24 01:04 AM	245488725	MONTHLY - PM FOR UPS A FOR DCS TURBINE PP11 (A)	NPPSA_PPI
MS0100 – Automation Service (Instrument)	20-Dec-24 01:05 AM	245488726	MONTHLY - PM FOR UPS B FOR DCS TURBINE PP11 (A)	NPPSA_PPI
MS0100 – Automation Service (Instrument)	20-Dec-24 01:05 AM	245488727	MONTHLY - PM FOR UPS A FOR DCS EVAP PP11 (A)	NPPSA_PPI
MS0100 – Automation Service (Instrument)	20-Dec-24 01:05 AM	245488728	MONTHLY - PM FOR UPS B FOR DCS EVAP PP11 (A)	NPPSA_PPI
MS0100 – Automation Service (Instrument)	20-Dec-24 01:05 AM	245488729	MONTHLY - PM FOR UPS DC FOR DCS CONTROL ROOM PP11 (A)	NPPSA_PPI
MS0100 – Automation Service (Instrument)	20-Dec-24 01:05 AM	245488730	MONTHLY - PM FOR BATTERY FOR 4010UPS-A DCS BOILER PP11 (A)	NPPSA_PPI
MS0100 – Automation Service (Instrument)	20-Dec-24 01:05 AM	245488731	MONTHLY - PM FOR BATTERY FOR 4010UPS-B DCS BOILER PP11 (A)	NPPSA_PPI
MS0100 – Automation Service (Instrument)	20-Dec-24 01:05 AM	245488732	MONTHLY - PM FOR BATTERY FOR 4010UPS-C INSTRUMENT PP11 (A)	NPPSA_PPI
MS0100 – Automation Service (Instrument)	20-Dec-24 01:05 AM	245488733	MONTHLY - PM FOR BATTERY FOR 2010UPS-A DCS TURBINE PP11 (A)	NPPSA_PPI
MS0100 – Automation Service (Instrument)	20-Dec-24 01:05 AM	245488734	MONTHLY - PM FOR BATTERY FOR 2010UPS-B DCS TURBINE PP11 (A)	NPPSA_PPI
MS0100 – Automation Service (Instrument)	20-Dec-24 01:05 AM	245488735	MONTHLY - PM FOR BATTERY FOR 4510UPS-A DCS EVAP PP11 (A)	NPPSA_PPI
MS0100 – Automation Service (Instrument)	20-Dec-24 01:05 AM	245488736	MONTHLY - PM FOR BATTERY FOR 4510UPS-B DCS EVAP PP11 (A)	NPPSA_PPI
MS0100 – Automation Service (Instrument)	20-Dec-24 01:06 AM	245488737	MONTHLY - PM FOR BATTERY FOR 4510UPS-CR00 DCS CONTROL ROOM PP11 (A)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	20-Dec-24 01:06 AM	245488738	MONTHLY - PM FOR START-UP BURNER B1 (E)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	20-Dec-24 01:06 AM	245488739	MONTHLY - PM FOR START-UP BURNER B2 (E)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	20-Dec-24 01:06 AM	245488740	MONTHLY - PM FOR START-UP BURNER B3 (E)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	20-Dec-24 01:06 AM	245488741	MONTHLY - PM FOR START-UP BURNER B4 (E)	NPPSA_PPI
WS1115 – Electrical PPS.6,10,11	20-Dec-24 01:06 AM	245488742	6 MONTHS – PM FOR POWER CABLE FOR SPARE FEEDER (E)	NPPSA_PPI
WS1115 – Electrical PPS.6,10,11	20-Dec-24 01:06 AM	245488743	6 MONTHS – PM FOR POWER CABLE FOR SPARE FEEDER (E)	NPPSA_PPI
WS1115 – Electrical PPS.6,10,11	20-Dec-24 01:07 AM	245488744	6 MONTHS – PM FOR POWER CABLE FOR TH401,TH403 Feeder (E)	NPPSA_PPI
WS1115 – Electrical PPS.6,10,11	20-Dec-24 01:07 AM	245488745	6 MONTHS – PM FOR POWER CABLE FOR TH404,TH405 Feeder (E)	NPPSA_PPI
WS1115 – Electrical PPS.6,10,11	20-Dec-24 01:07 AM	245488746	6 MONTHS – PM FOR POWER CABLE FOR TH402 Feeder (E)	NPPSA_PPI
WS1115 – Electrical PPS.6,10,11	20-Dec-24 01:07 AM	245488747	6 MONTHS – PM FOR POWER CABLE FOR TL451 Feeder (E)	NPPSA_PPI
WS1115 – Electrical PPS.6,10,11	20-Dec-24 01:07 AM	245488748	6 MONTHS – PM FOR POWER CABLE FOR TE21,TH411 Feeder (E)	NPPSA_PPI
WS1115 – Electrical PPS.6,10,11	20-Dec-24 01:07 AM	245488749	6 MONTHS – PM FOR POWER CABLE FOR TH421 Feeder (E)	NPPSA_PPI
WS1115 – Electrical PPS.6,10,11	20-Dec-24 01:07 AM	245488750	6 MONTHS – PM FOR POWER CABLE FOR TH431 Feeder (E)	NPPSA_PPI
WS1115 – Electrical PPS.6,10,11	20-Dec-24 01:07 AM	245488751	6 MONTHS – PM FOR POWER CABLE FOR TL211 Feeder (E)	NPPSA_PPI
WS1115 – Electrical PPS.6,10,11	20-Dec-24 01:07 AM	245488752	6 MONTHS – PM FOR POWER CABLE FOR TL285 Feeder (E)	NPPSA_PPI
WS1115 – Electrical PPS.6,10,11	20-Dec-24 01:07 AM	245488753	6 MONTHS – PM FOR POWER CABLE FOR Emergency Feeder (E)	NPPSA_PPI
WS1115 – Electrical PPS.6,10,11	20-Dec-24 01:08 AM	245488754	6 MONTHS – PM FOR POWER CABLE FOR To MCC 1,01 Bus (Spare) (E)	NPPSA_PPI
WS1115 – Electrical PPS.6,10,11	20-Dec-24 01:08 AM	245488755	6 MONTHS – PM FOR POWER CABLE FOR TL110/TL112 Feeder (E)	NPPSA_PPI
WS1115 – Electrical PPS.6,10,11	20-Dec-24 01:08 AM	245488756	6 MONTHS – PM FOR POWER CABLE FOR TL110 Feeder (E)	NPPSA_PPI
WS1115 – Electrical PPS.6,10,11	20-Dec-24 01:08 AM	245488757	6 MONTHS – PM FOR POWER CABLE FOR SPARE FEEDER (E)	NPPSA_PPI
WS1115 – Electrical PPS.6,10,11	20-Dec-24 01:08 AM	245488758	6 MONTHS – PM FOR POWER CABLE FOR Pulp drying Feeder (E)	NPPSA_PPI
WS1115 – Electrical PPS.6,10,11	20-Dec-24 01:08 AM	245488759	6 MONTHS – PM FOR POWER CABLE FOR Spare Feeder(Now use for TE21,TH411) (E)	NPPSA_PPI
WS1115 – Electrical PPS.6,10,11	20-Dec-24 01:08 AM	245488760	6 MONTHS – PM FOR POWER CABLE FOR MP5 Feeder (E)	NPPSA_PPI
WS1115 – Electrical PPS.6,10,11	20-Dec-24 01:08 AM	245488761	6 MONTHS – PM FOR POWER CABLE FOR OUT GOING TO DGAT FEEDER (E)	NPPSA_PPI
WS1115 – Electrical PPS.6,10,11	20-Dec-24 01:08 AM	245488762	6 MONTHS – PM FOR POWER CABLE FOR GROUNDING TRANSFORMER FEEDER (E)	NPPSA_PPI
WS1115 – Electrical PPS.6,10,11	20-Dec-24 01:09 AM	245488763	6 MONTHS – PM FOR POWER CABLE FOR TO 2MAC1,1 FEEDER TO BUS TRANSFER (E)	NPPSA_PPI
WS1115 – Electrical PPS.6,10,11	20-Dec-24 01:09 AM	245488764	6 MONTHS – PM FOR POWER CABLE FOR DOUBLE TO 2MAC1,18 FEEDER (E)	NPPSA_PPI
WS1115 – Electrical PPS.6,10,11	20-Dec-24 01:09 AM	245488765	6 MONTHS – PM FOR POWER CABLE FOR INCOMING FROM Line PP11 (E)	NPPSA_PPI
WS1115 – Electrical PPS.6,10,11	20-Dec-24 01:09 AM	245488766	6 MONTHS – PM FOR POWER CABLE FOR OUT GOING POWER BACK UP AAP2 (E)	NPPSA_PPI
WS1115 – Electrical PPS.6,10,11	20-Dec-24 01:09 AM	245488767	6 MONTHS – PM FOR POWER CABLE FOR TO 2MAC1,9 FEEDER TO BUS TRANSFER (E)	NPPSA_PPI
WS1115 – Electrical PPS.6,10,11	20-Dec-24 01:09 AM	245488768	6 MONTHS – PM FOR POWER CABLE FOR TE21,TH411 FEEDER (E)	NPPSA_PPI
WS1115 – Electrical PPS.6,10,11	20-Dec-24 01:09 AM	245488769	6 MONTHS – PM FOR POWER CABLE FOR SPARE FEEDER (Now use for TH211) (E)	NPPSA_PPI
WS1115 – Electrical PPS.6,10,11	20-Dec-24 01:09 AM	245488770	6 MONTHS – PM FOR POWER CABLE FOR TO 2MAC1,14 FEEDER (E)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	20-Dec-24 01:09 AM	245488771	WEEKLY – PM FOR GENERATOR (E)	NPPSA_PPI
WL1320 – PPS.6,10,11 OPERATION	20-Dec-24 01:09 AM	245488772	WEEKLY – PM FOR LUP OIL PUMP FEED WATER PUMP # (E)	NPPSA_PPI

WL1301 – PPL6_10_11 OPERATION	30-Dec-24 01:10 AM	24548677[illegible]	WEEKLY – PM FOR REDUCED DRAFT FAN, CELL NO.1 (E)	NIPPSA_PP1
WL1302 – PPL6_10_11 OPERATION	30-Dec-24 01:10 AM	24548677[illegible]	WEEKLY – PM FOR REDUCED DRAFT FAN, CELL NO.2 (E)	NIPPSA_PP1
WL1303 – PPL6_10_11 OPERATION	25-Dec-24 01:10 AM	24548677[illegible]	MONTHLY - PM FOR BATTERY CHARGER 220 VDC for 230V SYSTEM (E)	NIPPSA_PP1
WL1304 – PLANT INSPECTION UNSCHEDULED	30-Dec-24 01:10 AM	24548677[illegible]	2 MONTHS – PM FOR HOT TEST RECORD FOR LINE TRANSFER NO.1 M	NIPPSA_PP1
WL1305 – PPL6_10_11 OPERATION	03-Dec-24 01:13 AM	24548677[illegible]	MONTHLY - INSPECTION AGITATOR	NIPPSA_PP1
WL1306 – PPL6_10_11 OPERATION	30-Dec-24 01:13 AM	24548677[illegible]	4WEEKS AGITATOR-MS MIX TANK SEE LONG DESCRIPTION	NIPPSA_PP1
WL1307 – PPL6_10_11 OPERATION	30-Dec-24 01:13 AM	24548678[illegible]	4WEEKS AGITATOR-AMINE TANK SEE LONG DESCRIPTION	NIPPSA_PP1
WL1308 – PPL6_10_11 OPERATION	30-Dec-24 01:13 AM	24548678[illegible]	4WEEKS AGITATOR-MORPHOLINE ACHARGING TNK	NIPPSA_PP1
WL1309 – PPL6_10_11 OPERATION	30-Dec-24 01:13 AM	24548678[illegible]	4WEEKS AGITATOR PHOSPATE TANK	NIPPSA_PP1
WL1310 – PPL6_10_11 OPERATION	30-Dec-24 01:13 AM	24548678[illegible]	2 WEEKS - PM VISUAL CHECK AND BASIC PDM FOR AGITATOR-DISSOLVING TANK SEE LONG DESCRIPTION (PD)	NIPPSA_PP1
WL1311 – PPL6_10_11 OPERATION	30-Dec-24 01:13 AM	24548678[illegible]	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR ESP TRANSFER CONVEYOR # 1 (PD)	NIPPSA_PP1
WL1312 – PPL6_10_11 OPERATION	30-Dec-24 01:13 AM	24548678[illegible]	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR ESP TRANSFER CONVEYOR # 2 (PD)	NIPPSA_PP1
WL1313 – PPL6_10_11 OPERATION	30-Dec-24 01:13 AM	24548678[illegible]	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR ESP TRANSFER CONVEYOR #3 (PD)	NIPPSA_PP1
WL1314 – PPL6_10_11 OPERATION	30-Dec-24 01:13 AM	24548678[illegible]	MONTHLY - PM ROUTE CHECK MOTOR WAFFER FAN (PD)	NIPPSA_PP1
WL1315 – PPL6_10_11 OPERATION	30-Dec-24 01:13 AM	24548678[illegible]	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR PRIMARY FD FAN (PD)	NIPPSA_PP1
WL1316 – PPL6_10_11 OPERATION	30-Dec-24 01:13 AM	24548678[illegible]	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR SECONDARY FD FAN (PD)	NIPPSA_PP1
WL1317 – PPL6_10_11 OPERATION	30-Dec-24 01:13 AM	24548678[illegible]	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR TERTIARY FD FAN (PD)	NIPPSA_PP1
WL1318 – PPL6_10_11 OPERATION	30-Dec-24 01:14 AM	24548678[illegible]	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR ID FAN # 1 (PD)	NIPPSA_PP1
WL1319 – PPL6_10_11 OPERATION	30-Dec-24 01:15 AM	24548679[illegible]	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR ID FAN # 2 (PD)	NIPPSA_PP1
WL1320 – PPL6_10_11 OPERATION	30-Dec-24 01:15 AM	24548679[illegible]	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR ID FAN #3 (PD)	NIPPSA_PP1
WL1321 – PPL6_10_11 OPERATION	30-Dec-24 01:16 AM	24548679[illegible]	MONTHLY - PM FOR FIRE FIGHTING MILL HOSE (E)	NIPPSA_PP1
WL1322 – PPL6_10_11 OPERATION	30-Dec-24 01:16 AM	24548679[illegible]	MONTHLY - PM FOR LOG IBB ALARM BLEING (SCATTER OF THERM (E)	NIPPSA_PP1
WL1323 – PPL6_10_11 OPERATION	30-Dec-24 01:16 AM	24548679[illegible]	MONTHLY - PM FOR FIRE FIGHTING EXTORNATION (E)	NIPPSA_PP1
WL1324 – PPL6_10_11 OPERATION	30-Dec-24 01:17 AM	24548679[illegible]	MONTHLY - PM ROUTE REFILL LUBRICANT CHAIN CONVEYOR (LUBCOP1) (PD)	NIPPSA_PP1
WL1325 – PPL6_10_11 OPERATION	30-Dec-24 01:17 AM	24548679[illegible]	MONTHLY - PM ROUTE REFILL LUBRICANT CHAIN CONVEYOR (LUBCOP2) (PD)	NIPPSA_PP1
WL1326 – PPL6_10_11 OPERATION	30-Dec-24 01:17 AM	24548679[illegible]	MONTHLY - PM ROUTE REFILL OIL FAN COOLING TOWER (PD)	NIPPSA_PP1
MS0104 – Automation Service (Instrument)	30-Dec-24 01:17 AM	24548679[illegible]	monthly inspection (Loppe Unit DCS Controller (A)	NIPPSA_PP1
MS0105 – Automation Service (Instrument)	30-Dec-24 01:17 AM	24548680[illegible]	monthly inspection MTERMIL DCS Controller (A)	NIPPSA_PP1
MS0106 – Automation Service (Instrument)	30-Dec-24 01:18 AM	24548680[illegible]	monthly inspection Ash Blower DCS Controller (A)	NIPPSA_PP1
MS0107 – Automation Service (Instrument)	30-Dec-24 01:19 AM	24548680[illegible]	monthly inspection RecoveryBoiler DCS Controller (A)	NIPPSA_PP1
MS0108 – Automation Service (Instrument)	30-Dec-24 01:19 AM	24548680[illegible]	monthly inspection for PJS DCS Power Supply (A)	NIPPSA_PP1
MS0109 – Automation Service (Instrument)	30-Dec-24 01:19 AM	24548680[illegible]	monthly inspection for Export DCS Power Supply (A)	NIPPSA_PP1
MS0110 – Automation Service (Instrument)	30-Dec-24 01:19 AM	24548680[illegible]	monthly inspection for MillBoilerDCS Power Supply (A)	NIPPSA_PP1
WL1401 – PPL6_10_11 OPERATION	30-Dec-24 01:21 AM	24548681[illegible]	MONTHLY CLEANING AIR SU PPLY FILTER 4503880	NIPPSA_PP1
WL1402 – PPL6_10_11 OPERATION	30-Dec-24 01:21 AM	24548681[illegible]	MONTHLY CLEANING AIR SU PPLY FILTER 4503880	NIPPSA_PP1
WL1403 – PPL6_10_11 OPERATION	30-Dec-24 01:21 AM	24548681[illegible]	MONTHLY CLEANING AIR SU PPLY FILTER 4503880	NIPPSA_PP1
WL1404 – PPL6_10_11 OPERATION	30-Dec-24 01:21 AM	24548681[illegible]	MONTHLY CLEANING AIR SU PPLY FILTER 4503880	NIPPSA_PP1
WL1405 – PPL6_10_11 OPERATION	30-Dec-24 01:21 AM	24548681[illegible]	MONTHLY CLEANING AIR SU PPLY FILTER 4503880	NIPPSA_PP1
WL1406 – PPL6_10_11 OPERATION	30-Dec-24 01:21 AM	24548681[illegible]	MONTHLY CLEANING AIR SU PPLY FILTER 4503880	NIPPSA_PP1
WL1407 – PPL6_10_11 OPERATION	30-Dec-24 01:21 AM	24548681[illegible]	MONTHLY CLEANING AIR SU PPLY FILTER 4503880	NIPPSA_PP1
WL1408 – PPL6_10_11 OPERATION	30-Dec-24 01:21 AM	24548681[illegible]	MONTHLY CLEANING AIR SU PPLY FILTER 4503880	NIPPSA_PP1
WL1409 – PPL6_10_11 OPERATION	30-Dec-24 01:22 AM	24548681[illegible]	MONTHLY CLEANING AIR SU PPLY FILTER 4503880	NIPPSA_PP1
WL1410 – PPL6_10_11 OPERATION	30-Dec-24 01:22 AM	24548681[illegible]	MONTHLY CLEANING AIR SU PPLY FILTER 4503880	NIPPSA_PP1
WL1411 – PPL6_10_11 OPERATION	30-Dec-24 01:23 AM	24548681[illegible]	MONTHLY CLEANING AIR SU PPLY FILTER 4503880	NIPPSA_PP1
WL1412 – PPL6_10_11 OPERATION	30-Dec-24 01:23 AM	24548681[illegible]	MONTHLY CLEANING AIR SU PPLY FILTER 4503880	NIPPSA_PP1
WL1413 – PPL6_10_11 OPERATION	30-Dec-24 01:23 AM	24548681[illegible]	MONTHLY CLEANING AIR SU PPLY FILTER 4503880	NIPPSA_PP1
WL1414 – PPL6_10_11 OPERATION	30-Dec-24 01:23 AM	24548681[illegible]	MONTHLY CLEANING AIR SU PPLY FILTER 4503880	NIPPSA_PP1
WL1415 – PPL6_10_11 OPERATION	30-Dec-24 01:23 AM	24548681[illegible]	MONTHLY CLEANING AIR SU PPLY FILTER 4503880	NIPPSA_PP1
MS0201 – Automation Service (Instrument)	30-Dec-24 01:23 AM	24548681[illegible]	2 weeks check 4&5 Stack flue gas analyser	NIPPSA_PP1
MS0202 – Automation Service (Instrument)	30-Dec-24 01:23 AM	24548681[illegible]	2 weeks check 4&5 Stack flue gas analyser (SICK4&5)	NIPPSA_PP1
WL1416 – PPL6_10_11 OPERATION	30-Dec-24 01:23 AM	24548681[illegible]	RW ITEM PRETREATER BLOCK STEAM VALVE (S)	NIPPSA_PP1
WL1417 – PPL6_10_11 OPERATION	30-Dec-24 01:23 AM	24548681[illegible]	RW ITEM RAPID DRUM GUIDE ARM 4&5RW1518	NIPPSA_PP1
WL1418 – PPL6_10_11 OPERATION	30-Dec-24 01:23 AM	24548681[illegible]	RW ITEM RAPID DRUM DOWNSTREAM 4&5RW1528	NIPPSA_PP1
WL1419 – PPL6_10_11 OPERATION	30-Dec-24 01:24 AM	24548681[illegible]	RW ITEM ASTOP VALVE VLV 4&5RW155	NIPPSA_PP1
WL1420 – PPL6_10_11 OPERATION	30-Dec-24 01:24 AM	24548681[illegible]	RW ITEM ALWN STEAM VALVE 4&5RW155	NIPPSA_PP1
WL1421 – PPL6_10_11 OPERATION	30-Dec-24 01:24 AM	24548681[illegible]	RW ITEM SOOT BLOWER 4&5RW1536	NIPPSA_PP1
WL1422 – PPL6_10_11 OPERATION	30-Dec-24 01:24 AM	24548681[illegible]	RW ITEM STEAM VLV BYPASS 4&5RW151	NIPPSA_PP1
WL1423 – PPL6_10_11 OPERATION	30-Dec-24 01:24 AM	24548681[illegible]	MONTHLY - PM FOR RECYCLER TRANSFORMER TR4(E)(E)	NIPPSA_PP1
WL1424 – PPL6_10_11 OPERATION	30-Dec-24 01:24 AM	24548681[illegible]	MONTHLY - PM FOR EVAPORATION TRANSFORMER TR4(E)(E)	NIPPSA_PP1
WL1425 – PPL6_10_11 OPERATION	30-Dec-24 01:24 AM	24548681[illegible]	MONTHLY - PM FOR TURBO GEN. Transformer TG(E) (E)	NIPPSA_PP1
WL1426 – PPL6_10_11 OPERATION	30-Dec-24 01:25 AM	24548681[illegible]	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR FW PUMP #3 (PD)	NIPPSA_PP1
WL1427 – PPL6_10_11 OPERATION	30-Dec-24 01:25 AM	24548681[illegible]	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR FIRING LEQUOR PUMP (PD)	NIPPSA_PP1
WL1428 – PPL6_10_11 OPERATION	30-Dec-24 01:25 AM	24548681[illegible]	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR FIRING LEQUOR PUMP (PD)	NIPPSA_PP1
WL1429 – PPL6_10_11 OPERATION	30-Dec-24 01:26 AM	24548681[illegible]	WEEKLY – PM ROUTE CHECK VAVTO GEAR (PD)	NIPPSA_PP1
WL1430 – PPL6_10_11 OPERATION	30-Dec-24 01:27 AM	24548681[illegible]	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR STEAM TURBINE,52,60MW (PD)	NIPPSA_PP1
MS0206 – Automation Service (Control)	30-Dec-24 01:27 AM	24548682[illegible]	2 WEEKS - PM FOR PLC TURBINE & GENERATOR GOVERNOR CONTROL (A)	NIPPSA_PP1
MS0207 – Automation Service (Control)	30-Dec-24 01:28 AM	24548682[illegible]	2 WEEKS - PM FOR HMI TURBINE & GENERATOR GOVERNOR CONTROL (A)	NIPPSA_PP1
MS0208 – Automation Service (Control)	30-Dec-24 01:28 AM	24548682[illegible]	2 WEEKS - PM FOR HMI BOOSTING MASTER (460KPSI) (A)	NIPPSA_PP1
MS0209 – Automation Service (Control)	30-Dec-24 01:28 AM	24548682[illegible]	2 WEEKS - PM FOR HMI BOOSTING MASTER (460KPSI) (A)	NIPPSA_PP1
MS0210 – Automation Service (Control)	30-Dec-24 01:28 AM	24548682[illegible]	2 WEEKS - PM FOR HMI BMS (A)	NIPPSA_PP1
MS0211 – Automation Service (Control)	30-Dec-24 01:28 AM	24548682[illegible]	2 WEEKS - PM FOR HMI ABSORPTION CHILLER #1 (A)	NIPPSA_PP1
MS0212 – Automation Service (Control)	30-Dec-24 01:28 AM	24548682[illegible]	2 WEEKS - PM FOR HMI ABSORPTION CHILLER #2 (A)	NIPPSA_PP1
MS0213 – Automation Service (Control)	30-Dec-24 01:28 AM	24548682[illegible]	2 WEEKS - PM FOR HMI ABSORPTION CHILLER #3 (A)	NIPPSA_PP1
MS0214 – Automation Service (Control)	29-Dec-24 01:28 AM	24548682[illegible]	2 WEEKS - PM FOR PLC BOOSTING MASTER (460KPSI) (A)	NIPPSA_PP1
MS0215 – Automation Service (Control)	30-Dec-24 01:28 AM	24548682[illegible]	2 WEEKS - PM FOR PLC BOOSTING MASTER (460KPSI) (A)	NIPPSA_PP1
MS0216 – Automation Service (Control)	30-Dec-24 01:28 AM	24548682[illegible]	2 WEEKS - PM FOR PLC BMS (A)	NIPPSA_PP1
MS0217 – Automation Service (Control)	30-Dec-24 01:28 AM	24548682[illegible]	2 WEEKS - PM FOR PLC ABSORPTION CHILLER #1 (A)	NIPPSA_PP1
MS0218 – Automation Service (Control)	30-Dec-24 01:28 AM	24548682[illegible]	2 WEEKS - PM FOR PLC ABSORPTION CHILLER #2 (A)	NIPPSA_PP1
MS0219 – Automation Service (Control)	30-Dec-24 01:28 AM	24548682[illegible]	2 WEEKS - PM FOR PLC ABSORPTION CHILLER #3 (A)	NIPPSA_PP1
MS0220 – Automation Service (Control)	30-Dec-24 01:28 AM	24548682[illegible]	2 WEEKS - PM FOR HMI ABSORPTION CHILLER #1 (A)	NIPPSA_PP1
MS0221 – Automation Service (Control)	30-Dec-24 01:28 AM	24548682[illegible]	2 WEEKS - PM FOR HMI ABSORPTION CHILLER #2 (A)	NIPPSA_PP1
MS0222 – Automation Service (Control)	30-Dec-24 01:28 AM	24548682[illegible]	2 WEEKS - PM FOR HMI ABSORPTION CHILLER #3 (A)	NIPPSA_PP1
MS0223 – Predictive Maintenance	17-Dec-24 01:17 AM	25001368	Monthly vibration check for Plan 282	NIPPSA_PP1
MS0224 – Predictive Maintenance	17-Dec-24 01:17 AM	25001369	Monthly vibration check for Plan 283	NIPPSA_PP1
MS0225 – Predictive Maintenance	17-Dec-24 01:17 AM	25001370	Monthly vibration check for Plan 285	NIPPSA_PP1
MS0226 – Predictive Maintenance	17-Dec-24 01:17 AM	25001371	Monthly vibration check for Plan 452	NIPPSA_PP1
MS0227 – Predictive Maintenance	17-Dec-24 01:17 AM	25001372	Monthly vibration check for Plan 483	NIPPSA_PP1
MS0228 – Predictive Maintenance	17-Dec-24 01:18 AM	25001373	Monthly oil Sampling for Plan 284	NIPPSA_PP1
MS0229 – Predictive Maintenance	17-Dec-24 01:18 AM	25001374	Monthly oil Sampling for Plan 253	NIPPSA_PP1
WL1201 – PPL6_10_11 OPERATION	27-Dec-24 01:04 AM	24548678[illegible]	WEEKLY – PM FOR LLP DE PUMP FEED WATER PUMP 2 (E)	NIPPSA_PP1
WL1202 – PPL6_10_11 OPERATION	27-Dec-24 01:05 AM	24548678[illegible]	2 MONTHS – PM FOR SEALING AIR FAN # 1 (E)	NIPPSA_PP1
WL1203 – PPL6_10_11 OPERATION	27-Dec-24 01:05 AM	24548678[illegible]	2 MONTHS – PM FOR SEALING AIR FAN # 2 (E)	NIPPSA_PP1
WL1204 – PPL6_10_11 OPERATION	27-Dec-24 01:06 AM	24548678[illegible]	2 MONTHS – PM FOR FIRING LEQ THE AGITATOR #1(E)	NIPPSA_PP1
WL1205 – PPL6_10_11 OPERATION	27-Dec-24 01:06 AM	24548678[illegible]	2 MONTHS – PM FOR FIRING LEQ THE AGITATOR #2(E)	NIPPSA_PP1
WL1206 – PPL6_10_11 OPERATION	27-Dec-24 01:06 AM	24548678[illegible]	WEEKLY – PM FOR REDUCED DRAFT FAN, CELL NO.1 (E)	NIPPSA_PP1
WL1207 – PPL6_10_11 OPERATION	27-Dec-24 01:06 AM	24548678[illegible]	WEEKLY – PM FOR REDUCED DRAFT FAN, CELL NO.2 (E)	NIPPSA_PP1
WL1208 – PPL6_10_11 OPERATION	27-Dec-24 01:07 AM	24548678[illegible]	2 MONTHS – PM FOR TURBINE MOTOR (E)	NIPPSA_PP1
WL1209 – PPL6_10_11 OPERATION	27-Dec-24 01:07 AM	24548678[illegible]	2 MONTHS – PM FOR GLAND CONDENSER FAN (E)	NIPPSA_PP1
WL1210 – PPL6_10_11 OPERATION	27-Dec-24 01:07 AM	24548678[illegible]	2 MONTHS – PM FOR VAPOR FAN (E)	NIPPSA_PP1
WL1211 – Mechanical PPL6_18_11	27-Dec-24 01:08 AM	24548679[illegible]	MONTHLY – PM FOR 115 KV SUBSTATION AAP1 (E)	NIPPSA_PP1
WL1212 – PPL6_10_11 OPERATION	27-Dec-24 01:08 AM	24548679[illegible]	2 WEEKS - PM VISUAL CHECK AND BASIC PDM FOR AGITATOR-DISSOLVING TANK SEE LONG DESCRIPTION (PD)	NIPPSA_PP1
WL1213 – PPL6_10_11 OPERATION	27-Dec-24 01:09 AM	24548679[illegible]	2 WEEKS - PM VISUAL CHECK AND BASIC PDM FOR ESP TRANSFER CONVEYOR # 1 (PD)	NIPPSA_PP1
WL1214 – PPL6_10_11 OPERATION	27-Dec-24 01:09 AM	24548679[illegible]	2 WEEKS - PM VISUAL CHECK AND BASIC PDM FOR ESP TRANSFER CONVEYOR #2 (PD)	NIPPSA_PP1
WL1215 – PPL6_10_11 OPERATION	27-Dec-24 01:09 AM	24548679[illegible]	2 WEEKS - PM VISUAL CHECK AND BASIC PDM FOR ESP TRANSFER CONVEYOR #3 (PD)	NIPPSA_PP1
WL1216 – PPL6_10_11 OPERATION	27-Dec-24 01:10 AM	24548679[illegible]	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR PRIMARY FD FAN (PD)	NIPPSA_PP1
WL1217 – PPL6_10_11 OPERATION	27-Dec-24 01:10 AM	24548679[illegible]	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR SECONDARY FD FAN (PD)	NIPPSA_PP1
WL1218 – PPL6_10_11 OPERATION	27-Dec-24 01:10 AM	24548679[illegible]	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR TERTIARY FD FAN (PD)	NIPPSA_PP1
WL1219 – PPL6_10_11 OPERATION	27-Dec-24 01:11 AM	24548679[illegible]	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR ID FAN # 1 (PD)	NIPPSA_PP1
WL1220 – PPL6_10_11 OPERATION	27-Dec-24 01:11 AM	24548679[illegible]	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR ID FAN # 2 (PD)	NIPPSA_PP1
WL1221 – PPL6_10_11 OPERATION	27-Dec-24 01:11 AM	24548679[illegible]	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR ID FAN #3 (PD)	NIPPSA_PP1
WL1222 – PPL6_10_11 OPERATION	27-Dec-24 01:13 AM	24548680[illegible]	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR ID FAN # 1 (PD)	NIPPSA_PP1
WL1223 – PPL6_10_11 OPERATION	27-Dec-24 01:13 AM	24548680[illegible]	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR ID FAN # 2 (PD)	NIPPSA_PP1
WL1224 – PPL6_10_11 OPERATION	27-Dec-24 01:14 AM	24548680[illegible]	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR ID FAN #3 (PD)	NIPPSA_PP1
MS0103 – Automation Service (Instrument)	27-Dec-24 01:15 AM	24548680[illegible]	calibrate 4&5 Stack flue gas analyser (SICK4&5)	NIPPSA_PP1
WL1327 – PPL6_10_11 OPERATION	27-Dec-24 01:16 AM	24548680[illegible]	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR FW PUMP #3 (PD)	NIPPSA_PP1
WL1328 – PPL6_10_11 OPERATION	27-Dec-24 01:17 AM	24548680[illegible]	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR FIRING LEQUOR PUMP (PD)	NIPPSA_PP1
WL1329 – PPL6_10_11 OPERATION	27-Dec-24 01:18 AM	24548680[illegible]	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR FIRING LEQUOR PUMP (PD)	NIPPSA_PP1
WL1330 – PPL6_10_11 OPERATION	27-Dec-24 01:18 AM	24548680[illegible]	WEEKLY – PM ROUTE CHECK VAVTO GEAR (PD)	NIPPSA_PP1
WL1331 – PPL6_10_11 OPERATION	27-Dec-24 01:18 AM	24548681[illegible]	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR STEAM TURBINE,52,60MW (PD)	NIPPSA_PP1
WL1332 – PPL6_10_11 OPERATION	27-Dec-24 01:19 AM	24548681[illegible]	MONTHLY - PM FOR SOOTBLOWER (LEFT) (E)	NIPPSA_PP1
WL1333 – PPL6_10_11 OPERATION	27-Dec-24 01:19 AM	24548681[illegible]	MONTHLY - PM FOR SOOTBLOWER (LEFT) (E)	NIPPSA_PP1
WL1334 – PPL6_10_11 OPERATION	27-Dec-24 01:19 AM	24548681[illegible]	MONTHLY - PM FOR SOOTBLOWER (LEFT) (E)	NIPPSA_PP1
WL1312 – Mechanical PPL6_18_11	27-Dec-24 01:19 AM	24548681[illegible]	2 WEEKS - PM FOR 115 KV SUBSTATION AAP1 (E)	NIPPSA_PP1
MS0105 – Automation Service (Instrument)	05-Jan-25 01:00 AM	25008080[illegible]	MONTHLY - PM FOR MILLWISE DCS CONTROLLER (A)	NIPPSA_PP1
WL1328 – PPL6_10_11 OPERATION	03-Jan-25 01:01 AM	25008285[illegible]	WEEKLY – PM FOR GENERATOR (E)	NIPPSA_PP1
WL1329 – PPL6_10_11 OPERATION	03-Jan-25 01:01 AM	25008285[illegible]	WEEKLY – PM FOR LLP DE PUMP FEED WATER PUMP 3 (E)	NIPPSA_PP1
WL1330 – PPL6_10_11 OPERATION	03-Jan-25 01:01 AM	25008285[illegible]	WEEKLY – PM FOR REDUCED DRAFT FAN, CELL NO.1 (E)	NIPPSA_PP1
WL1331 – PPL6_10_11 OPERATION	03-Jan-25 01:01 AM	25008285[illegible]	WEEKLY – PM FOR REDUCED DRAFT FAN, CELL NO.2 (E)	NIPPSA_PP1
WL1332 – PPL6_10_11 OPERATION	03-Jan-25 01:01 AM	25008285[illegible]	2 WEEKS - PM VISUAL CHECK AND BASIC PDM FOR AGITATOR-DISSOLVING TANK SEE LONG DESCRIPTION (PD)	NIPPSA_PP1
WL1333 – PPL6_10_11 OPERATION	03-Jan-25 01:10 AM	25008285[illegible]	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR ESP TRANSFER CONVEYOR # 1 (PD)	NIPPSA_PP1
WL1334 – PPL6_10_11 OPERATION	03-Jan-25 01:11 AM	25008285[illegible]	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR ESP TRANSFER CONVEYOR #2 (PD)	NIPPSA_PP1
WL1335 – PPL6_10_11 OPERATION	03-Jan-25 01:11 AM	25008285[illegible]	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR ESP TRANSFER CONVEYOR #3 (PD)	NIPPSA_PP1
WL1336 – PPL6_10_11 OPERATION	03-Jan-25 01:11 AM	25008285[illegible]	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR PRIMARY FD FAN (PD)	NIPPSA_PP1
WL1337 – PPL6_10_11 OPERATION	03-Jan-25 01:12 AM	25008285[illegible]	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR SECONDARY FD FAN (PD)	NIPPSA_PP1
WL1338 – PPL6_10_11 OPERATION	03-Jan-25 01:12 AM	25008285[illegible]	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR TERTIARY FD FAN (PD)	NIPPSA_PP1
WL1339 – PPL6_10_11 OPERATION	03-Jan-25 01:13 AM	25008285[illegible]	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR ID FAN # 1 (PD)	NIPPSA_PP1
WL1340 – PPL6_10_11 OPERATION	03-Jan-25 01:13 AM	25008285[illegible]	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR ID FAN # 2 (PD)	NIPPSA_PP1
WL1341 – PPL6_10_11 OPERATION	03-Jan-25 01:13 AM	25008285[illegible]	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR ID FAN #3 (PD)	NIPPSA_PP1
WL1342 – PPL6_10_11 OPERATION	03-Jan-25 01:13 AM	25008285[illegible]	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR ID FAN # 1 (PD)	NIPPSA_PP1
WL1343 – PPL6_10_11 OPERATION	03-Jan-25 01:14 AM	25008285[illegible]	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR ID FAN # 2 (PD)	NIPPSA_PP1
WL1344 – PPL6_10_11 OPERATION	03-Jan-25 01:14 AM	25008285[illegible]	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR ID FAN #3 (PD)	NIPPSA_PP1
WL1345 – PPL6_10_11 OPERATION	03-Jan-25 01:14 AM	25008285[illegible]	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR ID FAN # 1 (PD)	NIPPSA_PP1
WL1346 – PPL6_10_11 OPERATION	03-Jan-25 01:14 AM	25008285[illegible]	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR ID FAN # 2 (PD)	NIPPSA_PP1
WL1347 – PPL6_10_11 OPERATION	03-Jan-25 01:14 AM	25008285[illegible]	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR ID FAN #3 (PD)	NIPPSA_PP1
MS0201 – Automation Service (Instrument)	03-Jan-25 01:15 AM	25008285[illegible]	2 weeks check 4&5 Stack flue gas analyser	NIPPSA_PP1
MS0202 – Automation Service (Instrument)	03-Jan-25 01:15 AM	25008285[illegible]	2 weeks check 4&5 Stack flue gas analyser (SICK4&5)	NIPPSA_PP1
MS0203 – Automation Service (Instrument)	03-Jan-25 01:15 AM	25008285[illegible]	calibrate 4&5 Stack flue gas analyser (SICK4&5)	NIPPSA_PP1
WL1348 – PPL6_10_11 OPERATION	03-Jan-25 01:15 AM	25008285[illegible]	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR FW PUMP #3 (PD)	NIPPSA_PP1
WL1349 – PPL6_10_11 OPERATION	03-Jan-25 01:15 AM	25008285[illegible]	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR FIRING LEQUOR PUMP (PD)	NIPPSA_PP1
WL1350 – PPL6_10_11 OPERATION	03-Jan-25 01:16 AM	25008285[illegible]	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR FIRING LEQUOR PUMP (PD)	NIPPSA_PP1
WL1351 – PPL6_10_11 OPERATION	03-Jan-25 01:16 AM	25008285[illegible]	WEEKLY – PM ROUTE CHECK VAVTO GEAR (PD)	NIPPSA_PP1
WL1352 – PPL6_10_11 OPERATION	03-Jan-25 01:16 AM	25008285[illegible]	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR STEAM TURBINE,52,60MW (PD)	NIPPSA_PP1
MS0104 – Automation Service (Control)	03-Jan-25 01:16 AM	25008285[illegible]	2 WEEKS - PM FOR PLC TURBINE & GENERATOR GOVERNOR CONTROL (A)	NIPPSA_PP1
MS0105 – Automation Service (Control)	03-Jan-25 01:17 AM	25008285[illegible]	2 WEEKS - PM FOR HMI TURBINE & GENERATOR GOVERNOR CONTROL (A)	NIPPSA_PP1
MS0106 – Automation Service (Control)	03-Jan-25 01:17 AM	25008285[illegible]	2 WEEKS - PM FOR HMI BOOSTING MASTER (460KPSI) (A)	NIPPSA_PP1
MS0107 – Automation Service (Control)	03-Jan-25 01:17 AM	25008285[illegible]	2 WEEKS - PM FOR PLC BOOSTING MASTER (460KPSI) (A)	NIPPSA_PP1
MS0108 – Automation Service (Control)	03-Jan-25 01:18 AM	25008285[illegible]	2 WEEKS - PM FOR PLC BMS (A)	NIPPSA_PP1
MS0109 – Automation Service (Control)	03-Jan-25 01:18 AM	25008285[illegible]	2 WEEKS - PM FOR PLC ABSORPTION CHILLER #1 (A)	NIPPSA_PP1
MS0110 – Automation Service (Control)	03-Jan-25 01:18 AM	25008285[illegible]	2 WEEKS - PM FOR PLC ABSORPTION CHILLER #2 (A)	NIPPSA_PP1
MS0111 – Automation Service (Control)	03-Jan-25 01:18 AM	25008285[illegible]	2 WEEKS - PM FOR PLC ABSORPTION CHILLER #3 (A)	NIPPSA_PP1
WL1201 – PPL6_10_11 OPERATION	27-Dec-24 01:04 AM	24548678[illegible]	WEEKLY – PM FOR LLP DE PUMP FEED WATER PUMP 2 (E)	NIPPSA_PP1
WL1202 – PPL6_10_11 OPERATION	27-Dec-24 01:05 AM	24548678[illegible]	2 MONTHS – PM FOR SEALING AIR FAN # 1 (E)	NIPPSA_PP1
WL1203 – PPL6_10_11 OPERATION	27-Dec-24 01:05 AM	24548678[illegible]	2 MONTHS – PM FOR SEALING AIR FAN # 2 (E)	NIPPSA_PP1
WL1204 – PPL6_10_11 OPERATION	27-Dec-24 01:06 AM	24548678[illegible]	2 MONTHS – PM FOR FIRING LEQ THE AGITATOR #1(E)	NIPPSA_PP1
WL1205 – PPL6_10_11 OPERATION	27-Dec-24 01:06 AM	24548678[illegible]	2 MONTHS – PM FOR FIRING LEQ THE AGITATOR #2(E)	NIPPSA_PP1

WLS201 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:51 AM	2510405063	YEARLY (1Y) – PM FOR RECIP #1 COLLECTING CONVEYOR (LC701) (A)
WLS202 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:51 AM	2510405064	YEARLY (1Y) – PM FOR ROTARY FEEDER (CO-01) (C710) (A)
WLS203 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:51 AM	2510405065	YEARLY (1Y) – PM FOR SCREW CONVEYOR (SC1) (C711) (A)
WLS204 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:51 AM	2510405066	YEARLY (1Y) – PM FOR ASH CONVEYOR (LC702) (A)
WLS205 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:51 AM	2510405067	YEARLY (1Y) – PM FOR ROTARY FEEDER (CO-02) (C712) (A)
WLS206 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:51 AM	2510405068	YEARLY (1Y) – PM FOR ASH CONVEYOR (LC703) (A)
WLS207 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:51 AM	2510405069	YEARLY (1Y) – PM FOR ROTARY FEEDER (CO-03) (C713) (A)
WLS208 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:51 AM	2510405070	YEARLY (1Y) – PM FOR ASH CONVEYOR (LC704) (A)
WLS209 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:51 AM	2510405071	YEARLY (1Y) – PM FOR ROTARY FEEDER (CO-04) (C714) (A)
WLS210 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:51 AM	2510405072	YEARLY (1Y) – PM FOR ASH COLLECTOR CONVEYOR (D501) (A)
WLS211 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:52 AM	2510405073	YEARLY (1Y) – PM FOR ASH CRUSHER (D502) (A)
WLS212 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:52 AM	2510405074	YEARLY (1Y) – PM FOR RECIP#1 DRAG SCRAPER (D503) (A)
WLS213 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:52 AM	2510405075	YEARLY (1Y) – PM FOR RECIP#1 COLLECT CONVEYOR (CC01) (A)
WLS214 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:52 AM	2510405076	YEARLY (1Y) – PM FOR RECIP#1A ROTARY FEEDER (CO01) (A)
WLS215 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:52 AM	2510405077	YEARLY (1Y) – PM FOR RECIP#2 DRAG SCRAPER (D505) (A)
WLS216 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:52 AM	2510405078	YEARLY (1Y) – PM FOR RECIP#2 COLLECT CONVEYOR (CC02) (A)
WLS217 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:52 AM	2510405079	YEARLY (1Y) – PM FOR RECIP#2A ROTARY FEEDER (CO02) (A)
WLS218 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:52 AM	2510405080	YEARLY (1Y) – PM FOR RECIP#2 ROTARY FEEDER (D507) (A)
WLS219 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:52 AM	2510405081	YEARLY (1Y) – PM FOR RECIP#2 TRANSFER CONVEYOR #1 (LC810) (A)
WLS220 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:52 AM	2510405082	YEARLY (1Y) – PM FOR RECIP#2 TRANSFER CONVEYOR #2 (LC811) (A)
WLS221 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:52 AM	2510405083	YEARLY (1Y) – PM FOR FEED WATER PUMP 3A SPEED (A)
WLS222 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:52 AM	2510405084	YEARLY (1Y) – PM FOR SPEED CONTROL FEED WATER PUMP 3 (A)
WLS223 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:52 AM	2510405085	YEARLY (1Y) – PM FOR SPEED CONTROL FEED WATER PUMP 3 (A)
WLS224 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:52 AM	2510405086	YEARLY (1Y) – PM FOR IDFAN B (D FAN B) (A)
WLS225 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:52 AM	2510405087	YEARLY (1Y) – PM FOR IDFAN B (D FAN B) (A)
WLS226 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:52 AM	2510405088	YEARLY (1Y) – PM FOR IDFAN B (D FAN B) (A)
WLS227 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:52 AM	2510405089	YEARLY (1Y) – PM FOR IDFAN B (D FAN B) (A)
WLS228 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:52 AM	2510405090	YEARLY (1Y) – PM FOR IDFAN B MOTOR TEMP (D FAN) #3 (A)
WLS229 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:52 AM	2510405091	YEARLY (1Y) – PM FOR IDFAN B MOTOR TEMP (D FAN) #1 (A)
WLS230 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:52 AM	2510405092	YEARLY (1Y) – PM FOR IDFAN B MOTOR TEMP (D FAN) #2 (A)
WLS231 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:52 AM	2510405093	YEARLY (1Y) – PM FOR CONTAIN. CONDENS. (A)
WLS232 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:52 AM	2510405094	YEARLY (1Y) – PM FOR PRIM. CONDENS. (A)
WLS233 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:52 AM	2510405095	YEARLY (1Y) – PM FOR SECOND CONDENS (A)
WLS234 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:52 AM	2510405096	YEARLY (1Y) – PM FOR FOUL CONDENS. (A)
WLS235 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:52 AM	2510405097	YEARLY (1Y) – PM FOR CONTAIN. CONDENS. (A)
WLS236 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:52 AM	2510405098	YEARLY (1Y) – PM FOR STRONG LIQUOR DRY SOLIDS (A)
WLS237 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:52 AM	2510405099	YEARLY (1Y) – PM FOR STORG LIQUOR DRY SOLIDS (A)
WLS238 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:52 AM	2510405100	YEARLY (1Y) – PM FOR STORG LIQUOR DRY SOLIDS (A)
WLS239 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:52 AM	2510405101	YEARLY (1Y) – PM FOR STORG LIQUOR DRY SOLIDS (A)
WLS240 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:53 AM	2510405102	YEARLY (1Y) – PM FOR DRY SOLIDS OF WEB LIQUOR TANK (A)
WLS241 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:53 AM	2510405103	YEARLY (1Y) – PM FOR LIQOUR BETWEEN EFFECT 1A - 1B (A)
WLS242 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:53 AM	2510405104	YEARLY (1Y) – PM FOR LIQOUR BETWEEN EFFECT 1B - C (A)
WLS243 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:53 AM	2510405105	YEARLY (1Y) – PM FOR LIQOUR BETWEEN EFFECT 1B - C (A)
WLS244 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:53 AM	2510405106	YEARLY (1Y) – PM FOR STRONG LIQUOR (A)
WLS245 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:53 AM	2510405107	YEARLY (1Y) – PM FOR WASH LIQOUR TO EFFECT 1A (A)
WLS246 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:53 AM	2510405108	YEARLY (1Y) – PM FOR WASH LIQOUR TO EFFECT 1B (A)
WLS247 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:53 AM	2510405109	YEARLY (1Y) – PM FOR WASH LIQOUR TO EFFECT 1C (A)
WLS248 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:53 AM	2510405110	YEARLY (1Y) – PM FOR WASH LIQOUR TO EFFECT 2A (A)
WLS249 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:53 AM	2510405111	YEARLY (1Y) – PM FOR WASH LIQOUR TO EFFECT 2B (A)
WLS250 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:53 AM	2510405112	YEARLY (1Y) – PM FOR BY PASS EFFECT 2 (A)
WLS251 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:53 AM	2510405113	YEARLY (1Y) – PM FOR LIQ. TO EFFECT 3A (A)
WLS252 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:53 AM	2510405114	YEARLY (1Y) – PM FOR LIQ. TO EFFECT 3B (A)
WLS253 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:53 AM	2510405115	YEARLY (1Y) – PM FOR LIQ. TO EFFECT 3C (A)
WLS254 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:53 AM	2510405116	YEARLY (1Y) – PM FOR LIQ. TO EFFECT 3C (A)
WLS255 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:53 AM	2510405117	YEARLY (1Y) – PM FOR NaOH TO EFFECT 3A (A)
WLS256 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:53 AM	2510405118	YEARLY (1Y) – PM FOR NaOH TO EFFECT 3B (A)
WLS257 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:53 AM	2510405119	YEARLY (1Y) – PM FOR LIQOUR BETWEEN EFFECT 3A - B (A)
WLS258 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:53 AM	2510405120	YEARLY (1Y) – PM FOR LIQOUR BETWEEN EFFECT 3C - A (A)
WLS259 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:53 AM	2510405121	YEARLY (1Y) – PM FOR LIQOUR BETWEEN EFFECT 3B-C (A)
WLS260 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:53 AM	2510405122	YEARLY (1Y) – PM FOR STRONG LIQUOR (A)
WLS261 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:53 AM	2510405123	YEARLY (1Y) – PM FOR WASH LIQOUR TO EFFECT 4A (A)
WLS262 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:53 AM	2510405124	YEARLY (1Y) – PM FOR WASH LIQOUR TO EFFECT 4B (A)
WLS263 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:53 AM	2510405125	YEARLY (1Y) – PM FOR WASH LIQOUR TO EFFECT 4C (A)
WLS264 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:53 AM	2510405126	YEARLY (1Y) – PM FOR WASH LIQOUR TO EFFECT 4C (A)
WLS265 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:53 AM	2510405127	YEARLY (1Y) – PM FOR WASH LIQOUR TO EFFECT 5A (A)
WLS266 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:53 AM	2510405128	YEARLY (1Y) – PM FOR WASH LIQOUR TO EFFECT 5B (A)
WLS267 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:53 AM	2510405129	YEARLY (1Y) – PM FOR LIQ. TO EFFECT 5C (A)
WLS268 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:53 AM	2510405130	YEARLY (1Y) – PM FOR LIQ. TO EFFECT 5B (A)
WLS269 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:53 AM	2510405131	YEARLY (1Y) – PM FOR LIQ. TO EFFECT 5C (A)
WLS270 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:53 AM	2510405132	YEARLY (1Y) – PM FOR NaOH TO EFFECT 5A (A)
WLS271 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:53 AM	2510405133	YEARLY (1Y) – PM FOR NaOH TO EFFECT 5B (A)
WLS272 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:53 AM	2510405134	YEARLY (1Y) – PM FOR LIVE STEAM TO EFFECT 5C (A)
WLS273 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:53 AM	2510405135	YEARLY (1Y) – PM FOR LIVE STEAM TO EFFECT 5B (A)
WLS274 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:53 AM	2510405136	YEARLY (1Y) – PM FOR LIVE STEAM TO EFFECT 5A (A)
WLS275 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:53 AM	2510405137	YEARLY (1Y) – PM FOR LP STEAM BY-PASS PRESSURE (A)
WLS276 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:54 AM	2510405138	YEARLY (1Y) – PM FOR EXTRA STEAM VLAVE (A)
WLS277 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:54 AM	2510405139	YEARLY (1Y) – PM FOR CONTAIN. CODENS. (A)
WLS278 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:54 AM	2510405140	YEARLY (1Y) – PM FOR CONTAIN. CODENS.ASS (A)
WLS279 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:54 AM	2510405141	YEARLY (1Y) – PM FOR FLOW NAOH DILUTION CONTROL VALVE (A)
WLS280 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:54 AM	2510405142	YEARLY (1Y) – PM FOR FLOW NAOH DILUTION TRANSMITTER (A)
WLS281 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:54 AM	2510405143	YEARLY (1Y) – PM FOR FLOW NAOH DILUTION CONTROL (A)
WLS282 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:54 AM	2510405144	YEARLY (1Y) – PM FOR LIVE STEAM TO EFF.1D (A)
WLS283 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:55 AM	2510405145	YEARLY (1Y) – PM FOR LIVE STEAM TO ANC (A)
WLS284 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:55 AM	2510405146	YEARLY (1Y) – PM FOR ANCIL BY-PASS EFFECT 2 (A)
WLS285 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:55 AM	2510405147	YEARLY (1Y) – PM FOR NAOH BY-PASS EFFECT 2 (A)
WLS286 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:55 AM	2510405148	YEARLY (1Y) – PM FOR LIQ. TO SPILL LIQ. TANK (A)
WLS287 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:55 AM	2510405149	YEARLY (1Y) – PM FOR LIQ. TO SPILL LIQ. TANK (A)
WLS288 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:55 AM	2510405150	YEARLY (1Y) – PM FOR DRENING OF NaOH LINE (A)
WLS289 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:55 AM	2510405151	YEARLY (1Y) – PM FOR WASH BY-PASS EFFECT 2 (A)
WLS290 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:55 AM	2510405152	YEARLY (1Y) – PM FOR NAOH BY-PASS EFFECT 2 (A)
WLS291 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:55 AM	2510405153	YEARLY (1Y) – PM FOR LIQOUR FROM EFFECT 2 (A)
WLS292 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:55 AM	2510405154	YEARLY (1Y) – PM FOR LIQOUR FROM EFFECT 2 (A)
WLS293 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:55 AM	2510405155	YEARLY (1Y) – PM FOR LIQ. TO STRONG LIQ. TANK (A)
WLS294 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:55 AM	2510405156	YEARLY (1Y) – PM FOR LIQ. TO STRONG LIQ. TANK (A)
WLS295 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:55 AM	2510405157	YEARLY (1Y) – PM FOR RETURN LINE FROM RECOVERY BOILER (A)
WLS296 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:55 AM	2510405158	YEARLY (1Y) – PM FOR RETURN LINE FROM RECOVERY BOILER (A)
WLS297 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:55 AM	2510405159	YEARLY (1Y) – PM FOR RETURN LINE FROM RECOVERY BOILER (A)
WLS298 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:55 AM	2510405160	YEARLY (1Y) – PM FOR RETURN LINE FROM RECOVERY BOILER (A)
WLS299 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:55 AM	2510405161	YEARLY (1Y) – PM FOR DRAINING FROM NaOH LINE (A)
WLS300 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:55 AM	2510405162	YEARLY (1Y) – PM FOR DRAINING FROM NaOH LINE (A)
WLS301 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:55 AM	2510405163	YEARLY (1Y) – PM FOR NaOH TO EFFECT 1C (A)
WLS302 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:55 AM	2510405164	YEARLY (1Y) – PM FOR NaOH TO EFFECT 1C (A)
WLS303 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:55 AM	2510405165	YEARLY (1Y) – PM FOR RIBM 2 INLET SUPERHEATER (A)
WLS304 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:55 AM	2510405166	YEARLY (1Y) – PM FOR RIBM 2 INLET ATEMP (A)
WLS305 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:55 AM	2510405167	YEARLY (1Y) – PM FOR COOLING WATER TANK LOW (A)
WLS306 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:55 AM	2510405168	YEARLY (1Y) – PM FOR FUEL OIL RETURN (A)
WLS307 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:56 AM	2510405169	YEARLY (1Y) – PM FOR BL. DIRECT HEATER (A)
WLS308 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:56 AM	2510405170	YEARLY (1Y) – PM FOR COOLING WATER TO SPOUT (A)
WLS309 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:56 AM	2510405171	YEARLY (1Y) – PM FOR BL. SPRAYER DEVERT (A)
WLS310 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:56 AM	2510405172	YEARLY (1Y) – PM FOR BL. SPRAYER DEVERT (A)
WLS311 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:56 AM	2510405173	YEARLY (1Y) – PM FOR COOLING WATER TANK LEVEL LOW (A)
WLS312 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:56 AM	2510405174	YEARLY (1Y) – PM FOR BL. SPRAYER DEVERT (A)
WLS313 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:56 AM	2510405175	YEARLY (1Y) – PM FOR BL. MIXING TANK (A)
WLS314 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:56 AM	2510405176	YEARLY (1Y) – PM FOR DISSOLVING TANK DENSITY WASH (A)
WLS315 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:56 AM	2510405177	YEARLY (1Y) – PM FOR DISSOLVING TANK DENSITY GREAT (A)
WLS316 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:56 AM	2510405178	YEARLY (1Y) – PM FOR ID FAN #2 VFDED CONTROL (A)
WLS317 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:56 AM	2510405179	YEARLY (1Y) – PM FOR ID FAN #1 SPEED CONTROL (A)
WLS318 – PSD AUTO-ALL	05-Feb-25 11:56 AM	2510405180	YEARLY (1Y) – PM FOR SWITCH GEAR VALVE (A)
WLS319 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:56 AM	2510405181	YEARLY (1Y) – PM FOR ID FANS SPEED CONTROL (A)
WLS320 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:56 AM	2510405182	YEARLY (1Y) – PM FOR ID FANS SPEED CONTROL (A)
WLS321 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:56 AM	2510405183	YEARLY (1Y) – PM FOR SPEED CONTROL, FEED WATER PUMP 2 (A)
WLS322 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:57 AM	2510405184	YEARLY (1Y) – PM FOR SECONDARY AIR FLOW (A)
WLS323 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:57 AM	2510405185	YEARLY (1Y) – PM FOR PRIMARY AIR FLOW (A)
WLS324 – PSD AUTO-ALL	05-Feb-25 11:57 AM	2510405186	YEARLY (1Y) – PM FOR DESUPER PRESSURE (A)
WLS325 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:57 AM	2510405187	YEARLY (1Y) – PM FOR SECONDARY SUPER HEAT ATEMP (A)
WLS326 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:57 AM	2510405188	YEARLY (1Y) – PM FOR TERTIARY AIR FLOW (A)
WLS327 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:57 AM	2510405189	YEARLY (1Y) – PM FOR CONDENSATION BLOWDOWN (A)
WLS328 – PSD AUTO-ALL	05-Feb-25 11:57 AM	2510405190	YEARLY (1Y) – PM FOR COOLING WATER TO SPOUT (A)
WLS329 – PSD AUTO-ALL	05-Feb-25 11:57 AM	2510405191	YEARLY (1Y) – PM FOR COOLING WATER TO SPOUT (A)
WLS330 – PSD AUTO-ALL	05-Feb-25 11:57 AM	2510405192	YEARLY (1Y) – PM FOR BL. SPRAYER DEVERT (A)
WLS331 – PSD AUTO-ALL	05-Feb-25 11:57 AM	2510405193	YEARLY (1Y) – PM FOR BL. SPRAYER DEVERT (A)
WLS332 – PSD AUTO-ALL	05-Feb-25 11:57 AM	2510405194	YEARLY (1Y) – PM FOR BL. SPRAYER DEVERT (A)
WLS333 – PSD AUTO-ALL	05-Feb-25 11:57 AM	2510405195	YEARLY (1Y) – PM FOR BL. SPRAYER DEVERT (A)
WLS334 – PSD AUTO-ALL	05-Feb-25 11:57 AM	2510405196	YEARLY (1Y) – PM FOR BL. SPRAYER DEVERT (A)
WLS335 – PSD AUTO-ALL	05-Feb-25 11:57 AM	2510405197	YEARLY (1Y) – PM FOR RAISIN CONTROL VALVE W/I/P POSITIONER (A)
WLS336 – PSD AUTO-ALL	05-Feb-25 11:57 AM	2510405198	YEARLY (1Y) – PM FOR RAISIN CONTROL VALVE W/I/P POSITIONER (A)
WLS337 – PSD AUTO-ALL	05-Feb-25 11:57 AM	2510405199	YEARLY (1Y) – PM FOR FEEDWATER CONTROL VALVE W/I/P POSITIONER (A)
WLS338 – PSD AUTO-ALL	05-Feb-25 11:58 AM	2510405200	YEARLY (1Y) – PM FOR MP CONDENSATE RECEIVER (A)
WLS339 – PSD AUTO-ALL	05-Feb-25 11:58 AM	2510405201	YEARLY (1Y) – PM FOR LP CONDENSATE RECEIVER (A)
WLS340 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:58 AM	2510405202	YEARLY (1Y) – PM FOR SOOT BLOWER CONTROL VALVE (A)
WLS341 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 11:58 AM	2510405203	YEARLY (1Y) – PM FOR DEGASIFIER WATER (A)
WLS342 – PSD AUTO-ALL	05-Feb-25 11:58 AM	2510405204	YEARLY (1Y) – PM FOR SOOTBLOWER CONDENSATE DRAIN LEFT SIDE (A)
WLS343 – PSD AUTO-ALL	05-Feb-25 11:58 AM	2510405205	YEARLY (1Y) – PM FOR SOOTBLOWER CONDENSATE DRAIN RIGHT SIDE (A)
WLS344 – PSD AUTO-ALL	05-Feb-25 11:58 AM	2510405206	YEARLY (1Y) – PM FOR CONDENS. VALVE (A)
WLS345 – PSD AUTO-ALL	05-Feb-25 11:58 AM	2510405207	YEARLY (1Y) – PM FOR PRESSURE CONTROL VALVE (A)
WLS346 – PSD AUTO-ALL	05-Feb-25 11:58 AM	2510405208	YEARLY (1Y) – PM FOR TEMPERATURE CONTROL VALVE (A)
WLS347 – PSD AUTO-ALL	05-Feb-25 11:58 AM	2510405209	YEARLY (1Y) – PM FOR BL. TO SPRAY GUN (A)
WLS348 – PSD AUTO-ALL	05-Feb-25 11:58 AM	2510405210	YEARLY (1Y) – PM FOR BL. TO SPRAY GUN (A)
WLS349 – PSD AUTO-ALL	05-Feb-25 11:58 AM	2510405211	YEARLY (1Y) – PM FOR BL. TO SPRAY GUN (A)
WLS350 – PSD AUTO-ALL	05-Feb-25 11:58 AM	2510405212	YEARLY (1Y) – PM FOR BL. TO SPRAY GUN (A)
WLS351 – PSD AUTO-ALL	05-Feb-25 11:58 AM	2510405213	YEARLY (1Y) – PM FOR BL. TO SPRAY GUN (A)
WLS352 – PSD AUTO-ALL	05-Feb-25 11:59 AM	2510405214	YEARLY (1Y) – PM FOR VENT GAS TO ATM (A)
WLS353 – PSD AUTO-ALL	05-Feb-25 11:59 AM	2510405215	YEARLY (1Y) – PM FOR VENT STACK (A)
WLS354 – PSD AUTO-ALL	05-Feb-25 11:59 AM	2510405216	YEARLY (1Y) – PM FOR EMERGENCY COOLING WATER TANK (A)
WLS355 – PSD AUTO-ALL	05-Feb-25 11:59 AM	2510405217	YEARLY (1Y) – PM FOR FEED WATER TANK LEVEL LEFT (A)
WLS356 – PSD AUTO-ALL	05-Feb-25 11:59 AM	2510405218	YEARLY (1Y) – PM FOR FEED WATER TANK LEVEL RIGHT (A)
WLS357 – PSD AUTO-ALL	05-Feb-25 11:59 AM	2510405219	YEARLY (1Y) – PM FOR CONDENSATE COLLECTING TANK LEVEL (A)
WLS358 – PSD AUTO-ALL	05-Feb-25 11:59 AM	2510405220	YEARLY (1Y) – PM FOR MIXING GAS TREATMENT (A)
WLS359 – PSD AUTO-ALL	05-Feb-25 11:59 AM	2510405221	YEARLY (1Y) – PM FOR C&D SUMP PUMP (A)
WLS360 – PSD AUTO-ALL	05-Feb-25 11:59 AM	2510405222	YEARLY (1Y) – PM FOR C&D SUMP PUMP (A)
WLS361 – PSD AUTO-ALL	05-Feb-25 11:59 AM	2510405223	YEARLY (1Y) – PM FOR SCRUBBER LEVEL CONTROL (A)
WLS362 – PSD AUTO-ALL	05-Feb-25 11:59 AM	2510405224	YEARLY (1Y) – PM FOR C&D TANK LEVEL (A)
WLS363 – PSD AUTO-ALL	05-Feb-25 11:59 AM	2510405225	YEARLY (1Y) – PM FOR GAS PRESSURE SCRUBBER BUFFER SCREEN (A)
WLS364 – PSD AUTO-ALL	05-Feb-25 11:59 AM	2510405226	YEARLY (1Y) – PM FOR GAS TEMPERATURE AFTER HEATER (A)
WLS365 – PSD AUTO-ALL	05-Feb-25 11:59 AM	2510405227	YEARLY (1Y) – PM FOR SCRUBBER COOLER TEMPERATURE (A)
WLS366 – PSD AUTO-ALL	05-Feb-25 12:00 PM	2510405228	YEARLY (1Y) – PM FOR CONDENSATE FROM PAPER MACHINE (A)
WLS367 – PSD AUTO-ALL	05-Feb-25 12:00 PM	2510405229	YEARLY (1Y) – PM FOR CONDENSATE FROM PULP DRYER (A)
WLS368 – PSD AUTO-ALL	05-Feb-25 12:00 PM	2510405230	YEARLY (1Y) – PM FOR CONDENSATE FROM RIBER/LIME (A)
WLS369 – PSD AUTO-ALL	05-Feb-25 12:00 PM	2510405231	YEARLY (1Y) – PM FOR CONDENSATE FROM RIBER/LIME (A)
WLS370 – PSD AUTO-ALL	05-Feb-25 12:00 PM	2510405232	YEARLY (1Y) – PM FOR CONDENSATE FROM EVAPORATION PLANT (A)
WLS371 – PSD AUTO-ALL	05-Feb-25 12:00 PM	2510405233	YEARLY (1Y) – PM FOR CONDENSATE FROM EVAPORATION PLANT (A)
WLS372 – PSD AUTO-ALL	05-Feb-25 12:00 PM	2510405234	YEARLY (1Y) – PM FOR CONDENSATE FROM TURBINE (A)
WLS373 – PSD AUTO-ALL	05-Feb-25 12:00 PM	2510405235	YEARLY (1Y) – PM FOR CONDENSATE FROM TURBINE (A)

WS236 - PSD AUTO-ALL	05-Feb-25 12:00 PM	25309454	YEARLY (SD) - PM FOR CONDENSATE FROM PAPER MACHINE (A)	RPPSA_PPI
WS236 - PSD AUTO-ALL	05-Feb-25 12:00 PM	25309455	YEARLY (SD) - PM FOR CONDENSATE FROM PAPER MACHINE (A)	RPPSA_PPI
WS236 - PSD AUTO-ALL	05-Feb-25 12:00 PM	25309456	YEARLY (SD) - PM FOR WATER TO DEMISTER (A)	RPPSA_PPI
WS236 - PSD AUTO-ALL	05-Feb-25 12:00 PM	25309457	YEARLY (SD) - PM FOR MIXING GAS TREATMENT (A)	RPPSA_PPI
WS236 - PSD AUTO-ALL	05-Feb-25 12:00 PM	25309458	YEARLY (SD) - PM FOR MIXING GAS TREATMENT (A)	RPPSA_PPI
WS236 - PSD AUTO-ALL	05-Feb-25 12:00 PM	25309459	YEARLY (SD) - PM FOR CONDENSATE COLLECTING TANK (A)	RPPSA_PPI
WS236 - PSD AUTO-ALL	05-Feb-25 12:00 PM	25309460	YEARLY (SD) - PM FOR BOILER WASH WATER RECIRCULATION (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:00 PM	25309461	YEARLY (SD) - PM FOR BL SPRAYER DIVERT (A)	RPPSA_PPI
WS236 - PSD AUTO-ALL	05-Feb-25 12:00 PM	25309462	YEARLY (SD) - PM FOR HVLC GAS TO PREHEATER (A)	RPPSA_PPI
WS236 - PSD AUTO-ALL	05-Feb-25 12:00 PM	25309463	YEARLY (SD) - PM FOR HVLC GAS VENT ATMOSPHERE (A)	RPPSA_PPI
WS236 - PSD AUTO-ALL	05-Feb-25 12:00 PM	25309464	YEARLY (SD) - PM FOR CONTROL VALVE FOR HVLC FAN AT RECOVERY BOILER (A)	RPPSA_PPI
WS236 - PSD AUTO-ALL	05-Feb-25 12:00 PM	25309465	YEARLY (SD) - PM FOR CONDENSATE COLLECTING TANK OVERFLOW (A)	RPPSA_PPI
WS236 - PSD AUTO-ALL	05-Feb-25 12:00 PM	25309466	YEARLY (SD) - PM FOR SWITCH GL/ WEAK WASH VALVE (A)	RPPSA_PPI
WS236 - PSD AUTO-ALL	05-Feb-25 12:00 PM	25309467	YEARLY (SD) - PM FOR SWITCH GL/ WEAK WASH VALVE (A)	RPPSA_PPI
WS236 - PSD AUTO-ALL	05-Feb-25 12:00 PM	25309468	YEARLY (SD) - PM FOR MILL WATER TO SCRUBBER (A)	RPPSA_PPI
WS236 - PSD AUTO-ALL	05-Feb-25 12:00 PM	25309469	YEARLY (SD) - PM FOR WASH TO SCRUBBER (A)	RPPSA_PPI
WS236 - PSD AUTO-ALL	05-Feb-25 12:00 PM	25309470	YEARLY (SD) - PM FOR STM ON/OFF VV TO HTR (A)	RPPSA_PPI
WS236 - PSD AUTO-ALL	05-Feb-25 12:00 PM	25309471	YEARLY (SD) - PM FOR SCRUBBER DRAIN VALV (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:00 PM	25309472	YEARLY (SD) - PM FOR FEEDWTR BLOCK VALVE (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:00 PM	25309473	YEARLY (SD) - PM FOR RAPID DRAIN DESBANK (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:00 PM	25309474	YEARLY (SD) - PM FOR RAPID DRAIN DOWNCOMER (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:01 PM	25309475	YEARLY (SD) - PM FOR STARTUP BLOCK VLV (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:01 PM	25309476	YEARLY (SD) - PM FOR DRUM STEAM VALVE (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:01 PM	25309477	YEARLY (SD) - PM FOR DISC CONT BLOWDOWN (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:01 PM	25309478	YEARLY (SD) - PM FOR STEAM VLV BYPASS (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:01 PM	25309479	YEARLY (SD) - PM FOR FEEDWTR BY-PASS VLV (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:01 PM	25309480	YEARLY (SD) - PM FOR SOOTBLWR STEAM HDR (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:01 PM	25309481	YEARLY (SD) - PM FOR EXTRA STEAM VALVE (A)	RPPSA_PPI
WS236 - PSD AUTO-ALL	05-Feb-25 12:01 PM	25309482	YEARLY (SD) - PM FOR INTER CONNECTION (A)	RPPSA_PPI
MS0100 - Automation Service (Instrument)	05-Feb-25 12:01 PM	25309483	YEARLY (SD) - PM FOR MILL WIDE DCS CONTROLLER (A)	RPPSA_PPI
MS0100 - Automation Service (Instrument)	05-Feb-25 12:01 PM	25309484	YEARLY (SD) - PM FOR RECOVERY BOILER 052101 (DS0101) (A)	RPPSA_PPI
MS0100 - Automation Service (Instrument)	05-Feb-25 12:01 PM	25309485	YEARLY (SD) - PM FOR RECOVERY BOILER 052102 (DS0102) (A)	RPPSA_PPI
MS0100 - Automation Service (Instrument)	05-Feb-25 12:01 PM	25309486	YEARLY (SD) - PM FOR MILL WIDE 052103 (A)	RPPSA_PPI
MS0100 - Automation Service (Instrument)	05-Feb-25 12:01 PM	25309487	YEARLY (SD) - PM FOR MILL WIDE 052104 (A)	RPPSA_PPI
MS0100 - Automation Service (Instrument)	05-Feb-25 12:01 PM	25309488	YEARLY (SD) - PM FOR EVAPORATOR 052105 (A)	RPPSA_PPI
MS0100 - Automation Service (Instrument)	05-Feb-25 12:01 PM	25309489	YEARLY (SD) - PM FOR EVAPORATOR 052106 (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:02 PM	25309490	YEARLY (SD) - PM FOR LIQ.FC TO EFF.1D (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:02 PM	25309491	YEARLY (SD) - PM FOR LIQUOR FLOW TO EFFECT 1 D (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:02 PM	25309492	YEARLY (SD) - PM FOR LIVE STEAM TO ABC (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:02 PM	25309493	YEARLY (SD) - PM FOR FOUL COND TO TRIP (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:02 PM	25309494	YEARLY (SD) - PM FOR SEC. STEAM TO TRIP. (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:02 PM	25309495	YEARLY (SD) - PM FOR FOUL COND TO TRIP (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:02 PM	25309496	YEARLY (SD) - PM FOR LIVE STEAM TO EFF.1C (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:02 PM	25309497	YEARLY (SD) - PM FOR Na2SO4 (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:02 PM	25309498	YEARLY (SD) - PM FOR FROM MIXING TANK (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:02 PM	25309500	YEARLY (SD) - PM FOR SPILL LIQUOR FLOW (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:02 PM	25309501	YEARLY (SD) - PM FOR WL LIQ TO EFF 1A-C (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:02 PM	25309502	YEARLY (SD) - PM FOR INSTRUMENT AIR FLOW (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:02 PM	25309503	YEARLY (SD) - PM FOR INT LIQ TO EFF. 1A-C (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:02 PM	25309504	YEARLY (SD) - PM FOR LIQ.FC TO EFF.1D (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:02 PM	25309505	YEARLY (SD) - PM FOR LIVE STEAM TO EFF.1D (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:02 PM	25309506	YEARLY (SD) - PM FOR FOUL COND TO TRIP (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:02 PM	25309507	YEARLY (SD) - PM FOR SEC. STEAM TO TRIP. (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:02 PM	25309508	YEARLY (SD) - PM FOR LIVE STEAM TO ABC (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:02 PM	25309509	YEARLY (SD) - PM FOR WEAK WASH TO SCRUBBER (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:02 PM	25309510	YEARLY (SD) - PM FOR TERTIARY AIR FLOW (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:02 PM	25309511	YEARLY (SD) - PM FOR FLOOR TUBE # 1-12 CIRCULATION FLOW (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:02 PM	25309512	YEARLY (SD) - PM FOR FLOOR TUBE R1-9 CIRCULATION FLOW (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:02 PM	25309513	YEARLY (SD) - PM FOR FLOOR TUBE # 10 CIRCULATION FLOW (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:02 PM	25309514	YEARLY (SD) - PM FOR FLOOR TUBE # 19 CIRCULATION FLOW (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:02 PM	25309515	YEARLY (SD) - PM FOR BL TO SPRAY GUN #1 (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:02 PM	25309516	YEARLY (SD) - PM FOR BL TO SPRAY GUN #2 (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:02 PM	25309517	YEARLY (SD) - PM FOR BL TO SPRAY GUN #3 (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:02 PM	25309518	YEARLY (SD) - PM FOR BL TO SPRAY GUN #4 (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:02 PM	25309519	YEARLY (SD) - PM FOR SECONDARY AIR FLOW (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:02 PM	25309520	YEARLY (SD) - PM FOR PRIMARY AIR FLOW (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:02 PM	25309521	YEARLY (SD) - PM FOR SOOTBLOWER STEAM FLOW (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:02 PM	25309522	YEARLY (SD) - PM FOR STEAM TO DEAERATOR (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:02 PM	25309523	YEARLY (SD) - PM FOR MAIN STEAM HEADER (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:02 PM	25309524	YEARLY (SD) - PM FOR CONTINUOUS BLOWDOWN (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:02 PM	25309525	YEARLY (SD) - PM FOR FUEL OIL RETURN (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:02 PM	25309526	YEARLY (SD) - PM FOR OIL TO START UP BURNER (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:02 PM	25309527	YEARLY (SD) - PM FOR FEEDWATER PRESSURE TRANSMITTER (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:02 PM	25309528	YEARLY (SD) - PM FOR MILL WATER TO DEMIN PLANT DIFF PRESSURE TRANSMITT. (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:02 PM	25309529	YEARLY (SD) - PM FOR INSTRUMENT AIR DEMIN PLANT DIFF PRESSURE TRANSMIT. (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:02 PM	25309530	YEARLY (SD) - PM FOR INSTRUMENT AIR DEMIN PLANT PRESSURE TRANSMITTER (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:02 PM	25309531	YEARLY (SD) - PM FOR RETURN COOLING WTR FROM CTP/PK DIFF PRESSURE TRANS (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:02 PM	25309532	YEARLY (SD) - PM FOR MILL WATER TO EVAPORATION DIFF PRESSURE TRANSMITT. (A)	RPPSA_PPI
WS236 - PSD AUTO-ALL	05-Feb-25 12:02 PM	25309533	YEARLY (SD) - PM FOR HIGH TIT/ BRT DIFF AMPLIFIER/TRANSMITTER (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:02 PM	25309534	YEARLY (SD) - PM FOR CONDENSATE FROM TL TO RB DIFF PRESSURE TRANSMITTER (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:02 PM	25309535	YEARLY (SD) - PM FOR CONDENSATE FROM TURB TO RB DIFF PRESSURE TRANSMITT (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:02 PM	25309536	YEARLY (SD) - PM FOR CONDENSATE FROM MILL 1 DIFF PRESSURE TRANSMITTER (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:03 PM	25309537	YEARLY (SD) - PM FOR HOT WATER TO RB DIFF PRESSURE TRANSMITTER (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:03 PM	25309538	YEARLY (SD) - PM FOR MILL WATER TO RB DIFF PRESSURE TRANSMITTER (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:03 PM	25309539	YEARLY (SD) - PM FOR COOLING WATER RETURN FROM RB DIFF PRESSURE TRANS (A)	RPPSA_PPI
WS236 - PSD AUTO-ALL	05-Feb-25 12:03 PM	25309540	YEARLY (SD) - PM FOR INSTRUMENT AIR RB DIFF PRESSURE TRANSMITTER (A)	RPPSA_PPI
WS236 - PSD AUTO-ALL	05-Feb-25 12:03 PM	25309541	YEARLY (SD) - PM FOR MILL AIR RB DIFF PRESSURE TRANSMITTER (A)	RPPSA_PPI
WS236 - PSD AUTO-ALL	05-Feb-25 12:03 PM	25309542	YEARLY (SD) - PM FOR SEALING WATER FROM RB DIFF PRESSURE TRANSMITTER (A)	RPPSA_PPI
WS236 - PSD AUTO-ALL	05-Feb-25 12:03 PM	25309543	YEARLY (SD) - PM FOR INSTRUMENT AIR RB PRESSURE TRANSMITTER (A)	RPPSA_PPI
WS236 - PSD AUTO-ALL	05-Feb-25 12:03 PM	25309544	YEARLY (SD) - PM FOR SEC. COND. FROM EVAP TO CAUST TRANSMITTER (A)	RPPSA_PPI
WS236 - PSD AUTO-ALL	05-Feb-25 12:03 PM	25309546	YEARLY (SD) - PM FOR LP STEAM TO CAUST DIFF PRESSURE TRANSMITTER (A)	RPPSA_PPI
WS236 - PSD AUTO-ALL	05-Feb-25 12:03 PM	25309547	YEARLY (SD) - PM FOR LP STEAM TO CAUST DIFF PRESSURE TRANSMITTER (A)	RPPSA_PPI
WS236 - PSD AUTO-ALL	05-Feb-25 12:03 PM	25309548	YEARLY (SD) - PM FOR MILL WATER TO CAUST DIFF PRESSURE TRANSMITTER (A)	RPPSA_PPI
WS236 - PSD AUTO-ALL	05-Feb-25 12:03 PM	25309549	YEARLY (SD) - PM FOR INSTRUMENT AIR CAUST DIFF PRESSURE TRANSMITTER (A)	RPPSA_PPI
WS236 - PSD AUTO-ALL	05-Feb-25 12:03 PM	25309551	YEARLY (SD) - PM FOR MILL AIR CAUST DIFF PRESSURE TRANSMITTER (A)	RPPSA_PPI
WS236 - PSD AUTO-ALL	05-Feb-25 12:03 PM	25309552	YEARLY (SD) - PM FOR INSTRUMENT AIR CAUST PRESSURE TRANSMITTER (A)	RPPSA_PPI
WS236 - PSD AUTO-ALL	05-Feb-25 12:03 PM	25309553	YEARLY (SD) - PM FOR MILL AIR CAUST PRESSURE TRANSMITTER (A)	RPPSA_PPI
WS236 - PSD AUTO-ALL	05-Feb-25 12:03 PM	25309554	YEARLY (SD) - PM FOR MILL WATER TO FIBRE LINE DIFF PRESSURE TRANSMITTER (A)	RPPSA_PPI
WS236 - PSD AUTO-ALL	05-Feb-25 12:03 PM	25309555	YEARLY (SD) - PM FOR HOT WATER FROM FIBRE LINE DIFF PRESSURE TRANSMITT. (A)	RPPSA_PPI
WS236 - PSD AUTO-ALL	05-Feb-25 12:03 PM	25309556	YEARLY (SD) - PM FOR RETURN COOLING WATER FROM FL DIFF PRESSURE TRANS. (A)	RPPSA_PPI
WS236 - PSD AUTO-ALL	05-Feb-25 12:03 PM	25309557	YEARLY (SD) - PM FOR WHITE WATER WET LAP FL DIFF PRESSURE TRANSMITTER (A)	RPPSA_PPI
WS236 - PSD AUTO-ALL	05-Feb-25 12:03 PM	25309558	YEARLY (SD) - PM FOR CONTAMINATED COND. FROM FL DIFF PRESSURE TRANSMIT. (A)	RPPSA_PPI
WS236 - PSD AUTO-ALL	05-Feb-25 12:03 PM	25309559	YEARLY (SD) - PM FOR INSTRUMENT AIR FIBRE LINE DIFF PRESSURE TRANSMITT. (A)	RPPSA_PPI
WS236 - PSD AUTO-ALL	05-Feb-25 12:03 PM	25309560	YEARLY (SD) - PM FOR MILL AIR FIBRE LINE DIFF PRESSURE TRANSMITTER (A)	RPPSA_PPI
WS236 - PSD AUTO-ALL	05-Feb-25 12:03 PM	25309561	YEARLY (SD) - PM FOR SEC. COND. TO FL FROM EVAP DIFF PRESSURE TRANSMIT. (A)	RPPSA_PPI
WS236 - PSD AUTO-ALL	05-Feb-25 12:03 PM	25309562	YEARLY (SD) - PM FOR INSTRUMENT AIR FIBRE LINE PRESSURE TRANSMITTER (A)	RPPSA_PPI
WS236 - PSD AUTO-ALL	05-Feb-25 12:03 PM	25309563	YEARLY (SD) - PM FOR MILL AIR FIBRE LINE PRESSURE TRANSMITTER (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:03 PM	25309564	YEARLY (SD) - PM FOR STRONG LIQUOR FLOW (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:03 PM	25309565	YEARLY (SD) - PM FOR WASH LIQUOR FLOW (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:03 PM	25309566	YEARLY (SD) - PM FOR Liquor flow to stripper filter (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:03 PM	25309567	YEARLY (SD) - PM FOR CONCENTRATE LIQUOR FLOW (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:03 PM	25309568	YEARLY (SD) - PM FOR FEED LIQ. TO EFFECT 3 (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:03 PM	25309569	YEARLY (SD) - PM FOR SEC. CONDENSATE FLOW (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:03 PM	25309570	YEARLY (SD) - PM FOR WEAK LIQUOR TO TANKS (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:03 PM	25309571	YEARLY (SD) - PM FOR SEC. CONDENSATE FLOW (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:03 PM	25309572	YEARLY (SD) - PM FOR SEALING WATER FLOW (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:03 PM	25309573	YEARLY (SD) - PM FOR BL RETURN TO EVAP (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:03 PM	25309574	YEARLY (SD) - PM FOR PRESSURE TRANSMITTER (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:03 PM	25309575	YEARLY (SD) - PM FOR PRESSURE TRANSMITTER (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:03 PM	25309576	YEARLY (SD) - PM FOR LIVE STEAM PRESSURE (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:03 PM	25309577	YEARLY (SD) - PM FOR LIVE STREAM PRESSURE EFF. 1D (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:03 PM	25309578	YEARLY (SD) - PM FOR PRESSURE EFFECT 1A (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:03 PM	25309579	YEARLY (SD) - PM FOR PRESSURE EFFECT 1A (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:03 PM	25309580	YEARLY (SD) - PM FOR PRESSURE EFFECT 1C (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:03 PM	25309581	YEARLY (SD) - PM FOR GAS HT TRIM COND. (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:03 PM	25309582	YEARLY (SD) - PM FOR TANK VENTS (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:03 PM	25309583	YEARLY (SD) - PM FOR PRESSURE OF CONDENSATE TO VACUUM PUMP (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:03 PM	25309584	YEARLY (SD) - PM FOR FEEDWATER TO R/B PRESSURE TRANSMITTER (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:03 PM	25309585	YEARLY (SD) - PM FOR PRESSURE PRIMARY AIR HEATER OUTLET (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:03 PM	25309586	YEARLY (SD) - PM FOR PRESSURE SECONDARY AIR HEATER OUTLET (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:04 PM	25309587	YEARLY (SD) - PM FOR TERTIARY AIR PRESSURE (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:04 PM	25309588	YEARLY (SD) - PM FOR VENT STACK (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:04 PM	25309589	YEARLY (SD) - PM FOR INSTRUMENT AIR PRESSURE (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:04 PM	25309590	YEARLY (SD) - PM FOR MILL AIR PRESSURE (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:04 PM	25309591	YEARLY (SD) - PM FOR HVLC GAS TO S/B (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:04 PM	25309592	YEARLY (SD) - PM FOR STEAM DRUM PRESSURE (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:04 PM	25309593	YEARLY (SD) - PM FOR FLUE GAS SUPERHEATER/ GENBANK (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:04 PM	25309594	YEARLY (SD) - PM FOR FLUE GAS GENBANK / ECO #2 (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:04 PM	25309595	YEARLY (SD) - PM FOR FLUE GAS ECO #2 / ECO #1 (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:04 PM	25309596	YEARLY (SD) - PM FOR FLUE GAS AFTER ECO #1 (A)	RPPSA_PPI
WS236 - PSD AUTO-ALL	05-Feb-25 12:04 PM	25309597	YEARLY (SD) - PM FOR MAKE UP MILL WTR TO COOL TWR DIFF PRESSURE TRANS. (A)	RPPSA_PPI
WS236 - PSD AUTO-ALL	05-Feb-25 12:04 PM	25309598	YEARLY (SD) - PM FOR INSTRUMENT AIR COOL. TWR DIFF PRESSURE TRANSMITTER (A)	RPPSA_PPI
WS236 - PSD AUTO-ALL	05-Feb-25 12:04 PM	25309599	YEARLY (SD) - PM FOR MILL AIR COOL.TWR DIFF PRESSURE TRANSMITTER (A)	RPPSA_PPI
WS236 - PSD AUTO-ALL	05-Feb-25 12:04 PM	25309600	YEARLY (SD) - PM FOR MP STEAM TO FUEL OIL STATION DIFF PRESSURE TRANS. (A)	RPPSA_PPI
WS236 - PSD AUTO-ALL	05-Feb-25 12:04 PM	25309601	YEARLY (SD) - PM FOR INSTRUMENT AIR FUEL OIL STN DIFF PRESSURE TRANS. (A)	RPPSA_PPI
WS236 - PSD AUTO-ALL	05-Feb-25 12:04 PM	25309602	YEARLY (SD) - PM FOR MILL AIR FUEL OIL STATION DIFF PRESSURE TRANSMITT. (A)	RPPSA_PPI
WS236 - PSD AUTO-ALL	05-Feb-25 12:04 PM	25309603	YEARLY (SD) - PM FOR MP STEAM TO EVAPORATION DIFF PRESSURE TRANSMITTER (A)	RPPSA_PPI
WS236 - PSD AUTO-ALL	05-Feb-25 12:04 PM	25309604	YEARLY (SD) - PM FOR CONDENSATE FROM EVAP TO RB DIFF PRESSURE TRANSMITT (A)	RPPSA_PPI
WS236 - PSD AUTO-ALL	05-Feb-25 12:04 PM	25309605	YEARLY (SD) - PM FOR LP STEAM TO TURB FROM MILL 1 DIFF PRESSURE TRANS. (A)	RPPSA_PPI
WS236 - PSD AUTO-ALL	05-Feb-25 12:04 PM	25309606	YEARLY (SD) - PM FOR MP STEAM FROM TURB TO MILL 1 DIFF PRESSURE TRANS. (A)	RPPSA_PPI
WS236 - PSD AUTO-ALL	05-Feb-25 12:04 PM	25309607	YEARLY (SD) - PM FOR MP STEAM FROM TURB TO MILL 1 DIFF PRESSURE TRANS. (A)	RPPSA_PPI
WS236 - PSD AUTO-ALL	05-Feb-25 12:04 PM	25309608	YEARLY (SD) - PM FOR COOL WTR RET. TOP. TURB/RB W DIFF PRESSURE TRANS. (A)	RPPSA_PPI
WS236 - PSD AUTO-ALL	05-Feb-25 12:04 PM	25309609	YEARLY (SD) - PM FOR INSTRUMENT AIR TURBINE DIFF PRESSURE TRANSMITTER (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:04 PM	25309610	YEARLY (SD) - PM FOR EFFLUENT FROM RECOVERY BOILER (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:04 PM	25309611	YEARLY (SD) - PM FOR DISSOLVING GAS FLOW (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:04 PM	25309612	YEARLY (SD) - PM FOR HVLC GAS TO AV 6 (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:04 PM	25309613	YEARLY (SD) - PM FOR STEAM TO DEAERATOR (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:04 PM	25309614	YEARLY (SD) - PM FOR DEMIN WATER TO DEARATOR (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:04 PM	25309615	YEARLY (SD) - PM FOR MILL CONDENSATE TO DEARATOR (A)	RPPSA_PPI
WS236 - PSD AUTO-ALL	05-Feb-25 12:04 PM	25309616	YEARLY (SD) - PM FOR DRUM LEVEL TANK (A)	RPPSA_PPI
WS236 - PSD AUTO-ALL	05-Feb-25 12:04 PM	25309617	YEARLY (SD) - PM FOR HYDRAULIC OIL RETURN (A)	RPPSA_PPI
WS236 - PSD AUTO-ALL	05-Feb-25 12:04 PM	25309618	YEARLY (SD) - PM FOR MILL WATER HEADER LOW (A)	RPPSA_PPI
WS236 - PSD AUTO-ALL	05-Feb-25 12:04 PM	25309619	YEARLY (SD) - PM FOR LOW PRESSURE CAR TURBINE (A)	RPPSA_PPI
WS236 - PSD AUTO-ALL	05-Feb-25 12:04 PM	25309620	YEARLY (SD) - PM FOR SPOOL IN STEAM POSITION (A)	RPPSA_PPI
WS236 - PSD AUTO-ALL	05-Feb-25 12:04 PM	25309621	YEARLY (SD) - PM FOR LUBRICANT OIL PRESSURE > 2.3 BAR (A)	RPPSA_PPI
WS236 - PSD AUTO-ALL	05-Feb-25 12:04 PM	25309622	YEARLY (SD) - PM FOR LUBRICANT OIL PRESSURE < 1.7 BAR (A)	RPPSA_PPI
WS236 - PSD AUTO-ALL	05-Feb-25 12:04 PM	25309623	YEARLY (SD) - PM FOR LUBRICANT OIL PRESSURE <= 1.4 BAR (A)	RPPSA_PPI
WS236 - PSD AUTO-ALL	05-Feb-25 12:04 PM	25309624	YEARLY (SD) - PM FOR LUBRICANT OIL PRESSURE > 1.5 BAR (A)	RPPSA_PPI
WS236 - PSD AUTO-ALL	05-Feb-25 12:04 PM	25309625	YEARLY (SD) - PM FOR COOLING WATER TANK LEVEL LOW (A)	RPPSA_PPI
WS236 - PSD AUTO-ALL	05-Feb-25 12:04 PM	25309626	YEARLY (SD) - PM FOR SMELT BED MONITOR #1 REAR (A)	RPPSA_PPI
WS236 - PSD AUTO-ALL	05-Feb-25 12:04 PM	25309627	YEARLY (SD) - PM FOR SMELT BED MONITOR #1 FRONT (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:04 PM	25309628	YEARLY (SD) - PM FOR SOOTBLOWER RIGHT SUPERHEATER (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:04 PM	25309629	YEARLY (SD) - PM FOR SOOTBLOWER RIGHT SIDE GENBANK ECO (A)	RPPSA_PPI
WS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:04 PM	25309630	YEARLY (SD) - PM FOR SOOTBLOWER LEFT SIDE SUPPER HEATER (A)	RPPSA_PPI

WLS205 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:84 PM 25104094632	YEARLY (SD) – PM FOR SOOTBLOWER LEFT SIDE SUPERHEAT / ECO (A)	NPPSA_PP1
WLS216 – PSD AUTO-ALL	05-Feb-25 12:84 PM 25104094633	YEARLY (SD) – PM FOR BEARING OIL TEMP. # (A)	NPPSA_PP1
WLS216 – PSD AUTO-ALL	05-Feb-25 12:84 PM 25104094634	YEARLY (SD) – PM FOR BEARING OIL TEMP. ## (A)	NPPSA_PP1
WLS216 – PSD AUTO-ALL	05-Feb-25 12:84 PM 25104094635	YEARLY (SD) – PM FOR LUBRICATION OIL / EMERGENCY STOP (A)	NPPSA_PP1
WLS219 – PSD AUTO-ALL	05-Feb-25 12:84 PM 25104094636	YEARLY (SD) – PM FOR AUXILIARY OIL PUMP START (A)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:84 PM 25104094637	YEARLY (SD) – PM FOR LEVEL EFF.2 (A)	NPPSA_PP1
WLS209 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:84 PM 25104094638	YEARLY (SD) – PM FOR LEVEL EFF.1 (A)	NPPSA_PP1
WLS206 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:85 PM 25104094639	YEARLY (SD) – PM FOR LEVEL EFF.4 (A)	NPPSA_PP1
WLS202 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:85 PM 25104094640	YEARLY (SD) – PM FOR LEVEL EFF.3 (A)	NPPSA_PP1
WLS202 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:85 PM 25104094641	YEARLY (SD) – PM FOR LV PRE CONDT.FLASH TK (A)	NPPSA_PP1
WLS209 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:85 PM 25104094642	YEARLY (SD) – PM FOR LV PRE CONDT.FLASH TK (A)	NPPSA_PP1
WLS209 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:85 PM 25104094643	YEARLY (SD) – PM FOR LEVEL TXD ETP_LTD (A)	NPPSA_PP1
WLS206 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:85 PM 25104094644	YEARLY (SD) – PM FOR LV ATTEMD LIQUILTR (A)	NPPSA_PP1
WLS202 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:85 PM 25104094645	YEARLY (SD) – PM FOR LV PRE CONDT.VLTR.D (A)	NPPSA_PP1
WLS202 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:85 PM 25104094646	YEARLY (SD) – PM FOR T.CF NOS APT.STRIP (A)	NPPSA_PP1
WLS202 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:85 PM 25104094647	YEARLY (SD) – PM FOR LEVEL EFF.5 (A)	NPPSA_PP1
WLS206 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:85 PM 25104094648	YEARLY (SD) – PM FOR LEVEL EFF.6 (A)	NPPSA_PP1
WLS206 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:85 PM 25104094649	YEARLY (SD) – PM FOR LEVEL EFF.7 (A)	NPPSA_PP1
WLS202 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:85 PM 25104094650	YEARLY (SD) – PM FOR LEVEL EFF.2 (A)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:85 PM 25104094651	YEARLY (SD) – PM FOR LEVEL NOBLES TANK (A)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:85 PM 25104094652	YEARLY (SD) – PM FOR LV PRE CONDT.FLASH TK (A)	NPPSA_PP1
WLS 200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:85 PM 25104094653	YEARLY (SD) – PM FOR LV PRE CONDT.VLTR.C (A)	NPPSA_PP1
WLS206 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:85 PM 25104094654	YEARLY (SD) – PM FOR LV PRE CONDT.VLTR.B (A)	NPPSA_PP1
WLS202 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:85 PM 25104094655	YEARLY (SD) – PM FOR LV PRE CONDT.VLTR.A (A)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:85 PM 25104094656	YEARLY (SD) – PM FOR LV PRE CONDT.VLTR.D (A)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:85 PM 25104094657	YEARLY (SD) – PM FOR BL. HEADING TANK (A)	NPPSA_PP1
WLS209 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:85 PM 25104094658	YEARLY (SD) – PM FOR DESOLVING TANK LVL (A)	NPPSA_PP1
WLS206 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:85 PM 25104094659	YEARLY (SD) – PM FOR FEED WATER TANK LEVEL RIGHT (A)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:85 PM 25104094660	YEARLY (SD) – PM FOR FEED WATER TANK LEVEL LEFT (A)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:85 PM 25104094661	YEARLY (SD) – PM FOR MIXLTR(C) (A)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:85 PM 25104094662	YEARLY (SD) – PM FOR STEAM DRUM LEVEL LEFT SIDE (A)	NPPSA_PP1
WLS209 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:85 PM 25104094663	YEARLY (SD) – PM FOR STEAM DRUM LEVEL LEFT SIDE (A)	NPPSA_PP1
WLS206 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:85 PM 25104094664	YEARLY (SD) – PM FOR FUEL OIL TANK (A)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:85 PM 25104094665	YEARLY (SD) – PM FOR LEVEL STRIPPER (A)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:85 PM 25104094666	YEARLY (SD) – PM FOR LV SEC.COND.P.TK. (A)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:85 PM 25104094667	YEARLY (SD) – PM FOR LEVEL RECOVERY TANK (A)	NPPSA_PP1
WLS209 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:85 PM 25104094668	YEARLY (SD) – PM FOR LV PRI.CONDT.TK. (A)	NPPSA_PP1
WLS209 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:85 PM 25104094669	YEARLY (SD) – PM FOR LEVEL REC. CONDT.PUMP TANK (A)	NPPSA_PP1
WLS216 – PSD AUTO-ALL	05-Feb-25 12:85 PM 25104094670	YEARLY (SD) – PM FOR TOTAL BOILER LEVEL (A)	NPPSA_PP1
WLS219 – PSD AUTO-ALL	05-Feb-25 12:85 PM 25104094671	YEARLY (SD) – PM FOR CONDENSATE SUMP PUMP (A)	NPPSA_PP1
WLS216 – PSD AUTO-ALL	05-Feb-25 12:85 PM 25104094672	YEARLY (SD) – PM FOR MP CONDENSATE RECEIVER (A)	NPPSA_PP1
WLS216 – PSD AUTO-ALL	05-Feb-25 12:85 PM 25104094673	YEARLY (SD) – PM FOR LP CONDENSATE RECEIVER (A)	NPPSA_PP1
WLS216 – PSD AUTO-ALL	05-Feb-25 12:85 PM 25104094674	YEARLY (SD) – PM FOR DEO TANK LEVEL (A)	NPPSA_PP1
WLS216 – PSD AUTO-ALL	05-Feb-25 12:85 PM 25104094675	YEARLY (SD) – PM FOR CHEMI. COOLWTR TANK (A)	NPPSA_PP1
WLS216 – PSD AUTO-ALL	05-Feb-25 12:85 PM 25104094676	YEARLY (SD) – PM FOR SUMP TANK LEVEL (A)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:85 PM 25104094677	YEARLY (SD) – PM FOR SCRUBBER LEVEL CONTROL (A)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:85 PM 25104094678	YEARLY (SD) – PM FOR DESOLVING TANK DE MIST (A)	NPPSA_PP1
MBS014 – Automation Service (Control)	05-Feb-25 12:85 PM 25104094679	YEARLY (SD) – PM FOR LT TURBINE & GEN.WATER GOVERNER CONTROL (A)	NPPSA_PP1
MBS014 – Automation Service (Control)	05-Feb-25 12:85 PM 25104094680	YEARLY (SD) – PM FOR HT TURBINE & GENERATOR GOVERNER CONTROL (A)	NPPSA_PP1
MBS014 – Automation Service (Control)	05-Feb-25 12:85 PM 25104094681	YEARLY (SD) – PM FOR FEEDING MASTER (MASTER) (A)	NPPSA_PP1
MBS014 – Automation Service (Control)	05-Feb-25 12:85 PM 25104094682	YEARLY (SD) – PM FOR FEEDING MASTER (MASTER) (A)	NPPSA_PP1
MBS014 – Automation Service (Control)	05-Feb-25 12:85 PM 25104094683	YEARLY (SD) – PM FOR FEEDING (A)	NPPSA_PP1
MBS014 – Automation Service (Control)	05-Feb-25 12:85 PM 25104094684	YEARLY (SD) – PM FOR ABSORPTION CHILLER #1 (A)	NPPSA_PP1
MBS014 – Automation Service (Control)	05-Feb-25 12:85 PM 25104094685	YEARLY (SD) – PM FOR ABSORPTION CHILLER #2 (A)	NPPSA_PP1
MBS014 – Automation Service (Control)	05-Feb-25 12:85 PM 25104094686	YEARLY (SD) – PM FOR ABSORPTION CHILLER #3 (A)	NPPSA_PP1
MBS014 – Automation Service (Control)	05-Feb-25 12:85 PM 25104094687	YEARLY (SD) – PM FOR BOOSTING MASTER (MASTER) (A)	NPPSA_PP1
MBS014 – Automation Service (Control)	05-Feb-25 12:85 PM 25104094688	YEARLY (SD) – PM FOR BOOSTING MASTER (MASTER) (A)	NPPSA_PP1
MBS014 – Automation Service (Control)	05-Feb-25 12:85 PM 25104094689	YEARLY (SD) – PM FOR BOOSTING MASTER (MASTER) (A)	NPPSA_PP1
MBS014 – Automation Service (Control)	05-Feb-25 12:85 PM 25104094690	YEARLY (SD) – PM FOR PLC ABSORPTION CHILLER #1 (A)	NPPSA_PP1
MBS014 – Automation Service (Control)	05-Feb-25 12:85 PM 25104094691	YEARLY (SD) – PM FOR ABSORPTION CHILLER #2 (A)	NPPSA_PP1
MBS014 – Automation Service (Control)	05-Feb-25 12:85 PM 25104094692	YEARLY (SD) – PM FOR ABSORPTION CHILLER #3 (A)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:85 PM 25104094693	YEARLY (SD) – PM FOR MP EXT STEAM PRESSURE (A)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:85 PM 25104094694	YEARLY (SD) – PM FOR EXHAUST PRESSURE HIGH (A)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:85 PM 25104094695	YEARLY (SD) – PM FOR CONTROL OIL PRESSURE LOW (A)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:85 PM 25104094696	YEARLY (SD) – PM FOR LUBE OIL PRESSURE LOW (A)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:85 PM 25104094697	YEARLY (SD) – PM FOR MSV OIL PRESSURE LOW LOW (A)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:85 PM 25104094698	YEARLY (SD) – PM FOR LUBE OIL PRESSURE LOW LOW (A)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:85 PM 25104094699	YEARLY (SD) – PM FOR LUBE OIL PRESSURE LOW LOW LOW (A)	NPPSA_PP1
WLS219 – PSD AUTO-ALL	05-Feb-25 12:86 PM 25104094700	YEARLY (SD) – PM FOR LUBRICANT OIL HEATER WATER PUMP #1 (A)	NPPSA_PP1
WLS216 – PSD AUTO-ALL	05-Feb-25 12:86 PM 25104094701	YEARLY (SD) – PM FOR LUBRICANT OIL HEATER WATER PUMP #2 (A)	NPPSA_PP1
WLS215 – PSD AUTO-ALL	05-Feb-25 12:86 PM 25104094702	YEARLY (SD) – PM FOR DE PRESSURE – 0.5 BAR (T.FAN #1,TRIP (A)	NPPSA_PP1
WLS215 – PSD AUTO-ALL	05-Feb-25 12:86 PM 25104094703	YEARLY (SD) – PM FOR HYDRAULIC OIL PRESSURE – 1.1 BAR (T.FAN #1) (A)	NPPSA_PP1
WLS215 – PSD AUTO-ALL	05-Feb-25 12:86 PM 25104094704	YEARLY (SD) – PM FOR HYDRAULIC OIL PRESSURE – 1.1 BAR (T.FAN #2) (A)	NPPSA_PP1
WLS215 – PSD AUTO-ALL	05-Feb-25 12:86 PM 25104094705	YEARLY (SD) – PM FOR PRESSURE SWITCH CLOSE (L_PP1) (A)	NPPSA_PP1
WLS215 – PSD AUTO-ALL	05-Feb-25 12:86 PM 25104094706	YEARLY (SD) – PM FOR PRESSURE SWITCH CLOSE (L_PP1) (A)	NPPSA_PP1
WLS219 – PSD AUTO-ALL	05-Feb-25 12:86 PM 25104094707	YEARLY (SD) – PM FOR PRESSURE SWITCH CLOSE (L_PP1) (A)	NPPSA_PP1
WLS216 – PSD AUTO-ALL	05-Feb-25 12:86 PM 25104094708	YEARLY (SD) – PM FOR DE PRESSURE – 0.8 BAR (D.FAN #1 ALARM) (A)	NPPSA_PP1
WLS215 – PSD AUTO-ALL	05-Feb-25 12:86 PM 25104094709	YEARLY (SD) – PM FOR AIR WATER HEADER LOW (A)	NPPSA_PP1
WLS216 – PSD AUTO-ALL	05-Feb-25 12:86 PM 25104094710	YEARLY (SD) – PM FOR FURNANCE PRESSURE (A)	NPPSA_PP1
WLS216 – PSD AUTO-ALL	05-Feb-25 12:86 PM 25104094711	YEARLY (SD) – PM FOR FURNACE PRESSURE TRIP % / L (A)	NPPSA_PP1
WLS219 – PSD AUTO-ALL	05-Feb-25 12:86 PM 25104094712	YEARLY (SD) – PM FOR DE STRAINER DIFFY-CLE SWT (A)	NPPSA_PP1
WLS214 – PSD AUTO-ALL	05-Feb-25 12:86 PM 25104094713	YEARLY (SD) – PM FOR DOSING WATER SPELT #2 HIGH (A)	NPPSA_PP1
WLS215 – PSD AUTO-ALL	05-Feb-25 12:86 PM 25104094714	YEARLY (SD) – PM FOR COOLING WATER SPELT #2 HIGH (A)	NPPSA_PP1
WLS214 – PSD AUTO-ALL	05-Feb-25 12:86 PM 25104094715	YEARLY (SD) – PM FOR COOLING WATER SPELT #1 HIGH (A)	NPPSA_PP1
WLS214 – PSD AUTO-ALL	05-Feb-25 12:86 PM 25104094716	YEARLY (SD) – PM FOR SOOTBLOWER RIGHT SUPERHEAT (A)	NPPSA_PP1
WLS216 – PSD AUTO-ALL	05-Feb-25 12:86 PM 25104094717	YEARLY (SD) – PM FOR SOOTBLOWER RIGHT GENERATOR/ECO (A)	NPPSA_PP1
WLS216 – PSD AUTO-ALL	05-Feb-25 12:86 PM 25104094718	YEARLY (SD) – PM FOR SOOTBLOWER LEFT SUPERHEAT (A)	NPPSA_PP1
WLS216 – PSD AUTO-ALL	05-Feb-25 12:86 PM 25104094719	YEARLY (SD) – PM FOR SOOTBLOWER LEFT GENERATOR/ECO (A)	NPPSA_PP1
WLS216 – PSD AUTO-ALL	05-Feb-25 12:86 PM 25104094720	YEARLY (SD) – PM FOR START BURNER #4 AIR PRESSURE LOW (A)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:86 PM 25104094721	YEARLY (SD) – PM FOR START BURNER #4 STEAM PRESSURE LOW (A)	NPPSA_PP1
WLS215 – PSD AUTO-ALL	05-Feb-25 12:86 PM 25104094722	YEARLY (SD) – PM FOR START BURNER #3 AIR PRESSURE LOW (A)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:86 PM 25104094723	YEARLY (SD) – PM FOR START BURNER #3 STEAM PRESSURE LOW (A)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:86 PM 25104094724	YEARLY (SD) – PM FOR START BURNER #2 AIR PRESSURE LOW (A)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:86 PM 25104094725	YEARLY (SD) – PM FOR START BURNER #2 STEAM PRESSURE LOW (A)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:86 PM 25104094726	YEARLY (SD) – PM FOR START BURNER #1 AIR PRESSURE LOW (A)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:86 PM 25104094727	YEARLY (SD) – PM FOR START BURNER #1 STEAM PRESSURE LOW (A)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:86 PM 25104094728	YEARLY (SD) – PM FOR START BURNER #4 STEAM PRESSURE LOW (A)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:86 PM 25104094729	YEARLY (SD) – PM FOR START BURNER #3 AIR PRESSURE LOW (A)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:86 PM 25104094730	YEARLY (SD) – PM FOR START BURNER #2 STEAM PRESSURE LOW (A)	NPPSA_PP1
WLS216 – PSD AUTO-ALL	05-Feb-25 12:86 PM 25104094731	YEARLY (SD) – PM FOR OIL WATER COOLING TEMP. > 50 , ES FAN #3 (A)	NPPSA_PP1
WLS216 – PSD AUTO-ALL	05-Feb-25 12:86 PM 25104094732	YEARLY (SD) – PM FOR DE TEMP. > 60 °C, ID FAN #3 CLOSE/P PUMP (A)	NPPSA_PP1
WLS216 – PSD AUTO-ALL	05-Feb-25 12:86 PM 25104094733	YEARLY (SD) – PM FOR DE TEMP. > 65 °C, ID FAN #3 TRIP (A)	NPPSA_PP1
WLS216 – PSD AUTO-ALL	05-Feb-25 12:86 PM 25104094734	YEARLY (SD) – PM FOR STRAINGER FEED WATER PUMP 1 DIFFY (A)	NPPSA_PP1
WLS213 – PSD AUTO-ALL	05-Feb-25 12:86 PM 25104094735	YEARLY (SD) – PM FOR LUBRICATION OIL FILTER (A)	NPPSA_PP1
WLS216 – PSD AUTO-ALL	05-Feb-25 12:87 PM 25104094736	YEARLY (SD) – PM FOR SCAN.IGNITOR FAN LOW (A)	NPPSA_PP1
WLS219 – PSD AUTO-ALL	05-Feb-25 12:87 PM 25104094737	YEARLY (SD) – PM FOR COOLING WATER TO SPELT #1 HIGH (A)	NPPSA_PP1
WLS209 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:87 PM 25104094738	YEARLY (SD) – PM FOR COOLING WATER TO SPELT #1 LOW (A)	NPPSA_PP1
WLS219 – PSD AUTO-ALL	05-Feb-25 12:87 PM 25104094739	YEARLY (SD) – PM FOR BFP SUCTION STRAINER + GLAND LEAKOFF(A)	NPPSA_PP1
WLS205 – PSD AUTO-ALL	05-Feb-25 12:87 PM 25104094740	YEARLY (SD) – PM FOR OIL HEADER PRESSURE HI (A)	NPPSA_PP1
WLS238 – PSD AUTO-ALL	05-Feb-25 12:87 PM 25104094741	YEARLY (SD) – PM FOR IGNITER GAS PRESSURE HI (A)	NPPSA_PP1
WLS234 – PSD AUTO-ALL	05-Feb-25 12:87 PM 25104094742	YEARLY (SD) – PM FOR OIL HEADER PRESSURE LOW (A)	NPPSA_PP1
WLS239 – PSD AUTO-ALL	05-Feb-25 12:87 PM 25104094743	YEARLY (SD) – PM FOR IGNITER GAS PRESSURE LOW (A)	NPPSA_PP1
WLS209 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:87 PM 25104094744	YEARLY (SD) – PM FOR START BURNER #1 STEAM PRESSURE LOW (A)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:87 PM 25104094745	YEARLY (SD) – PM FOR START BURNER #1 AIR PRESSURE LOW (A)	NPPSA_PP1
WLS238 – PSD AUTO-ALL	05-Feb-25 12:87 PM 25104094746	YEARLY (SD) – PM FOR COOLING WATER FROM CONDENSER PRESSURE TRANSMITTER (A)	NPPSA_PP1
WLS234 – PSD AUTO-ALL	05-Feb-25 12:87 PM 25104094747	YEARLY (SD) – PM FOR COOLING WATER TO CONDENSER PRESSURE TRANSMITTER (A)	NPPSA_PP1
WLS234 – PSD AUTO-ALL	05-Feb-25 12:87 PM 25104094748	YEARLY (SD) – PM FOR FLOW ACID DELUTION TRANSMITTER (A)	NPPSA_PP1
WLS238 – PSD AUTO-ALL	05-Feb-25 12:87 PM 25104094749	YEARLY (SD) – PM FOR MOISTURE METER OF DR.CONPYRIGHT PULP MILL 3 (A)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:87 PM 25104094750	YEARLY (SD) – PM FOR TURBINE INLET STEAM FLOW (A)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:87 PM 25104094751	YEARLY (SD) – PM FOR MP STEAM BY-PASS FLOW (A)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:87 PM 25104094752	YEARLY (SD) – PM FOR LP STEAM BY-PASS FLOW (A)	NPPSA_PP1
WLS239 – PSD AUTO-ALL	05-Feb-25 12:87 PM 25104094753	YEARLY (SD) – PM FOR LP TO SUC (A)	NPPSA_PP1
WLS238 – PSD AUTO-ALL	05-Feb-25 12:87 PM 25104094754	YEARLY (SD) – PM FOR MP EXT. STEAM FLOW (A)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:87 PM 25104094755	YEARLY (SD) – PM FOR MP STEAM TO RB PRESSURE TRANSMITTER (A)	NPPSA_PP1
WLS238 – PSD AUTO-ALL	05-Feb-25 12:87 PM 25104094756	YEARLY (SD) – PM FOR MP STEAM TO PURE URE PRESSURE TRANSMITTER (A)	NPPSA_PP1
WLS234 – PSD AUTO-ALL	05-Feb-25 12:87 PM 25104094757	YEARLY (SD) – PM FOR EXHAUST STEAM FLOW (A)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:87 PM 25104094758	YEARLY (SD) – PM FOR LP STEAM TO RB PRESSURE TRANSMITTER (A)	NPPSA_PP1
WLS234 – PSD AUTO-ALL	05-Feb-25 12:87 PM 25104094759	YEARLY (SD) – PM FOR LP STEAM TO HYDRA FURNACE TO MILL 3 (A)	NPPSA_PP1
WLS216 – PSD AUTO-ALL	05-Feb-25 12:87 PM 25104094760	YEARLY (SD) – PM FOR LP STEAM FROM TURB TO MILL 3 PRESSURE TRANSMITTER (A)	NPPSA_PP1
WLS240 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:87 PM 25104094761	YEARLY (SD) – PM FOR MP STEAM HDR LP STEAM (A)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:87 PM 25104094762	YEARLY (SD) – PM FOR LP STEAM TO FURE URE PRESSURE TRANSMITTER (A)	NPPSA_PP1
WLS216 – PSD AUTO-ALL	05-Feb-25 12:87 PM 25104094763	YEARLY (SD) – PM FOR DISCHARGE SPRAY WATER FLOW (A)	NPPSA_PP1
WLS216 – PSD AUTO-ALL	05-Feb-25 12:87 PM 25104094764	YEARLY (SD) – PM FOR OIL RESERVOIR LEVEL (C)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:87 PM 25104094765	YEARLY (SD) – PM FOR CONTROL OIL FILTER DP (A)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:87 PM 25104094766	YEARLY (SD) – PM FOR LUBE OIL FILTER DP (A)	NPPSA_PP1
WLS153 – PSD AUTO-ALL	05-Feb-25 12:87 PM 25104094767	YEARLY (SD) – PM FOR MP HEADER INLET PRESSURE (A)	NPPSA_PP1
WLS216 – PSD AUTO-ALL	05-Feb-25 12:87 PM 25104094768	YEARLY (SD) – PM FOR GEN INLET PRESSURE (A)	NPPSA_PP1
WLS216 – PSD AUTO-ALL	05-Feb-25 12:87 PM 25104094769	YEARLY (SD) – PM FOR TURBINE 1st STAGE PRESSURE (A)	NPPSA_PP1
WLS239 – PSD AUTO-ALL	05-Feb-25 12:87 PM 25104094770	YEARLY (SD) – PM FOR MP #1 EXT STEAM PRESSURE (A)	NPPSA_PP1
WLS216 – PSD AUTO-ALL	05-Feb-25 12:87 PM 25104094771	YEARLY (SD) – PM FOR MP #2 EXT STEAM PRESSURE (A)	NPPSA_PP1
WLS215 – PSD AUTO-ALL	05-Feb-25 12:87 PM 25104094772	YEARLY (SD) – PM FOR MP EXT STEAM PRESSURE (A)	NPPSA_PP1
WLS239 – PSD AUTO-ALL	05-Feb-25 12:87 PM 25104094773	YEARLY (SD) – PM FOR MP STEAM HEADER PRESSURE (A)	NPPSA_PP1
WLS216 – PSD AUTO-ALL	05-Feb-25 12:87 PM 25104094774	YEARLY (SD) – PM FOR GEN SEAL PRESSURE (A)	NPPSA_PP1
WLS235 – PSD AUTO-ALL	05-Feb-25 12:87 PM 25104094775	YEARLY (SD) – PM FOR LP STEAM HEADER PRESSURE (A)	NPPSA_PP1
WLS239 – PSD AUTO-ALL	05-Feb-25 12:87 PM 25104094776	YEARLY (SD) – PM FOR COOL WATER DISCHARGE (A)	NPPSA_PP1
WLS235 – PSD AUTO-ALL	05-Feb-25 12:87 PM 25104094777	YEARLY (SD) – PM FOR COOL WATER RECI.LINE (A)	NPPSA_PP1
WLS239 – PSD AUTO-ALL	05-Feb-25 12:87 PM 25104094778	YEARLY (SD) – PM FOR CONTROL OIL FILTER DP (A)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:87 PM 25104094779	YEARLY (SD) – PM FOR CONTROL OIL (A)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:87 PM 25104094780	YEARLY (SD) – PM FOR LUBE OIL PRESSURE (A)	NPPSA_PP1
WLS239 – PSD AUTO-ALL	05-Feb-25 12:87 PM 25104094781	YEARLY (SD) – PM FOR SPEAKOIL PRESSURE (A)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:87 PM 25104094782	YEARLY (SD) – PM FOR STRONG LIQUOR (A)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:87 PM 25104094783	YEARLY (SD) – PM FOR STRONG LIQUOR FLOW (A)	NPPSA_PP1
WLS216 – PSD AUTO-ALL	05-Feb-25 12:87 PM 25104094784	YEARLY (SD) – PM FOR SALTCAKE SLU. LVL (A)	NPPSA_PP1
WLS239 – PSD AUTO-ALL	05-Feb-25 12:87 PM 25104094785	YEARLY (SD) – PM FOR CIRCULATION PUMP DISCHARGE (A)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:88 PM 25104094806	YEARLY (SD) – PM FOR PRESSURE LEL KEROSIN (A)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:88 PM 25104094807	YEARLY (SD) – PM FOR LIVE STEAM TO CEOT (A)	NPPSA_PP1
WLS214 – PSD AUTO-ALL	05-Feb-25 12:88 PM 25104094808	YEARLY (SD) – PM FOR MIXING LEL PRES. (A)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:88 PM 25104094809	YEARLY (SD) – PM FOR FIRING LEL PRES.(A)	NPPSA_PP1
WLS209 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:88 PM 25104094810	YEARLY (SD) – PM FOR PRIM. CONDT.ML (A)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:88 PM 25104094811	YEARLY (SD) – PM FOR PRIM. CONDT.ML (A)	NPPSA_PP1
WLS215 – PSD AUTO-ALL	05-Feb-25 12:89 PM 25104094812	YEARLY (SD) – PM FOR P.CR GASES ASP.SURF.(A)	NPPSA_PP1
WLS219 – PSD AUTO-ALL	05-Feb-25 12:89 PM 25104094813	YEARLY (SD) – PM FOR P.CR GAS ST.TO PR. (A)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:89 PM 25104094814	YEARLY (SD) – PM FOR BL. TO SPRAY GUN #3 (A)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:89 PM 25104094815	YEARLY (SD) – PM FOR BL. TO SPRAY GUN #2 (A)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:89 PM 25104094816	YEARLY (SD) – PM FOR BL. TO SPRAY GUN #1 (A)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:89 PM 25104094817	YEARLY (SD) – PM FOR BL. TO SPRAY GUN (A)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:89 PM 25104094818	YEARLY (SD) – PM FOR BL. TO SPRAY GUN (A)	NPPSA_PP1
WLS234 – PSD AUTO-ALL	05-Feb-25 12:89 PM 25104094819	YEARLY (SD) – PM FOR DOWNCOMER CIRCULATION FLOW (A)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:89 PM 25104094820	YEARLY (SD) – PM FOR STRAINER FEED WATER PUMP 2 DIFFY (A)	NPPSA_PP1
WLS234 – PSD AUTO-ALL	05-Feb-25 12:89 PM 25104094821	YEARLY (SD) – PM FOR STRAINER FEED WATER PUMP 1 DIFFY (A)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:89 PM 25104094822	YEARLY (SD) – PM FOR BFP1 SUC STRAINER (A)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:89 PM 25104094823	YEARLY (SD) – P

WLS216 - PSD AUTO-ALL	26-Feb-25 12:09 PM	25100458838	YEARLY (SD) - PM FOR DEAERATOR PRESSURE (A)	WPPSA_PP1	
WLS216 - PSD AUTO-ALL	05-Feb-25 12:09 PM	25100458839	YEARLY (SD) - PM FOR SOOTBLOWER STEAM INLET PRESSURE (A)	WPPSA_PP1	
WLS216 - PSD AUTO-ALL	05-Feb-25 12:09 PM	25100458840	YEARLY (SD) - PM FOR MAIN STEAM HEADER (A)	WPPSA_PP1	
WLS216 - PSD AUTO-ALL	05-Feb-25 12:09 PM	25100458842	YEARLY (SD) - PM FOR COOLING WATER TO SPOUT (A)	WPPSA_PP1	
WLS216 - PSD AUTO-ALL	05-Feb-25 12:09 PM	25100458843	YEARLY (SD) - PM FOR MILL AIR PRESSURE TRANSMITTER (A)	WPPSA_PP1	
WLS216 - PSD AUTO-ALL	26-Feb-25 12:09 PM	25100458844	YEARLY (SD) - PM FOR LP STEAM TO TURB FROM MILL 3 PRESSURE TRANSMITTER (A)	WPPSA_PP1	
WLS216 - PSD AUTO-ALL	05-Feb-25 12:09 PM	25100458845	YEARLY (SD) - PM FOR IMP STEAM FROM TURB TO MILL 1 PRESSURE TRANSMITTER (A)	WPPSA_PP1	
WLS216 - PSD AUTO-ALL	05-Feb-25 12:09 PM	25100458846	YEARLY (SD) - PM FOR INSTRUMENT AIR TURBINE PRESSURE TRANSMITTER (A)	WPPSA_PP1	
WLS216 - PSD AUTO-ALL	05-Feb-25 12:09 PM	25100458847	YEARLY (SD) - PM FOR INSTRUMENT AIR COOL TWR PRESSURE TRANSMITTER (A)	WPPSA_PP1	
WLS216 - PSD AUTO-ALL	05-Feb-25 12:09 PM	25100458848	YEARLY (SD) - PM FOR MILL AIR COOL TWR PRESSURE TRANSMITTER (A)	WPPSA_PP1	
WLS216 - PSD AUTO-ALL	26-Feb-25 12:09 PM	25100458849	YEARLY (SD) - PM FOR INSTRUMENT AIR FUEL OIL STATION PRESSURE TRANSMITTER (A)	WPPSA_PP1	
WLS216 - PSD AUTO-ALL	05-Feb-25 12:09 PM	25100458850	YEARLY (SD) - PM FOR MILL AIR FUEL OIL STATION PRESSURE TRANSMITTER (A)	WPPSA_PP1	
WLS216 - PSD AUTO-ALL	05-Feb-25 12:09 PM	25100458851	YEARLY (SD) - PM FOR DRM - PRESSURE OF STEAM/PE (A)	WPPSA_PP1	
WLS216 - PSD AUTO-ALL	05-Feb-25 12:09 PM	25100458852	YEARLY (SD) - PM FOR EXIT PRESSURE ACROSS HEATER (A)	WPPSA_PP1	
WLS216 - PSD AUTO-ALL	05-Feb-25 12:09 PM	25100458853	YEARLY (SD) - PM FOR GAS PRESSURE SCRUBBER ROTORY SCRUB (A)	WPPSA_PP1	
WLS216 - PSD AUTO-ALL	26-Feb-25 12:09 PM	25100458854	YEARLY (SD) - PM FOR GAS PRESSURE AFTER SCRUBBER (A)	WPPSA_PP1	
WLS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:09 PM	25100458855	YEARLY (SD) - PM FOR ID FANS SPEED (A)	WPPSA_PP1	
WLS200 - PLAN SHUTDOWN MAINTENANC	26-Feb-25 12:09 PM	25100458856	YEARLY (SD) - PM FOR ID FANS 1 SPEED (A)	WPPSA_PP1	
WLS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:09 PM	25100458857	YEARLY (SD) - PM FOR SPEED CONTROL FEED WATER PUMP 2 (A)	WPPSA_PP1	
WLS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:09 PM	25100458858	YEARLY (SD) - PM FOR ID FAN #2 SPEED CONTROL (A)	WPPSA_PP1	
WLS200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:09 PM	25100458859	YEARLY (SD) - PM FOR ID FAN #1 SPEED CONTROL (A)	WPPSA_PP1	
WLS 270 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:09 PM	25100458860	YEARLY (SD) - PM FOR LAT. STEAM TO DIT. (A)	WPPSA_PP1	
WLS 270 - PLAN SHUTDOWN MAINTENANC	26-Feb-25 12:09 PM	25100458861	YEARLY (SD) - PM FOR LIVE STEAM TEMP. (A)	WPPSA_PP1	
WLS 270 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:09 PM	25100458862	YEARLY (SD) - PM FOR LIVE STEAM TEMP. (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:09 PM	25100458863	YEARLY (SD) - PM FOR STRONG LIQUR TEMP (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:09 PM	25100458864	YEARLY (SD) - PM FOR COOLING WATER TO CONDENSERS TEMP. TRANSMITTER (A)	WPPSA_PP1	
WLS 270 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:09 PM	25100458865	YEARLY (SD) - PM FOR COOLING WATER FROM COND/HEX VESS. TEMP. TRANSMITTER (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	26-Feb-25 12:09 PM	25100458866	YEARLY (SD) - PM FOR HP HEADER INLET TEMP (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:09 PM	25100458867	YEARLY (SD) - PM FOR TURBINE INLET STEAM TEMP (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:09 PM	25100458868	YEARLY (SD) - PM FOR MP #1 EXT STEAM TEMP (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:09 PM	25100458869	YEARLY (SD) - PM FOR MP #2 EXT STEAM TEMP (A)	WPPSA_PP1	
WLS 270 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:09 PM	25100458870	YEARLY (SD) - PM FOR MP EXT STEAM TEMP (A)	WPPSA_PP1	
WLS 270 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:09 PM	25100458871	YEARLY (SD) - PM FOR MP BYPASS STEAM TEMP (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:09 PM	25100458872	YEARLY (SD) - PM FOR MP STEAM HEADER TEMP (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:09 PM	25100458873	YEARLY (SD) - PM FOR EXHAUST STEAM TEMP (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:09 PM	25100458874	YEARLY (SD) - PM FOR EXHAUST STEAM TEMP (A)	WPPSA_PP1	
WLS 270 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:09 PM	25100458875	YEARLY (SD) - PM FOR LP STEAM HEADER TEMP (A)	WPPSA_PP1	
WLS 270 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:09 PM	25100458876	YEARLY (SD) - PM FOR LP STEAM HEADER TEMP (A)	WPPSA_PP1	
WLS 270 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:09 PM	25100458877	YEARLY (SD) - PM FOR LP STEAM TO PRD (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	26-Feb-25 12:09 PM	25100458878	YEARLY (SD) - PM FOR CONDENSER WATER RETURN PUMP (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:09 PM	25100458879	YEARLY (SD) - PM FOR DB. COOLER OUTLET TEMP. (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:09 PM	25100458880	YEARLY (SD) - PM FOR DB. COOLER OUTLET TEMP. (A)	WPPSA_PP1	
WLS 270 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:09 PM	25100458881	YEARLY (SD) - PM FOR LP STEAM TO TURBINE (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:09 PM	25100458882	YEARLY (SD) - PM FOR SWINGING SHAFT FEEDWATER PUMP MOTOR (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	26-Feb-25 12:09 PM	25100458883	YEARLY (SD) - PM FOR DB. TEMP BEARING HYDRAULIC COUPLING (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:09 PM	25100458884	YEARLY (SD) - PM FOR DB. TEMP BEARING HYDRAULIC COUPLING (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:09 PM	25100458885	YEARLY (SD) - PM FOR DB. TEMP BEARING HYDRAULIC COUPLING (A)	WPPSA_PP1	
WLS 270 - PLAN SHUTDOWN MAINTENANC	26-Feb-25 12:09 PM	25100458886	YEARLY (SD) - PM FOR DB. TEMP HEATERS - COOLER (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:09 PM	25100458887	YEARLY (SD) - PM FOR BEARING PUMP TEMP INSIDE WHS (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:09 PM	25100458888	YEARLY (SD) - PM FOR BEARING PUMP TEMP OUTSIDE WHS (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:09 PM	25100458889	YEARLY (SD) - PM FOR BEARING MOTOR TEMP INSIDE WHS (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:09 PM	25100458890	YEARLY (SD) - PM FOR BEARING MOTOR TEMP OUTSIDE WHS (A)	WPPSA_PP1	
WLS 270 - PLAN SHUTDOWN MAINTENANC	26-Feb-25 12:09 PM	25100458891	YEARLY (SD) - PM FOR MIND 3 TEMP / WHS (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:09 PM	25100458892	YEARLY (SD) - PM FOR MIND 5 TEMP / WHS (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	26-Feb-25 12:09 PM	25100458893	YEARLY (SD) - PM FOR MIND 6 TEMP / WHS (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:09 PM	25100458894	YEARLY (SD) - PM FOR BEARING TEMP FEED WATER PUMP (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:09 PM	25100458895	YEARLY (SD) - PM FOR BEARING TEMP FEED WATER PUMP (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	26-Feb-25 12:09 PM	25100458896	YEARLY (SD) - PM FOR WINDING TEMP MILL WATER PUMP MOTOR (A)	WPPSA_PP1	
WLS 270 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:09 PM	25100458897	YEARLY (SD) - PM FOR SWINGING TEMP FEED WATER PUMP MOTOR (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	26-Feb-25 12:09 PM	25100458898	YEARLY (SD) - PM FOR SWINGING TEMP FEED WATER PUMP MOTOR (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:11 PM	25100458899	YEARLY (SD) - PM FOR PHM 2 STRIPTH STOMT (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:11 PM	25100458900	YEARLY (SD) - PM FOR PHM 2 INLET SUPERHEATER (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:11 PM	25100458901	YEARLY (SD) - PM FOR BL. EXPECT. HEATER (A)	WPPSA_PP1	
WLS 270 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:11 PM	25100458902	YEARLY (SD) - PM FOR SECONDARY SUPERHEATER (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:11 PM	25100458903	YEARLY (SD) - PM FOR COOLWTR TO SPOUTS (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:11 PM	25100458904	YEARLY (SD) - PM FOR INSTRUMENT AIR DRYER PLANT TEMP TRANSMITTER (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:11 PM	25100458905	YEARLY (SD) - PM FOR INSTRUMENT AIR IBD TEMP. TRANSMITTER (A)	WPPSA_PP1	
WLS 260 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:11 PM	25100458906	YEARLY (SD) - PM FOR MILL AIR IBD TEMP. TRANSMITTER (A)	WPPSA_PP1	
WLS 270 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:11 PM	25100458907	YEARLY (SD) - PM FOR MISTRUMPAIR AIR CAUST TEMP. TRANSMITTER (A)	WPPSA_PP1	
WLS 270 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:11 PM	25100458908	YEARLY (SD) - PM FOR MILL AIR CAUST TEMP. TRANSMITTER (A)	WPPSA_PP1	
WLS 270 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:11 PM	25100458909	YEARLY (SD) - PM FOR INSTRUMENT AIR LINE TEMP. TRANSMITTER (A)	WPPSA_PP1	
WLS 270 - PSD AUTO-ALL	05-Feb-25 12:11 PM	25100458910	YEARLY (SD) - PM FOR MILL AIR FIRE LINE TEMP. TRANSMITTER (A)	WPPSA_PP1	
WLS 216 - PSD AUTO-ALL	05-Feb-25 12:11 PM	25100458911	YEARLY (SD) - PM FOR BASIN OIL PRESSURE TRANSMITTER (A)	WPPSA_PP1	
WLS 270 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:11 PM	25100458912	YEARLY (SD) - PM FOR HYDRAULIC OIL AFTER COOLER (A)	WPPSA_PP1	
WLS 270 - PLAN SHUTDOWN MAINTENANC	26-Feb-25 12:11 PM	25100458913	YEARLY (SD) - PM FOR HYDRAULIC OIL RETURN TEMP. TWR (A)	WPPSA_PP1	
WLS 270 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:11 PM	25100458914	YEARLY (SD) - PM FOR LP STEAM TO PURI FROM MILL 3 TEMP. TRANSMITTER (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:11 PM	25100458915	YEARLY (SD) - PM FOR IMP STEAM FROM TURB TO MILL 1 TEMP. TRANSMITTER (A)	WPPSA_PP1	
WLS 260 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:11 PM	25100458916	YEARLY (SD) - PM FOR INSTRUMENT AIR COOL TWR TEMP. TRANSMITTER (A)	WPPSA_PP1	
WLS 270 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:11 PM	25100458917	YEARLY (SD) - PM FOR MILL AIR COOL TWR TEMP. TRANSMITTER (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	26-Feb-25 12:11 PM	25100458918	YEARLY (SD) - PM FOR INSTRUMENT AIR FUEL OIL STN TEMP. TRANSMITTER (A)	WPPSA_PP1	
WLS 216 - PSD AUTO-ALL	05-Feb-25 12:11 PM	25100458919	YEARLY (SD) - PM FOR MILL AIR FUEL OIL STATION TEMP. TRANSMITTER (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:11 PM	25100458920	YEARLY (SD) - PM FOR TEMPERATURE TRANSMITTER (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:11 PM	25100458921	YEARLY (SD) - PM FOR TEMPERATURE TRANSMITTER (A)	WPPSA_PP1	
WLS 216 - PSD AUTO-ALL	05-Feb-25 12:11 PM	25100458922	YEARLY (SD) - PM FOR TEMPERATURE TRANSMITTER (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	26-Feb-25 12:11 PM	25100458923	YEARLY (SD) - PM FOR LIVE STEAM TEMP. (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:11 PM	25100458924	YEARLY (SD) - PM FOR STRONG LIQUID TEMPERATURE (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	26-Feb-25 12:11 PM	25100458925	YEARLY (SD) - PM FOR TEMP. OF PRIM. CONDENSATE BEFOR PH (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	26-Feb-25 12:11 PM	25100458926	YEARLY (SD) - PM FOR TEMP. OF FULL CONDENSATE BEFORE STRIPPING (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:11 PM	25100458927	YEARLY (SD) - PM FOR TEMP. OF STRONG LIQUOR TANK (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	26-Feb-25 12:11 PM	25100458928	YEARLY (SD) - PM FOR TEMP. OF STRONG LIQUOR TANK (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:11 PM	25100458929	YEARLY (SD) - PM FOR TEMP. OF STRONG LIQUOR TANK (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:11 PM	25100458930	YEARLY (SD) - PM FOR TEMP. OF STRONG LIQ TK. (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:11 PM	25100458931	YEARLY (SD) - PM FOR TEMP. AT RAW WATER (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:11 PM	25100458932	YEARLY (SD) - PM FOR TEMP. OF WATER (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:11 PM	25100458933	YEARLY (SD) - PM FOR METAL FERNANCE FLOOR TUBE (A)	WPPSA_PP1	
WLS 270 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:11 PM	25100458934	YEARLY (SD) - PM FOR METAL FERNANCE FLOOR TUBE (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:11 PM	25100458935	YEARLY (SD) - PM FOR METAL FERNANCE FLOOR TUBE (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:11 PM	25100458936	YEARLY (SD) - PM FOR METAL FERNANCE FLOOR TUBE (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:11 PM	25100458937	YEARLY (SD) - PM FOR METAL FERNANCE FLOOR TUBE (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:11 PM	25100458938	YEARLY (SD) - PM FOR METAL FERNANCE FLOOR TUBE (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:11 PM	25100458939	YEARLY (SD) - PM FOR METAL FERNANCE FLOOR TUBE (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:11 PM	25100458940	YEARLY (SD) - PM FOR MTL FENCE FLOOR TUBE (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:11 PM	25100458941	YEARLY (SD) - PM FOR MTL FENCE FLOOR TUBE (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	26-Feb-25 12:11 PM	25100458942	YEARLY (SD) - PM FOR MTL FENCE FLOOR TUBE (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:11 PM	25100458943	YEARLY (SD) - PM FOR MTL FENCE FLOOR TUBE (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:11 PM	25100458944	YEARLY (SD) - PM FOR MTL FENCE FLOOR TUBE (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:11 PM	25100458945	YEARLY (SD) - PM FOR MTL FENCE FLOOR TUBE (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:11 PM	25100458946	YEARLY (SD) - PM FOR MTL FENCE FLOOR TUBE (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:11 PM	25100458947	YEARLY (SD) - PM FOR MTL FLOOR TUBE AT SPOUT #1 (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:11 PM	25100458948	YEARLY (SD) - PM FOR MTL FLOOR TUBE AT SPOUT #2 (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:11 PM	25100458949	YEARLY (SD) - PM FOR MTL FLOOR TUBE AT SPOUT #3 (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:11 PM	25100458950	YEARLY (SD) - PM FOR MTL FLR TUBE AT CORNER LEFT (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:11 PM	25100458951	YEARLY (SD) - PM FOR MTL FLR TUBE AT CORNER RIGHT (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:11 PM	25100458952	YEARLY (SD) - PM FOR VENT STACK TEMP. (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:11 PM	25100458953	YEARLY (SD) - PM FOR STEAM LIQUOR TO WASH SPRAY LINE (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:11 PM	25100458954	YEARLY (SD) - PM FOR GL/ STEAM WASH LINE SAT	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:11 PM	25100458955	YEARLY (SD) - PM FOR BL. MIXING TANK LEVEL (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:11 PM	25100458956	YEARLY (SD) - PM FOR COOLING WATER SPOUT #1 OUTLET (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:11 PM	25100458957	YEARLY (SD) - PM FOR COOLING WATER SPOUT #2 OUTLET (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	26-Feb-25 12:11 PM	25100458958	YEARLY (SD) - PM FOR COOLING WATER SPOUTS OUTLET (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:11 PM	25100458959	YEARLY (SD) - PM FOR GAS TEMPERATURE AFTER HEATER (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:11 PM	25100458960	YEARLY (SD) - PM FOR SCRUBBER COOLER TEMPERATURE (A)	WPPSA_PP1	
WLS 270 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:11 PM	25100458961	YEARLY (SD) - PM FOR MIXING GAS TREATMENT LW	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:11 PM	25100458962	YEARLY (SD) - PM FOR HEAT GAS TO FUEL (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:11 PM	25100458963	YEARLY (SD) - PM FOR WATER TO DEAERATOR (A)	WPPSA_PP1	
WLS 270 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:11 PM	25100458964	YEARLY (SD) - PM FOR FEEDWATER TO B/B HEAD MOUNTED TEMP TRANSMITTER (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	26-Feb-25 12:11 PM	25100458965	YEARLY (SD) - PM FOR FEEDWTR INLET CONDENSER HEAD MOUNT TEMP TRANSMITTER (A)	WPPSA_PP1	
WLS 270 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:11 PM	25100458966	YEARLY (SD) - PM FOR FEEDWTR OUTLET CONDENSER HEAD MOUNT TEMP TRANSMITTER (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:11 PM	25100458967	YEARLY (SD) - PM FOR FEEDWTR BOW.BOT 1 AND 2 HEAD MOUNT TEMP.TRANSMITTER (A)	WPPSA_PP1	
WLS 260 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:11 PM	25100458968	YEARLY (SD) - PM FOR TEMP. BLOWDOWN TANK (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:11 PM	25100458969	YEARLY (SD) - PM FOR TERTIARY SUPPER HEATER RIGHT SIDE OUTLET (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	26-Feb-25 12:11 PM	25100458970	YEARLY (SD) - PM FOR SOOTBLOWER CONDENSATE DRAIN LEFT SIDE (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:11 PM	25100458971	YEARLY (SD) - PM FOR SOOTBLOWER CONDENSATE DRAIN RIGHT SIDE (A)	WPPSA_PP1	
WLS 216 - PSD AUTO-ALL	05-Feb-25 12:11 PM	25100458972	YEARLY (SD) - PM FOR PRIMARY AIR HEATER OUTLET (A)	WPPSA_PP1	
WLS 216 - PSD AUTO-ALL	05-Feb-25 12:11 PM	25100458973	YEARLY (SD) - PM FOR SECONDARY AIR HEATER OUTLET (A)	WPPSA_PP1	
WLS 216 - PSD AUTO-ALL	05-Feb-25 12:11 PM	25100458974	YEARLY (SD) - PM FOR FLUE GAS SUPERHEATER / ECONOMIZER LEFT SIDE (A)	WPPSA_PP1	
WLS 216 - PSD AUTO-ALL	05-Feb-25 12:11 PM	25100458975	YEARLY (SD) - PM FOR FLUE GAS SUPERHEATER / ECONOMIZER RIGHT SIDE (A)	WPPSA_PP1	
WLS 216 - PSD AUTO-ALL	05-Feb-25 12:11 PM	25100458976	YEARLY (SD) - PM FOR FLUE GAS ECONOMIZER / ECO #2 LEFT SIDE (A)	WPPSA_PP1	
WLS 216 - PSD AUTO-ALL	05-Feb-25 12:11 PM	25100458977	YEARLY (SD) - PM FOR FLUE GAS ECONOMIZER / ECO #2 RIGHT SIDE (A)	WPPSA_PP1	
WLS 216 - PSD AUTO-ALL	05-Feb-25 12:11 PM	25100458978	YEARLY (SD) - PM FOR FLUE GAS OUTLET ECO #1 LEFT SIDE (A)	WPPSA_PP1	
WLS 216 - PSD AUTO-ALL	05-Feb-25 12:11 PM	25100458979	YEARLY (SD) - PM FOR FLUE GAS OUTLET ECO #1 RIGHT SIDE (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	26-Feb-25 12:11 PM	25100458980	YEARLY (SD) - PM FOR PRIMARY AIR INLET (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:11 PM	25100458981	YEARLY (SD) - PM FOR METAL PRIMARY 1 SUPERHEAT TUBE (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:11 PM	25100458982	YEARLY (SD) - PM FOR METAL PRIMARY 1 SUPERHEAT TUBE (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:11 PM	25100458983	YEARLY (SD) - PM FOR METAL PRIMARY 1 SUPERHEAT TUBE (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:11 PM	25100458984	YEARLY (SD) - PM FOR MTL SECONDARY SUPERHEATER TUBE (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	26-Feb-25 12:11 PM	25100458985	YEARLY (SD) - PM FOR MTL SECONDARY SUPERHEATER TUBE (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:11 PM	25100458986	YEARLY (SD) - PM FOR MTL SECONDARY SUPERHEATER TUBE (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:11 PM	25100458987	YEARLY (SD) - PM FOR MTL SECONDARY SUPERHEATER TUBE (A)	WPPSA_PP1	
WLS 200 - PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:11 PM	25100458988	YEARLY (SD) - PM FOR MTL SECONDARY SUPERHEATER TUBE (A)	WPPSA_PP1	

WS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:35 PM	25050013	YEARLY [SD] – PM FOR MTL SECONDARY SUPERHEATER TUBE (A)	NPPSA_PP1
WS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:35 PM	25050014	YEARLY [SD] – PM FOR MTL SECONDARY SUPERHEATER TUBE (A)	NPPSA_PP1
WS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:35 PM	25050015	YEARLY [SD] – PM FOR MTL SECONDARY SUPERHEATER TUBE (A)	NPPSA_PP1
WS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:35 PM	25050016	YEARLY [SD] – PM FOR MTL SECONDARY SUPERHEATER TUBE (A)	NPPSA_PP1
WS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:35 PM	25050017	YEARLY [SD] – PM FOR MTL SECONDARY SUPERHEATER TUBE (A)	NPPSA_PP1
WS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:35 PM	25050018	YEARLY [SD] – PM FOR MTL SEC SPRHTR TUBE (A)	NPPSA_PP1
WS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:35 PM	25050019	YEARLY [SD] – PM FOR MTL TERTIARY SUPPERHEATER TUBE (A)	NPPSA_PP1
WS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:35 PM	25050020	YEARLY [SD] – PM FOR MTL TERTIARY SUPPERHEATER TUBE (A)	NPPSA_PP1
WS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:35 PM	25050021	YEARLY [SD] – PM FOR MTL TERTIARY SUPPERHEATER TUBE (A)	NPPSA_PP1
WS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:35 PM	25050022	YEARLY [SD] – PM FOR MTL TERTIARY SUPPERHEATER TUBE (A)	NPPSA_PP1
WS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:35 PM	25050023	YEARLY [SD] – PM FOR MTL TERTIARY SUPPERHEATER TUBE (A)	NPPSA_PP1
WS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:35 PM	25050024	YEARLY [SD] – PM FOR MTL TERTIARY SUPPERHEATER TUBE (A)	NPPSA_PP1
WS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:35 PM	25050025	YEARLY [SD] – PM FOR MTL TERTIARY SUPPERHEATER TUBE (A)	NPPSA_PP1
WS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:35 PM	25050026	YEARLY [SD] – PM FOR MTL TERTIARY SUPPERHEATER TUBE (A)	NPPSA_PP1
WS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:36 PM	25050028	YEARLY [SD] – PM FOR MTL TERTIARY SUPPERHEATER TUBE (A)	NPPSA_PP1
WS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:36 PM	25050029	YEARLY [SD] – PM FOR MTL TERTIARY SUPPERHEATER TUBE (A)	NPPSA_PP1
WS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:36 PM	25050030	YEARLY [SD] – PM FOR MTL TERTIARY SUPPERHEATER TUBE (A)	NPPSA_PP1
WS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:36 PM	25050031	YEARLY [SD] – PM FOR STEAM PRIMARY SUPER HEAT 1 OUTLET (A)	NPPSA_PP1
WS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:36 PM	25050032	YEARLY [SD] – PM FOR STEAM PRIMARY SUPER HEATER 2 OUTLET (A)	NPPSA_PP1
WS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:36 PM	25050033	YEARLY [SD] – PM FOR SECONDARY SUPPER HEATER RIGHT SIDE OUTLET (A)	NPPSA_PP1
WS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:36 PM	25050034	YEARLY [SD] – PM FOR MAIN STEAM HEADER (A)	NPPSA_PP1
WS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:36 PM	25050035	YEARLY [SD] – PM FOR MTL PRIMARY 2 SUPPER HEATER TUBE (A)	NPPSA_PP1
WS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:36 PM	25050036	YEARLY [SD] – PM FOR MTL PRIMARY 2 SUPPER HEATER TUBE (A)	NPPSA_PP1
WS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:36 PM	25050037	YEARLY [SD] – PM FOR MTL PRIMARY 2 SUPPER HEATER TUBE (A)	NPPSA_PP1
WS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 12:36 PM	25050038	YEARLY [SD] – PM FOR MTL PRIMARY 2 SUPPER HEATER TUBE (A)	NPPSA_PP1
WS236 – PSD AUTO-ALL	05-Feb-25 12:36 PM	25050039	YEARLY [SD] – PM FOR MTL PRIMARY 2 SUPPER HEATER TUBE (A)	NPPSA_PP1
WS236 – PSD AUTO-ALL	05-Feb-25 12:36 PM	25050040	YEARLY [SD] – PM FOR MTL PRIMARY 2 SUPPER HEATER TUBE (A)	NPPSA_PP1
WS236 – PSD AUTO-ALL	05-Feb-25 12:36 PM	25050041	YEARLY [SD] – PM FOR MTL PRIMARY 2 SUPPER HEATER TUBE (A)	NPPSA_PP1
WS236 – PSD AUTO-ALL	05-Feb-25 12:36 PM	25050042	YEARLY [SD] – PM FOR MTL PRIMARY 2 SUPPER HEATER TUBE (A)	NPPSA_PP1
WS236 – PSD AUTO-ALL	05-Feb-25 12:36 PM	25050043	YEARLY [SD] – PM FOR MTL PRIM 2 SPRHTR TUBE (A)	NPPSA_PP1
WS236 – PSD AUTO-ALL	05-Feb-25 12:36 PM	25050044	YEARLY [SD] – PM FOR MTL PRIM 2 SPRHTR TUBE (A)	NPPSA_PP1
MS0103 – Automation Service (Instrument)	05-Feb-25 12:36 PM	25050045	YEARLY [SD] – PM FOR UPS A FOR DCS BOILER PP11 (A)	NPPSA_PP1
MS0103 – Automation Service (Instrument)	05-Feb-25 12:36 PM	25050046	YEARLY [SD] – PM FOR UPS B FOR DCS BOILER PP11 (A)	NPPSA_PP1
MS0103 – Automation Service (Instrument)	05-Feb-25 12:36 PM	25050047	YEARLY [SD] – PM FOR UPS FOR INSTRUMENT RECOVERY BOILER (A)	NPPSA_PP1
MS0103 – Automation Service (Instrument)	05-Feb-25 12:36 PM	25050048	YEARLY [SD] – PM FOR UPS A FOR DCS TURBINE PP11 (A)	NPPSA_PP1
MS0103 – Automation Service (Instrument)	05-Feb-25 12:37 PM	25050049	YEARLY [SD] – PM FOR UPS B FOR DCS TURBINE PP11 (A)	NPPSA_PP1
MS0103 – Automation Service (Instrument)	05-Feb-25 12:37 PM	25050050	YEARLY [SD] – PM FOR UPS A FOR DCS EVAP PP11 (A)	NPPSA_PP1
MS0103 – Automation Service (Instrument)	05-Feb-25 12:37 PM	25050051	YEARLY [SD] – PM FOR UPS B FOR DCS EVAP PP11 (A)	NPPSA_PP1
MS0103 – Automation Service (Instrument)	05-Feb-25 12:37 PM	25050052	YEARLY [SD] – PM FOR UPS 61 FOR DCS CONTROL ROOM PP11 (A)	NPPSA_PP1
MS0103 – Automation Service (Instrument)	05-Feb-25 12:37 PM	25050053	YEARLY [SD] – PM FOR BATTERY FOR 80UPS-A DCS BOILER PP11 (A)	NPPSA_PP1
MS0103 – Automation Service (Instrument)	05-Feb-25 12:37 PM	25050054	YEARLY [SD] – PM FOR BATTERY FOR 40UPS-B DCS BOILER PP11 (A)	NPPSA_PP1
MS0103 – Automation Service (Instrument)	05-Feb-25 12:37 PM	25050055	YEARLY [SD] – PM FOR BATTERY FOR 40UPS-C INSTRUMENT PP11 (A)	NPPSA_PP1
MS0103 – Automation Service (Instrument)	05-Feb-25 12:37 PM	25050056	YEARLY [SD] – PM FOR BATTERY FOR 20UPS-A DCS TURBINE PP11 (A)	NPPSA_PP1
MS0103 – Automation Service (Instrument)	05-Feb-25 12:37 PM	25050057	YEARLY [SD] – PM FOR BATTERY FOR 20UPS-B DCS TURBINE PP11 (A)	NPPSA_PP1
MS0103 – Automation Service (Instrument)	05-Feb-25 12:38 PM	25050058	YEARLY [SD] – PM FOR BATTERY FOR 40UPS-A DCS EVAP PP11 (A)	NPPSA_PP1
MS0103 – Automation Service (Instrument)	05-Feb-25 12:38 PM	25050059	YEARLY [SD] – PM FOR BATTERY FOR 40UPS-B DCS EVAP PP11 (A)	NPPSA_PP1
MS0103 – Automation Service (Instrument)	05-Feb-25 12:38 PM	25050060	YEARLY [SD] – PM FOR BATTERY FOR 80UPS-DDCS CONTROL ROOM PP11 (A)	NPPSA_PP1
WS236 – PSD AUTO-ALL	05-Feb-25 12:38 PM	25050062	YEARLY [SD] – PM FOR VIBRATION SWITCH ID FAN # 1 (A)	NPPSA_PP1
WS236 – PSD AUTO-ALL	05-Feb-25 12:39 PM	25050063	YEARLY [SD] – PM FOR VIBRATION SWITCH ID FAN # 2 (A)	NPPSA_PP1
MS0094 – Electrical Service (Power) (P)	05-Feb-25 01:53 PM	25050061	YEARLY [SD] – PM FOR AHU FOR ESP ROOM EVAPORATION (E)	NPPSA_PP1
MS0094 – Electrical Service (Power) (P)	05-Feb-25 01:54 PM	25050062	YEARLY [SD] – PM FOR AHU RECOVERY BOILER EE ROOM (E)	NPPSA_PP1
MS0094 – Electrical Service (Power) (P)	05-Feb-25 01:54 PM	25050063	YEARLY [SD] – PM FOR AHU EE ROOM MILL WIDE (E)	NPPSA_PP1
WS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 01:54 PM	25050064	YEARLY [SD] – PM FOR SUBSTATION (E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 01:54 PM	25050065	YEARLY [SD] – PM FOR MCC MILL WIDE, UPS (E)	NPPSA_PP1
WS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 01:54 PM	25050066	YEARLY [SD] – PM FOR BATTERY CHARGER 110 VDC MILL WIDE (E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 01:54 PM	25050068	YEARLY [SD] – PM FOR MCC MILL WIDE, UPS (E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 01:54 PM	25050069	YEARLY [SD] – PM FOR FFF PUMP #1(E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 01:54 PM	25050070	YEARLY [SD] – PM FOR FFF PUMP #2(E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 01:54 PM	25050071	YEARLY [SD] – PM FOR PRIMARY FD FAN(E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 01:54 PM	25050072	YEARLY [SD] – PM FOR SECONDARY FD FAN(E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 01:54 PM	25050073	YEARLY [SD] – PM FOR TERTIARY FD FAN(E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 01:55 PM	25050074	YEARLY [SD] – PM FOR MOTOR ID FAN # 1(E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 01:55 PM	25050075	YEARLY [SD] – PM FOR MOTOR ID FAN # 2(E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 01:55 PM	25050076	YEARLY [SD] – PM FOR ID FAN #3(E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 01:55 PM	25050077	YEARLY [SD] – PM FOR ASH COLLECTING CONVEYOR(E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 01:55 PM	25050078	YEARLY [SD] – PM FOR MOTOR DRAG SCRAPER, ESP # 1 SEE LONG DESCRIPTION (E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 01:55 PM	25050079	YEARLY [SD] – PM FOR MOTOR DRAG SCRAPER, ESP # 2 SEE LONG DESCRIPTION (E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 01:55 PM	25050080	YEARLY [SD] – PM FOR COLLECTING CONVEYOR, ESP # 1(E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 01:55 PM	25050081	YEARLY [SD] – PM FOR MOTOR COLLECTING CONVEYOR, ESP # 2 (E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 01:55 PM	25050083	YEARLY [SD] – PM FOR MOTOR ROTARY FEEDER, ESP # 1 (E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 01:56 PM	25050084	YEARLY [SD] – PM FOR MOTOR ROTARY FEEDER, ESP # 2 (E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 01:56 PM	25050085	YEARLY [SD] – PM FOR MOTOR COLLECTING CONVEYOR ESP-3 (E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 01:56 PM	25050086	YEARLY [SD] – PM FOR MOTOR ROTARY FEED ESP#3 (E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 01:56 PM	25050088	YEARLY [SD] – PM FOR MOTOR SCREW CONVEYOR ESP-3 (E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 01:56 PM	25050089	YEARLY [SD] – PM FOR ESP TRANSFER CONVEYOR # 1 (E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 01:56 PM	25050090	YEARLY [SD] – PM FOR ESP TRANSFER CONVEYOR #2(E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 01:56 PM	25050091	YEARLY [SD] – PM FOR MOTOR SCRAPER CONVEYOR ESP-3 (E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 01:57 PM	25050092	YEARLY [SD] – PM FOR MOTOR FIRING LIQUOR PUMP #1(E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 01:57 PM	25050093	YEARLY [SD] – PM FOR MOTOR FIRING LIQUOR PUMP #2(E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 01:57 PM	25050095	YEARLY [SD] – PM FOR SPOUT COOLING WATER PUMP #1(E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 01:57 PM	25050096	YEARLY [SD] – PM FOR SPOUT COOLING WATER PUMP #2(E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 01:57 PM	25050098	YEARLY [SD] – PM FOR VSD OF FIRING LIQUOR PUMP #1 (E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 01:57 PM	25050099	YEARLY [SD] – PM FOR VSD OF FIRING LIQUOR PUMP #2 (E)	NPPSA_PP1
WS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 01:57 PM	25050200	YEARLY [SD] – PM FOR AUX BUS 6.6KV FEED WATER PUMP P0615 (E)	NPPSA_PP1
WS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 01:58 PM	25050201	YEARLY [SD] – PM FOR AUX BUS 6.6KV FEED WATER PUMP P0616 (E)	NPPSA_PP1
WS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 01:58 PM	25050202	YEARLY [SD] – PM FOR RECOVERY TRANSFORMER TH411 (E)	NPPSA_PP1
WS215 – Electrical PSD (SWG/Substation)*	05-Feb-25 01:58 PM	25050206	YEARLY [SD] – PM FOR EVAPORATION TRANSFORMER TH410 (E)	NPPSA_PP1
WS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 01:59 PM	25050207	YEARLY [SD] – PM FOR TURBO GEN. TRANSFORMER TG11 (E)	NPPSA_PP1
WS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 01:59 PM	25050209	YEARLY [SD] – PM FOR EGAT OUT GOING TRANSFORMER TC1 (E)	NPPSA_PP1
MS0094 – Electrical Service (Power) (P)	05-Feb-25 01:59 PM	25050211	YEARLY [SD] – PM FOR AHU SWITCHGEAR ROOM (E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 01:59 PM	25050212	YEARLY [SD] – PM FOR POWER CABLE FOR SPARE FEEDER (E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 01:59 PM	25050214	YEARLY [SD] – PM FOR POWER CABLE FOR SPARE FEEDER (E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 01:59 PM	25050215	YEARLY [SD] – PM FOR POWER CABLE FOR TH410/TH414 Feeder (E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 01:59 PM	25050216	YEARLY [SD] – PM FOR POWER CABLE FOR TH404/TH415 Feeder (E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 01:59 PM	25050217	YEARLY [SD] – PM FOR POWER CABLE FOR TH402 Feeder (E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 01:59 PM	25050218	YEARLY [SD] – PM FOR POWER CABLE FOR TL401 Feeder (E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 01:59 PM	25050219	YEARLY [SD] – PM FOR POWER CABLE FOR TC21/TH411 Feeder (E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 01:59 PM	25050220	YEARLY [SD] – PM FOR POWER CABLE FOR TH401 Feeder (E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 01:59 PM	25050221	YEARLY [SD] – PM FOR POWER CABLE FOR TH401 Feeder (E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 01:59 PM	25050222	YEARLY [SD] – PM FOR POWER CABLE FOR TH211 Feeder (E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 01:59 PM	25050223	YEARLY [SD] – PM FOR POWER CABLE FOR TL203 Feeder (E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 01:59 PM	25050224	YEARLY [SD] – PM FOR POWER CABLE FOR Emergency Feeder (E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 02:00 PM	25050225	YEARLY [SD] – PM FOR POWER CABLE FOR To NAC1.03 Bus (Spare) (E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 02:00 PM	25050226	YEARLY [SD] – PM FOR POWER CABLE FOR TH212/TL212 Feeder (E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 02:00 PM	25050227	YEARLY [SD] – PM FOR POWER CABLE FOR TH212 Feeder (E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 02:00 PM	25050228	YEARLY [SD] – PM FOR POWER CABLE FOR SPARE FEEDER (E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 02:00 PM	25050230	YEARLY [SD] – PM FOR POWER CABLE FOR Pulp Drying Feeder (E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 02:00 PM	25050231	YEARLY [SD] – PM FOR POWER CABLE FOR Spare Feeder(Now use for TE15,TH411) (E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 02:00 PM	25050232	YEARLY [SD] – PM FOR POWER CABLE FOR NPS Feeder (E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 02:00 PM	25050233	YEARLY [SD] – PM FOR POWER CABLE FOR OUT GOING TO EGAT FEEDER (E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 02:00 PM	25050234	YEARLY [SD] – PM FOR POWER CABLE FOR GROUNDING TRANSFORMER FEEDER (E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 02:00 PM	25050237	YEARLY [SD] – PM FOR POWER CABLE FOR TO 294AC1.2 FEEDER TIE BUS TRANSFER (E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 02:00 PM	25050238	YEARLY [SD] – PM FOR POWER CABLE FOR DOUBLE CB 294AC1.10 FEEDER (E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 02:00 PM	25050239	YEARLY [SD] – PM FOR POWER CABLE FOR INCOMING FROM Gen PP811 (E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 02:00 PM	25050240	YEARLY [SD] – PM FOR POWER CABLE FOR OUT GOING POWER BACK UP AAP3 (E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 02:00 PM	25050241	YEARLY [SD] – PM FOR POWER CABLE FOR TO 294AC2.2 FEEDER TIE BUS TRANSFER (E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 02:00 PM	25050242	YEARLY [SD] – PM FOR POWER CABLE FOR TE21/TH411 FEEDER (E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 02:00 PM	25050243	YEARLY [SD] – PM FOR POWER CABLE FOR SPARE FEEDER (Now use for TH211) (E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 02:00 PM	25050244	YEARLY [SD] – PM FOR POWER CABLE FOR TO 294AC1.14 FEEDER (E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 02:00 PM	25050245	YEARLY [SD] – PM FOR POWER CABLE XLPE LINE SWS_(AFTER)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 02:00 PM	25050246	YEARLY [SD] – PM FOR POWER CABLE XLPE LINE SOX MAIN SUPPLY BURNER_(AFTER)(E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 02:00 PM	25050247	YEARLY [SD] – PM FOR POWER CABLE XLPE LINE SOOTBLOWER 1. LEFT_(AFTER)(E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 02:00 PM	25050248	YEARLY [SD] – PM FOR POWER CABLE XLPE LINE SOOTBLOWER 2. LEFT(AFTER)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 02:00 PM	25050249	YEARLY [SD] – PM FOR POWER CABLE XLPE LINE AH411 MCC 690V RECOVERY BOILER #2_(AFTER)(E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 02:00 PM	25050250	YEARLY [SD] – PM FOR POWER CABLE XLPE LINE AH412 MCC 690V RECOVERY BOILER #2_(AFTER)(E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 02:00 PM	25050251	YEARLY [SD] – PM FOR POWER CABLE XLPE LINE AL417 MCC 400V ESP#3_(AFTER)(E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 02:01 PM	25050253	YEARLY [SD] – PM FOR POWER CABLE XLPE LINE AH301 MCC 690V EVAPORATOR PULP 3_(AFTER)(E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 02:01 PM	25050254	YEARLY [SD] – PM FOR POWER CABLE XLPE LINE AH211 MCC 690V MILL WIDE #1_(AFTER)(E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 02:01 PM	25050255	YEARLY [SD] – PM FOR POWER CABLE XLPE LINE AH212 MCC 690V MILL WIDE #2_(AFTER)(E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 02:01 PM	25050256	YEARLY [SD] – PM FOR POWER CABLE XLPE LINE AL201 EMERGENCY POWER SUPPLY 400 VAC_(AFTER)(E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 02:01 PM	25050257	YEARLY [SD] – PM FOR POWER CABLE XLPE LINE AL202 NORMAL POWER SUPPLY 400 VAC_(AFTER)(E)	NPPSA_PP1
WS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 02:01 PM	25050258	YEARLY [SD] – PM FOR POWER CABLE AFTER SHUTDOWN FOR SPARE FEEDER (E)	NPPSA_PP1
WS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 02:01 PM	25050259	YEARLY [SD] – PM FOR POWER CABLE AFTER SHUTDOWN FOR SPARE FEEDER (E)	NPPSA_PP1
WS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 02:01 PM	25050260	YEARLY [SD] – PM FOR POWER CABLE AFTER SHUTDOWN FOR TH412/TH451 Feeder (E)	NPPSA_PP1
WS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 02:01 PM	25050262	YEARLY [SD] – PM FOR POWER CABLE AFTER SHUTDOWN FOR TH404/TH415 Feeder (E)	NPPSA_PP1
WS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 02:01 PM	25050263	YEARLY [SD] – PM FOR POWER CABLE AFTER SHUTDOWN FOR TH402 Feeder (E)	NPPSA_PP1
WS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 02:01 PM	25050264	YEARLY [SD] – PM FOR POWER CABLE AFTER SHUTDOWN FOR TL401 Feeder (E)	NPPSA_PP1
WS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 02:01 PM	25050265	YEARLY [SD] – PM FOR POWER CABLE AFTER SHUTDOWN FOR TC21/TH411 Feeder (E)	NPPSA_PP1
WS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 02:01 PM	25050266	YEARLY [SD] – PM FOR POWER CABLE AFTER SHUTDOWN FOR TH401 Feeder (E)	NPPSA_PP1
WS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 02:01 PM	25050267	YEARLY [SD] – PM FOR POWER CABLE AFTER SHUTDOWN FOR TH402 Feeder (E)	NPPSA_PP1
WS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 02:01 PM	25050268	YEARLY [SD] – PM FOR POWER CABLE AFTER SHUTDOWN FOR TH211 Feeder (E)	NPPSA_PP1
WS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 02:01 PM	25050269	YEARLY [SD] – PM FOR POWER CABLE AFTER SHUTDOWN FOR TL203 Feeder (E)	NPPSA_PP1
WS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 02:01 PM	25050271	YEARLY [SD] – PM FOR POWER CABLE AFTER SHUTDOWN FOR Emergency Feeder (E)	NPPSA_PP1
WS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 02:01 PM	25050272	YEARLY [SD] – PM FOR POWER CABLE AFTER SHUTDOWN FOR To NAC1.03 Bus (Spare) (E)	NPPSA_PP1
WS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 02:01 PM	25050273	YEARLY [SD] – PM FOR POWER CABLE AFTER SHUTDOWN FOR TH212/TL212 Feeder (E)	NPPSA_PP1
WS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 02:01 PM	25050274	YEARLY [SD] – PM FOR POWER CABLE AFTER SHUTDOWN FOR TH212 Feeder (E)	NPPSA_PP1
WS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 02:01 PM	25050275	YEARLY [SD] – PM FOR POWER CABLE AFTER SHUTDOWN FOR SPARE FEEDER (E)	NPPSA_PP1
WS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 02:02 PM	25050276	YEARLY [SD] – PM FOR POWER CABLE AFTER SHUTDOWN FOR Pulp drying Feeder (E)	NPPSA_PP1
WS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 02:02 PM	25050277	YEARLY [SD] – PM FOR POWER CABLE AFTER SHUTDOWN FOR Spare Feeder(Now use for TE11,TH411) (E)	NPPSA_PP1
WS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 02:02 PM	25050278	YEARLY [SD] – PM FOR POWER CABLE AFTER SHUTDOWN FOR NPS Feeder (E)	NPPSA_PP1
WS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 02:02 PM	25050279	YEARLY [SD] – PM FOR POWER CABLE AFTER SHUTDOWN FOR OUT GOING TO EGAT FEEDER (E	NPPSA_PP1
WS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 02:02 PM	25050280	YEARLY [SD] – PM FOR POWER CABLE AFTER SHUTDOWN FOR GROUNDING TRANSFORMER FEEDER (E)	NPPSA_PP1
WS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 02:02 PM	25050281	YEARLY [SD] – PM FOR POWER CABLE AFTER SHUTDOWN FOR TO 294AC1.2 FEEDER TIE BUS TRANSFER (E	NPPSA_PP1
WS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 02:02 PM	25050282	YEARLY [SD] – PM FOR POWER CABLE AFTER SHUTDOWN FOR DOUBLE CB 294AC1.10 FEEDER (E)	NPPSA_PP1
WS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 02:02 PM	25050283	YEARLY [SD] – PM FOR POWER CABLE AFTER SHUTDOWN FOR INCOMING FROM Gen PP811 (E)	NPPSA_PP1
WS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 02:02 PM	25050284	YEARLY [SD] – PM FOR POWER CABLE AFTER SHUTDOWN FOR OUT GOING POWER BACK UP AAP3 (E)	NPPSA_PP1
WS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 02:02 PM	25050285	YEARLY [SD] – PM FOR POWER CABLE AFTER SHUTDOWN FOR TO 294AC2.2 FEEDER TIE BUS TRANSFER (E	NPPSA_PP1
WS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 02:02 PM	25050286	YEARLY [SD] – PM FOR POWER CABLE AFTER SHUTDOWN FOR TE21/TH411 FEEDER (E)	NPPSA_PP1
WS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 02:02 PM	25050287	YEARLY [SD] – PM FOR POWER CABLE AFTER SHUTDOWN FOR SPARE FEEDER (Now use for TH211) (E)	NPPSA_PP1
WS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 02:02 PM	25050288	YEARLY [SD] – PM FOR POWER CABLE AFTER SHUTDOWN FOR TO 294AC1.14 FEEDER (E)	NPPSA_PP1
WS215 – Electrical PSD (SWG/Substation)*	05-Feb-25 02:03 PM	25050289	YEARLY [SD] – PM FOR ELECTROSTATIC PRECIPITATOR # 1 (E)	NPPSA_PP1
WS215 – Electrical PSD (SWG/Substation)*	05-Feb-25 02:03 PM	25050290	YEARLY [SD] – PM FOR ELECTROSTATIC PRECIPITATOR # 2 (E)	NPPSA_PP1
WS215 – Electrical PSD (SWG/Substation)*	05-Feb-25 02:05 PM	25050298	YEARLY [SD] – PM FOR ESP #3(E)	NPPSA_PP1
WS215 – Electrical PSD (SWG/Substation)*	05-Feb-25 02:06 PM	25050299	YEARLY [SD] – PM FOR GENERATOR (E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 02:06 PM	25050301	YEARLY [SD] – PM FOR MOTOR FOR LUP OIL PUMP FEED WATER PUMP # (E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 02:06 PM	25050304	YEARLY [SD] – PM FOR AGITATOR OF MIX TANK SEE LONG DESCRIPTION (E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 02:06 PM	25050305	YEARLY [SD] – PM FOR AGITATOR DISSOLVING TANK SEE LONG DESCRIPTION (E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 02:06 PM	25050306	YEARLY [SD] – PM FOR AGITATOR DISSOLVING TANK SEE LONG DESCRIPTION (E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 02:07 PM	25050308	YEARLY [SD] – PM FOR ASH CRUSHER, NEW RANGE(E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 02:07 PM	25050309	YEARLY [SD] – PM FOR SEALING AIR FAN # 1 (E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 02:07 PM	25050310	YEARLY [SD] – PM FOR SEALING AIR FAN # 2 (E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 02:07 PM	25050311	YEARLY [SD] – PM FOR SCANNER/IGNITOR AIR FAN # 1 (E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 02:07 PM	25050314	YEARLY [SD] – PM FOR SCANNER/IGNITOR AIR FAN # 2 (E)	NPPSA_PP1
WS234 – Electrical PSD (Motor/MCC/Drive	05-Feb-25 02:07 PM	25050315	YEARLY [SD] – PM FOR SCRUBBER FAN (E)	NPPSA_PP1

WLS214 – Electrical PSD [Master/NACC/Drive 29-Feb-24 02:37 PM 25:1606017 YEARLY [1E] – PM FOR GREEN LB1 TRANSFER PUMP #1(E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:39 PM 25:1606018 YEARLY [1E] – PM FOR GREEN LB1 TRANSFER PUMP #2(E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:39 PM 25:1606025 YEARLY [1E] – PM FOR HALE GAS FAN (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:39 PM 25:1606026 YEARLY [1E] – PM FOR SCRUBBER FAN (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:39 PM 25:1606027 YEARLY [1E] – PM FOR COLLECTING RAPPER # A, PRECIPITATOR # 1 (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 28-Feb-24 02:39 PM 25:1606028 YEARLY [1E] – PM FOR EMITTING RAPPER # A, PRECIPITATOR # 1 (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:39 PM 25:1606029 YEARLY [1E] – PM FOR COLLECTING RAPPER # B, PRECIPITATOR # 1 (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:39 PM 25:1606030 YEARLY [1E] – PM FOR EMITTING RAPPER # B, PRECIPITATOR # 1 (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:39 PM 25:1606031 YEARLY [1E] – PM FOR COLLECTING RAPPER # C, PRECIPITATOR # 1 (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:40 PM 25:1606032 YEARLY [1E] – PM FOR EMITTING RAPPER # C, PRECIPITATOR # 1 (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 28-Feb-24 02:40 PM 25:1606033 YEARLY [1E] – PM FOR GAS SCREEN RAPPER, PRECIPITATOR # 1 (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:33 PM 25:1606035 YEARLY [1E] – PM FOR COLLECTING RAPPER # A, PRECIPITATOR # 2 (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:39 PM 25:1606036 YEARLY [1E] – PM FOR EMITTING RAPPER # A, PRECIPITATOR # 2 (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:39 PM 25:1606037 YEARLY [1E] – PM FOR COLLECTING RAPPER # B, PRECIPITATOR # 2 (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:39 PM 25:1606038 YEARLY [1E] – PM FOR EMITTING RAPPER # B, PRECIPITATOR # 2 (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 28-Feb-24 02:39 PM 25:1606039 YEARLY [1E] – PM FOR COLLECTING RAPPER # C, PRECIPITATOR # 2 (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:39 PM 25:1606040 YEARLY [1E] – PM FOR EMITTING RAPPER # C, PRECIPITATOR # 2 (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 28-Feb-24 02:39 PM 25:1606041 YEARLY [1E] – PM FOR GAS SCREEN RAPPER, PRECIPITATOR # 2 (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:39 PM 25:1606045 YEARLY [1E] – PM FOR COLLECTING RAPPER CSP # 3 (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:39 PM 25:1606046 YEARLY [1E] – PM FOR EMITTING RAPPER ESP#3 (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:39 PM 25:1606047 YEARLY [1E] – PM FOR COLLECTING RAPPER ESP# 3 (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:31 PM 25:1606048 YEARLY [1E] – PM FOR EMITTING RAPPER ESP# 3 (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 28-Feb-24 02:31 PM 25:1606049 YEARLY [1E] – PM FOR COLLECTING RAPPER ESP# 3 (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:31 PM 25:1606050 YEARLY [1E] – PM FOR EMITTING RAPPER ESP# 3 (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:31 PM 25:1606051 YEARLY [1E] – PM FOR GAS DISTRIBUTION RAPPER ESP# 3 (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 28-Feb-24 02:31 PM 25:1606052 YEARLY [1E] – PM FOR SURGE TANK PUMP (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:31 PM 25:1606053 YEARLY [1E] – PM FOR SPILL COLLECTION PUMP (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 28-Feb-24 02:31 PM 25:1606055 YEARLY [1E] – PM FOR SCRUBBER RECIRCULATION PUMP (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:31 PM 25:1606056 YEARLY [1E] – PM FOR D CIRCULATION PUMP (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:39 PM 25:1606057 YEARLY [1E] – PM FOR D CIRCULATION 1 A PUMP(E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:39 PM 25:1606058 YEARLY [1E] – PM FOR D CIRCULATION 1 B PUMP(E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:39 PM 25:1606059 YEARLY [1E] – PM FOR D CIRCULATION 1 C PUMP(E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 28-Feb-24 02:39 PM 25:1606060 YEARLY [1E] – PM FOR D CIRCULATION 1 D PUMP(E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:31 PM 25:1606061 YEARLY [1E] – PM FOR D CIRCULATION 2 A PUMP(E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:31 PM 25:1606062 YEARLY [1E] – PM FOR D CIRCULATION 2 B PUMP(E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:31 PM 25:1606063 YEARLY [1E] – PM FOR D CIRCULATION 2 C PUMP(E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:31 PM 25:1606064 YEARLY [1E] – PM FOR D CIRCULATION 2 D PUMP(E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 28-Feb-24 02:31 PM 25:1606065 YEARLY [1E] – PM FOR D CIRCULATION 2 PUMP(E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:31 PM 25:1606070 YEARLY [1E] – PM FOR EFFECT 1A (LIQ. TRANSF PUMP)(E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 28-Feb-24 02:31 PM 25:1606071 YEARLY [1E] – PM FOR EFFECT 1B (LIQ. TRANSF PUMP)(E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:31 PM 25:1606072 YEARLY [1E] – PM FOR EFFECT 1A-B LIQ TRANSF PUMP(E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:31 PM 25:1606074 YEARLY [1E] – PM FOR EFFECT 2A CIRCULATE PUMP(E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 28-Feb-24 02:31 PM 25:1606075 YEARLY [1E] – PM FOR EFFECT 2B CIRCULATE PUMP(E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:31 PM 25:1606076 YEARLY [1E] – PM FOR SEC. CONDENSATE B PUMP(E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 28-Feb-24 02:31 PM 25:1606078 YEARLY [1E] – PM FOR VACUUM PUMP (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:31 PM 25:1606079 YEARLY [1E] – PM FOR SACCUM PUMP (2 AND 4)(E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:31 PM 25:1606080 YEARLY [1E] – PM FOR FEED (LIQUOR) PUMP (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:31 PM 25:1606083 YEARLY [1E] – PM FOR 1800# LIQ FLASH TANK PUMP#1(E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:31 PM 25:1606084 YEARLY [1E] – PM FOR 1800# LIQ FLASH TANK PUMP#2(E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:31 PM 25:1606086 YEARLY [1E] – PM FOR SECONDARY CONDENSATE PUMP#1 (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:31 PM 25:1606087 YEARLY [1E] – PM FOR 1800# LIQ FINE AGITATOR #1(E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:31 PM 25:1606088 YEARLY [1E] – PM FOR 1800# LIQ FINE AGITATOR #2(E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 28-Feb-24 02:31 PM 25:1606089 YEARLY [1E] – PM FOR PRIMARY CONDENSATE PUMP#1 NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:36 PM 25:1606093 YEARLY [1E] – PM FOR FOUL CONDENSATE PUMP#1(E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 28-Feb-24 02:36 PM 25:1606094 YEARLY [1E] – PM FOR FOUL COND. VAC. PIT DRIVE(E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:36 PM 25:1606095 YEARLY [1E] – PM FOR B-FLUX CONDENSATE (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:36 PM 25:1606096 YEARLY [1E] – PM FOR WARM LIQUOR PUMP (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 28-Feb-24 02:36 PM 25:1606097 YEARLY [1E] – PM FOR COMBINED CONDENSATE (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:36 PM 25:1606098 YEARLY [1E] – PM FOR DEL/CR HEATER PUMP (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 28-Feb-24 02:36 PM 25:1606099 YEARLY [1E] – PM FOR STRONG LIQUOR PUMP (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:37 PM 25:1606100 YEARLY [1E] – PM FOR STRONG LIQUOR PUMP (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:37 PM 25:1606101 YEARLY [1E] – PM FOR WARM WATER PUMP (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:37 PM 25:1606102 YEARLY [1E] – PM FOR SUMP PUMP(E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:37 PM 25:1606103 YEARLY [1E] – PM FOR SEW. WATER RETURN PUMP(E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 28-Feb-24 02:37 PM 25:1606104 YEARLY [1E] – PM FOR STRONG LIQUOR PUMP (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:37 PM 25:1606105 YEARLY [1E] – PM FOR COOLING WATER PUMP NO.7 (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:37 PM 25:1606106 YEARLY [1E] – PM FOR AIR COMPRESSOR NO.1 (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 28-Feb-24 02:38 PM 25:1606107 YEARLY [1E] – PM FOR AIR COMPRESSOR NO.2 (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:38 PM 25:1606108 YEARLY [1E] – PM FOR AIR COMPRESSOR NO.5 (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 28-Feb-24 02:38 PM 25:1606109 YEARLY [1E] – PM FOR AIR COMPRESSOR NO.6 (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:38 PM 25:1606111 YEARLY [1E] – PM FOR INDUCED DRAFT FAN, CELL NO.1 (E) NFPA_PP1
WLS208 – FLASH SHUTDOWN MAINTENANC 05-Feb-25 02:38 PM 25:1606112 YEARLY [1E] – PM FOR INDUCED DRAFT FAN, CELL NO.2 (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:38 PM 25:1606113 YEARLY [1E] – PM FOR ADSORPTION DRIER NO.1 (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:33 PM 25:1606114 YEARLY [1E] – PM FOR ADSORPTION DRYER NO.2 (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 28-Feb-24 02:39 PM 25:1606115 YEARLY [1E] – PM FOR ADSORPTION DRIER NO.3 (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:39 PM 25:1606116 YEARLY [1E] – PM FOR ADSORPTION DRIER NO.4 (E) NFPA_PP1
WLS231 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:39 PM 25:1606117 YEARLY [1E] – PM FOR COOLING WATER PUMP NO.1 (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:39 PM 25:1606118 YEARLY [1E] – PM FOR COOLING WATER PUMP NO.2 (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:39 PM 25:1606119 YEARLY [1E] – PM FOR DOSAMIC WATER PUMP NO.2 (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 28-Feb-24 02:39 PM 25:1606120 YEARLY [1E] – PM FOR COOLING WATER PUMP NO.3 (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:39 PM 25:1606121 YEARLY [1E] – PM FOR EFFLUENT WATER PUMP(E) NFPA_PP1
WLS231 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:39 PM 25:1606122 YEARLY [1E] – PM FOR EMERGENCY OIL PUMP (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:39 PM 25:1606125 YEARLY [1E] – PM FOR CONTROL OIL PUMP #1(E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:39 PM 25:1606126 YEARLY [1E] – PM FOR CONTROL OIL PUMP # 2 (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 28-Feb-24 02:31 PM 25:1606127 YEARLY [1E] – PM FOR LUBE OIL PUMP #1(E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:31 PM 25:1606128 YEARLY [1E] – PM FOR LUBE OIL PUMP # 2(E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 28-Feb-24 02:31 PM 25:1606129 YEARLY [1E] – PM FOR FLASHING MOTOR (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 28-Feb-24 02:31 PM 25:1606130 YEARLY [1E] – PM FOR GLAND COND DRAIN PUMP(E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:31 PM 25:1606131 YEARLY [1E] – PM FOR GLAND CONDENSER FAN - SIZE (CMG DISCH.) (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:31 PM 25:1606132 YEARLY [1E] – PM FOR WATER EXTRACTOR, SEPARATION OF OIL MIST, MIS L.P. (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:31 PM 25:1606134 YEARLY [1E] – PM FOR EXPORT FAN (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:32 PM 25:1606135 YEARLY [1E] – PM FOR CONDENSATE FEED PUMP#A (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:32 PM 25:1606137 YEARLY [1E] – PM FOR CONDENSATE FEED PUMP#B (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:32 PM 25:1606139 YEARLY [1E] – PM FOR ID FAN # 1 (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:32 PM 25:1606140 YEARLY [1E] – PM FOR ID FAN # 2 (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:32 PM 25:1606144 YEARLY [1E] – PM FOR BMS (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:25 PM 25:1606145 YEARLY [1E] – PM FOR BOB MAIN SUPPLY BLOWER (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:33 PM 25:1606147 YEARLY [1E] – PM FOR SOOTBLOWER 2, LEFT (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:33 PM 25:1606148 YEARLY [1E] – PM FOR SOOTBLOWER 2, LEFT (E) NFPA_PP1
WLS209 – FLASH SHUTDOWN MAINTENANC 05-Feb-25 02:33 PM 25:1606149 YEARLY [1E] – PM FOR #4413 MCC BKW RECOVERY BOILER 02 (E) NFPA_PP1
WLS209 – FLASH SHUTDOWN MAINTENANC 05-Feb-25 02:34 PM 25:1606151 YEARLY [1E] – PM FOR #4413 MCC BKW RECOVERY BOILER #2 (E) NFPA_PP1
WLS209 – FLASH SHUTDOWN MAINTENANC 05-Feb-25 02:35 PM 25:1606152 YEARLY [1E] – PM FOR #1412 MCC 480V EMPS (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:35 PM 25:1606154 YEARLY [1E] – PM FOR SOOTBLOWER 9 (E) NFPA_PP1
WLS209 – FLASH SHUTDOWN MAINTENANC 05-Feb-25 02:35 PM 25:1606157 YEARLY [1E] – PM FOR #4401 MCC BKW EVAPORATION PLAT 2 (E) NFPA_PP1
WLS209 – FLASH SHUTDOWN MAINTENANC 05-Feb-25 02:36 PM 25:1606159 YEARLY [1E] – PM FOR MCC #1P MCC FOR #4413 MCC, 480V MILL WIDE B1 (E) NFPA_PP1
WLS209 – FLASH SHUTDOWN MAINTENANC 05-Feb-25 02:36 PM 25:1606162 YEARLY [1E] – PM FOR MCC FOR #1412 MCC, 480V MILL WIDE B2 (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:36 PM 25:1606163 YEARLY [1E] – PM FOR #1201 EMERGENCY POWER SUPPLY 480 VAC (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:37 PM 25:1606164 YEARLY [1E] – PM FOR #1201 NORMAL POWER SUPPLY 480 VAC (E) NFPA_PP1
WLS209 – FLASH SHUTDOWN MAINTENANC 05-Feb-25 02:37 PM 25:1606165 YEARLY [1E] – TMP FOR INDUCED DRAFT FAN, CELL NO.2 (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 28-Feb-24 02:37 PM 25:1606166 YEARLY [1E] – PM FOR B1 FAN (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:39 PM 25:1606168 YEARLY [1E] – PM FOR FW PUMP #2(E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:39 PM 25:1606169 YEARLY [1E] – PM FOR PH PUMP #B(E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:39 PM 25:1606170 YEARLY [1E] – PM FOR SOOTBLOWER 3, LEFT (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:39 PM 25:1606172 YEARLY [1E] – PM FOR SOOTBLOWER 3, LEFT (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 28-Feb-24 02:39 PM 25:1606173 YEARLY [1E] – PM FOR SOOTBLOWER 4, RIGHT (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:39 PM 25:1606175 YEARLY [1E] – PM FOR SOOTBLOWER 4, LEFT (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:39 PM 25:1606176 YEARLY [1E] – PM FOR SOOTBLOWER 5, RIGHT (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:39 PM 25:1606177 YEARLY [1E] – PM FOR SOOTBLOWER 5, LEFT (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:39 PM 25:1606178 YEARLY [1E] – PM FOR SOOTBLOWER 6, RIGHT (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:39 PM 25:1606179 YEARLY [1E] – PM FOR SOOTBLOWER 6, LEFT (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 28-Feb-24 02:39 PM 25:1606180 YEARLY [1E] – PM FOR SOOTBLOWER 7, RIGHT (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:39 PM 25:1606181 YEARLY [1E] – PM FOR SOOTBLOWER 7, LEFT (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:39 PM 25:1606182 YEARLY [1E] – PM FOR SOOTBLOWER 8, RIGHT (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:39 PM 25:1606183 YEARLY [1E] – PM FOR SOOTBLOWER 8, LEFT (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:39 PM 25:1606184 YEARLY [1E] – PM FOR SOOTBLOWER 9, RIGHT (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:39 PM 25:1606185 YEARLY [1E] – PM FOR SOOTBLOWER 9, LEFT (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:30 PM 25:1606186 YEARLY [1E] – PM FOR SOOTBLOWER 10, RIGHT (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:30 PM 25:1606187 YEARLY [1E] – PM FOR SOOTBLOWER 10, LEFT (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:30 PM 25:1606188 YEARLY [1E] – PM FOR SOOTBLOWER 11, RIGHT (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:30 PM 25:1606189 YEARLY [1E] – PM FOR SOOTBLOWER 11, LEFT (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:30 PM 25:1606190 YEARLY [1E] – PM FOR SOOTBLOWER 12, RIGHT (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:30 PM 25:1606191 YEARLY [1E] – PM FOR SOOTBLOWER 12, LEFT (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 28-Feb-24 02:30 PM 25:1606192 YEARLY [1E] – PM FOR SOOTBLOWER 13, RIGHT (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:30 PM 25:1606193 YEARLY [1E] – PM FOR SOOTBLOWER 13, LEFT (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:30 PM 25:1606194 YEARLY [1E] – PM FOR SOOTBLOWER 14, RIGHT (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:30 PM 25:1606195 YEARLY [1E] – PM FOR SOOTBLOWER 14, LEFT (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 28-Feb-24 02:30 PM 25:1606196 YEARLY [1E] – PM FOR SOOTBLOWER 15, RIGHT (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:30 PM 25:1606197 YEARLY [1E] – PM FOR SOOTBLOWER 15, LEFT (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:30 PM 25:1606198 YEARLY [1E] – PM FOR SOOTBLOWER 16, RIGHT (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:30 PM 25:1606199 YEARLY [1E] – PM FOR SOOTBLOWER 16, LEFT (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:30 PM 25:1606200 YEARLY [1E] – PM FOR SOOTBLOWER 17, RIGHT (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:30 PM 25:1606201 YEARLY [1E] – PM FOR SOOTBLOWER 17, LEFT (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:30 PM 25:1606202 YEARLY [1E] – PM FOR SOOTBLOWER 18, RIGHT (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:30 PM 25:1606203 YEARLY [1E] – PM FOR SOOTBLOWER 18, LEFT (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:30 PM 25:1606204 YEARLY [1E] – PM FOR SOOTBLOWER 19, LEFT (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 28-Feb-24 02:41 PM 25:1606205 YEARLY [1E] – PM FOR SOOTBLOWER 20, RIGHT (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:31 PM 25:1606206 YEARLY [1E] – PM FOR SOOTBLOWER 21, LEFT (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:31 PM 25:1606207 YEARLY [1E] – PM FOR SOOTBLOWER 22, RIGHT (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 28-Feb-24 02:31 PM 25:1606208 YEARLY [1E] – PM FOR SOOTBLOWER 23, LEFT (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:31 PM 25:1606209 YEARLY [1E] – PM FOR SOOTBLOWER 24, RIGHT (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:31 PM 25:1606210 YEARLY [1E] – PM FOR SOOTBLOWER 25, LEFT (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:31 PM 25:1606211 YEARLY [1E] – PM FOR SOOTBLOWER 26, RIGHT (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:31 PM 25:1606212 YEARLY [1E] – PM FOR SOOTBLOWER 26, LEFT (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:31 PM 25:1606213 YEARLY [1E] – PM FOR SOOTBLOWER 27, LEFT (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 28-Feb-24 02:31 PM 25:1606214 YEARLY [1E] – PM FOR SOOTBLOWER 28, RIGHT (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:31 PM 25:1606215 YEARLY [1E] – PM FOR SOOTBLOWER 28, LEFT (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:31 PM 25:1606216 YEARLY [1E] – PM FOR SOOTBLOWER 29, LEFT (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 28-Feb-24 02:31 PM 25:1606217 YEARLY [1E] – PM FOR SOOTBLOWER 30, RIGHT (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:33 PM 25:1606218 YEARLY [1E] – PM FOR SOOTBLOWER 31, LEFT (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:33 PM 25:1606219 YEARLY [1E] – PM FOR SOOTBLOWER 32, RIGHT (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:33 PM 25:1606220 YEARLY [1E] – PM FOR SOOTBLOWER 33, LEFT (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:33 PM 25:1606221 YEARLY [1E] – PM FOR SOOTBLOWER 34, RIGHT (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:33 PM 25:1606222 YEARLY [1E] – PM FOR SOOTBLOWER 35, LEFT (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:33 PM 25:1606223 YEARLY [1E] – PM FOR SOOTBLOWER 36, RIGHT (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:33 PM 25:1606224 YEARLY [1E] – PM FOR SOOTBLOWER 37, RIGHT (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:33 PM 25:1606225 YEARLY [1E] – PM FOR SOOTBLOWER 38, LEFT (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:33 PM 25:1606226 YEARLY [1E] – PM FOR SOOTBLOWER 39, LEFT (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 28-Feb-24 02:33 PM 25:1606227 YEARLY [1E] – PM FOR SOOTBLOWER 40, RIGHT (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:33 PM 25:1606228 YEARLY [1E] – PM FOR SOOTBLOWER 41, LEFT (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:33 PM 25:1606229 YEARLY [1E] – PM FOR SOOTBLOWER 42, RIGHT (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:33 PM 25:1606230 YEARLY [1E] – PM FOR SOOTBLOWER 43, RIGHT (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:33 PM 25:1606231 YEARLY [1E] – PM FOR SOOTBLOWER 44 (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:33 PM 25:1606232 YEARLY [1E] – PM FOR SOOTBLOWER 45, LEFT (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:33 PM 25:1606233 YEARLY [1E] – PM FOR SOOTBLOWER 46, RIGHT (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:33 PM 25:1606234 YEARLY [1E] – PM FOR SOOTBLOWER 47, LEFT (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:34 PM 25:1606235 YEARLY [1E] – PM FOR SOOTBLOWER 48, RIGHT (E) NFPA_PP1
WLS214 – Electrical PSD [Master/NACC/Drive 05-Feb-25 02:34 PM 25:1606236 YEARLY [1E] – PM FOR SOOTBLOWER 49, LEFT (E) NFPA_PP1

WLS210 – Electrical PSD (Motor/RACC/Drive	05-Feb-25 02:35 PM	250050544	YEARLY (SD) – PM FOR 11KV SUBSTATION AAP2 (E)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 02:35 PM	250050555	YEARLY (SD) – PM FOR BUS MEASURING FEEDER (E)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 02:39 PM	250050558	YEARLY (SD) – PM FOR TH430/TH431 FEEDER (E)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 02:39 PM	250050561	YEARLY (SD) – PM FOR TH434/TH435 FEEDER (E)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 02:40 PM	250050562	YEARLY (SD) – PM FOR TH402 FEEDER (E)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 02:41 PM	250050564	YEARLY (SD) – PM FOR TL441 FEEDER (E)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 02:41 PM	250050566	YEARLY (SD) – PM FOR TC121/TH411 FEEDER (E)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 02:42 PM	250050567	YEARLY (SD) – PM FOR TH421 FEEDER (E)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 02:42 PM	250050568	YEARLY (SD) – PM FOR TH481 FEEDER (E)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 02:43 PM	250050570	YEARLY (SD) – PM FOR TH111 FEEDER (E)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 02:43 PM	250050575	YEARLY (SD) – PM FOR TL591 FEEDER (E)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 02:44 PM	250050576	YEARLY (SD) – PM FOR EMERGENCY FEEDER (E)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 02:44 PM	250050577	YEARLY (SD) – PM FOR TO SAC1,20 BUS (E)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 02:45 PM	250050578	YEARLY (SD) – PM FOR TH211/TC112 FEEDER (E)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 02:45 PM	250050581	YEARLY (SD) – PM FOR TH117 FEEDER (E)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 02:46 PM	250050584	YEARLY (SD) – PM FOR PULP DRYING FEEDER (E)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 02:46 PM	250050594	YEARLY (SD) – PM FOR NPS FEEDER (E)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 02:47 PM	250050596	YEARLY (SD) – PM FOR OUT GOING TO FEEDER (E)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 02:47 PM	250050597	YEARLY (SD) – PM FOR TO 29AAC1,1 FEEDER TIE BUS TRANSFER (E)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 02:48 PM	250050598	YEARLY (SD) – PM FOR DOUBLE ON 29AAC1,28 FEEDER (E)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 02:48 PM	250050600	YEARLY (SD) – PM FOR INCOMING FROM NEW GEN PPP11 (E)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 02:49 PM	250050605	YEARLY (SD) – PM FOR BUS METERING (E)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 02:49 PM	250050606	YEARLY (SD) – PM FOR OUT GOING POWER BACK UP AAP2 (E)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 02:50 PM	250050599	YEARLY (SD) – PM FOR TO 29AAC1,3 FEEDER TIE BUS TRANSFER (E)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 02:51 PM	250050601	YEARLY (SD) – PM FOR TE12/TH411 FEEDER (E)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 02:51 PM	250050603	YEARLY (SD) – PM FOR SPARE FEEDER (E)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 02:52 PM	250050604	YEARLY (SD) – PM FOR TO 29AAC1,14 FEEDER (E)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 02:52 PM	250050607	YEARLY (SD) – PM FOR GROUNDING TRANSFORMER FEEDER (E)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 02:53 PM	250050609	YEARLY (SD) – PM FOR SPARE FEEDER (E)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 02:53 PM	250050611	YEARLY (SD) – PM FOR SPARE FEEDER (E)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 02:54 PM	250050613	YEARLY (SD) – PM FOR SPARE FEEDER (E)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 02:54 PM	250050612	YEARLY (SD) – PM FOR SPARE FEEDER (E)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 02:55 PM	250050614	YEARLY (SD) – PM FOR RECOVERY TRANSFORMER TE11 (E)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 02:55 PM	250050617	YEARLY (SD) – PM FOR TRANSFORMER TL413 (E)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 02:55 PM	250050618	YEARLY (SD) – PM FOR TRANSFORMER TH412 (E)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 02:55 PM	250050619	YEARLY (SD) – PM FOR TRANSFORMER TC12 (E)	NPPSA_PP1
WLS235 – Electrical PSD (SWG/Substation/	05-Feb-25 02:56 PM	250050620	YEARLY (SD) – PM FOR RECTIFIER # A, PRECIPITATOR # 1 (E)	NPPSA_PP1
WLS235 – Electrical PSD (SWG/Substation/	05-Feb-25 02:56 PM	250050621	YEARLY (SD) – PM FOR RECTIFIER # B, PRECIPITATOR # 1 (E)	NPPSA_PP1
WLS235 – Electrical PSD (SWG/Substation/	05-Feb-25 02:56 PM	250050622	YEARLY (SD) – PM FOR RECTIFIER # C, PRECIPITATOR # 1 (E)	NPPSA_PP1
WLS235 – Electrical PSD (SWG/Substation/	05-Feb-25 02:56 PM	250050623	YEARLY (SD) – PM FOR RECTIFIER # A, PRECIPITATOR # 2 (E)	NPPSA_PP1
WLS235 – Electrical PSD (SWG/Substation/	05-Feb-25 02:56 PM	250050626	YEARLY (SD) – PM FOR RECTIFIER # B, PRECIPITATOR # 2 (E)	NPPSA_PP1
WLS235 – Electrical PSD (SWG/Substation/	05-Feb-25 02:57 PM	250050628	YEARLY (SD) – PM FOR RECTIFIER # C, PRECIPITATOR # 2 (E)	NPPSA_PP1
WLS235 – Electrical PSD (SWG/Substation/	05-Feb-25 02:57 PM	250050630	YEARLY (SD) – PM FOR RECTIFIER #A, PRECIPITATOR # 3 (E)	NPPSA_PP1
WLS235 – Electrical PSD (SWG/Substation/	05-Feb-25 02:57 PM	250050633	YEARLY (SD) – PM FOR RECTIFIER #B, PRECIPITATOR #3 (E)	NPPSA_PP1
WLS235 – Electrical PSD (SWG/Substation/	05-Feb-25 02:57 PM	250050635	YEARLY (SD) – PM FOR RECTIFIER #C, PRECIPITATOR #3 (E)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 02:57 PM	250050636	YEARLY (SD) – PM FOR MILL WIDE TRANSFORMER TH111 (E)	NPPSA_PP1
WLS235 – Electrical PSD (SWG/Substation/	05-Feb-25 02:57 PM	250050638	YEARLY (SD) – PM FOR MILL WIDE TRANSFORMER TH151 (E)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 02:58 PM	250050640	YEARLY (SD) – PM FOR MILL WIDE TRANSFORMER TH291 (E)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 02:58 PM	250050642	YEARLY (SD) – PM FOR MILL WIDE TRANSFORMER TH292 (E)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 02:58 PM	250050643	YEARLY (SD) – PM FOR TLT1M POWER BACK UP PROVE BOAT (E)	NPPSA_PP1
WLS235 – Electrical PSD (SWG/Substation/	05-Feb-25 02:59 PM	250050644	YEARLY (SD) – PM FOR AAP1, TURBO GENERATOR TRANSFORM TD13 (E)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 02:59 PM	250050645	YEARLY (SD) – PM FOR GROUNDING TRANSFORMER (E)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 02:59 PM	250050646	YEARLY (SD) – PM FOR BATTERY CHARGER 110 VDC MILL WIDE (E)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 02:59 PM	250050647	YEARLY (SD) – PM FOR BATTERY CHARGER 110 VDC for 22KV SYSTEM (E)	NPPSA_PP1
WLS235 – Electrical PSD (SWG/Substation/	05-Feb-25 03:00 PM	250050648	YEARLY (SD) – PM FOR MCC RECOVERY BOILER, UPS (E)	NPPSA_PP1
WLS235 – Electrical PSD (SWG/Substation/	05-Feb-25 02:59 PM	250050649	YEARLY (SD) – PM FOR BATTERY FOR 29SBV001 CHARGER 110 VDC MILL WIDE BANK#1 (E)	NPPSA_PP1
WLS235 – Electrical PSD (SWG/Substation/	05-Feb-25 02:59 PM	250050650	YEARLY (SD) – PM FOR BATTERY FOR 29SBV001 CHARGER 110 VDC MILL WIDE BANK#2 (E)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 02:59 PM	250050651	YEARLY (SD) – PM FOR BATTERY 110 VDC FOR Communication 11kV (E)	NPPSA_PP1
WLS235 – Electrical PSD (SWG/Substation/	05-Feb-25 02:59 PM	250050652	YEARLY (SD) – PM FOR BATTERY FOR 25ABT901 CHARGER 48VDC FOR 115kV NPP11 (E)	NPPSA_PP1
WLS210 – Electrical PSD (Motor/RACC/Drive	05-Feb-25 03:00 PM	250050653	YEARLY (SD) – PM FOR BATTERY FOR 26SUP501 MCC RECOVERY BOILER, UPS (E)	NPPSA_PP1
WLS235 – Electrical PSD (SWG/Substation/	05-Feb-25 03:00 PM	250050654	YEARLY (SD) – PM FOR BATTERY FOR 29AV003 CHARGER 110 VDC FOR 22kV SYSTEM (E)	NPPSA_PP1
WLS235 – Electrical PSD (SWG/Substation/	05-Feb-25 03:00 PM	250050655	YEARLY (SD) – PM FOR BATTERY FOR 25SUP502 MCC MILL WIDE UPS (E)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:00 PM	250050657	YEARLY (SD) – PM FOR CHARGER 110 VDC FOR Communication 115 kV (E)	NPPSA_PP1
WLS235 – Electrical PSD (SWG/Substation/	05-Feb-25 03:00 PM	250050659	YEARLY (SD) – PM FOR CHARGER 48VDC FOR 115kV NPP11 (E)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:13 PM	250050660	YEARLY (SD) – PM FOR ROTARY FEEDER-GG BANK (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:14 PM	250050665	YEARLY (SD) – PM FOR ROTARY FEEDER-ECO 2 (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:14 PM	250050666	YEARLY (SD) – PM FOR ROTARY FEEDER-ECO 1 (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:14 PM	250050667	YEARLY (SD) – PM FOR ROTARY FEEDER, ESP # 1 (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:14 PM	250050668	YEARLY (SD) – PM FOR ROTARY FEEDER, ESP # 2 (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:15 PM	250050669	YEARLY (SD) – PM FOR ROTARY FEED CHUTE (M)	NPPSA_PP1
WLS211 – Mechanical PSD (BOP)	05-Feb-25 03:14 PM	250050690	YEARLY (SD) – PM FOR ASH CONVEYOR-GG BANK (M)	NPPSA_PP1
WLS211 – Mechanical PSD (BOP)	05-Feb-25 03:14 PM	250050691	YEARLY (SD) – PM FOR ASH CONVEYOR, ECO BANK 2 (M)	NPPSA_PP1
WLS211 – Mechanical PSD (BOP)	05-Feb-25 03:14 PM	250050692	YEARLY (SD) – PM FOR ASH CONVEYOR, ECO BANK 1 (M)	NPPSA_PP1
WLS211 – Mechanical PSD (BOP)	05-Feb-25 03:13 PM	250050693	YEARLY (SD) – PM FOR ASH COLLECTING CONVEYOR (M)	NPPSA_PP1
WLS211 – Mechanical PSD (BOP)	05-Feb-25 03:13 PM	250050694	YEARLY (SD) – PM FOR DRAG SCRAPER, ESP # 1 SEE LONG DESCRIPTION (M)	NPPSA_PP1
WLS211 – Mechanical PSD (BOP)	05-Feb-25 03:14 PM	250050695	YEARLY (SD) – PM FOR DRAG SCRAPER, ESP # 2 SEE LONG DESCRIPTION (M)	NPPSA_PP1
WLS211 – Mechanical PSD (BOP)	05-Feb-25 03:14 PM	250050698	YEARLY (SD) – PM FOR COLLECTING CONVEYOR, ESP # 1 (M)	NPPSA_PP1
WLS211 – Mechanical PSD (BOP)	05-Feb-25 03:14 PM	250050699	YEARLY (SD) – PM FOR COLLECTING CONVEYOR, ESP # 2 (M)	NPPSA_PP1
WLS211 – Mechanical PSD (BOP)	05-Feb-25 03:14 PM	250050699	YEARLY (SD) – PM FOR ESP TRANSFER CONVEYOR # 1 (M)	NPPSA_PP1
WLS211 – Mechanical PSD (BOP)	05-Feb-25 03:14 PM	250050700	YEARLY (SD) – PM FOR ESP TRANSFER CONVEYOR #2 (M)	NPPSA_PP1
WLS211 – Mechanical PSD (BOP)	05-Feb-25 03:15 PM	250050701	YEARLY (SD) – PM FOR SCRAPER CONVEYOR ESP 3 (M)	NPPSA_PP1
WLS211 – Mechanical PSD (BOP)	05-Feb-25 03:15 PM	250050702	YEARLY (SD) – PM FOR COLLECTING CONVEYOR ESP 3 (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:15 PM	250050703	YEARLY (SD) – PM FOR CLEAN COOLER AIR COMPRESSOR NO.1 (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:15 PM	250050704	YEARLY (SD) – PM FOR CLEAN COOLER AIR COMPRESSOR NO.2 (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:15 PM	250050705	YEARLY (SD) – PM FOR CLEAN COOLER AIR COMPRESSOR NO.3 (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:15 PM	250050706	YEARLY (SD) – PM FOR CLEAN COOLER AIR COMPRESSOR NO.4 (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:15 PM	250050708	YEARLY (SD) – PM FOR CLEAN COOLING WATER COOLER AIR COMPRESSOR (M)	NPPSA_PP1

WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:35 PM	250050709	YEARLY (SD) – PM FOR ID FAN # 1 (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:35 PM	250050710	YEARLY (SD) – PM FOR ID FAN # 2 (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:35 PM	250050711	YEARLY (SD) – PM FOR ID FAN # 3 (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:36 PM	250050712	YEARLY (SD) – PM CLEAN FOR FW PUMP #2 (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:36 PM	250050714	YEARLY (SD) – PM CLEAN FOR FW PUMP #3 (M)	NPPSA_PP1
WLS211 – Mechanical PSD (BOP)	05-Feb-25 03:36 PM	250050716	YEARLY (SD) – PM FOR SCREW CONVEYOR SUS.S (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:36 PM	250050718	YEARLY (SD) – PM FOR INLET DAMPER ESP 1 (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:36 PM	250050719	YEARLY (SD) – PM FOR OUTLET ID FAN 1 (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:36 PM	250050720	YEARLY (SD) – PM FOR FD FAN PRIMARY (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:36 PM	250050721	YEARLY (SD) – PM FOR FD FAN SECONDARY (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:36 PM	250050722	YEARLY (SD) – PM FOR FD FAN TERTIARY (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:37 PM	250050724	YEARLY (SD) – PM FOR INLET DAMPER ESP 2 (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:37 PM	250050725	YEARLY (SD) – PM FOR OUTLET ID FAN 2 (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:37 PM	250050726	YEARLY (SD) – PM FOR INLET DAMPER ESP 3 (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:37 PM	250050727	YEARLY (SD) – PM FOR OUTLET ID FAN 3 (M)	NPPSA_PP1
WLS212 – Mechanical PSD (Turbine & Utilit	05-Feb-25 03:37 PM	250050728	YEARLY (SD) – PM REQUISITE FOR TRIP THROTTLE VALVE TG13 (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:37 PM	250050729	YEARLY (SD) – PM FOR RED OIL PUMP HYCOP TYPE (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:37 PM	250050730	YEARLY (SD) – PM FOR COOLING WATER PUMP NO.3 (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:37 PM	250050731	YEARLY (SD) – PM FOR COOLING WATER PUMP NO.2 (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:37 PM	250050732	YEARLY (SD) – PM FOR COOLING WATER PUMP NO.1 (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:37 PM	250050733	YEARLY (SD) – PM FOR DESUPERHEATER PUMP (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:37 PM	250050734	YEARLY (SD) – PM FOR STRONG BL PUMP #2 (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:38 PM	250050735	YEARLY (SD) – PM FOR STRONG BL PUMP #1 (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:38 PM	250050736	YEARLY (SD) – PM FOR BLACK LIQUOR JUMBO TANK PUMP No.3 (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:38 PM	250050737	YEARLY (SD) – PM FOR BLACK LIQUOR JUMBO TANK PUMP No.2 (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:38 PM	250050738	YEARLY (SD) – PM FOR BLACK LIQUOR JUMBO TANK PUMP No.1 (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:38 PM	250050739	YEARLY (SD) – PM FOR FEED LIQUOR PUMP (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:38 PM	250050741	YEARLY (SD) – PM FOR COMBINED CONDENSATE (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:38 PM	250050742	YEARLY (SD) – PM FOR WASH LIQUOR PUMP (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:38 PM	250050744	YEARLY (SD) – PM FOR SPILL LIQUOR PUMP (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:38 PM	250050745	YEARLY (SD) – PM FOR STRIPPER FEED PUMP (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:39 PM	250050747	YEARLY (SD) – PM FOR FEED LIQUOR PUMP (NEW) (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:39 PM	250050748	YEARLY (SD) – PM FOR FIRING LIQ FLASH TNK PUMP#1 (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:39 PM	250050749	YEARLY (SD) – PM FOR FIRING LIQ FLASH TNK PUMP#2 (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:39 PM	250050750	YEARLY (SD) – PM FOR NAOH(L) LIQUID PUMP (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:39 PM	250050751	YEARLY (SD) – PM FOR STRONG LIQUOR PUMP (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:39 PM	250050752	YEARLY (SD) – PM FOR STRONG LIQUOR PUMP (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:39 PM	250050753	YEARLY (SD) – PM FOR STRONG LIQUOR PUMP (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:39 PM	250050754	YEARLY (SD) – PM FOR FIRING LIQUOR PUMP (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:39 PM	250050755	YEARLY (SD) – PM FOR FIRING LIQUOR PUMP (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:40 PM	250050756	YEARLY (SD) – PM FOR CIRCULATION 1-B PUMP (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:40 PM	250050757	YEARLY (SD) – PM FOR CIRCULATION 1-A PUMP (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:40 PM	250050758	YEARLY (SD) – PM FOR CIRCULATION 1-D PUMP (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:40 PM	250050759	YEARLY (SD) – PM FOR CIRCULATION 1-C PUMP (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:40 PM	250050760	YEARLY (SD) – PM FOR CIRCULATION 1-B PUMP (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:40 PM	250050762	YEARLY (SD) – PM FOR CIRCULATION 1-A PUMP (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:40 PM	250050763	YEARLY (SD) – PM FOR CIRCULATION 1-D PUMP (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:40 PM	250050764	YEARLY (SD) – PM FOR CIRCULATION 1-C PUMP (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:40 PM	250050766	YEARLY (SD) – PM FOR PRIMARY CONDENSATE PUMP (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:41 PM	250050767	YEARLY (SD) – PM FOR EFFECT III LIQ. TRANSF PUMP (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:41 PM	250050768	YEARLY (SD) – PM FOR CIRCULATION 2 PUMP (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:41 PM	250050769	YEARLY (SD) – PM FOR EFFECT III-II LIQ TRANSF PUMP (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:41 PM	250050770	YEARLY (SD) – PM FOR EFFECT I RECIRCULATE PUMP (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:41 PM	250050771	YEARLY (SD) – PM FOR SEC. CONDENSATE B PUMP (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:41 PM	250050772	YEARLY (SD) – PM FOR EFFECT V CIRCULATE PUMP (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:41 PM	250050773	YEARLY (SD) – PM FOR EFFECT IV CIRCULATE PUMP (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:41 PM	250050774	YEARLY (SD) – PM FOR VACUUM PUMP (STAND BY) (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:41 PM	250050776	YEARLY (SD) – PM FOR VACUUM PUMP (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:42 PM	250050777	YEARLY (SD) – PM FOR FOUL COND. VAC. PIT DWG (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:42 PM	250050778	YEARLY (SD) – PM FOR FOUL CONDENSATE PUMP (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:42 PM	250050779	YEARLY (SD) – PM FOR SUMP PUMP (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:42 PM	250050781	YEARLY (SD) – PM FOR SECONDARY CONDENSATE PUMP 1 (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:42 PM	250050782	YEARLY (SD) – PM FOR WARM WATER PUMP (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:42 PM	250050783	YEARLY (SD) – PM FOR PIT LUG CONDENSATE (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:42 PM	250050784	YEARLY (SD) – PM FOR STRIPPER COND. PUMP (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:42 PM	250050785	YEARLY (SD) – PM FOR CONDENSATE PUMP NO. 1 (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:42 PM	250050786	YEARLY (SD) – PM FOR CONDENSATE PUMP NO. 2 (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:43 PM	250050788	YEARLY (SD) – PM FOR STRONG LIQUOR TRANSFER PUMP NO. 1 (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:43 PM	250050789	YEARLY (SD) – PM FOR STRONG LIQUOR TRANSFER PUMP NO. 2 (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:43 PM	250050790	YEARLY (SD) – PM FOR DUMP TANK PUMP (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:43 PM	250050791	YEARLY (SD) – PM FOR SPILL COLLECTION PUMP (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:43 PM	250050792	YEARLY (SD) – PM FOR SCRUBBER RECIRCULATION PUMP (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:43 PM	250050793	YEARLY (SD) – PM FOR GREEN LIQ TRANSFER PUMP #1 (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:43 PM	250050794	YEARLY (SD) – PM FOR GREEN LIQ TRANSFER PUMP #2 (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:43 PM	250050795	YEARLY (SD) – PM FOR SPOUT COOLING WATER PUMP #1 (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:44 PM	250050796	YEARLY (SD) – PM FOR SPOUT COOLING WATER PUMP #2 (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:44 PM	250050797	YEARLY (SD) – PM FOR MILL WATER BOOSTER PUMP NO. 1 (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:44 PM	250050799	YEARLY (SD) – PM FOR MILL WATER BOOSTER PUMP #2 (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:44 PM	250050800	YEARLY (SD) – PM FOR BOILER WASH PUMP (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:44 PM	250050801	YEARLY (SD) – PM FOR SPILLED HOT WATER PUMP FROM BF TO COOLING TOWER (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:44 PM	250050803	YEARLY (SD) – PM FOR CIRCULATION PUMP (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:45 PM	250050804	YEARLY (SD) – PM FOR CONDENSATE FEED PUMP#A (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:45 PM	250050805	YEARLY (SD) – PM FOR CONDENSATE FEED PUMP#B (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:45 PM	250050806	YEARLY (SD) – INSPECTION FOR COLLECTING RAPPER ESP# 5 (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:45 PM	250050807	YEARLY (SD) – INSPECTION FOR COLLECTING RAPPER ESP# 3 (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:45 PM	250050809	YEARLY (SD) – INSPECTION FOR COLLECTING RAPPER ESP # 3 (M)	NPPSA_PP1
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:45 PM	250050818	YEARLY (SD) – INSPECTION FOR GAS DISTRIBUTION RAPPER ESP# 1 (M)	NPPSA_PP1

WLS206 – PLAN SHUTDOWN MAINTENANC	18-Feb-26 03:26 PM	25105D0813	YEARLY (1E) – INSPECTION FOR EMITTING RAPPER (SPR 3 (M)
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:25 PM	25105D0813	YEARLY (1E) – INSPECTION FOR EMITTING RAPPER (SPR 3 (M)
WLS205 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:25 PM	25105D0814	YEARLY (1E) – INSPECTION FOR EMITTING RAPPER (SPR 4 (M)
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:25 PM	25105D0814	YEARLY (1E) – INSPECTION FOR GAS SCREEN RAPPER, PRECIPITATOR # 2 (M)
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:25 PM	25105D0815	YEARLY (1E) – INSPECTION FOR EMITTING RAPPER # C, PRECIPITATOR # 1(M)
WLS200 – PLAN SHUTDOWN MAINTENANC	18-Feb-26 03:26 PM	25105D0816	YEARLY (1E) – INSPECTION FOR COLLECTING RAPPER # C, PRECIPITATOR # 1 (M)
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:25 PM	25105D0818	YEARLY (1E) – INSPECTION FOR EMITTING RAPPER # B, PRECIPITATOR # 2 (M)
WLS206 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:25 PM	25105D0819	YEARLY (1E) – INSPECTION FOR COLLECTING RAPPER # B, PRECIPITATOR # 2 (M)
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:25 PM	25105D0820	YEARLY (1E) – INSPECTION FOR EMITTING RAPPER # A, PRECIPITATOR # 2 (M)
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:26 PM	25105D0821	YEARLY (1E) – INSPECTION FOR COLLECTING RAPPER # A, PRECIPITATOR # 2 (M)
WLS200 – PLAN SHUTDOWN MAINTENANC	18-Feb-26 03:26 PM	25105D0822	YEARLY (1E) – INSPECTION FOR SUPERHEATER RAPPER, PRECIPITATOR # 1 (M)
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 01:26 PM	25105D0823	YEARLY (1E) – INSPECTION FOR EMITTING RAPPER # C, PRECIPITATOR # 1 (M)
WLS206 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:26 PM	25105D0824	YEARLY (1E) – INSPECTION FOR COLLECTING RAPPER # C, PRECIPITATOR # 1 (M)
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:26 PM	25105D0825	YEARLY (1E) – INSPECTION FOR EMITTING RAPPER # B, PRECIPITATOR # 1 (M)
WLS200 – PLAN SHUTDOWN MAINTENANC	18-Feb-26 03:26 PM	25105D0827	YEARLY (1E) – INSPECTION FOR EMITTING RAPPER # A, PRECIPITATOR # 1 (M)
WLS206 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:26 PM	25105D0828	YEARLY (1E) – INSPECTION FOR COLLECTING RAPPER # A, PRECIPITATOR # 1 (M)
WLS211 – Mechanical PSD (Boiler)	18-Feb-26 03:26 PM	25105D0830	YEARLY (1E) – INSPECTION FOR SOOTBLOWER 1, LEFT (M)
WLS211 – Mechanical PSD (Boiler)	05-Feb-25 01:26 PM	25105D0832	YEARLY (1E) – INSPECTION FOR SOOTBLOWER 2, LEFT (M)
WLS211 – Mechanical PSD (Boiler)	05-Feb-25 01:27 PM	25105D0834	YEARLY (1E) – INSPECTION FOR SOOTBLOWER 3, RIGHT (M)
WLS211 – Mechanical PSD (Boiler)	05-Feb-25 03:27 PM	25105D0836	YEARLY (1E) – INSPECTION FOR SOOTBLOWER 4, LEFT (M)
WLS211 – Mechanical PSD (Boiler)	05-Feb-25 03:27 PM	25105D0838	YEARLY (1E) – INSPECTION FOR SOOTBLOWER 5, RIGHT (M)
WLS211 – Mechanical PSD (Boiler)	18-Feb-26 03:27 PM	25105D0837	YEARLY (1E) – INSPECTION FOR SOOTBLOWER 6, LEFT (M)
WLS211 – Mechanical PSD (Boiler)	05-Feb-25 03:27 PM	25105D0839	YEARLY (1E) – INSPECTION FOR SOOTBLOWER 7, RIGHT (M)
WLS211 – Mechanical PSD (Boiler)	05-Feb-25 03:27 PM	25105D0840	YEARLY (1E) – INSPECTION FOR SOOTBLOWER 8, LEFT (M)
WLS211 – Mechanical PSD (Boiler)	05-Feb-25 03:28 PM	25105D0841	YEARLY (1E) – INSPECTION FOR SOOTBLOWER 9, RIGHT (M)
WLS211 – Mechanical PSD (Boiler)	05-Feb-25 03:28 PM	25105D0842	YEARLY (1E) – INSPECTION FOR SOOTBLOWER 10, LEFT (M)
WLS211 – Mechanical PSD (Boiler)	18-Feb-26 03:28 PM	25105D0833	YEARLY (1E) – INSPECTION FOR SOOTBLOWER 11, RIGHT (M)
WLS211 – Mechanical PSD (Boiler)	05-Feb-25 03:28 PM	25105D0844	YEARLY (1E) – INSPECTION FOR SOOTBLOWER 12, LEFT (M)
WLS211 – Mechanical PSD (Boiler)	05-Feb-25 03:28 PM	25105D0835	YEARLY (1E) – INSPECTION FOR SOOTBLOWER 13, RIGHT (M)
WLS211 – Mechanical PSD (Boiler)	05-Feb-25 03:29 PM	25105D0846	YEARLY (1E) – INSPECTION FOR SOOTBLOWER 14, LEFT (M)
WLS211 – Mechanical PSD (Boiler)	05-Feb-25 03:29 PM	25105D0847	YEARLY (1E) – INSPECTION FOR SOOTBLOWER 15, LEFT (M)
WLS211 – Mechanical PSD (Boiler)	18-Feb-26 03:29 PM	25105D0828	YEARLY (1E) – INSPECTION FOR SOOTBLOWER 16, RIGHT (M)
WLS211 – Mechanical PSD (Boiler)	05-Feb-25 03:29 PM	25105D0848	YEARLY (1E) – INSPECTION FOR SOOTBLOWER 17, LEFT (M)
WLS211 – Mechanical PSD (Boiler)	05-Feb-25 03:29 PM	25105D0850	YEARLY (1E) – INSPECTION FOR SOOTBLOWER 18, RIGHT (M)
WLS211 – Mechanical PSD (Boiler)	05-Feb-25 03:30 PM	25105D0851	YEARLY (1E) – INSPECTION FOR SOOTBLOWER 19, LEFT (M)
WLS211 – Mechanical PSD (Boiler)	05-Feb-25 03:30 PM	25105D0852	YEARLY (1E) – INSPECTION FOR SOOTBLOWER 20, RIGHT (M)
WLS211 – Mechanical PSD (Boiler)	05-Feb-25 03:30 PM	25105D0853	YEARLY (1E) – INSPECTION FOR SOOTBLOWER 21, LEFT (M)
WLS211 – Mechanical PSD (Boiler)	18-Feb-26 03:30 PM	25105D0854	YEARLY (1E) – INSPECTION FOR SOOTBLOWER 22, RIGHT (M)
WLS211 – Mechanical PSD (Boiler)	05-Feb-25 03:30 PM	25105D0855	YEARLY (1E) – INSPECTION FOR SOOTBLOWER 23, LEFT (M)
WLS211 – Mechanical PSD (Boiler)	18-Feb-26 03:30 PM	25105D0856	YEARLY (1E) – INSPECTION FOR SOOTBLOWER 24, RIGHT (M)
WLS211 – Mechanical PSD (Boiler)	05-Feb-25 03:30 PM	25105D0857	YEARLY (1E) – INSPECTION FOR SOOTBLOWER 25, LEFT (M)
WLS211 – Mechanical PSD (Boiler)	18-Feb-26 03:30 PM	25105D0858	YEARLY (1E) – INSPECTION FOR SOOTBLOWER 26, RIGHT (M)
WLS211 – Mechanical PSD (Boiler)	05-Feb-25 03:31 PM	25105D0860	YEARLY (1E) – INSPECTION FOR SOOTBLOWER 27, LEFT (M)
WLS211 – Mechanical PSD (Boiler)	18-Feb-26 03:31 PM	25105D0861	YEARLY (1E) – INSPECTION FOR SOOTBLOWER 28, RIGHT (M)
WLS211 – Mechanical PSD (Boiler)	05-Feb-25 03:31 PM	25105D0862	YEARLY (1E) – INSPECTION FOR SOOTBLOWER 29, LEFT (M)
WLS211 – Mechanical PSD (Boiler)	18-Feb-26 03:31 PM	25105D0863	YEARLY (1E) – INSPECTION FOR SOOTBLOWER 30, RIGHT (M)
WLS211 – Mechanical PSD (Boiler)	05-Feb-25 03:31 PM	25105D0864	YEARLY (1E) – INSPECTION FOR SOOTBLOWER 31, LEFT (M)
WLS211 – Mechanical PSD (Boiler)	05-Feb-25 03:32 PM	25105D0865	YEARLY (1E) – INSPECTION FOR SOOTBLOWER 32, RIGHT (M)
WLS211 – Mechanical PSD (Boiler)	05-Feb-25 03:32 PM	25105D0866	YEARLY (1E) – INSPECTION FOR SOOTBLOWER 33, LEFT (M)
WLS211 – Mechanical PSD (Boiler)	05-Feb-25 03:32 PM	25105D0867	YEARLY (1E) – INSPECTION FOR SOOTBLOWER 34, RIGHT (M)
WLS211 – Mechanical PSD (Boiler)	05-Feb-25 03:32 PM	25105D0868	YEARLY (1E) – INSPECTION FOR SOOTBLOWER 35, LEFT (M)
WLS211 – Mechanical PSD (Boiler)	18-Feb-26 03:32 PM	25105D0869	YEARLY (1E) – INSPECTION FOR SOOTBLOWER 36, RIGHT (M)
WLS211 – Mechanical PSD (Boiler)	05-Feb-25 03:33 PM	25105D0870	YEARLY (1E) – INSPECTION FOR SOOTBLOWER 37, RIGHT (M)
WLS211 – Mechanical PSD (Boiler)	18-Feb-26 03:33 PM	25105D0871	YEARLY (1E) – INSPECTION FOR SOOTBLOWER 38, LEFT (M)
WLS211 – Mechanical PSD (Boiler)	05-Feb-25 03:33 PM	25105D0872	YEARLY (1E) – INSPECTION FOR SOOTBLOWER 39, LEFT (M)
WLS211 – Mechanical PSD (Boiler)	05-Feb-25 03:33 PM	25105D0873	YEARLY (1E) – INSPECTION FOR SOOTBLOWER 40, RIGHT (M)
WLS211 – Mechanical PSD (Boiler)	04-Feb-26 03:33 PM	25105D0874	YEARLY (1E) – INSPECTION FOR SOOTBLOWER 41, LEFT (M)
WLS211 – Mechanical PSD (Boiler)	05-Feb-25 03:33 PM	25105D0852	YEARLY (1E) – INSPECTION FOR SOOTBLOWER 42, RIGHT (M)
WLS211 – Mechanical PSD (Boiler)	05-Feb-26 03:33 PM	25105D0869	YEARLY (1E) – INSPECTION FOR SOOTBLOWER 43, RIGHT (M)
WLS211 – Mechanical PSD (Boiler)	05-Feb-25 03:33 PM	25105D0804	YEARLY (1E) – INSPECTION FOR SOOTBLOWER 44 (M)
WLS211 – Mechanical PSD (Boiler)	05-Feb-25 03:34 PM	25105D0805	YEARLY (1E) – INSPECTION FOR SOOTBLOWER 45, LEFT (M)
WLS211 – Mechanical PSD (Boiler)	05-Feb-25 03:34 PM	25105D0807	YEARLY (1E) – INSPECTION FOR SOOTBLOWER 46, RIGHT (M)
WLS211 – Mechanical PSD (Boiler)	05-Feb-25 03:34 PM	25105D0808	YEARLY (1E) – INSPECTION FOR SOOTBLOWER 47, LEFT (M)
WLS211 – Mechanical PSD (Boiler)	05-Feb-25 03:34 PM	25105D0809	YEARLY (1E) – INSPECTION FOR SOOTBLOWER 48, RIGHT (M)
WLS211 – Mechanical PSD (Boiler)	05-Feb-25 03:34 PM	25105D0810	YEARLY (1E) – INSPECTION FOR SOOTBLOWER 49, LEFT (M)
WLS211 – Mechanical PSD (Boiler)	05-Feb-25 03:34 PM	25105D0852	YEARLY (1E) – INSPECTION FOR SOOTBLOWER 50, RIGHT (M)
WLS211 – Mechanical PSD (Boiler)	25-Feb-26 03:35 PM	25105D0856	YEARLY (1E) – INSPECTION FOR SOOTBLOWER 51, LEFT (M)
WLS211 – Mechanical PSD (Boiler)	05-Feb-25 03:35 PM	25105D0834	YEARLY (1E) – INSPECTION FOR SOOTBLOWER 52, RIGHT (M)
WLS211 – Mechanical PSD (Boiler)	05-Feb-26 03:35 PM	25105D0835	YEARLY (1E) – INSPECTION FOR SOOTBLOWER 53A, LEFT (M)
WLS211 – Mechanical PSD (Boiler)	05-Feb-25 03:35 PM	25105D0836	YEARLY (1E) – INSPECTION FOR SOOTBLOWER 53A, RIGHT (M)
WLS211 – Mechanical PSD (Boiler)	05-Feb-25 03:35 PM	25105D0837	YEARLY (1E) – INSPECTION FOR SOOTBLOWER 54, LEFT (M)
WLS211 – Mechanical PSD (Boiler)	05-Feb-25 03:35 PM	25105D0838	YEARLY (1E) – INSPECTION FOR SOOTBLOWER 55, LEFT (M)
WLS211 – Mechanical PSD (Boiler)	05-Feb-25 03:35 PM	25105D0839	YEARLY (1E) – INSPECTION FOR SOOTBLOWER 56, RIGHT (M)
WLS211 – Mechanical PSD (Boiler)	05-Feb-25 03:36 PM	25105D0840	YEARLY (1E) – INSPECTION FOR SOOTBLOWER 57, LEFT (M)
WLS211 – Mechanical PSD (Boiler)	05-Feb-25 03:36 PM	25105D0841	YEARLY (1E) – INSPECTION FOR SOOTBLOWER 58, RIGHT (M)
WLS200 – PLAN SHUTDOWN MAINTENANC	18-Feb-26 03:26 PM	25105D0842	YEARLY (1E) – INSPECTION AND CLEAN OIL COOLER NO. 2, FOR COOLING LUBE OIL (M)
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:37 PM	25105D0843	YEARLY (1E) – INSPECTION AND CLEAN OIL COOLER NO. 1 (M)
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:37 PM	25105D0844	YEARLY (1E) – INSPECTION AND CLEAN COOLING WATER COOLER (M)
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:37 PM	25105D0845	YEARLY (1E) – INSPECTION AND CLEAN COOLER (M)
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:37 PM	25105D0846	YEARLY (1E) – INSPECTION AND CLEAN VACUUM PUMP COOLER (M)
WLS200 – PLAN SHUTDOWN MAINTENANC	26-Feb-26 03:42 PM	25105D0847	YEARLY (1E) – PM FOR SCRUBBER Fans (M)
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:37 PM	25105D0848	YEARLY (1E) – PM FOR FIELD GAS FAN (M)
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:37 PM	25105D0849	YEARLY (1E) – PM FOR SEALING AIR FANS 2 (1E)
WLS206 – PLAN SHUTDOWN MAINTENANC	18-Feb-26 03:37 PM	25105D0850	YEARLY (1E) – PM FOR SEALING AIR FANS 2 (M)
WLS211 – Mechanical PSD (ESP)	05-Feb-25 03:37 PM	25105D0851	YEARLY (1E) – PM FOR ASH CRUSHER, GEN BANK (3E)
WLS211 – Mechanical PSD (Boiler)	05-Feb-25 03:37 PM	25105D0852	YEARLY (1E) – PM FOR START-UP BURNER 1 (M)
WLS211 – Mechanical PSD (Boiler)	05-Feb-25 03:37 PM	25105D0853	YEARLY (1E) – PM FOR START-UP BURNER 2 (M)
WLS211 – Mechanical PSD (Boiler)	05-Feb-25 03:37 PM	25105D0854	YEARLY (1E) – PM FOR START-UP BURNER 3 (M)
WLS211 – Mechanical PSD (Boiler)	05-Feb-25 03:38 PM	25105D0855	YEARLY (1E) – PM FOR START-UP BURNER 4 (M)
WLS211 – Mechanical PSD (Boiler)	05-Feb-25 03:38 PM	25105D0856	YEARLY (1E) – PM FOR START-UP BURNER 5 (M)
WLS211 – Mechanical PSD (Boiler)	05-Feb-25 03:38 PM	25105D0857	YEARLY (1E) – PM FOR START-UP BURNER 6 (M)
WLS211 – Mechanical PSD (Boiler)	05-Feb-25 03:38 PM	25105D0858	YEARLY (1E) – PM FOR SPRAY NOZZLE – SHELT SPOUT # 1 (M)
WLS211 – Mechanical PSD (Boiler)	05-Feb-25 03:38 PM	25105D0859	YEARLY (1E) – PM FOR SPRAY NOZZLE – SHELT SPOUT # 2 (M)
WLS211 – Mechanical PSD (Boiler)	18-Feb-26 03:38 PM	25105D0860	YEARLY (1E) – PM FOR SPRAY NOZZLE – SHELT SPOUT # 3 (M)
WLS211 – Mechanical PSD (Boiler)	18-Feb-26 03:38 PM	25105D0861	YEARLY (1E) – PM FOR SPRAY NOZZLE – SHELT SPOUT # 4 (M)
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:39 PM	25105D0862	YEARLY (1E) – PM FOR SCANNER MONITOR AIR FAN # 1 (M)
WLS206 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:39 PM	25105D0863	YEARLY (1E) – PM FOR SCANNER/MONITOR AIR FAN # 2 (M)
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 01:38 PM	25105D0877	YEARLY (1E) – INSPECTION FOR AGITATOR STRONG LIQUOR STORAGE TANK # 1 (M)
WLS200 – PLAN SHUTDOWN MAINTENANC	25-Feb-25 03:38 PM	25105D0878	YEARLY (1E) – INSPECTION FOR AGITATOR STRONG LIQUOR STORAGE TANK # 2 (M)
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:39 PM	25105D0879	YEARLY (1E) – PM FOR CHILLED WATER PUMP #1 (M)
WLS206 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:39 PM	25105D0880	YEARLY (1E) – PM FOR CHILLED WATER PUMP #2 (M)
WLS206 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:39 PM	25105D0881	YEARLY (1E) – PM FOR CHILLED WATER PUMP #3 (M)
WLS206 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:39 PM	25105D0882	YEARLY (1E) – PM FOR CONDENSATE WATER PUMP #1 (M)
WLS200 – PLAN SHUTDOWN MAINTENANC	05-Feb-25 03:39 PM	25105D0883	YEARLY (1E) – PM FOR CONDENSATE WATER PUMP #2 (M)
WLS200 – PLAN SHUTDOWN MAINTENANC	04-Feb-26 01:35 AM	25105D0877	YEARLY (1E) – PM FOR 22 KV MAIN DISTRIBUTION BUS PUMP NBU 1_PP11 (1)
WLS200 – PLAN SHUTDOWN MAINTENANC	04-Feb-26 01:35 AM	25105D0878	YEARLY (1E) – PM FOR 22 KV MAIN SWITCH GEAR GENERATION BUS_PP11 (E) down name box
WLS206 – PLAN SHUTDOWN MAINTENANC	18-Feb-26 01:36 AM	25105D0879	YEARLY (1E) – PM FOR 22 KV MAIN DISTRIBUTION BUS PUMP NBU 2_PP11 (1)
WLS214 – Electrical PSD (Water/HACC/Drum	14-Feb-25 01:27 AM	25105D0464	YEARLY (1E) – PM FOR MOTOR RODDING MASTER _ FRONT BOILER (E)
WLS214 – Electrical PSD (Water/HACC/Drum	14-Feb-25 01:27 AM	25105D0465	YEARLY (1E) – PM FOR MOTOR RODDING MASTER _ LEFT BOILER (E)
WLS214 – Electrical PSD (Water/HACC/Drum	14-Feb-25 01:27 AM	25105D0466	YEARLY (1E) – PM FOR MOTOR RODDING MASTER _ RIGHT BOILER (E)
WLS214 – Electrical PSD (Water/HACC/Drum	14-Feb-25 01:27 AM	25105D0467	YEARLY (1E) – PM FOR MOTOR RODDING MASTER _ REAR BOILER (E)
WLS118 – Automation PPS & 10.11	11-Feb-25 01:28 AM	25107E0838	YEARLY (1E) – INSPECTION FOR HYDRAULIC DAMPER INLET ESPR 1_PP11 (E)
WLS118 – Automation PPS & 10.11	11-Feb-25 01:19 AM	25107E0848	YEARLY (1E) – INSPECTION FOR HYDRAULIC DAMPER INLET ESPR 2_PP11 (E)
WLS118 – Automation PPS & 10.11	11-Feb-25 01:19 AM	25107E0850	YEARLY (1E) – INSPECTION FOR HYDRAULIC DAMPER INLET ESPR 3_PP11 (A)
WLS118 – Automation PPS & 10.11	11-Feb-25 01:19 AM	25107E0851	YEARLY (1E) – INSPECTION FOR HYDRAULIC DAMPER OUTLET ESPR 1_PP11 (A)
WLS118 – Automation PPS & 10.11	11-Feb-25 01:19 AM	25107E0852	YEARLY (1E) – INSPECTION FOR HYDRAULIC DAMPER OUTLET ESPR 2_PP11 (A)
WLS118 – Automation PPS & 10.11	11-Feb-25 01:19 AM	25107E0854	YEARLY (1E) – INSPECTION FOR HYDRAULIC DAMPER OUTLET ESPR 3_PP11 (A)
WLS218 – PSD AUTO-ALL	11-Feb-25 01:19 AM	25107E0854	YEARLY (1E) – PM FOR START BURNER OIL PRESSURE (A)
WLS218 – PSD AUTO-ALL	11-Feb-25 01:19 AM	25107E0855	YEARLY (1E) – PM FOR HYDRAULIC OIL PRESSURE (A)
WLS216 – PSD AUTO-ALL	19-Feb-25 01:20 AM	25107E0856	YEARLY (1E) – PM FOR LEVEL EFFECT 1E (A)
WLS226 – PSD AUTO-ALL	11-Feb-25 01:20 AM	25107E0857	YEARLY (1E) – PM FOR LEVEL STRONG LIQUOR FLUSH TANK (A)
WLS228 – PSD AUTO-ALL	11-Feb-25 01:20 AM	25107E0858	YEARLY (1E) – PM FOR LEVEL BLACKCONDEN CONDENSATE TANK (E)
WLS216 – PSD AUTO-ALL	11-Feb-25 01:20 AM	25107E0859	YEARLY (1E) – PM FOR LEVEL INTERD LIQUOR TANK (A)
WLS216 – PSD AUTO-ALL	11-Feb-25 01:20 AM	25107E0860	YEARLY (1E) – PM FOR LEVEL BLWARM WATER TANK (A)
WLS215 – PSD AUTO-ALL	11-Feb-25 01:20 AM	25107E0861	YEARLY (1E) – PM FOR SULFUR PUMPING TANK LEVEL (A)
WLS226 – PSD AUTO-ALL	11-Feb-25 01:20 AM	25107E0862	YEARLY (1E) – PM FOR LEVEL SEWING LIQUOR FLUSH TANK (A)
WLS226 – PSD AUTO-ALL	11-Feb-25 01:20 AM	25107E0863	YEARLY (1E) – PM FOR LIVE STEAM CONDENSATE FLOW (A)
WLS235 – PSD AUTO-ALL	11-Feb-25 01:20 AM	25107E0864	YEARLY (1E) – PM FOR RAW WATER FLOW TO SURFACE CONDENSATE FLOW (A)
WLS238 – PSD AUTO-ALL	11-Feb-25 01:20 AM	25107E0865	YEARLY (1E) – PM FOR SUMP FLOW (A)
WLS253 – PSD AUTO-ALL	11-Feb-25 01:21 AM	25107E0866	YEARLY (1E) – PM FOR STRONG LIQUOR FLUSH TANK PRESSURE (A)
WLS236 – PSD AUTO-ALL	11-Feb-25 01:21 AM	25107E0867	YEARLY (1E) – INSPECTION AND CALIBRATE FOR STRONG LIQUOR FLOW DN 200 (E)
WLS238 – PSD AUTO-ALL	11-Feb-25 01:21 AM	25107E0868	YEARLY (1E) – INSPECTION REFRACTOMETER FOR DENSITY GREEN LIQUOR LINE A PP11 (E)
WLS239 – PSD AUTO-ALL	11-Feb-25 01:21 AM	25107E0869	YEARLY (1E) – INSPECTION REFRACTOMETER FOR DENSITY GREEN LIQUOR LINE B PP11 (E)
WLS238 – PSD AUTO-ALL	11-Feb-25 01:21 AM	25107E0870	YEARLY (1E) – INSPECTION CONDENSATE PUMP FLOW (A)
WLS235 – PSD AUTO-ALL	11-Feb-25 01:21 AM	25107E0871	YEARLY (1E) – INSPECTION BOILER WATER pH (A)
WLS239 – PSD AUTO-ALL	11-Feb-25 01:21 AM	25107E0872	YEARLY (1E) – INSPECTION BOILER WATER CONDUCTIVITY (A)
WLS236 – PSD AUTO-ALL	11-Feb-25 01:21 AM	25107E0873	YEARLY (1E) – INSPECTION REFRACTOMETER FOR DENSITY GREEN LIQUOR LINE A PP11 (E)
WLS235 – PSD AUTO-ALL	11-Feb-25 01:21 AM	25107E0874	YEARLY (1E) – INSPECTION BOILER WATER CONDUCTIVITY (A)
WLS238 – PSD AUTO-ALL	11-Feb-25 01:21 AM	25107E0875	YEARLY (1E) – INSPECTION COOLING CONDUCTIVITY (A)
WLS235 – PSD AUTO-ALL	11-Feb-25 01:22 AM	25107E0876	YEARLY (1E) – INSPECTION CONTROL VALVE DAMPER TO BOILER (A)
WLS239 – PSD AUTO-ALL	11-Feb-25 01:22 AM	25107E0877	YEARLY (1E) – INSPECTION CONTROL VALVE BLOWDOWN TANK 2N (E) (A)
WLS236 – PSD AUTO-ALL	11-Feb-25 01:22 AM	25107E0878	YEARLY (1E) – INSPECTION CONTROL VALVE DISSOLVING TANK DN200 (A)
WLS226 – PSD AUTO-ALL	11-Feb-25 01:22 AM	25107E0879	YEARLY (1E) – INSPECTION CONTROL VALVE DISSOLVING TANK DN200 (A)
WLS238 – PSD AUTO-ALL	11-Feb-25 01:22 AM	25107E0880	YEARLY (1E) – INSPECTION CONTROL VALVE STEAM TO SMELT BURNERS DN25 (A)
WLS218 – PSD AUTO-ALL	11-Feb-25 01:23 AM	25107E0881	YEARLY (1E) – INSPECTION CONTROL VALVE LN EL WASH LIQUOR FLUSH TANK DN80 (A)
WLS219 – PSD AUTO-ALL	11-Feb-25 01:23 AM	25107E0882	YEARLY (1E) – INSPECTION CONTROL VALVE LIQ. FLOW FROM DIG. TANK TO STRONG LIQ. TANK DN (LIQ) (A)
WLS216 – PSD AUTO-ALL	11-Feb-25 01:23 AM	25107E0883	YEARLY (1E) – INSPECTION CONTROL VALVE SEWAGE STEAM/BLOW-OFF SINGLE PN16 (A)
WLS239 – PSD AUTO-ALL	11-Feb-25 01:23 AM	25107E0884	YEARLY (1E) – INSPECTION CONTROL VALVE MP SAT STEAM TEMP OUTLET (A)
WLS238 – PSD AUTO-ALL	11-Feb-25 01:23 AM	25107E0885	YEARLY (1E) – INSPECTION CONTROL VALVE MP BY-PASS VESSEL TEMP (A)
WLS218 – PSD AUTO-ALL	11-Feb-25 01:24 AM	25107E0886	YEARLY (1E) – INSPECTION CONTROL VALVE MP SAT STEAM PRESSURE (A)
WLS218 – PSD AUTO-ALL	11-Feb-25 01:24 AM	25107E0887	YEARLY (1E) – INSPECTION CONTROL VALVE START BURNER OIL PRESSURE (A)
WLS216 – PSD AUTO-ALL	11-Feb-25 01:24 AM	25107E0888	YEARLY (1E) – INSPECTION FOR FLOW ROTA PURGE DISSOLVING TANK LEVEL A_PP11 (A)
WLS239 – PSD AUTO-ALL	11-Feb-25 01:24 AM	25107E0889	YEARLY (1E) – INSPECTION FOR FLOW ROTA PURGE DISSOLVING TANK LEVEL B_PP11 (A)
WLS215 – PSD AUTO-ALL	11-Feb-25 01:24 AM	25107E0890	YEARLY (1E) – PM FOR RTD for Turbine Bearing (A)
WLS215 – PSD AUTO-ALL	21-Feb-25 01:24 AM	25107E0891	YEARLY (1E) – PM FOR RTD for Turbine Bearing No.1 (A)
WLS215 – PSD AUTO-ALL	21-Feb-25 01:24 AM	25107E0892	YEARLY (1E) – PM FOR RTD for Turbine Bearing No.2 (A)
WLS216 – PSD AUTO-ALL	21-Feb-25 01:24 AM	25107E0893	YEARLY (1E) – PM FOR RTD for Turbine Bearing No.3 (A)
WLS216 – PSD AUTO-ALL	21-Feb-25 01:25 AM	25107E0836	YEARLY (1E) – PM FOR RTD for Turbine Bearing No.4 (A)
WLS216 – PSD AUTO-ALL	21-Feb-25 01:25 AM	25107E0894	YEARLY (1E) – PM FOR RTD for Gen Cooling Air Inlet (A)
WLS215 – PSD AUTO-ALL	21-Feb-25 01:25 AM	25107E0858	YEARLY (1E) – PM FOR RTD for Gen Cooling Air Inlet (A)
WLS216 – PSD AUTO-ALL	21-Feb-25 01:25 AM	25107E0859	YEARLY (1E) – PM FOR RTD for Gen Cooling Air Outlet (A)
WLS216 – PSD AUTO-ALL	21-Feb-25 01:25 AM	25107E0895	YEARLY (1E) – PM FOR RTD for Gen Cooling Air Outlet (A)
WLS216 – PSD AUTO-ALL	21-Feb-25 01:25 AM	25107E0859	YEARLY (1E) – INSPECTION VIBRATION Thrust Shaft Runner (Bmd) (E)
WLS216 – PSD AUTO-ALL	19-Feb-26 01:25 AM	25107E0870	YEARLY (1E) – INSPECTION VIBRATION Turbine Bearing No.1 (A)
WLS216 – PSD AUTO-ALL	21-Feb-25 01:25 AM	25107E0871	YEARLY (1E) – INSPECTION VIBRATION Turbine Bearing No.1 (A)
WLS216 – PSD AUTO-ALL	21-Feb-25 01:25 AM	25107E0872	YEARLY (1E) – INSPECTION VIBRATION Turbine Bearing No.2 (A)
WLS216 – PSD AUTO-ALL	19-Feb-25 01:25 AM	25107E0873	YEARLY (1E) – INSPECTION VIBRATION Turbine Bearing No.2 (A)
WLS238 – PSD AUTO-ALL	21-Feb-25 01:25 AM	25107E0874	YEARLY (1E) – INSPECTION VIBRATION Turbine Bearing No.3 (A)
WLS238 – PSD AUTO-ALL	19-Feb-25 01:25 AM	25107E0875	YEARLY (1E) – INSPECTION VIBRATION Turbine Bearing No.3 (A)
WLS238 – PSD AUTO-ALL	21-Feb-25 01:25 AM	25107E0876	YEARLY (1E) – INSPECTION VIBRATION Turbine Bearing No.4 (A)
WLS238 – PSD AUTO-ALL	19-Feb-25 01:25 AM	25107E0877	YEARLY (1E) – INSPECTION VIBRATION Turbine Bearing No.4 (A)

WLS216 - PSD AUTO-ALL	23-Feb-25 01:25 AM	251073308	YEARLY (SD) - PM FOR Thermometer for Gen Air Cooler No.1 Inlet _PP11 (A)	NPPSA_PP1
WLS216 - PSD AUTO-ALL	23-Feb-25 01:26 AM	251073309	YEARLY (SD) - PM FOR Thermometer for Gen Air Cooler No.1 Outlet _PP11 (A)	NPPSA_PP1
WLS216 - PSD AUTO-ALL	23-Feb-25 01:26 AM	251073310	YEARLY (SD) - PM FOR Thermometer for Gen Air Cooler No.2 Inlet_PP11 (A)	NPPSA_PP1
WLS216 - PSD AUTO-ALL	23-Feb-25 01:26 AM	251073311	YEARLY (SD) - PM FOR Thermometer for Gen Air Cooler No.2 Outlet_PP11 (A)	NPPSA_PP1
WLS216 - PSD AUTO-ALL	23-Feb-25 01:26 AM	251073312	YEARLY (SD) - PM FOR Thermometer for No.5 Bearing Drain_PP11 (A)	NPPSA_PP1
WLS216 - PSD AUTO-ALL	23-Feb-25 01:26 AM	251073313	YEARLY (SD) - PM FOR Thermometer for No.6 Bearing Drain_PP11 (A)	NPPSA_PP1
WLS216 - PSD AUTO-ALL	23-Feb-25 01:26 AM	251073314	YEARLY (SD) - PM FOR Thermometer Main Oil Outlet _PP11 (A)	NPPSA_PP1
WLS216 - PSD AUTO-ALL	23-Feb-25 01:26 AM	251073315	YEARLY (SD) - PM FOR Thermometer Main Oil Outlet _PP11 (A)	NPPSA_PP1
WLS232 - PSD AUTO-ALL	12-Feb-25 03:54 AM	251075306	YEARLY (SD) - INSPECTION FOR BED CAMERA RIGHT SIDE_PP11 (A)	NPPSA_PP1
WLS235 - PSD AUTO-ALL	12-Feb-25 03:54 AM	251075307	YEARLY (SD) - INSPECTION FOR BED CAMERA LEFT SIDE_PP11 (A)	NPPSA_PP1
WLS216 - PSD AUTO-ALL	23-Feb-25 03:54 AM	251075308	YEARLY (SD) - INSPECTION FOR BED CAMERA REAR SIDE_PP11 (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	04-Mar-24 09:03 AM	241093857	YEARLY (SD) - PM FOR EXHAUST STEAM TEMP (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	04-Mar-24 09:09 AM	[illegible]	YEARLY (SD) - PM FOR LP STEAM HEADER TEMP (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	04-Mar-24 09:10 AM	[illegible]	YEARLY (SD) - PM FOR LP STEAM HEADER TEMP (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	04-Mar-24 09:13 AM	[illegible]	YEARLY (SD) - PM FOR OIL COOLER OUTLET VALVE (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	04-Mar-24 09:15 AM	[illegible]	YEARLY (SD) - PM FOR COND FROM PULP DRYER (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	04-Mar-24 09:18 AM	[illegible]	YEARLY (SD) - PM FOR LIVE STEAM TO EFF.1D (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	04-Mar-24 09:21 AM	[illegible]	YEARLY (SD) - PM FOR LP STEAM TO TURBINE (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	04-Mar-24 09:24 AM	[illegible]	YEARLY (SD) - PM FOR BL SPRAYER DIVERT (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	04-Mar-24 09:27 AM	[illegible]	YEARLY (SD) - PM FOR BL SPRAYER DIVERT (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	08-Mar-24 11:47 PM	[illegible]	YEARLY (SD) - PM FOR CONTAM. COND'NS. (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	08-Mar-24 11:52 PM	[illegible]	YEARLY (SD) - PM FOR PRIM. CONDENS. (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	08-Mar-24 11:53 PM	[illegible]	YEARLY (SD) - PM FOR SECOND CONDENS (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	08-Mar-24 11:53 PM	[illegible]	YEARLY (SD) - PM FOR FOUL CONDENS. (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	08-Mar-24 11:54 PM	[illegible]	YEARLY (SD) - PM FOR CONTAM. CONDENS. (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	08-Mar-24 11:55 PM	[illegible]	YEARLY (SD) - PM FOR STRONG LIQUOR DRY SOLIDS (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	08-Mar-24 11:55 PM	[illegible]	YEARLY (SD) - PM FOR STORE LIQUOR DRY SOLIDS (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	08-Mar-24 11:56 PM	[illegible]	YEARLY (SD) - PM FOR STRONG LIQUOR DRY SOLIDS (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	08-Mar-24 11:56 PM	[illegible]	YEARLY (SD) - PM FOR STORE LIQUOR DRY SOLIDS (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	08-Mar-24 11:57 PM	[illegible]	YEARLY (SD) - PM FOR DRY SOLIDS OF FEED LIQUOR TANK (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	08-Mar-24 11:57 PM	[illegible]	YEARLY (SD) - PM FOR LIQUOR BETWEEN EFFECT 1A - B (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	08-Mar-24 11:58 PM	[illegible]	YEARLY (SD) - PM FOR LIQUOR BETWEEN EFFECT 1C - A (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	08-Mar-24 11:58 PM	[illegible]	YEARLY (SD) - PM FOR LIQUOR BETWEEN EFFECT 1B - C (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	08-Mar-24 11:59 PM	[illegible]	YEARLY (SD) - PM FOR STRONG LIQUOR (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	08-Mar-24 11:59 PM	[illegible]	YEARLY (SD) - PM FOR WASH LIQUOR TO EFFECT 1A (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 12:00 AM	[illegible]	YEARLY (SD) - PM FOR WASH LIQUOR TO EFFECT 1B (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 12:00 AM	[illegible]	YEARLY (SD) - PM FOR WASH LIQUOR TO EFFECT 1C (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 12:01 AM	[illegible]	YEARLY (SD) - PM FOR WASH LIQUOR TO EFFECT 1D (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 12:01 AM	[illegible]	YEARLY (SD) - PM FOR WASH LIQUOR TO EFFECT 2 (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 12:02 AM	[illegible]	YEARLY (SD) - PM FOR BY PASS EFFECT 2 (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 12:02 AM	[illegible]	YEARLY (SD) - PM FOR LIQ. TO EFFECT 1A (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 12:02 AM	[illegible]	YEARLY (SD) - PM FOR LIQ. TO EFFECT 1B (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 12:03 AM	[illegible]	YEARLY (SD) - PM FOR LIQ. TO EFFECT 1C (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 12:03 AM	[illegible]	YEARLY (SD) - PM FOR Na2SO4 TO EFFECT 1A (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 12:04 AM	[illegible]	YEARLY (SD) - PM FOR Na2SO4 TO EFFECT 1B (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 12:04 AM	[illegible]	YEARLY (SD) - PM FOR LIQUOR BETWEEN EFFECT 1B - 1 (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 12:05 AM	[illegible]	YEARLY (SD) - PM FOR LIQUOR BETWEEN EFFECT 1C - A (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 12:06 AM	[illegible]	YEARLY (SD) - PM FOR LIQUOR BETWEEN EFFECT 1B-C (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 12:06 AM	[illegible]	YEARLY (SD) - PM FOR STRONG LIQUOR (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 12:06 AM	[illegible]	YEARLY (SD) - PM FOR WASH LIQUOR TO EFFECT 1A (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 12:07 AM	[illegible]	YEARLY (SD) - PM FOR WASH LIQUOR TO EFFECT 1B (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 12:07 AM	[illegible]	YEARLY (SD) - PM FOR WASH LIQUOR TO EFFECT 1C (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 12:08 AM	[illegible]	YEARLY (SD) - PM FOR WASH LIQUOR TO EFFECT 1D (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 12:09 AM	[illegible]	YEARLY (SD) - PM FOR WASH LIQUOR TO EFFECT 2 (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 12:09 AM	[illegible]	YEARLY (SD) - PM FOR BY PASS EFFECT 2 (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 12:10 AM	[illegible]	YEARLY (SD) - PM FOR LIQ. TO EFFECT 1A (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 12:10 AM	[illegible]	YEARLY (SD) - PM FOR LIQ. TO EFFECT 1B (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 12:10 AM	[illegible]	YEARLY (SD) - PM FOR LIQ. TO EFFECT 1C (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 12:12 AM	[illegible]	YEARLY (SD) - PM FOR Na2SO4 TO EFFECT 1A (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 12:13 AM	[illegible]	YEARLY (SD) - PM FOR Na2SO4 TO EFFECT 1B (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 12:13 AM	[illegible]	YEARLY (SD) - PM FOR LIVE STEAM TO EFFECT 1C (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 12:14 AM	[illegible]	YEARLY (SD) - PM FOR LIVE STEAM TO EFFECT 1B (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 12:17 AM	[illegible]	YEARLY (SD) - PM FOR LIVE STEAM TO EFFECT 1A (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 12:18 AM	[illegible]	YEARLY (SD) - PM FOR MP STEAM BY-PASS PRESSURE (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 12:21 AM	[illegible]	YEARLY (SD) - PM FOR LP STEAM BY-PASS PRESSURE (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 12:23 AM	[illegible]	YEARLY (SD) - PM FOR CONTAM. COND'NS. (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 12:23 AM	[illegible]	YEARLY (SD) - PM FOR CONTAM. CONDENSATE (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 12:24 AM	[illegible]	YEARLY (SD) - PM FOR FLOW NaOH DILUTION CONTROL VALUE (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 12:25 AM	[illegible]	YEARLY (SD) - PM FOR FLOW NaOH DILUTION TRANSMITTER (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 12:27 AM	[illegible]	YEARLY (SD) - PM FOR FLOW NaOH DILUTION CONTROL (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 12:29 AM	[illegible]	YEARLY (SD) - PM FOR LIVE STEAM TO EFF.1D (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 12:31 AM	[illegible]	YEARLY (SD) - PM FOR LIVE STEAM TO ABC (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 12:32 AM	[illegible]	YEARLY (SD) - PM FOR VALVE BY-PASS EFFECT 2 (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 12:33 AM	[illegible]	YEARLY (SD) - PM FOR VALVE BY-PASS EFFECT 1 (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 12:37 AM	[illegible]	YEARLY (SD) - PM FOR LIQ. TO SPILL LIQ. TANK (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 12:40 AM	[illegible]	YEARLY (SD) - PM FOR LIQ. TO SPILL LIQ. TANK (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 12:42 AM	[illegible]	YEARLY (SD) - PM FOR DRAINING OF Na2SO4 LINE (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 12:42 AM	[illegible]	YEARLY (SD) - PM FOR VALVE BY-PASS EFFECT 2 (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 12:43 AM	[illegible]	YEARLY (SD) - PM FOR VALVE BY-PASS EFFECT 1 (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 12:43 AM	[illegible]	YEARLY (SD) - PM FOR LIQUOR FROM EFFECT 2 (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 12:44 AM	[illegible]	YEARLY (SD) - PM FOR LIQUOR FROM EFFECT 2 (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 12:44 AM	[illegible]	YEARLY (SD) - PM FOR LIQ TO STRONG LIQ. TANK (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 12:44 AM	[illegible]	YEARLY (SD) - PM FOR LIQ TO STRONG LIQ. TANK (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 12:45 AM	[illegible]	YEARLY (SD) - PM FOR RETURN LINE FROM RECOVERY BOILER (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 12:45 AM	[illegible]	YEARLY (SD) - PM FOR RETURN LINE FROM RECOVERY BOILER (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 12:46 AM	[illegible]	YEARLY (SD) - PM FOR RETURN LINE FROM RECOVERY BOILER (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 12:46 AM	[illegible]	YEARLY (SD) - PM FOR RETURN LINE FROM RECOVERY BOILER (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 12:47 AM	[illegible]	YEARLY (SD) - PM FOR DRAINING FROM Na2SO4 LINE (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 12:47 AM	[illegible]	YEARLY (SD) - PM FOR DRAINING FROM Na2SO4 LINE (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 12:48 AM	[illegible]	YEARLY (SD) - PM FOR Na2SO4 TO EFFECT 1C (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 12:48 AM	[illegible]	YEARLY (SD) - PM FOR Na2SO4 TO EFFECT 1C (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 12:48 AM	[illegible]	YEARLY (SD) - PM FOR PRIM 2 INLET SUPERHEATER (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 12:51 AM	[illegible]	YEARLY (SD) - PM FOR PRIM 2 SPRAYER ATTEMP (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 12:53 AM	[illegible]	YEARLY (SD) - PM FOR COOLING WATER TANK LOW (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 12:54 AM	[illegible]	YEARLY (SD) - PM FOR FUEL OIL RETURN (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 12:56 AM	[illegible]	YEARLY (SD) - PM FOR BL DIRECT HEATER (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 12:59 AM	[illegible]	YEARLY (SD) - PM FOR COOLING WATER TO SPOUT (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 01:00 AM	[illegible]	YEARLY (SD) - PM FOR BL SPRAYER DIVERT (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 01:00 AM	[illegible]	YEARLY (SD) - PM FOR BL SPRAYER DIVERT (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 01:00 AM	[illegible]	YEARLY (SD) - PM FOR COOLING WATER TANK LEVEL LOW (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 01:01 AM	[illegible]	YEARLY (SD) - PM FOR BL SPRAYER DIVERT (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 01:04 AM	[illegible]	YEARLY (SD) - PM FOR BL MIXING TANK (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 01:05 AM	[illegible]	YEARLY (SD) - PM FOR DISSOLVING TANK DENSITY VALVE (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 01:06 AM	[illegible]	YEARLY (SD) - PM FOR DISSOLVING TANK DENSITY VALVE (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 01:09 AM	[illegible]	YEARLY (SD) - PM FOR ID FAN #2 SPEED CONTROL (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 01:11 AM	[illegible]	YEARLY (SD) - PM FOR ID FAN #1 SPEED CONTROL (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 01:14 AM	[illegible]	YEARLY (SD) - PM FOR TERTIARY AIR FLOW (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 01:16 AM	[illegible]	YEARLY (SD) - PM FOR TERTIARY AIR FLOW (A)	NPPSA_PP1
WLS239 - PSD AUTO-ALL	09-Mar-24 01:18 AM	[illegible]	YEARLY (SD) - PM FOR SWITCH OL / W.W VALVES (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 01:19 AM	[illegible]	YEARLY (SD) - PM FOR ID-FAN #1 SPEED CONTROL (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 01:20 AM	[illegible]	YEARLY (SD) - PM FOR ID-FAN #2 SPEED CONTROL (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 01:24 AM	[illegible]	YEARLY (SD) - PM FOR SPEED CONTROL FEED WATER PUMP 2 (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 01:25 AM	[illegible]	YEARLY (SD) - PM FOR SECONDARY AIR FLOW (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 01:27 AM	[illegible]	YEARLY (SD) - PM FOR PRIMARY AIR FLOW (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 01:29 AM	[illegible]	YEARLY (SD) - PM FOR DEAERATOR PRESSURE (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 01:30 AM	[illegible]	YEARLY (SD) - PM FOR SECONDARY SUPER HEAT ATTEMP (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 01:32 AM	[illegible]	YEARLY (SD) - PM FOR TERTIARY AIR DAMPER (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 01:35 AM	[illegible]	YEARLY (SD) - PM FOR CONTINUOUS BLOWDOWN (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 01:36 AM	[illegible]	YEARLY (SD) - PM FOR COOLING WATER TO SPOUT (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 01:38 AM	[illegible]	YEARLY (SD) - PM FOR COOLING WATER TO SPOUT (A)	NPPSA_PP1
WLS216 - PSD AUTO-ALL	09-Mar-24 01:40 AM	[illegible]	YEARLY (SD) - PM FOR BL SPRAYER DIVERT (A)	NPPSA_PP1
WLS238 - PSD AUTO-ALL	09-Mar-24 01:42 AM	[illegible]	YEARLY (SD) - PM FOR BL SPRAYERS DIVERT (A)	NPPSA_PP1
WLS219 - PSD AUTO-ALL	09-Mar-24 01:45 AM	[illegible]	YEARLY (SD) - PM FOR BL SPRAYER DIVERT (A)	NPPSA_PP1
WLS229 - PSD AUTO-ALL	09-Mar-24 01:47 AM	[illegible]	YEARLY (SD) - PM FOR BL SPRAYER DIVERT (A)	NPPSA_PP1
WMS179 - Automation Service (Instrument)	09-Mar-24 01:49 AM	[illegible]	YEARLY (SD) - PM FOR MILL WIDE DCS CONTROLLER (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 01:53 AM	[illegible]	YEARLY (SD) - PM FOR LIQ FC TO EFF. 1D (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 [illegible]	[illegible]	YEARLY (SD) - PM FOR LIQUOR FLOW TO EFFECT 1.D (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 01:54 AM	[illegible]	YEARLY (SD) - PM FOR LIVE STEAM TO ABC (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 01:54 AM	[illegible]	YEARLY (SD) - PM FOR FOUL COND TO TRP (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 01:55 AM	[illegible]	YEARLY (SD) - PM FOR MC. STEAM TO TRPL (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 01:55 AM	[illegible]	YEARLY (SD) - PM FOR FOUL COND TO TRP (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 [illegible]	[illegible]	YEARLY (SD) - PM FOR LIVE STEAM TO EFF.1D (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 [illegible]	[illegible]	YEARLY (SD) - PM FOR Na2SO4 (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 [illegible]	[illegible]	YEARLY (SD) - PM FOR FROM MIXING TANK (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 [illegible]	[illegible]	YEARLY (SD) - PM FOR SPILL LIQUOR FLOW (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 01:57 AM	[illegible]	YEARLY (SD) - PM FOR ST.LIQ TO EFF.1A-C (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 01:57 AM	[illegible]	YEARLY (SD) - PM FOR INSTRUMENT AIR FLOW (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 01:57 AM	[illegible]	YEARLY (SD) - PM FOR INT LIQ TO EFF.1A-C (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 01:58 AM	[illegible]	YEARLY (SD) - PM FOR LIQ FC TO EFF.1D (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 01:58 AM	[illegible]	YEARLY (SD) - PM FOR LIVE STEAM TO EFF.1D (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 01:58 AM	[illegible]	YEARLY (SD) - PM FOR FOUL COND TO TRP (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 01:58 AM	[illegible]	YEARLY (SD) - PM FOR MC. STEAM TO TRP (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 01:58 AM	[illegible]	YEARLY (SD) - PM FOR LIVE STEAM TO ABC (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 02:00 AM	[illegible]	YEARLY (SD) - PM FOR WEAK WASH TO SCRUBBER (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 02:00 AM	[illegible]	YEARLY (SD) - PM FOR TERTIARY AIR FLOW (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 02:00 AM	[illegible]	YEARLY (SD) - PM FOR FLOOR TUBE # 112 CIRCULATION FLOW (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 02:01 AM	[illegible]	YEARLY (SD) - PM FOR FLOOR TUBE # 96 CIRCULATION FLOW (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 02:01 AM	[illegible]	YEARLY (SD) - PM FOR FLOOR TUBE # 16 CIRCULATION FLOW (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 02:02 AM	[illegible]	YEARLY (SD) - PM FOR FLOOR TUBE # 18 CIRCULATION FLOW (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 02:02 AM	[illegible]	YEARLY (SD) - PM FOR BL TO SPRAY GUN #1 (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 02:03 AM	[illegible]	YEARLY (SD) - PM FOR BL TO SPRAY GUN #2 (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 02:03 AM	[illegible]	YEARLY (SD) - PM FOR BL TO SPRAY GUN #3 (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 02:03 AM	[illegible]	YEARLY (SD) - PM FOR BL TO SPRAY GUN #4 (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 02:03 AM	[illegible]	YEARLY (SD) - PM FOR SECONDARY AIR FLOW (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 02:04 AM	[illegible]	YEARLY (SD) - PM FOR PRIMARY AIR FLOW (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 02:04 AM	[illegible]	YEARLY (SD) - PM FOR SOOTBLOWER STEAM FLOW (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 02:05 AM	[illegible]	YEARLY (SD) - PM FOR STEAM TO DEARATOR (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 02:05 AM	[illegible]	YEARLY (SD) - PM FOR MAIN STEAM HEADER (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 02:05 AM	[illegible]	YEARLY (SD) - PM FOR CONTINUOUS BLOWDOWN (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 02:06 AM	[illegible]	YEARLY (SD) - PM FOR FUEL OIL RETURN (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 02:06 AM	[illegible]	YEARLY (SD) - PM FOR OIL TO START UP BURNER (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 02:06 AM	[illegible]	YEARLY (SD) - PM FOR DEAERATOR PRESSURE TRANSMITTER (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 02:07 AM	[illegible]	YEARLY (SD) - PM FOR DRUM LEVEL TANK (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 02:07 AM	[illegible]	YEARLY (SD) - PM FOR HYDRAULIC OIL RETURN (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 02:07 AM	[illegible]	YEARLY (SD) - PM FOR MILL WATER HEADER LOW (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 02:08 AM	[illegible]	YEARLY (SD) - PM FOR LOW PRESSURE CW TURBINE (A)	NPPSA_PP1
WLS216 - PSD AUTO-ALL	09-Mar-24 02:08 AM	[illegible]	YEARLY (SD) - PM FOR [illegible] IN STEAM POSITION (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 02:08 AM	[illegible]	YEARLY (SD) - PM FOR LUBRICANT OIL PRESSURE > 1.5 BAR (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 02:09 AM	[illegible]	YEARLY (SD) - PM FOR LUBRICANT OIL PRESSURE < 1.7 BAR (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 02:09 AM	[illegible]	YEARLY (SD) - PM FOR LUBRICANT OIL PRESSURE << 1.4 BAR (A)	NPPSA_PP1
WLS200 - PLAN SHUTDOWN MAINTENANC	09-Mar-24 02:09 AM	[illegible]	YEARLY (SD) - PM FOR LUBRICANT OIL PRESSURE = 1.5 BAR (A)	NPPSA_PP1
WLS216 - PSD AUTO-ALL	09-Mar-24 02:09 AM	[illegible]	YEARLY (SD) - PM FOR COOLING WATER TANK LEVEL LOW (A)	NPPSA_PP1
WLS218 - PSD AUTO-ALL	09-Mar-24 02:10 AM	[illegible]	YEARLY (SD) - PM FOR SMELT BED MONITOR #2 REAR (A)	NPPSA_PP1
WLS216 - PSD AUTO-ALL	09-Mar-24 02:10 AM	[illegible]	YEARLY (SD) - PM FOR SMELT BED MONITOR #1 FRONT (A)	NPPSA_PP1

WLS216 – PSD AUTO-ALL	08-Mon-24 02:10 AM	241184951	YEARLY [SD] – PM FOR SOOTBLOWER RIGHT SUPERHEATER (B)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:10 AM	241184952	YEARLY [SD] – PM FOR SOOTBLOWER RIGHT SIDE GUNBANK (SID) (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:11 AM	241184953	YEARLY [SD] – PM FOR SOOTBLOWER LEFT SIDE ECONOMIZER (SID) (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:11 AM	241184954	YEARLY [SD] – PM FOR SOOTBLOWER LEFT SIDE GENBANK (SID) (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:11 AM	241184955	YEARLY [SD] – PM FOR SOOTBLOWER LEFT SIDE GENBANK (SID) (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:11 AM	241184956	YEARLY [SD] – PM FOR BEARING OIL TEMP. H (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:11 AM	241184957	YEARLY [SD] – PM FOR BEARING OIL TEMP. HH (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:12 AM	241184958	YEARLY [SD] – PM FOR LUBRICATION OIL 7 EMERGENCY STOP (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:12 AM	241184959	YEARLY [SD] – PM FOR AUXILIARY OIL PUMP START (A)
WLS200 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 02:12 AM	241184205	YEARLY [SD] – PM FOR LEVEL IDT-2 (A)
WLS200 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 02:13 AM	241184203	YEARLY [SD] – PM FOR LEVEL IDT-5 (A)
WLS200 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 02:13 AM	241184202	YEARLY [SD] – PM FOR LEVEL IDT-4 (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:13 AM	241184203	YEARLY [SD] – PM FOR LEVEL IDT-3 (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:14 AM	241184201	YEARLY [SD] – PM FOR LEVEL IDT-1 (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:14 AM	241184206	YEARLY [SD] – PM FOR LEVEL IDT-DIFF (B)
WLS202 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 02:15 AM	241184207	YEARLY [SD] – PM FOR LS STRONG LIQUOR TK (A)
WLS202 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 02:15 AM	241184208	YEARLY [SD] – PM FOR LS PRE CONDU V.TK (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:15 AM	241184209	YEARLY [SD] – PM FOR LEVEL IDT-BOTTOM SUMP (B)
WLS200 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 02:16 AM	241184210	YEARLY [SD] – PM FOR LEVEL IDT-5 (A)
WLS200 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 02:16 AM	241184213	YEARLY [SD] – PM FOR LEVEL IDT-4 (A)
WLS200 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 02:17 AM	241184212	YEARLY [SD] – PM FOR LEVEL IDT-3 (A)
WLS200 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 02:17 AM	241184214	YEARLY [SD] – PM FOR LEVEL IDT-2 (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:18 AM	241184219	YEARLY [SD] – PM FOR LEVEL RESULT TANK (A)
WLS202 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 02:18 AM	241184216	YEARLY [SD] – PM FOR LS PRE CONDU LASH TK (A)
WLS202 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 02:18 AM	241184217	YEARLY [SD] – PM FOR LS PRE CONDU V.TK (A)
WLS202 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 02:18 AM	241184218	YEARLY [SD] – PM FOR LS PRE CONDU V.TK (A)
WLS202 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 02:19 AM	241184219	YEARLY [SD] – PM FOR LS PRE CONDU V.TK (A)
WLS202 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 02:19 AM	241184220	YEARLY [SD] – PM FOR LS PRE CONDU V.TK (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:20 AM	241184221	YEARLY [SD] – PM FOR BL. MIXING TANK (A)
WLS200 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 02:20 AM	241184222	YEARLY [SD] – PM FOR DISSOLVING TANK LVL (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:20 AM	241184223	YEARLY [SD] – PM FOR FEED WATER TANK LEVEL RIGHT (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:21 AM	241184224	YEARLY [SD] – PM FOR FEED WATER TANK LEVEL LEFT (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:21 AM	241184225	YEARLY [SD] – PM FOR WASH TANK (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:21 AM	241184226	YEARLY [SD] – PM FOR STEAM DRUM LEVEL LEFT SIDE (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:21 AM	241184227	YEARLY [SD] – PM FOR STEAM DRUM LEVEL LEFT SIDE (A)
WLS200 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 02:22 AM	241184228	YEARLY [SD] – PM FOR MP EXT STEAM PRESSURE (A)
WLS200 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 02:22 AM	241184229	YEARLY [SD] – PM FOR EXHAUST PRESSURE HIGH (A)
WLS200 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 02:22 AM	241184230	YEARLY [SD] – PM FOR CONTROL OIL PRESSURE LOW (A)
WLS200 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 02:23 AM	241184231	YEARLY [SD] – PM FOR LUBE OIL PRESSURE LOW (A)
WLS200 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 02:23 AM	241184232	YEARLY [SD] – PM FOR MOV OIL PRESSURE LOW LOW (A)
WLS200 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 02:23 AM	241184233	YEARLY [SD] – PM FOR LUBE OIL PRESSURE LOW LOW (A)
WLS200 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 02:23 AM	241184234	YEARLY [SD] – PM FOR LUBE OIL PRESSURE LOW LOW (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:23 AM	241184235	YEARLY [SD] – PM FOR OIL PRESSURE < 0.5 BAR, TO FAN 23 TRIP (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:24 AM	241184236	YEARLY [SD] – PM FOR LUBRICANT OIL FEED WATER PUMP #2 (A)
WLS216 – PSD AUTO-ALL	08-Mar-23 09:16 AM	241184237	YEARLY [SD] – PM FOR HYDRAULIC OIL PRESSURE > 1, 61 FANS #1 (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:24 AM	241184238	4629521.724 - HYDRAULIC OIL PRESSURE > 1, 23 FAN #3
WLS216 – PSD AUTO-ALL	08-Mon-24 02:24 AM	241184243	4629521.725 - HYDRAULIC OIL PRESSURE > 1, 23 FAN #3
WLS216 – PSD AUTO-ALL	08-Mon-24 02:24 AM	241184242	4629547.23 HYDRAULIC OIL PRESSURE > 1, 62 FAN #3
WLS216 – PSD AUTO-ALL	08-Mon-24 02:25 AM	241184243	YEARLY [SD] – PM FOR OIL PRESSURE < 8 BAR, ID FAN #3 ALARM (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:25 AM	241184244	YEARLY [SD] – PM FOR MOV HEATER TEMP (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:25 AM	241184245	YEARLY [SD] – PM FOR FURNANCE PRESSURE (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:25 AM	241184246	YEARLY [SD] – PM FOR FURNACE PRESSURE TRIP (B / L) (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:26 AM	241184247	YEARLY [SD] – PM FOR OIL STRAINER DIRTY (OIL BAR) (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:26 AM	241184248	YEARLY [SD] – PM FOR COOLING WATER SPRAY NOZ HIGH (A)
WLS216 – PSD AUTO-ALL	08-Mar-23 09:26 AM	241184249	YEARLY [SD] – PM FOR COOLING WATER SPRAY NOZ HIGH (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:26 AM	241184250	YEARLY [SD] – PM FOR COOLING WATER SPRAY NOZ #1 HIGH (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:26 AM	241184251	YEARLY [SD] – PM FOR SOOTBLOWER RIGHT SUPERHEAT (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:27 AM	241184252	YEARLY [SD] – PM FOR SOOTBLOWER RIGHT GENBANK(SID) (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:27 AM	241184253	YEARLY [SD] – PM FOR SOOTBLOWER LEFT SUPERHEAT (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:27 AM	241184254	YEARLY [SD] – PM FOR SOOTBLOWER LEFT GENBANK(SID) (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:28 AM	241184255	YEARLY [SD] – PM FOR START BURNER #6 AIR PRESSURE LOW (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:28 AM	241184256	YEARLY [SD] – PM FOR START BURNER #6 STEAM PRESSURE LOW (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:28 AM	241184257	YEARLY [SD] – PM FOR START BURNER #5 AIR PRESSURE LOW (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:28 AM	241184258	YEARLY [SD] – PM FOR START BURNER #5 STEAM PRESSURE LOW (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:29 AM	241184259	YEARLY [SD] – PM FOR START BURNER #4 GBX PRESSURE LOW (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:29 AM	241184260	YEARLY [SD] – PM FOR START BURNER #4 STEAM PRESSURE LOW (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:29 AM	241184261	YEARLY [SD] – PM FOR START BURNER #3 AIR PRESSURE LOW (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:30 AM	241184262	YEARLY [SD] – PM FOR START BURNER #3 STEAM PRESSURE LOW (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:30 AM	241184263	YEARLY [SD] – PM FOR START BURNER #2 AIR PRESSURE LOW (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:30 AM	241184264	YEARLY [SD] – PM FOR START BURNER #2 STEAM PRESSURE LOW (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:30 AM	241184265	YEARLY [SD] – PM FOR OIL MIST COOLING TEMP. > 60 °C, ID FAN #3 (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:31 AM	241184266	YEARLY [SD] – PM FOR OIL TEMP. > 60 °C, ID FAN #3 TRIP (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:31 AM	241184267	YEARLY [SD] – PM FOR OIL TEMP. > 60 °C, ID FAN #3 TRIP (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:33 AM	241184270	YEARLY [SD] – PM FOR STRAINER FEED WATER PUMP 2 DIRTY (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:34 AM	241184271	YEARLY [SD] – PM FOR LUBRICATION OIL FILTER (A)
WLS200 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 02:35 AM	241184272	YEARLY [SD] – PM FOR SCAN (BAOTOS) FAN VOM (A)
WLS200 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 02:35 AM	241184273	YEARLY [SD] – PM FOR COOLING WATER TO SPOUT #1 HIGH (A)
WLS202 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 02:35 AM	241184274	YEARLY [SD] – PM FOR COOLING WATER TO SPOUT #1 LOW (A)
WLS270 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 02:36 AM	241184275	YEARLY [SD] – PM FOR CONDENSATE WATER FROM CONDENSATE PRESSURE TRANSMITTER (A)
WLS203 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 02:36 AM	241184276	YEARLY [SD] – PM FOR COOLING WATER TO CONDENSERS PRESSURE TRANSMITTER (A)
WLS270 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 02:37 AM	241184277	YEARLY [SD] – PM FOR FLOW ACID SOLUTION TRANSMITTER (A)
WLS200 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 02:38 AM	241184278	YEARLY [SD] – PM FOR MOISTURE METER OF AIR COMPRESSOR PUMP NO. 3 (A)
WLS202 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 02:38 AM	241184279	YEARLY [SD] – PM FOR TURBINE INLET STEAM FLOW (A)
WLS202 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 02:38 AM	241184280	YEARLY [SD] – PM FOR MP STEAM BY PASS FLOW (A)
WLS202 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 02:38 AM	241184281	YEARLY [SD] – PM FOR LP STEAM BY-PASS FLOW (A)
WLS202 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 02:39 AM	241184282	YEARLY [SD] – PM FOR LP TO WC (A)
WLS202 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 02:39 AM	241184283	YEARLY [SD] – PM FOR MP EXT. STEAM FLOW (A)
WLS202 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 02:40 AM	241184284	YEARLY [SD] – PM FOR MP STEAM TURB PRESSURE TRANSMITTER (A)
WLS202 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 02:41 AM	241184285	YEARLY [SD] – PM FOR MP STEAM TO FIRE LINE PRESSURE TRANSMITTER (A)
WLS202 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 02:41 AM	241184286	YEARLY [SD] – PM FOR UNWANT STEAM FLOW (A)
WLS202 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 02:42 AM	241184287	YEARLY [SD] – PM FOR LP STEAM TO RB PRESSURE TRANSMITTER (A)
WLS202 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 02:42 AM	241184288	YEARLY [SD] – PM FOR LP STEAM TO PRDM TURBINE TO MILL 3 (A)
WLS202 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 02:43 AM	241184289	YEARLY [SD] – PM FOR LP STEAM FROM TURB TO MILL 2 PRESSURE TRANSMITTER (A)
WLS202 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 02:43 AM	241184290	YEARLY [SD] – PM FOR MP STEAM HUT UP STEAM (A)
WLS202 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 02:43 AM	241184291	YEARLY [SD] – PM FOR LP STEAM TO PRPR LINE PREHEATH TRANSMITTER (A)
WLS202 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 02:44 AM	241184292	YEARLY [SD] – PM FOR DISCHARGE SPRAY WATER FLOW (A)
WLS200 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 02:55 AM	241184357	YEARLY [SD] – PM FOR DE RESERVOIR LEVEL (A)
WLS200 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 02:39 AM	241184293	YEARLY [SD] – PM FOR CONTROL OIL FILTER DP (A)
WLS200 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 02:40 AM	241184295	YEARLY [SD] – PM FOR LUBE OIL FILTER DP (A)
WLS200 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 02:40 AM	241184300	YEARLY [SD] – PM FOR HP HEADER INLET PRESSURE (A)
WLS200 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 02:40 AM	241184301	YEARLY [SD] – PM FOR GOV INLET PRESSURE (A)
WLS200 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 02:41 AM	241184302	YEARLY [SD] – PM FOR TURBINE 1st STAGE PRESSURE (A)
WLS200 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 02:41 AM	241184303	YEARLY [SD] – PM FOR MP RT EXT STEAM PRESSURE (A)
WLS200 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 02:41 AM	241184305	YEARLY [SD] – PM FOR MP RT EXT STEAM PRESSURE (A)
WLS200 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 02:42 AM	241184306	YEARLY [SD] – PM FOR MP EXT STEAM PRESSURE (A)
WLS200 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 02:42 AM	241184307	YEARLY [SD] – PM FOR MP STEAM HEADER PRESSURE (A)
WLS200 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 02:43 AM	241184308	YEARLY [SD] – PM FOR GOV MAIN PRESSURE (A)
WLS200 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 02:43 AM	241184309	YEARLY [SD] – PM FOR LP STEAM HEADER PRESSURE (A)
WLS200 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 02:43 AM	241184310	YEARLY [SD] – PM FOR COOL WATER DISCHARGE (A)
WLS200 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 02:44 AM	241184311	YEARLY [SD] – PM FOR COOL WATER RETURN (A)
WLS200 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 02:44 AM	241184312	YEARLY [SD] – PM FOR CONTROL OIL FILTER DP (A)
WLS200 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 02:44 AM	241184313	YEARLY [SD] – PM FOR CONTROL OIL (A)
WLS200 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 02:45 AM	241184314	YEARLY [SD] – PM FOR LUBE OIL PRESSURE (A)
WLS200 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 02:45 AM	241184315	YEARLY [SD] – PM FOR MP INLET PRESSURE (A)
WLS200 – PLAN SHUTDOWN MAINTENANC	08-Mar-23 09:46 AM	241184317	YEARLY [SD] – PM FOR STRONG LIQ FLOW (A)
WLS200 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 02:46 AM	241184318	YEARLY [SD] – PM FOR STRONG LIQ FLOW (A)
WLS200 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 02:46 AM	241184319	YEARLY [SD] – PM FOR WASHING BLO. OIL (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:47 AM	241184320	YEARLY [SD] – PM FOR CIRCULATION PUMP DISCHARGE (A)
WLS200 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 02:47 AM	241184322	YEARLY [SD] – PM FOR PRESSURE LIQ. KAPPER (A)
WLS200 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 02:47 AM	241184323	YEARLY [SD] – PM FOR LAN STEAM TO EJECT (A)
WLS200 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 02:48 AM	241184324	YEARLY [SD] – PM FOR RBINS LIQ. PRES. (A)
WLS200 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 02:48 AM	241184325	YEARLY [SD] – PM FOR TRIPAS LIQ. PRES (A)
WLS200 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 02:48 AM	241184326	YEARLY [SD] – PM FOR RBM. CONDENS. (A)
WLS200 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 02:49 AM	241184327	YEARLY [SD] – PM FOR RBM. CONDENS. (A)
WLS200 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 02:49 AM	241184328	YEARLY [SD] – PM FOR FOR WATER APT TEMP (A)
WLS200 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 02:50 AM	241184329	YEARLY [SD] – PM FOR R.O OUTLET TO DTE (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:50 AM	241184330	YEARLY [SD] – PM FOR BL. TO SPRAY GUN #3 (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:50 AM	241184331	YEARLY [SD] – PM FOR BL. TO SPRAY GUN #3 (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:51 AM	241184332	YEARLY [SD] – PM FOR BL. TO SPRAY GUN #3 (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:51 AM	241184333	YEARLY [SD] – PM FOR BL. TO SPRAY GUN (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:51 AM	241184334	YEARLY [SD] – PM FOR BL. TO SPRAY GUN (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:52 AM	241184335	YEARLY [SD] – PM FOR DEAERATOR CIRCULATION FLOW (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:52 AM	241184336	YEARLY [SD] – PM FOR STRAINER FEED WATER PUMP 2 DIRTY (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:52 AM	241184337	YEARLY [SD] – PM FOR STRAINER FEED WATER PUMP 1 DIRTY (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:52 AM	241184338	YEARLY [SD] – PM FOR STRAINER FEED WATER PUMP 1 DIRTY (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:53 AM	241184339	YEARLY [SD] – PM FOR BFP RT SUC STRAINER (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:53 AM	241184340	YEARLY [SD] – PM FOR FLOOR TUBE ASH CIRCULATION FLOW (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:53 AM	241184341	YEARLY [SD] – PM FOR BFP TURBINE TO BOILER (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:54 AM	241184342	YEARLY [SD] – PM FOR OUTLET PRDP #2 (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:54 AM	241184343	YEARLY [SD] – PM FOR OUTLET PRDP #1 (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:54 AM	241184344	YEARLY [SD] – PM FOR FURNACE PRESSURE CONTROL (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:54 AM	241184345	YEARLY [SD] – PM FOR DESUPERHEATER WATER (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:55 AM	241184346	YEARLY [SD] – PM FOR ID FAN #1 SPEED CONTROL (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:55 AM	241184347	YEARLY [SD] – PM FOR LIVE STEAM TO DTE (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:55 AM	241184348	YEARLY [SD] – PM FOR SOOTBLOWER STEAM INLET PRESSURE (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:55 AM	241184349	YEARLY [SD] – PM FOR MAIN STEAM HEADER (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:56 AM	241184350	YEARLY [SD] – PM FOR COOLING WATER TO SPOUT (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:56 AM	241184351	YEARLY [SD] – PM FOR ID FANS SPEED (A)
WLS216 – PSD AUTO-ALL	08-Mar-23 09:56 AM	241184352	YEARLY [SD] – PM FOR ID FANS SPEED (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:57 AM	241184353	YEARLY [SD] – PM FOR SPEED CONTROL, FEED WATER PUMP 2 (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:57 AM	241184354	YEARLY [SD] – PM FOR ID FAN #2 SPEED CONTROL (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:57 AM	241184356	YEARLY [SD] – PM FOR ID FAN #1 SPEED CONTROL (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:57 AM	241184357	YEARLY [SD] – PM FOR LIVE STEAM TO DTE (A)
WLS216 – PSD AUTO-ALL	08-Mar-23 09:58 AM	241184358	YEARLY [SD] – PM FOR LIVE STEAM TEMP. (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:58 AM	241184359	YEARLY [SD] – PM FOR LIVE STEAM TEMP. (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:58 AM	241184360	YEARLY [SD] – PM FOR STRONG LIQUE TEMP (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:59 AM	241184361	YEARLY [SD] – PM FOR COOLING WATER TO CONDENSERS TEMP. TRANSMITTER (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 02:59 AM	241184362	YEARLY [SD] – PM FOR COOLING WATER FROM CONDENSERS TEMP. TRANSMITTER (A)
WLS200 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 03:00 AM	241184363	YEARLY [SD] – PM FOR HP HEADER INLET TEMP (A)
WLS200 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 03:00 AM	241184364	YEARLY [SD] – PM FOR TURBINE INLET STEAM TEMP (A)
WLS200 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 03:01 AM	241184365	YEARLY [SD] – PM FOR MP RT EXT STEAM TEMP (A)
WLS200 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 03:04 AM	241184366	YEARLY [SD] – PM FOR MP RT EXT STEAM TEMP (A)
WLS200 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 03:05 AM	241184367	YEARLY [SD] – PM FOR MP EXT STEAM TEMP (A)
WLS200 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 03:05 AM	241184368	YEARLY [SD] – PM FOR MP BY PASS STEAM TEMP (A)
WLS200 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 03:05 AM	241184369	YEARLY [SD] – PM FOR MP STEAM HEADER TEMP (A)
WLS200 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 03:07 AM	241184370	YEARLY [SD] – PM FOR EXHAUST STEAM TEMP (A)
WLS216 – PSD AUTO-ALL	08-Mon-24 03:07 AM	241184371	YEARLY [SD] – PM FOR EXHAUST STEAM TEMP (A)
WLS200 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 03:08 AM	241184372	YEARLY [SD] – PM FOR LP STEAM HEATER TEMP (A)
WLS200 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 03:08 AM	241184373	YEARLY [SD] – PM FOR LP STEAM HEADER TEMP (A)
WLS200 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 03:09 AM	241184374	YEARLY [SD] – PM FOR LP STEAM TO PRDS (A)
WLS200 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 03:10 AM	241184375	YEARLY [SD] – PM FOR COOLING WATER RETURN TEMP (A)
WLS200 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 03:10 AM	241184376	YEARLY [SD] – PM FOR OIL COOLER OUTLET TEMP. (A)
WLS200 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 03:11 AM	241184377	YEARLY [SD] – PM FOR OIL COOLER OUTLET TEMP. (A)
WLS200 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 03:12 AM	241184378	YEARLY [SD] – PM FOR LP STEAM TO TURBINE (A)
WLS200 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 03:12 AM	241184379	YEARLY [SD] – PM FOR TURNING BEAM RECIRCULATER PUMP MOTOR (A)
WLS200 – PLAN SHUTDOWN MAINTENANC	08-Mon-24 03:13 AM	241184380	YEARLY [SD] – PM FOR OIL TEMP BEARING HYDRAULIC COUPLING (A)

WL5205 – PLANSHUTDOWN MAINTENANC	08-Mar-24 03:14 AM 241158204	YEARLY [SD] – PM FOR OIL TEMP BEARING HYDRAULIC COUPLING (A)	NPPSA_PP1
WL5200 – PLANSHUTDOWN MAINTENANC	08-Mar-24 03:15 AM 241158205	YEARLY [SD] – PM FOR OIL TEMP BEARING HYDRAULIC COUPLING (A)	NPPSA_PP1
WL5200 – PLANSHUTDOWN MAINTENANC	08-Mar-24 03:15 AM 241158206	YEARLY [SD] – PM FOR OIL TEMP BEHIND COOLER (A)	NPPSA_PP1
WL5200 – PLANSHUTDOWN MAINTENANC	08-Mar-24 03:16 AM 241158207	YEARLY [SD] – PM FOR BEARING PUMP TEMP NDE,PW#2 (A)	NPPSA_PP1
WL5200 – PLANSHUTDOWN MAINTENANC	08-Mar-24 03:17 AM 241158208	YEARLY [SD] – PM FOR BEARING PUMP TEMP DE,PW#2 (A)	NPPSA_PP1
WL5200 – PLANSHUTDOWN MAINTENANC	08-Mar-24 03:17 AM 241158209	YEARLY [SD] – PM FOR BEARING MOTOR TEMP NDE,PW#2 (A)	NPPSA_PP1
WL5200 – PLANSHUTDOWN MAINTENANC	08-Mar-24 03:18 AM 241158801	YEARLY [SD] – PM FOR BEARING MOTOR TEMP DE,PW#2 (A)	NPPSA_PP1
WL5200 – PLANSHUTDOWN MAINTENANC	08-Mar-24 03:18 AM 241158802	YEARLY [SD] – PM FOR WIND T TEMP,PW#2 (A)	NPPSA_PP1
WL5200 – PLANSHUTDOWN MAINTENANC	08-Mar-24 03:19 AM 241158803	YEARLY [SD] – PM FOR WIND S TEMP,PW#2 (A)	NPPSA_PP1
WL5200 – PLANSHUTDOWN MAINTENANC	08-Mar-24 03:19 AM 241158804	YEARLY [SD] – PM FOR WIND R TEMP,PW#2 (A)	NPPSA_PP1
WL5200 – PLANSHUTDOWN MAINTENANC	08-Mar-24 03:20 AM 241158806	YEARLY [SD] – PM FOR BEARING TEMP FEED WATER PUMP (A)	NPPSA_PP1
WL5200 – PLANSHUTDOWN MAINTENANC	08-Mar-24 03:21 AM 241158807	YEARLY [SD] – PM FOR BEARING TEMP FEED WATER PUMP (A)	NPPSA_PP1
WL5200 – PLANSHUTDOWN MAINTENANC	08-Mar-24 03:21 AM 241158808	YEARLY [SD] – PM FOR WINDING TEMP FEED WATER PUMP MOTOR (A)	NPPSA_PP1
WL5200 – PLANSHUTDOWN MAINTENANC	08-Mar-24 03:22 AM 241158809	YEARLY [SD] – PM FOR WINDING TEMP FEED WATER PUMP MOTOR (A)	NPPSA_PP1
WL5200 – PLANSHUTDOWN MAINTENANC	08-Mar-24 03:23 AM 241158810	YEARLY [SD] – PM FOR WINDING TEMP FEED WATER PUMP MOTOR (A)	NPPSA_PP1
WL5200 – PLANSHUTDOWN MAINTENANC	08-Mar-24 03:23 AM 241158811	YEARLY [SD] – PM FOR PRIM 2 SPRAYER ATEMP (A)	NPPSA_PP1
WL5200 – PLANSHUTDOWN MAINTENANC	08-Mar-24 03:24 AM 241158812	YEARLY [SD] – PM FOR PRIM 2 INLET SUPERHEATER (A)	NPPSA_PP1
WL5236 – PSD AUTO-ALL	08-Mar-24 03:24 AM 241158813	YEARLY [SD] – PM FOR B... DIRECT HEATER (A)	NPPSA_PP1
WL5235 – PSD AUTO-ALL	08-Mar-24 03:25 AM 241158814	YEARLY [SD] – PM FOR SECONDARY SUPERHEATER (A)	NPPSA_PP1
WL5236 – PSD AUTO-ALL	08-Mar-24 03:25 AM 241158815	YEARLY [SD] – PM FOR COOLWATER TO SPOUTS (A)	NPPSA_PP1
MS0159 – Automation Service (Instrument)	08-Mar-24 03:26 AM 241158816	YEARLY [SD] – PM FOR UPS A FOR DCS BOILER PP11 (A)	NPPSA_PP1
MS0159 – Automation Service (Instrument)	08-Mar-24 03:30 AM 241158819	YEARLY [SD] – PM FOR UPS B FOR DCS BOILER PP11 (A)	NPPSA_PP1
MS0159 – Automation Service (Instrument)	08-Mar-24 03:31 AM 241158822	YEARLY [SD] – PM FOR UPS FOR INSTRUMENT RECOVERY BOILER (A)	NPPSA_PP1
MS0159 – Automation Service (Instrument)	08-Mar-24 03:32 AM 241158824	YEARLY [SD] – PM FOR UPS A FOR DCS TURBINE PP11 (A)	NPPSA_PP1
MS0159 – Automation Service (Instrument)	08-Mar-24 03:32 AM 241158827	YEARLY [SD] – PM FOR UPS B FOR DCS TURBINE PP11 (A)	NPPSA_PP1
MS0159 – Automation Service (Instrument)	08-Mar-24 03:46 AM 241158829	YEARLY [SD] – PM FOR UPS A FOR DCS EVAP PP11 (A)	NPPSA_PP1
MS0159 – Automation Service (Instrument)	08-Mar-24 03:49 AM 241158832	YEARLY [SD] – PM FOR UPS B FOR DCS EVAP PP11 (A)	NPPSA_PP1
MS0159 – Automation Service (Instrument)	08-Mar-24 03:52 AM 241158836	YEARLY [SD] – PM FOR UPS 01 FOR DCS CONTROL ROOM PP11 (A)	NPPSA_PP1
MS0159 – Automation Service (Instrument)	08-Mar-24 03:57 AM 241158838	YEARLY [SD] – PM FOR BATTERY FOR 40UPS-A DCS BOILER PP11 (A)	NPPSA_PP1
MS0159 – Automation Service (Instrument)	08-Mar-24 03:59 AM 241158842	YEARLY [SD] – PM FOR BATTERY FOR 40UPS B DCS BOILER PP11 (A)	NPPSA_PP1
MS0159 – Automation Service (Instrument)	08-Mar-24 04:02 AM 241158844	YEARLY [SD] – PM FOR BATTERY FOR 40UPS-C INSTRUMENT PP11 (A)	NPPSA_PP1
MS0159 – Automation Service (Instrument)	08-Mar-24 04:04 AM 241158848	YEARLY [SD] – PM FOR BATTERY FOR 25UPS-A DCS TURBINE PP11 (A)	NPPSA_PP1
MS0159 – Automation Service (Instrument)	08-Mar-24 04:07 AM 241158849	YEARLY [SD] – PM FOR BATTERY FOR 25UPS-B DCS TURBINE PP11 (A)	NPPSA_PP1
MS0159 – Automation Service (Instrument)	08-Mar-24 04:09 AM 241158851	YEARLY [SD] – PM FOR BATTERY FOR 45UPS-A DCS EVAP PP11 (A)	NPPSA_PP1
MS0159 – Automation Service (Instrument)	08-Mar-24 04:11 AM 241158854	YEARLY [SD] – PM FOR BATTERY FOR 45UPS B DCS EVAP PP11 (A)	NPPSA_PP1
MS0159 – Automation Service (Instrument)	08-Mar-24 04:14 AM 241158856	YEARLY [SD] – PM FOR BATTERY FOR 46UPS-01 DCS CONTROL ROOM PP11 (A)	NPPSA_PP1
WL5236 – PSD AUTO-ALL	08-Mar-24 04:16 AM 241158857	YEARLY [SD] – PM FOR VIBRATION SWITCH ID FAN # 11 (A)	NPPSA_PP1
WL5236 – PSD AUTO-ALL	08-Mar-24 04:18 AM 241158858	YEARLY [SD] – PM FOR VIBRATION SWITCH ID FAN # 21 (A)	NPPSA_PP1
WL5235 – Electrical PSD (SWG/Substation)"	08-Mar-24 04:40 AM 241158872	YEARLY [SD] – PM FOR BATTERY FOR 25SVD01 CHARGER 110 VDC MILL WIDE BANK#1 (E)	NPPSA_PP1
WL5235 – Electrical PSD (SWG/Substation)"	08-Mar-24 04:43 AM 241158873	YEARLY [SD] – PM FOR BATTERY FOR 25SVD01 CHARGER 110 VDC MILL WIDE BANK#2 (E)	NPPSA_PP1
WL5235 – Electrical PSD (SWG/Substation)"	08-Mar-24 04:44 AM 241158878	YEARLY [SD] – PM FOR BATTERY FOR 110 VDC / DR Communication 115 KV (E)	NPPSA_PP1
WL5235 – Electrical PSD (SWG/Substation)"	08-Mar-24 04:46 AM 241158880	YEARLY [SD] – PM FOR BATTERY FOR 25ASP001 CHARGER 48VDC FOR 115KV NPP11 (E)	NPPSA_PP1
WL5235 – Electrical PSD (SWG/Substation)"	08-Mar-24 04:48 AM 241158883	YEARLY [SD] – PM FOR BATTERY FOR 25SVD01 CHARGER 110 VDC FOR 22KV SYSTEM (E)	NPPSA_PP1
WL5235 – Electrical PSD (SWG/Substation)"	08-Mar-24 04:50 AM 241158885	YEARLY [SD] – PM FOR BATTERY FOR 25SUPS01 MCC MILL WIDE, UPS (E)	NPPSA_PP1
WL5235 – Electrical PSD (SWG/Substation)"	08-Mar-24 04:53 AM 241158888	YEARLY [SD] – PM FOR CHARGER 110 VDC FOR Communication 115 kV (E)	NPPSA_PP1
WL5235 – Electrical PSD (SWG/Substation)"	08-Mar-24 04:57 AM 241158932	YEARLY [SD] – PM FOR CHARGER 48VDC FOR 115KV NPP11 (E)	NPPSA_PP1
WL5232 – Mechanical PSD (Turbine & Utili	08-Mar-24 05:16 AM 241158415	YEARLY [SD] – PM FOR INLET DAMPER ESP 1 (M)	NPPSA_PP1
WL5232 – Mechanical PSD (Turbine & Utili	08-Mar-24 05:22 AM 241158418	YEARLY [SD] – PM FOR OUTLET ID FAN 1 (M)	NPPSA_PP1
WL5232 – Mechanical PSD (Turbine & Utili	08-Mar-24 05:24 AM 241158420	YEARLY [SD] – PM FOR FD FAN PRIMARY (M)	NPPSA_PP1
WL5232 – Mechanical PSD (Turbine & Utili	08-Mar-24 05:28 AM 241158421	YEARLY [SD] – PM FOR FD FAN SECONDARY (M)	NPPSA_PP1
WL5232 – Mechanical PSD (Turbine & Utili	08-Mar-24 05:33 AM 241158424	YEARLY [SD] – PM FOR FD FAN TERTIARY (M)	NPPSA_PP1
WL5232 – Mechanical PSD (Turbine & Utili	08-Mar-24 05:38 AM 241158426	YEARLY [SD] – PM FOR INLET DAMPER ESP 2 (M)	NPPSA_PP1
WL5232 – Mechanical PSD (Turbine & Utili	08-Mar-24 05:38 AM 241158428	YEARLY [SD] – PM FOR OUTLET ID FAN 2 (M)	NPPSA_PP1
WL5232 – Mechanical PSD (Turbine & Utili	08-Mar-24 05:41 AM 241158429	YEARLY [SD] – PM FOR INLET DAMPER ESP 3 (M)	NPPSA_PP1
WL5232 – Mechanical PSD (Turbine & Utili	08-May-24 05:43 AM 241158430	YEARLY [SD] – PM FOR OUTLET ID FAN 3 (M)	NPPSA_PP1
WL5132 – Mechanical PPS,8,10,11	08-Nov-24 01:00 AM 245430868	WEEKLY – INSPECTION CHAMBER	NPPSA_PP1
WL5132 – Mechanical PPS,8,10,11	08-Nov-24 01:00 AM 245430869	WEEKLY Recovery Boiler Bed Camera Right Side	NPPSA_PP1
WL5132 – Mechanical PPS,8,10,11	08-Nov-24 01:00 AM 245430870	WEEKLY Recovery Boiler Bed Camera Left Side	NPPSA_PP1
MS0159 – Automation Service (Instrument)	08-Nov-24 01:00 AM 245430871	MONTHLY – PM FOR MILLWIDE DCS CONTROLLER (A)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:00 AM 245430872	MONTHLY – PM FOR START-UP BURNER M (E)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:00 AM 245430873	MONTHLY – PM FOR START-UP BURNER BC (E)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:00 AM 245430874	MONTHLY – PM FOR ELECTROSTATIC PRECIPITATOR (E)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:01 AM 245430875	MONTHLY – PM FOR ELECTROSTATIC PRECIPITATOR # 2 (E)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:01 AM 245430876	MONTHLY – PM FOR ESP #2 (E)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:01 AM 245430877	WEEKLY – PM FOR GENERATOR (E)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:01 AM 245430878	WEEKLY – PM FOR LUB OIL SUMP FEED WATER PUMP 3 (E)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:02 AM 245430881	2 MONTHS – PM FOR SCANNER/MONITOR SBI MAIN 1 (E)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:02 AM 245430882	2 MONTHS – PM FOR SCRUBBER FAN (E)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:03 AM 245430883	2 MONTHS – PM FOR NCG GAS FAN (E)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:03 AM 245430884	WEEKLY – PM FOR INDUCED DRAFT FAN, CELL NO.1 (E)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:03 AM 245430885	WEEKLY – PM FOR INDUCED DRAFT FAN, CELL NO.2 (E)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:04 AM 245430886	MONTHLY – PM FOR INDUCED DRAFT FAN, CELL NO.2 (E)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:04 AM 245430887	MONTHLY – PM FOR RECOVERY TRANSFORMER TK21 (E)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:04 AM 245430889	MONTHLY – PM FOR TRANSFORMER TL411 (E)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:04 AM 245430890	MONTHLY – PM FOR TRANSFORMER TH412 (E)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:04 AM 245430891	MONTHLY – PM FOR RECTIFIER #A, PRECIPITATOR # 1 (E)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:05 AM 245430892	MONTHLY – PM FOR RECTIFIER #B, PRECIPITATOR # 1 (E)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:05 AM 245430894	MONTHLY – PM FOR RECTIFIER #C, PRECIPITATOR # 1 (E)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:05 AM 245430895	MONTHLY – PM FOR RECTIFIER #A, PRECIPITATOR # 1 (E)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:06 AM 245430896	MONTHLY – PM FOR RECTIFIER #B, PRECIPITATOR # 2 (E)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:06 AM 245430897	MONTHLY – PM FOR RECTIFIER #C, PRECIPITATOR # 2 (E)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:06 AM 245430898	MONTHLY – PM FOR RECTIFIER #A, PRECIPITATOR # 3 (E)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:06 AM 245430899	MONTHLY – PM FOR RECTIFIER #B, PRECIPITATOR #3 (E)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:06 AM 245430900	MONTHLY – PM FOR RECTIFIER #C, PRECIPITATOR #3 (E)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:06 AM 245430901	MONTHLY – PM FOR MILL SIDE TRANSFORMER TH211 (E)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:07 AM 245430903	MONTHLY – PM FOR MILL SIDE TRANSFORMER TH212 (E)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:07 AM 245430904	MONTHLY – PM FOR MILL SIDE TRANSFORMER TH281 (E)	NPPSA_PP1

WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:07 AM 245430905	MONTHLY – PM FOR MILL SIDE TRANSFORMER TH284 (E)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:07 AM 245430906	MONTHLY – PM FOR TL250E POWER BACK UP FABRIC LIGHT (E)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:07 AM 245430907	MONTHLY – PM FOR AVR , TURBO GENERATOR TRANSFORMER TG11 (E)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:08 AM 245430908	MONTHLY – PM FOR GROUNDING TRANSFORMER (E)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:08 AM 245430909	MONTHLY – PM FOR BATTERY FOR 25SVU01 CHARGER 110 VDC MILL WIDE BANK#1 (E)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:08 AM 245430910	MONTHLY – PM FOR BATTERY FOR 25SVU01 CHARGER 110 VDC MILL WIDE BANK#2 (E)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:08 AM 245430911	MONTHLY – PM FOR BATTERY 110 VDC FOR Communication 115 kV (E)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:08 AM 245430913	MONTHLY – PM FOR BATTERY FOR 25ASP001 CHARGER 48VDC FOR 115kV NPP11 (E)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:08 AM 245430913	MONTHLY – PM FOR BATTERY FOR 40UPS01 MILL RECOVERY BOILER, UPS (E)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:08 AM 245430914	MONTHLY – PM FOR BATTERY FOR 25SVU01 CHARGER 110 VDC FOR 22KV SYSTEM (E)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:08 AM 245430915	MONTHLY – PM FOR BATTERY FOR 25SUPS01 MCC MILL WIDE, UPS (E)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:08 AM 245430916	MONTHLY – PM FOR CHARGER 110 VDC FOR Communication 115kV (E)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:09 AM 245430918	MONTHLY – PM FOR CHARGER 48VDC FOR 115kV NPP11 (E)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:09 AM 245430919	MONTHLY – PM FOR SCRUBBER FAN (PO)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:10 AM 245430920	MONTHLY – INSPECTION PUMP	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:10 AM 245430921	26XP001 DEMIN WATER BOOSTER PUMP #1	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:10 AM 245430922	26XP004 DEMIN WATER BOOSTER PUMP #2	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:10 AM 245430923	26XP009 DEMIN WATER TRANSFER PUMP # 1	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:10 AM 245430925	26XP010 DEMIN WATER TRANSFER PUMP #2	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:10 AM 245430926	26XP011 EFFLUENT MIXING PUMP	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:12 AM 245430928	2 WEEKS – PM VISUAL CHECK AND BASIC PDM FOR AGITATOR-DISSOLVING TANK SEE LONG DESCRIPTION (PO)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:12 AM 245430929	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR ESP TRANSFER CONVEYOR # 1 (PO)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:12 AM 245430930	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR ESP TRANSFER CONVEYOR #2 (PO)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:12 AM 245430931	4 MONTHS – PM ROUTE INSPECTION AND CLEAN GROUP 1 FOR AREA 1A2 (PO)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:12 AM 245430932	4 MONTHS – PM ROUTE INSPECTION AND CLEAN GROUP 2 FOR AREA 2A9 (PO)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:13 AM 245430933	4 MONTHS – PM ROUTE INSPECTION AND CLEAN GROUP 3 FOR AREA 2B0 (PO)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:13 AM 245430934	4 MONTHS – PM ROUTE INSPECTION AND CLEAN GROUP 6 FOR AREA 4B2 (PO)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:13 AM 245430936	4 MONTHS – PM ROUTE INSPECTION AND CLEAN GROUP 7 FOR AREA 4B2 (PO)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:13 AM 245430937	4 MONTHS – PM ROUTE INSPECTION AND CLEAN GROUP 15 FOR AREA 4B3 (PO)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:13 AM 245430938	4 MONTHS – PM ROUTE INSPECTION AND CLEAN GROUP 16 FOR AREA 4B5 (PO)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:14 AM 245430939	4 MONTHS – PM ROUTE INSPECTION AND CLEAN GROUP 17 FOR AREA 4B3 (PO)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:14 AM 245430940	4 MONTHS – PM ROUTE INSPECTION AND CLEAN GROUP 18 FOR AREA 4B0 (PO)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:14 AM 245430941	4 MONTHS – PM ROUTE INSPECTION AND CLEAN GROUP 19 FOR AREA 4B0 (PO)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:14 AM 245430942	MONTHLY – ROUTE PM FOR INSPECTION FABRIC EXPANSION JOINT (PO)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:15 AM 245430943	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR PRIMARY FD FAN (PO)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:15 AM 245430944	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR SECONDARY FD FAN (PO)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:16 AM 245430945	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR TERTIARY FD FAN (PO)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:16 AM 245430946	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR ID FAN # 1 (PO)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:17 AM 245430947	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR ID FAN # 2 (PO)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:18 AM 245430948	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR ID FAN 3 (PO)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:18 AM 245430950	MONTHLY – PM FOR FIRE FIGHTING SWITCH GEAR (E)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:19 AM 245430952	MONTHLY – PM ROUTE REFILL LUBRICANT SEALING FOR BEARING GROUP 2 (PO)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:19 AM 245430953	MONTHLY – PM ROUTE REFILL LUBRICANT SEALING FOR BEARING GROUP 3 (PO)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:19 AM 245430954	MONTHLY – PM REFILL LUBRICANT FOR AGITATOR STRONG LIQUOR STORAGE TANK (PO)	NPPSA_PP1
MS0159 – Automation Service (Instrument)	08-Nov-24 01:19 AM 245430955	2 weekly check AAS Black flue gas analyzer	NPPSA_PP1
MS0159 – Automation Service (Instrument)	08-Nov-24 01:20 AM 245430955	calibrate 40.5 stack flue gas analyzer (BOP4000)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:20 AM 245430956	PM FOR FEEDWATER BY-PASS VLV PR5W172	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:20 AM 245430957	PM FOR SOOTBLOWER STEAM PR SENSOR	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:21 AM 245430958	MONTHLY – PM FOR ALL 3 OIL & OILY FEED WATER PUMP P003 (E)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:21 AM 245430959	MONTHLY – PM FOR ALL 3 EMO SUBMITTED WATER PUMP P004 (E)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:21 AM 245430960	MONTHLY – PM FOR EAST OUT GOING TRANSFORMER TC1 (E)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:21 AM 245430961	MONTHLY – PM FOR VSD OF FIRING LIQUOR PUMP #1 (E)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:21 AM 245430962	MONTHLY – PM FOR VSD OF FIRING LIQUOR PUMP #2 (E)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:21 AM 245430964	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR TAK PUMP #1 (PO)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:22 AM 245430967	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR COOLING WATER PUMP NO.1 (PO)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:23 AM 245430969	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR COOLING WATER PUMP NO.2 (PO)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:23 AM 245430972	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR ACID DOSING PUMP #1 (PO)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:24 AM 245430974	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR ACID DOSING PUMP #2 (PO)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:24 AM 245430975	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR EMERGENCY OIL PUMP (PO)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:25 AM 245430978	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR GLAND CONDENSATE PUMP (PO)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:25 AM 245430980	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR CIRCULATION 1 A PUMP (PO)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:25 AM 245430981	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR CIRCULATION 1 B PUMP (PO)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:26 AM 245430982	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR CIRCULATION 1 C PUMP (PO)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:26 AM 245430985	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR CIRCULATION 1 D PUMP (PO)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:27 AM 245430986	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR CIRCULATION 1 A PUMP (PO)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:27 AM 245430987	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR CIRCULATION 1 B PUMP (PO)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:27 AM 245430988	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR CIRCULATION 1 C PUMP (PO)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:28 AM 245430989	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR CIRCULATION 1 D PUMP (PO)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:28 AM 245430990	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR CIRCULATION 2 PUMP (PO)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:29 AM 245430991	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR EFFECT III FEED PUMP (PO)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:29 AM 245430992	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR EFFECT III CIRCULATE PUMP (PO)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:30 AM 245430993	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR EFFECT III (B) TRANSF PUMP (PO)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:30 AM 245430994	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR EFFECT IV CIRCULATE PUMP (PO)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:31 AM 245430995	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR EFFECT V CIRCULATE PUMP (PO)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:31 AM 245430996	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR PRIMARY CONDENSATE PUMP (PO)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:32 AM 245430997	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR FOUL CONDENSATE PUMP (PO)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:32 AM 245430998	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SEC CONDENSATE B PUMP (PO)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:33 AM 245430999	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR FOUL COND. VAC. PIT DWG (PO)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:33 AM 245431000	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR VACUUM PUMP (PO)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:34 AM 245431001	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR VACUUM PUMP (STANDBY) (PO)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:34 AM 245431002	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR REFLUX CONDENSATE (PO)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:34 AM 245431003	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR BLACK LIQUOR PUMP (PO)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:35 AM 245431004	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR COMBINED CONDENSATE (PO)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:35 AM 245431005	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR FEED LIQUOR PUMP (PO)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:36 AM 245431006	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR FIRING LIQ FLASH TNK PUMP#1 (PO)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:36 AM 245431007	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR FIRING LIQ FLASH TNK PUMP#2 (PO)	NPPSA_PP1
WL1320 – PPS,8,10,11 OPERATION	08-Nov-24 01:36 AM 245431008	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR DESUPERHEATER PUMP (PO)	NPPSA_PP1

WL1320 – PPS,6,10,11 OPERATION	08-Nov-24 01:37 AM 245411809 MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR STRONG LIQUOR PUMP (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	08-Nov-24 01:37 AM 245411810 MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR STRONG LIQUOR PUMP (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	08-Nov-24 01:38 AM 245411811 MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR WARM WATER PUMP (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	08-Nov-24 01:38 AM 245411812 MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SECONDARY CONDENSATE PUMP 2 (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	08-Nov-24 01:38 AM 245411813 MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SUMP PUMP (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	08-Nov-24 01:39 AM 245411814 MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR STRONG LIQUOR PUMP (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	08-Nov-24 01:39 AM 245411815 WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR FIRING LIQUOR PUMP (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	08-Nov-24 01:39 AM 245411816 WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR FIRING LIQUOR PUMP (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	08-Nov-24 01:40 AM 245411817 WEEKLY - PM ROUTE CHECK SWITCHGEAR (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	08-Nov-24 01:40 AM 245411818 WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR STEAM TURBINE, EXPANSION (PO)	NPPSA_PP1
M60109 – Automation Service (Control)	08-Nov-24 01:41 AM 245411819 2 WEEKS - PM FOR PLC TURBINE & GENERATOR GOVERNOR CONTROL (A)	NPPSA_PP1
M60109 – Automation Service (Control)	08-Nov-24 01:42 AM 245411820 2 WEEKS - PM FOR HMI TURBINE & GENERATOR GOVERNOR CONTROL (A)	NPPSA_PP1
M60109 – Automation Service (Control)	08-Nov-24 01:42 AM 245411821 2 WEEKS - PM FOR HMI RODDING MASTER (403CP80) (A)	NPPSA_PP1
M60109 – Automation Service (Control)	08-Nov-24 01:42 AM 245411822 2 WEEKS - PM FOR HMI RODDING MASTER (403CP81) (A)	NPPSA_PP1
M60109 – Automation Service (Control)	08-Nov-24 01:42 AM 245411823 2 WEEKS - PM FOR HMI BMS (A)	NPPSA_PP1
M60109 – Automation Service (Control)	08-Nov-24 01:42 AM 245411824 2 WEEKS - PM FOR HMI ABSORPTION CHILLER #1 (A)	NPPSA_PP1
M60109 – Automation Service (Control)	08-Nov-24 01:42 AM 245411825 2 WEEKS - PM FOR HMI ABSORPTION CHILLER #2 (A)	NPPSA_PP1
M60109 – Automation Service (Control)	08-Nov-24 01:42 AM 245411826 2 WEEKS - PM FOR HMI ABSORPTION CHILLER #3 (A)	NPPSA_PP1
M60109 – Automation Service (Control)	08-Nov-24 01:42 AM 245411827 2 WEEKS - PM FOR PLC RODDING MASTER (403CP80) (A)	NPPSA_PP1
M60109 – Automation Service (Control)	08-Nov-24 01:42 AM 245411828 2 WEEKS - PM FOR PLC RODDING MASTER (403CP81) (A)	NPPSA_PP1
M60109 – Automation Service (Control)	08-Nov-24 01:42 AM 245411829 2 WEEKS - PM FOR PLC BMS (A)	NPPSA_PP1
M60109 – Automation Service (Control)	08-Nov-24 01:43 AM 245411830 2 WEEKS - PM FOR PLC ABSORPTION CHILLER #1 (A)	NPPSA_PP1
M60109 – Automation Service (Control)	08-Nov-24 01:43 AM 245411831 2 WEEKS - PM FOR PLC ABSORPTION CHILLER #2 (A)	NPPSA_PP1
M60109 – Automation Service (Control)	08-Nov-24 01:43 AM 245411832 2 WEEKS - PM FOR PLC ABSORPTION CHILLER #3 (A)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	08-Nov-24 01:43 AM 245411833 MONTHLY - PM FOR BMS (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	08-Nov-24 01:43 AM 245411834 MONTHLY - PM FOR BOF MAIN SUPPLY BURNER (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	08-Nov-24 01:43 AM 245411835 MONTHLY - PM FOR AH411 MCC 690V RECOVERY BOILER #2 (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	08-Nov-24 01:43 AM 245411836 MONTHLY - PM FOR AH412 MCC 690V RECOVERY BOILER #2 (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	08-Nov-24 01:43 AM 245411837 MONTHLY - PM FOR AL413 MCC 400V [illegible] (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	08-Nov-24 01:44 AM 245411838 MONTHLY - PM FOR AH401 MCC 690V EVAPORATOR PLANT 2 (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	08-Nov-24 01:44 AM 245411839 MONTHLY - PM FOR AH011 MCC 690V MILL WIDE #1 (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	08-Nov-24 01:44 AM 245411840 MONTHLY - PM FOR AH012 MCC 690V MILL WIDE #2 (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	08-Nov-24 01:44 AM 245411841 MONTHLY - PM FOR AL191 EMERGENCY POWER SUPPLY 400 VAC (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	08-Nov-24 01:44 AM 245411842 MONTHLY - PM FOR AL201 NORMAL POWER SUPPLY 400 VAC (E)	NPPSA_PP1
M60059 – Electrical Service (Power) (PF)	08-Nov-24 01:44 AM 245411843 2 Weeks - PM Inspection Absorption Chiller (PF)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:00 AM 245440000 MONTHLY - INSPECTION PH TR	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:00 AM 245440392 202Q7100 PH INDICATION FEED OF WATER	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:00 AM 245440393 202Q7102 PH INDICATION OF DEMIN WATER	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:00 AM 245440394 202Q7104 PH INDICATION OF EFFLUENT TANK	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:00 AM 245440395 202Q7125 PH INDICATION AFTER CATION EXCHANGER	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:00 AM 245440396 202Q7127 PH INDICATION AFTER ANION EXCHANGER	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:00 AM 245440397 202Q7125 PH INDICATION AFTER CATION EXCHANGER	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:00 AM 245440398 202Q7127 PH INDICATION AFTER ANION EXCHANGER	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:00 AM 245440399 MONTHLY - INSPECTION PH TR	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:00 AM 245440399 [illegible] NAZ103	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:00 AM 245440400 MONTHLY - INSPECTION PH	NPPSA_PP1
WS1132 – Mechanical PPS,6,10,11	15-Nov-24 01:00 AM 245440401 WEEKLY - INSPECTION CAMERA	NPPSA_PP1
WS1132 – Mechanical PPS,6,10,11	15-Nov-24 01:01 AM 245440402 4000220 Recovery Boiler Bed Camera Right Side	NPPSA_PP1
WS1132 – Mechanical PPS,6,10,11	15-Nov-24 01:01 AM 245440403 4000270 Recovery Boiler Bed Camera Left Side	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:01 AM 245440404 MONTHLY - PM FOR BL SPRAY SYSTEM (A)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:01 AM 245440405 MONTHLY - PM FOR BL SPRAYER SYSTEM (A)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:01 AM 245440406 MONTHLY - PM FOR BL SPRAYER SYSTEM (A)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:02 AM 245440407 MONTHLY - PM FOR BL SPRAYER SYSTEM (A)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:02 AM 245440408 WEEKLY - PM FOR GENERATOR (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:02 AM 245440411 WEEKLY - PM FOR LUP OIL PUMP FEED WATER PUMP A (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:02 AM 245440412 2 MONTHS - PM FOR SCRUBBER/IGNITOR AIR FAN # 2 (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:03 AM 245440413 2 MONTHS - PM FOR SCRUBBER FAN (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:03 AM 245440414 MONTHLY - PM FOR AIR COMPRESSOR NO.1 (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:03 AM 245440415 MONTHLY - PM FOR AIR COMPRESSOR NO.2 (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:03 AM 245440416 MONTHLY - PM FOR AIR COMPRESSOR NO.3 (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:04 AM 245440417 MONTHLY - PM FOR AIR COMPRESSOR NO.4 (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:04 AM 245440419 WEEKLY - PM FOR INDUCED DRAFT FAN, CELL NO.1 (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:05 AM 245440420 WEEKLY - PM FOR INDUCED DRAFT FAN, CELL NO.2 (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:05 AM 245440422 MONTHLY - PM FOR TRANSFORMER TC23(E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:05 AM 245440423 MONTHLY - PM FOR BATTERY CHARGER 110 VDC MILL WIDE (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:05 AM 245440424 MONTHLY - PM FOR MCC MILL WIDE, UPS (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:05 AM 245440425 MONTHLY - PM FOR BATTERY CHARGER 110 VDC MILL WIDE (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:05 AM 245440426 MONTHLY - PM FOR MCC MILL WIDE, UPS (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:05 AM 245440427 MONTHLY - PM FOR MCC RECOVERY BOILER, UPS (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:06 AM 245440428 2 WEEKS - PM VISUAL CHECK AND BASIC PDM FOR AGITATOR-DISSOLVING TANK SEE LONG DESCRIPTION (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:06 AM 245440429 MONTHLY - PM REFILL LUBRICANT FOR AGITATOR-DISSOLVING TANK SEE LONG DESCRIPTION (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:06 AM 245440430 MONTHLY - PM REFILL LUBRICANT FOR AGITATOR-DISSOLVING TANK SEE LONG DESCRIPTION (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:06 AM 245440432 MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR ASH COLLECTING CONVEYOR (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:06 AM 245440433 MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR DRAG SCRAPER, ESP # 1 SEE LONG DESCRIPTION (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:07 AM 245440434 MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR DRAG SCRAPER, ESP # 2 SEE LONG DESCRIPTION (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:07 AM 245440436 MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR COLLECTING CONVEYOR, ESP # 1 (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:07 AM 245440437 MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR COLLECTING CONVEYOR, ESP # 2 (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:08 AM 245440438 MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SCRAPER CONVEYOR ESP 3 (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:08 AM 245440439 MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR COLLECTING CONVEYOR ESP 3 (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:08 AM 245440440 WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR ESP TRANSFER CONVEYOR # 1 (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:09 AM 245440441 WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR ESP TRANSFER CONVEYOR #2 (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:09 AM 245440442 MONTHLY - PM FOR AIR COMPRESSOR NO.1 (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:10 AM 245440443 MONTHLY - PM FOR AIR COMPRESSOR NO.2 (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:10 AM 245440444 MONTHLY - PM FOR AIR COMPRESSOR NO.3 (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:11 AM 245440445 MONTHLY - PM FOR AIR COMPRESSOR NO.4 (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:12 AM 245440447 WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR PRIMARY FD FAN (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:12 AM 245440448 WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR SECONDARY FD FAN (PO)	NPPSA_PP1

WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:13 AM 245440449 WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR TERTIARY FD FAN (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:13 AM 245440451 WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR ID FAN # 1 (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:14 AM 245440452 WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR ID FAN # 2 (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:15 AM 245440453 WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR ID FAN #3 (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:15 AM 245440454 MONTHLY - PM FOR FIRE FIGHTING RECOVERY BOILER (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:16 AM 245440455 MONTHLY - PM ROUTE REFILL LUBRICANT CHAIN CONVEYOR (GROUP1) (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:16 AM 245440456 MONTHLY - PM ROUTE REFILL LUBRICANT PUMP A (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:16 AM 245440457 MONTHLY - PM ROUTE REFILL LUBRICANT PUMP B (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:16 AM 245440458 MONTHLY - PM ROUTE REFILL LUBRICANT PUMP C (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:16 AM 245440459 MONTHLY - PM ROUTE REFILL LUBRICANT PUMP D (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:16 AM 245440460 MONTHLY - PM ROUTE REFILL LUBRICANT BEARING FAN FOR ESP AH (GROUP1) (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:16 AM 245440461 MONTHLY - PM ROUTE REFILL LUBRICANT PUMP E (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:16 AM 245440462 MONTHLY - PM ROUTE REFILL LUBRICANT PUMP F (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:17 AM 245440463 MONTHLY - PM ROUTE REFILL LUBRICANT PUMP G (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:17 AM 245440464 MONTHLY CLEANING AIR SUPPLY FILTER [illegible]	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:17 AM 245440465 MONTHLY CLEANING AIR SUPPLY FILTER [illegible]	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:17 AM 245440466 MONTHLY CLEANING AIR SUPPLY FILTER 2024521	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:17 AM 245440467 MONTHLY CLEANING AIR SUPPLY FILTER 2024523	NPPSA_PP1
M60101 – Automation Service (Instrument)	15-Nov-24 01:17 AM 245440468 calibrate 403 Stack flue gas analyzer (50Q400X)	NPPSA_PP1
M60108 – Automation Service (Instrument)	15-Nov-24 01:18 AM 245440469 Monthly PM Dust meter "Sick" [illegible]	NPPSA_PP1
M60108 – Automation Service (Instrument)	15-Nov-24 01:18 AM 245440470 Monthly PM for [illegible] after feed water pumps	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:18 AM 245440471 MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR FW PUMP #1 (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:19 AM 245440472 MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR FW PUMP #2 (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:20 AM 245440473 WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR FW PUMP #3 (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:21 AM 245440475 MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR DUMP TANK PUMP (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:21 AM 245440477 MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SPILL COLLECTION PUMP (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:22 AM 245440479 MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SCRUBBER RECIRCULATION PUMP (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:22 AM 245440480 MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR GREEN LIQ TRANSFER PUMP #1 (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:23 AM 245440484 MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR GREEN LIQ TRANSFER PUMP #2 (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:23 AM 245440485 MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SPOUT COOLING WATER PUMP #1 (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:24 AM 245440487 MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SPOUT COOLING WATER PUMP #2 (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:24 AM 245440489 MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR CIRCULATION PUMP (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:24 AM 245440491 MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR CONDENSATE FEED PUMP #A (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:25 AM 245440493 MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR CONDENSATE FEED PUMP #B (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:26 AM 245440495 WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR FIRING LIQUOR PUMP (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:26 AM 245440496 WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR FIRING LIQUOR PUMP (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:26 AM 245440497 MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR CONDENSATE PUMP NO. 1 (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:27 AM 245440499 MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR CONDENSATE PUMP NO. 2 (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:28 AM 245440500 MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 1, LEFT (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:29 AM 245440501 MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 2, LEFT (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:29 AM 245440503 MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 3, RIGHT (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:29 AM 245440504 MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 4, LEFT (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:29 AM 245440505 MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 5, RIGHT (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:30 AM 245440506 MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 6, LEFT (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:30 AM 245440507 MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 7, RIGHT (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:31 AM 245440508 MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 8, LEFT (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:31 AM 245440509 MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 9, RIGHT (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:32 AM 245440510 MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 10, LEFT (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:32 AM 245440511 MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 11, RIGHT (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:33 AM 245440512 MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 12, LEFT (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:33 AM 245440513 MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 13, RIGHT (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:33 AM 245440514 MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 14, LEFT (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:34 AM 245440515 MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 15, LEFT (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:34 AM 245440516 MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 16, RIGHT (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:35 AM 245440517 MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 17, LEFT (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:35 AM 245440518 MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 18, RIGHT (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:36 AM 245440519 MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 19, LEFT (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:36 AM 245440520 MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 20, RIGHT (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:36 AM 245440521 MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 21, LEFT (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:37 AM 245440522 MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 22, RIGHT (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:37 AM 245440523 MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 23, LEFT (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:38 AM 245440524 MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 24, RIGHT (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:38 AM 245440525 MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 25, LEFT (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:39 AM 245440526 MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 26, RIGHT (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:39 AM 245440527 MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 27, LEFT (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:39 AM 245440528 MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 28, RIGHT (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:40 AM 245440529 MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 29, LEFT (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:40 AM 245440530 MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 30, RIGHT (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:41 AM 245440531 MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 31, LEFT (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:41 AM 245440532 MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 32, RIGHT (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:41 AM 245440533 MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 33, LEFT (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:42 AM 245440534 MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 34, RIGHT (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:42 AM 245440535 MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 35, LEFT (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:43 AM 245440536 MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 36, RIGHT (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:43 AM 245440537 MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 37, RIGHT (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:43 AM 245440538 MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 38, LEFT (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:44 AM 245440539 MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 39, LEFT (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:44 AM 245440540 MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 40, RIGHT (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:45 AM 245440541 MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 41, LEFT (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:45 AM 245440542 MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 42, RIGHT (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:45 AM 245440543 MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 43, RIGHT (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:46 AM 245440544 MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 44 (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:46 AM 245440545 MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 45, LEFT (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:47 AM 245440546 MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 46, RIGHT (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:47 AM 245440547 MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 47, LEFT (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:47 AM 245440548 MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 48, RIGHT (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	15-Nov-24 01:48 AM 245440549 MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 49, LEFT (PO)	NPPSA_PP1

WL1320 - PPS,8,10,11 OPERATION	15-Nov-24 01:48 AM 245440850	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 58, RIGHT (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	15-Nov-24 01:49 AM 245440851	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 51, LEFT (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	15-Nov-24 01:49 AM 245440852	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 52, RIGHT (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	15-Nov-24 01:50 AM 245440853	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 353, LEFT (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	15-Nov-24 01:50 AM 245440854	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 354, RIGHT (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	15-Nov-24 01:51 AM 245440855	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 355, LEFT (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	15-Nov-24 01:51 AM 245440856	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 356, RIGHT (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	15-Nov-24 01:51 AM 245440857	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 357, LEFT (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	15-Nov-24 01:52 AM 245440858	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 358, RIGHT (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	15-Nov-24 01:53 AM 245440859	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 359, LEFT (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	15-Nov-24 01:53 AM 245440860	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 360, RIGHT (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	15-Nov-24 01:53 AM 245440861	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 361 LEFT (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	15-Nov-24 01:54 AM 245440862	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 362 RIGHT (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	15-Nov-24 01:54 AM 245440863	WEEKLY - PM ROUTE CHECK SWITCHGEAR (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	15-Nov-24 01:54 AM 245440866	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR STEAM TURBINE,S2060AW (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	15-Nov-24 01:55 AM 245440867	MONTHLY - PM FOR SCRUBBER FAN (E)	NPPSA_PP1
WL5132 - Mechanical PPS,8,10,11	15-Nov-24 01:55 AM 245440868	2 WEEKS - PM FOR 115 KV SUBSTATION AAP2 (E)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	22-Nov-24 01:00 AM 245450250	2 WEEKS - INSPECTION DOSING PUMP	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	22-Nov-24 01:00 AM 245450256	2696513 CAUSTIC DOSING PUMP #1	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	22-Nov-24 01:00 AM 245450257	2696514 CAUSTIC DOSING PUMP #2	NPPSA_PP1
WL5132 - Mechanical PPS,8,10,11	22-Nov-24 01:00 AM 245450258	WEEKLY - INSPECTION CAMERA	NPPSA_PP1
WL5132 - Mechanical PPS,8,10,11	22-Nov-24 01:00 AM 245450259	4600269 Recovery Boiler Bed Camera Right Side	NPPSA_PP1
WL5132 - Mechanical PPS,8,10,11	22-Nov-24 01:00 AM 245450260	4600270 Recovery Boiler Bed Camera Left Side	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	22-Nov-24 01:00 AM 245450261	MONTHLY - PM FOR CONDUCTIVITY INDICATION OF FEED WATER (A)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	22-Nov-24 01:00 AM 245450263	MONTHLY - PM FOR CONDUCTIVITY INDICATION OF DEMIN WATER (A)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	22-Nov-24 01:01 AM 245450264	MONTHLY - PM FOR CONDUCTIVITY INDICATION AFTER ANION EXCHANGER (A)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	22-Nov-24 01:01 AM 245450265	MONTHLY - PM FOR CONDUCTIVITY INDICATION AFTER MIXED BED EXCHANGER (A)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	22-Nov-24 01:01 AM 245450266	MONTHLY - PM FOR CONDUCTIVITY INDICATION AFTER ANION EXCHANGER (A)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	22-Nov-24 01:01 AM 245450267	MONTHLY - PM FOR CONDUCTIVITY INDICATION AFTER MIXED BED EXCHANGER (A)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	22-Nov-24 01:02 AM 245450268	MONTHLY - PM FOR CONDUCT. TDM (A)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	22-Nov-24 01:02 AM 245450271	MONTHLY - PM FOR CONDUCTIVITY SUMP PIT (A)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	22-Nov-24 01:03 AM 245450272	MONTHLY - PM FOR condensate from Elec (A)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	22-Nov-24 01:03 AM 245450273	MONTHLY - PM FOR COND FROM EVAP PLANT (A)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	22-Nov-24 01:03 AM 245450275	MONTHLY - PM FOR COND FROM TURBINE (A)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	22-Nov-24 01:03 AM 245450276	MONTHLY - PM FOR COND FROM PULP DRYER (A)	NPPSA_PP1
MS0103 - Automation Service (Instrument)	22-Nov-24 01:03 AM 245450277	MONTHLY - PM FOR RECOVERY BOILER OS2101 (DS0S1) (A)	NPPSA_PP1
MS0103 - Automation Service (Instrument)	22-Nov-24 01:03 AM 245450278	MONTHLY - PM FOR RECOVERY BOILER OS2102 (OS2021) (A)	NPPSA_PP1
MS0103 - Automation Service (Instrument)	22-Nov-24 01:04 AM 245450279	MONTHLY - PM FOR MILL SIDE OS2103 (A)	NPPSA_PP1
MS0103 - Automation Service (Instrument)	22-Nov-24 01:04 AM 245450280	MONTHLY - PM FOR MILL SIDE OS2104 (A)	NPPSA_PP1
MS0103 - Automation Service (Instrument)	22-Nov-24 01:04 AM 245450281	MONTHLY - PM FOR EVAPORATOR OS2104 (A)	NPPSA_PP1
MS0103 - Automation Service (Instrument)	22-Nov-24 01:04 AM 245450282	MONTHLY - PM FOR EVAPORATOR OS2105 (A)	NPPSA_PP1
MS0103 - Automation Service (Instrument)	22-Nov-24 01:04 AM 245450284	MONTHLY - PM FOR UPS A FOR DCS BOILER PP11 (A)	NPPSA_PP1
MS0103 - Automation Service (Instrument)	22-Nov-24 01:04 AM 245450285	MONTHLY - PM FOR UPS B FOR DCS BOILER PP11 (A)	NPPSA_PP1
MS0103 - Automation Service (Instrument)	22-Nov-24 01:04 AM 245450286	MONTHLY - PM FOR UPS FOR INSTRUMENT RECOVERY BOILER (A)	NPPSA_PP1
MS0103 - Automation Service (Instrument)	22-Nov-24 01:04 AM 245450287	MONTHLY - PM FOR UPS A FOR DCS TURBINE PP11 (A)	NPPSA_PP1
MS0103 - Automation Service (Instrument)	22-Nov-24 01:04 AM 245450288	MONTHLY - PM FOR UPS B FOR DCS TURBINE PP11 (A)	NPPSA_PP1
MS0103 - Automation Service (Instrument)	22-Nov-24 01:04 AM 245450289	MONTHLY - PM FOR UPS A FOR DCS EVAP PP11 (A)	NPPSA_PP1
MS0103 - Automation Service (Instrument)	22-Nov-24 01:05 AM 245450290	MONTHLY - PM FOR UPS B FOR DCS EVAP PP11 (A)	NPPSA_PP1
MS0103 - Automation Service (Instrument)	22-Nov-24 01:05 AM 245450291	MONTHLY - PM FOR UPS (2) FOR DCS CONTROL ROOM PP11 (A)	NPPSA_PP1
MS0103 - Automation Service (Instrument)	22-Nov-24 01:05 AM 245450293	MONTHLY - PM FOR BATTERY FOR 4010UPS-A DCS BOILER PP11 (A)	NPPSA_PP1
MS0103 - Automation Service (Instrument)	22-Nov-24 01:05 AM 245450294	MONTHLY - PM FOR BATTERY FOR 4010UPS-B DCS BOILER PP11 (A)	NPPSA_PP1
MS0103 - Automation Service (Instrument)	22-Nov-24 01:05 AM 245450295	MONTHLY - PM FOR BATTERY FOR 4010UPS-C INSTRUMENT PP11 (A)	NPPSA_PP1
MS0103 - Automation Service (Instrument)	22-Nov-24 01:05 AM 245450296	MONTHLY - PM FOR BATTERY FOR 2010UPS-A DCS TURBINE PP11 (A)	NPPSA_PP1
MS0103 - Automation Service (Instrument)	22-Nov-24 01:05 AM 245450297	MONTHLY - PM FOR BATTERY FOR 2010UPS-B DCS TURBINE PP11 (A)	NPPSA_PP1
MS0103 - Automation Service (Instrument)	22-Nov-24 01:05 AM 245450298	MONTHLY - PM FOR BATTERY FOR 4510UPS-A DCS EVAP PP11 (A)	NPPSA_PP1
MS0103 - Automation Service (Instrument)	22-Nov-24 01:05 AM 245450299	MONTHLY - PM FOR BATTERY FOR 4510UPS-B DCS EVAP PP11 (A)	NPPSA_PP1
MS0103 - Automation Service (Instrument)	22-Nov-24 01:05 AM 245450300	MONTHLY - PM FOR BATTERY FOR 4010UPS-CR(1) DCS CONTROL ROOM PP11 (A)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	22-Nov-24 01:06 AM 245450301	MONTHLY - PM FOR START-UP BURNER #1 (E)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	22-Nov-24 01:06 AM 245450302	MONTHLY - PM FOR START-UP BURNER #2 (E)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	22-Nov-24 01:06 AM 245450303	MONTHLY - PM FOR START-UP BURNER #3 (E)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	22-Nov-24 01:06 AM 245450305	MONTHLY - PM FOR START-UP BURNER #4 (E)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	22-Nov-24 01:06 AM 245450307	WEEKLY - PM FOR GENERATOR (E)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	22-Nov-24 01:06 AM 245450308	WEEKLY - PM FOR LUP OIL PUMP FEED WATER PUMP 3 (E)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	22-Nov-24 01:07 AM 245450310	WEEKLY - PM FOR INDUCED DRAFT FAN, CELL NO.1 (E)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	22-Nov-24 01:07 AM 245450311	WEEKLY - PM FOR INDUCED DRAFT FAN, CELL NO.2 (E)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	22-Nov-24 01:07 AM 245450313	2 MONTHS - PM FOR VAPOR EXTRACTOR, SEPARATION OF OIL, MIST, SET. L.T. (E)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	22-Nov-24 01:08 AM 245450314	MONTHLY - PM FOR BATTERY CHARGER 110 VDC for 220V SYSTEM (E)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	22-Nov-24 01:08 AM 245450315	MONTHLY - INSPECTION AGITATOR	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	22-Nov-24 01:08 AM 245450316	4026601 AGITATOR-281 MIX TANK SET LONG DESCRIPTION	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	22-Nov-24 01:08 AM 245450317	4026505 AGITATOR-DISSOLVING TANK SEE LONG DESCRIPTION	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	22-Nov-24 01:08 AM 245450318	4026605 AGITATOR-OVERFLOW CONVEYOR TNK	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	22-Nov-24 01:09 AM 245450319	4026606 AGITATOR-PHOSPHATE TANK	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	22-Nov-24 01:09 AM 245450320	2 WEEKS - PM VISUAL CHECK AND BASIC PDM FOR AGITATOR-DISSOLVING TANK SEE LONG DESCRIPTION (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	22-Nov-24 01:09 AM 245450321	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR ESP TRANSFER CONVEYOR #1 (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	22-Nov-24 01:09 AM 245450322	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR ESP TRANSFER CONVEYOR #2 (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	22-Nov-24 01:09 AM 245450323	MONTHLY - PM ROUTE CHECK MOTOR RAPPER ESP (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	22-Nov-24 01:10 AM 245450324	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR PRIMARY FD FAN (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	22-Nov-24 01:11 AM 245450326	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR SECONDARY FD FAN (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	22-Nov-24 01:12 AM 245450328	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR TERTIARY FD FAN (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	22-Nov-24 01:12 AM 245450329	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR ID FAN # 1 (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	22-Nov-24 01:13 AM 245450330	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR ID FAN # 2 (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	22-Nov-24 01:13 AM 245450332	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR ID FAN #3 (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	22-Nov-24 01:14 AM 245450333	MONTHLY - PM FOR FIRE FIGHTING BALL VALVE (E)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	22-Nov-24 01:14 AM 245450334	MONTHLY - PM FOR CO2 FIRE ALARM & FIRE FIGHTING OF TURBINE (E)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	22-Nov-24 01:14 AM 245450335	MONTHLY - PM FOR FIRE FIGHTING EVAPORATION (E)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	22-Nov-24 01:15 AM 245450336	2 MONTHS - PM ROUTE GREASE MOTOR COOLING TOWER (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	22-Nov-24 01:15 AM 245450337	MONTHLY - PM ROUTE REFILL LUBRICANT CHAIN CONVEYOR (GROUP2) (PO)	NPPSA_PP1

WL1320 - PPS,8,10,11 OPERATION	22-Nov-24 01:15 AM 245450338	MONTHLY - PM ROUTE REFILL LUBRICANT CHAIN CONVEYOR (GROUP3) (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	22-Nov-24 01:15 AM 245450339	MONTHLY - PM ROUTE REFILL OIL FAN COOLING TOWER (PO)	NPPSA_PP1
MS0103 - Automation Service (Instrument)	22-Nov-24 01:16 AM 245450340	monthly inspection Evaporation DCS Controller (A)	NPPSA_PP1
MS0103 - Automation Service (Instrument)	22-Nov-24 01:16 AM 245450341	monthly inspection Mill Side DCS Controller (A)	NPPSA_PP1
MS0103 - Automation Service (Instrument)	22-Nov-24 01:16 AM 245450342	monthly inspection Soot Blower DCS Controller (A)	NPPSA_PP1
MS0103 - Automation Service (Instrument)	22-Nov-24 01:17 AM 245450343	monthly inspection Recovery Boiler DCS Controller (A)	NPPSA_PP1
MS0103 - Automation Service (Instrument)	22-Nov-24 01:17 AM 245450344	monthly inspection for FTS DCS Power Distrib. (A)	NPPSA_PP1
MS0103 - Automation Service (Instrument)	22-Nov-24 01:18 AM 245450345	monthly inspection for Evapor DCS Power Distrib. (A)	NPPSA_PP1
MS0103 - Automation Service (Instrument)	22-Nov-24 01:18 AM 245450346	monthly inspection for MillSide DCS Power Distrib. (A)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	22-Nov-24 01:19 AM 245450354	MONTHLY CLEANING AIR SUPPLY FILTER 4S2J066	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	22-Nov-24 01:20 AM 245450355	MONTHLY CLEANING AIR SUPPLY FILTER 4S2J066	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	22-Nov-24 01:20 AM 245450356	MONTHLY CLEANING AIR SUPPLY FILTER 4S2J067	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	22-Nov-24 01:20 AM 245450357	MONTHLY CLEANING AIR SUPPLY FILTER 412J089	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	22-Nov-24 01:20 AM 245450358	MONTHLY CLEANING AIR SUPPLY FILTER 4614020	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	22-Nov-24 01:20 AM 245450359	MONTHLY CLEANING AIR SUPPLY FILTER 4614021	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	22-Nov-24 01:20 AM 245450360	MONTHLY CLEANING AIR SUPPLY FILTER 4614023	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	22-Nov-24 01:21 AM 245450362	MONTHLY CLEANING AIR SUPPLY FILTER 4614022	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	22-Nov-24 01:21 AM 245450363	MONTHLY CLEANING AIR SUPPLY FILTER 4614025A	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	22-Nov-24 01:21 AM 245450364	MONTHLY CLEANING AIR SUPPLY FILTER 4614025B	NPPSA_PP1
MS0103 - Automation Service (Instrument)	22-Nov-24 01:21 AM 245450365	2 weeks check 481 Stack flue gas analyzer	NPPSA_PP1
MS0103 - Automation Service (Instrument)	22-Nov-24 01:21 AM 245450366	calibrate 481 Stack flue gas analyzer (BQ04000)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	22-Nov-24 01:21 AM 245450368	PM FOR FEEDWATER BLOCK VALVE 463HV258	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	22-Nov-24 01:22 AM 245450369	PM FOR RAPID DRAIN DOWNCOMER 463HV1518	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	22-Nov-24 01:22 AM 245450370	PM FOR RAPID DRAIN DOWNCOMER 463HV1520	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	22-Nov-24 01:23 AM 245450371	PM FOR STARTUP BLOCK VLV. 463HV154	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	22-Nov-24 01:23 AM 245450372	PM FOR MAIN STEAM VALVE 463HV155	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	22-Nov-24 01:23 AM 245450373	PM FOR CBD. CONT BLOWDOWN 463HV259	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	22-Nov-24 01:23 AM 245450374	PM FOR STEAM LLa BYPASS 4404TCF3	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	22-Nov-24 01:23 AM 245450375	MONTHLY - PM FOR RECOVERY TRANSFORMER TH41 (E)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	22-Nov-24 01:23 AM 245450377	MONTHLY - PM FOR EVAPORATION TRANSFORMER TH42 (E)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	22-Nov-24 01:23 AM 245450378	MONTHLY - PM FOR TURBO GEN. Transformer TD11 (E)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	22-Nov-24 01:24 AM 245450383	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR FW PUMP #3 (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	22-Nov-24 01:24 AM 245450384	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR FIRING LIQUOR PUMP (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	22-Nov-24 01:25 AM 245450385	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR FIRING LIQUOR PUMP (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	22-Nov-24 01:26 AM 245450387	WEEKLY - PM ROUTE CHECK SWITCHGEAR (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	22-Nov-24 01:26 AM 245450388	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR STEAM TURBINE,S2060AW (PO)	NPPSA_PP1
MS0104 - Automation Service (Control)	22-Nov-24 01:26 AM 245450390	2 WEEKS - PM FOR PLC TURBINE & GENERATOR GOVERNOR CONTROL (A)	NPPSA_PP1
MS0104 - Automation Service (Control)	22-Nov-24 01:27 AM 245450392	2 WEEKS - PM FOR HMI TURBINE & GENERATOR GOVERNOR CONTROL (A)	NPPSA_PP1
MS0104 - Automation Service (Control)	22-Nov-24 01:27 AM 245450393	2 WEEKS - PM FOR HMI RODDING MASTER (466CR01) (A)	NPPSA_PP1
MS0104 - Automation Service (Control)	22-Nov-24 01:27 AM 245450394	2 WEEKS - PM FOR HMI RODDING MASTER (466CP01) (A)	NPPSA_PP1
MS0104 - Automation Service (Control)	22-Nov-24 01:27 AM 245450395	2 WEEKS - PM FOR HMI BMS (A)	NPPSA_PP1
MS0104 - Automation Service (Control)	22-Nov-24 01:27 AM 245450396	2 WEEKS - PM FOR HMI ABSORPTION CHILLER #3 (A)	NPPSA_PP1
MS0104 - Automation Service (Control)	22-Nov-24 01:28 AM 245450397	2 WEEKS - PM FOR HMI ABSORPTION CHILLER #2 (A)	NPPSA_PP1
MS0104 - Automation Service (Control)	22-Nov-24 01:28 AM 245450398	2 WEEKS - PM FOR HMI ABSORPTION CHILLER #1 (A)	NPPSA_PP1
MS0104 - Automation Service (Control)	22-Nov-24 01:28 AM 245450399	2 WEEKS - PM FOR PLC RODDING MASTER (269CR01) (A)	NPPSA_PP1
MS0104 - Automation Service (Control)	22-Nov-24 01:28 AM 245450400	2 WEEKS - PM FOR PLC RODDING MASTER (466CP01) (A)	NPPSA_PP1
MS0104 - Automation Service (Control)	22-Nov-24 01:28 AM 245450401	2 WEEKS - PM FOR PLC BMS (A)	NPPSA_PP1
MS0104 - Automation Service (Control)	22-Nov-24 01:28 AM 245450402	2 WEEKS - PM FOR PLC ABSORPTION CHILLER #1 (A)	NPPSA_PP1
MS0104 - Automation Service (Control)	22-Nov-24 01:28 AM 245450403	2 WEEKS - PM FOR PLC ABSORPTION CHILLER #2 (A)	NPPSA_PP1
MS0104 - Automation Service (Control)	22-Nov-24 01:29 AM 245450404	2 WEEKS - PM FOR PLC ABSORPTION CHILLER #3 (A)	NPPSA_PP1
MS0014 - Mechanical Service (Roll Service)	22-Nov-24 01:30 AM 245450405	YEARLY - PM FOR Conveyor Blade (I)	NPPSA_PP1
MS0094 - Electrical Service (Power) PP1	22-Nov-24 01:30 AM 245450411	2 Weeks - PM Inspection Absorption Chiller PP11	NPPSA_PP1
MS0093 - Electrical Service (Control)	22-Nov-24 02:00 AM 245451873	Monthly - Inspect Thermoscan NPP11	NPPSA_PP1
MS0093 - Electrical Service (Control)	22-Nov-24 02:00 AM 245451878	Monthly - Inspect Partial Discharge PP11	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	29-Nov-24 01:00 AM 245460378	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR COOLING WATER PUMP NO.1 (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	29-Nov-24 01:00 AM 245460379	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR COOLING WATER PUMP NO.2 (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	29-Nov-24 01:01 AM 245460380	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR COOLING WATER PUMP NO.3 (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	29-Nov-24 01:01 AM 245460381	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR CONTROL OIL PUMP #1 (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	29-Nov-24 01:02 AM 245460382	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR CONTROL OIL PUMP # 2 (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	29-Nov-24 01:02 AM 245460385	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR LUBE OIL PUMP #1 (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	29-Nov-24 01:02 AM 245460386	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR LUBE OIL PUMP # 2 (PO)	NPPSA_PP1
WL5132 - Mechanical PPS,8,10,11	29-Nov-24 01:03 AM 245460387	WEEKLY - INSPECTION CAMERA	NPPSA_PP1
WL5132 - Mechanical PPS,8,10,11	29-Nov-24 01:03 AM 245460388	4600269 Recovery Boiler Bed Camera Right Side	NPPSA_PP1
WL5132 - Mechanical PPS,8,10,11	29-Nov-24 01:03 AM 245460389	4600270 Recovery Boiler Bed Camera Left Side	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	29-Nov-24 01:03 AM 245460390	WEEKLY - PM FOR GENERATOR (E)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	29-Nov-24 01:03 AM 245460391	WEEKLY - PM FOR LUP OIL PUMP FEED WATER PUMP 3 (E)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	29-Nov-24 01:04 AM 245460392	WEEKLY - PM FOR INDUCED DRAFT FAN, CELL NO.1 (E)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	29-Nov-24 01:04 AM 245460394	WEEKLY - PM FOR INDUCED DRAFT FAN, CELL NO.2 (E)	NPPSA_PP1
WL5132 - Mechanical PPS,8,10,11	29-Nov-24 01:04 AM 245460395	MONTHLY - PM FOR 115 KV SUBSTATION AAP2 (E)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	29-Nov-24 01:05 AM 245460396	2 WEEKS - PM VISUAL CHECK AND BASIC PDM FOR AGITATOR-DISSOLVING TANK SEE LONG DESCRIPTION (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	29-Nov-24 01:05 AM 245460398	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR ESP TRANSFER CONVEYOR #1 (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	29-Nov-24 01:05 AM 245460399	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR ESP TRANSFER CONVEYOR #2 (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	29-Nov-24 01:06 AM 245460400	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR PRIMARY FD FAN (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	29-Nov-24 01:06 AM 245460402	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR SECONDARY FD FAN (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	29-Nov-24 01:07 AM 245460403	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR TERTIARY FD FAN (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	29-Nov-24 01:07 AM 245460405	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR ID FAN # 1 (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	29-Nov-24 01:08 AM 245460406	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR ID FAN # 2 (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	29-Nov-24 01:08 AM 245460407	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR ID FAN #3 (PO)	NPPSA_PP1
MS0103 - Automation Service (Instrument)	29-Nov-24 01:11 AM 245460409	calibrate 481 Stack flue gas analyzer (BQ04000)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	29-Nov-24 01:10 AM 245460411	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR FW PUMP #3 (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	29-Nov-24 01:12 AM 245460412	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR FIRING LIQUOR PUMP (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	29-Nov-24 01:12 AM 245460413	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR FIRING LIQUOR PUMP (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	29-Nov-24 01:12 AM 245460414	WEEKLY - PM ROUTE CHECK SWITCHGEAR (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	29-Nov-24 01:13 AM 245460415	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR STEAM TURBINE,S2060AW (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	29-Nov-24 01:13 AM 245460416	MONTHLY - PM FOR SOOTBLOWER 1, LEFT (E)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	29-Nov-24 01:13 AM 245460418	MONTHLY - PM FOR SOOTBLOWER 2, LEFT (E)	NPPSA_PP1
WL5132 - Mechanical PPS,8,10,11	29-Nov-24 01:13 AM 245460419	2 WEEKS - PM FOR 115 KV SUBSTATION AAP2 (E)	NPPSA_PP1

MS8016 – Automotive Service (Instrument)	06-Dec-24 00:00 AM	241469978	MONTHLY – PM FOR MILLWRIG DCS CONTROLLER (A)
WL1324 – PPS_6_10_11 OPERATION	06-Dec-24 01:00 AM	241469979	WEEKLY – PM FOR GENERATOR (I)
WL1323 – PPS_6_10_11 OPERATION	06-Dec-24 01:00 AM	241469979	WEEKLY – PM FOR LLF OIL PUMP FEED WATER PUMP 3 (E)
WL1321 – PPS_6_10_11 OPERATION	06-Dec-24 01:01 AM	241469980	WEEKLY – PM FOR INDUCED DRAFT FAN, CELL NO.1 (E)
WL1310 – PPS_6_10_11 OPERATION	06-Dec-24 01:00 AM	241469981	WEEKLY – PM FOR INDUCED DRAFT FAN, CELL NO.2 (E)
WL1302 – PPS_6_10_11 OPERATION	06-Dec-24 01:00 AM	241469982	WEEKLY – PM VISUAL CHECK AND MISC PDM FOR AERATION-DENITRIFYING TANK SIX CONE DISCRIPTION (PD)
WL1309 – PPS_6_10_11 OPERATION	06-Dec-24 01:00 AM	241469983	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR ESP TRANSFER CONVEYOR # 1 (PD)
WL1325 – PPS_6_10_11 OPERATION	06-Dec-24 01:10 AM	241469984	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR ESP TRANSFER CONVEYOR #2 (PD)
WL1322 – PPS_6_10_11 OPERATION	06-Dec-24 01:11 AM	241469985	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR PRIMARY FD FAN (PD)
WL1340 – PPS_6_10_11 OPERATION	06-Dec-24 01:13 AM	241469986	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR SECONDARY FD FAN (PD)
WL1303 – PPS_6_10_11 OPERATION	06-Dec-24 01:13 AM	241469987	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR TERTIARY FD FAN (PD)
WL1305 – PPS_6_10_11 OPERATION	06-Dec-24 01:13 AM	241469988	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR ID FAN # 1 (PD)
WL1320 – PPS_6_10_11 OPERATION	06-Dec-24 01:14 AM	241469989	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR ID FAN # 2 (PD)
WL1323 – PPS_6_10_11 OPERATION	06-Dec-24 01:14 AM	241469990	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR ID FAN #3 (PD)
MS0105 – Automotive Service (Instrument)	06-Dec-24 01:15 AM	241469992	2 weeks check 495 Stack flue gas analyzer
MS8104 – Automotive Service (Instrument)	06-Dec-24 01:16 AM	241469993	calibrate 420 Stack flue gas analyzer (BOILER#2)
WL1306 – PPS_6_10_11 OPERATION	06-Dec-24 01:17 AM	241469994	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR FIR PUMP #3 (PD)
WL1326 – PPS_6_10_11 OPERATION	06-Dec-24 01:25 AM	241469995	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR HIRING LIQUOR PUMP (PD)
WL1302 – PPS_6_10_11 OPERATION	06-Dec-24 01:25 AM	241469996	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR FIRING LIQUOR PUMP (PD)
WL1343 – PPS_6_10_11 OPERATION	06-Dec-24 01:56 AM	241469997	WEEKLY – PM ROUTE CHECK WATER HEATER (PD)
WL1342 – PPS_6_10_11 OPERATION	06-Dec-24 01:30 AM	241469998	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR STEAM TURBINE GANGDOW (PD)
MS0105 – Automotive Service (Instrument)	06-Dec-24 01:15 AM	241469999	2 weeks check 495 Stack flue gas analyzer
MS8104 – Automotive Service (Instrument)	06-Dec-24 01:16 AM	241469999	calibrate 420 Stack flue gas analyzer (BOILER#2)
WL1306 – PPS_6_10_11 OPERATION	06-Dec-24 01:17 AM	241469999	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR FIR PUMP #3 (PD)
WL1326 – PPS_6_10_11 OPERATION	06-Dec-24 01:25 AM	241469999	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR HIRING LIQUOR PUMP (PD)
WL1302 – PPS_6_10_11 OPERATION	06-Dec-24 01:25 AM	241469999	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR FIRING LIQUOR PUMP (PD)
WL1343 – PPS_6_10_11 OPERATION	06-Dec-24 01:56 AM	241469999	WEEKLY – PM ROUTE CHECK WATER HEATER (PD)
WL1342 – PPS_6_10_11 OPERATION	06-Dec-24 01:30 AM	241469999	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR STEAM TURBINE GANGDOW (PD)
MS0104 – Automotive Service (Control)	06-Dec-24 01:35 AM	241469999	2 WEEKS – PM FOR PLC TURBINE & GENERATOR GOVERNOR CONTROL (A)
MS0104 – Automotive Service (Control)	06-Dec-24 01:37 AM	241469999	2 WEEKS – PM FOR PLC TURBINE & GENERATOR GOVERNOR CONTROL (A)
MS0104 – Automotive Service (Control)	06-Dec-24 01:37 AM	241469999	2 WEEKS – PM FOR HMI BOOSTING MASTER (460CPM0) (A)
MS0104 – Automotive Service (Control)	06-Dec-24 01:37 AM	241469999	2 WEEKS – PM FOR HMI BOOSTING MASTER (460CPM1) (A)
MS0104 – Automotive Service (Control)	06-Dec-24 01:37 AM	241469999	2 WEEKS – PM FOR HMI BMS (A)
MS0104 – Automotive Service (Control)	06-Dec-24 01:37 AM	241469999	2 WEEKS – PM FOR HMI ABSORPTION CHILLER #1 (A)
MS0104 – Automotive Service (Control)	06-Dec-24 01:38 AM	241469999	2 WEEKS – PM FOR HMI ABSORPTION CHILLER #2 (A)
MS0104 – Automotive Service (Control)	06-Dec-24 01:38 AM	241469999	2 WEEKS – PM FOR HMI ABSORPTION CHILLER #3 (A)
MS0104 – Automotive Service (Control)	06-Dec-24 01:38 AM	241469999	2 WEEKS – PM FOR PLC BOOSTING MASTER (ANSCPM0) (A)
MS0104 – Automotive Service (Control)	06-Dec-24 01:38 AM	241469999	2 WEEKS – PM FOR PLC BOOSTING MASTER (ANSCPM1) (A)
MS0104 – Automotive Service (Control)	06-Dec-24 01:56 AM	241469999	2 WEEKS – PM FOR PLC BMS (A)
MS0104 – Automotive Service (Control)	06-Dec-24 01:38 AM	241469999	2 WEEKS – PM FOR PLC ABSORPTION CHILLER #1 (A)
MS0104 – Automotive Service (Control)	06-Dec-24 01:38 AM	241469999	2 WEEKS – PM FOR PLC ABSORPTION CHILLER #2 (A)
MS0104 – Automotive Service (Control)	06-Dec-24 01:38 AM	241469999	2 WEEKS – PM FOR PLC ABSORPTION CHILLER #3 (A)
MS0024 – Predictive Maintenance	20-Dec-24 01:20 AM	241468806	Monthly vibration check for Fan 2B2
MS0024 – Predictive Maintenance	20-Dec-24 01:20 AM	241468807	Monthly vibration check for Fan 2B3
MS0024 – Predictive Maintenance	20-Dec-24 01:20 AM	241468808	Monthly vibration check for Fan 3B1
MS0024 – Predictive Maintenance	20-Dec-24 01:20 AM	241468809	Monthly vibration check for Fan 4B2
MS0025 – Predictive Maintenance	20-Dec-24 01:21 AM	241468810	Monthly vibration check for Fan 4B3
MS0014 – Predictive Maintenance	30-Dec-24 01:21 AM	241468811	Monthly oil sampling for area -4B2
MS0014 – Predictive Maintenance	30-Dec-24 01:23 AM	241468812	Monthly oil sampling for area -3B3
WS5210 – PLANT SHUTDOWN MAINTENANCE	03-Jan-25 05:00 AM	241501199	YEARLY (SE) – PM FOR SCRUBBER MOTOR AIR FAN # 1 (M)
WS5200 – PLANT SHUTDOWN MAINTENANCE	03-Jan-25 05:40 AM	241501199	YEARLY (EE) – PM FOR SCRUBBER MOTOR AIR FAN # 2 (M)
WL1474 – PPS_6_10_11 OPERATION	03-Jan-25 01:00 AM	241501204	MONTHLY – INSPECTION PH TB
WL1438 – PPS_6_10_11 OPERATION	04-Jan-25 01:01 AM	241518264	2500T100 PH INDICATION FEED OI WATER
WL1329 – PPS_6_10_11 OPERATION	04-Jan-25 01:01 AM	241518265	2500T101 PH INDICATION OF CONDEN WATER
WL1302 – PPS_6_10_11 OPERATION	04-Jan-25 01:01 AM	241518266	2500T104 PH INDICATION OF SATURATED STEAM
WL1303 – PPS_6_10_11 OPERATION	04-Jan-25 01:03 AM	241518268	2500T125 PH INDICATION AFTER CATALYST OUTLET
WL1304 – PPS_6_10_11 OPERATION	04-Jan-25 01:03 AM	241518269	2500T107 PH INDICATION AFTER ANION EXCHANGER
WL1328 – PPS_6_10_11 OPERATION	04-Jan-25 01:03 AM	241518270	2500T125 PH INDICATION AFTER CATION EXCHANGER
WL1361 – PPS_6_10_11 OPERATION	04-Jan-25 01:03 AM	241518271	2500T127 PH INDICATION AFTER MIXTRI EXCHANGER
WL1329 – PPS_6_10_11 OPERATION	04-Jan-25 01:02 AM	241518272	MONTHLY – INSPECTION PH TB
WL1330 – PPS_6_10_11 OPERATION	04-Jan-25 01:03 AM	241518273	4520E98T HA0504
WL1403 – PPS_6_10_11 OPERATION	03-Jan-25 01:00 AM	241518274	MONTHLY – INSPECTION PH
WS1512 – Mechanical PPS_6_18_11	04-Jan-25 01:00 AM	241518275	WEEKLY – INSPECTION CAMERA
WL1512 – Mechanical PPS_6_18_11	04-Jan-25 01:03 AM	241518276	4030E19 Recovery Boiler Red Camera Right Side
WL1512 – Mechanical PPS_6_18_11	04-Jan-25 01:03 AM	241518277	4030T19 Recovery Boiler Red Camera Left Side
WL1330 – PPS_6_10_11 OPERATION	04-Jan-25 01:02 AM	241518278	MONTHLY – PM FOR BLSTRW/EA DS EXT (A)
WL1322 – PPS_6_10_11 OPERATION	02-Jan-25 01:02 AM	241518280	MONTHLY – PM FOR BLSTRW/EA DS EXT (A)
WL1322 – PPS_6_10_11 OPERATION	04-Jan-25 01:03 AM	241518281	MONTHLY – PM FOR BLSTRW/EA DS EXT (A)
WL1345 – PPS_6_10_11 OPERATION	04-Jan-25 01:03 AM	241518282	MONTHLY – PM FOR BL UPWARD SWEEP (A)
WL1363 – PPS_6_10_11 OPERATION	04-Jan-25 01:03 AM	241518295	MONTHLY – PM FOR TRANSFORMER TR2 (E)
WL1330 – PPS_6_10_11 OPERATION	04-Jan-25 01:15 AM	241518348	MONTHLY – PM FOR FIRE TUBE HEATING RECOVERY BOILER (E)
WL1325 – PPS_6_10_11 OPERATION	13-Jan-25 01:00 AM	241518329	2 WEEKS – INSPECTION DOSING PUMP
WL1308 – PPS_6_10_11 OPERATION	13-Jan-25 01:01 AM	241518458	2500E13 CAUSTIC DOSING PUMP #1
WL1308 – PPS_6_10_11 OPERATION	13-Jan-25 01:01 AM	241518461	2500T14 CAUSTIC DOSING PUMP #2
WS1512 – Mechanical PPS_6_18_11	13-Jan-25 01:03 AM	241518462	WEEKLY – INSPECTION CAMERA
WS1512 – Mechanical PPS_6_18_11	13-Jan-25 01:03 AM	241518463	4030E19 Recovery Boiler Red Camera Right Side
WS1512 – Mechanical PPS_6_18_11	13-Jan-25 01:03 AM	241518464	4030T19 Recovery Boiler Red Camera Left Side
WL1309 – PPS_6_10_11 OPERATION	13-Jan-25 01:03 AM	241518465	MONTHLY – PM FOR CONDUCTIVITY INDICATION OF RO DI WATER (A)
WL1323 – PPS_6_10_11 OPERATION	13-Jan-25 01:03 AM	241518466	MONTHLY – PM FOR CONDUCTIVITY INDICATION OF CONDEN WATER (A)
WL1302 – PPS_6_10_11 OPERATION	13-Jan-25 01:03 AM	241518468	MONTHLY – PM FOR CONDUCTIVITY INDICATION AFTER ANION EXCHANGER (A)
WL1309 – PPS_6_10_11 OPERATION	13-Jan-25 01:03 AM	241518469	MONTHLY – PM FOR CONDUCTIVITY INDICATION AFTER MIXED BED EXCHANGER (A)
WL1325 – PPS_6_10_11 OPERATION	13-Jan-25 01:03 AM	241518470	MONTHLY – PM FOR CONDUCTIVITY INDICATION AFTER MIXTRI EXCHANGER (A)
WL1309 – PPS_6_10_11 OPERATION	13-Jan-25 01:03 AM	241518443	MONTHLY – PM FOR CONDUCTIVITY INDICATION AFTER MIXED BED EXCHANGER (A)
WL1329 – PPS_6_10_11 OPERATION	13-Jan-25 01:00 AM	241518452	MONTHLY – PM FOR CONDUCT. SUM (A)
WL1310 – PPS_6_10_11 OPERATION	13-Jan-25 01:03 AM	241518440	MONTHLY – PM FOR CONDUCTIVITY SUMP PIT (A)
WL1329 – PPS_6_10_11 OPERATION	13-Jan-25 01:03 AM	241518446	MONTHLY – PM FOR condensate from Fire line (A)
WL1303 – PPS_6_10_11 OPERATION	13-Jan-25 01:04 AM	241518447	MONTHLY – PM FOR COND FROM SUMP PUMP (A)
WL1330 – PPS_6_10_11 OPERATION	13-Jan-25 01:04 AM	241518448	MONTHLY – PM FOR COND FROM TURBINE (A)
WL1329 – PPS_6_10_11 OPERATION	13-Jan-25 01:04 AM	241518449	MONTHLY – PM FOR COND FROM PUMP DRIVES (A)
MS0103 – Automotive Service (Instrument)	13-Jan-25 01:04 AM	241518450	MONTHLY – PM FOR RECOVERY BOILER 0521101 (025001) (A)
MS0103 – Automotive Service (Instrument)	13-Jan-25 01:05 AM	241518451	MONTHLY – PM FOR RECOVERY BOILER 0521102 (025002) (A)
MS8109 – Automotive Service (Instrument)	13-Jan-25 01:05 AM	241518452	MONTHLY – PM FOR BELL RING 0521101 (A)
MS8109 – Automotive Service (Instrument)	13-Jan-25 01:05 AM	241518453	MONTHLY – PM FOR BELL RING 0521104 (A)
MS8109 – Automotive Service (Instrument)	13-Jan-25 01:05 AM	241518454	MONTHLY – PM FOR EVAPORATOR 0521105 (A)
MS8103 – Automotive Service (Instrument)	13-Jan-25 01:00 AM	241518456	MONTHLY – PM FOR EVAPORATOR 0521106 (A)
MS8103 – Automotive Service (Instrument)	13-Jan-25 01:01 AM	241518457	MONTHLY – PM FOR UPS A FOR DCS BOILER #P11 (A)
MS8103 – Automotive Service (Instrument)	13-Jan-25 01:06 AM	241518458	MONTHLY – PM FOR UPS B FOR DCS BOILER #P11 (A)
MS8103 – Automotive Service (Instrument)	13-Jan-25 01:06 AM	241518459	MONTHLY – PM FOR UPS FOR DESTRUSTAT RECOVERY BOILER (A)
MS8103 – Automotive Service (Instrument)	13-Jan-25 01:06 AM	241518460	MONTHLY – PM FOR UPS A FOR DCS TURBINE PP11 (A)
MS8103 – Automotive Service (Instrument)	13-Jan-25 01:06 AM	241518461	MONTHLY – PM FOR UPS B FOR DCS TURBINE PP11 (A)
MS8103 – Automotive Service (Instrument)	13-Jan-25 01:06 AM	241518462	MONTHLY – PM FOR UPS A FOR DCS EVAP PP11 (A)
MS8103 – Automotive Service (Instrument)	13-Jan-25 01:06 AM	241518463	MONTHLY – PM FOR UPS B FOR DCS BOILER PP11 (A)
MS8103 – Automotive Service (Instrument)	13-Jan-25 01:06 AM	241518464	MONTHLY – PM FOR UPS 01 FOR DCS CONTROL ROOM PP11 (A)
MS8103 – Automotive Service (Instrument)	13-Jan-25 01:06 AM	241518465	MONTHLY – PM FOR BATTERY FOR 460UPS-A1DCS BOILER PP11 (A)
MS8109 – Automotive Service (Instrument)	13-Jan-25 01:06 AM	241518466	MONTHLY – PM FOR BATTERY FOR 460UPS-B1DCS BOILER PP11 (A)
MS8103 – Automotive Service (Instrument)	13-Jan-25 01:07 AM	241518467	MONTHLY – PM FOR BATTERY FOR 460UPS-C INSTRUMENT PP11 (A)
MS8103 – Automotive Service (Instrument)	13-Jan-25 01:07 AM	241518468	MONTHLY – PM FOR BATTERY FOR 350UPS-A DCS TURBINE PP11 (A)
MS8103 – Automotive Service (Instrument)	13-Jan-25 01:07 AM	241518469	MONTHLY – PM FOR BATTERY FOR 350UPS-B DCS TURBINE PP11 (A)
MS8103 – Automotive Service (Instrument)	13-Jan-25 01:07 AM	241518471	MONTHLY – PM FOR BATTERY FOR 452UPS-A DCS EVAP PP11 (A)
MS8103 – Automotive Service (Instrument)	13-Jan-25 01:07 AM	241518473	MONTHLY – PM FOR BATTERY FOR 460UPS-B DCS EVAP PP11 (A)
MS8103 – Automotive Service (Instrument)	13-Jan-25 01:07 AM	241518475	MONTHLY – PM FOR BATTERY FOR 460UPS-C801 DCS CONTROL ROOM PP11 (A)
WL1325 – PPS_6_10_11 OPERATION	13-Jan-25 01:07 AM	241518476	MONTHLY – PM FOR START-UP BURNER #1 (E)
WL1322 – PPS_6_10_11 OPERATION	13-Jan-25 01:08 AM	241518478	MONTHLY – PM FOR START-UP BURNER #2 (E)
WL1353 – PPS_6_10_11 OPERATION	13-Jan-25 01:08 AM	241518479	MONTHLY – PM FOR START-UP BURNER #3 (E)
WL1332 – PPS_6_10_11 OPERATION	13-Jan-25 01:08 AM	241518477	MONTHLY – PM FOR START-UP BURNER #4 (E)
WL1324 – Electrical PSD (Water/HACC/Drive	13-Jan-25 01:08 AM	241518479	6 MONTHS – PM FOR POWER CABLE XLPE LINE 1895 (E)
WL1324 – Electrical PSD (Water/HACC/Drive	13-Jan-25 01:08 AM	241518480	6 MONTHS – PM FOR POWER CABLE XLPE LINE 460CMSEN SUPPLY SUPPLY (E)
WL1324 – Electrical PSD (Water/HACC/Drive	13-Jan-25 01:08 AM	241518481	6 MONTHS – PM FOR POWER CABLE XLPE LINE 500TRUCKET 1, LEFT (E)
WL1324 – Electrical PSD (Water/HACC/Drive	13-Jan-25 01:08 AM	241518482	6 MONTHS – PM FOR POWER CABLE XLPE LINE 500TRUCKET 2, LEFT (E)
WL1324 – Electrical PSD (Water/HACC/Drive	13-Jan-25 01:08 AM	241518483	6 MONTHS – PM FOR POWER CABLE XLPE LINE AH411 HCC #1BY RECOVERY BOILER #1 (E)
WL1324 – Electrical PSD (Water/HACC/Drive	13-Jan-25 01:08 AM	241518484	6 MONTHS – PM FOR POWER CABLE XLPE LINE AH412 HCC #2BY RECOVERY BOILER #2 (E)
WL1324 – Electrical PSD (Water/HACC/Drive	13-Jan-25 01:09 AM	241518485	6 MONTHS – PM FOR POWER CABLE XLPE LINE 3L810 MCC #3TH #3PMS (E)
WL1324 – Electrical PSD (Water/HACC/Drive	13-Jan-25 01:09 AM	241518486	6 MONTHS – PM FOR POWER CABLE XLPE LINE AH411 MCC #3BY EVAPORATOR PUMP 2 (E)
WL1324 – Electrical PSD (Water/HACC/Drive	13-Jan-25 01:09 AM	241518487	6 MONTHS – PM FOR POWER CABLE XLPE LINE 2H410 MCC #3BK MILL WATER #2 (E)
WL1324 – Electrical PSD (Water/HACC/Drive	13-Jan-25 01:09 AM	241518488	6 MONTHS – PM FOR POWER CABLE XLPE LINE AL281 EMERGENCY POWER SUPPLY 480 VAC (E)
WL1324 – Electrical PSD (Water/HACC/Drive	13-Jan-25 01:09 AM	241518489	6 MONTHS – PM FOR POWER CABLE XLPE LINE AL295 NORMAL POWER SUPPLY 480 VAC (E)
WL1325 – PPS_6_10_11 OPERATION	13-Jan-25 01:10 AM	241518490	WEEKLY – PM FOR GENERATOR (I)
WL1326 – PPS_6_10_11 OPERATION	13-Jan-25 01:10 AM	241518491	WEEKLY – PM FOR LLF OIL PUMP FEED WATER PUMP 3 (E)
WL1323 – PPS_6_10_11 OPERATION	13-Jan-25 01:10 AM	241518492	WEEKLY – PM FOR INDUCED DRAFT FAN, CELL NO.1 (E)
WL1322 – PPS_6_10_11 OPERATION	13-Jan-25 01:11 AM	241518493	WEEKLY – PM FOR INDUCED DRAFT FAN, CELL NO.2 (E)
WL1329 – PPS_6_10_11 OPERATION	13-Jan-25 01:12 AM	241518494	MONTHLY– PM FOR BATTERY CHARGER 15FT 6TC for 216V SYSTEM (E)
WL1325 – PPS_6_10_11 OPERATION	13-Jan-25 01:13 AM	241518495	MONTHLY – INSPECTION MOTOR#3B
WL1301 – PPS_6_10_11 OPERATION	13-Jan-25 01:13 AM	241518497	460AGI01 AGITATOR-SIX MIX TANK SEE LONG DISCRIPTION
WL1303 – PPS_6_10_11 OPERATION	13-Jan-25 01:13 AM	241518498	460AGI02 AGITATOR #1 MIX TANK SEE LONG DISCRIPTION
WL1320 – PPS_6_10_11 OPERATION	13-Jan-25 01:13 AM	241518499	460AGI03 AGITATION-DOWN IN SCRAVELGER TANK
WL1320 – PPS_6_10_11 OPERATION	13-Jan-25 01:13 AM	241518500	460AGI04 AGITATION #4 PHOSPATE TANK
WL1302 – PPS_6_10_11 OPERATION	13-Jan-25 01:23 AM	241518501	2 WEEKS – PM VISUAL CHECK AND MISC PDM FOR AERATION-DENITRIFYING TANK SIX CONE DISCRIPTION (PD)
WL1325 – PPS_6_10_11 OPERATION	13-Jan-25 01:13 AM	241518502	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR ESP TRANSFER CONVEYOR # 1 (PD)
WL1326 – PPS_6_10_11 OPERATION	13-Jan-25 01:13 AM	241518503	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR ESP TRANSFER CONVEYOR #2 (PD)
WL1323 – PPS_6_10_11 OPERATION	13-Jan-25 01:13 AM	241518504	MONTHLY – PM ROUTE CHECK WATER HEATER (PD)
WL1329 – PPS_6_10_11 OPERATION	13-Jan-25 01:13 AM	241518505	MONTHLY – PM ROUTE CHECK WATER HEATER (PD)
WL1329 – PPS_6_10_11 OPERATION	13-Jan-25 01:13 AM	241518506	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR PRIMARY FD FAN (PD)
WL1302 – PPS_6_10_11 OPERATION	13-Jan-25 01:14 AM	241518507	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR SECONDARY FD FAN (PD)
WL1303 – PPS_6_10_11 OPERATION	13-Jan-25 01:15 AM	241518508	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR TERTIARY FD FAN (PD)
WL1323 – PPS_6_10_11 OPERATION	13-Jan-25 01:16 AM	241518510	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR ID FAN # 1 (PD)
WL1328 – PPS_6_10_11 OPERATION	13-Jan-25 01:16 AM	241518511	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR ID FAN # 2 (PD)
WL1367 – PPS_6_10_11 OPERATION	13-Jan-25 01:17 AM	241518512	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR ID FAN #3 (PD)
WL1303 – PPS_6_10_11 OPERATION	13-Jan-25 01:18 AM	241518513	MONTHLY – PM FOR FIN HEATING METAL MEM (E)
WL1329 – PPS_6_10_11 OPERATION	13-Jan-25 01:18 AM	241518514	MONTHLY – PM FOR CO2 TIRE 4040M & TIRE TIGHTING (T) TURBINE (E)
WL1329 – PPS_6_10_11 OPERATION	13-Jan-25 01:18 AM	241518515	MONTHLY – PM FOR FIN HEATING EVAPERATION (E)
WL1330 – PPS_6_10_11 OPERATION	13-Jan-25 01:18 AM	241518516	MONTHLY – PM ROUTE REFILL LUBRICANT CHAIN CONVEYOR #3BK50P2 (PD)
WL1367 – PPS_6_10_11 OPERATION	13-Jan-25 01:18 AM	241518517	MONTHLY – PM ROUTE REFILL LUBRICANT CHAIN CONVEYOR #3BK1P3 (PD)
WL1320 – PPS_6_10_11 OPERATION	13-Jan-25 01:18 AM	241518518	MONTHLY – PM 4030N REFILL OIL FAN COOLING TOWER (PD)
WL1329 – PPS_6_10_11 OPERATION	13-Jan-25 01:20 AM	241518516	MONTHLY CLEANING AIR FILTER 452184A
WL1325 – PPS_6_10_11 OPERATION	13-Jan-25 01:21 AM	241518527	MONTHLY CLEANING 4BK30 PPF1 FILTER 452184A
WL1320 – PPS_6_10_11 OPERATION	13-Jan-25 01:21 AM	241518528	MONTHLY CLEANING 4BK30 PPF1 FILTER 452184T
WL1329 – PPS_6_10_11 OPERATION	13-Jan-25 01:21 AM	241518529	MONTHLY CLEANING 4BK30 PPF1 FILTER 452184P
WL1303 – PPS_6_10_11 OPERATION	13-Jan-25 01:21 AM	241518530	MONTHLY CLEANING 4BK30 PPF1 FILTER 4644H2D
WL1370 – PPS_6_10_11 OPERATION	13-Jan-25 01:21 AM	241518531	MONTHLY CLEANING 4BK30 PPF1 FILTER 4644H3
WL1325 – PPS_6_10_11 OPERATION	13-Jan-25 01:21 AM	241518532	MONTHLY CLEANING 4BK30 PPF1 FILTER 4644H23
WL1330 – PPS_6_10_11 OPERATION	13-Jan-25 01:21 AM	241518533	MONTHLY CLEANING 4BK30 PPF1 FILTER 4644H23
WL1303 – PPS_6_10_11 OPERATION	13-Jan-25 01:21 AM	241518534	MONTHLY CLEANING 4BK30 PPF1 FILTER 4644H25A
WL1330 – PPS_6_10_11 OPERATION	13-Jan-25 01:21 AM	241518535	MONTHLY CLEANING 4BK30 PPF1 FILTER 4644H25B
MS8103 – Automotive Service (Instrument)	13-Jan-25 01:23 AM	241518536	2 weeks check 495 Stack flue gas analyzer
MS8104 – Automotive Service (Instrument)	13-Jan-25 01:23 AM	241518537	calibrate 420 Stack flue gas analyzer (BOILER#3)
WL1302 – PPS_6_10_11 OPERATION	13-Jan-25 01:23 AM	241518538	PM FOR FEEDWTR BLOCK 4T4307 4E5B4T5C8
WL1329 – PPS_6_10_11 OPERATION	13-Jan-25 01:24 AM	241518539	PM FOR HAND DRAIN DOWNAIR 4B5 PP1S1B
WL1303 – PPS_6_10_11 OPERATION	13-Jan-25 01:24 AM	241518540	PM FOR HAND DRAIN DOWNCLOSED 4B4PP1S2B
WL1330 – PPS_6_10_11 OPERATION	13-Jan-25 01:24 AM	241518541	PM FOR STARTUP BLOCK VLV 4C8P4T1SA
WL1303 – PPS_6_10_11 OPERATION	13-Jan-25 01:24 AM	241518542	PM FOR STEAM TRAP 4A5P
WL1303 – PPS_6_10_11 OPERATION	13-Jan-25 01:24 AM	241518543	PM FOR DESC CONT SILOWDOWN 4E6H4T5B
WL1329 – PPS_6_10_11 OPERATION	13-Jan-25 01:24 AM	241518544	PM FOR STEAM COIL 4BP4P5S1 4E6H5C1Y
WL1303 – PPS_6_10_11 OPERATION	13-Jan-25 01:24 AM	241518545	MONTHLY – PM FOR RECOVERY TRANSFORMER TH4E1(E)
WL1329 – PPS_6_10_11 OPERATION	13-Jan-25 01:25 AM	241518547	MONTHLY – PM FOR EVAPORATION TRANSFORMER TH4E1(E)
WL1370 – PPS_6_10_11 OPERATION	13-Jan-25 01:25 AM	241518548	MONTHLY – PM FOR SUMP GAS Transformer TR11 (E)
WL1303 – PPS_6_10_11 OPERATION	13-Jan-25 01:25 AM	241518549	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR BK PUMP #1 (PD)
WL1320 – PPS_6_10_11 OPERATION	13-Jan-25 01:27 AM	241518573	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR FIRING LIQUOR PUMP (PD)
WL1320 – PPS_6_10_11 OPERATION	13-Jan-25 01:28 AM	241518574	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR FIRING LIQUOR PUMP (PD)
MS8005 – Electrical Service (Control)	13-Jan-25 02:00 AM	241519805	Monthly – Inspect Thermoscan MP11
MS8008 – Electrical Service (Control)	13-Jan-25 02:00 AM	241519808	Monthly – Inspect Pulsal Discharge PP13
WL1323 – PPS_6_10_11 OPERATION	18-Jan-25 01:00 AM	241519810	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR COOLING WATER PUMP NO.1 (PD)
WL1329 – PPS_6_10_11 OPERATION	18-Jan-25 01:01 AM	241519811	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR COOLING WATER PUMP NO.2 (PD)

WL1301 – PPL8_10_11: OPERATION	18-Apr-25 01:03 AM	25116801	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR COOLING WATER PUMP NO.1 (PO)
WL1302 – PPL8_10_11: OPERATION	18-Apr-25 01:03 AM	25116806	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR CONTROL OIL PUMP #1 (PO)
WL1303 – PPL8_10_11: OPERATION	18-Apr-25 01:04 AM	25116807	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR CONTROL OIL PUMP # 2 (PO)
WL1304 – PPL8_10_11: OPERATION	18-Apr-25 01:04 AM	25116808	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR LUBE OIL PUMP #1 (PO)
WL1305 – PPL8_10_11: OPERATION	18-Apr-25 01:05 AM	25116809	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR LUBE OIL PUMP # 2 (PO)
WL8112 – Mechanical: PPL8_18_11	18-Apr-25 01:06 AM	25116811	WEEKLY – INSPECTION CAMERA
WL5112 – Mechanical: PPL5_18_11	18-Apr-25 01:06 AM	25115812	4030810 Recovery Boiler Bed Camera Right Side
WA5112 – Mechanical: PPLA_18_11	18-Apr-25 01:06 AM	25115813	4030820 Recovery Boiler Bed Camera Left Side
WL1302 – PPL8_10_11: OPERATION	18-Apr-25 01:06 AM	25116814	WEEKLY – PM FOR GENERATOR (E)
WL1304 – PPL8_10_11: OPERATION	18-Apr-25 01:06 AM	25116815	WEEKLY – PM FOR LUB OIL PUMP-EED WATER PUMP 3 (R)
WL1303 – PPL8_10_11: OPERATION	18-Apr-25 01:07 AM	25116816	2 MONTHS – PM FOR SEALING AIR FAN # 1 (E)
WL1305 – PPL8_10_11: OPERATION	18-Apr-25 01:07 AM	25116818	2 MONTHS – PM FOR SEALING AIR FAN # 2 (E)
WL1405 – PPL8_10_11: OPERATION	18-Apr-25 01:08 AM	25116819	2 MONTHS – PM FOR HRNG (E) TNK AGITATOR #1(E)
WL1420 – PPL8_10_11: OPERATION	18-Apr-25 01:08 AM	25116820	2 MONTHS – PM FOR HRNG (E) TNK AGITATOR #2(E)
WL1502 – PPL8_10_11: OPERATION	18-Apr-25 01:09 AM	25116822	WEEKLY – PM FOR INDUCED DRAFT FAN, COIL NO.1 (E)
WL1503 – PPL8_10_11: OPERATION	18-Apr-25 01:09 AM	25116823	WEEKLY – PM FOR INDUCED DRAFT FAN, COIL NO.2 (E)
WL1304 – PPL8_10_11: OPERATION	18-Apr-25 01:10 AM	25116824	2 MONTHS – PM FOR TURNING MOTOR (E)
WL1405 – PPL8_10_11: OPERATION	18-Apr-25 01:10 AM	25116825	2 MONTHS – PM FOR GLAND CONDENSER FAN (E)
WL1422 – PPL8_10_11: OPERATION	18-Apr-25 01:10 AM	25116826	2 MONTHS – PM FOR VAPOR FAN (E)
WA5112 – Mechanical: PPLA_18_11	18-Apr-25 01:11 AM	25116827	MONTHLY – PM FOR 115 Kv SUBSTATION AAP2 (E)
WL1440 – PPL8_10_11: OPERATION	18-Apr-25 01:13 AM	25116828	2 WEEKS – PM VISUAL CHECK AND BASIC PDM FOR AGITATOR-DISSOLVING TANK SEE LONG DESCRIPTION (ES)
WL1329 – PPL8_10_11: OPERATION	18-Apr-25 01:13 AM	25116829	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR ESP TRANSFER CONVEYOR # 1 (PO)
WL1330 – PPL8_10_11: OPERATION	18-Apr-25 01:13 AM	25116830	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR ESP TRANSFER CONVEYOR #2 (PO)
WL1420 – PPL8_10_11: OPERATION	18-Apr-25 01:13 AM	25116832	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR PRIMARY FD FAN (PO)
WL1502 – PPL8_10_11: OPERATION	18-Apr-25 01:14 AM	25116833	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR SECONDARY FD FAN (PO)
WL1322 – PPL8_10_11: OPERATION	18-Apr-25 01:15 AM	25116834	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR TERTIARY FD FAN (PO)
WL1306 – PPL8_10_11: OPERATION	18-Apr-25 01:16 AM	25116835	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR ID FAN #1 (PO)
WL1425 – PPL8_10_11: OPERATION	18-Apr-25 01:17 AM	25116838	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR ID FAN # 2 (PO)
WL1308 – PPL8_10_11: OPERATION	18-Apr-25 01:18 AM	25116837	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR ID FAN #3 (PO)
MB0105 – Automation Service (Instrument)	18-Apr-25 01:19 AM	25115838	calibrate 4pt Stick flow gas analyzer (PROCESS)
WL1320 – PPL8_10_11: OPERATION	18-Apr-25 01:20 AM	25115839	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR FIN PUMP #1 (PO)
WL1339 – PPL8_10_11: OPERATION	18-Apr-25 01:23 AM	25115840	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR FIRING LIQUOR PUMP (PO)
WL1340 – PPL8_10_11: OPERATION	18-Apr-25 01:23 AM	25116831	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR FIRING LIQUOR PUMP (PO)
WL1308 – PPL8_10_11: OPERATION	18-Apr-25 01:55 AM	25115306	WEEKLY – PM ROUTE CHECK DAITO KEIKI (PO)
WL1325 – PPL8_10_11: OPERATION	18-Apr-25 02:00 AM	25116307	WEEKLY – PM ROUTE CHECK YAMTO KEIKI (PO)
WL1320 – PPL8_10_11: OPERATION	18-Apr-25 02:02 AM	25115310	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR STEAM TURBINE,12300Kw (PO)
WL1329 – PPL8_10_11: OPERATION	18-Apr-25 02:03 AM	25115313	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR STEAM TURBINE,5200Kw (PO)
MB0104 – Automation Service (Control)	18-Apr-25 02:05 AM	25116314	3 WEEKS – PM FOR PLC TURBINE & GENERATOR EXCITATION CONTROL (A)
MB0104 – Automation Service (Control)	18-Apr-25 02:06 AM	25115317	2 WEEKS – PM FOR HMI TURBINE & GENERATOR GOVERNOR CONTROL (A)
MB0108 – Automation Service (Control)	18-Apr-25 02:06 AM	25115319	2 WEEKS – PM FOR HMI BOOSTING MASTER [ABOOP01] (A)
MB0104 – Automation Service (Control)	18-Apr-25 02:08 AM	25115321	2 WEEKS – PM FOR HMI BOOSTING MASTER [ABOOP01] (A)
MB0104 – Automation Service (Control)	18-Apr-25 02:08 AM	25115322	2 WEEKS – PM FOR HMI BMS (A)
MB0104 – Automation Service (Control)	18-Apr-25 02:08 AM	25116323	2 WEEKS – PM FOR HMI ABSORPTION CHILLER #3 (E)
MB0104 – Automation Service (Control)	18-Apr-25 02:07 AM	25115328	2 WEEKS – PM FOR HMI ABSORPTION CHILLER #3 (A)
MB0109 – Automation Service (Control)	18-Apr-25 02:07 AM	25115329	2 WEEKS – PM FOR HMI ABSORPTION CHILLER #4 (A)
MB0104 – Automation Service (Control)	18-Apr-25 02:07 AM	25115331	2 WEEKS – PM FOR PLC (ADDOBB) MASTER [AAJOP02] (A)
MB0104 – Automation Service (Control)	18-Apr-25 02:08 AM	25115332	2 WEEKS – PM FOR PLC (ADDOBB) MASTER [ABOOP01] (BR)
MB0104 – Automation Service (Control)	18-Apr-25 02:08 AM	25116333	2 WEEKS – PM FOR PLC BMS (A)
MB0104 – Automation Service (Control)	18-Apr-25 02:08 AM	25115340	2 WEEKS – PM FOR PLC ABSORPTION CHILLER #3 (A)
MB0109 – Automation Service (Control)	18-Apr-25 02:09 AM	25115339	2 WEEKS – PM FOR PLC ABSORPTION CHILLER #3 (A)
MB0104 – Automation Service (Control)	18-Apr-25 02:10 AM	25115346	2 WEEKS – PM FOR PLC ABSORPTION CHILLER #4 (A)
WL1501 – PPL8_10_11: OPERATION	18-Apr-25 02:10 AM	25116350	MONTHLY – PM FOR BOOSTBLOWER 1, LUFT (E)
WL1325 – PPL8_10_11: OPERATION	18-Apr-25 02:10 AM	25116352	MONTHLY – PM FOR BOOSTBLOWER 2, LUFT (E)
WL5112 – Mechanical: PPL5_18_11	18-Apr-25 02:14 AM	25115275	2 WEEKS – PM FOR 115 KV SUBSTATION AAP2 (E)
MB0094 – Electrical Service (Power)	18-Apr-25 02:19 AM	25115378	2 Weeks – PM Inspection Absorption Chiller PPL1
MB0094 – Electrical Service (Power)	18-Apr-25 02:15 AM	25115378	2 Weeks – PM Inspection Absorption Chiller PPL1
WL5112 – Mechanical: PPL5_18_11	25-Apr-25 01:00 AM	25116866	WEEKLY – INSPECTION CAMERA
WL5112 – Mechanical: PPL5_18_11	25-Apr-25 01:01 AM	25116868	4030870 Recovery Boiler Bed Camera Right Side
WA5112 – Mechanical: PPLA_18_11	25-Apr-25 01:02 AM	25116868	4030880 Recovery Boiler Bed Camera Left Side
MB0104 – Automation Service (Instrument)	25-Apr-25 01:02 AM	25116867	MONTHLY – PM FOR MB LOWER DCS CONTROLLER (E)
WL1302 – PPL8_10_11: OPERATION	25-Apr-25 01:03 AM	25116868	MONTHLY – PM FOR START-UP BURNER #1 (E)
WL1345 – PPL8_10_11: OPERATION	25-Apr-25 01:03 AM	25116869	MONTHLY – PM FOR START UP BURNER # 2E (E)
WL1340 – PPL8_10_11: OPERATION	25-Apr-25 01:03 AM	25116870	MONTHLY – PM FOR ELECTROSTATIC PRECIPITATOR (E)
WL1330 – PPL8_10_11: OPERATION	25-Apr-25 01:07 AM	25116871	MONTHLY – PM FOR PLTTRDSTATIC PRECIPITATOR # 2 (T)
WL1325 – PPL8_10_11: OPERATION	25-Apr-25 01:03 AM	25116879	MONTHLY – PM FOR EXP #3 (E)
WL1308 – PPL8_10_11: OPERATION	25-Apr-25 01:03 AM	25116874	WEEKLY – PM FOR GENERATOR (T)
WL1339 – PPL8_10_11: OPERATION	25-Apr-25 01:04 AM	25116875	WEEKLY – PM FOR LUB OIL PUMP-FEED WATER PUMP 3 (R)
WL1342 – PPL8_10_11: OPERATION	25-Apr-25 01:04 AM	25116876	2 MONTHS – PM FOR SEALING AIR FAN # 1 (E)
WL1339 – PPL8_10_11: OPERATION	25-Apr-25 01:05 AM	25116877	2 MONTHS – PM FOR SEALING AIR FAN (E)
WL1425 – PPL8_10_11: OPERATION	25-Apr-25 01:05 AM	25116878	2 MONTHS – PM FOR HRNG (E) TNK
WL1302 – PPL8_10_11: OPERATION	25-Apr-25 01:06 AM	25116879	WEEKLY – PM FOR INDUCED DRAFT FAN, COIL NO.1 (E)
WL1303 – PPL8_10_11: OPERATION	25-Apr-25 01:06 AM	25116880	WEEKLY – PM FOR INDUCED DRAFT FAN, COIL NO.2 (E)
WL1342 – PPL8_10_11: OPERATION	25-Apr-25 01:07 AM	25116881	MONTHLY – PM FOR INDUCED DRAFT FAN, COIL NO.1 (E)
WL1339 – PPL8_10_11: OPERATION	25-Apr-25 01:07 AM	25116882	MONTHLY – PM FOR RECOVERY TRANSFORMER TET1(E)
WL1325 – PPL8_10_11: OPERATION	25-Apr-25 01:07 AM	25116883	MONTHLY – PM FOR TRANSFORMER T1&T2(E)
WL1309 – PPL8_10_11: OPERATION	25-Apr-25 01:07 AM	25116884	MONTHLY – PM FOR TRANSFORMER T3A (SE)
WL1329 – PPL8_10_11: OPERATION	25-Apr-25 01:08 AM	25116885	MONTHLY – PM FOR RECTIFIER # A, PRECIPITATOR # 1 (I)
WL1330 – PPL8_10_11: OPERATION	25-Apr-25 01:08 AM	25116886	MONTHLY – PM FOR RECTIFIER # B, PRECIPITATOR # 1 (I)
WL1329 – PPL8_10_11: OPERATION	25-Apr-25 01:08 AM	25116887	MONTHLY – PM FOR RECTIFIER # C, PRECIPITATOR # 1 (I)
WL1333 – PPL8_10_11: OPERATION	25-Apr-25 01:08 AM	25116888	MONTHLY – PM FOR RECTIFIER # A, PRECIPITATOR # 2 (I)
WL1330 – PPL8_10_11: OPERATION	25-Apr-25 01:09 AM	25116889	MONTHLY – PM FOR RECTIFIER # B, PRECIPITATOR # 2 (I)
WL1329 – PPL8_10_11: OPERATION	25-Apr-25 01:09 AM	25116890	MONTHLY – PM FOR RECTIFIER # C, PRECIPITATOR # 2 (I)
WL1333 – PPL8_10_11: OPERATION	25-Apr-25 01:09 AM	25116892	MONTHLY – PM FOR RECTIFIER #A, PRECIPITATOR #1 (E)
WL1332 – PPL8_10_11: OPERATION	25-Apr-25 01:10 AM	25116893	MONTHLY – PM FOR RECTIFIER #B, PRECIPITATOR #1 (E)
WL1329 – PPL8_10_11: OPERATION	25-Apr-25 01:10 AM	25116895	MONTHLY – PM FOR MILL WIDE TRANSFORMER PH1(1)(E)
WL1329 – PPL8_10_11: OPERATION	25-Apr-25 01:10 AM	25116896	MONTHLY – PM FOR MILL WIDE TRANSFORMER PH2(2)(E)
WL1329 – PPL8_10_11: OPERATION	25-Apr-25 01:11 AM	25116898	MONTHLY – PM FOR MILL WIDE TRANSFORMER TH3(3)(E)
WL1329 – PPL8_10_11: OPERATION	25-Apr-25 01:11 AM	25116899	MONTHLY – PM FOR MILL WIDE TRANSFORMER TH4(4)(E)
WL1329 – PPL8_10_11: OPERATION	25-Apr-25 01:11 AM	25116900	MONTHLY – PM FOR SLZRED POWER BACK UP FROM GENSET (E)
WL1330 – PPL8_10_11: OPERATION	25-Apr-25 01:12 AM	25116901	MONTHLY – PM FOR AAP2 , 115KV GENERATOR TRANSFORMER - TD1,2 (E)
WL1302 – PPL8_10_11: OPERATION	25-Apr-25 01:12 AM	25116902	MONTHLY – PM FOR GROUNDING TRANSFORMER (E)
WL1303 – PPL8_10_11: OPERATION	25-Apr-25 01:12 AM	25116903	MONTHLY – PM FOR BATTERY FOR 250VOLDC CHARGER 110 VDC MILL WIDE BANK#1 (E)
WL1339 – PPL8_10_11: OPERATION	25-Apr-25 01:13 AM	25116704	MONTHLY – PM FOR BATTERY FOR 250VOLDC CHARGER 110 VDC MILL WIDE BANK#2 (E)
WL1339 – PPL8_10_11: OPERATION	25-Apr-25 01:12 AM	25116707	MONTHLY – PM FOR BATTERY 130 VDC FOR Communication 115 KV (E)
WL1338 – PPL8_10_11: OPERATION	25-Apr-25 01:13 AM	25116708	MONTHLY – PM FOR BATTERY FOR 30MTIME CHARGER 48VDC FOR 115KV SWYD1 (E)
WL1342 – PPL8_10_11: OPERATION	25-Apr-25 01:13 AM	25116709	MONTHLY – PM FOR BATTERY FOR 48VDC/30 MCC RECONTRO BLDG 115 (E)
WL1303 – PPL8_10_11: OPERATION	25-Apr-25 01:13 AM	25116710	MONTHLY – PM FOR BATTERY FOR 250VOLDC CHARGER 110 VDC FOR 115KV SWYD#2 (E)
WL1303 – PPL8_10_11: OPERATION	25-Apr-25 01:13 AM	25116713	MONTHLY – PM FOR BATTERY FOR 250VDC MCC MILL WIDE_UPS (E)
WL1429 – PPL8_10_11: OPERATION	25-Apr-25 01:13 AM	25116711	MONTHLY – PM FOR CHARGER 110 VDC FOR Communication 115KV (E)
WL1302 – PPL8_10_11: OPERATION	25-Apr-25 01:13 AM	25116714	MONTHLY – PM FOR CHARGER 48VDC FOR 115KV SWY11 (E)
WL1502 – PPL8_10_11: OPERATION	25-Apr-25 01:13 AM	25116715	MONTHLY – PM FOR SCRUBBER FAN (PO)
WL1339 – PPL8_10_11: OPERATION	25-Apr-25 01:14 AM	25116710	MONTHLY – INSPECTION PUMP
WL1339 – PPL8_10_11: OPERATION	25-Apr-25 01:14 AM	25116721	2509500 DEMIN WATER BOOSTER PUMP #1
WL1429 – PPL8_10_11: OPERATION	25-Apr-25 01:13 AM	25116720	2509500 DEMIN WATER BOOSTER PUMP #2
WL1302 – PPL8_10_11: OPERATION	25-Apr-25 01:13 AM	25116725	2509500 DEMIN WATER TRANSFER PUMP # 1
WL1503 – PPL8_10_11: OPERATION	25-Apr-25 01:13 AM	25116727	2509501 DEMIN WATER TRANSFER PUMP #2
WL1302 – PPL8_10_11: OPERATION	25-Apr-25 01:15 AM	25116726	2509511 STEELSET MIXING PUMP
WL1339 – PPL8_10_11: OPERATION	25-Apr-25 01:16 AM	25116731	2 WEEKS – PM VISUAL CHECK AND BASIC PDM FOR AGITATOR-DISSOLVING TANK SEE LONG DESCRIPTION (ES)
WL1329 – PPL8_10_11: OPERATION	25-Apr-25 01:24 AM	25116732	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR ESP TRANSFER CONVEYOR # 1 (PO)
WL1320 – PPL8_10_11: OPERATION	01-May-25 01:00 AM	25117477	MONTHLY – INSPECTION PH TR
WL1501 – PPL8_10_11: OPERATION	01-May-25 01:01 AM	25117478	2509700 PH IRRIGATION FEED OF WATER
WL1302 – PPL8_10_11: OPERATION	01-May-25 01:01 AM	25117479	2509702 PH IRRIGATION OF CHAMPA WATER
WL1339 – PPL8_10_11: OPERATION	01-May-25 01:01 AM	25117480	2509704 PH IRRIGATION OF EFFLUENT TANK
WL1329 – PPL8_10_11: OPERATION	01-May-25 01:01 AM	25117481	2509126 PH IRRIGATION AFTER CATION EXCHANGER
WL1308 – PPL8_10_11: OPERATION	01-May-25 01:01 AM	25117484	2509710 PH IRRIGATION AFTER ANION EXCHANGER
WL1503 – PPL8_10_11: OPERATION	01-May-25 01:01 AM	25117485	2509720 PH IRRIGATION AFTER CATION EXCHANGER
WL1320 – PPL8_10_11: OPERATION	01-May-25 01:01 AM	25117486	2509722 PH IRRIGATION AFTER ANION EXCHANGER
WL1339 – PPL8_10_11: OPERATION	01-May-25 01:01 AM	25117487	MONTHLY – INSPECTION PH TR
WL1303 – PPL8_10_11: OPERATION	01-May-25 01:01 AM	25117488	2509726 MAZADA
WL1308 – PPL8_10_11: OPERATION	01-May-25 01:00 AM	25117503	MONTHLY – INSPECTION PH
WL1503 – PPL8_10_11: OPERATION	01-May-25 01:02 AM	25117495	MONTHLY – PM FOR EL SPRAYER DISTRT (A)
WL1302 – PPL8_10_11: OPERATION	01-May-25 01:02 AM	25117497	MONTHLY – PM FOR EL SPRAYER DISTRT (B)
WL1302 – PPL8_10_11: OPERATION	01-May-25 01:03 AM	25117476	MONTHLY – PM FOR EL SPRAYER DISTRT (C)
WL1425 – PPL8_10_11: OPERATION	01-May-25 01:03 AM	25117498	MONTHLY – PM FOR EL SPRAYER DISTRT (D)
WL1503 – PPL8_10_11: OPERATION	01-May-25 01:03 AM	25117503	WEEKLY – PM FOR CONTRACTOR (E)
WL1303 – PPL8_10_11: OPERATION	01-May-25 01:03 AM	25117505	WEEKLY – PM ROUTE CHECK FOR LUB OIL PUMP FEED WATER PUMP 3 (E)
WL1303 – PPL8_10_11: OPERATION	01-May-25 01:04 AM	25117495	3 MONTHS – PM FOR SCANNER/IGNITOR AIR FAN # 2 (E)
WL1303 – PPL8_10_11: OPERATION	01-May-25 01:04 AM	25117497	2 MONTHS – PM FOR SCANNER FAN (E)
WL1302 – PPL8_10_11: OPERATION	01-May-25 01:05 AM	25117498	MONTHLY – PM FOR ABC COMPRESSOR NO.1 (L)
WL1303 – PPL8_10_11: OPERATION	01-May-25 01:05 AM	25117503	MONTHLY – PM FOR ABC COMPRESSOR NO.2 (E)
WL1429 – PPL8_10_11: OPERATION	01-May-25 01:06 AM	25117513	MONTHLY – PM FOR ABC COMPRESSOR NO.3 (E)
WL1503 – PPL8_10_11: OPERATION	01-May-25 01:06 AM	25117512	MONTHLY – PM FOR ABC COMPRESSOR NO.4 (E)
WL1329 – PPL8_10_11: OPERATION	01-May-25 01:06 AM	25117514	WEEKLY – PM FOR INDUCED DRAFT FAN, COIL NO.1 (E)
WL1302 – PPL8_10_11: OPERATION	01-May-25 01:06 AM	25117515	WEEKLY – PM FOR INDUCED DRAFT FAN, COIL NO.2 (E)
WL1303 – PPL8_10_11: OPERATION	01-May-25 01:07 AM	25117516	MONTHLY – PM FOR TRANSFORMER TE2(E)
WL1303 – PPL8_10_11: OPERATION	01-May-25 01:07 AM	25117517	MONTHLY – PM FOR BATTERY CHARGER 130 VDC MILL WIDE (E)
WL1303 – PPL8_10_11: OPERATION	01-May-25 01:00 AM	25117518	MONTHLY – PM FOR BATTERY CHARGER 130 VDC MILL WIDE (E)
WL1303 – PPL8_10_11: OPERATION	01-May-25 01:00 AM	25117519	MONTHLY – PM FOR MCC MILL WIDE_UPS (E)
WL1303 – PPL8_10_11: OPERATION	01-May-25 01:07 AM	25117520	MONTHLY – PM FOR BATTERY CHARGER 130 VDC MILL WIDE (E)
WL1303 – PPL8_10_11: OPERATION	01-May-25 01:07 AM	25117521	MONTHLY – PM FOR MCC MILL WIDE_UPS (E)
WL1303 – PPL8_10_11: OPERATION	01-May-25 01:07 AM	25117522	MONTHLY – PM FOR MCC RECOVERY BOILER_UPS (E)
WL1429 – PPL8_10_11: OPERATION	01-May-25 01:08 AM	25117523	2 WEEKS – PM VISUAL CHECK AND BASIC PDM FOR AGITATOR-DISSOLVING TANK SEE LONG DESCRIPTION (ES)
WL1330 – PPL8_10_11: OPERATION	01-May-25 01:09 AM	25117525	MONTHLY – PM REBEL LUBRICANT FOR AGITATOR-DISSOLVING TANK SEE LONG DESCRIPTION (ES)
WL1507 – PPL8_10_11: OPERATION	01-May-25 01:09 AM	25117526	MONTHLY – PM REBEL LUBRICANT FOR AGITATOR-LIQUID LIQUID TANK SEE LONG DESCRIPTION (ES)
WL1339 – PPL8_10_11: OPERATION	01-May-25 01:00 AM	25117527	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR ASH COLLECTING CONVEYOR (PO)
WL1329 – PPL8_10_11: OPERATION	01-May-25 01:00 AM	25117528	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR DRAG SCRAPER
WL1329 – PPL8_10_11: OPERATION	01-May-25 01:00 AM	25117529	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR DRAG SCRAPER, ESP # 2 SEE LONG DESCRIPTION (PO)
WL1329 – PPL8_10_11: OPERATION	01-May-25 01:00 AM	25117533	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR COLLECTING CONVEYOR, ESP # 1 (PO)
WL1329 – PPL8_10_11: OPERATION	01-May-25 01:10 AM	25117535	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR COLLECTING CONVEYOR, ESP # 2 (PO)
WL1303 – PPL8_10_11: OPERATION	01-May-25 01:10 AM	25117536	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SCRAPER CONVEYOR ESP # 1 (PO)
WL1332 – PPL8_10_11: OPERATION	01-May-25 01:17 AM	25117537	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR COLLECTING CONVEYOR ESP # 1 (PO)
WL1303 – PPL8_10_11: OPERATION	01-May-25 01:11 AM	25117538	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR ESP TRANSFER CONVEYOR # 1 (PO)
WL1308 – PPL8_10_11: OPERATION	01-May-25 01:11 AM	25117539	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR ESP TRANSFER CONVEYOR #2 (PO)
WL1303 – PPL8_10_11: OPERATION	01-May-25 01:12 AM	25117540	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR ESP TRANSFER CONVEYOR #3 (PO)
WL1339 – PPL8_10_11: OPERATION	01-May-25 01:13 AM	25117541	4 MONTHS – PM ROUTE INSPECTION AND CLEAN GROUP 1 FOR AREA 452 (PO)
WL1339 – PPL8_10_11: OPERATION	01-May-25 01:13 AM	25117544	4 MONTHS – PM ROUTE INSPECTION AND CLEAN GROUP 2 FOR AREA 452 (PO)
WL1339 – PPL8_10_11: OPERATION	01-May-25 01:13 AM	25117546	4 MONTHS – PM ROUTE INSPECTION AND CLEAN GROUP 3 FOR AREA 452 (PO)
WL1302 – PPL8_10_11: OPERATION	01-May-25 01:13 AM	25117548	4 MONTHS – PM ROUTE INSPECTION AND CLEAN GROUP 11 FOR AREA 453 (PO)
WL1339 – PPL8_10_11: OPERATION	01-May-25 01:13 AM	25117549	4 MONTHS – PM ROUTE INSPECTION AND CLEAN GROUP 12 FOR AREA 453 (PO)
WL1303 – PPL8_10_11: OPERATION	01-May-25 01:14 AM	25117551	4 MONTHS – PM ROUTE INSPECTION AND CLEAN GROUP 13 FOR AREA 453 (PO)
WL1339 – PPL8_10_11: OPERATION	01-May-25 01:14 AM	25117552	4 MONTHS – PM ROUTE INSPECTION AND CLEAN GROUP 24 FOR AREA 465 (PO)
WL1329 – PPL8_10_11: OPERATION	01-May-25 01:14 AM	25117553	4 MONTHS – PM ROUTE INSPECTION AND CLEAN GROUP 25 FOR AREA 465 (PO)
WL1303 – PPL8_10_11: OPERATION	01-May-25 01:15 AM	25117555	MONTHLY – PM FOR ABC COMPRESSOR NO.3 (PO)
WL1329 – PPL8_10_11: OPERATION	01-May-25 01:15 AM	25117557	MONTHLY – PM FOR ABC COMPRESSOR NO.2 (PO)
WL1303 – PPL8_10_11: OPERATION	01-May-25 01:16 AM	25117558	MONTHLY – PM FOR ABC COMPRESSOR NO.3 (PO)
WL1329 – PPL8_10_11: OPERATION	01-May-25 01:17 AM	25117560	MONTHLY – PM FOR ABC COMPRESSOR NO.4 (PO)
WL1303 – PPL8_10_11: OPERATION	01-May-25 01:18 AM	25117566	MONTHLY – ROUTE PM FOR INSPECTION FABRIC EXPANSION JOINT (PO)
WL1303 – PPL8_10_11: OPERATION	01-May-25 01:18 AM	25117568	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR PRIMARY FD FAN (PO)
WL1329 – PPL8_10_11: OPERATION	01-May-25 01:19 AM	25117572	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR PRIMARY FD FAN (PO)
WL1303 – PPL8_10_11: OPERATION	01-May-25 01:20 AM	25117573	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR SECONDARY FD FAN (PO)
WL1302 – PPL8_10_11: OPERATION	01-May-25 01:21 AM	25117575	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR SECONDARY FD FAN (PO)
WL1303 – PPL8_10_11: OPERATION	01-May-25 01:21 AM	25117577	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR TERTIARY FD FAN (PO)
WL1303 – PPL8_10_11: OPERATION	01-May-25 01:22 AM	25117578	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR TERTIARY FD FAN (PO)
WL1329 – PPL8_10_11: OPERATION	01-May-25 01:22 AM	25117581	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR ID FAN # 1 (PO)

WL1320 - PPS,6,10,11 OPERATION	01-May-25 01:23 AM	251175986	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR ID FAN # 1 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 01:24 AM	251175988	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR ID FAN # 2 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 01:25 AM	251175989	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR ID FAN # 3 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 01:25 AM	251175990	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR ID FAN #2 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 01:26 AM	251175991	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR ID FAN #3 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 01:27 AM	251175992	MONTHLY - PM FOR FIRE FIGHTING SWITCH GEAR (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 01:27 AM	251175993	MONTHLY - PM FOR FIRE FIGHTING RECOVERY BOILER (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 01:27 AM	251175994	MONTHLY - PM ROUTE REFILL LUBRICANT CHAIN CONVEYOR (GROUP1) (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 01:27 AM	251175995	MONTHLY - PM ROUTE REFILL LUBRICANT PUMP A (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 01:28 AM	251175996	MONTHLY - PM ROUTE REFILL LUBRICANT PUMP B (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 01:28 AM	251175997	MONTHLY - PM ROUTE REFILL LUBRICANT PUMP C (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 01:28 AM	251175998	MONTHLY - PM ROUTE REFILL LUBRICANT PUMP D (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 01:28 AM	251175999	MONTHLY - PM ROUTE REFILL LUBRICANT BEARING FAN FOR EXHAUST (GROUP1) (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 01:28 AM	251176000	MONTHLY - PM ROUTE REFILL LUBRICANT PUMP E (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 01:28 AM	251176001	MONTHLY - PM ROUTE REFILL LUBRICANT PUMP F (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 01:28 AM	251176002	MONTHLY - PM ROUTE REFILL LUBRICANT PUMP G (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 01:29 AM	251176003	MONTHLY - PM ROUTE REFILL LUBRICANT BEARING FAN FOR EXHAUST (GROUP2) (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 01:29 AM	251176004	MONTHLY - PM ROUTE REFILL LUBRICANT BEARING FAN FOR EXHAUST (GROUP3) (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 01:29 AM	251176005	MONTHLY - PM REFILL LUBRICANT FOR AGITATOR STRONG LIQUOR STORAGE TANK (PO)	NPPSA_PP1
M60109 - Automation Service (Instrument)	01-May-25 01:29 AM	251176008	monthly inspection Evaporation DCS Controller (A)	NPPSA_PP1
M60109 - Automation Service (Instrument)	01-May-25 01:30 AM	251176007	monthly inspection Whiteliquor DCS Controller (A)	NPPSA_PP1
M60109 - Automation Service (Instrument)	01-May-25 01:30 AM	251176009	monthly inspection Soot Blower DCS Controller (A)	NPPSA_PP1
M60109 - Automation Service (Instrument)	01-May-25 01:31 AM	251176009	monthly inspection Recovery Boiler DCS Controller (A)	NPPSA_PP1
M60109 - Automation Service (Instrument)	01-May-25 01:32 AM	251176010	monthly inspection for R.B. DCS Power Distrib. (A)	NPPSA_PP1
M60109 - Automation Service (Instrument)	01-May-25 01:32 AM	251176011	monthly inspection for Evapo DCS Power Distrib. (A)	NPPSA_PP1
M60109 - Automation Service (Instrument)	01-May-25 01:32 AM	251176013	monthly inspection for Whiteliquor DCS Power Distrib. (A)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 01:33 AM	251176014	MONTHLY CLEANING AIR SUPPLY FILTER 46SA025	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 01:33 AM	251176015	MONTHLY CLEANING AIR SUPPLY FILTER 46SA021	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 01:33 AM	251176016	MONTHLY CLEANING AIR SUPPLY FILTER 30SA021	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 01:33 AM	251176017	MONTHLY CLEANING AIR SUPPLY FILTER 30SA022	NPPSA_PP1
M60109 - Automation Service (Instrument)	01-May-25 01:33 AM	251176018	2 weeks check 460 stack flue gas analyzer	NPPSA_PP1
M60109 - Automation Service (Instrument)	01-May-25 01:34 AM	251176019	calibrate 460 Stack flue gas analyzer (BCG4000)	NPPSA_PP1
M60109 - Automation Service (Instrument)	01-May-25 01:34 AM	251176020	calibrate 360 Stack flue gas analyzer (BCG4000)	NPPSA_PP1
M60109 - Automation Service (Instrument)	01-May-25 01:35 AM	251176021	Monthly PM Dust meter "Sick"(SDD 1400)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 01:35 AM	251176022	PM FOR FEEDWATER BY-PASS VLV 44HAV272	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 01:35 AM	251176023	PM FOR SOOTBLWR STEAM HDR 46QHV101	NPPSA_PP1
M60109 - Automation Service (Instrument)	01-May-25 01:35 AM	251176024	Monthly PM for 46DB490 DO after feed water pump	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 01:36 AM	251176025	MONTHLY - PM FOR ALL1 SWG & GEN FEED WATER PUMP P050 (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 01:36 AM	251176026	MONTHLY - PM FOR ALL2 SWG 5 GEN FEED WATER PUMP P050 (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 01:36 AM	251176027	MONTHLY - PM FOR BOAT OUT DOING TRANSFORMER TC4 (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 01:36 AM	251176028	MONTHLY - PM FOR VSD OF FIRING LIQUOR PUMP #1 (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 01:36 AM	251176029	MONTHLY - PM FOR VSD OF FIRING LIQUOR PUMP #2 (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 01:36 AM	251176030	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR FW PUMP #1 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 01:37 AM	251176031	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR FW PUMP #2 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 01:38 AM	251176032	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR HH PUMP #1 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 01:39 AM	251176033	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR HH PUMP #2 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 01:40 AM	251176034	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR COOLING WATER PUMP NO. 1 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 01:40 AM	251176035	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR COOLING WATER PUMP NO. 2 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 01:40 AM	251176036	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR ACID DOSING PUMP #1 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 01:41 AM	251176037	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR ACID DOSING PUMP #2 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 01:41 AM	251176038	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR EMERGENCY OIL PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 01:41 AM	251176039	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR GLAND COND DRAIN PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 01:42 AM	251176040	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR CIRCULATION 1 A PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 01:43 AM	251176041	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR CIRCULATION 1 B PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 01:43 AM	251176042	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR CIRCULATION 1 C PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 01:44 AM	251176043	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR CIRCULATION 1 D PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 01:44 AM	251176044	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR CIRCULATION 2 A PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 01:45 AM	251176045	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR CIRCULATION 2 B PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 01:45 AM	251176046	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR CIRCULATION 2 C PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 01:46 AM	251176047	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR CIRCULATION 2 D PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 01:46 AM	251176048	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR CIRCULATION 2 PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 01:47 AM	251176049	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR EFFECT II (1ST) TRANSF PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 01:47 AM	251176050	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR EFFECT III CIRCULATE PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 01:48 AM	251176051	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR EFFECT III-B (ULTRA HF PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 01:48 AM	251176052	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR EFFECT IV CIRCULATE PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 01:49 AM	251176053	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR EFFECT V CIRCULATE PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 01:49 AM	251176054	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR PRIMARY CONDENSATE PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 01:50 AM	251176055	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR FOUL CONDENSATE PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 01:50 AM	251176056	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR S.C. CONDENSATE II PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 01:51 AM	251176057	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR HX/L COND. VAC. PIT DWG (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 01:51 AM	251176058	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR VACUUM PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 01:51 AM	251176059	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR VACUUM PUMP (STANDBY) (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 01:52 AM	251176060	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR REFLUX CONDENSATE (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 01:52 AM	251176061	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR WASH LIQUOR PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 01:53 AM	251176062	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR COMBINED CONDENSATE (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 01:53 AM	251176063	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR FEED LIQUOR PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 01:54 AM	251176064	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR FIRING LIQ FLASH TNK PUMP#1 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 01:54 AM	251176065	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR FIRING LIQ FLASH TNK PUMP#2 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 01:55 AM	251176066	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR DESUPERHEATER PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 01:55 AM	251176067	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR STRONG LIQUOR PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 01:56 AM	251176068	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR STRONG LIQUOR PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 01:56 AM	251176069	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR WASTE WATER PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 01:57 AM	251176070	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SECONDARY CONDENSATE PUMP 1 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 01:57 AM	251176071	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SUMP PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 01:58 AM	251176072	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR STRONG LIQUOR PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 01:58 AM	251176073	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR DUMP TANK PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 01:59 AM	251176074	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SPILL COLLECTION PUMP (PO)	NPPSA_PP1

WL1320 - PPS,6,10,11 OPERATION	01-May-25 01:59 AM	251176075	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SCRUBBER RECIRCULATION PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:00 AM	251176076	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR GREEN LIQ TRANSFER PUMP #1 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:00 AM	251176077	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR GREEN LIQ TRANSFER PUMP #2 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:01 AM	251176079	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SPOUT COOLING WATER PUMP #1 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:01 AM	251176080	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SPOUT COOLING WATER PUMP #2 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:02 AM	251176082	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR CIRCULATION PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:03 AM	251176084	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR CONDENSATE FEED PUMP#A (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:03 AM	251176086	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR CONDENSATE FEED PUMP#B (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:04 AM	251176087	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR FIRING LIQUOR PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:04 AM	251176089	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR FIRING LIQUOR PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:05 AM	251176091	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR FIRING LIQUOR PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:05 AM	251176093	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR FIRING LIQUOR PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:06 AM	251176094	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR CONDENSATE PUMP NO. 1 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:06 AM	251176095	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR CONDENSATE PUMP NO. 2 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:07 AM	251176097	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 1, LEFT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:07 AM	251176098	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 2, LEFT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:08 AM	251176099	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 3, RIGHT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:08 AM	251176100	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 4, LEFT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:09 AM	251176102	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 5, RIGHT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:09 AM	251176103	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 6, LEFT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:09 AM	251176104	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 7, RIGHT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:10 AM	251176105	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 8, LEFT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:10 AM	251176106	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 9, RIGHT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:11 AM	251176107	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 10, LEFT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:11 AM	251176108	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 11, RIGHT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:12 AM	251176109	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 12, LEFT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:12 AM	251176111	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 13, RIGHT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:13 AM	251176112	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 14, LEFT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:13 AM	251176113	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 15, LEFT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:13 AM	251176114	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 16, RIGHT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:14 AM	251176115	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 17, LEFT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:14 AM	251176116	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 18, RIGHT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:14 AM	251176117	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 19, LEFT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:15 AM	251176118	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 20, RIGHT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:16 AM	251176119	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 21, LEFT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:16 AM	251176120	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 22, RIGHT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:16 AM	251176122	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 23, LEFT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:17 AM	251176120	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 24, RIGHT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:17 AM	251176123	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 25, LEFT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:18 AM	251176124	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 26, RIGHT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:18 AM	251176125	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 27, LEFT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:19 AM	251176126	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 28, RIGHT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:19 AM	251176127	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 29, LEFT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:19 AM	251176128	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 30, RIGHT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:20 AM	251176129	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 31, LEFT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:20 AM	251176130	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 32, RIGHT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:21 AM	251176131	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 33, LEFT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:21 AM	251176132	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 34, RIGHT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:21 AM	251176133	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 35, LEFT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:22 AM	251176134	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 36, RIGHT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:22 AM	251176135	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 37, RIGHT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:23 AM	251176136	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 38, LEFT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:23 AM	251176137	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 39, LEFT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:24 AM	251176138	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 40, RIGHT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:24 AM	251176139	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 41, LEFT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:24 AM	251176140	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 41, RIGHT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:25 AM	251176141	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 42, RIGHT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:25 AM	251176142	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 44 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:26 AM	251176144	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 45, LEFT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:26 AM	251176146	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 46, RIGHT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:27 AM	251176148	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 47, LEFT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:27 AM	251176150	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 48, RIGHT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:27 AM	251176152	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 49, LEFT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:28 AM	251176157	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 50, RIGHT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:28 AM	251176161	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 51, LEFT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:29 AM	251176165	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 52, RIGHT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:29 AM	251176168	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 55L, LEFT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:30 AM	251176169	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 55R, RIGHT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:30 AM	251176172	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 56L, LEFT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:31 AM	251176173	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 56L, RIGHT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:31 AM	251176175	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 57, LEFT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:31 AM	251176176	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 58L, RIGHT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:32 AM	251176177	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 59L, LEFT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:32 AM	251176178	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 58R, RIGHT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:33 AM	251176179	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER #61 LEFT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:33 AM	251176180	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER # 62 RIGHT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:34 AM	251176181	WEEKLY - PM ROUTE CHECK SWITCHGEAR (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:34 AM	251176182	WEEKLY - PM ROUTE CHECK SWITCHGEAR (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:34 AM	251176183	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR STEAM TURBINE, 52TG00W (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	01-May-25 02:35 AM	251176184	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR STEAM TURBINE, 52TG00W (PO)	NPPSA_PP1
M60104 - Automation Service (Control)	01-May-25 02:35 AM	251176185	2 WEEKS - PM FOR PLC TURBINE & GENERATOR GOVERNOR CONTROL (A)	NPPSA_PP1
M60104 - Automation Service (Control)	01-May-25 02:36 AM	251176186	2 WEEKS - PM FOR HMI TURBINE & GENERATOR GOVERNOR CONTROL (A)	NPPSA_PP1
M60104 - Automation Service (Control)	01-May-25 02:36 AM	251176187	2 WEEKS - PM FOR HMI RODDING MASTER (46SCP60) (A)	NPPSA_PP1
M60104 - Automation Service (Control)	01-May-25 02:36 AM	251176188	2 WEEKS - PM FOR HMI RODDING MASTER (46SCP61) (A)	NPPSA_PP1
M60104 - Automation Service (Control)	01-May-25 02:36 AM	251176189	2 WEEKS - PM FOR HMI BMS (A)	NPPSA_PP1
M60104 - Automation Service (Control)	01-May-25 02:36 AM	251176190	2 WEEKS - PM FOR HMI ABSORPTION CHILLER #1 (A)	NPPSA_PP1
M60104 - Automation Service (Control)	01-May-25 02:36 AM	251176191	2 WEEKS - PM FOR HMI ABSORPTION CHILLER #2 (A)	NPPSA_PP1

MS0104 – Automation Service (Control)	02-May-25 02:07 AM	251176092	2 WEEKS – PM FOR HVB ABSORPTION CHILLER #4 (A)	NPPSA_PP1
MS0104 – Automation Service (Control)	02-May-25 02:07 AM	251176093	2 WEEKS – PM FOR PLC HOODING MASTER (-ABCP4K) (A)	NPPSA_PP1
MS0104 – Automation Service (Control)	02-May-25 02:07 AM	251176094	2 WEEKS – PM FOR PLC HOODING MASTER (-ABTP61) (A)	NPPSA_PP1
MS0104 – Automation Service (Control)	02-May-25 02:07 AM	251176095	2 WEEKS – PM FOR PLC BMS (A)	NPPSA_PP1
MS0104 – Automation Service (Control)	02-May-25 02:07 AM	251176096	2 WEEKS – PM FOR PLC ABSORPTION CHILLER #1 (A)	NPPSA_PP1
MS0104 – Automation Service (Control)	02-May-25 02:07 AM	251176097	2 WEEKS – PM FOR PLC ABSORPTION CHILLER #2 (A)	NPPSA_PP1
MS0104 – Automation Service (Control)	02-May-25 02:08 AM	251176098	2 WEEKS – PM FOR PLC ABSORPTION CHILLER #3 (A)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	02-May-25 02:08 AM	251176199	MONTHLY – PM FOR BMS (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	02-May-25 02:38 AM	251176200	MONTHLY – PM FOR BOX MAIN SUPPLY BURNER (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	02-May-25 02:58 AM	251176201	MONTHLY – PM FOR AH415 MCC 690V RECOVERY BOILER #1 (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	02-May-25 02:58 AM	251176202	MONTHLY – PM FOR AH413 MCC 690V RECOVERY BOILER #2 (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	02-May-25 02:58 AM	251176203	MONTHLY – PM FOR AL412 MCC 400V ESP#1 (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	02-May-25 02:59 AM	251176204	MONTHLY – PM FOR SCRUBBER FAN (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	02-May-25 02:59 AM	251176205	MONTHLY – PM FOR AH401 MCC 690V EVAPORATOR PULP 2 (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	02-May-25 02:59 AM	251176206	MONTHLY – PM FOR AH311 MCC 690V MILL WIDE #1 (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	02-May-25 02:59 AM	251176207	MONTHLY – PM FOR AH313 MCC 690V MILL WIDE #2 (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	02-May-25 02:59 AM	251176208	MONTHLY – PM FOR AL201 EMERGENCY POWER SUPPLY 400 VAC (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	02-May-25 02:59 AM	251176209	MONTHLY – PM FOR AL201 NORMAL POWER SUPPLY 400 VAC (E)	NPPSA_PP1
WL5112 – Mechanical PPS,6,10,11	02-May-25 02:40 AM	251176210	2 WEEKS – PM FOR 115 kV SUBSTATION AH01 (E)	NPPSA_PP1
MS0024 – Predictive Maintenance	05-May-25 01:25 AM	251186804	Monthly vibration check for Plan 282	NPPSA_PP1
MS0024 – Predictive Maintenance	06-May-25 01:26 AM	251186805	Monthly vibration check for Plan 282	NPPSA_PP1
MS0024 – Predictive Maintenance	05-May-25 01:26 AM	251186806	Monthly vibration check for Plan 293	NPPSA_PP1
MS0024 – Predictive Maintenance	09-May-25 01:26 AM	251186807	Monthly vibration check for Plan 392	NPPSA_PP1
MS0024 – Predictive Maintenance	09-May-25 01:27 AM	251186808	Monthly vibration check for Plan 482	NPPSA_PP1
MS0024 – Predictive Maintenance	05-May-25 01:27 AM	251186809	Monthly oil Sampling for area 563	NPPSA_PP1
MS0024 – Predictive Maintenance	05-May-25 01:27 AM	251186810	Monthly oil Sampling for area 263	NPPSA_PP1
WL5118 – Automation PPS,6,10,11	27-May-25 02:00 AM	251215548	MONTHLY – PM FOR CONDUCTIVITY INDICATION OF FEED WATER (A)	NPPSA_PP1
WL5118 – Automation PPS,6,10,11	27-May-25 02:00 AM	251215551	MONTHLY – PM FOR CONDUCTIVITY INDICATION OF FEED WATER (A)	NPPSA_PP1
WL5118 – Automation PPS,6,10,11	27-May-25 02:01 AM	251215556	MONTHLY – PM FOR CONDUCTIVITY INDICATION OF DEMIN WATER (A)	NPPSA_PP1
WL5118 – Automation PPS,6,10,11	27-May-25 02:01 AM	251215560	MONTHLY – PM FOR CONDUCTIVITY INDICATION OF DEMIN WATER (A)	NPPSA_PP1
WL5118 – Automation PPS,6,10,11	27-May-25 02:01 AM	251215564	MONTHLY – PM FOR CONDUCTIVITY INDICATION AFTER ANION EXCHANGER (A)	NPPSA_PP1
WL5118 – Automation PPS,6,10,11	27-May-25 02:02 AM	251215569	MONTHLY – PM FOR CONDUCTIVITY INDICATION AFTER ANION EXCHANGER (A)	NPPSA_PP1
WL5118 – Automation PPS,6,10,11	27-May-25 02:02 AM	251215573	MONTHLY – PM FOR CONDUCTIVITY INDICATION AFTER MIXED BED EXCHANGER (A)	NPPSA_PP1
WL5118 – Automation PPS,6,10,11	27-May-25 02:03 AM	251215574	MONTHLY – PM FOR CONDUCTIVITY INDICATION AFTER MIXED BED EXCHANGER (A)	NPPSA_PP1
WL5118 – Automation PPS,6,10,11	27-May-25 02:03 AM	251215578	MONTHLY – PM FOR CONDUCTIVITY INDICATION AFTER ANION EXCHANGER (A)	NPPSA_PP1
WL5118 – Automation PPS,6,10,11	27-May-25 02:03 AM	251215581	MONTHLY – PM FOR CONDUCTIVITY INDICATION AFTER ANION EXCHANGER (A)	NPPSA_PP1
WL5118 – Automation PPS,6,10,11	27-May-25 02:04 AM	251215585	MONTHLY – PM FOR CONDUCTIVITY INDICATION AFTER MIXED BED EXCHANGER (A)	NPPSA_PP1
WL5118 – Automation PPS,6,10,11	27-May-25 02:04 AM	251215589	MONTHLY – PM FOR CONDUCTIVITY INDICATION AFTER MIXED BED EXCHANGER (A)	NPPSA_PP1
WL5118 – Automation PPS,6,10,11	27-May-25 02:04 AM	251215592	MONTHLY – PM FOR CONDUCT. TUAH (A)	NPPSA_PP1
WL5118 – Automation PPS,6,10,11	27-May-25 02:05 AM	251215593	MONTHLY – PM FOR CONDUCT. TUAH (A)	NPPSA_PP1
WL5118 – Automation PPS,6,10,11	27-May-25 02:05 AM	251215595	MONTHLY – PM FOR CONDUCTIVITY SUMP PIT (A)	NPPSA_PP1
WL5118 – Automation PPS,6,10,11	27-May-25 02:05 AM	251215596	MONTHLY – PM FOR CONDUCTIVITY SUMP PIT (A)	NPPSA_PP1
WL5118 – Automation PPS,6,10,11	27-May-25 02:06 AM	251215598	MONTHLY – PM FOR BOILER WAT CONDUCTIVITY (A)	NPPSA_PP1
WL5118 – Automation PPS,6,10,11	27-May-25 02:06 AM	251215600	MONTHLY – PM FOR BOILER WAT CONDUCTIVITY (A)	NPPSA_PP1
WL5118 – Automation PPS,6,10,11	27-May-25 02:06 AM	251215602	MONTHLY – PM FOR COOLING WATER TO CONDENSATE CONDUCT (A)	NPPSA_PP1
WL5118 – Automation PPS,6,10,11	27-May-25 02:06 AM	251215604	MONTHLY – PM FOR COOLING WATER TO CONDENSATE CONDUCT (A)	NPPSA_PP1
WL5118 – Automation PPS,6,10,11	27-May-25 02:07 AM	251215606	MONTHLY – PM FOR CONDENSATE CONDUCT (A)	NPPSA_PP1
WL5118 – Automation PPS,6,10,11	27-May-25 02:07 AM	251215610	MONTHLY – PM FOR CONDENSATE CONDUCT (A)	NPPSA_PP1
MS0024 – Predictive Maintenance	27-Jun-25 02:32 AM	251254025	MONTHLY – PM FOR OIL ADD TEST_TURBINE_ROUTE_PT11 (M)	NPPSA_PP1
WS5235 – Electrical PSD (GMS/Substation)"	10-Apr-24 02:25 PM	241160292	4 YEARS (SO) – PM FOR MCC MILL WIDE_PP1 (E)	NPPSA_PP1
WS5235 – Electrical PSD (GMS/Substation)"	15-Apr-24 02:25 PM	241160294	4 YEARS (SO) – PM FOR BATTERY CHARGER 110 VDC for 33kV SYSTEM (E)	NPPSA_PP1
WL5112 – Mechanical PPS,6,10,11	05-Jun-25 01:00 AM	250101842	WEEKLY – INSPECTION CAMERA	NPPSA_PP1
WL5112 – Mechanical PPS,6,10,11	05-Jun-25 01:00 AM	250101843	460kDAM Recovery Boiler Bed Camera Right Side	NPPSA_PP1
WL5112 – Mechanical PPS,6,10,11	05-Jun-25 01:00 AM	250101844	460kDAM Recovery Boiler Bed Camera Left Side	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	04-Jun-25 01:00 AM	250101846	MONTHLY – PM FOR START-UP BURNER #3 (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	04-Jun-25 01:00 AM	250101847	MONTHLY – PM FOR START-UP BURNER #6 (E)	NPPSA_PP1
WS5234 – Electrical PSD (Motors/MCC/Drive	03-Jun-25 01:00 AM	250101848	6 MONTHS – PM FOR POWER CABLE SUPPLY LINE AH311 MCC, 690V MILL WIDE #1 (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:00 AM	250101849	MONTHLY – PM FOR ELECTROSTATIC PRECIPITATOR (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:03 AM	250101850	MONTHLY – PM FOR ELECTROSTATIC PRECIPITATOR # 2 (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:03 AM	250101851	MONTHLY – PM FOR ESP #3 (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:02 AM	250101854	2 MONTHS – PM FOR SCANNER/IGNITOR AIR FAN # 1 (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:02 AM	250101855	2 MONTHS – PM FOR SCRUBBER FAN (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:03 AM	250101856	2 MONTHS – PM FOR NCG GAS FAN (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:03 AM	250101859	MONTHLY – PM FOR INDUCED DRAFT FAN, CELL NO.2 (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:03 AM	250101860	MONTHLY – PM FOR RECOVERY TRANSFORMER T015 (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:03 AM	250101861	MONTHLY – PM FOR TRANSFORMER T1411 (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:03 AM	250101862	MONTHLY – PM FOR TRANSFORMER T1411 (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:04 AM	250101863	MONTHLY – PM FOR RECTIFIER #A, PRECIPITATOR # 1 (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:04 AM	250101864	MONTHLY – PM FOR RECTIFIER #B, PRECIPITATOR # 1 (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:04 AM	250101866	MONTHLY – PM FOR RECTIFIER #C, PRECIPITATOR # 1 (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:04 AM	250101867	MONTHLY – PM FOR RECTIFIER #A, PRECIPITATOR # 2 (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:05 AM	250101868	MONTHLY – PM FOR RECTIFIER #B, PRECIPITATOR # 2 (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:05 AM	250101869	MONTHLY – PM FOR RECTIFIER #C, PRECIPITATOR # 2 (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:05 AM	250101870	MONTHLY – PM FOR RECTIFIER #A, PRECIPITATOR # 3 (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:05 AM	250101871	MONTHLY – PM FOR RECTIFIER #B, PRECIPITATOR #3 (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:05 AM	250101872	MONTHLY – PM FOR RECTIFIER #C, PRECIPITATOR #3 (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:06 AM	250101873	MONTHLY – PM FOR MILL WIDE TRANSFORMER T4211 (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:06 AM	250101874	MONTHLY – PM FOR MILL WIDE TRANSFORMER T4212 (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:06 AM	250101875	MONTHLY – PM FOR MILL WIDE TRANSFORMER T4291 (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:06 AM	250101876	MONTHLY – PM FOR MILL WIDE TRANSFORMER T4294 (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:06 AM	250101877	MONTHLY – PM FOR TL2101 POWER BACK UP PROWE EQAT (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:07 AM	250101878	MONTHLY – PM FOR AAP2 , TURBO GENERATOR TRANSFORM T312 (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:07 AM	250101879	MONTHLY – PM FOR GROUNDING TRANSFORMER (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:07 AM	250101880	MONTHLY – PM FOR BATTERY FOR 220VLUE CHARGER 110 VDC MILL WIDE BANK#1 (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:07 AM	250101881	MONTHLY – PM FOR BATTERY FOR 220VLUE CHARGER 110 VDC MILL WIDE BANK#2 (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:07 AM	250101882	MONTHLY – PM FOR BATTERY 110 VDC FOR Communication 115 kV (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:07 AM	250101883	MONTHLY – PM FOR BATTERY FOR 2540TS41 CHARGER 48VDC FOR 115kV NPP11 (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:07 AM	250101884	MONTHLY – PM FOR BATTERY FOR AH0PS01 MCC RECOVERY BOILER, U.P.S (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:08 AM	250101885	MONTHLY – PM FOR BATTERY FOR 20MVLUE CHARGER 110 VDC FOR 22KV SYSTEM (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:08 AM	250101886	MONTHLY – PM FOR BATTERY FOR 2930PS01 MCC MILL WIDE, UPS (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:08 AM	250101887	MONTHLY – PM FOR CHARGER 110 VDC FOR Communication 115kV (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:08 AM	250101888	MONTHLY – PM FOR CHARGER 48VDC FOR 115kV NPP11 (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:08 AM	250101889	MONTHLY – PM FOR SLUBBER FAN (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:09 AM	250101890	MONTHLY – INSPECTION PUMP	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:09 AM	250102091	282P003 DEMIN WATER BOOSTER PUMP #1	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:09 AM	250102092	282P004 DEMIN WATER BOOSTER PUMP #2	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:09 AM	250102093	282P005 DEMIN WATER TRANSFER PUMP # 1	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:09 AM	250102094	282P310 DEMIN WATER TRANSFER PUMP #2	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:09 AM	250102095	282P011 EFFLUENT MIXING PUMP	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:11 AM	250102096	MONTHLY – ROUTE PM FOR INSPECTION RUBBER EXPANSION JOINT (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:13 AM	250102107	MONTHLY – PM FOR FIRE FIGHTING SWITCH GEAR (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:13 AM	250102108	MONTHLY – PM ROUTE REFILL LUBRICANT BEARING FAN FOR BIFAN GROUP 2 (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:13 AM	250102109	MONTHLY – PM ROUTE REFILL LUBRICANT BEARING FAN FOR BIFAN GROUP 8 (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:15 AM	250102110	MONTHLY – PM REFILL LUBRICANT FOR AGITATOR STACKING LIQUOR STORAGE TANK (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:16 AM	250102113	PM FOR [illegible]	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:16 AM	250102114	PM FOR SOOTBLAIR STEAM FOR-AC [illegible]	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:17 AM	250102115	MONTHLY – PM FOR AL21 BUS-A 6KV FEEDWATER PUMP P405 (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:17 AM	250102116	MONTHLY – PM FOR AL22 SWG 6.6KV FEED WATER PUMP P040 (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:17 AM	250102117	MONTHLY – PM FOR HEAT OUT GOING TRANSFORMER T25 (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:17 AM	250102118	MONTHLY – PM FOR VSD OF FIRING LIQUOR PUMP #1 (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:17 AM	250102119	MONTHLY – PM FOR VSD OF FIRING LIQUOR PUMP #2 (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:18 AM	250102121	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR COOLING WATER PUMP NO.1 (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:19 AM	250102122	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR COOLING WATER PUMP NO.2 (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:19 AM	250102123	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR ACID DOSING PUMP #1 (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:20 AM	250102124	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR ACID DOSING PUMP #2 (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:20 AM	250102125	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR EMERGENCY OIL PUMP (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:21 AM	250102126	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SLAKE GOND DRAIN PUMP (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:21 AM	250102127	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR CIRCULATION 1 A PUMP (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:21 AM	250102128	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR CIRCULATION 1 B PUMP (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:22 AM	250102129	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR CIRCULATION 1 C PUMP (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:22 AM	250102130	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR CIRCULATION 1 D PUMP (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:23 AM	250102131	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR CIRCULATION 2 A PUMP (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:23 AM	250102132	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR CIRCULATION 2 B PUMP (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:24 AM	250102133	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR CIRCULATION 2 C PUMP (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:24 AM	250102134	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR CIRCULATION 2 D PUMP (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:24 AM	250102135	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR CIRCULATION 7 PUMP (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:25 AM	250102136	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR EFFECT II LIQ. TRANSF PUMP (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:25 AM	250102137	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR EFFECT III CIRCULATE PUMP (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:26 AM	250102138	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR EFFECT III-B LIQ. TRANSF PUMP (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:26 AM	250102139	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR EFFECT IV CIRCULATE PUMP (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:26 AM	250102140	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR EFFECT V CIRCULATE PUMP (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:27 AM	250102141	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR PRIMARY CONDENSATE PUMP (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:27 AM	250102142	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR FOUL CONDENSATE PUMP (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:28 AM	250102143	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SEC. CONDENSATE B PUMP (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:28 AM	250102144	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR FOUL COND. VAC. PIT PUMP (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:29 AM	250102145	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR VACUUM PUMP (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:29 AM	250102146	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR VACUUM PUMP (STAND-BY) (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:29 AM	250102147	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR REFLUX CONDENSATE (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:30 AM	250102148	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR WASH LIQUOR PUMP (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:30 AM	250102149	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR COMBINED CONDENSATE (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:31 AM	250102150	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR FEED LIQUOR PUMP (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:31 AM	250102151	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR FIRING LIQ FLASH TNK PUMP#1 (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:32 AM	250102152	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR FIRING LIQ FLASH TNK PUMP#2 (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:32 AM	250102153	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR [illegible] PUMP (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:33 AM	250102154	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR STRONG LIQUOR PUMP (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:33 AM	250102155	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR STRONG LIQUOR PUMP (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:34 AM	250102156	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SEAL WATER PUMP (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:34 AM	250102157	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SECONDARY CONDENSATE PUMP 1 (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:34 AM	250102158	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR SUMP PUMP (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:34 AM	250102159	MONTHLY – PM VISUAL CHECK AND BASIC PDM FOR STRONG LIQUOR PUMP (PO)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:35 AM	250102179	MONTHLY – PM FOR BMS (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:35 AM	250102180	MONTHLY – PM FOR BOX MAIN SUPPLY BURNER (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:38 AM	250102181	MONTHLY – PM FOR AH411 MCC 690V RECOVERY BOILER #1 (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:39 AM	250102182	MONTHLY – PM FOR AH413 MCC 690V RECOVERY BOILER #2 (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:39 AM	250102183	MONTHLY – PM FOR AL412 MCC 400V ESP#1 (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:39 AM	250102184	MONTHLY – PM FOR AH401 MCC 690V EVAPORATOR PULP 2 (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:40 AM	250102185	MONTHLY – PM FOR AH311 MCC 690V MILL WIDE #1 (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:40 AM	250102186	MONTHLY – PM FOR AH312 MCC 690V MILL WIDE #2 (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:40 AM	250102187	MONTHLY – PM FOR AL201 EMERGENCY POWER SUPPLY 400VAC (E)	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	03-Jun-25 01:40 AM	250102188	MONTHLY – PM FOR AL201 NORMAL POWER SUPPLY 400 VAC (E)	NPPSA_PP1
MA0404 – Electrical Service (Power) PP1	03-Jun-25 01:40 AM	250102189	2 Weeks – PM Inspection Absorption Chiller PP1	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	10-Jun-25 01:00 AM	250101670	MONTHLY – INSPECTION PH TR	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	10-Jun-25 01:00 AM	250101671	282QT100 PH INDICATION FEED OF WATER	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	10-Jun-25 01:00 AM	250101672	282QT102 PH INDICATION OF DEMIN WATER	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	10-Jun-25 01:00 AM	250101673	282QT104 PH INDICATION OF EFFLUENT TANK	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	10-Jun-25 01:00 AM	250101674	282QT125 PH INDICATION AFTER CATION EXCHANGE	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	10-Jun-25 01:00 AM	250101675	282QT127 PH INDICATION AFTER ANION EXCHANGER	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	10-Jun-25 01:00 AM	250101676	282QT225 PH INDICATION AFTER CATION EXCHANGER	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	10-Jun-25 01:00 AM	250101677	282QT227 PH INDICATION AFTER ANION EXCHANGER	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	10-Jun-25 01:00 AM	250101678	MONTHLY – INSPECTION PH TR	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	12-Jun-25 01:00 AM	250101679	4530Q007 NA2SO4	NPPSA_PP1
WL1320 – PPS,6,10,11 OPERATION	10-Jun-25 01:00 AM	250101680	MONTHLY – INSPECTION PH	NPPSA_PP1
WL5112 – Mechanical PPS,6,10,11	10-Jun-25 01:01 AM	250101681	WEEKLY – INSPECTION CAMERA	NPPSA_PP1
WL5112 – Mechanical PPS,6,10,11	10-Jun-25 01:01 AM	250101682	460kDAM Recovery Boiler Bed Camera Right Side	NPPSA_PP1

WL5132 - Mechanical PPS,6,10,11	10-Jan-25 01:03 AM	250011683	800BD Recovery Boiler Bed Camera Left Side	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:03 AM	250011684	MONTHLY - PM FOR BL SPRAYER DIVERT (A)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:03 AM	250011685	MONTHLY - PM FOR BL SPRAYER DIVERT (A)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:03 AM	250011686	MONTHLY - PM FOR BL SPRAYER DIVERT (A)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:03 AM	250011687	MONTHLY - PM FOR BL SPRAYER DIVERT (A)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:03 AM	250011688	WEEKLY - PM FOR GENERATOR (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:03 AM	250011689	WEEKLY - PM FOR LUB OIL PUMP FEED WATER PUMP 3 (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:03 AM	250011690	2 MONTHS - PM FOR SCANNER/IGNITOR AIR FAN # 2 (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:03 AM	250011691	2 MONTHS - PM FOR SCRUBBER FAN (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:03 AM	250011692	MONTHLY - PM FOR AIR COMPRESSOR NO.1 (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:03 AM	250011693	MONTHLY - PM FOR AIR COMPRESSOR NO.2 (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:03 AM	250011694	MONTHLY - PM FOR AIR COMPRESSOR NO.3 (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:04 AM	250011695	MONTHLY - PM FOR AIR COMPRESSOR NO.4 (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:04 AM	250011696	WEEKLY - PM FOR INDUCED DRAFT FAN, CELL NO.1 (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:04 AM	250011697	WEEKLY - PM FOR INDUCED DRAFT FAN, CELL NO.2 (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:05 AM	250011698	MONTHLY - PM FOR TRANSFORMER T2/3 (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:05 AM	250011699	MONTHLY - PM FOR BATTERY CHARGER 110VDC MILL 'WEB (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:05 AM	250011700	MONTHLY - PM FOR MCC MILL #401, UPS (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:05 AM	250011701	MONTHLY - PM FOR BATTERY CHARGER 110 VDC MILL #400 (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:05 AM	250011702	MONTHLY - PM FOR MCC MILL #401, UPS (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:05 AM	250011703	MONTHLY - PM FOR MCC RECOVERY BOILER, UPS (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:06 AM	250011704	2 WEEKS - PM VISUAL CHECK AND BASIC PDM FOR AGITATOR-DISSOLVING TANK SEE LONG DESCRIPTION (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:06 AM	250011705	MONTHLY - PM REFILL LUBRICANT FOR AGITATOR-DISSOLVING TANK SEE LONG DESCRIPTION (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:06 AM	250011706	MONTHLY - PM REFILL LUBRICANT FOR AGITATOR-DISSOLVING TANK SEE LONG DESCRIPTION (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:06 AM	250011707	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR ASH COLLECTING CONVEYOR (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:06 AM	250011708	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR DRAG SCRAPER, ESP # 1 SEE LONG DESCRIPTION (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:06 AM	250011709	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR DRAG SCRAPER, ESP # 2 SEE LONG DESCRIPTION (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:07 AM	250011710	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR COLLECTING CONVEYOR, ESP # 1 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:07 AM	250011711	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR COLLECTING CONVEYOR, ESP # 2 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:07 AM	250011712	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SCRAPER CONVEYOR ESP 3 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:08 AM	250011713	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR COLLECTING CONVEYOR ESP 3 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:08 AM	250011714	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR ESP TRANSFER CONVEYOR # 2 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:08 AM	250011715	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR ESP TRANSFER CONVEYOR #3 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:09 AM	250011716	4 MONTHS - PM ROUTE INSPECTION AND CLEAN GROUP 8 FOR AREA 452 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:09 AM	250011717	4 MONTHS - PM ROUTE INSPECTION AND CLEAN GROUP 9 FOR AREA 452 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:10 AM	250011718	4 MONTHS - PM ROUTE INSPECTION AND CLEAN GROUP 10 FOR AREA 462 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:10 AM	250011719	4 MONTHS - PM ROUTE INSPECTION AND CLEAN GROUP 11 FOR AREA 465 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:10 AM	250011720	4 MONTHS - PM ROUTE INSPECTION AND CLEAN GROUP 12 FOR AREA 465 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:10 AM	250011721	4 MONTHS - PM ROUTE INSPECTION AND CLEAN GROUP 13 FOR AREA 465 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:10 AM	250011722	4 MONTHS - PM ROUTE INSPECTION AND CLEAN GROUP 14 FOR AREA 465 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:11 AM	250011723	4 MONTHS - PM ROUTE INSPECTION AND CLEAN GROUP 15 FOR AREA 413 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:11 AM	250011724	MONTHLY - PM FOR AIR COMPRESSOR NO.1 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:12 AM	250011725	MONTHLY - PM FOR AIR COMPRESSOR NO.2 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:12 AM	250011726	MONTHLY - PM FOR AIR COMPRESSOR NO.3 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:13 AM	250011728	MONTHLY - PM FOR AIR COMPRESSOR NO.4 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:14 AM	250011729	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR PRIMARY ID FAN (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:15 AM	250011730	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR SECONDARY ID FAN (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:15 AM	250011731	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR TERTIARY ID FAN (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:16 AM	250011732	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR ID FAN # 1 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:17 AM	250011734	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR ID FAN # 2 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:17 AM	250011735	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR ID FAN #3 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:18 AM	250011737	MONTHLY - PM FOR FIRE FIGHTING RECOVERY BOILER (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:18 AM	250011738	MONTHLY - PM ROUTE REFILL LUBRICANT CHAIN CONVEYOR (GROUP1) (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:18 AM	250011739	MONTHLY - PM ROUTE REFILL LUBRICANT PUMP A (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:18 AM	250011740	MONTHLY - PM ROUTE REFILL LUBRICANT PUMP B (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:18 AM	250011741	MONTHLY - PM ROUTE REFILL LUBRICANT PUMP C (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:18 AM	250011742	MONTHLY - PM ROUTE REFILL LUBRICANT PUMP D (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:18 AM	250011743	MONTHLY - PM ROUTE REFILL LUBRICANT BEARING AIR FOR CHAIN GROUP1 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:19 AM	250011744	MONTHLY - PM ROUTE REFILL LUBRICANT PUMP E (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:19 AM	250011745	MONTHLY - PM ROUTE REFILL LUBRICANT PUMP F (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:19 AM	250011746	MONTHLY - PM ROUTE REFILL LUBRICANT PUMP G (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:19 AM	250011747	MONTHLY CLEANING AIR SUPPLY FILTER 463A526	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:19 AM	250011748	MONTHLY CLEANING AIR SUPPLY FILTER 463A520	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:19 AM	250011749	MONTHLY CLEANING AIR SUPPLY FILTER 382A521	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:19 AM	250011750	MONTHLY CLEANING AIR SUPPLY FILTER 383A521	NPPSA_PP1
MM0103 - Automation Service (Instrument)	10-Jan-25 01:20 AM	250011751	mthly chk 463 Stack flue gas analyser (ISO5499E)	NPPSA_PP1
MM0103 - Automation Service (Instrument)	10-Jan-25 01:20 AM	250011752	Monthly PM Dust meter "Sick" (DT-1400E)	NPPSA_PP1
MM0103 - Automation Service (Instrument)	10-Jan-25 01:20 AM	250011753	Monthly PM for 4x Hp/HD DO after feed water pumps	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:20 AM	250011754	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR FW PUMP #1 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:21 AM	250011755	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR FW PUMP #2 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:22 AM	250011756	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR FW PUMP #3 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:23 AM	250011757	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR DUMP TANK PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:24 AM	250011758	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SPILL COLLECTION PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:24 AM	250011760	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SCRUBBER RECIRCULATION PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:25 AM	250011761	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR GREEN LIQ. TRANSFER PUMP #1 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:25 AM	250011762	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR GREEN LIQ. TRANSFER PUMP #2 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:26 AM	250011763	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SPOUT COOLING WATER PUMP #1 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:26 AM	250011764	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SPOUT COOLING WATER PUMP #2 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:26 AM	250011765	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR CIRCULATION PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:27 AM	250011766	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR CONDENSATE FEED PUMP#A (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:27 AM	250011767	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR CONDENSATE FEED PUMP#B (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:28 AM	250011768	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR FIRING LIQUOR PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:28 AM	250011769	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR FIRING LIQUOR PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:29 AM	250011770	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR CONDENSATE PUMP NO. 1 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:29 AM	250011771	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR CONDENSATE PUMP NO. 2 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:30 AM	250011772	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 1, LEFT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:30 AM	250011773	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 2, LEFT (PO)	NPPSA_PP1

WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:31 AM	250011774	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 3, RIGHT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:31 AM	250011775	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 4, LEFT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:31 AM	250011776	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 5, RIGHT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:32 AM	250011777	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 6, LEFT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:32 AM	250011778	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 7, RIGHT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:33 AM	250011779	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 8, LEFT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:33 AM	250011780	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 9, RIGHT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:33 AM	250011782	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 10, LEFT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:34 AM	250011783	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 11, RIGHT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:34 AM	250011784	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 12, LEFT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:35 AM	250011785	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 13, RIGHT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:35 AM	250011786	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 14, LEFT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:35 AM	250011787	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 15, LEFT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:36 AM	250011788	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 16, RIGHT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:36 AM	250011789	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 17, LEFT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:37 AM	250011791	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 18, RIGHT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:37 AM	250011792	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 19, LEFT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:37 AM	250011793	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 20, RIGHT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:38 AM	250011794	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 21, LEFT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:38 AM	250011795	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 22, RIGHT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:39 AM	250011797	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 23, LEFT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:39 AM	250011798	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 24, RIGHT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:39 AM	250011799	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 25, LEFT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:40 AM	250011800	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 26, RIGHT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:40 AM	250011801	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 27, LEFT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:41 AM	250011802	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 28, RIGHT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:41 AM	250011803	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 29, LEFT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:41 AM	250011804	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 30, RIGHT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:42 AM	250011805	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 31, LEFT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:42 AM	250011806	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 32, RIGHT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:43 AM	250011807	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 33, LEFT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:43 AM	250011808	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 34, RIGHT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:44 AM	250011809	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 35, LEFT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:44 AM	250011810	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 36, RIGHT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:44 AM	250011811	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 37, RIGHT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:45 AM	250011813	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 38, LEFT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:45 AM	250011814	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 39, LEFT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:45 AM	250011815	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 40, RIGHT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:46 AM	250011816	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 41, LEFT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:46 AM	250011817	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 42, RIGHT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:47 AM	250011818	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 43, RIGHT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:47 AM	250011819	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 44 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:47 AM	250011820	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 45, LEFT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:48 AM	250011821	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 46, RIGHT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:48 AM	250011822	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 47, LEFT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:49 AM	250011823	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 48, RIGHT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:49 AM	250011824	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 49, LEFT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:49 AM	250011825	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 50, RIGHT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:50 AM	250011826	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 51, LEFT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:50 AM	250011827	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 52, RIGHT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:50 AM	250011828	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 153, LEFT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:51 AM	250011829	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 155, RIGHT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:51 AM	250011830	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 156, LEFT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:52 AM	250011831	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 156, RIGHT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:52 AM	250011832	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 157, LEFT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:53 AM	250011833	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 158, RIGHT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:53 AM	250011834	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 159, LEFT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:54 AM	250011835	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 160, RIGHT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:54 AM	250011836	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER #61 LEFT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:54 AM	250011837	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER # 62 RIGHT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:55 AM	250011838	WEEKLY - PM ROUTE CHECK SWITCHGEAR (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:55 AM	250011839	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR STEAM TURBINE 3295000 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	10-Jan-25 01:25 AM	250011840	MONTHLY - PM FOR SCRUBBER FAN (E)	NPPSA_PP1
WL5132 - Mechanical PPS,6,10,11	10-Jan-25 01:55 AM	250011843	2 WEEKS - PM FOR 315 KV SUBSTATION AWD (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	17-Jan-25 01:00 AM	250021297	2 WEEKS - INSPECTION DOSING PUMP	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	17-Jan-25 01:00 AM	250021298	2509813 CAUSTIC DOSING PUMP #1	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	17-Jan-25 01:00 AM	250021299	2509814 CAUSTIC DOSING PUMP #1	NPPSA_PP1
WL5132 - Mechanical PPS,6,10,11	17-Jan-25 01:00 AM	250021300	WEEKLY - INSPECTION CAMERA	NPPSA_PP1
WL5132 - Mechanical PPS,6,10,11	17-Jan-25 01:00 AM	250021301	800BD Recovery Boiler Bed Camera Right Side	NPPSA_PP1
WL5132 - Mechanical PPS,6,10,11	17-Jan-25 01:00 AM	250021302	800BD Recovery Boiler Bed Camera Left Side	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	17-Jan-25 01:00 AM	250021303	MONTHLY - PM FOR CONDUCTIVITY INDICATION OF FEED WATER (A)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	17-Jan-25 01:00 AM	250021304	MONTHLY - PM FOR CONDUCTIVITY INDICATION OF DEMIN WATER (A)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	17-Jan-25 01:01 AM	250021305	MONTHLY - PM FOR CONDUCTIVITY INDICATION AFTER ANION EXCHANGER (A)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	17-Jan-25 01:01 AM	250021306	MONTHLY - PM FOR CONDUCTIVITY INDICATION AFTER MIXED BED EXCHANGER (A)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	17-Jan-25 01:01 AM	250021307	MONTHLY - PM FOR CONDUCTIVITY INDICATION AFTER ANION EXCHANGER (A)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	17-Jan-25 01:02 AM	250021308	MONTHLY - PM FOR CONDUCTIVITY INDICATION AFTER MIXED BED EXCHANGER (A)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	17-Jan-25 01:02 AM	250021309	MONTHLY - PM FOR CONDUCT. SWM (A)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	17-Jan-25 01:02 AM	250021310	MONTHLY - PM FOR CONDUCTIVITY CLEAR PIT (A)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	17-Jan-25 01:03 AM	250021311	MONTHLY - PM FOR condensate from Fine line (A)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	17-Jan-25 01:03 AM	250021312	MONTHLY - PM FOR COND - HB EVAP PLANT (A)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	17-Jan-25 01:03 AM	250021313	MONTHLY - PM FOR COND FROM TURBINE (A)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	17-Jan-25 01:04 AM	250021314	MONTHLY - PM FOR COND FROM PULP DRYER (A)	NPPSA_PP1
MM0103 - Automation Service (Instrument)	17-Jan-25 01:04 AM	250021315	MONTHLY - PM FOR RECOVERY BOILER CS2101 (D5301) (A)	NPPSA_PP1
MM0103 - Automation Service (Instrument)	17-Jan-25 01:04 AM	250021316	MONTHLY - PM FOR RECOVERY BOILER CS2102 3058002 (A)	NPPSA_PP1
MM0103 - Automation Service (Instrument)	17-Jan-25 01:05 AM	250021317	MONTHLY - PM FOR MILL SIDE CS2103 (A)	NPPSA_PP1
MM0103 - Automation Service (Instrument)	17-Jan-25 01:05 AM	250021318	MONTHLY - PM FOR MILL SIDE CS2104 (A)	NPPSA_PP1
MM0103 - Automation Service (Instrument)	17-Jan-25 01:05 AM	250021319	MONTHLY - PM FOR EVAPORATOR CS2105 (A)	NPPSA_PP1

MS0109 - Automation Service (Instrument)	17-Jan-25 01:05 AM	25D021320	MONTHLY - PM FOR EVAPORATOR CO2106 (A)	NPPSA_PP1
MS0109 - Automation Service (Instrument)	17-Jan-25 01:05 AM	25D021321	MONTHLY - PM FOR UPS A FOR DCS BOILER PP11 (A)	NPPSA_PP1
MS0109 - Automation Service (Instrument)	17-Jan-25 01:05 AM	25D021322	MONTHLY - PM FOR UPS B FOR DCS BOILER PP11 (A)	NPPSA_PP1
MS0109 - Automation Service (Instrument)	17-Jan-25 01:05 AM	25D021323	MONTHLY - PM FOR UPS FOR INSTRUMENT RECOVERY BOILER (A)	NPPSA_PP1
MS0109 - Automation Service (Instrument)	17-Jan-25 01:05 AM	25D021324	MONTHLY - PM FOR UPS A FOR DCS TURBINE PP11 (A)	NPPSA_PP1
MS0109 - Automation Service (Instrument)	17-Jan-25 01:05 AM	25D021325	MONTHLY - PM FOR UPS B FOR DCS TURBINE PP11 (A)	NPPSA_PP1
MS0109 - Automation Service (Instrument)	17-Jan-25 01:05 AM	25D021326	MONTHLY - PM FOR UPS A FOR DCS EVAP PP11 (A)	NPPSA_PP1
MS0109 - Automation Service (Instrument)	17-Jan-25 01:05 AM	25D021327	MONTHLY - PM FOR UPS B FOR DCS EVAP PP11 (A)	NPPSA_PP1
MS0109 - Automation Service (Instrument)	17-Jan-25 01:06 AM	25D021328	MONTHLY - PM FOR UPS C1 FOR DCS CONTROL ROOM PP11 (A)	NPPSA_PP1
MS0109 - Automation Service (Instrument)	17-Jan-25 01:06 AM	25D021329	MONTHLY - PM FOR BATTERY FOR 40SUPS-A DCS BOILER PP11 (A)	NPPSA_PP1
MS0109 - Automation Service (Instrument)	17-Jan-25 01:06 AM	25D021330	MONTHLY - PM FOR BATTERY FOR 40SUPS-B DCS BOILER PP11 (A)	NPPSA_PP1
MS0109 - Automation Service (Instrument)	17-Jan-25 01:06 AM	25D021331	MONTHLY - PM FOR BATTERY FOR 40SUPS-C INSTRUMENT PP11 (A)	NPPSA_PP1
MS0109 - Automation Service (Instrument)	17-Jan-25 01:06 AM	25D021332	MONTHLY - PM FOR BATTERY FOR 25SUPS-A DCS TURBINE PP11 (A)	NPPSA_PP1
MS0109 - Automation Service (Instrument)	17-Jan-25 01:06 AM	25D021333	MONTHLY - PM FOR BATTERY FOR 25SUPS-B DCS TURBINE PP11 (A)	NPPSA_PP1
MS0109 - Automation Service (Instrument)	17-Jan-25 01:06 AM	25D021334	MONTHLY - PM FOR BATTERY FOR 45SUPS-A DCS EVAP PP11 (A)	NPPSA_PP1
MS0109 - Automation Service (Instrument)	17-Jan-25 01:06 AM	25D021335	MONTHLY - PM FOR BATTERY FOR 45SUPS-B DCS EVAP PP11 (A)	NPPSA_PP1
MS0109 - Automation Service (Instrument)	17-Jan-25 01:07 AM	25D021336	MONTHLY - PM FOR BATTERY FOR 40SUPS-C101 DCS CONTROL ROOM PP11 (A)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	17-Jan-25 01:07 AM	25D021337	MONTHLY - PM FOR START-UP BURNER #1 (E)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	17-Jan-25 01:07 AM	25D021338	MONTHLY - PM FOR START-UP BURNER #2 (E)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	17-Jan-25 01:07 AM	25D021339	MONTHLY - PM FOR START-UP BURNER #3 (E)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	17-Jan-25 01:07 AM	25D021340	MONTHLY - PM FOR START-UP BURNER #4 (E)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	17-Jan-25 01:07 AM	25D021341	WEEKLY - PM FOR GENERATOR (E)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	17-Jan-25 01:08 AM	25D021342	WEEKLY - PM FOR LUP OIL PUMP FEED WATER PUMP 3 (E)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	17-Jan-25 01:08 AM	25D021343	WEEKLY - PM FOR INDUCED DRAFT FAN, CELL NO.1 (E)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	17-Jan-25 01:08 AM	25D021344	WEEKLY - PM FOR INDUCED DRAFT FAN, CELL NO.2 (E)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	17-Jan-25 01:08 AM	25D021345	2 MONTHS - PM FOR VAPOR EXTRACTOR, SEPARATOR OF OIL MIST, 3SE.1.11 (E)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	17-Jan-25 01:08 AM	25D021346	MONTHLY - PM FOR BATTERY CHARGER 110 VDC for 22kV SYSTEM (E)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	17-Jan-25 01:09 AM	25D021347	MONTHLY - INSPECTION AGITATOR	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	17-Jan-25 01:09 AM	25D021348	A03A01 AGITATOR-3EL MIX TANK SEE LONG DESCRIPTION	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	17-Jan-25 01:09 AM	25D021349	A03A04 AGITATOR-AMINE TANK SEE LONG DESCRIPTION	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	17-Jan-25 01:09 AM	25D021350	A03A05 AGITATOR-OXYGEN SCAVENGER TNK	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	17-Jan-25 01:09 AM	25D021351	A03A06 AGITATOR-PHOSPATE TANK	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	17-Jan-25 01:09 AM	25D021352	2 WEEKS - PM VISUAL CHECK AND BASIC PDM FOR AGITATOR-DISSOLVING TANK SEE LONG DESCRIPTION (PO)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	17-Jan-25 01:10 AM	25D021353	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR ESP TRANSFER CONVEYOR # 1 (PO)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	17-Jan-25 01:10 AM	25D021354	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR ESP TRANSFER CONVEYOR #2 (PO)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	17-Jan-25 01:11 AM	25D021355	MONTHLY - PM ROUTE CHECK MOTOR DAMPER ESP (PO)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	17-Jan-25 01:13 AM	25D021356	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR PRIMARY FD FAN (PO)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	17-Jan-25 01:13 AM	25D021357	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR SECONDARY FD FAN (PO)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	17-Jan-25 01:13 AM	25D021358	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR TERTIARY FD FAN (PO)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	17-Jan-25 01:14 AM	25D021359	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR ID FAN # 1 (PO)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	17-Jan-25 01:14 AM	25D021360	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR ID FAN #2 (PO)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	17-Jan-25 01:15 AM	25D021361	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR ID FAN #3 (PO)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	17-Jan-25 01:16 AM	25D021362	MONTHLY - PM FOR FIRE FIGHTING MILL 2024 (E)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	17-Jan-25 01:16 AM	25D021363	MONTHLY - PM FOR CO2 FIRE ALARM & FIRE FIGHTING OF TURBINE (E)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	17-Jan-25 01:16 AM	25D021364	MONTHLY - PM FOR FIRE FIGHTING EVAPORATION (E)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	17-Jan-25 01:16 AM	25D021365	MONTHLY - PM ROUTE REFILL LUBRICANT CHAIN CONVEYOR (GROUP 1) (PO)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	17-Jan-25 01:16 AM	25D021366	MONTHLY - PM ROUTE REFILL LUBRICANT CHAIN CONVEYOR (GROUP 2) (PO)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	17-Jan-25 01:17 AM	25D021367	MONTHLY - PM ROUTE REFILL OIL FAN COOLING TOWER (PO)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	17-Jan-25 01:18 AM	25D021375	MONTHLY CLEANING AIR SUPPLY FILTER 452J684	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	17-Jan-25 01:18 AM	25D021376	MONTHLY CLEANING AIR SUPPLY FILTER 45TJ889	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	17-Jan-25 01:18 AM	25D021377	MONTHLY CLEANING AIR SUPPLY FILTER 451J887	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	17-Jan-25 01:18 AM	25D021378	MONTHLY CLEANING AIR SUPPLY FILTER 451J885	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	17-Jan-25 01:19 AM	25D021379	MONTHLY CLEANING AIR SUPPLY FILTER 464J020	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	17-Jan-25 01:19 AM	25D021380	MONTHLY CLEANING AIR SUPPLY FILTER 463J022	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	17-Jan-25 01:19 AM	25D021381	MONTHLY CLEANING AIR SUPPLY FILTER 401J023	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	17-Jan-25 01:19 AM	25D021382	MONTHLY CLEANING AIR SUPPLY FILTER 401J023	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	17-Jan-25 01:19 AM	25D021383	MONTHLY CLEANING AIR SUPPLY FILTER 401J0254	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	17-Jan-25 01:19 AM	25D021384	MONTHLY CLEANING AIR SUPPLY FILTER 401J0258	NPPSA_PP1
MS0109 - Automation Service (Instrument)	17-Jan-25 01:19 AM	25D021385	2 weeks check 465 Stack flue gas analyser	NPPSA_PP1
MS0109 - Automation Service (Instrument)	17-Jan-25 01:20 AM	25D021386	calibrate 3rd stack flue gas analyzer (8004008)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	17-Jan-25 01:21 AM	25D021387	PM FOR FEEDWTR BLOCK VALVE 463HV158	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	17-Jan-25 01:21 AM	25D021388	PM FOR HARD DRAIN DOWNCOMER 463HV1318	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	17-Jan-25 01:21 AM	25D021389	PM FOR HARD DRAIN DOWNCOMER 461HV1509	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	17-Jan-25 01:21 AM	25D021390	PM FOR STARTUP BLOCK VLV 463HV15A	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	17-Jan-25 01:21 AM	25D021391	PM FOR MAIN STEAM VALVE 463HV13A	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	17-Jan-25 01:21 AM	25D021392	PM FOR DISC CONT BLOWDOWN 463HV158	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	17-Jan-25 01:22 AM	25D021393	PM FOR STEAM ATM BYPASS 463HV171	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	17-Jan-25 01:22 AM	25D021394	MONTHLY - PM FOR RECOVERY TRANSFORMER TH41 (E)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	17-Jan-25 01:22 AM	25D021395	MONTHLY - PM FOR EVAPORATION TRANSFORMER TH41 (E)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	17-Jan-25 01:22 AM	25D021396	MONTHLY - PM FOR TURBINE GEN. Transformer TT11 (E)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	17-Jan-25 01:23 AM	25D021397	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR HW PUMP #3 (PO)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	17-Jan-25 01:23 AM	25D021398	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR FIRING LIQUOR PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	17-Jan-25 01:24 AM	25D021400	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR FIRING LIQUOR PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	17-Jan-25 01:24 AM	25D021401	WEEKLY - PM ROUTE CHECK SWITCHGEAR (PO)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	17-Jan-25 01:24 AM	25D021402	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR STEAM TURBINE 3D50WH (PO)	NPPSA_PP1
MS0104 - Automation Service (Control)	17-Jan-25 01:25 AM	25D021403	2 WEEKS - PM FOR PLC TURBINE & GENERATOR GOVERNOR CONTROL (A)	NPPSA_PP1
MS0104 - Automation Service (Control)	17-Jan-25 01:26 AM	25D021404	2 WEEKS - PM FOR HMI TURBINE & GENERATOR GOVERNOR CONTROL (A)	NPPSA_PP1
MS0104 - Automation Service (Control)	17-Jan-25 01:26 AM	25D021405	2 WEEKS - PM FOR HMI RODDING MASTER I-465CP60 I (A)	NPPSA_PP1
MS0104 - Automation Service (Control)	17-Jan-25 01:26 AM	25D021406	2 WEEKS - PM FOR HMI RODDING MASTER I-465CP61 I (A)	NPPSA_PP1
MS0104 - Automation Service (Control)	17-Jan-25 01:26 AM	25D021407	2 WEEKS - PM FOR HMI BMS (A)	NPPSA_PP1
MS0104 - Automation Service (Control)	17-Jan-25 01:26 AM	25D021408	2 WEEKS - PM FOR HMI ABSORPTION CHILLER #1 (A)	NPPSA_PP1
MS0104 - Automation Service (Control)	17-Jan-25 01:26 AM	25D021409	2 WEEKS - PM FOR HMI ABSORPTION CHILLER #2 (A)	NPPSA_PP1
MS0104 - Automation Service (Control)	17-Jan-25 01:27 AM	25D021410	2 WEEKS - PM FOR HMI ABSORPTION CHILLER #3 (A)	NPPSA_PP1
MS0104 - Automation Service (Control)	17-Jan-25 01:27 AM	25D021411	2 WEEKS - PM FOR PLC RODDING MASTER I-465CP60 1 (A)	NPPSA_PP1
MS0104 - Automation Service (Control)	17-Jan-25 01:27 AM	25D021412	2 WEEKS - PM FOR PLC RODDING MASTER I-465CP61 1 (A)	NPPSA_PP1
MS0104 - Automation Service (Control)	17-Jan-25 01:27 AM	25D021413	2 WEEKS - PM FOR PLC BMS (A)	NPPSA_PP1
MS0104 - Automation Service (Control)	17-Jan-25 01:27 AM	25D021414	2 WEEKS - PM FOR PLC ABSORPTION CHILLER #1 (A)	NPPSA_PP1
MS0104 - Automation Service (Control)	17-Jan-25 01:27 AM	25D021415	2 WEEKS - PM FOR PLC ABSORPTION CHILLER #2 (A)	NPPSA_PP1
MS0104 - Automation Service (Control)	17-Jan-25 01:27 AM	25D021416	2 WEEKS - PM FOR PLC ABSORPTION CHILLER #3 (A)	NPPSA_PP1
MS0090 - Electrical Service (Power) PP1	17-Jan-25 01:28 AM	25D021420	2 Weeks - PM Inspection Absorption Chiller PP11	NPPSA_PP1
MS0089 - Electrical Service (Control)	18-Jan-25 02:00 AM	25D022628	Monthly - Inspect Thermoscan PP11	NPPSA_PP1
MS0089 - Electrical Service (Control)	18-Jan-25 02:00 AM	25D022852	Monthly - Inspect Partial Discharge PP11	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	24-Jan-25 01:00 AM	25D031628	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR COOLING WATER PUMP NO.1 (PO)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	24-Jan-25 01:00 AM	25D031630	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR COOLING WATER PUMP NO.2 (PO)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	24-Jan-25 01:01 AM	25D031631	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR COOLING WATER PUMP NO.3 (PO)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	24-Jan-25 01:01 AM	25D031632	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR CONTROL OIL PUMP #1 (PO)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	24-Jan-25 01:01 AM	25D031633	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR CONTROL OIL PUMP # 2 (PO)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	24-Jan-25 01:02 AM	25D031634	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR LUBE OIL PUMP #1 (PO)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	24-Jan-25 01:02 AM	25D031635	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR LUBE OIL PUMP # 2 (PO)	NPPSA_PP1
WS1112 - Mechanical PPS,6,10,11	24-Jan-25 01:03 AM	25D031637	WEEKLY - INSPECTION CAMERA	NPPSA_PP1
WS1112 - Mechanical PPS,6,10,11	24-Jan-25 01:03 AM	25D031638	4500260 Recovery Boiler Bed Camera Right Side	NPPSA_PP1
WS1112 - Mechanical PPS,6,10,11	24-Jan-25 01:03 AM	25D031639	4500270 Recovery Boiler Bed Camera Left Side	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	24-Jan-25 01:03 AM	25D031680	WEEKLY - PM FOR GENERATOR (E)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	24-Jan-25 01:04 AM	25D031681	WEEKLY - PM FOR LUP OIL PUMP FEED WATER PUMP 3 (E)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	24-Jan-25 01:04 AM	25D031682	WEEKLY - PM FOR INDUCED DRAFT FAN, CELL NO.1 (E)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	24-Jan-25 01:04 AM	25D031641	WEEKLY - PM FOR INDUCED DRAFT FAN, CELL NO.2 (E)	NPPSA_PP1
WS1112 - Mechanical PPS,6,10,11	24-Jan-25 01:04 AM	25D037644	MONTHLY - PM FOR 115 KV SUBSTATION AAP2 (E)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	24-Jan-25 01:05 AM	25D031645	2 WEEKS - PM VISUAL CHECK AND BASIC PDM FOR AGITATOR-DISSOLVING TANK SEE LONG DESCRIPTION (PO)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	24-Jan-25 01:05 AM	25D031646	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR ESP TRANSFER CONVEYOR # 1 (PO)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	24-Jan-25 01:06 AM	25D031647	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR ESP TRANSFER CONVEYOR #2 (PO)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	24-Jan-25 01:06 AM	25D031648	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR PRIMARY FD FAN (PO)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	24-Jan-25 01:07 AM	25D031650	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR SECONDARY FD FAN (PO)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	24-Jan-25 01:07 AM	25D031651	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR TERTIARY FD FAN (PO)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	24-Jan-25 01:08 AM	25D031652	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR ID FAN # 1 (PO)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	24-Jan-25 01:09 AM	25D031653	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR ID FAN # 2 (PO)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	24-Jan-25 01:09 AM	25D031655	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR ID FAN #3 (PO)	NPPSA_PP1
MS0105 - Automation Service (Instrument)	24-Jan-25 01:10 AM	25D031656	monthly inspection Evaporator DCS Controller (A)	NPPSA_PP1
MS0109 - Automation Service (Instrument)	24-Jan-25 01:11 AM	25D031657	monthly inspection WH Water DCS Controller (A)	NPPSA_PP1
MS0109 - Automation Service (Instrument)	24-Jan-25 01:12 AM	25D031658	monthly inspection Soot Blower DCS Controller (A)	NPPSA_PP1
MS0109 - Automation Service (Instrument)	24-Jan-25 01:13 AM	25D031659	monthly inspection RecoveryBoiler DCS Controller (A)	NPPSA_PP1
MS0100 - Automation Service (Instrument)	24-Jan-25 01:13 AM	25D031660	monthly inspection for R/B DCS Power Distrib. (A)	NPPSA_PP1
MS0105 - Automation Service (Instrument)	24-Jan-25 01:13 AM	25D031661	monthly inspection for Evapor DCS Power Distrib. (A)	NPPSA_PP1
MS0100 - Automation Service (Instrument)	24-Jan-25 01:13 AM	25D031662	monthly inspection for WH/Util DCS Power Distrib. (A)	NPPSA_PP1
MS0105 - Automation Service (Instrument)	24-Jan-25 01:13 AM	25D031663	calibrate 465 Stack flue gas analyzer (8004008)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	24-Jan-25 01:14 AM	25D031664	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR HW PUMP #3 (PO)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	24-Jan-25 01:15 AM	25D031665	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR FIRING LIQUOR PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	24-Jan-25 01:15 AM	25D031666	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR FIRING LIQUOR PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	24-Jan-25 01:16 AM	25D031667	WEEKLY - PM ROUTE CHECK SWITCHGEAR (PO)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	24-Jan-25 01:16 AM	25D031668	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR STEAM TURBINE 3D50WH (PO)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	24-Jan-25 01:17 AM	25D031670	MONTHLY - PM FOR SOOTBLOWER 1, LIFT (E)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	24-Jan-25 01:17 AM	25D031671	MONTHLY - PM FOR SOOTBLOWER 2, LIFT (E)	NPPSA_PP1
WS1117 - Mechanical PPS,6,10,11	24-Jan-25 01:17 AM	25D031672	2 WEEKS - PM FOR 115 KV SUBSTATION AAP2 (E)	NPPSA_PP1
MS0100 - Automation Service (Instrument)	31-Jan-25 01:00 AM	25D040896	MONTHLY - PM FOR MILLWIDE DCS CONTROLLER (A)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	31-Jan-25 01:00 AM	25D040897	MONTHLY - PM FOR START-UP BURNER #5 (E)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	31-Jan-25 01:00 AM	25D040898	MONTHLY - PM FOR START-UP BURNER #6 (E)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	31-Jan-25 01:01 AM	25D040899	MONTHLY - PM FOR ELECTROSTATIC PRECIPITATOR (E)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	31-Jan-25 01:01 AM	25D040900	MONTHLY - PM FOR ELECTROSTATIC PRECIPITATOR # 2 (E)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	31-Jan-25 01:01 AM	25D040901	MONTHLY - PM FOR ESP 40 (E)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	31-Jan-25 01:02 AM	25D040902	WEEKLY - PM FOR GENERATOR (E)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	31-Jan-25 01:02 AM	25D040903	WEEKLY - PM FOR LUP OIL PUMP FEED WATER PUMP 3 (E)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	31-Jan-25 01:03 AM	25D040904	WEEKLY - PM FOR INDUCED DRAFT FAN, CELL NO.1 (E)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	31-Jan-25 01:03 AM	25D040905	WEEKLY - PM FOR INDUCED DRAFT FAN, CELL NO.2 (E)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	31-Jan-25 01:03 AM	25D040906	MONTHLY - PM FOR INDUCED DRAFT FAN, CELL NO.2 (E)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	31-Jan-25 01:03 AM	25D040907	MONTHLY - PM FOR RECOVERY TRANSFORMER TE1(2)(E)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	31-Jan-25 01:03 AM	25D040908	MONTHLY - PM FOR TRANSFORMER TL41(2)(E)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	31-Jan-25 01:03 AM	25D040909	MONTHLY - PM FOR TRANSFORMER TH41(E)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	31-Jan-25 01:04 AM	25D040910	MONTHLY - PM FOR RECTIFIER #A, PRECIPITATOR # 1 (E)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	31-Jan-25 01:04 AM	25D040911	MONTHLY - PM FOR RECTIFIER #B, PRECIPITATOR # 1 (E)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	31-Jan-25 01:04 AM	25D040912	MONTHLY - PM FOR RECTIFIER #C, PRECIPITATOR # 1 (E)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	31-Jan-25 01:04 AM	25D040913	MONTHLY - PM FOR RECTIFIER #A, PRECIPITATOR # 2 (E)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	31-Jan-25 01:04 AM	25D040914	MONTHLY - PM FOR RECTIFIER #B, PRECIPITATOR # 2 (E)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	31-Jan-25 01:05 AM	25D040915	MONTHLY - PM FOR RECTIFIER #C, PRECIPITATOR # 2 (E)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	31-Jan-25 01:05 AM	25D040916	MONTHLY - PM FOR RECTIFIER #A, PRECIPITATOR # 3 (E)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	31-Jan-25 01:05 AM	25D040917	MONTHLY - PM FOR RECTIFIER #B, PRECIPITATOR #3 (E)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	31-Jan-25 01:05 AM	25D040918	MONTHLY - PM FOR RECTIFIER #C, PRECIPITATOR #3 (E)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	31-Jan-25 01:05 AM	25D040919	MONTHLY - PM FOR MILL WIDE TRANSFORMER TH(2)1(E)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	31-Jan-25 01:06 AM	25D040920	MONTHLY - PM FOR MILL WIDE TRANSFORMER TH(2)2(E)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	31-Jan-25 01:06 AM	25D040921	MONTHLY - PM FOR MILL WIDE TRANSFORMER TH(2)3(E)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	31-Jan-25 01:06 AM	25D040922	MONTHLY - PM FOR MILL WIDE TRANSFORMER TH(2)4(E)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	31-Jan-25 01:06 AM	25D040924	MONTHLY - PM FOR ELECTRONIC POWER BACK UP FRONG GOAT (E)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	31-Jan-25 01:07 AM	25D040925	MONTHLY - PM FOR AAP2, TURBO GENERATOR TRANSFORMER TT11 (E)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	31-Jan-25 01:07 AM	25D040926	MONTHLY - PM FOR GROUNDING TRANSFORMER (E)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	31-Jan-25 01:07 AM	25D040927	MONTHLY - PM FOR BATTERY FOR 200VUL1 CHARGER 110 VDC MILL WIDE BANK#1 (E)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	31-Jan-25 01:07 AM	25D040928	MONTHLY - PM FOR BATTERY FOR 200VUL1 CHARGER 110 VDC MILL WIDE BANK#2 (E)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	31-Jan-25 01:07 AM	25D040929	MONTHLY - PM FOR BATTERY 110 VDC FOR Communication 115 kV (E)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	31-Jan-25 01:07 AM	25D040930	MONTHLY - PM FOR BATTERY FOR 20KVUL1 CHARGER AR/DC FOR 115KV MPP11 (E)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	31-Jan-25 01:07 AM	25D040931	MONTHLY - PM FOR BATTERY FOR WHIRLPOOL MILL RECOVERY BOILER, UPS (E)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	31-Jan-25 01:08 AM	25D040932	MONTHLY - PM FOR BATTERY FOR 20KVUL1 CHARGER 110 VDC FOR 11KV SYSTEM (E)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	31-Jan-25 01:08 AM	25D040933	MONTHLY - PM FOR BATTERY FOR 25SUPS01 MCC MILL WIDE, UPS (E)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	31-Jan-25 01:09 AM	25D040934	MONTHLY - PM FOR CHARGER 110 VDC FOR Communication 115 kV (E)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	31-Jan-25 01:09 AM	25D040935	MONTHLY - PM FOR CHARGER AR/DC FOR 115KV MPP11 (E)	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	31-Jan-25 01:09 AM	25D040937	MONTHLY - INSPECTION PUMP	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	31-Jan-25 01:09 AM	25D040938	2B3F001 DEMIN WATER BOOSTER PUMP #1	NPPSA_PP1
WL1320 - PPS,6,20,11 OPERATION	31-Jan-25 01:09 AM	25D040939	2B3F002 DEMIN WATER BOOSTER PUMP #2	NPPSA_PP1

WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:09 AM	251040940	2820808 DEMIN WATER TRANSFER PUMP # 1	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:09 AM	251040941	2820810 DEMIN WATER TRANSFER PUMP #2	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:10 AM	251040942	2820811 EFFLUENT MIXING PUMP	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:10 AM	251040943	2 WEEKS - PM VISUAL CHECK AND BASIC PDM FOR AGITATOR-DISSOLVING TANK SEE LONG DESCRIPTION (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:11 AM	251040944	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR ESP TRANSFER CONVEYOR # 1 (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:11 AM	251040945	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR ESP TRANSFER CONVEYOR #2 (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:11 AM	251040946	4 MONTHS - PM ROUTE INSPECTION AND CLEAN GROUP 1 FOR AREA 182 (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:11 AM	251040947	4 MONTHS - PM ROUTE INSPECTION AND CLEAN GROUP 4 FOR AREA 482 (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:12 AM	251040948	4 MONTHS - PM ROUTE INSPECTION AND CLEAN GROUP 5 FOR AREA 482 (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:12 AM	251040949	4 MONTHS - PM ROUTE INSPECTION AND CLEAN GROUP 10 FOR AREA 481 (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:12 AM	251040950	4 MONTHS - PM ROUTE INSPECTION AND CLEAN GROUP 11 FOR AREA 481 (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:13 AM	251040951	4 MONTHS - PM ROUTE INSPECTION AND CLEAN GROUP 12 FOR AREA 482 (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:13 AM	251040952	4 MONTHS - PM ROUTE INSPECTION AND CLEAN GROUP 13 FOR AREA 483 (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:13 AM	251040953	4 MONTHS - PM ROUTE INSPECTION AND CLEAN GROUP 14 FOR AREA 483 (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:13 AM	251040954	MONTHLY - ROUTE PM FOR INSPECTION FABRIC EXPANSION JOINT (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:14 AM	251040955	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR PRIMARY ID FAN (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:14 AM	251040956	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR SECONDARY ID FAN (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:15 AM	251040957	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR TERTIARY ID FAN (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:15 AM	251040958	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR ID FAN # 1 (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:17 AM	251040959	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR ID FAN # 2 (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:18 AM	251040960	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR ID FAN #3 (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:19 AM	251040961	MONTHLY - PM ROUTE REFILL LUBRICANT BEARING FAN FOR BHAM GROUP 2 (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:19 AM	251040962	MONTHLY - PM ROUTE REFILL LUBRICANT BEARING FAN FOR BHAM GROUP 3 (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:19 AM	251040963	MONTHLY - PM REFILL LUBRICANT FOR AGITATOR STRONG LIQUOR STORAGE TANK (PO)	NPPSA_PP1
MS0105 - Automation Service (Instrument)	31-Jan-25 01:19 AM	251040965	3 weekly check 493 stack flue gas analyzer	NPPSA_PP1
MS0105 - Automation Service (Instrument)	31-Jan-25 01:20 AM	251040966	calibrate 463 stack flue gas analyzer (Extractive)	NPPSA_PP1
MS0103 - Automation Service (Instrument)	31-Jan-25 01:21 AM	251040967	1Month DIOXINETIC CALIBRATE 463A275 OUTLET(463)A060	NPPSA_PP1
MS0103 - Automation Service (Instrument)	31-Jan-25 01:21 AM	251040968	6Month DIOXINETIC CALIBRATE 463A026 FOR 463A060	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:21 AM	251040969	PM FOR 5400WTR BY-PASS VLV 463HV173	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:21 AM	251040970	PM FOR 5000TW WR STEAM HDR 463HV181	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:21 AM	251040971	MONTHLY - PM FOR AL21 SGS 6.6KV FEED WATER PUMP P003 (S)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:22 AM	251040972	MONTHLY - PM FOR AL21 SWG 6.6KV FEED WATER PUMP P004 (E)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:22 AM	251040973	MONTHLY - PM FOR BOAT OUT DOSING TRANSFORMER TC5 (S)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:22 AM	251040974	MONTHLY - PM FOR VSD OF FIRING LIQUOR PUMP #1 (E)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:23 AM	251040975	MONTHLY - PM FOR VSD OF FIRING LIQUOR PUMP #2 (E)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:23 AM	251040976	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR FW PUMP #3 (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:23 AM	251040977	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR COOLING WATER PUMP NO 1 (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:24 AM	251040978	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR COOLING WATER PUMP NO 2 (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:24 AM	251040979	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR ACID DOSING PUMP #1 (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:25 AM	251040980	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR ACID DOSING PUMP #2 (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:25 AM	251040981	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR EMERGENCY DIL PUMP (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:26 AM	251040982	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR ISLAND COND DRAIN PUMP (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:26 AM	251040983	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR CIRCULATION 1 A PUMP (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:26 AM	251040984	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR CIRCULATION 1 B PUMP (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:27 AM	251040985	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR CIRCULATION 1 C PUMP (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:27 AM	251040986	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR CIRCULATION 1 D PUMP (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:28 AM	251040987	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR CIRCULATION 3 A PUMP (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:28 AM	251040988	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR CIRCULATION 3 B PUMP (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:28 AM	251040989	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR CIRCULATION 3 C PUMP (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:29 AM	251040990	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR CIRCULATION 3 D PUMP (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:29 AM	251040991	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR CIRCULATION 3 PUMP (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:29 AM	251040992	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR EFFECT II/I (EL) TRANSF PUMP (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:30 AM	251040993	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR EFFECT III CIRCULATE PUMP (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:30 AM	251040994	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR EFFECT III-II (EL) TRANSF PUMP (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:31 AM	251040995	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR EFFECT IV CIRCULATE PUMP (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:31 AM	251040996	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR EFFECT V CIRCULATE PUMP (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:32 AM	251040997	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR PRIMARY CONDENSATE PUMP (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:32 AM	251040998	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR FOUL CONDENSATE PUMP (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:33 AM	251040999	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SEC. CONDENSATE II PUMP (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:33 AM	251041000	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR FOUL COND. SEC. PIT DWG (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:34 AM	251041001	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR VACUUM PUMP (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:34 AM	251041002	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR VACUUM PUMP (STANDBY) (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:35 AM	251041003	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR REFLUX CONDENSATE (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:35 AM	251041004	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR WASH LIQUOR PUMP (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:35 AM	251041005	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR COMBINED CONDENSATE (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:36 AM	251041006	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR FEED LIQUOR PUMP (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:36 AM	251041007	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR FEED LIQ FLASH TNK PUMP#1 (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:37 AM	251041008	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR FEED LIQ FLASH TNK PUMP#2 (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:37 AM	251041009	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR DESUPERHEATER PUMP (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:38 AM	251041010	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR STRONG LIQUOR PUMP (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:38 AM	251041011	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR STRONG LIQUOR PUMP (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:38 AM	251041012	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR NEUTRALIZATION PUMP (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:39 AM	251041013	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SECONDARY CONDENSATE PUMP 1 (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:39 AM	251041014	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SUMP PUMP (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:39 AM	251041015	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR STRONG LIQUOR PUMP (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:40 AM	251041016	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR FIRING LIQUOR PUMP (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:40 AM	251041017	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR FIRING LIQUOR PUMP (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:40 AM	251041018	4 MONTHS - PM FOR NDT TEST RECORD FOR LRS TRANSFER BL (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:41 AM	251041019	WEEKLY - PM ROUTE CHECK SWITCHGEAR (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:41 AM	251041020	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR STEAM TURBINE, AUXILIARY (PO)	NPPSA_PP1
MS0104 - Automation Service (Control)	31-Jan-25 01:42 AM	251041021	2 WEEKS - PM FOR PLC TURBINE & GENERATOR GOVERNOR CONTROL (A)	NPPSA_PP1
MS0104 - Automation Service (Control)	31-Jan-25 01:42 AM	251041022	2 WEEKS - PM FOR HMI TURBINE & GENERATOR GOVERNOR CONTROL (A)	NPPSA_PP1
MS0104 - Automation Service (Control)	31-Jan-25 01:42 AM	251041023	2 WEEKS - PM FOR HMI RODDING MASTER (-463CP60) (A)	NPPSA_PP1
MS0104 - Automation Service (Control)	31-Jan-25 01:43 AM	251041024	2 WEEKS - PM FOR HMI RODDING MASTER (-463CP61) (A)	NPPSA_PP1
MS0104 - Automation Service (Control)	31-Jan-25 01:43 AM	251041025	2 WEEKS - PM FOR HMI BMS (A)	NPPSA_PP1
MS0104 - Automation Service (Control)	31-Jan-25 01:43 AM	251041026	2 WEEKS - PM FOR HMI ABSORPTION CHILLER #1 (A)	NPPSA_PP1
MS0104 - Automation Service (Control)	31-Jan-25 01:43 AM	251041027	2 WEEKS - PM FOR HMI ABSORPTION CHILLER #2 (A)	NPPSA_PP1

MS0104 - Automation Service (Control)	31-Jan-25 01:43 AM	251041028	2 WEEKS - PM FOR HMI ABSORPTION CHILLER #3 (A)	NPPSA_PP1
MS0104 - Automation Service (Control)	31-Jan-25 01:43 AM	251041029	2 WEEKS - PM FOR PLC RODDING MASTER (-463CP60) (A)	NPPSA_PP1
MS0104 - Automation Service (Control)	31-Jan-25 01:43 AM	251041030	2 WEEKS - PM FOR PLC RODDING MASTER (-463CP61) (A)	NPPSA_PP1
MS0104 - Automation Service (Control)	31-Jan-25 01:43 AM	251041031	2 WEEKS - PM FOR PLC BMS (A)	NPPSA_PP1
MS0104 - Automation Service (Control)	31-Jan-25 01:44 AM	251041032	2 WEEKS - PM FOR PLC ABSORPTION CHILLER #1 (A)	NPPSA_PP1
MS0104 - Automation Service (Control)	31-Jan-25 01:44 AM	251041033	2 WEEKS - PM FOR PLC ABSORPTION CHILLER #2 (A)	NPPSA_PP1
MS0104 - Automation Service (Control)	31-Jan-25 01:44 AM	251041034	2 WEEKS - PM FOR PLC ABSORPTION CHILLER #3 (A)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:44 AM	251041035	MONTHLY - PM FOR BMS (E)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:44 AM	251041036	MONTHLY - PM FOR BOX MAIN SUPPLY BURNER (E)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:44 AM	251041037	MONTHLY - PM FOR AH411 MCC 400V RECOVERY BOILER #2 (E)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:44 AM	251041038	MONTHLY - PM FOR AH412 MCC 400V RECOVERY BOILER #2 (E)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:44 AM	251041039	MONTHLY - PM FOR AL412 MCC 400V ESP (E)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:45 AM	251041040	MONTHLY - PM FOR AH401 MCC 690V EVAPORATOR PLANT 1 (E)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:45 AM	251041041	MONTHLY - PM FOR AH421 MCC 690V MILL WIDE #1 (E)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:45 AM	251041042	MONTHLY - PM FOR AH413 MCC 690V MILL WIDE #2 (E)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:45 AM	251041043	MONTHLY - PM FOR AL201 EMERGENCY POWER SUPPLY 400 VAC (E)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	31-Jan-25 01:45 AM	251041044	MONTHLY - PM FOR AL200 NORMAL POWER SUPPLY 400 VAC (E)	NPPSA_PP1
MS0024 - Predictive Maintenance	14-Feb-25 01:01 AM	252061410	Monthly vibration check for Plan 282	NPPSA_PP1
MS0024 - Predictive Maintenance	14-Feb-25 01:10 AM	252061411	Monthly vibration check for Plan 282	NPPSA_PP1
MS0024 - Predictive Maintenance	14-Feb-25 01:16 AM	252061412	Monthly vibration check for Plan 293	NPPSA_PP1
MS0024 - Predictive Maintenance	14-Feb-25 01:10 AM	252061413	Monthly vibration check for Plan 857	NPPSA_PP1
MS0024 - Predictive Maintenance	14-Feb-25 01:16 AM	252061414	Monthly vibration check for Plan 483	NPPSA_PP1
MS0024 - Predictive Maintenance	14-Feb-25 01:17 AM	252061415	Monthly oil Sampling for area 282	NPPSA_PP1
MS0024 - Predictive Maintenance	14-Feb-25 01:17 AM	252061416	Monthly oil Sampling for area 283	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	07-Mar-25 01:00 AM	253094095	MONTHLY - INSPECTION PH TR	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	07-Mar-25 01:00 AM	253094096	2820?100 PH INDICATION FEED OF WATER	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	07-Mar-25 01:00 AM	253094097	2820?102 PH INDICATION OF DEMIN WATER	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	07-Mar-25 01:00 AM	253094098	2820?101 PH INDICATION OF EFFLUENT TANK	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	07-Mar-25 01:00 AM	253094099	2820?125 PH INDICATION AFTER CATION EXCHANGE	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	07-Mar-25 01:00 AM	253094100	2820?127 PH INDICATION AFTER ANION EXCHANGER	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	07-Mar-25 01:00 AM	253094101	2820?125 PH INDICATION AFTER CATION EXCHANGER	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	07-Mar-25 01:00 AM	253094102	2820?127 PH INDICATION AFTER ANION EXCHANGER	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	07-Mar-25 01:01 AM	253094103	MONTHLY - INSPECTION PH TR	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	07-Mar-25 01:01 AM	253094105	4820?08T NA2304	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	07-Mar-25 01:01 AM	253094106	MONTHLY - INSPECTION PH	NPPSA_PP1
WL5112 - Mechanical PPS,8,10,11	07-Mar-25 01:01 AM	253094107	WEEKLY - INSPECTION CAMERA	NPPSA_PP1
WL5112 - Mechanical PPS,8,10,11	07-Mar-25 01:01 AM	253094108	4820?107 Recovery Boiler Bed Camera Right Side	NPPSA_PP1
WL5112 - Mechanical PPS,8,10,11	07-Mar-25 01:01 AM	253094109	4820?170 Recovery Boiler Bed Camera Left Side	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	07-Mar-25 01:01 AM	253094110	MONTHLY - PM FOR BL SPRAYER INLET (A)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	07-Mar-25 01:02 AM	253094111	MONTHLY - PM FOR BL SPRAYER INLET (A)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	07-Mar-25 01:02 AM	253094112	MONTHLY - PM FOR BL SPRAYER OUTLET (A)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	07-Mar-25 01:02 AM	253094114	MONTHLY - PM FOR BL SPRAYER OUTLET (A)	NPPSA_PP1
WL5112 - Mechanical PPS,8,10,11	07-Mar-25 01:03 AM	253094115	3 MONTHS - PM FOR CUSTOM CONDENS. (A)	NPPSA_PP1
WL5112 - Mechanical PPS,8,10,11	07-Mar-25 01:03 AM	253094116	3 MONTHS - PM FOR PRIM. CONDENS. (A)	NPPSA_PP1
WL5112 - Mechanical PPS,8,10,11	07-Mar-25 01:03 AM	253094117	3 MONTHS - PM FOR SECOND CONDENS (A)	NPPSA_PP1
WL5112 - Mechanical PPS,8,10,11	07-Mar-25 01:03 AM	253094118	3 MONTHS - PM FOR FOUL. CONDENS. (A)	NPPSA_PP1
WL5112 - Mechanical PPS,8,10,11	07-Mar-25 01:04 AM	253094120	3 MONTHS - PM FOR SECOND. CONDENS. (A)	NPPSA_PP1
WL5112 - Mechanical PPS,8,10,11	07-Mar-25 01:04 AM	253094121	3 MONTHS - PM FOR BOILER WATER CONDUCTIVITY (A)	NPPSA_PP1
WL5112 - Mechanical PPS,8,10,11	07-Mar-25 01:04 AM	253094122	3 MONTHS - PM FOR COOLING WATER TO SPOUT BL LOW (A)	NPPSA_PP1
WL5112 - Mechanical PPS,8,10,11	07-Mar-25 01:05 AM	253094125	3 MONTHS - PM FOR COOLING WATER TO CONDENSATE CONDUCT (A)	NPPSA_PP1
WL5112 - Mechanical PPS,8,10,11	07-Mar-25 01:05 AM	253094127	3 MONTHS - PM FOR CONDENSATE CONDUCT (A)	NPPSA_PP1
WL5112 - Mechanical PPS,8,10,11	07-Mar-25 01:05 AM	253094128	3 MONTHS - PM FOR CONDENSATE FROM PAPER MACHINE (A)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	07-Mar-25 01:06 AM	253094132	2 MONTHS - PM FOR SCAN MIG/GENERATOR AIR FAN # 2 (E)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	07-Mar-25 01:06 AM	253094134	2 MONTHS - PM FOR SCRUBBER FAN (E)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	07-Mar-25 01:07 AM	253094135	MONTHLY - PM FOR AIR COMPRESSOR NO.1 (E)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	07-Mar-25 01:07 AM	253094138	MONTHLY - PM FOR AIR COMPRESSOR NO.2 (E)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	07-Mar-25 01:08 AM	253094141	MONTHLY - PM FOR AIR COMPRESSOR NO.3 (E)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	07-Mar-25 01:08 AM	253094143	MONTHLY - PM FOR AIR COMPRESSOR NO.4 (E)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	07-Mar-25 01:09 AM	253094149	MONTHLY - PM FOR TRANSFORMER TE2(E)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	07-Mar-25 01:10 AM	253094150	MONTHLY - PM FOR BACK RECOVERY BOILER, VPS (E)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	07-Mar-25 01:11 AM	253094158	MONTHLY - PM REFILL LUBRICANT FOR AGITATOR-DISSOLVING TANK SEE LONG DESCRIPTION (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	07-Mar-25 01:11 AM	253094159	MONTHLY - PM REFILL LUBRICANT FOR AGITATOR-DISSOLVING TANK SEE LONG DESCRIPTION (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	07-Mar-25 01:14 AM	253094174	MONTHLY - PM FOR AIR COMPRESSOR NO.1 (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	07-Mar-25 01:16 AM	253094175	MONTHLY - PM FOR AIR COMPRESSOR NO.2 (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	07-Mar-25 01:17 AM	253094176	MONTHLY - PM FOR AIR COMPRESSOR NO.3 (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	07-Mar-25 01:18 AM	253094177	MONTHLY - PM FOR AIR COMPRESSOR NO.4 (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	07-Mar-25 01:24 AM	253094184	MONTHLY - PM FOR FIRE FIGHTING RECOVERY BOILER (E)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	07-Mar-25 01:24 AM	253094185	3 MONTHS - PM ROUTE RE GREASE MOTOR AREA 343&323(PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	07-Mar-25 01:25 AM	253094186	3 MONTHS - PM ROUTE RE GREASE MOTOR AREA 393&373(PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	07-Mar-25 01:25 AM	253094187	3 MONTHS - PM ROUTE RE GREASE MOTOR AREA 432 GROUP 1(PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	07-Mar-25 01:25 AM	253094188	3 MONTHS - PM ROUTE RE GREASE MOTOR AREA 432 GROUP 2(PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	07-Mar-25 01:25 AM	253094189	3 MONTHS - PM ROUTE RE GREASE MOTOR AREA 432 GROUP 3(PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	07-Mar-25 01:26 AM	253094190	3 MONTHS - PM ROUTE RE GREASE MOTOR AREA 432 GROUP 4(PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	07-Mar-25 01:26 AM	253094191	3 MONTHS - PM ROUTE RE GREASE MOTOR AREA 463 GROUP 1(PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	07-Mar-25 01:26 AM	253094192	3 MONTHS - PM ROUTE RE GREASE MOTOR AREA 463 GROUP 2(PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	07-Mar-25 01:27 AM	253094198	MONTHLY - PM ROUTE REFILL LUBRICANT BEARING FAN FOR BHAM GROUP1 (PO)	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	07-Mar-25 01:27 AM	253094400	MONTHLY CLEANING AIR SUPPLY FILTER 463A026	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	07-Mar-25 01:28 AM	253094401	MONTHLY CLEANING AIR SUPPLY FILTER 463A027	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	07-Mar-25 01:28 AM	253094404	MONTHLY CLEANING AIR SUPPLY FILTER 292A521	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	07-Mar-25 01:28 AM	253094405	MONTHLY CLEANING AIR SUPPLY FILTER 463A022	NPPSA_PP1
MS0103 - Automation Service (Instrument)	07-Mar-25 01:29 AM	253094407	Monthly PM Dust meter "Durag" D-R 290	NPPSA_PP1
MS0103 - Automation Service (Instrument)	07-Mar-25 01:29 AM	253094408	Monthly PM for 4850?? after boiler ...	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	14-Mar-25 01:00 AM	253186872	2 WEEKS - INSPECTION DOSING PUMP	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	14-Mar-25 01:00 AM	253186874	2820?11 CAUSTIC DOSING PUMP #1	NPPSA_PP1
WL1320 - PPS,8,10,11 OPERATION	14-Mar-25 01:00 AM	253186875	2820?14 CAUSTIC DOSING PUMP #2	NPPSA_PP1
WL5112 - Mechanical PPS,8,10,11	14-Mar-25 01:01 AM	253186876	WEEKLY - INSPECTION CAMERA	NPPSA_PP1
WL5112 - Mechanical PPS,8,10,11	14-Mar-25 01:01 AM	253186877	4820?49 Recovery Boiler Bed Camera Right Side	NPPSA_PP1

WA5132 – Mechanical PPS (L18,11)	14-Mar-25 01:01 AM	25110869878	6000870 Recovery Boiler Bed Camera Left Side
WL1320 – PPS (L30,11) OPERATION	14-Mar-25 01:01 AM	25110869879	3 MONTHS – PM FOR CONDUCTIVITY SUMP PIT (A)
WL1320 – PPS (L30,11) OPERATION	14-Mar-25 01:01 AM	25110869880	MONTHLY – PM FOR CONDUCTIVITY INDICATION OF FEED WATER (B)
WL1320 – PPS (L30,11) OPERATION	14-Mar-25 01:01 AM	25110869881	MONTHLY – PM FOR CONDUCTIVITY INDICATION OF STEAM WATER (A)
WL1320 – PPS (L30,11) OPERATION	14-Mar-25 01:01 AM	25110869882	MONTHLY – PM FOR CONDUCTIVITY INDICATION AFTER ANION EXCHANGER (A)
WL1320 – PPS (L30,11) OPERATION	14-Mar-25 01:01 AM	25110869883	MONTHLY – PM FOR CONDUCTIVITY INDICATION AFTER MIXED BED EXCHANGER (A)
WL1320 – PPS (L30,11) OPERATION	14-Mar-25 01:01 AM	25110869884	MONTHLY – PM FOR CONDUCTIVITY INDICATION AFTER ANION EXCHANGER (A)
WL1320 – PPS (L30,11) OPERATION	14-Mar-25 01:01 AM	25110869885	MONTHLY – PM FOR CONDUCTIVITY INDICATION AFTER MIXED BED EXCHANGER (A)
WL1320 – PPS (L30,11) OPERATION	14-Mar-25 01:01 AM	25110869886	MONTHLY – PM FOR CONDUCT. SUM (A)
WL1320 – PPS (L30,11) OPERATION	14-Mar-25 01:01 AM	25110869887	MONTHLY – PM FOR CONDUCTIVITY SUMP PIT (A)
WL1320 – PPS (L30,11) OPERATION	14-Mar-25 01:01 AM	25110869888	MONTHLY – PM FOR condensate from Flash Tank (A)
WL1320 – PPS (L30,11) OPERATION	14-Mar-25 01:04 AM	25110869889	MONTHLY – PM FOR COND TRIM PUMP PUMP (A)
WL1320 – PPS (L30,11) OPERATION	14-Mar-25 01:04 AM	25110869890	MONTHLY – PM FOR COND TRIM PUMP TURBINE (A)
WL1320 – PPS (L30,11) OPERATION	14-Mar-25 01:04 AM	25110869891	MONTHLY – PM FOR COND TROM PUMP DISCH (A)
MA5105 – Automation Service (Instrument)	14-Mar-25 01:05 AM	25110869892	MONTHLY – PM FOR RECOVERY BOILER DISCH (DISH) (A)
MA5104 – Automation Service (Instrument)	14-Mar-25 01:05 AM	25110869893	MONTHLY – PM FOR RECOVERY BOILER GAS100 (DISH) (A)
MA5003 – Automation Service (Instrument)	14-Mar-25 01:05 AM	25110869894	MONTHLY – PM FOR BELL BRDE DS2103 (A)
MA5005 – Automation Service (Instrument)	14-Mar-25 01:05 AM	25110869895	MONTHLY – PM FOR BELL BRDE DS2103 (A)
MA5006 – Automation Service (Instrument)	14-Mar-25 01:05 AM	25110869896	MONTHLY – PM FOR EVAPORATOR DS2105 (A)
MA5005 – Automation Service (Instrument)	14-Mar-25 01:06 AM	25110869897	MONTHLY – PM FOR EVAPORATOR DS210A (A)
MA5109 – Automation Service (Instrument)	14-Mar-25 01:06 AM	25110869898	MONTHLY – PM FOR LIRS A FOR DCS BOILER PP11 (A)
MA5010 – Automation Service (Instrument)	14-Mar-25 01:06 AM	25110869899	MONTHLY – PM FOR UPS 5 FOR DCS BOILER PP11 (A)
MA5210 – Automation Service (Instrument)	14-Mar-25 01:06 AM	25110869900	MONTHLY – PM FOR UPS FOR INSTRUMENT RECORDER 6001UPS (A)
MA5010 – Automation Service (Instrument)	14-Mar-25 01:06 AM	25110869901	MONTHLY – PM FOR UPS A FOR DCS TURBINE PP11 (A)
MA5005 – Automation Service (Instrument)	14-Mar-25 01:06 AM	25110869902	MONTHLY – PM FOR UPS N. FOR DCS TURBINE PP11 (A)
MA5109 – Automation Service (Instrument)	14-Mar-25 01:06 AM	25110869903	MONTHLY – PM FOR UPS A FOR DCS EVAP PP11 (A)
MA5010 – Automation Service (Instrument)	14-Mar-25 01:07 AM	25110869904	MONTHLY – PM FOR UPS 5 FOR DCS EVAP PP11 (A)
MA5210 – Automation Service (Instrument)	14-Mar-25 01:07 AM	25110869905	MONTHLY – PM FOR UPS 01 FOR DCS CONTROL ROOM PP11 (A)
MA5010 – Automation Service (Instrument)	14-Mar-25 01:07 AM	25110869906	MONTHLY – PM FOR BATTERY FOR 4632PS-A DCS BOILER PP11 (A)
MA5105 – Automation Service (Instrument)	14-Mar-25 01:07 AM	25110869907	MONTHLY – PM FOR BATTERY FOR 4632PS-A DCS BOILER PP11 (A)
MA5109 – Automation Service (Instrument)	14-Mar-25 01:07 AM	25110869908	MONTHLY – PM FOR BATTERY FOR 4632PS-C INSTRUMENT PP11 (A)
MA5005 – Automation Service (Instrument)	14-Mar-25 01:08 AM	25110869909	MONTHLY – PM FOR BATTERY FOR 2592PS-A DCS TURBINE PP11 (A)
MA5109 – Automation Service (Instrument)	14-Mar-25 01:08 AM	25110869910	MONTHLY – PM FOR BATTERY FOR 2592PS-E DCS TURBINE PP11 (A)
MA5005 – Automation Service (Instrument)	14-Mar-25 01:08 AM	25110869911	MONTHLY – PM FOR BATTERY FOR 4523PS-A DCS EVAP PP11 (A)
MA5105 – Automation Service (Instrument)	14-Mar-25 01:08 AM	25110869912	MONTHLY – PM FOR BATTERY FOR 4523PS-E DCS EVAP PP11 (A)
MA5109 – Automation Service (Instrument)	14-Mar-25 01:08 AM	25110869913	MONTHLY – PM FOR BATTERY FOR 4632PS-CR01 DCS CONTROL ROOM PP11 (A)
WL1320 – PPS (L30,11) OPERATION	14-Mar-25 01:08 AM	25110869914	MONTHLY – PM FOR START-UP BURNER #1 (E)
WL1320 – PPS (L30,11) OPERATION	14-Mar-25 01:08 AM	25110869915	MONTHLY – PM FOR START-UP BURNER #2 (E)
WL1320 – PPS (L30,11) OPERATION	14-Mar-25 01:08 AM	25110869916	MONTHLY – PM FOR START-UP BURNER #3 (E)
WL1320 – PPS (L30,11) OPERATION	14-Mar-25 01:08 AM	25110869917	MONTHLY – PM FOR START-UP BURNER #4 (E)
WL1320 – PPS (L30,11) OPERATION	14-Mar-25 01:09 AM	25110869918	WEEKLY – PM FOR GENERATION (E)
WL1320 – PPS (L30,11) OPERATION	14-Mar-25 01:09 AM	25110869919	WEEKLY – PM FOR LUP OIL PUMP FEED WATER PUMP 3 (E)
WL1320 – PPS (L30,11) OPERATION	14-Mar-25 01:10 AM	25110869920	WEEKLY – PM FOR REDUCED DRAFT FAN, CELL NO.1 (E)
WL1320 – PPS (L30,11) OPERATION	14-Mar-25 01:10 AM	25110869921	WEEKLY – PM FOR INDUCED DRAFT FAN, CELL NO.2 (E)
WL1320 – PPS (L30,11) OPERATION	14-Mar-25 01:10 AM	25110869922	MONTHLY – PM FOR VISCOR EXTRACTOR, SEPARATION OF OIL MIST, YES / NO, %)
WL1320 – PPS (L30,11) OPERATION	14-Mar-25 01:11 AM	25110869923	MONTHLY – PM FOR BATTERY CHARGER 110 VDC for 230V SYSTEM (E)
WL1320 – PPS (L30,11) OPERATION	14-Mar-25 01:13 AM	25110869924	MONTHLY – INSPECTION MOTATOR
WL1320 – PPS (L30,11) OPERATION	14-Mar-25 01:13 AM	25110869925	6MM001 AGITATOR MILLING TANK 101 LONG DESCRIPTION
WL1320 – PPS (L30,11) OPERATION	14-Mar-25 01:13 AM	25110869926	4GM004 AGITATOR SMELT TANK 101 LONG DESCRIPTION
WL1320 – PPS (L30,11) OPERATION	14-Mar-25 01:13 AM	25110869927	4GM005 AGITATOR DRIVEN REVERSION TANK
WL1320 – PPS (L30,11) OPERATION	14-Mar-25 01:13 AM	25110869928	4GM006 AGITATOR HYDRATE TANK
WL1320 – PPS (L30,11) OPERATION	14-Mar-25 01:13 AM	25110869929	2 WEEKS – PM VISUAL CHECK AND BASIC PDM FOR AGITATOR ENVIRONMENT TANK SIZE LONG DESCRIPTION (FD)
WL1320 – PPS (L30,11) OPERATION	14-Mar-25 01:13 AM	25110869930	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR SAP TRANSFER CONVEYOR # 2 (FD)
WL1320 – PPS (L30,11) OPERATION	14-Mar-25 01:13 AM	25110869931	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR SAP TRANSFER CONVEYOR #2 (FD)
WL1320 – PPS (L30,11) OPERATION	14-Mar-25 01:13 AM	25110869932	WEEKLY – PM ROUTE CHECK MOTOR RAPPER ESP (FD)
WL1320 – PPS (L30,11) OPERATION	14-Mar-25 01:14 AM	25110869933	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR PRIMARY ID FAN (FD)
WL1320 – PPS (L30,11) OPERATION	14-Mar-25 01:14 AM	25110869934	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR SECONDARY ID FAN (FD)
WL1320 – PPS (L30,11) OPERATION	14-Mar-25 01:14 AM	25110869935	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR TERTIARY ID FAN (FD)
WL1320 – PPS (L30,11) OPERATION	14-Mar-25 01:16 AM	25110869936	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR ID FAN # 1 (FD)
WL1320 – PPS (L30,11) OPERATION	14-Mar-25 01:17 AM	25110869937	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR ID FAN # 2 (FD)
WL1320 – PPS (L30,11) OPERATION	14-Mar-25 01:18 AM	25110869938	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR ID FAN #3 (FD)
WL1320 – PPS (L30,11) OPERATION	14-Mar-25 01:18 AM	25110869939	MONTHLY – PM FOR FIRE HOSEHOUSE (ALL HOSE) (E)
WL1320 – PPS (L30,11) OPERATION	14-Mar-25 01:18 AM	25110869940	MONTHLY – PM FOR CO2 FIRE ALARM & FIRE PROTTING OF TURBINE (E)
WL1320 – PPS (L30,11) OPERATION	14-Mar-25 01:20 AM	25110869941	MONTHLY – PM FOR FIRE TRIGGERING EVAPORATION (E)
WL1320 – PPS (L30,11) OPERATION	14-Mar-25 01:20 AM	25110869942	MONTHLY – PM ROUTE REFILL LUBRICANT CHAIN CONVEYOR (GROVE) (FD)
WL1320 – PPS (L30,11) OPERATION	14-Mar-25 01:20 AM	25110869943	MONTHLY – PM ROUTE REFILL LUBRICANT CHAIN CONVEYOR (GROVE) (FD)
WL1320 – PPS (L30,11) OPERATION	14-Mar-25 01:20 AM	25110869944	MONTHLY – PM ROUTE REFILL OIL FAN COOLING TOWER (PP)
WL1320 – PPS (L30,11) OPERATION	14-Mar-25 01:21 AM	25110869945	MONTHLY CLEANING AIR SU PPLY FILTER 4521BPP
WL1320 – PPS (L30,11) OPERATION	14-Mar-25 01:13 AM	25110869946	MONTHLY CLEANING AIR SU PPLY FILTER 4521BPP
WL1320 – PPS (L30,11) OPERATION	14-Mar-25 01:13 AM	25110869947	MONTHLY CLEANING AIR SU PPLY FILTER 4521BPP
WL1320 – PPS (L30,11) OPERATION	14-Mar-25 01:13 AM	25110869948	MONTHLY CLEANING AIR SU PPLY FILTER 4521BPP
WL1320 – PPS (L30,11) OPERATION	14-Mar-25 01:13 AM	25110869949	MONTHLY CLEANING AIR SU PPLY FILTER 4634AF01
WL1320 – PPS (L30,11) OPERATION	14-Mar-25 01:13 AM	25110869950	MONTHLY CLEANING AIR SU PPLY FILTER 4634AF02
WL1320 – PPS (L30,11) OPERATION	14-Mar-25 01:13 AM	25110869951	MONTHLY CLEANING AIR SU PPLY FILTER 4634AF03
WL1320 – PPS (L30,11) OPERATION	14-Mar-25 01:13 AM	25110869952	MONTHLY CLEANING AIR SU PPLY FILTER 4634E25A
WL1320 – PPS (L30,11) OPERATION	14-Mar-25 01:13 AM	25110869953	MONTHLY CLEANING AIR SU PPLY FILTER 4634E25B
MA5109 – Automation Service (Instrument)	14-Mar-25 01:13 AM	25110869954	2 weeks check 4x3 Stack flue gas analyzer
MA5105 – Automation Service (Instrument)	14-Mar-25 01:14 AM	25110869955	calib-ite 4F3 Stack flue gas analyzer (BO04005)
WL1320 – PPS (L30,11) OPERATION	14-Mar-25 01:14 AM	25110869956	PM FOR FEEDWATER BLOCK VALVE 4629BV01
WL1320 – PPS (L30,11) OPERATION	14-Mar-25 01:25 AM	25110869957	PM FOR FEED DRAIN SEPARATOR 4629BV01
WL1320 – PPS (L30,11) OPERATION	14-Mar-25 01:25 AM	25110869958	PM FOR FEED DRAIN DOWNCOMER 4629BV02
WL1320 – PPS (L30,11) OPERATION	14-Mar-25 01:25 AM	25110869959	PM FOR STARTUP BLOCK VLV 4629BV04
WL1320 – PPS (L30,11) OPERATION	14-Mar-25 01:25 AM	25110869960	PM FOR MAIN STEAM VALVE 4629BV05
WL1320 – PPS (L30,11) OPERATION	14-Mar-25 01:25 AM	25110869961	PM FOR DESC GOAT BLOWDOWN 4629BV06
WL1320 – PPS (L30,11) OPERATION	14-Mar-25 01:25 AM	25110869962	PM FOR STEAM VLV BYPASS 4629BV07
WL1320 – PPS (L30,11) OPERATION	14-Mar-25 01:29 AM	25110869963	MONTHLY – PM FOR RECOVERY TRANSFORMER TH4120
WL1320 – PPS (L30,11) OPERATION	14-Mar-25 01:29 AM	25110869964	MONTHLY – PM FOR EVAPORATION TRANSFORMER TH4121
WL1320 – PPS (L30,11) OPERATION	14-Mar-25 01:29 AM	25110869965	MONTHLY – PM FOR SUBNO 1&2 Transformer TD11 (E)
WL1320 – PPS (L30,11) OPERATION	14-Mar-25 01:29 AM	25110869966	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR FW PUMP #1 (FD)
WL1320 – PPS (L30,11) OPERATION	14-Mar-25 01:30 AM	25110870010	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR HVAC LEDVOR PUMP (FD)
WL1320 – PPS (L30,11) OPERATION	14-Mar-25 01:30 AM	25110870011	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR FIRING LEDVOR PUMP (FD)
WL1320 – PPS (L30,11) OPERATION	14-Mar-25 01:30 AM	25110870012	WEEKLY – PM ROUTE CHECK SWITCHGEAR (FD)
WL1320 – PPS (L30,11) OPERATION	14-Mar-25 02:15 AM	25110871305	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR STEAM TURBINE,32500KW (FD)
MA5104 – Automation Service (Control)	14-Mar-25 02:17 AM	25110871307	2 WEEKS – PM FOR PLC TURBINE & GENERATOR EXCITATION CONTROL (A)
MA5104 – Automation Service (Control)	14-Mar-25 02:18 AM	25110871308	2 WEEKS – PM FOR HMI TURBINE & GENERATOR GOVERNOR CONTROL (A)
MA5104 – Automation Service (Control)	14-Mar-25 02:19 AM	25110871311	2 WEEKS – PM FOR HMI BOOSTING MASTER (4002PM) ((A)
MA5104 – Automation Service (Control)	14-Mar-25 02:19 AM	25110871312	2 WEEKS – PM FOR HMI BOOSTING MASTER (4002PM) ((A)
MA5104 – Automation Service (Control)	14-Mar-25 02:19 AM	25110871313	2 WEEKS – PM FOR HMI BMS (A)
MA5104 – Automation Service (Control)	13-Mar-25 02:19 AM	25110871317	2 WEEKS – PM FOR HMI ABSORPTION CHILLER # 1 (A)
MA5104 – Automation Service (Control)	14-Mar-25 02:19 AM	25110871318	2 WEEKS – PM FOR HMI ABSORPTION CHILLER #2 (A)
MA5104 – Automation Service (Control)	14-Mar-25 02:20 AM	25110871319	2 WEEKS – PM FOR HMI ABSORPTION CHILLER #3 (A)
MA5104 – Automation Service (Control)	14-Mar-25 02:20 AM	25110871320	2 WEEKS – PM FOR PLC 6000890 MASTER (5400PM) ((A)
MA5104 – Automation Service (Control)	14-Mar-25 02:20 AM	25110871321	2 WEEKS – PM FOR PLC 6000890 MASTER (5400PM) ((A)
MA5104 – Automation Service (Control)	14-Mar-25 02:21 AM	25110871322	2 WEEKS – PM FOR PLC BMS (A)
MA5104 – Automation Service (Control)	14-Mar-25 02:21 AM	25110871323	2 WEEKS – PM FOR PLC ABSORPTION CHILLER #1 (A)
MA5104 – Automation Service (Control)	14-Mar-25 02:21 AM	25110871324	2 WEEKS – PM FOR PLC ABSORPTION CHILLER #2 (A)
MA5104 – Automation Service (Control)	14-Mar-25 02:22 AM	25110871325	2 WEEKS – PM FOR PLC ABSORPTION CHILLER #3 (A)
WA5132 – Mechanical PPS (L18,11)	14-Mar-25 02:24 AM	25110871326	2 WEEKS – PM FOR 115 KV SUBSTATION 4402 (E)
MA5099 – Electrical Service (Power) (P1	14-Mar-25 02:26 AM	25110871327	2 Weeks – PM Inspection Absorption Chiller PP11
MA5099 – Electrical Service (Control)	15-Mar-25 02:00 AM	25110870400	Monthly – Inspect Thermo on PP11
MA5099 – Electrical Service (Control)	15-Mar-25 02:01 AM	25110869865	Monthly – Inspect Pump Discharge PP11
WL1320 – PPS (L30,11) OPERATION	22-Mar-25 01:00 AM	25110869802	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR COOLING WATER PUMP NO.1 (PD)
WL1320 – PPS (L30,11) OPERATION	22-Mar-25 01:01 AM	25110869803	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR COOLING WATER PUMP NO.2 (PD)
WL1320 – PPS (L30,11) OPERATION	22-Mar-25 01:01 AM	25110869804	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR COOLING WATER PUMP NO.3 (PD)
WL1320 – PPS (L30,11) OPERATION	22-Mar-25 01:01 AM	25110869805	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR CONTROL OIL PUMP #1 (PD)
WL1320 – PPS (L30,11) OPERATION	22-Mar-25 01:01 AM	25110869806	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR CONTROL OIL PUMP # 2 (PD)
WL1320 – PPS (L30,11) OPERATION	22-Mar-25 01:01 AM	25110869807	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR LUBE OIL PUMP #1 (PD)
WL1320 – PPS (L30,11) OPERATION	22-Mar-25 01:01 AM	25110869808	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR LUBE OIL PUMP #2 (PD)
WA5132 – Mechanical PPS (L18,11)	22-Mar-25 01:04 AM	25110869809	WEEKLY – INSPECTION CRANES
WA5132 – Mechanical PPS (L18,11)	22-Mar-25 01:04 AM	25110869810	4600269 Recovery Boiler Bed Camera Right Side
WA5132 – Mechanical PPS (L18,11)	22-Mar-25 01:04 AM	25110869811	4600870 Recovery Boiler Bed Camera Left Side
WL1320 – PPS (L30,11) OPERATION	22-Mar-25 01:04 AM	25110869812	WEEKLY – PM FOR GENERATOR (E)
WL1320 – PPS (L30,11) OPERATION	22-Mar-25 01:04 AM	25110869813	WEEKLY – PM FOR LUP OIL PUMP FEED WATER PUMP 3 (E)
WL1320 – PPS (L30,11) OPERATION	22-Mar-25 01:05 AM	25110869814	WEEKLY – PM FOR REDUCED DRAFT FAN, CELL NO.1 (E)
WL1320 – PPS (L30,11) OPERATION	22-Mar-25 01:05 AM	25110869815	WEEKLY – PM FOR INDUCED DRAFT FAN, CELL NO.2 (E)
WA5132 – Mechanical PPS (L18,11)	22-Mar-25 01:05 AM	25110869816	MONTHLY – PM FOR 115 KV SUBSTATION 4402 (E)
WL1320 – PPS (L30,11) OPERATION	22-Mar-25 01:08 AM	25110869817	2 WEEKS – PM VISUAL CHECKS AND BASIC PDM FOR AGITATOR ENVIRONMENTAL TANK SIZE LONG DESCRIPTION (FD)
WL1320 – PPS (L30,11) OPERATION	22-Mar-25 01:08 AM	25110869818	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR SAP TRANSFER CONVEYOR # 3 (FD)
WL1320 – PPS (L30,11) OPERATION	22-Mar-25 01:08 AM	25110869819	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR SAP TRANSFER CONVEYOR #3 (FD)
WL1320 – PPS (L30,11) OPERATION	22-Mar-25 01:07 AM	25110869820	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR PRIMARY ID FAN (FD)
WL1320 – PPS (L30,11) OPERATION	22-Mar-25 01:08 AM	25110869821	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR SECONDARY ID FAN (FD)
WL1320 – PPS (L30,11) OPERATION	22-Mar-25 01:08 AM	25110869822	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR TERTIARY ID FAN (FD)
WL1320 – PPS (L30,11) OPERATION	22-Mar-25 01:08 AM	25110869823	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR ID FAN # 1 (FD)
WL1320 – PPS (L30,11) OPERATION	22-Mar-25 01:11 AM	25110869824	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR ID FAN # 2 (FD)
WL1320 – PPS (L30,11) OPERATION	22-Mar-25 01:12 AM	25110869825	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR ID FAN #3 (FD)
MA5103 – Automation Service (Instrument)	22-Mar-25 01:13 AM	25110869826	monthly inspection Dust Blower DCS Controller (A)
MA5103 – Automation Service (Instrument)	22-Mar-25 01:13 AM	25110869827	monthly inspection Recovery Boiler DCS Controller (A)
MA5103 – Automation Service (Instrument)	22-Mar-25 01:13 AM	25110869828	monthly inspection RB Intake DCS Controller (A)
MA5105 – Automation Service (Instrument)	22-Mar-25 01:13 AM	25110869829	monthly inspection Test Blower DCS Controller (A)
MA5103 – Automation Service (Instrument)	22-Mar-25 01:13 AM	25110869830	monthly inspection Recovery Boiler DCS Controller (A)
MA5105 – Automation Service (Instrument)	22-Mar-25 01:16 AM	25110869831	monthly inspection for RB DCS Power Distrib. (A)
MA5109 – Automation Service (Instrument)	22-Mar-25 01:16 AM	25110869832	monthly inspection for Evapo DCS Power Distrib. (A)
MA5103 – Automation Service (Instrument)	22-Mar-25 01:17 AM	25110869841	monthly inspection for Millfield DCS Power Distrib. (A)
MA5105 – Automation Service (Instrument)	22-Mar-25 01:17 AM	25110869842	calib-ite 4F3 Stack flue gas analyzer (BO04005)
WL1320 – PPS (L30,11) OPERATION	22-Mar-25 01:17 AM	25110869843	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR FW PUMP #2 (FD)
WL1320 – PPS (L30,11) OPERATION	22-Mar-25 01:18 AM	25110869844	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR HVAC LEDVOR PUMP (FD)
WL1320 – PPS (L30,11) OPERATION	22-Mar-25 01:18 AM	25110869845	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR FIRING LEDVOR PUMP (FD)
WL1320 – PPS (L30,11) OPERATION	22-Mar-25 01:19 AM	25110869846	WEEKLY – PM ROUTE CHECK SWITCHGEAR (FD)
WL1320 – PPS (L30,11) OPERATION	22-Mar-25 01:20 AM	25110869847	WEEKLY – PM VISUAL CHECK AND BASIC PDM FOR STEAM TURBINE,32500KW (FD)
WL1320 – PPS (L30,11) OPERATION	22-Mar-25 01:21 AM	25110869848	MONTHLY – PM FOR BOOTBLOWER 1, LEFT (E)
WL1320 – PPS (L30,11) OPERATION	22-Mar-25 01:21 AM	25110869849	MONTHLY – PM FOR SOOTBLOWER 2, LEFT (E)
WA5132 – Mechanical PPS (L18,11)	22-Mar-25 01:21 AM	25110869850	2 WEEKS – PM FOR 115 KV SUBSTATION 4402 (E)
MA5099 – Electrical Service (Power) (P1	21-Mar-25 01:21 AM	25110869851	2 Weeks – PM Inspection Absorption Chiller PP11
WA5132 – Mechanical PPS (L18,11)	28-Mar-25 01:00 AM	25127556	WEEKLY – INSPECTION CRANES
WA5132 – Mechanical PPS (L18,11)	28-Mar-25 01:01 AM	25127545	4600269 Recovery Boiler Bed Camera Right Side
WA5132 – Mechanical PPS (L18,11)	28-Mar-25 01:01 AM	25127553	4600870 Recovery Boiler Bed Camera Left Side
MA5104 – Automation Service (Instrumen	28-Mar-25 01:01 AM	25127552	MONTHLY – PM FOR MILLFIELD ICU CONTROLLER (A)
WL1320 – PPS (L30,11) OPERATION	28-Mar-25 01:01 AM	25127544	MONTHLY – PM FOR START-UP BURNER #1 (E)
WL1320 – PPS (L30,11) OPERATION	28-Mar-25 01:01 AM	25127548	MONTHLY – PM FOR START-UP BURNER #2 (E)
WL1320 – PPS (L30,11) OPERATION	28-Mar-25 01:01 AM	25127549	MONTHLY – PM FOR ELECTROSTATIC PRECIPITATOR (E)
WL1320 – PPS (L30,11) OPERATION	28-Mar-25 01:01 AM	25127550	MONTHLY – PM FOR ELECTROSTATIC PRECIPITATOR # 2 (E)
WL1320 – PPS (L30,11) OPERATION	28-Mar-25 01:01 AM	25127551	MONTHLY – PM FOR FOR BOI L
WL1320 – PPS (L30,11) OPERATION	28-Mar-25 01:03 AM	25127557	WEEKLY – PM FOR GENERATION (E)
WL1320 – PPS (L30,11) OPERATION	28-Mar-25 01:03 AM	25127558	WEEKLY – PM FOR LUP OIL PUMP FEED WATER PUMP 3 (E)
WL1320 – PPS (L30,11) OPERATION	28-Mar-25 01:03 AM	25127559	WEEKLY – PM FOR REDUCED DRAFT FAN, CELL NO.1 (E)
WL1320 – PPS (L30,11) OPERATION	28-Mar-25 01:03 AM	25127560	WEEKLY – PM FOR INDUCED DRAFT FAN, CELL NO.2 (E)
WA5132 – Mechanical PPS (L18,11)	28-Mar-25 01:04 AM	25127561	MONTHLY – PM FOR 115 KV SUBSTATION 4402 (E)
WL1320 – PPS (L30,11) OPERATION	28-Mar-25 01:04 AM	25127562	MONTHLY – PM FOR INDUCED DRAFT FAN, CELL NO.1 (E)
WL1320 – PPS (L30,11) OPERATION	28-Mar-25 01:04 AM	25127563	MONTHLY – PM FOR INDUCED DRAFT FAN, CELL NO.2 (E)
WL1320 – PPS (L30,11) OPERATION	28-Mar-25 01:04 AM	25127564	MONTHLY – PM FOR RECOVERY TRANSFORMER (E) (E)
WL1320 – PPS (L30,11) OPERATION	28-Mar-25 01:04 AM	25127565	MONTHLY – PM FOR TRANSFORMER TH4120
WL1320 – PPS (L30,11) OPERATION	28-Mar-25 01:05 AM	25127566	MONTHLY – PM FOR TRANSFORMER TH4120
WL1320 – PPS (L30,11) OPERATION	28-Mar-25 01:05 AM	25127571	MONTHLY – PM FOR RECTIFIER #A PRECIPITATOR # 1 (E)
WL1320 – PPS (L30,11) OPERATION	28-Mar-25 01:05 AM	25127572	MONTHLY – PM FOR RECTIFIER # B PRECIPITATOR # 1 (E)
WL1320 – PPS (L30,11) OPERATION	28-Mar-25 01:05 AM	25127573	MONTHLY – PM FOR RECTIFIER # C PRECIPITATOR # 1 (E)
WL1320 – PPS (L30,11) OPERATION	28-Mar-25 01:05 AM	25127574	MONTHLY – PM FOR RECTIFIER #A PRECIPITATOR # 2 (E)

WL1320 - PPS,6,10,11 OPERATION	18-Mar-25 01:06 AM	251127580	MONTHLY - PM FOR RECTIFIER 4B, PRECIPITATOR 4.1 (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	18-Mar-25 01:06 AM	251127581	MONTHLY - PM FOR RECTIFIER 4C, PRECIPITATOR 4.1 (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	18-Mar-25 01:07 AM	251127583	MONTHLY - PM FOR RECTIFIER 4A, PRECIPITATOR 4.1 (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	18-Mar-25 01:07 AM	251127585	MONTHLY - PM FOR RECTIFIER 4B, PRECIPITATOR 4.1 (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	18-Mar-25 01:07 AM	251127586	MONTHLY - PM FOR RECTIFIER 4C, PRECIPITATOR 4.1 (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	18-Mar-25 01:07 AM	251127587	MONTHLY - PM FOR MILL WIDE TRANSFORMER T4431 (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	18-Mar-25 01:08 AM	251127589	MONTHLY - PM FOR MILL WIDE TRANSFORMER T4432 (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	18-Mar-25 01:08 AM	251127590	MONTHLY - PM FOR MILL WIDE TRANSFORMER T4434 (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	18-Mar-25 01:08 AM	251127591	MONTHLY - PM FOR MILL WIDE TRANSFORMER T4435 (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	18-Mar-25 01:08 AM	251127593	MONTHLY - PM FOR TURBINE POWER BACK UP FROM EGAP (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	18-Mar-25 01:09 AM	251127594	MONTHLY - PM FOR AAF1 , TURBO GENERATOR TRANSFORM TG1.2 (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	18-Mar-25 01:09 AM	251127595	MONTHLY - PM FOR GROUNDING TRANSFORMER (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	18-Mar-25 01:09 AM	251127597	MONTHLY - PM FOR BATTERY FOR 2H9BU01 CHARGER 110 VDC MILL WIDE BANK#1 (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	18-Mar-25 01:09 AM	251127598	MONTHLY - PM FOR BATTERY FOR 2H9BU01 CHARGER 110 VDC MILL WIDE BANK#2 (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	18-Mar-25 01:09 AM	251127599	MONTHLY - PM FOR BATTERY 110 VDC FOR Communication 115 kV (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	18-Mar-25 01:09 AM	251127600	MONTHLY - PM FOR BATTERY FOR 2H9BTU01 CHARGER 48VDL FOR 115kV SWP11 (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	18-Mar-25 01:10 AM	251127603	MONTHLY - PM FOR BATTERY FOR 4GU5P001 MCC RECOVERY BOILER, UPS (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	18-Mar-25 01:10 AM	251127605	MONTHLY - PM FOR BATTERY FOR 2H9BU01 CHARGER, 110 VDC FOR 220V SWBRW (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	18-Mar-25 01:10 AM	251127606	MONTHLY - PM FOR BATTERY FOR 2H9EU01 MCC MILL WIDE, UPS (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	18-Mar-25 01:10 AM	251127608	MONTHLY - PM FOR CHARGER 110 VDC FOR Communication 115 kV (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	18-Mar-25 01:10 AM	251127610	MONTHLY - PM FOR CHARGER 48VDC FOR 115KV SWP11 (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	18-Mar-25 01:10 AM	251127613	MONTHLY - PM FOR SCRUBBER FAN (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	18-Mar-25 01:11 AM	251127618	MONTHLY - INSPECTION PUMP	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	18-Mar-25 01:11 AM	251127620	2025PO05 DEMIN WATER BOOSTER PUMP #1	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	18-Mar-25 01:11 AM	251127622	2025PO06 DEMIN WATER BOOSTER PUMP #2	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	18-Mar-25 01:12 AM	251127628	2025PO09 DEMIN WATER TRANSFER PUMP #1	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	18-Mar-25 01:12 AM	251127630	2025PO10 DEMIN WATER TRANSFER PUMP #2	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	18-Mar-25 01:12 AM	251127632	2025PO11 EMULSION MIXING PUMP	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	18-Mar-25 01:13 AM	251127634	2-WEEKS - PM VISUAL CHECK AND BASIC PDM FOR AGITATOR-DISSOLVING TANK SEE LONG DESCRIPTION (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	18-Mar-25 01:13 AM	251127639	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR ESP TRANSFER CONVEYOR # 1 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	18-Mar-25 01:13 AM	251127641	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR ESP TRANSFER CONVEYOR #2 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	18-Mar-25 01:14 AM	251127644	MONTHLY - ROUTE PM FOR INSPECTION FABRIC EXPANSION JOINT (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	18-Mar-25 01:14 AM	251127646	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR PRIMARY FD FAN (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	18-Mar-25 01:15 AM	251127648	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR SECONDARY FD FAN (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	18-Mar-25 01:16 AM	251127655	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR TERTIARY FD FAN (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	18-Mar-25 01:16 AM	251127657	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR ID FAN # 1 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	18-Mar-25 01:17 AM	251127662	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR ID FAN # 2 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	18-Mar-25 01:18 AM	251127667	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR ID FAN #3 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	18-Mar-25 01:19 AM	251127673	MONTHLY - PM FOR FIRE FIGHTING SWITCH GEAR (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	18-Mar-25 01:19 AM	251127675	MONTHLY - PM ROUTE REFILL LUBRICANT BEARING FAN FOR ETHAN GROUP#2 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	18-Mar-25 01:19 AM	251127676	MONTHLY - PM ROUTE REFILL LUBRICANT BEARING FAN FOR ETHAN GROUP#3 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	18-Mar-25 01:19 AM	251127678	MONTHLY - PM REFILL LUBRICANT FOR AGITATOR STRONG LIQUOR STORAGE TANK (PO)	NPPSA_PP1
MS0100 - Automation Service (Instrument)	18-Mar-25 01:19 AM	251127674	2-weeks check 4&5 stack flue gas analyzer	NPPSA_PP1
MS0100 - Automation Service (Instrument)	18-Mar-25 01:20 AM	251127682	calibrate 4&3 Stack flue gas analyzer (BEO4R081)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	18-Mar-25 01:21 AM	251127688	PM FOR FEEDWATER-H201 VLV A6G4HR7IO	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	18-Mar-25 01:21 AM	251127689	PM FOR SOOTBLWR STEAM VLV 4G2HR101	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	18-Mar-25 01:22 AM	251127693	MONTHLY - PM FOR ALL 2 SWG &2KV FEED WATER PUMP P400 (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	18-Mar-25 01:22 AM	251127695	MONTHLY - PM FOR ALL 2 SWG &2KV FEED WATER PUMP P350 (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	18-Mar-25 01:22 AM	251127700	MONTHLY - PM FOR BSAT OUT GOING TRANSFORMER TC3 (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	18-Mar-25 01:22 AM	251127703	MONTHLY - PM FOR VSD OF FIRING LIQUOR PUMP #1 (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	18-Mar-25 01:22 AM	251127705	MONTHLY - PM FOR VSD OF FIRING LIQUOR PUMP #2 (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	18-Mar-25 01:23 AM	251127707	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR FW PUMP #3 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	18-Mar-25 01:24 AM	251127724	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR COOLING WATER PUMP NO.1 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	18-Mar-25 01:24 AM	251127726	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR COOLING WATER PUMP NO.2 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	18-Mar-25 01:25 AM	251127729	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR ACID DOSING PUMP #1 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	18-Mar-25 01:25 AM	251127731	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR ACID DOSING PUMP #2 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	18-Mar-25 01:26 AM	251127734	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR EMERGENCY OIL PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	18-Mar-25 01:26 AM	251127736	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR BLEND CONDENSATE PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	18-Mar-25 01:27 AM	251127737	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR CIRCULATION 1 A PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	18-Mar-25 01:27 AM	251127739	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR CIRCULATION 1 B PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	18-Mar-25 01:28 AM	251127741	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR CIRCULATION 1 C PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	18-Mar-25 01:29 AM	251127742	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR CIRCULATION 1 D PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	18-Mar-25 01:29 AM	251127744	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR CIRCULATION 1 A PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	18-Mar-25 01:30 AM	251127746	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR CIRCULATION 1 B PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	18-Mar-25 01:30 AM	251127748	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR CIRCULATION 1 C PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	18-Mar-25 01:31 AM	251127751	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR CIRCULATION 1 D PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	18-Mar-25 01:31 AM	251127752	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR CIRCULATION 2 PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	18-Mar-25 01:32 AM	251127754	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR EFFECT II-1 LIQ TRANSF PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	18-Mar-25 01:33 AM	251127756	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR EFFECT III CIRCULATE PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	18-Mar-25 01:33 AM	251127757	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR EFFECT III LIQ TRANSF PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	18-Mar-25 01:34 AM	251127759	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR EFFECT IV CIRCULATE PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	18-Mar-25 01:34 AM	251127761	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR EFFECT V CIRCULATE PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	18-Mar-25 01:35 AM	251127762	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR PRIMARY CONDENSATE PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	18-Mar-25 01:35 AM	251127763	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR FOUL CONDENSATE PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	18-Mar-25 01:36 AM	251127766	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR FOUL CONDENSATE B PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	18-Mar-25 01:36 AM	251127768	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR FOUL COND. CAC. PIT DWS (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	18-Mar-25 01:37 AM	251127770	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR VACUUM PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	18-Mar-25 01:37 AM	251127771	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR VACUUM PUMP (STANDBY) (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	18-Mar-25 01:38 AM	251127773	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR PIPE LIN CONDENSATE (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	04-Apr-25 01:03 AM	251138284	WEEKLY - PM FOR GENERATOR (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	04-Apr-25 01:03 AM	251138285	WEEKLY - PM FOR LUB OIL PUMP FEED WATER PUMP 3 (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	04-Apr-25 01:04 AM	251138287	2 MONTHS - PM FOR AGITATOR-BBL MIX TANK SEE LONG DESCRIPTION (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	04-Apr-25 01:04 AM	251138288	2 MONTHS - PM FOR ASH CRUSHER, GEN BANK (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	04-Apr-25 01:05 AM	251138289	MONTHLY - PM FOR AIR COMPRESSOR NO.1 (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	04-Apr-25 01:05 AM	251138290	MONTHLY - PM FOR AIR COMPRESSOR NO.2 (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	04-Apr-25 01:06 AM	251138292	MONTHLY - PM FOR AIR COMPRESSOR NO.3 (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	04-Apr-25 01:06 AM	251138294	MONTHLY - PM FOR AIR COMPRESSOR NO.4 (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	04-Apr-25 01:06 AM	251138296	WEEKLY - PM FOR INDUCED DRAFT FAN, CELL NO.1 (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	04-Apr-25 01:06 AM	251138297	WEEKLY - PM FOR INDUCED DRAFT FAN, CELL NO.2 (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	04-Apr-25 01:07 AM	251138300	MONTHLY - PM FOR BATTERY CHARGER 110 VDC MILL WIDE (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	04-Apr-25 01:07 AM	251138301	MONTHLY - PM FOR MCC MILL WIDE, UPS (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	04-Apr-25 01:07 AM	251138302	MONTHLY - PM FOR BATTERY CHARGER 110 VDC MILL WIDE (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	04-Apr-25 01:07 AM	251138303	MONTHLY - PM FOR MCC MILL WIDE, UPS (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	04-Apr-25 01:08 AM	251138304	MONTHLY - PM FOR MCC RECOVERY BOILER, UPS (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	04-Apr-25 01:08 AM	251138305	2 WEEKS - PM VISUAL CHECK AND BASIC PDM FOR AGITATOR-DISSOLVING TANK SEE LONG DESCRIPTION (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	04-Apr-25 01:08 AM	251138307	MONTHLY - PM REFILL LUBRICANT FOR AGITATOR-DISSOLVING TANK SEE LONG DESCRIPTION (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	04-Apr-25 01:08 AM	251138308	MONTHLY - PM REFILL LUBRICANT FOR AGITATOR-DISSOLVING TANK SEE LONG DESCRIPTION (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	04-Apr-25 01:08 AM	251138309	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR ASH COLLECTING CONVEYOR (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	04-Apr-25 01:09 AM	251138310	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR DRAG SCRAPER, ESP # 1 SEE LONG DESCRIPTION (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	04-Apr-25 01:09 AM	251138311	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR DRAG SCRAPER, ESP # 2 SEE LONG DESCRIPTION (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	04-Apr-25 01:10 AM	251138312	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR COLLECTING CONVEYOR, ESP # 1 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	04-Apr-25 01:10 AM	251138314	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR COLLECTING CONVEYOR, ESP # 2 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	04-Apr-25 01:10 AM	251138316	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SCRAPER CONVEYER EVR.1 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	04-Apr-25 01:11 AM	251138317	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR COLLECTING CONATYER ESR.2 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	04-Apr-25 01:11 AM	251138318	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR ESP TRANSFER CONVEYOR # 1 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	04-Apr-25 01:11 AM	251138319	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR ESP TRANSFER CONVEYOR #2 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	04-Apr-25 01:12 AM	251138321	4 MONTHS - PM ROUTE INSPECTION AND CLEAN GROUP 1 FOR AREA 182 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	04-Apr-25 01:12 AM	251138322	4 MONTHS - PM ROUTE CLEAN FOR AREA 262,272,282 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	04-Apr-25 01:13 AM	251138323	4 MONTHS - PM ROUTE INSPECTION AND CLEAN GROUP 1 FOR AREA 253 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	04-Apr-25 01:13 AM	251138324	4 MONTHS - PM ROUTE INSPECTION AND CLEAN GROUP 1 FOR AREA 452 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	04-Apr-25 01:14 AM	251138325	4 MONTHS - PM ROUTE INSPECTION AND CLEAN GROUP 2 FOR AREA 452 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	04-Apr-25 01:14 AM	251138326	4 MONTHS - PM ROUTE INSPECTION AND CLEAN GROUP 3 FOR AREA 452 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	04-Apr-25 01:15 AM	251138327	4 MONTHS - PM ROUTE INSPECTION AND CLEAN GROUP 1 FOR AREA 463 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	04-Apr-25 01:15 AM	251138328	4 MONTHS - PM ROUTE INSPECTION AND CLEAN GROUP 2 FOR AREA 463 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	04-Apr-25 01:16 AM	251138329	4 MONTHS - PM ROUTE INSPECTION AND CLEAN GROUP 3 FOR AREA 464 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	04-Apr-25 01:16 AM	251138330	4 MONTHS - PM ROUTE INSPECTION AND CLEAN GROUP 4 FOR AREA 463 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	04-Apr-25 01:16 AM	251138331	4 MONTHS - PM ROUTE INSPECTION AND CLEAN GROUP 5 FOR AREA 465 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	04-Apr-25 01:16 AM	251138332	4 MONTHS - PM ROUTE INSPECTION AND CLEAN GROUP 6 FOR AREA 463 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	04-Apr-25 01:17 AM	251138333	4 MONTHS - PM ROUTE INSPECTION AND CLEAN GROUP 7 FOR AREA 463 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	04-Apr-25 01:17 AM	251138334	4 MONTHS - PM ROUTE INSPECTION AND CLEAN GROUP 8 FOR AREA 464 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	04-Apr-25 01:17 AM	251138335	MONTHLY - PM FOR AIR COMPRESSOR NO.1 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	04-Apr-25 01:18 AM	251138336	MONTHLY - PM FOR AIR COMPRESSOR NO.2 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	04-Apr-25 01:19 AM	251138337	MONTHLY - PM FOR AIR COMPRESSOR NO.3 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	04-Apr-25 01:20 AM	251138338	MONTHLY - PM FOR AIR COMPRESSOR NO.4 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	04-Apr-25 01:21 AM	251138339	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR PRIMARY FD FAN (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	04-Apr-25 01:22 AM	251138341	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR SECONDARY FD FAN (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	04-Apr-25 01:22 AM	251138343	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR TERTIARY FD FAN (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	04-Apr-25 01:23 AM	251138345	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR ID FAN # 1 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	04-Apr-25 01:23 AM	251138346	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR ID FAN # 2 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	04-Apr-25 01:24 AM	251138347	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR ID FAN 3# (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	04-Apr-25 01:25 AM	251138348	MONTHLY - PM ROUTE REFILL LUBRICANT CHAIN CONVEYOR (GROUP1) (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	04-Apr-25 01:25 AM	251138350	MONTHLY - PM ROUTE REFILL LUBRICANT PUMP A (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	04-Apr-25 01:26 AM	251138351	MONTHLY - PM ROUTE REFILL LUBRICANT PUMP B (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	04-Apr-25 01:26 AM	251138352	MONTHLY - PM ROUTE REFILL LUBRICANT PUMP C (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	04-Apr-25 01:26 AM	251138353	MONTHLY - PM ROUTE REFILL LUBRICANT PUMP D (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	04-Apr-25 01:26 AM	251138354	MONTHLY - PM ROUTE REFILL LUBRICANT BEARING FAN TURBINE FRAME GROUP3 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	04-Apr-25 01:26 AM	251138355	MONTHLY - PM ROUTE REFILL LUBRICANT PUMP E (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	04-Apr-25 01:26 AM	251138356	MONTHLY - PM ROUTE REFILL LUBRICANT PUMP F (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	04-Apr-25 01:26 AM	251138357	MONTHLY - PM ROUTE REFILL LUBRICANT PUMP G (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	04-Apr-25 01:27 AM	251138358	MONTHLY CLEANING AIR SUPPLY FILTER 4624026	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	04-Apr-25 01:27 AM	251138359	MONTHLY CLEANING AIR SUPPLY FILTER 4624027	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	04-Apr-25 01:27 AM	251138360	MONTHLY CLEANING AIR SUPPLY FILTER 2024321	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	04-Apr-25 01:27 AM	251138361	MONTHLY CLEANING AIR SUPPLY FILTER 2024322	NPPSA_PP1
MS0100 - Automation Service (Instrument)	04-Apr-25 01:27 AM	251138362	calibrate 4&3 Stack flue gas analyzer (BEO4R081)	NPPSA_PP1
MS0100 - Automation Service (Instrument)	04-Apr-25 01:28 AM	251138364	Monthly PM Duct Baffle "Sick" (BIO 1A400)	NPPSA_PP1
MS0100 - Automation Service (Instrument)	04-Apr-25 01:28 AM	251138365	Monthly PM for 4626R400 DO after Feed water pump	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	04-Apr-25 01:28 AM	251138366	2 MONTHS - PM FOR MOTOR ROTARY FEEDER, ESP # 1 (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	04-Apr-25 01:29 AM	251138367	2 MONTHS - PM FOR MOTOR ROTARY FEEDER, ESP # 2 (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	04-Apr-25 01:29 AM	251138368	2 MONTHS - PM FOR MOTOR ROTARY FEED ESP#3 (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	04-Apr-25 01:29 AM	251138369	2 MONTHS - PM FOR MOTOR SCREW CONVEYOR ESP 3 (E)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	04-Apr-25 01:30 AM	251138370	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR FW PUMP #1 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	04-Apr-25 01:30 AM	251138371	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR FW PUMP #2 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	04-Apr-25 01:31 AM	251138373	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR FW PUMP #3 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	04-Apr-25 01:34 AM	251138374	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR WEAK LIQUOR PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	04-Apr-25 01:34 AM	251138375	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR COMBINED CONDENSATE (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	04-Apr-25 01:35 AM	251138376	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR FEED LIQUOR PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	04-Apr-25 01:35 AM	251138377	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR FIRING LIQ FLASH TNK PUMP #1 (PO)	NPPSA_PP1
MS0024 - Predictive Maintenance	11-Apr-25 01:19 AM	251148515	Monthly vibration check for Fan 262	NPPSA_PP1
MS0024 - Predictive Maintenance	11-Apr-25 01:19 AM	251148516	Monthly vibration check for Fan 282	NPPSA_PP1
MS0024 - Predictive Maintenance	11-Apr-25 01:19 AM	251148521	Monthly vibration check for Fan 283	NPPSA_PP1
MS0024 - Predictive Maintenance	11-Apr-25 01:19 AM	251148522	Monthly vibration check for Fan 457	NPPSA_PP1
MS0024 - Predictive Maintenance	11-Apr-25 01:20 AM	251148523	Monthly vibration check for Fan 460	NPPSA_PP1
MS0024 - Predictive Maintenance	11-Apr-25 01:20 AM	251148524	Monthly oil Sampling for area 467	NPPSA_PP1
MS0024 - Predictive Maintenance	11-Apr-25 01:20 AM	251148525	Monthly oil Sampling for area 295	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Apr-25 01:26 AM	251148550	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR FIRING LIQ FLASH TNK PUMP #1 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Apr-25 01:27 AM	251148551	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR DESUP FEEDWATER PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Apr-25 01:27 AM	251148552	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR STRONG LIQUOR PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Apr-25 01:28 AM	251148553	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR STRONG LIQUOR PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Apr-25 01:28 AM	251148554	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR WARM WATER PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Apr-25 01:29 AM	251148555	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SECONDARY CONDENSATE PUMP 1 (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Apr-25 01:29 AM	251148556	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SUMP PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Apr-25 01:30 AM	251148557	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR STRONG LIQUOR PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Apr-25 01:30 AM	251148558	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR DUMP TANK PUMP (PO)	NPPSA_PP1
WL1320 - PPS,6,10,11 OPERATION	13-Apr-25 01:31 AM	251148559	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SPILL COLLECTION PUMP (PO)	NPPSA_PP1

WL1320 - PPS,8,10,11 OPERATION	13-Apr-25 01:33 AM	251148560	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SCRUBBER RECIRCULATION PUMP (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	13-Apr-25 01:33 AM	251148561	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR GREEN LIQ TRANSFER PUMP #1 (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	13-Apr-25 01:33 AM	251148562	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR GREEN LIQ TRANSFER PUMP #2 (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	13-Apr-25 01:33 AM	251148563	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SPOUT COOLING WATER PUMP #1 (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	13-Apr-25 01:34 AM	251148564	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SPOUT COOLING WATER PUMP #2 (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	13-Apr-25 01:34 AM	251148566	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR CIRCULATION PUMP (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	13-Apr-25 01:35 AM	251148567	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR CONDENSATE FEED PUMP #1 (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	13-Apr-25 01:35 AM	251148568	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR CONDENSATE FEED PUMP #2 (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	13-Apr-25 01:36 AM	251148569	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR FIRING LIQUOR PUMP (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	13-Apr-25 01:37 AM	251148570	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR FIRING LIQUOR PUMP (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	13-Apr-25 01:38 AM	251148572	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR FIRING LIQUOR PUMP (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	13-Apr-25 01:38 AM	251148573	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR FIRING LIQUOR PUMP (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	13-Apr-25 01:39 AM	251148575	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR CONDENSATE PUMP NO. 1 (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	13-Apr-25 01:40 AM	251148576	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR CONDENSATE PUMP NO. 2 (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	13-Apr-25 01:40 AM	251148577	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 1, LEFT (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	13-Apr-25 01:41 AM	251148578	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 2, LEFT (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	13-Apr-25 01:41 AM	251148579	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 3, RIGHT (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	18-Apr-25 01:23 AM	251156843	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 4, LEFT (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	18-Apr-25 01:24 AM	251156844	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 5, RIGHT (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	18-Apr-25 01:24 AM	251156845	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 6, LEFT (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	18-Apr-25 01:25 AM	251156846	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 7, RIGHT (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	18-Apr-25 01:26 AM	251156847	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 8, LEFT (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	18-Apr-25 01:26 AM	251156848	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 9, RIGHT (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	18-Apr-25 01:27 AM	251156849	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 10, LEFT (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	18-Apr-25 01:28 AM	251156850	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 11, RIGHT (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	18-Apr-25 01:28 AM	251156852	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 12, LEFT (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	18-Apr-25 01:29 AM	251156853	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 13, RIGHT (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	18-Apr-25 01:29 AM	251156854	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 14, LEFT (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	18-Apr-25 01:30 AM	251156855	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 15, LEFT (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	18-Apr-25 01:31 AM	251156856	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 16, RIGHT (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	18-Apr-25 01:31 AM	251156857	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 17, LEFT (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	18-Apr-25 01:32 AM	251156858	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 18, RIGHT (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	18-Apr-25 01:32 AM	251156859	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 19, LEFT (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	18-Apr-25 01:33 AM	251156860	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 20, RIGHT (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	18-Apr-25 01:34 AM	251156861	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 21, LEFT (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	18-Apr-25 01:34 AM	251156862	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 22, RIGHT (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	18-Apr-25 01:35 AM	251156863	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 23, LEFT (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	18-Apr-25 01:35 AM	251156864	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 24, RIGHT (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	18-Apr-25 01:36 AM	251156865	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 25, LEFT (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	18-Apr-25 01:37 AM	251156866	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 26, RIGHT (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	18-Apr-25 01:37 AM	251156867	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 27, LEFT (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	18-Apr-25 01:38 AM	251156868	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 28, RIGHT (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	18-Apr-25 01:39 AM	251156869	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 29, LEFT (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	18-Apr-25 01:39 AM	251156870	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 30, RIGHT (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	18-Apr-25 01:40 AM	251156871	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 31, LEFT (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	18-Apr-25 01:40 AM	251156872	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 32, RIGHT (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	18-Apr-25 01:41 AM	251156873	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 33, LEFT (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	18-Apr-25 01:42 AM	251156875	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 34, RIGHT (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	18-Apr-25 01:43 AM	251156876	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 35, LEFT (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	18-Apr-25 01:43 AM	251156877	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 36, RIGHT (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	18-Apr-25 01:44 AM	251156878	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 37, RIGHT (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	18-Apr-25 01:44 AM	251156879	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 38, LEFT (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	18-Apr-25 01:45 AM	251156880	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 39, LEFT (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	18-Apr-25 01:45 AM	251156881	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 40, RIGHT (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	18-Apr-25 01:46 AM	251156882	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 41, LEFT (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	18-Apr-25 01:47 AM	251156883	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 42, RIGHT (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	18-Apr-25 01:47 AM	251156884	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 43, RIGHT (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	18-Apr-25 01:48 AM	251156885	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 44 (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	18-Apr-25 01:48 AM	251156886	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 45, LEFT (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	18-Apr-25 01:49 AM	251156887	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 46, RIGHT (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	18-Apr-25 01:49 AM	251156888	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 47, LEFT (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	18-Apr-25 01:50 AM	251156889	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 48, RIGHT (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	18-Apr-25 01:51 AM	251156890	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 49, LEFT (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	18-Apr-25 01:51 AM	251156891	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 50, RIGHT (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	18-Apr-25 01:52 AM	251156892	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 51, LEFT (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	18-Apr-25 01:52 AM	251156893	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 52, RIGHT (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	18-Apr-25 01:53 AM	251156894	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 53L, LEFT (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	18-Apr-25 01:54 AM	251156895	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 54R, RIGHT (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	18-Apr-25 01:54 AM	251156896	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 55L, LEFT (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	18-Apr-25 01:55 AM	251156897	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 56R, RIGHT (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	18-Apr-25 01:55 AM	251156898	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 57L, LEFT (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	18-Apr-25 01:56 AM	251156899	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 58R, RIGHT (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	18-Apr-25 01:56 AM	251156900	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 59L, LEFT (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	18-Apr-25 01:57 AM	251156901	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER 60R, RIGHT (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	18-Apr-25 01:58 AM	251156902	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER #61 LEFT (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	18-Apr-25 01:58 AM	251156903	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER # 62 RIGHT (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	18-Apr-25 01:59 AM	251156904	WEEKLY - PM ROUTE CHECK SWITCHGEAR (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	18-Apr-25 01:59 AM	251156905	WEEKLY - PM ROUTE CHECK SWITCHGEAR (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	18-Apr-25 02:00 AM	251156108	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR STEAM TURBINE, STG (PO)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	18-Apr-25 02:01 AM	251156109	WEEKLY - PM VISUAL CHECK AND BASIC PDM FOR STEAM TURBINE, AUXILIARY (PO)	NPPSA_PPI
MS0104 - Automation Service (Control)	18-Apr-25 02:05 AM	251156112	2 WEEKS - PM FOR PLC TURBINE & GENERATOR GOVERNOR CONTROL (A)	NPPSA_PPI
MS0104 - Automation Service (Control)	18-Apr-25 02:06 AM	251156116	2 WEEKS - PM FOR HMI TURBINE & GENERATOR GOVERNOR CONTROL (A)	NPPSA_PPI
MS0104 - Automation Service (Control)	18-Apr-25 02:06 AM	251156118	2 WEEKS - PM FOR HMI RODDING MASTER | 463CP60 | (A)	NPPSA_PPI
MS0104 - Automation Service (Control)	18-Apr-25 02:06 AM	251156120	2 WEEKS - PM FOR HMI RODDING MASTER | 463CP61 | (A)	NPPSA_PPI
MS0104 - Automation Service (Control)	18-Apr-25 02:06 AM	251156122	2 WEEKS - PM FOR HMI BMS (A)	NPPSA_PPI
MS0104 - Automation Service (Control)	18-Apr-25 02:06 AM	251156124	2 WEEKS - PM FOR HMI ABSORPTION CHILLER #1 (A)	NPPSA_PPI
MS0104 - Automation Service (Control)	18-Apr-25 02:07 AM	251156127	2 WEEKS - PM FOR HMI ABSORPTION CHILLER #2 (A)	NPPSA_PPI
MS0104 - Automation Service (Control)	18-Apr-25 02:07 AM	251156129	2 WEEKS - PM FOR HMI ABSORPTION CHILLER #3 (A)	NPPSA_PPI
MS0104 - Automation Service (Control)	18-Apr-25 02:07 AM	251156132	2 WEEKS - PM FOR PLC RODDING MASTER | 463CP60 | (A)	NPPSA_PPI
MS0104 - Automation Service (Control)	18-Apr-25 02:07 AM	251156135	2 WEEKS - PM FOR PLC RODDING MASTER | 463CP61 | (A)	NPPSA_PPI
MS0104 - Automation Service (Control)	18-Apr-25 02:08 AM	251156137	2 WEEKS - PM FOR PLC BMS (A)	NPPSA_PPI
MS0104 - Automation Service (Control)	18-Apr-25 02:08 AM	251156139	2 WEEKS - PM FOR PLC ABSORPTION CHILLER #1 (A)	NPPSA_PPI
MS0104 - Automation Service (Control)	18-Apr-25 02:09 AM	251156141	2 WEEKS - PM FOR PLC ABSORPTION CHILLER #2 (A)	NPPSA_PPI
MS0104 - Automation Service (Control)	18-Apr-25 02:09 AM	251156145	2 WEEKS - PM FOR PLC ABSORPTION CHILLER #3 (A)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	18-Apr-25 02:10 AM	251156147	MONTHLY - PM FOR BMS (E)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	18-Apr-25 02:10 AM	251156148	MONTHLY - PM FOR BOX MAIN SUPPLY BURNER (E)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	18-Apr-25 02:11 AM	251156150	MONTHLY - PM FOR AH411 MCC 690V RECOVERY BOILER #1 (E)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	18-Apr-25 02:11 AM	251156157	MONTHLY - PM FOR AH412 MCC 690V RECOVERY BOILER #2 (E)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	18-Apr-25 02:11 AM	251156158	MONTHLY - PM FOR AL413 MCC 400V CSRS (E)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	18-Apr-25 02:12 AM	251156160	MONTHLY - PM FOR SCRUBBER FAN (E)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	18-Apr-25 02:12 AM	251156162	MONTHLY - PM FOR AH401 MCC 690V EVAPORATOR PULP 1 (E)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	18-Apr-25 02:13 AM	251156164	MONTHLY - PM FOR AH311 MCC 690V MILL WIDE #1 (E)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	18-Apr-25 02:13 AM	251156166	MONTHLY - PM FOR AH312 MCC 690V MILL WIDE #2 (E)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	18-Apr-25 02:13 AM	251156168	MONTHLY - PM FOR AL281 EMERGENCY POWER SUPPLY 400 VAC (E)	NPPSA_PPI
WL1320 - PPS,8,10,11 OPERATION	18-Apr-25 02:13 AM	251156169	MONTHLY - PM FOR AL282 NORMAL POWER SUPPLY 400 VAC (E)	NPPSA_PPI
WL5110 - Mechanical PPS,8,10,11	18-Apr-25 02:13 AM	251156170	2 WEEKS - PM FOR 115 kV SUBSTATION WARD (E)	NPPSA_PPI

The resource of this report item is not reachable.

Work Order Details

251062395: MONTHLY - PM ROUTE CHECK MOTOR RAPPER ESP (PO)

Asset:
Location: 463 PP11-RECOVERY BOILER PULP 2
CI:

Sched Start:	4/9/25	**Site:**	POWER	**Job Plan:**	PESP001
Sched Finish:	4/29/25	**Priority:**	5	**Supervisor:**	18588407
Target Start:	4/11/25	**Work Type:**	PM	**Lead:**	
Target Finish:	4/18/25	**Status:**	CLOSE	**Vendor:**	
Actual Start:	4/23/25	**Parent:**		**Owner:**	
Actual Finish:	4/23/25	**Failure Class:**		**Owner Group:**	
Report Date:	2/14/25	**Problem Code:**		**Service:**	
Reported By:	MAXADMIN			**Service Group:**	
		GL Account:	NPSA-?????????-A36	**Classification:**	

Task IDs

Task ID	Description	Status	Measurement Point	Value	Date	Observations
10	รายการตรวจสอบของ Motor Rapper ESP PP11 และหัวข้อตรวจสอบดังนี้	CLOSE		0		
15	1 ตรวจสอบเสียง ปกติ/ไม่ปกติ	CLOSE		0		
20	2 ตรวจสอบ Motor cover fan ปกติ/ไม่ปกติ , มี/ไม่มี	CLOSE		0		
25	3 ตรวจสอบสภาพของกล่องเข้าสาย ปกติ/ไม่ปกติ,สายไฟขาด,กล่องเข้าสายไม่แตก	CLOSE		0		
30	4 ทำความสะอาดตัวมอเตอร์ , ครีบระบายความร้อน และ ฝาครอบใบพัดระบายความร้อน	CLOSE		0		
35	463E155 ( ) ปกติ ( ) ไม่ปกติ ไม่พบ........................	CLOSE		0		
40	463E156 ( ) ปกติ ( ) ไม่ปกติ ไม่พบ........................	CLOSE		0		
45	463E159 ( ) ปกติ ( ) ไม่ปกติ ไม่พบ........................	CLOSE		0		
50	463E160 ( ) ปกติ ( ) ไม่ปกติ ไม่พบ........................	CLOSE		0		
55	463E163 ( ) ปกติ ( ) ไม่ปกติ ไม่พบ........................	CLOSE		0		
60	463E164 ( ) ปกติ ( ) ไม่ปกติ ไม่พบ........................	CLOSE		0		
65	463E166 ( ) ปกติ ( ) ไม่ปกติ ไม่พบ........................	CLOSE		0		
70	463E170 ( ) ปกติ ( ) ไม่ปกติ ไม่พบ........................	CLOSE		0		
75	463E171 ( ) ปกติ ( ) ไม่ปกติ ไม่พบ........................	CLOSE		0		
80	463E174 ( ) ปกติ ( ) ไม่ปกติ ไม่พบ........................	CLOSE		0		
85	463E175 ( ) ปกติ ( ) ไม่ปกติ ไม่พบ........................	CLOSE		0		

The resource of this report item is not reachable.

Work Order Details

251062395: MONTHLY - PM ROUTE CHECK MOTOR RAPPER ESP (PO)

Task IDs

Task ID	Description	Status	Measurement Point	Value	Date	Observations
90	463E178 ( ) ปกติ ( ) ไม่ปกติ ไม่พบ........................	CLOSE		0		
95	463E179 ( ) ปกติ ( ) ไม่ปกติ ไม่พบ........................	CLOSE		0		
100	463E181 ( ) ปกติ ( ) ไม่ปกติ ไม่พบ........................	CLOSE		0		
105	463E741 ( ) ปกติ ( ) ไม่ปกติ ไม่พบ........................	CLOSE		0		
110	463E742 ( ) ปกติ ( ) ไม่ปกติ ไม่พบ........................	CLOSE		0		
115	463E743 ( ) ปกติ ( ) ไม่ปกติ ไม่พบ........................	CLOSE		0		
120	463E744 ( ) ปกติ ( ) ไม่ปกติ ไม่พบ........................	CLOSE		0		
125	463E745 ( ) ปกติ ( ) ไม่ปกติ ไม่พบ........................	CLOSE		0		
130	463E746 ( ) ปกติ ( ) ไม่ปกติ ไม่พบ........................	CLOSE		0		
135	463E747 ( ) ปกติ ( ) ไม่ปกติ ไม่พบ........................	CLOSE		0		

Planned Labor

Task ID	Craft	Skill Level	Labor	Vendor	Contract	Qty	Hours	Rate	Line Cost
	PUH-ELEC	LV1				1	02:00	80.00	160.00
								Total Planned Labor:	160.00

Actual Labor

Task ID	Craft	Skill Level	Labor	Vendor	Contract Num	Regular Hours	Premium Hours	Regular Rate	Premium Rate	Line Cost
	PUH-OPER	LV1	610519			01:52	00:00	110.00	0.00	205.33
									Total Actual Labor:	205.33

Work Order Details

251049539: YEARLY (SD) - PM FOR COOLING WATER RETURN FROM RB DIFF PRESSURE TRANS. (A)

Asset: 182FT109 COOLING WATER RETURN FROM RB DIFF PRESSURE TRANS.
Location: 182 PP11-PIPE BRIDGES FOR PULP 2
CI:

Sched Start:	2/15/25	Site:	POWER	Job Plan:	AFT040
Sched Finish:	3/4/25	Priority:	5	Supervisor:	25416
Target Start:	2/16/25	Work Type:	PM	Lead:	
Target Finish:	2/23/25	Status:	CLOSE	Vendor:	
Actual Start:	3/4/25	Parent:		Owner:	
Actual Finish:	3/4/25	Failure Class:		Owner Group:	
Report Date:	2/5/25	Problem Code:		Service:	
Reported By:	33971			Service Group:	
		GL Account:	NPSA-????????-182	Classification:	

Task IDs

Task ID	Description	Status	Measurement Point	Value	Date	Observations
5	1 CALIBRATION	CLOSE		0		
10 ทำการ Calibration วาล์ว [illegible] ( ) ปกติ = ทำ ( ) ผิดปกติ = ไม่ทำ ไม่ทราบ.....		CLOSE		0		
15 เปลี่ยน O-ring PTFE ( ) ปกติ = ทำ ( ) ผิดปกติ = ไม่ทำ ไม่ทราบ.....		CLOSE		0		

Planned Labor

Task ID	Craft	Skill Level	Labor	Vendor	Contract	Qty	Hours	Rate	Line Cost
			561299			1	01:00	140.00	140.00
								Total Planned Labor:	140.00

Actual Labor

Task ID	Craft	Skill Level	Labor	Vendor	Contract Num	Regular Hours	Premium Hours	Regular Rate	Premium Rate	Line Cost
	PUH-AUTO	LV3	561299			00:58	00:00	140.00	0.00	135.33
									Total Actual Labor:	135.33

The resource of this report item is not reachable.

Work Order Details

251049604: YEARLY (SD) - PM FOR MP STEAM TO EVAPORATION DIFF PRESSURE TRANSMITTER (A)

Asset: 182FT154 MP STEAM TO EVAPORATION DIFF PRESSURE TRANSMITTER
Location: 182 PP11-PIPE BRIDGES FOR PULP 2
CI:

Sched Start:	3/6/25	Site:	POWER	Job Plan:	AFT040
Sched Finish:	3/6/25	Priority:	5	Supervisor:	41807
Target Start:	2/16/25	Work Type:	PM	Lead:	
Target Finish:	2/23/25	Status:	CLOSE	Vendor:	
Actual Start:	3/6/25	Parent:		Owner:	
Actual Finish:	3/6/25	Failure Class:		Owner Group:	
Report Date:	2/5/25	Problem Code:		Service:	
Reported By:	33971			Service Group:	
		GL Account:	NPSA-????????-182	Classification:	

Task IDs

Task ID	Description	Status	Measurement Point	Value	Date	Observations
5	1 CALIBRATION	CLOSE		0		
10 ทำการ Calibration วาล์ว [illegible] ( ) ปกติ = ทำ ( ) ผิดปกติ = ไม่ทำ ไม่ทราบ.....		CLOSE		0		
15 เปลี่ยน O-ring PTFE ( ) ปกติ = ทำ ( ) ผิดปกติ = ไม่ทำ ไม่ทราบ.....		CLOSE		0		

Planned Labor

Task ID	Craft	Skill Level	Labor	Vendor	Contract	Qty	Hours	Rate	Line Cost
			21678			1	00:30	200.00	100.00
								Total Planned Labor:	100.00

Actual Labor

Task ID	Craft	Skill Level	Labor	Vendor	Contract Num	Regular Hours	Premium Hours	Regular Rate	Premium Rate	Line Cost
	PUH-SPEC	LV2	21678			00:26	00:00	200.00	0.00	86.67
									Total Actual Labor:	86.67

Work Order Details

251049680: YEARLY (SD) - PM HMI TURBINE & GENERATOR GOVERNOR CONTROL (A)

Asset: 293TGGC01HMI HMI TURBINE & GENERATOR GOVERNOR CONTROL
Location: 293 PP11-POWER GENERATION PULP 2
CI:

Sched Start:	2/16/25
Sched Finish:	3/1/25
Target Start:	2/16/25
Target Finish:	2/23/25
Actual Start:	2/19/25
Actual Finish:	2/19/25
Report Date:	2/5/25
Reported By:	33971

Site:	POWER
Priority:	5
Work Type:	PM
Status:	CLOSE
Parent:	
Failure Class:	
Problem Code:	
GL Account:	NPSA-777777777-A34

Job Plan:	APLC110
Supervisor:	18904
Lead:	
Vendor:	
Owner:	
Owner Group:	
Service:	
Service Group:	
Classification:	

Task IDs

Task ID	Description	Status	Measurement Point	Value	Date	Observations
5	Condition monitoring/Test	CLOSE		0		
10	1 Power supply	CLOSE		0		
15	1.1 Power supply in .....VAC (220 - 230 VAC) Power supply out .....VDC (24 VDC)	CLOSE		0		
20	Preventive action	CLOSE		0		
25	1 ความต่างศักย์ไฟ ( ) ปกติ = ค่า ( ) สัญญาณ ไฟเข้า ไฟออก ขาเข้า.....	CLOSE		0		

Planned Labor

Task ID	Craft	Skill Level	Labor	Vendor	Contract	Qty	Hours	Rate	Line Cost
	CT-AUTO	LV1				1	00:10	80.00	13.33
								Total Planned Labor:	13.33

Actual Labor

Task ID	Craft	Skill Level	Labor	Vendor	Contract Num	Regular Hours	Premium Hours	Regular Rate	Premium Rate	Line Cost
	CT-SPEC	LV1	21434			01:21	00:00	160.00	0.00	216.00
									Total Actual Labor:	216.00

The resource of this report item is not reachable.

Work Order Details

251049680: YEARLY (SD) - PM HMI TURBINE & GENERATOR GOVERNOR CONTROL (A)

ภาคผนวก ข-9

บันทึกการจ่ายกระแสไฟ ESP PP11

รายเดือน ม.ค. - มิ.ย. พ.ศ. 2568

บันทึกการจ่ายกระแสไฟฟ้าให้กับ ESP ของโรงไฟฟ้า 11 1/2568								
ESP	Cell		เดือน					
			ม.ค.	ก.พ.	มี.ค.	ม.ย	พ.ค.	มิ.ย.
ESP#1	A	KV	69	68	68	66	64	67
		mA	84	90	102	96	90	85
	B	KV	50	51	50	47	49	50
		mA	297	300	306	304	285	311
	C	KV	48	47	49	50	46	47
		mA	645	650	655	625	646	650
ESP#2	A	KV	53	52	50	48	51	54
		mA	89	86	90	98	95	90
	B	KV	47	46	48	47	46	48
		mA	306	300	299	308	312	307
	C	KV	44	42	46	43	45	44
		mA	750	760	752	755	720	751
ESP#3	A	KV	35	37	35	34	35	37
		mA	78	85	77	80	82	76
	B	KV	45	44	46	43	45	42
		mA	350	358	343	360	353	365
	C	KV	39	38	39	40	42	40
		mA	620	615	620	623	635	630

ภาคผนวก ข-10

ตัวอย่างเอกสารอบรมพนักงานขับรถในด้านขับขี่

รายเดือน ม.ค. - มิ.ย. พ.ศ. 2568

Defensive Drive Training
การขับรถเชิงป้องกันอุบัติเหตุ

Motor Claims Department
Mitsui Sumitomo Insurance Co., Ltd. Thailand Branch

Defensive Drive Training

การขับรถเชิงป้องกันอุบัติเหตุ

หัวข้อ

- ❑ สถานการณ์อุบัติเหตุในปัจจุบัน
- ❑ เสริมสมรรถนะความพร้อมก่อนขับขี่
- ❑ การขับรถเชิงป้องกันอุบัติเหตุ
- ❑ โทษของผู้ขับขี่เมื่อเกิดอุบัติเหตุ

Defensive Drive Training

Defensive Drive Training

Defensive Drive Training

Defensive Drive Training

Defensive Drive Training

ความเปลี่ยนแปลงที่เกิดจากการเตรียมตัวที่ดี

ผู้ขับขี่

รถที่ใช้งาน

Defensive Drive Training

Defensive Drive Training

เตรียมความพร้อมของผู้ขับขี่

นอนให้เพียงพอ ที่ดีที่สุดคือ 6-10 ชั่วโมง หรือขั้นต่ำไม่น้อยกว่า 5 ชั่วโมง

เลี่ยงกิจกรรมช่วงระหว่างวัน เช่น งดดื่มชาหรือกาแฟที่มีคาเฟอีนช่วงบ่าย หรือหลังอาหารไม่ควรเกิน 6 โมงเย็น

ดูแลสุขภาพ ควรรับประทานอาหารครบ 5 หมู่ ในปริมาณที่เหมาะสม ไม่ควรรับประทานอาหารมื้อหนักก่อนขับขี่

MSIG

MITSUI SUMITOMO

เตรียมความพร้อมก่อนขับขี่

Motor Claims Department
Mitsui Sumitomo Insurance Co., Ltd. Thailand Branch

Defensive Drive Training

ตรวจสอบความพร้อมของรถยนต์

อุปกรณ์ที่เกี่ยวกับความปลอดภัย ยางรถยนต์ ระบบเบรก กระจกมองข้าง ไฟหน้า ไฟเลี้ยว ฯลฯ

สิ่งแวดล้อมรอบตัว ห้องเครื่องยนต์ ตรวจน้ำในปีก ของเหลวต่างๆ ตลอดจนสิ่งแปลกปลอมที่อาจอยู่ใต้ท้องรถ

Defensive Drive Training

Defensive Drive Training

MSIG

MITSUI SUMITOMO

การขับรถเชิงป้องกันอุบัติเหตุ

Motor Claims Department

Mitsui Sumitomo Insurance Co., Ltd. Thailand Branch

Defensive Drive Training

Defensive Drive Training

Defensive Drive Training

Defensive Drive Training

[illegible]

- [illegible]
- [illegible]
- [illegible]

สะพัดลด รอบพอบ

Defensive Drive Training

การขับรถในทางที่ไม่ใช่ของตัวเอง

พ.ร.บ.จราจรฯ มาตรา 43 (2) ให้ขับรถ [illegible] ที่ผู้ขับขี่ควรระมัดระวังโดยเคร่งครัด ซึ่งอันมีโทษปรับไม่เกินสองร้อยบาท

พ.ร.บ.จราจรฯ มาตรา 42 (7) ห้ามขับรถแซงหน้ารถคันอื่นในระยะไม่ถึงสามสิบเมตร

Defensive Drive Training

ทางและช่องเดินรถ

พ.ร.บ.จราจรฯ มาตรา 43 (1) ต้องขับรถ [illegible] ในช่องเดินรถที่ถูกต้องตามประเภทของรถ [illegible]

- [illegible]
- [illegible]
- [illegible]

ไม่เร็ว ไม่เสียง เลี่ยงอุบัติเหตุ

Defensive Drive Training

ทางและช่องเดินรถ

พ.ร.บ.จราจรฯ มาตรา 43 (5) ห้ามมิให้ผู้ขับขี่ขับรถ [illegible] หรือ ทับ แล้วแต่ประเภทของรถ [illegible]

- [illegible]
- [illegible]
- [illegible]

Defensive Drive Training

กฎหมายควบคุมความเร็วรถบนถนนในประเทศไทย

พ.ร.บ.จราจรฯ มาตรา 67 [illegible]



Defensive Drive Training

Defensive Drive Training

- เว้นระยะ ให้ระยะมากน้อย เห็นรถในได้ทั่ว
- เมื่อมีระยะห่าง ทำให้มีโอกาสในการแก้ไขสถานการณ์ ตัดสินใจได้ดี

Defensive Drive Training

Defensive Drive Training

ทางโค้ง

- ใช้ความเร็วที่เหมาะสม
- ไม่ใช้ทางแคบระดับต่ำกับรถคันสูงกว่า
- ไม่ใช้ทางแคบระดับเดียวกันโดยเฉพาะช่วงทาง โดยเฉพาะทางโค้ง

Defensive Drive Training

ความเสียหายจากการชนกับรถที่มีขนาดใกล้เคียงกัน

Defensive Drive Training

อุบัติเหตุที่เกิดขึ้นในโค้งทางแคบ

Defensive Drive Training

การเลี้ยวรถ

พ.ร.บ.จราจรฯ มาตรา 51 (1ข) เลี้ยวซ้าย ต้องชิดไปทางซ้ายของผู้ขับขี่ทางเดียวกันเมื่อไปถึงแยกไม่น้อยกว่า 30 เมตร

พ.ร.บ.จราจรฯ มาตรา 51 (2ข) เลี้ยวขวา ต้องชิดไปทางขวาของผู้ขับขี่ทางเดียวกันเมื่อไปถึงแยกไม่น้อยกว่า 30 เมตร

พ.ร.บ.จราจรฯ มาตรา 51 (2ค) เลี้ยวขวา ต้องไปตามทางที่กำหนดไว้ในกฎกระทรวง ห้ามเลี้ยวกลับ

Defensive Drive Training

การแซง

พ.ร.บ.จราจรฯ มาตรา 44 การแซงขึ้นหน้าคันอื่น ต้องให้สัญญาณให้ทราบก่อน ให้สัญญาณเสียง จนกว่าจะให้สัญญาณหยุดการแซงคันแซงทางด้านขวา เว้นระยะห่างพอสมควร เมื่อแซงขึ้นไปได้ระยะพอสมควรแล้วจึงกลับเข้าชิดขอบทางด้านซ้ายตามเดิม

Defensive Drive Training

ข้อควรระวัง

- ปริมาณน้ำฝนต่างๆ มีผลต่อการเบรคที่ได้ผล
- หากอยู่ในระยะที่ไม่ปลอดภัย ลดความเร็วให้ได้ระยะเบรคที่ปลอดภัย

Defensive Drive Training

การขับรถทางโค้งซ้าย



พ.ร.บ.จราจรฯ มาตรา 43 ห้ามแซงขึ้นหน้ารถเลี้ยวทางด้านซ้าย ยกเว้น แยกที่ไม่ให้สัญญาณว่าจะเลี้ยวขวา เช่น ถนนมีการจำกัดช่องทางขับขี่

Defensive Drive Training

ทางร่วมทางแยก



พ.ร.บ.จราจรฯ มาตรา 51 วรรคท้าย เลี้ยวซ้ายและเลี้ยวขวาพร้อมกัน ให้รถเลี้ยวเข้าชิดขอบทางเลี้ยวขวาไปก่อน

Defensive Drive Training

ทางร่วมทางแยก

พ.ร.บ.จราจรฯ มาตรา 70 เมื่อผู้ขับขี่ถึงทางร่วมทางแยก ให้ลดความเร็ว

พ.ร.บ.จราจรฯ มาตรา 71

1. คันใดใช้ทางอยู่ทางขวาแยกให้ไปก่อน
2. ถึงพร้อมกัน ให้รถทางซ้ายหรือทางถูกให้ไปก่อน

กรมการขนส่งทางบก มาตรา 72 ทางเดินรถแยก ได้แก่

1. ทางที่มีการติดตั้งเครื่องหมายจราจรว่าเป็นทางแยก
2. เขตบังคับของสัญญาณไฟจราจร
3. ทางในบริเวณที่มีเครื่องหมายการแสดงที่ชัดเจนตามกฎหมายว่าด้วยทางหลวง
4. ตรอก ซอย ในชุมชน



Defensive Drive Training

จุดกลับรถ

พ.ร.บ.จราจร มาตรา 57 (2) ระยะที่ 2 ช่องเดินรถขึ้นไป ให้ใช้รถวิ่งสวนทางที่มีเครื่องหมายให้เห็นชัดเจน ในบังคับต่ำ 30 เมตร ก่อนถึงจุดกลับรถ

Defensive Drive Training

การวางเครื่องหมายสัญญาณในทางเมื่อมีเหตุจำเป็นต้องจอดรถ

Defensive Drive Training

การจอดรถในทาง และบนไหล่ทาง

พ.ร.บ.จราจร มาตรา 58 ในกรณีที่รถเสียหรือจำเป็นจอดรถให้ชิดขอบทางเดินรถให้มากที่สุด หากจำเป็นต้องจอดในทางเดินรถ ต้องจอดในเส้นทางและไม่ให้รบกวนการจราจร และให้ทำสัญญาณตามที่กำหนดไว้ในกฎกระทรวง

Defensive Drive Training

ควรหลีกเลี่ยงการจอดในทาง หากสามารถเลี่ยงจุดที่ปลอดภัยกว่าได้

Defensive Drive Training

อุปกรณ์ที่สนับสนุนการใช้ไฟให้เป็นไปตามประกาศกรมการขนส่ง 11/2561

ระยะในการวางเครื่องหมาย ทางราบทั่วไป 50-100 เมตร ทางโค้งหรือในเวลากลางคืนและอยู่ห่างไกล ให้วางในระยะที่เหมาะสม ผู้ใช้ระยะตามความเหมาะสมโดยคำนึงถึงความปลอดภัย

Defensive Drive Training

สำหรับสัญญาณไฟจราจร

- เมื่อจอดใกล้สัญญาณไฟจราจรสีแดง เมื่อไฟเขียวขึ้นให้ออกรถทันที
- ขณะอยู่ใกล้สัญญาณไฟจราจรสีแดง เมื่อไฟเขียวสัญญาณให้ดีเสียก่อน มีคนเดินข้ามถนนหรือไม่ หรือมีรถในทิศทางอื่นจากทางตรงเข้ามาหรือไม่ เป็นต้น
- เมื่อรถคันหน้าออกไปแล้ว ต้องเคลื่อนรถตามไปทันที อย่าปล่อยให้ห่างจนเกินไป หรือคันในช่องทางอื่นแทรกเข้ามาได้

Defensive Drive Training

ความเร็ว และความชื้นระดับต่ำ ถนนเป็นมีความเสี่ยง ลดความเร็ว และพื้นระดับต่ำ
แต่ความชื้นสูง ทางโล่งความเร็วสูงจะทำให้เกิดความเสี่ยงน้ำ และสิ่งกีดขวางบนถนน
หากใช้ความเร็วมากกว่า 70 กม./ชม. ก็จะมีโอกาสจะสูญเสียการควบคุมรถ และเกิดอุบัติเหตุได้

Defensive Drive Training

Defensive Drive Training

การใช้โทรศัพท์เคลื่อนที่และพิเรส

พ.ร.บ.จราจรทางบก (ฉบับที่ 43) ห้ามมิให้ผู้ขับขี่ รถจักรยานยนต์ ใช้โทรศัพท์เคลื่อนที่ เว้นแต่การใช้โทรศัพท์เคลื่อนที่โดยใช้อุปกรณ์สำหรับการสนทนาโดยผู้ขับขี่ไม่ต้องเอียงใช้โทรศัพท์เคลื่อนที่นั้น

Defensive Drive Training

ความปลอดภัยด้วยความระมัดระวังขั้นสูงสุด

หมายถึง การใช้ความระมัดระวังมากที่สุดเท่าที่เราสามารถจะทำได้ ด้วยแนวคิดที่ว่า อุบัติเหตุจราจรสามารถเกิดขึ้นได้ตลอดเวลา

รถยนต์	รถจักรยานยนต์	รถบรรทุกหก 18 ล้อ
• มองกระจกหลังก่อนเปิดประตู	• ไม่ขับผ่านเข้าใกล้จุดตัดในระยะที่ประสงค์สามารถเบรคได้หยุดก่อนทางร่วมได้	• หากใช้ความเร็วต่ำกว่าที่กฎหมายกำหนดในเขตเมือง จะสามารถหยุดรถได้ทัน

หากทุกคนใช้ความระมัดระวังขั้นสูงสุด จะสามารถลดโอกาสการเกิดอุบัติเหตุจราจรได้

Defensive Drive Training

เมื่อต้องสูญเสียหรับรถ

ขณะขับขี่ในที่ชุมชน

- ความสามารถในการประมวลผลและการตัดสินใจ ลดลง
- ประสิทธิภาพการมองเห็น ลดลง
- ระยะในการหยุดรถ ขึ้นอยู่กับน้ำหนัก และระยะทางเพิ่ม



เมื่อความเร็วของรถเพิ่มขึ้นโอกาสในการเกิดอุบัติเหตุ

- **20** กม./ชม. ไกด์เลี่ยงกับผู้ที่ไม่ได้ตื่น แต่ความต้องการผู้ที่ไม่ได้ประจำ
- **50** กม./ชม. ความสามารถลดลง **8%** เป็นการกับที่มีการฝึกอบรมกับกำลังเพราะ (ถึงการเกิดอุบัติเหตุ **2** เท่า เมื่อเทียบกับผู้ที่ไม่ได้ตื่น)
- **80** กม./ชม. ความสามารถลดลง **12%** เป็นการกับที่มีผลต่อผู้ขับขี่ถูกลง (ถึงการเกิดอุบัติเหตุ **3** เท่า เมื่อเทียบกับผู้ที่ไม่ได้ตื่น)
- **100** กม./ชม. ความสามารถลดลง **15%** การรับรู้ของแต่ละช่วงลดลง (ถึงการเกิดอุบัติเหตุ **5** เท่า เมื่อเทียบกับผู้ที่ไม่ได้ตื่น)
- **150** กม./ชม. ความสามารถลดลง **33%** ไม่สามารถควบคุมการรับรู้ได้ (ถึงการเกิดอุบัติเหตุ **40** เท่า เมื่อเทียบกับผู้ที่ไม่ได้ตื่น)

MSIG

MITSUI SUMITOMO

ไทยรองผู้รับชี้เมื่อเกิดอุบัติเหตุ

Motor Claims Department
Mitsui Sumitomo Insurance Co., Ltd. Thailand Branch

Defensive Drive Training

Defensive Drive Training

Defensive Drive Training

ความคิดและข้อพิจารณาในการเจรจา

Defensive Drive Training

ความคิดและข้อพิจารณาในการเจรจา

ลักษณะความผิด	โทษปรับ	โทษจำคุก	โทษอื่นๆ
	400 – 1,000 บาท	ไม่มี	• ปรับเพิ่มประโยชน์ • พักใช้ใบอนุญาตฯ • เพิกถอนใบอนุญาตฯ
	ไม่เกิน 10,000 บาท	ไม่เกิน 1 เดือน	
	ไม่เกิน 60,000 บาท	ไม่เกิน 3 ปี	
RIP	ไม่เกิน 200,000 บาท	ไม่เกิน 10 ปี	

การประกันภัยรถยนต์ภาคบังคับ

ความคุ้มครองและอัตราเบี้ยประกันภัย (พ.ร.บ.)

ความคุ้มครองปรับปรุงใหม่ตามคำสั่งที่ 10/63 (มีผลบังคับใช้ตั้งแต่ 1/4/63)			
คำสินไหมทดแทนเบื้องต้น (ไม่ต้องรอผลคดี มีค-ถูก)		คำสินไหมทดแทนส่วนเกิน (ต้องเป็นฝ่ายถูกจึงจะได้รับ)	
รถยนต์	ไม่เกิน 35,000 บาท	ทายาท	ไม่เกิน 300,000 บาท
		สูญเสียอวัยวะ / ทุพพลภาพถาวร สิ้นเชิง	200,000 บาท
		เจ็บแล้วหาย / ทำ ทุพพลภาพ เป็นการชั่วคราว ต้องเข้ารักษาตัวในสถานพยาบาล ตั้งแต่ 1 วันขึ้นไป	200,000 บาท
		บุคคลภายนอกทั่วไป	300,000 บาท
		บุคคลภายนอกผู้เสียหาย สูญเสียอวัยวะ / ทุพพลภาพถาวร สิ้นเชิง	500,000 บาท
		ค่ารักษาพยาบาล ตามที่ผู้ป่วยเป็น	200 ถึง 20,000 บาท
ค่ารถเสียหาย	ไม่เกิน 25,000 บาท		

Defensive Drive Training

ความแตกต่างระหว่างผู้ใช้รถทั่วไป กับผู้ใช้รถเป็นวิชาชีพ

	ผู้ใช้รถทั่วไป	ใช้รถเป็นวิชาชีพ
วัตถุประสงค์การใช้รถ	ใช้เมื่อจำเป็นในการทำงานที่มีใช่ประจำวัน	ใช้ในการทำงานประจำ
ระยะเวลาการใช้รถ	ประมาณ 3-4 ชั่วโมงต่อวัน	มากกว่า 8-12 ชั่วโมงต่อวัน
ทักษะ	เลือกทำผู้ใช้รถเป็นวิชาชีพ	ถูกคัดผู้ใช้รถทั่วไป

ด้วยเหตุที่กลุ่มวิชาชีพ เป็นกลุ่มที่ใช้รถในการทำงาน
ในคดีอาญา ศาลมักใช้ดุลยพินิจตัดสินโทษที่ค่อนข้างหนักกว่าผู้ใช้รถทั่วไป

Defensive Drive Training

ขั้นตอนปฏิบัติเมื่อเกิดอุบัติเหตุ มีผู้บาดเจ็บ

จดจำหมวดเลขทะเบียนรถคู่กรณี

ถ่ายรูปก่อนเคลื่อนย้าย

สอบถามรายละเอียดส่วนสูญหาย หรือแสดงตัว ผิด-ถูก

ดำเนินการด้วยความเข้าใจและร่วมมือกับบริษัทประกันภัย

MSIG | MITSUI SUMITOMO

ข้อมูลนี้เป็นกรรมสิทธิ์ของ บริษัท มิตซุย สุมิโตโม ประกันภัย (ประเทศไทย) จำกัด (มหาชน) สาขาประเทศไทย ห้ามนำไปใช้ เผยแพร่ ทำซ้ำ ดัดแปลง หรือกระทำการใดๆ ในลักษณะเดียวกัน โดยไม่ได้รับอนุญาตเป็นลายลักษณ์อักษรจากบริษัทฯ

Double A

Double A (1991) Public Co., Ltd.
Attendance Record

Training Name : Training Group :

Instructor : Time :

Date : Time :

No.	ID Company	Name	Position	Department	Company	Score (Pre-test)		Score (Post-test)		Signature	Signature
						Amount	%	Amount	%	ผู้อบรม	ผู้สอน
1											
2											
3											
4											
5											
6											
7											
8											
9											
10											
11											
12											
13											
14											
15											

Defensive Drive Training

ขั้นตอนปฏิบัติเมื่อเกิดอุบัติเหตุมีผู้บาดเจ็บและจับกรณีเสียชีวิต

กรณีมีผู้บาดเจ็บ รีบให้การช่วยเหลือด้วยการแจ้งเหตุที่เบอร์ฉุกเฉิน

กรณีมีผู้เสียชีวิต แจ้งเหตุไปยังสถานีตำรวจ รอแสดงตัว ณ ที่เกิดเหตุ

กรณีมีเหตุจำเป็น ไม่สามารถรอแสดงตัวได้ ให้หลบเลี่ยงออกมาก่อน ต้องมีการแจ้งเหตุ สน.***

ดำเนินการด้วยความเข้าใจและร่วมมือกับบริษัทประกันภัย

MSIG | MITSUI SUMITOMO

ข้อมูลนี้เป็นกรรมสิทธิ์ของ บริษัท มิตซุย สุมิโตโม ประกันภัย (ประเทศไทย) จำกัด (มหาชน) สาขาประเทศไทย ห้ามนำไปใช้ เผยแพร่ ทำซ้ำ ดัดแปลง หรือกระทำการใดๆ ในลักษณะเดียวกัน โดยไม่ได้รับอนุญาตเป็นลายลักษณ์อักษรจากบริษัทฯ

Q&A

Motor Claims Department

Mitsui Sumitomo Insurance Co., Ltd. Thailand Branch

MSIG
MITSUI SUMITOMO

Double A

Double A (1991) Public Co., Ltd.
Attendance Record

Training Name : Training Group :

Instructor : Time :

Date : Time :

No.	ID Company	Name	Position	Department	Company	Score (Pre-test)		Score (Post-test)		Signature	Signature
						Amount	%	Amount	%	ผู้อบรม	ผู้สอน
1											
2											
3											
4											
5											
6											
7											
8											
9											
10											
11											
12											
13											
14											
15											

Double A
Double A (1991) Public Co., Ltd.
Attendance Record

Double A
Double A (1991) Public Co., Ltd.
Attendance Record

Double A
Double A (1991) Public Co., Ltd.
Attendance Record

Double A
Double A (1991) Public Co., Ltd.
Attendance Record

Double A
Double A (1991) Public Co., Ltd.
Attendance Record

Double A
Double A (1991) Public Co., Ltd.
Attendance Record


Double A
Double A (1991) Public Co., Ltd.
Attendance Record

Double A
Double A (1991) Public Co., Ltd.
Attendance Record

Double A
Double A (1991) Public Co., Ltd.
Attendance Record

Double A
Double A (1991) Public Co., Ltd.
Attendance Record

Double A
Double A (1991) Public Co., Ltd.
Attendance Record

ภาคผนวก ข-11

วิธีปฏิบัติการกำจัดสิ่งปฏิกูลที่ไม่ใช้แล้วจากกระบวนการผลิต

ประวัติการแก้ไขเอกสาร

เลขที่เอกสาร	แก้ไขครั้งที่	รายละเอียดการแก้ไข	ผู้จัดทำเอกสาร
WI-E-PUH-EH-004	01	เพิ่มทะเบียนรายการบันทึกใบตรวจสอบรถบรรทุกของเสียก่อนออกจากพื้นที่	[redacted]
WI-E-PUH-EH-004	02	ปรับเปลี่ยนขั้นตอนการขนส่งกากตะกันสำปะหลัง และขั้นตอนการระบบบำบัดน้ำเสีย และเพิ่มขั้นตอนขนย้ายกากของเสีย น้ำเทศล่างหรือวินาส	
WI-E-PUH-EH-004	03	เพิ่มขั้นตอนการนำจำหน่ายเถ้าชีวมวลให้โรงแร่กรด และการจำหน่ายกากตะกันสำปะหลังให้ลูกค้า	
WI-E-PUH-EH-004	04	ปรับแก้เนื้อหาตามคู่มือใหม่	
WI-E-PUH-EH-004	05	ปรับแก้เนื้อหาให้สอดคล้องกับการปฏิบัติจริง	

UNCONTROLLED COPY

ISO 14001 ENVIRONMENTAL MANAGEMENT SYSTEM

WORK INSTRUCTION Document No.WI-E-PUH-EH-004

Issued by Athitiya B. Edition No.05

Effective date: 20 Apr 2024

Approved by Pattama N. Page 2(8)

การกำจัดสิ่งปฏิกูลไม่ใช้แล้วจากกระบวนการผลิต

1. **วัตถุประสงค์(Objective)**

1.1 เพื่อให้การจัดการสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว ที่เกิดขึ้นจากกระบวนการผลิตของโรงงาน ให้เป็นไปตามประกาศกระทรวงอุตสาหกรรม เรื่อง การจัดการสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว พ.ศ. 2566 รวมถึงเพื่อป้องกันและลดผลกระทบต่อสิ่งแวดล้อมจากการขนส่งสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว)

2. **ขอบเขต (Scope)**

2.1 ระเบียบการปฏิบัติงานนี้ใช้ควบคู่ตามขั้นตอนการดำเนินงานของกระบวนการต่างๆ ตามระเบียบปฏิบัติและข้อกำหนดในมาตรฐานระบบการจัดการภายในบริษัท เนชั่นแนล เพาเวอร์ซัพพลาย จำกัด (มหาชน) และบริษัทฯ ย่อย

3. **คำจัดความ (Definition)**

3.1 บริษัท เนชั่นแนล เพาเวอร์ ซัพพลาย จำกัด (มหาชน) และบริษัทฯย่อย หมายถึง

- บริษัท เนชั่นแนล เพาเวอร์ ซัพพลาย จำกัด (มหาชน)
- บริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 2 จำกัด
- บริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 3 จำกัด
- บริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 5 จำกัด
- บริษัท ชีวเจนรี กรีนแลร์จี จำกัด
- บริษัท อี 85 จำกัด
- บริษัท น้ำใส 304 จำกัด

3.2 สิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว หมายถึงสิ่งของที่ไม่ใช้แล้วหรือของเสียทั้งหมดที่เกิดขึ้นจากการประกอบกิจการโรงงาน รวมถึงของเสียจากวัสดุดิบ ของเสียที่เกิดขึ้นในกระบวนการคัดและของเสียที่เป็นผลิตภัณฑ์เสื่อมคุณภาพ ในที่นี้ได้แก่ ขี้เถ้าขาว(RH ash), ขี้เถ้าดำ(PB ash), SD sludge, เถ้าลอย (Fly ash) และ เถ้าหนัก(Bottom ash) ทั้งนี้ ไม่รวมถึง วัสดุหรือสิ่งปฏิกูลที่ไม่ใช้แล้ว ที่เกิดขึ้นจากการใช้ชีวิตของพนักงานและสิ่งงานภายในโรงงาน ได้แก่ เศษอาหาร ภาชนะบรรจุอาหาร ภาชนะบรรจุน้ำดื่ม รวมถึงจากห้องน้ำ ที่จะต้องมีการนำออกไปกำจัดตามพระราชบัญญัติสาธารณสุข พ.ศ. 2535

3.3 แหล่งกำเนิด หมายถึง แหล่งกำเนิดของ สิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว ประกอบด้วย Recovery boiler ash silo , Power boiler ash silo ,Bottom ash bin , Bottom ash silo ,SD tank,Decanter และ Sludge belt press

UNCONTROLLED COPY

3.4 พื้นที่รับกำจัด หมายถึง พื้นที่จัดเก็บ, พื้นที่หมักปุ๋ย, พื้นที่ฝังกลบ Process waste หรือ หลุมฝังกลบสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว)

4. ขั้นตอนการปฏิบัติงาน(Procedure)

Process waste	ขั้นตอนการปฏิบัติ
1.ขี้เถ้าแกว	**1.การขออนุญาต** ตัวหน้าที่สิ่งแวดล้อม มีหน้าที่รับผิดชอบในการยื่นขออนุญาตนำวัสดุที่ไม่ใช้แล้วออกนอกโรงงาน (กอ.1) ต่อกรมโรงงานอุตสาหกรรม **2.การควบคุม** 2.1) Operator มีหน้าที่ในการควบคุมดูแลการขน Recovery ash ให้มีความแห้งเหมาะสมไม่หยดเป็นโคลน 2.2) Operator มีหน้าที่ในการบันทึกปริมาณ Recovery ashใน Daily report 2.3) เจ้าหน้าที่สิ่งแวดล้อมมีหน้าที่ส่งวิเคราะห์คุณภาพและทีย์ปริมาณ Recovery ashในระบบอิเล็กทรอนิกส์ (กอ.2) ต่อกรมโรงงานอุตสาหกรรม **3.การขนส่ง** ระบบการขนส่งทางท่อ
2.เถ้าชีวมวล	**1. การขออนุญาต** 1.1) เจ้าหน้าที่สิ่งแวดล้อม มีหน้าที่รับผิดชอบในการยื่นขออนุญาตนำวัสดุที่ไม่ใช้แล้วออกนอกโรงงาน (กอ.1) ต่อกรมโรงงานอุตสาหกรรม 1.2) เจ้าหน้าที่สิ่งแวดล้อมตรวจสอบแปลงตามโฉนดที่ดินที่ขออนุญาตไปองทุกครั้ง 1.3) เจ้าหน้าที่ประชาสัมพันธ์จัดทำหนังสือแจ้งหน่วยงานท้องถิ่น ดังนี้ สำนักงานอุตสาหกรรมจังหวัด นายอำเภอ นายกองค์การบริหารส่วนตำบล สมาชิกองค์การบริหารส่วนตำบล กำนัน ผู้ใหญ่บ้าน ลงนามโดยหัวหน้าเจ้าหน้าที่บริหาร **2. การควบคุม** 2.1) Operator มีหน้าที่แจ้งระดับใน Fly ash silo และ bottom ash silo 2.2) พนักงานขับรถมีหน้าที่ในโหลดและ Spray น้ำไม่ให้ฝุ่นหรือหยดเป็นโคลน 2.3) Operator มีหน้าที่ในการแจ้งรายละเอียดและลงการจัดการสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว (กอ.3) 2.4) เจ้าหน้าที่สิ่งแวดล้อมมีหน้าที่ส่งวิเคราะห์คุณภาพเถ้าชีวมวล **3.การขนส่ง** 3.1) Operator แจ้งให้ฝ่ายขนส่งจัดรถเข้ามารับเถ้าและบันทึกใบตรวจสอบรถบรรทุกของเสียก่อนออก

Process waste	ขั้นตอนการปฏิบัติ
	จากพื้นที่ 3.2) ECC ขนส่งชุดตรวจสอบรถบรรทุกที่จะนำอากอุตสาหกรรมทุกคันก่อนอนุญาตให้ออกจากโรงงาน โดยรถบรรทุกต้องไม่มีการหกเลี่ยนหล่นปิดคลุมด้วยใบปิดหรือผ้าใบและมีเอกสาร กอ.2 ซึ่งหากรถบรรทุกปฏิบัติไม่ถูกต้องจะไม่อนุญาตให้รถคันดังกล่าวออกนอกโรงงาน **4.การนำเข้าไปปรับสภาพพื้นที่เปลี่ยปลูก** 4.1) เจ้าหน้าที่สิ่งแวดล้อม มีหน้าที่ในการรายงานผลการปฏิบัติงานเป็นประจำอย่างน้อยเดือนละ 1 ครั้ง 4.2) ลงเถ้าชีวมวลโดยมีรถไถและ Back Hoe ผสมคลุกเคล้าไม่ให้กองที่หน้างาน 4.3) เจ้าหน้าที่ประจำแปลง มีหน้าที่ในการควบคุมดำเนินดูแล พร้อมทั้งต้องจัดให้มีเครื่องจักรกลหนักที่พร้อมใช้งานตลอด 24 ชั่วโมง **5.การนำขี้เถ้าจำหน่ายให้เลขตรกร** 5.1) ฝ่ายขาย ประสานให้ลูกค้าส่งเอกสาร ในการดำเนินการยื่นขออนุญาตนำวัสดุที่ไม่ใช้แล้วออกนอกโรงงาน (กอ.1) ดังนี้ 5.1.1 ลูกค้าลงนามในหนังสือยินยอมรับสิ่งปฏิกูลและวัสดุเหลือใช้จากบริษัท 5.1.2 สำเนาบัตรประจำตัวประชาชน 5.1.3 สำเนาทะเบียนบ้าน 5.1.4 เอกสารรับรองการเป็นเกษตรกร อย่างน้อย 1 รายการ ดังนี้ - สำเนาหนังสือรับรองการขึ้นทะเบียนเกษตรกร - สำเนาหนังสือการขึ้นทะเบียนเกษตรกร - สำเนาบัตรสวัสดิการแห่งรัฐ สมาชิกสหกรณ์ สมาชิกกลุ่มเกษตรปลูกอ้อย - หนังสือรับรองการประกอบอาชีพเกษตรกรรมจากหน่วยงานราชการ/หน่วยงานท้องถิ่น/กำนัน/ผู้ใหญ่บ้าน (แบบสำเนาบัตรประจำตัวแห่งใด) 5.1.5 รูปถ่ายขณะเลือกวิธีนำไปใช้การจัดเก็บ 5.1.6 ลูกค้าลงนามใน หนังสือยินยอมระหว่างผู้ใช้ และผู้ให้บริการนำบัดกำจัดสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว 5.2) ฝ่ายสิ่งแวดล้อม ดำเนินการยื่นขออนุญาตนำวัสดุที่ไม่ใช้แล้วออกนอกโรงงาน (กอ.1) ผ่านระบบอิเล็กทรอนิกส์ของกรมโรงงานอุตสาหกรรม เข้าสู่ขั้นตอนการพิจารณาการขออนุญาตจากโรงงาน 5.3) เมื่อได้รับการอนุญาต เจ้าหน้าที่ของบริษัท เข้าตรวจสอบแปลง ที่ได้รับการอนุญาต เพื่อดูความเหมาะสมของพื้นที่และการจัดการขี้เถ้าอย่างถูกวิธีตามที่ขออนุญาตจึงสามารถเข้าสู่ขั้นตอนการดำเนินการ 5.4) การรายงานการขนส่ง

UNCONTROLLED COPY

Process waste	ขั้นตอนการปฏิบัติ
	5.4.1 ECC ขนส่งชุมตรวจสอบรถบรรทุกที่ขนถ้ายออกจากอุตสาหกรรมทุกคันก่อนอนุญาตให้ออกจากโรงงาน โดยรถบรรทุกต้องไม่มีการหกของเสียหกหล่นปิดคลุมผ้าใบเรียบร้อย และมีเอกสาร ถอ.2 ซึ่งหากรถบรรทุกปฏิบัติไม่ถูกต้องจะไม่อนุญาตให้รถคันดังกล่าวออกนอกโรงงาน 5.4.2 เมื่อขนส่งสินค้าสิ้นสุดปลายทางทุกเที่ยว พนักงานขนส่งต้องมีการรายงานการขนส่งผ่านโปรแกรมการสื่อสาร Line ชื่อห้อง Line NPP3_ตรวจรถขึ้นเถ้า โดยการถ่ายรูปรถเรียบร้อยก่อน 1 รูปและใบชั่ง 1 รูป โดยใช้โปรแกรม time stamp
3.เถ้าจากเชื้อเพลิงผสม (ชีวมวล+ถ่านหิน)	**1. การขออนุญาต** เจ้าหน้าที่สิ่งแวดล้อม มีหน้าที่รับผิดชอบในการยื่นขออนุญาต (กอ.1) นำเถ้าลอย (Fly ash) และ เถ้าหนัก(Bottom ash) ออกนอกโรงงานเพื่อนำไปเป็นวัตถุดิบทดแทนในการผลิตปูนซีเมนต์ หรือส่งหลังรับคำสั่งซื้อตามกฎหมาย **2. การควบคุม** 2.1) Operator มีหน้าที่แจ้งระดับใน Fly ash silo และ bottom ash silo 2.2) พนักงานขับรถมีหน้าที่ไปโหลดและ Spray น้ำไม่ให้ฝุ่นหรือหลอดเป็นโคลน 2.3) Operator มีหน้าที่ในการบันทึกปริมาณ เถ้าลอยดำ (Power Ash) และ เถ้าหนัก (Bottom ash) ใน Daily report 2.4) Operator มีหน้าที่ในการแจ้งรายละเอียดแสดงการจัดการสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว (กอ.2) 2.5) เจ้าหน้าที่สิ่งแวดล้อมมีหน้าที่ส่งวิเคราะห์คุณภาพ เถ้าลอย (Fly ash) และ เถ้าหนัก (Bottom ash) **3.การขนย้าย** 3.1) Operator แจ้งให้ฝ่ายขนส่งจัดรถเข้ามารับเถ้าลอย (Fly ash) และ เถ้าหนัก (Bottom ash) 3.2) ECC ขนส่งชุมตรวจสอบรถบรรทุกที่ขนถ้ายออกจากอุตสาหกรรมทุกคันก่อนอนุญาตให้ออกจากโรงงาน โดยรถบรรทุกต้องไม่มีการหกของเสียหกหล่นปิดคลุมผ้าใบเรียบร้อย และมีเอกสาร ถอ.2 ซึ่งหากรถบรรทุกปฏิบัติไม่ถูกต้องจะไม่อนุญาตให้รถคันดังกล่าวออกนอกโรงงาน
4.ถ้าก่อหิน	**1.การขออนุญาต** เจ้าหน้าที่สิ่งแวดล้อมชื่นขออนุญาต (กอ.1) นำเถ้าลอย (Fly ash) และ เถ้าหนัก(Bottom ash)ไปเป็นวัตถุดิบทดแทนในการผลิตปูนซีเมนต์ซึ่งเป็นโรงงานปรับคุณภาพของเสียรวม ลำดับ 101 หรือส่งขายเป็นผลิตภัณฑ์คอนกรีต ผลิตภัณฑ์คอนกรีตผสมผลิตภัณฑ์ยิบซัมลำดับ58(1) หรือส่งกำจัดและส่งขายให้กับโรงงานประกอบกิจการเกี่ยวกับการนำผลิตภัณฑ์อุตสาหกรรมที่ไม่ใช้แล้วหรือของเสียจากโรงงานมาผลิตเป็นวัตถุดิบหรือผลิตภัณฑ์ใหม่โดยผ่านกรรมวิธีการผลิตทางอุตสาหกรรมลำดับ 106 หรือส่งกำจัดให้โรงงานประกอบกิจการเกี่ยวกับการคัดแยกหรือฝังกลบสิ่งปฏิกูล หรือวัตถุที่ไม่ใช้แล้วลำดับ 105 ที่ได้รับ

Process waste	ขั้นตอนการปฏิบัติ
	อนุญาตจากกรมโรงงานอุตสาหกรรม ก่อนที่จะนำออกนอกโรงงาน **2. การควบคุม** 2.1) Operator มีหน้าที่แจ้งระดับใน Fly ash silo และ bottom ash silo และแจ้งสิ่งของถ้าลอย ให้หน่วยงานอื่นๆรับทราบ 2.2) Operator มีหน้าที่ในการบันทึกปริมาณ ใน Fly ash silo และ bottom ash ใน Daily report 2.3) ฝ่ายพัฒนาธุรกิจถ้าลอยมีหน้าที่แจ้งแผนการเข้ารับ Fly ash ในแต่ละ วันของลูกค้าให้หน่วยงานอื่นๆรับทราบ 2.4) Operator มีหน้าที่ในการแจ้งรายละเอียดแสดงการจัดการสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว (กอ.2) 2.5) เจ้าหน้าที่สิ่งแวดล้อมมีหน้าที่ส่งวิเคราะห์คุณภาพถ้าลอย (Fly Ash) และ เถ้าหนัก (Bottom ash) **3.การขนย้าย** 3.1) Operator แจ้งหน่วยงานขนส่งเพื่อให้รถขนส่งมาวิเคราะของเสียไปเป็นวัตถุดิบทดแทนในการผลิตปูนซีเมนต์หรือส่งกำจัด 3.2) พนักงานขับรถทำการชั่งน้ำหนักเมื่อถึง Fly ash silo หรือ Bottom ash silo จะต้องแจ้งให้ DCS ของโรงไฟฟ้า7,8 รับทราบหมายเลขโทรศัพท์ 5-5000 3.2) พนักงานโหลด ทำการโหลด Fly ash หรือ Bottom ash โดยควบคุมการสเปรย์ให้ไม่ฟุ้งหรือหลอด 3.3) พนักงานขับรถขับออกจากพื้นที่จุดโหลดไปอีกฝั่ง เพื่อทำการชั่งออกและบันทึกน้ำหนักสุทธิ 3.4) Operator ที่จุดชั่งทำการแจ้งรายละเอียดแสดงการจัดการสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว (กอ.2) 3.5) ECC ขนส่งชุมตรวจสอบรถบรรทุกที่ขนถ้ายออกจากอุตสาหกรรมทุกคันก่อนอนุญาตให้ออกจากโรงงาน โดยรถบรรทุกต้องไม่มีการหกของเสียหกหล่นปิดคลุมผ้าใบเรียบร้อย และมีเอกสาร ถอ.2 ซึ่งหากรถบรรทุกปฏิบัติไม่ถูกต้องจะไม่อนุญาตให้รถคันดังกล่าวออกนอกโรงงาน
5.กากน้ำมันสำปะหลัง และกากตะกอนจากระบบบำบัดน้ำเสีย	**1.การขออนุญาต** เจ้าหน้าที่สิ่งแวดล้อม มีหน้าที่รับผิดชอบยื่นขออนุญาต(กอ.1) ออกนอกโรงงาน ต่อกรมโรงงานอุตสาหกรรม โดยกากน้ำมันสำปะหลัง ขออนุญาตนำออก เพื่อเป็นวัสดุปรับปรุงดินในแปลงของบริษัทฯ นำไปหลุมฝังกลบ หรือขายให้แก่เกษตรกร ส่วนกากตะกอนจากระบบบำบัดน้ำเสียให้ขออนุญาตนำออกเพื่อใช้เป็นวัตถุดิบในโรงผลิตสารปรับปรุงดิน **2. การควบคุม** 2.1) Operator มีหน้าที่แจ้งปริมาณกากของเสีย และแจ้งแผนจำนวนการขนถ้าออกนอกโรงงานต่อฝ่ายขนส่ง 2.2) ฝ่ายพัฒนาธุรกิจ E&S มีหน้าที่แจ้งแผนการเข้ารับกากน้ำมันสำปะหลัง ในแต่ละ วันของลูกค้า ให้หน่วยงานอื่นๆรับทราบ

UNCONTROLLED COPY

Process waste	ขั้นตอนการปฏิบัติ
	2.3) เจ้าหน้าที่สิ่งแวดล้อมมีหน้าที่ส่งวิเคราะห์คุณภาพจากถังสำประหลัง และจากสระออนจากระบบบำบัดน้ำเสีย 2.4) Operator มีหน้าที่ในการแจ้งรายละเอียดแสดงการจัดการสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว (ก0.2) **3.การขนย้าย** 3.1) Operator แจ้งให้ฝ่ายขนส่งจัดรถเข้ามารับกากมันสำประหลังและกากตะกอน โดยสื่อสารในแอปพลิเคชัน LINE ห้อง "E85 ขนส่งกากมัน" 3.2) พนักงานขับรถดำเนินการเข้ารับกากของเสีย เมื่อนำกากของเสียขึ้นบรรทุกแล้ว ให้โดยดำเนินการคลุมผ้าใบ แล้วตรวจสอบต้องไม่หลอะ และไม่มีน้ำหยดลงตกจากระยะ 3.3) กรณีขนส่งไปแหล่งรับกำจัด ให้พนักงานขับรถรับใบ ก0.2 ที่ปิดมาปก.1 ของ E85 และขอเลขถังถึง ก0.2 ในแอปพลิเคชัน LINE ห้อง "E85 ขนส่งกากมัน" 3.4) ECC ขนส่งชุมตรวจสอบรถบรรทุกที่ขนส่งออกจากอุตสาหกรรมคลุมรับก่อนอนุญาตให้ออกจากโรงงาน โดยรถบรรทุกต้องไม่มีกากของเสียหกหล่นปิดคลุมผ้าใบเรียบร้อย และมีเอกสาร ก0.2 ซึ่งพนักงานขับรถบรรทุกปฏิบัติไม่ถูกต้องจะไม่อนุญาตให้รถคันดังกล่าวออกนอกโรงงาน **4.การนำกากมันสำประหลังไปทำให้ถูกต้อง** ปฏิบัติตามเอกสาร WP-Q-E85-SM-005 การจำหน่ายสินค้า By product
6.น้ำกากส่าหรือวินาส	**1.การขออนุญาต** การขออนุญาต (ว0.1) น้ำกากส่าออกนอกโรงงาน ฉะดำเนินการเนื้อบริษัทมีความประสงค์จนอีกครั้งนาส ให้ออกจากจุดโหลดในโรงงาน ออกนอกโรงงานเท่านั้น พนักงานที่สิ่งแวดล้อม มีหน้าที่รับผิดชอบยื่นขออนุญาตก0.1) ออกนอกโรงงาน ต่อกรมโรงงานอุตสาหกรรม ขออนุญาตนำรถออกเพื่อเป็นวัสดุปรับปรุงดินในแปลงของบริษัทฯนำไปหมุนเวียนกลบหรือแปลงปลูกให้เกษตรกร **2. การควบคุม** 2.1) Operator มีหน้าที่จัดแสดงการขนถ่ายน้ำกากส่าออกแปลง และบริหารทีมขนส่งให้มารับน้ำกากส่า 2.2) เจ้าหน้าที่สิ่งแวดล้อมมีหน้าที่ส่งวิเคราะห์คุณภาพน้ำกากส่า 2.3) Operator มีหน้าที่ในการแจ้งรายละเอียดแสดงการจัดการสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว (ก0.2) **3.การขนย้าย** 3.1) Operator แจ้งให้ฝ่ายขนส่งจัดรถเข้ามารับน้ำกากส่า ตามแผนงานการขนย้าย 3.2) Operator ดำเนินการโหลดน้ำวินาสลงรถบรรทุก และตรวจสอบความเรียบร้อยเบื้องต้น โดยส่งรายงานการทำงานโหลดน้ำกากส่าใน แอปพลิเคชัน Jaws และส่งรายงานผ่านแอปพลิเคชัน LINE ห้อง "E85 จัดการน้ำวินาสลงแปลง"

Process waste	ขั้นตอนการปฏิบัติ
	3.3) พนักงานขับรถดำเนินการเข้ารับน้ำกากส่า เมื่อนำกากของเสียขึ้นบรรทุกและหลังโหลดน้ำกากส่าลงแปลงปลูกเพื่อปรับปรุงดินแล้ว ให้ดำเนินการตรวจสอบความเรียบร้อย ต้องตรวจสอบความเรียบร้อย ปิดวาล์วให้สนิท ไม่มีรอยหรั่วไหลจากข้อต่อหรือแหงค์บรรทุก 3.4) ECC ขนส่งชุมตรวจสอบรถบรรทุกที่ขนส่งออกจากอุตสาหกรรมคลุมรับก่อนอนุญาตให้ออกจากโรงงาน โดยรถบรรทุกต้องไม่มีกากของเสียหกหล่นปิดคลุมผ้าใบเรียบร้อย และมีเอกสาร ก0.2 ซึ่งพนักงานขับรถบรรทุกปฏิบัติไม่ถูกต้องจะไม่อนุญาตให้รถคันดังกล่าวออกนอกโรงงาน

5. บันทึก (Record)

หมายเลขเอกสาร	ชื่อเอกสาร	ระยะเวลาการจัดเก็บ	สื่อที่ใช้บันทึก	ผู้รับผิดชอบ
FR-E-PUH-EH-023	ทะเบียนรายการบันทึกใบตรวจสอบรถบรรทุกของเสียก่อนออกจากพื้นที่	1 ปี	ไฟล์อิเล็กทรอนิกส์	PO

6. เอกสารแนบ (Related Document)

ไม่มี

7. เอกสารอ้างอิง (Reference)

7.1 พระราชบัญญัติสาธารณสุข พ.ศ. 2535

7.2 ประกาศกระทรวงอุตสาหกรรม เรื่อง การจัดการสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว พ.ศ. 2566

7.3 WI-E-PUH-EH-006 การขออนุญาตนำสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้วออกนอกบริเวณโรงงาน

7.4 WP-Q-E85-SM-005 การจำหน่ายสินค้า By product

UNCONTROLLED COPY

ภาคผนวก ข-12

การขออนุญาตให้นำสิ่งปฏิกูลออกนอกโรงงาน พ.ศ. 2568

หนังสือแจ้งผลการพิจารณา
การขออนุญาตให้นำสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้วออกนอกบริเวณโรงงาน
กรมโรงงานอุตสาหกรรม

เลขที่ 2568-6865

หนังสือฉบับนี้ออกให้เพื่อแจ้งผลการพิจารณาของ

บริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 5 เอ จำกัด

ทะเบียนโรงงานเลขที่ 10250100325405

โดยมีรายละเอียดผลการพิจารณาดังนี้

ลำดับที่	รหัสสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว	ชื่อสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว	ปริมาณ(ตัน)	รหัสการจัดการ	ผู้รับดำเนินการ	เหตุผล
1	170604	ฉนวนกันความร้อน	30.000	071	10250006425606	
2	170904	ขยะจากการทุบรื้อถอนพื้นที่บางส่วน(เศษเหล็ก ไม้ ปูนซีเมนต์ เศษฉนวนกันความร้อน เศษพลาสติก)	300.000	071	10250006425606	
3	190905	เรซิ่น	5.000	071	10250006425606	
4	100117	ขี้เถ้าขาว(RB Ash)	6,000.000	049	10250003225579	
5	030302	green liquor sludge(SD sludge)จากกระบวนการเรียกคืนน้ำยาฟอกเยื่อ	100.000	042	10250004625603	
6	150110	ภาชนะบรรจุสำหรับเยื่อขนาด 25 30 ลิตร	5.000	039	10250004625603	
7	160215	หลอดฟลูออเรสเซนต์	2.000	049	10250004625603	
8	130206	น้ำมันเครื่องยนต์ น้ำมันเกียร์ น้ำมันหล่อลื่นชนิดสังเคราะห์ (น้ำมันใช้แล้ว)	20.000	042	10250000425560	

รายการที่ได้รับอนุญาตมีผลบังคับใช้ตั้งแต่วันที่ 1 มกราคม 2568 ถึงวันที่ 31 ธันวาคม 2568

ออกให้ ณ วันที่ 1 มกราคม 2568
โดยกรมโรงงานอุตสาหกรรม

หนังสือแจ้งผลการพิจารณาฉบับนี้ออนุญาตโดยใช้ระบบอิเล็กทรอนิกส์

รหัสการจัดการสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว

011 คัดแยก(กระทำเพื่อจำหน่ายต่อ (sorting)
021 กักเก็บในภาชนะรองรับ (storage) ใช้ระบุลักษณะการกักเก็บและภาชนะบรรจุ
031 นำกลับมาใช้ซ้ำ (reuse) ตามวัตถุประสงค์เดิมของวัสดุที่ไม่ใช้แล้วนั้น ๆ
032 ส่งกลับคืนสู่ผู้ผลิตเพื่อกำจัด (return to original producer for disposal) ให้ระบุชื่อผู้ผลิตนั้น
033 นำบรรจุกลับลงในภาชนะรองรับเดิมหรือในภาชนะรองรับใหม่ (reuse container to be refilled) ให้ระบุชื่อผู้ผลิตนั้น
039 นำกลับมาใช้ซ้ำด้วยวิธีอื่น ๆ (other reuse methods) ตามวัตถุประสงค์เดิมของวัสดุที่ไม่ใช้แล้วนั้น ๆ ให้ระบุ
041 ใช้เป็นเชื้อเพลิงผสมหรือ (use as fuel substitution or burn for energy recovery)ร่วมกับเตาเผา (incinerator) หรือเตาอุตสาหกรรมซีเมนต์ (cement industrial furnace)
042 นำเชื้อเพลิงผสม (fuel blending) เพื่อนำไปใช้เป็นเชื้อเพลิงสำหรับเตาเผา (incinerator)เตาอุตสาหกรรมซีเมนต์ (cement industrial furnace) หรือเตาผลิตไอน้ำของอุตสาหกรรม (boiler and industrial furnace) ร่วมกับเตาเผา
043 เผาเพื่อใช้เป็นพลังงาน (burn for energy recovery) เฉพาะวัสดุที่ไม่ใช้แล้วนำไปเป็นเชื้อเพลิงสำหรับเตาเผา (stove) หรือหม้อไอน้ำของอุตสาหกรรม (boiler and industrial furnace)
044 ใช้เป็นวัตถุดิบผสมหรือ (use as raw material substitution) ในเตาอุตสาหกรรมซีเมนต์ (cement industrial furnace)
045 ทำวัสดุผสม (material blending) เพื่อใช้เป็นวัสดุดิบทดแทน (use as raw material substitution) ในเตาอุตสาหกรรมซีเมนต์ (cement industrial furnace) ร่วมกับเตาเผา
046 นำเชื้อเพลิงผสมและเถ้าวัสดุที่ใช้เป็นส่วนหนึ่งของวัตถุดิบ สำหรับอุตสาหกรรม เพื่อใช้เผาไหม้ผลิตกระแสไฟฟ้าและพลังงานความร้อน (use as fuel blending for energy recovery) ตามประกาศ
047 ใช้วัสดุที่ไม่ใช้แล้วนำไปเผาในเตาเผาขยะติดเชื้อ เพื่อให้เป็นเชื้อเพลิงผสมกับวัสดุหลักในเตาเผา (incinerator) เพื่อผลิตกระแสไฟฟ้า
048 ใช้วัสดุที่ไม่ใช้แล้วที่เป็นของเสียอันตราย เพื่อใช้เป็นเชื้อเพลิงผสมหลักของเตาเผา (incinerator) เพื่อผลิตกระแสไฟฟ้า
049 ถ่ายทับการใช้ประโยชน์รูปแบบอื่น ๆ (other recycle methods)
051 เข้ากระบวนการกู้คืนตัวทำละลาย(ตัวทำละลายอินทรีย์) (solvent reclamation/regeneration)
052 เข้ากระบวนการกู้คืนโลหะหรือสารประกอบโลหะ (reclamation/regeneration of metal and metal compounds)
053 เข้ากระบวนการคืนสภาพกรด/ด่าง (acid/base regeneration)
054 เข้ากระบวนการคืนสภาพตัวเร่งปฏิกิริยา (catalyst regeneration)
055 เข้ากระบวนการคืนสภาพ ถ่านกัมมันต์ใช้งานแล้ว (spent activated carbon regeneration)
056 เข้ากระบวนการคืนสภาพเรซินหรือเมมเบรนที่ใช้งานแล้ว (spent resin or membrane regeneration)
057 เข้ากระบวนการคืนสภาพทรายหล่อแบบที่ใช้งานแล้ว (spent green sand / no bake sand regeneration)
059 นำวัสดุที่ไม่ใช้แล้วนั้น ๆ กลับคืนมาใหม่ (other recovery unlisted materials) ให้ระบุ
061 นำบำบัดด้วยวิธีชีวภาพ (biological treatment) หรือวิธีเคมีชีวภาพ (chemical biological treatment)
062 นำบำบัดด้วยวิธีชีวภาพ (biological treatment) เพื่อใช้ทำหน้าที่ภาคหรือทำให้โครงสร้างเปลี่ยนแปลงไป
063 นำบำบัดด้วยวิธีเคมีภาคดี (chemical treatment) หรือกายภาพด้วยวิธีทางกายภาพ (physical treatment) หรือนำมาผ่านวิธีการแยกวิธีการ (physico-chemical treatment)
065 นำบำบัดน้ำเสียด้วยวิธีทางเคมีกายภาพ (physico-chemical treatment of wastewater)
066 เข้าทางบนบำบัดน้ำเสียรวม (discharge into central wastewater treatment plant)
067 ปรับเสถียรด้วยวิธีทางเคมี (chemical stabilization)
068 ปรับเสถียรด้วยวัสดุจำพวกซีเมนต์ไฮดรอลิกหรือปอซโซลานิก (pozzolanic (chemical fixation using cementitious and/or pozzolanic material)
069 ใช้วิธีนำมิติอื่น ๆ เพื่อกำจัดมลพิษ (other detoxification methods) ให้ระบุ
071 ฝังกลบตามหลักสุขาภิบาล (sanitary landfill) เฉพาะสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว ที่ไม่เป็นของเสียอันตรายเท่านั้น
072 ฝังกลบอย่างปลอดภัย (secure landfill)
073 ฝังกลบอย่างปลอดภัย เมื่อนำการปรับเสถียรหรือทำให้เป็นก้อนแข็งแล้ว (secure landfill of stabilized and/or solidified wastes)
074 เผาทำลาย (burn for destruction) ในเตาเผาขยะอุตสาหกรรม พร้อมสามารถนำเถ้าหรือสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้วที่เป็นของเสียมาผสมกับเถ้าด้วย
075 เผาทำลายในเตาเผาขยะติดเชื้อ (burn for destruction in hazardous waste incinerator)
076 เผาทำลายร่วมในเตาเผาอุตสาหกรรมซีเมนต์ (co-incineration in cement kiln)
077 ฉีดฝังลงบ่อใต้ดิน หรือชั้นหินใต้พื้นทะเล (deep well or underground injection; seabed disposal)
079 ทำลายโดยวิธีอื่น ๆ (other disposal methods) ให้ระบุ
081 รวบรวมและส่งออกนอกประเทศ (collect and export)
082 ถมทดแทนในที่ลุ่ม (land reclamation) เฉพาะวัสดุที่ไม่ใช้แล้วที่ไม่เป็นของเสียอันตรายเท่านั้น
083 หมักทำปุ๋ยหรือดินปรับปรุงคุณภาพดิน (composting or soil conditioner) เฉพาะสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้วที่ไม่เป็นของเสียอันตรายเท่านั้น
084 ทำอาหารสัตว์ (animal feed) เฉพาะสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้วที่ไม่เป็นของเสียอันตรายเท่านั้น
085 ศึกษา วิจัยและพัฒนา (study research and develop) เพื่อการทดลองในห้องปฏิบัติการและโครงการนำร่องเท่านั้น

เหตุผลการชี้แจ้ง

01 ชนิดหรือปริมาณไม่ตรงตามคำขอ (ชนิด/ ปริมาณที่ไม่ได้ประกอบกิจการ)
02 วิธีการนำกำจัด/ดำเนินการไม่ถูกต้องกับวิธีประกอบกิจการ
03 ผู้รับดำเนินการไม่ดำเนินการตั้งปรับปรุงตามมาตรา 37 หรือหยุดประกอบกิจการตามมาตรา 39 ตามพระราชบัญญัติโรงงาน
04 ชนิดหรือปริมาณไม่ตรงตามรายงานผลการวิเคราะห์ตัวอย่างของเสีย
05 ไม่สามารถเข้าตรวจสอบสถานที่ประกอบกิจการโรงงาน หรือไม่ได้รับหนังสือยินยอมให้เข้าตรวจสอบ
06 ผู้ใช้อยู่ระหว่างไม่ได้ดำเนินการโรงงาน หรือไม่ได้ดำเนินการตามเงื่อนไขสำคัญ
07 ไม่ปรากฏหลักฐานของการประกาศเจตนารมณ์ตามหลักเกณฑ์และวิธีการจัดการสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว พ.ศ. 2566

เหตุผลการไม่อนุญาต

99 อื่นๆ ระบุ.....

เหตุผลที่ไม่สามารถพิจารณาได้ เนื่องจากขาดเอกสาร หรือเอกสารไม่สมบูรณ์ดังนี้

11 สำเนาใบอนุญาตประกอบกิจการโรงงานของผู้รับดำเนินการ และหรือ ผู้ประกอบกิจวัสดุที่ไม่ใช้แล้ว
12 สำเนาหนังสือรับรองของผู้ประกอบกิจการขนส่งของผู้รับดำเนินการ และหรือ ผู้ประกอบกิจวัสดุที่ไม่ใช้แล้ว
13 สัญญาหรือหนังสือยินยอมการรับกำจัดระหว่างผู้รับดำเนินการและ ผู้ประกอบกิจวัสดุที่ไม่ใช้แล้ว
14 หนังสือค้ำประกันความรับผิด (Liability) ระหว่างผู้รับดำเนินการและ ผู้ประกอบกิจวัสดุที่ไม่ใช้แล้ว
15 หนังสือรับรองสถานะใหญ่หรือรับรองการทำงาน (แบบการยกเว้นผู้มีอำนาจหรือผู้ลงนามแทนผู้รับดำเนินการ และหรือ ผู้ประกอบกิจวัสดุที่ไม่ใช้แล้ว
16 ผลวิเคราะห์ค่าความเข้มข้นในน้ำของของเสียอันตราย (total concentration : mg/kg)
17 ผลวิเคราะห์ด้วยวิธีการสกัดสาร (waste extraction test : mg/l)
18 รายละเอียดกระบวนการผลิตพร้อมแผนผังกระบวนการผลิต
19 รายละเอียดกระบวนการบำบัดของเสีย กากอุตสาหกรรม (ว.น.อ)
20 สำเนาใบอนุญาตส่งออกวัตถุอันตราย (ว.น.อ)
21 หนังสือรับรองจากหน่วยงานราชการของประเทศปลายทางสำหรับการนำเข้าและขนส่งวัตถุอันตราย
22 รายละเอียดวิธีการจัดการวัสดุที่ไม่ใช้แล้วไม่ถูกต้อง
23 รายการจัดการไม่ถูกต้อง
24 การลงนามของบุคคลธรรมดาผู้มีอำนาจไม่สามารถผู้ใช้อยู่ไม่ได้ระบุชื่อผู้ลงนามไม่ครบถ้วนตามเงื่อนไขในหนังสือยินยอมให้ดำเนินการของหน่วยงานราชการ
25 เอกสารมีข้อความไม่ชัดเจน

หมายเหตุ

- การนำไปอนุญาต หากท่านไม่เห็นด้วย สามารถยื่นอุทธรณ์ต่อผู้อนุญาตได้ภายในระยะเวลาอุทธรณ์ ภายใน 15 วัน นับตั้งแต่วันที่ได้รับแจ้งคำสั่งทางปกครอง
- ท่านสามารถนำสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้วออกนอกบริเวณโรงงานโดยไม่ได้รับอนุญาต ถือเป็นการกระทำความผิดตามมาตรา 45 แห่งพระราชบัญญัติโรงงาน พ.ศ.2535 ต้องระวางโทษปรับไม่เกิน 2 แสนบาท

หนังสือแจ้งผลการพิจารณา
การขออนุญาตให้นำสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้วออกนอกบริเวณโรงงาน
กรมโรงงานอุตสาหกรรม

เลขที่ 2568-6865

หนังสือฉบับนี้ออกให้เพื่อแจ้งผลการพิจารณาของ

บริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 5 เอ จำกัด

ทะเบียนโรงงานเลขที่ 10250100325405

โดยมีรายละเอียดผลการพิจารณาดังนี้

ลำดับที่	รหัสสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว	ชื่อสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว	ปริมาณ(ตัน)	รหัสการจัดการ	ผู้รับดำเนินการ	เหตุผล
1	170604	ฉนวนกันความร้อน	0.000	071	10250006425606	
2	170904	ขยะจากการทุบรื้อถอนพื้นที่บางส่วน(เศษเหล็ก ไม้ ปูนซีเมนต์ เศษฉนวนกันความร้อน เศษพลาสติก)	0.000	071	10250006425606	
3	190905	เรซิ่น	0.000	071	10250006425606	
4	100117	ขี้เถ้าขาว(RB Ash)	500.000	049	10250003225579	
5	030302	green liquor sludge(SD sludge)จากกระบวนการเรียกคืนน้ำยาต้มเยื่อ	0.000	042	10250004625603	
6	150110	ภาชนะเปล่าปนเปื้อนขนาด 25 30 ลิตร	0.000	039	10250004625603	
7	160215	หลอดฟลูออเรสเซนต์	0.000	049	10250004625603	
8	130206	น้ำมันเครื่องยนต์ น้ำมันเกียร์ น้ำมันหล่อลื่นชนิดสังเคราะห์ (น้ำมันใช้แล้ว)	0.000	042	10250000425560	

รายการที่ได้รับอนุญาตมีผลบังคับใช้ตั้งแต่วันที่ 1 มกราคม 2568 ถึงวันที่ 31 มกราคม 2568

ออกให้ ณ วันที่ 1 มกราคม 2568
โดยกรมโรงงานอุตสาหกรรม

หนังสือแจ้งผลการพิจารณาฉบับนี้อนุญาตโดยใช้ระบบอิเล็กทรอนิกส์

หนังสือแจ้งผลการพิจารณา
การขออนุญาตให้นำสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้วออกนอกบริเวณโรงงาน
กรมโรงงานอุตสาหกรรม

เลขที่ 2568-6865

หนังสือฉบับนี้ออกให้เพื่อแจ้งผลการพิจารณาของ

บริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 5 เอ จำกัด

ทะเบียนโรงงานเลขที่ 10250100325405

โดยมีรายละเอียดผลการพิจารณาดังนี้

ลำดับที่	รหัสสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว	ชื่อสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว	ปริมาณ(ตัน)	รหัสการจัดการ	ผู้รับดำเนินการ	เหตุผล
1	170604	ฉนวนกันความร้อน	0.000	071	10250006425606	
2	170904	ขยะจากการทุบรื้อถอนพื้นที่บางส่วน(เศษเหล็ก ไม้ ปูนซีเมนต์ เศษฉนวนกันความร้อน เศษพลาสติก)	0.000	071	10250006425606	
3	190905	เรซิ่น	0.000	071	10250006425606	
4	100117	ขี้เถ้าขาว(RB Ash)	500.000	049	10250003225579	
5	030302	green liquor sludge(SD sludge)จากกระบวนการเรียกคืนน้ำยาต้มเยื่อ	0.000	042	10250004625603	
6	150110	ภาชนะเปล่าปนเปื้อนขนาด 25 30 ลิตร	0.000	039	10250004625603	
7	160215	หลอดฟลูออเรสเซนต์	0.000	049	10250004625603	
8	130206	น้ำมันเครื่องยนต์ น้ำมันเกียร์ น้ำมันหล่อลื่นชนิดสังเคราะห์ (น้ำมันใช้แล้ว)	0.000	042	10250000425560	

รายการที่ได้รับอนุญาตมีผลบังคับใช้ตั้งแต่วันที่ 1 กุมภาพันธ์ 2568 ถึงวันที่ 28 กุมภาพันธ์ 2568

ออกให้ ณ วันที่ 1 กุมภาพันธ์ 2568
โดยกรมโรงงานอุตสาหกรรม

หนังสือแจ้งผลการพิจารณาฉบับนี้อนุญาตโดยใช้ระบบอิเล็กทรอนิกส์

หนังสือแจ้งผลการพิจารณา
การขออนุญาตให้นำสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้วออกนอกบริเวณโรงงาน
กรมโรงงานอุตสาหกรรม

เลขที่ 2568-6865

หนังสือฉบับนี้ออกให้เพื่อแจ้งผลการพิจารณาของ

บริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 5 เอ จำกัด

ทะเบียนโรงงานเลขที่ 10250100325405

โดยมีรายละเอียดผลการพิจารณาดังนี้

ลำดับที่	รหัสสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว	ชื่อสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว	ปริมาณ(ตัน)	รหัสการจัดการ	ผู้รับดำเนินการ	เหตุผล
1	170604	ฉนวนกันความร้อน	0.000	071	10250006425606	
2	170904	ขยะจากการทุบรื้อถอนพื้นที่บางส่วน(เศษเหล็ก ไม้ ปูนซีเมนต์ เศษฉนวนกันความร้อน เศษพลาสติก)	50.000	071	10250006425606	
3	190905	เรซิ่น	0.000	071	10250006425606	
4	100117	ขี้เถ้าขาว(RB Ash)	500.000	049	10250003225579	
5	030302	green liquor sludge(SD sludge)จากกระบวนการเรียกคืนน้ำยาต้มเยื่อ	100.000	042	10250004625603	
6	150110	ภาชนะเปล่าปนเปื้อนขนาด 25 30 ลิตร	0.000	039	10250004625603	
7	160215	หลอดฟลูออเรสเซนต์	2.000	049	10250004625603	
8	130206	น้ำมันเครื่องยนต์ น้ำมันเกียร์ น้ำมันหล่อลื่นชนิดสังเคราะห์ (น้ำมันใช้แล้ว)	0.000	042	10250000425560	

รายการที่ได้รับอนุญาตมีผลบังคับใช้ตั้งแต่วันที่ 1 มีนาคม 2568 ถึงวันที่ 31 มีนาคม 2568

ออกให้ ณ วันที่ 1 มีนาคม 2568
โดยกรมโรงงานอุตสาหกรรม

หนังสือแจ้งผลการพิจารณาฉบับนี้อนุญาตโดยใช้ระบบอิเล็กทรอนิกส์

หนังสือแจ้งผลการพิจารณา
การขออนุญาตให้นำสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้วออกนอกบริเวณโรงงาน
กรมโรงงานอุตสาหกรรม

เลขที่ 2568-6865

หนังสือฉบับนี้ออกให้เพื่อแจ้งผลการพิจารณาของ

บริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 5 เอ จำกัด

ทะเบียนโรงงานเลขที่ 10250100325405

โดยมีรายละเอียดผลการพิจารณาดังนี้

ลำดับที่	รหัสสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว	ชื่อสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว	ปริมาณ(ตัน)	รหัสการจัดการ	ผู้รับดำเนินการ	เหตุผล
1	170604	ฉนวนกันความร้อน	0.000	071	10250006425606	
2	170904	ขยะจากการทุบรื้อถอนพื้นที่บางส่วน(เศษเหล็ก ไม้ ปูนซีเมนต์ เศษฉนวนกันความร้อน เศษพลาสติก)	0.000	071	10250006425606	
3	190905	เรซิ่น	0.000	071	10250006425606	
4	100117	ขี้เถ้าขาว(RB Ash)	500.000	049	10250003225579	
5	030302	green liquor sludge(SD sludge)จากกระบวนการเรียกคืนน้ำยาล้มเยื่อ	0.000	042	10250004625603	
6	150110	ภาชนะเปล่าปนเปื้อนขนาด 25 30 ลิตร	0.000	039	10250004625603	
7	160215	หลอดฟลูออเรสเซนต์	0.000	049	10250004625603	
8	130206	น้ำมันเครื่องยนต์ น้ำมันเกียร์ น้ำมันหล่อลื่นชนิดสังเคราะห์ (น้ำมันใช้แล้ว)	10.000	042	10250000425560	

รายการที่ได้รับอนุญาตมีผลบังคับใช้ตั้งแต่วันที่ 1 เมษายน 2568 ถึงวันที่ 30 เมษายน 2568

ออกให้ ณ วันที่ 1 เมษายน 2568
โดยกรมโรงงานอุตสาหกรรม

หนังสือแจ้งผลการพิจารณาฉบับนี้อนุญาตโดยใช้ระบบอิเล็กทรอนิกส์

หนังสือแจ้งผลการพิจารณา
การขออนุญาตให้นำสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้วออกนอกบริเวณโรงงาน
กรมโรงงานอุตสาหกรรม

เลขที่ 2568-6865

หนังสือฉบับนี้ออกให้เพื่อแจ้งผลการพิจารณาของ

บริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 5 เอ จำกัด

ทะเบียนโรงงานเลขที่ 10250100325405

โดยมีรายละเอียดผลการพิจารณาดังนี้

ลำดับที่	รหัสสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว	ชื่อสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว	ปริมาณ(ตัน)	รหัสการจัดการ	ผู้รับดำเนินการ	เหตุผล
1	170604	ฉนวนกันความร้อน	5.000	071	10250006425606	
2	170904	ขยะจากการทุบรื้อถอนพื้นที่บางส่วน(เศษเหล็ก ไม้ ปูนซีเมนต์ เศษฉนวนกันความร้อน เศษพลาสติก)	50.000	071	10250006425606	
3	190905	เรซิ่น	0.000	071	10250006425606	
4	100117	ขี้เถ้าขาว(RB Ash)	500.000	049	10250003225579	
5	030302	green liquor sludge(SD sludge)จากกระบวนการเรียกคืนน้ำยาล้มเยื่อ	0.000	042	10250004625603	
6	150110	ภาชนะเปล่าปนเปื้อนขนาด 25 30 ลิตร	0.000	039	10250004625603	
7	160215	หลอดฟลูออเรสเซนต์	0.000	049	10250004625603	
8	130206	น้ำมันเครื่องยนต์ น้ำมันเกียร์ น้ำมันหล่อลื่นชนิดสังเคราะห์ (น้ำมันใช้แล้ว)	0.000	042	10250000425560	

รายการที่ได้รับอนุญาตมีผลบังคับใช้ตั้งแต่วันที่ 1 พฤษภาคม 2568 ถึงวันที่ 31 พฤษภาคม 2568

ออกให้ ณ วันที่ 1 พฤษภาคม 2568
โดยกรมโรงงานอุตสาหกรรม

หนังสือแจ้งผลการพิจารณาฉบับนี้อนุญาตโดยใช้ระบบอิเล็กทรอนิกส์

หนังสือแจ้งผลการพิจารณา
การขออนุญาตให้นำสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้วออกนอกบริเวณโรงงาน
กรมโรงงานอุตสาหกรรม

เลขที่ 2568-6865

หนังสือฉบับนี้ออกให้เพื่อแจ้งผลการพิจารณาของ

บริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 5 เอ จำกัด

ทะเบียนโรงงานเลขที่ 10250100325405

โดยมีรายละเอียดผลการพิจารณาดังนี้

ลำดับที่	รหัสสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว	ชื่อสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว	ปริมาณ(ตัน)	รหัสการจัดการ	ผู้รับดำเนินการ	เหตุผล
1	170604	ฉนวนกันความร้อน	0.000	071	10250006425606	
2	170904	ขยะจากการทุบรื้อถอนพื้นที่บางส่วน(เศษเหล็ก ไม้ ปูนซีเมนต์ เศษฉนวนกันความร้อน เศษพลาสติก)	0.000	071	10250006425606	
3	190905	เรซิ่น	0.000	071	10250006425606	
4	100117	ขี้เถ้าขาว(RB Ash)	500.000	049	10250003225579	

5	030302	green liquor sludge(SD sludge)จากกระบวนการเรียกคืนน้ำยาต้มเยื่อ	0.000	042	10250004625603	
6	150110	ภาชนะเปล่าปนเปื้อนขนาด 25 30 ลิตร	0.000	039	10250004625603	
7	160215	หลอดฟลูออเรสเซนต์	0.000	049	10250004625603	
8	130206	น้ำมันเครื่องยนต์ น้ำมันเกียร์ น้ำมันหล่อลื่นชนิดสังเคราะห์ (น้ำมันใช้แล้ว)	0.000	042	10250000425560	

รายการที่ได้รับอนุญาตมีผลบังคับใช้ตั้งแต่วันที่ 1 มิถุนายน 2568 ถึงวันที่ 30 มิถุนายน 2568

ออกให้ ณ วันที่ 1 มิถุนายน 2568
โดยกรมโรงงานอุตสาหกรรม

หนังสือแจ้งผลการพิจารณาฉบับนี้อนุญาตโดยใช้ระบบอิเล็กทรอนิกส์

หนังสือแจ้งผลการพิจารณา
การขออนุญาตให้นำสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้วออกนอกบริเวณโรงงาน
กรมโรงงานอุตสาหกรรม

เลขที่ 2568-6865
หนังสือฉบับนี้ออกให้เพื่อแจ้งผลการพิจารณาของ
บริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 5 เอ จำกัด
ทะเบียนโรงงานเลขที่ 10250100325405
โดยมีรายละเอียดผลการพิจารณาดังนี้

ลำดับที่	รหัสสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว	ชื่อสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว	ปริมาณ(ตัน)	รหัสการจัดการ	ผู้รับดำเนินการ	เหตุผล
1	170604	ฉนวนกันความร้อน	0.000	071	10250006425606	
2	170904	ขยะจากการทุบรื้อถอนพื้นที่บางส่วน(เศษเหล็ก ไม้ ปูนซีเมนต์ เศษฉนวนกันความร้อน เศษพลาสติก)	0.000	071	10250006425606	
3	190905	เรซิ่น	0.000	071	10250006425606	
4	100117	ขี้เถ้าขาว(RB Ash)	500.000	049	10250003225579	
5	030302	green liquor sludge(SD sludge)จากกระบวนการเรียกคืนน้ำยาต้มเยื่อ	0.000	042	10250004625603	
6	150110	ภาชนะเปล่าปนเปื้อนขนาด 25 30 ลิตร	0.000	039	10250004625603	
7	160215	หลอดฟลูออเรสเซนต์	0.000	049	10250004625603	
8	130206	น้ำมันเครื่องยนต์ น้ำมันเกียร์ น้ำมันหล่อลื่นชนิดสังเคราะห์ (น้ำมันใช้แล้ว)	0.000	042	10250000425560	

รายการที่ได้รับอนุญาตมีผลบังคับใช้ตั้งแต่วันที่ 1 กรกฎาคม 2568 ถึงวันที่ 31 กรกฎาคม 2568

ออกให้ ณ วันที่ 1 กรกฎาคม 2568
โดยกรมโรงงานอุตสาหกรรม

หนังสือแจ้งผลการพิจารณาฉบับนี้อนุญาตโดยใช้ระบบอิเล็กทรอนิกส์

หนังสือแจ้งผลการพิจารณา
การขออนุญาตให้นำสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้วออกนอกบริเวณโรงงาน
กรมโรงงานอุตสาหกรรม

เลขที่ 2568-6865
หนังสือฉบับนี้ออกให้เพื่อแจ้งผลการพิจารณาของ
บริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 5 เอ จำกัด
ทะเบียนโรงงานเลขที่ 10250100325405
โดยมีรายละเอียดผลการพิจารณาดังนี้

ลำดับที่	รหัสสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว	ชื่อสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว	ปริมาณ(ตัน)	รหัสการจัดการ	ผู้รับดำเนินการ	เหตุผล
1	170604	ฉนวนกันความร้อน	5.000	071	10250006425606	
2	170904	ขยะจากการทุบรื้อถอนพื้นที่บางส่วน(เศษเหล็ก ไม้ ปูนซีเมนต์ เศษฉนวนกันความร้อน เศษพลาสติก)	0.000	071	10250006425606	
3	190905	เรซิ่น	0.000	071	10250006425606	
4	100117	ขี้เถ้าขาว(RB Ash)	500.000	049	10250003225579	
5	030302	green liquor sludge(SD sludge)จากกระบวนการเรียกคืนน้ำยาต้มเยื่อ	0.000	042	10250004625603	
6	150110	ภาชนะเปล่าปนเปื้อนขนาด 25 30 ลิตร	0.000	039	10250004625603	
7	160215	หลอดฟลูออเรสเซนต์	0.000	049	10250004625603	
8	130206	น้ำมันเครื่องยนต์ น้ำมันเกียร์ น้ำมันหล่อลื่นชนิดสังเคราะห์ (น้ำมันใช้แล้ว)	0.000	042	10250000425560	

รายการที่ได้รับอนุญาตมีผลบังคับใช้ตั้งแต่วันที่ 1 สิงหาคม 2568 ถึงวันที่ 31 สิงหาคม 2568

ออกให้ ณ วันที่ 1 สิงหาคม 2568
โดยกรมโรงงานอุตสาหกรรม

หนังสือแจ้งผลการพิจารณาฉบับนี้อนุญาตโดยใช้ระบบอิเล็กทรอนิกส์

หนังสือแจ้งผลการพิจารณา
การขออนุญาตให้นำสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้วออกนอกบริเวณโรงงาน
กรมโรงงานอุตสาหกรรม

เลขที่ 2568-6865

หนังสือฉบับนี้ออกให้เพื่อแจ้งผลการพิจารณาของ

บริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 5 เอ จำกัด

ทะเบียนโรงงานเลขที่ 10250100325405

โดยมีรายละเอียดผลการพิจารณาดังนี้

ลำดับที่	รหัสสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว	ชื่อสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว	ปริมาณ(ตัน)	รหัสการจัดการ	ผู้รับดำเนินการ	เหตุผล
1	170604	ฉนวนกันความร้อน	0.000	071	10250006425606	
2	170904	ขยะจากการทุบรื้อถอนพื้นที่บางส่วน(เศษเหล็ก ไม้ ปูนซีเมนต์ เศษฉนวนกันความร้อน เศษพลาสติก)	50.000	071	10250006425606	
3	190905	เรซิ่น	0.000	071	10250006425606	
4	100117	ขี้เถ้าขาว(RB Ash)	500.000	049	10250003225579	
5	030302	green liquor sludge(SD sludge)จากกระบวนการเรียกคืนน้ำยาฟอกเยื่อ	0.000	042	10250004625603	
6	150110	ภาชนะเปล่าปนเปื้อนขนาด 25 30 ลิตร	0.000	039	10250004625603	
7	160215	หลอดฟลูออเรสเซนต์	0.000	049	10250004625603	
8	130206	น้ำมันเครื่องยนต์ น้ำมันเกียร์ น้ำมันหล่อลื่นชนิดสังเคราะห์ (น้ำมันใช้แล้ว)	0.000	042	10250000425560	

รายการที่ได้รับอนุญาตมีผลบังคับใช้ตั้งแต่วันที่ 1 กันยายน 2568 ถึงวันที่ 30 กันยายน 2568

ออกให้ ณ วันที่ 1 กันยายน 2568
โดยกรมโรงงานอุตสาหกรรม

หนังสือแจ้งผลการพิจารณาฉบับนี้อนุญาตโดยใช้ระบบอิเล็กทรอนิกส์

หนังสือแจ้งผลการพิจารณา
การขออนุญาตให้นำสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้วออกนอกบริเวณโรงงาน
กรมโรงงานอุตสาหกรรม

เลขที่ 2568-6865

หนังสือฉบับนี้ออกให้เพื่อแจ้งผลการพิจารณาของ

บริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 5 เอ จำกัด

ทะเบียนโรงงานเลขที่ 10250100325405

โดยมีรายละเอียดผลการพิจารณาดังนี้

ลำดับที่	รหัสสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว	ชื่อสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว	ปริมาณ(ตัน)	รหัสการจัดการ	ผู้รับดำเนินการ	เหตุผล
1	170604	ฉนวนกันความร้อน	0.000	071	10250006425606	

2	170904	ขยะจากการทุบรื้อถอนพื้นที่บางส่วน(เศษเหล็ก ไม้ ปูนซีเมนต์ เศษฉนวนกันความร้อน เศษพลาสติก)	0.000	071	10250006425606	
3	190905	เรซิ่น	0.000	071	10250006425606	
4	100117	ขี้เถ้าขาว(RB Ash)	500.000	049	10250003225579	
5	030302	green liquor sludge(SD sludge)จากกระบวนการเรียกคืนน้ำยาฟอกเยื่อ	0.000	042	10250004625603	
6	150110	ภาชนะเปล่าปนเปื้อนขนาด 25 30 ลิตร	0.000	039	10250004625603	
7	160215	หลอดฟลูออเรสเซนต์	0.000	049	10250004625603	
8	130206	น้ำมันเครื่องยนต์ น้ำมันเกียร์ น้ำมันหล่อลื่นชนิดสังเคราะห์ (น้ำมันใช้แล้ว)	0.000	042	10250000425560	

รายการที่ได้รับอนุญาตมีผลบังคับใช้ตั้งแต่วันที่ 1 ตุลาคม 2568 ถึงวันที่ 31 ตุลาคม 2568

ออกให้ ณ วันที่ 1 ตุลาคม 2568
โดยกรมโรงงานอุตสาหกรรม

หนังสือแจ้งผลการพิจารณาฉบับนี้อนุญาตโดยใช้ระบบอิเล็กทรอนิกส์

หนังสือแจ้งผลการพิจารณา
การขออนุญาตให้นำสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้วออกนอกบริเวณโรงงาน
กรมโรงงานอุตสาหกรรม

เลขที่ 2568-6865

หนังสือฉบับนี้ออกให้เพื่อแจ้งผลการพิจารณาของ

บริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 5 เอ จำกัด

ทะเบียนโรงงานเลขที่ 10250100325405

โดยมีรายละเอียดผลการพิจารณาดังนี้

ลำดับที่	รหัสสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว	ชื่อสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว	ปริมาณ(ตัน)	รหัสการจัดการ	ผู้รับดำเนินการ	เหตุผล
1	170604	ฉนวนกันความร้อน	0.000	071	10250006425606	
2	170904	ขยะจากการทุบรื้อถอนพื้นที่บางส่วน(เศษเหล็ก ไม้ ปูนซีเมนต์ เศษฉนวนกันความร้อน เศษพลาสติก)	0.000	071	10250006425606	
3	190905	เรซิ่น	0.000	071	10250006425606	
4	100117	ขี้เถ้าขาว(RB Ash)	500.000	049	10250003225579	
5	030302	green liquor sludge(SD sludge)จากกระบวนการเรียกคืนน้ำยาฟอกเยื่อ	0.000	042	10250004625603	
6	150110	ภาชนะเปล่าปนเปื้อนขนาด 25 30 ลิตร	0.000	039	10250004625603	
7	160215	หลอดฟลูออเรสเซนต์	0.000	049	10250004625603	
8	130206	น้ำมันเครื่องยนต์ น้ำมันเกียร์ น้ำมันหล่อลื่นชนิดสังเคราะห์ (น้ำมันใช้แล้ว)	0.000	042	10250000425560	

รายการที่ได้รับอนุญาตมีผลบังคับใช้ตั้งแต่วันที่ 1 พฤศจิกายน 2568 ถึงวันที่ 30 พฤศจิกายน 2568

ออกให้ ณ วันที่ 1 พฤศจิกายน 2568
โดยกรมโรงงานอุตสาหกรรม

หนังสือแจ้งผลการพิจารณาฉบับนี้อนุญาตโดยใช้ระบบอิเล็กทรอนิกส์

หนังสือแจ้งผลการพิจารณา
การขออนุญาตให้นำสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้วออกนอกบริเวณโรงงาน
กรมโรงงานอุตสาหกรรม

เลขที่ 2568-6865
หนังสือฉบับนี้ออกให้เพื่อแจ้งผลการพิจารณาของ
บริษัท เบอร์แนล เพาเวอร์ แพลนท์ 5 เอ จำกัด
ทะเบียนโรงงานเลขที่ 10250100325405
โดยมีรายละเอียดผลการพิจารณาดังนี้

ลำดับที่	รหัสสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว	ชื่อสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว	ปริมาณ(ตัน)	รหัสการจัดการ	ผู้รับดำเนินการ	เหตุผล
1	170604	ฉนวนกันความร้อน	20.000	071	10250006425606	
2	170904	ขยะจากการทุบรื้อถอนพื้นที่บางส่วน(เศษเหล็ก ไม้ ปูนซีเมนต์ เศษฉนวนกันความร้อน เศษพลาสติก)	150.000	071	10250006425606	
3	190905	เรซิ่น	5.000	071	10250006425606	
4	100117	ขี้เถ้าขาว(RB Ash)	500.000	049	10250003225579	
5	030302	green liquor sludge(SD sludge)จากกระบวนการเรียกคืนน้ำยาด่างเยื่อ	0.000	042	10250004625603	
6	150110	ภาชนะบรรจุน้ำมันเป็นขยะ ขนาด 25 30 ลิตร	5.000	039	10250004625603	
7	160215	หลอดฟลูออเรสเซนต์	0.000	049	10250004625603	
8	130206	น้ำมันเครื่องยนต์ น้ำมันเกียร์ น้ำมันหล่อลื่นชนิดสังเคราะห์ (น้ำมันใช้แล้ว)	10.000	042	10250000425560	

รายการที่ได้รับอนุญาตมีผลบังคับใช้ตั้งแต่วันที่ 1 ธันวาคม 2568 ถึงวันที่ 31 ธันวาคม 2568

ออกให้ ณ วันที่ 1 ธันวาคม 2568
โดยกรมโรงงานอุตสาหกรรม

หนังสือแจ้งผลการพิจารณาฉบับนี้อนุญาตโดยใช้ระบบอิเล็กทรอนิกส์

ภาคผนวก ข-13

ใบอนุญาตประกอบกิจการรับทำ การเก็บ ขน หรือกำจัดเก็บขยะ

แบบ สม.๒

ใบอนุญาตประกอบกิจการรับทำการเก็บ ขน หรือกำจัดเก็บขนมูลฝอย

เลขที่ ๒๔/๒๕๖๓

อนุญาตให้ บริษัท บีโปรเฟสชั่นแนล คอนซัลแทนท์ จำกัด

เลขประจำตัวประชาชน/เลขนิติบุคคล ๐๑๐๕๕๓๗๐๑๕๑๘๗ **บ้านเลขที่** ๒๗๔

หมู่ ๒ **ซอย** **ถนน** **ตำบล** ท่าตูม

อำเภอ ศรีมหาโพธิ **จังหวัด** ปราจีนบุรี **หมายเลขโทรศัพท์** ๐๘-๕๘๓๕-๐๒๑๕

ข้อ ๑ ประกอบกิจการรับทำการเก็บ ขน หรือกำจัดเก็บขนมูลฝอยโดยทำเป็นธุรกิจ

ประกอบกิจการ เก็บขนมูลฝอย **ขนาดรถบรรทุก** ๖ คัน

เสียค่าธรรมเนียม ปีละ ๕,๐๐๐ **บาท** (ห้าพันบาทถ้วน)

ใบเสร็จรับเงิน เล่มที่ RCPT **เลขที่** ๑๖๒๔ **ลงวันที่** ๑๖ **เดือน** สิงหาคม **พ.ศ.** ๒๕๖๕

ข้อ ๒ ผู้ได้รับอนุญาตต้องปฏิบัติตามเงื่อนไขดังต่อไปนี้

(๑) ปฏิบัติตามข้อบัญญัติองค์การบริหารส่วนตำบลท่าตูม เรื่อง การจัดการเก็บขนมูลฝอย พ.ศ. ๒๕๕๖

(๒) ปฏิบัติตามพระราชบัญญัติการสาธารณสุข พ.ศ. ๒๕๓๕

(๓) ปฏิบัติตามกฎหมายอื่นที่เกี่ยวข้อง

(๔) ปฏิบัติตามระเบียบ ประกาศ หรือคำสั่งของเจ้าพนักงานท้องถิ่น

(๕) ปฏิบัติตามคำแนะนำของเจ้าพนักงานท้องถิ่นหรือเจ้าพนักงานสาธารณสุข

ใบอนุญาตฉบับนี้ให้ใช้ได้ถึง วันที่ ๑๖ **เดือน** สิงหาคม **พ.ศ.** ๒๕๖๖

ออกให้ ณ วันที่ วันที่ ๑๖ **เดือน** สิงหาคม **พ.ศ.** ๒๕๖๕

(ลงชื่อ) .....[redacted].....

เจ้าพนักงานท้องถิ่น

คำเตือน (๑) ผู้รับใบอนุญาตต้องแสดงใบอนุญาตนี้ไว้ในที่เปิดเผย ณ สถานที่ที่ได้รับอนุญาตให้ประกอบกิจการตลอดเวลาที่ประกอบกิจการ

(๒) ต้องยื่นคำขอต่ออายุใบอนุญาตก่อนใบอนุญาตสิ้นอายุ มิฉะนั้น ต้องเสียค่าปรับเพิ่มขึ้นร้อยละ ๒๐

รายการต่อใบอนุญาตและการเสียค่าธรรมเนียม

ว/ด/ป ที่ออก/ต่อ ใบอนุญาต	ว/ด/ป ที่หมดอายุ	ใบเสร็จรับเงิน			ลายมือชื่อ เจ้าพนักงานท้องถิ่น
		เล่มที่	เลขที่	ว/ด/ป	
10 ส.ค. 66	16 ส.ค. 67	RCPT-02937/66		10 ส.ค. 66	[redacted]
๗ ส.ค. ๖๗	๑๖ ส.ค. ๖๘	๑	๓๑	๗ ส.ค. ๖๗	

ภาคผนวก ข-14

กิจกรรมมวลชนสัมพันธ์ รายเดือน ม.ค. - มิ.ย. พ.ศ. 2568

ลำดับ	ชื่อโครงการ/กิจกรรม	รูปภาพ	ผลการดำเนินงาน		
	กิจกรรมรวบรวมขยับกันเถอะ ตั้งแต่เดือนมกราคม - มิถุนายน 2568				
1	กิจกรรมปีใหม่ 2568 ในพื้นที่ตำบลโรงโก่เก้า		ร่วมสนับสนุนการจัดกิจกรรมปีใหม่ 2568 ในพื้นที่ตำบลโรงโก่เก้า ตำบลหาดคูล ตำบลเขาไพบูลย์ ตำบลหาดนางแก้ว ตำบลสายคลองเขื่อน อำเภอเมืองกาญจนบุรี จังหวัดประจวบคีรีขันธ์ พร้อมมอบเสื้อกันหนาวและผ้าห่มให้กับประชาชน และร่วมกิจกรรมรณรงค์ลดอุบัติเหตุในช่วงเทศกาลปีใหม่ ซึ่งโรงโก่เก้าเป็นพื้นที่แรกของจังหวัดที่ได้เป็นเจ้าภาพจัดงานปีใหม่ ร่วมสนับสนุนการเลือกซื้อสินค้าจากผู้ผลิตในท้องถิ่นของชุมชน เพื่อสนับสนุนอาชีพและสร้างรายได้ให้กับคนในชุมชน		
2	กิจกรรมวันเด็กแห่งชาติ ประจำปี 2568		ร่วมสนับสนุนของรางวัลในกิจกรรมวันเด็กแห่งชาติ ประจำปี 2568 ในพื้นที่ตำบลหาดคูล ตำบลเขาไพบูลย์ ตำบลหาดนางแก้ว และตำบลสายคลองเขื่อน อำเภอเมืองกาญจนบุรี จังหวัดประจวบคีรีขันธ์ โดยมอบอุปกรณ์การเรียน ตุ๊กตา และของเล็กของน้อย เพื่อส่งเสริมพัฒนาด้านภาษา สร้างความสุขให้แก่เด็กๆในพื้นที่		
3	งานบิ๊กทองประจำปี 2568 พื้นที่ตำบลหาดคูล		ร่วมสนับสนุนการจัดงานบิ๊กทองประจำปี 2568 จัดในพื้นที่วงบ่อ โรงโก่เก้า โดยมอบของรางวัลสำหรับกิจกรรมต่างๆ อยู่ภายในการจัดงาน เพื่อเป็นการสร้างการมีส่วนร่วมในชุมชนและช่วยทำนุบำรุงศาสนาพุทธและศาสนาสืบไป		
4	โรงการส่งเสริมสุขภาพชุมชน		มอบหน้ากากอนามัย ให้แก่ โรงพยาบาลส่งเสริมสุขภาพตำบลหัวหว้า และมีความเป็นเลิศทางวิชาการ ตามนโยบายของ นายแพทย์สาธิต ปิตุเตชะ ปลัดกระทรวงสาธารณสุข ในการพัฒนาระบบบริการประชาชนและกิจกรรมด้านสาธารณสุขอย่างมีประสิทธิภาพ		
5	โรงการอาชีประชีคู่บ้าน ตำบลเขา หลุดคุ่น เกิดอุดม เกิดเมา		ร่วมกับจังหวัดประจวบคีรีขันธ์ ๒๐๒๕ โรงการอาชีประชีคู่บ้าน ตำบลเขา หลุดคุ่น เกิดอุดม เกิดเมา โดยการออกพื้นที่อาชีประชีคู่บ้าน ประชาสัมพันธ์สร้างงานสร้างไม่และปลูกจิตสำนึกให้กับประชาชน รวมทั้งไปเยี่ยมอุดมภาพที่มี โดยได้รับมอบและจัดตามสถานที่ต่างๆ พร้อมมอบหน้ากากอนามัยให้กับประชาชน ในพื้นที่อำเภอเมืองกาญจนบุรี จังหวัดประจวบคีรีขันธ์		
6	กิจกรรมวันสถาปนากองร้อยอาสารักษาดินแดน ครบรอบปีที่ ๗๖		ร่วมพิธีวางสักการปฏิญาณตนของกำลังกองฯ พิธีสวนสนาม และมีมอบอุปกรณ์กีฬาให้แก่สถาบันกองร้อยอาสารักษาดินแดน เนื่องในวันครบรอบวันสถาปนากองร้อยอาสารักษาดินแดน ครบรอบปีที่ ๗๖ ณ กองร้อยอาสารักษาดินแดนประจำนบุรีที่ ๑ เพื่อเป็นขวัญกำลังใจในการปฏิบัติหน้าที่รักษาความสงบเรียบร้อยและอยู่ดีมีสุขของประชาชนในพื้นที่ต่อไป		
7	งานทอดผ้าป่าการศึกษา โรงเรียนบ้านอ่านนางรัง		ร่วมพัฒนาการศึกษาของชุมชน สนับสนุนผ้าป่าการศึกษา โรงเรียนบ้านอ่านนางรัง อำเภอเมืองกาญจนบุรี เพื่อพัฒนาสถานศึกษา ในการปรับปรุงซ่อมแซมอาคารเรียน ปรับปรุงภูมิทัศน์ภายในโรงเรียน และจัดหาอุปกรณ์การเรียนการสอนส่งเสริมการเรียนรู้ของนักเรียนอย่างมีประสิทธิภาพ		
8	งานรวมน้ำใจสู่การกีฬาจังหวัดประจวบคีรีขันธ์ ประจำปี 2568		ร่วมสนับสนุนงบประชาสัมพันธ์ในกิจกรรมสาธารณประโยชน์ของหน่วยงานการกีฬาจังหวัดประจวบคีรีขันธ์ เนื่องในงานรวมน้ำใจสู่การกีฬาจังหวัดประจวบคีรีขันธ์ ประจำปี 2568 เพื่อใช้ในกิจกรรมสาธารณประโยชน์ ช่วยเหลือบรรเทาทุกข์ให้กับประชาชน และร่วมส่งเสริมสนับสนุนการกีฬาเพื่อสร้างความสามัคคีของคนในชุมชน ผู้ด้อยโอกาส การรับบริจาคโลหิต การสนับสนุนทางการแพทย์ และกิจกรรมอื่น ๆ ของสภากาชาดไทย		
9	โครงการอ่านหนังสือเสริมสร้างปัญญา		ร่วมโครงการอ่านหนังสือเสริมสร้างปัญญา เนื่องในวันอาสาสมัครรักษาดินแดน ณ บริเวณลานน้ำไหล ตำบลหัวหว้า อำเภอเมืองกาญจนบุรี จังหวัดประจวบคีรีขันธ์ ซึ่งมีโครงการอ่านหนังสือเสริมสร้างปัญญา ร่วมกับ ชมรมคีรีขันธ์ รักการอ่าน ร่วมกิจกรรมรณรงค์ส่งเสริม

13	โครงการซ่อมแซมที่อยู่อาศัยให้กับประชาชนที่ได้รับความเดือดร้อนจากเหตุวาตภัย		ร่วมสนับสนุนซ่อมแซมที่อยู่อาศัยให้กับประชาชนที่ได้รับความเดือดร้อนจากเหตุวาตภัย ในพื้นที่หมู่ 13 บ้านลาดใหญ่เจริญ ตำบลลาดตะเคียน อำเภอกบินทร์บุรี จังหวัดปราจีนบุรี เพื่อช่วยเหลือบรรเทาความเดือดร้อนและส่งเสริมคุณภาพชีวิตที่ดีให้แก่ประชาชนในพื้นที่		
14	โครงการส่งเสริมพัฒนาการของเด็กวัยก่อนเรียน (บวชไทย) ประจำปีงบประมาณ 2563		ร่วมสนับสนุนโครงการส่งเสริมพัฒนาการของเด็กวัยก่อนเรียน (บวชไทย) ประจำปีงบประมาณ 2563 ซึ่งจัดโดยกลุ่มการบริหารส่วนตำบลท่าตูม ณ สนามกีฬาโปร่งไผ่ ตำบลท่าตูม อำเภอกบินทร์บุรี จังหวัดปราจีนบุรี เพื่อเป็นการส่งเสริมเด็กวัยก่อนเรียนให้มีทักษะชีวิตที่จำเป็นตามวัย การปฏิบัติตามกฎกติกา มีน้ำใจนักกีฬา ตลอดจนการมีคุณภาพชีวิตที่ดีขึ้นและ		
15	โครงการส่งเสริมทักษะชีวิตด้านอาชีพ "หลากหลายอาชีพ"		ร่วมโครงการส่งเสริมทักษะชีวิตด้านอาชีพ "หลากหลายอาชีพ" ของนักเรียนโรงเรียนวัดบุกรากใน ตำบลท่าตูม อำเภอกบินทร์บุรี จังหวัดปราจีนบุรี เพื่อส่งเสริมความคิดสร้างสรรค์ ทักษะในการจำแนกชิ้นงาน ตลอดจนนำความรู้ประสบการณ์ไปประยุกต์ใช้ในชีวิตประจำวันได้		
16	โครงการสร้างความสามัคคีทำความสะอาดพื้นที่ชุมชนตำบล		ร่วมโครงการสร้างความสามัคคีทำความสะอาดพื้นที่ชุมชนตำบล ณ ศูนย์พัฒนาเด็กเล็ก หมู่บ้านเนื้อวัวกระ หมู่ที่ 7 บ้านโปร่งไผ่ ตำบลท่าตูม อำเภอกบินทร์บุรี จังหวัดปราจีนบุรี ซึ่งจัดโดยกลุ่มการบริหารส่วนตำบลท่าตูม พร้อมด้วยผู้นำชุมชนและประชาชนในพื้นที่ เพื่อรวมกันทำความสะอาดและปรับภูมิทัศน์สร้างสภาพแวดล้อมที่ดีให้แก่ชุมชน		
17	งานวางไข่ อสม. อำเภอกบินทร์บุรี "DHDC ดีได้ ถ้วยกะไก อสม."		สนับสนุนชมประชาสงานวางไข่ อสม. อำเภอกบินทร์บุรี "DHDC ดีได้ ถ้วยกะไก อสม." และร่วมชมชมประกวดนิทัศน์ให้แก่ อสม.ดีเด่น เนื่องในวันอาสาสมัครสาธารณสุขแห่งชาติ ประจำปี 2563 เพื่อเป็นขวัญกำลังใจแก่อาสาสมัครสาธารณสุขประจำหมู่บ้านในการปฏิบัติงานในพื้นที่		
18	งานมหกรรมกาแฟและ อิสาริมี ภาคอุรุ๊วน		ร่วมสนับสนุนชมประชาสงานมหกรรมกาแฟและ อิสาริมี ภาคอุรุ๊วน ณ วัดอุทุมพรวรวิหาร ตำบลกบินทร์บุรี อำเภอกบินทร์บุรี จังหวัดปราจีนบุรี เพื่อส่งเสริมและสนับสนุนการส่งออกและส่งเสริมให้เกษตรกรได้รับความรู้ ความเข้าใจในเรื่องของการ ตลอดจนนำไปประยุกต์ใช้ในการเรียน การดำเนินชีวิตได้		
19	โครงการการแลกเปลี่ยนนักศึกษาสัมพันธ์ดำเนิน ผู้ใหญ่บ้าน องค์การบริหารส่วนตำบล อำเภอกบินทร์บุรี		ร่วมพิธีเปิดโครงการการแลกเปลี่ยนนักศึกษาสัมพันธ์ดำเนิน ผู้ใหญ่บ้าน องค์การบริหารส่วนตำบล อำเภอกบินทร์บุรี เพื่อเป็นกำลังใจให้แก่นักศึกษา ส่งเสริมสุขภาพร่างกายที่แข็งแรง ตลอดจนเป็นการสร้างความสัมพันธ์อันดีระหว่างกัน		
20	กิจกรรมส่งเสริมการวิถีการอาน		ร่วมกับสำนักงานส่งเสริมการเรียนรู้จังหวัดปราจีนบุรี (สกร.) อีกทั้งกรมส่งเสริมการวิถีการอาน ได้แก่นักเรียนชั้นประถมศึกษาปีที่ 1- 6 ณ โรงเรียนวัดเขาใหญ่โกรงธิ ตำบลบ้านหาย อำเภอกบินทร์บุรี จังหวัดปราจีนบุรี โดยจัดกิจกรรมเป็นฐานต่างๆ อาทิ ฐานโขนสวมหัวกากเนื้อหาจากหนังสือ การประดิษฐ์ดอกไม้ ฐานการอ่านภาพ ทักษะการคลองค้าอาน สันทัดภาพ แสดงนิยายตามที่กำหนด เป็นต้น ซึ่งกิจกรรมจัดขึ้นเพื่อเป็นการส่งเสริมสร้างนิสัยการรักการอ่าน และนิยายนิยายสร้างสรรค์ รวมถึงการสร้างการเรียนรู้นอกห้องเรียน		
21	โครงการปรับปรุงสนามไก่ที่ในโรงเรียนวัดหลังน้ำวิทยาคาร		อีกโครงการปรับปรุงสนามไก่ที่ในโรงเรียนวัดหลังน้ำวิทยาคาร ตำบลท่าตูม อำเภอกบินทร์บุรี โดยรวมแผนปรับปรุงสนามไก่ที่ได้ใช้ประโยชน์ตามหลักวิชาการ ในการใช้งานเพื่อปรับให้ถูกต้องกับการใช้งานและเพื่อความปลอดภัยของการใช้งานเครื่องมือเครื่องใช้ต่างๆ ในโรงเรียนและมีที่ว่างให้เพียงพอต่อการใช้งานของนักเรียน เพื่อนำไปปรับใช้ในการบริหารจัดการเป็นการส่งเสริมสร้างนิสัยการรักการอ่าน ในโรงเรียนและมีที่ว่างให้เพียงพอต่อการใช้งานของนักเรียน		
22	กิจกรรมวันลอยกระทง ประจำปี 2563		ร่วมพิธีงานประเพณีลอยกระทง สนับสนุนชมประชาสงานการจัดกิจกรรมลอยกระทงและชมนางนพมาศ ในการประกวดนางนพมาศ ของหมู่บ้านและชุมชน ในพื้นที่ตำบลกบินทร์บุรี อำเภอกบินทร์บุรี จังหวัดปราจีนบุรี เพื่อสืบสานประเพณีลอยกระทงให้คงอยู่สืบไป		
23	สนับสนุนการปฏิบัติงานอุดหนุน อุดหนุนการลอยกระทง ประจำปี 2563		มอบอาหารแห้งและน้ำดื่มให้แก่อุดหนุน อุดหนุน ตำบลกบินทร์บุรี อำเภอกบินทร์บุรี จังหวัดปราจีนบุรี เพื่อสนับสนุนการปฏิบัติงานของเจ้าหน้าที่ในการดำเนินอำนวยความสะดวกและให้ความปลอดภัยแก่ประชาชนที่เดินทางในช่วงเทศกาลลอยกระทง		
24	งานวันต่างชาติของเราในโอกาสเปิดตัวอุทยานธรณีโลกใหม่ (Kids Day) และวันเด็ก ประจำปีงบประมาณ 2563		ร่วมงานวันต่างชาติของเราในโอกาสเปิดตัวอุทยานธรณีโลกใหม่ (Kids Day) และวันเด็ก ประจำปีงบประมาณ 2563 ณ ศูนย์เรียนรู้การเกษตรอันเนื่องมาจากพระราชดำริอุทยานธรณีสิรินธรเฉลิมพระเกียรติ ตำบลหนองโพรง อำเภอกบินทร์บุรี จังหวัดปราจีนบุรี เพื่อส่งเสริมและพัฒนาผู้นำชุมชน ในการจัดกิจกรรมของชุมชนในชุมชน ตลอดจนสร้างการมีส่วนร่วมและสร้างความสัมพันธ์อันดีกับชุมชน		

25	โครงการอัดอากาศจากทำธรรมชาติด้วยหัวใจ		รวมโครงการอัดอากาศ เอาทำธรรมชาติด้วยหัวใจ เนื่องในวันเฉลิมพระชนมพรรษาสมเด็จพระนางเจ้าฯ พระบรมราชินีนาถ พระบาทสมเด็จพระปรเมนทรรามาธิบดีศรีสินทรมหาวชิราลงกรณ บดินทรเทพยวรางกูร ๑๐ รัชกาลปัจจุบัน ตำบลหนองหาด อำเภอหนองหาด จังหวัดชัยภูมิ ซึ่งมีโครงการอัดอากาศจาก

37	โครงการสอนเสริมภาษาต่างประเทศ		ร่วมกิจกิจกรรมโครงการสอนเสริมภาษาต่างประเทศ ที่คณะครูนักเรียนได้เปิดสอนนักเรียนในวันหยุดราชการ ในวันเสาร์ ของทุกสัปดาห์ ณ โรงเรียนวัดบุงาวใน ตำบลท่าคูบ อำเภออินทร์บุรี จังหวัดสิงห์บุรี เพื่อสอนเสริมให้นักเรียนได้มีความรู้ความสามารถในการสื่อสารกับชาวต่างชาติได้		
38	โครงการกีฬาสีภายในสัมพันธ์		สนับสนุนกิจกรรมกีฬาสีภายในสัมพันธ์ ณ อาคารประถมหมู่ที่ 3 บ้านหนองอีเข้ ตำบลท่าคูบ อำเภออินทร์บุรี จังหวัดสิงห์บุรี เพื่อส่งเสริมนักเรียนได้มีความสามัคคีในหมู่คณะ และสร้างสภาพแวดล้อมที่ดีในชุมชน อันจะเป็นประโยชน์ต่อผู้ปกครองได้ด้วย		
39	โครงการน้อมเกล้าฯ ถวายราชสดุดี เนื่องในวันคล้ายวันพระราชสมภพ		ร่วมกิจกิจกรรมและจัดนิทรรศการในโครงการน้อมเกล้าฯ ถวายราชสดุดี เนื่องในวันคล้ายวันพระราชสมภพ ๒๘ กรกฎาคม ๒๕๖๓ ณ บริเวณลานหน้าที่ทำการองค์การบริหารส่วนตำบลท่าคูบ อำเภออินทร์บุรี จังหวัดสิงห์บุรี เพื่อสร้างจิตสำนึกของการรวมและชุมชนในการมีส่วนร่วมและมีส่วนได้ในปัญหาพระราชสดุดีในพื้นที่		
40	กิจกรรมบ่อรอยหินผู้สัตว์น้ำเฉลิมพระเกียรติ		จัดกิจกรรมบ่อรอยหินผู้สัตว์น้ำเฉลิมพระเกียรติ ณ อาคารศูนย์พัฒนาเด็กก่อนวัยเรียน บ้านหลังเข้า ตำบลท่าคูบ อำเภออินทร์บุรี จังหวัดสิงห์บุรี เนื่องในโอกาสวันเฉลิมพระชนมพรรษา สมเด็จพระนางเจ้าสุทิดา พัชรสุธาพิมลลักษณ พระบรมราชินี โดยบ่อรอยหินผู้ปูนขาวและปูดำ จำนวน ๑๐๐,๐๐๐ ตัว เพื่อฟื้นฟูประชากรน้ำและพัฒนาสภาพแวดล้อมที่ดีในชุมชน		
41	โครงการอนุรักษ์ไทยให้ยั่งยืน ปีที่ 2		สอนซ่อมเสริมสุขศึกษาและพลศึกษา จัดกิจกรรม อนุรักษ์ไทยให้ยั่งยืน โดยมีหน้าที่ความรับผิดชอบต่างๆ ดังนี้ ๑. ศึกษาหาความรู้เกี่ยวกับการจัดแสดงนิทรรศการต่างๆ แก่นักเรียนโรงเรียนบ้านวัดบัวทอง ตำบลท่าหาดนางแก้ว อำเภอเมืองสิงห์บุรี จังหวัดสิงห์บุรี เพื่อเผยแพร่ให้กับการจัดแสดงนิทรรศการอนุรักษ์ไทยและปลูกฝังนักเรียนให้มีจิตสำนึกรักษ์ท้องถิ่นของตัวเอง ๒. ประชุมวางแผนการจัดนิทรรศการ ซึ่งอนุรักษ์ไทยให้ยั่งยืน ในโรงเรียนและนอกโรงเรียน ๓. จัดซื้อซื้ออุปกรณ์ที่ใช้ในการจัดนิทรรศการ		
42	โครงการปรับปรุงระบบไฟฟ้าในชุมชน		จัดโครงการปรับปรุงระบบไฟฟ้าในชุมชน ณ อาคารประถมหมู่ที่ 3 บ้านหนองอีเข้ ตำบลท่าคูบ อำเภออินทร์บุรี จังหวัดสิงห์บุรี โดยปรับปรุงระบบสายไฟฟ้าส่องสว่าง และปลูกเสาไฟฟ้าที่ชำรุด เพื่อให้ได้มาตรฐานและมีความปลอดภัยต่อการใช้งานในชุมชน		
43	กิจกรรม ทัศนศึกษา อนุรักษ์ศิลปวัฒนธรรมประเพณี เนื่องในวันเข้าพรรษา		จัดกิจกรรมทัศนศึกษา อนุรักษ์ศิลปวัฒนธรรมประเพณี เนื่องในวันเข้าพรรษา ให้แก่เด็กนักเรียนโรงเรียนวัดบุงาวใน ตำบลท่าคูบ อำเภออินทร์บุรี จังหวัดสิงห์บุรี โดยให้ความรู้เกี่ยวกับวันเข้าพรรษา หลักธรรม และกิจกรรมต่างๆ ที่เกี่ยวข้องกับประเพณีเข้าพรรษา เพื่อให้นักเรียน สามารถจัดแสดงประเพณีเข้าพรรษาได้อย่างถูกต้อง และนำไปสู่การสร้างจิตสำนึกรักษ์ท้องถิ่นของตัวเองและมีกิจกรรมร่วมกันอย่างมีความสุขได้		
44	กิจกรรมน้องจิบกี้วง กีฬาใน		สอนซ่อมเสริมสุขศึกษาและพลศึกษา ในกิจกรรมน้องจิบกี้วง กีฬาใน ณ โรงเรียนวัดบุงาวใน ตำบลท่าคูบ อำเภออินทร์บุรี จังหวัดสิงห์บุรี โดยนำบทเรียนและกิจกรรมต่างๆที่เสริมสร้างทักษะ การแก้ไขปัญหา และการสร้างความสามัคคี ร่วมกันทั้งนำโรงเรียน อาหารว่าง และของรางวัลต่างๆ ไปมอบให้กับน้องๆ เพื่อร่วมสนับสนุนการเรียนรู้ และพัฒนาการของเยาวชนในพื้นที่ให้ดีขึ้นและยังมีคุณภาพ		
45	โครงการเยี่ยมบ้านเยาวชน สร้างสุขให้ชุมชน		จัดกิจกรรม CSR ในโครงการเยี่ยมบ้านเยาวชน สร้างสุขให้ชุมชน ร่วมกับผู้นำชุมชนและนักศึกษาวิทยาลัยการอาชีพอินทร์บุรี ณ บ้านเลขที่ ๑๐๑ หมู่ที่ ๑ ตำบลบางมัญ อำเภอเมืองสิงห์บุรี จังหวัดสิงห์บุรี เพื่อเยี่ยมบ้านเยาวชนที่ประสบปัญหาด้านต่างๆ ในครอบครัว ในชุมชน ให้ได้รับความรู้ความเข้าใจและมีแนวทางในการแก้ไขปัญหาที่ถูกต้องเหมาะสม		
ปัญหาอุปสรรคในการดำเนินงาน ครั้งที่ของบประมาณ 3 ครั้งนี้ ไม่ได้รับการจัดสรรงบประมาณ ทำให้ไม่สามารถดำเนินการได้ตามแผนที่วางไว้					
ลำดับ	ชื่อโครงการ/กิจกรรม	รูปภาพ	ผลการดำเนินงาน		
1	การออกพื้นที่ตรวจเยี่ยมติดตามโครงการในชุมชนเป็นประจำทุกเดือน		ออกพื้นที่ชุมชนและโรงเรียนเป็นประจำทุกเดือน เพื่อติดตามประเมินปัญหา ควบคุมดูแลการดำเนินงานประเมินต้องสั่ง		

ภาคผนวก ข-15

Work instruction การบำรุงรักษาเชิงป้องกัน ระบบกำจัดกลิ่น (NCG)

ประวัติการแก้ไขเอกสาร

เลขที่เอกสาร	แก้ไขครั้งที่	รายละเอียดการแก้ไข	ผู้จัดทำเอกสาร
WI-E-5 11-EM-001	01	ปรับแก้รูปแบบเอกสารพร้อมกับรีแอพเอกสารใหม่	ต้องภพ เลขอินทร์

UNCONTROLLED COPY

ISO 14001 ENVIRONMENTAL MANAGEMENT SYSTEM

WORK INSTRUCTION

Issued by: [redacted]

Approved by:

Document No. WI-E-5 11-EM-001

Edition No. 01

Effective date: 15 Oct 2017

การบำรุงรักษาเชิงป้องกันระบบกำจัดกลิ่น (NCG)

1. **วัตถุประสงค์(Objective)**

   เพื่อรับประกันว่าเครื่องมือเครื่องจักรในแผนก NCG ได้รับการบำรุงรักษาตามข้อกำหนดของผู้ผลิต และระบบการจัดการสิ่งแวดล้อม

2. **ขอบเขต (Scope)**

   เครื่องมือเครื่องจักรในแผนก NCG ในโรงไฟฟ้า 5 และโรงไฟฟ้า 6

3. **คำจัดกัดความ (Definition)**

   3.1 Maximo โปรแกรมสำเร็จรูป ซึ่งใช้ในการบริหารงานซ่อมบำรุงที่นอกจากนี้ยังมีส่วนช่วยเสริมให้งานด้านวัสดุคงคลังและการจัดซื้อมีความสะดวกและสอดคล้องกับงาน บำรุงรักษามากยิ่งขึ้น

   3.2 PM Module ระบบการจัดการซ่อมบำรุงที่จัดเก็บข้อมูลการบำรุงรักษาเชิงป้องกันไว้ใน "Maximo"

   3.3 NCG ก๊าซที่ไม่ควบแน่น (Non condensable gas)

   3.4 Equipment Module ระบบการบริหารการซ่อมบำรุงส่วนที่จัดเก็บข้อมูลเครื่องจักรและอุปกรณ์ใน "Maximo"

   3.5 ISO Related "E" การควบคุมความสำคัญของเครื่องจักรและอุปกรณ์ที่มีผลกระทบต่อสิ่งแวดล้อม ใน"Maximo"

4. **ขั้นตอนการปฏิบัติงาน(Procedure)**

   4.1 เครื่องจักรและอุปกรณ์ทั้งหมดจะได้รับการลงทะเบียนหมายเลขประจำเครื่อง และจัดเก็บข้อมูลไว้ในระบบ "Maximo"

   4.2 การตรวจสอบเครื่องจักรประจำวัน จะมีรายละเอียดตามเอกสารแนบ 6.3 (รายละเอียดการบำรุงรักษาเครื่องจักรและอุปกรณ์เชิงป้องกัน)

   4.3 การบำรุงรักษาเชิงป้องกันสำหรับเครื่องจักรและอุปกรณ์ในแผนก NCG ที่ระบุใน "Maximo" "Equipment Module" ISO related "E" จะได้รับการดำเนินการตามคำแนะนำของผู้ผลิต และมีกำหนดการบำรุงรักษาตามที่ได้ระบุใน "Maximo", "PM Module"

5. **บันทึก (Record)**

   5.1 บันทึกของงานซ่อมบำรุงทั้งหมดจะได้รับการระบุใน Work order / Work request และย้อนข้อมูลเข้าสู่โหมดประวัติ (history module) ของ "Maximo" สำหรับการตรวจสอบเครื่องจักรประจำวันจะได้รับการระบุใน Route check daily report

UNCONTROLLED COPY

6. เอกสารแนบ (Related Document)

6.1 รายการเครื่องจักรและอุปกรณ์ที่มีผลกระทบต่อสิ่งแวดล้อมในแผนก NCG

6.2 รายการการบำรุงรักษาเครื่องจักรและอุปกรณ์เชิงป้องกันที่มีผลกระทบต่อสิ่งแวดล้อมในแผนก NCG

6.3 รายละเอียดการบำรุงรักษาเครื่องจักรและอุปกรณ์เชิงป้องกัน

7. เอกสารอ้างอิง (Reference)

7.1 Environment Manual (MN-E-PUH-MR-001)

7.2 Operation Control Procedure (WP-QES-PUH-DC-006)

UNCONTROLLED COPY

ISO 14001 *ENVIRONMENTAL MANAGEMENT SYSTEM*

WORK INSTRUCTION

Issued by: [redacted]

Approved by: [redacted]

เอกสารแนบ 6.1 รายการเครื่องจักรและอุปกรณ์ที่มีผลกระทบต่อสิ่งแวดล้อมในแผนก NCG

ITEM	EQUIPMENT NO.	DESCRIPTION	TYPE
1	492E001	บท 1 Quench burner	Burner
2	492E007	Flare burner	บท 2 Burner
3	492F009	Quench prim. Air fan	Fan
4	492F010	Fan for evaporator tank area	Fan
5	492F011	บท 3 Flare prim. Air fan	Fan
6	492F202	Fan for Venturi 402 pump 492E203	Fan
7	492P001	Venturi 2 pump	Pump
8	492P002	Venturi 1 pump	Pump
9	492P003	Quench pump	Pump
10	492P100	Foul condensate pump	Pump
11	492P101	Methanol pump	Pump
12	492P201	Venuri 402 Pump	Pump

UNCONTROLLED COPY

เอกสารแนบ 6.2 รายการการบำรุงรักษาเครื่องจักรและอุปกรณ์เชิงป้องกันที่มีผลกระทบต่อสิ่งแวดล้อมใน แผนก NCG

ITEM	EQUIP. NO.	DESCRIPTION	PM NUMBER	FREQUENCY			
				DAILY	WEEKLY	MONTHLY	YEARLY
1	492E001	Quench burner	PM4878		X		
2	492E007	Flare burner	PM4879		X		
3	492F009	Quench prim. Air fan	PM4638			X	
4	492F010	Fan for evaporator tank area	PM4642			X	
5	492F011	Flare prim. Air fan	PM4637			X	
6	492F202	Fan for Venturi 402 pump 492E203	PM4880			X	
7	492P001	Venturi 2 pump	PM4639			X	
8	492P002	Venturi 1 pump	PM4640			X	
9	492P003	Quench pump	PM4641			X	
10	492P100	Foul condensate pump	PM4665			X	
11	492P101	Methanol pump	PM4666			X	
12	492P201	Veturi 402 Pump	PM4435			X	

UNCONTROLLED COPY

ISO 14001 *ENVIRONMENTAL MANAGEMENT SYSTEM*

WORK INSTRUCTION

Issued by: [redacted]

Approved by:

Document No. WI-E-5 11-EM-001

Edition No. 01

Effective date: 15 Oct 2017

เอกสารแนบ 6.3 รายละเอียดการบำรุงรักษาเครื่องจักรและอุปกรณ์เชิงป้องกัน

ITEM	INSPECTION	FREQUENCY			
		DAILY	WEEKL Y	MONTHL Y	YEARL Y
1	ตรวจสอบสภาพเครื่องจักรด้วยประสาทสัมผัส	X			
2	ตรวจสอบอัตราระบาย		X	X	
3	เปิดล้างทำความสะอาดและเปลี่ยนตาระบายใหม่				X
4	ตรวจสอบระดับน้ำมันหล่อลื่น, เติมน้ำมันหล่อลื่น		X	X	
5	เปลี่ยนน้ำมันหล่อลื่น				X
6	ตรวจสอบวัดอุณหภูมิเครื่องจักร	X	X	X	
7	ตรวจสอบวัดแรงดันต่างๆ	X	X	X	
8	ตรวจสอบการรั่วซึมต่างๆ (Packing, Mechanical)	X		X	
9	ตรวจสอบการสั่นสะเทือน			X	
10	ตรวจสอบการหลวมคลอนต่างๆ (Bolts, Nuts)			X	X
11	ตรวจสอบสายพานและการปรับแต่ง	X		X	
12	ตรวจสอบใช้, หล่อลื่นโซ่และปรับแต่ง	X		X	
13	ตรวจวัดสภาพลูกปืนด้วยเครื่องวิเคราะห์ลูกปืน			X	
14	ตรวจสอบคุณภาพน้ำมันหล่อลื่น				X
15	ตรวจสอบระบบทำงานต่างๆ			X	X
16	ตรวจสอบตั้งค่าแรงดัน, ปรับแต่งและทดสอบแรงดันและการทำงาน				X
17	ตรวจสอบระบบการระบายน้ำอัตโนมัติ	X		X	
18	ตรวจสอบอุปกรณ์, อะไหล่ต่างๆและเปลี่ยนตามอายุการใช้งานหรือ				X
19	ทำความสะอาดตามจุดต่างๆ	X	X	X	X

UNCONTROLLED COPY

ภาคผนวก ข-16

ผลสำรวจกลิ่นรายเดือน ม.ค. - มิ.ย. พ.ศ. 2568

แผนการสำรวจกลิ่นในช่วงเดือน ม.ค.-มิ.ย. 2568

ลำดับ	วันที่สำรวจ	รายชื่อ	ตำแหน่ง	สังกัด	WS (m/s)	WD (Degree)	ผลการสำรวจ
1	3/1/2568	[redacted]	Environmental Controller	NPP5A	0.5	270.34	มีกลิ่นก๊าซอ่อนๆ แต่ไม่ถึงเป็นที่รำคาญ
2	13/1/2568		Environmental Controller	NPP5A	0.7	147.9	ปกติ
3	17/2/2568		Environmental Controller	NPP5A&Pulp	0.6	296.7	ปกติ
4	18/2/2568		Environmental Controller	NPP5A&Pulp	1.2	354.1	มีกลิ่นก๊าซอ่อนๆ แต่ไม่ถึงเป็นที่รำคาญ
5	28/2/2568		Environmental Controller	NPP5A&Pulp	1.5	197.88	ปกติ
6	1/3/2568		Environmental Controller	NPP5A&Pulp	0.2	206.8	ปกติ
7	4/4/2568		Environmental Controller	NPP5A	0.9	259.85	ปกติ
8	28/4/2568		Environmental Controller	NPP5A	1.1	317.24	ปกติ
9	16/5/2568		Environmental Controller	NPP5A	0.3	278.34	ปกติ
10	31/5/2568		Environmental Controller	NPP5A	0.9	317.27	มีกลิ่นก๊าซอ่อนๆ แต่ไม่ถึงเป็นที่รำคาญ

ภาคผนวก ข-17

การสื่อสารเมื่อได้รับเรื่องร้องเรียน

ประวัติการแก้ไขเอกสาร

เลขที่เอกสาร	แก้ไขครั้งที่	รายละเอียดการแก้ไข	ผู้จัดทำเอกสาร
WI-QES-PUH-PR-001	01	เพิ่มเติมขอบข่าย รายชื่อบริษัทที่เกี่ยวข้องให้ครบถ้วน และ ปรับเปลี่ยนขั้นตอนการปฏิบัติงานให้เป็นปัจจุบัน	ต้องลา ว่องเรืองอรุณ
WI-QES-PUH-CR-001	02	ปรับเปลี่ยนคำจำกัดความและขั้นตอนการปฏิบัติงานให้เป็นปัจจุบัน	พิมลพรรณ แววงาม

UNCONTROLLED COPY

INTEGRATED MANAGEMENT SYSTEM

WORK INSTRUCTION

Issued by: [redacted]

Approved by: [redacted]

Document No. WI-QES-PUH-CR-001

Edition No. 02

Effective date: 28 Feb 2017

การสื่อสารเมื่อได้รับข้อร้องเรียนจากชุมชน

1. **วัตถุประสงค์(Objective)**

1.เพื่อกำหนดแนวทางและวิธีการในการสื่อสารเรื่องร้องเรียน ให้เป็นไปตามขั้นตอนที่ถูกต้องและเหมาะสม

2. เพื่อให้ความคิดเห็น/ข้อร้องเรียนจากชุมชนได้รับการตอบสนองที่เหมาะสม และนำไปสู่การปรับปรุงให้ดีขึ้น

3.เพื่อสร้างความตระหนักให้แก่หน่วยงานและพนักงานถูกระดับสนใจและพบหวนข้อร้องเรียน เพื่อยุติปัญหาป้องกันการเกิดขึ้นซ้ำในอนาคต

2. **ขอบเขต (Scope)**

ระเบียบการปฏิบัติงานนี้กำหนดขึ้นเพื่อควบคุมการติดต่อสื่อสารของ บริษัท ในกลุ่ม NPS Double A Power กับหน่วยงานหรือบุคคลภายนอก ได้แก่ ชุมชน ,หน่วยงานราชการ และสื่อมวลชน

3. **คำจัดความ (Definition)**

1.ฝ่ายชุมชนสัมพันธ์ หมายถึง ฝ่ายชุมชนสัมพันธ์ NPS Double A Power

2. Corp Comm หมายถึง หน่วยงานสื่อสารองค์กร (Corporate Communications)

3.หน้างาน/ผู้ปฏิบัติงานที่เกี่ยวข้อง หมายถึง แผนก หรือ ฝ่าย หรือ พนักงานที่ปฏิบัติงานอยู่หน้างาน เช่น ฝ่ายสิ่งแวดล้อม, ฝ่าย Safety, เป็นต้น

4. BRC,BSS , SHEQ หมายถึง หน่วยงานฝ่ายบริหาร

5. ทีมงานเฉพาะกิจ หมายถึง กลุ่มหรือคณะที่ได้รับมอบหมายจากฝ่ายบริหาร ให้ทำหน้าที่ตรวจสอบสาเหตุ/จำแนกสาเหตุแก้ไขข้อร้องเรียน

6.ชุมชน หมายถึง ประชากรในเขตพื้นที่และใกล้เคียงโรงงาน

7.หน่วยงานราชการ หมายถึง ข้าราชการประจำในส่วนท้องถิ่น อำเภอ จังหวัดหรือส่วนภูมิภาค

8.สื่อมวลชน หมายถึง นักข่าวท้องถิ่น , สื่อมวลชนในพื้นที่

9. NPS Double A Power หมายถึง บริษัท เนชั่นแนล เพาเวอร์ ซัพพลาย จำกัด (มหาชน), บริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 2 จำกัด, บริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 3 จำกัด,บริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 5 จำกัด , บริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 6 จำกัด , บริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 10 จำกัด,บริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 11 จำกัด, , บริษัทฟิวเจอร์ กรีนเนอร์จี จำกัด, บริษัท เอช ลิขชิ่ง จำกัด, บริษัท น้ำใส 304 จำกัด และ บริษัท อี 85 จำกัด

UNCONTROLLED COPY

4. ขั้นตอนการปฏิบัติงาน(Procedure)

1.กรณีข้อร้องเรียนไม่รุนแรง

1.1) ฝ่ายชุมชนสัมพันธ์เป็นผู้รับเรื่องร้องเรียนจาก ชุมชน หน่วยงานราชการ หรือ สื่อมวลชน

1.2) SHEQ พิจารณาระดับความรุนแรงของปัญหา

1.3) ฝ่ายชุมชนสัมพันธ์ประสานหน้างานผู้เกี่ยวข้องงานเพื่อตรวจสอบ ดำเนินการแก้ไขและป้องกัน พร้อมชี้แจงสื่อสารกับผู้ร้องเรียนโดยทันที

1.4) รายงานผลการจัดการข้อร้องเรียน ต่อ SHEQ

1.กรณีที่ข้อร้องเรียนที่มีระดับความรุนแรง

1.1) ฝ่ายชุมชนสัมพันธ์เป็นผู้รับเรื่องร้องเรียนจาก ชุมชน หน่วยงานราชการ หรือ สื่อมวลชน

1.2) SHEQ พิจารณาระดับความรุนแรงของปัญหา

1.3) ฝ่ายชุมชนสัมพันธ์ประสานจัดตั้ง ทีมงานเฉพาะกิจ และแจ้งต่อ SHEQ

1.4) SHEQ พิจารณาอนุมัติ ทีมงานเฉพาะกิจ

1.5) ฝ่ายชุมชนสัมพันธ์จัดประชุมทีมงานเฉพาะกิจ โดยมีฝ่าย Corp Comm ให้ข้อแนะนำด้านภาพลักษณ์ , ฝ่ายบริหาร ให้ข้อแนะนำแนวทางการแก้ไขปัญหา

1.6) ทีมเฉพาะกิจลงพื้นที่ตรวจสอบและสัมภาษณ์ทางการแก้ไข ให้ SHEQ พิจารณาอนุมัติ

1.7) ฝ่ายชุมชนสัมพันธ์พร้อมหน่วยงานที่เกี่ยวข้อง ลงพื้นที่ชี้แจงต่อผู้ร้องเรียน

1.8)ฝ่ายชุมชนสัมพันธ์ ดำเนินการสรุปผลการจัดการเรื่องร้องเรียน และรายงานต่อ SHEQ และ Corp Comm

1.9) SHEQ รายงานสรุปผลการจัดการเรื่องร้องเรียน ต่อ BSS , BRC

1.10) ฝ่ายชุมชนสัมพันธ์ บันทึกข้อมูลลงในแบบฟอร์มบันทึกเรื่องร้องเรียนของ PUH และ จัดเก็บเอกสารในระบบ ISO

UNCONTROLLED COPY

5. บันทึก (Record)

FR-QES-PUH-CR-001 แบบฟอร์มบันทึกเรื่องร้องเรียนของ PUH

6. เอกสารแนบ (Related Document)

ไม่มี

7. เอกสารอ้างอิง (Reference)

ไม่มี

ภาคผนวก ข-18

ขั้นตอนดำเนินงานระบบบำบัดมลพิษขัดข้อง



รูปที่ 2-4 ผังขั้นตอนการดำเนินงานกรณีระบบป้องกันมลพิษขัดข้อง

พฤศจิกายน 2551

[redacted]

ผู้ชำนาญการ

บริษัท คอนซัลแทนท์ ออฟ เทคโนโลยี จำกัด
CONSULTANTS OF TECHNOLOGY CO., LTD.

ภาคผนวก ข-19

หนังสือแต่งตั้งกรรมการไตรภาคี และบันทึกประชุม

คำสั่งอำเภอศรีมหาโพธิ
ที่ ๑๘๑ /๒๕๖๘
เรื่อง แต่งตั้งคณะกรรมการไตรภาคี
บริษัท ดั๊บเบิ้ล เอ (๑๙๙๑) จำกัด (มหาชน)
กลุ่มบริษัท เนชั่นแนล เพาเวอร์ ซัพพลาย จำกัด (มหาชน)
กลุ่มบริษัท ๓๐๔ อินดัสเตรียล ปาร์ค จำกัด

ตามที่อำเภอศรีมหาโพธิ ได้มีคำสั่งอำเภอศรีมหาโพธิ ที่ ๓๑๕/๒๕๖๖ เรื่องแต่งตั้งคณะกรรมการไตรภาคี ในพื้นที่อำเภอ ศรีมหาโพธิ จังหวัดปราจีนบุรี ลงวันที่ ๑๐ พฤศจิกายน ๒๕๖๖ โดยมีวัตถุประสงค์ร่วมกันระหว่างภาคประชาชน ภาคราชการ และในส่วนของโรงงานอุตสาหกรรม เพื่อกำหนดแนวทางการป้องกันการแก้ไขปัญหา และดำเนินการตรวจสอบ การดำเนินงานของโรงงานในพื้นที่ ที่อาจจะส่งผลกระทบต่อชุมชนและครอบคลุมการดำเนินงานของกลุ่มบริษัท ดังนี้

๑. บริษัท ดั๊บเบิ้ล เอ (๑๙๙๑) จำกัด (มหาชน) เลขที่ ๑ หมู่ ๒ ตำบลท่าตูม อำเภอศรีมหาโพธิ จังหวัดปราจีนบุรี

๒. กลุ่มบริษัท เนชั่นแนล เพาเวอร์ ซัพพลาย จำกัด (มหาชน) ได้แก่

๒.๑ บริษัท เนชั่นแนล เพาเวอร์ ซัพพลาย จำกัด (มหาชน) เลขที่ ๒๐๖ หมู่ ๔ ตำบลท่าตูม อำเภอศรีมหาโพธิ จังหวัดปราจีนบุรี

๒๒ บริษัท ฟิวเจอร์ กรีนเนอร์จี จำกัด เลขที่ ๑๔๕ หมู่ ๔ ตำบลท่าตูม อำเภอศรีมหาโพธิ จังหวัดปราจีนบุรี

๒๓ บริษัท เอ็นพีเอส โซลาร์ จำกัด เลขที่ ๒๐๖ หมู่ ๔ ตำบลท่าตูม อำเภอศรีมหาโพธิ จังหวัดปราจีนบุรี

๒๔ บริษัท ซีเอชพี ๑ จำกัด เลขที่ ๒๐๖ หมู่ ๔ ตำบลท่าตูม อำเภอศรีมหาโพธิ จังหวัดปราจีนบุรี

๒๕ บริษัท อี ๘๕ จำกัด เลขที่ ๗๘ หมู่ ๔ ตำบลท่าตูม อำเภอศรีมหาโพธิ จังหวัดปราจีนบุรี

๒๖ บริษัท น้ำใส ๓๐๔ จำกัด เลขที่ ๒๔๔ หมู่ ๔ ตำบลท่าตูม อำเภอศรีมหาโพธิ จังหวัดปราจีนบุรี

๒๗ บริษัท เนชั่นแนล เพาเวอร์ แพลนท์ ๕ เอ จำกัด เลขที่ ๒๐๘ หมู่ ๒ ตำบลท่าตูม อำเภอศรีมหาโพธิ จังหวัดปราจีนบุรี

๒.๘ บริษัท เนชั่นแนล เพาเวอร์ แพลนท์ ๑๒ จำกัด เลขที่ ๒๗๔ หมู่ ๒ ตำบลท่าตูม อำเภอศรีมหาโพธิ จังหวัดปราจีนบุรี

๒.๙ บริษัท อินทิเกรทเต็ด รีเสิร์ช เซ็นเตอร์ จำกัด เลขที่ ๑๒๒ หมู่ ๒ ตำบลท่าตูม อำเภอศรีมหาโพธิ จังหวัดปราจีนบุรี

๓. กลุ่มบริษัท ๓๐๔ อินดัสเตรียล ปาร์ค จำกัด ได้แก่

๓.๑ บริษัท ๓๐๔ อินดัสเตรียล ปาร์ค จำกัด เลขที่ ๑๐๖ หมู่ที่ ๗ ตำบลท่าตูม อำเภอศรีมหาโพธิ จังหวัดปราจีนบุรี

/๓๒ บริษัท...

๓.๒ บริษัท ๓๐๔ อินดัสเตรียล ปาร์ค ๗ จำกัด เลขที่ ๑๐๖ หมู่ที่ ๗ ตำบลท่าตูม อำเภอศรีมหาโพธิ จังหวัดปราจีนบุรี

๓.๓ บริษัท ๓๐๔ อินดัสเตรียล ปาร์ค ๑๙ จำกัด เลขที่ ๑๐๖ หมู่ที่ ๗ ตำบลท่าตูม อำเภอศรีมหาโพธิ จังหวัดปราจีนบุรี

นั้น

เพื่อให้การทำงานเป็นไปเพื่อประโยชน์ของชุมชน จึงขอแต่งตั้งคณะกรรมการไตรภาคี ซึ่งประกอบด้วยจำนวนคณะกรรมการ ๕๓ คน ตามสัดส่วน ดังนี้

๑. ตัวแทนภาคประชาชน จำนวน ๒๘ คน
๒. ตัวแทนภาคราชการ จำนวน ๑๒ คน
๓. ตัวแทนภาคอุตสาหกรรม จำนวน ๑๒ คน
๔. ที่ปรึกษาผู้ทรงคุณวุฒิ จำนวน ๑ คน

๑. ตัวแทนภาคราชการ จำนวน ๑๒ คน ได้แก่

๑. นายอำเภอศรีมหาโพธิ ประธานคณะกรรมการไตรภาคี
๒. อุตสาหกรรมจังหวัดปราจีนบุรี รองประธานคณะกรรมการไตรภาคี คนที่ ๑
๓. ผู้อำนวยการสำนักงานทรัพยากรธรรมชาติและสิ่งแวดล้อม จังหวัดปราจีนบุรี รองประธานคณะกรรมการไตรภาคี คนที่ ๒
๔. หัวหน้าสำนักงานจังหวัดปราจีนบุรี
๕. พลังงานจังหวัดปราจีนบุรี
๖. สาธารณสุขอำเภอศรีมหาโพธิ
๗. สมาชิกสภาองค์การบริหารส่วนจังหวัดปราจีนบุรี (พื้นที่เขตตำบลท่าตูม อำเภอศรีมหาโพธิ)
๘. นายกองค์การบริหารส่วนตำบลท่าตูม
๙. ปลัดองค์การบริหารส่วนตำบลท่าตูม
๑๐. ผู้อำนวยการโรงเรียนบ้านโป่งไผ่
๑๑. กำนัน ตำบลท่าตูม อำเภอศรีมหาโพธิ
๑๒. ผู้ใหญ่บ้าน หมู่ ๓ ตำบลท่าตูม อำเภอศรีมหาโพธิ

๒. ตัวแทนภาคประชาชน จำนวน ๒๘ คน ได้แก่

๑. นายสละ	วงษ์วิจารณ์	หมู่ ๑ ตำบลท่าตูม อำเภอศรีมหาโพธิ
๒. นายสัญชัย	แม้นพงษ์	หมู่ ๒ ตำบลท่าตูม อำเภอศรีมหาโพธิ
๓. นางสุมาลี	บริสุทธิ์	หมู่ ๒ ตำบลท่าตูม อำเภอศรีมหาโพธิ
๔. นายบุญชิต	มานะต่อ	หมู่ ๓ ตำบลท่าตูม อำเภอศรีมหาโพธิ
๕. นายสมบุญ	พัชรไพบูลย์	หมู่ ๓ ตำบลท่าตูม อำเภอศรีมหาโพธิ
๖. นางสาวยุพิณ	ละมั่งทอง	หมู่ ๓ ตำบลท่าตูม อำเภอศรีมหาโพธิ
๗. นายเผือก	เล็บพยัคฆ์	หมู่ ๔ ตำบลท่าตูม อำเภอศรีมหาโพธิ
๘. นายวิลาส	เล็บพยัคฆ์	หมู่ ๔ ตำบลท่าตูม อำเภอศรีมหาโพธิ
๙. นายเอนก	ปรุงนิยม	หมู่ ๔ ตำบลท่าตูม อำเภอศรีมหาโพธิ

/๑๐. นายสำเริง...

๑๐. นายสำเริง	สีมาดาล	หมู่ ๔ ตำบลท่าตูม อำเภอศรีมหาโพธิ
๑๑. นางไพริน	ไพเราะ	หมู่ ๔ ตำบลท่าตูม อำเภอศรีมหาโพธิ
๑๒. นายอุดม	ไก่จ้วน	หมู่ ๕ ตำบลท่าตูม อำเภอศรีมหาโพธิ
๑๓. นายชัยวิวัฒน์	เปลี่ยนนุช	หมู่ ๕ ตำบลท่าตูม อำเภอศรีมหาโพธิ
๑๔. นางวิไลรัตน์	ไพเราะ	หมู่ ๖ ตำบลท่าตูม อำเภอศรีมหาโพธิ
๑๕. นางสาวสมจิต	ศรีมาศ	หมู่ ๗ ตำบลท่าตูม อำเภอศรีมหาโพธิ
๑๖. นางสาวนงลักษณ์ คุ้มมา		หมู่ ๗ ตำบลท่าตูม อำเภอศรีมหาโพธิ
๑๗. นางสมคิด	ทิพเวช	หมู่ ๗ ตำบลท่าตูม อำเภอศรีมหาโพธิ
๑๘. นายเมธา	บุญโต	หมู่ ๘ ตำบลท่าตูม อำเภอศรีมหาโพธิ
๑๙. นางลำไย	อร่ามวงษ์	หมู่ ๑๐ ตำบลท่าตูม อำเภอศรีมหาโพธิ
๒๐. นายกู้เกียรติ	แสงจันทร์	หมู่ ๓ ตำบลกรอกสมบูรณ์ อำเภอศรีมหาโพธิ
๒๑. นายพีรมิตร	ส้มฤทธิ์	หมู่ ๔ ตำบลกรอกสมบูรณ์ อำเภอศรีมหาโพธิ
๒๒. นายสุรชัย	ไพเราะ	หมู่ ๕ ตำบลกรอกสมบูรณ์ อำเภอศรีมหาโพธิ
๒๓. นายทรงกฤษ	คร้ามไพบูลย์	หมู่ ๖ ตำบลบ้านทาม อำเภอศรีมหาโพธิ
๒๔. นายถวิล	โมคศักดิ์	หมู่ ๑๐ ตำบลลาดตะเคียน อำเภอกบินทร์บุรี
๒๕. นายพิพัฒน์	คำแก้ว	หมู่ ๑๓ ตำบลลาดตะเคียน อำเภอกบินทร์บุรี
๒๖. นายวิชา	จันทร์ประทุม	หมู่ ๓ ตำบลหาดนางแก้ว อำเภอกบินทร์บุรี
๒๗. นายบุญเกิด	พอไทย	หมู่ ๔ ตำบลหาดนางแก้ว อำเภอกบินทร์บุรี
๒๘. นายประสิทธิ์	หอมจันทร์	หมู่ ๔ ตำบลหาดนางแก้ว อำเภอกบินทร์บุรี

๓. ตัวแทนภาคอุตสาหกรรม จำนวน ๑๒ คน ได้แก่

๑. นายสมาธิ	ประจวบสุข	ตัวแทนฝ่ายบริหาร บริษัท ดั๊บเบิ้ล เอ (๑๙๙๑) จำกัด (มหาชน)
๒. นางสาวอารีย์	จักษ์ตรีมงคล	ตัวแทนฝ่ายบริหาร กลุ่มบริษัท เนชั่นแนล เพาเวอร์ ซัพพลาย จำกัด (มหาชน)
๓. นายกิตติพันธ์	จิตต์เป็นธรรม	ตัวแทนฝ่ายบริหาร กลุ่มบริษัท ๓๐๔ อินดัสเตรียล ปาร์ค จำกัด
๔. นางสาวดุจดาว	วงศ์สมบูรณ์	ตัวแทนฝ่ายสิ่งแวดล้อม บริษัท ดั๊บเบิ้ล เอ (๑๙๙๑) จำกัด (มหาชน)
๕. นางสาวปัทมา	นาม้อง	ตัวแทนฝ่ายสิ่งแวดล้อม กลุ่มบริษัท เนชั่นแนล เพาเวอร์ ซัพพลาย จำกัด (มหาชน)
๖. นางสาวอังคณา	โตพิทักษ์	ตัวแทนฝ่ายสิ่งแวดล้อม กลุ่มบริษัท ๓๐๔ อินดัสเตรียล ปาร์ค จำกัด
๗. นางสาวพรทิพย์	หิตเกต	ตัวแทนฝ่ายประสานงาน บริษัท ดั๊บเบิ้ล เอ (๑๙๙๑) จำกัด (มหาชน)
๘. นางสาววรีวรรณ์	พรายแสง	ตัวแทนฝ่ายประสานงาน กลุ่มบริษัท เนชั่นแนล เพาเวอร์ ซัพพลาย จำกัด (มหาชน)
๙. นางสาวจีรภา	บุรีวงษ์	ตัวแทนฝ่ายประสานงาน กลุ่มบริษัท ๓๐๔ อินดัสเตรียล ปาร์ค จำกัด
๑๐. นางสาวพรทิพย์	หิตเกต	ตัวแทนฝ่ายประสานงาน กลุ่มบริษัท ๓๐๔ อินดัสเตรียล ปาร์ค จำกัด
๑๑. นางสาวอาภาภรณ์	แสนทำพล	ผู้ช่วยเลขานุการกรรมการไตรภาคี
๑๒. นางสาวปาริชาต	รุจิเกต	ตัวแทนฝ่ายประสานงานทั่วไป และเลขานุการกรรมการไตรภาคี

/๔. ที่ปรึกษา...

๔. ที่ปรึกษาผู้ทรงคุณวุฒิ จำนวน ๑ คน ได้แก่

๑. นายวิทูร บุญส่ง

โดยให้คณะกรรมการมีอำนาจหน้าที่ในการทำงานตามกฎระเบียบข้อบังคับของคณะกรรมการไตรภาคี บริษัท ดั๊บเบิ้ล เอ (๑๙๙๑) จำกัด (มหาชน) กลุ่มบริษัท เนชั่นแนล เพาเวอร์ ซัพพลาย จำกัด(มหาชน) และกลุ่มบริษัท ๓๐๔ อินดัสเตรียล ปาร์ค จำกัด

ทั้งนี้ตั้งแต่บัดนี้เป็นต้นไป

ลงวันที่ ๑๖ เดือน พฤษภาคม พ.ศ. ๒๕๖๘

(นางสาวจุฑามาศ บัวเผื่อน)
นายอำเภอศรีมหาโพธิ

การประชุมคณะกรรมการไตรภาคี
กลุ่มบริษัท ดับ๊บเบิ้ล เอ (1991) จำกัด (มหาชน) ตำบลท่าตูม อำเภอศรีมหาโพธิ จังหวัดปราจีนบุรี
วันที่ 31 มกราคม พ.ศ. 2568 เวลา 10.00 -12.00 น.
ณ ห้องประชุมกองทุนพัฒนาไฟฟ้าจังหวัดปราจีนบุรี2 อำเภอศรีมหาโพธิ จังหวัดปราจีนบุรี

กรรมการผู้เข้าประชุม
กรรมการไตรภาคีส่วนราชการ

1. นายจักรี	สมัครเขตกิจ	รองประธานคณะกรรมการไตรภาคี
2. นายภูวดล	เมืองกลาง	กรรมการ (แทน หัวหน้าสำนักงานจังหวัดปราจีนบุรี)
3. นายวัศพล	สินทรัพย์	กรรมการ (แทน พลังงานจังหวัดปราจีนบุรี)
4. นางสาวกัญญาณัฐ	ลำไธสง	กรรมการ (แทน สาธารณสุขอำเภอศรีมหาโพธิ)
5. นางสาวพนิดา	จอมสัก	กรรมการ (แทน นายกองค์การบริหารส่วนตำบลท่าตูม)
6. นางสาวพจนีย์	ศรีสุมาตย์	กรรมการ (แทน ปลัดองค์การบริหารส่วนตำบลท่าตูม)
7. นายศักดิ์ชัย	บุตรดา	กรรมการ (แทนกำนันประจำตำบลท่าตูม)
8. นายชัชชัย	ไพเราะ	ผู้ใหญ่บ้าน หมู่ 3 ตำบลท่าตูม

กรรมการไตรภาคีส่วนชุมชน

9. นายสละ	วงษ์วิจารณ์	กรรมการไตรภาคีส่วนชุมชน
10. นายสัญชัย	แม้นพงษ์	กรรมการไตรภาคีส่วนชุมชน
11. นางสุมาลี	บริสุทธิ์	กรรมการไตรภาคีส่วนชุมชน
12. นายสมบุญ	พัชรไพบูลย์	กรรมการไตรภาคีส่วนชุมชน
13. นายบุญชิต	มานะต่อ	กรรมการไตรภาคีส่วนชุมชน
14. นางไพริน	ไพเราะ	กรรมการไตรภาคีส่วนชุมชน
15. นายสำเริง	สีมาตาล	กรรมการไตรภาคีส่วนชุมชน
16. นางวิไลรัตน์	ไพเราะ	กรรมการไตรภาคีส่วนชุมชน
17. นางสาวสมจิต	ศรีมาศ	กรรมการไตรภาคีส่วนชุมชน
18. นายเมธา	บุญโต	กรรมการไตรภาคีส่วนชุมชน
19. นายถวิล	โมคศักดิ์	กรรมการไตรภาคีส่วนชุมชน
20. นายวิชา	จันทร์ประทุม	กรรมการไตรภาคีส่วนชุมชน
21. นายบุญเกิด	พอไทย	กรรมการไตรภาคีส่วนชุมชน
22. นายประสิทธิ์	หอมจันทร์	กรรมการไตรภาคีส่วนชุมชน

กรรมการไตรภาคีส่วนโรงงาน

23. นางสาวณุกานดา	บัญญาวิไล	ผู้แทนฝ่ายบริหาร โรงงานผลิตเยื่อกระดาษและกระดาษ
24. นางสาวอารีย์	จักษ์ตรีมงคล	ผู้แทนฝ่ายบริหาร กลุ่มบริษัท เนชั่นแนล เพาเวอร์ ซัพพลาย จำกัด(มหาชน)
25. นางสาวเบญจวรรณ	จงหมั่น	ผู้แทนฝ่ายบริหาร บริษัท 304 อินดัสเตรียล ปาร์ค จำกัด
26. นายศุภณัฐ	ชินอ่อนสัว	ผู้แทนฝ่ายสิ่งแวดล้อม บริษัท 304 อินดัสเตรียล ปาร์ค จำกัด
27. นางสาวจีรภา	บุรีวงษ์	ผู้แทน ฝ่ายประสานงาน โรงงานผลิตเยื่อกระดาษและกระดาษ
28. นางสาววีวรรณ์	พรายแสง	ผู้แทน ฝ่ายประสานงาน กลุ่มบริษัท เนชั่นแนล เพาเวอร์ ซัพพลาย จำกัด (มหาชน)
29. นายพศวีร์	นาน้อย	ผู้แทน ฝ่ายประสานงาน บริษัท 304 อินดัสเตรียล ปาร์ค จำกัด
30. นางสาวพรทิพย์	หิตเทศ	ผู้แทน ฝ่ายประสานงาน บริษัท 304 อินดัสเตรียล ปาร์ค จำกัด
31. นางสาวอาภาภรณ์	แสนทำพล	ผู้แทน ฝ่ายประสานงานทั่วไป และผู้ช่วยเลขานุการไตรภาคี
32. นางสาวปาริชาต	รุจิเทศ	ผู้แทน ฝ่ายประสานงานทั่วไป และเลขานุการไตรภาคี

กรรมการผู้ไม่เข้าประชุม

1. นายอำเภอศรีมหาโพธิ		กรรมการไตรภาคีส่วนราชการ
2. ผู้อำนวยการสำนักงานทรัพยากรธรรมชาติและสิ่งแวดล้อมจังหวัดปราจีนบุรี		กรรมการไตรภาคีส่วนราชการ
3. สมาชิกสภาจังหวัดปราจีนบุรี		กรรมการไตรภาคีส่วนราชการ
4. ผู้อำนวยการโรงเรียนบ้านโป่งไผ่		กรรมการไตรภาคีส่วนราชการ
5. นายวิทูร	บุญส่ง	ผู้ทรงคุณวุฒิไตรภาคี
6. นางสาวยุพิณ	ละมั่งทอง	กรรมการไตรภาคีส่วนชุมชน
7. นายวิลาส	เล็บพยัคฆ์	กรรมการไตรภาคีส่วนชุมชน
8. นายเผือก	เล็บพยัคฆ์	กรรมการไตรภาคีส่วนชุมชน
9. นายเอนก	ปรุงนิยม	กรรมการไตรภาคีส่วนชุมชน
10. นายอุดม	ไทยง้วน	กรรมการไตรภาคีส่วนชุมชน
11. นายชัยวิวัฒน์	เปลี่ยนนุช	กรรมการไตรภาคีส่วนชุมชน
12. นางสมคิด	ทิพเวช	กรรมการไตรภาคีส่วนชุมชน
13. นางสาวนงลักษณ์	คุ้มมา	กรรมการไตรภาคีส่วนชุมชน
14. นางสาวลำไย	อร่ามวงษ์	กรรมการไตรภาคีส่วนชุมชน
15. นายพีรมิตร	สัมฤทธิ์	กรรมการไตรภาคีส่วนชุมชน
16. นายกู้เกียรติ	แสงจันทร์	กรรมการไตรภาคีส่วนชุมชน
17. นายทรงกฤษ	คร้ามไพบูลย์	กรรมการไตรภาคีส่วนชุมชน
18. นายพิพัฒน์	คำแก้ว	กรรมการไตรภาคีส่วนชุมชน
19. นายสุรชัย	ไพเราะ	กรรมการไตรภาคีส่วนชุมชน
20. นางสาวดุจดาว	วงศ์สมบูรณ์	กรรมการไตรภาคีส่วนโรงงาน
21. นางสาวปัทมา	นาม้อง	กรรมการไตรภาคีส่วนชุมชน

ผู้เข้าร่วมประชุม

1. นายภูวนนท์	แสนตา	สำนักงานจังหวัดปราจีนบุรี

เริ่มประชุมเวลา 10.15 น.

เนื่องจาก นางสาวจุฑามาศ บัวเผื่อน นายอำเภอศรีมหาโพธิ ติดภารกิจสำคัญ ทั้งนี้อ้างอิงระเบียบคณะกรรมการไตรภาคี กำหนดให้รองคณะกรรมการไตรภาคี นายจักรี สมัครเขตกิจ ผู้แทนอุตสาหกรรมจังหวัดปราจีนบุรี ดำเนินการประชุมตามวาระ โดยประธานในที่ประชุม ได้กล่าวทักทายผู้เข้าร่วมประชุม และขอเปิดประชุมคณะกรรมการไตรภาคี ครั้งที่ 1 / 2568 (ครั้งที่ 215) ตามวาระดังต่อไปนี้

ระเบียบวาระที่ 1 ประธานแจ้งที่ประชุมเพื่อทราบ
-ไม่มี-

ระเบียบวาระที่ 2 รับรองรายงานการประชุมคณะกรรมการไตรภาคี ครั้งที่ 10/2567 (ครั้งที่ 214)
ประธานในที่ประชุมได้เสนอให้ที่ประชุมพิจารณาร่างรายงานการประชุมคณะกรรมการไตรภาคี ครั้งที่ 10/2567 เมื่อวันที่ 23 ธันวาคม 2567 ณ ห้องประชุมที่ทำการอำเภอศรีมหาโพธิ จังหวัดปราจีนบุรี
การพิจารณาของที่ประชุม
ที่ประชุมได้พิจารณารายงานการประชุมแล้ว ไม่มีท่านใดขอแก้ไขรายงานการประชุม
มติที่ประชุม ที่ประชุมมีมติรับรองรายงานการประชุมคณะกรรมการไตรภาคี ครั้งที่ 10/2567

3.1 ผลการดำเนินงานตามโครงการศูนย์รับข้อร้องเรียนฯ เดือน ธ.ค. 67
ตามที่ บมจ.ดับ๊บเบิ้ล เอ (1991) ได้จัดตั้ง "ศูนย์รับเรื่องร้องเรียนและข้อเสนอแนะ" โดยมีวัตถุประสงค์เพื่อรับทราบปัญหาผลกระทบด้านสิ่งแวดล้อมและจัดการป้องกันแก้ไขปัญหา ตั้งแต่ปี 2554 นั้น
ผลการตรวจสอบข้อร้องเรียนในเดือนธันวาคม 2567 -ไม่มี-

3.2 ผลการตรวจวิเคราะห์คุณภาพน้ำ เดือนธันวาคม 2567
1) การตรวจวิเคราะห์คุณภาพน้ำใต้ดิน โดยตรวจวัดทุกเดือนในจุดบุยายใบและหนองตะโก และมีการเก็บในเดือน เม.ย.และ ก.ย. ในจุดหัวโล่ และ โป่งไผ่ ทั้งนี้ผลการตรวจวัดในเดือนธันวาคม 2567 มีค่าแสดงตามรายละเอียดดังนี้

ที่	ค่าที่ตรวจวัด	ค่ามาตรฐาน/หน่วย	หนองตะโก	บุยายใบ
1	ปริมาณแบคทีเรียรวม พบอยู่ทั่วไปตามดิน น้ำ พืชผัก ลำไส้คนและสัตว์ และมีที่มาจากกิจวัตรประจำวันของมนุษย์ เช่น การชักล้าง,การเลี้ยงสัตว์,การขับถ่ายสิ่งปฏิกูล นอกจากนี้ยังสามารถพบได้ในดินและปนเปื้อนมากับพืชผักต่างๆ หรืออยู่ในผลิตภัณฑ์อาหารที่ไม่มีสุขลักษณะในการผลิต	ไม่เกิน 2.2 เซลล์/น้ำ100 มล.	33	33
2	ฟีคอล โคลีฟอร์มแบคทีเรีย ปริมาณเชื้อโรคแบคทีเรียกลุ่มโคลิฟอร์ม ที่มีอยู่ในอุจจาระของมนุษย์และสัตว์เลือดอุ่น การตรวจพบแบคทีเรียชนิดนี้ในแหล่งน้ำ อาจแสดงว่าแหล่งน้ำนั้นมีโอกาสปนเปื้อนหรือมีการแพร่กระจายของเชื้อโรคที่ทำให้เกิดโรคในระบบทางเดินอาหารสูง ส่วนใหญ่แบคทีเรียกลุ่มฟีคอลโคลิฟอร์มจะตรวจพบมากในแหล่งน้ำที่ไหลผ่านชุมชนที่ระบายน้ำทิ้งสู่แหล่งน้ำโดยตรง		2.0	1.8
3	ฟลูออไรด์ พบตามธรรมชาติทั้งในน้ำ,ดิน,อาหาร ส่วนร่างกายของเราจะพบฟลูออไรด์ที่กระดูก ฟันและของเหลวทั่วร่างกาย ตามปกติแล้วร่างกายจะได้รับฟลูออไรด์จากอาหารและน้ำ	ไม่เกิน 1 มิลลิกรัม/ลิตร	0.06	0.07
4	ปรอท เป็นโลหะหนักที่ของเหลวระเหยเป็นไอได้ง่ายใน มีสีเงิน พบมากในแหล่งที่มีการเผาไหม้น้ำมันเชื้อเพลิง โลหะโรงงานผลิตปูนซีเมนต์ ในอุตสาหกรรมที่มีการใช้สารประกอบของปรอท นอกจากนี้ยังใช้ในวงการแพทย์ เช่น เป็นสารอุดฟัน	ไม่เกิน 0.001 มิลลิกรัม/ ลิตร	น้อยกว่า 0.0001	น้อยกว่า 0.0001
5	แคดเมียม พบแคดเมียมในแหล่งสังกะสีและตะกั่ว นิยมใช้เป็นวัตถุดิบในอุตสาหกรรมผลิตแบตเตอรี่, อุปกรณ์ไฟฟ้า, โลหะผสม, อะไหล่รถยนต์ โลหะผสมในอุตสาหกรรมเพชรพลอย แคดเมียมที่ปนเปื้อนในน้ำ,อาหาร และในยาสูบ	ไม่เกิน 0.01 มิลลิกรัม/ ลิตร	น้อยกว่า 0.002	น้อยกว่า0.002
6	ทองแดง ส่วนมากพบทั้งในรูปไอ และเกลือของทองแดง เนื่องจากการหลอมโลหะทองแดง ทองเหลือง การเชื่อมและบัดกรีโลหะโดยใช้โลหะผสมของทองแดง หากได้รับในปริมาณมาก ทำให้เกิดการระคายเคืองและอักเสบที่ตา ระบบหายใจ ระบบทางเดินอาหารและประสาทรสสัมผัส	ไม่เกิน 1.5 มิลลิกรัม/ ลิตร	น้อยกว่า 0.006	0.019
7	นิกเกิล เป็นโลหะชนิดหนึ่งสีขาวเหมือนเหล็กขาว ดูดติดแต่ไม่เท่าเหล็ก ส่วนใหญ่ใช้ชุบโลหะชนิดอื่น และเป็นส่วนผสมสำคัญของสแตนเลส และใช้ในการผลิตแบตเตอรี่	ไม่กำหนด มิลลิกรัม/ ลิตร	0.005	0.006
8	ตะกั่ว สารตะกั่วเป็นโลหะหนักสีน้ำเงิน มีคุณสมบัติที่อ่อนตัวสามารถดัดเป็นรูปร่างต่างๆได้ทำให้มันถูกใช้ประโยชน์ เช่น สีทาบ้านน้ำมัน, เครื่องปั้นดินเผา, แบตเตอรี่,หมึก,สี, ตัวเชื่อม,ท่อน้ำ,สารตะกั่วนี้สามารถอยู่ในอากาศ, น้ำ ดิน	ไม่เกิน 0.05 มิลลิกรัม/ ลิตร	น้อยกว่า 0.010	0.012
9	สังกะสี เป็นแร่ธาตุที่เป็นองค์ประกอบในชั้นหินหรือดินและพบในแหล่งน้ำธรรมชาติทั่วไป มีความสำคัญต่อระบบ	ไม่เกิน 5 มิลลิกรัม/ ลิตร	น้อยกว่า 0.004	3.058

ที่	ค่าที่ตรวจวัด	เกณฑ์การปนเปื้อน	หน่วย	บ่อ 1	บ่อ 2	บ่อ 3	บ่อ 4
	ความสำคัญต่อระบบทำงานของสิ่งมีชีวิต เช่น การเติบโตของเซลล์และระบบภูมิต้านทาน						
17	แมงกานีส แมงกานีสมักพบอยู่ในน้ำพร้อมกับเหล็ก แต่ในปริมาณที่น้อยกว่า แมงกานีสก็เช่นเดียวกับเหล็ก คือมีอยู่ในน้ำบาดาลมากกว่าน้ำผิวดิน	ไม่เกิน 0.5	มิลลิกรัม/ลิตร	1.482	0.086	0.195	0.397
18	สารหนู เป็นสารชนิดหนึ่ง ที่มักพบในน้ำที่มาจากแหล่งที่เคยผ่านการทำเหมืองมาก่อน น้ำทิ้งจากเหมืองหรือจากโรงงานอุตสาหกรรม น้ำที่ผ่านการทำเกษตรกรรมที่มีการใช้ยากำจัดศัตรูพืชไหลลงไปในแหล่งน้ำธรรมชาติหรือซึมลงไปใต้ดิน ทำให้เกิดการปนเปื้อนของสารหนูในน้ำผิวดินและน้ำใต้ดินได้	ไม่เกิน 0.01	มิลลิกรัม/ลิตร	น้อยกว่า 0.006	น้อยกว่า 0.006	น้อยกว่า 0.006	น้อยกว่า 0.006
19	โครเมียมชนิดเฮกซาวาเลนต์ มีอุตสาหกรรมจำนวนมากยังคงใช้เป็นวัตถุดิบ ดังนั้นจึงมีโอกาสที่ เฮกซาวาเลนต์โครเมียมจะเกิดการปนเปื้อนในน้ำ	ไม่เกิน 0.05	มิลลิกรัม/ลิตร	น้อยกว่า 0.025	น้อยกว่า 0.025	น้อยกว่า 0.025	น้อยกว่า 0.025
20	ซีโอดี เป็นปริมาณออกซิเจนที่สารเคมีใช้ในการย่อยสลายสารอินทรีย์ คือค่าที่วัดถึงปริมาณทั้งหมดของออกซิเจนที่ใช้โดยจุลินทรีย์ในการย่อยสลายสารอินทรีย์ให้เป็นคาร์บอนไดออกไซด์และน้ำ รวมไปถึงสารอนินทรีย์ที่สามารถถูกออกซิไดซ์ได้ น้ำที่มีค่าซีโอดีสูงแสดงว่ามีการปนเปื้อนด้วยสารอินทรีย์สูง	ไม่กำหนด	มิลลิกรัม/ลิตร	21	36	46	70
21	บีโอดี ค่าปริมาณออกซิเจนที่จุลินทรีย์ใช้ย่อยสลายสารอินทรีย์ ถ้าค่าต่ำหมายถึง ในแหล่งน้ำมีการปนเปื้อนของสารอินทรีย์น้อย ค่าสูงหมายถึงในแหล่งน้ำมีการปนเปื้อนของสารอินทรีย์มาก ซึ่งสารอินทรีย์ในแหล่งน้ำมาจากน้ำทิ้งจากชุมชน โรงงานอุตสาหกรรม การเกษตรกรรม เป็นต้น	ไม่กำหนด	มิลลิกรัม/ลิตร	1.0	0.7	1.2	0.8

*1-11 อ้างอิงค่ามาตรฐาน เกณฑ์การปนเปื้อนตามประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดเกณฑ์การปนเปื้อนในดินและน้ำใต้ดิน การตรวจสอบคุณภาพดินและน้ำใต้ดิน การแจ้งข้อมูล รวมทั้งการจัดทำรายงานผลการตรวจสอบคุณภาพดินและน้ำใต้ดิน และรายงานเสนอมาตรการควบคุมและมาตรการลดการปนเปื้อนในดินและน้ำใต้ดิน พ.ศ. 2559

*12-21 อ้างอิงค่ามาตรฐาน ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 20 พ.ศ.2543 มาตรฐานคุณภาพน้ำใต้ดิน

1.ทำการตรวจวัดโดย บริษัท อินทิเกรทเต็ด รีเสิร์ช เซ็นเตอร์ จำกัด และบริษัท ยูไนเต็ด แอนนาลิสต์ แอนด์ เอ็นจิเนียริ่ง คอนซัลแตนท์ จำกัด ขึ้นทะเบียนห้องแลปกับกรมโรงงานฯ

นายสมบุญ พัชรไพบูลย์ กรรมการไตรภาคีส่วนชุมชน สอบถามถึงสาเหตุของค่าแมงกานีสที่เกินค่ามาตรฐานจากจุดเก็บตัวอย่าง บ่อสังเกตการณ์รอบหลุมฝังกลบ ทั้งนี้กังวลเรื่องบ่อรั่วซึมโดยอาจส่งผลกระทบต่อการใช้น้ำใต้ดินในบริเวณใกล้เคียงของชุมชนได้

เลขานุการคณะกรรมการไตรภาคี ได้แจ้งให้ที่ประชุมทราบว่าค่าแมงกานีส เป็นสารที่พบในน้ำและธรรมชาติทั่วไป ทั้งนี้จุดเก็บตัวอย่างคุณภาพน้ำใต้ดินที่พบค่าแมงกานีสเกินจากมาตรฐานนั้น เป็นบ่อสังเกตการณ์ที่อยู่โดยรอบหลุมฝังกลบของบริษัท มีจำนวน 5 บ่อ บ่อที่พบคือบ่อที่ 1 มีค่าแมงกานีสเกินจากมาตรฐานมาประมาณ 1 ปีย้อนหลัง - จนถึงปัจจุบัน

ในเดือนเมษายน 2567 ทางบริษัทได้ดำเนินการเก็บตัวอย่างจุดน้ำใต้ดินของชุมชนเพิ่มเติม ที่อยู่ใกล้เคียงกับบ่อสังเกตการณ์ดังกล่าว โดยเป็นข้อแนะนำจากสำนักงานทรัพยากรธรรมชาติและสิ่งแวดล้อมจังหวัดปราจีนบุรี จุดที่เก็บคือ บ่อเก็บน้ำฝนของหมู่บ้านสุขสมบูรณ์ หมู่ 2 ต.ท่าตูม อ.ศรีมหาโพธิ ซึ่งตั้งอยู่ห่างจากจุดเก็บน้ำใต้ดิน เป็นระยะทาง 1.5 กิโลเมตร แมงกานีสอยู่ในเกณฑ์มาตรฐาน แต่พบว่าค่าเหล็ก มีค่าเกินจากมาตรฐาน ซึ่งได้แจ้งให้ทางเจ้าของหอพักทราบเรื่องแล้ว

ทั้งนี้ในส่วนของน้ำใต้ดินในชุมชนโดยรอบ ได้มีการเก็บตัวอย่าง ณ อู่ซ่อมรถของ นางสุมาลี บริสุทธิ์ เป็นประจำทุกเดือน ไม่พบค่าแมงกานีสเกินจากมาตรฐาน ทำให้สรุปได้ว่าน้ำใต้ดิน ณ จุดบ่อสังเกตการณ์ 1 ไม่มีการรั่วไหลไปยังแหล่งน้ำใกล้เคียงและไม่กระทบต่อการใช้น้ำในการอุปโภคในครัวเรือนของประชาชน

เลขานุการไตรภาคีได้แจ้งข้อมูลเกี่ยวกับหลุมฝังกลบให้ที่ประชุมได้รับทราบเพิ่มเติมว่า หลุมฝังกลบดังกล่าวดำเนินการโดย บริษัท แอดวานซ์ อะโกร จำกัด(มหาชน) ในขณะนั้น ดำเนินการขออนุญาตดำเนินการประกอบกิจการฝังกลบและคัดแยกสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้วที่ไม่อันตราย ทั้งนี้ได้ดำเนินการตั้งแต่ปี 2547-2550 จึงได้แจ้งปิดกิจการไปยังอุตสาหกรรมจังหวัดปราจีนบุรี

ทั้งนี้ได้ปิดคลุมบ่อฝังกลบอย่างปลอดภัย (Secure Landfill) ตามแบบที่ได้รับอนุญาต) ด้วยวัสดุต่างๆ และเพื่อป้องกันมิให้น้ำหรือสิ่งรบกวนจากภายนอกเข้ามาสัมผัสกับสิ่งปฏิกูลหรือวัสดุที่ฝังกลบ ภายหลังจากการปิดบ่อฝังกลบแล้วมีการติดตามตรวจสอบคุณภาพน้ำบ่อสังเกตการณ์อย่างต่อเนื่องเพื่อป้องกันการปนเปื้อนสู่สภาพแวดล้อม ในรายงานผลกระทบสิ่งแวดล้อมเป็นประจำทุกเดือน โดยห้องปฏิบัติการที่ขึ้นทะเบียนกับกรมโรงงานอุตสาหกรรม จะต้องรายงานให้กรมโรงงานอุตสาหกรรมรับทราบ เป็นประจำทุก 6 เดือน

ประธานคณะกรรมการไตรภาคี ขอให้กรรมการไตรภาคีฝ่ายโรงงานอุตสาหกรรม แจ้งข้อมูลเพิ่มเติมเกี่ยวกับ ค่าแมงกานีส และโทษ จากการได้รับสารดังกล่าวเข้าสู่ร่างกาย ในการประชุมคณะกรรมการไตรภาคีครั้งต่อไป

3) การตรวจวิเคราะห์คุณภาพน้ำผิวดิน ตรวจทุกเดือน 3 จุดยกเว้น เดือนกุมภาพันธ์, เมษายน และ ธันวาคม ได้แก่

วังหลังถ้ำ, คลองชลองแวง, วัดวังบัวทอง / ตรวจเพิ่มเติมรายไตรมาส 2 จุด คือ หนองน้ำราชโด และ แม่น้ำปราจีนบุรี (เขื่อนท่าตูม) โดยในเดือนธันวาคม 2567 มีผลตรวจวิเคราะห์แสดงตามรายละเอียด ดังนี้

ที่	ค่าที่ตรวจวัด	ค่ามาตรฐาน / หน่วย	หนองน้ำราชโด	แม่น้ำปราจีนบุรี (เขื่อนท่าตูม)
1	ค่าการนำไฟฟ้า การวัดค่าความนำไฟฟ้าจะสามารถบ่งบอกได้ถึงความสกปรกของน้ำ โดยถ้าค่าความนำไฟฟ้าสูง แสดงว่าในน้ำมีการปนเปื้อนของสารหรือธาตุที่มีการนำไฟฟ้ามาก ถ้าค่าต่ำแสดงว่าสารหรือธาตุที่มีการนำไฟฟ้าน้อย	ไม่กำหนด มิลลิกรัม / ลิตร	779	125
2	ค่าออกซิเจนที่ละลายในน้ำ ถ้าค่าต่ำหมายถึงในแหล่งน้ำมีความสกปรกมาก การย่อยสลายสิ่งสกปรกในน้ำจึงต้องการใช้ออกซิเจนมาก ค่าสูงหมายถึงในแหล่งน้ำมีความสกปรกน้อย	ไม่ต่ำกว่า 6 มิลลิกรัม / ลิตร	7.5	6.8
3	แอมโมเนีย – ไนโตรเจน เกิดตามธรรมชาติโดยการย่อยสลายสารอินทรีย์ภายใต้สภาวะที่ไม่มีออกซิเจน ซึ่งมีกลิ่นคล้ายบัสสาวะ หากในแหล่งน้ำมีแอมโมเนีย-ไนโตรเจนมาก จะมีกลิ่นและมีฤทธิ์กัดกร่อนได้	ไม่เกิน 0.5 มิลลิกรัม / ลิตร	0.13	0.19
4	ความเป็นกรดด่าง ซึ่งความเป็นกรดด่างของแหล่งน้ำธรรมชาติส่วนใหญ่จะมีค่า ประมาณ 7 - 8	5.0 -9.0	8.0	7.5
5	ตะกอนแขวนลอย ค่าตะกอนแขวนลอย บ่งชี้ความขุ่นของน้ำว่ามีตะกอนมากหรือน้อย ซึ่งมีทั้งขนาดใหญ่และขนาดเล็ก	ไม่กำหนด มิลลิกรัม / ลิตร	5	25
6	บีโอดี ค่าปริมาณออกซิเจนที่จุลินทรีย์ใช้ย่อยสลายสารอินทรีย์ ถ้าค่าต่ำหมายถึง ในแหล่งน้ำมีการปนเปื้อน	ไม่เกิน 1.5 มิลลิกรัม / ลิตร	1.4	1.6

ที่	ค่าที่ตรวจวัด	ค่ามาตรฐาน / หน่วย	หนองน้ำราชโด	แม่น้ำปราจีนบุรี (เขื่อนท่าตูม)
	ของสารอินทรีย์น้อย ค่าสูงหมายถึงในแหล่งน้ำมีการปนเปื้อนของสารอินทรีย์มาก ซึ่งสารอินทรีย์ในแหล่งน้ำมาจากน้ำทิ้งจากชุมชน โรงงานอุตสาหกรรม การเกษตรกรรม เป็นต้น			

ทำการตรวจวัดโดย บริษัท ดี.เอ.รีเซิร์ช เซ็นเตอร์ จำกัด และบริษัท ยูไนเต็ด แอนนาลิสต์ แอนด์ เอ็นจิเนียริ่ง คอนซัลแตนท์ จำกัด ขึ้นทะเบียนห้องแลปกับกรมโรงงานฯ

อ้างอิงค่ามาตรฐาน ตามประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 8 (พ.ศ. 2537) พระราชบัญญัติส่งเสริมและรักษาคุณภาพสิ่งแวดล้อมแห่งชาติ พ.ศ. 2535 เรื่องกำหนดมาตรฐานคุณภาพน้ำในแหล่งน้ำผิวดิน (ประเภทที่ 2)

3.3 ผลการตรวจวัดคุณภาพอากาศและเสียง รอบครึ่งปี 2567

กลุ่มบริษัทได้ดำเนินการตรวจวัดคุณภาพอากาศ และเสียง ตามมาตรการของรายงานประเมินผลกระทบด้านสิ่งแวดล้อม (EIA) โดยได้ทำการตรวจวัดเป็นเวลา 7 วันต่อเนื่อง ปีละ 2 ครั้ง โดยได้ดำเนินการตรวจวัด 6 จุด ดังนี้ บุยายใบ, วัดสุทธิธรรม, โรงพยาบาลส่งเสริมสุขภาพตำบลท่าตูม, โคกสัมเสี้ยว, โป่งไผ่ และ สำนักงานสวนอุตสาหกรรม 304

ผลการตรวจวัดในเดือนธันวาคม 2567 อยู่ในเกณฑ์มาตรฐานทุกค่า

ผลการตรวจวัดคุณภาพอากาศในบรรยากาศ เดือนธันวาคม 2567

	ค่าที่ตรวจวัด	มาตรฐาน	บุยายใบ	วัดสุทธิธรรม	รพสต. ท่าตูม	โคกสัมเสี้ยว	สำนักงานสวนอุตสาหกรรม 304	โป่งไผ่
1	ฝุ่นละอองรวม ฝุ่นละอองในบรรยากาศที่มีขนาดใหญ่ ที่มีเส้นผ่านศูนย์กลางไม่เกิน 100 ไมครอน เป็น อนุภาคมลสารที่เกิดภายในอาคารและนอกอาคาร จะถูกดักจับที่ระบบทางเดินหายใจส่วนต้น ในส่วนของจมูกและลำคอ ซึ่งจะถูกขับออกมาพร้อมกับเสมหะ	0.33 มก./ลบ.ม. (เฉลี่ย 24 ชม.)	0.129-0.277	0.038-0.057	0.058-0.065	0.069-0.133	0.108-0.129	0.068-0.131
2	PM-10 เฉลี่ย 24 ชั่วโมง เป็นฝุ่นที่มีขนาดเส้นผ่านศูนย์กลางไม่เกิน 10 ไมครอน เกิดจากการเผาไหม้เชื้อเพลิง การเผาในที่โล่ง กระบวนการอุตสาหกรรม การบด การโม่ หรือการทำให้เป็นผงจากการก่อสร้าง ส่งผลกระทบต่อสุขภาพเนื่องจากเมื่อหายใจเข้าไปสามารถเข้าไปสะสมในระบบทางเดินหายใจ	0.12 มก./ลบ.ม. (เฉลี่ย 24 ชม.)	0.059-0.120	0.017-0.027	0.022-0.030	0.021-0.029	0.024-0.060	0.021-0.050
3	ก๊าซซัลเฟอร์ไดออกไซด์ เกิดจากธรรมชาติและการเผาไหม้เชื้อเพลิงที่มีกำมะถัน (ซัลเฟอร์) เป็นส่วนประกอบ สามารถ	0.30 ppm (เฉลี่ย 1 ชม.)	0.0009-0.0015	0.0006-0.0019	0.0007-0.0020	0.0006-0.0015	0.0009-0.0015	0.0008-0.0130

	ค่าที่ตรวจวัด	มาตรฐาน	บุยายใบ	วัดสุทธิธรรม	รพสต. ท่าตูม	โคกสัมเสี้ยว	สำนักงานสวนอุตสาหกรรม 304	โป่งไผ่

	ละลายน้ำได้ดี สามารถรวมตัวกับสารมลพิษอื่นแล้วก่อตัวเป็นอนุภาคฝุ่นขนาดเล็กได้ ก๊าซนี้มีผลกระทบ ทำให้เกิดการระคายเคืองต่อเยื่อบุตา ผิวหนัง และระบบทางเดินหายใจ หากได้รับเป็นเวลานาน ๆ จะทำให้เป็นโรคหลอดลมอักเสบเรื้อรังได้							
4	ก๊าซไฮโดรเจนซัลไฟด์ หรือก๊าซไข่เน่า เกิดจากแบคทีเรียย่อยสลายซัลไฟด์ในสารอินทรีย์ในสภาวะขาดออกซิเจน เช่นในหนองน้ำและท่อระบายน้ำ (การย่อยสลายแบบไม่ใช้ออกซิเจน) แลพพบในแก๊สจากภูเขาไฟ ก๊าซธรรมชาติ ในส่วนของกระบวนการทางอุตสาหกรรมได้แก่ กระบวนการกลั่นแยกปิโตรเลียม การผลิตสิ่งทอ การฟอกหนัง การทำเหมืองแร่ การผลิตเยื่อกระดาษ กระบวนบำบัดน้ำเสียและสิ่งปฏิกูล หากได้รับในระดับความเข้มข้นต่ำก็ส่งผลให้เกิดอาการระคายเคือง แต่ถ้าได้รับที่ปริมาณความเข้มข้นสูงๆ ก็อาจทำให้เสียชีวิตได้ทันที	ไม่กำหนด (ppm)	0.0015-0.0027	0.0009-0.0021	0.0008-0.0015	0.0010-0.0025	0.0041-0.0072	0.0007-0.0014

หมายเหตุ ตรวจวัดและวิเคราะห์ตัวอย่างโดย บริษัท อินทิเกรทเต็ด รีเซิร์ช เซ็นเตอร์ จำกัด ขึ้นทะเบียนห้องแลปกับกรมโรงงานฯ

อ้างอิง ตามประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 10 (พ.ศ.2538) และฉบับที่ 24 (พ.ศ.2547) เรื่องกำหนดมาตรฐานคุณภาพอากาศในบรรยากาศ

(ก) บริเวณวัดบุยายใบ

(ข) บริเวณวัดสุทธิวนาราม

(ค) บริเวณบ้านโคกสัมเสี้ยว

(จ) บริเวณสำนักงานสวนอุตสาหกรรม 304

(ง) บริเวณสถานีอนามัยท่าตูม

(ฉ) บริเวณวัดโป่งไผ่

รูปจุดเก็บตัวอย่างคุณภาพอากาศในบรรยากาศ

ผลการตรวจวัดคุณภาพอากาศและเสียงในบรรยากาศ ประจำปี 2567

	ค่าที่ตรวจวัด	มาตรฐาน	วัดบุยายใบ
1	ระดับเสียงโดยทั่วไปเฉลี่ย 24 ชั่วโมง (Leq 24 hr)	70 เดซิเบลเอ	56.6-60.6 เดซิเบลเอ

รูปจุดเก็บตัวอย่างระดับเสียงโดยทั่วไป ที่บริเวณวัดบุยายใบ

มลพิษที่ประชุม ที่ประชุมรับทราบโดยพร้อมเพรียงกัน

3.3 แผนการดำเนินกิจกรรมเพื่อการแพทย์และสาธารณสุข ประจำปี 2568

เสนาะการคณะกรรมการไตรภาคี ประจำปี 2568 โดยมีวัตถุประสงค์เพื่อให้ที่ประชุมได้รับทราบถึงแผนการดำเนินงานด้านการแพทย์และสาธารณสุข ประจำปี 2568 ของคณะกรรมการไตรภาคี ทั้งนี้ ในที่ประชุมได้มีการพิจารณาและให้ข้อเสนอแนะเพิ่มเติมในประเด็นต่างๆ ดังนี้

1. การประชุมคณะกรรมการไตรภาคี กำหนดพื้นที่ดำเนินการ 1 ครั้ง ที่บริษัทการประชุมรวม 11 ครั้ง
2. การตรวจวัดคุณภาพสิ่งแวดล้อม มีการตรวจวัด จำนวน 3 ส่วนได้แก่
2.1) การตรวจวัดคุณภาพน้ำ
- น้ำผิวดิน ตรวจบริเวณจุดที่ 1 จุดก่อนปล่อยน้ำทิ้งจากโรงงาน และ จุดที่ 2 ห่างจากจุดปล่อยน้ำทิ้งประมาณ 100 เมตร ตามทิศทางน้ำไหล ตรวจพารามิเตอร์ 2 จุด คือ หนองน้ำบางโคก และ แม่น้ำปราจีนบุรี (ชีมูลบน)
- น้ำใต้ดิน จุดเก็บตัวอย่างน้ำบ้านบุยายใบ, บ้านหนองตะโก และ บ่อบาดาลของโรงงาน ตรวจพารามิเตอร์ 3 จุด คือ บ่อน้ำตื้นของชาวบ้านบุยายใบ, บ้านหนองตะโก และ บ่อบาดาลของโรงงาน ตรวจพารามิเตอร์ 3 จุด คือ บ่อน้ำตื้นของชาวบ้านบุยายใบ, บ้านหนองตะโก และ บ่อบาดาลของโรงงาน
- น้ำทิ้งจากโรงงาน จุดเก็บน้ำทิ้งจากโรงงาน ตรวจพารามิเตอร์ 2 จุด คือ ก่อนเข้าบ่อบำบัดน้ำเสีย และ หลังออกจากบ่อบำบัดน้ำเสีย
2.2) การตรวจวัดคุณภาพอากาศ ดำเนินการตรวจวัดเป็นเวลา 7 วันต่อเนื่อง ปีละ 2 ครั้ง ในจุดรอบครึ่งโครงการ

2.3 การตรวจวัดคุณภาพเสียง ดำเนินการตรวจวัดเป็นเวลา 7 วันต่อเนื่อง ปีละ 2 ครั้ง ณ วัดบุยายใบย

3. รายงานศูนย์รับเรื่องร้องเรียนและข้อเสนอแนะ ประจำปี 2567 จำนวน 14 ครั้ง สอดคล้องกับการดำเนินงาน 7 ครั้ง

4. กิจกรรม และการดำเนินงานด้านการประชาสัมพันธ์
4.1 กิจกรรมตั๊บเบิ้ล เอ เพื่อการแพทย์ จำนวน 6 ครั้ง
4.2 การศึกษาดูงานของคณะกรรมการไตรภาคี 1 ครั้ง
4.3 กิจกรรมปล่อยพันธุ์สัตว์น้ำ 1 ครั้ง
4.4 ข่าวแจกสารไตรภาคี จำนวน 12 ครั้ง
<u>มติที่ประชุม</u> ที่ประชุมรับทราบโดยพร้อมเพรียงกัน

วาระที่ 4 เรื่องเพื่อพิจารณา
-ไม่มี-

วาระที่ 5 เรื่องอื่น ๆ
5.1 แจ้งเพื่อทราบการเริ่มก่อสร้างโครงการสวนอุตสาหกรรม 304 อินดัสเตรียล ปาร์ค7 เฟส7
ด้วยบริษัท 304 อินดัสเตรียล ปาร์ค 7 จำกัด ตั้งอยู่ในพื้นที่ หมู่ 4 และ หมู่ 10 ตำบลท่าตูม อำเภอศรีมหาโพธิ จังหวัดปราจีนบุรี ได้ดำเนินการจัดทำการประเมินผลกระทบสิ่งแวดล้อม หรือ EIA (Environmental Impact Assessment) ซึ่งได้รับความเห็นชอบจากสำนักงานนโยบายและแผนทรัพยากรธรรมชาติและสิ่งแวดล้อมแล้วในปี 2566 ที่ผ่านมา ขอแจ้งการเริ่มก่อสร้างในโครงการ ระหว่างวันที่ 25 ม.ค. – 31 พ.ค. 68 ดังนี้
1) ติดตั้งแผ่นกั้นเสียง (เมทัลชีท) ระยะทาง 670 ม.
2) สร้างถนนในโครงการ ระยะทาง 1,524 ม.
3) สร้างถนนในโครงการ ระยะทาง 1,062 ม.
โดยทางโครงการจะระมัดระวังในการดำเนินงาน เพื่อไม่ให้ส่งผลกระทบต่อชุมชนและผู้สัญจรเส้นทางดังกล่าว ทั้งนี้ ในระหว่างดำเนินการ หากท่านหรือประชาชนในพื้นที่ ได้รับผลกระทบจากการดำเนินงาน โปรดแจ้งมายังฝ่ายประชาสัมพันธ์โครงการตามหมายเลขโทรศัพท์ 085-8350192 คุณจีรภา และ 085-8350194 คุณอาภาภรณ์ เพื่อดำเนินการตรวจสอบและแก้ไขต่อไป

ปิดการประชุม เวลา 12.00 น.

จึงเรียนมาเพื่อโปรดทราบ
ปาริชาต รุจิเทศ.
(นางสาวปาริชาต รุจิเทศ)
เลขานุการไตรภาคี

การประชุมคณะกรรมการไตรภาคี
กลุ่มบริษัท ตั๊บเบิ้ล เอ (1991) จำกัด (มหาชน) ต.ท่าตูม อ.ศรีมหาโพธิ จ.ปราจีนบุรี
วันที่ 26 กุมภาพันธ์ พ.ศ. 2568 เวลา 10.00 -12.00 น.
ณ ห้องประชุมชั้น 2 ที่ทำการอำเภอศรีมหาโพธิ จังหวัดปราจีนบุรี

กรรมการผู้เข้าประชุม
กรรมการไตรภาคีส่วนราชการ

1. นางสาวจุฑามาศ	บัวเผื่อน	ประธานคณะกรรมการไตรภาคี
2. นายวิเชียร	ทองด้วง	อุตสาหกรรมจังหวัดปราจีนบุรี
3. นางสาวสุวิดา	ศรีกงพาน	กรรมการ (แทน ผู้อำนวยการสำนักงานทรัพยากรธรรมชาติและสิ่งแวดล้อมฯ)
4. นายภูวดล	เมืองกลาง	กรรมการ (แทน หัวหน้าสำนักงานจังหวัดปราจีนบุรี)
5. นายวุฒิชัย	พงษ์อ้อ	สมาชิกสภาองค์การบริหารส่วนจังหวัดปราจีนบุรี
6. นางสาวกัญญาณัฐ	ลำไธสง	กรรมการ (แทน สาธารณสุขอำเภอศรีมหาโพธิ)
7. นายศักดิ์ชัย	บุตรดา	กรรมการ (แทนกำนันประจำตำบลท่าตูม)
8. นายชัชชัย	ไพเราะ	ผู้ใหญ่บ้าน หมู่ 3 ตำบลท่าตูม

กรรมการไตรภาคีส่วนชุมชน

9. นายสละ	วงษ์วิจารณ์	กรรมการไตรภาคีส่วนชุมชน
10. นายสัญชัย	แม้นพงษ์	กรรมการไตรภาคีส่วนชุมชน
11. นางสุมาลี	บริสุทธิ์	กรรมการไตรภาคีส่วนชุมชน
12. นายบุญชิต	มานะต่อ	กรรมการไตรภาคีส่วนชุมชน
13. นายวิลาส	เล็บพยัคฆ์	กรรมการไตรภาคีส่วนชุมชน
14. นางไพริน	ไพเราะ	กรรมการไตรภาคีส่วนชุมชน
15. นายลำเริง	สีมาดาล	กรรมการไตรภาคีส่วนชุมชน
16. นางวิไลรัตน์	ไพเราะ	กรรมการไตรภาคีส่วนชุมชน
17. นางสมคิด	ทิพเวช	กรรมการไตรภาคีส่วนชุมชน
18. นางสาวสมจิต	ศรีมาศ	กรรมการไตรภาคีส่วนชุมชน
19. นางสาวนงลักษณ์	คุ้มมา	กรรมการไตรภาคีส่วนชุมชน
20. นายเมธา	บุญโต	กรรมการไตรภาคีส่วนชุมชน
21. นายกู้เกียรติ	แสงจันทร์	กรรมการไตรภาคีส่วนชุมชน
22. นายประสิทธิ์	หอมจันทร์	กรรมการไตรภาคีส่วนชุมชน
23. นายสุรชัย	ไพเราะ	กรรมการไตรภาคีส่วนชุมชน

กรรมการไตรภาคีส่วนโรงงาน

24. นางสาวอภิชญาภรณ์	ช่วยจันทร์	ผู้แทนฝ่ายบริหาร โรงงานผลิตเยื่อกระดาษและกระดาษ
25. นางสาวธันยพร	ตั้งศิริ	ผู้แทนฝ่ายบริหาร กลุ่มบริษัท เนชั่นแนล เพาเวอร์ ซัพพลาย จำกัด(มหาชน)
26. นางสาวณุกานดา	ปัญญาวิไล	ผู้แทนฝ่ายบริหาร บริษัท 304 อินดัสเตรียล ปาร์ค จำกัด

27. นางสาวกัญจนภัส	ปัญญาประเสริฐ	ผู้แทนฝ่ายสิ่งแวดล้อม โรงงานผลิตเยื่อกระดาษและกระดาษ
28. นางสาวสกาวเดือน	ไชยชนะ	ผู้แทนฝ่ายสิ่งแวดล้อม กลุ่มบริษัท เนชั่นแนล เพาเวอร์ ซัพพลาย จำกัด(มหาชน)
29. นางสาวจีรภา	บุรีวงษ์	ผู้แทน ฝ่ายประสานงาน โรงงานผลิตเยื่อกระดาษและกระดาษ
30. นางสาววีวรรณ์	พรายแสง	ผู้แทน ฝ่ายประสานงาน กลุ่มบริษัท เนชั่นแนล เพาเวอร์ ซัพพลาย จำกัด(มหาชน)
31. นางสาวพรทิพย์	หิดเทศ	ผู้แทน ฝ่ายประสานงาน บริษัท 304 อินดัสเตรียล ปาร์ค จำกัด
32. นางสาวอาภาภรณ์	แสนทำพล	ผู้แทน ฝ่ายประสานงานทั่วไป และผู้ช่วยเลขานุการไตรภาคี
33. นางสาวปาริชาต	รุจิเทศ	ผู้แทน ฝ่ายประสานงานทั่วไป และเลขานุการไตรภาคี

กรรมการผู้ไม่เข้าประชุม

1. พลังงานจังหวัดปราจีนบุรี		กรรมการไตรภาคีส่วนราชการ
2. นายกองค์การบริหารส่วนตำบลท่าตูม		กรรมการไตรภาคีส่วนราชการ
3. ปลัดองค์การบริหารส่วนตำบลท่าตูม		กรรมการไตรภาคีส่วนราชการ
4. ผู้อำนวยการโรงเรียนบ้านโป่งไผ่		กรรมการไตรภาคีส่วนราชการ
5. นายวิทูร	บุญส่ง	ผู้ทรงคุณวุฒิไตรภาคี
6. นายสมบุญ	พัชรไพบูลย์	กรรมการไตรภาคีส่วนชุมชน
7. นางสาวยุพิณ	ละมั่งทอง	กรรมการไตรภาคีส่วนชุมชน
8. นายเผือก	เล็บพยัคฆ์	กรรมการไตรภาคีส่วนชุมชน
9. นายเอนก	ปรุงนิยม	กรรมการไตรภาคีส่วนชุมชน
10. นายอุดม	ไทยงัน	กรรมการไตรภาคีส่วนชุมชน
11. นายชัยวิวัฒน์	เปลี่ยนนุช	กรรมการไตรภาคีส่วนชุมชน
12. นางสาวลำไย	อร่ามวงษ์	กรรมการไตรภาคีส่วนชุมชน
13. นายพีรมิตร	สัมฤทธิ์	กรรมการไตรภาคีส่วนชุมชน
14. นายทรงกฤษ	ครัวไพบูลย์	กรรมการไตรภาคีส่วนชุมชน
15. นายพิพัฒน์	คำแก้ว	กรรมการไตรภาคีส่วนชุมชน
16. นายถวิล	โมคศักดิ์	กรรมการไตรภาคีส่วนชุมชน
17. นายวิชา	จันทร์ประทุม	กรรมการไตรภาคีส่วนชุมชน
18. นายบุญเกิด	พอไทย	กรรมการไตรภาคีส่วนชุมชน
19. นางสาวอังคณา	โตพิทักษ์	กรรมการไตรภาคีส่วนโรงงาน
20. นายอรรณพ	เกียรตินันทโกศล	กรรมการไตรภาคีส่วนโรงงาน

ผู้เข้าร่วมประชุม

1. นายภูวนนท์	แสนตา	สำนักงานจังหวัดปราจีนบุรี
2. นางสาวมยุรี	พิกุลเงิน	สำนักงานทรัพยากรธรรมชาติและสิ่งแวดล้อมจังหวัดปราจีนบุรี
3. พ.อ.ท.อรรถลักษณ์	พันนั่งศรี	ปลัดอำเภอศรีมหาโพธิ
4. นางสาวนงค์นุช	เจียมจักร	เลขานุการอำเภอศรีมหาโพธิ
5. นางสาววิชุดา	ตรีเนตร์	เจ้าหน้าที่ปกครองอำเภอศรีมหาโพธิ

เริ่มประชุมเวลา 10.15 น.
นางสาวจุฑามาศ บัวเผื่อน นายอำเภอศรีมหาโพธิ ประธานกรรมการไตรภาคี ได้กล่าวทักทายผู้เข้าร่วมประชุม และขอเปิดประชุมคณะกรรมการไตรภาคี ครั้งที่ 1 / 2568 (ครั้งที่ 215) ตามวาระดังต่อไปนี้
<u>ระเบียบวาระที่ 1 ประธานแจ้งที่ประชุมเพื่อทราบ</u>
1.1 แนะนำผู้เข้าร่วมประชุมภาคส่วนราชการที่มารับตำแหน่งใหม่
ประธานคณะกรรมการไตรภาคีขอแนะนำคณะกรรมการไตรภาคีภาคราชการ ที่มาดำรงตำแหน่งใหม่ จำนวน 2 ท่าน ได้แก่
1) นายวิเชียร ทองด้วง อุตสาหกรรมจังหวัดปราจีนบุรี มารับตำแหน่งวันที่ 20 มกราคม 2568
2) นายวุฒิชัย พงษ์อ้อ สมาชิกสภาจังหวัด เขต 2 อำเภอศรีมหาโพธิ (ประกาศรับรอง 25 กุมภาพันธ์ 68)
เลขานุการคณะกรรมการไตรภาคีได้แจ้งข้อมูลเพิ่มเติมเกี่ยวกับคณะกรรมการไตรภาคีให้ผู้เข้าร่วมประชุมทราบ ดังนี้
คณะกรรมการไตรภาคีกลุ่มบริษัท ตั๊บเบิ้ล เอ(1991)จำกัด(มหาชน) เดิมมาจากการแต่งตั้งของสำนักงานนโยบายและแผนพลังงาน (สนพ.) กระทรวงพลังงาน ตั้งแต่ปี 2546 ในนาม บริษัท เอ เอ พัลพ์มิลล์ 2 จำกัด และ บริษัท แอ็ด วานซ์ อะโกร จำกัด (ปัจจุบันเปลี่ยนชื่อ เป็น บริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 5เอ จำกัด และ บริษัท ตั๊บเบิ้ล เอ (1991)จำกัด(มหาชน)) ซึ่งเป็นผู้ผลิตไฟฟ้าจากเชื้อเพลิงชีวมวล ตั้งอยู่ หมู่ 2 ตำบลท่าตูม อ.ศรีมหาโพธิ จ.ปราจีนบุรี โดยคณะกรรมการไตรภาคีมีบทบาทหน้าที่ **“เพื่อทำหน้าที่ติดตาม ตรวจสอบ เสนอแนวทาง การดำเนินงานของโรงไฟฟ้า ไม่ให้ส่งผลกระทบต่อสิ่งแวดล้อมและสังคม”** ผ่านเวทีประชุมคณะกรรมการไตรภาคี จัดขึ้น เดือนละ 1 ครั้ง
ในปี 2553 หมดสัญญาสนับสนุนการดำเนินงานของไตรภาคี จากกระทรวงพลังงาน ทั้งนี้มติที่ประชุมขอให้ดำเนินการไตรภาคีต่อ เพื่อเป็นช่องทางหรือเวที พูดคุย แลกเปลี่ยน และแจ้งปัญหาด้านสิ่งแวดล้อมต่างๆ โดยขอให้ทางบริษัท รับผิดชอบค่าใช้จ่ายในการดำเนินงานทั้งหมด มีการระบุในรายงานการประชุมว่าจะจ่ายเบี้ยประชุมให้คณะกรรมการคนละ 300 บาท/ครั้ง
ในปี 2565 มีสัดส่วนคณะกรรมการไตรภาคี ส่วนราชการ 12 คน ส่วนโรงงาน 12 คน ส่วนชุมชน 18 คน และที่ปรึกษาผู้ทรงคุณวุฒิ ทำให้มีสมาชิกรวม 53 คน ภายใต้ชื่อคณะกรรมการไตรภาคีกลุ่มบริษัทต่างๆในพื้นที่ ซึ่งมีโครงสร้างที่ดูแลกลุ่มบริษัทต่างๆ ดังนี้

1) กลุ่มบริษัท ตั๊บเบิ้ล เอ (1991) จำกัด (มหาชน) ที่อยู่ 1 หมู่ 2 ต.ท่าตูม อ.ศรีมหาโพธิ จ.ปราจีนบุรี
2) กลุ่มบริษัท เนชั่นแนล เพาเวอร์ ซัพพลาย จำกัด(มหาชน) ได้แก่
2.1 บริษัท เนชั่นแนล เพาเวอร์ ซัพพลาย จำกัด (มหาชน) ที่อยู่ 206 หมู่ที่ 4 ต.ท่าตูม อ.ศรีมหาโพธิ จ.ปราจีนบุรี
2.2 บริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 5 เอ จำกัด ที่อยู่ 125,217,218 หมู่ 2 ต.ท่าตูม อ.ศรีมหาโพธิ จ.ปราจีนบุรี
2.3 บริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 12 จำกัด ที่อยู่ 274 หมู่ที่ 2 ต.ท่าตูม อ.ศรีมหาโพธิ จ.ปราจีนบุรี
2.4 บริษัท ฟิวเจอร์ กรีนเนอร์จี จำกัด ที่อยู่ 155 หมู่ที่ 4 ต.ท่าตูม อ.ศรีมหาโพธิ จ.ปราจีนบุรี
2.5 บริษัท อินทิเกรทเต็ด รีเสิร์ช เซ็นเตอร์ จำกัด ที่อยู่ 122 หมู่ที่ 2 ต.ท่าตูม อ.ศรีมหาโพธิ จ.ปราจีนบุรี
2.6 บริษัท น้ำโส 304 จำกัด ที่อยู่ 299 หมู่ที่ 4 ต.ท่าตูม อ.ศรีมหาโพธิ จ.ปราจีนบุรี
2.7 บริษัท อี 85 จำกัด ที่อยู่ 78 หมู่ที่ 4 ต.ท่าตูม อ.ศรีมหาโพธิ จ.ปราจีนบุรี
2.8 บริษัท ซีเอชพี 1 จำกัด ที่อยู่ 206 หมู่ที่ 4 ต.ท่าตูม อ.ศรีมหาโพธิ จ.ปราจีนบุรี
2.9 บริษัท เอ็นพีเอส โซลาร์ จำกัด ที่อยู่ 205 หมู่ที่ 4 ต.หาดนางแก้ว อ.กบินทร์บุรี จ.ปราจีนบุรี

3. กลุ่มบริษัท 304 อินดัสเตรียล ปาร์ค จำกัด ได้แก่

3.1 บริษัท 304 อินดัสเตรียล ปาร์ค จำกัด ที่อยู่ 106 หมู่ที่ 7 ต.ท่าตูม อ.ศรีมหาโพธิ จ.ปราจีนบุรี

3.2 บริษัท 304 อินดัสเตรียล ปาร์ค 7 จำกัด ที่อยู่ 106 หมู่ที่ 7 ต.ท่าตูม อ.ศรีมหาโพธิ จ.ปราจีนบุรี

3.3 บริษัท 304 อินดัสเตรียล ปาร์ค 19 จำกัด ที่อยู่ 106 หมู่ที่ 7 ต.ท่าตูม อ.ศรีมหาโพธิ จ.ปราจีนบุรี

ระเบียบวาระที่ 2 รับรองรายงานการประชุมคณะกรรมการไตรภาคี ครั้งที่ 1/2568 (ครั้งที่ 215)

ประธานในที่ประชุมได้เสนอให้ที่ประชุมพิจารณาร่างรายงานการประชุมคณะกรรมการไตรภาคี ครั้งที่ 1/2568 (ครั้งที่ 215) เมื่อวันที่ 31 มกราคม 2568 ณ ห้องประชุมที่ทำการอำเภอศรีมหาโพธิ จังหวัดปราจีนบุรี

การพิจารณาของที่ประชุม

ที่ประชุมได้พิจารณารายงานการประชุมแล้ว ไม่มีท่านใดขอแก้ไขรายงานการประชุม

มติที่ประชุม ที่ประชุมมีมติรับรองรายงานการประชุมคณะกรรมการไตรภาคี ครั้งที่ 1/2568

3.1 ผลการดำเนินงานตามโครงการศูนย์รับข้อร้องเรียนฯ เดือน ม.ค. 68

ตามที่ บจ.ดับเบิ้ล เอ (1991) ได้จัดตั้ง "ศูนย์รับเรื่องร้องเรียนและข้อเสนอแนะ" โดยมีวัตถุประสงค์เพื่อรับทราบปัญหาผลกระทบด้านสิ่งแวดล้อมและจัดการป้องกันแก้ไขปัญหา ตั้งแต่ปี 2554 นั้น

ผลการตรวจสอบข้อร้องเรียนในเดือนมกราคม 2568 ได้รับเรื่องร้องเรียน จำนวน 1 ครั้ง ดังนี้

วัน-เวลา	ผู้แจ้ง	เหตุการณ์	แนวทางการดำเนินงาน/การแก้ไข
16 ม.ค. 68 14.59 น.	นางนงค์นุช เจียมจักร	แจ้งร้องเรียนกลิ่นเหม็นที่ว่าการอำเภอศรีมหาโพธิ	ตรวจสอบแล้วพบว่าการเดินเครื่องจักรทั้งในส่วนของโรงงานผลิตเยื่อ และโรงไฟฟ้าทำงานปกติ คาดว่าอาจเป็นด้วยสภาพอากาศที่ปิด จึงทำให้มีกลิ่นไปยังพื้นที่ร้องเรียนได้ โดยจากการสอบถามกลับไปภายหลังไม่พบปัญหาแล้ว

3.2 ผลการตรวจวิเคราะห์คุณภาพน้ำ เดือนมกราคม 2568

1) การตรวจวิเคราะห์คุณภาพน้ำใต้ดิน โดยตรวจวัดทุกเดือนในจุดบุยายใบและหนองตะโก และมีการเก็บในเดือน เม.ย.และ ก.ย. ในจุดหัวโล่ และ โป่งไผ่ ทั้งนี้ผลการตรวจวัดในเดือนธันวาคม 2567 มีค่าแสดงตามรายละเอียด ดังนี้

ที่	ค่าที่ตรวจวัด	ค่ามาตรฐาน/หน่วย	หนองตะโก	บุยายใบ
1	ปริมาณแบคทีเรียรวม พบอยู่ทั่วไปตามดิน น้ำ พืชผัก ลำไส้คนและสัตว์ และมีที่มาจากกิจวัตรประจำวันของมนุษย์ เช่น การขับถ่าย, การเลี้ยงสัตว์,การขับถ่ายสิ่งปฏิกูล นอกจากนี้ยังสามารถพบได้ในดิน	ไม่เกิน 2.2 เซลล์/น้ำ100 มล.	23	น้อยกว่า 1.8

ที่	ค่าที่ตรวจวัด	ค่ามาตรฐาน/หน่วย	หนองตะโก	บุยายใบ
	และปนเปื้อนมากับพืชผักต่างๆ หรืออยู่ในผลิตภัณฑ์อาหารที่ไม่มีสุขลักษณะในการผลิต			
2	ฟีคอล โคลิฟอร์มแบคทีเรีย ปริมาณเชื้อโรคแบคทีเรียกลุ่มโคลิฟอร์ม ที่มีอยู่ในอุจจาระของมนุษย์และสัตว์เลือดอุ่น การตรวจพบแบคทีเรียชนิดนี้ในแหล่งน้ำ อาจแสดงว่าแหล่งน้ำนั้นมีโอกาสปนเปื้อนหรือมีการแพร่กระจายของเชื้อโรคที่ทำให้เกิดโรคในระบบทางเดินอาหารสูง ส่วนใหญ่แบคทีเรียกลุ่มฟีคอลโคลิฟอร์มจะตรวจพบมากในแหล่งน้ำที่ไหลผ่านชุมชนที่ระบายน้ำทิ้งสู่แหล่งน้ำโดยตรง		น้อยกว่า 1.8	น้อยกว่า 1.8
3	ฟลูออไรด์ พบตามธรรมชาติทั้งในน้ำ,ดิน,อาหาร ส่วนร่างกายของเราจะพบฟลูออไรด์ที่กระดูก ฟันและของเหลวทั่วร่างกาย ตามปกติแล้วร่างกายจะได้รับฟลูออไรด์จากอาหารและน้ำ	ไม่เกิน 1 มิลลิกรัม/ลิตร	0.14	0.11
4	ปรอท เป็นโลหะหนักที่ของเหลวระเหยเป็นไอได้ง่ายใน มีสีเงิน พบมากในแหล่งที่มีการเผาไหม้น้ำมันเชื้อเพลิง โลหะ โรงงานผลิตปูนซีเมนต์ ในอุตสาหกรรมที่มีการใช้สารประกอบของปรอท นอกจากนี้ยังใช้ในวงการแพทย์ เช่นเป็นสารอุดฟัน	ไม่เกิน 0.001 มิลลิกรัม/ ลิตร	น้อยกว่า 0.0001	น้อยกว่า0.0001
5	แคดเมียม พบแคดเมียมในแหล่งสังกะสีและตะกั่ว นิยมใช้เป็นวัตถุดิบในอุตสาหกรรมผลิตแบตเตอรี่, อุปกรณ์ไฟฟ้า, โลหะผสม, อะไหล่รถยนต์ โลหะผสมในอุตสาหกรรมเพชรพลอย แคดเมียมที่ปนเปื้อนในน้ำ,อาหาร และในยาสูบ	ไม่เกิน 0.01 มิลลิกรัม/ ลิตร	น้อยกว่า0.002	น้อยกว่า0.002
6	ทองแดง ส่วนมากพบทั้งในรูปโป และเกลือของทองแดง เนื่องจากการหลอมโลหะทองแดง ทองเหลือง การเชื่อมและบัดกรีโลหะโดยใช้โลหะผสมของทองแดง หากได้รับในปริมาณมาก ทำให้เกิดการระคายเคืองและอักเสบที่ตา ระบบหายใจ ระบบทางเดินอาหารและประสาทรสสัมผัส	ไม่เกิน 1.5 มิลลิกรัม/ ลิตร	น้อยกว่า0.006	0.016
7	นิกเกิล เป็นโลหะชนิดหนึ่งสีขาวเหมือนเหล็กขาว ดูดติดแต่ไม่เท่าเหล็ก ส่วนใหญ่ใช้ชุบโลหะชนิดอื่น และเป็นส่วนผสมสำคัญของสแตนเลส และใช้ในการผลิตแบตเตอรี่	ไม่กำหนด มิลลิกรัม/ ลิตร	น้อยกว่า0.004	น้อยกว่า0.004
8	ตะกั่ว สารตะกั่วเป็นโลหะหนักสีน้ำเงิน มีคุณสมบัติที่อ่อนตัวสามารถตัดเป็นรูปร่างต่างๆได้ทำให้มันถูกใช้ประโยชน์ เช่น สีทาบ้าน,น้ำมัน, เครื่องปั้นดินเผา, แบตเตอรี่,หมึก,สี,ตัวเชื่อม,ท่อน้ำ,สารตะกั่วนี้สามารถอยู่ในอากาศ, น้ำ ดิน	ไม่เกิน 0.05 มิลลิกรัม/ ลิตร	น้อยกว่า0.010	น้อยกว่า0.010
9	สังกะสี เป็นแร่ธาตุที่เป็นองค์ประกอบในชั้นหินหรือดินและพบในแหล่งน้ำธรรมชาติทั่วไป มีความสำคัญต่อระบบทำงานต่างๆของสิ่งมีชีวิต เช่น การเติบโตของเซลล์และระบบภูมิต้านทาน	ไม่เกิน 5 มิลลิกรัม/ ลิตร	น้อยกว่า0.004	2.552

ที่	ค่าที่ตรวจวัด	ค่ามาตรฐาน/หน่วย	หนองตะโก	บุยายใบ
10	สารหนู เป็นสารชนิดหนึ่ง ที่มักพบในน้ำที่มาจากแหล่งที่เคยผ่านการทำเหมืองมาก่อน น้ำทิ้งจากเหมืองหรือจากโรงงานอุตสาหกรรม น้ำที่ผ่านการทำเกษตรกรรมที่มีการใช้ยากำจัดศัตรูพืชไหลลงไปในแหล่งน้ำธรรมชาติหรือซึมลงไปใต้ดิน ทำให้เกิดการปนเปื้อนของสารหนูในน้ำผิวดินและน้ำใต้ดินได้	ไม่เกิน 0.05 มิลลิกรัม/ ลิตร	น้อยกว่า0.006	น้อยกว่า0.006
11	ซีลีเนียม เป็นธาตุที่มีสมบัติเหมือนกำมะถัน ร่างกายต้องการซีลีเนียมน้อยมากหากได้รับมากเกินไปจะเป็นอันตราย ต่อระบบทางเดินหายใจ	ไม่เกิน 0.01 มิลลิกรัม/ ลิตร	น้อยกว่า0.006	น้อยกว่า0.006
12	โครเมียมชนิดเฮกซาวาเลนต์ มีอุตสาหกรรมจำนวนมากยังคงใช้เป็นวัตถุดิบ ดังนั้นจึงมีโอกาสที่เฮกซาวาเลนต์โครเมียมจะเกิดการปนเปื้อนในน้ำ ดังนั้นควรเผยแพร่ถึงภัยอันตรายจากการปนเปื้อนของเฮกซาวาเลนต์โครเมียม รวมทั้งวิธีการป้องกันและการตรวจวัด จึงมีความสำคัญอย่างยิ่งต่อสุขภาพอนามัยของประชาชนโดยทั่วไป	ไม่กำหนด มิลลิกรัม/ ลิตร	น้อยกว่า0.025	น้อยกว่า0.0025

1.ทำการตรวจวัดโดย บริษัท อินทิเกรทเต็ด รีเสิร์ช เซ็นเตอร์ จำกัด และบริษัท ยูไนเต็ด แอนนาลิสต์ แอนด์ เอ็นจิเนียริ่ง คอนซัลแตนท์ จำกัด ขึ้นทะเบียนห้องแลปกับกรมโรงงานฯ

2.จุดตรวจวัดน้ำใต้ดิน

หมู่ 2 หนองตะโก ต.ท่าตูม อ.ศรีมหาโพธิ จ.ปราจีนบุรี ที่ อู่ซ่อมรถ นางสุมาลี บริสุทธิ์

หมู่ 4 บ้านบุยายใบ ต.ท่าตูม อ.ศรีมหาโพธิ จ.ปราจีนบุรี ที่ คันโยกน้ำบาดาล หน้าศาลาประชาคมหมู่บ้าน

หมู่ 4 บ้านบุยายใบ (คุ้มหัวไล่) ที่ บ้านนางสมใจ ไพเราะ

หมู่ 7 บ้านโป่งไผ่ ต.ท่าตูม อ.ศรีมหาโพธิ จ.ปราจีนบุรี ที่ บ้านนางสาวนงลักษณ์ คุ้มมา

*** จุดเก็บบ้านบุยายใบ และ บ้านหนองตะโก จะมีการเก็บทุกเดือน

*** จุดเก็บบ้านโป่งไผ่ และ บ้านหัวไล่ จะมีการเก็บปีละ 2 ครั้ง คือในเดือน เมษายน และกันยายน

3. อ้างอิงค่ามาตรฐานตามประกาศกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม พ.ศ. 2551 เรื่อง กำหนดหลักเกณฑ์และมาตรการในทางวิชาการสำหรับการป้องกันด้านสาธารณสุขและการป้องกันในเรื่องสิ่งแวดล้อมเป็นพิษ

2) การตรวจวิเคราะห์คุณภาพน้ำใต้ดิน โดยตรวจวัดทุกเดือนในจุดบ่อสังเกตการณ์รอบหลุมฝังกลบขยะที่ไม่อันตราย ของบริษัท จำนวน 5 บ่อ ผลการตรวจวัดในเดือนมกราคม 2568 มีค่าแสดงตามรายละเอียด ดังนี้

ที่	ค่าที่ตรวจวัด	เกณฑ์การปนเปื้อน	หน่วย	บ่อ 1	บ่อ 2	บ่อ 3	บ่อ 4
1	ค่าการนำไฟฟ้า การวัดค่าความนำไฟฟ้าจะสามารถบ่งบอกได้ถึงความสกปรกของน้ำ โดยถ้าค่าความนำไฟฟ้าสูง แสดงว่าในน้ำมีการปนเปื้อนของสารหรือธาตุที่มีการนำไฟฟ้ามาก ถ้าค่าต่ำแสดงว่าสารหรือธาตุที่มีการนำไฟฟ้าน้อย	ไม่กำหนด	ไมโครซีเมนส์ต่อเซนติเมตร (µs/cm)	2,438	2,347	1,719	1,447
2	แอมโมเนีย – ไนโตรเจน เกิดตามธรรมชาติโดยการย่อยสลายสารอินทรีย์ภายใต้สภาวะที่ไม่มีออกซิเจน ซึ่งมีกลิ่นคล้ายบัสสาวะ หากในแหล่งน้ำมีแอมโมเนีย-ไนโตรเจนมากจะมีกลิ่นและมีฤทธิ์กัดกร่อนได้	ไม่กำหนด	มิลลิกรัม/ลิตร	1.50	2.50	1.88	2.92
3	ไซยาไนด์ เป็นสารที่มีความเป็นพิษสูง พบได้ในหลายรูปแบบได้แก่ ภาวะก๊าซไฮโดรเจน ไซยาไนด์ เกิดจากการเผาไหม้สารพลาสติกไพลียูริเทนและหนังเทียม สามารถพบในมันสำปะหลังดิบ ลูกพีช เมื่อรับประทานเข้าไปจะถูกเผาผลาญและให้ ไซยาไนด์ออกมาสู่ร่างกาย	ไม่เกิน 5,000	ไมโครกรัม/ลิตร	น้อยกว่า5	น้อยกว่า5	น้อยกว่า5	น้อยกว่า5

ที่	ค่าที่ตรวจวัด	เกณฑ์การปนเปื้อน	หน่วย	บ่อ 1	บ่อ 2	บ่อ 3	บ่อ 4
4	ไนเตรต-ไนไตรเจน เป็นอโลหะที่มีสถานะเป็นแก๊สที่มีอยู่ทั่วไป โดยปกติไม่มีสี,กลิ่นหรือรส สารไนเตรทเป็นแร่ธาตุที่พบได้ในธรรมชาติ โดยเกิดจากการย่อยสลายสารอินทรีย์ในไตรเจน	ไม่กำหนด	มิลลิกรัม/ลิตร	น้อยกว่า 0.02	น้อยกว่า 0.02	น้อยกว่า 0.02	น้อยกว่า 0.02
5	กรดฟีนอล เป็นผลึกหรืออาจอยู่ในรูปของเหลวใส ไม่มีสี หรืออาจมีสีชมพูอ่อน กลิ่นหอมหวานค่อนข้างรุนแรง ฟีนอลเป็นสารที่ติดไฟง่ายและเมื่อสัมผัสกับความร้อนจะให้ไอระเหยที่ติดไฟได้ รวมทั้งให้แก๊สที่มีอันตรายขณะเกิดเพลิงไหม้	ไม่เกิน 72	มิลลิกรัม/ลิตร	น้อยกว่า 0.005	น้อยกว่า 0.005	น้อยกว่า 0.005	น้อยกว่า 0.005
6	ฟอสเฟตทั้งหมด หมายถึงปริมาณฟอสฟอรัสที่มีอยู่ในน้ำ	ไม่กำหนด	มิลลิกรัม/ลิตร	0.06	0.06	0.06	0.21
7	คลอไรด์ เป็นสารอนินทรีย์ที่พบมากโดยจะอยู่ในรูปของสารประกอบ ของแคลเซียม แมกนีเซียม หรือ โซเดียม โดยเกลือของคลอไรด์จะละลายอยู่ในน้ำ ซึ่งมีความเข้มข้นแตกต่างกันไปขึ้นอยู่กับพื้นดินหรือชั้นดินที่มีปริมาณคลอไรด์แตกต่างกัน น้ำธรรมชาติรับคลอไรด์จากหลายทาง เช่น จากสิ่งปฏิกูล หรือโรงงานอุตสาหกรรม	ไม่กำหนด	มิลลิกรัม/ลิตร	243	273	278	280
8	ซัลเฟต ถ้าน้ำมีซัลเฟตมากจะเกิดสภาพน้ำกระด้างถาวรเป็นตะกรันในหม้อต้ม	ไม่กำหนด	มิลลิกรัม/ลิตร	787	583	577	606
9	สภาพด่าง หรือ อัลคาไลนิตี้ หรือ ค่าอัลคาไลน์ เป็นการวัดความสามารถของสารละลายในการเปลี่ยนสภาพกรดให้	ไม่กำหนด	มิลลิกรัม/ลิตร	166	208	305	309
10	ปรอท เป็นโลหะหนักที่ของเหลวระเหยเป็นไอได้ง่ายใน มีสีเงิน พบมากในแหล่งที่มีการเผาไหม้น้ำมันเชื้อเพลิง โลหะ โรงงานผลิตปูนซีเมนต์ ในอุตสาหกรรมที่มีการใช้สารประกอบของปรอท นอกจากนี้ยังใช้ในวงการแพทย์ เช่นเป็นสารอุดฟัน	ไม่เกิน 0.7	มิลลิกรัม/ลิตร	น้อยกว่า 0.0001	น้อยกว่า 0.0001	น้อยกว่า 0.0001	น้อยกว่า 0.0001
11	โซเดียม		มิลลิกรัม/ลิตร	334	296	284	287

ที่	ค่าที่ตรวจวัด	เกณฑ์การปนเปื้อน	หน่วย	บ่อ 1	บ่อ 2	บ่อ 3	บ่อ 4
12	แคดเมียม แคดเมียมจะพบในแหล่งสังกะสีและตะกั่ว นิยมใช้เป็นวัตถุดิบในอุตสาหกรรมผลิตแบตเตอรี่, อุปกรณ์ไฟฟ้า, โลหะผสม, อะไหล่รถยนต์ โลหะผสมในอุตสาหกรรมเพชร พลอย แคดเมียมที่ปนเปื้อนในน้ำ,อาหารและยาสูบ	ไม่เกิน 0.003	มิลลิกรัม/ลิตร	น้อยกว่า 0.002	น้อยกว่า 0.002	น้อยกว่า 0.002	น้อยกว่า 0.002
13	ทองแดง ส่วนมากพบทั้งในรูปไอและเกลือของทองแดง เนื่องจากการหลอมโลหะทองแดง ทองเหลือง การเชื่อมและบัดกรีโลหะโดยใช้โลหะผสมของทองแดง หากได้รับในปริมาณมากทำให้เกิดการระคายเคืองและอักเสบที่ตา ระบบหายใจ ระบบทางเดินอาหารและประสาทสัมผัส	ไม่เกิน 1.0	มิลลิกรัม/ลิตร	0.018	น้อยกว่า 0.006	น้อยกว่า 0.006	น้อยกว่า 0.006
14	นิกเกิล เป็นโลหะชนิดหนึ่งสีขาวเหมือนเหล็กขาว ดูดติด ส่วนใหญ่ใช้ชุบโลหะชนิดอื่น และเป็นส่วนผสมสำคัญของสแตนเลส และใช้ในการผลิตแบตเตอรี่	ไม่เกิน 0.02	มิลลิกรัม/ลิตร	0.026	0.026	0.023	0.019
15	ตะกั่ว เป็นโลหะหนักสีน้ำเงิน มีคุณสมบัติที่อ่อนตัวสามารถตัดเป็นรูปร่างต่างๆได้ทำให้มันถูกใช้ประโยชน์ เช่น สีทาบ้านน้ำมัน, เครื่องปั้นดินเผา, แบตเตอรี่,หมึก,สี,ตัวเชื่อม,ท่อน้ำ,สารตะกั่วนี้สามารถอยู่ในอากาศ, น้ำ ดิน	ไม่เกิน 0.01	มิลลิกรัม/ลิตร	น้อยกว่า 0.010	น้อยกว่า 0.010	น้อยกว่า 0.010	น้อยกว่า 0.010
16	สังกะสี เป็นแร่ธาตุที่เป็นองค์ประกอบในชั้นหินหรือดินและพบในแหล่งน้ำธรรมชาติทั่วไป มีความสำคัญต่อระบบทำงานของสิ่งมีชีวิต เช่น การเติบโตของเซลล์และระบบภูมิต้านทาน	ไม่เกิน5.0	มิลลิกรัม/ลิตร	0.013	น้อยกว่า 0.004	น้อยกว่า 0.004	น้อยกว่า 0.004
17	แมงกานีส แมงกานีสมักพบอยู่ในน้ำพร้อมกับเหล็ก แต่ในปริมาณที่น้อยกว่าแมงกานีสก็เช่นเดียวกับเหล็ก คือมีอยู่ในน้ำบาดาลมากกว่าน้ำผิวดิน	ไม่เกิน 0.5	มิลลิกรัม/ลิตร	1.435	0.149	0.191	0.367

ที่	ค่าที่ตรวจวัด	เกณฑ์การปนเปื้อน	หน่วย	บ่อ 1	บ่อ 2	บ่อ 3	บ่อ 4
18	สารหนู เป็นสารชนิดหนึ่ง ที่มักพบในน้ำที่มาจากแหล่งที่เคยผ่านการทำเหมืองมาก่อน น้ำทิ้งจากเหมืองหรือจากโรงงานอุตสาหกรรม น้ำที่ผ่านการทำเกษตรกรรมที่มีการใช้ยากำจัดศัตรูพืช ไหลลงไปในแหล่งน้ำธรรมชาติหรือซึมลงไปใต้ดิน ทำให้เกิดการปนเปื้อนของสารหนูในน้ำผิวดินและน้ำใต้ดินได้	ไม่เกิน 0.01	มิลลิกรัม/ลิตร	น้อยกว่า 0.006	น้อยกว่า 0.006	น้อยกว่า 0.006	น้อยกว่า 0.006
19	โครเมียมชนิดเฮกซาวาเลนต์ มีอุตสาหกรรมจำนวนมากยังคงใช้เป็นวัตถุดิบ ดังนั้นจึงมีโอกาสที่ เฮกซาวาเลนต์โครเมียมจะเกิดการปนเปื้อนในน้ำ	ไม่เกิน 0.05	มิลลิกรัม/ลิตร	น้อยกว่า 0.025	น้อยกว่า 0.025	น้อยกว่า 0.025	น้อยกว่า 0.025
20	ซีโอดี เป็นปริมาณออกซิเจนที่สารเคมีใช้ในการย่อยสลายสารอินทรีย์ คือค่าที่วัดถึงปริมาณทั้งหมดของออกซิเจนที่ใช้โดยจุลินทรีย์ในการย่อยสลายสารอินทรีย์ให้เป็นคาร์บอนไดออกไซด์และน้ำ รวมไปถึงสารอนินทรีย์ที่สามารถถูกออกซิไดซ์ได้ น้ำที่มีค่าซีโอดีสูงแสดงว่ามีการปนเปื้อนด้วยสารอินทรีย์สูง	ไม่กำหนด	มิลลิกรัม/ลิตร	45	14	33	56
21	บีโอดี ค่าปริมาณออกซิเจนที่จุลินทรีย์ใช้ย่อยสลายสารอินทรีย์ ถ้าค่าต่ำหมายถึง ในแหล่งน้ำมีการปนเปื้อนของสารอินทรีย์น้อย ค่าสูงหมายถึงในแหล่งน้ำมีการปนเปื้อนของสารอินทรีย์มาก ซึ่งสารอินทรีย์ในแหล่งน้ำมาจากน้ำทิ้งจากชุมชน โรงงานอุตสาหกรรม การเกษตรกรรม เป็นต้น	ไม่กำหนด	มิลลิกรัม/ลิตร	0.3	0.8	1.7	2.2

วิธีการตรวจวิเคราะห์คุณภาพน้ำในบ่อสังเกตการณ์และน้ำบาดาล/น้ำใต้ดิน ดำเนินการตามประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 20 (พ.ศ. 2543) ออกตามความในพระราชบัญญัติส่งเสริมและรักษาคุณภาพสิ่งแวดล้อมแห่งชาติ พ.ศ. 2535 เรื่อง กำหนดมาตรฐานคุณภาพน้ำใต้ดิน ประกาศในราชกิจจานุเบกษา เล่ม 117 ตอนพิเศษ 95 ง วันที่ 15 กันยายน พ.ศ. 2543 และประกาศกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม เรื่อง กำหนดหลักเกณฑ์และมาตรการในทางวิชาการสำหรับการป้องกันด้านสาธารณสุขและการป้องกันในเรื่องสิ่งแวดล้อมเป็นพิษ พ.ศ. 2551 ประกาศในราชกิจจานุเบกษา เล่ม 125 ตอนพิเศษ 85 ง วันที่ 21 พฤษภาคม พ.ศ. 2551

1.ทำการตรวจวัดโดย บริษัท อินทิเกรทเต็ด รีเสิร์ช เซ็นเตอร์ จำกัด และบริษัท ยูไนเต็ด แอนนาลิสต์ แอนด์ เอ็นจิเนียริ่ง คอนซัลแตนท์ จำกัด ขึ้นทะเบียนห้องแลปกับกรมโรงงานฯ



3) การตรวจวิเคราะห์คุณภาพน้ำผิวดิน ตรวจทุกเดือน 3 จุดยกเว้น เดือนกุมภาพันธ์, เมษายน และ ธันวาคม ได้แก่

วังหลังถ้ำ, คลองชลองแวง, วัดวังบัวทอง / ตรวจเพิ่มเติมรายไตรมาส 2 จุด คือ หนองน้ำราชโต และ แม่น้ำปราจีนบุรี (เขื่อนทำฆุม) โดยในเดือนมกราคม 2568 มีผลตรวจวิเคราะห์แสดงตามรายละเอียด ดังนี้

ที่	ค่าที่ตรวจวัด	ค่ามาตรฐาน / หน่วย	วัดวังบัวทอง	คลองชลองแวง	วังหลังถ้ำ
1	ค่าความนำไฟฟ้า การวัดค่าความนำไฟฟ้าจะสามารถบ่งบอกได้ถึงความสกปรกของน้ำ โดยถ้าค่าความนำไฟฟ้าสูง แสดงว่าในน้ำมีการปนเปื้อนของสารหรือธาตุที่มีการนำไฟฟ้ามาก ถ้าค่าต่ำแสดงว่าสารหรือธาตุที่มีการนำไฟฟ้าน้อย	ไม่กำหนด มิลลิกรัม / ลิตร	71.7	600	102
2	ค่าออกซิเจนที่ละลายในน้ำ ถ้าค่าต่ำหมายถึงในแหล่งน้ำมีความสกปรกมาก การย่อยสลายสิ่งสกปรกในน้ำจึงต้องการใช้ออกซิเจนมาก ค่าสูงหมายถึงในแหล่งน้ำมีความสกปรกน้อย	ไม่ต่ำกว่า 6 มิลลิกรัม / ลิตร	4.2	4.1	4.3
3	แอมโมเนีย – ไนโตรเจน เกิดตามธรรมชาติโดยการย่อยสลายสารอินทรีย์ภายใต้สภาวะที่ไม่มีออกซิเจน ซึ่งมีกลิ่นคล้ายปัสสาวะ	ไม่เกิน 0.5 มิลลิกรัม / ลิตร	น้อยกว่า0.50	น้อยกว่า0.50	น้อยกว่า 0.50

ที่	ค่าที่ตรวจวัด	ค่ามาตรฐาน / หน่วย	วัดวังบัวทอง	คลองขลองแวง	วังหลังถ้ำ
	หากในแหล่งน้ำมีแอมโมเนีย-ไนโตรเจนมากจะมีกลิ่นและมีฤทธิ์กัดกร่อนได้				
4	ไนเตรต-ไนโตรเจน เป็นอโลหะที่มีสถานะเป็นแก๊สที่มีอยู่ทั่วไป โดยปกติไม่มีสี,กลิ่นหรือรส สารไนเตรตเป็นแร่ธาตุที่พบได้ในธรรมชาติ โดยเกิดจากการย่อยสลายสารอินทรีย์ไนโตรเจน	ไม่เกิน 5 มิลลิกรัม/ ลิตร	0.12	0.80	0.16
5	กรดฟีนอล เป็นผลึกหรืออาจอยู่ในรูปของเหลวใส ไม่มีสี หรืออาจมีสีชมพูอ่อน กลิ่นหอมหวานค่อนข้างรุนแรง ฟีนอลเป็นสารที่ติดไฟง่ายและเมื่อสัมผัสกับความร้อนจะให้ไอระเหยที่ติดไฟได้ รวมทั้งแก๊สที่มีอันตรายขณะเกิดเพลิงไหม้	ไม่เกิน 0.005 มิลลิกรัม / ลิตร	น้อยกว่า0.005	น้อยกว่า0.005	น้อยกว่า 0.005
6	ปริมาณแบคทีเรียรวม พบอยู่ทั่วไปตามดิน ,น้ำ,พืชผัก,ลำไส้คนและสัตว์ และมีที่มาจากกิจวัตรประจำวันของมนุษย์ เช่น การชักล้าง, การเลี้ยงสัตว์, การขับถ่ายสิ่งปฏิกูล เป็นต้น	ไม่ เกิน 5,000 เซลล์ /น้ำ100 มล.	790	220	130
7	ความเป็นกรดด่าง ความเป็นกรดด่างของแหล่งน้ำธรรมชาติส่วนใหญ่จะมีค่า ประมาณ 7 - 8	5.0 -9.0	7.7	7.3	7 4
8	ตะกอนแขวนลอย ค่าตะกอนแขวนลอยบ่งชี้ความขุ่นของน้ำว่ามีตะกอนมากหรือน้อย ซึ่งมีทั้งขนาดใหญ่และขนาดเล็ก	ไม่กำหนด มิลลิกรัม / ลิตร	21	40	20
9	บีโอดี ค่าปริมาณออกซิเจนที่จุลินทรีย์ใช้ย่อยสลายสารอินทรีย์ ถ้าค่าต่ำหมายถึง ในแหล่งน้ำมีการปนเปื้อนของสารอินทรีย์น้อย ค่าสูงหมายถึงในแหล่งน้ำมีการปนเปื้อนของสารอินทรีย์มาก ซึ่งสารอินทรีย์ในแหล่งน้ำมาจากน้ำทิ้งจากชุมชน โรงงานอุตสาหกรรม การเกษตรกรรม เป็นต้น	ไม่เกิน 1.5 มิลลิกรัม / ลิตร	1.2	2.1	0.9

ทำการตรวจวัดโดย บริษัท ดี.เอ.รีเซิร์ช เซ็นเตอร์ จำกัด และบริษัท ยูไนเต็ด แอนนาลิสต์ แอนด์ เอ็นจิเนียริ่ง คอนซัลแตนท์ จำกัด ขึ้นทะเบียนห้องแลปกับกรมโรงงานฯ

อ้างอิงค่ามาตรฐาน ตามประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 8 (พ.ศ. 2537) พระราชบัญญัติส่งเสริมและรักษาคุณภาพสิ่งแวดล้อมแห่งชาติ พ.ศ. 2535 เรื่องกำหนดมาตรฐานคุณภาพน้ำในแหล่งน้ำผิวดิน (ประเภทที่ 2)





นายบุญชิต มานะต่อ กรรมการไตรภาคีส่วนชุมชน สอบถามถึงสาเหตุของการเจ็บป่วยท้องเสียในชุมชน มีสาเหตุมาจากการอุปโภค บริโภคน้ำ ที่มีค่าแบคทีเรียวมที่เกินจากมาตรฐานหรือไม่

นายวิเชียร ทองด้วง อุตสาหกรรมจังหวัดปราจีนบุรี ชี้แจงให้ที่ประชุมทราบว่าเชื้อที่ทำให้เกิดอาการท้องเสีย ท้องร่วง เกินจากเชื้ออีโคไล ไม่เกี่ยวข้องกับเชื้อแบคทีเรีย โดยอุตสาหกรรมจังหวัดปราจีนบุรี มีประเด็นสอบถามถึงบริษัทที่ทำการเก็บตัวอย่างคุณภาพน้ำ ได้ผ่านการขึ้นทะเบียนกับกรมโรงงานอุตสาหกรรม หรือไม่

เลขานุการคณะกรรมการไตรภาคี ได้แจ้งให้ที่ประชุมทราบว่า หน่วยงานที่ดำเนินการเก็บตัวอย่างและตรวจวิเคราะห์คุณภาพน้ำ ประกอบด้วย บริษัท อินทิเกรทเต็ด รีเสิร์ช เซ็นเตอร์ จำกัด และบริษัท ยูไนเต็ด แอนนาลิสต์ แอนด์ เอ็นจิเนียริ่ง คอนซัลแตนท์ จำกัด ซึ่งผ่านการขึ้นทะเบียนกับกรมโรงงานอุตสาหกรรมถูกต้องแล้ว

อุตสาหกรรมจังหวัดปราจีนบุรี ได้ขอให้ฝ่ายโรงงานอุตสาหกรรมเปิดโอกาสให้ภาคประชาชนมีส่วนร่วมในการตรวจวิเคราะห์คุณภาพสิ่งแวดล้อม โดยขอให้แจ้งแผนตรวจวัดมายังห้องไลน์กลุ่ม/ โทรศัพท์ เพื่อแจ้งให้ที่คณะกรรมการไตรภาคีได้รับทราบและเข้าร่วมเก็บตัวอย่าง หากไม่ติดภารกิจใด

3.3 แจ้งกำหนดการหยุดซ่อมบำรุงเครื่องจักรประจำปีของโรงเยื่อ 2 และโรงไฟฟ้า

แจ้งกำหนดการหยุดซ่อมบำรุงเครื่องจักร ประจำปี 2568 ในส่วนของโรงผลิตเยื่อ ที่ 2 ของบริษัท ดับเบิ้ล เอ (1991)จำกัด(มหาชน) และโรงไฟฟ้า บริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 5เอ จำกัด ระหว่างวันที่ 18 - 28 กุมภาพันธ์ 2568 โดยระหว่างการหยุดระบบ และเริ่มกลับมาเดินระบบใหม่ อาจมีผลกระทบด้านสิ่งแวดล้อม เช่น มีควันดำออกจากปล่อง, มีฝุ่นละออง, มีกลิ่นเหม็น และ เสียงดัง โดยเรื่องกลิ่นจะมีการกำจัดแก๊สจะใช้ระบบการดักจับแก๊สด้วยสารโซเดียมไฮดรอกไซด์

ทั้งนี้หน่วยงานสิ่งแวดล้อมจะออกดำเนินการสำรวจกลิ่นวันละ 3 ครั้ง โดยมีรายงานผลให้หน่วยงานภายในได้รับทราบทางห้องไลน์กลุ่ม ทั้งนี้หากชุมชนข้างเคียงหรือหน่วยงานราชการได้รับแจ้งผลกระทบใดๆ ขอให้แจ้งมายังฝ่ายประชาสัมพันธ์ของกลุ่มบริษัท ได้ตลอดเวลา ยังหมายเลขโทรศัพท์ 085-8350193 คุณณุกานดา

วาระที่ 4 เรื่องเพื่อพิจารณา

นายวิเชียร ทองด้วง อุตสาหกรรมจังหวัดปราจีนบุรี นำเสนอให้จัดการประชุมคณะกรรมการไตรภาคีนอกพื้นที่ อาทิ ในสถานประกอบการ หรือ ในชุมชน เพื่อเป็นเวทีที่ชุมชนเข้าถึงได้ในการแจ้งปัญหาผลกระทบต่างๆและเรื่องอื่นในชุมชน ทั้งนี้อาจกำหนด ปีละ 1-2 ครั้ง

ประธานคณะกรรมการไตรภาคี แจ้งว่าการประชุมนอกสถานที่เป็นผลดีในเรื่องประชาสัมพันธ์ให้ประชาชนได้รับทราบเกี่ยวกับคณะกรรมการไตรภาคี รวมทั้งการแจ้งปัญหาต่างๆ แต่ในเรื่องความพร้อมด้านสถานที่อาจไม่สะดวกสบายเท่าที่ควร

วาระที่ 5 เรื่องอื่น ๆ

5.1 แจ้งการเปลี่ยนแปลงรายละเอียดโครงการโรงไฟฟ้า PP5A ครั้งที่ 1

ด้วยบริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 5 เอ จำกัด ที่ตั้งอยู่ เลขที่ 218 หมู่ 2 ต.ท่าตูม อ.ศรีมหาโพธิ จ.ปราจีนบุรี เป็นเจ้าของโครงการโรงไฟฟ้าพลังความร้อน จากเชื้อเพลิงเปลือกไม้ ยอดยูคาลิปตัส เหง้ามัน และถ่านหินบิทูมินัสเสริมในกรณีขาดแคลน ขนาดกำลังการผลิต 98 เมกะวัตต์ โดยได้เปิดดำเนินกิจการตั้งแต่ปี 2555 เป็นต้นมา

ทั้งนี้ขอแจ้งปรับเปลี่ยนรายละเอียดข้อมูลโครงการเพื่อให้สอดคล้องกับรายงานการประเมินผลกระทบสิ่งแวดล้อม (EIA) ที่ได้รับความเห็นชอบจากสำนักงานนโยบายและแผนทรัพยากรธรรมชาติและสิ่งแวดล้อม (สผ.) ในด้านต่างๆ ดังนี้

1. ปรับปรุงการใช้ประโยชน์จากที่ดินภายในโครงการ โดยยังคงขนาดพื้นที่โครงการเท่าเดิม
2. เปลี่ยนแปลงลูกค้าที่รับซื้อไฟฟ้าและไอน้ำ
3. ปรับปรุงรายละเอียดการใช้สารเคมีภายในโครงการให้เป็นปัจจุบัน
4. ปรับปรุงมาตรการด้านสิ่งแวดล้อมให้เป็นปัจจุบัน

นายสุรชัย ไพเราะ กรรมการไตรภาคีส่วนชุมชน แจ้งถึงความวิตกกังวลเรื่องกลิ่นคลอรีนจากกระบวนการผลิตของโรงไฟฟ้าดังกล่าว

นางสาวสกาวเดือน ไชยชนะ ผู้แทนโรงไฟฟ้า บริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 5 เอ จำกัด ได้ชี้แจงให้ที่ประชุมทราบว่า คลอรีน ถูกใช้ในปริมาณที่น้อยมากโดยผสมกับน้ำก่อนการนำไปใช้ ซึ่งไม่ส่งผลกระทบเรื่องกลิ่นต่อชุมชนโดยรอบ ทั้งนี้มีการจัดการอย่างเคร่งครัด ถูกจัดเก็บในภาชนะปิดมิดชิด มีการตรวจสอบความพร้อมในการใช้งานอยู่ตลอด

5.2 การแจ้งปัญหาที่เกิดจากรถบรรทุกของกลุ่มบริษัทขนส่ง

นายสุรชัย ไพเราะ กรรมการไตรภาคีส่วนชุมชน แจ้งปัญหาผลกระทบเรื่องการขนส่งของกลุ่มบริษัท ได้แก่ วัสดุปลิวตกหล่น ทำให้เกิดฝุ่นละอองปลิวรบกวนการจราจรและชุมชนใกล้เคียง ทั้งนี้ไม่เพียงแต่การไม่ปิดปกคลุมกระบะรถเท่านั้น รถบรรทุกบางคันแม้ปิดกระบะแล้วยังส่งผลกระทบ เนื่องจากปิดไม่คลุมพื้นที่ทั้งกระบะ

นายวิลาส เล็บพยัคฆ์ กรรมการไตรภาคีส่วนชุมชน แจ้งปัญหาเพิ่มเติมว่าทางผู้รับเหมาที่เป็นคู่ค้าของบริษัทนำไม้มาจำหน่ายแล้ว ไม่มีที่ทิ้งเปลือกไม้ จึงทำให้เหลือติดกระบะรถออกมาจากโรงงาน และส่งผลกระทบไปยังชุมชนใกล้เคียง

เลขานุการคณะกรรมการไตรภาคี แจ้งให้ที่ประชุมรับทราบถึงมาตรการด้านความความปลอดภัยของกลุ่มขนส่งในการบรรทุกสินค้า, วัสดุอื่นๆ ต้องมีการปิดกระบะเพื่อกันสิ่งของปลิวตก รวมทั้งการควบคุมความเร็ว การใช้เส้นทางหลักแทนเส้นทางรองในชุมชน ซึ่งหากฝ่าฝืนกฎระเบียบ จะมีการลงโทษทางวินัยพนักงานขับรถ ทั้งนี้รถบรรทุกที่ไม่ปฏิบัติตามกฎน่าจะเป็นรถของผู้รับเหมาภายนอกที่มาร่วมเป็นคู่ค้ากับทางบริษัท โดยเบื้องต้นทางบริษัทได้ขอความร่วมมือจากกลุ่มผู้รับเหมาให้ปฏิบัติตามแนวทางเดียวกับที่บริษัทประกาศใช้ โดยฝ่ายเลขานุการคณะกรรมการไตรภาคีจะนำเสนอผู้บริหารให้พิจารณาการคัดเลือกคู่ค้าที่ไม่มีประวัติถูกร้องเรียนเรื่องมารยาทบนท้องถนนต่อไป

5.3 สอบถามโครงการบำบัดน้ำเสียชุมชนโป่งไผ่

นายสุรชัย ไพเราะ กรรมการไตรภาคีส่วนชุมชนสอบถามถึงโครงการติดตั้งเครื่องบำบัดน้ำเสียชุมชน ในพื้นที่บ้านโป่งไผ่ ตำบลท่าตูม เพื่อปรับปรุงคุณน้ำให้ดีขึ้นก่อนการระบายลงแหล่งน้ำสาธารณะ

เลขานุการคณะกรรมการไตรภาคี แจ้งให้ที่ประชุมรับทราบว่า โครงการดังกล่าวเป็นโครงการขององค์การบริหารส่วนตำบลท่าตูม ร่วมกับองค์กรจัดการน้ำเสีย ซึ่งในวันนี้ไม่มีตัวแทนขององค์การบริหารส่วนตำบลท่าตูมเข้าร่วมประชุม จึงขอติดตามความคืบหน้าในการประชุมครั้งต่อไป

5.4 แจ้งปัญการจราจรในวันหยุดช่วงเทศกาลสงกรานต์/ปีใหม่

นายสุรชัย ไพเราะ กรรมการไตรภาคีส่วนชุมชนได้แจ้งปัญหาการจัดการจราจรในช่วงเทศกาล โดยมีการปิดถนนสาย304 บริเวณแยกโลตัส (ไม่ให้เลี้ยวซ้ายและขวา) รถที่จะเข้าตลาด 304 พลาซ่า ต้องไปกลับรถ ณ จุดบริการประชาชนทางหลวง 304 ทำให้การจราจรติดขัดมาก ไม่สามารถเดินทางไปตามแผนที่วางไว้ได้

ประธานคณะกรรมการไตรภาคี แจ้งว่าดำเนินการประสานงานไปยังผู้เกี่ยวข้อง เพื่อเตรียมมือในเทศกาลสงกรานต์ที่จะถึงนี้ เนื่องจากได้รับแจ้งจากหลายภาคส่วนถึงปัญหานี้เช่นกัน

5.5 แจ้งขอดับไฟเพื่อการเพิ่มผลผลิตทางเกษตรในพื้นที่

นายชัชชัย ไพเราะ กรรมการไตรภาคีส่วนราชการ แจ้งขอให้ประสานงานในการดับไฟรายทางบางเวลา พื้นที่ หมู่ 3 บ้านหลังถ้ำ ตำบลท่าตูม เพื่อเพิ่มผลผลิตทางเกษตรของประชาชนในพื้นที่ ทั้งนี้ประธานคณะกรรมการไตรภาคีจะประสานงานไปยังหน่วยงานที่เกี่ยวข้องต่อไป

5.6 แจ้งเตือนภัยภาวะภัยแล้งจากกรมอุตุนิยมวิทยา

นายภูวดล เมืองกลาง ผู้แทนหัวหน้าสำนักงานจังหวัดปราจีนบุรี แจ้งให้ที่ประชุมทราบถึงประกาศจากกรมอุตุนิยมวิทยาว่าประเทศไทยจะเข้าสู่ฤดูร้อนอย่างเป็นทางการ 28 กุมภาพันธ์ 2568 นี้ ซึ่งต่อไปจะเป็นเข้าสู่สถาการณ์ภัยแล้ง น้ำใช้ขาดแคลนเนื่องจากการสูบน้ำของหน่วยงานต่างๆ ดังนั้นจึงขอความร่วมมือเกษตรกรงดทำนาปรังเพื่อจะได้ไม่ประสบปัญหาผลผลิตเสียหายจากภัยแล้ง

ปิดการประชุม เวลา 12.00 น.

จึงเรียนมาเพื่อโปรดทราบ

(นางสาวปาริชาต รุจิเทศ)
เลขานุการไตรภาคี

การประชุมคณะกรรมการไตรภาคี
บริษัท ดั๊บเบิ้ล เอ (1991) จำกัด (มหาชน) กลุ่มบริษัท เนชั่นแนล เพาเวอร์ ซัพพลาย จำกัด(มหาชน)
กลุ่มบริษัท 304 อินดัสเตรียล ปาร์ค จำกัด
ตำบลท่าตูม อำเภอศรีมหาโพธิ จังหวัดปราจีนบุรี
วันที่ 25 เมษายน พ.ศ. 2568 เวลา 10.00-12.00 น.
ณ ศาลาประชาคม หมู่ 2 ตำบลท่าตูม อำเภอศรีมหาโพธิ จังหวัดปราจีนบุรี

กรรมการผู้เข้าประชุม

กรรมการไตรภาคีส่วนราชการ

1. นางสาวจุฑามาศ	บัวเผื่อน	ประธานคณะกรรมการไตรภาคี
2. นายภูวดล	เมืองกลาง	แทน หัวหน้าสำนักงานจังหวัดปราจีนบุรี
3. นางสาวกัญญาณัฐ	ลำไยสง	แทน สาธารณสุขอำเภอศรีมหาโพธิ
4. นางสวาท	เจริญสุข	กำนันประจำตำบลท่าตูม
5. นายชัชชัย	ไพเราะ	ผู้ใหญ่บ้าน หมู่ 3 ตำบลท่าตูม

กรรมการไตรภาคีส่วนชุมชน

6. นายสละ	วงษ์วิจารณ์	กรรมการไตรภาคีส่วนชุมชน
7. นายสัญชัย	แม้นพงษ์	กรรมการไตรภาคีส่วนชุมชน
8. นางสุมาลี	บริสุทธิ์	กรรมการไตรภาคีส่วนชุมชน
9. นายบุญชิต	มานะต่อ	กรรมการไตรภาคีส่วนชุมชน
10. นายเอนก	ปรุงนิยม	กรรมการไตรภาคีส่วนชุมชน
11. นางไพริน	ไพเราะ	กรรมการไตรภาคีส่วนชุมชน
12. นายสำเริง	สีมาดาล	กรรมการไตรภาคีส่วนชุมชน
13. นางวิไลรัตน์	ไพเราะ	กรรมการไตรภาคีส่วนชุมชน
14. นางสมคิด	ทิพเวช	กรรมการไตรภาคีส่วนชุมชน
15. นางสาวสมจิต	ศรีมาศ	กรรมการไตรภาคีส่วนชุมชน
16. นางสาวนงลักษณ์	คุ้มมา	กรรมการไตรภาคีส่วนชุมชน
17. นางสาวลำไย	อร่ามวงษ์	กรรมการไตรภาคีส่วนชุมชน
18. นายสุรชัย	ไพเราะ	กรรมการไตรภาคีส่วนชุมชน
19. นายถวิล	โมคศักดิ์	กรรมการไตรภาคีส่วนชุมชน
20. นายบุญเกิด	พอไทย	กรรมการไตรภาคีส่วนชุมชน
21. นายประสิทธิ์	หอมจันทร์	กรรมการไตรภาคีส่วนชุมชน

กรรมการไตรภาคีส่วนโรงงาน

22. นางสาวอภิชญาภรณ์ช่วยจันทร์		กรรมการไตรภาคีส่วนโรงงาน
23. นางสาวอารีย์	จักษ์ตรีมงคล	กรรมการไตรภาคีส่วนโรงงาน

24. นางสาวณุกานดา	ปัญญาวิไล	กรรมการไตรภาคีส่วนโรงงาน
25. นางสาวกัญจนภัส	ปัญญาประเสริฐ	กรรมการไตรภาคีส่วนโรงงาน
26. นางสาวปัทมา	นาฆ้อง	กรรมการไตรภาคีส่วนโรงงาน
27. นายคุภณัฐ	ชินอ่อนล้าว	กรรมการไตรภาคีส่วนโรงงาน
28. นางสาวจีรภา	บุรีวงษ์	กรรมการไตรภาคีส่วนโรงงาน
29. นางสาวรวีวรรณ์	พรายแสง	กรรมการไตรภาคีส่วนโรงงาน
30. นางสาวเบญจวรรณ	จงหมั่น	กรรมการไตรภาคีส่วนโรงงาน
31. นางสาวพรทิพย์	หิตเทศ	กรรมการไตรภาคีส่วนโรงงาน
32. นางสาวอาภาภรณ์	แสนทำพล	กรรมการไตรภาคีส่วนโรงงาน
33. นางสาวปาริชาต	รุจิเทศ	กรรมการและเลขานุการคณะกรรมการไตรภาคี

กรรมการผู้ไม่เข้าประชุม

1. อุตสาหกรรมจังหวัดปราจีนบุรี		กรรมการไตรภาคีส่วนราชการ
2. ผอ.สำนักงานทรัพยากรธรรมชาติและสิ่งแวดล้อมจังหวัดปราจีนบุรี		กรรมการไตรภาคีส่วนราชการ
3. พลังงานจังหวัดปราจีนบุรี		กรรมการไตรภาคีส่วนราชการ
4. สมาชิกสภาจังหวัดปราจีนบุรี		กรรมการไตรภาคีส่วนราชการ
5. นายกองค์การบริหารส่วนตำบลท่าตูม		กรรมการไตรภาคีส่วนราชการ
6. ปลัดองค์การบริหารส่วนตำบลท่าตูม		กรรมการไตรภาคีส่วนราชการ
7. ผู้อำนวยการโรงเรียนบ้านโป่งไผ่		กรรมการไตรภาคีส่วนราชการ
8. นายวิทูร	บุญส่ง	ที่ปรึกษาผู้ทรงคุณวุฒิไตรภาคี
9. นายสมบุญ	พัชรไพบูลย์	กรรมการไตรภาคีส่วนชุมชน
10. นางสาวยุพิณ	ละมั่งทอง	กรรมการไตรภาคีส่วนชุมชน
11. นายวิลาส	เล็บพยัคฆ์	กรรมการไตรภาคีส่วนชุมชน
12. นายเผือก	เล็บพยัคฆ์	กรรมการไตรภาคีส่วนชุมชน
13. นายอุดม	ไทยงวน	กรรมการไตรภาคีส่วนชุมชน
14. นายชัยวิวัฒน์	เปลี่ยนนุช	กรรมการไตรภาคีส่วนชุมชน
15. นายเมธา	บุญโต	กรรมการไตรภาคีส่วนชุมชน
16. นายกู้เกียรติ	แสงจันทร์	กรรมการไตรภาคีส่วนชุมชน
17. นายพีรมิตร	สัมฤทธิ์	กรรมการไตรภาคีส่วนชุมชน
18. นายทรงกฤษ	คร้ามไพบูลย์	กรรมการไตรภาคีส่วนชุมชน
19. นายพิพัฒน์	คำแก้ว	กรรมการไตรภาคีส่วนชุมชน
20. นายวิชา	จันทร์ประทุม	กรรมการไตรภาคีส่วนชุมชน

ผู้เข้าร่วมประชุม

1. นางสาวกัญญาณัฐ	ลำไยสง	สำนักงานสาธารณสุขอำเภอศรีมหาโพธิ
2. นางสาวชุติมา	สันธนพิพัฒน์	สำนักงานทรัพยากรธรรมชาติและสิ่งแวดล้อมจังหวัดปราจีนบุรี
3. นางสาวนงค์นุช	เจียมจักร	เลขานุการอำเภอศรีมหาโพธิ
4. นางสาววิชุดา	ตรีเนตร์	เจ้าหน้าที่ปกครองอำเภอศรีมหาโพธิ

เริ่มประชุมเวลา 13.15 น.

นางสาวจุฑามาศ บัวเผื่อน นายอำเภอศรีมหาโพธิ ประธานกรรมการไตรภาคี ได้กล่าวทักทายผู้เข้าร่วมประชุม และขอเปิดประชุมคณะกรรมการไตรภาคี ครั้งที่ 3 / 2568 (ครั้งที่ 217) ตามวาระดังต่อไปนี้

ระเบียบวาระที่ 1 ประธานแจ้งที่ประชุมเพื่อทราบ

1.1 ประชาสัมพันธ์งานและเชิญชวนร่วมกาชาดจังหวัดปราจีนบุรี วันที่ 26 มีนาคม – 6 เมษายน 2568 ณ ลานพระบรมรูปรัชกาลที่ 5 (ศาลากลางหลังเก่า) โดยอำเภอรับผิดชอบซุ้มมัจฉากาชาดในวันที่ 28 กุมภาพันธ์ 2568

ระเบียบวาระที่ 2 รับรองรายงานการประชุมคณะกรรมการไตรภาคี ครั้งที่ 2/2568 (ครั้งที่ 216)

ประธานในที่ประชุมได้เสนอให้ที่ประชุมพิจารณาร่างรายงานการประชุมคณะกรรมการไตรภาคี ครั้งที่ 2/2568 (ครั้งที่ 216) เมื่อวันที่ 26 กุมภาพันธ์ 2568 ณ ห้องประชุมที่ทำการอำเภอศรีมหาโพธิ จังหวัดปราจีนบุรี

ระเบียบวาระที่ 2 รับรองรายงานการประชุมคณะกรรมการไตรภาคี ครั้งที่ 2/2568 (ครั้งที่ 216)

ประธานในที่ประชุมได้เสนอให้ที่ประชุมพิจารณาร่างรายงานการประชุมคณะกรรมการไตรภาคี ครั้งที่ 2/2568 (ครั้งที่ 216) เมื่อวันที่ 26 กุมภาพันธ์ 2568 ณ ห้องประชุมที่ทำการอำเภอศรีมหาโพธิ จังหวัดปราจีนบุรี

การพิจารณาของที่ประชุม

ที่ประชุมได้พิจารณารายงานการประชุมแล้ว ไม่มีท่านใดขอแก้ไขรายงานการประชุม

มติที่ประชุม ที่ประชุมมีมติรับรองรายงานการประชุมคณะกรรมการไตรภาคี ครั้งที่ 2/2568

3.1 ผลการดำเนินงานตามโครงการศูนย์รับข้อร้องเรียนฯ เดือน ก.พ. 68

ตามที่ บมจ.ดั๊บเบิ้ล เอ (1991) ได้จัดตั้ง "ศูนย์รับเรื่องร้องเรียนและข้อเสนอแนะ" โดยมีวัตถุประสงค์เพื่อรับทราบปัญหาผลกระทบด้านสิ่งแวดล้อมและจัดการป้องกันแก้ไขปัญหา ตั้งแต่ปี 2554 นั้น

ผลการตรวจสอบข้อร้องเรียนในเดือนกุมภาพันธ์ 2568 ได้รับเรื่องร้องเรียน จำนวน 4 ครั้ง ดังนี้

วัน-เวลา	ผู้แจ้ง	เหตุการณ์	แนวทางการดำเนินงาน/การแก้ไข
6 ก.พ. 68 22.00 น.	เจ้าหน้าที่ อบต. หาดนางแก้ว	แจ้งร้องเรียนกลิ่นเหม็น ม.4 ต.หาดนางแก้ว	ไม่สอดคล้อง โดยตรวจสอบแล้วพบว่าการเดินเครื่องจักรทั้งในส่วนของ โรงงานผลิตเยื่อ และโรงไฟฟ้าทำงานปกติ และไม่พบการแจ้งเตือนกลิ่นจากจมูกอิเล็กทรอนิกส์ (E-nose) ในจุดใกล้เคียง ในช่วงเวลาดังกล่าว
11 ก.พ. 68	ร้องเรียนผ่านแอพ อบต. ท่าตูม	แจ้งร้องเรียน ชิ้นไม้สับปลิว หล่นรินถนนและทอง สะสม ส่งผลให้ท่อระบาย น้ำอุดตัน บริเวณหน้า ตลาดกองไทย	เบื้องต้นแจ้งฝ่ายขนส่งให้ ดำเนินการตรวจสอบ ดูแล และ กำชับมาตรการข้อกำหนดอย่างจริงจัง ทั้งต่อรถขนส่งของ บริษัทและรถของผู้รับเหมาภายนอก และจะติดตามการแก้ไขปัญหาเป็นระยะ
18 ก.พ. 68 16.35-17.55 น.	นางกนกชล แม้นนิยม ผู้ช่วยผู้ใหญ่บ้าน ม.4	แจ้งร้องเรียนกลิ่นเหม็น ม.4 ต.ท่าตูม	ไม่สอดคล้อง โดยตรวจสอบแล้วพบว่าการเดินเครื่องจักรทั้งในส่วนของ โรงงานผลิตเยื่อ และ

วัน-เวลา	ผู้แจ้ง	เหตุการณ์	แนวทางการดำเนินงาน/การแก้ไข
	ต.ท่าตูม		โรงไฟฟ้าทำงานปกติ และไม่พบการแจ้งเตือนกลิ่นจากจมูกอิเล็กทรอนิกส์ (E-nose) ในจุดใกล้เคียง ในช่วงเวลาดังกล่าว
21 ก.พ. 68 10.55 น.	นางกนกชล แม้นนิยม ผู้ช่วยผู้ใหญ่บ้าน ม.4 ต.ท่าตูม	แจ้งเหตุน้ำบ่าบัดไหลล้นเข้าแปลงมะนาวของ ชุมชนหนองน้ำขุ่น หมู่ 4 ต. ท่าตูม	เจ้าหน้าที่ บริษัท น้ำใส 304 จำกัด เข้าตรวจสอบพบว่าท่อปกติแต่วาล์วน้ำถูกเปิด น้ำจึงไหลล้นข้ามไป เบื้องต้นได้ทำการปิดน้ำทันที และนำแม่กุญแจไปล็อคเพื่อป้องกัน ผู้ไม่เกี่ยวข้องเปิด

มติที่ประชุม

ที่ประชุมรับทราบโดยพร้อมเพรียงกัน

3.2 ผลการตรวจวิเคราะห์คุณภาพน้ำ เดือนกุมภาพันธ์ 2568

1) การตรวจวิเคราะห์คุณภาพน้ำใต้ดิน โดยตรวจวัดทุกเดือนในจุดบุยายใบและหนองตะโก และมีการเก็บในเดือน เม.ย.และ ก.ย. ในจุดหัวโล่ และ โป่งไผ่ ทั้งนี้ผลการตรวจวัดในเดือนกุมภาพันธ์ 2568 มีค่าแสดงตามรายละเอียดดังนี้

ที่	ค่าที่ตรวจวัด	ค่ามาตรฐาน/หน่วย	หนองตะโก	บุยายใบ
1	ปริมาณแบคทีเรียรวม พบอยู่ทั่วไปตามดิน น้ำ พืชผัก ลำไส้คน และสัตว์ และมีที่มาจากกิจวัตรประจำวันของมนุษย์ เช่น การขับถ่าย, การเลี้ยงสัตว์,การขับถ่ายสิ่งปฏิกูล นอกจากนี้ยังสามารถพบได้ในดิน และปนเปื้อนมากับพืชผักต่างๆ หรืออยู่ในผลิตภัณฑ์อาหารที่ไม่มีสุขลักษณะในการผลิต	ไม่เกิน 2.2 เซลล์/น้ำ100 มล.	33	110
2	ฟีคอล โคลีฟอร์มแบคทีเรีย ปริมาณเชื้อโรคแบคทีเรียกลุ่มโคลิฟอร์ม ที่มีอยู่ในอุจจาระของมนุษย์และสัตว์เลือดอุ่น การตรวจพบแบคทีเรียชนิดนี้ในแหล่งน้ำ อาจแสดงว่าแหล่งน้ำนั้นมีโอกาสปนเปื้อนหรือมีการแพร่กระจายของเชื้อโรคที่ทำให้เกิดโรคในระบบทางเดินอาหารสูง ส่วนใหญ่แบคทีเรียกลุ่มฟีคอลโคลิฟอร์มจะตรวจพบมากในแหล่งน้ำที่ไหลผ่านชุมชนที่ระบายน้ำทิ้งสู่แหล่งน้ำโดยตรง		น้อยกว่า1.8	7.8
3	ฟลูออไรด์ พบตามธรรมชาติทั้งในน้ำ,ดิน,อาหาร ส่วนร่างกายของเราจะพบฟลูออไรด์ที่กระดูก ฟันและของเหลวทั่วร่างกาย ตามปกติแล้วร่างกายจะได้รับฟลูออไรด์จากอาหารและน้ำ	ไม่เกิน 1 มิลลิกรัม/ลิตร	0.02	น้อยกว่า0.02
4	ปรอท เป็นโลหะหนักที่ของเหลวระเหยเป็นไอได้ง่ายใน มีสีเงิน พบมากในแหล่งที่มีการเผาไหม้น้ำมันเชื้อเพลิง โลหะ โรงงานผลิตปูนซีเมนต์ ในอุตสาหกรรมที่มีการใช้สารประกอบของปรอท นอกจากนี้ยังใช้ในวงการแพทย์ เช่นเป็นสารอุดฟัน	ไม่เกิน 0.001 มิลลิกรัม/ ลิตร	น้อยกว่า 0.0001	น้อยกว่า0.0001
5	แคดเมียม พบแคดเมียมในแหล่งสังกะสีและตะกั่ว นิยมใช้เป็นวัตถุดิบในอุตสาหกรรมผลิตแบตเตอรี่, อุปกรณ์ไฟฟ้า, โลหะผสม, อะไหล่รถยนต์ โลหะผสมในอุตสาหกรรมเพชรพลอย แคดเมียมที่ปนเปื้อนในน้ำ,อาหาร และในยาสูบ	ไม่เกิน 0.01 มิลลิกรัม/ ลิตร	น้อยกว่า0.002	น้อยกว่า0.002

ที่	ค่าที่ตรวจวัด	ค่ามาตรฐาน/หน่วย	หนองตะโก	บุยายใบ
6	ทองแดง ส่วนมากพบทั้งในรูปไอ และเกลือของทองแดง เนื่องจากการหลอมโลหะทองแดง ทองเหลือง การเชื่อมและบัดกรีโลหะโดยใช้โลหะผสมของทองแดง หากได้รับในปริมาณมาก ทำให้เกิดการระคายเคืองและอักเสบที่ตา ระบบหายใจ ระบบทางเดินอาหารและประสาทรสสัมผัส	ไม่เกิน 1.5 มิลลิกรัม/ ลิตร	น้อยกว่า0.006	0.013
7	นิกเกิล เป็นโลหะชนิดหนึ่งสีขาวเหมือนเหล็กขาว ดูดติดแต่ไม่เท่าเหล็ก ส่วนใหญ่ใช้ชุบโลหะชนิดอื่น และเป็นส่วนผสมสำคัญของสแตนเลส และใช้ในการผลิตแบตเตอรี่	ไม่กำหนด มิลลิกรัม/ ลิตร	น้อยกว่า0.004	0.005
8	ตะกั่ว สารตะกั่วเป็นโลหะหนักสีน้ำเงิน มีคุณสมบัติที่อ่อนตัวสามารถตัดเป็นรูปร่างต่างๆได้ทำให้มันถูกใช้ประโยชน์ เช่น สีทาบ้าน,น้ำมัน, เครื่องปั้นดินเผา, แบตเตอรี่,หมึก,สี,ตัวเชื่อม,ท่อน้ำ,สารตะกั่วนี้สามารถอยู่ในอากาศ, น้ำ ดิน	ไม่เกิน 0.05 มิลลิกรัม/ ลิตร	น้อยกว่า0.010	น้อยกว่า0.010
9	สังกะสี เป็นแร่ธาตุที่เป็นองค์ประกอบในชั้นหินหรือดินและพบในแหล่งน้ำธรรมชาติทั่วไป มีความสำคัญต่อระบบทำงานต่างๆของสิ่งมีชีวิต เช่น การเติบโตของเซลล์และระบบภูมิต้านทาน	ไม่เกิน 5 มิลลิกรัม/ ลิตร	น้อยกว่า0.004	2.345
10	สารหนู เป็นสารชนิดหนึ่ง ที่มักพบในน้ำที่มาจากแหล่งที่เคยผ่านการทำเหมืองมาก่อน น้ำทิ้งจากเหมืองหรือจากโรงงานอุตสาหกรรม น้ำที่ผ่านการทำเกษตรกรรมที่มีการใช้ยากำจัดศัตรูพืชไหลลงไปในแหล่งน้ำธรรมชาติหรือซึมลงไปใต้ดิน ทำให้เกิดการปนเปื้อนของสารหนูในน้ำผิวดินและน้ำใต้ดินได้	ไม่เกิน 0.05 มิลลิกรัม/ ลิตร	น้อยกว่า0.006	น้อยกว่า0.006
11	ซีลีเนียม เป็นธาตุที่มีสมบัติเหมือนกำมะถัน ร่างกายต้องการซีลีเนียมน้อยมากหากได้รับมากเกินไปจะเป็นอันตราย ต่อระบบทางเดินหายใจ	ไม่เกิน 0.01 มิลลิกรัม/ ลิตร	น้อยกว่า0.006	น้อยกว่า0.006
12	โครเมียมชนิดเฮกซาวาเลนต์ มีอุตสาหกรรมจำนวนมากยังคงใช้เป็นวัตถุดิบ ดังนั้นจึงมีโอกาสที่เฮกซาวาเลนต์โครเมียมจะเกิดการปนเปื้อนในน้ำ ดังนั้นควรเผยแพร่ถึงภัยอันตรายจากการปนเปื้อนของเฮกซาวาเลนต์โครเมียม รวมทั้งวิธีการป้องกันและการตรวจวัด จึงมีความสำคัญอย่างยิ่งต่อสุขภาพอนามัยของประชาชนโดยทั่วไป	ไม่กำหนด มิลลิกรัม/ ลิตร	น้อยกว่า0.025	น้อยกว่า0.025

1.ทำการตรวจวัดโดย บริษัท อินทิเกรทเด็ด วีเล้ริช เซ็นเตอร์ จำกัด และบริษัท ยูไนเต็ด แอนนาลิสต์ แอนด์ เอ็นจิเนียริ่ง คอนซัลแตนท์ จำกัด ขึ้นทะเบียนห้องแลปกับกรมโรงงานฯ

2.จุดตรวจวัดน้ำใต้ดิน

หมู่ 2 หนองตะโก ต.ท่าตูม อ.ศรีมหาโพธิ จ.ปราจีนบุรี ที่ อู่ซ่อมรถ นางสุมาลี บริสุทธิ์

หมู่ 4 บ้านบุยายใบ ต.ท่าตูม อ.ศรีมหาโพธิ จ.ปราจีนบุรี ที่ คันโยกน้ำบาดาล หน้าศาลาประชาคมหมู่บ้าน

หมู่ 4 บ้านบุยายใบ (คุ้มหัวโล่) ที่ บ้านนางสมใจ ไพเราะ

หมู่ 7 บ้านโป่งไผ่ ต.ท่าตูม อ.ศรีมหาโพธิ จ.ปราจีนบุรี ที่ บ้านนางสาวนงลักษณ์ คุ้มมา

*** จุดเก็บบ้านบุยายใบ และ บ้านหนองตะโก จะมีการเก็บทุกเดือน

*** จุดเก็บบ้านโป่งไผ่ และ บ้านหัวโล่ จะมีการเก็บปีละ 2 ครั้ง คือในเดือน เมษายน และกันยายน

3. อ้างอิงค่ามาตรฐานตามประกาศกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม พ.ศ. 2551 เรื่อง กำหนดหลักเกณฑ์และมาตรการในทางวิชาการสำหรับการป้องกันด้านสาธารณสุขและการป้องกันในเรื่องสิ่งแวดล้อมเป็นพิษ

ภาพเก็บตัวอย่างคุณภาพน้ำใต้ดิน 3 ก.พ. 68

บ้านบุยายใบ

บ้านหนองตะโก

2) การตรวจวิเคราะห์คุณภาพน้ำใต้ดิน โดยตรวจวัดทุกเดือนในจุดบ่อสังเกตการณ์รอบหลุมฝังกลบขยะที่ไม่อันตราย ของบริษัท จำนวน 5 บ่อ ผลการตรวจวัดในเดือนกุมภาพันธ์ 2568 มีค่าแสดงตามรายละเอียด ดังนี้

ที่	ค่าที่ตรวจวัด	เกณฑ์การปนเปื้อน	หน่วย	บ่อ 1	บ่อ 2	บ่อ 3	บ่อ 4
1	ค่าการนำไฟฟ้า การวัดค่าความนำไฟฟ้าจะสามารถบ่งบอกได้ถึงความสกปรกของน้ำ โดยถ้าค่าความนำไฟฟ้าสูง แสดงว่าในน้ำมีการปนเปื้อนของสารหรือธาตุที่มีการนำไฟฟ้ามาก ถ้าค่าต่ำแสดงว่าสารหรือธาตุที่มีการนำไฟฟ้าน้อย	ไม่กำหนด	ไมโครซีเมนส์ต่อเซนติเมตร (µs/cm)	1,780	1,753	1)906	2,036
2	แอมโมเนีย – ไนโตรเจน เกิดตามธรรมชาติโดยการย่อยสลายสารอินทรีย์ภายใต้สภาวะที่ไม่มีออกซิเจน ซึ่งมีกลิ่นคล้ายบัสสาวะ หากในแหล่งน้ำมีแอมโมเนีย-ไนโตรเจนมาก จะมีกลิ่นและมีฤทธิ์กัดกร่อนได้	ไม่กำหนด	มิลลิกรัม/ลิตร	1.54	2.78	2.07	3.31
3	ไซยาไนด์ เป็นสารที่มีความเป็นพิษสูง พบได้ในหลายรูปแบบได้แก่ ภาวะก๊าซไฮโดรเจน ไซยาไนด์ เกิดจากการเผาไหม้สารพลาสติกโพลียูรีเทนและหนังเทียม สามารถพบในมันสำปะหลังดิบ ลูกพีช เมื่อรับประทานเข้าไปจะถูกเผาผลาญและให้ ไซยาไนด์ออกมาสู่ร่างกาย	ไม่เกิน 5,000	ไมโครกรัม/ลิตร	น้อยกว่า5	น้อยกว่า5	น้อยกว่า5	น้อยกว่า5
4	ไนเตรต-ไนโตรเจน เป็นโลหะที่มีสถานะเป็นแก๊สที่มีอยู่ทั่วไป โดยปกติไม่มีสี,กลิ่นหรือรส สารไนเตรทเป็นแร่ธาตุที่พบได้ในธรรมชาติ โดยเกิดจากการย่อยสลายสารอินทรีย์ในไนโตรเจน	ไม่กำหนด	มิลลิกรัม/ลิตร	น้อยกว่า 0.02	น้อยกว่า 0.02	น้อยกว่า 0.02	น้อยกว่า 0.02
5	กรดฟีนอล เป็นผลึกหรืออาจอยู่ในรูปของเหลวใส ไม่มีสี หรืออาจมีสีชมพูอ่อน กลิ่นหอมหวานค่อนข้างรุนแรง ฟีนอลเป็นสารที่ติดไฟง่ายและเมื่อสัมผัสกับความร้อนจะให้ไอระเหยที่ติดไฟได้ รวมทั้งให้แก๊สที่มีอันตรายขณะเกิดเพลิงไหม้	ไม่เกิน 72	มิลลิกรัม/ลิตร	น้อยกว่า 0.005	น้อยกว่า 0.005	น้อยกว่า 0.005	น้อยกว่า 0.005
6	ฟอสเฟตทั้งหมด หมายถึงปริมาณฟอสฟอรัสที่มีอยู่ในน้ำ	ไม่กำหนด	มิลลิกรัม/ลิตร	น้อยกว่า 0.03	น้อยกว่า 0.03	น้อยกว่า 0.03	น้อยกว่า 0.03

ที่	ค่าที่ตรวจวัด	เกณฑ์การปนเปื้อน	หน่วย	บ่อ 1	บ่อ 2	บ่อ 3	บ่อ 4
7	คลอไรด์ เป็นสารอนินทรีย์ที่พบมากโดยจะอยู่ในรูปของสารประกอบ ของแคลเซียม แมกนีเซียม หรือ โซเดียม โดยเกลือของคลอไรด์จะละลายอยู่ในน้ำ ซึ่งมีความเข้มข้นแตกต่างกันไปขึ้นอยู่กับพื้นดินหรือชั้นดินที่มีปริมาณคลอไรด์แตกต่างกัน น้ำธรรมชาติรับคลอไรด์จากหลายทาง เช่น จากสิ่งปฏิกูล หรือโรงงานอุตสาหกรรม	ไม่กำหนด	มิลลิกรัม/ลิตร	251	288	283	310
8	ซัลเฟต ถ้าน้ำมีซัลเฟตมากจะเกิดสภาพน้ำกระด้างถาวรเป็นตะกรันในหม้อต้ม	ไม่กำหนด	มิลลิกรัม/ลิตร	658	587	613	673
9	สภาพด่าง หรือ อัลคาไลนิตี้ หรือ ค่าอัลคาไลน์ เป็นการวัดความสามารถของสารละลายในการเปลี่ยนสภาพกรดให้	ไม่กำหนด	มิลลิกรัม/ลิตร	163	234	305	267
10	ปรอท เป็นโลหะหนักที่ของเหลวระเหยเป็นไอได้ง่ายใน มีสีเงิน พบมากในแหล่งที่มีการเผาไหม้น้ำมันเชื้อเพลิง โลหะ โรงงานผลิตปูนซีเมนต์ ในอุตสาหกรรมที่มีการใช้สารประกอบของปรอท นอกจากนี้ยังใช้ในวงการแพทย์ เช่นเป็นสารอุดฟัน	ไม่เกิน 0.7	มิลลิกรัม/ลิตร	<LOQ	<LOQ	<LOQ	<LOQ
11	โซเดียม		มิลลิกรัม/ลิตร	365	359	353	304
12	แคดเมียม แคดเมียมจะพบในแหล่งสังกะสีและตะกั่ว นิยมใช้เป็นวัตถุดิบในอุตสาหกรรมผลิตแบตเตอรี่, อุปกรณ์ไฟฟ้า, โลหะผสม, อะไหล่รถยนต์ โลหะผสมในอุตสาหกรรมเพชรพลอย แคดเมียมที่ปนเปื้อนในน้ำ,อาหาร และยาสูบ	ไม่เกิน 0.003	มิลลิกรัม/ลิตร	น้อยกว่า 0.002	น้อยกว่า 0.002	น้อยกว่า 0.002	น้อยกว่า 0.002
13	ทองแดง ส่วนมากพบทั้งในรูปไอและเกลือของทองแดง เนื่องจากการหลอมโลหะทองแดง ทองเหลือง การเชื่อมและบัดกรีโลหะโดยใช้โลหะผสมของทองแดง หากได้รับในปริมาณมากทำให้เกิดการระคายเคืองและอักเสบที่ตา ระบบหายใจ ระบบทางเดินอาหารและประสาทรสสัมผัส	ไม่เกิน 1.0	มิลลิกรัม/ลิตร	น้อยกว่า 0.006	น้อยกว่า 0.006	น้อยกว่า 0.006	น้อยกว่า 0.006
14	นิกเกิล เป็นโลหะชนิดหนึ่งสีขาวเหมือนเหล็กขาว ดูดติด ส่วนใหญ่ใช้ชุบ	ไม่เกิน 0.02	มิลลิกรัม/ลิตร	0.024	0.027	0.029	0.024

ที่	ค่าที่ตรวจวัด	เกณฑ์การปนเปื้อน	หน่วย	บ่อ 1	บ่อ 2	บ่อ 3	บ่อ 4
	โลหะชนิดอื่น และเป็นส่วนผสมสำคัญของสแตนเลส และใช้ในการผลิตแบตเตอรี่						
15	ตะกั่ว เป็นโลหะหนักสีน้ำเงิน มีคุณสมบัติที่อ่อนตัวสามารถตัดเป็นรูปร่างต่างๆได้ทำให้มันถูกใช้ประโยชน์ เช่น สีทาบ้านน้ำมัน, เครื่องปั้นดินเผา, แบตเตอรี่,หมึก,สี,ตัวเชื่อม,ท่อน้ำ,สารตะกั่วนี้สามารถอยู่ในอากาศ, น้ำ ดิน	ไม่เกิน 0.01	มิลลิกรัม/ลิตร	น้อยกว่า 0.010	น้อยกว่า 0.010	น้อยกว่า 0.010	น้อยกว่า 0.010
16	สังกะสี เป็นแร่ธาตุที่เป็นองค์ประกอบในชั้นหินหรือดินและพบในแหล่งน้ำธรรมชาติทั่วไป มีความสำคัญต่อระบบทำงานของสิ่งมีชีวิต เช่น การเติบโตของเซลล์และระบบภูมิต้านทาน	ไม่เกิน5.0	มิลลิกรัม/ลิตร	น้อยกว่า 0.004	น้อยกว่า 0.004	น้อยกว่า 0.004	น้อยกว่า 0.004
17	แมงกานีส แมงกานีสมักพบอยู่ในน้ำพร้อมกับเหล็ก แต่ในปริมาณที่น้อยกว่าแมงกานีสก็เช่นเดียวกับเหล็ก คือมีอยู่ในน้ำบาดาลมากกว่าน้ำผิวดิน	ไม่เกิน 0.5	มิลลิกรัม/ลิตร	1.458	0.149	0.203	0.485
18	สารหนู เป็นสารชนิดหนึ่ง ที่มักพบในน้ำที่มาจากแหล่งที่เคยผ่านการทำเหมืองมาก่อน น้ำทิ้งจากเหมืองหรือจากโรงงานอุตสาหกรรม น้ำที่ผ่านการทำเกษตรกรรมที่มีการใช้ยากำจัดศัตรูพืช ไหลลงไปในแหล่งน้ำธรรมชาติหรือซึมลงไปใต้ดิน ทำให้เกิดการปนเปื้อนของสารหนู่ในน้ำผิวดินและน้ำใต้ดินได้	ไม่เกิน 0.01	มิลลิกรัม/ลิตร	น้อยกว่า 0.006	น้อยกว่า 0.006	น้อยกว่า 0.006	น้อยกว่า 0.006
19	โครเมียมชนิดเฮกซาวาเลนต์ มีอุตสาหกรรมจำนวนมากยังคงใช้เป็นวัตถุดิบ ดังนั้นจึงมีโอกาสที่ เฮกซาวาเลนต์โครเมียมจะเกิดการปนเปื้อนในน้ำ	ไม่เกิน 0.05	มิลลิกรัม/ลิตร	น้อยกว่า 0.025	น้อยกว่า 0.025	น้อยกว่า 0.025	น้อยกว่า 0.025
20	ซีโอดี เป็นปริมาณออกซิเจนที่สารเคมีใช้ในการย่อยสลายสารอินทรีย์ คือค่าที่วัดถึงปริมาณทั้งหมดของออกซิเจนที่ใช้โดยจุลินทรีย์ในการย่อยสลายสารอินทรีย์ให้เป็นคาร์บอนไดออกไซด์และน้ำ รวมไปถึงสารอนินทรีย์ที่สามารถถูกออกซิไดซ์ได้ น้ำที่มีค่าซีโอดีสูงแสดงว่ามีการปนเปื้อนด้วยสารอินทรีย์สูง	ไม่กำหนด	มิลลิกรัม/ลิตร	27	32	44	55

ที่	ค่าที่ตรวจวัด	เกณฑ์การปนเปื้อน	หน่วย	บ่อ 1	บ่อ 2	บ่อ 3	บ่อ 4
21	บีโอดี ค่าปริมาณออกซิเจนที่จุลินทรีย์ใช้ย่อยสลายสารอินทรีย์ ถ้าค่าต่ำหมายถึง ในแหล่งน้ำมีการปนเปื้อนของสารอินทรีย์น้อย ค่าสูงหมายถึงในแหล่งน้ำมีการปนเปื้อนของสารอินทรีย์มาก ซึ่งสารอินทรีย์ในแหล่งน้ำมาจากน้ำทิ้งจากชุมชน โรงงานอุตสาหกรรม การเกษตรกรรม เป็นต้น	ไม่กำหนด	มิลลิกรัม/ลิตร	0.3	0.7	3.1	1.1

วิธีการตรวจวิเคราะห์คุณภาพน้ำในบ่อสังเกตการณ์และน้ำบาดาล/น้ำใต้ดิน ดำเนินการตามประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 20 (พ.ศ. 2543) ออกตามความในพระราชบัญญัติส่งเสริมและรักษาคุณภาพสิ่งแวดล้อมแห่งชาติ พ.ศ. 2535 เรื่อง กำหนดมาตรฐานคุณภาพน้ำใต้ดิน ประกาศในราชกิจจานุเบกษา เล่ม 117 ตอนพิเศษ 95 ง วันที่ 15 กันยายน พ.ศ. 2543 และประกาศกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม เรื่อง กำหนดหลักเกณฑ์และมาตรการในทางวิชาการสำหรับการป้องกันด้านสาธารณสุขและการป้องกันในเรื่องสิ่งแวดล้อมเป็นพิษ พ.ศ. 2551 ประกาศในราชกิจจานุเบกษา เล่ม 125 ตอนพิเศษ 85 ง วันที่ 21 พฤษภาคม พ.ศ. 2551

1.ทำการตรวจวัดโดย บริษัท อินทิเกรทเต็ด รีเสิร์ช เซ็นเตอร์ จำกัด และบริษัท ยูไนเต็ด แอนนาลิสต์ แอนด์ เอ็นจิเนียริ่ง คอนซัลแตนท์ จำกัด ขึ้นทะเบียนห้องแลปกับกรมโรงงานฯ

Monitoring Well #1

Monitoring Well #2

Monitoring Well #3

Monitoring Well #4

มติที่ประชุม

ที่ประชุมรับทราบโดยพร้อมเพรียงกัน

วาระที่ 3.3 รายละเอียดและความคืบหน้าโครงการสวนอุตสาหกรรม 304 อินดัสเตรียล ปาร์ค 7 (บุยายใบ)

ด้วยบริษัท 304 อินดัสเตรียล ปาร์ค 7 จำกัด ได้ดำเนินโครงการสวนอุตสาหกรรม 304 อินดัสเตรียล ปาร์ค7 เฟส7 ขึ้น ในพื้นที่ หมู่ 4 และ หมู่ 10 ตำบลท่าตูม อำเภอศรีมหาโพธิ จังหวัดปราจีนบุรี ภายในพื้นที่ของโครงการทั้งหมด 708.22 ไร่ ทั้งนี้ได้ดำเนินได้ดำเนินการจัดทำการประเมินผลกระทบสิ่งแวดล้อม หรือ EIA (**Environmental Impact Assessment**) และได้รับความเห็นชอบจากสำนักงานนโยบายและแผนทรัพยากรธรรมชาติและสิ่งแวดล้อมแล้วในปี 2566 ที่ผ่านมา

ดังนั้นเพื่อให้เกิดการพัฒนาชุมชนร่วมกันอย่างยั่งยืน และเพื่อประชาสัมพันธ์ให้ประชาชนได้รับทราบถึงการดำเนินงานอย่างต่อเนื่อง จึงขอแจ้งการเริ่มก่อสร้างระบบสาธารณูปโภคในเฟสแรก โดยมีระยะเวลาดำเนินการระหว่าง 25 มกราคม-31 พฤษภาคม 2568 ตามรายละเอียด ดังนี้

1) ติดตั้งแผ่นกันเสียง(เมทัลชีท) ระยะทาง 670 เมตร ดำเนินการแล้วเสร็จ 25 มีนาคม 2568

2) สร้างถนนในโครงการ ระยะทาง 1,524 เมตร มีแผนแล้วเสร็จ 31 พฤษภาคม 2568

3) สร้างถนนในโครงการ ระยะทาง 1,062 เมตร มีแผนแล้วเสร็จ 31 พฤษภาคม 2568

ทั้งนี้ในระหว่างการก่อสร้างทางโครงการจะระมัดระวังในการดำเนินงาน เพื่อไม่ให้ส่งผลกระทบต่อชุมชนและผู้สัญจรเส้นทางดังกล่าว โดยมีมาตรการด้านสิ่งแวดล้อม ดังนี้

1) ด้านคุณภาพอากาศ

1. ฉีดพรมน้ำบริเวณถนนในพื้นที่ก่อสร้าง หรือบริเวณที่เปิดหน้าดิน เพื่อลดการฟุ้งกระจายของฝุ่นอย่างน้อย วันละ 2 ครั้ง (เช้า-บ่าย)

2. รถบรรทุกที่ขนส่งวัสดุก่อสร้างที่เข้าพื้นที่โครงการ ต้องมีผ้าใบปิดคลุมอย่างมิดชิด เพื่อป้องกันการฟุ้งกระจายของฝุ่นละออง และการตกหล่นของวัสดุก่อสร้าง

3. ตรวจสอบสภาพรถบรรทุกเป็นประจำ และบำรุงรักษาเครื่องยนต์ต่างๆ เพื่อลดควันเสียที่ระบายออกมา

4. จำกัดความเร็วของยานพาหนะในพื้นที่ก่อสร้างไม่เกิน 30 กิโลเมตร/ชั่วโมง

5. กรณีที่มีฝุ่นละอองเศษดิน และเศษวัสดุก่อสร้างร่วงหล่นภายในพื้นที่หรือพื้นที่ใกล้เคียงโดยรอบ หรือเส้นทางที่ใช้ขนส่ง ผู้รับเหมา ก่อสร้างจะต้องดำเนินการเก็บวัสดุที่ร่วงหล่นทันที รวมทั้งทำความสะอาดในบริเวณพื้นที่ดังกล่าวให้เรียบร้อย เพื่อไม่ให้เกิดการกีดขวางการใช้เส้นทาง หรือความสกปรกในบริเวณต่างๆ

6. ดำเนินการเปิดพื้นที่ก่อสร้างให้น้อยที่สุด จากนั้นผู้รับเหมาก่อสร้างต้องดำเนินการบดอัดดินให้เรียบร้อยก่อนเปิดพื้นที่ส่วนอื่นๆ เพื่อลดการฟุ้งกระจายของฝุ่นละออง

7.ควบคุมการก่อสร้างโดยเฉพาะการปรับถมที่ให้อยู่เฉพาะในพื้นที่ก่อสร้างเท่านั้น การบดอัดดินให้แน่นตามาตรฐานก่อสร้าง และใช้ความระมัดระวังไม่ให้ก่อสร้างล้ำเข้าไปในเขตติดใกล้เคียง

8. ห้ามเผาทำลายเศษวัสดุก่อาร้าง หรือขยะมูลฝอยในพื้นที่โครงการ

2) มาตรการระดับเสียง

1. งดกิจกรรมการก่อสร้างที่ก่อให้เกิดเสียงดัง ในช่วงเวลา 17.00 - 08.00 น.

2. โครงการมีแนวทางการลดผลกระทบด้านเสียงในช่วงกิจกรรมการก่อสร้างด้วยการติดตั้งรั้วกั้นเสียงชั่วคราว (แผ่นเมทัลชีท หนา 0.64 มิลลิเมตร) สูง 3 เมตร บริเวณริมรั้วโครงการด้านที่ติดกับหมู่บ้านพานหิน 8 และหมู่บ้านไพรวี ครอฟท์

3) การจัดตั้งคณะกรรมการคณะกรรมการติดตามตรวจสอบผลกระทบด้านสิ่งแวดล้อม โครงการสวนอุตสาหกรรม 304 อินดัสเตรียล ปาร์ค 7(บุยายใบ) ของบริษัท 304 อินดัสเตรียล ปาร์ค 7 จำกัด โดยมีวัตถุประสงค์ดังนี้

1) เพื่อติดตามตรวจสอบคุณภาพสิ่งแวดล้อมบริเวณพื้นที่ที่อาจได้รับผลกระทบจากการดำเนินโครงการรวมทั้งควบคุมไม่ให้เกินมาตรฐานตามที่กฎหมาย

2) เพื่อสืบหาสาเหตุผลกระทบด้านสิ่งแวดล้อม และสุขภาพบริเวณชุมชนรอบที่ตั้งโครงการ

3) เพื่อเฝ้าระวังผลกระทบที่อาจมาจากการดำเนินการของโครงการ

4) เพื่อเป็นสื่อกลางในการประชาสัมพันธ์ข้อมูลข่าวสารของโครงการแก่ชุมชน และหน่วยงานที่เกี่ยวข้อง

ทั้งนี้มีองค์ประกอบของคณะกรรมการ 3 ส่วนคือ ผู้แทนภาคประชาชนในเขตพื้นที่ศึกษารัศมี 5 กิโลเมตร จากที่ตั้งโครงการ จำนวน 11 คน ผู้แทนจากหน่วยงานที่เกี่ยวข้อง จำนวน 6 และ ผู้แทนจากโครงการ จำนวน 2 คน

มติที่ประชุม

ที่ประชุมรับทราบโดยพร้อมเพรียงกัน

วาระที่ 4 เรื่องเพื่อพิจารณา

4.1 แผนการดำเนินกิจกรรมเพื่อการแพทย์สาธารณสุข ประจำปี 2568

เลขานุการคณะกรรมการไตรภาคี ได้ขอความเห็นชอบจากที่ประชุมสำหรับแผนการดำเนินกิจกรรมเพื่อการแพทย์และสาธารณสุข ประจำปี 2568 ซึ่งจะดำเนินการมอบอุปกรณ์ทางการแพทย์ ได้แก่ เตียงคนไข้ ที่นอนลม และรถเข็น ให้กับโรงพยาบาลส่งเสริมสุขภาพ 10 แห่ง ดังนี้

1) โรงพยาบาลส่งเสริมสุขภาพตำบลหัวหว้า ต.หัวหว้า อ.ศรีมหาโพธิ จ.ปราจีนบุรี
2) โรงพยาบาลส่งเสริมสุขภาพตำบลบ้านหนองปรือน้อย ต.หัวหว้า อ.ศรีมหาโพธิ จ.ปราจีนบุรี
3) โรงพยาบาลส่งเสริมสุขภาพตำบลสัมพันธ์ ต.หัวหว้า อ.ศรีมหาโพธิ จ.ปราจีนบุรี
4) โรงพยาบาลส่งเสริมสุขภาพตำบลดงกระทงยาม ต.ดงกระทงยาม อ.ศรีมหาโพธิ จ.ปราจีนบุรี
5) โรงพยาบาลส่งเสริมสุขภาพตำบลหาดยาง ต.หาดยาง อ.ศรีมหาโพธิ จ.ปราจีนบุรี
6) โรงพยาบาลส่งเสริมสุขภาพตำบลบางกุ้ง ต.บางกุ้ง อ.ศรีมหาโพธิ จ.ปราจีนบุรี
7) โรงพยาบาลส่งเสริมสุขภาพตำบลบ้านปรือวายใหญ่ ต.หนองโพรง อ.ศรีมหาโพธิ จ.ปราจีนบุรี
8) โรงพยาบาลส่งเสริมสุขภาพตำบลวังตาล ต.วังตาล อ.กบินทร์บุรี จ.ปราจีนบุรี
9) โรงพยาบาลส่งเสริมสุขภาพตำบลหาดนางแก้ว ต.หาดนางแก้ว อ.ศรีมหาโพธิ จ.ปราจีนบุรี
10) สถานีสุขภาพชุมชนบ้านคลองร่วม ต.ลาดตะเคียน อ.กบินทร์บุรี จ.ปราจีนบุรี

ทั้งนี้มีแผนดำเนินกิจกรรมในเดือนพฤษภาคม 2568 โดยจะนัดหมายมอบพร้อมกัน ณ ที่ว่าการอำเภอศรีมหาโพธิ ซึ่งจะแจ้งแผนให้ที่ประชุมทราบพร้อมกันในการประชุมครั้งต่อไป

มติที่ประชุม

ที่ประชุมรับทราบโดยพร้อมเพรียงกัน

วาระที่ 5 เรื่องอื่น ๆ

5.1 แจ้งปัญหารถจัดเก็บขยะวิ่งเร็วในบริเวณเขตชุมชน

นายบุญชิต มานะต่อ คณะกรรมการไตรภาคีส่วนชุมชน แจ้งปัญหารถจัดเก็บขยะโดยองค์การบริหารส่วนตำบลท่าตูมวิ่งรถด้วยความเร็วมากเกินไป ทำให้รบกวนการสัญจรในพื้นที่ รวมทั้งอาจมีเศษขยะร่วงหล่นได้

นายธีรชัย วงศ์วนิชโยธิน ผู้แทนปลัดองค์การบริหารส่วนตำบลท่าตูม แจ้งว่ารถที่จัดเก็บขยะในพื้นที่ตำบลท่าตูม มีทั้งทางหน่วยงานจัดเก็บเองและมีการจ้างบริษัทเอกชนดำเนินการ ซึ่งจะประสานงานแจ้งผู้ดำเนินการให้ระมัดระวังต่อไป

มติที่ประชุม

ที่ประชุมรับทราบโดยพร้อมเพรียงกัน

5.2 ขอบคุณโครงการโรงไฟฟ้า เอ็นพีเอส เพื่อสถานศึกษา

นายบุญชิต มานะต่อ คณะกรรมการไตรภาคีส่วนชุมชน ได้กล่าวขอบคุณ บริษัทเนชั่นแนล เพาเวอร์ ซัพพลาย จำกัด (มหาชน) ที่ได้จัดโครงการ “ปรับปรุงระบบไฟฟ้าให้แก่โรงเรียน” ณ วัดหลังถ้ำวิทยาคาร ตำบลท่าตูม อำเภอศรีมหาโพธิ จังหวัดปราจีนบุรี ซึ่งได้ซ่อมแซมระบบไฟฟ้าภายในโรงเรียนเพื่อให้ได้มาตรฐานและมีความปลอดภัยต่อการใช้งาน พร้อมทั้งให้ความรู้เกี่ยวกับการป้องกันตัวเองจากการโดนไฟดูดแก่เด็กนักเรียน เพื่อนำไปปรับใช้ในการระมัดระวังตัวเองจากการใช้ไฟฟ้าทั้งภายในโรงเรียนและที่บ้านได้อย่างปลอดภัย

มติที่ประชุม

ที่ประชุมรับทราบโดยพร้อมเพรียงกัน

5.3 แจ้งปัญหาแรงงานต่างด้าว

นายสุรชัย ไพเราะ คณะกรรมการไตรภาคีส่วนชุมชน ได้แจ้งปัญหาที่เกิดจากแรงงานต่างด้าวในพื้นที่ อาทิ ไฟไหม้ลุกลามจากการล่าสัตว์ และปัญหาอื่นๆ

ประธานคณะกรรมการไตรภาคี แจ้งให้ที่ประชุมทราบถึงข้อมูลแรงงานต่างด้าวในพื้นที่อำเภอศรีมหาโพธิ ส่วนใหญ่เป็นแรงงานชาวจีนและพม่า ซึ่งนอกจากปัญหาไฟไหม้แล้ว ยังพบปัญหาขยะมูลฝอยและการขับถ่ายไม่ถูกสุขลักษณะอีกด้วย ทั้งนี้ทางอำเภอศรีมหาโพธิจะดำเนินการออกตรวจในพื้นที่แรงงานต่างด้าวหนาแน่นต่อไป

มติที่ประชุม

ที่ประชุมรับทราบโดยพร้อมเพรียงกัน

5.4 การจัดการจราจรในช่วงเทศกาลสงกรานต์

สืบเนื่องจากการแจ้งปัญหาการจัดการจราจรในบริเวณถนนสาย304 อำเภอศรีมหาโพธิ ประธานคณะกรรมการไตรภาคีได้แจ้งความคืบหน้าให้ที่ประชุมทราบว่า ได้หารือกับหน่วยงานที่เกี่ยวข้องถึงการกำหนดจุดปิดเปิด จุดกลับรถ และเปิดจราจรบางเวันทางเป็นช่วงแล้ว เพื่อแก้ไขปัญหารถติดสะสม

มติที่ประชุม

ที่ประชุมรับทราบโดยพร้อมเพรียงกัน

ปิดการประชุม เวลา 14.15 น.

จึงเรียนมาเพื่อโปรดทราบ

(นางสาวปาริชาต วุจิเทศ)

เลขานุการไตรภาคี

การประชุมคณะกรรมการไตรภาคี

บริษัท ดับเบิ้ล เอ (1991) จำกัด (มหาชน) กลุ่มบริษัท เนชั่นแนล เพาเวอร์ ซัพพลาย จำกัด(มหาชน)

กลุ่มบริษัท 304 อินดัสเตรียล ปาร์ค จำกัด

ตำบลท่าตูม อำเภอศรีมหาโพธิ จังหวัดปราจีนบุรี

วันที่ 25 เมษายน พ.ศ. 2568 เวลา 10.00-12.00 น.

ณ ศาลาประชาคม หมู่ 2 ตำบลท่าตูม อำเภอศรีมหาโพธิ จังหวัดปราจีนบุรี

กรรมการผู้เข้าประชุม

กรรมการไตรภาคีส่วนราชการ

1. นางสาวจุฑามาศ	บัวเผื่อน	ประธานคณะกรรมการไตรภาคี
2. นายภูวดล	เมืองกลาง	แทน หัวหน้าสำนักงานจังหวัดปราจีนบุรี
3. นางสาวกัญญาณัฐ	ลำไธสง	แทน สาธารณสุขอำเภอศรีมหาโพธิ
4. นางสวาท	เจริญสุข	กำนันประจำตำบลท่าตูม
5. นายชัชชัย	ไพเราะ	ผู้ใหญ่บ้าน หมู่ 3 ตำบลท่าตูม

กรรมการไตรภาคีส่วนชุมชน

6. นายสละ	วงษ์วิจารณ์	กรรมการไตรภาคีส่วนชุมชน
7. นายสัญชัย	แม้นพงษ์	กรรมการไตรภาคีส่วนชุมชน
8. นางสุมาลี	บริสุทธิ์	กรรมการไตรภาคีส่วนชุมชน
9. นายบุญชิต	มานะต่อ	กรรมการไตรภาคีส่วนชุมชน
10. นายเอนก	ปรุงนิยม	กรรมการไตรภาคีส่วนชุมชน
11. นางไพริน	ไพเราะ	กรรมการไตรภาคีส่วนชุมชน
12. นายสำเริง	สีมาดาล	กรรมการไตรภาคีส่วนชุมชน
13. นางวิไลรัตน์	ไพเราะ	กรรมการไตรภาคีส่วนชุมชน
14. นางสมคิด	ทิพเวช	กรรมการไตรภาคีส่วนชุมชน
15. นางสาวสมจิต	ศรีมาศ	กรรมการไตรภาคีส่วนชุมชน
16. นางสาวนงลักษณ์	คุ้มมา	กรรมการไตรภาคีส่วนชุมชน
17. นางสาวลำไย	อร่ามวงษ์	กรรมการไตรภาคีส่วนชุมชน
18. นายสุรชัย	ไพเราะ	กรรมการไตรภาคีส่วนชุมชน
19. นายถวิล	โมคศักดิ์	กรรมการไตรภาคีส่วนชุมชน
20. นายบุญเกิด	พอไทย	กรรมการไตรภาคีส่วนชุมชน
21. นายประสิทธิ์	หอมจันทร์	กรรมการไตรภาคีส่วนชุมชน

กรรมการไตรภาคีส่วนโรงงาน

22. นางสาวอภิชญาภรณ์ช่วยจันทร์ กรรมการไตรภาคีส่วนโรงงาน
23. นางสาวอารีย์ จักษ์ตรีมงคล กรรมการไตรภาคีส่วนโรงงาน
24. นางสาวณุกานดา ปัญญาวิไล กรรมการไตรภาคีส่วนโรงงาน
25. นางสาวกัญจนภัส ปัญญาประเสริฐ กรรมการไตรภาคีส่วนโรงงาน
26. นางสาวปัทมา นาฆ้อง กรรมการไตรภาคีส่วนโรงงาน
27. นายคุภณัฐ ชินอ่อนสำว กรรมการไตรภาคีส่วนโรงงาน
28. นางสาวจีรภา บุรีวงษ์ กรรมการไตรภาคีส่วนโรงงาน
29. นางสาววรีวรรณ์ พรายแสง กรรมการไตรภาคีส่วนโรงงาน
30. นางสาวเบญจวรรณ จงหมั่น กรรมการไตรภาคีส่วนโรงงาน
31. นางสาวพรทิพย์ หิดเทศ กรรมการไตรภาคีส่วนโรงงาน
32. นางสาวอาภาภรณ์ แสนทำพล กรรมการไตรภาคีส่วนโรงงาน
33. นางสาวปาริชาต รุจิเทศ กรรมการและเลขานุการคณะกรรมการไตรภาคี

กรรมการผู้ไม่เข้าประชุม

1. อุตสาหกรรมจังหวัดปราจีนบุรี กรรมการไตรภาคีส่วนราชการ
2. ผอ.สำนักงานทรัพยากรธรรมชาติและสิ่งแวดล้อมจังหวัดปราจีนบุรี กรรมการไตรภาคีส่วนราชการ
3. พลังงานจังหวัดปราจีนบุรี กรรมการไตรภาคีส่วนราชการ
4. สมาชิกสภาจังหวัดปราจีนบุรี กรรมการไตรภาคีส่วนราชการ
5. นายกองค์การบริหารส่วนตำบลท่าตูม กรรมการไตรภาคีส่วนราชการ
6. ปลัดองค์การบริหารส่วนตำบลท่าตูม กรรมการไตรภาคีส่วนราชการ
7. ผู้อำนวยการโรงเรียนบ้านโป่งไผ่ กรรมการไตรภาคีส่วนราชการ
8. นายวิทูร บุญส่ง ที่ปรึกษาผู้ทรงคุณวุฒิไตรภาคี
9. นายสมบุญ พัชรไพบูลย์ กรรมการไตรภาคีส่วนชุมชน
10. นางสาวยุพิณ ละมั่งทอง กรรมการไตรภาคีส่วนชุมชน
11. นายวิลาส เล็บพยัคฆ์ กรรมการไตรภาคีส่วนชุมชน
12. นายเผือก เล็บพยัคฆ์ กรรมการไตรภาคีส่วนชุมชน
13. นายอุดม ไทยงวัน กรรมการไตรภาคีส่วนชุมชน
14. นายชัยวิวัฒน์ เปลี่ยนนุช กรรมการไตรภาคีส่วนชุมชน
15. นายเมธา บุญโต กรรมการไตรภาคีส่วนชุมชน
16. นายกู้เกียรติ แสงจันทร์ กรรมการไตรภาคีส่วนชุมชน
17. นายพีรมิตร สัมฤทธิ์ กรรมการไตรภาคีส่วนชุมชน
18. นายทรงกฤษ ครำมไพบูลย์ กรรมการไตรภาคีส่วนชุมชน
19. นายพิพัฒน์ คำแก้ว กรรมการไตรภาคีส่วนชุมชน
20. นายวิชา จันทร์ประทุม กรรมการไตรภาคีส่วนชุมชน

ผู้เข้าร่วมประชุม

1. นายภูวนนท์ แสนตา เจ้าหน้าที่วิเคราะห์นโยบายและแผน สำนักงานจังหวัดปราจีนบุรี
2. พ.อ.ท.หญิง อรรถลักษณ์ พันนั่งศรี ปลัดอำเภอศรีมหาโพธิ
3. นางนิภาภร สุขเกษม ผู้ช่วยผู้ใหญ่บ้าน หมู่ 6 ตำบลท่าตูม
4. นางสาวณปภัช บวรวชิรมงคล ประชาชนในพื้นที่ หมู่ 2 ตำบลท่าตูม
5. นางลำพึง พุมสอน ประชาชนในพื้นที่ หมู่ 2 ตำบลท่าตูม
6. นางพุช วิจิตรวงศ์ ประชาชนในพื้นที่ หมู่ 2 ตำบลท่าตูม
7. นางสาวอรนุช ภูเดช ประชาชนในพื้นที่ หมู่ 2 ตำบลท่าตูม
8. นางสาวสมิตา สิงห์สนิท ประชาชนในพื้นที่ หมู่ 2 ตำบลท่าตูม
9. นายขจร แสนคำลือ ประชาชนในพื้นที่ หมู่ 2 ตำบลท่าตูม
10. นายสนธยา ดิษฐ์ทัวม ประชาชนในพื้นที่ หมู่ 2 ตำบลท่าตูม
11. นางนิภา โชควรานนท์ ประชาชนในพื้นที่ หมู่ 2 ตำบลท่าตูม
12. นางประวาสน์ ด่านมะณี ประชาชนในพื้นที่ หมู่ 2 ตำบลท่าตูม
13. นางบุญรอด อยู่สุขสบาย ประชาชนในพื้นที่ หมู่ 2 ตำบลท่าตูม
14. นางสาวเปรมฤดี เอกธงชัย ประชาชนในพื้นที่ หมู่ 10 ตำบลท่าตูม
15. นางนงเยาว์ น่าชม ประชาชนในพื้นที่ หมู่ 10 ตำบลท่าตูม

เริ่มประชุมเวลา 13.15 น.

นางสาวจุฑามาศ บัวเผื่อน นายอำเภอศรีมหาโพธิ ประธานกรรมการไตรภาคี ได้กล่าวทักทายผู้เข้าร่วมประชุม และขอเปิดประชุมคณะกรรมการไตรภาคี ครั้งที่ 4 / 2568 (ครั้งที่ 218) ตามวาระดังต่อไปนี้

ระเบียบวาระที่ 1 ประธานแจ้งที่ประชุมเพื่อทราบ

-ไม่มี-

ระเบียบวาระที่ 2 รับรองรายงานการประชุมคณะกรรมการไตรภาคี ครั้งที่ 3/2568 (ครั้งที่ 217)

ประธานในที่ประชุมได้เสนอให้ที่ประชุมพิจารณาร่างรายงานการประชุมคณะกรรมการไตรภาคี ครั้งที่ 3/2568 (ครั้งที่ 217) เมื่อวันที่ 27 มีนาคม 2568 ณ ห้องประชุมที่ทำการอำเภอศรีมหาโพธิ จังหวัดปราจีนบุรี

การพิจารณาของที่ประชุม

ที่ประชุมได้พิจารณารายงานการประชุมแล้ว ไม่มีท่านใดขอแก้ไขรายงานการประชุม

มติที่ประชุม ที่ประชุมมีมติรับรองรายงานการประชุมคณะกรรมการไตรภาคี ครั้งที่ 3/2568

วาระที่ 3 เรื่องเพื่อทราบ

3.1 แนะนำคณะกรรมการไตรภาคี

ด้วยการประชุมคณะกรรมการไตรภาคีในครั้งนี้เป็นการประชุมคณะกรรมการไตรภาคีสัญจร จึงขอบรรยายสรุปที่มาของการจัดตั้งคณะกรรมการไตรภาคี โดยย่อ ดังนี้

คณะกรรมการไตรภาคี เดิมมาจาก คณะกรรมการไตรภาคีโครงการส่งเสริมผู้ผลิตไฟฟ้ารายเล็กที่ใช้พลังงานหมุนเวียน บริษัท เอ เอ พัลพ์มิลล์ 2 จำกัด และ บริษัท แอ๊ดวานซ์ อะโกร จำกัด ซึ่งแต่งตั้งโดยสำนักงานนโยบายและแผนพลังงาน (สนพ.) กระทรวงพลังงาน ตั้งแต่ปี 2546 โดยคณะกรรมการไตรภาคีมีบทบาทหน้าที่ "เพื่อทำหน้าที่ติดตามตรวจสอบ เสนอแนวทาง การดำเนินงานของโรงไฟฟ้า ไม่ให้ส่งผลกระทบต่อสิ่งแวดล้อมและสังคม" ผ่านเวทีประชุมคณะกรรมการไตรภาคี จัดขึ้น เดือนละ 1 ครั้ง มีคณะกรรมการไตรภาคี จากภาคราชการ ชุมชน และโรงไฟฟ้า จำนวนส่วนละ 11 คน รวมเป็น 33 คน

ในปี 2553 หมดสัญญาสนับสนุนการดำเนินงานของไตรภาคี จากกระทรวงพลังงาน ทั้งนี้มติที่ประชุมขอให้ดำเนินการไตรภาคีต่อ เพื่อเป็นช่องทางหรือเวที พูดคุย แลกเปลี่ยน และแจ้งปัญหาด้านสิ่งแวดล้อมต่างๆ โดยขอให้ทางบริษัทรับผิดชอบค่าใช้จ่ายในการดำเนินงานทั้งหมด

ปัจจุบันใช้ชื่อคณะกรรมการไตรภาคี บริษัท ดั๊บเบิ้ล เอ(1991)จำกัด(มหาชน), กลุ่มบริษัท เนชั่นแนล เพาเวอร์ ซัพพลาย จำกัด(มหาชน) และบริษัท304 อินดัสเตรียล ปาร์ค จำกัด มีสัดส่วนคณะกรรมการไตรภาคี ส่วนราชการ 12 คน ส่วนโรงงาน 12 คน ส่วนชุมชน 28 คน และที่ปรึกษาผู้ทรงคุณวุฒิ 1 คน รวม 53 คน ซึ่งมีโครงสร้างที่ดูแลกลุ่มบริษัทต่างๆ ดังนี้

1. บริษัท ดั๊บเบิ้ล เอ (1991) จำกัด (มหาชน) เลขที่ 1 หมู่ 2 ต.ท่าตูม อ.ศรีมหาโพธิ จ.ปราจีนบุรี
2. กลุ่มบริษัท เนชั่นแนล เพาเวอร์ ซัพพลาย จำกัด (มหาชน) ได้แก่
   - 2.1 บริษัท เนชั่นแนล เพาเวอร์ ซัพพลาย จำกัด (มหาชน) เลขที่ 206 หมู่ 4 ต.ท่าตูม อ.ศรีมหาโพธิ จ.ปราจีนบุรี
   - 2.2 บริษัท ฟิวเจอร์ กรีนเนอร์จี จำกัด เลขที่ 155 หมู่ 4 ต.ท่าตูม อ.ศรีมหาโพธิ จ.ปราจีนบุรี
   - 2.3 บริษัท เอ็นพีเอส โซลาร์ จำกัด เลขที่ 206 หมู่ 4 ต.ท่าตูม อ.ศรีมหาโพธิ จ.ปราจีนบุรี
   - 2.4 บริษัท ซีเอชพี 1 จำกัด เลขที่ 206 หมู่ 4 ต.ท่าตูม อ.ศรีมหาโพธิ จ.ปราจีนบุรี
   - 2.5 บริษัท อี 85 จำกัด เลขที่ 78 หมู่ 4 ต.ท่าตูม อ.ศรีมหาโพธิ จ.ปราจีนบุรี
   - 2.6 บริษัท น้ำใส 304 จำกัด เลขที่ 299 หมู่ 4 ต.ท่าตูม อ.ศรีมหาโพธิ จ.ปราจีนบุรี
   - 2.7 บริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 5 เอ จำกัด เลขที่ 218 หมู่ 2 ต.ท่าตูม อ.ศรีมหาโพธิ จ.ปราจีนบุรี
   - 2.8 บริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 12 จำกัด เลขที่ 274 หมู่ 2 ต.ท่าตูม อ.ศรีมหาโพธิ จ.ปราจีนบุรี
   - 2.9 บริษัท อินทิเกรทเต็ด รีเสิร์ช เซ็นเตอร์ จำกัด เลขที่ 122 หมู่ 2 ต.ท่าตูม อ.ศรีมหาโพธิ จ.ปราจีนบุรี
3. กลุ่มบริษัท 304 อินดัสเตรียล ปาร์ค จำกัด ได้แก่
   - 3.1 บริษัท 304 อินดัสเตรียล ปาร์ค จำกัด เลขที่ 106 หมู่ 7 ต.ท่าตูม อ.ศรีมหาโพธิ จ.ปราจีนบุรี
   - 3.2 บริษัท 304 อินดัสเตรียล ปาร์ค 7 จำกัด เลขที่ 106 หมู่ 7 ต.ท่าตูม อ.ศรีมหาโพธิ จ.ปราจีนบุรี
   - 3.3 บริษัท 304 อินดัสเตรียล ปาร์ค 19 จำกัด เลขที่ 106 หมู่ 7 ต.ท่าตูม อ.ศรีมหาโพธิ จ.ปราจีนบุรี

รายนามคณะกรรมการไตรภาคี

ส่วนราชการ จำนวน 13 คน (รวมที่ปรึกษาผู้ทรงคุณวุฒิ)

ที่	ชื่อ - สกุล		ตำแหน่ง
1	นางสาวจุฑามาศ	บัวเผื่อน	นายอำเภอศรีมหาโพธิ (ประธานคณะกรรมการไตรภาคี)
2	นายวิเชียร	ทองด้วง	อุตสาหกรรมจังหวัดปราจีนบุรี (รองประธานคณะกรรมการไตรภาคี)
3	นายสมเกียรติ	สุสัณพูลทอง	หัวหน้าสำนักงานทรัพยากรธรรมชาติและสิ่งแวดล้อม (รองประธานคณะกรรมการไตรภาคี)
4	นายธนพล	จรัลวณิชวงศ์	หัวหน้าสำนักงานจังหวัดปราจีนบุรี
5	นางศิริกุล	ทศเวช	พลังงานจังหวัดปราจีนบุรี
6	นายวุฒิชัย	พงษ์อ้อ	สมาชิกสภา อบจ.ปราจีนบุรี (เขตตำบลท่าตูม)
7			สาธารณสุขอำเภอศรีมหาโพธิ
8	นายโยธิน	พงษ์อ้อ	นายกองค์การบริหารส่วนตำบลท่าตูม
9			ปลัดองค์การบริหารส่วนตำบลท่าตูม
10	นางสวาท	เจริญสุข	กำนันตำบลท่าตูม
11	นายชัชชัย	ไพเราะ	ผู้ใหญ่บ้าน หมู่ 3 ตำบลท่าตูม
12			ผู้อำนวยการโรงเรียนบ้านโป่งไผ่
13	นายวิทูร	บุญส่ง	ผู้ทรงคุณวุฒิ

ส่วนชุมชน จำนวน 28 คน

ที่	ชื่อ - สกุล		ที่อยู่
1	นายสละ	วงษ์วิจารณ์	201 หมู่ 1 ต.ท่าตูม อ.ศรีมหาโพธิ จ.ปราจีนบุรี
2	นายสัญชัย	แม้นพงษ์	81/1 หมู่ 2 ต.ท่าตูม อ.ศรีมหาโพธิ จ.ปราจีนบุรี
3	นางสุมาลี	บริสุทธิ์	5/3 หมู่ 2 ต.ท่าตูม อ.ศรีมหาโพธิ จ.ปราจีนบุรี
4	นายสมบุญ	พัชรไพบูลย์	52 หมู่ 3 ต.ท่าตูม อ.ศรีมหาโพธิ จ.ปราจีนบุรี
5	นายบุญชิต	มานะต่อ	10 หมู่ 3 ต.ท่าตูม อ.ศรีมหาโพธิ จ.ปราจีนบุรี
6	นางสาวยุพิณ	ละมั่งทอง	163 หมู่ 3 ต.ท่าตูม อ.ศรีมหาโพธิ จ.ปราจีนบุรี
7	นายวิลาส	เล็บพยัคฆ์	240 หมู่ 4 ต.ท่าตูม อ.ศรีมหาโพธิ จ.ปราจีนบุรี
8	นายเผือก	เล็บพยัคฆ์	136 หมู่ 4 ต.ท่าตูม อ.ศรีมหาโพธิ จ.ปราจีนบุรี
9	นายเอนก	ปรุงนิยม	5 หมู่ 4 ต.ท่าตูม อ.ศรีมหาโพธิ จ.ปราจีนบุรี

ที่	ชื่อ - สกุล	ที่อยู่
10	นางไพริน ไพเราะ	34 หมู่ 4 ต.ท่าตูม อ.ศรีมหาโพธิ จ.ปราจีนบุรี
11	นายสำเริง สีมาดาล	50 หมู่ 4 ต.ท่าตูม อ.ศรีมหาโพธิ จ.ปราจีนบุรี
12	นายอุดม ไท้ยง้วน	27 หมู่ 5 ต.ท่าตูม อ.ศรีมหาโพธิ จ.ปราจีนบุรี
13	นายชัยวิวัฒน์ เปลี่ยนนุช	38 หมู่ 5 ต.ท่าตูม อ.ศรีมหาโพธิ จ.ปราจีนบุรี
14	นางวิไลรัตน์ ไพเราะ	49/3 หมู่ 6 ต.ท่าตูม อ.ศรีมหาโพธิ จ.ปราจีนบุรี
15	นางสมคิด ทิพเวช	71 หมู่ 7 ต.ท่าตูม อ.ศรีมหาโพธิ จ.ปราจีนบุรี
16	นางสาวสมจิต ศรีมาศ	143 หมู่ 7 ต.ท่าตูม อ.ศรีมหาโพธิ จ.ปราจีนบุรี
17	นางสาวนลักษณ์ คุ้มมา	29 หมู่ 7 ต.ท่าตูม อ.ศรีมหาโพธิ จ.ปราจีนบุรี
18	นายเมธา บุญโต	72 หมู่ 8 ต.ท่าตูม อ.ศรีมหาโพธิ จ.ปราจีนบุรี
19	นางสาวลำไย อร่ามวงษ์	103/10 หมู่ 10 ต.ท่าตูม อ.ศรีมหาโพธิ จ.ปราจีนบุรี
20	นายกู้เกียรติ แสงจันทร์	93/10 หมู่ 3 ต.กรอกสมบูรณ์ อ.ศรีมหาโพธิ จ.ปราจีนบุรี
21	นายพีรมิตร สัมฤทธิ์	23/2 หมู่ 4 ต.กรอกสมบูรณ์ อ.ศรีมหาโพธิ จ.ปราจีนบุรี
22	นายสุรชัย ไพเราะ	209 หมู่ 5 ต.กรอกสมบูรณ์ อ.ศรีมหาโพธิ จ.ปราจีนบุรี
23	นายทรงกฤษ ครามไพบูลย์	22 หมู่ 6 ต.บ้านทาม อ.ศรีมหาโพธิ จ.ปราจีนบุรี
24	นายพิพัฒน์ คำแก้ว	99 หมู่ 13 ต.ลาดตะเคียน อ.กบินทร์บุรี จ.ปราจีนบุรี
25	นายถวิล โมคศักดิ์	25 หมู่ 10 ต.ลาดตะเคียน อ.กบินทร์บุรี จ.ปราจีนบุรี
26	นายวิชา จันทร์ประทุม	20 หมู่ 3 ต.หาดนางแก้ว อ.กบินทร์บุรี จ.ปราจีนบุรี
27	นายบุญเกิด พอไทย	10/1 หมู่ 4 ต.หาดนางแก้ว อ.กบินทร์บุรี จ.ปราจีนบุรี
28	นายประสิทธิ์ หอมจันทร์	74/3 หมู่ 4 ต.หาดนางแก้ว อ.กบินทร์บุรี จ.ปราจีนบุรี

ส่วนโรงงาน จำนวน 12 คน

ที่	ชื่อ-สกุล	ตำแหน่ง
1	นายสามารถ ประจวบสุข	ผู้แทนฝ่ายบริหาร บริษัท ดั๊บเบิ้ล เอ(1991)จำกัด(มหาชน)
2	นางสาวอารีย์ จักษ์ตรีมงคล	ผู้แทนฝ่ายบริหาร กลุ่มบริษัท เนชั่นแนล เพาเวอร์ ซัพพลาย จำกัด(มหาชน)
3	นายกิตติพันธ์ จิตต์เป็นธรรม	ผู้แทนฝ่ายบริหาร บริษัท 304 อินดัสเตรียล ปาร์ค จำกัด
4	นางสาวสายฝน พนาภัย	ผู้แทนฝ่ายสิ่งแวดล้อม บริษัท ดั๊บเบิ้ล เอ(1991)จำกัด(มหาชน)

ที่	ชื่อ-สกุล	ตำแหน่ง
5	นางสาวปัทมา นาม้อง	ผู้แทนฝ่ายสิ่งแวดล้อม กลุ่มบริษัท เนชั่นแนล เพาเวอร์ ซัพพลาย จำกัด (มหาชน)
6	นางสาวอังคณา โตพิทักษ์	ผู้แทนฝ่ายสิ่งแวดล้อม บริษัท 304 อินดัสเตรียล ปาร์ค จำกัด
7	นางสาวจีรภา บุรีวงษ์	ผู้แทนฝ่ายประสานงาน บริษัท ดั๊บเบิ้ล เอ(1991)จำกัด(มหาชน)
8	นางสาววีวรรณ์ พรายแสง	ผู้แทนฝ่ายประสานงาน กลุ่มบริษัท เนชั่นแนล เพาเวอร์ ซัพพลาย จำกัด (มหาชน)
9	นายอรรถพ เกียรตินันทโกศล	ผู้แทนฝ่ายประสานงาน บริษัท 304 อินดัสเตรียล ปาร์ค จำกัด
10	นางสาวพรทิพย์ หิตเทศ	ผู้แทนฝ่ายประสานงาน บริษัท 304 อินดัสเตรียล ปาร์ค จำกัด
11	นางสาวอาภาภรณ์ แสนทำพล	ผู้แทนฝ่ายประสานงานทั่วไป และผู้ช่วยเลขานุการกรรมการไตรภาคี
12	นางสาวปาริชาต รุจิเทศ	ผู้แทนฝ่ายประสานงานทั่วไป และเลขานุการกรรมการไตรภาคี

3.2 ผลการดำเนินงานตามโครงการศูนย์รับข้อร้องเรียนฯ เดือนมีนาคม 2568

ตามที่ บมจ.ดั๊บเบิ้ล เอ (1991) ได้จัดตั้ง "ศูนย์รับเรื่องร้องเรียนและข้อเสนอแนะ" โดยมีวัตถุประสงค์เพื่อรับทราบปัญหาผลกระทบด้านสิ่งแวดล้อมและจัดการแก้ไขปัญหา ตั้งแต่ปี 2554 นั้น

ผลการตรวจสอบข้อร้องเรียนในเดือนมีนาคม 2568 ได้รับเรื่องร้องเรียน จำนวน 7 ครั้ง ดังนี้

ครั้งที่	วัน-เวลา	ผู้แจ้ง	เหตุการณ์	แนวทางการดำเนินงาน/การแก้ไข
1	1 มี.ค. 68 20.57 น.	นายสุนทร เอี่ยมเหนือ	แจ้งร้องเรียนกลิ่นเหม็น ม.4 ต.หาดนางแก้ว	ตรวจสอบแล้วพบว่าการเดินเครื่องจักรทั้งในส่วนของโรงงานผลิตเยื่อ และโรงไฟฟ้าทำงานปกติ ทั้งนี้ได้ตรวจสอบข้อมูลจากจมูกอิเล็กทรอนิกส์ (E-nose) ในจุดใกล้เคียง ณ ช่วงเวลาดังกล่าว ไม่พบการแจ้งเตือนกลิ่นจากโรงงาน จึงสรุปว่า ไม่สอดคล้องกับการดำเนินงานของบริษัท โดยจากการติดตามสอบถามกลับไปภายหลังไม่พบปัญหาแล้ว
2	5 มี.ค. 68 05.59 น.	นายวิลาส เลิบพยัคฆ์ ผู้ใหญ่บ้าน ม.4 ต.ท่าตูม	แจ้งร้องเรียนกลิ่นเหม็น ม.4 ต.ท่าตูม	ตรวจสอบแล้วพบว่า โรงเยื่อที่1และโรงไฟฟ้าน้ำมันยางดำของ บริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 5 เอ จำกัด เกิดไฟดับ ในช่วงเวลา 00.45 น. มีการนำแก๊สเข้าระบบเผาสำรอง ซึ่งอาจจะทำให้เศษกำจัดกลิ่นได้ไม่เต็มประสิทธิภาพ ทั้งนี้ได้ดำเนินการแก้ไข และกลับมาเผาที่ระบบเผาหลักได้
3	5 มี.ค. 68 06.57 น.	นางกนกชล แม้นนิยม ผู้ช่วยผู้ใหญ่บ้าน ม.4 ต.ท่าตูม	แจ้งร้องเรียนกลิ่นเหม็น ม.4 ต.ท่าตูม	
4	5 มี.ค. 68 07.57 น.	โรงเรียนวัดบุบายใบ	แจ้งร้องเรียนกลิ่นเหม็น ม.4 ต.ท่าตูม	ตามปกติ เวลา 08.10 น. โดยจากการติดตามสอบถามกลับไปภายหลังไม่พบปัญหาแล้ว
5	5 มี.ค. 68 21.58 น.	นายสุนทร เอี่ยมเหนือ	แจ้งร้องเรียนกลิ่นเหม็น ม.4 ต.หาดนางแก้ว	ตรวจสอบแล้วพบว่าการเดินเครื่องจักรทั้งในส่วนของโรงงานผลิตเยื่อ และโรงไฟฟ้าทำงานปกติ ทั้งนี้ได้ตรวจสอบข้อมูลจากจมูกอิเล็กทรอนิกส์ (E-nose) ในจุดใกล้เคียง ณ ช่วงเวลาดังกล่าว ไม่พบการแจ้งเตือนกลิ่นจากโรงงาน จึงสรุปได้ว่า ไม่สอดคล้องกับการดำเนินงานของ

ครั้งที่	วัน-เวลา	ผู้แจ้ง	เหตุการณ์	แนวทางการดำเนินงาน/การแก้ไข
				บริษัท โดยจากการสอบถามกลับไปภายหลังไม่พบปัญหาแล้ว
6	18 มี.ค. 68	นางสาวศุภรัตน์ ทะน้อย ผู้ใหญ่บ้าน ม.10 ต.ท่าตูม	แจ้งเหตุไม่ไหแปลงของบริษัท ยื่นไปเข้าไปในหมู่บ้านวังสำราญ สร้างความรบกวนและอาจทำให้บ้านเรือนเกิดความเสียหายได้	ประสานงานฝ่ายพื้นที่ให้เข้าตรวจสอบพิกัดแปลงไม้ พบว่าเป็นไม้ในพื้นที่ของสวนอุตสาหกรรม 304 ซึ่งทางบริษัทได้ดำเนินการจ้างผู้เข้ารับเหมาเข้าตัดเรียบร้อยแล้ว
7	29 มี.ค. 68 07.54 น.	นางกนกชล แม้นนิยม ผู้ช่วยผู้ช่วยผู้ใหญ่บ้าน ม.4 ต.ท่าตูม	แจ้งร้องเรียนกลิ่นเหม็น ม.4 ต.ท่าตูม	ตรวจสอบแล้วพบว่าการเดินเครื่องจักรทั้งในส่วนของโรงงานผลิตเยื่อ และโรงไฟฟ้าทำงานปกติ ทั้งนี้ได้ตรวจสอบข้อมูลจากจมูกอิเล็กทรอนิกส์ (E-nose) ในจุดใกล้เคียง ณ ช่วงเวลาดังกล่าว ไม่พบการแจ้งเตือนกลิ่นจากโรงงาน จึงสรุปได้ว่า ไม่สอดคล้องกับการดำเนินงานของบริษัท โดยจากการสอบถามกลับไปภายหลังไม่พบปัญหาแล้ว

ประธานคณะกรรมการไตรภาคีแจ้งให้ฝ่ายเลขานุการไตรภาคีประสานงานไปยังพื้นที่อำเภอกบินทร์บุรี เพื่อตรวจสอบสาเหตุของปัญหาผลกระทบเรื่องกลิ่น ซึ่งดูจากสถิติแล้วพบว่าได้รับแจ้งร้องเรียน 2 ครั้ง แต่ไม่พบความสอดคล้องที่มีสาเหตุมาจากการดำเนินงานของกลุ่มบริษัท

นายสละ วงษ์วิจารณ์ กรรมการไตรภาคีส่วนชุมชน ขอให้ทางโรงงานแก้ไขปัญหาให้เห็นผลชัดเจนเป็นรูปธรรม ซึ่งเสนอแนะให้ตรวจสอบปัญหาผลกระทบเรื่องกลิ่นในช่วงเวลาหลังฝนตกทันที เนื่องจากจะมีผลกระทบไปยังชุมชนโดยรอบระยะทางประมาณ 400-500 เมตร จากที่ตั้งโรงงาน

นายประสิทธิ์ หอมจันทร์ กรรมการไตรภาคีส่วนชุมชน แจ้งให้ที่ประชุมทราบว่า ในวันที่ 5 มี.ค.68 ที่ทางโรงงานได้รับแจ้งปัญหาผลกระทบเรื่องกลิ่นจากพื้นที่ หมู่ 4 ตำบลหาดนางแก้ว นั้น ตนเองก็อยู่ในพื้นที่ พบว่ามีกลิ่นเป็นช่วงๆ แต่ยังไม่สามารถระบุกลิ่นแน่ชัดได้ว่ามีสาเหตุมาจากไหน เนื่องจากในพื้นที่มีกลุ่มโรงงานอุตสาหกรรมหลายกลุ่ม รวมทั้งมีการเลี้ยงสัตว์ในพื้นที่ ทำให้มีกลิ่นปนเปหลายกลิ่นได้ ทั้งนี้หากทางโรงงานได้รับแจ้งปัญหาเรื่องกลิ่นอีกครั้ง ขอให้โทรสอบถามยังคณะกรรมการไตรภาคีในพื้นที่เดียวกัน เพื่อตรวจสอบลักษณะของกลิ่นอีกครั้ง

เลขานุการคณะกรรมการไตรภาคีได้แจ้งให้ที่ประชุมทราบว่า ภายหลังตรวจสอบกรณีรับแจ้งเรื่องร้องเรียนแล้ว ทางฝ่ายประชาสัมพันธ์โครงการจะมีการติดตามผลยังผู้ร้องเรียนอีกครั้ง ทั้งนี้หากที่ประชุมได้รับผลกระทบเรื่องสิ่งแวดล้อม สามารถโทรแจ้งปัญหาได้ที่ ฝ่ายประชาสัมพันธ์โครงการ หมายเลขโทรศัพท์ 085-8350192,085-8350193 และ 085-8350189

มติที่ประชุม

ที่ประชุมรับทราบโดยพร้อมเพรียงกัน

3.3 ผลการตรวจวิเคราะห์คุณภาพน้ำ เดือนมีนาคม 2568

1) การตรวจวิเคราะห์คุณภาพน้ำใต้ดิน โดยตรวจวัดทุกเดือนในจุดบุบายใบและหนองตะโก และมีการเก็บในเดือน เม.ย.และ ก.ย. ในจุดหัวโล่ และ โป่งไผ่ ทั้งนี้ผลการตรวจวัดในเดือนมีนาคม 2568 มีค่าแสดงตามรายละเอียด ดังนี้

ที่	ค่าที่ตรวจวัด	ค่ามาตรฐาน/หน่วย	หนองตะโก	บุยายใบ
1	ปริมาณแบคทีเรียรวม พบอยู่ทั่วไปตามดิน น้ำ พืชผัก ลำไส้คน และสัตว์ และมีที่มาจากกิจวัตรประจำวันของมนุษย์ เช่น การขับถ่าย, การเลี้ยงสัตว์,การขับถ่ายสิ่งปฏิกูล นอกจากนี้ยังสามารถพบได้ในดิน และปนเปื้อนมากับพืชผักต่างๆ หรืออยู่ในผลิตภัณฑ์อาหารที่ไม่มีสุขลักษณะในการผลิต	ไม่เกิน 2.2 เซลล์/น้ำ100 มล.	11,000	11
2	ฟีคอล โคลิฟอร์มแบคทีเรีย ปริมาณเชื้อโรคแบคทีเรียกลุ่มโคลิฟอร์ม ที่มีอยู่ในอุจจาระของมนุษย์และสัตว์เลือดอุ่น การตรวจพบแบคทีเรียชนิดนี้ในแหล่งน้ำ อาจแสดงว่าแหล่งน้ำนั้นมีโอกาสปนเปื้อน หรือมีการแพร่กระจายของเชื้อโรคที่ทำให้เกิดโรคในระบบทางเดินอาหารสูง ส่วนใหญ่แบคทีเรียกลุ่มฟีคอลโคลิฟอร์มจะตรวจพบมากในแหล่งน้ำที่ไหลผ่านชุมชนที่ระบายน้ำทิ้งสู่แหล่งน้ำโดยตรง		330	น้อยกว่า1.8
3	ฟลูออไรด์ พบตามธรรมชาติทั้งในน้ำ,ดิน,อาหาร ส่วนร่างกายของเราจะพบฟลูออไรด์ที่กระดูก ฟันและของเหลวทั่วร่างกาย ตามปกติแล้วร่างกายจะได้รับฟลูออไรด์จากอาหารและน้ำ	ไม่เกิน 1 มิลลิกรัม/ลิตร	น้อยกว่า 0.08	น้อยกว่า0.02
4	ปรอท เป็นโลหะหนักที่ของเหลวระเหยเป็นไอได้ง่ายใน มีสีเงิน พบมากในแหล่งที่มีการเผาไหม้น้ำมันเชื้อเพลิง โลหะ โรงงานผลิตปูนซีเมนต์ ในอุตสาหกรรมที่มีการใช้สารประกอบของปรอท นอกจากนี้ยังใช้ในวงการแพทย์ เช่นเป็นสารอุดฟัน	ไม่เกิน 0.001 มิลลิกรัม/ ลิตร	น้อยกว่า 0.0001	น้อยกว่า0.0001
5	แคดเมียม พบแคดเมียมในแหล่งสังกะสีและตะกั่ว นิยมใช้เป็นวัตถุดิบในอุตสาหกรรมผลิตแบตเตอรี่, อุปกรณ์ไฟฟ้า, โลหะผสม, อะไหล่รถยนต์ โลหะผสมในอุตสาหกรรมเพชรพลอย แคดเมียมที่ปนเปื้อนในน้ำ,อาหาร และในยาสูบ	ไม่เกิน 0.01 มิลลิกรัม/ ลิตร	น้อยกว่า0.002	น้อยกว่า0.002
6	ทองแดง ส่วนมากพบทั้งในรูปไอ และเกลือของทองแดง เนื่องจากการหลอมโลหะทองแดง ทองเหลือง การเชื่อมและบัดกรีโลหะโดยใช้โลหะผสมของทองแดง หากได้รับในปริมาณมาก ทำให้เกิดการระคายเคืองและอักเสบที่ตา ระบบหายใจ ระบบทางเดินอาหารและประสาทรสสัมผัส	ไม่เกิน 1.5 มิลลิกรัม/ ลิตร	น้อยกว่า0.006	น้อยกว่า0.010
7	นิกเกิล เป็นโลหะชนิดหนึ่งสีขาวเหมือนเหล็กขาว ดูดติดแต่ไม่เท่าเหล็ก ส่วนใหญ่ใช้ชุบโลหะชนิดอื่น และเป็นส่วนผสมสำคัญของสแตนเลส และใช้ในการผลิตแบตเตอรี่	ไม่กำหนด มิลลิกรัม/ ลิตร	น้อยกว่า0.004	น้อยกว่า0.004
8	ตะกั่ว สารตะกั่วเป็นโลหะหนักสีน้ำเงิน มีคุณสมบัติที่อ่อนตัวสามารถตัดเป็นรูปร่างต่างๆได้ทำให้มันถูกใช้ประโยชน์ เช่น สีทาบ้านน้ำมัน, เครื่องปั้นดินเผา, แบตเตอรี่,หมึก,สี,ตัวเชื่อม,ท่อน้ำ,สารตะกั่วนี้สามารถอยู่ในอากาศ, น้ำ ดิน	ไม่เกิน 0.05 มิลลิกรัม/ ลิตร	น้อยกว่า0.010	น้อยกว่า0.010

ที่	ค่าที่ตรวจวัด	ค่ามาตรฐาน/หน่วย	หนองตะโก	บุยายใบ
9	สังกะสี เป็นแร่ธาตุที่เป็นองค์ประกอบในชั้นหินหรือดินและพบในแหล่งน้ำธรรมชาติทั่วไป มีความสำคัญต่อระบบทำงานต่างๆของสิ่งมีชีวิต เช่น การเติบโตของเซลล์และระบบภูมิต้านทาน	ไม่เกิน 5 มิลลิกรัม/ ลิตร	0.007	4.156
10	สารหนู เป็นสารชนิดหนึ่ง ที่มักพบในน้ำที่มาจากแหล่งที่เคยผ่านการทำเหมืองมาก่อน น้ำทิ้งจากเหมืองหรือจากโรงงานอุตสาหกรรม น้ำที่ผ่านการทำเกษตรกรรมที่มีการใช้ยากำจัดศัตรูพืชไหลลงไปในแหล่งน้ำธรรมชาติหรือซึมลงไปใต้ดิน ทำให้เกิดการปนเปื้อนของสารหนูในน้ำผิวดินและน้ำใต้ดินได้	ไม่เกิน 0.05 มิลลิกรัม/ ลิตร	น้อยกว่า0.006	น้อยกว่า0.006
11	ซีลีเนียม เป็นธาตุที่มีสมบัติเหมือนกำมะถัน ร่างกายต้องการซีลีเนียมน้อยมากหากได้รับมากเกินไปจะเป็นอันตราย ต่อระบบทางเดินหายใจ	ไม่เกิน 0.01 มิลลิกรัม/ ลิตร	น้อยกว่า0.006	น้อยกว่า0.006
12	โครเมียมชนิดเฮกซาวาเลนต์ มีอุตสาหกรรมจำนวนมากยังคงใช้เป็นวัตถุดิบ ดังนั้นจึงมีโอกาสที่เฮกซาวาเลนต์โครเมียมจะเกิดการปนเปื้อนในน้ำ ดังนั้นควรเผยแพร่ถึงภัยอันตรายจากการปนเปื้อนของเฮกซาวาเลนต์โครเมียม รวมทั้งวิธีการป้องกันและการตรวจวัด จึงมีความสำคัญอย่างยิ่งต่อสุขภาพอนามัยของประชาชนโดยทั่วไป	ไม่กำหนด มิลลิกรัม/ ลิตร	น้อยกว่า0.025	น้อยกว่า0.025

1.ทำการตรวจวัดโดย บริษัท อินทิเกรทเต็ด รีเสิร์ช เซ็นเตอร์ จำกัด และบริษัท ยูไนเต็ด แอนนาลิสต์ แอนด์ เอ็นจิเนียริ่ง คอนซัลแตนท์ จำกัด ขึ้นทะเบียนห้องแลปกับกรมโรงงานฯ

2.จุดตรวจวัดน้ำใต้ดิน

หมู่ 2 หนองตะโก ต.ท่าตูม อ.ศรีมหาโพธิ จ.ปราจีนบุรี ที่ อู่ซ่อมรถ นางสุมาลี บริสุทธิ์

หมู่ 4 บ้านบุยายใบ ต.ท่าตูม อ.ศรีมหาโพธิ จ.ปราจีนบุรี ที่ คันโยกน้ำบาดาล หน้าศาลาประชาคมหมู่บ้าน

หมู่ 4 บ้านบุยายใบ (คุ้มหัวโล่) ที่ บ้านนางสมใจ ไพเราะ

หมู่ 7 บ้านโป่งไผ่ ต.ท่าตูม อ.ศรีมหาโพธิ จ.ปราจีนบุรี ที่ บ้านนางสาวนงลักษณ์ คุ้มมา

*** จุดเก็บบ้านบุยายใบ และ บ้านหนองตะโก จะมีการเก็บทุกเดือน

*** จุดเก็บบ้านโป่งไผ่ และ บ้านหัวโล่ จะมีการเก็บปีละ 2 ครั้ง คือในเดือน เมษายน และกันยายน

3. อ้างอิงค่ามาตรฐานตามประกาศกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม พ.ศ. 2551 เรื่อง กำหนดหลักเกณฑ์และมาตรการในทางวิชาการสำหรับการป้องกันด้านสาธารณสุขและการป้องกันในเรื่องสิ่งแวดล้อมเป็นพิษ

เจ้าหน้าที่สิ่งแวดล้อมของโรงงาน ได้ให้ข้อมูลเพิ่มเติมว่าค่าแบคทีเรียรวม จะพบอยู่ทั่วไปตามดิน น้ำ พืชผัก และกิจวัตรประจำวันของมนุษย์ เช่น การซักล้าง,การเลี้ยงสัตว์,การขับถ่ายสิ่งปฏิกูล นอกจากนี้ยังสามารถพบได้ในดิน ในส่วนของค่าแบคทีเรียรวมที่เกินมาตรฐานมีความสอดคล้องกับสภาพจุดเก็บตัวอย่างคุณภาพน้ำใต้ดินคือ อู่ซ่อมรถของนางสุมาลี บริสุทธิ์ เนื่องจากอยู่ใกล้กับห้องน้ำและบริเวณชะล้างคราบสกปรกต่างๆ

นางสาวกัญญาณัฐ ลำไยสง ผู้แทนสาธารณสุขอำเภอศรีมหาโพธิ แจ้งให้ที่ประชุมทราบว่า ค่าแบคทีเรียรวมของน้ำใต้ดินที่เกินจากมาตรฐาน อาจมีสาเหตุมาจากสภาพภูมิภาคในขณะเก็บตัวอย่างทำให้แบคทีเรียเติบโตได้ดีในน้ำ รวมไปถึงการทับถมของเศษใบไม้ ดิน ขยะ ฝนตก ชะล้าง ไหลซึมลงในน้ำใต้ดิน ทั้งนี้ค่าที่สูงมากนั้น ชุมชนต้องร่วมกันเฝ้าระวัง และหากนำมาเพื่อการบริโภคต้องมีการต้มหรือผ่านการกรองก่อน ไม่เช่นนั้นอาจเกิดโรคเกี่ยวกับทางเดินอาหารได้

นายบุญชิต มานะต่อ กรรมการไตรภาคีส่วนชุมชน ขอให้ฝ่ายโรงงานพิจารณาคัดเลือกจุดเก็บตัวอย่างคุณภาพน้ำใต้ดินในจุดเดิม เนื่องจากในจุดนี้พบปัญหามาโดยตลอด เหมือนไม่เคยได้รับการแก้ไขปัญหา

เจ้าหน้าที่สิ่งแวดล้อมของโรงงานได้แจ้งให้ที่ประชุมทราบว่า การเก็บตัวอย่างคุณภาพน้ำเป็นหนึ่งในข้อกำหนด ที่ต้องดำเนินการและสรุปผลในรายงานผลการปฏิบัติตามมาตรการป้องกันและแก้ไขผลกระทบสิ่งแวดล้อมและมาตรการติดตามตรวจสอบผลกระทบสิ่งแวดล้อม (รายงาน Monitor) ซึ่งเป็นการประเมินแนวโน้มของสถานการณ์ผลกระทบด้านสิ่งแวดล้อมหลังจากจากที่โครงการมีการพัฒนา ซึ่งในส่วนของน้ำใต้ดินกำหนดจุดเก็บตัวอย่างในพื้นที่ หมู่ 2 ตำบลท่าตูม ทั้งนี้หากต้องการเปลี่ยนจะต้องเป็นพื้นที่หมู่เดียวกันเท่านั้น ซึ่งจากการสอบถามผู้นำชุมชนในพื้นที่แล้วพบว่าไม่มีครัวเรือนใดขุดบ่อบาดาลใช้เอง จึงยังต้องเก็บตัวอย่างในจุดเดิมต่อไป ทั้งนี้สามารถเพิ่มจุดเก็บตัวอย่างในพื้นที่ใกล้เคียงได้ โดยอาจเก็บไตรมาสละ 1 ครั้ง เพื่อเปรียบเทียบผลตรวจวิเคราะห์กับจุดเดิมที่พบปัญหา โดยฝ่ายสิ่งแวดล้อมจะได้หารือผู้เกี่ยวข้องเพื่อคัดเลือกจุดเก็บตัวอย่างเพิ่มเติมต่อไป

ตัวอย่างน้ำบาดาล/น้ำใต้ดิน

บ้านบุยายใบ

บ้านหนองตะโก

2) การตรวจวิเคราะห์คุณภาพน้ำใต้ดิน โดยตรวจวัดทุกเดือนในจุดบ่อสังเกตการณ์รอบหลุมฝังกลบขยะที่ไม่อันตราย ของบริษัท จำนวน 5 บ่อ ผลการตรวจวัดในเดือนมีนาคม 2568 มีค่าแสดงตามรายละเอียด ดังนี้

ที่	ค่าที่ตรวจวัด	เกณฑ์การปนเปื้อน	หน่วย	บ่อ 1	บ่อ 2	บ่อ 3	บ่อ 4
1	ค่าการนำไฟฟ้า การวัดค่าความนำไฟฟ้าจะสามารถบ่งบอกได้ถึงความสกปรกของน้ำ โดยถ้าค่าความนำไฟฟ้าสูง แสดงว่าในน้ำมีการปนเปื้อนของสารหรือธาตุที่มีการนำไฟฟ้ามาก ถ้าค่าต่ำแสดงว่าสารหรือธาตุที่มีการนำไฟฟ้าน้อย	ไม่กำหนด	โมโครซีเมนส์ต่อเซนติเมตร (µs/cm)	1,943	1,980	2,016	1,964
2	แอมโมเนีย – ไนโตรเจน เกิดตามธรรมชาติโดยการย่อยสลายสารอินทรีย์ภายใต้สภาวะที่ไม่มีออกซิเจน ซึ่งมีกลิ่นคล้ายบัสสาวะ หากในแหล่งน้ำมีแอมโมเนีย-ไนโตรเจนมากจะมีกลิ่นและมีฤทธิ์กัดกร่อนได้	ไม่กำหนด	มิลลิกรัม/ลิตร	1.88	3.35	1.91	3.87
3	ไซยาไนด์ เป็นสารที่มีความเป็นพิษสูง พบได้ในหลายรูปแบบได้แก่ ภาวะก๊าซไฮโดรเจน ไซยาไนด์ เกิดจากการเผาไหม้สารพลาสติกโพลียูริเทนและหนังเทียม สามารถพบในมันสำปะหลังดิบ ลูกพืช เมื่อรับประทานเข้าไปจะถูกเผาผลาญและให้ ไซยาไนด์ออกมาสู่ร่างกาย	ไม่เกิน 5.000	ไมโครกรัม/ลิตร	น้อยกว่า5	น้อยกว่า5	น้อยกว่า5	น้อยกว่า5
4	ไนเตรต-ไนโตรเจน เป็นอโลหะที่มีสถานะเป็นแก๊สที่มีอยู่ทั่วไป โดยปกติไม่มีสี,กลิ่นหรือรส สารไนเตรทเป็นแร่ธาตุที่พบได้ในธรรมชาติ โดยเกิดจากการย่อยสลายสารอินทรีย์ในไตรเจน	ไม่กำหนด	มิลลิกรัม/ลิตร	น้อยกว่า 0.02	น้อยกว่า 0.02	น้อยกว่า 0.02	น้อยกว่า 0.02
5	กรดฟีนอล เป็นผลึกหรืออาจอยู่ในรูปของเหลวใส ไม่มีสี หรืออาจมีสีชมพูอ่อน กลิ่นหอมหวานค่อนข้างรุนแรง ฟีนอลเป็นสารที่ติดไฟง่ายและเมื่อสัมผัสกับความร้อนจะให้ไอระเหยที่ติดไฟได้ รวมทั้งให้แก๊สที่มีอันตรายขณะเกิดเพลิงไหม้	ไม่เกิน 72	มิลลิกรัม/ลิตร	น้อยกว่า 0.005	น้อยกว่า 0.005	น้อยกว่า 0.005	น้อยกว่า 0.005
6	ฟอสเฟตทั้งหมด หมายถึงปริมาณฟอสฟอรัสที่มีอยู่ในน้ำ	ไม่กำหนด	มิลลิกรัม/ลิตร	น้อยกว่า 0.15	น้อยกว่า 0.15	น้อยกว่า 0.15	น้อยกว่า 0.15
7	คลอไรด์ เป็นสารอนินทรีย์ที่พบมากโดยจะอยู่ในรูปของสารประกอบ ของแคลเซียม แมกนีเซียม หรือ โซเดียม โดย	ไม่กำหนด	มิลลิกรัม/ลิตร	259	288	288	335

ที่	ค่าที่ตรวจวัด	เกณฑ์การปนเปื้อน	หน่วย	บ่อ 1	บ่อ 2	บ่อ 3	บ่อ 4
	เกลือของคลอไรด์จะละลายอยู่ในน้ำ ซึ่งมีความเข้มข้นแตกต่างกันไปขึ้นอยู่กับพื้นดินหรือชั้นดินที่มีปริมาณคลอไรด์แตกต่างกัน น้ำธรรมชาติจึงคลอไรด์จากหลายทาง เช่น จากสิ่งปฏิกูล หรือโรงงานอุตสาหกรรม						
8	ซัลเฟต ถ้าน้ำมีซัลเฟตมากจะเกิดสภาพน้ำกระด้างถาวรเป็นตะกรันในหม้อต้ม	ไม่กำหนด	มิลลิกรัม/ลิตร	554	594	623	642
9	สภาพด่าง หรือ อัลคาไลนิตี้ หรือ ค่าอัลคาไลน์ เป็นการวัดความสามารถของสารละลายในการเปลี่ยนสภาพกรดให้	ไม่กำหนด	มิลลิกรัม/ลิตร	174	236	293	289
10	ปรอท เป็นโลหะหนักที่ของเหลวระเหยเป็นไอได้ง่ายใน มีสีเงิน พบมากในแหล่งที่มีการเผาไหม้น้ำมันเชื้อเพลิง โลหะ โรงงานผลิตปูนซีเมนต์ ในอุตสาหกรรมที่มีการใช้สารประกอบของปรอท นอกจากนี้ยังใช้ในวงการแพทย์ เช่นเป็นสารอุดฟัน	ไม่เกิน 0.7	มิลลิกรัม/ลิตร	น้อยกว่า 0.0001	น้อยกว่า 0.0001	น้อยกว่า 0.0001	น้อยกว่า 0.0001
11	โซเดียม		มิลลิกรัม/ลิตร	283	229	259	306
12	แคดเมียม แคดเมียมจะพบในแหล่งสังกะสีและตะกั่ว นิยมใช้เป็นวัตถุดิบในอุตสาหกรรมผลิตแบตเตอรี่, อุปกรณ์ไฟฟ้า, โลหะผสม, อะไหล่รถยนต์ โลหะผสมในอุตสาหกรรมเพชร พลอย แคดเมียมที่ปนเปื้อนในน้ำ,อาหารและยาสูบ	ไม่เกิน 0.003	มิลลิกรัม/ลิตร	น้อยกว่า 0.002	น้อยกว่า 0.002	น้อยกว่า 0.002	น้อยกว่า 0.002
13	ทองแดง ส่วนมากพบทั้งในรูปไอและเกลือของทองแดง เนื่องจากการหลอมโลหะทองแดง ทองเหลือง การเชื่อมและบัดกรีโลหะโดยใช้โลหะผสมของทองแดง หากได้รับในปริมาณมากทำให้เกิดการระคายเคืองและอักเสบที่ตา ระบบหายใจ ระบบทางเดินอาหารและประสาทรสสัมผัส	ไม่เกิน 1.0	มิลลิกรัม/ลิตร	น้อยกว่า 0.006	น้อยกว่า 0.006	น้อยกว่า 0.006	0.006
14	นิกเกิล เป็นโลหะชนิดหนึ่งสีขาวเหมือนเหล็กขาว ดูดติด ส่วนใหญ่ใช้ชุบโลหะชนิดอื่น และเป็นส่วนผสมสำคัญของสแตนเลส และใช้ในการผลิตแบตเตอรี่	ไม่เกิน 0.02	มิลลิกรัม/ลิตร	0.024	0.026	0.024	0.026

ที่	ค่าที่ตรวจวัด	เกณฑ์การปนเปื้อน	หน่วย	บ่อ 1	บ่อ 2	บ่อ 3	บ่อ 4
15	ตะกั่ว เป็นโลหะหนักสีน้ำเงิน มีคุณสมบัติที่อ่อนตัวสามารถดัดเป็นรูปร่างต่างๆได้ทำให้มันถูกใช้ประโยชน์ เช่น สีทาบ้านน้ำมัน, เครื่องปั้นดินเผา, แบตเตอรี่,หมึก,สี,ตัวเชื่อม,ท่อน้ำ,สาร ตะกั่วนี้สามารถอยู่ในอากาศ, น้ำ ดิน	ไม่เกิน 0.01	มิลลิกรัม/ลิตร	น้อยกว่า 0.010	น้อยกว่า 0.010	0.020	0.022
16	สังกะสี เป็นแร่ธาตุที่เป็นองค์ประกอบในชั้นหินหรือดินและพบในแหล่งน้ำธรรมชาติทั่วไป มีความสำคัญต่อระบบทำงานของสิ่งมีชีวิต เช่น การเติบโตของเซลล์และระบบภูมิต้านทาน	ไม่เกิน5.0	มิลลิกรัม/ลิตร	0.013	0.021	0.010	0.013
17	แมงกานีส แมงกานีสมักพบอยู่ในน้ำพร้อมกับเหล็ก แต่ในปริมาณที่น้อยกว่าแมงกานีสก็เช่นเดียวกับเหล็ก คือมีอยู่ในน้ำบาดาลมากกว่าน้ำผิวดิน	ไม่เกิน 0.5	มิลลิกรัม/ลิตร	1.491	0.126	0.027	0.486
18	สารหนู เป็นสารชนิดหนึ่ง ที่มักพบในน้ำที่มาจากแหล่งที่เคยผ่านการทำเหมืองมาก่อน น้ำทิ้งจากเหมืองหรือจากโรงงานอุตสาหกรรม น้ำที่ผ่านการทำเกษตรกรรมที่มีการใช้ยากำจัดศัตรูพืช ไหลลงไปในแหล่งน้ำธรรมชาติหรือซึมลงไปใต้ดิน ทำให้เกิดการปนเปื้อนของสารหนูในน้ำผิวดินและน้ำใต้ดินได้	ไม่เกิน 0.01	มิลลิกรัม/ลิตร	น้อยกว่า 0.006	น้อยกว่า 0.006	น้อยกว่า 0.006	น้อยกว่า 0.006
19	โครเมียมชนิดเฮกซาวาเลนต์ มีอุตสาหกรรมจำนวนมากยังคงใช้เป็นวัตถุดิบ ดังนั้นจึงมีโอกาสที่ เฮกซาวาเลนต์โครเมียมจะเกิดการปนเปื้อนในน้ำ	ไม่เกิน 0.05	มิลลิกรัม/ลิตร	น้อยกว่า 0.025	น้อยกว่า 0.025	น้อยกว่า 0.025	น้อยกว่า 0.025
20	ซีโอดี เป็นปริมาณออกซิเจนที่สารเคมีใช้ในการย่อยสลายสารอินทรีย์ คือค่าที่วัดถึงปริมาณทั้งหมดของออกซิเจนที่ใช้โดยจุลินทรีย์ในการย่อยสลายสารอินทรีย์ให้เป็นคาร์บอนไดออกไซด์และน้ำ รวมไปถึงสารอนินทรีย์ที่สามารถถูกออกซิไดซ์ได้ น้ำที่มีค่าซีโอดีสูงแสดงว่ามีการปนเปื้อนด้วยสารอินทรีย์สูง	ไม่กำหนด	มิลลิกรัม/ลิตร	25	18	27	32

ที่	ค่าที่ตรวจวัด	เกณฑ์การปนเปื้อน	หน่วย	บ่อ 1	บ่อ 2	บ่อ 3	บ่อ 4
21	บีโอดี ค่าปริมาณออกซิเจนที่จุลินทรีย์ใช้ย่อยสลายสารอินทรีย์ ถ้าค่าต่ำหมายถึง ในแหล่งน้ำมีการปนเปื้อนของสารอินทรีย์น้อย ค่าสูงหมายถึงในแหล่งน้ำมีการปนเปื้อนของสารอินทรีย์มาก ซึ่งสารอินทรีย์ในแหล่งน้ำมาจากน้ำทิ้งจากชุมชน โรงงานอุตสาหกรรม การเกษตรกรรม เป็นต้น	ไม่กำหนด	มิลลิกรัม/ลิตร	0.2	0.2	2.3	1.8

วิธีการตรวจวิเคราะห์คุณภาพน้ำในบ่อสังเกตการณ์และน้ำบาดาล/น้ำใต้ดิน ดำเนินการตามประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 20 (พ.ศ. 2543) ออกตามความในพระราชบัญญัติส่งเสริมและรักษาคุณภาพสิ่งแวดล้อมแห่งชาติ พ.ศ. 2535 เรื่อง กำหนดมาตรฐานคุณภาพน้ำใต้ดิน ประกาศในราชกิจจานุเบกษา เล่ม 117 ตอนพิเศษ 95 ง วันที่ 15 กันยายน พ.ศ. 2543 และประกาศกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม เรื่อง กำหนดหลักเกณฑ์และมาตรการในทางวิชาการสำหรับการป้องกันด้านสาธารณสุขและการป้องกันในเรื่องสิ่งแวดล้อมเป็นพิษ พ.ศ. 2551 ประกาศในราชกิจจานุเบกษา เล่ม 125 ตอนพิเศษ 85 ง วันที่ 21 พฤษภาคม พ.ศ. 2551

1.ทำการตรวจวัดโดย บริษัท อินทิเกรทเต็ด รีเสิร์ช เซ็นเตอร์ จำกัด และบริษัท ยูไนเต็ด แอนนาลิสต์ แอนด์ เอ็นจิเนียริ่ง คอนซัลแตนท์ จำกัด ขึ้นทะเบียนห้องแลปกับกรมโรงงานฯ

ภาพเก็บตัวอย่างคุณภาพน้ำบ่อสังเกตณ์รอบหลุมฝังกลบ 3 มี.ค. 68

Monitoring Well #1

Monitoring Well #2

Monitoring Well #3

Monitoring Well #4

3) การตรวจวิเคราะห์คุณภาพน้ำผิวดิน ตรวจทุกเดือน 3 จุดยกเว้น เดือนกุมภาพันธ์, เมษายน และ ธันวาคม ได้แก่ วังหลังถ้ำ, คลองชลองแวง, วัดวังบัวทอง / ตรวจเพิ่มเติมรายไตรมาส 2 จุด คือ หนองน้ำราชโด และ แม่น้ำปราจีนบุรี (เขื่อนท่าตูม) โดยในเดือน มีนาคม 2568 มีผลตรวจวิเคราะห์แสดงตามรายละเอียด ดังนี้

ที่	ค่าที่ตรวจวัด	ค่ามาตรฐาน / หน่วย	วังหลังถ้ำ	คลองชลองแวง	วัดวังบัวทอง	แม่น้ำปราจีนบุรี	หนองน้ำราชโด
1	ค่าความนำไฟฟ้า การวัดค่าความนำไฟฟ้าจะสามารถบ่งบอกได้ถึงความสกปรกของน้ำ โดยถ้าค่าความนำไฟฟ้าสูง แสดงว่าในน้ำมีการปนเปื้อนของสารหรือธาตุที่มีการนำไฟฟ้ามาก ถ้าค่าต่ำแสดงว่าสารหรือธาตุที่มีการนำไฟฟ้าน้อย	ไม่กำหนด มิลลิกรัม / ลิตร	116	990	79.3	110	896
2	ค่าออกซิเจนที่ละลายในน้ำ ถ้าค่าต่ำหมายถึงในแหล่งน้ำมีความสกปรกมาก การย่อยสลายสิ่งสกปรกในน้ำจึงต้องการใช้ออกซิเจนมาก ค่าสูงหมายถึงในแหล่งน้ำมีความสกปรกน้อย	ไม่ต่ำกว่า 6 มิลลิกรัม / ลิตร	5.5	3.7	5.2	6.9	7.9
3	แอมโมเนีย – ไนโตรเจน เกิดตามธรรมชาติโดยการย่อยสลายสารอินทรีย์ภายใต้สภาวะที่ไม่มีออกซิเจน ซึ่งมีกลิ่นคล้ายปัสสาวะ หากในแหล่งน้ำมีแอมโมเนีย-ไนโตรเจนมาก จะมีกลิ่นและมีฤทธิ์กัดกร่อนได้	ไม่เกิน 0.5 มิลลิกรัม / ลิตร	น้อยกว่า 0.20	0.50	น้อยกว่า 0.20	0.23	0.12
4	ไนเตรต-ไนโตรเจน เป็นอโลหะที่มีสถานะเป็นแก๊สที่มีอยู่ทั่วไป โดยปกติไม่มีสี,กลิ่นหรือรส สารไนเตรตเป็นแร่ธาตุที่พบได้ในธรรมชาติ โดยเกิดจากการย่อยสลายสารอินทรีย์ในไนโตรเจน	ไม่เกิน 5 มิลลิกรัม/ ลิตร	0.12	0.61	0.12	-	-
5	กรดฟีนอล เป็นผลึกหรืออาจอยู่ในรูปของเหลวใส ไม่มีสี หรืออาจมีสีชมพูอ่อน กลิ่นหอมหวานค่อนข้างรุนแรง ฟีนอลเป็นสารที่ติดไฟง่ายและเมื่อสัมผัสกับความร้อนจะให้ไอระเหยที่ติดไฟได้ รวมทั้งให้แก๊สที่มีอันตรายขณะเกิดเพลิงไหม้	ไม่เกิน 0.005 มิลลิกรัม / ลิตร	น้อยกว่า 0.005	น้อยกว่า 0.005	น้อยกว่า 0.005	-	-
6	ปริมาณแบคทีเรียรวม พบอยู่ทั่วไปตามดิน,น้ำ, พืชผัก,ลำไส้คนและสัตว์ และมีที่มาจากกิจวัตรประจำวันของมนุษย์ เช่น การชักล้าง,การเลี้ยงสัตว์, การขับถ่ายสิ่งปฏิกูล เป็นต้น	ไม่เกิน 5,000 เซลล์ /น้ำ100 มล.	220	490	490	-	-
7	ความเป็นกรดด่าง ซึ่งความเป็นกรดด่างของแหล่งน้ำธรรมชาติส่วนใหญ่จะมีค่า ประมาณ 7 - 8	5.0 -9.0	8.1	7.5	7.9	7.0	8.5
8	ตะกอนแขวนลอย ค่าตะกอนแขวนลอย บ่งชี้ความขุ่นของน้ำว่ามีตะกอนมากหรือน้อย ซึ่งมีทั้งขนาดใหญ่และขนาดเล็ก	ไม่กำหนด มิลลิกรัม / ลิตร	22	68	21	17	13

ที่	ค่าที่ตรวจวัด	ค่ามาตรฐาน / หน่วย	วังหลังถ้ำ	คลองชลองแวง	วัดวังบัวทอง	แม่น้ำปราจีนบุรี	หนองน้ำราชโต
9	บีโอดี ค่าปริมาณออกซิเจนที่จุลินทรีย์ใช้ย่อยสลายสารอินทรีย์ ถ้าค่าต่ำหมายถึง ในแหล่งน้ำมีการปนเปื้อนของสารอินทรีย์น้อย ค่าสูงหมายถึงในแหล่งน้ำมีการปนเปื้อนของสารอินทรีย์มาก ซึ่งสารอินทรีย์ในแหล่งน้ำมาจากน้ำทิ้งจากชุมชน โรงงานอุตสาหกรรม การเกษตรกรรม เป็นต้น	ไม่เกิน 1.5 มิลลิกรัม / ลิตร	2.3	2.0	2.1	1.2	0.9

ทำการตรวจวัดโดย บริษัท ดี.เอ.รีเซิร์ช เซ็นเตอร์ จำกัด และบริษัท ยูไนเต็ด แอนนาลิสต์ แอนด์ เอ็นจิเนียริ่ง คอนซัลแตนท์ จำกัด ขึ้นทะเบียนห้องแลปกับกรมโรงงานฯ

อ้างอิงค่ามาตรฐาน ตามประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 8 (พ.ศ. 2537) พระราชบัญญัติส่งเสริมและรักษาคุณภาพสิ่งแวดล้อมแห่งชาติ พ.ศ. 2535 เรื่องกำหนดมาตรฐานคุณภาพน้ำในแหล่งน้ำผิวดิน (ประเภทที่ 2)

กำนันสวาท เจริญสุข กรรมการไตรภาคีส่วนราชการ เสนอควรเฝ้าระวังปัญหาจากการทิ้งขยะในพื้นที่ ซึ่งอาจเป็นสาเหตุในการปนเปื้อนลงสู่แหล่งน้ำ ทั้งนี้ประธานคณะกรรมการไตรภาคี เสนอให้มีข้อมูลประกอบในการวิเคราะห์เช่น สภาพอากาศ หรือพื้นที่ ณ วันเก็บข้อมูลเป็นอย่างไร เพื่อเป็นข้อมูลเปรียบเทียบในกรณีที่ค่าการวิเคราะห์ไม่อยู่ในเกณฑ์มาตรฐาน

มติที่ประชุม

ที่ประชุมรับทราบโดยพร้อมเพรียงกัน

3.4 แผนการดำเนินกิจกรรมเพื่อการแพทย์สาธารณสุข ประจำปี 2568

เลขานุการคณะกรรมการไตรภาคี ได้แจ้งให้ที่ประชุมทราบถึงแผนการดำเนินกิจกรรมเพื่อการแพทย์และสาธารณสุข ประจำปี 2568 ซึ่งจะดำเนินการมอบอุปกรณ์ทางการแพทย์ ได้แก่ เตียงคนไข้ ที่นอนลม และรถเข็น ให้กับโรงพยาบาลส่งเสริมสุขภาพ 10 แห่ง ดังนี้

1) โรงพยาบาลส่งเสริมสุขภาพตำบลหัวหว้า ต.หัวหว้า อ.ศรีมหาโพธิ จ.ปราจีนบุรี
2) โรงพยาบาลส่งเสริมสุขภาพตำบลบ้านหนองปรือน้อย ต.หัวหว้า อ.ศรีมหาโพธิ จ.ปราจีนบุรี
3) โรงพยาบาลส่งเสริมสุขภาพตำบลสัมพันธ์ ต.หัวหว้า อ.ศรีมหาโพธิ จ.ปราจีนบุรี
4) โรงพยาบาลส่งเสริมสุขภาพตำบลดงกระทงยาม ต.ดงกระทงยาม อ.ศรีมหาโพธิ จ.ปราจีนบุรี
5) โรงพยาบาลส่งเสริมสุขภาพตำบลหาดยาง ต.หาดยาง อ.ศรีมหาโพธิ จ.ปราจีนบุรี
6) โรงพยาบาลส่งเสริมสุขภาพตำบลบางกุ้ง ต.บางกุ้ง อ.ศรีมหาโพธิ จ.ปราจีนบุรี
7) โรงพยาบาลส่งเสริมสุขภาพตำบลบ้านปรือวายใหญ่ ต.หนองโพรง อ.ศรีมหาโพธิ จ.ปราจีนบุรี
8) โรงพยาบาลส่งเสริมสุขภาพตำบลวังตาล ต.วังตาล อ.กบินทร์บุรี จ.ปราจีนบุรี
9) โรงพยาบาลส่งเสริมสุขภาพตำบลหาดนางแก้ว ต.หาดนางแก้ว อ.ศรีมหาโพธิ จ.ปราจีนบุรี
10) สถานีสุขภาพชุมชนบ้านคลองร่วม ต.ลาดตะเคียน อ.กบินทร์บุรี จ.ปราจีนบุรี

ทั้งนี้มีแผนดำเนินกิจกรรมในวันที่ 19 พฤษภาคม 2568 เวลา 10.00 น. ณ ที่ว่าการอำเภอศรีมหาโพธิ โดยภายหลังกิจกรรมจะดำเนินการประชุมคณะกรรมการไตรภาคี ประจำเดือนพฤษภาคม 2568 ตามวาระการประชุมต่อไป

มติที่ประชุม

ที่ประชุมรับทราบโดยพร้อมเพรียงกัน

วาระที่ 4 เรื่องเพื่อพิจารณา

4.1 สอบถามปัญหาผลกระทบเรื่องสิ่งแวดล้อมในชุมชน

ด้วยการประชุมคณะกรรมการไตรภาคีในครั้งนี้ถือเป็นการประชุมไตรภาคีสัญจร ครั้งแรกในรอบหลายปี ประธานคณะกรรมการไตรภาคี ได้สอบถามผู้เข้าร่วมประชุมภาคประชาชนในพื้นที่ถึงผลกระทบต่าง ๆจากการดำเนินงานของภาคอุตสาหกรรม เพื่อแจ้งต่อผู้แทนสถานประกอบการได้โดยตรง อันจะนำไปสู่การแก้ไขปัญหาที่เป็นรูปธรรมให้เกิดขึ้นในอนาคต

นายชัชชัย ไพเราะ ผู้ใหญ่บ้าน หมู่ 3 ตำบลท่าตูม กังวลเกี่ยวกับปัญหาสิ่งแวดล้อมที่เกิดจากสถานประกอบการสัญชาติจีน ซึ่งปัจจุบันมีปัญหาผลกระทบมาโดยตลอด โดยสอบถามถึงแผนการรับมือของสวนอุตสาหกรรมในการขายที่ดินให้กับโรงงานต่างชาติ

ประธานคณะกรรมการไตรภาคี แจ้งให้ที่ประชุมทราบว่าข้อกังวลจากทางชุมชน ทางภาครัฐก็ไม่ได้นิ่งเฉย มีการตรวจตรา สอดส่องอยู่ตลอด ทั้งนี้ขอให้ทุกคนช่วยเป็นหูเป็นตาในการเฝ้าระวังปัญหาต่าง ๆ หากพบเห็นให้แจ้งมาที่อำเภอศรีมหาโพธิเพื่อเร่งตรวจสอบต่อไป

นายพยับ เกษร ประธานกองทุนหมู่บ้าน หมู่ 2 ตำบลท่าตูม ได้สอบถามถึงการจำแนกสาเหตุที่มาของกระทบเรื่องกลิ่นว่ามาจากโรงงานใด เนื่องจากปัจจุบันในพื้นที่มีโรงงานเข้ามาประกอบการมากขึ้น จึงทำให้เกิดกลิ่นรบกวนที่หลากหลาย รวมทั้งกลิ่นจากการทำเกษตรในพื้นที่และขยะชุมชนอีกด้วย

ประธานคณะกรรมการไตรภาคี ได้แจ้งให้ทราบว่าปัจจุบันกลุ่มโรงงานในเครือ บมจ.ดั๊บเบิ้ล เอ(1991) ได้นำเทคโนโลยีที่เรียกว่าจมูกอิเล็กทรอนิกส์ (E-Nose) เข้ามาช่วยแก้ไขปัญหา ซึ่งหลักการทำงานคือจะมีการเก็บตัวอย่างกลิ่นในพื้นที่และใส่ข้อมูลความจำของจมูกอิเล็กทรอนิกส์ เพื่อจดจำกลิ่นในหลาย ๆตัวอย่าง โดยหากมีกลิ่นรบกวนและต้องการทราบว่าเป็นกลิ่นหรือใกล้เคียงกับกลิ่นใดที่ถูกบันทึกไว้ ก็สามารถระบุได้เลยว่าเป็นกลิ่นจากแหล่งกำเนิดใด แต่ต้องอยู่ในทิศทางลมที่สอดคล้องกับจุดที่เกิดกลิ่นด้วย

มติที่ประชุม

ที่ประชุมรับทราบโดยพร้อมเพรียงกัน

4.2 ข้อเสนอแนะจากชุมชนในการจัดการประชุมสัญจรในพื้นที่อื่น

นางนิภาพร สุขเกษม ผู้ช่วยผู้ใหญ่บ้าน หมู่ 6 ตำบลท่าตูม เสนอแนะให้จัดการประชุมคณะกรรมการไตรภาคีสัญจรในพื้นที่อื่นเพิ่มเติม เพื่อเปิดโอกาสพบปะประชาชนในพื้นที่ รวมทั้งเป็นเวทีร่วมแสดงความคิดเห็นต่าง ๆ

ประธานคณะกรรมการไตรภาคี ขอหารือที่ประชุมไตรภาคีอีกครั้งเพื่อพิจารณาสถานที่ที่เหมาะสม ซึ่งต้องสะดวกและไม่เป็นการรบกวนผู้ประสานงานจนเกินไป ทั้งนี้อาจจัดรวมกัน 2-3 หมู่บ้าน โดยจะแจ้งให้ประชาชนได้รับทราบต่อไป

มติที่ประชุม

ที่ประชุมรับทราบโดยพร้อมเพรียงกัน

วาระที่ 5 เรื่องอื่น ๆ

5.1 กิจกรรมบันยิ้ม บันน้ำใจ เพื่อผู้ยากไร้ในพื้นที่

ภายหลังเสร็จสิ้นการประชุมคณะกรรมการไตรภาคีสัญจรแล้ว คณะกรรมการไตรภาคีได้มอบถุงบรรจุเครื่องอุปโภคบริโภค ให้กับผู้ยากไร้ในพื้นที่ หมู่ 2 ตำบลท่าตูม จำนวน 10 คน โดยทางผู้นำชุมชนได้พิจารณาคัดเลือกไว้แล้ว

มติที่ประชุม

ที่ประชุมรับทราบโดยพร้อมเพรียงกัน

ปิดการประชุม เวลา 11.45 น.

จึงเรียนมาเพื่อโปรดทราบ

(นางสาวปาริชาต รุจิเทศ)
เลขานุการไตรภาคี

การประชุมคณะกรรมการไตรภาคี
บริษัท ดับเบิ้ล เอ (1991) จำกัด (มหาชน) กลุ่มบริษัท เนชั่นแนล เพาเวอร์ ซัพพลาย จำกัด(มหาชน)
กลุ่มบริษัท 304 อินดัสเตรียล ปาร์ค จำกัด
ตำบลท่าตูม อำเภอศรีมหาโพธิ จังหวัดปราจีนบุรี
วันที่ 19 พฤษภาคม พ.ศ. 2568 เวลา 10.00-12.00 น.
ณ ห้องประชุมกองทุนพัฒนาไฟฟ้าจังหวัดปราจีนบุรี อำเภอศรีมหาโพธิ จังหวัดปราจีนบุรี

กรรมการผู้เข้าประชุม

กรรมการไตรภาคีส่วนราชการ

1. นางสาวจุฑามาศ	บัวเผื่อน	ประธานคณะกรรมการไตรภาคี
2. นางสาวมยุรี	พิกุลเงิน	แทน ผู้อำนวยการสำนักงานทรัพยากรธรรมชาติและสิ่งแวดล้อมจังหวัดปราจีนบุรี
3. นายวัศพล	สินทรัพย์	แทน พลังงานจังหวัดปราจีนบุรี
4. นายวุฒิชัย	พงษ์อ้อ	สมาชิกสภาองค์การบริหารส่วนจังหวัดปราจีนบุรี
5. นายโสภณ	เกษสำโรง	แทน สาธารณสุขอำเภอศรีมหาโพธิ
6. นายธีรชัย	วงศ์วานิชโยธิน	แทน นายกองค์การบริหารส่วนตำบลท่าตูม
7. นายศักดิ์ชัย	บุตรดา	แทน กำนันประจำตำบลท่าตูม
8. นายชัชชัย	ไพเราะ	ผู้ใหญ่บ้าน หมู่ 3 ตำบลท่าตูม

กรรมการไตรภาคีส่วนชุมชน

9. นายสละ	วงษ์วิจารณ์	กรรมการไตรภาคีส่วนชุมชน
10. นายสัญชัย	แม้นพงษ์	กรรมการไตรภาคีส่วนชุมชน
11. นางสุมาลี	บริสุทธิ์	กรรมการไตรภาคีส่วนชุมชน
12. นายบุญชิต	มานะต่อ	กรรมการไตรภาคีส่วนชุมชน
13. นายวิลาส	เล็บพยัคฆ์	กรรมการไตรภาคีส่วนชุมชน
14. นายเอนก	ปรุงนิยม	กรรมการไตรภาคีส่วนชุมชน
15. นางไพริน	ไพเราะ	กรรมการไตรภาคีส่วนชุมชน
16. นายสำเริง	สีมาดาล	กรรมการไตรภาคีส่วนชุมชน
17. นางวิไลรัตน์	ไพเราะ	กรรมการไตรภาคีส่วนชุมชน
18. นางสมคิด	ทิพเวช	กรรมการไตรภาคีส่วนชุมชน
19. นางสาวสมจิต	ศรีมาศ	กรรมการไตรภาคีส่วนชุมชน
20. นางสาวนงลักษณ์	คุ้มมา	กรรมการไตรภาคีส่วนชุมชน
21. นางสาวลำไย	อร่ามวงษ์	กรรมการไตรภาคีส่วนชุมชน
22. นายสุรชัย	ไพเราะ	กรรมการไตรภาคีส่วนชุมชน
23. นายทรงกฤษ	คร้ามไพบูลย์	กรรมการไตรภาคีส่วนชุมชน
24. นายถวิล	โมคศักดิ์	กรรมการไตรภาคีส่วนชุมชน
25. นายวิชา	จันทร์ประทุม	กรรมการไตรภาคีส่วนชุมชน

กรรมการไตรภาคีส่วนโรงงาน

26. นางสาวอภิชญาภรณ์	ช่วยจันทร์	กรรมการไตรภาคีส่วนโรงงาน
27. นางสาวอารีย์	จักษ์ตรีมงคล	กรรมการไตรภาคีส่วนโรงงาน
28. นายศุภกร	พัฒน์ธีรกรธนา	กรรมการไตรภาคีส่วนโรงงาน
29. นางสาวกัญจนภัส	ปัญญาประเสริฐ	กรรมการไตรภาคีส่วนโรงงาน
30. นางสาวปัทมา	นาม่อง	กรรมการไตรภาคีส่วนโรงงาน
31. นางสาวเบญจวรรณ	จงหมั่น	กรรมการไตรภาคีส่วนโรงงาน
32. นางสาวจีรภา	บุรีวงษ์	กรรมการไตรภาคีส่วนโรงงาน
33. นางสาวธันยพร	ตั้งศิริ	กรรมการไตรภาคีส่วนโรงงาน
34. นายพศวีร์	นาน้อย	กรรมการไตรภาคีส่วนโรงงาน
35. นางสาวพรทิพย์	หิดเทศ	กรรมการไตรภาคีส่วนโรงงาน
36. นางสาวอาภาภรณ์	แสนทำพล	กรรมการไตรภาคีส่วนโรงงาน
37. นางสาวปาริชาต	รุจิเทศ	กรรมการและเลขานุการคณะกรรมการไตรภาคี

กรรมการผู้ไม่เข้าประชุม

1. อุดสาหกรรมจังหวัดปราจีนบุรี		กรรมการไตรภาคีส่วนราชการ
2. หัวหน้าสำนักงานจังหวัดปราจีนบุรี		กรรมการไตรภาคีส่วนราชการ
3. ปลัดองค์การบริหารส่วนตำบลท่าตูม		กรรมการไตรภาคีส่วนราชการ
4. ผู้อำนวยการโรงเรียนบ้านโป่งไผ่		กรรมการไตรภาคีส่วนราชการ
5. นายวิทูร	บุญส่ง	ที่ปรึกษาผู้ทรงคุณวุฒิไตรภาคี
6. นายสมบุญ	พัชรไพบูลย์	กรรมการไตรภาคีส่วนชุมชน
7. นางสาวยุพิณ	ละมั่งทอง	กรรมการไตรภาคีส่วนชุมชน
8. นายเผือก	เล็บพยัคฆ์	กรรมการไตรภาคีส่วนชุมชน
9. นายอุดม	ไทยงัวน	กรรมการไตรภาคีส่วนชุมชน
10. นายชัยวิวัฒน์	เปลี่ยนนุช	กรรมการไตรภาคีส่วนชุมชน
11. นายเมธา	บุญโต	กรรมการไตรภาคีส่วนชุมชน
12. นายกู้เกียรติ	แสงจันทร์	กรรมการไตรภาคีส่วนชุมชน
13. นายพีรมิตร	สัมฤทธิ์	กรรมการไตรภาคีส่วนชุมชน
14. นายพิพัฒน์	คำแก้ว	กรรมการไตรภาคีส่วนชุมชน
15. นายบุญเกิด	พอไทย	กรรมการไตรภาคีส่วนชุมชน
16. นายประสิทธิ์	หอมจันทร์	กรรมการไตรภาคีส่วนชุมชน

ผู้เข้าร่วมประชุม

1. พ.อ.ท.หญิง อรรถลักษณ์	พันนิ่งศรี	ปลัดอำเภอศรีมหาโพธิ
2. นางสาววิชุดา	ตรีเนตร์	เจ้าหน้าที่อำเภอศรีมหาโพธิ
3. นางสาวนงค์นุช	เจียมจักร	เลขานุการนายอำเภอศรีมหาโพธิ
4. นางสาววชิรา	นาชัยเพิ่ม	เจ้าหน้าที่ฝ่ายสิ่งแวดล้อม บริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 5 เอ จำกัด

เริ่มประชุมเวลา 10.45 น.

นางสาวจุฑามาศ บัวเผื่อน นายอำเภอศรีมหาโพธิ ประธานกรรมการไตรภาคี ได้กล่าวทักทายผู้เข้าร่วมประชุม และขอเปิดประชุมคณะกรรมการไตรภาคี ครั้งที่ 5 / 2568 (ครั้งที่ 219) ตามวาระดังต่อไปนี้

ระเบียบวาระที่ 1 ประธานแจ้งที่ประชุมเพื่อทราบ

1. ขอขอบคุณกลุ่มบริษัท ตามโครงการเพื่อการแพทย์และสาธารณสุข

ประธานคณะกรรมการไตรภาคีได้กล่าวขอบคุณกลุ่มบริษัทที่ได้ให้การการสนับสนุนอุปกรณ์ทางการแพทย์ (เตียงผู้ป่วย พร้อมเตียงลม รถเข็น) ให้กับ โรงพยาบาลส่งเสริมสุขภาพประจำตำบล จำนวน 10 แห่งในเขตอำเภอศรีมหาโพธิและกบินทร์บุรี ตามโครงการเพื่อการแพทย์และสาธารณสุข ซึ่งจะเกิดประโยชน์ในการให้บริการแก่ประชาชนในพื้นที่ได้อย่างทั่วถึง

2. แนะนำคณะกรรมการไตรภาคีส่วนราชการ

ประธานคณะกรรมการไตรภาคีได้แนะนำคณะกรรมการไตรภาคีส่วนราชการ 1 ท่าน ได้แก่ นายโสภณ เกษสำโรง รักษาการสาธารณสุขอำเภอศรีมหาโพธิ แทนผู้ที่ลาออก ทั้งนี้หากคณะกรรมการไตรภาคีท่านใดมีธุระที่ต้องประสานงานต่างๆกับหน่วยงานนี้ สามารถติดต่อยังสำนักงานสาธารณสุขอำเภอศรีมหาโพธิได้เลย

ระเบียบวาระที่ 2 รับรองรายงานการประชุมคณะกรรมการไตรภาคี ครั้งที่ 4/2568 (ครั้งที่ 218)

ประธานในที่ประชุมได้เสนอให้ที่ประชุมพิจารณาร่างรายงานการประชุมคณะกรรมการไตรภาคี ครั้งที่ 4/2568 (ครั้งที่ 218) เมื่อวันที่ 25 เมษายน 2568 ณ ศาลาประชาคม หมู่ที่ 2 ตำบลท่าตูม อำเภอศรีมหาโพธิ จังหวัดปราจีนบุรี

การพิจารณาของที่ประชุม

ที่ประชุมได้พิจารณารายงานการประชุมแล้ว ไม่มีท่านใดขอแก้ไขรายงานการประชุม

มติที่ประชุม ที่ประชุมมีมติรับรองรายงานการประชุมคณะกรรมการไตรภาคี ครั้งที่ 4/2568

วาระที่ 3 เรื่องเพื่อทราบ

3.1 ผลการดำเนินงานตามโครงการศูนย์รับข้อร้องเรียนฯ เดือนเมษายน 2568

ตามที่ บมจ.ดับเบิ้ล เอ (1991) ได้จัดตั้ง "ศูนย์รับเรื่องร้องเรียนและข้อเสนอแนะ" โดยมีวัตถุประสงค์เพื่อรับทราบปัญหาผลกระทบด้านสิ่งแวดล้อมและจัดการป้องกันแก้ไขปัญหา ตั้งแต่ปี 2554 นั้น

ผลการตรวจสอบข้อร้องเรียนในเดือนเมษายน 2568 ได้รับเรื่องร้องเรียน จำนวน 1 ครั้ง ดังนี้

ครั้งที่	วัน-เวลา	ผู้แจ้ง	เหตุการณ์	แนวทางการดำเนินงาน/การแก้ไข
1	20 เม.ย. 68	นายประสิทธิ์ หอมจันทร์ ผญบ. หมู่ 4 ต.หาดนางแก้ว	แจ้งร้องเรียนปัญหาแมลงวันรบกวน จากการลงปุ๋ยขี้ไก่ในแปลงปลูกของบริษัทใน	ตรวจสอบแล้วพบว่าเป็นแปลงไม้ที่เพิ่งปลูกได้ไม่นาน จึงต้องมีการใส่ปุ๋ยขี้ไก่เพื่อบำรุง ทั้งนี้โดยขั้นตอนการทำงานจะต้องมีการไถพรวนคลุกผสมดินทันที แต่เนื่องจากฝนตก ทำให้เครื่องจักรไม่สามารถเข้าทำงานในแปลงได้ ซึ่งภายหลังได้รับแจ้ง

ครั้งที่	วัน-เวลา	ผู้แจ้ง	เหตุการณ์	แนวทางการดำเนินงาน/การแก้ไข
			พื้นที่ หมู่ 4 ต.หาดนางแก้ว	บัญหา ทางบริษัทได้ดำเนินการทันที และแล้วเสร็จในวันเดียว โดยแผนการดำเนินงานในอนาคต จะดำเนินการใส่ปุ๋ยอีกครั้งในอีก 2 ปี และจะมัดระวังไม่ให้เกิดปัญหาซ้ำอีก

มติที่ประชุม

ที่ประชุมรับทราบโดยพร้อมเพรียงกัน

3.2 ผลการตรวจวิเคราะห์คุณภาพน้ำ เดือนเมษายน 2568

1) การตรวจวิเคราะห์คุณภาพน้ำใต้ดิน โดยตรวจวัดทุกเดือนในจุดบุยายใบและหนองตะโก และมีการเก็บในเดือน เม.ย.และ ก.ย. ในจุดหัวโล่ และ โป่งไผ่ อ้างอิงค่ามาตรฐานตามประกาศกระทรวง ทรัพยากรธรรมชาติและสิ่งแวดล้อม พ.ศ. 2551 เรื่อง กำหนดหลักเกณฑ์และมาตรการในทางวิชาการสำหรับการป้องกัน ด้านสาธารณสุขและการป้องกันในเรื่องสิ่งแวดล้อมเป็นพิษ โดยผลการตรวจวัดในเดือนเมษายน 2568 เป็นดังนี้

ที่	ค่าที่ตรวจวัด	ค่ามาตรฐาน/หน่วย	หนองตะโก	บุยายใบ	โป่งไผ่	หัวโล่
1	ปริมาณแบคทีเรียรวม พบอยู่ทั่วไปตามดิน น้ำ พืชผัก ลำไส้คนและสัตว์ และมีที่มาจากกิจวัตรประจำวันของมนุษย์ เช่น การชักล้าง,การเลี้ยงสัตว์,การขับถ่ายสิ่งปฏิกูล นอกจากนี้ยังสามารถพบได้ในดินและปนเปื้อนมากับพืชผักต่างๆ หรืออยู่ในผลิตภัณฑ์อาหารที่ไม่มีสุขลักษณะในการผลิต	ไม่เกิน 2.2 เซลล์/น้ำ100 มล.	4.0	49	24,000	46
2	ฟีคอล โคลีฟอร์มแบคทีเรีย ปริมาณเชื้อโรคแบคทีเรียกลุ่มโคลิฟอร์ม ที่มีอยู่ในอุจจาระของมนุษย์และสัตว์เลือดอุ่น การตรวจพบแบคทีเรียชนิดนี้ในแหล่งน้ำ อาจแสดงว่าแหล่งน้ำนั้นมีโอกาสปนเปื้อนหรือมีการแพร่กระจายของเชื้อโรคที่ทำให้เกิดโรคในระบบทางเดินอาหารสูง ส่วนใหญ่แบคทีเรียกลุ่มฟีคอลโคลิฟอร์มจะตรวจพบมากในแหล่งน้ำที่ไหลผ่านชุมชนที่ระบายน้ำทิ้งสู่แหล่งน้ำโดยตรง		2.0	49	2,700	46
3	ฟลูออไรด์ พบตามธรรมชาติทั้งในน้ำ,ดิน,อาหาร ส่วนร่างกายของเราจะพบฟลูออไรด์ที่กระดูก ฟันและของเหลวทั่วร่างกาย ตามปกติแล้วร่างกายจะได้รับฟลูออไรด์จากอาหารและน้ำ	ไม่เกิน 1 มิลลิกรัม/ลิตร	0.15	0.13	0.14	น้อยกว่า 0.008
4	ปรอท เป็นโลหะหนักที่ของเหลวระเหยเป็นไอได้ง่ายใน มีสีเงิน พบมากในแหล่งที่มีการเผาไหม้น้ำมันเชื้อเพลิง โลหะโรงงานผลิตปูนซีเมนต์ ในอุตสาหกรรมที่มีการใช้	ไม่เกิน 0.001 มิลลิกรัม/ลิตร	ND	ND	ND	ND

ที่	ค่าที่ตรวจวัด	ค่ามาตรฐาน/หน่วย	หนองตะโก	บุยายใบ	โป่งไผ่	หัวโล่
	สารประกอบของปรอท นอกจากนี้ยังใช้ในวงการแพทย์ เช่น เป็นสารอุดฟัน					
5	แคดเมียม พบแคดเมียมในแหล่งสังกะสีและตะกั่ว นิยมใช้เป็นวัตถุดิบในอุตสาหกรรมผลิตแบตเตอรี่, อุปกรณ์ไฟฟ้า, โลหะผสม, อะไหล่รถยนต์ โลหะผสมในอุตสาหกรรมเพชรพลอย แคดเมียมที่ปนเปื้อนในน้ำ,อาหาร และในยาสูบ	ไม่เกิน 0.01 มิลลิกรัม/ลิตร	น้อยกว่า 0.002	น้อยกว่า 0.002	น้อยกว่า 0.002	น้อยกว่า 0.002
6	ทองแดง ส่วนมากพบทั้งในรูปไอ และเกลือของทองแดง เนื่องจากการหลอมโลหะทองแดง ทองเหลือง การเชื่อมและบัดกรีโลหะโดยใช้โลหะผสมของทองแดง หากได้รับในปริมาณมาก ทำให้เกิดการระคายเคืองและอักเสบที่ตา ระบบหายใจ ระบบทางเดินอาหารและประสาทรสสัมผัส	ไม่เกิน 1.5 มิลลิกรัม/ลิตร	น้อยกว่า 0.006	0.013	น้อยกว่า 0.006	0.006
7	นิก.เกิล เป็นโลหะชนิดหนึ่งสีขาวเหมือนเหล็กขาว ดูดติดแต่ไม่เท่าเหล็ก ส่วนใหญ่ใช้ชุบโลหะชนิดอื่น และเป็นส่วนผสมสำคัญของสแตนเลส และใช้ในการผลิตแบตเตอรี่	ไม่กำหนด มิลลิกรัม/ลิตร	น้อยกว่า 0.004	0.004	0.004	น้อยกว่า 0.004
8	ตะกั่ว สารตะกั่วเป็นโลหะหนักสีน้ำเงิน มีคุณสมบัติที่อ่อนตัว สามารถดัดเป็นรูปร่างต่างๆได้ทำให้มันถูกใช้ประโยชน์ เช่น สีทาบ้านน้ำมัน, เครื่องปั้นดินเผา, แบตเตอรี่,หมึก,สี,ตัวเชื่อม,ท่อน้ำ,สารตะกั่วนี้สามารถอยู่ในอากาศ, น้ำ ดิน	ไม่เกิน 0.05 มิลลิกรัม/ลิตร	น้อยกว่า 0.010	น้อยกว่า 0.010	น้อยกว่า 0.010	น้อยกว่า 0.010
9	สังกะสี เป็นแร่ธาตุที่เป็นองค์ประกอบในชั้นหินหรือดินและพบในแหล่งน้ำธรรมชาติทั่วไป มีความสำคัญต่อระบบทำงานต่างๆของสิ่งมีชีวิต เช่น การเติบโตของเซลล์และระบบภูมิต้านทาน	ไม่เกิน 5 มิลลิกรัม/ลิตร	0.006	2.395	0.007	0.005
10	สารหนู เป็นสารชนิดหนึ่ง ที่มักพบในน้ำที่มาจากแหล่งที่เคยผ่านการทำเหมืองมาก่อน น้ำทิ้งจากเหมืองหรือจากโรงงานอุตสาหกรรม น้ำที่ผ่านการทำเกษตรกรรมที่มีการใช้ยากำจัดศัตรูพืชไหลลงไปในแหล่งน้ำธรรมชาติหรือซึมลงไปใต้ดิน ทำให้เกิดการปนเปื้อนของสารหนูในน้ำผิวดินและน้ำใต้ดินได้	ไม่เกิน 0.05 มิลลิกรัม/ลิตร	น้อยกว่า 0.006	น้อยกว่า 0.006	น้อยกว่า 0.006	น้อยกว่า 0.006
11	ซีลีเนียม เป็นธาตุที่มีสมบัติเหมือนกำมะถัน ร่างกายต้องการซีลีเนียมน้อยมากหากได้รับมากเกินไปจะเป็นอันตราย ต่อระบบทางเดินหายใจ	ไม่เกิน 0.01 มิลลิกรัม/ลิตร	น้อยกว่า 0.006	0.006	0.007	น้อยกว่า 0.006
12	โครเมียมชนิดเฮกซาวาเลนต์ มีอุตสาหกรรมจำนวนมากยังคงใช้เป็นวัตถุดิบ ดังนั้นจึงมีโอกาสที่เฮกซาวาเลนต์โครเมียมจะเกิดการปนเปื้อนในน้ำ ดังนั้นควรเผยแพร่ถึงภัยอันตรายจากการปนเปื้อนของเฮกซาวาเลนต์โครเมียม รวมทั้งวิธีการป้องกันและการตรวจวัด จึงมีความสำคัญอย่างยิ่งต่อสุขภาพอนามัยของประชาชนโดยทั่วไป	ไม่กำหนด มิลลิกรัม/ลิตร	น้อยกว่า 0.025	0.131	น้อยกว่า 0.025	น้อยกว่า 0.025



1.ทำการตรวจวัดโดย บริษัท อินทิเกรทเต็ด รีเสิร์ช เซ็นเตอร์ จำกัด และบริษัท ยูไนเต็ด แอนนาลิสต์ แอนด์ เอ็นจิเนียริ่ง คอนซัลแตนท์ จำกัด ขึ้นทะเบียนห้องแลปกับกรมโรงงานฯ

2.จุดตรวจวัดน้ำใต้ดิน

หมู่ 2 หนองตะโก ต.ท่าตูม อ.ศรีมหาโพธิ จ.ปราจีนบุรี ที่ อู่ซ่อมรถ นางสุมาลี บริสุทธิ์
หมู่ 4 บ้านบุยายใบ ต.ท่าตูม อ.ศรีมหาโพธิ จ.ปราจีนบุรี ที่ คันโยกน้ำบาดาล หน้าศาลาประชาคมหมู่บ้าน
หมู่ 4 บ้านบุยายใบ (คุ้มหัวไผ่) ที่ บ้านนางสมใจ ไพเราะ
หมู่ 7 บ้านโป่งไผ่ ต.ท่าตูม อ.ศรีมหาโพธิ จ.ปราจีนบุรี ที่ บ้านนางสาวนงลักษณ์ คุ้มมา

*** จุดเก็บบ้านบุยายใบ และ บ้านหนองตะโก จะมีการเก็บทุกเดือน

*** จุดเก็บบ้านโป่งไผ่ และ บ้านหัวไผ่ จะมีการเก็บปีละ 2 ครั้ง คือในเดือน เมษายน และกันยายน

3. อ้างอิงค่ามาตรฐานตามประกาศกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม พ.ศ. 2551 เรื่อง กำหนดหลักเกณฑ์และมาตรการในทางวิชาการสำหรับการป้องกันด้านสาธารณสุขและการป้องกันในเรื่องสิ่งแวดล้อมเป็นพิษ

เจ้าหน้าที่สิ่งแวดล้อมของโรงงาน ได้แจ้งให้ที่ประชุมทราบว่าปริมาณค่าแบคทีเรียที่ตรวจพบเกินจากค่ามาตรฐานนั้น อาจมีสาเหตุมาจากฝนตกแล้วชะสิ่งสกปรกไหลลงใต้ดิน ทั้งนี้ในจุดเก็บตัวอย่างที่พบค่าแบคทีเรียสูงที่สุด มีสภาพพื้นที่จัดเก็บเป็นแอ่ง ต่ำ ทำให้มีการชะล้างวัสดุและคราบสกปรกต่าง ๆ ไหลลงใต้ดินได้มากกว่าส่วนอื่น

2) การตรวจวิเคราะห์คุณภาพน้ำใต้ดิน โดยตรวจวัดทุกเดือนในจุดบ่อสังเกตการณ์รอบหลุมฝังกลบของบริษัท จำนวน 5 บ่อ (เก็บตัวอย่างได้ 4 บ่อ) ผลการตรวจวัดในเดือนเมษายน 2568 มีค่าแสดงตามรายละเอียด ดังนี้

ที่	ค่าที่ตรวจวัด	เกณฑ์การปนเปื้อน	หน่วย	บ่อ 1	บ่อ 2	บ่อ 3	บ่อ 4
1	ค่าการนำไฟฟ้า การวัดค่าความนำไฟฟ้าจะสามารถบ่งบอกได้ถึงความสกปรกของน้ำ โดยถ้าค่าความนำไฟฟ้าสูง แสดงว่าในน้ำมีการปนเปื้อนของสารหรือธาตุที่มีการนำไฟฟ้ามาก ถ้าค่าต่ำแสดงว่าสารหรือธาตุที่มีการนำไฟฟ้าน้อย	ไม่กำหนด	ไมโครซีเมนส์ต่อเซนติเมตร (µs/cm)	3,137	3,133	3,225	3,400

ที่	ค่าที่ตรวจวัด	เกณฑ์การปนเปื้อน	หน่วย	บ่อ 1	บ่อ 2	บ่อ 3	บ่อ 4
2	แอมโมเนีย – ไนโตรเจน เกิดตามธรรมชาติโดยการย่อยสลายสารอินทรีย์ภายใต้สภาวะที่ไม่มีออกซิเจน ซึ่งมีกลิ่นคล้ายบัสสาวะ หากในแหล่งน้ำมีแอมโมเนีย-ไนโตรเจนมาก จะมีกลิ่นและมีฤทธิ์กัดกร่อนได้	ไม่กำหนด	มิลลิกรัม/ลิตร	1.75	3.06	4.74	5.27
3	ไซยาไนด์ เป็นสารที่มีความเป็นพิษสูง พบได้ในหลายรูปแบบได้แก่ ภาวะก๊าซไฮโดรเจนไซยาไนด์ เกิดจากการเผาไหม้สารพลาสติกโพลียูริเทนและหนังเทียม สามารถพบในมันสำปะหลังดิบ ลูก พืช เมื่อรับประทานเข้าไปจะถูกเผาผลาญและให้ ไซยาไนด์ออกมาสู่ร่างกาย	ไม่เกิน 5,000	ไมโครกรัม/ลิตร	ND	ND	ND	ND
4	ไนเตรต-ไนโตรเจน เป็นอโลหะที่มีสถานะเป็นแก๊สที่มีอยู่ทั่วไป โดยปกติไม่มีสี,กลิ่นหรือรส สารไนเตรทเป็นแร่ธาตุที่พบได้ในธรรมชาติ โดยเกิดจากการย่อยสลายสารอินทรีย์ไนโตรเจน	ไม่กำหนด	มิลลิกรัม/ลิตร	ND	ND	น้อยกว่า 0.10	0.59
5	กรดฟีนอล เป็นผลึกหรืออาจอยู่ในรูปของเหลวใส ไม่มีสี หรืออาจมีสีชมพูอ่อน กลิ่นหอมหวานค่อนข้างรุนแรง ฟีนอลเป็นสารที่ติดไฟง่ายและเมื่อสัมผัสกับความร้อนจะให้ไอระเหยที่ติดไฟได้ รวมทั้งให้แก๊สที่มีอันตรายขณะเกิดเพลิงไหม้	ไม่เกิน 72	มิลลิกรัม/ลิตร	ND	ND	ND	ND
6	ฟอสเฟตทั้งหมด หมายถึงปริมาณฟอสฟอรัสที่มีอยู่ในน้ำ	ไม่กำหนด	มิลลิกรัม/ลิตร	น้อยกว่า 0.15	0.15	0.15	0.15
7	คลอไรด์ เป็นสารอนินทรีย์ที่พบมากโดยจะอยู่ในรูปของสารประกอบ ของแคลเซียม แมกนีเซียม หรือ โซเดียม โดยเกลือของคลอไรด์จะละลายอยู่ในน้ำ ซึ่งมีความเข้มข้นแตกต่างกันไปขึ้นอยู่กับพื้นดินหรือชั้นดินที่มีปริมาณคลอไรด์แตกต่างกัน น้ำธรรมชาติรับคลอไรด์จากหลายทาง เช่น จากสิ่งปฏิกูล หรือโรงงานอุตสาหกรรม	ไม่กำหนด	มิลลิกรัม/ลิตร	269	318	315	355
8	ซัลเฟต ถ้าน้ำมีซัลเฟตมากจะเกิดสภาพน้ำกระด้างถาวรเป็นตะกรันในหม้อต้ม	ไม่กำหนด	มิลลิกรัม/ลิตร	839	620	618	
9	สภาพด่าง หรือ อัลคาไลนิตี้ หรือ ค่าอัลคาไลน์ เป็นการวัดความสามารถของสารละลายในการเปลี่ยนสภาพกรดให้	ไม่กำหนด	มิลลิกรัม/ลิตร	148	240	291	278
10	ปรอท เป็นโลหะหนักที่ของเหลวระเหยเป็นไอได้ง่ายใน มีสีเงิน พบมากในแหล่งที่มีการเผาไหม้น้ำมันเชื้อเพลิง โลหะ โรงงานผลิตปูนซีเมนต์ ในอุตสาหกรรมที่มีการใช้สารประกอบของปรอท	ไม่เกิน 0.7	มิลลิกรัม/ลิตร	น้อยกว่า LOQ	น้อยกว่า LOQ	ND	ND

ที่	ค่าที่ตรวจวัด	เกณฑ์การปนเปื้อน	หน่วย	บ่อ 1	บ่อ 2	บ่อ 3	บ่อ 4
	นอกจากนี้ยังใช้ในวงการแพทย์ เช่นเป็นสารอุดฟัน						
11	โซเดียม		มิลลิกรัม/ลิตร	425	287	482	449
12	แคดเมียม แคดเมียมจะพบในแหล่งสังกะสีและตะกั่ว นิยมใช้เป็นวัตถุดิบในอุตสาหกรรมผลิตแบตเตอรี่, อุปกรณ์ไฟฟ้า, โลหะผสม, อะไหล่รถยนต์ โลหะผสมในอุตสาหกรรมเพชรพลอย แคดเมียมที่ปนเปื้อนในน้ำ,อาหาร และยาสูบ	ไม่เกิน 0.003	มิลลิกรัม/ลิตร	น้อยกว่า 0.002	น้อยกว่า 0.002	น้อยกว่า 0.002	น้อยกว่า 0.002
13	ทองแดง ส่วนมากพบทั้งในรูปไอ และเกลือของทองแดง เนื่องจากการหลอมโลหะทองแดง ทองเหลือง การเชื่อมและบัดกรีโลหะโดยใช้โลหะผสมของทองแดง หากได้รับในปริมาณมาก ทำให้เกิดการระคายเคืองและอักเสบที่ตา ระบบหายใจ ระบบทางเดินอาหารและประสาทสลับผัส	ไม่เกิน 1.0	มิลลิกรัม/ลิตร	น้อยกว่า 0.006	น้อยกว่า 0.006	น้อยกว่า 0.006	0.009
14	นิกเกิล เป็นโลหะนิกดหนึ่งสีขาวเหมือนเหล็กขาว ดูดติด ส่วนใหญ่ใช้ชุบโลหะชนิดอื่น และเป็นส่วนผสมสำคัญของสแตนเลส และใช้ในการผลิตแบตเตอรี่	ไม่เกิน 0.020	มิลลิกรัม/ลิตร	0.023	0.027	0.026	0.020
15	ตะกั่ว เป็นโลหะหนักสีน้ำเงิน มีคุณสมบัติที่อ่อนตัวสามารถตัดเป็นรูปร่างต่างๆได้ทำให้มันถูกใช้ประโยชน์ เช่น สีทาบ้านน้ำมัน, เครื่องปั้นดินเผา, แบตเตอรี่,หมึก,สี,ตัวเชื่อม,ท่อน้ำ,สารตะกั่วนี้สามารถอยู่ในอากาศ, น้ำ ดิน	ไม่เกิน 0.01	มิลลิกรัม/ลิตร	น้อยกว่า 0.010	น้อยกว่า 0.010	น้อยกว่า 0.010	0.01
16	สังกะสี เป็นแร่ธาตุที่เป็นองค์ประกอบในชั้นหินหรือดินและพบในแหล่งน้ำธรรมชาติทั่วไป มีความสำคัญต่อระบบทำงานของสิ่งมีชีวิต เช่น การเติบโตของเซลล์และระบบภูมิต้านทาน	ไม่เกิน5.0	มิลลิกรัม/ลิตร	0.007	0.005	0.004	0.013
17	แมงกานีส แมงกานีสมักพบอยู่ในน้ำพร้อมกับเหล็ก แต่ในปริมาณที่น้อยกว่า แมงกานีสก็เช่นเดียวกับเหล็ก คือมีอยู่ในน้ำบาดาลมากกว่าน้ำผิวดิน	ไม่เกิน 0.5	มิลลิกรัม/ลิตร	1.550	0.099	0.218	0.45

ที่	ค่าที่ตรวจวัด	เกณฑ์การปนเปื้อน	หน่วย	บ่อ 1	บ่อ 2	บ่อ 3	บ่อ 4
18	สารหนู เป็นสารชนิดหนึ่ง ที่มักพบในน้ำที่มาจากแหล่งที่เคยผ่านการทำเหมืองมาก่อน น้ำทิ้งจากเหมืองหรือจากโรงงานอุตสาหกรรม น้ำที่ผ่านการทำเกษตรกรรมที่มีการใช้ยากำจัดศัตรูพืชไหลลงไปในแหล่งน้ำธรรมชาติหรือซึมลงไปใต้ดิน ทำให้เกิดการปนเปื้อนของสารหนูในน้ำผิวดินและน้ำใต้ดินได้	ไม่เกิน 0.01	มิลลิกรัม/ลิตร	น้อยกว่า 0.006	น้อยกว่า 0.006	น้อยกว่า 0.006	น้อยกว่า 0.006
19	โครเมียมชนิดเฮกซาวาเลนต์ มีอุตสาหกรรมจำนวนมากยังคงใช้เป็นวัตถุดิบ ดังนั้นจึงมีโอกาสที่ เฮกซาวาเลนต์โครเมียมจะเกิดการปนเปื้อนในน้ำ	ไม่เกิน 0.05	มิลลิกรัม/ลิตร	น้อยกว่า 0.025	น้อยกว่า 0.025	น้อยกว่า 0.025	0.04
20	ซีโอดี เป็นปริมาณออกซิเจนที่สารเคมีใช้ในการย่อยสลายสารอินทรีย์ คือค่าที่วัดถึงปริมาณทั้งหมดของออกซิเจนที่ใช้โดยจุลินทรีย์ในการย่อยสลายสารอินทรีย์ให้เป็นคาร์บอนไดออกไซด์และน้ำ รวมไปถึงสารอนินทรีย์ที่สามารถถูกออกซิไดซ์ได้ น้ำที่มีค่าซีโอดีสูงแสดงว่ามีการปนเปื้อนด้วยสารอินทรีย์สูง	ไม่กำหนด	มิลลิกรัม/ลิตร	8	13	13	23
21	บีโอดี ค่าปริมาณออกซิเจนที่จุลินทรีย์ใช้ย่อยสลายสารอินทรีย์ ถ้าค่าต่ำหมายถึง ในแหล่งน้ำมีการปนเปื้อนของสารอินทรีย์น้อย ค่าสูงหมายถึง ในแหล่งน้ำมีการปนเปื้อนของสารอินทรีย์มาก ซึ่งสารอินทรีย์ในแหล่งน้ำมาจากน้ำทิ้งจากชุมชน โรงงานอุตสาหกรรม การเกษตรกรรม เป็นต้น	ไม่กำหนด	มิลลิกรัม/ลิตร	0.1	0.7	0.7	1.1



*1-11 อ้างอิงค่ามาตรฐาน เกณฑ์การปนเปื้อนตามประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดเกณฑ์การปนเปื้อนในดินและน้ำใต้ดิน การตรวจสอบคุณภาพดินและน้ำใต้ดิน การแจ้งข้อมูล รวมทั้งการจัดทำรายงานผลการตรวจสอบคุณภาพดินและน้ำใต้ดิน และรายงานเสนอมาตรการควบคุมและมาตรการลดการปนเปื้อนในดินและน้ำใต้ดิน พ.ศ. 2559

*12-21 อ้างอิงคำมาตรฐาน ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 20 พ.ศ.2543 มาตรฐานคุณภาพน้ำใต้ดิน

1.ทำการตรวจวัดโดย บริษัท อินทิเกรทเต็ด รีเสิร์ช เซ็นเตอร์ จำกัด และบริษัท ยูไนเต็ด แอนนาลิสต์ แอนด์ เอ็นจิเนียริ่ง คอนซัลแตนท์ จำกัด ขึ้นทะเบียนห้องแลปกับกรมโรงงานฯ

มติที่ประชุม

ที่ประชุมรับทราบโดยพร้อมเพรียงกัน

3.4 แผนการดำเนินกิจกรรมเพื่อการแพทย์สาธารณสุข ประจำปี 2568

คณะกรรมการไตรภาคีได้ดำเนินกิจกรรมเพื่อการแพทย์และสาธารณสุข ประจำปี 2568 โดยได้มอบอุปกรณ์ทางการแพทย์ ได้แก่ เตียงคนไข้ ที่นอนลม และรถเข็น ให้กับโรงพยาบาลส่งเสริมสุขภาพ 10 แห่ง ดังนี้

1) โรงพยาบาลส่งเสริมสุขภาพตำบลหัวหว้า ต.หัวหว้า อ.ศรีมหาโพธิ จ.ปราจีนบุรี
2) โรงพยาบาลส่งเสริมสุขภาพตำบลบ้านหนองปรือน้อย ต.หัวหว้า อ.ศรีมหาโพธิ จ.ปราจีนบุรี
3) โรงพยาบาลส่งเสริมสุขภาพตำบลสัมพันธ์ ต.หัวหว้า อ.ศรีมหาโพธิ จ.ปราจีนบุรี
4) โรงพยาบาลส่งเสริมสุขภาพตำบลดงกระทงยาม ต.ดงกระทงยาม อ.ศรีมหาโพธิ จ.ปราจีนบุรี
5) โรงพยาบาลส่งเสริมสุขภาพตำบลหาดยาง ต.หาดยาง อ.ศรีมหาโพธิ จ.ปราจีนบุรี
6) โรงพยาบาลส่งเสริมสุขภาพตำบลบางกุ้ง ต.บางกุ้ง อ.ศรีมหาโพธิ จ.ปราจีนบุรี
7) โรงพยาบาลส่งเสริมสุขภาพตำบลบ้านปรือวายใหญ่ ต.หนองโพรง อ.ศรีมหาโพธิ จ.ปราจีนบุรี
8) โรงพยาบาลส่งเสริมสุขภาพตำบลวังตาล ต.วังตาล อ.กบินทร์บุรี จ.ปราจีนบุรี
9) โรงพยาบาลส่งเสริมสุขภาพตำบลหาดนางแก้ว ต.หาดนางแก้ว อ.ศรีมหาโพธิ จ.ปราจีนบุรี
10) สถานีสุขภาพชุมชนบ้านคลองร่วม ต.ลาดตะเคียน อ.กบินทร์บุรี จ.ปราจีนบุรี

มติที่ประชุม

ที่ประชุมรับทราบโดยพร้อมเพรียงกัน

วาระที่ 4 เรื่องเพื่อพิจารณา

-ไม่มี-

มติที่ประชุม

ที่ประชุมรับทราบโดยพร้อมเพรียงกัน

วาระที่ 5 เรื่องอื่น ๆ

5.1 คณะกรรมการไตรภาคีนำเสนอการปรับเปลี่ยนจุดเก็บตัวอย่างน้ำใต้ดิน

สืบเนื่องจากกรณีพบค่าแบคทีเรียในน้ำใต้ดินเกินจากมาตรฐานในจุดเก็บตัวอย่างหนองตะโก นายบุญชิต มานะต่อ จึงนำเสนอให้ผู้แทนฝ่ายโรงงานอุตสาหกรรม ได้ปรับเปลี่ยนจุดเก็บตัวอย่างคุณภาพน้ำใต้ดินเพื่อเปรียบเทียบกับจุดเดิม ทั้งนี้ผู้แทนฝ่ายโรงงานอุตสาหกรรมได้ชี้แจงว่า จะหารือกับผู้นำชุมชนในพื้นที่อีกครั้งในการเลือกจุดเก็บตัวอย่างที่มีการใช้น้ำใต้ดินจริง และตั้งอยู่ในรัศมีไม่เกิน 2 กิโลเมตรจากที่ตั้งของโรงงาน โดยระหว่างดำเนินการตรวจสอบ คณะเก็บตัวอย่างคุณภาพน้ำจะยังเก็บตัวอย่างในจุดเดิมไปก่อน

มติที่ประชุม

ที่ประชุมรับทราบโดยพร้อมเพรียงกัน

5.2 แจ้งปัญหาแรงงานที่เกิดจากแรงงานต่างชาติ

ประธานกรรมการไตรภาคี ได้แจ้งให้ที่ประชุมทราบถึงการดำเนินการแก้ไขปัญหาตลาดนัดของแรงงานต่างชาติ ในพื้นที่ หมู่ 4 ตำบลท่าตูม ที่ทำให้เกิดปัญหากีดขวางทางจราจร และมีการทิ้งขยะเกลื่อนกลาดนั้น ปัจจุบันได้แก้ไขปัญหายกเลิกตลาดจุดดังกล่าวแล้ว ซึ่งในอนาคตขอให้ทุกท่านช่วยเป็นหูเป็นตาในการเฝ้าระวังปัญหาไม่ให้เกิดซ้ำ ทั้งในจุดเดิมและจุดอื่นอีก

นายสุรชัย ไพเราะ กรรมการไตรภาคีส่วนชุมชน แจ้งปัญหาโรงงานสัญชาติอื่นที่รับสมัครพนักงานเฉพาะประชากรประเทศเดียวกัน ทำให้แรงงานไทยตกงาน สวนอุตสาหกรรมควรมีมาตรการหรือนโยบายรับคนไทยเข้าทำงานด้วย

ประธานคณะกรรมการไตรภาคี ได้ชี้แจงให้ที่ประชุมทราบว่า การรับสมัครพนักงานของบริษัทใดๆ ไม่สามารถบังคับได้ด้วยนโยบายต่างๆ เนื่องจากเป็นสิทธิการจ้างแรงงานของสถานประกอบการเอง ทั้งนี้หากคนไทยต้องการสมัครงานในพื้นที่ หากมีคุณสมบัติครบถ้วนก็สามารถสมัครและเข้าทำงานได้

มติที่ประชุม

ที่ประชุมรับทราบโดยพร้อมเพรียงกัน

5.3 กิจกรรมปล่อยพันธุ์สัตว์น้ำเพื่อการขยายพันธุ์ในช่วงฤดูฝน

นายชัชชัย ไพเราะ ผู้ใหญ่บ้าน หมู่ 3 ตำบลท่าตูม ขอรับการสนับสนุนพันธุ์สัตว์น้ำเพื่อการขยายพันธุ์ในช่วงฤดูฝนนี้ ณ ศาลเจ้าพ่อหงส์ทอง หมู่ 3 ตำบลท่าตูม โดยให้ฝ่ายโรงงานอุตสาหกรรมเป็นองค์กรร่วมจัดกิจกรรมในครั้งนี้

เลขานุการคณะกรรมการไตรภาคี ยินดีสนับสนุนพันธุ์สัตว์น้ำ อาทิ ปลาและกุ้ง เพื่อปล่อยขยายพันธุ์ รวมทั้งเป็นวาระเฉลิมพระเกียรติ สมเด็จพระนางเจ้าสุทิดา พัชรสุธาพิมลลักษณ พระบรมราชินี เนื่องในวันเฉลิมพระชนมพรรษา 47 พรรษา ทั้งนี้จะหารือวันที่จัดกิจกรรมร่วมกับคณะทำงาน และแจ้งกำหนดการแก่คณะกรรมการไตรภาคีต่อไป

มติที่ประชุม

ที่ประชุมรับทราบโดยพร้อมเพรียงกัน

5.4 ปัญหาน้ำเน่าเสียเนื่องจากน้ำทิ้งจากครัวเรือน

นายโสภณ เกษสำโรง รักษาการสาธารณสุขอำเภอศรีมหาโพธิ แจ้งที่ประชุมถึงสถานการณ์น้ำเน่าเสียมากขึ้น โดยมีแหล่งที่มาจากน้ำทิ้งในครัวเรือนของประชาชน

นายธีรชัย วงศ์วานิชโยธิน ผู้แทนนายกองค์การบริหารส่วนตำบลท่าตูม แจ้งว่าทางองค์การบริหารส่วนตำบลท่าตูม มีโครงการบำบัดน้ำเบื้องต้นบริเวณคลองโป่งไผ่ หมู่ 7 ตำบลท่าตูม ซึ่งความคืบหน้าอยู่ระหว่างการส่งมอบพื้นที่เพื่อดำเนินโครงการ ผลคาดว่าที่จะได้รับคือน้ำในคลองใสและสะอาดมากขึ้น จากการบำบัดก่อนระบายลงสู่แหล่งน้ำสาธารณะ

นายโสภณ เกษสำโรง รักษาการสาธารณสุขอำเภอศรีมหาโพธิ เสนอแนะให้ชุมชนได้จัดทำปอดักไขมันในครัวเรือน จะสามารถแก้ปัญหาน้ำเน่าเสียได้มาก ในส่วนของค่าแบคทีเรียในน้ำก็จะลดลงด้วย

นายธีรชัย วงศ์วานิชโยธิน ผู้แทนนายกองค์การบริหารส่วนตำบลท่าตูม แจ้งว่าเคยจัดทำโครงการมอบเครื่องดักไขมันให้กับชุมชน ร้านอาหาร แต่ท้ายที่สุดประชาชนไม่ให้ความร่วมมือ ไม่นำไขมันออกมาทิ้ง ทำให้ปอดักเกิดการอุดตัน ไม่มีสิทธิภาพในการดักไขมัน

ประธานคณะกรรมการไตรภาคี ขอความร่วมมือให้ทุกท่านยอมรับปัญหาน้ำเน่าเสียจากครัวเรือน และขอความร่วมมือดักไขมันก่อนระบายน้ำทิ้ง ทั้งนี้ในอำเภอเมืองปราจีนบุรี ได้เริ่มโครงการจัดทำปอดักไขมันในครัวเรือนแล้ว โดยหากปอดักเต็มประชาชนก็จะนำไขมันไส่ถุงดำและนำมาทิ้งในถังต่อไป ทั้งนี้การเริ่มต้นจากจุดเล็กๆนี้ก็สามารถช่วยให้แหล่งน้ำมีคุณภาพที่ดีได้

มติที่ประชุม

ที่ประชุมรับทราบโดยพร้อมเพรียงกัน

5.5 แจ้งปัญหาน้ำสำเหล้าจากโรงงานส่งผลกระทบต่อแหล่งน้ำ

นายทรงกฤษ คร้ามไพบูลย์ คณะกรรมการไตรภาคี แจ้งปัญหาผลกระทบจากโรงงานผลิตสุรา ในหมู่ที่ 3 ตำบลท่าตูม มีการลักลอบปล่อยน้ำสำเหล้าและน้ำเสียจากการล้างลวดลงคลอง ส่งผลให้ ปลา หอย ที่เลี้ยงไว้ในบ่อน้ำส่วนตัวตาย

ประธานคณะกรรมการไตรภาคี จะดำเนินการตรวจสอบร่วมกับอุตสาหกรรมจังหวัดต่อไป รวมไปถึงการตรวจสอบใบอนุญาตนำวัสดุเหลือใช้ออกนอกโรงงานด้วย

มติที่ประชุม

ที่ประชุมรับทราบโดยพร้อมเพรียงกัน

5.6 แจ้งติดป้ายหมู่บ้านกลับเข้าที่หลังจากปรับทางเข้าโครงการสวนอุตสาหกรรม

นายวิลาส เล็บพยัคฆ์ ผู้ใหญ่บ้าน หมู่ 4 ตำบลท่าตูม แจ้งให้ทางสวนอุตสาหกรรม 304 ได้ดำเนินการนำป้ายทางเข้าหมู่บ้านบุยายใบ หมู่ 4 ตำบลท่าตูม กลับเข้าที่เดิมซึ่งเป็นตำแหน่งแบ่งแนวเขตแดน ระหว่างหมู่ที่ 4 และ หมู่ที่ 10 ตำบลท่าตูม ภายหลังจากเคลื่อนย้ายป้ายออกเพื่อดำเนินการปรับทางเข้าโครงการสวนอุตสาหกรรม 304 IP7 เฟส 7 (บุยายใบ)

เลขานุการไตรภาคี รับเรื่องและจะประสานงานแจ้งฝ่ายดำเนินการโครงการแก้ไขโดยเร็วที่สุด

มติที่ประชุม

ที่ประชุมรับทราบโดยพร้อมเพรียงกัน

ปิดการประชุม เวลา 11.45 น.

จึงเรียนมาเพื่อโปรดทราบ

(นางสาวปาริชาต รุจิเทศ)

เลขานุการไตรภาคี

การประชุมคณะกรรมการไตรภาคี

บริษัท ดับเบิ้ล เอ (1991) จำกัด (มหาชน) กลุ่มบริษัท เนชั่นแนล เพาเวอร์ ซัพพลาย จำกัด(มหาชน)

กลุ่มบริษัท 304 อินดัสเตรียล ปาร์ค จำกัด

ตำบลท่าตูม อำเภอศรีมหาโพธิ จังหวัดปราจีนบุรี

วันที่ 17 มิถุนายน พ.ศ. 2568 เวลา 10.00-12.00 น.

ณ ห้องประชุมอำเภอศรีมหาโพธิ จังหวัดปราจีนบุรี

กรรมการผู้เข้าประชุม

กรรมการไตรภาคีส่วนราชการ

1. นางสาวจุฑามาศ	บัวเผื่อน	ประธานคณะกรรมการไตรภาคี
2. นายจักรกฤษณ์	วงษ์ชานี	แทน ผู้อำนวยการสำนักงานทรัพยากรธรรมชาติและสิ่งแวดล้อมจังหวัดปราจีนบุรี
3. นายชูศักดิ์	สุระขันธ์	แทน พลังงานจังหวัดปราจีนบุรี
4. นางสาวกัญญาณัฐ	ลำไธสง	แทน สาธารณสุขอำเภอศรีมหาโพธิ
5. นายธีรชัย	วงศ์วานิชโยธิน	แทน นายกองค์การบริหารส่วนตำบลท่าตูม
6. นางสวาท	เจริญสุข	กำนันประจำตำบลท่าตูม
7. นายชัชชัย	ไพเราะ	ผู้ใหญ่บ้าน หมู่ 3 ตำบลท่าตูม

กรรมการไตรภาคีส่วนชุมชน

8. นายสละ	วงษ์วิจารณ์	กรรมการไตรภาคีส่วนชุมชน
9. นายสัญชัย	แม้นพงษ์	กรรมการไตรภาคีส่วนชุมชน
10. นางสุมาลี	บริสุทธิ์	กรรมการไตรภาคีส่วนชุมชน
11. นายบุญชิต	มานะต่อ	กรรมการไตรภาคีส่วนชุมชน
12. นายเอนก	ปรุงนิยม	กรรมการไตรภาคีส่วนชุมชน
13. นางไพริน	ไพเราะ	กรรมการไตรภาคีส่วนชุมชน
14. นายสำเริง	สีมาดาล	กรรมการไตรภาคีส่วนชุมชน
15. นางวิไลรัตน์	ไพเราะ	กรรมการไตรภาคีส่วนชุมชน
16. นางสมคิด	ทิพเวช	กรรมการไตรภาคีส่วนชุมชน
17. นางสาวสมจิต	ศรีมาศ	กรรมการไตรภาคีส่วนชุมชน
18. นางสาวนงลักษณ์	คุ้มมา	กรรมการไตรภาคีส่วนชุมชน
19. นางสาวลำไย	อร่ามวงษ์	กรรมการไตรภาคีส่วนชุมชน
20. นายทรงกฤษ	คร้ามไพบูลย์	กรรมการไตรภาคีส่วนชุมชน
21. นายถวิล	โมคศักดิ์	กรรมการไตรภาคีส่วนชุมชน
22. นายบุญเกิด	พอไทย	กรรมการไตรภาคีส่วนชุมชน
23. นายประสิทธิ์	หอมจันทร์	กรรมการไตรภาคีส่วนชุมชน

กรรมการไตรภาคีส่วนโรงงาน

24. นางสาวอภิชญาภรณ์ช่วยจันทร์ กรรมการไตรภาคีส่วนโรงงาน
25. นางสาวณุกานดา ปัญญาวิไล กรรมการไตรภาคีส่วนโรงงาน
26. นายศุภกร พัฒน์ธีรกรธนา กรรมการไตรภาคีส่วนโรงงาน
27. นางสาวสุภาพร พรหมมาศ กรรมการไตรภาคีส่วนโรงงาน
28. นางสาวปัทมา นาฆ้อง กรรมการไตรภาคีส่วนโรงงาน
29. นายศุภณัฐ ชินอ่อนสำว กรรมการไตรภาคีส่วนโรงงาน
30. นางสาวจีรภา บุรีวงษ์ กรรมการไตรภาคีส่วนโรงงาน
31. นางสาววรีวรรณ์ พรายแสง กรรมการไตรภาคีส่วนโรงงาน
32. นางสาวพรทิพย์ หิตเทศ กรรมการไตรภาคีส่วนโรงงาน
33. นางสาวอาภาภรณ์ แสนทำพล กรรมการไตรภาคีส่วนโรงงาน
34. นางสาวปาริชาต รุจิเทศ กรรมการและเลขานุการคณะกรรมการไตรภาคี

กรรมการผู้ไม่เข้าประชุม

1. อุดสาหกรรมจังหวัดปราจีนบุรี กรรมการไตรภาคีส่วนราชการ
2. หัวหน้าสำนักงานจังหวัดปราจีนบุรี กรรมการไตรภาคีส่วนราชการ
3. สมาชิกสภาจังหวัดปราจีนบุรี กรรมการไตรภาคีส่วนราชการ
4. ปลัดองค์การบริหารส่วนตำบลท่าตูม กรรมการไตรภาคีส่วนราชการ
5. ผู้อำนวยการโรงเรียนบ้านโป่งไผ่ กรรมการไตรภาคีส่วนราชการ
6. นายวิทูร บุญส่ง ที่ปรึกษาผู้ทรงคุณวุฒิไตรภาคี
7. นายสมบุญ พัชรไพบูลย์ กรรมการไตรภาคีส่วนชุมชน
8. นางสาวยุพิณ ละมั่งทอง กรรมการไตรภาคีส่วนชุมชน
9. นายวิลาส เล็บพยัคฆ์ กรรมการไตรภาคีส่วนชุมชน
10. นายเผือก เล็บพยัคฆ์ กรรมการไตรภาคีส่วนชุมชน
11. นายอุดม ไทยงัวน กรรมการไตรภาคีส่วนชุมชน
12. นายชัยวิวัฒน์ เปลี่ยนนุช กรรมการไตรภาคีส่วนชุมชน
13. นายเมธา บุญโต กรรมการไตรภาคีส่วนชุมชน
14. นายกู้เกียรติ แสงจันทร์ กรรมการไตรภาคีส่วนชุมชน
15. นายพีรมิตร สัมฤทธิ์ กรรมการไตรภาคีส่วนชุมชน
16. นายสุรชัย ไพเราะ กรรมการไตรภาคีส่วนชุมชน
17. นายพิพัฒน์ คำแก้ว กรรมการไตรภาคีส่วนชุมชน
18. นายวิชา จันทร์ประทุม กรรมการไตรภาคีส่วนชุมชน
19. นายอรรณพ เกียรตินันทโกศล กรรมการไตรภาคีส่วนโรงงาน

ผู้เข้าร่วมประชุม

1. นายวัศพล สินทรัพย์ เจ้าหน้าที่สำนักงานพลังงานจังหวัดปราจีนบุรี
2. นางสาวชุติมา สันธนพิพัฒน์ เจ้าหน้าที่สำนักงานทรัพยากรธรรมชาติและสิ่งแวดล้อมจังหวัดปราจีนบุรี

3. นายศักดิ์ชัย บุตรดา สารวัตรกำนันประจำตำบลท่าตูม
4. นางสาววิชุดา ตรีเนตร์ เจ้าหน้าที่อำเภอศรีมหาโพธิ
5. นางสาวนงค์นุช เจียมจักร เลขานุการนายอำเภอศรีมหาโพธิ
4. นางสาวสุภาวดี จงเรืองศรี เจ้าหน้าที่ฝ่ายสิ่งแวดล้อม บริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 5 เอ จำกัด

เริ่มประชุมเวลา 10.15 น.

นางสาวจุฑามาศ บัวเผื่อน นายอำเภอศรีมหาโพธิ ประธานกรรมการไตรภาคี ได้กล่าวทักทายผู้เข้าร่วมประชุม และขอเปิดประชุมคณะกรรมการไตรภาคี ครั้งที่ 6 / 2568 (ครั้งที่ 220) ตามวาระดังต่อไปนี้

ระเบียบวาระที่ 1 ประธานแจ้งที่ประชุมเพื่อทราบ

-ไม่มี-

ระเบียบวาระที่ 2 รับรองรายงานการประชุมคณะกรรมการไตรภาคี ครั้งที่ 5/2568 (ครั้งที่ 219)

ประธานในที่ประชุมได้เสนอให้ที่ประชุมพิจารณาร่างรายงานการประชุมคณะกรรมการไตรภาคี ครั้งที่ 5/2568 (ครั้งที่ 219) เมื่อวันที่ 19 พฤษภาคม 2568 ณ ห้องประชุมกองทุนพัฒนาไฟฟ้าจังหวัดปราจีนบุรี อำเภอศรีมหาโพธิ จังหวัดปราจีนบุรี

การพิจารณาของที่ประชุม

ที่ประชุมได้พิจารณารายงานการประชุมแล้ว ไม่มีท่านใดขอแก้ไขรายงานการประชุม

มติที่ประชุม ที่ประชุมมีมติรับรองรายงานการประชุมคณะกรรมการไตรภาคี ครั้งที่ 5/2568

วาระที่ 3 เรื่องเพื่อทราบ

3.1 ผลการดำเนินงานตามโครงการศูนย์รับข้อร้องเรียนฯ เดือนพฤษภาคม 2568

ตามที่ บมจ.ดั๊บเบิ้ล เอ (1991) ได้จัดตั้ง "ศูนย์รับเรื่องร้องเรียนและข้อเสนอแนะ" โดยมีวัตถุประสงค์เพื่อรับทราบปัญหาผลกระทบด้านสิ่งแวดล้อมและจัดการป้องกันแก้ไขปัญหา ตั้งแต่ปี 2554 นั้น

ผลการตรวจสอบข้อร้องเรียนในเดือนพฤษภาคม 2568 ได้รับเรื่องร้องเรียน จำนวน 3 ครั้ง ดังนี้

ครั้งที่	วัน-เวลา	ผู้แจ้ง	เหตุการณ์	บริษัทที่เกี่ยวข้อง	รายละเอียด/การดำเนินการตรวจสอบและแก้ไข
1	21/5/2568	นางไพริน ไพเราะ กรรมการไตรภาคี	แจ้งร้องเรียนกลิ่นเหม็นและได้ยินเสียงดังจากบริษัท ในช่วงเวลา 04.00-05.00น. ของทุกวัน ม.4 ต.ท่าตูม	ไม่สอดคล้อง	ตรวจสอบข้อมูลจากจมูกอิเล็กทรอนิกส์ (E-nose) ในจุดใกล้เคียง ณ ช่วงเวลาดังกล่าว ไม่พบการแจ้งเตือนกลิ่นจากโรงงาน อีกทั้งเครื่องจักรทั้งในส่วนของโรงงานผลิตเยื่อ และโรงไฟฟ้าทำงานปกติ คาดว่าอาจเป็นด้วยสภาพอากาศที่ปิด จึงทำให้มีกลิ่นไปยังพื้นที่ร้องเรียนได้ โดยในส่วนของข้อร้องเรียนเรื่องเสียงไม่สามารถตรวจสอบย้อนหลังได้

ครั้งที่	วัน-เวลา	ผู้แจ้ง	เหตุการณ์	บริษัทที่เกี่ยวข้อง	รายละเอียด/การดำเนินการตรวจสอบและแก้ไข
					ทั้งนี้ได้แจ้งกลับต่อผู้ร้องเรียนและขอร่วมมือแจ้งบัญหาทันทีที่ได้รับผลกระทบ เพื่อตรวจสอบได้ทันทีและหาสาเหตุได้ง่ายขึ้น
2	30/5/2568	นายประสิทธิ์ หอมจันทร์ ผญบ. ม.4 ต.หาดนางแก้ว	แจ้งเรื่องร้องเรียนกรณีแนวปลูกไม้รุกล้ำแนวเขต	บริษัท พิวเจอร์ รีซอร์สเทคโนโลยี จำกัด	ประสานงานตรวจสอบพื้นที่พบว่าเป็นแปลงที่ดังอยู่ในพื้นที่ ม.4 ต.หาดนางแก้ว ซึ่งแนวการปลูกไม้และขุดร่องระบายน้ำไม่พบว่ามีการล้ำพื้นที่ชุมชนแต่อย่างใด โดยทางบริษัทปลูกตามแนวเขตและโฉนดที่ถือครอง ซึ่งภายหลังจากการหารือร่วมกับผู้ใหญ่บ้านแล้ว บริษัทจะเว้นระยะให้อีก 1 เมตร เพื่อคลายความกังวลใจของชุมชน โดยปัจจุบันอยู่ระหว่างรอเครื่องจักรเข้าดำเนินการ
3	31/5/2568 19.41 น.	นางกนกชล แม้นนิยม ผชบ. ม.4 ต.ท่าตูม	แจ้งร้องเรียนกลิ่นเหม็น หมู่ 4 ต.ท่าตูม	บริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 5 เอ จำกัด	ตรวจสอบแล้วพบว่า ช่วงเวลาดังกล่าว ระบบการระบายก๊าซของ บริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 5 เอ จำกัด เกิดเหตุขัดข้อง โดยได้ทำการควบคุมและเฝ้าระวังอย่างต่อเนื่อง จนกลับมาเดินเครื่องได้ปกติ ณ เวลา 00.36 น.

เลขานุการคณะกรรมการไตรภาคี ได้แจ้งให้ที่ประชุมทราบกรณีการแจ้งร้องเรียนเรื่องกลิ่น ขอให้แจ้งเข้ามาโดยทันทีเพื่อดำเนินการตรวจสอบ ณ ช่วงเวลาดังกล่าวได้เลย ทั้งนี้สามารถแจ้งได้ที่หมายเลขโทรศัพท์ 085-8350189 คุณณปาริชาต หรือ

085-8350193 คุณณุกานดา

มติที่ประชุม

ที่ประชุมรับทราบโดยพร้อมเพรียงกัน

3.2 ผลการตรวจวิเคราะห์คุณภาพน้ำ เดือนพฤษภาคม 2568

1) การตรวจวิเคราะห์คุณภาพน้ำใต้ดิน โดยตรวจวัดทุกเดือนในจุดบุยายใบและหนองตะโก และมีการเก็บในเดือน เม.ย.และ ก.ย. ในจุดหัวไล่ และ โป่งไผ่ อ้างอิงค่ามาตรฐานตามประกาศกระทรวง ทรัพยากรธรรมชาติและสิ่งแวดล้อม พ.ศ. 2551 เรื่อง กำหนดหลักเกณฑ์และมาตรการในทางวิชาการสำหรับการป้องกัน ด้านสาธารณสุขและการป้องกันในเรื่องสิ่งแวดล้อมเป็นพิษ โดยผลการตรวจวัดในเดือนพฤษภาคม 2568 เป็นดังนี้

ที่	ค่าที่ตรวจวัด	ค่ามาตรฐาน/หน่วย	หนองตะโก	บุยายใบ
1	ปริมาณแบคทีเรียรวม พบอยู่ทั่วไปตามดิน น้ำ พืชผัก ลำไส้คนและสัตว์ และมีที่มาจากกิจวัตรประจำวันของมนุษย์ เช่น การขัดล้าง,การเลี้ยงสัตว์,การขับถ่ายสิ่งปฏิกูล นอกจากนี้ยังสามารถพบได้ในดินและปนเปื้อนมากับพืชผักต่างๆ หรืออยู่ในผลิตภัณฑ์อาหารที่ไม่มีสุขลักษณะในการผลิต	ไม่เกิน 2.2 เซลล์/น้ำ100 มล.	330	น้อยกว่า 1.8
2	ฟีคอล โคลิฟอร์มแบคทีเรีย ปริมาณเชื้อโรคแบคทีเรียกลุ่มโคลิฟอร์มที่มีอยู่ในอุจจาระของมนุษย์และสัตว์เลือดอุ่น การตรวจพบแบคทีเรียชนิดนี้ในแหล่งน้ำ อาจแสดงว่าแหล่งน้ำนั้นมีโอกาสปนเปื้อนหรือมีการแพร่กระจายของเชื้อโรคที่ทำให้เกิดโรคในระบบทางเดินอาหารสูง ส่วนใหญ่แบคทีเรียกลุ่มฟีคอลโคลิฟอร์มจะตรวจพบมากในแหล่งน้ำที่ไหลผ่านชุมชนที่ระบายน้ำทิ้งสู่แหล่งน้ำโดยตรง		2,0	น้อยกว่า 1.8
3	ฟลูออไรด์ พบตามธรรมชาติทั้งในน้ำ,ดิน,อาหาร ส่วนร่างกายของเราจะพบฟลูออไรด์ที่กระดูก ฟัน และของเหลวทั่วร่างกาย ตามปกติแล้วร่างกายจะได้รับฟลูออไรด์จากอาหารและน้ำ	ไม่เกิน 1 มิลลิกรัม/ลิตร	0.15	0.24
4	ปรอท เป็นโลหะหนักที่ของเหลวระเหยเป็นไอได้ง่ายใน มีสีเงิน พบมากในแหล่งที่มีการเผาไหม้น้ำมันเชื้อเพลิง โลหะ โรงงานผลิตปูนซีเมนต์ ในอุตสาหกรรมที่มีการใช้สารประกอบของปรอท นอกจากนี้ยังใช้ในวงการแพทย์ เช่นเป็นสารอุดฟัน	ไม่เกิน 0.001 มิลลิกรัม/ ลิตร	น้อยกว่า 0.0001	น้อยกว่า 0.0001
5	แคดเมียม พบแคดเมียมในแหล่งสังกะสีและตะกั่ว นิยมใช้เป็นวัตถุดิบในอุตสาหกรรมผลิตแบตเตอรี่, อุปกรณ์ไฟฟ้า, โลหะผสม, อะไหล่รถยนต์ โลหะผสมในอุตสาหกรรมเพชรพลอย แคดเมียมที่ปนเปื้อนในน้ำ ,อาหาร และในยาสูบ	ไม่เกิน 0.01 มิลลิกรัม/ ลิตร	น้อยกว่า0.002	น้อยกว่า 0.002
6	ทองแดง ส่วนมากพบทั้งในรูปไอ และเกลือของทองแดง เนื่องจากการหลอมโลหะทองแดง ทองเหลือง การเชื่อมและบัดกรีโลหะโดยใช้โลหะผสมของทองแดง หากได้รับในปริมาณมาก ทำให้เกิดการระคายเคืองและอักเสบที่ตา ระบบหายใจ ระบบทางเดินอาหารและประสาทสลัมผัส	ไม่เกิน 1.5 มิลลิกรัม/ ลิตร	น้อยกว่า0.006	0.011
7	นิกเกิล เป็นโลหะชนิดหนึ่งสีขาวเหมือนเหล็กขาว ดูดติดแต่ไม่เท่าเหล็ก ส่วนใหญ่ใช้ชุบโลหะชนิดอื่น และเป็นส่วนผสมสำคัญของสแตนเลส และใช้ในการผลิตแบตเตอรี่	ไม่กำหนด มิลลิกรัม/ ลิตร	น้อยกว่า0.004	น้อยกว่า 0.004
8	ตะกั่ว สารตะกั่วเป็นโลหะหนักสีน้ำเงิน มีคุณสมบัติที่อ่อนตัวสามารถตัดเป็นรูปร่างต่างๆได้ทำให้มันถูกใช้ประโยชน์ เช่น สีทาบ้านน้ำมัน, เครื่องปั้นดินเผา, แบตเตอรี่,หมึก,สี,ตัวเชื่อม,ท่อน้ำ,สารตะกั่วนี้สามารถอยู่ในอากาศ, น้ำ ดิน	ไม่เกิน 0.05 มิลลิกรัม/ ลิตร	น้อยกว่า0.010	น้อยกว่า 0.010
9	สังกะสี เป็นแร่ธาตุที่เป็นองค์ประกอบในชั้นหินหรือดินและพบในแหล่งน้ำธรรมชาติทั่วไป มีความสำคัญต่อระบบทำงานต่างๆของสิ่งมีชีวิต เช่น การเติบโตของเซลล์และระบบภูมิต้านทาน	ไม่เกิน 5 มิลลิกรัม/ ลิตร	0.012	1.377

ที่	ค่าที่ตรวจวัด	ค่ามาตรฐาน/หน่วย	หนองตะโก	บุยายใบ
10	สารหนู เป็นสารชนิดหนึ่ง ที่มักพบในน้ำที่มาจากแหล่งที่เคยผ่านการทำเหมืองมาก่อน น้ำทิ้งจากเหมืองหรือจากโรงงานอุตสาหกรรม น้ำที่ผ่านการทำเกษตรกรรมที่มีการใช้ยากำจัดศัตรูพืชไหลลงไปในแหล่งน้ำธรรมชาติ หรือซึมลงไปใต้ดิน ทำให้เกิดการปนเปื้อนของสารหนูในน้ำผิวดินและน้ำใต้ดินได้	ไม่เกิน 0.05 มิลลิกรัม/ ลิตร	น้อยกว่า0.006	น้อยกว่า 0.006
11	ซีลีเนียม เป็นธาตุที่มีสมบัติเหมือนกำมะถัน ร่างกายต้องการซีลีเนียมน้อยมากหากได้รับมากเกินไปจะเป็นอันตราย ต่อระบบทางเดินหายใจ	ไม่เกิน 0.01 มิลลิกรัม/ ลิตร	น้อยกว่า0.006	น้อยกว่า 0.006
12	โครเมียมชนิดเฮกซาวาเลนต์ มีอุตสาหกรรมจำนวนมากยังคงใช้เป็นวัตถุดิบ ดังนั้นจึงมีโอกาสที่เฮกซาวาเลนต์โครเมียมจะเกิดการปนเปื้อนในน้ำ ดังนั้นควรเผยแพร่ถึงภัยอันตรายจากการปนเปื้อนของเฮกซาวาเลนต์โครเมียม รวมทั้งวิธีการป้องกันและการตรวจวัด จึงมีความสำคัญอย่างยิ่งต่อสุขภาพอนามัยของประชาชนโดยทั่วไป	ไม่กำหนด มิลลิกรัม/ ลิตร	น้อยกว่า0.025	น้อยกว่า 0.025

1.ทำการตรวจวัดโดย บริษัท อินทิเกรทเต็ด รีเสิร์ช เซ็นเตอร์ จำกัด และบริษัท ยูไนเต็ด แอนนาลิสต์ แอนด์ เอ็นจิเนียริ่ง คอนซัลแตนท์ จำกัด ขึ้นทะเบียนห้องแลปกับกรมโรงงานฯ

2.จุดตรวจวัดน้ำใต้ดิน

หมู่ 2 หนองตะโก ต.ท่าตูม อ.ศรีมหาโพธิ จ.ปราจีนบุรี ที่ อู่ซ่อมรถ นางสุมาลี บริสุทธิ์

หมู่ 4 บ้านบุยายใบ ต.ท่าตูม อ.ศรีมหาโพธิ จ.ปราจีนบุรี ที่ คันโยกน้ำบาดาล หน้าศาลาประชาคมหมู่บ้าน

หมู่ 4 บ้านบุยายใบ (คุ้มหัวโล่) ที่ บ้านนางสมใจ ไพเราะ

หมู่ 7 บ้านโป่งไผ่ ต.ท่าตูม อ.ศรีมหาโพธิ จ.ปราจีนบุรี ที่ บ้านนางสาวนงลักษณ์ คุ้มมา

*** จุดเก็บบ้านบุยายใบ และ บ้านหนองตะโก จะมีการเก็บทุกเดือน

*** จุดเก็บบ้านโป่งไผ่ และ บ้านหัวโล่ จะมีการเก็บปีละ 2 ครั้ง คือในเดือน เมษายน และกันยายน

3. อ้างอิงค่ามาตรฐานตามประกาศกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม พ.ศ. 2551 เรื่อง กำหนดหลักเกณฑ์และมาตรการในทางวิชาการสำหรับการป้องกันด้านสาธารณสุขและการป้องกันในเรื่องสิ่งแวดล้อมเป็นพิษ



การเก็บตัวอย่างน้ำบาดาล/น้ำใต้ดิน

บ้านบุยายใบ

บ้านหนองตะโก

รูปที่ 8 การเก็บตัวอย่างน้ำบาดาล/น้ำใต้ดิน วันที่ 6 พฤษภาคม พ.ศ. 2568

2) การตรวจวิเคราะห์คุณภาพน้ำใต้ดิน โดยตรวจวัดทุกเดือนในจุดบ่อสังเกตการณ์รอบหลุมฝังกลบของบริษัท จำนวน 5 บ่อ (เก็บตัวอย่างได้ 4 บ่อ) ผลการตรวจวัดในเดือนพฤษภาคม 2568 มีค่าแสดงตามรายละเอียด ดังนี้

ที่	ค่าที่ตรวจวัด	เกณฑ์การปนเปื้อน	หน่วย	บ่อ 1	บ่อ 2	บ่อ 3	บ่อ 4
1	ค่าการนำไฟฟ้า การวัดค่าความนำไฟฟ้าจะสามารถบ่งบอกได้ถึงความสกปรกของน้ำ โดยถ้าค่าความนำไฟฟ้าสูง แสดงว่าในน้ำมีการปนเปื้อนของสารหรือธาตุที่มีการนำไฟฟ้ามาก ถ้าค่าต่ำแสดงว่าสารหรือธาตุที่มีการนำไฟฟ้าน้อย	ไม่กำหนด	ไมโครซีเมนส์ต่อเซนติเมตร (µs/cm)	3,139	3,177	3,227	3,402
2	แอมโมเนีย – ไนโตรเจน เกิดตามธรรมชาติโดยการย่อยสลายสารอินทรีย์ภายใต้สภาวะที่ไม่มีออกซิเจน ซึ่งมีกลิ่นคล้ายบัสสาวะ หากในแหล่งน้ำมีแอมโมเนีย-ไนโตรเจนมาก จะมีกลิ่นและมีฤทธิ์กัดกร่อนได้	ไม่กำหนด	มิลลิกรัม/ลิตร	1.64	2.78	2.07	3.04
3	ไซยาไนด์ เป็นสารที่มีความเป็นพิษสูง พบได้ในหลายรูปแบบได้แก่ ภาวะก๊าซไฮโดรเจนไซยาไนด์ เกิดจากการเผาไหม้สารพลาสติกโพลียูริเทนและหนังเทียม สามารถพบในมันสำปะหลัง ดิบ ลูก พืช เมื่อรับประทานเข้าไปจะถูกเผาผลาญและให้ ไซยาไนด์ออกมาสู่ร่างกาย	ไม่เกิน 5,000	ไมโครกรัม/ลิตร	น้อยกว่า5	น้อยกว่า 5	น้อยกว่า 5	น้อยกว่า5
4	ไนเตรต-ไนโตรเจน เป็นอโลหะที่มีสถานะเป็นแก๊สที่มีอยู่ทั่วไป โดยปกติไม่มีสี,กลิ่นหรือรส สารไนเตรทเป็นแร่ธาตุที่พบได้ในธรรมชาติ โดยเกิดจากการย่อยสลายสารอินทรีย์ไนโตรเจน	ไม่กำหนด	มิลลิกรัม/ลิตร	น้อยกว่า 0.10	น้อยกว่า 0.02	น้อยกว่า 0.10	น้อยกว่า 0.02
5	กรดฟีนอล เป็นผลึกหรืออาจอยู่ในรูปของเหลวใส ไม่มีสี หรืออาจมีสีชมพูอ่อน กลิ่นหอมหวานอ่อนบางรุนแรง ฟีนอลเป็นสารที่ติดไฟง่ายและเมื่อสัมผัสกับความร้อนจะให้ไอระเหยที่ติดไฟได้ รวมทั้งให้แก๊สที่มีอันตรายขณะเกิดเพลิงไหม้	ไม่เกิน 72	มิลลิกรัม/ลิตร	น้อยกว่า 0.001	น้อยกว่า 0.005	น้อยกว่า 0.001	น้อยกว่า 0.005
6	ฟอสเฟตทั้งหมด หมายถึงปริมาณฟอสฟอรัสที่มีอยู่ในน้ำ	ไม่กำหนด	มิลลิกรัม/ลิตร	0.15	0.15	0.15	0.15
7	คลอไรด์ เป็นสารอนินทรีย์ที่พบมากโดยจะอยู่ในรูปของสารประกอบ ของแคลเซียม แมกนีเซียม หรือ โซเดียม โดยเกลือของคลอไรด์จะละลายอยู่ในน้ำ ซึ่งมีความเข้มข้นแตกต่างกันไปขึ้นอยู่กับพื้นดินหรือชั้นดินที่มีปริมาณคลอไรด์แตกต่างกัน น้ำธรรมชาติรับคลอไรด์จากหลายทาง เช่น จากสิ่งปฏิกูล หรือโรงงานอุตสาหกรรม	ไม่กำหนด	มิลลิกรัม/ลิตร	269	316	328	364
8	ซัลเฟต ถ้าน้ำมีซัลเฟตมากจะเกิดสภาพน้ำกระด้างถาวรเป็นตะกรันในหม้อต้ม	ไม่กำหนด	มิลลิกรัม/ลิตร	734	643	636	650

ที่	ค่าที่ตรวจวัด	เกณฑ์การปนเปื้อน	หน่วย	บ่อ 1	บ่อ 2	บ่อ 3	บ่อ 4
9	สภาพด่าง หรือ อัลคาไลนิตี้ หรือ ค่าอัลคาไลน์ เป็นการวัดความสามารถของสารละลายในการเปลี่ยนสภาพกรดให้	ไม่กำหนด	มิลลิกรัม/ลิตร	145	235	281	264
10	ปรอท เป็นโลหะหนักที่ของเหลวระเหยเป็นไอได้ง่ายใน มีสีเงิน พบมากในแหล่งที่มีการเผาไหม้น้ำมันเชื้อเพลิง โลหะ โรงงานผลิตปูนซีเมนต์ ในอุตสาหกรรมที่มีการใช้สารประกอบของปรอท นอกจากนี้ยังใช้ในวงการแพทย์ เช่นเป็นสารอุดฟัน	ไม่เกิน 0.7	มิลลิกรัม/ลิตร				
11	โซเดียม		มิลลิกรัม/ลิตร	358	327	316	342
12	แคดเมียม แคดเมียมจะพบในแหล่งสังกะสีและตะกั่ว นิยมใช้เป็นวัตถุดิบในอุตสาหกรรมผลิตแบตเตอรี่, อุปกรณ์ไฟฟ้า, โลหะผสม, อะไหล่รถยนต์ โลหะผสมในอุตสาหกรรมเพชรพลอย แคดเมียมที่ปนเปื้อนในน้ำ,อาหาร และยาสูบ	ไม่เกิน 0.003	มิลลิกรัม/ลิตร	น้อยกว่า 0.002	น้อยกว่า 0.002	น้อยกว่า 0.002	น้อยกว่า 0.002
13	ทองแดง ส่วนมากพบทั้งในรูปไอ และเกลือของทองแดง เนื่องจากการหลอมโลหะทองแดง ทองเหลือง การเชื่อมและบัดกรีโลหะโดยใช้โลหะผสมของทองแดง หากได้รับในปริมาณมาก ทำให้เกิดการระคายเคืองและอักเสบที่ตา ระบบหายใจ ระบบทางเดินอาหารและประสาทรสสัมผัส	ไม่เกิน 1.0	มิลลิกรัม/ลิตร	น้อยกว่า 0.006	น้อยกว่า 0.006	น้อยกว่า 0.006	น้อยกว่า 0.006
14	นิกเกิล เป็นโลหะชนิดหนึ่งสีขาวเหมือนเหล็กขาว ดูดติด ส่วนใหญ่ใช้ชุบโลหะชนิดอื่น และเป็นส่วนผสมสำคัญของสแตนเลส และใช้ในการผลิตแบตเตอรี่	ไม่เกิน 0.020	มิลลิกรัม/ลิตร	0.023	0.026	0.025	0.024
15	ตะกั่ว เป็นโลหะหนักสีน้ำเงิน มีคุณสมบัติที่อ่อนตัวสามารถดัดเป็นรูปร่างต่างๆได้ทำให้มันถูกใช้ประโยชน์ เช่น สีทาบ้านน้ำมัน, เครื่องปั้นดินเผา, แบตเตอรี่,หมึก,สี,ตัวเชื่อม,ท่อน้ำ,สารตะกั่วนี้สามารถอยู่ในอากาศ, น้ำ ดิน	ไม่เกิน 0.01	มิลลิกรัม/ลิตร	น้อยกว่า 0.010	น้อยกว่า 0.010	น้อยกว่า 0.010	น้อยกว่า 0.010
16	สังกะสี เป็นแร่ธาตุที่เป็นองค์ประกอบในชั้นหินหรือดินและพบในแหล่งน้ำธรรมชาติทั่วไป มีความสำคัญต่อระบบทำงานของสิ่งมีชีวิต เช่น การเติบโตของเซลล์และระบบภูมิต้านทาน	ไม่เกิน5.0	มิลลิกรัม/ลิตร	0.008	0.010	0.008	0.009
17	แมงกานีส แมงกานีสมักพบอยู่ในน้ำพร้อมกับเหล็ก แต่ในปริมาณที่น้อยกว่า แมงกานีสก็	ไม่เกิน 0.5	มิลลิกรัม/ลิตร	1.594	0.111	0.225	0.472

ที่	ค่าที่ตรวจวัด	เกณฑ์การปนเปื้อน	หน่วย	บ่อ 1	บ่อ 2	บ่อ 3	บ่อ 4
	เช่นเดียวกับเหล็ก คือมีอยู่ในน้ำบาดาลมากกว่าน้ำผิวดิน						
18	สารหนู เป็นสารชนิดหนึ่ง ที่มักพบในน้ำที่มาจากแหล่งที่เคยผ่านการทำเหมืองมาก่อน น้ำทิ้งจากเหมืองหรือจากโรงงานอุตสาหกรรม น้ำที่ผ่านการทำเกษตรกรรมที่มีการใช้ยากำจัดศัตรูพืชไหลลงไปในแหล่งน้ำธรรมชาติหรือซึมลงไปใต้ดิน ทำให้เกิดการปนเปื้อนของสารหนูในน้ำผิวดินและน้ำใต้ดินได้	ไม่เกิน 0.01	มิลลิกรัม/ลิตร	0.012	0.007	น้อยกว่า 0.006	0.010
19	โครเมียมชนิดเฮกซาวาเลนต์ มีอุตสาหกรรมจำนวนมากยังคงใช้เป็นวัตถุดิบ ดังนั้นจึงมีโอกาสที่ เฮกซาวาเลนต์โครเมียมจะเกิดการปนเปื้อนในน้ำ	ไม่เกิน 0.05	มิลลิกรัม/ลิตร	0.038	0.088	น้อยกว่า 0.025	0.060
20	ซีโอดี เป็นปริมาณออกซิเจนที่สารเคมีใช้ในการย่อยสลายสารอินทรีย์ คือค่าที่วัดถึงปริมาณทั้งหมดของออกซิเจนที่ใช้โดยจุลินทรีย์ในการย่อยสลายสารอินทรีย์ให้เป็นคาร์บอนไดออกไซด์และน้ำ รวมไปถึงสารอนินทรีย์ที่สามารถถูกออกซิไดซ์ได้ น้ำที่มีค่าซีโอดีสูงแสดงว่ามีการปนเปื้อนด้วยสารอินทรีย์สูง	ไม่กำหนด	มิลลิกรัม/ลิตร	น้อยกว่า5	น้อยกว่า 5	13	17
21	บีโอดี ค่าปริมาณออกซิเจนที่จุลินทรีย์ใช้ย่อยสลายสารอินทรีย์ ถ้าค่าต่ำหมายถึง ในแหล่งน้ำมีการปนเปื้อนของสารอินทรีย์น้อย ค่าสูงหมายถึงในแหล่งน้ำมีการปนเปื้อนของสารอินทรีย์มาก ซึ่งสารอินทรีย์ในแหล่งน้ำมาจากน้ำทิ้งจากชุมชน โรงงานอุตสาหกรรม การเกษตรกรรม เป็นต้น	ไม่กำหนด	มิลลิกรัม/ลิตร	0.3	0.3	0.5	0.8

*1-11 อ้างอิงค่ามาตรฐาน เกณฑ์การปนเปื้อนตามประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดเกณฑ์การปนเปื้อนในดินและน้ำใต้ดิน การตรวจสอบคุณภาพดินและน้ำใต้ดิน การแจ้งข้อมูล รวมทั้งการจัดทำรายงานผลการตรวจสอบคุณภาพดินและน้ำใต้ดิน และรายงานเสนอมาตรการควบคุมและมาตรการลดการปนเปื้อนในดินและน้ำใต้ดิน พ.ศ. 2559

*12-21 อ้างอิงค่ามาตรฐาน ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 20 พ.ศ.2543 มาตรฐานคุณภาพน้ำใต้ดิน

1.ทำการตรวจวัดโดย บริษัท อินทิเกรทเต็ด รีเสิร์ช เซ็นเตอร์ จำกัด และบริษัท ยูไนเต็ด แอนนาลิสต์ แอนด์ เอ็นจิเนียริ่ง คอนซัลแตนท์ จำกัด ขึ้นทะเบียนห้องแลปกับกรมโรงงานฯ

รูปที่ 6 การเก็บตัวอย่างน้ำในบ่อสังเกตการณ์ วันที่ 6 พฤษภาคม พ.ศ. 2568

มติที่ประชุม
ที่ประชุมรับทราบโดยพร้อมเพรียงกัน

3) การตรวจวิเคราะห์คุณภาพน้ำผิวดิน ตรวจทุกเดือน 3 จุดยกเว้น เดือนกุมภาพันธ์, เมษายน และ ธันวาคม ได้แก่ วังหลังถ้ำ, คลองชลองแวง, วัดวังบัวทอง / ตรวจเพิ่มเติมรายไตรมาส 2 จุด คือ หนองน้ำราชโต และ แม่น้ำปราจีนบุรี (เขื่อนทำตูม) โดยในเดือนพฤษภาคม 2568 มีผลตรวจวิเคราะห์แสดงตามรายละเอียด ดังนี้

ที่	ค่าที่ตรวจวัด	ค่ามาตรฐาน / หน่วย	วังหลังถ้ำ	คลองชลองแวง	วัดวังบัวทอง
1	ค่าความนำไฟฟ้า การวัดค่าความนำไฟฟ้าจะสามารถบ่งบอกได้ถึงความสกปรกของน้ำ โดยถ้าค่าความนำไฟฟ้าสูง แสดงว่าในน้ำมีการปนเปื้อนของสารหรือธาตุที่มีการนำไฟฟ้ามาก ถ้าค่าต่ำแสดงว่าสารหรือธาตุที่มีการนำไฟฟ้าน้อย	ไม่กำหนด มิลลิกรัม / ลิตร	535	839	190
2	ค่าออกซิเจนที่ละลายในน้ำ ถ้าค่าต่ำหมายถึงในแหล่งน้ำมีความสกปรกมาก การย่อยสลายสิ่งสกปรกในน้ำจึงต้องการใช้ออกซิเจนมาก ค่าสูงหมายถึงในแหล่งน้ำมีความสกปรกน้อย	ไม่ต่ำกว่า 6 มิลลิกรัม / ลิตร	5.9	3.9	5.5
3	แอมโมเนีย – ไนโตรเจน เกิดตามธรรมชาติโดยการย่อยสลายสารอินทรีย์ภายใต้สภาวะที่ไม่มีออกซิเจน ซึ่งมีกลิ่นคล้ายปัสสาวะ หากในแหล่งน้ำมีแอมโมเนีย-ไนโตรเจนมาก จะมีกลิ่นและมีฤทธิ์กัดกร่อนได้	ไม่เกิน 0.5 มิลลิกรัม / ลิตร	น้อยกว่า0.20	น้อยกว่า0.50	น้อยกว่า 0.20
4	ไนเตรต-ไนโตรเจน เป็นอโลหะที่มีสถานะเป็นแก๊สที่มีอยู่ทั่วไป โดยปกติไม่มีสี,กลิ่นหรือรส สารไนเตรตเป็นแร่ธาตุที่พบได้ในธรรมชาติ โดยเกิดจากการย่อยสลายสารอินทรีย์ในไตรเจน	ไม่เกิน 5 มิลลิกรัม/ ลิตร	0.20	0.72	น้อยกว่า 0.02
5	กรดฟีนอล เป็นผลึกหรืออาจอยู่ในรูปของเหลวใส ไม่มีสี หรืออาจมีสีชมพูอ่อน กลิ่นหอมหวานค่อนข้างรุนแรง ฟีนอลเป็นสารที่ติดไฟง่ายและเมื่อสัมผัสกับความร้อนจะให้ไอระเหยที่ติดไฟได้ รวมทั้งให้แก๊สที่มีอันตรายขณะเกิดเพลิงไหม้	ไม่เกิน 0.005 มิลลิกรัม / ลิตร	น้อยกว่า 0.001	น้อยกว่า0.001	น้อยกว่า 0.001
6	ปริมาณแบคทีเรียรวม พบอยู่ทั่วไปตามดิน,น้ำ,พืชผัก, ลำไส้คนและสัตว์ และมีที่มาจากกิจวัตรประจำวันของมนุษย์ เช่น การซักล้าง,การเลี้ยงสัตว์, การขับถ่ายสิ่งปฏิกูล เป็นต้น	ไม่เกิน 5,000 เซลล์ /น้ำ100 มล.	220	1,100	23
7	ความเป็นกรดด่าง ซึ่งความเป็นกรดด่างของแหล่งน้ำธรรมชาติส่วนใหญ่จะมีค่า ประมาณ 7 - 8	5.0 -9.0	8.7	7.9	8.4

ที่	ค่าที่ตรวจวัด	ค่ามาตรฐาน / หน่วย	วังหลังถ้ำ	คลองชลองแวง	วัดวังบัวทอง
8	ตะกอนแขวนลอย ค่าตะกอนแขวนลอย บ่งชี้ความขุ่นของน้ำว่ามีตะกอนมากหรือน้อย ซึ่งมีทั้งขนาดใหญ่และขนาดเล็ก	ไม่กำหนด มิลลิกรัม / ลิตร	21	54	14
9	บีโอดี ค่าปริมาณออกซิเจนที่จุลินทรีย์ใช้ย่อยสลายสารอินทรีย์ ถ้าค่าต่ำหมายถึง ในแหล่งน้ำมีการปนเปื้อนของสารอินทรีย์น้อย ค่าสูงหมายถึงในแหล่งน้ำมีการปนเปื้อนของสารอินทรีย์มาก ซึ่งสารอินทรีย์ในแหล่งน้ำมาจากน้ำทิ้งจากชุมชน โรงงานอุตสาหกรรม การเกษตรกรรม เป็นต้น	ไม่เกิน 1.5 มิลลิกรัม / ลิตร	3.1	2.0	3.0

การเก็บตัวอย่างน้ำผิวดิน

วัดวังบัวทอง (เหนือจุดปล่อยน้ำ)

วัดหลังถ้ำ

คลองชลองแวง

ทำการตรวจวัดโดย บริษัท ดี.เอ.รีเซิร์ช เซ็นเตอร์ จำกัด และบริษัท ยูไนเต็ด แอนนาลิสต์ แอนด์ เอ็นจิเนียริ่ง คอนซัลแตนท์ จำกัด ขึ้นทะเบียนห้องแลปกับกรมโรงงานฯ

อ้างอิงค่ามาตรฐาน ตามประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 8 (พ.ศ. 2537) พระราชบัญญัติส่งเสริมและรักษาคุณภาพสิ่งแวดล้อมแห่งชาติ พ.ศ. 2535 เรื่องกำหนดมาตรฐานคุณภาพน้ำในแหล่งน้ำผิวดิน (ประเภทที่ 2)

มติที่ประชุม

ที่ประชุมรับทราบโดยพร้อมเพรียงกัน

วาระที่ 4 เรื่องเพื่อพิจารณา

-ไม่มี-

วาระที่ 5 เรื่องอื่น ๆ

5.1 การศึกษาดูงานของคณะกรรมการไตรภาคี ประจำปี 2568

เลขานุการคณะกรรมการไตรภาคี ได้รับทราบข้อเสนอแนะเรื่องการศึกษาดูงานของคณะกรรมการไตรภาคี จึงได้สอบถามที่ประชุมให้นำเสนอสถานที่ดำเนินกิจกรรมศึกษาดูงาน และกิจกรรมไตรภาคีสัมพันธ์ ในช่วงระยะเวลาประมาณเดือนกันยายน-ตุลาคม 2568 นี้

นางสวาท เจริญสุข กำนันประจำตำบลท่าตูม นำเสนอการศึกษาดูงานในพื้นที่จังหวัดทางภาคเหนือ ซึ่งมีภูมิประเทศสวยงามและมีสถานที่ศึกษาดูงานที่น่าสนใจทั้งในด้าน การเกษตร การส่งเสริมอาชีพ รวมทั้งด้านไฟฟ้าและพลังงาน

เลขานุการคณะกรรมการไตรภาคี รับทราบข้อเสนอโดยจะหารือกับประธานคณะกรรมการไตรภาคี ถึงสถานที่และช่วงเวลาที่เหมาะสม และจะดำเนินการแจ้งคงามคืบหน้าให้ที่ประชุมได้รับทราบอีกครั้ง

มติที่ประชุม

ที่ประชุมรับทราบโดยพร้อมเพรียงกัน

5.2 แจ้งปัญหาการลักลอบทิ้งขยะอิเล็กทรอนิกส์ในพื้นที่

นายประสิทธิ์ หอมจันทร์ คณะกรรมการไตรภาคีส่วนชุมชน แจ้งพบปัญหาการลักลอบนำขยะอิเล็กทรอนิกส์มาทิ้งในพื้นที่ หมู่ 4 ตำบลหาดนางแก้ว โดยสอบถามถึงปัญหาดังกล่าวในพื้นที่ศรีมหาโพธิ

ประธานคณะกรรมการไตรภาคี แจ้งให้ที่ประชุมทราบว่าในพื้นที่อำเภอศรีมหาโพธิพบปัญหาเช่นกัน โดยมีการบดฝอยขยะอิเล็กทรอนิกส์แล้วนำมาทิ้งในพื้นที่ตำบลหัวหว้าและกรอกสมบูรณ์ ซึ่งเป็นสถานที่ทิ้งเศษปูนจากงานก่อสร้าง ซึ่งหากดูไกลๆจะคล้ายขี้เถ้า ทางเจ้าของพื้นที่หลายแห่งยังไม่ทราบว่ามีการลักลอบทิ้งขยะโรงงานในพื้นที่ของตน ซึ่งมีความผิดตามกฎหมาย ไม่สามารถนำมาทิ้งได้ ต้องได้รับการกำจัดอย่างถูกต้องเท่านั้น

มติที่ประชุม

ที่ประชุมรับทราบโดยพร้อมเพรียงกัน

ปิดการประชุม เวลา 11.15 น.

จึงเรียนมาเพื่อโปรดทราบ

ปาริชาต รุจิเทศ.

(นางสาวปาริชาต รุจิเทศ)

เลขานุการไตรภาคี

ภาคผนวก ข-20

ข่าวประชาสัมพันธ์ด้านสิ่งแวดล้อม รายเดือน ม.ค. - มิ.ย. พ.ศ. 2568

ตรุษจีน
ลดโลกเดือด
วันตรุษจีน ถือเป็นเทศกาลปีใหม่
ของชาวจีน ตามธรรมเนียมมี 3 วันสำคัญ
คือ วันจ่าย วันไหว้ และวันเที่ยว
ในช่วงเทศกาลนี้ แบบนี้ ชาวไทยเชื้อสายจีน
สามารถมีส่วนร่วมลดโลกเดือดได้ง่าย ๆ ดังนี้
วันจ่าย
วันไหว้
วันเที่ยว

PM2.5 กลับมาเยือนอีกครั้ง
คนไทยต้องระวังอะไรบ้าง?
ปัจจัยเสี่ยง
อาการเตือนแพ้ฝุ่น PM2.5
"หลีก-ปิด-ใช้-เลี่ยง-ลด" หมดปัญหาฝุ่น PM2.5
หลีก
ปิด
ใช้
เลี่ยง
ลด

evrm
ดื่มให้ตัวเองอีกที
กับ รัก ที่เพิ่งผ่านพ้นไป
แต่รู้ไหม..
เครื่องดื่มเหล่านี้อาจหมดไป
เพราะ ClimateChange
SCOOP

ไมโครพลาสติก
ภัยเงียบต่อสุขภาพของเรา
1. ผลกระทบต่อสุขภาพ
2. แนวทางการป้องกันและลดไมโครพลาสติกในสิ่งแวดล้อม
ลดพลาสติก ลดไมโครพลาสติก เพื่อสุขภาพของเราทุกคน!
AnanuiMedia

แนวทางการจัดการขยะอิเล็กทรอนิกส์
และนำชุดที่ 2 E-WASTE (ไม่เสียค่าใช้จ่าย)
Electronic Device Recycling Process

E-WASTE คืออะไร?

Work Flow: ขั้นตอนการจัดการขยะ
NPS
STEP 1
STEP 2
STEP 3
STEP 4
STEP 5
STEP 6
STEP 7
STEP 8
STEP 9
STEP 10
STEP 11
STEP 12
PO/EM
SHEQ
ALLOWED

ภาคผนวก ข-21

รายงานความพร้อมใช้อุปกรณ์ดับเพลิง
รายเดือน ม.ค. - มิ.ย. พ.ศ. 2568

รายงานความพึงพอใจผู้ปกครองนักเรียน ประจำเดือน พฤศจิกายน 2568

ปีการศึกษา	ประเภทโครงการ	จำนวนนักเรียน	ได้รับแบบสำรวจ	คิดเป็นร้อยละ	รายการสิ่งที่ผู้ปกครองต้องการให้ปรับปรุง	ความคิดเห็นเพิ่มเติมจากผู้ปกครอง
2568	ปกติ	1	1	100%		

ปีการศึกษา	ประเภทโครงการ	จำนวนนักเรียน	จำนวนนักเรียนที่ได้รับแบบสำรวจ	จำนวนนักเรียนที่ได้รับแบบสำรวจคืน	ความพึงพอใจต่อการจัดการเรียนการสอน	ความพึงพอใจต่อการบริหารจัดการ	ความพึงพอใจต่อการบริการ	ความพึงพอใจต่อสิ่งอำนวยความสะดวก	ความพึงพอใจต่อการประชาสัมพันธ์	ความพึงพอใจต่อการมีส่วนร่วม
2568	ปกติ	1	1	1	24	24	24	100%		



รายงานความพึงพอใจผู้ปกครองนักเรียน ประจำเดือน ตุลาคม 2568

ปีการศึกษา	ประเภทโครงการ	จำนวนนักเรียน	ได้รับแบบสำรวจ	คิดเป็นร้อยละ	รายการสิ่งที่ผู้ปกครองต้องการให้ปรับปรุง	ความคิดเห็นเพิ่มเติมจากผู้ปกครอง
2568	ปกติ	1	1	100%		

ปีการศึกษา	ประเภทโครงการ	จำนวนนักเรียน	จำนวนนักเรียนที่ได้รับแบบสำรวจ	จำนวนนักเรียนที่ได้รับแบบสำรวจคืน	ความพึงพอใจต่อการจัดการเรียนการสอน	ความพึงพอใจต่อการบริหารจัดการ	ความพึงพอใจต่อการบริการ	ความพึงพอใจต่อสิ่งอำนวยความสะดวก	ความพึงพอใจต่อการประชาสัมพันธ์	ความพึงพอใจต่อการมีส่วนร่วม
2568	ปกติ	1	1	1	24	24	24	100%		



รายงานความพึงพอใจผู้ปกครองนักเรียน ประจำเดือน มีนาคม 2568

ปีการศึกษา	ภาคเรียนที่	เดือนที่	ปีปฏิทิน	จำนวนผู้ตอบ	ร้อยละความพึงพอใจ
2568	2	3	2025	20	100.00

ปีการศึกษา	ภาคเรียนที่	เดือนที่	ปีปฏิทิน	จำนวนผู้ตอบ	ร้อยละความพึงพอใจ
2568	2	3	2025	20	100.00



รายงานความพึงพอใจผู้ปกครองนักเรียน ประจำเดือน กรกฎาคม 2568

ปีการศึกษา	ภาคเรียนที่	เดือนที่	ปีปฏิทิน	จำนวนผู้ตอบ	ร้อยละความพึงพอใจ
2568	2	7	2025	20	100.00

ปีการศึกษา	ภาคเรียนที่	เดือนที่	ปีปฏิทิน	จำนวนผู้ตอบ	ร้อยละความพึงพอใจ
2568	2	7	2025	20	100.00



รายงานความพึงพอใจผู้ปกครองนักเรียน ประจำเดือน กรกฎาคม 2568

ปีที่	จำนวนนักเรียน	ตอบแบบสอบถาม	ไม่ตอบแบบสอบถาม	คิดเป็นร้อยละ	จำนวนผู้ปกครองที่ไม่ได้ตอบแบบสอบถาม	ความคิดเห็นหรือข้อเสนอแนะ
ป.1	1	1	0	100%		

ปีที่	จำนวนนักเรียน	ชาย	หญิง	ความพึงพอใจต่อการจัดการเรียนการสอน	ความพึงพอใจต่อการจัดกิจกรรมพัฒนาผู้เรียน	ความพึงพอใจต่อการบริหารจัดการ	ความพึงพอใจต่อการจัดสภาพแวดล้อม	ความพึงพอใจต่อการจัดการเรียนการสอน	ความพึงพอใจต่อการจัดกิจกรรมพัฒนาผู้เรียน
ป.1	1	1	0	1	100	100	1	100%		

รายงานความพึงพอใจผู้ปกครองนักเรียน ประจำเดือน กันยายน 2568

ปีที่	จำนวนนักเรียน	ตอบแบบสอบถาม	ไม่ตอบแบบสอบถาม	คิดเป็นร้อยละ	จำนวนผู้ปกครองที่ไม่ได้ตอบแบบสอบถาม	ความคิดเห็นหรือข้อเสนอแนะ
ป.1	1	1	0	100%		

ปีที่	จำนวนนักเรียน	ชาย	หญิง	ความพึงพอใจต่อการจัดการเรียนการสอน	ความพึงพอใจต่อการจัดกิจกรรมพัฒนาผู้เรียน	ความพึงพอใจต่อการบริหารจัดการ	ความพึงพอใจต่อการจัดสภาพแวดล้อม	ความพึงพอใจต่อการจัดการเรียนการสอน	ความพึงพอใจต่อการจัดกิจกรรมพัฒนาผู้เรียน
ป.1	1	1	0	1	100	100	1	100%		



ภาคผนวก ข-22

คู่มือความปลอดภัย

หมายเลขโทรศัพท์แจ้งเหตุฉุกเฉิน

- รถดับเพลิง รถพยาบาล รถฉุกเฉิน 304 Fire Station
  (085-835-5191 หรือ 085-835-4944)
- สถานีดับเพลิง อบต.ท่าตูม (086-145-3112 หรือ 037-285-475-8)
- สถานีดับเพลิง ปราจีนบุรี (037-211-099)
- โรงพยาบาลศรีมหาโพธิ (037-279-203-4)
- คลินิกเวชกรรมจุฬารัตน์ 304 (037-218-654-5)
- โรงพยาบาลเจ้าพระยาอภัยภูเบศร (037-211-088)
- สถานีตำรวจศรีมหาโพธิ (037-279-111)
- สถานีตำรวจปราจีนบุรี (037-211-058)
- แจ้งเหตุด่วนเหตุร้าย (191)
- แจ้งเหตุเพลิงไหม้ (199)
- แพทย์ฉุกเฉิน (1669)

บริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 11 จำกัด

125 ม.2 ต.ท่าตูม อ.ศรีมหาโพธิ จ.ปราจีนบุรี 25140

ปลอดภัยไว้ก่อน SAFETY FIRST

NPS

NATIONAL POWER SUPPLY PCL.

คู่มือ ความปลอดภัย

SAFETY HANDBOOK

ปลอดภัยไว้ก่อน SAFETY FIRST

NATIONAL POWER PLANT 11 Co., LTD.

ความปลอดภัยในการทำงานเกี่ยวกับสารเคมี

สารเคมีอันตราย

คือ สารที่มีสมบัติทางเคมีหรือกายภาพ ที่ทำให้เกิดอันตรายต่อมนุษย์ ทรัพย์สินหรือสภาพแวดล้อม ภายใต้เงื่อนไขหรือสภาวะเหมาะสมสำหรับสารนั้นๆ

การป้องกันอันตรายสารเคมี

1. ผู้รับเหมาที่ปฏิบัติงานกับสารเคมี ต้องศึกษาข้อมูลของสารเคมีนั้นๆเป็นอย่างดี โดยศึกษาข้อมูลจาก SDS เช่น อันตรายของสารเคมี คำเตือนในการจัดเก็บ วิธีใช้ วิธีปฏิบัติเมื่อเกิดเหตุฉุกเฉิน การปฐมพยาบาล เป็นต้น
2. ก่อนปฏิบัติงานกับสารเคมีต้องมีการสวมใส่อุปกรณ์ป้องกันอันตรายส่วนบุคคลตามความเหมาะสม
3. กรณีไม่มั่นใจว่าสามารถปฏิบัติงานกับสารเคมีได้อย่างถูกต้องปลอดภัย ให้ปรึกษาหัวหน้างาน

ความปลอดภัยในการทำงาน เกี่ยวกับสารเคมี

สัญลักษณ์แสดงอันตรายของสารเคมี จำแนกตามลักษณะการใช้งาน (Chemical Hazard Label)

ระบบ UN (United Nation Committee of Exports on the Transport of Dangerous Goods) : แสดงความเสี่ยงอันตราย จากการขนส่ง

ระบบ NFPA (Nation Fire Protection Association) : แสดงอันตรายบนฉลากสารเคมี เพื่อป้องกันไฟไหม้ ในสหรัฐอเมริกา

ระบบ EEC (European Economic Community) : แสดงอันตรายบนฉลากสารเคมี ในสหภาพยุโรป



ระบบ GSH (The Global Harmonization System of Classification and Labeling of Chemical) :จำแนกอันตรายของสารเคมีให้เป็นระบบสากลโดยสหประชาชาติ

ภาคผนวก ข-23

หนังสือแต่งตั้งคณะกรรมการความปลอดภัย ปี พ.ศ. 68

สำเนา

ที่ NPP5A SHEQ-138/2567

บริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 5 เอ จำกัด
218 หมู่ที่ 2 ตำบลท่าตูม อำเภอศรีมหาโพธิ
จังหวัดปราจีนบุรี 25410

19 กรกฎาคม 2567

เรื่อง แจ้งแต่งตั้งคณะกรรมการความปลอดภัย อาชีวอนามัยและสภาพแวดล้อมในการทำงาน (คปอ.)

เรียน สวัสดิการและคุ้มครองแรงงาน จังหวัดปราจีนบุรี

สิ่งที่ส่งมาด้วย
1. ประกาศแต่งตั้งคณะกรรมการความปลอดภัย อาชีวอนามัยและสภาพแวดล้อมในการทำงาน (คปอ.)
2. สำเนาใบผ่านการอบรม คณะกรรมการความปลอดภัย อาชีวอนามัยและสภาพแวดล้อมในการทำงาน (คปอ.) 11 ฉบับ
3. สำเนาบัตรประชาชน 11 ฉบับ
4. ประกาศแต่งตั้งคณะกรรมการดำเนินการเลือกตั้ง
5. ประกาศรับสมัครผู้แทนลูกจ้างเพื่อรับการเลือกตั้งเป็นคณะกรรมการความปลอดภัย
6. ประกาศเรื่องกำหนด วัน เวลา และสถานที่เลือกตั้งคณะกรรมการความปลอดภัย
7. ใบสมัครรับเลือกตั้งผู้แทนลูกจ้างเป็นคณะกรรมการความปลอดภัย จำนวน 5 ฉบับ
8. ประกาศรายชื่อผู้สมัครรับเลือกตั้งผู้แทนลูกจ้างเป็นคณะกรรมการความปลอดภัย
9. หนังสือแจ้งผลการเลือกตั้งผู้แทนลูกจ้างเป็นคณะกรรมการความปลอดภัย
10. ประกาศรายชื่อและหน้าที่ความรับผิดชอบของคณะกรรมการความปลอดภัย

เนื่องจากกฎกระทรวง กฎกระทรวง การจัดให้มีเจ้าหน้าที่ความปลอดภัยในการทำงาน บุคลากร หน่วยงาน หรือคณะบุคคลเพื่อดำเนินการด้านความปลอดภัยในสถานประกอบกิจการ พ.ศ. 2565 ข้อ 25 นายจ้างของสถานประกอบกิจการที่มีลูกจ้างจำนวน 50 คน ขึ้นไป ต้องจัดให้มีคณะกรรมการความปลอดภัย อาชีวอนามัย และ สภาพแวดล้อมในการทำงานของสถานประกอบกิจการภายใน 30 วัน นับแต่วันที่มีลูกจ้างครบจำนวนดังกล่าว

ดังนั้นเพื่อเป็นการปฏิบัติตามข้อกำหนดดังกล่าว บริษัทฯ จึงขอนำส่งเอกสารประกาศแต่งตั้งคณะกรรมการความปลอดภัย อาชีวอนามัยและสภาพแวดล้อมในการทำงาน (คปอ.) บริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 5 เอ จำกัด เพื่อแจ้งให้ทราบว่าได้มีการแต่งตั้งคณะกรรมการความปลอดภัย อาชีวอนามัยและสภาพแวดล้อมในการทำงาน เรียบร้อยแล้ว

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ

[redacted]

ตำแหน่ง ผู้จัดการฝ่ายสิ่งแวดล้อม ความปลอดภัย อาชีวอนามัย

ฝ่ายความปลอดภัย บริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 5 เอ จำกัด

[redacted] เจ้าหน้าที่ความปลอดภัยวิชาชีพ

สวัสดิการและคุ้มครองแรงงาน จ.ปราจีนบุรี
ได้รับหนังสือแล้ว

[redacted]

19 ก.ค. 2567

ประกาศเลขที่ NPP5A-2567-04-004

เรื่อง แต่งตั้งคณะกรรมการความปลอดภัย อาชีวอนามัย และสภาพแวดล้อมในการทำงาน

(Safety Health and Environmental Committee)

เพื่อให้การบริหารงานด้านความปลอดภัยอาชีวอนามัยและสภาพแวดล้อมในการทำงานดำเนินไปอย่างต่อเนื่องและมีประสิทธิภาพ รวมทั้งสอดคล้องตามกฎกระทรวงการจัดให้มีเจ้าหน้าที่ความปลอดภัยในการทำงานบุคลากร หน่วยงาน หรือคณะบุคคลเพื่อดำเนินการด้านความปลอดภัยในสถานประกอบกิจการ พ.ศ. 2565 บริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 5 เอ จำกัด จึงขอประกาศแต่งตั้งคณะกรรมการความปลอดภัย อาชีวอนามัย และสภาพแวดล้อมในการทำงาน ดังรายนามต่อไปนี้

1. [redacted] ประธานกรรมการ
2. [redacted] กรรมการผู้แทนนายจ้างระดับบังคับบัญชา
3. [redacted] กรรมการผู้แทนนายจ้างระดับบังคับบัญชา
4. [redacted] กรรมการผู้แทนนายจ้างระดับบังคับบัญชา
5. [redacted] กรรมการผู้แทนนายจ้างระดับบังคับบัญชา
6. [redacted] กรรมการผู้แทนลูกจ้างระดับปฏิบัติการ
7. [redacted] กรรมการผู้แทนลูกจ้างระดับปฏิบัติการ
8. [redacted] กรรมการผู้แทนลูกจ้างระดับปฏิบัติการ
9. [redacted] กรรมการผู้แทนลูกจ้างระดับปฏิบัติการ
10. [redacted] กรรมการผู้แทนลูกจ้างระดับปฏิบัติการ
11. [redacted] กรรมการและเลขานุการ

โดยให้คณะกรรมการที่ได้รับแต่งตั้งดังกล่าว มีหน้าที่และความรับผิดชอบ ดังนี้

1. จัดทำนโยบายด้านความปลอดภัย อาชีวอนามัย และสภาพแวดล้อมในการทำงาน ของสถานประกอบกิจการ เสนอต่อนายจ้าง

2. จัดทำแนวทางการป้องกันและลดการเกิดอุบัติเหตุ การประสบอันตราย การเจ็บป่วย หรือการเกิดเหตุเดือดร้อนรำคาญอันเนื่องจากการทำงานของลูกจ้าง หรือความไม่ปลอดภัยในการทำงาน เสนอต่อนายจ้าง

3. รายงานและเสนอแนะมาตรการ หรือแนวทางปรับปรุงแก้ไขสภาพการทำงาน และสภาพแวดล้อมในการทำงานให้เป็นไปตามกฎหมายเกี่ยวกับความปลอดภัยในการทำงานต่อนายจ้าง เพื่อความปลอดภัยใน

การทำงานของลูกจ้าง ผู้รับเหมา และบุคคลภายนอกที่เข้ามาปฏิบัติงานหรือ เข้ามาใช้บริการในสถานประกอบกิจการ

4. ส่งเสริมและสนับสนุนกิจกรรมด้านความปลอดภัยในการทำงานของสถานประกอบกิจการ

5. พิจารณาคู่มือว่าด้วยความปลอดภัย อาชีวอนามัย และสภาพแวดล้อมในการทำงาน ของสถานประกอบกิจการเพื่อเสนอความเห็นต่อนายจ้าง

6. สำรวจการปฏิบัติการด้านความปลอดภัยในการทำงานและรายงานผลการสำรวจดังกล่าว รวมทั้งสถิติการประสบอันตรายที่เกิดขึ้นในสถานประกอบกิจการนั้นในการประชุมคณะกรรมการ ความปลอดภัยทุกครั้ง

7. พิจารณาโครงการหรือ แผนการฝึกอบรม เกี่ยวกับความปลอดภัยในการทำงาน รวมถึง โครงการหรือแผนการอบรมเกี่ยวกับบทบาทหน้าที่ความรับผิดชอบในด้านความปลอดภัยของลูกจ้าง หัวหน้างาน ผู้บริหาร นายจ้าง และบุคลากรทุกระดับเพื่อเสนอความเห็นต่อนายจ้าง

8. จัดวางระบบให้ลูกจ้างทุกคนทุกระดับมีหน้าที่ต้องรายงานสภาพการทำงานที่ไม่ปลอดภัย ต่อนายจ้าง

9. ติดตามผลความคืบหน้าเรื่องที่เสนอต่อนายจ้าง

10. รายงานผลการปฏิบัติงานประจำปี รวมทั้งระบุปัญหา อุปสรรค และข้อเสนอแนะ ในการปฏิบัติหน้าที่ของคณะกรรมการความปลอดภัยเมื่อปฏิบัติหน้าที่ครบหนึ่งปีเสนอต่อนายจ้าง

11. ประเมินผลการดำเนินงานด้านความปลอดภัยในการทำงานของสถานประกอบกิจการ

12. ปฏิบัติงานด้านความปลอดภัยในการทำงานอื่นตามที่นายจ้างมอบหมาย เพื่อให้บรรลุเป้าหมายดังกล่าวข้างต้น

ทั้งนี้ให้ คณะกรรมการความปลอดภัย อาชีวอนามัยและสภาพแวดล้อมในการทำงาน ปฏิบัติหน้าที่ตั้งแต่ วันที่ 18 กรกฎาคม 2567 ถึงวันที่ 17 กรกฎาคม 2569

ประกาศ ณ วันที่ 8 กรกฎาคม 2567

ลงชื่อ [redacted]

ผู้จัดการฝ่ายสิ่งแวดล้อม ความปลอดภัย และอาชีวอนามัย

ภาคผนวก ข-24

เป้าหมาย_Safety Master Plan ประจำปี 2568

แผนงานความปลอดภัย อาชีวอนามัย และสภาพแวดล้อมในการทำงาน ประจำปี 2568

บริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 5 เอ จำกัด

NATIONAL POWER PLANT 5A CO.,LTD

ISSUED BY :	REVIEWED BY :	APPROVED BY :

สรุปแผนงานความปลอดภัย อาชีวอนามัย และสภาพแวดล้อมในการทำงาน ประจำปี 2568

1. Safety Management	ทั้งหมด 5 เรื่อง	งบประมาณประมาณการ	30,000	บาท
2. Safety Law	ทั้งหมด 23 เรื่อง	งบประมาณประมาณการ	578,000	บาท
3. Hazard Control	ทั้งหมด 6 เรื่อง	งบประมาณประมาณการ	642,000	บาท
4. Safety Training	ทั้งหมด 12 เรื่อง	งบประมาณประมาณการ	0	บาท
5. Safety Promotion & Awareness	ทั้งหมด 11 เรื่อง	งบประมาณประมาณการ	229,400	บาท

รวมงบประมาณตามแผนงานประมาณการ 1,479,400 บาท



National Power Supply Co., Ltd



NPS	บริษัท เนชั่นแนล เพาเวอร์ ซัพพลาย จำกัด แผนงานความปลอดภัย อาชีวอนามัย และสภาพแวดล้อมในการทำงาน ประจำปี 2568 (Safety Master Plan 2025) Safety Legal	Issued by Safety Officer	Reviewed by Safety Deputy Manager	Approved by SQ

แผน / โครงการ	วัตถุประสงค์	เป้าหมาย	ดัชนีวัด (KPI)	ขั้นตอนการดำเนินงาน	แผน	โครงการ 1			โครงการ 2			โครงการ 3			โครงการ 4			งบประมาณ	ผู้รับผิดชอบ	อ้างอิง
						1	2	3	4	5	6	7	8	9	10	11	12			
3. ซ้อมแผนฉุกเฉินสารเคมีรั่วไหล	- เพื่อให้พนักงานที่เกี่ยวข้องมีความรู้ความเข้าใจและปฏิบัติได้อย่างถูกต้องเมื่อเกิดสารเคมีรั่วไหล	- มีการซ้อมแผนฉุกเฉินตามที่กฎหมายกำหนด - จัดให้มีการฝึกซ้อมให้ได้ตามข้อกำหนด	- จัดให้มีการฝึกซ้อมประจำปี อย่างน้อย 1 ครั้ง - ผลประเมินการซ้อมแผนไม่น้อยกว่า 80%	1.ประธานคณะได้ Plant Manager แต่ละพื้นที่จำนวน 1 ท่าน เป็นผู้ดูแล 2.ประธานคณะ Shift Manager และพนักงานในกะที่ดำเนินการซ้อมแผนแต่ละครั้ง 3.ดำเนินการซ้อมตามแผนและประเมินผลการซ้อม	Plan													4,000	บันทึกข้อ	กฎกระทรวงกำหนดมาตรฐานในการบริหารจัดการด้านความปลอดภัย อาชีวอนามัย และสภาพแวดล้อมในการทำงาน พ.ศ. 2556
					Actual															
4.ซ้อมแผนฉุกเฉินอัคคีภัย	- เพื่อให้พนักงานที่เกี่ยวข้องมีความรู้ความเข้าใจและปฏิบัติได้อย่างถูกต้องเมื่อเกิดเหตุฉุกเฉิน ในสถานการณ์จริงได้	- มีการซ้อมแผนฉุกเฉินตามที่กฎหมายกำหนด - ฝึกซ้อมตามที่กำหนดไว้ในแผนประจำปี	- จัดให้มีการฝึกซ้อมประจำปี อย่างน้อย1 ครั้ง - ผลประเมินการซ้อมแผนไม่น้อยกว่า 80%	1.ประธานคณะได้ Plant Manager แต่ละพื้นที่จำนวน 1 ท่าน เป็นผู้ดูแล 2.ประธานคณะ Shift Manager และพนักงานในกะเพื่อดำเนินการซ้อมตามแผน 3.ดำเนินการซ้อมตามแผนและประเมินผลการซ้อม	Plan													2,000	บันทึกข้อ	กฎกระทรวงกำหนดมาตรฐานในการบริหารจัดการด้านความปลอดภัย อาชีวอนามัย และสภาพแวดล้อมในการทำงาน พ.ศ. 2562
					Actual															
5. ซ้อมแผนฉุกเฉินทางน้ำมันไหล	- เพื่อซักซ้อมและฉุกเฉินทางน้ำมันไหลในและจัดการของการฝึกซ้อมดำเนินงานมีความ	- มีการฝึกซ้อมแผนฉุกเฉินทางน้ำมันไหลและส่งรายงานการฝึกซ้อมแล้วทางบริษัท	- รายงานผลการฝึกซ้อมและส่งทันตามระยะเวลาที่กำหนด	- จำนวนการจัดทำแบบฟอร์มซ้อมและกำหนดผู้ที่รับผิดชอบ - จำนวนการซ้อมแผนตามที่ได้กำหนดไว้และจัดทำรายงานข้อมูลการซ้อมแผนเก็บไว้	Plan													4,000	บันทึกข้อ	
					Actual															

NPS	บริษัท เนชั่นแนล เพาเวอร์ ซัพพลาย จำกัด แผนงานความปลอดภัย อาชีวอนามัย และสภาพแวดล้อมในการทำงาน ประจำปี 2568 (Safety Master Plan 2025) Safety Legal	Issued by Safety Officer	Reviewed by Safety Deputy Manager	Approved by SQ

แผน / โครงการ	วัตถุประสงค์	เป้าหมาย	ดัชนีวัด (KPI)	ขั้นตอนการดำเนินงาน	แผน	โครงการ 1			โครงการ 2			โครงการ 3			โครงการ 4			งบประมาณ	ผู้รับผิดชอบ	อ้างอิง
						1	2	3	4	5	6	7	8	9	10	11	12			
6. ตรวจสอบหม้อไอน้ำ	1.เพื่อตรวจสอบความปลอดภัยของหม้อไอน้ำประจำปีและเจ้าหน้าที่ตรวจสอบ	1. การตรวจสอบความปลอดภัยของหม้อไอน้ำ	1. ตรวจสอบความปลอดภัยของหม้อไอน้ำปีละ 1 ครั้ง	1.หน่วยงาน Power ติดต่อไปยัง PO เพื่อทำการตรวจสอบการตรวจหม้อไอน้ำ Annual Shut Down 2.หน่วยงาน Power รับรองผลการตรวจสอบจากหน่วยงานภายนอกและประกาศใช้งาน	Plan										30			-	Power	กฎกระทรวงกำหนดมาตรฐานในการบริหารจัดการด้านความปลอดภัย อาชีวอนามัย และสภาพแวดล้อมในการทำงานเกี่ยวกับหม้อน้ำ ปั้นจั่น และลิฟต์ พ.ศ. 2549
					Actual													-		
	2.การส่งรายงานแบบขอตรวจความปลอดภัยของหม้อน้ำ	เพื่อใช้ยื่นการต่ออายุ ใบอนุญาตของกฎหมาย	2.ดำเนินการยื่นแบบขอตรวจความปลอดภัยของหม้อน้ำ ภายใน 30 วันนับการตรวจสอบ	1.ส่งรายงานตรวจสอบแบบขอตรวจสอบความปลอดภัยของหม้อน้ำ กรณีหม้อน้ำอย่างน้อยปีละ 1 ครั้ง	Plan														บันทึกข้อ	ประกาศกระทรวงพาณิชย์ เรื่อง แบบของหนังสือรับรองการตรวจสอบความปลอดภัยในการใช้หม้อน้ำ พ.ศ. 2567
					Actual															
	3.การต่ออายุ บร 3	เพื่อใช้ยื่นการต่ออายุ ใบอนุญาตของกฎหมาย	3.ดำเนินการยื่นการตรวจความปลอดภัยหม้อน้ำ ตามแบบ บร 3 ภายใน 30 วันนับจากวันที่มีการตรวจสอบ	1.ส่งรายงานตรวจสอบความปลอดภัยหม้อน้ำ แบบ บร 3 อย่างน้อยปีละ 1 ครั้ง	Plan														บันทึกข้อ	ประกาศกระทรวงพาณิชย์ เรื่อง แบบแจ้งการใช้งานหม้อน้ำ หม้อต้น ที่ใช้งานและเป็นเชื้อน้ำ ความร้อน หรือการขนถ่าย ความดัน และการตรวจสอบความปลอดภัยในการใช้งานหม้อน้ำ หม้อต้นที่ใช้งานและเป็นเชื้อน้ำ พ.ศ. 2567
					Actual															

NPS	บริษัท เนชั่นแนล เพาเวอร์ ซัพพลาย จำกัด แผนงานความปลอดภัย อาชีวอนามัย และสภาพแวดล้อมในการทำงาน ประจำปี 2568 (Safety Master Plan 2025) Safety Legal	Issued by Safety Officer	Reviewed by Safety Deputy Manager	Approved by SQ

แผน / โครงการ	วัตถุประสงค์	เป้าหมาย	ดัชนีวัด (KPI)	ขั้นตอนการดำเนินงาน	ผล	โครงการ 1			โครงการ 2			โครงการ 3			โครงการ 4			งบประมาณ	ผู้รับผิดชอบ	หมายเหตุ
						1	2	3	4	5	6	7	8	9	10	11	12			
	4.กฎกระทรวง ฉบับ 1.	1.เพื่อพิจารณาใช้งานเครื่องสูบน้ำดับเพลิงให้เป็นไปตามกฎกระทรวง ฉบับ 1. เรื่องมีการใช้งานเครื่องสูบน้ำดับเพลิง	1.เริ่มมีการใช้งานเครื่องสูบน้ำภายในระยะเวลาไม่เกิน 30 วันนับตั้งแต่ใช้งาน 2.เปลี่ยนถ่ายการใช้งานเครื่องสูบน้ำภายในระยะเวลาไม่เกิน 30 วันนับจากวันที่เครื่องสูบน้ำใช้งาน	1.เจ้าหน้าที่ความปลอดภัย ฉบับ 1 ที่ได้รับการอบรมผู้ควบคุมงานก่อสร้างจัดหาเครื่องสูบน้ำดับเพลิงตามระยะเวลาที่กำหนด	Plan														Permit	ประกอบกิจการโรงงานต้องมีผู้ควบคุมงานก่อสร้าง ตามกฎกระทรวง ฉบับที่ 1 (พ.ศ. 2535) ออกตามความในพระราชบัญญัติโรงงาน พ.ศ. 2535 ซึ่งกำหนดให้ต้องมีการจัดหาเครื่องสูบน้ำดับเพลิงให้เป็นไปตามกฎกระทรวงฉบับที่ 4 (พ.ศ. 2552

บริษัท เนชั่นแนล เพาเวอร์ ซัพพลาย จำกัด

แผนงานความปลอดภัย อาชีวอนามัย และสภาพแวดล้อมในการทำงาน ประจำปี 2568

(Safety Master Plan 2025)

Safety Legal

[redacted]

Safety Officer	Safety Deputy Manager	SQ

แผน / โครงการ	วัตถุประสงค์	เป้าหมาย	ดัชนีวัด (KPI)	ขั้นตอนการดำเนินงาน	ผล	ไตรมาส 1			ไตรมาส 2			ไตรมาส 3			ไตรมาส 4			งบประมาณ	ผู้รับผิดชอบ	หมายเหตุ
						1	2	3	4	5	6	7	8	9	10	11	12			
9. ตรวจสอบการยก	-เพื่อตรวจสอบความปลอดภัยของเครื่องจักรประจำปี และเพื่อให้การยกเป็นไปอย่างปลอดภัย	- เจ้าหน้าที่ตรวจสอบความปลอดภัยของเครื่องจักรกลงาน กฎหมาย	-ส่งการตรวจสอบความปลอดภัยเครื่องจักรกลงานกฎหมาย จำนวน 1 ครั้ง	1.เปิด Work request ไปยังหน่วยงาน IO เพื่อดำเนินการจัดผู้ประสานงาน 2.พิจารณาการตรวจสอบความเหมาะสมร่วมกับหน่วยงานราชการที่เกี่ยวข้อง	Plan													-	Permit	ระยะเวลาที่ใช้งานกฎหมาย พ.ศ. 2519
					Actual													-		
10. ตรวจสอบการใช้งานรถยก	-เพื่อตรวจสอบสภาพความปลอดภัยของรถยกตามกฎหมายกำหนด	-ตรวจสอบทุก 1 เดือนและ 1 ปีครั้ง (ตรวจตามโอกาส)	-ผลการตรวจเป็นไปตามกฎหมาย	1.ติดตาม Third Party ให้มีการตรวจสอบก่อนสิ้นปี 2.ส่งรายงานต่อหน่วยงานราชการที่เกี่ยวข้อง	Plan													258,000	จันทร์พิชา	กฎกระทรวง กำหนดมาตรฐานในการบริหารและการจัดการด้านความปลอดภัย อาชีวอนามัย และสภาพแวดล้อมในการทำงานเกี่ยวกับเครื่องจักร พ.ศ. 2564
					Actual															

บริษัท เนชั่นแนล เพาเวอร์ ซัพพลาย จำกัด

แผนงานความปลอดภัย อาชีวอนามัย และสภาพแวดล้อมในการทำงาน ประจำปี 2568

(Safety Master Plan 2025)

Safety Legal

[redacted]

Safety Officer	Safety Deputy Manager	SQ

แผน / โครงการ	วัตถุประสงค์	เป้าหมาย	ดัชนีวัด (KPI)	ขั้นตอนการดำเนินงาน	ผล	ไตรมาส 1			ไตรมาส 2			ไตรมาส 3			ไตรมาส 4			งบประมาณ	ผู้รับผิดชอบ	หมายเหตุ
						1	2	3	4	5	6	7	8	9	10	11	12			
11. ตรวจสอบลิฟต์	-เพื่อให้มีการตรวจสอบและทดสอบสภาพเครื่องใช้งานของลิฟต์	-เพื่อให้ลิฟต์มีการตรวจสอบงานกฎหมายและมีสภาพเครื่องใช้งาน	-ผลการตรวจเป็นไปตามกฎหมาย	1.ตรวจสอบโดย visual Check ทุกวัน 2.ให้มีการตรวจสอบและทดสอบโดย Third Party มีอย่างน้อย 1 ครั้ง 3.ให้มีการตรวจสอบและทดสอบโดย Third Party มีอย่าง 1 ครั้ง	Plan													27,000	จันทร์พิชา	กฎกระทรวง กำหนดมาตรฐานในการบริหารและการจัดการด้านความปลอดภัย อาชีวอนามัย และสภาพแวดล้อมในการทำงานเกี่ยวกับเครื่องจักร พ.ศ. 2564
					Actual															
12. คณะกรรมการ ความปลอดภัย อาชีวอนามัยและสภาพแวดล้อมในการทำงาน (คปอ.)	1. เพื่อให้มีการประชุมการบริหารจัดการด้านความปลอดภัยของคณะกรรมการ คปอ. เป็นประจำทุกเดือน	1. จัดการประชุมตามกฎหมาย 2. คณะกรรมการเข้าประชุมอย่างสม่ำเสมอ	1. มีการประชุมตามกฎหมาย 1 ครั้งต่อเดือน 2. คณะกรรมการเข้าร่วมประชุมไม่น้อยกว่า 80%	1. ประชุมคณะกรรมการความปลอดภัยทุกๆที่ 4 ของเดือน 2.จัดทำเอกสารรายงานการประชุมภายใน 3 วันหลังการประชุม	Plan	22	26	26	23	28	25	23	27	24	22	26	24	12,000	จันทร์พิชา	กฎกระทรวง การจัดให้มีหน่วยงานด้านความปลอดภัยในการทำงาน บุคลากร หน่วยงาน หรือคณะบุคคลที่ทำหน้าที่ด้านความปลอดภัยในสถานประกอบกิจการ พ.ศ. 2565
					Actual															
	2.การติดตั้งเซฟตี้ มีอัตราส่วนติดตั้งแล้ว 80% ขึ้นไป	1.เพื่อให้การดำเนินงานความปลอดภัยเป็นไปอย่างต่อเนื่อง	1.มี คปอ. สาธารณสุขกฎหมายกำหนด	1.จัดตั้ง คปอ. และกำหนดวาระ 2 ปี	Plan														จันทร์พิชา	
					Actual															

NPS	บริษัท เนชั่นแนล เพาเวอร์ ซัพพลาย จำกัด แผนระยะยาวเพื่อความปลอดภัย อาชีวอนามัย และสภาพแวดล้อมในการทำงาน ประจำปี 2568 (Safety Master Plan 2025) Safety Legal	Issued by: [redacted] Safety Officer	Reviewed by: Safety Deputy Manage	Approved by: SQ

แผน / โครงการ	วัตถุประสงค์	ตัวชี้วัด	จัดซื้อ (KPI)	ขั้นตอนการดำเนินงาน	ผล	โครงการ 1			โครงการ 2			โครงการ 3			โครงการ 4			งบประมาณ	ผู้รับผิดชอบ	หมายเหตุ
						1	2	3	4	5	6	7	8	9	10	11	12			
13. ขั้นประเมินด้าน ๆ	1.เพื่อให้การดำเนินงานเป็นไปตามข้อกำหนดของกฎหมาย	1.แต่งตั้งและปรับปรุงคณะกรรมการ จป.บริหาร	1.มีการปรับปรุงคณะกรรมการชุดใหม่	1.แต่งตั้ง จป.บริหาร 2.ส่งรายชื่อ 3.จัดทำแผนเพื่อให้หัวหน้างานและผู้ควบคุมงานจัดทำภายใน 30 วันที่มีการแต่งตั้ง	Plan														HRD จันทร์มีชา	กฎกระทรวง กำหนดให้มีหน้าที่ความรับผิดชอบในการทำงานของบุคลากร หน่วยงาน หรือคณะบุคคลเพื่อดำเนินการตามมาตรการป้องกันในการปฏิบัติงาน พ.ศ. 2565
					Actual															
		1.แต่งตั้งและปรับปรุงคณะกรรมการ จป.หัวหน้างาน	1.มีการปรับปรุงคณะกรรมการชุดใหม่	1.แต่งตั้ง จป.บริหาร 2.ส่งรายชื่อ 3.จัดทำแผนเพื่อให้หัวหน้างานและผู้ควบคุมงานจัดทำภายใน 30 วันที่มีการแต่งตั้ง	Plan														HRD จันทร์มีชา	
					Actual															
		1.แต่งตั้งและปรับปรุงคณะกรรมการ จป.วิชาชีพ	1.มีการปรับปรุงคณะกรรมการชุดใหม่ ปฏิบัติงานในสถานประกอบกิจการ	1.แต่งตั้ง จป.วิชาชีพ 2.จัดทำแผนเพื่อให้หัวหน้างานและผู้ควบคุมงานจัดทำภายใน 30 วันที่มีการแต่งตั้ง	Plan														HRD จันทร์มีชา	
					Actual															
14. รายงาน จป.บ	-เพื่อรายงานผลการดำเนินงานด้านความปลอดภัยอาชีวอนามัยที่ได้ตามประกาศให้สถานประกอบกิจการ	-จัดทำรายงานส่งราชการ	-สำนักงานแรงงานจังหวัดนครราชสีมา	1. รายงานขึ้นทุกการปฏิบัติงานในรอบ 3 เดือน 2.จัดทำรายงาน 3. ส่งแบบรายงานให้สำนักงานจังหวัด	Plan														จันทร์มีชา	กฎกระทรวงกำหนดมาตรฐานในการบริหารและการจัดการด้านความปลอดภัย อาชีวอนามัยและสภาพแวดล้อมในการทำงาน พ.ศ 2559
					Actual															

NPS	บริษัท เนชั่นแนล เพาเวอร์ ซัพพลาย จำกัด แผนระยะยาวเพื่อความปลอดภัย อาชีวอนามัย และสภาพแวดล้อมในการทำงาน ประจำปี 2568 (Safety Master Plan 2025) Safety Legal	Issued by: [redacted] Safety Officer	Reviewed by: Safety Deputy Manage	Approved by: SQ

แผน / โครงการ	วัตถุประสงค์	ตัวชี้วัด	จัดซื้อ (KPI)	ขั้นตอนการดำเนินงาน	ผล	โครงการ 1			โครงการ 2			โครงการ 3			โครงการ 4			งบประมาณ	ผู้รับผิดชอบ	หมายเหตุ
						1	2	3	4	5	6	7	8	9	10	11	12			
15. รายงาน สธ.1	1.เพื่อตั้งสถานประกอบกิจการมีหน่วยงานในรูปแบบต่างให้ครบตามกฎหมาย	1.มีการจัดการแต่งตั้งสถานที่ทำงานตามแบบ สธ.1 2.ส่งรายงานผู้ปฏิบัติงานต่อการแพทย์ในกฎหมายกำหนด	1.มีการดำเนินการจัดทำแผนในพื้นที่ ต้องดำเนินการแจ้งเพื่อวัดผลผู้ควบคุมงานภายใน 7 วัน รับวันที่ตรวจสอบ	1.ตรวจสอบสถานประกอบกิจการมีสถานที่ทำงานตามแบบ สธ.1 ไว้ในตอนรวจ 2.เจ้าหน้าที่ความปลอดภัยที่ทำงานมีการจัดทำแบบ สธ.1 ภายใน 7 วัน นับวันที่	Plan														บันทึกมีชา	1.กฎกระทรวงกำหนดมาตรฐานการจัดทำงาน 2550 2.ประกาศกรมสวัสดิการและคุ้มครองแรงงาน เรื่อง แบบบัญชีรายชื่อสถานที่ทำงานของราชการและรัฐวิสาหกิจ ประกาศ ณ วันที่ 15 มกราคม พ.ศ.2556
					Actual															
			2.การจัดทำแบบ สธ. 1 ประกาศ ต้องดำเนินการส่งแบบ สธ.1 ภายใน วันที่ 31 มกราคม ของทุกปี	1.แจ้งการตรวจสถานที่ทำงานที่สวัสดิการและคุ้มครองแรงงาน	Plan	31													บันทึกมีชา	
					Actual															
16.รายงาน สธ.3	-เพื่อตรวจวัดปริมาณสารเคมีอันตรายในการทำงานและจัดการการทำงานของราชการ	-ส่งรายงานผลตรวจวัดให้ทางราชการภายในวันที่ 15 วันหลังได้รับผลการตรวจสอบ	-ทำการตรวจ สธ.3 ทั่วงาน ราชการ : ครั้งต่อปี -สำนักงานตรวจวัดภายใน 15 วันหลังได้รับผลการตรวจสอบ	1.ตรวจสอบตามผลการตรวจวัด 2.ทำการตรวจวัดโดยบริษัทภายนอก	Plan														บันทึกมีชา	ประกาศกรมสวัสดิการและคุ้มครองแรงงาน เรื่อง หลักเกณฑ์ วิธีการตรวจวัดและการวิเคราะห์ผลการตรวจวัดระดับความเข้มข้นของสารเคมีอันตราย ลงวันที่ 15 พ.ศ.2560
					Actual															

บริษัท เนชั่นแนล เพาเวอร์ ซัพพลาย จำกัด

แผนแม่บทด้านความปลอดภัย อาชีวอนามัย และสภาพแวดล้อมในการทำงาน ประจำปี 2568

(Safety Master Plan 2025)

Safety Legal

Issued by	Reviewed by	Approved by
[redacted]		
Safety Officer	Safety Deputy Manager	SQ

แผน / โครงการ	วัตถุประสงค์	เป้าหมาย	ดัชนีวัด (KPI)	ขั้นตอนการดำเนินงาน	ผู้รับผิดชอบ	ไตรมาส 1			ไตรมาส 2			ไตรมาส 3			ไตรมาส 4			งบประมาณ	ผู้รับผิดชอบ	หมายเหตุ
						1	2	3	4	5	6	7	8	9	10	11	12			
17. ตรวจสุขภาพประจำปี	1.เพื่อตรวจสุขภาพพนักงานประจำปีตามกฎหมายและตามมาตรฐาน 2.เพื่อให้ทราบถึงแนวโน้มการดำเนินงาน	1. พนักงานได้รับการตรวจสุขภาพตามกำหนดอย่างน้อย 1 ครั้ง	1. พนักงานที่ผู้บังคับบัญชาอนุญาตให้ไปตรวจได้รับการตรวจสุขภาพ	1.ส่งหนังสือแจ้งไปยังสถานพยาบาลที่ไปตรวจสุขภาพ 2.จัดตารางการตรวจสุขภาพของพนักงานที่ได้ทำการนัดหมายไว้	HR	Plan			■									100	HR	กฎกระทรวงกำหนดมาตรฐานการตรวจสุขภาพลูกจ้างที่ทำงานเกี่ยวกับรังสีแนบท้ายพ.ศ. 2563
						Actual														
	1.จัดทำสมุดบันทึกสุขภาพ	1.เพื่อให้ผู้ปฏิบัติงานทราบข้อมูลเกี่ยวกับข้อกำหนดของกฎหมาย	1.จัดทำสมุดบันทึกสุขภาพและรายงานผลการตรวจสุขภาพ	1.ดำเนินการจัดทำสมุดบันทึกสุขภาพเพื่อรวบรวมข้อมูลและที่กฎหมายกำหนด	HR	Plan			■									100	HR	ประกาศกรมสวัสดิการและคุ้มครองแรงงาน เรื่อง กำหนดแบบสมุดสุขภาพประจำตัวของลูกจ้างซึ่งทำงานเกี่ยวกับรังสีแนบท้ายพ.ศ.2564
						Actual														
	1.ตรวจงาน ผส.1	1.เพื่อให้ผู้ปฏิบัติงานทราบข้อมูลเกี่ยวกับข้อกำหนดของกฎหมาย	1.รายชื่อหน่วยงานที่ผิดพลาดให้ได้รับทำการงาน ผส.1	1.นำส่งการงาน ผส.1 ภายใน 30 วันก่อนได้รับผลตรวจ	บันทึกข้อ	Plan				■									บันทึกข้อ	ประกาศกรมสวัสดิการและคุ้มครองแรงงาน เรื่อง กำหนดแบบและวิธีการส่งผลการตรวจสุขภาพลูกจ้างที่ทำงานเกี่ยวกับรังสีที่มีงาน หรือเพื่อป้องกันอันตรายจากการทำงานเกี่ยวกับรังสีไอออไนซ์ และการป้องกันอันตราย พ.ศ. 2564
						Actual														

บริษัท เนชั่นแนล เพาเวอร์ ซัพพลาย จำกัด

แผนแม่บทด้านความปลอดภัย อาชีวอนามัย และสภาพแวดล้อมในการทำงาน ประจำปี 2568

(Safety Master Plan 2025)

Safety Legal

Issued by	Reviewed by	Approved by
[redacted]		
Safety Officer	Safety Deputy Manager	SQ

แผน / โครงการ	วัตถุประสงค์	เป้าหมาย	ดัชนีวัด (KPI)	ขั้นตอนการดำเนินงาน	ผู้รับผิดชอบ	ไตรมาส 1			ไตรมาส 2			ไตรมาส 3			ไตรมาส 4			งบประมาณ	ผู้รับผิดชอบ	หมายเหตุ
						1	2	3	4	5	6	7	8	9	10	11	12			
18.แจ้งการประสบอันตรายเจ็บป่วย หรือสูญหาย (กพ.16)	1.เพื่อให้ถูกต้องตามกฎหมาย	1.รายงาน กพ.16 เมื่อสูญเสียหรือสูญหายจากการทำงาน และมีการใช้งานอุปกรณ์ครบถ้วน	1.ส่งแจ้งรายงาน กพ.16 ให้แก่สำนักงานสวัสดิการและคุ้มครองแรงงาน ภายใน 15 วันนับจากวันที่เกิดเหตุ	1.เมื่อมีการแจ้งประสบอันตรายหรือเจ็บป่วย ให้ทำการแจ้ง กพ.16 แก่สำนักงานสวัสดิการและคุ้มครองแรงงานภายใน 15 วัน นับจากวันที่เกิดเหตุ และต้องแนบเอกสารประกอบ ดังนี้ 1.สำเนาบัตรประชาชน 2.สำเนาทะเบียนบ้าน 3.สำเนาใบมรณบัตร	บันทึกข้อ	Plan													-	บันทึกข้อ	พระราชกฤษฎีกาคุ้มครองแรงงานในงานก่อสร้าง และกฎกระทรวงกำหนดมาตรฐานการทำงาน พ.ศ. 2554
						Actual														
19. จัดการอบรมเพื่อพัฒนาความรู้ 12 ชั่วโมง ขป.1	- เพื่อ พัฒนาการอบรมพัฒนาความรู้ในรอบปี อย่างน้อย 12 ชั่วโมงต่อปี	- จัดทำรายงานส่งราชการ	- ส่งรายงานผลการอบรมพัฒนาความรู้อย่างน้อย 12 ชั่วโมงต่อปี ส่งรายงาน 1 ครั้งปี	1. รวบรวมรับสมัครผู้ปฏิบัติงานในรอบ 12 เดือน 2.จัดทำรายงาน 3. ส่งรายงานให้หน่วยงานที่เกี่ยวข้อง	บันทึกข้อ	Plan						11						-	บันทึกข้อ	กฎกระทรวง การจัดให้มีเจ้าหน้าที่ความปลอดภัยในการทำงาน บุคคลหน่วยงาน หรือคณะบุคคลเพื่อทำหน้าที่ความปลอดภัย ในสถานประกอบกิจการ พ.ศ. 2565
						Actual														
20.ตรวจวัดสภาพแวดล้อมในการทำงาน	1. ตรวจวัดสภาพแวดล้อมในการทำงานปีละ 1 ครั้ง 2. เพื่อป้องกันโรคจากการทำงานและปฏิบัติตามกฎหมาย	1.ตรวจวัดสภาพแวดล้อมในการทำงาน แสง,เสียง,ความร้อน,ฝุ่น	1.ผลการตรวจวัดสภาพแวดล้อมในพื้นที่การทำงานอยู่ในเกณฑ์มาตรฐานและข้อกำหนดของกฎหมาย	1. ดำเนินการตรวจวัดสภาพแวดล้อมในการทำงานตามที่กำหนด	บันทึกข้อ	Plan			30									36,000	บันทึกข้อ	กฎกระทรวงกำหนดมาตรฐานการป้องและตรวจสอบ พ.ศ. 2555
						Actual														

บริษัท เนชั่นแนล เพาเวอร์ ซัพพลาย จำกัด

แผนแม่บทความปลอดภัย อาชีวอนามัย และสภาพแวดล้อมในการทำงาน ประจำปี 2568

(Safety Master Plan 2025)

Safety Legal

Issued by	Reviewed by	Approved by
Safety Officer	Safety Deputy Manager	SQ

แผน / โครงการ	วัตถุประสงค์	เป้าหมาย	ดัชนีวัดผลงาน	วิธีการดำเนินงาน	ผู้รับผิดชอบ	ไตรมาส 1			ไตรมาส 2			ไตรมาส 3			ไตรมาส 4			งบประมาณ	ผู้รับผิดชอบ	หมายเหตุ
						1	2	3	4	5	6	7	8	9	10	11	12			
		2. ตัดรายงานตามแบบที่กำหนด (รสต. / รสท. / รสพ.)	1.นำส่งรายงานตามแบบ รสต (กรณีรายงาน ภายใน 30 วันนี้ ให้ดำเนินการ	1. นำส่งผลการตรวจวัดให้ กรมโรงงานอุตสาหกรรม ภายใน 30 วันนี้ให้ดำเนินการ		Plan													บันทึกฯ	ประกาศกระทรวงแรงงาน เรื่อง กำหนดแบบรายงานการตรวจและทดสอบ ความถี่ของการตรวจ และมีการ ปรับปรุงครั้งที่ 2 พ.ศ.2551
						Actual														
21. โครงการอนุรักษ์การได้ยิน	1.เพื่อทำโครงการอนุรักษ์การได้ยินในพื้นที่ที่มีผลการตรวจวัดเสียงตั้งแต่ 85 เดซิเบลขึ้นไป เพื่อปรับปรุงพื้นที่การทำงานและสภาพแวดล้อมในการทำงาน เพื่อป้องกันโรคจากการทำงาน	1. เพื่อปรับปรุงพื้นที่และทำงานและสภาพแวดล้อมในการทำงาน เพื่อป้องกันโรคจากการทำงาน	1. ไม่มีพนักงานเกิดโรคจากการทำงาน	1. ตรวจวัดเสียงในการทำงานของอนุรักษ์การได้ยิน 2.ศึกษาวิธีการป้องกัน และลดระดับเสียงของ Source ในจุดที่เสียงไม่ได้มาตรฐาน 3.ศึกษาผลของการตรวจวัดการได้ยินของพนักงานที่ปฏิบัติงานในพื้นที่ที่เสียงดังเกิน 85 เดซิเบลขึ้นไป		Plan													40,000	นันทพัทธา	ประกาศกรมสวัสดิการและคุ้มครองแรงงาน เรื่อง หลักเกณฑ์และวิธีการจัดทำและการอนุรักษ์การได้ยินในสถานประกอบกิจการ พ.ศ.2561
						Actual														
22. การดำเนินการติดตั้ง และการตรวจสอบอุปกรณ์ป้องกันและระงับอัคคีภัย	1.การตรวจสอบ ทดสอบ และบำรุงรักษา เครื่องดับเพลิงเคมีแห้ง,ดับน้ำ,ดับเคมี,ตู้สายดับเพลิง,ถังดับน้ำพร้อมสายฉีดน้ำดับเพลิง เพื่อให้พร้อมใช้งาน	- เพื่อให้มีอุปกรณ์ป้องกันและระงับอัคคีภัยที่ครบถ้วนและพร้อมใช้งาน	- อุปกรณ์พร้อมใช้งาน 100%	-ดำเนินการตรวจสอบอุปกรณ์ดับเพลิงในพื้นที่ต่างๆ		Plan												15,000	นันทพัทธา	กฎกระทรวงกำหนดมาตรฐานในการป้องกันและระงับอัคคีภัย พ.ศ. 2555
						Actual														

บริษัท เนชั่นแนล เพาเวอร์ ซัพพลาย จำกัด

แผนแม่บทความปลอดภัย อาชีวอนามัย และสภาพแวดล้อมในการทำงาน ประจำปี 2568

(Safety Master Plan 2025)

Safety Legal

Issued by	Reviewed by	Approved by
Safety Officer	Safety Deputy Manager	SQ

แผน / โครงการ	วัตถุประสงค์	เป้าหมาย	ดัชนีวัดผลงาน	วิธีการดำเนินงาน	ผู้รับผิดชอบ	ไตรมาส 1			ไตรมาส 2			ไตรมาส 3			ไตรมาส 4			งบประมาณ	ผู้รับผิดชอบ	หมายเหตุ
						1	2	3	4	5	6	7	8	9	10	11	12			
	2.การตรวจสอบ ทดสอบ และบำรุงรักษา ระบบแจ้งเหตุเพลิงไหม้ ตามกฎหมาย (Fire Alarm)	-เพื่อให้มีอุปกรณ์ป้องกันและระงับอัคคีภัยที่ครบถ้วนและพร้อมใช้งาน	- อุปกรณ์พร้อมใช้งาน 100%	- ตรวจสอบอุปกรณ์ในพื้นที่ต่างๆ อย่างน้อยครั้งละ 1 ครั้ง		Plan												90,000		ตามประกาศ ปี พ.ศ.
						Actual														
	3.การตรวจสอบ ทดสอบ และบำรุงรักษา ระบบดับเพลิงอัตโนมัติ ตามกฎหมาย(Automatic Fire Protection System)	-เพื่อให้มีอุปกรณ์ป้องกันและระงับอัคคีภัยที่ครบถ้วนและพร้อมใช้งาน	- อุปกรณ์พร้อมใช้งาน 100%	1.ตรวจสอบโดย ทดสอบระบบอย่างน้อยครั้งละ : ครั้ง 2.ประสานงานให้มีการตรวจสอบโดย Third Party ปีละ 1 ครั้ง		Plan														
						Actual														
	4. การตรวจสอบ ทดสอบ และบำรุงรักษา เครื่องสูบน้ำดับเพลิง	-เพื่อให้มีอุปกรณ์ป้องกันและระงับอัคคีภัยที่ครบถ้วนและพร้อมใช้งาน	อุปกรณ์พร้อมใช้งาน 100%	1.ตรวจสอบโดย Visual Check ทุกวัน 2.ให้มีการตรวจสอบและทดสอบโดยMech ตัวใดตัวหนึ่ง 1 ครั้ง 3.ประสานงานให้มีการตรวจสอบและทดสอบโดย Third Party ปีละ 1 ครั้ง		Plan														ตามประกาศ ปี พ.ศ.
						Actual														

NPS	บริษัท เนชั่นแนล เพาเวอร์ ซัพพลาย จำกัด แผนงานความปลอดภัย อาชีวอนามัย และสภาพแวดล้อมในการทำงาน ประจำปี 2568 (Safety Master Plan 2025) Safety Legal	[redacted]		
		Safety Officer	Safety Deputy Manager	SQ

แผน / โครงการ	วัตถุประสงค์	เป้าหมาย	ตัวชี้วัด (KPI)	ขั้นตอนการดำเนินงาน	แผน	ไตรมาส 1			ไตรมาส 2			ไตรมาส 3			ไตรมาส 4			งบประมาณ	ผู้รับผิดชอบ	อ้างอิง
						1	2	3	4	5	6	7	8	9	10	11	12			
23. การดำเนินการจัดหาและการตรวจสอบอ่างล้างตาฉุกเฉินและฝักบัวล้างตัวฉุกเฉิน	- เพื่อให้อ่างล้างตาฉุกเฉินและฝักบัวล้างตัวฉุกเฉินพร้อมใช้งาน	- เพื่อให้อุปกรณ์ความพร้อมใช้งาน	- อุปกรณ์พร้อมใช้งาน 100%	- ตรวจสอบอุปกรณ์ในพื้นที่ต่างๆ อย่างน้อยเดือนละ 1 ครั้ง	Plan													-	นันท์นิชา	กฎกระทรวงกำหนดมาตรฐานในการบริหารจัดการและดำเนินการด้านความปลอดภัย อาชีวอนามัยและสภาพแวดล้อมในการทำงานเกี่ยวกับสารเคมีอันตราย พ.ศ. 2556
					Actual															
รวมงบประมาณแผนงาน																		578,000	บาท	

NPS	บริษัท เนชั่นแนล เพาเวอร์ ซัพพลาย จำกัด แผนงานความปลอดภัย อาชีวอนามัย และสภาพแวดล้อมในการทำงาน ประจำปี 2568 (Safety Master Plan 2025) Safety Hazard control	[redacted]		
		Safety Officer	Safety Deputy Manager	Safety Manager

แผน / โครงการ	วัตถุประสงค์	เป้าหมาย	ตัวชี้วัด (KPI)	ขั้นตอนการดำเนินงาน	แผน	ไตรมาส 1			ไตรมาส 2			ไตรมาส 3			ไตรมาส 4			งบประมาณ	ผู้รับผิดชอบ	อ้างอิง
						1	2	3	4	5	6	7	8	9	10	11	12			
1. Insurance Inspection	[illegible]	[illegible]	[illegible]	[illegible]	Plan													15,000?	ฝ่าย Safety	Insurance Recommendation
					Actual															
2. จัดทำ safety sign ในพื้นที่การทำงาน	[illegible]	[illegible]	[illegible]	[illegible] Safety Sign [illegible]	Plan													15,000	นันท์นิชา	ตามกฎหมายกำหนด
					Actual															
3. Safety For Manual	[illegible]	[illegible]	[illegible]	[illegible]	Plan														นันท์นิชา	
					Actual															
4. Safety For Shutdown	[illegible] Shutdown	[illegible] Shutdown	[illegible]	[illegible]	Plan													[illegible]	นันท์นิชา	[illegible]
					Actual															
5. NBCR safe zone	[illegible]	[illegible]	[illegible]	[illegible]	Plan													12,000	นันท์นิชา	PR-S-PUR-[illegible] Safe zone [illegible]
					Actual															
6. [illegible]	[illegible]	[illegible]	[illegible]	[illegible] PPE [illegible]	Plan													448,000?	นันท์นิชา	NPS-PUR-[illegible]
					Actual															
7. [illegible]	[illegible]	[illegible]	[illegible]	[illegible]	Plan													55,000	นันท์นิชา	
					Actual															
รวมงบประมาณแผนงาน																		[illegible]	บาท	

NPS

บริษัท เนชั่นแนล เพาเวอร์ เซอพลาย จำกัด

แผนงานความปลอดภัย อาชีวอนามัย และสภาพแวดล้อมในการทำงาน ประจำปี 2568

(Safety Master Plan 2025)

Safety training

Issued by	Reviewed by	Approved by
Safety Officer	Safety Deputy Manager	Safety Manager

แผน / โครงการ	วัตถุประสงค์	เป้าหมาย	ดัชนีวัด (KPI)	ขั้นตอนการดำเนินงาน	ผล	โครงการ 1			โครงการ 2			โครงการ 3			โครงการ 4			งบประมาณ	ผู้รับผิดชอบ	หมายเหตุ
						1	2	3	4	5	6	7	8	9	10	11	12			
1. การอบรมความปลอดภัยสำหรับพนักงาน งานพรวน ความปลอดภัย 2564	- เพื่อให้พนักงานผู้ดูความปลอดภัยทั่วไป และการปฏิบัติงานในพื้นที่	- พนักงานใหม่ผู้ผ่านการอบรม 100%	- ทั่วไปผ่านการอบรม และการบันทึกผล	- จัดโปรแกรมการอบรมให้กับพนักงานใหม่ผู้ผ่านการอบรม ความปลอดภัยก่อนเข้าปฏิบัติงานในพื้นที่ต่างๆ	Plan													-	SQS Team	ทบทวนหลักสูตรให้ความปลอดภัย การใช้งานเครื่องมือ และการทำงานให้ปลอดภัย ตามกฎหมาย พ.ศ. 2554
					Actual															
2. การอบรมหลักสูตรเรื่องความปลอดภัยในการทำงานสำหรับผู้รับเหมาทั่วไป	- เพื่อให้พนักงานผู้ดูความปลอดภัยทั่วไป และการปฏิบัติงานในพื้นที่	- ผู้รับเหมาและใหม่ผู้ผ่านการอบรม 100%	- ทั่วไปผ่านการอบรม และการบันทึกผล	- ดำเนินการอบรมผู้รับเหมาในช่วงเวลา 13.30 น. - 17.00 น. ตามความเหมาะสมที่ได้รับ	Plan													-	นันท์นิพา	กฎระเบียบเรื่องความปลอดภัยสำหรับผู้รับเหมาทั่วไป
					Actual															
3.การอบรมความปลอดภัยในการทำงานสำหรับผู้รับเหมาช่วงสูงพิเศษ	- เพื่อให้พนักงานผู้ดูความปลอดภัยทั่วไป และการปฏิบัติงานในพื้นที่	- ผู้รับเหมาและใหม่ผู้ผ่านการอบรม 100%	- ทั่วไปผ่านการอบรม และการบันทึกผล	- ดำเนินการอบรมผู้รับเหมาในช่วงเวลา 13.30 น. - 17.00 น. ตามความเหมาะสมที่ได้รับ	Plan													-	นันท์นิพา	กฎระเบียบเรื่องความปลอดภัยสำหรับผู้รับเหมาช่วงสูงพิเศษ
					Actual															
4.ตรวจไข่ความผู้เข้าดูเจ้าหน้าที่ความปลอดภัยของบุคลากรทำงาน (Work Permit)	- เพื่อให้พนักงานมีความรู้ในการของบุคลากรทำงาน	-พนักงานบุคลากรที่เข้าใหม่ มีคุณสมบัติที่สามารถยื่น-ปิด Work Permit ได้	- พนักงานหน้างาน SQ,EM,PO ทุกคนต้องเข้ารับการอบรม	- ดำเนินการตรวจสอบและให้คำแนะนำเกี่ยวกับขั้นตอนการทำงานที่ปลอดภัย ตามที่กำหนด	Plan													-	นันท์นิพา	
					Actual															
รวมค่าใช้จ่ายตามโครงการ																		0	บาท	

NPS

บริษัท เนชั่นแนล เพาเวอร์ เซอพลาย จำกัด

แผนงานความปลอดภัย อาชีวอนามัย และสภาพแวดล้อมในการทำงาน ประจำปี 2568

(Safety Master Plan 2025)

Safety promotion

Issued by	Reviewed by	Approved by
(นายกฤษณ์ ศรีสวัสดิ์) Safety Officer	(นายภาคิน ศรีสวัสดิ์) Safety Deputy Manager	(นายวสุพล วงศ์สกุล) Safety Manager

แผน / โครงการ	วัตถุประสงค์	เป้าหมาย	ดัชนีวัด (KPI)	ขั้นตอนการดำเนินงาน	ผล	โครงการ 1			โครงการ 2			โครงการ 3			โครงการ 4			งบประมาณ	ผู้รับผิดชอบ	หมายเหตุ
						1	2	3	4	5	6	7	8	9	10	11	12			
1. Car wash campaign	- เพื่อรณรงค์ลดการใช้พลังงานและน้ำสำหรับการล้างรถยนต์	- พนักงานขับขี่และผู้ดำเนินการปลอดภัยเพื่อให้เป็นต้นแบบในการปฏิบัติที่ดีขึ้น	- จำนวนครั้งสถิติและสถิติการปลอดภัย	- ตรวจสอบข้อมูลและสถิติการใช้งาน และแจ้งให้ผู้เกี่ยวข้องทราบ - ดำเนินการตามขั้นตอนที่กำหนดไว้	Plan	10	10	11	10	11	10	11	11	10	11	11	11	-9,000	นันท์นิพา	
					Actual															
2. Fire Drill Plan	-เพื่อความตระหนักรู้เกี่ยวในการฝึกซ้อมดับเพลิงในพื้นที่	-การฝึกซ้อมดับไฟ (ประเภทเป็นผู้นำ)	-มีการตรวจสอบและดำเนินการปรับปรุงแก้ไข	- ให้บุคลากรมีความตระหนักรู้ในการปฏิบัติตามขั้นตอนการอพยบเมื่อเกิดเหตุฉุกเฉิน - ดำเนินการฝึกซ้อมดับเพลิง	Plan	10	28	31	10	11	10	11	11	10	11	11	11	14,000	นันท์นิพา	
					Actual															
3. SHE NEWS	-เพื่อประชาสัมพันธ์ข่าวสารด้านความปลอดภัย และรายงานการดำเนินการด้านความปลอดภัย ประจำปีให้บุคลากรได้ทราบ และรับทราบข้อมูลที่เป็นประโยชน์	-หน่วยงานได้รับข่าวสารด้านความปลอดภัย และรายงานการดำเนินการด้านความปลอดภัยประจำปีครั้งนี้ครบทั้งหมด ไม่น้อยกว่าร้อยละ 90	- SHE NEWS 1 ครั้งต่อปี	- ดำเนินการจัดทำข้อมูลข่าวสารด้านความปลอดภัย ประจำปีให้ครบถ้วน และรับรองโดยผู้มีหน้าที่รับผิดชอบ	Plan	30	28	31	10	31	30	31	11	30	31	30	31	-0,000	นันท์นิพา	
					Actual															
4. Safety Day	-เพื่อเป็นการกระตุ้นให้พนักงานมีความรู้และตระหนักถึงความปลอดภัยในการทำงาน	-หน่วยงานได้รับความรู้และมีความเข้าใจในการทำงาน	- มอบรางวัลให้กับหน่วยงานที่ปฏิบัติตามกฎความปลอดภัย Safety Day	- ดำเนินการจัดกิจกรรมในวันที่กำหนด - สรุปผลการจัดโครงการ	Plan												25	10,000	นันท์นิพา ทีมSafety All	
					Actual															
5. Safety Environmental and Health Test	- การอบรมให้ความรู้ด้านการจัดทำแผนการจัดการสิ่งแวดล้อมและอาชีวอนามัยของการทำงานในพื้นที่	-หน่วยงานได้รับความรู้และมีทักษะในด้านความปลอดภัยมากขึ้น	- มีการจัด Safety Talk ทุกวันก่อนเริ่มงาน โดยให้ผู้ปฏิบัติงานตรวจสอบความพร้อม 10 นาที	- ดำเนินการจัดเตรียมโปรแกรมผู้เข้าร่วมอบรม และเชิญผู้ประเมินเข้าร่วมการอบรม - ดำเนินการจัดโครงการตามแผนที่กำหนด	Plan													20,000	นันท์นิพา	
					Actual															



(Safety Master Plan 2025)

Safety promotion

ลำดับ / โครงการ	วัตถุประสงค์	เป้าหมาย	ดัชนีวัดผลงาน	ขั้นตอนการดำเนินงาน	แผน	ไตรมาส 1			ไตรมาส 2			ไตรมาส 3			ไตรมาส 4			งบประมาณ	ผู้รับผิดชอบ	หมายเหตุ
						1	2	3	4	5	6	7	8	9	10	11	12			
6. KYT	เพื่อให้พนักงานมีทักษะในการประเมินสิ่งอันตรายในงานและมีความเข้าใจวิธีการป้องกันที่ถูกต้อง	มีการทำ KYT ของแต่ละงานก่อนปฏิบัติงานทุกครั้ง	พนักงานผู้ปฏิบัติงานทำ KYT ในแต่ละงานก่อนการปฏิบัติงานทุกครั้ง ร้อยละ 100 ครั้งต่อเดือน และมีการสุ่มตรวจการทำ KYT ของพนักงานที่ปฏิบัติงานในพื้นที่เสี่ยงสูง	1.กำหนดให้พนักงานในงานทำ KYT ก่อนเริ่มงานทุกวัน	Plan	30	25	31	30	31	30	31	31	30	31	30	31	-1,500	บันต์มีนา	
					Actual															
7. [illegible]	เพื่อสอนและให้ความรู้กับพนักงานและผู้รับเหมาเกี่ยวกับอันตรายและวิธีการป้องกันที่ถูกต้องในการปฏิบัติงาน	- พนักงานและผู้รับเหมาเข้าปฏิบัติงานในพื้นที่	- อุบัติการณ์และเหตุการณ์ของพนักงานและผู้รับเหมาที่เกิดขึ้นในพื้นที่ - 0	1.Safety ประชาสัมพันธ์ให้ความรู้เกี่ยวกับ 1.1 [illegible] 1.2 [illegible]	Plan	30	25	31	30	31	30	31	31	30	31	30	31	-5,000	บันต์มีนา	
					Actual															
8. Zero Accident	เพื่อลดและป้องกันอุบัติเหตุที่อาจเกิดขึ้นในพื้นที่ปฏิบัติงาน	- พนักงานและผู้รับเหมาเข้าปฏิบัติงานในพื้นที่	- อุบัติการณ์และเหตุการณ์ของพนักงานและผู้รับเหมาที่เกิดขึ้นในพื้นที่ - 0	1.Safety ประชาสัมพันธ์ให้ความรู้เกี่ยวกับ 1.1 [illegible] 1.2 [illegible] 2.Safety [illegible]	Plan	30	25	31	30	31	30	31	31	30	31	30	31	5,000	บันต์มีนา	
					Actual															



(Safety Master Plan 2025)

Safety promotion

ลำดับ / โครงการ	วัตถุประสงค์	เป้าหมาย	ดัชนีวัดผลงาน	ขั้นตอนการดำเนินงาน	แผน	ไตรมาส 1			ไตรมาส 2			ไตรมาส 3			ไตรมาส 4			งบประมาณ	ผู้รับผิดชอบ	หมายเหตุ
						1	2	3	4	5	6	7	8	9	10	11	12			
9. Tool Accident	- เพื่อเป็นการกระตุ้นให้เกิดจิตสำนึกในการทำงานให้ปลอดภัย เกี่ยวกับการใช้เครื่องมือเครื่องใช้	- พนักงานใช้เครื่องมือได้ถูกวิธีและปลอดภัย	- พนักงานมีความรู้ในการใช้งานเครื่องมือ 100 %	- สำรวจพนักงานในพื้นที่ปฏิบัติงาน - จัดทำรายงานสรุปผลการสำรวจพนักงานในพื้นที่ปฏิบัติงาน และนำเสนอผลการสำรวจต่อผู้บริหาร และหาแนวทางแก้ไขเพื่อปรับปรุงการทำงาน	Plan		31											1,000	บันต์มีนา	
					Actual															
10. โครงการโรงงานสีขาว	- เพื่อส่งเสริมให้พนักงานปฏิบัติงานด้วยความปลอดภัย	-ไม่พบสิ่งบกพร่องจากการตรวจสอบการทำงานของพนักงานในงานประจำวัน -มีการทำพิธีมอบรางวัลแก่บุคคลหรือหน่วยงานที่ทำงานด้วยความปลอดภัย	มีการสุ่มตรวจการปฏิบัติงานของพนักงาน ทุกไตรมาส	1. สนับสนุนร่วมโครงการโรงงานสีขาวกับสถิติการเกิดในพื้นที่ 2. ทำเป็นการตามมาตรฐานที่กำหนด	Plan	30	25	31	30	31	30	31	31	30	31	30	31	2,000	บันต์มีนา	
					Actual															
11 ประกวดหมวกปลอดภัยดีเด่นระดับจังหวัด	- ส่งเสริมให้พนักงานประกวดหมวกผู้ปฏิบัติที่ถูกต้องเพื่อความปลอดภัยในการทำงาน	-ประกวดหมวกนิรภัยดีเด่นของพนักงานในพื้นที่ปฏิบัติงาน	- ได้รับการรับรองหมวกนิรภัยดีเด่นระดับจังหวัด	1. สนับสนุนร่วมโครงการโรงงานสีขาวกับสถิติการเกิดในพื้นที่ 2. ทำเป็นการตามมาตรฐานที่กำหนด	Plan													3,000	บันต์มีนา	
					Actual															
รวมงบประมาณทั้งหมด																		220,000	บาท	

ภาคผนวก ข-25

การเตรียมความพร้อมเพื่อตอบสนองภาวะฉุกเฉิน
ประจำปี พ.ศ. 2568

ประวัติการแก้ไขเอกสาร

เลขที่เอกสาร	แก้ไขครั้งที่	รายละเอียดการแก้ไข	ผู้จัดทำเอกสาร
WP-S-PUH-SA-002	01	แก้ไข Flow ในการแจ้งเหตุ	[redacted]
WP-S-PUH-SS-002	02	เพิ่มเติม เอกสาร Version ภาษาอังกฤษ ปรับรูปแบบเอกสารตามฟอร์มใหม่และรับหมายเอกสารใหม่	
WP-S-PUH-SS-002	03	เพิ่ม Scope NPP2, NPP3 น้ำไส 304 และ LBS แก้ไขรายละเอียดขั้นตอนการตอบสนองภาวะฉุกเฉินใหม่	
WP-S-PUH-SS-002	04	แก้ไข scope บริษัท	
WP-S-PUH-SS-002	05	เพิ่มเติมรายละเอียดขั้นตอนการปฏิบัติ และการตรวจตรา อบรม ซ้อม ที่นำสู่ ตามกฎหมาย	
WP-S-PUH-SS-002	06	เพิ่ม Scope FG เพิ่มเติมรายละเอียดขั้นตอนการปฏิบัติ และรถรวงค์และป้องกันดีเซล	
WP-S-PUH-SS-002	07	เพิ่มการตอบสนองภาวะฉุกเฉินในกรณีอื่น เพิ่มการแจ้งต่อหน่วยงานราชการที่เกี่ยวข้อง ตามเอกสารแนบ SD-S-PUH-SS-010 เพิ่ม Scope SNST และ IRC ลบ Scope NPP2	
WP-S-PUH-SS-002	08	เพิ่ม Scope NPSSOLAR	
WP-S-PUH-SS-002	09	เพิ่มการตอบสนองภาวะฉุกเฉินกรณีพนักงานถูกไฟฟ้าช็อต	
WP-S-PUH-SS-002	10	เพิ่มการตอบสนองภาวะฉุกเฉินกรณีการทำงานในที่อับอากาศ เพิ่มการปฐมพยาบาลผู้ประสบเหตุการทำงานในที่อับอากาศ	

UNCONTROLLED COPY

ISO 45001 OCCUPATION HEALTH AND SAFETY MANAGEMENT SYSTEM

WORK PROCEDURE

Issued by: [redacted]

Approved by:

Document No. WP-S-PUH-SS-002

Edition No. 10

Effective date: 15 Feb 2023

การตอบสนองภาวะฉุกเฉิน

1. **วัตถุประสงค์(Objective)**

1.1 เพื่อเป็นขั้นตอนการปฏิบัติงานในการเตรียมความพร้อม ตอบสนอง ควบคุมและป้องกันอุบัติเหตุ อุบัติภัย และเหตุฉุกเฉิน

1.2 ระงับเหตุการณ์ไม่ให้ลุกลามและสามารถควบคุมสถานการณ์ภายในระยะเวลาอันรวดเร็ว

1.3 ช่วยชีวิตผู้ที่ติดอยู่ในสถานอันตรายและรักษาชีวิตผู้ปฏิบัติงานในสภาวะฉุกเฉิน

1.4 ควบคุมให้เกิดความเสียหายต่อทรัพย์สิน สิ่งแวดล้อมและชุมชนโดยรอบน้อยที่สุด

1.5 ใช้ในการสื่อสาร ให้ข้อมูลกับบุคคล หน่วยงานทั้งภายในและภายนอกอย่างมีประสิทธิภาพให้ทราบถึงสถานการณ์และแนวทางในการระงับเหตุฉุกเฉินของบริษัทเข้าสู่ภาวะปกติ

2. **ขอบเขต (Scope)**

2.1 ใช้เป็นระเบียบในการบริหารงานเพื่อป้องกัน เตรียมความพร้อม ตอบสนองและควบคุมเหตุฉุกเฉินต่าง ๆ สำหรับทุกพื้นที่และทุกกิจกรรมที่เกี่ยวข้องกับพนักงานของบริษัท ณ พื้นที่ของ เพาเวอร์ ซัพพลาย จำกัด (มหาชน) และบริษัทย่อย รวมถึงบุคคลภายนอกที่เข้ามาปฏิบัติงานและติดต่องานภายในโรงงานด้วย

3. **คำจัดกัดความ (Definition)**

3.1 เหตุฉุกเฉิน หมายถึงเหตุอันไม่พึงประสงค์ที่เกิดขึ้นโดยไม่คาดคิดและส่งผลให้เกิดความเสียหายอย่างร้ายแรงต่อมนุษย์หรือทรัพย์สิน ซึ่งหมายความรวมถึงเหตุการณ์ดังต่อไปนี้

1) เหตุการณ์ไฟไหม้
2) เหตุการณ์ระเบิด
3) เหตุการณ์สารเคมีรั่วไหลรุนแรง
4) เหตุการณ์แก๊สรั่วไหล
5) เหตุการณ์รังสีรั่วไหล
6) เครื่องจักรและระบบขัดหน้าที่ขัดข้องรุนแรงพร้อม (ไฟฟ้า ไอน้ำ น้ำประปาขาดเร่ธาตุ น้ำดูดสาธารณะ ระบบลม)
7) การบาดเจ็บหรือเสียชีวิต
8) เหตุการณ์จลาจลและการประท้วง
9) อาคารหรือโครงสร้างอาคารพังถล่มลงมา
10) เหตุการณ์น้ำท่วม
11) เหตุการณ์วาตภัย
12) เหตุการณ์พนักงานถูกไฟช็อต

UNCONTROLLED COPY

13) เหตุการณ์อุตสาหกรรมการทำงานในที่อับอากาศ

3.2 อุบัติเหตุ (Accident) หมายถึง เหตุการณ์ที่ไม่พึงประสงค์ ซึ่งอาจเกิดจากการที่ไม่ได้คาดคิดไว้ล่วงหน้าแต่เมื่อเกิดขึ้นแล้วมีผลให้เกิดการบาดเจ็บ, การเจ็บป่วยจากการทำงาน, การสูญเสีย อวัยวะ, ทุพพลภาพ, พิการหรือเสียชีวิต, ความสูญเสียต่อทรัพย์สิน, ความเสียหายต่อ สภาพแวดล้อมหรือสาธารณชน

3.3 NPS หมายถึง บริษัท เนชั่นแนล เพาเวอร์ ซัพพลาย จำกัด (มหาชน)

3.4 NPP 5 หมายถึง บริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 5 จำกัด

3.5 NPP 5A หมายถึง บริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 5 เอ จำกัด

3.6 NPP3 หมายถึง บริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 3 จำกัด

3.7 NS304 หมายถึง บริษัท นิ้วโส 304 จำกัด

3.8 ES5 หมายถึง บริษัท อี 55 จำกัด

3.9 FG หมายถึง บริษัท ฟิวเจอร์ กรีนเนอร์จี จำกัด

3.10 SNST หมายถึง ไซนิส ทดาว์ชเทคโนโลยี จำกัด

3.11 IRC หมายถึง บริษัท อินทิเกรทเต็ด รีซิรีช เซ็นเตอร์ จำกัด

3.12 NPSSOLAR หมายถึง บริษัท เอ็นพีเอส โซลาร์ จำกัด

3.13 CRT (Crisis Response Team) หมายถึง คณะทำงานตอบสนองเหตุอุตสาหกรรมที่เกิดขึ้น ทั้งด้านการควบคุมและจัดการเหตุอุตสาหกรรม และด้านการสื่อสาร

3.14 ERT (Emergency Response Team) หมายถึง คณะทำงานควบคุมเหตุอุตสาหกรรม มีหน้าที่รับผิดชอบดำเนิน ดูแล จัดการแก้ไขเหตุอุตสาหกรรมและควบคุมความเสียหายโดยรวม

3.15 CCT (Crisis Communication Team) หมายถึง คณะทำงานการสื่อสารในสถานการณ์เกิดเหตุอุตสาหกรรม มีหน้าที่รับผิดชอบดำเนิน ดูแล งานการสื่อสาร การแถลงข่าว การประชาสัมพันธ์ทั้งหมด

3.16 BRT (Business Response Team) หมายถึง คณะทำงานด้านความต่อเนื่องธุรกิจ มีหน้าที่ รับผิดชอบดำเนินดูแลการดำเนินงานของธุรกิจให้มีความต่อเนื่อง ให้มีผลกระทบทางธุรกิจน้อยที่สุด

3.17 ระดับภาวะฉุกเฉิน เพื่อให้การควบคุมภาวะฉุกเฉินของ บริษัทฯ เป็นไปด้วยความรวดเร็วและมีประสิทธิภาพ จึงกำหนดให้ผู้บังชาการเหตุฉุกเฉิน เป็นผู้รับผิดชอบในการควบคุมและสั่งการเพื่อตอบโต้ภาวะฉุกเฉิน ซึ่งได้กำหนดไว้เป็น 3ระดับ คือ

1) ภาวะฉุกเฉินระดับที่ 1

เป็นภาวะฉุกเฉินที่ผู้บังชาการเหตุฉุกเฉินได้พิจารณาแล้วเห็นว่าเหตุการณ์ไม่รุนแรงมาก ไม่มีผู้เสียชีวิต สามารถควบคุมให้เข้าสู่ภาวะที่ปลอดภัย ภายใน 30 นาที โดยที่อุปกรณ์ตอบโต้ภาวะฉุกเฉินของบริษัทฯ หรือกลุ่มโรงงาน อันเพียงพอต่อการตอบโต้ภาวะฉุกเฉิน ก็จะสั่งการให้ผู้รับผิดชอบต่าง ๆ ดำเนินการตามแผนการปฏิบัติหน้าที่ที่กำหนดไว้ในแผนฉุกเฉิน

2) ภาวะฉุกเฉินระดับที่ 2

เป็นภาวะฉุกเฉินที่ผู้บังชาการเหตุฉุกเฉินได้พิจารณาแล้วเห็นว่าเหตุการณ์รุนแรง มีผู้บาดเจ็บหรือเสียชีวิต เหตุการณ์ยังจะยืดเยื้อ ไม่สามารถควบคุมให้เข้าสู่สภาวะที่ปลอดภัย ภายใน 30 นาที โดยที่บุคลากรและอุปกรณ์ต่าง ๆ ที่ใช้ในการตอบโต้ภาวะฉุกเฉินของโรงงานหรือกลุ่มโรงงานมีไม่เพียงพอ ก็จะสั่งการไปยังหัวหน้าชุดอำนวยการให้ทำการติดต่อขอความช่วยเหลือจากหน่วยงานภายนอก ซึ่งหน่วยงานหลักที่ต้องติดต่อ คือ หน่วยดับเพลิงท้องถิ่น, หน่วยดับเพลิงศรีมหาโพธิ , โรงพยาบาลศรีมหาโพธิ และสำนักงานประมาณเพื่อสันติ เพื่อให้เข้ามาช่วยเหลือ

3) ภาวะฉุกเฉินระดับที่ 3

เป็นภาวะฉุกเฉินที่ผู้บังชาการเหตุฉุกเฉินได้พิจารณาแล้วเห็นว่าเหตุการณ์รุนแรง ได้ขยายตัวอุตสาหกรรมขนาดใหญ่ส่งผลกระทบต่อหน่วยงานและพื้นที่ข้างเคียงโดยรอบ และไม่สามารถควบคุมได้จากหน่วยงานภายนอกซึ่งในกรณีนี้คือจะเข้าสู่แผนปฏิบัติการอุตสาหกรรมจังหวัด

4. ขั้นตอนการปฏิบัติงาน(Procedure)

4.1 ฝ่ายความปลอดภัยแต่ละโรงงานภายในบริษัทฯ ต้องดำเนินจัดทำเอกสารประกาศแต่งตั้งเป็นคณะบุคคลประจำพื้นที่ เพื่อทำหน้าที่ตอบสนองต่อสถานการณ์อุตสาหกรรมที่เกิดขึ้นภายในนะ โดยประกาศจะลงนามโดย CEO หรือ CO-CEO หรือ Mill manager ของแต่ละโรงงาน และแจ้งแนบเอกสารการประกาศไว้ที่ฝ่ายความปลอดภัยประจำพื้นที่ ทั้งนี้จะต้องมีการทบทวนเชิงลึกปีละ 1 ครั้ง ได้เป็นปัจจุบันล่าสุด โดยทำการทบทวนอย่างน้อยปีละ 1 ครั้ง

4.2 บริษัทฯ ต้องจัดให้มีการอบรมการดับเพลิงขั้นพื้นฐานให้กับพนักงานภายในหน่วยงาน อย่างน้อย 40% ในส่วนนี้เป็นหน้าที่ของฝ่ายความปลอดภัยแต่ละโรงงานจะต้องแจ้งและแจ้งแนบเอกสารไว้ที่ฝ่ายความปลอดภัยประจำพื้นที่

4.3 การฝึกซ้อมและการฝึกอบรม หน่วยงานความปลอดภัยประจำพื้นที่มีหน้าที่เป็นผู้ประสาน หรือจัดให้มีการฝึกอบรมให้กับพนักงาน และผู้รับผิดชอบ เพื่อเตรียมการรองรับสถานะฉุกเฉิน ดังนี้

4.3.1 พนักงานต้องได้รับการอบรมดับเพลิงเบื้องต้นตามกฎหมายกำหนด อย่างน้อย 40% ของหน่วยงาน

4.3.2 พนักงานใหม่ จะต้องได้รับการฝึกอบรมหรือชี้แจง ให้ทราบถึงมาตรการเรื่องความปลอดภัยก่อนการเริ่มทำงานภายในบริษัทฯ เก็บแยกสารไว้ที่หน่วยงานฝึกอบรม

4.3.3 ผู้รับเหมาจะต้องได้รับการฝึกอบรมหรือชี้แจง ให้ทราบถึงมาตรการเรื่องความปลอดภัยก่อนการเริ่มทำงานภายในบริษัทฯ โดยเก็บแยกสารผลการอบรมไว้ที่ฝ่ายความปลอดภัย

4.3.4 ฝ่ายความปลอดภัยแต่ละโรงงาน มีหน้าที่ดำเนินการจัดให้มีการซ้อมแผนฉุกเฉินตามกฎหมาย อย่างน้อยปีละ 1 ครั้ง หรือตามที่บริษัทฯ โดยแผนการฝึกซ้อมจะต้องครอบคลุมรวมการความเสี่ยงของกิจกรรมในพื้นที่นั้นๆ ทั้งนี้ผลการซ้อมจะต้องได้คะแนนประเมินไม่ต่ำกว่า 80% หากต่ำกว่าจะต้องดำเนินการซ้อมใหม่

UNCONTROLLED COPY

4.3.5 ข้อเสนอแนะจากผลการซ้อมแผนอุบัติเหตุ ให้นำมาคิดความแก้ไขในที่ประชุมคณะกรรมการความปลอดภัยหรือการประชุมอื่นๆ ที่เกี่ยวข้องของแต่ละบริษัท

4.4 ฝ่ายความปลอดภัยแต่ละโรงงาน มีหน้าที่ในการจัดเตรียม ตรวจสอบอุปกรณ์เพื่อใช้สำหรับป้องกันและระงับอัคคีภัยตามเอกสาร WI-S-PUH-SS-002, WI-S-PUH-SS-003, WI-S-PUH-SS-004, WI-S-PUH-SS-005, WI-S-PUH-SS-006 ให้มีความพร้อมใช้งานอยู่เสมอ โดยจะต้องเข้ามาตรวจสอบและจัดเตรียมรายงานผลการตรวจสอบเป็นประจำ

4.5 คณะทำงานตอบสนองเหตุฉุกเฉิน (ERT)

เพื่อให้การตอบโต้และควบคุมสถานะฉุกเฉิน เป็นไปอย่างมีประสิทธิภาพและต่อเนื่อง จึงได้กำหนดให้มีทีมปฏิบัติการขึ้นมาทั้งหมด 3 ทีม ประกอบด้วย

4.5.1 ทีมปฏิบัติการและงานควบคุมความเสียหาย(Operation & Damage Control) มีหน้าที่ในการควบคุมป้องกันการสูญเสียของเครื่องจักร อุปกรณ์และทรัพย์สินต่าง ๆ ในโรงงานการจัดเตรียมหลังงานและเชื้อเพลิง การช่วยชีวิตและการควบคุมเหตุฉุกเฉิน โดยอยู่ภายใต้การควบคุมบังคับบัญชาของ ผู้บัญชาการเหตุฉุกเฉิน และมีทีมงานต่าง ๆ รับหน้าที่ดำเนินการดังนี้ คือ

1) ทีมควบคุมความเสียหาย (Damage Control)

มีหน้าที่รับผิดชอบในการระงับเหตุ จำกัดขอบเขตความเสียหายที่เกิดขึ้นกับอาคาร เครื่องจักร และสิ่งแวดล้อมสารเคมี อุปกรณ์และสำเนาเอกสารต้นฉบับที่สำคัญ ในบริเวณเกิดเหตุและพื้นที่ใกล้เคียง ติดต่อขอความช่วยเหลือจากภายนอก (สถานีดับเพลิง, หน่วยกู้ภัย, สถานีสำรวจอากาศ) ตรวจวัดหาสารพิษ ก๊าซไวไฟ และสิ่งการการดำเนินงานควบคุมความเสียหายทุกขั้นตอน

2) ทีมผู้ช่วยชีวิต (Save & Rescue)

มีหน้าที่รับผิดชอบด้านการค้นหาและช่วยชีวิต เคลื่อนย้ายผู้บาดเจ็บไปที่ปลอดภัย ติดต่อเรียกและกำกับสั่งการบริการรถพยาบาลฉุกเฉิน (ทั้งของบริษัทและภายนอก) ติดต่อขอความช่วยเหลือทางการแพทย์ สั่งการและควบคุมดูแลการเคลื่อนย้ายผู้บาดเจ็บไปยังโรงพยาบาล นอกจากนี้ยังรับผิดชอบการรวบรวมเครื่องและการเคลื่อนย้ายผู้บาดเจ็บไปยังที่ปลอดภัย ติดต่อขอรับใบมรณะบัตรจากแพทย์กรณีมีผู้เสียชีวิตและดูแลการเคลื่อนย้ายศพผู้เสียชีวิตออกจากบริเวณโรงงาน ติดต่อให้ข้อมูลทีมปฏิรูปฟื้นฟูเพื่อเยียวยาให้ญาติสนิทของผู้เสียชีวิตโดยทราบ

3) ทีมรักษาความปลอดภัยและการอพยพเคลื่อนย้าย (Security & Evacuation)

มีหน้าที่รับผิดชอบการอพยพบุคลากรหนังงานและลงงานออกจากอาคาร หรือพื้นที่ที่เกิดหันตรายไปยังพื้นที่ที่กำหนดไว้ นอกจากนี้ยังมีหน้าที่จัดตั้งเครื่องกีดขวางเพื่อป้องกันไม่ให้ผู้ที่ไม่มีส่วนเกี่ยวข้องเข้าไปในบริเวณเกิดเหตุฉุกเฉิน ดูแลรักษาความสงบเรียบร้อยในทุก ๆ ด้านหลังจากเหตุการณ์สงบลงแล้ว

จราจรเข้า-ออก ภายในบริเวณพื้นที่โรงงานและติดต่อประสานงานกับ CCT ในกรณีมีนักข่าวหนังสือพิมพ์หรือตัวแทนสื่อมวลชนติดต่อขอเข้าทำข่าว

4) ทีมซ่อมบำรุง (Maintenance)

มีหน้าที่รับผิดชอบการตัดแยกระบบจ่ายพลังงาน จัดหาอุปกรณ์เครื่องมือทางการช่าง รถปรับดิน รถดับ รถขุด รถบรรทุก หรือเครื่องมืออื่น ๆ รวมทั้งจัดให้มีพนักงานควบคุมอุปกรณ์เหล่านี้ เพื่อความสะดวกให้แก่การปฏิบัติงานของฝ่ายควบคุมความเสียหาย นอกจากนี้ยังมีหน้าที่รับผิดชอบการดูแลความเรียบร้อยในทุก ๆ ด้านหลังจากเหตุการณ์สงบลงแล้ว

5) ทีมสอบสวนอุบัติเหตุและประกันภัย (Investigation & Insurance)

หลังจากสามารถควบคุมสถานการณ์เหตุฉุกเฉินได้แล้ว ฝ่ายสอบสวนอุบัติเหตุ และประกันภัยมีหน้าที่สอบสวนวิเคราะห์ และสรุปผลเหตุการณ์ที่เกิดขึ้น พร้อมทั้งติดต่อประสานงานการจัดเตรียมเอกสารข้อมูล ในการเรียกร้องค่าชดใช้ความเสียหายจากบริษัทประกันภัย

4.5.2 ทีมสนับสนุนและประสานงาน (Administration Support) มีหน้าที่ติดต่อประสานงานกับหน่วยงานภายนอกที่มาช่วยเหลือ การปฐมพยาบาล การส่งต่อผู้บาดเจ็บ การควบคุมการจราจร การสนับสนุนด้านอุปกรณ์และเครื่องมือที่ใช้ในการควบคุมเหตุฉุกเฉิน และดำเนินการติดต่อประสานงานกับหน่วยงานราชการ รวมทั้งให้ความอนุเคราะห์และจัดเตรียมเงินช่วยเหลือในส่วนที่จำเป็น และทดลองกับสั่งการงานธุรการโดยทั่วไปโดยอยู่ภายใต้การควบคุมบังคับบัญชาของผู้บัญชาการเหตุฉุกเฉินและมีทีมงานต่าง ๆ รับหน้าที่ในการดำเนินการดังนี้ คือ

1) ทีมสิ่งแวดล้อม ความปลอดภัยและประชาสัมพันธ์

มีหน้าที่รับผิดชอบในการประเมิน ควบคุม ผลกระทบจากเหตุการณ์ฉุกเฉินที่เกิดขึ้นที่มีต่อสิ่งแวดล้อมของชุมชน โดยรอบโรงงาน และจัดหาอุปกรณ์ป้องกันอันตรายส่วนบุคคลอันเกิดจากผลกระทบจากเหตุฉุกเฉินดังกล่าวพร้อมทั้งแจ้งให้ข้อมูลเหตุการณ์ที่เกิดขึ้นให้ชุมชนและลูกค้าที่ได้รับผลกระทบได้รับทราบ ในกรณีที่มีหน่วยงานราชการและสื่อมวลชนเข้ามาเกี่ยวข้องให้รายงานไปที่ CCT เพื่อดำเนินการต่อไป

2) ทีมปฐมพยาบาล

มีหน้าที่รับผิดชอบเรื่องการให้ความช่วยเหลือด้านการแพทย์ ณ จุดเกิดเหตุ ตามความจำเป็น ช่วยเหลือ ติดต่อประสานงานกับโรงพยาบาลที่ทำการรักษาพยาบาลผู้บาดเจ็บ การอพยพเคลื่อนย้ายคน การติดต่อเรียกบริการรถพยาบาลหรือเสริมคอปเตอร์เพิ่มเติมเมื่อจำเป็น

3) ทีมปฏิรูปฟื้นฟู

มีหน้าที่ดูแลติดต่อและประสานงานอย่างใกล้ชิดกับครอบครัวของพนักงานที่ได้รับบาดเจ็บหรือเสียชีวิต แจ้งข้อมูลข่าวสาร และการสื่อสารกับพนักงานและครอบครัวของพนักงานบริษัท จัดเตรียมรถเพื่อพาสมาชิกครอบครัวของพนักงานที่ได้รับบาดเจ็บไปเยี่ยมโรงพยาบาล

UNCONTROLLED COPY

ให้ความช่วยเหลือเรื่องการจัดการงานศพแก่ครอบครัวของพนักงานที่เสียชีวิต ประสานระดับความช่วยเหลือทางการเงินจากบริษัทที่ครอบครัวของพนักงานเหล่านั้นต้องการ เพื่อรายงานเสนอแนะต่อผู้จัดการกลุ่ม ฯ ต่อไป นอกจากนี้ยังมีหน้าที่รายงานและให้คำแนะนำแก่ครอบครัวและญาติของพนักงานที่ไม่ได้รับบาดเจ็บหรือไม่ได้เกี่ยวข้องกับเหตุการณ์ฉุกเฉินอีกด้วย

4.5.3 ทีมอำนวยการ มีหน้าที่ในการสนับสนุนการประสานงานระหว่างชุดปฏิบัติการต่าง ๆ สนับสนุนด้านบริการและอำนวยความสะดวก ระบบสื่อสาร การเงิน ข้อมูลด้านวิชาการ การซ่อมบำรุง ฯลฯ โดยอยู่ภายใต้การควบคุมบังคับบัญชาของผู้บัญชาการควบคุมเหตุฉุกเฉิน โดยมีทีมงานต่าง ๆ รับผิดชอบหน้าที่ดังนี้

1) ทีมแพทย์

มีหน้าที่ในการบำบัดพยาบาลพนักงานและลากลับจากสถานที่ไปยังจุดรวมพล รวมทั้งตรวจนับจำนวนพนักงาน ตรวจงาน แล้วรายงานต่อผู้บัญชาการเหตุฉุกเฉิน

2) ทีมสื่อสารภายใน

มีหน้าที่ให้ข้อมูลเหตุการณ์ที่เกิดขึ้นเป็นระยะ เพื่อสื่อสารให้พนักงาน ทราบถึงสถานการณ์ปัจจุบันในระยะเวลาที่เหมาะสม

3) ทีมสาธารณภัย

มีหน้าที่จัดการระบบ และจัดส่งยานพาหนะชนิดต่าง ๆ เช่น รถบรรทุกเชื้อเพลิง รถขนส่งพนักงาน รถขนส่งอุปกรณ์เครื่องจักร และยานพาหนะ สั่งการ และควบคุมพนักงานขับรถเมื่อมีความต้องการใช้ยานพาหนะระหว่างเกิดเหตุฉุกเฉิน และเป็นผู้ติดต่อประสานกับทีม ปภ. ของกลุ่มโรงงานเพื่ออำนวยความสะดวกด้านการจราจรเข้า-ออกกลุ่มโรงงาน

4) ทีมจัดหาอาหาร เครื่องดื่มและอุปกรณ์เครื่องใช้

มีหน้าที่รับผิดชอบจัดซื้อจากและจัดส่งสิ่งของต่าง ๆ เช่น อุปกรณ์สำนักงาน เฟอร์นิเจอร์สำนักงาน ไฟฉายชนิด เครื่องกดหมึกพิมพ์ ไฟฉายคันโยก วิทยุ และอุปกรณ์การสื่อสารอื่น ๆ เพิ่มเติม รวมทั้งบริการจัดส่งอาหาร เครื่องดื่ม ในระหว่างการระงับเหตุ ประชุม และการประชุมแถลงข่าวแก่สื่อมวลชน

4.6 CCT (Crisis Communication Team)

คณะทำงานการสื่อสารในสภาวะการเกิดเหตุฉุกเฉิน มีหน้าที่รับผิดชอบดำเนิน ดูแล งานการสื่อสาร การแถลงข่าว การประชาสัมพันธ์ทั้งหมด เป็นไปอย่างมีประสิทธิภาพและต่อเนื่อง ซึ่งได้กำหนดให้มีทีมปฏิบัติการขึ้นมาทั้งหมด 4 ทีม ประกอบด้วย

1) ทีมหน่วยงานราชการ

มีหน้าที่ติดต่อสื่อสารกับหน่วยงานราชการ เชิญ และรายงานข่าวให้กับหน่วยงานราชการได้รับทราบอย่างต่อเนื่อง ติดต่อประสานงานอย่างใกล้ชิด

UNCONTROLLED COPY

2) ทีมสื่อมวลชนและชุมชน

มีหน้าที่ติดต่อสื่อสารกับสื่อมวลชนระดับท้องถิ่น และระดับจังหวัด จัดเตรียมการสัมภาษณ์ เขียนหรือแจกเอกสาร ข่าว ควบคุมดูแลการนำเสนอข่าวสารของสื่อมวลชนทั้งหมด และรายงานให้ CCT chair man ทราบเพื่อให้เนื้อหา และจังหวะเวลาในการแจกเอกสารข่าวสารดำเนินไปอย่างมีระบบ พร้อมทั้งรายงานข้างหรือใช้ข้อมูลที่ถูกต้องแก่ชุมชนหรือผู้นำชุมชนทราบอย่างสม่ำเสมอ

3) ทีมลูกค้า

มีหน้าที่สื่อสารให้ข้อมูลเหตุการณ์ที่เกิดขึ้นเป็นระยะกับลูกค้าที่ได้รับผลกระทบ เพื่อทราบถึงสถานการณ์ปัจจุบันในระยะเวลาที่เหมาะสม

4) ทีมบอร์ดบริหาร ผู้ถือหุ้น พนักงาน ผู้รับเหมา และผู้เยี่ยมชม

มีหน้าที่สื่อสารข้อมูลเหตุการณ์ที่เกิดขึ้นเป็นระยะกับบอร์ดบริหาร ผู้ถือหุ้น พนักงาน ผู้รับเหมา และผู้เยี่ยมชม เพื่อทราบถึงขอบการณ์ปัจจุบันในระยะเวลาที่เหมาะสม

4.7 CRT (Crisis Response Team)

คณะทำงานควบคุมเหตุฉุกเฉิน มีหน้าที่รับผิดชอบดำเนิน ดูแล จัดการแก้ไขเหตุฉุกเฉินและการควบคุมความเสียหายโดยรวม ประกอบไปด้วย ทีม ERT, CCT,BRT

UNCONTROLLED COPY

ERT Chart



UNCONTROLLED COPY

4.8 กำหนดหน้าที่รับผิดชอบ

ตำแหน่งภาวะฉุกเฉิน	ผู้รับผิดชอบ	หน้าที่รับผิดชอบ
ผู้อำนวยการควบคุมเหตุฉุกเฉิน	PO	1. อำนวยการและสั่งการใช้แผนปฏิบัติการฉุกเฉิน 2. รายงานสถานการณ์ให้กับ BRC
ผู้บังคับการควบคุมเหตุฉุกเฉิน	Shift Mgr. / Plant Mgr.	1. พิจารณาว่าระดับของความร่วมมือจากหน่วยงานภายนอกหรือไม่ 2. ตรวจสอบกับชุดสนับสนุนและประสานงานเพื่อแน่ใจว่าได้ดำเนินการตามขั้นตอนต่าง ๆ เพื่อให้มั่นใจความปลอดภัยแก่บุคคล 3. พิจารณาในการสั่งการให้หยุดการผลิต หรือการตัดระบบไฟฟ้าเฉพาะพื้นที่ 4. สั่งการให้ช่วยชีวิตผู้ประสบอุบัติเหตุ และทำการระงับเหตุฉุกเฉินจนกว่าทีมควบคุมเหตุฉุกเฉินจะมาถึง จึงมอบหมายให้หัวหน้าทีมเป็นผู้ควบคุมเหตุฉุกเฉินต่อไป 5. สั่งการให้พนักงานที่ไม่เกี่ยวข้องอพยพไปยังจุดรวมพล 6. สั่งการให้มีการค้นหาผู้ได้รับบาดเจ็บในพื้นที่เกิดเหตุ 7. รายงานความคืบหน้าของเหตุการณ์ให้ผู้อำนวยการควบคุมเหตุฉุกเฉินเป็นระยะ ๆ 8. พยายามรักษาหลักฐานที่สำคัญไว้เพื่อเป็นประโยชน์ต่อการสอบสวนภายหลัง 9. ระหว่างที่ผู้อำนวยการควบคุมเหตุฉุกเฉินยังมาไม่ถึงที่เกิดเหตุ ให้ดำเนินการแทนตามอำนาจและหน้าที่ที่ผู้อำนวยการควบคุมเหตุฉุกเฉินพึงกระทำ 10. ร่วมในการสอบสวนการเกิดเหตุฉุกเฉินหลังเหตุการณ์สงบ 11. สั่งการให้มีการควบคุมพื้นที่เกิดเหตุ จนกระทั่งสรุปสิ้นการสอบสวน

UNCONTROLLED COPY

ตำแหน่งภาวะฉุกเฉิน	ผู้รับผิดชอบ	หน้าที่รับผิดชอบ
ทีมปฏิบัติการและงานควบคุมความเสียหาย **(Operation & Damage Control)**		
1.ชุดควบคุมความสูญเสีย	Shift Mgr. / Plant Mgr. และ Shift Supervisor	1. สั่งการให้ชุดควบคุมความสูญเสีย ปฏิบัติเป็นไปตามขั้นตอนที่กำหนดไว้ 2. สั่งการให้ชุดเครื่องจักรและระบบไฟฟ้าตามคำสั่งผู้บัญชาการควบคุมเหตุฉุกเฉิน 3. สั่งการและควบคุมการปฏิบัติงานของทีมควบคุมเหตุฉุกเฉิน 4. รายงานความคืบหน้าของเหตุการณ์ให้ผู้บัญชาการควบคุมเหตุฉุกเฉินทราบเป็นระยะ ๆ 5. ร่วมในการสอบสวนการเกิดเหตุฉุกเฉินหลังเหตุการณ์สงบ ในส่วนของทีมควบคุมความสูญเสีย ระบประกอบด้วยทีมงานต่าง ๆ ที่มีหน้าที่รับผิดชอบดังนี้ 1. เมื่อเกิดเหตุฉุกเฉินให้หัวหน้าทีม(Shift Supervisor) ของชุดปฏิบัติการออกเป็น 2 ทีม คือทีมควบคุมเครื่องจักรและทีมควบคุมเหตุฉุกเฉิน 2. ไปยังจุดที่เกิดเหตุได้รีบที่สุด และประเมินสถานการณ์ของเหตุฉุกเฉิน กรณีประเมินสถานการณ์เสร็จสิ้นว่าทีมของคนสามารถระงับเหตุฉุกเฉินได้ ให้ปฏิบัติตามข้อ 3 3. ให้ดำเนินการระงับเหตุฉุกเฉินโดยเร็ว และเมื่อแน่ใจว่าสามารถระงับเหตุฉุกเฉินได้แล้วให้รายงานต่อหัวหน้าชุดควบคุมความสูญเสีย (Shift Mgr. / Plant Mgr.) 4. ในกรณีที่หัวหน้าชุดควบคุมความสูญเสียไม่อยู่ ให้ดำเนินการแทนหัวหน้าชุดควบคุมความสูญเสียตามหน้าที่ที่พึงกระทำ 5. กรณีประเมินสถานการณ์แล้วไม่สามารถระงับเหตุฉุกเฉินด้วยทีมของตน ให้ปฏิบัติดังนี้ 5.1 แจ้งต่อหัวหน้าชุดควบคุมความสูญเสียเพื่อขอความช่วยเหลือจากหน่วยงานภายนอกหรือหน่วยงานภายนอกพยายามควบคุมสถานการณ์ของเหตุฉุกเฉินให้อยู่ในวงแคบที่สุด

ตำแหน่งภาวะฉุกเฉิน	ผู้รับผิดชอบ	หน้าที่รับผิดชอบ
		จนกว่าหน่วยงานภายนอกจะเข้ามาสมทบ 6. รอรับคำสั่งในการหยุดเครื่องจักรจากหัวหน้าชุดควบคุมความสูญเสีย 7. ร่วมในการสอบสวนการเกิดเหตุฉุกเฉินหลังเหตุการณ์สงบ
1.ชุดควบคุมความสูญเสีย(ต่อ)	Control Board (DCS)	1. เมื่อเกิดเหตุฉุกเฉินในพื้นที่ใด ให้พนักงานควบคุมเครื่องจักรทำงานต่อไป จนกว่าจะได้รับคำสั่งให้หยุดเครื่องจักรจากหัวหน้าทีมชุดควบคุมความสูญเสีย 2. ในกรณีที่ไม่สามารถควบคุมเครื่องจักรได้ให้รายงานหัวหน้าชุดควบคุมความสูญเสียและเมื่อได้รับคำสั่งจากหัวหน้าชุดควบคุมความสูญเสียให้ขยายออกจากพื้นที่ ให้พนักงานควบคุมเครื่องจักรไปช่วยในการระงับเหตุฉุกเฉินร่วมกับทีมควบคุมเหตุฉุกเฉินต้นทาง
2.ทีมผู้ดับและช่วยชีวิต	เจ้าหน้าที่ผู้ดับและช่วยชีวิต	1. ไปยังสถานที่เกิดเหตุโดยเร็วที่สุด และรายงานตัวต่อหัวหน้าทีมควบคุมความเสียหาย เพื่อรอรับคำสั่งในการดับเพลิงและช่วยชีวิต 2. เข้าควบคุมการดับเพลิงและช่วยชีวิตผู้ประสบเหตุที่ติดอยู่ในตึกอาคารหรือในเหตุการณ์ โดยให้ความสำคัญกับเรื่องต่อไปนี้ 2.1 ช่วยชีวิตผู้ประสบเหตุเป็นอันดับแรกตามกำลังและความสามารถของทีม 2.2 รีบนำผู้ประสบเหตุที่ช่วยออกมาจากสถานที่เกิดเหตุส่งต่อให้กับเจ้าหน้าที่ปฐมพยาบาล รายงานสถานการณ์การดูดับ / ช่วยชีวิต ให้หัวหน้าทีมควบคุมความเสียหายทราบเป็นระยะ ๆ 3.ประสานงานกับทีมควบคุมเหตุฉุกเฉินในการช่วยชีวิตผู้ประสบเหตุ
3.ทีมรักษาความปลอดภัยและอพยพเคลื่อนย้าย	หัวหน้าชุดรักษาความปลอดภัย	1. เมื่อได้รับแจ้งเหตุฉุกเฉินให้ติดต่อเจ้าหน้าที่รักษาความปลอดภัยประจำกลุ่มโรงงานเพื่อให้ดำเนินการดังต่อไปนี้ - เคลียร์พื้นที่เข้า-ออกของโรงงานมิให้มีสิ่งกีดขวางเพื่อให้รถดับเพลิง รถพยาบาล เข้าออกได้สะดวก - ควบคุมพื้นที่ ห้ามคนหาคนและบุคคลที่ไม่เกี่ยวข้องเข้า-ออก จนกว่าเหตุการณ์จะเข้าสู่สภาวะปกติ - ดูแลควบคุมการจราจรและอำนวยความสะดวกแก่หน่วย

UNCONTROLLED COPY

ตำแหน่งภาวะฉุกเฉิน	ผู้รับผิดชอบ	หน้าที่รับผิดชอบ
		ดับเพลิงภายนอก 2. ประสานงานกับตำรวจดับเพลิง, เจ้าหน้าที่ตำรวจ, เจ้าหน้าที่จากโรงพยาบาล และหน่วยงานบรรเทาสาธารณภัยอื่น ๆ ตามคำสั่งของผู้บัญชาการควบคุมเหตุฉุกเฉินหรือหัวหน้าทีมสนับสนุนและประสานงาน 3. แจ้งเจ้าหน้าที่ดับเพลิง, เจ้าหน้าที่ตำรวจมาถึง ให้รายงานต่อผู้บัญชาการควบคุมเหตุฉุกเฉิน เพื่อรอรับคำสั่งต่อไป 4. ติดต่อประสานงานกับทีมควบคุมเหตุฉุกเฉินเพื่อสนับสนุนการระงับเหตุฉุกเฉิน ดำเนินการบันทึกสรุป และเก็บหลักฐานที่สำคัญในที่เกิดเหตุเพื่อประโยชน์ในการสอบสวนหาสาเหตุ
4.ทีมซ่อมบำรุง (กรณีกะกลางคืน ขณะที่ทีมซ่อมบำรุงไม่อยู่ในพื้นที่ ให้ทีมควบคุมเหตุฉุกเฉิน ปฏิบัติหน้าที่ในการตัดแยกระบบไฟฟ้นทนได้)	Maintenance	1. ไปยังที่เกิดเหตุโดยเร็วที่สุด และรายงานตัวหัวหน้าชุดควบคุมความสูญเสียเพื่อรอรับคำสั่งในการดับไฟ 2. ควบคุมสถานการณ์ ในการตัดแยกระบบไฟฟ้าและตรวจสอบเพื่อความแน่ใจว่าระบบไฟฟ้าถูกตัดออกและไม่มีพลังงานก่อนคำสั่งให้ตัดไฟ 3. จัดหาเจ้าหน้าที่เทคนิคไฟฟ้าเพื่อทำระบายบริเวณปั๊มน้ำดับเพลิงเพื่ออำนวยการใช้ปั๊มน้ำดับเพลิง 4. จัดหาเครื่องมือช่างและอุปกรณ์ซ่อม รถยก รถขุด รถบรรทุก หรือเครื่องมืออื่นๆ รวมทั้งจัดให้มีหน่วยงานควบคุมอุปกรณ์ดังกล่าวนี้
5.ทีมสอบสวนอุบัติเหตุและประกันภัย	จป. วิชาชีพ/เจ้าหน้าที่ประกันภัยกลาง	1. เข้าตรวจสอบพื้นที่หลังเกิดเหตุและประสานงานกับบริษัทประกันภัย 2. สอบสวนวิเคราะห์และสรุปผลหลุการณ์ที่เกิดขึ้นพร้อมจัดเตรียมข้อมูลในการชดใช้ค่าเสียหายจากประกันภัย
ทีมสนับสนุนและประสานงาน (Administration Support)		
1.ทีมสิ่งแวดล้อมความปลอดภัยและประชาสัมพันธ์	HEQ.SS	1. สั่งการให้ทีมสิ่งแวดล้อม ความปลอดภัยและประชาสัมพันธ์ปฏิบัติตามหน้าที่และขั้นตอนที่กำหนดไว้ 2. ประสานงานกับหน่วยงานภายนอกที่เข้ามาช่วยเหลือและรายงานผลให้ผู้บัญชาการควบคุมเหตุฉุกเฉินทราบเป็นระยะ

UNCONTROLLED COPY

ISO 45001 OCCUPATION HEALTH AND SAFETY MANAGEMENT SYSTEM

WORK PROCEDURE

Issued by: [redacted]

Approved by:

Document No. WP-S-PUH-SS-002

Edition No. 10

Effective date: 15 Feb 2023

ตำแหน่งภาวะฉุกเฉิน	ผู้รับผิดชอบ	หน้าที่รับผิดชอบ
		ๆ 3. อำนวยการร่วมกับเจ้าหน้าที่และหัวหน้าหน่วยบรรเทาสาธารณภัยจากภายนอก 4. อำนวยความสะดวกแก่หน่วยงานภายนอกที่เข้ามาช่วยเหลือ 5. สั่งการให้มีการจัดเตรียมความพร้อมในเรื่องอุปกรณ์ เครื่องมือ ฯลฯ เพื่อให้การสนับสนุนทีมควบคุมเหตุฉุกเฉิน 6. ร่วมในการสอบสวนการเกิดเหตุฉุกเฉินหลังเหตุการณ์สงบ ในส่วนของชุดสนับสนุนและประสานงาน จะประกอบด้วยทีมงานต่าง ๆ ที่มีหน้าที่รับผิดชอบดังนี้
	CR,CRM	1. คัดกรองผู้สื่อข่าวหนังสือพิมพ์ สื่อมวลชนที่เข้ามาทำข่าว 2. จัดบำผู้สื่อข่าวหนังสือพิมพ์ สื่อมวลชนไปยังห้องแถลงข่าว โดยการเข้าคิวของผู้สื่อข่าวให้เกิดระเบียบโดยผู้อำนวยการควบคุมเหตุฉุกเฉินหรือผู้ที่ได้รับมอบหมายเท่านั้น 3. ประสานงานกับเจ้าหน้าที่ความปลอดภัยเพื่อติดตามสถานการณ์ของเหตุฉุกเฉินรวบรวมข้อมูลการเกิดเหตุฉุกเฉินจากผู้บัญชาการเหตุฉุกเฉินเพื่อเตรียมเนื้อหาให้ผู้อำนวยการเหตุฉุกเฉินแถลงข่าวต่อสื่อมวลชน ประสานงานเจ้าหน้าบุคลากรและหัวหน้างานทุกแผนก ร่วมเหตุฉุกเฉินขึ้น และให้ทุกคนพร้อมรับเมื่อเกิดการอพยพ
2.ทีมปฐมพยาบาล	เจ้าหน้าที่ประจำรถพยาบาลและรถกู้ภัย	1. ประสานงานร่วมกับพยาบาลกลุ่มโรงงานในการปฐมพยาบาลเบื้องต้นแก่ผู้ได้รับอุบัติเหตุ 2. ดูแลผู้บาดเจ็บให้อยู่ในสถานที่ปลอดภัย 3. เคลื่อนย้ายผู้ป่วยไปยังสถานพยาบาลที่ใกล้ที่สุด ก่อนการเคลื่อนย้ายผู้บาดเจ็บจะต้องตรวจชื่อผู้บาดเจ็บ สถานพยาบาลที่ส่งไป เพื่อส่งให้กับเจ้าหน้าที่บุคคล
3.ทีมปฏิรูปฟื้นฟู	HR	1. ไปยังที่เกิดเหตุ พร้อมแจ้งให้ผู้บัญชาการสามารถควบคุมเหตุฉุกเฉินทราบ 2. เข้าดำเนินการฟื้นฟูสภาพแวดล้อมตามคำสั่งของผู้บัญชาการควบคุมเหตุฉุกเฉิน 3. ดำเนินการเก็บกวาดสิ่งที่ตกหล่นและชดเชยความเสียหายในพื้นที่เกิดเหตุ

UNCONTROLLED COPY

ตำแหน่งภาวะฉุกเฉิน	ผู้รับผิดชอบ	หน้าที่รับผิดชอบ
		4. ดำเนินการฟื้นฟูสภาพแวดล้อมในบริเวณที่เกิดเหตุโดยลัดสภาพแวดล้อมให้มีความปลอดภัย เพื่อให้พนักงานสามารถเข้าปฏิบัติงานได้อย่างปลอดภัยมากที่สุด 5. ประสานงานกับทีมควบคุมเหตุฉุกเฉินเพื่อสนับสนุนการระงับเหตุฉุกเฉิน สำรวจสภาพความเสียหายร่วมกับบุคคลที่เกี่ยวข้องเพื่อประเมินสถานการณ์สำหรับงานปฏิรูปสิ่งสู่สภาพเดิม
ทีมอำนวยการ		
1.ทีมอพยพ	หัวหน้าแต่ละหน่วยงาน	1. ไปยังที่เกิดเหตุพร้อมแจ้งให้ผู้บัญชาการควบคุมเหตุฉุกเฉินทราบ 2. หากมีความจำเป็นให้อพยพพนักงานออกจากพื้นที่ และจัดให้มีการเช็คชื่อที่จุดรวมพล 3. ให้คำแนะนำการควบคุมเหตุการณ์ฉุกเฉินเท่าที่จะได้รับคำสั่งเปลี่ยนแปลงในการควบคุมเหตุฉุกเฉิน ให้ปฏิบัติตามลำดับความสำคัญ ดังนี้ 3.1 คุ้มครองบุคคลให้เกิดความปลอดภัยให้ได้มากที่สุด 3.2 ให้เกิดความเสียหายต่อโรงงาน ,ทรัพย์สิน และสภาพแวดล้อมน้อยที่สุด 4. ติดต่อประสานงานกับทีมควบคุมเหตุฉุกเฉิน รายงานความคืบหน้าให้หัวหน้าชุดบัญชาการทราบเป็นระยะ ๆ
	HR	1. ไปยังจุดรวมพลเพื่อสนับสนุนและบริการทั่วไป 2. ดูแลทีมปฐมพยาบาลเพื่อให้มีการช่วยเหลือและปฐมพยาบาลเบื้องต้นแก่ผู้บาดเจ็บ 3. ดูแลเรื่องสวัสดิการอื่น ๆ เพื่อจำนวนความสะดวกต่อการลับเพลิง 4. ตรวจเช็คยอดพนักงาน ตรวจนับรายชื่อผู้บาดเจ็บรวมทั้งจัดหาการบาดเจ็บ 5. วางแผนจัดหาน้ำ อาหารให้พร้อมในกรณีที่เห็นว่าการระงับเหตุฉุกเฉินต้องใช้เวลานานหรือยืดเยื้อ 6. แจ้งให้ญาติของผู้บาดเจ็บทราบ 7. รายงานความคืบหน้าให้หัวหน้าชุดบัญชาการทราบเป็นระยะๆ 8. ในการควบคุมเหตุฉุกเฉิน ให้ปฏิบัติตามลำดับความสำคัญ ดังนี้ 8.1 คุ้มครองบุคคลให้เกิดความปลอดภัยให้ได้มากที่สุด

ตำแหน่งภาวะฉุกเฉิน	ผู้รับผิดชอบ	หน้าที่รับผิดชอบ
		8.2 ให้เกิดความเสียหายต่อโรงงาน ,ทรัพย์สิน และสภาพแวดล้อมน้อยที่สุด 9. ติดต่อประสานงานกับศูนย์บัญชาการควบคุมเหตุฉุกเฉิน 10. ร่วมในการสอบสวนการเกิดเหตุฉุกเฉินหลังเหตุการณ์สงบ จัดทำและนำส่ง ภาค 10 ,ภาค 44 กรณีมีการบาดเจ็บหรือเสียชีวิต
2.ทีมสื่อสารภายใน	HR	1. เป็นศูนย์กลางในการรับแจ้งและรายงานเหตุฉุกเฉินให้กับผู้ที่เกี่ยวข้องทั้งหมดในบริษัทฯทราบ 2. เป็นศูนย์กลางติดต่อหน่วยงานภายนอกนอกเหนือคำสั่งของผู้อำนวยการหรือผู้รับผิดชอบบัญชาการควบคุมเหตุฉุกเฉิน
3.ทีมขนพาหนะ	เจ้าหน้าที่ขนส่ง	1. จัดหา จัดระบบและจัดส่งยานพาหนะทุกชนิด อาทิ รถบรรทุกเพื่อเคลื่อนย้ายวัสดุที่อาจก่อให้เกิดการลุกลามของเหตุการณ์ฉุกเฉินนั้น เช่น เชื้อเพลิง,ถังน้ำมัน, ถังแก๊สเคมีภัณฑ์ หรือเครื่องมือต่าง ๆ ออกจากที่เกิดเหตุ หรือบริเวณที่กำลังเคลื่อนไปในพื้นที่ที่ปลอดภัย 2. เคลื่อนย้ายวัสดุที่อาจก่อให้เกิดการลุกลามของเหตุฉุกเฉินนั้น เช่น เชื้อเพลิง,ถังน้ำมัน, ถังแก๊สเคมีภัณฑ์ หรือเครื่องมือต่าง ๆ ออกจากที่เกิดเหตุ หรือบริเวณที่กำลังเคลื่อนไปในพื้นที่ที่ปลอดภัย 3. ประสานงานกับทีมควบคุมเหตุฉุกเฉิน เพื่อจัดหาและดำเนินงานอุปกรณ์ระงับเหตุฉุกเฉินไปยังจุดที่เกิดเหตุ
4.ทีมจัดหาอาหาร เครื่องดื่มและอุปกรณ์เครื่องใช้	HR	1. จัดหาและจัดส่ง อุปกรณ์สิ่งของที่ต้องใช้ในการตอบสนองภาวะฉุกเฉินเช่น อุปกรณ์สำนักงาน วิทยุสื่อสาร เป็นต้น 2. จัดหาและจัดส่ง อาหาร เครื่องดื่ม ในระหว่างการระงับเหตุประชุม และแถลงข่าวแก่สื่อมวลชน
CCT (Crisis Communication Team)		
1.ทีมหน่วยงานราชการ	BSS,SA, GRM	1. ติดต่อสื่อสารกับหน่วยงานราชการ เขียนและรายงานข่าวให้กับหน่วยงานราชการรับทราบอย่างต่อเนื่อง
2.ทีมสื่อมวลชนและชุมชน	CR	1. ติดต่อสื่อสารกับสื่อมวลชนระดับท้องถิ่น และระดับชั้นหวัด จัดเตรียมการสัมภาษณ์ เขียนและตอบเขร์ เอกสาร ข่าว ควบคุมดูแลการนำเสนอข่าวสารของสื่อมวลชนทั้งหมด 2. รายงานให้ CCT Chair man ทราบ 3. รายงานข่าวหรือให้ข้อมูลที่ถูกต้องแก่ชุมชนหรือผู้บำชุมชนทราบอย่างสม่ำเสมอ

UNCONTROLLED COPY

คำหน่วงความจุดเดิน	ผู้รับผิดชอบ	หน้าที่รับผิดชอบ
3.ทีมลูกค้า	CRM	สื่อสารข้อมูลเหตุการณ์ที่เกิดขึ้นเป็นระยะกับลูกค้าที่ได้รับผลกระทบ เพื่อทราบสถานการณ์ปัจจุบันในระยะเวลาที่เหมาะสม
4.ทีมบอร์ดบริหาร ผู้ถือหุ้น พนักงาน ผู้รับเหมา และผู้ที่สนใจ	IR	สื่อสารข้อมูลเหตุการณ์ที่เกิดขึ้นเป็นระยะกับบอร์ดบริหาร ผู้ถือหุ้น พนักงาน ผู้รับเหมาและผู้ที่สนใจ เพื่อทราบสถานการณ์ปัจจุบันในระยะเวลาที่เหมาะสม
CRT (Crisis Response Team)		
1.ERT	ทีม ERT	ปฏิบัติการจัดการแก้ไขเหตุฉุกเฉินและควบคุมความเสียหายโดยรวม
2.CCT	ทีมCCT	กำกับดูแลงานการสื่อสาร การข่าวสาร การประชาสัมพันธ์ทั้งหมด
3.BRT	ทีมBRT	กำกับดูแลการดำเนินงานของธุรกิจให้มีความต่อเนื่อง

4.9 ขั้นตอนปฏิบัติเมื่อเกิดเหตุฉุกเฉิน

4.9.1 กรณีที่สามารถระงับเหตุฉุกเฉินได้ทันที (ดับด้วยถังดับเพลิง หรือน้ำ หรือเหตุการณ์ไหลได้ภายในเวลา 5 นาที)

1) พนักงานผู้พบเหตุ ทำการระงับเหตุเบื้องต้น พร้อมตะโกนให้พนักงานที่อยู่บริเวณใกล้เคียงทราบและแจ้งหัวหน้างาน

2) หัวหน้างาน ทำการแจ้งต่อให้กับผู้จัดการกะ ด้านความปลอดภัย และผู้จัดการโรงงานรับทราบ

3) ดำเนินการตาม WI-S-PUH-SS-002

4.9.2 กรณีที่ไม่สามารถระงับเหตุฉุกเฉินได้ (ไม่สามารถระงับได้ภายในเวลา 5 นาที)

1) พนักงานผู้พบเหตุ ทำการระงับเหตุเบื้องต้น พร้อมตะโกนให้พนักงานที่อยู่บริเวณใกล้เคียงทราบและแจ้งหัวหน้างาน

2) หัวหน้างาน (พนักงานผู้พบเห็นเหตุการณ์) ทำการสื่อสารไปยังเบอร์โทรศัพท์ฉุกเฉิน 085-835-5191หรือคีคล่อให้ DCS ดำเนินการสื่อสารไปยังเบอร์โทรศัพท์ 085-835-5191 ซึ่งสัญญาณจะดังที่ห้อง DCS ของแต่ละพื้นที่ สถานีดับเพลิงและ Operator อาคารดับเบิ้ลเอ 2 พร้อมกับแจ้งต่อให้กับผู้จัดการกะ ฝ่ายความปลอดภัย และผู้จัดการโรงงานรับทราบ

3) ผู้รับโทรศัพท์ฉุกเฉินที่ DCS แจ้งไปยังหัวหน้ากะทุกพื้นที่ และผู้จัดการกะ โดยหัวหน้ากะทำการแจ้งไปยังทีมดับเพลิงประจำกะ และผู้จัดการกะแจ้งไปยังผู้อำนวยการพื้นที่

4) ผู้จัดการกะ แจ้งต่อ CEO หรือ CO-CEO ประจำพื้นที่ และ Mill manager

5) ทีมดับเพลิงประจำกะ เข้าไปยังที่เกิดเหตุและดำเนินการตามหน้าที่และขั้นตอนการปฏิบัติงานของทีมดับเพลิงประจำกะตามข้อ 4.8

UNCONTROLLED COPY

ISO 45001 OCCUPATION HEALTH AND SAFETY MANAGEMENT SYSTEM

WORK PROCEDURE

Issued by: [redacted]

Approved by:

Document No. WP-S-PUH-SS-002

Edition No. 10

Effective date: 15 Feb 2023

7) หน่วยงานดับเพลิง ทันทีที่ได้รับรายงานเกี่ยวกับเหตุการณ์ฉุกเฉิน (ทางโทรศัพท์, วิทยุ) ให้ตรวจเช็คการได้รับแจ้งเหตุกับห้องควบคุมในโรงงาน แล้วนำรถดับเพลิง รถตู้ยิงพร้อมรถพยาบาลมาถึงที่เกิดเหตุทันที เมื่อมาถึงให้เข้ารายงานตัวต่อ Fire Marshall และดำเนินการตามหน้าที่และขั้นตอนการปฏิบัติงานตามข้อ 4.8

8) ผู้จัดการกะ ทำหน้าที่เป็น Fire Marshall ในทีมดับเพลิงประจำกะ ทันทีที่ได้รับแจ้งเหตุ รีบรุดไปยังที่เกิดเหตุ เริ่มลงมือปฏิบัติการระงับเหตุ การค้นหาและช่วยชีวิต การควบคุมความสูญเสียหาย การรักษาความปลอดภัย และอพยพคนออกจากพื้นที่เกิดเหตุ ทั้งนี้ให้พิจารณาการระงับเหตุ ตามเอกสารดังนี้

WI-E-PUH-EH-001 การป้องกันและระงับเหตุฉุกเฉินอันเนื่องมาจากกลางของเสียอันตราย

WI-S-PUH-SS-016 วิธีปฏิบัติการเตรียมการเพื่อลดและสนองเมื่อเกิดเหตุฉุกเฉิน

WP-QES-PUH-FPL-001 การปฏิบัติเมื่อเกิดเหตุฉุกเฉินและการเกิดอุบัติภัยร่วมระหว่างสินค้า

WI-E-PUH-EH-010 ข้อปฏิบัติและขั้นตอนในการป้องกัน ระงับเหตุ กรณีสารเคมี, น้ำมัน, ขี้เถ้า และน้ำที่งจากกิจกรรมในโรงงานลงสู่ท่อระบายน้ำฝน

9) กรณีที่เป็นเหตุสาธารณะระดับ 2 Fire Marshall จะต้องแจ้งประชาสัมพันธ์ CRT ประจำพื้นที่ เพื่อให้ความช่วยเหลือในการระงับเหตุฉุกเฉิน ทั้งนี้ให้เป็นไปตาม ERT Flow SD-S-PUH-SS-008

10) เมื่อสามารถระงับเหตุได้แล้ว ให้ดำเนินการสอบสวนอุบัติการณ์ตาม WI-S-PUH-SS-002 และแจ้งต่อหน่วยงานราชการที่เกี่ยวข้อง ตาม SD-S-PUH-SS-010

กรณีเกิดเหตุพนักงานถูกไฟไหม้ ให้ปฏิบัติดังนี้

1) ห้ามสัมผัสตัวผู้ที่เสื้อผ้าติดไฟด้วยมือเปล่าโดยเด็ดขาด รวมถึงต้องระวังการสัมผัสโดนตัวนำที่อาจนำไฟฟ้ามาถึงตัวผู้ช่วยเหลือได้ เช่น พื้นที่เปียกน้ำ

2) ตัดการจ่ายไฟฟ้าในบริเวณที่เกิดเหตุทันที ยกเว้น สายไฟฟ้าแรงสูง แล้วช่วงไฟฟ้าเพื่อทำการดับไฟอย่างปลอดภัย จากนั้นแจ้งหัวหน้างานของความช่วยเหลือและเจ้าหน้าที่ความปลอดภัยในทันที

3) ในกรณีที่ผู้ป่วยไม่สามารถลุกเดินเองได้ ไม่ควรทำการเคลื่อนย้ายผู้ป่วยของหากผู้ช่วยเหลือไม่ทราบวิธีการเคลื่อนย้ายที่ปลอดภัยเพราะอาจทำให้ผู้ป่วยได้รับบาดเจ็บมากยิ่งขึ้น ยกเว้น สถานที่นั้นอาจเป็นอันตราย เช่น อันมีกระแสไฟฟ้าวิ่งไหล หรือติดกลิ่น ก่อนสัมผัสตัวผู้บาดเจ็บควรใช้วัสดุที่ไม่เป็นตัวนำไฟฟ้าในการป้องกันตัวเสียก่อน เช่น ถุงมือยาง ผ้าแห้ง หลาสติกแห้ง เป็นต้น

UNCONTROLLED COPY

กรณีเกิดเหตุฉุกเฉินกับผู้ปฏิบัติงานในที่อับอากาศ

การช่วยเหลือผู้ปฏิบัติงานออกจากพื้นที่การทำงานในที่อับอากาศ แบ่งเป็น 3 กรณี ดังนี้

1) กรณีที่ผู้ปฏิบัติงานสามารถช่วยเหลือตนเองได้ (Self rescue) ให้ผู้ปฏิบัติงานปรับน้ำลมเย็นออกมาจากที่อับอากาศเมื่อสังเกตถึงความผิดปกติและรีบแจ้งผู้ควบคุมงานเพื่อหยุดการทำงานนั้น ๆ

2) กรณีที่ผู้ประสบเหตุมีการตอบสนองและสามารถช่วยเหลือผู้ประสบเหตุจากภายนอกได้ (Non-entry rescue) ให้ปฏิบัติ ดังนี้

2.1) ผู้ควบคุมสั่งห้ามผู้อื่นที่ไม่เกี่ยวข้องเข้ามายังพื้นที่อับอากาศ

2.2) ทีมช่วยเหลือใช้ระบบช่วยชีวิต (Retrieval System) เช่น รอกสายช่วยชีวิต สายรัดตัว (safety harness) นำผู้ประสบเหตุออกมาจากที่อับอากาศ

2.3) ประเมินอาการ ปฐมพยาบาลเบื้องต้น นำผู้ประสบเหตุส่งโรงพยาบาล

3) กรณีที่ผู้ประสบเหตุไม่สามารถช่วยเหลือตนเองได้ต้องเข้าไปช่วยเหลือภายในที่อับอากาศ (Entry rescue) ให้ปฏิบัติ ดังนี้

3.1) ผู้ควบคุมสั่งอุปสรรคการทำงานทันที ให้ทีมช่วยเหลือเข้าไปช่วยผู้ประสบเหตุ โดยต้องมีการเตรียมแผนการช่วยเหลือก่อนมีการปฏิบัติงานทุกครั้ง และเตรียมติดต่อหน่วยงานพยาบาลประจำหน่วยงานให้เตรียมพร้อมช่วยเหลือผู้ประสบเหตุ

3.2) ผู้ควบคุมประเมินการทำงานและตรวจวัดสภาพอากาศอีกครั้ง โดยหากตรวจสอบพบว่าพื้นที่นั้นมีสารปนเปื้อนเข้มข้นสูงกว่าระดับที่มีอันตรายต่อชีวิตและสุขภาพ (IDLH) หรือสถานการณ์ที่ไม่ทราบความเข้มข้นของสารปนเปื้อนและออกซิเจนไม่เพียงพอ (ความเข้มข้นของออกซิเจนน้อยกว่า 19.5%) ให้ทีมช่วยเหลือสวมใส่อุปกรณ์เพื่อความปลอดภัยในการทำงานในที่อับอากาศ (ชุด SCBA) ก่อนเข้าไปทำการช่วยเหลือ เมื่อทีมช่วยเหลือเตรียมตัวพร้อมให้รีบนำพ้นเข้าไปช่วยเหลือผู้ประสบเหตุตามแผนที่ได้วางแผนการไว้

3.3) หากผู้ประสบเหตุหมดสติต้องรีบให้การช่วยเหลือนำผู้ประสบเหตุออกมาจากที่อับอากาศภายใน 4 นาที

3.4) เมื่อช่วยเหลือผู้ประสบเหตุออกมาจากพื้นที่อับอากาศได้แล้ว ให้ทำการประเมินอาการ ปฐมพยาบาลเบื้องต้น ช่วยฟื้นคืนชีพผู้ประสบเหตุ และ นำส่งโรงพยาบาล

4.10 การปฐมพยาบาล (First Aid)

4.10.1 ในการปฐมพยาบาลผู้ได้รับบาดเจ็บ กรณีที่สามารถเคลื่อนย้ายมายังจุดพักผู้บาดเจ็บออกมายังจุดที่ปฐมพยาบาลให้ทำการเคลื่อนย้าย ในกรณีที่ไม่สามารถเคลื่อนย้ายได้จำเป็นต้องปฐมพยาบาลให้เลือกจุดที่ปลอดภัยที่ใกล้ที่สุด และฝึกอบรมปลอดภัยประจำพื้นที่ ต้องจัดให้มีการอบรมการปฐมพยาบาลแก่พนักงานผู้ปฏิบัติงานอย่างน้อยปีละ 1 ครั้ง ทั้งนี้ให้เป็นไปตามระบบการฝึกอบรมที่บริษัทฯ กำหนดไว้

4.10.2 การปฐมพยาบาลผู้ที่ถูกไฟฟ้าช็อต

1) หากผู้ป่วยได้รับบาดเจ็บจากไฟฟ้าทั่วไป และมีเพียงบาดแผลไม่ลึก ไม่มีอาการผิดปกติอื่น สามารถให้การดูแลโดยทำแผลล้างยาฆ่าเชื้อและสังเกตอาการได้ เช่น รับ ผู้ได้รับบาดเจ็บเป็นผู้ป่วยที่มีโรคประจำตัวบางชนิด เช่น โรคไต โรคหัวใจ ควรนำส่งโรงพยาบาลเพื่อให้แพทย์ประเมินอาการ

2) หากผู้ป่วยได้รับบาดเจ็บจากไฟฟ้าแรงสูง มีบาดแผลไหม้ที่มีขนาดใหญ่ อาทิ ปวดแผลมาก หรือมีอาการผิดปกติดังต่อไปนี้ ได้แก่ ใจสั่น เต้นหน้าอก เหนื่อย หมดสติ ควรรีบนำส่งโรงพยาบาลเพื่อรับการรักษา

3) หากผู้ป่วยหมดสติ ต้องพิจารณาว่าผู้ป่วยมีภาวะหัวใจหยุดเต้นหรือหยุดหายใจหรือไม่ และพิจารณาให้การช่วยเหลือตามขั้นตอนการช่วยชีวิตขั้นพื้นฐานต่อไป

4.10.3 การปฐมพยาบาลผู้ประสบเหตุจากการทำงานในที่อับอากาศ

1) นำผู้ประสบเหตุออกมาตั้งที่ปลอดภัย ประเมินอาการตอบสนองและตรวจดูชีพจรผู้ประสบเหตุ

2) หากไม่มีชีพจรให้ทำการฟื้นคืนชีพเบื้องต้นด้วยวิธีการ CPR หรือใช้เครื่องกระตุกหัวใจอัตโนมัติ (AED) เพื่อกระตุ้นให้มีชีพจรกลับมาเต้นตามปกติ

3) หากมีชีพจรแต่หมดสติให้เปิดทางเดินหายใจและดูตรวจสอบว่าไม่มีสิ่งกีดขวางทางเดินหายใจ ตรวจสอบสารคัดหลั่ง หากอุดตันให้ทำการช่วยหายใจทันที

4) เมื่อผู้ประสบเหตุฟื้นจากภาวะวิกฤต สามารถตอบสนองได้ ให้สังเกตอาการบาดเจ็บบริเวณอื่น ๆ และทำการปฐมพยาบาลตามความเหมาะสมของการบาดเจ็บ

5) นำผู้ประสบเหตุส่งโรงพยาบาลต่อไป

4.11 แผนอพยพ

เมื่อเหตุการณ์รุนแรงและอาจเป็นอันตรายต่อชีวิตของพนักงาน Fire Marshall เป็นผู้สั่งการอพยพ โดยพิจารณาเส้นทางไปยังตำแหน่งหนีอันตราย ยังจุดรวมพลที่ปลอดภัย โดยออกแบบให้พื้นที่ปลอดภัย เป็นอันดับสุดท้าย ไปยังจุดรวมพลที่กำหนด

เมื่อประกาศอพยพ ให้พนักงาน ผู้รับเหมารวมถึงผู้มาติดต่อ ที่ไม่มีหน้าที่เกี่ยวข้องในองค์กรออกไปยังจุดรวมพลที่กำหนดในพื้นที่ต่างๆ ปฏิบัติดังนี้

1) ผู้ที่ปฏิบัติงานในแต่ละพื้นที่การเกิด (พื้นที่เกิดเหตุ) หรือได้รับผลกระทบ ให้หยุดปฏิบัติงานรอฟังประกาศและออกจากพื้นที่ทันทีไปยังจุดรวมพล หรืออาคารที่ปฏิบัติงานประจำ รายงานตัวต่อหัวหน้าหน่วยงานเพื่อตรวจนับจำนวน (Head Count)

2) ผู้ปฏิบัติงานประจำอาคาร ให้หยุดปฏิบัติงานรอฟังประกาศ และ/หรือ ไปยังจุดรวมพลเพื่อตรวจนับจำนวน (Head Count)

3) การรายงานผลการตรวจนับจำนวน (Head Count) เมื่อทำการตรวจนับจำนวน (Head Count) แล้วให้ผู้รับผิดชอบตามที่ได้รับมอบหมายไปรายงานต่อให้ Fire Marshall รับทราบ

4) จุดรวมพลแบ่งตามโรงงานต่างๆ ดังนี้ (ไปจุดรวมพลที่ใกล้ที่สุดในบริเวณที่เกิดเหตุ)

UNCONTROLLED COPY

UNCONTROLLED COPY

4.12 เหตุฉุกเฉินร้ายแรง

1) จะดำเนินการตามแผนบรรเทาทุกข์ เมื่อเกิดเหตุฉุกเฉินระดับที่ 2 คือเหตุการณ์ฉุกเฉินแพร่กระจายออกมาให้เห็นจากโรงงาน (ไฟ ควัน สารเคมี ฯลฯ) ทำให้ส่งผลกระทบต่อชุมชนรอบๆ โรงงาน หรือชั่วแวดล้อม โดย คณะทำงาน CCT จะดำเนินการลงมือดังนี้

- การประสานงานกับหน่วยงานรัฐ
- การสำรวจความเสียหาย
- การรายงานตัวของเจ้าหน้าที่ทุกคนและจุดนัดพบ
- การช่วยชีวิตและค้นหาผู้เสียชีวิต
- การเคลื่อนย้ายผู้ประสบภัย ทรัพย์สินและผู้เสียชีวิต
- การประเมินความเสียหาย
- การรายงานผลการปฏิบัติงานและสถานการณ์เพลิงไหม้
- การช่วยเหลือของเจ้าหน้าที่ผู้ประสบภัย
- การปรับปรุงแก้ไขปัญหาเฉพาะหน้า เพื่อให้ธุรกิจสามารถดำเนินการได้เร็วที่สุด

4.13 แผนการฟื้นฟู สภาพแวดล้อม และทบทวนเกี่ยวกับแผนการระงับเหตุฉุกเฉิน

ทุกครั้งที่เกิดเหตุฉุกเฉิน จะต้องดำเนินการสอบสวนหาสาเหตุ ทั้งนี้ให้เป็นไปตาม WI-S-PUH-SS-002 และให้ดำเนินการเพิ่มรายละเอียดเกี่ยวกับแผนการการฟื้นฟูสภาพแวดล้อมให้ครบถ้วน

ทุกครั้งที่ทำการฝึกซ้อม จะต้องดำเนินการตรวจสอบผลการซ้อมและพิจารณาการปรับปรุงให้ผลการซ้อมมีประสิทธิภาพ

4.14 แผนรณรงค์และประชาสัมพันธ์

หน่วยงานความปลอดภัย มีหน้าที่ให้ความรู้แก่พนักงาน เพื่อสร้างและกระตุ้นให้พนักงานมีจิตสำนึกและทราบถึงวิธีการป้องกันและระงับอัคคีภัยอย่างถูกต้องและมีประสิทธิภาพ การรณรงค์ป้องกันอัคคีภัยอาจดำเนินการได้หลายรูปแบบ ไม่ว่าจะเป็น การฝึกแผ่นดับ ไฟปฏิบัติ การประชาสัมพันธ์ผ่านกิจกรรม morning talk หรือจะเป็นการกำหนดมาตรการบนหลักไทม์ เช่นการห้ามสูบบุหรี่ในพื้นที่ห้ามสูบ โดยหัวข้อที่นำมารณรงค์ประกอบของการเกิดเพลิงไหม้ การจัดเก็บวัตถุไวไฟ การดูดสูบบุหรี่ ผลที่เกิดขึ้นจากอัคคีภัย และวิธีการหลบไส้ทางฉุกเฉิน โดยทางบริษัทในเครือ เมเจอร์ซินเนม่า (ไทย) จำกัด (มหาชน)

มีการรณรงค์ผ่านกิจกรรมและสื่อต่างๆต่อไปนี้

1. การจัดบอร์ดความรู้ให้ความรู้แก่พนักงาน รวมถึงประชาสัมพันธ์ใน website ของบริษัท
2. จัดกิจกรรมตอบคำถามชิงรางวัลประจำเดือน
3. จัดกิจกรรม Morning talk ให้กับพนักงาน และผู้รับเหมา
4. จัดกิจกรรม Fire Check Point ตีเส้น ประจำเดือน
5. จัดกิจกรรมประกวดลีลาแข่งขัน Fire man challenge ในงาน SHEQ Day

5. บันทึก (Record)

ไม่มี

6. เอกสารแนบ (Related Document)

6.1 SD-S-PUH-SS-008 Flow การตอบสนองภาวะฉุกเฉิน (ERT Flow)

6.2 SD-S-PUH-SS-010 ขั้นตอนการรายงานอุบัติเหตุร้ายแรง ติดหน้าห้องงานราชการ

7. เอกสารอ้างอิง (Reference)

7.1 กฎกระทรวง กำหนดมาตรฐานในการบริหารจัดการ และดำเนินการตามความปลอดภัยขั้นต้น และสภาพแวดล้อมในการทำงานเกี่ยวกับการป้องกันและระงับอัคคีภัย พ.ศ. 2555

7.2 สุทธิศักดิ์ เต็นดวงใจ, ศราวุธ ศิริวิชา. (2564). บทความพื้นวิชา ที่อับอากาศ (Confind space). *วารสารแพทย์ทหารบก*, 74 (1), 47-52. https://he02.tci-thaijo.org/index.php/rtamedj/article/view/242411.

7.3 thai-safetywiki. (ม.ป.ป.). การเลือกใช้เครื่องช่วยหายใจ หรือ SCBA (Self Contained Breathing Apparatus). สืบค้น 5 กันยายน 2565, จาก https://thai-safetywiki.com/scba-selection/

UNCONTROLLED COPY

ISO 45001 OCCUPATION HEALTH AND SAFETY MANAGEMENT SYSTEM

WORK PROCEDURE

Issued by: [redacted]

Approved by [redacted]

Document No. WP-S-PUH-SS-002

Edition No. 10

Effective date: 15 Feb 2023

Page 24 (24)

UNCONTROLLED COPY

ภาคผนวก ข-26

สรุปผลการตรวจสุขภาพปี พ.ศ. 2568

รายงานผลการตรวจสุขภาพพนักงาน ประจำปี 2568

บริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 5A จำกัด (IP1 (ปราจีนฯ))

วันที่ 3-6 มีนาคม พ.ศ.2568

กราฟแสดงผลการตรวจสุขภาพพนักงานประจำปี 2568

บริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 5A จำกัด (IP1 (ปราจีนฯ))

Descreption	Total	Normal	Found
ผลการตรวจร่างกายทั่วไปโดยแพทย์ : PE	192	182	10



กราฟแสดงผลการตรวจสุขภาพพนักงานประจำปี 2568

บริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 5A จำกัด (IP1 (ปราจีนฯ))

Descreption	Total	Normal	Abnormal
ผลการตรวจการวัดความดันโลหิต : BP	385	301	84
ผลการตรวจดัชนีมวลกาย : BMI	385	127	258
ผลการตรวจความสมบูรณ์ของเม็ดเลือด : CBC	384	253	131
ผลการตรวจปัสสาวะทั่วไป : UA	376	357	19
ผลการตรวจระดับน้ำตาลในเลือด : Sugar	385	271	114
ผลการตรวจการทำงานของไต : BUN	385	367	18
ผลการตรวจการทำงานของไต : Creatinine	385	318	67
ผลการตรวจสมรรถภาพการทำงานของไต : eGFR	385	213	172
ผลการตรวจหาระดับกรดยูริคหรือโรคเก๊าท์ : Uric Acid	385	294	91
ผลการตรวจระดับไขมันโคเลสเทอรอล : Cholesterol	385	152	233
ผลการตรวจระดับไขมันไตรกลีเซอไรด์ : Triglyceride	385	210	175
ผลการตรวจระดับไขมันโคเลสเทอรอล ชนิดดี : HDL	385	331	54
ผลการตรวจระดับไขมันโคเลสเทอรอล ชนิดไม่ดี : LDLcal	227	141	86
ผลการตรวจการทำงานของตับ : SGOT	385	345	40
ผลการตรวจการทำงานของตับ : SGPT	385	312	73
ผลการตรวจการทำงานของตับ : Alk	227	212	15
ผลการตรวจกรองมะเร็งลำไส้ : CEA	227	171	56
ผลการตรวจคลื่นไฟฟ้าหัวใจ : EKG	199	157	42
ผลการตรวจเอ็กซ์เรย์ปอด : Chest x-ray	385	374	11
ผลการตรวจสายตาทั่วไป : Visual Acuity	373	162	211

กราฟแสดงผลการตรวจสุขภาพพนักงานประจำปี 2568

บริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 5A จำกัด (IP1 (ปราจีนฯ))



กราฟแสดงผลการตรวจสุขภาพพนักงาน (รายการตรวจกลุ่มเสี่ยง) ประจำปี 2568

บริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 5A จำกัด (IP1 (ปราจีนฯ))

Description	Total	Normal	Abnormal	Follow
ผลการตรวจสมรรถภาพปอด : Spirometry	198	169	29	0
ผลการตรวจสมรรถภาพการได้ยิน : Audiometry	198	166	32	0
ผลการตรวจสมรรถภาพการมองเห็นทางอาชีวอนามัย : Occupational Vision	349	119	0	230
ผลการตรวจวัดแรงเหยียดหลัง : Back Dynamometer Test	274	205	33	36



สรุปรายการตรวจที่ผิดปกติ มากที่สุด - น้อยที่สุด

บริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 5A จำกัด (IP1 (ปราจีนฯ))

Description	Abnormal	คิดเป็นร้อยละ %
ผลการตรวจดัชนีมวลกาย : BMI	258	67.01%
ผลการตรวจระดับไขมันโคเลสเทอรอล : Cholesterol	233	60.52%
ผลการตรวจสายตาทั่วไป : Visual Acuity	211	56.57%
ผลการตรวจระดับไขมันไตรกลีเซอไรด์ : Triglyceride	175	45.45%
ผลการตรวจสมรรถภาพการทำงานของไต : eGFR	172	44.68%
ผลการตรวจระดับไขมันโคเลสเทอรอล ชนิดไม่ดี : LDLcal	86	37.89%
ผลการตรวจความสมบูรณ์ของเม็ดเลือด : CBC	131	34.11%
ผลการตรวจระดับน้ำตาลในเลือด : Sugar	114	29.61%
ผลการตรวจกรองมะเร็งลำไส้ : CEA	56	24.67%
ผลการตรวจหาระดับกรดยูริคหรือโรคเก๊าท์ : Uric Acid	91	23.64%
ผลการตรวจการวัดความดันโลหิต : BP	84	21.82%
ผลการตรวจคลื่นไฟฟ้าหัวใจ : EKG	42	21.11%
ผลการตรวจการทำงานของตับ : SGPT	73	18.96%
ผลการตรวจการทำงานของไต : Creatinine	67	17.40%
ผลการตรวจระดับไขมันโคเลสเทอรอล ชนิดดี : HDL	54	14.03%
ผลการตรวจการทำงานของตับ : SGOT	40	10.39%
ผลการตรวจการทำงานของตับ : Alk	15	6.61%
ผลการตรวจโปรสาวะทั่วไป : UA	19	5.05%
ผลการตรวจการทำงานของไต : BUN	18	4.68%
ผลการตรวจเอ็กซ์เรย์ปอด : Chest x-ray	11	2.86%

สรุปรายการตรวจที่ผิดปกติ มากที่สุด - น้อยที่สุด

บริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 5A จำกัด (IP1 (ปราจีนฯ))



สรุปรายการตรวจสุขภาพพนักงาน (รายการกลุ่มเสี่ยง) ที่อยู่ในเกณฑ์เฝ้าระวัง มากที่สุด - น้อยที่สุด

บริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 5A จำกัด (IP1 (ปราจีน ฯ))

Description	Follow	Percent
ผลการตรวจสมรรถภาพการมองเห็นทางอาชีวอนามัย : Occupational Vision	230	65.90%
ผลการตรวจวัดแรงเหยียดหลัง : Back Dynamometer Test	36	13.14%



สรุปรายการตรวจสุขภาพพนักงาน (รายการกลุ่มเสี่ยง) ที่อยู่ในเกณฑ์ผิดปกติ มากที่สุด - น้อยที่สุด

บริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 5A จำกัด (IP1 (ปราจีน ฯ))

Description	Abnormal	Percent
ผลการตรวจสมรรถภาพการได้ยิน : Audiometry	32	16.16%
ผลการตรวจสมรรถภาพปอด : Spirometry	29	14.65%
ผลการตรวจวัดแรงเหยียดหลัง : Back Dynamometer Test	33	12.04%



บริษัท โปรเฟสชั่นแนล ลาโบราทอรี่ แมเนจเม้นท์ คอร์ป จำกัด (มหาชน)
PROFESSIONAL LABORATORY MANAGEMENT CORP COMPANY LIMITED
เลขที่ 2 ซอยโพธิ์แก้ว 3 แยก 2 ถนนโพธิ์แก้ว แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240 โทร. 02-770-8700 แฟกซ์ 02-770-8799
No.2 Soi Pokeaw 3 Yak 2, Pokeaw Rd. Klongchum, Bangkapi,Bangkok 10240 Tel. 02-770-8700 FAX: 02-770-8799

หนังสือรับรองการตรวจสุขภาพ

วันที่ 20 พฤษภาคม พ.ศ.2568

รายงานผลการตรวจสุขภาพประจำปีพนักงาน บริษัท เนชั่นแนล เพาเวอร์ แพลนท์ 5A จำกัด (IP1 (ปราจีนฯ)) ได้รับการตรวจสุขภาพในวันที่ 3-6 มีนาคม พ.ศ.2568 บริษัท โปรเฟสชั่นแนล ลาโบราทอรี่ แมเนจเม้นท์ คอร์ป จำกัด (มหาชน) ใบอนุญาตสถานพยาบาลประเภทคลินิกเทคนิคการแพทย์ เลขที่ 10110001555 ตั้งอยู่เลขที่ 2 ซอยโพธิ์แก้ว 3 แยก 2 ถนนโพธิ์แก้ว แขวงคลองจั่น เขตบางกะปิ กรุงเทพฯ 10240

ขอรับรองว่าการตรวจสุขภาพครั้งนี้ทำโดยถูกต้องตามมาตรฐานทางการแพทย์ทุกประการ

ขอแสดงความนับถือ

[redacted]

แพทย์ผู้ผ่านการอบรมอาชีวเวชศาสตร์ ว. 43355

[redacted]

ใบอนุญาตประกอบวิชาชีพเวชกรรม
ใบอนุญาตเป็นผู้ประกอบวิชาชีพเวชกรรม
ประจำปี 2567



โรงพยาบาลจุฬารัตน์ 304 อินเตอร์ Chularat 304 International Hospital
ที่อยู่ : 151 ม.4 ต.บ้านกรอกสมบูรณ์ อ.บ้านอรัมมหาไพชิ จ.ชัยภูมิ 25140 โทรศัพท์ : 037-239-665 แฟกซ์ : 037-239-669

ใบสรุปผลการตรวจร่างกาย

วันที่ (Date) 11/05/2568

70667

[redacted]

สูง (Height) 169 ซม. (cm.) น้ำหนัก(Weight) 54.4 กก. (kg) ความดันโลหิต (Blood Pressure) 130 / 69 (mmHg)
ชีพจร (Pulse) 74 /นาที(min) อุณหภูมิ(Temp) 36.8 องศาเซลเซียส (°C)

ประวัติการป่วยในอดีต (History illness) N = No Y = Yes

1. โรคเบาหวาน ☑ ไม่เป็น (N) ☐ เป็น (Yes)
2. โรคความดันโลหิตสูง (Hypertension) ☑ ไม่เป็น (N) ☐ เป็น (Yes)
3. โรคหัวใจ (Heart Disease) ☑ ไม่เป็น (N) ☐ เป็น (Yes)
4. โรคไขมันในเลือดสูง (High Cholesterol) ☑ ไม่เป็น (N) ☐ เป็น (Yes)
5. โรคติดต่อร้ายแรง (Contagious Diseases) ☑ ไม่เป็น (N) ☐ เป็น (Yes)
6. เคยผ่าตัด(Surgical History) .....

ผลการตรวจร่างกาย (Physical Examinition)

	ปกติ(Normal)	ไม่ปกติ(Abnormal)		ปกติ(Normal)	ไม่ปกติ(Abnormal)
ศีรษะ (Head), หน้า(Face), หนังศีรษะ (Scalp)	☑	☐	หัวใจ (Heart)	☑	☐
ตา (Eye)	☑	☐	เส้นเลือด (Vascular System)	☑	☐
หู(Ears)	☑	☐	ท้อง (Abdomen and Viscera)	☑	☐
จมูก (Nose)	☑	☐	ต่อมน้ำเหลือง (Lymph Nodes)	☑	☐
ปาก (Mouth), คอ (Throat)	☑	☐	ระบบทางเดินปัสสาวะ และอวัยวะสืบพันธุ์	☑	☐
ทอนซิล (Tonsils)	☑	☐	(Urinary & Reproductive System)	☐	☐
ฟัน (Teeth)	☑	☐	ระบบกระดูกและกล้ามเนื้อ	☑	☐
ต่อมไทรอยด์(Thyroid Gland)	☑	☐	(Spine other Musculoskeletal)	☐	☐
ปอด (Lungs), หน้าอก (Chest)	☑	☐	แขน - ขา (Extremities)	☑	☐
เต้านม (Breasts)	☑	☐	ผิวหนัง(Skin)	☑	☐

การตรวจทางเอกซเรย์(X-Ray Examination), คลื่นไฟฟ้าหัวใจ (EKG), คลื่นความถี่สูง (Ultrasound) N = Normal Ab = Abnormal

1. เอ็กซเรย์ปอด - หัวใจ (CXR) ☑ ปกติ(N) ☐ ไม่ปกติ(Yes)
2. อัลตร้าซาวด์อวัยวะ..... ☐ ปกติ(N) ☐ ไม่ปกติ(Yes)
(Ultrasound.....)
3. คลื่นไฟฟ้าหัวใจ(EKG) ☐ ปกติ(N) ☐ ไม่ปกติ(Yes)
4. ตรวจเอ็กซเรย์กระเพาะ - ลำไส้ (Upper GI-Series) ☐ ปกติ(N) ☐ ไม่ปกติ(Yes)

รายงานผลการตรวจทางห้องปฏิบัติการ (Laboratory Report) (+) = Positive (-) = Negative

1. ความสมบูรณ์ของเม็ดเลือด (CBC) ☐ ปกติ(N) ☐ ไม่ปกติ(P)
2. การตรวจปัสสาวะ (U/A) ☐ ปกติ(N) ☐ ไม่ปกติ(P)
3. การตั้งครรภ์(Preg Test) ☐ ปกติ(-) ☐ ไม่ปกติ(+)
4. ซิฟิลิส (VDRL) ☑ ปกติ(-) ☐ ไม่ปกติ(+)
5. เอดส์(Anti-HIV) ☑ ปกติ(-) ☐ ไม่ปกติ(+)
6. กรุ๊ปเลือด (Blood group) A, B, O, AB AB RH +ve, -ve
7. ภูมิต้านทานต่อไวรัสบี (Anti-HBs) ☐ ไม่พบ (-) ☐ พบ (+)
8. ไวรัสตับอักเสบบี (HBsAg) ☑ ไม่พบ (-) ☐ พบ (+)
9. ภูมิต้านทานต่อไวรัสตับอักเสบเอ ☐ ไม่พบ (-) ☐ พบ (+)
10. ตรวจอุจจาระ (Stool Exam) ☐ ไม่พบพยาธิ(-) ☐ พบพยาธิ(+)

Blood Chemistry & Heavy Metal Level

FBS.....	mg% (70 – 110)	Cholesterol.....	mg% (140 – 220)	Uric Acid.....	mg% (2 – 8)
BUN..... 11.7	mg% (5 – 20)	Triglyceride.....	mg% (<150)	SGOT.....	U/L% (0 – 40)
Creatinine..... 0.7	mg% (0.5 – 1.5)	HDL.....	mg% (>35)	SGPT.....	U/L% (0 – 40)
Alb.....	ug/dl% (3.5 – 5.0)	LDL.....	mg% (<130)	ALK.....	U/L% (40 – 129)
Glob.....	g/dl% (1.2 – 3.5)	Other.....			

ตรวจอาหาร ☐ ปกติ ☐ ไม่ปกติ **ตรวจตาบอดสี** ☑ ปกติ ☐ ไม่ปกติ

Pathology

1. มะเร็งปากมดลูก (Pap smear) ☐ ไม่พบ (N) ☐ พบ (Ab) .....
2. ตรวจก้อนที่หน้าอก ☐ ไม่พบ (N) ☐ พบ (Ab) .....

สารเสพติด

1. ยาบ้า (Amphetamine) ☑ ไม่พบ (-ve) ☐ พบ (+ve)
2. เฮโรอีน (Heroin) ☐ ไม่พบ (-ve) ☐ พบ (+ve)

สรุปผลการตรวจร่างกาย (Summary of evaluation) ☐ อยู่ในเกณฑ์ ☐ พบความผิดปกติ
ดังนี้.....

[redacted]

โรงพยาบาลจุฬารัตน์ 304 อินเตอร์ Chularat 304 International Hospital
ที่อยู่ : 151 ม.4 ตำบลกรอกสมบูรณ์ อำเภอศรีมหาโพธิ จังหวัดปราจีนบุรี 25140 โทรศัพท์ : 037-239-665 แฟกซ์ : 037-239-669

ใบรับรองแพทย์

ส่วนที่ 1 ของผู้ขอรับใบรับรองสุขภาพ

[redacted]

ใบอนุญาตประกอบวิชาชีพเวชกรรมเลขที่ ว.70667

สถานที่ประกอบวิชาชีพเวชกรรม **เลขที่ตั้ง 151 หมู่ 4 ต.กรอกสมบูรณ์ อ.ศรีมหาโพธิ จ.ปราจีนบุรี 25140**

ได้ตรวจร่างกาย นายธนเกียรติ กระแสโสม

แล้วเมื่อวันที่ 11/05/2568 มีรายละเอียดดังนี้ อุณหภูมิ 36.8 °C

น้ำหนักตัว 54.4 กก. ความสูง 169 เซนติเมตร ความดันโลหิต 130 / 69 มม.ปรอท ชีพจร 74 ครั้ง/นาที

สภาพร่างกายทั่วไป อยู่ในเกณฑ์ ☑ ปกติ ☐ ผิดปกติ (ระบุ) .....

ขอรับรองว่าบุคคลดังกล่าว ไม่เป็นผู้มีร่างกายทุพพลภาพจนไม่สามารถปฏิบัติหน้าที่ได้ ไม่ปรากฏอาการของโรคจิต หรือจิตฟั่นเฟือน หรือปัญญาอ่อน ไม่ปรากฏอาการของการติดยาเสพติดให้โทษ และอาการของโรคพิษสุราเรื้อรัง และไม่ปรากฏอาการและอาการแสดงของโรคต่อไปนี้

(๑) โรคเรื้อนในระยะติดต่อหรือในระยะที่ปรากฏอาการเป็นที่รังเกียจแก่สังคม

(๒) วัณโรคในระยะอันตราย

(๓) โรคเท้าช้างในระยะที่ปรากฏอาการเป็นที่รังเกียจแก่สังคม

(๔) **(ถ้าจำเป็นต้องตรวจหาโรคที่เกี่ยวข้องกับการปฏิบัติงานของผู้รับการตรวจให้ระบุข้อนี้)**

[redacted]

จุฬารัตน์ 304 อินเตอร์ CHULARAT 304 INTERNATIONAL HOSPITAL

แบบฟอร์มบันทึก

ผลการตรวจสมรรถภาพปอด

นาย ธนเกียรติ กระแสโสม
วันเกิด 28/07/2547 (20 ปี 9 เดือน 14 วัน)
H.N. 650304572 - V.N.68051100167
Room :
MOPC01 : -

[redacted]

$$\%\,FVC = \frac{\text{ค่า FVC ที่วัดได้ x 100}}{\text{ค่าFVC ปกติ}} = \frac{4.28\ L}{\quad} \times 100 = 100\%\ (\text{pre})$$

$$\%\,FEV1 = \frac{\text{ค่า FEV1 ที่วัดได้ x100}}{\text{ค่าFEV1 ปกติ}} = \frac{3.94\ L}{\quad} \times 100 = 108\%\ (\text{pre})$$

$$\frac{\%\,FEV1}{FVC} = \frac{\text{ค่า FEV1ที่วัดได้ x 100}}{\text{ค่า FVC ที่วัดได้}} = 92\% \times 100 = 111\%\ (\text{pre})$$

PEF = 277 Litres / Minute , 49%

ผลการตรวจ

☑ สมรรถภาพปอดปกติ
☐ สมรรถภาพปอดผิดปกติแบบอุดกั้น.....
☐ สมรรถภาพปอดผิดปกติแบบจำกัดการขยายตัว.....
☐ สมรรถภาพปอดผิดปกติแบบผสม

คำแนะนำของแพทย์

[redacted]

โรงพยาบาลจุฬารัตน์ 304 อินเตอร์ Chularat 304 international Hospital
ที่อยู่ : 151 ม.4 ตำบลกรอกสมบูรณ์ อำเภอศรีมหาโพธิ จังหวัดปราจีนบุรี 25140 โทรศัพท์ : 037-239-665 แฟกซ์ : 037-239-669

แบบฟอร์มบันทึกผลการตรวจสมรรถภาพการได้ยิน

[redacted]

☐ ออดิโอแกรมยืนยัน (Confirmation audiogram)
☑ ออดิโอแกรมอื่น ๆ (ระบุ).....

ช่วงนี้เป็นหวัด คัดจมูก หูอื้อ หูอักเสบ ☑ ไม่เป็น ☐ เป็น
ในอดีตเคยมีประวัติเป็นโรคเกี่ยวกับหู ☑ ไม่เคย ☐ เคย
(รายละเอียด).....



สัญลักษณ์การบันทึกผล
AIR CONDUCTION
Right = O (Red)
Left = X (Blue)

ความถี่ (Hz)	500	1000	2000	3000	4000	6000	8000
ระดับการได้ยินของหูขวา (dB)	20	20	20	20	15	20	20
ระดับการได้ยินของหูซ้าย(dB)	20	20	15	20	20	20	25

ผลการตรวจ

หูขวา ☑ ปกติ
☐ ผิดปกติ การได้ยินลดลงที่ความถี่
☐ 500 ☐ 1000 ☐ 2000 ☐ 3000 ☐ 4000 ☐ 6000 ☐ 8000

หูซ้าย ☑ ปกติ
☐ ผิดปกติ การได้ยินลดลงที่ความถี่
☐ 500 ☐ 1000 ☐ 2000 ☐ 3000 ☐ 4000 ☐ 6000 ☐ 8000

☐ อยู่ในเกณฑ์ที่ต้องระวัง แนะนำสวมใส่อุปกรณ์ป้องกันอย่างเคร่งครัดและตรวจติดตามเป็นระยะ

[redacted]

จุฬารัตน์ CHULARAT HOSPITAL GROUP
Chularat 304 International Hospital
151 ม.4 ต.กรอกสมบูรณ์ อ.ศรีมหาโพธิ จ.ปราจีนบุรี 25140
โทร : 037-239-665

[redacted]

Description	Result	Unit	Reference Value	Comment
Chemistry - Routine				
BUN	11.7	mg/dL	7.8 - 20.0	
Creatinine	0.70	mg/dL	0.80 - 1.30 L	
eGFR (CKD-EPI)	135.85	mL/min/1.73 m2	> 60.00	

[redacted]

Chularat 304 International Hospital
151 ม.4 ต.กรอกสมบูรณ์ อ.ศรีมหาโพธิ จ.ปราจีนบุรี 25140

โทร : 037-239-665

LABORATORY RESULT

HN [redacted]
Na
De
Received Date/ Time : 11 พ.ค. 2568 [illegible]

Description	Result	Unit	Reference Value	Comment
Hematology				
ABO Group	AB			

Reported By : ทนพญ.ณัฐชา เสริมสมบูรณ์ Authorized By : น.ส.ชำมะนาด ดุลชาติ
Reported Date : 11 พ.ค. 2568 12:28 Authorized Date : 11 พ.ค. 2568 12:28
Printed By : น.ส.สุนันดา บุญญายืน Printed Date : 11 พ.ค. 2568 12:44

Chularat 304 International Hospital
151 ม.4 ต.กรอกสมบูรณ์ อ.ศรีมหาโพธิ จ.ปราจีนบุรี 25140

โทร : 037-239-665

LABORATORY RESULT

[redacted]

Description	Result	Unit	Reference Value	Comment
Serology - General				
VDRL	Non-reactive		Non-reactive	

Reported By : ทนพญ.ณัฐชา เสริมสมบูรณ์ Authorized By : น.ส.ชำมะนาด ดุลชาติ
Reported Date : 11 พ.ค. 2568 12:28 Authorized Date : 11 พ.ค. 2568 12:28
Printed By : น.ส.สุนันดา บุญญายืน Printed Date : 11 พ.ค. 2568 12:44

Chularat 304 International Hospital
151 ม.4 ต.กรอกสมบูรณ์ อ.ศรีมหาโพธิ จ.ปราจีนบุรี 25140

โทร : 037-239-665

LABORATORY RESULT

[redacted]

Description	Result	Unit	Reference Value	Comment
Urine Stool Fluid - Drug Abuse				
Amphetamine	Negative		Negative	By: screening test

Report critical result by :
Reported By : น.ส.มินตรา พิศหนองแวง ()
Reported Date : 11 พ.ค. 2568 11:40
Printed By :น.ส.สุนันดา บุญญายืน

Acknowledge critical result by :
Authorized By : น.ส.ชำมะนาด ดุลชาติ ()
Authorized Date : 11 พ.ค. 2568 11:40
Printed Date : 11 พ.ค. 2568 12:44

Date :
Lab Note :

Chularat 304 International Hospital
151 ม.4 ต.กรอกสมบูรณ์ อ.ศรีมหาโพธิ จ.ปราจีนบุรี 25140

โทร : 037-239-665

LABORATORY RESULT

[redacted]

Description	Result	Unit	Reference Value	Comment
Serology - Hepatitis B Infectious Virology				
HBsAg	Negative By CLIA		Negative	

Reported By : น.ส.มินตรา พิศหนองแวง
Reported Date : 11 พ.ค. 2568 11:40
Printed By :น.ส.สุนันดา บุญญายืน

Authorized By : น.ส.ชำมะนาด ดุลชาติ
Authorized Date : 11 พ.ค. 2568 11:40
Printed Date : 11 พ.ค. 2568 12:44

จุฬารัตน์304

Name : นาย ธนเกียรติ กระแสโสม

[redacted]

Test	Result	Flag	Unit	Reference Values	Previous Result
Anti-HIV					
Anti-HIV					
Anti-HIV วิธีที่ 1	Negative				
Method(1)	CMIA				
สรุปผลการตรวจ Anti-HIV	Negative				

Lab Note :

Reported By Natcha Sermsomboon (MT. 18187) **Reported Date :** 11/05/2025 12:27

Approved By Chammanat Dunlachart (MT.11028) **Approved Date :** 11/05/2025 12:27

หน้า: 1 / 1

ผู้พิมพ์

L,H,A = ค่าที่ต่ำกว่าหรือสูงกว่าค่า Reference Value LL,HH,AA = ค่าที่อยู่ในช่วงวิกฤตเชิงปริมาณ Chammanat Dunlachart (MT.11028)

รายงานนี้รับรองผลเฉพาะตัวอย่างที่ได้รับเท่านั้น ห้ามนำรายงานไปคัดลอกหรือทำสำเนาบางส่วนโดยไม่ได้รับอนุญาตเป็นลายลักษณ์อักษร พิมพ์เวลา : 11/05/2025 12:28

CHG จุฬารัตน์304

RADIOLOGIST REPORT

CHULARAT 304 INTERNATIONAL HOSPITAL

PATIENT'S INFORMATION

[redacted]

HISTORY: A case of check up.

CHEST PA UPRIGHT

COMPARISON: None.

FINDINGS:
The study reveals normal heart size and pulmonary vascularity.
There is no definite pulmonary opacity or pleural effusion.
Mediastinum, diaphragm and thoracic cage appear unremarkable.

IMPRESSION: No active disease of the chest.

Reported by,
Nutcha Kijwiwatanakul MD.

CHG กลุ่มโรงพยาบาลจุฬารัตน์ CHULARAT HOSPITAL

This is computer generated. No signature is required.