



ภาคผนวก จ

สำเนาหนังสืออนุญาตขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน



ภาคผนวก จ-1

บริษัท ยูไนเต็ด แอนนาลิสต์ แอนด์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด

๑๖) ภาชนะเก็บน้ำ...

0000
 0001
 0002
 0003
 0004
 0005
 0006
 0007
 0008
 0009
 0010
 0011
 0012
 0013
 0014
 0015
 0016
 0017
 0018
 0019
 0020
 0021
 0022
 0023
 0024
 0025
 0026
 0027
 0028
 0029
 0030
 0031
 0032
 0033
 0034
 0035
 0036
 0037
 0038
 0039
 0040
 0041
 0042
 0043
 0044
 0045
 0046
 0047
 0048
 0049
 0050
 0051
 0052
 0053
 0054
 0055
 0056
 0057
 0058
 0059
 0060
 0061
 0062
 0063
 0064
 0065
 0066
 0067
 0068
 0069
 0070
 0071
 0072
 0073
 0074
 0075
 0076
 0077
 0078
 0079
 0080
 0081
 0082
 0083
 0084
 0085
 0086
 0087
 0088
 0089
 0090
 0091
 0092
 0093
 0094
 0095
 0096
 0097
 0098
 0099

๗๗) นายปรีทธีพงษ์...

200
 201
 202
 203
 204
 205
 206
 207
 208
 209
 210
 211
 212
 213
 214
 215
 216
 217
 218
 219
 220
 221
 222
 223
 224
 225
 226
 227
 228
 229
 230
 231
 232
 233
 234
 235
 236
 237
 238
 239
 240
 241
 242
 243
 244
 245
 246
 247
 248
 249
 250
 251
 252
 253
 254
 255
 256
 257
 258
 259
 260
 261
 262
 263
 264
 265
 266
 267
 268
 269
 270
 271
 272
 273
 274
 275
 276
 277
 278
 279
 280
 281
 282
 283
 284
 285
 286
 287
 288
 289
 290
 291
 292
 293
 294
 295
 296
 297
 298
 299
 300
 301
 302
 303
 304
 305
 306
 307
 308
 309
 310
 311
 312
 313
 314
 315
 316
 317
 318
 319
 320
 321
 322
 323
 324
 325
 326
 327
 328
 329
 330
 331
 332
 333
 334
 335
 336
 337
 338
 339
 340
 341
 342
 343
 344
 345
 346
 347
 348
 349
 350
 351
 352
 353
 354
 355
 356
 357
 358
 359
 360
 361
 362
 363
 364
 365
 366
 367
 368
 369
 370
 371
 372
 373
 374
 375
 376
 377
 378
 379
 380
 381
 382
 383
 384
 385
 386
 387
 388
 389
 390
 391
 392
 393
 394
 395
 396
 397
 398
 399
 400
 401
 402
 403
 404
 405
 406
 407
 408
 409
 410
 411
 412
 413
 414
 415
 416
 417
 418
 419
 420
 421
 422
 423
 424
 425
 426
 427
 428
 429
 430
 431
 432
 433
 434
 435
 436
 437
 438
 439
 440
 441
 442
 443
 444
 445
 446
 447
 448
 449
 450
 451
 452
 453
 454
 455
 456
 457
 458
 459
 460
 461
 462
 463
 464
 465
 466
 467
 468
 469
 470
 471
 472
 473
 474
 475
 476
 477
 478
 479
 480
 481
 482
 483
 484
 485
 486
 487
 488
 489
 490
 491
 492
 493
 494
 495
 496
 497
 498
 499
 500
 501
 502
 503
 504
 505
 506
 507
 508
 509
 510
 511
 512
 513
 514
 515
 516
 517
 518
 519
 520
 521
 522
 523
 524
 525
 526
 527
 528
 529
 530
 531
 532
 533
 534
 535
 536
 537
 538
 539
 540
 541
 542
 543
 544
 545
 546
 547
 548
 549
 550
 551
 552
 553
 554
 555
 556
 557
 558
 559
 560
 561
 562
 563
 564
 565
 566
 567
 568
 569
 570
 571
 572
 573
 574
 575
 576
 577
 578
 579
 580
 581
 582
 583
 584
 585
 586
 587
 588
 589
 590
 591
 592
 593
 594
 595
 596
 597
 598
 599
 600
 601
 602
 603
 604
 605
 606
 607
 608
 609
 610
 611
 612
 613
 614
 615
 616
 617
 618
 619
 620
 621
 622
 623
 624
 625
 626
 627
 628
 629
 630
 631
 632
 633
 634
 635
 636
 637
 638
 639
 640
 641
 642
 643
 644
 645
 646
 647
 648
 649
 650
 651
 652
 653
 654
 655
 656
 657
 658
 659
 660
 661
 662
 663
 664
 665
 666
 667
 668
 669
 670
 671
 672
 673
 674
 675
 676
 677
 678
 679
 680
 681
 682
 683
 684
 685
 686
 687
 688
 689
 690
 691
 692
 693
 694
 695
 696
 697
 698
 699
 700
 701
 702
 703
 704
 705
 706
 707
 708
 709
 710
 711

เอกสารแนบท้ายข้อเท็จจริงที่ขอเข้าเป็นแบบเรียนที่ออกโดยกระทรวงศึกษาธิการ
 บัณฑิต ภูวโรจน์ แดงนาคีวงศ์ เสนอว่า เห็นว่ามีประโยชน์ ควรเข้าเล่มก่อน จึงทำ ผังเรียนเดือน ๖-๑๒
 ที่ ๓๓ ๖๓๑๐(๑) ๒๕๓๕ ลงวันที่ ๑๙ กุมภาพันธ์ ๒๕๓๕
 ขบจำลองสารแนบท้ายที่ตีพิมพ์บนเว็บไซต์กรมการโรงเรียนอุตรดิตถ์ กรม จ.นบ ๑๓๓๕ รายการ

น้ำเกลือ จำนวน 46 ขวด

คำค้น	การวิเคราะห์	วิธีการวิเคราะห์
1	Alidin	Liquid-Liquid Extraction, Gas Chromatographic Method ⁽¹⁾
2	Arsenic	1) Digester, Hydride Generation/Arsenic Absorption Spectrometric Method ⁽¹⁾ 2) Digestion, Inductively Coupled Plasma Method ⁽¹⁾
3	Barium	Digestion, Inductively Coupled Plasma Method ⁽¹⁾
4	benzene	Liquid-Liquid Extraction, Gas Chromatographic Method ⁽¹⁾
5	β -BHC	Liquid-Liquid Extraction, Gas Chromatographic Method ⁽¹⁾
6	δ -BHC	Liquid-Liquid Extraction, Gas Chromatographic Method ⁽¹⁾
7	γ -BHC	Liquid-Liquid Extraction, Gas Chromatographic Method ⁽¹⁾
8	Biochemical Oxygen Demand	1) 5-Day BOD Test, Acid Modification Method ⁽¹⁾ 2) 5-Day BOD Test, Membrane Electrode Method ⁽¹⁾
9	Cadmium	1) Digestion, Direct Air-Acetylene Flame Method ⁽¹⁾ 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ⁽¹⁾ 3) Digestion, Inductively Coupled Plasma Method ⁽¹⁾
10	Chemical Oxygen Demand	1) Closed Reflux, Titrimetric Method ⁽¹⁾ 2) Closed Reflux, Colorimetric Method ⁽¹⁾ 3) Open Reflux, Titrimetric Method ⁽¹⁾
11	Chlordane	Liquid-Liquid Extraction, Gas Chromatographic Method ⁽¹⁾
12	Chromium	1) Digestion, Direct Air-Acetylene Flame Method ⁽¹⁾ 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ⁽¹⁾ 3) Digestion, Inductively Coupled Plasma Method ⁽¹⁾
13	Color	ADM Weighted-Ordinate Spectrophotometric Method ⁽¹⁾
14	Copper	1) Digestion, Direct Air-Acetylene Flame Method ⁽¹⁾ 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ⁽¹⁾ 3) Digestion, Inductively Coupled Plasma Method ⁽¹⁾
15	Cyanide	1) Distillation, Colorimetric Method ⁽¹⁾ 2) Flow Injection Analysis Method ⁽¹⁾

ลำดับ	สารเคมี	วิธีการวิเคราะห์
16	n,p-Citf	Liquid-Liquid Extraction, Gas Chromatographic Method ^(K)
17	4,p-DDD	Liquid-Liquid Extraction, Gas Chromatographic Method ^(K)
18	4,p-DDC	Liquid-Liquid Extraction, Gas Chromatographic Method ^(K)
19	4,p-DDT	Liquid-Liquid Extraction, Gas Chromatographic Method ^(K)
20	Dieldrin	Liquid-Liquid Extraction, Gas Chromatographic Method ^(K)
21	Endosulfan I	Liquid-Liquid Extraction, Gas Chromatographic Method ^(K)
22	Endosulfan II	Liquid-Liquid Extraction, Gas Chromatographic Method ^(K)
23	Endosulfan sulfate	Liquid-Liquid Extraction, Gas Chromatographic Method ^(K)
24	Endrin	Liquid-Liquid Extraction, Gas Chromatographic Method ^(K)
25	Endrin aldehyde	Liquid-Liquid Extraction, Gas Chromatographic Method ^(K)
26	Formaldehyde	Distillation, Colorimetric Method ^(B)
27	Free Chlorine	1) Iodometric Method ^(K) 2) DPD Ferrous Titrimetric Method ^(K)
28	Heptachlor	Liquid-Liquid Extraction, Gas Chromatographic Method ^(K)
29	Heptachlor Epoxide	Liquid-Liquid Extraction, Gas Chromatographic Method ^(K)
30	Hexavalent Chromium	1) Colorimetric Method ^(K) 2) Extraction, Direct Air-Acetylene Flame Method ^(J)
31	Lead	1) Digestion, Direct Air-Acetylene Flame Method ^(K) 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^(J) 3) Digestion, Inductively Coupled Plasma Method ^(J)
32	Manganese	1) Digestion, Direct Air-Acetylene Flame Method ^(K) 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^(J) 3) Digestion, Inductively Coupled Plasma Method ^(J)
33	Mercury	Digestion, Cold Vapor Atomic Absorption Spectrometric Method ^(J)
34	Methoxychlor	Liquid-Liquid Extraction, Gas Chromatographic Method ^(K)
35	Nickel	1) Digestion, Direct Air-Acetylene Flame Method ^(K) 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^(J) 3) Digestion, Inductively Coupled Plasma Method ^(J)

ลำดับ	สารเคมี	วิธีการวิเคราะห์
36	Oil & Grease	1) Liquid-Liquid, Partition-Gravimetric Method ⁽¹⁾ 2) Soxhlet Extraction Method ⁽²⁾ Electrometric Method ⁽³⁾
37	pH	
38	Phenols	1) Distillation, Chloroform Extraction Method ⁽¹⁾ 2) Distillation, Direct Photometric Method ⁽²⁾
39	Selenium	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ⁽¹⁾ 2) Digestion, Inductively Coupled Plasma Method ⁽²⁾
40	Sulfide	1) Iodometric Method ⁽¹⁾ 2) Methylene Blue Method ⁽²⁾ Laboratory and Field Methods ⁽³⁾
41	Temperature	
42	Total Dissolved Solids	Dried at 180 °C ⁽¹⁾
43	Total Kjeldahl Nitrogen	Semi-Micro-Kjeldahl Method ⁽¹⁾
44	Total Suspended Solids	Dried at 103-105 °C ⁽¹⁾
45	Trivalent Chromium	1) Digestion, Direct Air-Acetylene Flame Method; Colorimetric Method; Calculation ⁽¹⁾ 2) Digestion, Inductively Coupled Plasma Method; Colorimetric Method; Calculation ⁽²⁾
46	Zinc	1) Digestion, Direct Air-Acetylene Flame Method ⁽¹⁾ 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ⁽²⁾ 3) Digestion, Inductively Coupled Plasma Method ⁽³⁾

น้ำดื่ม จำนวน 126 รายการ

ลำดับ	สารเคมี	วิธีการวิเคราะห์
1	Acenaphthene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽¹⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽²⁾
2	Acetone	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
3	Aldrin	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽¹⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽²⁾

4 Anthracene...

ลำดับ	สารเคมี	วิธีการวิเคราะห์
4	Anthracene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽¹⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽²⁾
5	Antimony	Digestion, Inductively Coupled Plasma Method ⁽¹⁾
6	Arsenic	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ⁽¹⁾ 2) Digestion, Inductively Coupled Plasma Method ⁽²⁾
7	Atrazine	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
8	Barium	1) Digestion, Electrothermal Atomic Absorption Spectrometric Method ⁽¹⁾ 2) Digestion, Inductively Coupled Plasma Method ⁽²⁾
9	Benz[a]anthracene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽¹⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽²⁾
10	Benzene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
11	Benzo[b]fluoranthene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽¹⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽²⁾
12	Benzo[k]fluoranthene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽¹⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽²⁾
13	Benzol add	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
14	Benzo[a]pyrene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽¹⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽²⁾

35 Benzo[ghi]perylene...

ลำดับ	สารเคมี	วิธีการวิเคราะห์
15	Benzofluoranthene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽¹⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽²⁾
16	Beryllium	Digestion, Inductively Coupled Plasma Method ⁽¹⁾
17	Bis(2-chloroethyl)ether	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
18	Bis(2-ethylhexyl)phthalate	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
19	Bromodichloromethane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
20	Bromofom	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
21	Butanol	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
22	Butyl benzyl phthalate	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
23	Cadmium	1) Digestion, Direct Air-Acetylene Flame Method ⁽¹⁾ 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ⁽²⁾ 3) Digestion, Inductively Coupled Plasma Method ⁽³⁾
24	Carbazole	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
25	Carbon disulfide	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
26	Carbon tetrachloride	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
27	Chlordane	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽¹⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽²⁾
28	p-Chloroaniline	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
29	Chlorobenzene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾

35 Chlorodibromomethane...

ลำดับ	สารเคมี	วิธีการวิเคราะห์
30	Chlorodibromomethane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
31	Chloroform	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
32	2-Chlorophenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
33	Chromium	1) Digestion, Direct Air-Acetylene Flame Method ⁽¹⁾ 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ⁽²⁾ 3) Digestion, Inductively Coupled Plasma Method ⁽³⁾
34	Chromium (II)	1) Digestion, Direct Air-Acetylene Flame Method; Colorimetric Method; Calculation ⁽¹⁾ 2) Digestion, Inductively Coupled Plasma Method; Colorimetric Method; Calculation ⁽²⁾
35	Chromium (VI)	1) Colorimetric Method ⁽¹⁾ 2) Extraction, Air-Acetylene Flame Method ⁽²⁾
36	Chrysene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽¹⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽²⁾
37	Cyanide	Distillation, Colorimetric Method ⁽¹⁾
38	2,4-D	Liquid-Liquid Extraction, Gas Chromatographic Method ⁽¹⁾
39	DDT	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽¹⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽²⁾
40	DDE	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽¹⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽²⁾
41	DDT	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽¹⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽²⁾

42 Dibenz[a,h]anthracene...

ลำดับ	สารเคมี	วิธีการตรวจ
42	Dibenz[a,h]anthracene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽¹⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽²⁾
43	Di-n-butyl phthalate	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
44	1,2-Dichlorobenzene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
45	1,3-Dichlorobenzene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
46	1,4-Dichlorobenzene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
47	3,3'-Dichlorobenzidine	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
48	1,1-Dichloroethane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
49	1,2-Dichloroethane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
50	1,1-Dichloroethylene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
51	cis-1,2-Dichloroethylene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
52	trans-1,2-Dichloroethylene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
53	2,6-Dichlorophenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
54	1,2-Dichloropropane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
55	1,3-Dichloropropane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
56	1,3-Dichloropropene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
57	Dieldrin	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽¹⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽²⁾

58 Diethyl phthalate...

ลำดับ	สารเคมี	วิธีการตรวจ
58	Diethyl phthalate	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽²⁾
59	2,4-Dimethylphenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽²⁾
60	2,4-Dinitrophenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽²⁾
61	2,4-Dinitrotoluene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽²⁾
62	2,6-Dinitrotoluene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽²⁾
63	Di-n-Octyl phthalate	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
64	Endosulfan	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽¹⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽²⁾
65	Endrin	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽¹⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽²⁾
66	Ethylbenzene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
67	Fluoranthene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽¹⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽²⁾
68	Fluorene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽¹⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽²⁾
69	Heptachlor	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽¹⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽²⁾

70 Heptachlor epoxide...

ลำดับ	สารเคมี	วิธีการตรวจ
70	Heptachlor epoxide	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽¹⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽²⁾
71	Hexachlorobenzene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
72	Hexachloro-1,3-butadiene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
73	n-Hexane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
74	α -HCH	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽¹⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽²⁾
75	β -HCH	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽¹⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽²⁾
76	γ -HCH	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽¹⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽²⁾
77	Hexachlorocyclopentadiene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
78	Hexachloroethane	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
79	Indeno[1,2,3-cd]pyrene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
80	Isochlorone	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
81	Lead	1) Digestion, Direct Air-Acetylene Flame Method ⁽¹⁾ 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ⁽²⁾ 3) Digestion, Inductively Coupled Plasma Method ⁽³⁾

82 Manganese...

ลำดับ	สารเคมี	วิธีการตรวจ
82	Manganese	1) Digestion, Direct Air-Acetylene Flame Method ⁽¹⁾ 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ⁽²⁾ 3) Digestion, Inductively Coupled Plasma Method ⁽³⁾
83	Mercury	Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ⁽¹⁾
84	Methanol	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
85	Methoxychlor	Liquid-Liquid Extraction, Gas Chromatographic Method ⁽¹⁾
86	Methyl bromide	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
87	Methylene chloride	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
88	2-Methylphenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
89	2-Methylnaphthalene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽¹⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽²⁾
90	Methyl tert-butyl ether	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
91	Naphthalene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽¹⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽²⁾
92	Nickel	1) Digestion, Direct Air-Acetylene Flame Method ⁽¹⁾ 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ⁽²⁾ 3) Digestion, Inductively Coupled Plasma Method ⁽³⁾
93	Nitrobenzene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
94	N-Nitrosodiphenylamine	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
95	N-Nitrosodipropylamine	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾

96 Polychlorinated Biphenyls...

ลำดับ	สารเคมี	วิธีการตรวจ
96	Polychlorinated Biphenyls - PCB 1236 - PCB 1221 - PCB 1232 - PCB 1242 - PCB 1248 - PCB 1254 - PCB 1260	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽¹⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽²⁾
97	Pentachlorophenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
98	pH	Electrometric Method ⁽¹⁾
99	Phenanthrene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽¹⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽²⁾
100	Phenol	1) Distillation, Chloroform Extraction Method ⁽¹⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽²⁾
101	Pyrene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽¹⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽²⁾
102	Selenium	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ⁽¹⁾ 2) Digestion, Inductively Coupled Plasma Method ⁽²⁾ 3) Digestion, Inductively Coupled Plasma Method ⁽³⁾
103	Silver	Digestion, Inductively Coupled Plasma Method ⁽¹⁾
104	Styrene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
105	1,1,2-Trichloroethane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
106	Tetrachloroethylene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
107	Toluene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾

108 Toxaphene...

ลำดับ	สารเคมี	วิธีการตรวจ
108	Toxaphene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽¹⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽²⁾
109	TPH (C ₈ - C ₉)	1) Purge and Trap, Gas Chromatographic Method ⁽¹⁾⁽²⁾ 2) Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ⁽³⁾⁽⁴⁾
110	TPH (C ₁₀ - C ₁₃)	Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ⁽¹⁾⁽²⁾
111	TPH (C ₁₄ - C ₁₇)	Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ⁽¹⁾⁽²⁾
112	1,24-Trichlorobenzene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
113	1,1,1-Trichloroethane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
114	1,1,2-Trichloroethane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
115	Trichloroethylene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
116	2,4,5-Trichlorophenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
117	2,4,6-Trichlorophenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
118	1,3,5-Trimethylbenzene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
119	Vanadium	Digestion, Inductively Coupled Plasma Method ⁽²⁾
120	Vinyl acetate	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
121	Vinyl chloride	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
122	m-Xylene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
123	o-Xylene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾

124 p-Xylene...

ลำดับ	สารเคมี	วิธีการตรวจ
124	p-Xylene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
125	Xylene (Total)	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
126	Zinc	1) Digestion, Direct Air-Acetylene Flame Method ⁽¹⁾ 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ⁽²⁾ 3) Digestion, Inductively Coupled Plasma Method ⁽³⁾

ตารางสืบ (ไม่ต่อเนื่อง) จำนวน 25 รายการ

ลำดับ	สารเคมี	วิธีการตรวจ
1	Antimony	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ⁽¹⁾
2	Arsenic	1) Isokinetic Sampling, Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ⁽¹⁾ 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ⁽²⁾
3	Cadmium	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method ⁽¹⁾ 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ⁽²⁾
4	Carbon Monoxide	Instrumental Analyzer Method ⁽¹⁾
5	Chlorine	Isokinetic Sampling, Ion Chromatographic Method ⁽¹⁾
6	Chromium	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method ⁽¹⁾ 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ⁽²⁾
7	Cobalt	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ⁽¹⁾
8	Copper	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method ⁽¹⁾ 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ⁽²⁾
9	Curol	Absorption Sampling, Gas Chromatographic Method ⁽¹⁾

10 Dioxins/Furans...

ลำดับ	สารเคมี	วิธีการตรวจ
10	Dioxins/Furans	Isokinetic Sampling ⁽¹⁾
11	Hydrogen Chloride	Isokinetic Sampling, Ion Chromatographic Method ⁽¹⁾
12	Hydrogen Fluoride	Isokinetic Sampling, Ion Chromatographic Method ⁽¹⁾
13	Hydrogen Sulfide	Absorption Sampling, Iodometric Method ⁽¹⁾
14	Lead	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method ⁽¹⁾ 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ⁽²⁾
15	Manganese	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method ⁽¹⁾ 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ⁽²⁾
16	Mercury	Isokinetic Sampling, Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ⁽¹⁾
17	Nickel	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method ⁽¹⁾ 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ⁽²⁾
18	Opacity	Ringbmann's Method ⁽¹⁾
19	Oxides of Nitrogen	1) Absorption Sampling, Phenolphthalein acid Method ⁽¹⁾ 2) Instrumental Analyzer Method ⁽²⁾
20	Selenium	1) Isokinetic Sampling, Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ⁽¹⁾ 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ⁽²⁾
21	Sulfur Dioxide	1) Absorption Sampling, Barium-Thion Titrimetric Method ⁽¹⁾ 2) Instrumental Analyzer Method ⁽²⁾
22	Sulfuric Acid	Isokinetic Sampling, Barium-Thion Titrimetric Method ⁽¹⁾
23	Total Suspended Particulate	Isokinetic Sampling, Gravimetric Method ⁽¹⁾
24	Vanadium	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ⁽¹⁾
25	Xylene	1) Bag Sampling, Gas Chromatographic Method ⁽¹⁾ 2) Absorption Sampling, Gas Chromatographic Method ⁽²⁾

11 Dioxins...

สิ่งปลูกสร้างวัตถุไม่เป็นอันตราย 35 รายการ

ลำดับ	สารเคมี	วิธีการตรวจ
1	Aldrin	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ⁽²⁾⁽²²⁾ 2) Ultrasonic Extraction, Gas Chromatographic Method ⁽²⁾⁽²²⁾
2	Antimony	Digestion, Inductively Coupled Plasma Method ⁽²⁾⁽¹⁸⁾
3	Arsenic	1) Waste Extraction, Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ⁽²⁾⁽²³⁾ 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ⁽²⁾⁽²³⁾ 3) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ⁽²⁾⁽¹⁸⁾ 4) Digestion, Inductively Coupled Plasma Method ⁽²⁾⁽¹⁸⁾
4	Barium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ⁽²⁾⁽¹⁸⁾ 2) Digestion, Inductively Coupled Plasma Method ⁽²⁾⁽¹⁸⁾
5	Beryllium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ⁽²⁾⁽²³⁾ 2) Digestion, Inductively Coupled Plasma Method ⁽²⁾⁽¹⁸⁾
6	Cadmium	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method ⁽²⁾⁽¹⁸⁾ 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ⁽²⁾⁽¹⁸⁾ 3) Digestion, Flame Atomic Absorption Spectrometric Method ⁽²⁾⁽¹⁸⁾ 4) Digestion, Inductively Coupled Plasma Method ⁽²⁾⁽¹⁸⁾
7	Chlordane	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ⁽²⁾⁽²²⁾ 2) Ultrasonic Extraction, Gas Chromatographic Method ⁽²⁾⁽²²⁾
8	Chromium	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method ⁽²⁾⁽¹⁸⁾ 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ⁽²⁾⁽¹⁸⁾

3) Digestion...

สารเคมี

ลำดับ	สารเคมี	วิธีการตรวจ
9	Chromium (III)	3) Digestion, Flame Atomic Absorption Spectrometric Method ⁽²⁾⁽¹⁸⁾ 4) Digestion, Inductively Coupled Plasma Method ⁽²⁾⁽¹⁸⁾ 1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method; Waste Extraction, Colorimetric Method; Calculation ⁽²⁾⁽¹⁸⁾⁽¹⁹⁾ 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method; Waste Extraction, Colorimetric Method; Calculation ⁽²⁾⁽¹⁸⁾⁽¹⁹⁾ 3) Digestion, Flame Atomic Absorption Spectrometric Method; Alkaline Digestion, Colorimetric Method; Calculation ⁽²⁾⁽¹⁸⁾⁽¹⁹⁾ 4) Digestion, Inductively Coupled Plasma Method; Alkaline Digestion, Colorimetric Method; Calculation ⁽²⁾⁽¹⁸⁾⁽¹⁹⁾
10	Chromium (VI)	1) Waste Extraction, Colorimetric Method ⁽²⁾⁽¹⁸⁾ 2) Alkaline Digestion, Colorimetric Method ⁽²⁾⁽¹⁸⁾
11	Cobalt	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ⁽²⁾⁽¹⁸⁾ 2) Digestion, Inductively Coupled Plasma Method ⁽²⁾⁽¹⁸⁾
12	Copper	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method ⁽²⁾⁽¹⁸⁾ 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ⁽²⁾⁽¹⁸⁾ 3) Digestion, Flame Atomic Absorption Spectrometric Method ⁽²⁾⁽¹⁸⁾ 4) Digestion, Inductively Coupled Plasma Method ⁽²⁾⁽¹⁸⁾
13	2,4-D	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ⁽²⁾⁽²²⁾ 2) Ultrasonic Extraction, Gas Chromatographic Method ⁽²⁾⁽²²⁾
14	DDO	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ⁽²⁾⁽²²⁾ 2) Ultrasonic Extraction, Gas Chromatographic Method ⁽²⁾⁽²²⁾

15 DDE...

ลำดับ	สารเคมี	วิธีการตรวจ
15	DDE	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ⁽²⁾⁽²²⁾ 2) Ultrasonic Extraction, Gas Chromatographic Method ⁽²⁾⁽²²⁾
16	DDT	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ⁽²⁾⁽²²⁾ 2) Ultrasonic Extraction, Gas Chromatographic Method ⁽²⁾⁽²²⁾
17	Dieldrin	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ⁽²⁾⁽²²⁾ 2) Ultrasonic Extraction, Gas Chromatographic Method ⁽²⁾⁽²²⁾
18	Endrin	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ⁽²⁾⁽²²⁾ 2) Ultrasonic Extraction, Gas Chromatographic Method ⁽²⁾⁽²²⁾
19	Heptachlor	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ⁽²⁾⁽²²⁾ 2) Ultrasonic Extraction, Gas Chromatographic Method ⁽²⁾⁽²²⁾
20	Lead	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method ⁽²⁾⁽¹⁸⁾ 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ⁽²⁾⁽¹⁸⁾ 3) Digestion, Flame Atomic Absorption Spectrometric Method ⁽²⁾⁽¹⁸⁾ 4) Digestion, Inductively Coupled Plasma Method ⁽²⁾⁽¹⁸⁾
21	Lindane	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ⁽²⁾⁽²²⁾ 2) Ultrasonic Extraction, Gas Chromatographic Method ⁽²⁾⁽²²⁾
22	Mercury	1) Waste Extraction, Digestion, Cold Vapor Atomic Absorption Spectrometric Method ⁽²⁾⁽¹⁸⁾ 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ⁽²⁾⁽¹⁸⁾

3) Digestion...

สารเคมี

ลำดับ	สารเคมี	วิธีการตรวจ
23	Methoxychlor	3) Digestion, Cold Vapor Atomic Absorption Spectrometric Method ⁽²⁾⁽¹⁸⁾ 4) Digestion, Inductively Coupled Plasma Method ⁽²⁾⁽¹⁸⁾ 5) Thermal Decomposition Amalgamation and Atomic Absorption Spectrometric Method ⁽²⁾⁽¹⁸⁾
24	Molybdenum	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ⁽²⁾⁽²²⁾ 2) Ultrasonic Extraction, Gas Chromatographic Method ⁽²⁾⁽²²⁾
25	Nickel	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ⁽²⁾⁽¹⁸⁾ 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ⁽²⁾⁽¹⁸⁾
26	Polychlorinated Biphenyls - Aroclor 1016 - Aroclor 1221 - Aroclor 1237 - Aroclor 1242 - Aroclor 1248 - Aroclor 1254 - Aroclor 1260 - 2-Chlorobiphenyl - 2,3-Dichlorobiphenyl - 2,2',5'-Trichlorobiphenyl - 2,4',5'-Trichlorobiphenyl - 2,2',3,5'-Tetrachlorobiphenyl - 2,2',5,5'-Tetrachlorobiphenyl - 2,3',4,4'-Tetrachlorobiphenyl - 2,2',3,4,5'-Pentachlorobiphenyl	3) Digestion, Flame Atomic Absorption Spectrometric Method ⁽²⁾⁽¹⁸⁾ 4) Digestion, Inductively Coupled Plasma Method ⁽²⁾⁽¹⁸⁾ 1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ⁽²⁾⁽²²⁾ 2) Ultrasonic Extraction, Gas Chromatographic Method ⁽²⁾⁽²²⁾ 3) Digestion, Cold Vapor Atomic Absorption Spectrometric Method ⁽²⁾⁽¹⁸⁾

- 2,2',4,5,5'...

ลำดับ	สารเคมี	วิธีการตรวจ
31	Chloroborn	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(13,15)
32	2-Chlorophenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(13,16)
33	Chromium	1) Digestion, Flame Atomic Absorption Spectrometric Method ^(17,18) 2) Digestion, Inductively Coupled Plasma Method ^(1,13)
34	Chromium (III)	1) Digestion, Flame Atomic Absorption Spectrometric Method; Alkaline Digestion, Colorimetric Method; Calculation ^(19,20,21) 2) Digestion, Inductively Coupled Plasma Method; Alkaline Digestion, Colorimetric Method; Calculation ^(1,13,16)
35	Chromium (VI)	Alkaline Digestion, Colorimetric Method ^(13,16)
36	Chrysene	1) Ultrasonic Extraction, Gas Chromatographic Method ^(13,22) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(13,23)
37	Cyanide	Extraction, Distillation, Colorimetric Method ^(24,25,26)
38	2,4-D	Ultrasonic Extraction, Gas Chromatographic Method ⁽²⁷⁾
39	DDD	1) Ultrasonic Extraction, Gas Chromatographic Method ^(13,28) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(13,29)
40	DDE	1) Ultrasonic Extraction, Gas Chromatographic Method ^(13,30) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(13,31)
41	DDT	1) Ultrasonic Extraction, Gas Chromatographic Method ^(13,32) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(13,33)
42	Dibenz[a,h]anthracene	1) Ultrasonic Extraction, Gas Chromatographic Method ^(13,34) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(13,35)

43 Di-n-butyl phthalate...

ลำดับ	สารเคมี	วิธีการตรวจ
43	Di-n-butyl phthalate	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(13,36)
44	1,2-Dichlorobenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(13,37)
45	1,3-Dichlorobenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(13,38)
46	1,4-Dichlorobenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(13,39)
47	3,3'-Dichlorobenzidine	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(13,40)
48	1,1-Dichloroethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(13,41)
49	1,2-Dichloroethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(13,42)
50	1,1-Dichloroethylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(13,43)
51	Cis-1,2-Dichloroethylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(13,44)
52	trans-1,2-Dichloroethylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(13,45)
53	2,4-Dichlorophenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(13,46)
54	1,2-Dichloropropane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(13,47)
55	1,3-Dichloropropane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(13,48)
56	1,3-Dichloropropene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(13,49)
57	Dieldrin	1) Ultrasonic Extraction, Gas Chromatographic Method ^(13,50) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(13,51)
58	Diethyl phthalate	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(13,52)
59	2,6-Dimethylphenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(13,53)

60 2,4-Dinitrophenol...

ลำดับ	สารเคมี	วิธีการตรวจ
60	2,6-Dinitrophenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(13,54)
61	2,6-Dinitrotoluene	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(13,55)
62	2,6-Dinitrotoluene	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(13,56)
63	Di-n-Octyl phthalate	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(13,57)
64	Endosulfan	1) Ultrasonic Extraction, Gas Chromatographic Method ^(13,58) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(13,59)
65	Endrin	1) Ultrasonic Extraction, Gas Chromatographic Method ^(13,60) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(13,61)
66	ethylbenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(13,62)
67	Fluoranthene	1) Ultrasonic Extraction, Gas Chromatographic Method ^(13,63) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(13,64)
68	Fluorene	1) Ultrasonic Extraction, Gas Chromatographic Method ^(13,65) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(13,66)
69	Heptachlor	1) Ultrasonic Extraction, Gas Chromatographic Method ^(13,67) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(13,68)
70	Heptachlor epoxide	1) Ultrasonic Extraction, Gas Chromatographic Method ^(13,69) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(13,70)

71 Hexachlorobenzene...

ลำดับ	สารเคมี	วิธีการตรวจ
71	Hexachlorobenzene	1) Ultrasonic Extraction, Gas Chromatographic Method ^(13,71) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(13,72)
72	Hexachloro-1,3-butadiene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(13,73)
73	n-Hexene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(13,74)
74	α -HCH	1) Ultrasonic Extraction, Gas Chromatographic Method ^(13,75) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(13,76)
75	β -HCH	1) Ultrasonic Extraction, Gas Chromatographic Method ^(13,77) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(13,78)
76	γ -HCH	1) Ultrasonic Extraction, Gas Chromatographic Method ^(13,79) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(13,80)
77	Hexachlorocyclopentadiene	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(13,81)
78	Hexachloroethane	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(13,82)
79	Indeno[1,2,3-c]pyrene	1) Ultrasonic Extraction, Gas Chromatographic Method ^(13,83) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(13,84)
80	Isophorone	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(13,85)
81	Lead	1) Digestion, Flame Atomic Absorption Spectrometric Method ^(13,86) 2) Digestion, Inductively Coupled Plasma Method ^(13,87)
82	Manganese	1) Digestion, Flame Atomic Absorption Spectrometric Method ^(13,88) 2) Digestion, Inductively Coupled Plasma Method ^(13,89)

83 Mercury...

ลำดับ	สารเคมี	วิธีการตรวจ
83	Mercury	1) Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^(7,13) 2) Digestion, Inductively Coupled Plasma Method ^(7,13) 3) Thermal Decomposition Amalgamation and Atomic Absorption Spectrometric Method ⁽⁴¹⁾
84	Methanol	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,21)
85	Methoxychlor	1) Ultrasonic Extraction, Gas Chromatographic Method ^(13,20) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(13,20)
86	Methyl bromide	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,21)
87	Methylene chloride	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,21)
88	2-Methylphenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(13,20)
89	2-Methylnaphthalene	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(13,20)
90	Methyl tert-butyl ether	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,21)
91	Naphthalene	1) Ultrasonic Extraction, Gas Chromatographic Method ^(13,20) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(13,20)
92	Nickel	1) Digestion, Flame Atomic Absorption Spectrometric Method ^(7,14) 2) Digestion, Inductively Coupled Plasma Method ^(1,13)
93	Nitrobenzene	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(13,20)
94	N-Nitrosodiphenylamine	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(13,20)
95	N-Nitrosodi-n-propylamine	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(13,20)

96 Polychlorinated Biphenyls...

ลำดับ	สารเคมี	วิธีการตรวจ
96	Polychlorinated Biphenyls - Aroclor 1016 - Aroclor 1221 - Aroclor 1230 - Aroclor 1248 - Aroclor 1254 - Aroclor 1260 Polychlorinated Biphenyls - 2-Chlorobiphenyl - 2,3-Dichlorobiphenyl - 2,2',3'-Trichlorobiphenyl - 2,3',5'-Trichlorobiphenyl - 2,2',3,5'-Tetrachlorobiphenyl - 2,2',3,5'-Tetrachlorobiphenyl - 2,3',4,4'-Tetrachlorobiphenyl - 2,2',3,4,5'-Pentachlorobiphenyl - 2,2',4,5,5'-Pentachlorobiphenyl - 2,3,3',4,4'-Pentachlorobiphenyl - 2,2',3,4,4',5'-Hexachlorobiphenyl - 2,2',3,4,4',5'-Hexachlorobiphenyl - 2,2',3,5,5',6'-Hexachlorobiphenyl - 2,2',4,4',5,5'-Hexachlorobiphenyl - 2,2',3,3',4,4',5'-Heptachlorobiphenyl - 2,2',3,4,4',5,5'-Heptachlorobiphenyl - 2,2',3,4,4',5,5',6'-Heptachlorobiphenyl	1) Ultrasonic Extraction, Gas Chromatographic Method ^(13,20) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(13,20) Ultrasonic Extraction, Gas Chromatographic Method ^(13,20) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(13,20)

- 2,2',3,4',5,5',6...

ลำดับ	สารเคมี	วิธีการตรวจ
97	- 2,2',3,4',5,5',6'-Heptachlorobiphenyl - 2,2',3,3',4,4',5,5',6'-Nonachlorobiphenyl Pentachlorophenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(13,20)
98	Phenanthrene	1) Ultrasonic Extraction, Gas Chromatographic Method ^(13,20) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(13,20)
99	Phenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(13,20)
100	Pyrene	1) Ultrasonic Extraction, Gas Chromatographic Method ^(13,20) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(13,20)
101	Selenium	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^(7,12) 2) Digestion, Inductively Coupled Plasma Method ^(1,13)
102	Silver	Digestion, Inductively Coupled Plasma Method ^(7,13)
103	Styrene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,21)
104	1,1,1,2-Tetrachloroethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,21)
105	Tetrachloroethylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,21)
106	Toluene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,21)
107	Toxaphene	Ultrasonic Extraction, Gas Chromatographic Method ^(13,20)
108	TPH (C ₁₀ -C ₁₉)	1) Purge and Trap, Gas Chromatographic Method ^(12,21) 2) Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,21)
109	TPH (C ₁₀ -C ₁₉)	Ultrasonic Extraction, Gas Chromatographic Method ^(13,20)
110	TPH (C ₁₀ -C ₁₉)	Ultrasonic Extraction, Gas Chromatographic Method ^(13,20)
111	1,2,4-Trichlorobenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,21)

112 1,1,1-Trichloroethane...

ลำดับ	สารเคมี	วิธีการตรวจ
112	1,1,1-Trichloroethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,21)
113	1,1,2-Trichloroethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,21)
114	Trichloroethylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,21)
115	2,4,5-Trichlorophenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(13,20)
116	2,4,6-Trichlorophenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(13,20)
117	1,3,5-Trimethylbenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,21)
118	Vanadium	Digestion, Inductively Coupled Plasma Method ^(1,13)
119	Vinyl acetate	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,21)
120	Vinyl chloride	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,21)
121	m-Xylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,21)
122	p-Xylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,21)
123	p-Xylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,21)
124	Xylene (Total)	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(12,21)
125	Zinc	1) Digestion, Flame Atomic Absorption Spectrometric Method ^(7,14) 2) Digestion, Inductively Coupled Plasma Method ^(1,13)

เอกสารอ้างอิง

- กรมควบคุมมลพิษ. ประกาศกระทรวงอุตสาหกรรม, พ.ศ. 2545. เรื่อง กำหนดค่าปริมาณสารพิษที่อันตรายในอากาศที่อนุญาตให้มีอยู่ได้ในพื้นที่ชุมชนเป็นเขตเสี่ยง. ราชกิจจานุเบกษา, 4 ธันวาคม 2549, เล่มที่ 123 ตอนพิเศษ 125 ก.
- กรมควบคุมมลพิษ. ประกาศกระทรวงอุตสาหกรรม, พ.ศ. 2548. เรื่อง กำหนดวิธีปฏิบัติวิธีวัดค่ามลพิษในอากาศ. ราชกิจจานุเบกษา, 25 มกราคม 2548, เล่มที่ 122 ตอนพิเศษ 11 ก.

3. สมาคมวิศวกรที่งานวิเคราะห์สิ่งแวดล้อมแห่งประเทศไทย. คู่มือวิเคราะห์น้ำเสีย. พิมพ์ครั้งที่ 4. กรุงเทพมหานคร: เอ็นพีการพิมพ์, 2547.
4. APHA, AWWA, WEF. *Standard Methods for the Examination of Water and Wastewater*. 23rd ed. Washington, DC: APHA, 2017.
5. United States Environmental Protection Agency. *Standards of Performance for New Stationary Sources*. 40 CFR 60, Appendix A, 2019.
6. United States Environmental Protection Agency. *Test Methods for Evaluation Solid Waste Physical/Chemical Methods*. SW-846, 1997.
7. United States Environmental Protection Agency. *Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Acid Digestion of Sediments, Sludges, and Soils*. SW-846 Method 3050B, 1996.
8. United States Environmental Protection Agency. *Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Alkaline Digestion for Hexavalent Chromium*. SW-846 Method 3060A, 1996.
9. United States Environmental Protection Agency. *Test Methods for Evaluation Solid Waste 3. Physical/Chemical Methods. Separatory Funnel Liquid-Liquid Extraction*. SW-846 Method 3510C, 1996.
10. United States Environmental Protection Agency. *Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Ultrasonic Extraction*. SW-846 Method 3550C, 2007.
11. United States Environmental Protection Agency. *Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Purge and Trap for Aqueous Samples*. SW-846 Method 5030C, 2003.
12. United States Environmental Protection Agency. *Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Closed System Purge and Trap and Extraction for Volatile Organics in Soil and Waste Sample*. SW-846 Method 5035A, 2000.
13. United States Environmental Protection Agency. *Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Inductively Coupled Plasma-Optical Emission Spectrometry*. SW-846 Method 6010D, 2014.
14. United States Environmental Protection Agency. *Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Flame Atomic Absorption Spectrophotometry*. SW-846 Method 7000B, 2007.
15. United States Environmental Protection Agency. *Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Arsenic (Atomic Absorption, Gaseous Hydride)*. SW-846 Method 7061A, 1992.

16. United States...

16. United States Environmental Protection Agency. *Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Chromium, Hexavalent (Colorimetric)*. SW-846 Method 7196A, 1992.
17. United States Environmental Protection Agency. *Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Mercury in Liquid Waste (Manual Cold Vapor Technique)*. SW-846 Method 7470A, 1994.
18. United States Environmental Protection Agency. *Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Mercury in Solid or Semisolid Waste (Manual Cold-Vapor Technique)*. SW-846 Method 7471B, 1998.
19. United States Environmental Protection Agency. *Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Mercury in Solids and Solutions by Thermal Desorption, Amalgamation, and Atomic Absorption Spectrophotometry*. SW-846 Method 7473, 2007.
20. United States Environmental Protection Agency. *Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Selenium (Atomic Absorption, Borohydride Reduction)*. SW-846 Method 7742, 1996.
21. United States Environmental Protection Agency. *Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Nonhalogenated Organics Using GC/FID*. SW-846 Method 8015D, 2003.
22. United States Environmental Protection Agency. *Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Organochlorine Pesticides by Gas Chromatography*. SW-846 Method 8081B, 2007.
23. United States Environmental Protection Agency. *Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Polychlorinated Biphenyls (PCBs) by Gas Chromatography*. SW-846 Method 8082A, 2007.
24. United States Environmental Protection Agency. *Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Polynuclear Aromatic Hydrocarbons*. SW-846 Method 8100, 1980.
25. United States Environmental Protection Agency. *Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry*. SW-846 Method 8260D, 2018.
26. United States Environmental Protection Agency. *Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Semivolatile Organic Compounds by Gas Chromatography/Mass Spectrometry*. SW-846 Method 8270E, 2018.
27. United States Environmental Protection Agency. *Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Chlorinated Herbicides by GC Using Methylation or Pentafluorobenzoylation Derivatization*. SW-846 Method 8151A, 1992.

28. United States...

28. United States Environmental Protection Agency. *Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Total and Amenable Cyanide : Distillation*. SW-846 Method 9010C, 2001.
29. United States Environmental Protection Agency. *Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Cyanide Extraction Procedure for Solids and Oils*. SW-846 Method 9013A, 2014.
30. United States Environmental Protection Agency. *Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Cyanide in Waters and Extracts using Titrimetric and Manual Spectrophotometric Procedures*. SW-846 Method 9014, 2014.
31. United States Environmental Protection Agency. *Test Methods for Evaluation Solid Waste Physical/Chemical Methods. pH Electrometric Measurement*. SW-846 Method 9040C, 2004.
32. United States Environmental Protection Agency. *Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Soil and Waste pH*. SW-846 Method 9045D, 2014.



ภาคผนวก จ-2

บริษัท ดี.เอ. รีเซิร์ช เซ็นเตอร์ จำกัด



Certificate of Calibration

Certificate No.: C01243398

Page: 2 of 2

Equipment: Balance
Model: BSA224S-CW
Serial No. (or ID.): 34490341
Manufacturer: Sartorius
Condition: In condition

Certificate No.: C01243398
Issued Date: 06 November 2024
Job No.: WO-00047130
Page: 1 of 2

Customer: Integrated Research Center Co., Ltd.
122 Moo 2, Tambol Thaloem,
Amphur Srimahaphot, Prachinburi 25140 Thailand

Environment Condition: Temperature 24 °C ± 0.4 °C
Humidity 60 %RH ± 3.3 %RH

Calibration Place: Double A (1991) Public Company Limited.
(Water Laboratory IP1 (Balance Room))
1 Moo 2, Thaloem, Srimahaphot,
Prachinburi 25140 Thailand.

Calibration By: Mr. Piypat Saidoung

Calibration Date: 30 October 2024

The Method used: In-house method, CAL-WI-47, based on UKAS Lab 14

Traceability: This certificate is traceable to the SI Units maintained by National Institute of Metrology (NIMT), Thailand through DKSH Technology Co., Ltd. Certificate No. C02231944

Calibration Results:

Without Adjustment

Eccentric Error: Weight to be 1/3 or 1/2 of Maximum capacity, taken from the center of the pan as a zero reference.

Nominal Test Value		100 (g)				
		Reference Points (g)				
A	B	C	D	E		
-	0.0001	0.0001	-0.0001	-0.0001		

Repeatability: Determination of the standard deviation of weighing balance, Readability 0.0001 (g)

Nominal test value (g)	Standard Deviation
20	0.00004
200	0.00006

Error of indication from nominal or conventional mass value, Readability 0.0001 (g)

Nominal Value (g)	Conventional Mass (g)	Displayed Value (g)	Error of indication (g)	Uncertainty (g)	k
0.1	0.10001	0.1000	0.0000	0.00011	2.04
0.2	0.20001	0.2000	0.0000	0.00011	2.04
0.5	0.50001	0.5000	0.0000	0.00011	2.04
1	1.00001	1.0000	0.0000	0.00011	2.04
2	2.00002	2.0000	0.0000	0.00011	2.04
5	5.00002	5.0000	0.0000	0.00011	2.04
10	10.00001	10.0000	0.0000	0.00011	2.04
20	20.00001	20.0000	0.0000	0.00012	2.03
50	50.00001	50.0000	0.0000	0.00013	2.02
100	100.00003	100.0000	0.0000	0.00017	2.01
200	200.00000	200.0000	0.0000	0.00030	2.00

The End of Certificate

(Mr. Piypat Saidoung)
Person in charge

(Mr. Adisai Maknoi)
Authorized signatory

This certificate is issued for the units of measurement according to the International System of Units (SI). It provides traceability of measurement to international or national standard or other recognized national standard laboratories.
The measurement uncertainty stated in the expanded uncertainty which is obtained from the standard uncertainty multiplied by the coverage factor (k=2) to provide a level of confidence of approximately 95%. It is determined in accordance with the Guide to Expression of Uncertainty in Measurement (GUM).
These results may be affected by deviations from specified conditions. The results relate only to the items tested, calibrated or sampled. The report shall not be reproduced except in full without approval of DKSH Technology Limited.

DKSH Technology Limited
2533 Sukhumvit Road, Bangkok, Thailand 10110
Phone: +66 2650 7000 Email: info@dksh.com Website: www.dksh.com


Delivering Growth - In Asia and Beyond.

CAL-FM-C01-14: 12 Sep 2022

DKSH Technology Limited
2533 Sukhumvit Road, Bangkok, Thailand 10110
Phone: +66 2650 7000 Email: info@dksh.com Website: www.dksh.com

Delivering Growth - In Asia and Beyond.

CAL-FM-C01-14: 12 Sep 2022



ใบตรวจสอบสภาพเครื่องชั่ง

เลขที่ใบงาน: WO-00047130

ชนิดเครื่องชั่ง: Balance

รุ่น: BSA224S-CW

หมายเลขเครื่อง: 34490341

ตรวจสอบ (ใบ)		รายการตรวจสอบ	ตรวจสอบ (ตัว)		หมายเหตุ
30 Oct 2024			30 Oct 2024		
ปกติ	ไม่ปกติ		ปกติ	ไม่ปกติ	
		General			
☒	☐	1. สายไฟ Adapter, power supply 220/110V	☒	☐	
☒	☐	2. ความสมบูรณ์ชุดเครื่องชั่ง (Cover)	☒	☐	
☒	☐	3. การเชื่อมต่อชุดเครื่องชั่ง	☒	☐	
☒	☐	4. การเชื่อมต่อชุดเครื่องชั่ง	☒	☐	
☒	☐	5. การเชื่อมต่อชุดเครื่องชั่ง	☒	☐	
☒	☐	6. การเชื่อมต่อชุดเครื่องชั่ง Display	☒	☐	
☒	☐	7. การเชื่อมต่อชุดเครื่องชั่ง Display หรือจอภาพ	☒	☐	
☒	☐	8. ชุดรองรับเครื่องชั่ง (Support) / pen support	☒	☐	
☒	☐	9. การทำงานของ Function Internal / External	☒	☐	
☒	☐	10. ความสะอาดของพื้นผิวภายในของเครื่องชั่ง load cell	☒	☐	
☒	☐	11. สถานะของเครื่องชั่ง สถานะที่ใช้งานได้	☒	☐	

หมายเหตุเพิ่มเติม (ถ้ามี):

Mr. Piypat Saidoung
Service Engineer

DKSH Technology Limited
2533 Sukhumvit Road, Bangkok, Thailand 10110
Phone: +66 2650 7000 Email: info@dksh.com Website: www.dksh.com

Delivering Growth - In Asia and Beyond.

CALIBRATION CERTIFICATE

Nomenclature : PERSONAL AIR PUMP SAMPLING PUMP CALIBRATION

Manufacturer : MessLabs

Serial No.: 210155

Model : Defender 510

Scale range : 50 ml/min to 5000 ml/min

Subdivision : (0.00001, 0.0001) l/min

Submitted by : INTEGRATED RESEARCH CENTER COMPANY LIMITED.

122 T.Thatoom A.Srimahaphoke,

Prachinburi 25140, Thailand.

Received date : 15 January 2025

Condition of measured item : Normal

Calibration date : 3 February 2025

Standard :	Standard	Certificate No.	Date due	Traceability
	RTD Thermometer	PSL-T 0011/457	3-Jul-26	TISTR
	Pressure Transducer (Up/Down)	MP-0078-23	2-Apr-25	NIMT
	Primary Flow Calibrator S/N 119521	NW-0033-23	6-Jun-25	NIMT

Calibrated by : *Terasak Panna*
(Mr.Terasak Panna)Approved by : *Mekkrasit Luanthinn*
(Ms.Mekkrasit Luanthinn)Director
Mechanical Engineering Standards Laboratory

Ref. 2013268011500202001

Issued Date 5 February 2025

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

PMSL/MTC.002 Rev.5

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. 060 0 2577 9036
Fax. 060 0 2577 9009

Office/Laboratory
668 Mu 2 Tambon Bangpoo, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. 060 0 2325 1672-80 ext. 115, 116
060 08 3219 9410
E-mail : mtc@tistr.or.th Website : www.tistr.or.th

Office
156 Phahonyothin Road, Ladyok, Chatuchak,
Bangkok 10900, Thailand
Tel. 060 0 2579 1121-30 ext. 5215, 5225, 5217
060 08 1889 6827

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. 060 0 2577 9036
Fax. 060 0 2577 9009

Office/Laboratory
668 Mu 2 Tambon Bangpoo, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. 060 0 2325 1672-80 ext. 115, 116
060 08 3219 9410
E-mail : mtc@tistr.or.th Website : www.tistr.or.th

Office
156 Phahonyothin Road, Ladyok, Chatuchak,
Bangkok 10900, Thailand
Tel. 060 0 2579 1121-30 ext. 5215, 5225, 5217
060 08 1889 6827

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

PMSL/MTC.002 Rev.5



JIRANATEE ASSOCIATES CO.,LTD.

Jiranatee Associates Co., Ltd.
66/14-15, 67/10B-18
Pattana 1, 101, 80, 101/10, 101/11, 101/12, 101/13, 101/14, 101/15, 101/16, 101/17, 101/18, 101/19, 101/20, 101/21, 101/22, 101/23, 101/24, 101/25, 101/26, 101/27, 101/28, 101/29, 101/30, 101/31, 101/32, 101/33, 101/34, 101/35, 101/36, 101/37, 101/38, 101/39, 101/40, 101/41, 101/42, 101/43, 101/44, 101/45, 101/46, 101/47, 101/48, 101/49, 101/50, 101/51, 101/52, 101/53, 101/54, 101/55, 101/56, 101/57, 101/58, 101/59, 101/60, 101/61, 101/62, 101/63, 101/64, 101/65, 101/66, 101/67, 101/68, 101/69, 101/70, 101/71, 101/72, 101/73, 101/74, 101/75, 101/76, 101/77, 101/78, 101/79, 101/80, 101/81, 101/82, 101/83, 101/84, 101/85, 101/86, 101/87, 101/88, 101/89, 101/90, 101/91, 101/92, 101/93, 101/94, 101/95, 101/96, 101/97, 101/98, 101/99, 101/100, 101/101, 101/102, 101/103, 101/104, 101/105, 101/106, 101/107, 101/108, 101/109, 101/110, 101/111, 101/112, 101/113, 101/114, 101/115, 101/116, 101/117, 101/118, 101/119, 101/120, 101/121, 101/122, 101/123, 101/124, 101/125, 101/126, 101/127, 101/128, 101/129, 101/130, 101/131, 101/132, 101/133, 101/134, 101/135, 101/136, 101/137, 101/138, 101/139, 101/140, 101/141, 101/142, 101/143, 101/144, 101/145, 101/146, 101/147, 101/148, 101/149, 101/150, 101/151, 101/152, 101/153, 101/154, 101/155, 101/156, 101/157, 101/158, 101/159, 101/160, 101/161, 101/162, 101/163, 101/164, 101/165, 101/166, 101/167, 101/168, 101/169, 101/170, 101/171, 101/172, 101/173, 101/174, 101/175, 101/176, 101/177, 101/178, 101/179, 101/180, 101/181, 101/182, 101/183, 101/184, 101/185, 101/186, 101/187, 101/188, 101/189, 101/190, 101/191, 101/192, 101/193, 101/194, 101/195, 101/196, 101/197, 101/198, 101/199, 101/200, 101/201, 101/202, 101/203, 101/204, 101/205, 101/206, 101/207, 101/208, 101/209, 101/210, 101/211, 101/212, 101/213, 101/214, 101/215, 101/216, 101/217, 101/218, 101/219, 101/220, 101/221, 101/222, 101/223, 101/224, 101/225, 101/226, 101/227, 101/228, 101/229, 101/230, 101/231, 101/232, 101/233, 101/234, 101/235, 101/236, 101/237, 101/238, 101/239, 101/240, 101/241, 101/242, 101/243, 101/244, 101/245, 101/246, 101/247, 101/248, 101/249, 101/250, 101/251, 101/252, 101/253, 101/254, 101/255, 101/256, 101/257, 101/258, 101/259, 101/260, 101/261, 101/262, 101/263, 101/264, 101/265, 101/266, 101/267, 101/268, 101/269, 101/270, 101/271, 101/272, 101/273, 101/274, 101/275, 101/276, 101/277, 101/278, 101/279, 101/280, 101/281, 101/282, 101/283, 101/284, 101/285, 101/286, 101/287, 101/288, 101/289, 101/290, 101/291, 101/292, 101/293, 101/294, 101/295, 101/296, 101/297, 101/298, 101/299, 101/300, 101/301, 101/302, 101/303, 101/304, 101/305, 101/306, 101/307, 101/308, 101/309, 101/310, 101/311, 101/312, 101/313, 101/314, 101/315, 101/316, 101/317, 101/318, 101/319, 101/320, 101/321, 101/322, 101/323, 101/324, 101/325, 101/326, 101/327, 101/328, 101/329, 101/330, 101/331, 101/332, 101/333, 101/334, 101/335, 101/336, 101/337, 101/338, 101/339, 101/340, 101/341, 101/342, 101/343, 101/344, 101/345, 101/346, 101/347, 101/348, 101/349, 101/350, 101/351, 101/352, 101/353, 101/354, 101/355, 101/356, 101/357, 101/358, 101/359, 101/360, 101/361, 101/362, 101/363, 101/364, 101/365, 101/366, 101/367, 101/368, 101/369, 101/370, 101/371, 101/372, 101/373, 101/374, 101/375, 101/376, 101/377, 101/378, 101/379, 101/380, 101/381, 101/382, 101/383, 101/384, 101/385, 101/386, 101/387, 101/388, 101/389, 101/390, 101/391, 101/392, 101/393, 101/394, 101/395, 101/396, 101/397, 101/398, 101/399, 101/400, 101/401, 101/402, 101/403, 101/404, 101/405, 101/406, 101/407, 101/408, 101/409, 101/410, 101/411, 101/412, 101/413, 101/414, 101/415, 101/416, 101/417, 101/418, 101/419, 101/420, 101/421, 101/422, 101/423, 101/424, 101/425, 101/426, 101/427, 101/428, 101/429, 101/430, 101/431, 101/432, 101/433, 101/434, 101/435, 101/436, 101/437, 101/438, 101/439, 101/440, 101/441, 101/442, 101/443, 101/444, 101/445, 101/446, 101/447, 101/448, 101/449, 101/450, 101/451, 101/452, 101/453, 101/454, 101/455, 101/456, 101/457, 101/458, 101/459, 101/460, 101/461, 101/462, 101/463, 101/464, 101/465, 101/466, 101/467, 101/468, 101/469, 101/470, 101/471, 101/472, 101/473, 101/474, 101/475, 101/476, 101/477, 101/478, 101/479, 101/480, 101/481, 101/482, 101/483, 101/484, 101/485, 101/486, 101/487, 101/488, 101/489, 101/490, 101/491, 101/492, 101/493, 101/494, 101/495, 101/496, 101/497, 101/498, 101/499, 101/500, 101/501, 101/502, 101/503, 101/504, 101/505, 101/506, 101/507, 101/508, 101/509, 101/510, 101/511, 101/512, 101/513, 101/514, 101/515, 101/516, 101/517, 101/518, 101/519, 101/520, 101/521, 101/522, 101/523, 101/524, 101/525, 101/526, 101/527, 101/528, 101/529, 101/530, 101/531, 101/532, 101/533, 101/534, 101/535, 101/536, 101/537, 101/538, 101/539, 101/540, 101/541, 101/542, 101/543, 101/544, 101/545, 101/546, 101/547, 101/548, 101/549, 101/550, 101/551, 101/552, 101/553, 101/554, 101/555, 101/556, 101/557, 101/558, 101/559, 101/560, 101/561, 101/562, 101/563, 101/564, 101/565, 101/566, 101/567, 101/568, 101/569, 101/570, 101/571, 101/572, 101/573, 101/574, 101/575, 101/576, 101/577, 101/578, 101/579, 101/580, 101/581, 101/582, 101/583, 101/584, 101/585, 101/586, 101/587, 101/588, 101/589, 101/590, 101/591, 101/592, 101/593, 101/594, 101/595, 101/596, 101/597, 101/598, 101/599, 101/600, 101/601, 101/602, 101/603, 101/604, 101/605, 101/606, 101/607, 101/608, 101/609, 101/610, 101/611, 101/612, 101/613, 101/614, 101/615, 101/616, 101/617, 101/618, 101/619, 101/620, 101/621, 101/622, 101/623, 101/624, 101/625, 101/626, 101/627, 101/628, 101/629, 101/630, 101/631, 101/632, 101/633, 101/634, 101/635, 101/636, 101/637, 101/638, 101/639, 101/640, 101/641, 101/642, 101/643, 101/644, 101/645, 101/646, 101/647, 101/648, 101/649, 101/650, 101/651, 101/652, 101/653, 101/654, 101/655, 101/656, 101/657, 101/658, 101/659, 101/660, 101/661, 101/662, 101/663, 101/664, 101/665, 101/666, 101/667, 101/668, 101/669, 101/670, 101/671, 101/672, 101/673, 101/674, 101/675, 101/676, 101/677, 101/678, 101/679, 101/680, 101/681, 101/682, 101/683, 101/684, 101/685, 101/686, 101/687, 101/688, 101/689, 101/690, 101/691, 101/692, 101/693, 101/694, 101/695, 101/696, 101/697, 101/698, 101/699, 101/700, 101/701, 101/702, 101/703, 101/704, 101/705, 101/706, 101/707, 101/708, 101/709, 101/710, 101/711, 101/712, 101/713, 101/714, 101/715, 101/716, 101/717, 101/718, 101/719, 101/720, 101/721, 101/722, 101/723, 101/724, 101/725, 101/726, 101/727, 101/728, 101/729, 101/730, 101/731, 101/732, 101/733, 101/734, 101/735, 101/736, 101/737, 101/738, 101/739, 101/740, 101/741, 101/742, 101/743, 101/744, 101/745, 101/746, 101/747, 101/748, 101/749, 101/750, 101/751, 101/752, 101/753, 101/754, 101/755, 101/756, 101/757, 101/758, 101/759, 101/760, 101/761, 101/762, 101/763, 101/764, 101/765, 101/766, 101/767, 101/768, 101/769, 101/770, 101/771, 101/772, 101/773, 101/774, 101/775, 101/776, 101/777, 101/778, 101/779, 101/780, 101/781, 101/782, 101/783, 101/784, 101/785, 101/786, 101/787, 101/788, 101/789, 101/790, 101/791, 101/792, 101/793, 101/794, 101/795, 101/796, 101/797, 101/798, 101/799, 101/800, 101/801, 101/802, 101/803, 101/804, 101/805, 101/806, 101/807, 101/808, 101/809, 101/810, 101/811, 101/812, 101/813, 101/814, 101/815, 101/816, 101/817, 101/818, 101/819, 101/820, 101/821, 101/822, 101/823, 101/824, 101/825, 101/826, 101/827, 101/828, 101/829, 101/830, 101/831, 101/832, 101/833, 101/834, 101/835, 101/836, 101/837, 101/838, 101/839, 101/840, 101/841, 101/842, 101/843, 101/844, 101/845, 101/846, 101/847, 101/848, 101/849, 101/850, 101/851, 101/852, 101/853, 101/854, 101/855, 101/856, 101/857, 101/858, 101/859, 101/860, 101/861, 101/862, 101/863, 101/864, 101/865, 101/866, 101/867, 101/868, 101/869, 101/870, 101/871, 101/872, 101/873, 101/874, 101/875, 101/876, 101/877, 101/878, 101/879, 101/880, 101/881, 101/882, 101/883, 101/884, 101/885, 101/886, 101/887, 101/888, 101/889, 101/890, 101/891, 101/892, 101/893, 101/894, 101/895, 101/896, 101/897, 101/898, 101/899, 101/900, 101/901, 101/902, 101/903, 101/904, 101/905, 101/906, 101/907, 101/908, 101/909, 101/910, 101/911, 101/912, 101/913, 101/914, 101/915, 101/916, 101/917, 101/918, 101/919, 101/920, 101/921, 101/922, 101/923, 101/924, 101/925, 101/926, 101/927, 101/928, 101/929, 101/930, 101/931, 101/932, 101/933, 101/934, 101/935, 101/936, 101/937, 101/938, 101/939, 101/940, 101/941, 101/942, 101/943, 101/944, 101/945, 101/946, 101/947, 101/948, 101/949, 101/950, 101/951, 101/952, 101/953, 101/954, 101/955, 101/956, 101/957, 101/958, 101/959, 101/960, 101/961, 101/962, 101/963, 101/964, 101/965, 101/966, 101/967, 101/968, 101/969, 101/970, 101/971, 101/972, 101/973, 101/974, 101/975, 101/976, 101/977, 101/978, 101/979, 101/980, 101/981, 101/982, 101/983, 101/984, 101/985, 101/986, 101/987, 101/988, 101/989, 101/990, 101/991, 101/992, 101/993, 101/994, 101/995, 101/996, 101/997, 101/998, 101/999, 101/1000, 101/1001, 101/1002, 101/1003, 101/1004, 101/1005, 101/1006, 101/1007, 101/1008, 101/1009, 101/1010, 101/1011, 101/1012, 101/1013, 101/1014, 101/1015, 101/1016, 101/1017, 101/1018, 101/1019, 101/1020, 101/1021, 101/1022, 101/1023, 101/1024, 101/1025, 101/1026, 101/1027, 101/1028, 101/1029, 101/1030, 101/1031, 101/1032, 101/1033, 101/1034, 101/1035, 101/1036, 101/1037, 101/1038, 101/1039, 101/1040, 101/1041, 101/1042, 101/1043, 101/1044, 101/1045, 101/1046, 101/1047, 101/1048, 101/1049, 101/1050, 101/1051, 101/1052, 101/1053, 101/1054, 101/1055, 101/1056, 101/1057, 101/1058, 101/1059, 101/1060, 101/1061, 101/1062, 101/1063, 101/1064, 101/1065, 101/1066, 101/1067, 101/1068, 101/1069, 101/1070, 101/1071, 101/1072, 101/1073, 101/1074, 101/1075, 101/1076, 101/1077, 101/1078, 101/1079, 101/1080, 101/1081, 101/1082, 101/1083, 101/1084, 101/1085, 101/1086, 101/1087, 101/1088, 101/1089, 101/1090, 101/1091, 101/1092, 101/1093, 101/1094, 101/1095, 101/1096, 101/1097, 101/1098, 101/1099, 101/1100, 101/1101, 101/1102, 101/1103,

Request No. 21-68/0159 MTC No. EEL. BP. 80/0168

CALIBRATION CERTIFICATE

Submitted by : Integrated Research Center Company Limited.
Address : 122 Moo 2, T.Thanont, A.Srinakharinwirot, Pathumthani, 25140.
Calibrated at : Electrical and Electronic Standards Laboratory, Industrial Metrology and Testing Service Centre.
 Soi 1C, Bangpoo Industrial Estate, Sukhumvit Rd., Muang, Samutprakan 10280.

Instrument Calibrated : **Ambient Environment**
Description : Sound Calibrator **Temperature** : (23 ± 3) °C
Manufacturer : ACO **Relative Humidity** : (50 ± 15) %
Model : 2127 **Ambient Pressure** : (101.325 ± 1.500) kPa
Serial No. : 100012

- Standards used** :
1. Digital Function Synthesizer NF Electronic DF-193A S/N 122037.
 2. Measuring Amplifier Brüel&Kjær 2636 S/N 1537484.
 3. Programmable Attenuator Tansigawa TPA-303A S/N OF 2214.
 4. Digital Multimeter Agilent 24401A S/N MY44005560.
 5. Pressure Transmitter Vaisala PTB202AD S/N T0650001.
 6. Audio Analyzer Panasonic VP-7722A S/N 041477D122.
 7. Condenser Microphone B&K 4180 S/N 2889871.

Calibration Procedure: CP-102-04 based on IEC 60942:2003. The sound pressure level generated by sound calibrator under test shall be measured by standard microphone using an insert voltage technique.

This instrument has been calibrated against standards maintained at Electrical and Electronic Standards Laboratory (EEL), which are traceable to the International System of Units through the National Institute of Metrology (Thailand).

The information on actual reading is attached herewith and the uncertainty limits quoted refer to the measured values only.

Date of Receipt : 14 Jan. 2025

Date of Calibration : 21 Jan. 2025

1 / 2

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

FMIL/MTC.002 Rev.5

Request No. 21-68/0159 MTC No. EEL. BP. 80/0168

The reported expanded uncertainty is based upon a standard uncertainty multiplied by a coverage factor $k = 2$, providing a level of confidence of approximately 95%.

Nominal Output of Unit Under Test = 94 dB re 20µPa at 1000 Hz

Acoustic Output in dB re 20µPa, Corrected to Reference Conditions: 101.325 kPa, 23.0 °C and 50 %RH

1. Sound Pressure Level

Standard Microphone	Measured Sound Pressure Level (dB)	Deviated value (dB)	Uncertainty (dB)	Tolerance limit
Type				IEC60942:2003 Class 1
1/2 inch Brüel&Kjær 4180	93.91	-0.09	± 0.10	± 0.40 dB

2. Frequency

Standard Microphone	Measured Frequency (Hz)	Deviated value (Hz)	Uncertainty (Hz)	Tolerance limit
Type				IEC60942:2003 Class 1
1/2 inch Brüel&Kjær 4180	1000.0	0.0	± 1.5	± 1.0%

3. Total Distortion

Standard Microphone	Measured Total Distortion (%)	Uncertainty (%)	Tolerance limit
Type			IEC60942:2003 Class 1
1/2 inch Brüel&Kjær 4180	1.50	± 0.50	± 3.0%

Note : 1. No adjustment.

2. The calibrator pressure correction was not included.

3. The microphone volume correction was not included.

Calibrated by : 
 (Mr. Weerachai Deechaiyue)

Approved by : 
 Director
 Electrical and Electronic Standards Laboratory
 Industrial Metrology and Testing Service Centre
 Ref : 201126801/1400184001

End of Certificate

2 / 2

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

FMIL/MTC.002 Rev.5

Head Office : 35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang, Chongchun Pathumthani 12120, Thailand
 Tel. (66) 0 2577 9036
 Fax. (66) 0 2577 9039

Office/Laboratory : 608 Mu 2 Tambon Bangpoo, Amphoe Muang Samutprakan, Chongchun Pathumthani 10280, Thailand
 Tel. (66) 0 2523 1672-80 ext. 115, 116
 (66) 08 3219 1440
 E-mail : mtc@tistr.or.th Website : www.tistr.or.th

Office : 195 Phahonyothin Road, Ladkai, Chatsuk, Bangkok 10900, Thailand
 Tel. (66) 0 2579 1121-30 ext. 5215, 5225, 5217
 (66) 08 1889 6827

Request No. 21-68/0159 MTC No. EEL. BP. 82/0168

CALIBRATION CERTIFICATE

Submitted by : Integrated Research Center Company Limited.
Address : 122 Moo 2, T.Thanont, A.Srinakharinwirot, Pathumthani, 25140.
Calibrated at : Electrical and Electronic Standards Laboratory, Industrial Metrology and Testing Service Centre.
 Soi 1C, Bangpoo Industrial Estate, Sukhumvit Rd., Muang, Samutprakan 10280.

Instrument Calibrated : **Ambient Environment**
Description : Sound Calibrator **Temperature** : (23 ± 3) °C
Manufacturer : Delta Ohm **Relative Humidity** : (50 ± 15) %
Model : HD9102 **Ambient Pressure** : (101.325 ± 1.500) kPa
Serial No. : 10038483

- Standards used** :
1. Digital Function Synthesizer NF Electronic DF-193A S/N 122037.
 2. Measuring Amplifier Brüel&Kjær 2636 S/N 1537484.
 3. Programmable Attenuator Tansigawa TPA-303A S/N OF 2214.
 4. Digital Multimeter Agilent 34401A S/N MY44005560.
 5. Pressure Transmitter Vaisala PTB202AD S/N T0650001.
 6. Audio Analyzer Panasonic VP-7722A S/N 041477D122.
 7. Condenser Microphone B&K 4180 S/N 2889871.

Calibration Procedure: CP-102-04 based on IEC 60942:2003. The sound pressure level of instrument was measured by standard microphone using an insert voltage technique.

This instrument has been calibrated against standards maintained at Electrical and Electronic Standards Laboratory (EEL), which are traceable to the International System of Units through the National Institute of Metrology (Thailand).

The information on actual reading is attached herewith and the uncertainty limits quoted refer to the measured values only.

Date of Receipt : 14 Jan. 2025

Date of Calibration : 22 Jan. 2025

1 / 3

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

FMIL/MTC.002 Rev.5

Request No. 21-68/0159 MTC No. EEL. BP. 83/0168

The reported expanded uncertainty is based upon a standard uncertainty multiplied by a coverage factor $k = 2$, providing a level of confidence of approximately 95%.

Nominal Output of Unit Under Test = 94 dB re 20µPa at 1000 Hz

Acoustic Output in dB re 20µPa, Corrected to Reference Conditions: 101.325 kPa, 23.0 °C and 50 %RH

1. Sound Pressure Level

Standard Microphone	Measured Sound Pressure Level (dB)	Deviated value (dB)	Uncertainty (dB)	Tolerance limit
Type				IEC60942:2003 Class 2
1/2 inch Brüel&Kjær 4180	93.88	-0.12	± 0.10	± 0.75 dB

2. Frequency

Standard Microphone	Measured Frequency (Hz)	Deviated value (Hz)	Uncertainty (Hz)	Tolerance limit
Type				IEC60942:2003 Class 2
1/2 inch Brüel&Kjær 4180	988.3	-11.7	± 1.5	± 2.0%

3. Total distortion

Standard Microphone	Measured Total distortion (%)	Uncertainty (%)	Tolerance limit
Type			IEC60942:2003 Class 2
1/2 inch Brüel&Kjær 4180	1.00	± 0.50	± 4.0%

Note : 1. No adjustment.

2. The calibrator pressure correction was not included.

3. The microphone volume correction was not included.

Date of Calibration : 22 Jan. 2025

2 / 3

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

FMIL/MTC.002 Rev.5

Head Office : 35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang, Chongchun Pathumthani 12120, Thailand
 Tel. (66) 0 2577 9036
 Fax. (66) 0 2577 9039

Office/Laboratory : 608 Mu 2 Tambon Bangpoo, Amphoe Muang Samutprakan, Chongchun Pathumthani 10280, Thailand
 Tel. (66) 0 2523 1672-80 ext. 115, 116
 (66) 08 3219 1440
 E-mail : mtc@tistr.or.th Website : www.tistr.or.th

Office : 195 Phahonyothin Road, Ladkai, Chatsuk, Bangkok 10900, Thailand
 Tel. (66) 0 2579 1121-30 ext. 5215, 5225, 5217
 (66) 08 1889 6827

Head Office : 35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang, Chongchun Pathumthani 12120, Thailand
 Tel. (66) 0 2577 9036
 Fax. (66) 0 2577 9039

Office/Laboratory : 608 Mu 2 Tambon Bangpoo, Amphoe Muang Samutprakan, Chongchun Pathumthani 10280, Thailand
 Tel. (66) 0 2523 1672-80 ext. 115, 116
 (66) 08 3219 1440
 E-mail : mtc@tistr.or.th Website : www.tistr.or.th

Office : 195 Phahonyothin Road, Ladkai, Chatsuk, Bangkok 10900, Thailand
 Tel. (66) 0 2579 1121-30 ext. 5215, 5225, 5217
 (66) 08 1889 6827



THAILAND INSTITUTE OF SCIENTIFIC AND TECHNOLOGICAL RESEARCH (TISTR)

Request No. 21-68/0159

MTC No. EEL. BP. 82/0168

Nominal Output of Unit Under Test = 114 dB re 20µPa at 1000 Hz

Acoustic Output in dB re 20µPa, Corrected to Reference Conditions: 101.325 kPa, 23.0 °C and 50 %RH

1. Sound Pressure Level

Standard Microphone Type	Measured Sound Pressure Level (dB)	Deviated value (dB)	Uncertainty (dB)	Tolerance limit IEC60942:2003 Class 2
1/2 inch Brüel&Kjær 4180	113.86	-0.14	± 0.10	± 0.75 dB

2. Frequency

Standard Microphone Type	Measured Frequency (Hz)	Deviated value (Hz)	Uncertainty (Hz)	Tolerance limit IEC60942:2003 Class 2
1/2 inch Brüel&Kjær 4180	988.4	-11.6	± 1.5	± 2.0%

3. Total Distortion

Standard Microphone Type	Measured Total Distortion (%)	Uncertainty (%)	Tolerance limit IEC60942:2003 Class 2
1/2 inch Brüel&Kjær 4180	0.21	± 0.50	± 4.0%

Note: 1. No adjustment.

2. The calibrator pressure correction was not included.

3. The microphone volume correction was not included.

Calibrated by:

Approved by:

(Mr. Weerachai Deechaiyue)

(Dr. Piyawade Kiatyapa)

Electrical and Electronic Standards Laboratory

Industrial Metrology and Testing Service Centre

Date of Calibration: 22 Jan. 2025

Date of Issue: 23 Jan. 2025

Ref: 2011268011400184003

End of Certificate

3 / 3

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full, are prohibited unless written permission is obtained from the governor of TISTR.

PMBL/MTC.002 Rev.5



THAILAND INSTITUTE OF SCIENTIFIC AND TECHNOLOGICAL RESEARCH (TISTR)

Request No. 21-68/0159

MTC No. EEL. BP. 81/0168

CALIBRATION CERTIFICATE

Submitted by: Integrated Research Center Company Limited.

Address: 122 Moo 2, T. Thakom, A. Srinakharaphi, Prachinburi, 25140.

Calibrated at: Electrical and Electronic Standards Laboratory, Industrial Metrology and Testing Service Centre.
Soi 1C, Bangpoo Industrial Estate, Sukhumvit Rd., Mueang, Samutprakan 10280.

Instrument Calibrated:

Description: Sound Calibrator

Manufacturer: Rion

Model: NC-74

Serial No.: 35046798

Standards used: 1. Digital Function Synthesizer NF Electronic DF-193A S/N 122037.

2. Measuring Amplifier Brüel&Kjær 2636 S/N 1537484.

3. Programmable Attenuator Yamaguchi TPA-303A S/N OF 2214.

4. Digital Multimeter Agilent 34401A S/N MY4000560.

5. Pressure Transmitter Valais PTH202AD S/N T0650001.

6. Audio Analyzer Panasonic VP-7722A S/N 041477D122.

7. Condenser Microphone B&K 4180 S/N 2633526.

Ambient Environment

Temperature: (23 ± 3) °C

Relative Humidity: (50 ± 15) %

Ambient Pressure: (101.325 ± 1.500) kPa

Calibration Procedure: CP-102-04 based on IEC 60942:2003; The sound pressure level generated by sound calibrator under test shall be measured by standard microphone using an insert voltage technique.

This instrument has been calibrated against standards maintained at Electrical and Electronic Standards Laboratory (EEL), which are traceable to the International System of Units through the National Institute of Metrology (Thailand).

The information on actual reading is attached herewith and the uncertainty limits quoted refer to the measured values only.

Date of Receipt: 14 Jan. 2025

Date of Calibration: 22 Jan. 2025

1 / 2

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full, are prohibited unless written permission is obtained from the governor of TISTR.

PMBL/MTC.002 Rev.5

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. (66) 0 2577 9036
Fax. (66) 0 2577 9009Office/Laboratory
668 Mu 2 Tambon Bangpoo, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. (66) 0 2523 3672-83 ext. 115, 116
(66) 08 3219 9440
E-mail: mtr@tistr.or.th Website: www.tistr.or.thOffice
116 Phahonyothin Road, Ladysak, Chulabhai,
Bangkok 10900, Thailand
Tel. (66) 0 2579 1121-30 ext. 5219, 5225, 5217
(66) 08 1889 8027Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. (66) 0 2577 9036
Fax. (66) 0 2577 9009Office/Laboratory
668 Mu 2 Tambon Bangpoo, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. (66) 0 2523 3672-83 ext. 115, 116
(66) 08 3219 9440
E-mail: mtr@tistr.or.th Website: www.tistr.or.thOffice
116 Phahonyothin Road, Ladysak, Chulabhai,
Bangkok 10900, Thailand
Tel. (66) 0 2579 1121-30 ext. 5219, 5225, 5217
(66) 08 1889 8027

THAILAND INSTITUTE OF SCIENTIFIC AND TECHNOLOGICAL RESEARCH (TISTR)

Request No. 21-68/0159

MTC No. EEL. BP. 81/0168

The reported expanded uncertainty is based upon a standard uncertainty multiplied by a coverage factor k = 2, providing a level of confidence of approximately 95%.

Nominal Output of Unit Under Test = 94 dB re 20µPa at 1000 Hz

Acoustic Output in dB re 20µPa, Corrected to Reference Conditions: 101.325 kPa, 23.0 °C and 50 %RH

1. Sound Pressure Level

Standard Microphone Type	Measured Sound Pressure Level (dB)	Deviated value (dB)	Uncertainty (dB)	Tolerance limit IEC60942:2003 Class 1
1/2 inch Brüel&Kjær 4180	93.91	-0.09	± 0.10	± 0.40 dB

2. Frequency

Standard Microphone Type	Measured Frequency (Hz)	Deviated value (Hz)	Uncertainty (Hz)	Tolerance limit IEC60942:2003 Class 1
1/2 inch Brüel&Kjær 4180	1001.5	1.5	± 1.5	± 1.0%

3. Total Distortion

Standard Microphone Type	Measured Total Distortion (%)	Uncertainty (%)	Tolerance limit IEC60942:2003 Class 1
1/2 inch Brüel&Kjær 4180	1.35	± 0.50	± 3.0%

Note: 1. No adjustment.

2. The calibrator pressure correction was not included.

3. The microphone volume correction was included at level of 0.16 dB from standard.

Calibrated by:

Approved by:

(Mr. Weerachai Deechaiyue)

(Dr. Piyawade Kiatyapa)

Electrical and Electronic Standards Laboratory

Industrial Metrology and Testing Service Centre

Date of Calibration: 22 Jan. 2025

Date of Issue: 23 Jan. 2025

Ref: 2011268011400184002

End of Certificate

2 / 2

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full, are prohibited unless written permission is obtained from the governor of TISTR.

PMBL/MTC.002 Rev.5



THAILAND INSTITUTE OF SCIENTIFIC AND TECHNOLOGICAL RESEARCH (TISTR)

Request No. 21-68/0160

MTC No. EEL. BP. 89/0168

CALIBRATION CERTIFICATE

Submitted by: Integrated Research Center Company Limited.

Address: 122 Moo 2, T. Thakom, A. Srinakharaphi, Prachinburi, 25140.

Calibrated at: Electrical and Electronic Standards Laboratory, Industrial Metrology and Testing Service Centre.
Soi 1C, Bangpoo Industrial Estate, Sukhumvit Rd., A. Muang, Samutprakan 10280.

Instrument Calibrated:

Description: Integrating Sound Level Meter

Manufacturer: ACO

Model: 6226

Serial No.: 160144

Microphone: Type 7052 No. 79844

Preamplifier: -

Standards used:

1. Band Pass Filter Stanford Research Systems SR 650 S/N 28712.

2. Condenser Microphone Brüel&Kjær 4180 S/N 2898871.

3. Decade Attenuator Ando AL-205 S/N 06464602.

4. Function/Arbitrary Waveform Generator Agilent 33220A S/N MY44042668.

5. Digital Function Synthesizer NF Electronic Instruments DF-193A S/N 122037.

6. Sound Calibrator Brüel&Kjær 4231 S/N 3015154.

7. Measuring Amplifier Brüel&Kjær 2636 S/N 1537484.

Ambient Environment

Temperature: (23 ± 3) °C

Relative Humidity: (50 ± 15) %

Ambient Pressure: (101.325 ± 1.5) kPa

Date of Receipt: 14 Jan. 2025

Date of Calibration: 17-18 Feb. 2025

1 / 9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full, are prohibited unless written permission is obtained from the governor of TISTR.

PMBL/MTC.002 Rev.5

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. (66) 0 2577 9036
Fax. (66) 0 2577 9009Office/Laboratory
668 Mu 2 Tambon Bangpoo, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. (66) 0 2523 3672-83 ext. 115, 116
(66) 08 3219 9440
E-mail: mtr@tistr.or.th Website: www.tistr.or.thOffice
116 Phahonyothin Road, Ladysak, Chulabhai,
Bangkok 10900, Thailand
Tel. (66) 0 2579 1121-30 ext. 5219, 5225, 5217
(66) 08 1889 8027Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. (66) 0 2577 9036
Fax. (66) 0 2577 9009Office/Laboratory
668 Mu 2 Tambon Bangpoo, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. (66) 0 2523 3672-83 ext. 115, 116
(66) 08 3219 9440
E-mail: mtr@tistr.or.th Website: www.tistr.or.thOffice
116 Phahonyothin Road, Ladysak, Chulabhai,
Bangkok 10900, Thailand
Tel. (66) 0 2579 1121-30 ext. 5219, 5225, 5217
(66) 08 1889 8027

8. Power Amplifier Brüel&Kjær 2706 S/N 1517650.
9. Speaker Tannoy Limited, Great Britain British Patent No. 215300.
10. Digital Multimeter Agilent 34401A S/N MY44005560.
11. Programmable Attenuator Yamagawa TPA-303A S/N 2212.

Calibration Procedure :

This instrument was calibrated by using calibration procedures to CP-102-02 and CP-102-03, which were based on IEC 61672-3 Electroacoustics - Sound Level Meters - Part 3 : Periodic tests (2013). These calibration procedures were related to the electrical and acoustic signal tests. The electrical signal test was carried out with the direct measurement method. The acoustic signal test was performed in an anechoic room with the comparison measurement method.

This instrument has been calibrated against standards maintained at the Electrical and Electronic Standards Laboratory (EEL), which are traceable to the International System of Units through the National Institute of Metrology (Thailand).

The information on actual reading is attached herewith and the uncertainty limits quoted refer to the measured values only.

The reported expanded uncertainty is based upon a standard uncertainty multiplied by a coverage factor $k=2$, providing a level of confidence of approximately 95%.

Date of Calibration : 17-18 Feb. 2025

2/9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

FABL/MTC.002 Rev.5

1. Absolute Sensitivity

Reference Acoustic Signal (dB)	Measured value (dB)		Deviation value (dB)	Acceptance limit Class 2 ($\pm$ dB)	Uncertainty ($\pm$ dB)	Maximum permitted uncertainty of measurement ($\pm$ dB)
	Before adjust	After adjust				
93.99	93.7	94.0	0.0	1.0	0.30	N/A

Note: The external calibration adjustment was firstly performed. The internal calibration adjustment was then completed at the display of 115.1 dB.

2. Self-generated noise

2.1 Normal test

Measured value (dB)	Uncertainty ($\pm$ dB)	Maximum permitted uncertainty of measurement ($\pm$ dB)
18.5	0.10	N/A

2.2 The microphone of the sound level meter was replaced by electrical signal input device

Frequency Weighting	Measured value (dB)	Uncertainty ($\pm$ dB)	Maximum permitted uncertainty of measurement ($\pm$ dB)
A-Weight	16.3	0.10	N/A
C-Weight	24.7	0.10	N/A
Flat	26.7	0.10	N/A

Date of Calibration : 17-18 Feb. 2025

3/9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

FABL/MTC.002 Rev.5

3. Acoustical signal test of frequency weightings

Frequency (Hz)	Deviation from frequency response (dB)			Acceptance limit class 2 ($\pm$ dB)	Uncertainty ($\pm$ dB)	Maximum permitted uncertainty of measurement ($\pm$ dB)
	A-weight	C-weight	Flat			
125	-0.3	0.2	0.1	1.5	0.45	0.6
1 000	-0.1	-0.1	0.0	1.0	0.45	0.6
8 000	-4.8	-4.7	-4.8	5.0	0.45	0.7

4. Electrical signal test of frequency weightings

Frequency (Hz)	Deviation from frequency response (dB)			Acceptance limit class 2 ($\pm$ dB)	Uncertainty ($\pm$ dB)	Maximum permitted uncertainty of measurement ($\pm$ dB)
	A-weight	C-weight	Flat			
63	0.2	0.1	0.1	2.0	0.20	0.6
125	0.1	0.2	0.1	1.5	0.20	0.6
250	0.2	0.1	0.1	1.5	0.20	0.6
500	0.1	0.0	0.0	1.5	0.20	0.6
1 000	0.0	0.0	0.0	1.0	0.20	0.6
2 000	-0.1	0.0	0.1	2.0	0.20	0.6
4 000	-0.4	-0.2	0.0	3.0	0.20	0.6
8 000	-0.4	-0.2	-0.1	5.0	0.20	0.7

Date of Calibration : 17-18 Feb. 2025

4/9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

FABL/MTC.002 Rev.5

5. Long-term stability

Time	Measured Value (dB)	Deviated value (dB)	Acceptance limit class 2 ($\pm$ dB)	Uncertainty ($\pm$ dB)	Maximum permitted uncertainty of measurement ($\pm$ dB)
Begin	94.0	0.0	0.3	0.10	0.1
End	94.0				

6. Frequency and time weightings at 1 kHz

6.1 Frequency weightings at 1 kHz

Frequency Weighting	Measured Value (dB)	Deviated value (dB)	Acceptance limit class 2 ($\pm$ dB)	Uncertainty ($\pm$ dB)	Maximum permitted uncertainty of measurement ($\pm$ dB)
A-weight	94.0	0.0	0.2	0.20	0.2
C-weight	94.0	0.0	0.2	0.20	0.2
Flat	94.1	0.1	0.2	0.20	0.2

6.2 Time weightings at 1 kHz

Frequency Weighting	Measured Value (dB)	Deviated value (dB)	Acceptance limit class 2 ($\pm$ dB)	Uncertainty ($\pm$ dB)	Maximum permitted uncertainty of measurement ($\pm$ dB)
Fast	94.0	0.0	0.1	0.20	0.2
Slow	94.0	0.0	0.1	0.20	0.2
Leq	94.0	0.0	0.1	0.20	0.2

Date of Calibration : 17-18 Feb. 2025

5/9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

FABL/MTC.002 Rev.5

7. Level linearity on the reference level range

Anticipated value (dB)	Measured Value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
122	122.0	0.0	1.1	0.30	0.3
121	121.1	0.1	1.1	0.30	0.3
120	120.0	0.0	1.1	0.30	0.3
119	119.1	0.1	1.1	0.30	0.3
114	114.0	0.0	1.1	0.30	0.3
109	109.0	0.0	1.1	0.30	0.3
104	104.0	0.0	1.1	0.30	0.3
99	99.1	0.1	1.1	0.30	0.3
94	94.0	0.0	1.1	0.30	0.3
89	89.0	0.0	1.1	0.30	0.3
84	84.1	0.1	1.1	0.30	0.3
79	79.1	0.1	1.1	0.30	0.3
74	74.1	0.1	1.1	0.30	0.3
69	69.1	0.1	1.1	0.30	0.3
64	64.0	0.0	1.1	0.30	0.3
59	59.0	0.0	1.1	0.30	0.3
54	54.0	0.0	1.1	0.30	0.3
49	49.0	0.0	1.1	0.30	0.3
44	44.1	0.1	1.1	0.30	0.3
39	39.0	0.0	1.1	0.30	0.3
34	34.1	0.1	1.1	0.30	0.3
33	33.1	0.1	1.1	0.30	0.3

Date of Calibration : 17-18 Feb. 2025

6/9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. 060 0 2577 9036
Fax. 060 0 2577 9039

Office/Laboratory
688 Mu 2 Tambon Bangpoo, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. 060 0 2523 1672-40 ext. 115, 116
060 08 3219 9440
E-mail : info@tistr.or.th Website : www.tistr.or.th

Office
195 Phrayayothin Road, Ladysa, Chatuchak,
Bangkok 10900, Thailand
Tel. 060 0 2579 1121-30 ext. 5219, 5225, 5217
060 08 1889 6827

RM.BLMTC.002 Rev.5

8. Level linearity including the level range control

At reference level at 5 dB greater than the under-range on a level range

Range	Anticipated value (dB)	Measured value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
40-130	45	45.0	0.0	1.1	0.30	0.3
30-120	35	35.0	0.0	1.1	0.30	0.3
20-110	25	25.5	0.5	1.1	0.30	0.3
20-100	25	25.5	0.5	1.1	0.30	0.3
20-90	25	25.4	0.4	1.1	0.30	0.3
20-80	25	25.4	0.4	1.1	0.30	0.3

9. Tone burst response

Time	Toneburst	Measured value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
Weighting	Duration, T _b (ms)					
Fast	200	115.8	-0.2	±1.0	0.20	0.3
	2	98.8	-0.2	+1.0; -2.5	0.20	0.3
	0.25	89.6	-0.4	+1.5; -5.0	0.20	0.3
Slow	200	109.4	-0.2	±1.0	0.20	0.3
	2	89.8	-0.2	+1.0; -5.0	0.20	0.3
SEL	200	109.9	-0.1	±1.0	0.20	0.3
	2	90.0	0.0	+1.0; -2.5	0.20	0.3
	0.25	80.9	-0.1	+1.5; -5.0	0.20	0.3

Date of Calibration : 17-18 Feb. 2025

8/9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. 060 0 2577 9036
Fax. 060 0 2577 9039

Office/Laboratory
688 Mu 2 Tambon Bangpoo, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. 060 0 2523 1672-40 ext. 115, 116
060 08 3219 9440
E-mail : info@tistr.or.th Website : www.tistr.or.th

Office
195 Phrayayothin Road, Ladysa, Chatuchak,
Bangkok 10900, Thailand
Tel. 060 0 2579 1121-30 ext. 5219, 5225, 5217
060 08 1889 6827

RM.BLMTC.002 Rev.5

7. Level linearity on the reference level range

Anticipated value (dB)	Measured Value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
32	32.1	0.1	1.1	0.30	0.3
31	31.3	0.3	1.1	0.30	0.3
30	30.3	0.3	1.1	0.30	0.3

8. Level linearity including the level range control

At reference sound level on the reference level range

Range	Anticipated value (dB)	Measured value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
40-130	94.0	94.0	0.0	1.1	0.30	0.3
30-120	94.0	94.0	0.0	1.1	0.30	0.3
20-110	94.0	94.0	0.0	1.1	0.30	0.3
20-100	94.0	94.0	0.0	1.1	0.30	0.3

Date of Calibration : 17-18 Feb. 2025

7/9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. 060 0 2577 9036
Fax. 060 0 2577 9039

Office/Laboratory
688 Mu 2 Tambon Bangpoo, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. 060 0 2523 1672-40 ext. 115, 116
060 08 3219 9440
E-mail : info@tistr.or.th Website : www.tistr.or.th

Office
195 Phrayayothin Road, Ladysa, Chatuchak,
Bangkok 10900, Thailand
Tel. 060 0 2579 1121-30 ext. 5219, 5225, 5217
060 08 1889 6827

RM.BLMTC.002 Rev.5

10. Peak C sound level

Number of cycles in test signal	Anticipated value (dB)	Measured value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
Complete cycle	125.4	125.8	0.4	3.0	0.20	0.35
Positive half cycle	124.4	124.2	-0.2	2.0	0.20	0.35
Negative half cycle	124.4	124.2	-0.2	2.0	0.20	0.35

11. Overload indication

Measured value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
Positive one-half cycle	Negative one-half cycle			
131.1	131.1	0.0	1.5	0.20

12. High-level stability

Time	Measured value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
Begin	129.0	0.0	0.3	0.10	0.1
End	129.0				

Calibrated by :
(Mr. Pannasit Phasingiri)

Approved by :
(Mr. Pannasit Phasingiri)

Electrical and Electronic Standards Laboratory

Industrial Metrology and Testing Service Centre

Date of Calibration : 17-18 Feb. 2025

Date of Issue : 24 Feb. 2025

Ref : 2011268911400185007

End of Certificate

9/9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. 060 0 2577 9036
Fax. 060 0 2577 9039

Office/Laboratory
688 Mu 2 Tambon Bangpoo, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. 060 0 2523 1672-40 ext. 115, 116
060 08 3219 9440
E-mail : info@tistr.or.th Website : www.tistr.or.th

Office
195 Phrayayothin Road, Ladysa, Chatuchak,
Bangkok 10900, Thailand
Tel. 060 0 2579 1121-30 ext. 5219, 5225, 5217
060 08 1889 6827

RM.BLMTC.002 Rev.5

CALIBRATION CERTIFICATE

Submitted by : Integrated Research Center Company Limited.

Address : 122 Moo 2, T.Thazoon, A.Srinakharinwirot, Prachinburi, 25140.

Calibrated at : Electrical and Electronic Standards Laboratory, Industrial Metrology and Testing Service Centre.

Soi 1C, Bangpoo Industrial Estate, Sukhumvit Rd., A.Muang, Samutprakan 10280.

Instrument Calibrated :

Description : Integrating Sound Level Meter

Manufacturer : ACO

Model : 6226

Serial No. : 109145

Microphone : Type 7052NR No.78402

Preamplifier : -

Ambient Environment

Temperature : (23 ± 3) °C

Relative Humidity : (50 ± 15) %

Ambient Pressure : (101.325 ± 1.5) kPa

Standards used :

1. Band Pass Filter Stanford Research Systems SR 650 S/N 28712.
2. Condenser Microphone Brüel&Kjær 4180 S/N 2889871.
3. Decade Attenuator Ando AI-205 S/N 00464602.
4. Function/Arbitrary Waveform Generator Agilent 33220A S/N MY44042668.
5. Digital Function Synthesizer NF Electronic Instruments DF-193A S/N 122037.
6. Sound Calibrator Brüel&Kjær 4231 S/N 3015154.
7. Measuring Amplifier Brüel&Kjær 2636 S/N 1537484.

Date of Receipt : 14 Jan. 2025

Date of Calibration : 17-18 Feb. 2025

1/9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

PMJL/MTC.002 Rev.5

8. Power Amplifier Brüel&Kjær 2706 S/N 1517690.

9. Speaker Tannoy Limited, Great Britain British Patent No. 215300.

10. Digital Multimeter Agilent 34401A S/N MY44005560.

11. Programmable Attenuator Yamagawa TPA-303A S/N 2212.

Calibration Procedure :

This instrument was calibrated by using calibration procedures no CP-102-02 and CP-102-03, which were based on IEC 61672-3 Electroacoustics - Sound Level Meters - Part 3 : Periodic tests (2013). These calibration procedures were related to the electrical and acoustic signal tests. The electrical signal test was carried out with the direct measurement method. The acoustic signal test was performed in an anechoic room with the comparison measurement method.

This instrument has been calibrated against standards maintained at the Electrical and Electronic Standards Laboratory (EEL), which are traceable to the International System of Units through the National Institute of Metrology (Thailand).

The information on actual reading is attached herewith and the uncertainty limits quoted refer to the measured values only.

The reported expanded uncertainty is based upon a standard uncertainty multiplied by a coverage factor $k=2$, providing a level of confidence of approximately 95%.

Date of Calibration : 17-18 Feb. 2025

2/9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

PMJL/MTC.002 Rev.5

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. (66) 0 2577 9036
Fax. (66) 0 2577 9039

Office/Laboratory
668 Mu 2 Tambon Bangpoo, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. (66) 0 2323 1672-80 ext. 115, 116
(66) 08 3219 9490
E-mail : mtc@tistr.or.th Website : www.tistr.or.th

Office
156 Phahonyothin Road, Ladysao, Chatuchak,
Bangkok 10900, Thailand
Tel. (66) 0 2579 1121-30 ext. 5215, 5225, 5217
(66) 08 1889 6827

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. (66) 0 2577 9036
Fax. (66) 0 2577 9039

Office/Laboratory
668 Mu 2 Tambon Bangpoo, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. (66) 0 2323 1672-80 ext. 115, 116
(66) 08 3219 9490
E-mail : mtc@tistr.or.th Website : www.tistr.or.th

Office
156 Phahonyothin Road, Ladysao, Chatuchak,
Bangkok 10900, Thailand
Tel. (66) 0 2579 1121-30 ext. 5215, 5225, 5217
(66) 08 1889 6827

1. Absolute Sensitivity

Reference Acoustic Signal (dB)	Measured value (dB)		Deviation value (dB)	Acceptance limit Class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
	Before adjust	After adjust				
93.99	92.9	94.0	0.0	1.0	0.30	N/A

Note: The external calibration adjustment was firstly performed. The internal calibration adjustment was then completed at the display of 117.0 dB.

2. Self-generated noise

2.1 Normal test

Measured value (dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
25.3	0.10	N/A

2.2 The microphone of the sound level meter was replaced by electrical signal input device

Frequency Weighting	Measured value (dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
A-Weight	24.5	0.10	N/A
C-Weight	26.7	0.10	N/A
Flat	31.3	0.10	N/A

Date of Calibration : 17-18 Feb. 2025

3/9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

PMJL/MTC.002 Rev.5

3. Acoustical signal test of frequency weightings

Frequency (Hz)	Deviation from frequency response (dB)			Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
	A-weight	C-weight	Flat			
125	0.4	0.1	-0.1	1.5	0.45	0.6
1 000	0.1	0.2	0.2	1.0	0.45	0.6
8 000	-4.2	-3.6	-4.4	5.0	0.45	0.7

4. Electrical signal test of frequency weightings

Frequency (Hz)	Deviation from frequency response (dB)			Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
	A-weight	C-weight	Flat			
63	0.1	0.1	0.1	2.0	0.20	0.6
125	0.1	0.1	0.1	1.5	0.20	0.6
250	0.1	0.1	0.1	1.5	0.20	0.6
500	0.1	0.0	0.0	1.5	0.20	0.6
1 000	0.0	0.0	0.0	1.0	0.20	0.6
2 000	-0.1	0.0	0.1	2.0	0.20	0.6
4 000	-0.3	-0.1	0.0	3.0	0.20	0.6
8 000	-0.3	-0.1	-0.1	5.0	0.20	0.7

Date of Calibration : 17-18 Feb. 2025

4/9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

PMJL/MTC.002 Rev.5

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. (66) 0 2577 9036
Fax. (66) 0 2577 9039

Office/Laboratory
668 Mu 2 Tambon Bangpoo, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. (66) 0 2323 1672-80 ext. 115, 116
(66) 08 3219 9490
E-mail : mtc@tistr.or.th Website : www.tistr.or.th

Office
156 Phahonyothin Road, Ladysao, Chatuchak,
Bangkok 10900, Thailand
Tel. (66) 0 2579 1121-30 ext. 5215, 5225, 5217
(66) 08 1889 6827

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. (66) 0 2577 9036
Fax. (66) 0 2577 9039

Office/Laboratory
668 Mu 2 Tambon Bangpoo, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. (66) 0 2323 1672-80 ext. 115, 116
(66) 08 3219 9490
E-mail : mtc@tistr.or.th Website : www.tistr.or.th

Office
156 Phahonyothin Road, Ladysao, Chatuchak,
Bangkok 10900, Thailand
Tel. (66) 0 2579 1121-30 ext. 5215, 5225, 5217
(66) 08 1889 6827

5. Long-term stability

Time	Measured Value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
Begin	94.0	0.0	0.3	0.10	0.1
End	94.0				

6. Frequency and time weightings at 1 kHz

6.1 Frequency weightings at 1 kHz

Frequency Weighting	Measured Value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
A-weight	94.0	0.0	0.2	0.20	0.2
C-weight	94.0	0.0	0.2	0.20	0.2
Flat	94.1	0.1	0.2	0.20	0.2

6.2 Time weightings at 1 kHz

Frequency Weighting	Measured Value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
Fast	94.0	0.0	0.1	0.20	0.2
Slow	94.0	0.0	0.1	0.20	0.2
Leq	94.0	0.0	0.1	0.20	0.2

Date of Calibration : 17-18 Feb. 2025

5 / 9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full, are prohibited unless written permission is obtained from the governor of TISTR.

FRL/MTC.002 Rev.5

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. (66) 0 2577 9036
Fax. (66) 0 2577 9039

Office/Laboratory
668 Mu 2 Tambon Bangpoornai, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. (66) 0 2323 1672-80 ext. 115, 116
(66) 08 3219 9490
E-mail : mtr@tistr.or.th Website : www.tistr.or.th

Office
195 Phahonyothin Road, Ladysa, Chatuchak,
Bangkok 10900, Thailand
Tel. (66) 0 2579 1121-30 ext. 5215, 5225, 5217
(66) 08 1889 6627

7. Level linearity on the reference level range

Anticipated value (dB)	Measured Value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
32	32.2	0.2	1.1	0.30	0.3
31	31.2	0.2	1.1	0.30	0.3
30	30.3	0.3	1.1	0.30	0.3

8. Level linearity including the level range control

At reference sound level on the reference level range

Range	Anticipated value (dB)	Measured value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
40-130	94.0	94.0	0.0	1.1	0.30	0.3
30-120	94.0	94.0	0.0	1.1	0.30	0.3
20-110	94.0	94.0	0.0	1.1	0.30	0.3
10-100	94.0	94.0	0.0	1.1	0.30	0.3

Date of Calibration : 17-18 Feb. 2025

7 / 9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full, are prohibited unless written permission is obtained from the governor of TISTR.

FRL/MTC.002 Rev.5

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. (66) 0 2577 9036
Fax. (66) 0 2577 9039

Office/Laboratory
668 Mu 2 Tambon Bangpoornai, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. (66) 0 2323 1672-80 ext. 115, 116
(66) 08 3219 9490
E-mail : mtr@tistr.or.th Website : www.tistr.or.th

Office
195 Phahonyothin Road, Ladysa, Chatuchak,
Bangkok 10900, Thailand
Tel. (66) 0 2579 1121-30 ext. 5215, 5225, 5217
(66) 08 1889 6627

7. Level linearity on the reference level range

Anticipated value (dB)	Measured Value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
122	121.9	-0.1	1.1	0.30	0.3
121	120.9	-0.1	1.1	0.30	0.3
120	119.9	-0.1	1.1	0.30	0.3
119	119.0	0.0	1.1	0.30	0.3
114	113.9	-0.1	1.1	0.30	0.3
109	108.9	-0.1	1.1	0.30	0.3
104	103.9	-0.1	1.1	0.30	0.3
99	99.0	0.0	1.1	0.30	0.3
94	94.0	0.0	1.1	0.30	0.3
89	88.9	-0.1	1.1	0.30	0.3
84	84.0	0.0	1.1	0.30	0.3
79	79.0	0.0	1.1	0.30	0.3
74	74.0	0.0	1.1	0.30	0.3
69	69.0	0.0	1.1	0.30	0.3
64	63.9	-0.1	1.1	0.30	0.3
59	58.9	-0.1	1.1	0.30	0.3
54	53.9	-0.1	1.1	0.30	0.3
49	48.9	-0.1	1.1	0.30	0.3
44	44.0	0.0	1.1	0.30	0.3
39	38.9	-0.1	1.1	0.30	0.3
34	34.0	0.0	1.1	0.30	0.3
33	33.1	0.1	1.1	0.30	0.3

Date of Calibration : 17-18 Feb. 2025

6 / 9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full, are prohibited unless written permission is obtained from the governor of TISTR.

FRL/MTC.002 Rev.5

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. (66) 0 2577 9036
Fax. (66) 0 2577 9039

Office/Laboratory
668 Mu 2 Tambon Bangpoornai, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. (66) 0 2323 1672-80 ext. 115, 116
(66) 08 3219 9490
E-mail : mtr@tistr.or.th Website : www.tistr.or.th

Office
195 Phahonyothin Road, Ladysa, Chatuchak,
Bangkok 10900, Thailand
Tel. (66) 0 2579 1121-30 ext. 5215, 5225, 5217
(66) 08 1889 6627

8. Level linearity including the level range control

At reference level at 5 dB greater than the under-range on a level range

Range	Anticipated value (dB)	Measured value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
40-130	45	45.0	0.0	1.1	0.30	0.3
30-120	35	35.0	0.0	1.1	0.30	0.3
20-110	25	25.4	0.4	1.1	0.30	0.3
20-100	25	25.5	0.5	1.1	0.30	0.3
20-90	25	25.6	0.6	1.1	0.30	0.3
20-80	25	25.5	0.5	1.1	0.30	0.3

9. Tone burst response

Time Weighting	Toneburst Duration, 1/3 (ms)	Measured value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
Fast	200	115.8	-0.2	±1.0	0.20	0.3
	2	98.8	-0.2	+1.0; -2.5	0.20	0.3
	0.25	89.6	-0.4	+1.5; -5.0	0.20	0.3
Slow	200	109.4	-0.2	±1.0	0.20	0.3
	2	89.8	-0.2	+1.0; -5.0	0.20	0.3
	0.25	80.9	-0.1	±1.0	0.20	0.3
SEL	200	109.9	-0.1	±1.0; -2.5	0.20	0.3
	2	90.0	0.0	+1.0; -2.5	0.20	0.3
	0.25	80.9	-0.1	+1.5; -5.0	0.20	0.3

Date of Calibration : 17-18 Feb. 2025

8 / 9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full, are prohibited unless written permission is obtained from the governor of TISTR.

FRL/MTC.002 Rev.5

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. (66) 0 2577 9036
Fax. (66) 0 2577 9039

Office/Laboratory
668 Mu 2 Tambon Bangpoornai, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. (66) 0 2323 1672-80 ext. 115, 116
(66) 08 3219 9490
E-mail : mtr@tistr.or.th Website : www.tistr.or.th

Office
195 Phahonyothin Road, Ladysa, Chatuchak,
Bangkok 10900, Thailand
Tel. (66) 0 2579 1121-30 ext. 5215, 5225, 5217
(66) 08 1889 6627

10. Peak C sound level

Number of cycles in test signal	Anticipated value (dB)	Measured value (dB)	Deviated value (dB)	Acceptance limit class 2 ($\pm$ dB)	Uncertainty ($\pm$ dB)	Maximum-permitted uncertainty of measurement ($\pm$ dB)
Complete cycle	125.4	125.8	0.4	3.0	0.20	0.35
Positive half cycle	124.4	124.2	-0.2	2.0	0.20	0.35
Negative half cycle	124.4	124.2	-0.2	2.0	0.20	0.35

11. Overload indication

Measured value (dB)		Deviated	Acceptance limit	Uncertainty	Maximum permitted uncertainty
Positive one half cycle	Negative one half cycle	value (dB)	class 2 ($\pm$ dB)	($\pm$ dB)	of measurement ($\pm$ dB)
131.1	131.1	0.0	1.5	0.20	0.25

12. High-level stability

Time	Measured value (dB)	Deviated value (dB)	Acceptance limit class 2 ($\pm$ dB)	Uncertainty ($\pm$ dB)	Maximum-permitted uncertainty of measurement ($\pm$ dB)
Begin	129.0	0.0	0.3	0.10	0.1
End	129.0				

Calibrated by
 (Mr. Pannasit Phasingan)

Approved by:
 (Mr. Pannasit Phasingan)
 Director
 Electrical and Electronic Standards Laboratory
 Industrial Metrology and Testing Service Centre

Date of Calibration : 17-18 Feb. 2025

Date of Issue : 24 Feb. 2025

Ref : 2011268011400185008

End of Certificate

9 / 9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

CALIBRATION CERTIFICATE

Submitted by : Integrated Research Center Company Limited.

Address : 122 Moo 2, T. Thasoom, A. Srirachaphote, Prachinburi, 25140.

Calibrated at : Electrical and Electronic Standards Laboratory, Industrial Metrology and Testing Service Centre.

Sol 1C, Bangpoo Industrial Estate, Sukhumvit Rd., A. Muang, Samutprakan 10280.

Instrument Calibrated :

Description : Integrating Sound Level Meter

Manufacturer : ACO

Model : 6226

Serial No. : 100146

Microphone : Type 7052NR No.78402

Preamplifier : -

Ambient Environment

Temperature : (23 $\pm$ 3) °C

Relative Humidity : (50 $\pm$ 15) %

Ambient Pressure : (101.325 $\pm$ 1.5) kPa

Standards used :

1. Band Pass Filter Stanford Research Systems SR 650 S/N 28712.
2. Condenser Microphone Brüel&Kjær 4180 S/N 2889871.
3. Decade Attenuator Ando AI-205 S/N 00464602.
4. Function/Arbitrary Waveform Generator Agilent 33220A S/N MY44042668.
5. Digital Function Synthesizer NF Electronic Instruments DF-193A S/N 122037.
6. Sound Calibrator Brüel&Kjær 4231 S/N 3015154.
7. Measuring Amplifier Brüel&Kjær 2636 S/N 1537484.

Date of Receipt : 14 Jan. 2025

Date of Calibration : 17-18 Feb. 2025

3 / 9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

FAEL.MTC.002 Rev.5

Head Office
 35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
 Changwat Pathumthani 12120, Thailand
 Tel. 060 0 2577 9036
 Fax. 060 0 2577 9039

Office/Laboratory
 668 Mu 2 Tambon Bangpoo, Amphoe Muang Samutprakan,
 Changwat Samutprakan 10280, Thailand
 Tel. 060 0 2523 1672-80 ext. 115, 116
 060 08 3219 9440
 E-mail : mtc@tistr.or.th Website : www.tistr.or.th

Office
 196 Phahonyothin Road, Ladysa, Chatuchak,
 Bangkok 10900, Thailand
 Tel. 060 0 2579 1121-30 ext. 5219, 5225, 5217
 060 08 1889 6827

Head Office
 35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
 Changwat Pathumthani 12120, Thailand
 Tel. 060 0 2577 9036
 Fax. 060 0 2577 9039

Office/Laboratory
 668 Mu 2 Tambon Bangpoo, Amphoe Muang Samutprakan,
 Changwat Samutprakan 10280, Thailand
 Tel. 060 0 2523 1672-80 ext. 115, 116
 060 08 3219 9440
 E-mail : mtc@tistr.or.th Website : www.tistr.or.th

Office
 196 Phahonyothin Road, Ladysa, Chatuchak,
 Bangkok 10900, Thailand
 Tel. 060 0 2579 1121-30 ext. 5219, 5225, 5217
 060 08 1889 6827

8. Power Amplifier Brüel&Kjær 2706 S/N 1517650.
9. Speaker Tansoy Limited, Great Britain British Patent No. 215300.
10. Digital Multimeter Agilent 34401A S/N MY44005500.
11. Programmable Attenuator Yamagawa TPA-303A S/N 2212.

Calibration Procedure :

This instrument was calibrated by using calibration procedures no CP-102-02 and CP-102-03, which were based on IEC 61672-3 Electroacoustics - Sound Level Meters - Part 3 : Periodic tests (2013). These calibration procedures were related to the electrical and acoustic signal tests. The electrical signal test was carried out with the direct measurement method. The acoustic signal test was performed in an anechoic room with the comparison measurement method.

This instrument has been calibrated against standards maintained at the Electrical and Electronic Standards Laboratory (EEL), which are traceable to the International System of Units through the National Institute of Metrology (Thailand).

The information on actual reading is attached herewith and the uncertainty limits quoted refer to the measured values only.

The reported expanded uncertainty is based upon a standard uncertainty multiplied by a coverage factor $k=2$, providing a level of confidence of approximately 95%.

Date of Calibration : 17-18 Feb. 2025

2 / 9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

FAEL.MTC.002 Rev.5

Head Office
 35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
 Changwat Pathumthani 12120, Thailand
 Tel. 060 0 2577 9036
 Fax. 060 0 2577 9039

Office/Laboratory
 668 Mu 2 Tambon Bangpoo, Amphoe Muang Samutprakan,
 Changwat Samutprakan 10280, Thailand
 Tel. 060 0 2523 1672-80 ext. 115, 116
 060 08 3219 9440
 E-mail : mtc@tistr.or.th Website : www.tistr.or.th

Office
 196 Phahonyothin Road, Ladysa, Chatuchak,
 Bangkok 10900, Thailand
 Tel. 060 0 2579 1121-30 ext. 5219, 5225, 5217
 060 08 1889 6827

Head Office
 35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
 Changwat Pathumthani 12120, Thailand
 Tel. 060 0 2577 9036
 Fax. 060 0 2577 9039

Office/Laboratory
 668 Mu 2 Tambon Bangpoo, Amphoe Muang Samutprakan,
 Changwat Samutprakan 10280, Thailand
 Tel. 060 0 2523 1672-80 ext. 115, 116
 060 08 3219 9440
 E-mail : mtc@tistr.or.th Website : www.tistr.or.th

Office
 196 Phahonyothin Road, Ladysa, Chatuchak,
 Bangkok 10900, Thailand
 Tel. 060 0 2579 1121-30 ext. 5219, 5225, 5217
 060 08 1889 6827

1. Absolute Sensitivity

Reference Acoustic Signal (dB)	Measured value (dB)		Deviation	Acceptance limit	Uncertainty	Maximum-permitted uncertainty
	Before adjust	After adjust	value (dB)	Class 2 ($\pm$ dB)	($\pm$ dB)	of measurement ($\pm$ dB)
93.99	92.7	94.0	0.0	1.0	0.30	N/A

Note: The external calibration adjustment was firstly performed. The internal calibration adjustment was then completed at the display of 95.1 dB.

2. Self-generated noise

2.1 Normal test

Measured value (dB)	Uncertainty ($\pm$ dB)	Maximum-permitted uncertainty of measurement ($\pm$ dB)
23.1	0.10	N/A

2.2 The microphone of the sound level meter was replaced by electrical signal input device

Frequency Weighting	Measured value (dB)	Uncertainty ($\pm$ dB)	Maximum-permitted uncertainty of measurement ($\pm$ dB)
A-Weight	22.5	0.10	N/A
C-Weight	27.6	0.10	N/A
Flat	30.1	0.10	N/A

Date of Calibration : 17-18 Feb. 2025

3 / 9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

FAEL.MTC.002 Rev.5

3. Acoustical signal test of frequency weightings

Frequency (Hz)	Deviation from frequency response (dB)			Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum permitted uncertainty of measurement (±dB)
	A-weight	C-weight	Flat			
125	0.7	0.5	0.0	1.5	0.45	0.6
1 000	0.2	0.1	0.1	1.0	0.45	0.6
8 000	-4.4	-4.2	-4.4	5.0	0.45	0.7

4. Electrical signal test of frequency weightings

Frequency (Hz)	Deviation from frequency response (dB)			Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum permitted uncertainty of measurement (±dB)
	A-weight	C-weight	Flat			
63	0.3	0.1	0.1	2.0	0.20	0.6
125	0.1	0.1	1.3	1.5	0.20	0.6
250	0.1	0.1	0.1	1.5	0.20	0.6
500	0.1	0.0	0.0	1.5	0.20	0.6
1 000	0.0	0.0	0.0	1.0	0.20	0.6
2 000	-0.1	0.0	0.1	2.0	0.20	0.6
4 000	-0.4	-0.2	0.0	3.0	0.20	0.6
8 000	-0.3	-0.2	-0.1	5.0	0.20	0.7

Date of Calibration : 17-18 Feb. 2025

4/9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

FASL/MTC.002 Rev.5

5. Long-term stability

Time	Measured Value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum permitted uncertainty of measurement (±dB)
Begin	94.0	0.0	0.3	0.10	0.1
End	94.0				

6. Frequency and time weightings at 1 kHz

6.1 Frequency weightings at 1 kHz

Frequency Weighting	Measured Value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum permitted uncertainty of measurement (±dB)
A-weight	94.0	0.0	0.2	0.20	0.2
C-weight	94.0	0.0	0.2	0.20	0.2
Flat	94.1	0.1	0.2	0.20	0.2

6.2 Time weightings at 1 kHz

Frequency Weighting	Measured Value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum permitted uncertainty of measurement (±dB)
Fast	94.0	0.0	0.1	0.20	0.2
Slow	94.0	0.0	0.1	0.20	0.2
Leq	94.0	0.0	0.1	0.20	0.2

Date of Calibration : 17-18 Feb. 2025

5/9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

FASL/MTC.002 Rev.5

7. Level linearity on the reference level range

Anticipated value (dB)	Measured Value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum permitted uncertainty of measurement (±dB)
122	121.8	-0.2	1.1	0.30	0.3
121	120.9	-0.1	1.1	0.30	0.3
120	119.9	-0.1	1.1	0.30	0.3
119	118.9	-0.1	1.1	0.30	0.3
114	113.9	-0.1	1.1	0.30	0.3
109	108.9	-0.1	1.1	0.30	0.3
104	103.9	-0.1	1.1	0.30	0.3
99	99.0	0.0	1.1	0.30	0.3
94	94.0	0.0	1.1	0.30	0.3
89	88.9	-0.1	1.1	0.30	0.3
84	84.1	0.1	1.1	0.30	0.3
79	78.9	-0.1	1.1	0.30	0.3
74	73.9	-0.1	1.1	0.30	0.3
69	68.9	-0.1	1.1	0.30	0.3
64	63.9	-0.1	1.1	0.30	0.3
59	58.8	-0.2	1.1	0.30	0.3
54	53.9	-0.1	1.1	0.30	0.3
49	48.9	-0.1	1.1	0.30	0.3
44	44.2	0.2	1.1	0.30	0.3
39	39.0	0.0	1.1	0.30	0.3
34	34.1	0.1	1.1	0.30	0.3
33	33.2	0.2	1.1	0.30	0.3

Date of Calibration : 17-18 Feb. 2025

6/9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

FASL/MTC.002 Rev.5

7. Level linearity on the reference level range

Anticipated value (dB)	Measured Value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum permitted uncertainty of measurement (±dB)
32	32.3	0.3	1.1	0.30	0.3
31	31.4	0.4	1.1	0.30	0.3
30	30.4	0.4	1.1	0.30	0.3

8. Level linearity including the level range control

At reference sound level on the reference level range

Range	Anticipated value (dB)	Measured value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum permitted uncertainty of measurement (±dB)
40-130	94.0	94.0	0.0	1.1	0.30	0.3
30-120	94.0	94.0	0.0	1.1	0.30	0.3
20-110	94.0	94.0	0.0	1.1	0.30	0.3
20-100	94.0	94.0	0.0	1.1	0.30	0.3

Date of Calibration : 17-18 Feb. 2025

7/9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

FASL/MTC.002 Rev.5

8. Level linearity including the level range control

At reference level at 5 dB greater than the under-range on a level range

Range	Anticipated value (dB)	Measured value (dB)	Deviated value (dB)	Acceptance limit class 2 ($\pm$ dB)	Uncertainty ($\pm$ dB)	Maximum-permitted uncertainty of measurement ($\pm$ dB)
40-130	45	45.0	0.0	1.1	0.30	0.3
30-120	35	35.0	0.0	1.1	0.30	0.3
20-110	25	25.8	0.8	1.1	0.30	0.3
20-100	25	25.8	0.8	1.1	0.30	0.3
20-90	25	25.6	0.6	1.1	0.30	0.3
20-80	25	25.7	0.7	1.1	0.30	0.3

9. Tone burst response

Time Weighting	Toneburst Duration, Th (ms)	Measured value (dB)	Deviated value (dB)	Acceptance limit class 2 ($\pm$ dB)	Uncertainty ($\pm$ dB)	Maximum-permitted uncertainty of measurement ($\pm$ dB)
Fast	200	115.8	-0.2	± 1.0	0.20	0.3
	2	98.8	-0.2	$+1.0; -2.5$	0.20	0.3
	0.25	89.6	-0.4	$+1.5; -5.0$	0.20	0.3
Slow	200	109.4	-0.2	± 1.0	0.20	0.3
	2	89.8	-0.2	$+1.0; -5.0$	0.20	0.3
SEL	200	109.9	-0.1	± 1.0	0.20	0.3
	2	90.0	0.0	$+1.0; -2.5$	0.20	0.3
	0.25	80.9	-0.1	$+1.5; -5.0$	0.20	0.3

Date of Calibration : 17-18 Feb. 2025

8/9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

PM.BL.MTC.802 Rev.5

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. 060 0 2577 9036
Fax. 060 0 2577 9039

Office/Laboratory
668 Mu 2 Tambon Bangpoornai, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. 060 0 2523 1672-80 ext. 115, 116
060 08 3219 9440
Email : mtc@tistr.or.th Website : www.tistr.or.th

Office
196 Phahonyothin Road, Ladysa, Chatuchak,
Bangkok 10900, Thailand
Tel. 060 0 2579 1121-30 ext. 5219, 5225, 5217
060 08 3889 6827

CALIBRATION CERTIFICATE

Submitted by : Integrated Research Center Company Limited.

Address : 122 Moo 2, T.Thatoom, A.Srimahaphote, Prachinburi, 25140.

Calibrated at : Electrical and Electronic Standards Laboratory, Industrial Metrology and Testing Service Centre.

Soi 1C, Bangpoo Industrial Estate, Sukhumvit Rd., A.Muang, Samutprakan 10280.

Instrument Calibrated :

Description : Sound Level Meter

Manufacturer : Delta OHM

Model : HD 2010UC

Serial No. : 11040842479

Microphone : Type UC-52 No.114674

Preamplifier : Delta Type HD2010P/NB2 No.11001018

Standards used :

1. Band Pass Filter Stanford Research Systems SR 650 S/N 28712.
2. Condenser Microphone Brüel&Kjær 4180 S/N 289871.
3. Decade Attenuator Ando AL-205 S/N 00464602.
4. Function/Arbitrary Waveform Generator Agilent 33220A S/N MY44042668.
5. Digital Function Synthesizer NF Electronic Instruments DF-193A S/N 122037.
6. Sound Calibrator Brüel&Kjær 4231 S/N 3015154.
7. Measuring Amplifier Brüel&Kjær 2636 S/N 1537484.

Date of Receipt : 14 Jan. 2025

Date of Calibration : 17-18 Feb. 2025

1/9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

PM.BL.MTC.802 Rev.5

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. 060 0 2577 9036
Fax. 060 0 2577 9039

Office/Laboratory
668 Mu 2 Tambon Bangpoornai, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. 060 0 2523 1672-80 ext. 115, 116
060 08 3219 9440
Email : mtc@tistr.or.th Website : www.tistr.or.th

Office
196 Phahonyothin Road, Ladysa, Chatuchak,
Bangkok 10900, Thailand
Tel. 060 0 2579 1121-30 ext. 5219, 5225, 5217
060 08 3889 6827

10. Peak C sound level

Number of cycles in test signal	Anticipated value (dB)	Measured value (dB)	Deviated value (dB)	Acceptance limit class 2 ($\pm$ dB)	Uncertainty ($\pm$ dB)	Maximum-permitted uncertainty of measurement ($\pm$ dB)
Complete cycle	125.4	125.8	0.4	3.0	0.20	0.35
Positive half cycle	124.4	124.2	-0.2	2.0	0.20	0.35
Negative half cycle	124.4	124.2	-0.2	2.0	0.20	0.35

11. Overload indication

Measured value (dB)		Deviated	Acceptance limit	Uncertainty	Maximum permitted uncertainty
Positive one-half cycle	Negative one-half cycle	value (dB)	class 2 ($\pm$ dB)	($\pm$ dB)	of measurement ($\pm$ dB)
131.1	131.1	0.0	1.5	0.20	0.25

12. High-level stability

Time	Measured value (dB)	Deviated value (dB)	Acceptance limit class 2 ($\pm$ dB)	Uncertainty ($\pm$ dB)	Maximum-permitted uncertainty of measurement ($\pm$ dB)
Begin	129.0	0.0	0.3	0.10	0.1
End	129.0				

Calibrated by


(Mr. Pannak Phasingsri)

Approved by:


(Mr. Pannak Phasingsri)

Director
Electrical and Electronic Standards Laboratory
Industrial Metrology and Testing Service Centre

Date of Calibration : 17-18 Feb. 2025

Date of Issue : 24 Feb. 2025

Ref : 2011268011400185009

End of Certificate

9/9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

PM.BL.MTC.802 Rev.5

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. 060 0 2577 9036
Fax. 060 0 2577 9039

Office/Laboratory
668 Mu 2 Tambon Bangpoornai, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. 060 0 2523 1672-80 ext. 115, 116
060 08 3219 9440
Email : mtc@tistr.or.th Website : www.tistr.or.th

Office
196 Phahonyothin Road, Ladysa, Chatuchak,
Bangkok 10900, Thailand
Tel. 060 0 2579 1121-30 ext. 5219, 5225, 5217
060 08 3889 6827

8. Power Amplifier Brüel&Kjær 2706 S/N 1517650.
9. Speaker Tannoy Limited, Great Britain British Patent No. 215300.
10. Digital Multimeter Agilent 34401A S/N MY44005560.
11. Programmable Attenuator Tomagawa TPA-303A S/N 2212.

Calibration Procedure :

This instrument was calibrated by using calibration procedures to CP-102-02 and CP-102-03, which were based on IEC 61672-3 Electroacoustics - Sound Level Meters - Part 3 : Periodic tests (2013). These calibration procedures were related to the electrical and acoustic signal tests. The electrical signal test was carried out with the direct measurement method. The acoustic signal test was performed in an anechoic room with the comparison measurement method.

This instrument has been calibrated against standards maintained at the Electrical and Electronic Standards Laboratory (EEL), which are traceable to the International System of Units through the National Institute of Metrology (Thailand).

The information on actual reading is attached herewith and the uncertainty limits quoted refer to the measured values only.

The reported expanded uncertainty is based upon a standard uncertainty multiplied by a coverage factor $k=2$, providing a level of confidence of approximately 95%.

Date of Calibration : 17-18 Feb. 2025

2/9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

PM.BL.MTC.802 Rev.5

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. 060 0 2577 9036
Fax. 060 0 2577 9039

Office/Laboratory
668 Mu 2 Tambon Bangpoornai, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. 060 0 2523 1672-80 ext. 115, 116
060 08 3219 9440
Email : mtc@tistr.or.th Website : www.tistr.or.th

Office
196 Phahonyothin Road, Ladysa, Chatuchak,
Bangkok 10900, Thailand
Tel. 060 0 2579 1121-30 ext. 5219, 5225, 5217
060 08 3889 6827

1. Absolute Sensitivity

Reference Acoustic Signal (dB)	Measured value (dB)	Deviation value (dB)	Acceptance limit Class 2 ($\pm$ dB)	Uncertainty ($\pm$ dB)	Maximum-permitted uncertainty of measurement ($\pm$ dB)
	Before adjust	After adjust			
93.95	93.3	94.0	0.1	1.0	0.30

Note: The external calibration adjustment was firstly performed. The internal calibration adjustment was then completed at the display of 94.0 dB.

2. Self-generated noise

2.1 Normal test

Measured value (dB)	Uncertainty ($\pm$ dB)	Maximum-permitted uncertainty of measurement ($\pm$ dB)
19.6	0.10	N/A

2.2 The microphone of the sound level meter was replaced by electrical signal input device

Frequency Weighting	Measured value (dB)	Uncertainty ($\pm$ dB)	Maximum-permitted uncertainty of measurement ($\pm$ dB)
A-Weight	18.3	0.10	N/A
C-Weight	24.5	0.20	N/A
Flat	26.9	0.10	N/A

Date of Calibration : 17-18 Feb. 2025

3 / 9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

FMIL/MTC.002 Rev.5

3. Acoustical signal test of frequency weightings

Frequency (Hz)	Deviation from frequency response (dB)	Acceptance limit class 2 ($\pm$ dB)	Uncertainty ($\pm$ dB)	Maximum-permitted uncertainty of measurement ($\pm$ dB)
	A-weight	C-weight	Flat	
125	0.4	0.3	0.2	1.5
1 000	-0.5	-0.5	-0.5	1.0
8 000	-4.0	-3.9	-4.0	5.0

4. Electrical signal test of frequency weightings

Frequency (Hz)	Deviation from frequency response (dB)	Acceptance limit class 2 ($\pm$ dB)	Uncertainty ($\pm$ dB)	Maximum-permitted uncertainty of measurement ($\pm$ dB)
	A-weight	C-weight	Flat	
63	-0.1	-0.2	-0.3	2.0
125	-0.1	-0.1	-0.2	1.5
250	0.0	-0.1	-0.1	1.5
500	0.0	0.0	0.0	1.5
1 000	0.0	0.0	0.0	1.0
2 000	0.0	0.1	0.1	2.0
4 000	0.1	0.1	0.1	3.0
8 000	0.1	0.1	0.1	5.0

Date of Calibration : 17-18 Feb. 2025

4 / 9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

FMIL/MTC.002 Rev.5

5. Long-term stability

Time	Measured Value (dB)	Deviated value (dB)	Acceptance limit class 2 ($\pm$ dB)	Uncertainty ($\pm$ dB)	Maximum-permitted uncertainty of measurement ($\pm$ dB)
Begin	94.0	0.0	0.3	0.10	0.1
End	94.0				

6. Frequency and time weightings at 1 kHz

6.1 Frequency weightings at 1 kHz

Frequency Weighting	Measured Value (dB)	Deviated value (dB)	Acceptance limit class 2 ($\pm$ dB)	Uncertainty ($\pm$ dB)	Maximum-permitted uncertainty of measurement ($\pm$ dB)
A-weight	94.0	0.0	0.2	0.20	0.2
C-weight	94.0	0.0	0.2	0.20	0.2
Flat	94.1	0.1	0.2	0.20	0.2

6.2 Time weightings at 1 kHz

Frequency Weighting	Measured Value (dB)	Deviated value (dB)	Acceptance limit class 2 ($\pm$ dB)	Uncertainty ($\pm$ dB)	Maximum-permitted uncertainty of measurement ($\pm$ dB)
Fast	94.0	0.0	0.1	0.20	0.2
Slow	94.0	0.0	0.1	0.20	0.2
Log	94.0	0.0	0.1	0.20	0.2

Date of Calibration : 17-18 Feb. 2025

5 / 9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

FMIL/MTC.002 Rev.5

7. Level linearity on the reference level range

Anticipated value (dB)	Measured Value (dB)	Deviated value (dB)	Acceptance limit class 2 ($\pm$ dB)	Uncertainty ($\pm$ dB)	Maximum-permitted uncertainty of measurement ($\pm$ dB)
120	120.0	0.0	1.1	0.30	0.3
119	119.0	0.0	1.1	0.30	0.3
114	114.0	0.0	1.1	0.30	0.3
109	109.0	0.0	1.1	0.30	0.3
104	104.0	0.0	1.1	0.30	0.3
99	99.0	0.0	1.1	0.30	0.3
94	94.0	0.0	1.1	0.30	0.3
89	89.0	0.0	1.1	0.30	0.3
84	84.0	0.0	1.1	0.30	0.3
79	79.0	0.0	1.1	0.30	0.3
74	74.0	0.0	1.1	0.30	0.3
69	69.0	0.0	1.1	0.30	0.3
64	64.0	0.0	1.1	0.30	0.3
59	59.0	0.0	1.1	0.30	0.3
54	54.0	0.0	1.1	0.30	0.3
49	49.0	0.0	1.1	0.30	0.3
44	44.0	0.0	1.1	0.30	0.3
43	43.0	0.0	1.1	0.30	0.3
42	42.1	0.1	1.1	0.30	0.3

Date of Calibration : 17-18 Feb. 2025

6 / 9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

FMIL/MTC.002 Rev.5

7. Level linearity on the reference level range

Anticipated value (dB)	Measured Value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
41	41.1	0.1	1.1	0.30	0.3
40	40.1	0.1	1.1	0.30	0.3
39	39.1	0.1	1.1	0.30	0.3

8. Level linearity including the level range control

At reference sound level on the reference level range

Range	Anticipated value (dB)	Measured value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
60-140	94.0	94.0	0.0	1.1	0.30	0.3
50-130	94.0	94.0	0.0	1.1	0.30	0.3
40-120	94.0	94.0	0.0	1.1	0.30	0.3
30-110	94.0	94.0	0.0	1.1	0.30	0.3
20-100	94.0	94.0	0.0	1.1	0.30	0.3

Date of Calibration : 17-18 Feb. 2025

7/9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

PMBL/MTC.002 Rev.5

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. 061 0 2577 9036
Fax. 061 0 2577 9039

Office/Laboratory
668 Mu 2 Tambon Bangpoorn, Amphoe Muang Samutprakan,
Changwat Samutprakan 10200, Thailand
Tel. 061 0 2525 1672-80 ext. 115, 116
061 08 3219 9440
E-mail: mtc@tistr.or.th Website: www.tistr.or.th

Office
196 Phahonyothin Road, Ladysa, Chatuchak,
Bangkok 10900, Thailand
Tel. 061 0 2579 1121-30 ext. 5215, 5225, 5237
061 08 1889 6827

10. Peak C sound level


Number of cycles in test signal	Anticipated value (dB)	Measured value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
Complete cycle	135.4	135.3	-0.1	3.0	0.20	0.35
Positive half cycle	134.4	134.2	-0.2	2.0	0.20	0.35
Negative half cycle	134.4	134.2	-0.2	2.0	0.20	0.35

11. Overload indication

Measured value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
Positive one-half cycle	140.5	0.0	1.5	0.20
Negative one-half cycle	140.5	0.0	1.5	0.20

12. High-level stability

Time	Measured value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
Begin	139.0	0.0	0.3	0.10	0.1
End	139.0	0.0	0.3	0.10	0.1

Calibrated by: 
(Mr. Pannasik Phasingan)

Approved by: 
Mr. Pannasik Phasingan
Director
Electrical and Electronic Standards Laboratory
Industrial Metrology and Testing Service Centre

Date of Calibration : 17-18 Feb. 2025

Date of Issue : 24 Feb. 2025

Ref: 2011268011400185012

End of Certificate

9/9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

PMBL/MTC.002 Rev.5

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. 061 0 2577 9036
Fax. 061 0 2577 9039

Office/Laboratory
668 Mu 2 Tambon Bangpoorn, Amphoe Muang Samutprakan,
Changwat Samutprakan 10200, Thailand
Tel. 061 0 2525 1672-80 ext. 115, 116
061 08 3219 9440
E-mail: mtc@tistr.or.th Website: www.tistr.or.th

Office
196 Phahonyothin Road, Ladysa, Chatuchak,
Bangkok 10900, Thailand
Tel. 061 0 2579 1121-30 ext. 5215, 5225, 5237
061 08 1889 6827

8. Level linearity including the level range control

At reference level at 5 dB greater than the under-range on a level range

Range	Anticipated value (dB)	Measured value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
60-140	65	65.0	0.0	1.1	0.30	0.3
50-130	55	55.0	0.0	1.1	0.30	0.3
40-120	45	45.0	0.0	1.1	0.30	0.3
30-110	35	35.2	0.2	1.1	0.30	0.3
20-100	25	25.3	0.3	1.1	0.30	0.3

9. Tone burst response

Time Weighting	Toneburst Duration, T _b (ms)	Measured value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
Fast	200	115.8	-0.2	±1.0	0.20	0.3
	2	98.8	-0.2	+1.0; -2.5	0.20	0.3
	0.25	89.6	-0.4	+1.5; -5.0	0.20	0.3
Slow	200	109.4	-0.2	±1.0	0.20	0.3
	2	89.8	-0.2	+1.0; -5.0	0.20	0.3
	200	109.9	-0.1	±1.0	0.20	0.3
SEL	2	90.0	0.0	+1.0; -2.5	0.20	0.3
	0.25	80.9	-0.1	+1.5; -5.0	0.20	0.3

Date of Calibration : 17-18 Feb. 2025

8/9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

PMBL/MTC.002 Rev.5

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. 061 0 2577 9036
Fax. 061 0 2577 9039

Office/Laboratory
668 Mu 2 Tambon Bangpoorn, Amphoe Muang Samutprakan,
Changwat Samutprakan 10200, Thailand
Tel. 061 0 2525 1672-80 ext. 115, 116
061 08 3219 9440
E-mail: mtc@tistr.or.th Website: www.tistr.or.th

Office
196 Phahonyothin Road, Ladysa, Chatuchak,
Bangkok 10900, Thailand
Tel. 061 0 2579 1121-30 ext. 5215, 5225, 5237
061 08 1889 6827

CALIBRATION CERTIFICATE

Submitted by : Integrated Research Center Company Limited.
Address : 122 Moo 2, T.Thatoom, A.Srinaphaphoe, Prachinburi, 25140.
Calibrated at : Electrical and Electronic Standards Laboratory, Industrial Metrology and Testing Service Centre,
Sri IC, Bangpoo Industrial Estate, Sukhumvit Rd., A.Muang, Samutprakan 10280.

Instrument Calibrated :

Description : Sound Level Meter

Manufacturer : Rion

Model : NL-42

Serial No. : 00433730

Microphone : Type UC-52 No.144953

Preamplifier : Type NH-24 No.33780

Standards used :

1. Band Pass Filter Stanford Research Systems SR 650 S/N 28712.
2. Condenser Microphone Brüel&Kjær 4180 S/N 2889871.
3. Decade Attenuator Ando AI-205 S/N 00464602.
4. Function/Arbitrary Waveform Generator Agilent 33220A S/N MY44042668.
5. Digital Function Synthesizer NF Electronic Instruments DP-193A S/N 122037.
6. Sound Calibrator Brüel&Kjær 4231 S/N 3015154.
7. Measuring Amplifier Brüel&Kjær 2636 S/N 1537484.

Ambient Environment

Temperature : (23 ± 3) °C

Relative Humidity : (50 ± 15) %

Ambient Pressure : (101.325 ± 1.5) kPa

Date of Receipt : 14 Jan. 2025

Date of Calibration : 17-18 Feb. 2025

1/9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

PMBL/MTC.002 Rev.5

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. 061 0 2577 9036
Fax. 061 0 2577 9039

Office/Laboratory
668 Mu 2 Tambon Bangpoorn, Amphoe Muang Samutprakan,
Changwat Samutprakan 10200, Thailand
Tel. 061 0 2525 1672-80 ext. 115, 116
061 08 3219 9440
E-mail: mtc@tistr.or.th Website: www.tistr.or.th

Office
196 Phahonyothin Road, Ladysa, Chatuchak,
Bangkok 10900, Thailand
Tel. 061 0 2579 1121-30 ext. 5215, 5225, 5237
061 08 1889 6827

8. Power Amplifier Brüel&Kjær 2706 S/N 1517650.
9. Speaker Tannoy Limited, Great Britain Patent No. 215300.
10. Digital Multimeter Agilent 34401A S/N MY44005560.
11. Programmable Attenuator Yamagawa TPA-303A S/N 2212.

Calibration Procedure :

This instrument was calibrated by using calibration procedures no CP-102-02 and CP-102-05, which were based on IEC 61672-3 Electroacoustics - Sound Level Meters - Part 3 : Periodic tests (2013). These calibration procedures were related to the electrical and acoustic signal tests. The electrical signal test was carried out with the direct measurement method. The acoustic signal test was performed in an anechoic room with the comparison measurement method.

This instrument has been calibrated against standards maintained at the Electrical and Electronic Standards Laboratory (EEL), which are traceable to the International System of Units through the National Institute of Metrology (Thailand).

The information on actual reading is attached herewith and the uncertainty limits quoted refer to the measured values only.

The reported expanded uncertainty is based upon a standard uncertainty multiplied by a coverage factor $k=2$, providing a level of confidence of approximately 95%.

Date of Calibration : 17-18 Feb. 2025

2 / 9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

FASL/MTC.002 Rev.5

1. Absolute Sensitivity

Reference Acoustic Signal (dB)	Measured value (dB)		Deviation value (dB)	Acceptance limit Class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
	Before adjust	After adjust				
93.95	93.8	113.9	20.0	1.0	0.30	N/A

Note: The external calibration adjustment was firstly performed. The internal calibration adjustment was then completed at the display of 128.0 dB.

2. Self-generated noise

2.1 Normal test

Measured value (dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
17.9	0.10	N/A

2.2 The microphone of the sound level meter was replaced by electrical signal input device

Frequency Weighting	Measured value (dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
A-Weight	14.3	0.70	N/A
C-Weight	19.4	0.70	N/A
Flat	25.1	0.30	N/A

Date of Calibration : 17-18 Feb. 2025

3 / 9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

FASL/MTC.002 Rev.5

3. Acoustical signal test of frequency weightings

Frequency (Hz)	Deviation from frequency response (dB)			Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
	A-weight	C-weight	Flat			
125	0.1	0.3	0.0	1.5	0.45	0.6
1 000	0.1	0.0	0.1	1.0	0.45	0.6
8 000	-4.6	-4.4	-4.7	5.0	0.45	0.7

4. Electrical signal test of frequency weightings

Frequency (Hz)	Deviation from frequency response (dB)			Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
	A-weight	C-weight	Flat			
63	0.0	0.0	0.1	2.0	0.20	0.6
125	0.0	0.1	0.1	1.5	0.20	0.6
250	0.0	0.1	0.1	1.5	0.20	0.6
500	0.0	0.0	0.0	1.5	0.20	0.6
1 000	0.0	0.0	0.0	1.0	0.20	0.6
2 000	0.0	0.1	0.1	2.0	0.20	0.6
4 000	0.0	0.1	0.1	3.0	0.20	0.6
8 000	0.1	0.1	0.1	5.0	0.20	0.7

Date of Calibration : 17-18 Feb. 2025

4 / 9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

FASL/MTC.002 Rev.5

5. Long-term stability

Time	Measured Value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
Begin	94.0	0.0	0.3	0.10	0.1
End	94.0				

6. Frequency and time weightings at 1 kHz

6.1 Frequency weightings at 1 kHz

Frequency Weighting	Measured Value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
A-weight	94.0	0.0	0.2	0.20	0.2
C-weight	94.0	0.0	0.2	0.20	0.2
Flat	94.1	0.1	0.2	0.20	0.2

6.2 Time weightings at 1 kHz

Frequency Weighting	Measured Value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
Fast	94.0	0.0	0.1	0.20	0.2
Slow	94.0	0.0	0.1	0.20	0.2
Leq	94.0	0.0	0.1	0.20	0.2

Date of Calibration : 17-18 Feb. 2025

5 / 9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

FASL/MTC.002 Rev.5

7. Level linearity on the reference level range

Anticipated value (dB)	Measured Value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
137	137.1	0.1	1.1	0.64	0.3
136	136.1	0.1	1.1	0.69	0.3
135	135.0	0.0	1.1	0.58	0.3
133	133.0	0.0	1.1	0.64	0.3
132	132.0	0.0	1.1	0.64	0.3
131	131.0	0.0	1.1	0.64	0.3
130	130.0	0.0	1.1	0.64	0.3
129	129.0	0.0	1.1	2.90	0.3
124	124.0	0.0	1.1	2.90	0.3
119	119.0	0.0	1.1	2.90	0.3
114	114.0	0.0	1.1	2.90	0.3
109	109.0	0.0	1.1	2.90	0.3
104	104.0	0.0	1.1	2.90	0.3
99	99.0	0.0	1.1	0.30	0.3
94	94.0	0.0	1.1	0.30	0.3
89	89.0	0.0	1.1	0.30	0.3
84	84.1	0.1	1.1	0.30	0.3
79	79.0	0.0	1.1	0.30	0.3
74	74.0	0.0	1.1	0.30	0.3
69	69.0	0.0	1.1	0.30	0.3
64	64.0	0.0	1.1	0.30	0.3
59	58.9	-0.1	1.1	0.30	0.3

Date of Calibration : 17-18 Feb. 2025

6/9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

FM/ELMTC.002 Rev.5

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. 061 0 2577 9096
Fax. 061 0 2577 9099

Office/Laboratory
688 Mu 2 Tambon Bangpoornai, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. 061 0 2573 1672-80 ext. 115, 116
061 08 5215 9440
E-mail : mtr@tistr.or.th Website : www.tistr.or.th

Office
194 Phahonyothin Road, Ladysa, Chatuchak,
Bangkok 10900, Thailand
Tel. 061 0 2579 1121-30 ext. 5219, 5225, 5217
061 08 1889 4827

8. Level linearity including the level range control

At reference level at 5 dB greater than the under-range on a level range

Range	Anticipated value (dB)	Measured value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
30-130	25	25.0	0.0	1.1	0.30	0.3

9. Tone burst response

Time Weighting	Time Duration, T _b (ms)	Measured value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
Fast	200	126.0	0.0	±1.0	0.20	0.3
	2	108.9	-0.1	+1.0, -2.5	0.20	0.3
	0.25	100.0	0.0	+1.5, -5.0	0.20	0.3
Slow	200	119.5	-0.1	±1.0	0.20	0.3
	2	100.0	0.0	+1.0, -5.0	0.20	0.3

Date of Calibration : 17-18 Feb. 2025

8/9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

FM/ELMTC.002 Rev.5

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. 061 0 2577 9096
Fax. 061 0 2577 9099

Office/Laboratory
688 Mu 2 Tambon Bangpoornai, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. 061 0 2573 1672-80 ext. 115, 116
061 08 5215 9440
E-mail : mtr@tistr.or.th Website : www.tistr.or.th

Office
194 Phahonyothin Road, Ladysa, Chatuchak,
Bangkok 10900, Thailand
Tel. 061 0 2579 1121-30 ext. 5219, 5225, 5217
061 08 1889 4827

7. Level linearity on the reference level range (cont.)

Anticipated value (dB)	Measured Value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
54	53.9	-0.1	1.1	0.30	0.3
49	48.9	-0.1	1.1	0.30	0.3
44	44.0	0.0	1.1	0.30	0.3
39	38.9	-0.1	1.1	0.30	0.3
34	33.9	-0.1	1.1	0.30	0.3
29	29.0	0.0	1.1	0.30	0.3
28	27.9	-0.1	1.1	0.30	0.3
27	26.9	-0.1	1.1	0.30	0.3
26	25.9	-0.1	1.1	0.30	0.3
25	24.9	-0.1	1.1	0.30	0.3

8. Level linearity including the level range control

At reference sound level on the reference level range

Range	Anticipated value (dB)	Measured value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
30-130	94.0	94.0	0.0	1.1	0.30	0.3

Date of Calibration : 17-18 Feb. 2025

7/9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

FM/ELMTC.002 Rev.5

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. 061 0 2577 9096
Fax. 061 0 2577 9099

Office/Laboratory
688 Mu 2 Tambon Bangpoornai, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. 061 0 2573 1672-80 ext. 115, 116
061 08 5215 9440
E-mail : mtr@tistr.or.th Website : www.tistr.or.th

Office
194 Phahonyothin Road, Ladysa, Chatuchak,
Bangkok 10900, Thailand
Tel. 061 0 2579 1121-30 ext. 5219, 5225, 5217
061 08 1889 4827

10. Peak C sound level

Number of cycles in test signal	Anticipated value (dB)	Measured value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
Complete cycle	125.4	125.5	0.1	3.0	0.20	0.35
Positive half cycle	124.4	124.1	-0.3	2.0	0.20	0.35
Negative half cycle	124.4	124.1	-0.3	2.0	0.20	0.35

11. Overload indication

Measured value (dB)		Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
Positive one half cycle	Negative one half cycle				
135.4	135.4	0.0	1.5	0.55	0.25

12. High-level stability

Time	Measured value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
Begin	129.0	0.0	0.3	0.10	0.1
End	129.0				

Calibrated by :
(Mr. Pannasit Phasingorn)

Approved by :
(Mr. Pannasit Phasingorn)
Director

Date of Calibration : 17-18 Feb. 2025

Date of Issue : 24 Feb. 2025

Electrical and Electronic Standards Laboratory
Industrial Metrology and Testing Service Centre

Ref : 201126891/1400185010

End of Certificate

9/9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

FM/ELMTC.002 Rev.5

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. 061 0 2577 9096
Fax. 061 0 2577 9099

Office/Laboratory
688 Mu 2 Tambon Bangpoornai, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. 061 0 2573 1672-80 ext. 115, 116
061 08 5215 9440
E-mail : mtr@tistr.or.th Website : www.tistr.or.th

Office
194 Phahonyothin Road, Ladysa, Chatuchak,
Bangkok 10900, Thailand
Tel. 061 0 2579 1121-30 ext. 5219, 5225, 5217
061 08 1889 4827

CALIBRATION CERTIFICATE

Submitted by : Integrated Research Center Company Limited.

Address : 122 Moo 2, T.Thanoom, A.Srinahaphote, Prachinburi, 25140.

Calibrated at : Electrical and Electronic Standards Laboratory, Industrial Metrology and Testing Service Centre.

Soi 1C, Bangpoo Industrial Estate, Sukhumvit Rd., A.Muang, Samutprakan 10280.

Instrument Calibrated :

Description : Sound Level Meter

Manufacturer : Rion

Model : NL-42

Serial No. : 00646442

Microphone : Type UC-52 No.142301

Pre-amplifier : Type NH-24 No.22410

Standards used :

1. Band Pass Filter Standard Research Systems SR 650 S/N 28712.
2. Condenser Microphone Brüel&Kjær 4180 S/N 2889871.
3. Decade Attenuator Ando AL-205 S/N 00464602.
4. Function/Arbitrary Waveform Generator Agilent 33220A S/N MY44042668.
5. Digital Function Synthesizer NF Electronic Instruments DF-193A S/N 122037.
6. Sound Calibrator Brüel&Kjær 4231 S/N 3015154.
7. Measuring Amplifier Brüel&Kjær 2636 S/N 1537484.

Date of Receipt : 14 Jan. 2025

Date of Calibration : 17-18 Feb. 2025

1/9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

FAIR/MTC.002 Rev.5

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. 060 0 2577 9036
Fax. 060 0 2577 9039

Office/Laboratory
608 Mu 2 Tambon Bangpoo, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. 060 0 2579 1121-30 ext. 5219, 5225, 5217
060 08 3219 9400
E-mail : mtc@tistr.or.th Website : www.tistr.or.th

Office
190 Phahonyothin Road, Ladysa, Chulachak,
Bangkok 10900, Thailand
Tel. 060 0 2579 1121-30 ext. 5219, 5225, 5217
060 08 1889 6827

1. Absolute Sensitivity

Reference Acoustic	Measured value (dB)	Deviation	Acceptance limit	Uncertainty	Maximum-permitted uncertainty
Signal (dB)	Before adjust	After adjust	Class 2 (±dB)	(±dB)	of measurement (±dB)
93.95	93.6	113.9	20.0	1.0	0.30
					N/A

Note: The external calibration adjustment was firstly performed. The internal calibration adjustment was then completed at the display of 124.3 dB.

2. Self-generated noise

2.1 Normal test

Measured value	Uncertainty	Maximum-permitted uncertainty
(dB)	(±dB)	of measurement (±dB)
16.9	0.10	N/A

2.2 The microphone of the sound level meter was replaced by electrical signal input device

Frequency	Measured value	Uncertainty	Maximum-permitted uncertainty
Weighting	(dB)	(±dB)	of measurement (±dB)
A-Weight	13.1	0.10	N/A
C-Weight	18.5	0.10	N/A
Flat	24.4	0.10	N/A

Date of Calibration : 17-18 Feb. 2025

3/9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

FAIR/MTC.002 Rev.5

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. 060 0 2577 9036
Fax. 060 0 2577 9039

Office/Laboratory
608 Mu 2 Tambon Bangpoo, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. 060 0 2579 1121-30 ext. 5219, 5225, 5217
060 08 3219 9400
E-mail : mtc@tistr.or.th Website : www.tistr.or.th

Office
190 Phahonyothin Road, Ladysa, Chulachak,
Bangkok 10900, Thailand
Tel. 060 0 2579 1121-30 ext. 5219, 5225, 5217
060 08 1889 6827

8. Power Amplifier Brüel&Kjær 2706 S/N 1517650.

9. Speaker Tannoy Limited, Great Britain British Patent No. 215300.

10. Digital Multimeter Agilent 34401A S/N MY44005560.

11. Programmable Attenuator Tannogawa TPA-303A S/N 2212.

Calibration Procedure :

This instrument was calibrated by using calibration procedures to CP-102-02 and CP-102-03, which were based on IEC 61672-3 Electroacoustics - Sound Level Meters - Part 3 : Periodic tests (2013). These calibration procedures were related to the electrical and acoustic signal tests. The electrical signal test was carried out with the direct measurement method. The acoustic signal test was performed in an anechoic room with the comparison measurement method.

This instrument has been calibrated against standards maintained at the Electrical and Electronic Standards Laboratory (EEL), which are traceable to the International System of Units through the National Institute of Metrology (Thailand).

The information on actual reading is attached herewith and the uncertainty limits quoted refer to the measured values only.

The reported expanded uncertainty is based upon a standard uncertainty multiplied by a coverage factor $k=2$, providing a level of confidence of approximately 95%.

Date of Calibration : 17-18 Feb. 2025

2/9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

FAIR/MTC.002 Rev.5

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. 060 0 2577 9036
Fax. 060 0 2577 9039

Office/Laboratory
608 Mu 2 Tambon Bangpoo, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. 060 0 2579 1121-30 ext. 5219, 5225, 5217
060 08 3219 9400
E-mail : mtc@tistr.or.th Website : www.tistr.or.th

Office
190 Phahonyothin Road, Ladysa, Chulachak,
Bangkok 10900, Thailand
Tel. 060 0 2579 1121-30 ext. 5219, 5225, 5217
060 08 1889 6827

3. Acoustical signal test of frequency weightings

Frequency	Deviation from frequency response (dB)			Acceptance limit	Uncertainty	Maximum-permitted uncertainty
(Hz)	A-weight	C-weight	Flat	class 2 (±dB)	(±dB)	of measurement (±dB)
125	0.8	0.2	0.0	1.5	0.45	0.6
1 000	0.0	0.0	0.0	1.0	0.45	0.6
8 000	-2.0	-2.0	-2.1	5.0	0.45	0.7

4. Electrical signal test of frequency weightings

Frequency (Hz)	Deviation from frequency response (dB)			Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
	A-weight	C-weight	Flat			
63	-0.1	0.0	0.0	2.0	0.20	0.6
125	-0.1	0.0	0.0	1.5	0.20	0.6
250	0.0	0.0	0.0	1.5	0.20	0.6
500	0.0	0.0	0.0	1.5	0.20	0.6
1 000	0.0	0.0	0.0	1.0	0.20	0.6
2 000	0.0	0.0	0.0	2.0	0.20	0.6
4 000	0.0	0.0	0.0	3.0	0.20	0.6
8 000	0.0	0.0	0.0	5.0	0.20	0.7

Date of Calibration : 17-18 Feb. 2025

4/9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

FAIR/MTC.002 Rev.5

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. 060 0 2577 9036
Fax. 060 0 2577 9039

Office/Laboratory
608 Mu 2 Tambon Bangpoo, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. 060 0 2579 1121-30 ext. 5219, 5225, 5217
060 08 3219 9400
E-mail : mtc@tistr.or.th Website : www.tistr.or.th

Office
190 Phahonyothin Road, Ladysa, Chulachak,
Bangkok 10900, Thailand
Tel. 060 0 2579 1121-30 ext. 5219, 5225, 5217
060 08 1889 6827

5. Long-term stability

Time	Measured Value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
Begin	94.0	0.0	0.3	0.10	0.1
End	94.0				

6. Frequency and time weightings at 1 kHz

6.1 Frequency weightings at 1 kHz

Frequency Weighting	Measured Value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
A-weight	94.0	0.0	0.2	0.20	0.2
C-weight	94.0	0.0	0.2	0.20	0.2
Flat	94.1	0.1	0.2	0.20	0.2

6.2 Time weightings at 1 kHz

Frequency Weighting	Measured Value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
Fast	94.0	0.0	0.1	0.20	0.2
Slow	94.0	0.0	0.1	0.20	0.2
Leq	94.0	0.0	0.1	0.20	0.2

Date of Calibration : 17-18 Feb. 2025

5/9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

FMBL/MTC.002 Rev.5

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. 061 0 2577 9036
Fax. 061 0 2577 9039

Office/Laboratory
668 Mu 2 Tambon Bangpoornai, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. 061 0 2523 1672 ext. 5219, 5225, 5217
061 06 5219 9440
E-mail : mtr@tistr.or.th Website : www.tistr.or.th

Office
186 Phahonyothin Road, Ladys, Chatsakul,
Bangkok 10900, Thailand
Tel. 061 0 2579 1121-30 ext. 5219, 5225, 5217
061 06 1889 6827

7. Level linearity on the reference level range (cont.)

Anticipated value (dB)	Measured Value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
54	54.0	0.0	1.1	0.30	0.3
49	48.9	-0.1	1.1	0.30	0.3
44	43.9	-0.1	1.1	0.30	0.3
39	38.9	-0.1	1.1	0.30	0.3
34	34.0	0.0	1.1	0.30	0.3
29	28.9	-0.1	1.1	0.30	0.3
28	27.9	-0.1	1.1	0.30	0.3
27	26.9	-0.1	1.1	0.30	0.3
26	25.9	-0.1	1.1	0.30	0.3
25	24.9	-0.1	1.1	0.30	0.3

8. Level linearity including the level range control

At reference sound level on the reference level range

Range	Anticipated value (dB)	Measured value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
30-130	94.0	94.0	0.0	1.1	0.30	0.3

Date of Calibration : 17-18 Feb. 2025

7/9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

FMBL/MTC.002 Rev.5

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. 061 0 2577 9036
Fax. 061 0 2577 9039

Office/Laboratory
668 Mu 2 Tambon Bangpoornai, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. 061 0 2523 1672 ext. 5219, 5225, 5217
061 06 5219 9440
E-mail : mtr@tistr.or.th Website : www.tistr.or.th

Office
186 Phahonyothin Road, Ladys, Chatsakul,
Bangkok 10900, Thailand
Tel. 061 0 2579 1121-30 ext. 5219, 5225, 5217
061 06 1889 6827

7. Level linearity on the reference level range

Anticipated value (dB)	Measured Value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
137	136.6	-0.4	1.1	0.30	0.3
136	135.6	-0.4	1.1	0.30	0.3
135	134.7	-0.3	1.1	0.30	0.3
133	132.8	-0.2	1.1	0.30	0.3
132	131.8	-0.2	1.1	0.30	0.3
131	130.9	-0.1	1.1	0.30	0.3
130	129.9	-0.1	1.1	0.30	0.3
129	128.9	-0.1	1.1	0.30	0.3
124	124.0	0.0	1.1	0.30	0.3
119	119.0	0.0	1.1	0.30	0.3
114	114.0	0.0	1.1	0.30	0.3
109	109.0	0.0	1.1	0.30	0.3
104	104.0	0.0	1.1	0.30	0.3
99	99.0	0.0	1.1	0.30	0.3
94	94.0	0.0	1.1	0.30	0.3
89	89.0	0.0	1.1	0.30	0.3
84	84.0	0.0	1.1	0.30	0.3
79	78.9	-0.1	1.1	0.30	0.3
74	74.0	0.0	1.1	0.30	0.3
69	68.9	-0.1	1.1	0.30	0.3
64	64.0	0.0	1.1	0.30	0.3
59	58.9	-0.1	1.1	0.30	0.3

Date of Calibration : 17-18 Feb. 2025

6/9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

FMBL/MTC.002 Rev.5

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. 061 0 2577 9036
Fax. 061 0 2577 9039

Office/Laboratory
668 Mu 2 Tambon Bangpoornai, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. 061 0 2523 1672 ext. 5219, 5225, 5217
061 06 5219 9440
E-mail : mtr@tistr.or.th Website : www.tistr.or.th

Office
186 Phahonyothin Road, Ladys, Chatsakul,
Bangkok 10900, Thailand
Tel. 061 0 2579 1121-30 ext. 5219, 5225, 5217
061 06 1889 6827

8. Level linearity including the level range control

At reference level at 5 dB greater than the under-range on a level range

Range	Anticipated value (dB)	Measured value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
30-130	25	25.0	0.0	1.1	0.30	0.3

9. Tone burst response

Time Weighting	Toneburst Duration, T _b (ms)	Measured value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
Fast	200	126.0	0.0	±1.0	0.20	0.3
	2	108.9	-0.1	+1.0; -2.5	0.20	0.3
	0.25	100.0	0.0	+1.5; -5.0	0.20	0.3
Slow	200	119.5	-0.1	±1.0	0.20	0.3
	2	100.0	0.0	+1.0; -5.0	0.20	0.3

Date of Calibration : 17-18 Feb. 2025

8/9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

FMBL/MTC.002 Rev.5

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. 061 0 2577 9036
Fax. 061 0 2577 9039

Office/Laboratory
668 Mu 2 Tambon Bangpoornai, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. 061 0 2523 1672 ext. 5219, 5225, 5217
061 06 5219 9440
E-mail : mtr@tistr.or.th Website : www.tistr.or.th

Office
186 Phahonyothin Road, Ladys, Chatsakul,
Bangkok 10900, Thailand
Tel. 061 0 2579 1121-30 ext. 5219, 5225, 5217
061 06 1889 6827

10. Peak C sound level

Number of cycles in test signal	Anticipated value (dB)	Measured value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
Complete cycle	125.4	125.5	0.1	3.0	0.20	0.35
Positive half cycle	124.4	124.1	-0.3	2.0	0.20	0.35
Negative half cycle	124.4	124.1	-0.3	2.0	0.20	0.35

11. Overload indication

Measured value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
Positive one-half cycle	Negative one-half cycle			
135.4	135.4	0.0	1.5	0.55

12. High-level stability

Time	Measured value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
Begin	129.0	0.0	0.3	0.10	0.1
End	129.0				

Calibrated by: 
(Mr. Pannasit Phasingiri)

Approved by: 
(Mr. Pannasit Phasingiri)
Director
Electrical and Electronic Standards Laboratory
Industrial Metrology and Testing Service Centre
Ref: 2011268011400185011

Date of Calibration : 17-18 Feb. 2025
Date of Issue : 24 Feb. 2025

End of Certificate

9/9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

FM.BL.MTC.002 Rev.5

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12130, Thailand
Tel. (66) 0 2577 9036
Fax. (66) 0 2577 9039

Office/Laboratory
668 Mu 2 Tambon Bangpoorn, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. (66) 0 2323 1672 ext. 115, 116
(66) 08 3219 9440
E-mail: mtc@tistr.or.th Website: www.tistr.or.th

Office
196 Phahonyothin Road, Ladysa, Chatuchak,
Bangkok 10900, Thailand
Tel. (66) 0 2579 1121-30 ext. 5219, 5225, 5217
(66) 08 1889 9827

8. Power Amplifier Brüel&Kjær 2706 S/N 1517650.
9. Speaker Tannoy Limited, Great Britain British Patent No. 215300.
10. Digital Multimeter Agilent 34401A S/N MY4405560.
11. Programmable Attenuator Tarnagawa TPA-903A S/N 2212.

Calibration Procedure :

This instrument was calibrated by using calibration procedures no CP-102-02 and CP-102-03, which were based on IEC 61672-3 Electroacoustics - Sound Level Meters - Part 3 : Periodic tests (2013). These calibration procedures were related to the electrical and acoustic signal tests. The electrical signal test was carried out with the direct measurement method. The acoustic signal test was performed in an anechoic room with the comparison measurement method.

This instrument has been calibrated against standards maintained at the Electrical and Electronic Standards Laboratory (EEL), which are traceable to the International System of Units through the National Institute of Metrology (Thailand).

The information on actual reading is attached herewith and the uncertainty limits quoted refer to the measured values only.

The reported expanded uncertainty is based upon a standard uncertainty multiplied by a coverage factor $k=2$, providing a level of confidence of approximately 95%.

Date of Calibration : 24-27 Feb.2025

2/9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

FM.BL.MTC.002 Rev.5

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12130, Thailand
Tel. (66) 0 2577 9036
Fax. (66) 0 2577 9039

Office/Laboratory
668 Mu 2 Tambon Bangpoorn, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. (66) 0 2323 1672 ext. 115, 116
(66) 08 3219 9440
E-mail: mtc@tistr.or.th Website: www.tistr.or.th

Office
196 Phahonyothin Road, Ladysa, Chatuchak,
Bangkok 10900, Thailand
Tel. (66) 0 2579 1121-30 ext. 5219, 5225, 5217
(66) 08 1889 9827

CALIBRATION CERTIFICATE

Submitted by : Integrated Research Center Company Limited.

Address : 122 Moo 2, T.Thatoom, A.Srinakaphote, Prachinburi 25140.

Calibrated at : Electrical and Electronic Standards Laboratory, Industrial Metrology and Testing Service Centre.
Sol 1C, Bangpoo Industrial Estate, Sukhumvit Rd., A.Muang, Samutprakan 10280.

Instrument Calibrated :

Description : Sound Level Meter

Manufacturer : ACO

Model : 6236

Serial No. : 192014

Microphone : 7052NR No.73303

Preamplifier : -

Ambient Environment

Temperature : (23 ± 3) °C

Relative Humidity : (90 ± 15) %

Ambient Pressure : (101.325±1.5) kPa

Standards used :

1. Band Pass Filter Standard Research Systems SR 650 S/N 28712.
2. Condenser Microphone Brüel&Kjær 4180 S/N 2889871.
3. Decade Attenuator Ando AL-205 S/N 00464602.
4. Function/Arbitrary Waveform Generator Agilent 33220A S/N MY44042668.
5. Digital Function Synthesizer NF Electronic Instruments DF-193A S/N 122037.
6. Sound Calibrator Brüel&Kjær 4231 S/N 3015154.
7. Measuring Amplifier Brüel&Kjær 2636 S/N 1537484.

Date of Receipt : 14 Jan.2025

Date of Calibration : 24-27 Feb.2025

3/9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

FM.BL.MTC.002 Rev.5

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12130, Thailand
Tel. (66) 0 2577 9036
Fax. (66) 0 2577 9039

Office/Laboratory
668 Mu 2 Tambon Bangpoorn, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. (66) 0 2323 1672 ext. 115, 116
(66) 08 3219 9440
E-mail: mtc@tistr.or.th Website: www.tistr.or.th

Office
196 Phahonyothin Road, Ladysa, Chatuchak,
Bangkok 10900, Thailand
Tel. (66) 0 2579 1121-30 ext. 5219, 5225, 5217
(66) 08 1889 9827

1. Absolute Sensitivity

Reference Acoustic Signal (dB)	Measured value (dB)	Deviation value (dB)	Acceptance limit Class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
93.99	94.0	0.0	1.0	0.48	N/A

Note: No adjustment.

2. Self-generated noise

2.1 Normal test

Measured value (dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
20.8	0.10	N/A

2.2 The microphone of the sound level meter was replaced by electrical signal input device

Frequency Weighting	Measured value (dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
A-Weight	13.3	0.10	N/A
C-Weight	18.4	0.10	N/A
Flat	22.4	0.10	N/A

Date of Calibration : 24-27 Feb.2025

3/9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

FM.BL.MTC.002 Rev.5

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12130, Thailand
Tel. (66) 0 2577 9036
Fax. (66) 0 2577 9039

Office/Laboratory
668 Mu 2 Tambon Bangpoorn, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. (66) 0 2323 1672 ext. 115, 116
(66) 08 3219 9440
E-mail: mtc@tistr.or.th Website: www.tistr.or.th

Office
196 Phahonyothin Road, Ladysa, Chatuchak,
Bangkok 10900, Thailand
Tel. (66) 0 2579 1121-30 ext. 5219, 5225, 5217
(66) 08 1889 9827

3. Acoustical signal test of frequency weightings

Frequency (Hz)	Deviation from frequency response (dB) A-weight	C-weight	Flat	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
125	0.2	0.3	0.2	1.5	0.45	0.6
1 000	0.1	0.1	0.2	1.0	0.45	0.6
8 000	-1.6	-1.5	-1.1	5.0	0.45	0.7

4. Electrical signal test of frequency weightings

Frequency (Hz)	Deviation from frequency response (dB) A-weight	C-weight	Flat	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
63	0.0	0.0	-0.1	2.0	0.20	0.6
125	0.0	0.0	0.0	1.5	0.20	0.6
250	0.0	0.0	0.0	1.5	0.20	0.6
500	0.0	0.0	0.0	1.5	0.20	0.6
1 000	0.0	0.0	0.0	1.0	0.20	0.6
2 000	-0.1	-0.1	-0.1	2.0	0.20	0.6
4 000	-0.4	-0.4	-0.1	3.0	0.20	0.6
8 000	-0.6	-0.7	-0.2	5.0	0.20	0.7

Date of Calibration : 24-27 Feb. 2025

4 / 9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full, are prohibited unless written permission is obtained from the governor of TISTR.

Head Office
35 Mu 3 Tambon Khlong Hu, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. 046 0 2577 9036
Fax. 046 0 2577 9039

Office/Laboratory
668 Mu 2 Tambon Bangsoom, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. 046 0 2579 1672-80 ext. 115, 116
046 0 2579 1440
E-mail : info@tistr.or.th Website : www.tistr.or.th

Office
136 Phahonyothin Road, Ladkai, Chulachak,
Bangkok 10900, Thailand
Tel. 046 0 2579 1121-30 ext. 5219, 5225, 5237
046 0 38 1889 6827

PMEL/MTC.002 Rev.5

7. Level linearity on the reference level range

Anticipated value (dB)	Measured Value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
122	122.0	0.0	1.1	0.30	0.3
121	121.1	0.1	1.1	0.30	0.3
120	120.1	0.1	1.1	0.30	0.3
119	119.1	0.1	1.1	0.30	0.3
114	114.0	0.0	1.1	0.30	0.3
109	109.0	0.0	1.1	0.30	0.3
104	104.0	0.0	1.1	0.30	0.3
99	99.0	0.0	1.1	0.30	0.3
94	94.0	0.0	1.1	0.30	0.3
89	89.0	0.0	1.1	0.30	0.3
84	84.0	0.0	1.1	0.30	0.3
79	79.1	0.1	1.1	0.30	0.3
74	74.1	0.1	1.1	0.30	0.3
69	69.1	0.1	1.1	0.30	0.3
64	64.0	0.0	1.1	0.30	0.3
59	59.0	0.0	1.1	0.30	0.3
54	54.0	0.0	1.1	0.30	0.3
49	49.0	0.0	1.1	0.30	0.3
44	44.0	0.0	1.1	0.30	0.3
39	39.0	0.0	1.1	0.30	0.3
34	34.1	0.1	1.1	0.30	0.3
33	33.1	0.1	1.1	0.30	0.3

Date of Calibration : 24-27 Feb. 2025

6 / 9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full, are prohibited unless written permission is obtained from the governor of TISTR.

Head Office
35 Mu 3 Tambon Khlong Hu, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. 046 0 2577 9036
Fax. 046 0 2577 9039

Office/Laboratory
668 Mu 2 Tambon Bangsoom, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. 046 0 2579 1672-80 ext. 115, 116
046 0 2579 1440
E-mail : info@tistr.or.th Website : www.tistr.or.th

Office
136 Phahonyothin Road, Ladkai, Chulachak,
Bangkok 10900, Thailand
Tel. 046 0 2579 1121-30 ext. 5219, 5225, 5237
046 0 38 1889 6827

PMEL/MTC.002 Rev.5

5. Long-term stability

Time	Measured Value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
Begin	94.0	0.0	0.3	0.10	0.1
End	94.0				

6. Frequency and time weightings at 1 kHz

6.1 Frequency weightings at 1 kHz

Frequency Weighting	Measured Value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
A-weight	94.0	0.0	0.2	0.20	0.2
C-weight	94.0	0.0	0.2	0.20	0.2
Flat	94.1	0.1	0.2	0.20	0.2

6.2 Time weightings at 1 kHz

Frequency Weighting	Measured Value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
Fast	94.0	0.0	0.1	0.20	0.2
Slow	94.0	0.0	0.1	0.20	0.2
Leq	94.0	0.0	0.1	0.20	0.2

Date of Calibration : 24-27 Feb. 2025

5 / 9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full, are prohibited unless written permission is obtained from the governor of TISTR.

Head Office
35 Mu 3 Tambon Khlong Hu, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. 046 0 2577 9036
Fax. 046 0 2577 9039

Office/Laboratory
668 Mu 2 Tambon Bangsoom, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. 046 0 2579 1672-80 ext. 115, 116
046 0 2579 1440
E-mail : info@tistr.or.th Website : www.tistr.or.th

Office
136 Phahonyothin Road, Ladkai, Chulachak,
Bangkok 10900, Thailand
Tel. 046 0 2579 1121-30 ext. 5219, 5225, 5237
046 0 38 1889 6827

PMEL/MTC.002 Rev.5

7. Level linearity on the reference level range

Anticipated value (dB)	Measured Value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
32	32.2	0.2	1.1	0.30	0.3
31	31.2	0.2	1.1	0.30	0.3
30	30.2	0.2	1.1	0.30	0.3

8. Level linearity including the level range control

Range	Anticipated value (dB)	Measured value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
40-130	94.0	94.0	0.0	1.1	0.30	0.3
30-120	94.0	94.0	0.0	1.1	0.30	0.3
20-110	94.0	94.0	0.0	1.1	0.30	0.3
20-100	94.0	94.0	0.0	1.1	0.30	0.3

Date of Calibration : 24-27 Feb. 2025

7 / 9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full, are prohibited unless written permission is obtained from the governor of TISTR.

Head Office
35 Mu 3 Tambon Khlong Hu, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. 046 0 2577 9036
Fax. 046 0 2577 9039

Office/Laboratory
668 Mu 2 Tambon Bangsoom, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. 046 0 2579 1672-80 ext. 115, 116
046 0 2579 1440
E-mail : info@tistr.or.th Website : www.tistr.or.th

Office
136 Phahonyothin Road, Ladkai, Chulachak,
Bangkok 10900, Thailand
Tel. 046 0 2579 1121-30 ext. 5219, 5225, 5237
046 0 38 1889 6827

PMEL/MTC.002 Rev.5

8. Level linearity including the level range control

At reference level at 5 dB greater than the under-range on a level range

Range	Anticipated value (dB)	Measured value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
40-130	45.0	45.0	0.0	±1.1	0.30	0.3
30-120	35.0	35.0	0.0	±1.1	0.30	0.3
20-110	25.0	25.3	0.3	±1.1	0.30	0.3
20-100	25.0	25.2	0.2	±1.1	0.30	0.3
20-90	25.0	25.2	0.2	±1.1	0.30	0.3
20-80	25.0	25.2	0.2	±1.1	0.30	0.3

9. Tone burst response

Time Weighting	Toneburst Duration, T _b (ms)	Measured value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
Fast	200	115.8	-0.2	±1.0	0.20	0.3
	2	98.3	-0.7	±1.0; -2.5	0.20	0.3
	0.25	89.2	-0.8	±1.5; -5.0	0.20	0.3
Slow	200	109.5	-0.1	±1.0	0.20	0.3
	2	89.7	-0.3	±1.0; -5.0	0.20	0.3
	0.25	89.9	-0.1	±1.0; -2.5	0.20	0.3
SEL	200	109.9	-0.1	±1.0	0.20	0.3
	2	89.9	-0.1	±1.0; -2.5	0.20	0.3
	0.25	89.9	-0.1	±1.5; -5.0	0.20	0.3

Date of Calibration : 24-27 Feb.2025

8 / 9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

FRL/MTC.002 Rev.5

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. 060 0 2577 9036
Fax. 060 0 2577 9039

Office/Laboratory
668 Mu 2 Tambon Bangpoornai, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. 060 0 2323 3572-80 ext. 115, 116
060 08 3219 9440
E-mail : mtr@tistr.or.th Website : www.tistr.or.th

Office
136 Phahonyothin Road, Ladysao, Chatuchak,
Bangkok 10900, Thailand
Tel. 060 0 2579 1121-30 ext. 5219, 5225, 5217
060 08 1889 6827

CALIBRATION CERTIFICATE

Submitted by : Integrated Research Center Company Limited.

Address : 122 Moo 2, T.Thatoom, A.Simulaphon, Prachinburi 25140.

Calibrated at : Electrical and Electronic Standards Laboratory, Industrial Metrology and Testing Service Centre.

Sri IC, Bangpoo Industrial Estate, Sukhumvit Rd., A.Muang, Samutprakan 10280.

Instrument Calibrated :

Description : Sound Level Meter

Manufacturer : ACO

Model : 6236

Serial No. : 192015

Microphone : 7052NR No.73304

Preamplifier : -

Standards used :

1. Band Pass Filter Standard Research Systems SR 650 S/N 28712.
2. Condenser Microphone Brüel&Kjær 4180 S/N 2889871.
3. Decade Attenuator Ando AL-205 S/N 00464602.
4. Function/Arbitrary Waveform Generator Agilent 33220A S/N MY44042688.
5. Digital Function Synthesizer NF Electronic Instruments DF-193A S/N 122037.
6. Sound Calibrator Brüel&Kjær 4231 S/N 3015154.
7. Measuring Amplifier Brüel&Kjær 2636 S/N 1537484.

Date of Receipt : 14 Jan.2025

Date of Calibration : 24-27 Feb.2025

1 / 9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

FRL/MTC.002 Rev.5

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. 060 0 2577 9036
Fax. 060 0 2577 9039

Office/Laboratory
668 Mu 2 Tambon Bangpoornai, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. 060 0 2323 3572-80 ext. 115, 116
060 08 3219 9440
E-mail : mtr@tistr.or.th Website : www.tistr.or.th

Office
136 Phahonyothin Road, Ladysao, Chatuchak,
Bangkok 10900, Thailand
Tel. 060 0 2579 1121-30 ext. 5219, 5225, 5217
060 08 1889 6827

10. Peak C sound level

Number of cycles in test signal	Anticipated value (dB)	Measured value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
Complete cycle	125.4	125.7	0.3	±3.0	0.20	0.35
Positive half cycle	124.4	124.2	-0.2	±2.0	0.20	0.35
Negative half cycle	124.4	124.2	-0.2	±2.0	0.20	0.35

11. Overload indication

Measured value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
Positive one-half cycle	132.5	±0.0	±1.5	0.20
Negative one-half cycle	132.5	±0.0	±1.5	0.25

12. High-level stability

Time	Measured value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
Begin	129.0	0.0	0.3	0.10	0.1
End	129.0				

Calibrated by :

(Mr. Tawakiat Jamsamann)

Approved by :

(Mr. Piyawade Klaysup)

Director

Electrical and Electronic Standards Laboratory

Industrial Metrology and Testing Service Centre

Date of Calibration : 24-27 Feb.2025

Date of Issue : 28 Feb.2025

Ref : 2011268011400185003

End of Certificate

9 / 9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

FRL/MTC.002 Rev.5

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. 060 0 2577 9036
Fax. 060 0 2577 9039

Office/Laboratory
668 Mu 2 Tambon Bangpoornai, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. 060 0 2323 3572-80 ext. 115, 116
060 08 3219 9440
E-mail : mtr@tistr.or.th Website : www.tistr.or.th

Office
136 Phahonyothin Road, Ladysao, Chatuchak,
Bangkok 10900, Thailand
Tel. 060 0 2579 1121-30 ext. 5219, 5225, 5217
060 08 1889 6827

8. Power Amplifier Brüel&Kjær 2706 S/N 1517650.

9. Speaker Tannoy Limited, Great Britain British Patent No. 215300.

10. Digital Multimeter Agilent 34401A S/N MY44005560.

11. Programmable Attenuator Tamaagawa TPA-303A S/N 2212.

Calibration Procedure :

This instrument was calibrated by using calibration procedures no CP-102-02 and CP-102-03, which were based on IEC 61672-3 Electroacoustics - Sound Level Meters - Part 3 : Periodic tests (2013). These calibration procedures were related to the electrical and acoustic signal tests. The electrical signal test was carried out with the direct measurement method. The acoustic signal test was performed in an anechoic room with the comparison measurement method.

This instrument has been calibrated against standards maintained at the Electrical and Electronic Standards Laboratory (EEL), which are traceable to the International System of Units through the National Institute of Metrology (Thailand).

The information on actual reading is attached herewith and the uncertainty limits quoted refer to the measured values only.

The reported expanded uncertainty is based upon a standard uncertainty multiplied by a coverage factor $k=2$, providing a level of confidence of approximately 95%.

Date of Calibration : 24-27 Feb.2025

2 / 9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

FRL/MTC.002 Rev.5

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. 060 0 2577 9036
Fax. 060 0 2577 9039

Office/Laboratory
668 Mu 2 Tambon Bangpoornai, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. 060 0 2323 3572-80 ext. 115, 116
060 08 3219 9440
E-mail : mtr@tistr.or.th Website : www.tistr.or.th

Office
136 Phahonyothin Road, Ladysao, Chatuchak,
Bangkok 10900, Thailand
Tel. 060 0 2579 1121-30 ext. 5219, 5225, 5217
060 08 1889 6827

1. Absolute Sensitivity

Reference Acoustic Signal (dB)	Measured value (dB)	Deviation value (dB)	Acceptance limit Class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
93.99	93.9	-0.1	1.0	0.48	N/A

Note: No adjustment.

2. Self-generated noise

2.1 Normal test

Measured value (dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
22.0	0.10	N/A

2.2 The microphone of the sound level meter was replaced by electrical signal input device

Frequency Weighting	Measured value (dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
A-Weight	15.7	0.10	N/A
C-Weight	21.5	0.10	N/A
Flat	26.0	0.10	N/A

Date of Calibration : 24-27 Feb.2025

3 / 9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

PMEL/MTC.002 Rev.5

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. 061 0 2577 9036
Fax. 061 0 2577 9039

Office/Laboratory
688 Mu 2 Tambon Bangpoornai, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. 061 0 2523 3672 ext. 115, 116
061 08 5219 9400
E-mail : mtc@tistr.or.th Website : www.tistr.or.th

Office
186 Phahonyothin Road, Ladysa, Chatuchak,
Bangkok 10900, Thailand
Tel. 061 0 2579 1121-30 ext. 5219, 5225, 5237
061 08 1889 6827

3. Acoustical signal test of frequency weightings

Frequency (Hz)	Deviation from frequency response (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
125	0.4	0.4	1.5	0.45
1 000	-0.4	-0.4	1.0	0.45
8 000	-0.8	-1.0	5.0	0.45

4. Electrical signal test of frequency weightings

Frequency (Hz)	Deviation from frequency response (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
63	0.1	0.0	-0.1	2.0
125	0.0	0.0	0.0	1.5
250	0.0	0.0	0.0	1.5
500	0.0	0.0	0.0	1.5
1 000	0.0	0.0	0.0	1.0
2 000	-0.1	0.0	-0.1	2.0
4 000	-0.4	-0.4	-0.1	3.0
8 000	-0.6	-0.6	-0.2	5.0

Date of Calibration : 24-27 Feb.2025

4 / 9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

PMEL/MTC.002 Rev.5

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. 061 0 2577 9036
Fax. 061 0 2577 9039

Office/Laboratory
688 Mu 2 Tambon Bangpoornai, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. 061 0 2523 3672 ext. 115, 116
061 08 5219 9400
E-mail : mtc@tistr.or.th Website : www.tistr.or.th

Office
186 Phahonyothin Road, Ladysa, Chatuchak,
Bangkok 10900, Thailand
Tel. 061 0 2579 1121-30 ext. 5219, 5225, 5237
061 08 1889 6827

5. Long-term stability

Time	Measured Value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
Begin	94.0	0.0	0.3	0.10	0.1
End	94.0				

6. Frequency and time weightings at 1 kHz

6.1 Frequency weightings at 1 kHz

Frequency Weighting	Measured Value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
A-weight	94.0	0.0	0.2	0.20	0.2
C-weight	94.0	0.0	0.2	0.20	0.2
Flat	94.0	0.0	0.2	0.20	0.2

6.2 Time weightings at 1 kHz

Frequency Weighting	Measured Value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
Fast	94.0	0.0	0.1	0.20	0.2
Slow	94.0	0.0	0.1	0.20	0.2
Log	94.0	0.0	0.1	0.20	0.2

Date of Calibration : 24-27 Feb.2025

5 / 9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

PMEL/MTC.002 Rev.5

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. 061 0 2577 9036
Fax. 061 0 2577 9039

Office/Laboratory
688 Mu 2 Tambon Bangpoornai, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. 061 0 2523 3672 ext. 115, 116
061 08 5219 9400
E-mail : mtc@tistr.or.th Website : www.tistr.or.th

Office
186 Phahonyothin Road, Ladysa, Chatuchak,
Bangkok 10900, Thailand
Tel. 061 0 2579 1121-30 ext. 5219, 5225, 5237
061 08 1889 6827

7. Level linearity on the reference level range

Anticipated value (dB)	Measured Value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
122	122.1	0.1	1.1	0.30	0.3
121	121.1	0.1	1.1	0.30	0.3
120	120.1	0.1	1.1	0.30	0.3
119	119.1	0.1	1.1	0.30	0.3
114	114.0	0.0	1.1	0.30	0.3
109	109.0	0.0	1.1	0.30	0.3
104	104.0	0.0	1.1	0.30	0.3
99	99.0	0.0	1.1	0.30	0.3
94	94.0	0.0	1.1	0.30	0.3
89	89.0	0.0	1.1	0.30	0.3
84	84.0	0.0	1.1	0.30	0.3
79	79.1	0.1	1.1	0.30	0.3
74	74.2	0.2	1.1	0.30	0.3
69	69.2	0.2	1.1	0.30	0.3
64	64.0	0.0	1.1	0.30	0.3
59	59.1	0.1	1.1	0.30	0.3
54	54.1	0.1	1.1	0.30	0.3
49	49.1	0.1	1.1	0.30	0.3
44	44.1	0.1	1.1	0.30	0.3
39	39.1	0.1	1.1	0.30	0.3
34	34.2	0.2	1.1	0.30	0.3
33	33.3	0.3	1.1	0.30	0.3

Date of Calibration : 24-27 Feb.2025

6 / 9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

PMEL/MTC.002 Rev.5

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. 061 0 2577 9036
Fax. 061 0 2577 9039

Office/Laboratory
688 Mu 2 Tambon Bangpoornai, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. 061 0 2523 3672 ext. 115, 116
061 08 5219 9400
E-mail : mtc@tistr.or.th Website : www.tistr.or.th

Office
186 Phahonyothin Road, Ladysa, Chatuchak,
Bangkok 10900, Thailand
Tel. 061 0 2579 1121-30 ext. 5219, 5225, 5237
061 08 1889 6827

THAILAND INSTITUTE OF SCIENTIFIC AND TECHNOLOGICAL RESEARCH (TISTR)

Request No. 21-68/0160

MTC No. EEL- BP. 84/0168

7. Level linearity on the reference level range

Anticipated value (dB)	Measured value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
32	32.3	0.3	1.1	0.30	0.3
31	31.4	0.4	1.1	0.30	0.3
30	30.4	0.4	1.1	0.30	0.3

8. Level linearity including the level range control

At reference sound level on the reference level range

Range	Anticipated value (dB)	Measured value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
40-130	94.0	94.0	0.0	1.1	0.30	0.3
30-120	94.0	94.0	0.0	1.1	0.30	0.3
20-110	94.0	94.0	0.0	1.1	0.30	0.3
20-100	94.0	94.0	0.0	1.1	0.30	0.3

Date of Calibration : 24-27 Feb.2025

7 / 9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

Head Office
35 Mu 5 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. 060 0 2577 9036
Fax. 060 0 2577 9039

Office/Laboratory
668 Mu 2 Tambon Bangpaem, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. 060 0 2523 3572-80 ext. 115, 116
(060 08 3219 9440)
E-mail : info@tistr.or.th Website : www.tistr.or.th

Office
146 Phahonyothin Road, Ladysa, Chatuchak,
Bangkok 10900, Thailand
Tel. 060 0 2579 1121-30 ext. 5219, 5225, 5217
060 08 1889 6827

IAB/MTC.002 Rev.5

THAILAND INSTITUTE OF SCIENTIFIC AND TECHNOLOGICAL RESEARCH (TISTR)

Request No. 21-68/0160

MTC No. EEL- BP. 84/0168

10. Peak C sound level

Number of cycles in test signal	Anticipated value (dB)	Measured value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
Complete cycle	125.4	125.5	0.1	3.0	0.20	0.35
Positive half cycle	124.4	124.3	-0.1	2.0	0.20	0.35
Negative half cycle	124.4	124.3	-0.1	2.0	0.20	0.35

11. Overload indication

Measured value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
Positive one-half cycle	132.5	1.5	0.20	0.25
Negative one-half cycle	132.5	1.5	0.20	0.25

12. High-level stability

Time	Measured value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
Begin	129.0	0.0	0.3	0.10	0.1
End	129.0	0.0	0.3	0.10	0.1

Calibrated by :
(Mr. Tarwikt Jansamran)

Approved by :
(Mr. Piwong Kiatyong)
Director

Electrical and Electronic Standards Laboratory
Industrial Metrology and Testing Service Centre

Date of Calibration : 24-27 Feb.2025

Date of Issue : 28 Feb.2025

Ref : 2011268011400185002

End of Certificate

9 / 9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

Head Office
35 Mu 5 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. 060 0 2577 9036
Fax. 060 0 2577 9039

Office/Laboratory
668 Mu 2 Tambon Bangpaem, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. 060 0 2523 3572-80 ext. 115, 116
(060 08 3219 9440)
E-mail : info@tistr.or.th Website : www.tistr.or.th

Office
146 Phahonyothin Road, Ladysa, Chatuchak,
Bangkok 10900, Thailand
Tel. 060 0 2579 1121-30 ext. 5219, 5225, 5217
060 08 1889 6827

IAB/MTC.002 Rev.5

THAILAND INSTITUTE OF SCIENTIFIC AND TECHNOLOGICAL RESEARCH (TISTR)

Request No. 21-68/0160

MTC No. EEL- BP. 84/0168

8. Level linearity including the level range control

At reference level at 5 dB greater than the under-range on a level range

Range	Anticipated value (dB)	Measured value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
40-130	45.0	45.0	0.0	1.1	0.30	0.3
30-120	35.0	35.0	0.0	1.1	0.30	0.3
20-110	25.0	25.5	0.5	1.1	0.30	0.3
20-100	25.0	25.4	0.4	1.1	0.30	0.3
20-90	25.0	25.4	0.4	1.1	0.30	0.3
20-80	25.0	25.2	0.2	1.1	0.30	0.3

9. Time burst response

Time Weighting	Timeburst Duration, T _b (ms)	Measured value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
Fast	200	115.8	-0.2	±1.0	0.20	0.3
	2	98.6	-0.4	+1.0; -2.5	0.20	0.3
	0.25	89.0	-1.0	+1.5; -5.0	0.20	0.3
Slow	200	109.4	-0.2	±1.0	0.20	0.3
	2	89.8	-0.2	+1.0; -5.0	0.20	0.3
	0.25	80.9	-0.1	+1.5; -5.0	0.20	0.3
SEL	200	109.9	-0.1	±1.0	0.20	0.3
	2	90.0	0.0	+1.0; -2.5	0.20	0.3
	0.25	80.9	-0.1	+1.5; -5.0	0.20	0.3

Date of Calibration : 24-27 Feb.2025

8 / 9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

Head Office
35 Mu 5 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. 060 0 2577 9036
Fax. 060 0 2577 9039

Office/Laboratory
668 Mu 2 Tambon Bangpaem, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. 060 0 2523 3572-80 ext. 115, 116
(060 08 3219 9440)
E-mail : info@tistr.or.th Website : www.tistr.or.th

Office
146 Phahonyothin Road, Ladysa, Chatuchak,
Bangkok 10900, Thailand
Tel. 060 0 2579 1121-30 ext. 5219, 5225, 5217
060 08 1889 6827

IAB/MTC.002 Rev.5

THAILAND INSTITUTE OF SCIENTIFIC AND TECHNOLOGICAL RESEARCH (TISTR)

Request No. 21-68/0160

MTC No. EEL- BP. 83/0168

CALIBRATION CERTIFICATE

Submitted by : Integrated Research Center Company Limited.
Address : 122 Moo 2, T.Thatoom, A.Simaphaphet, Prachinburi 25140.
Calibrated at : Electrical and Electronic Standards Laboratory, Industrial Metrology and Testing Service Centre.
Sri 1C, Bangpoo Industrial Estate, Sukhumvit Rd., A.Muang, Samutprakan 10280.

Instrument Calibrated :

Description : Sound Level Meter
Manufacturer : ACO
Model : 6236
Serial No. : 192016
Microphone : 7052NR No.73305
Preamplifier : -

Ambient Environment

Temperature : (23 ± 3) °C
Relative Humidity : (50 ± 15) %
Ambient Pressure : (101.325 ± 1.5) kPa

Standards used :

- Band Pass Filter Stanford Research Systems SR 650 S/N 28712.
- Condenser Microphone Brüel&Kjær 4180 S/N 2889871.
- Decade Attenuator Ando AI-205 S/N 00464602.
- Function/Arbitrary Waveform Generator Agilent 33220A S/N MY44042668.
- Digital Function Synthesizer NF Electronic Instruments DF-193A S/N 122037.
- Sound Calibrator Brüel&Kjær 4231 S/N 3015154.
- Measuring Amplifier Brüel&Kjær 2636 S/N 1537484.

Date of Receipt : 14 Jan.2025

Date of Calibration : 24-27 Feb.2025

1 / 9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

Head Office
35 Mu 5 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. 060 0 2577 9036
Fax. 060 0 2577 9039

Office/Laboratory
668 Mu 2 Tambon Bangpaem, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. 060 0 2523 3572-80 ext. 115, 116
(060 08 3219 9440)
E-mail : info@tistr.or.th Website : www.tistr.or.th

Office
146 Phahonyothin Road, Ladysa, Chatuchak,
Bangkok 10900, Thailand
Tel. 060 0 2579 1121-30 ext. 5219, 5225, 5217
060 08 1889 6827

IAB/MTC.002 Rev.5

8. Power Amplifier Brüel&Kjær 2706 S/N 1517650.
9. Speaker Tannoy Limited, Great Britain British Patent No. 215300.
10. Digital Multimeter Agilent 34401A S/N MY44005560.
11. Programmable Attenuator Tamagawa TPA-303A S/N 2212.

Calibration Procedure :

This instrument was calibrated by using calibration procedures no CP-102-02 and CP-102-03, which were based on IEC 61672-3 Electroacoustics - Sound Level Meters - Part 3 : Periodic tests (2013). These calibration procedures were related to the electrical and acoustic signal tests. The electrical signal test was carried out with the direct measurement method. The acoustic signal test was performed in an anechoic room with the comparison measurement method.

This instrument has been calibrated against standards maintained at the Electrical and Electronic Standards Laboratory (EEL), which are traceable to the International System of Units through the National Institute of Metrology (Thailand).

The information on actual reading is attached herewith and the uncertainty limits quoted refer to the measured values only.

The reported expanded uncertainty is based upon a standard uncertainty multiplied by a coverage factor $k=2$, providing a level of confidence of approximately 95%.

Date of Calibration : 24-27 Feb.2025

2 / 9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

Head Office: 55 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang, Changwat Pathumthani 12120, Thailand
Tel. (66) 0 2577 9036
Fax. (66) 0 2577 9009

Office/Laboratory: 668 Mu 2 Tambon Bangpaon, Amphoe Muang Samutprakan, Changwat Samutprakan 10280, Thailand
Tel. (66) 0 2325 1672-80 ext. 115, 116
(66) 08 3219 9440
E-mail: mkg@tistr.or.th Website: www.tistr.or.th

Office: 226 Phahonyothin Road, Ladysao, Chatschak, Bangkok 10900, Thailand
Tel. (66) 0 2579 1121-30 ext. 5219, 5225, 5237
(66) 08 1889 6827

FM/LMTC.002 Rev.5

3. Acoustical signal test of frequency weightings

Frequency (Hz)	Deviation from frequency response (dB)			Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
	A-weight	C-weight	Flat			
125	0.5	0.6	0.5	1.5	0.45	0.6
1 000	-0.9	-0.9	-0.8	1.0	0.45	0.6
8 000	-1.3	-1.1	-0.7	5.0	0.45	0.7

4. Electrical signal test of frequency weightings

Frequency (Hz)	Deviation from frequency response (dB)			Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
	A-weight	C-weight	Flat			
63	0.1	0.0	-0.1	2.0	0.20	0.6
125	0.0	0.0	0.0	1.5	0.20	0.6
250	0.0	0.0	0.0	1.5	0.20	0.6
500	0.0	0.0	0.0	1.5	0.20	0.6
1 000	0.0	0.0	0.0	1.0	0.20	0.6
2 000	-0.1	-0.1	0.0	2.0	0.20	0.6
4 000	-0.4	-0.4	-0.1	3.0	0.20	0.6
8 000	-0.7	-0.6	-0.2	5.0	0.20	0.7

Date of Calibration : 24-27 Feb.2025

4 / 9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

Head Office: 55 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang, Changwat Pathumthani 12120, Thailand
Tel. (66) 0 2577 9036
Fax. (66) 0 2577 9009

Office/Laboratory: 668 Mu 2 Tambon Bangpaon, Amphoe Muang Samutprakan, Changwat Samutprakan 10280, Thailand
Tel. (66) 0 2325 1672-80 ext. 115, 116
(66) 08 3219 9440
E-mail: mkg@tistr.or.th Website: www.tistr.or.th

Office: 226 Phahonyothin Road, Ladysao, Chatschak, Bangkok 10900, Thailand
Tel. (66) 0 2579 1121-30 ext. 5219, 5225, 5237
(66) 08 1889 6827

FM/LMTC.002 Rev.5

1. Absolute Sensitivity

Reference Acoustic Signal (dB)	Measured value (dB)	Deviation value (dB)	Acceptance limit Class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
93.99	93.3	-0.7	1.0	0.48	N/A

Note: No adjustment.

2. Self-generated noise**2.1 Normal test**

Measured value (dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
23.6	0.10	N/A

2.2 The microphone of the sound level meter was replaced by electrical signal input device

Frequency Weighting	Measured value (dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
A-Weight	15.5	0.10	N/A
C-Weight	20.5	0.10	N/A
Flat	25.1	0.10	N/A

Date of Calibration : 24-27 Feb.2025

3 / 9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

Head Office: 55 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang, Changwat Pathumthani 12120, Thailand
Tel. (66) 0 2577 9036
Fax. (66) 0 2577 9009

Office/Laboratory: 668 Mu 2 Tambon Bangpaon, Amphoe Muang Samutprakan, Changwat Samutprakan 10280, Thailand
Tel. (66) 0 2325 1672-80 ext. 115, 116
(66) 08 3219 9440
E-mail: mkg@tistr.or.th Website: www.tistr.or.th

Office: 226 Phahonyothin Road, Ladysao, Chatschak, Bangkok 10900, Thailand
Tel. (66) 0 2579 1121-30 ext. 5219, 5225, 5237
(66) 08 1889 6827

FM/LMTC.002 Rev.5

5. Long-term stability

Time	Measured Value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
Begin	94.0	0.0	0.3	0.10	0.1
End	94.0				

6. Frequency and time weightings at 1 kHz**6.1 Frequency weightings at 1 kHz**

Frequency Weighting	Measured Value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
A-weight	94.0	0.0	0.2	0.20	0.2
C-weight	94.0	0.0	0.2	0.20	0.2
Flat	94.1	0.1	0.2	0.20	0.2

6.2 Time weightings at 1 kHz

Frequency Weighting	Measured Value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
Fast	94.0	0.0	0.1	0.20	0.2
Slow	94.0	0.0	0.1	0.20	0.2
Leq	94.0	0.0	0.1	0.20	0.2

Date of Calibration : 24-27 Feb.2025

5 / 9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

Head Office: 55 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang, Changwat Pathumthani 12120, Thailand
Tel. (66) 0 2577 9036
Fax. (66) 0 2577 9009

Office/Laboratory: 668 Mu 2 Tambon Bangpaon, Amphoe Muang Samutprakan, Changwat Samutprakan 10280, Thailand
Tel. (66) 0 2325 1672-80 ext. 115, 116
(66) 08 3219 9440
E-mail: mkg@tistr.or.th Website: www.tistr.or.th

Office: 226 Phahonyothin Road, Ladysao, Chatschak, Bangkok 10900, Thailand
Tel. (66) 0 2579 1121-30 ext. 5219, 5225, 5237
(66) 08 1889 6827

FM/LMTC.002 Rev.5

7. Level linearity on the reference level range

Anticipated value (dB)	Measured Value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
122	121.9	-0.1	1.1	0.30	0.3
121	120.9	-0.1	1.1	0.30	0.3
120	119.9	-0.1	1.1	0.30	0.3
119	118.9	-0.1	1.1	0.30	0.3
114	113.9	-0.1	1.1	0.30	0.3
109	109.0	0.0	1.1	0.30	0.3
104	104.0	0.0	1.1	0.30	0.3
99	99.0	0.0	1.1	0.30	0.3
94	94.0	0.0	1.1	0.30	0.3
89	89.0	0.0	1.1	0.30	0.3
84	84.1	0.1	1.1	0.30	0.3
79	79.1	0.1	1.1	0.30	0.3
74	74.1	0.1	1.1	0.30	0.3
69	69.2	0.2	1.1	0.30	0.3
64	64.0	0.0	1.1	0.30	0.3
59	59.1	0.1	1.1	0.30	0.3
54	54.0	0.0	1.1	0.30	0.3
49	49.1	0.1	1.1	0.30	0.3
44	44.1	0.1	1.1	0.30	0.3
39	39.1	0.1	1.1	0.30	0.3
34	34.2	0.2	1.1	0.30	0.3
33	33.3	0.3	1.1	0.30	0.3

Date of Calibration : 24-27 Feb.2025

6/9

The results relate only to the items tested/calibrated or value assigned.
Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

Head Office: 35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang, Changwat Pathumthani 12120, Thailand. Tel. 060 0 2577 9036 Fax. 060 0 2577 9009
Office/Laboratory: 608 Mu 2 Tambon Bangpoorn, Amphoe Muang Samutprakan, Changwat Samutprakan 10280, Thailand. Tel. 060 0 2329 1672-80 ext. 115, 116 Fax. 060 0 2329 9440 E-mail: info@tistr.or.th Website: www.tistr.or.th
Office: 199 Phahonyothin Road, Ladysao, Chatsuchak, Bangkok 10900, Thailand. Tel. 060 0 2579 1121-30 ext. 5219, 5225, 5217 Fax. 060 0 2579 6827

8. Level linearity including the level range control

At reference level at 5 dB greater than the under-range on a level range

Range	Anticipated value (dB)	Measured value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
40-130	45.0	44.9	-0.1	1.1	0.30	0.3
30-120	35.0	35.0	0.0	1.1	0.30	0.3
20-110	25.0	25.7	0.7	1.1	0.30	0.3
20-100	25.0	25.6	0.6	1.1	0.30	0.3
20-90	25.0	25.5	0.5	1.1	0.30	0.3
20-80	25.0	25.4	0.4	1.1	0.30	0.3

9. Tone burst response

Time Weighting	Toneburst Duration, T _b (ms)	Measured value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
Fast	200	116.0	0.0	±1.0	0.20	0.3
	2	98.6	-0.4	+1.0; -2.5	0.20	0.3
	0.25	89.5	-0.5	+1.5; -5.0	0.20	0.3
Slow	200	109.5	-0.1	±1.0	0.20	0.3
	2	89.8	-0.2	+1.0; -5.0	0.20	0.3
	200	109.9	-0.1	±1.0	0.20	0.3
SEL	2	89.9	-0.1	+1.0; -2.5	0.20	0.3
	0.25	80.9	-0.1	+1.5; -5.0	0.20	0.3

Date of Calibration : 24-27 Feb.2025

8/9

The results relate only to the items tested/calibrated or value assigned.
Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

Head Office: 35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang, Changwat Pathumthani 12120, Thailand. Tel. 060 0 2577 9036 Fax. 060 0 2577 9009
Office/Laboratory: 608 Mu 2 Tambon Bangpoorn, Amphoe Muang Samutprakan, Changwat Samutprakan 10280, Thailand. Tel. 060 0 2329 1672-80 ext. 115, 116 Fax. 060 0 2329 9440 E-mail: info@tistr.or.th Website: www.tistr.or.th
Office: 199 Phahonyothin Road, Ladysao, Chatsuchak, Bangkok 10900, Thailand. Tel. 060 0 2579 1121-30 ext. 5219, 5225, 5217 Fax. 060 0 2579 6827

7. Level linearity on the reference level range

Anticipated value (dB)	Measured Value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
32	32.4	0.4	1.1	0.30	0.3
31	31.5	0.5	1.1	0.30	0.3
30	30.6	0.6	1.1	0.30	0.3

8. Level linearity including the level range control

At reference sound level on the reference level range

Range	Anticipated value (dB)	Measured value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
40-130	94.0	94.0	0.0	1.1	0.30	0.3
30-120	94.0	94.0	0.0	1.1	0.30	0.3
20-110	94.0	94.0	0.0	1.1	0.30	0.3
20-100	94.0	94.0	0.0	1.1	0.30	0.3

Date of Calibration : 24-27 Feb.2025

7/9

The results relate only to the items tested/calibrated or value assigned.
Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

Head Office: 35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang, Changwat Pathumthani 12120, Thailand. Tel. 060 0 2577 9036 Fax. 060 0 2577 9009
Office/Laboratory: 608 Mu 2 Tambon Bangpoorn, Amphoe Muang Samutprakan, Changwat Samutprakan 10280, Thailand. Tel. 060 0 2329 1672-80 ext. 115, 116 Fax. 060 0 2329 9440 E-mail: info@tistr.or.th Website: www.tistr.or.th
Office: 199 Phahonyothin Road, Ladysao, Chatsuchak, Bangkok 10900, Thailand. Tel. 060 0 2579 1121-30 ext. 5219, 5225, 5217 Fax. 060 0 2579 6827

10. Peak C sound level

Number of cycles in test signal	Anticipated value (dB)	Measured value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
Complete cycle	125.4	125.1	-0.3	5.0	0.20	0.35
Positive half cycle	124.4	122.4	-2.0	2.0	0.20	0.35
Negative half cycle	124.4	124.6	0.2	2.0	0.20	0.35

11. Overload indication

Measured value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
Positive one-half cycle	132.5	0.0	1.5	0.20
Negative one-half cycle	132.5	0.0	1.5	0.20

12. High-level stability

Time	Measured value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
Begin	129.0	0.0	0.3	0.10	0.1
End	129.0				

Calibrated by:

(Mr. Tawakiat Jamsanan)

Approved by:

(Mr. Praveen Klungsap)

Electrical and Electronic Standards Laboratory
Industrial Metrology and Testing Service Centre

Date of Calibration : 24-27 Feb.2025

Date of Issue : 28 Feb.2025

Ref : 2011268011400185001

End of Certificate

9/9

The results relate only to the items tested/calibrated or value assigned.
Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

Head Office: 35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang, Changwat Pathumthani 12120, Thailand. Tel. 060 0 2577 9036 Fax. 060 0 2577 9009
Office/Laboratory: 608 Mu 2 Tambon Bangpoorn, Amphoe Muang Samutprakan, Changwat Samutprakan 10280, Thailand. Tel. 060 0 2329 1672-80 ext. 115, 116 Fax. 060 0 2329 9440 E-mail: info@tistr.or.th Website: www.tistr.or.th
Office: 199 Phahonyothin Road, Ladysao, Chatsuchak, Bangkok 10900, Thailand. Tel. 060 0 2579 1121-30 ext. 5219, 5225, 5217 Fax. 060 0 2579 6827



THAILAND INSTITUTE OF SCIENTIFIC AND TECHNOLOGICAL RESEARCH (TISTR)

Request No. 21-68/0160

MTC No. EEL. BP. 86/0168

CALIBRATION CERTIFICATE

Submitted by : Integrated Research Center Company Limited.

Address : 122 Moo 2, T.Thatoom, A.Simulaphote, Prachinburi 25140.

Calibrated at : Electrical and Electronic Standards Laboratory, Industrial Metrology and Testing Service Centre.

Sri 1C, Bangpoo Industrial Estate, Sukhumvit Rd., A.Muang, Samutprakan 10280.

Instrument Calibrated :

Description : Sound Level Meter

Manufacturer : ACO

Model : 6236

Serial No. : 212014

Microphone : 7052NR No.76235

Preamplifier : -

Standards used :

1. Band Pass Filter Stanford Research Systems SR 650 S/N 28712.
2. Condenser Microphone Brüel&Kjær 4180 S/N 2889871.
3. Decade Attenuator Ando AL-205 S/N 00464602.
4. Function/Arbitrary Waveform Generator Agilent 33220A S/N MY44042668.
5. Digital Function Synthesizer NF Electronic Instruments DF-193A S/N 122037.
6. Sound Calibrator Brüel&Kjær 4231 S/N 3015154.
7. Measuring Amplifier Brüel&Kjær 2636 S/N 1537484.

Date of Receipt : 14 Jun.2025

Date of Calibration : 24-27 Feb.2025

1 / 9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

PAB.L/MTC.002 Rev.5

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. 061 0 2577 9036
Fax 061 0 2577 9039

Office/Laboratory
568 Mu 2 Tambon Bangpoo, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. 061 0 2579 1121-30 ext. 5219, 5225, 5237
061 0 2579 9400
E-mail : info@tistr.or.th Website : www.tistr.or.th

Office
136 Phahonyothin Road, Ladysao, Chatuchak,
Bangkok 10900, Thailand
Tel. 061 0 2579 1121-30 ext. 5219, 5225, 5237
061 0 2577 9039



THAILAND INSTITUTE OF SCIENTIFIC AND TECHNOLOGICAL RESEARCH (TISTR)

Request No. 21-68/0160

MTC No. EEL. BP. 86/0168

1. Absolute Sensitivity

Reference Acoustic Signal (dB)	Measured value (dB)		Deviation value (dB)	Acceptance limit Class 2 (+dB)	Uncertainty (+dB)	Maximum-permitted uncertainty of measurement (+dB)
	Before adjust	After adjust				
93.99	94.2	94.0	0.0	1.0	0.48	N/A

Note: The external calibration adjustment was firstly performed. The internal calibration adjustment was then completed at the display of 114.7 dB.

2. Self-generated noise

2.1 Normal test

Measured value (dB)	Uncertainty (+dB)	Maximum-permitted uncertainty of measurement (+dB)
20.7	0.10	N/A

2.2 The microphone of the sound level meter was replaced by electrical signal input device

Frequency Weighting	Measured value (dB)	Uncertainty (+dB)	Maximum-permitted uncertainty of measurement (+dB)
A-Weight	13.7	0.10	N/A
C-Weight	19.0	0.10	N/A
Flat	23.9	0.10	N/A

Date of Calibration : 24-27 Feb.2025

3 / 9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

PAB.L/MTC.002 Rev.5

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. 061 0 2577 9036
Fax 061 0 2577 9039

Office/Laboratory
568 Mu 2 Tambon Bangpoo, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. 061 0 2579 1121-30 ext. 5219, 5225, 5237
061 0 2579 9400
E-mail : info@tistr.or.th Website : www.tistr.or.th

Office
136 Phahonyothin Road, Ladysao, Chatuchak,
Bangkok 10900, Thailand
Tel. 061 0 2579 1121-30 ext. 5219, 5225, 5237
061 0 2577 9039



THAILAND INSTITUTE OF SCIENTIFIC AND TECHNOLOGICAL RESEARCH (TISTR)

Request No. 21-68/0160

MTC No. EEL. BP. 86/0168

8. Power Amplifier Brüel&Kjær 2706 S/N 1517650.

9. Speaker Tansoy Limited, Great Britain British Patent No. 215300.

10. Digital Multimeter Agilent 34401A S/N MY44003560.

11. Programmable Attenuator Tamagawa TPA-303A S/N 2212.

Calibration Procedure :

This instrument was calibrated by using calibration procedures no CP-102-02 and CP-102-03, which were based on IEC 61672-3 Electroacoustics - Sound Level Meters - Part 3 : Periodic tests (2013). These calibration procedures were related to the electrical and acoustic signal tests. The electrical signal test was carried out with the direct measurement method. The acoustic signal test was performed in an anechoic room with the comparison measurement method.

This instrument has been calibrated against standards maintained at the Electrical and Electronic Standards Laboratory (EEL), which are traceable to the International System of Units through the National Institute of Metrology (Thailand).

The information on actual reading is attached herewith and the uncertainty limits quoted refer to the measured values only.

The reported expanded uncertainty is based upon a standard uncertainty multiplied by a coverage factor $k=2$, providing a level of confidence of approximately 95%.

Date of Calibration : 24-27 Feb.2025

2 / 9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

PAB.L/MTC.002 Rev.5

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. 061 0 2577 9036
Fax 061 0 2577 9039

Office/Laboratory
568 Mu 2 Tambon Bangpoo, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. 061 0 2579 1121-30 ext. 5219, 5225, 5237
061 0 2579 9400
E-mail : info@tistr.or.th Website : www.tistr.or.th

Office
136 Phahonyothin Road, Ladysao, Chatuchak,
Bangkok 10900, Thailand
Tel. 061 0 2579 1121-30 ext. 5219, 5225, 5237
061 0 2577 9039



THAILAND INSTITUTE OF SCIENTIFIC AND TECHNOLOGICAL RESEARCH (TISTR)

Request No. 21-68/0160

MTC No. EEL. BP. 86/0168

3. Acoustical signal test of frequency weightings

Frequency (Hz)	Deviation from frequency response (dB)			Acceptance limit class 2 (+dB)	Uncertainty (+dB)	Maximum-permitted uncertainty of measurement (+dB)
	A-weight	C-weight	Flat			
125	0.5	0.5	0.3	1.5	0.45	0.6
1 000	-0.1	-0.2	0.0	1.0	0.45	0.6
8 000	-1.3	-1.1	-0.8	5.0	0.45	0.7

4. Electrical signal test of frequency weightings

Frequency (Hz)	Deviation from frequency response (dB)			Acceptance limit class 2 (+dB)	Uncertainty (+dB)	Maximum-permitted uncertainty of measurement (+dB)
	A-weight	C-weight	Flat			
63	0.2	0.0	-0.1	2.0	0.20	0.6
125	0.1	0.0	0.0	1.5	0.20	0.6
250	0.1	0.0	0.0	1.5	0.20	0.6
500	0.0	0.0	0.0	1.5	0.20	0.6
1 000	0.0	0.0	0.0	1.0	0.20	0.6
2 000	-0.1	0.0	-0.1	2.0	0.20	0.6
4 000	-0.4	-0.3	-0.1	3.0	0.20	0.6
8 000	-0.6	-0.6	-0.2	5.0	0.20	0.7

Date of Calibration : 24-27 Feb.2025

4 / 9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

PAB.L/MTC.002 Rev.5

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. 061 0 2577 9036
Fax 061 0 2577 9039

Office/Laboratory
568 Mu 2 Tambon Bangpoo, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. 061 0 2579 1121-30 ext. 5219, 5225, 5237
061 0 2579 9400
E-mail : info@tistr.or.th Website : www.tistr.or.th

Office
136 Phahonyothin Road, Ladysao, Chatuchak,
Bangkok 10900, Thailand
Tel. 061 0 2579 1121-30 ext. 5219, 5225, 5237
061 0 2577 9039

THAILAND INSTITUTE OF SCIENTIFIC AND TECHNOLOGICAL RESEARCH (TISTR)

Request No. 21-68/0160

MTC No. EEL- BP. 86/0168

5. Long-term stability

Time	Measured Value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
Begin	94.0	0.0	0.3	0.10	0.1
End	94.0				

6. Frequency and time weightings at 1 kHz

6.1 Frequency weightings at 1 kHz

Frequency Weighting	Measured Value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
A-weight	94.0	0.0	0.2	0.20	0.2
C-weight	94.0	0.0	0.2	0.20	0.2
Flat	94.0	0.0	0.2	0.20	0.2

6.2 Time weightings at 1 kHz

Frequency Weighting	Measured Value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
Fast	94.0	0.0	0.1	0.20	0.2
Slow	94.0	0.0	0.1	0.20	0.2
Log	94.0	0.0	0.1	0.20	0.2

Date of Calibration : 24-27 Feb.2025

5 / 9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

FSL/MTC.002 Rev.5

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. 060 0 2577 9056
Fax. 060 0 2577 9059

Office/Laboratory
568 Mu 2 Tambon Bangpoornai, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. 060 0 2523 5672-80 ext. 115, 116
060 08 3219 9560
E-mail : mtc@tistr.or.th Website : www.tistr.or.th

Office
136 Phahonyothin Road, Ladysa, Chetachak,
Bangkok 10900, Thailand
Tel. 060 0 2579 1121-30 ext. 5219, 5225, 5217
060 08 1889 6827

THAILAND INSTITUTE OF SCIENTIFIC AND TECHNOLOGICAL RESEARCH (TISTR)

Request No. 21-68/0160

MTC No. EEL- BP. 86/0168

7. Level linearity on the reference level range

Anticipated value (dB)	Measured Value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
32	32.2	0.2	1.1	0.30	0.3
31	31.3	0.3	1.1	0.30	0.3
30	30.3	0.3	1.1	0.30	0.3

8. Level linearity including the level range control

At reference sound level on the reference level range

Range	Anticipated value (dB)	Measured value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
40-130	94.0	94.0	0.0	1.1	0.30	0.3
30-120	94.0	94.0	0.0	1.1	0.30	0.3
20-110	94.0	94.0	0.0	1.1	0.30	0.3
20-100	94.0	94.0	0.0	1.1	0.30	0.3

Date of Calibration : 24-27 Feb.2025

7 / 9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

FSL/MTC.002 Rev.5

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. 060 0 2577 9056
Fax. 060 0 2577 9059

Office/Laboratory
568 Mu 2 Tambon Bangpoornai, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. 060 0 2523 5672-80 ext. 115, 116
060 08 3219 9560
E-mail : mtc@tistr.or.th Website : www.tistr.or.th

Office
136 Phahonyothin Road, Ladysa, Chetachak,
Bangkok 10900, Thailand
Tel. 060 0 2579 1121-30 ext. 5219, 5225, 5217
060 08 1889 6827

THAILAND INSTITUTE OF SCIENTIFIC AND TECHNOLOGICAL RESEARCH (TISTR)

Request No. 21-68/0160

MTC No. EEL- BP. 86/0168

7. Level linearity on the reference level range

Anticipated value (dB)	Measured Value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
122	122.1	0.1	1.1	0.30	0.3
121	121.1	0.1	1.1	0.30	0.3
120	120.1	0.1	1.1	0.30	0.3
119	119.1	0.1	1.1	0.30	0.3
114	114.0	0.0	1.1	0.30	0.3
109	109.0	0.0	1.1	0.30	0.3
104	104.0	0.0	1.1	0.30	0.3
99	99.0	0.0	1.1	0.30	0.3
94	94.0	0.0	1.1	0.30	0.3
89	89.0	0.0	1.1	0.30	0.3
84	84.0	0.0	1.1	0.30	0.3
79	79.0	0.0	1.1	0.30	0.3
74	74.1	0.1	1.1	0.30	0.3
69	69.1	0.1	1.1	0.30	0.3
64	64.0	0.0	1.1	0.30	0.3
59	59.0	0.0	1.1	0.30	0.3
54	54.0	0.0	1.1	0.30	0.3
49	49.0	0.0	1.1	0.30	0.3
44	44.0	0.0	1.1	0.30	0.3
39	39.0	0.0	1.1	0.30	0.3
34	34.1	0.1	1.1	0.30	0.3
33	33.2	0.2	1.1	0.30	0.3

Date of Calibration : 24-27 Feb.2025

6 / 9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

FSL/MTC.002 Rev.5

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. 060 0 2577 9056
Fax. 060 0 2577 9059

Office/Laboratory
568 Mu 2 Tambon Bangpoornai, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. 060 0 2523 5672-80 ext. 115, 116
060 08 3219 9560
E-mail : mtc@tistr.or.th Website : www.tistr.or.th

Office
136 Phahonyothin Road, Ladysa, Chetachak,
Bangkok 10900, Thailand
Tel. 060 0 2579 1121-30 ext. 5219, 5225, 5217
060 08 1889 6827

THAILAND INSTITUTE OF SCIENTIFIC AND TECHNOLOGICAL RESEARCH (TISTR)

Request No. 21-68/0160

MTC No. EEL- BP. 86/0168

8. Level linearity including the level range control

At reference level at 5 dB greater than the under-range on a level range

Range	Anticipated value (dB)	Measured value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
40-130	45.0	45.0	0.0	1.1	0.30	0.3
30-120	35.0	35.0	0.0	1.1	0.30	0.3
20-110	25.0	25.3	0.3	1.1	0.30	0.3
20-100	25.0	25.3	0.3	1.1	0.30	0.3
20-90	25.0	25.2	0.2	1.1	0.30	0.3
20-80	25.0	25.2	0.2	1.1	0.30	0.3

9. Tone burst response

Time Weighting	Toneburst Duration, T _b (ms)	Measured value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
Fast	200	115.8	-0.2	+1.0; -2.5	0.20	0.3
	2	98.7	-0.3	+1.0; -2.5	0.20	0.3
	0.25	89.2	-0.8	+1.5; -5.0	0.20	0.3
Slow	200	109.5	-0.1	+1.0	0.20	0.3
	2	89.8	-0.2	+1.0; -5.0	0.20	0.3
	200	109.9	-0.1	+1.0	0.20	0.3
SEL	2	89.9	-0.1	+1.0; -2.5	0.20	0.3
	0.25	80.9	-0.1	+1.5; -5.0	0.20	0.3

Date of Calibration : 24-27 Feb.2025

8 / 9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

FSL/MTC.002 Rev.5

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. 060 0 2577 9056
Fax. 060 0 2577 9059

Office/Laboratory
568 Mu 2 Tambon Bangpoornai, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. 060 0 2523 5672-80 ext. 115, 116
060 08 3219 9560
E-mail : mtc@tistr.or.th Website : www.tistr.or.th

Office
136 Phahonyothin Road, Ladysa, Chetachak,
Bangkok 10900, Thailand
Tel. 060 0 2579 1121-30 ext. 5219, 5225, 5217
060 08 1889 6827

THAILAND INSTITUTE OF SCIENTIFIC AND TECHNOLOGICAL RESEARCH (TISTR)

Request No. 21-68/0160

MTC No. EEL- BP. 86/0168

10. Peak C sound level

Number of cycles in test signal	Anticipated value (dB)	Measured value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
Complete cycle	125.4	125.0	-0.4	3.0	0.20	0.35
Positive half cycle	124.4	124.3	-0.1	2.0	0.20	0.35
Negative half cycle	124.4	124.3	-0.1	2.0	0.20	0.35

11. Overload indication

Measured value (dB)		Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
Positive one-half cycle	Negative one-half cycle				
132.5	132.5	0.0	1.5	0.20	0.25

12. High-level stability

Time	Measured value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
Begin	129.0				
End	129.0	0.0	0.3	0.10	0.1

Calibrated by :

Approved by :

(Mr. Tawakiat Jamsamrit)

(Mr. Prawan Kiatyong)

Electrical and Electronic Standards Laboratory
Industrial Metrology and Testing Service Centre

Date of Calibration : 24-27 Feb.2025

Date of Issue : 28 Feb.2025

Ref: 2011268011400185004

End of Certificate

9 / 9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

FAB/MTC.002 Rev.5

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. 060 0 2577 9036
Fax. 060 0 2577 9039Office/Laboratory
668 Mu 2 Tambon Bangpoornai, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. 060 0 2579 1672-80 ext. 115, 116
060 08 3219 9440
E-mail : mtc@tistr.or.th Website : www.tistr.or.thOffice
196 Phahonyothin Road, Ladysay, Chatuchak,
Bangkok 10900, Thailand
Tel. 060 0 2579 1121-30 ext. 5219, 5225, 5217
060 08 1889 4827

THAILAND INSTITUTE OF SCIENTIFIC AND TECHNOLOGICAL RESEARCH (TISTR)

Request No. 21-68/0160

MTC No. EEL- BP. 87/0168

- Power Amplifier Brüel&Kjær 2706 S/N 1517650.
- Speaker Tannoy Limited, Great Britain British Patent No. 215300.
- Digital Multimeter Agilent 34401A S/N MY4005560.
- Programmable Attenuator Tama-gawa TPA-903A S/N 2212.

Calibration Procedure :

This instrument was calibrated by using calibration procedures no CP-102-02 and CP-102-03, which were based on IEC 61672-3 Electroacoustics - Sound Level Meters - Part 3 : Periodic tests (2013). These calibration procedures were related to the electrical and acoustic signal tests. The electrical signal test was carried out with the direct measurement method. The acoustic signal test was performed in an anechoic room with the comparison measurement method.

This instrument has been calibrated against standards maintained at the Electrical and Electronic Standards Laboratory (EEL), which are traceable to the International System of Units through the National Institute of Metrology (Thailand).

The information on actual reading is attached herewith and the uncertainty limits quoted refer to the measured values only.

The reported expanded uncertainty is based upon a standard uncertainty multiplied by a coverage factor $k=2$, providing a level of confidence of approximately 95%.

Date of Calibration : 24-27 Feb.2025

2 / 9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

FAB/MTC.002 Rev.5

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. 060 0 2577 9036
Fax. 060 0 2577 9039Office/Laboratory
668 Mu 2 Tambon Bangpoornai, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. 060 0 2579 1672-80 ext. 115, 116
060 08 3219 9440
E-mail : mtc@tistr.or.th Website : www.tistr.or.thOffice
196 Phahonyothin Road, Ladysay, Chatuchak,
Bangkok 10900, Thailand
Tel. 060 0 2579 1121-30 ext. 5219, 5225, 5217
060 08 1889 4827

THAILAND INSTITUTE OF SCIENTIFIC AND TECHNOLOGICAL RESEARCH (TISTR)

Request No. 21-68/0160

MTC No. EEL- BP. 87/0168

CALIBRATION CERTIFICATE

Submitted by : Integrated Research Center Company Limited.

Address : 122 Moo 2, T.Thatoom, A.Srinahaphone, Prachinburi 25140.

Calibrated at : Electrical and Electronic Standards Laboratory, Industrial Metrology and Testing Service Centre.

Sri 1C, Bangpoo Industrial Estate, Sukhumvit Rd., A.Muang, Samutprakan 10280.

Instrument Calibrated :

Ambient Environment

Description : Sound Level Meter

Temperature : (23 ± 3) °C

Manufacturer : ACO

Relative Humidity : (50 ± 15) %

Model : 6236

Ambient Pressure : (101.325 ± 1.5) kPa

Serial No. : 212015

Microphone : 7052NR No.76236

Preamplifier : -

Standards used :

- Band Pass Filter Stanford Research Systems SR 650 S/N 28712.
- Condenser Microphone Brüel&Kjær 4180 S/N 2889871.
- Decade Attenuator Ando AL-205 S/N 00464602.
- Function/Arbitrary Waveform Generator Agilent 33220A S/N MY44042668.
- Digital Function Synthesizer NF Electronic Instruments DF-193A S/N 122037.
- Sound Calibrator Brüel&Kjær 4231 S/N 3015154.
- Measuring Amplifier Brüel&Kjær 2636 S/N 1537484.

Date of Receipt : 14 Jan.2025

Date of Calibration : 24-27 Feb.2025

1 / 9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

FAB/MTC.002 Rev.5

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. 060 0 2577 9036
Fax. 060 0 2577 9039Office/Laboratory
668 Mu 2 Tambon Bangpoornai, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. 060 0 2579 1672-80 ext. 115, 116
060 08 3219 9440
E-mail : mtc@tistr.or.th Website : www.tistr.or.thOffice
196 Phahonyothin Road, Ladysay, Chatuchak,
Bangkok 10900, Thailand
Tel. 060 0 2579 1121-30 ext. 5219, 5225, 5217
060 08 1889 4827

THAILAND INSTITUTE OF SCIENTIFIC AND TECHNOLOGICAL RESEARCH (TISTR)

Request No. 21-68/0160

MTC No. EEL- BP. 87/0168

1. Absolute Sensitivity

Reference Acoustic Signal (dB)	Measured value (dB)		Deviation value (dB)	Acceptance limit Class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
	Before adjust	After adjust				
93.99	94.4	94.0	0.0	1.0	0.48	N/A

Note: The external calibration adjustment was firstly performed. The internal calibration adjustment was then completed at the display of 115.0 dB.

2. Self-generated noise

2.1 Normal test

Measured value (dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
20.7	0.10	N/A

2.2 The microphone of the sound level meter was replaced by electrical signal input device

Frequency Weighting	Measured value (dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
A-Weighting	15.1	0.10	N/A
C-Weighting	19.9	0.10	N/A
Flat	24.7	0.10	N/A

Date of Calibration : 24-27 Feb.2025

3 / 9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

FAB/MTC.002 Rev.5

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. 060 0 2577 9036
Fax. 060 0 2577 9039Office/Laboratory
668 Mu 2 Tambon Bangpoornai, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. 060 0 2579 1672-80 ext. 115, 116
060 08 3219 9440
E-mail : mtc@tistr.or.th Website : www.tistr.or.thOffice
196 Phahonyothin Road, Ladysay, Chatuchak,
Bangkok 10900, Thailand
Tel. 060 0 2579 1121-30 ext. 5219, 5225, 5217
060 08 1889 4827

3. Acoustical signal test of frequency weightings

Frequency (Hz)	Deviation from frequency response (dB)			Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
	A-weight	C-weight	Flat			
125	0.4	0.6	0.4	1.5	0.45	0.6
1 000	-0.1	-0.1	0.1	1.0	0.45	0.6
8 000	-0.7	-0.7	-0.2	5.0	0.45	0.7

4. Electrical signal test of frequency weightings

Frequency (Hz)	Deviation from frequency response (dB)			Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
	A-weight	C-weight	Flat			
63	0.0	0.0	-0.1	2.0	0.20	0.6
125	-0.1	0.0	0.0	1.5	0.20	0.6
250	0.0	0.0	0.0	1.5	0.20	0.6
500	0.0	0.0	0.0	1.5	0.20	0.6
1 000	0.0	0.0	0.0	1.0	0.20	0.6
2 000	-0.1	-0.1	-0.1	2.0	0.20	0.6
4 000	-0.4	-0.4	-0.1	3.0	0.20	0.6
8 000	-0.6	-0.6	-0.2	5.0	0.20	0.7

Date of Calibration : 24-27 Feb.2025

4 / 9

The results relate only to the items tested/calibrated or value assigned.

Advising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

FM/BL/MTC.002 Rev.5

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. (66) 0 2577 9036
Fax. (66) 0 2577 9039

Office/Laboratory
688 Mu 2 Tambon Bangpook, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. (66) 0 2529 1672-80 ext. 5215, 5225, 5217
(66) 08 5219 9440
E-mail : mtc@tistr.or.th Website : www.tistr.or.th

Office
196 Phahonyothin Road, Ladysay, Chachakul,
Bangkok 10900, Thailand
Tel. (66) 0 2579 1121-30 ext. 5215, 5225, 5217
(66) 08 1889 6827

7. Level linearity on the reference level range

Anticipated value (dB)	Measured Value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
122	122.0	0.0	1.1	0.30	0.3
121	121.0	0.0	1.1	0.30	0.3
120	120.0	0.0	1.1	0.30	0.3
119	119.0	0.0	1.1	0.30	0.3
114	114.0	0.0	1.1	0.30	0.3
109	109.0	0.0	1.1	0.30	0.3
104	104.0	0.0	1.1	0.30	0.3
99	99.0	0.0	1.1	0.30	0.3
94	94.0	0.0	1.1	0.30	0.3
89	89.0	0.0	1.1	0.30	0.3
84	84.1	0.1	1.1	0.30	0.3
79	79.1	0.1	1.1	0.30	0.3
74	74.1	0.1	1.1	0.30	0.3
69	69.1	0.1	1.1	0.30	0.3
64	64.0	0.0	1.1	0.30	0.3
59	59.0	0.0	1.1	0.30	0.3
54	54.0	0.0	1.1	0.30	0.3
49	49.0	0.0	1.1	0.30	0.3
44	44.0	0.0	1.1	0.30	0.3
39	39.0	0.0	1.1	0.30	0.3
34	34.1	0.1	1.1	0.30	0.3
33	33.1	0.1	1.1	0.30	0.3

Date of Calibration : 24-27 Feb.2025

6 / 9

The results relate only to the items tested/calibrated or value assigned.

Advising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

FM/BL/MTC.002 Rev.5

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. (66) 0 2577 9036
Fax. (66) 0 2577 9039

Office/Laboratory
688 Mu 2 Tambon Bangpook, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. (66) 0 2529 1672-80 ext. 5215, 5225, 5217
(66) 08 5219 9440
E-mail : mtc@tistr.or.th Website : www.tistr.or.th

Office
196 Phahonyothin Road, Ladysay, Chachakul,
Bangkok 10900, Thailand
Tel. (66) 0 2579 1121-30 ext. 5215, 5225, 5217
(66) 08 1889 6827

5. Long-term stability

Time	Measured Value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
Begin	94.0	0.0	0.3	0.10	0.1
End	94.0				

6. Frequency and time weightings at 1 kHz

6.1 Frequency weightings at 1 kHz

Frequency Weighting	Measured Value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
A-weight	94.0	0.0	0.2	0.20	0.2
C-weight	94.0	0.0	0.2	0.20	0.2
Flat	94.0	0.0	0.2	0.20	0.2

6.2 Time weightings at 1 kHz

Frequency Weighting	Measured Value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
Fast	94.0	0.0	0.1	0.20	0.2
Slow	94.0	0.0	0.1	0.20	0.2
Leq	94.0	0.0	0.1	0.20	0.2

Date of Calibration : 24-27 Feb.2025

5 / 9

The results relate only to the items tested/calibrated or value assigned.

Advising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

FM/BL/MTC.002 Rev.5

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. (66) 0 2577 9036
Fax. (66) 0 2577 9039

Office/Laboratory
688 Mu 2 Tambon Bangpook, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. (66) 0 2529 1672-80 ext. 5215, 5225, 5217
(66) 08 5219 9440
E-mail : mtc@tistr.or.th Website : www.tistr.or.th

Office
196 Phahonyothin Road, Ladysay, Chachakul,
Bangkok 10900, Thailand
Tel. (66) 0 2579 1121-30 ext. 5215, 5225, 5217
(66) 08 1889 6827

7. Level linearity on the reference level range

Anticipated value (dB)	Measured Value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
32	32.2	0.2	1.1	0.30	0.3
31	31.2	0.2	1.1	0.30	0.3
30	30.3	0.3	1.1	0.30	0.3

8. Level linearity including the level range control

At reference sound level on the reference level range

Range	Anticipated value (dB)	Measured value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
40-130	94.0	94.0	0.0	1.1	0.30	0.3
30-120	94.0	94.0	0.0	1.1	0.30	0.3
20-110	94.0	94.0	0.0	1.1	0.30	0.3
20-100	94.0	94.0	0.0	1.1	0.30	0.3

Date of Calibration : 24-27 Feb.2025

7 / 9

The results relate only to the items tested/calibrated or value assigned.

Advising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

FM/BL/MTC.002 Rev.5

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. (66) 0 2577 9036
Fax. (66) 0 2577 9039

Office/Laboratory
688 Mu 2 Tambon Bangpook, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. (66) 0 2529 1672-80 ext. 5215, 5225, 5217
(66) 08 5219 9440
E-mail : mtc@tistr.or.th Website : www.tistr.or.th

Office
196 Phahonyothin Road, Ladysay, Chachakul,
Bangkok 10900, Thailand
Tel. (66) 0 2579 1121-30 ext. 5215, 5225, 5217
(66) 08 1889 6827

8. Level linearity including the level range control

At reference level at 5 dB greater than the under-range on a level range

Range	Anticipated value (dB)	Measured value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
40-130	45.0	45.0	0.0	±1.1	0.30	0.3
30-120	35.0	35.0	0.0	±1.1	0.30	0.3
20-110	25.0	25.3	0.3	±1.1	0.30	0.3
20-100	25.0	25.2	0.2	±1.1	0.30	0.3
20-90	25.0	25.1	0.1	±1.1	0.30	0.3
20-80	25.0	24.9	-0.1	±1.1	0.30	0.3

9. Tone burst response

Time Weighting	Toneburst Duration, T _b (ms)	Measured value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
Fast	200	115.8	-0.2	±1.0	0.20	0.3
	2	98.9	-0.1	+1.0; -2.5	0.20	0.3
	0.25	89.0	-1.0	+1.5; -5.0	0.20	0.3
Slow	200	109.3	-0.3	±1.0	0.20	0.3
	2	89.8	-0.2	+1.0; -5.0	0.20	0.3
	0.25	80.9	-0.1	+1.5; -5.0	0.20	0.3

Date of Calibration : 24-27 Feb.2025

8/9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

TISTR/MTC.002 Rev.5

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. (66) 0 2577 9036
Fax. (66) 0 2577 9039

Office/Laboratory
688 Mu 2 Tambon Bangpoornai, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. (66) 0 2323 1672-80 ext. 115, 116
(66) 08 3219 9440
E-mail : mtc@tistr.or.th Website : www.tistr.or.th

Office
195 Phahonyothin Road, Ladysa, Chulachak,
Bangkok 10900, Thailand
Tel. (66) 0 2579 1121-30 ext. 5219, 5225, 5237
(66) 08 1889 4827

CALIBRATION CERTIFICATE

Submitted by : Integrated Research Center Company Limited.

Address : 122 Moo 2, T.Thatoom, A.Srimahaphote, Prachinburi 25140.

Calibrated at : Electrical and Electronic Standards Laboratory, Industrial Metrology and Testing Service Centre.

Sri IC, Bangpoo Industrial Estate, Sukhumvit Rd., A.Muang, Samutprakan 10280.

Instrument Calibrated :		Ambient Environment
Description	Sound Level Meter	Temperature : (23 ± 5) °C
Manufacturer	ACO	Relative Humidity : (50 ± 15) %
Model	6236	Ambient Pressure : (101.325 ± 1.5) kPa
Serial No.	212016	
Microphone	7052NR No.76237	
Preamplifier	-	

Standards used :

1. Band Pass Filter Stanford Research Systems SR 650 S/N 28712.
2. Condenser Microphone Brüel&Kjær 4180 S/N 289871.
3. Decade Attenuator Ando AI-205 S/N 0040402.
4. Function/Arbitrary Waveform Generator Agilent 33220A S/N MY44042668.
5. Digital Function Synthesizer NF Electronic Instruments DF-193A S/N 122037.
6. Sound Calibrator Brüel&Kjær 4231 S/N 3015154.
7. Measuring Amplifier Brüel&Kjær 2636 S/N 1537484.

Date of Receipt : 14 Jun.2025

Date of Calibration : 24-27 Feb.2025

1/9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

TISTR/MTC.002 Rev.5

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. (66) 0 2577 9036
Fax. (66) 0 2577 9039

Office/Laboratory
688 Mu 2 Tambon Bangpoornai, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. (66) 0 2323 1672-80 ext. 115, 116
(66) 08 3219 9440
E-mail : mtc@tistr.or.th Website : www.tistr.or.th

Office
195 Phahonyothin Road, Ladysa, Chulachak,
Bangkok 10900, Thailand
Tel. (66) 0 2579 1121-30 ext. 5219, 5225, 5237
(66) 08 1889 4827

10. Peak C sound level

Number of cycles in test signal	Anticipated value (dB)	Measured value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
Complete cycle	125.4	125.5	0.1	±3.0	0.20	0.35
Positive half cycle	124.4	124.3	-0.1	±2.0	0.20	0.35
Negative half cycle	124.4	124.3	-0.1	±2.0	0.20	0.35

11. Overload indication

Measured value (dB)		Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum permitted uncertainty of measurement (±dB)
Positive one-half cycle	Negative one-half cycle				
132.5	132.5	0.0	1.5	0.20	0.25

12. High-level stability

Time	Measured value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
Begin	129.0	0.0	0.3	0.10	0.1
End	129.0				

Calibrated by :

(Mr. Tawkiat Jamsamran)

Approved by :

(Mr. Piyawade Kanyapa)

Director

Electrical and Electronic Standards Laboratory

Industrial Metrology and Testing Service Centre

Date of Calibration : 24-27 Feb.2025

Date of Issue : 28 Feb.2025

Ref : 2011268011400185005

End of Certificate

9/9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

TISTR/MTC.002 Rev.5

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. (66) 0 2577 9036
Fax. (66) 0 2577 9039

Office/Laboratory
688 Mu 2 Tambon Bangpoornai, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. (66) 0 2323 1672-80 ext. 115, 116
(66) 08 3219 9440
E-mail : mtc@tistr.or.th Website : www.tistr.or.th

Office
195 Phahonyothin Road, Ladysa, Chulachak,
Bangkok 10900, Thailand
Tel. (66) 0 2579 1121-30 ext. 5219, 5225, 5237
(66) 08 1889 4827

8. Power Amplifier Brüel&Kjær 2706 S/N 1517650.

9. Speaker Tansoy Limited, Great Britain British Patent No. 215300.

10. Digital Multimeter Agilent 34401A S/N MY44035560.

11. Programmable Attenuator Tamagawa TPA-903A S/N 2212.

Calibration Procedure :

This instrument was calibrated by using calibration procedures no CP-102-02 and CP-102-03, which were based on IEC 61672-3 Electroacoustics - Sound Level Meters - Part 3 : Periodic tests (2013). These calibration procedures were related to the electrical and acoustic signal tests. The electrical signal test was carried out with the direct measurement method. The acoustic signal test was performed in an anechoic room with the comparison measurement method.

This instrument has been calibrated against standards maintained at the Electrical and Electronic Standards Laboratory (EEL), which are traceable to the International System of Units through the National Institute of Metrology (Thailand).

The information on actual reading is attached herewith and the uncertainty limits quoted refer to the measured values only.

The reported expanded uncertainty is based upon a standard uncertainty multiplied by a coverage factor $k=2$, providing a level of confidence of approximately 95%.

Date of Calibration : 24-27 Feb.2025

2/9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

TISTR/MTC.002 Rev.5

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. (66) 0 2577 9036
Fax. (66) 0 2577 9039

Office/Laboratory
688 Mu 2 Tambon Bangpoornai, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. (66) 0 2323 1672-80 ext. 115, 116
(66) 08 3219 9440
E-mail : mtc@tistr.or.th Website : www.tistr.or.th

Office
195 Phahonyothin Road, Ladysa, Chulachak,
Bangkok 10900, Thailand
Tel. (66) 0 2579 1121-30 ext. 5219, 5225, 5237
(66) 08 1889 4827

1. Absolute Sensitivity

Reference Acoustic Signal (dB)	Measured value (dB)	Deviation value (dB)	Acceptance limit Class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
93.99	94.0	0.0	1.0	0.48	N/A

Note: No adjustment.

2. Self-generated noise

2.1 Normal test

Measured value (dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
21.3	0.10	N/A

2.2 The microphone of the sound level meter was replaced by electrical signal input device

Frequency Weighting	Measured value (dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
A-Weight	14.4	0.10	N/A
C-Weight	19.1	0.10	N/A
Flat	23.5	0.10	N/A

Date of Calibration : 24-27 Feb.2025

3 / 9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

FMBL/MTC.002 Rev.5

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. 060 0 2577 9036
Fax. 060 0 2577 9039

Office/Laboratory
668 Mu 2 Tambon Bangpoornai, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. 060 0 2523 3572-80 ext. 115, 116
060 08 3219 9440
E-mail : info@tistr.or.th Website : www.tistr.or.th

Office
126 Phahonyothin Road, Laksi, Chatsakul,
Bangkok 10900, Thailand
Tel. 060 0 2579 1121-30 ext. 5219, 5225, 5217
060 08 1889 6827

5. Long-term stability

Time	Measured Value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
Begin	94.0	0.0	0.3	0.10	0.1
End	94.0				

6. Frequency and time weightings at 1 kHz

6.1 Frequency weightings at 1 kHz

Frequency Weighting	Measured Value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
A-weight	94.0	0.0	0.2	0.20	0.2
C-weight	94.0	0.0	0.2	0.20	0.2
Flat	94.0	0.0	0.2	0.20	0.2

6.2 Time weightings at 1 kHz

Frequency Weighting	Measured Value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
Fast	94.0	0.0	0.1	0.20	0.2
Slow	94.0	0.0	0.1	0.20	0.2
Log	94.0	0.0	0.1	0.20	0.2

Date of Calibration : 24-27 Feb.2025

5 / 9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

FMBL/MTC.002 Rev.5

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. 060 0 2577 9036
Fax. 060 0 2577 9039

Office/Laboratory
668 Mu 2 Tambon Bangpoornai, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. 060 0 2523 3572-80 ext. 115, 116
060 08 3219 9440
E-mail : info@tistr.or.th Website : www.tistr.or.th

Office
126 Phahonyothin Road, Laksi, Chatsakul,
Bangkok 10900, Thailand
Tel. 060 0 2579 1121-30 ext. 5219, 5225, 5217
060 08 1889 6827

3. Acoustical signal test of frequency weightings

Frequency (Hz)	Deviation from frequency response (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
125	0.5	1.5	0.45	0.6
1 000	-0.1	1.0	0.45	0.6
8 000	-1.5	5.0	0.45	0.7

4. Electrical signal test of frequency weightings

Frequency (Hz)	Deviation from frequency response (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
63	0.1	2.0	0.20	0.6
125	0.0	1.5	0.20	0.6
250	0.0	1.5	0.20	0.6
500	0.0	1.5	0.20	0.6
1 000	0.0	1.0	0.20	0.6
2 000	-0.1	2.0	0.20	0.6
4 000	-0.4	3.0	0.20	0.6
8 000	-0.6	5.0	0.20	0.7

Date of Calibration : 24-27 Feb.2025

4 / 9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

FMBL/MTC.002 Rev.5

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. 060 0 2577 9036
Fax. 060 0 2577 9039

Office/Laboratory
668 Mu 2 Tambon Bangpoornai, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. 060 0 2523 3572-80 ext. 115, 116
060 08 3219 9440
E-mail : info@tistr.or.th Website : www.tistr.or.th

Office
126 Phahonyothin Road, Laksi, Chatsakul,
Bangkok 10900, Thailand
Tel. 060 0 2579 1121-30 ext. 5219, 5225, 5217
060 08 1889 6827

7. Level linearity on the reference level range

Anticipated value (dB)	Measured Value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
122	122.1	0.1	1.1	0.30	0.3
121	121.1	0.1	1.1	0.30	0.3
120	120.1	0.1	1.1	0.30	0.3
119	119.1	0.1	1.1	0.30	0.3
114	114.0	0.0	1.1	0.30	0.3
109	109.0	0.0	1.1	0.30	0.3
104	104.0	0.0	1.1	0.30	0.3
99	99.0	0.0	1.1	0.30	0.3
94	94.0	0.0	1.1	0.30	0.3
89	89.0	0.0	1.1	0.30	0.3
84	83.9	-0.1	1.1	0.30	0.3
79	78.9	-0.1	1.1	0.30	0.3
74	74.1	0.1	1.1	0.30	0.3
69	69.2	0.2	1.1	0.30	0.3
64	64.0	0.0	1.1	0.30	0.3
59	59.0	0.0	1.1	0.30	0.3
54	54.0	0.0	1.1	0.30	0.3
49	49.1	0.1	1.1	0.30	0.3
44	44.1	0.1	1.1	0.30	0.3
39	39.0	0.0	1.1	0.30	0.3
34	34.2	0.2	1.1	0.30	0.3
33	33.2	0.2	1.1	0.30	0.3

Date of Calibration : 24-27 Feb.2025

6 / 9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

FMBL/MTC.002 Rev.5

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. 060 0 2577 9036
Fax. 060 0 2577 9039

Office/Laboratory
668 Mu 2 Tambon Bangpoornai, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. 060 0 2523 3572-80 ext. 115, 116
060 08 3219 9440
E-mail : info@tistr.or.th Website : www.tistr.or.th

Office
126 Phahonyothin Road, Laksi, Chatsakul,
Bangkok 10900, Thailand
Tel. 060 0 2579 1121-30 ext. 5219, 5225, 5217
060 08 1889 6827

THAILAND INSTITUTE OF SCIENTIFIC AND TECHNOLOGICAL RESEARCH (TISTR)

Request No. 21-58/0160

MTC No. EEL- BP. 88/0168

7. Level linearity on the reference level range

Anticipated value (dB)	Measured value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
32	32.2	0.2	1.1	0.30	0.3
31	31.2	0.2	1.1	0.30	0.3
30	30.3	0.3	1.1	0.30	0.3

8. Level linearity including the level range control

At reference sound level on the reference level range

Range	Anticipated value (dB)	Measured value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
40-130	94.0	94.0	0.0	1.1	0.30	0.3
30-120	94.0	94.0	0.0	1.1	0.30	0.3
20-110	94.0	94.0	0.0	1.1	0.30	0.3
10-100	94.0	94.0	0.0	1.1	0.30	0.3

Date of Calibration : 24-27 Feb.2025

7/9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

FABL/MTC.002 Rev.5

Head Office
55 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. 060 0 2577 9036
Fax. 060 0 2577 9038

Office/Laboratory
568 Mu 2 Tambon Bangpoornai, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. 060 0 2523 1672 ext. 115, 116
060 08 5219 9440
E-mail: mtr@tistr.or.th Website: www.tistr.or.th

Office
136 Phahonyothin Road, Ladysay, Chatsuk,
Bangkok 10900, Thailand
Tel. 060 0 2579 1121-30 ext. 5219, 5225, 5217
060 08 1899 6827

THAILAND INSTITUTE OF SCIENTIFIC AND TECHNOLOGICAL RESEARCH (TISTR)

Request No. 21-58/0160

MTC No. EEL- BP. 88/0168

10. Peak C sound level

Number of cycles in test signal	Anticipated value (dB)	Measured value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
Complete cycle	125.4	125.3	-0.1	3.0	0.20	0.35
Positive half cycle	124.4	124.3	-0.1	2.0	0.20	0.35
Negative half cycle	124.4	124.2	-0.2	2.0	0.20	0.35

11. Overload indication

Measured value (dB)		Deviated	Acceptance limit	Uncertainty	Maximum-permitted uncertainty
Positive one-half cycle	Negative one-half cycle	value (dB)	class 2 (±dB)	(±dB)	of measurement (±dB)
132.5	132.5	0.0	1.5	0.20	0.25

12. High-level stability

Time	Measured value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
Begin	129.0	0.0	0.3	0.10	0.1
End	129.0				

Calibrated by :
(Mr. Tawakiat Innaemman)

Approved by :
(Mr. Prawat Khayak)

Electrical and Electronic Standards Laboratory
Industrial Metrology and Testing Service Centre

Date of Calibration : 24-27 Feb.2025

Date of Issue : 28 Feb.2025

Ref : 2011268011400185006

End of Certificate

9/9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

FABL/MTC.002 Rev.5

Head Office
55 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. 060 0 2577 9036
Fax. 060 0 2577 9038

Office/Laboratory
568 Mu 2 Tambon Bangpoornai, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. 060 0 2523 1672 ext. 115, 116
060 08 5219 9440
E-mail: mtr@tistr.or.th Website: www.tistr.or.th

Office
136 Phahonyothin Road, Ladysay, Chatsuk,
Bangkok 10900, Thailand
Tel. 060 0 2579 1121-30 ext. 5219, 5225, 5217
060 08 1899 6827

THAILAND INSTITUTE OF SCIENTIFIC AND TECHNOLOGICAL RESEARCH (TISTR)

Request No. 21-58/0160

MTC No. EEL- BP. 88/0168

8. Level linearity including the level range control

At reference level at 5 dB greater than the under-range on a level range

Range	Anticipated value (dB)	Measured value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
40-130	45.0	45.0	0.0	1.1	0.30	0.3
30-120	35.0	35.0	0.0	1.1	0.30	0.3
20-110	25.0	25.5	0.5	1.1	0.30	0.3
10-100	25.0	25.4	0.4	1.1	0.30	0.3
20-90	25.0	25.3	0.3	1.1	0.30	0.3
10-80	25.0	25.2	0.2	1.1	0.30	0.3

9. Tone burst response

Time	Frequency	Measured value (dB)	Deviated value (dB)	Acceptance limit class 2 (±dB)	Uncertainty (±dB)	Maximum-permitted uncertainty of measurement (±dB)
Fast	200	115.9	-0.1	±1.0	0.20	0.3
	2	98.1	-0.9	+1.0; -2.5	0.20	0.3
	0.25	89.2	-0.8	+1.5; -5.0	0.20	0.3
Slow	200	109.5	-0.1	±1.0	0.20	0.3
	2	89.8	-0.2	+1.0; -5.0	0.20	0.3
	0.25	80.9	-0.1	+1.5; -5.0	0.20	0.3

Date of Calibration : 24-27 Feb.2025

8/9

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

FABL/MTC.002 Rev.5

Head Office
55 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. 060 0 2577 9036
Fax. 060 0 2577 9038

Office/Laboratory
568 Mu 2 Tambon Bangpoornai, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. 060 0 2523 1672 ext. 115, 116
060 08 5219 9440
E-mail: mtr@tistr.or.th Website: www.tistr.or.th

Office
136 Phahonyothin Road, Ladysay, Chatsuk,
Bangkok 10900, Thailand
Tel. 060 0 2579 1121-30 ext. 5219, 5225, 5217
060 08 1899 6827

CERTIFICATE OF ANALYSIS
Grade of Product: EPA Protocol

Part Number: E03N89E80A0020 Reference Number: 82-401285019-1
Cylinder Number: LL193324 Cylinder Volume: 83.4 CF
Laboratory: 124 - Riveron (SAP) - NJ Cylinder Pressure: 2215 PSIG
POVP Number: B52018 Valve Outlet: 660
Gas Code: NO, NOX, SO2, BALN Certification Date: Sep 05, 2018
Expiration Date: Sep 05, 2025

Certificate performed in accordance with EPA Traceability Protocol for Analytical and Certification of Gas Standards (May 2012) document EPA 820R-12-031, using the exact procedures listed. Analytical Metrology does not require correction for analytical interference. This cylinder has a total analytical uncertainty as stated below with a confidence level of 95%. There are no significant impurities which affect the use of this calibration mixture. All concentrations are on a volume/volume basis unless otherwise noted.
Do Not Use This Cylinder below 140 psig (i.e. 0.7 megapascals).

Component	Requested Concentration	Actual Concentration	Protocol Method	Total Relative Uncertainty	Assay Dates
NOX	80.00 PPM	80.71 PPM	G1	±1.4% NIST Traceable	06/27/2018, 08/05/2018
NITRIC OXIDE	80.00 PPM	80.87 PPM	G1	±1.4% NIST Traceable	06/27/2018, 08/05/2018
SULFUR DIOXIDE	80.00 PPM	80.84 PPM	G1	±1.0% NIST Traceable	06/27/2018, 08/05/2018
NITROGEN	Balance				

Type	Lot ID	Cylinder No	Concentration	Uncertainty	Expiration Date
NTRM	1608065	CC442585	80.42 PPM NITRIC OXIDE/NITROGEN	±1.8%	Jun 27, 2020
PRM	12388	8604119	26.86 PPM NITROGEN DIOXIDE/AIR	±1.5%	Jun 02, 2017
GMS	7042010104	CC503941	5.101 PPM NITROGEN DIOXIDE/NITROGEN	±2.0%	Jun 01, 2020
NTRM	14010327	KAL004378	48.00 PPM SULFUR DIOXIDE/NITROGEN	±1.0%	Apr 17, 2024

The SO2, PM10 or PM2.5 listed above is only in reference to the GMS used in the assay and not part of the analysis.

Instrument/Model	Analytical Principle	Last Multipoint Calibration
Model 8700 APV/1100091 FAS	FTIR	Aug 09, 2018
Model 8700 APV/1100091 FAS2	FTIR	Aug 31, 2018
Model 8700 APV/1100091 SC2	FTIR	Aug 30, 2018

Triad Data Available Upon Request
NOTES: POV 8218003936

Net weight: 2730 grams
Gross weight: 17393 grams

This calibration std. has been certified in accordance with the May 2012 EPA Traceability Protocol. Document EPA-820R-12-031. All testing processes and measurements conform to the requirements of ISO/IEC 17025 and to Airgas ISO 9001:2008 and relate only to items identified on this certificate. All values are certified to be NIST Traceable with total uncertainty as detailed under Analytical Uncertainty. This document shall not be reproduced in full without written approval of the issuer.



Approved for Release

Page 1 of 82-401285019-1

CERTIFICATE OF ANALYSIS **Grade of Product: EPA Protocol**

Part Number: E03N06E80A0020 Reference Number: 82-401285019-1
Cylinder Number: LL193324 Cylinder Volume: 83.4 CF
Laboratory: 124 - Riveron (SAP) - NJ Cylinder Pressure: 2215 PSIG
PGVP Number: B52018 Valve Outlet: 660
Gas Code: NO,NOK,S02,BALN Certification Date: Sep 05, 2018
Expiration Date: Sep 05, 2026

Certification performed in accordance with EPA Traceability Protocol for Assay and Certification of Gaseous Calibration Standards (May 2012) document EPA 800/R-12/011, using the assay procedures listed. Analytical methodology does not require correction for analytical interference. This cylinder has a total analytical uncertainty as stated below with a confidence level of 95%. There are no significant impurities which affect the use of this cylinder's mixture. All concentrations are on a volume/volume basis unless otherwise noted.
(Do Not Use This Cylinder Below 100 psig, i.e. 8.7 megapascals)

ANALYTICAL RESULTS

Component	Requested Concentration	Actual Concentration	Protocol Method	Total Relative Uncertainty	Assay Dates
NOX	50.00 PPM	50.71 PPM	G1	+/- 1.4% NIST Traceable	08/27/2018, 09/05/2018
NITRIC OXIDE	50.00 PPM	50.67 PPM	G1	+/- 1.4% NIST Traceable	08/27/2018, 09/05/2018
SULFUR DIOXIDE	50.00 PPM	50.84 PPM	G1	+/- 1.0% NIST Traceable	08/27/2018, 09/05/2018
NITROGEN	Balance				

CALIBRATION STANDARDS

Type	Lot ID	Cylinder No	Concentration	Uncertainty	Expiration Date
NITRM	1000025	CC442555	50.42 PPM NITRIC OXIDE/NITROGEN	+/- 0.6%	Jun 27, 2020
PTM	12368	9604119	25.80 PPM NITROGEN DIOXIDE/AIR	+/- 1.5%	Jun 02, 2017
GMS	7042012104	CC502941	5.191 PPM NITROGEN DIOXIDE/NITROGEN	+/- 2.0%	Jun 01, 2020
NTRM	1401037	KAL004378	40.88 PPM SULFUR DIOXIDE/NITROGEN	+/- 1.0%	Apr 17, 2024

The 50.00 PPM or 10.00 PPM noted above is only in reference to the GMS used in the assay and not part of the analysis.

ANALYTICAL EQUIPMENT

Instrument/Make/Model	Analytical Principle	Last Multipoint Calibration
Nicolet 6700 APW1100391 NC0	FTIR	Aug 29, 2018
Nicolet 6700 APW1100391 NC2	FTIR	Aug 31, 2018
Nicolet 6700 APW1100391 SC2	FTIR	Aug 29, 2018

Triad Data Available Upon Request
NOTES:POW 5218003855

Net weight: 2735 grams
Gross weight: 17395 grams

This calibration std. has been certified in accordance with the May 2012 EPA Traceability Protocol, Document EPA-800/R-12/011. All testing processes and measurements conform to the requirements of ISO/IEC 17025 and to Airgas ISO 9001:2008 and relate only to items identified on this certificate. Values are certified to be NIST Traceable with total uncertainty as detailed under Analytical Uncertainty. This document shall not be reproduced in full without written approval of the issuer.



TESTING CERT No. 3982.05

[Signature]
Approved for Release