

ภาคผนวก ค

ใบรับรองผลการตรวจวิเคราะห์



Analysis / Test Report

TESTING
No.0009

Client : The Base Height-Chiangmai Juristic Person Condominium
333, Kaew Nawarat Road, Tambon Wat Ket, Amphoe Mueang Chiang Mai, Chiang Mai
Thailand 50000

Lot ID: 254442

Date Received : Jan 22, 2025

Date Reported : Jan 29, 2025

Report Number : 3213547-1

P/O :

Project Name :

Project Location :

Page 1 of 1

Sample Number	254442-1
Sampled Date	Jan 20, 2025
Sample Description	Air Quality
Location	บริเวณพื้นที่โครงการ
Date Analysis Commenced	Jan 23, 2025
Condition of Sample	Drawn into one 10-L air sampling bag, one glass filter paper (8x10 inch) placed in plastic bag and one quartz filter paper (8x10 inch) placed in plastic bag
Barometric Pressure	730 mmHg
Atmospheric Temperature	28.9 °C

Analyte	Sampled Date/time	Unit	LOD	LOQ (LOR)	Result	Guideline Limit	Method	Guideline	Testing Location
Air Testing									
Carbon Monoxide *	03:00 PM - 04:00 PM	ppm	-	0.10	0.20	30	EPA 40 CFR Part 50, Appendix C	NEB No.10 Bangkok	
Particulate matter as PM 10	20/01/25 - 21/01/25	mg/m3	-	0.005	0.061	0.12	In - house method : STM 04-052 based on U.S. Environmental Protection Agency 40 CFR, method 50, Appendix J, revised as of July 1, 2008 (Include sampling)	NEB No.24 Bangkok	
Total Suspended Particulate	20/01/25 - 21/01/25	mg/m3	-	0.005	0.099	0.33	In - house method : STM 04-051 based on U.S. Environmental Protection Agency 40 CFR, method 50, Appendix B, revised as of July 1, 2008 (Include sampling)	NEB No.24 Bangkok	

Guideline :

NEB No.10 : Notification of the National Environmental Board. No.10, 1995 (B.E.2538); (1) Guideline for 1 month Average value.

NEB No.24 : Notification of the National Environmental Board. No.24, 2004 (B.E.2547) dated September 22, 2004

Sampled By : Chaloomkiat Amornriserm

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Approved by

Orawan R.

Orawan Rakyong
Scientist (3)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. No part of this report may be reproduced in any form without written consent from the laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : The Base Height-Chiangmai Juristic Person Condominium
333, Kaew Nawarat Road, Tambon Wat Ket, Amphoe Mueang Chiang Mai, Chiang Mai
Thailand 50000
P/O :
Project Name :
Project Location :

Sample Number : 253923-2

Sampled Date : Jan 14, 2025 2:05 PM

Sample Description : น้ำดื่ม

Location : จังหวัดเชียงใหม่

Date Analysis Commenced : Jan 16, 2025

Condition of Sample : Contained in two plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Water Testing	mg/L	-	2.0	89.2	≤30	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 5210 B, part 4500 - O G	Bangkok
Total Suspended Solids Dried at 103-105 degree C	mg/L	-	5	49	≤40	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 2540 D	Bangkok

Guideline : Notification of Ministry of Natural Resources and Environment B.E. 2567 on Effluent Control Standard from Types and Size of Buildings, Type B.
Sampling By : Sithichok Tassada

Remark :
- LOD : Limit of Detection
- <C : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Page 2 of 4



Analysis / Test Report

Client : The Base Height-Chiangmai Juristic Person Condominium
333, Kaew Nawarat Road, Tambon Wat Ket, Amphoe Mueang Chiang Mai, Chiang Mai
Thailand 50000
P/O :
Project Name :
Project Location :

Sample Number : 253923-3

Sampled Date : Jan 14, 2025 2:10 PM

Sample Description : น้ำดื่ม

Location : จังหวัดเชียงใหม่

Date Analysis Commenced : Jan 15, 2025

Condition of Sample : Contained in one amber glass bottle and five plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Microbiological Testing	MPN/100mL	-	-	1300000.0	No Standard	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 9221 B	Bangkok
Water Testing	mg/L	-	2.0	18.2	≤30	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 5210 B, part 4500 - O G	Bangkok
Oil & Grease	mg/L	-	3	<3	≤20	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 5520 B	Bangkok
pH at 25 degree C		-	-	7.8	5.5-9.0	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 4500 - H (B)	Bangkok
Settleable Solid *	mL/L/hr	-	0.1	<0.1	No Standard	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 2540 F	Bangkok
Sulfide *	mg/L	-	0.5	<0.5	≤1	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 4500-S2 (C, F)	Bangkok
Total Dissolved solids Dried at 180 degree C	mg/L	-	5	244	≤1000	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 2540 C	Bangkok
Total Kjeldahl Nitrogen as N *	mg/L	0.15	1.0	35.6	≤35	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 4500-Norg (C)	Bangkok

Results apply to the sample(s) as submitted, unless the sampling was conducted by the laboratory, ALS Laboratory Group (Thailand) Co., Ltd. An ALS Limited Company from the laboratory, ALS Laboratory Group (Thailand) Co., Ltd. An ALS Limited Company this report is not reproduced except in full.

Approved by

Sithichok T.

Sithichok Thongtuen
Scientist (3)

Results apply to the sample(s) as submitted, unless the sampling was conducted by the laboratory, ALS Laboratory Group (Thailand) Co., Ltd. An ALS Limited Company from the laboratory, ALS Laboratory Group (Thailand) Co., Ltd. An ALS Limited Company this report is not reproduced except in full.

Approved by

Sithichok T.

Sithichok Thongtuen
Scientist (3)

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

S:\Reports\Water_JM_Grpt (S-5399)

23796231/EMAIL

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

S:\Reports\Water_JM_Grpt (S-5399)

Page 3 of 4



Analysis / Test Report

TESTING
No.0009
Lot ID: 253923
Date Received : Jan 15, 2025
Date Reported : Jan 21, 2025
Report Number : 3212516-1

Client : The Base Height-Chiangmai Juristic Person Condominium
333, Kaew Navarat Road, Tambon Wat Ket, Amphoe Mueang Chiang Mai, Chiang Mai
Thailand 50000

P/O :

Project Name :

Project Location :

Page 4 of 4

Sample Number	253923-3
Sampled Date	Jan 14, 2025 2:10 PM
Sample Description	น้ำดื่ม
Location	บริเวณอาคารศูนย์รวมข้อมูล
Date Analysis Commenced	Jan 15, 2025
Condition of Sample	Contained in one amber glass bottle and five plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Water Testing Total Suspended Solids Dried at 103-105 degree C	mg/L	-	5	18	≤40	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 2540 D	Bangkok

Guideline : Notification of Ministry of Natural Resources and Environment B.E. 2567 on Effluent Control Standard from Types and Sized of Buildings, Type B.

Sampling By : Sithichok Taseeda

Remark :
- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced or used without the written approval from the Laboratory, ALS Laboratory Group (Thailand) among recommendations that this report is not reproduced except in full.

Approved by

Sithichok T.
Sithichok Thongnueen
Scientist (3)

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

2179621/ EMAIL

S:\Reports\Watered_JM_Guest (S-3199)



Analysis / Test Report

TESTING
No.0009
Lot ID: 253926
Date Received : Feb 05, 2025
Date Reported : Feb 11, 2025
Report Number : 3232886-1

Client : The Base Height-Chiangmai Juristic Person Condominium
333, Kaew Navarat Road, Tambon Wat Ket, Amphoe Mueang Chiang Mai, Chiang Mai
Thailand 50000

P/O :

Project Name :

Project Location :

Page 1 of 1

Sample Number	253926-2
Sampled Date	Feb 04, 2025 10:20 AM
Sample Description	น้ำดื่ม
Location	บริเวณอาคารศูนย์รวมข้อมูล
Date Analysis Commenced	Feb 06, 2025
Condition of Sample	Contained in two plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Water Testing BOD (5 days at 20 degree C)	mg/L	-	2.0	135	≤30	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 5210 B, part 4500 - O G	Bangkok
Total Suspended Solids Dried at 103-105 degree C	mg/L	-	5	76	≤40	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 2540 D	Bangkok

Guideline : Notification of Ministry of Natural Resources and Environment B.E. 2567 on Effluent Control Standard from Types and Sized of Buildings, Type B.

Sampling By : Phanudeth Petchaut

Remark :
- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced or used without the written approval from the Laboratory, ALS Laboratory Group (Thailand) among recommendations that this report is not reproduced except in full.

Approved by

Sinluk P.
Sinluk Bumak
Section Head

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

2179621/ EMAIL

S:\Reports\Watered_JM_Guest (2-2899)



Analysis / Test Report

TESTING
No.0009
Lot ID: 253926

Date Received : Feb 05, 2025
Date Reported : Feb 11, 2025
Report Number : 3232887-1

Client : The Base Height-Chiangmai Juristic Person Condominium
333, Kaew Nawarat Road, Tambon Wat Ket, Amphoe Mueang Chiang Mai, Chiang Mai
Thailand 50000

P/O :
Project Name :
Project Location :

Page 1 of 2

Sample Number	253926-3
Sampled Date	Feb 04, 2025 10:30 AM
Sample Description	น้ำดื่ม
Location	บริเวณอาคารศูนย์รวมข้อมูล
Date Analysis Commenced	Feb 05, 2025
Condition of Sample	Contained in one amber glass bottle and five plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Microbiological Testing							
Total Coliform	MPN/100mL	-	-	24000.0	No Standard	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 9221 B	Bangkok
Water Testing							
BOD (5 days at 20 degree C)	mg/L	-	2.0	16.1	≤30	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 5210 B, part 4500 - O G	Bangkok
Oil & Grease	mg/L	-	3	<3	≤20	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 5520 B	Bangkok
pH at 25 degree C	-	-	-	7.4	5.5-9.0	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 4500 - H (B)	Bangkok
Settleable Solid *	mL/L/hr	-	0.1	<0.1	No Standard	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 2540 F	Bangkok
Sulfide *	mg/L	-	0.5	<0.5	≤1	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 4500-S2 (C, F)	Bangkok
Total Dissolved solids Dried at 180 degree C	mg/L	-	5	312	≤1000	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 2540 C	Bangkok
Total Kjeldahl Nitrogen as N *	mg/L	0.15	1.0	11.0	≤35	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 4500-Norg (C)	Bangkok

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced without the written approval of the laboratory.

Approved by



Suwannee Chuankeaw
Section Head

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

S:\Reports\Water_JM_Grpt (S.3799)

23796211 EMAIL



Analysis / Test Report

TESTING
No.0009
Lot ID: 253926

Date Received : Feb 05, 2025
Date Reported : Feb 11, 2025
Report Number : 3232887-1

Client : The Base Height-Chiangmai Juristic Person Condominium
333, Kaew Nawarat Road, Tambon Wat Ket, Amphoe Mueang Chiang Mai, Chiang Mai
Thailand 50000

P/O :
Project Name :
Project Location :

Page 2 of 2

Sample Number	253926-3
Sampled Date	Feb 04, 2025 10:30 AM
Sample Description	น้ำดื่ม
Location	บริเวณอาคารศูนย์รวมข้อมูล
Date Analysis Commenced	Feb 05, 2025
Condition of Sample	Contained in one amber glass bottle and five plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Water Testing							
Total Suspended Solids Dried at 103-105 degree C	mg/L	-	5	20	≤40	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 2540 D	Bangkok

Guideline : Notification of Ministry of Natural Resources and Environment B.E. 2567 on Effluent Control Standard from Types and Size of Buildings, Type B.

Sampling By : Phanudeth Petchaut

Remark :
- LOD : Unit of Detection
- "<" : Lower than LOQ (Limit of Quantization) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced without the written approval of the laboratory.

Approved by



Suwannee Chuankeaw
Section Head

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

23796211 EMAIL

S:\Reports\Water_JM_Grpt (S.3799)



TESTING
No.0009

Analysis / Test Report

Client : The Base Height-Chiangmai Juristic Person Condominium
333, Kaew Navarat Road, Tambon Wat Ket, Amphoe Muang Chiang Mai, Chiang Mai
Thailand 50000
P/O :
Project Name :
Project Location :

Lot ID: 253927

Date Received : Mar 05, 2025
Date Reported : Mar 11, 2025
Report Number : 3212524-1

Page 2 of 4

Sample Number	253927-2
Sampled Date	Mar 04, 2025 11:25 AM
Sample Description	น้ำดื่ม
Location	บริเวณร้านอาหารหน้าบ้าน
Date Analysis Commenced	Mar 05, 2025
Condition of Sample	Contained in two plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Water Testing							
BOD (5 days at 20 degree C)	mg/L	-	2.0	129	≤30	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 5210 B, part 4500 - O-G	Bangkok
Total Suspended Solids Dried at 105-105 degree C	mg/L	-	5	77	≤40	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 2540 D	Bangkok

Guideline : Notification of Ministry of Natural Resources and Environment B.E. 2567 on Effluent Control Standard from Types and Size of Buildings, Type B.

Sampling By : Nattapong Supa

- Remark :
- LOD : Limit of Detection
 - LOQ : Lower than LOQ (Limit of Quantitation) (LOR (Limit of Reporting))
 - Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
 - Sampling is not included in scope of accreditation ISO/IEC 17025

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced or used without the written approval of the laboratory.

Approved by



Suwannee Chuankeaw
Section Head

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

S:\Reports\Water_JM_Grpt (4.3390)



TESTING
No.0009

Analysis / Test Report

Client : The Base Height-Chiangmai Juristic Person Condominium
333, Kaew Navarat Road, Tambon Wat Ket, Amphoe Muang Chiang Mai, Chiang Mai
Thailand 50000
P/O :
Project Name :
Project Location :

Lot ID: 253927

Date Received : Mar 05, 2025
Date Reported : Mar 11, 2025
Report Number : 3212524-1

Page 3 of 4

Sample Number	253927-3
Sampled Date	Mar 04, 2025 11:30 AM
Sample Description	น้ำดื่ม
Location	บริเวณร้านอาหารหน้าบ้าน
Date Analysis Commenced	Mar 05, 2025
Condition of Sample	Contained in one amber glass bottle and five plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Microbiological Testing							
Total Coliform	MPN/100mL	-	-	3300.0	No Standard	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 9221 B	Bangkok
Water Testing							
BOD (5 days at 20 degree C)	mg/L	-	2.0	17.0	≤30	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 5210 B, part 4500 - O-G	Bangkok
Oil & Grease	mg/L	-	3	<3	≤20	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3520 B	Bangkok
pH at 25 degree C		-	-	7.0	5.5-9.0	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 4500 - H (B)	Bangkok
Settleable Solid *	mL/L/hr	-	0.1	<0.1	No Standard	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 2540 F	Bangkok
Sulfide *	mg/L	-	0.5	<0.5	≤1	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 4500-S2 (C, F)	Bangkok
Total Dissolved solids Dried at 180 degree C	mg/L	-	5	396	≤1000	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 2540 C	Bangkok
Total Kjeldahl Nitrogen as N *	mg/L	0.15	1.0	1.2	≤35	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 4500-Norg (C)	Bangkok

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced or used without the written approval of the laboratory.

Approved by



Suwannee Chuankeaw
Section Head

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

S:\Reports\Water_JM_Grpt (4.3390)



Analysis / Test Report

TESTING
No.0009

Lot ID: 253927

Date Received : Mar 05, 2025
Date Reported : Mar 11, 2025
Report Number : 3212524-1

P/O :
Project Name :
Project Location :

Page 4 of 4

Sample Number 253927-3
Sampled Date Mar 04, 2025 11:30 AM
Sample Description ฟื้นฟู
Location ฟื้นฟู
Date Analysis Commenced Mar 05, 2025
Condition of Sample Contained in one amber glass bottle and five plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Water Testing							
Total Suspended Solids Dried at 103-105 degree C	mg/L	-	5	12	≤40	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 2540 D	Bangkok

Guideline : Notification of Ministry of Natural Resources and Environment B.E. 2567 on Effluent Control Standard from Types and Sized of Buildings, Type B.

Sampling By : Nattapong Sopa

Remark :
- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced or used without the written approval of the laboratory.

Approved by

Suwannee Chuankeaw
Section Head

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

RIGHT SOLUTIONS RIGHT PARTNER

S:\Reports\Water\AL_Grpt (4.3399)

2179621/1/00AL



Analysis / Test Report

TESTING
No.0009

Lot ID: 253928

Date Received : Apr 02, 2025
Date Reported : Apr 08, 2025
Report Number : 3212522-1

Client : The Base Height-Chiangmai Juristic Person Condominium
333, Kaew Navarat Road, Tambon Wat Ket, Amphoe Mueang Chiang Mai, Chiang Mai
Thailand 50000

P/O :
Project Name :
Project Location :

Page 2 of 4

Sample Number 253928-2
Sampled Date Apr 01, 2025 2:10 PM
Sample Description ฟื้นฟู
Location ฟื้นฟู
Date Analysis Commenced Apr 03, 2025
Condition of Sample Contained in two plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Water Testing							
BOD (5 days at 20 degree C)	mg/L	-	2.0	49.0	≤30	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 5210 B, part 4500 - O G	Bangkok
Total Suspended Solids Dried at 103-105 degree C	mg/L	-	5	30	≤40	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 2540 D	Bangkok

Guideline : Notification of Ministry of Natural Resources and Environment B.E. 2567 on Effluent Control Standard from Types and Sized of Buildings, Type B.

Sampling By : Chaloomkiat Anomrisseem

Remark :
- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced or used without the written approval of the laboratory.

Approved by

Siriruk P.
Siriruk Bumrak
Section Head

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

S:\Reports\Air_Grpt (4.3399)

2179621/1/00AL



Analysis / Test Report

TESTING
No.0009

Lot ID: 253928

Date Received : Apr 02, 2025

Date Reported : Apr 08, 2025

Report Number : 3212522-1

Client : The Base Height-Chiangmai Juristic Person Condominium

333, Kaew Nawarat Road, Tambon Wat Ket, Amphoe Mueang Chiang Mai, Chiang Mai

P/O :

Thailand 50000

Project Name :

Project Location :

Page 3 of 4

Sample Number	253928-3
Sampled Date	Apr 01, 2025 2:20 PM
Sample Description	น้ำดื่ม
Location	บริเวณอาคารศูนย์รวมข้อมูล
Date Analysis Commenced	Apr 02, 2025
Condition of Sample	Contained in one amber glass bottle and five plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Microbiological Testing							
Total Coliform	MPN/100mL	-	-	49000.0	No Standard	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 9221 B	Bangkok
Water Testing							
BOD (5 days at 20 degree C)	mg/L	-	2.0	4.7	≤30	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 5210 B, part 4500 - O G	Bangkok
Oil & Grease	mg/L	-	3	<3	≤20	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 5520 B	Bangkok
pH at 25 degree C		-	-	6.8	5.5-9.0	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 4500 - H (B)	Bangkok
Settleable Solid *	mL/L/hr	-	0.1	<0.1	No Standard	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 2540 F	Bangkok
Sulfide *	mg/L	-	0.5	<0.5	≤1	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 4500-S2 (C, F)	Bangkok
Total Dissolved solids Dried at 180 degree C	mg/L	-	5	452	≤1000	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 2540 C	Bangkok
Total Kjeldahl Nitrogen as N *	mg/L	0.15	1.0	4.2	≤35	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 4500-Norg (C)	Bangkok

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced or used without the written approval of the laboratory.

Sirinuk P.
Sirinuk Bunmak
Section Head

Approved by

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

S:\Reports_JM_Graph (4.5799)

237962317 EMAIL



Analysis / Test Report

TESTING
No.0009

Lot ID: 253928

Date Received : Apr 02, 2025

Date Reported : Apr 08, 2025

Report Number : 3212522-1

Client : The Base Height-Chiangmai Juristic Person Condominium

333, Kaew Nawarat Road, Tambon Wat Ket, Amphoe Mueang Chiang Mai, Chiang Mai

P/O :

Thailand 50000

Project Name :

Project Location :

Page 4 of 4

Sample Number	253928-3
Sampled Date	Apr 01, 2025 2:20 PM
Sample Description	น้ำดื่ม
Location	บริเวณอาคารศูนย์รวมข้อมูล
Date Analysis Commenced	Apr 02, 2025
Condition of Sample	Contained in one amber glass bottle and five plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Water Testing							
Total Suspended Solids Dried at 103-105 degree C	mg/L	-	5	16	≤40	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 2540 D	Bangkok

Guideline : Notification of Ministry of Natural Resources and Environment B.E. 2567 on Effluent Control Standard from Types and Size of Buildings, Type B.

Sampling By : Chalorakiat Anomsrisiem

- Remark :
- LOD : Unit of Detection
 - "<" : Lower than LOQ (Limit of Quantization) / LOR (Limit of Reporting)
 - Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
 - Sampling is not included in scope of accreditation ISO/IEC 17025

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced or used without the written approval of the laboratory.

Sirinuk P.
Sirinuk Bunmak
Section Head

Approved by

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

S:\Reports_JM_Graph (4.5799)

237962317 EMAIL



Analysis / Test Report

TESTING
No.0009

Lot ID: 253929

Date Received : May 08, 2025

Date Reported : May 15, 2025

Report Number : 3212521-1

Client : The Base Height-Chiangmai Juristic Person Condominium

333, Kaew Nawarat Road, Tambon Wat Ket, Amphoe Mueang Chiang Mai, Chiang Mai

P/O : Thailand 50000

Project Name :

Project Location :

Page 2 of 4

Sample Number	253929-2
Sampled Date	May 07, 2025 2:45 PM
Sample Description	น้ำดื่ม
Location	บริเวณตู้จำหน่ายน้ำดื่ม
Date Analysis Commenced	May 09, 2025
Condition of Sample	Contained in two plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Water Testing							
BOD (5 days at 20 degree C)	mg/L	-	2.0	49.0	≤30	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 5210 B, part 4500 - O G	Bangkok
Total Suspended Solids Dried at 103-105 degree C	mg/L	-	5	40	≤40	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 2540 D	Bangkok

Guideline : Notification of Ministry of Natural Resources and Environment B.E. 2567 on Effluent Control Standard from Types and Size of Buildings, Type B.

Sampling By : Natthakit Sapankae

- Remark :
- LOD : Limit of Detection
 - <C : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
 - Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
 - Sampling is not included in scope of accreditation ISO/IEC 17025

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced or used without the written approval of the laboratory.

Approved by



Suwannee Chuankeaw
Section Head

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

2179621/1 EMAIL

S:\Reports_JM_Graph (4-0090)



Analysis / Test Report

TESTING
No.0009

Lot ID: 253929

Date Received : May 08, 2025

Date Reported : May 15, 2025

Report Number : 3212521-1

Client : The Base Height-Chiangmai Juristic Person Condominium

333, Kaew Nawarat Road, Tambon Wat Ket, Amphoe Mueang Chiang Mai, Chiang Mai

P/O : Thailand 50000

Project Name :

Project Location :

Page 3 of 4

Sample Number	253929-3
Sampled Date	May 07, 2025 2:50 PM
Sample Description	น้ำดื่ม
Location	บริเวณตู้จำหน่ายน้ำดื่ม
Date Analysis Commenced	May 08, 2025
Condition of Sample	Contained in five plastic bottles and one amber glass bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Microbiological Testing							
Total Coliform	MPN/100mL	-	-	14000.0	No Standard	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 9221 B	Bangkok
Water Testing							
BOD (5 days at 20 degree C)	mg/L	-	2.0	6.3	≤30	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 5210 B, part 4500 - O G	Bangkok
Oil & Grease	mg/L	-	3	<3	≤20	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 5520 B	Bangkok
pH at 25 degree C		-	-	6.4	5.5-9.0	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 4500 - H (B)	Bangkok
Settleable Solid *	mL/L/hr	-	0.1	<0.1	No Standard	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 2540 F	Bangkok
Sulfide *	mg/L	-	0.5	<0.5	≤1	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 4500-S2 (C, F)	Bangkok
Total Dissolved solids Dried at 180 degree C	mg/L	-	5	484	≤1000	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 2540 C	Bangkok
Total Kjeldahl Nitrogen as N *	mg/L	0.15	1.0	4.0	≤35	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 4500-Norg (C)	Bangkok

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced or used without the written approval of the laboratory.

Approved by



Suwannee Chuankeaw
Section Head

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

2179621/1 EMAIL

S:\Reports_JM_Graph (4-0090)



Analysis / Test Report

TESTING
No.0009

Lot ID: 253929

Date Received : May 08, 2025

Date Reported : May 15, 2025

Report Number : 3212521-1

Client : The Base Height-Chiangmai Juristic Person Condominium

333, Kaew Navarat Road, Tambon Wat Ket, Amphoe Mueang Chiang Mai, Chiang Mai

Thailand 50000

P/O :

Project Name :

Project Location :

Page 4 of 4

Sample Number	253929-3
Sampled Date	May 07, 2025 2:50 PM
Sample Description	น้ำดื่ม
Location	บริเวณอาคารศูนย์รวมข้อมูล
Date Analysis Commenced	May 08, 2025
Condition of Sample	Contained in five plastic bottles and one amber glass bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Water Testing							
Total Suspended Solids Dried at 103-105 degree C	mg/L	-	5	8	≤40	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 2540 D	Bangkok

Guideline : Notification of Ministry of Natural Resources and Environment B.E. 2567 on Effluent Control Standard from Types and Sized of Buildings, Type B.

Sampling By : Natthakrit Sapankae

Remark :
- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced or used in any way without the written approval of the Laboratory.

Approved by


Suwannee Chuankeaw
Section Head

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

S:\Reports_LAB\CA\01 (4-0090)

237962-1/1 DML



Analysis / Test Report

TESTING
No.0009

Lot ID: 253930

Date Received : Jun 05, 2025

Date Reported : Jun 14, 2025

Report Number : 3334629-1

Client : The Base Height-Chiangmai Juristic Person Condominium

333, Kaew Navarat Road, Tambon Wat Ket, Amphoe Mueang Chiang Mai, Chiang Mai

Thailand 50000

P/O :

Project Name :

Project Location :

Page 1 of 1

Sample Number	253930-2
Sampled Date	Jun 04, 2025 10:10 AM
Sample Description	น้ำดื่ม
Location	บริเวณห้างสรรพสินค้า
Date Analysis Commenced	Jun 06, 2025
Condition of Sample	Contained in two plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Water Testing							
BOD (5 days at 20 degree C)	mg/L	-	2.0	40.2	≤30	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 5210 B, part 4500 - O G	Bangkok
Total Suspended Solids Dried at 103-105 degree C	mg/L	-	5	90	≤40	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 2540 D	Bangkok

Guideline : Notification of Ministry of Natural Resources and Environment B.E. 2567 on Effluent Control Standard from Types and Sized of Buildings, Type B.

Sampling By : Takdai Ubonir

Remark :
- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced or used in any way without the written approval of the Laboratory.

Approved by


Nanthawadee Sombon
Specialist 2

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

237962-1/1 DML

S:\Reports_LAB\CA\01 (4-2990)



Analysis / Test Report

TESTING
No.0009
Lot ID: 253930

Client : The Base Height-Chiangmai Juristic Person Condominium
333, Kaew Nawarat Road, Tambon Wat Ket, Amphoe Mueang Chiang Mai, Chiang Mai
Thailand 50000
P/O :
Project Name :
Project Location :

Page 1 of 2

Sample Number 253930-3
Sampled Date Jun 04, 2025 10:20 AM
Sample Description น้ำดื่ม
Location บริเวณอาคารศูนย์รวมข้อมูล
Date Analysis Commenced Jun 05, 2025
Condition of Sample Contained in five plastic bottles and one amber glass bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	Result	Guideline / Specification	Method	Testing Location
Microbiological Testing						
Total Coliform	MPN/100mL	-	2400.0	No Standard	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 9221 B	Bangkok
Water Testing						
BOD (5 days at 20 degree C)	mg/L	-	4.5	≤30	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 5210 B, part 4500 - O G	Bangkok
Oil & Grease	mg/L	-	<3	≤20	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 5520 B	Bangkok
pH at 25 degree C	-	-	7.0	5.5-9.0	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 4500 - H (B)	Bangkok
Settleable Solid *	mL/L/hr	-	<0.1	No Standard	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 2540 F	Bangkok
Sulfide *	mg/L	-	<0.5	≤1	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 4500-S2 (C, F)	Bangkok
Total Dissolved solids Dried at 180 degree C	mg/L	-	412	≤1000	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 2540 C	Bangkok
Total Kjeldahl Nitrogen as N *	mg/L	0.15	2.5	≤35	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 4500-Norg (C)	Bangkok

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced without the written approval of the laboratory.

Approved by

Suwannee Chuankeaw
Section Head

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company



Analysis / Test Report

TESTING
No.0009
Lot ID: 253930

Client : The Base Height-Chiangmai Juristic Person Condominium
333, Kaew Nawarat Road, Tambon Wat Ket, Amphoe Mueang Chiang Mai, Chiang Mai
Thailand 50000
P/O :
Project Name :
Project Location :

Page 2 of 2

Sample Number 253930-3
Sampled Date Jun 04, 2025 10:20 AM
Sample Description น้ำดื่ม
Location บริเวณอาคารศูนย์รวมข้อมูล
Date Analysis Commenced Jun 05, 2025
Condition of Sample Contained in five plastic bottles and one amber glass bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	Result	Guideline / Specification	Method	Testing Location
Water Testing						
Total Suspended Solids Dried at 103-105 degree C	mg/L	-	11	≤40	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 2540 D	Bangkok

Guideline : Notification of Ministry of Natural Resources and Environment B.E. 2567 on Effluent Control Standard from Types and Size of Buildings, Type B.

Sampling By : Taktanal Ubonsri

- Remark :
- LOD : Unit of Detection
 - "<" : Lower than LOQ (Limit of Quantization) / LOR (Limit of Reporting)
 - Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
 - Sampling is not included in scope of accreditation ISO/IEC 17025

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced without the written approval of the laboratory.

Approved by

Suwannee Chuankeaw
Section Head

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company



Analysis / Test Report

TESTING
No.0009
Lot ID: 253923

Client : The Base Height-Chiangmai Juristic Person Condominium
333, Kaew Nawarat Road, Tambon Wat Ket, Amphoe Mueang Chiang Mai, Chiang Mai
Thailand 50000
P/O :
Project Name :
Project Location :
Date Received : Jan 15, 2025
Date Reported : Jan 21, 2025
Report Number : 3212516-1

Page 1 of 4

Sample Number 253923-1
Sampled Date Jan 14, 2025 2:00 PM
Sample Description #รพ.บ้านป่า
Date Analysis Commenced Jan 15, 2025
Condition of Sample Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Microbiological Testing							
Fecal Coliform	MPN/100mL	-	-	<1.1	Not Detected	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 9221 B, E	Bangkok
Total Coliform	MPN/100mL	-	-	<1.1	<10	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 9221 B	Bangkok

Guideline : จำนวนค่าเฉลี่ยการปนเปื้อนของตัวอย่างน้ำดื่ม 1/2550 ค่า การควบคุมการปนเปื้อนการสาธารณสุข น้ำดื่มตามเกณฑ์ 1 ในล้านของตัวอย่างน้ำ

Sampling By : Sithichok Taseeda

Remark :
- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced or used for any other purpose without the written approval of the laboratory.

Approved by

Sithichok T.
Sithichok Thongnuean
Scientist (3)

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

2179621/ EMAIL

S:\Reports\Water_JM_Guest (S-3799)



Analysis / Test Report

TESTING
No.0009
Lot ID: 253926

Client : The Base Height-Chiangmai Juristic Person Condominium
333, Kaew Nawarat Road, Tambon Wat Ket, Amphoe Mueang Chiang Mai, Chiang Mai
Thailand 50000
P/O :
Project Name :
Project Location :
Date Received : Feb 05, 2025
Date Reported : Feb 11, 2025
Report Number : 322885-1

Page 1 of 1

Sample Number 253926-1
Sampled Date Feb 04, 2025 10:40 AM
Sample Description #รพ.บ้านป่า
Date Analysis Commenced Feb 05, 2025
Condition of Sample Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Microbiological Testing							
Fecal Coliform	MPN/100mL	-	-	<1.1	Not Detected	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 9221 B, E	Bangkok
Total Coliform	MPN/100mL	-	-	<1.1	<10	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 9221 B	Bangkok

Guideline : จำนวนค่าเฉลี่ยการปนเปื้อนของตัวอย่างน้ำดื่ม 1/2550 ค่า การควบคุมการปนเปื้อนการสาธารณสุข น้ำดื่มตามเกณฑ์ 1 ในล้านของตัวอย่างน้ำ

Sampling By : Phanudeth Petchaut

Remark :
- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced or used for any other purpose without the written approval of the laboratory.

Approved by

Suwanee Chuankeaw
Section Head

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

2179621/ EMAIL

S:\Reports\Water_JM_Guest (S-3799)



Analysis / Test Report

TESTING
No.0009

Lot ID: 253927

Date Received : Mar 05, 2025
Date Reported : Mar 11, 2025
Report Number : 3212524-1

P/O :
Project Name :
Project Location :

Client : The Base Height-Chiangmai Juristic Person Condominium
333, Kaew Navarat Road, Tambon Wat Ket, Amphoe Mueang Chiang Mai, Chiang Mai
Thailand 50000

P/O :
Project Name :
Project Location :

Sample Number

Sampled Date

Sample Description

Date Analysis Commenced

Condition of Sample

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Microbiological Testing							
Fecal Coliform	MPN/100mL	-	-	<1.1	Not Detected	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 9221 B, E	Bangkok
Total Coliform	MPN/100mL	-	-	<1.1	<10	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 9221 B	Bangkok

Guideline : ข้อมูลทางผลการทดสอบจะส่งมอบให้ลูกค้าทราบภายใน 1/2550 หรือ ตามความเหมาะสมของลูกค้าหรือหน่วยงาน ที่ลูกค้ากำหนด

Sampling By : Nattapong Sopa

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025

Page 1 of 4

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced or used without the written approval of the laboratory.

Approved by


Suwannee Chuankeaw
Section Head

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

217962-1/ EMAIL

S:\Reports\Hlabid_JM_Guest (4.3399)



Analysis / Test Report

TESTING
No.0009

Lot ID: 253928

Date Received : Apr 02, 2025
Date Reported : Apr 08, 2025
Report Number : 3212522-1

P/O :
Project Name :
Project Location :

Client : The Base Height-Chiangmai Juristic Person Condominium
333, Kaew Navarat Road, Tambon Wat Ket, Amphoe Mueang Chiang Mai, Chiang Mai
Thailand 50000

P/O :
Project Name :
Project Location :

Sample Number

Sampled Date

Sample Description

Date Analysis Commenced

Condition of Sample

Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Microbiological Testing							
Fecal Coliform	MPN/100mL	-	-	<1.1	Not Detected	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 9221 E	Bangkok
Total Coliform	MPN/100mL	-	-	<1.1	<10	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 9221 B	Bangkok

Guideline : ข้อมูลทางผลการทดสอบจะส่งมอบให้ลูกค้าทราบภายใน 1/2550 หรือ ตามความเหมาะสมของลูกค้าหรือหน่วยงาน ที่ลูกค้ากำหนด

Sampling By : Chalokiat Anomrisseem

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced or used without the written approval of the laboratory.

Approved by


Siriluk Bumrak
Section Head

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

217962-1/ EMAIL

S:\Reports\JM_Guest (4.3399)

Page 1 of 4



Analysis / Test Report

TESTING
No.0009

Client : The Base Height-Chiangmai Juristic Person Condominium
333, Kaew Nawarat Road, Tambon Wat Ket, Amphoe Mueang Chiang Mai, Chiang Mai
Thailand 50000
P/O :
Project Name :
Project Location :

Page 1 of 4

Sample Number 253929-1
Sampled Date May 07, 2025 2:40 PM
Sample Description #๕๖๓๒๒
Date Analysis Commenced May 08, 2025
Condition of Sample Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Microbiological Testing							
Fecal Coliform	MPN/100mL	-	-	<1.1	Not Detected	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 9221 E	Bangkok
Total Coliform	MPN/100mL	-	-	<1.1	<10	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 9221 B	Bangkok

Guideline : ค่ามาตรฐานของกรมการสาธารณสุข ฉบับที่ 1/2550 เรื่อง การควบคุมการปนเปื้อนของจุลินทรีย์ในน้ำดื่มและน้ำบริโภค

Sampling By : Natthakrit Sapankaeuw

Remark :
- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced or used without the written approval of the laboratory.

Approved by



Suwannee Chuankeaw
Section Head

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

23796231/BNAL

S:\Reports_JM_Graph (4-0090)



Analysis / Test Report

TESTING
No.0009

Client : The Base Height-Chiangmai Juristic Person Condominium
333, Kaew Nawarat Road, Tambon Wat Ket, Amphoe Mueang Chiang Mai, Chiang Mai
Thailand 50000
P/O :
Project Name :
Project Location :

Page 1 of 2

Sample Number 253930-1
Sampled Date Jun 04, 2025 10:25 AM
Sample Description #๕๖๓๒๒
Date Analysis Commenced Jun 05, 2025
Condition of Sample Contained in three plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Microbiological Testing							
<i>Escherichia coli</i>	in 100 mL	-	-	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 9221 F	Bangkok
Fecal Coliform	MPN/100mL	-	-	<1.1	Not Detected	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 9221 E	Bangkok
<i>Pseudomonas aeruginosa</i> *	in 100 mL	-	-	Not Detected	Not Detected	In-house method in connection with: - Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 9213 E In-house method STM No. 01-054 in connection with: - Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 9213 B - FDA BAM online, 2016 (Chapter 12)	Bangkok
Total Coliform	MPN/100mL	-	-	<1.1	<10	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 9221 B	Bangkok
Water Testing							
Ammonia Nitrogen *	mg/L	-	0.06	<0.06	≤20	Based on Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 4500-NH3 (B, F)	Bangkok
Chloride as Cl *	mg/L	0.06	0.2	2010	≤600	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 4110 B	Bangkok
Cyanuric acid *	mg/L	2	7	8.0	30-60	Colorimetric Method	Bangkok

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced or used without the written approval of the laboratory.

Approved by



Suwannee Chuankeaw
Section Head

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

23796231/BNAL

S:\Reports_JM_Graph (2-3490)



Analysis / Test Report

Client : The Base Height-Chiangmai Juristic Person Condominium
333, Kaew Nawarat Road, Tambon Wat Ket, Amphoe Mueang Chiang Mai, Chiang Mai
Thailand 50000

P/O :

Project Name :

Project Location :

TESTING

No.0009

Lot ID: 253930

Date Received : Jun 05, 2025

Date Reported : Jun 14, 2025

Report Number : 3334628-1

Page 2 of 2

Sample Number 253930-1

Sampled Date Jun 04, 2025 10:25 AM

Sample Description น้ำดื่ม

Date Analysis Commenced Jun 05, 2025

Condition of Sample Contained in three plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Water Testing							
Nitrate as NO3 *	mg/L	0.3	1.0	19.8	≤50	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 4110 B	Bangkok
pH at 25 degree C *		-	-	7.9	7.2-8.4	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 4500 - H (B)	Bangkok
Total Hardness as CaCO3 *	mg/L	-	1	125	No Standard	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 2340 C	Bangkok

Guideline : ข้อมูลทางเคมีทั้งหมดจะตรวจสอบด้วยวิธี 1/2550 โดย การควบคุมการปนเปื้อนและการตรวจวัดค่า ให้สอดคล้อง ๗ ในห้ามลเกินกว่า

Sampling By : Taktana Ubonir

Remark :

- LOD : Limit of Detection
- "e" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced without the written approval of the laboratory.

Approved by

Suwannee Chumkeaw
Section Head

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

2379621/1 EMAIL

S:\Reports\JAL_Graph (2-5490)